

Introduction	Knoll and Sustainable Design	3
	General Specifications	4
	Reff Profiles finish options	5
	Reff Profiles Master Features	7
Panels	Monolithic panels 34" H	9
	Monolithic panels 42" H	15
	Monolithic panels 49" H	22
	Monolithic panels 64" H	29
	Monolithic panels 79" H	36
	Tiled panels 34" H	43
	Tiled panels 42" H	48
	Tiled panels 49" H	55
	Tiled panels 64" H	62
	Tiled panels 79" H	69
	Aluminum Reveal kits	76
	Beltway one side, window panel 49" H	83
	Beltway two sides, window panel 49" H	97
	Stacking modules	100
	Panel connection posts	105
	Panel trims and post covers	110
	Ceiling cable entry posts, poles and cable infeed	112
	Ceiling cable entry post covers	114
	Rolling door and hinged door	116
	Attachment kits	117
	Floor to ceiling modules	118
	Required components	125
Power distribution components	126	
Beltway electrical components	131	
Data and Communications	133	
Reff Ported Panel Components	134	
Worksurfaces	Worksurface 1 1/4"	137
	Conference 1 1/4"	195
	Optional edge details 1 1/4"	197
	Optional edge 1 1/4"	198
	Waterfall Edge 1 1/4"	213
	Cascade Edge 1 1/4"	232
	Worksurface 1 1/2"	238
	Worksurface Credenza	260
	Tables, 1 1/2"	263
	Tables, 1"	270
Support components	Top support components	273
	Modesty	288
Cabinetry	Pedestals, 26 1/2" planning	293
	Pedestals, 28 3/8" planning	304
	Pedestals, Mobile	315
	Credenzas, 28 3/8" planning	316
	Cabinets, 26 1/2" planning	321
	Cabinets, 28 3/8" planning	346
	Cabinets Progressive	366
Desktop towers	Desktop Towers	378
Overhead storage	Overhead, 26 1/2" planning	384
	Overhead, 28 3/8" planning	392
	Reuter overhead cabinet	413
	Reuter open shelf	414
	Reuter open overhead	415
	Reuter overhead storage	416
	Task Lights for Reuter Overhead Storage	418
	Overheads	419

Transaction tops, regular and waterfall edge	Transaction tops	426
Gallery desk surrounds	Gallery desk surrounds	428
Preconfigured Reff Desking	Single pedestal desks	432
	Double pedestal desks	433
	Desk returns	434
	Single pedestal credenzas	435
	Bridge assemblies	436
	Double pedestal credenzas	437
Accessories and Client Samples	Accessories	438
	Taskpanels	451
	Tackboards	489
Reff Original finish options	Reff Original finish options	490
Alpha-Numeric Index		491
Selling Policy		511
KnollKey Lock Program		513
General Ordering Information		514

Knoll and Sustainable Design

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC®); Rainforest Alliance; GREENGUARD® Environmental Institute; and Chicago Climate Exchange (CCX®).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

1. Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll is a member of the Chicago Climate Exchange, which promotes greenhouse gas reduction through the trading of credits earned for reducing emissions.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

2. Life Cycle Assessment (LCA) Tool

- Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.
- Knoll has partnered with The Green Standard.org to develop an affordable, universal ISO-compliant computer-based LCA tool that can be used by the entire contract furniture industry and is partnering on the development of an Environmental Product Declaration System (EPDs) for Knoll products. EPDs are verified documents containing LCA results and additional environmental performance information about a product.

3. Setting Industry Standards

- Knoll partners with MTS (The Institute for Market Transformation to Sustainability) to develop the SMaRT® Consensus Sustainable Products Standards, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of SMaRT®, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll has established FSC® (Forest Stewardship Council) certified wood as the standard for general office open plan office systems, casegoods and tables.
- Knoll also participates in an ongoing BIFMA (Business and Institutional Furniture Manufacturers Association) initiative to establish level™ sustainability standards for the contract furniture industry.
- Our goal is to encourage all manufacturers in the contract furniture industry and related industries to adopt standards that will lead to sustainable products and practices.

For more information about Knoll and sustainable design, visit knoll.com/environment.

Panels and Parts

All panels have a concealed perimeter frame 1 1/2" x 2". Panels 42" wide and wider, other than window panels, have additional interior bracing.

Panel bases are 3 3/8" or 6 3/16" high with levellers at both ends. Snap-in panel side plates are provided with at least two lift-outs on each side of panels 30" to 48" wide; one lift-out on each side of panels 24" wide, unless no knockout option is requested (see Planning Guide for details). Acoustical panels can be specified with fabric on either side or fabric on one side and wood or laminate on the other. A laminated board septum is covered on both sides with acoustical fiberglass for fabric/fabric panels providing an NRC of .80 and STC of 22.

Window panels utilize tempered 4mm thick glass. Panel-to-panel connection is accomplished with a steel connector bar, which engages locking points on panel perimeter frames and is drawn tight by means of a screw mechanism located at the top of the bar. Each panel is supplied with one connector, which also serves as an anchor point for panel-hung support brackets. Panel-to-wall connection is accomplished with a PVC extrusion which connects two aluminum extrusions - one screwed to the wall, the other attached to the panel perimeter frame. Stacking panels are provided with a fastener feature which allows individual 15" and 30"H sections to be added or removed without disturbing the panel run. In all cases a leveller adjustable panel must first be specified with additional sections added on to provide height adjustment. A post is required at panel intersections, when a panel run changes direction or as in the case of the straight line post when it is required to make up an extra 2 1/2" to match another panel run. Top trim utilizes a PVC extrusion for a press fit into the panel perimeter frame. End trim is screwed to a steel connector bar which locks it to the panel perimeter frame.

All tiled panels are constructed using the same frame as monolithic panels and also use the same internal components. However, the insert structure has been altered to allow tiles 15"H to be independently applied to the panel, thus creating a tiled appearance. Tiled panels can be stacked on.

Reff panels can be joined to existing System 6, Classic System 6, and Segmented panels with a conversion kit.

Beltway electrical panel is a Reff panel altered to provide access to electrical and communication ports at a desk height level.

Note:

Line drawings in this price list are purely for quick product identification without any form of detail. One must not use the price list line drawings to satisfy production dimensions, shape or support options. Refer to Planning Guide for detailed product information.

Wood and Laminate Components

Tops are 1 3/4" or 1 1/4" thick. Undersides are pre-drilled with inserts and routed to accept pedestals and connecting hardware.

Flush and cantilever top assemblies have 1 1/16" thick endpanels, and 1 5/16" thick backpanels. Recessed top assemblies have 1 1/16" thick endpanels and a 1 5/16" thick backpanel.

Pedestals are supplied with metal channels on the top to attach the pedestal to the underside of a worksurface.

Drawer boxes can be specified in both metal or wood with dovetailed joinery. Hinge doors use concealed, adjustable hinges.

All components are veneered and finished on all sides unless otherwise specified. Edges are banded with 1/8" PVC or 3/32" solid wood. 1 3/4" laminate tops are postformed front and back. 2" Deep solid waterfall edge optional.

Locks

All pedestals and cabinets with drawers are supplied with a ganglock mechanism in place. In addition, cabinets with drawers have a drawer interlock anti-tip device designed to prevent the opening of a second drawer when one is already open. Drawer fronts and door fronts are routed to receive the lock itself. Locks for drawers in pedestals and cabinets can be retro-fitted. Door locks are identical in shape to drawer locks, but these components are not pre-routed and therefore, locks cannot be retro-fitted.

Reff lockcores must be specified separately. Reff lock mechanisms are black and feature a removable core for easy replacement.

Levellers

All endpanels, backpanels (except recessed), floor pedestals and cabinets have 1 1/2" high levellers.

Lighting

Shelves and overhead cabinets have a bottom recess to house the task light. The task light can be easily retro-fitted.

Power is conveyed to the task light fixture by a 9' long cable. The lower end of the cable can be plugged into a panel base receptacle.

Grommets

Grommets are optional (except where noted). Tops up to 48" wide have one grommet. Tops wider than 48" include two grommets. See Planning Guide for locations.

All dimensions in this price list are for representative purposes only. For accurate build dimensions or factory drawings, please call Customer Services.

The Reff electrical is listed for use in the Reff panel system under UL1286.

Reff "Floor to Ceiling" is a modular, panel-based system. The ceiling channel should not be used as a support for the panel (see support section of specification guide).

Because local building and electrical codes vary and may have special requirements for modular walls that touch, approach or are attached to the ceiling, customers and installers should have the specifications reviewed and approved by building inspectors and a qualified electrical contractor. To the extent local codes and practices dictate, Knoll is available to help with customized solutions.

Orders with 50 or fewer locks required with no specific keying requests will be sent randomly keyed by the factory without warning.

Finishing

All Reff natural wood veneer and Techwood components are stained and sealed using a state of the art polyurethane finishing process. PolyurTM provides superior resistance to solvents, stains, abrasion and heat. Each component is coated and cured with ultraviolet light for a durable, lasting wood surface.

Natural veneers are all hand selected to best showcase the beauty of natural grain and to Knoll's meticulous color and grain standards.

Every effort is made to ensure that Knoll Reff veneers are the best that can be sourced in quality of color, consistency and size. Natural variations of wood are held in high regard and are not considered to be defects. Natural variations are not subject to warranty. The natural process of color change in real wood products is part of the unique character and beauty of this material. Knoll expects wood to patina over time and does not warranty color change.

Techwood is a genuine real wood product, enhanced by technology to provide color and grain consistency. Techwood finishes are available in open and closed pore options. Open pore techwood finishes are not available on waterfall edge tops. Waterfall edge tops can be specified with closed pore V1 and V2 finishes only.

FSC (Forest Stewardship Council) certified materials available upon request.

Wood Finishes:

V1 Techwood Closed Pore

Y316	Maple
Y319	Cherry
Y323	Medium Walnut
Y326	Dark Mahogany
Y327	Light Oak
Y329	Medium Oak
Y341	Wenge *
Y342	Medium Teak *
Y343	Dark Grey Oak *
Y344	Espresso
Y851	Black Oak
Y811	Natural
Y821	Blond Maple
Y831	Light Cherry

**Not available on Reff optional Edges and Waterfall Edge.*

V1 - Techwood Closed Pore Surface with matching synthetic edge:

Options applicable for 1/4" thick worksurfaces with standard flat edge only.

S319	Cherry
S316	Maple
S323	Medium Walnut

V2 Natural Veneers/Premium Techwood Veneers Closed Pore

V312	Bronze Cherry
V316	Maple
V411	Light Walnut
V415	Peacock Green Walnut
V417	Old English Walnut
V418	Smoked Walnut
V433	Light Fawn Cherry
V436	Medium Brown Cherry
V440	Natural Hemlock (QC)
Y871	Iced Sycamore (Open pore)
Y841	Ebony (Open pore)
Y861	Grigio (Open pore)

(all above V2's are flat cut)

V421	Chalk Oak
V423	Light Oak
V425	Amber Oak
V427	Brown Oak

(all V2 Oak's are rift cut)

V439	Straight Anigre
------	-----------------

V2 Natural Veneer with synthetic edge

Options applicable for 1/4" thick worksurfaces with standard flat edge only.

Flat Cut:

R319	Medium Cherry
R315	Light Cherry
R316	Light Maple
R323	Medium Walnut
R415	Peacock Green Walnut
R417	Old English Walnut
R421	Chalk Oak
R427	Brown Oak
R312	Bronze Cherry

V3 Exotic Veneer

V512	Figured Anigre
V513	Graphite Oak (Rift cut)
V514	Makore
V515	Figured Sycamore
V517	Natural Sapele
V518	Natural Chestnut

(all above are quarter cut)

Glass Options:

TEMP	Clear Tempered (G1)
------	---------------------

Architectural Glass Options: (G2)

GL13	Powder
GL8	Wafer
GL6	Block Matrix

Back Painted Glass (G3)

GL11	Back Painted Black
GL15	Back Painted Medium Grey
GL18	Back Painted White

Colored Glass (G3)

GL35	Grey
GL85	Star Clear

Locks

Black and Silver

Laminate

Matching edge band unless noted otherwise

111	Jet Black
114	Folkstone Grey
115	Medium Grey
117	Soft Grey
118	Bright White
119	Pumice
121	Micro Grey with 114 Folkstone grey edge band
122	Brushed Sand with 119 Pumice edge band
123	Brushed Grey with 128 Fog edge band
124	Medium Chery
125	Natural Maple
126	Natural Cherry
127	Walnut
128	Fog
129	Micro Sand with 119 Pumice edge band

Paint Classifications:

Upcharge as applicable for paint class noted on applicable product pages

P1

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey

P2

611	Beige Mist Metallic
612	Medium Metallic Grey

P3

118	Bright White
613	Silver
PD	Polish Chrome
PT	Brushed Pewter
PN	Black Nickel
PU	Satin Nickel
AN	Anodized Black
AP	Anodized Polished
AU	Anodized Satin

See matrix next page for finishes applicable by component

Forbo

851	Biscuit
852	Sky Blue
853	Stone
854	Cinnamon
855	Heather Blue

Mixed Finishes: (where applicable for work surfaces only)

To order mixed finishes, enter four digit finish code as follows:

Use 2 digit prefix to indicate surface finish (laminate)

11	Jet Black
14	Folkstone Grey
17	Soft Grey
18	Bright White
19	Pumice
21	Micro Grey
22	Brushed Sand
23	Brushed Grey
28	Fog
29	Micro Sand

Use 2 digit suffix to indicate edge finish (wood)

12	for V312
16	for V316, Y316
Y9	for Y319
Y3	for Y323
26	for Y326
27	for Y327
29	for Y329
43	for V433
45	for V415
46	for V436
47	for V417
48	for V418
49	for V439
52	for V512
53	for V513
54	for V514
55	for V515
57	for V517
61	for V411
71	for V421
73	for V423
75	for V425
77	for V427

Example:

For a Micro Grey laminate surface with Bronzed Cherry edge, enter finish code 2112

For a Jet Black laminate surface with Light Maple edge, enter finish code 1116

Fabric Options

Grade 10

Bailey II (W359) ø
 Broadcloth (W288)
 Foundation (W351)
 Growth Spurt (W692)
 Newbury (W812) ø
 Solid Crepe (W257) ø
 Symbolic Detail (W693)
 Tailor Made (W133)
 Versatility (W432)

Grade 15

Regency (W210)

Grade 20

Banyan (W443)
 Bauhaus Block (W296A)
 Circle Line (W1146)
 Clarity (W281)
 Criss Cross (W305)
 Devon (W809) ø
 Labyrinth (W352)
 Melbourne (W228)
 Outback (W229)
 Reflect (W884) ø
 Resolution (W280)
 Walkabout (W230)
 Weave Three (W298)

Grade 30

Basket Draft (W249)
 Flow (W565)
 Harmony (W232)
 Interknit (W1090)
 Match Point (W1145)
 Micro (W465)*
 Progression (W403)
 Raku Cloth (W566) ø
 Relay (W1020) ▲

Grade 40

Clarkson (W1218)
 Ornament (W1078)
 Palladium (W1030)
 Sennit (W337)
 Spinoff Nuance (W319)

Grade 45

Casual Elegance (W920)
 Dristi (K872)* ø

**with backing only*

▲ Monolithic panels and tackboards only

ø May not be available in all colors.

The following textiles are approved for use on Reff panels. Consult Knoll representative for pricing:

Grade 50

Knoll Hopsack (K1206)
 Ricochet (W498)

Grade 55

Knoll Felt (K1207)
 Transition (W816)

Customers Own Material

Prices for panels that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing.

COM fabrics are subject to a testing charge prior to acceptance for use on Reff panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.

When specifying panel/fabrics use the following format to denote location on a tiled panel.

Side 1		Side 2
1E	Top of Panel	2E
1D		2D
1C		2C
1B		2B
1A	Bottom of Panel	2A

(Side 1 is always the inside of the workstation.)

Panels with beltway one side: assume the beltway is on SIDE 1 of the panel.

Non-Wood Finishes

26 1/2" h planning Finishes

	<i>Panel Tiles, Worksurfaces & Components</i>	<i>Panel Top Trims Window Frames</i>	<i>Panel Base Side Plates</i>	<i>Panel Beltway Side Plates*</i>	<i>Leg and Bases</i>	<i>Interaction Style Legs</i>	<i>Pulls</i>	<i>Grommets</i>
Jet Black	111	111	111	111	111	111	111	111
Dark grey	n/a	113	113	113	113	113	n/a	113
Medium grey	n/a	115	115	115	115	115	n/a	115
Soft grey	117	117	117	117	117	117	n/a	117
Folkstone grey	114	114	114	114	114	114	n/a	114
Pumice	119	119	119	119	119	119	n/a	119
Sandstone	n/a	116	116	116	116	116	n/a	116
Brown	n/a	112	112	112	112	112	112	112
Medium metallic grey	n/a	612	612	612	612	612	612	612
Silver	n/a	613	613	613	613	613	613	613
Bright White	118	118	118	118	118	118	118	118
Beige metallic mist	n/a	611	611	611	611	611	611	611
Micro Grey *	121	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brushed Sand *	122	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brushed Grey *	123	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Fog	128	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Micro Sand *	129	n/a	n/a	n/a	n/a	n/a	n/a	n/a


Plated Finishes

Satin brass	n/a	n/a	PZ	n/a	PZ	n/a	PZ	PZ
Brushed pewter	n/a	n/a	PT	n/a	PT	n/a	PT	PT
Polished chrome	n/a	n/a	PD	n/a	PD	n/a	n/a	PD


n/a = not available

* = matching edge band not available, also not optional for panel tiles or components, worksurfaces only


Panel Trim Profiles




Flat (Option A)



Square (Option B)




Bullnose (Option C)




Extruded Aluminum (Option E)


Worksurface Profiles



1/4" Thick Standard




1/4" Thick Waterfall



1/4" Thick Cascade

NOTE: See page 0 for 7 Optional Edges which are also available.

Pull Options



Integral Wood J-Pull



R-Cylinder

T-Tab

F-Bar Pull





C-Pull (Nickle Plated Finish Only)
7³/₈"W x 1⁵/₃₂"D

H-Out Line




S-Pull (Stainless Steel Finish Only)
6⁵/₃₂"W x 1¹/₁₆"D

G-Grommet Pull




D-Pull (Painted and Plated Finishes)
7³/₄"W x 1¹³/₃₂"D



Monolithic panels 34" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	34"	R3B0PFF34 18- () ()	\$564.	\$580.	\$618.	\$700.	\$748.	\$820.	\$870.
Regular acoustics	20"	34"	R3B0PFF34 20- () ()	564.	580.	618.	700.	748.	820.	870.
	24"	34"	R3B0PFF34 24- () ()	608.	624.	662.	744.	792.	864.	914.
	30"	34"	R3B0PFF34 30- () ()	650.	666.	704.	786.	834.	906.	956.
	36"	34"	R3B0PFF34 36- () ()	691.	707.	745.	827.	875.	947.	997.
	42"	34"	R3B0PFF34 42- () ()	793.	809.	847.	929.	977.	1,049.	1,099.
	48"	34"	R3B0PFF34 48- () ()	823.	839.	877.	959.	1,007.	1,079.	1,129.




Order Code	Specification Information	Application Notes
Example: R3B0PFF3418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum
B0 No Beltway	2. Base height	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Applicable finishes are listed on page 5 and 6.
FF Fabric on both sides	4. Panel side 1 finish(s) inside	
34 34" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	All panels on this page accept stacking modules. 6" Raceway option increases panel height by 2 3/4". All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
(A) Flat style top trim	7. Base finish	
(4) 4" base height	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	Ported panel components to be installed below worksurface if panel 36"h.
(K) Include knockouts in base		
W281 Fabric selection - side 1		
W281 Fabric selection - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		

Monolithic panels 34" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PFL34 18-() ()	\$541.	\$547.	\$566.	\$601.	\$623.	\$654.	\$677.
Regular acoustics	20"	34"	R3B0PFL34 20-() ()	541.	548.	566.	601.	623.	654.	677.
	24"	34"	R3B0PFL34 24-() ()	575.	582.	600.	635.	657.	688.	711.
	30"	34"	R3B0PFL34 30-() ()	614.	621.	639.	674.	696.	727.	750.
	36"	34"	R3B0PFL34 36-() ()	647.	654.	672.	707.	729.	760.	783.
	42"	34"	R3B0PFL34 42-() ()	736.	743.	761.	796.	818.	849.	872.
	48"	34"	R3B0PFL34 48-() ()	758.	765.	783.	818.	840.	871.	894.



Order Code

Example:	R3B0PFL3418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FL	Fabric one side
34	34" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
114	Folkstone grey - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option).

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 36"h.

Monolithic panels 34" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF134 18-() ()	\$634.	\$641.	\$661.	\$702.	\$727.	\$763.	\$790.
Regular acoustics	20"	34"	R3B0PF134 20-() ()	637.	644.	664.	705.	730.	766.	793.
	24"	34"	R3B0PF134 24-() ()	678.	685.	705.	746.	771.	807.	834.
	30"	34"	R3B0PF134 30-() ()	721.	728.	748.	789.	814.	850.	877.
	36"	34"	R3B0PF134 36-() ()	764.	771.	791.	832.	857.	893.	920.
	42"	34"	R3B0PF134 42-() ()	867.	874.	894.	935.	960.	996.	1,023.
	48"	34"	R3B0PF134 48-() ()	896.	903.	923.	964.	989.	1,025.	1,052.



Order Code

Example:	R3B0PF13418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F1	Fabric one side, V1 other side
34	34" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
Y328	Mahogany - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. Top trim profile:
 A = Flat
 B = Square
 C = Bullnose
 E = Extruded Aluminum

2. Base height:
 4 = 4" base height
 6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.

Monolithic panels 34" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF234 18-() ()	\$646.	\$653.	\$673.	\$714.	\$739.	\$775.	\$802.
Regular acoustics	20"	34"	R3B0PF234 20-() ()	649.	656.	676.	717.	742.	778.	805.
	24"	34"	R3B0PF234 24-() ()	690.	697.	717.	758.	783.	819.	846.
	30"	34"	R3B0PF234 30-() ()	736.	743.	763.	804.	829.	865.	892.
	36"	34"	R3B0PF234 36-() ()	778.	785.	805.	846.	871.	907.	934.
	42"	34"	R3B0PF234 42-() ()	886.	893.	913.	954.	979.	1,015.	1,042.
	48"	34"	R3B0PF234 48-() ()	913.	820.	940.	981.	1,006.	1,042.	1,069.

Order Code

Example:	R3B0PF23418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F2	Fabric one side, V2 other side
34	34" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
V316	Maple surface - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
i) Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.

Monolithic panels 34" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18"	34"	R3B0PF334 18- () ()	\$859.	\$866.	\$886.	\$927.	\$952.	\$988.	\$1,015.
	20"	34"	R3B0PF334 20- () ()	863.	870.	890.	931.	956.	992.	1,019.
	24"	34"	R3B0PF334 24- () ()	918.	925.	945.	986.	1,011.	1,047.	1,074.
	30"	34"	R3B0PF334 30- () ()	981.	988.	1,008.	1,049.	1,074.	1,110.	1,137.
	36"	34"	R3B0PF334 36- () ()	1,037.	1,044.	1,064.	1,105.	1,130.	1,166.	1,193.
	42"	34"	R3B0PF334 42- () ()	1,183.	1,190.	1,210.	1,251.	1,276.	1,312.	1,339.
	48"	34"	R3B0PF334 48- () ()	1,218.	1,225.	1,245.	1,286.	1,311.	1,347.	1,374.




Order Code	Specification Information	Application Notes	
Example: R3B0PF33418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F3 Fabric one side, V3 one side 34 34" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 V512 Figured Anigre surface - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. <i>Optional</i> : specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	1. <i>Top trim profile</i> : A = Flat B = Square C = Bullnose E = Extruded aluminum 2. <i>Base height</i> : 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6.	All panels on this page accept stacking modules. 6" Raceway option increases panel height by 2 3/4". All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Ported panel components to be installed below worksurface if panel 34"h.

Monolithic panels 34" H

Laminate/Laminate



Reff Profiles

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	34"	R3B0PLL3418 () ()	\$555.
	20"	34"	R3B0PLL3420 () ()	555.
	24"	34"	R3B0PLL3424 () ()	605.
	30"	34"	R3B0PLL3430 () ()	678.
	36"	34"	R3B0PLL3436 () ()	732.
	42"	34"	R3B0PLL3442 () ()	754.
	48"	34"	R3B0PLL3448 () ()	790.

Order Code	Specification Information	Application Notes
Example: R3B0PLL3418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Applicable finishes are listed on page 5 and 6.
LL Laminate both sides	4. Panel side 1 laminate inside	
34 34" high	5. Panel side 2 laminate outside	
18 18" wide	6. Top trim finish <i>i</i>) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	All panels on this page accept stacking modules. 6" Raceway option increases panel height by 2 ³ / ₄ ". All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.
A Flat style top trim	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
4 4" base height	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	Ported panel components to be installed below worksurface if panel 34"h.
K Include knockouts in base		
118 Laminate - side 1		
118 Laminate - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		

Monolithic panels 42" H


fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics 	18"	42"	R3B0PFF42 18-()()	\$515.	\$531.	\$573.	\$657.	\$723.	\$797.	\$849.
	20"	42"	R3B0PFF42 20-()()	515.	531.	573.	657.	723.	797.	849.
	24"	42"	R3B0PFF42 24-()()	550.	566.	608.	692.	758.	832.	884.
	30"	42"	R3B0PFF42 30-()()	598.	614.	656.	740.	806.	880.	932.
	36"	42"	R3B0PFF42 36-()()	645.	661.	703.	787.	863.	927.	979.
	42"	42"	R3B0PFF42 42-()()	692.	708.	750.	834.	900.	974.	1,026.
	48"	42"	R3B0PFF42 48-()()	742.	758.	800.	884.	950.	1,024.	1,076.
	60"	42"	R3B0PFF42 60-()() *	840.	886.	970.	1,134.	1,256.	1,414.	1,510.
	66"	42"	R3B0PFF42 66-()() *	869.	915.	999.	1,163.	1,285.	1,443.	1,539.
	72"	42"	R3B0PFF42 72-()() *	897.	943.	1,027.	1,191.	1,313.	1,471.	1,567.
Monolithic, fabric both sides High acoustics 	18"	42"	R3B0PAA42 18-()()	565.	581.	623.	707.	773.	847.	899.
	20"	42"	R3B0PAA42 20-()()	565.	581.	623.	707.	773.	847.	899.
	24"	42"	R3B0PAA42 24-()()	601.	617.	659.	743.	809.	883.	935.
	30"	42"	R3B0PAA42 30-()()	652.	668.	710.	794.	860.	934.	986.
	36"	42"	R3B0PAA42 36-()()	706.	722.	764.	848.	914.	988.	1,040.
	42"	42"	R3B0PAA42 42-()()	761.	777.	819.	903.	969.	1,043.	1,095.
	48"	42"	R3B0PAA42 48-()()	815.	831.	873.	957.	1,023.	1,097.	1,149.
	60"	42"	R3B0PAA42 60-()() *	916.	962.	1,046.	1,210.	1,332.	1,490.	1,586.
	66"	42"	R3B0PAA42 66-()() *	947.	993.	1,077.	1,241.	1,363.	1,521.	1,617.
	72"	42"	R3B0PAA42 72-()() *	978.	1,024.	1,108.	1,272.	1,394.	1,552.	1,648.

Order Code	Specification Information	Application Notes
Example: R3B0PFF4218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FF Fabric on both sides 42 42" high 18 18" wide (A) Flat style top trim (4) 4" base height (K) Include knockouts in base W281 Fabric selection - side 1 W281 Fabric selection - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional</i> : specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable 1. <i>Top trim profile</i> : A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height</i> : 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 426). 6" Raceway option increases panel height by 2 ³ / ₄ ". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. *Fabric inserts of these panels are two pieces, split vertically. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Applicable finishes are listed on page 5 and 6.

Monolithic panels 42" H



fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	R3B2PFF42 18-() ()	\$1,016.	\$1,038.	\$1,094.	\$1,204.	\$1,270.	\$1,360.	\$1,422.
Beltway two sides, regular acoustics	20"	42"	R3B2PFF42 20-() ()	1,016.	1,038.	1,094.	1,204.	1,270.	1,360.	1,422.
	24"	42"	R3B2PFF42 24-() ()	1,037.	1,059.	1,115.	1,225.	1,291.	1,381.	1,443.
	30"	42"	R3B2PFF42 30-() ()	1,088.	1,110.	1,166.	1,276.	1,342.	1,432.	1,494.
	36"	42"	R3B2PFF42 36-() ()	1,272.	1,294.	1,350.	1,460.	1,526.	1,616.	1,678.
	42"	42"	R3B2PFF42 42-() ()	1,368.	1,390.	1,446.	1,556.	1,622.	1,712.	1,774.
	48"	42"	R3B2PFF42 48-() ()	1,417.	1,439.	1,495.	1,605.	1,671.	1,761.	1,823.
	Monolithic, fabric both sides	18"	42"	R3B1PFF42 18-() ()	1,000.	1,019.	1,068.	1,165.	1,231.	1,313.
Beltway one side	20"	42"	R3B1PFF42 20-() ()	1,000.	1,019.	1,068.	1,165.	1,231.	1,313.	1,370.
	24"	42"	R3B1PFF42 24-() ()	1,017.	1,036.	1,085.	1,182.	1,248.	1,330.	1,387.
	30"	42"	R3B1PFF42 30-() ()	1,068.	1,087.	1,136.	1,233.	1,299.	1,381.	1,438.
	36"	42"	R3B1PFF42 36-() ()	1,248.	1,267.	1,316.	1,413.	1,479.	1,561.	1,618.
	42"	42"	R3B1PFF42 42-() ()	1,342.	1,361.	1,410.	1,507.	1,573.	1,655.	1,712.
	48"	42"	R3B1PFF42 48-() ()	1,384.	1,403.	1,452.	1,549.	1,615.	1,697.	1,754.

Order Code	Specification Information	Application Notes
Example: R3B0PFF4218-A4K	<i>To order please specify pattern number including:</i>	<p>The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 426).</p> <p>6" Raceway option increases panel height by 2³/₄".</p> <p>Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 117.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>*These panel widths do not accept stacking modules.</p> <p>*Fabric inserts of these panels are two pieces, split vertically.</p>
R3	Reff Generation 3	
B0	No Beltway	
P	Monolithic panel	
FF	Fabric on both sides	
42	42" high	
18	18" wide	
(A)	Flat style top trim	
(4)	4" base height	
(K)	Include knockouts in base	
W281	Fabric selection - side 1	
W281	Fabric selection - side 2	
V316	Maple (top trim finish)	
111	Jet Black (base finish)	
	<ol style="list-style-type: none"> Top trim profile (K = with knockouts, N = without knockouts) Panel side 1 finish(s) inside Panel side 2 finish(s) outside Top trim finish <ol style="list-style-type: none"> Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver Base finish Beltway finish <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable <p><i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p><i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)</p>	
		<p>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</p> <p>Applicable finishes are listed on page 5 and 6.</p>

Monolithic panels 42" H



fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PFL42 18-()()	\$442.	\$450.	\$469.	\$505.	\$535.	\$567.	\$591.
	20"	42"	R3B0PFL42 20-()()	442.	450.	469.	505.	535.	567.	591.
	24"	42"	R3B0PFL42 24-()()	448.	456.	475.	511.	541.	573.	597.
	30"	42"	R3B0PFL42 30-()()	537.	545.	564.	600.	630.	662.	686.
	36"	42"	R3B0PFL42 36-()()	581.	589.	608.	644.	674.	706.	730.
	42"	42"	R3B0PFL42 42-()()	653.	661.	680.	716.	746.	778.	802.
	48"	42"	R3B0PFL42 48-()()	711.	719.	738.	774.	804.	836.	860.
	60"	42"	R3B0PFL42 60-()()	773.	792.	829.	903.	956.	1,026.	1,069.
	66"	42"	R3B0PFL42 66-()()	800.	819.	856.	930.	983.	1,053.	1,096.
	72"	42"	R3B0PFL42 72-()()	830.	849.	886.	960.	1,013.	1,083.	1,126.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PFL42 18-()()	871.	882.	906.	954.	982.	1,023.	1,052.
	20"	42"	R3B1PFL42 20-()()	871.	882.	906.	954.	982.	1,023.	1,052.
	24"	42"	R3B1PFL42 24-()()	893.	904.	928.	976.	1,004.	1,045.	1,074.
	30"	42"	R3B1PFL42 30-()()	960.	971.	995.	1,043.	1,071.	1,112.	1,141.
	36"	42"	R3B1PFL42 36-()()	1,120.	1,131.	1,155.	1,203.	1,231.	1,272.	1,301.
	42"	42"	R3B1PFL42 42-()()	1,146.	1,157.	1,181.	1,229.	1,257.	1,298.	1,327.
	48"	42"	R3B1PFL42 48-()()	1,289.	1,300.	1,324.	1,372.	1,400.	1,441.	1,470.

Order Code	Specification Information	Application Notes
Example: R3B0PFL4218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FL Fabric one side, laminate other 42 42" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
		The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page.) 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H



fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF142 18-()	\$520.	\$529.	\$550.	\$593.	\$627.	\$664.	\$691.
	20"	42"	R3B0PF142 20-()	520.	529.	550.	593.	627.	664.	691.
	24"	42"	R3B0PF142 24-()	525.	534.	555.	598.	632.	669.	696.
	30"	42"	R3B0PF142 30-()	632.	641.	662.	705.	739.	776.	803.
	36"	42"	R3B0PF142 36-()	684.	693.	714.	757.	791.	828.	855.
	42"	42"	R3B0PF142 42-()	770.	779.	800.	843.	877.	914.	941.
	48"	42"	R3B0PF142 48-()	837.	846.	867.	910.	944.	981.	1,008.
	60"	42"	R3B0PF142 60-()*	910.	932.	975.	1,060.	1,121.	1,203.	1,252.
	66"	42"	R3B0PF142 66-()*	946.	968.	1,011.	1,096.	1,157.	1,239.	1,288.
	72"	42"	R3B0PF142 72-()*	978.	1,000.	1,043.	1,128.	1,189.	1,271.	1,320.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PF142 18-()	1,021.	1,032.	1,060.	1,117.	1,148.	1,195.	1,228.
	20"	42"	R3B1PF142 20-()	1,021.	1,032.	1,060.	1,117.	1,148.	1,195.	1,228.
	24"	42"	R3B1PF142 24-()	1,051.	1,062.	1,090.	1,147.	1,178.	1,225.	1,258.
	30"	42"	R3B1PF142 30-()	1,129.	1,140.	1,168.	1,225.	1,256.	1,303.	1,336.
	36"	42"	R3B1PF142 36-()	1,314.	1,325.	1,353.	1,410.	1,441.	1,488.	1,521.
	42"	42"	R3B1PF142 42-()	1,349.	1,360.	1,388.	1,445.	1,476.	1,523.	1,556.
	48"	42"	R3B1PF142 48-()	1,518.	1,529.	1,557.	1,614.	1,645.	1,692.	1,725.

Order Code	Specification Information	Application Notes
Example: R3B0PF14218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F1 Fabric one side, V1 other 42 42" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 ³ / ₄ ". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H



fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF242 18-()	\$528.	\$537.	\$558.	\$601.	\$635.	\$672.	\$699.
	20"	42"	R3B0PF242 20-()	528.	537.	558.	601.	635.	672.	699.
	24"	42"	R3B0PF242 24-()	536.	545.	566.	609.	643.	680.	707.
	30"	42"	R3B0PF242 30-()	644.	653.	674.	717.	751.	788.	815.
	36"	42"	R3B0PF242 36-()	696.	705.	726.	769.	803.	840.	867.
	42"	42"	R3B0PF242 42-()	784.	793.	814.	857.	891.	928.	955.
	48"	42"	R3B0PF242 48-()	854.	863.	884.	927.	961.	998.	1,025.
	60"	42"	R3B0PF242 60-()*	923.	945.	988.	1,073.	1,134.	1,216.	1,265.
	66"	42"	R3B0PF242 66-()*	961.	983.	1,026.	1,111.	1,172.	1,254.	1,303.
	72"	42"	R3B0PF242 72-()*	993.	1,015.	1,058.	1,143.	1,204.	1,286.	1,335.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PF242 18-()	1,045.	1,056.	1,084.	1,141.	1,172.	1,219.	1,252.
	20"	42"	R3B1PF242 20-()	1,045.	1,056.	1,084.	1,141.	1,172.	1,219.	1,252.
	24"	42"	R3B1PF242 24-()	1,067.	1,078.	1,106.	1,163.	1,194.	1,241.	1,274.
	30"	42"	R3B1PF242 30-()	1,152.	1,163.	1,191.	1,248.	1,279.	1,326.	1,359.
	36"	42"	R3B1PF242 36-()	1,340.	1,351.	1,379.	1,436.	1,467.	1,514.	1,547.
	42"	42"	R3B1PF242 42-()	1,375.	1,386.	1,414.	1,471.	1,502.	1,549.	1,582.
	48"	42"	R3B1PF242 48-()	1,544.	1,555.	1,583.	1,640.	1,671.	1,718.	1,751.

Order Code	Specification Information	Application Notes
Example: R3B0PF24218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 42 42" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H


fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF342 18- () ()	\$698.	\$707.	\$728.	\$771.	\$805.	\$842.	\$869.
	20"	42"	R3B0PF342 20- () ()	698.	707.	728.	771.	805.	842.	869.
	24"	42"	R3B0PF342 24- () ()	709.	718.	739.	782.	816.	853.	880.
	30"	42"	R3B0PF342 30- () ()	854.	863.	884.	927.	961.	998.	1,025.
	36"	42"	R3B0PF342 36- () ()	924.	933.	954.	997.	1,031.	1,068.	1,095.
	42"	42"	R3B0PF342 42- () ()	1,043.	1,052.	1,073.	1,116.	1,150.	1,187.	1,214.
	48"	42"	R3B0PF342 48- () ()	1,138.	1,147.	1,168.	1,211.	1,245.	1,282.	1,309.
	60"	42"	R3B0PF342 60- () ()*	1,217.	1,239.	1,282.	1,367.	1,428.	1,510.	1,559.
	66"	42"	R3B0PF342 66- () ()*	1,268.	1,290.	1,333.	1,418.	1,479.	1,561.	1,610.
	72"	42"	R3B0PF342 72- () ()*	1,312.	1,334.	1,377.	1,462.	1,523.	1,605.	1,654.
Monolithic, fabric one side Beltway fabric side 	18"	42"	R3B1PF342 18- () ()	1,395.	1,406.	1,434.	1,491.	1,522.	1,569.	1,602.
	20"	42"	R3B1PF342 20- () ()	1,395.	1,406.	1,434.	1,491.	1,522.	1,569.	1,602.
	24"	42"	R3B1PF342 24- () ()	1,425.	1,436.	1,464.	1,521.	1,552.	1,599.	1,632.
	30"	42"	R3B1PF342 30- () ()	1,540.	1,551.	1,579.	1,636.	1,667.	1,714.	1,747.
	36"	42"	R3B1PF342 36- () ()	1,794.	1,805.	1,833.	1,890.	1,921.	1,968.	2,001.
	42"	42"	R3B1PF342 42- () ()	1,841.	1,852.	1,880.	1,937.	1,968.	2,015.	2,048.
	48"	42"	R3B1PF342 48- () ()	2,071.	2,082.	2,110.	2,167.	2,198.	2,245.	2,278.

Order Code	Specification Information	Application Notes
Example: R3B0PF34218-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F3 Fabric one side, V3 other 42 42" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 V512 Figured Anigre surface - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page). 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	42"	R3B0PLL4218() ()	\$587.
	20"	42"	R3B0PLL4220() ()	587.
	24"	42"	R3B0PLL4224() ()	640.
	30"	42"	R3B0PLL4230() ()	717.
	36"	42"	R3B0PLL4236() ()	774.
	42"	42"	R3B0PLL4242() ()	851.
	48"	42"	R3B0PLL4248() ()	953.
	60"	42"	R3B0PLL4260() ()*	1,030.
	66"	42"	R3B0PLL4266() ()*	1,061.
	72"	42"	R3B0PLL4272() ()*	1,092.

Example: **R3B0PLL4218-A4K**

R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
LL	Laminate both sides
42	42" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
118	Laminate - side 1
118	Laminate - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 inside
5. Panel side 2 outside
6. Top trim finish
i) Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. *Base height:*
4 = 4" base height

Applicable finishes are listed on page 5 and 6.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.



Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 49" H fabric both sides

Reff Profiles


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	49"	R3B0PFF49 18-() ()	\$576.	\$602.	\$650.	\$754.	\$822.	\$912.	\$970.
Regular acoustics	20"	49"	R3B0PFF49 20-() ()	576.	602.	650.	754.	822.	912.	970.
	24"	49"	R3B0PFF49 24-() ()	614.	640.	688.	792.	860.	950.	1,008.
	30"	49"	R3B0PFF49 30-() ()	667.	693.	741.	845.	913.	1,003.	1,061.
	36"	49"	R3B0PFF49 36-() ()	698.	724.	772.	876.	944.	1,034.	1,092.
	42"	49"	R3B0PFF49 42-() ()	752.	778.	826.	930.	998.	1,088.	1,146.
	48"	49"	R3B0PFF49 48-() ()	826.	852.	900.	1,004.	1,072.	1,162.	1,220.
	60"	49"	R3B0PFF49 60-() () *	956.	998.	1,096.	1,302.	1,440.	1,622.	1,734.
	66"	49"	R3B0PFF49 66-() () *	987.	1,029.	1,127.	1,333.	1,471.	1,653.	1,765.
	72"	49"	R3B0PFF49 72-() () *	1,016.	1,058.	1,156.	1,362.	1,500.	1,682.	1,794.
Monolithic, fabric both sides	18"	49"	R3B0PAA49 18-() ()	628.	654.	702.	806.	874.	964.	1,022.
High acoustics	20"	49"	R3B0PAA49 20-() ()	628.	654.	702.	806.	874.	964.	1,022.
	24"	49"	R3B0PAA49 24-() ()	672.	698.	746.	850.	918.	1,008.	1,066.
	30"	49"	R3B0PAA49 30-() ()	728.	754.	802.	906.	974.	1,064.	1,122.
	36"	49"	R3B0PAA49 36-() ()	764.	790.	838.	942.	1,010.	1,100.	1,158.
	42"	49"	R3B0PAA49 42-() ()	825.	851.	899.	1,003.	1,071.	1,161.	1,219.
	48"	49"	R3B0PAA49 48-() ()	907.	933.	981.	1,085.	1,153.	1,243.	1,301.
	60"	49"	R3B0PAA49 60-() () *	1,039.	1,081.	1,179.	1,385.	1,523.	1,705.	1,817.
	66"	49"	R3B0PAA49 66-() () *	1,075.	1,117.	1,215.	1,421.	1,559.	1,741.	1,853.
	72"	49"	R3B0PAA49 72-() () *	1,111.	1,153.	1,251.	1,457.	1,595.	1,777.	1,889.

Order Code	Specification Information	Application Notes
Example: R3B0PFF4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	<i>i) Top trim profile A, B or C options:</i>	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	<i>ii) Top trim profile E options:</i>	*Fabric inserts of these panels are two pieces, split vertically.
W281 Fabric selection - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	*These panel widths do not accept stacking modules.
V316 Maple (top trim finish)	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
111 Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Monolithic panels 49" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	49"	R3B2PFF49 18-() ()	\$1,042.	\$1,074.	\$1,140.	\$1,252.	\$1,330.	\$1,442.	\$1,514.
Beltway two sides, regular acoustics	20"	49"	R3B2PFF49 20-() ()	1,042.	1,074.	1,140.	1,252.	1,330.	1,442.	1,514.
	24"	49"	R3B2PFF49 24-() ()	1,064.	1,096.	1,162.	1,274.	1,352.	1,464.	1,536.
	30"	49"	R3B2PFF49 30-() ()	1,118.	1,150.	1,216.	1,328.	1,406.	1,518.	1,590.
	36"	49"	R3B2PFF49 36-() ()	1,320.	1,352.	1,418.	1,530.	1,608.	1,720.	1,792.
	42"	49"	R3B2PFF49 42-() ()	1,420.	1,452.	1,518.	1,630.	1,708.	1,820.	1,892.
	48"	49"	R3B2PFF49 48-() ()	1,470.	1,502.	1,568.	1,680.	1,758.	1,870.	1,942.



Monolithic, fabric both sides	18"	49"	R3B1PFF49 18-() ()	1,023.	1,052.	1,109.	1,217.	1,290.	1,391.	1,456.
Beltway one side	20"	49"	R3B1PFF49 20-() ()	1,023.	1,052.	1,109.	1,217.	1,290.	1,391.	1,456.
	24"	49"	R3B1PFF49 24-() ()	1,043.	1,072.	1,129.	1,237.	1,310.	1,411.	1,476.
	30"	49"	R3B1PFF49 30-() ()	1,094.	1,123.	1,180.	1,288.	1,361.	1,462.	1,527.
	36"	49"	R3B1PFF49 36-() ()	1,294.	1,323.	1,380.	1,488.	1,561.	1,662.	1,727.
	42"	49"	R3B1PFF49 42-() ()	1,390.	1,419.	1,476.	1,584.	1,657.	1,758.	1,823.
	48"	49"	R3B1PFF49 48-() ()	1,439.	1,468.	1,525.	1,633.	1,706.	1,807.	1,872.



Order Code	Specification Information	Application Notes
Example: R3B0PFF4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	<i>i) Top trim profile A, B or C options:</i>	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	<i>ii) Top trim profile E options:</i>	*Fabric inserts of these panels are two pieces, split vertically.
W281 Fabric selection - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	*These panel widths do not accept stacking modules.
V316 Maple (top trim finish)	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
111 Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Monolithic panels 49" H



fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PFL49 18-() ()	\$489.	\$503.	\$523.	\$569.	\$599.	\$639.	\$664.
	20"	49"	R3B0PFL49 20-() ()	489.	503.	523.	569.	599.	639.	664.
	24"	49"	R3B0PFL49 24-() ()	535.	549.	569.	615.	645.	685.	710.
	30"	49"	R3B0PFL49 30-() ()	606.	620.	640.	686.	716.	756.	781.
	36"	49"	R3B0PFL49 36-() ()	654.	668.	688.	734.	764.	804.	829.
	42"	49"	R3B0PFL49 42-() ()	722.	736.	756.	802.	832.	872.	897.
	48"	49"	R3B0PFL49 48-() ()	813.	827.	847.	893.	923.	963.	988.
	60"	49"	R3B0PFL49 60-() () *	885.	905.	949.	1,038.	1,099.	1,181.	1,229.
	66"	49"	R3B0PFL49 66-() () *	910.	930.	974.	1,063.	1,124.	1,206.	1,254.
	72"	49"	R3B0PFL49 72-() () *	942.	962.	1,006.	1,095.	1,156.	1,238.	1,286.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PFL49 18-() ()	886.	900.	929.	979.	1,013.	1,062.	1,095.
	20"	49"	R3B1PFL49 20-() ()	886.	900.	929.	979.	1,013.	1,062.	1,095.
	24"	49"	R3B1PFL49 24-() ()	921.	935.	964.	1,014.	1,048.	1,097.	1,130.
	30"	49"	R3B1PFL49 30-() ()	990.	1,004.	1,033.	1,083.	1,117.	1,166.	1,199.
	36"	49"	R3B1PFL49 36-() ()	1,190.	1,204.	1,233.	1,283.	1,317.	1,366.	1,399.
	42"	49"	R3B1PFL49 42-() ()	1,299.	1,313.	1,342.	1,392.	1,426.	1,475.	1,508.
	48"	49"	R3B1PFL49 48-() ()	1,369.	1,383.	1,412.	1,462.	1,496.	1,545.	1,578.

Order Code	Specification Information	Application Notes
Example: R3B0PFL4918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FL Fabric one side, laminate other 49 49" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 49" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF149 18-() ()	\$576.	\$591.	\$614.	\$667.	\$704.	\$747.	\$778.
	20"	49"	R3B0PF149 20-() ()	576.	591.	614.	667.	704.	747.	778.
	24"	49"	R3B0PF149 24-() ()	630.	645.	668.	721.	758.	801.	832.
	30"	49"	R3B0PF149 30-() ()	717.	732.	755.	808.	845.	888.	919.
	36"	49"	R3B0PF149 36-() ()	768.	783.	806.	859.	896.	939.	970.
	42"	49"	R3B0PF149 42-() ()	850.	865.	888.	941.	978.	1,021.	1,052.
	48"	49"	R3B0PF149 48-() ()	956.	971.	994.	1,047.	1,084.	1,127.	1,158.
	60"	49"	R3B0PF149 60-() () *	1,040.	1,063.	1,115.	1,217.	1,288.	1,380.	1,437.
	66"	49"	R3B0PF149 66-() () *	1,070.	1,093.	1,145.	1,247.	1,318.	1,410.	1,467.
	72"	49"	R3B0PF149 72-() () *	1,107.	1,130.	1,182.	1,284.	1,355.	1,447.	1,504.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PF149 18-() ()	1,045.	1,060.	1,095.	1,152.	1,190.	1,247.	1,285.
	20"	49"	R3B1PF149 20-() ()	1,045.	1,060.	1,095.	1,152.	1,190.	1,247.	1,285.
	24"	49"	R3B1PF149 24-() ()	1,083.	1,098.	1,133.	1,190.	1,228.	1,285.	1,323.
	30"	49"	R3B1PF149 30-() ()	1,163.	1,178.	1,213.	1,270.	1,308.	1,365.	1,403.
	36"	49"	R3B1PF149 36-() ()	1,398.	1,413.	1,448.	1,505.	1,543.	1,600.	1,638.
	42"	49"	R3B1PF149 42-() ()	1,530.	1,545.	1,580.	1,637.	1,675.	1,732.	1,770.
	48"	49"	R3B1PF149 48-() ()	1,608.	1,623.	1,658.	1,715.	1,753.	1,810.	1,848.

Order Code	Specification Information	Application Notes
Example: R3B0PF14918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F1 Fabric one side, V1 other 49 49" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top rim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.



*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 49" H

fabric one side, conventional veneer other side



Reff Profiles

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF249 18-() ()	\$585.	\$600.	\$623.	\$676.	\$713.	\$756.	\$787.
	20"	49"	R3B0PF249 20-() ()	585.	600.	623.	676.	713.	756.	787.
	24"	49"	R3B0PF249 24-() ()	641.	656.	679.	732.	769.	812.	843.
	30"	49"	R3B0PF249 30-() ()	727.	742.	765.	818.	855.	898.	929.
	36"	49"	R3B0PF249 36-() ()	782.	797.	820.	873.	910.	953.	984.
	42"	49"	R3B0PF249 42-() ()	865.	880.	903.	956.	993.	1,036.	1,067.
	48"	49"	R3B0PF249 48-() ()	976.	991.	1,014.	1,067.	1,104.	1,147.	1,178.
	60"	49"	R3B0PF249 60-() * ()	1,059.	1,082.	1,134.	1,236.	1,307.	1,399.	1,456.
	66"	49"	R3B0PF249 66-() * ()	1,093.	1,116.	1,168.	1,270.	1,341.	1,433.	1,490.
	72"	49"	R3B0PF249 72-() * ()	1,127.	1,150.	1,202.	1,304.	1,375.	1,467.	1,524.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PF249 18-() ()	1,063.	1,078.	1,113.	1,170.	1,208.	1,265.	1,303.
	20"	49"	R3B1PF249 20-() ()	1,036.	1,078.	1,113.	1,170.	1,208.	1,265.	1,303.
	24"	49"	R3B1PF249 24-() ()	1,102.	1,117.	1,152.	1,209.	1,247.	1,304.	1,342.
	30"	49"	R3B1PF249 30-() ()	1,188.	1,203.	1,238.	1,295.	1,333.	1,390.	1,428.
	36"	49"	R3B1PF249 36-() ()	1,427.	1,442.	1,477.	1,534.	1,572.	1,629.	1,667.
	42"	49"	R3B1PF249 42-() ()	1,556.	1,571.	1,606.	1,663.	1,701.	1,758.	1,796.
	48"	49"	R3B1PF249 48-() ()	1,635.	1,650.	1,685.	1,742.	1,780.	1,837.	1,875.

Order Code	Specification Information	Application Notes	
Example: R3B0PF24918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 49 49" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6.	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 49" H

fabric one side, exotic veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF349 18- () ()	\$774.	\$789.	\$812.	\$865.	\$902.	\$945.	\$976.
	20"	49"	R3B0PF349 20- () ()	774.	789.	812.	865.	902.	945.	976.
	24"	49"	R3B0PF349 24- () ()	848.	863.	886.	939.	976.	1,019.	1,050.
	30"	49"	R3B0PF349 30- () ()	965.	980.	1,003.	1,056.	1,093.	1,136.	1,167.
	36"	49"	R3B0PF349 36- () ()	1,040.	1,055.	1,078.	1,131.	1,168.	1,211.	1,242.
	42"	49"	R3B0PF349 42- () ()	1,151.	1,166.	1,189.	1,242.	1,279.	1,322.	1,353.
	48"	49"	R3B0PF349 48- () ()	1,299.	1,314.	1,337.	1,390.	1,427.	1,470.	1,501.
	60"	49"	R3B0PF349 60- () (*)	1,395.	1,418.	1,470.	1,572.	1,643.	1,735.	1,792.
	66"	49"	R3B0PF349 66- () (*)	1,441.	1,464.	1,516.	1,618.	1,689.	1,781.	1,838.
	72"	49"	R3B0PF349 72- () (*)	1,485.	1,508.	1,560.	1,662.	1,733.	1,825.	1,882.
Monolithic, fabric one side Beltway fabric side 	18"	49"	R3B1PF349 18- () ()	1,417.	1,432.	1,467.	1,524.	1,562.	1,619.	1,657.
	20"	49"	R3B1PF349 20- () ()	1,417.	1,432.	1,467.	1,524.	1,562.	1,619.	1,657.
	24"	49"	R3B1PF349 24- () ()	1,471.	1,486.	1,521.	1,578.	1,616.	1,673.	1,711.
	30"	49"	R3B1PF349 30- () ()	1,585.	1,600.	1,635.	1,692.	1,730.	1,787.	1,825.
	36"	49"	R3B1PF349 36- () ()	1,910.	1,925.	1,960.	2,017.	2,055.	2,112.	2,150.
	42"	49"	R3B1PF349 42- () ()	2,083.	2,098.	2,133.	2,190.	2,228.	2,285.	2,323.
	48"	49"	R3B1PF349 48- () ()	2,192.	2,207.	2,242.	2,299.	2,337.	2,394.	2,432.

Order Code	Specification Information	Application Notes
Example: R3B0PF34918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F3 Fabric one side, V3 other 49 49" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 V512 Figured Anigre surface - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 49" H



Laminate/Laminate

Reff Profiles

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	49"	R3B0PLL4918()()	\$697.
	20"	49"	R3B0PLL4920()()	697.
	24"	49"	R3B0PLL4924()()	760.
	30"	49"	R3B0PLL4930()()	851.
	36"	49"	R3B0PLL4936()()	919.
	42"	49"	R3B0PLL4942()()	1,011.
	48"	49"	R3B0PLL4948()()	1,132.
	60"	49"	R3B0PLL4960()()*	1,223.
	66"	49"	R3B0PLL4966()()*	1,259.
	72"	49"	R3B0PLL4972()()*	1,297.

Order Code	Specification Information	Application Notes
Example: R3B0PLL4918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel LL Laminate both sides 49 49" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base 118 Laminate - side 1 118 Laminate - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 inside 5. Panel side 2 outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height Applicable finishes are listed on page 5 and 6. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 64" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics 	18"	64"	R3B0PFF64 18-()()	\$663.	\$695.	\$759.	\$889.	\$979.	\$1,097.	\$1,175.
	20"	64"	R3B0PFF64 20-()()	663.	695.	759.	889.	979.	1,097.	1,175.
	24"	64"	R3B0PFF64 24-()()	704.	736.	800.	930.	1,020.	1,138.	1,216.
	30"	64"	R3B0PFF64 30-()()	756.	788.	852.	982.	1,072.	1,190.	1,268.
	36"	64"	R3B0PFF64 36-()()	776.	808.	872.	1,002.	1,092.	1,210.	1,288.
	42"	64"	R3B0PFF64 42-()()	902.	934.	998.	1,128.	1,218.	1,336.	1,414.
	48"	64"	R3B0PFF64 48-()()	955.	987.	1,051.	1,181.	1,271.	1,389.	1,467.
	60"	64"	R3B0PFF64 60-()()*	1,108.	1,178.	1,300.	1,572.	1,760.	1,994.	2,150.
	66"	64"	R3B0PFF64 66-()()*	1,144.	1,214.	1,336.	1,608.	1,796.	2,030.	2,186.
	72"	64"	R3B0PFF64 72-()()*	1,181.	1,251.	1,373.	1,645.	1,833.	2,067.	2,223.
Monolithic, fabric both sides High acoustics 	18"	64"	R3B0PAA64 18-()()	722.	754.	818.	948.	1,038.	1,156.	1,234.
	20"	64"	R3B0PAA64 20-()()	722.	754.	818.	948.	1,038.	1,156.	1,234.
	24"	64"	R3B0PAA64 24-()()	771.	803.	867.	997.	1,087.	1,205.	1,283.
	30"	64"	R3B0PAA64 30-()()	827.	859.	923.	1,053.	1,143.	1,261.	1,339.
	36"	64"	R3B0PAA64 36-()()	847.	879.	943.	1,073.	1,163.	1,281.	1,359.
	42"	64"	R3B0PAA64 42-()()	991.	1,023.	1,087.	1,217.	1,307.	1,425.	1,503.
	48"	64"	R3B0PAA64 48-()()	1,048.	1,080.	1,144.	1,274.	1,364.	1,482.	1,560.
	60"	64"	R3B0PAA64 60-()()*	1,203.	1,273.	1,395.	1,667.	1,855.	2,089.	2,245.
	66"	64"	R3B0PAA64 66-()()*	1,243.	1,313.	1,435.	1,707.	1,895.	2,129.	2,285.
	72"	64"	R3B0PAA64 72-()()*	1,284.	1,354.	1,476.	1,748.	1,936.	2,170.	2,326.

Order Code	Specification Information	Application Notes
Example: R3B0PFF6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	<i>i) Top trim profile A, B or C options:</i>	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	<i>ii) Top trim profile E options:</i>	
W281 Fabric selection - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.


Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Monolithic panels 64" H *fabric both sides*


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	64"	R3B2PFF64 18-() ()	\$1,138.	\$1,172.	\$1,248.	\$1,410.	\$1,510.	\$1,654.	\$1,750.
Beltway two sides, regular acoustics	20"	64"	R3B2PFF64 20-() ()	1,138.	1,172.	1,248.	1,410.	1,510.	1,654.	1,750.
	24"	64"	R3B2PFF64 24-() ()	1,194.	1,228.	1,304.	1,466.	1,566.	1,710.	1,806.
	30"	64"	R3B2PFF64 30-() ()	1,221.	1,255.	1,331.	1,493.	1,593.	1,737.	1,833.
	36"	64"	R3B2PFF64 36-() ()	1,478.	1,512.	1,588.	1,750.	1,850.	1,994.	2,090.
	42"	64"	R3B2PFF64 42-() ()	1,581.	1,615.	1,691.	1,853.	1,953.	2,097.	2,193.
	48"	64"	R3B2PFF64 48-() ()	1,634.	1,668.	1,744.	1,906.	2,006.	2,150.	2,246.
	Monolithic, fabric both sides	18"	64"	R3B1PFF64 18-() ()	1,114.	1,147.	1,217.	1,363.	1,458.	1,589.
Beltway one side	20"	64"	R3B1PFF64 20-() ()	1,114.	1,147.	1,217.	1,363.	1,458.	1,589.	1,676.
	24"	64"	R3B1PFF64 24-() ()	1,165.	1,198.	1,268.	1,414.	1,509.	1,640.	1,727.
	30"	64"	R3B1PFF64 30-() ()	1,191.	1,224.	1,294.	1,440.	1,535.	1,666.	1,753.
	36"	64"	R3B1PFF64 36-() ()	1,447.	1,480.	1,550.	1,696.	1,791.	1,922.	2,009.
	42"	64"	R3B1PFF64 42-() ()	1,547.	1,580.	1,650.	1,796.	1,891.	2,022.	2,109.
	48"	64"	R3B1PFF64 48-() ()	1,595.	1,628.	1,698.	1,844.	1,939.	2,070.	2,157.

Order Code	Specification Information	Application Notes
Example: R3B0PFF6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) Top trim profile A, B or C options:	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	ii) Top trim profile E options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.
W281 Fabric selection - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
V316 Maple (top trim finish)	7. Base finish	Remember to specify Beltway paint finish when applicable.
111 Jet Black (base finish)	8. Beltway finish	*These panel widths do not accept stacking modules.
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 64" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PFL64 18-() ()	\$583.	\$597.	\$624.	\$682.	\$722.	\$775.	\$809.
	20"	64"	R3B0PFL64 20-() ()	583.	597.	624.	682.	722.	775.	809.
	24"	64"	R3B0PFL64 24-() ()	640.	654.	681.	739.	779.	832.	866.
	30"	64"	R3B0PFL64 30-() ()	723.	737.	764.	822.	862.	915.	949.
	36"	64"	R3B0PFL64 36-() ()	779.	793.	820.	878.	918.	971.	1,005.
	42"	64"	R3B0PFL64 42-() ()	864.	878.	905.	963.	1,003.	1,056.	1,090.
	48"	64"	R3B0PFL64 48-() ()	972.	986.	1,013.	1,071.	1,111.	1,164.	1,198.
	60"	64"	R3B0PFL64 60-() () *	1,052.	1,083.	1,138.	1,259.	1,340.	1,445.	1,513.
	66"	64"	R3B0PFL64 66-() () *	1,088.	1,119.	1,174.	1,295.	1,376.	1,481.	1,549.
	72"	64"	R3B0PFL64 72-() () *	1,123.	1,154.	1,209.	1,330.	1,411.	1,516.	1,584.

Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PFL64 18-() ()	987.	1,002.	1,037.	1,107.	1,151.	1,214.	1,259.
	20"	64"	R3B1PFL64 20-() ()	987.	1,002.	1,037.	1,107.	1,151.	1,214.	1,259.
	24"	64"	R3B1PFL64 24-() ()	1,054.	1,069.	1,104.	1,174.	1,218.	1,281.	1,326.
	30"	64"	R3B1PFL64 30-() ()	1,117.	1,132.	1,167.	1,237.	1,281.	1,344.	1,389.
	36"	64"	R3B1PFL64 36-() ()	1,387.	1,402.	1,437.	1,507.	1,551.	1,614.	1,659.
	42"	64"	R3B1PFL64 42-() ()	1,441.	1,456.	1,491.	1,561.	1,605.	1,668.	1,713.
	48"	64"	R3B1PFL64 48-() ()	1,558.	1,573.	1,608.	1,678.	1,722.	1,785.	1,830.

Order Code	Specification Information	Application Notes
Example: R3B0PFL6418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FL Fabric one side, laminate other 64 64" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.


*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 64" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side	18"	64"	R3B0PF164 18-() ()	\$684.	\$700.	\$733.	\$799.	\$845.	\$906.	\$946.
Regular acoustics	20"	64"	R3B0PF164 20-() ()	684.	700.	733.	799.	845.	906.	946.
	24"	64"	R3B0PF164 24-() ()	750.	766.	799.	865.	911.	972.	1,012.
	30"	64"	R3B0PF164 30-() ()	849.	865.	898.	964.	1,010.	1,071.	1,111.
	36"	64"	R3B0PF164 36-() ()	917.	933.	966.	1,032.	1,078.	1,139.	1,179.
	42"	64"	R3B0PF164 42-() ()	1,015.	1,031.	1,064.	1,130.	1,176.	1,237.	1,277.
	48"	64"	R3B0PF164 48-() ()	1,144.	1,160.	1,193.	1,259.	1,305.	1,366.	1,406.
	60"	64"	R3B0PF164 60-() () *	1,237.	1,273.	1,336.	1,475.	1,569.	1,691.	1,769.
	66"	64"	R3B0PF164 66-() () *	1,281.	1,317.	1,380.	1,519.	1,613.	1,735.	1,813.
	72"	64"	R3B0PF164 72-() () *	1,323.	1,359.	1,422.	1,561.	1,655.	1,777.	1,855.

Monolithic fabric one side	18"	64"	R3B1PF164 18-() ()	1,161.	1,176.	1,216.	1,298.	1,348.	1,421.	1,473.
Beltway one side (fabric side)	20"	64"	R3B1PF164 20-() ()	1,161.	1,176.	1,216.	1,298.	1,348.	1,421.	1,473.
	24"	64"	R3B1PF164 24-() ()	1,237.	1,252.	1,292.	1,374.	1,424.	1,497.	1,549.
	30"	64"	R3B1PF164 30-() ()	1,313.	1,328.	1,368.	1,450.	1,500.	1,573.	1,625.
	36"	64"	R3B1PF164 36-() ()	1,630.	1,645.	1,685.	1,767.	1,817.	1,890.	1,942.
	42"	64"	R3B1PF164 42-() ()	1,696.	1,711.	1,751.	1,833.	1,883.	1,956.	2,008.
	48"	64"	R3B1PF164 48-() ()	1,832.	1,847.	1,887.	1,969.	2,019.	2,092.	2,144.

Order Code	Specification Information	Application Notes
Example: R3B0PF16418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Ref Generation 3		A = Flat
B0 No Beltway	1. Top trim profile	B = Square
P Monolithic panel	2. Base height	C = Bullnose
F1 Fabric one side, V1 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	<i>i) Top trim profile A, B or C options:</i>	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	<i>ii) Top trim profile E options:</i>	
Y328 Mahogany - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.



Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 64" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PF264 18-() ()	\$697.	\$713.	\$746.	\$812.	\$858.	\$919.	\$959.
	20"	64"	R3B0PF264 20-() ()	697.	713.	746.	812.	858.	919.	959.
	24"	64"	R3B0PF264 24-() ()	764.	780.	813.	879.	925.	986.	1,026.
	30"	64"	R3B0PF264 30-() ()	864.	880.	913.	979.	1,025.	1,086.	1,126.
	36"	64"	R3B0PF264 36-() ()	932.	948.	981.	1,047.	1,093.	1,154.	1,194.
	42"	64"	R3B0PF264 42-() ()	1,032.	1,048.	1,081.	1,147.	1,193.	1,254.	1,294.
	48"	64"	R3B0PF264 48-() ()	1,166.	1,182.	1,215.	1,281.	1,327.	1,388.	1,428.
	60"	64"	R3B0PF264 60-() * ()	1,257.	1,293.	1,356.	1,495.	1,589.	1,711.	1,789.
	66"	64"	R3B0PF264 66-() * ()	1,301.	1,337.	1,400.	1,539.	1,633.	1,755.	1,833.
	72"	64"	R3B0PF264 72-() * ()	1,347.	1,383.	1,446.	1,585.	1,679.	1,801.	1,879.
Monolithic fabric one side Beltway one side (fabric side) 	18"	64"	R3B1PF264 18-() ()	1,181.	1,196.	1,236.	1,318.	1,368.	1,441.	1,493.
	20"	64"	R3B1PF264 20-() ()	1,181.	1,196.	1,236.	1,318.	1,368.	1,441.	1,493.
	24"	64"	R3B1PF264 24-() ()	1,261.	1,276.	1,316.	1,398.	1,448.	1,521.	1,573.
	30"	64"	R3B1PF264 30-() ()	1,337.	1,352.	1,392.	1,474.	1,524.	1,597.	1,649.
	36"	64"	R3B1PF264 36-() ()	1,657.	1,672.	1,712.	1,794.	1,844.	1,917.	1,969.
	42"	64"	R3B1PF264 42-() ()	1,726.	1,741.	1,781.	1,863.	1,913.	1,986.	2,038.
	48"	64"	R3B1PF264 48-() ()	1,866.	1,881.	1,921.	2,003.	2,053.	2,126.	2,178.

Order Code	Specification Information	Application Notes
Example: R3B0PF26418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 64 64" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.


*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 64" H

fabric one side, exotic veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	64"	R3B0PF364 18- () ()	\$920.	\$936.	\$969.	\$1,035.	\$1,081.	\$1,142.	\$1,182.
	20"	64"	R3B0PF364 20- () ()	920.	936.	969.	1,035.	1,081.	1,142.	1,182.
	24"	64"	R3B0PF364 24- () ()	1,009.	1,025.	1,058.	1,124.	1,170.	1,231.	1,271.
	30"	64"	R3B0PF364 30- () ()	1,143.	1,159.	1,192.	1,258.	1,304.	1,365.	1,405.
	36"	64"	R3B0PF364 36- () ()	1,235.	1,251.	1,284.	1,350.	1,396.	1,457.	1,497.
	42"	64"	R3B0PF364 42- () ()	1,372.	1,388.	1,421.	1,487.	1,533.	1,594.	1,634.
	48"	64"	R3B0PF364 48- () ()	1,551.	1,567.	1,600.	1,666.	1,712.	1,773.	1,813.
	60"	64"	R3B0PF364 60- () ()*	1,652.	1,688.	1,751.	1,890.	1,984.	2,106.	2,184.
	66"	64"	R3B0PF364 66- () ()*	1,712.	1,748.	1,811.	1,950.	2,044.	2,166.	2,244.
	72"	64"	R3B0PF364 72- () ()*	1,774.	1,810.	1,873.	2,012.	2,106.	2,228.	2,306.

Monolithic, fabric one side Beltway fabric side 	18"	64"	R3B1PF364 18- () ()	1,570.	1,585.	1,625.	1,707.	1,757.	1,830.	1,882.
	20"	64"	R3B1PF364 20- () ()	1,570.	1,585.	1,625.	1,707.	1,757.	1,830.	1,882.
	24"	64"	R3B1PF364 24- () ()	1,677.	1,692.	1,732.	1,814.	1,864.	1,937.	1,989.
	30"	64"	R3B1PF364 30- () ()	1,780.	1,795.	1,835.	1,917.	1,967.	2,040.	2,092.
	36"	64"	R3B1PF364 36- () ()	2,214.	2,229.	2,269.	2,351.	2,401.	2,474.	2,526.
	42"	64"	R3B1PF364 42- () ()	2,305.	2,320.	2,360.	2,442.	2,492.	2,565.	2,617.
	48"	64"	R3B1PF364 48- () ()	2,494.	2,509.	2,549.	2,631.	2,681.	2,754.	2,806.

Order Code	Specification Information	Application Notes
Example: R3B0PF36418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F3 Fabric one side, V3 other 64 64" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 V512 Figured Anigre surface - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 64" H

Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	64"	R3B0PLL6418()()	\$776.
	20"	64"	R3B0PLL6420()()	776.
	24"	64"	R3B0PLL6424()()	846.
	30"	64"	R3B0PLL6430()()	947.
	36"	64"	R3B0PLL6436()()	1,023.
	42"	64"	R3B0PLL6442()()	1,125.
	48"	64"	R3B0PLL6448()()	1,260.
	60"	64"	R3B0PLL6460()()*	1,361.
	66"	64"	R3B0PLL6466()()*	1,402.
	72"	64"	R3B0PLL6472()()*	1,444.

Order Code

Example:	R3B0PLL6418-A4K
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
LL	Laminate both sides
64	64" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
118	Laminate - side 1
118	Laminate - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 inside
5. Panel side 2 outside
6. Top trim finish
i) Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. *Base height:*
4 = 4" base height

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.



Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 79" H fabric both sides


Reff Profiles

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics 	18"	79"	R3B0PFF79 18-() ()	\$830.	\$874.	\$950.	\$1,112.	\$1,222.	\$1,370.	\$1,460.
	20"	79"	R3B0PFF79 20-() ()	830.	874.	950.	1,112.	1,222.	1,370.	1,460.
	24"	79"	R3B0PFF79 24-() ()	882.	926.	1,002.	1,164.	1,274.	1,422.	1,512.
	30"	79"	R3B0PFF79 30-() ()	952.	996.	1,072.	1,234.	1,344.	1,492.	1,582.
	36"	79"	R3B0PFF79 36-() ()	976.	1,020.	1,096.	1,258.	1,368.	1,516.	1,606.
	42"	79"	R3B0PFF79 42-() ()	1,049.	1,093.	1,169.	1,331.	1,441.	1,589.	1,679.
	48"	79"	R3B0PFF79 48-() ()	1,163.	1,207.	1,283.	1,445.	1,555.	1,703.	1,793.
	60"	79"	R3B0PFF79 60-() ()	1,344.	1,432.	1,584.	1,908.	2,138.	2,430.	2,608.
	66"	79"	R3B0PFF79 66-() ()	1,376.	1,464.	1,616.	1,940.	2,170.	2,462.	2,640.
	72"	79"	R3B0PFF79 72-() ()	1,407.	1,495.	1,647.	1,971.	2,201.	2,493.	2,671.
Monolithic, fabric both sides High acoustics 	18"	79"	R3B0PAA79 18-() ()	905.	949.	1,025.	1,187.	1,297.	1,445.	1,535.
	20"	79"	R3B0PAA79 20-() ()	905.	949.	1,025.	1,187.	1,297.	1,445.	1,535.
	24"	79"	R3B0PAA79 24-() ()	963.	1,007.	1,083.	1,245.	1,355.	1,503.	1,593.
	30"	79"	R3B0PAA79 30-() ()	1,041.	1,085.	1,161.	1,323.	1,433.	1,581.	1,671.
	36"	79"	R3B0PAA79 36-() ()	1,072.	1,116.	1,192.	1,354.	1,464.	1,612.	1,702.
	42"	79"	R3B0PAA79 42-() ()	1,150.	1,194.	1,270.	1,432.	1,542.	1,690.	1,780.
	48"	79"	R3B0PAA79 48-() ()	1,279.	1,323.	1,399.	1,561.	1,671.	1,819.	1,909.
	60"	79"	R3B0PAA79 60-() ()	1,463.	1,551.	1,703.	2,027.	2,257.	2,549.	2,727.
	66"	79"	R3B0PAA79 66-() ()	1,497.	1,585.	1,737.	2,061.	2,291.	2,583.	2,761.
	72"	79"	R3B0PAA79 72-() ()	1,529.	1,617.	1,769.	2,093.	2,323.	2,615.	2,793.


Order Code	Specification Information	Application Notes
Example: R3B0PFF7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) Top trim profile A, B or C options:	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric selection - side 1	ii) Top trim profile E options:	
W281 Fabric selection - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
		The panels on this page are not designed to be stacked upon.
		Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.
		6" Raceway option increases panel height by 2 3/4".
		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 79" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	79"	R3B1PFF79 18-() ()	\$1,193.	\$1,239.	\$1,324.	\$1,506.	\$1,624.	\$1,789.	\$1,895.
Beltway one side	20"	79"	R3B1PFF79 20-() ()	1,193.	1,239.	1,324.	1,506.	1,624.	1,789.	1,895.
	24"	79"	R3B1PFF79 24-() ()	1,248.	1,294.	1,379.	1,561.	1,679.	1,844.	1,950.
	30"	79"	R3B1PFF79 30-() ()	1,273.	1,319.	1,404.	1,586.	1,704.	1,869.	1,975.
	36"	79"	R3B1PFF79 36-() ()	1,527.	1,573.	1,658.	1,840.	1,958.	2,123.	2,229.
	42"	79"	R3B1PFF79 42-() ()	1,627.	1,673.	1,758.	1,940.	2,058.	2,223.	2,329.
	48"	79"	R3B1PFF79 48-() ()	1,676.	1,722.	1,807.	1,989.	2,107.	2,272.	2,378.



Monolithic, fabric both sides	18"	79"	R3B2PFF79 18-() ()	1,254.	1,302.	1,396.	1,598.	1,724.	1,906.	2,028.
Beltway two sides	20"	79"	R3B2PFF79 20-() ()	1,254.	1,302.	1,396.	1,598.	1,724.	1,906.	2,028.
	24"	79"	R3B2PFF79 24-() ()	1,308.	1,356.	1,450.	1,652.	1,778.	1,960.	2,082.
	30"	79"	R3B2PFF79 30-() ()	1,335.	1,383.	1,477.	1,679.	1,805.	1,987.	2,109.
	36"	79"	R3B2PFF79 36-() ()	1,593.	1,641.	1,735.	1,937.	2,063.	2,245.	2,367.
	42"	79"	R3B2PFF79 42-() ()	1,695.	1,743.	1,837.	2,039.	2,165.	2,347.	2,469.
	48"	79"	R3B2PFF79 48-() ()	1,747.	1,795.	1,889.	2,091.	2,217.	2,399.	2,521.



Order Code	Specification Information	Application Notes
Example: R3B0PFF7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) Top trim profile A, B or C options:	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric selection - side 1	ii) Top trim profile E options:	
W281 Fabric selection - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. Beltway finish	
	9. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	

The panels on this page are not designed to be stacked upon.

Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2³/₄".



Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 79" H



fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PFL79 18-() ()	\$735.	\$754.	\$788.	\$860.	\$908.	\$974.	\$1,013.
	20"	79"	R3B0PFL79 20-() ()	735.	754.	788.	860.	908.	974.	1,013.
	24"	79"	R3B0PFL79 24-() ()	805.	824.	858.	930.	978.	1,044.	1,083.
	30"	79"	R3B0PFL79 30-() ()	906.	925.	959.	1,031.	1,079.	1,145.	1,184.
	36"	79"	R3B0PFL79 36-() ()	987.	1,006.	1,040.	1,112.	1,160.	1,226.	1,265.
	42"	79"	R3B0PFL79 42-() ()	1,093.	1,112.	1,146.	1,218.	1,266.	1,332.	1,371.
	48"	79"	R3B0PFL79 48-() ()	1,222.	1,241.	1,275.	1,347.	1,395.	1,461.	1,500.
	60"	79"	R3B0PFL79 60-() ()	1,315.	1,355.	1,421.	1,564.	1,666.	1,795.	1,873.
	66"	79"	R3B0PFL79 66-() ()	1,341.	1,381.	1,447.	1,590.	1,692.	1,821.	1,899.
	72"	79"	R3B0PFL79 72-() ()	1,368.	1,408.	1,474.	1,617.	1,719.	1,848.	1,926.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PFL79 18-() ()	1,062.	1,083.	1,125.	1,214.	1,270.	1,351.	1,405.
	20"	79"	R3B1PFL79 20-() ()	1,062.	1,083.	1,125.	1,214.	1,270.	1,351.	1,405.
	24"	79"	R3B1PFL79 24-() ()	1,136.	1,157.	1,199.	1,288.	1,344.	1,425.	1,479.
	30"	79"	R3B1PFL79 30-() ()	1,203.	1,224.	1,266.	1,355.	1,411.	1,492.	1,546.
	36"	79"	R3B1PFL79 36-() ()	1,491.	1,512.	1,554.	1,643.	1,699.	1,780.	1,834.
	42"	79"	R3B1PFL79 42-() ()	1,626.	1,647.	1,689.	1,778.	1,834.	1,915.	1,969.
	48"	79"	R3B1PFL79 48-() ()	1,701.	1,722.	1,764.	1,853.	1,909.	1,990.	2,044.

Order Code	Specification Information	Application Notes
Example: R3B0PFL7918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel FL Fabric one side, laminate other 79 79" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table. The panels on this page are not designed to be stacked upon. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 79" H



fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF179 18-() ()	\$863.	\$885.	\$924.	\$1,007.	\$1,063.	\$1,138.	\$1,185.
	20"	79"	R3B0PF179 20-() ()	863.	885.	924.	1,007.	1,063.	1,138.	1,185.
	24"	79"	R3B0PF179 24-() ()	944.	966.	1,005.	1,088.	1,144.	1,219.	1,266.
	30"	79"	R3B0PF179 30-() ()	1,067.	1,089.	1,128.	1,211.	1,267.	1,342.	1,389.
	36"	79"	R3B0PF179 36-() ()	1,162.	1,184.	1,223.	1,306.	1,362.	1,437.	1,484.
	42"	79"	R3B0PF179 42-() ()	1,283.	1,305.	1,344.	1,427.	1,483.	1,558.	1,605.
	48"	79"	R3B0PF179 48-() ()	1,438.	1,460.	1,499.	1,582.	1,638.	1,713.	1,760.
	60"	79"	R3B0PF179 60-() ()	1,545.	1,591.	1,668.	1,833.	1,951.	2,099.	2,190.
	66"	79"	R3B0PF179 66-() ()	1,578.	1,624.	1,701.	1,866.	1,984.	2,132.	2,223.
	72"	79"	R3B0PF179 72-() ()	1,604.	1,650.	1,727.	1,892.	2,010.	2,158.	2,249.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PF179 18-() ()	1,247.	1,271.	1,319.	1,423.	1,486.	1,580.	1,643.
	20"	79"	R3B1PF179 20-() ()	1,247.	1,271.	1,319.	1,423.	1,486.	1,580.	1,643.
	24"	79"	R3B1PF179 24-() ()	1,332.	1,356.	1,404.	1,508.	1,571.	1,665.	1,728.
	30"	79"	R3B1PF179 30-() ()	1,415.	1,439.	1,487.	1,591.	1,654.	1,748.	1,811.
	36"	79"	R3B1PF179 36-() ()	1,753.	1,777.	1,825.	1,929.	1,992.	2,086.	2,149.
	42"	79"	R3B1PF179 42-() ()	1,910.	1,934.	1,982.	2,086.	2,149.	2,243.	2,306.
	48"	79"	R3B1PF179 48-() ()	1,996.	2,020.	2,068.	2,172.	2,235.	2,329.	2,392.

Order Code	Specification Information	Application Notes
Example: R3B0PF17918-A4K R3 Reff Generation 2 B0 No Beltway P Monolithic panel F1 Fabric one side, V1 other 79 79" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. The panels on this page are not designed to be stacked upon. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 ³ / ₄ ". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 79" H


fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF279 18-()()	\$878.	\$900.	\$939.	\$1,022.	\$1,078.	\$1,153.	\$1,200.
	20"	79"	R3B0PF279 20-()()	878.	900.	939.	1,022.	1,078.	1,153.	1,200.
	24"	79"	R3B0PF279 24-()()	962.	984.	1,023.	1,106.	1,162.	1,237.	1,284.
	30"	79"	R3B0PF279 30-()()	1,086.	1,108.	1,147.	1,230.	1,286.	1,361.	1,408.
	36"	79"	R3B0PF279 36-()()	1,183.	1,205.	1,244.	1,327.	1,383.	1,458.	1,505.
	42"	79"	R3B0PF279 42-()()	1,308.	1,330.	1,369.	1,452.	1,508.	1,583.	1,630.
	48"	79"	R3B0PF279 48-()()	1,464.	1,486.	1,525.	1,608.	1,664.	1,739.	1,786.
	60"	79"	R3B0PF279 60-()()	1,573.	1,619.	1,696.	1,861.	1,979.	2,127.	2,218.
	66"	79"	R3B0PF279 66-()()	1,603.	1,649.	1,726.	1,891.	2,009.	2,157.	2,248.
	72"	79"	R3B0PF279 72-()()	1,637.	1,683.	1,760.	1,925.	2,043.	2,191.	2,282.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	79"	R3B1PF279 18-()()	1,269.	1,293.	1,341.	1,445.	1,508.	1,602.	1,665.
	20"	79"	R3B1PF279 20-()()	1,269.	1,293.	1,341.	1,445.	1,508.	1,602.	1,665.
	24"	79"	R3B1PF279 24-()()	1,356.	1,380.	1,428.	1,532.	1,595.	1,689.	1,752.
	30"	79"	R3B1PF279 30-()()	1,439.	1,463.	1,511.	1,615.	1,678.	1,772.	1,835.
	36"	79"	R3B1PF279 36-()()	1,782.	1,806.	1,854.	1,958.	2,021.	2,115.	2,178.
	42"	79"	R3B1PF279 42-()()	1,944.	1,968.	2,016.	2,120.	2,183.	2,277.	2,340.
	48"	79"	R3B1PF279 48-()()	2,033.	2,057.	2,105.	2,209.	2,272.	2,366.	2,429.

Order Code	Specification Information	Application Notes
Example: R3B0PF27918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F2 Fabric one side, V2 other 79 79" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. The panels on this page are not designed to be stacked upon. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 79" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF379 18-() ()	\$1,157.	\$1,179.	\$1,218.	\$1,301.	\$1,357.	\$1,432.	\$1,479.
	20"	79"	R3B0PF379 20-() ()	1,157.	1,179.	1,218.	1,301.	1,357.	1,432.	1,479.
	24"	79"	R3B0PF379 24-() ()	1,273.	1,295.	1,334.	1,417.	1,473.	1,548.	1,595.
	30"	79"	R3B0PF379 30-() ()	1,438.	1,460.	1,499.	1,582.	1,638.	1,713.	1,760.
	36"	79"	R3B0PF379 36-() ()	1,571.	1,593.	1,632.	1,715.	1,771.	1,846.	1,893.
	42"	79"	R3B0PF379 42-() ()	1,739.	1,761.	1,800.	1,883.	1,939.	2,014.	2,061.
	48"	79"	R3B0PF379 48-() ()	1,951.	1,973.	2,012.	2,095.	2,151.	2,226.	2,273.
	60"	79"	R3B0PF379 60-() ()*	2,069.	2,115.	2,192.	2,357.	2,475.	2,623.	2,714.
	66"	79"	R3B0PF379 66-() ()*	2,111.	2,157.	2,234.	2,399.	2,517.	2,665.	2,756.
	72"	79"	R3B0PF379 72-() ()*	2,156.	2,202.	2,279.	2,444.	2,562.	2,710.	2,801.

Monolithic, fabric one side Beltway fabric side 	18"	79"	R3B1PF379 18-() ()	1,672.	1,696.	1,744.	1,848.	1,911.	2,005.	2,068.
	20"	79"	R3B1PF379 20-() ()	1,672.	1,696.	1,744.	1,848.	1,911.	2,005.	2,068.
	24"	79"	R3B1PF379 24-() ()	1,790.	1,814.	1,862.	1,966.	2,029.	2,123.	2,186.
	30"	79"	R3B1PF379 30-() ()	1,900.	1,924.	1,972.	2,076.	2,139.	2,233.	2,296.
	36"	79"	R3B1PF379 36-() ()	2,364.	2,388.	2,436.	2,540.	2,603.	2,697.	2,760.
	42"	79"	R3B1PF379 42-() ()	2,582.	2,606.	2,654.	2,758.	2,821.	2,915.	2,978.
	48"	79"	R3B1PF379 48-() ()	2,703.	2,727.	2,775.	2,879.	2,942.	3,036.	3,099.

Order Code	Specification Information	Application Notes
Example: R3B0PF37918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F3 Fabric one side, V3 other 79 79" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 V512 Figured Anigre surface - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Applicable finishes are listed on page 5 and 6. The panels on this page are not designed to be stacked upon. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 79" H

Laminate/Laminate


Reff Profiles

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18"	79"	R3B0PLL7918()()	\$847.
	20"	79"	R3B0PLL7920()()	847.
	24"	79"	R3B0PLL7924()()	923.
	30"	79"	R3B0PLL7930()()	1,034.
	36"	79"	R3B0PLL7936()()	1,117.
	42"	79"	R3B0PLL7942()()	1,228.
	48"	79"	R3B0PLL7948()()	1,376.
	60"	79"	R3B0PLL7960()()*	1,486.
	66"	79"	R3B0PLL7966()()*	1,530.
	72"	79"	R3B0PLL7972()()*	1,576.

Order Code	Specification Information	Application Notes	
Example: R3B0PLL7918-A4K	<i>To order please specify pattern number including:</i>		
R3 Reff Generation 3			
B0 No Beltway			
P Monolithic panel			
LL Laminate both sides			
79 79" high			
18 18" wide			
A Flat style top trim			
4 4" base height			
K Include knockouts in base			
118 Laminate - side 1			
118 Laminate - side 2			
V512 Figured Anigre (top trim finish)			
111 Jet Black (base finish)			
	<ol style="list-style-type: none"> Top trim profile Base height Knockout option (K = with knockouts, N = without knockouts) Panel side 1 inside Panel side 2 outside Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver Base finish Beltway finish <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable 	<ol style="list-style-type: none"> <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum <i>Base height:</i> 4 = 4" base height <p>Applicable finishes are listed on page 5 and 6.</p>	<p>The panels on this page are not designed to be stacked upon.</p> <p>Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.</p> <p>6" Raceway option increases panel height by 2³/₄".</p> <p>Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</p>

Tiled panels 34" H fabric

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	34"	R3B0TFF34 18-()()()	\$552.	\$580.	\$636.	\$700.	\$752.	\$832.	\$884.
Regular acoustics	20"	34"	R3B0TFF34 20-()()()	552.	580.	636.	700.	752.	832.	884.
	24"	34"	R3B0TFF34 24-()()()	596.	624.	680.	744.	796.	876.	928.
	30"	34"	R3B0TFF34 30-()()()	638.	666.	722.	786.	838.	918.	970.
	36"	34"	R3B0TFF34 36-()()()	679.	707.	763.	827.	879.	959.	1,011.
	42"	34"	R3B0TFF34 42-()()()	781.	809.	865.	929.	981.	1,061.	1,113.
	48"	34"	R3B0TFF34 48-()()()	811.	839.	895.	959.	1,011.	1,091.	1,143.



Order Code

Example: R3B0TFF3418-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
34	34" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional:* specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel)

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

Applicable finishes are listed on page 5 and 6.

Application Notes

All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 117.





The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.

Tiled panels 34" H glass

Reff Profiles

description	w	h	pattern no.	clear tempered glass	architectural tempered glass	add for P2 finish	add for P3 finish	add for AA finish
Tiled, two 15" high glass sections without center mullion (type A) 	18"	34"	R2B0TWA34 18- () ()	\$867.	\$1,031.	\$35.	\$69.	\$86.
	20"	34"	R2B0TWA34 20- () ()	867.	1,031.	35.	69.	86.
	24"	34"	R2B0TWA34 24- () ()	907.	1,103.	35.	69.	91.
	30"	34"	R2B0TWA34 30- () ()	1,052.	1,295.	35.	69.	105.
	36"	34"	R2B0TWA34 36- () ()	1,091.	1,382.	35.	69.	107.
	42"	34"	R2B0TWA34 42- () ()	1,145.	1,490.	35.	69.	112.
	48"	34"	R2B0TWA34 48- () ()	1,186.	1,580.	35.	69.	117.
Tiled, two 15" high glass sections with center mullion (type B) 	30"	34"	R2B0TWB34 30- () ()	1,259.	1,504.	35.	69.	126.
	36"	34"	R2B0TWB34 36- () ()	1,311.	1,606.	35.	69.	130.
	42"	34"	R2B0TWB34 42- () ()	1,373.	1,714.	35.	69.	134.
	48"	34"	R2B0TWB34 48- () ()	1,424.	1,822.	35.	69.	140.
Tiled, one 30" high glass section without center mullion on sizes 18, 20 and 24 but with center mullion on sizes 30, 36, 42, and 48 Type C  	18"	34"	R2B0TWC34 18- () ()	683.	891.	27.	56.	105.
	20"	34"	R2B0TWC34 20- () ()	683.	891.	27.	56.	105.
	24"	34"	R2B0TWC34 24- () ()	720.	939.	27.	56.	112.
	30"	34"	R2B0TWC34 30- () ()	889.	1,155.	35.	69.	142.
	36"	34"	R2B0TWC34 36- () ()	989.	1,284.	35.	69.	159.
	42"	34"	R2B0TWC34 42- () ()	1,046.	1,359.	35.	69.	174.
	48"	34"	R2B0TWC34 48- () ()	1,097.	1,429.	35.	69.	181.

Order Code

Example: R2B0TWA3418-A4K	
R2	Reff Generation 2
B0	No Beltway
T	Tiled panel
WA	Window, type A
34	34" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (window frame finish)
GL13	Glass option

Specification Information

- To order please specify pattern number including:*
1. Top trim profile
 2. Base height
 3. Knockout option
(K = with knockouts, N = without knockouts)
 4. Divider option
(applicable R2B0TWA and R2B0TWB)
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (black reveal interior side, upcharge applicable for extruded aluminum)
 5. Top trim finish
i) Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 painted finish from page 5 excluding silver
 6. Base finish
 7. Window frame finish
(Painted or Anodized aluminum finishes)
If AA finish (anodized) upcharge applicable as noted in AA price column
 8. Glass type

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel)

4. *Extruded aluminum tile divider:*
Add for:
\$14 for 18w and 20w
\$15 for 24w and 30w
\$16 for 36w and 42w
\$22 for 48w

3. *Glass type*
Temp = Cleared tempered glass
Architectural options:
GL13 = Powder glass
GL6 = Block matrix glass
GL8 = Wafer glass

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 5 and 6.

All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 117.



The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Panel glass is mounted flush to one side of the window panel. All window panels incorporate tempered glass 3/16" thick. 30" High window panels that are 30" or wider incorporate a center mullion.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 34" H

fabric one side, hard opposite side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side laminate other; Regular acoustics 	18"	34"	R3B0TFL34 18- () ()	\$602.	\$616.	\$644.	\$674.	\$700.	\$738.	\$762.
	20"	34"	R3B0TFL34 20- () ()	602.	616.	644.	674.	700.	738.	762.
	24"	34"	R3B0TFL34 24- () ()	640.	654.	682.	712.	738.	776.	800.
	30"	34"	R3B0TFL34 30- () ()	682.	696.	724.	754.	780.	818.	842.
	36"	34"	R3B0TFL34 36- () ()	721.	735.	763.	793.	819.	857.	881.
	42"	34"	R3B0TFL34 42- () ()	821.	835.	863.	893.	919.	957.	981.
	48"	34"	R3B0TFL34 48- () ()	849.	863.	891.	921.	947.	985.	1,009.
Tiled, fabric one side techwood other; Regular acoustics 	18"	34"	R3B0TF134 18- () ()	646.	660.	690.	722.	748.	788.	814.
	20"	34"	R3B0TF134 20- () ()	646.	660.	690.	722.	748.	788.	814.
	24"	34"	R3B0TF134 24- () ()	689.	703.	733.	765.	791.	831.	857.
	30"	34"	R3B0TF134 30- () ()	734.	748.	778.	810.	836.	876.	902.
	36"	34"	R3B0TF134 36- () ()	775.	789.	819.	851.	877.	917.	943.
	42"	34"	R3B0TF134 42- () ()	885.	899.	929.	961.	987.	1,027.	1,053.
	48"	34"	R3B0TF134 48- () ()	913.	927.	957.	989.	1,015.	1,055.	1,081.

Order Code

Example: R3B0TFL3418-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FL	Fabric one side, laminate other
34	34" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
B	Tile divider, black
W281	Fabric selection - side 1
114	Folkstone grey - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option (K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B top
- Hard side, finish
If laminate:
i) tile 2A bottom
ii) tile 2B top
If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
- Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver

- Base finish
- Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel)

4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)
34" h add per panel:
\$14 for 18w and 20w
\$15 for 24w and 30w
\$16 for 36w and 42w
\$22 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.



Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 117.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 34" h.

Tiled panels 34" H

fabric one side, hard opposite side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side conventional other; Regular acoustics 	18"	34"	R3B0TF234 18-() ()	\$659.	\$673.	\$703.	\$735.	\$761.	\$801.	\$827.
	20"	34"	R3B0TF234 20-() ()	659.	673.	703.	735.	761.	801.	827.
	24"	34"	R3B0TF234 24-() ()	702.	716.	746.	778.	804.	844.	870.
	30"	34"	R3B0TF234 30-() ()	747.	761.	791.	823.	849.	889.	915.
	36"	34"	R3B0TF234 36-() ()	788.	803.	832.	864.	890.	930.	956.
	42"	34"	R3B0TF234 42-() ()	899.	913.	943.	975.	1,001.	1,041.	1,067.
	48"	34"	R3B0TF234 48-() ()	930.	944.	974.	1,006.	1,032.	1,072.	1,098.
Tiled, fabric one side, exotic other Regular acoustics 	18"	34"	R3B0TF334 18-() ()	880.	894.	924.	956.	982.	1,022.	1,048.
	20"	34"	R3B0TF334 20-() ()	880.	894.	924.	956.	982.	1,022.	1,048.
	24"	34"	R3B0TF334 24-() ()	938.	952.	982.	1,014.	1,040.	1,080.	1,106.
	30"	34"	R3B0TF334 30-() ()	997.	1,011.	1,041.	1,073.	1,099.	1,139.	1,165.
	36"	34"	R3B0TF334 36-() ()	1,054.	1,068.	1,098.	1,130.	1,156.	1,196.	1,222.
	42"	34"	R3B0TF334 42-() ()	1,204.	1,218.	1,248.	1,280.	1,306.	1,346.	1,372.
	48"	34"	R3B0TF334 48-() ()	1,245.	1,259.	1,289.	1,321.	1,347.	1,387.	1,413.

Order Code	Specification Information	Application Notes
Example: R3B0TFL3418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	8. Base finish
B0 No Beltway	2. Base height	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	
FL Fabric one side, laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
34 34" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B top	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel)
18 18" wide	6. Hard side, finish If laminate: i) tile 2A bottom ii) tile 2B top If V1, V2 or V3 specify wood finish, one finish per side (not per insert)	4. <i>Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)</i> 34"h add per panel: \$14 for 18w and 20w \$15 for 24w and 30w \$16 for 36w and 42w \$22 for 48w
A Flat style top trim	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
4 4" base height		Ported panel components to be installed below worksurface if panel 34" h.
K Include knockouts in base		
B Tile divider, black		
W281 Fabric selection - side 1		
114 Folkstone grey - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		

Tiled panels 34" H

Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	34"	R3B0TLL3418 () ()	\$681.
	20"	34"	R3B0TLL3420 () ()	681.
	24"	34"	R3B0TLL3424 () ()	742.
	30"	34"	R3B0TLL3430 () ()	831.
	36"	34"	R3B0TLL3436 () ()	898.
	42"	34"	R3B0TLL3442 () ()	925.
	48"	34"	R3B0TLL3448 () ()	953.



Example: **R3B0TLL3418-A4K**

R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
34	34" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
B	Tile divider, black
118	Laminate - side 1
118	Laminate - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Laminate, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B top
6. Hard side, finish
If laminate:
i) tile 2A bottom
ii) tile 2B top
If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
7. Top trim finish
i) Profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options:
AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver

8. Base finish
9. *Optional non-beltway panels:*
specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum

2. Base height:
4 = 4" base height

4. Extruded aluminum tile divider:

- Optional for non fabric side only**
(fabric side always black)
34" h add per panel:
\$14 for 18w and 20w
\$15 for 24w and 30w
\$16 for 36w and 42w
\$22 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option.
Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

All panels on this page accept stacking modules.


All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 117.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 34" h.

Tiled panels 42" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Regular acoustics 	18"	42"	R3B0TFF42 18-() ()	\$618.	\$650.	\$724.	\$818.	\$884.	\$982.	\$1,050.
	20"	42"	R3B0TFF42 20-() ()	618.	650.	724.	818.	884.	982.	1,050.
	24"	42"	R3B0TFF42 24-() ()	664.	696.	770.	864.	930.	1,028.	1,096.
	30"	42"	R3B0TFF42 30-() ()	711.	743.	817.	911.	977.	1,075.	1,143.
	36"	42"	R3B0TFF42 36-() ()	758.	790.	864.	958.	1,024.	1,122.	1,190.
	42"	42"	R3B0TFF42 42-() ()	856.	888.	962.	1,056.	1,122.	1,220.	1,288.
	48"	42"	R3B0TFF42 48-() ()	900.	932.	1,006.	1,100.	1,166.	1,264.	1,332.

Tiled, fabric both sides High acoustics 	18"	42"	R3B0TAA42 18-() ()	677.	709.	783.	877.	943.	1,041.	1,109.
	20"	42"	R3B0TAA42 20-() ()	677.	709.	783.	877.	943.	1,041.	1,109.
	24"	42"	R3B0TAA42 24-() ()	729.	761.	835.	929.	995.	1,093.	1,161.
	30"	42"	R3B0TAA42 30-() ()	783.	815.	889.	983.	1,049.	1,147.	1,215.
	36"	42"	R3B0TAA42 36-() ()	834.	866.	940.	1,034.	1,100.	1,198.	1,266.
	42"	42"	R3B0TAA42 42-() ()	945.	977.	1,051.	1,145.	1,211.	1,309.	1,377.
	48"	42"	R3B0TAA42 48-() ()	995.	1,027.	1,101.	1,195.	1,261.	1,359.	1,427.

Tiled, fabric both sides Beltway one side 	18"	42"	R3B1TFF42 18-() ()	1,112.	1,144.	1,216.	1,312.	1,378.	1,476.	1,544.
	20"	42"	R3B1TFF42 20-() ()	1,112.	1,144.	1,216.	1,312.	1,378.	1,476.	1,544.
	24"	42"	R3B1TFF42 24-() ()	1,137.	1,169.	1,241.	1,337.	1,403.	1,501.	1,569.
	30"	42"	R3B1TFF42 30-() ()	1,196.	1,228.	1,300.	1,396.	1,462.	1,560.	1,628.
	36"	42"	R3B1TFF42 36-() ()	1,412.	1,444.	1,516.	1,612.	1,678.	1,776.	1,844.
	42"	42"	R3B1TFF42 42-() ()	1,525.	1,557.	1,629.	1,725.	1,791.	1,889.	1,957.
	48"	42"	R3B1TFF42 48-() ()	1,578.	1,610.	1,682.	1,778.	1,844.	1,942.	2,010.

Order Code

Example:	R3B0TFF4218-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
42	42" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option
(K = with knockouts, N = without knockouts)
- Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C top
- Fabric side, finish (specify selection per insert)
i) tile 2A bottom
ii) tile 2B middle
iii) tile 2C top
- Top trim finish
i) Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
- Base finish
- Beltway finish
- Optional non-beltway panels:
specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2³/₄".


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 42" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	42"	R3B2TFF42 18-()()	\$1,133.	\$1,165.	\$1,235.	\$1,333.	\$1,399.	\$1,497.	\$1,565.
Beltway two sides	20"	42"	R3B2TFF42 20-()()	1,133.	1,165.	1,235.	1,333.	1,399.	1,497.	1,565.
	24"	42"	R3B2TFF42 24-()()	1,110.	1,142.	1,212.	1,310.	1,376.	1,474.	1,542.
	30"	42"	R3B2TFF42 30-()()	1,219.	1,251.	1,321.	1,419.	1,485.	1,583.	1,651.
	36"	42"	R3B2TFF42 36-()()	1,437.	1,469.	1,539.	1,637.	1,703.	1,801.	1,869.
	42"	42"	R3B2TFF42 42-()()	1,554.	1,586.	1,656.	1,754.	1,820.	1,918.	1,986.
	48"	42"	R3B2TFF42 48-()()	1,610.	1,642.	1,712.	1,810.	1,876.	1,974.	2,042.



Order Code

Example: R3B0TFF4218-A4K	
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
42	42" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
 - i) tile 1A bottom
 - ii) tile 1B middle
 - iii) tile 1C top
5. Fabric side, finish (specify selection per insert)
 - i) tile 2A bottom
 - ii) tile 2B middle
 - iii) tile 2C top
6. Top trim finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. *Top trim profile:*
 A = Flat
 B = Square
 C = Bullnose
 E = Extruded Aluminum

2. *Base height:*
 4 = 4" base height
 6 = 6" base height (add \$47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2³/₄".


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 42" H

fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TFL42 18-() ()	\$673.	\$690.	\$726.	\$771.	\$802.	\$850.	\$882.
Regular acoustics	20"	42"	R3B0TFL42 20-() ()	673.	690.	726.	771.	802.	850.	882.
	24"	42"	R3B0TFL42 24-() ()	717.	734.	770.	815.	846.	894.	926.
	30"	42"	R3B0TFL42 30-() ()	764.	781.	817.	862.	893.	941.	973.
	36"	42"	R3B0TFL42 36-() ()	809.	826.	862.	907.	938.	986.	1,018.
	42"	42"	R3B0TFL42 42-() ()	901.	918.	954.	999.	1,030.	1,078.	1,110.
	48"	42"	R3B0TFL42 48-() ()	948.	965.	1,001.	1,046.	1,077.	1,125.	1,157.


Tiled, fabric one side	18"	42"	R3B1TFL42 18-() ()	1,149.	1,166.	1,201.	1,247.	1,278.	1,326.	1,358.
Beltway one side (fabric side)	20"	42"	R3B1TFL42 20-() ()	1,149.	1,166.	1,201.	1,247.	1,278.	1,326.	1,358.
	24"	42"	R3B1TFL42 24-() ()	1,173.	1,190.	1,225.	1,271.	1,302.	1,350.	1,382.
	30"	42"	R3B1TFL42 30-() ()	1,232.	1,249.	1,284.	1,330.	1,361.	1,409.	1,441.
	36"	42"	R3B1TFL42 36-() ()	1,441.	1,458.	1,493.	1,539.	1,570.	1,618.	1,650.
	42"	42"	R3B1TFL42 42-() ()	1,549.	1,566.	1,601.	1,647.	1,678.	1,726.	1,758.
	48"	42"	R3B1TFL42 48-() ()	1,599.	1,616.	1,651.	1,697.	1,728.	1,776.	1,808.

Order Code	Specification Information	Application Notes
Example: R3B0TFL4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4 = 4" base height
A Flat style top trim	5. Fabric side, finish (specify selection per insert)	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) tile 1A bottom	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black) 42" h add per panel:</i>
K Include knockouts in base	ii) tile 1B middle	\$25 for 18w and 20w
B Tile divider, black reveal	iii) tile 1C top	\$28 for 24w and 30w
W281 Fabric selection - side 1	6. Laminate side, finish (specify selection per insert)	\$34 for 36w and 42w
114 Folkstone grey - side 2	i) tile 2A bottom	\$42 for 48w
V316 Maple (top trim finish)	ii) tile 2B middle	<i>6" Raceway option increases panel height by 2 3/4".</i>
111 Jet Black (base finish)	iii) tile 2C top	Applicable finishes are listed on page 5 and 6.
	7. Top trim finish	Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option.
	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

Tiled panels 42" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF142 18- () ()	\$723.	\$740.	\$778.	\$826.	\$858.	\$908.	\$942.
Regular acoustics	20"	42"	R3B0TF142 20- () ()	723.	740.	778.	826.	858.	908.	942.
	24"	42"	R3B0TF142 24- () ()	771.	788.	826.	874.	906.	956.	990.
	30"	42"	R3B0TF142 30- () ()	823.	840.	878.	926.	958.	1,008.	1,042.
	36"	42"	R3B0TF142 36- () ()	869.	886.	924.	972.	1,004.	1,054.	1,088.
	42"	42"	R3B0TF142 42- () ()	972.	989.	1,027.	1,075.	1,107.	1,157.	1,191.
	48"	42"	R3B0TF142 48- () ()	1,016.	1,033.	1,071.	1,119.	1,151.	1,201.	1,235.

Tiled, fabric one side	18"	42"	R3B1TF142 18- () ()	1,238.	1,255.	1,293.	1,341.	1,373.	1,423.	1,457.
Beltway one side (fabric side)	20"	42"	R3B1TF142 20- () ()	1,238.	1,255.	1,293.	1,341.	1,373.	1,423.	1,457.
	24"	42"	R3B1TF142 24- () ()	1,262.	1,279.	1,317.	1,365.	1,397.	1,447.	1,481.
	30"	42"	R3B1TF142 30- () ()	1,322.	1,339.	1,377.	1,425.	1,457.	1,507.	1,541.
	36"	42"	R3B1TF142 36- () ()	1,545.	1,562.	1,600.	1,648.	1,680.	1,730.	1,764.
	42"	42"	R3B1TF142 42- () ()	1,665.	1,682.	1,720.	1,768.	1,800.	1,850.	1,884.
	48"	42"	R3B1TF142 48- () ()	1,721.	1,738.	1,776.	1,824.	1,856.	1,906.	1,940.

Order Code

Example: R3B0TF14218-A4K
R3 Reff Generation 3
B0 No Beltway
T Tiled panel
F1 Fabric one side, V1 other
42 42" high
18 18" wide
A Flat style top trim
4 4" base height
K Include knockouts in base
B Tile divider, black reveal
W281 Fabric selection - side 1
Y328 Mahogany - side 2
V316 Maple (top trim finish)
111 Jet Black (base finish)

Specification Information


- To order please specify pattern number including:*
1. Top trim profile
 2. Base height
 3. Knockout option
(K = with knockouts, N = without knockouts)
 4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
 5. Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C top
 6. Techwood side, finish (specify one V1 finish for side)
 7. Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
 8. Base finish
 9. Beltway finish
 10. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable


Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
 2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)
 4. *Extruded aluminum tile divider:*
Optional for non fabric side only
(fabric side always black)
42" h add per panel:
\$25 for 18w and 20w
\$28 for 24w and 30w
\$34 for 36w and 42w
\$42 for 48w
- 6" Raceway option increases panel height by 2 3/4".
- Applicable finishes are listed on page 5 and 6.
- The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 426).
- Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
- Remember to specify Beltway paint finish when applicable.
- 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 42" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF242 18- () ()	\$736.	\$753.	\$791.	\$839.	\$871.	\$921.	\$955.
Regular acoustics	20"	42"	R3B0TF242 20- () ()	736.	753.	791.	839.	871.	921.	955.
	24"	42"	R3B0TF242 24- () ()	785.	802.	840.	888.	920.	970.	1,004.
	30"	42"	R3B0TF242 30- () ()	837.	854.	892.	940.	972.	1,022.	1,057.
	36"	42"	R3B0TF242 36- () ()	888.	905.	943.	991.	1,023.	1,073.	1,107.
	42"	42"	R3B0TF242 42- () ()	988.	1,005.	1,043.	1,091.	1,123.	1,173.	1,207.
	48"	42"	R3B0TF242 48- () ()	1,037.	1,054.	1,092.	1,140.	1,172.	1,222.	1,256.

Tiled, fabric one side	18"	42"	R3B1TF242 18- () ()	1,260.	1,277.	1,315.	1,363.	1,395.	1,445.	1,479.
Beltway one side (fabric side)	20"	42"	R3B1TF242 20- () ()	1,260.	1,277.	1,315.	1,363.	1,395.	1,445.	1,479.
	24"	42"	R3B1TF242 24- () ()	1,283.	1,300.	1,338.	1,386.	1,418.	1,468.	1,502.
	30"	42"	R3B1TF242 30- () ()	1,347.	1,364.	1,402.	1,450.	1,482.	1,532.	1,566.
	36"	42"	R3B1TF242 36- () ()	1,576.	1,593.	1,631.	1,679.	1,711.	1,761.	1,795.
	42"	42"	R3B1TF242 42- () ()	1,695.	1,712.	1,750.	1,798.	1,830.	1,880.	1,914.
	48"	42"	R3B1TF242 48- () ()	1,753.	1,770.	1,808.	1,856.	1,888.	1,938.	1,972.

Order Code

Example: R3B0TF24218-A4K
R3 Reff Generation 3
B0 No Beltway
T Tiled panel
F2 Fabric one side, V2 other
42 42" high
18 18" wide
A Flat style top trim
4 4" base height
K Include knockouts in base
B Tile divider, black reveal
W281 Fabric selection - side 1
V316 Maple surface - side 2
V316 Maple (top trim finish)
111 Jet Black (base finish)

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option
(K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)
 - tile 1A bottom
 - tile 1B middle
 - tile 1C top
- Conventional veneer, finish (specify one V2 finish for side)
- Top trim finish
 - Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
 - Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
- Base finish
- Beltway finish
- Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. Top trim profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:

4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

4. Extruded aluminum tile divider:

Optional for non fabric side only
(fabric side always black)
42" h add per panel:
\$25 for 18w and 20w
\$28 for 24w and 30w
\$34 for 36w and 42w
\$42 for 48w

6" Raceway option increases panel height by 2 3/4".

Applicable finishes are listed on page 5 and 6.

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 426).


Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 42" H

fabric one side, exotic veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF342 18-() ()	\$981.	\$998.	\$1,036.	\$1,084.	\$1,116.	\$1,166.	\$1,200.
Regular acoustics	20"	42"	R3B0TF342 20-() ()	981.	998.	1,036.	1,084.	1,116.	1,166.	1,200.
	24"	42"	R3B0TF342 24-() ()	1,045.	1,062.	1,100.	1,148.	1,180.	1,230.	1,264.
	30"	42"	R3B0TF342 30-() ()	1,116.	1,133.	1,171.	1,219.	1,251.	1,301.	1,335.
	36"	42"	R3B0TF342 36-() ()	1,185.	1,202.	1,240.	1,288.	1,320.	1,370.	1,404.
	42"	42"	R3B0TF342 42-() ()	1,320.	1,337.	1,375.	1,423.	1,455.	1,505.	1,539.
	48"	42"	R3B0TF342 48-() ()	1,386.	1,403.	1,441.	1,489.	1,521.	1,571.	1,605.

Tiled, fabric one side	18"	42"	R3B1TF342 18-() ()	1,688.	1,705.	1,743.	1,791.	1,823.	1,873.	1,907.
Beltway fabric side	20"	42"	R3B1TF342 20-() ()	1,688.	1,705.	1,743.	1,791.	1,823.	1,873.	1,907.
	24"	42"	R3B1TF342 24-() ()	1,719.	1,736.	1,774.	1,822.	1,854.	1,904.	1,938.
	30"	42"	R3B1TF342 30-() ()	1,804.	1,821.	1,859.	1,907.	1,939.	1,989.	2,023.
	36"	42"	R3B1TF342 36-() ()	2,115.	2,132.	2,170.	2,218.	2,250.	2,300.	2,334.
	42"	42"	R3B1TF342 42-() ()	2,274.	2,291.	2,329.	2,377.	2,409.	2,459.	2,493.
	48"	42"	R3B1TF342 48-() ()	2,353.	2,370.	2,408.	2,456.	2,488.	2,538.	2,572.

Order Code	Specification Information	Application Notes
Example: R3B0TF34218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 42" h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
F3 Fabric one side, V3 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6" Raceway option increases panel height by 2 3/4".
42 42" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Applicable finishes are listed on page 5 and 6.
18 18" wide	6. Exotic veneer, finish (specify one V3 finish for side)	
A Flat style top trim	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric selection - side 1		
V512 Figured Anigre surface - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		


Tiled panels 42" H


Laminate/Laminate


description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides 	18"	42"	R3B0TLL4218() ()	\$821.
	20"	42"	R3B0TLL4220() ()	821.
	24"	42"	R3B0TLL4224() ()	895.
	30"	42"	R3B0TLL4230() ()	1,002.
	36"	42"	R3B0TLL4236() ()	1,082.
	42"	42"	R3B0TLL4242() ()	1,115.
	48"	42"	R3B0TLL4248() ()	1,148.

Order Code	Specification Information	Application Notes	
Example: R3B0TLL4218-A4K R3 Reff Generation 3 B0 No Beltway T Tiled panel LL Laminate both sides 42 42" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base B Tile divider, black reveal 118 Laminate - side 1 118 Laminate - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish)	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider) 5. Laminate side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top 6. Laminate, finish 7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver 8. Base finish 9. Beltway finish 10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 42"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w Applicable finishes are listed on page 5 and 6.	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 426). Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 49" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Regular acoustics 	18"	49"	R3B0TFF49 18- () ()	\$692.	\$734.	\$818.	\$914.	\$992.	\$1,112.	\$1,190.
	20"	49"	R3B0TFF49 20- () ()	692.	734.	818.	914.	992.	1,112.	1,190.
	24"	49"	R3B0TFF49 24- () ()	740.	782.	866.	962.	1,040.	1,160.	1,238.
	30"	49"	R3B0TFF49 30- () ()	795.	837.	921.	1,017.	1,095.	1,215.	1,293.
	36"	49"	R3B0TFF49 36- () ()	847.	889.	973.	1,069.	1,147.	1,267.	1,345.
	42"	49"	R3B0TFF49 42- () ()	957.	999.	1,083.	1,179.	1,257.	1,377.	1,455.
	48"	49"	R3B0TFF49 48- () ()	1,009.	1,051.	1,135.	1,231.	1,309.	1,429.	1,507.

Tiled, fabric both sides High acoustics 	18"	49"	R3B0TAA49 18- () ()	758.	800.	884.	980.	1,058.	1,178.	1,256.
	20"	49"	R3B0TAA49 20- () ()	758.	800.	884.	980.	1,058.	1,178.	1,256.
	24"	49"	R3B0TAA49 24- () ()	810.	852.	936.	1,032.	1,110.	1,230.	1,308.
	30"	49"	R3B0TAA49 30- () ()	874.	916.	1,000.	1,096.	1,174.	1,294.	1,372.
	36"	49"	R3B0TAA49 36- () ()	931.	973.	1,057.	1,153.	1,231.	1,351.	1,429.
	42"	49"	R3B0TAA49 42- () ()	1,049.	1,091.	1,175.	1,271.	1,349.	1,469.	1,547.
	48"	49"	R3B0TAA49 48- () ()	1,110.	1,152.	1,236.	1,332.	1,410.	1,530.	1,608.

Tiled, fabric both sides Beltway one side 	18"	49"	R3B1TFF49 18- () ()	1,141.	1,183.	1,265.	1,363.	1,441.	1,561.	1,639.
	20"	49"	R3B1TFF49 20- () ()	1,141.	1,183.	1,265.	1,363.	1,441.	1,561.	1,639.
	24"	49"	R3B1TFF49 24- () ()	1,164.	1,206.	1,288.	1,386.	1,464.	1,584.	1,662.
	30"	49"	R3B1TFF49 30- () ()	1,226.	1,268.	1,350.	1,448.	1,526.	1,646.	1,724.
	36"	49"	R3B1TFF49 36- () ()	1,468.	1,510.	1,592.	1,690.	1,768.	1,888.	1,966.
	42"	49"	R3B1TFF49 42- () ()	1,585.	1,627.	1,709.	1,807.	1,885.	2,005.	2,083.
	48"	49"	R3B1TFF49 48- () ()	1,641.	1,683.	1,765.	1,863.	1,941.	2,061.	2,139.

Order Code

Example:	R3B0TFF4918-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
49	49" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Fabric side finish (specify selection per insert)
 - i) tile 1A bottom
 - ii) tile 1B middle
 - iii) tile 1C top
5. Fabric side, finish (specify selection per insert)
 - i) tile 2A bottom
 - ii) tile 2B middle
 - iii) tile 2C top
6. Top trim finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels:*
specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

6" Raceway option increases panel height by 2³/₄".

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 49" H

fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	R3B2TFF49 18- ()()	\$1,158.	\$1,200.	\$1,280.	\$1,380.	\$1,458.	\$1,578.	\$1,656.
Beltway two sides	20"	49"	R3B2TFF49 20- ()()	1,158.	1,200.	1,280.	1,380.	1,458.	1,578.	1,656.
	24"	49"	R3B2TFF49 24- ()()	1,184.	1,226.	1,306.	1,406.	1,484.	1,604.	1,682.
	30"	49"	R3B2TFF49 30- ()()	1,249.	1,291.	1,371.	1,471.	1,549.	1,669.	1,747.
	36"	49"	R3B2TFF49 36- ()()	1,494.	1,536.	1,616.	1,716.	1,794.	1,914.	1,992.
	42"	49"	R3B2TFF49 42- ()()	1,612.	1,654.	1,734.	1,834.	1,912.	2,032.	2,110.
	48"	49"	R3B2TFF49 48- ()()	1,673.	1,715.	1,795.	1,895.	1,973.	2,093.	2,171.



Order Code

Example:	R3B0TFF4918-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
49	49" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Fabric side finish (specify selection per insert)
 - i) tile 1A bottom
 - ii) tile 1B middle
 - iii) tile 1C top
5. Fabric side, finish (specify selection per insert)
 - i) tile 2A bottom
 - ii) tile 2B middle
 - iii) tile 2C top
6. Top trim finish
 - i) Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels:*
specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

6" Raceway option increases panel height by 2³/₄".

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 49" H

fabric one side, laminate opposite side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18"	49"	R3B0TFL49 18-() ()	\$755.	\$776.	\$818.	\$863.	\$902.	\$959.	\$995.
	20"	49"	R3B0TFL49 20-() ()	755.	776.	818.	863.	902.	959.	995.
	24"	49"	R3B0TFL49 24-() ()	798.	819.	861.	906.	945.	1,002.	1,038.
	30"	49"	R3B0TFL49 30-() ()	855.	876.	918.	963.	1,002.	1,059.	1,095.
	36"	49"	R3B0TFL49 36-() ()	902.	923.	965.	1,010.	1,049.	1,106.	1,142.
	42"	49"	R3B0TFL49 42-() ()	1,006.	1,027.	1,069.	1,114.	1,153.	1,210.	1,246.
	48"	49"	R3B0TFL49 48-() ()	1,059.	1,080.	1,122.	1,167.	1,206.	1,263.	1,299.




Tiled, fabric one side Beltway one side (fabric side)	18"	49"	R3B1TFL49 18-() ()	1,186.	1,207.	1,248.	1,294.	1,333.	1,390.	1,426.
	20"	49"	R3B1TFL49 20-() ()	1,186.	1,207.	1,248.	1,294.	1,333.	1,390.	1,426.
	24"	49"	R3B1TFL49 24-() ()	1,210.	1,231.	1,272.	1,318.	1,357.	1,414.	1,450.
	30"	49"	R3B1TFL49 30-() ()	1,271.	1,292.	1,333.	1,379.	1,418.	1,475.	1,511.
	36"	49"	R3B1TFL49 36-() ()	1,502.	1,523.	1,564.	1,610.	1,649.	1,706.	1,742.
	42"	49"	R3B1TFL49 42-() ()	1,612.	1,633.	1,674.	1,720.	1,759.	1,816.	1,852.
	48"	49"	R3B1TFL49 48-() ()	1,672.	1,693.	1,734.	1,780.	1,819.	1,876.	1,912.




Order Code	Specification Information	Application Notes
<p>Example: R3B0TFL4918-A4K</p> <p>R3 Reff Generation 3</p> <p>B0 No Beltway</p> <p>T Tiled panel</p> <p>FL Fabric one side, laminate other</p> <p>49 49" high</p> <p>18 18" wide</p> <p>A Flat style top trim</p> <p>4 4" base height</p> <p>K Include knockouts in base</p> <p>B Tile divider, black reveal</p> <p>W281 Fabric selection - side 1</p> <p>114 Folkstone grey - side 2</p> <p>V316 Maple (top trim finish)</p> <p>111 Jet Black (base finish)</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Top trim profile Base height Knockout option (K = with knockouts, N = without knockouts) Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider) Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top Laminate side finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C top Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver Base finish Beltway finish Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable 	<p>1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)</p> <p>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black) 49"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w</p> <p>6" Raceway option increases panel height by 2³/₄".</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.</p>
		<p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.</p> <p>Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</p>

Tiled panels 49" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF149 18-() ()	\$808.	\$829.	\$874.	\$922.	\$961.	\$1,021.	\$1,060.
Regular acoustics	20"	49"	R3B0TF149 20-() ()	808.	829.	874.	922.	961.	1,021.	1,060.
	24"	49"	R3B0TF149 24-() ()	859.	880.	925.	973.	1,012.	1,072.	1,111.
	30"	49"	R3B0TF149 30-() ()	916.	937.	982.	1,030.	1,069.	1,129.	1,168.
	36"	49"	R3B0TF149 36-() ()	971.	992.	1,037.	1,085.	1,124.	1,184.	1,223.
	42"	49"	R3B0TF149 42-() ()	1,086.	1,107.	1,152.	1,200.	1,239.	1,299.	1,338.
	48"	49"	R3B0TF149 48-() ()	1,138.	1,159.	1,204.	1,252.	1,291.	1,351.	1,390.

Tiled, fabric one side	18"	49"	R3B1TF149 18-() ()	1,274.	1,295.	1,340.	1,388.	1,427.	1,487.	1,526.
Beltway one side (fabric side)	20"	49"	R3B1TF149 20-() ()	1,274.	1,295.	1,340.	1,388.	1,427.	1,487.	1,526.
	24"	49"	R3B1TF149 24-() ()	1,303.	1,324.	1,369.	1,417.	1,456.	1,516.	1,555.
	30"	49"	R3B1TF149 30-() ()	1,366.	1,387.	1,432.	1,480.	1,519.	1,579.	1,618.
	36"	49"	R3B1TF149 36-() ()	1,617.	1,638.	1,683.	1,731.	1,770.	1,830.	1,869.
	42"	49"	R3B1TF149 42-() ()	1,737.	1,758.	1,803.	1,851.	1,890.	1,950.	1,989.
	48"	49"	R3B1TF149 48-() ()	1,796.	1,817.	1,862.	1,910.	1,949.	2,009.	2,048.

Order Code

Example: R3B0TF14918-A4K
R3 Reff Generation 3
B0 No Beltway
T Tiled panel
F1 Fabric one side, V1 other
49 49" high
18 18" wide
A Flat style top trim
4 4" base height
K Include knockouts in base
B Tile divider, black reveal
W281 Fabric selection - side 1
Y328 Mahogany - side 2
V316 Maple (top trim finish)
111 Jet Black (base finish)

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option
(K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C top
- Techwood side, finish (specify one V1 finish for side)
- Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
- Base finish
- Beltway finish
- Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. Top trim profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:

4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

4. Extruded aluminum tile divider:

Optional for non fabric side only (fabric side always black)
49" h add per panel:
\$25 for 18w and 20w
\$28 for 24w and 30w
\$34 for 36w and 42w
\$42 for 48w

6" Raceway option increases panel height by 2³/₄".

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Tiled panels 49" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18"	49"	R3B0TF249 18-() ()	\$825.	\$846.	\$891.	\$939.	\$978.	\$1,038.	\$1,077.
	20"	49"	R3B0TF249 20-() ()	825.	846.	891.	939.	978.	1,038.	1,077.
	24"	49"	R3B0TF249 24-() ()	874.	895.	940.	988.	1,027.	1,087.	1,126.
	30"	49"	R3B0TF249 30-() ()	938.	959.	1,004.	1,052.	1,091.	1,151.	1,190.
	36"	49"	R3B0TF249 36-() ()	989.	1,010.	1,055.	1,103.	1,142.	1,202.	1,241.
	42"	49"	R3B0TF249 42-() ()	1,102.	1,123.	1,168.	1,216.	1,255.	1,315.	1,354.
	48"	49"	R3B0TF249 48-() ()	1,159.	1,180.	1,225.	1,273.	1,312.	1,372.	1,411.



Tiled, fabric one side Beltway one side (fabric side)	18"	49"	R3B1TF249 18-() ()	1,299.	1,320.	1,365.	1,413.	1,452.	1,512.	1,551.
	20"	49"	R3B1TF249 20-() ()	1,299.	1,320.	1,365.	1,413.	1,452.	1,512.	1,551.
	24"	49"	R3B1TF249 24-() ()	1,326.	1,347.	1,392.	1,440.	1,479.	1,539.	1,578.
	30"	49"	R3B1TF249 30-() ()	1,390.	1,411.	1,456.	1,504.	1,543.	1,603.	1,642.
	36"	49"	R3B1TF249 36-() ()	1,644.	1,665.	1,710.	1,758.	1,797.	1,857.	1,896.
	42"	49"	R3B1TF249 42-() ()	1,767.	1,788.	1,833.	1,881.	1,920.	1,980.	2,019.
	48"	49"	R3B1TF249 48-() ()	1,830.	1,851.	1,896.	1,944.	1,983.	2,043.	2,082.



Order Code

Example:	R3B0TF24918-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F2	Fabric one side, V2 other
49	49" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1
V316	Maple surface - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option
(K = with knockouts, N = without knockouts)
- Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
- Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C top
- Conventional veneer, finish (specify one V2 finish for side)
- Top trim finish
i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
- Base finish
- Beltway finish
- Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

Application Notes

1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum

2. Base height:

- 4 = 4" base height
- 6 = 6" base height (add \$47 per panel for this option)

4. Extruded aluminum tile divider:

- Optional for non fabric side only** (fabric side always black)
- 49"h add per panel:

 - \$25 for 18w and 20w
 - \$28 for 24w and 30w
 - \$34 for 36w and 42w
 - \$42 for 48w

6" Raceway option increases panel height by 2³/₄".

Applicable finishes are listed on page 5 and 6.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.


Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 49" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF349 18-() ()	\$1,097.	\$1,118.	\$1,163.	\$1,211.	\$1,250.	\$1,310.	\$1,349.
Regular acoustics	20"	49"	R3B0TF349 20-() ()	1,097.	1,118.	1,163.	1,211.	1,250.	1,310.	1,349.
	24"	49"	R3B0TF349 24-() ()	1,164.	1,185.	1,230.	1,278.	1,317.	1,377.	1,416.
	30"	49"	R3B0TF349 30-() ()	1,250.	1,271.	1,316.	1,364.	1,403.	1,463.	1,502.
	36"	49"	R3B0TF349 36-() ()	1,320.	1,341.	1,386.	1,434.	1,473.	1,533.	1,572.
	42"	49"	R3B0TF349 42-() ()	1,471.	1,492.	1,537.	1,585.	1,624.	1,684.	1,723.
	48"	49"	R3B0TF349 48-() ()	1,548.	1,569.	1,614.	1,662.	1,701.	1,761.	1,800.

Tiled, fabric one side	18"	49"	R3B1TF349 18-() ()	1,738.	1,759.	1,804.	1,852.	1,891.	1,951.	1,990.
Beltway fabric side	20"	49"	R3B1TF349 20-() ()	1,738.	1,759.	1,804.	1,852.	1,891.	1,951.	1,990.
	24"	49"	R3B1TF349 24-() ()	1,775.	1,796.	1,841.	1,889.	1,928.	1,988.	2,027.
	30"	49"	R3B1TF349 30-() ()	1,861.	1,882.	1,927.	1,975.	2,014.	2,074.	2,113.
	36"	49"	R3B1TF349 36-() ()	2,204.	2,225.	2,270.	2,318.	2,357.	2,417.	2,456.
	42"	49"	R3B1TF349 42-() ()	2,370.	2,391.	2,436.	2,484.	2,523.	2,583.	2,622.
	48"	49"	R3B1TF349 48-() ()	2,457.	2,478.	2,523.	2,571.	2,610.	2,670.	2,709.

Order Code	Specification Information	Application Notes
Example: R3B0TF34918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. Top trim profile:
B0 No Beltway	2. Base height	A = Flat
T Tiled panel	3. Knockout option	B = Square
F3 Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	C = Bullnose
49 49" high	4. Tile divider	E = Extruded Aluminum
18 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	2. Base height:
A Flat style top trim	5. Fabric side, finish (specify selection per insert)	4 = 4" base height
4 4" base height	i) tile 1A bottom	6 = 6" base height (add \$47 per panel for this option)
K Include knockouts in base	ii) tile 1B middle	4. Extruded aluminum tile divider: (fabric side always black)
B Tile divider, black reveal	iii) tile 1C top	49"h add per panel:
W281 Fabric selection - side 1	6. Exotic veneer, finish (specify one V3 finish for side)	\$25 for 18w and 20w
V512 Figured Anigre surface - side 2	7. Top trim finish	\$28 for 24w and 30w
V512 Figured Anigre (top trim finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$34 for 36w and 42w
111 Jet Black (base finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	\$42 for 48w
	8. Base finish	6" Raceway option increases panel height by 2 ³ / ₄ ".
	9. Beltway finish	Applicable finishes are listed on page 5 and 6.
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 49" H

Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	49"	R3B0TLL4918() ()	\$858.
	20"	49"	R3B0TLL4920() ()	858.
	24"	49"	R3B0TLL4924() ()	935.
	30"	49"	R3B0TLL4930() ()	1,047.
	36"	49"	R3B0TLL4936() ()	1,131.
	42"	49"	R3B0TLL4942() ()	1,165.
	48"	49"	R3B0TLL4948() ()	1,200.




Order Code	Specification Information	Application Notes
Example: R3B0TLL4918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 49" h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
LL Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Applicable finishes are listed on page 5 and 6.
49 49" high	5. Laminate side, finish (specify selection per insert)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
18 18" wide	i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
A Flat style top trim	6. Laminate, finish	Remember to specify Beltway paint finish when applicable.
4 4" base height	7. Top trim finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
K Include knockouts in base	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
B Tile divider, black reveal	8. Base finish	
118 Laminate - side 1	9. Beltway finish	
118 Laminate - side 2	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		


Tiled panels 64" H

fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	R3B0TFF64 18-() ()	\$792.	\$848.	\$960.	\$1,088.	\$1,192.	\$1,352.	\$1,456.
Regular acoustics	20"	64"	R3B0TFF64 20-() ()	794.	848.	960.	1,088.	1,192.	1,352.	1,456.
	24"	64"	R3B0TFF64 24-() ()	848.	904.	1,016.	1,144.	1,248.	1,408.	1,512.
	30"	64"	R3B0TFF64 30-() ()	911.	967.	1,079.	1,207.	1,311.	1,471.	1,575.
	36"	64"	R3B0TFF64 36-() ()	965.	1,021.	1,133.	1,261.	1,365.	1,525.	1,629.
	42"	64"	R3B0TFF64 42-() ()	1,103.	1,159.	1,271.	1,399.	1,503.	1,663.	1,767.
	48"	64"	R3B0TFF64 48-() ()	1,158.	1,214.	1,326.	1,454.	1,558.	1,718.	1,822.




Tiled, fabric both sides	18"	64"	R3B0TAA64 18-() ()	867.	923.	1,035.	1,163.	1,267.	1,427.	1,531.
High acoustics	20"	64"	R3B0TAA64 20-() ()	867.	923.	1,035.	1,163.	1,267.	1,427.	1,531.
	24"	64"	R3B0TAA64 24-() ()	929.	985.	1,097.	1,225.	1,329.	1,489.	1,593.
	30"	64"	R3B0TAA64 30-() ()	999.	1,055.	1,167.	1,295.	1,399.	1,559.	1,663.
	36"	64"	R3B0TAA64 36-() ()	1,064.	1,120.	1,232.	1,360.	1,464.	1,624.	1,728.
	42"	64"	R3B0TAA64 42-() ()	1,212.	1,268.	1,380.	1,508.	1,612.	1,772.	1,876.
	48"	64"	R3B0TAA64 48-() ()	1,277.	1,333.	1,445.	1,573.	1,677.	1,837.	1,941.




Order Code	Specification Information	Application Notes
Example: R3B0TFF6418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 3/4".
FF Fabric on both sides	4. Fabric side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C middle <i>iv</i>) tile 1D top	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
64 64" high	5. Fabric side, finish (specify selection per insert) <i>i</i>) tile 2A bottom <i>ii</i>) tile 2B middle <i>iii</i>) tile 2C middle <i>iv</i>) tile 2D top	Applicable finishes are listed on page 5 and 6.
18 18" wide	6. Top trim finish <i>i</i>) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Remember to specify Beltway paint finish when applicable.
A Flat style top trim	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
4 4" base height	8. Beltway finish	
K Include knockouts in base	9. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
W281 Fabric selection - side 1		
W281 Fabric selection - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		

Tiled panels 64" H

fabric both sides


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	R3B1TFF64 18-()()	\$1,236.	\$1,292.	\$1,402.	\$1,532.	\$1,636.	\$1,796.	\$1,900.
Beltway one side	20"	64"	R3B1TFF64 20-()()	1,236.	1,292.	1,402.	1,532.	1,636.	1,796.	1,900.
	24"	64"	R3B1TFF64 24-()()	1,299.	1,355.	1,465.	1,595.	1,699.	1,859.	1,963.
	30"	64"	R3B1TFF64 30-()()	1,331.	1,387.	1,497.	1,627.	1,731.	1,891.	1,995.
	36"	64"	R3B1TFF64 36-()()	1,635.	1,691.	1,801.	1,931.	2,035.	2,195.	2,299.
	42"	64"	R3B1TFF64 42-()()	1,756.	1,812.	1,922.	2,052.	2,156.	2,316.	2,420.
	48"	64"	R3B1TFF64 48-()()	1,819.	1,875.	1,985.	2,115.	2,219.	2,379.	2,483.


Tiled, fabric both sides	18"	64"	R3B2TFF64 18-()()	1,255.	1,311.	1,419.	1,551.	1,655.	1,815.	1,919.
Beltway two sides	20"	64"	R3B2TFF64 20-()()	1,255.	1,311.	1,419.	1,551.	1,655.	1,815.	1,919.
	24"	64"	R3B2TFF64 24-()()	1,320.	1,376.	1,484.	1,616.	1,720.	1,880.	1,984.
	30"	64"	R3B2TFF64 30-()()	1,352.	1,408.	1,516.	1,648.	1,752.	1,912.	2,016.
	36"	64"	R3B2TFF64 36-()()	1,664.	1,720.	1,828.	1,960.	2,064.	2,224.	2,328.
	42"	64"	R3B2TFF64 42-()()	1,783.	1,839.	1,947.	2,079.	2,183.	2,343.	2,447.
	48"	64"	R3B2TFF64 48-()()	1,850.	1,906.	2,014.	2,146.	2,250.	2,410.	2,514.

Order Code	Specification Information	Application Notes
Example: R3B0TFF6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C middle	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	iv) tile 1D top	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric selection - side 1	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 2	i) tile 2A bottom	
V316 Maple (top trim finish)	ii) tile 2B middle	
111 Jet Black (base finish)	iii) tile 2C middle	
	iv) tile 2D top	
	6. Top trim finish	
	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	
	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish	
	9. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
		Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 64" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TFL64 18-()()	\$878.	\$906.	\$962.	\$1,022.	\$1,074.	\$1,150.	\$1,198.
Regular acoustics	20"	64"	R3B0TFL64 20-()()	878.	906.	962.	1,022.	1,074.	1,150.	1,198.
	24"	64"	R3B0TFL64 24-()()	931.	959.	1,015.	1,075.	1,127.	1,203.	1,251.
	30"	64"	R3B0TFL64 30-()()	994.	1,022.	1,078.	1,138.	1,190.	1,266.	1,314.
	36"	64"	R3B0TFL64 36-()()	1,049.	1,077.	1,133.	1,193.	1,245.	1,321.	1,369.
	42"	64"	R3B0TFL64 42-()()	1,180.	1,208.	1,264.	1,324.	1,376.	1,452.	1,500.
	48"	64"	R3B0TFL64 48-()()	1,235.	1,263.	1,319.	1,379.	1,431.	1,507.	1,555.


Tiled, fabric one side	18"	64"	R3B1TFL64 18-()()	1,306.	1,334.	1,389.	1,450.	1,502.	1,578.	1,626.
Beltway one side (fabric side)	20"	64"	R3B1TFL64 20-()()	1,306.	1,334.	1,389.	1,450.	1,502.	1,578.	1,626.
	24"	64"	R3B1TFL64 24-()()	1,370.	1,398.	1,453.	1,514.	1,566.	1,642.	1,690.
	30"	64"	R3B1TFL64 30-()()	1,399.	1,427.	1,482.	1,543.	1,595.	1,671.	1,719.
	36"	64"	R3B1TFL64 36-()()	1,697.	1,725.	1,780.	1,841.	1,893.	1,969.	2,017.
	42"	64"	R3B1TFL64 42-()()	1,809.	1,837.	1,892.	1,953.	2,005.	2,081.	2,129.
	48"	64"	R3B1TFL64 48-()()	1,870.	1,898.	1,953.	2,014.	2,066.	2,142.	2,190.

Order Code	Specification Information	Application Notes
Example: R3B0TFL6418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	8. Base finish
B0 No Beltway	2. Base height	9. Beltway finish
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
FL Fabric one side, laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
64 64" high	5. Fabric side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C middle <i>iv</i>) tile 1D top	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
18 18" wide	6. Laminate side, finish (specify selection per insert) <i>i</i>) tile 2A bottom <i>ii</i>) tile 2B middle <i>iii</i>) tile 2C middle <i>iv</i>) tile 2D top	4. <i>Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 64" h add per panel: \$39 for 18w and 20w \$43 for 24w and 30w \$48 for 36w and 42w \$62 for 48w
A Flat style top trim	7. Top trim finish <i>i</i>) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	6" Raceway option increases panel height by 2 ³ / ₄ ".
4 4" base height		Applicable finishes are listed on page 5 and 6.
K Include knockouts in base		Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
B Tile divider, black reveal		
W281 Fabric selection - side 1		
114 Folkstone grey - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		


Tiled panels 64" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF164 18- () ()	\$944.	\$972.	\$1,032.	\$1,096.	\$1,148.	\$1,228.	\$1,280.
Regular acoustics	20"	64"	R3B0TF164 20- () ()	944.	972.	1,032.	1,096.	1,148.	1,228.	1,280.
	24"	64"	R3B0TF164 24- () ()	1,001.	1,029.	1,089.	1,153.	1,205.	1,285.	1,337.
	30"	64"	R3B0TF164 30- () ()	1,068.	1,096.	1,156.	1,220.	1,272.	1,352.	1,404.
	36"	64"	R3B0TF164 36- () ()	1,126.	1,154.	1,214.	1,278.	1,330.	1,410.	1,462.
	42"	64"	R3B0TF164 42- () ()	1,268.	1,296.	1,356.	1,420.	1,472.	1,552.	1,604.
	48"	64"	R3B0TF164 48- () ()	1,327.	1,355.	1,415.	1,479.	1,531.	1,611.	1,663.



Tiled, fabric one side	18"	64"	R3B1TF164 18- () ()	1,404.	1,432.	1,492.	1,556.	1,608.	1,688.	1,740.
Beltway one side (fabric side)	20"	64"	R3B1TF164 20- () ()	1,404.	1,432.	1,492.	1,556.	1,608.	1,688.	1,740.
	24"	64"	R3B1TF164 24- () ()	1,472.	1,500.	1,560.	1,624.	1,676.	1,756.	1,808.
	30"	64"	R3B1TF164 30- () ()	1,503.	1,531.	1,591.	1,655.	1,707.	1,787.	1,839.
	36"	64"	R3B1TF164 36- () ()	1,822.	1,850.	1,910.	1,974.	2,026.	2,106.	2,158.
	42"	64"	R3B1TF164 42- () ()	1,944.	1,972.	2,032.	2,096.	2,148.	2,228.	2,280.
	48"	64"	R3B1TF164 48- () ()	2,014.	2,042.	2,102.	2,166.	2,218.	2,298.	2,350.



Order Code	Specification Information	Application Notes
Example: R3B0TF16418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim	AA-anodized aluminum or painted option excluding silver	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Optional for non fabric side only (fabric side always black)
B Tile divider, black reveal	i) tile 1A bottom	64"h add per panel:
W281 Fabric selection - side 1	ii) tile 1B middle	\$39 for 18w and 20w
Y328 Mahogany - side 2	iii) tile 1C middle	\$43 for 24w and 30w
V316 Maple (top trim finish)	iv) tile 1D top	\$48 for 36w and 42w
111 Jet Black (base finish)	6. Techwood side, finish (specify one V1 finish for side)	\$62 for 48w
	7. Top trim finish	6" Raceway option increases panel height by 2 3/4".
	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Tiled panels 64" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF264 18- () ()	\$962.	\$990.	\$1,050.	\$1,114.	\$1,166.	\$1,246.	\$1,298.
Regular acoustics	20"	64"	R3B0TF264 20- () ()	962.	990.	1,050.	1,114.	1,166.	1,246.	1,298.
	24"	64"	R3B0TF264 24- () ()	1,018.	1,046.	1,106.	1,170.	1,222.	1,302.	1,354.
	30"	64"	R3B0TF264 30- () ()	1,084.	1,112.	1,172.	1,236.	1,288.	1,368.	1,420.
	36"	64"	R3B0TF264 36- () ()	1,146.	1,174.	1,234.	1,298.	1,350.	1,430.	1,482.
	42"	64"	R3B0TF264 42- () ()	1,290.	1,318.	1,378.	1,442.	1,494.	1,574.	1,626.
	48"	64"	R3B0TF264 48- () ()	1,351.	1,379.	1,439.	1,503.	1,555.	1,635.	1,687.



Tiled, fabric one side	18"	64"	R3B1TF264 18- () ()	1,429.	1,457.	1,517.	1,581.	1,633.	1,713.	1,765.
Beltway one side (fabric side)	20"	64"	R3B1TF264 20- () ()	1,429.	1,457.	1,517.	1,581.	1,633.	1,713.	1,765.
	24"	64"	R3B1TF264 24- () ()	1,499.	1,527.	1,587.	1,651.	1,703.	1,783.	1,835.
	30"	64"	R3B1TF264 30- () ()	1,530.	1,558.	1,618.	1,682.	1,734.	1,814.	1,866.
	36"	64"	R3B1TF264 36- () ()	1,857.	1,885.	1,945.	2,009.	2,061.	2,141.	2,193.
	42"	64"	R3B1TF264 42- () ()	1,981.	2,009.	2,069.	2,133.	2,185.	2,265.	2,317.
	48"	64"	R3B1TF264 48- () ()	2,044.	2,072.	2,132.	2,196.	2,248.	2,328.	2,380.




Order Code	Specification Information	Application Notes
Example: R3B0TF26418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" raceway option increases panel height by 2 3/4".
F2 Fabric one side, V2 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 64"h add per panel: \$39 for 18w and 20w \$43 for 24w and 30w \$48 for 36w and 42w \$62 for 48w
64 64" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D top	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
18 18" wide	6. Conventional veneer, finish (specify one V2 finish for side)	Remember to specify Beltway paint finish when applicable.
A Flat style top trim	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric selection - side 1		
V316 Maple surface - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		


Tiled panels 64" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF364 18-() ()	\$1,278.	\$1,306.	\$1,366.	\$1,430.	\$1,482.	\$1,562.	\$1,614.
Regular acoustics	20"	64"	R3B0TF364 20-() ()	1,278.	1,306.	1,366.	1,430.	1,482.	1,562.	1,614.
	24"	64"	R3B0TF364 24-() ()	1,353.	1,381.	1,441.	1,505.	1,557.	1,637.	1,689.
	30"	64"	R3B0TF364 30-() ()	1,442.	1,470.	1,530.	1,594.	1,646.	1,726.	1,778.
	36"	64"	R3B0TF364 36-() ()	1,527.	1,555.	1,615.	1,679.	1,731.	1,811.	1,863.
	42"	64"	R3B0TF364 42-() ()	1,721.	1,749.	1,809.	1,873.	1,925.	2,005.	2,057.
	48"	64"	R3B0TF364 48-() ()	1,802.	1,830.	1,890.	1,954.	2,006.	2,086.	2,138.



Tiled, fabric one side	18"	64"	R3B1TF364 18-() ()	1,909.	1,937.	1,997.	2,061.	2,113.	2,193.	2,245.
Beltway fabric side	20"	64"	R3B1TF364 20-() ()	1,909.	1,937.	1,997.	2,061.	2,113.	2,193.	2,245.
	24"	64"	R3B1TF364 24-() ()	2,004.	2,032.	2,092.	2,156.	2,208.	2,288.	2,340.
	30"	64"	R3B1TF364 30-() ()	2,044.	2,072.	2,132.	2,196.	2,248.	2,328.	2,380.
	36"	64"	R3B1TF364 36-() ()	2,486.	2,514.	2,574.	2,638.	2,690.	2,770.	2,822.
	42"	64"	R3B1TF364 42-() ()	2,653.	2,681.	2,741.	2,805.	2,857.	2,937.	2,989.
	48"	64"	R3B1TF364 48-() ()	2,740.	2,768.	2,828.	2,892.	2,944.	3,024.	3,076.



Order Code	Specification Information	Application Notes
Example: R3B0TF36418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F3 Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4 = 4" base height
A Flat style top trim	5. Fabric side, finish (specify selection per insert)	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) tile 1A bottom	6" raceway option increases panel height by 2 ³ / ₄ ".
K Include knockouts in base	ii) tile 1B middle	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)</i>
B Tile divider, black reveal	iii) tile 1C middle	64" h add per panel:
W281 Fabric selection - side 1	iv) tile 1D top	\$39 for 18w and 20w
V512 Figured Anigre surface - side 2	6. Exotic veneer, finish (specify one V3 finish for side)	\$43 for 24w and 30w
V512 Figured Anigre (top trim finish)	7. Top trim finish	\$48 for 36w and 42w
111 Jet Black (base finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$62 for 48w
	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 64" H

Laminate/Laminate

Reff Profiles

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	64"	R3B0TLL6418 () ()	\$1,067.
	20"	64"	R3B0TLL6420 () ()	1,067.
	24"	64"	R3B0TLL6424 () ()	1,163.
	30"	64"	R3B0TLL6430 () ()	1,303.
	36"	64"	R3B0TLL6436 () ()	1,407.
	42"	64"	R3B0TLL6442 () ()	1,449.
	48"	64"	R3B0TLL6448 () ()	1,508.



Order Code

Example: R3B0TLL6418-A4K
R3 Reff Generation 3
B0 No Beltway
T Tiled panel
LL Laminate both sides
64 64" high
18 18" wide
A Flat style top trim
4 4" base height
K Include knockouts in base
B Tile divider, black reveal
118 Laminate - side 1
118 Laminate - side 2
V512 Figured Anigre (top trim finish)
111 Jet Black (base finish)

Specification Information

To order please specify pattern number including:

- Top trim profile
- Base height
- Knockout option
(K = with knockouts,
N = without knockouts)
- Tile divider
B = black steel divider or specify
AA-anodized aluminum or
painted option excluding silver
from page 5 for extruded
aluminum divider (upcharge
applicable for extruded
aluminum divider)
- Laminate side, finish (specify
selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D top
- Laminate, finish
- Top trim finish
i) Profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options:
AA-anodized aluminum or
painted finish from page
5 excluding silver
- Base finish
- Beltway finish
- Optional non-beltway panels:*
specify (M) for panel frame to
be milled for ported
components, \$14 list upcharge
applicable

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
64" h add per panel:
\$39 for 18w and 20w
\$43 for 24w and 30w
\$48 for 36w and 42w
\$62 for 48w

Applicable finishes are listed on
page 5 and 6.

The panels on this page will accept
stacking modules to increase their
height on 18" to 48"W panels only.
The 60" to 72"W panels will not
accept stacking modules on top of
themselves.


Product on this page can be
attached to posts 64", and 79"H as
well as panels 42", 49", 64" and
79"H. Panels on this page will not
attach to panels made before April
1997 without an attachment kit from
page 117.

Remember to specify Beltway paint
finish when applicable.


79"H hookstrip reveal strips are
ordered separately from page 117 at
no charge.

Tiled panels 79" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	R3B0TFF79 18-() ()	\$985.	\$1,055.	\$1,195.	\$1,355.	\$1,485.	\$1,685.	\$1,815.
Regular acoustics	20"	79"	R3B0TFF79 20-() ()	985.	1,055.	1,195.	1,355.	1,485.	1,685.	1,815.
	24"	79"	R3B0TFF79 24-() ()	1,047.	1,117.	1,257.	1,417.	1,547.	1,747.	1,877.
	30"	79"	R3B0TFF79 30-() ()	1,108.	1,178.	1,318.	1,478.	1,608.	1,808.	1,938.
	36"	79"	R3B0TFF79 36-() ()	1,171.	1,241.	1,381.	1,541.	1,671.	1,871.	2,001.
	42"	79"	R3B0TFF79 42-() ()	1,330.	1,400.	1,540.	1,700.	1,830.	2,030.	2,160.
	48"	79"	R3B0TFF79 48-() ()	1,398.	1,468.	1,608.	1,768.	1,898.	2,098.	2,228.



Tiled, fabric both sides	18"	79"	R3B0TAA79 18-() ()	1,077.	1,147.	1,287.	1,447.	1,577.	1,777.	1,907.
High acoustics	20"	79"	R3B0TAA79 20-() ()	1,077.	1,147.	1,287.	1,447.	1,577.	1,777.	1,907.
	24"	79"	R3B0TAA79 24-() ()	1,149.	1,219.	1,359.	1,519.	1,649.	1,849.	1,979.
	30"	79"	R3B0TAA79 30-() ()	1,215.	1,285.	1,425.	1,585.	1,715.	1,915.	2,045.
	36"	79"	R3B0TAA79 36-() ()	1,284.	1,354.	1,494.	1,654.	1,784.	1,984.	2,114.
	42"	79"	R3B0TAA79 42-() ()	1,461.	1,531.	1,671.	1,831.	1,961.	2,161.	2,291.
	48"	79"	R3B0TAA79 48-() ()	1,538.	1,608.	1,748.	1,908.	2,038.	2,238.	2,368.



Order Code	Specification Information	Application Notes
Example: R3B0TFF7918-A4K	<i>To order please specify pattern number including:</i>	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
R3 Ref Generation 3	1. Top trim profile	7. Base finish
B0 No Beltway	2. Base height	8. Beltway finish
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
FF Fabric on both sides	4. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	
79 79" high	5. Fabric side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C middle iv) tile 2D middle v) tile 2E top	
18 18" wide		
A Flat style top trim		
4 4" base height		
K Include knockouts in base		
W281 Fabric selection - side 1		
W281 Fabric selection - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum


2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.


Applicable finishes are listed on page 5 and 6.

Tiled panels 79" H fabric both sides

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	R3B1TFF79 18- () ()	\$1,283.	\$1,353.	\$1,491.	\$1,653.	\$1,783.	\$1,983.	\$2,113.
Beltway one side	20"	79"	R3B1TFF79 20- () ()	1,283.	1,353.	1,491.	1,653.	1,783.	1,983.	2,113.
	24"	79"	R3B1TFF79 24- () ()	1,347.	1,417.	1,555.	1,717.	1,847.	2,047.	2,177.
	30"	79"	R3B1TFF79 30- () ()	1,377.	1,447.	1,585.	1,747.	1,877.	2,077.	2,207.
	36"	79"	R3B1TFF79 36- () ()	1,682.	1,752.	1,890.	2,052.	2,182.	2,382.	2,512.
	42"	79"	R3B1TFF79 42- () ()	1,804.	1,874.	2,012.	2,174.	2,304.	2,504.	2,634.
	48"	79"	R3B1TFF79 48- () ()	1,864.	1,934.	2,072.	2,234.	2,364.	2,564.	2,694.



Tiled, fabric both sides	18"	79"	R3B2TFF79 18- () ()	1,301.	1,371.	1,507.	1,671.	1,801.	2,001.	2,131.
Beltway two sides	20"	79"	R3B2TFF79 20- () ()	1,301.	1,371.	1,507.	1,671.	1,801.	2,001.	2,131.
	24"	79"	R3B2TFF79 24- () ()	1,368.	1,438.	1,574.	1,738.	1,868.	2,068.	2,198.
	30"	79"	R3B2TFF79 30- () ()	1,397.	1,467.	1,603.	1,767.	1,897.	2,097.	2,227.
	36"	79"	R3B2TFF79 36- () ()	1,707.	1,777.	1,913.	2,077.	2,207.	2,407.	2,537.
	42"	79"	R3B2TFF79 42- () ()	1,831.	1,901.	2,037.	2,201.	2,331.	2,531.	2,661.
	48"	79"	R3B2TFF79 48- () ()	1,898.	1,968.	2,104.	2,268.	2,398.	2,598.	2,728.



Order Code	Specification Information	Application Notes
Example: R3B0TFF7918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
B0 No Beltway	2. Base height	7. Base finish
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	8. Beltway finish
FF Fabric on both sides	4. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
79 79" high	5. Fabric side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C middle iv) tile 2D middle v) tile 2E top	
18 18" wide		
A Flat style top trim		
4 4" base height		
K Include knockouts in base		
W281 Fabric selection - side 1		
W281 Fabric selection - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		

- 6. Top trim finish
 - i) Top trim profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
- 7. Base finish
- 8. Beltway finish
- 9. *Optional non-beltway panels:*
specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

- 1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
- 2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by $2\frac{3}{4}$ ".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Tiled panels 79" H

fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18"	79"	R3B0TFL79 18-() ()	\$1,091.	\$1,126.	\$1,196.	\$1,271.	\$1,336.	\$1,431.	\$1,491.
	20"	79"	R3B0TFL79 20-() ()	1,091.	1,126.	1,196.	1,271.	1,336.	1,431.	1,491.
	24"	79"	R3B0TFL79 24-() ()	1,157.	1,192.	1,262.	1,337.	1,402.	1,497.	1,557.
	30"	79"	R3B0TFL79 30-() ()	1,213.	1,248.	1,318.	1,393.	1,458.	1,553.	1,613.
	36"	79"	R3B0TFL79 36-() ()	1,273.	1,308.	1,378.	1,453.	1,518.	1,613.	1,673.
	42"	79"	R3B0TFL79 42-() ()	1,427.	1,462.	1,532.	1,607.	1,672.	1,767.	1,827.
	48"	79"	R3B0TFL79 48-() ()	1,493.	1,528.	1,598.	1,673.	1,738.	1,833.	1,893.



Tiled, fabric one side Beltway one side (fabric side)	18"	79"	R3B1TFL79 18-() ()	1,380.	1,415.	1,484.	1,560.	1,625.	1,720.	1,780.
	20"	79"	R3B1TFL79 20-() ()	1,380.	1,415.	1,484.	1,560.	1,625.	1,720.	1,780.
	24"	79"	R3B1TFL79 24-() ()	1,442.	1,477.	1,546.	1,622.	1,687.	1,782.	1,842.
	30"	79"	R3B1TFL79 30-() ()	1,474.	1,509.	1,578.	1,654.	1,719.	1,814.	1,874.
	36"	79"	R3B1TFL79 36-() ()	1,770.	1,805.	1,874.	1,950.	2,015.	2,110.	2,170.
	42"	79"	R3B1TFL79 42-() ()	1,884.	1,919.	1,988.	2,064.	2,129.	2,224.	2,284.
	48"	79"	R3B1TFL79 48-() ()	1,943.	1,978.	2,047.	2,123.	2,188.	2,283.	2,343.




Order Code	Specification Information	Application Notes
<p>Example: R3B0TFL7918-A4K</p> <p>R3 Reff Generation 3</p> <p>B0 No Beltway</p> <p>T Tiled panel</p> <p>FL Fabric one side, laminate other</p> <p>79 79" high</p> <p>18 18" wide</p> <p>A Flat style top trim</p> <p>4 4" base height</p> <p>K Include knockouts in base</p> <p>B Tile divider, black reveal</p> <p>W281 Fabric selection - side 1</p> <p>114 Folkstone grey - side 2</p> <p>V316 Maple (top trim finish)</p> <p>111 Jet Black (base finish)</p>	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Top trim profile Base height Knockout option (K = with knockouts, N = without knockouts) Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider) Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top Laminate side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C middle iv) tile 2D middle v) tile 2E top Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver 	<p>8. Base finish</p> <p>9. Beltway finish</p> <p>10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable</p> <p>1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)</p> <p>4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 79" h add per panel: \$48 for 18w and 20w \$55 for 24w and 30w \$60 for 36w and 42w \$82 for 48w</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.</p>
		<p>The panels on this page will not accept stacking modules.</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</p>


Tiled panels 79" H

fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF179 18-() ()	\$1,174.	\$1,209.	\$1,284.	\$1,364.	\$1,429.	\$1,529.	\$1,594.
Regular acoustics	20"	79"	R3B0TF179 20-() ()	1,174.	1,209.	1,284.	1,364.	1,429.	1,529.	1,594.
	24"	79"	R3B0TF179 24-() ()	1,241.	1,276.	1,351.	1,431.	1,496.	1,596.	1,661.
	30"	79"	R3B0TF179 30-() ()	1,304.	1,339.	1,414.	1,494.	1,559.	1,659.	1,724.
	36"	79"	R3B0TF179 36-() ()	1,369.	1,404.	1,479.	1,559.	1,624.	1,724.	1,789.
	42"	79"	R3B0TF179 42-() ()	1,536.	1,571.	1,646.	1,726.	1,791.	1,891.	1,956.
	48"	79"	R3B0TF179 48-() ()	1,607.	1,642.	1,717.	1,797.	1,862.	1,962.	2,027.



Tiled, fabric one side	18"	79"	R3B1TF179 18-() ()	1,484.	1,519.	1,594.	1,674.	1,739.	1,839.	1,904.
Beltway one side (fabric side)	20"	79"	R3B1TF179 20-() ()	1,484.	1,519.	1,594.	1,674.	1,739.	1,839.	1,904.
	24"	79"	R3B1TF179 24-() ()	1,551.	1,586.	1,661.	1,741.	1,806.	1,906.	1,971.
	30"	79"	R3B1TF179 30-() ()	1,580.	1,615.	1,690.	1,770.	1,835.	1,935.	2,000.
	36"	79"	R3B1TF179 36-() ()	1,901.	1,936.	2,011.	2,091.	2,156.	2,256.	2,321.
	42"	79"	R3B1TF179 42-() ()	2,025.	2,060.	2,135.	2,215.	2,280.	2,380.	2,445.
	48"	79"	R3B1TF179 48-() ()	2,088.	2,123.	2,198.	2,278.	2,343.	2,443.	2,508.




Order Code	Specification Information	Application Notes
Example: R3B0TF17918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim	AA-anodized aluminum or painted option excluding silver	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Optional for non fabric side only
B Tile divider, black reveal	i) tile 1A bottom	(fabric side always black)
W281 Fabric selection - side 1	ii) tile 1B middle	79" h add per panel:
Y328 Mahogany - side 2	iii) tile 1C middle	\$50 for 18w and 20w
V316 Maple (top trim finish)	iv) tile 1D middle	\$58 for 24w and 30w
111 Jet Black (base finish)	v) tile 1E top	\$62 for 36w and 42w
	6. Techwood side, finish (specify one V1 finish for side)	\$84 for 48w
	7. Top trim finish	
	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
		Applicable finishes are listed on page 5 and 6.
		The panels on this page will not accept stacking modules.
		6" Raceway option increases panel height by 2 3/4".
		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Tiled panels 79" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF279 18-() ()	\$1,194.	\$1,229.	\$1,304.	\$1,384.	\$1,449.	\$1,549.	\$1,614.
Regular acoustics	20"	79"	R3B0TF279 20-() ()	1,194.	1,229.	1,304.	1,384.	1,449.	1,549.	1,614.
	24"	79"	R3B0TF279 24-() ()	1,263.	1,298.	1,373.	1,453.	1,518.	1,618.	1,683.
	30"	79"	R3B0TF279 30-() ()	1,325.	1,360.	1,435.	1,515.	1,580.	1,680.	1,745.
	36"	79"	R3B0TF279 36-() ()	1,393.	1,428.	1,503.	1,583.	1,648.	1,748.	1,813.
	42"	79"	R3B0TF279 42-() ()	1,561.	1,596.	1,671.	1,751.	1,816.	1,916.	1,981.
	48"	79"	R3B0TF279 48-() ()	1,634.	1,669.	1,744.	1,824.	1,889.	1,989.	2,054.



Tiled, fabric one side	18"	79"	R3B1TF279 18-() ()	1,510.	1,545.	1,620.	1,700.	1,765.	1,865.	1,930.
Beltway one side (fabric side)	20"	79"	R3B1TF279 20-() ()	1,510.	1,545.	1,620.	1,700.	1,765.	1,865.	1,930.
	24"	79"	R3B1TF279 24-() ()	1,578.	1,613.	1,688.	1,768.	1,833.	1,933.	1,998.
	30"	79"	R3B1TF279 30-() ()	1,611.	1,646.	1,721.	1,801.	1,866.	1,966.	2,031.
	36"	79"	R3B1TF279 36-() ()	1,937.	1,972.	2,047.	2,127.	2,192.	2,292.	2,357.
	42"	79"	R3B1TF279 42-() ()	2,059.	2,094.	2,169.	2,249.	2,314.	2,414.	2,479.
	48"	79"	R3B1TF279 48-() ()	2,126.	2,161.	2,236.	2,316.	2,381.	2,481.	2,546.



Order Code	Specification Information	Application Notes
Example: R3B0TF27918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim	AA-anodized aluminum or	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	painted option excluding silver	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	(E option)
B Tile divider, black reveal	5. Fabric side, finish (specify selection per insert)	Optional for non fabric side only
W281 Fabric selection - side 1	i) tile 1A bottom	(fabric side always black)
V316 Maple surface - side 2	ii) tile 1B middle	79" h add per panel:
V316 Maple (top trim finish)	iii) tile 1C middle	\$50 for 18w and 20w
111 Jet Black (base finish)	iv) tile 1D middle	\$58 for 24w and 30w
	v) tile 1E top	\$62 for 36w and 42w
	6. Conventional veneer, finish (specify one V2 finish for side)	\$84 for 48w
	7. Top trim finish	Applicable finishes are listed on page 5 and 6.
	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2 3/4".


Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 79" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF379 18-() ()	\$1,585.	\$1,620.	\$1,695.	\$1,775.	\$1,840.	\$1,940.	\$2,005.
Regular acoustics	20"	79"	R3B0TF379 20-() ()	1,585.	1,620.	1,695.	1,775.	1,840.	1,940.	2,005.
	24"	79"	R3B0TF379 24-() ()	1,679.	1,714.	1,789.	1,869.	1,934.	2,034.	2,099.
	30"	79"	R3B0TF379 30-() ()	1,765.	1,800.	1,875.	1,955.	2,020.	2,120.	2,185.
	36"	79"	R3B0TF379 36-() ()	1,855.	1,890.	1,965.	2,045.	2,110.	2,210.	2,275.
	42"	79"	R3B0TF379 42-() ()	2,082.	2,117.	2,192.	2,272.	2,337.	2,437.	2,502.
	48"	79"	R3B0TF379 48-() ()	2,180.	2,215.	2,290.	2,370.	2,435.	2,535.	2,600.


Tiled, fabric one side	18"	79"	R3B1TF379 18-() ()	2,014.	2,049.	2,124.	2,204.	2,269.	2,369.	2,434.
Beltway fabric side	20"	79"	R3B1TF379 20-() ()	2,014.	2,049.	2,124.	2,204.	2,269.	2,369.	2,434.
	24"	79"	R3B1TF379 24-() ()	2,105.	2,140.	2,215.	2,295.	2,360.	2,460.	2,525.
	30"	79"	R3B1TF379 30-() ()	2,150.	2,185.	2,260.	2,340.	2,405.	2,505.	2,570.
	36"	79"	R3B1TF379 36-() ()	2,588.	2,623.	2,698.	2,778.	2,843.	2,943.	3,008.
	42"	79"	R3B1TF379 42-() ()	2,755.	2,790.	2,865.	2,945.	3,010.	3,110.	3,175.
	48"	79"	R3B1TF379 48-() ()	2,846.	2,881.	2,956.	3,036.	3,101.	3,201.	3,266.

Order Code	Specification Information	Application Notes
Example: R3B0TF37918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F3 Fabric one side, V3 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	E = Extruded Aluminum
79 79" high	5. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C middle	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	iv) tile 1D middle	Optional for non fabric side only
B Tile divider, black reveal	v) tile 1E top	(fabric side always black)
W281 Fabric selection - side 1	6. Exotic veneer, finish (specify one V3 finish for side)	79" h add per panel:
V512 Figured Anigre surface - side 2	7. Top trim finish	\$50 for 18w and 20w
V512 Figured Anigre (top trim finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$58 for 24w and 30w
111 Jet Black (base finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	\$62 for 36w and 42w
	8. Base finish	\$84 for 48w
	9. Beltway finish	Applicable finishes are listed on page 5 and 6.
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	The panels on this page will not accept stacking modules.
		6" Raceway option increases panel height by 2 3/4".
		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 79" H

Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	79"	R3B0TLL7918 () ()	\$1,246.
	20"	79"	R3B0TLL7920 () ()	1,246.
	24"	79"	R3B0TLL7924 () ()	1,358.
	30"	79"	R3B0TLL7930 () ()	1,521.
	36"	79"	R3B0TLL7936 () ()	1,643.
	42"	79"	R3B0TLL7942 () ()	1,692.
	48"	79"	R3B0TLL7948 () ()	1,777.



Example:	R3B0TLL7918-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
79	79" high
18	18" wide
A	Flat style top trim
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
118	Laminate - side 1
118	Laminate - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Laminate side, finish (specify selection per insert)
 - i) tile 1A bottom
 - ii) tile 1B middle
 - iii) tile 1C middle
 - iv) tile 1D middle
 - v) tile 1E top
6. Laminate, finish
7. Top trim finish
 - i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish
10. *Optional non-beltway panels:* specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum

2. Base height:

- 4 = 4" base height

4. Extruded aluminum tile divider:

- Optional for non fabric side only** (fabric side always black)
- 79"h add per panel:
- \$50 for 18w and 20w
- \$58 for 24w and 30w
- \$62 for 36w and 42w
- \$84 for 48w

Applicable finishes are listed on page 5 and 6.

The panels on this page will not accept stacking modules.

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 34" h tiled with 4" or 6" h base raceway	18"	34"	R2APT3418 ()	\$95.	
	20"	34"	R2APT3420 ()	95.	
	24"	34"	R2APT3424 ()	98.	
	30"	34"	R2APT3430 ()	100.	
	36"	34"	R2APT3436 ()	105.	
	42"	34"	R2APT3442 ()	107.	
	48"	34"	R2APT3448 ()	111.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 42" h tiled with 4" or 6" h base raceway	18"	42"	R2APT4218 ()	146.	
	20"	42"	R2APT4220 ()	146.	
	24"	42"	R2APT4224 ()	151.	
	30"	42"	R2APT4230 ()	153.	
	36"	42"	R2APT4236 ()	161.	
	42"	42"	R2APT4242 ()	166.	
	48"	42"	R2APT4248 ()	174.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes										
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.										
R2 Reff Generation 2		R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.										
A Aluminum												
PT Panel trim	1. Specify reveal finish	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)										
34 for 34" h	AA-anodized aluminum or painted option from page 5 excluding silver	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.										
18 for 18" w	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	R2APT products for Reff generation 2 panels for panel side with exposed 4" h or 6" h base raceway.										
AA Anodized aluminum	<table border="0"> <tr><td>34" h</td><td>1:1</td></tr> <tr><td>42" h</td><td>1:2</td></tr> <tr><td>49" h</td><td>1:2</td></tr> <tr><td>64" h</td><td>1:3</td></tr> <tr><td>79" h</td><td>1:4</td></tr> </table>	34" h	1:1	42" h	1:2	49" h	1:2	64" h	1:3	79" h	1:4	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.
34" h	1:1											
42" h	1:2											
49" h	1:2											
64" h	1:3											
79" h	1:4											
	Aluminum reveal kits and hookstrip covers best suited for hard side (laminated, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and											

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 49" h tiled with 4" or 6" h base raceway	18"	49"	R2APT4918 ()	\$156.	
	20"	49"	R2APT4920 ()	156.	
	24"	49"	R2APT4924 ()	162.	
	30"	49"	R2APT4930 ()	164.	
	36"	49"	R2APT4936 ()	173.	
	42"	49"	R2APT4942 ()	179.	
	48"	49"	R2APT4948 ()	185.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 64" h tiled with 4" or 6" h base raceway	18"	64"	R2APT6418 ()	221.	
	20"	64"	R2APT6420 ()	221.	
	24"	64"	R2APT6424 ()	229.	
	30"	64"	R2APT6430 ()	234.	
	36"	64"	R2APT6436 ()	245.	
	42"	64"	R2APT6442 ()	254.	
	48"	64"	R2APT6448 ()	264.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.
R2 Reff Generation 2	1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)
A Aluminum	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.
PT Panel trim		
34 for 34" h	34" h 1:1	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.
18 for 18" w	42" h 1:2	R2APT products for Reff generation 2 panels for panel side with exposed 4" h or 6" h base raceway.
AA Anodized aluminum	49" h 1:2	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.
	64" h 1:3	
	79" h 1:4	
	Aluminum reveal kits and hookstrip covers best suited for hard side (laminated, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 79" h tiled with 4" or 6" h base raceway	18"	79"	R2APT7918 ()	\$286.	
	20"	79"	R2APT7920 ()	286.	
	24"	79"	R2APT7924 ()	296.	
	30"	79"	R2APT7930 ()	301.	
	36"	79"	R2APT7936 ()	318.	
	42"	79"	R2APT7942 ()	328.	
	48"	79"	R2APT7948 ()	345.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for T post with 4" or 6" h raceway	34"	R2ATPK34 ()	63.
	42"	R2ATPK42 ()	80.
	49"	R2ATPK49 ()	90.
	64"	R2ATPK64 ()	125.
	79"	R2ATPK79 ()	156.

Order Code	Specification Information	Application Notes										
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.										
R2 Reff Generation 2		R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.										
A Aluminum												
PT Panel trim	1. Specify reveal finish											
34 for 34" h	AA-anodized aluminum or painted option from page 5 excluding silver	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)										
18 for 18" w	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	R2APT products for Reff generation 2 panels for panel side with exposed 4" h or 6" h base raceway.										
AA Anodized aluminum	<table border="0"> <tr><td>34" h</td><td>1:1</td></tr> <tr><td>42" h</td><td>1:2</td></tr> <tr><td>49" h</td><td>1:2</td></tr> <tr><td>64" h</td><td>1:3</td></tr> <tr><td>79" h</td><td>1:4</td></tr> </table>	34" h	1:1	42" h	1:2	49" h	1:2	64" h	1:3	79" h	1:4	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.
34" h	1:1											
42" h	1:2											
49" h	1:2											
64" h	1:3											
79" h	1:4											
	Aluminum reveal kits and hookstrip covers best suited for hard side (laminated, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.										

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for L post with 4" or 6"h raceway		34"	R2ALPK34 ()		\$62.
		42"	R2ALPK42 ()		86.
		49"	R2ALPK49 ()		95.
		64"	R2ALPK64 ()		131.
		79"	R2ALPK79 ()		166.
Alum vertical reveal for end trim with 4" or 6"h raceway		34"	R2AETK34 ()		61.
		42"	R2AETK42 ()		75.
		49"	R2AETK49 ()		87.
		64"	R2AETK64 ()		116.
		79"	R2AETK79 ()		147.

for use with generation 2 or 3 installations

Order Code	Specification Information	Application Notes										
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.										
R2 Reff Generation 2												
A Aluminum												
PT Panel trim												
34 for 34"h	1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.										
18 for 18"w	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.										
AA Anodized aluminum	<table border="0"> <tr><td>34"h</td><td>1:1</td></tr> <tr><td>42"h</td><td>1:2</td></tr> <tr><td>49"h</td><td>1:2</td></tr> <tr><td>64"h</td><td>1:3</td></tr> <tr><td>79"h</td><td>1:4</td></tr> </table>	34"h	1:1	42"h	1:2	49"h	1:2	64"h	1:3	79"h	1:4	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.
34"h	1:1											
42"h	1:2											
49"h	1:2											
64"h	1:3											
79"h	1:4											
	Aluminum reveal kits and hookstrip covers best suited for hard side (lamine, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)										
		Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.										

description	width	height	pattern no.	AA or paint finish	list
Aluminum hookstrip cover condition including stacking modules with 4" or 6"h base raceway		30"	R2AHCR34 ()		\$61.
		38"	R2AHCR42 ()		75.
		45"	R2AHCR49 ()		87.
		60"	R2AHCR64 ()		116.
		75"	R2AHCR79 ()		147.

for use with generation 2 or 3 installations

Alum horizontal reveal/tile divider for between laminate or wood inserts	18"		R2AHTR18 ()		42.
	20"		R2AHTR20 ()		42.
	24"		R2AHTR24 ()		44.
	30"		R2AHTR30 ()		48.
	36"		R2AHTR36 ()		52.
	42"		R2AHTR42 ()		54.
	48"		R2AHTR48 ()		60.

horizontal reveal only

Order Code	Specification Information	Application Notes										
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.										
R2 Reff Generation 2		R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.										
A Aluminum												
PT Panel trim												
34 for 34"h	1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver	R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.										
18 for 18"w	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.										
AA Anodized aluminum	<table border="0"> <tr><td>34"h</td><td>1:1</td></tr> <tr><td>42"h</td><td>1:2</td></tr> <tr><td>49"h</td><td>1:2</td></tr> <tr><td>64"h</td><td>1:3</td></tr> <tr><td>79"h</td><td>1:4</td></tr> </table>	34"h	1:1	42"h	1:2	49"h	1:2	64"h	1:3	79"h	1:4	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)
34"h	1:1											
42"h	1:2											
49"h	1:2											
64"h	1:3											
79"h	1:4											
	Aluminum reveal kits and hookstrip covers best suited for hard side (laminate, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.										

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking window module or stacking and window modules or between two stacking modules	18"		R2AHWR18 ()	\$36.	
	20"		R2AHWR20 ()	36.	
	24"		R2AHWR24 ()	38.	
	30"		R2AHWR30 ()	39.	
	36"		R2AHWR36 ()	43.	
	42"		R2AHWR42 ()	45.	
	48"		R2AHWR48 ()	50.	
horizontal reveal only					
Alum horizontal reveal for between two stacking window modules	18"		R2AHBW18 ()	36.	
	20"		R2AHBW20 ()	36.	
	24"		R2AHBW24 ()	38.	
	30"		R2AHBW30 ()	39.	
	36"		R2AHBW36 ()	43.	
	42"		R2AHBW42 ()	45.	
	48"		R2AHBW48 ()	50.	
horizontal reveal only					

Order Code	Specification Information	Application Notes										
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.										
R2 Reff Generation 2												
A Aluminum												
PT Panel trim												
34 for 34"h	1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.										
18 for 18"w	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.										
AA Anodized aluminum	<table border="0"> <tr><td>34"h</td><td>1:1</td></tr> <tr><td>42"h</td><td>1:2</td></tr> <tr><td>49"h</td><td>1:2</td></tr> <tr><td>64"h</td><td>1:3</td></tr> <tr><td>79"h</td><td>1:4</td></tr> </table>	34"h	1:1	42"h	1:2	49"h	1:2	64"h	1:3	79"h	1:4	<p>Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.</p> <p>Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.</p>
34"h	1:1											
42"h	1:2											
49"h	1:2											
64"h	1:3											
79"h	1:4											
	Aluminum reveal kits and hookstrip covers best suited for hard side (laminated, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and											

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking module (FL/F1/F2)	18"		R2AHSR18 ()	\$36.	
	20"		R2AHSR20 ()	36.	
	24"		R2AHSR24 ()	38.	
	30"		R2AHSR30 ()	39.	
	36"		R2AHSR36 ()	43.	
	42"		R2AHSR42 ()	45.	
	48"		R2AHSR48 ()	50.	

horizontal reveal only

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.
R2 Reff Generation 2		R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.
A Aluminum		
PT Panel trim		
34 for 34"h	1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver	R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.
18 for 18"w		
AA Anodized aluminum	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height. 34"h 1:1 42"h 1:2 49"h 1:2 64"h 1:3 79"h 1:4	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.
	Aluminum reveal kits and hookstrip covers best suited for hard side (laminated, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.) Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.

Beltway one side, window panel 49" H tiled and monolithic with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway one side	18"	49"	R3B1TFFA49 18-() ()	\$1,192.	\$1,220.	\$1,274.	\$1,340.	\$1,392.	\$1,472.	\$1,524.
	20"	49"	R3B1TFFA49 20-() ()	1,192.	1,220.	1,274.	1,340.	1,392.	1,472.	1,524.
	24"	49"	R3B1TFFA49 24-() ()	1,233.	1,261.	1,315.	1,381.	1,433.	1,513.	1,565.
	30"	49"	R3B1TFFA49 30-() ()	1,317.	1,345.	1,399.	1,465.	1,517.	1,597.	1,649.
	36"	49"	R3B1TFFA49 36-() ()	1,586.	1,614.	1,668.	1,734.	1,786.	1,866.	1,918.
	42"	49"	R3B1TFFA49 42-() ()	1,728.	1,756.	1,810.	1,876.	1,928.	2,008.	2,060.
	48"	49"	R3B1TFFA49 48-() ()	1,808.	1,836.	1,890.	1,956.	2,008.	2,088.	2,140.



Order Code	Specification Information	Application Notes
Example: R3B1TFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B1 Beltway 1 side	2. Base height	
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	
A Type A window	5. Panel side 2 finish (specify selection per insert)	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
49 49" high	6. Top trim finish	
18 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
A Flat style top trim	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
4 4" base height	7. Base finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
K Include knockouts in base	8. Beltway finish	
W281 Fabric selection - side 1	9. Glass window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 2	10. Glass type Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
TEMP Glass option		

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$84
20"	\$84
24"	\$99
30"	\$118
36"	\$142
42"	\$169
48"	\$194


Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4" base height
6 = 6" base height (add \$47 per panel for this option)



Beltway one side, window panel 49" H tiled and monolithic with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway one side	30"	49"	R3B1TFFB49 30-() ()	\$1,421.	\$1,449.	\$1,503.	\$1,569.	\$1,621.	\$1,701.	\$1,753.
	36"	49"	R3B1TFFB49 36-() ()	1,698.	1,726.	1,780.	1,846.	1,898.	1,978.	2,030.
	42"	49"	R3B1TFFB49 42-() ()	1,839.	1,867.	1,921.	1,987.	2,039.	2,119.	2,171.
	48"	49"	R3B1TFFB49 48-() ()	1,928.	1,956.	2,010.	2,076.	2,128.	2,208.	2,260.



Order Code	Specification Information	Application Notes
Example: R3B1TFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B1 Beltway 1 side	2. Base height	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
A Type A window	5. Panel side 2 finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
49 49" high	6. Top trim finish	Applicable finishes are listed on page 5 and 6.
18 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	
A Flat style top trim	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
4 4" base height	7. Base finish	
K Include knockouts in base	8. Beltway finish	
W281 Fabric selection - side 1	9. Glass window frame finish	
W281 Fabric selection - side 2	10. Glass type	
V316 Maple (top trim finish)	Temp = Clear temp	
111 Jet Black (base finish)	Architectural options:	
111 Jet Black (beltway finish)	GL13 = Powder glass	
TEMP Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	
	1. Top trim profile:	
	A = Flat	
	B = Square	
	C = Bullnose	
	E = Extruded Aluminum	
	2. Base height:	
	4 = 4" base height	
	6 = 6" base height (add \$47 per panel for this option)	


Beltway one side, window panel 49" H tiled and monolithic with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway one side 	18"	49"	R3B1PFFA49 18-() ()	\$1,077.	\$1,094.	\$1,132.	\$1,213.	\$1,263.	\$1,335.	\$1,408.
	20"	49"	R3B1PFFA49 20-() ()	1,077.	1,094.	1,132.	1,213.	1,263.	1,335.	1,408.
	24"	49"	R3B1PFFA49 24-() ()	1,115.	1,132.	1,170.	1,251.	1,301.	1,373.	1,446.
	30"	49"	R3B1PFFA49 30-() ()	1,188.	1,205.	1,243.	1,324.	1,374.	1,446.	1,519.
	36"	49"	R3B1PFFA49 36-() ()	1,415.	1,432.	1,470.	1,551.	1,601.	1,673.	1,746.
	42"	49"	R3B1PFFA49 42-() ()	1,536.	1,553.	1,591.	1,672.	1,722.	1,794.	1,867.
	48"	49"	R3B1PFFA49 48-() ()	1,609.	1,626.	1,664.	1,745.	1,795.	1,867.	1,940.
Monolithic, fabric both sides, Type B window on top, Beltway one side 	30"	49"	R3B1PFFB49 30-() ()	1,292.	1,309.	1,347.	1,428.	1,478.	1,550.	1,623.
	36"	49"	R3B1PFFB49 36-() ()	1,527.	1,544.	1,582.	1,663.	1,713.	1,785.	1,858.
	42"	49"	R3B1PFFB49 42-() ()	1,647.	1,664.	1,702.	1,783.	1,833.	1,905.	1,978.
	48"	49"	R3B1PFFB49 48-() ()	1,729.	1,746.	1,784.	1,865.	1,915.	1,987.	2,060.

Order Code	Specification Information	Application Notes																
Example: R3B1TFFA4918-A4K R3 Reff Generation 3 B1 Beltway 1 side T Tiled panel FF Fabric on both sides A Type A window 49 49" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base W281 Fabric selection - side 1 W281 Fabric selection - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) 111 Jet Black (beltway finish) TEMP Glass option	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish (specify selection per insert) 5. Panel side 2 finish (specify selection per insert) 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. Beltway finish 9. Glass window frame finish 10. Glass type Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass 1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts. Applicable finishes are listed on page 5 and 6. Add upcharge for architectural glass: (as applicable by width) <table border="1"> <thead> <tr> <th>Width</th> <th>Add</th> </tr> </thead> <tbody> <tr> <td>18"</td> <td>\$84</td> </tr> <tr> <td>20"</td> <td>\$84</td> </tr> <tr> <td>24"</td> <td>\$99</td> </tr> <tr> <td>30"</td> <td>\$118</td> </tr> <tr> <td>36"</td> <td>\$142</td> </tr> <tr> <td>42"</td> <td>\$169</td> </tr> <tr> <td>48"</td> <td>\$194</td> </tr> </tbody> </table> Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.	Width	Add	18"	\$84	20"	\$84	24"	\$99	30"	\$118	36"	\$142	42"	\$169	48"	\$194
Width	Add																	
18"	\$84																	
20"	\$84																	
24"	\$99																	
30"	\$118																	
36"	\$142																	
42"	\$169																	
48"	\$194																	

Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TFLA49 18-() ()	\$1,320.	\$1,334.	\$1,364.	\$1,396.	\$1,422.	\$1,462.	\$1,500.
	20"	49"	R3B1TFLA49 20-() ()	1,320.	1,334.	1,364.	1,396.	1,422.	1,462.	1,500.
	24"	49"	R3B1TFLA49 24-() ()	1,362.	1,376.	1,406.	1,438.	1,464.	1,504.	1,542.
	30"	49"	R3B1TFLA49 30-() ()	1,449.	1,463.	1,493.	1,525.	1,551.	1,591.	1,629.
	36"	49"	R3B1TFLA49 36-() ()	1,721.	1,735.	1,765.	1,797.	1,823.	1,863.	1,901.
	42"	49"	R3B1TFLA49 42-() ()	1,863.	1,877.	1,907.	1,939.	1,965.	2,005.	2,043.
	48"	49"	R3B1TFLA49 48-() ()	1,949.	1,963.	1,993.	2,025.	2,051.	2,091.	2,129.



Order Code	Specification Information	Application Notes
Example: R3B1TFLA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side		B = Square
T Tiled panel	1. Top trim profile	C = Bullnose
FL Fabric BW side, laminate other	2. Base height	E = Extruded Aluminum
A Type A window	3. Knockout option (K = with knockouts, N = without knockouts)	2. Base height:
49 49" high	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	4 = 4" base height
18 18" wide		6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height		6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal	5. Fabric side, finish (specify selection per insert; bottom up.)	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	6. Laminate side finish (specify selection per insert; bottom up.)	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
114 Folkstone grey - side 2	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)	8. Base finish	
111 Jet Black (window frame finish)	9. Beltway finish	
TEMP Glass option	10. Window frame finish	
	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	

Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TFLB49 30-() ()	\$1,556.	\$1,570.	\$1,600.	\$1,632.	\$1,658.	\$1,698.	\$1,736.
	36"	49"	R3B1TFLB49 36-() ()	1,833.	1,847.	1,877.	1,909.	1,935.	1,975.	2,013.
	42"	49"	R3B1TFLB49 42-() ()	1,975.	1,989.	2,019.	2,051.	2,077.	2,117.	2,155.
	48"	49"	R3B1TFLB49 48-() ()	2,070.	2,084.	2,114.	2,146.	2,172.	2,212.	2,250.



Order Code	Specification Information	Application Notes
Example: R3B1TFLA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
FL Fabric BW side, laminate other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide		6" Raceway option increases panel height by 2 3/4".
A Flat style top trim		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height		Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
K Include knockouts in base		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B Tile divider, black reveal	5. Fabric side, finish (specify selection per insert; bottom up.)	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	6. Laminate side finish (specify selection per insert; bottom up.)	
114 Folkstone grey - side 2	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)	8. Base finish	
111 Jet Black (window frame finish)	9. Beltway finish	
TEMP Glass option	10. Window frame finish	
	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	

Width	Add
18"	\$84
20"	\$84
24"	\$99
30"	\$118
36"	\$142
42"	\$169
48"	\$194


Frame finish:
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.


Add upcharge for architectural glass: (as applicable by width)

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, laminate other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18"	49"	R3B1PFLA49 18-() ()	\$1,092.	\$1,100.	\$1,120.	\$1,161.	\$1,186.	\$1,223.	\$1,248.
	20"	49"	R3B1PFLA49 20-() ()	1,092.	1,100.	1,120.	1,161.	1,186.	1,223.	1,248.
	24"	49"	R3B1PFLA49 24-() ()	1,148.	1,156.	1,176.	1,217.	1,242.	1,279.	1,304.
	30"	49"	R3B1PFLA49 30-() ()	1,251.	1,259.	1,279.	1,320.	1,345.	1,382.	1,407.
	36"	49"	R3B1PFLA49 36-() ()	1,510.	1,518.	1,538.	1,579.	1,604.	1,641.	1,666.
	42"	49"	R3B1PFLA49 42-() ()	1,660.	1,668.	1,688.	1,729.	1,754.	1,791.	1,816.
	48"	49"	R3B1PFLA49 48-() ()	1,766.	1,774.	1,794.	1,835.	1,860.	1,897.	1,922.

Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30"	49"	R3B1PFLB49 30-() ()	1,358.	1,366.	1,386.	1,427.	1,452.	1,489.	1,514.
	36"	49"	R3B1PFLB49 36-() ()	1,622.	1,630.	1,650.	1,691.	1,716.	1,753.	1,778.
	42"	49"	R3B1PFLB49 42-() ()	1,772.	1,780.	1,800.	1,841.	1,866.	1,903.	1,928.
	48"	49"	R3B1PFLB49 48-() ()	1,887.	1,895.	1,915.	1,956.	1,981.	2,018.	2,043.

Order Code	Specification Information	Application Notes																																
Example: R3B1TFLA4918-A4K R3 Reff Generation 3 B1 Beltway one side T Tiled panel FL Fabric BW side, laminate other A Type A window 49 49" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base B Tile divider, black reveal W281 Fabric selection - side 1 114 Folkstone grey - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) 111 Jet Black (beltway finish) 111 Jet Black (window frame finish) TEMP Glass option	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only) 5. Fabric side, finish (specify selection per insert; bottom up.) 6. Laminate side finish (specify selection per insert; bottom up.) 7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 8. Base finish 9. Beltway finish 10. Window frame finish 11. Glass option Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Applicable finishes are listed on page 5 and 6.																																
		Add upcharge for architectural glass: (as applicable by width) <table border="1" style="margin-left: 20px;"> <thead> <tr> <th>Width</th> <th>Add</th> </tr> </thead> <tbody> <tr><td>18"</td><td>\$84</td></tr> <tr><td>20"</td><td>\$84</td></tr> <tr><td>24"</td><td>\$99</td></tr> <tr><td>30"</td><td>\$118</td></tr> <tr><td>36"</td><td>\$142</td></tr> <tr><td>42"</td><td>\$169</td></tr> <tr><td>48"</td><td>\$194</td></tr> </tbody> </table> Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options. Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black <table border="1" style="margin-left: 20px;"> <thead> <tr> <th>Width</th> <th>Add</th> </tr> </thead> <tbody> <tr><td>18"</td><td>\$14</td></tr> <tr><td>20"</td><td>\$14</td></tr> <tr><td>24"</td><td>\$15</td></tr> <tr><td>30"</td><td>\$15</td></tr> <tr><td>36"</td><td>\$16</td></tr> <tr><td>42"</td><td>\$16</td></tr> <tr><td>48"</td><td>\$21</td></tr> </tbody> </table>	Width	Add	18"	\$84	20"	\$84	24"	\$99	30"	\$118	36"	\$142	42"	\$169	48"	\$194	Width	Add	18"	\$14	20"	\$14	24"	\$15	30"	\$15	36"	\$16	42"	\$16	48"	\$21
Width	Add																																	
18"	\$84																																	
20"	\$84																																	
24"	\$99																																	
30"	\$118																																	
36"	\$142																																	
42"	\$169																																	
48"	\$194																																	
Width	Add																																	
18"	\$14																																	
20"	\$14																																	
24"	\$15																																	
30"	\$15																																	
36"	\$16																																	
42"	\$16																																	
48"	\$21																																	

Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF1A49 18-() ()	\$1,342.	\$1,356.	\$1,386.	\$1,418.	\$1,444.	\$1,484.	\$1,522.
	20"	49"	R3B1TF1A49 20-() ()	1,342.	1,356.	1,386.	1,418.	1,444.	1,484.	1,522.
	24"	49"	R3B1TF1A49 24-() ()	1,388.	1,402.	1,432.	1,464.	1,490.	1,530.	1,568.
	30"	49"	R3B1TF1A49 30-() ()	1,474.	1,488.	1,518.	1,550.	1,576.	1,616.	1,654.
	36"	49"	R3B1TF1A49 36-() ()	1,753.	1,767.	1,797.	1,829.	1,855.	1,895.	1,933.
	42"	49"	R3B1TF1A49 42-() ()	1,899.	1,913.	1,943.	1,975.	2,001.	2,041.	2,079.
	48"	49"	R3B1TF1A49 48-() ()	1,982.	1,996.	2,026.	2,058.	2,084.	2,124.	2,162.



Order Code	Specification Information	Application Notes
Example: R3B1TF1A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side		B = Square
T Tiled panel		C = Bullnose
F1 Fabric one side, V1 other	1. Top trim profile	E = Extruded Aluminum
A Type A window	2. Base height	2. Base height:
49 49" high	3. Knockout option	4 = 4" base height
18 18" wide	(K = with knockouts, N = without knockouts)	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim	4. Tile divider (where optional)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal	6. Techwood side, finish (specify one V1 finish for side)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	7. Top trim finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
Y328 Mahogany - side 2	i) Top trim profile A,B or C options:	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options:	
111 Jet Black (beltway finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Jet Black (window frame finish)	8. Base finish	
TEMP Glass option	9. Beltway finish	
	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, techwood other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF1B49 30-() ()	\$1,581.	\$1,595.	\$1,625.	\$1,657.	\$1,683.	\$1,723.	\$1,761.
	36"	49"	R3B1TF1B49 36-() ()	1,865.	1,879.	1,909.	1,941.	1,967.	2,007.	2,045.
	42"	49"	R3B1TF1B49 42-() ()	2,011.	2,025.	2,055.	2,087.	2,113.	2,153.	2,191.
	48"	49"	R3B1TF1B49 48-() ()	2,103.	2,117.	2,147.	2,179.	2,205.	2,245.	2,283.




Order Code	Specification Information	Application Notes
Example: R3B1TF1A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F1 Fabric one side, V1 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48" W panels only.
18 18" wide		6" Raceway option increases panel height by 2 3/4".
A Flat style top trim		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height		Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
K Include knockouts in base		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B Tile divider, black reveal	5. Fabric side, finish (specify selection per insert; bottom up.)	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	6. Techwood side, finish (specify one V1 finish for side)	
Y328 Mahogany - side 2	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)	8. Base finish	
111 Jet Black (window frame finish)	9. Beltway finish	
TEMP Glass option	10. Window frame finish	
	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	

Beltway one side, window panel 49" H

tilled and monolithic with glass at top, fabric one side, techwood other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18"	49"	R3B1PF1A49 18-() ()	\$1,113.	\$1,121.	\$1,141.	\$1,182.	\$1,207.	\$1,244.	\$1,269.
	20"	49"	R3B1PF1A49 20-() ()	1,113.	1,121.	1,141.	1,182.	1,207.	1,244.	1,269.
	24"	49"	R3B1PF1A49 24-() ()	1,168.	1,176.	1,196.	1,237.	1,262.	1,299.	1,324.
	30"	49"	R3B1PF1A49 30-() ()	1,271.	1,279.	1,299.	1,340.	1,365.	1,402.	1,427.
	36"	49"	R3B1PF1A49 36-() ()	1,534.	1,542.	1,562.	1,603.	1,628.	1,665.	1,690.
	42"	49"	R3B1PF1A49 42-() ()	1,692.	1,700.	1,720.	1,761.	1,786.	1,823.	1,848.
	48"	49"	R3B1PF1A49 48-() ()	1,794.	1,802.	1,822.	1,863.	1,888.	1,925.	1,950.

Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30"	49"	R3B1PF1B49 30-() ()	1,378.	1,386.	1,406.	1,447.	1,472.	1,509.	1,534.
	36"	49"	R3B1PF1B49 36-() ()	1,646.	1,654.	1,674.	1,715.	1,740.	1,777.	1,802.
	42"	49"	R3B1PF1B49 42-() ()	1,804.	1,812.	1,832.	1,873.	1,898.	1,935.	1,960.
	48"	49"	R3B1PF1B49 48-() ()	1,915.	1,923.	1,943.	1,984.	2,009.	2,046.	2,071.

Order Code	Specification Information	Application Notes																																
Example: R3B1TF1A4918-A4K R3 Reff Generation 3 B1 Beltway one side T Tiled panel F1 Fabric one side, V1 other A Type A window 49 49" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base B Tile divider, black reveal W281 Fabric selection - side 1 Y328 Mahogany - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) 111 Jet Black (beltway finish) 111 Jet Black (window frame finish) TEMP Glass option	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only) 5. Fabric side, finish (specify selection per insert; bottom up.) 6. Techwood side, finish (specify one V1 finish for side) 7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 8. Base finish 9. Beltway finish 10. Window frame finish 11. Glass option Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Applicable finishes are listed on page 5 and 6.																																
		Add upcharge for architectural glass: (as applicable by width) <table border="1"> <thead> <tr> <th>Width</th> <th>Add</th> </tr> </thead> <tbody> <tr><td>18"</td><td>\$84</td></tr> <tr><td>20"</td><td>\$84</td></tr> <tr><td>24"</td><td>\$99</td></tr> <tr><td>30"</td><td>\$118</td></tr> <tr><td>36"</td><td>\$142</td></tr> <tr><td>42"</td><td>\$169</td></tr> <tr><td>48"</td><td>\$194</td></tr> </tbody> </table> Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options. Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black <table border="1"> <thead> <tr> <th>Width</th> <th>Add</th> </tr> </thead> <tbody> <tr><td>18"</td><td>\$14</td></tr> <tr><td>20"</td><td>\$14</td></tr> <tr><td>24"</td><td>\$15</td></tr> <tr><td>30"</td><td>\$15</td></tr> <tr><td>36"</td><td>\$16</td></tr> <tr><td>42"</td><td>\$16</td></tr> <tr><td>48"</td><td>\$21</td></tr> </tbody> </table>	Width	Add	18"	\$84	20"	\$84	24"	\$99	30"	\$118	36"	\$142	42"	\$169	48"	\$194	Width	Add	18"	\$14	20"	\$14	24"	\$15	30"	\$15	36"	\$16	42"	\$16	48"	\$21
Width	Add																																	
18"	\$84																																	
20"	\$84																																	
24"	\$99																																	
30"	\$118																																	
36"	\$142																																	
42"	\$169																																	
48"	\$194																																	
Width	Add																																	
18"	\$14																																	
20"	\$14																																	
24"	\$15																																	
30"	\$15																																	
36"	\$16																																	
42"	\$16																																	
48"	\$21																																	

Beltway one side, window panel 49" H
 tiled and monolithic with glass at top, fabric one side, conventional
 veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF2A49 18-() ()	\$1,367.	\$1,381.	\$1,411.	\$1,443.	\$1,469.	\$1,509.	\$1,547.
	20"	49"	R3B1TF2A49 20-() ()	1,367.	1,381.	1,411.	1,443.	1,469.	1,509.	1,547.
	24"	49"	R3B1TF2A49 24-() ()	1,411.	1,425.	1,455.	1,487.	1,513.	1,553.	1,591.
	30"	49"	R3B1TF2A49 30-() ()	1,498.	1,512.	1,542.	1,574.	1,600.	1,640.	1,678.
	36"	49"	R3B1TF2A49 36-() ()	1,780.	1,794.	1,824.	1,856.	1,882.	1,922.	1,960.
	42"	49"	R3B1TF2A49 42-() ()	1,929.	1,943.	1,973.	2,005.	2,031.	2,071.	2,109.
	48"	49"	R3B1TF2A49 48-() ()	2,016.	2,030.	2,060.	2,092.	2,118.	2,158.	2,196.



Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F2 Fabric one side, V2 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide		6" Raceway option increases panel height by 2 3/4".
A Flat style top trim		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height		Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
K Include knockouts in base		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B Tile divider, black reveal	5. Fabric side, finish (specify selection per insert; bottom up.)	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	6. Conventional veneer side, finish (specify one V2 finish for side)	
V316 Maple surface - side 2	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options. Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black
V316 Maple (top trim finish)		
111 Jet Black (base finish)		<i>Width Add</i> 18" \$84 20" \$84 24" \$99 30" \$118 36" \$142 42" \$169 48" \$194
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option	8. Base finish 9. Beltway finish 10. Window frame finish 11. Glass option Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	


Beltway one side, window panel 49" H
 tiled and monolithic with glass at top, fabric one side, conventional
 veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF2B49 30-() ()	\$1,605.	\$1,619.	\$1,649.	\$1,681.	\$1,707.	\$1,747.	\$1,785.
	36"	49"	R3B1TF2B49 36-() ()	1,892.	1,906.	1,936.	1,968.	1,994.	2,034.	2,072.
	42"	49"	R3B1TF2B49 42-() ()	2,041.	2,055.	2,085.	2,117.	2,143.	2,183.	2,221.
	48"	49"	R3B1TF2B49 48-() ()	2,137.	2,151.	2,181.	2,213.	2,239.	2,279.	2,317.



Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F2 Fabric one side, V2 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height:
49 49" high		4 = 4" base height
18 18" wide		6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim		The panels on this page will accept stacking modules to increase their height on 18" to 48" W panels only.
4 4" base height		6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79" H as well as panels 42", 49", 64" and 79" H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal	5. Fabric side, finish (specify selection per insert; bottom up.)	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	6. Conventional veneer side, finish (specify one V2 finish for side)	79" H hookstrip reveal strips are ordered separately from page 117 at no charge.
V316 Maple surface - side 2	7. Top trim finish	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	i) Top trim profile A, B or C options:	
111 Jet Black (base finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (beltway finish)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Jet Black (window frame finish)	8. Base finish	
TEMP Glass option	9. Beltway finish	
	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, conventional veneer other side


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18"	49"	R3B1PF2A49 18-() ()	\$1,131.	\$1,139.	\$1,159.	\$1,200.	\$1,225.	\$1,262.	\$1,287.
	20"	49"	R3B1PF2A49 20-() ()	1,131.	1,139.	1,159.	1,200.	1,225.	1,262.	1,287.
	24"	49"	R3B1PF2A49 24-() ()	1,187.	1,195.	1,215.	1,256.	1,281.	1,318.	1,343.
	30"	49"	R3B1PF2A49 30-() ()	1,296.	1,304.	1,324.	1,365.	1,390.	1,427.	1,452.
	36"	49"	R3B1PF2A49 36-() ()	1,563.	1,571.	1,591.	1,632.	1,657.	1,694.	1,719.
	42"	49"	R3B1PF2A49 42-() ()	1,718.	1,726.	1,746.	1,787.	1,812.	1,849.	1,874.
	48"	49"	R3B1PF2A49 48-() ()	1,821.	1,829.	1,849.	1,890.	1,915.	1,952.	1,977.

Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30"	49"	R3B1PF2B49 30-() ()	1,403.	1,411.	1,431.	1,472.	1,497.	1,534.	1,559.
	36"	49"	R3B1PF2B49 36-() ()	1,675.	1,683.	1,703.	1,744.	1,769.	1,806.	1,831.
	42"	49"	R3B1PF2B49 42-() ()	1,830.	1,838.	1,858.	1,899.	1,924.	1,961.	1,986.
	48"	49"	R3B1PF2B49 48-() ()	1,942.	1,950.	1,970.	2,011.	2,036.	2,073.	2,098.


Order Code	Specification Information	Application Notes																																
Example: R3B1TF2A4918-A4K R3 Reff Generation 3 B1 Beltway one side T Tiled panel F2 Fabric one side, V2 other A Type A window 49 49" high 18 18" wide A Flat style top trim 4 4" base height K Include knockouts in base B Tile divider, black reveal W281 Fabric selection - side 1 V316 Maple surface - side 2 V316 Maple (top trim finish) 111 Jet Black (base finish) 111 Jet Black (beltway finish) 111 Jet Black (window frame finish) TEMP Glass option	To order please specify pattern number including: 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only) 5. Fabric side, finish (specify selection per insert; bottom up.) 6. Conventional veneer side, finish (specify one V2 finish for side) 7. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 8. Base finish 9. Beltway finish 10. Window frame finish 11. Glass option Temp = Clear temp Architectural options: GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge. Applicable finishes are listed on page 5 and 6.																																
		Add upcharge for architectural glass: (as applicable by widths) <table border="1"> <thead> <tr> <th>Width</th> <th>Add</th> </tr> </thead> <tbody> <tr><td>18"</td><td>\$84</td></tr> <tr><td>20"</td><td>\$84</td></tr> <tr><td>24"</td><td>\$99</td></tr> <tr><td>30"</td><td>\$118</td></tr> <tr><td>36"</td><td>\$142</td></tr> <tr><td>42"</td><td>\$169</td></tr> <tr><td>48"</td><td>\$194</td></tr> </tbody> </table> Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options. Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black <table border="1"> <thead> <tr> <th>Width</th> <th>Add</th> </tr> </thead> <tbody> <tr><td>18"</td><td>\$14</td></tr> <tr><td>20"</td><td>\$14</td></tr> <tr><td>24"</td><td>\$15</td></tr> <tr><td>30"</td><td>\$15</td></tr> <tr><td>36"</td><td>\$16</td></tr> <tr><td>42"</td><td>\$16</td></tr> <tr><td>48"</td><td>\$21</td></tr> </tbody> </table>	Width	Add	18"	\$84	20"	\$84	24"	\$99	30"	\$118	36"	\$142	42"	\$169	48"	\$194	Width	Add	18"	\$14	20"	\$14	24"	\$15	30"	\$15	36"	\$16	42"	\$16	48"	\$21
Width	Add																																	
18"	\$84																																	
20"	\$84																																	
24"	\$99																																	
30"	\$118																																	
36"	\$142																																	
42"	\$169																																	
48"	\$194																																	
Width	Add																																	
18"	\$14																																	
20"	\$14																																	
24"	\$15																																	
30"	\$15																																	
36"	\$16																																	
42"	\$16																																	
48"	\$21																																	

Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Beltway fabric side Type A window on top, Regular acoustics	18"	49"	R3B1TF3A49 18- () ()	\$1,806.	\$1,820.	\$1,850.	\$1,882.	\$1,908.	\$1,948.	\$1,986.
	20"	49"	R3B1TF3A49 20- () ()	1,806.	1,820.	1,850.	1,882.	1,908.	1,948.	1,986.
	24"	49"	R3B1TF3A49 24- () ()	1,860.	1,874.	1,904.	1,936.	1,962.	2,002.	2,040.
	30"	49"	R3B1TF3A49 30- () ()	1,969.	1,983.	2,013.	2,045.	2,071.	2,111.	2,149.
	36"	49"	R3B1TF3A49 36- () ()	2,340.	2,354.	2,384.	2,416.	2,442.	2,482.	2,520.
	42"	49"	R3B1TF3A49 42- () ()	2,532.	2,546.	2,576.	2,608.	2,634.	2,674.	2,712.
	48"	49"	R3B1TF3A49 48- () ()	2,643.	2,657.	2,687.	2,719.	2,745.	2,785.	2,823.




Tiled, fabric one side, Beltway fabric side Type B window on top, Regular acoustics	30"	49"	R3B1TF3B49 30- () ()	2,076.	2,090.	2,120.	2,152.	2,178.	2,218.	2,256.
	36"	49"	R3B1TF3B49 36- () ()	2,452.	2,466.	2,496.	2,528.	2,554.	2,594.	2,632.
	42"	49"	R3B1TF3B49 42- () ()	2,644.	2,658.	2,688.	2,720.	2,746.	2,786.	2,824.
	48"	49"	R3B1TF3B49 48- () ()	2,764.	2,778.	2,808.	2,840.	2,866.	2,906.	2,944.




Order Code	Specification Information	Application Notes
Example: R3B1TF3A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F3 Fabric one side, V3 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide	6. Exotic veneer side, finish (specify one V3 finish for side)	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
K Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
V512 Figured Anigre surface - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H tiled and monolithic with glass at top, fabric one side, exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Beltway fabric side Type A window on top, Regular acoustics	18"	49"	R3B1PF3A49 18-() ()	\$1,485.	\$1,493.	\$1,513.	\$1,554.	\$1,579.	\$1,616.	\$1,641.
	20"	49"	R3B1PF3A49 20-() ()	1,485.	1,493.	1,513.	1,554.	1,579.	1,616.	1,641.
	24"	49"	R3B1PF3A49 24-() ()	1,556.	1,564.	1,584.	1,625.	1,650.	1,687.	1,712.
	30"	49"	R3B1PF3A49 30-() ()	1,693.	1,701.	1,721.	1,762.	1,787.	1,824.	1,849.
	36"	49"	R3B1PF3A49 36-() ()	2,046.	2,054.	2,074.	2,115.	2,140.	2,177.	2,202.
	42"	49"	R3B1PF3A49 42-() ()	2,245.	2,253.	2,273.	2,314.	2,339.	2,376.	2,401.
	48"	49"	R3B1PF3A49 48-() ()	2,378.	2,386.	2,406.	2,447.	2,472.	2,509.	2,534.



Monolithic, fabric one side, Beltway fabric side Type B window on top, Regular acoustics	30"	49"	R3B1PF3B49 30-() ()	1,800.	1,808.	1,828.	1,869.	1,894.	1,931.	1,956.
	36"	49"	R3B1PF3B49 36-() ()	2,158.	2,166.	2,186.	2,227.	2,252.	2,289.	2,314.
	42"	49"	R3B1PF3B49 42-() ()	2,357.	2,365.	2,385.	2,426.	2,451.	2,488.	2,513.
	48"	49"	R3B1PF3B49 48-() ()	2,499.	2,507.	2,527.	2,568.	2,593.	2,630.	2,655.



Order Code	Specification Information	Application Notes
Example: R3B1TF3A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side	1. Top trim profile	B = Square
T Tiled panel	2. Base height	C = Bullnose
F3 Fabric one side, V3 other	3. Knockout option (K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
49 49" high	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
18 18" wide	6. Exotic veneer side, finish (specify one V3 finish for side)	6" Raceway option increases panel height by 2 3/4".
A Flat style top trim	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
4 4" base height	8. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
K Include knockouts in base	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B Tile divider, black reveal	10. Window frame finish	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
V512 Figured Anigre surface - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway two sides, window panel 49" H tiled and monolithic with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway two sides	18"	49"	R3B2TFFA49 18-() ()	\$1,209.	\$1,237.	\$1,289.	\$1,357.	\$1,409.	\$1,489.	\$1,541.
	20"	49"	R3B2TFFA49 20-() ()	1,209.	1,237.	1,289.	1,357.	1,409.	1,489.	1,541.
	24"	49"	R3B2TFFA49 24-() ()	1,253.	1,281.	1,333.	1,401.	1,453.	1,533.	1,585.
	30"	49"	R3B2TFFA49 30-() ()	1,340.	1,368.	1,420.	1,488.	1,540.	1,620.	1,672.
	36"	49"	R3B2TFFA49 36-() ()	1,612.	1,640.	1,692.	1,760.	1,812.	1,892.	1,944.
	42"	49"	R3B2TFFA49 42-() ()	1,755.	1,783.	1,835.	1,903.	1,955.	2,035.	2,087.
	48"	49"	R3B2TFFA49 48-() ()	1,840.	1,868.	1,920.	1,988.	2,040.	2,120.	2,172.




Order Code	Specification Information	Application Notes
Example: R3B2TFFA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	E = Extruded Aluminum
A Type A window	5. Panel side 2 finish (specify selection per insert)	<i>2. Base height:</i>
49 49" high	6. Top trim finish	4 = 4" base height
18 18" wide	i) Top trim profile A,B or C options:	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	7. Base finish	6" Raceway option increases panel height by 2 ³ / ₄ ".
K Include knockouts in base	8. Beltway finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
W281 Fabric selection - side 1	9. Window frame finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 2	10. Glass option	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
V316 Maple (top trim finish)	Temp = clear temp	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
111 Jet Black (base finish)	<i>Architectural options:</i>	Applicable finishes are listed on page 5 and 6.
111 Jet Black (beltway finish)	GL13 = Powder glass	
111 Jet Black (window frame finish)	GL6 = Block matrix glass	
TEMP Glass option	GL8 = Wafer glass	

Beltway two sides, window panel 49" H tiled and monolithic with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway two sides	30"	49"	R3B2TFFB49 30-() ()	\$1,444.	\$1,472.	\$1,524.	\$1,592.	\$1,644.	\$1,724.	\$1,776.
	36"	49"	R3B2TFFB49 36-() ()	1,724.	1,752.	1,804.	1,872.	1,924.	2,004.	2,056.
	42"	49"	R3B2TFFB49 42-() ()	1,866.	1,894.	1,946.	2,014.	2,066.	2,146.	2,198.
	48"	49"	R3B2TFFB49 48-() ()	1,960.	1,988.	2,040.	2,108.	2,160.	2,240.	2,292.




Monolithic, fabric both sides, Type A window on top, Beltway two sides	18"	49"	R3B2PFFA49 18-() ()	1,093.	1,111.	1,149.	1,229.	1,281.	1,353.	1,399.
	20"	49"	R3B2PFFA49 20-() ()	1,093.	1,111.	1,149.	1,229.	1,281.	1,353.	1,399.
	24"	49"	R3B2PFFA49 24-() ()	1,133.	1,151.	1,189.	1,269.	1,321.	1,393.	1,439.
	30"	49"	R3B2PFFA49 30-() ()	1,209.	1,227.	1,265.	1,345.	1,397.	1,469.	1,515.
	36"	49"	R3B2PFFA49 36-() ()	1,438.	1,456.	1,494.	1,574.	1,626.	1,698.	1,744.
	42"	49"	R3B2PFFA49 42-() ()	1,563.	1,581.	1,619.	1,699.	1,751.	1,823.	1,869.
	48"	49"	R3B2PFFA49 48-() ()	1,637.	1,655.	1,693.	1,773.	1,825.	1,897.	1,943.



Order Code	Specification Information	Application Notes
Example: R3B2TFFA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	E = Extruded Aluminum
A Type A window	5. Panel side 2 finish (specify selection per insert)	<i>2. Base height:</i>
49 49" high	6. Top trim finish	4 = 4" base height
18 18" wide	i) Top trim profile A,B or C options:	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim	V1, V2, V3, P1, P2, P3 finishes	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	ii) Top trim profile E options:	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
W281 Fabric selection - side 1	7. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 2	8. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
V316 Maple (top trim finish)	9. Window frame finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
111 Jet Black (base finish)	10. Glass option	Applicable finishes are listed on page 5 and 6.
111 Jet Black (beltway finish)	Temp = clear temp	
111 Jet Black (window frame finish)	Architectural options:	
TEMP Glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway two sides, window panel 49" H tiled and monolithic with glass at top

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type B window on top, Beltway two sides	30"	49"	R3B2PFFB49 30-() ()	\$1,313.	\$1,331.	\$1,369.	\$1,449.	\$1,501.	\$1,573.	\$1,619.
	36"	49"	R3B2PFFB49 36-() ()	1,550.	1,568.	1,606.	1,686.	1,738.	1,810.	1,856.
	42"	49"	R3B2PFFB49 42-() ()	1,674.	1,692.	1,730.	1,810.	1,862.	1,934.	1,980.
	48"	49"	R3B2PFFB49 48-() ()	1,757.	1,775.	1,813.	1,893.	1,945.	2,017.	2,063.





Order Code	Specification Information	Application Notes
Example: R3B2TFFA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	E = Extruded Aluminum
A Type A window	5. Panel side 2 finish (specify selection per insert)	<i>2. Base height:</i>
49 49" high	6. Top trim finish	4 = 4" base height
18 18" wide	i) Top trim profile A,B or C options:	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim	V1, V2, V3, P1, P2, P3 finishes	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	ii) Top trim profile E options:	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
W281 Fabric selection - side 1	7. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 2	8. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
V316 Maple (top trim finish)	9. Window frame finish	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
111 Jet Black (base finish)	10. Glass option	Applicable finishes are listed on page 5 and 6.
111 Jet Black (beltway finish)	Temp = clear temp	
111 Jet Black (window frame finish)	<i>Architectural options:</i>	
TEMP Glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$84
20"	\$84
24"	\$99
30"	\$118
36"	\$142
42"	\$169
48"	\$194

Frame finish:
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Stacking modules *fabric*

description	w	h	pattern no.	grade	15	20	30	35	40	45
				10						
Stacking modules *,** Fabric both sides	18"	8"	R3SFF08 18	\$197.	\$201.	\$219.	\$249.	\$261.	\$281.	\$295.
	20"	8"	R3SFF08 20	197.	201.	219.	249.	261.	281.	295.
	24"	8"	R3SFF08 24	206.	210.	228.	258.	270.	290.	304.
	30"	8"	R3SFF08 30	229.	233.	251.	281.	293.	313.	327.
	36"	8"	R3SFF08 36	250.	254.	272.	302.	314.	334.	348.
	42"	8"	R3SFF08 42	272.	276.	294.	324.	336.	356.	370.
	48"	8"	R3SFF08 48	293.	297.	315.	345.	357.	377.	391.
Stacking modules* Fabric both sides	18"	15"	R3SFF15 18	264.	278.	306.	338.	364.	404.	428.
	20"	15"	R3SFF15 20	264.	278.	306.	338.	364.	404.	428.
	24"	15"	R3SFF15 24	279.	293.	321.	353.	379.	419.	443.
	30"	15"	R3SFF15 30	306.	320.	348.	380.	406.	446.	470.
	36"	15"	R3SFF15 36	338.	352.	380.	412.	438.	478.	502.
	42"	15"	R3SFF15 42	365.	379.	407.	439.	465.	505.	529.
	48"	15"	R3SFF15 48	395.	409.	437.	469.	495.	535.	559.

Order Code

Example: R3SFF0820
R3 Reff Generation 3
S Stacking module
FF Fabric/fabric
08 8" high
20 20" wide
W281 Fabric selection - side 1
W281 Fabric selection - side 2

Specification Information


- To order please specify:*
1. Pattern number including height and width
 2. Panel side 1 finish fabric only
 3. Panel side 2 finish fabric only

Application Notes


- * Not for use on 79"H panels.
- * * Suitable only for top of any panel. Cannot be stacked upon.
- 8"h module will not accept additional modules on top.
- Use of 8" module on panel heights other than 34"h will require custom end trims and Hi-Lo parts.
- Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Stacking modules window

description	w	h	pattern no.	clear glass	arch glass	add for P2 finish	add for P3 finish	AA frame upcharge
Stacking window module* Single glass, type "A"	18"	15"	RSWA15 18	\$431.	\$517.	\$14.	\$27.	\$44.
	20"	15"	RSWA15 20	431.	517.	14.	27.	44.
	24"	15"	RSWA15 24	454.	552.	14.	27.	47.
	30"	15"	RSWA15 30	526.	615.	14.	27.	52.
	36"	15"	RSWA15 36	545.	693.	14.	27.	53.
	42"	15"	RSWA15 42	574.	743.	14.	27.	56.
	48"	15"	RSWA15 48	594.	791.	14.	27.	59.




Stacking window module* Center mullion, type "B"	30"	15"	RSWB15 30	629.	752.	14.	27.	62.
	36"	15"	RSWB15 36	658.	803.	14.	27.	65.
	42"	15"	RSWB15 42	686.	856.	14.	27.	68.
	48"	15"	RSWB15 48	713.	908.	14.	27.	70.



Stacking window module*	18"	30"	RSWC30 18	519.	602.	22.	35.	52.
	20"	30"	RSWC30 20	519.	602.	22.	35.	52.
	24"	30"	RSWC30 24	554.	655.	22.	35.	56.
	30"	30"	RSWC30 30	721.	844.	22.	35.	72.
	36"	30"	RSWC30 36	821.	970.	22.	35.	80.
	42"	30"	RSWC30 42	880.	1,052.	22.	35.	86.
	48"	30"	RSWC30 48	932.	1,131.	22.	35.	90.



18" - 24"



30" - 48"

Order Code	Specification Information	Application Notes
Example: RSWA1518 111 TEMP	<i>To order please specify:</i>	* Not for use on 79"H panels.
R Reff	1. Pattern number	Panel glass is mounted flush to one side of window module.
SW Stacking window module	2. Frame finish (Painted or Anodized aluminum finishes) <i>If P2 or P3 paint finish upcharge applicable</i> <i>If AA finish (anodized) upcharge applicable as noted in AA price column</i>	All window modules incorporate tempered glass (3/16" thick).
A Type A		30"H window panels that are 30" or wider incorporate a center mullion.
15 15" high		For window panels specify the finish for frames from paint selection on page 5.
18 18" wide		
111 Jet Black, frame finish		
TEMP Clear tempered glass	3. Glass type Temp = Clear tempered glass <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	

Stacking modules

Double Window






description	h	w	pattern no.	G1 clear glass	G2 architectural glass	L	V1	V2	V3	AA
Stacking window module* Single glass, type "A"	15"	60"	RSWAD1560 () ()	\$674.	\$771.					
		72"	RSWAD1572 () ()	750.	899.					
		84"	RSWAD1584 () ()	759.	938.					
		96"	RSWAD1596 () ()	773.	978.					
	22"	60"	RSWAD2260 () ()	841.	1,028.					
		72"	RSWAD2272 () ()	945.	1,170.					
		84"	RSWAD2284 () ()	964.	1,226.					
		96"	RSWAD2296 () ()	983.	1,283.					
Top trim for double wide stacking window modules		60"	R3CRTT60 () ()			73.	149.	165.	213.	122.
		72"	R3CRTT72 ()			78.	159.	175.	225.	165.
		84"	R3CRTT84 ()			94.	179.	196.	249.	180.
		96"	R3CRTT96 ()			99.	189.	206.	262.	185.



Order Code	Specification Information	Application Notes
<i>Example:</i> RSWAD1560	<i>To order please specify:</i>	Panel glass is mounted flush to one side of the window module. All window modules incorporate tempered glass 4mm thick. Stabilizing kit is included with the window and is required with all double wide window installation. Full length top trim is optional and can be ordered separately. Not for use on 79" h panels. Applicable finishes are listed on page 5
R Reff	1. Pattern number	
SW Stacking window	2. Frame finish (Painted or Anodized aluminum finishes)	
A Type A	<i>If P2 or P3 paint finish upcharge add \$25</i>	
D Double wide	<i>If AA finish (anodized) upcharge applicable as noted in AA price add \$45</i>	
15 15" high	3. Glass type	
60 60" wide	Temp = Clear tempered glass	
111 Jet Black, frame finish	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
TEMP Clear tempered glass		

Stacking modules

*fabric one side/laminate, techwood, conventional or exotic veneer
other side and laminate both sides*

description	w	h	pattern no.	grade						Lam.
				10	15	20	30	35	40	
Stacking modules **, ** Fabric and laminate 	18"	8"	R3SFL0818	\$222.	\$227.	\$244.	\$275.	\$288.	\$308.	\$325.
	20"	8"	R3SFL0820	222.	227.	244.	275.	288.	308.	325.
	24"	8"	R3SFL0824	241.	246.	263.	294.	307.	327.	344.
	30"	8"	R3SFL0830	270.	275.	292.	323.	336.	356.	373.
	36"	8"	R3SFL0836	296.	301.	318.	349.	362.	382.	399.
	42"	8"	R3SFL0842	321.	326.	343.	374.	387.	407.	424.
	48"	8"	R3SFL0848	349.	354.	371.	402.	415.	435.	452.
Stacking modules **, ** Fabric and techwood 	18"	8"	R3SF10818	228.	233.	250.	281.	294.	314.	331.
	20"	8"	R3SF10820	228.	233.	250.	281.	294.	314.	331.
	24"	8"	R3SF10824	245.	250.	267.	298.	311.	331.	348.
	30"	8"	R3SF10830	274.	279.	296.	327.	340.	360.	377.
	36"	8"	R3SF10836	300.	305.	322.	353.	366.	386.	403.
	42"	8"	R3SF10842	329.	334.	351.	382.	395.	415.	432.
	48"	8"	R3SF10848	354.	359.	376.	407.	420.	440.	457.
Stacking modules **, ** Fabric and conventional veneer 	18"	8"	R3SF20818	231.	236.	253.	284.	297.	317.	334.
	20"	8"	R3SF20820	231.	236.	253.	284.	297.	317.	334.
	24"	8"	R3SF20824	250.	255.	272.	303.	316.	336.	353.
	30"	8"	R3SF20830	279.	284.	301.	332.	345.	365.	382.
	36"	8"	R3SF20836	307.	312.	329.	360.	373.	393.	410.
	42"	8"	R3SF20842	335.	340.	357.	388.	401.	421.	438.
	48"	8"	R3SF20848	359.	364.	381.	412.	425.	445.	462.
Stacking modules **, ** Fabric and exotic veneer 	18"	8"	R3SF30818	304.	309.	326.	357.	370.	390.	407.
	20"	8"	R3SF30820	304.	309.	326.	357.	370.	390.	407.
	24"	8"	R3SF30824	332.	337.	354.	385.	398.	418.	435.
	30"	8"	R3SF30830	368.	373.	390.	421.	434.	454.	471.
	36"	8"	R3SF30836	408.	413.	430.	461.	474.	494.	511.
	42"	8"	R3SF30842	445.	450.	467.	498.	511.	531.	548.
	48"	8"	R3SF30848	479.	484.	501.	532.	545.	565.	582.
Stacking modules **, ** Laminate both sides 	18"	8"	R3SLL0818							215.
	20"	8"	R3SLL0820							215.
	24"	8"	R3SLL0824							234.
	30"	8"	R3SLL0830							262.
	36"	8"	R3SLL0836							283.
	42"	8"	R3SLL0842							292.
	48"	8"	R3SLL0848							301.

Order Code

Example:	R3SFL0818
R3	Reff Generation 3
S	Stacking module
FL	Fabric/Laminate
08	8" high
18	18" wide
W281	Fabric selection - side 1
114	Folkstone Grey - side 2

Specification Information

To order please specify:

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

* Not for use on 79"H panels.

** Suitable only for top of any panel. Cannot be stacked upon and may require custom end trims and Hi-Lo parts.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.

8" module will not accept additional modules.






Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Applicable finishes are listed on page 5 and 6.

Frameless glass add-ups cannot be installed on these modules.

Stacking modules



*fabric one side/laminate, techwood, conventional or exotic veneer
other side and laminate both sides*

description	w	h	pattern no.	grade						Lam.
				10	15	20	30	35	40	
Stacking modules* Fabric and laminate 	18"	15"	R3SFL1518	\$319.	\$333.	\$361.	\$394.	\$423.	\$465.	\$488.
	20"	15"	R3SFL1520	319.	333.	361.	394.	423.	465.	488.
	24"	15"	R3SFL1524	332.	346.	374.	407.	436.	478.	501.
	30"	15"	R3SFL1530	364.	378.	406.	439.	468.	510.	533.
	36"	15"	R3SFL1536	395.	409.	437.	470.	499.	541.	564.
	42"	15"	R3SFL1542	425.	439.	467.	500.	529.	571.	594.
	48"	15"	R3SFL1548	455.	469.	497.	530.	559.	601.	624.
Stacking modules* Fabric and techwood 	18"	15"	R3SF11518	327.	341.	369.	402.	431.	473.	496.
	20"	15"	R3SF11520	327.	341.	369.	402.	431.	473.	496.
	24"	15"	R3SF11524	340.	354.	382.	415.	444.	486.	509.
	30"	15"	R3SF11530	369.	383.	411.	444.	473.	515.	538.
	36"	15"	R3SF11536	401.	415.	443.	476.	505.	547.	570.
	42"	15"	R3SF11542	432.	446.	474.	507.	536.	578.	601.
	48"	15"	R3SF11548	462.	476.	504.	537.	566.	608.	631.
Stacking modules* Fabric and conventional veneer 	18"	15"	R3SF21518	330.	344.	372.	405.	434.	476.	499.
	20"	15"	R3SF21520	330.	344.	372.	405.	434.	476.	499.
	24"	15"	R3SF21524	346.	360.	388.	421.	450.	492.	515.
	30"	15"	R3SF21530	378.	392.	420.	453.	482.	524.	547.
	36"	15"	R3SF21536	410.	424.	452.	485.	514.	556.	579.
	42"	15"	R3SF21542	442.	456.	484.	517.	546.	588.	611.
	48"	15"	R3SF21548	469.	483.	511.	544.	573.	615.	638.
Stacking modules* Fabric and exotic veneer 	18"	15"	R3SF315 18	435.	449.	477.	510.	539.	581.	604.
	20"	15"	R3SF315 20	435.	449.	477.	510.	539.	581.	604.
	24"	15"	R3SF315 24	456.	470.	498.	531.	560.	602.	625.
	30"	15"	R3SF315 30	499.	513.	541.	574.	603.	645.	668.
	36"	15"	R3SF315 36	543.	557.	585.	618.	647.	689.	712.
	42"	15"	R3SF315 42	585.	599.	627.	660.	689.	731.	754.
	48"	15"	R3SF315 48	624.	638.	666.	699.	728.	770.	793.
Stacking modules* Laminate both sides 	18"	15	R3SLL1518							304.
	20"	15	R3SLL1520							304.
	24"	15	R3SLL1524							331.
	30"	15	R3SLL1530							371.
	36"	15	R3SLL1536							401.
	42"	15	R3SLL1542							413.
	48"	15	R3SLL1548							415.

Order Code	Specification Information	Application Notes
Example: R3SFL0818	<i>To order please specify:</i>	* Not for use on 79"H panels.
R3 Reff Generation 3	1. Pattern number	* * Suitable only for top of any panel. Cannot be stacked upon and may require custom end trims and Hi-Lo parts.
S Stacking module	2. Panel side 1 finish(s)	Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.
FL Fabric/Laminate	3. Panel side 2 finish(s)	8" module will not accept additional modules.
08 8" high	Product on this page will accept wood grain laminate where laminate is currently an option.	Stacking modules on this page are high acoustic with a hard board septum and fiberglass.
18 18" wide	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.	Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 1		Frameless glass add-ups cannot be installed on these modules.
114 Folkstone Grey - side 2		

Panel connection posts

Generation 3

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 L-Post	8"	stacking module post	R3L08TT	\$60.	n/a
	15"	stacking module post	R3L15TT	118.	n/a
	34"		R3L34(F/T)(F/T)-() () ()	151.	n/a
	42"		R3L42(B)(F/T)(F/T)-() () ()	227.	262.
	49"		R3L49(B)(F/T)(F/T)-() () ()	252.	290.
	64"		R3L64(B)(F/T)(F/T)-() () ()	279.	320.
	79"		R3L79(B)(F/T)(F/T)-() () ()	312.	358.
 T-Post	8"	stacking module post	R3T08T	76.	n/a
	15"	stacking module post	R3T15T	140.	n/a
	34"		R3T34(F/T)-() () ()	183.	n/a
	42"		R3T42(B)(F/T)-() () ()	201.	229.
	49"		R3T49(B)(F/T)-() () ()	227.	262.
	64"		R3T64(B)(F/T)-() () ()	252.	290.
	79"		R3T79(B)(F/T)-() () ()	280.	322.

Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 438.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. Face type:
(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. Top cap configuration:
1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)
2 = Regular T or cap finish 1 side (applicable for T or X posts only)
3 = Regular X cap unfinished all 4 sides (applicable for X posts only)

4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)
5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

5. Base height:
4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. Electrical infeed post:
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 117. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.



Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 X-Post	8"	stacking module post	R3X08	\$67.	n/a
	15"	stacking module post	R3X15	129.	n/a
	34"		R3X34-() ()	171.	n/a
	42"		R3X42(B)-() ()	185.	214.
	49"		R3X49(B)-() ()	201.	229.
	64"		R3X64(B)-() ()	227.	262.
	79"		R3X79(B)-() ()	259.	295.
 Straight post	8"	stacking module post	R3S08TT	60.	n/a
	15"	stacking module post	R3S15TT	118.	n/a
	34"		R3S34(F/T)(F/T)-() () ()	151.	n/a
	42"		R3S42(B)(F/T)(F/T)-() () ()	227.	262.
	49"		R3S49(B)(F/T)(F/T)-() () ()	252.	290.
	64"		R3S64(B)(F/T)(F/T)-() () ()	279.	320.
	79"		R3S79(B)(F/T)(F/T)-() () ()	312.	358.

Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 438.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (*fabric, V1, V2, V3 or painted to match laminate*)
9. Top cap finish
 - i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. *Face type:*
(F) = Full height (monolithic look)
(T) = Tiled

2. *Top profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. *Top cap configuration:*
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)

4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)
5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)

5. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. *Electrical infeed post:*
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*
B = Black steel reveal or Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 117. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3

description	h	pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
*R3/R2 stacking post sleeve		adapter kit for stacking posts only	R3R2SLV	n/c



Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 438.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers
(fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. *Face type:*
(F) = Full height (monolithic look)
(T) = Tiled

2. *Top profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. *Top cap configuration:*
1 = Regular L or cap finish 2 adjacent sides (applicable for L, T or X posts only)
2 = Regular T or cap finish 1 side (applicable for T or X posts only)
3 = Regular X cap unfinished all 4 sides (applicable for X posts only)

4 = Cap finished 3 sides/high-low (applicable for L, T, X or straight posts)
5 = Cap finished 2 opposite sides/high-low (applicable for X or straight posts only)

5. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. *Electrical infeed post:*
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*
B = Black steel reveal or Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 117. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).



Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3 135°

Reff Profiles

description	h	pattern no.	Reg. post list (A/B/C profile)
 135° Tiled Post	34"	R3135V34T () () () () () ()	\$507.
	42"	R3135V42T () () () () () ()	634.
	49"	R3135V49T () () () () () ()	642.
	64"	R3135V64T () () () () () ()	786.
	79"	R3135V79T () () () () () ()	927.
 135° Mono Post	34"	R3135V34F () () () () () ()	507.
	42"	R3135V42F () () () () () ()	634.
	49"	R3135V49F () () () () () ()	642.
	64"	R3135V64F () () () () () ()	786.
	79"	R3135V79F () () () () () ()	927.

Order Code

Example:	R3135V34T
R3	Reff Generation 3
135V	135° post
34	Height
T	Tiled
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 438.

Specification Information

To order please specify pattern number including:

1. Top cap profile
2. Top cap configuration
3. If L post, cover configuration
1 = one piece
4. Base height option
5. Base infeed knock-out (optional)
6. Tile divider option/finish, if face type T
7. Finish, face covers
(*fabric, V1, V2, V3 or painted to match laminate*)
8. Top cap finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
9. Base finish

1. Face type:

(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)
3. Top cap configuration:
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)

4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)

5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)

5. Base height:

4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3 120°

description	h	pattern number	Re. post list (A/B/C profile)
120° Post	34"	R3120Y34 () () ()	\$353.
	42"	R3120Y42 () () ()	371.
	49"	R3120Y49 () () ()	383.
	64"	R3120Y64 () () ()	420.
	79"	R3120Y79 () () ()	459.

Order Code

Example: R3120Y34	
R3	Reff Generation 3
120V	120° post
34	Height
T	Tiled
(A)	Top profile
(4)	Base height
V316	Top cap finish, Maple
111	Base finish, Jet black

Specification Information

To order please specify pattern number including:

1. Top cap profile
2. Base height option
3. Top cap finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5excluding silver
4. Base finish

1. Top profile:


- A = Flat
- B = Square
- C = Bullnose
- E = Extruded Aluminum
(Add \$25 list for this option)


2. Base height:

- 4 = 4" base height
- 6 = 6" base height (add \$47 list for this option)


Specify AA for anodized aluminum look or painted option from page 5excluding silver.

Panel trims and post covers for all applications

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim with hookstrip	–	34"		R2ES34(A/B/C/E)(4/6)(E/N)	\$207.	\$125.
	–	42"		R2ES42(A/B/C/E)(4/6)(E/N)	231.	146.
	–	49"		R2ES49(A/B/C/E)(4/6)(E/N)	256.	167.
	–	64"		R2ES64(A/B/C/E)(4/6)(E/N)	272.	188.
	–	79"		R2ES79(A/B/C/E)(4/6)(E/N)	333.	213.

End trim for Hi-Lo condition with hookstrip. Must order top trim below	34"	42"		R2HL3442ES(A/B/C/E)	108.	110.
	34"	49"		R2HL3449ES(A/B/C/E)	151.	112.
	34"	64"		R2HL3464ES(A/B/C/E)	193.	115.
	34"	79"		R2HL3479ES(A/B/C/E)	207.	127.
	42"	49"		R2HL4249ES(A/B/C/E)	108.	110.
	42"	64"		R2HL4264ES(A/B/C/E)	261.	112.
	42"	79"		R2HL4279ES(A/B/C/E)	299.	127.
	49"	64"		R2HL4964ES(A/B/C/E)	151.	115.
	49"	79"		R2HL4979ES(A/B/C/E)	193.	127.
	64"	79"		R2HL6479ES(A/B/C/E)	151.	112.

Application: for height changes that DO NOT involve a post

Top trim for Hi-Lo conditions (Notched one side)	–		18"	RSNTT18(A/B/C/E)	77.	21.
	–	–	20"	RSNTT20(A/B/C/E)	77.	23.
	–	–	24"	RSNTT24(A/B/C/E)	85.	26.
	–	–	30"	RSNTT30(A/B/C/E)	95.	31.
	–	–	33"	RSNTT33(A/B/C/E) (66" wide panels one only)	99.	41.
	–	–	36"	RSNTT36(A/B/C/E)	106.	41.
	–	–	42"	RSNTT42(A/B/C/E)	120.	42.
	–	–	48"	RSNTT48(A/B/C/E)	130.	59.

Order Code	Specification Information
Example: R2ES34A6N	
R2 Reff Generation 2	
ES End trim	
34 34" high	
A Flat profile	
6 6" base height	
N Non electrical base	
V311 Beech	
111 Jet Black (base finish)	

To order please specify pattern number including:

End trim:

- Trim profile
A = flat
B = square
C = bullnose
E = extruded aluminum
- Base height option
4 = 4"
6 = 6"
- Base type
E = electrical entry
N = standard base
- Finish, end trim
If profile A, B or C specify V1, V2, V3 or painted to match laminate
If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver
- Finish, end trim base
painted or plated finish

Applicable finishes are listed on page 5 and 6.

Post cover trim:

- Specify full or tiled face type
F = full (monolithic)
T = tiled
- Finish, post cover
fabric, V1, V2, V3 or painted to match laminate
- If tiled cover set, specify reveal finish
B = black reveal
or select P1, P2, P3 painted finish from pg. 5

Select paint or plated finish from page 5.

Add \$24 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.

Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.

Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.

Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.

*Notched transaction top must be ordered through Custom Product.

E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

Panel trims and post covers for all applications

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim Hi-Lo with hookstrip* for transaction top (1 1/4" shorter than above trim)	42"	49"		R2HL4249ETS(A/B/C/E)	\$108.	\$110.
	42"	64"		R2HL4264ETS(A/B/C/E)	261.	112.
	42"	79"		R2HL4279ETS(A/B/C/E)	299.	127.







Post cover trim for tiled and monolithic posts Hi-Lo applications	34"	42"		R2HL3442(F)CS ()	31.	
	34"	49"		R2HL3449(F)CS ()	45.	
	34"	64"		R2HL3464(F/T)CS ()()	89.	
	34"	79"		R2HL3479(F/T)CS ()()	132.	
	42"	49"		R2HL4249(F)CS ()	31.	
	42"	64"		R2HL4264(F/T)CS ()()	74.	
	42"	79"		R2HL4279(F/T)CS ()()	120.	
	49"	64"		R2HL4964(F)CS ()	45.	
	49"	79"		R2HL4979(F/T)CS ()()	89.	
	64"	79"		R2HL6479(F)CS ()	45.	



Application: for height changes involving a post

Order Code	Specification Information
Example: R2ES34A6N	To order please specify pattern number including:
R2 Ref Generation 2	End trim:
ES End trim	1. Trim profile
34 34" high	A = flat
A Flat profile	B = square
6 6" base height	C = bullnose
N Non electrical base	E = extruded aluminum
V311 Beech	2. Base height option
111 Jet Black (base finish)	4 = 4"
	6 = 6"
	3. Base type
	E = electrical entry
	N = standard base
	4. Finish, end trim
	If profile A, B or C specify V1, V2, V3 or painted to match laminate
	If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver
	5. Finish, end trim base
	painted or plated finish
	Applicable finishes are listed on page 5 and 6.
	Post cover trim:
	1. Specify full or tiled face type
	F = full (monolithic)
	T = tiled
	2. Finish, post cover fabric, V1, V2, V3 or painted to match laminate
	3. If tiled cover set, specify reveal finish
	B = black reveal
	or select P1, P2, P3 painted finish from pg. 5
	Select paint or plated finish from page 5.
	Add \$24 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.
	Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.
	Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.
	Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.
	*Notched transaction top must be ordered through Custom Product.
	E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

description	type	h	pattern no.	list price
 Ceiling entry L-post.		42"	R2L42C(F/T)(F/T)-(4/6)	\$227.
		49"	R2L49C(F/T)(F/T)-(4/6)	243.
		64"	R2L64C(F/T)(F/T)-(4/6)	258.
		79"	R2L79C(F/T)(F/T)-(4/6)	306.
<i>Cable not included</i>				
 Ceiling entry T-post.		42"	R2T42C(F/T)-(4/6)	201.
		49"	R2T49C(F/T)-(4/6)	227.
		64"	R2T64C(F/T)-(4/6)	243.
		79"	R2T79C(F/T)-(4/6)	283.
<i>Cable not included</i>				
 Ceiling entry X-post.		42"	R2X42C	185.
		49"	R2X49C	201.
		64"	R2X64C	227.
		79"	R2X79C	269.
<i>Cable not included</i>				
 Ceiling entry straight line post.		42"	R2S42C(F/T)(F/T)-(4/6)	227.
		49"	R2S49C(F/T)(F/T)-(4/6)	243.
		64"	R2S64C(F/T)(F/T)-(4/6)	258.
		79"	R2S79C(F/T)(F/T)-(4/6)	306.
<i>Cable not included</i>				

Order Code	
Example: R2L42CTT4	
R2	Reff Generation 2
L	L-post
42	42" high
C	Ceiling power entry
T	Tiled style face
T	Tiled style face
4	Base height
W230	Fabric selection
111	Jet Black (base finish)

Applicable finishes are listed on page 5 and 6.

Specification Information
<i>To order please specify pattern number including:</i>
1. Post face option
2. Base height option
3. Finish type, where applicable
4. Finish, where applicable
5. Base finish
6. Canopy finish (ceiling entry pole only)
<i>1. Face type:</i>
F = Full height
T = Tiled
<i>2. Base height:</i>
4 = 4" base height
6 = 6" base height
<i>3. Finish type:</i>
F = Fabric
L = Laminate
1 = V1
2 = V2
3 = V3

Application Notes
Data cable application requires the post and the pole only.
*Must order post, pole and cable for electrical application.
The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
6"H base raceway option increase entire post height by 2 3/4". (Please add \$47 list per post for this option). Price does not apply to X-post.
The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).
Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.
Hi-lo ceiling post covers must be ordered in hi-lo applications from 114.

description	type	h	pattern no.	list price
Ceiling entry pole. Includes junction box and ceiling grommet		41"	RCP41-(F/L/1/2/3)*	\$454.
		56"	RCP56-(F/L/1/2/3)*	471.
		71"	RCP71-(F/L/1/2/3)*	529.
		78"	RCP78-(F/L/1/2/3)*	546.



Cable not included

Power infeeds	Ceiling power cable infeed. Eight-wire	RR3-EPVR	265.
	Ceiling power cable infeed. Ten-wire	RR3-TPVR	321.



One size fits all post sizes (13' of cable)
For use with Ceiling entry Pole and Pole combinations

Order Code	Specification Information	Application Notes
Example: R2L42CTT4	<i>To order please specify pattern number including:</i>	Data cable application requires the post and the pole only.
R2 Reff Generation 2	1. Post face option	*Must order post, pole and cable for electrical application.
L L-post	2. Base height option	
42 42" high	3. Finish type, where applicable	The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
C Ceiling power entry	4. Finish, where applicable	To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
T Tiled style face	5. Base finish	
T Tiled style face	6. Canopy finish (ceiling entry pole only)	6"H base raceway option increase entire post height by 2 3/4". (Please add \$47 list per post for this option). Price does not apply to X-post.
4 Base height	1. <i>Face type:</i>	
W230 Fabric selection	F = Full height	
111 Jet Black (base finish)	T = Tiled	
	2. <i>Base height:</i>	
	4 = 4" base height	
	6 = 6" base height	
	3. <i>Finish type:</i>	
	F = Fabric	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	

The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).

Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.



Hi-lo ceiling post covers must be ordered in hi-lo applications from 114.

Applicable finishes are listed on page 5 and 6.

Ceiling cable entry post covers

Alignment kits and wall starters

Reff Profiles


description	panel h	post h	w	h	pattern no.	list price
Ceiling entry post cover for Hi-Lo for monolithic or tiled applications 	34"	42"			RPHL3442(F/T)	\$31.
	34"	49"			RPHL3449(F/T)	45.
	34"	64"			RPHL3464(F/T)	89.
	34"	79"			RPHL3479(F/T)	132.
	42"	49"			RPHL4249(F/T)	61.
	42"	64"			RPHL4264(F/T)	85.
	42"	79"			RPHL4279(F/T)	93.
	49"	64"			RPHL4964(F/T)	85.
	49"	79"			RPHL4979(F/T)	93.
	64"	79"			RPHL6479(F/T)	67.
Ceiling entry post cover for Hi-Lo for stackable applications 	42"	49"			RPHL4249S	31.
	42"	64"			RPHL4264S	74.
	42"	79"			RPHL4279S	120.
	49"	64"			RPHL4964S	45.
	49"	79"			RPHL4979S	89.
	64"	79"			RPHL6479S	45.
Wall starter			7/8"	8"	R2SWS0008 () () ()	43.
			7/8"	15"	R2SWS0015 () () ()	57.
			7/8"	34"	R2SWS0034 () () ()	112.
			7/8"	42"	R2SWS0042 () () ()	137.
			7/8"	49"	R2SWS0049 () () ()	160.
			7/8"	64"	R2SWS0064 () () ()	210.
		7/8"	79"	R2SWS0079 () () ()	259.	

*Wall starters come with extended top trim from adjoining panel.

Order Code	Specification Information	Application Notes
Example: RPHL4249T R Reff P Power post HL Hi lo cover 42 42" low panel 49 49" high panel T Tiled face type	<p><i>To order please specify pattern number including:</i></p> <p>Ceiling entry post cover:</p> <ol style="list-style-type: none"> Face type Select finish fabric, laminate or veneer <p><i>1. Face type options:</i> F = Full T = Tiled</p> <p>Wall starter:</p> <ol style="list-style-type: none"> Pattern number including height Adjoining panel width Adjoining panel top trim profile (A, B, C or E) Base height (4=4" or 6=6") Top trim finish <p>Applicable finishes are listed on page 5 and 6.</p>	<p>These cover trims are for ceiling entry posts only.</p> <p>Wall starter is designed to attach panel run to interior walls and is available as a modular unit. Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.</p> <p>Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.</p> <p>Wall starters come with extended top trim from adjoining panel.</p> <p>Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.</p> <p>RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.</p> <p>RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.</p> <p>R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.</p>

Ceiling cable entry post covers

Alignment kits and wall starters

description	panel h	post h	w	h	pattern no.	list price
					RSPABTD	\$7.
					R3SPABTD	7.
					RSPABPP	7.
					RSPABPW	7.
					RSPABPT	7.
					RSPABPD	7.
					RSPABTW	7.
					RSPABWD	7.
					R3SPABPT	7.
					R3SPABTT	7.
					R3SPABTW	7.
					RSPABTT	7.
				RSPABWW	7.	

Suffix: BPT = for stacking module to panel, BTD = stacking module to door, BTT = stacking module to stacking module, BTW = stacking window to stacking module, BPD = panel to door, BPP = panel to panel

Order Code	Specification Information	Application Notes
Example: RPHL4249T	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
R Reff	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
P Power post	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
HL Hi lo cover	2. Select finish fabric, laminate or veneer	
42 42" low panel	<i>1. Face type options:</i>	
49 49" high panel	F = Full	
T Tiled face type	T = Tiled	
	Wall starter:	
	1. Pattern number including height	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	2. Adjoining panel width	Wall starters come with extended top trim from adjoining panel.
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 5 and 6.	

description	depth	w	h	pattern no.	list price	polycarbonate	clear glass	architectural
Rolling door		36"	64"	RRDPPL(L/R)6436()		\$2,765.	\$2,863.	\$3,827.
		36"	79"	RRD3PPL(L/R)7936()()		3,015.	3,123.	4,216.
		42"	64"	RRDPPL(L/R)6442()		2,818.	2,915.	3,875.
		42"	79"	RRD3PPL(L/R)7942()()		3,061.	3,169.	4,262.
Floor to ceiling rolling door		36"	79"	RRD3FTCPPL(L/R)7936()		3,015.	3,123.	4,216.
		42"	79"	RRD3FTCPPL(L/R)7942()		3,061.	3,169.	4,262.
Partial width threshold (full width threshold)		3"	50"	RRDTH()		320.		
		3"	96"	RRDTH(L/R)()		411.		
*Panel door right	(30" opening)	1 1/2"	36"	79"	R2DRS7936()()		3,601.	
	(36" opening)	1 1/2"	42"	79"	R2DRS7942()()		4,185.	
*Panel door left	(30" opening)	1 1/2"	36"	79"	R2DLS7936()()		3,601.	
	(36" opening)	1 1/2"	42"	79"	R2DLS7942()()		4,185.	



Woodgrain Laminate not available on Panel Door

Order Code

Example:	RRDPPL(L)6436(A)(4)
RRD	Reff rolling door
PPL	Monolithic frame
L	Left hand
64	64" high
36	36" wide
A	Flat style top trim
4"	4" base height

Specification Information

Hinged Door

To order hinged doors please specify:

1. Top trim profile
2. Base height
3. Lock option
4. Door finish
5. Top trim finish
6. Base finish

1. Top trim profile:

- A = Flat
- B = Square
- C = Bullnose

2. Base height:

- 4 = 4" base
- 6 = 6" base (add \$47 for this option)

3. Lock option:

- N = Not drilled
- D = Drilled *
- L = Drilled lock set included
- D = *Customer supplies own handle.

Reff doors are 1 1/2" thick, which must be considered when custom handle and lock sets are used.

Rolling Door

To order please specify the pattern number including:

1. Door hand left or right
2. Top trim profile
3. Base height
4. Trim finish
5. Base finish
6. Handle finish
7. Frame/Capture finish
8. Insert finish
9. Threshold (optional) and finish

Frame Insert Finish

Temp = Cleared tempered glass

Architectural options:

- GL13 = Powdered glass
- GL6 = Block matrix
- GL8 = Wafer glass
- P5 = Polycarbonate

Application Notes

Applicable finishes are listed on page 5 and 6.

Hinged Door

- Hinged door frame matches door finish.
- Panel alignment kits required for door applications (see page 114).
- 6" base increases door height 2 3/4".
- Hinged door lock set is an ADA lever style handle in polished chrome.

Rolling Door

To meet ADA pull rating of 5 lbs., a partial or full width threshold must be specified.

The 42" wide door meets ADA width requirements. This door can be installed on all Reff Generation 2 panels. Rolling door base is not available in plated finishes. The frame, door handle, threshold, and base are all the same finish.

When specifying 79" h rolling doors, must specify panel top trim profiles A, B or C. Do not use with applications with panel top trim profile E, extruded aluminum.

For 64" h rolling door, one of the following support conditions must be existent:

1. Full height cabinet attached to the supporting post and panel
2. Worksurface and end panel OR worksurface and pedestal attached to the supporting post and panel

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

No lock, no plated finishes available. Doors are handed. All attachment hardware comes shipped with the door including the capture and the stabilizer.

Threshold optional. Order separately. Threshold is available partial and full length. 29" opening on 36" wide door. 36" opening on 42" wide door.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post. Refer to Planning Guide for details.

Master key requests must be processed as a special request through Custom Product Development.

description	w	h	pattern no.	list price	
34"H panels to Generation 2 Beltway posts			R234PKIT	\$104.	
Generation 1 34"H panels to Generation 3 Beltway posts			R334PKIT	104.	
Generation 1 panel 42", 49", 64", 79" high to Generation 2 panels			R2AK	n/c	
Generation 1 panels to Generation 3 posts			R3AK	n/c	
R3/R2 stacking post sleeve			R3R2SLV	n/c	
Hookstrip cover reveal strip. (order separately for all panels)	Carpet gripper(Pack of 10)		R2CG	18.	
	(Qty of 250)	3/8"	79"	RHSCN250	n/c
	(Qty of 15)	3/8"	79"	RHSCN15	n/c
	(Qty of 70)	3/8"	79"	RHSCN70	n/c

Order Code

Example:	R234PKIT
R2	Reff, generation 2
34	34" h panel to
P	Beltway post
KIT	Attachment kit

Application Notes




When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post.

Refer to Planning Guide for details.

Floor to ceiling modules

*21" high, for 104" ceiling height and 79" high panels
fabric and glass*

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	21"	R3FTCFF2118			\$330.	\$334.	\$348.	\$408.	\$428.	\$488.	\$548.
	20"	21"	R3FTCFF2120			330.	334.	348.	408.	428.	488.	548.
	24"	21"	R3FTCFF2124			347.	351.	365.	425.	445.	505.	565.
	30"	21"	R3FTCFF2130			384.	388.	402.	462.	482.	542.	602.
	36"	21"	R3FTCFF2136			412.	416.	430.	490.	510.	570.	630.
	42"	21"	R3FTCFF2142			449.	453.	467.	527.	547.	607.	667.
	48"	21"	R3FTCFF2148			482.	486.	500.	560.	580.	640.	700.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	21"	RFTCWA2118	462.	544.							
	20"	21"	RFTCWA2120	462.	544.							
	24"	21"	RFTCWA2124	485.	586.							
	30"	21"	RFTCWA2130	564.	687.							
	36"	21"	RFTCWA2136	590.	733.							
	42"	21"	RFTCWA2142	621.	794.							
	48"	21"	RFTCWA2148	651.	842.							
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	21"	RFTCWB2130	658.	779.							
	36"	21"	RFTCWB2136	714.	859.							
	42"	21"	RFTCWB2142	754.	921.							
	48"	21"	RFTCWB2148	789.	985.							

Order Code

Example:	R3FTCFF2118
R3	Reff Generation 3
FTC	Floor to ceiling
FF	Fabric/fabric
21	21" high
18	18" wide
W281	Fabric selection - side 1
W281	Fabric selection - side 2
111	Jet Black soffit

Specification Information

To order please specify pattern number including:

1. Pattern number
2. Panel side 1 finish
3. Panel side 2 finish
4. Soffit finish (paint)

For window panel:

1. Pattern number
2. Frame finish
3. Glass type

Application Notes

Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).

Specify the finish for frames from paint selection on page 5.

Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$62 per module per P3 paint class options.

Provide elevation drawing for mixed fabrics or veneers.

Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.




Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

No additional acoustic rating occurs on FTC installations.

Floor to ceiling modules


25" high, for 108" ceiling height and 79" high panels
fabric and glass


description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	25"	R3FTCFF2518			\$367.	\$373.	\$383.	\$463.	\$481.	\$559.	\$627.
	20"	25"	R3FTCFF2520			367.	373.	383.	463.	481.	559.	627.
	24"	25"	R3FTCFF2524			388.	394.	404.	484.	502.	580.	648.
	30"	25"	R3FTCFF2530			422.	428.	438.	518.	536.	614.	682.
	36"	25"	R3FTCFF2536			461.	467.	477.	557.	575.	653.	721.
	42"	25"	R3FTCFF2542			498.	504.	514.	594.	612.	690.	758.
	48"	25"	R3FTCFF2548			534.	540.	550.	630.	648.	726.	794.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	25"	RFTCWA2518	482.	565.							
	20"	25"	RFTCWA2520	482.	565.							
	24"	25"	RFTCWA2524	515.	613.							
	30"	25"	RFTCWA2530	595.	718.							
	36"	25"	RFTCWA2536	624.	768.							
	42"	25"	RFTCWA2542	664.	831.							
	48"	25"	RFTCWA2548	692.	884.							
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	25"	RFTCWB2530	684.	803.							
	36"	25"	RFTCWB2536	757.	903.							
	42"	25"	RFTCWB2542	804.	973.							
	48"	25"	RFTCWB2548	849.	1,043.							


Order Code	Specification Information	Application Notes
Example: R3FTCFF2518	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered clear glass (4mm thick). Specify the finish for frames from paint selection on page 5. Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$62 per module per P3 paint class options. Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development. Ceiling height includes 4" allowance for trim.
R3 Reff Generation 3	1. Pattern number	
FTC Floor to ceiling	2. Panel side 1 finish	
FF Fabric/fabric	3. Panel side 2 finish	
25 25" high	4. Soffit finish (paint)	Metal top side plates allow for 2" adjustment downwards to allow for uneven floors. Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components. Use of Reff FTC modules must be approved by local building authorities. Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying. No additional acoustic rating occurs on FTC installations.
18 18" wide	<i>For window panel:</i>	
W281 Fabric selection - side 1	1. Pattern number	
W281 Fabric selection - side 2	2. Frame finish	
111 Jet Black soffit	3. Glass type	

Floor to ceiling modules

37" high, for 120" ceiling height and 79" high panels
fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	37"	R3FTCFF3718			\$481.	\$485.	\$495.	\$615.	\$635.	\$753.	\$861.
	20"	37"	R3FTCFF3720			481.	485.	495.	615.	635.	753.	861.
	24"	37"	R3FTCFF3724			509.	513.	523.	643.	663.	781.	889.
	30"	37"	R3FTCFF3730			552.	556.	566.	686.	706.	824.	932.
	36"	37"	R3FTCFF3736			600.	604.	614.	734.	754.	872.	980.
	42"	37"	R3FTCFF3742			646.	650.	660.	780.	800.	918.	1,026.
	48"	37"	R3FTCFF3748			689.	693.	703.	823.	843.	961.	1,069.

Stack-on floor to ceiling window module. Single glass type "A" 	18"	37"	RFTCWA3718	552.	633.
	20"	37"	RFTCWA3720	552.	633.
	24"	37"	RFTCWA3724	594.	691.
	30"	37"	RFTCWA3730	701.	808.
	36"	37"	RFTCWA3736	729.	872.
	42"	37"	RFTCWA3742	777.	944.
	48"	37"	RFTCWA3748	818.	1,015.

Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	37"	RFTCWB3730	755.	878.
	36"	37"	RFTCWB3736	891.	1,035.
	42"	37"	RFTCWB3742	960.	1,128.
	48"	37"	RFTCWB3748	1,021.	1,217.

Order Code	Specification Information	Application Notes
Example: R3FTCFF3718	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).
R3 Reff Generation 3	1. Pattern number	Specify the finish for frames from paint selection on page 5.
FTC Floor to ceiling	2. Panel side 1 finish	Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$62 per module per P3 paint class options.
FF Fabric/fabric	3. Panel side 2 finish	Provide elevation drawing for mixed fabrics or veneers.
37 37" high	4. Soffit finish (paint)	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
18 18" wide		Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1	<i>For window panel:</i>	
W281 Fabric selection - side 2	1. Pattern number	
111 Jet Black soffit	2. Frame finish	
	3. Glass type	

Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.


Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.


Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules

21" and 25" high modules, fabric one side,
laminated, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 21" 	18"	21"	R3FTCFL2118	\$375.	\$377.	\$382.	\$415.	\$425.	\$456.	\$489.
	20"	21"	R3FTCFL2120	375.	377.	382.	415.	425.	456.	489.
	24"	21"	R3FTCFL2124	388.	390.	395.	428.	438.	469.	502.
	30"	21"	R3FTCFL2130	436.	438.	443.	476.	486.	517.	550.
	36"	21"	R3FTCFL2136	473.	475.	480.	513.	523.	554.	587.
	42"	21"	R3FTCFL2142	515.	517.	522.	555.	565.	596.	629.
	48"	21"	R3FTCFL2148	554.	556.	561.	594.	604.	635.	668.

Stack-on floor to ceiling module Fabric one side, techwood other side, 21" 	18"	21"	R3FTCF12118	382.	384.	389.	422.	432.	463.	496.
	20"	21"	R3FTCF12120	382.	384.	389.	422.	432.	463.	496.
	24"	21"	R3FTCF12124	397.	399.	404.	437.	447.	478.	511.
	30"	21"	R3FTCF12130	442.	444.	449.	482.	492.	523.	556.
	36"	21"	R3FTCF12136	480.	482.	487.	520.	530.	561.	594.
	42"	21"	R3FTCF12142	520.	522.	527.	560.	570.	601.	634.
	48"	21"	R3FTCF12148	566.	568.	573.	606.	616.	647.	680.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 21" 	18"	21"	R3FTCF22118	389.	391.	396.	429.	439.	470.	503.
	20"	21"	R3FTCF22120	389.	391.	396.	429.	439.	470.	503.
	24"	21"	R3FTCF22124	402.	404.	409.	442.	452.	483.	516.
	30"	21"	R3FTCF22130	452.	454.	459.	492.	502.	533.	566.
	36"	21"	R3FTCF22136	488.	490.	495.	528.	538.	569.	602.
	42"	21"	R3FTCF22142	531.	533.	538.	571.	581.	612.	645.
	48"	21"	R3FTCF22148	573.	575.	580.	613.	623.	654.	687.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 21" 	18"	21"	R3FTCF321 18	513.	515.	520.	553.	563.	594.	627.
	20"	21"	R3FTCF321 20	513.	515.	520.	553.	563.	594.	627.
	24"	21"	R3FTCF321 24	530.	532.	537.	570.	580.	611.	644.
	30"	21"	R3FTCF321 30	597.	599.	604.	637.	647.	678.	711.
	36"	21"	R3FTCF321 36	646.	648.	653.	686.	696.	727.	760.
	42"	21"	R3FTCF321 42	704.	706.	711.	744.	754.	785.	818.
	48"	21"	R3FTCF321 48	760.	762.	767.	800.	810.	841.	874.

Order Code	Specification Information	Application Notes
Example: R3FTCFL2118 R3 Reff Generation 3 FTC Floor to ceiling FL Fabric/laminate 21 21" high 18 18" wide W281 Fabric selection - side 1 114 Folkstone grey - side 2 111 Jet Black soffit	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint) Applicable finishes are listed on page 5 and 6.	Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development. Ceiling height includes 4" allowance for trim. Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors. Modules on this page will not support the hanging of panel mount product.


Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.


Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules

*21" and 25" high modules, fabric one side,
laminate, techwood, conventional or exotic veneer other side*

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 25" 	18"	25"	R3FTCFL2518	\$403.	\$406.	\$413.	\$455.	\$464.	\$504.	\$540.
	20"	25"	R3FTCFL2520	403.	406.	413.	455.	464.	504.	540.
	24"	25"	R3FTCFL2524	417.	420.	427.	469.	478.	518.	554.
	30"	25"	R3FTCFL2530	474.	477.	484.	526.	535.	575.	611.
	36"	25"	R3FTCFL2536	514.	517.	524.	566.	575.	615.	651.
	42"	25"	R3FTCFL2542	564.	567.	574.	616.	625.	665.	701.
	48"	25"	R3FTCFL2548	609.	612.	619.	661.	670.	710.	746.

Stack-on floor to ceiling module Fabric one side, techwood other side, 25" 	18"	25"	R3FTCF12518	409.	412.	419.	461.	470.	510.	546.
	20"	25"	R3FTCF12520	409.	412.	419.	461.	470.	510.	546.
	24"	25"	R3FTCF12524	422.	425.	432.	474.	483.	523.	559.
	30"	25"	R3FTCF12530	483.	486.	493.	535.	544.	584.	620.
	36"	25"	R3FTCF12536	521.	524.	531.	573.	582.	622.	658.
	42"	25"	R3FTCF12542	574.	577.	584.	626.	635.	675.	711.
	48"	25"	R3FTCF12548	619.	622.	629.	671.	680.	720.	756.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 25" 	18"	25"	R3FTCF22518	417.	420.	427.	469.	478.	518.	554.
	20"	25"	R3FTCF22520	417.	420.	427.	469.	478.	518.	554.
	24"	25"	R3FTCF22524	430.	433.	440.	482.	491.	531.	567.
	30"	25"	R3FTCF22530	491.	494.	501.	543.	552.	592.	628.
	36"	25"	R3FTCF22536	532.	535.	542.	584.	593.	633.	669.
	42"	25"	R3FTCF22542	583.	586.	593.	635.	644.	684.	720.
	48"	25"	R3FTCF22548	630.	633.	640.	682.	691.	731.	767.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 25" 	18"	25"	R3FTCF325 18	546.	549.	556.	598.	607.	647.	683.
	20"	25"	R3FTCF325 20	546.	549.	556.	598.	607.	647.	683.
	24"	25"	R3FTCF325 24	567.	570.	577.	619.	628.	668.	704.
	30"	25"	R3FTCF325 30	647.	650.	657.	699.	708.	748.	784.
	36"	25"	R3FTCF325 36	704.	707.	714.	756.	765.	805.	841.
	42"	25"	R3FTCF325 42	772.	775.	782.	824.	833.	873.	909.
	48"	25"	R3FTCF325 48	836.	839.	846.	888.	897.	937.	973.

Order Code	Specification Information	Application Notes
Example: R3FTCFL2118 R3 Reff Generation 3 FTC Floor to ceiling FL Fabric/laminate 21 21" high 18 18" wide W281 Fabric selection - side 1 114 Folkstone grey - side 2 111 Jet Black soffit	To order please specify pattern number including: 1. Pattern number 2. Panel side 1 finish 3. Panel side 2 finish 4. Soffit finish (paint) Applicable finishes are listed on page 5 and 6.	Provide elevation drawing for mixed fabrics or veneers. Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development. Ceiling height includes 4" allowance for trim. Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors. Modules on this page will not support the hanging of panel mount product.


Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.


Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules

37" high modules, fabric one side,
laminate, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side 	18"	37"	R3FTCFL3718	\$491.	\$493.	\$499.	\$560.	\$571.	\$632.	\$689.
	20"	37"	R3FTCFL3720	491.	493.	499.	560.	571.	632.	689.
	24"	37"	R3FTCFL3724	500.	502.	508.	569.	580.	641.	698.
	30"	37"	R3FTCFL3730	594.	596.	602.	663.	674.	735.	792.
	36"	37"	R3FTCFL3736	643.	645.	651.	712.	722.	784.	841.
	42"	37"	R3FTCFL3742	717.	719.	725.	786.	797.	858.	915.
	48"	37"	R3FTCFL3748	782.	784.	790.	851.	862.	923.	980.

Stack-on floor to ceiling module Fabric one side, techwood other side 	18"	37"	R3FTCF13718	499.	501.	507.	568.	579.	640.	697.
	20"	37"	R3FTCF13720	499.	501.	507.	568.	579.	640.	697.
	24"	37"	R3FTCF13724	507.	509.	515.	576.	587.	648.	705.
	30"	37"	R3FTCF13730	603.	605.	611.	672.	683.	744.	801.
	36"	37"	R3FTCF13736	655.	657.	663.	724.	735.	796.	853.
	42"	37"	R3FTCF13742	733.	735.	741.	802.	813.	874.	931.
	48"	37"	R3FTCF13748	797.	799.	805.	866.	877.	938.	995.

Stack-on floor to ceiling module Fabric one side, conventional veneer other side 	18"	37"	R3FTCF23718	506.	508.	514.	575.	586.	647.	704.
	20"	37"	R3FTCF23720	506.	508.	514.	575.	586.	647.	704.
	24"	37"	R3FTCF23724	518.	520.	526.	587.	598.	659.	716.
	30"	37"	R3FTCF23730	613.	615.	621.	682.	693.	754.	811.
	36"	37"	R3FTCF23736	664.	666.	672.	733.	744.	805.	862.
	42"	37"	R3FTCF23742	743.	745.	751.	812.	823.	884.	941.
	48"	37"	R3FTCF23748	812.	814.	820.	881.	892.	953.	1,010.

Stack-on floor to ceiling module Fabric one side, exotic veneer other side 37" 	18"	37"	R3FTCF337 18	661.	663.	669.	730.	741.	802.	859.
	20"	37"	R3FTCF337 20	661.	663.	669.	730.	741.	802.	859.
	24"	37"	R3FTCF337 24	678.	680.	686.	747.	758.	819.	876.
	30"	37"	R3FTCF337 30	806.	808.	814.	875.	886.	947.	1,003.
	36"	37"	R3FTCF337 36	875.	877.	883.	944.	955.	1,016.	1,072.
	42"	37"	R3FTCF337 42	982.	984.	990.	1,051.	1,062.	1,123.	1,179.
	48"	37"	R3FTCF337 48	1,074.	1,076.	1,082.	1,143.	1,154.	1,215.	1,271.

Order Code	Specification Information	Application Notes
Example: R3FTCFL3718	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
R3 Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
FTC Floor to ceiling	2. Panel side 1 finish	
FL Fabric/laminate	3. Panel side 2 finish	
37 37" high	4. Soffit finish (paint)	
18 18" wide	Applicable finishes are listed on page 5 and 6.	Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1		Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
114 Folkstone grey - side 2		Modules on this page will not support the hanging of panel mount product.
111 Jet Black soffit		

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.






Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules

Panel connection posts

for floor to ceiling applications

description		h	pattern no.	list price
 L-Post	add on	21"	R3FTCL21	\$173.
	add on	25"	R3FTCL25	192.
	add on	37"	R3FTCL37	248.
	full height	104"	R3FTCL104(F/T)(F/T)-() ()	392.
	full height	108"	R3FTCL108(F/T)(F/T)-() ()	392.
	full height	120"	R3FTCL120(F/T)(F/T)-() ()	392.
 T-Post	add on	21"	R3FTCT21	204.
	add on	25"	R3FTCT25	204.
	add on	37"	R3FTCT37	262.
	full height	104"	R3FTCT104(F/T)-() ()	352.
	full height	108"	R3FTCT108(F/T)-() ()	352.
	full height	120"	R3FTCT120(F/T)-() ()	352.
 X-Post	add on	21"	R3FTCX21	171.
	add on	25"	R3FTCX25	189.
	add on	37"	R3FTCX37	247.
	full height	104"	R3FTCX104	323.
	full height	108"	R3FTCX108	323.
	full height	120"	R3FTCX120	323.
 Straight post	add on	21"	R3FTCS21	173.
	add on	25"	R3FTCS25	192.
	add on	37"	R3FTCS37	248.
	full height	104"	R3FTCS104(F/T)(F/T)-() ()	392.
	full height	108"	R3FTCS108(F/T)(F/T)-() ()	392.
	full height	120"	R3FTCS120(F/T)(F/T)-() ()	392.
 End post	add on	21"	R3FTCE21	187.
	add on	25"	R3FTCE25	187.
	add on	37"	R3FTCE37	262.
	full height	104"	R3FTCE104(F/T)(F/T)(F/T)-() ()	352.
	full height	108"	R3FTCE108(F/T)(F/T)(F/T)-() ()	352.
	full height	120"	R3FTCE120(F/T)(F/T)(F/T)-() ()	352.

Order Code	Specification Information	Application Notes
Example: R3FTCL104TT-6N R3FTC Reff Gen 3 Floor to ceiling L Corner post 104 104" high (one piece) TT Tiled appearance 6 6" base height N No base infeed raceway knock-out W808 Fabric selection 111 Jet Black (base finish)	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Post face option Base height option Base infeed raceway knock-out, (optional) Fabric selection Base color <p><i>1. Face type:</i> F = Full height (monolithic look) T = Tiled</p> <p><i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 list for this option)</p> <p><i>3. Electrical infeed post:</i> L = Base infeed left face M = Base infeed middle face R = Base infeed right face N = None</p>	<p>The posts on this page do not support the hanging of panel mount product above the 79"H panels.</p> <p>The posts on this page will not carry data or electrical cables from the ceiling. Contact custom product development for custom ceiling electrical requirements.</p> <p>If required, specify the mouse hole location (specification action 4) to create access for electrical infeeds.</p> <p>Left and Right hand locations are determined by facing the post in question from the outside of the station.</p> <p>Hookstrip cover reveal strips are no charge but must be ordered separately from page 117.</p> <p>Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.</p>

Required components for floor to ceiling applications

description	h	pattern no.	list price
FTC wall starter	21"	RFTCWS21S	\$56.
	25"	RFTCWS25S	71.
	37"	RFTCWS37S	85.
Ceiling channel 108* and stabilizer beam	108"	RFTCC108	204.
Caddy clips (box of 100)		RFTCCLIPS	296.
Caddy clip spacers (box of 100) (Required in addition to Caddy Clips, where ceiling tiles hang below T-Bar level.)		RFTCSPACE	93.
Floor to ceiling stabilizer bracket for A or C window only, G2 tiled or mono panels (B window requires two pairs)		RFTCWT (Pair)	7.
Floor to ceiling beam bracket for top of a stacking module		RFTCSM (Pair) for G2 only	7.
		R3FTCSM (Pair) for G3 only	7.
Floor to ceiling beam bracket for top of a G1 panel		RFTCG1 (Pair)	7.
Floor to ceiling beam bracket for top of a door panel		RFTCDR (Pair)	7.





Order Code	Specification Information	Application Notes
Example: RFTCWS21S	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> 1. Fabric/laminate/wood options 2. Paint option for metal soffit <p>All floor to ceiling posts mimic the panel system post application.</p>	<p>*Ceiling channel must be field cut to the panel run length, or joined if forming extended runs.</p> <p>Ceiling channel comes with panel stabilizer beam. Ceiling stabilizer beam must be attached to the top of the 79"H portion of your wall before the ceiling modules can be attached.</p> <p>Please see the Planning Guide (pages 51-55) for detailed instructions on specifying and installing FTC components.</p> <p>Use of Reff FTC components must be approved by local building authorities.</p> <p>Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.</p>
R Reff		
FTC Floor to ceiling		
WS Wall starter		
21 21" high		

Power distribution components

2+2 Base Raceway

four circuit, eight-wire raceway for panels

power rails and connector

description	type	w	d	h	pattern no.	list price	
	24" panel	6"	2"	2"	RR3-E24	\$132.	
	30" panel	12"	2"	2"	RR3-E30NS	146.	
	36" panel	18"	2"	2"	RR3-E36NS	160.	
	42" panel	24"	2"	2"	RR3-E42NS	167.	
	48" panel	30"	2"	2"	RR3-E48NS	175.	
	60" panel	42"	2"	2"	RR3-E60-4	265.	
	66" panel	48"	2"	2"	RR3-E66-4	279.	
72" panel	54"	2"	2"	RR3-E72-4	299.		
	Straight	16 1/2"	2"	2"	RR3-EPC24	77.	
		18 1/2"	2"	2"	RR3-EPCS	77.	
		20 1/4"	2"	2"	RR3-EPC	77.	
	Use RR3-EPC24 for straight 24" to 24" wide panel. Use RR3-EPCS for straight 24" to any other width panel and for 30" to 30" wide panels. Use RR3-EPC for all other straight power connection configurations.						
	Through post	19"	2"	2"	RR3-EPCP24	77.	
		21"	2"	2"	RR3-EPCPS	77.	
		22 3/4"	2"	2"	RR3-EPCP	77.	
	Use RR3-EPCP24 for through post 24" to 24" wide panels. Use RR3-EPCPS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-EPCP for all other through post power connection configurations.						
		Circuit A				RR3-DA	36.
		Circuit B				RR3-DB	36.
Circuit X					RR3-DX	36.	
Circuit Y					RR3-DY	36.	
	Circuit X				RR3-DXO	41.	
	Circuit Y				RR3-DYO	41.	
Data Shield	1 pair				RR3-DATSHD	25.	

Order Code	Specification Information	Application Notes
Example: RR3-E-24 RR3 Reff raceway E Eight wire 2+2 24 for 24" panel	Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting. Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.	Power rails are the primary power distribution component of the Reff 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway. Rail for 24" wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30" to 48" panels accept two outlets (or one outlet and one infeed) on each side. 60", 66" and 72"W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection.

Power connectors are enclosed in steel flexible conduit.

*Power connectors must be specified according to the panel widths in the specified orientation.




If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components

2+2 Base Raceway

four circuit, eight-wire raceway for panels

jumpers and infeed

description	type	w	d	h	pattern no.	list price
 Jumper	20" panel	40"	2"	2"	RR3-EJ20	\$96.
	18" panel	38"	2"	2"	RR3-EJ18	96.
	24" panel	44"	2"	2"	RR3-EJ24	104.
	30" panel	50"	2"	2"	RR3-EJ30	111.
	36" panel	56"	2"	2"	RR3-EJ36	120.
	42" panel	62"	2"	2"	RR3-EJ42	126.
	48" panel	68"	2"	2"	RR3-EJ48	132.
	54" panel run	76 1/2"	2"	2"	RR3-EJ54P	139.
	60" panel run	82 1/2"	2"	2"	RR3-EJ60P	146.
	66" panel run	88 1/2"	2"	2"	RR3-EJ66P	154.
	72" panel run	94 1/2"	2"	2"	RR3-EJ72P	160.
	78" panel run	100 1/2"	2"	2"	RR3-EJ78P	167.
	84" panel run	106 1/2"	2"	2"	RR3-EJ84P	175.
90" panel run	112 1/2"	2"	2"	RR3-EJ90P	182.	
96" panel run	118 1/2"	2"	2"	RR3-EJ96P	189.	
 Extended jumper (through one post)	20" + post	42 1/2"	2"	2"	RR3-EJ20P	96.
	18" + post	40 1/2"	2"	2"	RR3-EJ18P	96.
	24" + post	46 1/2"	2"	2"	RR3-EJ24P	104.
	30" + post	52 1/2"	2"	2"	RR3-EJ30P	111.
	36" + post	58 1/2"	2"	2"	RR3-EJ36P	120.
	42" + post	64 1/2"	2"	2"	RR3-EJ42P	126.
	48" + post	70 1/2"	2"	2"	RR3-EJ48P	132.
 Power infeeds	Surge suppressors				RR3-SP-(A,B,X,Y)	167.
	Hardwire infeed (NYC) one direction				RR3-EPNY1	194.
	Panel base side infeed				RR3-EPI	230.
	Panel base end feed				RR3-REPI	230.
	Ceiling power cable infeed. Eight-wire				RR3-EPVR	265.
	Hardwire infeed (NYC) two directions				RR3-EPNY2	291.

Order Code

Example:	RR3-EPVR
RR3	Reff raceway
E	Eight wire 2+2
P	power infeed
VR	for vertical raceway

Specification Information

Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two 20-amp circuits (X and Y) with separate neutral and ground.

For use in Canada, all circuits are CGA rated 15 amp capacity.

Note:

For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H.

Beltway panels can use jumpers at the panel base in a straight run or around a corner.

Application Notes

Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.

Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection

into panel base through power pole adjacent to panel with power rail. Power pole and post must be ordered separately.

Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. **RR3-EPNY2** includes two power connectors to power panels on both sides of infeed panel; **RR3-EPNY1** includes only one power connector.


Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.


Power distribution components

3+3 Base Raceway

six circuit, ten-wire raceway for panels

power rails and connectors

description	type	w	d	h	pattern no.	list price
	24" panel	6"	2"	2"	RR3-T24	\$154.
	30" panel	12"	2"	2"	RR3-T30NS	167.
	36" panel	18"	2"	2"	RR3-T36NS	182.
	42" panel	24"	2"	2"	RR3-T42NS	194.
	48" panel	30"	2"	2"	RR3-T48NS	202.
	60" panel	42"	2"	2"	RR3-T60-4	314.
	66" panel	48"	2"	2"	RR3-T66-4	327.
	72" panel	54"	2"	2"	RR3-T72-4	349.


	Straight	16 1/2"	2"	2"	RR3-TPC24	96.
		18 1/2"	2"	2"	RR3-TPCS	96.
		20 1/4"	2"	2"	RR3-TPC	96.

Use **RR3-TPC24** for through post 24" to 24" wide panels.
 Use **RR3-TPCS** for through post 24" to any other width panel and for 30" to 30" wide panels.
 Use **RR3-TPC** for all other through post power connection configurations.

Through post	19"	2"	2"	RR3-TPCP24	96.
	21"	2"	2"	RR3-TPCPS	96.
	22 3/4"	2"	2"	RR3-TPCP	96.

Use **RR3-TPCP24** for through post 24" to 24" wide panels.
 Use **RR3-TPCPS** for through post 24" to any other width panel and for 30" to 30" wide panels.
 Use **RR3-TPCP** for all other through post power connection configurations.

	Circuit A	RR3-DA	36.
	Circuit B	RR3-DB	36.
	Circuit C	RR3-DC	36.
	Circuit X	RR3-DX	36.
	Circuit Z	RR3-DZ	36.
	Circuit Y	RR3-DY	36.

	Circuit X	RR3-DXO	41.
	Circuit Y	RR3-DYO	41.
	Circuit Z	RR3-DZO	41.

Data Shield	1 pair	RR3-DATSHD	25.
-------------	--------	-------------------	-----

Order Code	Specification Information	Application Notes
Example: RR3-T-24 RR3 Reff raceway T Ten wire 3+3 24 for 24" panel	Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground. A, B, X, Y outlets are identical to eight wire, 2+2 components. Duplex outlet circuits are designated by white letters on black background. In Canada, circuits carry a 15 amp load rating. <i>Note:</i> Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.	Power rails are the primary power distribution component of the Reff 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway. Rail for 24"W panel accepts one duplex outlet or power infeed one either side. Rails for 30" to 48" panels accept two outlets each side, 60", 66" and 72" rails accept four duplex outlets per side. *Power connectors must be specified according to the panel widths in the specified orientation.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection.

Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black.




If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components

3+3 Base Raceway

six circuit, ten-wire raceway for panels

jumpers and infeed

description	type	w	d	h	pattern no.	list price
	18" panel	38"	2"	2"	RR3-TJ18	\$111.
	20" panel	40"	2"	2"	RR3-TJ20	111.
	24" panel	44"	2"	2"	RR3-TJ24	120.
	30" panel	50"	2"	2"	RR3-TJ30	126.
	36" panel	56"	2"	2"	RR3-TJ36	132.
	42" panel	62"	2"	2"	RR3-TJ42	146.
	48" panel	68"	2"	2"	RR3-TJ48	160.
	54" panel run	76 1/2"	2"	2"	RR3-TJ54P	167.
	60" panel	82 1/2"	2"	2"	RR3-TJ60P	175.
	66" panel run	86 1/2"	2"	2"	RR3-TJ66P	182.
	72" panel run	94 1/2"	2"	2"	RR3-TJ72P	189.
	78" panel run	100 1/2"	2"	2"	RR3-TJ78P	194.
	84" panel run	106 1/2"	2"	2"	RR3-TJ84P	211.
90" panel run	112 1/2"	2"	2"	RR3-TJ90P	216.	
96" panel run	118 1/2"	2"	2"	RR3-TJ96P	222.	
	18" + post	40 1/2"	2"	2"	RR3-TJ18P	111.
	20" + post	46 1/2"	2"	2"	RR3-TJ20P	111.
	24" + post	46 1/2"	2"	2"	RR3-TJ24P	120.
	30" + post	52 1/2"	2"	2"	RR3-TJ30P	126.
	36" + post	58 1/2"	2"	2"	RR3-TJ36P	132.
	42" + post	64 1/2"	2"	2"	RR3-TJ42P	146.
	48" + post	70 1/2"	2"	2"	RR3-TJ48P	160.
	Surge suppressors *				RR3-SP-(A, B, C, X, Y, Z)	167.
	Hardwire infeed (NYC) one direction **				RR3-TPNY1	222.
	Panel base end feed				RR3-RTPI	265.
	Panel base side infeed				RR3-TPI	265.
	Ceiling power cable infeed. Ten-wire				RR3-TPVR	321.
	Hardwire infeed (NYC) two directions **				RR3-TPNY2	321.



* Select which circuit needs protecting and order the specified surge processor.

** For RR3-TPNY1 and RR3-TPNY2 specify base height of panel for NYC.

Order Code	Specification Information	Application Notes
Example: RR3-TPVR RR3 Reff raceway T Ten wire 3+3 P power infeed VR for vertical raceway	<p>Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A, B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.</p> <p>In Canada, circuits carry a 15 amp load rating.</p> <p>Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection into panel base through standard power pole. Power pole and post must be ordered separately.</p>	<p>Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.</p> <p>Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.</p> <p>Beltway panels can use jumpers at the panel base in a straight run or around a corner.</p>

Power distribution components

Hardwire box

description	type	pattern no.	list
Chicago Hardwire Box 1 Sided 	24" panel	RR3CHI241	\$207.
	30" panel	RR3CHI301	240.
	36" panel	RR3CHI361	259.
	42" panel	RR3CHI421	262.
	48" panel	RR3CHI481	280.
Chicago Hardwire Box 2 Sided 	24" panel	RR3CHI242	214.
	30" panel	RR3CHI302	256.
	36" panel	RR3CHI362	263.
	42" panel	RR3CHI422	267.
	48" panel	RR3CHI482	298.

Order Code

Example: RR3CHI24	
RR3	Reff/AutoStrada raceway G3
CHI	Chicago Hardwire Box
24	For 24" wide panel
1	One sided raceway


Specification Information

Hardwire box is dedicated for panels with raceway either one or two sided, be sure to match to panel specification.


Application Notes

Certified electrician to install.
Reff Hardwire Box
Installation instruction sheet available. Part number 6TR45715.

description	type	w	pattern no.	list price
One sided power rail for use with one sided Beltway Panel. Eight wire only. 2 sided beltway panels use standard base power rail.	24" panel		RR3-E24S	\$139.
	30" panel		RR3-E30S	160.
	36" panel		RR3-E36S	175.
	42" panel		RR3-E42S	189.
	48" panel		RR3-E48S	194.



One sided power rail for use with one sided Beltway panel. Ten wire only	24" panel		RR3-T24S	167.
	30" panel		RR3-T30S	182.
	36" panel		RR3-T36S	194.
	42" panel		RR3-T42S	211.
	48" panel		RR3-T48S	216.



Beltway ribbon connector For eight or ten wire*	Beltway post	16 1/2"	RR3-LTPC24	96.
	Beltway post	19 1/2"	RR3-LTPC	96.
	Beltway post	21 1/2"	RR3-LTPCP	96.



Only necessary for post applications where cable will turn 90° rec.
A standard power connector will go through a post in a straight run.

Vertical Jumper for linking base raceway and Beltway power rails in the same panel	For 30" wide Beltway panels (8 Wire)		RR3-EBBCS	131.
	For 36" to 48" wide Beltway panels (8 Wire)		RR3-EBBCL	139.
	For 30" wide Beltway panels (10 Wire)		RR3-TBBCS	139.
	For 36" to 48" wide Beltway panels (10 Wire)		RR3-TBBCL	147.

Order Code

Example: RR3-T42S
RR3 Reff raceway
T Ten wire 3+3
42 For 42" panel
S Single sided power

*Power connectors must be specified according to the panel widths in the specified orientation.

Specification Information

Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.

Two side beltway panels use power rail for base.

Single side beltway panel use one sided power rail for base.

Note:

When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.

Application Notes

Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.


Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.

Vertical Adjacent Jumper






* *Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.

Vertical Jumper


When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	w	pattern no.	list price
Vertical Adjacent Jumper** For linking power to beltway from an adjacent panel 	24" wide Eight Wire		RR3EJ48	\$132.
	30" wide Eight Wire		RR3EJ60P	146.
	36" wide Eight Wire		RR3EJ60P	146.
	42" wide Eight Wire		RR3EJ66P	154.
	24" wide Ten Wire		RR3TJ48	160.
	48" wide Eight Wire		RR3EJ72P	160.
	36" wide Ten Wire		RR3TJ60P	175.
	30" wide Ten Wire		RR3TJ60P	175.
	42" wide Ten Wire		RR3TJ66P	182.
48" wide Ten Wire		RR3TJ72P	189.	

Order Code	Specification Information	Application Notes
Example: RR3-T42S RR3 Reff raceway T Ten wire 3+3 42 For 42" panel S Single sided power	Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector. Two side beltway panels use power rail for base. Single side beltway panel use one sided power rail for base. <i>Note:</i> When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.	Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages. Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.
		Vertical Adjacent Jumper **Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers. Vertical Jumper When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	pattern no.	list price
Face plates	Two port faceplate, black	RR3-2PF	\$10.
	Three port faceplate, black	RR3-3PF	10.
	Cover, data jack (set of 10)	RR3-FB	13.
	Faceplate extender, black	RR3-FE	32.
 Snap in module (must be used with faceplate)	Cat 3 RJ11/14/25, black	RR3-C3C	12.
	BNC coupler, black	RR3-BNC	19.
	F series video coupler, black	RR3-FV	19.
	CAT 5 RJ45 universal	RR3-C5C	19.
	CAT 6 universal	RR3-C6C	33.
	ST style coupler, black	RR3-ST	33.
 Icons (sets of 10)	Mixed icons, 16 piece black	RR3-MICON	13.
	Data icons, 16 piece black	RR3-DICON	13.
	Phone icons, 16 piece black	RR3PICON	13.
 Plate and module kits	4 Cat 5 RJ45-T568A extended face, black	RR3-C5C4A	130.
	4 Cat 5 RJ45-T568B extended face, black	RR3-C5C4B	130.
 Fiber optics	ST style dual fiber optic side mount	RR3-FOST	93.
	Sc style dual fiber optic side mount	RR3-FOSC	164.
 Desktop duplex monument	2-RJ11 (telephone)	RGMD6	99.
	2-RJ45's (phone and intercom)	RGMD8	110.
	Duplex outlet (electrical)	RGMDE	119.

Order Code	Specification Information	Application Notes
Example: RR3-2PF	All face plates and snap in modules are black.	Faceplate Extender is a 1/2" spacer which provides more depth for the faceplate to reside in, thereby increasing the space inside the Raceway.
RR3 Reff raceway	Icons can be ordered to distinguish intended use.	
2PF Two port face		Faceplates are ordered separately from snap in modules and can be configured on sight.
Example: RR3-C5CA	*The RR3-C5C universal CAT 5 RJ45 module will accept EIA-T568A and EIA-T568B wiring methods.	
RR3 Reff raceway		See Planning Guide for drawings depicting the detail of the data modules.
C5CA Cat5 RJ45s	Face plates and plate kits snap into raceway openings on Reff Base Raceway and Reff Beltway.	





Ported Panel Components

Reff ported panel components offer a cost effective alternative to using beltway panels which will provide users convenient access to data or power outlets at any user defined height on a Reff panel. Ports are one sided and may be installed below a worksurface, at desk height or even within a panel hung overhead storage unit.

Select option "Milled for ported components" when specifying panels. Ports may be added as technology needs change. Ports are field installed on the left or right hand side of a panel's vertical frame in either wood or fabric inserts. Installation instructions will be shipped with each kit, including a template for port placement along the vertical frame.

Panel jumpers are used to connect standard base electrical to the ported panel kit. Jumpers can be specified to connect a port within the same panel or to adjacent panels. Panel jumpers always pass through base raceway. If one port is installed, an additional port may be added within the same panel with an internal power jumper between the two ports. Ports can also be daisy-chained together in adjacent panels. Ported panel components are not available for stackable modules.

The kit includes a bracket set and cover plate and is ordered separately from the modular power components. Specify electrical components as you would for base raceway power then add the ported panel bracket kit, applicable duplexes and power jumpers.




Vertical power port bracket kit and duplex.


Reff Ported Panel Components

port, vertical duplex and panel jumpers

description	type	pattern no.	list price
Port	Floating data port	RR3FDP	\$52.
	Vertical Power Port Bracket Kit (includes bracket, cover plate & installation instructions)	RR3VPBK	81.



Vertical Duplex	Vertical Duplex A (8/10 wire applications)	RR3VDA	27.
	Vertical Duplex B (8/10 wire applications)	RR3VDB	27.
	Vertical Duplex C (10 wire applications)	RR3VDC	27.
	Vertical Duplex X (8/10 wire applications)	RR3VDX	27.
	Vertical Duplex Y (8/10 wire applications)	RR3VDY	27.
	Vertical Duplex Z (10 wire applications)	RR3VDZ	27.
	Vertical Duplex X Iso (8/10 wire applications)	RR3VDXO	27.
	Vertical Duplex Y Iso (8/10 wire applications)	RR3VDYO	27.
	Vertical Duplex Z Iso (10 wire applications)	RR3VDZO	27.



Same Panel Jumper, 8w	30" same Panel Jumper 50" 8w	RR3EBVC50	139.
	36" + same Panel Jumper 62" 8w	RR3EBVC62	150.
	30" same Panel Jumper 64" 8w	RR3EBVC64	151.
	36" + same Panel Jumper 76" 8w	RR3EBVC76	163.
	30" same Panel Jumper 78" 8w	RR3EBVC78	164.
	36" + same Panel Jumper 90" 8w	RR3EBVC90	178.



Same Panel Jumper, 10w	30" same Panel Jumper 50" 10w	RR3TBVC50	159.
	36" + same Panel Jumper 62" 10w	RR3TBVC62	171.
	30" same Panel Jumper 64" 10w	RR3TBVC64	175.
	36" + same Panel Jumper 76" 10w	RR3TBVC76	187.
	30" same Panel Jumper 78" 10w	RR3TBVC78	191.
	36" + same Panel Jumper 90" 10w	RR3TBVC90	202.

Order Code	Specification Information	Application Note
Example: RR3VPBK	For data and communications specify product listed on page 133.	30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port. 50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h
RR3 Reff		
VP Vertical port		
BK Bracket kit		
	36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port. 62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h	If harness is in base of 24" panel you can not jump vertically, must remove harness. A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness. Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application. Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high All covers plates and snap in modules are black.

Reff Ported Panel Components

port, vertical duplex and panel jumpers


Reff Profiles

description	type	pattern no.	list price
 Adjacent Panel Jumper, 10w	Adjacent Panel Jumper 82" 10w	RR3TVJ82	\$188.
	Adjacent Panel Jumper 96" 10w	RR3TVJ96	204.
	Adjacent Panel Jumper 110" 10w	RR3TVJ110	218.
Adjacent Panel Jumper, 8w	Adjacent Panel Jumper 82" 8w	RR3EVJ82	167.
	Adjacent Panel Jumper 96" 8w	RR3EVJ96	181.
	Adjacent Panel Jumper 110" 8w	RR3EVJ110	192.
 Internal Panel Jumper	Internal Panel Jumper 8 w	RR3EVJ	130.
	Internal Panel Jumper 10 w	RR3TVJ	140.

Order Code	Specification Information	Application Note
Example: RR3VPBK	For data and communications specify product listed on page 133.	<p>30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port.</p> <p>50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h</p> <p>36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port.</p> <p>62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h</p>
RR3 Reff		
VP Vertical port		
BK Bracket kit		
		<p>If harness is in base of 24" panel you can not jump vertically, must remove harness.</p> <p>A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness.</p> <p>Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application.</p> <p>Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high</p> <p>All covers plates and snap in modules are black.</p>

Worksurface 1 1/4"
rectilinear
20" and 24" deep


Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	RSA241-() ()	\$297.	\$324.	\$373.	\$502.
		30"	RSA301-() ()	325.	356.	408.	551.
		36"	RSA361-() ()	344.	375.	431.	583.
		42"	RSA421-() ()	357.	393.	451.	609.
		48"	RSA481-() ()	375.	407.	468.	631.
		54"	RSA541-() ()	390.	423.	489.	662.
		60"	RSA601-() ()	421.	458.	527.	713.
		66"	RSA661-() ()	431.	472.	544.	734.
		72"	RSA721-() ()	456.	497.	570.	770.
		78"	RSA781-() ()	462.	502.	579.	782.
		84"	RSA841-() ()	489.	537.	616.	831.
	90"	RSA901-() ()	512.	558.	640.	866.	
	96"	RSA961-() ()	531.	579.	665.	897.	
	24"	24"	RSA242-() ()	312.	340.	393.	530.
		30"	RSA302-() ()	353.	384.	444.	598.
		36"	RSA362-() ()	365.	402.	460.	621.
		42"	RSA422-() ()	380.	413.	475.	640.
		48"	RSA482-() ()	403.	444.	510.	687.
		54"	RSA542-() ()	431.	472.	544.	734.
		60"	RSA602-() ()	465.	508.	582.	786.
		66"	RSA662-() ()	477.	523.	603.	813.
72"		RSA722-() ()	501.	546.	630.	851.	
78"		RSA782-() ()	523.	572.	661.	891.	
84"	RSA842-() ()	545.	596.	685.	925.		
90"	RSA902-() ()	572.	622.	715.	964.		
96"	RSA962-() ()	592.	646.	744.	1,004.		

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSA241RL	<i>To order please specify pattern number including:</i>	
R Reff	1. Top thickness	1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.
S Straight top	2. Grommet option	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Top finish type	These worksurfaces are predrilled with metal inserts and use machine screws.
24 24" wide	4. Top finish	1 1/4" tops require support at mid point to reduce spans to 48" or less.
1 20" deep	5. Grommet finish	1 3/4" tops require support at mid point to reduce spans to 66" or less.
R Recessed grommet location	1. Thickness options: A = 1 1/4"	Mixed finish 1 3/4" tops are not post-formed.
L Laminate finish	2. Grommet options: N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops)	
114 Folkstone grey		
111 Jet Black (grommet)		
	3. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.	
	Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.	

Worksurface 1 1/4"
 rectilinear
 30" and 36" deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	RSA243- () ()	\$341.	\$370.	\$424.	\$573.
		30"	RSA303- () ()	383.	417.	480.	649.
		36"	RSA363- () ()	411.	450.	516.	696.
		42"	RSA423- () ()	428.	467.	538.	727.
		48"	RSA483- () ()	458.	499.	573.	774.
		54"	RSA543- () ()	495.	540.	619.	835.
		60"	RSA603- () ()	513.	559.	642.	868.
		66"	RSA663- () ()	522.	571.	660.	890.
		72"	RSA723- () ()	537.	585.	673.	908.
		78"	RSA783- () ()	561.	613.	705.	951.
		84"	RSA843- () ()	583.	637.	733.	990.
		90"	RSA903- () ()	611.	666.	768.	1,037.
		96"	RSA963- () ()	632.	691.	795.	1,073.
		36"	60"	RSA604- () ()	591.	645.	740.
66"	RSA664- () ()		611.	667.	769.	1,038.	
72"	RSA724- () ()		631.	690.	794.	1,072.	

Order Code

Example: RSA243RL
R Reff
S Straight top
A 1 1/4" thick
24 24" wide
3 30" deep
R Recessed grommet location
L Laminate finish
114 Folkstone grey
111 Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Grommet option
3. Top finish type
4. Top finish
5. Grommet finish

1. Thickness options:
 A = 1 1/4"

2. Grommet options:
 N = No grommets
 F = Flush front grommet location
 R = Recessed front (not recommended for 20"D and 24"D tops)
 A = Alternate location (for 36"D tops only)

3. Finish type:
 L = Laminate
 M = Wood/laminate mixed
 1 = V1
 2 = V2
 3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.

Application Notes

1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.




1 1/4" tops require support at mid point to reduce spans to 48" or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.

Worksurface 1 1/4" rectilinear corner tops


Reff Profiles

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20" Corner worktops, straight front corners 	20"	20"	36"	36"	RKA 363611-() ()	\$610.	\$686.	\$789.	\$1,066.
	20"	20"	36"	42"	RKA 364211-() ()	645.	728.	834.	1,126.
	20"	20"	36"	48"	RKA 364811-() ()	685.	771.	888.	1,199.
	20"	20"	42"	36"	RKA 423611-() ()	645.	728.	834.	1,126.
	20"	20"	42"	42"	RKA 424211-() ()	685.	771.	888.	1,199.
	20"	20"	42"	48"	RKA 424811-() ()	747.	842.	969.	1,307.
	20"	20"	48"	36"	RKA 483611-() ()	685.	771.	888.	1,199.
	20"	20"	48"	42"	RKA 484211-() ()	747.	842.	969.	1,307.
	20"	20"	48"	48"	RKA 484811-() ()	787.	888.	1,019.	1,376.
24" Corner worktops, straight front corners 	24"	24"	36"	36"	RKA 363622-() ()	693.	777.	894.	1,207.
	24"	24"	36"	42"	RKA 364222-() ()	728.	820.	942.	1,272.
	24"	24"	36"	48"	RKA 364822-() ()	767.	864.	991.	1,338.
	24"	24"	42"	36"	RKA 423622-() ()	728.	820.	942.	1,272.
	24"	24"	42"	42"	RKA 424222-() ()	767.	864.	991.	1,338.
	24"	24"	42"	48"	RKA 424822-() ()	828.	935.	1,076.	1,451.
	24"	24"	48"	36"	RKA 483622-() ()	767.	864.	991.	1,338.
	24"	24"	48"	42"	RKA 484222-() ()	828.	935.	1,076.	1,451.
	24"	24"	48"	48"	RKA 484822-() ()	870.	980.	1,125.	1,517.
20"/24" Corner worktops, straight front corners 	20"	24"	36"	36"	RKA 363612-() ()	635.	715.	824.	1,111.
	20"	24"	36"	42"	RKA 364212-() ()	672.	757.	869.	1,173.
	20"	24"	36"	48"	RKA 364812-() ()	713.	801.	922.	1,244.
	20"	24"	42"	36"	RKA 423612-() ()	672.	757.	869.	1,173.
	20"	24"	42"	42"	RKA 424212-() ()	713.	801.	922.	1,244.
	20"	24"	42"	48"	RKA 424812-() ()	777.	871.	1,005.	1,358.
	20"	24"	48"	36"	RKA 483612-() ()	713.	801.	922.	1,244.
	20"	24"	48"	42"	RKA 484212-() ()	777.	871.	1,005.	1,358.
	20"	24"	48"	48"	RKA 484812-() ()	815.	918.	1,055.	1,424.

Worksurfaces





Order Code	Specification Information	Application Notes
Example: RKA363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff	1. Top thickness	Actual widths are 1/16" less all around on corner worksurfaces.
K Straight front corner	2. Left hand width	
A 1 1/4" top thickness	3. Right hand width	Applicable finishes are listed on page 5 and 6.
36 36" wide on left back	4. Return left hand depth	
36 36" wide on right back	5. Return right hand depth	Knoll accepts no responsibility for special grommet locations which interfere with support hardware.
1 20" deep on left side	6. Grommet option	
1 20" deep on right side	7. Finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
N No grommet	8. Top finish	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
1 V1 finish	9. Grommet finish	
Y324 Ash	1. <i>Top thickness:</i> A = 1 1/4"	Mixed finish 1 3/4" tops are not post-formed.
	6. <i>Grommet options:</i> N = No grommets F = Standard corner location	These worksurfaces are predrilled with metal inserts and use machine screws.
	7. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	

Worksurface 1 1/4" rectilinear corner tops

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
24"/20" Corner worktops, straight front corners 	24"	20"	36"	36"	RKA 363621-()()	\$635.	\$715.	\$824.	\$1,111.
	24"	20"	36"	42"	RKA 364221-()()	672.	757.	869.	1,173.
	24"	20"	36"	48"	RKA 364821-()()	713.	801.	922.	1,244.
	24"	20"	42"	36"	RKA 423621-()()	672.	757.	869.	1,173.
	24"	20"	42"	42"	RKA 424221-()()	713.	801.	922.	1,244.
	24"	20"	42"	48"	RKA 424821-()()	777.	871.	1,005.	1,358.
	24"	20"	48"	36"	RKA 483621-()()	713.	801.	922.	1,244.
	24"	20"	48"	42"	RKA 484221-()()	777.	871.	1,005.	1,358.
	24"	20"	48"	48"	RKA 484821-()()	815.	918.	1,055.	1,424.

Order Code	Specification Information	Application Notes
Example: RKA363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff	1. Top thickness	Knoll accepts no responsibility for special grommet locations which interfere with support hardware.
K Straight front corner	2. Left hand width	
A 1 1/4" top thickness	3. Right hand width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
36 36" wide on left back	4. Return left hand depth	
36 36" wide on right back	5. Return right hand depth	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
1 20" deep on left side	6. Grommet option	
1 20" deep on right side	7. Finish type	Mixed finish 1 3/4" tops are not post-formed.
N No grommet	8. Top finish	
1 V1 finish	9. Grommet finish	These worksurfaces are predrilled with metal inserts and use machine screws.
Y324 Ash	<i>1. Top thickness:</i> A = 1 1/4" <i>6. Grommet options:</i> N = No grommets F = Standard corner location <i>7. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	

Worksurface 1 1/4" transition wave tops

description	d	w	d	pattern no.	L	M/V1	V2	V3
Wave top transition (right 20") 	24"	42"	20"	RWA4221-() ()	\$366.	\$415.	\$477.	\$645.
	24"	48"	20"	RWA4821-() ()	387.	435.	500.	675.
	24"	54"	20"	RWA5421-() ()	416.	465.	537.	726.
	24"	60"	20"	RWA6021-() ()	442.	498.	572.	773.
	24"	66"	20"	RWA6621-() ()	457.	514.	590.	796.
	24"	72"	20"	RWA7221-() ()	476.	538.	617.	833.
Wave top transition (left 24") 	24"	36"	30"	RWA3623-() ()	381.	430.	495.	667.
	24"	42"	30"	RWA4223-() ()	397.	448.	514.	692.
	24"	48"	30"	RWA4823-() ()	415.	464.	534.	721.
	24"	54"	30"	RWA5423-() ()	444.	500.	576.	777.
	24"	60"	30"	RWA6023-() ()	475.	537.	616.	831.
	24"	66"	30"	RWA6623-() ()	493.	555.	638.	864.
	24"	72"	30"	RWA7223-() ()	518.	583.	670.	903.
Wave top transition (left 20") 	20"	42"	24"	RWA4212-() ()	366.	415.	477.	645.
	20"	48"	24"	RWA4812-() ()	387.	435.	500.	675.
	20"	54"	24"	RWA5412-() ()	416.	465.	537.	726.
	20"	60"	24"	RWA6012-() ()	442.	498.	572.	773.
	20"	66"	24"	RWA6612-() ()	457.	514.	590.	796.
	20"	72"	24"	RWA7212-() ()	476.	538.	617.	833.
Wave top transition (right 24") 	30"	36"	24"	RWA3632-() ()	381.	430.	495.	667.
	30"	42"	24"	RWA4232-() ()	397.	448.	514.	692.
	30"	48"	24"	RWA4832-() ()	415.	464.	534.	721.
	30"	54"	24"	RWA5432-() ()	444.	500.	576.	777.
	30"	60"	24"	RWA6032-() ()	475.	537.	616.	831.
	30"	66"	24"	RWA6632-() ()	493.	555.	638.	864.
	30"	72"	24"	RWA7232-() ()	518.	583.	670.	903.

Order Code	Specification Information
Example: RWA4221FL	
R	Reff
W	Wave top transition
A	1 1/4" thick
42	42" wide
2	24" deep on left side
1	20" deep on right side
F	Flush grommet location
L	Laminate finish
114	Folkstone grey
111	Jet Black (grommet)

Specification Information
<i>To order please specify pattern number including:</i>
1. Left hand depth
2. Right hand depth
3. Grommet option
4. Top finish type
5. Top finish
6. Grommet finish
3. <i>Grommet options:</i>
N = No grommet
F = Flush front grommet location
4. <i>Finish type:</i>
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes
32"D wave end top requires 20"D end panel for freestanding support.
36"D wave end top requires 24"D end panel for support.
Products on this page are shipped without hardware which must be ordered separately from the support components section.
These worksurfaces are predrilled with metal inserts and use machine screws.
Curvilinear worksurfaces only available in 1 1/4" thick.
See Planning Guide for grommet locations.
Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

1 1/4" tops require support at mid point to reduce spans to 48" or less.





Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Slope section of top remains 2 1/4" on all tops. The straight section grows with length of top.

Worksurface 1 1/4" transition wave tops

Reff Profiles

description	d	w	d	pattern no.	L	M/V1	V2	V3
Wave top end, (right 20") 	32"	36"	20"	RWEA3631-() ()	\$488.	\$549.	\$632.	\$853.
	32"	42"	20"	RWEA4231-() ()	508.	571.	660.	890.
	32"	48"	20"	RWEA4831-() ()	535.	604.	692.	935.
Wave top end, (right 24") 	36"	36"	24"	RWEA3662-() ()	505.	569.	654.	882.
	36"	42"	24"	RWEA4262-() ()	521.	586.	675.	911.
	36"	48"	24"	RWEA4862-() ()	554.	621.	714.	963.
Wave top end, (left 20") 	20"	36"	32"	RWEA3613-() ()	488.	549.	632.	853.
	20"	42"	32"	RWEA4213-() ()	508.	571.	660.	890.
	20"	48"	32"	RWEA4813-() ()	535.	604.	692.	935.
Wave top end, (left 24") 	24"	36"	36"	RWEA3626-() ()	505.	569.	654.	882.
	24"	42"	36"	RWEA4226-() ()	521.	586.	675.	911.
	24"	48"	36"	RWEA4826-() ()	554.	621.	714.	963.

Order Code

Example:	RWA4221FL
R	Reff
W	Wave top transition
A	1 1/4" thick
42	42" wide
2	24" deep on left side
1	20" deep on right side
F	Flush grommet location
L	Laminate finish
114	Folkstone grey
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Left hand depth
2. Right hand depth
3. Grommet option
4. Top finish type
5. Top finish
6. Grommet finish

3. *Grommet options:*
 N = No grommet
 F = Flush front grommet location

4. *Finish type:*
 L = Laminate
 M = Wood/laminate mixed
 1 = V1
 2 = V2
 3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
 List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

32"D wave end top requires 20"D end panel for freestanding support.

36"D wave end top requires 24"D end panel for support.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.

Curvilinear worksurfaces only available in 1 1/4" thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Slope section of top remains 21 3/4" on all tops. The straight section grows with length of top.

Worksurface 1 1/4" curvilinear corner tops

Reff Profiles

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 20") 	20"	20"	36"	36"	RCA363611-() ()	\$610.	\$686.	\$789.	\$1,066.
	20"	20"	36"	42"	RCA364211-() ()	645.	728.	834.	1,126.
	20"	20"	36"	48"	RCA364811-() ()	685.	771.	888.	1,199.
	20"	20"	42"	36"	RCA423611-() ()	645.	728.	834.	1,126.
	20"	20"	42"	42"	RCA424211-() ()	685.	771.	888.	1,199.
	20"	20"	42"	48"	RCA424811-() ()	747.	842.	969.	1,307.
	20"	20"	48"	36"	RCA483611-() ()	685.	771.	888.	1,199.
	20"	20"	48"	42"	RCA484211-() ()	747.	842.	969.	1,307.
	20"	20"	48"	48"	RCA484811-() ()	787.	888.	1,019.	1,376.
Corner worktops, Curved front corner (Left return 20", Right return 24")	20"	24"	36"	36"	RCA363612-() ()	635.	715.	824.	1,111.
	20"	24"	36"	42"	RCA364212-() ()	672.	757.	869.	1,173.
	20"	24"	36"	48"	RCA364812-() ()	713.	801.	922.	1,244.
	20"	24"	42"	36"	RCA423612-() ()	672.	757.	869.	1,173.
	20"	24"	42"	42"	RCA424212-() ()	713.	801.	922.	1,244.
	20"	24"	42"	48"	RCA424812-() ()	777.	871.	1,005.	1,358.
	20"	24"	48"	36"	RCA483612-() ()	713.	801.	922.	1,244.
	20"	24"	48"	42"	RCA484212-() ()	777.	871.	1,005.	1,358.
	20"	24"	48"	48"	RCA484812-() ()	815.	918.	1,055.	1,424.
Corner worktops, Curved front corner (Left return 24", Right return 20")	24"	20"	36"	36"	RCA363621-() ()	635.	715.	824.	1,111.
	24"	20"	36"	42"	RCA364221-() ()	672.	757.	869.	1,173.
	24"	20"	36"	48"	RCA364821-() ()	713.	801.	922.	1,244.
	24"	20"	42"	36"	RCA423621-() ()	672.	757.	869.	1,173.
	24"	20"	42"	42"	RCA424221-() ()	713.	801.	922.	1,244.
	24"	20"	42"	48"	RCA424821-() ()	777.	871.	1,005.	1,358.
	24"	20"	48"	36"	RCA483621-() ()	713.	801.	922.	1,244.

Worksurfaces

Order Code	Specification Information
Example: RCA363611N1	
R	Reff
C	Curved front corner
A	1 1/4" thick
36	36" wide on left back
36	36" wide on right back
1	20" deep on left side
1	20" deep on right side
N	No grommet
1	V1 finish
Y324	Ash

Specification Information
<i>To order please specify pattern number including:</i>
1. Left hand width
2. Right hand width
3. Return left hand depth
4. Return right hand depth
5. Grommet option
6. Top finish type
7. Top finish
8. Grommet finish
5. <i>Grommet options:</i> N = No grommets F = Standard corner location
6. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3

Application Notes
Radius of curved front changes with overall top size. See Planning Guide.
Products on this page are shipped without hardware which must be ordered separately from the support components section.
Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
These worksurfaces are predrilled with metal inserts and use machine screws.
Curvilinear worksurfaces only available in 1 1/4" thick.
See Planning Guide for grommet locations.
Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.
Please call Custom Product Development for special grommet locations.
Applicable finishes are listed on page 5 and 6.

Worksurface 1 1/4" curvilinear corner tops

Reff Profiles

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 24", Right return 20")	24"	20"	48"	42"	RCA484221-() ()	\$777.	\$871.	\$1,005.	\$1,358.
	24"	20"	48"	48"	RCA484821-() ()	815.	918.	1,055.	1,424.
Corner worktops, Curved front corner (Left return 24", Right return 24")	24"	24"	36"	36"	RCA363622-() ()	693.	777.	894.	1,207.
	24"	24"	36"	42"	RCA364222-() ()	728.	820.	942.	1,272.
	24"	24"	36"	48"	RCA364822-() ()	767.	864.	991.	1,338.
	24"	24"	42"	36"	RCA423622-() ()	728.	820.	942.	1,272.
	24"	24"	42"	42"	RCA424222-() ()	767.	864.	991.	1,338.
	24"	24"	42"	48"	RCA424822-() ()	828.	935.	1,076.	1,451.
	24"	24"	48"	36"	RCA483622-() ()	767.	864.	991.	1,338.
	24"	24"	48"	42"	RCA484222-() ()	828.	935.	1,076.	1,451.
	24"	24"	48"	48"	RCA484822-() ()	870.	980.	1,125.	1,517.

Order Code	Specification Information	Application Notes
Example: RCA363611N1	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
R Reff	1. Left hand width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
C Curved front corner	2. Right hand width	
A 1 1/4" thick	3. Return left hand depth	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
36 36" wide on left back	4. Return right hand depth	
36 36" wide on right back	5. Grommet option	These worksurfaces are predrilled with metal inserts and use machine screws.
1 20" deep on left side	6. Top finish type	
1 20" deep on right side	7. Top finish	Curvilinear worksurfaces only available in 1 1/4" thick.
N No grommet	8. Grommet finish	
1 V1 finish	5. <i>Grommet options:</i> N = No grommets F = Standard corner location	See Planning Guide for grommet locations.
Y324 Ash	6. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.



Please call Custom Product Development for special grommet locations.

Applicable finishes are listed on page 5 and 6.

Worksurface 1 1/4" extended curvilinear corner tops

Reff Profiles

description	w	d	pattern no.	L	M/V1	V2	V3
Extended corner worktop, LH curved front corner (return 24")	36"	72"	RCCDLA23672 () () ()	\$1,685.	\$2,236.	\$3,156.	\$4,259.
	36"	78"	RCCDLA23678 () () ()	1,752.	2,325.	3,280.	4,429.
	36"	84"	RCCDLA23684 () () ()	1,822.	2,419.	3,412.	4,606.
	36"	96"	RCCDLA23696 () () ()	1,896.	2,515.	3,549.	4,792.
Extended corner worktop, LH curved front corner (return 30")	36"	72"	RCCDLA33672 () () ()	1,687.	2,242.	3,164.	4,272.
	36"	78"	RCCDLA33678 () () ()	1,754.	2,332.	3,293.	4,445.
	36"	84"	RCCDLA33684 () () ()	1,825.	2,426.	3,423.	4,621.
	36"	96"	RCCDLA33696 () () ()	1,898.	2,522.	3,561.	4,806.
Extended corner worktop, RH curved front corner (return 24")	36"	72"	RCCDRA23672 () () ()	1,685.	2,236.	3,156.	4,259.
	36"	78"	RCCDRA23678 () () ()	1,752.	2,325.	3,280.	4,429.
	36"	84"	RCCDRA23684 () () ()	1,822.	2,419.	3,412.	4,606.
	36"	96"	RCCDRA23696 () () ()	1,896.	2,515.	3,549.	4,792.
Extended corner worktop, RH curved front corner (return 30")	36"	72"	RCCDRA33672 () () ()	1,687.	2,242.	3,164.	4,272.
	36"	78"	RCCDRA33678 () () ()	1,754.	2,332.	3,293.	4,445.
	36"	84"	RCCDRA33684 () () ()	1,825.	2,426.	3,423.	4,621.
	36"	96"	RCCDRA33696 () () ()	1,898.	2,522.	3,561.	4,806.



Worksurfaces

Order Code

Specification Information

Example:	RCCDLA23672N2
R	Reff
CC	Curved corner
D	D top
L	Left Hand
A	1 1/4" thick
2	24" return
36	36" d at straight edge of corner, 30" across "D"
72	72" wide
N	No grommet
2	V2 finish
V319	Medium Cherry

To order please specify pattern number including:

1. Depth
2. Grommet option
3. Finish type
4. Finish
5. Grommet finish

2. Grommet options:
 N = No grommets
 F = Flush front grommet location

3. Finish type:
 L = Laminate
 M = Mixed (laminated surface with wood edge)
 1 = V1
 2 = V2
 3 = V3


Applicable finishes are listed on page 5 and 6.


Product on this page will accept woodgrain laminate where laminate is currently an option.
 List price for woodgrain laminate options will be current published laminate list price plus 10%.

These worksurfaces are predrilled with metal inserts and use machine screws.

Worksurface 1 1/4" extended straight corner tops

Reff Profiles

description	d	w	d, return	pattern no.	L	M/V1	V2	V3
Extended straight corner top, LH curved front corner (returns 24") 	36"	60"	24"	RCEAL223660() () ()	\$624.	\$921.	\$1,247.	\$1,686.
	36"	72"	24"	RCEAL223672() () ()	748.	1,117.	1,509.	2,037.
	42"	60"	24"	RCEAL224260() () ()	686.	1,017.	1,378.	1,860.
	42"	72"	24"	RCEAL224272() () ()	811.	1,215.	1,642.	2,216.
	48"	72"	24"	RCEAL224872() () ()	874.	1,313.	1,772.	2,392.
	48"	84"	24"	RCEAL224884() () ()	998.	1,509.	2,034.	2,746.
48"	96"	24"	RCEAL224896() () ()	1,147.	1,739.	2,340.	3,159.	

Extended straight corner top, RH curved front corner (returns 24") 	36"	60"	24"	RCEAR223660() () ()	624.	921.	1,247.	1,686.
	36"	72"	24"	RCEAR223672() () ()	748.	1,117.	1,509.	2,037.
	42"	60"	24"	RCEAR224260() () ()	686.	1,017.	1,378.	1,860.
	42"	72"	24"	RCEAR224272() () ()	811.	1,215.	1,642.	2,216.
	48"	72"	24"	RCEAR224872() () ()	874.	1,313.	1,772.	2,392.
	48"	84"	24"	RCEAR224884() () ()	998.	1,509.	2,034.	2,746.
	48"	96"	24"	RCEAR224896() () ()	1,147.	1,739.	2,340.	3,159.

Order Code

Example:	RCEAL223660N2
R	Reff
C	Corner
E	Extended
A	1 1/4" thick
L	Left Hand
22	24" returns
36	36" d at corner straight edge
60	60" wide
N	No grommet
2	V2 finish
V319	Medium Cherry

Specification Information

To order please specify pattern number including:

1. Return left hand depth
2. Return right hand depth
3. Width
4. Depth
5. Grommet option
6. Finish type
7. Finish
8. Grommet finish

5. Grommet options:

- N = No grommets
- F = Flush front grommet location

6. Finish type:

- L = Laminate
- M = Mixed (laminated surface with wood edge)
- 1 = V1
- 2 = V2
- 3 = V3

Applicable finishes are listed on page 5 and 6.


Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

These worksurfaces are predrilled with metal inserts and use machine screws.

Worksurface 1 1/4"

Meeting tops

Reff Profiles

description	type	w	d	pattern no.	L	M/V1	V2	V3	
 <p>Grommet choices are centered (as shown) or none</p>	30" deep	42"	30"	RMDA4230- () ()	\$539.	\$584.	\$672.	\$907.	
		48"	30"	RMDA4830- () ()	580.	631.	727.	982.	
		54"	30"	RMDA5430- () ()	621.	677.	777.	1,050.	
		60"	30"	RMDA6030- () ()	665.	725.	829.	1,121.	
		66"	30"	RMDA6630- () ()	708.	770.	887.	1,198.	
		72"	30"	RMDA7230- () ()	753.	819.	941.	1,271.	
		78"	30"	RMDA7830- () ()	851.	924.	1,064.	1,435.	
		84"	30"	RMDA8430- () ()	948.	1,031.	1,187.	1,602.	
		90"	30"	RMDA9030- () ()	1,059.	1,152.	1,325.	1,787.	
		96"	30"	RMDA9630- () ()	1,169.	1,272.	1,462.	1,973.	
		36" deep	42"	36"	RMDA4236- () ()	592.	644.	739.	998.
			48"	36"	RMDA4836- () ()	649.	704.	809.	1,091.
			54"	36"	RMDA5436- () ()	739.	805.	927.	1,250.
			60"	36"	RMDA6036- () ()	830.	901.	1,038.	1,402.
			66"	36"	RMDA6636- () ()	847.	919.	1,057.	1,428.
			72"	36"	RMDA7236- () ()	858.	935.	1,076.	1,451.
			78"	36"	RMDA7836- () ()	968.	1,052.	1,210.	1,634.
84"	36"		RMDA8436- () ()	1,076.	1,171.	1,346.	1,816.		
90"	36"		RMDA9036- () ()	1,134.	1,232.	1,418.	1,915.		
96"	36"		RMDA9636- () ()	1,244.	1,350.	1,553.	2,097.		

Worksurfaces

Order Code	Specification Information	Application Notes
<p>Example: RMDA4230N1</p> <p>R Reff</p> <p>MD Meeting D-top</p> <p>A 1 1/4" thick</p> <p>42 42" wide</p> <p>30 30" deep</p> <p>N No grommet</p> <p>1 V1</p> <p>Y311 Beech</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Top thickness Width Depth Grommet option Top finish type Top finish Grommet finish <p>1. Thickness options: A = 1 1/4"</p> <p>4. Grommet options: N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)</p> <p>5. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3</p>	<p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p> <p>Additional spec option required for wrap around panel tops; specify mating trim profile. A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.</p> <p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.</p> <p>Refer to Planning Guide for modesty panel size requirements and all other support options.</p>

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.

1 1/4" tops require support at mid point to reduce 48" spans or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.

*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

Worksurface 1 1/4"

Meeting tops

description	type	w	d	pattern no.	L	M/V1	V2	V3
Meeting 9-top		42"	30"	RM9A4230- () ()	\$738.	\$803.	\$923.	\$1,245.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RM9A4836- () ()	821.	892.	1,027.	1,388.



No Grommets 42" diameter

Meeting P-top		42"	30"	RMPA4230- () ()	738.	803.	923.	1,245.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RMPA4836- () ()	821.	892.	1,027.	1,388.



No Grommets 42" diameter




Worksurface 9-top		84"	30"	RM9A8430- () ()	1,503.	1,633.	1,879.	2,538.
		96"	30"	RM9A9630- () ()	1,565.	1,704.	1,957.	2,642.



42" diameter

Order Code	Specification Information	Application Notes
Example: RM9A4230N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Reff	1. Top thickness	1 3/4" laminate tops on this page are edge banded to match post-formed contours.
MD Meeting D-top	2. Width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Depth	These worksurfaces are predrilled with metal inserts and use machine screws.
42 42" wide	4. Grommet option	1 1/4" tops require support at mid point to reduce 48" spans or less.
30 30" deep	5. Top finish type	1 3/4" tops require support at mid point to reduce spans to 66" or less.
N No grommet	6. Top finish	Mixed finish 1 3/4" tops are not post-formed.
1 V1	7. Grommet finish	*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.
Y311 Beech	1. <i>Thickness options:</i> A = 1 1/4"	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
	4. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
	5. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	Refer to Planning Guide for modesty panel size requirements and all other support options.

Worksurface 1 1/4" Meeting tops

description	type	w	d	pattern no.	L	M/V1	V2	V3
 Worksurface P-top 42" diameter		84"	30"	RMPA8430-()()	\$1,503.	\$1,633.	\$1,879.	\$2,538.
		96"	30"	RMPA9630-()()	1,565.	1,704.	1,957.	2,642.
84" top uses a 42" modesty, 96 top uses a 54" modesty								
 Wrap around panel top No Grommets	(20" panels)	42 1/2"	21 1/4"	RMDA4221-()()	693.	753.	865.	1,167.
	(24" panels)	50 1/2"	25 1/4"	RMDA5025-()()	757.	824.	947.	1,280.
 Elliptical tops		60"	30"	REBA6030-()*	1,034.	1,145.	1,314.	1,775.
		72"	42"	REBA7242-()*	1,472.	1,628.	1,873.	2,528.
		78"	48"	REBA7848-()*	1,612.	1,786.	2,054.	2,773.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RMDA4230N1 R Reff MD Meeting D-top A 1 1/4" thick 42 42" wide 30 30" deep N No grommet 1 V1 Y311 Beech	To order please specify pattern number including: 1. Top thickness 2. Width 3. Depth 4. Grommet option 5. Top finish type 6. Top finish 7. Grommet finish 1. Thickness options: A = 1 1/4" 4. Grommet options: N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops) 5. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension. Additional spec option required for wrap around panel tops; specify mating trim profile. A = Flat B = Square C = Bullnose E = Extruded Aluminum Applicable finishes are listed on page 5 and 6. Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end. Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. Refer to Planning Guide for modesty panel size requirements and all other support options.

1 3/4" laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.

1 1/4" tops require support at mid point to reduce 48" spans or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.


*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

Worksurface 1 1/4"

Bow front and support


Reff Profiles

description	w	d	h	pattern no.	L	M/V1	V2	V3
Bow shaped top	72"	30"		RMB(A)7230-() ()	\$863.	\$974.	\$1,121.	\$1,512.
	84"	30"		RMB(A)8430-() ()	950.	1,075.	1,234.	1,666.
	96"	30"		RMB(A)9630-() ()	1,056.	1,191.	1,367.	1,847.



Use 29" deep pedestals or end panels.
Do not use 23" deep pedestals if using recessed modesty.

description	w	d	h	pattern no.	L	M/V1	V2	V3
Bow shaped top - 36"D	72"	36"		RMB(A)7236-() ()	917.	1,034.	1,190.	1,606.
	84"	36"		RMB(A)8436-() ()	1,006.	1,135.	1,305.	1,761.
	96"	36"		RMB(A)9636-() ()	1,114.	1,258.	1,444.	1,950.




Use with 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).
 Can also be used with 36" deep end panel and recessed modesty.

Order Code	Specification Information	Application Notes
Example: RMBA7230R2	<i>To order please specify pattern number including:</i>	<i>5. Finish type:</i>
R Reff	1. Top thickness	L = Laminate
MB Bowed front	2. Width	M = Wood/laminate mixed
A 1 1/4" thick	3. Depth	1 = V1
72 72" wide	4. Grommet option	2 = V2
30 30" wide	5. Top finish type	3 = V3
R Recessed grommet location	6. Top finish	Applicable finishes are listed on page 5 and 6.
2 V2 finish	7. Grommet finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
V319 Medium cherry	<i>1. Thickness options:</i>	List price for woodgrain laminate options will be current published laminate list price plus 10%.
111 Jet Black (grommet)	A = 1 1/4"	These worksurfaces are predrilled with metal inserts and use machine screws.
	<i>4. Grommet options:</i>	See Planning Guide for grommet locations.
	N = No grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
	F = Flush front grommet	
	R = Recessed grommet	
	A = Alternate location (only for 36" deep bow front tops)	
		*Bulkhead takes the place of a pedestal in applications using the short modesty panel, but not requiring a double pedestal application.
		1 3/4" tops require support at mid point to reduce spans to 66" or less.
		Mixed finish 1 3/4" tops are not post-formed.
		1 3/4" laminate tops are equipped with 8mm PVC edge on this page.
		Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
		Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
		Shipped with hardware. Refer to page 119 of Planning Guide for application details.

Worksurface 1 1/4"

Bow front and support

description	w	d	h	pattern no.	L	M/V1	V2	V3
Short modesty panel	40"	1"	26 1/2"	RB40MR-()	\$309.	\$398.	\$456.	\$616.
	52"	1"	26 1/2"	RB52MR-()	364.	468.	538.	727.
	64"	1"	26 1/2"	RB64MR-()	393.	505.	583.	787.



Use of short modesty panel

Pedestals must be ordered separately with individual back panels.

Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.

Order:

40" modesty for 72" bow top

52" modesty for 84" bow top

64" modesty for 96" bow top

When ordering bow top 30"D for use with short modesty, specify recessed grommet location.

When ordering bow top 36"D for use with short modesty, specify alternate grommet location.






Bulkhead (false pedestal)*	16"	24"	26 1/2"	REBH24	436.	658.	763.	1,030.
	16"	30"	26 1/2"	REBH30	451.	671.	782.	1,055.

Order Code	Specification Information	Application Notes
Example: RMBA7230R2	<i>To order please specify pattern number including:</i>	<i>5. Finish type:</i>
R Reff	1. Top thickness	L = Laminate
MB Bowed front	2. Width	M = Wood/laminate mixed
A 1 1/4" thick	3. Depth	1 = V1
72 72" wide	4. Grommet option	2 = V2
30 30" wide	5. Top finish type	3 = V3
R Recessed grommet location	6. Top finish	Applicable finishes are listed on page 5 and 6.
2 V2 finish	7. Grommet finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
V319 Medium cherry	<i>1. Thickness options:</i>	List price for woodgrain laminate options will be current published laminate list price plus 10%.
111 Jet Black (grommet)	A = 1 1/4"	These worksurfaces are predrilled with metal inserts and use machine screws.
	<i>4. Grommet options:</i>	See Planning Guide for grommet locations.
	N = No grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
	F = Flush front grommet	
	R = Recessed grommet	
	A = Alternate location (only for 36" deep bow front tops)	
		*Bulkhead takes the place of a pedestal in applications using the short modesty panel, but not requiring a double pedestal application.
		1 3/4" tops require support at mid point to reduce spans to 66" or less.
		Mixed finish 1 3/4" tops are not post-formed.
		1 3/4" laminate tops are equipped with 8mm PVC edge on this page.
		Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
		Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
		Shipped with hardware. Refer to page 119 of Planning Guide for application details.

Worksurface 1 1/4"

Conference room square and rectangular

Reff Profiles

description	w	d	pattern no.	L	M/V1	V2	V3
Rectangular top 1 piece 	72"	30"	RAA7230(-)	\$557.	\$606.	\$696.	\$940.
	84"	30"	RAA8430(-)	616.	668.	770.	1,039.
	96"	30"	RAA9630(-)	691.	752.	864.	1,166.
	72"	36"	RAA7236(-)	605.	658.	756.	1,021.
	84"	36"	RAA8436(-)	662.	719.	825.	1,115.
	96"	36"	RAA9636(-)	762.	828.	954.	1,288.
	84"	42"	RAA8442(-)	978.	1,064.	1,221.	1,648.
	96"	42"	RAA9642(-)	1,123.	1,219.	1,402.	1,893.
	96"	48"	RAA9648(-)	1,194.	1,298.	1,492.	2,015.
Rectangular top 2 piece 	120"	36"	RAA12036(-)	1,224.	1,329.	1,530.	2,065.
	120"	42"	RAA12042(-)	1,687.	1,835.	2,110.	2,849.
	144"	42"	RAA14442(-)	1,896.	2,061.	2,370.	3,200.
	120"	48"	RAA12048(-)	1,834.	1,995.	2,293.	3,096.
	144"	48"	RAA14448(-)	2,031.	2,210.	2,541.	3,430.
Rectangular top 3 piece 	168"	42"	RAA16842(-)	2,485.	2,702.	3,109.	4,198.
	192"	42"	RAA19242(-)	2,695.	2,929.	3,367.	4,545.
	168"	48"	RAA16848(-)	2,701.	2,936.	3,376.	4,557.
	192"	48"	RAA19248(-)	2,901.	3,152.	3,623.	4,890.
Square tops  	-	36"	RAA3636(-)	429.	467.	538.	727.
	-	42"	RAA4242(-)	557.	606.	696.	940.
	-	48"	RAA4848(-)	732.	794.	914.	1,232.
	*	60"	RAA6060(-)	1,140.	1,238.	1,427.	1,925.
	*	72"	RAA7272(-)	1,344.	1,462.	1,680.	2,270.

Order Code

Example: RAA72302
R Reff
R Rectangular
A 1 1/4" thick
72 72" wide
30 30" deep
2 V2 finish
V319 Medium cherry

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:
A = 1 1/4"

4. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

*Square tops in two pieces.

Application Notes

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Top to top brackets included.

Tops have no radius on edges that adjoin.

See table base matrix in Planning Guide, pages 140 and 141.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.






Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Worksurface 1 1/4"

Conference room round and racetrack

Reff Profiles

description	w	d	pattern no.	L	M/V1	V2	V3
Racetrack top 1 piece 	72"	30"	RTA7230-()	\$1,054.	\$1,145.	\$1,314.	\$1,775.
	84"	30"	RTA8430-()	1,172.	1,274.	1,465.	1,977.
	96"	30"	RTA9630-()	1,302.	1,418.	1,631.	2,202.
	72"	36"	RTA7236-()	1,202.	1,305.	1,500.	2,025.
	84"	36"	RTA8436-()	1,349.	1,468.	1,687.	2,276.
	96"	36"	RTA9636-()	1,497.	1,628.	1,873.	2,528.
	84"	42"	RTA8442-()	1,641.	1,786.	2,054.	2,773.
	96"	42"	RTA9642-()	1,840.	2,000.	2,298.	3,104.
	96"	48"	RTA9648-()	2,018.	2,191.	2,520.	3,401.
Racetrack top 2 piece 	120"	36"	RTA12036-()	1,933.	2,103.	2,419.	3,265.
	120"	42"	RTA12042-()	2,087.	2,266.	2,608.	3,521.
	144"	42"	RTA14442-()	2,301.	2,500.	2,875.	3,880.
	120"	48"	RTA12048-()	2,218.	2,411.	2,773.	3,743.
	144"	48"	RTA14448-()	2,358.	2,565.	2,947.	3,978.
Racetrack top 3 piece 	168"	42"	RTA16842-()	2,885.	3,134.	3,606.	4,868.
	192"	42"	RTA19242-()	3,098.	3,368.	3,875.	5,231.
	168"	48"	RTA16848-()	3,087.	3,353.	3,855.	5,206.
	192"	48"	RTA19248-()	3,226.	3,508.	4,032.	5,443.
Round tops  	-	36"	RTA3636-()	592.	644.	739.	998.
	-	42"	RTA4242-()	688.	745.	857.	1,156.
	-	48"	RTA4848-()	1,132.	1,229.	1,413.	1,907.
	*	60"	RTA6060-()	1,773.	1,927.	2,216.	2,991.
	*	72"	RTA7272-()	2,192.	2,383.	2,744.	3,704.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RTA72302 R Reff T Rounded top A 1 1/4" thick 72 72" wide 30 30" deep 2 V2 finish V319 Medium cherry	<i>To order please specify pattern number including:</i> 1. Top thickness 2. Width 3. Depth 4. Finish type 5. Finish <i>1. Thickness options:</i> A = 1 1/4" <i>4. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3 *Round tops in two pieces.	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Top to top brackets included. See table base matrix in Planning Guide pages 140 and 141. 1 1/4" tops require support at mid point to reduce spans to 48" or less. Tops have no radius on edges that adjoin. 1 3/4" tops require support at mid point to reduce spans to 66" or less. Laminate and mixed finish 1 3/4" tops on this page are not post formed.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.


Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Worksurface 1 1/4"
Optional edge details


Reff Profiles

Worksurface 1 1/4"
Optional edge front only
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Profile edge front only 	20"	24"	RSA(A/B/C/D/E/F/G)F241-()(1/2/3)	\$373.	\$426.	\$576.	
		30"	RSA(A/B/C/D/E/F/G)F301-()(1/2/3)	409.	470.	634.	
		36"	RSA(A/B/C/D/E/F/G)F361-()(1/2/3)	431.	496.	670.	
		42"	RSA(A/B/C/D/E/F/G)F421-()(1/2/3)	451.	518.	700.	
		48"	RSA(A/B/C/D/E/F/G)F481-()(1/2/3)	469.	538.	727.	
		54"	RSA(A/B/C/D/E/F/G)F541-()(1/2/3)	487.	564.	761.	
		60"	RSA(A/B/C/D/E/F/G)F601-()(1/2/3)	527.	607.	819.	
		66"	RSA(A/B/C/D/E/F/G)F661-()(1/2/3)	542.	625.	843.	
		72"	RSA(A/B/C/D/E/F/G)F721-()(1/2/3)	571.	657.	886.	
		78"	RSA(A/B/C/D/E/F/G)F781-()(1/2/3)	579.	665.	897.	
		84"	RSA(A/B/C/D/E/F/G)F841-()(1/2/3)	616.	707.	955.	
		90"	RSA(A/B/C/D/E/F/G)F901-()(1/2/3)	640.	737.	995.	
		96"	RSA(A/B/C/D/E/F/G)F961-()(1/2/3)	665.	766.	1,034.	
		24"	24"	RSA(A/B/C/D/E/F/G)F242-()(1/2/3)	393.	451.	609.
			30"	RSA(A/B/C/D/E/F/G)F302-()(1/2/3)	444.	511.	688.
			36"	RSA(A/B/C/D/E/F/G)F362-()(1/2/3)	461.	530.	717.
			42"	RSA(A/B/C/D/E/F/G)F422-()(1/2/3)	475.	545.	735.
			48"	RSA(A/B/C/D/E/F/G)F482-()(1/2/3)	511.	584.	788.
54"	RSA(A/B/C/D/E/F/G)F542-()(1/2/3)		542.	625.	843.		
60"	RSA(A/B/C/D/E/F/G)F602-()(1/2/3)		582.	668.	902.		
66"	RSA(A/B/C/D/E/F/G)F662-()(1/2/3)		604.	691.	934.		
72"	RSA(A/B/C/D/E/F/G)F722-()(1/2/3)		629.	726.	978.		
78"	RSA(A/B/C/D/E/F/G)F782-()(1/2/3)		660.	759.	1,025.		
84"	RSA(A/B/C/D/E/F/G)F842-()(1/2/3)		685.	787.	1,064.		
90"	RSA(A/B/C/D/E/F/G)F902-()(1/2/3)		715.	824.	1,111.		
96"	RSA(A/B/C/D/E/F/G)F962-()(1/2/3)	743.	857.	1,156.			

Order Code	Specification Information	Application Notes
Example: RSAGF241F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
R Reff	1. Edge profile	
S Straight top	2. F = Front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
F Edge front only	5. Grommet option	
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	
	6. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	


Worksurface 1 1/4"
Optional edge front only
30 and 36" deep

description	d	w	pattern no.	M/V1	V2	V
Straight rectangular work tops Profile edge front only 	30"	24"	RSA(A/B/C/D/E/F/G)F243-()(1/2/3)	\$424.	\$489.	
		30"	RSA(A/B/C/D/E/F/G)F303-()(1/2/3)	480.	551.	
		36"	RSA(A/B/C/D/E/F/G)F363-()(1/2/3)	517.	592.	
		42"	RSA(A/B/C/D/E/F/G)F423-()(1/2/3)	537.	617.	
		48"	RSA(A/B/C/D/E/F/G)F483-()(1/2/3)	573.	662.	
		54"	RSA(A/B/C/D/E/F/G)F543-()(1/2/3)	621.	713.	
		60"	RSA(A/B/C/D/E/F/G)F603-()(1/2/3)	642.	738.	
		66"	RSA(A/B/C/D/E/F/G)F663-()(1/2/3)	658.	757.	
		72"	RSA(A/B/C/D/E/F/G)F723-()(1/2/3)	674.	773.	
		78"	RSA(A/B/C/D/E/F/G)F783-()(1/2/3)	705.	814.	
		84"	RSA(A/B/C/D/E/F/G)F843-()(1/2/3)	733.	845.	
		90"	RSA(A/B/C/D/E/F/G)F903-()(1/2/3)	767.	884.	
		96"	RSA(A/B/C/D/E/F/G)F963-()(1/2/3)	795.	916.	
	36"	60"	RSA(A/B/C/D/E/F/G)F604-()(1/2/3)	742.	853.	
		66"	RSA(A/B/C/D/E/F/G)F664-()(1/2/3)	768.	886.	
		72"	RSA(A/B/C/D/E/F/G)F724-()(1/2/3)	794.	915.	

Order Code	Specification Information	Application Notes
Example: RSAGF243F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
R Reff	1. Edge profile	
S Straight top	2. F = Front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
F Edge front only	5. Grommet option	
24 24" wide	6. Top finish type	
3 30" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	5. Grommet options:	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	6. Finish type:	
	M = Mixed (laminate surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Worksurface 1 1/4"
Optional edge front and back edge profiled
20" and 24" deep

Reff Profiles


description	d	w	pattern no.	M/V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	20"	24"	RSA(A/B/C/D/E/F/G)A241-()(1/2/3)	\$373.	\$426.	\$576.
		30"	RSA(A/B/C/D/E/F/G)A301-()(1/2/3)	409.	470.	634.
		36"	RSA(A/B/C/D/E/F/G)A361-()(1/2/3)	431.	496.	670.
		42"	RSA(A/B/C/D/E/F/G)A421-()(1/2/3)	451.	518.	700.
		48"	RSA(A/B/C/D/E/F/G)A481-()(1/2/3)	469.	538.	727.
		54"	RSA(A/B/C/D/E/F/G)A541-()(1/2/3)	487.	564.	761.
		60"	RSA(A/B/C/D/E/F/G)A601-()(1/2/3)	527.	607.	819.
		66"	RSA(A/B/C/D/E/F/G)A661-()(1/2/3)	542.	625.	843.
		72"	RSA(A/B/C/D/E/F/G)A721-()(1/2/3)	571.	657.	886.
		78"	RSA(A/B/C/D/E/F/G)A781-()(1/2/3)	579.	665.	897.
		84"	RSA(A/B/C/D/E/F/G)A841-()(1/2/3)	616.	707.	955.
		90"	RSA(A/B/C/D/E/F/G)A901-()(1/2/3)	640.	737.	995.
96"	RSA(A/B/C/D/E/F/G)A961-()(1/2/3)	665.	766.	1,034.		
	24"	24"	RSA(A/B/C/D/E/F/G)A242-()(1/2/3)	393.	451.	609.
		30"	RSA(A/B/C/D/E/F/G)A302-()(1/2/3)	444.	511.	688.
		36"	RSA(A/B/C/D/E/F/G)A362-()(1/2/3)	461.	530.	717.
		42"	RSA(A/B/C/D/E/F/G)A422-()(1/2/3)	475.	545.	735.
		48"	RSA(A/B/C/D/E/F/G)A482-()(1/2/3)	511.	584.	788.
		54"	RSA(A/B/C/D/E/F/G)A542-()(1/2/3)	542.	625.	843.
		60"	RSA(A/B/C/D/E/F/G)A602-()(1/2/3)	582.	668.	902.
		66"	RSA(A/B/C/D/E/F/G)A662-()(1/2/3)	604.	691.	934.
		72"	RSA(A/B/C/D/E/F/G)A722-()(1/2/3)	629.	726.	978.
		78"	RSA(A/B/C/D/E/F/G)A782-()(1/2/3)	660.	759.	1,025.
		84"	RSA(A/B/C/D/E/F/G)A842-()(1/2/3)	685.	787.	1,064.
		90"	RSA(A/B/C/D/E/F/G)A902-()(1/2/3)	715.	824.	1,111.
96"	RSA(A/B/C/D/E/F/G)A962-()(1/2/3)	743.	857.	1,156.		

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAGA241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	
S Straight top	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	2. 5th position A = Edge front and back	
G Gamma	3. Width	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
A Edge front and back	4. Depth	
24 24" wide	5. Grommet option	1 1/4" tops require support at mid point to reduce spans to 48" or less.
1 20" deep	6. Top finish type	
F Flush grommet	7. Top finish	
2 V2 finish	8. Grommet finish	
V319 Medium cherry	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
111 Jet Black (grommet)		
	6. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Worksurface 1 1/4"
 Optional edge front and back edge profiled
 30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Profile edge front and back only	30"	24"	RSA(A/B/C/D/E/F/G)A243-()(1/2/3)	\$424.	\$489.	\$662.
		30"	RSA(A/B/C/D/E/F/G)A303-()(1/2/3)	480.	551.	743.
		36"	RSA(A/B/C/D/E/F/G)A363-()(1/2/3)	517.	592.	799.
		42"	RSA(A/B/C/D/E/F/G)A423-()(1/2/3)	537.	617.	833.
		48"	RSA(A/B/C/D/E/F/G)A483-()(1/2/3)	573.	662.	893.
		54"	RSA(A/B/C/D/E/F/G)A543-()(1/2/3)	621.	713.	961.
		60"	RSA(A/B/C/D/E/F/G)A603-()(1/2/3)	642.	738.	996.
		66"	RSA(A/B/C/D/E/F/G)A663-()(1/2/3)	658.	757.	1,022.
		72"	RSA(A/B/C/D/E/F/G)A723-()(1/2/3)	674.	773.	1,044.
		78"	RSA(A/B/C/D/E/F/G)A783-()(1/2/3)	705.	814.	1,098.
		84"	RSA(A/B/C/D/E/F/G)A843-()(1/2/3)	733.	845.	1,141.
		90"	RSA(A/B/C/D/E/F/G)A903-()(1/2/3)	767.	884.	1,194.
		96"	RSA(A/B/C/D/E/F/G)A963-()(1/2/3)	795.	916.	1,235.
	36"	60"	RSA(A/B/C/D/E/F/G)A604-()(1/2/3)	742.	853.	1,151.
		66"	RSA(A/B/C/D/E/F/G)A664-()(1/2/3)	768.	886.	1,197.
		72"	RSA(A/B/C/D/E/F/G)A724-()(1/2/3)	794.	915.	1,233.





Order Code	Specification Information	Application Notes
Example: RSAGA243F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
R Reff	1. Edge profile	
S Straight top	2. 5th position A = Edge front and back	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
A Edge front and back	5. Grommet option	
24 24" wide	6. Top finish type	
3 30" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	M = Mixed (laminate surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Worksurface 1 1/4"

Optional edge front and attaching edge profiled

Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Bridge work tops, Profile edge front only, Accepts Same Edge on attaching sides 	20"	24"	RSA(A/B/C/D/E/F/G)B241-()(1/2/3)	\$373.	\$426.	\$576.
		30"	RSA(A/B/C/D/E/F/G)B301-()(1/2/3)	409.	470.	634.
		36"	RSA(A/B/C/D/E/F/G)B361-()(1/2/3)	431.	496.	670.
		42"	RSA(A/B/C/D/E/F/G)B421-()(1/2/3)	451.	518.	700.
		48"	RSA(A/B/C/D/E/F/G)B481-()(1/2/3)	469.	538.	727.
	24"	24"	RSA(A/B/C/D/E/F/G)B242-()(1/2/3)	393.	451.	609.
		30"	RSA(A/B/C/D/E/F/G)B302-()(1/2/3)	444.	511.	688.
		36"	RSA(A/B/C/D/E/F/G)B362-()(1/2/3)	461.	530.	717.
		42"	RSA(A/B/C/D/E/F/G)B422-()(1/2/3)	475.	545.	735.
		48"	RSA(A/B/C/D/E/F/G)B482-()(1/2/3)	511.	584.	788.
Left-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)L241-()(1/2/3)	373.	426.	576.
		30"	RSA(A/B/C/D/E/F/G)L301-()(1/2/3)	409.	470.	634.
		36"	RSA(A/B/C/D/E/F/G)L361-()(1/2/3)	431.	496.	670.
		42"	RSA(A/B/C/D/E/F/G)L421-()(1/2/3)	451.	518.	700.
		48"	RSA(A/B/C/D/E/F/G)L481-()(1/2/3)	469.	538.	727.
	24"	24"	RSA(A/B/C/D/E/F/G)L242-()(1/2/3)	393.	451.	609.
		30"	RSA(A/B/C/D/E/F/G)L302-()(1/2/3)	444.	511.	688.
		36"	RSA(A/B/C/D/E/F/G)L362-()(1/2/3)	461.	530.	717.
		42"	RSA(A/B/C/D/E/F/G)L422-()(1/2/3)	475.	545.	735.
		48"	RSA(A/B/C/D/E/F/G)L482-()(1/2/3)	511.	584.	788.


Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p> <p>Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.</p>
R Reff	1. Edge profile	
S Straight top	2. 5th position indicates how and which edges profiled	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
B Both ends accept edge	5. Grommet option	
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish		
V319 Medium cherry	<i>1. Edge profile options:</i>	
111 Jet Black (grommet)	A = Alpha	
	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>2. 5th position options:</i>	
	B = Front edge primary profile and both sides reverse profile for mating (bridge)	
	L = Left hand return, front edge primary profile, right edge reverse profile for mating	
	R = Right hand return, front edge primary profile, left edge reverse profile for mating	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	M = Mixed (laminate surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	

Worksurface 1 1/4"

Optional edge front and attaching edge profiled

Reff Profiles


description	d	w	pattern no.	V1	V2	V3
Right-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)R241-()(1/2/3)	\$373.	\$426.	\$576.
		30"	RSA(A/B/C/D/E/F/G)R301-()(1/2/3)	409.	470.	634.
		36"	RSA(A/B/C/D/E/F/G)R361-()(1/2/3)	431.	496.	670.
		42"	RSA(A/B/C/D/E/F/G)R421-()(1/2/3)	451.	518.	700.
		48"	RSA(A/B/C/D/E/F/G)R481-()(1/2/3)	469.	538.	727.
	24"	24"	RSA(A/B/C/D/E/F/G)R242-()(1/2/3)	393.	451.	609.
		30"	RSA(A/B/C/D/E/F/G)R302-()(1/2/3)	444.	511.	688.
		36"	RSA(A/B/C/D/E/F/G)R362-()(1/2/3)	461.	530.	717.
		42"	RSA(A/B/C/D/E/F/G)R422-()(1/2/3)	475.	545.	735.
		48"	RSA(A/B/C/D/E/F/G)R482-()(1/2/3)	511.	584.	788.

Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	
R Reff	1. Edge profile	
S Straight top	2. 5th position indicates how and which edges profiled	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
B Both ends accept edge	5. Grommet option	
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>2. 5th position options:</i>	
	B = Front edge primary profile and both sides reverse profile for mating (bridge)	
	L = Left hand return, front edge primary profile, right edge reverse profile for mating	
	R = Right hand return, front edge primary profile, left edge reverse profile for mating	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	M = Mixed (laminated surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
		Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
		1 1/4" tops require support at mid point to reduce spans to 48" or less.
		Applicable finishes are listed on page 5 and 6.
		Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
		Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.

Worksurface 1 1/4"

Optional edge curvilinear corner front edge only

Reff Profiles

description	w left	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 20" 	36"	36"	RCA(A/B/C/D/E/F/G)F363611-()(1/2/3)	\$789.	\$907.	\$1,225.
	36"	42"	RCA(A/B/C/D/E/F/G)F364211-()(1/2/3)	834.	960.	1,296.
	36"	48"	RCA(A/B/C/D/E/F/G)F364811-()(1/2/3)	888.	1,019.	1,376.
	42"	36"	RCA(A/B/C/D/E/F/G)F423611-()(1/2/3)	834.	960.	1,296.
	42"	42"	RCA(A/B/C/D/E/F/G)F424211-()(1/2/3)	888.	1,019.	1,376.
	42"	48"	RCA(A/B/C/D/E/F/G)F424811-()(1/2/3)	969.	1,113.	1,503.
	48"	36"	RCA(A/B/C/D/E/F/G)F483611-()(1/2/3)	888.	1,019.	1,376.
	48"	42"	RCA(A/B/C/D/E/F/G)F484211-()(1/2/3)	969.	1,113.	1,503.
48"	48"	RCA(A/B/C/D/E/F/G)F484811-()(1/2/3)	1,019.	1,173.	1,583.	
<i>Radii of front edge varies with top dimensions</i>						
Curved corner work tops with Profile edge on front only, left return depth 20", right return depth 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363612-()(1/2/3)	824.	947.	1,280.
	36"	42"	RCA(A/B/C/D/E/F/G)F364212-()(1/2/3)	869.	999.	1,349.
	36"	48"	RCA(A/B/C/D/E/F/G)F364812-()(1/2/3)	923.	1,059.	1,431.
	42"	36"	RCA(A/B/C/D/E/F/G)F423612-()(1/2/3)	869.	999.	1,349.
	42"	42"	RCA(A/B/C/D/E/F/G)F424212-()(1/2/3)	923.	1,059.	1,431.
	42"	48"	RCA(A/B/C/D/E/F/G)F424812-()(1/2/3)	1,005.	1,154.	1,559.
	48"	36"	RCA(A/B/C/D/E/F/G)F483612-()(1/2/3)	923.	1,059.	1,431.
	48"	42"	RCA(A/B/C/D/E/F/G)F484212-()(1/2/3)	1,005.	1,154.	1,559.
48"	48"	RCA(A/B/C/D/E/F/G)F484812-()(1/2/3)	1,055.	1,214.	1,639.	
Curved corner work tops with Profile edge on front only, left return 24", right return 20"	36"	36"	RCA(A/B/C/D/E/F/G)F363621-()(1/2/3)	824.	947.	1,280.
	36"	42"	RCA(A/B/C/D/E/F/G)F364221-()(1/2/3)	869.	999.	1,349.
	36"	48"	RCA(A/B/C/D/E/F/G)F364821-()(1/2/3)	923.	1,059.	1,431.
	42"	36"	RCA(A/B/C/D/E/F/G)F423621-()(1/2/3)	869.	999.	1,349.
	42"	42"	RCA(A/B/C/D/E/F/G)F424221-()(1/2/3)	923.	1,059.	1,431.
	42"	48"	RCA(A/B/C/D/E/F/G)F424821-()(1/2/3)	1,005.	1,154.	1,559.
	48"	36"	RCA(A/B/C/D/E/F/G)F483621-()(1/2/3)	923.	1,059.	1,431.
	48"	42"	RCA(A/B/C/D/E/F/G)F484221-()(1/2/3)	1,005.	1,154.	1,559.
48"	48"	RCA(A/B/C/D/E/F/G)F484821-()(1/2/3)	1,055.	1,214.	1,639.	
Curved corner work tops with Profile edge on front only, return depth left and right 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363622-()(1/2/3)	894.	1,029.	1,390.
	36"	42"	RCA(A/B/C/D/E/F/G)F364222-()(1/2/3)	942.	1,081.	1,459.
	36"	48"	RCA(A/B/C/D/E/F/G)F364822-()(1/2/3)	992.	1,140.	1,540.
	42"	36"	RCA(A/B/C/D/E/F/G)F423622-()(1/2/3)	942.	1,081.	1,459.
	42"	42"	RCA(A/B/C/D/E/F/G)F424222-()(1/2/3)	992.	1,140.	1,540.

Order Code	Specification Information	Application Notes
Example: RSAGF363611	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development. Products on this page are shipped without hardware which must be ordered separately from the support components section. Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. 1 1/4" tops require support at mid point to reduce spans to 48" or less.
R Reff	6. Grommet options: N = No grommet F = Flush front grommet location	
S Curvilinear top	7. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3	
A 1 1/4" thick	Applicable finishes are listed on page 5 and 6.	
G Gamma	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	
F Edge Front only		
36 36" wide		
36 36" wide		
1 20" deep		
1 20" deep		
F Flush grommet	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		

Worksurface 1 1/4"

Optional edge curvilinear corner front edge only

Reff Profiles






description	w left	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 24"	42"	48"	RCA(A/B/C/D/E/F/G)F424822-()(1/2/3)	\$1,076.	\$1,237.	\$1,670.
	48"	36"	RCA(A/B/C/D/E/F/G)F483622-()(1/2/3)	992.	1,140.	1,540.
	48"	42"	RCA(A/B/C/D/E/F/G)F484222-()(1/2/3)	1,076.	1,237.	1,670.
	48"	48"	RCA(A/B/C/D/E/F/G)F484822-()(1/2/3)	1,127.	1,294.	1,747.

Order Code	Specification Information	Application Notes
Example: RSAGF363611	<i>To order please specify pattern number including:</i>	
R Reff	1. Edge profile	
S Curvilinear top	2. Left hand width	
A 1 1/4" thick	3. Right hand width	
G Gamma	4. Return left hand depth	
F Edge Front only	5. Return right hand depth	
36 36" wide	6. Grommet option	
36 36" wide	7. Top finish type	
1 20" deep	8. Top finish	
1 20" deep	9. Grommet finish	
F Flush grommet	<i>1. Edge profile options:</i>	
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
111 Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	6. Grommet options: N = No grommet F = Flush front grommet location	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
	7. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3	Products on this page are shipped without hardware which must be ordered separately from the support components section.
	Applicable finishes are listed on page 5 and 6.	Product on this page will accept woodgrain laminate where laminate is currently an option.
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	List price for woodgrain laminate options will be current published laminate list price plus 10%.
		1 1/4" tops require support at mid point to reduce spans to 48" or less.

Worksurface 1 1/4"

Reff Profiles

Optional edge curvilinear transition and end tops front edge only

description	d left	d right	w	pattern no.	M/V1	V2	V3
Wave transition top with profile edge front only (left 24", right 20") 	24"	20"	42"	RWA(A/B/C/D/E/F/G)F4221-()(1/2/3)	\$476.	\$548.	\$739.
	24"	20"	48"	RWA(A/B/C/D/E/F/G)F4821-()(1/2/3)	500.	576.	777.
	24"	20"	54"	RWA(A/B/C/D/E/F/G)F5421-()(1/2/3)	535.	616.	831.
	24"	20"	60"	RWA(A/B/C/D/E/F/G)F6021-()(1/2/3)	572.	660.	890.
	24"	20"	66"	RWA(A/B/C/D/E/F/G)F6621-()(1/2/3)	590.	678.	917.
	24"	20"	72"	RWA(A/B/C/D/E/F/G)F7221-()(1/2/3)	617.	711.	959.
Wave transition top with profile edge front only (left 30", right 24") 	30"	24"	42"	RWA(A/B/C/D/E/F/G)F4232-()(1/2/3)	515.	590.	796.
	30"	24"	48"	RWA(A/B/C/D/E/F/G)F4832-()(1/2/3)	534.	613.	827.
	30"	24"	54"	RWA(A/B/C/D/E/F/G)F5432-()(1/2/3)	576.	663.	894.
	30"	24"	60"	RWA(A/B/C/D/E/F/G)F6032-()(1/2/3)	616.	707.	955.
	30"	24"	66"	RWA(A/B/C/D/E/F/G)F6632-()(1/2/3)	637.	734.	991.
	30"	24"	72"	RWA(A/B/C/D/E/F/G)F7232-()(1/2/3)	672.	771.	1,041.
Wave transition top with profile edge front only (left 20", right 24") 	20"	24"	42"	RWA(A/B/C/D/E/F/G)F4212-()(1/2/3)	476.	548.	739.
	20"	24"	48"	RWA(A/B/C/D/E/F/G)F4812-()(1/2/3)	500.	576.	777.
	20"	24"	54"	RWA(A/B/C/D/E/F/G)F5412-()(1/2/3)	535.	616.	831.
	20"	24"	60"	RWA(A/B/C/D/E/F/G)F6012-()(1/2/3)	572.	660.	890.
	20"	24"	66"	RWA(A/B/C/D/E/F/G)F6612-()(1/2/3)	590.	678.	917.
	20"	24"	72"	RWA(A/B/C/D/E/F/G)F7212-()(1/2/3)	617.	711.	959.
Wave transition top with profile edge front only (left 24", right 30") 	24"	30"	42"	RWA(A/B/C/D/E/F/G)F4223-()(1/2/3)	515.	590.	796.
	24"	30"	48"	RWA(A/B/C/D/E/F/G)F4823-()(1/2/3)	534.	613.	827.
	24"	30"	54"	RWA(A/B/C/D/E/F/G)F5423-()(1/2/3)	576.	663.	894.
	24"	30"	60"	RWA(A/B/C/D/E/F/G)F6023-()(1/2/3)	616.	707.	955.
	24"	30"	66"	RWA(A/B/C/D/E/F/G)F6623-()(1/2/3)	637.	734.	991.
	24"	30"	72"	RWA(A/B/C/D/E/F/G)F7223-()(1/2/3)	672.	771.	1,041.
Wave end top with profile edge front only (20" right) 	32"	20"	36"	RWEA(A/B/C/D/E/F/G)F3631-()(1/2/3)	632.	728.	983.
	32"	20"	42"	RWEA(A/B/C/D/E/F/G)F4231-()(1/2/3)	658.	757.	1,022.
	32"	20"	48"	RWEA(A/B/C/D/E/F/G)F4831-()(1/2/3)	692.	796.	1,076.

Worksurfaces




Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
R Reff	1. Edge profile	
W Wave transition top	2. 5th position F = front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Left hand depth	
F Edge front only	5. Right hand depth	
42 42" wide	6. Grommet option	
2 20" deep	7. Top finish type	
1 20" deep	8. Top finish	
F Flush grommet	9. Grommet finish	
2 V2 finish	<p><i>1. Edge profile options:</i></p> <p>A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p> <p><i>6. Grommet options:</i></p> <p>N = No grommet F = Flush front grommet location</p> <p><i>7. Finish type:</i></p> <p>M = Mixed (laminate surface / wood edge)</p> <p>1 = V1 2 = V2 3 = V3</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>	
V319 Medium cherry		
111 Jet Black (grommet)		

Worksurface 1 1/4"

Reff Profiles

Optional edge curvilinear transition and end tops front edge only

description	d left	d right	w	pattern no.	M/V1	V2	V3
Wave end top with profile edge front only (24" right)	36"	24"	36"	RWEA(A/B/C/D/E/F/G)F3662-()(1/2/3)	\$655.	\$753.	\$1,016.
	36"	24"	42"	RWEA(A/B/C/D/E/F/G)F4262-()(1/2/3)	675.	775.	1,047.
	36"	24"	48"	RWEA(A/B/C/D/E/F/G)F4862-()(1/2/3)	714.	823.	1,110.
Wave end top with profile edge front only (20" left)	20"	32"	36"	RWEA(A/B/C/D/E/F/G)F3613-()(1/2/3)	632.	728.	983.
	20"	32"	42"	RWEA(A/B/C/D/E/F/G)F4213-()(1/2/3)	658.	757.	1,022.
	20"	32"	48"	RWEA(A/B/C/D/E/F/G)F4813-()(1/2/3)	692.	796.	1,076.
Wave end top with profile edge front only (24" left)	24"	36"	36"	RWEA(A/B/C/D/E/F/G)F3626-()(1/2/3)	655.	753.	1,016.
	24"	36"	42"	RWEA(A/B/C/D/E/F/G)F4226-()(1/2/3)	675.	775.	1,047.
	24"	36"	48"	RWEA(A/B/C/D/E/F/G)F4826-()(1/2/3)	714.	823.	1,110.




Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
R Reff	1. Edge profile	
W Wave transition top	2. 5th position F = front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Left hand depth	
F Edge front only	5. Right hand depth	
42 42" wide	6. Grommet option	
2 20" deep	7. Top finish type	
1 20" deep	8. Top finish	
F Flush grommet	9. Grommet finish	
2 V2 finish	<p><i>1. Edge profile options:</i></p> <p>A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p>	
V319 Medium cherry	<p><i>6. Grommet options:</i></p> <p>N = No grommet F = Flush front grommet location</p> <p><i>7. Finish type:</i></p> <p>M = Mixed (laminate surface / wood edge) 1 = V1 2 = V2 3 = V3</p> <p>Applicable finishes are listed on page 5 and 6.</p>	
111 Jet Black (grommet)	<p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>	

Worksurface 1 1/4"

Optional edge meeting tops

Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Profile edge on all except flat side. Grommet choices are centered (as shown) or none	30"	42"	RMDA(A/B/C/D/E/F/G)F4230-()(1/2/3)	\$673.	\$772.	\$1,042.
	30"	48"	RMDA(A/B/C/D/E/F/G)F4830-()(1/2/3)	727.	833.	1,125.
	30"	54"	RMDA(A/B/C/D/E/F/G)F5430-()(1/2/3)	777.	894.	1,207.
	30"	60"	RMDA(A/B/C/D/E/F/G)F6030-()(1/2/3)	831.	955.	1,289.
	30"	66"	RMDA(A/B/C/D/E/F/G)F6630-()(1/2/3)	887.	1,018.	1,375.
	30"	72"	RMDA(A/B/C/D/E/F/G)F7230-()(1/2/3)	941.	1,080.	1,458.
	30"	78"	RMDA(A/B/C/D/E/F/G)F7830-()(1/2/3)	1,063.	1,222.	1,650.
	30"	84"	RMDA(A/B/C/D/E/F/G)F8430-()(1/2/3)	1,187.	1,364.	1,842.
	30"	90"	RMDA(A/B/C/D/E/F/G)F9030-()(1/2/3)	1,326.	1,524.	2,057.
	30"	96"	RMDA(A/B/C/D/E/F/G)F9630-()(1/2/3)	1,462.	1,680.	2,270.
	36"	42"	RMDA(A/B/C/D/E/F/G)F4236-()(1/2/3)	740.	851.	1,149.
	36"	48"	RMDA(A/B/C/D/E/F/G)F4836-()(1/2/3)	809.	931.	1,257.
	36"	54"	RMDA(A/B/C/D/E/F/G)F5436-()(1/2/3)	925.	1,066.	1,438.
	36"	60"	RMDA(A/B/C/D/E/F/G)F6036-()(1/2/3)	1,038.	1,195.	1,613.
	36"	66"	RMDA(A/B/C/D/E/F/G)F6636-()(1/2/3)	1,057.	1,217.	1,643.
	36"	72"	RMDA(A/B/C/D/E/F/G)F7236-()(1/2/3)	1,076.	1,237.	1,670.
	36"	78"	RMDA(A/B/C/D/E/F/G)F7836-()(1/2/3)	1,210.	1,391.	1,877.
	36"	84"	RMDA(A/B/C/D/E/F/G)F8436-()(1/2/3)	1,346.	1,550.	2,092.
	36"	90"	RMDA(A/B/C/D/E/F/G)F9036-()(1/2/3)	1,418.	1,631.	2,202.
	36"	96"	RMDA(A/B/C/D/E/F/G)F9636-()(1/2/3)	1,554.	1,784.	2,410.
Meeting P-top (adjoining top must use 12 end panel and modesty panel to support)	30"	42"	RM9A(A/B/C/D/E/F/G)F4230-()(1/2/3)	924.	1,062.	1,432.
	36"	48"	RM9A(A/B/C/D/E/F/G)F4836-()(1/2/3)	1,027.	1,180.	1,595.




Order Code	Specification Information	Application Notes
Example: RMDAGF4230F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
MD Peninsula D-shaped top	2. Width	Product on this page will accept woodgrain laminate where laminate is currently an option.
A 1 1/4" thick	3. Depth	List price for woodgrain laminate options will be current published laminate list price plus 10%.
G Gamma	4. Grommet option	1 1/4" tops require support at mid point to reduce spans to 48" or less.
F Edge front only	5. Top finish type	
42 42" wide	6. Top finish	
30 30" deep	7. Grommet finish	
C Centered grommet	8. Applicable "wrap around panel tops" only specify mating panel end trim profile	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>4. Grommet options:</i>	
	N = No grommet	
	C = Centered grommet (applicable RMDA product only)	
	F = Flush front grommet location (for worksurfaces 9 or P tops)	
	R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops)	
	<i>5. Finish type:</i>	
	M = Mixed (laminate surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>8. Wrap around panel tops only, specify mating trim profile</i>	
	A = Flat	
	B = Square	
	C = Bullnose	
	E = Extruded Aluminum	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Worksurface 1 1/4"

Optional edge meeting tops

Reff Profiles




description	d	w	pattern no.	V1	V2	V3
Meeting 9-top (adjoining top must use 12 end panel and modesty panel to support) *No Grommet optional	30"	42"	RMPA(A/B/C/D/E/F/G)F4230-()(1/2/3)	\$924.	\$1,062.	\$1,432.
	36"	48"	RMPA(A/B/C/D/E/F/G)F4836-()(1/2/3)	1,027.	1,180.	1,595.
Worksurface 9-top	30"	84"	RM9A(A/B/C/D/E/F/G)F8430-()(1/2/3)	1,878.	2,163.	2,919.
	30"	96"	RM9A(A/B/C/D/E/F/G)F9630-()(1/2/3)	1,959.	2,252.	3,040.
Worksurface P-top	30"	84"	RMPA(A/B/C/D/E/F/G)F8430-()(1/2/3)	1,878.	2,163.	2,919.
	30"	96"	RMPA(A/B/C/D/E/F/G)F9630-()(1/2/3)	1,959.	2,252.	3,040.
Wrap-around panel top *No Grommet optional	21 1/4"	42 1/2"	RMDA(A/B/C/D/E/F/G)F4221-()(1/2/3)()	865.	994.	1,341.
	25 1/4"	50 1/2"	RMDA(A/B/C/D/E/F/G)F5025-()(1/2/3)()	947.	1,090.	1,471.



Order Code	Specification Information	Application Notes
Example: RMDAGF4230F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
MD Peninsula D-shaped top	2. Width	Product on this page will accept woodgrain laminate where laminate is currently an option.
A 1 1/4" thick	3. Depth	List price for woodgrain laminate options will be current published laminate list price plus 10%.
G Gamma	4. Grommet option	1 1/4" tops require support at mid point to reduce spans to 48" or less.
F Edge front only	5. Top finish type	
42 42" wide	6. Top finish	
30 30" deep	7. Grommet finish	
C Centered grommet	8. Applicable "wrap around panel tops" only specify mating panel end trim profile	
2 V2 finish		
V319 Medium cherry	<i>1. Edge profile options:</i>	
111 Jet Black (grommet)	A = Alpha	
	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>4. Grommet options:</i>	
	N = No grommet	
	C = Centered grommet	
	(applicable RMDA product only)	
	F = Flush front grommet location	
	(for worksurfaces 9 or P tops)	
	R = Recessed front	
	(for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops)	
	<i>5. Finish type:</i>	
	M = Mixed (laminate surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>8. Wrap around panel tops only, specify mating trim profile</i>	
	A = Flat	
	B = Square	
	C = Bullnose	
	E = Extruded Aluminum	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Worksurface 1 1/4"

Optional edge Bow front tops





description	w	d	pattern no.	V1	V2	V3
Profile edge on front and back (30"d) 	72"	30"	RMBA(A/B/C/D/E/F/G)A7230-()(1/2/3)	\$1,121.	\$1,287.	\$1,739.
	84"	30"	RMBA(A/B/C/D/E/F/G)A8430()(1/2/3)	1,234.	1,420.	1,917.
	96"	30"	RMBA(A/B/C/D/E/F/G)A9630()(1/2/3)	1,368.	1,571.	2,122.
Profile edge on front and back (36"d) 	72"	36"	RMBA(A/B/C/D/E/F/G)A7236()(1/2/3)	1,190.	1,367.	1,847.
	84"	36"	RMBA(A/B/C/D/E/F/G)A8436()(1/2/3)	1,304.	1,501.	2,027.
	96"	36"	RMBA(A/B/C/D/E/F/G)A9636-()(1/2/3)	1,445.	1,663.	2,244.
Profile elliptical tops 	60"	30"	REBA(A/B/C/D/E/F/G)A6030	1,315.	1,512.	2,041.
	72"	42"	REBA(A/B/C/D/E/F/G)A7242	1,874.	2,153.	2,906.
	78"	48"	REBA(A/B/C/D/E/F/G)A7848	2,054.	2,362.	3,188.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RMBAGA7230F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development. Products on this page are shipped without hardware which must be ordered separately from the support components section. 1 1/4" tops require support at mid point to reduce spans to 48" or less.
R Reff	1. Edge profile	
MB Bow front top	2. Width	
A 1 1/4" thick	3. Depth	
G Gamma	4. Grommet option	
A Edge front and back	5. Top finish type	
72 72" wide	6. Top finish	
30 30" deep	7. Grommet finish	
F Flush grommet	<i>1. Edge profile options:</i>	
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
111 Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	4. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front A = Alternate location (only for 36" deep bow front tops)	
	5. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Worksurface 1 1/4"
Optional edge conference room tops
round and racetrack

Reff Profiles

description	w	d	pattern no.	V1	V2	V3
Racetrack top - 1 piece 	72"	30"	RTA(A/B/C/D/E/F/G)7230-(1/2/3)	\$1,315.	\$1,512.	\$2,041.
	84"	30"	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	1,464.	1,686.	2,275.
	96"	30"	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	1,631.	1,876.	2,532.
	72"	36"	RTA(A/B/C/D/E/F/G)7236-(1/2/3)	1,501.	1,723.	2,326.
	84"	36"	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	1,689.	1,937.	2,617.
	96"	36"	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	1,874.	2,153.	2,906.
	84"	42"	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	2,054.	2,362.	3,188.
	96"	42"	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	2,298.	2,643.	3,568.
Racetrack top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	RTA(A/B/C/D/E/F/G)12036-(1/2/3)	2,419.	2,781.	3,754.
	120"	42"	RTA(A/B/C/D/E/F/G)12042-(1/2/3)	2,608.	2,998.	4,048.
	144"	42"	RTA(A/B/C/D/E/F/G)14442-(1/2/3)	2,874.	3,307.	4,463.
	120"	48"	RTA(A/B/C/D/E/F/G)12048-(1/2/3)	2,773.	3,187.	4,302.
	144"	48"	RTA(A/B/C/D/E/F/G)14448-(1/2/3)	2,948.	3,388.	4,575.
Racetrack top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	RTA(A/B/C/D/E/F/G)16842-(1/2/3)	3,605.	4,146.	5,597.
	192"	42"	RTA(A/B/C/D/E/F/G)19242-(1/2/3)	3,875.	4,455.	6,014.
	168"	48"	RTA(A/B/C/D/E/F/G)16848-(1/2/3)	3,855.	4,434.	5,985.
	192"	48"	RTA(A/B/C/D/E/F/G)19248-(1/2/3)	4,032.	4,637.	6,258.
Round tops Profile edge on all sides except on parting lines. 	-	36"	RTA(A/B/C/D/E/F/G)3636-(1/2/3)	740.	851.	1,149.
	-	42"	RTA(A/B/C/D/E/F/G)4242-(1/2/3)	858.	986.	1,332.
	-	48"	RTA(A/B/C/D/E/F/G)4848-(1/2/3)	1,413.	1,624.	2,192.
	*	60"	RTA(A/B/C/D/E/F/G)6060-(1/2/3)	2,216.	2,548.	3,439.
	*	72"	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	2,742.	3,154.	4,258.

Order Code

Example: RTAG72302	
R	Reff
T	Racetrack top
A	1 1/4" thick
G	Gamma
72	22" wide
30	30" deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Edge profile
2. Width
3. Depth
4. Finish type
5. Finish

1. Edge profile options:

- A = Alpha
- B = Beta
- C = Chi
- D = Delta
- E = Epsilon
- F = Phi
- G = Gamma

4. Finish type:

- M = Mixed (laminated surface / wood edge)
- 1 = V1
- 2 = V2
- 3 = V3

*Round tops in two pieces.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.





Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Worksurface 1 1/4"

Optional edge conference room tops square and rectangular

Reff Profiles

description	w	d	pattern no.	V1	V2	V3
Rectangular top - 1 piece 	72"	30"	RRA(A/B/C/D/E/F/G)7230-(1/2/3)	\$696.	\$799.	\$1,080.
	84"	30"	RRA(A/B/C/D/E/F/G)8430-(1/2/3)	769.	887.	1,198.
	96"	30"	RRA(A/B/C/D/E/F/G)9630-(1/2/3)	864.	992.	1,340.
	72"	36"	RRA(A/B/C/D/E/F/G)7236-(1/2/3)	756.	868.	1,172.
	84"	36"	RRA(A/B/C/D/E/F/G)8436-(1/2/3)	825.	948.	1,281.
	96"	36"	RRA(A/B/C/D/E/F/G)9636-(1/2/3)	954.	1,097.	1,483.
	84"	42"	RRA(A/B/C/D/E/F/G)8442-(1/2/3)	1,222.	1,404.	1,895.
	96"	42"	RRA(A/B/C/D/E/F/G)9642-(1/2/3)	1,402.	1,611.	2,175.
Rectangular top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	RRA(A/B/C/D/E/F/G)12036-(1/2/3)	1,530.	1,759.	2,375.
	120"	42"	RRA(A/B/C/D/E/F/G)12042-(1/2/3)	2,110.	2,426.	3,273.
	144"	42"	RRA(A/B/C/D/E/F/G)14442-(1/2/3)	2,369.	2,728.	3,683.
	120"	48"	RRA(A/B/C/D/E/F/G)12048-(1/2/3)	2,293.	2,637.	3,561.
	144"	48"	RRA(A/B/C/D/E/F/G)14448-(1/2/3)	2,541.	2,920.	3,943.
Rectangular top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	RRA(A/B/C/D/E/F/G)16842-(1/2/3)	3,108.	3,575.	4,825.
	192"	42"	RRA(A/B/C/D/E/F/G)19242-(1/2/3)	3,367.	3,874.	5,229.
	168"	48"	RRA(A/B/C/D/E/F/G)16848-(1/2/3)	3,375.	3,885.	5,245.
	192"	48"	RRA(A/B/C/D/E/F/G)19248-(1/2/3)	3,625.	4,169.	5,626.
Square top Profile edge on all sides except on parting lines 	-	36"	RRA(A/B/C/D/E/F/G)3636-(1/2/3)	537.	617.	833.
	-	42"	RRA(A/B/C/D/E/F/G)4242-(1/2/3)	696.	799.	1,080.
	-	48"	RRA(A/B/C/D/E/F/G)4848-(1/2/3)	915.	1,050.	1,417.
	*	60"	RRA(A/B/C/D/E/F/G)6060-(1/2/3)	1,425.	1,639.	2,214.
	*	72"	RRA(A/B/C/D/E/F/G)7272-(1/2/3)	1,680.	1,933.	2,609.

Worksurfaces

Order Code

Example: RSAG72302	
R	Reff
R	Conference Room top
A	1 1/4" thick
G	Gamma
72	72" wide
30	30" deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Edge option
2. Width
3. Depth
4. Finish type
5. Finish

1. Edge profile options:

- A = Alpha
- B = Beta
- C = Chi
- D = Delta
- E = Epsilon
- F = Phi
- G = Gamma

4. Finish type:

- M = Mixed (laminate surface / wood edge)
- 1 = V1
- 2 = V2
- 3 = V3

* Square tops in two pieces.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Application Notes


Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Worksurface 1 1/4"
2" Waterfall edge front only
20" and 24" deep

Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front only 	20"	24"	RSAWF241-()(1/2/3)	\$706.	\$814.	\$1,098.
		30"	RSAWF301-()(1/2/3)	777.	895.	1,210.
		36"	RSAWF361-()(1/2/3)	822.	943.	1,273.
		42"	RSAWF421-()(1/2/3)	858.	984.	1,328.
		48"	RSAWF481-()(1/2/3)	892.	1,026.	1,385.
		54"	RSAWF541-()(1/2/3)	931.	1,072.	1,447.
		60"	RSAWF601-()(1/2/3)	1,003.	1,152.	1,556.
		66"	RSAWF661-()(1/2/3)	1,034.	1,190.	1,606.
		72"	RSAWF721-()(1/2/3)	1,084.	1,247.	1,686.
		78"	RSAWF781-()(1/2/3)	1,103.	1,266.	1,708.
		84"	RSAWF841-()(1/2/3)	1,173.	1,348.	1,820.
		90"	RSAWF901-()(1/2/3)	1,219.	1,402.	1,893.
		96"	RSAWF961-()(1/2/3)	1,266.	1,453.	1,962.
		24"	24"	RSAWF242-()(1/2/3)	744.	858.
30"	RSAWF302-()(1/2/3)		842.	969.	1,307.	
36"	RSAWF362-()(1/2/3)		876.	1,005.	1,358.	
42"	RSAWF422-()(1/2/3)		902.	1,036.	1,399.	
48"	RSAWF482-()(1/2/3)		969.	1,113.	1,503.	
54"	RSAWF542-()(1/2/3)		1,034.	1,190.	1,606.	
60"	RSAWF602-()(1/2/3)		1,107.	1,272.	1,716.	
66"	RSAWF662-()(1/2/3)		1,145.	1,314.	1,775.	
72"	RSAWF722-()(1/2/3)		1,197.	1,376.	1,856.	
78"	RSAWF782-()(1/2/3)		1,254.	1,441.	1,946.	
84"	RSAWF842-()(1/2/3)		1,302.	1,497.	2,021.	
90"	RSAWF902-()(1/2/3)		1,364.	1,568.	2,118.	
96"	RSAWF962-()(1/2/3)		1,417.	1,629.	2,201.	

Order Code	Specification Information	Application Notes
Example: RSAWF241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	
WF Waterfall front	4. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
24 24" wide	1. <i>Grommet options:</i>	
1 20" deep	N = No grommet	Applicable finishes are listed on page 5 and 6.
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
V319 Medium cherry	(not recommended on 20"D and 24"D tops)	
111 Jet Black (grommet)	2. <i>Finish type:</i>	
	1 = V1	Products on this page are shipped without hardware which must be ordered separately from the support components section.
	2 = V2	
	3 = V3	
		1 1/4" tops require support at mid point to reduce spans to 48" or less.


Worksurface 1 1/4"
2" Waterfall edge front only
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front only 	30"	24"	RSAWF243- ()(1/2/3)	\$810.	\$934.	\$1,261.
		30"	RSAWF303- ()(1/2/3)	910.	1,048.	1,415.
		36"	RSAWF363- ()(1/2/3)	982.	1,128.	1,523.
		42"	RSAWF423- ()(1/2/3)	1,023.	1,175.	1,586.
		48"	RSAWF483- ()(1/2/3)	1,091.	1,257.	1,697.
		54"	RSAWF543- ()(1/2/3)	1,179.	1,359.	1,834.
		60"	RSAWF603- ()(1/2/3)	1,225.	1,407.	1,900.
		66"	RSAWF663- ()(1/2/3)	1,251.	1,438.	1,943.
		72"	RSAWF723- ()(1/2/3)	1,282.	1,473.	1,988.
		78"	RSAWF783- ()(1/2/3)	1,342.	1,542.	2,081.
		84"	RSAWF843- ()(1/2/3)	1,394.	1,606.	2,167.
		90"	RSAWF903- ()(1/2/3)	1,461.	1,676.	2,262.
		96"	RSAWF963- ()(1/2/3)	1,513.	1,740.	2,348.
		36"	60"	RSAWF604- ()(1/2/3)	1,414.	1,622.
66"	RSAWF664- ()(1/2/3)		1,463.	1,680.	2,270.	
72"	RSAWF724- ()(1/2/3)		1,511.	1,736.	2,343.	

Order Code	Specification Information	Application Notes
Example: RSAWF243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	
WF Waterfall front	4. Grommet finish	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
24 24" wide	1. <i>Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front	
V319 Medium cherry	(not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
111 Jet black (grommet)	2. <i>Finish type:</i>	
	1 = V1	1 1/4" tops require support at mid point to reduce spans to 48" or less.
	2 = V2	
	3 = V3	


Worksurface 1 1/4"
2" Waterfall edge front and back
20" and 24" deep

Reff Profiles

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and back only 	20"	24"	RSAWA241- ()(1/2/3)	\$883.	\$1,019.	\$1,376.	
		30"	RSAWA301- ()(1/2/3)	974.	1,119.	1,509.	
		36"	RSAWA361- ()(1/2/3)	1,027.	1,178.	1,592.	
		42"	RSAWA421- ()(1/2/3)	1,073.	1,232.	1,664.	
		48"	RSAWA481- ()(1/2/3)	1,113.	1,282.	1,730.	
		54"	RSAWA541- ()(1/2/3)	1,163.	1,339.	1,808.	
		60"	RSAWA601- ()(1/2/3)	1,255.	1,440.	1,944.	
		66"	RSAWA661- ()(1/2/3)	1,293.	1,487.	2,008.	
		72"	RSAWA721- ()(1/2/3)	1,359.	1,563.	2,110.	
		78"	RSAWA781- ()(1/2/3)	1,379.	1,581.	2,135.	
		84"	RSAWA841- ()(1/2/3)	1,465.	1,685.	2,274.	
		90"	RSAWA901- ()(1/2/3)	1,526.	1,754.	2,367.	
		96"	RSAWA961- ()(1/2/3)	1,581.	1,820.	2,456.	
		24"	24"	RSAWA242- ()(1/2/3)	931.	1,073.	1,448.
			30"	RSAWA302- ()(1/2/3)	1,052.	1,211.	1,635.
			36"	RSAWA362- ()(1/2/3)	1,095.	1,260.	1,701.
			42"	RSAWA422- ()(1/2/3)	1,128.	1,296.	1,751.
			48"	RSAWA482- ()(1/2/3)	1,211.	1,393.	1,880.
			54"	RSAWA542- ()(1/2/3)	1,293.	1,487.	2,008.
60"	RSAWA602- ()(1/2/3)		1,385.	1,593.	2,150.		
66"	RSAWA662- ()(1/2/3)		1,432.	1,644.	2,219.		
72"	RSAWA722- ()(1/2/3)		1,494.	1,719.	2,322.		
78"	RSAWA782- ()(1/2/3)		1,568.	1,805.	2,435.		
84"	RSAWA842- ()(1/2/3)		1,629.	1,875.	2,530.		
90"	RSAWA902- ()(1/2/3)		1,706.	1,961.	2,647.		
96"	RSAWA962- ()(1/2/3)		1,771.	2,035.	2,747.		

Order Code	Specification Information	Application Notes
Example: RSAWA241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall tops cannot be specified with open pore finish.
A 1 1/4" thick	3. Top finish	
WA Waterfall front/back	4. Grommet finish	Products on this page are shipped without hardware which must be ordered separately from the support components section.
24 24" wide	1. Grommet options:	
1 20" deep	N = No grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
V319 Medium cherry	(not recommended on 20"D and 24"D tops)	
111 Jet Black (grommet)	2. Finish type:	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	1 = V1	Applicable finishes are listed on page 5 and 6.
	2 = V2	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
	3 = V3	

Worksurface 1 1/4"
2" Waterfall edge front and back
30" and 36" deep


description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and back only 	30"	24"	RSAWA243-()(1/2/3)	\$1,015.	\$1,167.	\$1,575.	
		30"	RSAWA303-()(1/2/3)	1,139.	1,312.	1,772.	
		36"	RSAWA363-()(1/2/3)	1,228.	1,413.	1,907.	
		42"	RSAWA423-()(1/2/3)	1,280.	1,470.	1,984.	
		48"	RSAWA483-()(1/2/3)	1,365.	1,570.	2,120.	
		54"	RSAWA543-()(1/2/3)	1,476.	1,698.	2,292.	
		60"	RSAWA603-()(1/2/3)	1,530.	1,760.	2,377.	
		66"	RSAWA663-()(1/2/3)	1,565.	1,800.	2,430.	
		72"	RSAWA723-()(1/2/3)	1,603.	1,842.	2,487.	
		78"	RSAWA783-()(1/2/3)	1,676.	1,930.	2,604.	
		84"	RSAWA843-()(1/2/3)	1,744.	2,008.	2,710.	
		90"	RSAWA903-()(1/2/3)	1,823.	2,097.	2,832.	
		96"	RSAWA963-()(1/2/3)	1,890.	2,174.	2,935.	
		36"	60"	RSAWA604-()(1/2/3)	1,767.	2,028.	2,738.
			66"	RSAWA664-()(1/2/3)	1,827.	2,103.	2,838.
			72"	RSAWA724-()(1/2/3)	1,887.	2,170.	2,929.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWA243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall tops cannot be specified with open pore finish.
A 1 1/4" thick	3. Top finish	
WA Waterfall front/back	4. Grommet finish	Products on this page are shipped without hardware which must be ordered separately from the support components section.
24 24" wide	1. Grommet options:	
3 30" deep	N = No grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
V319 Medium cherry	(not recommended on 20"D and 24"D tops)	
111 Jet Black (grommet)	2. Finish type:	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	1 = V1	Applicable finishes are listed on page 5 and 6.
	2 = V2	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
	3 = V3	


Worksurface 1 1/4"
2" Waterfall edge front and two sides
20" and 24" deep

Reff Profiles

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and two sides 	20"	24"	RSAWB241-()(1/2/3)	\$1,064.	\$1,221.	\$1,648.	
		30"	RSAWB301-()(1/2/3)	1,167.	1,340.	1,809.	
		36"	RSAWB361-()(1/2/3)	1,230.	1,415.	1,910.	
		42"	RSAWB421-()(1/2/3)	1,286.	1,477.	1,994.	
		48"	RSAWB481-()(1/2/3)	1,336.	1,538.	2,076.	
		54"	RSAWB541-()(1/2/3)	1,395.	1,607.	2,170.	
		60"	RSAWB601-()(1/2/3)	1,508.	1,731.	2,337.	
		66"	RSAWB661-()(1/2/3)	1,552.	1,783.	2,409.	
		72"	RSAWB721-()(1/2/3)	1,629.	1,874.	2,529.	
		78"	RSAWB781-()(1/2/3)	1,649.	1,897.	2,561.	
		84"	RSAWB841-()(1/2/3)	1,757.	2,023.	2,730.	
		90"	RSAWB901-()(1/2/3)	1,831.	2,105.	2,841.	
		96"	RSAWB961-()(1/2/3)	1,897.	2,183.	2,947.	
		24"	24"	RSAWB242-()(1/2/3)	1,118.	1,286.	1,736.
			30"	RSAWB302-()(1/2/3)	1,264.	1,449.	1,958.
			36"	RSAWB362-()(1/2/3)	1,313.	1,511.	2,040.
			42"	RSAWB422-()(1/2/3)	1,354.	1,558.	2,105.
			48"	RSAWB482-()(1/2/3)	1,449.	1,671.	2,256.
			54"	RSAWB542-()(1/2/3)	1,552.	1,783.	2,409.
			60"	RSAWB602-()(1/2/3)	1,663.	1,909.	2,578.
66"	RSAWB662-()(1/2/3)		1,716.	1,973.	2,663.		
72"	RSAWB722-()(1/2/3)		1,794.	2,065.	2,786.		
78"	RSAWB782-()(1/2/3)		1,880.	2,165.	2,922.		
84"	RSAWB842-()(1/2/3)		1,955.	2,246.	3,034.		
90"	RSAWB902-()(1/2/3)		2,045.	2,352.	3,175.		
96"	RSAWB962-()(1/2/3)	2,122.	2,444.	3,300.			

Order Code	Specification Information	Application Notes
Example: RSAWB241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	
WB Waterfall front and 2 sides	4. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
24 24" wide	1. Grommet options:	Applicable finishes are listed on page 5 and 6.
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	
V319 Medium cherry	2. Finish type:	
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	
		1 1/4" tops require support at mid point to reduce spans to 48" or less.

Worksurface 1 1/4"
2" Waterfall edge front and two sides
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and two sides 	30"	24"	RSAWB243-()(1/2/3)	\$1,217.	\$1,400.	\$1,890.
		30"	RSAWB303-()(1/2/3)	1,368.	1,574.	2,124.
		36"	RSAWB363-()(1/2/3)	1,473.	1,694.	2,287.
		42"	RSAWB423-()(1/2/3)	1,535.	1,762.	2,379.
		48"	RSAWB483-()(1/2/3)	1,639.	1,883.	2,543.
		54"	RSAWB543-()(1/2/3)	1,772.	2,035.	2,747.
		60"	RSAWB603-()(1/2/3)	1,835.	2,110.	2,849.
		66"	RSAWB663-()(1/2/3)	1,877.	2,159.	2,914.
		72"	RSAWB723-()(1/2/3)	1,921.	2,210.	2,983.
		78"	RSAWB783-()(1/2/3)	2,014.	2,318.	3,128.
		84"	RSAWB843-()(1/2/3)	2,090.	2,406.	3,248.
		90"	RSAWB903-()(1/2/3)	2,187.	2,517.	3,399.
	96"	RSAWB963-()(1/2/3)	2,271.	2,608.	3,521.	
	36"	60"	RSAWB604-()(1/2/3)	2,118.	2,435.	3,288.
		66"	RSAWB664-()(1/2/3)	2,190.	2,521.	3,403.
		72"	RSAWB724-()(1/2/3)	2,268.	2,604.	3,516.

Worksurfaces

Order Code

Example: RSAWB243F2
R Reff
S Straight top
A 1 1/4" thick
WB Waterfall front and 2 sides
24 24" wide
3 30" deep
F Flush grommet
2 V2 finish
V319 Medium cherry
111 Jet Black (grommet)

Specification Information

To order please specify pattern number including:

- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front (not recommended on 20"D and 24"D tops)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Worksurface 1 1/4"
2" Waterfall edge front and left side
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and left side 	20"	24"	RSAWL241-()(1/2/3)	\$974.	\$1,120.	\$1,510.	
		30"	RSAWL301-()(1/2/3)	1,071.	1,229.	1,660.	
		36"	RSAWL361-()(1/2/3)	1,128.	1,296.	1,751.	
		42"	RSAWL421-()(1/2/3)	1,178.	1,354.	1,828.	
		48"	RSAWL481-()(1/2/3)	1,226.	1,409.	1,903.	
		54"	RSAWL541-()(1/2/3)	1,281.	1,472.	1,987.	
		60"	RSAWL601-()(1/2/3)	1,381.	1,586.	2,142.	
		66"	RSAWL661-()(1/2/3)	1,421.	1,637.	2,211.	
		72"	RSAWL721-()(1/2/3)	1,492.	1,716.	2,318.	
		78"	RSAWL781-()(1/2/3)	1,515.	1,741.	2,349.	
		84"	RSAWL841-()(1/2/3)	1,612.	1,853.	2,502.	
		90"	RSAWL901-()(1/2/3)	1,676.	1,930.	2,604.	
		96"	RSAWL961-()(1/2/3)	1,741.	2,002.	2,702.	
		24"	24"	RSAWL242-()(1/2/3)	1,024.	1,178.	1,592.
			30"	RSAWL302-()(1/2/3)	1,158.	1,332.	1,797.
			36"	RSAWL362-()(1/2/3)	1,204.	1,385.	1,869.
			42"	RSAWL422-()(1/2/3)	1,241.	1,427.	1,925.
			48"	RSAWL482-()(1/2/3)	1,332.	1,531.	2,067.
			54"	RSAWL542-()(1/2/3)	1,421.	1,637.	2,211.
60"	RSAWL602-()(1/2/3)		1,523.	1,748.	2,361.		
66"	RSAWL662-()(1/2/3)		1,572.	1,809.	2,442.		
72"	RSAWL722-()(1/2/3)		1,644.	1,890.	2,551.		
78"	RSAWL782-()(1/2/3)		1,721.	1,983.	2,678.		
84"	RSAWL842-()(1/2/3)		1,788.	2,061.	2,782.		
90"	RSAWL902-()(1/2/3)	1,876.	2,157.	2,910.			
96"	RSAWL962-()(1/2/3)	1,946.	2,240.	3,024.			

Order Code

Example: RSAWL241F2
R Reff
S Straight top
A 1 1/4" thick
WL Waterfall front and left
24 24" wide
1 20" deep
F Flush grommet
2 V2 finish
V319 Medium cherry
111 Jet Black (grommet)

Specification Information

To order please specify pattern number including:

- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20"D and 24"D tops)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Worksurface 1 1/4"
2" Waterfall edge front and left side
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	30"	24"	RSAWL243-()(1/2/3)	\$1,118.	\$1,284.	\$1,733.
		30"	RSAWL303-()(1/2/3)	1,254.	1,441.	1,946.
		36"	RSAWL363-()(1/2/3)	1,350.	1,553.	2,097.
		42"	RSAWL423-()(1/2/3)	1,405.	1,616.	2,180.
		48"	RSAWL483-()(1/2/3)	1,502.	1,730.	2,336.
		54"	RSAWL543-()(1/2/3)	1,622.	1,869.	2,523.
		60"	RSAWL603-()(1/2/3)	1,683.	1,934.	2,611.
		66"	RSAWL663-()(1/2/3)	1,718.	1,980.	2,674.
		72"	RSAWL723-()(1/2/3)	1,762.	2,025.	2,733.
		78"	RSAWL783-()(1/2/3)	1,845.	2,122.	2,865.
		84"	RSAWL843-()(1/2/3)	1,917.	2,207.	2,980.
		90"	RSAWL903-()(1/2/3)	2,008.	2,309.	3,117.
		96"	RSAWL963-()(1/2/3)	2,080.	2,390.	3,227.
36"	60"	RSAWL604-()(1/2/3)	1,942.	2,232.	3,014.	
	66"	RSAWL664-()(1/2/3)	2,011.	2,311.	3,119.	
	72"	RSAWL724-()(1/2/3)	2,077.	2,387.	3,223.	

Worksurfaces

Order Code

Example: RSAWL243F2
R Reff
S Straight top
A 1 1/4" thick
WL Waterfall front and left
24 24" wide
3 30" deep
F Flush grommet
2 V2 finish
V319 Medium cherry
111 Jet Black (grommet)

Specification Information

To order please specify pattern number including:

- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20"D and 24"D tops)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Worksurface 1 1/4"
2" Waterfall edge front and right side
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and right side 	20"	24"	RSAWR241-()(1/2/3)	\$974.	\$1,120.	\$1,510.	
		30"	RSAWR301-()(1/2/3)	1,071.	1,229.	1,660.	
		36"	RSAWR361-()(1/2/3)	1,128.	1,296.	1,751.	
		42"	RSAWR421-()(1/2/3)	1,178.	1,354.	1,828.	
		48"	RSAWR481-()(1/2/3)	1,226.	1,409.	1,903.	
		54"	RSAWR541-()(1/2/3)	1,281.	1,472.	1,987.	
		60"	RSAWR601-()(1/2/3)	1,381.	1,586.	2,142.	
		66"	RSAWR661-()(1/2/3)	1,421.	1,637.	2,211.	
		72"	RSAWR721-()(1/2/3)	1,492.	1,716.	2,318.	
		78"	RSAWR781-()(1/2/3)	1,515.	1,741.	2,349.	
		84"	RSAWR841-()(1/2/3)	1,612.	1,853.	2,502.	
		90"	RSAWR901-()(1/2/3)	1,676.	1,930.	2,604.	
		96"	RSAWR961-()(1/2/3)	1,741.	2,002.	2,702.	
		24"	24"	RSAWR242-()(1/2/3)	1,024.	1,178.	1,592.
		30"	RSAWR302-()(1/2/3)	1,158.	1,332.	1,797.	
		36"	RSAWR362-()(1/2/3)	1,204.	1,385.	1,869.	
		42"	RSAWR422-()(1/2/3)	1,241.	1,427.	1,925.	
		48"	RSAWR482-()(1/2/3)	1,332.	1,531.	2,067.	
		54"	RSAWR542-()(1/2/3)	1,421.	1,637.	2,211.	
60"	RSAWR602-()(1/2/3)	1,523.	1,748.	2,361.			
66"	RSAWR662-()(1/2/3)	1,572.	1,809.	2,442.			
72"	RSAWR722-()(1/2/3)	1,644.	1,890.	2,551.			
78"	RSAWR782-()(1/2/3)	1,721.	1,983.	2,678.			
84"	RSAWR842-()(1/2/3)	1,788.	2,061.	2,782.			
90"	RSAWR902-()(1/2/3)	1,876.	2,157.	2,910.			
96"	RSAWR962-()(1/2/3)	1,946.	2,240.	3,024.			

Order Code

Example: RSAWR241F2
R Reff
S Straight top
A 1 1/4" thick
WR Waterfall front and right
24 24" wide
1 20" deep
F Flush grogmet
2 V2 finish
V319 Medium cherry
111 Jet Black (grogmet)

Specification Information

To order please specify pattern number including:

- Grogmet option
- Top finish type
- Top finish
- Grogmet finish

1. Grogmet options:
N = No grogmet
F = Flush front grogmet location
R = Recessed front (not recommended on 20"D and 24"D tops)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grogmet locations which interfere with support or other hardware. All requests for special grogmet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Worksurface 1 1/4"
2" Waterfall edge front and right side
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and right side 	30"	24"	RSAWR243-()(1/2/3)	\$1,118.	\$1,284.	\$1,733.	
		30"	RSAWR303-()(1/2/3)	1,254.	1,441.	1,946.	
		36"	RSAWR363-()(1/2/3)	1,350.	1,553.	2,097.	
		42"	RSAWR423-()(1/2/3)	1,405.	1,616.	2,180.	
		48"	RSAWR483-()(1/2/3)	1,502.	1,730.	2,336.	
		54"	RSAWR543-()(1/2/3)	1,622.	1,869.	2,523.	
		60"	RSAWR603-()(1/2/3)	1,683.	1,934.	2,611.	
		66"	RSAWR663-()(1/2/3)	1,718.	1,980.	2,674.	
		72"	RSAWR723-()(1/2/3)	1,762.	2,025.	2,733.	
		78"	RSAWR783-()(1/2/3)	1,845.	2,122.	2,865.	
		84"	RSAWR843-()(1/2/3)	1,917.	2,207.	2,980.	
		90"	RSAWR903-()(1/2/3)	2,008.	2,309.	3,117.	
		96"	RSAWR963-()(1/2/3)	2,080.	2,390.	3,227.	
		36"	60"	RSAWR604-()(1/2/3)	1,942.	2,232.	3,014.
			66"	RSAWR664-()(1/2/3)	2,011.	2,311.	3,119.
72"	RSAWR724-()(1/2/3)		2,077.	2,387.	3,223.		

Worksurfaces

Order Code

Example: RSAWR243F2
R Reff
S Straight top
A 1 1/4" thick
WR Waterfall front and right
24 24" wide
3 30" deep
F Flush grommet
2 V2 finish
V319 Medium cherry
111 Jet Black (grommet)

Specification Information

To order please specify pattern number including:

- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20"D and 24"D tops)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.






Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

2" Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
Wave transition top with waterfall edge front only (left 24", right 30") 	24"	42"	30"	RWAWF4223- ()(1/2/3)	\$1,026.	\$1,178.	\$1,592.
	24"	48"	30"	RWAWF4823- ()(1/2/3)	1,068.	1,227.	1,656.
	24"	54"	30"	RWAWF5423- ()(1/2/3)	1,150.	1,326.	1,789.
	24"	60"	30"	RWAWF6023- ()(1/2/3)	1,230.	1,418.	1,915.
	24"	66"	30"	RWAWF6623- ()(1/2/3)	1,276.	1,467.	1,980.
	24"	72"	30"	RWAWF7223- ()(1/2/3)	1,339.	1,541.	2,080.
Wave transition top with waterfall edge front only (left 30", right 24") 	30"	42"	24"	RWAWF4232- ()(1/2/3)	1,026.	1,178.	1,592.
	30"	48"	24"	RWAWF4832- ()(1/2/3)	1,068.	1,227.	1,656.
	30"	54"	24"	RWAWF5432- ()(1/2/3)	1,150.	1,326.	1,789.
	30"	60"	24"	RWAWF6032- ()(1/2/3)	1,230.	1,418.	1,915.
	30"	66"	24"	RWAWF6632- ()(1/2/3)	1,276.	1,467.	1,980.
	30"	72"	24"	RWAWF7232- ()(1/2/3)	1,339.	1,541.	2,080.
Wave transition top with waterfall edge front only (left 20", right 24") 	20"	42"	24"	RWAWF4212- ()(1/2/3)	950.	1,095.	1,479.
	20"	48"	24"	RWAWF4812- ()(1/2/3)	1,000.	1,150.	1,553.
	20"	54"	24"	RWAWF5412- ()(1/2/3)	1,071.	1,230.	1,661.
	20"	60"	24"	RWAWF6012- ()(1/2/3)	1,144.	1,315.	1,777.
	20"	66"	24"	RWAWF6612- ()(1/2/3)	1,178.	1,354.	1,828.
	20"	72"	24"	RWAWF7212- ()(1/2/3)	1,234.	1,420.	1,917.
Wave transition top with waterfall edge front only (left 24", right 20") 	24"	42"	20"	RWAWF4221- ()(1/2/3)	950.	1,095.	1,479.
	24"	48"	20"	RWAWF4821- ()(1/2/3)	1,000.	1,150.	1,553.
	24"	54"	20"	RWAWF5421- ()(1/2/3)	1,071.	1,230.	1,661.
	24"	60"	20"	RWAWF6021- ()(1/2/3)	1,144.	1,315.	1,777.
	24"	66"	20"	RWAWF6621- ()(1/2/3)	1,178.	1,354.	1,828.
	24"	72"	20"	RWAWF7221- ()(1/2/3)	1,234.	1,420.	1,917.
Wave end top with waterfall edge front (right 20") 	32"	36"	20"	RWEAWF3631- ()(1/2/3)	1,264.	1,449.	1,958.
	32"	42"	20"	RWEAWF4231- ()(1/2/3)	1,313.	1,512.	2,041.
	32"	48"	20"	RWEAWF4831- ()(1/2/3)	1,385.	1,594.	2,151.

Order Code	Specification Information	Application Notes
Example: RWAWF4221F2	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Top finish	
WF Waterfall front	4. Grommet finish	
42 42" wide	<i>1. Grommet options:</i>	
2 24" deep on left side	N = No grommet	Curvilinear worksurfaces only available in 1 1/4" thick.
1 20" deep on left side	F = Flush front grommet location	
F Flush grommet location	<i>2. Finish type:</i>	
2 V2 finish	1 = V1	See Planning Guide for grommet locations.
V319 Medium cherry	2 = V2	
111 Jet Black (grommet)	3 = V3	
	Applicable finishes are listed on page 5 and 6.	Waterfall tops cannot be specified with semi-open pore finish.
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	




Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

2" Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
Wave end top with waterfall edge front (right 24") 	36"	36"	24"	RWEAWF3662-() (1/2/3)	\$1,305.	\$1,501.	\$2,027.
	36"	42"	24"	RWEAWF4262-() (1/2/3)	1,347.	1,551.	2,093.
	36"	48"	24"	RWEAWF4862-() (1/2/3)	1,431.	1,644.	2,219.
Wave end top with waterfall edge front (left 20") 	20"	36"	32"	RWEAWF3613-() (1/2/3)	1,264.	1,449.	1,958.
	20"	42"	32"	RWEAWF4213-() (1/2/3)	1,313.	1,512.	2,041.
	20"	48"	32"	RWEAWF4813-() (1/2/3)	1,385.	1,594.	2,151.
Wave end top with waterfall edge front (left 24") 	24"	36"	36"	RWEAWF3626-() (1/2/3)	1,305.	1,501.	2,027.
	24"	42"	36"	RWEAWF4226-() (1/2/3)	1,347.	1,551.	2,093.
	24"	48"	36"	RWEAWF4826-() (1/2/3)	1,431.	1,644.	2,219.

Order Code	Specification Information	Application Notes
Example: RWAWF4221F2	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Top finish	Curvilinear worksurfaces only available in 1 1/4" thick.
WF Waterfall front	4. Grommet finish	See Planning Guide for grommet locations.
42 42" wide	<i>1. Grommet options:</i>	Waterfall tops cannot be specified with semi-open pore finish.
2 24" deep on left side	N = No grommet	
1 20" deep on left side	F = Flush front grommet location	
F Flush grommet location	<i>2. Finish type:</i>	
2 V2 finish	1 = V1	
V319 Medium cherry	2 = V2	
111 Jet Black (grommet)	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	


Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.




2" Waterfall edge front only curvilinear corner tops

description	Back w	w	pattern no.	V1	V2	V3
Curved corner work top, with waterfall edge front only (both returns 20") 	36"	36"	RCAWF363611-()(1/2/3)	\$1,501.	\$1,728.	\$2,332.
	36"	42"	RCAWF364211-()(1/2/3)	1,589.	1,827.	2,468.
	36"	48"	RCAWF364811-()(1/2/3)	1,686.	1,940.	2,620.
	42"	36"	RCAWF423611-()(1/2/3)	1,589.	1,827.	2,468.
	42"	42"	RCAWF424211-()(1/2/3)	1,686.	1,940.	2,620.
	42"	48"	RCAWF424811-()(1/2/3)	1,842.	2,119.	2,861.
	48"	36"	RCAWF483611-()(1/2/3)	1,686.	1,940.	2,620.
	48"	42"	RCAWF484211-()(1/2/3)	1,842.	2,119.	2,861.
<i>Radii of front edge varies with top dimensions</i>						
Curved corner work top, with waterfall edge front only (both returns 24")	36"	36"	RCAWF363622-()(1/2/3)	1,701.	1,960.	2,646.
	36"	42"	RCAWF364222-()(1/2/3)	1,788.	2,061.	2,782.
	36"	48"	RCAWF364822-()(1/2/3)	1,887.	2,172.	2,932.
	42"	36"	RCAWF423622-()(1/2/3)	1,788.	2,061.	2,782.
	42"	42"	RCAWF424222-()(1/2/3)	1,887.	2,172.	2,932.
	42"	48"	RCAWF424822-()(1/2/3)	2,043.	2,352.	3,175.
	48"	36"	RCAWF483622-()(1/2/3)	1,887.	2,172.	2,932.
	48"	42"	RCAWF484222-()(1/2/3)	2,043.	2,352.	3,175.
Curved corner work top, with waterfall edge front only (left return 20", right return 24")	36"	36"	RCAWF363612-()(1/2/3)	1,568.	1,803.	2,434.
	36"	42"	RCAWF364212-()(1/2/3)	1,659.	1,905.	2,572.
	36"	48"	RCAWF364812-()(1/2/3)	1,754.	2,017.	2,724.
	42"	36"	RCAWF423612-()(1/2/3)	1,659.	1,905.	2,572.
	42"	42"	RCAWF424212-()(1/2/3)	1,754.	2,017.	2,724.
	42"	48"	RCAWF424812-()(1/2/3)	1,910.	2,195.	2,963.
	48"	36"	RCAWF483612-()(1/2/3)	1,754.	2,017.	2,724.
	48"	42"	RCAWF484212-()(1/2/3)	1,910.	2,195.	2,963.
Curved corner work top, with waterfall edge front only (left return 24", right return 20")	36"	36"	RCAWF363621-()(1/2/3)	1,568.	1,803.	2,434.
	36"	42"	RCAWF364221-()(1/2/3)	1,659.	1,905.	2,572.
	36"	48"	RCAWF364821-()(1/2/3)	1,754.	2,017.	2,724.
	42"	36"	RCAWF423621-()(1/2/3)	1,659.	1,905.	2,572.
	42"	42"	RCAWF424221-()(1/2/3)	1,754.	2,017.	2,724.
	42"	48"	RCAWF424821-()(1/2/3)	1,910.	2,195.	2,963.
	48"	36"	RCAWF483621-()(1/2/3)	1,754.	2,017.	2,724.
	48"	42"	RCAWF484221-()(1/2/3)	1,910.	2,195.	2,963.

Order Code	Specification Information	Application Notes
Example: RCAWF363611F2	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
R Reff	1. Grommet option	Waterfall tops cannot be specified with semi-open pore finish.
C Curved front corner	2. Top finish type	
A 1 1/4" thick	3. Top finish	Products on this page are shipped without hardware which must be ordered separately from the support components section.
WF Waterfall front	4. Grommet finish	
36 36" wide on left back	<i>1. Grommet options:</i>	Curvilinear worksurfaces only available in 1 1/4" thick.
36 36" wide on right back	N = No grommet	
1 20" deep on left side	F = Standard corner location	See Planning Guide for grommet locations.
1 20" deep on right side		
F Standard grommet	<i>2. Finish type:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
2 V2 finish	1 = V1	
V319 Medium cherry	2 = V2	
111 Jet Black (grommet)	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Worksurface 1 1/4" 2" Waterfall edge meeting tops

Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Waterfall edge on all except flat side 	30"	42"	RMDAWF4230-()(1/2/3)	\$1,917.	\$2,206.	\$2,977.
		48"	RMDAWF4830-()(1/2/3)	2,068.	2,378.	3,210.
		54"	RMDAWF5430-()(1/2/3)	2,220.	2,553.	3,447.
		60"	RMDAWF6030-()(1/2/3)	2,372.	2,727.	3,680.
		66"	RMDAWF6630-()(1/2/3)	2,526.	2,906.	3,923.
		72"	RMDAWF7230-()(1/2/3)	2,681.	3,085.	4,164.
		78"	RMDAWF7830-()(1/2/3)	3,036.	3,487.	4,709.
		84"	RMDAWF8430-()(1/2/3)	3,388.	3,894.	5,258.
		90"	RMDAWF9030-()(1/2/3)	3,781.	4,348.	5,870.
	96"	RMDAWF9630-()(1/2/3)	4,175.	4,799.	6,479.	
	36"	42"	RMDAWF4236-()(1/2/3)	2,115.	2,430.	3,279.
		48"	RMDAWF4836-()(1/2/3)	2,311.	2,657.	3,588.
		54"	RMDAWF5436-()(1/2/3)	2,640.	3,040.	4,104.
		60"	RMDAWF6036-()(1/2/3)	2,964.	3,408.	4,602.
		66"	RMDAWF6636-()(1/2/3)	3,015.	3,469.	4,683.
		72"	RMDAWF7236-()(1/2/3)	3,065.	3,526.	4,760.
		78"	RMDAWF7836-()(1/2/3)	3,450.	3,968.	5,354.
		84"	RMDAWF8436-()(1/2/3)	3,840.	4,415.	5,960.
		90"	RMDAWF9036-()(1/2/3)	4,045.	4,656.	6,284.
96"	RMDAWF9636-()(1/2/3)	4,434.	5,096.	6,881.		
Meeting P-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	RMPAWF4230-()(1/2/3)	2,636.	3,030.	4,090.
						
Meeting 9-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	RM9AWF4230-()(1/2/3)	2,636.	3,030.	4,090.
						

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RMDAWF4230N2 R Reff MD Meeting D-shaped top A 1 1/4" thick WF Waterfall all except flat side 42 42" wide 30 30" deep N No grommet 2 V2 finish V319 Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Grommet option 3. Top finish type 4. Top finish 5. Grommet finish 1. Thickness option: A = 1 1/4" 2. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front C = Centered (only on D-tops) 3. Finish type: 1 = V1 2 = V2 3 = V3 Note wraps around panel tops only, require specification of mating trim profile.	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end. Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. Refer to Planning Guide for modesty panel size requirements and all other support options. Waterfall tops cannot be specified with semi-open pore finish. Peninsula D-shaped top has grommet choice centered (as shown) or none. No grommet option on P or 9 tops.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.




Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Worksurface 1 1/4" 2" Waterfall edge meeting tops

Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Worksurface 9-top 	30"	84"	RM9AWF8430-()(1/2/3)	\$5,363.	\$6,168.	\$8,326.
	30"	96"	RM9AWF9630-()(1/2/3)	5,588.	6,422.	8,671.
Worksurface P-top 	30"	84"	RMPAWF8430-()(1/2/3)	5,363.	6,168.	8,326.
	30"	96"	RMPAWF9630-()(1/2/3)	5,588.	6,422.	8,671.
Wrap around panel top 	21 1/2"	42 1/2"	RMDAWF4221-()(1/2/3)()	2,468.	2,836.	3,828.
	25 1/2"	50 1/2"	RMDAWF5025-()(1/2/3)()	2,704.	3,110.	4,199.


Order Code	Specification Information	Application Notes
Example: RMDAWF4230N2	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
R Reff	1. Top thickness	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
MD Meeting D-shaped top	2. Grommet option	
A 1 1/4" thick	3. Top finish type	Refer to Planning Guide for modesty panel size requirements and all other support options.
WF Waterfall all except flat side	4. Top finish	
42 42" wide	5. Grommet finish	Waterfall tops cannot be specified with semi-open pore finish.
30 30" deep	1. <i>Thickness option:</i>	Peninsula D-shaped top has grommet choice centered (as shown) or none. No grommet option on P or 9 tops.
N No grommet	A = 1 1/4"	
2 V2 finish	2. <i>Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
V319 Medium cherry	N = No grommet	
	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
	R = Recessed front	
	C = Centered (only on D-tops)	
	3. <i>Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	
	Note wraps around panel tops only, require specification of mating trim profile.	

Worksurface 1 1/4"


2" Waterfall edge bow front tops

Reff Profiles


Worksurfaces

description	w	d	h	pattern no.	L	V1	V2	V3
 30"D	72"	30"		RMBAWA7230-()(1/2/3)		\$2,659.	\$3,062.	\$4,134.
	84"	30"		RMBAWA8430-()(1/2/3)		2,936.	3,377.	4,558.
	96"	30"		RMBAWA9630-()(1/2/3)		3,257.	3,745.	5,057.

Use 29" deep pedestals or end panels.
Do not use 23" deep pedestals if using recessed modesty.

 36"D	72"	36"		RMBAWA7236-()(1/2/3)		2,829.	3,253.	4,391.
	84"	36"		RMBAWA8436-()(1/2/3)		3,105.	3,570.	4,819.
	96"	36"		RMBAWA9636-()(1/2/3)		3,443.	3,955.	5,340.

Use 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).
 Can also be used with 36" deep end panel and recessed modesty.

Short modesty panel	w	d	h	pattern no.	L	V1	V2	V3
	40"	1"	26 1/2"	RB40MR-()	309.	398.	456.	616.
	52"	1"	26 1/2"	RB52MR-()	364.	468.	538.	727.
	64"	1"	26 1/2"	RB64MR-()	397.	515.	594.	802.

Use of short modesty panel

Pedestals must be ordered separately with individual back panels.
 Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.
 Order:
 40" modesty for 72" bow top
 52" modesty for 84" bow top
 64" modesty for 96" bow top
 When ordering bow top 30"D for use with short modesty, specify recessed grommet location.
 When ordering bow top 36"D for use with short modesty, specify alternate grommet location.



Order Code	Specification Information	Application Notes
Example: RCBAWA7230F2	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
R Reff	1. Grommet option	Shipped with hardware. Refer to page 0 of planning guide for application details.
CB Bow front	2. Top finish type	*Grommet options for elliptical tops are Recessed (R) or None (N).
A 1 1/4" thick	3. Top finish	Waterfall tops cannot be specified with semi-open pore finish.
WA Waterfall front/back	4. Grommet finish	1 1/4" tops require support at mid point to reduce spans to 48" or less.
72 72" wide	<i>1. Grommet options:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
30 30" deep	N = No grommet	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
F Flush front grommet position	F = Flush front grommet location	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
2 V2 finish	R = Recessed front	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
V319 Medium cherry	A = Alternate location (for 36"D tops only)	
111 Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Worksurface 1 1/4" 2" Waterfall edge bow front tops

Reff Profiles





description	w	d	h	pattern no.	L	V1	V2	V3
Bulkhead (false pedestal)* 	16"	24"	26 1/2"	REBH24	\$436.	\$658.	\$763.	\$1,030.
	16"	30"	26 1/2"	REBH30	451.	671.	782.	1,055.
Waterfall elliptical tops 	60"	30"		REBAWA6030()		3,758.	4,320.	5,833.
	72"	42"		REBAWA7242()		5,342.	6,147.	8,298.
	78"	48"		REBAWA7848()		5,862.	6,743.	9,104.

Order Code	Specification Information	Application Notes
Example: RCBAWA7230F2	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
R Reff		
CB Bow front	1. Grommet option	*Grommet options for elliptical tops are Recessed (R) or None (N).
A 1 1/4" thick	2. Top finish type	1 1/4" tops require support at mid point to reduce spans to 48" or less.
WA Waterfall front/back	3. Top finish	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
72 72" wide	4. Grommet finish	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
30 30" deep	<i>1. Grommet options:</i>	Shipped with hardware. Refer to page 0 of planning guide for application details.
F Flush front grommet position	N = No grommet	Waterfall tops cannot be specified with semi-open pore finish.
2 V2 finish	F = Flush front grommet location	Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36"D bowed top.
V319 Medium cherry	R = Recessed front	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
111 Jet Black (grommet)	A = Alternate location (for 36"D tops only)	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Worksurface 1 1/4"
2" Waterfall edge conference room tops
round and racetrack

description	w	d	pattern no.	V1	V2	V3
Racetrack top - one piece 	72"	30"	RTAW7230-(1/2/3)	\$3,758.	\$4,320.	\$5,833.
	84"	30"	RTAW8430-(1/2/3)	4,182.	4,810.	6,494.
	96"	30"	RTAW9630-(1/2/3)	4,656.	5,353.	7,228.
	72"	36"	RTAW7236-(1/2/3)	4,283.	4,923.	6,646.
	84"	36"	RTAW8436-(1/2/3)	4,815.	5,537.	7,473.
	96"	36"	RTAW9636-(1/2/3)	5,342.	6,147.	8,298.
	84"	42"	RTAW8442-(1/2/3)	5,862.	6,743.	9,104.
	96"	42"	RTAW9642-(1/2/3)	6,563.	7,546.	10,186.
Racetrack top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	RTAW12036-(1/2/3)	6,901.	7,934.	10,712.
	120"	42"	RTAW12042-(1/2/3)	7,441.	8,556.	11,552.
	144"	42"	RTAW14442-(1/2/3)	8,205.	9,436.	12,739.
Racetrack top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	RTAW16842-(1/2/3)	10,289.	11,834.	15,976.
	192"	42"	RTAW19242-(1/2/3)	11,054.	12,714.	17,165.
	RTAW16842-(1/2) comes with 2-60" pieces/1-48" center RTAW19242-(1/2) comes with 2-72" pieces/1-48" center					
Round tops, Waterfall edge on all sides except on parting lines 	-	36"	RTAW3636-(1/2/3)	2,115.	2,835.	3,827.
	-	42"	RTAW4242-(1/2/3)	2,448.	3,285.	4,436.
	*	60"	RTAW6060-(1/2/3)	6,324.	7,269.	9,814.
	*	72"	RTAW7272-(1/2/3)	7,827.	9,000.	12,150.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RTAW72302 R Reff T Rounded top A 1 1/4" thick W Waterfall all sides 72 72" wide 30 30" deep 2 V2 finish V319 Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Finish type 3. Finish 1. Thickness option: A = 1 1/4" 2. Finish type: 1 = V1 2 = V2 3 = V3 *Round tops in two pieces.	Top to top brackets included. See table base matrix in Planning Guide for base supports recommended. 1 1/4" tops require support at mid point to reduce spans to 48" or less. Tops have no radius on edges that adjoin. All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options. Waterfall tops cannot be specified with semi-open pore finish.


Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.


Applicable finishes are listed on page 5 and 6.


Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak


Worksurface 1 1/4"
2" Waterfall edge conference room tops
square and rectangular

description	w	d	pattern no.	V1	V2	V3
Rectangular top - one piece 	72"	30"	RRAW7230-(1/2/3)	\$1,984.	\$2,284.	\$3,084.
	84"	30"	RRAW8430-(1/2/3)	2,195.	2,526.	3,410.
	96"	30"	RRAW9630-(1/2/3)	2,463.	2,833.	3,824.
	72"	36"	RRAW7236-(1/2/3)	2,156.	2,480.	3,347.
	84"	36"	RRAW8436-(1/2/3)	2,359.	2,709.	3,658.
	96"	36"	RRAW9636-(1/2/3)	2,724.	3,130.	4,226.
	84"	42"	RRAW8442-(1/2/3)	3,487.	4,008.	5,412.
	96"	42"	RRAW9642-(1/2/3)	3,998.	4,598.	6,207.

Rectangular top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	RRAW12036-(1/2/3)	4,362.	5,021.	6,778.
	120"	42"	RRAW12042-(1/2/3)	6,021.	6,925.	9,349.
	144"	42"	RRAW14442-(1/2/3)	6,764.	7,779.	10,501.



Rectangular top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	RRAW16842-(1/2/3)	8,869.	10,202.	13,774.
	192"	42"	RRAW19242-(1/2/3)	9,610.	11,050.	14,918.
	RRAW16842-(1/2) comes with 2-60" pieces/1-48" center RRAW19242-(1/2) comes with 2-72" pieces/1-48" center					

Square top - one piece 	-	36"	RRAW3636-(1/2/3)	1,535.	2,056.	2,777.
	-	42"	RRAW4242-(1/2/3)	1,984.	2,662.	3,594.

Square top - two piece, Waterfall edge not on parting lines 	-	60"	RRAW6060-(1/2/3)	4,064.	4,672.	6,307.
	-	72"	RRAW7272-(1/2/3)	4,799.	5,520.	7,451.


Order Code	Specification Information	Application Notes
Example: RRAW72302 R Reff R Rectangular A 1 1/4" thick W Waterfall all sides 72 72" wide 30 30" deep 2 V2 finish V319 Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Finish type 3. Finish 1. Thickness option: A = 1 1/4" 2. Finish type: 1 = V1 2 = V2 3 = V3 Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options. Top to top brackets included. Tops have no radius on edges that adjoin. See table base matrix in Planning Guide for base supports recommended. 1 1/4" tops require support at mid point to reduce spans to 48" or less. Waterfall tops cannot be specified with semi-open pore finish.

Worksurface 1 1/4"
 Cascade edge tops
 Rectilinear 24" and 30" deep

description	d	w	pattern no.	Woodgrain	Solid
24"D Rectangular  shown with grommet	24"	24"	RCE1R2424N	\$224.	\$195.
	24"	30"	RCE1R3024N	258.	224.
	24"	36"	RCE1R3624N	286.	248.
	24"	42"	RCE1R4224N	329.	286.
	24"	48"	RCE1R4824N	369.	321.
	24"	54"	RCE1R5424N	396.	345.
	24"	60"	RCE1R6024N	430.	374.
	24"	66"	RCE1R6624N	464.	404.
	24"	72"	RCE1R7224N	486.	422.
	24"	78"	RCE1R7824N	521.	453.
	24"	84"	RCE1R8424N	550.	479.
	24"	90"	RCE1R9024N	621.	540.
	24"	96"	RCE1R9624N	678.	590.
30"D Rectangular  shown with grommet	30"	24"	RCE1R2430N	287.	249.
	30"	30"	RCE1R3030N	321.	279.
	30"	36"	RCE1R3630N	357.	310.
	30"	42"	RCE1R4230N	387.	337.
	30"	48"	RCE1R4830N	430.	374.
	30"	54"	RCE1R5430N	487.	423.
	30"	60"	RCE1R6030N	535.	465.
	30"	66"	RCE1R6630N	596.	519.
	30"	72"	RCE1R7230N	621.	540.
	30"	78"	RCE1R7830N	663.	577.
	30"	84"	RCE1R8430N	705.	613.
	30"	90"	RCE1R9030N	758.	659.
	30"	96"	RCE1R9630N	810.	705.

Order Code	Specification Information	Application Notes
Example: RCE1R3024N 118	<i>To order please specify pattern number including finish:</i>	Center-located edge grommet.
R Reff	<i>Available finishes:</i>	To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.
CE1 Cascade edge	<i>Solid:</i>	All support hardware ordered separately.
R Rectangular	114 Folkstone Grey	Tops require mid span support to reduce spans to 48" or less.
30 Width	117 Soft Grey	Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.
24 Depth	118 Bright White	Cascade edge worksurfaces are not recommended for free-standing applications.
N No grommet	119 Pumice	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
118 Finish	Woodgrain:	Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Worksurface 1 1/4"
 Cascade edge tops
 blended "D"

description	A	B	C	pattern no.	Woodgrain	Solid
 <p>right hand shown</p>	66"	48"	24"	RCE1BD6648S(L/R)	\$909.	\$791.
	66"	48"	30"	RCE1BD6648D(L/R)	957.	831.
	72"	48"	24"	RCE1BD7248S(L/R)	931.	808.
	72"	48"	30"	RCE1BD7248D(L/R)	992.	862.
	78"	48"	24"	RCE1BD7848S(L/R)	1,074.	934.
	78"	48"	30"	RCE1BD7848D(L/R)	1,109.	965.
	84"	48"	24"	RCE1BD8448S(L/R)	1,103.	959.
	84"	48"	30"	RCE1BD8448D(L/R)	1,172.	1,020.


Order Code	Specification Information	Application Notes
Example: RCE1BD6648SR 118	<i>To order please specify pattern number including:</i>	All support hardware ordered separately.
R Reff	1. Return depth (dimension C on line art, hard coded in pattern number)	Tops require mid span support to reduce spans to 48" or less.
CE1 Cascade edge	S = 24" return	Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.
BD Blended "D"	D = 30" return	Cascade edge worksurfaces are not recommended for free-standing applications.
66 Width	2. Hand (left or right)	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
48 Depth	3. Finish	
S 24" return	<i>Solid:</i>	
R right hand	114 Folkstone Grey	
118 Finish	117 Soft Grey	
	118 Bright White	
	119 Pumice	
	Woodgrain:	
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Worksurface 1 1/4"

Cascade edge tops


curvilinear corner

description	A	B	C	pattern no.	Woodgrain	Solid
 <p>shown with grommets</p>	36"	24"	24"	RCE1L3636SSN	\$563.	\$489.
	42"	24"	24"	RCE1L4242SSN	678.	590.
	42"	24"	30"	RCE1L4242SDN	805.	701.
	42"	30"	24"	RCE1L4242DSN	805.	701.
	48"	24"	24"	RCE1L4848SSN	763.	663.
	48"	24"	30"	RCE1L4848SDN	912.	793.
	48"	30"	24"	RCE1L4848DSN	912.	793.
	48"	30"	30"	RCE1L4848DDN	819.	712.

Order Code	Specification Information	Application Notes
<p>Example: RCE1L4848SSG 114</p> <p>RCE1 Reff Cascade Edge worksurface</p> <p>L Curvilinear Corner top</p> <p>48 Width</p> <p>48 Depth</p> <p>S 24"d, left side</p> <p>S 24"d, right side</p> <p>G Grommet</p> <p>114 Folkstone Grey finish</p>	<p>To order please specify pattern number including:</p> <p>1. Return depths (hard coded in pattern number)</p> <p>SS = 24"d left and right SD = 24"d left, 30"d right DS = 30"d left, 24"d right DD = 30"d left and right</p> <p>2. Grommets (hard coded in pattern number)</p> <p>N= no grommets G= grommets</p> <p>3. Finish</p> <p><i>Solid:</i></p> <p>114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice</p> <p>Woodgrain:</p> <p>124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut</p>	<p>Center-located edge grommets, located on center of sides marked A.</p> <p>To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40.</p> <p>All support hardware ordered separately.</p> <p>Tops require mid span support to reduce spans to 48" or less.</p> <p>Specify cantilever bracket (ASBC18 (L/R) or ASBC24 (L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.</p> <p>Cascade edge worksurfaces are not recommended for free-standing applications.</p> <p>Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.</p>
<p>Note: When wood grain or brushed finishes are specified on Cascade corner worksurfaces with two "A" sides of equal length that do not exceed 42" you must select one of three grain direction options. Insert the desired grain direction "L"= Left hand, "R"= Right hand or "D"= Diagonal after the worksurface finish code to indicate the appropriate grain direction. When the "D" option is selected please add \$25.00 to the worksurface list price. 48" Cascade corners are not available with a diagonal grain option.</p>	<p>Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.</p>	

Worksurface 1 1/4"
 Cascade edge tops
 blended "L"





Reff Profiles

description	B	C	A	D	pattern no.	Woodgrain	Solid
 <p>shown with grommets</p>	42"	60"	24"	24"	RCE1L4260SSN	\$932.	\$810.
	42"	66"	24"	24"	RCE1L4266SSN	957.	831.
	42"	72"	24"	24"	RCE1L4272SSN	993.	863.
	42"	78"	24"	24"	RCE1L4278SSN	1,003.	873.
	48"	60"	24"	24"	RCE1L4860SSN	943.	821.
	48"	60"	24"	30"	RCE1L4860SDN	927.	805.
	48"	60"	30"	24"	RCE1L4860DSN	927.	805.
	48"	66"	24"	24"	RCE1L4866SSN	977.	850.
	48"	66"	24"	30"	RCE1L4866SDN	974.	847.
	48"	66"	30"	24"	RCE1L4866DSN	974.	847.
	48"	72"	24"	24"	RCE1L4872SSN	1,013.	881.
	48"	72"	24"	30"	RCE1L4872SDN	1,020.	886.
	48"	72"	30"	24"	RCE1L4872DSN	1,020.	886.
	48"	78"	24"	24"	RCE1L4878SSN	1,117.	971.
	48"	84"	24"	24"	RCE1L4884SSN	1,256.	1,092.
	60"	42"	24"	24"	RCE1L6042SSN	932.	810.
	60"	48"	24"	24"	RCE1L6048SSN	943.	821.
	60"	48"	24"	30"	RCE1L6048SDN	927.	805.
	60"	48"	30"	24"	RCE1L6048DSN	927.	805.
	66"	42"	24"	24"	RCE1L6642SSN	957.	831.
	66"	48"	24"	24"	RCE1L6648SSN	977.	850.
	66"	48"	24"	30"	RCE1L6648SDN	974.	847.
	66"	48"	30"	24"	RCE1L6648DSN	974.	847.
	72"	42"	24"	24"	RCE1L7242SSN	993.	863.
	72"	48"	24"	24"	RCE1L7248SSN	1,013.	881.
	72"	48"	24"	30"	RCE1L7248SDN	1,020.	886.
	72"	48"	30"	24"	RCE1L7248DSN	1,020.	886.
	78"	42"	24"	24"	RCE1L7842SSN	1,003.	873.
	78"	48"	24"	24"	RCE1L7848SSN	1,117.	971.
	84"	48"	24"	24"	RCE1L8448SSN	1,256.	1,092.

Order Code	Specification Information	Application Notes
Example: RCE1L4260SSG 114 RCE1 Cascade edge worksurface L Blended "L" top 42 Width 60 Depth S 24"d, left side S 24"d, right side G Grommets 114 Top finish	To order please specify pattern number including: 1. Return depths (hard coded in pattern number): SS = 24"d left and right SD = 24"d left, 30"d right DS = 30"d left, 24"d right 2. Grommets (hard coded in pattern number): N= no grommets G= grommets 3. Finishes: Solid: 114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice Woodgrain: 124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut	Center-located edge grommets, located on center of sides marked B and C. To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40. All support hardware ordered separately. Tops require mid span support to reduce spans to 48" or less. Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications. Cascade edge worksurfaces are not recommended for free-standing applications. Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Worksurface 1 1/4"
Cascade edge tops
half round and corner round

description	w	d	pattern no.	Woodgrain	Solid
 Half Round	48"	18"	RCE1H4818	\$486.	\$422.
	50 1/2"	18"	RCE1H4818P	486.	422.
	60"	24"	RCE1H6024	670.	581.
	62 1/2"	24"	RCE1H6024P	670.	581.
 LH Corner Round	24"	24"	RCE1CR24L	258.	224.
 RH Corner Round	24"	24"	RCE1CR24R	258.	224.
 Notched Corner Round	24"	24"	RCE1CR24N	258.	224.

Order Code

Example:	RCE1H4818P 118
R	Reff
CE1	Cascade edge
H	Half round
48	Width
18	Depth
P	Notch for panel trim
118	Finish

Specification Information

*To order please specify pattern number including finish:
 Available finishes:*

Solid:

114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice

Woodgrain:

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

Application Notes

All support hardware ordered separately.

Tops require mid span support to reduce spans to 48" or less.

Specify cantilever bracket from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.


Half round tops with suffix P, notched for panel end trim profile B square only.

Cascade edge worksurfaces are not recommended for free-standing applications.


Actual width 1/16" less nominal.
 Actual depth 3/8" less nominal.

Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Worksurface 1 1/4"
 Cascade edge tops
 wave end

description	1	2	3	A	B	pattern no.	Woodgrain	Solid
Wave End, LH 	36"	24"	30"	15"	3"	RCE1W363024N	\$604.	\$525.
	42"	24"	30"	15"	9"	RCE1W423024N	635.	551.
	48"	24"	30"	15"	15"	RCE1W483024N	679.	591.
	72"	24"	30"	23 1/2"	30 1/2"	RCE1W723024N	864.	752.

shown with grommet

Wave End, RH 	36"	30"	24"	3"	15"	RCE1W362430N	604.	525.
	42"	30"	24"	9"	15"	RCE1W422430N	635.	551.
	48"	30"	24"	15"	15"	RCE1W482430N	679.	591.
	72"	30"	24"	30 1/2"	23 1/2"	RCE1W722430N	864.	752.






shown with grommet

Order Code	Specification Information	Application Notes
Example: RCE1W483024N 118	<i>To order please specify pattern number including finish:</i> <i>Available finishes:</i>	Center-located edge grommet.
RCE1 Cascade edge worksurface	<i>Solid:</i>	To specify grommet, replace the "N" suffix in pattern number with "C". Add \$20.
W Wave end	114 Folkstone Grey	All support hardware ordered separately.
48 Width	117 Soft Grey	Tops require mid span support to reduce spans to 48" or less.
30 Depth, left side	118 Bright White	Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.
24 Depth, right side	119 Pumice	Cascade edge worksurfaces are not recommended for free-standing applications.
N No grommet	Woodgrain:	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
118 Top finish	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Conference 1 1/4" Square and rectangular

Reff Profiles

description	w	d	pattern no.	L	M/V1	V2	V3
Rectangular top 1 piece 	72"	30"	RAA7230(-)	\$557.	\$606.	\$696.	\$940.
	72"	36"	RAA7236(-)	605.	658.	756.	1,021.
	84"	30"	RAA8430(-)	616.	668.	770.	1,039.
	84"	36"	RAA8436(-)	662.	719.	825.	1,115.
	84"	42"	RAA8442(-)	978.	1,064.	1,221.	1,648.
	96"	30"	RAA9630(-)	691.	752.	864.	1,166.
	96"	36"	RAA9636(-)	762.	828.	954.	1,288.
	96"	42"	RAA9642(-)	1,123.	1,219.	1,402.	1,893.
Rectangular top 2 piece 	120"	36"	RAA12036(-)	1,224.	1,329.	1,530.	2,065.
	120"	42"	RAA12042(-)	1,687.	1,835.	2,110.	2,849.
	120"	48"	RAA12048(-)	1,834.	1,995.	2,293.	3,096.
	144"	42"	RAA14442(-)	1,896.	2,061.	2,370.	3,200.
	144"	48"	RAA14448(-)	2,031.	2,210.	2,541.	3,430.
Rectangular top 3 piece 	168"	42"	RAA16842(-)	2,485.	2,702.	3,109.	4,198.
	168"	48"	RAA16848(-)	2,701.	2,936.	3,376.	4,557.
	192"	42"	RAA19242(-)	2,695.	2,929.	3,367.	4,545.
	192"	48"	RAA19248(-)	2,901.	3,152.	3,623.	4,890.
Square tops  	-	36"	RAA3636(-)	429.	467.	538.	727.
	-	42"	RAA4242(-)	557.	606.	696.	940.
	-	48"	RAA4848(-)	732.	794.	914.	1,232.
	*	60"	RAA6060(-)	1,140.	1,238.	1,427.	1,925.
	*	72"	RAA7272(-)	1,344.	1,462.	1,680.	2,270.






Worksurfaces

Order Code	Specification Information	Application Notes
Example: RAA72302 R Reff R Rectangular A 1 1/4" thick 72 72" wide 30 30" deep 2 V2 finish V319 Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Width 3. Depth 4. Finish type 5. Finish 1. Thickness options: A = 1 1/4" 4. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3 *Square tops in two pieces.	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options. Top to top brackets included. Tops have no radius on edges that adjoin. See table base matrix in Planning Guide, pages 140 and 141. 1 1/4" tops require support at mid point to reduce spans to 48" or less.

1 3/4" tops require support at mid point to reduce spans to 66" or less.
 Mixed finish 1 3/4" tops are not post-formed.
 Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
 Applicable finishes are listed on page 5 and 6.

Conference 1 1/4"
Round and racetrack

Reff Profiles

description	w	d	pattern no.	L, Option A	M/V!	V2	V3
Racetrack top 1 piece 	72"	30"	RTA7230-()	\$1,054.	\$1,145.	\$1,314.	\$1,775.
	84"	30"	RTA8430-()	1,172.	1,274.	1,465.	1,977.
	96"	30"	RTA9630-()	1,302.	1,418.	1,631.	2,202.
	72"	36"	RTA7236-()	1,202.	1,305.	1,500.	2,025.
	84"	36"	RTA8436-()	1,349.	1,468.	1,687.	2,276.
	96"	36"	RTA9636-()	1,497.	1,628.	1,873.	2,528.
	84"	42"	RTA8442-()	1,641.	1,786.	2,054.	2,773.
	96"	42"	RTA9642-()	1,840.	2,000.	2,298.	3,104.
	96"	48"	RTA9648-()	2,018.	2,191.	2,520.	3,401.
Racetrack top 2 piece 	120"	36"	RTA12036-()	1,933.	2,103.	2,419.	3,265.
	120"	42"	RTA12042-()	2,087.	2,266.	2,608.	3,521.
	144"	42"	RTA14442-()	2,301.	2,500.	2,875.	3,880.
	120"	48"	RTA12048-()	2,218.	2,411.	2,773.	3,743.
	144"	48"	RTA14448-()	2,358.	2,565.	2,947.	3,978.
Racetrack top 3 piece 	168"	42"	RTA16842-()	2,885.	3,134.	3,606.	4,868.
	192"	42"	RTA19242-()	3,098.	3,368.	3,875.	5,231.
	168"	48"	RTA16848-()	3,087.	3,353.	3,855.	5,206.
	192"	48"	RTA19248-()	3,226.	3,508.	4,032.	5,443.
Round tops  	-	36"	RTA3636-()	592.	644.	739.	998.
	-	42"	RTA4242-()	688.	745.	857.	1,156.
	-	48"	RTA4848-()	1,132.	1,229.	1,413.	1,907.
	*	60"	RTA6060-()	1,773.	1,927.	2,216.	2,991.
	*	72"	RTA7272-()	2,192.	2,383.	2,744.	3,704.


Order Code	Specification Information	Application Notes
Example: RTA72302	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
R Reff	1. Top thickness	
R Round	2. Width	Top to top brackets included.
A 1 1/4" thick	3. Depth	
72 72" wide	4. Finish type	See table base matrix in Planning Guide pages 140 and 141.
30 30" deep	5. Finish	
2 V2 finish	<i>1. Thickness options:</i>	1 1/4" tops require support at mid point to reduce spans to 48" or less.
V319 Medium cherry	A = 1 1/4"	
	<i>4. Finish type:</i>	Tops have no radius on edges that adjoin.
	L = Laminate	1 3/4" tops require support at mid point to reduce spans to 66" or less.
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	Laminate and mixed finish 1 3/4" tops on this page are not post formed.
	3 = V3	
	*Round tops in two pieces.	

Reff Profiles System incorporates optional worksurface edge details. Wood edges are crafted from select hardwoods and are finished with Knoll's industry leading polyurethane Reff Profiles Finish. Optional for worksurface tops listed on pages 155 through 169.

It is not necessary to plan separately for edges that "mate"; this feature is engineered into appropriate products when used as intended.

Edge detail to be specified by one of the following codes:


- A - Alpha
- B - Beta
- C - Chi
- D - Delta
- E - Epsilon
- F - Phi
- G - Gamma




Alpha



Beta



Chi




Delta



Epsilon




Phi




Gamma

Optional edge 1 1/4"
front only, 20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Profile edge front only 	20"	24"	RSA(A/B/C/D/E/F/G)F241-()(1/2/3)	\$373.	\$426.	\$576.	
		30"	RSA(A/B/C/D/E/F/G)F301-()(1/2/3)	409.	470.	634.	
		36"	RSA(A/B/C/D/E/F/G)F361-()(1/2/3)	431.	496.	670.	
		42"	RSA(A/B/C/D/E/F/G)F421-()(1/2/3)	451.	518.	700.	
		48"	RSA(A/B/C/D/E/F/G)F481-()(1/2/3)	469.	538.	727.	
		54"	RSA(A/B/C/D/E/F/G)F541-()(1/2/3)	487.	564.	761.	
		60"	RSA(A/B/C/D/E/F/G)F601-()(1/2/3)	527.	607.	819.	
		66"	RSA(A/B/C/D/E/F/G)F661-()(1/2/3)	542.	625.	843.	
		72"	RSA(A/B/C/D/E/F/G)F721-()(1/2/3)	571.	657.	886.	
		78"	RSA(A/B/C/D/E/F/G)F781-()(1/2/3)	579.	665.	897.	
		84"	RSA(A/B/C/D/E/F/G)F841-()(1/2/3)	616.	707.	955.	
		90"	RSA(A/B/C/D/E/F/G)F901-()(1/2/3)	640.	737.	995.	
		96"	RSA(A/B/C/D/E/F/G)F961-()(1/2/3)	665.	766.	1,034.	
		24"	24"	RSA(A/B/C/D/E/F/G)F242-()(1/2/3)	393.	451.	609.
			30"	RSA(A/B/C/D/E/F/G)F302-()(1/2/3)	444.	511.	688.
			36"	RSA(A/B/C/D/E/F/G)F362-()(1/2/3)	461.	530.	717.
			42"	RSA(A/B/C/D/E/F/G)F422-()(1/2/3)	475.	545.	735.
			48"	RSA(A/B/C/D/E/F/G)F482-()(1/2/3)	511.	584.	788.
54"	RSA(A/B/C/D/E/F/G)F542-()(1/2/3)		542.	625.	843.		
60"	RSA(A/B/C/D/E/F/G)F602-()(1/2/3)		582.	668.	902.		
66"	RSA(A/B/C/D/E/F/G)F662-()(1/2/3)		604.	691.	934.		
72"	RSA(A/B/C/D/E/F/G)F722-()(1/2/3)		629.	726.	978.		
78"	RSA(A/B/C/D/E/F/G)F782-()(1/2/3)		660.	759.	1,025.		
84"	RSA(A/B/C/D/E/F/G)F842-()(1/2/3)		685.	787.	1,064.		
90"	RSA(A/B/C/D/E/F/G)F902-()(1/2/3)		715.	824.	1,111.		
96"	RSA(A/B/C/D/E/F/G)F962-()(1/2/3)	743.	857.	1,156.			

Order Code	Specification Information	Application Notes
Example: RSAGF241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development. Products on this page are shipped without hardware which must be ordered separately from the support components section. Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. 1 1/4" tops require support at mid point to reduce spans to 48" or less.
R Reff	1. Edge profile	
S Straight top	2. F = Front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
F Edge front only	5. Grommet option	
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	
	6. Finish type: M = Mixed (laminate surface / wood edge) 1 = V1 2 = V2 3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	


Optional edge 1 1/4" front only, 30" and 36" deep

description	d	width	pattern no.	M/V1	V2	V
Straight rectangular work tops Profile edge front only 	30"	24"	RSA(A/B/C/D/E/F/G)F243-()(1/2/3)	\$424.	\$489.	
		30"	RSA(A/B/C/D/E/F/G)F303-()(1/2/3)	480.	551.	
		36"	RSA(A/B/C/D/E/F/G)F363-()(1/2/3)	517.	592.	
		42"	RSA(A/B/C/D/E/F/G)F423-()(1/2/3)	537.	617.	
		48"	RSA(A/B/C/D/E/F/G)F483-()(1/2/3)	573.	662.	
		54"	RSA(A/B/C/D/E/F/G)F543-()(1/2/3)	621.	713.	
		60"	RSA(A/B/C/D/E/F/G)F603-()(1/2/3)	642.	738.	
		66"	RSA(A/B/C/D/E/F/G)F663-()(1/2/3)	658.	757.	
		72"	RSA(A/B/C/D/E/F/G)F723-()(1/2/3)	674.	773.	
		78"	RSA(A/B/C/D/E/F/G)F783-()(1/2/3)	705.	814.	
		84"	RSA(A/B/C/D/E/F/G)F843-()(1/2/3)	733.	845.	
		90"	RSA(A/B/C/D/E/F/G)F903-()(1/2/3)	767.	884.	
		96"	RSA(A/B/C/D/E/F/G)F963-()(1/2/3)	795.	916.	
36"	60"	RSA(A/B/C/D/E/F/G)F604-()(1/2/3)	742.	853.		
	66"	RSA(A/B/C/D/E/F/G)F664-()(1/2/3)	768.	886.		
	72"	RSA(A/B/C/D/E/F/G)F724-()(1/2/3)	794.	915.		

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSAGF243F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
R Reff	1. Edge profile	
S Straight top	2. F = Front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
F Edge front only	5. Grommet option	
24 24" wide	6. Top finish type	
3 30" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	5. Grommet options:	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	6. Finish type:	
	M = Mixed (laminate surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Optional edge 1 1/4"
front and back edge, 20" and 24" deep

description	d	w	pattern no.	M/V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	20"	24"	RSA(A/B/C/D/E/F/G)A241-()(1/2/3)	\$373.	\$426.	\$576.
		30"	RSA(A/B/C/D/E/F/G)A301-()(1/2/3)	409.	470.	634.
		36"	RSA(A/B/C/D/E/F/G)A361-()(1/2/3)	431.	496.	670.
		42"	RSA(A/B/C/D/E/F/G)A421-()(1/2/3)	451.	518.	700.
		48"	RSA(A/B/C/D/E/F/G)A481-()(1/2/3)	469.	538.	727.
		54"	RSA(A/B/C/D/E/F/G)A541-()(1/2/3)	487.	564.	761.
		60"	RSA(A/B/C/D/E/F/G)A601-()(1/2/3)	527.	607.	819.
		66"	RSA(A/B/C/D/E/F/G)A661-()(1/2/3)	542.	625.	843.
		72"	RSA(A/B/C/D/E/F/G)A721-()(1/2/3)	571.	657.	886.
		78"	RSA(A/B/C/D/E/F/G)A781-()(1/2/3)	579.	665.	897.
		84"	RSA(A/B/C/D/E/F/G)A841-()(1/2/3)	616.	707.	955.
		90"	RSA(A/B/C/D/E/F/G)A901-()(1/2/3)	640.	737.	995.
96"	RSA(A/B/C/D/E/F/G)A961-()(1/2/3)	665.	766.	1,034.		
	24"	24"	RSA(A/B/C/D/E/F/G)A242-()(1/2/3)	393.	451.	609.
		30"	RSA(A/B/C/D/E/F/G)A302-()(1/2/3)	444.	511.	688.
		36"	RSA(A/B/C/D/E/F/G)A362-()(1/2/3)	461.	530.	717.
		42"	RSA(A/B/C/D/E/F/G)A422-()(1/2/3)	475.	545.	735.
		48"	RSA(A/B/C/D/E/F/G)A482-()(1/2/3)	511.	584.	788.
		54"	RSA(A/B/C/D/E/F/G)A542-()(1/2/3)	542.	625.	843.
		60"	RSA(A/B/C/D/E/F/G)A602-()(1/2/3)	582.	668.	902.
		66"	RSA(A/B/C/D/E/F/G)A662-()(1/2/3)	604.	691.	934.
		72"	RSA(A/B/C/D/E/F/G)A722-()(1/2/3)	629.	726.	978.
		78"	RSA(A/B/C/D/E/F/G)A782-()(1/2/3)	660.	759.	1,025.
		84"	RSA(A/B/C/D/E/F/G)A842-()(1/2/3)	685.	787.	1,064.
		90"	RSA(A/B/C/D/E/F/G)A902-()(1/2/3)	715.	824.	1,111.
96"	RSA(A/B/C/D/E/F/G)A962-()(1/2/3)	743.	857.	1,156.		

Order Code	Specification Information	Application Notes
Example: RSAGA241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	
S Straight top	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	2. 5th position A = Edge front and back	
G Gamma	3. Width	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
A Edge front and back	4. Depth	
24 24" wide	5. Grommet option	1 1/4" tops require support at mid point to reduce spans to 48" or less.
1 20" deep	6. Top finish type	
F Flush grommet	7. Top finish	
2 V2 finish	8. Grommet finish	
V319 Medium cherry	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
111 Jet Black (grommet)		
	6. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	



Optional edge 1 1/4"
front and back edge, 30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	30"	24"	RSA(A/B/C/D/E/F/G)A243-()(1/2/3)	\$424.	\$489.	\$662.
		30"	RSA(A/B/C/D/E/F/G)A303-()(1/2/3)	480.	551.	743.
		36"	RSA(A/B/C/D/E/F/G)A363-()(1/2/3)	517.	592.	799.
		42"	RSA(A/B/C/D/E/F/G)A423-()(1/2/3)	537.	617.	833.
		48"	RSA(A/B/C/D/E/F/G)A483-()(1/2/3)	573.	662.	893.
		54"	RSA(A/B/C/D/E/F/G)A543-()(1/2/3)	621.	713.	961.
		60"	RSA(A/B/C/D/E/F/G)A603-()(1/2/3)	642.	738.	996.
		66"	RSA(A/B/C/D/E/F/G)A663-()(1/2/3)	658.	757.	1,022.
		72"	RSA(A/B/C/D/E/F/G)A723-()(1/2/3)	674.	773.	1,044.
		78"	RSA(A/B/C/D/E/F/G)A783-()(1/2/3)	705.	814.	1,098.
		84"	RSA(A/B/C/D/E/F/G)A843-()(1/2/3)	733.	845.	1,141.
		90"	RSA(A/B/C/D/E/F/G)A903-()(1/2/3)	767.	884.	1,194.
		96"	RSA(A/B/C/D/E/F/G)A963-()(1/2/3)	795.	916.	1,235.
	36"	60"	RSA(A/B/C/D/E/F/G)A604-()(1/2/3)	742.	853.	1,151.
		66"	RSA(A/B/C/D/E/F/G)A664-()(1/2/3)	768.	886.	1,197.
		72"	RSA(A/B/C/D/E/F/G)A724-()(1/2/3)	794.	915.	1,233.

Order Code	Specification Information	Application Notes
Example: RSAGA243F2	<i>}>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
R Reff	1. Edge profile	
S Straight top	2. 5th position A = Edge front and back	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
A Edge front and back	5. Grommet option	
24 24" wide	6. Top finish type	
3 30" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	M = Mixed (laminate surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	


Optional edge 1 1/4" front and attaching edge profiled

Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Bridge work tops, Profile edge front only, Accepts Same Edge on attaching sides 	20"	24"	RSA(A/B/C/D/E/F/G)B241-()(1/2/3)	\$373.	\$426.	\$576.
		30"	RSA(A/B/C/D/E/F/G)B301-()(1/2/3)	409.	470.	634.
		36"	RSA(A/B/C/D/E/F/G)B361-()(1/2/3)	431.	496.	670.
		42"	RSA(A/B/C/D/E/F/G)B421-()(1/2/3)	451.	518.	700.
		48"	RSA(A/B/C/D/E/F/G)B481-()(1/2/3)	469.	538.	727.
	24"	24"	RSA(A/B/C/D/E/F/G)B242-()(1/2/3)	393.	451.	609.
		30"	RSA(A/B/C/D/E/F/G)B302-()(1/2/3)	444.	511.	688.
		36"	RSA(A/B/C/D/E/F/G)B362-()(1/2/3)	461.	530.	717.
		42"	RSA(A/B/C/D/E/F/G)B422-()(1/2/3)	475.	545.	735.
		48"	RSA(A/B/C/D/E/F/G)B482-()(1/2/3)	511.	584.	788.
Left-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)L241-()(1/2/3)	373.	426.	576.
		30"	RSA(A/B/C/D/E/F/G)L301-()(1/2/3)	409.	470.	634.
		36"	RSA(A/B/C/D/E/F/G)L361-()(1/2/3)	431.	496.	670.
		42"	RSA(A/B/C/D/E/F/G)L421-()(1/2/3)	451.	518.	700.
		48"	RSA(A/B/C/D/E/F/G)L481-()(1/2/3)	469.	538.	727.
	24"	24"	RSA(A/B/C/D/E/F/G)L242-()(1/2/3)	393.	451.	609.
		30"	RSA(A/B/C/D/E/F/G)L302-()(1/2/3)	444.	511.	688.
		36"	RSA(A/B/C/D/E/F/G)L362-()(1/2/3)	461.	530.	717.
		42"	RSA(A/B/C/D/E/F/G)L422-()(1/2/3)	475.	545.	735.
		48"	RSA(A/B/C/D/E/F/G)L482-()(1/2/3)	511.	584.	788.


Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p> <p>Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.</p>
R Reff	1. Edge profile	
S Straight top	2. 5th position indicates how and which edges profiled	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
B Both ends accept edge	5. Grommet option	
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish		
V319 Medium cherry	<i>1. Edge profile options:</i>	
111 Jet Black (grommet)	A = Alpha	
	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>2. 5th position options:</i>	
	B = Front edge primary profile and both sides reverse profile for mating (bridge)	
	L = Left hand return, front edge primary profile, right edge reverse profile for mating	
	R = Right hand return, front edge primary profile, left edge reverse profile for mating	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	M = Mixed (laminate surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	

Optional edge 1 1/4" front and attaching edge profiled

description	d	w	pattern no.	V1	V2	V3
Right-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)R241-()(1/2/3)	\$373.	\$426.	\$576.
		30"	RSA(A/B/C/D/E/F/G)R301-()(1/2/3)	409.	470.	634.
		36"	RSA(A/B/C/D/E/F/G)R361-()(1/2/3)	431.	496.	670.
		42"	RSA(A/B/C/D/E/F/G)R421-()(1/2/3)	451.	518.	700.
		48"	RSA(A/B/C/D/E/F/G)R481-()(1/2/3)	469.	538.	727.
	24"	24"	RSA(A/B/C/D/E/F/G)R242-()(1/2/3)	393.	451.	609.
		30"	RSA(A/B/C/D/E/F/G)R302-()(1/2/3)	444.	511.	688.
		36"	RSA(A/B/C/D/E/F/G)R362-()(1/2/3)	461.	530.	717.
		42"	RSA(A/B/C/D/E/F/G)R422-()(1/2/3)	475.	545.	735.
		48"	RSA(A/B/C/D/E/F/G)R482-()(1/2/3)	511.	584.	788.

Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	
R Reff	1. Edge profile	
S Straight top	2. 5th position indicates how and which edges profiled	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
B Both ends accept edge	5. Grommet option	
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>2. 5th position options:</i>	
	B = Front edge primary profile and both sides reverse profile for mating (bridge)	
	L = Left hand return, front edge primary profile, right edge reverse profile for mating	
	R = Right hand return, front edge primary profile, left edge reverse profile for mating	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	M = Mixed (laminated surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
		Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
		1 1/4" tops require support at mid point to reduce spans to 48" or less.
		Applicable finishes are listed on page 5 and 6.
		Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
		Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.

Optional edge 1 1/4" curvilinear corner front edge only

description	widthl	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 20" 	36"	36"	RCA(A/B/C/D/E/F/G)F363611-()(1/2/3)	\$789.	\$907.	\$1,225.
	36"	42"	RCA(A/B/C/D/E/F/G)F423611-()(1/2/3)	834.	960.	1,296.
	36"	48"	RCA(A/B/C/D/E/F/G)F483611-()(1/2/3)	888.	1,019.	1,376.
	42"	36"	RCA(A/B/C/D/E/F/G)F364211-()(1/2/3)	834.	960.	1,296.
	42"	42"	RCA(A/B/C/D/E/F/G)F424211-()(1/2/3)	888.	1,019.	1,376.
	42"	48"	RCA(A/B/C/D/E/F/G)F484211-()(1/2/3)	969.	1,113.	1,503.
	48"	36"	RCA(A/B/C/D/E/F/G)F364811-()(1/2/3)	888.	1,019.	1,376.
	48"	42"	RCA(A/B/C/D/E/F/G)F424811-()(1/2/3)	969.	1,113.	1,503.
	48"	48"	RCA(A/B/C/D/E/F/G)F484811-()(1/2/3)	1,019.	1,173.	1,583.
<i>Radii of front edge varies with top dimensions</i>						
Curved corner work tops with Profile edge on front only, left return depth 20", right return depth 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363612-()(1/2/3)	824.	947.	1,280.
	36"	42"	RCA(A/B/C/D/E/F/G)F423612-()(1/2/3)	869.	999.	1,349.
	36"	48"	RCA(A/B/C/D/E/F/G)F483612-()(1/2/3)	923.	1,059.	1,431.
	42"	36"	RCA(A/B/C/D/E/F/G)F364212-()(1/2/3)	869.	999.	1,349.
	42"	42"	RCA(A/B/C/D/E/F/G)F424212-()(1/2/3)	923.	1,059.	1,431.
	42"	48"	RCA(A/B/C/D/E/F/G)F484212-()(1/2/3)	1,005.	1,154.	1,559.
	48"	36"	RCA(A/B/C/D/E/F/G)F364812-()(1/2/3)	923.	1,059.	1,431.
	48"	42"	RCA(A/B/C/D/E/F/G)F424812-()(1/2/3)	1,005.	1,154.	1,559.
	48"	48"	RCA(A/B/C/D/E/F/G)F484812-()(1/2/3)	1,055.	1,214.	1,639.
Curved corner work tops with Profile edge on front only, left return 24", right return 20"	36"	36"	RCA(A/B/C/D/E/F/G)F363621-()(1/2/3)	824.	947.	1,280.
	36"	42"	RCA(A/B/C/D/E/F/G)F423621-()(1/2/3)	869.	999.	1,349.
	36"	48"	RCA(A/B/C/D/E/F/G)F483621-()(1/2/3)	923.	1,059.	1,431.
	42"	36"	RCA(A/B/C/D/E/F/G)F364221-()(1/2/3)	869.	999.	1,349.
	42"	42"	RCA(A/B/C/D/E/F/G)F424221-()(1/2/3)	923.	1,059.	1,431.
	42"	48"	RCA(A/B/C/D/E/F/G)F484221-()(1/2/3)	1,005.	1,154.	1,559.
	48"	36"	RCA(A/B/C/D/E/F/G)F364821-()(1/2/3)	923.	1,059.	1,431.
	48"	42"	RCA(A/B/C/D/E/F/G)F424821-()(1/2/3)	1,005.	1,154.	1,559.
	48"	48"	RCA(A/B/C/D/E/F/G)F484821-()(1/2/3)	1,055.	1,214.	1,639.
Curved corner work tops with Profile edge on front only, return depth left and right 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363622-()(1/2/3)	894.	1,029.	1,390.
	36"	42"	RCA(A/B/C/D/E/F/G)F423622-()(1/2/3)	942.	1,081.	1,459.
	36"	48"	RCA(A/B/C/D/E/F/G)F483622-()(1/2/3)	992.	1,140.	1,540.
	42"	36"	RCA(A/B/C/D/E/F/G)F364222-()(1/2/3)	942.	1,081.	1,459.
	42"	42"	RCA(A/B/C/D/E/F/G)F424222-()(1/2/3)	992.	1,140.	1,540.






Order Code	Specification Information	Application Notes
Example: RSAGF363611	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development. Products on this page are shipped without hardware which must be ordered separately from the support components section. Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. 1 1/4" tops require support at mid point to reduce spans to 48" or less.
R Reff	6. Grommet options: N = No grommet F = Flush front grommet location	
S Curvilinear top	7. Finish type: M = Mixed (laminate surface / wood edge) 1 = V1 2 = V2 3 = V3	
A 1 1/4" thick	Applicable finishes are listed on page 5 and 6.	
G Gamma	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	
F Edge Front only		
36 36" wide		
36 36" wide		
1 20" deep		
1 20" deep		
F Flush grommet	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		

Optional edge 1 1/4" curvilinear corner front edge only

description	widthl	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 24"	42"	48"	RCA(A/B/C/D/E/F/G)F484222-()(1/2/3)	\$1,076.	\$1,237.	\$1,670.
	48"	36"	RCA(A/B/C/D/E/F/G)F364822-()(1/2/3)	992.	1,140.	1,540.
	48"	42"	RCA(A/B/C/D/E/F/G)F424822-()(1/2/3)	1,076.	1,237.	1,670.
	48"	48"	RCA(A/B/C/D/E/F/G)F484822-()(1/2/3)	1,127.	1,294.	1,747.




Order Code	Specification Information	Application Notes
Example: RSAGF363611	<i>To order please specify pattern number including:</i>	
R Reff	1. Edge profile	
S Curvilinear top	2. Left hand width	
A 1 1/4" thick	3. Right hand width	
G Gamma	4. Return left hand depth	
F Edge Front only	5. Return right hand depth	
36 36" wide	6. Grommet option	
36 36" wide	7. Top finish type	
1 20" deep	8. Top finish	
1 20" deep	9. Grommet finish	
F Flush grommet	<i>1. Edge profile options:</i>	
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
111 Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	6. Grommet options: N = No grommet F = Flush front grommet location	
	7. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	
		Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
		1 1/4" tops require support at mid point to reduce spans to 48" or less.

Optional edge 1 1/4"
curvilinear transition and end tops
front edge only

description	depth1	d right	w	pattern no.	M/V1	V2	V3
Wave transition top with profile edge front only (left 24", right 20") 	20"	24"	42"	RWA(A/B/C/D/E/F/G)F4221-() (1/2/3)	\$476.	\$548.	\$739.
	20"	24"	48"	RWA(A/B/C/D/E/F/G)F4821-() (1/2/3)	500.	576.	777.
	20"	24"	54"	RWA(A/B/C/D/E/F/G)F5421-() (1/2/3)	535.	616.	831.
	20"	24"	60"	RWA(A/B/C/D/E/F/G)F6021-() (1/2/3)	572.	660.	890.
	20"	24"	66"	RWA(A/B/C/D/E/F/G)F6621-() (1/2/3)	590.	678.	917.
	20"	24"	72"	RWA(A/B/C/D/E/F/G)F7221-() (1/2/3)	617.	711.	959.
Wave transition top with profile edge front only (left 30", right 24") 	24"	30"	42"	RWA(A/B/C/D/E/F/G)F4232-() (1/2/3)	515.	590.	796.
	24"	30"	48"	RWA(A/B/C/D/E/F/G)F4832-() (1/2/3)	534.	613.	827.
	24"	30"	54"	RWA(A/B/C/D/E/F/G)F5432-() (1/2/3)	576.	663.	894.
	24"	30"	60"	RWA(A/B/C/D/E/F/G)F6032-() (1/2/3)	616.	707.	955.
	24"	30"	66"	RWA(A/B/C/D/E/F/G)F6632-() (1/2/3)	637.	734.	991.
	24"	30"	72"	RWA(A/B/C/D/E/F/G)F7232-() (1/2/3)	672.	771.	1,041.
Wave transition top with profile edge front only (left 20", right 24") 	24"	20"	42"	RWA(A/B/C/D/E/F/G)F4212-() (1/2/3)	476.	548.	739.
	24"	20"	48"	RWA(A/B/C/D/E/F/G)F4812-() (1/2/3)	500.	576.	777.
	24"	20"	54"	RWA(A/B/C/D/E/F/G)F5412-() (1/2/3)	535.	616.	831.
	24"	20"	60"	RWA(A/B/C/D/E/F/G)F6012-() (1/2/3)	572.	660.	890.
	24"	20"	66"	RWA(A/B/C/D/E/F/G)F6612-() (1/2/3)	590.	678.	917.
	24"	20"	72"	RWA(A/B/C/D/E/F/G)F7212-() (1/2/3)	617.	711.	959.
Wave transition top with profile edge front only (left 24", right 30") 	30"	24"	42"	RWA(A/B/C/D/E/F/G)F4223-() (1/2/3)	515.	590.	796.
	30"	24"	48"	RWA(A/B/C/D/E/F/G)F4823-() (1/2/3)	534.	613.	827.
	30"	24"	54"	RWA(A/B/C/D/E/F/G)F5423-() (1/2/3)	576.	663.	894.
	30"	24"	60"	RWA(A/B/C/D/E/F/G)F6023-() (1/2/3)	616.	707.	955.
	30"	24"	66"	RWA(A/B/C/D/E/F/G)F6623-() (1/2/3)	637.	734.	991.
	30"	24"	72"	RWA(A/B/C/D/E/F/G)F7223-() (1/2/3)	672.	771.	1,041.
Wave end top with profile edge front only (20" right) 	20"	32"	36"	RWEA(A/B/C/D/E/F/G)F3631-() (1/2/3)	632.	728.	983.
	20"	32"	42"	RWEA(A/B/C/D/E/F/G)F4231-() (1/2/3)	658.	757.	1,022.
	20"	32"	48"	RWEA(A/B/C/D/E/F/G)F4831-() (1/2/3)	692.	796.	1,076.


Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
R Reff	1. Edge profile	
W Wave transition top	2. 5th position F = front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Left hand depth	
F Edge front only	5. Right hand depth	
42 42" wide	6. Grommet option	
2 20" deep	7. Top finish type	
1 20" deep	8. Top finish	
F Flush grommet	9. Grommet finish	
2 V2 finish	<p><i>1. Edge profile options:</i></p> <p>A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p> <p><i>6. Grommet options:</i></p> <p>N = No grommet F = Flush front grommet location</p> <p><i>7. Finish type:</i></p> <p>M = Mixed (laminate surface / wood edge) 1 = V1 2 = V2 3 = V3</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>	

Optional edge 1 1/4"
curvilinear transition and end tops
front edge only

description	depthl	d right	w	pattern no.	M/V1	V2	V3
Wave end top with profile edge front only (24" right) 	24"	36"	36"	RWEA(A/B/C/D/E/F/G)F3662-()(1/2/3)	\$655.	\$753.	\$1,016.
	24"	36"	42"	RWEA(A/B/C/D/E/F/G)F4262-()(1/2/3)	675.	775.	1,047.
	24"	36"	48"	RWEA(A/B/C/D/E/F/G)F4862-()(1/2/3)	714.	823.	1,110.
Wave end top with profile edge front only (20" left) 	32"	20"	36"	RWEA(A/B/C/D/E/F/G)F3613-()(1/2/3)	632.	728.	983.
	32"	20"	42"	RWEA(A/B/C/D/E/F/G)F4213-()(1/2/3)	658.	757.	1,022.
	32"	20"	48"	RWEA(A/B/C/D/E/F/G)F4813-()(1/2/3)	692.	796.	1,076.
Wave end top with profile edge front only (24" left) 	36"	24"	36"	RWEA(A/B/C/D/E/F/G)F3626-()(1/2/3)	655.	753.	1,016.
	36"	24"	42"	RWEA(A/B/C/D/E/F/G)F4226-()(1/2/3)	675.	775.	1,047.
	36"	24"	48"	RWEA(A/B/C/D/E/F/G)F4826-()(1/2/3)	714.	823.	1,110.

Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
R Reff	1. Edge profile	
W Wave transition top	2. 5th position F = front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Left hand depth	
F Edge front only	5. Right hand depth	
42 42" wide	6. Grommet option	
2 20" deep	7. Top finish type	
1 20" deep	8. Top finish	
F Flush grommet	9. Grommet finish	
2 V2 finish	<p><i>1. Edge profile options:</i></p> <p>A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma</p> <p><i>6. Grommet options:</i></p> <p>N = No grommet F = Flush front grommet location</p> <p><i>7. Finish type:</i></p> <p>M = Mixed (laminate surface / wood edge) 1 = V1 2 = V2 3 = V3</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>	
V319 Medium cherry		
111 Jet Black (grommet)		

Optional edge 1 1/4" meeting tops

description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Profile edge on all except flat side. Grommet choices are centered (as shown) or none 	30"	42"	RMDA(A/B/C/D/E/F/G)F4230-()(1/2/3)	\$673.	\$772.	\$1,042.
	30"	48"	RMDA(A/B/C/D/E/F/G)F4830-()(1/2/3)	727.	833.	1,125.
	30"	54"	RMDA(A/B/C/D/E/F/G)F5430-()(1/2/3)	777.	894.	1,207.
	30"	60"	RMDA(A/B/C/D/E/F/G)F6030-()(1/2/3)	831.	955.	1,289.
	30"	66"	RMDA(A/B/C/D/E/F/G)F6630-()(1/2/3)	887.	1,018.	1,375.
	30"	72"	RMDA(A/B/C/D/E/F/G)F7230-()(1/2/3)	941.	1,080.	1,458.
	30"	78"	RMDA(A/B/C/D/E/F/G)F7830-()(1/2/3)	1,063.	1,222.	1,650.
	30"	84"	RMDA(A/B/C/D/E/F/G)F8430-()(1/2/3)	1,187.	1,364.	1,842.
	30"	90"	RMDA(A/B/C/D/E/F/G)F9030-()(1/2/3)	1,326.	1,524.	2,057.
	30"	96"	RMDA(A/B/C/D/E/F/G)F9630-()(1/2/3)	1,462.	1,680.	2,270.
	36"	42"	RMDA(A/B/C/D/E/F/G)F4236-()(1/2/3)	740.	851.	1,149.
	36"	48"	RMDA(A/B/C/D/E/F/G)F4836-()(1/2/3)	809.	931.	1,257.
	36"	54"	RMDA(A/B/C/D/E/F/G)F5436-()(1/2/3)	925.	1,066.	1,438.
	36"	60"	RMDA(A/B/C/D/E/F/G)F6036-()(1/2/3)	1,038.	1,195.	1,613.
	36"	66"	RMDA(A/B/C/D/E/F/G)F6636-()(1/2/3)	1,057.	1,217.	1,643.
	36"	72"	RMDA(A/B/C/D/E/F/G)F7236-()(1/2/3)	1,076.	1,237.	1,670.
	36"	78"	RMDA(A/B/C/D/E/F/G)F7836-()(1/2/3)	1,210.	1,391.	1,877.
	36"	84"	RMDA(A/B/C/D/E/F/G)F8436-()(1/2/3)	1,346.	1,550.	2,092.
	36"	90"	RMDA(A/B/C/D/E/F/G)F9036-()(1/2/3)	1,418.	1,631.	2,202.
	36"	96"	RMDA(A/B/C/D/E/F/G)F9636-()(1/2/3)	1,554.	1,784.	2,410.
Meeting P-top (adjoining top must use 12 end panel and modesty panel to support)	30"	42"	RM9A(A/B/C/D/E/F/G)F4230-()(1/2/3)	924.	1,062.	1,432.
*No Grommet optional	30"	48"	RM9A(A/B/C/D/E/F/G)F4836-()(1/2/3)	1,027.	1,180.	1,595.



Order Code	Specification Information	Application Notes
Example: RMDAGF4230F2 R Reff MD Peninsula D-shaped top A 1 1/4" thick G Gamma F Edge front only 42 42" wide 30 30" deep C Centered grommet 2 V2 finish V319 Medium cherry 111 Jet Black (grommet)	To order please specify pattern number including: 1. Edge profile 2. Width 3. Depth 4. Grommet option 5. Top finish type 6. Top finish 7. Grommet finish 8. Applicable "wrap around panel tops" only specify mating panel end trim profile 1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	4. Grommet options: N = No grommet C = Centered grommet (applicable RMDA product only) F = Flush front grommet location (for worksurfaces 9 or P tops) R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops) 5. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3 8. Wrap around panel tops only, specify mating trim profile A = Flat B = Square C = Bullnose E = Extruded Aluminum Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.


Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Optional edge 1 1/4" meeting tops

description	d	w	pattern no.	V1	V2	V3
Meeting 9-top (adjoining top must use 12 end panel and modesty panel to support) *No Grommet optional	30"	42"	RMPA(A/B/C/D/E/F/G)F4230-()(1/2/3)	\$924.	\$1,062.	\$1,432.
	36"	48"	RMPA(A/B/C/D/E/F/G)F4836-()(1/2/3)	1,027.	1,180.	1,595.
Worksurface 9-top	30"	84"	RM9A(A/B/C/D/E/F/G)F8430-()(1/2/3)	1,878.	2,163.	2,919.
	30"	96"	RM9A(A/B/C/D/E/F/G)F9630-()(1/2/3)	1,959.	2,252.	3,040.
Worksurface P-top	30"	84"	RMPA(A/B/C/D/E/F/G)F8430-()(1/2/3)	1,878.	2,163.	2,919.
	30"	96"	RMPA(A/B/C/D/E/F/G)F9630-()(1/2/3)	1,959.	2,252.	3,040.
Wrap-around panel top *No Grommet optional	21 1/4"	42 1/2"	RMDA(A/B/C/D/E/F/G)F4221-()(1/2/3)()	865.	994.	1,341.
	25 1/4"	50 1/2"	RMDA(A/B/C/D/E/F/G)F5025-()(1/2/3)()	947.	1,090.	1,471.






Worksurfaces

Order Code	Specification Information	Application Notes
Example: RMDAGF4230F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
MD Peninsula D-shaped top	2. Width	Product on this page will accept woodgrain laminate where laminate is currently an option.
A 1 1/4" thick	3. Depth	List price for woodgrain laminate options will be current published laminate list price plus 10%.
G Gamma	4. Grommet option	1 1/4" tops require support at mid point to reduce spans to 48" or less.
F Edge front only	5. Top finish type	
42 42" wide	6. Top finish	
30 30" deep	7. Grommet finish	
C Centered grommet	8. Applicable "wrap around panel tops" only specify mating panel end trim profile	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>4. Grommet options:</i>	
	N = No grommet	
	C = Centered grommet (applicable RMDA product only)	
	F = Flush front grommet location (for worksurfaces 9 or P tops)	
	R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops)	
	<i>5. Finish type:</i>	
	M = Mixed (laminated surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>8. Wrap around panel tops only, specify mating trim profile</i>	
	A = Flat	
	B = Square	
	C = Bullnose	
	E = Extruded Aluminum	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	





Optional edge 1 1/4"

Bow front tops

description	w	d	pattern no.	V1	V2	V3
Profile edge on front and back (30"d) 	72"	30"	RMBA(A/B/C/D/E/F/G)A7230-()(1/2/3)	\$1,121.	\$1,287.	\$1,739.
	84"	30"	RMBA(A/B/C/D/E/F/G)A8430()(1/2/3)	1,234.	1,420.	1,917.
	96"	30"	RMBA(A/B/C/D/E/F/G)A9630()(1/2/3)	1,368.	1,571.	2,122.
Profile edge on front and back (36"d) 	72"	36"	RMBA(A/B/C/D/E/F/G)A7236()(1/2/3)	1,190.	1,367.	1,847.
	84"	36"	RMBA(A/B/C/D/E/F/G)A8436()(1/2/3)	1,304.	1,501.	2,027.
	96"	36"	RMBA(A/B/C/D/E/F/G)A9636-()(1/2/3)	1,445.	1,663.	2,244.
Profile elliptical tops 	60"	30"	REBA(A/B/C/D/E/F/G)A6030	1,315.	1,512.	2,041.
	72"	42"	REBA(A/B/C/D/E/F/G)A7242	1,874.	2,153.	2,906.
	78"	48"	REBA(A/B/C/D/E/F/G)A7848	2,054.	2,362.	3,188.

Order Code	Specification Information	Application Notes
Example: RMBAGA7230F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development. Products on this page are shipped without hardware which must be ordered separately from the support components section. 1 1/4" tops require support at mid point to reduce spans to 48" or less.
R Reff	1. Edge profile	
MB Bow front top	2. Width	
A 1 1/4" thick	3. Depth	
G Gamma	4. Grommet option	
A Edge front and back	5. Top finish type	
72 72" wide	6. Top finish	
30 30" deep	7. Grommet finish	
F Flush grommet	<i>1. Edge profile options:</i>	
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
111 Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>4. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front	
	A = Alternate location (only for 36" deep bow front tops)	
	<i>5. Finish type:</i>	
	M = Mixed (laminated surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Optional edge 1 1/4" conference room top round and racetrack

description	w	d	pattern no.	V1	V2	V3
Racetrack top - 1 piece 	72"	30"	RTA(A/B/C/D/E/F/G)7230-(1/2/3)	\$1,315.	\$1,512.	\$2,041.
	84"	30"	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	1,464.	1,686.	2,275.
	96"	30"	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	1,631.	1,876.	2,532.
	72"	36"	RTA(A/B/C/D/E/F/G)7236-(1/2/3)	1,501.	1,723.	2,326.
	84"	36"	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	1,689.	1,937.	2,617.
	96"	36"	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	1,874.	2,153.	2,906.
	84"	42"	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	2,054.	2,362.	3,188.
	96"	42"	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	2,298.	2,643.	3,568.
Racetrack top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	RTA(A/B/C/D/E/F/G)12036-(1/2/3)	2,419.	2,781.	3,754.
	120"	42"	RTA(A/B/C/D/E/F/G)12042-(1/2/3)	2,608.	2,998.	4,048.
	144"	42"	RTA(A/B/C/D/E/F/G)14442-(1/2/3)	2,874.	3,307.	4,463.
	120"	48"	RTA(A/B/C/D/E/F/G)12048-(1/2/3)	2,773.	3,187.	4,302.
	144"	48"	RTA(A/B/C/D/E/F/G)14448-(1/2/3)	2,948.	3,388.	4,575.
Racetrack top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	RTA(A/B/C/D/E/F/G)16842-(1/2/3)	3,605.	4,146.	5,597.
	192"	42"	RTA(A/B/C/D/E/F/G)19242-(1/2/3)	3,875.	4,455.	6,014.
	168"	48"	RTA(A/B/C/D/E/F/G)16848-(1/2/3)	3,855.	4,434.	5,985.
	192"	48"	RTA(A/B/C/D/E/F/G)19248-(1/2/3)	4,032.	4,637.	6,258.
Round tops Profile edge on all sides except on parting lines. 	-	36"	RTA(A/B/C/D/E/F/G)3636-(1/2/3)	740.	851.	1,149.
	-	42"	RTA(A/B/C/D/E/F/G)4242-(1/2/3)	858.	986.	1,332.
	-	48"	RTA(A/B/C/D/E/F/G)4848-(1/2/3)	1,413.	1,624.	2,192.
	*	60"	RTA(A/B/C/D/E/F/G)6060-(1/2/3)	2,216.	2,548.	3,439.
	*	72"	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	2,742.	3,154.	4,258.

Order Code	Specification Information
Example: RTAG72302	
R Reff	
T Racetrack top	
A 1 1/4" thick	
G Gamma	
72 22" wide	
30 30" deep	
2 V2 finish	
V319 Medium cherry	





Specification Information	Application Notes
To order please specify pattern number including: 1. Edge profile 2. Width 3. Depth 4. Finish type 5. Finish 1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	4. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3 *Round tops in two pieces. Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Optional edge 1 1/4"
conference room top
square and rectangular

description	w	d	pattern no.	V1	V2	V3
Rectangular top - 1 piece 	72"	30"	RRA(A/B/C/D/E/F/G)7230-(1/2/3)	\$696.	\$799.	\$1,080.
	84"	30"	RRA(A/B/C/D/E/F/G)8430-(1/2/3)	769.	887.	1,198.
	96"	30"	RRA(A/B/C/D/E/F/G)9630-(1/2/3)	864.	992.	1,340.
	72"	36"	RRA(A/B/C/D/E/F/G)7236-(1/2/3)	756.	868.	1,172.
	84"	36"	RRA(A/B/C/D/E/F/G)8436-(1/2/3)	825.	948.	1,281.
	96"	36"	RRA(A/B/C/D/E/F/G)9636-(1/2/3)	954.	1,097.	1,483.
	84"	42"	RRA(A/B/C/D/E/F/G)8442-(1/2/3)	1,222.	1,404.	1,895.
	96"	42"	RRA(A/B/C/D/E/F/G)9642-(1/2/3)	1,402.	1,611.	2,175.
Rectangular top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	RRA(A/B/C/D/E/F/G)12036-(1/2/3)	1,530.	1,759.	2,375.
	120"	42"	RRA(A/B/C/D/E/F/G)12042-(1/2/3)	2,110.	2,426.	3,273.
	144"	42"	RRA(A/B/C/D/E/F/G)14442-(1/2/3)	2,369.	2,728.	3,683.
	120"	48"	RRA(A/B/C/D/E/F/G)12048-(1/2/3)	2,293.	2,637.	3,561.
	144"	48"	RRA(A/B/C/D/E/F/G)14448-(1/2/3)	2,541.	2,920.	3,943.
Rectangular top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	RRA(A/B/C/D/E/F/G)16842-(1/2/3)	3,108.	3,575.	4,825.
	192"	42"	RRA(A/B/C/D/E/F/G)19242-(1/2/3)	3,367.	3,874.	5,229.
	168"	48"	RRA(A/B/C/D/E/F/G)16848-(1/2/3)	3,375.	3,885.	5,245.
	192"	48"	RRA(A/B/C/D/E/F/G)19248-(1/2/3)	3,625.	4,169.	5,626.
Square top Profile edge on all sides except on parting lines 	-	36"	RRA(A/B/C/D/E/F/G)3636-(1/2/3)	537.	617.	833.
	-	42"	RRA(A/B/C/D/E/F/G)4242-(1/2/3)	696.	799.	1,080.
	-	48"	RRA(A/B/C/D/E/F/G)4848-(1/2/3)	915.	1,050.	1,417.
	*	60"	RRA(A/B/C/D/E/F/G)6060-(1/2/3)	1,425.	1,639.	2,214.
	*	72"	RRA(A/B/C/D/E/F/G)7272-(1/2/3)	1,680.	1,933.	2,609.

Order Code

Example: RSAG72302
R Reff
R Conference Room top
A 1 1/4" thick
G Gamma
72 72" wide
30 30" deep
2 V2 finish
V319 Medium cherry

Specification Information

To order please specify pattern number including:

1. Edge option
2. Width
3. Depth
4. Finish type
5. Finish

1. Edge profile options:

- A = Alpha
- B = Beta
- C = Chi
- D = Delta
- E = Epsilon
- F = Phi
- G = Gamma

4. Finish type:

- M = Mixed (laminate surface / wood edge)
- 1 = V1
- 2 = V2
- 3 = V3

* Square tops in two pieces.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak


Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall Edge 1 1/4" with 2" Waterfall edge front only 20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front only 	20"	24"	RSAWF241-()(1/2/3)	\$706.	\$814.	\$1,098.	
		30"	RSAWF301-()(1/2/3)	777.	895.	1,210.	
		36"	RSAWF361-()(1/2/3)	822.	943.	1,273.	
		42"	RSAWF421-()(1/2/3)	858.	984.	1,328.	
		48"	RSAWF481-()(1/2/3)	892.	1,026.	1,385.	
		54"	RSAWF541-()(1/2/3)	931.	1,072.	1,447.	
		60"	RSAWF601-()(1/2/3)	1,003.	1,152.	1,556.	
		66"	RSAWF661-()(1/2/3)	1,034.	1,190.	1,606.	
		72"	RSAWF721-()(1/2/3)	1,084.	1,247.	1,686.	
		78"	RSAWF781-()(1/2/3)	1,103.	1,266.	1,708.	
		84"	RSAWF841-()(1/2/3)	1,173.	1,348.	1,820.	
		90"	RSAWF901-()(1/2/3)	1,219.	1,402.	1,893.	
		96"	RSAWF961-()(1/2/3)	1,266.	1,453.	1,962.	
		24"	24"	RSAWF242-()(1/2/3)	744.	858.	1,158.
			30"	RSAWF302-()(1/2/3)	842.	969.	1,307.
			36"	RSAWF362-()(1/2/3)	876.	1,005.	1,358.
			42"	RSAWF422-()(1/2/3)	902.	1,036.	1,399.
48"	RSAWF482-()(1/2/3)		969.	1,113.	1,503.		
54"	RSAWF542-()(1/2/3)		1,034.	1,190.	1,606.		
60"	RSAWF602-()(1/2/3)		1,107.	1,272.	1,716.		
66"	RSAWF662-()(1/2/3)		1,145.	1,314.	1,775.		
72"	RSAWF722-()(1/2/3)		1,197.	1,376.	1,856.		
78"	RSAWF782-()(1/2/3)		1,254.	1,441.	1,946.		
84"	RSAWF842-()(1/2/3)		1,302.	1,497.	2,021.		
90"	RSAWF902-()(1/2/3)		1,364.	1,568.	2,118.		
96"	RSAWF962-()(1/2/3)	1,417.	1,629.	2,201.			

Worksurfaces

Order Code	Specification Information
Example: RSAWF241F2	
R	Reff
S	Straight top
A	1 1/4" thick
WF	Waterfall front
24	24" wide
1	20" deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Grommet options:
 N = No grommet
 F = Flush front grommet location
 R = Recessed front
 (not recommended on 20"D and 24"D tops)

2. Finish type:
 1 = V1
 2 = V2
 3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.


Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Waterfall Edge 1 1/4"
with 2" Waterfall edge front only
30" and 36" deep

Reff Profiles

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front only 	30"	24"	RSAWF243- ()(1/2/3)	\$810.	\$934.	\$1,261.	
		30"	RSAWF303- ()(1/2/3)	910.	1,048.	1,415.	
		36"	RSAWF363- ()(1/2/3)	982.	1,128.	1,523.	
		42"	RSAWF423- ()(1/2/3)	1,023.	1,175.	1,586.	
		48"	RSAWF483- ()(1/2/3)	1,091.	1,257.	1,697.	
		54"	RSAWF543- ()(1/2/3)	1,179.	1,359.	1,834.	
		60"	RSAWF603- ()(1/2/3)	1,225.	1,407.	1,900.	
		66"	RSAWF663- ()(1/2/3)	1,251.	1,438.	1,943.	
		72"	RSAWF723- ()(1/2/3)	1,282.	1,473.	1,988.	
		78"	RSAWF783- ()(1/2/3)	1,342.	1,542.	2,081.	
		84"	RSAWF843- ()(1/2/3)	1,394.	1,606.	2,167.	
		90"	RSAWF903- ()(1/2/3)	1,461.	1,676.	2,262.	
		96"	RSAWF963- ()(1/2/3)	1,513.	1,740.	2,348.	
		36"	60"	RSAWF604- ()(1/2/3)	1,414.	1,622.	2,189.
			66"	RSAWF664- ()(1/2/3)	1,463.	1,680.	2,270.
72"	RSAWF724- ()(1/2/3)		1,511.	1,736.	2,343.		

Order Code

Example: RSAWF243F2
R Reff
S Straight top
A 1 1/4" thick
WF Waterfall front
24 24" wide
3 30" deep
F Flush grommet
2 V2 finish
V319 Medium cherry
111 Jet black (grommet)

Specification Information

To order please specify pattern number including:

- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20"D and 24"D tops)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Waterfall Edge 1 1/4" with 2" Waterfall edge front and back 20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and back only 	20"	24"	RSAWA241- ()(1/2/3)	\$883.	\$1,019.	\$1,376.	
		30"	RSAWA301- ()(1/2/3)	974.	1,119.	1,509.	
		36"	RSAWA361- ()(1/2/3)	1,027.	1,178.	1,592.	
		42"	RSAWA421- ()(1/2/3)	1,073.	1,232.	1,664.	
		48"	RSAWA481- ()(1/2/3)	1,113.	1,282.	1,730.	
		54"	RSAWA541- ()(1/2/3)	1,163.	1,339.	1,808.	
		60"	RSAWA601- ()(1/2/3)	1,255.	1,440.	1,944.	
		66"	RSAWA661- ()(1/2/3)	1,293.	1,487.	2,008.	
		72"	RSAWA721- ()(1/2/3)	1,359.	1,563.	2,110.	
		78"	RSAWA781- ()(1/2/3)	1,379.	1,581.	2,135.	
		84"	RSAWA841- ()(1/2/3)	1,465.	1,685.	2,274.	
		90"	RSAWA901- ()(1/2/3)	1,526.	1,754.	2,367.	
		96"	RSAWA961- ()(1/2/3)	1,581.	1,820.	2,456.	
		24"	24"	RSAWA242- ()(1/2/3)	931.	1,073.	1,448.
			30"	RSAWA302- ()(1/2/3)	1,052.	1,211.	1,635.
			36"	RSAWA362- ()(1/2/3)	1,095.	1,260.	1,701.
			42"	RSAWA422- ()(1/2/3)	1,128.	1,296.	1,751.
48"	RSAWA482- ()(1/2/3)		1,211.	1,393.	1,880.		
54"	RSAWA542- ()(1/2/3)		1,293.	1,487.	2,008.		
60"	RSAWA602- ()(1/2/3)		1,385.	1,593.	2,150.		
66"	RSAWA662- ()(1/2/3)		1,432.	1,644.	2,219.		
72"	RSAWA722- ()(1/2/3)		1,494.	1,719.	2,322.		
78"	RSAWA782- ()(1/2/3)		1,568.	1,805.	2,435.		
84"	RSAWA842- ()(1/2/3)		1,629.	1,875.	2,530.		
90"	RSAWA902- ()(1/2/3)		1,706.	1,961.	2,647.		
96"	RSAWA962- ()(1/2/3)	1,771.	2,035.	2,747.			

Worksurfaces

Order Code

Example: RSAWA241F2
R Reff
S Straight top
A 1 1/4" thick
WA Waterfall front/back
24 24" wide
1 20" deep
F Flush grommet
2 V2 finish
V319 Medium cherry
111 Jet Black (grommet)

Specification Information

To order please specify pattern number including:

- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Grommet options:
 N = No grommet
 F = Flush front grommet location
 R = Recessed front
 (not recommended on 20"D and 24"D tops)

2. Finish type:
 1 = V1
 2 = V2
 3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and back
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and back only 	30"	24"	RSAWA243-() (1/2/3)	\$1,015.	\$1,167.	\$1,575.	
		30"	RSAWA303-() (1/2/3)	1,139.	1,312.	1,772.	
		36"	RSAWA363-() (1/2/3)	1,228.	1,413.	1,907.	
		42"	RSAWA423-() (1/2/3)	1,280.	1,470.	1,984.	
		48"	RSAWA483-() (1/2/3)	1,365.	1,570.	2,120.	
		54"	RSAWA543-() (1/2/3)	1,476.	1,698.	2,292.	
		60"	RSAWA603-() (1/2/3)	1,530.	1,760.	2,377.	
		66"	RSAWA663-() (1/2/3)	1,565.	1,800.	2,430.	
		72"	RSAWA723-() (1/2/3)	1,603.	1,842.	2,487.	
		78"	RSAWA783-() (1/2/3)	1,676.	1,930.	2,604.	
		84"	RSAWA843-() (1/2/3)	1,744.	2,008.	2,710.	
		90"	RSAWA903-() (1/2/3)	1,823.	2,097.	2,832.	
		96"	RSAWA963-() (1/2/3)	1,890.	2,174.	2,935.	
		36"	60"	RSAWA604-() (1/2/3)	1,767.	2,028.	2,738.
			66"	RSAWA664-() (1/2/3)	1,827.	2,103.	2,838.
			72"	RSAWA724-() (1/2/3)	1,887.	2,170.	2,929.

Order Code

Example:	RSAWA243F2
R	Reff
S	Straight top
A	1 1/4" thick
WA	Waterfall front/back
24	24" wide
3	30" deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20"D and 24"D tops)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak


Waterfall Edge 1 1/4" with 2" Waterfall edge front and two sides 20" and 24" deep

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Waterfall edge front and two sides 	20"	24"	RSAWB241-()(1/2/3)	\$1,064.	\$1,221.	\$1,648.	
		30"	RSAWB301-()(1/2/3)	1,167.	1,340.	1,809.	
		36"	RSAWB361-()(1/2/3)	1,230.	1,415.	1,910.	
		42"	RSAWB421-()(1/2/3)	1,286.	1,477.	1,994.	
		48"	RSAWB481-()(1/2/3)	1,336.	1,538.	2,076.	
		54"	RSAWB541-()(1/2/3)	1,395.	1,607.	2,170.	
		60"	RSAWB601-()(1/2/3)	1,508.	1,731.	2,337.	
		66"	RSAWB661-()(1/2/3)	1,552.	1,783.	2,409.	
		72"	RSAWB721-()(1/2/3)	1,629.	1,874.	2,529.	
		78"	RSAWB781-()(1/2/3)	1,649.	1,897.	2,561.	
		84"	RSAWB841-()(1/2/3)	1,757.	2,023.	2,730.	
		90"	RSAWB901-()(1/2/3)	1,831.	2,105.	2,841.	
		96"	RSAWB961-()(1/2/3)	1,897.	2,183.	2,947.	
		24"	24"	RSAWB242-()(1/2/3)	1,118.	1,286.	1,736.
			30"	RSAWB302-()(1/2/3)	1,264.	1,449.	1,958.
			36"	RSAWB362-()(1/2/3)	1,313.	1,511.	2,040.
			42"	RSAWB422-()(1/2/3)	1,354.	1,558.	2,105.
			48"	RSAWB482-()(1/2/3)	1,449.	1,671.	2,256.
			54"	RSAWB542-()(1/2/3)	1,552.	1,783.	2,409.
			60"	RSAWB602-()(1/2/3)	1,663.	1,909.	2,578.
66"	RSAWB662-()(1/2/3)		1,716.	1,973.	2,663.		
72"	RSAWB722-()(1/2/3)		1,794.	2,065.	2,786.		
78"	RSAWB782-()(1/2/3)		1,880.	2,165.	2,922.		
84"	RSAWB842-()(1/2/3)		1,955.	2,246.	3,034.		
90"	RSAWB902-()(1/2/3)		2,045.	2,352.	3,175.		
96"	RSAWB962-()(1/2/3)	2,122.	2,444.	3,300.			

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWB241F2	<i>To order please specify pattern number including:</i>	<p>Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.</p> <p>Waterfall tops cannot be specified with semi-open pore finish.</p>
R Reff	1. Grommet option	
S Straight top	2. Top finish type	<p>Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.</p> <p>Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.</p>
A 1 1/4" thick	3. Top finish	
WB Waterfall front and 2 sides	4. Grommet finish	<p>Applicable finishes are listed on page 5 and 6.</p>
24 24" wide	1. Grommet options:	
1 20" deep	N = No grommet	<p>Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak</p>
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	<p>Products on this page are shipped without hardware which must be ordered separately from the support components section.</p> <p>1 1/4" tops require support at mid point to reduce spans to 48" or less.</p>
V319 Medium cherry	2. Finish type:	
111 Jet Black (grommet)	1 = V1	
	2 = V2	
	3 = V3	

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and two sides
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and two sides 	30"	24"	RSAWB243-()(1/2/3)	\$1,217.	\$1,400.	\$1,890.
		30"	RSAWB303-()(1/2/3)	1,368.	1,574.	2,124.
		36"	RSAWB363-()(1/2/3)	1,473.	1,694.	2,287.
		42"	RSAWB423-()(1/2/3)	1,535.	1,762.	2,379.
		48"	RSAWB483-()(1/2/3)	1,639.	1,883.	2,543.
		54"	RSAWB543-()(1/2/3)	1,772.	2,035.	2,747.
		60"	RSAWB603-()(1/2/3)	1,835.	2,110.	2,849.
		66"	RSAWB663-()(1/2/3)	1,877.	2,159.	2,914.
		72"	RSAWB723-()(1/2/3)	1,921.	2,210.	2,983.
		78"	RSAWB783-()(1/2/3)	2,014.	2,318.	3,128.
		84"	RSAWB843-()(1/2/3)	2,090.	2,406.	3,248.
	90"	RSAWB903-()(1/2/3)	2,187.	2,517.	3,399.	
	96"	RSAWB963-()(1/2/3)	2,271.	2,608.	3,521.	
	36"	60"	RSAWB604-()(1/2/3)	2,118.	2,435.	3,288.
		66"	RSAWB664-()(1/2/3)	2,190.	2,521.	3,403.
		72"	RSAWB724-()(1/2/3)	2,268.	2,604.	3,516.

Order Code

Example: RSAWB243F2
R Reff
S Straight top
A 1 1/4" thick
WB Waterfall front and 2 sides
24 24" wide
3 30" deep
F Flush grommet
2 V2 finish
V319 Medium cherry
111 Jet Black (grommet)

Specification Information

To order please specify pattern number including:

- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20"D and 24"D tops)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and left side
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3		
Straight rectangular work tops Waterfall edge front and left side 	20"	24"	RSAWL241-()(1/2/3)	\$974.	\$1,120.	\$1,510.		
		30"	RSAWL301-()(1/2/3)	1,071.	1,229.	1,660.		
		36"	RSAWL361-()(1/2/3)	1,128.	1,296.	1,751.		
		42"	RSAWL421-()(1/2/3)	1,178.	1,354.	1,828.		
		48"	RSAWL481-()(1/2/3)	1,226.	1,409.	1,903.		
		54"	RSAWL541-()(1/2/3)	1,281.	1,472.	1,987.		
		60"	RSAWL601-()(1/2/3)	1,381.	1,586.	2,142.		
		66"	RSAWL661-()(1/2/3)	1,421.	1,637.	2,211.		
		72"	RSAWL721-()(1/2/3)	1,492.	1,716.	2,318.		
		78"	RSAWL781-()(1/2/3)	1,515.	1,741.	2,349.		
		84"	RSAWL841-()(1/2/3)	1,612.	1,853.	2,502.		
		90"	RSAWL901-()(1/2/3)	1,676.	1,930.	2,604.		
		96"	RSAWL961-()(1/2/3)	1,741.	2,002.	2,702.		
		24"	24"	30"	RSAWL242-()(1/2/3)	1,024.	1,178.	1,592.
				36"	RSAWL302-()(1/2/3)	1,158.	1,332.	1,797.
				42"	RSAWL362-()(1/2/3)	1,204.	1,385.	1,869.
				48"	RSAWL422-()(1/2/3)	1,241.	1,427.	1,925.
54"	RSAWL482-()(1/2/3)			1,332.	1,531.	2,067.		
60"	RSAWL542-()(1/2/3)			1,421.	1,637.	2,211.		
66"	RSAWL602-()(1/2/3)			1,523.	1,748.	2,361.		
72"	RSAWL662-()(1/2/3)			1,572.	1,809.	2,442.		
78"	RSAWL722-()(1/2/3)			1,644.	1,890.	2,551.		
84"	RSAWL782-()(1/2/3)			1,721.	1,983.	2,678.		
90"	RSAWL842-()(1/2/3)			1,788.	2,061.	2,782.		
96"	RSAWL902-()(1/2/3)	1,876.	2,157.	2,910.				
96"	RSAWL962-()(1/2/3)	1,946.	2,240.	3,024.				

Worksurfaces

Order Code

Example: RSAWL241F2
R Reff
S Straight top
A 1 1/4" thick
WL Waterfall front and left
24 24" wide
1 20" deep
F Flush grogmet
2 V2 finish
V319 Medium cherry
111 Jet Black (grogmet)

Specification Information

To order please specify pattern number including:

- Grogmet option
- Top finish type
- Top finish
- Grogmet finish

1. Grogmet options:
N = No grogmet
F = Flush front grogmet location
R = Recessed front
(not recommended on 20"D and 24"D tops)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grogmet locations which interfere with support or other hardware. All requests for special grogmet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and left side
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	30"	24"	RSAWL243-()(1/2/3)	\$1,118.	\$1,284.	\$1,733.
		30"	RSAWL303-()(1/2/3)	1,254.	1,441.	1,946.
		36"	RSAWL363-()(1/2/3)	1,350.	1,553.	2,097.
		42"	RSAWL423-()(1/2/3)	1,405.	1,616.	2,180.
		48"	RSAWL483-()(1/2/3)	1,502.	1,730.	2,336.
		54"	RSAWL543-()(1/2/3)	1,622.	1,869.	2,523.
		60"	RSAWL603-()(1/2/3)	1,683.	1,934.	2,611.
		66"	RSAWL663-()(1/2/3)	1,718.	1,980.	2,674.
		72"	RSAWL723-()(1/2/3)	1,762.	2,025.	2,733.
		78"	RSAWL783-()(1/2/3)	1,845.	2,122.	2,865.
		84"	RSAWL843-()(1/2/3)	1,917.	2,207.	2,980.
		90"	RSAWL903-()(1/2/3)	2,008.	2,309.	3,117.
		96"	RSAWL963-()(1/2/3)	2,080.	2,390.	3,227.
			36"	60"	RSAWL604-()(1/2/3)	1,942.
		66"	RSAWL664-()(1/2/3)	2,011.	2,311.	3,119.
		72"	RSAWL724-()(1/2/3)	2,077.	2,387.	3,223.

Order Code

Example: RSAWL243F2
R Reff
S Straight top
A 1 1/4" thick
WL Waterfall front and left
24 24" wide
3 30" deep
F Flush grommet
2 V2 finish
V319 Medium cherry
111 Jet Black (grommet)

Specification Information

To order please specify pattern number including:

- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20"D and 24"D tops)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and right side
20" and 24" deep

description	d	w	pattern no.	V1	V2	V3		
Straight rectangular work tops Waterfall edge front and right side 	20"	24"	RSAWR241-()(1/2/3)	\$974.	\$1,120.	\$1,510.		
		30"	RSAWR301-()(1/2/3)	1,071.	1,229.	1,660.		
		36"	RSAWR361-()(1/2/3)	1,128.	1,296.	1,751.		
		42"	RSAWR421-()(1/2/3)	1,178.	1,354.	1,828.		
		48"	RSAWR481-()(1/2/3)	1,226.	1,409.	1,903.		
		54"	RSAWR541-()(1/2/3)	1,281.	1,472.	1,987.		
		60"	RSAWR601-()(1/2/3)	1,381.	1,586.	2,142.		
		66"	RSAWR661-()(1/2/3)	1,421.	1,637.	2,211.		
		72"	RSAWR721-()(1/2/3)	1,492.	1,716.	2,318.		
		78"	RSAWR781-()(1/2/3)	1,515.	1,741.	2,349.		
		84"	RSAWR841-()(1/2/3)	1,612.	1,853.	2,502.		
		90"	RSAWR901-()(1/2/3)	1,676.	1,930.	2,604.		
		96"	RSAWR961-()(1/2/3)	1,741.	2,002.	2,702.		
		24"	24"	30"	RSAWR242-()(1/2/3)	1,024.	1,178.	1,592.
				36"	RSAWR302-()(1/2/3)	1,158.	1,332.	1,797.
				42"	RSAWR362-()(1/2/3)	1,204.	1,385.	1,869.
				48"	RSAWR422-()(1/2/3)	1,241.	1,427.	1,925.
54"	RSAWR482-()(1/2/3)			1,332.	1,531.	2,067.		
60"	RSAWR542-()(1/2/3)			1,421.	1,637.	2,211.		
66"	RSAWR602-()(1/2/3)			1,523.	1,748.	2,361.		
72"	RSAWR662-()(1/2/3)			1,572.	1,809.	2,442.		
78"	RSAWR722-()(1/2/3)			1,644.	1,890.	2,551.		
84"	RSAWR782-()(1/2/3)			1,721.	1,983.	2,678.		
90"	RSAWR842-()(1/2/3)			1,788.	2,061.	2,782.		
96"	RSAWR902-()(1/2/3)			1,876.	2,157.	2,910.		
96"	RSAWR962-()(1/2/3)	1,946.	2,240.	3,024.				

Worksurfaces

Order Code	Specification Information
Example: RSAWR241F2	
R	Reff
S	Straight top
A	1 1/4" thick
WR	Waterfall front and right
24	24" wide
1	20" deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20"D and 24"D tops)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.


Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and right side
30" and 36" deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and right side 	30"	24"	RSAWR243-()(1/2/3)	\$1,118.	\$1,284.	\$1,733.
		30"	RSAWR303-()(1/2/3)	1,254.	1,441.	1,946.
		36"	RSAWR363-()(1/2/3)	1,350.	1,553.	2,097.
		42"	RSAWR423-()(1/2/3)	1,405.	1,616.	2,180.
		48"	RSAWR483-()(1/2/3)	1,502.	1,730.	2,336.
		54"	RSAWR543-()(1/2/3)	1,622.	1,869.	2,523.
		60"	RSAWR603-()(1/2/3)	1,683.	1,934.	2,611.
		66"	RSAWR663-()(1/2/3)	1,718.	1,980.	2,674.
		72"	RSAWR723-()(1/2/3)	1,762.	2,025.	2,733.
		78"	RSAWR783-()(1/2/3)	1,845.	2,122.	2,865.
		84"	RSAWR843-()(1/2/3)	1,917.	2,207.	2,980.
		90"	RSAWR903-()(1/2/3)	2,008.	2,309.	3,117.
		96"	RSAWR963-()(1/2/3)	2,080.	2,390.	3,227.
			36"	60"	RSAWR604-()(1/2/3)	1,942.
		66"	RSAWR664-()(1/2/3)	2,011.	2,311.	3,119.
		72"	RSAWR724-()(1/2/3)	2,077.	2,387.	3,223.

Order Code

Example: RSAWR243F2
R Reff
S Straight top
A 1 1/4" thick
WR Waterfall front and right
24 24" wide
3 30" deep
F Flush grommet
2 V2 finish
V319 Medium cherry
111 Jet Black (grommet)

Specification Information

To order please specify pattern number including:

- Grommet option
- Top finish type
- Top finish
- Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20"D and 24"D tops)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.






Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Waterfall Edge 1 1/4"

Reff Profiles

2" Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
Wave transition top with waterfall edge front only (left 24", right 30") 	24"	42"	30"	RWAWF4223- ()(1/2/3)	\$1,026.	\$1,178.	\$1,592.
	24"	48"	30"	RWAWF4823- ()(1/2/3)	1,068.	1,227.	1,656.
	24"	54"	30"	RWAWF5423- ()(1/2/3)	1,150.	1,326.	1,789.
	24"	60"	30"	RWAWF6023- ()(1/2/3)	1,230.	1,418.	1,915.
	24"	66"	30"	RWAWF6623- ()(1/2/3)	1,276.	1,467.	1,980.
24"	72"	30"	RWAWF7223- ()(1/2/3)	1,339.	1,541.	2,080.	
Wave transition top with waterfall edge front only (left 30", right 24") 	30"	42"	24"	RWAWF4232- ()(1/2/3)	1,026.	1,178.	1,592.
	30"	48"	24"	RWAWF4832- ()(1/2/3)	1,068.	1,227.	1,656.
	30"	54"	24"	RWAWF5432- ()(1/2/3)	1,150.	1,326.	1,789.
	30"	60"	24"	RWAWF6032- ()(1/2/3)	1,230.	1,418.	1,915.
	30"	66"	24"	RWAWF6632- ()(1/2/3)	1,276.	1,467.	1,980.
30"	72"	24"	RWAWF7232- ()(1/2/3)	1,339.	1,541.	2,080.	
Wave transition top with waterfall edge front only (left 20", right 24") 	20"	42"	24"	RWAWF4212- ()(1/2/3)	950.	1,095.	1,479.
	20"	48"	24"	RWAWF4812- ()(1/2/3)	1,000.	1,150.	1,553.
	20"	54"	24"	RWAWF5412- ()(1/2/3)	1,071.	1,230.	1,661.
	20"	60"	24"	RWAWF6012- ()(1/2/3)	1,144.	1,315.	1,777.
	20"	66"	24"	RWAWF6612- ()(1/2/3)	1,178.	1,354.	1,828.
20"	72"	24"	RWAWF7212- ()(1/2/3)	1,234.	1,420.	1,917.	
Wave transition top with waterfall edge front only (left 24", right 20") 	24"	42"	20"	RWAWF4221- ()(1/2/3)	950.	1,095.	1,479.
	24"	48"	20"	RWAWF4821- ()(1/2/3)	1,000.	1,150.	1,553.
	24"	54"	20"	RWAWF5421- ()(1/2/3)	1,071.	1,230.	1,661.
	24"	60"	20"	RWAWF6021- ()(1/2/3)	1,144.	1,315.	1,777.
	24"	66"	20"	RWAWF6621- ()(1/2/3)	1,178.	1,354.	1,828.
24"	72"	20"	RWAWF7221- ()(1/2/3)	1,234.	1,420.	1,917.	
Wave end top with waterfall edge front (right 20") 	32"	36"	20"	RWEAWF3631- ()(1/2/3)	1,264.	1,449.	1,958.
	32"	42"	20"	RWEAWF4231- ()(1/2/3)	1,313.	1,512.	2,041.
	32"	48"	20"	RWEAWF4831- ()(1/2/3)	1,385.	1,594.	2,151.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RWAWF4221F2	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Top finish	Curvilinear worksurfaces only available in 1 1/4" thick.
WF Waterfall front	4. Grommet finish	See Planning Guide for grommet locations.
42 42" wide	<i>1. Grommet options:</i>	Waterfall tops cannot be specified with semi-open pore finish.
2 24" deep on left side	N = No grommet	
1 20" deep on left side	F = Flush front grommet location	
F Flush grommet location	<i>2. Finish type:</i>	
2 V2 finish	1 = V1	
V319 Medium cherry	2 = V2	
111 Jet Black (grommet)	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.




1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall Edge 1 1/4"

2" Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
Wave end top with waterfall edge front (right 24") 	36"	36"	24"	RWEAWF3662-()(1/2/3)	\$1,305.	\$1,501.	\$2,027.
	36"	42"	24"	RWEAWF4262-()(1/2/3)	1,347.	1,551.	2,093.
	36"	48"	24"	RWEAWF4862-()(1/2/3)	1,431.	1,644.	2,219.
Wave end top with waterfall edge front (left 20") 	20"	36"	32"	RWEAWF3613-()(1/2/3)	1,264.	1,449.	1,958.
	20"	42"	32"	RWEAWF4213-()(1/2/3)	1,313.	1,512.	2,041.
	20"	48"	32"	RWEAWF4813-()(1/2/3)	1,385.	1,594.	2,151.
Wave end top with waterfall edge front (left 24") 	24"	36"	36"	RWEAWF3626-()(1/2/3)	1,305.	1,501.	2,027.
	24"	42"	36"	RWEAWF4226-()(1/2/3)	1,347.	1,551.	2,093.
	24"	48"	36"	RWEAWF4826-()(1/2/3)	1,431.	1,644.	2,219.

Order Code	Specification Information	Application Notes
Example: RWAWF4221F2	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Top finish	
WF Waterfall front	4. Grommet finish	
42 42" wide	<i>1. Grommet options:</i>	
2 24" deep on left side	N = No grommet	Curvilinear worksurfaces only available in 1 1/4" thick.
1 20" deep on left side	F = Flush front grommet location	
F Flush grommet location		
2 V2 finish	2. <i>Finish type:</i>	See Planning Guide for grommet locations.
V319 Medium cherry	1 = V1	Waterfall tops cannot be specified with semi-open pore finish.
111 Jet Black (grommet)	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.


1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall Edge 1 1/4"

2" Waterfall edge front only curvilinear corner tops

description	Back w	w	pattern no.	V1	V2	V3
Curved corner work top, with waterfall edge front only (both returns 20") 	36"	36"	RCAWF363611-()(1/2/3)	\$1,501.	\$1,728.	\$2,332.
	36"	42"	RCAWF364211-()(1/2/3)	1,589.	1,827.	2,468.
	36"	48"	RCAWF364811-()(1/2/3)	1,686.	1,940.	2,620.
	42"	36"	RCAWF423611-()(1/2/3)	1,589.	1,827.	2,468.
	42"	42"	RCAWF424211-()(1/2/3)	1,686.	1,940.	2,620.
	42"	48"	RCAWF424811-()(1/2/3)	1,842.	2,119.	2,861.
	48"	36"	RCAWF483611-()(1/2/3)	1,686.	1,940.	2,620.
	48"	42"	RCAWF484211-()(1/2/3)	1,842.	2,119.	2,861.
<i>Radii of front edge varies with top dimensions</i>						
Curved corner work top, with waterfall edge front only (both returns 24")	36"	36"	RCAWF363622-()(1/2/3)	1,701.	1,960.	2,646.
	36"	42"	RCAWF364222-()(1/2/3)	1,788.	2,061.	2,782.
	36"	48"	RCAWF364822-()(1/2/3)	1,887.	2,172.	2,932.
	42"	36"	RCAWF423622-()(1/2/3)	1,788.	2,061.	2,782.
	42"	42"	RCAWF424222-()(1/2/3)	1,887.	2,172.	2,932.
	42"	48"	RCAWF424822-()(1/2/3)	2,043.	2,352.	3,175.
	48"	36"	RCAWF483622-()(1/2/3)	1,887.	2,172.	2,932.
	48"	42"	RCAWF484222-()(1/2/3)	2,043.	2,352.	3,175.
Curved corner work top, with waterfall edge front only (left return 20", right return 24")	36"	36"	RCAWF363612-()(1/2/3)	1,568.	1,803.	2,434.
	36"	42"	RCAWF364212-()(1/2/3)	1,659.	1,905.	2,572.
	36"	48"	RCAWF364812-()(1/2/3)	1,754.	2,017.	2,724.
	42"	36"	RCAWF423612-()(1/2/3)	1,659.	1,905.	2,572.
	42"	42"	RCAWF424212-()(1/2/3)	1,754.	2,017.	2,724.
	42"	48"	RCAWF424812-()(1/2/3)	1,910.	2,195.	2,963.
	48"	36"	RCAWF483612-()(1/2/3)	1,754.	2,017.	2,724.
	48"	42"	RCAWF484212-()(1/2/3)	1,910.	2,195.	2,963.
Curved corner work top, with waterfall edge front only (left return 24", right return 20")	36"	36"	RCAWF363621-()(1/2/3)	1,568.	1,803.	2,434.
	36"	42"	RCAWF364221-()(1/2/3)	1,659.	1,905.	2,572.
	36"	48"	RCAWF364821-()(1/2/3)	1,754.	2,017.	2,724.
	42"	36"	RCAWF423621-()(1/2/3)	1,659.	1,905.	2,572.
	42"	42"	RCAWF424221-()(1/2/3)	1,754.	2,017.	2,724.
	42"	48"	RCAWF424821-()(1/2/3)	1,910.	2,195.	2,963.
	48"	36"	RCAWF483621-()(1/2/3)	1,754.	2,017.	2,724.
	48"	42"	RCAWF484221-()(1/2/3)	1,910.	2,195.	2,963.




Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCAWF363611F2	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
R Reff	1. Grommet option	Waterfall tops cannot be specified with semi-open pore finish.
C Curved front corner	2. Top finish type	
A 1 1/4" thick	3. Top finish	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
WF Waterfall front	4. Grommet finish	
36 36" wide on left back	<i>1. Grommet options:</i>	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
36 36" wide on right back	N = No grommet	
1 20" deep on left side	F = Standard corner location	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
1 20" deep on right side		
F Standard grommet	<i>2. Finish type:</i>	
2 V2 finish	1 = V1	
V319 Medium cherry	2 = V2	
111 Jet Black (grommet)	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Waterfall Edge 1 1/4"

2" Waterfall edge meeting tops

Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Waterfall edge on all except flat side 	30"	42"	RMDAWF4230- ()(1/2/3)	\$1,917.	\$2,206.	\$2,977.
		48"	RMDAWF4830- ()(1/2/3)	2,068.	2,378.	3,210.
		54"	RMDAWF5430- ()(1/2/3)	2,220.	2,553.	3,447.
		60"	RMDAWF6030- ()(1/2/3)	2,372.	2,727.	3,680.
		66"	RMDAWF6630- ()(1/2/3)	2,526.	2,906.	3,923.
		72"	RMDAWF7230- ()(1/2/3)	2,681.	3,085.	4,164.
		78"	RMDAWF7830- ()(1/2/3)	3,036.	3,487.	4,709.
		84"	RMDAWF8430- ()(1/2/3)	3,388.	3,894.	5,258.
		90"	RMDAWF9030- ()(1/2/3)	3,781.	4,348.	5,870.
	96"	RMDAWF9630- ()(1/2/3)	4,175.	4,799.	6,479.	
	36"	42"	RMDAWF4236- ()(1/2/3)	2,115.	2,430.	3,279.
		48"	RMDAWF4836- ()(1/2/3)	2,311.	2,657.	3,588.
		54"	RMDAWF5436- ()(1/2/3)	2,640.	3,040.	4,104.
		60"	RMDAWF6036- ()(1/2/3)	2,964.	3,408.	4,602.
		66"	RMDAWF6636- ()(1/2/3)	3,015.	3,469.	4,683.
		72"	RMDAWF7236- ()(1/2/3)	3,065.	3,526.	4,760.
		78"	RMDAWF7836- ()(1/2/3)	3,450.	3,968.	5,354.
		84"	RMDAWF8436- ()(1/2/3)	3,840.	4,415.	5,960.
		90"	RMDAWF9036- ()(1/2/3)	4,045.	4,656.	6,284.
96"	RMDAWF9636- ()(1/2/3)	4,434.	5,096.	6,881.		
Meeting P-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	RMPAWF4230- ()(1/2/3)	2,636.	3,030.	4,090.
						
Meeting 9-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	RM9AWF4230- ()(1/2/3)	2,636.	3,030.	4,090.
						

Order Code	Specification Information	Application Notes
Example: RMDAWF4230N2 R Reff MD Meeting D-shaped top A 1 1/4" thick WF Waterfall all except flat side 42 42" wide 30 30" deep N No grommet 2 V2 finish V319 Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Grommet option 3. Top finish type 4. Top finish 5. Grommet finish 1. Thickness option: A = 1 1/4" 2. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front C = Centered (only on D-tops) 3. Finish type: 1 = V1 2 = V2 3 = V3 Note wraps around panel tops only, require specification of mating trim profile.	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end. Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. Refer to Planning Guide for modesty panel size requirements and all other support options. Waterfall tops cannot be specified with semi-open pore finish. Peninsula D-shaped top has grommet choice centered (as shown) or none. No grommet option on P or 9 tops.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.




Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Waterfall Edge 1 1/4"

2" Waterfall edge meeting tops

Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Worksurface 9-top 	30"	84"	RM9AWF8430-()(1/2/3)	\$5,363.	\$6,168.	\$8,326.
	30"	96"	RM9AWF9630-()(1/2/3)	5,588.	6,422.	8,671.
Worksurface P-top 	30"	84"	RMPAWF8430-()(1/2/3)	5,363.	6,168.	8,326.
	30"	96"	RMPAWF9630-()(1/2/3)	5,588.	6,422.	8,671.
Wrap around panel top 	21 1/2"	42 1/2"	RMDAWF4221-()(1/2/3)()	2,468.	2,836.	3,828.
	25 1/2"	50 1/2"	RMDAWF5025-()(1/2/3)()	2,704.	3,110.	4,199.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RMDAWF4230N2 R Reff MD Meeting D-shaped top A 1 1/4" thick WF Waterfall all except flat side 42 42" wide 30 30" deep N No grommet 2 V2 finish V319 Medium cherry	<i>To order please specify pattern number including:</i> <ol style="list-style-type: none"> Top thickness Grommet option Top finish type Top finish Grommet finish <i>1. Thickness option:</i> A = 1 1/4" <i>2. Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front C = Centered (only on D-tops) <i>3. Finish type:</i> 1 = V1 2 = V2 3 = V3 Note wraps around panel tops only, require specification of mating trim profile.	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end. Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. Refer to Planning Guide for modesty panel size requirements and all other support options. Waterfall tops cannot be specified with semi-open pore finish. Peninsula D-shaped top has grommet choice centered (as shown) or none. No grommet option on P or 9 tops.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1 1/4" tops require support at mid point to reduce spans to 48" or less.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.


Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak


Waterfall Edge 1 1/4"

2" Waterfall edge bow front tops


Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
	72"	30"		RMBAWA7230-()(1/2/3)		\$2,659.	\$3,062.	\$4,134.
	84"	30"		RMBAWA8430-()(1/2/3)		2,936.	3,377.	4,558.
	96"	30"		RMBAWA9630-()(1/2/3)		3,257.	3,745.	5,057.

Use 29" deep pedestals or end panels.
Do not use 23" deep pedestals if using recessed modesty.

	72"	36"		RMBAWA7236-()(1/2/3)		2,829.	3,253.	4,391.
	84"	36"		RMBAWA8436-()(1/2/3)		3,105.	3,570.	4,819.
	96"	36"		RMBAWA9636-()(1/2/3)		3,443.	3,955.	5,340.

Use 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).
 Can also be used with 36" deep end panel and recessed modesty.

Short modesty panel	w	d	h	pattern no.	L	V1	V2	V3
	40"	1"	26 1/2"	RB40MR-()	309.	398.	456.	616.
	52"	1"	26 1/2"	RB52MR-()	364.	468.	538.	727.
	64"	1"	26 1/2"	RB64MR-()	397.	515.	594.	802.

Use of short modesty panel

Pedestals must be ordered separately with individual back panels.
 Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.
 Order:
 40" modesty for 72" bow top
 52" modesty for 84" bow top
 64" modesty for 96" bow top
 When ordering bow top 30"D for use with short modesty, specify recessed grommet location.
 When ordering bow top 36"D for use with short modesty, specify alternate grommet location.



Order Code	Specification Information	Application Notes
Example: RCBAWA7230F2	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
R Reff	1. Grommet option	Shipped with hardware. Refer to page 0 of planning guide for application details.
CB Bow front	2. Top finish type	*Grommet options for elliptical tops are Recessed (R) or None (N).
A 1 1/4" thick	3. Top finish	Waterfall tops cannot be specified with semi-open pore finish.
WA Waterfall front/back	4. Grommet finish	1 1/4" tops require support at mid point to reduce spans to 48" or less.
72 72" wide	<i>1. Grommet options:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
30 30" deep	N = No grommet	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
F Flush front grommet position	F = Flush front grommet location	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
2 V2 finish	R = Recessed front	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
V319 Medium cherry	A = Alternate location (for 36"D tops only)	
111 Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Waterfall Edge 1 1/4"

2" Waterfall edge bow front tops

description	w	d	h	pattern no.	L	V1	V2	V3
Bulkhead (false pedestal)* 	16"	24"	26 1/2"	REBH24	\$436.	\$658.	\$763.	\$1,030.
	16"	30"	26 1/2"	REBH30	451.	671.	782.	1,055.
Waterfall elliptical tops 	60"	30"		REBAWA6030()		3,758.	4,320.	5,833.
	72"	42"		REBAWA7242()		5,342.	6,147.	8,298.
	78"	48"		REBAWA7848()		5,862.	6,743.	9,104.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCBAWA7230F2	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
R Reff		
CB Bow front	1. Grommet option	*Grommet options for elliptical tops are Recessed (R) or None (N).
A 1 1/4" thick	2. Top finish type	1 1/4" tops require support at mid point to reduce spans to 48" or less.
WA Waterfall front/back	3. Top finish	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
72 72" wide	4. Grommet finish	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
30 30" deep	<i>1. Grommet options:</i>	Shipped with hardware. Refer to page 0 of planning guide for application details.
F Flush front grommet position	N = No grommet	Waterfall tops cannot be specified with semi-open pore finish.
2 V2 finish	F = Flush front grommet location	Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36"D bowed top.
V319 Medium cherry	R = Recessed front	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
111 Jet Black (grommet)	A = Alternate location (for 36"D tops only)	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	





Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Waterfall Edge 1 1/4"

2" Waterfall edge conference room tops round and racetrack

Reff Profiles

description	w	d	pattern no.	V1	V2	V3
Racetrack top - one piece 	72"	30"	RTAW7230-(1/2/3)	\$3,758.	\$4,320.	\$5,833.
	72"	36"	RTAW7236-(1/2/3)	4,283.	4,923.	6,646.
	84"	30"	RTAW8430-(1/2/3)	4,182.	4,810.	6,494.
	84"	36"	RTAW8436-(1/2/3)	4,815.	5,537.	7,473.
	84"	42"	RTAW8442-(1/2/3)	5,862.	6,743.	9,104.
	96"	30"	RTAW9630-(1/2/3)	4,656.	5,353.	7,228.
	96"	36"	RTAW9636-(1/2/3)	5,342.	6,147.	8,298.
Racetrack top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	RTAW12036-(1/2/3)	6,901.	7,934.	10,712.
	120"	42"	RTAW12042-(1/2/3)	7,441.	8,556.	11,552.
	144"	42"	RTAW14442-(1/2/3)	8,205.	9,436.	12,739.
Racetrack top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	RTAW16842-(1/2/3)	10,289.	11,834.	15,976.
	192"	42"	RTAW19242-(1/2/3)	11,054.	12,714.	17,165.
RTAW16842-(1/2) comes with 2-60" pieces/1-48" center RTAW19242-(1/2) comes with 2-72" pieces/1-48" center						
Round tops, Waterfall edge on all sides except on parting lines 	-	36"	RTAW3636-(1/2/3)	2,115.	2,835.	3,827.
	-	42"	RTAW4242-(1/2/3)	2,448.	3,285.	4,436.
	*	60"	RTAW6060-(1/2/3)	6,324.	7,269.	9,814.
	*	72"	RTAW7272-(1/2/3)	7,827.	9,000.	12,150.

Order Code	Specification Information	Application Notes
Example: RTAW72302 R Reff T Rounded top A 1 1/4" thick W Waterfall all sides 72 72" wide 30 30" deep 2 V2 finish V319 Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Finish type 3. Finish 1. Thickness option: A = 1 1/4" 2. Finish type: 1 = V1 2 = V2 3 = V3 *Round tops in two pieces.	Top to top brackets included. See table base matrix in Planning Guide for base supports recommended. 1 1/4" tops require support at mid point to reduce spans to 48" or less. Tops have no radius on edges that adjoin. All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options. Waterfall tops cannot be specified with semi-open pore finish.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.


Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak


Waterfall Edge 1 1/4"


2" Waterfall edge conference room tops square and rectangular

Reff Profiles


Worksurfaces


description	w	d	pattern no.	V1	V2	V3
Rectangular top - one piece 	72"	30"	RRAW7230-(1/2/3)	\$1,984.	\$2,284.	\$3,084.
	72"	36"	RRAW7236-(1/2/3)	2,156.	2,480.	3,347.
	84"	30"	RRAW8430-(1/2/3)	2,195.	2,526.	3,410.
	84"	36"	RRAW8436-(1/2/3)	2,359.	2,709.	3,658.
	84"	42"	RRAW8442-(1/2/3)	3,487.	4,008.	5,412.
	96"	30"	RRAW9630-(1/2/3)	2,463.	2,833.	3,824.
	96"	42"	RRAW9642-(1/2/3)	3,998.	4,598.	6,207.

Rectangular top - two piece, Waterfall edge on all sides except on parting lines 	120"	36"	RRAW12036-(1/2/3)	4,362.	5,021.	6,778.
	120"	42"	RRAW12042-(1/2/3)	6,021.	6,925.	9,349.
	144"	42"	RRAW14442-(1/2/3)	6,764.	7,779.	10,501.

Rectangular top - three piece, Waterfall edge on all sides except on parting lines 	168"	42"	RRAW16842-(1/2/3)	8,869.	10,202.	13,774.
	192"	42"	RRAW19242-(1/2/3)	9,610.	11,050.	14,918.

RRAW16842-(1/2) comes with 2-60" pieces/1-48" center
 RRAW19242-(1/2) comes with 2-72" pieces/1-48" center



Square top - one piece 	-	36"	RRAW3636-(1/2/3)	1,535.	2,056.	2,777.
	-	42"	RRAW4242-(1/2/3)	1,984.	2,662.	3,594.

Square top - two piece, Waterfall edge not on parting lines 	-	60"	RRAW6060-(1/2/3)	4,064.	4,672.	6,307.
	-	72"	RRAW7272-(1/2/3)	4,799.	5,520.	7,451.

Order Code	Specification Information	Application Notes
Example: RRAW72302 R Reff R Rectangular A 1 1/4" thick W Waterfall all sides 72 72" wide 30 30" deep 2 V2 finish V319 Medium cherry	To order please specify pattern number including: 1. Top thickness 2. Finish type 3. Finish 1. Thickness option: A = 1 1/4" 2. Finish type: 1 = V1 2 = V2 3 = V3 Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options. Top to top brackets included. Tops have no radius on edges that adjoin. See table base matrix in Planning Guide for base supports recommended. 1 1/4" tops require support at mid point to reduce spans to 48" or less. Waterfall tops cannot be specified with semi-open pore finish.


Cascade Edge 1 1/4" Rectilinear 24" and 30" deep

Reff Profiles

description	d	w	pattern no.	Woodgrain	Solid
24"D Rectangular  shown with grommet	24"	24"	RCE1R2424N	\$224.	\$195.
	24"	30"	RCE1R3024N	258.	224.
	24"	36"	RCE1R3624N	286.	248.
	24"	42"	RCE1R4224N	329.	286.
	24"	48"	RCE1R4824N	369.	321.
	24"	54"	RCE1R5424N	396.	345.
	24"	60"	RCE1R6024N	430.	374.
	24"	66"	RCE1R6624N	464.	404.
	24"	72"	RCE1R7224N	486.	422.
	24"	78"	RCE1R7824N	521.	453.
	24"	84"	RCE1R8424N	550.	479.
	24"	90"	RCE1R9024N	621.	540.
24"	96"	RCE1R9624N	678.	590.	
30"D Rectangular  shown with grommet	30"	24"	RCE1R2430N	287.	249.
	30"	30"	RCE1R3030N	321.	279.
	30"	36"	RCE1R3630N	357.	310.
	30"	42"	RCE1R4230N	387.	337.
	30"	48"	RCE1R4830N	430.	374.
	30"	54"	RCE1R5430N	487.	423.
	30"	60"	RCE1R6030N	535.	465.
	30"	66"	RCE1R6630N	596.	519.
	30"	72"	RCE1R7230N	621.	540.
	30"	78"	RCE1R7830N	663.	577.
	30"	84"	RCE1R8430N	705.	613.
	30"	90"	RCE1R9030N	758.	659.
30"	96"	RCE1R9630N	810.	705.	

Order Code	Specification Information	Application Notes
Example: RCE1R3024N 118	<i>To order please specify pattern number including finish:</i>	Center-located edge grommet.
R Reff	<i>Available finishes:</i>	To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.
CE1 Cascade edge	<i>Solid:</i>	All support hardware ordered separately.
R Rectangular	114 Folkstone Grey	Tops require mid span support to reduce spans to 48" or less.
30 Width	117 Soft Grey	Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.
24 Depth	118 Bright White	Cascade edge worksurfaces are not recommended for free-standing applications.
N No grommet	119 Pumice	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
118 Finish	Woodgrain:	Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	


Cascade Edge 1 1/4" Blended "D"

description	A	B	C	pattern no.	Woodgrain	Solid
 <p>right hand shown</p>	48"	24"	66"	RCE1BD6648S(L/R)	\$909.	\$791.
	48"	24"	72"	RCE1BD7248S(L/R)	931.	808.
	48"	24"	78"	RCE1BD7848S(L/R)	1,074.	934.
	48"	24"	84"	RCE1BD8448S(L/R)	1,103.	959.
	48"	30"	66"	RCE1BD6648D(L/R)	957.	831.
	48"	30"	72"	RCE1BD7248D(L/R)	992.	862.
	48"	30"	78"	RCE1BD7848D(L/R)	1,109.	965.
	48"	30"	84"	RCE1BD8448D(L/R)	1,172.	1,020.

Order Code	Specification Information	Application Notes
Example: RCE1BD6648SR 118 R Reff CE1 Cascade edge BD Blended "D" 66 Width 48 Depth S 24" return R right hand 118 Finish	<p><i>To order please specify pattern number including:</i></p> <p>1. Return depth (dimension C on line art, hard coded in pattern number) S = 24" return D = 30" return</p> <p>2. Hand (left or right)</p> <p>3. Finish <i>Solid:</i> 114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice</p> <p>Woodgrain: 124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut</p>	<p>All support hardware ordered separately.</p> <p>Tops require mid span support to reduce spans to 48" or less.</p> <p>Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.</p> <p>Cascade edge worksurfaces are not recommended for free-standing applications.</p> <p>Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.</p>
		<p>Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.</p>

Cascade Edge 1 1/4"


Curvilinear corner

description	A	B	C	pattern no.	Woodgrain	Solid
 <p>shown with grommets</p>	24"	24"	36"	RCE1L3636SSN	\$563.	\$489.
	24"	24"	42"	RCE1L4242SSN	678.	590.
	24"	24"	48"	RCE1L4848SSN	763.	663.
	24"	30"	42"	RCE1L4242DSN	805.	701.
	24"	30"	48"	RCE1L4848DSN	912.	793.
	30"	24"	42"	RCE1L4242SDN	805.	701.
	30"	24"	48"	RCE1L4848SDN	912.	793.
	30"	30"	48"	RCE1L4848DDN	819.	712.

Order Code	Specification Information	Application Notes
<p>Example: RCE1L4848SSG 114</p> <p>RCE1 Reff Cascade Edge worksurface</p> <p>L Curvilinear Corner top</p> <p>48 Width</p> <p>48 Depth</p> <p>S 24"d, left side</p> <p>S 24"d, right side</p> <p>G Grommet</p> <p>114 Folkstone Grey finish</p>	<p>To order please specify pattern number including:</p> <p>1. Return depths (hard coded in pattern number)</p> <p>SS = 24"d left and right SD = 24"d left, 30"d right DS = 30"d left, 24"d right DD = 30"d left and right</p> <p>2. Grommets (hard coded in pattern number)</p> <p>N= no grommets G= grommets</p> <p>3. Finish</p> <p><i>Solid:</i></p> <p>114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice</p> <p>Woodgrain:</p> <p>124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut</p>	<p>Center-located edge grommets, located on center of sides marked A.</p> <p>To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40.</p> <p>All support hardware ordered separately.</p> <p>Tops require mid span support to reduce spans to 48" or less.</p> <p>Specify cantilever bracket (ASBC18 (L/R) or ASBC24 (L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.</p> <p>Cascade edge worksurfaces are not recommended for free-standing applications.</p> <p>Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.</p>
<p>Note: When wood grain or brushed finishes are specified on Cascade corner worksurfaces with two "A" sides of equal length that do not exceed 42" you must select one of three grain direction options. Insert the desired grain direction "L"= Left hand, "R"= Right hand or "D"= Diagonal after the worksurface finish code to indicate the appropriate grain direction. When the "D" option is selected please add \$25.00 to the worksurface list price. 48" Cascade corners are not available with a diagonal grain option.</p>	<p>Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.</p>	

Cascade Edge 1 1/4" Blended "L"

Reff Profiles

description	B	C	A	D	pattern no.	Woodgrain	Solid
 <p>shown with grommets</p>	42"	60"	24"	24"	RCE1L4260SSN	\$932.	\$810.
	42"	66"	24"	24"	RCE1L4266SSN	957.	831.
	42"	72"	24"	24"	RCE1L4272SSN	993.	863.
	42"	78"	24"	24"	RCE1L4278SSN	1,003.	873.
	48"	60"	24"	24"	RCE1L4860SSN	943.	821.
	48"	60"	24"	30"	RCE1L4860SDN	927.	805.
	48"	60"	30"	24"	RCE1L4860DSN	927.	805.
	48"	66"	24"	24"	RCE1L4866SSN	977.	850.
	48"	66"	24"	30"	RCE1L4866SDN	974.	847.
	48"	66"	30"	24"	RCE1L4866DSN	974.	847.
	48"	72"	24"	24"	RCE1L4872SSN	1,013.	881.
	48"	72"	24"	30"	RCE1L4872SDN	1,020.	886.
	48"	72"	30"	24"	RCE1L4872DSN	1,020.	886.
	48"	78"	24"	24"	RCE1L4878SSN	1,117.	971.
	48"	84"	24"	24"	RCE1L4884SSN	1,256.	1,092.
	60"	42"	24"	24"	RCE1L6042SSN	932.	810.
	60"	48"	24"	24"	RCE1L6048SSN	943.	821.
	60"	48"	24"	30"	RCE1L6048SDN	927.	805.
	60"	48"	30"	24"	RCE1L6048DSN	927.	805.
	66"	42"	24"	24"	RCE1L6642SSN	957.	831.
	66"	48"	24"	24"	RCE1L6648SSN	977.	850.
	66"	48"	24"	30"	RCE1L6648SDN	974.	847.
	66"	48"	30"	24"	RCE1L6648DSN	974.	847.
	72"	42"	24"	24"	RCE1L7242SSN	993.	863.
	72"	48"	24"	24"	RCE1L7248SSN	1,013.	881.
	72"	48"	24"	30"	RCE1L7248SDN	1,020.	886.
	72"	48"	30"	24"	RCE1L7248DSN	1,020.	886.
	78"	42"	24"	24"	RCE1L7842SSN	1,003.	873.
	78"	48"	24"	24"	RCE1L7848SSN	1,117.	971.
	84"	48"	24"	24"	RCE1L8448SSN	1,256.	1,092.

Worksurfaces

Order Code

Example:	RCE1L4260SSG 114
RCE1	Cascade edge worksurface
L	Blended "L" top
42	Width
60	Depth
S	24"d, left side
S	24"d, right side
G	Grommets
114	Top finish

Specification Information

To order please specify pattern number including:

1. Return depths (hard coded in pattern number):
 SS = 24"d left and right
 SD = 24"d left, 30"d right
 DS = 30"d left, 24"d right

2. Grommets (hard coded in pattern number):
 N= no grommets
 G= grommets

3. Finishes:
Solid:
 114 Folkstone Grey
 117 Soft Grey
 118 Bright White
 119 Pumice

Woodgrain:
 124 Medium Cherry
 125 Natural Maple
 126 Natural Cherry
 127 Walnut

Application Notes

Center-located edge grommets, located on center of sides marked B and C.

To specify grommets, replace the "N" suffix in pattern number with "G". Add \$40.

All support hardware ordered separately.

Tops require mid span support to reduce spans to 48" or less.

Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Cascade edge worksurfaces are not recommended for free-standing applications.




Actual width 1/16" less nominal.
 Actual depth 3/8" less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade Edge 1 1/4"

Half round and corner round


Reff Profiles

description	w	d	pattern no.	Woodgrain	Solid
	48"	18"	RCE1H4818	\$486.	\$422.
	50 1/2"	18"	RCE1H4818P	486.	422.
	60"	24"	RCE1H6024	670.	581.
	62 1/2"	24"	RCE1H6024P	670.	581.
LH Corner Round	24"	24"	RCE1CR24L	258.	224.
					
RH Corner Round	24"	24"	RCE1CR24R	258.	224.
					
Notched Corner Round	24"	24"	RCE1CR24N	258.	224.


Order Code	Specification Information	Application Notes
Example: RCE1H4818P 118	<i>To order please specify pattern number including finish:</i>	All support hardware ordered separately.
R Reff	<i>Available finishes:</i>	Tops require mid span support to reduce spans to 48" or less.
CE1 Cascade edge	<i>Solid:</i>	Specify cantilever bracket from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.
H Half round	114 Folkstone Grey	Half round tops with suffix P, notched for panel end trim profile B square only.
48 Width	117 Soft Grey	Cascade edge worksurfaces are not recommended for free-standing applications.
18 Depth	118 Bright White	Actual width 1/16" less nominal.
P Notch for panel trim	119 Pumice	Actual depth 3/8" less nominal.
118 Finish	<i>Woodgrain:</i>	
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade Edge 1 1/4" Wave end

description	1	2	3	A	B	pattern no.	Woodgrain	Solid
Wave End, LH 	36"	24"	30"	3"	15"	RCE1W363024N	\$604.	\$525.
	42"	24"	30"	9"	15"	RCE1W423024N	635.	551.
	48"	24"	30"	15"	15"	RCE1W483024N	679.	591.
	72"	24"	30"	30 1/2"	23 1/2"	RCE1W723024N	864.	752.

shown with grommet


description	1	2	3	A	B	pattern no.	Woodgrain	Solid
Wave End, RH 	36"	30"	24"	15"	3"	RCE1W362430N	604.	525.
	42"	30"	24"	15"	9"	RCE1W422430N	635.	551.
	48"	30"	24"	15"	15"	RCE1W482430N	679.	591.
	72"	30"	24"	23 1/2"	30 1/2"	RCE1W722430N	864.	752.

shown with grommet

Order Code	Specification Information	Application Notes
Example: RCE1W483024N 118	<i>To order please specify pattern number including finish:</i>	Center-located edge grommet.
RCE1 Cascade edge worksurface	Available finishes:	To specify grommet, replace the "N" suffix in pattern number with "C". Add \$20.
W Wave end	<i>Solid:</i>	All support hardware ordered separately.
48 Width	114 Folkstone Grey	Tops require mid span support to reduce spans to 48" or less.
30 Depth, left side	117 Soft Grey	Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.
24 Depth, right side	118 Bright White	Cascade edge worksurfaces are not recommended for free-standing applications.
N No grommet	119 Pumice	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
118 Top finish	<i>Woodgrain:</i>	Please Note: Cascade Edge worksurfaces are wrapped with a vinyl sheet that is heated and pressed around an MDF substrate. Vinyl is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 5 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	


Worksurface 1 1/2"
 rectilinear
 20" and 24" deep

Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	RSD241-()()()	\$336.	\$366.	\$421.	\$567.
		30"	RSD301-()()()	367.	402.	461.	623.
		36"	RSD361-()()()	389.	424.	487.	659.
		42"	RSD421-()()()	403.	444.	510.	688.
		48"	RSD481-()()()	424.	460.	529.	713.
		54"	RSD541-()()()	441.	478.	553.	748.
		60"	RSD601-()()()	472.	518.	596.	806.
		66"	RSD661-()()()	487.	533.	615.	829.
		72"	RSD721-()()()	515.	562.	644.	870.
		78"	RSD781-()()()	522.	567.	654.	884.
		84"	RSD841-()()()	553.	607.	696.	939.
		90"	RSD961-()()()	579.	631.	723.	979.
		96"	RSD901-()()()	600.	654.	751.	1,014.
		102"	RSD1021-()()()	660.	720.	827.	1,115.
	108"	RSD1081-()()()	726.	792.	909.	1,226.	
	24"	24"	RSD242-()()()	353.	384.	444.	599.
		30"	RSD302-()()()	399.	434.	502.	676.
		36"	RSD362-()()()	412.	454.	520.	702.
		42"	RSD422-()()()	429.	467.	537.	723.
		48"	RSD482-()()()	455.	502.	576.	776.
		54"	RSD542-()()()	487.	533.	615.	829.
		60"	RSD602-()()()	525.	574.	658.	888.
		66"	RSD662-()()()	539.	601.	681.	919.
		72"	RSD722-()()()	566.	617.	712.	962.
78"		RSD782-()()()	591.	646.	747.	1,007.	
84"		RSD842-()()()	616.	673.	774.	1,045.	
90"		RSD902-()()()	646.	703.	808.	1,089.	
96"		RSD962-()()()	669.	730.	841.	1,135.	
102"		RSD1022-()()()	736.	803.	925.	1,248.	
108"	RSD1082-()()()	809.	883.	1,017.	1,373.		

Order Code	Specification Information	Application Notes
Example: RSD241RL	<i>To order please specify pattern number including:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
R Reff	3. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed	
S Straight top	1. Grommet option: F=Flush front grommet location N=No grommet R=Recessed front (not recommended for 20"D and 24"D tops)	These worksurfaces are predrilled with metal inserts and use machine screws.
D 1 1/2" thick	2. Grommet finish: Painted	
24 24" wide	1. <i>Thickness options:</i> D = 1 1/2"	1 1/2" tops require support at mid point to reduce spans to 48" or less.
1 20" deep	2. <i>Grommet options:</i> N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops)	
R Recessed grommet location		Applicable finishes are listed on page 5 and 6. Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
111 Jet Black (grommet)		
V316 Top finish		Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
		Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.

Worksurface 1 1/2"
 rectilinear
 30" and 36" deep


description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	RSD243-()()()	\$385.	\$418.	\$479.	\$647.
		30"	RSD303-()()()	433.	471.	542.	733.
		36"	RSD363-()()()	464.	509.	583.	786.
		42"	RSD423-()()()	484.	528.	608.	822.
		48"	RSD483-()()()	518.	564.	647.	875.
		54"	RSD543-()()()	559.	610.	699.	944.
		60"	RSD603-()()()	580.	632.	725.	981.
		66"	RSD663-()()()	590.	645.	746.	1,006.
		72"	RSD723-()()()	607.	661.	760.	1,026.
		78"	RSD783-()()()	634.	693.	797.	1,075.
		84"	RSD843-()()()	659.	720.	828.	1,119.
		90"	RSD903-()()()	690.	753.	868.	1,172.
		96"	RSD963-()()()	714.	781.	898.	1,212.
		102"	RSD1023-()()()	786.	859.	988.	1,334.
	108"	RSD1083-()()()	864.	945.	1,087.	1,467.	
	36"	60"	RSD604-()()()	668.	729.	836.	1,119.
		66"	RSD664-()()()	690.	754.	869.	1,173.
		72"	RSD724-()()()	713.	780.	897.	1,211.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSD243RL	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. Grommet options: N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops) A = Alternate location (for 36"D tops only)	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
S Straight top	2. Grommet finish: Painted	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
D 1 1/2" thick	3. Finish: L, V1, V2, V3	Products on this page are shipped without hardware which must be ordered separately from the support components section. These worksurfaces are predrilled with metal inserts and use machine screws. 1 1/2" tops require support at mid point to reduce spans to 48" or less.
36 36" wide		
3 30" deep		
R Recessed grommet location		
111 Jet Black (grommet)		
V316 Top finish		

Worksurface 1 1/2" Bridge rectilinear

Reff Profiles

description	d	w	pattern no.	L	V1	V2	V3
Worksurface, bridge rectilinear 	20"	36"	RBD361H () () ()	\$389.	\$424.	\$487.	\$659.
		36"	RBD361V () () ()	389.	424.	487.	659.
		42"	RBD421H () () ()	403.	444.	510.	688.
		42"	RBD421V () () ()	403.	444.	510.	688.
		48"	RBD481V () () ()	424.	460.	529.	713.
		48"	RBD481H () () ()	424.	460.	529.	713.
		54"	RBD541H () () ()	441.	478.	553.	748.
		54"	RBD541V () () ()	441.	478.	553.	748.
	24"	36"	RBD362V () () ()	412.	454.	520.	702.
		36"	RBD362H () () ()	412.	454.	520.	702.
		42"	RBD422H () () ()	429.	467.	537.	723.
		42"	RBD422V () () ()	429.	467.	537.	723.
		48"	RBD482H () () ()	455.	502.	576.	776.
		48"	RBD482V () () ()	455.	502.	576.	776.
54"		RBD542V () () ()	487.	533.	615.	829.	
54"		RBD542H () () ()	487.	533.	615.	829.	

Order Code

Example: RBD361H	
R	Reff
B	Bridge
D	1 1/2"
36	36" wide
H/V	
F	Grommet type
114	Grommet finish
L	Laminate


Specification Information

- To order please specify pattern number including:*
- Options for grain direction
H=Horizontal grain direction
V=Vertical grain direction
 - Grommet type:
N=No grommet
F=Flush front grommet locaton
 - Grommet finish:
Painted
 - Finish
L, V1, V2, V3

Application Notes

- Modesty sold separately
 - Stiffener sold separately
 - Assembly required.
 - Worksurface stiffeners recommended to provide additional support for open spans greater than 48" w.
 - Hardware not included.
- J-Bracket sold separately.
Above dimensions are all nominal.


Worksurface 1 1/2"
 Peninsula worksurface with L-leg
 Stand-Off with Power Center

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula Top, Rectilinear 	30"	60"	1 1/2"	RPTDLPC(L/R)6030() () () ()	\$1,525.	\$1,577.	\$1,670.	\$1,926.
		66"	1 1/2"	RPTDLPC(L/R)6630() () () ()	1,535.	1,590.	1,691.	1,951.
		72"	1 1/2"	RPTDLPC(L/R)7230() () () ()	1,552.	1,606.	1,705.	1,971.
		78"	1 1/2"	RPTDLPC(L/R)7830() () () ()	1,579.	1,638.	1,742.	2,020.
		84"	1 1/2"	RPTDLPC(L/R)8430() () () ()	1,604.	1,665.	1,773.	2,064.
	36"	60"	1 1/2"	RPTDLPC(L/R)6036() () () ()	1,613.	1,674.	1,781.	2,064.
		66"	1 1/2"	RPTDLPC(L/R)6636() () () ()	1,635.	1,699.	1,814.	2,118.
		72"	1 1/2"	RPTDLPC(L/R)7236() () () ()	1,658.	1,725.	1,842.	2,156.
		78"	1 1/2"	RPTDLPC(L/R)7836() () () ()	1,681.	1,747.	1,870.	2,196.
		84"	1 1/2"	RPTDLPC(L/R)8436() () () ()	1,703.	1,770.	1,899.	2,235.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RPTDLPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet type P=Power Center, PE= Power center grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
L L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Leg finish Painted or plated	
L Left hand/ Right hand	6. Stand-off finish Painted	
60 Width		
30 Depth		
P Grommet option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		

Worksurface 1 1/2"
 Peninsula worksurface with L-leg
 Stand-Off

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula Top, Rectilinear	30"	60"	1 1/2"	RPTDLST(L/R)6030() () () ()	\$1,455.	\$1,507.	\$1,600.	\$1,856.
		66"	1 1/2"	RPTDLST(L/R)6630() () () ()	1,465.	1,520.	1,621.	1,881.
		72"	1 1/2"	RPTDLST(L/R)7230() () () ()	1,482.	1,536.	1,635.	1,901.
		78"	1 1/2"	RPTDLST(L/R)7830() () () ()	1,509.	1,568.	1,672.	1,950.
		84"	1 1/2"	RPTDLST(L/R)8430() () () ()	1,534.	1,595.	1,703.	1,994.
	36"	60"	1 1/2"	RPTDLST(L/R)6036() () () ()	1,543.	1,604.	1,711.	1,994.
		66"	1 1/2"	RPTDLST(L/R)6636() () () ()	1,565.	1,629.	1,744.	2,048.
		72"	1 1/2"	RPTDLST(L/R)7236() () () ()	1,588.	1,655.	1,772.	2,086.
		78"	1 1/2"	RPTDLST(L/R)7836() () () ()	1,611.	1,677.	1,800.	2,126.
		84"	1 1/2"	RPTDLST(L/R)8436() () () ()	1,633.	1,700.	1,829.	2,165.

Order Code	Specification Information	Application Notes
Example: RPTDLST(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet type S=Stand-off, N=No grommet, E=End grommet, SE=Stand-off grommet with end grommet.	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
L L-Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand-Off	5. Leg finish Painted or plated	
L Left hand/ Right hand	6. Stand-off finish Painted	
60 Width		
30 Depth		
E Grommet Type		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		

Worksurface 1 1/2"
 Peninsula worksurface with L-leg
 Flush mount attachment

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula Top, Rectilinear	30"	48"	1 1/2"	RPTDLFM(L/R)4830() () () ()	\$1,249.	\$1,301.	\$1,384.	\$1,617.
		54"	1 1/2"	RPTDLFM(L/R)5430() () () ()	1,272.	1,324.	1,412.	1,656.
		60"	1 1/2"	RPTDLFM(L/R)6030() () () ()	1,295.	1,347.	1,440.	1,696.
		66"	1 1/2"	RPTDLFM(L/R)6630() () () ()	1,305.	1,360.	1,461.	1,721.
		72"	1 1/2"	RPTDLFM(L/R)7230() () () ()	1,322.	1,376.	1,475.	1,741.
		78"	1 1/2"	RPTDLFM(L/R)7830() () () ()	1,349.	1,408.	1,512.	1,790.
		84"	1 1/2"	RPTDLFM(L/R)8430() () () ()	1,374.	1,435.	1,543.	1,834.
		36"	48"	1 1/2"	RPTDLFM(L/R)4836() () () ()	1,338.	1,399.	1,495.
	54"	1 1/2"	RPTDLFM(L/R)5436() () () ()	1,360.	1,421.	1,523.	1,794.	
	60"	1 1/2"	RPTDLFM(L/R)6036() () () ()	1,383.	1,444.	1,551.	1,834.	
	66"	1 1/2"	RPTDLFM(L/R)6636() () () ()	1,405.	1,469.	1,584.	1,888.	
	72"	1 1/2"	RPTDLFM(L/R)7236() () () ()	1,428.	1,495.	1,612.	1,926.	
	78"	1 1/2"	RPTDLFM(L/R)7836() () () ()	1,451.	1,517.	1,640.	1,966.	
	84"	1 1/2"	RPTDLFM(L/R)8436() () () ()	1,473.	1,540.	1,669.	2,005.	

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RPTDLFM(L/R)4830() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet type E=End, N=No grommet, M=Middle grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
IL L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	5. Leg finish Painted or plated	
L Left hand/ Right hand		
48 Width		
30 Depth		
M Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Worksurface 1 1/2"
*Peninsula worksurface with Reverse L-leg
 Stand off with power center*

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula Top, Rectilinear	30"	60"	1 1/2"	RPTDRPC(L/R)6030() () () ()	\$1,525.	\$1,577.	\$1,670.	\$1,926.
		66"	1 1/2"	RPTDRPC(L/R)6630() () () ()	1,535.	1,590.	1,691.	1,951.
		72"	1 1/2"	RPTDRPC(L/R)7230() () () ()	1,552.	1,606.	1,705.	1,971.
		78"	1 1/2"	RPTDRPC(L/R)7830() () () ()	1,579.	1,638.	1,742.	2,020.
		84"	1 1/2"	RPTDRPC(L/R)8430() () () ()	1,604.	1,665.	1,773.	2,064.
	36"	60"	1 1/2"	RPTDRPC(L/R)6036() () () ()	1,613.	1,674.	1,781.	2,064.
		66"	1 1/2"	RPTDRPC(L/R)6636() () () ()	1,635.	1,699.	1,814.	2,118.
		72"	1 1/2"	RPTDRPC(L/R)7236() () () ()	1,658.	1,725.	1,842.	2,156.
		78"	1 1/2"	RPTDRPC(L/R)7836() () () ()	1,681.	1,747.	1,870.	2,196.
		84"	1 1/2"	RPTDRPC(L/R)8436() () () ()	1,703.	1,770.	1,899.	2,235.

Order Code	Specification Information	Application Notes
Example: RPTDRPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet type P=Power Center, PE=Power center plus end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
R Reverse L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Leg finish Painted or plated	
L Left hand/ Right hand	6. Stand-off finish Painted	
30 Depth		
40 Width		
P Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-off finish		

Worksurface 1 1/2"
*Peninsula worksurface with Reverse L-leg
 Stand off*

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula Top, Rectilinear	30"	60"	1 1/2"	RPTDRST(L/R)6030() () () ()	\$1,455.	\$1,507.	\$1,600.	\$1,856.
		66"	1 1/2"	RPTDRST(L/R)6630() () () ()	1,465.	1,520.	1,621.	1,881.
		72"	1 1/2"	RPTDRST(L/R)7230() () () ()	1,482.	1,536.	1,635.	1,901.
		78"	1 1/2"	RPTDRST(L/R)7830() () () ()	1,509.	1,568.	1,672.	1,950.
		84"	1 1/2"	RPTDRST(L/R)8430() () () ()	1,534.	1,595.	1,073.	1,994.
	36"	60"	1 1/2"	RPTDRST(L/R)6036() () () ()	1,543.	1,604.	1,711.	1,994.
		66"	1 1/2"	RPTDRST(L/R)6636() () () ()	1,565.	1,629.	1,744.	2,048.
		72"	1 1/2"	RPTDRST(L/R)7236() () () ()	1,588.	1,655.	1,772.	2,086.
		78"	1 1/2"	RPTDRST(L/R)7836() () () ()	1,611.	1,677.	1,800.	2,126.
		84"	1 1/2"	RPTDRST(L/R)8436() () () ()	1,633.	1,700.	1,829.	2,165.

Order Code	Specification Information	Application Notes
Example: RPTDRST(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet type S=Stand-off, N=No grommet, E=End grommet, SE=Stand-off and end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
R Reverse L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand off	5. Leg finish Painted or plated	
L Left hand/ Right hand	6. Stand-off finish Painted	
60 Width		
30 Depth		
SE Grommet Type		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		

Worksurface 1 1/2"
*Peninsula worksurface with Reverse L-leg
 Flush mount attachment*

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula Top, Rectilinear	30"	48"	1 1/2"	RPTDRFM(L/R)4830() () () ()	\$1,249.	\$1,301.	\$1,384.	\$1,617.
		54"	1 1/2"	RPTDRFM(L/R)5430() () () ()	1,272.	1,324.	1,412.	1,656.
		60"	1 1/2"	RPTDRFM(L/R)6030() () () ()	1,295.	1,347.	1,440.	1,696.
		66"	1 1/2"	RPTDRFM(L/R)6630() () () ()	1,305.	1,360.	1,461.	1,721.
		72"	1 1/2"	RPTDRFM(L/R)7230() () () ()	1,322.	1,376.	1,475.	1,741.
		78"	1 1/2"	RPTDRFM(L/R)7830() () () ()	1,349.	1,408.	1,512.	1,790.
		84"	1 1/2"	RPTDRFM(L/R)8430() () () ()	1,374.	1,435.	1,543.	1,834.
	36"	48"	1 1/2"	RPTDRFM(L/R)4836() () () ()	1,338.	1,399.	1,495.	1,755.
		54"	1 1/2"	RPTDRFM(L/R)5436() () () ()	1,360.	1,421.	1,523.	1,794.
		54"	1 1/2"	RPTDRFM(L/R)6036() () () ()	1,383.	1,444.	1,551.	1,834.
		66"	1 1/2"	RPTDRFM(L/R)6636() () () ()	1,405.	1,469.	1,584.	1,888.
		72"	1 1/2"	RPTDRFM(L/R)7236() () () ()	1,428.	1,495.	1,612.	1,926.
		78"	1 1/2"	RPTDRFM(L/R)7836() () () ()	1,451.	1,517.	1,640.	1,966.
		84"	1 1/2"	RPTDRFM(L/R)8436() () () ()	1,473.	1,540.	1,669.	2,005.

Order Code	Specification Information	Application Notes
Example: RPTDRFM(L/R)4830() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet type E=End, N=No grommet, M=Mid.	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
R Reverse L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Leg	5. Leg finish Painted or plated	
L Left hand/ Right hand		
48 Width		
30 Depth		
M Grommet Type		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Worksurface 1 1/2"
*Peninsula worksurface with Soft Rectangular Leg
 Stand off with power center*

description	d	w	th	pattern number	L	M/V1	V2	V3
Peninsula Top, Rectilinear	30"	60"	1 1/2"	RPTDSPC(L/R)6030() () () ()	\$1,570.	\$1,622.	\$1,715.	\$1,971.
		66"	1 1/2"	RPTDSPC(L/R)6630() () () ()	1,580.	1,635.	1,736.	1,996.
		72"	1 1/2"	RPTDSPC(L/R)7230() () () ()	1,597.	1,651.	1,750.	2,016.
		78"	1 1/2"	RPTDSPC(L/R)7830() () () ()	1,624.	1,683.	1,787.	2,065.
		84"	1 1/2"	RPTDSPC(L/R)8430() () () ()	1,649.	1,710.	1,818.	2,109.
	36"	60"	1 1/2"	RPTDSPC(L/R)6036() () () ()	1,658.	1,719.	1,826.	2,109.
		66"	1 1/2"	RPTDSPC(L/R)6636() () () ()	1,680.	1,744.	1,859.	2,163.
		72"	1 1/2"	RPTDSPC(L/R)7236() () () ()	1,703.	1,770.	1,887.	2,201.
		78"	1 1/2"	RPTDSPC(L/R)7836() () () ()	1,726.	1,792.	1,915.	2,241.
		84"	1 1/2"	RPTDSPC(L/R)8436() () () ()	1,748.	1,815.	1,944.	2,280.

Order Code	Specification Information	Application Notes
Example: RPTDSPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet type P=Power Center PE=Power center and end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
S Soft Rectangular Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Leg finish Painted or plated	
L Left hand/ Right hand	6. Stand-off finish Painted	
60 Width		
30 Depth		
P Grommet Type		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		

Worksurface 1 1/2"
*Peninsula worksurface with Soft Rectangular Leg
 Stand off*

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula Top, Rectilinear	30"	60"	1 1/2"	RPTDSST(L/R)6030() () () ()	\$1,500.	\$1,552.	\$1,645.	\$1,901.
		66"	1 1/2"	RPTDSST(L/R)6630() () () ()	1,510.	1,565.	1,666.	1,926.
		72"	1 1/2"	RPTDSST(L/R)7230() () () ()	1,527.	1,581.	1,680.	1,946.
		78"	1 1/2"	RPTDSST(L/R)7830() () () ()	1,554.	1,613.	1,717.	1,995.
		84"	1 1/2"	RPTDSST(L/R)8430() () () ()	1,579.	1,640.	1,748.	2,039.
	36"	60"	1 1/2"	RPTDSST(L/R)6036() () () ()	1,588.	1,649.	1,756.	2,039.
		66"	1 1/2"	RPTDSST(L/R)6636() () () ()	1,610.	1,674.	1,789.	2,093.
		72"	1 1/2"	RPTDSST(L/R)7236() () () ()	1,633.	1,700.	1,817.	2,131.
		78"	1 1/2"	RPTDSST(L/R)7836() () () ()	1,656.	1,722.	1,845.	2,171.
		84"	1 1/2"	RPTDSST(L/R)8436() () () ()	1,678.	1,745.	1,874.	2,210.

Order Code	Specification Information	Application Notes
Example: RPTDSST(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet type S=Stand-off, N,=No grommet E=End grommet, SE=Stand-off and end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
S Soft Rectangular Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand Off	5. Leg finish Painted or plated	
L Left hand/ Right hand	6. Stand-off finish Painted	
60 Width		
30 Depth		
E Grommet Type		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		

Worksurface 1 1/2"
 Peninsula worksurface with Soft Rectangular Leg
 Flush mount attachment

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula Top, Rectilinear	30"	48"	1 1/2"	RPTDSFM(L/R)4830() () () ()	\$1,294.	\$1,346.	\$1,429.	\$1,662.
		54"	1 1/2"	RPTDSFM(L/R)5430() () () ()	1,317.	1,369.	1,457.	1,701.
		60"	1 1/2"	RPTDSFM(L/R)6030() () () ()	1,340.	1,392.	1,485.	1,741.
		66"	1 1/2"	RPTDSFM(L/R)6630() () () ()	1,350.	1,405.	1,506.	1,766.
		72"	1 1/2"	RPTDSFM(L/R)7230() () () ()	1,367.	1,421.	1,520.	1,786.
		78"	1 1/2"	RPTDSFM(L/R)7830() () () ()	1,394.	1,453.	1,557.	1,835.
		84"	1 1/2"	RPTDSFM(L/R)8430() () () ()	1,419.	1,480.	1,588.	1,879.
	36"	48"	1 1/2"	RPTDSFM(L/R)4836() () () ()	1,383.	1,444.	1,540.	1,800.
		54"	1 1/2"	RPTDSFM(L/R)5436() () () ()	1,405.	1,466.	1,568.	1,839.
		60"	1 1/2"	RPTDSFM(L/R)6036() () () ()	1,428.	1,489.	1,596.	1,879.
		66"	1 1/2"	RPTDSFM(L/R)6636() () () ()	1,450.	1,514.	1,629.	1,933.
		72"	1 1/2"	RPTDSFM(L/R)7236() () () ()	1,473.	1,540.	1,657.	1,971.
		78"	1 1/2"	RPTDSFM(L/R)7836() () () ()	1,496.	1,562.	1,685.	2,011.
		84"	1 1/2"	RPTDSFM(L/R)8436() () () ()	1,518.	1,585.	1,714.	2,050.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RPTDSFM(L/R)4830() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet type E=End, N=No grommet, M=Mid.	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
S Soft Rectangular Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Platef	5. Leg finish Painted or plated	
L Left hand/ Right hand		
48 Width		
30 Depth		
E Grommet Type		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Worksurface 1 1/2"
*Peninsula worksurface with Open Frame
 Stand-Off with Power Center*

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula Top, Rectilinear	30"	60"	1 1/2"	RPTDOPC(L/R)6030() () () ()	\$1,595.	\$1,647.	\$1,740.	\$1,996.
		66"	1 1/2"	RPTDOPC(L/R)6630() () () ()	1,605.	1,660.	1,761.	2,021.
		72"	1 1/2"	RPTDOPC(L/R)7230() () () ()	1,622.	1,676.	1,775.	2,041.
		78"	1 1/2"	RPTDOPC(L/R)7830() () () ()	1,649.	1,708.	1,812.	2,090.
		84"	1 1/2"	RPTDOPC(L/R)8430() () () ()	1,674.	1,735.	1,843.	2,134.
	36"	60"	1 1/2"	RPTDOPC(L/R)6036() () () ()	1,683.	1,744.	1,851.	2,134.
		66"	1 1/2"	RPTDOPC(L/R)6636() () () ()	1,705.	1,769.	1,884.	2,188.
		72"	1 1/2"	RPTDOPC(L/R)7236() () () ()	1,728.	1,795.	1,912.	2,226.
		78"	1 1/2"	RPTDOPC(L/R)7836() () () ()	1,751.	1,817.	1,940.	2,266.
		84"	1 1/2"	RPTDOPC(L/R)8436() () () ()	1,773.	1,840.	1,969.	2,305.

Order Code	Specification Information	Application Notes
Example: RPTDOPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet type P=Power Center PE=Power center and end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
O Open Frame Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Leg finish Painted or plated	
L Left hand/ Right hand	6. Stand-off finish Painted	
60 Width		
30 Depth		
P Grommet Type		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		

Worksurface 1 1/2"
*Peninsula worksurface with Open Frame
 Stand-Off*

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula Top, Rectilinear	30"	60"	1 1/2"	RPTDOST(L/R)6030() () () ()	\$1,525.	\$1,577.	\$1,670.	\$1,926.
		66"	1 1/2"	RPTDOST(L/R)6630() () () ()	1,535.	1,590.	1,691.	1,951.
		72"	1 1/2"	RPTDOST(L/R)7230() () () ()	1,552.	1,606.	1,705.	1,971.
		78"	1 1/2"	RPTDOST(L/R)7830() () () ()	1,579.	1,638.	1,742.	2,020.
		84"	1 1/2"	RPTDOST(L/R)8430() () () ()	1,604.	1,665.	1,773.	2,064.
	36"	60"	1 1/2"	RPTDOST(L/R)6036() () () ()	1,613.	1,674.	1,781.	2,064.
		66"	1 1/2"	RPTDOST(L/R)6636() () () ()	1,635.	1,699.	1,814.	2,118.
		72"	1 1/2"	RPTDOST(L/R)7236() () () ()	1,658.	1,725.	1,842.	2,156.
		78"	1 1/2"	RPTDOST(L/R)7836() () () ()	1,681.	1,747.	1,870.	2,196.
		84"	1 1/2"	RPTDOST(L/R)8436() () () ()	1,703.	1,770.	1,899.	2,235.

Order Code	Specification Information	Application Notes
Example: RPTDOST(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet type M=Mid. grommet N=No grommet S=Stand-off SL=	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
O Open Frame Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand-Off	5. Leg finish Painted or plated	
L Left hand/ Right hand	6. Stand-off finish Painted	
60 Width		
30 Depth		
S Grommet Type		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		

Worksurface 1 1/2"
*Peninsula worksurface with Open Frame
 Flush Mount Attachment*

Reff Profiles



description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula Top, Rectilinear	30"	48"	1 1/2"	RPTDOFM(L/R)4830() () () ()	\$1,319.	\$1,371.	\$1,454.	\$1,687.
		54"	1 1/2"	RPTDOFM(L/R)5430() () () ()	1,342.	1,394.	1,482.	1,726.
		60"	1 1/2"	RPTDOFM(L/R)6030() () () ()	1,365.	1,417.	1,510.	1,766.
		66"	1 1/2"	RPTDOFM(L/R)6630() () () ()	1,375.	1,430.	1,531.	1,791.
		72"	1 1/2"	RPTDOFM(L/R)7230() () () ()	1,392.	1,446.	1,545.	1,811.
		78"	1 1/2"	RPTDOFM(L/R)7830() () () ()	1,419.	1,478.	1,582.	1,860.
		84"	1 1/2"	RPTDOFM(L/R)8430() () () ()	1,444.	1,505.	1,613.	1,904.
	36"	48"	1 1/2"	RPTDOFM(L/R)4836() () () ()	1,408.	1,469.	1,565.	1,825.
		54"	1 1/2"	RPTDOFM(L/R)5436() () () ()	1,430.	1,491.	1,593.	1,864.
		60"	1 1/2"	RPTDOFM(L/R)6036() () () ()	1,463.	1,514.	1,621.	1,904.
		66"	1 1/2"	RPTDOFM(L/R)6636() () () ()	1,475.	1,539.	1,654.	1,958.
		72"	1 1/2"	RPTDOFM(L/R)7236() () () ()	1,498.	1,565.	1,682.	1,996.
		78"	1 1/2"	RPTDOFM(L/R)7836() () () ()	1,521.	1,587.	1,710.	2,036.
		84"	1 1/2"	RPTDOFM(L/R)8436() () () ()	1,543.	1,610.	1,739.	2,075.

Order Code	Specification Information	Application Notes
Example: RPTDOFM(L/R)4830() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet type E=End M=Mid. grommet N=No grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	
O Open Frame Leg	4. Worksurface finish L, V1, V2, V3	Refer to grommet page for location option.
FM Flush Mount Attachment Plate	5. Leg finish Painted or plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
L Left hand/ Right hand		
48 Width		
30 Depth		
E Grommet Type		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Worksurface 1 1/2"

Peninsula worksurface with Column Leg Stand-off with Power Center

Reff Profiles

description	d	w	th	pattern no.	L	V1	V2	V3
 Peninsula Top, Asymmetrical Bullet	30"	60"	1 1/2"	RATDCPC(L/R)6030() () () ()	\$1,641.	\$1,729.	\$1,809.	\$2,122.
		66"	1 1/2"	RATDCPC(L/R)6630() () () ()	1,661.	1,750.	1,836.	2,175.
		66"	1 1/2"	RATDCPC(L/R)7230() () () ()	1,688.	1,778.	1,871.	2,237.
		78"	1 1/2"	RATDCPC(L/R)7830() () () ()	1,707.	1,799.	1,899.	2,292.
		84"	1 1/2"	RATDCPC(L/R)8430() () () ()	1,733.	1,826.	1,933.	2,353.
	36"	60"	1 1/2"	RATDCPC(L/R)6036() () () ()	1,686.	1,774.	1,867.	2,225.
		66"	1 1/2"	RATDCPC(L/R)6636() () () ()	1,709.	1,798.	1,899.	2,289.
		72"	1 1/2"	RATDCPC(L/R)7236() () () ()	1,739.	1,829.	1,938.	2,358.
		78"	1 1/2"	RATDCPC(L/R)7836() () () ()	1,761.	1,853.	1,971.	2,422.
		84"	1 1/2"	RATDCPC(L/R)8436() () () ()	1,784.	1,877.	2,002.	2,483.
 Peninsula Top, Symmetrical Bullet	30"	60"	1 1/2"	RSTDCPC(L/R)6030() () () ()	1,851.	1,969.	2,048.	2,361.
		66"	1 1/2"	RSTDCPC(L/R)6630() () () ()	1,876.	1,996.	2,083.	2,422.
		72"	1 1/2"	RSTDCPC(L/R)7230() () () ()	1,896.	2,017.	2,110.	2,477.
		78"	1 1/2"	RSTDCPC(L/R)7830() () () ()	1,916.	2,038.	2,138.	2,531.
		84"	1 1/2"	RSTDCPC(L/R)8430() () () ()	1,942.	2,066.	2,172.	2,592.
	36"	60"	1 1/2"	RSTDCPC(L/R)6036() () () ()	1,892.	2,013.	2,106.	2,464.
		66"	1 1/2"	RSTDCPC(L/R)6636() () () ()	1,916.	2,038.	2,139.	2,528.
		72"	1 1/2"	RSTDCPC(L/R)7236() () () ()	1,945.	2,069.	2,178.	2,597.
		78"	1 1/2"	RSTDCPC(L/R)7836() () () ()	1,967.	2,093.	2,210.	2,661.
		84"	1 1/2"	RSTDCPC(L/R)8436() () () ()	1,990.	2,117.	2,242.	2,723.


Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSTDCPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet finish: Painted or Plated	Wire chase sold separately.
ST Symmetrical Top	2. Top finish: L, V1, V2, V3	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Leg finish: Painted or Plated	Refer to grommet page for location option.
C Column Leg	4. Stand-off finish: Painted	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center		
L Left hand/ Right hand		
30 Depth		
40 Width		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-off Finish		

Worksurface 1 1/2"


Peninsula worksurface with Column Leg Stand-Off

Reff Profiles

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula Top, Asymmetrical Bullet	30"	60"	1 1/2"	RATDCST(L/R)6030() () () ()	\$1,455.	\$1,543.	\$1,623.	\$1,936.
		66"	1 1/2"	RATDCST(L/R)6630() () () ()	1,475.	1,564.	1,650.	1,989.
		72"	1 1/2"	RATDCST(L/R)7230() () () ()	1,502.	1,592.	1,685.	2,051.
		78"	1 1/2"	RATDCST(L/R)7830() () () ()	1,521.	1,613.	1,713.	2,106.
		84"	1 1/2"	RATDCST(L/R)8430() () () ()	1,547.	1,640.	1,747.	2,167.
	36"	60"	1 1/2"	RATDCST(L/R)6036() () () ()	1,500.	1,588.	1,681.	2,039.
		66"	1 1/2"	RATDCST(L/R)6636() () () ()	1,523.	1,612.	1,713.	2,103.
		72"	1 1/2"	RATDCST(L/R)7236() () () ()	1,553.	1,643.	1,752.	2,172.
		78"	1 1/2"	RATDCST(L/R)7836() () () ()	1,575.	1,667.	1,785.	2,236.
		84"	1 1/2"	RATDCST(L/R)8436() () () ()	1,598.	1,691.	1,816.	2,297.
Peninsula Top, Symmetrical Bullet	36"	60"	1 1/2"	RSTDCST(L/R)6036() () () ()	1,771.	1,884.	1,976.	2,335.
		66"	1 1/2"	RSTDCST(L/R)6636() () () ()	1,794.	1,908.	2,009.	2,399.
		72"	1 1/2"	RSTDCST(L/R)7236() () () ()	1,823.	1,939.	2,048.	2,467.
		78"	1 1/2"	RSTDCST(L/R)7836() () () ()	1,845.	1,936.	2,080.	2,532.
		84"	1 1/2"	RSTDCST(L/R)8436() () () ()	1,868.	1,987.	2,112.	2,593.
	30"	60"	1 1/2"	RSTDCST(L/R)6030() () () ()	1,729.	1,839.	1,919.	2,231.
		66"	1 1/2"	RSTDCST(L/R)6630() () () ()	1,747.	1,859.	1,946.	2,285.
		72"	1 1/2"	RSTDCST(L/R)7230() () () ()	1,774.	1,887.	1,981.	2,347.
		78"	1 1/2"	RSTDCST(L/R)7830() () () ()	1,794.	1,909.	2,009.	2,402.
		84"	1 1/2"	RSTDCST(L/R)8430() () () ()	1,820.	1,936.	2,043.	2,463.

Order Code	Specification Information	Application Notes
Example: RTADCST (L/R)6030	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff		
AT Asymmetrical Top	1. Grommet option: E=End grommet N=No grommet SE=	Wire chase sold separately.
D 1 1/2"	2. Grommet finish: Painted or Plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
C Column Leg	3. Top finish: V316	Refer to grommet page for location option.
ST Stand-Off	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
L/R Left/Right Hand	5. Stand-off finish: Painted	
60 Width		
30 Depth		
N Grommet Type	Grommet Type: N,E,S,SE	
115 Grommet Finish	N=None	
V316 Worksurface Finish	E=End grommet S=Grommet over Stand-off SE=Grommet over Stand-off plus end grommet	
115 Leg Finish	Finish: L,V1,V2,V3	
115 Stand-Off Finish	Leg Finish: Painted or plated	
	Stand-off Finish: Painted	

Worksurface 1 1/2"
 Peninsula worksurface with Column Leg
 Flush Mount attachment

description	d	w	th	pattern no.	L	V1	V2	V3
Peninsula Top, Asymmetrical Bullet 	30"	48"	1 1/2"	RATDCFM(L/R)4830() () ()	\$1,302.	\$1,385.	\$1,451.	\$1,710.
		54"	1 1/2"	RATDCFM(L/R)5430() () ()	1,321.	1,405.	1,478.	1,764.
		60"	1 1/2"	RATDCFM(L/R)6030() () ()	1,371.	1,459.	1,539.	1,852.
		66"	1 1/2"	RATDCFM(L/R)6630() () ()	1,391.	1,480.	1,566.	1,905.
		72"	1 1/2"	RATDCFM(L/R)7230() () ()	1,418.	1,508.	1,601.	1,967.
		78"	1 1/2"	RATDCFM(L/R)7830() () ()	1,437.	1,529.	1,629.	2,022.
		84"	1 1/2"	RATDCFM(L/R)8430() () ()	1,463.	1,556.	1,663.	2,083.
		36"	48"	1 1/2"	RATDCFM(L/R)4836() () ()	1,338.	1,423.	1,499.
	54"		1 1/2"	RATDCFM(L/R)5436() () ()	1,360.	1,447.	1,532.	1,860.
	60"		1 1/2"	RATDCFM(L/R)6036() () ()	1,414.	1,504.	1,597.	1,955.
	66"		1 1/2"	RATDCFM(L/R)6636() () ()	1,436.	1,528.	1,629.	2,019.
	72"		1 1/2"	RATDCFM(L/R)7236() () ()	1,465.	1,559.	1,668.	2,088.
	78"		1 1/2"	RATDCFM(L/R)7836() () ()	1,488.	1,583.	1,701.	2,152.
	Peninsula Top, Symmetrical Bullet	36"	48"	1 1/2"	RSTDCFM(L/R)4836() () ()	1,582.	1,683.	1,760.
54"			1 1/2"	RSTDCFM(L/R)5436() () ()	1,606.	1,708.	1,793.	2,121.
60"			1 1/2"	RSTDCFM(L/R)6036() () ()	1,658.	1,764.	1,857.	2,215.
66"			1 1/2"	RSTDCFM(L/R)6636() () ()	1,682.	1,789.	1,890.	2,279.
72"			1 1/2"	RSTDCFM(L/R)7236() () ()	1,711.	1,820.	1,929.	2,348.
78"			1 1/2"	RSTDCFM(L/R)7836() () ()	1,733.	1,844.	1,961.	2,412.
84"			1 1/2"	RSTDCFM(L/R)8436() () ()	1,756.	1,868.	1,993.	2,474.
30"			48"	1 1/2"	RSTDCFM(L/R)4830() () ()	1,547.	1,646.	1,712.
		54"	1 1/2"	RSTDCFM(L/R)5430() () ()	1,566.	1,666.	1,739.	2,024.
		60"	1 1/2"	RSTDCFM(L/R)6030() () ()	1,617.	1,720.	1,800.	2,112.
		66"	1 1/2"	RSTDCFM(L/R)6630() () ()	1,636.	1,740.	1,826.	2,166.
		72"	1 1/2"	RSTDCFM(L/R)7230() () ()	1,662.	1,768.	1,862.	2,228.
		78"	1 1/2"	RSTDCFM(L/R)7830() () ()	1,682.	1,789.	1,889.	2,282.
84"		1 1/2"	RSTDCFM(L/R)8430() () ()	1,708.	1,817.	1,924.	2,343.	

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RATDCFM (L/R)4830	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff		
AT Asymmetrical Top	1. Grommet option: E=End grommet N=No grommet	Wire chase sold separately.
D 1 1/2"	2. Grommet finish: Painted or Plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
C Column Leg	3. Top finish: L, V1, V2, V3	
FM Flush Mount Plate	4. Leg finish: Painted or Plated	Refer to grommet page for location option.
L/R Left/Right Hand		
48 Width		
30 Depth		
N Grommet Type		From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
115 Grommet Finish		
V316 Worksurface Finish		
115 Leg Finish		

Worksurface 1 1/2"
*Peninsula worksurface with Column Leg
 Flush Mount Attachment, P and 9 tops*

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula P shaped Top	30"	84"	1 1/2"	RPTDCFM8430 () () () ()	\$2,052.	\$2,199.	\$2,477.	\$3,222.
	30"	96"	1 1/2"	RPTDCFM9630 () () () ()	2,122.	2,280.	2,565.	3,339.
Peninsula 9 shaped Top	30"	84"	1 1/2"	R9TDCFM8430 () () () ()	1,967.	2,114.	2,392.	3,137.
	30"	96"	1 1/2"	R9TDCFM9630 () () () ()	2,037.	2,195.	2,480.	3,254.

Order Code	Specification Information	Application Notes
Example: RPTDCFM8430 () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet option: F=Flush	Wire chase sold separately.
PT P-Shaped top	M=Mid. Grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	N=No grommet	Refer to grommet page for location option.
C Column Leg	2. Grommet finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	3. Top finish: L, V1, V2, V3	
84 Width	4. Leg finish: Painted or Plated	
30 Depth		
N Grommet Type		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Worksurface 1 1/2"
*Peninsula worksurface with Column Leg
 Stand-off with Power Center, D top*

Reff Profiles

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula D-Shaped Top	30"	66"	1 1/2"	RDTDCPC(L/R)6630() () () ()	\$1,639.	\$1,821.	\$1,901.	\$2,216.
		72"	1 1/2"	RDTDCPC(L/R)7230() () () ()	1,662.	1,847.	1,934.	2,274.
		78"	1 1/2"	RDTDCPC(L/R)7830() () () ()	1,680.	1,867.	1,960.	2,325.
		84"	1 1/2"	RDTDCPC(L/R)8430() () () ()	1,703.	1,892.	1,991.	2,382.
		90"	1 1/2"	RDTDCPC(L/R)9030() () () ()	1,721.	1,912.	2,017.	2,432.
		96"	1 1/2"	RDTDCPC(L/R)9630() () () ()	1,737.	1,930.	2,041.	2,480.
	36"	66"	1 1/2"	RDTDCPC(L/R)6636() () () ()	1,679.	1,866.	1,960.	2,322.
		72"	1 1/2"	RDTDCPC(L/R)7236() () () ()	1,706.	1,895.	1,996.	2,386.
		78"	1 1/2"	RDTDCPC(L/R)7836() () () ()	1,725.	1,917.	2,026.	2,446.
		84"	1 1/2"	RDTDCPC(L/R)8436() () () ()	1,745.	1,939.	2,056.	2,503.
		90"	1 1/2"	RDTDCPC(L/R)9036() () () ()	1,766.	1,962.	2,086.	2,561.
		96"	1 1/2"	RDTDCPC(L/R)9636() () () ()	1,787.	1,985.	2,116.	2,620.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RDTDCPCL6630 () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet option: P=Power center PM=Power center and middle grommet	Wire chase sold separately.
DT P-Shaped top	2. Grommet finish: Painted or Plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
D 1 1/2"	3. Top finish: L, V1, V2, V3	Refer to grommet page for location option.
C Column Leg	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Stand-off finish: Painted	
L		
66 Width		
30 Depth		
P Grommet option		
115 Grommet finish		
V316 Top finish		
115 Leg Finish		
115 Stand-Off Finish		

Worksurface 1 1/2"
*Peninsula worksurface with Column Leg
 Stand-off, D top*

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula D-Shaped Top	30"	66"	1 1/2"	RDTDCST(L/R)6630() () () ()	\$1,499.	\$1,665.	\$1,745.	\$2,060.
		72"	1 1/2"	RDTDCST(L/R)7230() () () ()	1,522.	1,691.	1,778.	2,118.
		78"	1 1/2"	RDTDCST(L/R)7830() () () ()	1,540.	1,711.	1,804.	2,169.
		84"	1 1/2"	RDTDCST(L/R)8430() () () ()	1,562.	1,736.	1,835.	2,226.
		90"	1 1/2"	RDTDCST(L/R)9030() () () ()	1,580.	1,756.	1,861.	2,276.
		96"	1 1/2"	RDTDCST(L/R)9630() () () ()	1,057.	1,174.	1,885.	2,324.
	36"	66"	1 1/2"	RDTDCST(L/R)6636() () () ()	1,539.	1,710.	1,804.	2,166.
		72"	1 1/2"	RDTDCST(L/R)7236() () () ()	1,565.	1,739.	1,840.	2,230.
		78"	1 1/2"	RDTDCST(L/R)7836() () () ()	1,585.	1,761.	1,870.	2,290.
		84"	1 1/2"	RDTDCST(L/R)8436() () () ()	1,605.	1,783.	1,900.	2,347.
		90"	1 1/2"	RDTDCST(L/R)9036() () () ()	1,625.	1,806.	1,930.	2,405.
		96"	1 1/2"	RDTDCST(L/R)9636() () () ()	1,646.	1,829.	1,960.	2,464.

Order Code	Specification Information	Application Notes
Example: RDTDCST6630 () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff		
DT D-Shaped top	1. Grommet option: S=Stand-off	Wire chase sold separately.
D 1 1/2"	SM=Stand-off plus grommet	
C Column Leg	M=Mid. Grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
ST Stand-Off	N=No grommet	
66 Width	2. Grommet finish: Painted or Plated	
30 Depth	3. Top finish: L, V1, V2, V3	Refer to grommet page for location option.
N Grommet Type	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
115 Grommet Finish	5. Stand-off finish:	
V316 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		

Worksurface 1 1/2"
*Peninsula worksurface with Column Leg
 Flush Mount attachment, D top*


description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula D-Shaped Top	30"	54"	1 1/2"	RDTDCFM(L/R)5430() () () ()	\$1,329.	\$1,477.	\$1,545.	\$1,810.
		60"	1 1/2"	RDTDCFM(L/R)6030() () () ()	1,382.	1,535.	1,609.	1,900.
		66"	1 1/2"	RDTDCFM(L/R)6630() () () ()	1,399.	1,554.	1,634.	1,950.
		72"	1 1/2"	RDTDCFM(L/R)7230() () () ()	1,422.	1,580.	1,667.	2,007.
		78"	1 1/2"	RDTDCFM(L/R)7830() () () ()	1,440.	1,600.	1,693.	2,058.
		84"	1 1/2"	RDTDCFM(L/R)8430() () () ()	1,463.	1,625.	1,725.	2,115.
	36"	54"	1 1/2"	RDTDCFM(L/R)5436() () () ()	1,364.	1,516.	1,595.	1,900.
		60"	1 1/2"	RDTDCFM(L/R)6036() () () ()	1,419.	1,577.	1,663.	1,996.
		66"	1 1/2"	RDTDCFM(L/R)6636() () () ()	1,439.	1,599.	1,693.	2,055.
		72"	1 1/2"	RDTDCFM(L/R)7236() () () ()	1,465.	1,628.	1,729.	2,119.
78"		1 1/2"	RDTDCFM(L/R)7836() () () ()	1,486.	1,651.	1,760.	2,179.	
84"		1 1/2"	RDTDCFM(L/R)8436() () () ()	1,506.	1,673.	1,789.	2,236.	

Order Code	Specification Information	Application Notes
Example: RDTDCFM5430 () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet option: N=None M=Middle	Wire chase sold separately.
DT P-Shapped top	2. Grommet finish: Painted or Plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
D 1 1/2"	3. Worksurface finish: L, V1, V2, V3	Refer to grommet page for location option.
C Column Leg	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate		
54 Width		
30 Depth		
M Grommet Finish		
V316 Worksurface Finish		
115 Leg Finish		

Worksurface Credenza

1" No grommet

Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops 	20"	60"	RCE601()	\$421.	\$458.	\$527.	\$713.
		66"	RCE661()	431.	472.	544.	734.
		72"	RCE721()	456.	497.	570.	770.
		78"	RCE781()	462.	502.	579.	782.
		84"	RCE841()	489.	537.	616.	831.
		90"	RCE901()	512.	558.	640.	866.
		96"	RCE961()	531.	579.	665.	897.
		102"	RCE1021()	584.	637.	732.	987.
		108"	RCE1081()	643.	701.	805.	1,085.
	24"	60"	RCE602()	465.	508.	582.	786.
		66"	RCE662()	477.	523.	603.	813.
		72"	RCE722()	501.	546.	630.	851.
		78"	RCE782()	523.	572.	661.	891.
		84"	RCE842()	545.	596.	685.	925.
		90"	RCE902()	572.	622.	715.	964.
		96"	RCE962()	592.	646.	744.	1,004.
		102"	RCE1022()	651.	711.	818.	1,104.
108"		RCE1082()	716.	782.	900.	1,215.	

Order Code

Example: RCE661
R Reff
C Credenza Top
E 1"
66 width
1 20"
V316 Finish

Specification Information

To order please specify pattern number including:
 1. Finish
 L,V1,V2,V3

Application Notes

No grommet options


Credenza tops are drilled to accept pedestals and end panels.

1" Credenza tops are recommended to work with the Task Panel application.

Worksurface Credenza

1" with edge grommet

Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops with grommet 	20"	60"	RCEEG601()	\$442.	\$481.	\$553.	\$749.
		66"	RCEEG661()	453.	496.	571.	771.
		72"	RCEEG721()	479.	522.	599.	809.
		78"	RCEEG781()	485.	527.	608.	821.
		84"	RCEEG841()	513.	564.	647.	873.
		90"	RCEEG901()	538.	586.	672.	909.
		96"	RCEEG961()	558.	608.	698.	942.
		102"	RCEEG1021()	613.	669.	768.	1,036.
	108"	RCEEG1081()	675.	736.	845.	1,140.	
	24"	60"	RCEEG602()	488.	533.	611.	825.
		66"	RCEEG662()	501.	549.	633.	854.
		72"	RCEEG722()	526.	573.	662.	894.
		78"	RCEEG782()	549.	601.	694.	936.
		84"	RCEEG842()	572.	626.	719.	971.
		90"	RCEEG902()	601.	653.	751.	1,012.
96"		RCEEG962()	622.	678.	781.	1,054.	
102"		RCEEG1022()	684.	746.	859.	1,160.	
108"	RCEEG1082()	752.	821.	945.	1,276.		

Worksurfaces

Order Code

Example: RCEEG661
R Reff
C Credenza Top
E 1"
EG Edge Grommet
66 Width
1 20"
V316 Finish

Specification Information

To order please specify pattern number including:

- Top finish
L,V1,V2,V3

Application Notes

These tops will always come with a cut out (notch) at the back of top.

No grommet option.


Credenza tops are drilled to accept pedestals.

1" Credenza tops are recommended to work with the Task Panel application.

Worksurface Credenza

1 1/2" with edge grommet

Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops 	20"	60"	RCD601()	\$476.	\$518.	\$596.	\$806.
		66"	RCD661()	487.	533.	615.	829.
		72"	RCD721()	515.	562.	644.	870.
		78"	RCD781()	522.	567.	654.	884.
		84"	RCD841()	553.	607.	696.	939.
		90"	RCD901()	579.	631.	723.	979.
		96"	RCD961()	600.	654.	751.	1,014.
		102"	RCD1021()	660.	720.	827.	1,115.
		108"	RCD1081()	726.	792.	909.	1,226.
	24"	60"	RCD602()	525.	574.	658.	888.
		66"	RCD662()	539.	591.	681.	919.
		72"	RCD722()	566.	617.	712.	962.
		78"	RCD782()	591.	646.	747.	1,007.
		84"	RCD842()	616.	673.	774.	1,045.
		90"	RCD902()	646.	703.	808.	1,089.
		96"	RCD962()	669.	730.	841.	1,135.
		102"	RCD1022()	736.	803.	925.	1,248.
		108"	RCD1082()	809.	883.	1,017.	1,373.

Order Code

Example: RCEEG661
R Reff
C Credenza
D 1 1/2" top
66 Width
1 20"
V316 Finish

Specification Information

To order please specify pattern number including:

1. Finish
L, V1, V2, V3

Application Notes

These tops will always come with a cut out (notch) at the back of top.


No grommet option.

Credenza tops are drilled to accept pedestals.

1" Credenza tops are recommended to work with the Task Panel application.

Tables, 1 1/2"
 Rectangle with L-Leg
 30" and 36" deep


description	d	w	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDL48301 () ()	\$1,381.	\$1,469.	\$1,535.	\$1,794.
	30"	60"	1 1/2"	RTRDL60301 () ()	1,451.	1,544.	1,623.	1,936.
	30"	72"	1 1/2"	RTRDL72301 () ()	1,496.	1,592.	1,686.	2,051.
Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDL72361 () ()	1,544.	1,643.	1,752.	2,172.
Table Top Rectangle 30" Deep with 28 3/8" height leg	30"	48"	1 1/2"	RTRDL48302 () ()	1,441.	1,529.	1,595.	1,854.
	30"	60"	1 1/2"	RTRDL60302 () ()	1,511.	1,604.	1,683.	1,996.
	30"	72"	1 1/2"	RTRDL72302 () ()	1,556.	1,652.	1,746.	2,111.
Table Top Rectangle 36" Deep with 28 3/8" height leg	36"	72"	1 1/2"	RTRDL72362 () ()	1,604.	1,703.	1,812.	2,232.



Order Code	Specification Information	Application Notes
Example: RTRDL48301 () ()	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
R Reff	1. Worksurface finish	Modesty sold separately.
TR Table Rectangular	L, V1, V2, V3	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
D 1 1/2"	2. Leg finish	Grommets are NOT optional for these tables.
L L-Leg	Painted / Plated	
48 Width		
30 Depth		
1 26 1/2" height leg		
V316 Finish		
111 Leg Finish		

Tables, 1 1/2"
Rectangle with Reverse L-Leg
 30" and 36" deep

description	d	w	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDRL48301 () () ()	\$1,381.	\$1,469.	\$1,535.	\$1,794.
	30"	60"	1 1/2"	RTRDRL60301 () () ()	1,451.	1,544.	1,623.	1,936.
	30"	72"	1 1/2"	RTRDRL72301 () () ()	1,496.	1,592.	1,685.	2,051.
Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDRL72361 () () ()	1,544.	1,643.	1,752.	2,172.
Table Top Rectangle 30" Deep with 28 3/8" height leg	30"	48"	1 1/2"	RTRDRL48302 () () ()	1,441.	1,529.	1,595.	1,854.
	30"	60"	1 1/2"	RTRDRL60302 () () ()	1,511.	1,604.	1,683.	1,996.
	30"	72"	1 1/2"	RTRDRL72302 () () ()	1,556.	1,652.	1,745.	2,111.
Table Top Rectangle 36" Deep with 28 3/8" height leg	36"	72"	1 1/2"	RTRDRL72362 () () ()	1,604.	1,703.	1,812.	2,232.



Order Code	Specification Information	Application Notes
Example: RTRDR48301 () () ()	To order please specify pattern number including:	Assembly required, ships knock down.
R Reff		Modesty sold separately.
TR Table Rectangular	1. Worksurface finish	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	L, V1, V2, V3	
RL Reverse L-Leg	2. Leg finish	Grommets are NOT optional for these tables.
48 Width	Painted / Plated	
30 Depth		
1 26 1/2" height leg		
V316 Finish		
111 Leg Finish		

Tables, 1 1/2"
Rectangle with Soft Rectangular Leg
 30" and 36" deep

description	depth	width	thickness	pattern number	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDS48301 () () ()	\$1,277.	\$1,359.	\$1,425.	\$1,684.
	30"	60"	1 1/2"	RTRDS60301 () () ()	1,348.	1,434.	1,513.	1,826.
	30"	72"	1 1/2"	RTRDS72301 () () ()	1,393.	1,482.	1,575.	1,942.
Table Top Rectangle 30" Deep with 28 3/8" height leg	30"	48"	1 1/2"	RTRDS48302 () () ()	1,337.	1,419.	1,485.	1,744.
	30"	60"	1 1/2"	RTRDS60302 () () ()	1,408.	1,494.	1,573.	1,886.
	30"	72"	1 1/2"	RTRDS72302 () () ()	1,453.	1,542.	1,635.	2,002.
Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDS72361 () () ()	1,441.	1,533.	1,642.	2,062.
Table Top Rectangle 36" Deep with 28 3/8" height leg	36"	72"	1 1/2"	RTRDS72362 () () ()	1,501.	1,593.	1,702.	2,122.

Order Code	Specification Information	Application Notes
Example: RTRDR48301 () () ()	To order please specify pattern number including:	Assembly required, ships knock down.
R Reff		Modesty sold separately.
TR Table Rectangular	1. Worksurface finish	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
D 1 1/2"	L, V1, V2, V3	Grommets are NOT optional for these tables.
S Soft Rectangular Leg	2. Leg finish	
48 Width	Painted / Plated	
30 Depth		
1 26 1/2" height leg		
V316 Finish		
111 Leg Finish		

Tables, 1 1/2"
 Square with L-Leg
 42" and 48" deep

description	w	d	th	pattern no.	L	V1	V2	V3
Table Top Square with 26 1/2" height legs	42"	42"	1 1/2"	RTSDL42421 () () ()	\$1,419.	\$1,510.	\$1,588.	\$1,890.
	48"	48"	1 1/2"	RTSDL48481 () () ()	1,481.	1,576.	1,675.	2,050.
Table Top Square with 28 3/8" height legs	42"	42"	1 1/2"	RTSDL42422 () () ()	1,476.	1,570.	1,648.	1,950.
	48"	48"	1 1/2"	RTSDL48482 () () ()	1,538.	1,636.	1,735.	2,110.

Order Code	
Example: RTSDL42421 () () ()	
R	Reff
TS	Table Square
D	1 1/2"
L	L-Leg
42	Width
42	Depth
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
L, V1, V2, V3
2. Leg finish
Painted / Plated

Application Notes

Assembly required, ships knock down.

Modesty sold separately.

Grommets are NOT optional for these tables.

Tables, 1 1/2"
 Square with Reverse L-Leg
 42" and 48" deep

description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Square with 26 1/2" height legs	1 1/2"	42"	42"	RTSDRL42421 () () ()	\$1,419.	\$1,510.	\$1,588.	\$1,890.
	1 1/2"	48"	48"	RTSDRL48481 () () ()	1,481.	1,576.	1,675.	2,050.
Table Top Square with 28 3/8" height legs	1 1/2"	42"	42"	RTSDRL42422 () () ()	1,476.	1,570.	1,648.	1,950.
	1 1/2"	48"	48"	RTSDRL48482 () () ()	1,538.	1,636.	1,735.	2,110.

Order Code	Specification Information	Application Notes
Example: RTSDRL42421 () () ()	To order please specify pattern number including: 1. Worksurface finish L, V1, V2, V3 2. Leg finish Painted / Plated	Assembly required, ships knock down. Modesty sold separately. Grommets are NOT optional for these tables.
R Reff		
TS Table Square		
D 1 1/2"		
RL Reverse L-Leg		
42 Width		
42 Depth		
1 26 1/2" height leg		
V316 Finish		
111 Leg Finish		

Tables, 1 1/2"
 Square with Soft Rectangular Leg
 42" and 48" deep

description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Square with 26 1/2" height legs	1 1/2"	42"	42"	RTSDS42421 () () ()	\$1,456.	\$1,549.	\$1,627.	\$1,928.
	1 1/2"	48"	48"	RTSDS48481 () () ()	1,518.	1,615.	1,713.	2,089.
Table Top Square with 28 3/8" height legs	1 1/2"	42"	42"	RTSDS42422 () () ()	1,512.	1,609.	1,687.	1,988.
	1 1/2"	48"	48"	RTSDS48482 () () ()	1,575.	1,675.	1,773.	2,149.

Order Code	Specification Information	Application Notes
Example: RTSDS42421 () () ()	To order please specify pattern number including: 1. Worksurface finish L, V1, V2, V3 2. Leg finish Painted / Plated	Assembly required, ships knock down. Modesty sold separately. Grommets are NOT optional for these tables.
R Reff		
TS Table Square		
D 1 1/2"		
S Soft Rectangular-Leg		
42 Width		
42 Depth		
1 26 1/2" height leg		
V316 Finish		
111 Leg Finish		

Tables, 1 1/2"
 Round with Column Leg
 36", 42" and 48" diameter

Reff Profiles

description	th	dia.	pattern no.	L	V1	V2	V3
Table Top Round with 26 1/2" height legs	1 1/2"	36"	RTNDC361 () () ()	\$2,369.	\$2,520.	\$2,579.	\$2,791.
	1 1/2"	42"	RTNDC421 () () ()	2,429.	2,584.	2,661.	2,934.
	1 1/2"	48"	RTNDC481 () () ()	2,489.	2,648.	2,745.	3,088.
Table Top Round with 28 3/8" height legs	1 1/2"	36"	RTNDC422 () () ()	2,425.	2,580.	2,639.	2,851.
	1 1/2"	42"	RTNDC362 () () ()	2,485.	2,644.	2,721.	2,994.
	1 1/2"	48"	RTNDC482 () () ()	2,546.	2,708.	2,805.	3,148.

Worksurfaces

Order Code

Example: RTNDC361 () () ()
R Reff
TN Table Round
D 1 1/2"
C Column Leg
36 Diameter
1 26 1/2" height leg
V316 Finish
111 Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
L, V1, V2, V3
2. Leg finish
Painted / Plated

Application Notes

Assembly required, ships knock down.
 Modesty sold separately.
 Grommets are NOT optional for these tables.

Tables, 1"
Slider Table Base
Laminate

description	depth	w	th	pattern no.	L
Round Slider Table with 26 1/2" height legs	36"		1"	RSTRLE361() ()	\$2,918.
	42"		1"	RSTRLE421() ()	2,976.
Round Slider Table with 28 3/8" height legs	36"		1"	RSTRLE362() ()	2,974.
	42"		1"	RSTRLE422() ()	3,032.
Soft Square Slider Table with 26 1/2" height legs	36"		1"	RSTSLE361() ()	2,892.
	42"		1"	RSTSLE421() ()	2,954.
Soft Square Slider Table with 28 3/8" height legs	36"		1"	RSTSLE362() ()	2,949.
Soft Rectangle Slider Table with 26 1/2" height legs	30"	48"	1"	RSTTLE30481() ()	2,725.
	36"	54"	1"	RSTTLE36541() ()	2,797.
Soft Rectangle Slider Table with 28 3/8" height legs	30"	48"	1"	RSTTLE30482() ()	2,781.
	36"	54"	1"	RSTTLE36542() ()	2,853.

Order Code	Specification Information	Application Notes
Example: RSTRLE361() ()	To order please specify pattern number including:	Assembly required.
R Reff	1. Worksurface finish: L, V1, V2, V3	Ships knocked down.
ST Slider Table	2. Leg Textured finish: 111T, 115T, 118T	Grommets are <u>not</u> an option for these tables.
R Round		Column and base are color matched
L Laminate surface		Column = smooth
E 1" thick		Base = textured
42 42" diameter		
1 26 1/2" height leg		
114 Finish		
118T Leg Finish		

Tables, 1"
Slider Table Base
Wood

Reff Profiles



description	d	w	th	pattern no.	V1	V2	V3
Round Slider Table with 26 1/2" height legs	36"		1"	RSTRWE361 ()()	\$3,104.	\$3,152.	\$3,396.
	42"		1"	RSTRWE421 ()()	3,166.	3,230.	3,533.
Round Slider Table with 28 3/8" height legs	36"		1"	RSTRWE362 ()()	3,164.	3,212.	3,456.
	42"		1"	RSTRWE422 ()()	3,226.	3,290.	3,593.
Soft Square Slider Table with 26 1/2" height legs	36"		1"	RSTSWE361 ()()	3,077.	3,125.	3,390.
	42"		1"	RSTSWE421 ()()	3,143.	3,206.	3,533.
Soft Square Slider Table with 28 3/8" height legs	36"		1"	RSTSWE362 ()()	3,137.	3,185.	3,450.
	42"		1"	RSTSWE422 ()()	3,203.	3,266.	3,593.
Soft Rectangle Slider Table with 26 1/2" height legs	30"	48"	1"	RSTTWE30481 ()()	2,899.	2,951.	3,238.
	36"	54"	1"	RSTTWE36541 ()()	2,975.	3,044.	3,397.
Soft Rectangle Slider Table with 28 3/8" height legs	30"	48"	1"	RSTTWE30482 ()()	2,959.	3,011.	3,298.
	36"	54"	1"	RSTTWE36542 ()()	3,035.	3,104.	3,457.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSTRWE361 ()()	To order please specify pattern number including:	Column and base are color matched.
R Reff	1. Worksurface finish	Column=smooth
ST Slider Table	L, V1, V2, V3	Base=textured
R Round	2. Leg Textured finish:	Assembly required, ships knock down.
W Wood surface	111T, 115T, 118T	Grommets are not an option for these tables.
E 1" thick		
42 42" diameter		
1 26 1/2" height leg		
V316 Finish		
111T Leg Finish		

Tables, 1"
Slider Table Base
Solid

description	d	w	th	pattern no.	Solid
Round Slider Table with 26 1/2" height legs	36"		1"	RSTRSE361 () ()	\$7,959.
	42"		1"	RSTRSE421 () ()	9,119.
Round Slider Table with 28 3/8" height legs	36"		1"	RSTRSE362 () ()	7,959.
	42"		1"	RSTRSE422 () ()	9,119.
Soft Square Slider Table with 26 1/2" height legs	36"		1"	RSTSSE361 () ()	7,116.
	42"		1"	RSTSSE421 () ()	8,393.
Soft Square Slider Table with 28 3/8" height legs	36"		1"	RSTSSE362 () ()	7,116.
	42"		1"	RSTSSE422 () ()	8,393.
Soft Rectangle Slider Table with 26 1/2" height legs	30"	48"	1"	RSTTSE30481 () ()	8,769.
	36"	54"	1"	RSTTSE36541 () ()	9,724.
Soft Rectangle Slider Table with 28 3/8" height legs	30"	48"	1"	RSTTSE30482 () ()	8,769.
	36"	54"	1"	RSTTSE36542 () ()	9,724.



Order Code	
Example: RSTRLE361 () ()	
R	Reff
ST	Slider Table
R	Round
S	Solid
E	1" thick
42	42" diameter
1	26 1/2" height leg
AW	Worksurface finish
111T	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish:
AW=Artic White
2. Leg finish Textured:
111T, 115T, 118T

Application Notes

Assembly required.

Ships knocked down.

Grommets are not an option for these tables.

Artic White finish available.

Column and base are color matched.


Column=smooth

Base=textured

Top support components


Bracketry

description	d	pattern no.	P1& black only	P2	P3
Cantilever bracket, panel hung	18"	RBC18 (L/R)	\$86.	\$90.	\$94.
	24"	RBC24 (L/R)	94.	100.	106.




Specify paint finish
 18" for 20" and 24"d tops
 24" for 30" and 36"d tops
 Ships with machine screws for fastening to underside of worksurfaces with metal inserts

Cantilever bracket, panel hung for cascade edge worksurface	18"	ASBC18 (L/R) ()	86.	90.	94.
	24"	ASBC24 (L/R) ()	94.	100.	106.



Specify paint finish
 18" for 24"d tops
 24" for 30" d tops
 Ships with wood screws (use with AutoStrada, Dividends Horizon, Morrison and Cascade worksurfaces)






Mid-span cantilever bracket, free standing	17"	RMSCB ()	69.	74.	78.
--	-----	------------------	-----	-----	-----



Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
B Bracket	2. Top thickness, where applicable.	Refer to page 441 for replacement hardware.
C Cantilever	3. Finish type	
18 18" deep	4. Finish, where applicable	Cantilever should be specified with top to top brackets.
L Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	Knoll takes no responsibility for the installation or security of tops to the wall.

Top support components




Bracketry

description	d	pattern no.	P1& black only	P2	P3
Corner top corner bracket 		RBCC	\$17.		
	Black only				
Side hung support bracket 		RBCCP (Pair)	38.	41.	42.
	Specify paint finish pair includes one each left and right hand bracket image depicts two left hand brackets				
Panel to pedestal bracket		RBPP (L/R)	8.		
	Black only				
Top to top bracket 	6" x 1"	RBF (Pair)	6.		
	Black only				
Wall hung support bracket 	20" 24" 30" 36" 42" 48"	RSBWH20 RSBWH24 RSBWH30 RSBWH36 RSBWH42 RSBWH48	39. 41. 45. 49. 52. 58. 63.	41. 45. 47. 52. 55. 66.	43. 47. 49. 55. 58. 69.
	Specify paint finish				
Z-bracket for bridge applications 		RBZ (A/B) (Pair)	33.		
	Black only				

Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
B Bracket	2. Top thickness, where applicable.	Knoll takes no responsibility for the installation or security of tops to the wall.
C Cantilever	3. Finish type	
18 18" deep	4. Finish, where applicable	Refer to page 441 for replacement hardware.
L Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Cantilever should be specified with top to top brackets.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

Top support components

Bracketry

description	d	pattern no.	P1& black only	P2	P3
Modesty panel offset bracket Required to join modesty panel to end panel of adjacent top assembly - order separately.		RBPR (Pair)	\$7.	\$7.	\$8.
		Specify paint finish			
					
Panel to storage tower bracket Used to attach office tower to panels.		RBPS (L/R)	11.	12.	12.
		Specify paint finish			
Utility bracket		RUTB	11.		
		Black only			
L Bracket for off-module applications		R113B	5.		
		One by one by three bracket			

Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Refer to page 441 for replacement hardware.
B Bracket	2. Top thickness, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
C Cantilever	3. Finish type	Cantilever should be specified with top to top brackets.
18 18" deep	4. Finish, where applicable	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
L Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Knoll takes no responsibility for the installation or security of tops to the wall.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	

Top support components

Bracketry


description	d	pattern no.	P1& black only	P2	P3
Worksurface to cabinet bracket for 24" worksurface		RBWC24	\$50.		
		bracket can be used with 20" and 24" worksurfaces			
Worksurface to cabinet bracket for 30" worksurface		RBWC30	55.		
		bracket can be used with 30" and 36" worksurfaces			

Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
B Bracket	2. Top thickness, where applicable.	Knoll takes no responsibility for the installation or security of tops to the wall.
C Cantilever	3. Finish type	
18 18" deep	4. Finish, where applicable	Refer to page 441 for replacement hardware.
L Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Cantilever should be specified with top to top brackets.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.


Top support components

26 1/2" high planning


description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware. ¹⁵ / ₁₆ " actual thickness	24"	1"	26 1/2"	RB24(M/H)(F/R)-()	\$144.	\$204.	\$233.	\$316.
	30"	1"	26 1/2"	RB30(M/H)(F/R)-()	260.	365.	420.	567.
	36"	1"	26 1/2"	RB36(M/H)(F/R)-()	287.	400.	461.	621.
	42"	1"	26 1/2"	RB42(M/H)(F/R)-()	309.	435.	499.	675.
	48"	1"	26 1/2"	RB48(M/H)(F/R)-()	347.	489.	562.	759.
	54"	1"	26 1/2"	RB54(M/H)(F/R)-()	364.	513.	589.	796.
	60"	1"	26 1/2"	RB60(M/H)(F/R)-()	378.	529.	608.	820.
	66"	1"	26 1/2"	RB66(M/H)(F/R)-()	393.	552.	637.	862.
	72"	1"	26 1/2"	RB72(M/H)(F/R)-()	432.	608.	699.	944.
	78"	1"	26 1/2"	RB78(M/H)(F/R)-()	462.	647.	747.	1,009.
	84"	1"	26 1/2"	RB84(M/H)(F/R)-()	488.	687.	788.	1,064.
	90"	1"	26 1/2"	RB90(M/H)(F/R)-()	517.	727.	834.	1,127.
	96"	1"	26 1/2"	RB96(M/H)(F/R)-()	530.	745.	855.	1,154.



Endpanels, for use in building flush or cantilevered worksurfaces. All hardware included. ¹ / ₁₆ " actual thickness	12"	1"	26 1/2"	RE12F-() Half depth end panel	170.	294.	338.	457.
	15"	1"	26 1/2"	RE15F-() Half depth end panel	182.	313.	360.	486.
	19"	1"	26 1/2"	RE19F-()	197.	329.	377.	509.
	23"	1"	26 1/2"	RE23F-()	207.	343.	396.	534.
	29"	1"	26 1/2"	RE29F-()	220.	362.	416.	562.




Endpanels for recessed modesty worksurfaces (sold in pairs). All hardware included.	30"	1"	26 1/2"	RE30-()	443.	720.	829.	1,119.
	36"	1"	26 1/2"	RE36-()	468.	754.	868.	1,171.



Order Code	Specification Information	Application Notes
Example: RB24MFL		
R Reff	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
B Back panel	1. <i>Modesty type</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
24 48" panel dimension	2. <i>Modesty placement</i>	List price for woodgrain laminate options will be current published laminate list price plus 10%.
M Full height modesty	3. <i>Finish type</i>	Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
F Flush modesty placement	4. <i>Finish</i>	Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.
L Laminate	1. <i>Modesty type:</i> M = Standard height (26 1/2"H) H = Half height	
114 Folkstone grey	2. <i>Modesty placement:</i> F = Flush, cantilevered R = Recessed	
	3. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	

Top support components

26 1/2" high planning

description	d	w	h	pattern no.	L	V1	V2	V3
 Panel end panels. All hardware included.	13"	1"	26 1/2"	RSE1(L/R)-()	\$170.	\$294.	\$338.	\$457.
	16"	1"	26 1/2"	RSE2(L/R)-()	182.	313.	360.	486.
	20"	1"	26 1/2"	RSE3(L/R)-()	197.	329.	377.	509.
	24"	1"	26 1/2"	RSE4(L/R)-()	207.	343.	396.	534.
	30"	1"	26 1/2"	RSE5(L/R)-()	220.	362.	416.	562.
	36"	1"	26 1/2"	RSE6(L/R)-()	233.	377.	435.	588.

left hand shown

 Support for corner worksurfaces. All hardware included.	36"	36"	26 1/2"	RB3636-()	937.	1,390.	1,599.	2,159.
	36"	42"	26 1/2"	RB3642-()	958.	1,426.	1,641.	2,215.
	36"	48"	26 1/2"	RB3648-()	999.	1,481.	1,698.	2,293.
	42"	36"	26 1/2"	RB4236-()	958.	1,426.	1,641.	2,215.
	42"	42"	26 1/2"	RB4242-()	983.	1,461.	1,683.	2,273.
	42"	48"	26 1/2"	RB4248-()	1,021.	1,513.	1,742.	2,351.
	48"	36"	26 1/2"	RB4836-()	999.	1,481.	1,698.	2,293.
	48"	42"	26 1/2"	RB4842-()	1,021.	1,513.	1,742.	2,351.
	48"	48"	26 1/2"	RB4848-()	1,060.	1,569.	1,816.	2,451.

Order Code

Example:	RB24MFL
R	Reff
B	Back panel
24	48" panel dimension
M	Full height modesty
F	Flush modesty placement
L	Laminate
114	Folkstone grey

Specification Information

To order please specify pattern number including:

1. Modesty type
2. Modesty placement
3. Finish type
4. Finish

1. Modesty type:
M = Standard height (26 1/2"H)
H = Half height

2. Modesty placement:
F = Flush, cantilevered
R = Recessed

3. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

Application Notes

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.

Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.

Modesty panel lengths are nominal - length changes on option selected.



Glides ship with all supports on this page except the recessed modesty panel.

Please see Planning Guide for freestanding planning instruction.

Top support components

28³/₈" high planning

description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware (desk height)	1"	24"	28 ³ / ₈ "	RBDH24M(F/R) () ()	\$151.	\$215.	\$245.	\$330.
	1"	30"	28 ³ / ₈ "	RBDH30M(F/R) () ()	272.	385.	442.	596.
	1"	36"	28 ³ / ₈ "	RBDH36M(F/R) () ()	302.	420.	482.	651.
	1"	42"	28 ³ / ₈ "	RBDH42M(F/R) () ()	324.	456.	526.	709.
	1"	48"	28 ³ / ₈ "	RBDH48M(F/R) () ()	365.	513.	590.	797.
	1"	54"	28 ³ / ₈ "	RBDH54M(F/R) () ()	382.	538.	617.	833.
	1"	60"	28 ³ / ₈ "	RBDH60M(F/R) () ()	397.	553.	637.	862.
	1"	66"	28 ³ / ₈ "	RBDH66M(F/R) () ()	411.	580.	670.	904.
	1"	72"	28 ³ / ₈ "	RBDH72M(F/R) () ()	454.	637.	733.	989.
	1"	78"	28 ³ / ₈ "	RBDH78M(F/R) () ()	485.	678.	785.	1,060.
	1"	84"	28 ³ / ₈ "	RBDH84M(F/R) () ()	513.	720.	827.	1,117.
	1"	90"	28 ³ / ₈ "	RBDH90M(F/R) () ()	543.	762.	877.	1,183.
	1"	96"	28 ³ / ₈ "	RBDH96M(F/R) () ()	554.	783.	897.	1,212.
	Desk height end panels with hardware for building flush or cantilevered worksurfaces	1"	12"	28 ³ / ₈ "	REDH12F () () *	177.	312.	355.
1"		15"	28 ³ / ₈ "	REDH15F () () *	191.	328.	380.	513.
1"		19"	28 ³ / ₈ "	REDH19F () ()	206.	344.	396.	534.
1"		23"	28 ³ / ₈ "	REDH23F () ()	218.	360.	416.	562.
1"		29"	28 ³ / ₈ "	REDH29F () ()	231.	382.	436.	589.



Support components

Order Code

Example:	RBDH24MFL114
R	Reff
B	Back panel/modesty
DH	Desk height (28 ³ / ₈ ")
24	24"
M	Full height modesty
F	Modesty placement, flush
L	Finish type, laminate
114	Finish, Folkstone grey

Specification Information

To order please specify pattern number including:

- Modesty placement**
F = Flush, cantilevered
R = Recessed
- Finish type**
L = laminate
1 = V1
2 = V2
3 = V3
- Finish**

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26 1/2"h components. 28³/₈"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Modesty panels and end panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered separately.

Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.

Modesty panel lengths are nominal, length changes on option selected.

* Half depth end panels


Glides ship with all supports on this page except the recessed modesty panel.

Please see Reff Planning Guide for freestanding planning instructions.


Top support components

28³/₈" high planning

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height end panels with hardware for recessed modesty worksurfaces (sold in pairs)	1"	30"	28 ³ / ₈ "	REDH30 () ()	\$465.	\$757.	\$870.	\$1,175.
	1"	36"	28 ³ / ₈ "	REDH36 () ()	491.	793.	910.	1,229.




Desk height end panel for panel (hardware included)	1"	13"	28 ³ / ₈ "	RSEDH1(L/R) () ()	177.	312.	355.	480.
	1"	16"	28 ³ / ₈ "	RSEDH2(L/R) () ()	191.	328.	380.	513.
	1"	20"	28 ³ / ₈ "	RSEDH3(L/R) () ()	206.	344.	396.	534.
	1"	24"	28 ³ / ₈ "	RSEDH4(L/R) () ()	218.	360.	416.	562.
	1"	30"	28 ³ / ₈ "	RSEDH5(L/R) () ()	231.	382.	436.	589.
	1"	36"	28 ³ / ₈ "	RSEDH6(L/R) () ()	246.	396.	456.	616.



left hand shown

Desk height corner worksurface support	36"	36"	28 ³ / ₈ "	RBDH3636 () ()	984.	1,460.	1,681.	2,269.
	36"	42"	28 ³ / ₈ "	RBDH3642 () ()	1,006.	1,498.	1,723.	2,326.
	36"	48"	28 ³ / ₈ "	RBDH3648 () ()	1,048.	1,554.	1,784.	2,410.
	42"	36"	28 ³ / ₈ "	RBDH4236 () ()	1,006.	1,498.	1,723.	2,326.
	42"	42"	28 ³ / ₈ "	RBDH4242 () ()	1,031.	1,534.	1,765.	2,383.
	42"	48"	28 ³ / ₈ "	RBDH4248 () ()	1,072.	1,587.	1,831.	2,473.
	48"	36"	28 ³ / ₈ "	RBDH4836 () ()	1,048.	1,554.	1,784.	2,410.
	48"	42"	28 ³ / ₈ "	RBDH4842 () ()	1,072.	1,587.	1,831.	2,473.
48"	48"	28 ³ / ₈ "	RBDH4848 () ()	1,112.	1,648.	1,908.	2,576.	




depth = left return, width = right return

Order Code	Specification Information	Application Notes
Example: RBDH24MFL114	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 1/2"h components. 28 ³ / ₈ "h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
R Reff	1. <i>Modesty placement</i> F = Flush, cantilevered R = Recessed	Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.
B Back panel/modesty	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Modesty panel lengths are nominal, length changes on option selected.
DH Desk height (28 ³ / ₈ ")	3. <i>Finish</i>	* Half depth end panels
24 24"	Applicable finishes are listed on page 5 and 6.	Glides ship with all supports on this page except the recessed modesty panel.
M Full height modesty	Product on this page will accept woodgrain laminate where laminate is currently an option.	Please see Reff Planning Guide for freestanding planning instructions.
F Modesty placement, flush	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
L Finish type, laminate		
114 Finish, Folkstone grey		

Top support components

28³/₈" high planning

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height bow top front, short modesty (pedestals ordered separately)	1"	40"	28 ³ / ₈ "	RBDH40MR () ()	\$324.	\$456.	\$526.	\$709.
	1"	52"	28 ³ / ₈ "	RBDH52MR () ()	382.	538.	617.	833.
	1"	64"	28 ³ / ₈ "	RBDH64MR () ()	411.	580.	670.	904.



Use of short modesty panel

Pedestals and finished back for pedestal must each be ordered separately
Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.

Order:

40" modesty for 72" bow top


52" modesty for 84" bow top

64" modesty for 96" bow top

When ordering 30"d bow top for use with short modesty, specify **recessed** grommet location

When ordering 36"d bow top for use with short modesty, specify **alternate** grommet location

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height bulkhead (false pedestal)	24"	16"	28 ³ / ₈ "	REDHBH124 () ()	458.	755.	877.	1,183.
	30"	16"	28 ³ / ₈ "	REDHBH130 () ()	474.	771.	897.	1,212.



Bulkhead takes the place of a pedestal in applications using the short modesty panel but not requiring a double pedestal application







Order Code	Specification Information	Application Notes
Example: RBDH24MFL114	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 1/2"h components. 28 ³ / ₈ "h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 3/8"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
R Reff	1. <i>Modesty placement</i> F = Flush, cantilevered R = Recessed	Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.
B Back panel/modesty	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Modesty panel lengths are nominal, length changes on option selected.
DH Desk height (28 ³ / ₈ ")	3. <i>Finish</i>	* Half depth end panels
24 24"	Applicable finishes are listed on page 5 and 6.	Glides ship with all supports on this page except the recessed modesty panel.
M Full height modesty	Product on this page will accept woodgrain laminate where laminate is currently an option.	Please see Reff Planning Guide for freestanding planning instructions.
F Modesty placement, flush	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
L Finish type, laminate		
114 Finish, Folkstone grey		

Top support components

Bases

26¹/₂" high planning

painted or plated

description	dia	w	h	d	pattern no.	P1	P2	P3	metal
Column leg, Interaction style (rectangular plate)	4"	-	26 ¹ / ₂ "	-	RSC	\$233.	\$246.	\$258.	\$233.
									
4" diameter base, plain cylinder	4"	-	26 ¹ / ₂ "	-	RCB	245.	257.	269.	245.
									
Set of four column legs (4" dia.), Interaction style (triangular plate)	4"	-	26 ¹ / ₂ "	-	RSC4-()	910.	954.	1,004.	910.
									
Drum base	14"		26 ¹ / ₂ "	-	RSD1427-()	1,065.	1,119.	1,174.	1,065.
	18"		26 ¹ / ₂ "	-	RSD1827-()	1,157.	1,216.	1,275.	1,157.
	20"		26 ¹ / ₂ "	-	RSD2027-()	1,194.	1,253.	1,315.	1,194.
	24"		26 ¹ / ₂ "	-	RSD2427-()	1,429.	1,502.	1,576.	1,429.
	30"		26 ¹ / ₂ "	-	RSD3027-()	1,598.	1,677.	1,760.	1,598.
T-leg, Interaction style	-		26 ¹ / ₂ "	24"	RIB24T	334.	350.	369.	334.
									
T-Leg, plain tube style	-		26 ¹ / ₂ "	20"	RCB20T-()	361.	379.	397.	361.
	-		26 ¹ / ₂ "	24"	RCB24T-()	367.	388.	406.	367.
	-		26 ¹ / ₂ "	30"	RCB30T-()	406.	425.	448.	406.
	-		26 ¹ / ₂ "	40"	RCB40T-()	427.	450.	473.	427.

Order Code

Example: **RSC****R** Reff**S** Support**C** Cylinder

Specification Information

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish

Finish type options:

P = Paint

M = Metal (plated)

Application Notes

Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.

Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes.

Refer to Planning Guide for top-base matrix, pages 140 and 141.

All bases include 1¹/₂" leveller.



Only the plain cylinder and tube legs can be ordered in plated finishes.

Applicable finishes are listed on page 5 and 6.

Bases

26 1/2" high planning

painted or plated

description	dia	w	h	d	pattern no.	P1	P2	P3	metal
X-base 		–	26 1/2"	28"	RIB28X-()	\$551.	\$580.	\$609.	\$551.
		–	26 1/2"	32"	RIB32X-()	747.	786.	825.	747.
Spider base, plain tube style 		–	26 1/2"	24"	RCB24X	564.	593.	622.	564.
		–	26 1/2"	28"	RCB28X	591.	620.	651.	591.
		–	26 1/2"	36"	RCB36X	640.	674.	706.	640.




Order Code	Specification Information	Application Notes
Example: RSC R Reff S Support C Cylinder	To order please specify pattern number including: 1. Finish type, where applicable 2. Finish Finish type options: P = Paint M = Metal (plated)	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black. Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes. Refer to Planning Guide for top-base matrix, pages 140 and 141. All bases include 1 1/2" leveller.
		Only the plain cylinder and tube legs can be ordered in plated finishes. Applicable finishes are listed on page 5 and 6.

Top support components

Bases

26¹/₂" high planning

laminate, V1, V2 or V3

description	dia	w	h	d	pattern no.	L	V1	V2	V3
Drum base 	14"		26 ¹ / ₂ "	–	RSD1427-()	n/a	\$1,245.	\$1,433.	\$1,935.
	18"		26 ¹ / ₂ "	–	RSD1827-()	n/a	1,352.	1,556.	2,102.
	20"		26 ¹ / ₂ "	–	RSD2027-()	n/a	1,396.	1,606.	2,167.
	24"		26 ¹ / ₂ "	–	RSD2427-()	n/a	1,674.	1,925.	2,599.
	30"		26 ¹ / ₂ "	–	RSD3027-()	n/a	1,870.	2,148.	2,899.
T-base (hardware included)* 	20"	26 ¹ / ₂ "	12"	RST1-()	398.	451.	527.	713.	
	24"	26 ¹ / ₂ "	12"	RST2-()	426.	486.	558.	753.	
	30"	26 ¹ / ₂ "	12"	RST3-()	501.	562.	652.	880.	
	36"	26 ¹ / ₂ "	12"	RST4-()	569.	646.	741.	1,001.	
	42"	26 ¹ / ₂ "	12"	RST5-()	631.	719.	828.	1,120.	
	48"	26 ¹ / ₂ "	12"	RST6-()	704.	793.	916.	1,236.	
L-base (hardware included), non-handed* 	12"	26 ¹ / ₂ "	12"	RSL12-()	398.	451.	527.	713.	
	15"	26 ¹ / ₂ "	12"	RSL15-()	407.	462.	532.	718.	
	20"	26 ¹ / ₂ "	12"	RSL20-()	426.	477.	551.	744.	
	24"	26 ¹ / ₂ "	12"	RSL24-()	433.	486.	558.	753.	
	30"	26 ¹ / ₂ "	12"	RSL30-()	501.	562.	652.	880.	
	36"	26 ¹ / ₂ "	12"	RSL36-()	569.	646.	741.	1,001.	
	42"	26 ¹ / ₂ "	12"	RSL42-()	631.	719.	828.	1,120.	
	48"	26 ¹ / ₂ "	12"	RSL48-()	704.	793.	916.	1,236.	

Order Code

Example: **RSD****R** Reff**S** Support**D** Drum base

Specification Information

To order please specify pattern number including:

1. Finish type
2. Finish

Finish type options:

L = Laminate

1 = V1

2 = V2

3 = V3

Application Notes

Refer to Planning Guide for top-base matrix, pages 140 and 141.

All bases include 1 1/2" leveller.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.







T and L bases are not recommended for supporting conference tops.

Applicable finishes are listed on page 5 and 6.

Top support components

Bases

28³/₈" high planning
painted or plated

description	dia.	w	h	d	pattern no.	P1	P2	P3
Column Leg, Interaction style w/ rectangular plate (desk height) 	4" dia	-	28 ³ / ₈ "		RSDHC () ()	\$246.	\$258.	\$270.
4" Plain Cylinder (desk height) 	4" dia	-	28 ³ / ₈ "		RCDHB () ()	257.	269.	283.
Set of 4 Column legs, Interaction style w/triangular plate (desk height) 	4" dia	-	28 ³ / ₈ "		RSDHC4 () ()	956.	1,003.	1,054.
T-Leg, plain tube style (desk height) 		-	28 ³ / ₈ "	20"	RCDHB20T () ()	379.	398.	417.
		-	28 ³ / ₈ "	24"	RCDHB24T () ()	387.	406.	426.
		-	28 ³ / ₈ "	30"	RCDHB30T () ()	426.	448.	470.
		-	28 ³ / ₈ "	40"	RCDHB40T () ()	450.	473.	496.
T-Leg, Interaction style (desk height) 		-	28 ³ / ₈ "	24"	RIBDH24T () ()	350.	369.	388.
X-base (desk height) 		-	28 ³ / ₈ "	28"	RIBDH28X () ()	580.	608.	639.
		-	28 ³ / ₈ "	32"	RIBDH32X () ()	786.	824.	865.

Support components

Order Code	Specification Information	Application Notes
Example: RSDHCP111	<i>To order please specify pattern number including:</i>	Cylinder/column leg bases, T-Legs, X-bases are Knoll Interaction style. Trim ring will be black.
R Reff	1. <i>Finish Type, where applicable</i>	
S Support	P = Paint	
DH Desk Height	M = Metal (plated)	Interaction style cylinder base, column legs, T-leg and X-base are not available in plated finishes. Only the plain cylinder and the tube legs can be ordered in plated finishes.
C Column Leg	2. <i>Finish</i>	
P Finish type, paint	see matrix on page 5	
111 Finish, Jet Black	Applicable finishes are listed on page 5 and 6.	All bases include 1 ¹ / ₂ " leveller.

Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.


Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26¹/₂"h components. 28³/₈"h components when used with 1¹/₄" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.


Top support components


Bases

28³/₈" high planning

Painted or plated

description	dia.	w	h	d	pattern no.	P1	P2	P3
Spider base, plain tube style (desk height) 	-	-	28 ³ / ₈ "	24"	RCBDH24X () ()	\$593.	\$622.	\$653.
	-	-	28 ³ / ₈ "	28"	RCBDH28X () ()	620.	651.	684.
	-	-	28 ³ / ₈ "	36"	RCBDH36X () ()	674.	707.	741.

Drum Base (desk height) 	14"	-	28 ³ / ₈ "	-	RSDHD1428 () ()	1,119.	1,174.	1,234.
	18"	-	28 ³ / ₈ "	-	RSDHD1828 () ()	1,216.	1,275.	1,339.
	20"	-	28 ³ / ₈ "	-	RSDHD2028 () ()	1,253.	1,315.	1,380.
	24"	-	28 ³ / ₈ "	-	RSDHD2428 () ()	1,502.	1,576.	1,655.
	30"	-	28 ³ / ₈ "	-	RSDHD3028 () ()	1,677.	1,761.	1,848.

Base Support Column, 3" dia. 			28 ³ / ₈ "		RSDHC3 () ()	310.	310.	310.
---	--	--	----------------------------------	--	-----------------------	------	------	------

Order Code	Specification Information	Application Notes
Example: RSDHCP111	<i>To order please specify pattern number including:</i>	Cylinder/column leg bases, T-Legs, X-bases are Knoll Interaction style. Trim ring will be black.
R Reff	1. <i>Finish Type, where applicable</i>	Interaction style cylinder base, column legs, T-leg and X-base are not available in plated finishes. Only the plain cylinder and the tube legs can be ordered in plated finishes.
S Support	P = Paint M = Metal (plated)	
DH Desk Height	2. <i>Finish</i>	All bases include 1/2" leveller.
C Column Leg	see matrix on page 5	
P Finish type, paint	Applicable finishes are listed on page 5 and 6.	
111 Finish, Jet Black		Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.




Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26 1/2"h components. 28³/₈"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Top support components

Bases

28³/₈" high planning

laminate, V1, V2 or V3

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
 Drum Base (desk height)	14"	–	28 ³ / ₈ "	–	RSDHD1428 ()()	N/A	\$1,308.	\$1,504.	\$2,030.
	18"	–	28 ³ / ₈ "	–	RSDHD1828 ()()	N/A	1,421.	1,633.	2,206.
	20"	–	28 ³ / ₈ "	–	RSDHD2028 ()()	N/A	1,465.	1,684.	2,275.
	24"	–	28 ³ / ₈ "	–	RSDHD2428 ()()	N/A	1,756.	2,022.	2,730.
	30"	–	28 ³ / ₈ "	–	RSDHD3028 ()()	N/A	1,964.	2,255.	3,045.
 T-base, desk height (hardware included)	20"	28 ³ / ₈ "	12"		RSDHT1 ()()	418.	475.	552.	747.
	24"	28 ³ / ₈ "	12"		RSDHT2 ()()	449.	510.	586.	791.
	30"	28 ³ / ₈ "	12"		RSDHT3 ()()	526.	593.	684.	924.
	36"	28 ³ / ₈ "	12"		RSDHT4 ()()	598.	679.	779.	1,051.
	42"	28 ³ / ₈ "	12"		RSDHT5 ()()	663.	754.	870.	1,175.
	48"	28 ³ / ₈ "	12"		RSDHT6 ()()	739.	834.	962.	1,299.
 L-base, desk height (hardware included, non-handed)	12"	28 ³ / ₈ "	12"		RSDHL12 ()()	418.	475.	552.	747.
	15"	28 ³ / ₈ "	12"		RSDHL15 ()()	427.	482.	558.	753.
	20"	28 ³ / ₈ "	12"		RSDHL20 ()()	449.	500.	581.	784.
	24"	28 ³ / ₈ "	12"		RSDHL24 ()()	455.	510.	586.	791.
	30"	28 ³ / ₈ "	12"		RSDHL30 ()()	526.	593.	684.	924.
	36"	28 ³ / ₈ "	12"		RSDHL36 ()()	598.	679.	779.	1,051.
	42"	28 ³ / ₈ "	12"		RSDHL42 ()()	663.	754.	870.	1,175.
	48"	28 ³ / ₈ "	12"		RSDHL48 ()()	739.	834.	962.	1,299.

Order Code

Example: RSDHD	
R	Reff
S	Support
DH	Desk Height
D	Drum base
2	Finish type, V2
V316	Finish, Maple

Specification Information

- To order please specify pattern number including:
1. *Finish Type, where applicable*
 L = Laminate
 1 = V1
 2 = V2
 3 = V3
 2. *Finish*
 see matrix on page 5

Applicable finishes are listed on page 5 and 6.

Application Notes

- odT and L bases are not recommended for supporting conference tops.
- All bases include 1/2" leveller.



Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26 1/2"h components. 28³/₈"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Modesty

Removable

28³/₈" planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
Removable Modesty for End panel and Storage Unit 	72" wide assembly - 36" storage	1"	72"	25"	RDHMR7240	\$311.	\$389.	\$447.	\$582.
	72" wide assembly - 30" storage	1"	72"	25"	RDHMR7230	322.	402.	462.	601.
	72" wide assembly - 19" storage	1"	72"	25"	RDHMR7220	346.	432.	497.	646.
	72" wide assembly - 16" storage	1"	72"	25"	RDHMR7210	351.	439.	505.	656.
	78" wide assembly - 36" storage	1"	78"	25"	RDHMR7840	322.	402.	462.	601.
	78" wide assembly - 30" storage	1"	78"	25"	RDHMR7830	332.	415.	477.	620.
	78" wide assembly - 19" storage	1"	78"	25"	RDHMR7820	356.	445.	511.	665.
	78" wide assembly - 16" storage	1"	78"	25"	RDHMR7810	361.	451.	519.	674.
	84" wide assembly - 36" storage	1"	84"	25"	RDHMR8440	332.	415.	477.	620.
	84" wide assembly - 30" storage	1"	84"	25"	RDHMR8430	347.	433.	498.	648.
	84" wide assembly - 19" storage	1"	84"	25"	RDHMR8420	366.	458.	526.	684.
	84" wide assembly - 16" storage	1"	84"	25"	RDHMR8410	376.	470.	541.	703.
	90" wide assembly - 36" storage	1"	90"	25"	RDHMR9040	347.	433.	498.	648.
	90" wide assembly - 30" storage	1"	90"	25"	RDHMR9030	357.	446.	513.	667.
	90" wide assembly - 19" storage	1"	90"	25"	RDHMR9020	381.	476.	547.	712.
	90" wide assembly - 16" storage	1"	90"	25"	RDHMR9010	386.	483.	555.	722.
	96" wide assembly - 36" storage	1"	96"	25"	RDHMR9640	357.	446.	513.	667.
	96" wide assembly - 30" storage	1"	96"	25"	RDHMR9630	367.	459.	528.	686.
	96" wide assembly - 19" storage	1"	96"	25"	RDHMR9620	391.	489.	562.	731.
	96" wide assembly - 16" storage	1"	96"	25"	RDHMR9610	401.	501.	577.	750.
Removable Modesty for Between Two Storage Elements 	72" wide assembly - 16"/19" storage	1"	72"	25"	RDHMR7212	311.	398.	447.	582.
	72" wide assembly - 19"/19" storage	1"	72"	25"	RDHMR7222	316.	395.	454.	591.
	72" wide assembly - 16"/16" storage	1"	72"	25"	RDHMR7211	321.	402.	462.	601.
	78" wide assembly - 19"/19" storage	1"	78"	25"	RDHMR7822	321.	402.	462.	601.
	78" wide assembly - 16"/19" storage	1"	78"	25"	RDHMR7812	326.	408.	469.	610.
	78" wide assembly - 16"/16" storage	1"	78"	25"	RDHMR7811	331.	414.	476.	619.
	84" wide assembly - 19"/30" storage	1"	84"	25"	RDHMR8423	312.	390.	449.	583.
	84" wide assembly - 16"/30" storage	1"	84"	25"	RDHMR8414	318.	397.	457.	594.
	84" wide assembly - 19"/19" storage	1"	84"	25"	RDHMR8422	331.	414.	476.	619.
	84" wide assembly - 16"/19" storage	1"	84"	25"	RDHMR8412	337.	421.	484.	629.
	84" wide assembly - 16"/16" storage	1"	84"	25"	RDHMR8411	346.	433.	498.	647.
	90" wide assembly - 19"/36" storage	1"	90"	25"	RDHMR9024	312.	390.	449.	583.
	90" wide assembly - 16"/36" storage	1"	90"	25"	RDHMR9013	318.	397.	457.	594.
	90" wide assembly - 19"/30" storage	1"	90"	25"	RDHMR9023	322.	403.	464.	603.

Order Code	Specification Information	Application Notes
Example: RDHMR720	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. <i>Finish Type</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
DH Desk height	L, V1, V2, V3	List price for woodgrain laminate options will be current published laminate list price plus 10%.
M Modesty	2. <i>Finish</i>	Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
R Removable		Modesty panel lengths are nominal - length changes on option selected.
72 Width		
10 16" storage		
V2 Finish type		
V316 Finish		

Please see Planning Guide for freestanding planning instruction.


Modesty End panel and storage unit.

10= 16" storage
 20= 19" storage
 30= 30" storage
 40= 36" storage

Modesty between two storage units.


11= 16"/16" storage
 12= 16"/19" storage
 13= 16"/36" storage
 14= 16"/30" storage
 22= 19"/19" storage
 23= 19"/30" storage
 24= 19"/36" storage
 33= 30"/30" storage


Modesty
Removable
28³/₈" planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
Removable Modesty for Between Two Storage Elements 	90" wide assembly - 16"/30" storage	1"	90"	25"	RDHMR9014	\$327.	\$409.	\$470.	\$611.
	90" wide assembly - 19"/19" storage	1"	90"	25"	RDHMR9022	346.	433.	498.	647.
	90" wide assembly - 16"/19" storage	1"	90"	25"	RDHMR9012	352.	440.	506.	658.
	90" wide assembly - 16"/16" storage	1"	90"	25"	RDHMR9011	357.	446.	513.	667.
	96" wide assembly - 30"/30" storage	1"	96"	25"	RDHMR9633	313.	391.	450.	585.
	96" wide assembly - 19"/36" storage	1"	96"	25"	RDHMR9624	322.	403.	464.	603.
	96" wide assembly - 16"/36" storage	1"	96"	25"	RDHMR9613	327.	409.	470.	611.
	96" wide assembly - 19"/30" storage	1"	96"	25"	RDHMR9623	333.	416.	479.	622.
	96" wide assembly - 16"/30" storage	1"	96"	25"	RDHMR9614	343.	428.	493.	640.
	96" wide assembly - 19"/19" storage	1"	96"	25"	RDHMR9622	357.	446.	513.	667.
	96" wide assembly - 16"/19" storage	1"	96"	25"	RDHMR9612	361.	452.	520.	676.
	96" wide assembly - 16"/16" storage	1"	96"	25"	RDHMR9611	367.	459.	528.	686.

Order Code	Specification Information	Application Notes	
Example: RDHMR720	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> 1. <i>Finish Type</i> L, V1, V2, V3 2. <i>Finish</i> 	<p>Applicable finishes are listed on page 5 and 6.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option.</p> <p>List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.</p> <p>Modesty panel lengths are nominal - length changes on option selected.</p>	
R Reff			<p>Please see Planning Guide for freestanding planning instruction.</p> <p>Modesty End panel and storage unit.</p> <p>10= 16" storage 20= 19" storage 30= 30" storage 40= 36" storage Modesty between two storage units.</p> <p>11= 16"/16" storage 12= 16"/19" storage 13= 16"/36" storage 14= 16"/30" storage 22= 19"/19" storage 23= 19"/30" storage 24= 19"/36" storage 33= 30"/30" storage</p>
DH Desk height			
M Modesty			
R Removable			
72 Width			
10 16" storage			
V2 Finish type			
V316 Finish			


Modesty Hinged 28³/₈" planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
Hinged Modesty for Between Two Storage Elements 	72" wide assembly - 16"/19" storage	1"	72"	25"	RDHMH7222	\$601.	\$768.	\$804.	\$965.
	72" wide assembly - 19"/19" storage	1"	72"	25"	RDHMH7212	605.	773.	811.	973.
	72" wide assembly - 16"/16" storage	1"	72"	25"	RDHMH7211	611.	778.	819.	983.
	78" wide assembly - 19"/30" storage	1"	78"	25"	RDHMH7823	591.	759.	781.	937.
	78" wide assembly - 16"/30" storage	1"	78"	25"	RDHMH7813	596.	764.	793.	952.
	78" wide assembly - 19"/19" storage	1"	78"	25"	RDHMH7822	611.	778.	819.	983.
	78" wide assembly - 16"/19" storage	1"	78"	25"	RDHMH7812	616.	788.	827.	992.
	78" wide assembly - 16"/16" storage	1"	78"	25"	RDHMH7811	622.	793.	834.	1,001.
	84" wide assembly - 19"/36" storage	1"	84"	25"	RDHMH8424	591.	759.	781.	937.
	84" wide assembly - 16"/30" storage	1"	84"	25"	RDHMH8414	596.	764.	793.	952.
	84" wide assembly - 19"/30" storage	1"	84"	25"	RDHMH8423	601.	768.	806.	967.
	84" wide assembly - 16"/36" storage	1"	84"	25"	RDHMH8413	607.	774.	813.	976.
	84" wide assembly - 19"/19" storage	1"	84"	25"	RDHMH8422	622.	793.	834.	1,001.
	84" wide assembly - 16"/19" storage	1"	84"	25"	RDHMH8412	755.	927.	970.	1,164.
	84" wide assembly - 16"/16" storage	1"	84"	25"	RDHMH8411	761.	932.	978.	1,174.
	90" wide assembly - 30"/30" storage	1"	90"	25"	RDHMH9033	592.	760.	783.	940.
	90" wide assembly - 19"/36" storage	1"	90"	25"	RDHMH9024	601.	768.	806.	967.
	90" wide assembly - 16"/30" storage	1"	90"	25"	RDHMH9014	607.	774.	813.	976.
	90" wide assembly - 19"/30" storage	1"	90"	25"	RDHMH9023	612.	779.	820.	984.
	90" wide assembly - 16"/36" storage	1"	90"	25"	RDHMH9013	617.	789.	828.	994.
	90" wide assembly - 19"/19" storage	1"	90"	25"	RDHMH9022	761.	932.	978.	1,174.
	90" wide assembly - 16"/19" storage	1"	90"	25"	RDHMH9012	766.	937.	985.	1,182.
	90" wide assembly - 16"/16" storage	1"	90"	25"	RDHMH9011	772.	942.	992.	1,190.
	96" wide assembly - 30"/30" storage	1"	96"	25"	RDHMH9633	603.	770.	807.	968.
	96" wide assembly - 19"/36" storage	1"	96"	25"	RDHMH9624	612.	779.	820.	984.
	96" wide assembly - 16"/30" storage	1"	96"	25"	RDHMH9614	617.	789.	828.	994.
	96" wide assembly - 19"/30" storage	1"	96"	25"	RDHMH9623	662.	794.	835.	1,002.
	96" wide assembly - 16"/36" storage	1"	96"	25"	RDHMH9613	757.	928.	971.	1,165.
	96" wide assembly - 19"/19" storage	1"	96"	25"	RDHMH9622	772.	942.	992.	1,190.
	96" wide assembly - 16"/19" storage	1"	96"	25"	RDHMH9612	781.	947.	1,000.	1,200.
	96" wide assembly - 16"/16" storage	1"	96"	25"	RDHMH9611	786.	951.	1,013.	1,216.

Hinged Modesty for End panel and Storage Unit 	72" wide assembly - 36" storage	1"	72"	25"	RDHMH7240	601.	768.	804.	965.
	72" wide assembly - 30" storage	1"	72"	25"	RDHMH7230	611.	778.	820.	984.
	72" wide assembly - 19" storage	1"	72"	25"	RDHMH7220	760.	932.	977.	1,172.
	72" wide assembly - 16" storage	1"	72"	25"	RDHMH7210	766.	936.	984.	1,181.
	78" wide assembly - 36" storage	1"	78"	25"	RDHMH7840	611.	778.	820.	984.
	78" wide assembly - 30" storage	1"	78"	25"	RDHMH7830	622.	793.	834.	1,001.
	78" wide assembly - 19" storage	1"	78"	25"	RDHMH7820	770.	941.	991.	1,189.
	78" wide assembly - 16" storage	1"	78"	25"	RDHMH7810	780.	946.	999.	1,199.


Order Code	Specification Information	Application Notes	
Example: RDHMH720	To order please specify pattern number including: 1. <i>Finish Type</i> L, V1, V2, V3 2. <i>Finish</i>	Modesty may prohibit the adjacent drawer from opening. Recommended that when using a modesty the adjacent ped is an open configuration. Hardware shipped with modesty to attach to worksurface. J-Extrusion Wire Trough sold separately.	
R Reff			Modesty End panel and storage unit. 10= 16" storage 20= 19" storage 30= 30" storage 40= 36" storage Modesty between two storage units. 11= 16"/16" storage 12= 16"/19" storage 13= 16"/36" storage 14= 16"/30" storage 22= 19"/19" storage 23= 19"/30" storage 24= 19"/36" storage 33= 30"/30" storage
DH Desk height			
M Modesty			
H Hinged			
72 Width			
10 16" storage			
V2 Finish type			
V316 Finish			

Modesty
Hinged
28^{3/8}" planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
 Hinged Modesty for End panel and Storage Unit	84" wide assembly - 36" storage	1"	84"	25"	RDHMH8440	\$622.	\$793.	\$834.	\$1,001.
	84" wide assembly - 30" storage	1"	84"	25"	RDHMH8430	761.	932.	978.	1,174.
	84" wide assembly - 19" storage	1"	84"	25"	RDHMH8420	785.	950.	1,012.	1,214.
	84" wide assembly - 16" storage	1"	84"	25"	RDHMH8410	794.	963.	1,019.	1,223.
	90" wide assembly - 36" storage	1"	90"	25"	RDHMH9040	761.	932.	978.	1,174.
	90" wide assembly - 30" storage	1"	90"	25"	RDHMH9030	772.	942.	992.	1,190.
	90" wide assembly - 19" storage	1"	90"	25"	RDHMH9020	798.	967.	1,027.	1,232.
	90" wide assembly - 16" storage	1"	90"	25"	RDHMH9010	804.	972.	1,034.	1,241.
	96" wide assembly - 36" storage	1"	96"	25"	RDHMH9640	772.	942.	992.	1,190.
	96" wide assembly - 30" storage	1"	96"	25"	RDHMH9630	786.	952.	1,014.	1,217.
	96" wide assembly - 19" storage	1"	96"	25"	RDHMH9620	809.	977.	1,041.	1,249.
	96" wide assembly - 16" storage	1"	96"	25"	RDHMH9610	815.	982.	1,049.	1,259.

Order Code	Specification Information	Application Notes	
Example: RDHMH720	<i>To order please specify pattern number including:</i> 1. <i>Finish Type</i> L, V1, V2, V3 2. <i>Finish</i>	Modesty may prohibit the adjacent drawer from opening. Recommended that when using a modesty the adjacent ped is an open configuration. Hardware shipped with modesty to attach to worksurface. J-Extrusion Wire Trough sold separately.	
R Reff			Modesty End panel and storage unit. 10= 16" storage 20= 19" storage 30= 30" storage 40= 36" storage Modesty between two storage units. 11= 16"/16" storage 12= 16"/19" storage 13= 16"/36" storage 14= 16"/30" storage 22= 19"/19" storage 23= 19"/30" storage 24= 19"/36" storage 33= 30"/30" storage
DH Desk height			
M Modesty			
H Hinged			
72 Width			
10 16" storage			
V2 Finish type			
V316 Finish			

Modesty
Partial
28³/₈" planning

description	w	d	h	pattern no.	L	V1	V2	V3
Partial / Half Height Modesty	1"	26"	12"	RDHPM26 ()	\$280.	\$391.	\$450.	\$585.
	1"	32"	12"	RDHPM32 ()	289.	404.	465.	604.
	1"	38"	12"	RDHPM38 ()	304.	426.	490.	636.
	1"	44"	12"	RDHPM44 ()	320.	448.	515.	670.
	1"	50"	12"	RDHPM50 ()	343.	480.	552.	718.
	1"	56"	12"	RDHPM56 ()	352.	493.	567.	738.
	1"	62"	12"	RDHPM62 ()	378.	529.	609.	791.
	1"	68"	12"	RDHPM68 ()	399.	559.	643.	835.
	1"	74"	12"	RDHPM74 ()	408.	572.	657.	854.

Order Code

Example: RDHPM26()
R Reff
DH Desk height
PM Partial Modesty
26 Width
Finish

Specification Information

To order please specify pattern number including:

1. Finish
L, V1, V2, V3

Application Notes

Modesty may prohibit the adjacent drawer from opening.

Recommended that when using a modesty the adjacent ped is an open configuration.

Hardware shipped with modesty to attach to worksurface.

J-Extrusion Wire Trough sold separately.


Pedestals, 26 1/2" planning

Metal interiors

Reff Profiles


description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT *					\$93.

Pedestal with box box file configuration	16"	19"	26 1/2"	RP211J-() () L	1,066.	1,142.	1,313.	1,773.
	16"	23"	26 1/2"	RP212J-() () L	1,114.	1,195.	1,375.	1,856.
	16"	29"	26 1/2"	RP213J-() () L	1,162.	1,245.	1,433.	1,935.



*Pencil tray not included.

Pedestal with file file configuration	16"	19"	26 1/2"	RP211K-() () L	994.	1,066.	1,226.	1,655.
	16"	23"	26 1/2"	RP212K-() () L	1,066.	1,142.	1,313.	1,773.
	16"	29"	26 1/2"	RP213K-() () L	1,134.	1,213.	1,397.	1,885.
	30"	19"	26 1/2"	RP231K-() () L	1,136.	1,220.	1,402.	1,893.
	30"	23"	26 1/2"	RP232K-() () L	1,198.	1,286.	1,476.	1,992.
	36"	19"	26 1/2"	RP261K-() () L	1,212.	1,299.	1,495.	2,018.
	36"	23"	26 1/2"	RP262K-() () L	1,271.	1,362.	1,567.	2,116.



*Pencil tray not included

*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). 3 required.

Order Code

Example:	RP211JLMDL
R	Reff
P	Pedestal
2	26 1/2"H
1	16" wide
1	19" deep
J	Box box file config.
L	Laminate finish
M	Metal interior
D	Metal D-pull
L	Lock hole drilled

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, applicable hinged doors only
- Keying instructions
- Finish

***After specifying product code, provide keying instructions.**

1. Hinge location:

L = Left hand
R = Right hand

2. Finish type:

L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:

M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

Application Notes

4. Pull options:

D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:

L = Drilled to accept lock
N = No drilling

6. Refer to page 513 for keying instructions.

Pencil tray to be ordered separately; see page 443.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.


Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.


Each locking pedestal on this page counts for one lock core.

Pedestals, 26 1/2" planning

Metal interiors

description	w	d	h	pattern no.	metal	metal	metal	metal	list
					interiors L	interiors V1	interiors V2	interiors V3	
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	RP211L(L/R)-() () ()	\$872.	\$934.	\$1,075.	\$1,450.	
	16"	23"	26 1/2"	RP212L(L/R)-() () ()	1,060.	1,134.	1,306.	1,763.	
	16"	29"	26 1/2"	RP213L(L/R)-() () ()	1,212.	1,299.	1,495.	2,018.	
	30"	19"	26 1/2"	RP231L-() () ()	1,128.	1,207.	1,388.	1,874.	
	30"	23"	26 1/2"	RP232L-() () ()	1,317.	1,413.	1,624.	2,192.	
	36"	19"	26 1/2"	RP261L-() () ()	1,429.	1,531.	1,762.	2,379.	
	36"	23"	26 1/2"	RP262L-() () ()	1,670.	1,790.	2,059.	2,780.	

*Pencil tray not included
 *Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
 Metal interior means shelf is metal

description	w	d	h	pattern no.	metal	metal	metal	metal	list
					interiors L	interiors V1	interiors V2	interiors V3	
Pedestal with open configuration including shelf 	16"	19"	26 1/2"	RP211M-() () ()	664.	713.	818.	1,104.	
	16"	23"	26 1/2"	RP212M-() () ()	772.	830.	954.	1,288.	
	16"	29"	26 1/2"	RP213M-() () ()	914.	979.	1,128.	1,523.	
	30"	19"	26 1/2"	RP231M-() () ()	770.	828.	951.	1,284.	
	30"	23"	26 1/2"	RP232M-() () ()	938.	1,007.	1,155.	1,560.	
	36"	19"	26 1/2"	RP261M-() () ()	985.	1,059.	1,217.	1,643.	
	36"	23"	26 1/2"	RP262M-() () ()	1,193.	1,279.	1,470.	1,984.	

*Pencil tray not included
 *Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
 Metal interior means metal shelf.

Order Code

Example:	RP211JLMDL
R	Reff
P	Pedestal
2	26 1/2"H
1	16" wide
1	19" deep
J	Box box file config.
L	Laminate finish
M	Metal interior
D	Metal D-pull
L	Lock hole drilled

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
 List price for woodgrain laminate options will be current published laminate list price plus 10%.

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, applicable hinged doors only
- Keying instructions
- Finish

***After specifying product code, provide keying instructions.**

1. Hinge location:
 L = Left hand
 R = Right hand

2. Finish type:
 L = Laminate
 1 = V1
 2 = V2
 3 = V3

3. Interior options:
 M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

Application Notes

4. Pull options:
 D = Metal D-pull
 J = Routed pull
 C = Nickel C-pull (nickel finish only)
 S = S-pull (stainless steel finish only)

5. Lock options:
 L = Drilled to accept lock
 N = No drilling

6. Refer to page 513 for keying instructions.

Pencil tray to be ordered separately; see page 443.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.


Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.


Each locking pedestal on this page counts for one lock core.

Pedestals, 26 1/2" planning

Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
 Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-()()L	\$1,066.	\$1,142.	\$1,313.	\$1,773.	
	16"	23"	21"	RM112J-()()L	1,114.	1,195.	1,375.	1,856.	
	16"	23"	26 1/2"	RM212J-()()L	1,496.	1,606.	1,844.	2,490.	
	16"	23"	26 1/2"	RM212K-()()L	1,496.	1,606.	1,844.	2,490.	

*Pencil tray not included

Pedestal backs	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
 Pedestal backs	16"	1"	26 1/2"	RPAB16-()	114.	118.	137.	185.	
	19"	1"	26 1/2"	RPAB19-()	120.	124.	144.	196.	
	30"	1"	26 1/2"	RPAB30-()	228.	234.	268.	362.	
	36"	1"	26 1/2"	RPAB36-()	269.	278.	320.	432.	

*Pencil tray not included

*Pedestal backs for pedestals with metal or wood interiors.

Order Code	Specification Information	Application Notes
Example: RP211JLMDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
P Pedestal	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 19" deep	5. Lock option, applicable hinged doors only	<i>5. Lock options:</i>
J Box box file config.	6. Keying instructions	L = Drilled to accept lock
L Laminate finish	7. Finish	N = No drilling
M Metal interior	*After specifying product code, provide keying instructions.	6. Refer to page 513 for keying instructions.
D Metal D-pull	<i>1. Hinge location:</i>	Pencil tray to be ordered separately; see page 443.
L Lock hole drilled	L = Left hand	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
	R = Right hand	
	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.



Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Pedestals, 26 1/2" planning

Metal interiors legal width

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal with box box file configuration	19"	19"	26 1/2"	RP221J () () ()	\$1,119.	\$1,199.	\$1,379.	\$1,862.
	19"	23"	26 1/2"	RP222J () () ()	1,170.	1,255.	1,444.	1,949.
	19"	29"	26 1/2"	RP223J () () ()	1,220.	1,307.	1,505.	2,051.
*Pencil tray not included								
 Pedestal with file file configuration	19"	19"	26 1/2"	RP221K () () ()	1,044.	1,119.	1,287.	1,738.
	19"	23"	26 1/2"	RP222K () () ()	1,119.	1,199.	1,379.	1,862.
	19"	29"	26 1/2"	RP223K () () ()	1,191.	1,274.	1,467.	1,979.
*Pencil tray not included								
*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). 3 required.								

Order Code

Example:	RP212JLMDL
R	Reff
P	Pedestal
2	26 1/2"H
2	19" wide
1	19" deep
J	Box box file config.
L	Laminate finish
M	Metal interior
D	Metal D-pull
L	Lock hole drilled

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, applicable hinged doors only
- Keying instructions
- Finish

***After specifying product code, provide keying instructions.**

1. Hinge location:

L = Left hand
R = Right hand

2. Finish type:

L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:

M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

Application Notes

4. Pull options:

D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:

L = Drilled to accept lock
N = No drilling

6. Refer to page 513 for keying instructions.

Pencil tray to be ordered separately; see page 443.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.


Each locking pedestal on this page counts for one lock core.

Pedestals, 26 1/2" planning

Metal interiors and wood backs


Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with box box file configuration	16"	20"	26 1/2"	RPB211J () () L	\$1,188.	\$1,273.	\$1,468.	\$1,981.
	16"	24"	26 1/2"	RPB212J () () L	1,236.	1,326.	1,527.	2,060.
	16"	30"	26 1/2"	RPB213J () () L	1,285.	1,378.	1,586.	2,143.



*Pencil Tray not included


Pedestal with file file configuration	16"	20"	26 1/2"	RPB211K () () L	1,117.	1,197.	1,379.	1,863.
	16"	24"	26 1/2"	RPB212K () () L	1,188.	1,273.	1,468.	1,981.
	16"	30"	26 1/2"	RPB213K () () L	1,259.	1,347.	1,550.	2,093.
	30"	20"	26 1/2"	RPB231K () () L	1,382.	1,483.	1,702.	2,298.
	30"	24"	26 1/2"	RPB232K () () L	1,443.	1,548.	1,775.	2,396.
	36"	20"	26 1/2"	RPB261K () () L	1,501.	1,613.	1,852.	2,501.
	36"	24"	26 1/2"	RPB262K () () L	1,563.	1,675.	1,925.	2,598.



*Pencil Tray not included

*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). 3 required.

Pedestal with hinge door configuration, includes one shelf	16"	20"	26 1/2"	RPB211L (L/R)() () ()	996.	1,065.	1,229.	1,660.
	16"	24"	26 1/2"	RPB212L (L/R)() () ()	1,185.	1,268.	1,459.	1,968.
	16"	30"	26 1/2"	RPB213L (L/R)() () ()	1,336.	1,431.	1,649.	2,227.
	30"	20"	26 1/2"	RPB231L () () ()	1,373.	1,470.	1,689.	2,280.
	30"	24"	26 1/2"	RPB232L () () ()	1,563.	1,675.	1,924.	2,597.
	36"	20"	26 1/2"	RPB261L () () ()	1,718.	1,842.	2,118.	2,860.
	36"	24"	26 1/2"	RPB262L () () ()	1,960.	2,102.	2,417.	3,263.



*Pencil Tray not included

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.
Metal interior means shelf metal.

Order Code	Specification Information	Application Notes
Example: RPB11JLMDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff		D = Metal D-pull
PB Pedestal with back	1. Hinge location, where applicable	J = Routed pull
2 26 1/2"H	2. Finish type	C = Nickel C-pull (nickel finish only)
1 16" wide	3. Interior option	S = S-pull (stainless steel finish only)
1 20" deep	4. Pull option	
J Box box file config.	5. Lock option, applicable hinged doors only	
L Laminate finish	6. Keying instructions	<i>5. Lock options:</i>
M Metal interior	7. Finish	L = Drilled to accept lock
D Metal D-pull	*After specifying product code, provide keying instructions.	N = No drilling
L Lock hole drilled		
	<i>1. Hinge location:</i>	6. Refer to page 513 for keying instructions.
	L = Left hand	
	R = Right hand	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer. Metal drawer pedestals have one pencil tray.
	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	

Applicable finishes are listed on page 5 and 6.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.


Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Pedestals, 26 1/2" planning

Metal interiors and wood backs

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal with open configuration including shelf	16"	20"	26 1/2"	RPB211M () () N	\$788.	\$841.	\$971.	\$1,312.
	16"	24"	26 1/2"	RPB212M () () N	900.	961.	1,108.	1,496.
	16"	30"	26 1/2"	RPB213M () () N	1,036.	1,111.	1,279.	1,727.
	30"	20"	26 1/2"	RPB231M () () N	1,017.	1,091.	1,253.	1,692.
	30"	24"	26 1/2"	RPB232M () () N	1,183.	1,268.	1,454.	1,964.
	36"	20"	26 1/2"	RPB261M () () N	1,279.	1,369.	1,575.	2,126.
	36"	24"	26 1/2"	RPB262M () () N	1,484.	1,591.	1,828.	2,467.

*Pencil Tray not included

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Metal interior means shelf metal.



Order Code	Specification Information	Application Notes
Example: RPB11JLMDL R Reff PB Pedestal with back 2 26 1/2"H 1 16" wide 1 20" deep J Box box file config. L Laminate finish M Metal interior D Metal D-pull L Lock hole drilled	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Hinge location, where applicable Finish type Interior option Pull option Lock option, applicable hinged doors only Keying instructions Finish <p>*After specifying product code, provide keying instructions.</p> <p><i>1. Hinge location:</i> L = Left hand R = Right hand</p> <p><i>2. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</p> <p><i>3. Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)</p>	<p><i>4. Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)</p> <p><i>5. Lock options:</i> L = Drilled to accept lock N = No drilling</p> <p>6. Refer to page 513 for keying instructions.</p> <p>Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer. Metal drawer pedestals have one pencil tray.</p> <p>Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.</p> <p>Random locks are factory installed.</p> <p>Keyalike are field installed using the KnollKey order form.</p> <p>Each locking pedestal on this page counts for one lock core.</p>

Applicable finishes are listed on page 5 and 6.


Pedestals, 26 1/2" planning

Wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT *				
 Pedestal with box box file configuration	16"	19"	26 1/2"	RP211J-() () L	1,131.	1,210.	1,394.	1,881.
	16"	23"	26 1/2"	RP212J-() () L	1,259.	1,350.	1,552.	2,096.
	16"	29"	26 1/2"	RP213J-() () L	1,371.	1,470.	1,691.	2,282.
 Pedestal with file file configuration	16"	19"	26 1/2"	RP211K-() () L	1,053.	1,129.	1,296.	1,750.
	16"	23"	26 1/2"	RP212K-() () L	1,242.	1,331.	1,528.	2,062.
	16"	29"	26 1/2"	RP213K-() () L	1,354.	1,453.	1,670.	2,255.
	30"	19"	26 1/2"	RP231K-() () L	1,361.	1,459.	1,678.	2,264.
	30"	23"	26 1/2"	RP232K-() () L	1,601.	1,714.	1,967.	2,656.
	36"	19"	26 1/2"	RP261K-() () L	1,683.	1,803.	2,075.	2,800.
36"	23"	26 1/2"	RP262K-() () L	1,961.	2,103.	2,418.	3,264.	

*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). 3 required.

 Pedestal with hinge door configuration, includes one shelf	16"	19"	26 1/2"	RP211L(L/R)-() () ()	954.	1,021.	1,178.	1,592.
	16"	23"	26 1/2"	RP212L(L/R)-() () ()	1,146.	1,229.	1,412.	1,906.
	16"	29"	26 1/2"	RP213L(L/R)-() () ()	1,297.	1,390.	1,597.	2,156.
	30"	19"	26 1/2"	RP231L-() () ()	1,209.	1,296.	1,493.	2,015.
	30"	23"	26 1/2"	RP232L-() () ()	1,401.	1,506.	1,731.	2,336.
	36"	19"	26 1/2"	RP261L-() () ()	1,512.	1,620.	1,864.	2,515.
	36"	23"	26 1/2"	RP262L-() () ()	1,754.	1,880.	2,161.	2,917.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: RP211JLWDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
P Pedestal	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 19" deep	5. Lock option, applicable hinged doors only	<i>5. Lock options:</i>
J Box box file config.	6. Keying instructions	L = Drilled to accept lock
L Laminate finish	7. Finish	N = No drilling
W Wood interior	*After specifying product code, provide keying instructions.	6. Refer to page 513 for keying instructions.
D Metal D-pull	<i>1. Hinge location:</i>	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
L Lock hole drilled	L = Left hand	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
	R = Right hand	
	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.


Keylike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.


Pedestals, 26 1/2" planning


Wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
 Pedestal with open configuration including shelf	16"	19"	26 1/2"	RP211M-() () JN	\$747.	\$798.	\$918.	\$1,238.
	16"	23"	26 1/2"	RP212M-() () JN	860.	922.	1,061.	1,431.
	16"	29"	26 1/2"	RP213M-() () JN	999.	1,069.	1,231.	1,663.
	30"	19"	26 1/2"	RP231M-() () JN	858.	917.	1,054.	1,423.
	30"	23"	26 1/2"	RP232M-() () JN	1,020.	1,094.	1,259.	1,698.
	36"	19"	26 1/2"	RP261M-() () JN	1,069.	1,149.	1,322.	1,784.
	36"	23"	26 1/2"	RP262M-() () JN	1,278.	1,366.	1,572.	2,122.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

 Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-() () JL	1,261.	1,353.	1,557.	2,101.
	16"	23"	21"	RM112J-() () JL	1,331.	1,426.	1,640.	2,214.
	16"	23"	26 1/2"	RM212J-() () JL	1,801.	1,930.	2,219.	2,996.
	16"	23"	26 1/2"	RM212K-() () JL	1,801.	1,930.	2,219.	2,996.

 Pedestal backs	16"	1"	26 1/2"	RPAB16-()	114.	118.	137.	185.
	19"	1"	26 1/2"	RPAB19-()	120.	124.	144.	196.
	30"	1"	26 1/2"	RPAB30-()	228.	234.	268.	362.
	36"	1"	26 1/2"	RPAB36-()	269.	278.	320.	432.

pedestal backs for pedestals with metal or wood interiors.



Order Code	Specification Information	Application Notes
Example: RP211JLWDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
P Pedestal	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 19" deep	5. Lock option, applicable hinged doors only	<i>5. Lock options:</i>
J Box box file config.	6. Keying instructions	L = Drilled to accept lock
L Laminate finish	7. Finish	N = No drilling
W Wood interior	*After specifying product code, provide keying instructions.	6. Refer to page 513 for keying instructions.
D Metal D-pull	<i>1. Hinge location:</i>	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
L Lock hole drilled	L = Left hand	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
	R = Right hand	
	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
		Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
		Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
		Mobile pedestals are always equipped with finished backs.
		File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
		Random locks are factory installed.
		Keyalike are field installed using the KnollKey order form.
		Each locking pedestal on this page counts for one lock core.

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals, 26 1/2" planning

Wood interiors legal width

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Pedestal with box box file configuration	19"	19"	26 1/2"	RP221J()()()	\$1,188.	\$1,271.	\$1,464.	\$1,975.
	19"	23"	26 1/2"	RP222J()()()	1,322.	1,418.	1,630.	2,201.
	19"	29"	26 1/2"	RP223J()()()	1,440.	1,544.	1,776.	2,396.
 Pedestal with file file configuration	19"	19"	26 1/2"	RP221K()()()	1,106.	1,185.	1,361.	1,838.
	19"	23"	26 1/2"	RP222K()()()	1,304.	1,398.	1,604.	2,165.
	19"	29"	26 1/2"	RP223K()()()	1,422.	1,526.	1,754.	2,368.

*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). 3 required.

Order Code	Specification Information	Application Notes
Example: RP221JLWDL R Reff P Pedestal 2 26 1/2"H 2 19" wide 1 19" deep J Box box file config. L Laminate finish W Wood interior D Metal D-pull L Lock hole drilled	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Hinge location, where applicable Finish type Interior option Pull option Lock option, applicable hinged doors only Keying instructions Finish <p>*After specifying product code, provide keying instructions.</p> <ol style="list-style-type: none"> <i>Hinge location:</i> L = Left hand R = Right hand <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 <i>Interior options:</i> W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer) 	<ol style="list-style-type: none"> <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only) <i>Lock options:</i> L = Drilled to accept lock N = No drilling Refer to page 513 for keying instructions. <p>Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.</p> <p>Pedestals must be ordered with back panel to achieve full depth without a modesty panel.</p> <p>Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>Mobile pedestals are always equipped with finished backs.</p> <p>File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.</p> <p>Random locks are factory installed.</p> <p>Keyalike are field installed using the KnollKey order form.</p> <p>Each locking pedestal on this page counts for one lock core.</p>


Applicable finishes are listed on page 5 and 6.


Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals, 26 1/2" planning


Wood interiors and wood backs

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with box box file configuration 	16"	20"	26 1/2"	RPB211J () () L	\$1,257.	\$1,344.	\$1,547.	\$2,089.
	16"	24"	26 1/2"	RPB212J () () L	1,381.	1,482.	1,707.	2,305.
	16"	30"	26 1/2"	RPB213J () () L	1,495.	1,601.	1,842.	2,487.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with file file configuration 	16"	20"	26 1/2"	RPB211K () () L	1,175.	1,259.	1,449.	1,957.
	16"	24"	26 1/2"	RPB212K () () L	1,364.	1,462.	1,683.	2,273.
	16"	30"	26 1/2"	RPB213K () () L	1,479.	1,584.	1,825.	2,463.
	30"	20"	26 1/2"	RPB231K () () L	1,607.	1,723.	1,980.	2,674.
	30"	24"	26 1/2"	RPB232K () () L	1,790.	1,979.	2,269.	3,063.
	36"	20"	26 1/2"	RPB261K () () L	1,975.	2,116.	2,433.	3,286.
	36"	24"	26 1/2"	RPB262K () () L	2,254.	2,417.	2,778.	3,751.

*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). 3 required.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	RPB211L (L/R)() () ()	1,079.	1,155.	1,331.	1,797.
	16"	24"	26 1/2"	RPB212L (L/R)() () ()	1,268.	1,358.	1,564.	2,111.
	16"	30"	26 1/2"	RPB213L (L/R)() () ()	1,420.	1,520.	1,749.	2,361.
	30"	20"	26 1/2"	RPB231L () () ()	1,454.	1,558.	1,795.	2,423.
	30"	24"	26 1/2"	RPB232L () () ()	1,646.	1,766.	2,029.	2,739.
	36"	20"	26 1/2"	RPB261L () () ()	1,803.	1,932.	2,219.	2,996.
	36"	24"	26 1/2"	RPB262L () () ()	2,046.	2,191.	2,520.	3,402.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.


Order Code	Specification Information	Application Notes
Example: RPB11JLWDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
PB Pedestal with back	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 20" deep	5. Lock option, applicable hinged doors only	
J Box box file config.	6. Keying instructions	<i>5. Lock options:</i>
L Laminate finish	7. Finish	L = Drilled to accept lock
W Wood interior	*After specifying product code, provide keying instructions.	N = No drilling
D Metal D-pull	<i>1. Hinge location:</i>	6. Refer to page 513 for keying instructions.
L Lock hole drilled	L = Left hand	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer. Metal drawer pedestals have one pencil tray.
	R = Right hand	Random locks are factory installed.
	<i>2. Finish type:</i>	Keyalike are field installed using the KnollKey order form.
	L = Laminate	Each locking pedestal on this page counts for one lock core.
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	

Applicable finishes are listed on page 5 and 6.

Pedestals, 26 1/2" planning

Wood interiors and wood backs

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
	16"	20"	26 1/2"	RPB211M () () N	\$870.	\$931.	\$1,074.	\$1,449.
	16"	24"	26 1/2"	RPB212M () () N	982.	1,053.	1,213.	1,637.
	16"	30"	26 1/2"	RPB213M () () N	1,122.	1,199.	1,383.	1,868.
	30"	20"	26 1/2"	RPB231M () () N	1,101.	1,179.	1,354.	1,829.
	30"	24"	26 1/2"	RPB232M () () N	1,267.	1,357.	1,558.	2,102.
	36"	20"	26 1/2"	RPB261M () () N	1,361.	1,461.	1,678.	2,264.
	36"	24"	26 1/2"	RPB262M () () N	1,567.	1,678.	1,929.	2,603.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Cabinetry

Order Code	Specification Information	Application Notes
Example: RPB11JLWDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
PB Pedestal with back	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 20" deep	5. Lock option, applicable hinged doors only	
J Box box file config.	6. Keying instructions	<i>5. Lock options:</i>
L Laminate finish	7. Finish	L = Drilled to accept lock
W Wood interior	*After specifying product code, provide keying instructions.	N = No drilling
D Metal D-pull	<i>1. Hinge location:</i>	<i>6. Refer to page 513 for keying instructions.</i>
L Lock hole drilled	L = Left hand	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer. Metal drawer pedestals have one pencil tray.
	R = Right hand	
	<i>2. Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>3. Interior options:</i>	
	W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	

Applicable finishes are listed on page 5 and 6.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keylike are field installed using the KnollKey order form.


Each locking pedestal on this page counts for one lock core.

Pedestals, 28³/₈" planning


Metal interiors

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
Pedestal, (desk height) box/box/file configuration	16"	19"	28 ³ / ₈ "	RP161J () () L ()	\$1,117.	\$1,197.	\$1,379.	\$1,863.	
	16"	23"	28 ³ / ₈ "	RP162J () () L ()	1,170.	1,255.	1,445.	1,951.	
	16"	29"	28 ³ / ₈ "	RP163J () () L ()	1,220.	1,308.	1,507.	2,034.	



Pedestal, (desk height) file/file configuration	16"	19"	28 ³ / ₈ "	RP161K () () L ()	1,043.	1,119.	1,287.	1,739.	
	16"	23"	28 ³ / ₈ "	RP162K () () L ()	1,117.	1,197.	1,379.	1,863.	
	16"	29"	28 ³ / ₈ "	RP163K () () L ()	1,192.	1,274.	1,468.	1,981.	
	30"	19"	28 ³ / ₈ "	RP301K () () L ()	1,194.	1,281.	1,471.	1,985.	
	30"	23"	28 ³ / ₈ "	RP302K () () L ()	1,259.	1,349.	1,550.	2,093.	
	36"	19"	28 ³ / ₈ "	RP361K () () L ()	1,271.	1,366.	1,570.	2,121.	
	36"	23"	28 ³ / ₈ "	RP362K () () L ()	1,336.	1,430.	1,646.	2,223.	




All pedestals may require counterweights when used in unsecured fashion (ie freestanding) 3 required

Order Code	Specification Information	Application Notes
Example: RP161J(L)(M)(J)L(118)	<i>To order please specify pattern number including:</i>	<p>Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26¹/₂"h components. 28³/₈"h components when used with 1¹/₄" worksurfaces achieve overall desk height of 29⁷/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R Reff		
P Pedestal		
16 16" wide (<i>nominal</i>)		
1 19" deep (<i>nominal</i>)		
J Box/Box/File configuration		
L Finish type, laminate		
M Interior option, metal		
J Pull option, J		
L Lock hole drilled		
118 Finish, bright white		
	1. <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling	
	2. <i>Cabinet finish</i>	
	3. <i>Optional pull finish where applicable</i> Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Keying instructions must accompany all orders, refer to page 513 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core. Pencil tray to be ordered separately; see page 443. Finished back must be ordered separately to achieve full depth without a modesty.	

Pedestals, 28³/₈" planning

Metal interiors

description	w	d	h	pattern no.	metal	metal	metal	metal	list
					interiors	interiors	interiors	interiors	
					L	V1	V2	V3	
Pedestal, (desk height) open shelf configuration adjustable shelf	16"	19"	28 ³ / ₈ "	RP161M () () (N)	\$695.	\$749.	\$859.	\$1,159.	
	16"	23"	28 ³ / ₈ "	RP162M () () (N)	813.	871.	1,002.	1,352.	
	16"	29"	28 ³ / ₈ "	RP163M () () (N)	958.	1,028.	1,183.	1,598.	
	30"	19"	28 ³ / ₈ "	RP301M () () (N)	810.	869.	999.	1,348.	
	30"	23"	28 ³ / ₈ "	RP302M () () (N)	984.	1,055.	1,213.	1,637.	
	36"	19"	28 ³ / ₈ "	RP361M () () (N)	1,035.	1,112.	1,276.	1,722.	
	36"	23"	28 ³ / ₈ "	RP362M () () (N)	1,253.	1,344.	1,545.	2,085.	




Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.
Metal interior means shelf metal.


Order Code	Specification Information	Application Notes
Example: RP161J(L)(M)(J)L(118)	<i>To order please specify pattern number including:</i>	<p>Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26¹/₂"h components. 28³/₈"h components when used with 1¹/₄" worksurfaces achieve overall desk height of 29⁷/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R Reff		
P Pedestal		
16 16" wide (<i>nominal</i>)		
1 19" deep (<i>nominal</i>)		
J Box/Box/File configuration	1. <i>Hinge location, were applicable</i> L = left hand R = right hand	
L Finish type, laminate	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
M Interior option, metal	3. <i>Interior option</i> M = metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
J Pull option, J	4. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	
L Lock hole drilled		
118 Finish, bright white		
	<p>1. <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling</p> <p>2. <i>Cabinet finish</i></p> <p>3. <i>Optional pull finish where applicable</i></p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Keying instructions must accompany all orders, refer to page 513 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.</p> <p>Pencil tray to be ordered separately; see page 443.</p> <p>Finished back must be ordered separately to achieve full depth without a modesty.</p>	

Pedestals, 28³/₈" planning

Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
Pedestal, (desk height) hinge door configuration adjustable shelf 	16"	19"	28 ³ / ₈ "	RP161L(L/R) () () () ()	\$916.	\$980.	\$1,129.	\$1,524.	
	16"	23"	28 ³ / ₈ "	RP162L(L/R) () () () ()	1,112.	1,193.	1,370.	1,850.	
	16"	29"	28 ³ / ₈ "	RP163L(L/R) () () () ()	1,271.	1,366.	1,570.	2,121.	
	30"	19"	28 ³ / ₈ "	RP301L () () () ()	1,183.	1,268.	1,458.	1,967.	
	30"	23"	28 ³ / ₈ "	RP302L () () () ()	1,382.	1,484.	1,703.	2,300.	
	36"	19"	28 ³ / ₈ "	RP361L () () () ()	1,499.	1,607.	1,849.	2,497.	
	36"	23"	28 ³ / ₈ "	RP362L () () () ()	1,752.	1,880.	2,162.	2,919.	

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.
Metal interior means shelf metal.




Pedestal, (desk height) finished back 	16"	1"	28 ³ / ₈ "	RPDHB16 () ()	121.	123.	143.	193.	
	19"	1"	28 ³ / ₈ "	RPDHB19 () ()	127.	129.	150.	203.	
	30"	1"	28 ³ / ₈ "	RPDHB30 () ()	239.	247.	282.	381.	
	36"	1"	28 ³ / ₈ "	RPDHB36 () ()	284.	293.	336.	454.	

pedestal backs for pedestals with metal or wood interiors

Order Code	Specification Information	Application Notes
Example: RP161J(L)(M)(J)L(118) R Reff P Pedestal 16 16" wide (<i>nominal</i>) 1 19" deep (<i>nominal</i>) J Box/Box/File configuration L Finish type, laminate M Interior option, metal J Pull option, J L Lock hole drilled 118 Finish, bright white	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> <i>Hinge location, were applicable</i> L = left hand R = right hand <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3 <i>Interior option</i> M = metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal) <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line 	<ol style="list-style-type: none"> <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling <i>Cabinet finish</i> <i>Optional pull finish where applicable</i> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Keying instructions must accompany all orders, refer to page 513 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.</p> <p>Pencil tray to be ordered separately; see page 443.</p> <p>Finished back must be ordered separately to achieve full depth without a modesty.</p>
		<p>Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26¹/₂"h components. 28³/₈"h components when used with 1¹/₄" worksurfaces achieve overall desk height of 29⁷/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Applicable finishes are listed on page 5 and 6.</p>

Pedestals, 28³/₈" planning

Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
Metal box divider, for desk height products 				RDHMBD					\$27.
					for 16" w desk height metal box drawer				
Metal file drawer divider, for desk height products 				RDHMFD					27.
					for 16" w desk height metal file drawer				
Metal lateral drawer divider, for desk height products 				RDHMLD					21.
					for 20" and 24" deep metal lateral drawers				


Order Code	Specification Information	Application Notes
Example: RP161J(L)(M)(J)L(118)	<i>To order please specify pattern number including:</i>	<p>Products on this page are 28-3/8" high. 28³/₈" h "desk height" products should not be mixed with 26¹/₂" h components. 28³/₈" h components when used with 1¹/₄" worksurfaces achieve overall desk height of 29⁷/₈" h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R Reff		
P Pedestal		
16 16" wide (<i>nominal</i>)		
1 19" deep (<i>nominal</i>)		
J Box/Box/File configuration	1. <i>Hinge location, were applicable</i> L = left hand R = right hand	
L Finish type, laminate	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
M Interior option, metal	3. <i>Interior option</i> M = metal (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
J Pull option, J	4. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	
L Lock hole drilled		
118 Finish, bright white		
	1. <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling	
	2. <i>Cabinet finish</i>	
	3. <i>Optional pull finish where applicable</i>	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	Keying instructions must accompany all orders, refer to page 513 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.	
	Pencil tray to be ordered separately; see page 443.	
	Finished back must be ordered separately to achieve full depth without a modesty.	

Pedestals, 28³/₈" planning

Metal interior legal width

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height)	19"	19"	28 ³ / ₈ "	RP191J() () ()	\$1,173.	\$1,257.	\$1,448.	\$1,956.
box/box/file configuration	19"	23"	28 ³ / ₈ "	RP192J() () ()	1,229.	1,286.	1,517.	2,049.
	19"	29"	28 ³ / ₈ "	RP193J() () ()	1,281.	1,373.	1,582.	2,136.


Pencil tray not included



Pedestal, (desk height)	19"	19"	28 ³ / ₈ "	RP191K() () ()	1,095.	1,175.	1,351.	1,826.
file/file configuration	19"	23"	28 ³ / ₈ "	RP192K() () ()	1,173.	1,257.	1,448.	1,956.
	19"	29"	28 ³ / ₈ "	RP193K() () ()	1,252.	1,338.	1,541.	2,080.

Pencil tray not included

All pedestals may require counterweights when used in unsecured fashion (ie freestanding) 3 required




Order Code	Specification Information	Application Notes
Example: RP191J(L)(M)(J)L(118)	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
R Reff	1. <i>Hinge location, were applicable</i> L = left hand R = right hand	File drawers include file bars for front to back and side to side filing.
P Pedestal	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	File drawers support bottom loading.
19 19" wide (<i>nominal</i>)	3. <i>Interior option</i> M = metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	Applicable finishes are listed on page 5 and 6.
1 19" deep (<i>nominal</i>)	4. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
J Box/Box/File configuration		
L Finish type, laminate		
M Interior option, metal		
J Pull option, J		
L Lock hole drilled		
118 Finish, bright white		
	5. <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling	
	6. <i>Cabinet finish</i>	
	7. <i>Optional pull finish where applicable</i>	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	Keying instructions must accompany all orders, refer to page 513. Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.	
	Pencil tray to be ordered separately; see page 443.	
	Finished back must be ordered separately to achieve full depth without a modesty.	

Pedestals, 28³/₈" planning


Wood interior

Reff Profiles

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Pedestal, (desk height) box/box/file configuration	16"	19"	28 ³ / ₈ "	RP161J () () (L) ()	\$1,188.	\$1,271.	\$1,462.	\$1,973.
	16"	23"	28 ³ / ₈ "	RP162J () () (L) ()	1,321.	1,418.	1,631.	2,202.
	16"	29"	28 ³ / ₈ "	RP163J () () (L) ()	1,439.	1,545.	1,774.	2,394.




Pedestal, (desk height) file/file configuration	16"	19"	28 ³ / ₈ "	RP161K () () (L) ()	1,107.	1,185.	1,362.	1,839.
	16"	23"	28 ³ / ₈ "	RP162K () () (L) ()	1,303.	1,397.	1,606.	2,167.
	16"	29"	28 ³ / ₈ "	RP163K () () (L) ()	1,421.	1,526.	1,754.	2,368.
	30"	19"	28 ³ / ₈ "	RP301K () () (L) ()	1,430.	1,532.	1,763.	2,380.
	30"	23"	28 ³ / ₈ "	RP302K () () (L) ()	1,679.	1,801.	2,066.	2,789.
	36"	19"	28 ³ / ₈ "	RP361K () () (L) ()	1,766.	1,892.	2,179.	2,942.
	36"	23"	28 ³ / ₈ "	RP362K () () (L) ()	2,059.	2,210.	2,540.	3,428.



All pedestals may require counterweights when used in unsecured fashion (ie freestanding) 3 required

Pedestal, (desk height) open shelf configuration adjustable shelf	16"	19"	28 ³ / ₈ "	RP161M () () (J) ()	787.	838.	966.	1,304.
	16"	23"	28 ³ / ₈ "	RP162M () () (J) ()	902.	969.	1,115.	1,506.
	16"	29"	28 ³ / ₈ "	RP163M () () (J) ()	1,048.	1,121.	1,294.	1,747.
	30"	19"	28 ³ / ₈ "	RP301M () () (J) ()	900.	964.	1,107.	1,494.
	30"	23"	28 ³ / ₈ "	RP302M () () (J) ()	1,072.	1,150.	1,324.	1,785.
	36"	19"	28 ³ / ₈ "	RP361M () () (J) ()	1,122.	1,207.	1,386.	1,873.
	36"	23"	28 ³ / ₈ "	RP362M () () (J) ()	1,341.	1,433.	1,650.	2,228.




Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: RP161J(L)(W)(J)L(118)	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
R Reff	1. <i>Hinge location, were applicable</i> L = left hand R = right hand	File drawers include file bars for front to back and side to side filing.
P Pedestal	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	File drawers support bottom loading.
16 16" wide (<i>nominal</i>)	3. <i>Interior option</i> W = wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	Applicable finishes are listed on page 5 and 6.
1 19" deep (<i>nominal</i>)	4. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
J Box/Box/File configuration	5. <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling	
L Finish type, laminate		
W Interior option, wood		
J Pull option, J		
L Lock hole drilled		
118 Finish, bright white		
	6. <i>Cabinet finish</i> 7. <i>Optional pull finish where applicable</i>	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
		Keying instructions must accompany all orders, refer to page 513 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.
		Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer.
		Finished back must be ordered separately to achieve full depth without a modesty.


Pedestals, 28³/₈" planning

Wood interior

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height) hinge door configuration adjustable shelf 	16"	19"	28 ³ / ₈ "	RP161L(L/R) () () () ()	\$1,002.	\$1,074.	\$1,235.	\$1,668.
	16"	23"	28 ³ / ₈ "	RP162L(L/R) () () () ()	1,203.	1,288.	1,483.	2,002.
	16"	29"	28 ³ / ₈ "	RP163L(L/R) () () () ()	1,362.	1,459.	1,676.	2,262.
	30"	19"	28 ³ / ₈ "	RP301L () () () ()	1,268.	1,362.	1,567.	2,116.
	30"	23"	28 ³ / ₈ "	RP302L () () () ()	1,471.	1,580.	1,815.	2,450.
	36"	19"	28 ³ / ₈ "	RP361L () () () ()	1,589.	1,701.	1,955.	2,639.
	36"	23"	28 ³ / ₈ "	RP362L () () () ()	1,842.	1,974.	2,268.	3,061.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.

Pedestal, (desk height) finished back 	16"	1"	28 ³ / ₈ "	RPDHB16 () ()	121.	123.	143.	193.
	19"	1"	28 ³ / ₈ "	RPDHB19 () ()	127.	129.	150.	203.
	30"	1"	28 ³ / ₈ "	RPDHB30 () ()	239.	247.	282.	381.
	36"	1"	28 ³ / ₈ "	RPDHB36 () ()	284.	293.	336.	454.

pedestal backs for pedestals with metal or wood interiors

Order Code	Specification Information	Application Notes
Example: RP161J(L)(W)(J)L(118) R Reff P Pedestal 16 16" wide (<i>nominal</i>) 1 19" deep (<i>nominal</i>) J Box/Box/File configuration L Finish type, laminate W Interior option, wood J Pull option, J L Lock hole drilled 118 Finish, bright white	To order please specify pattern number including: 1. <i>Hinge location, were applicable</i> L = left hand R = right hand 2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3 3. <i>Interior option</i> W = wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer) 4. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) 5. <i>Lock option</i> Optional hinged door configurations only Pedestals with drawers always lock drilled L = drilled to accept lock N = no drilling 6. <i>Cabinet finish</i> 7. <i>Optional pull finish where applicable</i>	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Keying instructions must accompany all orders, refer to page 513 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core. Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer. Finished back must be ordered separately to achieve full depth without a modesty.

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26¹/₂"h components. 28³/₈"h components when used with 1¹/₄" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

File drawers include file bars for front to back and side to side filing.


File drawers support bottom loading.

Applicable finishes are listed on page 5 and 6.



Pedestals, 28³/₈" planning

Wood interior legal width

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height)	19"	19"	28 ³ / ₈ "	RP191J() () ()	\$1,247.	\$1,335.	\$1,535.	\$2,072.
box/box/file configuration	19"	23"	28 ³ / ₈ "	RP192J() () ()	1,387.	1,489.	1,713.	2,312.
	19"	29"	28 ³ / ₈ "	RP193J() () ()	1,511.	1,622.	1,863.	2,514.



Pedestal, (desk height)	19"	19"	28 ³ / ₈ "	RP191K() () ()	1,229.	1,244.	1,430.	1,931.
file/file configuration	19"	23"	28 ³ / ₈ "	RP192K() () ()	1,368.	1,467.	1,686.	2,275.
	19"	29"	28 ³ / ₈ "	RP193K() () ()	1,492.	1,602.	1,842.	2,486.




All pedestals may require counterweights when used in unsecured fashion (ie freestanding) 3 required

Order Code	Specification Information	Application Notes
Example: RP191J(L)(W)(J)L(118)	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
R Reff	6. <i>Cabinet finish</i>	File drawers include file bars for front to back and side to side filing.
P Pedestal	7. <i>Optional pull finish where applicable</i>	File drawers support bottom loading.
19 19" wide (<i>nominal</i>)	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	Applicable finishes are listed on page 5 and 6.
1 19" deep (<i>nominal</i>)	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
J Box/Box/File configuration	Keying instructions must accompany all orders, refer to page 513 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.	
L Finish type, laminate		
W Interior option, wood		
J Pull option, J		
L Lock hole drilled		
118 Finish, bright white		

Pedestals, 28³/₈" planning 22³/₈" high , metal interiors

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height planning) box/file configuration	16"	19"	22 ³ / ₈ "	RP161R () () () () ()	\$1,066.	\$1,142.	\$1,313.	\$1,773.
	16"	23"	22 ³ / ₈ "	RP162R () () () () ()	1,114.	1,195.	1,375.	1,856.
	19"	19"	22 ³ / ₈ "	RP191R () () () () ()	1,119.	1,199.	1,379.	1,862.
	19"	23"	22 ³ / ₈ "	RP192R () () () () ()	1,170.	1,255.	1,444.	1,949.
	30"	19"	22 ³ / ₈ "	RP301R () () () () ()	1,136.	1,220.	1,402.	1,893.
	30"	23"	22 ³ / ₈ "	RP302R () () () () ()	1,198.	1,286.	1,476.	1,992.
	36"	19"	22 ³ / ₈ "	RP361R () () () () ()	1,212.	1,299.	1,495.	2,018.
	36"	23"	22 ³ / ₈ "	RP362R () () () () ()	1,271.	1,362.	1,567.	2,116.
Pedestal, (desk height planning) open file configuration	30"	19"	22 ³ / ₈ "	RP301T () () () () ()	828.	886.	1,009.	1,342.
	30"	23"	22 ³ / ₈ "	RP302T () () () () ()	996.	1,065.	1,213.	1,618.
	36"	19"	22 ³ / ₈ "	RP361T () () () () ()	1,043.	1,117.	1,275.	1,701.
	36"	23"	22 ³ / ₈ "	RP362T () () () () ()	1,251.	1,337.	1,528.	2,042.
Pedestal, (desk height planning) cabinet access bookcase * with removable back 	30"	20"	22 ³ / ₈ "	RP301A () ()	809.	869.	999.	1,348.
	30"	24"	22 ³ / ₈ "	RP302A () ()	985.	1,057.	1,213.	1,638.
	36"	20"	22 ³ / ₈ "	RP361A () ()	1,034.	1,112.	1,278.	1,725.
	36"	24"	22 ³ / ₈ "	RP362A () ()	1,253.	1,343.	1,544.	2,083.
Pedestal, (desk height planning) open bookcase configuration, adjustable shelf	30"	19"	22 ³ / ₈ "	RP301S () () () ()	770.	828.	951.	1,284.
	30"	23"	22 ³ / ₈ "	RP302S () () () ()	938.	1,007.	1,155.	1,560.
	36"	19"	22 ³ / ₈ "	RP361S () () () ()	985.	1,059.	1,217.	1,643.
	36"	23"	22 ³ / ₈ "	RP362S () () () ()	1,193.	1,279.	1,470.	1,984.

Order Code

Example:	RP161R () () () () ()
R	Reff
P	Pedestal
16	16" wide (<i>nominal</i>)
1	19" deep (<i>nominal</i>)
R	Box/File configuration
H	Finish Pull option
L	Lock
B	Lock finish
PU	Satin Nickel

Specification Information

To order please specify pattern number including:



- Finish*
L, V1, V2, V3
- Pull option*
R = Cylinder
T = Tab
F = Bar
H = Outline
- Lock option*
L = drilled to accept lock
N = no drilling
- Lock finish*
Black
- Pull finish*

Application Notes

Lock default is black.
Use 28³/₈" desk height planning.
Applied back ordered separately for finished back.
File drawer support bottom loading
File drawers include bars for front to back and side to side filing.
Pencil trays ordered separately for all metal interiors.

Pedestals, 28³/₈" planning 22³/₈" high, wood interiors

Reff Profiles




description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height planning) box/file configuration	16"	19"	22 ³ / ₈ "	RP161R () () () () ()	\$1,131.	\$1,210.	\$1,394.	\$1,881.
	16"	23"	22 ³ / ₈ "	RP162R () () () () ()	1,259.	1,350.	1,552.	2,096.
	19"	19"	22 ³ / ₈ "	RP191R () () () () ()	1,188.	1,271.	1,464.	1,975.
	19"	23"	22 ³ / ₈ "	RP192R () () () () ()	1,322.	1,418.	1,630.	2,201.
	30"	19"	22 ³ / ₈ "	RP301R () () () () ()	1,361.	1,459.	1,678.	2,264.
	30"	23"	22 ³ / ₈ "	RP302R () () () () ()	1,601.	1,714.	1,967.	2,656.
	36"	19"	22 ³ / ₈ "	RP361R () () () () ()	1,683.	1,803.	2,075.	2,800.
	36"	23"	22 ³ / ₈ "	RP362R () () () () ()	1,961.	2,103.	2,415.	3,264.
Pedestal, (desk height planning) open file configuration	30"	19"	22 ³ / ₈ "	RP301T () () () () ()	916.	975.	1,112.	1,481.
	30"	23"	22 ³ / ₈ "	RP302T () () () () ()	1,078.	1,152.	1,317.	1,756.
	36"	19"	22 ³ / ₈ "	RP361T () () () () ()	1,127.	1,207.	1,380.	1,842.
	36"	23"	22 ³ / ₈ "	RP362T () () () () ()	1,336.	1,424.	1,630.	2,180.
Pedestal, (desk height planning) cabinet access bookcase * with removable back 	30"	20"	22 ³ / ₈ "	RP301A () ()	901.	963.	1,107.	1,494.
	30"	24"	22 ³ / ₈ "	RP302A () ()	1,071.	1,149.	1,322.	1,783.
	36"	20"	22 ³ / ₈ "	RP361A () ()	1,122.	1,206.	1,388.	1,873.
	36"	24"	22 ³ / ₈ "	RP362A () ()	1,342.	1,434.	1,651.	2,228.
Pedestal, (desk height planning) open bookcase configuration, adjustable shelf	30"	19"	22 ³ / ₈ "	RP301S () () () ()	858.	917.	1,054.	1,423.
	30"	23"	22 ³ / ₈ "	RP302S () () () ()	1,020.	1,094.	1,259.	1,698.
	36"	19"	22 ³ / ₈ "	RP361S () () () ()	1,069.	1,149.	1,322.	1,784.
	36"	23"	22 ³ / ₈ "	RP362S () () () ()	1,278.	1,366.	1,572.	2,122.
Pedestal, (desk height planning) equipment configuration (wood interior only) 	30"	19"	22 ³ / ₈ "	RP301E(L/R) () () () ()	1,811.	2,383.	2,634.	3,143.
	30"	23"	22 ³ / ₈ "	RP302E(L/R) () () () ()	1,844.	2,426.	2,677.	3,241.
	36"	19"	22 ³ / ₈ "	RP361E(L/R) () () () ()	1,855.	2,432.	2,689.	3,235.
	36"	23"	22 ³ / ₈ "	RP362E(L/R) () () () ()	1,886.	2,469.	2,745.	3,333.

Cabinetry

Order Code	Specification Information	Application Notes
Example: RP301E(L/R) () () () () ()	<i>To order please specify pattern number including:</i>	Bookcase
R Reff	1. <i>Finish</i>	Lock default is black.
P Pedestal	L, V1, V2, V3	Use 28 ³ / ₈ " desk height planning.
30 30" wide	2. <i>Pull option</i>	Applied back ordered separately for finished back.
1 19" deep (nominal)	R = Cylinder	File drawer support bottom loading
E Equipment configuration	T = Tab	File drawers include bars for front to back and side to side filing.
L Left	F = Bar	Pencil trays ordered separately for all metal interiors.
V2 Finish type	H = Outline	
W Interior finish	3. <i>Lock option</i>	
H Pull option	L = drilled to accept lock	
PU Pull finish (if applicable)	N = no drilling	
L Lock option	4. <i>Lock finish</i>	
	Black	
	5. <i>Pull finish</i>	

Pedestals, 28³/₈" planning 22³/₈" high, pedestal back, filler and flush modesty

Reff Profiles

description	w	th	h	pattern no.	L	V1	V2	V3
 Pedestal Back	16"		22 ³ / ₈ "	RPCB16 ()	\$229.	\$275.	\$316.	\$411.
	19"		22 ³ / ₈ "	RPCB19 ()	234.	281.	323.	420.
	30"		22 ³ / ₈ "	RPCB30 ()	257.	308.	354.	461.
	36"		22 ³ / ₈ "	RPCB36 ()	270.	323.	372.	484.
 Pedestal Filler	6"		22 ³ / ₈ "	RPFC6 ()	160.	192.	210.	250.
 Flush Modesty Panel	42"	1"	22 ³ / ₈ "	RPDHC42MF ()	332.	398.	458.	595.
	48"	1"	22 ³ / ₈ "	RPDHC48MF ()	347.	416.	479.	623.
	54"	1"	22 ³ / ₈ "	RPDHC54MF ()	362.	434.	500.	649.
	60"	1"	22 ³ / ₈ "	RPDHC60MF ()	399.	479.	551.	716.
	66"	1"	22 ³ / ₈ "	RPDHC66MF ()	414.	496.	571.	742.
	72"	1"	22 ³ / ₈ "	RPDHC72MF ()	428.	514.	591.	769.
	78"	1"	22 ³ / ₈ "	RPDHC78MF ()	449.	538.	619.	805.
	84"	1"	22 ³ / ₈ "	RPDHC84MF ()	464.	556.	640.	832.
	90"	1"	22 ³ / ₈ "	RPDHC90MF ()	498.	597.	687.	893.
	96"	1"	22 ³ / ₈ "	RPDHC96MF ()	512.	614.	706.	918.

Order Code

Example: RPCB16()	
R	Reff
P	Pedestal
C	For use with 22 ³ / ₈ " pedestal
B	Back
16	Width

Specification Information

1. *Finish*
L, V1, V2, V3

Application Notes

- Lock default is black.
- Use 28³/₈" desk height planning.
- Applied back ordered separately for finished back.

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	L	V1	V2	V3
Mobile Pedestal	16"	19"	23"	RMPU () () () () () ()	\$2,185.	\$2,230.	\$2,285.	\$2,133.	\$2,278.	\$2,607.	\$3,357.




Order Code	Specification Information	Application Notes
Example: RMPU () () () () () ()	<i>To order please specify pattern number including:</i>	Always comes with lock.
R Reff		Always comes with finished back
M Mobile	1. Lock option	
P Pedestal	2. Lock finish Black /Silver	Grommet pull only.
U Cubby above with drawer/box/file	3. Pull option G	Actual width = 15.94"
L Lock Option	4. Case finish L, V1, V2, V3	Actual depth = 19.06"
B Lock Finish	5. Front finish L, V1, V2, V3	Actual total height = 23.37"
G Pull Finish	6. Pencil tray finish Painted / Anodized	
V316 Case Finish		
V316 Front Drawer Finish		
111 Pencil Tray Finish		


Credenzas, 28³/₈" planning 23³/₈" high, file drawer

Reff Profiles


description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Low credenza, file drawer left and right and cubby	90"	20"	23 ³ / ₈ "	RRLCFDC2090	\$3,336.	\$3,670.	\$3,837.	\$4,004.	\$5,004.	\$5,755.	\$7,482.
	108"	20"	23 ³ / ₈ "	RRLCFDC20108	3,487.	3,836.	4,010.	4,185.	5,231.	6,016.	7,820.




Low credenza, file drawer center with cubby	90"	20"	23 ³ / ₈ "	RRLCFDCC2090	2,973.	3,270.	3,419.	3,567.	4,459.	5,128.	6,666.
	108"	20"	23 ³ / ₈ "	RRLCFDCC20108	3,134.	3,448.	3,604.	3,761.	4,794.	5,407.	7,029.



Low credenza, file drawer with cubby on left	60"	20"	23 ³ / ₈ "	RRLCFDCL2060	2,305.	2,535.	2,651.	2,766.	3,457.	3,976.	5,169.
	72"	20"	23 ³ / ₈ "	RRLCFDCL2072	2,399.	2,639.	2,758.	2,878.	3,598.	4,138.	5,379.



Low credenza, file drawer with cubby on right	60"	20"	23 ³ / ₈ "	RRLCFDCR2060	2,305.	2,535.	2,651.	2,766.	3,457.	3,976.	5,169.
	72"	20"	23 ³ / ₈ "	RRLCFDCR2072	2,399.	2,639.	2,758.	2,878.	3,598.	4,138.	5,379.



Order Code

Example: RRLCFDC2090
RR Reff
LC Low Credenza
FDC File Drawer with cubby
20 20" deep
90 90" wide
L Lock option
S Lock finish
G Pull option
115 Pull finish
115 Leg finish
V316 Case option
V316 Case finish

Specification Information

To order please specify pattern number including:

- Lock option:
L=drilled to accept lock
N=no drilling
- Lock finish:
B=Black
S=Matte Silver
- Pull option
Grommet pull
- Pull finish
Painted / Plated
- Leg finish
Painted
- Case finish:
V316
- Front finish:
V316

Application Notes

Grommet Pull option for these products.

Locks on wood and Laminate doors.

No locks on glass doors.

Legs shipped with credenza.

Legs available in painted finish.

Shelves are fixed.

Glass top and cushion sold separately.

Nominal depth 20"

Actual depth 19"

All credenzas with file drawers may require counter weights when used in an unsecured fashion (ie. free-standing).


Credenzas, 28^{3/8}" planning
23^{3/8}" high, open

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Low credenza, open with cubby	60"	20"	23 ^{3/8} "	RRLCO2060 () ()	\$2,044.	\$2,902.	\$3,338.	\$4,340.
	72"	20"	23 ^{3/8} "	RRLCO2072 () ()	2,048.	3,031.	3,486.	4,532.
	90"	20"	23 ^{3/8} "	RRLCO2090 () ()	2,499.	3,773.	4,339.	5,640.
	108"	20"	23 ^{3/8} "	RRLCO20108 () ()	2,654.	4,008.	4,609.	5,992.

Order Code	Specification Information	Application Notes
Example: RRLCO2060 () ()	<i>To order please specify pattern number including:</i>	Legs shipped with credenza.
RR Reffresh	1. Leg finish	Nominal depth 20"
LC Low Credenza	Painted	Actual depth 19"
O Open	2. Case finish type:	All credenzas with file drawers may require counter weights when used in an unsecured fashion (ie. free-standing).
20 20" deep	L, V1, V2, V3	
60 60" wide	3. Case finish:	
115 Leg finish	V316	Glass top and cushion sold separately.
V316 Case finish		

Credenzas, 28^{3/8}" planning
 23^{3/8}" high sliding door
 Glass door

description	w	d	h	pattern no.	L/GL	V1/GL	V2/GL	V3/GL
Low credenza, sliding glass door 	90"	20"	23 ^{3/8} "	RRLCSGD2090 () () () () ()	\$4,572.	\$5,487.	\$6,310.	\$8,203.
	108"	20"	23 ^{3/8} "	RRLCSGD20108 () () () () ()	5,091.	6,109.	7,025.	9,133.
Low credenza, sliding glass door left	60"	20"	23 ^{3/8} "	RRLCSGDL2060 () () () () ()	3,049.	3,659.	4,208.	5,470.
	72"	20"	23 ^{3/8} "	RRLCSGDL2072 () () () () ()	3,218.	3,862.	4,441.	5,774.
Low credenza, sliding glass door right	60"	20"	23 ^{3/8} "	RRLCSGDR2060 () () () () ()	3,049.	3,659.	4,208.	5,470.
	72"	20"	23 ^{3/8} "	RRLCSGDR2072 () () () () ()	3,218.	3,862.	4,441.	5,774.

Order Code

Example: RRLCSGD2090 () () () () ()	
RR	Reff
LC	Low Credenza
SGD	Sliding Glass Door
20	20" deep
90	90" wide
G	Pull tpe
PN	Pull finish
115	Leg finish
V316	Case finish
GL11	Door / front glass finish

Specification Information

To order please specify pattern number including:

1. Pull option
Grommet
2. Pull finish
Painted / Plated
3. Leg finish
Painted
4. Case finish
L, V1, V2, V3
5. Glass door frame:
Anodized or Painted
6. Glass finish:
GL11, GL15, GL18

Application Notes


Grommet Pull option for these products.
 No locks on glass doors.
 Legs shipped with credenza.
 Shelves are fixed.
 Glass top and cushion sold separately.

Nominal depth 20"
 Actual depth 19"
 All credenzas with file drawers may require counter weights when used in an unsecured fashion (ie. free-standing).

Credenzas, 28^{3/8}" planning
 23^{3/8}" high sliding door
 Laminate door

Reff Profiles

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Low credenza, sliding wood/ laminate door	90"	20"	23 ^{3/8} "	RRLCSWD2090 () () () () () ()	\$3,553.	\$3,909.	\$4,086.	\$4,264.	\$5,152.	\$5,925.	\$7,703.
	108"	20"	23 ^{3/8} "	RRLCSWD20108 () () () () () ()	3,926.	4,319.	4,515.	4,711.	5,693.	6,547.	8,511.



Low credenza, sliding wood/ laminate door left	60"	20"	23 ^{3/8} "	RRLCSWDL2060 () () () () () ()	2,470.	2,717.	2,841.	2,964.	3,582.	4,119.	5,355.
	72"	20"	23 ^{3/8} "	RRLCSWDL2072 () () () () () ()	2,584.	2,842.	2,971.	3,100.	3,746.	4,308.	5,601.

Low credenza, sliding wood/ laminate door right	60"	20"	23 ^{3/8} "	RRLCSWDR2060 () () () () () ()	2,470.	2,717.	2,841.	2,964.	3,582.	4,119.	5,355.
	72"	20"	23 ^{3/8} "	RRLCSWDR2072 () () () () () ()	2,584.	2,842.	2,971.	3,100.	3,746.	4,308.	5,601.

Cabinetry

Order Code	Specification Information	Application Notes
Example: RRLCSWD2090 () () () () () ()	<i>To order please specify pattern number including:</i>	Grommet Pull option for these products.
RR Reff	1. Pull option	Nominal depth 20"
LC Low Credenza	Grommet	Actual depth 19"
SWD Sliding Wood Door	2. Pull finish	Locks on wood and Laminate doors.
20 20" deep	Painted / Plated	Legs shipped with credenza.
90 90" wide	3. Leg finish	Legs available in painted finishes.
L Lock option	Painted	Shelves are fixed.
S Lock finish	4. Case finish	Glass top and cushion sold separately.
G Pull tpe	L, V1, V2, V3	
115 Pull finish	5. Door finish	
115 Leg finish	L, V1, V2, V3	
V316 Case finish		
V316 Door / front glass finish		


Credenzas, 28^{3/8}" planning
Glass top

description	d	w	pattern no.	list
Lower Credenza Glass Top	20"	30"	RLCGT301()	\$385.
	20"	36"	RLCGT361()	460.
	20"	60"	RLCGT601()	740.
	20"	72"	RLCGT721()	875.

Order Code	Specification Information	Application Notes
<i>Example:</i> RLCGT301()	<i>To order please specify pattern number including:</i> 1. Glass finish GL35 Grey GL85 Star Clear	Grommet not an option.
R Reff		
LC Lower Credenza		
GT Glass Top		
30 Width		
1 20" deep		
GL35 Glass finish		


Cabinets, 26 1/2" planning 49" high, metal interior

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	RC412C(L/R)-()()()	\$1,123.	\$1,471.	\$1,693.	\$2,285.
	16"	24"	49"	RC413C(L/R)-()()()	1,235.	1,616.	1,860.	2,511.
	30"	20"	49"	RC432C-()()()	1,644.	2,156.	2,480.	3,347.
	30"	24"	49"	RC433C-()()()	1,819.	2,384.	2,743.	3,703.
	36"	20"	49"	RC462C-()()()	1,822.	2,390.	2,748.	3,710.
	36"	24"	49"	RC463C-()()()	2,009.	2,641.	3,036.	4,098.



Metal interiors mean shelves metal.

4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F-()()L	1,916.	2,511.	2,890.	3,902.
	30"	24"	49"	RC433F-()()L	2,114.	2,772.	3,187.	4,303.
	36"	20"	49"	RC462F-()()L	2,430.	3,184.	3,661.	4,942.
	36"	24"	49"	RC463F-()()L	2,682.	3,518.	4,046.	5,462.



interior height clearance top drawer 10", all others 10 3/4"

Order Code	
Example:	RC412C
R	Reff
C	Cabinets
4	49" high
1	16" wide
2	20" deep
C	Cabinet with hinge doors
L	Left hand hinge location
L	Laminate finish type
M	Metal interior option
T	Tab pull
V316	Cabinet finish
111	Pull finish

Specification Information
<i>To order please specify pattern number including:</i>
1. Finish type
2. Interior option
3. Pull option
4. Lock option, where applicable
5. Cabinet finish: V316
6. Pull finish
*After specifying product code, provide keying instructions.
1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3

2. *Interior options:*
M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

3. *Pull options:*
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
V316

4. *Lock options:*
L = Lock hole drilled
N = No drilling

5. Cabinet finish: V316

6. Full finish:
Painted or Plated


8. Refer to page 513 for keying instructions.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Application Notes
Specify finish of metal shelves to match laminate.
Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 439.
File drawers include file bars for front to back and side to side filing.
File drawers do not support bottom loading.
Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2" planning 49" high, metal interior

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Open bookcase with two adjustable shelves	30"	15"	49"	RC431B-()()	\$1,115.	\$1,461.	\$1,683.	\$2,273.
	30"	20"	49"	RC432B-()()	1,258.	1,650.	1,896.	2,560.
	30"	24"	49"	RC433B-()()	1,420.	1,859.	2,139.	2,887.
	36"	15"	49"	RC461B-()()	1,237.	1,624.	1,867.	2,520.
	36"	20"	49"	RC462B-()()	1,397.	1,831.	2,106.	2,843.
	36"	24"	49"	RC463B-()()	1,571.	2,063.	2,371.	3,200.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

Order Code	
Example: RC412C	
R	Reff
C	Cabinets
4	49" high
1	16" wide
2	20" deep
C	Cabinet with hinge doors
L	Left hand hinge location
L	Laminate finish type
M	Metal interior option
T	Tab pull
V316	Cabinet finish
111	Pull finish

Specification Information

To order please specify pattern number including:

1. Finish type
2. Interior option
3. Pull option
4. Lock option, where applicable
5. Cabinet finish:
V316
6. Pull finish

***After specifying product code, provide keying instructions.**

1. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

2. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

3. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
V316

4. Lock options:
L = Lock hole drilled
N = No drilling

5. Cabinet finish: V316

6. Full finish:
Painted or Plated

8. Refer to page 513 for keying instructions.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Application Notes

Specify finish of metal shelves to match laminate.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 439.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.


Applicable finishes are listed on page 5 and 6.


Cabinets, 26 1/2" planning 49" high, wood interior

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Open bookcase with two adjustable shelves	30"	15"	49"	RC431B-()()	\$1,250.	\$1,637.	\$1,882.	\$2,541.
	30"	20"	49"	RC432B-()()	1,393.	1,827.	2,099.	2,834.
	30"	24"	49"	RC433B-()()	1,552.	2,034.	2,341.	3,160.
	36"	15"	49"	RC461B-()()	1,373.	1,800.	2,070.	2,794.
	36"	20"	49"	RC462B-()()	1,532.	2,010.	2,308.	3,115.
	36"	24"	49"	RC463B-()()	1,708.	2,240.	2,574.	3,474.

Open cabinets require no keying instructions

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	RC412C(L/R)-()()()	1,257.	1,648.	1,893.	2,556.
	16"	24"	49"	RC413C(L/R)-()()()	1,371.	1,797.	2,066.	2,789.
	30"	20"	49"	RC432C-()()()	1,777.	2,330.	2,680.	3,618.
	30"	24"	49"	RC433C-()()()	1,953.	2,562.	2,944.	3,974.
	36"	20"	49"	RC462C-()()()	1,958.	2,565.	2,953.	3,986.
	36"	24"	49"	RC463C-()()()	2,148.	2,817.	3,241.	4,375.

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Wardrobe for coat rod and boot tray* (Requires one lock core per cabinet)	30"	20"	49"	RC432D-()W()()	1,623.	2,126.	2,445.	3,302.
	30"	24"	49"	RC433D-()W()()	1,772.	2,324.	2,675.	3,610.
	36"	20"	49"	RC462D-()W()()	1,783.	2,340.	2,690.	3,631.
	36"	24"	49"	RC463D-()W()()	1,950.	2,559.	2,941.	3,971.


Order Code	Specification Information	Application Notes
Example: RC412CLLWDL R Reff C Cabinets 4 49" high 1 16" wide 2 20" deep C Cabinet with hinge doors L Left hand hinge location L Laminate finish type W Wood interior option D Metal D-pull L Lock hole drilled	To order please specify pattern number including: 1. Hinge location, where applicable 2. Finish type 3. Interior option 4. Pull option 5. Lock option, where applicable 6. Finish, cabinet 7. Finish, pull when applicable 8. Keying instructions *After specifying product code, provide keying instructions. 1. <i>Hinge location:</i> L = Left hand R = Right hand 2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 3. <i>Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only) 5. <i>Lock options:</i> L = Lock hole drilled N = No drilling 8. Refer to page 513 for keying instructions. Key alike are field installed using the KnollKey order form. Random locks are factory installed. Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
		Specify finish of metal shelves to match laminate. Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders. Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. *Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 439. File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading. Applicable finishes are listed on page 5 and 6.

Cabinetry

Cabinets, 26 1/2" planning 49" high, wood interior

Reff Profiles

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F-()()L	\$2,050.	\$2,688.	\$3,091.	\$4,173.
	30"	24"	49"	RC433F-()()L	2,251.	2,955.	3,392.	4,579.
	36"	20"	49"	RC462F-()()L	2,564.	3,359.	3,862.	5,215.
	36"	24"	49"	RC463F-()()L	2,817.	3,691.	4,245.	5,731.



Order Code

Example:	RC412CLLWDL
R	Reff
C	Cabinets
4	49" high
1	16" wide
2	20" deep
C	Cabinet with hinge doors
L	Left hand hinge location
L	Laminate finish type
W	Wood interior option
D	Metal D-pull
L	Lock hole drilled

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, where applicable
- Finish, cabinet
- Finish, pull when applicable
- Keying instructions

***After specifying product code, provide keying instructions.**

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No drilling

8. Refer to page 513 for keying instructions.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Application Notes

Specify finish of metal shelves to match laminate.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.


*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 439.

File drawers include file bars for front to back and side to side filing.


File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.


Cabinets, 26 1/2" planning 64" high, metal interior

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with three adjustable shelves	30"	15"	64"	RC631B- () () (N)	\$1,431.	\$1,878.	\$2,161.	\$2,917.
	30"	20"	64"	RC632B- () () (N)	1,611.	2,112.	2,429.	3,278.
	30"	24"	64"	RC633B- () () (N)	1,791.	2,349.	2,703.	3,648.
	36"	15"	64"	RC661B- () () (N)	1,643.	2,153.	2,477.	3,343.
	36"	20"	64"	RC662B- () () (N)	1,827.	2,392.	2,754.	3,716.
	36"	24"	64"	RC663B- () () (N)	2,012.	2,638.	3,033.	4,095.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with hinged doors three adjustable shelves	16"	20"	64"	RC612C(L/R)- () () ()	1,677.	2,193.	2,524.	3,407.
	16"	24"	64"	RC613C(L/R)- () () ()	1,869.	2,450.	2,817.	3,803.
	30"	20"	64"	RC632C- () () ()	2,223.	2,914.	3,350.	4,523.
	30"	24"	64"	RC633C- () () ()	2,455.	3,220.	3,698.	4,992.
	36"	20"	64"	RC662C- () () ()	2,430.	3,184.	3,661.	4,942.
	36"	24"	64"	RC663C- () () ()	2,661.	3,491.	4,013.	5,419.

Metal interiors mean shelves metal.

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with 4 files and (2) 15" doors at top	30"	20"	64"	RC632F- () () ()	2,661.	3,491.	4,013.	5,419.
	30"	24"	64"	RC633F- () () ()	2,941.	3,854.	4,434.	5,984.
	36"	20"	64"	RC662F- () () ()	2,941.	3,854.	4,434.	5,984.
	36"	24"	64"	RC663F- () () ()	3,249.	4,257.	4,894.	6,608.

Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"

Order Code

Example:	RC612LLMJN
R	Reff
C	Cabinets
6	64" high
1	16" wide
2	20" deep
L	Left hand hinge location
L	Laminate finish type
M	Metal interior
J	Routed pull
N	No lock drilling

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, where applicable
- Finish, cabinet
- Finish, pull when applicable
- Keying instructions

***After specifying product code, provide keying instructions.**

1. Hinge location:

L = Left hand
R = Right hand

2. Finish type:

L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:

M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

4. Pull options:

D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:

L = Lock hole drilled
N = No lock drilling

8. Refer to page 513 for keying instructions.

Specify shelf paint finish on open cabinets with metal interiors.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

*Note:

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 439.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2" planning 64" high, metal interior


description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with full height doors half wardrobe and half shelves	30"	20"	64"	RC632E(L/R)-() () ()	\$2,582.	\$3,383.	\$3,889.	\$5,251.
	30"	24"	64"	RC633E(L/R)-() () ()	2,864.	3,753.	4,317.	5,827.
	36"	20"	64"	RC662E(L/R)-() () ()	2,853.	3,738.	4,303.	5,808.
	36"	24"	64"	RC663E(L/R)-() () ()	3,164.	4,148.	4,769.	6,438.



Left hand shown


Requires one lock core per cabinet
Shelves painted metal

Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	RC632H-() () ()	1,980.	2,598.	2,987.	4,032.
	30"	24"	64"	RC633H-() () ()	2,189.	2,866.	3,298.	4,453.
	36"	20"	64"	RC662H-() () ()	2,189.	2,866.	3,298.	4,453.
	36"	24"	64"	RC663H-() () ()	2,396.	3,141.	3,612.	4,877.



Requires one lock core per cabinet
Shelves painted metal


Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers	16"	20"	64"	RC612G(L/R)-() () ()	2,020.	2,644.	3,042.	4,107.
	16"	24"	64"	RC613G(L/R)-() () ()	2,230.	2,923.	3,360.	4,536.
	30"	20"	64"	RC632G-() () ()	2,558.	3,352.	3,854.	5,203.
	30"	24"	64"	RC633G-() () ()	2,846.	3,727.	4,287.	5,788.
	36"	20"	64"	RC662G-() () ()	2,826.	3,702.	4,258.	5,749.
	36"	24"	64"	RC663G-() () ()	3,143.	4,119.	4,736.	6,392.



Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: RC612LLMJN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 439.
1 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
L Left hand hinge location	6. Finish, cabinet	Applicable finishes are listed on page 5 and 6.
L Laminate finish type	7. Finish, pull when applicable	
M Metal interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
N No lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 513 for keying instructions.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Cabinets, 26 1/2" planning 64" high, metal interior

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with BBF below and hinged doors above	16"	20"	64"	RC612P(L/R)-()()()	\$2,082.	\$2,727.	\$3,136.	\$4,234.
	16"	24"	64"	RC613P(L/R)-()()()	2,311.	3,031.	3,481.	4,700.
	30"	20"	64"	RC632P-()()()	2,451.	3,212.	3,694.	4,987.
	30"	24"	64"	RC633P-()()()	2,704.	3,546.	4,077.	5,504.
	36"	20"	64"	RC662P-()()()	2,711.	3,553.	4,086.	5,517.
	36"	24"	64"	RC663P-()()()	2,989.	3,916.	4,507.	6,084.

Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code

Example:	RC612LLMJN
R	Reff
C	Cabinets
6	64" high
1	16" wide
2	20" deep
L	Left hand hinge location
L	Laminate finish type
M	Metal interior
J	Routed pull
N	No lock drilling

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, where applicable
- Finish, cabinet
- Finish, pull when applicable
- Keying instructions

***After specifying product code, provide keying instructions.**

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

8. Refer to page 513 for keying instructions.

Specify shelf paint finish on open cabinets with metal interiors.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

**Note:*
Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 439.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.


Applicable finishes are listed on page 5 and 6.


Cabinets, 26 1/2" planning 64" high, wood interior

Reff Profiles

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with three adjustable shelves	30"	15"	64"	RC631B- () () N	\$1,566.	\$2,052.	\$2,362.	\$3,189.
	30"	20"	64"	RC632B- () () N	1,746.	2,289.	2,633.	3,556.
	30"	24"	64"	RC633B- () () N	1,926.	2,524.	2,903.	3,919.
	36"	15"	64"	RC661B- () () N	1,776.	2,328.	2,679.	3,615.
	36"	20"	64"	RC662B- () () N	1,960.	2,568.	2,956.	3,990.
	36"	24"	64"	RC663B- () () N	2,146.	2,814.	3,234.	4,367.

Open cabinets require no keying instructions


 Cabinet with hinged doors three adjustable shelves	16"	20"	64"	RC612C(L/R)- () () ()	1,809.	2,371.	2,727.	3,681.
	16"	24"	64"	RC613C(L/R)- () () ()	2,005.	2,626.	3,018.	4,074.
	30"	20"	64"	RC632C- () () ()	2,356.	3,088.	3,553.	4,795.
	30"	24"	64"	RC633C- () () ()	2,589.	3,395.	3,903.	5,269.
	36"	20"	64"	RC662C- () () ()	2,564.	3,359.	3,862.	5,215.
	36"	24"	64"	RC663C- () () ()	2,797.	3,666.	4,216.	5,691.

 Cabinet with hinged doors for coat rod and boot tray*	16"	20"	64"	RC612D(L/R)- () () ()	1,584.	2,075.	2,385.	3,221.
	16"	24"	64"	RC613D(L/R)- () () ()	1,735.	2,274.	2,616.	3,531.
	30"	20"	64"	RC632D- () () ()	1,935.	2,535.	2,917.	3,939.
	30"	24"	64"	RC633D- () () ()	1,993.	2,616.	3,006.	4,058.
	36"	20"	64"	RC662D- () () ()	2,142.	2,809.	3,231.	4,361.
	36"	24"	64"	RC663D- () () ()	2,189.	2,889.	3,320.	4,481.


Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC612LLWJN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 439.
1 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
L Left hand hinge location	6. Finish, cabinet	Applicable finishes are listed on page 5 and 6.
L Laminate finish type	7. Finish, pull when applicable	
W Wood interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
N No lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 513 for keying instructions.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Cabinets, 26 1/2" planning 64" high, wood interior


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with 4 files and (2) 15" doors at top 	30"	20"	64"	RC632F-() () ()	\$2,797.	\$3,666.	\$4,216.	\$5,691.
	30"	24"	64"	RC633F-() () ()	3,075.	4,029.	4,633.	6,254.
	36"	20"	64"	RC662F-() () ()	3,075.	4,029.	4,633.	6,254.
	36"	24"	64"	RC663F-() () ()	3,383.	4,436.	5,099.	6,884.

Requires two lock cores per cabinet
Interior height clearance top drawer 10", all others 10 3/4"

Cabinet with full height doors half wardrobe and half shelves 	30"	20"	64"	RC632E(L/R)-() () ()	2,717.	3,560.	4,093.	5,526.
	30"	24"	64"	RC633E(L/R)-() () ()	2,997.	3,930.	4,518.	6,099.
	36"	20"	64"	RC662E(L/R)-() () ()	2,988.	3,914.	4,506.	6,083.
	36"	24"	64"	RC663E(L/R)-() () ()	3,297.	4,324.	4,972.	6,713.

Requires one lock core per cabinet

Left hand shown


Cabinet with two open adjustable shelves, two hinged 22 1/2" doors 	30"	20"	64"	RC632H-() () ()	2,115.	2,775.	3,191.	4,308.
	30"	24"	64"	RC633H-() () ()	2,322.	3,044.	3,502.	4,727.
	36"	20"	64"	RC662H-() () ()	2,322.	3,044.	3,502.	4,727.
	36"	24"	64"	RC663H-() () ()	2,529.	3,317.	3,812.	5,146.

Requires one lock core per cabinet


Order Code	Specification Information	Application Notes
Example: RC612LLWJN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	
6 64" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
1 16" wide	4. Pull option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 439.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
L Left hand hinge location	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish type	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
W Wood interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
N No lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 513 for keying instructions.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Cabinets, 26 1/2" planning 64" high, wood interior


Reff Profiles

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers 	16"	20"	64"	RC612G(L/R)-() () ()	\$2,152.	\$2,821.	\$3,244.	\$4,379.
	16"	24"	64"	RC613G(L/R)-() () ()	2,366.	3,098.	3,565.	4,812.
	30"	20"	64"	RC632G-() () ()	2,692.	3,528.	4,056.	5,475.
	30"	24"	64"	RC633G-() () ()	2,978.	3,903.	4,489.	6,061.
	36"	20"	64"	RC662G-() () ()	2,961.	3,879.	4,462.	6,024.
	36"	24"	64"	RC663G-() () ()	3,276.	4,294.	4,940.	6,670.

Requires two lock cores per cabinet

Cabinet with two sets of hinged doors, two pull-out shelves and ventilation Audio visual cabinet 	30"	20"	64"	RC632I-() () ()	2,965.	3,885.	4,468.	6,032.
	30"	24"	64"	RC633I-() () ()	3,263.	4,276.	4,921.	6,642.
	36"	20"	64"	RC662I-() () ()	3,171.	4,158.	4,781.	6,454.
	36"	24"	64"	RC663I-() () ()	3,470.	4,550.	5,229.	7,060.


Requires two lock cores per cabinet

Cabinet with BBF below and hinged doors above 	16"	20"	64"	RC612P(L/R)-() () ()	2,217.	2,903.	3,338.	4,507.
	16"	24"	64"	RC613P(L/R)-() () ()	2,445.	3,204.	3,686.	4,977.
	30"	20"	64"	RC632P-() () ()	2,586.	3,390.	3,899.	5,263.
	30"	24"	64"	RC633P-() () ()	2,841.	3,723.	4,278.	5,775.
	36"	20"	64"	RC662P-() () ()	2,847.	3,728.	4,289.	5,791.
	36"	24"	64"	RC663P-() () ()	3,121.	4,096.	4,708.	6,355.


Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: RC612LLWJN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 439.
1 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
L Left hand hinge location	6. Finish, cabinet	Applicable finishes are listed on page 5 and 6.
L Laminate finish type	7. Finish, pull when applicable	
W Wood interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
N No lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 513 for keying instructions.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Cabinets, 26 1/2" planning 72" high, metal interiors

description	width	depth	height	pattern number	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with open shelving	30"	20"	72"	RC732B-()()	\$1,790.	\$2,348.	\$2,701.	\$3,647.
	30"	24"	72"	RC733B-()()	1,985.	2,600.	2,992.	4,040.
	36"	20"	72"	RC762B-()()	2,026.	2,655.	3,054.	4,123.
	36"	24"	72"	RC763B-()()	2,221.	2,909.	3,346.	4,519.

Open cabinets require no keying instructions
Shelves painted metal

 Cabinet with hinged doors and shelves	16"	20"	72"	RC712C(L/R)-()()()	1,887.	2,472.	2,845.	3,841.
	16"	24"	72"	RC713C(L/R)-()()()	2,095.	2,746.	3,157.	4,261.
	30"	20"	72"	RC732C-()()()	2,463.	3,230.	3,714.	5,015.
	30"	24"	72"	RC733C-()()()	2,733.	3,581.	4,119.	5,560.
	36"	20"	72"	RC762C-()()()	2,723.	3,571.	4,106.	5,542.
	36"	24"	72"	RC763C-()()()	3,022.	3,957.	4,553.	6,147.


Requires one lock core per cabinet
Shelves painted metal

Order Code	Specification Information	Application Notes
Example: RC732BLMNN R Reff C Cabinets 7 72" high 3 30" wide 2 20" deep B Full bookcase L Laminate finish M Metal interior N No drilling N No drilling	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Hinge location, where applicable Finish type Interior option Pull option Lock option, where applicable Finish, cabinet Finish, pull when applicable Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D Right hand side of cabinet drilling: same as #8 above. Keying instructions <p>*After specifying product code, provide keying instructions.</p>	<p>1. <i>Hinge location:</i> L = Left hand R = Right hand</p> <p>2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</p> <p>3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)</p> <p>4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)</p> <p>5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling</p> <p>10. Refer to page 513 for keying instructions.</p> <p>Key alike are field installed using the KnollKey order form. Random locks are factory installed.</p> <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.</p> <p>Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 439.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers do not support bottom loading.</p> <p>Applicable finishes are listed on page 5 and 6.</p>

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning 72" high, metal interiors

description	width	depth	height	pattern number	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	RC732E(L/R)-()()()	\$2,896.	\$3,794.	\$4,367.	\$5,894.
	30"	24"	72"	RC733E(L/R)-()()()	3,239.	4,244.	4,883.	6,591.
	36"	20"	72"	RC762E(L/R)-()()()	3,175.	4,160.	4,784.	6,457.
	36"	24"	72"	RC763E(L/R)-()()()	3,543.	4,650.	5,343.	7,214.



Left hand shown

Requires one lock core per cabinet
Shelves painted metal

Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	1. Hinge location: L = Left hand R = Right hand
C Cabinets	2. Finish type	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3
7 72" high	3. Interior option	3. Interior options: M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
3 30" wide	4. Pull option	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
2 20" deep	5. Lock option, where applicable	5. Lock options: L = Lock hole drilled N = No lock drilling
B Full bookcase	6. Finish, cabinet	10. Refer to page 513 for keying instructions.
L Laminate finish	7. Finish, pull when applicable	
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions *After specifying product code, provide keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 439.


File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2" planning 72" high, metal interiors

description	width	depth	height	pattern number	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with four files and hinged doors above.	30"	20"	72"	RC732F-() () ()	\$2,941.	\$3,854.	\$4,434.	\$5,984.
	30"	24"	72"	RC733F-() () ()	3,268.	4,281.	4,924.	6,647.
	36"	20"	72"	RC762F-() () ()	3,249.	4,257.	4,894.	6,608.
	36"	24"	72"	RC763F-() () ()	3,606.	4,728.	5,436.	7,338.




Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"
Shelves painted metal

Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	1. Hinge location: L = Left hand R = Right hand
C Cabinets	2. Finish type	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3
7 72" high	3. Interior option	3. Interior options: M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
3 30" wide	4. Pull option	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
2 20" deep	5. Lock option, where applicable	5. Lock options: L = Lock hole drilled N = No lock drilling
B Full bookcase	6. Finish, cabinet	10. Refer to page 513 for keying instructions.
L Laminate finish	7. Finish, pull when applicable	
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning 72" high, metal interiors

description	width	depth	height	pattern number	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with two files and hinged doors above	16"	20"	72"	RC712G(L/R)-() () ()	\$2,137.	\$2,798.	\$3,221.	\$4,347.
	16"	24"	72"	RC713G(L/R)-() () ()	2,342.	3,106.	3,572.	4,821.
	30"	20"	72"	RC732G-() () ()	2,712.	3,557.	4,088.	5,520.
	30"	24"	72"	RC733G-() () ()	2,983.	3,909.	4,493.	6,067.
	36"	20"	72"	RC762G-() () ()	2,946.	3,860.	4,441.	5,995.
	36"	24"	72"	RC763G-() () ()	3,217.	4,217.	4,849.	6,546.


Requires two lock cores per cabinet
Shelves painted metal

Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	Key alike are field installed using the KnollKey order form. Random locks are factory installed. Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders. Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 439. File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading. Applicable finishes are listed on page 5 and 6.
C Cabinets	2. Finish type	
7 72" high	3. Interior option	
3 30" wide	4. Pull option	
2 20" deep	5. Lock option, where applicable	
B Full bookcase	6. Finish, cabinet	
L Laminate finish	7. Finish, pull when applicable	
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling	
N No drilling	Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
	10. Keying instructions *After specifying product code, provide keying instructions.	
	1. <i>Hinge location:</i> L = Left hand R = Right hand 2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal) 4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only) 5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling 10. Refer to page 513 for keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.


Cabinets, 26 1/2" planning 72" high, metal interiors

description	width	depth	height	pattern number	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with hinged doors below and open shelf above.	30"	20"	72"	RC732H-()()()	\$2,366.	\$3,097.	\$3,563.	\$4,810.
	30"	24"	72"	RC733H-()()()	2,615.	3,423.	3,937.	5,316.
	36"	20"	72"	RC762H-()()()	2,599.	3,404.	3,913.	5,283.
	36"	24"	72"	RC763H-()()()	2,850.	3,729.	4,290.	5,792.



Requires one lock core per cabinet
Shelves painted metal

Cabinet with BBF below and hinged doors above	16"	20"	72"	RC712P(L/R)-()()()	2,219.	2,905.	3,342.	4,512.
	16"	24"	72"	RC713P(L/R)-()()()	2,445.	3,204.	3,686.	4,977.
	30"	20"	72"	RC732P-()()()	2,618.	3,430.	3,946.	5,328.
	30"	24"	72"	RC733P-()()()	2,888.	3,786.	4,353.	5,876.
	36"	20"	72"	RC762P-()()()	2,893.	3,791.	4,358.	5,884.
	36"	24"	72"	RC763P-()()()	3,192.	4,179.	4,808.	6,491.




Requires two lock cores per cabinet
Shelves and drawer interiors metal

Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	1. Hinge location: L = Left hand R = Right hand
C Cabinets	2. Finish type	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3
7 72" high	3. Interior option	3. Interior options: M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
3 30" wide	4. Pull option	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
2 20" deep	5. Lock option, where applicable	5. Lock options: L = Lock hole drilled N = No lock drilling
B Full bookcase	6. Finish, cabinet	10. Refer to page 513 for keying instructions.
L Laminate finish	7. Finish, pull when applicable	
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
N No drilling		Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
	*After specifying product code, provide keying instructions.	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 439.
		File drawers include file bars for front to back and side to side filing.
		File drawers do not support bottom loading.
		Applicable finishes are listed on page 5 and 6.


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning 72" high, wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with open shelving	30"	20"	72"	RC732B- () ()	\$1,924.	\$2,523.	\$2,901.	\$3,916.
	30"	24"	72"	RC733B- () ()	2,118.	2,778.	3,193.	4,311.
	36"	20"	72"	RC762B- () ()	2,161.	2,832.	3,256.	4,395.
	36"	24"	72"	RC763B- () ()	2,354.	3,086.	3,548.	4,791.

Open cabinets require no keying instructions

 Cabinet with hinged doors and shelves	16"	20"	72"	RC712C(L/R)- () () ()	2,023.	2,649.	3,046.	4,112.
	16"	24"	72"	RC713C(L/R)- () () ()	2,228.	2,922.	3,359.	4,534.
	30"	20"	72"	RC732C- () () ()	2,598.	3,404.	3,913.	5,283.
	30"	24"	72"	RC733C- () () ()	2,868.	3,759.	4,323.	5,836.
	36"	20"	72"	RC762C- () () ()	2,856.	3,745.	4,307.	5,814.
	36"	24"	72"	RC763C- () () ()	3,156.	4,136.	4,755.	6,420.


Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	
7 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 439.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
B Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions *After specifying product code, provide keying instructions.	
	1. Hinge location: L = Left hand R = Right hand	
	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	
	3. Interior options: W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)	
	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. Lock options: L = Lock hole drilled N = No lock drilling	
	10. Refer to page 513 for keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning 72" high, wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	RC732E(L/R)-() () ()	\$3,029.	\$3,971.	\$4,566.	\$6,164.
	30"	24"	72"	RC733E(L/R)-() () ()	3,372.	4,421.	5,084.	6,863.
	36"	20"	72"	RC762E(L/R)-() () ()	3,309.	4,336.	4,988.	6,734.
	36"	24"	72"	RC763E(L/R)-() () ()	3,680.	4,823.	5,548.	7,489.



Left hand shown


Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	1. <i>Hinge location:</i> L = Left hand R = Right hand
C Cabinets	2. Finish type	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
7 72" high	3. Interior option	3. <i>Interior options:</i> W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)
3 30" wide	4. Pull option	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
2 20" deep	5. Lock option, where applicable	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling
B Full bookcase	6. Finish, cabinet	10. Refer to page 513 for keying instructions.
L Laminate finish	7. Finish, pull when applicable	
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
N No drilling	10. Keying instructions	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
	*After specifying product code, provide keying instructions.	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 439.
		File drawers include file bars for front to back and side to side filing.
		File drawers do not support bottom loading.
		Applicable finishes are listed on page 5 and 6.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning 72" high, wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with four files and hinged doors above.	30"	20"	72"	RC732F-() () ()	\$3,075.	\$4,029.	\$4,633.	\$6,254.
	30"	24"	72"	RC733F-() () ()	3,402.	4,458.	5,125.	6,918.
	36"	20"	72"	RC762F-() () ()	3,383.	4,436.	5,112.	6,901.
	36"	24"	72"	RC763F-() () ()	3,739.	4,902.	5,640.	7,615.



Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"

Order Code

Example:	RC732BLWNN
R	Reff
C	Cabinets
7	72" high
3	30" wide
2	20" deep
B	Full bookcase
L	Laminate finish
W	Wood interior
N	No drilling
N	No drilling

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Specification Information

To order please specify pattern number including:

- Hinge location, where applicable
- Finish type
- Interior option
- Pull option
- Lock option, where applicable
- Finish, cabinet
- Finish, pull when applicable
- Left hand side of cabinet drilling:
N = No drilling
Size to drill for each workwall:
S0 = 19"H x 15"D
S1 = 19"H x 20"D
T0 = 23"H x 15"D
T1 = 23"H x 20"D
- Right hand side of cabinet drilling: same as #8 above.
- Keying instructions

*After specifying product code, provide keying instructions.

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

10. Refer to page 513 for keying instructions.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.


Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 439.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2" planning 72" high, wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
 Cabinet with two files and hinged doors above	16"	20"	72"	RC712G(L/R)-() () ()	\$2,272.	\$2,977.	\$3,423.	\$4,620.
	16"	24"	72"	RC713G(L/R)-() () ()	2,504.	3,281.	3,773.	5,093.
	30"	20"	72"	RC732G-() () ()	2,848.	3,729.	4,290.	5,792.
	30"	24"	72"	RC733G-() () ()	3,116.	4,085.	4,696.	6,341.
	36"	20"	72"	RC762G-() () ()	3,081.	4,037.	4,643.	6,268.
	36"	24"	72"	RC763G-() () ()	3,353.	4,394.	5,053.	6,821.


Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes	
Example: RC732BLWNN R Reff C Cabinets 7 72" high 3 30" wide 2 20" deep B Full bookcase L Laminate finish W Wood interior N No drilling N No drilling	<i>To order please specify pattern number including:</i> 1. Hinge location, where applicable 2. Finish type 3. Interior option 4. Pull option 5. Lock option, where applicable 6. Finish, cabinet 7. Finish, pull when applicable 8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D 9. Right hand side of cabinet drilling: same as #8 above. 10. Keying instructions *After specifying product code, provide keying instructions.	1. <i>Hinge location:</i> L = Left hand R = Right hand 2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 3. <i>Interior options:</i> W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer) 4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only) 5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling 10. Refer to page 513 for keying instructions.	Key alike are field installed using the KnollKey order form. Random locks are factory installed. Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders. Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 439. File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading. Applicable finishes are listed on page 5 and 6.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.


Cabinets, 26 1/2" planning 72" high, wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with hinged doors below and open shelf above.	30"	20"	72"	RC732H- () () ()	\$2,494.	\$3,271.	\$3,763.	\$5,079.
	30"	24"	72"	RC733H- () () ()	2,743.	3,598.	4,137.	5,585.
	36"	20"	72"	RC762H- () () ()	2,730.	3,576.	4,113.	5,553.
	36"	24"	72"	RC763H- () () ()	2,978.	3,903.	4,489.	6,061.



Requires one lock core per cabinet

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Wardrobe cabinet	16"	20"	72"	RC712D(L/R)- () () ()	1,699.	2,228.	2,562.	3,459.
	16"	24"	72"	RC713D(L/R)- () () ()	1,870.	2,451.	2,818.	3,804.
	30"	20"	72"	RC732D- () () ()	2,140.	2,805.	3,224.	4,352.
	30"	24"	72"	RC733D- () () ()	2,351.	3,082.	3,544.	4,786.
	36"	20"	72"	RC762D- () () ()	2,352.	3,084.	3,547.	4,790.
	36"	24"	72"	RC763D- () () ()	2,586.	3,390.	3,899.	5,263.



Requires one lock core per cabinet.
Order coat rod and boot tray from accessories

Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
C Cabinets	2. Finish type	
7 72" high	3. Interior option	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
3 30" wide	4. Pull option	
2 20" deep	5. Lock option, where applicable	
B Full bookcase	6. Finish, cabinet	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
L Laminate finish	7. Finish, pull when applicable	
W Wood interior	8. Left hand side of cabinet drilling:	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 439.
N No drilling	N = No drilling	
N No drilling	Size to drill for each workwall:	File drawers include file bars for front to back and side to side filing.
	S0 = 19"H x 15"D	
	S1 = 19"H x 20"D	File drawers do not support bottom loading.
	T0 = 23"H x 15"D	
	T1 = 23"H x 20"D	Applicable finishes are listed on page 5 and 6.
	9. Right hand side of cabinet drilling: same as #8 above.	
	10. Keying instructions	10. Refer to page 513 for keying instructions.
	*After specifying product code, provide keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.


Cabinets, 26 1/2" planning 72" high, wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Audio visual cabinet with two sets of hinged doors, two pull out shelves and ventilation	30"	20"	72"	RC732I- () () ()	\$3,286.	\$4,305.	\$4,950.	\$6,683.
	30"	24"	72"	RC733I- () () ()	3,626.	4,753.	5,468.	7,381.
	36"	20"	72"	RC762I- () () ()	3,564.	4,672.	5,374.	7,255.
	36"	24"	72"	RC763I- () () ()	3,935.	5,159.	5,934.	8,010.



Requires two lock cores per cabinet
Hinge opening 110°

Cabinet with BBF below and hinged doors above	16"	20"	72"	RC712P(L/R)- () () ()	2,351.	3,082.	3,544.	4,786.
	16"	24"	72"	RC713P(L/R)- () () ()	2,580.	3,382.	3,888.	5,250.
	30"	20"	72"	RC732P- () () ()	2,754.	3,609.	4,150.	5,603.
	30"	24"	72"	RC733P- () () ()	3,023.	3,961.	4,554.	6,149.
	36"	20"	72"	RC762P- () () ()	3,027.	3,966.	4,561.	6,158.
	36"	24"	72"	RC763P- () () ()	3,325.	4,357.	5,011.	6,766.



Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	
7 72" high	3. Interior option	
3 30" wide	4. Pull option	
2 20" deep	5. Lock option, where applicable	
B Full bookcase	6. Finish, cabinet	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
L Laminate finish	7. Finish, pull when applicable	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 439.
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling	File drawers include file bars for front to back and side to side filing.
N No drilling	Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	File drawers do not support bottom loading.
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	Applicable finishes are listed on page 5 and 6.
	10. Keying instructions	
	*After specifying product code, provide keying instructions.	
	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	10. Refer to page 513 for keying instructions.	


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning


Freestanding Multifunction Cabinets

49", 64" and 72" high metal interiors

description	type	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Freestanding multifunctional cabinet, 49"h	File/File	24"	24"	49"	RC423M (X)(X)(X)	\$2,612.	\$3,626.	\$4,201.	\$5,041.
	Box/Box/File	24"	24"	49"	RC423N (X)(X)(X)	2,796.	3,818.	4,417.	5,300.



Freestanding multifunctional cabinet, 64"h	File/File	24"	24"	64"	RC623M (X)(X)(X)	2,814.	3,941.	4,677.	5,612.
	Box/Box/File	24"	24"	64"	RC623N (X)(X)(X)	2,999.	4,133.	4,866.	5,839.



Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	1. Hinge location: L = Left hand R = Right hand
C Cabinets	2. Finish type	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3
7 72" high	3. Interior option	3. Interior options: M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
3 30" wide	4. Pull option	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
2 20" deep	5. Lock option, where applicable	5. Lock options: L = Lock hole drilled N = No lock drilling
B Full bookcase	6. Finish, cabinet	10. Refer to page 513 for keying instructions.
L Laminate finish	7. Finish, pull when applicable	
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions *After specifying product code, provide keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 439.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.


Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2" planning

Freestanding Multifunction Cabinets

49", 64" and 72" high metal interiors

description	type	w	d	h	pattern no.	metal	metal	metal	metal
						interiors L	interiors V1	interiors V2	interiors V3
Freestanding multifunctional cabinet, 72"h	File/File	24"	24"	72"	RC723M () () ()	\$2,957.	\$4,141.	\$4,946.	\$5,935.
	Box/Box/File	24"	24"	72"	RC723N () () ()	3,141.	4,334.	5,142.	6,170.



Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	1. <i>Hinge location:</i> L = Left hand R = Right hand
C Cabinets	2. Finish type	
7 72" high	3. Interior option	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
3 30" wide	4. Pull option	
2 20" deep	5. Lock option, where applicable	
B Full bookcase	6. Finish, cabinet	3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
L Laminate finish	7. Finish, pull when applicable	
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
N No drilling	Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling
	10. Keying instructions	
	*After specifying product code, provide keying instructions.	10. Refer to page 513 for keying instructions.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.


Cabinets, 26 1/2" planning

Freestanding Multifunction Cabinets


49", 64" and 72" high wood interiors

Reff Profiles

description	type	w	d	h	pattern no.	wood	wood	wood	wood
						interiors	interiors	interiors	interiors
						L	V1	V2	V3
Freestanding multifunctional cabinet, 49"h	File/File	24"	24"	49"	RC423M () () ()	\$3,006.	\$4,021.	\$4,596.	\$5,515.
	Box/Box/File	24"	24"	49"	RC423N () () ()	3,371.	4,393.	4,992.	5,990.



Freestanding multifunctional cabinet, 64"h	File/File	24"	24"	64"	RC623M () () ()	3,209.	4,336.	5,072.	6,086.
	Box/Box/File	24"	24"	64"	RC623N () () ()	3,573.	4,708.	5,441.	6,529.



Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
C Cabinets	2. Finish type	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
7 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 439.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
B Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions *After specifying product code, provide keying instructions.	
	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	10. Refer to page 513 for keying instructions.	


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning

Freestanding Multifunction Cabinets

49", 64" and 72" high wood interiors

description	type	w	d	h	pattern no.	wood	wood	wood	wood
						interiors	interiors	interiors	interiors
						L	V1	V2	V3
Freestanding multifunctional cabinet, 72"h	File/File	24"	24"	72"	RC723M () () ()	\$3,351.	\$4,536.	\$5,340.	\$6,408.
	Box/Box/File	24"	24"	72"	RC723N () () ()	3,716.	4,909.	5,717.	6,860.





Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	1. <i>Hinge location:</i> L = Left hand R = Right hand
C Cabinets	2. Finish type	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
7 72" high	3. Interior option	3. <i>Interior options:</i> W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)
3 30" wide	4. Pull option	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
2 20" deep	5. Lock option, where applicable	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling
B Full bookcase	6. Finish, cabinet	10. Refer to page 513 for keying instructions.
L Laminate finish	7. Finish, pull when applicable	
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
N No drilling	10. Keying instructions	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
	*After specifying product code, provide keying instructions.	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 439.
		File drawers include file bars for front to back and side to side filing.
		File drawers do not support bottom loading.
		Applicable finishes are listed on page 5 and 6.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 28³/₈" planning 72" high, metal interiors

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Open bookcase (for desk height planning)	30"	20"	72"	RC7232DHB () ()	\$1,790.	\$2,348.	\$2,701.	\$3,647.
	30"	24"	72"	RC7233DHB () ()	1,985.	2,600.	2,992.	4,040.
	36"	20"	72"	RC7262DHB () ()	2,026.	2,655.	3,054.	4,123.
	36"	24"	72"	RC7263DHB () ()	2,221.	2,909.	3,346.	4,519.
 Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	72"	RC7232DHFH () () () ()	2,941.	3,854.	4,434.	5,984.
	30"	24"	72"	RC7233DHFH () () () ()	3,268.	4,218.	4,924.	6,647.
	36"	20"	72"	RC7262DHFH () () () ()	3,249.	4,257.	4,894.	6,608.
	36"	24"	72"	RC7263DHFH () () () ()	3,606.	4,728.	5,463.	7,338.

Order Code

Example:	RC732DHB(2)(M)(V316)
R	Reff
C	Cabinet
72	72" h (nominal)
3	30" w (nominal)
2	20" d (nominal)
DH	Desk height
B	Open bookcase
2	Finish type, V2
M	Interior option, metal
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information


- To order please specify pattern number including:
- Hinge location (where applicable)**
L = left hand
R = right hand
 - Finish type**
L = laminate
1 = V1
2 = V2
3 = V3
 - Interior Option**
M = metal (metal shelves or metal drawers)
(If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
 - Pull Option (where applicable)**
D = metal D-pull (finish optional)
J = routed J-pull (finish matches case)
C = nickel finish C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
R = Cylinder
T = Tab
F = Bar
H = Out Line
 - Lock option (where applicable)**
Optional hinged door configurations only
Drawers always lock drilled
L = drilled to accept lock
N = no drilling

Application Notes

- Cabinet finish**
 - Optional pull finish where applicable**
- Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 513.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
- Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.
- Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.**
- Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
- File drawers include file bars for front to back and side to side filing.
- File drawers support bottom loading.
- Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 439.

Cabinets, 28³/₈" planning 72" high, metal interiors

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/upper hinged doors&2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	72"	RC7212DHGH(L/R) () () ()	\$2,137.	\$2,798.	\$3,221.	\$4,347.
	16"	24"	72"	RC7213DHGH(L/R) () () ()	2,342.	3,106.	3,572.	4,821.
	30"	20"	72"	RC7232DHGH () () ()	2,712.	3,557.	4,088.	5,520.
	30"	24"	72"	RC7233DHGH () () ()	2,983.	3,909.	4,493.	6,067.
	36"	20"	72"	RC7262DHGH () () ()	2,946.	3,860.	4,441.	5,995.
	36"	24"	72"	RC7263DHGH () () ()	3,217.	4,217.	4,849.	6,546.



Order Code

Example:	RC732DHB(2)(M)(V316)
R	Reff
C	Cabinet
72	72" h (nominal)
3	30" w (nominal)
2	20" d (nominal)
DH	Desk height
B	Open bookcase
2	Finish type, V2
M	Interior option, metal
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

- To order please specify pattern number including:
- Hinge location (where applicable)**
L = left hand
R = right hand
 - Finish type**
L = laminate
1 = V1
2 = V2
3 = V3
 - Interior Option**
M = metal (metal shelves or metal drawers)
(If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
 - Pull Option (where applicable)**
D = metal D-pull (finish optional)
J = routed J-pull (finish matches case)
C = nickel finish C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
R = Cylinder
T = Tab
F = Bar
H = Out Line
 - Lock option (where applicable)**
Optional hinged door configurations only
Drawers always lock drilled
L = drilled to accept lock
N = no drilling

Application Notes


- Cabinet finish**
 - Optional pull finish where applicable**

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 513.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
- Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.
- Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.**
- Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
- File drawers include file bars for front to back and side to side filing.
- File drawers support bottom loading.
- Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 439.

Cabinets, 28³/₈" planning 72" high, metal interiors

Reff Profiles

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	72"	RC7232DHEH(L/R) () () ()	\$2,896.	\$3,794.	\$4,367.	\$5,894.
	30"	24"	72"	RC7233DHEH(L/R) () () ()	3,239.	4,244.	4,883.	6,591.
	36"	20"	72"	RC7262DHEH(L/R) () () ()	3,175.	4,160.	4,784.	6,457.
	36"	24"	72"	RC7263DHEH(L/R) () () ()	3,543.	4,650.	5,343.	7,214.



Left hand shown

Requires one lock core per cabinet
Shelves painted metal


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	
R Reff	6. <i>Cabinet finish</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
C Cabinet	7. <i>Optional pull finish where applicable</i>	
72 72" h (nominal)	1. <i>Hinge location (where applicable)</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 513. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
3 30" w (nominal)	L = left hand R = right hand	
2 20" d (nominal)	2. <i>Finish type</i>	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
DH Desk height	L = laminate 1 = V1 2 = V2 3 = V3	
B Open bookcase	3. <i>Interior Option</i>	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
2 Finish type, V2	M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
M Interior option, metal	4. <i>Pull Option (where applicable)</i>	File drawers include file bars for front to back and side to side filing.
V316 Finish, light maple	D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	
	5. <i>Lock option (where applicable)</i>	File drawers support bottom loading.
	Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
		Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 439.

Applicable finishes are listed on page 5 and 6.


Cabinets, 28³/₈" planning 72" high, wood interiors

Reff Profiles


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors	interiors	interiors	interiors
					L	V1	V2	V3
Open bookcase (for desk height planning)	30"	20"	72"	RC7232DHB () ()	\$1,924.	\$2,523.	\$2,901.	\$3,916.
	30"	24"	72"	RC7233DHB () ()	2,118.	2,778.	3,193.	4,311.
	36"	20"	72"	RC7262DHB () ()	2,161.	2,832.	3,256.	4,395.
	36"	24"	72"	RC7263DHB () ()	2,354.	3,086.	3,548.	4,791.



Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	72"	RC7232DHFH () () () ()	3,075.	4,029.	4,633.	6,254.
	30"	24"	72"	RC7233DHFH () () () ()	3,402.	4,458.	5,125.	6,918.
	36"	20"	72"	RC7262DHFH () () () ()	3,383.	4,436.	5,112.	6,901.
	36"	24"	72"	RC7263DHFH () () () ()	3,739.	4,902.	5,640.	7,615.



Storage w/upper hinged doors&2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	72"	RC7212DHGH(L/R) () () ()	2,272.	2,977.	3,423.	4,620.
	16"	24"	72"	RC7213DHGH(L/R) () () ()	2,504.	3,281.	3,773.	5,093.
	30"	20"	72"	RC7232DHGH () () ()	2,848.	3,729.	4,290.	5,792.
	30"	24"	72"	RC7233DHGH () () ()	3,116.	4,085.	4,696.	6,341.
	36"	20"	72"	RC7262DHGH () () ()	3,081.	4,037.	4,643.	6,268.
	36"	24"	72"	RC7263DHGH () () ()	3,353.	4,394.	5,053.	6,821.




Order Code	Specification Information	Application Notes
<p>Example: RC732DHB(2)(W)(V316)</p> <p>R Reff</p> <p>C Cabinet</p> <p>72 72" h (nominal)</p> <p>3 30" w (nominal)</p> <p>2 20" d (nominal)</p> <p>DH Desk height</p> <p>B Open bookcase</p> <p>2 Finish type, V2</p> <p>W Interior option, wood</p> <p>V316 Finish, light maple</p>	<p>To order please specify pattern number including:</p> <p>1. <i>Hinge location (where applicable)</i> L = left hand R = right hand</p> <p>2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3</p> <p>3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)</p> <p>4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line</p> <p>5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling</p>	<p>6. <i>Cabinet finish</i></p> <p>7. <i>Optional pull finish where applicable</i></p> <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 513. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 439.</p>

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 72" high, wood interiors

Reff Profiles


description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	24"	72"	RC7233DHEH(L/R) () () ()	\$3,372.	\$4,421.	\$5,084.	\$6,863.
	36"	20"	72"	RC7262DHEH(L/R) () () ()	3,309.	4,336.	4,988.	6,734.
	36"	24"	72"	RC7263DHEH(L/R) () () ()	3,680.	4,823.	5,548.	7,489.



Left hand shown

Requires one lock core per cabinet.
Shelves painted metal

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Wardrobe cabinet (for desk height planning)	16"	20"	72"	RC7212DHDH(L/R) () () ()	1,699.	2,228.	2,562.	3,459.
	16"	24"	72"	RC7213DHDH(L/R) () () ()	1,870.	2,451.	2,818.	3,804.
	30"	20"	72"	RC7232DHDH () () ()	2,140.	2,805.	3,224.	4,352.
	30"	24"	72"	RC7233DHDH () () ()	2,351.	3,082.	3,544.	4,786.
	36"	20"	72"	RC7262DHDH () () ()	2,352.	3,084.	3,547.	4,790.
	36"	24"	72"	RC7263DHDH () () ()	2,586.	3,390.	2,899.	5,263.



Requires one lock core per cabinet.
Order coat rod and hood tray from accessories


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	<p>Cabinets on this page are engineered to align with front sets of 28³/₈" h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 439.</p>
R	Reff	
C	Cabinet	
72	72" h (nominal)	
3	30" w (nominal)	
2	20" d (nominal)	
DH	Desk height	
B	Open bookcase	
2	Finish type, V2	
W	Interior option, wood	
V316	Finish, light maple	
	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	
	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	
	4. <i>Pull Option (where applicable) optional</i> D = metal D-pull (finish matches case) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	
	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
	6. <i>Cabinet finish</i>	
	7. <i>Optional pull finish where applicable</i>	
	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 513. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 75" high, metal interiors


Reff Profiles

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Open bookcase (for desk height planning)	30"	20"	75"	RC732DHB () () () ()	\$1,881.	\$2,464.	\$2,834.	\$3,827.
	30"	24"	75"	RC733DHB () () () ()	2,084.	2,730.	3,140.	4,240.
	36"	20"	75"	RC762DHB () () () ()	2,128.	2,788.	3,206.	4,328.
	36"	24"	75"	RC763DHB () () () ()	2,331.	3,057.	3,514.	4,744.



Shelves painted metal

Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	75"	RC732DHE(L/R) () () () () ()	3,041.	3,981.	4,584.	6,187.
	30"	24"	75"	RC733DHE(L/R) () () () () ()	3,399.	4,456.	5,128.	6,922.
	36"	20"	75"	RC762DHE(L/R) () () () () ()	3,334.	4,370.	5,023.	6,781.
	36"	24"	75"	RC763DHE(L/R) () () () () ()	3,719.	4,882.	5,609.	7,572.



Requires one lock core per cabinet
Shelves painted metal

Left hand shown

Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	
R Reff	6. <i>Cabinet finish</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
C Cabinet	7. <i>Optional pull finish where applicable</i>	
7 75" h (nominal)	8. <i>Optional drilling to support workwall, left side</i>	75" nominal height - actual height 75.125"
3 30" w (nominal)	9. <i>Optional drilling to support workwall, right side</i>	
2 20" d (nominal)	1. <i>Hinge location (where applicable)</i>	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
DH Desk height	L = left hand	File drawers include file bars for front to back and side to side filing.
B Open bookcase	R = right hand	
2 Finish type, V2	2. <i>Finish type</i>	File drawers support bottom loading.
M Interior option, metal	L = laminate	Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 439.
V316 Finish, light maple	1 = V1	
	2 = V2	These 75" cabinets are intended to be used with the overdesk units only.
	3 = V3	
	3. <i>Interior Option</i>	
	M = metal (metal shelves or metal drawers)	
	(If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
	4. <i>Pull Option (where applicable)</i>	
	D = metal D-pull (finish optional)	
	J = routed J-pull (finish matches case)	
	C = nickel finish C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	
	R = Cylinder	
	T = Tab	
	F = Bar	
	H = Out Line	
	5. <i>Lock option (where applicable)</i>	
	Optional hinged door configurations only	
	Drawers always lock drilled	
	L = drilled to accept lock	
	N = no drilling	

Applicable finishes are listed on page 5 and 6.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 513.

Random locks are factory installed. Key-alike are field installed using the KnollKey order form.


Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Cabinets, 28³/₈" planning 75" high, metal interiors

Reff Profiles

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	75"	RC712DHG(L/R) () () (L) () () ()	\$2,244.	\$2,940.	\$3,382.	\$4,566.
	16"	24"	75"	RC713DHG(L/R) () () (L) () () ()	2,459.	3,259.	3,749.	5,062.
	30"	20"	75"	RC732DHG () () (L) () () ()	2,849.	3,734.	4,292.	5,795.
	30"	24"	75"	RC733DHG () () (L) () () ()	3,133.	4,104.	4,721.	6,372.
	36"	20"	75"	RC762DHG () () (L) () () ()	3,092.	4,053.	4,663.	6,296.
	36"	24"	75"	RC763DHG () () (L) () () ()	3,378.	4,427.	5,092.	6,875.



Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	
R Reff	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	
C Cabinet	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
7 75" h (nominal)	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
3 30" w (nominal)	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	
2 20" d (nominal)	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
DH Desk height	6. <i>Cabinet finish</i>	
B Open bookcase	7. <i>Optional pull finish where applicable</i>	
2 Finish type, V2	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	
M Interior option, metal	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above	
V316 Finish, light maple		

Applicable finishes are listed on page 5 and 6.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 513.

Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

75" nominal height - actual height 75.125"

Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 439.

These 75" cabinets are intended to be used with the overdesk units only.

Cabinets, 28³/₈" planning 75" high, metal interiors

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	75"	RC732DHK () () () L () () ()	\$2,759.	\$3,621.	\$4,179.	\$5,641.
	30"	24"	75"	RC733DHK () () () L () () ()	3,043.	3,989.	4,606.	6,218.
	36"	20"	75"	RC762DHK () () () L () () ()	3,002.	3,939.	4,550.	6,142.
	36"	24"	75"	RC763DHK () () () L () () ()	3,288.	4,314.	4,979.	6,721.



Requires one lock core per cabinet
Shelves painted metal, drawer interiors painted black metal


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	
R Reff	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	6. <i>Cabinet finish</i>
C Cabinet	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	7. <i>Optional pull finish where applicable</i>
7 75" h (nominal)	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d
3 30" w (nominal)	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above
2 20" d (nominal)	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 513. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
DH Desk height		Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
B Open bookcase		75" nominal height - actual height 75.125"
2 Finish type, V2		Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
M Interior option, metal		File drawers include file bars for front to back and side to side filing.
V316 Finish, light maple		File drawers support bottom loading.
		Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 439.
		These 75" cabinets are intended to be used with the overdesk units only.

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 75" high, metal interiors

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	75"	RC732DHF () () L () () ()	\$3,088.	\$4,046.	\$4,655.	\$6,284.
	30"	24"	75"	RC733DHF () () L () () ()	3,430.	4,494.	5,170.	6,980.
	36"	20"	75"	RC762DHF () () L () () ()	3,411.	4,471.	5,141.	6,941.
	36"	24"	75"	RC763DHF () () L () () ()	3,788.	4,963.	5,708.	7,706.





Requires two lock cores per cabinet
Drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	
R Reff	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration. 75" nominal height - actual height 75.125" Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing. File drawers include file bars for front to back and side to side filing. File drawers support bottom loading. Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 439. These 75" cabinets are intended to be used with the overdesk units only.
C Cabinet	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
7 75" h (nominal)	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
3 30" w (nominal)	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	
2 20" d (nominal)	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
DH Desk height	6. <i>Cabinet finish</i>	
B Open bookcase	7. <i>Optional pull finish where applicable</i>	
2 Finish type, V2	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	
M Interior option, metal	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above	
V316 Finish, light maple	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 513. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 75" high, wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Open bookcase (for desk height planning) 	30"	20"	75"	RC732DHB () () () ()	\$2,021.	\$2,647.	\$3,045.	\$4,111.
	30"	24"	75"	RC733DHB () () () ()	2,225.	2,916.	3,353.	4,525.
	36"	20"	75"	RC762DHB () () () ()	2,270.	2,974.	3,420.	4,616.
	36"	24"	75"	RC763DHB () () () ()	2,472.	3,242.	3,727.	5,032.
Wardrobe/bookcase combo w/full height doors (for desk height planning) 	30"	20"	75"	RC732DHE(L/R) () () () () ()	3,181.	4,168.	4,794.	6,472.
	30"	24"	75"	RC733DHE(L/R) () () () () ()	3,541.	4,643.	5,339.	7,208.
	36"	20"	75"	RC762DHE(L/R) () () () () ()	3,475.	4,553.	5,237.	7,070.
	36"	24"	75"	RC763DHE(L/R) () () () () ()	3,864.	5,067.	5,825.	7,864.

Requires one lock core per cabinet

Left hand shown

Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff	6. <i>Cabinet finish</i>	75" nominal height - actual height 75.125"
C Cabinet	7. <i>Optional pull finish where applicable</i>	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
7 75" h (nominal)	8. <i>Optional drilling to support workwall, left side</i>	File drawers include file bars for front to back and side to side filing.
3 30" w (nominal)	9. <i>Optional drilling to support workwall, right side</i>	File drawers support bottom loading.
2 20" d (nominal)	*drilling options same as #8 above	Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 439.
DH Desk height	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	These 75" cabinets are intended to be used with the overdesk units only.
B Open bookcase	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
2 Finish type, V2	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	
W Interior option, wood	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	
V316 Finish, light maple	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	


Applicable finishes are listed on page 5 and 6.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 513.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Cabinets, 28³/₈" planning 75" high, wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	75"	RC712DHG(L/R) () () () () ()	\$2,385.	\$3,124.	\$3,593.	\$4,851.
	16"	24"	75"	RC713DHG(L/R) () () () () ()	2,630.	3,444.	3,962.	5,349.
	30"	20"	75"	RC732DHG () () () () () ()	2,990.	3,915.	4,505.	6,081.
	30"	24"	75"	RC733DHG () () () () () ()	3,273.	4,289.	4,932.	6,657.
	36"	20"	75"	RC762DHG () () () () () ()	3,234.	4,239.	4,874.	6,580.
	36"	24"	75"	RC763DHG () () () () () ()	3,519.	4,613.	5,305.	7,163.



Requires two lock cores per cabinet


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	75" nominal height - actual height 75.125"
C Cabinet	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
7 75" h (nominal)	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	File drawers include file bars for front to back and side to side filing.
3 30" w (nominal)	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	File drawers support bottom loading.
2 20" d (nominal)	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 439.
DH Desk height	6. <i>Cabinet finish</i>	These 75" cabinets are intended to be used with the overdesk units only.
B Open bookcase	7. <i>Optional pull finish where applicable</i>	
2 Finish type, V2	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	
W Interior option, wood	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above	
V316 Finish, light maple	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 513. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 75" high, wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	75"	RC732DHK () () L () ()	\$2,900.	\$3,802.	\$4,390.	\$5,926.
	30"	24"	75"	RC733DHK () () L () ()	3,183.	4,174.	4,819.	6,505.
	36"	20"	75"	RC762DHK () () L () ()	3,144.	4,125.	4,762.	6,430.
	36"	24"	75"	RC763DHK () () L () ()	3,429.	4,499.	5,191.	7,008.



Requires one lock core per cabinet


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	
R Reff		
C Cabinet		
7 75" h (nominal)	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	
3 30" w (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
2 20" d (nominal)	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	
DH Desk height	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	
B Open bookcase	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
2 Finish type, V2	6. <i>Cabinet finish</i>	
W Interior option, wood	7. <i>Optional pull finish where applicable</i>	
V316 Finish, light maple	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above	75" nominal height - actual height 75.125"
		Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
		File drawers include file bars for front to back and side to side filing.
		File drawers support bottom loading.
		Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 439.
		These 75" cabinets are intended to be used with the overdesk units only.
		Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 513. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
		Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 75" high, wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	75"	RC732DHF () () L () () ()	\$3,230.	\$4,230.	\$4,867.	\$6,570.
	30"	24"	75"	RC733DHF () () L () () ()	3,573.	4,682.	5,383.	7,266.
	36"	20"	75"	RC762DHF () () L () () ()	3,553.	4,656.	5,370.	7,250.
	36"	24"	75"	RC763DHF () () L () () ()	3,927.	5,145.	5,923.	7,996.



Requires two lock cores per cabinet


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	
R Reff		
C Cabinet		
7 75" h (nominal)		
3 30" w (nominal)		
2 20" d (nominal)		
DH Desk height		
B Open bookcase		
2 Finish type, V2		
W Interior option, wood		
V316 Finish, light maple		
	<ol style="list-style-type: none"> <i>Hinge location (where applicable)</i> L = left hand R = right hand <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3 <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer) <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling <i>Cabinet finish</i> <i>Optional pull finish where applicable</i> <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above 	<p>Cabinets on this page are engineered to align with front sets of 28³/₈" pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.</p> <p>75" nominal height - actual height 75.125"</p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 439.</p> <p>These 75" cabinets are intended to be used with the overdesk units only.</p>
	<p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 513. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p>	

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 75" high, wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet with hinged doors for coat rod and boot tray	30"	20"	75"	RC732DHD () W () () ()	\$2,247.	\$2,945.	\$3,385.	\$4,570.
	30"	24"	75"	RC733DHD () W () () ()	2,469.	3,236.	3,721.	5,025.
	36"	20"	75"	RC762DHD () W () () ()	2,470.	3,238.	3,724.	5,030.
	36"	24"	75"	RC763DHD () W () () ()	2,715.	3,560.	4,094.	5,526.



Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	
R Reff		
C Cabinet		
7 75" h (nominal)	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
3 30" w (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
2 20" d (nominal)	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	
DH Desk height	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	
B Open bookcase		
2 Finish type, V2		
W Interior option, wood		
V316 Finish, light maple		
	6. <i>Cabinet finish</i> 7. <i>Optional pull finish where applicable</i> 8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	
	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above	
	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 513. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	File drawers include file bars for front to back and side to side filing.
	List price for woodgrain laminate options will be current published laminate list price plus 10%.	File drawers support bottom loading.
		Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 439.
		These 75" cabinets are intended to be used with the overdesk units only.


Applicable finishes are listed on page 5 and 6.

Cabinetry


Cabinets, 28³/₈" planning 86" high, metal interiors

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet, hinged doors/ shelves 4 file drawers	30"	20"	86"	RC832DHF () () () () ()	\$3,397.	\$4,451.	\$5,121.	\$6,912.
	30"	24"	86"	RC833DHF () () () () ()	3,773.	4,943.	5,687.	7,678.
	36"	20"	86"	RC862DHF () () () () ()	3,752.	4,918.	5,655.	7,635.



Cabinet, hinged doors/ shelves 2 file drawers	30"	20"	86"	RC832DHG () ()	3,134.	4,107.	4,721.	6,375.
	30"	24"	86"	RC833DHG () ()	3,446.	4,514.	5,193.	7,009.
	36"	20"	86"	RC862DHG () ()	3,401.	4,458.	5,129.	6,926.
	36"	24"	86"	RC863DHG () ()	3,716.	4,870.	5,601.	7,563.



Order Code

Example:	RC732DHB(2)(M)(V316)
R	Reff
C	Cabinet
8	86" h (nominal)
3	30" w (nominal)
2	20" d (nominal)
DH	Desk height
2	Finish type, V2
M	Interior option, metal
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

- To order please specify pattern number including:*
- Hinge location (where applicable)*
L = left hand
R = right hand
 - Finish type*
L = laminate
1 = V1
2 = V2
3 = V3
 - Interior Option*
M = metal (metal shelves or metal drawers)
(If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
 - Pull Option (where applicable)*
D = metal D-pull (finish optional)
J = routed J-pull (finish matches case)
C = nickel finish C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
R = Cylinder
T = Tab
F = Bar
H = Out Line
 - Lock option (where applicable)*
Optional hinged door configurations only
Drawers always lock drilled
L = drilled to accept lock
N = no drilling

Application Notes

- Cabinet finish*
- Optional pull finish where applicable*

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 513.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Cabinets on this page are engineered to align with front sets of 28³/₈" pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

86" nominal height - actual height 85.500"

Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.


File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 439.


Cabinets, 28³/₈" planning 86" high, metal interiors

Reff Profiles

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	86"	RC832DHK () ()	\$3,035.	\$3,983.	\$4,597.	\$6,205.
	30"	24"	86"	RC833DHK () ()	3,347.	4,388.	5,067.	6,840.
	36"	20"	86"	RC862DHK () ()	3,302.	4,333.	5,005.	6,756.
	36"	24"	86"	RC863DHK () ()	3,617.	4,745.	5,477.	7,393.



Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	86"	RC832DHO () ()	3,232.	4,286.	4,956.	6,747.
	30"	24"	86"	RC833DHO () ()	3,608.	4,778.	5,522.	7,513.
	36"	20"	86"	RC862DHO () ()	3,587.	4,753.	5,490.	7,470.
	36"	24"	86"	RC863DHO () ()	4,002.	5,294.	6,114.	8,312.



Order Code

Example:	RC732DHB(2)(M)(V316)
R	Reff
C	Cabinet
8	86" h (nominal)
3	30" w (nominal)
2	20" d (nominal)
DH	Desk height
2	Finish type, V2
M	Interior option, metal
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

- To order please specify pattern number including:*
- Hinge location (where applicable)*
L = left hand
R = right hand
 - Finish type*
L = laminate
1 = V1
2 = V2
3 = V3
 - Interior Option*
M = metal (metal shelves or metal drawers)
(If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
 - Pull Option (where applicable)*
D = metal D-pull (finish optional)
J = routed J-pull (finish matches case)
C = nickel finish C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
R = Cylinder
T = Tab
F = Bar
H = Out Line
 - Lock option (where applicable)*
Optional hinged door configurations only
Drawers always lock drilled
L = drilled to accept lock
N = no drilling

- Cabinet finish*
- Optional pull finish where applicable*

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 513.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets on this page are engineered to align with front sets of 28³/₈" pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.**

86" nominal height - actual height 85.500"

Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.


File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 439.

Cabinets, 28³/₈" planning 86" high, metal interiors

Reff Profiles

description	w	d	h	pattern no.	metal	metal	metal	metal
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet, wardrobe/ bookcase combo full height doors	30"	20"	86"	RC832DHEH(L/R)() () () ()	\$3,162.	\$4,148.	\$4,765.	\$6,434.
	30"	24"	86"	RC833DHEH(L/R)() () () ()	3,505.	4,598.	5,283.	7,133.
	36"	20"	86"	RC862DHEH(L/R)() () () ()	3,442.	4,513.	5,187.	7,004.
	36"	24"	86"	RC863DHEH(L/R)() () () ()	3,813.	5,000.	5,747.	7,759.




Left hand shown

Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	
R Reff	6. <i>Cabinet finish</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
C Cabinet	7. <i>Optional pull finish where applicable</i>	
8 86" h (nominal)	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 513. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
3 30" w (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
2 20" d (nominal)	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
DH Desk height	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	
2 Finish type, V2	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	86" nominal height - actual height 85.500"
M Interior option, metal		Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
V316 Finish, light maple		File drawers include file bars for front to back and side to side filing.
		File drawers support bottom loading.
		Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 439.


Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 86" high, wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet, hinged doors/ shelves 4 file drawers	30"	20"	86"	RC832DHF () () () () ()	\$3,553.	\$4,653.	\$5,354.	\$7,227.
	30"	24"	86"	RC833DHF () () () () ()	3,930.	5,150.	5,921.	7,993.
	36"	20"	86"	RC862DHF () () () () ()	3,908.	5,122.	5,907.	7,975.



Cabinet, hinged doors/ shelves 2 file drawers	30"	20"	86"	RC832DHG () ()	3,289.	4,307.	4,956.	6,689.
	30"	24"	86"	RC833DHG () ()	3,600.	4,718.	5,425.	7,323.
	36"	20"	86"	RC862DHG () ()	3,557.	4,663.	5,361.	7,238.
	36"	24"	86"	RC863DHG () ()	3,871.	5,074.	5,836.	7,879.




Order Code	Specification Information	Application Notes
Example: RC832DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	
R Reff	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	6. <i>Cabinet finish</i>
C Cabinet	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	7. <i>Optional pull finish where applicable</i>
8 86" h (nominal)	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 513. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
3 30" w (nominal)	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
2 20" d (nominal)	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
DH Desk height		86" nominal height - actual height 85.500"
2 Finish type, V2		Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
W Interior option, wood		File drawers include file bars for front to back and side to side filing.
V316 Finish, light maple		File drawers support bottom loading.
		Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 439.

Applicable finishes are listed on page 5 and 6.


Cabinets, 28³/₈" planning 86" high, wood interiors

Reff Profiles


description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	86"	RC832DHK() ()	\$3,190.	\$4,182.	\$4,829.	\$6,519.
	30"	24"	86"	RC833DHK() ()	3,501.	4,591.	5,301.	7,156.
	36"	20"	86"	RC862DHK() ()	3,458.	4,538.	5,238.	7,073.
	36"	24"	86"	RC863DHK() ()	3,772.	4,949.	5,710.	7,709.



Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	86"	RC832DHO() ()	3,403.	4,503.	5,204.	7,077.
	30"	24"	86"	RC833DHO() ()	3,780.	5,000.	5,771.	7,843.
	36"	20"	86"	RC862DHO() ()	3,758.	4,972.	5,757.	7,825.
	36"	24"	86"	RC863DHO() ()	4,170.	5,510.	6,365.	8,646.



Cabinet, with shelving	30"	20"	86"	RC832DHB() ()	2,211.	2,912.	3,350.	4,933.
	30"	24"	86"	RC833DHB() ()	2,448.	3,208.	3,688.	5,430.
	36"	20"	86"	RC862DHB() ()	2,497.	3,271.	3,762.	5,539.
	36"	24"	86"	RC863DHB() ()	2,719.	3,566.	4,100.	6,038.




Order Code	Specification Information	Application Notes
<p>Example: RC832DHB(2)(W)(V316)</p> <p>R Reff</p> <p>C Cabinet</p> <p>8 86" h (nominal)</p> <p>3 30" w (nominal)</p> <p>2 20" d (nominal)</p> <p>DH Desk height</p> <p>2 Finish type, V2</p> <p>W Interior option, wood</p> <p>V316 Finish, light maple</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Hinge location (where applicable) <ul style="list-style-type: none"> L = left hand R = right hand Finish type <ul style="list-style-type: none"> L = laminate 1 = V1 2 = V2 3 = V3 Interior Option <ul style="list-style-type: none"> W = wood (shelves match case finish and drawer interiors cherry veneer) Pull Option (where applicable) optional) <ul style="list-style-type: none"> D = metal D-pull (finish matches case) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line Lock option (where applicable) <ul style="list-style-type: none"> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling 	<p>6. Cabinet finish</p> <p>7. Optional pull finish where applicable</p> <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 513. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.</p> <p>86" nominal height - actual height 85.500"</p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 439.</p>

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 86" high, wood interiors

description	w	d	h	pattern no.	wood	wood	wood	wood
					interiors L	interiors V1	interiors V2	interiors V3
Cabinet, wardrobe/ bookcase combo full height doors	30"	20"	86"	RC832DHEH(L/R)() () () ()	\$3,332.	\$4,368.	\$5,023.	\$6,780.
	30"	24"	86"	RC833DHEH(L/R)() () () ()	3,709.	4,863.	5,592.	7,549.
	36"	20"	86"	RC862DHEH(L/R)() () () ()	3,640.	4,770.	5,487.	7,407.
	36"	24"	86"	RC863DHEH(L/R)() () () ()	4,048.	5,305.	6,103.	8,238.




Left hand shown


Requires one lock core per cabinet
Shelves painted metal


Order Code	Specification Information	Application Notes
Example: RC832DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	
R Reff	6. <i>Cabinet finish</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
C Cabinet	7. <i>Optional pull finish where applicable</i>	
8 86" h (nominal)	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 513. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
3 30" w (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
2 20" d (nominal)	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	86" nominal height - actual height 85.500"
DH Desk height	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
2 Finish type, V2	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	File drawers include file bars for front to back and side to side filing.
W Interior option, wood		File drawers support bottom loading.
V316 Finish, light maple		Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 439.


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 28³/₈" high planning
 49" high, metal interior

description	d	w	h	pattern no.	L/L	L/V1	L/V2	LM/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	49"	RCFS4912C(L/R)M () () () () ()	\$1,738.	\$1,911.	\$1,998.	\$2,085.	\$2,640.	\$3,036.	\$3,946.
	24"	18"	49"	RCFS4913C(L/R)M () () () () ()	1,790.	1,969.	2,058.	2,148.	2,730.	3,140.	4,082.

Cabinets, hinge door with shelves&File/File 	20"	18"	49"	RCFS4912Y(L/R)M () () () () ()	2,239.	2,463.	2,574.	2,686.	3,358.	3,862.	5,020.
	24"	18"	49"	RCFS4913Y(L/R)M () () () () ()	2,310.	2,541.	2,657.	2,772.	3,465.	3,985.	5,181.

Cabinets, hinge door with shelves&Box/File/File 	20"	18"	49"	RCFS4912Z(L/R)M () () () () ()	2,313.	2,544.	2,660.	2,776.	3,470.	3,990.	5,187.
	24"	18"	49"	RCFS4913Z(L/R)M () () () () ()	2,388.	2,627.	2,747.	2,866.	3,583.	4,210.	5,356.


Cabinets, hinge door with shelves&wardrobe 	20"	24"	49"	RCFS4932V(L/R)M () () () () ()	2,079.	2,287.	2,391.	2,495.	3,227.	3,711.	4,825.
	24"	24"	49"	RCFS4933V(L/R)M () () () () ()	2,144.	2,358.	2,465.	2,573.	3,349.	3,852.	5,007.

Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
49 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	
L/R Left/Right hinge	Grommet	
M Metal interior	4. Pull finish	
N Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 28³/₈" high planning
 49" high, metal interior

description	d	w	h	pattern no.	L/L	L/V1	L/V2	LM/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	49"	RCFS4932W(L/R)M () () () () ()	\$2,403.	\$2,643.	\$2,763.	\$2,883.	\$3,722.	\$4,281.	\$5,565.
	24"	24"	49"	RCFS4933W(L/R)M () () () () ()	2,473.	2,720.	2,844.	2,968.	3,853.	4,431.	5,760.




Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	49"	RCFS4932X(L/R)M () () () () ()	2,554.	2,810.	2,937.	3,065.	3,882.	4,464.	5,803.
	24"	24"	49"	RCFS4933X(L/R)M () () () () ()	2,630.	3,893.	3,024.	3,156.	4,018.	4,620.	6,006.





Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock L=Drill for lock N=No lock	C = all shelves for 18" w cabinets
C Cabinet	2. Lock finish S=Silver B=Black	Y = hinge door with shelves and FF -18" w
FS Free Standing	3. Pull options Grommet	Z = hinge door with shelves BB for 18" w
49 Height	4. Pull finish Paint / Plated	V = all shelves for 24" w cabinets
1 18" Wide	5. Case finish L, V1, V2, V3	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	6. Door finish L, V1, V2, V3	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves		Grommet pulls only
L/R Left/Right hinge		Shelves and File Front will default to the case finish
M Metal interior		49" h cabinets are compatible with panel height.
N Lock		
S Lock finish		
G Pull option		
115 Pull finish option		
114 Case finish		
115 Door finish		

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 28³/₈" high planning
 64" high, metal interior

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	64"	RCFS6412C(L/R)M () () () () () ()	\$1,887.	\$2,075.	\$2,170.	\$2,264.	\$2,889.	\$3,323.	\$4,319.
	24"	18"	64"	RCFS6413C(L/R)M () () () () () ()	1,952.	2,147.	2,245.	2,342.	3,017.	3,470.	4,511.

Cabinets, hinge door with shelves&File/File 	20"	18"	64"	RCFS6412Y(L/R)M () () () () () ()	2,411.	2,652.	2,773.	2,893.	3,617.	4,159.	5,407.
	24"	18"	64"	RCFS6413Y(L/R)M () () () () () ()	2,545.	2,800.	2,927.	3,055.	3,818.	4,391.	5,708.


Cabinets, hinge door with shelves&Box/File/File 	20"	18"	64"	RCFS6412Z(L/R)M () () () () () ()	2,486.	2,735.	2,859.	2,983.	3,729.	4,288.	5,575.
	24"	18"	64"	RCFS6413Z(L/R)M () () () () () ()	2,624.	2,886.	3,017.	3,149.	3,936.	4,526.	5,884.

Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)M () () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
64 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	
L/R Left/Right hinge	Grommet	
M Metal interior	4. Pull finish	
N Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 28³/₈" high planning
 64" high, metal interior


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	64"	RCFS6432V(L/R)M () () () () ()	\$2,245.	\$2,470.	\$2,582.	\$2,695.	\$3,542.	\$4,074.	\$5,296.
	24"	24"	64"	RCFS6433V(L/R)M () () () () ()	2,326.	2,559.	2,675.	2,791.	3,715.	4,273.	5,554.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	64"	RCFS6432W(L/R)M () () () () ()	2,569.	2,826.	2,954.	3,083.	4,037.	4,643.	6,036.
	24"	24"	64"	RCFS6433W(L/R)M () () () () ()	2,724.	2,996.	3,133.	3,269.	4,283.	4,926.	6,404.




Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	64"	RCFS6432X(L/R)M () () () () ()	2,721.	2,993.	3,129.	3,265.	4,197.	4,826.	6,274.
	24"	24"	64"	RCFS6433X(L/R)M () () () () ()	2,881.	3,169.	3,313.	3,457.	4,448.	5,115.	6,649.





Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
64 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	
L/R Left/Right hinge	Grommet	
M Metal interior	4. Pull finish	
N Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 28³/₈" high planning
 68" high, metal interior

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	68"	RCFS6812C(L/R)M () () () () ()	\$1,908.	\$2,099.	\$2,195.	\$2,290.	\$2,957.	\$3,401.	\$4,421.
	24"	18"	68"	RCFS6813C(L/R)M () () () () ()	1,975.	2,173.	2,272.	2,370.	3,078.	3,540.	4,602.

Cabinets, hinge door with shelves&File/File 	20"	18"	68"	RCFS6812Y(L/R)M () () () () ()	2,462.	2,709.	2,832.	2,955.	3,694.	4,248.	5,522.
	24"	18"	68"	RCFS6813Y(L/R)M () () () () ()	2,592.	2,852.	2,981.	3,111.	3,888.	4,472.	5,813.


Cabinets, hinge door with shelves&Box/File/File 	20"	18"	68"	RCFS6812Z(L/R)M () () () () ()	2,537.	2,791.	2,918.	3,045.	3,806.	4,377.	5,690.
	24"	18"	68"	RCFS6813Z(L/R)M () () () () ()	2,671.	2,938.	3,071.	3,205.	4,006.	4,607.	5,989.

Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Grommet pulls only.
R Reff	1. Lock	Shelves and files front will default to the case finish.
C Cabinet	L=Drill for lock N=No lock	68" h Cabinets are for the private offices application to align with a single high overhead, and are compatible with panel height.
FS Free Standing	2. Lock finish	No wardrobe options for 18" w cabinets.
68 Height	S=Silver B=Black	
1 18" Wide	3. Pull options Grommet	
2 20" d (nominal)	4. Pull finish Paint / Plated	
C Hinge door with shelves	5. Case finish L, V1, V2, V3	
L/R Left/Right hinge	6. Door finish L, V1, V2, V3	
M Metal interior		
L Lock		
S Lock finish		
G Pull option		
115 Pull finish option		
114 Case finish		
115 Door finish		


Configurations;
 C = all shelves for 18" w cabinets
 Y = hinge door with shelves and FF -18" w
 Z = hinge door with shelves BB for 18" w
 V = all shelves for 24" w cabinets
 W = hinge door with shelves and FF and wardrobe for 24" w
 X = hinge door with shelves and BB and wardrobe for 24" w

Cabinets Progressive
 28³/₈" high planning
 68" high, metal interior


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	68"	RCFS6832V(L/R)M () () () () ()	\$2,274.	\$2,501.	\$2,615.	\$2,728.	\$3,630.	\$4,175.	\$5,427.
	24"	24"	68"	RCFS6833V(L/R)M () () () () ()	2,356.	2,592.	2,710.	2,827.	3,800.	4,370.	5,681.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	68"	RCFS6832W(L/R)M () () () () ()	2,607.	2,868.	2,998.	3,128.	4,150.	4,773.	6,205.
	24"	24"	68"	RCFS6833W(L/R)M () () () () ()	2,764.	3,040.	3,179.	3,317.	4,377.	5,034.	6,544.



Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	68"	RCFS6832X(L/R)M () () () () ()	2,758.	3,034.	3,172.	3,310.	4,294.	4,938.	6,419.
	24"	24"	68"	RCFS6833X(L/R)M () () () () ()	2,921.	3,213.	3,359.	3,505.	4,542.	5,223.	6,790.





Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Grommet pulls only.
R Reff	1. Lock	Shelves and files front will default to the case finish.
C Cabinet	L=Drill for lock	68" h Cabinets are for the private offices application to align with a single high overhead, and are compatible with panel height.
FS Free Standing	N=No lock	No wardrobe options for 18" w cabinets.
68 Height	2. Lock finish	
1 18" Wide	S=Silver	
2 20" d (nominal)	B=Black	
C Hinge door with shelves	3. Pull options	
L/R Left/Right hinge	Grommet	
M Metal interior	4. Pull finish	
L Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		


Applicable finishes are listed on page 5 and 6.


Cabinets Progressive
 28³/₈" high planning
 49" high, wood interior

Reff Profiles

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	49"	RCFS4912C(L/R)W () () () () ()	\$1,871.	\$2,058.	\$2,151.	\$2,245.	\$3,119.	\$3,587.	\$4,664.
	24"	18"	49"	RCFS4913C(L/R)W () () () () ()	1,914.	2,105.	2,201.	2,296.	3,217.	3,700.	4,810.

Cabinets, hinge door with shelves&File/File 	20"	18"	49"	RCFS4912Y(L/R)W () () () () ()	2,684.	2,953.	3,087.	3,221.	4,026.	4,630.	6,019.
	24"	18"	49"	RCFS4913Y(L/R)W () () () () ()	2,724.	2,996.	3,132.	3,268.	4,085.	4,698.	6,108.

Cabinets, hinge door with shelves&Box/File/File 	20"	18"	49"	RCFS4912Z(L/R)W () () () () ()	3,112.	3,423.	3,579.	3,734.	4,357.	5,010.	6,513.
	24"	18"	49"	RCFS4913Z(L/R)W () () () () ()	3,182.	3,500.	3,659.	3,818.	4,454.	5,122.	6,659.

Cabinets, hinge door with shelves&wardrobe 	20"	24"	49"	RCFS4932V(L/R)W () () () () ()	2,206.	2,427.	2,537.	2,647.	3,692.	4,245.	5,519.
	24"	24"	49"	RCFS4933V(L/R)W () () () () ()	2,263.	2,489.	2,602.	2,715.	3,821.	4,395.	5,713.

Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Grommet pulls only.
R Reff	1. Lock	Shelves and files front will default to the case finish.
C Cabinet	L=Drill for lock	49"h Cabinets are compatible with panel height.
FS Free Standing	N=No lock	No wardrobe options in the 18"w cabinet.
49 Height	2. Lock finish	
1 18" Wide	S=Silver	
2 20" d (nominal)	B=Black	
C Hinge door with shelves	3. Pull options	
L/R	Grommet	
W Wood interior	4. Pull finish	
L Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		


Configurations;
 C = all shelves for 18"w cabinets
 Y = hinge door with shelves and FF -18"w
 Z = hinge door with shelves BB for 18"w
 V = all shelves for 24"w cabinets
 W = hinge door with shelves and FF and wardrobe for 24"w
 X = hinge door with shelves and BB and wardrobe for 24"w

Applicable finishes are listed on page 5 and 6.


Cabinets Progressive
 28^{3/8}" high planning
 49" high, wood interior

Reff Profiles

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	49"	RCFS4932W(L/R)W() () () () () ()	\$2,989.	\$3,288.	\$3,437.	\$3,587.	\$4,386.	\$5,044.	\$6,557.
	24"	24"	49"	RCFS4933W(L/R)W() () () () () ()	2,996.	3,295.	3,445.	3,595.	4,462.	5,131.	6,671.



Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	49"	RCFS4932X(L/R)W() () () () () ()	3,375.	3,712.	3,881.	4,049.	4,765.	5,479.	7,123.
	24"	24"	49"	RCFS4933X(L/R)W() () () () () ()	3,421.	3,763.	3,934.	4,105.	4,878.	5,610.	7,293.





Cabinetry


Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Grommet pulls only.
R Reff	1. Lock L=Drill for lock N=No lock	Shelves and files front will default to the case finish.
C Cabinet	2. Lock finish S=Silver B=Black	49" h Cabinets are compatible with panel height.
FS Free Standing	3. Pull options Grommet	No wardrobe options in the 18" w cabinet.
49 Height	4. Pull finish Paint / Plated	
1 18" Wide	5. Case finish L, V1, V2, V3	
2 20" d (nominal)	6. Door finish L, V1, V2, V3	
C Hinge door with shelves		Configurations; C = all shelves for 18" w cabinets Y = hinge door with shelves and FF -18" w Z = hinge door with shelves BB for 18" w V = all shelves for 24" w cabinets W = hinge door with shelves and FF and wardrobe for 24" w X = hinge door with shelves and BB and wardrobe for 24" w
L/R		
W Wood interior		
L Lock		
S Lock finish		
G Pull option		
115 Pull finish option		
114 Case finish		
115 Door finish		

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 28³/₈" high planning
 64" high, wood interior

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	64"	RCFS6412C(L/R)W () () () () ()	\$2,064.	\$2,270.	\$2,374.	\$2,477.	\$3,529.	\$4,058.	\$5,276.
	24"	18"	64"	RCFS6413C(L/R)W () () () () ()	2,117.	2,329.	2,435.	2,541.	3,666.	4,216.	5,481.

Cabinets, hinge door with shelves&File/File 	20"	18"	64"	RCFS6412Y(L/R)W () () () () ()	2,963.	3,259.	3,407.	3,555.	4,444.	5,111.	6,644.
	24"	18"	64"	RCFS6413Y(L/R)W () () () () ()	3,071.	3,378.	3,532.	3,685.	4,607.	5,298.	6,887.


Cabinets, hinge door with shelves&Box/File/File 	20"	18"	64"	RCFS6412Z(L/R)W () () () () ()	3,411.	3,752.	3,923.	4,093.	4,775.	5,492.	7,139.
	24"	18"	64"	RCFS6413Z(L/R)W () () () () ()	3,554.	3,909.	4,087.	4,265.	4,976.	5,722.	7,439.

Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Grommet pulls only.
R Reff	1. Lock	Shelves and files front will default to the case finish.
C Cabinet	L=Drill for lock N=No lock	64" h Cabinets are compatible with panel height.
FS Free Standing	2. Lock finish	No wardrobe option for 18" w cabinets.
64 Height	S=Silver B=Black	
1 18" Wide	3. Pull options Grommet	
2 20" d (nominal)	4. Pull finish Paint / Plated	
C Hinge door with shelves	5. Case finish L, V1, V2, V3	
L/R	6. Door finish L, V1, V2, V3	
W Wood interior		
L Lock		
S Lock finish		
G Pull option		
115 Pull finish option		
114 Case finish		
115 Door finish		


Configurations;
 C = all shelves for 18" w cabinets
 Y = hinge door with shelves and FF -18" w
 Z = hinge door with shelves BB for 18" w
 V = all shelves for 24" w cabinets
 W = hinge door with shelves and FF and wardrobe for 24" w
 X = hinge door with shelves and BB and wardrobe for 24" w

Cabinets Progressive
 28³/₈" high planning
 64" high, wood interior


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	64"	RCFS6432V(L/R)W () () () () ()	\$2,415.	\$2,656.	\$2,777.	\$2,898.	\$4,162.	\$4,786.	\$6,222.
	24"	24"	64"	RCFS6433V(L/R)W () () () () ()	2,484.	2,733.	2,857.	2,981.	4,345.	4,996.	6,495.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	64"	RCFS6432W(L/R)W () () () () ()	3,198.	3,517.	3,677.	3,837.	4,856.	5,584.	7,260.
	24"	24"	64"	RCFS6433W(L/R)W () () () () ()	3,286.	3,615.	3,779.	3,943.	5,050.	5,807.	7,549.




Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	64"	RCFS6432X(L/R)W () () () () ()	3,583.	3,942.	4,121.	4,300.	5,235.	6,020.	7,826.
	24"	24"	64"	RCFS6433X(L/R)W () () () () ()	3,712.	4,083.	4,268.	4,454.	5,466.	6,286.	8,171.





Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Grommet pulls only.
R Reff	1. Lock	Shelves and files front will default to the case finish.
C Cabinet	L=Drill for lock	64" h Cabinets are compatible with panel height.
FS Free Standing	N=No lock	No wardrobe option for 18" w cabinets.
64 Height	2. Lock finish	
1 18" Wide	S=Silver	
2 20" d (nominal)	B=Black	
C Hinge door with shelves	3. Pull options	
L/R	Grommet	
W Wood interior	4. Pull finish	
L Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
 28³/₈" high planning
 68" high, wood interior

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves 	20"	18"	68"	RCFS6812C(L/R)W () () () () ()	\$2,086.	\$2,294.	\$2,399.	\$2,503.	\$3,597.	\$4,136.	\$5,377.
	24"	18"	68"	RCFS6813C(L/R)W () () () () ()	2,141.	2,355.	2,462.	2,569.	3,727.	4,286.	5,572.

Cabinets, hinge door with shelves&File/File 	20"	18"	68"	RCFS6812Y(L/R)W () () () () ()	3,014.	3,315.	3,466.	3,617.	4,521.	5,199.	6,759.
	24"	18"	68"	RCFS6813Y(L/R)W () () () () ()	3,118.	3,430.	3,586.	3,742.	4,677.	5,379.	6,992.


Cabinets, hinge door with shelves&Box/File/File 	20"	18"	68"	RCFS6812Z(L/R)W () () () () ()	3,466.	3,813.	3,986.	4,159.	4,852.	5,580.	7,254.
	24"	18"	68"	RCFS6813Z(L/R)W () () () () ()	3,604.	3,965.	4,145.	4,325.	5,046.	5,803.	7,544.

Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Grommet pulls only.
R Reff	1. Lock	Shelves and files front will default to the case finish.
C Cabinet	L=Drill for lock	68" h Cabinets are for the private offices application to align with a single high overhead, and are compatible with panel height.
FS Free Standing	N=No lock	No wardrobe option in the 18" w cabinets.
68 Height	2. Lock finish	
1 18" Wide	S=Silver	
2 20" d (nominal)	B=Black	
C Hinge door with shelves	3. Pull options	
L/R Left/Right hinge	Grommet	
W Wood interior	4. Pull finish	
L Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		


Configurations;
 C = all shelves for 18" w cabinets
 Y = hinge door with shelves and FF -18" w
 Z = hinge door with shelves BB for 18" w
 V = all shelves for 24" w cabinets
 W = hinge door with shelves and FF and wardrobe for 24" w
 X = hinge door with shelves and BB and wardrobe for 24" w

Cabinets Progressive
 28³/₈" high planning
 68" high, wood interior


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	68"	RCFS6832V(L/R)W () () () () ()	\$2,443.	\$2,687.	\$2,809.	\$2,931.	\$4,249.	\$4,887.	\$6,353.
	24"	24"	68"	RCFS6833V(L/R)W () () () () ()	2,514.	2,766.	2,892.	3,017.	4,429.	5,094.	6,622.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	68"	RCFS6832W(L/R)W () () () () ()	3,236.	3,559.	3,721.	3,883.	4,953.	5,696.	7,405.
	24"	24"	68"	RCFS6833W(L/R)W () () () () ()	3,326.	3,659.	3,825.	3,991.	5,143.	5,915.	7,690.



Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	68"	RCFS6832X(L/R)W () () () () ()	3,621.	3,983.	4,164.	4,345.	5,332.	6,131.	7,971.
	24"	24"	68"	RCFS6833X(L/R)W () () () () ()	3,752.	4,127.	4,314.	4,502.	5,560.	6,394.	8,312.



Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Grommet pulls only.
R Reff	1. Lock	Shelves and files front will default to the case finish.
C Cabinet	L=Drill for lock	68" h Cabinets are for the private offices application to align with a single high overhead, and are compatible with panel height.
FS Free Standing	N=No lock	No wardrobe option in the 18" w cabinets.
68 Height	2. Lock finish	
1 18" Wide	S=Silver	
2 20" d (nominal)	B=Black	
C Hinge door with shelves	3. Pull options	
L/R Left/Right hinge	Grommet	
W Wood interior	4. Pull finish	
L Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		

Applicable finishes are listed on page 5 and 6.

Desktop Towers
 28³/₈" high planning
 Single Wide, 42" and 56" High
 Bookcase

description	w	d	h	pattern no.	L	V1	V2	V3
42" h Desk top tower, single width bookcase open wood shelves	16"	15"	42"	RDTSBWT142 () ()	\$1,155.	\$1,981.	\$2,278.	\$2,961.
	19"	15"	42"	RDTSBWG142 () ()	1,185.	2,031.	2,335.	3,036.



56" h Desk top tower, single width bookcase open wood shelves	16"	15"	56"	RDTSBWT156 () ()	1,336.	2,291.	2,635.	3,425.
	19"	15"	56"	RDTSBWG156 () ()	1,370.	2,348.	2,700.	3,510.



Order Code	Specification Information	Application Notes
Example: RDTSBWT142 () ()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 ¹ / ₂ " worksurface.
R Reff	Left or right hand as applicable and embedded in the pattern number.	Shelves to match case finish.
DT Reff Desktop Tower	1. Case finish type L, V1, V2, V3	Shelves on single height available with 2 adjustable shelves.
S Single width	2. Case finish V316	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
B Bookcase	3. Pull option Painted/Plated	
W Wood Shelves	4. Lock option L, N	
T Letter width 16" nominal	5. Lock finish B=Black, S=Matte Silver	
1 Letter depth 15" nominal	6. Case finish =V316	
42 42" high nominal	7. Front finish =V313	
V2 Case finish type	8. Pull finish =111	
V316 Case finish		
AU Door frame finish		
GL11 Door glass finish		

Desktop Towers

28³/₈" high planning

Single Wide, 42" and 56" High

Wood Hinge Door

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
42" h Desk top tower, single width	16"	15"	42"	RDTSHWT142(L/R) () () () () ()	\$1,503.	\$1,653.	\$1,728.	\$1,879.	\$2,576.	\$2,963.	\$3,852.
wood shelves behind wood hinge door	19"	15"	42"	RDTSHWG142(L/R) () () () () ()	1,545.	1,700.	1,777.	1,932.	2,649.	3,047.	3,960.



56" h Desk top tower, single width	16"	15"	56"	RDTSHWT156(L/R) () () () () ()	1,713.	1,884.	2,073.	2,280.	2,937.	3,377.	4,391.
wood shelves behind wood hinge door	19"	15"	56"	RDTSHWG156(L/R) () () () () ()	1,761.	1,937.	2,130.	2,343.	3,018.	3,471.	4,512.



Order Code	Specification Information	Application Notes
Example: RDTSBWT142 () ()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 1/2" worksurface.
R Reff	Left or right hand as applicable and embedded in the pattern number.	42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
DT Reff Desktop Tower		
S Single width	1. Case finish type L, V1, V2, V3	Shelves to match case finish.
H Hinge Door	2. Front finish type L, V1, V2, V3	56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.
W Wood Shelves	3. Pull option=Painted and plated B=Blank (no drilling) F=Bar pull H=Outline pull N=No pull R=Cylinder pull T=Tab pull	Shelves on single wide available with 2 adjustable shelves.
T Letter width 16" nominal		Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
1 Letter depth 15" nominal		
42 42" high nominal		
T Pull option		
L Lock option	4. Lock option L or N	
B Lock finish	5. Lock finish B=Black S=Matte Silver	
V316 Case finish		
V316 Front finish	6. Case finish= *V316	
111 Pull finish	7. Front finish=V316 8. Pull finish=111	

Desktop towers

Desktop Towers
 28^{3/8}" high planning
 Single Wide, 42" and 56" High
 Glass hinge door

description	w	d	h	pattern no.	L	V1	V2	V3
42" h Desk top tower, single width bookcase open wood shelves	16"	15"	42"	RDTSJWT142(L/R)() () ()	\$2,147.	\$2,791.	\$3,210.	\$4,173.
	18"	15"	42"	RDTSJWT142(L/R)() () ()	2,237.	2,908.	3,344.	4,384.



56" h Desk top tower, single width bookcase open wood shelves	16"	15"	56"	RDTSJWT156(L/R)() () ()	2,485.	3,230.	3,715.	4,830.
	18"	15"	56"	RDTSJWT156(L/R)() () ()	2,595.	3,373.	3,879.	5,043.



Order Code	Specification Information	Application Notes	
Example: RDTSJWT142 () () ()	<p><i>To order please specify pattern number including:</i> Left or right hand as applicable and embedded in the pattern number.</p> <ol style="list-style-type: none"> Case finish type L, V1, V2, V3 Case finish V316 Door frame ypte=Anodized / Painted Door glass finish = G111/18/15. 	<p>Heights to work with 28^{3/8}" desk height planning and 1^{1/2}" worksurface.</p> <p>Shelves to match case finish.</p> <p>Shelves on single height available with 2 adjustable shelves.</p> <p>Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.</p>	
R Reff			<p>42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.</p> <p>56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.</p> <p>Glass hinge doors available only with touch latch.</p>
DT Reff Desktop Tower			
S Single width			
G Hinge glass door			
W Wood Shelves			
T Letter width 16" nominal			
1 Letter depth 15" nominal			
42 42" high nominal			
L Left / Right hand			
V2 Case finish type			
V316 Case finish			
AU Door frame finish			
GL11 Door glass finish			

Desktop Towers
 28^{3/8}" high planning
 Double Wide, 42" and 56" High
 Bookcase

Reff Profiles


description	w	d	h	pattern no.	LAM/LAM	LAM/V1	LAM/V2	LAM/V3	V1/V1	V2/V2	V3/V3
42" h Desk top tower, double width bookcase / open shelves	30"	15"	42"	RDTDBW3142 () ()	\$1,757.	\$2,811.	\$3,232.	\$4,202.			
	36"	15"	42"	RDTDBW6142 () ()	1,807.	2,892.	3,325.	4,323.			
56" h Desk top tower, double width bookcase / open shelves	30"	15"	56"	RDTDBW3156 () ()	2,097.	3,354.	3,858.	5,015.			
	36"	15"	56"	RDTDBW6156 () ()	2,154.	3,446.	3,963.	5,152.			
42" h Desk top tower, double width wood shelves behind wood hinge door	30"	15"	42"	RDTDHW3142 () () () () ()	2,063.	2,373.	2,476.	2,683.	3,301.	3,796.	4,935.
	36"	15"	42"	RDTDHW6142 () () () () ()	2,142.	2,463.	2,570.	2,785.	3,427.	3,941.	5,124.
56" h Desk top tower, double width wood shelves behind wood hinge door	30"	15"	56"	RDTDHW3156 () () () () ()	2,386.	2,625.	2,888.	3,176.	3,818.	4,391.	5,708.
	36"	15"	56"	RDTDHW6156 () () () () ()	2,496.	2,745.	3,020.	3,322.	3,993.	4,592.	5,970.

Desktop towers


Order Code	Specification Information	Application Notes
Example: RDTDBW3142 () ()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ^{3/8} " desk height planning and 1 ^{1/2} " worksurface.
R Reff	Left or right hand as applicable and embedded in the pattern number.	42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
DT Reff Desktop Tower	1. Case finish type L, V1, V2, V3	56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.
D Double width	2. Case finish V316	Hinge doors feature <u>no</u> pulls only touch latch.
B Bookcase	3. Pull option Plated / Painted	
W Wood Shelves	4. Lock option L, N	
3 30" wide	5. Lock finish	
1 Letter depth 15" nominal	S=Matte Silver	
42 42" high nominal	B=Black	
V2 Case finish type	6. Case finish V316	
V316 Case finish	7. Front finish V313	
	8. Pull finish 111	

Desktop Towers
 28³/₈" high planning
 Double Wide, 42" and 56" High
 Asymmetrical


description	w	d	h	pattern no.	L	V1	V2	V3
Desk top tower, double width -Asymmetrical	30"	15"	42"	RDTAGW3142(L/R)() () ()	\$2,865.	\$3,724.	\$4,283.	\$5,568.
Split glass hinged door / open shelves all wood	30"	15"	56"	RDTAGW3156(L/R)() () ()	4,157.	4,988.	5,736.	7,457.
	36"	15"	42"	RDTAGW6142(L/R)() () ()	3,052.	3,967.	4,562.	5,931.
	36"	15"	56"	RDTAGW6156(L/R)() () ()	4,427.	5,312.	6,109.	7,942.



Desk top tower, double width -Asymmetrical	30"	15"	42"	RDTAGG3142(L/R)() () ()	2,747.	3,571.	4,107.	5,339.
Split glass hinged door / open shelves all glass	30"	15"	56"	RDTAGG3156(L/R)() () ()	3,223.	4,190.	4,819.	6,264.
	36"	15"	42"	RDTAGG6142(L/R)() () ()	2,934.	3,814.	4,387.	5,702.
	36"	15"	56"	RDTAGG6156(L/R)() () ()	3,465.	4,504.	5,180.	6,734.



Desk top tower, double width	30"	15"	42"	RDTDGW3142() () () () ()	3,604.	4,325.	4,974.	6,466.
wood shelves behind glass hinge door	30"	15"	56"	RDTDGW3156() () () () ()	4,157.	4,988.	5,736.	7,457.
	36"	15"	42"	RDTDGW6142() () () () ()	3,760.	4,512.	5,189.	6,746.
	36"	15"	56"	RDTDGW6156() () () () ()	4,427.	5,312.	6,109.	7,942.




Order Code	Specification Information	Application Notes
Example: RDTAGW3142	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 1/2" worksurface.
RDT Reff Desktop Tower	Left or right hand as applicable and embedded in the pattern number.	42"h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
A Asymmetrical split	1. Case finish type L, V1, V2, V3	56"h desk top tower for use with double tier overhead bridges and floor standing cabinet.
G Hinge door glass	2. Case finish V316	
W Wood Shelves	3. Door finish type, Plated / Painted	Hinge doors feature <u>no</u> pulls only touch latch.
3 30" wide nominal	4. Door glass finish = GL11/18/15.	
1 Letter depth 15" nominal		Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
42 42" high nominal		Shelves on single height available with 2 adjustable shelves.
(L) Left / Right hand option		Desk top tower backs.
V2 Case finish type		
V316 Case finish		
AU Door frame finish		
GL11 Door glass finish		


Desktop Towers
 28^{3/8}" high planning
 Double Wide, 42" and 56" High
 Asymmetrical with mix casing

Reff Profiles

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Desk top tower, double width -Asymmetrical Split hinged door / open shelves all wood	30"	15"	42"	RDTAHW3142(L/R) () () () () ()	\$2,188.	\$2,406.	\$2,516.	\$2,625.	\$3,347.	\$3,849.	\$5,004.
	30"	15"	56"	RDTAHW3156(L/R) () () () () ()	2,554.	2,809.	2,937.	3,065.	3,907.	4,493.	5,842.
	36"	15"	42"	RDTAHW6142(L/R) () () () () ()	2,273.	2,500.	2,613.	2,727.	3,477.	3,998.	5,198.
	36"	15"	56"	RDTAHW6156(L/R) () () () () ()	2,668.	2,935.	3,069.	3,202.	4,083.	4,695.	6,104.



Desk top tower, double width -Asymmetrical Split hinged door / open shelves all glass	30"	15"	42"	RDTAHG3142(L/R) () () () () ()	2,368.	2,586.	2,696.	2,805.	3,527.	4,029.	5,184.
	30"	15"	56"	RDTAHG3156(L/R) () () () () ()	2,824.	3,079.	3,207.	3,335.	4,177.	4,763.	6,112.
	36"	15"	42"	RDTAHG6142(L/R) () () () () ()	2,453.	2,680.	2,793.	2,907.	3,657.	4,178.	5,378.
	36"	15"	56"	RDTAHG6156(L/R) () () () () ()	2,938.	3,205.	3,339.	3,472.	4,353.	4,965.	6,374.





Order Code	Specification Information	Application Notes
Example: RDTAHW3142(L/R) () () () () ()	<i>To order please specify pattern number including:</i> Left or right hand as applicable and embedded in the pattern number.	Heights to work with 28 ^{3/8} " desk height planning and 1 ^{1/2} " worksurface.
RDT Reff Desktop Tower		Shelves to match case finish.
A Asymmetrical split	1. Case finish type: L, V1, V2, V3	42" h desk top towers for use with single tier overhead bridges and floorstanding cabinet.
H Hinge door wood	2. Front finish type: L, V1, V2, V3	56" h desk top tower for use with double tier overhead bridges and floor standing cabinet.
W Wood Shelves	3. Pull option: B=No pull F=Bar pull H=Outline pull N=No pull, touch latch R=Cylinder pull T=Tab pull	Hinge doors feature <u>no</u> pulls only touch latch.
3 30" wide nominal	4. Lock option: L, N	
1 Letter depth 15" nominal	5. Lock finish: B=Black S=Matte Silver	
42 42" high nominal	6. Case finish: V316	
L Left / Right hand option	7. Front finish: V316	
V2 Case finish type	8. Pull finish: Painted or Plated	
V2 Front finish type		
F Pull option		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		
111 Pull finish		

Overhead, 26 1/2" planning

Panel hung, Single high

Reff Profiles

description	h	w	d	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead cabinet (open) no back 	19"	30"	14"			ROPO30S0(-)(-)(-)	\$1,191.	\$1,229.	\$1,414.	\$1,909.
	19"	36"	14"			ROPO36S0(-)(-)(-)	1,457.	1,506.	1,732.	2,339.
	19"	42"	14"			ROPO42S0(-)(-)(-)	1,601.	1,655.	1,905.	2,572.
	19"	48"	14"			ROPO48S0(-)(-)(-)	1,660.	1,714.	1,973.	2,663.
	19"	60"	14"			ROPO60S0(-)(-)(-)	1,696.	1,754.	2,020.	2,727.
	19"	72"	14"			ROPO72S0(-)(-)(-)	2,080.	2,148.	2,471.	3,335.
	19"	90"	14"			ROPO90S0(-)(-)(-)	2,288.	2,364.	2,718.	3,670.
	19"	96"	14"			ROPO96S0(-)(-)(-)	2,371.	2,451.	2,818.	3,804.
	23"	60"	14"			ROPO60T0(-)(-)(-)	1,812.	1,875.	2,156.	2,910.
	23"	72"	14"			ROPO72T0(-)(-)(-)	2,471.	2,558.	2,940.	3,970.
	23"	90"	14"			ROPO90T0(-)(-)(-)	2,805.	2,897.	3,333.	4,501.
	23"	96"	14"			ROPO96T0(-)(-)(-)	2,907.	3,005.	3,457.	4,667.
Panel-hung overhead cabinet (hinged door) no back 	19"	30"	14"	1	2	ROPH30S0(-)(-)(-)	1,322.	1,364.	1,567.	2,116.
	19"	36"	14"	1	2	ROPH36S0(-)(-)(-)	1,615.	1,671.	1,924.	2,597.
	19"	60"	14"	2	4	ROPH60S0(-)(-)(-)	1,885.	1,948.	2,241.	3,026.
	19"	72"	14"	2	4	ROPH72S0(-)(-)(-)	2,310.	2,390.	2,748.	3,710.
	19"	90"	14"	3	6	ROPH90S0(-)(-)(-)	2,543.	2,627.	3,021.	4,077.
	19"	96"	14"	3	6	ROPH96S0(-)(-)(-)	2,633.	2,721.	3,132.	4,228.
	23"	60"	14"	2	4	ROPH60T0(-)(-)(-)	2,017.	2,084.	2,398.	3,239.
	23"	72"	14"	2	4	ROPH72T0(-)(-)(-)	2,746.	2,841.	3,265.	4,408.
	23"	90"	14"	3	6	ROPH90T0(-)(-)(-)	3,114.	3,221.	3,700.	4,995.
	23"	96"	14"	3	6	ROPH96T0(-)(-)(-)	3,231.	3,339.	3,839.	5,183.

Order Code	Specification Information
Example: ROPH60S0DLL	
R Reff	
O Overhead	
P Panel hung	
H Hinge door	
60 60" wide	
S Standard height, 19"h	
0 15" deep	
D D-pull	
L Lock hole drilled	
L Laminate finish	

Specification Information

To order please specify pattern number including:

- Configuration option (embedded in pattern no.)
H = Hinged door
O = Open
F = Flip door
- Storage option (embedded in pattern no.)
S0 = 19"h x 14"d open/15"d hinged door
T0 = 23"h x 14"d open/15"d hinged door
- Finish type
- Pull option applicable hinged doors only
- Lock option
- Finish, case
- Finish, pull when applicable
- Keying instructions

***After specifying product code, provide keying instructions.**

Dimensions are nominal.

Product not available where prices do not appear.

3. *Finish type options:*
 L = Laminate
 1 = V1 techwood
 2 = V2 conventional veneer
 3 = V3 exotic veneer

Application Notes

4. *Pull Options:*
 D = Metal D-pull for hinged door only
 J = Routed pull
 C = Nickel finish C-pull for hinged door only (nickel finish only)
 S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. *Lock options:*
 L = Lock hole drilled
 N = No lockdrilling

8. Refer to page 513 for keying instructions.

Woodgrain Laminate is not available on any flip door units.

Applicable finishes are listed on page 5 and 6.

Sliding rails order separately on page 0.

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

D-Pulls are not available for flip door units.

Hardware included for overhead cabinets.

The manufacturer does not take responsibility for the installation or the security of cabinets to the wall.

***Keying instructions must accompany all cabinet orders.**

Panel-hung overheads come with no backs.



Random keys are factory installed.

Order overheads with a KnollKey order form.

Overhead, 26 1/2" planning

Panel hung, Single high

Reff Profiles

description	h	w	d	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead flip door cabinet (no back) 	18"	30"	14"	1	1	ROPF30S0J-()()	\$993.	\$1,304.	\$1,498.	\$2,023.
	18"	36"	14"	1	1	ROPF36S0J-()()	1,010.	1,327.	1,528.	2,062.
	18"	42"	14"	1	1	ROPF42S0J-()()	1,081.	1,423.	1,637.	2,211.
	18"	48"	14"	1	1	ROPF48S0J-()()	1,121.	1,480.	1,701.	2,297.
	18"	60"	14"	2	2	ROPF60S0J-()()	1,301.	1,711.	1,969.	2,659.
	18"	72"	14"	2	2	ROPF72S0J-()()	1,538.	2,025.	2,326.	3,140.
	18"	84"	14"	2	2	ROPF84S0J-()()	1,719.	2,261.	2,600.	3,511.
	18"	96"	14"	2	2	ROPF96S0J-()()	1,833.	2,413.	2,776.	3,747.
Panel-hung shelves 	9"	30"	13"			ROPS30S0NN-()	267.	550.	631.	853.
	9"	36"	13"			ROPS36S0NN-()	288.	571.	656.	886.
	9"	42"	13"			ROPS42S0NN-()	312.	590.	680.	918.
	9"	48"	13"			ROPS48S0NN-()	333.	611.	701.	946.
	9"	54"	13"			ROPS54S0NN-()	356.	656.	753.	1,017.
	9"	60"	13"			ROPS60S0NN-()	380.	706.	812.	1,096.
	9"	66"	13"			ROPS66S0NN-()	402.	751.	864.	1,166.
	9"	72"	13"			ROPS72S0NN-()	425.	800.	917.	1,237.
	9"	78"	13"			ROPS78S0NN-()	448.	867.	996.	1,344.
	9"	84"	13"			ROPS84S0NN-()	469.	933.	1,074.	1,450.
	9"	90"	13"			ROPS90S0NN-()	493.	1,001.	1,150.	1,553.
	9"	96"	13"			ROPS96S0NN-()	500.	1,052.	1,212.	1,636.


Order Code	Specification Information	Application Notes
Example: ROPH60S0DLL R Reff O Overhead P Panel hung H Hinge door 60 60" wide S Standard height, 19"h 0 15" deep D D-pull L Lock hole drilled L Laminate finish	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Configuration option (embedded in pattern no.) <i>H</i> = Hinged door <i>O</i> = Open <i>F</i> = Flip door Storage option (embedded in pattern no.) <i>S0</i> = 19"h x 14"d open/15"d hinged door <i>T0</i> = 23"h x 14"d open/15"d hinged door Finish type Pull option applicable hinged doors only Lock option Finish, case Finish, pull when applicable Keying instructions <p>*After specifying product code, provide keying instructions.</p> <p>Dimensions are nominal.</p> <p>Product not available where prices do not appear.</p> <ol style="list-style-type: none"> Finish type options: L = Laminate 1 = V1 techwood 2 = V2 conventional veneer 3 = V3 exotic veneer 	<p>4. Pull Options: D = Metal D-pull for hinged door only J = Routed pull C = Nickel finish C-pull for hinged door only (nickel finish only) S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)</p> <p>5. Lock options: L = Lock hole drilled N = No lockdrilling</p> <p>8. Refer to page 513 for keying instructions.</p> <p>Woodgrain Laminate is not available on any flip door units.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Sliding rails order separately on page 0.</p> <p>Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.</p> <p>Open cabinets require no locks.</p> <p>Tasklights are not included.</p> <p>D-Pulls are not available for flip door units.</p> <p>Hardware included for overhead cabinets.</p> <p>The manufacturer does not take responsibility for the installation or the security of cabinets to the wall.</p> <p>*Keying instructions must accompany all cabinet orders.</p> <p>Panel-hung overheads come with no backs.</p> <p>Random keys are factory installed.</p> <p>Order overheads with a KnollKey order form.</p>

Overhead storage


Overhead, 26 1/2" planning Workwalls

Reff Profiles

description	d	h	w	pattern no.	L	V1	V2	V3
72" h workwall overhead cabinet (open)	15"	19"	60"	ROWO60S0(-)(-)(-)	\$1,894.	\$1,978.	\$2,319.	\$3,131.
	15"	19"	72"	ROWO72S0(-)(-)(-)	2,435.	2,543.	2,974.	4,014.
	15"	19"	90"	ROWO90S0(-)(-)(-)	2,683.	2,806.	3,302.	4,457.
	15"	19"	96"	ROWO96S0(-)(-)(-)	2,748.	2,880.	3,391.	4,578.
	15"	23"	60"	ROWO60T0(-)(-)(-)	2,058.	2,148.	2,518.	3,400.
	15"	23"	72"	ROWO72T0(-)(-)(-)	2,765.	2,884.	3,369.	4,547.
	15"	23"	90"	ROWO90T0(-)(-)(-)	3,101.	3,241.	3,797.	5,127.
	15"	23"	96"	ROWO96T0(-)(-)(-)	3,165.	3,311.	3,887.	5,249.
	20"	19"	60"	ROWO60S1(-)(-)(-)	2,036.	2,127.	2,492.	3,364.
	20"	19"	72"	ROWO72S1(-)(-)(-)	2,615.	2,727.	3,187.	4,303.
	20"	19"	90"	ROWO90S1(-)(-)(-)	2,981.	3,117.	3,659.	4,940.
	20"	19"	96"	ROWO96S1(-)(-)(-)	3,050.	3,190.	3,749.	5,062.
	20"	23"	60"	ROWO60T1(-)(-)(-)	2,201.	2,296.	2,689.	3,629.
	20"	23"	72"	ROWO72T1(-)(-)(-)	3,047.	3,177.	3,703.	4,999.
	20"	23"	90"	ROWO90T1(-)(-)(-)	3,295.	3,442.	4,031.	5,441.
	20"	23"	96"	ROWO96T1(-)(-)(-)	3,364.	3,512.	4,119.	5,560.



72" h workwall overhead cabinet (hinged door)	15"	19"	60"	ROWH60S0(-)(-)(-)	2,444.	2,547.	2,975.	4,015.
	15"	19"	72"	ROWH72S0(-)(-)(-)	3,132.	3,260.	3,802.	5,133.
	15"	19"	90"	ROWH90S0(-)(-)(-)	3,477.	3,632.	4,250.	5,737.
	15"	19"	96"	ROWH96S0(-)(-)(-)	3,574.	3,732.	4,374.	5,904.
	15"	23"	60"	ROWH60T0(-)(-)(-)	2,650.	2,761.	3,223.	4,350.
	15"	23"	72"	ROWH72T0(-)(-)(-)	3,546.	3,690.	4,293.	5,797.
	15"	23"	90"	ROWH90T0(-)(-)(-)	4,001.	4,170.	4,870.	6,574.
	15"	23"	96"	ROWH96T0(-)(-)(-)	4,096.	4,273.	4,994.	6,742.
	20"	19"	60"	ROWH60S1(-)(-)(-)	2,624.	2,733.	3,190.	4,307.
	20"	19"	72"	ROWH72S1(-)(-)(-)	3,357.	3,494.	4,068.	5,491.
	20"	19"	90"	ROWH90S1(-)(-)(-)	3,854.	4,020.	4,694.	6,338.
	20"	19"	96"	ROWH96S1(-)(-)(-)	3,950.	4,120.	4,820.	6,507.
	20"	23"	60"	ROWH60T1(-)(-)(-)	2,831.	2,948.	3,435.	4,637.
	20"	23"	72"	ROWH72T1(-)(-)(-)	3,898.	4,054.	4,712.	6,362.
	20"	23"	90"	ROWH90T1(-)(-)(-)	4,247.	4,424.	5,160.	6,967.
	20"	23"	96"	ROWH96T1(-)(-)(-)	4,340.	4,524.	5,284.	7,133.



60" w and 72" w units have four hinged doors, two lock cores required.
90" w and 96" w have six hinged doors, three lock cores required.

Order Code	Specification Information	Application Notes
Example: ROWO60S0L		
R Reff	To order please specify pattern number including:	Shipped knocked-down.
O Overhead	1. Configuration option	Open cabinets require no locks.
W Workwall	2. Storage option (embedded in pattern no.)	Tasklights not included.
O Open	S0 = 19" h x 15" d	Tackboard included, fabric railroaded.
60 60" wide	S1 = 19" h x 20" d	Locks are not factory installed.
S Standard height	T0 = 23" h x 15" d	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
0 15" deep	T1 = 23" h x 20" d	Applicable finishes are listed on page 5 and 6.
L Laminate finish	3. Finish type	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
(W250) Fabric finish Regency	4. Pull option for hinged door only.	List price for woodgrain laminate options will be current published laminate list price plus 10%.
	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	*After specifying product code, provide keying instructions.1.	
	Configuration options:	
	O = Open	
	H = Hinged door	
	3. Finish type:	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	4. Pull Options:	
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. Lock options:	
	L = Lockhole drilled	
	N = No lock drilling	
	Keying instructions *	
	See Planning Guide for keying examples.	

Overhead, 26 1/2" planning Shoulders

description	d	h	w	pattern no.	L	V1	V2	V3
Workwall support endpanels for 72"H x 20"D workwall cabinets	15"	19"	–	RWEA7220(L/R)-()	\$353.	\$364.	\$417.	\$563.
	15"	23"	–	RWEB7220(L/R)-()	353.	364.	417.	563.
	20"	19"	–	RWEC7220(L/R)-()	353.	364.	417.	563.
	20"	23"	–	RWED7220(L/R)-()	353.	364.	417.	563.




Workwall support endpanels for 72"H x 24"D workwall cabinets	15"	19"	–	RWEA7224(L/R)-()	384.	398.	457.	617.
	15"	23"	–	RWEB7224(L/R)-()	384.	398.	457.	617.
	20"	19"	–	RWEC7224(L/R)-()	384.	398.	457.	617.
	20"	23"	–	RWED7224(L/R)-()	384.	398.	457.	617.



Order Code	Specification Information	Application Notes
Example: ROWO60S0L	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	1. Configuration option	Open cabinets require no locks.
O Overhead	2. Storage option (<i>embedded in pattern no.</i>)	Tasklights not included.
W Workwall	<i>S0 = 19"h x 15"d</i>	Tackboard included, fabric railroaded.
O Open	<i>S1 = 19"h x 20"d</i>	Locks are not factory installed.
60 60" wide	<i>T0 = 23"h x 15"d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
S Standard height	<i>T1 = 23"h x 20"d</i>	Applicable finishes are listed on page 5 and 6.
0 15" deep	3. Finish type	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
L Laminate finish	4. Pull option for hinged door only.	List price for woodgrain laminate options will be current published laminate list price plus 10%.
(W250) Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	*After specifying product code, provide keying instructions.1.	
	<i>Configuration options:</i>	
	O = Open	
	H = Hinged door	
	3. <i>Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	4. <i>Pull Options:</i>	
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. <i>Lock options:</i>	
	L = Lockhole drilled	
	N = No lock drilling	
	<i>Keying instructions *</i>	
	See Planning Guide for keying examples.	


Overhead, 26 1/2" planning Use with 1 1/4" worksurfaces overdesk unit

description	d	w	h	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 1/4" worksurfaces (hinged door)	15"	60"	44 1/4"	2	4	ROAH60T0(-)(-)(-)	\$2,392.	\$3,002.	\$3,508.	\$4,736.
	15"	72"	44 1/4"	2	4	ROAH72T0(-)(-)(-)	3,031.	3,797.	4,429.	5,980.
	15"	90"	44 1/4"	3	6	ROAH90T0(-)(-)(-)	3,370.	4,226.	4,949.	6,681.
	15"	96"	44 1/4"	3	6	ROAH96T0(-)(-)(-)	3,510.	4,408.	5,167.	6,975.
	20"	60"	44 1/4"	2	4	ROAH60T1(-)(-)(-)	2,531.	3,175.	3,702.	4,996.
	20"	72"	44 1/4"	2	4	ROAH72T1(-)(-)(-)	3,200.	4,008.	4,670.	6,304.
	20"	90"	44 1/4"	3	6	ROAH90T1(-)(-)(-)	3,565.	4,471.	5,229.	7,060.
	20"	96"	44 1/4"	3	6	ROAH96T1(-)(-)(-)	3,716.	4,664.	5,459.	7,370.



For 1 1/4" worksurfaces (open)	15"	60"	44 1/4"			ROAO60T0(-)(-)(-)	1,582.	1,990.	2,346.	3,167.
	15"	72"	44 1/4"			ROAO72T0(-)(-)(-)	2,018.	2,535.	2,978.	4,020.
	15"	90"	44 1/4"			ROAO90T0(-)(-)(-)	2,208.	2,784.	3,293.	4,445.
	15"	96"	44 1/4"			ROAO96T0(-)(-)(-)	2,292.	2,893.	3,423.	4,620.
	20"	60"	44 1/4"			ROAO60T1(-)(-)(-)	1,680.	2,111.	2,483.	3,353.
	20"	72"	44 1/4"			ROAO72T1(-)(-)(-)	2,136.	2,683.	3,148.	4,250.
	20"	90"	44 1/4"			ROAO90T1(-)(-)(-)	2,344.	2,956.	3,482.	4,702.
	20"	96"	44 1/4"			ROAO96T1(-)(-)(-)	2,434.	3,073.	3,627.	4,895.


For 1 1/4" worksurfaces (flip door)	15"	60"	44 1/4"	2	2	ROAF60S0(-)(-)(-)	2,047.	2,789.	3,260.	4,402.
	15"	72"	44 1/4"	2	2	ROAF72S0(-)(-)(-)	2,431.	3,535.	4,126.	5,570.
	15"	84"	44 1/4"	2	2	ROAF84S0(-)(-)(-)	3,150.	4,029.	4,711.	6,359.
	15"	96"	44 1/4"	2	2	ROAF96S0(-)(-)(-)	3,226.	4,138.	4,855.	6,554.
	20"	60"	44 1/4"	2	2	ROAF60S1(-)(-)(-)	2,167.	2,953.	3,449.	4,657.
	20"	72"	44 1/4"	2	2	ROAF72S1(-)(-)(-)	2,568.	3,732.	4,354.	5,878.
	20"	84"	44 1/4"	2	2	ROAF84S1(-)(-)(-)	3,330.	4,261.	4,979.	6,721.
	20"	96"	44 1/4"	2	2	ROAF96S1(-)(-)(-)	3,416.	4,383.	5,136.	6,933.



Order Code	Specification Information	Application Notes
Example: ROAF60S0LJLBF118(-)	<i>To order please specify pattern number including:</i>	
R Reff	1. <i>Configuration option</i> O = Open H = Hinged door F = Flip door	Shipped knocked-down.
O Overhead	2. <i>Width</i>	Open cabinets require no locks.
A For 1 1/4" top mounting	3. <i>Storage option</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	Tasklights not included.
F Flip door	4. <i>Finish type</i> L = Laminate 1 = V1 2 = V2 3 = V3	Tackboard included, fabric railroded.
60 60" wide	5. <i>Pull option for hinged door only</i> D = Metal D-pull (for hinged doors only) J = Routed pull C = Nickel C-pull (nickel finish only, for hinged doors only) S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	C, D and S pulls are not available for flip door units.
S Standard height		All flip door cabinets on this page are nominal 19"H not 23"H.
0 15" deep		Open/hinge doors are nominal 23"H, actual 22 3/8".
L Finish type, laminate		Locks are not factory installed.
J J-pull		Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
L Locks included		Wire manager is included and mounts adjacent to tackboard. Specify color.
BF Cord escape, back feed		
118 Finish, Bright White		
(W250) Fabric		
	6. <i>Lock option</i> L = Lockhole drilled N = No lock drilling	
	7. Cord escape option	
	8. Finish	
	9. Pull finish where applicable	
	10. Fabric for tackboard	
	Woodgrain Laminate is not available on any flip door units.	
	*After specifying product code, provide keying instructions.	
	Overdesk unit will achieve 72" nominal height when used with correct top.	
	The clearance under the overhead to the top of the worksurface is approximately 21 1/4".	
	Applicable finishes are listed on page 5 and 6.	


Overhead, 26¹/₂" planning Use with 1³/₄" worksurfaces overdesk unit

description	d	w	he	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 ³ / ₄ " worksurfaces (hinged door)	15"	60"	43 ³ / ₄ "	2	4	ROBH60T0(-)(-)(-)	\$2,419.	\$3,034.	\$3,544.	\$4,786.
	15"	72"	43 ³ / ₄ "	2	4	ROBH72T0(-)(-)(-)	3,066.	3,839.	4,478.	6,046.
	15"	90"	43 ³ / ₄ "	3	6	ROBH90T0(-)(-)(-)	3,407.	4,275.	5,004.	6,755.
	15"	96"	43 ³ / ₄ "	3	6	ROBH96T0(-)(-)(-)	3,553.	4,459.	5,225.	7,054.
	20"	60"	43 ³ / ₄ "	2	4	ROBH60T1(-)(-)(-)	2,561.	3,206.	3,745.	5,057.
	20"	72"	43 ³ / ₄ "	2	4	ROBH72T1(-)(-)(-)	3,237.	4,053.	4,723.	6,375.
	20"	90"	43 ³ / ₄ "	3	6	ROBH90T1(-)(-)(-)	3,605.	4,524.	5,287.	7,137.
	20"	96"	43 ³ / ₄ "	3	6	ROBH96T1(-)(-)(-)	3,758.	4,717.	5,523.	7,455.






For 1 ³ / ₄ " worksurfaces (open)	15"	60"	43 ³ / ₄ "			ROBO60T0(-)(-)(-)	1,599.	2,017.	2,371.	3,200.
	15"	72"	43 ³ / ₄ "			ROBO72T0(-)(-)(-)	2,027.	2,565.	3,012.	4,065.
	15"	90"	43 ³ / ₄ "			ROBO90T0(-)(-)(-)	2,233.	2,818.	3,330.	4,495.
	15"	96"	43 ³ / ₄ "			ROBO96T0(-)(-)(-)	2,318.	2,928.	3,463.	4,675.
	20"	60"	43 ³ / ₄ "			ROBO60T1(-)(-)(-)	1,697.	2,138.	2,511.	3,390.
	20"	72"	43 ³ / ₄ "			ROBO72T1(-)(-)(-)	2,161.	2,714.	3,182.	4,295.
	20"	90"	43 ³ / ₄ "			ROBO90T1(-)(-)(-)	2,321.	2,931.	3,469.	4,683.
	20"	96"	43 ³ / ₄ "			ROBO96T1(-)(-)(-)	2,375.	2,992.	3,528.	4,762.

For 1 ³ / ₄ " worksurfaces (flip door)	15"	60"	43 ³ / ₄ "	2	2	ROBF60S0(-)(-)(-)	2,070.	2,822.	3,299.	4,454.
	15"	72"	43 ³ / ₄ "	2	2	ROBF72S0(-)(-)(-)	2,459.	3,575.	4,173.	5,633.
	15"	84"	43 ³ / ₄ "	2	2	ROBF84S0(-)(-)(-)	3,186.	4,071.	4,762.	6,430.
	15"	96"	43 ³ / ₄ "	2	2	ROBF96S0(-)(-)(-)	3,264.	4,189.	4,912.	6,631.
	20"	60"	43 ³ / ₄ "	2	2	ROBF60S1(-)(-)(-)	2,193.	2,983.	3,487.	4,707.
	20"	72"	43 ³ / ₄ "	2	2	ROBF72S1(-)(-)(-)	2,598.	3,774.	4,403.	5,944.
	20"	84"	43 ³ / ₄ "	2	2	ROBF84S1(-)(-)(-)	3,371.	4,312.	5,039.	6,804.
	20"	96"	43 ³ / ₄ "	2	2	ROBF96S1(-)(-)(-)	3,457.	4,433.	5,191.	7,008.




Order Code	Specification Information	Application Notes
Example: ROBF60S0LJLBF118(-)	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	1. <i>Configuration option</i> O = Open H = Hinged door	Open cabinets require no locks.
O Overhead	F = Flip door	Tasklights not included.
B For 1 ³ / ₄ " top mounting	2. <i>Width</i>	Tackboard included, fabric railroaded.
F Flip door	3. <i>Storage option</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	C, D and S pulls are not available for flip door units.
60 60" wide	4. <i>Finish type</i> L = Laminate 1 = V1 2 = V2 3 = V3	All flip door cabinets on this page are nominal 19"H not 23"H.
S Standard height	5. <i>Pull option for hinged door only</i> D = Metal D-pull (for hinged doors only) J = Routed pull C = Nickel C-pull (nickel finish only, for hinged doors only) S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	Open/hinge doors are nominal 23"H, actual 22 ³ / ₈ ".
0 15" deep		Locks are not factory installed.
L Finish type, laminate		Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
J J-pull		Wire manager is included and mounts adjacent to tackboard. Specify color.
L Locks included		
BF Cord escape, back feed		
118 Finish, Bright White		
(W250) Fabric		
	6. <i>Lock option</i> L = Lockhole drilled N = No lock drilling	
	7. <i>Cord escape option</i>	
	8. <i>Finish</i>	
	9. <i>Pull finish where applicable</i>	
	10. <i>Fabric for tackboard</i>	
	*After specifying product code, provide keying instructions.	
	Overdesk unit will achieve 72" nominal height when used with correct top.	
	The clearance under the overhead to the top of the worksurface is approximately 20 ³ / ₄ ".	
	Applicable finishes are listed on page 5 and 6.	
	Woodgrain Laminate is not available on any flip door units.	

Overhead, 26 1/2" planning
 rectilinear worksurfaces for workwall units
 1 1/4" thick

description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	RSWWA601()	\$552.	\$569.	\$653.	\$882.
	60"	24"	RSWWA602()	593.	611.	704.	950.
	72"	20"	RSWWA721()	600.	620.	712.	960.
	72"	24"	RSWWA722()	641.	664.	760.	1,027.
	90"	20"	RSWWA901()	695.	719.	826.	1,115.
	90"	24"	RSWWA902()	737.	760.	877.	1,183.
	96"	20"	RSWWA961()	789.	815.	937.	1,265.
	96"	24"	RSWWA962()	832.	860.	988.	1,333.
Waterfall edge workwall tops 	60"	20"	RSWWAWF601()	n/a	1,709.	1,966.	2,654.
	60"	24"	RSWWAWF602()	n/a	1,835.	2,111.	2,850.
	72"	20"	RSWWAWF721()	n/a	1,858.	2,137.	2,884.
	72"	24"	RSWWAWF722()	n/a	1,987.	2,287.	3,088.
	90"	20"	RSWWAWF901()	n/a	2,157.	2,481.	3,350.
	90"	24"	RSWWAWF902()	n/a	2,287.	2,631.	3,551.
	96"	20"	RSWWAWF961()	n/a	2,514.	2,811.	3,795.
	96"	24"	RSWWAWF962()	n/a	2,578.	2,965.	4,002.
Straight workwall 1 1/4" Rectangular tops with front edge profile 	60"	20"	RSWWA(A/B/C/D/E/F/G)601()	n/a	663.	764.	1,032.
	60"	24"	RSWWA(A/B/C/D/E/F/G)602()	n/a	703.	811.	1,095.
	72"	20"	RSWWA(A/B/C/D/E/F/G)721()	n/a	712.	819.	1,106.
	72"	24"	RSWWA(A/B/C/D/E/F/G)722()	n/a	761.	877.	1,083.
	90"	20"	RSWWA(A/B/C/D/E/F/G)901()	n/a	826.	950.	1,283.
	90"	24"	RSWWA(A/B/C/D/E/F/G)902()	n/a	876.	1,008.	1,360.
	96"	20"	RSWWA(A/B/C/D/E/F/G)961()	n/a	937.	1,079.	1,456.
	96"	24"	RSWWA(A/B/C/D/E/F/G)962()	n/a	988.	1,136.	1,534.

Order Code	Specification Information	Application Notes
Example: RSWWA60100L	<i>To order please specify pattern number including:</i>	20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.
R Reff	1. Top thickness	Applicable finishes are listed on page 5 and 6. Hardware included.
S Straight top	2. Top finish type	
WW Workwall top	3. Top finish	
A 1 1/4" thick	1. <i>Thickness options:</i>	No grommets available. 1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.
60 60" wide	A = 1 1/4"	
1 20" deep	2. <i>Finish type:</i>	
(L) Laminate finish	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	3. Specify edge detail where applicable, for RSWWA(). See page0 for available profiles.	
	Product on this page will accept woodgrain laminate where laminate is currently an option.	
	List price for woodgrain laminate options will be current published laminate list price plus 10%.	

Overhead, 26¹/₂" planning
rectilinear worksurfaces for workwall units
1³/₄" thick

description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	RSWWB601()	\$689.	\$716.	\$821.	\$1,108.
	60"	24"	RSWWB602()	739.	769.	884.	1,194.
	72"	20"	RSWWB721()	750.	780.	897.	1,211.
	72"	24"	RSWWB722()	800.	833.	958.	1,294.
	90"	20"	RSWWB901()	868.	903.	1,038.	1,403.
	90"	24"	RSWWB902()	923.	959.	1,102.	1,488.
	96"	20"	RSWWB961()	985.	1,023.	1,175.	1,586.
	96"	24"	RSWWB962()	1,039.	1,080.	1,241.	1,676.

Order Code	
Example: RSWWB60100L	
R	Reff
S	Straight top
WW	Workwall top
B	1 ³ / ₄ " thick
60	60" wide
1	20" deep
(L)	Laminate finish

Specification Information

To order please specify pattern number including:

- Top thickness
- Top finish type
- Top finish

1. Thickness options:
 B = 1³/₄"

2. Finish type:
 L = Laminate
 M = Wood/laminate mixed
 1 = V1
 2 = V2
 3 = V3

3. Specify edge detail where applicable, for RSWWA(). See page 0 for available profiles.

Application Notes

20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.

No grommets available.


1³/₄" thick laminate option is double post formed front and back, all others are edgebanded.

Applicable finishes are listed on page 5 and 6.

Hardware included.

Overhead, 28³/₈" planning Workwalls

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 19"h storage (open)	15"	19"	60"	75"	ROWO60S0DH () () () ()	\$1,988.	\$2,077.	\$2,435.	\$3,289.
	15"	19"	72"	75"	ROWO72S0DH () () () ()	2,558.	2,670.	3,123.	4,216.
	15"	19"	90"	75"	ROWO90S0DH () () () ()	2,820.	2,947.	3,465.	4,678.
	15"	19"	96"	75"	ROWO96S0DH () () () ()	2,887.	3,025.	3,560.	4,806.
	20"	19"	60"	75"	ROWO60S1DH () () () ()	2,139.	2,232.	2,616.	3,531.
	20"	19"	72"	75"	ROWO72S1DH () () () ()	2,746.	2,862.	3,344.	4,516.
	20"	19"	90"	75"	ROWO90S1DH () () () ()	3,130.	3,273.	3,843.	5,188.
	20"	19"	96"	75"	ROWO96S1DH () () () ()	3,204.	3,350.	3,937.	5,316.




Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118 ()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" h products on page 0 ; do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.</p> <p>75" nominal height - actual height 75.125"</p> <p>If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.</p> <p>Tackboard included with workwall; fabric applied railroaded.</p> <p>Tasklights to be ordered separately</p>
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors	
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
W Workwall	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
S 19" storage height	6. <i>Finish</i>	
0 15" storage depth	7. <i>Optional pull finish, where applicable</i>	
DH desk height, 75" height overall	8. <i>Fabric for tackboard</i>	
L Finish type, laminate	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
118 Finish, Bright White	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 513. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
() Fabric selection	Products on this page, shipped knocked-down. Applicable finishes are listed on page 5 and 6.	

dimensions noted nominal

Overhead, 28³/₈" planning Workwalls


description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 23"h storage (open)	15"	23"	60"	75"	ROWO60T0DH () () () ()	\$2,162.	\$2,256.	\$2,645.	\$3,571.
	15"	23"	72"	75"	ROWO72T0DH () () () ()	2,905.	3,028.	3,537.	4,775.
	15"	23"	90"	75"	ROWO90T0DH () () () ()	3,256.	3,403.	3,988.	5,384.
	15"	23"	96"	75"	ROWO96T0DH () () () ()	3,324.	3,477.	4,083.	5,511.
	20"	23"	60"	75"	ROWO60T1DH () () () ()	2,312.	2,411.	2,824.	3,811.
	20"	23"	72"	75"	ROWO72T1DH () () () ()	3,200.	3,336.	3,887.	5,249.
	20"	23"	90"	75"	ROWO90T1DH () () () ()	3,459.	3,614.	4,234.	5,715.
	20"	23"	96"	75"	ROWO96T1DH () () () ()	3,531.	3,687.	4,325.	5,838.



Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118 ()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" h products on page 0 ; do not mix products from 26¹/₂" (standard height) planning model with 28³/₈" (desk height) planning model in any one configuration.</p> <p>75" nominal height - actual height 75.125"</p> <p>If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.</p> <p>Tackboard included with workwall; fabric applied railroaded.</p> <p>Tasklights to be ordered separately</p>
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors	
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
W Workwall	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
S 19" storage height	6. <i>Finish</i>	
0 15" storage depth	7. <i>Optional pull finish, where applicable</i>	
DH desk height, 75" height overall	8. <i>Fabric for tackboard</i>	
L Finish type, laminate	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
118 Finish, Bright White	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 513. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
() Fabric selection	Products on this page, shipped knocked-down. Applicable finishes are listed on page 5 and 6.	

dimensions noted nominal

Overhead, 28³/₈" planning Workwalls

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 19"h storage (hinged door) 	15"	19"	60"	75"	ROWH60S0DH () () () ()	\$2,566.	\$2,675.	\$3,124.	\$4,218.
	15"	19"	72"	75"	ROWH72S0DH () () () ()	3,289.	3,425.	3,993.	5,391.
	15"	19"	90"	75"	ROWH90S0DH () () () ()	3,652.	3,813.	4,462.	6,024.
	15"	19"	96"	75"	ROWH96S0DH () () () ()	3,753.	3,919.	4,593.	6,201.
	20"	19"	60"	75"	ROWH60S1DH () () () ()	2,756.	2,871.	3,350.	4,523.
	20"	19"	72"	75"	ROWH72S1DH () () () ()	3,524.	3,669.	4,272.	5,767.
	20"	19"	90"	75"	ROWH90S1DH () () () ()	4,047.	4,220.	4,929.	6,654.
	20"	19"	96"	75"	ROWH96S1DH () () () ()	4,147.	4,326.	5,060.	6,831.


60" w and 72" w units have four hinged doors, two lock cores required
 90" w and 96" w units have 6 hinged doors, three lock cores required

Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118 () R Reff O Overhead W Workwall O Open 60 60" wide S 19" storage height 0 15" storage depth DH desk height, 75" height overall L Finish type, laminate 118 Finish, Bright White () Fabric selection	To order please specify pattern number including: 1. Configuration option (embedded in pattern number) O = Open H = Hinged doors 2. Storage option (embedded in pattern number) S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d 3. Finish type L = laminate 1 = V1 2 = V2 3 = V3 4. Pull option (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ " h products on page 0 ; do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration. 75" nominal height - actual height 75.125" If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order. Tackboard included with workwall; fabric applied railroaded. Tasklights to be ordered separately Products on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 513. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Products on this page, shipped knocked-down. Applicable finishes are listed on page 5 and 6.

dimensions noted nominal

Overhead, 28³/₈" planning Workwalls

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 23" h storage (hinged door)	15"	23"	60"	75"	ROWH60TODH () () () ()	\$2,783.	\$2,898.	\$3,385.	\$4,570.
	15"	23"	72"	75"	ROWH72TODH () () () ()	3,723.	3,873.	4,508.	6,086.
	15"	23"	90"	75"	ROWH90TODH () () () ()	4,201.	4,378.	5,112.	6,901.
	15"	23"	96"	75"	ROWH96TODH () () () ()	4,301.	4,487.	5,243.	7,080.
	20"	23"	60"	75"	ROWH60T1DH () () () ()	2,974.	3,096.	3,606.	4,869.
	20"	23"	72"	75"	ROWH72T1DH () () () ()	4,092.	4,258.	4,948.	6,680.
	20"	23"	90"	75"	ROWH90T1DH () () () ()	4,460.	4,645.	5,419.	7,316.
	20"	23"	96"	75"	ROWH96T1DH () () () ()	4,557.	4,750.	5,548.	7,489.




60" w and 72" w units have four hinged doors, two lock cores required
90" w and 96" w units have 6 hinged doors, three lock cores required


Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118 () R Reff O Overhead W Workwall O Open 60 60" wide S 19" storage height 0 15" storage depth DH desk height, 75" height overall L Finish type, laminate 118 Finish, Bright White () Fabric selection	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3 <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling <i>Finish</i> <i>Optional pull finish, where applicable</i> <i>Fabric for tackboard</i> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 513. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>Products on this page, shipped knocked-down.</p> <p>Applicable finishes are listed on page 5 and 6.</p>	<p>Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" h products on page 0 ; do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.</p> <p>75" nominal height - actual height 75.125"</p> <p>If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.</p> <p>Tackboard included with workwall; fabric applied railroaded.</p> <p>Tasklights to be ordered separately</p>

dimensions noted nominal


Overhead, 28³/₈" planning Shoulders

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall support end panels for 75"h x 20"d workwall cabinets 	15"	19"		75"	RWEA7520(L/R) () ()	\$370.	\$383.	\$438.	\$593.
	15"	23"		75"	RWEB7520(L/R) () ()	370.	383.	438.	593.
	20"	19"		75"	RWEC7520(L/R) () ()	370.	383.	438.	593.
	20"	23"		75"	RWED7520(L/R) () ()	370.	383.	438.	593.

depth and width indicate drilled to support workwall with corresponding storage dimensions

Workwall support end panels for 75"h x 24"d workwall cabinets 	15"	19"		75"	RWEA7524(L/R) () ()	402.	418.	480.	648.
	15"	23"		75"	RWEB7524(L/R) () ()	402.	418.	480.	648.
	20"	19"		75"	RWEC7524(L/R) () ()	402.	418.	480.	648.
	20"	23"		75"	RWED7524(L/R) () ()	402.	418.	480.	648.

depth and width indicate drilled to support workwall with corresponding storage dimensions

Overhead shoulder 	15"	68"	2"	68"	ROSSH681 () ()	353.	364.	417.	563.
	15"	82"	2"	82"	ROSDH821 () ()	384.	398.	457.	617.

Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118 ()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75"h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈"h products on page 0 ; do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.</p> <p>75" nominal height - actual height 75.125"</p> <p>If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.</p> <p>Tackboard included with workwall; fabric applied railroaded.</p> <p>Tasklights to be ordered separately</p>
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors	
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	
W Workwall	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
S 19" storage height	6. <i>Finish</i>	
0 15" storage depth	7. <i>Optional pull finish, where applicable</i>	
DH desk height, 75" height overall	8. <i>Fabric for tackboard</i>	
L Finish type, laminate	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
118 Finish, Bright White	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 513. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
() Fabric selection	Products on this page, shipped knocked-down. Applicable finishes are listed on page 5 and 6.	

dimensions noted nominal

Overhead, 28³/₈" planning Use with 1¹/₄" worksurfaces Overdesk unit

Reff Profiles

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit (for 1 ¹ / ₄ " worksurface at "desk height") O=Open	15"	60"	45 ¹ / ₂ "	ROAO60T0DH () () () ()	\$1,662.	\$2,090.	\$2,463.	\$3,326.
	15"	72"	45 ¹ / ₂ "	ROAO72T0DH () () () ()	2,118.	2,663.	3,125.	4,219.
	15"	90"	45 ¹ / ₂ "	ROAO90T0DH () () () ()	2,317.	2,924.	3,457.	4,667.
	15"	96"	45 ¹ / ₂ "	ROAO96T0DH () () () ()	2,407.	3,037.	3,593.	4,851.
	20"	60"	45 ¹ / ₂ "	ROAO60T1DH () () () ()	1,764.	2,217.	2,608.	3,520.
	20"	72"	45 ¹ / ₂ "	ROAO72T1DH () () () ()	2,244.	2,820.	3,306.	4,462.
	20"	90"	45 ¹ / ₂ "	ROAO90T1DH () () () ()	2,460.	3,103.	3,658.	4,938.
	20"	96"	45 ¹ / ₂ "	ROAO96T1DH () () () ()	2,557.	3,226.	3,808.	5,141.
Overdesk unit (for 1 ¹ / ₄ " worksurface at "desk height") H=Hinged Door	15"	60"	45 ¹ / ₂ "	ROAH60T0DH () () () ()	2,510.	3,153.	3,681.	4,970.
	15"	72"	45 ¹ / ₂ "	ROAH72T0DH () () () ()	3,183.	3,988.	4,652.	6,280.
	15"	90"	45 ¹ / ₂ "	ROAH90T0DH () () () ()	3,538.	4,438.	5,198.	7,017.
	15"	96"	45 ¹ / ₂ "	ROAH96T0DH () () () ()	3,686.	4,628.	5,424.	7,322.
	20"	60"	45 ¹ / ₂ "	ROAH60T1DH () () () ()	2,658.	3,333.	3,888.	5,250.
	20"	72"	45 ¹ / ₂ "	ROAH72T1DH () () () ()	3,361.	4,209.	4,904.	6,621.
	20"	90"	45 ¹ / ₂ "	ROAH90T1DH () () () ()	3,741.	4,694.	5,490.	7,413.
	20"	96"	45 ¹ / ₂ "	ROAH96T1DH () () () ()	3,902.	4,895.	5,734.	7,739.

60" w and 72" w hinged door units have four hinged doors, two lock cores required
90" w and 96" w hinged door units have six hinged doors, three lock cores required

Order Code	Specification Information	Application Notes
Example: ROAO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" h products on page 0 ; do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.</p> <p>Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.</p> <p>Clearance below overhead storage to top of worksurface is approximately 23¹/₈" h.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
A For mounting on 1 ¹ / ₄ " thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
T 23" h storage	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed	
0 15" d storage	7. <i>Finish</i>	
DH desk height, 75" height overall	8. <i>Optional pull finish, where applicable</i>	
L Finish type, laminate	9. <i>Fabric for tackboard</i>	
BF Cord escape, back feed	Woodgrain Laminate is not available on any flip door units.	
118 Finish, Bright White	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 513. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
() Fabric selection	Products on this page shipped knocked-down. Tasklights not included. Tackboard included, fabric orientation applied railroaded. Wire manager included and mounts adjacent to tackboard. Specify color. Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"	

dimensions noted nominal

Overhead storage

Overhead, 28³/₈" planning
Use with 1¹/₄" worksurfaces
Overdesk unit

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit	15"	60"	45 ¹ / ₂ "	ROAF60S0DH () () () ()	\$2,149.	\$2,928.	\$3,425.	\$4,623.
(for 1 ¹ / ₄ " worksurface at "desk height")	15"	72"	45 ¹ / ₂ "	ROAF72S0DH () () () ()	2,552.	3,712.	4,333.	5,849.
F=Flip door	15"	84"	45 ¹ / ₂ "	ROAF84S0DH () () () ()	3,307.	4,230.	4,948.	6,680.
	15"	96"	45 ¹ / ₂ "	ROAF96S0DH () () () ()	3,388.	4,345.	5,098.	6,883.
	20"	60"	45 ¹ / ₂ "	ROAF60S1DH () () () ()	2,277.	3,098.	3,622.	4,889.
	20"	72"	45 ¹ / ₂ "	ROAF72S1DH () () () ()	2,698.	3,918.	4,572.	6,171.
	20"	84"	45 ¹ / ₂ "	ROAF84S1DH () () () ()	3,496.	4,474.	5,226.	7,055.
	20"	96"	45 ¹ / ₂ "	ROAF96S1DH () () () ()	3,587.	4,603.	5,393.	7,281.

all flip door units have two flip doors, two lock cores required
J-pull only, C, D and S pulls are not optional for flip door units

Order Code	Specification Information	Application Notes
Example: ROAO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	<p>Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" h products on page 0 ; do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.</p> <p>Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.</p> <p>Clearance below overhead storage to top of worksurface is approximately 23¹/₈" h.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	
A For mounting on 1 ¹ / ₄ " thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
T 23" h storage	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed	
0 15" d storage	7. <i>Finish</i>	
DH desk height, 75" height overall	8. <i>Optional pull finish, where applicable</i>	
L Finish type, laminate	9. <i>Fabric for tackboard</i>	
BF Cord escape, back feed	Woodgrain Laminate is not available on any flip door units.	
118 Finish, Bright White	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 513. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
() Fabric selection	Products on this page shipped knocked-down. Tasklights not included. Tackboard included, fabric orientation applied railroaded. Wire manager included and mounts adjacent to tackboard. Specify color. Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet"	


dimensions noted nominal

Overhead, 28³/₈" planning

Use with 1³/₄" worksurfaces

Overdesk unit

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit (for 1 ³ / ₄ " worksurface at "desk height") H=Hinged Door	15"	60"	45"	ROBH60T0DH () () () ()	\$2,543.	\$3,186.	\$3,723.	\$5,025.
	15"	72"	45"	ROBH72T0DH () () () ()	3,220.	4,034.	4,704.	6,350.
	15"	90"	45"	ROBH90T0DH () () () ()	3,579.	4,489.	5,254.	7,092.
	15"	96"	45"	ROBH96T0DH () () () ()	3,730.	4,684.	5,487.	7,407.
	20"	60"	45"	ROBH60T1DH () () () ()	2,689.	3,366.	3,930.	5,306.
	20"	72"	45"	ROBH72T1DH () () () ()	3,398.	4,255.	4,958.	6,693.
	20"	90"	45"	ROBH90T1DH () () () ()	3,786.	4,747.	5,553.	7,497.
	20"	96"	45"	ROBH96T1DH () () () ()	3,945.	4,953.	5,799.	7,828.



60"w and 72"w hinged door units have four hinged doors, two lock cores required
90"w and 96"w hinged door units have six hinged doors, three lock cores required

Overdesk unit (for 1 ³ / ₄ " worksurface at "desk height") O=Open	15"	60"	45"	ROBO60T0DH () () () ()	1,679.	2,117.	2,490.	3,361.
	15"	72"	45"	ROBO72T0DH () () () ()	2,128.	2,695.	3,162.	4,269.
	15"	90"	45"	ROBO90T0DH () () () ()	2,346.	2,958.	3,496.	4,720.
	15"	96"	45"	ROBO96T0DH () () () ()	2,434.	3,074.	3,638.	4,911.
	20"	60"	45"	ROBO60T1DH () () () ()	1,782.	2,243.	2,639.	3,562.
	20"	72"	45"	ROBO72T1DH () () () ()	2,268.	2,848.	3,342.	4,512.
	20"	90"	45"	ROBO90T1DH () () () ()	2,439.	3,077.	3,641.	4,916.
	20"	96"	45"	ROBO96T1DH () () () ()	2,494.	3,140.	3,703.	4,999.

Order Code	Specification Information	Application Notes
Example: ROBO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	7. <i>Finish</i>
B For mounting on 1 ³ / ₄ " thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	8. <i>Optional pull finish, where applicable</i>
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	9. <i>Fabric for tackboard</i>
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 513. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
T 23"h storage		Products on this page shipped knocked-down.
0 15"d storage		Tasklights not included.
DH desk height, 75" height overall		Tackboard included, fabric orientation applied railroaded.
L Finish type, laminate		Wire manager included and mounts adjacent to tackboard. Specify color.
BF Cord escape, back feed		Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet".
118 Finish, Bright White		Woodgrain Laminate is not available on any flip door units.
() Fabric selection		

dimensions noted nominal

Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" h products on page 0 ; **do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.**

Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.

Clearance below overhead storage to top of worksurface is approximately 22³/₈" h.


Applicable finishes are listed on page 5 and 6.

Overhead, 28³/₈" planning

Use with 1³/₄" worksurfaces

Overdesk unit

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit	15"	60"	45"	ROBF60S0DH () () () ()	\$2,174.	\$2,964.	\$3,464.	\$4,677.
(for 1 ³ / ₄ " worksurface	15"	72"	45"	ROBF72S0DH () () () ()	2,581.	3,754.	4,381.	5,915.
at "desk height")	15"	84"	45"	ROBF84S0DH () () () ()	3,343.	4,274.	5,000.	6,750.
F=Flip door	15"	96"	45"	ROBF96S0DH () () () ()	3,427.	4,398.	5,159.	6,966.
	20"	60"	45"	ROBF60S1DH () () () ()	2,302.	3,133.	3,661.	4,942.
	20"	72"	45"	ROBF72S1DH () () () ()	2,729.	3,965.	4,622.	6,240.
	20"	84"	45"	ROBF84S1DH () () () ()	3,539.	4,528.	5,289.	7,141.
	20"	96"	45"	ROBF96S1DH () () () ()	3,631.	4,653.	5,450.	7,356.



all flip door units have two flip doors, two lock cores required
J-pull only; C, D and S pulls are not optional for flip door units

Order Code	Specification Information	Application Notes
Example: ROBO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	7. <i>Finish</i>
B For mounting on 1 ³ / ₄ " thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	8. <i>Optional pull finish, where applicable</i>
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	9. <i>Fabric for tackboard</i>
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 513. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
T 23"h storage		Products on this page shipped knocked-down.
0 15"d storage		Tasklights not included.
DH desk height, 75" height overall		Tackboard included, fabric orientation applied railroaded.
L Finish type, laminate		Wire manager included and mounts adjacent to tackboard. Specify color.
BF Cord escape, back feed		Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet".
118 Finish, Bright White		Woodgrain Laminate is not available on any flip door units.
() Fabric selection		

dimensions noted nominal

Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28³/₈" h products on page 0 ; **do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.**

Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.


Clearance below overhead storage to top of worksurface is approximately 22³/₈" h.


Applicable finishes are listed on page 5 and 6.

Overhead, 28³/₈" planning

Single high

Wall hung with and without Center Gables

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet open /cubby with center gable 	30"	15"	20"			ROMCGSHP301 () ()	\$1,178.	\$1,649.	\$1,896.	\$2,465.
	36"	15"	20"			ROMCGSHP361 () ()	1,215.	1,701.	1,956.	2,543.
	42"	15"	20"			ROMCGSHP421 () ()	1,320.	1,848.	2,126.	2,763.
	48"	15"	20"			ROMCGSHP481 () ()	1,373.	1,922.	2,210.	2,873.
	54"	15"	20"			ROMCGSHP541 () ()	1,610.	2,254.	2,593.	3,370.
	60"	15"	20"			ROMCGSHP601 () ()	1,868.	2,616.	3,008.	3,910.
	66"	15"	20"			ROMCGSHP661 () ()	1,903.	2,664.	3,063.	3,983.
	72"	15"	20"			ROMCGSHP721 () ()	1,940.	2,716.	3,124.	4,061.
	78"	15"	20"			ROMCGSHP781 () ()	2,037.	2,852.	3,280.	4,264.
	84"	15"	20"			ROMCGSHP841 () ()	2,369.	3,317.	3,814.	4,958.
90"	15"	20"			ROMCGSHP901 () ()	2,409.	3,373.	3,879.	5,042.	
96"	15"	20"			ROMCGSHP961 () ()	2,447.	3,426.	3,940.	5,122.	

Wall-hung overhead cabinet open /cubby without center gable 	30"	15"	20"			ROMOCSHP301 () ()	1,060.	1,484.	1,706.	2,219.
	36"	15"	20"			ROMOCSHP361 () ()	1,094.	1,531.	1,760.	2,289.
	42"	15"	20"			ROMOCSHP421 () ()	1,188.	1,663.	1,913.	2,487.
	48"	15"	20"			ROMOCSHP481 () ()	1,236.	1,730.	1,989.	2,586.
	54"	15"	20"			ROMOCSHP541 () ()	1,449.	2,029.	2,334.	3,033.
	60"	15"	20"			ROMOCSHP601 () ()	1,681.	2,354.	2,707.	3,519.
	66"	15"	20"			ROMOCSHP661 () ()	1,713.	2,398.	2,757.	3,585.
	72"	15"	20"			ROMOCSHP721 () ()	1,746.	2,444.	2,812.	3,655.
	78"	15"	20"			ROMOCSHP781 () ()	1,833.	2,567.	2,952.	3,838.
	84"	15"	20"			ROMOCSHP841 () ()	2,132.	2,985.	3,433.	4,462.
90"	15"	20"			ROMOCSHP901 () ()	2,168.	3,036.	3,491.	4,538.	
96"	15"	20"			ROMOCSHP961 () ()	2,202.	3,083.	3,546.	4,610.	

Without center gable

Order Code	Specification Information	Application Notes
Example: ROMCGSHP301	<i>To order please specify:</i>	Letter depth is 15" nominal.
R Reff	1. Finish	Fascias ordered separately
O Overhead	L, V1, V2, V3	Tasklights ordered separately
M Wall mount		Tack/Task panel order separately
CG Center Gable		Wall hung cabinets come with wall hung cleates
SH Single high		Unfinished back
P Planning		
30 30" width		
V2 Case finish type		
V316 V2 finish		


dimensions noted nominal

Overhead, 28³/₈" planning

Single high

Wall hung with doors

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall-hung overhead cabinet	30"	15"	20"	ROMHSHP301 (X)(X)(X)(X)(X)	\$1,817.	\$1,998.	\$2,089.	\$2,180.	\$2,543.	\$2,925.	\$3,802.
hinge door (cubby behind hinge door)	36"	15"	20"	ROMHSHP361 (X)(X)(X)(X)(X)	1,864.	2,050.	2,143.	2,236.	2,609.	3,000.	3,901.
	42"	15"	20"	ROMHSHP421 (X)(X)(X)(X)(X)	2,392.	2,631.	2,751.	2,870.	3,349.	3,851.	5,006.
	48"	15"	20"	ROMHSHP481 (X)(X)(X)(X)(X)	2,455.	2,701.	2,824.	2,946.	3,438.	3,953.	5,139.
	54"	15"	20"	ROMHSHP541 (X)(X)(X)(X)(X)	2,609.	2,870.	3,000.	3,130.	3,652.	4,200.	5,460.
	60"	15"	20"	ROMHSHP601 (X)(X)(X)(X)(X)	2,945.	3,240.	3,387.	3,535.	4,124.	4,742.	6,165.
	66"	15"	20"	ROMHSHP661 (X)(X)(X)(X)(X)	2,994.	3,293.	3,443.	3,593.	4,191.	4,820.	6,266.
	72"	15"	20"	ROMHSHP721 (X)(X)(X)(X)(X)	3,044.	3,349.	3,501.	3,653.	4,262.	4,902.	6,372.
	78"	15"	20"	ROMHSHP781 (X)(X)(X)(X)(X)	3,154.	3,470.	3,627.	3,785.	4,416.	5,078.	6,602.
	84"	15"	20"	ROMHSHP841 (X)(X)(X)(X)(X)	3,972.	4,369.	4,567.	4,766.	5,560.	6,394.	8,312.
	90"	15"	20"	ROMHSHP901 (X)(X)(X)(X)(X)	4,020.	4,422.	4,623.	4,824.	5,628.	6,473.	8,414.
	96"	15"	20"	ROMHSHP961 (X)(X)(X)(X)(X)	4,073.	4,480.	4,684.	4,888.	5,702.	6,558.	8,525.



Wall-hung overhead cabinet	30"	15"	20"	ROMHCSHP301 (X)(X)(X)(X)(X)	1,723.	1,896.	1,982.	2,068.	2,413.	2,775.	3,607.
hinge door with cubby	36"	15"	20"	ROMHCSHP361 (X)(X)(X)(X)(X)	1,769.	1,946.	2,035.	2,123.	2,477.	2,849.	3,703.
	42"	15"	20"	ROMHCSHP421 (X)(X)(X)(X)(X)	2,335.	2,568.	2,685.	2,802.	3,269.	3,759.	4,886.
	48"	15"	20"	ROMHCSHP481 (X)(X)(X)(X)(X)	2,427.	2,670.	2,792.	2,913.	3,398.	3,908.	5,081.
	54"	15"	20"	ROMHCSHP541 (X)(X)(X)(X)(X)	2,481.	2,729.	2,853.	2,977.	3,473.	3,994.	5,192.
	60"	15"	20"	ROMHCSHP601 (X)(X)(X)(X)(X)	2,754.	3,030.	3,167.	3,305.	3,856.	4,434.	5,764.
	66"	15"	20"	ROMHCSHP661 (X)(X)(X)(X)(X)	2,797.	3,077.	3,216.	3,356.	3,916.	4,503.	5,854.
	72"	15"	20"	ROMHCSHP721 (X)(X)(X)(X)(X)	2,846.	3,130.	3,272.	3,415.	3,984.	4,581.	5,956.
	78"	15"	20"	ROMHCSHP781 (X)(X)(X)(X)(X)	2,907.	3,198.	3,343.	3,488.	4,070.	4,680.	6,084.
	84"	15"	20"	ROMHCSHP841 (X)(X)(X)(X)(X)	3,671.	4,038.	4,222.	4,405.	5,139.	5,910.	7,683.
	90"	15"	20"	ROMHCSHP901 (X)(X)(X)(X)(X)	3,734.	4,107.	4,294.	4,480.	5,227.	6,011.	7,815.
	96"	15"	20"	ROMHCSHP961 (X)(X)(X)(X)(X)	3,782.	4,160.	4,349.	4,538.	5,295.	6,089.	7,915.

Order Code	Specification Information	Application Notes
Example: ROMHSHP301 (X)(X)(X)(X)(X)	<i>To order please specify:</i>	Letter depth is 15" nominal.
R Reff	1. Case Finish: L, V1, V2, V3	Fascias ordered separately
O Overhead	2. Front Finish: L, V1, V2, V3	Tasklights not included
M Wall mount	3. Pull option: B=Blank, no drilling, no touch latch R=Cylinder T=Tab F=Bar H= Outline	Tack/Task panel order separately Unfinished backs
H Hinge door	4. Lock option: N=no drilling L=locking	Wall hung cabinets come with wall hung cleats
SH Single High	5. Lock finish: B=Black S=Matte silver	
P Planning	6. Case finish: V316	
30 Width	7. Front finish: V316	
1 Depth (letter)	8. Pull finish: Painted, PN= Black Nickel, PD=Polished chrome, PU=Satin Nickel	
V2 Case finish type		
V2 Front finish type		
H Pull option		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		
PU Pull finish		

dimensions noted nominal

Overhead, 28³/₈" planning
 Single high
 Wall hung with glass doors

description	w	d	h	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet	30"	15"	20"	ROMGHCSHP301()()()	\$2,470.	\$2,692.	\$3,096.	\$4,025.
glass hinge door (cubby behind hinge door)	36"	15"	20"	ROMGHCSHP361()()()	2,584.	2,817.	3,239.	4,211.
	42"	15"	20"	ROMGHCSHP421()()()	3,314.	3,613.	4,155.	5,401.
	48"	15"	20"	ROMGHCSHP481()()()	3,426.	3,735.	4,295.	5,583.
	54"	15"	20"	ROMGHCSHP541()()()	3,670.	4,000.	4,600.	5,980.
	60"	15"	20"	ROMGHCSHP601()()()	4,079.	4,446.	5,113.	6,647.
	66"	15"	20"	ROMGHCSHP661()()()	4,202.	4,580.	5,267.	6,847.
	72"	15"	20"	ROMGHCSHP721()()()	4,307.	4,694.	5,398.	7,018.
	78"	15"	20"	ROMGHCSHP781()()()	4,487.	4,891.	5,625.	7,312.
	84"	15"	20"	ROMGHCSHP841()()()	5,530.	6,027.	6,931.	9,011.
	90"	15"	20"	ROMGHCSHP901()()()	5,597.	6,100.	7,015.	9,120.
	96"	15"	20"	ROMGHCSHP961()()()	5,720.	6,235.	7,171.	9,322.

Order Code	Specification Information	Application Notes
Example: ROMGHCSHP301 ()()()	<i>To order please specify:</i>	Letter depth is 15" nominal.
R Reff	1. Case Finish type: L, V1, V2, V3	Fascias ordered separately
O Overhead	2. Case Finish: L, V1, V2, V3	Tasklights not included
M Wall mount	3. Door frame finish: Anodized or painted	Tack/Task panel order separately
GHC Glass hinge door/ cubby	4. Glass door finish: GL11 GL15 GL18	Unfinished backs Wall hung cabinets come with wall hung cleats
SH Single High		
P Planning		
30 Width		
1 Depth (letter)		
V2 Case finish type		
V316 Case finish		
AU Door frame finish		
GL11 Door glass finish		



dimensions noted nominal

Overhead, 28³/₈" planning

Reff Profiles

Single high

Cabinet hung with and without Center Gables

description	h	w	d	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet open /cubby with center gable 	20"	30"	15"	ROCCGSH301 () ()	\$1,249.	\$1,749.	\$2,011.	\$2,614.
	20"	36"	15"	ROCCGSH361 () ()	1,284.	1,798.	2,067.	2,688.
	20"	42"	15"	ROCCGSH421 () ()	1,388.	1,944.	2,235.	2,906.
	20"	48"	15"	ROCCGSH481 () ()	1,427.	1,997.	2,297.	2,986.
	20"	54"	15"	ROCCGSH541 () ()	1,662.	2,327.	2,676.	3,479.
	20"	60"	15"	ROCCGSH601 () ()	1,919.	2,687.	3,090.	4,017.
	20"	66"	15"	ROCCGSH661 () ()	1,952.	2,732.	3,142.	4,085.
	20"	72"	15"	ROCCGSH721 () ()	1,990.	2,786.	3,203.	4,164.
	20"	78"	15"	ROCCGSH781 () ()	2,071.	2,899.	3,334.	4,334.
	20"	84"	15"	ROCCGSH841 () ()	2,400.	3,361.	3,865.	5,024.
	20"	90"	15"	ROCCGSH901 () ()	2,439.	3,414.	3,926.	5,104.
	20"	96"	15"	ROCCGSH961 () ()	2,476.	3,466.	3,986.	5,182.
Cabinet-hung overhead cabinet open /cubby without center gable 	20"	30"	15"	ROCOCSHP301 () ()	1,124.	1,574.	1,810.	2,353.
	20"	36"	15"	ROCOCSHP361 () ()	1,156.	1,618.	1,860.	2,419.
	20"	42"	15"	ROCOCSHP421 () ()	1,249.	1,750.	2,012.	2,615.
	20"	48"	15"	ROCOCSHP481 () ()	1,284.	1,797.	2,067.	2,687.
	20"	54"	15"	ROCOCSHP541 () ()	1,496.	2,094.	2,408.	3,131.
	20"	60"	15"	ROCOCSHP601 () ()	1,727.	2,418.	2,781.	3,615.
	20"	66"	15"	ROCOCSHP661 () ()	1,757.	2,459.	2,828.	3,677.
	20"	72"	15"	ROCOCSHP721 () ()	1,791.	2,507.	2,883.	3,748.
	20"	78"	15"	ROCOCSHP781 () ()	1,864.	2,609.	3,001.	3,901.
	20"	84"	15"	ROCOCSHP841 () ()	2,160.	3,025.	3,479.	4,522.
	20"	90"	15"	ROCOCSHP901 () ()	2,195.	3,073.	3,533.	4,594.
	20"	96"	15"	ROCOCSHP961 () ()	2,228.	3,119.	3,587.	4,664.

Without center gable

Order Code	Specification Information	Application Notes
Example: ROCCGSH301S0 () ()	<i>To order please specify:</i>	Letter depth is 15" nominal.
R Reff	1. Case Finish type: L, V1, V2, V3	Place holder for legal depth if required (20").
O Overhead	2. Case finish: V316	Fascias ordered separately
C Cabinet hung		Tasklights ordered separately
CG Center Gable		Tack/Task panel order separately
SH Single high		Unfinished back
30 30" width		
P Planning		
1 Depth (letter)		
V2 Case finish		
V316 Case finish		

dimensions noted nominal

Overhead, 28³/₈" planning
Single high
Cabinet hung with doors

Reff Profiles

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet-hung overhead cabinet hinge door (cubby behind hinge door)	30"	15"	20"	ROCHSHP301(X)(X)(X)(X)(X)	\$1,877.	\$2,064.	\$2,158.	\$2,252.	\$2,627.	\$3,021.	\$3,928.
	36"	15"	20"	ROCHSHP361(X)(X)(X)(X)(X)	1,921.	2,114.	2,210.	2,306.	2,690.	3,094.	4,022.
	42"	15"	20"	ROCHSHP421(X)(X)(X)(X)(X)	2,449.	2,693.	2,816.	2,938.	3,428.	3,942.	5,125.
	48"	15"	20"	ROCHSHP481(X)(X)(X)(X)(X)	2,498.	2,748.	2,873.	2,998.	3,497.	4,022.	5,228.
	54"	15"	20"	ROCHSHP541(X)(X)(X)(X)(X)	2,649.	2,914.	3,047.	3,179.	3,709.	4,265.	5,545.
	60"	15"	20"	ROCHSHP601(X)(X)(X)(X)(X)	2,985.	3,283.	3,433.	3,582.	4,179.	4,806.	6,247.
	66"	15"	20"	ROCHSHP661(X)(X)(X)(X)(X)	3,031.	3,334.	3,486.	3,638.	4,244.	4,880.	6,345.
	72"	15"	20"	ROCHSHP721(X)(X)(X)(X)(X)	3,081.	3,389.	3,543.	3,697.	4,313.	4,960.	6,448.
	78"	15"	20"	ROCHSHP781(X)(X)(X)(X)(X)	3,176.	3,494.	3,653.	3,812.	4,447.	5,114.	6,448.
	84"	15"	20"	ROCHSHP841(X)(X)(X)(X)(X)	3,993.	4,392.	4,591.	4,791.	5,590.	6,428.	8,356.
	90"	15"	20"	ROCHSHP901(X)(X)(X)(X)(X)	4,039.	4,443.	4,645.	4,847.	5,655.	6,503.	8,454.
96"	15"	20"	ROCHSHP961(X)(X)(X)(X)(X)	4,090.	4,499.	4,704.	4,908.	5,726.	6,585.	8,560.	
Cabinet-hung overhead cabinet hinge door with cubby	30"	15"	20"	ROCHCSHP301(X)(X)(X)(X)(X)	1,783.	1,962.	2,051.	2,140.	2,497.	2,871.	3,732.
	36"	15"	20"	ROCHCSHP361(X)(X)(X)(X)(X)	1,827.	2,010.	2,101.	2,193.	2,558.	2,942.	3,824.
	42"	15"	20"	ROCHCSHP421(X)(X)(X)(X)(X)	2,391.	2,631.	2,750.	2,870.	3,348.	3,850.	5,005.
	48"	15"	20"	ROCHCSHP481(X)(X)(X)(X)(X)	2,470.	2,717.	2,840.	2,964.	3,458.	3,977.	5,170.
	54"	15"	20"	ROCHCSHP541(X)(X)(X)(X)(X)	2,521.	2,773.	2,899.	3,025.	3,530.	4,059.	5,277.
	60"	15"	20"	ROCHCSHP601(X)(X)(X)(X)(X)	2,794.	3,073.	3,213.	3,352.	3,911.	4,498.	5,847.
	66"	15"	20"	ROCHCSHP661(X)(X)(X)(X)(X)	2,834.	3,118.	3,259.	3,401.	3,968.	4,563.	5,932.
	72"	15"	20"	ROCHCSHP721(X)(X)(X)(X)(X)	2,882.	3,170.	3,314.	3,458.	4,035.	4,640.	6,032.
	78"	15"	20"	ROCHCSHP781(X)(X)(X)(X)(X)	2,929.	3,222.	3,368.	3,515.	4,101.	4,716.	6,131.
	84"	15"	20"	ROCHCSHP841(X)(X)(X)(X)(X)	3,692.	4,061.	4,246.	4,430.	5,169.	5,944.	7,727.
	90"	15"	20"	ROCHCSHP901(X)(X)(X)(X)(X)	3,753.	4,128.	4,316.	4,503.	5,254.	6,042.	7,854.
96"	15"	20"	ROCHCSHP961(X)(X)(X)(X)(X)	3,799.	4,179.	4,369.	4,559.	5,318.	6,116.	7,854.	

Order Code	Specification Information	Application Notes
Example: ROCHSHP30 (X)(X)(X)(X)(X)	<i>To order please specify:</i>	Letter depth is 15" nominal.
R Reff	1. Case Finish: L, V1, V2, V3	Fascias ordered separately
O Overhead	2. Front Finish: L, V1 V2, V3	Tasklights not included
C Cabinet mount	3. Pull option: B=Blank, R=Cylinder, T=Tab, F=Bar, H= Outline	Tack/Task panel order separately
H Hinge door	4. Lock option: N=no drilling, L=locking	Unfinished backs
SH Single High	(wood or laminate doors only)	
P Planning	5. Lock finish: B=Black, S=Matte silver	
30 Width	6. Pull option: Grommet pull only	
1 Depth (letter)	7. Pull finish: Painted, PN= Black Nickel, PD=Polished chrome, PU=Satin Nickel	
V2 Case finish type		
V2 Front finish type		
H Pull option		
L Lock option		
B Lock finish		
PU Pull finish		

dimensions noted nominal

Overhead, 28³/₈" planning
Single high
Cabinet hung with glass doors

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet	30"	15"	20"	ROCGHCSHP301 () () ()	\$2,546.	\$2,775.	\$3,192.	\$4,149.
glass hinge door (cubby behind hinge door)	36"	15"	20"	ROCGHCSHP361 () () ()	2,658.	2,897.	3,332.	4,331.
	42"	15"	20"	ROCGHCSHP421 () () ()	3,387.	3,692.	4,245.	5,519.
	48"	15"	20"	ROCGHCSHP481 () () ()	3,481.	3,794.	4,363.	5,672.
	54"	15"	20"	ROCGHCSHP541 () () ()	3,722.	4,057.	4,665.	6,065.
	60"	15"	20"	ROCGHCSHP601 () () ()	4,129.	4,501.	5,176.	6,729.
	66"	15"	20"	ROCGHCSHP661 () () ()	4,250.	4,632.	5,327.	6,925.
	72"	15"	20"	ROCGHCSHP721 () () ()	4,353.	4,745.	5,457.	7,094.
	78"	15"	20"	ROCGHCSHP781 () () ()	4,516.	4,922.	5,660.	7,358.
	84"	15"	20"	ROCGHCSHP841 () () ()	5,556.	6,056.	6,965.	9,054.
	90"	15"	20"	ROCGHCSHP901 () () ()	5,621.	6,127.	7,046.	9,159.
	96"	15"	20"	ROCGHCSHP961 () () ()	5,742.	6,259.	7,198.	9,357.

Order Code	Specification Information	Application Notes
Example: ROCGHCSHP301 () () ()	<i>To order please specify:</i>	Letter depth is 15" nominal.
R Reff	1. Case Finish: L, V1, V2, V3	Fascias ordered separately
O Overhead	2. Case Finish: V316	Tasklights not included
C Cabinet mount	3. Door frame finish: Anodized or Painted	Tack/Task panel order separately
GHC Glas hinge door/ cubby	4. Glass door finish: GL11, GL15, GL18	Unfinished backs
SH Single High		
P Planning		
30 Width		
1 Depth (letter)		
V2 Case finish type		
V316 Case finish		
AU Door frame finish		
GL11 Door glass finish		

dimensions noted nominal

Overhead, 28³/₈" planning

Double high

Wall hung

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall-hung overhead cabinet	30"	15"	33"	ROMHDHP301()	\$2,133.	\$2,346.	\$2,453.	\$2,560.	\$2,986.	\$3,434.	\$4,464.
hinge door (cubby behind hinge door)	36"	15"	33"	ROMHDHP361()	2,205.	2,426.	2,536.	2,646.	3,087.	3,550.	4,615.
	42"	15"	33"	ROMHDHP421()	2,954.	3,249.	3,397.	3,545.	4,136.	4,756.	6,183.
	48"	15"	33"	ROMHDHP481()	3,040.	3,343.	3,495.	3,647.	4,255.	4,894.	6,362.
	54"	15"	33"	ROMHDHP541()	3,224.	3,547.	3,708.	3,869.	4,514.	5,191.	6,749.
	60"	15"	33"	ROMHDHP601()	3,550.	3,905.	4,082.	4,259.	4,969.	5,715.	7,429.
	66"	15"	33"	ROMHDHP661()	3,662.	4,028.	4,212.	4,395.	5,127.	5,896.	7,665.
	72"	15"	33"	ROMHDHP721()	3,737.	4,111.	4,298.	4,485.	5,232.	6,017.	7,822.
	78"	15"	33"	ROMHDHP781()	3,861.	4,247.	4,440.	4,633.	5,405.	6,215.	8,080.
	84"	15"	33"	ROMHDHP841()	4,878.	5,366.	5,610.	5,854.	6,829.	7,854.	10,210.
	90"	15"	33"	ROMHDHP901()	4,965.	5,462.	5,710.	5,958.	6,951.	7,994.	10,392.
	96"	15"	33"	ROMHDHP961()	5,030.	5,533.	5,785.	6,036.	7,042.	8,099.	10,528.
Wall-hung overhead cabinet	30"	15"	33"	ROMHCDHP301()	2,042.	2,246.	2,348.	3,450.	2,858.	3,287.	4,273.
hinge door with cubby	36"	15"	33"	ROMHCDHP361()	2,110.	2,321.	2,426.	2,532.	2,954.	3,397.	4,416.
	42"	15"	33"	ROMHCDHP421()	2,866.	3,153.	3,296.	3,440.	4,013.	4,615.	5,999.
	48"	15"	33"	ROMHCDHP481()	2,974.	3,272.	3,420.	3,569.	4,164.	4,788.	6,225.
	54"	15"	33"	ROMHCDHP541()	3,058.	3,364.	3,517.	3,670.	4,281.	4,923.	6,400.
	60"	15"	33"	ROMHCDHP601()	3,357.	3,692.	3,860.	4,028.	4,699.	5,404.	7,026.
	66"	15"	33"	ROMHCDHP661()	3,465.	3,812.	3,985.	4,158.	5,851.	5,579.	7,253.
	72"	15"	33"	ROMHCDHP721()	3,537.	3,891.	4,067.	4,244.	4,952.	5,694.	7,403.
	78"	15"	33"	ROMHCDHP781()	3,614.	3,976.	4,156.	4,337.	5,060.	5,819.	7,565.
	84"	15"	33"	ROMHCDHP841()	4,591.	5,050.	5,280.	5,510.	6,428.	7,392.	9,609.
	90"	15"	33"	ROMHCDHP901()	4,676.	5,144.	5,378.	5,612.	6,547.	7,529.	9,788.
	96"	15"	33"	ROMHCDHP961()	4,739.	5,213.	5,449.	5,686.	6,634.	7,629.	9,918.

Order Code	Specification Information	Application Notes
Example: ROMHDHP30 () R Reff O Overhead M Wall mount H Hinge door DH Double High P Planning 30 Width 1 Depth (letter) V2 Case finish type V2 Front finish type H Pull option L Lock option B Lock finish PU Pull finish	<i>To order please specify:</i> 1. Case Finish: L, V1, V2, V3 2. Front Finish: L, V1 V2, V3 3. Pull option: B=Blank, R=Cylinder, T=Tab, F=Bar, H= Outline 4. Lock option: N=no drilling, L=locking (wood or laminate doors only) 5. Lock finish: B=Black, S=Matte silver 6. Pull option: Grommet pull only 7. Pull finish: Painted, PN= Black Nickel, PD=Polished chrome, PU=Satin Nickel	Letter depth is 15" nominal. Fascias ordered separately Tasklights not included Tack/Task panel order separately Unfinished backs

dimensions noted nominal

Overhead, 28³/₈" planning
Double high
Wall hung with glass door

Reff Profiles

description	w	d	h	pattern n	L	V1	V2	V3
Wall-hung overhead cabinet	30"	15"	33"	ROMGHCDHP301()	\$3,066.	\$3,372.	\$3,878.	\$5,042.
glass hinge door (cubby behind hinge door)	36"	15"	33"	ROMGHCDHP361()	3,231.	3,554.	4,087.	5,313.
	42"	15"	33"	ROMGHCDHP421()	4,245.	4,669.	5,369.	6,980.
	48"	15"	33"	ROMGHCDHP481()	4,397.	4,836.	5,562.	7,230.
	54"	15"	33"	ROMGHCDHP541()	4,701.	5,171.	5,947.	7,731.
	60"	15"	33"	ROMGHCDHP601()	5,250.	5,775.	6,641.	8,634.
	66"	15"	33"	ROMGHCDHP661()	5,475.	6,023.	6,926.	9,004.
	72"	15"	33"	ROMGHCDHP721()	5,625.	6,187.	7,115.	9,249.
	78"	15"	33"	ROMGHCDHP781()	5,858.	6,444.	7,411.	9,634.
	84"	15"	33"	ROMGHCDHP841()	7,270.	7,997.	9,197.	11,956.
	90"	15"	33"	ROMGHCDHP901()	7,386.	8,125.	9,343.	12,146.
	96"	15"	33"	ROMGHCDHP961()	7,551.	8,307.	9,552.	12,418.

Order Code	Specification Information	Application Notes
Example: ROMGHCDHP301 ()	<i>To order please specify:</i>	Letter depth is 15" nominal.
R Reff	1. Case finish type: L, V1, V2, V3	No glass shelves
O Overhead	2. Case finish: V316	Fascias ordered separately
M Wall mount	3. Door frame finish: Anodized / Painted	Tasklights not included
GHC Glass hinge door / cubby	4. Door glass finish:	Tack/Task panel order separately
DH Double High	GL11	Unfinished backs
P Planning	GL15	
30 Width	GL18	
1 Depth (letter)		
V2 Case finish type		
V316 Case finish		
AN Door frame finish		
GL11 Door glass finish		


dimensions noted nominal

Overhead, 28³/₈" planning

Reff Profiles

Double high

Wall hung with and without center gable

description	w	d	h	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet open /cubby with center gable 	30"	15"	33"	ROMCGDHP301 () ()	\$1,777.	\$2,487.	\$2,860.	\$3,719.
	36"	15"	33"	ROMCGDHP361 () ()	1,824.	2,553.	2,936.	3,817.
	42"	15"	33"	ROMCGDHP421 () ()	2,242.	3,139.	3,610.	4,693.
	48"	15"	33"	ROMCGDHP481 () ()	2,300.	3,219.	3,702.	4,813.
	54"	15"	33"	ROMCGDHP541 () ()	2,552.	3,573.	4,109.	5,342.
	60"	15"	33"	ROMCGDHP601 () ()	3,031.	4,244.	4,881.	6,345.
	66"	15"	33"	ROMCGDHP661 () ()	3,123.	4,373.	5,029.	6,537.
	72"	15"	33"	ROMCGDHP721 () ()	3,171.	4,440.	5,106.	6,638.
	78"	15"	33"	ROMCGDHP781 () ()	3,282.	4,594.	5,284.	6,869.
	84"	15"	33"	ROMCGDHP841 () ()	4,135.	5,789.	6,657.	8,654.
	90"	15"	33"	ROMCGDHP901 () ()	4,186.	5,860.	6,739.	8,761.
96"	15"	33"	ROMCGDHP961 () ()	4,231.	5,923.	6,812.	8,855.	
Wall-hung overhead cabinet open /cubby without center gable	30"	15"	33"	ROMCDHP301 () ()	1,599.	2,238.	2,574.	3,347.
	36"	15"	33"	ROMCDHP361 () ()	1,642.	2,298.	2,642.	3,435.
	42"	15"	33"	ROMCDHP421 () ()	2,018.	2,825.	3,249.	4,224.
	48"	15"	33"	ROMCDHP481 () ()	2,070.	2,897.	3,332.	4,332.
	54"	15"	33"	ROMCDHP541 () ()	2,297.	3,216.	3,698.	4,808.
	60"	15"	33"	ROMCDHP601 () ()	2,728.	3,820.	4,393.	5,711.
	66"	15"	33"	ROMCDHP661 () ()	2,811.	3,936.	4,526.	5,883.
	72"	15"	33"	ROMCDHP721 () ()	2,854.	3,996.	4,595.	5,974.
	78"	15"	33"	ROMCDHP781 () ()	2,954.	4,135.	4,756.	6,182.
	84"	15"	33"	ROMCDHP841 () ()	3,722.	5,210.	5,991.	7,789.
	90"	15"	33"	ROMCDHP901 () ()	3,767.	5,274.	6,065.	7,885.
96"	15"	33"	ROMCDHP961 () ()	3,808.	5,331.	6,131.	7,970.	

Without center gable

Order Code	Specification Information	Application Notes
Example: ROMCGDHP301 () () () () () ()	<i>To order please specify:</i>	Letter depth is 15" nominal.
R Reff	1. Case finish type: L, V1, V2, V3	Place holder for legal depth if required.
O Overhead	2. Case finish: V316	Fascias ordered separately
M Wall mount		Tasklights not included
CG Center Gable		Tack/Task panel order separately
DH Double High		Unfinished backs
P Planning		
30 Width		
1 Depth (letter)		
V2 Case finish type		
V316 Case finish		

dimensions noted nominal

Overhead, 28³/₈" planning
Double high
Cabinet hung

Reff Profiles

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet-hung overhead cabinet hinge door (cubby behind hinge door)	30"	15"	33"	ROCHDHP301()	\$2,204.	\$2,425.	\$2,535.	\$2,645.	\$3,086.	\$3,549.	\$4,613.
	36"	15"	33"	ROCHDHP361()	2,274.	2,502.	2,615.	2,729.	3,184.	3,662.	4,760.
	42"	15"	33"	ROCHDHP421()	3,022.	3,324.	3,475.	3,627.	4,231.	4,866.	6,325.
	48"	15"	33"	ROCHDHP481()	3,093.	3,403.	3,557.	3,712.	4,331.	4,980.	6,474.
	54"	15"	33"	ROCHDHP541()	3,276.	3,604.	3,768.	3,931.	4,587.	5,275.	6,857.
	60"	15"	33"	ROCHDHP601()	3,600.	3,960.	4,140.	4,320.	5,041.	5,797.	7,536.
	66"	15"	33"	ROCHDHP661()	3,711.	4,082.	4,268.	4,453.	5,195.	5,975.	7,767.
	72"	15"	33"	ROCHDHP721()	3,787.	4,165.	4,355.	4,544.	5,301.	6,097.	7,926.
	78"	15"	33"	ROCHDHP781()	3,894.	4,283.	4,478.	4,673.	5,452.	6,269.	8,150.
	84"	15"	33"	ROCHDHP841()	4,910.	5,401.	5,646.	5,892.	6,873.	7,904.	10,276.
90"	15"	33"	ROCHDHP901()	4,995.	5,494.	5,744.	5,994.	6,993.	8,041.	10,454.	
96"	15"	33"	ROCHDHP961()	5,059.	5,564.	5,817.	6,070.	7,082.	8,144.	10,588.	
Cabinet-hung overhead cabinet hinge door with cubby	30"	15"	33"	ROCHCDHP301()	2,112.	2,323.	2,428.	2,534.	2,956.	3,400.	4,419.
	36"	15"	33"	ROCHCDHP361()	2,178.	2,396.	2,504.	2,613.	3,049.	3,506.	4,558.
	42"	15"	33"	ROCHCDHP421()	2,955.	3,251.	3,398.	3,546.	4,137.	4,758.	6,185.
	48"	15"	33"	ROCHCDHP481()	3,026.	3,329.	3,480.	3,632.	4,237.	4,873.	6,334.
	54"	15"	33"	ROCHCDHP541()	3,108.	3,419.	3,574.	3,730.	4,352.	5,004.	6,506.
	60"	15"	33"	ROCHCDHP601()	3,405.	3,745.	3,916.	4,086.	4,767.	5,482.	7,126.
	66"	15"	33"	ROCHCDHP661()	3,511.	3,863.	4,038.	4,214.	4,916.	5,653.	7,349.
	72"	15"	33"	ROCHCDHP721()	3,584.	3,942.	4,121.	4,300.	5,017.	5,770.	7,500.
	78"	15"	33"	ROCHCDHP781()	3,645.	4,009.	4,192.	4,374.	5,103.	5,868.	7,629.
	84"	15"	33"	ROCHCDHP841()	4,619.	5,081.	5,312.	5,543.	6,466.	7,436.	9,667.
90"	15"	33"	ROCHCDHP901()	4,702.	5,172.	5,407.	5,642.	6,583.	7,570.	9,841.	
96"	15"	33"	ROCHCDHP961()	4,763.	5,239.	5,477.	5,716.	6,668.	7,668.	9,969.	

Order Code	Specification Information	Application Notes
Example: ROCHDHP301 () R Reff O Overhead C Cabinet Hung H Hinge door DH Double High P Planning 30 Width 1 Depth (letter) V2 Case finish type V2 Front finish type H Pull option L Lock option B Lock finish V316 Case finish V316 Front finish PN Pull finish	<i>To order please specify:</i> 1. Case Finish: L, V1, V2, V3 2. Front Finish: L, V1 V2, V3 3. Pull option: B=Blank, R=Cylinder, T=Tab, F=Bar, H=Outline 4. Lock option: N=no drilling, L=locking (wood or laminate doors only) 5. Lock finish: B=Black, S=Matte silver 6. Case finish: V316 7. Front finish: V316 8. Pull finish: Painted, PN= Black Nickel, PD=Polished chrome, PU=Satin Nickel	Letter depth is 15" nominal. Fascias ordered separately Tasklights not included Tack/Task panel order separately Unfinished backs

dimensions noted nominal

Overhead, 28³/₈" planning
Double high
Cabinet hung with glass door

description	w	d	h	pattern n	L	V1	V2	V3
Cabinet-hung overhead cabinet	30"	15"	33"	ROCGHCDHP301()	\$3,108.	\$3,387.	\$3,895.	\$5,064.
glass hinge door (cubby behind hinge door)	36"	15"	33"	ROCGHCDHP361()	3,272.	3,566.	4,101.	5,332.
	42"	15"	33"	ROCGHCDHP421()	4,293.	4,680.	5,382.	6,996.
	48"	15"	33"	ROCGHCDHP481()	4,429.	4,827.	5,551.	7,216.
	54"	15"	33"	ROCGHCDHP541()	4,733.	5,159.	5,933.	7,713.
	60"	15"	33"	ROCGHCDHP601()	5,083.	5,541.	6,372.	8,284.
	66"	15"	33"	ROCGHCDHP661()	5,300.	5,777.	6,644.	8,637.
	72"	15"	33"	ROCGHCDHP721()	5,471.	5,964.	6,858.	8,916.
	78"	15"	33"	ROCGHCDHP781()	5,689.	6,201.	7,131.	9,270.
	84"	15"	33"	ROCGHCDHP841()	6,924.	7,547.	8,679.	11,283.
	90"	15"	33"	ROCGHCDHP901()	7,038.	7,672.	8,823.	11,469.
	96"	15"	33"	ROCGHCDHP961()	7,203.	7,851.	9,028.	11,737.

Order Code	Specification Information	Application Notes
Example: ROCGHCDHP301 () ()	<i>To order please specify:</i>	Letter depth is 15" nominal.
R Reff	1. Case Finish Type: L, V1, V2, V3	No glass shelves
O Overhead	2. Case Finish: V316	Fascias ordered separately
C Cabinet Hung	3. Door frame finish: Anotized or Painted	Tasklights not included
GHC Glass hinge door / cubby	4. Door Glass finish: GL11, GL15, GL18	Tack/Task panel order separately
DH Double High		Unfinished backs
P Planning		
30 Width		
1 Depth (letter)		
V2 Case finish type		
V2 Caese finish		
AN Door frame finish		
GL11 Door glass finish		


dimensions noted nominal

Overhead, 28³/₈" planning

Reff Profiles

Double high

Cabinet hung with and without center gable

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet open /cubby with center gable 	30"	15"	33"	ROCCGDHP301 () ()	\$1,849.	\$2,588.	\$2,976.	\$3,869.
	36"	15"	33"	ROCCGDHP361 () ()	1,894.	2,651.	3,049.	3,963.
	42"	15"	33"	ROCCGDHP421 () ()	2,311.	3,235.	3,721.	4,837.
	48"	15"	33"	ROCCGDHP481 () ()	2,354.	3,295.	3,790.	4,927.
	54"	15"	33"	ROCCGDHP541 () ()	2,605.	3,646.	4,193.	5,451.
	60"	15"	33"	ROCCGDHP601 () ()	3,083.	4,316.	4,963.	6,452.
	66"	15"	33"	ROCCGDHP661 () ()	3,173.	4,442.	5,108.	6,640.
	72"	15"	33"	ROCCGDHP721 () ()	3,221.	4,510.	5,186.	6,742.
	78"	15"	33"	ROCCGDHP781 () ()	3,316.	4,642.	5,338.	6,939.
	84"	15"	33"	ROCCGDHP841 () ()	4,166.	5,833.	6,708.	8,720.
	90"	15"	33"	ROCCGDHP901 () ()	4,215.	5,901.	6,787.	8,823.
96"	15"	33"	ROCCGDHP961 () ()	4,260.	5,963.	6,858.	8,915.	
Cabinet-hung overhead cabinet open /cubby without center gable	30"	15"	33"	ROCOCDHP301 () ()	1,664.	2,329.	2,678.	3,482.
	36"	15"	33"	ROCOCDHP361 () ()	1,705.	2,386.	2,744.	3,567.
	42"	15"	33"	ROCOCDHP421 () ()	2,080.	2,912.	3,349.	4,353.
	48"	15"	33"	ROCOCDHP481 () ()	2,119.	2,966.	3,411.	4,434.
	54"	15"	33"	ROCOCDHP541 () ()	2,345.	3,281.	3,774.	4,906.
	60"	15"	33"	ROCOCDHP601 () ()	2,775.	3,884.	4,467.	5,807.
	66"	15"	33"	ROCOCDHP661 () ()	2,856.	3,998.	4,597.	5,976.
	72"	15"	33"	ROCOCDHP721 () ()	2,899.	4,059.	4,667.	6,068.
	78"	15"	33"	ROCOCDHP781 () ()	2,984.	4,178.	4,804.	6,245.
	84"	15"	33"	ROCOCDHP841 () ()	3,749.	5,250.	6,037.	7,848.
	90"	15"	33"	ROCOCDHP901 () ()	3,794.	5,311.	6,108.	7,941.
96"	15"	33"	ROCOCDHP961 () ()	3,834.	5,367.	6,172.	8,024.	


Without center gable

Order Code	Specification Information	Application Notes
Example: ROCCGDHP301 () ()	<i>To order please specify:</i>	Letter depth is 15" nominal.
R Reff	1. Case finish type: L, V1, V2, V3	Place holder for legal depth if required.
O Overhead	2. Case finish: V316	Fascias ordered separately
C Cabinet hung		Tasklights not included
CG Center gable		Tack/Task panel order separately
DH Double High		Unfinished backs
P Planning		
30 Width		
1 Depth (letter)		
V2 Case finish type		
V316 Case finish		


dimensions noted nominal

Reuter overhead cabinet
desk, wall, or other Knoll system mounted
Designed by Robert Reuter


description	type	w	d	h	pattern no.	P1	P2	P3	V1
Enclosed cabinet, with lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	RO3-N24()L	\$650.	\$650.	\$681.	\$978.
		30"	14 1/4"	14 3/4"	RO3-N30()L	723.	723.	762.	1,056.
		36"	14 1/4"	14 3/4"	RO3-N36()L	836.	836.	879.	1,183.
		42"	14 1/4"	14 3/4"	RO3-N42()L	970.	970.	1,020.	1,316.
		48"	14 1/4"	14 3/4"	RO3-N48()L	1,085.	1,085.	1,137.	1,445.




Enclosed cabinet, with lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	RO3-N60()L	1,372.	1,372.	1,443.	1,990.
		66"	14 1/4"	14 3/4"	RO3-N66()L	1,502.	1,502.	1,574.	2,133.
		72"	14 1/4"	14 3/4"	RO3-N72()L	1,604.	1,604.	1,684.	2,251.



Enclosed cabinet, no lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	RO3-N24()N	583.	583.	612.	n/a
		30"	14 1/4"	14 3/4"	RO3-N30()N	661.	661.	694.	n/a
		36"	14 1/4"	14 3/4"	RO3-N36()N	773.	773.	812.	n/a
		42"	14 1/4"	14 3/4"	RO3-N42()N	907.	907.	953.	n/a
		48"	14 1/4"	14 3/4"	RO3-N48()N	1,019.	1,019.	1,070.	n/a



Enclosed cabinet, no lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	RO3-N60()N	1,244.	1,244.	1,307.	n/a
		66"	14 1/4"	14 3/4"	RO3-N66()N	1,371.	1,371.	1,440.	n/a
		72"	14 1/4"	14 3/4"	RO3-N72()N	1,479.	1,479.	1,552.	n/a



Order Code

Example:	RO3-N48-613-613-L
RO3	Reuter overhead cabinet
N	No brackets
48	Width
613	Case finish
613	Front finish
L	With lock

Specification Information

Specify finish for case and door.

Application Notes

Reuter storage is a universal product applicable on Knoll systems.

Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2" increments on either or both sides.



Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.

Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.

Reuter open shelf

Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3
 Open shelf no mounting hardware		30"	13"	8"	RS1-N30()		\$310.	\$310.	\$325.
		36"	13"	8"	RS1-N36()		351.	351.	369.
		42"	13"	8"	RS1-N42()		379.	379.	397.
		48"	13"	8"	RS1-N48()		407.	407.	427.
		60"	13"	8"	RS1-N60()		477.	477.	502.
 Interior partitions	Vertical, set of 5	–	12"	6"	RS1-VP	77.			
	Horizontal, set of 10	6"	12"	–	RO1-HP6	127.			
		9"	12"	–	RO1-HP9	160.			
		12"	12"	–	RO1-HP12	190.			
		15"	12"	–	RO1-HP15	221.			

Order Code

Example: RS1-N48-612	
RS1	Reuter shelf
N	No mounting hardware
48	Width
612	Finish

Specification Information

Specify paint finishes for shelf.

Application Notes

Interior partitions are black painted steel finish.



Reuter storage is a universal product applicable on Morrison or other Knoll systems.

Open shelves may be mounted on any combination of vertical panels the same width. Reuter open shelves may be Morrison Network desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify Reuter shelves with no mounting hardware, and brackets separately.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.

Reuter open overhead

Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3
 Open overhead no mounting hardware		30"	13"	14 ³ / ₄ "	RO3-ON30()	\$464.	\$464.	\$486.	
		36"	13"	14 ³ / ₄ "	RO3-ON36()	533.	533.	559.	
		42"	13"	14 ³ / ₄ "	RO3-ON42()	604.	604.	634.	
		48"	13"	14 ³ / ₄ "	RO3-ON48()	675.	675.	707.	
		60"	13"	14 ³ / ₄ "	RO3-ON60()	785.	785.	826.	
		72"	13"	14 ³ / ₄ "	RO3-ON72()	926.	926.	971.	
 Interior partitions	Vertical, set of 5	–	11"	12"	RO3-VP	82.			
	Horizontal, set of 10	6"	11"	–	RO1-HP6	127.			
		9"	11"	–	RO1-HP9	160.			
		12"	11"	–	RO1-HP12	190.			
		15"	11"	–	RO1-HP15	221.			

Order Code

Example:	RO3-ON30-612
RO3-O	Reuter open overhead
N	No mounting hardware
30	Width
612	Finish

Specification Information

Specify finish for case and door.

Application Notes

Interior partitions are black painted steel finish.

Door retrofit kits convert an open overhead to an enclosed cabinet and include Reuter overhead door, left and right arm mechanisms, and lock or lock plug.

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Open overheads may be mounted on any combination of vertical panels the same width or up to 12" less than shelf width.

Reuter open overheads may be desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify open overhead with no mounting hardware and brackets separately.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.




Reuter overhead storage
desk and panel mounting options
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	paint
Panel mount brackets, pair, overhead cabinet	For Reff System panels				RO1-RPB	\$43.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Panel mount brackets, pair, open shelf	For Reff / AutoStrada panels				RS1-RPB	35.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Upmount brackets	For Reff / AutoStrada panels				RO1-RCB()		91.



Order Code	Specification Information	Application Notes
Example: RO2-NS21-612	<i>Specify paint finish for stanchions and upmount brackets.</i>	Reuter overhead cabinets and shelves may be mounted on Network desks or other Knoll systems, upmounted, or wall-mounted. Use bracket kits on this page with Reuter storage without mounting hardware.
RO2 Reuter overhead	Panel mount brackets are painted black finish.	Specify stanchion outlets cover when planning PDC modules and/or power module in overhead support. See page for information on desktop power module.
NS Network stanchions		Upmount brackets support bottom of Reuter storage 1" or 2" above, or flush with top of corresponding width Morrison, Equity or Reff panel.
21 Height		Overhead storage may be centered on, or mount to either side of Equity post. Note that full 6" modular width Reuter storage is wider than Equity centerline-width panel surrounds.
612 Paint finish		Specify 22"H privacy screens (to 49"H) to enclose space between overhead and desk.

Reuter overhead storage
wall-mounting options and ADA pull
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black
	24" or 30"W overheads	23"	1/2"	13"	RO1-WMF2	\$80.
	36" or 42"W overheads	35"	1/2"	13"	RO1-WMF3	86.
	48" or 60"W overheads	47"	1/2"	13"	RO1-WMF4	91.
Wall mount frames, shelf	24"W shelf	23"	1 1/2"	6"	RS1-WMF24	80.
	30"W shelf	29"	1 1/2"	6"	RS1-WMF30	84.
	36"W shelf	35"	1 1/2"	6"	RS1-WMF36	86.
	42"W shelf	41"	1 1/2"	6"	RS1-WMF42	89.
	48"W shelf	47"	1 1/2"	6"	RS1-WMF48	91.
	60"W shelf	59"	1 1/2"	6"	RS1-WMF60	97.
Wall mount wire manager, set of 10					MWM-J	141.
						
	Ganging bracket				RO1-GB	12.
ADA pull					RO1-PULL	47.
						

Order Code

Example:	RO1-GB
RO1	Reuter overhead
GB	Ganging bracket




Specification Information

Wall mount frames are painted black finish.
 ADA pull is stainless steel.

Application Notes

Wall mount frames secure Reuter overhead cabinet or shelf to wall (frame/wall mounting hardware is not included). Frame is concealed behind storage. Use two RO1-WMF2 to wall-mount 66"- and 72"-wide Reuter overheads.
 Reuter open shelves 66" and 72"W are for stanchion support only.
 Wall mount wire manager is two-part wire concealment kit, 22"H (medium grey only).
 Ganging bracket joins adjacent Reuter overheads or shelves for additional stiffness and alignment when storage is planned on only one side of a panel run.

ADA pull mounts to Reuter painted front overhead door to allow seated users to close door easily. Specify one for each cabinet 24" - 48", two for cabinets 60" - 72".
 ADA pull cannot be mounted on wood front Reuter doors.

description	type	w	d	h	pattern no.	list
 <p>T5 Standard Task Light</p>	Use with 24" and wider overhead	19"	4"	1 1/2"	RTAT5E19S	\$213.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25S	229.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37S	247.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49S	268.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61S	285.
 <p>T5 Advanced Task Light</p>	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25A	395.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37A	416.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49A	432.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61A	450.
 <p>LED Task Light</p>	Use with 24" and wider overhead (3 LED's)	19"	2"	5/8"	ML3L193M	285.
	Use with 24" and wider overhead (6 LED's)	19"	2"	5/8"	ML3L196M	360.
	Use with 24" and wider overhead (9 LED's)	19"	2"	5/8"	ML3L199M	490.
	Use with 42" and wider overhead (6 LED's)	37"	2"	5/8"	ML3L376M	575.
	Use with 42" and wider overhead (12 LED's)	37"	2"	5/8"	ML3L3712M	650.
	Use with 42" and wider overhead (18 LED's)	37"	2"	5/8"	ML3L3718M	805.

Order Code	Specification Information	Application Notes
<p>T5 Standard Task Light</p> <p>Example: RTAT5E25S</p> <p>RTA Task Light</p> <p>T5 T5 lamp</p> <p>E Electronic ballast</p> <p>25 Width</p> <p>S Standard</p> <p>LED Task Light</p> <p>Example: ML3L193M</p> <p>ML3 Task Light</p> <p>L LED</p> <p>19 Width</p> <p>3 # of LED's</p> <p>M Metal Overhead Attachment</p>	<p>T5 Task Lights: 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.</p> <p>LED Task Lights: Includes LED's, power supply with 12' cord and mounting hardware. Housings are clear anodized aluminum with grey color end-caps.</p>	<p>T5 Task Lights: Specify suffix -CH and add \$45 list for City of Chicago installations. Example: DL3T5E25S-CH</p> <p>Cordset is center exit. On smaller units cord exit is off-center, but still not handed.</p> <p>T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content.</p> <p>LED Task Lights: Power cord is able to attach to either end of fixture.</p> <p>Notes: All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width.</p> <p>All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.</p>


Overheads

Progressive, 28^{3/8}" planning


Cabinet Hung with glass door

Reff Profiles


description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet Hung Shelf	90"	15"	14 ^{7/8} "	RROCGSD90GB() () ()	\$2,935.	\$3,522.	\$4,050.	\$5,266.
Glass Sliding Doors Closed Ends	108"	15"	14 ^{7/8} "	RROCGSD108GB() () ()	3,211.	3,853.	4,431.	5,760.



Cabinet Hung Shelf with Glass Sliding Door Right Hand	60"	15"	14 ^{7/8} "	RROCGSDR60GB() () ()	2,492.	2,866.	3,296.	4,284.
	72"	15"	14 ^{7/8} "	RROCGSDR72GB() () ()	2,674.	3,075.	3,537.	4,598.



Cabinet Hung Shelf with Glass Sliding Door Left Hand	60"	15"	14 ^{7/8} "	RROCGSDL60GB() () ()	2,492.	2,866.	3,296.	4,284.
	72"	15"	14 ^{7/8} "	RROCGSDL72GB() () ()	2,674.	3,075.	3,537.	4,598.



Order Code	Specification Information	Application Notes
Example: RROCGSD90GB() () ()	<i>To order please specify:</i>	Glue and dowel construction.
RR Reffresh	1. Pull option=C Grommet pull	Above sizes are nominal.
O Overhead	2. Pull finish = Painted/plated	All sliding doors including wood, laminate and glass are non-locking.
C Cabinet Hung	3. Case finish = V316	
GSD Glass Sliding Door	4. Door frame finish = Anodized / painted	
90 90" wide	5. Door Glass finish = GL11, GL15, GL18	
GB Gable Both		
G Pull option		
111 Pull finish		
V316 Case finish		
AN Door frame finish		
GL11 Glass finish		

Order Code	Specification Information	Application Notes
Example: RROCGSD90GB() () ()	<i>To order please specify:</i>	Glue and dowel construction.
RR Reffresh	1. Pull option=C Grommet pull	Above sizes are nominal.
O Overhead	2. Pull finish = Painted/plated	All sliding doors including wood, laminate and glass are non-locking.
C Cabinet Hung	3. Case finish = V316	
GSD Glass Sliding Door	4. Door frame finish = Anodized / painted	
90 90" wide	5. Door Glass finish = GL11, GL15, GL18	
GB Gable Both		
G Pull option		
111 Pull finish		
V316 Case finish		
AN Door frame finish		
GL11 Glass finish		

Order Code	Specification Information	Application Notes
Example: RROCGSD90GB() () ()	<i>To order please specify:</i>	Glue and dowel construction.
RR Reffresh	1. Pull option=C Grommet pull	Above sizes are nominal.
O Overhead	2. Pull finish = Painted/plated	All sliding doors including wood, laminate and glass are non-locking.
C Cabinet Hung	3. Case finish = V316	
GSD Glass Sliding Door	4. Door frame finish = Anodized / painted	
90 90" wide	5. Door Glass finish = GL11, GL15, GL18	
GB Gable Both		
G Pull option		
111 Pull finish		
V316 Case finish		
AN Door frame finish		
GL11 Glass finish		


Overheads

Progressive, 28³/₈" planning


Cabinet Hung with wood door

Reff Profiles


description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung Shelf with Wood/Laminate Sliding Door Right Hand	60"	15"	14 ⁷ / ₈ "	RROCWSDR60GB () () () () () ()	\$2,123.	\$2,335.	\$2,441.	\$2,548.	\$2,654.	\$3,052.	\$3,967.
	72"	15"	14 ⁷ / ₈ "	RROCWSDR72GB () () () () () ()	2,247.	2,472.	2,584.	2,679.	2,809.	3,230.	4,199.




Cabinet Hung Shelf with Wood/Laminate Sliding Door Left Hand	60"	15"	14 ⁷ / ₈ "	RROCWSDL60GB () () () () () ()	2,123.	2,335.	2,441.	2,548.	2,654.	3,052.	3,967.
	72"	15"	14 ⁷ / ₈ "	RROCWSDL72GB () () () () () ()	2,247.	2,472.	2,584.	2,679.	2,809.	3,230.	4,199.



Cabinet Hung Shelf Sliding Doors Closed Ends	90"	15"	14 ⁷ / ₈ "	RROCWSD90GB () () () () () ()	2,521.	2,774.	2,900.	3,026.	3,278.	3,769.	4,908.
	108"	15"	14 ⁷ / ₈ "	RROCWSD108GB () () () () () ()	2,734.	3,007.	3,144.	3,281.	3,554.	4,087.	5,313.



Cabinet Hung Open Shelf Closed Ends	60"	15"	14 ⁷ / ₈ "	RROCOS60GB () ()	1,522.	1,978.	2,275.	2,957.			
	72"	15"	14 ⁷ / ₈ "	RROCOS72GB () ()	1,622.	2,109.	2,425.	3,153.			
	90"	15"	14 ⁷ / ₈ "	RROCOS90GB () ()	1,768.	2,299.	2,644.	3,437.			
	108"	15"	14 ⁷ / ₈ "	RROCOS108GB () ()	2,011.	2,615.	3,007.	3,909.			




Order Code	Specification Information	Application Notes
Example: RROCWSDR60GB	To order please specify	Glue and dowel construction.
RR Reff	1. Lock option: N=No lock option (wood or laminate doors only)	Above sizes are nominal.
O Overhead	2. Lock finish: B=Black S=Matte silver	All Progressive cabinets with sliding door are non-locking.
C Cabinet Hung	3. Pull option: Grommet pull only	
WSDR Wood/Lam. Sliding Door	4. Pull finish: Painted/ PN= Black Nickel PD=Polished chrome PU=Satin Nickel	
60 60" wide		
GB Gable Both		
N Lock Option		
B Lock Finish		
G Pull Option		
115 Pull Finish		
V316 Case Finish		
V316 Front Finish		


Overheads

Progressive, 28^{3/8}" planning
Wall Hung with glass door


description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung Shelf with Glass Sliding Door	90"	15"	14 ^{7/8} "	RROMGSD90GN () () () () () ()	\$2,778.	\$3,334.	\$3,834.	\$4,984.
	108"	15"	14 ^{7/8} "	RROMGSD108GN () () () () () ()	3,151.	3,781.	4,349.	5,653.




Wall Hung Shelf with Glass Sliding Door Gable Right	60"	15"	14 ^{7/8} "	RROMGSD60GR () () () () () ()	2,403.	2,883.	3,316.	4,311.
	72"	15"	14 ^{7/8} "	RROMGSD72GR () () () () () ()	2,647.	3,176.	3,665.	4,748.



Wall Hung Shelf with Glass Sliding Door Gable Left	60"	15"	14 ^{7/8} "	RROMGSD60GL () () () () () ()	2,403.	2,883.	3,316.	4,311.
	72"	15"	14 ^{7/8} "	RROMGSD72GL () () () () () ()	2,647.	3,176.	3,653.	4,748.



Wall Hung Shelf with Glass Sliding Door Closed Ends	60"	15"	14 ^{7/8} "	RROMGSDR60GB () () ()	2,537.	2,917.	3,355.	4,361.
	60"	15"	14 ^{7/8} "	RROMGSDL60GB () () ()	2,537.	2,917.	3,355.	4,361.
	72"	15"	14 ^{7/8} "	RROMGSDR72GB () () ()	2,751.	3,164.	3,638.	4,730.
	72"	15"	14 ^{7/8} "	RROMGSDL72GB () () ()	2,751.	3,164.	3,638.	4,730.
	90"	15"	14 ^{7/8} "	RROMGSD90GB () () ()	3,110.	3,577.	4,113.	5,347.
	108"	15"	14 ^{7/8} "	RROMGSD108GB () () ()	3,493.	4,017.	4,619.	6,005.




Order Code	Specification Information	Application Notes
Example: RROMGSD90GN ()	To order please specify	Glue and dowel construction.
RR Reff	1. Pull option: Grommet	Above sizes are nominal.
O Overhead	2. Pull finish: 115	Task lights and Fascias sold separately.
M Wall hung	3. Case finish: V319	All sliding doors including wood, laminate and glass are non-locking.
GSD Glass sliding door	4. Door frame: Anodized / painted	
90 90" wide	5. Glass finish: GL11	
GN No gable		
G Pull Option		
115 Pull Finish		
V319 Case Finish		
AP Door Frame Finish		
GL11 Glass Finish		

Overheads


Progressive, 28^{3/8}" planning

Wall Hung with wood door


description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung Shelf with Wood / Laminate Sliding Door	90"	15"	14 ^{7/8} "	RROMWSD90GN () () () () () ()	\$2,574.	\$2,832.	\$2,961.	\$3,089.	\$3,089.	\$3,553.	\$4,619.
	108"	15"	14 ^{7/8} "	RROMWSD108GN () () () () () ()	2,902.	3,192.	3,337.	3,482.	3,482.	4,006.	5,206.




Wall Hung Shelf with Wood/Laminate Sliding Door Gable Right	60"	15"	14 ^{7/8} "	RROMWSD60GR () () () () () ()	2,211.	2,432.	2,543.	2,654.	2,654.	3,052.	3,967.
	72"	15"	14 ^{7/8} "	RROMWSD72GR () () () () () ()	2,409.	2,650.	2,771.	2,891.	2,891.	3,325.	4,322.



Wall Hung Shelf with Wood/Laminate Sliding Door Gable Left	60"	15"	14 ^{7/8} "	RROMWSD60GL () () () () () ()	2,211.	2,432.	2,543.	2,654.	2,654.	3,052.	3,967.
	72"	15"	14 ^{7/8} "	RROMWSD72GL () () () () () ()	2,409.	2,650.	2,891.	2,771.	2,891.	3,325.	4,322.



Wall Hung Shelf with Wood/Laminate Sliding Door Closed Ends	90"	15"	14 ^{7/8} "	RROMWSD90GB () () () () () ()	2,666.	2,933.	3,066.	3,199.	3,333.	3,832.	4,982.
	108"	15"	14 ^{7/8} "	RROMWSD108GB () () () () () ()	2,974.	3,272.	3,420.	3,569.	3,718.	3,420.	3,569.




Order Code	Specification Information	Application Notes
Example: RROMWSD90GB () () () () () ()	To order please specify	Glue and dowel construction.
RR Reff	1. Lock option: No lock	Above sizes are nominal.
O Overhead	2. Lock finish: B=Black S=Matte Silver	Task lights and Fascias sold separately.
M Wall mount	3. Pull option: Grommet only	No lock option at this time.
WSD Wood/Lam. Sliding Door	4. Pull finish: Painted and Plated	All sliding doors including wood, laminate and glass are non-locking.
90 90" wide	5. Case finish: L, V1, V2, V3	
GB Gable both	6. Door finish: L, V1, V2, V3	
N Lock Option		
B Lock Finish		
G Pull Option		
115 Pull Finish		
V319 Case Finish		
V319 Door Finish		

Overheads


Progressive, 28³/₈" planning

Wall Hung with wood door

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung Shelf with Wood/Laminate Sliding Door right Closed Ends	60"	15"	14 ⁷ / ₈ "	RROMWSDR60GB () () () () () ()	\$2,149.	\$2,364.	\$2,472.	\$2,579.	\$2,686.	\$3,089.	\$4,016.
	72"	15"	14 ⁷ / ₈ "	RROMWSDR72GB () () () () () ()	2,303.	2,533.	2,649.	2,764.	2,879.	3,311.	4,304.




Wall Hung Shelf with Wood/Laminate Sliding Door left Closed Ends	60"	15"	14 ⁷ / ₈ "	RROMWSDL60GB () () () () () ()	2,149.	2,364.	2,472.	2,579.	2,686.	3,089.	4,016.
	72"	15"	14 ⁷ / ₈ "	RROMWSDL72GB () () () () () ()	2,303.	2,533.	2,649.	2,764.	2,879.	3,311.	4,304.



Order Code	Specification Information	Application Notes
Example: RROMWSD90GB () () () () () ()	To order please specify	Glue and dowel construction.
RR Reff	1. Lock option: No lock	Above sizes are nominal.
O Overhead	2. Lock finish: B=Black S=Matte Silver	Task lights and Fascias sold separately.
M Wall mount	3. Pull option: Grommet only	No lock option at this time.
WSD Wood/Lam. Sliding Door	4. Pull finish: Painted and Plated	All sliding doors including wood, laminate and glass are non-locking.
90 90" wide	5. Case finish: L, V1, V2, V3	
GB Gable both	6. Door finish: L, V1, V2, V3	
N Lock Option		
B Lock Finish		
G Pull Option		
115 Pull Finish		
V319 Case Finish		
V319 Door Finish		

Overheads
Progressive, 28^{3/8}" planning
Wall Hung L-Shelf

description	w	d	h	pattern no.	L	V1	V2	V3
 L-Shelf	60"	13 1/2"	14"	RRML60() ()	\$825.	\$990.	\$1,139.	\$1,481.
	72"	13 1/2"	14"	RRML72() ()	917.	1,110.	1,265.	1,645.
	90"	13 1/2"	14"	RRML90() ()	1,037.	1,245.	1,431.	1,861.
	108"	13 1/2"	14"	RRML108() ()	1,187.	1,425.	1,639.	2,130.

Order Code

Example:	RRML60() ()
RR	Reff Refresh
M	Wall Hung
L	L-Shelf
60	60" Wide
L	Finish Type
114	Finish

Specification Information


To order please specify pattern number including:
1. Finish type: L, V1, V2, V3
2. Finish = 114

Application Notes


Shipped knocked down.
Hardware kit included.
Fascia sold separately.
Task light sold separately.

Overheads
Progressive, 28^{3/8}" planning
Wall Hung Open Shelf


description	w	d	h	pattern no.	LAM/LAM	LAM/V1	LAM/V2	LAM/V3	V1/V1	V2/V2	V3/V3
Wall Hung Open Shelf Left Gable	60"	15"	14 ^{7/8} "	RROMOS60GL()	\$1,640.	\$1,886.	\$2,169.	\$2,819.			
	72"	15"	14 ^{7/8} "	RROMOS72GL()	1,824.	2,098.	2,413.	3,137.			




Wall Hung Open Shelf Right Gable	60"	15"	14 ^{7/8} "	RROMOS60GR()	1,640.	1,886.	2,169.	2,819.			
	72"	15"	14 ^{7/8} "	RROMOS72GR()	1,824.	2,098.	2,413.	3,137.			



Wall Hung Open Shelf Closed Ends Left&Right Gable	60"	15"	14 ^{7/8} "	RROMOS60GB()()	1,562.	2,030.	2,335.	3,035.			
	72"	15"	14 ^{7/8} "	RROMOS72GB()()	1,697.	2,207.	2,538.	3,299.			
	90"	15"	14 ^{7/8} "	RROMOS90GB()()	1,998.	2,597.	2,987.	3,883.			
	108"	15"	14 ^{7/8} "	RROMOS108GB()()	2,148.	2,792.	3,211.	4,174.			



Wall Hung Open Shelf No Gable	90"	15"	14 ^{7/8} "	RROMOS90GN()	2,076.	2,387.	2,745.	3,569.			
	108"	15"	14 ^{7/8} "	RROMOS108GN()	2,295.	2,639.	3,035.	3,945.			



Example: RROMOS60GL()()	
RR	Reff
O	Overhead
M	Wall Hung
OS	Open shelf
60	60" wide
GL	Gable Left
V316	Case Finish



To order please specify
 1. Case finish type:
 L, V1, V2, V3
 2. Case finish:

Glue and dowel construction.
 Above sizes are nominal.
 Sliding door is non-locking.


Transaction tops for use with 42" H panel heights

Reff Profiles

description	w	d	t	pattern no.	L	M	V1	V2	V3
Transaction tops 1 1/4" Thick	24"	15"	1 1/4"	RTTA24()-()	\$310.	\$321.	\$321.	\$369.	\$498.
	30"	15"	1 1/4"	RTTA30()-()	339.	348.	348.	403.	544.
	36"	15"	1 1/4"	RTTA36()-()	369.	382.	382.	438.	593.
	42"	15"	1 1/4"	RTTA42()-()	399.	411.	411.	472.	636.
	48"	15"	1 1/4"	RTTA48()-()	425.	442.	442.	508.	685.
	54"	15"	1 1/4"	RTTA54()-()	455.	471.	471.	540.	729.
	60"	15"	1 1/4"	RTTA60()-()	485.	500.	500.	578.	780.
	66"	15"	1 1/4"	RTTA66()-()	514.	530.	530.	609.	822.
	72"	15"	1 1/4"	RTTA72()-()	541.	560.	560.	645.	870.



Transaction tops with 2" waterfall edge outside edge only, 1 1/4" Thick	24"	15"	1 1/4"	RTTAWF24()-()			640.	736.	994.
	30"	15"	1 1/4"	RTTAWF30()-()			702.	808.	1,091.
	36"	15"	1 1/4"	RTTAWF36()-()			760.	877.	1,183.
	42"	15"	1 1/4"	RTTAWF42()-()			820.	943.	1,273.
	48"	15"	1 1/4"	RTTAWF48()-()			883.	1,015.	1,370.
	54"	15"	1 1/4"	RTTAWF54()-()			941.	1,081.	1,459.
	60"	15"	1 1/4"	RTTAWF60()-()			1,003.	1,153.	1,557.
	66"	15"	1 1/4"	RTTAWF66()-()			1,060.	1,221.	1,648.
	72"	15"	1 1/4"	RTTAWF72()-()			1,122.	1,289.	1,740.



Not available in laminate or mixed finishes

Order Code	Specification Information	Application Notes
Example: RTTA24S1	<i>To order please specify pattern number including:</i>	Transaction tops are for mounting to 42" h panel or overall panel height achieved from 34" h base panel plus 8" h stacking module. Transaction tops ship with necessary bracketry included.
R Reff	1. End treatment type	Tops with waterfall edge cannot be specified with open pore finish. Available in V1 and V2 finishes only.
TT Transaction top	2. Finish type	Applicable finishes are listed on page 5 and 6.
A 1 1/4" thick	3. Finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
24 24" wide	<i>1. End treatment options:</i>	List price for woodgrain laminate options will be current published laminate list price plus 10%.
S Straight end treatment	S = Straight	
1 V1 finish	L = Left side mitre	No grommets included.
Y311 Beech	R = Right side mitre	Tops may be used to span more than one consecutive panel.
	<i>2. Finish type:</i>	Transaction tops will not fit between panel Hi-Lo conditions without notching the underside of the top. This can be done in the field or through Custom Product Development.
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	

Transaction tops *Brackets for Alternative Material*

Reff Profiles

description	w	h	pattern no.	list
Attachment Bracketry			RAMTB	\$55.
Foam Tape			RAMTT	21.
Transaction Top Bracket Cover			RAMTC24()	40.
			RAMTC30()	43.
			RAMTC36()	46.
			RAMTC42()	49.
			RAMTC48()	52.
			RAMTC54()	55.
			RAMTC60()	58.
			RAMTC66()	61.
			RAMTC72()	63.
Transaction Top Bracket Cover Hilo			RAMTCH24()	55.
			RAMTCH30()	58.
			RAMTCH36()	61.
			RAMTCH42()	64.
			RAMTCH48()	67.
			RAMTCH54()	70.
			RAMTCH60()	73.
			RAMTCH66()	76.
			RAMTCH72()	78.

Order Code

Example: RAMTC	
R	Reff
A	Alternative
M	Material
T	Transaction Top
C	Cover
24	Width
L/R/M	Left/Right/Mitered

Specification Information

To order please specify pattern number including:

1. End treatment option
2. Finish type

Application Notes

Spline piece included in the right "R" hand pattern number.

When a solid material is installed the "RAMTB" is required.

When a translucent material is installed ie. glass the "RAMTB" is also required in addition to the covers. The covers are intended to conceal the bracketry.


Transaction tops, regular
and waterfall edge

Gallery desk surrounds

1 1/4" worksurface


Reff Profiles

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly surround (drilled to accept shelf)	62"	25"	42"	RGAF622-()	\$1,275.	\$1,519.	\$1,519.	\$1,670.	\$1,749.	\$2,255.	\$2,361.
	68"	25"	42"	RGAF682-()	1,320.	1,574.	1,574.	1,729.	1,812.	2,333.	2,446.
	74"	25"	42"	RGAF742-()	1,369.	1,634.	1,634.	1,795.	1,878.	2,423.	2,534.
	80"	25"	42"	RGAF802-()	1,418.	1,687.	1,687.	1,851.	1,943.	2,500.	2,623.
	86"	25"	42"	RGAF862-()	1,462.	1,746.	1,746.	1,912.	2,008.	2,581.	2,710.
	92"	25"	42"	RGAF922-()	1,511.	1,803.	1,803.	1,973.	2,073.	2,663.	2,797.
	98"	25"	42"	RGAF982-()	1,559.	1,859.	1,859.	2,036.	2,140.	2,749.	2,889.
	62"	31"	42"	RGAF623-()	1,356.	1,616.	1,616.	1,772.	1,860.	2,392.	2,511.
	68"	31"	42"	RGAF683-()	1,408.	1,681.	1,681.	1,842.	1,934.	2,487.	2,611.
	74"	31"	42"	RGAF743-()	1,461.	1,745.	1,745.	1,912.	2,006.	2,581.	2,707.
	80"	31"	42"	RGAF803-()	1,514.	1,803.	1,803.	1,979.	2,077.	2,672.	2,803.
	86"	31"	42"	RGAF863-()	1,569.	1,870.	1,870.	2,049.	2,152.	2,767.	2,906.
	92"	31"	42"	RGAF923-()	1,621.	1,935.	1,935.	2,116.	2,224.	2,857.	3,002.
	98"	31"	42"	RGAF983-()	1,675.	1,997.	1,997.	2,189.	2,295.	2,956.	3,098.




If shelf is not ordered and no drillings are required, you must order through specials.

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Shelf for above (uses keyhole) attachment hardware	60"	12"	1"	RGS60-()	308.	n/a	368.	n/a	425.	n/a	574.
	66"	12"	1"	RGS66-()	320.	n/a	381.	n/a	438.	n/a	593.
	72"	12"	1"	RGS72-()	330.	n/a	394.	n/a	452.	n/a	610.
	78"	12"	1"	RGS78-()	340.	n/a	405.	n/a	467.	n/a	630.
	84"	12"	1"	RGS84-()	347.	n/a	418.	n/a	480.	n/a	648.
	90"	12"	1"	RGS90-()	360.	n/a	428.	n/a	492.	n/a	664.
	96"	12"	1"	RGS96-()	369.	n/a	439.	n/a	505.	n/a	683.



description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Bridge top assembly	42"	21"	42"	RGAB421-()	727.	866.	866.	935.	995.	1,263.	1,343.
	48"	21"	42"	RGAB481-()	779.	926.	926.	998.	1,065.	1,347.	1,437.
	54"	21"	42"	RGAB541-()	829.	987.	987.	1,067.	1,135.	1,440.	1,533.
	60"	21"	42"	RGAB601-()	879.	1,047.	1,047.	1,135.	1,208.	1,533.	1,630.
	66"	21"	42"	RGAB661-()	931.	1,109.	1,109.	1,199.	1,276.	1,618.	1,722.
	72"	21"	42"	RGAB721-()	980.	1,168.	1,168.	1,266.	1,343.	1,709.	1,813.
	78"	21"	42"	RGAB781-()	1,028.	1,228.	1,228.	1,333.	1,413.	1,800.	1,907.
	84"	21"	42"	RGAB841-()	1,079.	1,285.	1,285.	1,392.	1,479.	1,878.	1,997.
	90"	21"	42"	RGAB901-()	1,127.	1,344.	1,344.	1,459.	1,546.	1,968.	2,088.
	96"	21"	42"	RGAB961-()	1,173.	1,399.	1,399.	1,518.	1,611.	2,050.	2,175.



Order Code	Specification Information	Application Notes
Example: RGAF622NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, components: (surround components)</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type, top	1 = V1
A 1 1/4" top thickness	3. Finish type, components	2 = V2
F Freestanding	4. Finish, top	3 = V3
62 62" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1, 2 or 3; otherwise top and surround must be same finish.</i>
2 25" deep	<i>1. Grommet options:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
N No grommet	N = No grommets	List price for woodgrain laminate options will be current published laminate list price plus 10%.
L Finish type top, laminate	F = Flush front grommet	1 1/4" tops require support at midpoint to reduce spans to 48" or less.
L Finish type components	<i>2. Finish type, top:</i>	Hardware included.
114 Folkstone grey (top)	L = Laminate	Shipped knocked-down.
114 Folkstone grey (components)	M = Mixed (laminated top w/wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	

Gallery desk surrounds are available with waterfall edge as a standard special.

All requests for special grommet locations must be approved through custom product development.

All freestanding top assemblies are drilled to accept shelf.

M (mixed finish) includes laminate worksurface with wood edge and wood gallery surround.


Specify only 26 1/2" h pedestals and support components as required when using with gallery desk surround products on this page.

Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

right hand end assembly, 1 1/4" worksurface

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for right hand application	21"	43"	42"	RGAR431- () ()	\$890.	\$1,061.	\$1,061.	\$1,157.	\$1,218.	\$1,562.	\$1,644.
		49"	42"	RGAR491- () ()	934.	1,115.	1,115.	1,218.	1,283.	1,644.	1,732.
		55"	42"	RGAR551- () ()	982.	1,169.	1,169.	1,278.	1,344.	1,726.	1,814.
		61"	42"	RGAR611- () ()	1,026.	1,223.	1,223.	1,335.	1,410.	1,802.	1,902.
		67"	42"	RGAR671- () ()	1,072.	1,281.	1,281.	1,397.	1,473.	1,885.	1,988.
		73"	42"	RGAR731- () ()	1,118.	1,333.	1,333.	1,457.	1,532.	1,965.	2,068.
		79"	42"	RGAR791- () ()	1,163.	1,386.	1,386.	1,517.	1,599.	2,048.	2,159.
		85"	42"	RGAR851- () ()	1,209.	1,442.	1,442.	1,573.	1,659.	2,123.	2,239.
		91"	42"	RGAR911- () ()	1,256.	1,499.	1,499.	1,635.	1,732.	2,209.	2,339.
		97"	42"	RGAR971- () ()	1,305.	1,554.	1,554.	1,694.	1,784.	2,286.	2,410.
25"	43"	42"	RGAR432- () ()	976.	1,163.	1,163.	1,273.	1,337.	1,717.	1,806.	
		49"	42"	RGAR492- () ()	1,019.	1,217.	1,217.	1,330.	1,398.	1,796.	1,887.
		55"	42"	RGAR552- () ()	1,066.	1,271.	1,271.	1,386.	1,464.	1,873.	1,976.
		61"	42"	RGAR612- () ()	1,113.	1,327.	1,327.	1,444.	1,524.	1,950.	2,056.
		67"	42"	RGAR672- () ()	1,158.	1,381.	1,381.	1,508.	1,586.	2,035.	2,143.
		73"	42"	RGAR732- () ()	1,204.	1,435.	1,435.	1,567.	1,652.	2,116.	2,231.
		79"	42"	RGAR792- () ()	1,248.	1,487.	1,487.	1,622.	1,713.	2,189.	2,313.
		85"	42"	RGAR852- () ()	1,294.	1,546.	1,546.	1,683.	1,777.	2,273.	2,398.
		91"	42"	RGAR912- () ()	1,343.	1,602.	1,602.	1,742.	1,841.	2,351.	2,485.
		97"	42"	RGAR972- () ()	1,391.	1,656.	1,656.	1,803.	1,905.	2,434.	2,572.
31"	43"	42"	RGAR433- () ()	1,037.	1,236.	1,236.	1,348.	1,421.	1,819.	1,918.	
		49"	42"	RGAR493- () ()	1,082.	1,288.	1,288.	1,408.	1,483.	1,900.	2,002.
		55"	42"	RGAR553- () ()	1,127.	1,344.	1,344.	1,462.	1,546.	1,973.	2,088.
		61"	42"	RGAR613- () ()	1,170.	1,397.	1,397.	1,518.	1,609.	2,050.	2,172.
		67"	42"	RGAR673- () ()	1,215.	1,453.	1,453.	1,578.	1,670.	2,130.	2,255.
		73"	42"	RGAR733- () ()	1,262.	1,507.	1,507.	1,636.	1,729.	2,210.	2,333.
		79"	42"	RGAR793- () ()	1,308.	1,558.	1,558.	1,694.	1,794.	2,286.	2,422.
		85"	42"	RGAR853- () ()	1,352.	1,613.	1,613.	1,754.	1,855.	2,368.	2,505.
		91"	42"	RGAR913- () ()	1,398.	1,668.	1,668.	1,811.	1,914.	2,444.	2,584.
		97"	42"	RGAR973- () ()	1,443.	1,719.	1,719.	1,870.	1,979.	2,525.	2,672.



Order Code	Specification Information	Application Notes
Example: RGAR431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
A 1 1/4" top thickness	3. Finish type components	2 = V2
R Right hand return	4. Finish, top	3 = V3
43 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
1 21" deep	<i>1. Grommet options:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
N No grommet	N = No grommets	List price for woodgrain laminate options will be current published laminate list price plus 10%.
L Finish type, top	F = Flush front grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
L Finish type, components	<i>2. Finish type top:</i>	Hardware included.
	L = Laminate	Gallery desk surrounds are available with waterfall edge as a standard special.
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	

All requests for special grommet locations must be approved through custom product development.

M (mixed finish) includes laminate worksurface, wood edge and wood surround.

Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.

Applicable finishes are listed on page 5 and 6.

All requests for special grommet locations must be approved through custom product development.

M (mixed finish) includes laminate worksurface, wood edge and wood surround.

Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.

Applicable finishes are listed on page 5 and 6.

All requests for special grommet locations must be approved through custom product development.

M (mixed finish) includes laminate worksurface, wood edge and wood surround.


Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.

Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

left hand end assembly, 1 1/4" worksurface

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for left hand application	21"	43"	42"	RGAL431- () ()	\$890.	\$1,061.	\$1,061.	\$1,157.	\$1,218.	\$1,562.	\$1,644.
		49"	42"	RGAL491- () ()	934.	1,115.	1,115.	1,218.	1,283.	1,644.	1,732.
		55"	42"	RGAL551- () ()	982.	1,169.	1,169.	1,278.	1,344.	1,726.	1,814.
		61"	42"	RGAL611- () ()	1,026.	1,223.	1,223.	1,335.	1,410.	1,802.	1,902.
		67"	42"	RGAL671- () ()	1,072.	1,281.	1,281.	1,397.	1,473.	1,885.	1,988.
		73"	42"	RGAL731- () ()	1,118.	1,333.	1,333.	1,457.	1,532.	1,965.	2,068.
		79"	42"	RGAL791- () ()	1,163.	1,386.	1,386.	1,517.	1,599.	2,048.	2,159.
		85"	42"	RGAL851- () ()	1,209.	1,442.	1,442.	1,573.	1,659.	2,123.	2,239.
		91"	42"	RGAL911- () ()	1,256.	1,499.	1,499.	1,635.	1,732.	2,209.	2,339.
		97"	42"	RGAL971- () ()	1,305.	1,554.	1,554.	1,694.	1,784.	2,286.	2,410.
25"	43"	42"	RGAL432- () ()	976.	1,163.	1,163.	1,273.	1,337.	1,717.	1,806.	
	49"	42"	RGAL492- () ()	1,019.	1,217.	1,217.	1,330.	1,398.	1,796.	1,887.	
	55"	42"	RGAL552- () ()	1,066.	1,271.	1,271.	1,386.	1,464.	1,873.	1,976.	
	61"	42"	RGAL612- () ()	1,113.	1,327.	1,327.	1,444.	1,524.	1,950.	2,056.	
	67"	42"	RGAL672- () ()	1,158.	1,381.	1,381.	1,508.	1,586.	2,035.	2,143.	
	73"	42"	RGAL732- () ()	1,204.	1,435.	1,435.	1,567.	1,652.	2,116.	2,231.	
	79"	42"	RGAL792- () ()	1,248.	1,487.	1,487.	1,622.	1,713.	2,189.	2,313.	
	85"	42"	RGAL852- () ()	1,294.	1,546.	1,546.	1,683.	1,777.	2,273.	2,398.	
	91"	42"	RGAL912- () ()	1,343.	1,602.	1,602.	1,742.	1,841.	2,351.	2,485.	
	97"	42"	RGAL972- () ()	1,391.	1,656.	1,656.	1,803.	1,905.	2,434.	2,572.	
31"	43"	42"	RGAL433- () ()	1,037.	1,236.	1,236.	1,348.	1,421.	1,819.	1,918.	
	49"	42"	RGAL493- () ()	1,082.	1,288.	1,288.	1,408.	1,483.	1,900.	2,002.	
	55"	42"	RGAL553- () ()	1,127.	1,344.	1,344.	1,462.	1,546.	1,973.	2,088.	
	61"	42"	RGAL613- () ()	1,170.	1,397.	1,397.	1,518.	1,609.	2,050.	2,172.	
	67"	42"	RGAL673- () ()	1,215.	1,453.	1,453.	1,578.	1,670.	2,130.	2,255.	
	73"	42"	RGAL733- () ()	1,262.	1,507.	1,507.	1,636.	1,729.	2,210.	2,333.	
	79"	42"	RGAL793- () ()	1,308.	1,558.	1,558.	1,694.	1,794.	2,286.	2,422.	
	85"	42"	RGAL853- () ()	1,352.	1,613.	1,613.	1,754.	1,855.	2,368.	2,505.	
	91"	42"	RGAL913- () ()	1,398.	1,668.	1,668.	1,811.	1,914.	2,444.	2,584.	
	97"	42"	RGAL973- () ()	1,443.	1,719.	1,719.	1,870.	1,979.	2,525.	2,672.	




Order Code	Specification Information	Application Notes
Example: RGAL431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
A 1 1/4" top thickness	3. Finish type components	2 = V2
L Left hand return	4. Finish, top	3 = V3
43 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
1 21" deep	<i>1. Grommet options:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
N No grommet	N = No grommets	List price for woodgrain laminate options will be current published laminate list price plus 10%.
L Finish type, top	F = Flush front grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
L Finish type, components	2. <i>Finish type top:</i>	Hardware included.
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
		Gallery desk surrounds are available with waterfall edge as a standard special.
		All requests for special grommet locations must be approved through custom product development.
		M (mixed finish) includes laminate worksurface, wood edge and wood surround.
		Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.
		Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

gallery towers

description	d	w	h	pattern no.	L	V1	V2	V3
Gallery Tower, left hand	32"	12"	46"	RGTL4636 () () () ()	\$2,371.	\$2,928.	\$3,366.	\$4,544.



Actual depth of Gallery Tower is 32"

Gallery Tower, right hand	32"	12"	46"	RGTR4636 () () () ()	2,371.	2,928.	3,366.	4,544.
---------------------------	-----	-----	-----	---------------------------------	--------	--------	--------	--------

Actual depth of Gallery Tower is 32"

Order Code

Example: RGTL46362V319CL	
R	Reff
GT	Gallery Tower
L	Left hand
46	46" h
36	36" d
2	V2 finish type
V319	Medium Cherry
C	C-pull
L	Lock

Specification Information

To order please specify pattern number including:

1. Finish type
2. Finish
3. Pull option
4. Pull finish (if applicable)
5. Lock option

1. *Finish type:*
 L = Laminate
 1 = V1
 2 = V2
 3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

3. *Pull options:*
 D = Metal D-pull
 J = Routed J-pull
 C = Nickel finish C-pull (nickel finish only)
 S = Stainless steel finish S-pull (stainless steel finish only)

Products on this page are engineered to align with 1-1/4" thick worksurfaces and 26-1/2" support components only. Gallery tower shelf will not align with 1-3/4" worksurfaces or 28 3/8" desk height products.

Application Notes


Gallery Tower ships with hookstrip to attach to 42" h Reff panel and angle bracket for 30" deep worksurface attachment at tower. .


Interior lower storage clearance: nominal 10.5" w x 22.5" h x 28.75" d


Overall depth includes top overhang, accommodates 30" d worksurfaces.

Gallery towers are to be used with panel applications.

Single pedestal desks
27³/₄" high overall
available V2 finish options only


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal cantilevered desk, 30"d 	60"	30"	RDSP6030J(A,B,W)() () 2	\$2,693.	\$3,084.	\$3,658.	\$2,847.	\$3,238.	\$3,810.
	72"	30"	RDSP7230J(A,B,W)() () 2	2,801.	3,243.	3,810.	2,955.	3,396.	3,965.
	84"	30"	RDSP8430J(A,B,W)() () 2	2,939.	3,426.	4,039.	3,093.	3,579.	4,192.
	96"	30"	RDSP9630J(A,B,W)() () 2	3,059.	3,589.	4,250.	3,212.	3,743.	4,403.


Single pedestal cantilevered desk, 36"d 	60"	36"	RDSP6036J(A,B,W)() () 2	2,858.	3,273.	3,971.	3,081.	3,494.	4,193.
	72"	36"	RDSP7236J(A,B,W)() () 2	2,990.	3,476.	4,179.	3,212.	3,698.	4,401.
	84"	36"	RDSP8436J(A,B,W)() () 2	3,125.	3,692.	4,395.	3,346.	3,913.	4,616.
	96"	36"	RDSP9636J(A,B,W)() () 2	3,245.	3,903.	4,601.	3,466.	4,124.	4,823.


Single pedestal bow front desk with short modesty and false pedestal 	60"	30"	RBSP6030J(A,B,W)() () 2	3,531.	3,784.	5,047.	3,752.	4,006.	5,268.
	72"	30"	RBSP7230J(A,B,W)() () 2	3,653.	3,933.	5,329.	3,875.	4,154.	5,550.
	84"	30"	RBSP8430J(A,B,W)() () 2	3,845.	4,150.	5,693.	4,066.	4,372.	5,914.
	96"	30"	RBSP9630J(A,B,W)() () 2	4,020.	4,363.	6,074.	4,242.	4,586.	6,296.

Order Code	Specification Information	Application Notes
Example: RDSP6030JAR2WJL	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RD Reff desk	1. Width	36"D rectilinear desk pedestals are 30"D including modesty panel.
SP Single pedestal	2. Depth	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	3. File option <i>J default = BBF</i>	Bowed front desk pedestals are 30"D with finished backs.
30 30" deep	4. Top thickness	All desks are non-handed.
J Box/box/file	5. Grommet option	All hardware included.
A 1 1/4" regular edge top	6. Finish type	All waterfall desks have waterfall detail on front and back.
R Recessed grommets	7. Interior option	All components on this page available in V2 only.
2 Finish type	8. Pull option	
W Wood interiors	9. Locking <i>L default</i>	
J Routed pulls	10. Veneer finish	
L Lock	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	
	5. Grommet Options: R = Recessed grommets N = No grommets	
	6. 2 = V2 Veneer Finish	
	7. Interior Options: M = Metal W = Wood	
	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull	
	Applicable finishes are listed on page 5 and 6.	
	Random locks are factory installed. Keyalike are field installed with the KnollKey order form.	

Double pedestal desks
27³/₄" high overall
available V2 finish options only





description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	30"	RDDP6030JK(A,B,W)() () 2	\$3,482.	\$3,873.	\$4,446.	\$3,820.	\$4,211.	\$4,785.
	72"	30"	RDDP7230JK(A,B,W)() () 2	3,591.	4,032.	4,600.	3,929.	4,370.	4,938.
	84"	30"	RDDP8430JK(A,B,W)() () 2	3,728.	4,214.	4,827.	4,066.	4,551.	5,165.
	96"	30"	RDDP9630JK(A,B,W)() () 2	3,848.	4,379.	5,038.	4,186.	4,717.	5,376.

	60"	36"	RDDP6036JK(A,B,W)() () 2	3,703.	4,116.	4,813.	4,158.	4,572.	5,271.
	72"	36"	RDDP7236JK(A,B,W)() () 2	3,835.	4,320.	5,021.	4,290.	4,776.	5,479.
	84"	36"	RDDP8436JK(A,B,W)() () 2	3,968.	4,534.	5,236.	4,424.	4,991.	5,693.
	96"	36"	RDDP9636JK(A,B,W)() () 2	4,087.	4,745.	5,443.	4,544.	5,202.	5,900.

	60"	30"	RBDP6030JK(A,B,W)() () 2	4,124.	4,378.	5,639.	4,582.	4,833.	6,096.
	72"	30"	RBDP7230JK(A,B,W)() () 2	4,246.	4,525.	5,922.	4,701.	4,982.	6,377.
	84"	30"	RBDP8430JK(A,B,W)() () 2	4,438.	4,743.	6,285.	4,893.	5,200.	6,742.
	96"	30"	RBDP9630JK(A,B,W)() () 2	4,613.	4,957.	6,666.	5,070.	5,412.	7,122.


Order Code	Specification Information	Application Notes
Example: RDDP7236JKAR2WJL		
RD Reff desk	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
DP Double pedestal	1. Width	36"D rectilinear desk pedestals are 30"D including modesty panel.
72 72" wide	2. Depth	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
36 36" deep	3. File option <i>JK default = BBF and FF</i>	Bowed front desk pedestals are 30"D with finished backs. Bow front modesty sits in between the pedestals and is recessed in 6".
J Box/box/file pedestal	4. Top thickness	All hardware included.
K File/file	5. Grommet option	All waterfall desks have waterfall detail on front and back.
A 1 1/4" Thick worksurface	6. Finish type	All components on this page available in V2 only.
R Recessed grommets	7. Interior option	
2 Finish type, V2	8. Pull option	
W Wood interiors	9. Locking <i>L default</i>	
J Routed pull	10. Veneer finish	
L Lock	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	
	5. Grommet Options: R = Recessed grommets N = No grommets	
	6. 2 = V2 Veneer Finish	
	7. Interior Options: M = Metal W = Wood	
	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull	
	Applicable finishes are listed on page 5 and 6.	
	Random locks are factory installed. Keyalike are field installed with the KnollKey order form.	


Desk returns
 27³/₄" high overall
 available V2 finish options only


description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
 Single pedestal return, 24"d	36"	24"	RRSP3624K(A,B,W)() () 2	\$1,995.	\$2,308.	\$2,914.	\$2,180.	\$2,492.	\$3,099.
	42"	24"	RRSP4224K(A,B,W)() () 2	2,046.	2,398.	2,991.	2,231.	2,582.	3,176.
	48"	24"	RRSP4824K(A,B,W)() () 2	2,132.	2,510.	3,149.	2,316.	2,693.	3,333.
	54"	24"	RRSP5424K(A,B,W)() () 2	2,189.	2,572.	3,274.	2,374.	2,756.	3,458.
	60"	24"	RRSP6024K(A,B,W)() () 2	2,244.	2,629.	3,406.	2,429.	2,814.	3,591.
 Single pedestal return, 30"d	36"	30"	RRSP3630K(A,B,W)() () 2	2,123.	2,471.	3,155.	2,358.	2,704.	3,388.
	42"	30"	RRSP4230K(A,B,W)() () 2	2,180.	2,552.	3,250.	2,413.	2,785.	3,486.
	48"	30"	RRSP4830K(A,B,W)() () 2	2,270.	2,649.	3,414.	2,504.	2,884.	3,650.
	54"	30"	RRSP5430K(A,B,W)() () 2	2,338.	2,711.	3,575.	2,571.	2,946.	3,809.
	60"	30"	RRSP6030K(A,B,W)() () 2	2,378.	2,767.	3,660.	2,612.	3,002.	3,896.
 End panel return	36"	24"	RREP3624(A,B,W)(F,N)2				1,207.	1,518.	2,126.
	42"	24"	RREP4224(A,B,W)(F,N)2				1,257.	1,609.	2,203.
	48"	24"	RREP4824(A,B,W)(F,N)2				1,343.	1,719.	2,360.
	54"	24"	RREP5424(A,B,W)(F,N)2				1,401.	1,783.	2,485.
	60"	24"	RREP6024(A,B,W)(F,N)2				1,456.	1,840.	2,617.
 End panel return	36"	30"	RREP3630(A,B,W)(F,N)2				1,282.	1,627.	2,311.
	42"	30"	RREP4230(A,B,W)(F,N)2				1,337.	1,708.	2,408.
	48"	30"	RREP4830(A,B,W)(F,N)2				1,427.	1,806.	2,572.
	54"	30"	RREP5430(A,B,W)(F,N)2				1,494.	1,868.	2,733.
	60"	30"	RREP6030(A,B,W)(F,N)2				1,534.	1,924.	2,818.

Order Code	Specification Information	Application Notes
Example: RREP4830AF2	<i>To order, please specify pattern number including:</i>	Pedestals are 16"W when calculating knee space subtract 16" per pedestal. All desks are non-handed. All hardware included. Desk returns with waterfall have waterfall edge 3 sides. All components on this page available in V2 only. Random locks are factory installed. Keyalike are field installed with the KnollKey order form.
RREP Reff desk return	1. Width	
48 48" wide	2. Depth	
30 30" deep	3. File option where applicable <i>K default = FF</i>	
A 1 1/4" thick worksurface	4. Top thickness	
F Flush grommets	5. Grommet option	
2 Finish type, V2	6. Finish type	
	7. Interior option where applicable	
	8. Pull option where applicable	
	9. Locking where applicable <i>L default</i>	
	10. Veneer finish	
	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	
	5. Grommet Options: F = Flush grommets N = No grommets	
	6. 2 = V2 Veneer Finish	
	7. Interior Options: M = Metal W = Wood	
	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull	
	Applicable finishes are listed on page 5 and 6.	

Single pedestal credenzas
27³/₄" high overall
available V2 finish options only


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
Single pedestal credenza 	60"	24"	RCSP6024K(A,B,W)() () 2	\$2,580.	\$2,964.	\$3,160.	\$2,764.	\$3,149.	\$3,344.
	72"	24"	RCSP7224K(A,B,W)() () 2	2,707.	3,124.	3,334.	2,892.	3,308.	3,519.
	84"	24"	RCSP8424K(A,B,W)() () 2	2,839.	3,306.	3,520.	3,024.	3,491.	3,705.
	96"	24"	RCSP9624K(A,B,W)() () 2	2,957.	3,471.	3,700.	3,140.	3,656.	3,883.

Single lateral file credenza (30" wide lateral file) 	60"	24"	RCS3L6024K(A,B,W)() () 2	2,720.	3,104.	3,300.	3,143.	3,527.	3,723.
	72"	24"	RCS3L7224K(A,B,W)() () 2	2,847.	3,264.	3,474.	3,269.	3,687.	3,898.
	84"	24"	RCS3L8424K(A,B,W)() () 2	2,979.	3,447.	3,660.	3,401.	3,869.	4,083.
	96"	24"	RCS3L9624K(A,B,W)() () 2	3,096.	3,611.	3,841.	3,519.	4,034.	4,264.

Single lateral file credenza (36" wide lateral file) 	60"	24"	RCS6L6024K(A,B,W)() () 2	2,797.	3,183.	3,378.	3,530.	3,915.	4,111.
	72"	24"	RCS6L7224K(A,B,W)() () 2	2,925.	3,342.	3,554.	3,658.	4,075.	4,285.
	84"	24"	RCS6L8424K(A,B,W)() () 2	3,057.	3,525.	3,738.	3,790.	4,257.	4,471.
	96"	24"	RCS6L9624K(A,B,W)() () 2	3,174.	3,690.	3,917.	3,908.	4,422.	4,650.


Order Code	Specification Information	Application Notes
Example: RCS6L9624KAF2MDL	<i>To order, please specify pattern number including:</i>	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
RC Reff credenza	1. Width	Credenzas with lateral files or pedestals are non-handed.
S6L Single 36" w lateral file	2. Depth	All hardware included.
96 96" wide	3. File option <i>K default = FF</i>	All waterfall credenzas have waterfall detail on front only.
24 24" wide	4. Top thickness	All components on this page available in V2 only.
K File/file	5. Grommet option	
A 1 1/4" thick worksurface	6. Finish type	
F Flush grommets	7. Interior option	
2 Finish type	8. Pull option	
M metal interiors	9. Locking <i>L default</i>	
D D-metal pull	10. Veneer finish	
L Lock	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	
	5. Grommet Options: F = Flush grommets N = No grommets	
	6. 2 = V2 Veneer Finish	
	7. Interior Options: M = Metal W = Wood	
	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull	
	Applicable finishes are listed on page 5 and 6.	
	Random locks are factory installed. Keyalike are field installed with the KnollKey order form.	


Bridge assemblies
 27³/₄" high overall
 available V2 finish options only

description	w	d	pattern no.	A	B	W
Bridge assembly 	36"	24"	RBR3624(A,B,W)(F,N)2	\$864.	\$1,176.	\$1,784.
	42"	24"	RBR4224(A,B,W)(F,N)2	915.	1,267.	1,862.
	48"	24"	RBR4824(A,B,W)(F,N)2	1,001.	1,377.	2,017.
	36"	30"	RBR3630(A,B,W)(F,N)2	921.	1,267.	1,951.
	42"	30"	RBR4230(A,B,W)(F,N)2	975.	1,347.	2,048.
	48"	30"	RBR4830(A,B,W)(F,N)2	1,066.	1,446.	2,213.


Order Code	Specification Information	Application Notes
Example: RBR4830WF2 RBR Reff bridge assembly 48 48" wide 30 30" deep W Waterfall edge 1 1/4" F Flush grommets 2 Conventional veneer	<i>To order, please specify pattern number including:</i> 1. Top thickness 2. Grommet option 3. Finish type 4. Veneer finish 5. Grommet color <i>1. Thickness options:</i> A = 1 1/4" straight edge B = 1 3/4" straight edge W = 1 1/4" waterfall edge <i>2. Grommet Options:</i> F = Flush grommets N = No grommets 3. 2 = V2 Veneer Finish	4. Grommet Color Applicable finishes are listed on page 5 and 6. Bridge assemblies are non-handed. All hardware included. Waterfall option on all 3 sides. Available in conventional veneer only. All components on this page are available in V2 only. Shipped with full height modesty.

Double pedestal credenzas
27³/₄" high overall
available V2 finish options only

description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors A	interiors B	interiors W	interiors A	interiors B	interiors W
	60"	24"	RCDP6024K(A,B,W)() () J2	\$3,370.	\$3,752.	\$3,949.	\$3,737.	\$4,122.	\$4,319.
	72"	24"	RCDP7224K(A,B,W)() () J2	3,495.	3,913.	4,123.	3,864.	4,282.	4,492.
	84"	24"	RCDP8424K(A,B,W)() () J2	3,628.	4,096.	4,309.	3,996.	4,464.	4,678.
	96"	24"	RCDP9624K(A,B,W)() () J2	3,745.	4,259.	4,489.	4,115.	4,628.	4,857.

	60"	24"	RCD3L6024K(A,B,W)() () J2	3,649.	4,033.	4,230.	4,494.	4,879.	5,074.
	84"	24"	RCD3L8424K(A,B,W)() () J2	3,909.	4,377.	4,590.	4,753.	5,221.	5,434.
	96"	24"	RCD3L9624K(A,B,W)() () J2	4,027.	4,539.	4,769.	4,871.	5,385.	5,615.

96" w shown; 60" w has no knee space

	72"	24"	RCD6L7224K(A,B,W)() () J2	3,932.	4,349.	4,560.	5,398.	5,814.	6,024.
	96"	24"	RCD6L9624K(A,B,W)() () J2	4,181.	4,696.	4,925.	5,646.	6,160.	6,390.

96" w shown; 72" w has no knee space

Order Code	Specification Information	Application Notes
Example: RCD6L9624KBF2WDL	<i>To order, please specify pattern number including:</i>	Pedestals are 16"W when calculating knee space subtract 16" per pedestal. All credenzas are non-handed. All hardware included. All waterfall credenzas have waterfall detail on front only. All components on this page available in V2 only. Shipped with full height modesty. Applicable finishes are listed on page 5 and 6. Random locks are factory installed. Keyalike are field installed with the KnollKey order form.
RC Reff credenza	1. Width	
D6L Double 36" w lateral file	2. Depth	
96 96" wide	3. File option	
24 24" wide	<i>K default = FF</i>	
K File file	4. Top thickness	
B 1 3/4" thick worksurface	5. Grommet option	
F Flush grommets	6. Finish type	
2 Finish type	7. Interior option	
W wood drawer interior	8. Pull option	
D D-metal pull	9. Locking	
L Lock	<i>L default</i>	
	10. Veneer finish	
	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	
	5. Grommet Options: F = Flush grommets N = No grommets	
	6. 2 = V2 Veneer Finish	
	7. Interior Options: M = Metal W = Wood	
	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull	

Accessories

hookstrips and top caps

Reff Profiles








description	w	pattern no.	list price
Panel hookstrips	8"	R2HK0008	\$40.
	15"	R2HK0015	65.
	34"	R2HK0034	88.
	42"	R2HK0042	94.
	49"	R2HK0049	102.
	64"	R2HK0064	110.
	79"	R2HK0079	115.
Beltway hookstrips	42"	R2HKB042	102.
	49"	R2HKB049	110.
	64"	R2HKB064	115.
	79"	R2HKB079	121.
Generation 2 top caps		KRR2CAPL()	58.
		KRR2CAPT()	58.
		KRR2CAPX()	58.
		KRR2CAPSTRAIGHT()	58.
		KRR2CAPEND()	58.
Generation 3 top caps		KRR3CAPL()	58.
		KRR3CAPT()	58.
		KRR3CAPX()	58.
		KRR3CAPEND()	58.
		KRR3CAPSTRAIGHT()	58.

Order Code	Specification Information	Application Notes
Example: KRR3CAPL-2A	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
KRR3 Reff generation 3	1. L = Laminate paint finish	
CAP Top cap	2. 1 = V1 Techwood	An additional 34", 42", 49", or 64" high hookstrip will be required for applications of high low high panel-to-panel connections not involving a post.
L Finished 2 adjacent sides	3. 2 = V2 Conventional veneer	
2 Conventional veneer	<i>Top cap profile:</i>	
A Flat profile	A = Flat	Panel hookstrips and Beltway hookstrips are presented here to help prevent shortages for installations.
V319 Medium cherry	B = Square	
	C = Bullnose	
		New top caps may be required for furniture reconfigurations. G2 and G3 top caps are required when the R3R2 SLV is specified.

Accessories

cabinet extras and undermount accessories

Reff Profiles

description	w	d	h	pattern no.	Metal	L	V1	V2	V3	list price
Cabinet boot tray 	14"	17"		RCABT1417						\$68.
	29"	17"		RCABT2917						113.
Cabinet coat rod 	Half of 30" cabinets			RCACR30H						66.
	16" cabinets			RCACR16						68.
	Half of 36" cabinets			RCACR36H						72.
	30" cabinets			RCACR30						90.
	36" cabinets			RCACR36						102.
Articulated keyboard arm 	10" x 20" keyboard tray			RKBA1020(-)						806.
	10" x 22 1/4" keyboard tray			RKBA1022(-)						806.
Available in laminate, techwood (V1), or veneer (V2)										
CRT turntable 	31" diameter			RKT31						497.
Pencil drawer used under worktop 	16"	17"	1"	RPAD(-)		275.	490.	490.	635.	
	Specify wood or laminate finish									
Cabinet shelves, (replacement)  Wood shelf  Metal shelf	16"	20"		RCAS1620(-)	69.	130.	138.	159.	214.	
	16"	24"		RCAS1624(-)	77.	145.	156.	181.	244.	
	30"	15"		RCAS3015(-)	84.	170.	182.	208.	281.	
	30"	20"		RCAS3020(-)	82.	145.	156.	181.	244.	
	30"	24"		RCAS3024(-)	91.	170.	182.	208.	281.	
	36"	15"		RCAS3615(-)	93.	180.	191.	216.	292.	
	36"	20"		RCAS3620(-)	93.	155.	166.	191.	258.	
	36"	24"		RCAS3624(-)	98.	182.	195.	223.	301.	

Accessories and Client Samples

Order Code

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:

L = laminate

1 = V1

2 = V2

M = Metal

Specification Information

Pencil drawer includes slides.

Applicable finishes are listed on page 5 and 6.




Application Notes

See Reff Planning Guide for more information.

Accessories

presentation samples

Reff Profiles

description	w	d	h	pattern no.	L	M/V1	V2	V3	list price
Wall rails (paint options only) 	-	-	8 ⁷ / ₈ "	RWHRA-()					\$35.
	-	-	17 ⁵ / ₈ "	RWHRB-()					37.
	-	-	18 ¹ / ₄ "	RWHRC-()					37.
	-	-	21 ¹ / ₁₆ "	RWHRD-()					39.
	-	-	22"	RWHRE-()					39.
	-	-	59 ¹ / ₂ "	RWHRF-()					88.
	-	-	67"	RWHRG-()					88.
Striplight (black only) for transaction tops 	26"	2"	2"	RCASL					315.
Presentation wood sample, 16" x 16" Optional edge details available	16"	16"	-	RSAMP1616-()()	125.	175.	225.	260.	
Presentation stackable/tiled mini panel (for demonstrations) Specify trim profile, base height, base type and applicable finishes	24"	-	34"	R3SMP ()()					1,005.
Presentation monolithic mini panel Specify trim profile and applicable finishes	4"H base			RR3MP4 ()					550.
	6"H base			RR3MP6 ()					588.
Presentation metal D-pull sample board Includes 6 different color handles Optional veneer for board				R917762 ()					402.
Presentation worksurface cutaway sample	12"	12"	1 ¹ / ₄ "	RTOP2 ()	103.	154.	205.	241.	
	12"	12"	1 ³ / ₄ "	RTOP1 ()	103.	154.	205.	241.	
Presentation waterfall edge sample	11"	8 ¹ / ₂ "		R921655 ()					305.
Sample, cascade edge worksurface 	12"	12"		RCE1R1212G	115.				
Rangeboard Recommended for natural veneer with clear coat (V311, V316) and Light finishes (such as V312, V315)	27"	12"	1 ¹ / ₄ "	RRBRD2712 ()					275.

Order Code

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:

L = Laminate

1 = V1

2 = V2

Specification Information

See Reff Planning Guide for more information.

Metal D-pull sample board represents the following standard Reff finishes (PT, 111, 118, 611, 612, 613)

Specify board finish in laminate, techwood, conventional or laminate with a wood edge.

Specify edge detail if applicable for presentation wood samples.







Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Accessories

wire management

description	w	d	h	pattern no.	list price
 Wire manager used under any top in kneespace*	24"	4 1/2"	5 3/4"	RWMWT24	\$39.
	30"	4 1/2"	5 3/4"	RWMWT30	45.
	36"	4 1/2"	5 3/4"	RWMWT36	49.
	Available black only				
 Hinged vertical wire	24"	1"	3/8"	RWMV24 ()	32.
	Ships with overdesk unit. Specify paint finish.				
 Multi-purpose manager*	24"	2 1/2"	1 1/4"	RWMMP24	35.
	30"	2 1/2"	1 1/4"	RWMMP30	39.
	36"	2 1/2"	1 1/4"	RWMMP36	40.
	Available black only				
 Panel-hung vertical wire	24"	–	–	RWMVP24	32.
	not available in finish codes: 112,116,117,611, 612, 613				
 Worksurface vertical/horizontal wire manager*	24"	1 1/2"	3/4"	RWMVH24	37.
	30"	1 1/2"	3/4"	RWMVH30	41.
	36"	1 1/2"	3/4"	RWMVH36	45.
	Available black only				
 Power bar, fits into wire manager				RWMPB	136.
Replacement hardware	Top to endpanel disk			RBDD	5.
	Top to workwall endpanel disk			RBDW	5.
	Panel to endpanel bracket			RBPE(L/R)()	18.
	Specify paint finish for RBPE(L/R) RBDD and RBDW available black only				




Accessories and Client Samples

Order Code	Specification Information	Application Notes	Application Notes
Example: RJBW24	<i>To order please specify:</i> 1. Pattern number 2. Color if applicable	Specify color for hinged vertical wire management only from paint finish list on page 5. *Available in Black only.	See Reff Planning Guide for more information on wire managers.
R Reff			
JB J-Bracket			
W Wall and Modesty mount			
24			

Accessories

wire management

Reff Profiles

description	w	d	h	pattern no.	list price
Tree wire manager 2 shipped with panel	2"			RBWM	\$11.
			used in Beltway		
J-Wire Trough Wall Mount				RJBW24	61.
				RJBW30	63.
				RJBW36	69.
				RJBW42	81.
				RJBW48	85.
				RJBW54	87.
				RJBW60	95.
				RJBW66	100.
				RJBW72	101.
J-Wire Trough Under Mount				RJBU24	74.
				RJBU30	76.
				RJBU36	83.
				RJBU42	88.
				RJBU48	102.
				RJBU54	104.
				RJBU60	106.
				RJBU66	117.
				RJBU72	119.
Wire manager for credenza top				RWMCT24	121.
					
Desktop Outlet				RDTE2272	312.
				RDTE22120	335.
				RDTE22H	343.

Order Code	Specification Information	Application Notes	Application Notes
Example: RJBW24	<i>To order please specify:</i>	Specify color for hinged vertical wire management only from paint finish list on page 5.	See Reff Planning Guide for more information on wire managers.
R Reff	1. Pattern number		
JB J-Bracket	2. Color if applicable		
W Wall and Modesty mount		* Available in Black only.	
24			

Accessories

interior components

description	type	w	h	pattern no.	list price
Panel-hung coat hook (hookstrip)				RPHCHH	\$32.
Not intended to work with (AA) Aluminum top trim					
Panel-hung coat hook (panel top)				RPHCHT	32.
Panel-hung tackboard		30"	24"	RPHTB3024	267.
Note: Fabric railroaded		42"	24"	RPHTB4224	328.
All standard grades of fabric					
Panel-hung whiteboard		30"	24"	RPHWB3024	414.
		42"	24"	RPHWB4224	506.
Wall-hung tackboard		30"	24"	RWHTB3024	296.
Note: Fabric railroaded Velcro supplied		36"	24"	RWHTB3624	328.
		42"	24"	RWHTB4224	360.
		48"	24"	RWHTB4824	392.
for use with 26 1/2" h support planning module					
Wall-hung tackboard for desk height (28 3/8" h)		30"	26"	RWHDHTB3026	311.
planning		36"	26"	RWHDHTB3626	344.
Note: Fabric railroaded Velcro supplied		42"	26"	RWHDHTB4226	379.
		48"	26"	RWHDHTB4826	411.
for use with 28 3/8" h support planning module					
Box drawer dividers, wood box drawers (Acrylic)		16"	–	RPADSS	47.
File bars, wood file drawers (replacement)		16"	–	RPAHFB16	26.
		30"	–	RPAHFB30	50.
		36"	–	RPAHFB36	78.
File bars, metal file drawers (replacement)		16"	–	RPAHFM162 *	18.
		30"	–	RPAHFM30	26.
		36"	–	RPAHFM36	26.

Order Code

To order please specify:
 1. Pattern number
 2. Fabric (Tackboards)

Application Notes

See Reff Planning Guide for more information.




Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement pencil trays for pedestals shipped July 2001 and prior should order KR5914265. Replacement pencil trays for all mobile pedestals, should order KR5914265.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

Accessories

interior components

description	type	w	h	pattern no.	list price
Plate divider 				RPD11	\$20.
				RPD14	20.
RPD11 to be used with 15" D open cabinet/bookcase with metal shelves. RPD14 to be used with 20"/24"D open cabinet/bookcase with metal shelves.					
Pencil tray, wood (ordered separately)		12"	–	RPAPT	90.
Pencil tray, plastic 	black	12"	–	RPETRAY3N	35.
	clear	12"	–	RPETRAY3C	42.
Recommended for use with metal drawer interiors on 16"w peds. Letter width pedestal.					
Pencil tray adapter 				RPETAD	75.
Includes metal adapter pencil tray and plastic pencil tray to be used with 19" wide (Legal width) pedestals.					
Taskpanel shelf		14"		RTST14	158.
Taskpanel flat tray		14"		RTSF14	158.
		28"		RTSF28	188.

Order Code

To order please specify:
1. Pattern number
2. Fabric (Tackboards)

Application Notes




See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement pencil trays for pedestals shipped July 2001 and prior should order KR5914265. Replacement pencil trays for all mobile pedestals, should order KR5914265.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.


Accessories
Fascias
Metal

description	w	pattern no.	P1	P3
Metal Fascia - Both left and right recess 	30"	ROMDHMTF130RB	\$137.	\$164.
	36"	ROMDHMTF136RB	140.	168.
	42"	ROMDHMTF142RB	141.	169.
	48"	ROMDHMTF148RB	143.	172.
	54"	ROMDHMTF154RB	146.	175.
	60"	ROMDHMTF160RB	148.	178.
	66"	ROMDHMTF166RB	156.	187.
	72"	ROMDHMTF172RB	158.	190.
	78"	ROMDHMTF178RB	160.	192.
	84"	ROMDHMTF184RB	162.	194.
	90"	ROMDHMTF190RB	164.	197.
96"	ROMDHMTF196RB	166.	199.	
Metal Fascia - Left recess 	30"	ROMDHMTF130RL	137.	164.
	36"	ROMDHMTF136RL	140.	168.
	42"	ROMDHMTF142RL	141.	169.
	48"	ROMDHMTF148RL	143.	172.
	54"	ROMDHMTF154RL	146.	175.
	60"	ROMDHMTF160RL	148.	178.
	66"	ROMDHMTF166RL	156.	187.
	72"	ROMDHMTF172RL	158.	190.
	78"	ROMDHMTF178RL	160.	192.
	84"	ROMDHMTF184RL	162.	194.
	90"	ROMDHMTF190RL	164.	197.
96"	ROMDHMTF196RL	166.	199.	
Metal Fascia - No recess 	30"	ROMDHMTF130RN	137.	164.
	36"	ROMDHMTF136RN	140.	168.
	42"	ROMDHMTF142RN	141.	169.
	48"	ROMDHMTF148RN	143.	172.
	54"	ROMDHMTF154RN	146.	175.
	60"	ROMDHMTF160RN	148.	178.
	66"	ROMDHMTF166RN	156.	187.
	72"	ROMDHMTF172RN	158.	190.
	78"	ROMDHMTF178RN	160.	192.
	84"	ROMDHMTF184RN	162.	194.
	90"	ROMDHMTF190RN	164.	197.
96"	ROMDHMTF196RN	166.	199.	

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: ROMDHMTF130RB	To order please specify pattern number including: 1. Finish Paint	For single and double high overheads. Wood and metal options. Letter depth only.
R Reff		
O Overhead		
M Wall hung		
DH Desk height		
M Metal		
T Task light		
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
118 Finish		




Accessories
Fascias
Metal

description	w	pattern no.	P1	P3
Metal Fascia - Right recess 	30"	ROMDHMTF130RR	\$137.	\$164.
	36"	ROMDHMTF136RR	140.	168.
	42"	ROMDHMTF142RR	141.	169.
	48"	ROMDHMTF148RR	143.	172.
	54"	ROMDHMTF154RR	146.	175.
	60"	ROMDHMTF160RR	148.	178.
	66"	ROMDHMTF166RR	156.	187.
	72"	ROMDHMTF172RR	158.	190.
	78"	ROMDHMTF178RR	160.	192.
	84"	ROMDHMTF184RR	162.	194.
	90"	ROMDHMTF190RR	164.	197.
	96"	ROMDHMTF196RR	166.	199.

Order Code	Specification Information	Application Notes
Example: ROMDHMTF130RB	<i>To order please specify pattern number including:</i> 1. Finish Paint	For single and double high overheads. Wood and metal options. Letter depth only.
R Recess		
O Overhead		
M Wall hung		
DH Desk height		
M Metal		
T Task light		
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
118 Finish		

Accessories
Fascias
Wood


Reff Profiles

description	w	pattern no.	V1	V2	V3
Wood Fascia - Both left and right recess 	30"	ROMDHWTF130RB	\$252.	\$273.	\$341.
	36"	ROMDHWTF136RB	254.	276.	345.
	42"	ROMDHWTF142RB	256.	279.	349.
	48"	ROMDHWTF148RB	258.	282.	353.
	54"	ROMDHWTF154RB	260.	285.	357.
	60"	ROMDHWTF160RB	375.	396.	495.
	66"	ROMDHWTF166RB	377.	399.	499.
	72"	ROMDHWTF172RB	379.	402.	503.
	78"	ROMDHWTF178RB	381.	405.	507.
	84"	ROMDHWTF184RB	383.	408.	511.
	90"	ROMDHWTF190RB	385.	411.	515.
96"	ROMDHWTF196RB	526.	548.	685.	
Wood Fascia - Left recess 	30"	ROMDHWTF130RL	252.	273.	341.
	36"	ROMDHWTF136RL	254.	276.	345.
	42"	ROMDHWTF142RL	256.	279.	349.
	48"	ROMDHWTF148RL	258.	282.	353.
	54"	ROMDHWTF154RL	260.	285.	357.
	60"	ROMDHWTF160RL	375.	396.	495.
	66"	ROMDHWTF166RL	377.	399.	499.
	72"	ROMDHWTF172RL	379.	402.	503.
	78"	ROMDHWTF178RL	381.	405.	507.
	84"	ROMDHWTF184RL	383.	408.	511.
	90"	ROMDHWTF190RL	385.	411.	515.
96"	ROMDHWTF196RL	526.	548.	685.	
Wood Fascia - No recess 	30"	ROMDHWTF130RN	252.	273.	341.
	36"	ROMDHWTF136RN	254.	276.	345.
	42"	ROMDHWTF142RN	256.	279.	349.
	48"	ROMDHWTF148RN	258.	282.	353.
	54"	ROMDHWTF154RN	260.	285.	357.
	60"	ROMDHWTF160RN	375.	396.	495.
	66"	ROMDHWTF166RN	377.	399.	499.
	72"	ROMDHWTF172RN	379.	402.	503.
	78"	ROMDHWTF178RN	381.	405.	507.
	84"	ROMDHWTF184RN	383.	408.	511.
	90"	ROMDHWTF190RN	385.	411.	515.
96"	ROMDHWTF196RN	526.	548.	685.	

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: ROMDHWTF130RB	<i>To order please specify pattern number including:</i> 1. Finish L, V1, V2, V3	For single and double high overheads. Wood and metal options. Letter depth only.
R Recess		
O Overhead		
M Wall hung		
DH Desk height		
W Wood		
T Task light		
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
V316 Finish		





Accessories
Fascias
Wood

description	w	pattern no.	V1	V2	V3
Wood Fascia - Right recess 	30"	ROMDHWTF130RR	\$252.	\$273.	\$341.
	36"	ROMDHWTF136RR	254.	276.	345.
	42"	ROMDHWTF142RR	256.	279.	349.
	48"	ROMDHWTF148RR	258.	282.	353.
	54"	ROMDHWTF154RR	260.	285.	357.
	60"	ROMDHWTF160RR	375.	396.	495.
	66"	ROMDHWTF166RR	377.	399.	499.
	72"	ROMDHWTF172RR	379.	402.	503.
	78"	ROMDHWTF178RR	381.	405.	507.
	84"	ROMDHWTF184RR	383.	408.	511.
	90"	ROMDHWTF190RR	385.	411.	515.
	96"	ROMDHWTF196RR	526.	548.	685.

Order Code	Specification Information	Application Notes
Example: ROMDHWTF130RB	<i>To order please specify pattern number including:</i> 1. Finish L, V1, V2, V3	For single and double high overheads. Wood and metal options. Letter depth only.
R Reff		
O Overhead		
M Wall hung		
DH Desk height		
W Wood		
T Task light		
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
V316 Finish		

Accessories

Sliding Rails

description	width	pattern no.	list price
Sliding rail for open shelves 	30"	RSDR30	\$49.
	36"	RSDR36	49.
	42"	RSDR42	49.
	48"	RSDR48	49.
	54"	RSDR54	49.
	60"	RSDR60	78.
	66"	RSDR66	78.
	72"	RSDR72	78.
	78"	RSDR78	78.
	84"	RSDR84	86.
Sliding rail for open or hinged door overhead cabinets 	30"	ROHDR30	49.
	36"	ROHDR36	49.
	42"	ROHDR42	49.
	48"	ROHDR48	49.
	60"	ROHDR60	86.
	72"	ROHDR72	86.
	90"	ROHDR90	117.
	96"	ROHDR96	117.
Sliding rail for flip door overhead cabinets 	30"	RFDR30	49.
	36"	RFDR36	49.
	42"	RFDR42	49.
	48"	RFDR48	49.
	60"	RFDR60	86.
	72"	RFDR72	86.
	84"	RFDR84	86.
Sliding rail divider 		R5ZNNE (3 dividers)	20.

Accessories and Client Samples

Order Code	
Example:	RSDR30
R	Reff
SDR	Sliding rail for open shelves
30	For 30" shelf




Specification Information
To order please specify pattern number.

Application Notes
 Match cabinet width to rail width.
 Parts come in black only.
 These rails allow the use of metal "D"-ring divider to locate and separate binders and standing materials in Reff overhead cabinets. The rail which attaches to the inside back section of the cabinet is sold according to cabinet size door configuration.

Accessories

Task Light

Reff

description	type	w	d	h	pattern no.	list
	Use with 24" and wider overhead	19"	4"	1 1/2"	RTL5E19S	\$251.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTL5E25S	257.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTL5E37S	262.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTL5E49S	267.
	Use with 72" and wider overhead	61"	4"	1 1/2"	RTL5E61S	282.
	Use with 84" and wider overhead	73"	4"	1 1/2"	RTL5E73S	307.
	Use with 96" and wider overhead	85"	4"	1 1/2"	RTL5E85S	384.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTL5E25A	369.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTL5E37A	389.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTL5E49A	404.
	Use with 72" and wider overhead	61"	4"	1 1/2"	RTL5E61A	420.
	Use with 84" and wider overhead	73"	4"	1 1/2"	RTL5E73A	435.
	Use with 96" and wider overhead	85"	4"	1 1/2"	RTL5E85A	451.
	Use with 24" and wider overhead (3 LED's)	19"	2"	3/16"	RTL193W	285.
	Use with 24" and wider overhead (6 LED's)	19"	2"	3/16"	RTL196W	360.
	Use with 24" and wider overhead (9 LED's)	19"	2"	3/16"	RTL199W	490.
	Use with 42" and wider overhead (6 LED's)	37"	2"	3/16"	RTL376W	575.
	Use with 42" and wider overhead (12 LED's)	37"	2"	3/16"	RTL3712W	650.
	Use with 42" and wider overhead (18 LED's)	37"	2"	3/16"	RTL3718W	805.

Order Code	Specification Information	Application Notes
T5 Standard Task Light Example: RTL5E19S RTL Task Light T5 T5 lamp E Electronic ballast 19 Width S Standard LED Task Light Example: RTL193W RTL Task Light L LED 19 Width 3 # of LED's W Wood Overhead Attachment	T5 Task Lights: 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black. LED Task Lights: Includes LED's, power supply with 12' cord and mounting hardware. Housings are clear anodized aluminum with grey color end-caps.	T5 Task Lights: Specify suffix -CH and add \$45 list for City of Chicago installations. Example: DL3T5E25S-CH Cordset is center exit. On smaller units cord exit is off-center, but still not handed. T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content. LED Task Lights: Power cord is able to attach to either end of fixture. Notes: All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width. All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.

Taskpanels
H1 23 1/8" high
Mono, Without Tool rail
Fabric

Reff Profiles

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Taskpanel , mono	1 1/2"	23 1/8"	30"	RTPNM30H1 () ()	\$706.	\$720.	\$735.	\$749.	\$771.	\$785.	\$803.
Without tool rail	1 1/2"	23 1/8"	36"	RTPNM36H1 () ()	758.	776.	794.	812.	836.	851.	870.
	1 1/2"	23 1/8"	42"	RTPNM42H1 () ()	994.	1,015.	1,036.	1,057.	1,089.	1,108.	1,133.
	1 1/2"	23 1/8"	48"	RTPNM48H1 () ()	1,006.	1,029.	1,052.	1,075.	1,107.	1,126.	1,152.
	1 1/2"	23 1/8"	54"	RTPNM54H1 () ()	1,023.	1,049.	1,075.	1,101.	1,134.	1,154.	1,180.
	1 1/2"	23 1/8"	60"	RTPNM60H1 () ()	1,084.	1,113.	1,142.	1,171.	1,206.	1,227.	1,255.
	1 1/2"	23 1/8"	66"	RTPNM66H1 () ()	1,312.	1,343.	1,373.	1,404.	1,446.	1,471.	1,505.
	1 1/2"	23 1/8"	72"	RTPNM72H1 () ()	1,331.	1,365.	1,399.	1,433.	1,476.	1,502.	1,536.
	1 1/2"	23 1/8"	78"	RTPNM78H1 () ()	1,496.	1,533.	1,570.	1,607.	1,655.	1,684.	1,722.
	1 1/2"	23 1/8"	84"	RTPNM84H1 () ()	1,505.	1,544.	1,583.	1,622.	1,671.	1,700.	1,739.
	1 1/2"	23 1/8"	90"	RTPNM90H1 () ()	1,566.	1,608.	1,651.	1,693.	1,744.	1,774.	1,815.
	1 1/2"	23 1/8"	96"	RTPNM96H1 () ()	1,584.	1,630.	1,675.	1,721.	1,773.	1,803.	1,845.

Accessories and Client
Samples

Order Code	Specification Information	Application Notes
Example: RTPNM30H1 () ()	To order please specify pattern number including;	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Plated	Always supplied including cable curtain.
TP Taskpanel	2. Insert Finish: Fabric	Always supplied including all trim pieces.
N No tool rail		LH & RH side full height trims. (no hi-lo trims)
M Monolithic		All trims supplied with the same finish specification.
30 Width		Tool rails are not supplied to this taskpanel.
H1 23 1/8" high		All Fabric to be applied railrooded as current tackboard.
111 Trim finish		
W281 Fabric selection		

Taskpanels
H1 23 1/8" high
Mono, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Taskpanel , mono	1 1/2"	23 1/8"	30"	RTPNM30H1() ()	\$944.	\$758.	\$751.	\$848.	\$908.	\$1,046.
Without tool rail	1 1/2"	23 1/8"	36"	RTPNM36H1() ()	1,056.	804.	795.	894.	962.	1,125.
	1 1/2"	23 1/8"	42"	RTPNM42H1() ()	1,288.	988.	977.	1,079.	1,151.	1,340.
	1 1/2"	23 1/8"	48"	RTPNM48H1() ()	1,380.	1,000.	988.	1,092.	1,172.	1,388.
	1 1/2"	23 1/8"	54"	RTPNM54H1() ()	1,456.	1,009.	996.	1,101.	1,190.	1,433.
	1 1/2"	23 1/8"	60"	RTPNM60H1() ()	1,576.	1,062.	1,048.	1,154.	1,253.	1,522.
	1 1/2"	23 1/8"	66"	RTPNM66H1() ()	1,871.	1,320.	1,304.	1,413.	1,525.	1,821.
	1 1/2"	23 1/8"	72"	RTPNM72H1() ()	1,949.	1,331.	1,314.	1,425.	1,550.	1,880.
	1 1/2"	23 1/8"	78"	RTPNM78H1() ()	2,174.	1,489.	1,470.	1,583.	1,711.	2,060.
	1 1/2"	23 1/8"	84"	RTPNM84H1() ()	2,251.	1,505.	1,484.	1,604.	1,736.	2,111.
	1 1/2"	23 1/8"	90"	RTPNM90H1() ()	2,371.	1,557.	1,535.	1,650.	1,798.	2,200.
	1 1/2"	23 1/8"	96"	RTPNM96H1() ()	2,449.	1,575.	1,552.	1,671.	1,821.	2,249.

Order Code

Example: RTPNM30H1() ()	
R	Reff
TP	Taskpanel
N	No tool rail
M	Monolithic
30	Width
H1	23 1/8" high
111	Trim finish
V319	Veneer selection

Specification Information

To order please specify pattern number including;
 1. Trim Finish: Painted or Plated
 2. Insert Finish: Veneer

Application Notes

H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

Tool rails are not supplied to this taskpanel.

All Fabric to be applied railroded as current tackboard

Taskpanels
H1 23 1/8" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Taskpanel , segmented With tool rail	1 1/2"	23 1/8"	30"	RTPRS30H1()()	\$1,095.	\$1,124.	\$1,154.	\$1,183.	\$1,211.	\$1,240.	\$1,268.
	1 1/2"	23 1/8"	36"	RTPRS36H1()()	1,179.	1,215.	1,250.	1,286.	1,317.	1,348.	1,378.
	1 1/2"	23 1/8"	42"	RTPRS42H1()()	1,423.	1,465.	1,507.	1,549.	1,586.	1,623.	1,660.
	1 1/2"	23 1/8"	48"	RTPRS48H1()()	1,443.	1,488.	1,534.	1,579.	1,617.	1,655.	1,692.
	1 1/2"	23 1/8"	54"	RTPRS54H1()()	1,473.	1,525.	1,577.	1,629.	1,668.	1,707.	1,746.
	1 1/2"	23 1/8"	60"	RTPRS60H1()()	1,503.	1,561.	1,620.	1,678.	1,718.	1,758.	1,799.
	1 1/2"	23 1/8"	66"	RTPRS66H1()()	1,839.	1,901.	1,962.	2,024.	2,072.	2,121.	2,169.
	1 1/2"	23 1/8"	72"	RTPRS72H1()()	1,871.	1,939.	2,008.	2,076.	2,126.	2,175.	2,225.

Order Code	Specification Information	Application Notes
Example: RTPRS30H1()()	To order please specify pattern number including: 1. Trim Finish: Painted or Plated 2. Top insert finish: Fabric 3. Bottom insert finish: Fabric	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface. Always supplied including cable curtain. Always supplied including all trim pieces. LH & RH side full height trims. (no hi-lo trims) All trims supplied with the same finish specification. All Fabric to be applied railroded as current tackboard
R Reff		
TP Taskpanel		
R Tool rail		
S Segmented		
30 Width		
H1 23 1/8" high		
111 Trim finish		
W281 Fabric selection top		
W281 Fabric selection bottom		

Taskpanels

Reff Profiles

H1 23 1/8" high

Segmented With Tool rail

Marker board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade						
					LW10	LW15	LW20	LW30	LW35	LW40	LW45
Taskpanel , segmented	1 1/2"	23 1/8"	30"	RTPRS30H1() () ()	\$1,154.	\$1,169.	\$1,183.	\$1,198.	\$1,234.	\$1,255.	\$1,284.
With tool rail	1 1/2"	23 1/8"	36"	RTPRS36H1() () ()	1,229.	1,247.	1,264.	1,282.	1,320.	1,343.	1,374.
	1 1/2"	23 1/8"	42"	RTPRS42H1() () ()	1,408.	1,429.	1,450.	1,471.	1,515.	1,541.	1,577.
	1 1/2"	23 1/8"	48"	RTPRS48H1() () ()	1,425.	1,448.	1,470.	1,493.	1,538.	1,565.	1,600.
	1 1/2"	23 1/8"	54"	RTPRS54H1() () ()	1,451.	1,477.	1,503.	1,529.	1,575.	1,602.	1,639.
	1 1/2"	23 1/8"	60"	RTPRS60H1() () ()	1,475.	1,504.	1,533.	1,562.	1,609.	1,637.	1,674.
	1 1/2"	23 1/8"	66"	RTPRS66H1() () ()	1,833.	1,864.	1,895.	1,926.	1,984.	2,018.	2,064.
	1 1/2"	23 1/8"	72"	RTPRS72H1() () ()	1,857.	1,891.	1,926.	1,960.	2,019.	2,054.	2,101.

Order Code

Example:	RTPRS30H1() () ()
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmentated
30	Width
H1	23 1/8" high
111	Trim finish
LW	Marker board top insert
W281	Fabric selection bottom insert

Specification Information

To order please specify pattern number including:
 1. Trim Finish: Painted or Plated
 2. Top insert finish: Marker board
 3. Bottom insert finish: Fabric

Application Notes

H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
 Always supplied including cable curtain.
 Always supplied including all trim pieces.
 LH & RH side full height trims. (no hi-lo trims)
 All trims supplied with the same finish specification.
 All Fabric to be applied railroded as current tackboard

Taskpanels

H1 23 1/8" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Taskpanel , segmented With tool rail	1 1/2"	23 1/8"	30"	RTPRS30H1 () ()	\$1,225.	\$1,101.	\$1,191.	\$1,234.	\$1,249.	\$1,281.
	1 1/2"	23 1/8"	36"	RTPRS36H1 () ()	1,347.	985.	1,315.	1,315.	1,332.	1,371.
	1 1/2"	23 1/8"	42"	RTPRS42H1 () ()	1,573.	1,384.	1,459.	1,502.	1,521.	1,567.
	1 1/2"	23 1/8"	48"	RTPRS48H1 () ()	1,645.	1,412.	1,477.	1,557.	1,577.	1,629.
	1 1/2"	23 1/8"	54"	RTPRS54H1 () ()	1,714.	1,447.	1,505.	1,585.	1,606.	1,663.
	1 1/2"	23 1/8"	60"	RTPRS60H1 () ()	1,782.	1,483.	1,533.	1,613.	1,636.	1,699.
	1 1/2"	23 1/8"	66"	RTPRS66H1 () ()	2,171.	1,828.	1,902.	1,982.	2,008.	2,077.
	1 1/2"	23 1/8"	72"	RTPRS72H1 () ()	2,242.	1,866.	1,932.	2,013.	2,040.	2,116.
	1 1/2"	23 1/8"	78"	RTPRS78H1 () ()	2,415.	2,007.	2,064.	2,146.	2,175.	2,257.
	1 1/2"	23 1/8"	84"	RTPRS84H1 () ()	2,483.	2,031.	2,081.	2,163.	2,194.	2,283.
	1 1/2"	23 1/8"	90"	RTPRS90H1 () ()	2,552.	2,067.	2,109.	2,191.	2,224.	2,320.
	1 1/2"	23 1/8"	96"	RTPRS96H1 () ()	2,623.	2,104.	2,138.	2,221.	2,256.	2,358.

Order Code	Specification Information	Application Notes
Example: RTPRS30H1 () ()	To order please specify pattern number including;	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Plated	Always supplied including cable curtain.
TP Taskpanel	2. Top insert finish: Glass or Fabric	Always supplied including all trim pieces.
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	LH & RH side full height trims. (no hi-lo trims)
S Segmentated		All trims supplied with the same finish specification.
30 Width		All Fabric to be applied railroaded as current tackboard
H1 23 1/8" high		
111 Trim finish		
W281 Fabric selection top insert		
V319 Veneer selection bottom insert		

Taskpanels
H2 29³/₄" high
Mono, Without Tool Rail
Fabric

Reff Profiles

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Taskpanel , mono	1 1/2"	29 3/4"	30"	RTPNM30H2() ()	\$778.	\$793.	\$807.	\$822.	\$847.	\$861.	\$881.
Without tool rail	1 1/2"	29 3/4"	36"	RTPNM36H2() ()	832.	850.	868.	886.	913.	928.	950.
	1 1/2"	29 3/4"	42"	RTPNM42H2() ()	1,017.	1,038.	1,060.	1,081.	1,113.	1,133.	1,159.
	1 1/2"	29 3/4"	48"	RTPNM48H2() ()	1,031.	1,054.	1,076.	1,099.	1,132.	1,152.	1,178.
	1 1/2"	29 3/4"	54"	RTPNM54H2() ()	1,049.	1,075.	1,100.	1,126.	1,160.	1,180.	1,207.
	1 1/2"	29 3/4"	60"	RTPNM60H2() ()	1,110.	1,139.	1,169.	1,198.	1,234.	1,255.	1,284.
	1 1/2"	29 3/4"	66"	RTPNM66H2() ()	1,339.	1,370.	1,401.	1,432.	1,475.	1,501.	1,535.
	1 1/2"	29 3/4"	72"	RTPNM72H2() ()	1,359.	1,393.	1,427.	1,461.	1,505.	1,531.	1,566.
	1 1/2"	29 3/4"	78"	RTPNM78H2() ()	1,525.	1,562.	1,600.	1,637.	1,686.	1,715.	1,755.
	1 1/2"	29 3/4"	84"	RTPNM84H2() ()	1,536.	1,575.	1,614.	1,653.	1,702.	1,732.	1,772.
	1 1/2"	29 3/4"	90"	RTPNM90H2() ()	1,597.	1,639.	1,682.	1,724.	1,776.	1,807.	1,848.
	1 1/2"	29 3/4"	96"	RTPNM96H2() ()	1,617.	1,662.	1,708.	1,753.	1,805.	1,837.	1,879.

Order Code

Example:	RTPNM30H2() ()
R	Reff
TP	Taskpanel
N	No tool rail
M	Monolithic
30	Width
H2	29 ³ / ₄ " high
111	Trim finish
W281	Fabric selection

Specification Information

To order please specify pattern number including;
 1. Trim Finish: Painted or Plated
 2. Top Insert Finish: Fabric
 3. Insert Finish: Fabric

Application Notes

H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
 Always supplied including cable curtain.
 Always supplied including all trim pieces.
 LH & RH side full height trims. (no hi-lo trims)
 All trims supplied with the same finish specification.
 Tool rails are not supplied to this taskpanel.
 All Fabric to be applied railrooded as current tackboard.

Taskpanels
H2 29³/₄" high
Mono, Without Tool Rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Taskpanel , mono	1 1/2"	29 ³ / ₄ "	30"	RTPNM30H2()()	\$1,088.	\$793.	\$783.	\$884.	\$952.	\$1,129.
Without tool rail	1 1/2"	29 ³ / ₄ "	36"	RTPNM36H2()()	1,226.	845.	833.	936.	1,015.	1,226.
	1 1/2"	29 ³ / ₄ "	42"	RTPNM42H2()()	1,495.	1,023.	1,010.	1,116.	1,207.	1,453.
	1 1/2"	29 ³ / ₄ "	48"	RTPNM48H2()()	1,600.	1,045.	1,030.	1,138.	1,245.	1,525.
	1 1/2"	29 ³ / ₄ "	54"	RTPNM54H2()()	1,702.	1,056.	1,039.	1,150.	1,268.	1,583.
	1 1/2"	29 ³ / ₄ "	60"	RTPNM60H2()()	1,848.	1,112.	1,094.	1,206.	1,336.	1,686.
	1 1/2"	29 ³ / ₄ "	66"	RTPNM66H2()()	2,168.	1,373.	1,352.	1,468.	1,609.	1,993.
	1 1/2"	29 ³ / ₄ "	72"	RTPNM72H2()()	2,272.	1,387.	1,365.	1,482.	1,634.	2,052.
	1 1/2"	29 ³ / ₄ "	78"	RTPNM78H2()()	2,522.	1,553.	1,529.	1,649.	1,808.	2,260.
	1 1/2"	29 ³ / ₄ "	84"	RTPNM84H2()()	2,624.	1,565.	1,539.	1,662.	1,832.	2,319.
	1 1/2"	29 ³ / ₄ "	90"	RTPNM90H2()()	2,769.	1,627.	1,599.	1,752.	1,911.	2,432.
	1 1/2"	29 ³ / ₄ "	96"	RTPNM96H2()()	2,873.	1,641.	1,612.	1,739.	1,936.	2,491.

Order Code

Example: RTPNM30H2()()	
R	Reff
TP	Taskpanel
N	No tool rail
M	Monolithic
30	Width
H2	29 ³ / ₄ " high
111	Trim finish
V319	Veneer selection

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top Insert Finish: Fabric
3. Bottom Insert Finish: G, LW, L, V1, V2, V3

Application Notes

H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

Tool rails are not supplied to this taskpanel.

All Fabric to be applied railrooded as current tackboard.

Taskpanels
H2 29³/₄" high
Segmented With Tool Rail
Fabric Insert Above / Fabric Insert Below

Reff Profiles

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Taskpanel , segmented	1 1/2"	29 3/4"	30"	RTPRS30H2() ()	\$1,223.	\$1,233.	\$1,244.	\$1,524.	\$1,292.	\$1,314.	\$1,344.
With tool rail	1 1/2"	29 3/4"	36"	RTPRS36H2() ()	1,254.	1,290.	1,325.	1,361.	1,402.	1,426.	1,459.
	1 1/2"	29 3/4"	42"	RTPRS42H2() ()	1,442.	1,484.	1,527.	1,569.	1,616.	1,644.	1,682.
	1 1/2"	29 3/4"	48"	RTPRS48H2() ()	1,464.	1,509.	1,555.	1,600.	1,648.	1,677.	1,715.
	1 1/2"	29 3/4"	54"	RTPRS54H2() ()	1,494.	1,546.	1,598.	1,650.	1,699.	1,729.	1,769.
	1 1/2"	29 3/4"	60"	RTPRS60H2() ()	1,525.	1,583.	1,642.	1,700.	1,751.	1,781.	1,822.
	1 1/2"	29 3/4"	66"	RTPRS66H2() ()	1,863.	1,924.	1,986.	2,047.	2,108.	2,145.	2,194.
	1 1/2"	29 3/4"	72"	RTPRS72H2() ()	1,960.	2,009.	2,058.	2,107.	2,170.	2,208.	2,258.

Order Code	Specification Information	Application Notes
Example: RTPRS30H2 () ()	To order please specify pattern number including;	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Plated	Always supplied including cable curtain.
TP Taskpanel	2. Top Insert Finish: Fabric	Always supplied including all trim pieces.
R Tool rail	3. Bottom Insert Finish: Fabric	LH & RH side full height trims. (no hi-lo trims)
S Segmented		All trims supplied with the same finish specification.
30 Width		All Fabric to be applied railroaded as current tackboard.
H2 29 3/4" high		
111 Trim finish		
W281 Fabric selection top insert		
W281 Fabric selection bottom insert		

Taskpanels
H2 29³/₄" high
Segmented With Tool Rail
Marker board Insert Above / Fabric Insert Below

Reff Profiles

description	th	h	w	pattern no.	grade						
					LW10	LW15	LW20	LW30	LW35	LW40	LW45
Taskpanel , segmented	1 1/2"	29 ³ / ₄ "	30"	RTPRS30H2() ()	\$1,172.	\$1,187.	\$1,201.	\$1,216.	\$1,252.	\$1,274.	\$1,303.
With tool rail	1 1/2"	29 ³ / ₄ "	36"	RTPRS36H2() ()	1,251.	1,269.	1,287.	1,305.	1,344.	1,368.	1,399.
	1 1/2"	29 ³ / ₄ "	42"	RTPRS42H2() ()	1,431.	1,452.	1,474.	1,495.	1,540.	1,567.	1,602.
	1 1/2"	29 ³ / ₄ "	48"	RTPRS48H2() ()	1,450.	1,473.	1,495.	1,518.	1,563.	1,591.	1,627.
	1 1/2"	29 ³ / ₄ "	54"	RTPRS54H2() ()	1,476.	1,502.	1,528.	1,554.	1,601.	1,628.	1,666.
	1 1/2"	29 ³ / ₄ "	60"	RTPRS60H2() ()	1,501.	1,530.	1,560.	1,589.	1,637.	1,665.	1,703.
	1 1/2"	29 ³ / ₄ "	66"	RTPRS66H2() ()	1,861.	1,892.	1,922.	1,953.	2,011.	2,047.	2,093.
	1 1/2"	29 ³ / ₄ "	72"	RTPRS72H2() ()	1,693.	1,794.	1,894.	1,995.	2,055.	2,091.	2,138.

Accessories and Client
Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H2 () ()	To order please specify pattern number including:	H2 Height: Underside of overhead to top 1 ⁷ / ₈ " thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Plated	Always supplied including cable curtain.
TP Taskpanel	2. Top Insert Finish: Marker board	
R Tool rail	3. Bottom Insert Finish: Fabric	
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H2 29 ³ / ₄ " high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroded as current tackboard.
LW Marker board top insert		
W281 Fabric selectin bottom insert		

Taskpanels

Reff Profiles

H2 29³/₄" high

Segmented With Tool Rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Taskpanel , segmented With tool rail	1 1/2"	29 3/4"	30"	RTPRS30H2 ()()	\$1,329.	\$1,121.	\$1,200.	\$126.	\$1,304.	\$1,377.
	1 1/2"	29 3/4"	36"	RTPRS36H2 ()()	1,473.	1,316.	1,287.	1,353.	1,397.	1,484.
	1 1/2"	29 3/4"	42"	RTPRS42H2 ()()	1,717.	1,527.	1,479.	1,546.	1,594.	1,695.
	1 1/2"	29 3/4"	48"	RTPRS48H2 ()()	1,807.	1,574.	1,500.	1,597.	1,649.	1,766.
	1 1/2"	29 3/4"	54"	RTPRS54H2 ()()	1,894.	1,627.	1,530.	1,627.	1,684.	1,814.
	1 1/2"	29 3/4"	60"	RTPRS60H2 ()()	1,980.	1,682.	1,560.	1,658.	1,719.	1,863.
	1 1/2"	29 3/4"	66"	RTPRS66H2 ()()	2,387.	2,044.	1,922.	2,022.	2,087.	2,246.
	1 1/2"	29 3/4"	72"	RTPRS72H2 ()()	2,483.	2,188.	1,965.	2,067.	2,132.	2,304.
	1 1/2"	29 3/4"	78"	RTPRS78H2 ()()	2,668.	2,259.	2,093.	2,195.	2,264.	2,450.
	1 1/2"	29 3/4"	84"	RTPRS84H2 ()()	2,754.	2,301.	2,114.	2,217.	2,291.	2,493.
	1 1/2"	29 3/4"	90"	RTPRS90H2 ()()	2,841.	2,355.	2,144.	2,248.	2,327.	2,542.
	1 1/2"	29 3/4"	96"	RTPRS96H2 ()()	2,929.	2,411.	2,175.	2,281.	2,363.	2,592.

Order Code

Example: RTPRS30H2 ()()	
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmented
30	Width
H2	29 3/4" high
111	Trim finish
W281	Fabric selectin top insert
V319	Veneer selection bottom insert

Specification Information

To order please specify pattern number including:
 1. Trim Finish: Painted or Plated
 2. Top Insert Finish: Glass or Fabric
 3. Bottom Insert Finish: Forbo, L, V1, V2, V3

Application Notes

H2 Height: Underside of overhead to top 1 1/2" thick credenza top for 3/4 height cabinets or low credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroded as current tackboard.

Taskpanels
H3 37⁷/₈" high
Mono, Without Tool rail
Fabric

Reff Profiles

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Taskpanel , mono	1 1/2"	37 ⁷ / ₈ "	30"	RTPNM30H3() ()	\$815.	\$829.	\$844.	\$858.	\$884.	\$899.	\$920.
Without tool rail	1 1/2"	37 ⁷ / ₈ "	36"	RTPNM36H3() ()	870.	888.	905.	923.	951.	967.	989.
	1 1/2"	37 ⁷ / ₈ "	42"	RTPNM42H3() ()	1,056.	1,077.	1,098.	1,119.	1,153.	1,173.	1,200.
	1 1/2"	37 ⁷ / ₈ "	48"	RTPNM48H3() ()	1,071.	1,094.	1,116.	1,139.	1,173.	1,194.	1,221.
	1 1/2"	37 ⁷ / ₈ "	54"	RTPNM54H3() ()	1,090.	1,116.	1,142.	1,168.	1,203.	1,224.	1,252.
	1 1/2"	37 ⁷ / ₈ "	60"	RTPNM60H3() ()	1,152.	1,181.	1,211.	1,240.	1,277.	1,300.	1,329.
	1 1/2"	37 ⁷ / ₈ "	66"	RTPNM66H3() ()	1,383.	1,414.	1,444.	1,475.	1,519.	1,546.	1,581.
	1 1/2"	37 ⁷ / ₈ "	72"	RTPNM72H3() ()	1,403.	1,437.	1,472.	1,506.	1,551.	1,578.	1,614.
	1 1/2"	37 ⁷ / ₈ "	78"	RTPNM78H3() ()	1,571.	1,608.	1,646.	1,683.	1,733.	1,764.	1,804.
	1 1/2"	37 ⁷ / ₈ "	84"	RTPNM84H3() ()	1,583.	1,622.	1,661.	1,700.	1,751.	1,782.	1,822.
	1 1/2"	37 ⁷ / ₈ "	90"	RTPNM90H3() ()	1,646.	1,688.	1,730.	1,772.	1,825.	1,857.	1,900.
	1 1/2"	37 ⁷ / ₈ "	96"	RTPNM96H3() ()	1,666.	1,711.	1,757.	1,802.	1,856.	1,888.	1,932.

Accessories and Client
Samples

Order Code	Specification Information	Application Notes
Example: RTPNM30H3() ()	To order please specify pattern number including;	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Plated	Always supplied including cable curtain.
TP Taskpanel	2. Insert Finish: Fabric	Always supplied including all trim pieces.
N No tool rail		LH & RH side full height trims. (no hi-lo trims)
M Monolithic		All trims supplied with the same finish specification.
30 Width		Tool rails are not supplied to this taskpanel.
H3 37 ⁷ / ₈ " high		All Fabric to be applied railroded as current tackboard.
111 Trim finish		
W281 Fabric selection		

Taskpanels

Reff Profiles

H3 37⁷/₈" high

Mono, Without Tool rail

Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Taskpanel , mono	1 1/2"	37 ⁷ / ₈ "	30"	RTPNM30H3 () ()	\$1,261.	\$842.	\$829.	\$934.	\$1,018.	\$1,247.
Without tool rail	1 1/2"	37 ⁷ / ₈ "	36"	RTPNM36H3 () ()	1,428.	893.	878.	985.	1,085.	1,358.
	1 1/2"	37 ⁷ / ₈ "	42"	RTPNM42H3 () ()	1,705.	1,082.	1,065.	1,175.	1,294.	1,611.
	1 1/2"	37 ⁷ / ₈ "	48"	RTPNM48H3 () ()	1,860.	1,106.	1,087.	1,201.	1,334.	1,696.
	1 1/2"	37 ⁷ / ₈ "	54"	RTPNM54H3 () ()	1,991.	1,121.	1,100.	1,216.	1,364.	1,770.
	1 1/2"	37 ⁷ / ₈ "	60"	RTPNM60H3 () ()	2,166.	1,187.	1,163.	1,283.	1,441.	1,892.
	1 1/2"	37 ⁷ / ₈ "	66"	RTPNM66H3 () ()	2,515.	1,444.	1,418.	1,541.	1,714.	2,209.
	1 1/2"	37 ⁷ / ₈ "	72"	RTPNM72H3 () ()	2,648.	1,648.	1,439.	1,565.	1,758.	2,297.
	1 1/2"	37 ⁷ / ₈ "	78"	RTPNM78H3 () ()	2,928.	1,631.	1,601.	1,729.	1,937.	2,520.
	1 1/2"	37 ⁷ / ₈ "	84"	RTPNM84H3 () ()	3,058.	1,646.	1,613.	1,745.	1,967.	2,595.
	1 1/2"	37 ⁷ / ₈ "	90"	RTPNM90H3 () ()	3,233.	1,705.	1,670.	1,805.	2,047.	2,729.
	1 1/2"	37 ⁷ / ₈ "	96"	RTPNM96H3 () ()	3,366.	1,722.	1,684.	1,823.	2,073.	2,789.

Order Code

Example:	RTPNM30H3 () ()
R	Reff
TP	Taskpanel
N	No tool rail
M	Monolithic
30	Width
H3	37 ⁷ / ₈ " high
111	Trim finish
V319	Veneer selection

Specification Information

To order please specify pattern number including;
 1. Trim Finish: Painted or Plated
 2. Insert Finish: G, LW, L, V1, V2, V3

Application Notes

H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

Tool rails are not supplied to this taskpanel.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H3 37⁷/₈" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Taskpanel , segmented With tool rail	1 1/2"	37 7/8"	30"	RTPRS30H3() ()	\$1,206.	\$1,235.	\$1,265.	\$1,294.	\$1,333.	\$1,356.	\$1,387.
	1 1/2"	37 7/8"	36"	RTPRS36H3() ()	1,291.	1,327.	1,362.	1,398.	1,440.	1,465.	1,498.
	1 1/2"	37 7/8"	42"	RTPRS42H3() ()	1,481.	1,523.	1,566.	1,608.	1,656.	1,685.	1,724.
	1 1/2"	37 7/8"	48"	RTPRS48H3() ()	1,503.	1,548.	1,594.	1,639.	1,688.	1,718.	1,757.
	1 1/2"	37 7/8"	54"	RTPRS54H3() ()	1,535.	1,587.	1,639.	1,691.	1,742.	1,772.	1,813.
	1 1/2"	37 7/8"	60"	RTPRS60H3() ()	1,567.	1,626.	1,684.	1,743.	1,795.	1,826.	1,868.
	1 1/2"	37 7/8"	66"	RTPRS66H3() ()	1,906.	1,968.	2,029.	2,091.	2,154.	2,191.	2,241.
	1 1/2"	37 7/8"	72"	RTPRS72H3() ()	1,941.	2,009.	2,077.	2,145.	2,209.	2,248.	2,299.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H3() ()	To order please specify pattern number including:	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Plated	Always supplied including cable curtain.
TP Taskpanel	2. Top Insert Finish: Fabric	Always supplied including all trim pieces.
R Tool rail	3. Bottom Insert Finish: Fabric	LH & RH side full height trims. (no hi-lo trims)
S Segmented		All trims supplied with the same finish specification.
30 Width		All Fabric to be applied railroaded as current tackboard.
H3 37 7/8" high		
111 Trim finish		
W281 Fabric selection top insert		
W281 Fabric selection bottom insert		

Taskpanels

H3 37⁷/₈" high

Segmented With Tool rail

Marker Board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade						
					LW10	LW15	LW20	LW30	LW35	LW40	LW45
Taskpanel , segmented	1 1/2"	37 7/8"	30"	RTPRS30H3()()	\$1,238.	\$1,252.	\$1,267.	\$1,281.	\$1,319.	\$1,342.	\$1,373.
With tool rail	1 1/2"	37 7/8"	36"	RTPRS36H3()()	1,318.	1,336.	1,354.	1,372.	1,413.	1,438.	1,471.
	1 1/2"	37 7/8"	42"	RTPRS42H3()()	1,509.	1,530.	1,552.	1,573.	1,620.	1,648.	1,686.
	1 1/2"	37 7/8"	48"	RTPRS48H3()()	1,532.	1,555.	1,578.	1,601.	1,649.	1,678.	1,716.
	1 1/2"	37 7/8"	54"	RTPRS54H3()()	1,566.	1,592.	1,618.	1,644.	1,693.	1,723.	1,762.
	1 1/2"	37 7/8"	60"	RTPRS60H3()()	1,593.	1,622.	1,652.	1,681.	1,731.	1,762.	1,802.
	1 1/2"	37 7/8"	66"	RTPRS66H3()()	1,958.	1,989.	2,019.	2,050.	2,111.	2,148.	2,197.
	1 1/2"	37 7/8"	72"	RTPRS72H3()()	1,993.	2,027.	2,061.	2,095.	2,158.	2,195.	2,246.

Order Code

Example:	RTPRS30H3()()
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmented
30	Width
H3	37 7/8" high
111	Trim finish
LW	Marker board top insert
W281	Fabric selection bottom insert

Specification Information

To order please specify pattern number including:
 1. Trim Finish: Painted or Plated
 2. Top Insert Finish: Marker board
 3. Bottom Insert Finish: Fabric

Application Notes

H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroded as current tackboard.

Taskpanels
H3 37⁷/₈" high
Segmented With Tool rail
Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Taskpanel , segmented With tool rail	1 1/2"	37 7/8"	30"	RTPRS30H3 () ()	\$1,543.	\$1,159.	\$1,249.	\$1,292.	\$1,306.	\$1,339.
	1 1/2"	37 7/8"	36"	RTPRS36H3 () ()	1,719.	1,250.	1,332.	1,375.	1,392.	1,431.
	1 1/2"	37 7/8"	42"	RTPRS42H3 () ()	1,999.	1,446.	1,521.	1,565.	1,583.	1,629.
	1 1/2"	37 7/8"	48"	RTPRS48H3 () ()	2,126.	1,476.	1,542.	1,621.	1,641.	1,693.
	1 1/2"	37 7/8"	54"	RTPRS54H3 () ()	2,249.	1,514.	1,571.	1,651.	1,672.	1,729.
	1 1/2"	37 7/8"	60"	RTPRS60H3 () ()	2,372.	1,552.	1,601.	1,681.	1,705.	1,768.
	1 1/2"	37 7/8"	66"	RTPRS66H3 () ()	2,815.	1,898.	1,973.	2,053.	2,078.	2,148.
	1 1/2"	37 7/8"	72"	RTPRS72H3 () ()	2,941.	1,939.	2,005.	2,086.	2,113.	2,189.
	1 1/2"	37 7/8"	78"	RTPRS78H3 () ()	3,168.	2,082.	2,139.	2,221.	2,250.	2,333.
	1 1/2"	37 7/8"	84"	RTPRS84H3 () ()	3,291.	2,008.	2,158.	2,241.	2,271.	2,360.
	1 1/2"	37 7/8"	90"	RTPRS90H3 () ()	3,414.	2,146.	2,188.	2,271.	2,304.	2,399.
	1 1/2"	37 7/8"	96"	RTPRS96H3 () ()	3,539.	2,186.	2,220.	2,303.	2,338.	2,439.

Order Code	Specification Information	Application Notes
Example: RTPRS30H3 () ()	To order please specify pattern number including:	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Plated	Always supplied including cable curtain.
TP Taskpanel	2. Top Insert Finish: Glass or Fabric	Always supplied including all trim pieces.
R Tool rail	3. Bottom Insert Finish: Forbo, L, V1, V2, V3	LH & RH side full height trims. (no hi-lo trims)
S Segmented		All trims supplied with the same finish specification.
30 Width		All Fabric to be applied railroded as current tackboard.
H3 37 7/8" high		
111 Trim finish		
W281 Fabric selection top		
V319 Veneer selection bottom		

Taskpanels
H4 44 1/2" high
Mono, Without Tool rail
Fabric

Reff Profiles

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Taskpanel , mono without tool rail	1 1/2"	44 1/2"	30"	RTPNM30H4()()	\$881.	\$895.	\$910.	\$924.	\$952.	\$968.	\$991.
	1 1/2"	44 1/2"	36"	RTPNM36H4()()	937.	955.	972.	990.	1,020.	1,038.	1,061.
	1 1/2"	44 1/2"	42"	RTPNM42H4()()	1,124.	1,145.	1,166.	1,187.	1,223.	1,244.	1,272.
	1 1/2"	44 1/2"	48"	RTPNM48H4()()	1,140.	1,163.	1,185.	1,208.	1,244.	1,266.	1,295.
	1 1/2"	44 1/2"	54"	RTPNM54H4()()	1,160.	1,186.	1,212.	1,238.	1,275.	1,297.	1,327.
	1 1/2"	44 1/2"	60"	RTPNM60H4()()	1,223.	1,252.	1,282.	1,311.	1,350.	1,374.	1,405.
	1 1/2"	44 1/2"	66"	RTPNM66H4()()	1,455.	1,486.	1,516.	1,547.	1,593.	1,621.	1,658.
	1 1/2"	44 1/2"	72"	RTPNM72H4()()	1,477.	1,511.	1,545.	1,579.	1,626.	1,655.	1,693.
	1 1/2"	44 1/2"	78"	RTPNM78H4()()	1,645.	1,622.	1,598.	1,575.	1,622.	1,651.	1,688.
	1 1/2"	44 1/2"	84"	RTPNM84H4()()	1,658.	1,697.	1,736.	1,775.	1,828.	1,860.	1,903.
	1 1/2"	44 1/2"	90"	RTPNM90H4()()	1,721.	1,763.	1,806.	1,848.	1,903.	1,937.	1,981.
	1 1/2"	44 1/2"	96"	RTPNM96H4()()	1,743.	1,788.	1,834.	1,879.	1,935.	1,969.	2,014.

Order Code	Specification Information	Application Notes
Example: RTPNM30H4()()	To order please specify pattern number including: 1. Trim Finish: Painted or Plated 2. Insert Finish: Fabric	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff		
TP Taskpanel		Always supplied including cable curtain.
N No tool rail		Always supplied including all trim pieces.
M Monolithic		LH & RH side full height trims. (no hi-lo trims)
30 Width		All trims supplied with the same finish specification.
H4 44 1/2" high		Tool rails are not supplied to this taskpanel.
111 Trim finish		All Fabric to be applied railroded as current tackboard.
W281 Fabric selection		

Taskpanels

Reff Profiles

H4 44 1/2" high

Mono, Without Tool rail

Wood, Laminate, Marker board or Glass Inserts

description	th	h	wi	pattern no.	glass	LW	L	V1	V2	V3
Taskpanel , mono without tool rail	1 1/2"	44 1/2"	30"	RTPNM30H4 ()	\$1,431.	\$917.	\$902.	\$1,009.	\$1,108.	\$1,378.
	1 1/2"	44 1/2"	36"	RTPNM36H4 ()	1,620.	977.	960.	1,070.	1,191.	1,378.
	1 1/2"	44 1/2"	42"	RTPNM42H4 ()	1,915.	1,170.	1,150.	1,263.	1,402.	1,776.
	1 1/2"	44 1/2"	48"	RTPNM48H4 ()	2,096.	1,189.	1,167.	1,285.	1,440.	1,866.
	1 1/2"	44 1/2"	54"	RTPNM54H4 ()	2,249.	1,214.	1,189.	1,310.	1,478.	1,957.
	1 1/2"	44 1/2"	60"	RTPNM60H4 ()	2,446.	1,275.	1,247.	1,372.	1,557.	2,087.
	1 1/2"	44 1/2"	66"	RTPNM66H4 ()	2,817.	1,542.	1,511.	1,640.	1,847.	2,430.
	1 1/2"	44 1/2"	72"	RTPNM72H4 ()	2,971.	1,562.	1,528.	1,660.	1,885.	2,521.
	1 1/2"	44 1/2"	78"	RTPNM78H4 ()	3,273.	1,727.	1,691.	1,827.	2,069.	2,756.
	1 1/2"	44 1/2"	84"	RTPNM84H4 ()	3,425.	1,745.	1,706.	1,846.	2,105.	2,845.
	1 1/2"	44 1/2"	90"	RTPNM90H4 ()	3,622.	1,765.	1,806.	1,908.	2,184.	2,976.
1 1/2"	44 1/2"	96"	RTPNM96H4 ()	3,776.	1,825.	1,781.	1,929.	2,222.	3,067.	

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPNM30H4 ()	To order please specify pattern number including: 1. Trim Finish: Painted or Plated 2. Insert Finish: Fabric	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff		
TP Taskpanel	Always supplied including cable curtain.	Always supplied including all trim pieces.
N No tool rail		
M Monolithic	LH & RH side full height trims. (no hi-lo trims)	All trims supplied with the same finish specification.
30 Width		
H4 44 1/2" high	Tool rails are not supplied to this taskpanel.	All Fabric to be applied railrooded as current tackboard.
111 Trim finish		
V319 Veneer selection		

Taskpanels

H4 44 1/2" high

Segmented With Tool rail

Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Taskpanel , segmented	1 1/2"	44 1/2"	30"	RTPRS30H4() ()	\$1,272.	\$1,301.	\$1,331.	\$1,360.	\$1,401.	\$1,424.	\$1,458.
With tool rail	1 1/2"	44 1/2"	36"	RTPRS36H4() ()	1,359.	1,395.	1,430.	1,466.	1,510.	1,536.	1,571.
	1 1/2"	44 1/2"	42"	RTPRS42H4() ()	1,549.	1,591.	1,634.	1,676.	1,726.	1,756.	1,796.
	1 1/2"	44 1/2"	48"	RTPRS48H4() ()	1,572.	1,618.	1,663.	1,709.	1,760.	1,791.	1,832.
	1 1/2"	44 1/2"	54"	RTPRS54H4() ()	1,605.	1,657.	1,709.	1,761.	1,814.	1,845.	1,888.
	1 1/2"	44 1/2"	60"	RTPRS60H4() ()	1,638.	1,697.	1,755.	1,814.	1,868.	1,901.	1,944.
	1 1/2"	44 1/2"	66"	RTPRS66H4() ()	1,978.	2,040.	2,101.	2,163.	2,228.	2,267.	2,318.
	1 1/2"	44 1/2"	72"	RTPRS72H4() ()	2,013.	2,081.	2,150.	2,218.	2,284.	2,324.	2,377.

Order Code	Specification Information	Application Notes
Example: RTPRS30H4() ()	To order please specify pattern number including:	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Plated	Always supplied including cable curtain.
TP Taskpanel	2. Top Insert Finish: Fabric	Always supplied including all trim pieces.
R Tool rail	3. Bottom Insert Finish: Fabric	LH & RH side full height trims. (no hi-lo trims)
S Segmented		All trims supplied with the same finish specification.
30 Width		All Fabric to be applied railroaded as current tackboard.
H4 44 1/2" high		
111 Trim finish		
W281 Fabric selection top		
W281 Fabric selection bottom		

Taskpanels

H4 44 1/2" high

Segmented With Tool rail

Marker Board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade						
					LW10	LW15	LW20	LW30	LW35	LW40	LW45
Taskpanel , segmented	1 1/2"	44 1/2"	30"	RTPRS30H4() ()	\$1,304.	\$1,319.	\$1,333.	\$1,348.	\$1,388.	\$1,413.	\$1,445.
With tool rail	1 1/2"	44 1/2"	36"	RTPRS36H4() ()	1,385.	1,403.	1,421.	1,439.	1,482.	1,508.	1,542.
	1 1/2"	44 1/2"	42"	RTPRS42H4() ()	1,578.	1,599.	1,620.	1,641.	1,690.	1,720.	1,759.
	1 1/2"	44 1/2"	48"	RTPRS48H4() ()	1,602.	1,625.	1,647.	1,670.	1,720.	1,750.	1,790.
	1 1/2"	44 1/2"	54"	RTPRS54H4() ()	1,636.	1,662.	1,688.	1,714.	1,765.	1,796.	1,837.
	1 1/2"	44 1/2"	60"	RTPRS60H4() ()	1,664.	1,693.	1,723.	1,752.	1,804.	1,836.	1,878.
	1 1/2"	44 1/2"	66"	RTPRS66H4() ()	2,030.	2,061.	2,091.	2,122.	2,186.	2,224.	2,274.
	1 1/2"	44 1/2"	72"	RTPRS72H4() ()	2,066.	2,100.	2,134.	2,168.	2,233.	2,272.	2,324.

Order Code	Specification Information	Application Notes
Example: RTPRS30H4 () ()	To order please specify pattern number including:	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Plated	Always supplied including cable curtain.
TP Taskpanel	2. Top Insert Finish: Marker board	Always supplied including all trim pieces.
R Tool rail	3. Bottom Insert Finish: Fabric	LH & RH side full height trims. (no hi-lo trims)
S Segmented		All trims supplied with the same finish specification.
30 Width		All Fabric to be applied railroaded as current tackboard.
H4 44 1/2" high		
111 Trim finish		
LW Marker Board top insert		
W281 Fabric selection bottom insert		

Taskpanels

H4 44 1/2" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Taskpanel , segmented	1 1/2"	44 1/2"	30"	RTPRS30H4 ()()	\$1,695.	\$1,311.	\$1,307.	\$1,372.	\$1,410.	\$1,483.
With tool rail	1 1/2"	44 1/2"	36"	RTPRS36H4 ()()	1,889.	1,420.	1,392.	1,458.	1,501.	1,589.
	1 1/2"	44 1/2"	42"	RTPRS42H4 ()()	2,188.	1,634.	1,586.	1,653.	1,701.	1,802.
	1 1/2"	44 1/2"	48"	RTPRS48H4 ()()	2,333.	1,682.	1,609.	1,706.	1,758.	1,874.
	1 1/2"	44 1/2"	54"	RTPRS54H4 ()()	2,474.	1,739.	1,641.	1,739.	1,795.	1,926.
	1 1/2"	44 1/2"	60"	RTPRS60H4 ()()	2,615.	1,795.	1,673.	1,772.	1,833.	1,976.
	1 1/2"	44 1/2"	66"	RTPRS66H4 ()()	3,076.	2,159.	2,037.	2,132.	2,203.	2,362.
	1 1/2"	44 1/2"	72"	RTPRS72H4 ()()	3,220.	2,218.	2,071.	2,173.	2,242.	2,415.
	1 1/2"	44 1/2"	78"	RTPRS78H4 ()()	3,465.	2,379.	2,213.	2,315.	2,384.	2,570.
	1 1/2"	44 1/2"	84"	RTPRS84H4 ()()	2,615.	3,607.	2,423.	2,236.	2,339.	2,413.
	1 1/2"	44 1/2"	90"	RTPRS90H4 ()()	3,748.	2,480.	2,268.	2,372.	2,451.	2,666.
	1 1/2"	44 1/2"	96"	RTPRS96H4 ()()	3,891.	2,538.	2,301.	2,407.	2,490.	2,718.

Order Code	Specification Information	Application Notes
Example: RTPRS30H4 ()()	To order please specify pattern number including:	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Plated	Always supplied including cable curtain.
TP Taskpanel	2. Top Insert Finish: Glass or Fabric	Always supplied including all trim pieces.
R Tool rail	3. Bottom Insert Finish: Forbo, L, V1, V2, V3	LH & RH side full height trims. (no hi-lo trims)
S Segmented		All trims supplied with the same finish specification.
30 Width		All Fabric to be applied railroaded as current tackboard.
H4 44 1/2" high		
111 Trim finish		
W281 Fabric selection top insert		
V319 Veneer selection bottom insert		

Taskpanels
H5 42⁵/₈" high
Mono, Without Tool rail
Fabric

Reff Profiles

description	th	h	w	pattern no.	grade					
					10	15	20	30	40	45
Taskpanel , mono without tool rail	1 1/2"	42 5/8"	30"	RTPNM30H5 ()	\$871.	\$886.	\$900.	\$915.	\$959.	\$981.
	1 1/2"	42 5/8"	36"	RTPNM36H5 ()	927.	945.	963.	981.	1,028.	1,052.
	1 1/2"	42 5/8"	42"	RTPNM42H5 ()	1,114.	1,135.	1,156.	1,177.	1,233.	1,262.
	1 1/2"	42 5/8"	48"	RTPNM48H5 ()	1,130.	1,153.	1,175.	1,198.	1,256.	1,284.
	1 1/2"	42 5/8"	54"	RTPNM54H5 ()	1,149.	1,175.	1,201.	1,227.	1,286.	1,315.
	1 1/2"	42 5/8"	60"	RTPNM60H5 ()	1,212.	1,241.	1,271.	1,300.	1,362.	1,394.
	1 1/2"	42 5/8"	66"	RTPNM66H5 ()	1,444.	1,475.	1,505.	1,536.	1,610.	1,647.
	1 1/2"	42 5/8"	72"	RTPNM72H5 ()	1,465.	1,499.	1,533.	1,567.	1,642.	1,680.
	1 1/2"	42 5/8"	78"	RTPNM78H5 ()	1,633.	1,670.	1,708.	1,745.	1,829.	1,871.
	1 1/2"	42 5/8"	84"	RTPNM84H5 ()	1,646.	1,685.	1,724.	1,763.	1,848.	1,890.
	1 1/2"	42 5/8"	90"	RTPNM90H5 ()	1,709.	1,751.	1,794.	1,836.	1,924.	1,968.
	1 1/2"	42 5/8"	96"	RTPNM96H5 ()	1,731.	1,775.	1,820.	1,864.	1,953.	1,998.

Accessories and Client
Samples

Order Code

Example:	RTPNM30H5 ()
R	Reff
TP	Taskpanel
N	No tool rail
M	Monolithic
30	Width
H5	42 5/8" high
111	Trim finish
W281	Fabric selection

Specification Information

To order please specify pattern number including;
 1. Trim Finish: Painted or Plated
 2. Insert Finish: Fabric

Application Notes

H5 Height: Top of single high overhead to top of 1 1/2" thick desk height worksurface.
 Always supplied including cable curtain.
 Always supplied including all trim pieces.
 LH & RH side full height trims. (no hi-lo trims)
 All trims supplied with the same finish specification.
 Tool rails are not supplied to this taskpanel.
 All Fabric to be applied railrooded as current tackboard.

Taskpanels
H5 42⁵/₈" high
Mono, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Taskpanel , mono without tool rail	1 1/2"	42 5/8"	30"	RTPNM30H5()()	\$1,405.	\$905.	\$891.	\$997.	\$1,092.	\$1,350.
	1 1/2"	42 5/8"	36"	RTPNM36H5()()	1,590.	964.	948.	1,058.	1,174.	1,482.
	1 1/2"	42 5/8"	42"	RTPNM42H5()()	1,882.	1,156.	1,136.	1,250.	1,382.	1,741.
	1 1/2"	42 5/8"	48"	RTPNM48H5()()	2,059.	1,175.	1,154.	1,270.	1,420.	1,828.
	1 1/2"	42 5/8"	54"	RTPNM54H5()()	2,208.	1,199.	1,175.	1,295.	1,456.	1,914.
	1 1/2"	42 5/8"	60"	RTPNM60H5()()	2,401.	1,260.	1,233.	1,356.	1,534.	2,042.
	1 1/2"	42 5/8"	66"	RTPNM66H5()()	2,769.	1,526.	1,496.	1,623.	1,823.	2,383.
	1 1/2"	42 5/8"	72"	RTPNM72H5()()	2,920.	1,545.	1,513.	1,643.	1,859.	2,469.
	1 1/2"	42 5/8"	78"	RTPNM78H5()()	3,217.	1,710.	1,675.	1,809.	2,042.	2,701.
	1 1/2"	42 5/8"	84"	RTPNM84H5()()	3,366.	1,727.	1,690.	1,827.	2,076.	2,786.
	1 1/2"	42 5/8"	90"	RTPNM90H5()()	3,559.	1,787.	1,747.	1,888.	2,154.	2,913.
	1 1/2"	42 5/8"	96"	RTPNM96H5()()	3,710.	1,805.	1,763.	1,908.	2,190.	3,018.

Order Code

Example:	RTPNM30H5()()
R	Reff
TP	Taskpanel
N	No tool rail
M	Monolithic
30	Width
H5	42 5/8" high
111	Trim finish
V319	Veneer selection

Specification Information

To order please specify pattern number including;
 1. Trim Finish: Painted or Plated
 2. Insert Finish: G, LW, L, V1, V2, V3

Application Notes

H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

Tool rails are not supplied to this taskpanel.

All Fabric to be applied railroded as current tackboard

Taskpanels
H5 42⁵/₈" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Taskpanel , segmented	1 1/2"	42 5/8"	30"	RTPRS30H5()()	\$1,263.	\$1,292.	\$1,321.	\$1,350.	\$1,390.	\$1,415.	\$1,447.
With tool rail	1 1/2"	42 5/8"	36"	RTPRS36H5()()	1,349.	1,385.	1,420.	1,456.	1,500.	1,526.	1,561.
	1 1/2"	42 5/8"	42"	RTPRS42H5()()	1,539.	1,581.	1,624.	1,666.	1,716.	1,746.	1,786.
	1 1/2"	42 5/8"	48"	RTPRS48H5()()	1,562.	1,607.	1,653.	1,698.	1,749.	1,779.	1,820.
	1 1/2"	42 5/8"	54"	RTPRS54H5()()	1,595.	1,647.	1,699.	1,751.	1,803.	1,835.	1,877.
	1 1/2"	42 5/8"	60"	RTPRS60H5()()	1,627.	1,686.	1,744.	1,803.	1,857.	1,889.	1,933.
	1 1/2"	42 5/8"	66"	RTPRS66H5()()	1,967.	2,029.	2,090.	2,152.	2,216.	2,255.	2,307.
	1 1/2"	42 5/8"	72"	RTPRS72H5()()	2,003.	2,071.	2,139.	2,207.	2,273.	2,313.	2,366.

Order Code	Specification Information	Application Notes
Example: RTPRS30H5()()	To order please specify pattern number including;	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work worksurface.
R Reff	1. Trim Finish: Painted or Plated	Always supplied including cable curtain.
TP Taskpanel	2. Top insert finish: Fabric	Always supplied including all trim pieces.
R Tool rail	3. Bottom insert finish: Fabric	LH & RH side full height trims. (no hi-lo trims)
S Segmented		All trims supplied with the same finish specification.
30 Width		All Fabric to be applied railroaded as current tackboard
H5 42 5/8" high		
111 Trim finish		
W281 Fabric selection top insert		
W281 Fabric selection bottom insert		

Taskpanels

Reff Profiles

H5 42⁵/₈" high

Segmented With Tool rail

Marker board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade						
					LW10	LW15	LW20	LW30	LW35	LW40	LW45
Taskpanel , segmented	1 1/2"	42 5/8"	30"	RTPRS30H5()()	\$1,301.	\$1,316.	\$1,330.	\$1,345.	\$1,385.	\$1,409.	\$1,442.
With tool rail	1 1/2"	42 5/8"	36"	RTPRS36H5()()	1,383.	1,401.	1,419.	1,437.	1,480.	1,506.	1,540.
	1 1/2"	42 5/8"	42"	RTPRS42H5()()	1,576.	1,597.	1,618.	1,639.	1,688.	1,718.	1,757.
	1 1/2"	42 5/8"	48"	RTPRS48H5()()	1,608.	1,631.	1,653.	1,676.	1,726.	1,756.	1,796.
	1 1/2"	42 5/8"	54"	RTPRS54H5()()	1,637.	1,663.	1,689.	1,715.	1,766.	1,797.	1,838.
	1 1/2"	42 5/8"	60"	RTPRS60H5()()	1,673.	1,702.	1,731.	1,760.	1,813.	1,844.	1,886.
	1 1/2"	42 5/8"	66"	RTPRS66H5()()	2,038.	2,069.	2,100.	2,131.	2,195.	2,233.	2,284.
	1 1/2"	42 5/8"	72"	RTPRS72H5()()	2,077.	2,111.	2,145.	2,179.	2,244.	2,283.	2,336.

Order Code

Example:	RTPRS30H5()()
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmentated
30	Width
H5	42 5/8" high
111	Trim finish
LW	Marker board top insert
W281	Fabric selection bottom insert

Specification Information

To order please specify pattern number including:
 1. Trim Finish: Painted or Plated
 2. Top insert finish: Marker board
 3. Bottom insert finish: Fabric

Application Notes

H5 Height: Top of single high overhead to top of 1 1/2" thick desk height worksurface.
 Always supplied including cable curtain.
 Always supplied including all trim pieces.
 LH & RH side full height trims. (no hi-lo trims)
 All trims supplied with the same finish specification.
 All Fabric to be applied railroded as current tackboard.

Taskpanels

H5 42⁵/₈" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	FAB/L	G/FORB	FAB/FORB	FAB/V1	FAB/V2	FAB/V3
Taskpanel , segmented With tool rail	1 1/2"	42 5/8"	30"	RTPRS30H5 () ()	\$1,306.	\$1,687.	\$1,216.	\$1,349.	\$1,363.	\$1,396.
	1 1/2"	42 5/8"	36"	RTPRS36H5 () ()	1,389.	1,881.	1,308.	1,433.	1,449.	1,489.
	1 1/2"	42 5/8"	42"	RTPRS42H5 () ()	1,579.	2,180.	1,504.	1,623.	1,642.	1,687.
	1 1/2"	42 5/8"	48"	RTPRS48H5 () ()	1,601.	2,325.	1,535.	1,680.	1,700.	1,572.
	1 1/2"	42 5/8"	54"	RTPRS54H5 () ()	1,631.	2,466.	1,574.	1,711.	1,732.	1,789.
	1 1/2"	42 5/8"	60"	RTPRS60H5 () ()	1,661.	2,607.	1,612.	1,741.	1,765.	1,828.
	1 1/2"	42 5/8"	66"	RTPRS66H5 () ()	2,034.	3,068.	1,959.	2,114.	2,140.	2,209.
	1 1/2"	42 5/8"	72"	RTPRS72H5 () ()	2,067.	3,212.	2,001.	2,148.	2,175.	2,251.
	1 1/2"	45 5/8"	78"	RTPRS78H5 () ()	2,201.	2,458.	2,144.	2,283.	2,312.	2,395.
	1 1/2"	45 5/8"	84"	RTPRS84H5 () ()	2,221.	3,599.	2,171.	2,304.	2,335.	2,424.
	1 1/2"	45 5/8"	90"	RTPRS90H5 () ()	2,252.	3,740.	2,210.	2,335.	2,367.	2,463.
1 1/2"	45 5/8"	96"	RTPRS96H5 () ()	2,284.	3,883.	2,251.	2,368.	2,402.	2,504.	

Order Code	Specification Information	Application Notes
Example: RTPRS30H5 () ()	To order please specify pattern number including;	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work worksurface.
R Reff	1. Trim Finish: Painted or Plated	Always supplied including cable curtain.
TP Taskpanel	2. Top insert finish: Glass or Fabric	Always supplied including all trim pieces.
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	LH & RH side full height trims. (no hi-lo trims)
S Segmentated		All trims supplied with the same finish specification.
30 Width		All Fabric to be applied railroded as current tackboard
H5 42 5/8" high		
111 Trim finish		
W281 Fabric selection top insert		
V319 Veneer selection bottom insert		

Taskpanels
H6 49 1/4" high
Mono, Without Tool rail
Fabric

Reff Profiles

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Taskpanel , mono	1 1/2"	49 1/4"	30"	RTPNM30H6 ()	\$917.	\$931.	\$946.	\$960.	\$989.	\$1,006.	\$1,029.
Without tool rail	1 1/2"	49 1/4"	36"	RTPNM36H6 ()	974.	992.	1,009.	1,027.	1,058.	1,076.	1,101.
	1 1/2"	49 1/4"	42"	RTPNM42H6 ()	1,161.	1,182.	1,204.	1,225.	1,262.	1,284.	1,313.
	1 1/2"	49 1/4"	48"	RTPNM48H6 ()	1,178.	1,201.	1,223.	1,246.	1,283.	1,306.	1,336.
	1 1/2"	49 1/4"	54"	RTPNM54H6 ()	1,198.	1,224.	1,250.	1,276.	1,314.	1,337.	1,368.
	1 1/2"	49 1/4"	60"	RTPNM60H6 ()	1,263.	1,292.	1,322.	1,351.	1,392.	1,416.	1,448.
	1 1/2"	49 1/4"	66"	RTPNM66H6 ()	1,495.	1,526.	1,556.	1,587.	1,635.	1,663.	1,701.
	1 1/2"	49 1/4"	72"	RTPNM72H6 ()	1,517.	1,551.	1,585.	1,619.	1,668.	1,697.	1,736.
	1 1/2"	49 1/4"	78"	RTPNM78H6 ()	1,686.	1,723.	1,761.	1,798.	1,852.	1,884.	1,927.
	1 1/2"	49 1/4"	84"	RTPNM84H6 ()	1,700.	1,739.	1,778.	1,817.	1,872.	1,904.	1,948.
	1 1/2"	49 1/4"	90"	RTPNM90H6 ()	1,764.	1,806.	1,849.	1,891.	1,948.	1,982.	2,027.
	1 1/2"	49 1/4"	96"	RTPNM96H6 ()	1,787.	1,832.	1,878.	1,923.	1,981.	2,015.	2,061.

Order Code	Specification Information	Application Notes
Example: RTPNM30H6 ()	To order please specify pattern number including:	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff		
TP Taskpanel	1. Trim Finish: Painted or Plated 2. Insert Finish: Fabric	Always supplied including cable curtain.
N No tool rail		
M Monolithic	Always supplied including all trim pieces.	LH & RH side full height trims. (no hi-lo trims)
30 Width		
H6 49 1/4" high	All trims supplied with the same finish specification.	Tool rails are not supplied to this taskpanel.
111 Trim finish		
W281 Fabric selection	All Fabric to be applied railrooded as current tackboard.	

Taskpanels
H6 49 1/4" high
Mono, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Taskpanel , mono	1 1/2"	49 1/4"	30"	RTPNM30H6()()	\$1,555.	\$966.	\$950.	\$1,059.	\$1,172.	\$1,472.
Without tool rail	1 1/2"	49 1/4"	36"	RTPNM36H6()()	1,762.	1,029.	1,009.	1,122.	1,255.	1,612.
	1 1/2"	49 1/4"	42"	RTPNM42H6()()	2,072.	1,193.	1,215.	1,310.	1,462.	1,878.
	1 1/2"	49 1/4"	48"	RTPNM48H6()()	2,274.	1,244.	1,219.	1,340.	1,506.	1,979.

Order Code	Specification Information	Application Notes
Example: RTPNM30H6()()	To order please specify pattern number including:	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Plated	Always supplied including cable curtain.
TP Taskpanel	2. Insert Finish: G, LW, L, V1, V2, V3	Always supplied including all trim pieces.
N No tool rail		LH & RH side full height trims. (no hi-lo trims)
M Monolithic		All trims supplied with the same finish specification.
30 Width		Tool rails are not supplied to this taskpanel.
H6 49 1/4" high		All Fabric to be applied railroaded as current tackboard.
111 Trim finish		
V319 Veneer selection		

Taskpanels
H6 49 1/4" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	10	15	20	30	35	40	45
Taskpanel , segmented	1 1/2"	49 1/4"	30"	RTPRS30H6() ()	\$1,309.	\$1,338.	\$1,367.	\$1,396.	\$1,429.	\$1,463.	\$1,496.
With tool rail	1 1/2"	49 1/4"	36"	RTPRS36H6() ()	1,395.	1,431.	1,466.	1,502.	1,538.	1,574.	1,610.
	1 1/2"	49 1/4"	42"	RTPRS42H6() ()	1,587.	1,629.	1,671.	1,713.	1,754.	1,795.	1,836.
	1 1/2"	49 1/4"	48"	RTPRS48H6() ()	1,611.	1,656.	1,702.	1,747.	1,879.	1,831.	1,873.
	1 1/2"	49 1/4"	54"	RTPRS54H6() ()	1,644.	1,696.	1,748.	1,800.	1,843.	1,886.	1,929.
	1 1/2"	49 1/4"	60"	RTPRS60H6() ()	1,678.	1,736.	1,795.	1,853.	1,897.	1,942.	1,986.
	1 1/2"	49 1/4"	66"	RTPRS66H6() ()	2,018.	2,080.	2,141.	2,203.	2,256.	2,309.	2,361.
	1 1/2"	49 1/4"	72"	RTPRS72H6() ()	2,054.	2,122.	2,191.	2,259.	2,327.	2,367.	2,421.

Order Code

Example:	RTPRS30H6 () ()
R	Reff
TP	Taskpanel
N	No tool rail
S	Segmented
30	Width
H6	49 1/4" high
111	Trim finish
W281	Fabric selection top
W281	Fabric selection bottom

Specification Information

To order please specify pattern number including:
 1. Trim Finish: Painted or Plated
 2. Top insert finish: Fabric
 3. Bottom insert finish: Fabric

Application Notes

H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H6 49 1/4" high
Segmented With Tool rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Taskpanel , segmented	1 1/2"	49 1/4"	30"	RTPRS30H6 () ()	\$1,347.	\$1,361.	\$1,376.	\$1,390.	\$1,432.	\$1,457.	\$1,490.
With tool rail	1 1/2"	49 1/4"	36"	RTPRS36H6 () ()	1,430.	1,448.	1,465.	1,483.	1,527.	1,554.	1,590.
	1 1/2"	49 1/4"	42"	RTPRS42H6 () ()	1,623.	1,644.	1,665.	1,686.	1,736.	1,767.	1,807.
	1 1/2"	49 1/4"	48"	RTPRS48H6 () ()	1,657.	1,680.	1,702.	1,725.	1,777.	1,808.	1,849.
	1 1/2"	49 1/4"	54"	RTPRS54H6 () ()	1,686.	1,712.	1,738.	1,764.	1,817.	1,849.	1,891.
	1 1/2"	49 1/4"	60"	RTPRS60H6 () ()	1,723.	1,752.	1,782.	1,811.	1,865.	1,898.	1,941.
	1 1/2"	49 1/4"	66"	RTPRS66H6 () ()	2,089.	2,120.	2,151.	2,182.	2,247.	2,287.	2,339.

Order Code	Specification Information	Application Notes
Example: RTPRS30H6 () ()	To order please specify pattern number including:	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Plated	Always supplied including cable curtain.
TP Taskpanel	2. Top insert finish: Marker board	Always supplied including all trim pieces.
R Tool rail	3. Bottom insert finish: Fabric	LH & RH side full height trims. (no hi-lo trims)
S Segmentated		All trims supplied with the same finish specification.
30 Width		All Fabric to be applied railroded as current tackboard.
H6 49 1/4" high		
111 Trim finish		
LW Marker board top insert		
W281 Fabric selection bottom insert		

Taskpanels
H6 49 1/4" high
Segmented With Tool rail
Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Taskpanel , segmented	1 1/2"	49 1/4"	30"	RTPRS30H6() ()	\$1,818.	\$1,347.	\$1,343.	\$1,408.	\$1,446.	\$1,519.
With tool rail	1 1/2"	49 1/4"	36"	RTPRS36H6() ()	2,031.	1,457.	1,428.	1,494.	1,538.	1,626.
	1 1/2"	49 1/4"	42"	RTPRS42H6() ()	2,348.	1,672.	1,623.	1,691.	1,738.	1,839.
	1 1/2"	49 1/4"	48"	RTPRS48H6() ()	2,510.	1,720.	1,647.	1,744.	1,796.	1,913.
	1 1/2"	49 1/4"	54"	RTPRS54H6() ()	2,670.	1,777.	1,680.	1,777.	1,834.	1,964.
	1 1/2"	49 1/4"	60"	RTPRS60H6() ()	2,829.	1,834.	1,712.	1,811.	1,872.	2,015.
	1 1/2"	49 1/4"	66"	RTPRS66H6() ()	3,308.	2,199.	2,078.	2,177.	2,243.	2,402.
	1 1/2"	49 1/4"	72"	RTPRS72H6() ()	3,470.	2,259.	2,112.	2,214.	2,283.	2,456.
	1 1/2"	49 1/4"	78"	RTPRS78H6() ()	3,734.	2,420.	2,254.	2,356.	2,425.	2,611.
	1 1/2"	49 1/4"	84"	RTPRS84H6() ()	3,893.	2,466.	2,278.	2,381.	2,456.	2,657.
	1 1/2"	49 1/4"	90"	RTPRS90H6() ()	4,053.	2,522.	2,311.	2,415.	2,493.	2,708.
	1 1/2"	49 1/4"	96"	RTPRS96H6() ()	4,214.	2,581.	2,345.	2,451.	2,533.	2,762.

Order Code

Example:	RTPRS30H6() ()
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmentated
30	Width
H6	49 1/4" high
111	Trim finish
W281	Fabric selection top insert
V319	Veneer selection bottom insert

Specification Information

To order please specify pattern number including:
 1. Trim Finish: Painted or Plated
 2. Top insert finish: Glass or Fabric
 3. Bottom insert finish: Forbo, L, V1, V2, V3

Application Notes

H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
 Always supplied including cable curtain.
 Always supplied including all trim pieces.
 LH & RH side full height trims. (no hi-lo trims)
 All trims supplied with the same finish specification.
 All Fabric to be applied railroaded as current tackboard.

Taskpanels
H7 56 1/8" high
Mono, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern n	glass	LW10	L	V1	V2	V3
Taskpanel , mono	1 1/2"	56 1/8"	30"	RTPNM30H7()	\$1,683.		\$964.	\$1,067.	\$1,203.	\$1,557.
Without tool rail	1 1/2"	56 1/8"	36"	RTPNM36H7()	1,916.		1,025.	1,142.	1,291.	1,711.
	1 1/2"	56 1/8"	42"	RTPNM42H7()	2,247.		1,219.	1,340.	1,518.	2,006.
	1 1/2"	56 1/8"	48"	RTPNM48H7()	2,479.		1,247.	1,373.	1,566.	2,122.

Accessories and Client Samples

Order Code

Example: RTPNM30H7()	
R	Reff
TP	Taskpanel
N	No tool rail
M	Monolithic
30	Width
H7	56 1/8" high
111	Trim finish
V319	Veneer selection

Specification Information

To order please specify pattern number including:
 1. Trim Finish: Painted or Plated
 2. Insert Finish: Veneer

Application Notes

H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
 Always supplied including cable curtain.
 Always supplied including all trim pieces.
 LH & RH side full height trims. (no hi-lo trims)
 All trims supplied with the same finish specification.
 Tool rails are not supplied to this taskpanel.
 All Fabric to be applied railroded as current tackboard

Taskpanels
H7 56 1/8" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Taskpanel , segmented With tool rail	1 1/2"	56 1/8"	30"	RTPRS30H7() () ()	\$1,315.	\$1,344.	\$1,373.	\$1,402.	\$1,436.	\$1,469.	\$1,503.
	1 1/2"	56 1/8"	36"	RTPRS36H7() () ()	1,403.	1,439.	1,474.	1,510.	1,546.	1,582.	1,619.
	1 1/2"	56 1/8"	42"	RTPRS42H7() () ()	1,595.	1,637.	1,680.	1,722.	1,763.	1,805.	1,846.
	1 1/2"	56 1/8"	48"	RTPRS48H7() () ()	1,620.	1,665.	1,711.	1,756.	1,798.	1,840.	1,882.
	1 1/2"	56 1/8"	54"	RTPRS54H7() () ()	1,655.	1,707.	1,758.	1,810.	1,853.	1,897.	1,940.
	1 1/2"	56 1/8"	60"	RTPRS60H7() () ()	1,689.	1,747.	1,806.	1,864.	1,909.	1,953.	1,998.

Order Code	Specification Information	Application Notes
Example: RTPRS30H7() () ()	To order please specify pattern number including:	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Plated	Always supplied including cable curtain.
TP Taskpanel	2. Top insert finish: Fabric	
R Tool rail	3. Bottom insert finish: Fabric	
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H7 56 1/8" high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection top		
W281 Fabric selection bottom		

Taskpanels
H7 56 1/8" high
Segmented With Tool rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Taskpanel , segmented	1 1/2"	56 1/8"	30"	RTPRS30H7() () ()	\$1,378.	\$1,393.	\$1,407.	\$1,422.	\$1,456.	\$1,490.	\$1,524.
With tool rail	1 1/2"	56 1/8"	36"	RTPRS36H7() () ()	1,472.	1,490.	1,507.	1,525.	1,562.	1,598.	1,635.
	1 1/2"	56 1/8"	42"	RTPRS42H7() () ()	1,670.	1,691.	1,713.	1,734.	1,776.	1,817.	1,859.
	1 1/2"	56 1/8"	48"	RTPRS48H7() () ()	1,701.	1,724.	1,746.	1,769.	1,811.	1,854.	1,896.

Order Code	Specification Information	Application Notes
Example: RTPRS30H7 () ()	To order please specify pattern number including:	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Plated	Always supplied including cable curtain.
TP Taskpanel	2. Top insert finish: Marker board	Always supplied including all trim pieces.
R Tool rail	3. Bottom insert finish: Fabric	LH & RH side full height trims. (no hi-lo trims)
S Segmented		All trims supplied with the same finish specification.
30 Width		All Fabric to be applied railroded as current tackboard
H7 56 1/8" high		
111 Trim finish		
LW Marker board top insert		
W281 Fabric selection bottom insert		

Taskpanels
H7 56 1/8" high
Segmented With Tool rail
Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Taskpanel , segmented	1 1/2"	56 1/8"	30"	RTPRS30H7 () ()	\$1,965.	\$1,267.	\$1,357.	\$1,400.	\$1,415.	\$1,448.
With tool rail	1 1/2"	56 1/8"	36"	RTPRS36H7 () ()	2,207.	1,361.	1,443.	1,486.	1,503.	1,542.
	1 1/2"	56 1/8"	42"	RTPRS42H7 () ()	2,553.	1,560.	1,695.	1,679.	1,697.	1,743.
	1 1/2"	56 1/8"	48"	RTPRS48H7 () ()	2,745.	1,592.	1,658.	1,738.	1,758.	1,810.
	1 1/2"	56 1/8"	54"	RTPRS54H7 () ()	n/a	n/a	1,691.	1,770.	1,792.	1,849.
	1 1/2"	56 1/8"	60"	RTPRS60H7 () ()	n/a	n/a	1,723.	1,803.	1,826.	1,890.

Order Code	Specification Information	Application Notes
Example: RTPRS30H7 () ()	To order please specify pattern number including;	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Plated	Always supplied including cable curtain.
TP Taskpanel	2. Top insert finish: Glass or Fabric	Always supplied including all trim pieces.
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	LH & RH side full height trims. (no hi-lo trims)
S Segmentated		All trims supplied with the same finish specification.
30 Width		All Fabric to be applied railroaded as current tackboard
H7 56 1/8" high		
111 Trim finish		
W281 Fabric selection top insert		
V319 Veneer selection bottom insert		

Taskpanels

H8 62³/₄" high

Mono, Without Tool rail

Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Taskpanel , mono	1 1/2"	62 3/4"	30"	RTPNM30H8()	\$1,969.	\$1,184.	\$1,164.	\$1,279.	\$1,420.	\$1,804.
Without tool rail	1 1/2"	62 3/4"	36"	RTPNM36H8()	2,227.	1,253.	1,229.	1,348.	1,509.	1,966.
	1 1/2"	62 3/4"	42"	RTPNM42H8()	2,579.	1,452.	1,424.	1,549.	1,739.	2,270.
	1 1/2"	62 3/4"	48"	RTPNM48H8()	2,841.	1,479.	1,447.	1,578.	1,793.	2,399.

Order Code	Specification Information	Application Notes
Example: RTPNM30H8()	To order please specify pattern number including:	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
R Reff	1. Trim Finish: Painted or Plated	Always supplied including cable curtain.
TP Taskpanel	2. Insert Finish: G, LW, L, V1, V2, V3	Always supplied including all trim pieces.
N No tool rail		LH & RH side full height trims. (no hi-lo trims)
M Monolithic		All trims supplied with the same finish specification.
30 Width		Tool rails are not supplied to this taskpanel.
H8 62 ³ / ₄ " high		All Fabric to be applied railroded as current tackboard
111 Trim finish		
V319 Veneer selection		

Taskpanels
H8 62³/₄" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Taskpanel , segmented With tool rail	1 1/2"	62 3/4"	30"	RTPRS30H8()()	\$1,478.	\$1,507.	\$1,537.	\$1,566.	\$1,613.	\$1,641.	\$1,679.
	1 1/2"	62 3/4"	36"	RTPRS36H8()()	1,567.	1,603.	1,638.	1,674.	1,724.	1,754.	1,795.
	1 1/2"	62 3/4"	42"	RTPRS42H8()()	1,760.	1,802.	1,845.	1,887.	1,944.	1,978.	2,023.
	1 1/2"	62 3/4"	48"	RTPRS48H8()()	1,786.	1,831.	1,877.	1,922.	1,980.	2,014.	2,060.
	1 1/2"	62 3/4"	54"	RTPRS54H8()()	1,822.	1,874.	1,925.	1,977.	2,036.	2,072.	2,119.
	1 1/2"	62 3/4"	60"	RTPRS60H8()()	1,857.	1,915.	1,974.	2,032.	2,093.	2,130.	2,178.
	1 1/2"	62 3/4"	66"	RTPRS66H8()()	2,200.	2,262.	2,323.	2,385.	2,457.	2,499.	2,557.
	1 1/2"	62 3/4"	72"	RTPRS72H8()()	2,240.	3,202.	2,363.	2,425.	2,498.	2,541.	2,600.

Order Code

Example: RTPRS30H8()()	
R	Reff
TP	Taskpanel
N	No tool rail
M	Monolithic
30	Width
H8	62 3/4" high
111	Trim finish
W281	Fabric selection top
W281	Fabric selection bottom

Specification Information

To order please specify pattern number including:
 1. Trim Finish: Painted or Plated
 2. Top insert finish: Fabric
 3. Bottom insert finish: Fabric

Application Notes

H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroded as current tackboard

Taskpanels
H8 62³/₄" high
Segmented With Tool rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Taskpanel , segmented	1 1/2"	62 ³ / ₄ "	30"	RTPRS30H8() () ()	\$1,541.	\$1,556.	\$1,570.	\$1,585.	\$1,623.	\$1,661.	\$1,699.
With tool rail	1 1/2"	62 ³ / ₄ "	36"	RTPRS36H8() () ()	1,636.	1,654.	1,671.	1,689.	1,730.	1,770.	1,811.
	1 1/2"	62 ³ / ₄ "	42"	RTPRS42H8() () ()	1,836.	1,857.	1,878.	1,899.	1,945.	1,990.	2,036.
	1 1/2"	62 ³ / ₄ "	48"	RTPRS48H8() () ()	1,867.	1,890.	1,912.	1,935.	1,981.	2,028.	2,074.

Order Code	Specification Information	Application Notes
Example: RTPRS30H8() () ()	To order please specify pattern number including:	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
R Reff	1. Trim Finish: Painted or Plated	Always supplied including cable curtain.
TP Taskpanel	2. Top insert finish: Marker board	Always supplied including all trim pieces.
R Tool rail	3. Bottom insert finish: Fabric	LH & RH side full height trims. (no hi-lo trims)
S Segmentated		All trims supplied with the same finish specification.
30 Width		All Fabric to be applied railroaded as current tackboard
H8 62 ³ / ₄ " high		
111 Trim finish		
LW Marker board top insert		
W281 Fabric selection bottom insert		

Taskpanels
H8 62³/₄" high
Segmented With Tool rail
Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Taskpanel , segmented	1 1/2"	62 3/4"	30"	RTPRS30H8 ()()	\$2,214.	\$1,517.	\$1,512.	\$1,578.	\$1,616.	\$1,688.
With tool rail	1 1/2"	62 3/4"	36"	RTPRS36H8 ()()	2,474.	1,628.	1,600.	1,666.	1,709.	1,797.
	1 1/2"	62 3/4"	42"	RTPRS42H8 ()()	2,838.	1,845.	1,797.	1,864.	1,911.	2,013.
	1 1/2"	62 3/4"	48"	RTPRS48H8 ()()	3,048.	1,896.	1,823.	1,919.	1,972.	2,088.
	1 1/2"	62 3/4"	54"	RTPRS54H8 ()()	3,255.	1,955.	1,885.	1,955.	2,012.	2,142.
	1 1/2"	62 3/4"	60"	RTPRS60H8 ()()	3,461.	2,013.	1,892.	1,990.	2,051.	2,195.

Order Code	Specification Information	Application Notes
Example: RTPRS30H8 ()()	To order please specify pattern number including;	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
R Reff	1. Trim Finish: Painted or Plated	Always supplied including cable curtain.
TP Taskpanel	2. Top insert finish: Glass or Fabric	Always supplied including all trim pieces.
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	LH & RH side full height trims. (no hi-lo trims)
S Segmentated		All trims supplied with the same finish specification.
30 Width		All Fabric to be applied railroaded as current tackboard
H8 62 3/4" high		
111 Trim finish		
W281 Fabric selection top insert		
V319 Veneer selection bottom insert		

Tackboards
H1 23 1/8" high
Wall hung, fabric

Reff Profiles

description	th	h	w	pattern no.	grade						
					10	15	20	30	35	40	45
Taskboard , wall hung	3/4"	23 1/8"	30"	RWHDHTB30H1()	\$240.	\$253.	\$267.	\$280.	\$287.	\$293.	\$300.
	3/4"	23 1/8"	36"	RWHDHTB36H1()	249.	264.	278.	293.	300.	308.	315.
	3/4"	23 1/8"	42"	RWHDHTB42H1()	267.	284.	302.	319.	328.	336.	345.
	3/4"	23 1/8"	48"	RWHDHTB48H1()	284.	304.	324.	344.	354.	365.	375.
	3/4"	23 1/8"	54"	RWHDHTB54H1()	293.	314.	336.	357.	368.	378.	389.
	3/4"	23 1/8"	60"	RWHDHTB60H1()	311.	335.	359.	383.	395.	407.	419.
	3/4"	23 1/8"	66"	RWHDHTB66H1()	320.	345.	371.	396.	409.	421.	434.
	3/4"	23 1/8"	72"	RWHDHTB72H1()	337.	365.	393.	421.	435.	450.	464.
	3/4"	23 1/8"	78"	RWHDHTB78H1()	355.	386.	416.	447.	462.	478.	493.
	3/4"	23 1/8"	84"	RWHDHTB84H1()	373.	406.	440.	473.	490.	506.	523.
	3/4"	23 1/8"	90"	RWHDHTB90H1()	381.	416.	451.	486.	504.	521.	539.
	3/4"	23 1/8"	96"	RWHDHTB96H1()	399.	436.	474.	511.	530.	548.	567.

Accessories and Client
Samples

Order Code

Example: RWHDHTB30H1()
R Reff
WH Wall hung
DH Desk height planning
TB Tackboard
30 Width
H1 23 1/8" high
W281 Fabric selection

Specification Information

To order please specify pattern number including;
 1. Finish: Fabric

Application Notes

H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.

Non-Wood Finishes								
Finishes	<i>Panel Tiles, Tops & Components</i>	<i>Panel Top Trims Window Frames</i>	<i>Panel Base Side Plates</i>	<i>Panel Beltway Side Plates*</i>	<i>Leg and Bases</i>	<i>Interaction Style Legs</i>	<i>Handles</i>	<i>Grommets</i>
Black	LG	LG	LG	LG	LG	LG	LG	LG
Dark grey	n/a	DG	DG	DG	DG	DG	n/a	DG
Medium grey	n/a	OI	OI	OI	OI	OI	n/a	OI
Charcoal grey	LD	LD	LD	LD	LD	LD	n/a	LD
Folkstone grey	LA	LA	LA	LA	LA	LA	n/a	LA
Oyster grey	LC	LC	LC	LC	LC	LC	n/a	LC
Pumice	LB	LB	LB	LB	LB	LB	n/a	LB
Willow grey	LE	LE	LE	LE	LE	LE	n/a	LE
Dark grey (metallic)	n/a	n/a	n/a	n/a	n/a	n/a	V	n/a
Medium grey (metallic)	n/a	n/a	n/a	n/a	n/a	n/a	J	n/a
Silver (metallic)	n/a	HPF	HPF	HPF	HPF	HPF	HPF	HPF
White	LH	LH	LH	LH	LH	LH	LH	LH
Plated Finishes								
Satin brass	n/a	n/a	PZ	n/a	PZ	n/a	PZ	PZ
Brushed pewter	n/a	n/a	PT	n/a	PT	n/a	PT	PT
Polished chrome	n/a	n/a	PD	n/a	PD	n/a	n/a	PD
Currents Finishes								
White	n/a	B	B	B	B	B	B	B
Metallic flint	n/a	2	2	2	2	2	2	2
Light metallic grey	n/a	U	U	U	U	U	U	U
Medium metallic grey	n/a	J	J	J	J	J	J	J
Dark metallic grey	n/a	V	V	V	V	V	V	V
Metallic beige	n/a	H	H	H	H	H	H	H
Light metallic tan	n/a	W	W	W	W	W	W	W
Soft grey	n/a	E	E	E	E	E	E	E
Medium Grey	n/a	Y2	Y2	Y2	Y2	Y2	Y2	Y2

n/a = not applicable

*Beltway side plates not available in Satin brass, Brushed pewter or Polished chrome.

Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ASBC18 (L/R)	273	R2ALPK42	79	R2B0TWC34 48	44	R2T49C(F/T)-(4/6)	112
ASBC24 (L/R)	273	R2ALPK49	79	R2CCG	117	R2T64C(F/T)-(4/6)	112
KRR2CAPEND	438	R2ALPK64	79	R2DLS7936	116	R2T79C(F/T)-(4/6)	112
KRR2CAPL	438	R2ALPK79	79	R2DLS7942	116	R2X42C	112
KRR2CAPSTRAIGHT	438	R2APT3418	76	R2DRS7936	116	R2X49C	112
KRR2CAPT	438	R2APT3420	76	R2DRS7942	116	R2X64C	112
KRR2CAPX	438	R2APT3424	76	R2ES42(A/B/C/E)(4/6)(E/N)	110	R2X79C	112
KRR3CAPEND	438	R2APT3430	76	R2ES42(A/B/C/E)(4/6)(E/N)	110	R3120Y34	109
KRR3CAPL	438	R2APT3436	76	R2ES49(A/B/C/E)(4/6)(E/N)	110	R3120Y42	109
KRR3CAPSTRAIGHT	438	R2APT3442	76	R2ES64(A/B/C/E)(4/6)(E/N)	110	R3120Y49	109
KRR3CAPT	438	R2APT3448	76	R2ES79(A/B/C/E)(4/6)(E/N)	110	R3120Y64	109
KRR3CAPX	438	R2APT4218	76	R2HK0008	438	R3120Y79	109
ML3L193M	418	R2APT4220	76	R2HK0015	438	R3135V34F	108
ML3L196M	418	R2APT4224	76	R2HK0034	438	R3135V34T	108
ML3L199M	418	R2APT4230	76	R2HK0042	438	R3135V42F	108
ML3L3712M	418	R2APT4236	76	R2HK0049	438	R3135V42T	108
ML3L3718M	418	R2APT4242	76	R2HK0064	438	R3135V49F	108
ML3L376M	418	R2APT4248	76	R2HK0079	438	R3135V49T	108
MWM-J	417	R2APT4918	77	R2HKB042	438	R3135V64F	108
R113B	275	R2APT4920	77	R2HKB049	438	R3135V64T	108
R234PKIT	117	R2APT4924	77	R2HKB064	438	R3135V79F	108
R2AETK34	79	R2APT4930	77	R2HKB079	438	R3135V79T	108
R2AETK42	79	R2APT4936	77	R2HL3442ES(A/B/C/E)	110	R334PKIT	117
R2AETK49	79	R2APT4942	77	R2HL3442(F)CS	111	R3AK	117
R2AETK64	79	R2APT4948	77	R2HL3449ES(A/B/C/E)	110	R3B0PAA42 18	15
R2AETK79	79	R2APT6418	77	R2HL3449(F)CS	111	R3B0PAA42 20	15
R2AHBW18	81	R2APT6420	77	R2HL3464ES(A/B/C/E)	110	R3B0PAA42 24	15
R2AHBW20	81	R2APT6424	77	R2HL3464(F/T)CS	111	R3B0PAA42 30	15
R2AHBW24	81	R2APT6430	77	R2HL3479ES(A/B/C/E)	110	R3B0PAA42 36	15
R2AHBW30	81	R2APT6436	77	R2HL3479(F/T)CS	111	R3B0PAA42 42	15
R2AHBW36	81	R2APT6442	77	R2HL4249ES(A/B/C/E)	110	R3B0PAA42 48	15
R2AHBW42	81	R2APT6448	77	R2HL4249ETS(A/B/C/E)	111	R3B0PAA42 60	15
R2AHBW48	81	R2APT7918	78	R2HL4249(F)CS	111	R3B0PAA42 66	15
R2AHCR34	80	R2APT7920	78	R2HL4264ES(A/B/C/E)	110	R3B0PAA42 72	15
R2AHCR42	80	R2APT7924	78	R2HL4264ETS(A/B/C/E)	111	R3B0PAA49 18	22
R2AHCR49	80	R2APT7930	78	R2HL4264(F/T)CS	111	R3B0PAA49 20	22
R2AHCR64	80	R2APT7936	78	R2HL4279ES(A/B/C/E)	110	R3B0PAA49 24	22
R2AHCR79	80	R2APT7942	78	R2HL4279ETS(A/B/C/E)	111	R3B0PAA49 30	22
R2AHSR18	82	R2APT7948	78	R2HL4279(F/T)CS	111	R3B0PAA49 36	22
R2AHSR20	82	R2ATPK34	78	R2HL4964ES(A/B/C/E)	110	R3B0PAA49 42	22
R2AHSR24	82	R2ATPK42	78	R2HL4964(F)CS	111	R3B0PAA49 48	22
R2AHSR30	82	R2ATPK49	78	R2HL4979ES(A/B/C/E)	110	R3B0PAA49 60	22
R2AHSR36	82	R2ATPK64	78	R2HL4979(F/T)CS	111	R3B0PAA49 66	22
R2AHSR42	82	R2ATPK79	78	R2HL6479ES(A/B/C/E)	110	R3B0PAA49 72	22
R2AHSR48	82	R2B0TWA34 18	44	R2HL6479(F)CS	111	R3B0PAA64 18	29
R2AHTR18	80	R2B0TWA34 20	44	R2L42C(F/T)(F/T)-(4/6)	112	R3B0PAA64 20	29
R2AHTR20	80	R2B0TWA34 24	44	R2L49C(F/T)(F/T)-(4/6)	112	R3B0PAA64 24	29
R2AHTR24	80	R2B0TWA34 30	44	R2L64C(F/T)(F/T)-(4/6)	112	R3B0PAA64 30	29
R2AHTR30	80	R2B0TWA34 36	44	R2L79C(F/T)(F/T)-(4/6)	112	R3B0PAA64 36	29
R2AHTR36	80	R2B0TWA34 42	44	R2S42C(F/T)(F/T)-(4/6)	112	R3B0PAA64 42	29
R2AHTR42	80	R2B0TWA34 48	44	R2S49C(F/T)(F/T)-(4/6)	112	R3B0PAA64 48	29
R2AHTR48	80	R2B0TWB34 30	44	R2S64C(F/T)(F/T)-(4/6)	112	R3B0PAA64 60	29
R2AHWR18	81	R2B0TWB34 36	44	R2S79C(F/T)(F/T)-(4/6)	112	R3B0PAA64 66	29
R2AHWR20	81	R2B0TWB34 42	44	R2SWS0008	114	R3B0PAA64 72	29
R2AHWR24	81	R2B0TWB34 48	44	R2SWS0015	114	R3B0PAA79 18	36
R2AHWR30	81	R2B0TWC34 18	44	R2SWS0034	114	R3B0PAA79 20	36
R2AHWR36	81	R2B0TWC34 20	44	R2SWS0042	114	R3B0PAA79 24	36
R2AHWR42	81	R2B0TWC34 24	44	R2SWS0049	114	R3B0PAA79 30	36
R2AHWR48	81	R2B0TWC34 30	44	R2SWS0064	114	R3B0PAA79 36	36
R2AK	117	R2B0TWC34 36	44	R2SWS0079	114	R3B0PAA79 42	36
R2ALPK34	79	R2B0TWC34 42	44	R2T42C(F/T)-(4/6)	112	R3B0PAA79 48	36

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPAA79 60	36	R3BOPF242 66	19	R3BOPF364 48	34	R3BOPFL34 36	10
R3BOPAA79 66	36	R3BOPF242 72	19	R3BOPF364 60	34	R3BOPFL34 42	10
R3BOPAA79 72	36	R3BOPF249 18	26	R3BOPF364 66	34	R3BOPFL34 48	10
R3BOPF134 18	11	R3BOPF249 20	26	R3BOPF364 72	34	R3BOPFL42 18	17
R3BOPF134 20	11	R3BOPF249 24	26	R3BOPF379 18	41	R3BOPFL42 20	17
R3BOPF134 24	11	R3BOPF249 30	26	R3BOPF379 20	41	R3BOPFL42 24	17
R3BOPF134 30	11	R3BOPF249 36	26	R3BOPF379 24	41	R3BOPFL42 30	17
R3BOPF134 36	11	R3BOPF249 42	26	R3BOPF379 30	41	R3BOPFL42 36	17
R3BOPF134 42	11	R3BOPF249 48	26	R3BOPF379 36	41	R3BOPFL42 42	17
R3BOPF134 48	11	R3BOPF249 60	26	R3BOPF379 42	41	R3BOPFL42 48	17
R3BOPF142 18	18	R3BOPF249 66	26	R3BOPF379 48	41	R3BOPFL42 60	17
R3BOPF142 20	18	R3BOPF249 72	26	R3BOPF379 60	41	R3BOPFL42 66	17
R3BOPF142 24	18	R3BOPF264 18	33	R3BOPF379 66	41	R3BOPFL42 72	17
R3BOPF142 30	18	R3BOPF264 20	33	R3BOPF379 72	41	R3BOPFL49 18	24
R3BOPF142 36	18	R3BOPF264 24	33	R3BOPFF34 18	9	R3BOPFL49 20	24
R3BOPF142 42	18	R3BOPF264 30	33	R3BOPFF34 20	9	R3BOPFL49 24	24
R3BOPF142 48	18	R3BOPF264 36	33	R3BOPFF34 24	9	R3BOPFL49 30	24
R3BOPF142 60	18	R3BOPF264 42	33	R3BOPFF34 30	9	R3BOPFL49 36	24
R3BOPF142 66	18	R3BOPF264 48	33	R3BOPFF34 36	9	R3BOPFL49 42	24
R3BOPF142 72	18	R3BOPF264 60	33	R3BOPFF34 42	9	R3BOPFL49 48	24
R3BOPF149 18	25	R3BOPF264 66	33	R3BOPFF34 48	9	R3BOPFL49 60	24
R3BOPF149 20	25	R3BOPF264 72	33	R3BOPFF42 18	15	R3BOPFL49 66	24
R3BOPF149 24	25	R3BOPF279 18	40	R3BOPFF42 20	15	R3BOPFL49 72	24
R3BOPF149 30	25	R3BOPF279 20	40	R3BOPFF42 24	15	R3BOPFL64 18	31
R3BOPF149 36	25	R3BOPF279 24	40	R3BOPFF42 30	15	R3BOPFL64 20	31
R3BOPF149 42	25	R3BOPF279 30	40	R3BOPFF42 36	15	R3BOPFL64 24	31
R3BOPF149 48	25	R3BOPF279 36	40	R3BOPFF42 42	15	R3BOPFL64 30	31
R3BOPF149 60	25	R3BOPF279 42	40	R3BOPFF42 48	15	R3BOPFL64 36	31
R3BOPF149 66	25	R3BOPF279 48	40	R3BOPFF42 60	15	R3BOPFL64 42	31
R3BOPF149 72	25	R3BOPF279 60	40	R3BOPFF42 66	15	R3BOPFL64 48	31
R3BOPF164 18	32	R3BOPF279 66	40	R3BOPFF42 72	15	R3BOPFL64 60	31
R3BOPF164 20	32	R3BOPF279 72	40	R3BOPFF49 18	22	R3BOPFL64 66	31
R3BOPF164 24	32	R3BOPF334 18	13	R3BOPFF49 20	22	R3BOPFL64 72	31
R3BOPF164 30	32	R3BOPF334 20	13	R3BOPFF49 24	22	R3BOPFL79 18	38
R3BOPF164 36	32	R3BOPF334 24	13	R3BOPFF49 30	22	R3BOPFL79 20	38
R3BOPF164 42	32	R3BOPF334 30	13	R3BOPFF49 36	22	R3BOPFL79 24	38
R3BOPF164 48	32	R3BOPF334 36	13	R3BOPFF49 42	22	R3BOPFL79 30	38
R3BOPF164 60	32	R3BOPF334 42	13	R3BOPFF49 48	22	R3BOPFL79 36	38
R3BOPF164 66	32	R3BOPF334 48	13	R3BOPFF49 60	22	R3BOPFL79 42	38
R3BOPF164 72	32	R3BOPF342 18	20	R3BOPFF49 66	22	R3BOPFL79 48	38
R3BOPF179 18	39	R3BOPF342 20	20	R3BOPFF49 72	22	R3BOPFL79 60	38
R3BOPF179 20	39	R3BOPF342 24	20	R3BOPFF64 18	29	R3BOPFL79 66	38
R3BOPF179 24	39	R3BOPF342 30	20	R3BOPFF64 20	29	R3BOPFL79 72	38
R3BOPF179 30	39	R3BOPF342 36	20	R3BOPFF64 24	29	R3BOPLL3418	14
R3BOPF179 36	39	R3BOPF342 42	20	R3BOPFF64 30	29	R3BOPLL3420	14
R3BOPF179 42	39	R3BOPF342 48	20	R3BOPFF64 36	29	R3BOPLL3424	14
R3BOPF179 48	39	R3BOPF342 60	20	R3BOPFF64 42	29	R3BOPLL3430	14
R3BOPF179 60	39	R3BOPF342 66	20	R3BOPFF64 48	29	R3BOPLL3436	14
R3BOPF179 66	39	R3BOPF342 72	20	R3BOPFF64 60	29	R3BOPLL3442	14
R3BOPF179 72	39	R3BOPF349 18	27	R3BOPFF64 66	29	R3BOPLL3448	14
R3BOPF234 18	12	R3BOPF349 20	27	R3BOPFF64 72	29	R3BOPLL4218	21
R3BOPF234 20	12	R3BOPF349 24	27	R3BOPFF79 18	36	R3BOPLL4220	21
R3BOPF234 24	12	R3BOPF349 30	27	R3BOPFF79 20	36	R3BOPLL4224	21
R3BOPF234 30	12	R3BOPF349 36	27	R3BOPFF79 24	36	R3BOPLL4230	21
R3BOPF234 36	12	R3BOPF349 42	27	R3BOPFF79 30	36	R3BOPLL4236	21
R3BOPF234 42	12	R3BOPF349 48	27	R3BOPFF79 36	36	R3BOPLL4242	21
R3BOPF234 48	12	R3BOPF349 60	27	R3BOPFF79 42	36	R3BOPLL4248	21
R3BOPF242 18	19	R3BOPF349 66	27	R3BOPFF79 48	36	R3BOPLL4260	21
R3BOPF242 20	19	R3BOPF349 72	27	R3BOPFF79 60	36	R3BOPLL4266	21
R3BOPF242 24	19	R3BOPF364 18	34	R3BOPFF79 66	36	R3BOPLL4272	21
R3BOPF242 30	19	R3BOPF364 20	34	R3BOPFF79 72	36	R3BOPLL4918	28
R3BOPF242 36	19	R3BOPF364 24	34	R3BOPFL34 18	10	R3BOPLL4920	28
R3BOPF242 42	19	R3BOPF364 30	34	R3BOPFL34 20	10	R3BOPLL4924	28
R3BOPF242 48	19	R3BOPF364 36	34	R3BOPFL34 24	10	R3BOPLL4930	28
R3BOPF242 60	19	R3BOPF364 42	34	R3BOPFL34 30	10	R3BOPLL4936	28

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOPLL4942	28	R3B0TF142 42	51	R3B0TF342 18	53	R3B0TFL34 24	45
R3BOPLL4948	28	R3B0TF142 48	51	R3B0TF342 20	53	R3B0TFL34 30	45
R3BOPLL4960	28	R3B0TF149 18	58	R3B0TF342 24	53	R3B0TFL34 36	45
R3BOPLL4966	28	R3B0TF149 20	58	R3B0TF342 30	53	R3B0TFL34 42	45
R3BOPLL4972	28	R3B0TF149 24	58	R3B0TF342 36	53	R3B0TFL34 48	45
R3BOPLL6418	35	R3B0TF149 30	58	R3B0TF342 42	53	R3B0TFL42 18	50
R3BOPLL6420	35	R3B0TF149 36	58	R3B0TF342 48	53	R3B0TFL42 20	50
R3BOPLL6424	35	R3B0TF149 42	58	R3B0TF349 18	60	R3B0TFL42 24	50
R3BOPLL6430	35	R3B0TF149 48	58	R3B0TF349 20	60	R3B0TFL42 30	50
R3BOPLL6436	35	R3B0TF164 18	65	R3B0TF349 24	60	R3B0TFL42 36	50
R3BOPLL6442	35	R3B0TF164 20	65	R3B0TF349 30	60	R3B0TFL42 42	50
R3BOPLL6448	35	R3B0TF164 24	65	R3B0TF349 36	60	R3B0TFL42 48	50
R3BOPLL6460	35	R3B0TF164 30	65	R3B0TF349 42	60	R3B0TFL49 18	57
R3BOPLL6466	35	R3B0TF164 36	65	R3B0TF349 48	60	R3B0TFL49 20	57
R3BOPLL6472	35	R3B0TF164 42	65	R3B0TF364 18	67	R3B0TFL49 24	57
R3BOPLL7918	42	R3B0TF164 48	65	R3B0TF364 20	67	R3B0TFL49 30	57
R3BOPLL7920	42	R3B0TF179 18	72	R3B0TF364 24	67	R3B0TFL49 36	57
R3BOPLL7924	42	R3B0TF179 20	72	R3B0TF364 30	67	R3B0TFL49 42	57
R3BOPLL7930	42	R3B0TF179 24	72	R3B0TF364 36	67	R3B0TFL49 48	57
R3BOPLL7936	42	R3B0TF179 30	72	R3B0TF364 42	67	R3B0TFL64 18	64
R3BOPLL7942	42	R3B0TF179 36	72	R3B0TF364 48	67	R3B0TFL64 20	64
R3BOPLL7948	42	R3B0TF179 42	72	R3B0TF379 18	74	R3B0TFL64 24	64
R3BOPLL7960	42	R3B0TF179 48	72	R3B0TF379 20	74	R3B0TFL64 30	64
R3BOPLL7966	42	R3B0TF234 18	46	R3B0TF379 24	74	R3B0TFL64 36	64
R3BOPLL7972	42	R3B0TF234 20	46	R3B0TF379 30	74	R3B0TFL64 42	64
R3BOTAA42 18	48	R3B0TF234 24	46	R3B0TF379 36	74	R3B0TFL64 48	64
R3BOTAA42 20	48	R3B0TF234 30	46	R3B0TF379 42	74	R3B0TFL79 18	71
R3BOTAA42 24	48	R3B0TF234 36	46	R3B0TF379 48	74	R3B0TFL79 20	71
R3BOTAA42 30	48	R3B0TF234 42	46	R3B0TFF34 18	43	R3B0TFL79 24	71
R3BOTAA42 36	48	R3B0TF234 48	46	R3B0TFF34 20	43	R3B0TFL79 30	71
R3BOTAA42 42	48	R3B0TF242 18	52	R3B0TFF34 24	43	R3B0TFL79 36	71
R3BOTAA42 48	48	R3B0TF242 20	52	R3B0TFF34 30	43	R3B0TFL79 42	71
R3BOTAA49 18	55	R3B0TF242 24	52	R3B0TFF34 36	43	R3B0TFL79 48	71
R3BOTAA49 20	55	R3B0TF242 30	52	R3B0TFF34 42	43	R3BOTLL3418	47
R3BOTAA49 24	55	R3B0TF242 36	52	R3B0TFF34 48	43	R3BOTLL3420	47
R3BOTAA49 30	55	R3B0TF242 42	52	R3B0TFF42 18	48	R3BOTLL3424	47
R3BOTAA49 36	55	R3B0TF242 48	52	R3B0TFF42 20	48	R3BOTLL3430	47
R3BOTAA49 42	55	R3B0TF249 18	59	R3B0TFF42 24	48	R3BOTLL3436	47
R3BOTAA49 48	55	R3B0TF249 20	59	R3B0TFF42 30	48	R3BOTLL3442	47
R3BOTAA64 18	62	R3B0TF249 24	59	R3B0TFF42 36	48	R3BOTLL3448	47
R3BOTAA64 20	62	R3B0TF249 30	59	R3B0TFF42 42	48	R3BOTLL4218	54
R3BOTAA64 24	62	R3B0TF249 36	59	R3B0TFF42 48	48	R3BOTLL4220	54
R3BOTAA64 30	62	R3B0TF249 42	59	R3B0TFF49 18	55	R3BOTLL4224	54
R3BOTAA64 36	62	R3B0TF249 48	59	R3B0TFF49 20	55	R3BOTLL4230	54
R3BOTAA64 42	62	R3B0TF264 18	66	R3B0TFF49 24	55	R3BOTLL4236	54
R3BOTAA64 48	62	R3B0TF264 20	66	R3B0TFF49 30	55	R3BOTLL4242	54
R3BOTAA79 18	69	R3B0TF264 24	66	R3B0TFF49 36	55	R3BOTLL4248	54
R3BOTAA79 20	69	R3B0TF264 30	66	R3B0TFF49 42	55	R3BOTLL4918	61
R3BOTAA79 24	69	R3B0TF264 36	66	R3B0TFF49 48	55	R3BOTLL4920	61
R3BOTAA79 30	69	R3B0TF264 42	66	R3B0TFF64 18	62	R3BOTLL4924	61
R3BOTAA79 36	69	R3B0TF264 48	66	R3B0TFF64 20	62	R3BOTLL4930	61
R3BOTAA79 42	69	R3B0TF279 18	73	R3B0TFF64 24	62	R3BOTLL4936	61
R3BOTAA79 48	69	R3B0TF279 20	73	R3B0TFF64 30	62	R3BOTLL4942	61
R3B0TF134 18	45	R3B0TF279 24	73	R3B0TFF64 36	62	R3BOTLL4948	61
R3B0TF134 20	45	R3B0TF279 30	73	R3B0TFF64 42	62	R3BOTLL6418	68
R3B0TF134 24	45	R3B0TF279 36	73	R3B0TFF64 48	62	R3BOTLL6420	68
R3B0TF134 30	45	R3B0TF279 42	73	R3B0TFF79 18	69	R3BOTLL6424	68
R3B0TF134 36	45	R3B0TF279 48	73	R3B0TFF79 20	69	R3BOTLL6430	68
R3B0TF134 42	45	R3B0TF334 18	46	R3B0TFF79 24	69	R3BOTLL6436	68
R3B0TF134 48	45	R3B0TF334 20	46	R3B0TFF79 30	69	R3BOTLL6442	68
R3B0TF142 18	51	R3B0TF334 24	46	R3B0TFF79 36	69	R3BOTLL6448	68
R3B0TF142 20	51	R3B0TF334 30	46	R3B0TFF79 42	69	R3BOTLL7918	75
R3B0TF142 24	51	R3B0TF334 36	46	R3B0TFF79 48	69	R3BOTLL7920	75
R3B0TF142 30	51	R3B0TF334 42	46	R3B0TFL34 18	45	R3BOTLL7924	75
R3B0TF142 36	51	R3B0TF334 48	46	R3B0TFL34 20	45	R3BOTLL7930	75

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3BOTLL7936	75	R3B1PF279 24	40	R3B1PFF49 30	23	R3B1PFLB49 36	88
R3BOTLL7942	75	R3B1PF279 30	40	R3B1PFF49 36	23	R3B1PFLB49 42	88
R3BOTLL7948	75	R3B1PF279 36	40	R3B1PFF49 42	23	R3B1PFLB49 48	88
R3B1PF142 18	18	R3B1PF279 42	40	R3B1PFF49 48	23	R3B1TF142 18	51
R3B1PF142 20	18	R3B1PF279 48	40	R3B1PFF64 18	30	R3B1TF142 20	51
R3B1PF142 24	18	R3B1PF2A49 18	94	R3B1PFF64 20	30	R3B1TF142 24	51
R3B1PF142 30	18	R3B1PF2A49 20	94	R3B1PFF64 24	30	R3B1TF142 30	51
R3B1PF142 36	18	R3B1PF2A49 24	94	R3B1PFF64 30	30	R3B1TF142 36	51
R3B1PF142 42	18	R3B1PF2A49 30	94	R3B1PFF64 36	30	R3B1TF142 42	51
R3B1PF142 48	18	R3B1PF2A49 36	94	R3B1PFF64 42	30	R3B1TF142 48	51
R3B1PF149 18	25	R3B1PF2A49 42	94	R3B1PFF64 48	30	R3B1TF149 18	58
R3B1PF149 20	25	R3B1PF2A49 48	94	R3B1PFF79 18	37	R3B1TF149 20	58
R3B1PF149 24	25	R3B1PF2B49 30	94	R3B1PFF79 20	37	R3B1TF149 24	58
R3B1PF149 30	25	R3B1PF2B49 36	94	R3B1PFF79 24	37	R3B1TF149 30	58
R3B1PF149 36	25	R3B1PF2B49 42	94	R3B1PFF79 30	37	R3B1TF149 36	58
R3B1PF149 42	25	R3B1PF2B49 48	94	R3B1PFF79 36	37	R3B1TF149 42	58
R3B1PF149 48	25	R3B1PF342 18	20	R3B1PFF79 42	37	R3B1TF149 48	58
R3B1PF164 18	32	R3B1PF342 20	20	R3B1PFF79 48	37	R3B1TF164 18	65
R3B1PF164 20	32	R3B1PF342 24	20	R3B1PFFA49 18	85	R3B1TF164 20	65
R3B1PF164 24	32	R3B1PF342 30	20	R3B1PFFA49 20	85	R3B1TF164 24	65
R3B1PF164 30	32	R3B1PF342 36	20	R3B1PFFA49 24	85	R3B1TF164 30	65
R3B1PF164 36	32	R3B1PF342 42	20	R3B1PFFA49 30	85	R3B1TF164 36	65
R3B1PF164 42	32	R3B1PF342 48	20	R3B1PFFA49 36	85	R3B1TF164 42	65
R3B1PF164 48	32	R3B1PF349 18	27	R3B1PFFA49 42	85	R3B1TF164 48	65
R3B1PF179 18	39	R3B1PF349 20	27	R3B1PFFA49 48	85	R3B1TF179 18	72
R3B1PF179 20	39	R3B1PF349 24	27	R3B1PFFB49 30	85	R3B1TF179 20	72
R3B1PF179 24	39	R3B1PF349 30	27	R3B1PFFB49 36	85	R3B1TF179 24	72
R3B1PF179 30	39	R3B1PF349 36	27	R3B1PFFB49 42	85	R3B1TF179 30	72
R3B1PF179 36	39	R3B1PF349 42	27	R3B1PFFB49 48	85	R3B1TF179 36	72
R3B1PF179 42	39	R3B1PF349 48	27	R3B1PFLA2 18	17	R3B1TF179 42	72
R3B1PF179 48	39	R3B1PF364 18	34	R3B1PFLA2 20	17	R3B1TF179 48	72
R3B1PFA49 18	91	R3B1PF364 20	34	R3B1PFLA2 24	17	R3B1TFA49 18	89
R3B1PFA49 20	91	R3B1PF364 24	34	R3B1PFLA2 30	17	R3B1TFA49 20	89
R3B1PFA49 24	91	R3B1PF364 30	34	R3B1PFLA2 36	17	R3B1TFA49 24	89
R3B1PFA49 30	91	R3B1PF364 36	34	R3B1PFLA2 42	17	R3B1TFA49 30	89
R3B1PFA49 36	91	R3B1PF364 42	34	R3B1PFLA2 48	17	R3B1TFA49 36	89
R3B1PFA49 42	91	R3B1PF364 48	34	R3B1PFLA9 18	24	R3B1TFA49 42	89
R3B1PFA49 48	91	R3B1PF379 18	41	R3B1PFLA9 20	24	R3B1TFA49 48	89
R3B1PFB49 30	91	R3B1PF379 20	41	R3B1PFLA9 24	24	R3B1TF1B49 30	90
R3B1PFB49 36	91	R3B1PF379 24	41	R3B1PFLA9 30	24	R3B1TF1B49 36	90
R3B1PFB49 42	91	R3B1PF379 30	41	R3B1PFLA9 36	24	R3B1TF1B49 42	90
R3B1PFB49 48	91	R3B1PF379 36	41	R3B1PFLA9 42	24	R3B1TF1B49 48	90
R3B1PF242 18	19	R3B1PF379 42	41	R3B1PFLA9 48	24	R3B1TF242 18	52
R3B1PF242 20	19	R3B1PF379 48	41	R3B1PFL64 18	31	R3B1TF242 20	52
R3B1PF242 24	19	R3B1PF3A49 18	96	R3B1PFL64 20	31	R3B1TF242 24	52
R3B1PF242 30	19	R3B1PF3A49 20	96	R3B1PFL64 24	31	R3B1TF242 30	52
R3B1PF242 36	19	R3B1PF3A49 24	96	R3B1PFL64 30	31	R3B1TF242 36	52
R3B1PF242 42	19	R3B1PF3A49 30	96	R3B1PFL64 36	31	R3B1TF242 42	52
R3B1PF242 48	19	R3B1PF3A49 36	96	R3B1PFL64 42	31	R3B1TF242 48	52
R3B1PF249 18	26	R3B1PF3A49 42	96	R3B1PFL64 48	31	R3B1TF249 18	59
R3B1PF249 20	26	R3B1PF3A49 48	96	R3B1PFL79 18	38	R3B1TF249 20	59
R3B1PF249 24	26	R3B1PF3B49 30	96	R3B1PFL79 20	38	R3B1TF249 24	59
R3B1PF249 30	26	R3B1PF3B49 36	96	R3B1PFL79 24	38	R3B1TF249 30	59
R3B1PF249 36	26	R3B1PF3B49 42	96	R3B1PFL79 30	38	R3B1TF249 36	59
R3B1PF249 42	26	R3B1PF3B49 48	96	R3B1PFL79 36	38	R3B1TF249 42	59
R3B1PF249 48	26	R3B1PFF42 18	16	R3B1PFL79 42	38	R3B1TF249 48	59
R3B1PF264 18	33	R3B1PFF42 20	16	R3B1PFL79 48	38	R3B1TF264 18	66
R3B1PF264 20	33	R3B1PFF42 24	16	R3B1PFLA49 18	88	R3B1TF264 20	66
R3B1PF264 24	33	R3B1PFF42 30	16	R3B1PFLA49 20	88	R3B1TF264 24	66
R3B1PF264 30	33	R3B1PFF42 36	16	R3B1PFLA49 24	88	R3B1TF264 30	66
R3B1PF264 36	33	R3B1PFF42 42	16	R3B1PFLA49 30	88	R3B1TF264 36	66
R3B1PF264 42	33	R3B1PFF42 48	16	R3B1PFLA49 36	88	R3B1TF264 42	66
R3B1PF264 48	33	R3B1PFF49 18	23	R3B1PFLA49 42	88	R3B1TF264 48	66
R3B1PF279 18	40	R3B1PFF49 20	23	R3B1PFLA49 48	88	R3B1TF279 18	73
R3B1PF279 20	40	R3B1PFF49 24	23	R3B1PFLB49 30	88	R3B1TF279 20	73

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B1TF279 24	73	R3B1TFF49 30	55	R3B1TFLB49 36	87	R3B2TFF79 24	70
R3B1TF279 30	73	R3B1TFF49 36	55	R3B1TFLB49 42	87	R3B2TFF79 30	70
R3B1TF279 36	73	R3B1TFF49 42	55	R3B1TFLB49 48	87	R3B2TFF79 36	70
R3B1TF279 42	73	R3B1TFF49 48	55	R3B2PFF42 18	16	R3B2TFF79 42	70
R3B1TF279 48	73	R3B1TFF64 18	63	R3B2PFF42 20	16	R3B2TFF79 48	70
R3B1TF2A49 18	92	R3B1TFF64 20	63	R3B2PFF42 24	16	R3B2TFFA49 18	97
R3B1TF2A49 20	92	R3B1TFF64 24	63	R3B2PFF42 30	16	R3B2TFFA49 20	97
R3B1TF2A49 24	92	R3B1TFF64 30	63	R3B2PFF42 36	16	R3B2TFFA49 24	97
R3B1TF2A49 30	92	R3B1TFF64 36	63	R3B2PFF42 42	16	R3B2TFFA49 30	97
R3B1TF2A49 36	92	R3B1TFF64 42	63	R3B2PFF42 48	16	R3B2TFFA49 36	97
R3B1TF2A49 42	92	R3B1TFF64 48	63	R3B2PFF49 18	23	R3B2TFFA49 42	97
R3B1TF2A49 48	92	R3B1TFF79 18	70	R3B2PFF49 20	23	R3B2TFFA49 48	97
R3B1TF2B49 30	93	R3B1TFF79 20	70	R3B2PFF49 24	23	R3B2TFFB49 30	98
R3B1TF2B49 36	93	R3B1TFF79 24	70	R3B2PFF49 30	23	R3B2TFFB49 36	98
R3B1TF2B49 42	93	R3B1TFF79 30	70	R3B2PFF49 36	23	R3B2TFFB49 42	98
R3B1TF2B49 48	93	R3B1TFF79 36	70	R3B2PFF49 42	23	R3B2TFFB49 48	98
R3B1TF342 18	53	R3B1TFF79 42	70	R3B2PFF49 48	23	R3CRTT60	102
R3B1TF342 20	53	R3B1TFF79 48	70	R3B2PFF64 18	30	R3CRTT72	102
R3B1TF342 24	53	R3B1TFFA49 18	83	R3B2PFF64 20	30	R3CRTT84	102
R3B1TF342 30	53	R3B1TFFA49 20	83	R3B2PFF64 24	30	R3CRTT96	102
R3B1TF342 36	53	R3B1TFFA49 24	83	R3B2PFF64 30	30	R3FTCE104(F/T)(F/T)(F/T)	124
R3B1TF342 42	53	R3B1TFFA49 30	83	R3B2PFF64 36	30	R3FTCE108(F/T)(F/T)(F/T)	124
R3B1TF342 48	53	R3B1TFFA49 36	83	R3B2PFF64 42	30	R3FTCE120(F/T)(F/T)(F/T)	124
R3B1TF349 18	60	R3B1TFFA49 42	83	R3B2PFF64 48	30	R3FTCE21	124
R3B1TF349 20	60	R3B1TFFA49 48	83	R3B2PFF79 18	37	R3FTCE25	124
R3B1TF349 24	60	R3B1TFFB49 30	84	R3B2PFF79 20	37	R3FTCE37	124
R3B1TF349 30	60	R3B1TFFB49 36	84	R3B2PFF79 24	37	R3FTCF12118	121
R3B1TF349 36	60	R3B1TFFB49 42	84	R3B2PFF79 30	37	R3FTCF12120	121
R3B1TF349 42	60	R3B1TFFB49 48	84	R3B2PFF79 36	37	R3FTCF12124	121
R3B1TF349 48	60	R3B1TFL42 18	50	R3B2PFF79 42	37	R3FTCF12130	121
R3B1TF364 18	67	R3B1TFL42 20	50	R3B2PFF79 48	37	R3FTCF12136	121
R3B1TF364 20	67	R3B1TFL42 24	50	R3B2PFFA49 18	98	R3FTCF12142	121
R3B1TF364 24	67	R3B1TFL42 30	50	R3B2PFFA49 20	98	R3FTCF12148	121
R3B1TF364 30	67	R3B1TFL42 36	50	R3B2PFFA49 24	98	R3FTCF12518	122
R3B1TF364 36	67	R3B1TFL42 42	50	R3B2PFFA49 30	98	R3FTCF12520	122
R3B1TF364 42	67	R3B1TFL42 48	50	R3B2PFFA49 36	98	R3FTCF12524	122
R3B1TF364 48	67	R3B1TFL49 18	57	R3B2PFFA49 42	98	R3FTCF12530	122
R3B1TF379 18	74	R3B1TFL49 20	57	R3B2PFFA49 48	98	R3FTCF12536	122
R3B1TF379 20	74	R3B1TFL49 24	57	R3B2PFFB49 30	99	R3FTCF12542	122
R3B1TF379 24	74	R3B1TFL49 30	57	R3B2PFFB49 36	99	R3FTCF12548	122
R3B1TF379 30	74	R3B1TFL49 36	57	R3B2PFFB49 42	99	R3FTCF13718	123
R3B1TF379 36	74	R3B1TFL49 42	57	R3B2PFFB49 48	99	R3FTCF13720	123
R3B1TF379 42	74	R3B1TFL49 48	57	R3B2TFF42 18	49	R3FTCF13724	123
R3B1TF379 48	74	R3B1TFL64 18	64	R3B2TFF42 20	49	R3FTCF13730	123
R3B1TF3A49 18	95	R3B1TFL64 20	64	R3B2TFF42 24	49	R3FTCF13736	123
R3B1TF3A49 20	95	R3B1TFL64 24	64	R3B2TFF42 30	49	R3FTCF13742	123
R3B1TF3A49 24	95	R3B1TFL64 30	64	R3B2TFF42 36	49	R3FTCF13748	123
R3B1TF3A49 30	95	R3B1TFL64 36	64	R3B2TFF42 42	49	R3FTCF22118	121
R3B1TF3A49 36	95	R3B1TFL64 42	64	R3B2TFF42 48	49	R3FTCF22120	121
R3B1TF3A49 42	95	R3B1TFL64 48	64	R3B2TFF49 18	56	R3FTCF22124	121
R3B1TF3A49 48	95	R3B1TFL79 18	71	R3B2TFF49 20	56	R3FTCF22130	121
R3B1TF3B49 30	95	R3B1TFL79 20	71	R3B2TFF49 24	56	R3FTCF22136	121
R3B1TF3B49 36	95	R3B1TFL79 24	71	R3B2TFF49 30	56	R3FTCF22142	121
R3B1TF3B49 42	95	R3B1TFL79 30	71	R3B2TFF49 36	56	R3FTCF22148	121
R3B1TF3B49 48	95	R3B1TFL79 36	71	R3B2TFF49 42	56	R3FTCF22518	122
R3B1TFF42 18	48	R3B1TFL79 42	71	R3B2TFF49 48	56	R3FTCF22520	122
R3B1TFF42 20	48	R3B1TFL79 48	71	R3B2TFF64 18	63	R3FTCF22524	122
R3B1TFF42 24	48	R3B1TFLA49 18	86	R3B2TFF64 20	63	R3FTCF22524	122
R3B1TFF42 30	48	R3B1TFLA49 20	86	R3B2TFF64 24	63	R3FTCF22530	122
R3B1TFF42 36	48	R3B1TFLA49 24	86	R3B2TFF64 30	63	R3FTCF22536	122
R3B1TFF42 42	48	R3B1TFLA49 30	86	R3B2TFF64 36	63	R3FTCF22542	122
R3B1TFF42 48	48	R3B1TFLA49 36	86	R3B2TFF64 42	63	R3FTCF22548	122
R3B1TFF49 18	55	R3B1TFLA49 42	86	R3B2TFF64 48	63	R3FTCF23718	123
R3B1TFF49 20	55	R3B1TFLA49 48	86	R3B2TFF79 18	70	R3FTCF23720	123
R3B1TFF49 24	55	R3B1TFLB49 30	87	R3B2TFF79 20	70	R3FTCF23724	123
						R3FTCF23730	123

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3FTCF23736	123	R3FTCFL3748	123	R3SF21530	104	R3T08T	105
R3FTCF23742	123	R3FTCL104(F/T)(F/T)	124	R3SF21536	104	R3T15T	105
R3FTCF23748	123	R3FTCL108(F/T)(F/T)	124	R3SF21542	104	R3T34(F/T)	105
R3FTCF321 18	121	R3FTCL120(F/T)(F/T)	124	R3SF21548	104	R3T42(B)(F/T)	105
R3FTCF321 20	121	R3FTCL21	124	R3SF30818	103	R3T49(B)(F/T)	105
R3FTCF321 24	121	R3FTCL25	124	R3SF30820	103	R3T64(B)(F/T)	105
R3FTCF321 30	121	R3FTCL37	124	R3SF30824	103	R3T79(B)(F/T)	105
R3FTCF321 36	121	R3FTCS104(F/T)(F/T)	124	R3SF30830	103	R3X08	106
R3FTCF321 42	121	R3FTCS108(F/T)(F/T)	124	R3SF30836	103	R3X15	106
R3FTCF321 48	121	R3FTCS120(F/T)(F/T)	124	R3SF30842	103	R3X34	106
R3FTCF325 18	122	R3FTCS21	124	R3SF30848	103	R3X42(B)	106
R3FTCF325 20	122	R3FTCS25	124	R3SF315 18	104	R3X49(B)	106
R3FTCF325 24	122	R3FTCS37	124	R3SF315 20	104	R3X64(B)	106
R3FTCF325 30	122	R3FTCSM (Pair) for G3 only	125	R3SF315 24	104	R3X79(B)	106
R3FTCF325 36	122	R3FTCT104(F/T)	124	R3SF315 30	104	R5ZNNE (3 dividers)	449
R3FTCF325 42	122	R3FTCT108(F/T)	124	R3SF315 36	104	R917762	440
R3FTCF325 48	122	R3FTCT120(F/T)	124	R3SF315 42	104	R921655	440
R3FTCF337 18	123	R3FTCT21	124	R3SF315 48	104	R9TDCFM8430	256
R3FTCF337 20	123	R3FTCT25	124	R3SFF08 18	100	R9TDCFM9630	256
R3FTCF337 24	123	R3FTCT37	124	R3SFF08 20	100	RAMTB	427
R3FTCF337 30	123	R3FTCX104	124	R3SFF08 24	100	RAMTC24	427
R3FTCF337 36	123	R3FTCX108	124	R3SFF08 30	100	RAMTC30	427
R3FTCF337 42	123	R3FTCX120	124	R3SFF08 36	100	RAMTC36	427
R3FTCF337 48	123	R3FTCX21	124	R3SFF08 42	100	RAMTC42	427
R3FTCFF2118	118	R3FTCX25	124	R3SFF08 48	100	RAMTC48	427
R3FTCFF2120	118	R3FTCX37	124	R3SFF15 18	100	RAMTC54	427
R3FTCFF2124	118	R3L08TT	105	R3SFF15 20	100	RAMTC60	427
R3FTCFF2130	118	R3L15TT	105	R3SFF15 24	100	RAMTC66	427
R3FTCFF2136	118	R3L34(F/T)(F/T)	105	R3SFF15 30	100	RAMTC72	427
R3FTCFF2142	118	R3L42(B)(F/T)(F/T)	105	R3SFF15 36	100	RAMTCH24	427
R3FTCFF2148	118	R3L49(B)(F/T)(F/T)	105	R3SFF15 42	100	RAMTCH30	427
R3FTCFF2518	119	R3L64(B)(F/T)(F/T)	105	R3SFF15 48	100	RAMTCH36	427
R3FTCFF2520	119	R3L79(B)(F/T)(F/T)	105	R3SFL0818	103	RAMTCH42	427
R3FTCFF2524	119	R3R2SLV	107, 117	R3SFL0820	103	RAMTCH48	427
R3FTCFF2530	119	R3S08TT	106	R3SFL0824	103	RAMTCH54	427
R3FTCFF2536	119	R3S15TT	106	R3SFL0830	103	RAMTCH60	427
R3FTCFF2542	119	R3S34(F/T)(F/T)	106	R3SFL0836	103	RAMTCH66	427
R3FTCFF2548	119	R3S42(B)(F/T)(F/T)	106	R3SFL0842	103	RAMTCH72	427
R3FTCFF3718	120	R3S49(B)(F/T)(F/T)	106	R3SFL0848	103	RAMTT	427
R3FTCFF3720	120	R3S64(B)(F/T)(F/T)	106	R3SFL1518	104	RATDCFM(L/R)4830	255
R3FTCFF3724	120	R3S79(B)(F/T)(F/T)	106	R3SFL1520	104	RATDCFM(L/R)4836	255
R3FTCFF3730	120	R3SF10818	103	R3SFL1524	104	RATDCFM(L/R)5430	255
R3FTCFF3736	120	R3SF10820	103	R3SFL1530	104	RATDCFM(L/R)5436	255
R3FTCFF3742	120	R3SF10824	103	R3SFL1536	104	RATDCFM(L/R)6030	255
R3FTCFF3748	120	R3SF10830	103	R3SFL1542	104	RATDCFM(L/R)6036	255
R3FTCFL2118	121	R3SF10836	103	R3SFL1548	104	RATDCFM(L/R)6630	255
R3FTCFL2120	121	R3SF10842	103	R3SLL0818	103	RATDCFM(L/R)6636	255
R3FTCFL2124	121	R3SF10848	103	R3SLL0820	103	RATDCFM(L/R)7230	255
R3FTCFL2130	121	R3SF11518	104	R3SLL0824	103	RATDCFM(L/R)7236	255
R3FTCFL2136	121	R3SF11520	104	R3SLL0830	103	RATDCFM(L/R)7830	255
R3FTCFL2142	121	R3SF11524	104	R3SLL0836	103	RATDCFM(L/R)7836	255
R3FTCFL2148	121	R3SF11530	104	R3SLL0842	103	RATDCFM(L/R)8430	255
R3FTCFL2518	122	R3SF11536	104	R3SLL0848	103	RATDCFM(L/R)8436	255
R3FTCFL2520	122	R3SF11542	104	R3SLL1518	104	RATDCPC(L/R)6030	253
R3FTCFL2524	122	R3SF11548	104	R3SLL1520	104	RATDCPC(L/R)6036	253
R3FTCFL2530	122	R3SF20818	103	R3SLL1524	104	RATDCPC(L/R)6630	253
R3FTCFL2536	122	R3SF20820	103	R3SLL1530	104	RATDCPC(L/R)6636	253
R3FTCFL2542	122	R3SF20824	103	R3SLL1536	104	RATDCPC(L/R)7230	253
R3FTCFL2548	122	R3SF20830	103	R3SLL1542	104	RATDCPC(L/R)7236	253
R3FTCFL3718	123	R3SF20836	103	R3SLL1548	104	RATDCPC(L/R)7830	253
R3FTCFL3720	123	R3SF20842	103	R3SMP	440	RATDCPC(L/R)7836	253
R3FTCFL3724	123	R3SF20848	103	R3SPABPT	115	RATDCPC(L/R)8430	253
R3FTCFL3730	123	R3SF21518	104	R3SPABTD	115	RATDCPC(L/R)8436	253
R3FTCFL3736	123	R3SF21520	104	R3SPABTT	115	RATDCST(L/R)6030	254
R3FTCFL3742	123	R3SF21524	104	R3SPABTW	115	RATDCST(L/R)6036	254

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RATDCST(L/R)6630	254	RBDH4836	280	RC613D(L/R)	328	RC7233DHFH	346, 349
RATDCST(L/R)6636	254	RBDH4842	280	RC613G(L/R)	326, 330	RC7233DHGH	347, 349
RATDCST(L/R)7230	254	RBDH4848	280	RC613P(L/R)	327, 330	RC723M	343, 345
RATDCST(L/R)7236	254	RBDH48M(F/R)	279	RC623M	342, 344	RC723N	343, 345
RATDCST(L/R)7830	254	RBDH52MR	281	RC623N	342, 344	RC7262DHB	346, 349
RATDCST(L/R)7836	254	RBDH54M(F/R)	279	RC631B	325, 328	RC7262DHDH	350
RATDCST(L/R)8430	254	RBDH60M(F/R)	279	RC632B	325, 328	RC7262DHEH(L/R)	348, 350
RATDCST(L/R)8436	254	RBDH64MR	281	RC632C	325, 328	RC7262DHFH	346, 349
RB24(M/H)(F/R)	277	RBDH66M(F/R)	279	RC632D	328	RC7262DHGH	347, 349
RB30(M/H)(F/R)	277	RBDH72M(F/R)	279	RC632E(L/R)	326, 329	RC7263DHB	346, 349
RB3636	278	RBDH78M(F/R)	279	RC632F	325, 329	RC7263DHDH	350
RB3642	278	RBDH84M(F/R)	279	RC632G	326, 330	RC7263DHEH(L/R)	348, 350
RB3648	278	RBDH90M(F/R)	279	RC632H	326, 329	RC7263DHFH	346, 349
RB36(M/H)(F/R)	277	RBDH96M(F/R)	279	RC632I	330	RC7263DHGH	347, 349
RB40MR	151, 185, 228	RBDP6030JK(A,B,W)	433	RC632P	327, 330	RC732B	331, 336
RB4236	278	RBDP7230JK(A,B,W)	433	RC633B	325, 328	RC732C	331, 336
RB4242	278	RBDP8430JK(A,B,W)	433	RC633C	325, 328	RC732D	340
RB4248	278	RBDP9630JK(A,B,W)	433	RC633D	328	RC732DHB	351, 355
RB42(M/H)(F/R)	277	RBDW	441	RC633E(L/R)	326, 329	RC732DHD	359
RB4836	278	RBF (Pair)	274	RC633F	325, 329	RC732DHE(L/R)	351, 355
RB4842	278	RBPE(L/R)	441	RC633G	326, 330	RC732DHF	354, 358
RB4848	278	RBPP (L/R)	274	RC633H	326, 329	RC732DHG	352, 356
RB48(M/H)(F/R)	277	RBPR (Pair)	275	RC633I	330	RC732DHK	353, 357
RB52MR	151, 185, 228	RBPS (L/R)	275	RC633P	327, 330	RC732E(L/R)	332, 337
RB54(M/H)(F/R)	277	RBR3624(A,B,W)(F,N)2	436	RC661B	325, 328	RC732F	333, 338
RB60(M/H)(F/R)	277	RBR3630(A,B,W)(F,N)2	436	RC662B	325, 328	RC732G	334, 339
RB64MR	151, 185, 228	RBR4224(A,B,W)(F,N)2	436	RC662C	325, 328	RC732H	335, 340
RB66(M/H)(F/R)	277	RBR4230(A,B,W)(F,N)2	436	RC662D	328	RC732I	341
RB72(M/H)(F/R)	277	RBR4824(A,B,W)(F,N)2	436	RC662E(L/R)	326, 329	RC732P	335, 341
RB78(M/H)(F/R)	277	RBR4830(A,B,W)(F,N)2	436	RC662F	325, 329	RC733B	331, 336
RB84(M/H)(F/R)	277	RBSP6030J(A,B,W)	432	RC662G	326, 330	RC733C	331, 336
RB90(M/H)(F/R)	277	RBSP7230J(A,B,W)	432	RC662H	326, 329	RC733D	340
RB96(M/H)(F/R)	277	RBSP8430J(A,B,W)	432	RC662I	330	RC733DHB	351, 355
RBC18 (L/R)	273	RBSP9630J(A,B,W)	432	RC662P	327, 330	RC733DHD	359
RBC24 (L/R)	273	RBWC24	276	RC663B	325, 328	RC733DHE(L/R)	351, 355
RBCC	274	RBWC30	276	RC663C	325, 328	RC733DHF	354, 358
RBCCP (Pair)	274	RBWM	442	RC663D	328	RC733DHG	352, 356
RBD361H	240	RBZ (A/B) (Pair)	274	RC663E(L/R)	326, 329	RC733DHK	353, 357
RBD361V	240	RC412C(L/R)	321, 323	RC663F	325, 329	RC733E(L/R)	332, 337
RBD362H	240	RC413C(L/R)	321, 323	RC663G	326, 330	RC733F	333, 338
RBD362V	240	RC423M	342, 344	RC663H	326, 329	RC733G	334, 339
RBD421H	240	RC423N	342, 344	RC663I	330	RC733H	335, 340
RBD421V	240	RC431B	322, 323	RC663P	327, 330	RC733I	341
RBD422H	240	RC432B	322, 323	RC712C(L/R)	331, 336	RC733P	335, 341
RBD422V	240	RC432C	321, 323	RC712DHG(L/R)	352, 356	RC762B	331, 336
RBD481H	240	RC432D	323	RC712D(L/R)	340	RC762C	331, 336
RBD481V	240	RC432F	321, 324	RC712G(L/R)	334, 339	RC762D	340
RBD482H	240	RC433B	322, 323	RC712P(L/R)	335, 341	RC762DHB	351, 355
RBD482V	240	RC433C	321, 323	RC713C(L/R)	331, 336	RC762DHD	359
RBD541H	240	RC433D	323	RC713DHG(L/R)	352, 356	RC762DHE(L/R)	351, 355
RBD541V	240	RC433F	321, 324	RC713D(L/R)	340	RC762DHF	354, 358
RBD542H	240	RC461B	322, 323	RC713G(L/R)	334, 339	RC762DHG	352, 356
RBD542V	240	RC462B	322, 323	RC713P(L/R)	335, 341	RC762DHK	353, 357
RBDD	441	RC462C	321, 323	RC7212DHDH(L/R)	350	RC762E(L/R)	332, 337
RBDH24M(F/R)	279	RC462D	323	RC7212DHGH(L/R)	347, 349	RC762F	333, 338
RBDH30M(F/R)	279	RC462F	321, 324	RC7213DHDH(L/R)	350	RC762G	334, 339
RBDH3636	280	RC463B	322, 323	RC7213DHGH(L/R)	347, 349	RC762H	335, 340
RBDH3642	280	RC463C	321, 323	RC7232DHB	346, 349	RC762I	341
RBDH3648	280	RC463D	323	RC7232DHDH	350	RC762P	335, 341
RBDH36M(F/R)	279	RC463F	321, 324	RC7232DHEH(L/R)	348	RC763B	331, 336
RBDH40MR	281	RC612C(L/R)	325, 328	RC7232DHFH	346, 349	RC763C	331, 336
RBDH4236	280	RC612D(L/R)	328	RC7232DHGH	347, 349	RC763D	340
RBDH4242	280	RC612G(L/R)	326, 330	RC7233DHB	346, 349	RC763DHB	351, 355
RBDH4248	280	RC612P(L/R)	327, 330	RC7233DHDH	350	RC763DHD	359
RBDH42M(F/R)	279	RC613C(L/R)	325, 328	RC7233DHEH(L/R)	348, 350	RC763DHE(L/R)	351, 355

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RC763DHF	354, 358	RCA484812	143	RCAWF364821	182, 225	RCD782	262
RC763DHG	352, 356	RCA484821	144	RCAWF364822	182, 225	RCD841	262
RC763DHK	353, 357	RCA484822	144	RCAWF423611	182, 225	RCD842	262
RC763E(L/R)	332, 337	RCA(A/B/C/D/E/F/G)F363611	161, 204	RCAWF423612	182, 225	RCD901	262
RC763F	333, 338	RCA(A/B/C/D/E/F/G)F363612	161, 204	RCAWF423621	182, 225	RCD902	262
RC763G	334, 339	RCA(A/B/C/D/E/F/G)F363621	161, 204	RCAWF423622	182, 225	RCD961	262
RC763H	335, 340	RCA(A/B/C/D/E/F/G)F363622	161, 204	RCAWF424211	182, 225	RCD962	262
RC763I	341	RCA(A/B/C/D/E/F/G)F364211	161, 204	RCAWF424212	182, 225	RCDHB	285
RC763P	335, 341	RCA(A/B/C/D/E/F/G)F364212	161, 204	RCAWF424221	182, 225	RCDHB20T	285
RC832DHB	364	RCA(A/B/C/D/E/F/G)F364221	161, 204	RCAWF424222	182, 225	RCDHB24T	285
RC832DHEH(L/R)	362, 365	RCA(A/B/C/D/E/F/G)F364222	161, 204	RCAWF424811	182, 225	RCDHB30T	285
RC832DHF	360, 363	RCA(A/B/C/D/E/F/G)F364811	161, 204	RCAWF424812	182, 225	RCDHB40T	285
RC832DHG	360, 363	RCA(A/B/C/D/E/F/G)F364812	161, 204	RCAWF424821	182, 225	RCDP6024K(A,B,W)	437
RC832DHK	361, 364	RCA(A/B/C/D/E/F/G)F364821	161, 204	RCAWF424822	182, 225	RCDP7224K(A,B,W)	437
RC832DHO	361, 364	RCA(A/B/C/D/E/F/G)F364822	161, 205	RCAWF483611	182, 225	RCDP8424K(A,B,W)	437
RC833DHB	364	RCA(A/B/C/D/E/F/G)F423611	161, 204	RCAWF483612	182, 225	RCDP9624K(A,B,W)	437
RC833DHEH(L/R)	362, 365	RCA(A/B/C/D/E/F/G)F423612	161, 204	RCAWF483621	182, 225	RCE1021	260
RC833DHF	360, 363	RCA(A/B/C/D/E/F/G)F423621	161, 204	RCAWF483622	182, 225	RCE1022	260
RC833DHG	360, 363	RCA(A/B/C/D/E/F/G)F423622	161, 204	RCAWF484211	182, 225	RCE1081	260
RC833DHK	361, 364	RCA(A/B/C/D/E/F/G)F424211	161, 204	RCAWF484212	182, 225	RCE1082	260
RC833DHO	361, 364	RCA(A/B/C/D/E/F/G)F424212	161, 204	RCAWF484221	182, 225	RCE1BD6648D(L/R)	190, 233
RC862DHB	364	RCA(A/B/C/D/E/F/G)F424221	161, 204	RCAWF484222	182, 225	RCE1BD6648S(L/R)	190, 233
RC862DHEH(L/R)	362, 365	RCA(A/B/C/D/E/F/G)F424222	161, 204	RCB	282	RCE1BD7248D(L/R)	190, 233
RC862DHF	360, 363	RCA(A/B/C/D/E/F/G)F424811	161, 204	RCB20T	282	RCE1BD7248S(L/R)	190, 233
RC862DHG	360, 363	RCA(A/B/C/D/E/F/G)F424812	161, 204	RCB24T	282	RCE1BD7848D(L/R)	190, 233
RC862DHK	361, 364	RCA(A/B/C/D/E/F/G)F424821	161, 204	RCB24X	283	RCE1BD7848S(L/R)	190, 233
RC862DHO	361, 364	RCA(A/B/C/D/E/F/G)F424822	162, 205	RCB28X	283	RCE1BD8448D(L/R)	190, 233
RC863DHB	364	RCA(A/B/C/D/E/F/G)F483611	161, 204	RCB30T	282	RCE1BD8448S(L/R)	190, 233
RC863DHEH(L/R)	362, 365	RCA(A/B/C/D/E/F/G)F483612	161, 204	RCB36X	283	RCE1CR24L	193, 236
RC863DHF	360, 363	RCA(A/B/C/D/E/F/G)F483621	161, 204	RCB40T	282	RCE1CR24N	193, 236
RC863DHG	361, 364	RCA(A/B/C/D/E/F/G)F483622	162, 204	RCBDH24X	286	RCE1CR24R	193, 236
RC863DHK	361, 364	RCA(A/B/C/D/E/F/G)F484211	161, 204	RCBDH28X	286	RCE1H4818	193, 236
RC863DHO	361, 364	RCA(A/B/C/D/E/F/G)F484212	161, 204	RCBDH36X	286	RCE1H4818P	193, 236
RCA363611	143	RCA(A/B/C/D/E/F/G)F484221	161, 204	RCCDLA23672	145	RCE1H6024	193, 236
RCA363612	143	RCA(A/B/C/D/E/F/G)F484222	162, 205	RCCDLA23678	145	RCE1H6024P	193, 236
RCA363621	143	RCA(A/B/C/D/E/F/G)F484811	161, 204	RCCDLA23684	145	RCE1L3636SSN	191, 234
RCA363622	144	RCA(A/B/C/D/E/F/G)F484812	161, 204	RCCDLA23696	145	RCE1L4242DSN	191, 234
RCA364211	143	RCA(A/B/C/D/E/F/G)F484821	161, 204	RCCDLA33672	145	RCE1L4242SDN	191, 234
RCA364212	143	RCA(A/B/C/D/E/F/G)F484822	162, 205	RCCDLA33678	145	RCE1L4242SSN	191, 234
RCA364221	143	RCABT1417	439	RCCDLA33684	145	RCE1L4260SSN	192, 235
RCA364222	144	RCABT2917	439	RCCDLA33696	145	RCE1L4266SSN	192, 235
RCA364811	143	RCACR16	439	RCCDRA23672	145	RCE1L4272SSN	192, 235
RCA364812	143	RCACR30	439	RCCDRA23678	145	RCE1L4278SSN	192, 235
RCA364821	143	RCACR30H	439	RCCDRA23684	145	RCE1L4848DDN	191, 234
RCA364822	144	RCACR36	439	RCCDRA23696	145	RCE1L4848DSN	191, 234
RCA423611	143	RCACR36H	439	RCCDRA33672	145	RCE1L4848SDN	191, 234
RCA423612	143	RCAS1620	439	RCCDRA33678	145	RCE1L4848SSN	191, 234
RCA423621	143	RCAS1624	439	RCCDRA33684	145	RCE1L4860DSN	192, 235
RCA423622	144	RCAS3015	439	RCCDRA33696	145	RCE1L4860SDN	192, 235
RCA424211	143	RCAS3020	439	RCD1021	262	RCE1L4860SSN	192, 235
RCA424212	143	RCAS3024	439	RCD1022	262	RCE1L4866DSN	192, 235
RCA424221	143	RCAS3615	439	RCD1081	262	RCE1L4866SDN	192, 235
RCA424222	144	RCAS3620	439	RCD1082	262	RCE1L4866SSN	192, 235
RCA424811	143	RCAS3624	439	RCD3L6024K(A,B,W)	437	RCE1L4872DSN	192, 235
RCA424812	143	RCASL	440	RCD3L8424K(A,B,W)	437	RCE1L4872SDN	192, 235
RCA424821	143	RCAWF363611	182, 225	RCD3L9624K(A,B,W)	437	RCE1L4872SSN	192, 235
RCA424822	144	RCAWF363612	182, 225	RCD601	262	RCE1L4878SSN	192, 235
RCA483611	143	RCAWF363621	182, 225	RCD602	262	RCE1L4884SSN	192, 235
RCA483612	143	RCAWF363622	182, 225	RCD661	262	RCE1L6042SSN	192, 235
RCA483621	143	RCAWF364211	182, 225	RCD662	262	RCE1L6048DSN	192, 235
RCA483622	144	RCAWF364212	182, 225	RCD6L7224K(A,B,W)	437	RCE1L6048SDN	192, 235
RCA484211	143	RCAWF364221	182, 225	RCD6L9624K(A,B,W)	437	RCE1L6048SSN	192, 235
RCA484212	143	RCAWF364222	182, 225	RCD721	262	RCE1L6642SSN	192, 235
RCA484221	144	RCAWF364811	182, 225	RCD722	262	RCE1L6648DSN	192, 235
RCA484222	144	RCAWF364812	182, 225	RCD781	262	RCE1L6648SDN	192, 235

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCEIL6648SSN	192, 235	RCEAR223672	146	RCFS6432X(L/R)W	375	RDHMH7810	290
RCEIL7242SSN	192, 235	RCEAR224260	146	RCFS6433V(L/R)M	369	RDHMH7811	290
RCEIL7248DSN	192, 235	RCEAR224272	146	RCFS6433V(L/R)W	375	RDHMH7812	290
RCEIL7248SDN	192, 235	RCEAR224872	146	RCFS6433W(L/R)M	369	RDHMH7813	290
RCEIL7248SSN	192, 235	RCEAR224884	146	RCFS6433W(L/R)W	375	RDHMH7820	290
RCEIL7842SSN	192, 235	RCEAR224896	146	RCFS6433X(L/R)M	369	RDHMH7822	290
RCEIL7848SSN	192, 235	RCEEG1021	261	RCFS6433X(L/R)W	375	RDHMH7823	290
RCEIL8448SSN	192, 235	RCEEG1022	261	RCFS6812C(L/R)M	370	RDHMH7830	290
RCEIR1212G	440	RCEEG1081	261	RCFS6812C(L/R)W	376	RDHMH7840	290
RCEIR2424N	189, 232	RCEEG1082	261	RCFS6812Y(L/R)M	370	RDHMH8410	291
RCEIR2430N	189, 232	RCEEG601	261	RCFS6812Y(L/R)W	376	RDHMH8411	290
RCEIR3024N	189, 232	RCEEG602	261	RCFS6812Z(L/R)M	370	RDHMH8412	290
RCEIR3030N	189, 232	RCEEG661	261	RCFS6812Z(L/R)W	376	RDHMH8413	290
RCEIR3624N	189, 232	RCEEG662	261	RCFS6813C(L/R)M	370	RDHMH8414	290
RCEIR3630N	189, 232	RCEEG721	261	RCFS6813C(L/R)W	376	RDHMH8420	291
RCEIR4224N	189, 232	RCEEG722	261	RCFS6813Y(L/R)M	370	RDHMH8422	290
RCEIR4230N	189, 232	RCEEG781	261	RCFS6813Y(L/R)W	376	RDHMH8423	290
RCEIR4824N	189, 232	RCEEG782	261	RCFS6813Z(L/R)M	370	RDHMH8424	290
RCEIR4830N	189, 232	RCEEG841	261	RCFS6813Z(L/R)W	376	RDHMH8430	291
RCEIR5424N	189, 232	RCEEG842	261	RCFS6832V(L/R)M	371	RDHMH8440	291
RCEIR5430N	189, 232	RCEEG901	261	RCFS6832V(L/R)W	377	RDHMH9010	291
RCEIR6024N	189, 232	RCEEG902	261	RCFS6832W(L/R)M	371	RDHMH9011	290
RCEIR6030N	189, 232	RCEEG961	261	RCFS6832W(L/R)W	377	RDHMH9012	290
RCEIR6624N	189, 232	RCEEG962	261	RCFS6832X(L/R)M	371	RDHMH9013	290
RCEIR6630N	189, 232	RCFS4912C(L/R)M	366	RCFS6832X(L/R)W	377	RDHMH9014	290
RCEIR7224N	189, 232	RCFS4912C(L/R)W	372	RCFS6833V(L/R)M	371	RDHMH9020	291
RCEIR7230N	189, 232	RCFS4912Y(L/R)M	366	RCFS6833V(L/R)W	377	RDHMH9022	290
RCEIR7824N	189, 232	RCFS4912Y(L/R)W	372	RCFS6833W(L/R)M	371	RDHMH9023	290
RCEIR7830N	189, 232	RCFS4912Z(L/R)M	366	RCFS6833W(L/R)W	377	RDHMH9024	290
RCEIR8424N	189, 232	RCFS4912Z(L/R)W	372	RCFS6833X(L/R)M	371	RDHMH9030	291
RCEIR8430N	189, 232	RCFS4913C(L/R)M	366	RCFS6833X(L/R)W	377	RDHMH9033	290
RCEIR9024N	189, 232	RCFS4913C(L/R)W	372	RCOUNTWT	293, 299	RDHMH9040	291
RCEIR9030N	189, 232	RCFS4913Y(L/R)M	366	RCP41-(F/L/1/2/3)*	113	RDHMH9610	291
RCEIR9624N	189, 232	RCFS4913Y(L/R)W	372	RCP56-(F/L/1/2/3)*	113	RDHMH9611	290
RCEIR9630N	189, 232	RCFS4913Z(L/R)M	366	RCP71-(F/L/1/2/3)*	113	RDHMH9612	290
RCEIW362430N	194, 237	RCFS4913Z(L/R)W	372	RCP78-(F/L/1/2/3)*	113	RDHMH9613	290
RCEIW363024N	194, 237	RCFS4932V(L/R)M	366	RCS3L6024K(A,B,W)	435	RDHMH9614	290
RCEIW422430N	194, 237	RCFS4932V(L/R)W	372	RCS3L7224K(A,B,W)	435	RDHMH9620	291
RCEIW423024N	194, 237	RCFS4932W(L/R)M	367	RCS3L8424K(A,B,W)	435	RDHMH9622	290
RCEIW482430N	194, 237	RCFS4932W(L/R)W	373	RCS3L9624K(A,B,W)	435	RDHMH9623	290
RCEIW483024N	194, 237	RCFS4932X(L/R)M	367	RCS6L6024K(A,B,W)	435	RDHMH9624	290
RCEIW722430N	194, 237	RCFS4932X(L/R)W	373	RCS6L7224K(A,B,W)	435	RDHMH9630	291
RCEIW723024N	194, 237	RCFS4933V(L/R)M	366	RCS6L8424K(A,B,W)	435	RDHMH9633	290
RCE601	260	RCFS4933V(L/R)W	372	RCS6L9624K(A,B,W)	435	RDHMH9640	291
RCE602	260	RCFS4933W(L/R)M	367	RCSP6024K(A,B,W)	435	RDHMLD	307
RCE661	260	RCFS4933W(L/R)W	373	RCSP7224K(A,B,W)	435	RDHMR7210	288
RCE662	260	RCFS4933X(L/R)M	367	RCSP8424K(A,B,W)	435	RDHMR7211	288
RCE721	260	RCFS4933X(L/R)W	373	RCSP9624K(A,B,W)	435	RDHMR7212	288
RCE722	260	RCFS6412C(L/R)M	368	RDDP6030JK(A,B,W)	433	RDHMR7220	288
RCE781	260	RCFS6412C(L/R)W	374	RDDP6036JK(A,B,W)	433	RDHMR7222	288
RCE782	260	RCFS6412Y(L/R)M	368	RDDP7230JK(A,B,W)	433	RDHMR7230	288
RCE841	260	RCFS6412Y(L/R)W	374	RDDP7236JK(A,B,W)	433	RDHMR7240	288
RCE842	260	RCFS6412Z(L/R)M	368	RDDP8430JK(A,B,W)	433	RDHMR7810	288
RCE901	260	RCFS6412Z(L/R)W	374	RDDP8436JK(A,B,W)	433	RDHMR7811	288
RCE902	260	RCFS6413C(L/R)M	368	RDDP9630JK(A,B,W)	433	RDHMR7812	288
RCE961	260	RCFS6413C(L/R)W	374	RDDP9636JK(A,B,W)	433	RDHMR7820	288
RCE962	260	RCFS6413Y(L/R)M	368	RDHMBD	307	RDHMR7822	288
RCEAL223660	146	RCFS6413Y(L/R)W	374	RDHMGD	307	RDHMR7830	288
RCEAL223672	146	RCFS6413Z(L/R)M	368	RDHMH7210	290	RDHMR7840	288
RCEAL224260	146	RCFS6413Z(L/R)W	374	RDHMH7211	290	RDHMR8410	288
RCEAL224272	146	RCFS6432V(L/R)M	369	RDHMH7212	290	RDHMR8411	288
RCEAL224872	146	RCFS6432V(L/R)W	375	RDHMH7220	290	RDHMR8412	288
RCEAL224884	146	RCFS6432W(L/R)M	369	RDHMH7222	290	RDHMR8414	288
RCEAL224896	146	RCFS6432W(L/R)W	375	RDHMH7230	290	RDHMR8420	288
RCEAR223660	146	RCFS6432X(L/R)M	369	RDHMH7240	290	RDHMR8422	288

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RDHMR8423	288	RDTCDFM(L/R)6030	259	REBA7242	149	RFTCWB3748	120
RDHMR8430	288	RDTCDFM(L/R)6036	259	REBA7848	149	RFTCWS21S	125
RDHMR8440	288	RDTCDFM(L/R)6630	259	REBA(A/B/C/D/E/F/G)A6030	167, 210	RFTCWS25S	125
RDHMR9010	288	RDTCDFM(L/R)6636	259	REBA(A/B/C/D/E/F/G)A7242	167, 210	RFTCWS37S	125
RDHMR9011	289	RDTCDFM(L/R)7230	259	REBA(A/B/C/D/E/F/G)A7848	167, 210	RFTCWT (Pair)	125
RDHMR9012	289	RDTCDFM(L/R)7236	259	REBAWA6030	186, 229	RCAB421	428
RDHMR9013	288	RDTCDFM(L/R)7830	259	REBAWA7242	186, 229	RCAB481	428
RDHMR9014	289	RDTCDFM(L/R)7836	259	REBAWA7848	186, 229	RCAB541	428
RDHMR9020	288	RDTCDFM(L/R)8430	259	REBH24	151, 186, 229	RCAB601	428
RDHMR9022	289	RDTCDFM(L/R)8436	259	REBH30	151, 186, 229	RCAB661	428
RDHMR9023	288	RDTCPC(L/R)6630	257	REDH12F	279	RCAB721	428
RDHMR9024	288	RDTCPC(L/R)6636	257	REDH15F	279	RCAB781	428
RDHMR9030	288	RDTCPC(L/R)7230	257	REDH19F	279	RCAB841	428
RDHMR9040	288	RDTCPC(L/R)7236	257	REDH23F	279	RCAB901	428
RDHMR9610	288	RDTCPC(L/R)7830	257	REDH29F	279	RCAB961	428
RDHMR9611	289	RDTCPC(L/R)7836	257	REDH30	280	RCAF622	428
RDHMR9612	289	RDTCPC(L/R)8430	257	REDH36	280	RCAF623	428
RDHMR9613	289	RDTCPC(L/R)8436	257	REDHBH124	281	RCAF682	428
RDHMR9614	289	RDTCPC(L/R)9030	257	REDHBH130	281	RCAF683	428
RDHMR9620	288	RDTCPC(L/R)9036	257	RFDR30	449	RCAF742	428
RDHMR9622	289	RDTCPC(L/R)9630	257	RFDR36	449	RCAF743	428
RDHMR9623	289	RDTCPC(L/R)9636	257	RFDR42	449	RCAF802	428
RDHMR9624	289	RDTCST(L/R)6630	258	RFDR48	449	RCAF803	428
RDHMR9630	288	RDTCST(L/R)6636	258	RFDR60	449	RCAF862	428
RDHMR9633	289	RDTCST(L/R)7230	258	RFDR72	449	RCAF863	428
RDHMR9640	288	RDTCST(L/R)7236	258	RFDR84	449	RCAF922	428
RDHPM26	292	RDTCST(L/R)7830	258	RFDR96	449	RCAF923	428
RDHPM32	292	RDTCST(L/R)7836	258	RFTCC108	125	RCAF982	428
RDHPM38	292	RDTCST(L/R)8430	258	RFTCCCLIPS	125	RCAF983	428
RDHPM44	292	RDTCST(L/R)8436	258	RFTCDR (Pair)	125	RCAL431	430
RDHPM50	292	RDTCST(L/R)9030	258	RFTCC1 (Pair)	125	RCAL432	430
RDHPM56	292	RDTCST(L/R)9036	258	RFTCSM (Pair) for G2 only	125	RCAL433	430
RDHPM62	292	RDTCST(L/R)9630	258	RFTCSPACE	125	RCAL491	430
RDHPM68	292	RDTCST(L/R)9636	258	RFTCWA2118	118	RCAL492	430
RDHPM74	292	RDTCGW3142	382	RFTCWA2120	118	RCAL493	430
RDSP6030J(A,B,W)	432	RDTCGW3156	382	RFTCWA2124	118	RCAL551	430
RDSP6036J(A,B,W)	432	RDTCGW6142	382	RFTCWA2130	118	RCAL552	430
RDSP7230J(A,B,W)	432	RDTCGW6156	382	RFTCWA2136	118	RCAL553	430
RDSP7236J(A,B,W)	432	RDTDHW3142	381	RFTCWA2142	118	RCAL611	430
RDSP8430J(A,B,W)	432	RDTDHW3156	381	RFTCWA2148	118	RCAL612	430
RDSP8436J(A,B,W)	432	RDTDHW6142	381	RFTCWA2518	119	RCAL613	430
RDSP9630J(A,B,W)	432	RDTDHW6156	381	RFTCWA2520	119	RCAL671	430
RDSP9636J(A,B,W)	432	RDTE22120	442	RFTCWA2524	119	RCAL672	430
RDTAGC3142(L/R)	382	RDTE2272	442	RFTCWA2530	119	RCAL673	430
RDTAGC3156(L/R)	382	RDTE22H	442	RFTCWA2536	119	RCAL731	430
RDTAGG6142(L/R)	382	RDTSBWG142	378	RFTCWA2542	119	RCAL732	430
RDTAGG6156(L/R)	382	RDTSBWG156	378	RFTCWA2548	119	RCAL733	430
RDTAGW3142(L/R)	382	RDTSBWT142	378	RFTCWA3718	120	RCAL791	430
RDTAGW3156(L/R)	382	RDTSBWT156	378	RFTCWA3720	120	RCAL792	430
RDTAGW6142(L/R)	382	RDTSGWG142(L/R)	380	RFTCWA3724	120	RCAL793	430
RDTAGW6156(L/R)	382	RDTSGWG156(L/R)	380	RFTCWA3730	120	RCAL851	430
RDTAHC3142(L/R)	383	RDTSGWT142(L/R)	380	RFTCWA3736	120	RCAL852	430
RDTAHC3156(L/R)	383	RDTSGWT156(L/R)	380	RFTCWA3742	120	RCAL853	430
RDTAHG6142(L/R)	383	RDTSHWG142(L/R)	379	RFTCWA3748	120	RCAL911	430
RDTAHG6156(L/R)	383	RDTSHWG156(L/R)	379	RFTCWB2130	118	RCAL912	430
RDTAHW3142(L/R)	383	RDTSHWT142(L/R)	379	RFTCWB2136	118	RCAL913	430
RDTAHW3156(L/R)	383	RDTSHWT156(L/R)	379	RFTCWB2142	118	RCAL971	430
RDTAHW6142(L/R)	383	RE12F	277	RFTCWB2148	118	RCAL972	430
RDTAHW6156(L/R)	383	RE15F	277	RFTCWB2530	119	RCAL973	430
RDTDBW3142	381	RE19F	277	RFTCWB2536	119	RCAR431	429
RDTDBW3156	381	RE23F	277	RFTCWB2542	119	RCAR432	429
RDTDBW6142	381	RE29F	277	RFTCWB2548	119	RCAR433	429
RDTDBW6156	381	RE30	277	RFTCWB3730	120	RCAR491	429
RDTDCFM(L/R)5430	259	RE36	277	RFTCWB3736	120	RCAR492	429
RDTDCFM(L/R)5436	259	REBA6030	149	RFTCWB3742	120	RCAR493	429

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCAR551	429	RKA 363621	140	RMBA(A/B/C/D/E/F/G)A8436	167, 210	RMDAWF7230	183, 226
RCAR552	429	RKA 363622	139	RMBA(A/B/C/D/E/F/G)A9630	167, 210	RMDAWF7236	183, 226
RCAR553	429	RKA 364211	139	RMBA(A/B/C/D/E/F/G)A9636	167, 210	RMDAWF7830	183, 226
RCAR611	429	RKA 364212	139	RMBAWA7230	185, 228	RMDAWF7836	183, 226
RCAR612	429	RKA 364221	140	RMBAWA7236	185, 228	RMDAWF8430	183, 226
RCAR613	429	RKA 364222	139	RMBAWA8430	185, 228	RMDAWF8436	183, 226
RCAR671	429	RKA 364811	139	RMBAWA8436	185, 228	RMDAWF9030	183, 226
RCAR672	429	RKA 364812	139	RMBAWA9630	185, 228	RMDAWF9036	183, 226
RCAR673	429	RKA 364821	140	RMBAWA9636	185, 228	RMDAWF9630	183, 226
RCAR731	429	RKA 364822	139	RMDA4221	149	RMDAWF9636	183, 226
RCAR732	429	RKA 423611	139	RMDA4230	147	RMPA4230	148
RCAR733	429	RKA 423612	139	RMDA4236	147	RMPA4836	148
RCAR791	429	RKA 423621	140	RMDA4830	147	RMPA8430	149
RCAR792	429	RKA 423622	139	RMDA4836	147	RMPA9630	149
RCAR793	429	RKA 424211	139	RMDA5025	149	RMPA(A/B/C/D/E/F/G)F4230	166, 209
RCAR851	429	RKA 424212	139	RMDA5430	147	RMPA(A/B/C/D/E/F/G)F4836	166, 209
RCAR852	429	RKA 424221	140	RMDA5436	147	RMPA(A/B/C/D/E/F/G)F8430	166, 209
RCAR853	429	RKA 424222	139	RMDA6030	147	RMPA(A/B/C/D/E/F/G)F9630	166, 209
RCAR911	429	RKA 424811	139	RMDA6036	147	RMPAWF4230	183, 226
RCAR912	429	RKA 424812	139	RMDA6630	147	RMPAWF8430	184, 227
RCAR913	429	RKA 424821	140	RMDA6636	147	RMPAWF9630	184, 227
RCAR971	429	RKA 424822	139	RMDA7230	147	RMPU	315
RCAR972	429	RKA 483611	139	RMDA7236	147	RMSCB	273
RCAR973	429	RKA 483612	139	RMDA7830	147	RO1-GB	417
RCMD6	133	RKA 483621	140	RMDA7836	147	RO1-HP12	414, 415
RCMD8	133	RKA 483622	139	RMDA8430	147	RO1-HP15	414, 415
RCMDE	133	RKA 484211	139	RMDA8436	147	RO1-HP6	414, 415
RGS60	428	RKA 484212	139	RMDA9030	147	RO1-HP9	414, 415
RGS66	428	RKA 484221	140	RMDA9036	147	RO1-PULL	417
RGS72	428	RKA 484222	139	RMDA9630	147	RO1-RCB	416
RGS78	428	RKA 484811	139	RMDA9636	147	RO1-RPB	416
RGS84	428	RKA 484812	139	RMDA(A/B/C/D/E/F/G)F4221	166, 209	RO1-WMF2	417
RGS90	428	RKA 484821	140	RMDA(A/B/C/D/E/F/G)F4230	165, 208	RO1-WMF3	417
RGS96	428	RKA 484822	139	RMDA(A/B/C/D/E/F/G)F4236	165, 208	RO1-WMF4	417
RCTL4636	431	RKBA1020	439	RMDA(A/B/C/D/E/F/G)F4830	165, 208	RO3-N24	413
RCR4636	431	RKBA1022	439	RMDA(A/B/C/D/E/F/G)F4836	165, 208	RO3-N30	413
RHSCN15	117	RKT31	439	RMDA(A/B/C/D/E/F/G)F5025	166, 209	RO3-N36	413
RHSCN250	117	RLCCT301	320	RMDA(A/B/C/D/E/F/G)F5430	165, 208	RO3-N42	413
RHSCN70	117	RLCCT361	320	RMDA(A/B/C/D/E/F/G)F5436	165, 208	RO3-N48	413
RIB24T	282	RLCCT601	320	RMDA(A/B/C/D/E/F/G)F6030	165, 208	RO3-N60	413
RIB28X	283	RLCCT721	320	RMDA(A/B/C/D/E/F/G)F6036	165, 208	RO3-N66	413
RIB32X	283	RM111J	295, 300	RMDA(A/B/C/D/E/F/G)F6630	165, 208	RO3-N72	413
RIBDH24T	285	RM112J	295, 300	RMDA(A/B/C/D/E/F/G)F6636	165, 208	RO3-ON30	415
RIBDH28X	285	RM212J	295, 300	RMDA(A/B/C/D/E/F/G)F7230	165, 208	RO3-ON36	415
RIBDH32X	285	RM212K	295, 300	RMDA(A/B/C/D/E/F/G)F7236	165, 208	RO3-ON42	415
RJBU24	442	RM9A4230	148	RMDA(A/B/C/D/E/F/G)F7830	165, 208	RO3-ON48	415
RJBU30	442	RM9A4836	148	RMDA(A/B/C/D/E/F/G)F7836	165, 208	RO3-ON60	415
RJBU36	442	RM9A8430	148	RMDA(A/B/C/D/E/F/G)F8430	165, 208	RO3-ON72	415
RJBU42	442	RM9A9630	148	RMDA(A/B/C/D/E/F/G)F8436	165, 208	RO3-VP	415
RJBU48	442	RM9A(A/B/C/D/E/F/G)F4230	165, 208	RMDA(A/B/C/D/E/F/G)F9030	165, 208	ROAF60S0DH	398
RJBU54	442	RM9A(A/B/C/D/E/F/G)F4836	165, 208	RMDA(A/B/C/D/E/F/G)F9036	165, 208	ROAF60S0()	388
RJBU60	442	RM9A(A/B/C/D/E/F/G)F8430	166, 209	RMDA(A/B/C/D/E/F/G)F9630	165, 208	ROAF60S1DH	398
RJBU66	442	RM9A(A/B/C/D/E/F/G)F9630	166, 209	RMDA(A/B/C/D/E/F/G)F9636	165, 208	ROAF60S1()	388
RJBU72	442	RM9AWF4230	183, 226	RMDAWF4221	184, 227	ROAF72S0DH	398
RJBW24	442	RM9AWF8430	184, 227	RMDAWF4230	183, 226	ROAF72S0()	388
RJBW30	442	RM9AWF9630	184, 227	RMDAWF4236	183, 226	ROAF72S1DH	398
RJBW36	442	RMB(A)7230	150	RMDAWF4830	183, 226	ROAF72S1()	388
RJBW42	442	RMB(A)7236	150	RMDAWF4836	183, 226	ROAF84S0DH	398
RJBW48	442	RMB(A)8430	150	RMDAWF5025	184, 227	ROAF84S0()	388
RJBW54	442	RMB(A)8436	150	RMDAWF5430	183, 226	ROAF84S1DH	398
RJBW60	442	RMB(A)9630	150	RMDAWF5436	183, 226	ROAF84S1()	388
RJBW66	442	RMB(A)9636	150	RMDAWF6030	183, 226	ROAF96S0DH	398
RJBW72	442	RMBA(A/B/C/D/E/F/G)A7230	167, 210	RMDAWF6036	183, 226	ROAF96S0()	388
RKA 363611	139	RMBA(A/B/C/D/E/F/G)A7236	167, 210	RMDAWF6630	183, 226	ROAF96S1DH	398
RKA 363612	139	RMBA(A/B/C/D/E/F/G)A8430	167, 210	RMDAWF6636	183, 226	ROAF96S1()	388

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROAH60T0DH	397	ROBO60T0()	389	ROCHCDHP421	410	ROCOCSHP721	404
ROAH60T0()	388	ROBO60T1DH	399	ROCHCDHP481	410	ROCOCSHP781	404
ROAH60T1DH	397	ROBO60T1()	389	ROCHCDHP541	410	ROCOCSHP841	404
ROAH60T1()	388	ROBO72T0DH	399	ROCHCDHP601	410	ROCOCSHP901	404
ROAH72T0DH	397	ROBO72T0()	389	ROCHCDHP661	410	ROCOCSHP961	404
ROAH72T0()	388	ROBO72T1DH	399	ROCHCDHP721	410	ROHDR30	449
ROAH72T1DH	397	ROBO72T1()	389	ROCHCDHP781	410	ROHDR36	449
ROAH72T1()	388	ROBO90T0DH	399	ROCHCDHP841	410	ROHDR42	449
ROAH90T0DH	397	ROBO90T0()	389	ROCHCDHP901	410	ROHDR48	449
ROAH90T0()	388	ROBO90T1DH	399	ROCHCDHP961	410	ROHDR60	449
ROAH90T1DH	397	ROBO90T1()	389	ROCHCSHP301	405	ROHDR72	449
ROAH90T1()	388	ROBO96T0DH	399	ROCHCSHP361	405	ROHDR90	449
ROAH96T0DH	397	ROBO96T0()	389	ROCHCSHP421	405	ROHDR96	449
ROAH96T0()	388	ROBO96T1DH	399	ROCHCSHP481	405	ROMCGDHP301	409
ROAH96T1DH	397	ROBO96T1()	389	ROCHCSHP541	405	ROMCGDHP361	409
ROAH96T1()	388	ROCCGDHP301	412	ROCHCSHP601	405	ROMCGDHP421	409
ROAO60T0DH	397	ROCCGDHP361	412	ROCHCSHP661	405	ROMCGDHP481	409
ROAO60T0()	388	ROCCGDHP421	412	ROCHCSHP721	405	ROMCGDHP541	409
ROAO60T1DH	397	ROCCGDHP481	412	ROCHCSHP781	405	ROMCGDHP601	409
ROAO60T1()	388	ROCCGDHP541	412	ROCHCSHP841	405	ROMCGDHP661	409
ROAO72T0DH	397	ROCCGDHP601	412	ROCHCSHP901	405	ROMCGDHP721	409
ROAO72T0()	388	ROCCGDHP661	412	ROCHCSHP961	405	ROMCGDHP781	409
ROAO72T1DH	397	ROCCGDHP721	412	ROCHDHP301	410	ROMCGDHP841	409
ROAO72T1()	388	ROCCGDHP781	412	ROCHDHP361	410	ROMCGDHP901	409
ROAO90T0DH	397	ROCCGDHP841	412	ROCHDHP421	410	ROMCGDHP961	409
ROAO90T0()	388	ROCCGDHP901	412	ROCHDHP481	410	ROMCGSHP301	401
ROAO90T1DH	397	ROCCGDHP961	412	ROCHDHP541	410	ROMCGSHP361	401
ROAO90T1()	388	ROCCGSHP301	404	ROCHDHP601	410	ROMCGSHP421	401
ROAO96T0DH	397	ROCCGSHP361	404	ROCHDHP661	410	ROMCGSHP481	401
ROAO96T0()	388	ROCCGSHP421	404	ROCHDHP721	410	ROMCGSHP541	401
ROAO96T1DH	397	ROCCGSHP481	404	ROCHDHP781	410	ROMCGSHP601	401
ROAO96T1()	388	ROCCGSHP541	404	ROCHDHP841	410	ROMCGSHP661	401
ROBF60S0DH	400	ROCCGSHP601	404	ROCHDHP901	410	ROMCGSHP721	401
ROBF60S0()	389	ROCCGSHP661	404	ROCHDHP961	410	ROMCGSHP781	401
ROBF60S1DH	400	ROCCGSHP721	404	ROCHSHP301	405	ROMCGSHP841	401
ROBF60S1()	389	ROCCGSHP781	404	ROCHSHP361	405	ROMCGSHP901	401
ROBF72S0DH	400	ROCCGSHP841	404	ROCHSHP421	405	ROMCGSHP961	401
ROBF72S0()	389	ROCCGSHP901	404	ROCHSHP481	405	ROMDHMTF130RB	445
ROBF72S1DH	400	ROCCGSHP961	404	ROCHSHP541	405	ROMDHMTF130RL	445
ROBF72S1()	389	ROCGHCDHP301	411	ROCHSHP601	405	ROMDHMTF130RN	445
ROBF84S0DH	400	ROCGHCDHP361	411	ROCHSHP661	405	ROMDHMTF130RR	446
ROBF84S0()	389	ROCGHCDHP421	411	ROCHSHP721	405	ROMDHMTF136RB	445
ROBF84S1DH	400	ROCGHCDHP481	411	ROCHSHP781	405	ROMDHMTF136RL	445
ROBF84S1()	389	ROCGHCDHP541	411	ROCHSHP841	405	ROMDHMTF136RN	445
ROBF96S0DH	400	ROCGHCDHP601	411	ROCHSHP901	405	ROMDHMTF136RR	446
ROBF96S0()	389	ROCGHCDHP661	411	ROCHSHP961	405	ROMDHMTF142RB	445
ROBF96S1DH	400	ROCGHCDHP721	411	ROCOCDHP301	412	ROMDHMTF142RL	445
ROBF96S1()	389	ROCGHCDHP781	411	ROCOCDHP361	412	ROMDHMTF142RN	445
ROBH60T0DH	399	ROCGHCDHP841	411	ROCOCDHP421	412	ROMDHMTF142RR	446
ROBH60T0()	389	ROCGHCDHP901	411	ROCOCDHP481	412	ROMDHMTF148RB	445
ROBH60T1DH	399	ROCGHCDHP961	411	ROCOCDHP541	412	ROMDHMTF148RL	445
ROBH60T1()	389	ROCGHCSHP301	406	ROCOCDHP601	412	ROMDHMTF148RN	445
ROBH72T0DH	399	ROCGHCSHP361	406	ROCOCDHP661	412	ROMDHMTF148RR	446
ROBH72T0()	389	ROCGHCSHP421	406	ROCOCDHP721	412	ROMDHMTF154RB	445
ROBH72T1DH	399	ROCGHCSHP481	406	ROCOCDHP781	412	ROMDHMTF154RL	445
ROBH72T1()	389	ROCGHCSHP541	406	ROCOCDHP841	412	ROMDHMTF154RN	445
ROBH90T0DH	399	ROCGHCSHP601	406	ROCOCDHP901	412	ROMDHMTF154RR	446
ROBH90T0()	389	ROCGHCSHP661	406	ROCOCDHP961	412	ROMDHMTF160RB	445
ROBH90T1DH	399	ROCGHCSHP721	406	ROCOCSHP301	404	ROMDHMTF160RL	445
ROBH90T1()	389	ROCGHCSHP781	406	ROCOCSHP361	404	ROMDHMTF160RN	445
ROBH96T0DH	399	ROCGHCSHP841	406	ROCOCSHP421	404	ROMDHMTF160RR	446
ROBH96T0()	389	ROCGHCSHP901	406	ROCOCSHP481	404	ROMDHMTF166RB	445
ROBH96T1DH	399	ROCGHCSHP961	406	ROCOCSHP541	404	ROMDHMTF166RL	445
ROBH96T1()	389	ROCHCDHP301	410	ROCOCSHP601	404	ROMDHMTF166RN	445
ROBO60T0DH	399	ROCHCDHP361	410	ROCOCSHP661	404	ROMDHMTF166RR	446

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROMDHMTF172RB	445	ROMDHWTF196RL	447	ROMHSHP421	402	ROPS36S0NN	385
ROMDHMTF172RL	445	ROMDHWTF196RN	447	ROMHSHP481	402	ROPS42S0NN	385
ROMDHMTF172RN	445	ROMDHWTF196RR	448	ROMHSHP541	402	ROPS48S0NN	385
ROMDHMTF172RR	446	ROMGHCDHP301	408	ROMHSHP601	402	ROPS54S0NN	385
ROMDHMTF178RB	445	ROMGHCDHP361	408	ROMHSHP661	402	ROPS60S0NN	385
ROMDHMTF178RL	445	ROMGHCDHP421	408	ROMHSHP721	402	ROPS66S0NN	385
ROMDHMTF178RN	445	ROMGHCDHP481	408	ROMHSHP781	402	ROPS72S0NN	385
ROMDHMTF178RR	446	ROMGHCDHP541	408	ROMHSHP841	402	ROPS78S0NN	385
ROMDHMTF184RB	445	ROMGHCDHP601	408	ROMHSHP901	402	ROPS84S0NN	385
ROMDHMTF184RL	445	ROMGHCDHP661	408	ROMHSHP961	402	ROPS90S0NN	385
ROMDHMTF184RN	445	ROMGHCDHP721	408	ROMOCDHP301	409	ROPS96S0NN	385
ROMDHMTF184RR	446	ROMGHCDHP781	408	ROMOCDHP361	409	ROSDH821	396
ROMDHMTF190RB	445	ROMGHCDHP841	408	ROMOCDHP421	409	ROSSH681	396
ROMDHMTF190RL	445	ROMGHCDHP901	408	ROMOCDHP481	409	ROWH60S0DH	394
ROMDHMTF190RN	445	ROMGHCDHP961	408	ROMOCDHP541	409	ROWH60S0()	386
ROMDHMTF190RR	446	ROMGHCSHP301	403	ROMOCDHP601	409	ROWH60S1DH	394
ROMDHMTF196RB	445	ROMGHCSHP361	403	ROMOCDHP661	409	ROWH60S1()	386
ROMDHMTF196RL	445	ROMGHCSHP421	403	ROMOCDHP721	409	ROWH60T0DH	395
ROMDHMTF196RN	445	ROMGHCSHP481	403	ROMOCDHP781	409	ROWH60T0()	386
ROMDHMTF196RR	446	ROMGHCSHP541	403	ROMOCDHP841	409	ROWH60T1DH	395
ROMDHWTF130RB	447	ROMGHCSHP601	403	ROMOCDHP901	409	ROWH60T1()	386
ROMDHWTF130RL	447	ROMGHCSHP661	403	ROMOCDHP961	409	ROWH72S0DH	394
ROMDHWTF130RN	447	ROMGHCSHP721	403	ROMOCSHP301	401	ROWH72S0()	386
ROMDHWTF130RR	448	ROMGHCSHP781	403	ROMOCSHP361	401	ROWH72S1DH	394
ROMDHWTF136RB	447	ROMGHCSHP841	403	ROMOCSHP421	401	ROWH72S1()	386
ROMDHWTF136RL	447	ROMGHCSHP901	403	ROMOCSHP481	401	ROWH72T0DH	395
ROMDHWTF136RN	447	ROMGHCSHP961	403	ROMOCSHP541	401	ROWH72T0()	386
ROMDHWTF136RR	448	ROMHCDHP301	407	ROMOCSHP601	401	ROWH72T1DH	395
ROMDHWTF142RB	447	ROMHCDHP361	407	ROMOCSHP661	401	ROWH72T1()	386
ROMDHWTF142RL	447	ROMHCDHP421	407	ROMOCSHP721	401	ROWH90S0DH	394
ROMDHWTF142RN	447	ROMHCDHP481	407	ROMOCSHP781	401	ROWH90S0()	386
ROMDHWTF142RR	448	ROMHCDHP541	407	ROMOCSHP841	401	ROWH90S1DH	394
ROMDHWTF148RB	447	ROMHCDHP601	407	ROMOCSHP901	401	ROWH90S1()	386
ROMDHWTF148RL	447	ROMHCDHP661	407	ROMOCSHP961	401	ROWH90T0DH	395
ROMDHWTF148RN	447	ROMHCDHP721	407	ROPF30S0J	385	ROWH90T0()	386
ROMDHWTF148RR	448	ROMHCDHP781	407	ROPF36S0J	385	ROWH90T1DH	395
ROMDHWTF154RB	447	ROMHCDHP841	407	ROPF42S0J	385	ROWH90T1()	386
ROMDHWTF154RL	447	ROMHCDHP901	407	ROPF48S0J	385	ROWH96S0DH	394
ROMDHWTF154RN	447	ROMHCDHP961	407	ROPF60S0J	385	ROWH96S0()	386
ROMDHWTF154RR	448	ROMHCSHP301	402	ROPF72S0J	385	ROWH96S1DH	394
ROMDHWTF160RB	447	ROMHCSHP361	402	ROPF84S0J	385	ROWH96S1()	386
ROMDHWTF160RL	447	ROMHCSHP421	402	ROPF96S0J	385	ROWH96T0DH	395
ROMDHWTF160RN	447	ROMHCSHP481	402	ROPH30S0()	384	ROWH96T0()	386
ROMDHWTF160RR	448	ROMHCSHP541	402	ROPH36S0()	384	ROWH96T1DH	395
ROMDHWTF166RB	447	ROMHCSHP601	402	ROPH60S0()	384	ROWH96T1()	386
ROMDHWTF166RL	447	ROMHCSHP661	402	ROPH60T0()	384	ROWO60S0DH	392
ROMDHWTF166RN	447	ROMHCSHP721	402	ROPH72S0()	384	ROWO60S0()	386
ROMDHWTF166RR	448	ROMHCSHP781	402	ROPH72T0()	384	ROWO60S1DH	392
ROMDHWTF172RB	447	ROMHCSHP841	402	ROPH90S0()	384	ROWO60S1()	386
ROMDHWTF172RL	447	ROMHCSHP901	402	ROPH90T0()	384	ROWO60T0DH	393
ROMDHWTF172RN	447	ROMHCSHP961	402	ROPH96S0()	384	ROWO60T0()	386
ROMDHWTF172RR	448	ROMHDHP301	407	ROPH96T0()	384	ROWO60T1DH	393
ROMDHWTF178RB	447	ROMHDHP361	407	ROPO30S0()	384	ROWO60T1()	386
ROMDHWTF178RL	447	ROMHDHP421	407	ROPO36S0()	384	ROWO72S0DH	392
ROMDHWTF178RN	447	ROMHDHP481	407	ROPO42S0()	384	ROWO72S0()	386
ROMDHWTF178RR	448	ROMHDHP541	407	ROPO48S0()	384	ROWO72S1DH	392
ROMDHWTF184RB	447	ROMHDHP601	407	ROPO60S0()	384	ROWO72S1()	386
ROMDHWTF184RL	447	ROMHDHP661	407	ROPO60T0()	384	ROWO72T0DH	393
ROMDHWTF184RN	447	ROMHDHP721	407	ROPO72S0()	384	ROWO72T0()	386
ROMDHWTF184RR	448	ROMHDHP781	407	ROPO72T0()	384	ROWO72T1DH	393
ROMDHWTF190RB	447	ROMHDHP841	407	ROPO90S0()	384	ROWO72T1()	386
ROMDHWTF190RL	447	ROMHDHP901	407	ROPO90T0()	384	ROWO90S0DH	392
ROMDHWTF190RN	447	ROMHDHP961	407	ROPO96S0()	384	ROWO90S0()	386
ROMDHWTF190RR	448	ROMHSHP301	402	ROPO96T0()	384	ROWO90S1DH	392
ROMDHWTF196RB	447	ROMHSHP361	402	ROPS30S0NN	385	ROWO90S1()	386

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROW090T0DH	393	RP301E(L/R)	313	RPB262K	297, 302	RPTDLPC(L/R)6030	241
ROW090T0()	386	RP301K	304, 309	RPB262L	297, 302	RPTDLPC(L/R)6036	241
ROW090T1DH	393	RP301L	306, 310	RPB262M	298, 303	RPTDLPC(L/R)6630	241
ROW090T1()	386	RP301M	305, 309	RPCB16	314	RPTDLPC(L/R)6636	241
ROW096S0DH	392	RP301R	312, 313	RPCB19	314	RPTDLPC(L/R)7230	241
ROW096S0()	386	RP301S	312, 313	RPCB30	314	RPTDLPC(L/R)7236	241
ROW096S1DH	392	RP301T	312, 313	RPCB36	314	RPTDLPC(L/R)7830	241
ROW096S1()	386	RP302A	312, 313	RPD11	444	RPTDLPC(L/R)7836	241
ROW096T0DH	393	RP302E(L/R)	313	RPD14	444	RPTDLPC(L/R)8430	241
ROW096T0()	386	RP302K	304, 309	RPDHB16	306, 310	RPTDLPC(L/R)8436	241
ROW096T1DH	393	RP302L	306, 310	RPDHB19	306, 310	RPTDLST(L/R)6030	242
ROW096T1()	386	RP302M	305, 309	RPDHB30	306, 310	RPTDLST(L/R)6036	242
RP161J	304, 309	RP302R	312, 313	RPDHB36	306, 310	RPTDLST(L/R)6630	242
RP161K	304, 309	RP302S	312, 313	RPDHC42MF	314	RPTDLST(L/R)6636	242
RP161L(L/R)	306, 310	RP302T	312, 313	RPDHC48MF	314	RPTDLST(L/R)7230	242
RP161M	305, 309	RP361A	312, 313	RPDHC54MF	314	RPTDLST(L/R)7236	242
RP161R	312, 313	RP361E(L/R)	313	RPDHC60MF	314	RPTDLST(L/R)7830	242
RP162J	304, 309	RP361K	304, 309	RPDHC66MF	314	RPTDLST(L/R)7836	242
RP162K	304, 309	RP361L	306, 310	RPDHC72MF	314	RPTDLST(L/R)8430	242
RP162L(L/R)	306, 310	RP361M	305, 309	RPDHC78MF	314	RPTDLST(L/R)8436	242
RP162M	305, 309	RP361R	312, 313	RPDHC84MF	314	RPTDOFM(L/R)4830	252
RP162R	312, 313	RP361S	312, 313	RPDHC90MF	314	RPTDOFM(L/R)4836	252
RP163J	304, 309	RP361T	312, 313	RPDHC96MF	314	RPTDOFM(L/R)5430	252
RP163K	304, 309	RP362A	312, 313	RPETAD	444	RPTDOFM(L/R)5436	252
RP163L(L/R)	306, 310	RP362E(L/R)	313	RPETRAY3C	444	RPTDOFM(L/R)6030	252
RP163M	305, 309	RP362K	304, 309	RPETRAY3N	444	RPTDOFM(L/R)6036	252
RP191J	308, 311	RP362L	306, 310	RPFC6	314	RPTDOFM(L/R)6630	252
RP191K	308, 311	RP362M	305, 309	RPHCHH	443	RPTDOFM(L/R)6636	252
RP191R	312, 313	RP362R	312, 313	RPHCHT	443	RPTDOFM(L/R)7230	252
RP192J	308, 311	RP362S	312, 313	RPHL3442(F/T)	114	RPTDOFM(L/R)7236	252
RP192K	308, 311	RP362T	312, 313	RPHL3449(F/T)	114	RPTDOFM(L/R)7830	252
RP192R	312, 313	RPAB16	295, 300	RPHL3464(F/T)	114	RPTDOFM(L/R)7836	252
RP193J	308, 311	RPAB19	295, 300	RPHL3479(F/T)	114	RPTDOFM(L/R)8430	252
RP193K	308, 311	RPAB30	295, 300	RPHL4249(F/T)	114	RPTDOFM(L/R)8436	252
RP211J	293, 299	RPAB36	295, 300	RPHL4249S	114	RPTDOPC(L/R)6030	250
RP211K	293, 299	RPAD	439	RPHL4264(F/T)	114	RPTDOPC(L/R)6036	250
RP211L(L/R)	294, 299	RPADSS	443	RPHL4264S	114	RPTDOPC(L/R)6630	250
RP211M	294, 300	RPAHFB16	443	RPHL4279(F/T)	114	RPTDOPC(L/R)6636	250
RP212J	293, 299	RPAHFB30	443	RPHL4279S	114	RPTDOPC(L/R)7230	250
RP212K	293, 299	RPAHFB36	443	RPHL4964(F/T)	114	RPTDOPC(L/R)7236	250
RP212L(L/R)	294, 299	RPAHFM162	443	RPHL4964S	114	RPTDOPC(L/R)7830	250
RP212M	294, 300	RPAHFM30	443	RPHL4979(F/T)	114	RPTDOPC(L/R)7836	250
RP213J	293, 299	RPAHFM36	443	RPHL4979S	114	RPTDOPC(L/R)8430	250
RP213K	293, 299	RPAPT	444	RPHL6479(F/T)	114	RPTDOPC(L/R)8436	250
RP213L(L/R)	294, 299	RPB211J	297, 302	RPHL6479S	114	RPTDOST(L/R)6030	251
RP213M	294, 300	RPB211K	297, 302	RPHTB3024	443	RPTDOST(L/R)6036	251
RP221J	296, 301	RPB211L(L/R)	297, 302	RPHTB4224	443	RPTDOST(L/R)6630	251
RP221K	296, 301	RPB211M	298, 303	RPHWB3024	443	RPTDOST(L/R)6636	251
RP222J	296, 301	RPB212J	297, 302	RPHWB4224	443	RPTDOST(L/R)7230	251
RP222K	296, 301	RPB212K	297, 302	RPTDCFM8430	256	RPTDOST(L/R)7236	251
RP223J	296, 301	RPB212L(L/R)	297, 302	RPTDCFM9630	256	RPTDOST(L/R)7830	251
RP223K	296, 301	RPB212M	298, 303	RPTDLFM(L/R)4830	243	RPTDOST(L/R)7836	251
RP231K	293, 299	RPB213J	297, 302	RPTDLFM(L/R)4836	243	RPTDOST(L/R)8430	251
RP231L	294, 299	RPB213K	297, 302	RPTDLFM(L/R)5430	243	RPTDOST(L/R)8436	251
RP231M	294, 300	RPB213L(L/R)	297, 302	RPTDLFM(L/R)5436	243	RPTDRFM(L/R)4830	246
RP232K	293, 299	RPB213M	298, 303	RPTDLFM(L/R)6030	243	RPTDRFM(L/R)4836	246
RP232L	294, 299	RPB231K	297, 302	RPTDLFM(L/R)6036	243	RPTDRFM(L/R)5430	246
RP232M	294, 300	RPB231L	297, 302	RPTDLFM(L/R)6630	243	RPTDRFM(L/R)5436	246
RP261K	293, 299	RPB231M	298, 303	RPTDLFM(L/R)6636	243	RPTDRFM(L/R)6030	246
RP261L	294, 299	RPB232K	297, 302	RPTDLFM(L/R)7230	243	RPTDRFM(L/R)6036	246
RP261M	294, 300	RPB232L	297, 302	RPTDLFM(L/R)7236	243	RPTDRFM(L/R)6630	246
RP262K	293, 299	RPB232M	298, 303	RPTDLFM(L/R)7830	243	RPTDRFM(L/R)6636	246
RP262L	294, 299	RPB261K	297, 302	RPTDLFM(L/R)7836	243	RPTDRFM(L/R)7230	246
RP262M	294, 300	RPB261L	297, 302	RPTDLFM(L/R)8430	243	RPTDRFM(L/R)7236	246
RP301A	312, 313	RPB261M	298, 303	RPTDLFM(L/R)8436	243	RPTDRFM(L/R)7830	246

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RPTDRFM(L/R)7836	246	RR3CHI241	130	RR3-EJ84P	127	RR3-TJ36P	129
RPTDRFM(L/R)8430	246	RR3CHI242	130	RR3-EJ90P	127	RR3-TJ42	129
RPTDRFM(L/R)8436	246	RR3CHI301	130	RR3-EJ96P	127	RR3-TJ42P	129
RPTDRPC(L/R)6030	244	RR3CHI302	130	RR3-EPC	126	RR3-TJ48	129
RPTDRPC(L/R)6036	244	RR3CHI361	130	RR3-EPC24	126	RR3TJ48	132
RPTDRPC(L/R)6630	244	RR3CHI362	130	RR3-EPCP	126	RR3-TJ48P	129
RPTDRPC(L/R)6636	244	RR3CHI421	130	RR3-EPCP24	126	RR3-TJ54P	129
RPTDRPC(L/R)7230	244	RR3CHI422	130	RR3-EPCPS	126	RR3-TJ60P	129
RPTDRPC(L/R)7236	244	RR3CHI481	130	RR3-EPCS	126	RR3TJ60P	132
RPTDRPC(L/R)7830	244	RR3CHI482	130	RR3-EPI	127	RR3-TJ66P	129
RPTDRPC(L/R)7836	244	RR3-DA	126, 128	RR3-EPNY1	127	RR3TJ66P	132
RPTDRPC(L/R)8430	244	RR3-DATSHD	126, 128	RR3-EPNY2	127	RR3-TJ72P	129
RPTDRPC(L/R)8436	244	RR3-DB	126, 128	RR3-EPVR	113, 127	RR3TJ72P	132
RPTDRST(L/R)6030	245	RR3-DC	128	RR3-EVJ	136	RR3-TJ78P	129
RPTDRST(L/R)6036	245	RR3-DICON	133	RR3EVJ110	136	RR3-TJ84P	129
RPTDRST(L/R)6630	245	RR3-DX	126, 128	RR3EVJ82	136	RR3-TJ90P	129
RPTDRST(L/R)6636	245	RR3-DXO	126, 128	RR3EVJ96	136	RR3-TJ96P	129
RPTDRST(L/R)7230	245	RR3-DY	126, 128	RR3-FB	133	RR3-TPC	128
RPTDRST(L/R)7236	245	RR3-DYO	126, 128	RR3FDP	135	RR3-TPC24	128
RPTDRST(L/R)7830	245	RR3-DZ	128	RR3-FE	133	RR3-TPCP	128
RPTDRST(L/R)7836	245	RR3-DZO	128	RR3-FOSC	133	RR3-TPCP24	128
RPTDRST(L/R)8430	245	RR3-E24	126	RR3-FOST	133	RR3-TPCPS	128
RPTDRST(L/R)8436	245	RR3-E24S	131	RR3-FV	133	RR3-TPCS	128
RPTDSFM(L/R)4830	249	RR3-E30NS	126	RR3-LTPC	131	RR3-TPI	129
RPTDSFM(L/R)4836	249	RR3-E30S	131	RR3-LTPC24	131	RR3-TPNY1	129
RPTDSFM(L/R)5430	249	RR3-E36NS	126	RR3-LTPCP	131	RR3-TPNY2	129
RPTDSFM(L/R)5436	249	RR3-E36S	131	RR3-MICON	133	RR3-TPVR	113, 129
RPTDSFM(L/R)6030	249	RR3-E42NS	126	RR3MP4	440	RR3TVJ	136
RPTDSFM(L/R)6036	249	RR3-E42S	131	RR3MP6	440	RR3TVJ110	136
RPTDSFM(L/R)6630	249	RR3-E48NS	126	RR3PICON	133	RR3TVJ82	136
RPTDSFM(L/R)6636	249	RR3-E48S	131	RR3-REPI	127	RR3TVJ96	136
RPTDSFM(L/R)7230	249	RR3-E60-4	126	RR3-RTPI	129	RR3VDA	135
RPTDSFM(L/R)7236	249	RR3-E66-4	126	RR3-SP-(A, B, C, X, Y, Z)	129	RR3VDB	135
RPTDSFM(L/R)7830	249	RR3-E72-4	126	RR3-SP-(A,B,X,Y)	127	RR3VDC	135
RPTDSFM(L/R)7836	249	RR3-EBBCL	131	RR3-ST	133	RR3VDX	135
RPTDSFM(L/R)8430	249	RR3-EBBCS	131	RR3-T24	128	RR3VDXO	135
RPTDSFM(L/R)8436	249	RR3EBVC50	135	RR3-T24S	131	RR3VDY	135
RPTDSPC(L/R)6030	247	RR3EBVC62	135	RR3-T30NS	128	RR3VDYO	135
RPTDSPC(L/R)6036	247	RR3EBVC64	135	RR3-T30S	131	RR3VDZ	135
RPTDSPC(L/R)6630	247	RR3EBVC76	135	RR3-T36NS	128	RR3VDZO	135
RPTDSPC(L/R)6636	247	RR3EBVC78	135	RR3-T36S	131	RR3VPBK	135
RPTDSPC(L/R)7230	247	RR3EBVC90	135	RR3-T42NS	128	RAA12036	152, 195
RPTDSPC(L/R)7236	247	RR3-EJ18	127	RR3-T42S	131	RAA12042	152, 195
RPTDSPC(L/R)7830	247	RR3-EJ18P	127	RR3-T48NS	128	RAA12048	152, 195
RPTDSPC(L/R)7836	247	RR3-EJ20	127	RR3-T48S	131	RAA14442	152, 195
RPTDSPC(L/R)8430	247	RR3-EJ20P	127	RR3-T60-4	128	RAA14448	152, 195
RPTDSPC(L/R)8436	247	RR3-EJ24	127	RR3-T66-4	128	RAA16842	152, 195
RPTDSST(L/R)6030	248	RR3-EJ24P	127	RR3-T72-4	128	RAA16848	152, 195
RPTDSST(L/R)6036	248	RR3-EJ30	127	RR3-TBBCL	131	RAA19242	152, 195
RPTDSST(L/R)6630	248	RR3-EJ30P	127	RR3-TBBCS	131	RAA19248	152, 195
RPTDSST(L/R)6636	248	RR3-EJ36	127	RR3TBVC50	135	RAA3636	152, 195
RPTDSST(L/R)7230	248	RR3-EJ36P	127	RR3TBVC62	135	RAA4242	152, 195
RPTDSST(L/R)7236	248	RR3-EJ42	127	RR3TBVC64	135	RAA4848	152, 195
RPTDSST(L/R)7830	248	RR3-EJ42P	127	RR3TBVC76	135	RAA6060	152, 195
RPTDSST(L/R)7836	248	RR3-EJ48	127	RR3TBVC78	135	RAA7230	152, 195
RPTDSST(L/R)8430	248	RR3EJ48	132	RR3TBVC90	135	RAA7236	152, 195
RPTDSST(L/R)8436	248	RR3-EJ48P	127	RR3-TJ18	129	RAA7272	152, 195
RR3-2PF	133	RR3-EJ54P	127	RR3-TJ18P	129	RAA8430	152, 195
RR3-3PF	133	RR3-EJ60P	127	RR3-TJ20	129	RAA8436	152, 195
RR3-BNC	133	RR3EJ60P	132	RR3-TJ20P	129	RAA8442	152, 195
RR3-C3C	133	RR3-EJ66P	127	RR3-TJ24	129	RAA9630	152, 195
RR3-C5C	133	RR3EJ66P	132	RR3-TJ24P	129	RAA9636	152, 195
RR3-C5C4A	133	RR3-EJ72P	127	RR3-TJ30	129	RAA9642	152, 195
RR3-C5C4B	133	RR3EJ72P	132	RR3-TJ30P	129	RAA9648	152, 195
RR3-C6C	133	RR3-EJ78P	127	RR3-TJ36	129	RAA(A/B/C/D/E/F/G)12036-(1/2/3)	169, 212

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RRA(A/B/C/D/E/F/G)12042-(1/2/3)	169, 212	RRLO20108	317	RROMWSD90CN	422	RSA902	137
RRA(A/B/C/D/E/F/G)12048-(1/2/3)	169, 212	RRLO2060	317	RROMWSDL60GB	423	RSA903	138
RRA(A/B/C/D/E/F/G)14442-(1/2/3)	169, 212	RRLO2072	317	RROMWSDL72GB	423	RSA961	137
RRA(A/B/C/D/E/F/G)14448-(1/2/3)	169, 212	RRLO2090	317	RROMWSDR60GB	423	RSA962	137
RRA(A/B/C/D/E/F/G)16842-(1/2/3)	169, 212	RRLCSGD20108	318	RROMWSDR72GB	423	RSA963	138
RRA(A/B/C/D/E/F/G)16848-(1/2/3)	169, 212	RRLCSGD2090	318	RRSP3624K(A,B,W)	434	RSA(A/B/C/D/E/F/G)A241	157, 200
RRA(A/B/C/D/E/F/G)19242-(1/2/3)	169, 212	RRLCSGDL2060	318	RRSP3630K(A,B,W)	434	RSA(A/B/C/D/E/F/G)A242	157, 200
RRA(A/B/C/D/E/F/G)19248-(1/2/3)	169, 212	RRLCSGDL2072	318	RRSP4224K(A,B,W)	434	RSA(A/B/C/D/E/F/G)A243	158, 201
RRA(A/B/C/D/E/F/G)3636-(1/2/3)	169, 212	RRLCSGDR2060	318	RRSP4230K(A,B,W)	434	RSA(A/B/C/D/E/F/G)A301	157, 200
RRA(A/B/C/D/E/F/G)4242-(1/2/3)	169, 212	RRLCSGDR2072	318	RRSP4824K(A,B,W)	434	RSA(A/B/C/D/E/F/G)A302	157, 200
RRA(A/B/C/D/E/F/G)4848-(1/2/3)	169, 212	RRLCSDW20108	319	RRSP4830K(A,B,W)	434	RSA(A/B/C/D/E/F/G)A303	158, 201
RRA(A/B/C/D/E/F/G)6060-(1/2/3)	169, 212	RRLCSDW2090	319	RRSP5424K(A,B,W)	434	RSA(A/B/C/D/E/F/G)A361	157, 200
RRA(A/B/C/D/E/F/G)7230-(1/2/3)	169, 212	RRLCSDWL2060	319	RRSP5430K(A,B,W)	434	RSA(A/B/C/D/E/F/G)A362	157, 200
RRA(A/B/C/D/E/F/G)7236-(1/2/3)	169, 212	RRLCSDWL2072	319	RRSP6024K(A,B,W)	434	RSA(A/B/C/D/E/F/G)A363	158, 201
RRA(A/B/C/D/E/F/G)7272-(1/2/3)	169, 212	RRLCSDWR2060	319	RRSP6030K(A,B,W)	434	RSA(A/B/C/D/E/F/G)A421	157, 200
RRA(A/B/C/D/E/F/G)8430-(1/2/3)	169, 212	RRLCSDWR2072	319	RSI-N30	414	RSA(A/B/C/D/E/F/G)A422	157, 200
RRA(A/B/C/D/E/F/G)8436-(1/2/3)	169, 212	RRML108	424	RSI-N36	414	RSA(A/B/C/D/E/F/G)A423	158, 201
RRA(A/B/C/D/E/F/G)8442-(1/2/3)	169, 212	RRML60	424	RSI-N42	414	RSA(A/B/C/D/E/F/G)A481	157, 200
RRA(A/B/C/D/E/F/G)9630-(1/2/3)	169, 212	RRML72	424	RSI-N48	414	RSA(A/B/C/D/E/F/G)A482	157, 200
RRA(A/B/C/D/E/F/G)9636-(1/2/3)	169, 212	RRML90	424	RSI-N60	414	RSA(A/B/C/D/E/F/G)A483	158, 201
RRA(A/B/C/D/E/F/G)9642-(1/2/3)	169, 212	RROCGSD108GB	419	RSI-RPB	416	RSA(A/B/C/D/E/F/G)A541	157, 200
RRAW12036-(1/2/3)	188, 231	RROCGSD90GB	419	RSI-VP	414	RSA(A/B/C/D/E/F/G)A542	157, 200
RRAW12042-(1/2/3)	188, 231	RROCGSDL60GB	419	RSI-WMF24	417	RSA(A/B/C/D/E/F/G)A543	158, 201
RRAW14442-(1/2/3)	188, 231	RROCGSDL72GB	419	RSI-WMF30	417	RSA(A/B/C/D/E/F/G)A601	157, 200
RRAW16842-(1/2/3)	188, 231	RROCGSDR60GB	419	RSI-WMF36	417	RSA(A/B/C/D/E/F/G)A602	157, 200
RRAW19242-(1/2/3)	188, 231	RROCGSDR72GB	419	RSI-WMF42	417	RSA(A/B/C/D/E/F/G)A603	158, 201
RRAW3636-(1/2/3)	188, 231	RROCOS108GB	420	RSI-WMF48	417	RSA(A/B/C/D/E/F/G)A604	158, 201
RRAW4242-(1/2/3)	188, 231	RROCOS60GB	420	RSI-WMF60	417	RSA(A/B/C/D/E/F/G)A661	157, 200
RRAW6060-(1/2/3)	188, 231	RROCOS72GB	420	RSA241	137	RSA(A/B/C/D/E/F/G)A662	157, 200
RRAW7230-(1/2/3)	188, 231	RROCOS90GB	420	RSA242	137	RSA(A/B/C/D/E/F/G)A663	158, 201
RRAW7236-(1/2/3)	188, 231	RROCWSD108GB	420	RSA243	138	RSA(A/B/C/D/E/F/G)A664	158, 201
RRAW7272-(1/2/3)	188, 231	RROCWSD90GB	420	RSA301	137	RSA(A/B/C/D/E/F/G)A721	157, 200
RRAW8430-(1/2/3)	188, 231	RROCWSDL60GB	420	RSA302	137	RSA(A/B/C/D/E/F/G)A722	157, 200
RRAW8436-(1/2/3)	188, 231	RROCWSDL72GB	420	RSA303	138	RSA(A/B/C/D/E/F/G)A723	158, 201
RRAW8442-(1/2/3)	188, 231	RROCWSDR60GB	420	RSA361	137	RSA(A/B/C/D/E/F/G)A724	158, 201
RRAW9630-(1/2/3)	188, 231	RROCWSDR72GB	420	RSA362	137	RSA(A/B/C/D/E/F/G)A781	157, 200
RRAW9636-(1/2/3)	188, 231	RROMGSD108GB	421	RSA363	138	RSA(A/B/C/D/E/F/G)A782	157, 200
RRAW9642-(1/2/3)	188, 231	RROMGSD108GN	421	RSA421	137	RSA(A/B/C/D/E/F/G)A783	158, 201
RRBRD2712	440	RROMGSD60CL	421	RSA422	137	RSA(A/B/C/D/E/F/G)A841	157, 200
RRD3FTCPPL(L/R)7936	116	RROMGSD60GR	421	RSA423	138	RSA(A/B/C/D/E/F/G)A842	157, 200
RRD3FTCPPL(L/R)7942	116	RROMGSD72GL	421	RSA481	137	RSA(A/B/C/D/E/F/G)A843	158, 201
RRD3PPL(L/R)7936	116	RROMGSD72GR	421	RSA482	137	RSA(A/B/C/D/E/F/G)A901	157, 200
RRD3PPL(L/R)7942	116	RROMGSD90GB	421	RSA483	138	RSA(A/B/C/D/E/F/G)A902	157, 200
RRDPPL(L/R)6436	116	RROMGSD90GN	421	RSA541	137	RSA(A/B/C/D/E/F/G)A903	158, 201
RRDPPL(L/R)6442	116	RROMGSDL60GB	421	RSA542	137	RSA(A/B/C/D/E/F/G)A961	157, 200
RRDTH	116	RROMGSDL72GB	421	RSA543	138	RSA(A/B/C/D/E/F/G)A962	157, 200
RRDTH(L/R)	116	RROMGSDR60GB	421	RSA601	137	RSA(A/B/C/D/E/F/G)A963	158, 201
RREP3624(A,B,W)(F,N)2	434	RROMGSDR72GB	421	RSA602	137	RSA(A/B/C/D/E/F/G)B241	159, 202
RREP3630(A,B,W)(F,N)2	434	RROMOS108GB	425	RSA603	138	RSA(A/B/C/D/E/F/G)B242	159, 202
RREP4224(A,B,W)(F,N)2	434	RROMOS108GN	425	RSA604	138	RSA(A/B/C/D/E/F/G)B301	159, 202
RREP4230(A,B,W)(F,N)2	434	RROMOS60GB	425	RSA661	137	RSA(A/B/C/D/E/F/G)B302	159, 202
RREP4824(A,B,W)(F,N)2	434	RROMOS60CL	425	RSA662	137	RSA(A/B/C/D/E/F/G)B361	159, 202
RREP4830(A,B,W)(F,N)2	434	RROMOS60GR	425	RSA663	138	RSA(A/B/C/D/E/F/G)B362	159, 202
RREP5424(A,B,W)(F,N)2	434	RROMOS72GB	425	RSA664	138	RSA(A/B/C/D/E/F/G)B421	159, 202
RREP5430(A,B,W)(F,N)2	434	RROMOS72GL	425	RSA721	137	RSA(A/B/C/D/E/F/G)B422	159, 202
RREP6024(A,B,W)(F,N)2	434	RROMOS72GR	425	RSA722	137	RSA(A/B/C/D/E/F/G)B481	159, 202
RREP6030(A,B,W)(F,N)2	434	RROMOS90GB	425	RSA723	138	RSA(A/B/C/D/E/F/G)B482	159, 202
RRLCFDC20108	316	RROMOS90GN	425	RSA724	138	RSA(A/B/C/D/E/F/G)F241	155, 198
RRLCFDC2090	316	RROMWSD108GB	422	RSA781	137	RSA(A/B/C/D/E/F/G)F242	155, 198
RRLCFDC20108	316	RROMWSD108GN	422	RSA782	137	RSA(A/B/C/D/E/F/G)F243	156, 199
RRLCFDC2090	316	RROMWSD60GL	422	RSA783	138	RSA(A/B/C/D/E/F/G)F301	155, 198
RRLCFDCL2060	316	RROMWSD60GR	422	RSA841	137	RSA(A/B/C/D/E/F/G)F302	155, 198
RRLCFDCL2072	316	RROMWSD72GL	422	RSA842	137	RSA(A/B/C/D/E/F/G)F303	156, 199
RRLCFDCL2060	316	RROMWSD72GR	422	RSA843	138	RSA(A/B/C/D/E/F/G)F361	155, 198
RRLCFDCL2072	316	RROMWSD90GB	422	RSA901	137	RSA(A/B/C/D/E/F/G)F362	155, 198

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSA(A/B/C/D/E/F/G)F363	156, 199	RSABA422	172, 215	RSAB841	174, 217	RSAL483	177, 220
RSA(A/B/C/D/E/F/G)F421	155, 198	RSABA423	173, 216	RSAB842	174, 217	RSAL541	176, 219
RSA(A/B/C/D/E/F/G)F422	155, 198	RSABA481	172, 215	RSAB843	175, 218	RSAL542	176, 219
RSA(A/B/C/D/E/F/G)F423	156, 199	RSABA482	172, 215	RSAB901	174, 217	RSAL543	177, 220
RSA(A/B/C/D/E/F/G)F481	155, 198	RSABA483	173, 216	RSAB902	174, 217	RSAL601	176, 219
RSA(A/B/C/D/E/F/G)F482	155, 198	RSABA541	172, 215	RSAB903	175, 218	RSAL602	176, 219
RSA(A/B/C/D/E/F/G)F483	156, 199	RSABA542	172, 215	RSAB961	174, 217	RSAL603	177, 220
RSA(A/B/C/D/E/F/G)F541	155, 198	RSABA543	173, 216	RSAB962	174, 217	RSAL604	177, 220
RSA(A/B/C/D/E/F/G)F542	155, 198	RSABA601	172, 215	RSAB963	175, 218	RSAL661	176, 219
RSA(A/B/C/D/E/F/G)F543	156, 199	RSABA602	172, 215	RSAF241	170, 213	RSAL662	176, 219
RSA(A/B/C/D/E/F/G)F601	155, 198	RSABA603	173, 216	RSAF242	170, 213	RSAL663	177, 220
RSA(A/B/C/D/E/F/G)F602	155, 198	RSABA604	173, 216	RSAF243	171, 214	RSAL664	177, 220
RSA(A/B/C/D/E/F/G)F603	156, 199	RSABA661	172, 215	RSAF301	170, 213	RSAL721	176, 219
RSA(A/B/C/D/E/F/G)F604	156, 199	RSABA662	172, 215	RSAF302	170, 213	RSAL722	176, 219
RSA(A/B/C/D/E/F/G)F661	155, 198	RSABA663	173, 216	RSAF303	171, 214	RSAL723	177, 220
RSA(A/B/C/D/E/F/G)F662	155, 198	RSABA664	173, 216	RSAF361	170, 213	RSAL724	177, 220
RSA(A/B/C/D/E/F/G)F663	156, 199	RSABA721	172, 215	RSAF362	170, 213	RSAL781	176, 219
RSA(A/B/C/D/E/F/G)F664	156, 199	RSABA722	172, 215	RSAF363	171, 214	RSAL782	176, 219
RSA(A/B/C/D/E/F/G)F721	155, 198	RSABA723	173, 216	RSAF421	170, 213	RSAL783	177, 220
RSA(A/B/C/D/E/F/G)F722	155, 198	RSABA724	173, 216	RSAF422	170, 213	RSAL841	176, 219
RSA(A/B/C/D/E/F/G)F723	156, 199	RSABA781	172, 215	RSAF423	171, 214	RSAL842	176, 219
RSA(A/B/C/D/E/F/G)F724	156, 199	RSABA782	172, 215	RSAF481	170, 213	RSAL843	177, 220
RSA(A/B/C/D/E/F/G)F781	155, 198	RSABA783	173, 216	RSAF482	170, 213	RSAL901	176, 219
RSA(A/B/C/D/E/F/G)F782	155, 198	RSABA841	172, 215	RSAF483	171, 214	RSAL902	176, 219
RSA(A/B/C/D/E/F/G)F783	156, 199	RSABA842	172, 215	RSAF541	170, 213	RSAL903	177, 220
RSA(A/B/C/D/E/F/G)F841	155, 198	RSABA843	173, 216	RSAF542	170, 213	RSAL961	176, 219
RSA(A/B/C/D/E/F/G)F842	155, 198	RSABA901	172, 215	RSAF543	171, 214	RSAL962	176, 219
RSA(A/B/C/D/E/F/G)F843	156, 199	RSABA902	172, 215	RSAF601	170, 213	RSAL963	177, 220
RSA(A/B/C/D/E/F/G)F901	155, 198	RSABA903	173, 216	RSAF602	170, 213	RSAR241	178, 221
RSA(A/B/C/D/E/F/G)F902	155, 198	RSABA961	172, 215	RSAF603	171, 214	RSAR242	178, 221
RSA(A/B/C/D/E/F/G)F903	156, 199	RSABA962	172, 215	RSAF604	171, 214	RSAR243	179, 222
RSA(A/B/C/D/E/F/G)F961	155, 198	RSABA963	173, 216	RSAF661	170, 213	RSAR301	178, 221
RSA(A/B/C/D/E/F/G)F962	155, 198	RSAB241	174, 217	RSAF662	170, 213	RSAR302	178, 221
RSA(A/B/C/D/E/F/G)F963	156, 199	RSAB242	174, 217	RSAF663	171, 214	RSAR303	179, 222
RSA(A/B/C/D/E/F/G)L241	159, 202	RSAB243	175, 218	RSAF664	171, 214	RSAR361	178, 221
RSA(A/B/C/D/E/F/G)L242	159, 202	RSAB301	174, 217	RSAF721	170, 213	RSAR362	178, 221
RSA(A/B/C/D/E/F/G)L301	159, 202	RSAB302	174, 217	RSAF722	170, 213	RSAR363	179, 222
RSA(A/B/C/D/E/F/G)L302	159, 202	RSAB303	175, 218	RSAF723	171, 214	RSAR421	178, 221
RSA(A/B/C/D/E/F/G)L361	159, 202	RSAB361	174, 217	RSAF724	171, 214	RSAR422	178, 221
RSA(A/B/C/D/E/F/G)L362	159, 202	RSAB362	174, 217	RSAF781	170, 213	RSAR423	179, 222
RSA(A/B/C/D/E/F/G)L421	159, 202	RSAB363	175, 218	RSAF782	170, 213	RSAR481	178, 221
RSA(A/B/C/D/E/F/G)L422	159, 202	RSAB421	174, 217	RSAF783	171, 214	RSAR482	178, 221
RSA(A/B/C/D/E/F/G)L481	159, 202	RSAB422	174, 217	RSAF841	170, 213	RSAR483	179, 222
RSA(A/B/C/D/E/F/G)L482	159, 202	RSAB423	175, 218	RSAF842	170, 213	RSAR541	178, 221
RSA(A/B/C/D/E/F/G)R241	160, 203	RSAB481	174, 217	RSAF843	171, 214	RSAR542	178, 221
RSA(A/B/C/D/E/F/G)R242	160, 203	RSAB482	174, 217	RSAF901	170, 213	RSAR543	179, 222
RSA(A/B/C/D/E/F/G)R301	160, 203	RSAB483	175, 218	RSAF902	170, 213	RSAR601	178, 221
RSA(A/B/C/D/E/F/G)R302	160, 203	RSAB541	174, 217	RSAF903	171, 214	RSAR602	178, 221
RSA(A/B/C/D/E/F/G)R361	160, 203	RSAB542	174, 217	RSAF961	170, 213	RSAR603	179, 222
RSA(A/B/C/D/E/F/G)R362	160, 203	RSAB543	175, 218	RSAF962	170, 213	RSAR604	179, 222
RSA(A/B/C/D/E/F/G)R421	160, 203	RSAB601	174, 217	RSAF963	171, 214	RSAR661	178, 221
RSA(A/B/C/D/E/F/G)R422	160, 203	RSAB602	174, 217	RSAL241	176, 219	RSAR662	178, 221
RSA(A/B/C/D/E/F/G)R481	160, 203	RSAB603	175, 218	RSAL242	176, 219	RSAR663	179, 222
RSA(A/B/C/D/E/F/G)R482	160, 203	RSAB604	175, 218	RSAL243	177, 220	RSAR664	179, 222
RSAMP1616	440	RSAB661	174, 217	RSAL301	176, 219	RSAR721	178, 221
RSABA241	172, 215	RSAB662	174, 217	RSAL302	176, 219	RSAR722	178, 221
RSABA242	172, 215	RSAB663	175, 218	RSAL303	177, 220	RSAR723	179, 222
RSABA243	173, 216	RSAB664	175, 218	RSAL361	176, 219	RSAR724	179, 222
RSABA301	172, 215	RSAB721	174, 217	RSAL362	176, 219	RSAR781	178, 221
RSABA302	172, 215	RSAB722	174, 217	RSAL363	177, 220	RSAR782	178, 221
RSABA303	173, 216	RSAB723	175, 218	RSAL421	176, 219	RSAR783	179, 222
RSABA361	172, 215	RSAB724	175, 218	RSAL422	176, 219	RSAR841	178, 221
RSABA362	172, 215	RSAB781	174, 217	RSAL423	177, 220	RSAR842	178, 221
RSABA363	173, 216	RSAB782	174, 217	RSAL481	176, 219	RSAR843	179, 222
RSABA421	172, 215	RSAB783	175, 218	RSAL482	176, 219	RSAR901	178, 221

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSAWR902	178, 221	RSD963	239	RSPABPT	115	RSTSSE422	272
RSAWR903	179, 222	RSDHC	285	RSPABPW	115	RSTSWE361	271
RSAWR961	178, 221	RSDHC3	286	RSPABTD	115	RSTSWE362	271
RSAWR962	178, 221	RSDHC4	285	RSPABTT	115	RSTSWE421	271
RSAWR963	179, 222	RSDHD1428	286, 287	RSPABTW	115	RSTSWE422	271
RSBWH20	274	RSDHD1828	286, 287	RSPABWD	115	RSTTLE30481	270
RSBWH24	274	RSDHD2028	286, 287	RSPABWW	115	RSTTLE30482	270
RSBWH30	274	RSDHD2428	286, 287	RST1	284	RSTTLE36541	270
RSBWH36	274	RSDHD3028	286, 287	RST2	284	RSTTLE36542	270
RSBWH42	274	RSDHL12	287	RST3	284	RSTTSE30481	272
RSBWH48	274	RSDHL15	287	RST4	284	RSTTSE30482	272
RSC	282	RSDHL20	287	RST5	284	RSTTSE36541	272
RSC4	282	RSDHL24	287	RST6	284	RSTTSE36542	272
RSD1021	238	RSDHL30	287	RSTDCFM(L/R)4830	255	RSTTWE30481	271
RSD1022	238	RSDHL36	287	RSTDCFM(L/R)4836	255	RSTTWE30482	271
RSD1023	239	RSDHL42	287	RSTDCFM(L/R)5430	255	RSTTWE36541	271
RSD1081	238	RSDHL48	287	RSTDCFM(L/R)5436	255	RSTTWE36542	271
RSD1082	238	RSDHT1	287	RSTDCFM(L/R)6030	255	RSWA15 18	101
RSD1083	239	RSDHT2	287	RSTDCFM(L/R)6036	255	RSWA15 20	101
RSD1427	282, 284	RSDHT3	287	RSTDCFM(L/R)6630	255	RSWA15 24	101
RSD1827	282, 284	RSDHT4	287	RSTDCFM(L/R)6636	255	RSWA15 30	101
RSD2027	282, 284	RSDHT5	287	RSTDCFM(L/R)7230	255	RSWA15 36	101
RSD241	238	RSDHT6	287	RSTDCFM(L/R)7236	255	RSWA15 42	101
RSD242	238	RSDR30	449	RSTDCFM(L/R)7830	255	RSWA15 48	101
RSD2427	282, 284	RSDR36	449	RSTDCFM(L/R)7836	255	RSWAD1560	102
RSD243	239	RSDR42	449	RSTDCFM(L/R)8430	255	RSWAD1572	102
RSD301	238	RSDR48	449	RSTDCFM(L/R)8436	255	RSWAD1584	102
RSD302	238	RSDR54	449	RSTDCPC(L/R)6030	253	RSWAD1596	102
RSD3027	282, 284	RSDR60	449	RSTDCPC(L/R)6036	253	RSWAD2260	102
RSD303	239	RSDR66	449	RSTDCPC(L/R)6630	253	RSWAD2272	102
RSD361	238	RSDR72	449	RSTDCPC(L/R)6636	253	RSWAD2284	102
RSD362	238	RSDR78	449	RSTDCPC(L/R)7230	253	RSWAD2296	102
RSD363	239	RSDR84	449	RSTDCPC(L/R)7236	253	RSWB15 30	101
RSD421	238	RSDR90	449	RSTDCPC(L/R)7830	253	RSWB15 36	101
RSD422	238	RSDR96	449	RSTDCPC(L/R)7836	253	RSWB15 42	101
RSD423	239	RSE1(L/R)	278	RSTDCPC(L/R)8430	253	RSWB15 48	101
RSD481	238	RSE2(L/R)	278	RSTDCPC(L/R)8436	253	RSWC30 18	101
RSD482	238	RSE3(L/R)	278	RSTDCST(L/R)6030	254	RSWC30 20	101
RSD483	239	RSE4(L/R)	278	RSTDCST(L/R)6036	254	RSWC30 24	101
RSD541	238	RSE5(L/R)	278	RSTDCST(L/R)6630	254	RSWC30 30	101
RSD542	238	RSE6(L/R)	278	RSTDCST(L/R)6636	254	RSWC30 36	101
RSD543	239	RSEDH1(L/R)	280	RSTDCST(L/R)7230	254	RSWC30 42	101
RSD601	238	RSEDH2(L/R)	280	RSTDCST(L/R)7236	254	RSWC30 48	101
RSD602	238	RSEDH3(L/R)	280	RSTDCST(L/R)7830	254	RSWWA601	390
RSD603	239	RSEDH4(L/R)	280	RSTDCST(L/R)7836	254	RSWWA602	390
RSD604	239	RSEDH5(L/R)	280	RSTDCST(L/R)8430	254	RSWWA721	390
RSD661	238	RSEDH6(L/R)	280	RSTDCST(L/R)8436	254	RSWWA722	390
RSD662	238	RSL12	284	RSTRLE361	270	RSWWA901	390
RSD663	239	RSL15	284	RSTRLE362	270	RSWWA902	390
RSD664	239	RSL20	284	RSTRLE421	270	RSWWA961	390
RSD721	238	RSL24	284	RSTRLE422	270	RSWWA962	390
RSD722	238	RSL30	284	RSTRSE361	272	RSWWA(A/B/C/D/E/F/G)601	390
RSD723	239	RSL36	284	RSTRSE362	272	RSWWA(A/B/C/D/E/F/G)602	390
RSD724	239	RSL42	284	RSTRSE421	272	RSWWA(A/B/C/D/E/F/G)721	390
RSD781	238	RSL48	284	RSTRSE422	272	RSWWA(A/B/C/D/E/F/G)722	390
RSD782	238	RSNTT18(A/B/C/E)	110	RSTRWE361	271	RSWWA(A/B/C/D/E/F/G)901	390
RSD783	239	RSNTT20(A/B/C/E)	110	RSTRWE362	271	RSWWA(A/B/C/D/E/F/G)902	390
RSD841	238	RSNTT24(A/B/C/E)	110	RSTRWE421	271	RSWWA(A/B/C/D/E/F/G)961	390
RSD842	238	RSNTT30(A/B/C/E)	110	RSTRWE422	271	RSWWA(A/B/C/D/E/F/G)962	390
RSD843	239	RSNTT33(A/B/C/E) (66" wide panels one only)	110	RSTSLE361	270	RSWWAWF601	390
RSD901	238	RSNTT36(A/B/C/E)	110	RSTSLE362	270	RSWWAWF602	390
RSD902	238	RSNTT42(A/B/C/E)	110	RSTSLE421	270	RSWWAWF721	390
RSD903	239	RSNTT48(A/B/C/E)	110	RSTSSE361	272	RSWWAWF722	390
RSD961	238	RSPABPD	115	RSTSSE362	272	RSWWAWF901	390
RSD962	238	RSPABPP	115	RSTSSE421	272	RSWWAWF902	390

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSWWAWF961	390	RTAW12042-(1/2/3)	187, 230	RTPNM42H7	481	RTPRS30H8	486, 487, 488
RSWWAWF962	390	RTAW14442-(1/2/3)	187, 230	RTPNM42H8	485	RTPRS36H1	453, 454, 455
RSWWB601	391	RTAW16842-(1/2/3)	187, 230	RTPNM48H1	451, 452	RTPRS36H2	458, 459, 460
RSWWB602	391	RTAW19242-(1/2/3)	187, 230	RTPNM48H2	456, 457	RTPRS36H3	463, 464, 465
RSWWB721	391	RTAW3636-(1/2/3)	187, 230	RTPNM48H3	461, 462	RTPRS36H4	468, 469, 470
RSWWB722	391	RTAW4242-(1/2/3)	187, 230	RTPNM48H4	466, 467	RTPRS36H5	473, 474, 475
RSWWB901	391	RTAW6060-(1/2/3)	187, 230	RTPNM48H5	471, 472	RTPRS36H6	478, 479, 480
RSWWB902	391	RTAW7230-(1/2/3)	187, 230	RTPNM48H6	476, 477	RTPRS36H7	482, 483, 484
RSWWB961	391	RTAW7236-(1/2/3)	187, 230	RTPNM48H7	481	RTPRS36H8	486, 487, 488
RSWWB962	391	RTAW7272-(1/2/3)	187, 230	RTPNM48H8	485	RTPRS42H1	453, 454, 455
RTA12036	153, 196	RTAW8430-(1/2/3)	187, 230	RTPNM54H1	451, 452	RTPRS42H2	458, 459, 460
RTA12042	153, 196	RTAW8436-(1/2/3)	187, 230	RTPNM54H2	456, 457	RTPRS42H3	463, 464, 465
RTA12048	153, 196	RTAW8442-(1/2/3)	187, 230	RTPNM54H3	461, 462	RTPRS42H4	468, 469, 470
RTA14442	153, 196	RTAW9630-(1/2/3)	187, 230	RTPNM54H4	466, 467	RTPRS42H5	473, 474, 475
RTA14448	153, 196	RTAW9636-(1/2/3)	187, 230	RTPNM54H5	471, 472	RTPRS42H6	478, 479, 480
RTA16842	153, 196	RTAW9642-(1/2/3)	187, 230	RTPNM54H6	476	RTPRS42H7	482, 483, 484
RTA16848	153, 196	RTLL193W	450	RTPNM60H1	451, 452	RTPRS42H8	486, 487, 488
RTA19242	153, 196	RTLL196W	450	RTPNM60H2	456, 457	RTPRS48H1	453, 454, 455
RTA19248	153, 196	RTLL199W	450	RTPNM60H3	461, 462	RTPRS48H2	458, 459, 460
RTA3636	153, 196	RTLL3712W	450	RTPNM60H4	466, 467	RTPRS48H3	463, 464, 465
RTA4242	153, 196	RTLL3718W	450	RTPNM60H5	471, 472	RTPRS48H4	468, 469, 470
RTA4848	153, 196	RTLL376W	450	RTPNM60H6	476	RTPRS48H5	473, 474, 475
RTA6060	153, 196	RTLT5E19S	450	RTPNM66H1	451, 452	RTPRS48H6	478, 479, 480
RTA7230	153, 196	RTLT5E25A	450	RTPNM66H2	456, 457	RTPRS48H7	482, 483, 484
RTA7236	153, 196	RTLT5E25S	450	RTPNM66H3	461, 462	RTPRS48H8	486, 487, 488
RTA7272	153, 196	RTLT5E37A	450	RTPNM66H4	466, 467	RTPRS54H1	453, 454, 455
RTA8430	153, 196	RTLT5E37S	450	RTPNM66H5	471, 472	RTPRS54H2	458, 459, 460
RTA8436	153, 196	RTLT5E49A	450	RTPNM66H6	476	RTPRS54H3	463, 464, 465
RTA8442	153, 196	RTLT5E49S	450	RTPNM72H1	451, 452	RTPRS54H4	468, 469, 470
RTA9630	153, 196	RTLT5E61A	450	RTPNM72H2	456, 457	RTPRS54H5	473, 474, 475
RTA9636	153, 196	RTLT5E61S	450	RTPNM72H3	461, 462	RTPRS54H6	478, 479, 480
RTA9642	153, 196	RTLT5E73A	450	RTPNM72H4	466, 467	RTPRS54H7	482, 484
RTA9648	153, 196	RTLT5E73S	450	RTPNM72H5	471, 472	RTPRS54H8	486, 488
RTA(A/B/C/D/E/F/G)12036-(1/2/3)	168, 211	RTLT5E85A	450	RTPNM72H6	476	RTPRS60H1	453, 454, 455
RTA(A/B/C/D/E/F/G)12042-(1/2/3)	168, 211	RTLT5E85S	450	RTPNM78H1	451, 452	RTPRS60H2	458, 459, 460
RTA(A/B/C/D/E/F/G)12048-(1/2/3)	168, 211	RTNDC361	269	RTPNM78H2	456, 457	RTPRS60H3	463, 464, 465
RTA(A/B/C/D/E/F/G)14442-(1/2/3)	168, 211	RTNDC362	269	RTPNM78H3	461, 462	RTPRS60H4	468, 469, 470
RTA(A/B/C/D/E/F/G)14448-(1/2/3)	168, 211	RTNDC421	269	RTPNM78H4	466, 467	RTPRS60H5	473, 474, 475
RTA(A/B/C/D/E/F/G)16842-(1/2/3)	168, 211	RTNDC422	269	RTPNM78H5	471, 472	RTPRS60H6	478, 479, 480
RTA(A/B/C/D/E/F/G)16848-(1/2/3)	168, 211	RTNDC481	269	RTPNM78H6	476	RTPRS60H7	482, 484
RTA(A/B/C/D/E/F/G)19242-(1/2/3)	168, 211	RTNDC482	269	RTPNM84H1	451, 452	RTPRS60H8	486, 488
RTA(A/B/C/D/E/F/G)19248-(1/2/3)	168, 211	RTOP1	440	RTPNM84H2	456, 457	RTPRS66H1	453, 454, 455
RTA(A/B/C/D/E/F/G)3636-(1/2/3)	168, 211	RTOP2	440	RTPNM84H3	461, 462	RTPRS66H2	458, 459, 460
RTA(A/B/C/D/E/F/G)4242-(1/2/3)	168, 211	RTPNM30H1	451, 452	RTPNM84H4	466, 467	RTPRS66H3	463, 464, 465
RTA(A/B/C/D/E/F/G)4848-(1/2/3)	168, 211	RTPNM30H2	456, 457	RTPNM84H5	471, 472	RTPRS66H4	468, 469, 470
RTA(A/B/C/D/E/F/G)6060-(1/2/3)	168, 211	RTPNM30H3	461, 462	RTPNM84H6	476	RTPRS66H5	473, 474, 475
RTA(A/B/C/D/E/F/G)7230-(1/2/3)	168, 211	RTPNM30H4	466, 467	RTPNM90H1	451, 452	RTPRS66H6	478, 479, 480
RTA(A/B/C/D/E/F/G)7236-(1/2/3)	168, 211	RTPNM30H5	471, 472	RTPNM90H2	456, 457	RTPRS66H8	486
RTA(A/B/C/D/E/F/G)7272-(1/2/3)	168, 211	RTPNM30H6	476, 477	RTPNM90H3	461, 462	RTPRS72H1	453, 454, 455
RTA(A/B/C/D/E/F/G)8430-(1/2/3)	168, 211	RTPNM30H7	481	RTPNM90H4	466, 467	RTPRS72H2	458, 459, 460
RTA(A/B/C/D/E/F/G)8436-(1/2/3)	168, 211	RTPNM30H8	485	RTPNM90H5	471, 472	RTPRS72H3	463, 464, 465
RTA(A/B/C/D/E/F/G)8442-(1/2/3)	168, 211	RTPNM36H1	451, 452	RTPNM90H6	476	RTPRS72H4	468, 469, 470
RTA(A/B/C/D/E/F/G)9630-(1/2/3)	168, 211	RTPNM36H2	456, 457	RTPNM96H1	451, 452	RTPRS72H5	473, 474, 475
RTA(A/B/C/D/E/F/G)9636-(1/2/3)	168, 211	RTPNM36H3	461, 462	RTPNM96H2	456, 457	RTPRS72H6	478, 480
RTA(A/B/C/D/E/F/G)9642-(1/2/3)	168, 211	RTPNM36H4	466, 467	RTPNM96H3	461, 462	RTPRS72H8	486
RTAT5E19S	418	RTPNM36H5	471, 472	RTPNM96H4	466, 467	RTPRS78H1	455
RTAT5E25A	418	RTPNM36H6	476, 477	RTPNM96H5	471, 472	RTPRS78H2	460
RTAT5E25S	418	RTPNM36H7	481	RTPNM96H6	476	RTPRS78H3	465
RTAT5E37A	418	RTPNM36H8	485	RTPRS30H1	453, 454, 455	RTPRS78H4	470
RTAT5E37S	418	RTPNM42H1	451, 452	RTPRS30H2	458, 459, 460	RTPRS78H5	475
RTAT5E49A	418	RTPNM42H2	456, 457	RTPRS30H3	463, 464, 465	RTPRS78H6	480
RTAT5E49S	418	RTPNM42H3	461, 462	RTPRS30H4	468, 469, 470	RTPRS84H1	455
RTAT5E61A	418	RTPNM42H4	466, 467	RTPRS30H5	473, 474, 475	RTPRS84H2	460
RTAT5E61S	418	RTPNM42H5	471, 472	RTPRS30H6	478, 479, 480	RTPRS84H3	465
RTAW12036-(1/2/3)	187, 230	RTPNM42H6	476, 477	RTPRS30H7	482, 483, 484	RTPRS84H4	470

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RTPRS84H5	475	RTTAWF42()	426	RWAWF5412	180, 223	RWED7224(L/R)	387
RTPRS84H6	480	RTTAWF48()	426	RWAWF5421	180, 223	RWED7520(L/R)	396
RTPRS90H1	455	RTTAWF54()	426	RWAWF5423	180, 223	RWED7524(L/R)	396
RTPRS90H2	460	RTTAWF60()	426	RWAWF5432	180, 223	RWHDHTB3026	443
RTPRS90H3	465	RTTAWF66()	426	RWAWF6012	180, 223	RWHDHTB30H1	489
RTPRS90H4	470	RTTAWF72()	426	RWAWF6021	180, 223	RWHDHTB3626	443
RTPRS90H5	475	RUTB	275	RWAWF6023	180, 223	RWHDHTB36H1	489
RTPRS90H6	480	RWA3623	141	RWAWF6032	180, 223	RWHDHTB4226	443
RTPRS96H1	455	RWA3632	141	RWAWF6612	180, 223	RWHDHTB42H1	489
RTPRS96H2	460	RWA4212	141	RWAWF6621	180, 223	RWHDHTB4826	443
RTPRS96H3	465	RWA4221	141	RWAWF6623	180, 223	RWHDHTB48H1	489
RTPRS96H4	470	RWA4223	141	RWAWF6632	180, 223	RWHDHTB54H1	489
RTPRS96H5	475	RWA4232	141	RWAWF7212	180, 223	RWHDHTB60H1	489
RTPRS96H6	480	RWA4812	141	RWAWF7221	180, 223	RWHDHTB66H1	489
RTRDL48301	263	RWA4821	141	RWAWF7223	180, 223	RWHDHTB72H1	489
RTRDL48302	263	RWA4823	141	RWAWF7232	180, 223	RWHDHTB78H1	489
RTRDL60301	263	RWA4832	141	RWEA3613	142	RWHDHTB84H1	489
RTRDL60302	263	RWA5412	141	RWEA3626	142	RWHDHTB90H1	489
RTRDL72301	263	RWA5421	141	RWEA3631	142	RWHDHTB96H1	489
RTRDL72302	263	RWA5423	141	RWEA3662	142	RWHRA	440
RTRDL72361	263	RWA5432	141	RWEA4213	142	RWHRB	440
RTRDL72362	263	RWA6012	141	RWEA4226	142	RWHRC	440
RTRDRL48301	264	RWA6021	141	RWEA4231	142	RWHRD	440
RTRDRL48302	264	RWA6023	141	RWEA4262	142	RWHRE	440
RTRDRL60301	264	RWA6032	141	RWEA4813	142	RWHRF	440
RTRDRL60302	264	RWA6612	141	RWEA4826	142	RWHRC	440
RTRDRL72301	264	RWA6621	141	RWEA4831	142	RWHTB3024	443
RTRDRL72302	264	RWA6623	141	RWEA4862	142	RWHTB3624	443
RTRDRL72361	264	RWA6632	141	RWEA7220(L/R)	387	RWHTB4224	443
RTRDRL72362	264	RWA7212	141	RWEA7224(L/R)	387	RWHTB4824	443
RTRDS48301	265	RWA7221	141	RWEA7520(L/R)	396	RWMCT24	442
RTRDS48302	265	RWA7223	141	RWEA7524(L/R)	396	RWMMP24	441
RTRDS60301	265	RWA7232	141	RWEA(A/B/C/D/E/F/G)F3613	164, 207	RWMMP30	441
RTRDS60302	265	RWA(A/B/C/D/E/F/G)F4212	163, 206	RWEA(A/B/C/D/E/F/G)F3626	164, 207	RWMMP36	441
RTRDS72301	265	RWA(A/B/C/D/E/F/G)F4221	163, 206	RWEA(A/B/C/D/E/F/G)F3631	163, 206	RWMPB	441
RTRDS72302	265	RWA(A/B/C/D/E/F/G)F4223	163, 206	RWEA(A/B/C/D/E/F/G)F3662	164, 207	RWMV24	441
RTRDS72361	265	RWA(A/B/C/D/E/F/G)F4232	163, 206	RWEA(A/B/C/D/E/F/G)F4213	164, 207	RWMVH24	441
RTRDS72362	265	RWA(A/B/C/D/E/F/G)F4812	163, 206	RWEA(A/B/C/D/E/F/G)F4226	164, 207	RWMVH30	441
RTSDL42421	266	RWA(A/B/C/D/E/F/G)F4821	163, 206	RWEA(A/B/C/D/E/F/G)F4231	163, 206	RWMVH36	441
RTSDL42422	266	RWA(A/B/C/D/E/F/G)F4823	163, 206	RWEA(A/B/C/D/E/F/G)F4262	164, 207	RWMVP24	441
RTSDL48481	266	RWA(A/B/C/D/E/F/G)F4832	163, 206	RWEA(A/B/C/D/E/F/G)F4813	164, 207	RWMWT24	441
RTSDL48482	266	RWA(A/B/C/D/E/F/G)F5412	163, 206	RWEA(A/B/C/D/E/F/G)F4826	164, 207	RWMWT30	441
RTSDRL42421	267	RWA(A/B/C/D/E/F/G)F5421	163, 206	RWEA(A/B/C/D/E/F/G)F4831	163, 206	RWMWT36	441
RTSDRL42422	267	RWA(A/B/C/D/E/F/G)F5423	163, 206	RWEA(A/B/C/D/E/F/G)F4862	164, 207		
RTSDRL48481	267	RWA(A/B/C/D/E/F/G)F5432	163, 206	RWEAWF3613	181, 224		
RTSDRL48482	267	RWA(A/B/C/D/E/F/G)F6012	163, 206	RWEAWF3626	181, 224		
RTSDS42421	268	RWA(A/B/C/D/E/F/G)F6021	163, 206	RWEAWF3631	180, 223		
RTSDS42422	268	RWA(A/B/C/D/E/F/G)F6023	163, 206	RWEAWF3662	181, 224		
RTSDS48481	268	RWA(A/B/C/D/E/F/G)F6032	163, 206	RWEAWF4213	181, 224		
RTSDS48482	268	RWA(A/B/C/D/E/F/G)F6612	163, 206	RWEAWF4226	181, 224		
RTSF14	444	RWA(A/B/C/D/E/F/G)F6621	163, 206	RWEAWF4231	180, 223		
RTSF28	444	RWA(A/B/C/D/E/F/G)F6623	163, 206	RWEAWF4262	181, 224		
RTST14	444	RWA(A/B/C/D/E/F/G)F6632	163, 206	RWEAWF4813	181, 224		
RTTA24()	426	RWA(A/B/C/D/E/F/G)F7212	163, 206	RWEAWF4826	181, 224		
RTTA30()	426	RWA(A/B/C/D/E/F/G)F7221	163, 206	RWEAWF4831	180, 223		
RTTA36()	426	RWA(A/B/C/D/E/F/G)F7223	163, 206	RWEAWF4862	181, 224		
RTTA42()	426	RWA(A/B/C/D/E/F/G)F7232	163, 206	RWEB7220(L/R)	387		
RTTA48()	426	RWAWF4212	180, 223	RWEB7224(L/R)	387		
RTTA54()	426	RWAWF4221	180, 223	RWEB7520(L/R)	396		
RTTA60()	426	RWAWF4223	180, 223	RWEB7524(L/R)	396		
RTTA66()	426	RWAWF4232	180, 223	RWEC7220(L/R)	387		
RTTA72()	426	RWAWF4812	180, 223	RWEC7224(L/R)	387		
RTTAWF24()	426	RWAWF4821	180, 223	RWEC7520(L/R)	396		
RTTAWF30()	426	RWAWF4823	180, 223	RWEC7524(L/R)	396		
RTTAWF36()	426	RWAWF4832	180, 223	RWED7220(L/R)	387		

Selling Policy

	<p>This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.</p>
Terms & Conditions of Sales	<p>Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.</p>
Ordering Information	<p>All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.</p>
Order Confirmation	<p>A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.</p>
Pricing Policies	<p>List prices are subject to change without notice.</p> <p>List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.</p>
Taxes	<p>All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.</p>
Terms of Payment	<p>Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.</p> <p>KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.</p> <p>If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.</p> <p>Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.</p>
Changes and Cancellation	<p>Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.</p>
Freight Prepaid	<p>Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from conditions over which the Seller has no control. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. All shipments shall be tailgate deliveries. Freight for all KnollTextiles orders is prepaid and added to the invoice.</p>
Delivery/Freight Charges	<p>Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.</p> <p>For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.</p> <p>Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.</p> <p>Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reassignment and redelivery.</p> <p>Partial shipments may be made and invoiced by Seller.</p>
Claims	<p>All shipments for all Knoll Products within the contiguous United States and Canada are F.O.B. Origin. Risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to make a claim against carrier or notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. Seller will agree to repair or replace Product damaged in shipment if Purchaser has notified Seller of freight damage within ten (10) working days after receipt and assigns its rights against the carrier.</p>
Seller's Security Interest	<p>Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.</p>
Returns	<p>The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.</p>
Held Orders/Storage	<p>If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.</p>

Selling Policy

Customer's Own Material	A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.
Warranty	<p>Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.</p> <p>Warranty period set forth below is for 24-hour, 7 days a week, multi shift use.</p> <p>Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.</p> <p><i>Product and Period of Warranty</i></p> <p><i>Lifetime: AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Equity, Morrison, Reff laminate, Series 2 Storage, Template, Antenna Workspaces</i> and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, <i>Series 2 Veneer Front Storage</i>, special or custom products, see below)</p> <p><i>10 Years: AutoStrada, Crinion Open Table, Reff</i> wood components, <i>Series 2 Veneer Front Storage, Antenna Workspaces</i> wood components, <i>Wood Casegoods (Magnusson, The Graham Collection)</i> (except wood casegoods upholstered surfaces, see below), <i>Interaction</i> tables (except height adjustment mechanisms for <i>Counterforce</i>, crank-adjustable, and split-top tables and worksurfaces, see below), <i>Reuter</i> overheads, <i>Reuter</i> vertical storage, <i>KnollExtra</i> Sapper Monitor Arm Collection, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, see below), Smokador collection (except leathers, see below), and Orchestra Universal Systems Accessories, <i>Bulldog, Chadwick, Essentials Work Chairs, Generation by Knoll</i> work chair, <i>Life, Moment, RPM</i> and <i>Sapper</i> seating structural and operational parts, controls, casters, pneumatic cylinders, seat and back suspension material (except seating upholstery, textiles and leathers, finishes and labor, see below). Labor to repair <i>Generation by Knoll</i> work chair.</p> <p><i>5 Years:</i> Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), cascade edge worksurfaces, special or custom product, wood veneer products, <i>Currents</i> handerank, <i>Interaction Counterforce, Interaction</i> crank-adjustable, and split-top mechanisms, <i>KnollStudio, KnollExtra</i> Wishbone and Zorro monitor supports, CPU storage and all universal storage drawers, <i>Spark Series</i> seating structural parts, (except seating upholstery, textiles, finishes and labor, see below).</p> <p><i>3 Years: Bulldog, Chadwick, Essentials Work Chairs, Life, Moment, RPM, Sapper</i> seating upholstery, textiles and leathers, finishes and labor to repair, <i>Generation by Knoll</i> work chair seating upholstery, textiles and leathers, and finishes, <i>Spark Series</i> seating upholstery and textiles. Fabric boards textiles and Smokador Collection leathers.</p> <p><i>2 Years:</i> All other <i>KnollExtra</i> product</p> <p><i>1 Year:</i> Light ballasts, bulbs and power supply, seating upholstered ampads and soft ampads, <i>Spark Series</i> seating finishes and labor to repair, wood casegoods upholstered surfaces.</p> <p>This warranty does not apply to:</p> <ul style="list-style-type: none">• Damage caused by a carrier other than the Seller.• Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products).• COM or other third party materials applied to Products.• Products not installed by or under the auspices of a Knoll Dealer.• Dramatic temperature variations or exposure to unusual conditions.• Except as specifically noted above, textiles and upholstery supplied by <i>KnollTextiles</i> (consult current <i>KnollTextiles</i> price list for applicable warranty). <p>Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces. THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.</p> <p>The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.</p>
Delay/Force Majeure	Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.
Compliance with Law	PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.
Patents	Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended. <p>The foregoing indemnity does not apply to the following:</p> <ul style="list-style-type: none">• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.• Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	<p>SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.</p> <p>Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.</p>

KnollKey Lock Program

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$5
KBLANK	Shrouded Key Blank	\$5
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$18
KCHANGE	Change Key	\$5
KMASTER*	Master Key	\$5

*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.

1235 Water Street

P.O. Box 157

East Greenville, PA 18041

Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."