

Price List February 2016



Introduction	Knoll and Sustainable Design	2
	Introduction	Ş
	Specifications	4
	Crinion Open Table Finishes	ē
Worksurfaces	Worksurfaces with center hinged power access	7
	Worksurfaces with edge grommet	3
	Worksurfaces with cord drop	ç
	End counters	10
	Extended end counters	11
File tops	File tops	18
Complete base assemblies	Complete base assemblies fixed height 24" D dual	14
	Complete base assemblies fixed height 24" D single sided	15
	Complete base assemblies fixed height 30" D dual	16
	Complete base assemblies fixed height 30" D single sided	17
	Complete base assemblies adjustable height 30" D dual	18
	Complete base assemblies adjustable height 30" D single sided	19
	Complete base assemblies fixed height 36" D dual	20
	Complete base assemblies fixed height 36" D single sided	2]
	Complete base assemblies adjustable height 36" D dual	22
	Complete base assemblies adjustable height 36" D single sided	28
Base components	Top channels	24
	Beams for single sided or dual tables	25
	Beams for dual tables	26
	Beams for single sided tables	27
	End legs, intermediate leg sets for dual tables	28
	End legs, intermediate leg sets for single sided tables	30
	End panels for dual tables and single sided tables, painted	3]
	End panels for dual tables and single sided tables, laminate and veneer	32
	Beam trusses	33
	Worksurface support	34
Power components	Modular Raceway	36
	Hardwire Raceway	42
	Cable tray and cable clips	43
	Beam mounted cable trays and cable baskets	44
Screens	Center screens	45
	Shelves, adapters and buttresses for slatwall screens	47
	Side screens	48
	Return screens	50
	Dual end screens	52
	Single sided end screen	54
	Frameless glass Add up	56
	Morrison Network privacy screens	57
Alpha-Numeric Index		58
Selling Policy		61
Conord Ordoring Information		65

Knoll and Sustainable Design

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC®); Rainforest Alliance; GREENGUARD® Environmental Institute; and The Business and Institutional Furniture Manufacturer's Association (BIFMA) level® certification from Scientific Certification Systems (SCS).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

Life Cycle Assessment (LCA) Tool

- Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw
 materials sourcing through manufacture, shipping, use and re-use or end-of-life. LCA enables cradle-to-cradle implementation of
 sustainable practices.
- Knoll has partnered with The Green Standard.org to develop an affordable, universal ISO-compliant computer-based LCA tool that
 can be used by the entire contract furniture industry and is partnering on the development of an Environmental Product Declaration
 System (EPDs) for Knoll products. EPDs are verified documents containing LCA results and additional environmental performance
 information about a product.

Setting Industry Standards

- Knoll partners with MTS (The Institute for Market Transformation to Sustainability) to develop the SMaRT[©] Consensus Sustainable Products Standards, a set of consensus-based sustainable product standards based on the LEED[®] model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of SMaRT[©], is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll also partners with BIFMA (Business and Institutional Furniture Manufacturers Association) to promote level® sustainability standards for the contract furniture industry.
- Knoll has established FSC® (Forest Stewardship Council) certified wood as the standard for general office open plan office systems, casegoods and tables.
- Knoll has launched Full Circle, a resource recovery program developed with ANEW, to help customers extend the life cycle of surplus furniture, fixtures and equipment (FF&E) in an economically, socially and environmentally responsible manner.
- Our goal is to encourage all manufacturers in the contract furniture industry and related industries to adopt standards that will lead to sustainable products and practices.

For more information about Knoll and sustainable design, visit knoll.com/environment.

Introduction Crinion Open Table

This Order Guide provides basic planning, specifications and pricing information for Crinion Open Tables.

Refer to KnollExtra price list for compatible accessories such as flat screen monitor supports, task lights, paper management accessories, keyboard and storage drawers.

Refer to Calibre, Reff or Currents price lists for shared and individual storage options. Additional information can be found at www.knoll.com. Crinion Open Table is the straightforward alternative for open, collaborative work environments.

Crinion Open Table typically consists of deep worksurfaces end-to-end and back-to-back, cantilever supported by parallel beams between end legs or end panels. The beams form a technology corridor for flat screen monitor supports, outlets and power/data distribution. Also available is a single-sided configuration, with a single main beam and a smaller back beam, and a single beam configuration for tables with shallower (24" deep) worksurface.

The center of dual tables or back of single-sided tables features a top channel which supports privacy screens above the table and modular power distribution below the worksurface.

Crinion Open Table is appropriate for libraries and education environments, laboratories, finance and trading desks, teaming areas and design offices. Crinion Open Table is unique in offering individual height-adjustability and extraordinarily deep worksurfaces. Overall dual table depth is 48", 60" or 72".


The table structure is strong enough to span 16 feet between end legs or intermediate supports to build tables of any length.

The continuous worksurfaces and clear kneespace enable varying numbers of workers to sit on each side. Storage is typically separated from the table in parallel, shared file-and-storage islands, perpendicular files as returns or mobile pedestals.

Crinion is distinguished by a minimalist, modern design, and details like square or tapered edge worksurfaces, plastic laminate, Techwood or natural veneers, and aluminum fittings.

Crinion Open Table simplifies the planning and specifications of an open office, and it can make a dramatic visual and functional statement of collaboration.

The quality and classic design of Crinion work well in virtually any interior.



Specifications Specifying Crinion Open Table

Crinion Open Tables are comprised of worksurfaces, table base assemblies, power components and screens.

Worksurfaces

Individual worksurfaces are available in four standard widths (48", 60", 72", 96") and three depths (nominal 24", 30", 36"), which may be combined to form single-sided or dual-sided groups of two to ten or more positions.

Worksurface edge options
Worksurfaces are 1 '4" thick, with
three front edge options:
Tapered edge, laminate, veneer or
mixed.

Square edge, veneer Postformed edge, laminate only

Power and accessory options

Worksurfaces may be specified with hinged power access door and continuous ½" cord drop, or edge grommet and continuous cord drop, or just cord drop.

Hinged power access door is 24"W and 5"D, centered on worksurface width. Door hinges toward user for continuity between access opening and cord drop.

Any worksurface (except end counters) accepts clamp on KnollExtra accessories such as flat screen monitor arm or task light.

Other worksurface types
End counters have front edge detail
on side edges as well and are
designed to extend dual tables 24" or
30" beyond the end leg. End counters
also include 3" wide center grommet.
Extended end counters are 36"D
surfaces with center grommet or
hinged power access door. Base of
the table must be extended 12" under
the back of each extended end
counter (although top channels
should be specified only as wide as
the worksurfaces on each side of the
table).

All end counters must be supported by end counter cantilevers and endlegs for end counters.

Worksurface heights
Fixed height cantilevers support
worksurfaces at 28 ½"H, with 27"
clear below the top (except directly
below cantilevers).
Adjustable height cantilevers enable

worksurfaces to be independently set at 27", 273/4", 281/2", 291/4", or 30"H.

Open Table base assemblies

Complete base assemblies simplify specifications for most common configurations of dual or single-sided open tables. Base assemblies include top channels and end caps, beams, end legs and intermediate legs (where required), trusses and top channel supports, cantilever brackets (specify fixed or adjustable height) and midspan supports. Specify worksurfaces, screens, power components, cable trays and accessories separately.

Complete base assemblies are available for the following typical tables, combinations of 60" or 72" worksurfaces.

Single-sided or dual, 24"D, 30"D, or 36"D, with continuous beam span between end legs

10' W two/four positions 60"W 12' W two/four positions 72"W 15' W three/six positions 60"W Single sided or dual 24"D, 30"D, or 36"D, with intermediate leg 18' W three/six positions 72"W 20' W four/eight positions 60"W 24' W four/eight positions 72"W 25' W five/ten positions 60"W

Open Table base components

Base assemblies may also be specified by individual components to create configurations other than those listed above, or to create tables with end counters or frameless glass add ups.

In addition to worksurfaces Open tables require top channel, starter beams for spans up to 15', extension beams for additional spans of 4' to 15', intermediate legs every 16' or less, two end legs or end panels, trusses at every worksurface junction and at each end leg or end panel. Adjustable tables require two cantilevers per worksurface (or three for 96"W). Fixed height tables may be supported by a fixed height cantilever at each end, shared cantilevers at each worksurface joint, and a midspan support bracket at the center of each worksurface greater than 48" wide. For 96"W worksurfaces the midspan support should be a 24"D cantilever. Power components, cable trays and screens are optional.

Power distribution

Optional modular raceway distributes 2+2 four circuit or 3+3 six circuit configuration from a single point of supply. Bundles of cables can be managed from the floor in a cable infeed shroud located at any intermediate leg. Raceway provides power outlets and data/communications outlet openings on one or both sides, accessed through hinged access doors in worksurfaces or from under table. Specify 30" raceway for two duplex outlets each side or 42" raceway for four duplex outlets each side. Specify compact power module for outlets under an extended end counter. Duplex outlets, power infeed and jumpers between raceways must be specified separately.

Privacy screens

There are four screen options for Crinion Open Table. The standard screens are 14"H (42" horizon) or 21"H (49" horizon) in acrylic, slat wall or combination surfaces, tackable fabric, marker or veneer. Center screens include mounting hardware to attach to the standard top channel. Center screens are available full width, 48", 60" or 72", or shorter by 1" to leave space at either end of the table for a dual end screen. Side screens attach to the front and back of a worksurface at any point other than at a hinged access door. Mounting brackets are specified separately to correspond to each worksurface edge detail. Dual end screens span across the end of a table (or above an end counter) from worksurface front edges.

Frameless glass add ups are available in 12" height only, 48", 60", and 72"W. Add ups can only mount to a top channel for frameless glass add ups, which may be at the center of a dual table or back of a single-sided table.

Original Crinion privacy screens are 12"H or 19"H (41" or 48" horizons) and mount to a standard top channel only.

Morrison Network fabric screens (15"H or 22"H) can also be mounted to the standard top channel with Crinion Open Table mast kit.

Accessories and storage

All Crinion worksurfaces accept clamp base KnollExtra flat screen monitor arms and task lights at any point except behind the hinged power access door. Worksurfaces also accept suspended accessories like adjustable keyboard supports, BackPack center file or keyboard drawers, or CPU holders. Beam location under most tables prevents pedestals deeper than 20" underneath. However 36"D tops can be planned on 30"D table bases to create additional kneespace depth and room for 24"D pedestals.

Crinion Open Table file tops are available for 27"H Calibre files positioned perpendicular to the table to act as returns. Tapered front and back edges assure consistent detail with tapered worksurface edges. File tops are also available for pairs of files and back to back files.

Finishes

L - Laminate

Matching edge band unless noted otherwise

- 117 Soft Grev
- 118 **Bright White**
- Folkstone Grey 114
- Jet Black 111
- 119 Pumice
- 121 Micro Grey with 114 Folkstone grey edge band
- 122 Brushed Sand with 119 Pumice edge band
- Brushed Grey with 128 Fog 123 edge band
- 128
- 129 Micro Sand with 119 Pumice edge band

Woodgrain Laminates

- Natural Maple 125 126 Natural Cherry
- 124 Medium Cherry
- 127 Walnut
- 139 Light Ash
- Warm Ash 140
- 141 Whitened Ash
- Grey Ash 142 143 Classic Oak
- 144 Graphite Pear
- 145 Zebra

Woodgrain laminates not available on all components.

V1 - Techwood Veneer

- Y316 Maple
- Y319 Cherry
- Y323 Medium Walnut
- Y326 Dark Mahogany
- Y329 Medium Oak
- Y341 Wenge
- Y342 Medium Teak
- Y344 Espresso
- Y811 Natural
- Y821 Blond Maple
- Y831 Light Cherry
- Y851 Black Oak
- Y881 Light Walnut
- Y882 Dove Grey

V2 - Natural Veneer/Premium

Techwood Veneer

- V312 Bronze Cherry
- V316 Maple
- V319 Medium Cherry
- V411 Light Walnut
- V412 Natural Cherry
- V413 Sand Oak
- V414 Natural Oak
- V415 Peacock Green Walnut
- V417 Old English Walnut
- V433 Light Fawn Cherry
- V436 Medium Brown Cherry

(above V2's are flat cut)

- V421 Chalk Oak
- V423 Light Oak
- (above V2 Oaks are rift cut)
- V439 Straight Anigre
- V440 Natural Hemock (above V2's are quarter cut)
- Y841 Ebony
- Y861 Grigio

(above Premium Techwoods are straight grain)

V3 - Natural Exotic veneer

- V512 Figured Anigre
- V514 Makore
- V515 Figured Sycamore
- V517 Sapele
- V518 Natural Chestnut

(all remaining V3s are quarter cut)

P1

- Jet Black 111
- 112 Brown
- 113 Dark Grev
- 114 Folkstone Grey
- 115 Medium Grey
- 116 Sandstone
- 117 Soft Grey

P2

- 611 Beige Mist Metallic
- 612 Medium Metallic Grey

P3

- 613 Silver
- 118 Bright White

Anodized

Anodized Aluminum AA

TEMP Clear Tempered

GL13 Powder

Acrvlic

- 0 Opal
- Translucent

Architectural

GL13 Powder

Fabric Options

Grade 10

Annex (W1360)

Beacon (W1597)

Broadcloth II (W1619) Circuit W1754

Element (W1077)

Foundation (W351)

Growth Spurt (W692)

Skylark (W1718) Symbolic Detail (W693)

Tailor Made II (W1610) Versatility (W432)

Fabric Options

Grade 20

Bauhaus Block (W296A)

Circle Line (W1146)

Criss Cross (W305)

Logic (W1318)

Mainframe (W1783)

Newmatic II (W1620)

Photon II (W1695)

Reflect (W884)

Resolution (W280)

Weave Three (W298)

Grade 30 Basket Draft (W249)

Flow (W565)

Harmony (W232)

Match Point (W1145)

Micro (W465)

Relay (W1020)

Grade 40

Amplify (W1215)

Bandwidth (W1219)

Ornament (W1078)

Spellbound (W1464)

Grade 45

Macro (W544) Mezzo (W543)

Grade 50

Presto (K1000)

Grade 55

Ransom (K1298) Transition (W816)

Customers Own Material Prices for panels that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing. COM fabrics are subject to a testing charge prior to acceptance for use on panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving

COM fabric for manufacturing will

result in rescheduled delivery dates.

Mixed Finish work surfaces:

To order mixed finishes, enter four digit finish code as follows:

Use 2 digit prefix to indicate surface finish (laminate)

- 11 Jet Black
- 14 Folkstone Grey
- 17 Soft Grey
- 18 Bright White
- 19 Pumice
- 21 Micro Grey 22
- Brushed Sand 23 Brushed Grev
- 28 Fog 29 Micro Sand

Use 2 digit suffix to indicate edge


- finish (wood) 16 for V316, Y316 for Y319 Υ9 Υ3 for Y323 26 for Y326 27 for Y327 29 for Y329 43 for V433 45 for V415 for V436 46
- 47 for V417 for V418 48 52 for V512
- for V51454 55 for V515 57 for V517
- 61 for V411for V42171
- 73 for V423 75 for V425

code 1116

Example: For a Micro Grey laminate surface with Bronzed Cherry edge, enter finish code 2112

for V427

For a Jet Black laminate surface with Light Maple edge, enter finish



description	nominal depth	w	d	h	pattern number	L	M	V1	V2	V3
Worksurface, tapered edge	24"	48"	22"	1 1/4"	XTTK4824A (L/M/1/2/3) ()()	\$847.	\$992.	\$992.	\$1,090.	\$1,322.
	24"	60"	22"	1 1/4"	XTTK6024A (L/M/1/2/3) ()()	878.	1,088.	1,088.	1,200.	1,465.
//	24"	72"	22"	1 1/4"	XTTK7224A (L/M/1/2/3) ()()	939.	1,149.	1,149.	1,275.	1,564.
	24"	96"	22"	1 1/4"	XTTK9624A (L/M/1/2/3) ()()	1,049.	1,299.	1,299.	1,449.	1,790.
	30"	48"	28"	1 1/4"	XTTK4830A (L/M/1/2/3) ()()	860.	1,076.	1,076.	1,191.	1,451.
	30"	60"	28"	1 1/4"	XTTK6030A (L/M/1/2/3) ()()	907.	1,166.	1,166.	1,294.	1,584.
<u> </u>	30"	72"	28"	1 1/4"	XTTK7230A (L/M/1/2/3) ()()	972.	1,207.	1,207.	1,340.	1,646.
	30"	96"	28"	1 1/4"	XTTK9630A (L/M/1/2/3) ()()	1,088.	1,368.	1,368.	1,525.	1,887.
	36"	48"	34''	1 1/4"	XTTK4836A (L/M/1/2/3) ()()	902.	1,173.	1,173.	1,306.	1,602.
	36"	60"	34''	1 1/4"	XTTK6036A (L/M/1/2/3) ()()	929.	1,258.	1,258.	1,395.	1,716.
	36"	72"	34"	1 1/4"	XTTK7236A (L/M/1/2/3) ()()	1,015.	1,272.	1,272.	1,410.	1,736.
	36"	96"	34"	1 1/4"	XTTK9636A (L/M/1/2/3) ()()	1,157.	1,440.	1,440.	1,606.	1,993.
Worksurface, veneer square edge	24"	48"	22"	1 1/4"	XTTS4824A (1/2/3) ()()	n/a	n/a	808.	891.	1,003.
	24"	60"	22"	1 1/4"	XTTS6024A (1/2/3) ()()	n/a	n/a	848.	932.	1,058.
	24"	72"	22"	1 1/4"	XTTS7224A (1/2/3) ()()	n/a	n/a	891.	974.	1,114.
	24"	96"	22"	1 1/4"	XTTS9624A (1/2/3) ()()	n/a	n/a	959.	1,043.	1,210.
<i></i>	30"	48"	28"	1 1/4"	XTTS4830A (1/2/3) ()()	n/a	n/a	932.	1,016.	1,154.
	30"	60"	28"	1 1/4"	XTTS6030A (1/2/3) ()()	n/a	n/a	959.	1,050.	1,211.
	30"	72"	28"	1 1/4"	XTTS7230A (1/2/3) ()()	n/a	n/a	988.	1,087.	1,321.
	30"	96"	28"	1 1/4"	XTTS9630A (1/2/3) ()()	n/a	n/a	1,043.	1,154.	1,503.
	36"	48"	34"	1 1/4"	XTTS4836A (1/2/3) ()()	n/a	n/a	1,016.	1,119.	1,295.
	36"	60"	34"	1 1/4"	XTTS6036A (1/2/3) ()()	n/a	n/a	1,058.	1,162.	1,327.
	36"	72"	34"	1 1/4"	XTTS7236A (1/2/3) ()()	n/a	n/a	1,099.	1,227.	1,453.
	36"	96"	34"	1 1/4"	XTTS9636A (1/2/3) ()()	n/a	n/a	1,183.	1,349.	1,682.
Worksurface, postformed plastic	24"	48"	22"	1 1/4"	XTTP4824A (L) ()()	616.	n/a	n/a	n/a	n/a
worksurface, positormed plastic	24"	60"	22"	1 1/4"	XTTP6024A (L) ()()	705.	n/a	n/a	n/a	n/a
	24"	72"	22"	1 1/4"	XTTP7224A (L) ()()	774.	n/a	n/a	n/a	n/a
	24"	96"	22"	1 1/4"	XTTP9624A (L) ()()	849.	n/a	n/a	n/a	n/a
/` //	30"	48"	28"	1 1/4"	XTTP4830A (L) ()()	644.	n/a	n/a	n/a	n/a
	30"	60"	28"	1 1/4"	XTTP6030A (L) ()()	739.	n/a	n/a	n/a	n/a
	30"	72"	28"	1 1/4"	XTTP7230A (L) ()()	816.	n/a	n/a	n/a	n/a
	30"	96"	28"	1 1/4"	XTTP9630A (L) ()()	905.	n/a	n/a	n/a	n/a
	36"	48"	34"	1 1/4"	XTTP4836A (L) ()()	681.	n/a	n/a	n/a	n/a
	36"	60"	34"	1 1/4"	XTTP6036A (L) ()()	816.	n/a	n/a	n/a	n/a
	36"	72"	34"	1 1/4"	XTTP7236A (L) ()()	881.	n/a	n/a	n/a	n/a
	36"	96"	34"	1 1/4"	XTTP9636A (L) ()()	981.	n/a	n/a	n/a	n/a
		70	07	1 /4	7.11 00007 (E) ()()	<i>7</i> 01.	11/а	11/а	11/а	11/ d

Ordo	r Code
Orae	r Coa

Example: XTTP6030AL 118 118 XT Crinion Open Table T Worksurface P Postformed plastic 60 Width 30 Depth A With center hinged power access Finish Type 118 Work Surface finish 118 Access door finish

Specifications

Worksurfaces are 11/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge.

- 1. Specify finish group:
 - L Laminate
 - M Laminate/veneer edge
 - 1 Veneer group 1
 - 2 Veneer group 2
- 3 Veneer group 3 Specify worksurface finish.
- Speicfy hinged access cover finish.

AA anodized aluminum and all P1,P2 and P3 paint finishes are available except 613 Silver.

Application Notes

Crinion 30"D worksurfaces correspond in width to table bases, which are specified separately. 48"W worksurfaces plan on 12' wide or 20' wide bases. 60"W worksurfaces plan on 5', 10', 15' and 20' wide bases. 72" W worksurfaces plan on 6', 12' and 18'

Worksurfaces with hinged power access enable access to suspended modular raceway.

Power access door is 24" wide, 5" deep, centered at back edge of worksurface.

Continous 1/2" wire drop accommodates clamp-on flat screen monitor arm or most power cords

Actual worksurface depth is 22.35", 28.35" or 34.35".

description	nominal depth	w	d	h	pattern number	L	M	V1	V2	V3
Worksurface, tapered edge	24"	48"	22"	1 1/4"	XTTK4824U (L/M/1/2/3) ()()	\$569.	\$715.	\$715.	\$812.	\$1,044.
	24"	60"	22"	1 1/4"	XTTK6024U (L/M/1/2/3) ()()	602.	810.	810.	924.	1,188.
	24"	72"	22"	1 1/4"	XTTK7224U (L/M/1/2/3) ()()	662.	872.	872.	997.	1,286.
	24"	96"	22"	1 1/4"	XTTK9624U (L/M/1/2/3) ()()	772.	1,021.	1,021.	1,173.	1,513.
	30"	48"	28"	1 1/4"	XTTK4830U (L/M/1/2/3) ()()	583.	800.	800.	913.	1,175.
	30"	60"	28"	1 1/4"	XTTK6030U (L/M/1/2/3) ()()	630.	889.	889.	1,016.	1,307.
	30"	72"	28"	1 1/4"	XTTK7230U (L/M/1/2/3) ()()	695.	931.	931.	1,063.	1,368.
	30"	96"	28"	1 1/4"	XTTK9630U (L/M/1/2/3) ()()	810.	1,092.	1,092.	1,248.	1,609.
	36"	48"	34"	1 1/4"	XTTK4836U (L/M/1/2/3) ()()	624.	896.	896.	1,029.	1,325.
	36"	60"	34"	1 1/4"	XTTK6036U (L/M/1/2/3) ()()	651.	981.	981.	1,118.	1,439.
	36"	72"	34"	1 1/4"	XTTK7236U (L/M/1/2/3) ()()	738.	994.	994.	1,134.	1,460.
	36"	96"	34"	1 1/4"	XTTK9636U (L/M/1/2/3) ()()	880.	1,163.	1,163.	1,329.	1,715.
Worksurface, veneer square edge	24"	48"	22"	1 1/4"	XTTS4824U (1/2/3) ()()	n/a	n/a	531.	614.	726.
	24"	60"	22"	1 1/4"	XTTS6024U (1/2/3) ()()	n/a	n/a	570.	655.	780.
	24"	72"	22"	1 1/4"	XTTS7224U (1/2/3) ()()	n/a	n/a	614.	696.	836.
	24"	96"	22"	1 1/4"	XTTS9624U (1/2/3) ()()	n/a	n/a	683.	767.	933.
	30"	48"	28"	1 1/4"	XTTS4830U (1/2/3) ()()	n/a	n/a	655.	739.	877.
	30"	60"	28"	1 1/4"	XTTS6030U (1/2/3) ()()	n/a	n/a	683.	773.	934.
*	30"	72"	28"	1 1/4"	XTTS7230U (1/2/3) ()()	n/a	n/a	711.	809.	1,043.
	30"	96"	28"	1 1/4"	XTTS9630U (1/2/3) ()()	n/a	n/a	767.	877.	1,226.
	36"	48"	34"	1 1/4"	XTTS4836U (1/2/3) ()()	n/a	n/a	739.	843.	1,017.
	36"	60"	34"	1 1/4"	XTTS6036U (1/2/3) ()()	n/a	n/a	780.	885.	1,050.
	36"	72"	34"	1 1/4"	XTTS7236U (1/2/3) ()()	n/a	n/a	822.	950.	1,176.
	36"	96"	34"	11/4"	XTTS9636U (1/2/3) ()()	n/a	n/a	906.	1,071.	1,405.
Worksurface, postformed plastic	24"	48"	22"	1 1/4"	XTTP4824B (L) ()()	339.	n/a	n/a	n/a	n/a
	24"	60"	22"	1 1/4"	XTTP6024B (L) ()()	428.	n/a	n/a	n/a	n/a
	24"	72"	22"	1 1/4"	XTTP7224B (L) ()()	497.	n/a	n/a	n/a	n/a
	24"	96"	22"	1 1/4"	XTTP9624B (L) ()()	571.	n/a	n/a	n/a	n/a
	30"	48"	28"	1 1/4"	XTTP4830B (L) ()()	367.	n/a	n/a	n/a	n/a
	30"	60"	28"	1 1/4"	XTTP6030B (L) ()()	461.	n/a	n/a	n/a	n/a
	30"	72"	28"	1 1/4"	XTTP7230B (L) ()()	538.	n/a	n/a	n/a	n/a
	30"	96"	28"	1 1/4"	XTTP9630B (L) ()()	628.	n/a	n/a	n/a	n/a
	36"	48"	34"	1 1/4"	XTTP4836B (L) ()()	403.	n/a	n/a	n/a	n/a
	36"	60"	34"	1 1/4"	XTTP6036B (L) ()()	538.	n/a	n/a	n/a	n/a
	36"	72"	34"	1 1/4"	XTTP7236B (L) ()()	605.	n/a	n/a	n/a	n/a
	36"	96"	34"	1 1/4"	XTTP9636B (L) ()()	703.	n/a	n/a	n/a	n/a

Order Cod	le
E1	VTTDC

Example:	XTTP6030BL 118 812
XT	Crinion Open Table
T	Worksurface
P	Postformed plastic
60	Width
30	Depth
В	With edge grommet
L	Finish type
118	Surface finish
812	Grommet finish

Specifications

Worksurfaces are 11/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge.

- 1. Specify finish group:
 - L Laminate
- M- Laminate/veneer edge
 1 Veneer group 1
 2 Veneer group 2
 3 Veneer group 3
 2. Specify worksurface finish.

 - Specify grommet color: 812 Easy grey 111 Black

Application Notes

Crinion 30"D worksurfaces Crinion 30"D worksurfaces corrrespond in width to table bases, which are specified separately. 48"W worksurfaces plan on 12' wide or 20' wide bases. 60"W worksurfaces plan on 5', 10', 15' and 20' wide bases. 72" W worksurfaces plan on 6', 12' and 18' wide bases. wide bases.

Edge grommet accommodates most power cord plugs up to 1'' deep.

Actual worksurface depth is 21.85", 27.85'' or 33.85''.

description	nominal depth	W	d	h	pattern number	L	M	V1	V2	V3
Worksurface, tapered edge	24"	48"	22"	1 1/4"	XTTK4824C (L/M/1/2/3) ()	\$527.	\$672.	\$672.	\$770.	\$1,002.
	24"	60"	22"	1 1/4"	XTTK6024C (L/M/1/2/3) ()	559.	768.	768.	880.	1,145.
	24"	72"	22"	1 1/4"	XTTK7224C (L/M/1/2/3) ()	619.	829.	829.	955.	1,244.
	24"	96"	22"	1 1/4"	XTTK9624C (L/M/1/2/3) ()	729.	979.	979.	1,130.	1,470.
	30"	48"	28"	1 1/4"	XTTK4830C (L/M/1/2/3) ()	540.	756.	756.	871.	1,132.
	30"	60"	28"	1 1/4"	XTTK6030C (L/M/1/2/3) ()	587.	847.	847.	974.	1,264.
~	30"	72"	28"	1 1/4"	XTTK7230C (L/M/1/2/3) ()	652.	888.	888.	1,020.	1,326.
	30"	96"	28"	1 1/4"	XTTK9630C (L/M/1/2/3) ()	768.	1,049.	1,049.	1,205.	1,567.
	36"	48"	34"	1 1/4"	XTTK4836C (L/M/1/2/3) ()	582.	853.	853.	986.	1,282.
	36"	60"	34"	1 1/4"	XTTK6036C (L/M/1/2/3) ()	609.	938.	938.	1,075.	1,396.
	36"	72"	34"	1 1/4"	XTTK7236C (L/M/1/2/3) ()	695.	952.	952.	1,091.	1,417.
	36"	96"	34"	1 1/4"	XTTK9636C (L/M/1/2/3) ()	837.	1,120.	1,120.	1,286.	1,673.
Worksurface, veneer square edge	24"	48"	22"	1 1/4"	XTTS4824C (1/2/3) ()	n/a	n/a	488.	571.	684.
	24"	60"	22"	1 1/4"	XTTS6024C (1/2/3) ()	n/a	n/a	528.	612.	738.
	24"	72"	22"	1 1/4"	XTTS7224C (1/2/3) ()	n/a	n/a	571.	654.	794.
	24"	96"	22"	1 1/4"	XTTS9624C (1/2/3) ()	n/a	n/a	640.	724.	890.
	30"	48"	28"	1 1/4"	XTTS4830C (1/2/3) ()	n/a	n/a	612.	696.	834.
	30"	60"	28"	1 1/4"	XTTS6030C (1/2/3) ()	n/a	n/a	640.	730.	891.
~	30"	72"	28"	1 1/4"	XTTS7230C (1/2/3) ()	n/a	n/a	668.	767.	1,001.
	30"	96"	28"	1 1/4"	XTTS9630C (1/2/3) ()	n/a	n/a	724.	834.	1,183.
	36"	48"	34"	1 1/4"	XTTS4836C (1/2/3) ()	n/a	n/a	696.	799.	975.
	36"	60"	34"	1 1/4"	XTTS6036C (1/2/3) ()	n/a	n/a	738.	843.	1,008.
	36"	72"	34"	1 1/4"	XTTS7236C (1/2/3) ()	n/a	n/a	779.	907.	1,134.
	36"	96"	34"	1 1/4"	XTTS9636C (1/2/3)()	n/a	n/a	863.	1,029.	1,362.
Worksurface, postformed plastic	24"	48"	22"	1 1/4"	XTTP4824C (L) ()	296.	n/a	n/a	n/a	n/a
	24"	60"	22"	1 1/4"	XTTP6024C (L) ()	385.	n/a	n/a	n/a	n/a
	24"	72"	22"	1 1/4"	XTTP7224C (L) ()	454.	n/a	n/a	n/a	n/a
	24"	96"	22"	1 1/4"	XTTP9624C (L) ()	529.	n/a	n/a	n/a	n/a
	30"	48"	28"	1 1/4"	XTTP4830C (L) ()	324.	n/a	n/a	n/a	n/a
	30"	60"	28"	1 1/4"	XTTP6030C (L) ()	419.	n/a	n/a	n/a	n/a
~	30"	72"	28"	1 1/4"	XTTP7230C (L) ()	496.	n/a	n/a	n/a	n/a
	30"	96"	28"	1 1/4"	XTTP9630C (L) ()	585.	n/a	n/a	n/a	n/a
	36"	48"	34"	1 1/4"	XTTP4836C (L) ()	361.	n/a	n/a	n/a	n/a
	36"	60"	34"	1 1/4"	XTTP6036C (L) ()	496.	n/a	n/a	n/a	n/a
	36"	72"	34"	1 1/4"	XTTP7236C (L) ()	562.	n/a	n/a	n/a	n/a
	36"	96"	34"	1 1/4"	XTTP9636C (L) ()	661.	n/a	n/a	n/a	n/a

Or	der	Cod	le

Example: XTTP6030CL 118 ΧT Crinion Open Table Т Worksurface P Postformed plastic 60 Width 30 Depth С With cord drop L Finish type 118 Surface

Specifications

Worksurfaces are 11/4" thick with square edge or tapered edge option tapering to ½" thick front edge.

Specify finishes: L - Laminate

M- Laminate/veneer edge

1 - Veneer group 1

2 - Veneer group 2 3 - Veneer group 3

Application Notes

Crinion 30"D worksurfaces corrrespond in width to table bases, which are specified separately. 48"W worksurfaces plan on 12' wide or 20' wide bases. 60"W worksurfaces plan on 5', 10', 15' and 20' wide bases. 72" W worksurfaces plan on 6', 12' and 18' wide bases.

Continous $^1\!/\!2''$ cord drop accommodates clamp-on flat screen monitor arm or most power cords.

Actual worksurface depth is 21.85", 27.85" or 33.85".

End counters Crinion Open Table

description	nominal depth	W	1	h	pattern number	L	M	V1	V2	V3
End counter, tapered edge	24"	48"	24"	1 1/4"	XTTK4824E (L/M/1/2/3) ()	\$739.	\$951.	\$951.	\$1,049.	\$1,279.
	24"	60"	24"	1 1/4"	XTTK6024E (L/M/1/2/3) ()	874.	1,046.	1,046.	1,161.	1,424.
	24"	72"	24"	1 1/4"	XTTK7224E (L/M/1/2/3) ()	908.	1,105.	1,105.	1,234.	1,521.
	30"	48"	30"	1 1/4"	XTTK4830E (L/M/1/2/3) ()	827.	1,034.	1,034.	1,150.	1,410.
	30"	60"	30"	1 1/4"	XTTK6030E (L/M/1/2/3) ()	901.	1,124.	1,124.	1,251.	1,543.
	30"	72"	30"	1 1/4"	XTTK7230E (L/M/1/2/3) ()	940.	1,166.	1,166.	1,298.	1,605.
End counter, veneer square edge	24"	48"	24"	1 1/4"	XTTS4824E (1/2/3) ()	n/a	n/a	488.	571.	684.
	24"	60"	24"	1 1/4"	XTTS6024E (1/2/3) ()	n/a	n/a	528.	612.	738.
	24"	72"	24"	1 1/4"	XTTS7224E (1/2/3) ()	n/a	n/a	571.	654.	794.
	30"	48"	30"	1 1/4"	XTTS4830E (1/2/3) ()	n/a	n/a	612.	696.	834.
	30"	60"	30"	1 1/4"	XTTS6030E (1/2/3)()	n/a	n/a	640.	730.	891.
	30"	72"	30"	1 1/4"	XTTS7230E (1/2/3)()	n/a	n/a	668.	767.	1,001.
End counter for postformed plastic	24"	48"	24"	1 1/4"	XTTP4824E (L) ()	551.	n/a	n/a	n/a	n/a
	24"	60"	24"	1 1/4"	XTTP6024E (L) ()	654.	n/a	n/a	n/a	n/a
	24"	72"	24"	1 1/4"	XTTP7224E (L) ()	737.	n/a	n/a	n/a	n/a
	30"	48"	30"	1 1/4"	XTTP4830E (L) ()	618.	n/a	n/a	n/a	n/a
	30"	60"	30"	1 1/4"	XTTP6030E (L) ()	737.	n/a	n/a	n/a	n/a
	30"	72"	30"	1 1/4"	XTTP7230E (L) ()	880.	n/a	n/a	n/a	n/a

Order	Code
-------	------

Example: XTTP6024EL 118 XT Crinion Open Table T Worksurface P Postformed plastic 60 Width 24 Length Ε End counter Finish Type L 118 Surface

Specifications

* Note

End counters are 1'/4" thick with square edge or tapered edge option tapering to '/2" thick front edge. End counters are tapered front and side edges only.

Specify finishes:

L - Laminate

M- Laminate/veneer edge

1 - Veneer group 1

2 - Veneer group 2 3 - Veneer group 3

Application Notes

End counters mount at the ends of dual tables with two end counter cantilever brackets. Specify dual end legs for end counters instead of standard dual end legs (tables with end counters must be specified from components, not assemblies).

Specify 48'' W for dual 24'' tables, 60'' W for dual 30'' tables and 72'' W for dual 36'' tables.

End counters may not be used with end panel kits.


Specify added length of $24^{\prime\prime}$ or $30^{\prime\prime}$ beyond end leg for end counters.

* Note - End counters for postformed plastic are not available in these finishes:


121 Micro grey 129 Micro sand

129 Micro sand 122 Brushed sand 123 Brushed grey

description	nominal depth	w	1	h	pattern no.	L	M	V1	V2	V3
Extended end counter, tapered edge	36"	48"	36"	1 1/4"	XTTK4836D (L/M/1/2/3) ()()	\$1,227.	\$1,424.	\$1,424.	\$1,552.	\$1,839.
with hinged power access	36"	60"	36"	1 1/4"	XTTK6036D (L/M/1/2/3) ()()	1,259.	1,485.	1,485.	1,616.	1,924.
	36"	72"	36"	1 1/4"	XTTK7236D (L/M/1/2/3) ()()	1,351.	1,599.	1,599.	1,738.	2,079.
										_



Extended end counter, tapered edge	36"	48"	36"	1 1/4"	XTTK4836E (L/M/1/2/3) ()	908.	1,105.	1,105.	1,234.	1,521.
with grommet	36"	60"	36"	1 1/4"	XTTK6036E (L/M/1/2/3) ()	940.	1,166.	1,166.	1,298.	1,605.
	36"	72"	36"	1 1/4"	XTTK7236E (L/M/1/2/3) ()	1,032.	1,280.	1,280.	1,420.	1,760.
Extended end counter, veneer square edge	36"	48"	36"	1 1/4"	XTTS4836D (1/2/3) ()()	n/a	n/a	862.	941.	1,074.
with hinged power access	36"	60"	36"	1 1/4"	XTTS6036D (1/2/3) ()()	n/a	n/a	987.	1,085.	1,320.
	36"	72"	36"	1 1/4"	XTTS7236D (1/2/3) ()()	n/a	n/a	1,085.	1,188.	1,467.



Extended end counter, veneer square edge	36"	48"	36"	1 1/4"	XTTS4836E (1/2/3) ()	n/a	n/a	543.	622.	755.
with grommet	36"	60"	36"	1 1/4"	XTTS6036E (1/2/3) ()	n/a	n/a	668.	767.	1,001.
	36"	72"	36"	1 1/4"	XTTS7236E (1/2/3) ()	n/a	n/a	767.	869.	1,148.

Example:	XTTP6036DL 118 AA
XT	Crinion Open Table
T	Worksurface
P	Postformed plastic
60	Width
36	Length
D	End counter,center
	hinged power access
ī	Finish Type

Order Code

Finish Type 118 Surface finish AA Access door finish

Specifications

End counters are $1^{1}/4^{\prime\prime}$ thick with square edge or tapered edge option tapering to 1/2" thick front edge. End counters are tapered front and side edges only.

- 1. Specify finish group:
 - L Laminate
 - M- Laminate/veneer edge
 - 1 Veneer group 1
 - 2 Veneer group 2 3 - Veneer group 3
- Specify worksurface finish.
- Specify hinged access cover finish.

Hinged access covers are available in AA anodized aluminum and all standard paint finishes except 613 Silver.

Application Notes

End counters mount at the ends of dual tables with two end counter cantilever brackets. Specify dual end legs for end counters instead of standard dual end legs (tables with end counters must be specified from components, not assemblies).

Specify 48'' W for dual 24'' tables, 60'' W for dual 30'' tables and 72'' W for dual 36" tables.

End counters may not be used with end panel kits.

Each extended end counter requires base assembly 12" longer than worksurfaces on each side.

- * Note End counters for postformed plastic are not available in these finishes:
- 121 Micro grey
- 129 Micro sand
- 122 Brushed sand
- 123 Brushed grey


V3

n/a

n/a

n/a

description
Extended end counter, postformed plastic
with hinged power access



* Note



Extended end counter, postformed plastic with grommet

36"	48"	36"	1 1/4"	XTTP4836E (L) ()	737.	n/a	n/a	n/a	n/a
36"	60"	36"	1 1/4"	XTTP6036E (L) ()	880.	n/a	n/a	n/a	n/a
36"	72"	36"	1 1/4"	XTTP7236E (L) ()	985.	n/a	n/a	n/a	n/a

^{*} Note

Order Code

XTTP6036DL 118 AA Example: XT Crinion Open Table Worksurface P Postformed plastic Width 60 Length 36 D End counter, center hinged power access L Finish Type 118 Surface finish Access door finish AA

Specifications

End counters are 1'/4" thick with square edge or tapered edge option tapering to '/2" thick front edge. End counters are tapered front and side edges only.

- 1. Specify finish group:
 - L Laminate
 - M- Laminate/veneer edge
 - 1 Veneer group 1
 - 2 Veneer group 2 3 - Veneer group 3
- . Specify worksurface finish.
- Specify hinged access cover finish.

Hinged access covers are available in AA anodized aluminum and all standard paint finishes except 613 Silver.

Application Notes

End counters mount at the ends of dual tables with two end counter cantilever brackets. Specify dual end legs for end counters instead of standard dual end legs (tables with end counters must be specified from components, not assemblies).

Specify 48'' W for dual 24'' tables, 60'' W for dual 30'' tables and 72'' W for dual 36'' tables.

End counters may not be used with end panel kits.

Each extended end counter requires base assembly 12" longer than worksurfaces on each side.

- * Note End counters for postformed plastic are not available in these finishes:
- 121 Micro grey
- 129 Micro sand
- 122 Brushed sand
- 123 Brushed grey

File tops Crinion Open Table

description	W	d	h	pattern number	L	M	V1	V2	V3
File top, tapered edge	30"	18"	1 1/4"	XTTK3018F (L/M/1/2/3) ()	\$385.	\$654.	\$640.	\$684.	\$988.
	30"	36"	1 1/4"	XTTK3036F (L/M/1/2/3) ()	528.	826.	826.	926.	1,162.
	36"	18"	1 1/4"	XTTK3618F (L/M/1/2/3) ()	401.	668.	654.	690.	1,054.
	36"	36"	1 1/4"	XTTK3636F (L/M/1/2/3) ()	551.	905.	905.	1,013.	1,276.
	42"	18"	1 1/4"	XTTK4218F (L/M/1/2/3) ()	414.	684.	668.	702.	1,118.
	42"	36"	1 1/4"	XTTK4236F (L/M/1/2/3) ()	576.	939.	939.	1,061.	1,338.
	60"	18"	1 1/4"	XTTK6018F (L/M/1/2/3) ()	654.	1,010.	1,010.	1,113.	1,391.
	60"	36"	1 1/4"	XTTK6036F (L/M/1/2/3) ()	708.	1,075.	1,075.	1,215.	1,536.
	72"	18"	1 1/4"	XTTK7218F (L/M/1/2/3) ()	688.	1,044.	1,044.	1,169.	1,464.
	72"	36"	1 1/4"	XTTK7236F (L/M/1/2/3) ()	756.	1,092.	1,092.	1,230.	1,554.
	84"	18"	1 1/4"	XTTK8418F (L/M/1/2/3) ()	743.	1,113.	1,113.	1,252.	1,531.
	84"	36"	1 1/4"	XTTK8436F (L/M/1/2/3) ()	808.	1,172.	1,172.	1,335.	1,694.
File top, veneer square edge	30"	18"	1 1/4"	XTTS3018F (1/2/3) ()	n/a	n/a	286.	314.	521.
	36"	18"	1 1/4"	XTTS3618F (1/2/3) ()	n/a	n/a	293.	320.	561.
	42"	18"	1 1/4"	XTTS4218F (1/2/3) ()	n/a	n/a	299.	328.	607.
File top, postformed plastic	30"	18"	1 1/4"	XTTP3018F (L) ()	262.	n/a	n/a	n/a	n/a
	36"	18"	1 1/4"	XTTP3618F (L) ()	276.	n/a	n/a	n/a	n/a
	42"	18"	1 1/4"	XTTP4218F (L) ()	289.	n/a	n/a	n/a	n/a

Order Code

Example: **XTTP4218FL 118** ΧT Crinion Open Table Т Worksurface P Postformed 42 Width 18 Depth F File top L Finish type 118 Surface

Specifications

File tops are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge. Tapered edge file tops are tapered front and back edges only.

Specify finishes:

L - Laminate

M - Laminate/veneer edge
1 - Veneer group 1
2 - Veneer group 2
3 - Veneer group 3

Application Notes

File tops correspond to 30", 36" or 42"W lateral files. File tops on 2 high Calibre files positioned perpendicular to the Crinion Open Table serve as a worksurface return.

Complete base assemblies fixed height 24" D dual

description	nominal	W	d	h	pattern number	P1/P2	P3
Base assembly, continuous	10' dual	120"	44"	281/2"	XTB1 BAS 24D10CF ()()	\$9,888.	\$10,150.
	12' dual	144"	44"	$28^{1}/_{2}''$	XTB1 BAS 24D12CF ()()	10,302.	10,566.
	15' dual	180"	44"	$28^{1}/_{2}''$	XTB1 BAS 24D15CF ()()	11,922.	12,193.
Base assembly, segmented	10' + 5' dual	180"	44"	281/2"	XTB1 BAS 24D15SF ()()	12,789.	13,064.



Base assembly, with intermediate leg



12' + 6' dual	216"	44"	281/2"	XTB1 BAS 24D18SF ()()	14,112.	14,385.
10' + 10' dual	240"	44''	281/2"	XTB1 BAS 24D20SF ()()	15,424.	15,706.
12' + 12' dual	288"	44"	281/2"	XTB1 BAS 24D24SF ()()	16,252.	16,535.
15' + 10' dual	300"	44"	281/2"	XTB1 BAS 24D25SF ()()	17.458.	17.750.

Order Code

Example: XTB1BAS24D10CF 613 XT Crinion Open Table Base components B1 BAS Assembly 24 Depth D Dual 10 Width С Continuous Fixed height 613 Base finish AA Top channel finish

Specifications

Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.

Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.

- Specify painted finish for base assembly.
 For leg and cantilever brackets specify one paint finish for all.
- Specify finish for top channel. AA anodized aluminum and all paint finishes are available except 613 Silver. Beams are anodized aluminum only.

Application Notes

Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.

No table on this page has beams longer than 15'.

Base assemblies correspond to: 10': four 60"x24"D worksurfaces 12': four 72"x24"D worksurfaces 15': six 60"X24"D worksurfaces 16': six 72"x24"D worksurfaces 20': eight 60"x24"D worksurfaces 24': eight 72"x24"D worksurfaces 25': ten 60"x24"D worksurfaces

Complete base assemblies fixed height 24" D single sided

description	nominal	W	d	h	pattern number	P1/P2	Р3
Base assembly, continuous	10' single sided	120"	24"	281/2"	XTB1 BAS 24S10CF()()	\$8,897.	\$9,150.
	12' single sided	144"	24"	281/2"	XTB1 BAS 24S12CF ()()	9,312.	9,563.
	15' single sided	180"	24"	281/2"	XTB1 BAS 24S15CF ()()	10,563.	10,819.
Base assembly, segmented	10' + 5' single sided	180"	24"	281/2"	XTB1 BAS 24S15SF ()()	11,431.	11,687.
	•						



Base assembly, with intermediate leg



12' + 6' single sided	216"	24"	281/2"	XTB1 BAS 24S18SF ()()	12,751.	13,009.
10' + 10' single sided	240"	24''	281/2"	XTB1 BAS 24S20SF ()()	13,695.	13,957.
12' + 12' single sided	288"	24''	281/2"	XTB1 BAS 24S24SF ()()	14,523.	14,785.
15' + 10' single sided	300"	24"	281/2"	XTB1 BAS 24S25SF ()()	15,359.	15.627.

Order Code

Example: XTB1BAS24S10CF 613 XT Crinion Open Table Base components B1 BAS Assembly 24 Depth S Single 10 Width С Continuous Fixed height 613 Base finish 118 Top channel finish

Specifications

Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.

Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.

- Specify base finish for base assembly.
 For legs and cantilever brackets specify one paint finish for all.
- 2. Specify top channel finish.
 AA anodized aluminum and all paint finishes are available except 613 Silver.
 Beams are anodized aluminum only.

Application Notes

Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.

No table on this page has beams longer than 15'.


Base assemblies correspond to: 10': two 60"x24"D worksurfaces 12': two 72"x24"D worksurfaces 15': three 60"X24"D worksurfaces 18': three 72"x24"D worksurfaces 20': four 60"x24"D worksurfaces 24': four 72"x24"D worksurfaces 25': five 60"x24"D worksurfaces

Complete base assemblies fixed height 30" D dual

description	nominal	W	d	h	pattern number	P1/P2	P3
Base assembly, continuous	10' dual	120"	54"	281/2"	XTB1 BAS 30D10CF ()()	\$11,768.	\$12,101.
	12' dual	144"	54"	281/2"	XTB1 BAS 30D12CF ()()	12,248.	12,580.
	15' dual	180"	54"	281/2"	XTB1 BAS 30D15CF ()()	14,257.	14,626.



Base assembly, segmented 10' + 5' dual 180'' 54'' $28\frac{1}{2}''$ **XTB1 BAS 30D15SF()()** 15,458. 15,827.





12' + 6' dual	216"	54"	281/2"	XTB1 BAS 30D18SF ()()	17,128.	17,552.
10' + 10' dual	240"	54"	281/2"	XTB1 BAS 30D20SF ()()	19,098.	19,554.
12' + 12' dual	288"	54"	281/2"	XTB1 BAS 30D24CF ()()	20,059.	20,515.
15' + 10' dual	300"	54"	281/2"	XTB1 BAS 30D25CF ()()	21.586.	22.077.

Order Code

Example: XTB1BAS30D18SF 613 XT Crinion Open Table B1 Base components BAS Assembly 30 Depth D Dual 18 Width s Segmented Fixed height 613 Base finish Top channel finish 111

Specifications

Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.

Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.

 Specify base finish for base assembly.
 For legs and cantilever brackets specify one paint finish for all.

Specify top channel finish.
 AA anodized aluminum and all paint finishes are available except 613 Silver.
 Beams are anodized aluminum only.

Application Notes

Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.

No table on this page has beams longer than 15'.

Base assemblies correspond to: 10': four 60"x30"D worksurfaces 12': four 72"x30"D worksurfaces 15': six 60"x30"D worksurfaces 18': six 72"x30"D worksurfaces 20': eight 60"x30"D worksurfaces 24': eight 72"x30"D worksurfaces 25': ten 60"x30"D worksurfaces

Complete base assemblies fixed height 30" D single sided

description	nominal	W	d	h	pattern number	P1/P2	P3
Base assembly, continuous	10' single sided	120"	283/4"	281/2"	XTB1 BAS 30S10CF()()	\$10,358.	\$10,646.
	12' single sided	144"	283/4"	281/2"	XTB1 BAS 30S12CF ()()	10,837.	11,124.
	15' single sided	180"	283/4"	281/2"	XTB1 BAS 30S15CF ()()	12,330.	12,635.
Base assembly, segmented	10' + 5' single sided	180"	283/4"	281/2"	XTB1 BAS 30S15SF ()()	11,529.	11,833.
_							



Base assembly, with intermediate leg



12' + 6' single sided	216"	283/4"	281/2"	XTB1 BAS 30S18SF ()()	12,518.	12,821.
10' + 10' single sided	240"	283/4"	281/2"	XTB1 BAS 30S20SF ()()	14,235.	14,558.
12' + 12' single sided	288"	283/4"	281/2"	XTB1 BAS 30S24SF ()()	17,201.	17,523.
15' + 10' single sided	300"	283/4"	281/2"	XTB1 BAS 30S25SE ()()	18 213	18 551

Order Code

Example: XTB1BAS30S15CF 613 XT Crinion Open Table Base components B1 BAS Assembly 30 Depth S Single 15 Width С Continuous Fixed height 613 Base finish 115 Top channel finish

Specifications

Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.

Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.

- Specify base finish for base assembly.
 For legs and cantilever brackets specify one paint finish for all.
- 2. Specify top channel finish.
 AA anodized aluminum and all paint finishes are available except 613 Silver.
 Beams are anodized aluminum only.

Application Notes


Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.

No table on this page has beams longer than 15'.

Base assemblies correspond to: 10': two 60"x30"D worksurfaces 12': two 72"x30"D worksurfaces 15': three 60"X30"D worksurfaces 18': three 72"x30"D worksurfaces 20': four 60"x30"D worksurfaces 24': four 72"x30"D worksurfaces 25': five 60"x30"D worksurfaces

Complete base assemblies adjustable height 30" D dual

description	nominal	W	d	h	pattern number	P1/P2	P3
Base assembly, continuous	10' dual	120"	54"	281/2"	XTB1 BAS 30D10CA()()	\$11,941.	\$12,288.
	12' dual	144"	54"	281/2"	XTB1 BAS 30D12CA ()()	12,422.	12,768.
	15' dual	180"	54"	281/2"	XTB1 BAS 30D15CA()()	14,759.	15,159.
# SON							



Base assembly, segmented 10' + 5' dual 180'' 54'' $28 \frac{1}{2}''$ **XTB1 BAS 30D15SA()()** 15,960. 16,362.





12' + 6' dual	216"	54"	281/2"	XTB1 BAS 30D18SA ()()	17,631.	18,086.
10' + 10' dual	240"	54"	281/2"	XTB1 BAS 30D20SA ()()	19,927.	20,435.
12' + 12' dual	288"	54"	281/2"	XTB1 BAS 30D24CA()()	20,890.	21,397.
15' + 10' dual	300"	54"	281/2"	XTB1 BAS 30D25CA()()	22,745.	23,307.

Order Code

Example: XTB1BAS30D18SA 613 XΤ Crinion Open Table B1 Base components BAS Assembly 30 Depth D Dual 18 Width s Segmented A Adjustable height 613 Base finish 118 Top channel finish

Specifications

Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.

- Specify base finish for base assembly.
 For legs and cantilever brackets specify one paint finish for all.
- Specify top channel finish.
 AA anodized aluminum and all paint finishes are available except 613 Silver.
 Beams are anodized aluminum only.

Application Notes

Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, top channel and end caps.

No table on this page has beams longer than 15'.

Base assemblies correspond to: 10': four 60"x30"D worksurfaces 12': four 72"x30"D worksurfaces 15': six 60"X30"D worksurfaces 18': six 72"x30"D worksurfaces 20': eight 60"x30"D worksurfaces 24': eight 72"x30"D worksurfaces 25': ten 60"x30"D worksurfaces

Complete base assemblies adjustable height 30" D single sided

description	nominal	W	d	h	pattern number	P1/P2	P3
Base assembly, continuous	10' single sided	120"	283/4"	281/2"	XTB1 BAS 30S10CA()()	\$10,472.	\$10,765.
	12' single sided	144"	283/4"	281/2"	XTB1 BAS 30S12CA ()()	10,952.	11,244.
	15' single sided	180"	283/4"	281/2"	XTB1 BAS 30S15CA()()	12,622.	12,942.
Base assembly, segmented	10' +5' single sided	180"	283/4"	281/2"	XTB1 BAS 30S15SA ()()	11,822.	12,142.
_	•						



Base assembly, with intermediate leg



12' + 6' single sided	216"	283/4"	281/2"	XTB1 BAS 30S18SA ()()	13,076.	13,397.
10' + 10' single sided	240"	283/4"	281/2"	XTB1 BAS 30S20SA ()()	14,705.	15,053.
12' + 12' single sided	288"	283/4"	281/2"	XTB1 BAS 30S24SA ()()	17,670.	18,017.
15' + 10' single sided	300"	283/4"	281/2"	XTB1 BAS 30S25SA ()()	18.858	19 232

Example: XTB1BAS30S18SA 613 AA XT Crinion Open Table

Order Code

	AA
XT	Crinion Open Table
B1	Base components
BAS	Assembly
30	Depth
S	Single
18	Width
S	Segmented
A	Adjustable height
613	Base finish
AA	Top channel finish

Specifications

Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.

- Specify base finish for base assembly.
 For legs and cantilever brackets specify one paint finish for all.
- 2. Specify top channel finish.
 AA anodized aluminum and all paint finishes are available except 613 Silver.
 Beams are anodized aluminum only.

Application Notes

Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, top channel and end caps.

No table on this page has beams longer than 15'.

Base assemblies correspond to: 10': two 60"x30"D worksurfaces 12': two 72"x30"D worksurfaces 15': three 60"X30"D worksurfaces 18': three 72"x30"D worksurfaces 20': four 60"x30"D worksurfaces 24': four 72"x30"D worksurfaces 25': five 60"x30"D worksurfaces

Complete base assemblies fixed height 36" D dual

description	nominal	W	h	d	pattern number	P1/P2	Р3
Base assembly, continuous	10' dual	120"	281/2"	54"	XTB1 BAS 36D10CF ()()	\$11,927.	\$12,261.
	12' dual	144"	281/2"	54"	XTB1 BAS 36D12CF ()()	12,408.	12,741.
	15' dual	180"	281/2"	54"	XTB1 BAS 36D15CF ()()	14,469.	14,839.
· Aller							



Base assembly, segmented	10' + 5' dual	180"	281/2"	54"	XTB1 BAS 36D15SF ()()	15,672.	16,042.



Base assembly, with intermediate leg



12' + 6' dual	216"	281/2"	54"	XTB1 BAS 36D18SF ()()	17,342.	17,763.
10' + 10' dual	240"	281/2"	54"	XTB1 BAS 36D20SF ()()	19,364.	19,821.
12' + 12' dual	288"	281/2"	54"	XTB1 BAS 36D24CF ()()	20,324.	20,781.
15' + 10' dual	300"	281/2"	54"	XTB1 BAS 36D25CF ()()	21.906.	22,397.

Order Code

Example: XTB1BAS36D18SF 613 XT Crinion Open Table B1 Base components BAS Assembly 36 Depth D Dual 18 Width S Segmented Fixed height 613 Base finish 111 Top channel finish

Specifications

Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.

Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.

 Specify base finish for base assembly.
 For legs and cantilever brackets specify one paint finish for all.

Specify top channel finish.
 AA anodized aluminum and all paint finishes are available except 613 Silver.
 Beams are anodized aluminum only.

Application Notes

Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.

No table on this page has beams longer than 15'.

Base assemblies correspond to: 10': four 60"x36"D worksurfaces 12': four 72"x36"D worksurfaces 15': six 60"X36"D worksurfaces 18': six 72"x36"D worksurfaces 20': eight 60"x36"D worksurfaces 24': eight 72"x36"D worksurfaces 25': ten 60"x36"D worksurfaces

Complete base assemblies fixed height 36" D single sided

description	nominal	W	d	h	pattern number	P1/P2	P3
Base assembly, continuous	10' single sided	120"	283/4"	281/2"	XTB1 BAS 36S10CF ()()	\$10,518.	\$10,805.
	12' single sided	144"	283/4"	281/2"	XTB1 BAS 36S12CF ()()	10,997.	11,284.
	15' single sided	180"	283/4"	281/2"	XTB1 BAS 36S15CF ()()	12,545.	12,848.
Base assembly, segmented	10' + 5' single sided	180"	283/4"	281/2"	XTB1 BAS 36S15SF ()()	11,742.	12,048.



Base assembly, with intermediate leg



12' + 6' single sided	216"	283/4"	281/2"	XTB1 BAS 36S18SF ()()	12,998.	13,302.
10' + 10' single sided	240"	283/4"	281/2"	XTB1 BAS 36S20SF ()()	14,504.	14,825.
12' + 12' single sided	288"	283/4"	281/2"	XTB1 BAS 36S24SF ()()	17,468.	17,791.
15' + 10' single sided	300"	283/4"	281/2"	XTB1 BAS 36S25SF ()()	18,532.	18,873.

Order Code Example: XTB1BAS36S18SF 613

Laumpie.	**************************************
	AA
XT	Crinion Open Table
B1	Base components
BAS	Assembly
36	Depth
S	Single
18	Width
S F	Segmented
F	Fixed height
613	Base finish
AA	Top channel finish

Specifications

Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.

Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.

- Specify base finish for base assembly.
 For legs and cantilever brackets specify one paint finish for all
- specify one paint finish for all.

 2. Specify top channel finish.

 AA anodized aluminum and all paint finishes are available except 613 Silver.

 Beams are anodized aluminum only.

Application Notes

Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.

No table on this page has beams longer than 15'.

Base assemblies correspond to: 10': two 60"x36"D worksurfaces 12': two 72"x36"D worksurfaces 15': three 60"X36"D worksurfaces 18': three 72"x36"D worksurfaces 20': four 60"x36"D worksurfaces 24': four 72"x36"D worksurfaces 25': five 60"x36"D worksurfaces

Complete base assemblies adjustable height 36" D dual

description	nominal	W	d	h	pattern number	P1/P2	P3
Base assembly, continuous	10' dual	120"	54"	281/2"	XTB1 BAS 36D10CA()()	\$12,101.	\$12,447.
	12' dual	144''	54"	281/2"	XTB1 BAS 36D12CA ()()	12,580.	12,929.
	15' dual	180"	54"	281/2"	XTB1 BAS 36D15CA()()	14,973.	15,374.
Base assembly, segmented	10' + 5' dual	180"	54"	281/2"	XTB1 BAS 36D15SA ()()	16,175.	16,574.



Base assembly, with intermediate leg



12' + 6' dual	216"	54"	281/2"	XTB1 BAS 36D18SA ()()	17,844.	18,298.
10' + 10' dual	240"	54"	281/2"	XTB1 BAS 36D20SA ()()	20,195.	20,702.
12' + 12' dual	288"	54"	281/2"	XTB1 BAS 36D24CA ()()	21,156.	21,663.
15' + 10' dual	300"	54"	281/2"	XTB1 BAS 36D25CA()()	23,065.	23,628.

Order Code

Example: XTB1BAS36D18SA 613 XΤ Crinion Open Table B1 Base components BAS Assembly 36 Depth D Dual 18 Width s Segmented A Adjustable height 613 Base finish 115 Top channel finish

Specifications

Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.

- Specify base finish for base assembly.
 For legs and cantilever brackets specify one paint finish for all.
- Specify top channel finish.
 AA anodized aluminum and all paint finishes are available except 613 Silver.
 Beams are anodized aluminum only.

Application Notes

Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, top channel and end caps.

No table on this page has beams longer than 15'.

Base assemblies correspond to: 10': four 60'x36"D worksurfaces 12': four 72"x36"D worksurfaces 15': six 60"X36"D worksurfaces 16': six 72"x36"D worksurfaces 20': eight 60"x36"D worksurfaces 24': eight 72"x36"D worksurfaces 25': ten 60"x36"D worksurfaces

Complete base assemblies adjustable height 36" D single sided

description	nominal	W	d	h	pattern number	P1/P2	P3
Base assembly, continuous	10' single sided	120"	283/4"	281/2"	XTB1 BAS 36S10CA()()	\$10,631.	\$10,927.
	12' single sided	144"	283/4"	281/2"	XTB1 BAS 36S12CA()()	11,113.	11,406.
	15' single sided	180"	283/4"	281/2"	XTB1 BAS 36S15CA()()	12,837.	13,157.
Base assembly, segmented	10' + 5' single sided	180"	283/4"	281/2"	XTB1 BAS 36S15SA ()()	12,035.	12,356.



Base assembly, with intermediate leg



12' + 6' single sided	216"	283/4"	281/2"	XTB1 BAS 36S18SA ()()	13,290.	13,611.
10' + 10' single sided	240"	283/4"	281/2"	XTB1 BAS 36S20SA ()()	14,973.	15,319.
12' + 12' single sided	288"	283/4"	281/2"	XTB1 BAS 36S24SA ()()	17,938.	18,284.
15' + 10' single sided	300"	283/4"	281/2"	XTB1 BAS 36S25SA ()()	19,181.	19,554.

Order Code

Example: XTB1BAS36S18SA 613 XΤ Crinion Open Table B1 Base components BAS Assembly 36 Depth S Single 18 Width s Segmented A Adjustable height 613 Base finish \overline{AA} Top channel finish

Specifications

Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.

- Specify base finish for base assembly.
 For legs and cantilever brackets specify one paint finish for all.
- Specify top channel finish.
 AA anodized aluminum and all paint finishes are available except 613 Silver.
 Beams are anodized aluminum only.

Application Notes

Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, top channel and end caps.

No table on this page has beams longer than 15'.

Base assemblies correspond to: 10°: two 60″x36″D worksurfaces 12°: two 72″x36″D worksurfaces 15°: three 60″X36″D worksurfaces 18°: three 72″x36″D worksurfaces 20°: four 60″x36″D worksurfaces 24°: four 72″x36″D worksurfaces 25°: five 60″x36″D worksurfaces


nominal	W	d	h	pattern number	list price
4'	48"	21/2"	2"	XTC1 48 ()	\$179.
5'	60"	21/2"	2"	XTC1 60 ()	228.
6'	72"	21/2"	2"	XTC1 72 ()	267.
8'	96"	21/2"	2"	XTC1 96 ()	363.
10'	120"	2 1/2"	2"	XTC1 120 AA	454.
12'	144"	21/2"	2"	XTC1 144 AA	535.
		21/2"	2"	XTC1 END ()	41.
	4' 5' 6' 8' 10'	4' 48" 5' 60" 6' 72" 8' 96" 10' 120"	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4' 48" 2½" 2" XTC1 48() 5' 60" 2½" 2" XTC1 60() 6' 72" 2½" 2" XTC1 72() 8' 96" 2½" 2" XTC1 96() 10' 120" 2½" 2" XTC1 120 AA 12' 144" 2½" 2" XTC1 144 AA



Top channel for frameless glass addups



4'	48"	$2^{1}/2''$	2"	XTCA1 48 ()	267.
5'	60"	$2^{1/2}''$	2"	XTCA1 60 ()	322.
6'	72"	21/2"	2"	XTCA1 72 ()	379.
8'	96"	21/2"	2"	XTCA1 96 ()	495.
10'	120"	21/2"	2"	XTCA1 120 AA	602.
12'	144"	21/2"	2"	XTCA1 144 AA	748.



48"	XTCF 48 ()	34.
60"	XTCF 60 ()	46.
72"	XTCF 72 ()	46.

Example:	XTC1120AA
XT	Crinion open table
C1	Top channel
120	Width

Finish

Order Code

AA

Specifications

Top channels are extruded aluminum with natural anodized finish AA or any standard painted finish except 613 Silver.

Top channel end caps are die cast aluminum AA or any standard painted finish except 613 Silver.

Top channel filler is 812 Easy Grey or 111 Black.

Application Notes

Crinion Open Table top channel supports privacy screens and suspended raceway components at any point. Top channel is required at the center of dual tables.

Top channels and end caps are included in complete base assemblies.

Top channels correspond in width to one or two worksurface widths.

Beams for single sided or dual tables $24''\,D$

description	nominal	W	d	h	pattern number	list price
Starter beam set for 24" D	5'	52"	3"	8"	XTB1TB5C	\$1,202.
	6'	64"	3"	8"	XTB1TB6C	1,335.
	8'	88"	3"	8"	XTB1TB8C	1,604.
	10'	112"	3"	8"	XTB1TB10C	1,938.
	12'	136"	3"	8"	XTB1TB12C	2,270.
	15'	172"	3"	8"	XTB1TB15C	2,803.
Extension beam set for 24" D tables	4'	48"	3"	8"	XTB1TB4E	1,604.
	5'	60"	3"	8"	XTB1TB5E	1,735.
	6'	72"	3"	8"	XTB1TB6E	1,870.
	8'	96"	3"	8"	XTB1TB8E	2,136.
	10'	120"	3"	8"	XTB1TB10E	2,472.
	12'	144"	3"	8"	XTB1TB12E	2,803.
	15'	180"	3"	8"	XTB1TB15E	3,339.

Order Code						
Example:	XTB1TB15C					
XT	Crinion Open Table					
B1	Base components					
ТВ	Dual beam set					
15	Width					

Starter

Specifications

Beams are extruded aluminum with natural anodized finish.

Application Notes

Crinion Open Table bases are assembled from beams, end legs or end panels, intermediate legs and trusses.

Beam sets can be used with either dual or single sided tables. Table bases require one starter beam and extension beam adding up to the length as the sum of the worksurface widths on one side.


Extension beam sets are specified only to add on to starter sets or other extension beams.

Beam sets must be supported by intermediate legs at least every 16'. Intermediate leg must be positioned at beam truss location, where two worksurfaces meet.

Beams for dual tables 30'' and 36'' D

description	nominal	W		h	pattern number	list price
Starter beam set for dual table	5'	52"	3"	8"	XTB1DB5C	\$1,604.
30" or 36" (pair of beams)	6'	64"	3"	8"	XTB1DB6C	1,735.
	8'	88"	3"	8"	XTB1DB8C	2,270.
	10'	112"	3"	8"	XTB1DB10C	2,671.
	12'	136"	3"	8"	XTB1DB12C	3,071.
	15'	172"	3"	8"	XTB1DB15C	3,607.

Extension beam set for dual table 30" or 36" (pair of beams)



4'	48"	3"	8"	XTB1DB4E	2,136.
5'	60"	3"	8"	XTB1DB5E	2,136.
6'	72"	3"	8"	XTB1DB6E	2,270.
8'	96"	3"	8"	XTB1DB8E	2,803.
10'	120"	3"	8"	XTB1DB10E	3,205.
12'	144"	3"	8"	XTB1DB12E	3,607.
15'	180"	3"	8"	XTB1DB15E	4,141.

Order Code

Example: XTB1DB15C XT Crinion Open Table B1 Base components DB Dual beam set 15 Width C Starter

Specifications

Beams are extruded aluminum with natural anodized finish.

Beam sets are starter or extension.

Extension beam sets are specified only to add on to starter sets or other extension beams.

Application Notes


Crinion Open Table bases are assembled from beams, end legs or end panels, intermediate legs and trusses. Beam sets may be used with either worksurface depth. Dual tables require one pair of main beams of the same nominal width as the sum of the worksurfaces on each side.

Beam sets must be supported by intermediate legs at least every 16'. Intermediate leg must be positioned at beam truss location, where two worksurfaces meet.

Beams for single sided tables 30'' and 36'' D

description	nominal	W	d	h	pattern number	list price
Starter beam set for single sided table	5'	52"		8"	XTB1SB5C	\$1,403.
30" or 36" (main and back beam)	6'	64"		8"	XTB1SB6C	1,469.
	8'	88"		8"	XTB1SB8C	1,938.
	10'	112"		8"	XTB1SB10C	2,270.
	12'	136"		8"	XTB1SB12C	2,671.
	15'	172"		8"	XTB1SB15C	3,071.

Extension beam set for single sided table 30'' or 36'' (main and back beam)



4'	48"	8"	XTB1SB4E	1,870.
5'	60"	8"	XTB1SB5E	1,938.
6'	72"	8"	XTB1SB6E	2,004.
8'	96"	8"	XTB1SB8E	2,472.
10'	120"	8"	XTB1SB10E	2,803.
12'	144"	8"	XTB1SB12E	3,205.
15'	180"	8"	XTB1SB15E	3,607.

Order Code

Example: XTB1DB15C XT Crinion Open Table B1 Base components DB Dual beam set 15 Width C Starter

Specifications

Beams are extruded aluminum with natural anodized finish.

Beam sets are starter or extension.


Extension beam sets are specified only to add on to starter sets or other extension beams.

Application Notes

Crinion Open Table bases are assembled from beams, end legs or end panels, intermediate legs and trusses. Beam sets may be used with either worksurface depth. Single sided tables require one pair of main beams of the same nominal width as the sum of the worksurfaces on each side.

Beam sets must be supported by intermediate legs at least every 16'. Intermediate leg must be positioned at beam truss location, where two worksurfaces meet.

description	application	W	d	h	pattern number	P1/P2	P3
End leg for dual tables	24" D worksurface	4"	44"	24"	XTB1EDD24()	\$4,834.	\$5,076.
(pair of legs for 36"D worksurface)	30" D worksurface	4"	54"	24"	XTB1EDD30()	4,834.	5,076.
P	36" D worksurface	4"	54"	24"	XTB1EDD36()	4,834.	5,076.




Intermediate leg for dual table
(pair of legs for 30" and 36"D)


24" D worksurfaces	4"	23/4"	16"	XTB2LDD24()	580.	580.
30" & 36" D worksurfaces	4"	23/4"	16"	XTB2LDD()	638.	638.



Shroud for intermediate leg infeed kit	24" D or single sided	33/4"	2 1/2"	15"	XTB1 SLIK ()	182.	191.
1	30" D	11"	4"	15"	XTB1 SLIK30()	230.	241.
	36" D	23"	4"	15"	XTB1 SLIK36()	269.	285.



48" W end counter	4"	44"	24''	XTB1XDD24()	5,168.	5,411.
60" W end counter	4"	54"	24"	XTB1XDD30()	5,168.	5,411.
72" W end counter	4"	54"	24"	XTB1XDD36()	5,168.	5,411.



Order Code

Example:	XTB1EDD30 118						
XT	Crinion Open Table						
B1	Base components						
E	End leg						
D	Dual						
D	Desk height						
30	Depth of tops						
118	Finish						

Specifications

Specify paint finish code after pattern number.

Application Notes

Crinion Open Table bases are assembled from main beams, end legs or end panels, intermediate legs and trusses. After selecting starter or segmented beam sets, specify legs to support each end of beams. End legs support main beams at each end of a table.

Dual end legs for end counters have threaded metal inserts on the outside of the leg to accept two fixed height or adjustable cantilevers for end counters.

Intermediate legs must be specified to provide support under beam sets spanning longer than 16'. Intermediate legs may be positioned under beams at any beam truss location. End legs include beam end plates and hardware.


Shroud for intermediate leg kit encloses the space between legs to protect power, data and communication cables between floor and table base. Side covers may be removed for access.

Shroud for 24''d intermediate leg is U-shaped cover that attaches to side of intermediate leg for 24"d or any single sided intermediate leg.

End legs for 24"D worksurfaces and end legs for 48"W end counters have only one end plate for attaching a single centered beam for 24"D tables.

End legs for $30^{\prime\prime} D$ and $36^{\prime\prime} D$ worksurfaces and end legs for 60"W and 72"W end counters have two end plates for attaching two beams for 30"D and 36"D tables.

description	application	W	d	h	pattern number	P1/P2	Р3
End leg for end counters one end only	48" W end counter	4"	44"	24"	XTB1YDD24()	\$5,003.	\$5,243.
(pair of legs for 36"D worksurface)	60" W end counter	4"	54"	24"	XTB1YDD30()	5,003.	5,243.
	72" W end counter	4"	54"	24"	XTB1YDD36()	5,003.	5,243.



O	rd	e۲	C	ode

Example:	XTB1EDD30 118
XT	Crinion Open Table
B1	Base components
E	End leg
D	Dual
D	Desk height
30	Depth of tops
118	Finish

Specifications

Specify paint finish code after pattern number.

Application Notes

Crinion Open Table bases are assembled from main beams, end legs or end panels, intermediate legs and trusses. After selecting starter or segmented beam sets, specify legs to support each end of beams. End legs support main beams at each end of a table.

Dual end legs for end counters have threaded metal inserts on the outside of the leg to accept two fixed height or adjustable cantilevers for end counters.

Intermediate legs must be specified to provide support under beam sets spanning longer than 16°. Intermediate legs may be positioned under beams at any beam truss location. End legs include beam end plates and hardware.

Shroud for intermediate leg kit encloses the space between legs to protect power, data and communication cables between floor and table base. Side covers may be removed for access.

Shroud for 24"d intermediate leg is U-shaped cover that attaches to side of intermediate leg for 24"d or any single sided intermediate leg.

End legs for 24"D worksurfaces and end legs for 48"W end counters have only one end plate for attaching a single centered beam for 24"D tables.

End legs for 30"D and 36"D worksurfaces and end legs for 60"W and 72"W end counters have two end plates for attaching two beams for 30"D and 36"D tables.

description	application	width	depth	height	pattern number	P1/P2	P3
End leg for single sided tables	24" D worksurface	4"	24"	24"	XTB1ESD24()	\$4,834.	\$5,076.
(pair of legs)	30" D worksurface	4"	283/4"	24"	XTB1ESD30()	4,834.	5,076.
A Dec	36" D worksurface	4"	283/4"	24"	XTB1ESD36()	4,834.	5,076.



Intermediate leg for single sided table	24" D worksurfaces	4"	23/4"	16"	XTB2LSD24()	522.	522.
~ ·	30" & 36" D worksurfaces	4"	23/4"	16"	XTB2LSD()	638.	638.

7	

Order Code Specifications Application Notes

Example:	XTB1ESD30 118
XT	Crinion Open Table
B1	Base components
E	End leg
S	Single
D	Desk height
30	Depth of tops
118	Finish

Specify paint finish code after pattern number.

Crinion Open Table bases are assembled from main beams, end legs or end panels, intermediate legs and trusses. After selecting starter or segmented beam sets, specify legs to support each end of beams. End legs support main beams at each end of a table.

Dual end legs for end counters have threaded metal inserts on the outside of the leg to accept two fixed height or adjustable cantilvers for end counters.

Intermediate legs must be specified to provide support under beam sets spanning longer than 16°. Intermediate legs may be positioned under beams at any beam truss location. End legs include beam end plates and hardware.

Shroud for intermediate leg kit encloses the space between legs to protect power, data and communication cables between floor and table base. Side covers may be removed for access.

description	application	width	depth	height	pattern no.	P1/P2/P3
End panels for dual tables	24" D worksurface	1 1/4"	46"	251/2"	XTB1EP2DD24P()()	\$2,551.
(pair of end panels)	30" D worksurface	1 1/4"	58"	251/2"	XTB1EP2DD30P()()	3,594.
	36" D worksurface	1 1/4"	70"	251/2"	XTB1EP2DD36P()()	3,826.



End panels for dual tables (single end panel)



	24" D worksurface	1 1/4"	46"	251/2"	XTB1EP1DD24P()()	1,276.
	30" D worksurface	1 1/4"	58"	$25^{1}/_{2}''$	XTB1EP1DD30P()()	1,797.
_	36" D worksurface	1 1/4"	70"	251/2"	XTB1EP1DD36P()()	1.913.

End panels for single sided tables (pair of end panels)



24" D worksurface	1 1/4"	$25^{3}/16''$	251/2"	XTB1EP2SD24P()()	2,261.
30" D worksurface	1 1/4"	303/16"	$25^{1/2}''$	XTB1EP2SD30P()()	3,246.
36" D worksurface	1 1/4"	363/16"	251/2"	XTB1EP2SD36P()()	3,362.

End panels for single sided tables (single end panel)



24" D worksurface, Left	1 1/4"	253/16"	$25^{1}/2''$	XTB1EP1LD24P()()	1,130.
24" D worksurface, Right	1 1/4"	253/16"	$25^{1}/2''$	XTB1EP1RD24P()()	1,130.
30" D worksurface, Left	1 1/4"	303/16"	$25^{1}/2''$	XTB1EP1LD30P()()	1,623.
30" D worksurface, Right	1 1/4"	303/16"	251/2"	XTB1EP1RD30P()()	1,623.
36" D worksurface, Left	1 1/4"	363/16"	251/2"	XTB1EP1LD36P()()	1,681.
36" D worksurface, Right	1 1/4"	363/16"	251/2"	XTB1EP1RD36P()()	1,681.

LH Shown RH Opposite

Order	Code

Example: XTB1EP2DD 24P118 ΧT Crinion Open Table B1 Base components EP2 End panel D Dual Desk Height D 24 Depth of tops P Finish 118 Finish 118 Finish

Specification

Specify paint finish for brackets, then specify paint finish for end panel.

Application Notes

End panels may be specified as an alternative to End legs to support each end of beams.

End panel kits include end panel, connecting hardware and support legs.

End panel kits are not compatible with end counters.

End panels for dual tables and single sided tables, laminate Crinion Open Table and veneer

description	application	W	d	h	pattern no.	L	V1	V2	V3
End panels for dual tables	24" D worksurface	1 1/4"	46"	251/2"	XTB1EP2DD24()()	\$2,667.	\$2,782.	\$3,362.	\$3,477.
(pair of end panels)	30" D worksurface	1 1/4"	58"	251/2"	XTB1EP2DD30()()	3,708.	3,942.	4,522.	4,753.
	36" D worksurface	1 1/4"	70"	251/2"	XTB1EP2DD36()()	3,942.	4,058.	4,753.	4,985.



End panel for dual tables (single end panel)



24" D worksurface	1 1/4"	46"	$25^{1}/_{2}''$	XTB1EP1DD24()()	1,333.	1,391.	1,681.	1,739.
30" D worksurface	1 1/4"	58"	251/2"	XTB1EP1DD30()()	1,855.	1,971.	2,261.	2,376.
36" D worksurface	1 1/4"	70"	251/2"	XTB1EP1DD36()()	1 971	2.028	2 376	2 493

End panels for single sided tables (pair of end panels)



24" D worksurface	1 1/4"	$25^{3}/_{16}''$	$25^{1}/2''$	XTB1EP2SD24()()	2,376.	2,551.	2,899.	3,014.
30" D worksurface	1 1/4"	303/16"	251/2"	XTB1EP2SD30()()	3,362.	3,594.	3,942.	4,174.
36" D worksurface	1 1/4"	363/16"	251/2"	XTB1FP2SD36()()	3 477	3.708	4 174	4 404

End panel for single sided tables (single end panel)



24" D worksurface, Left 1 1/4" 253/16" 251/2" XTB1EP1LD24()() 1,189. 1,276 1,448. 1,508. 1 1/4" 24" D worksurface, Right 253/16" 251/2 1,189. 1,276 1,448. 1,508. XTB1EP1RD24()() 1 1/4" 303/16" 251/2" 1,797. 30" D worksurface, Left XTB1EP1LD30()() 1,681. 1,971. 2,086. 30" D worksurface, Right 1 1/4" 303/16" 251/2" XTB1EP1RD30()() 1,681. 1,797. 1,971. 2,086. 36" D worksurface, Left 1 1/4" $36^{3}/16''$ 251/2" XTB1EP1LD36()() 1,739. 1,855. 2,086. 2,203. 1 1/4" 36" D worksurface, Right 363/16" 251/2" 1,739. 2,086. XTB1EP1RD36()() 1,855. 2,203.

 $\begin{array}{c} \textit{LH Shown} \\ \textit{RH Opposite} \end{array}$

Order Code

Example: **XTB1EP2DD 24118 118** ΧT Crinion Open Table **B**1 Base components EP2 End panel D Dual D Desk Height 24 Depth of tops 118 Finish 118 Finish

Specifications

Specify paint finish for brackets, then specify laminate or veneer finish for end panel.

Brushed and woodgrain laminates are not available on 70" wide end panels for use on 36"D dual sided tables.

Application Notes

End panels may be specified as an alternative to End legs to support each end of beams.

End panel kits include end panel, connecting hardware and support legs.

End panel kits are not compatible with end counters.

Beam trusses Crinion Open Table

description	application	W	d	h	pattern number	P1/P2/P3
Beam truss for dual tables	30" D worksurface	3"	11"	10"	XTB1XD30()	\$589.
	36" D worksurface	3"	23"	10"	XTB1XD36()	642.



Top channel support	24" D worksurface	XTB1T24()	213.
---------------------	-------------------	-----------	------



Beam truss for single sided tables	30" D worksurface	3"	XTB1XS30()	589.
	36" D worksurface	3"	XTB1XS36()	642.



Beam truss for dual tables	30" D worksurface	3"	11"	8"	XTB1XD30N()	455.
no top channel support	36" D worksurface	3"	23"	8"	XTB1XD36N()	523.



Beam truss for single sided tables	30" D worksurface	3"	XTB1XS30N()	455.
no top channel support	36" D worksurface	3"	XTB1XS36N()	523.



Order Cod	de	Specifications	Application Notes	
Example:	XTB1XD30 613 Crinion Open Table	Beam trusses are available in all standard painted finishes.	Crinion Open Table bases are assembled from beams, end legs or	For 24"D tables specify top channel support instead of truss.
B1	Base components		end panels, intermediate legs and trusses. After selecting beams and	Beam trusses with no top channel
XD	Beam truss for dual table		leg kits, specify trusses between	support must be specified in
30	Depth		beams.	combination with intermediate legs planned other than at worksurface
613	Finish		Specify beam trusses adjacent to each end leg and at each worksurface junction.	junctions (as for cable infeed shrouds).

Worksurface support cantilever and mid span support

description	W	d	h	pattern number	P1/P2	Р3
Cantilever, fixed height 30" or 36" D	3"	24"	9"	XTB1FC()	\$242.	\$252.



Cantilever, fixed height 24" D	3"	19"	9"	XTB1FC24()	242.	252.
--------------------------------	----	-----	----	------------	------	------



Cantilever, adjustable height 30" or 36" D	3"	24"	9" - 12"	XTB1AC()	267.	282.
--	----	-----	----------	----------	------	------



Cantilever, adjustable height 24" D	3"	24''	9" - 12"	XTB1AC24()	267.	282.
-------------------------------------	----	------	----------	------------	------	------



Mid span support	2	2	8	XTB1MB()	114.	121.



Order Code

Example: XTB1FC 118 XT Crinion Open Table B1 Base components FC Fixed height cantilever 118 Finish

Specifications

Specify paint finish code after pattern number.

48"worksurfaces: shared cantilevers each end or two adjustable per worksurface.

60" and **72"** worksurfaces: shared cantilevers each end plus mid span support or two adjustable cantilevers inset 8".

96"worksurfaces: shared cantilevers at ends plus one in center or three adjustable cantilevers.

96"x 24" with hinged door: shared cantilever each end plus two mid span supports.

96"x 30" with hinged door: shared cantilever each end plus 24"d cantilever as center support.

96"x 36" with hinged door: shared cantilever each end plus 24", 30" or 36"d cantilever as center support.

Application Notes

Cantilever brackets are required to support each end of worksurfaces.

Brackets can be positioned at ends of worksurface, or inset at legs or floorstanding pedestal locations.

Fixed height cantilevers can be shared between adjacent worksurfaces. Mid span support bracket must be specified for worksurface spans exceeding 4'.

Fixed height cantilever supports worksurface at $28\,^{1}\!\!/\!\!2''$ H.

Adjustable cantilevers enable worksurfaces to be set at 27'', $27^3/4''$, $28^1/2''$, $29^1/4''$ or 30'' H.

Worksurface support linking plate and cantilever for end counters

description	W	d	h	pattern no.	P1/P2	Р3
Cantilever for end counters, fixed height	3"	19"	9"	XTB1FCEND()	\$242.	\$252.



Cantilever for end counters, adjustable height	3"	19"	9" - 12"	XTB1ACEND()	267.	282.
--	----	-----	----------	-------------	------	------



Worksurface linking plate XTB1LP 33.



Order Code Specification Application Notes

Example:	XTB1FCEND 613
XT	Crinion Open Table
B1	Base components
FC	Fixed height cantilever
END	for end counter
613	Finish

Specify paint finish code after pattern number.

Cantilever brackets are required to support each end of worksurface.

Brackets attach to inserts on the outside face of end legs for end counters.

Fixed height cantilever supports for end counter at $28^{1}/2^{\prime\prime}$ H.

Adjustable cantilevers for end counter enables end counter to be set at 28½", 29¼" or 30" H.


A linking plate is recommended to join adjacent worksurfaces that are independently supported at the same height. Specify two linking plates at the junction of two worksurfaces, or four total for each end counter to two worksurfaces. A linking plate is not required where adjacent tops are supported by a shared fixed height cantilever bracket, as with complete fixed height base assemblies. Linking plates are recommended for complete adjustable height base assemblies in which tops are set at the same height.

Modular Raceway 2 + 2 eight-wire Raceway with covers


description	type	h	W	d	pattern number	list price
Dual raceway, two power + two data outlets each		4"	30"	2"	XTR1E30D()	\$317.
side						




Dual raceway, four power + two data outlets each 4" 42" 2" XTR1E424D() 454.



Flat end cover				XTR1FE()	28.
Extended end cover				XTR1EE()	28.
					_
Single sided raceway	4"	30"	2"	XTR1E30S()	317.



Single sided raceway 4" 42" 2" **XTR1E424S()** 454.



Example:	XTR1E424D 613
XT	Crinion Open Table
R1	Raceway
E	Eight wire system
42	Width

Extra outletsD Dual RacewayFinish

Order Code

Specifications

Eight wire 2+2 has two sets of circuits, each set with a separate ground and neutral.

Specify paint finish code after pattern number.

Covers have two openings for data/com outlet modules (Decora-size, specified separately).

Applications notes

Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.

Each raceway requires four or eight duplex outlets, on any of four circuits.

Jumpers connect power from one raceway to another.

To join power between 30'' raceways: specify 30'' jumper for 60'' desks and specify 42'' jumper for 72'' desks.

To join power between 42" raceways: specify 18" jumper for 60" desks and 30" jumper for 72" desks

Flat end covers enclose the end of a raceway at the end of a table.

Extended end covers enclose the end of a raceway at the end of a table where power infeed is located.

Specify outlet fillers separately for unused outlet openings.

$\begin{tabular}{l} Modular Raceway \\ 2+2 \ eight-wire \ Raceway \ components \\ \end{tabular}$

description	type	h	W	d	pattern number	list price
Modular infeed					XTR1EPI	\$239.
NYC infeed kit					XTR1EPH	545.
Jumper			18"		XTR1EJ18	110.
			30"		XTR1EJ30	125.
TO THE PARTY OF TH			42"		XTR1EJ42	144.
Duplex outlet	Circuit A				XTR1DA	41.
	Circuit A, with controlled symbol				XTR1DAC	41.
المارية المارية	Circuit B				XTR1DB	41.
"	Circuit B, with controlled symbol				XTR1DBC	41.
	Circuit X, orange				XTR1DXO	46.
	Circuit Y, orange				XTR1DYO	46.
Outlet filler	Set of 10				XTR10F	34.
PDC module extension kit	Set of 10				XTR1PDCX	139.
Compact Power Module					XTR1ECPM()	589.
%						



Order Code

18

Example:	XTR1EJ18
XT	Crinion Open Table
R1	Raceway
E	Eight wire

Jumper

Width

Specifications

Eight wire 2+2 has two sets of circuits, each set with a separate ground and neutral.

Application Notes

Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.

Each raceway requires four or eight duplex outlets, on any of four circuits.

Power infeed includes pigtail for connection to building power supply and connector to either end of any raceway.

NYC infeed kit includes junction box that mounts to inside face of beams in table base. Jumper length is difference between worksurface width and specified raceway width.

Compact power module is designed to supply power outlets under extended end counter worksurfaces, or additional outlets under desks.

Compact power module can be suspended from top channel or attached to inside face of beams.


Each face of compact power module accepts two duplex outlets.

Modular Raceway 3 + 3 ten-wire Raceway with covers

description	type	h	w	d	pattern number	list price
Dual raceway, two power + two data outlets each		4"	30"	2"	XTR1T30D()	\$331.
side						




Dual raceway, four power + two data outlets each	4''	42"	2"	XTR1T424D()	469.
• 1					



Flat end cover				XTR1FE()	28.
Extended end cover				XTR1EE()	28.
					_
Single sided raceway	4'	30"	2"	XTR1T30S()	331.

two power + two data outlets one side

Single sided raceway	4"	49"	2"	YTR1T424S ()	469.
Single sided faceway	-T	74	4	AIIII17270()	TU).



Example:	XTR1T424D 613
XT	Crinion Open Table
R1	Raceway
T	Ten wire system
42	Width
4	Extra outlets

Dual Raceway

Finish

Order Code

D

613

Specifications

Ten wire 3+3 has two sets of three circuits, each set with a separate ground and neutral.

Specify paint finish code after pattern number.

Covers have two openings for data/com outlet modules (Decora-size, specified separately).

Application Notes

Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.

Each raceway requires four or eight duplex outlets, on any of six circuits.

Jumpers connect power from one raceway to another.

To join power between 30" raceways: specify 30" jumper for 60" desks and specify 42" jumper for 72" desks.

To join power between 42" raceways: specify 18" jumper for 60" desks and 30" jumper for 72"

Flat end covers enclose the end of a raceway at the end of a table.

Extended end covers enclose the end of a raceway at the end of a table where power infeed is located.

Specify outlet fillers separately for unused outlet openings.

Modular Raceway 3 + 3 ten-wire Raceway components

description	type	h	W	d	pattern number	list pricing
Modular infeed					XTR1TPI	\$268.
NYC infeed kit					XTR1TPH	545.
Jumper			18"		XTR1TJ18	125.
-			30"		XTR1TJ30	144.
			42"		XTR1TJ42	166.
Te damanananan Te T						
Duplex outlet	Circuit A				XTR1DA	41.
	Circuit A, with controlled symbol				XTR1DAC	41.
le de la companya del companya de la companya del companya de la c	Circuit B				XTR1DB	41.
	Circuit B, with controlled symbol				XTR1DBC	41.
	Circuit C				XTR1DC	41.
	Circuit C, with controlled symbol				XTR1DCC	41.
	Circuit X, orange				XTR1DXO	46.
	Circuit Y, orange				XTR1DYO	46.
	Circuit Z, orange				XTR1DZO	46.
Outlet filler	Set of 10				XTR10F	34.
PDC module extension kit	Set of 10				XTR1PDCX	139.
Compact Power Module					XTR1TCPM()	607.



Order Code	Specifications
Example: XTR1TJ18	Ten wire 3+3 has two sets of three

zampro.	
XT	Crinion Open Table
R1	Raceway
Т	Ten wire
J	Jumper
18	Width

Ten wire 3+3 has two sets of three circuits, each set with a separate ground and neutral.

Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.

Application Notes

Each raceway requires four or eight duplex outlets, on any of six circuits.

Power infeed includes pigtail for connection to building power supply and connector to either end of any raceway.

NYC infeed kit includes junction box that mounts to inside face of beams in table base. Jumper length is difference between worksurface width and specified raceway width.

Compact power module is designed to supply power outlets under extended end counter worksurfaces, or additional outlets under desks.

Compact power module can be suspended from top channel or attached to inside face of beams.


Each face of compact power module accepts two duplex outlets.

Modular Raceway 4-4-2 ten-wire Raceway with covers

description	type	h	W	d	pattern number	list price
Dual raceway, two power + two data outlets each		4"	30"	2"	XTR1X30D()	\$350.
side						



Dual raceway, four power + two data outlets each 4" 42" 2" XTR1X424D() 492.



Single sided raceway 4" 30" 2" XTR1X30S () 350. two power + two data outlets one side



Single sided raceway
four power + two data outlets one side

4" 42" 2" XTR1X424S() 492.



Order	Codo
Oruei	Coue

Example:	XTR1X424D 613
XT	Crinion Open Table
R1	Raceway
X	Ten wire 4-4-2
42	Width
4	Extra outlets
D	Dual Raceway
613	Finish

Specifications

Ten wire 4-4-2 has four circuits each with a separate neutral, plus a ground wire for circuit 1 and 2 and another ground for circuit 3 and 4.

Specify paint finish code after pattern number.

Covers have two openings for data/com outlet modules (Decora-size, specified separately).

Application Notes

Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.

Each raceway requires four or eight duplex outlets, on any of six circuits.

Jumpers connect power from one raceway to another.

To join power between 30'' raceways: specify 30'' jumper for 60'' desks and specify 42'' jumper for 72'' desks.

To join power between 42" raceways: specify 18" jumper for 60" desks and 30" jumper for 72" desks

Flat end covers enclose the end of a raceway at the end of a table.

Extended end covers enclose the end of a raceway at the end of a table where power infeed is located.

Specify outlet fillers separately for unused outlet openings.

Modular Raceway 4-4-2 ten-wire Raceway components

description	type	h	W	d	pattern number	list price
Modular infeed					XTR1XPI	\$282.
38.7						
NYC infeed kit					XTR1XPH	572.
Jumper			18"		XTR1XJ18	131.
			30"		XTR1XJ30	151.
TO THE REAL PROPERTY OF THE PARTY OF THE PAR			42"		XTR1XJ42	172.
The dimension of the second						
Duplex outlet	Circuit 1				XTR1D1	43.
A	Circuit 1, with controlled symbol				XTR1D1C	
	Circuit 2				XTR1D2	43.
	Circuit 2, with controlled symbol				XTR1D2C	
	Circuit 3				XTR1D3	43.
	Circuit 3, with controlled symbol				XTR1D3C	
	Circuit 4				XTR1D4	43.
	Circuit 4, with controlled symbol				XTR1D4C	
Compact Power Module					XTR1XCPM()	607.
∞ .					- 17	



Example:	XTR1XJ18
VT	Crinian Open Table

Order Code

Λ1	Crimon Open rabic
R1	Raceway
X	Ten wire 4-4-2
J	Jumper
18	Width

Specifications

Ten wire 4-4-2 has four circuits each with a separate neutral, plus a ground wire for circuit 1 and 2 and another ground for circuit 3 and 4.

All duplex outlets are black.

Application Notes

Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.

Each raceway requires four or eight duplex outlets, on any of six circuits.

Power infeed includes pigtail for connection to building power supply and connector to either end of any raceway.

NYC infeed kit includes junction box that mounts to inside face of beams in table base. Jumper length is difference between worksurface width and specified raceway width.

Compact power module is designed to supply power outlets under extended end counter worksurfaces, or additional outlets under desks.

Compact power module can be suspended from top channel or attached to inside face of beams.

Each face of compact power module accepts two duplex outlets.

Hardwire Raceway

description	type	h	W	d	pattern number	list price
Dual raceway, two power + two data outlets each side		4"	30"	2"	XTR1H30D()	\$690.
Flat end cover					XTR1FE()	28.
Extended end cover					XTR1EE()	28.
Outlet filler	Set of 10				XTR10F	34.

Example: XTR1H30D 613 XT Crinion Open Table R1 Raceway H Hard wire system 30 Width

Dual Raceway

Finish

Order Code

D

613

Specifications

Specify paint finish code after pattern number.

Hardwired raceway components are designed for use in City of Chicago installations.

Covers have two openings for data/com outlet modules (Decora-size, by others).

Application Notes

Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.

Dual raceways are code-approved boxed with openings for two or four duplex outlets on each face, plus two additional openings for data/communications faceplates on each face. A continuous horizontal metal septum divides power wires and connections from data and communications cables. Each raceway requires Decora-type architecturual power outlets, internal wiring and connecting cables, supplied by electrical contractor.

Flat end covers enclose the raceway at the end of a table. Extended end covers provide an opening on the underside to permit cables to enter the raceway.

Specify outlet filler plates for unused outlet openings. Specify PDC extenders to create space behind data/com for cable distribution inside dual raceway.


Cable tray and cable clips

description	table size	W	d	pattern number	list price
Cable trays, leg position, pair	5', 30"D	53"	1"	XTCT6030LD()	\$287.
	5', 36"D	53"	4"	XTCT6036LD()	391.
	6', 30"D	65"	1"	XTCT7230LD()	311.
	6', 36″D	65"	4"	XTCT7236LD()	453.
Cable trays, full width, pair	5', 30"D	60"	1"	XTCT6030D()	287.
<i></i>	5', 36"D	60"	4"	XTCT6036D()	391.
	6', 30"D	72"	1"	XTCT7230D()	311.
	6', 36"D	72"	4"	XTCT7236D()	453.
Data tray kit		42"		XTDT42()	201.
Data + excess cable tray kit		42"		XTDTX42()	334.
Truss cable clips, set of 25				XTR1TCC25	16.
Beam cable clips, set of 50				XTR1BCC50	267.
Random attachment kit, set of 10				XTB1RAK	92.

Order Co	de	Specifications	Applications notes	
Example: XT	XTCT7230D 613 Crinion Open Table Cable tray Width Depth Dual table Finish	Cable trays and Data tray kits are available in all standard paint finishes.	Cable trays are optional kits to manage cables on each side of dual table bases. Specify cable trays for leg position at each end of the table. Specify cable trays, full width for other positions. Data tray kit provides 3" wide horizontal open cable tray directly below either 30" or 42"W raceway module (at center of 60" or 72" desks). Data + excess tray kit provides two open trays below either raceway module, one 3"W and one 5"W	Truss cable clips manage cables between raceway. Specify 2 clips per truss (one set of 10 for each five trusses). Beam cable clips manage cables along the inside faces of each beam set. Random attachment kit is a set of ten M8 slot nuts for attaching various products to the Crinion Open Table beams or top channel. Specify appropriate M8 screws separately.

Beam mounted cable trays and cable baskets

description	application	W	d	h	pattern no.	list
Beam mounted cable tray	24"D tables	18"	2"	3/4"	XTBT18()	\$90.
	24"D tables	24"	2"	3/4"	XTBT24()	103.
	24"D tables	36"	2"	3/4"	XTBT36()	111.
	24"D tables	48"	2"	3/4"	XTBT48()	122.
	24"D tables	60"	2"	3/4"	XTBT60()	131.
Cable basket, 10'		120"	8"	1"	XTWB120	497.



Cable basket hangers	From truss 30/36D only	XTWTX()	79.
	From truss at infeed shroud	XTWTBSLIK()	242.
	From main beam, 24D only	XTWTB()	79.
	From top channel, 30/36D only	XTWTC()	104.

Example:	XTBT36 118
XT	Crinion Open Table
ВТ	Beam mounted cable
	tray

Order Code

Diampro.	
XT	Crinion Open Table
ВТ	Beam mounted cable
	tray
36	Width
118	Paint finish

Specifications

Beam mounted cable trays are available in any standard painted

Cable basket is zinc metal finish

Basket hangers can be specified in any standard painted finish.

Application Notes

Beam mounted cable trays may be inserted in slots on either face of Crinion Open Table main beams. On 24"D dual or single sided tables beam mounted cable trays are the only option for cable management other than the shallow channel on top of the beam or a cable basket. On 30"D and 36"D tables beam mounted trays may complement other cable tray options.

Beam mounted cable travs must be segmented to fit between cantilever and midspan support brackets.

For 48"W worksurfaces with shared cantilevers specify 36"W trays For 60"W worksurfaces with shared cantilevers and midspan supports specify 24"W trays adjacent to end legs specify 18"W trays.

For 72"W worksurfaces with shared cantilevers and midspan supports specify 24"W trays.

For 96"W worksurfaces specify 36"W trays between supports. Specify 48"W trays for additional cable management between trusses on the inside face of beams on dual 30"D and 36"D tables with 60" worksurfaces.

Specify 60"W trays on the inside face of beams on dual 30"D and 36''D tables with 72''Wworksurfaces.

Cable basket is suspended below the center of dual tables instead of or in addition to cable trays. Cable basket offers the most flexibility for managing large bundles of cables and for entering or exiting the tray at any point. Cable basket ships in 10' lengths and is cut to size in field. Specify cable basket hangers separately. Each hanger can suspend one end of a tray or two adjacent trays. Hanger from trusses is for 30" or 36"D dual or single sided tables. Hanger from main beam is for 24"D dual tables only. Hangers from top channel are for 30" or 36"D dual tables only.

Center screens

Acrylic, slatwall, combination, marker or veneer surface

description	appl.	W	d	h	pattern no.	Opal acrylic	Trans. acrylic / Marker	slatwall	Comb. acrylic / slatwall	V1	V2	V3
Center screen to 43" H	48"	48"	1 1/4"	14"	XTCS1 4814 ()()()	\$968.	\$1,001.	\$1,538.	n/a	\$1,335.	\$1,464.	\$1,713.
	60"	60"	1 1/4"	14"	XTCS1 6014 ()()()	1,270.	1,331.	1,670.	n/a	1,443.	1,594.	1,911.
	72"	72"	1 1/4"	14"	XTCS1 7214 ()()()	1,335.	1,398.	1,804.	n/a	1,517.	1,690.	2,069.

acrylic shown

Center screen to 43" H adjacent to end screen

[48"	47"	1 1/4"	14"	XTCS1 4714 ()()()	968.	1,001.	1,538.	n/a	1,335.	1,464.	1,713.
	60"	59"	1 1/4"	14"	XTCS1 5914 ()()()	1,270.	1,331.	1,670.	n/a	1,443.	1,594.	1,911.
	72"	71"	1 1/4"	14"	XTCS1 7114 ()()()	1,335.	1,398.	1,804.	n/a	1,517.	1,690.	2,069.

acrylic shown



Center screen to 50'' H

ł	48"	48"	1 1/4"	21''	XTCS1 4821 ()()()	1,135.	1,185.	1,804.	1,670.	1,465.	1,631.	1,992.
	60"	60"	1 1/4"	21"	XTCS1 6021 ()()()	1,469.	1,564.	2,004.	1,938.	1,575.	1,777.	2,228.
	72"	72"	1 1/4"	21"	XTCS1 7221 ()()()	1.537.	1.630.	2.206.	2.072.	1.632.	1.867.	2.413.

slatwall shown

Center screen to 50" H adjacent to end screen

[48"	47"	1 1/4"	21''	XTCS1 4721 ()()()	1,135.	1,185.	1,804.	1,670.	1,465.	1,631.	1,992.
	60"	59"	1 1/4"	21"	XTCS1 5921 ()()()	1,469.	1,564.	2,004.	1,938.	1,575.	1,777.	2,228.
	72."	71"	1 1/4"	21"	XTCS1 7121 ()()()	1.537.	1.630.	2.206.	2.072	1.632	1.867.	2.413.



combination shown

Order Code

Example: XTCS16014A O 111 XT Crinion Open Table CS1 Center screen 60 Width 14 Height A Surface O Opal 111 Frame finish

Specifications

Acrylic surface is AO opal or AT translucent.

For Marker surface both sides specify suffix M.

For Slatwall screens specify slatwall and frame finish.

For combination acrylic/slatwall screens specify suffixes CO (opal) or CT (translucent), slatwall and frame finish

Slatwall surface is available in (AA) or any standard painted finish except 613 Silver.

For veneer surface specify suffix V and finish code from list on page 5.

Frame is clear anodized aluminum or any standard paint finish except 613 Silver.

Application Notes

Center screens mount to continuous channel at center of tables. Specify 14" H screens for a 42" horizon. Specify 21" H screens for a 49" horizon. Horizons are maintained regardless of worksurface height.

Combination screens include 14" high slatwall with acrylic above.

Center screens include mounting hardware for standard top channel only. Center screens adjacent to end screens allow space for dual or single sided end screens.

Slatwall screens require buttresses to support Knoll Extra flat screen monitor arm. Specify one buttress per monitor arm, up to four buttresses per screen.

Slatwall screens will support flat panel monitor arms with varying weight limitations based on mounting and application. Please refer to the KnollExtra price list for comprehensive mounting and weight limitation information by application.

Veneer grain direction is horizontal.

Marker surface has wood core.

Center screens Tackable fabric surface

description	application	W	d	h	pattern no.	10	15	20	30	35	40	45
Center screen to 43" H	48"	48"	1 1/4"	14"	XTCS1 4814F ()()()	\$1,022.	\$1,041.	\$1,047.	\$1,068.	\$1,085.	\$1,085.	\$1,122.
	60"	60"	1 1/4"	14''	XTCS1 6014F ()()()	1,117.	1,141.	1,145.	1,172.	1,194.	1,194.	1,240.
	72"	72"	1 1/4"	14"	XTCS1 7214F ()()()	1,143.	1,173.	1,177.	1,211.	1,237.	1,237.	1,290.
///												

Center screen to 43" H	48"	47"	1 1/4"	14"	XTCS1 4714F ()()()	1,013.	1,032.	1,035.	1,057.	1,074.	1,074.	1,111.
adjacent to end screen	60"	59"	1 1/4"	14''	XTCS1 5914F ()()()	1,117.	1,141.	1,145.	1,172.	1,194.	1,194.	1,240.
	72"	71"	1 1/4"	14"	XTCS1 7114F ()()()	1 143	1 173	1 177	1 211	1 237	1 237	1 290



Center screen to 50	Э" Н
	ì

I	48"	48"	1 1/4"	21"	XTCS1 4821F ()()()	1,084.	1,103.	1,107.	1,128.	1,145.	1,145.	1,180.
	60"	60"	1 1/4"	21"	XTCS1 6021F ()()()	1,208.	1,236.	1,240.	1,265.	1,286.	1,286.	1,332.
	79"	79"	1 1/."	21"	VTCC1 7001E ()()()	1 991	1 252	1 957	1.900	1 916	1 916	1.260

Center screen to 50'' H

Center screen to 50" H	48"	47"	1 1/4"	21"	XTCS1 4721F ()()()	1,084.	1,103.	1,107.	1,128.	1,145.	1,145.	1,180.
adjacent to end screen	60"	59"	1 1/4"	21"	XTCS1 5921F ()()()	1,208.	1,236.	1,240.	1,265.	1,286.	1,286.	1,333.
	72"	71"	1 1/4"	21"	YTCS1 7121F ()()()	1 991	1 252	1 257	1 220	1 316	1 316	1 360



Order Code

Example:	XTCS16014F20 (W2801) AA
XT	Crinion Open Table
CS1	Center screen
60	Width
14	Height
F	Surface
20	Fabric grade
W2801	Fabric
AA	Frame finish

Specifications

- 1. Tackable fabric surface is suffix
- Select fabric surface finish code from list on page 5.

Frame is clear anodized aluminum or any standard paint finish except 613 Silver.

Fabric is railroaded.

Application Notes

Fabric center screens mount to continuous channel at center of tables. Specify 14" H screens for a 43" horizon. Specify 21" H screens for a 50'' horizon. Horizons are maintained regardless of worksurface height.

Center screens include mounting hardward for standard top channel

Center screens adjacent to end screens allow space for dual or single sided end screens.

description	application	w	d	h	pattern no.	list	AA/paint	L	V1	V2	V3
Display shelf 5"D	48" slatwall	45"	5"	1"	XT1DS4505()		\$296.				
aluminum only	60" slatwall	57"	5"	1"	XT1DS5705()		332.				
	72" slatwall	69"	5"	1"	XT1DS6905()		361.				
Open shelf 9"D	48" slatwall	45"	9"	1"	XT1LS4509 ()()			332.	435.	499.	673.
laminate or veneer only	60" slatwall	57"	9"	1"	XT1LS5709 ()()			381.	498.	571.	774.
	72" slatwall	69"	9"	1"	XT1LS6909 ()()			433.	562.	646.	872.
Slatwall adapters for		24"			XT1SA24()	31.					
applied wall accessories		30"			XT1SA30()	36.					
		36"			XT1SA36()	43.					
		42"			XT1SA42()	48.					
		48"			XT1SA48()	53.					
		54"			XT1SA54()	62.					
		60"			XT1SA60()	68.					
		66"			XT1SA66()	74.					
		72"			XT1SA72()	79.					
Buttress for slatwall screen					XTCS1 SBA()	267.					



Order Code

Example: XT1LS5709 118 AA XT1 Crinion Open Table LS Open shelf 57 Width 09 Depth 118 Shelf finish AA Platform finish

Specifications

Display shelves are anodized aluminum (AA) or any standard painted finish except silver.

For open shelves specify any standard laminate or veneer finish, then platform finish.

Shelf platform may be AA or any standard paint finish except silver.

Slatwall adapters are integral color 812 Easy grey or 111 Black only.

Application Notes

Open shelves and display shelves for slatwall are designed for use on Crinion Open Table center screens with slatwall inserts.

Shelves include adapter that snaps into horizontal channels in slatwall, approximately every 2'' vertically.

Shelf width fits either full width center screens or screens adjacent to end screens. Slatwall adapters enable other Applied Wall System shelves and accessories to be mounted to Crinion Open Table slatwall.

Adapter will also fit other Knoll system slatwalls, such as AutoStrada spine or panels, but use of shelves in these applications may not comply with ANSI/BIFMA safety standards for anti-dislodgment.

Side screens Acrylic, Marker or veneer surface

description	application	W	d	h	pattern no.	list	Opal acrylic	Trans. acrylic / Marker	V1	V2	V3
Side screen to 43" H	24" D worksurface	22"	1 1/4"	14"	XTSS1 2414 ()()()		\$701.	\$721.	\$1,057.	\$1,134.	\$1,248.
	30" D worksurface	28"	1 1/4"	14"	XTSS1 3014 ()()()		736.	761.	1,091.	1,177.	1,325.
	36" D worksurface	34"	1 1/4"	14"	XTSS1 3614 ()()()		801.	833.	1,119.	1,218.	1,397.
	acrylic shown										
Side screen to 50" H	24" D worksurface	22"	1 1/4"	21"	XTSS1 2421 ()()()		801.	833.	1,131.	1,227.	1,391.
	30" D worksurface	28"	1 1/4"	21"	XTSS1 3021 ()()()		835.	873.	1,167.	1,279.	1,488.
	36" D worksurface	34"	1 1/4"	21"	XTSS1 3621 ()()()		901.	944.	1,200.	1,329.	1,585.
	acrylic shown										
Side screen brackets (pair)	postformed edge				XTSM1P()	282.					
	squared edge				XTSM1S()	199.					
	tapered edge				XTSM1K()	199.			•		

Order Co	de	Specifications	Application Notes						
Example:	XTSS13014A O AA	1. Specify surface	Side screens clamp to front and	Veneer grain direction is horizontal.					
XT	Crinion Open Table	$ \begin{array}{ll} - & A = A crylic \\ V = V eneer \end{array} $	back edge of worksurface at any						
SS1	Side screen	M = Marker	point (except at hinged access door). Specify side screen brackets						
30	Width	2. For Acrylic surface specify	separately. Specify 14" H screens						
14	Height	O = Opal T = Translucent	for a 42" horizon. Specify 21" H						
A	Surface	Veneer surfaces may be any	screens for a 49" horizon. Side screens align in height with center						
0	Opal	standard AutoStrada V1,V2 or	screens when worksurfaces are set						
AA	Frame finish	 V3 veneer. Specify veneer finish code from list on table finishes page in beginning of price list. 	at 28¾" H.						
	Frame is clear anodized aluminum or any standard paint finish except 613 Silver. Brackets are available in all paint finishes								

Side screens Tackable fabric surface

description	application	W	d	h	pattern no.	list	10	15	20	30	35	40	45
Side screen to 43" H	24" D worksurface	22"	1 1/4"	14"	XTSS1 2414F ()()()		\$796.	\$805.	\$807.	\$820.	\$828.	\$828.	\$846.
	30" D worksurface	28"	1 1/4"	14"	XTSS1 3014F ()()()		820.	833.	835.	849.	859.	859.	880.
	36" D worksurface	34"	1 1/4"	14"	XTSS1 3614F ()()()		844.	859.	877.	889.	889.	889.	917.
Side screen to 50" H	24" D worksurface	22"	1 1/4"	21"	XTSS1 2421F()()()		832.	842.	843.	854.	863.	863.	880.
	30" D worksurface	28"	1 1/4"	21"	XTSS1 3021F ()()()		868.	878.	880.	895.	906.	906.	929.
	36" D worksurface	34"	1 1/4"	21"	XTSS1 3621F ()()()		883.	899.	901.	917.	930.	930.	957.
Side screen brackets (pair)	postformed edge				XTSM1P()	282.							
	squared edge				XTSM1S()	199.							
	tapered edge				XTSM1K()	199.		·				·	

Order Code

Example: XTSS13014F20 (W2801) 115 XT Crinion Open Table SS1 Side screen 30 Width 14 Height F Surface 20 Fabric grade W2801 Fabric 115 Frame finish

Specifications

- 1. Tackable fabric surface is suffix
- Select fabric surface finish code from list on page 5.
 3. Specify frame finish.

Frame is clear anodized aluminum or any standard paint finish except 613 Silver.

Fabric is railroaded.

Brackets are available in all paint finishes.

Application Notes

Side screens clamp to front and back edge of worksurface at any point (except at hinged access door). Specify side screen brackets separately. Specify 14" H screens for a 43" horizon. Specify 21" H screens for a 50" horizon. Side screens align in height with center screens when worksurfaces are set at $28^{3}/8^{\prime\prime}$ H.

Return screens Acrylic, Marker or veneer surface

description	application	W	d	h	pattern no.	list	Opal acrylic	Trans. acrylic / Marker	V1	V2	V3
Return screen to 43" H	54"	52"	1 1/4"	14"	XTRS1 5414 ()()()		\$1,169.	\$1,232.	\$1,274.	\$1,407.	\$1,680.
	60"	58"	1 1/4"	14"	XTRS1 6014 ()()()		1,169.	1,232.	1,289.	1,437.	1,741.
	66"	64"	1 1/4"	14"	XTRS1 6614 ()()()		1,169.	1,232.	1,317.	1,473.	1,813.
	72"	70"	1 1/4"	14"	XTRS1 7214 ()()()		1,169.	1,232.	1,334.	1,502.	1,873.
	78"	76"	1 1/4"	14"	XTRS1 7814 ()()()		1,303.	1,363.	1,580.	1,723.	2,125.
			- 1.4	"							
Return screen to 50" H	54"	52"	1 1/4"	21"	XTRS1 5421 ()()()		1,368.	1,464.	1,396.	1,574.	1,968.
	60"	58"	1 1/4"	21"	XTRS1 6021 ()()()		1,368.	1,464.	1,421.	1,617.	2,057.
	66"	64"	1 1/4"	21"	XTRS1 6621 ()()()		1,368.	1,464.	1,443.	1,656.	2,143.
	72"	70"	1 1/4"	21"	XTRS1 7221 ()()()		1,368.	1,464.	1,468.	1,697.	2,229.
	78"	76"	1 1/4"	21"	XTRS1 7821 ()()()		1,538.	1,630.	1,721.	1,929.	2,504.
Side screen brackets (pair)	postformed edge				XTSM1P()	282.					
	squared edge				XTSM1S()	199.					

Order Code

Example:	XTRS16014A O 118
XT	Crinion Open Table
RS1	Return screen
60	Width
14	Height
A	Acrylic
0	Opal
118	Frame finish

Specifications

- 1. Specify surface A = Acrylic V = Veneer M = Marker
- 2. For Acrylic surface specify O = Opal T = Translucent Veneer surfaces may be any standard AutoStrada V1,V2 or V3 veneer.

 Specify veneer finish code from list on table finishes page in beginning of price list.
- 3. Specify frame finish.

Frame is clear anodized aluminum (AA) or any standard paint finish except 613 Silver.

Brackets are available in all paint finishes.

Application Notes

Return screens span the depth of Crinion Open Table worksurfaces and the width of a 30", 36" or 42" worksurface planned as perpendicular return. Specify 14" H screens for 42" horizon. Specify 21" H screens for a 49" horizon. Returns (file tops or AutoStrada worksurfaces) must be at the same height as worksurface.

Specify side brackets separately.

Veneer grain direction is horizontal.

Return screens Tackable fabric surface

description	application	W	d	h	pattern no.	list	10	15	20	30	35	40	45
Return screen to 43" H	54"	52"	1 1/4"	14"	XTRS1 5414F ()()()		\$972.	\$994.	\$1,001.	\$1,023.	\$1,041.	\$1,041.	\$1,085.
	60"	58"	1 1/4"	14"	XTRS1 6014F()()()		980.	1,004.	1,010.	1,035.	1,057.	1,057.	1,103.
	66"	64"	1 1/4"	14"	XTRS1 6614F()()()		1,000.	1,025.	1,031.	1,062.	1,084.	1,084.	1,134.
	72"	70"	1 1/4"	14"	XTRS1 7214F ()()()		1,006.	1,034.	1,040.	1,075.	1,097.	1,097.	1,155.
	78"	76"	1 1/4"	14"	XTRS1 7814F ()()()		1,157.	1,189.	1,196.	1,231.	1,255.	1,255.	1,316.
Return screen to 50" H	54"	52"	1 1/4"	21"	XTRS1 5421F ()()()		951.	972.	977.	1,003.	1,021.	1,021.	1,063.
	60"	58"	1 1/4"	21"	XTRS1 6021F()()()		986.	1,012.	1,015.	1,044.	1,064.	1,064.	1,109.
	66"	64"	1 1/4"	21"	XTRS1 6621F()()()		992.	1,020.	1,024.	1,055.	1,077.	1,077.	1,128.
	72"	70"	1 1/4"	21"	XTRS1 7221F ()()()		1,000.	1,028.	1,034.	1,067.	1,093.	1,093.	1,147.
	78"	76"	1 1/4"	21"	XTRS1 7821F()()()		1,178.	1,211.	1,218.	1,253.	1,280.	1,280.	1,340.
Side screen brackets (pair)	nastformed adea				XTSM1P()	282.							-
Side screen brackets (pair)													
	squared edge				XTSM1S()	199.							

Order	Code

Example:	XTRS16014F20 (W2801) 611
XT	Crinion Open Table
RS1	Return screen
60	Width
14	Height
F	Surface
20	Fabric grade
W2801	Fabric
611	Frame finish

Specifications

- 1. Tackable fabric surface is suffix
- 2. Select fabric surface finish code from list on page 5.
 3. Specify frame finish.

Frame is clear anodized aluminum or any standard paint finish except 613 Silver.

Fabric is railroaded.

Brackets are available in all paint finishes.

Application Notes

Fabric return screens span the depth of Crinion Open Table worksurfaces and the width of a 30", 36" or 42" worksurface planned as perpendicular return. Specify 14" H screens for 43" horizon. Specify 21" H screens for a 50" horizon. Retuns must be at the same height as worksurface.

Specify mounting brackets separately.

Dual end screens Acrylic, Marker or veneer surface

description	application	w	d	h	pattern no.	list	Opal acrylic	Trans. acrylic / Marker	V1	V2	V3
Dual end screens to 43" H	24" D dual	48"	1 1/4"	14"	XTES1 4814 ()()()		\$870.	\$900.	\$1,221.	\$1,349.	\$1,600.
	30" D dual	60"	1 1/4"	14"	XTES1 6014 ()()()		1,135.	1,199.	1,330.	1,483.	1,797.
	36" D dual	72"	1 1/4"	14"	XTES1 7214 ()()()		1,169.	1,232.	1,404.	1,576.	1,954.
	acrylic shown										

Dual	end	screens	to	50"	Η
Dual	end	screens	to	50"	Н



24" D dual	48''	1 1/4"	21"	XTES1 4821 ()()()	1,034.	1,085.	1,350.	1,517.	1,880.
30" D dual	60"	11/4"	21"	XTES1 6021 ()()()	1,335.	1,429.	1,463.	1,662.	2,115.
36" D dual	72"	1 1/4"	21"	XTES1 7221 ()()()	1,368.	1,587.	1,520.	1,752.	2,298.

acrylic shown

Replacement mast Kit	acrylic center screen	XTSM1C()	113.
	slatwall center screen	XTSM1SLAT()	299.
End screen brackets (pair)	tapered edge worksurface	XTSM1KK()	199.
Side screen brackets (pair)	postformed edge	XTSM1P()	282.
	squared edge	XTSM1S()	199.

Order Code

Example:	XTES16014A O AA
XT	Crinion Open Table
ES1	End screen
60	Width
14	Height
A	Surface
0	Opal
AA	Frame finish

Specifications

1. Specify surface

- A = Acrylic
 V = Veneer
 M = Marker
 2. For Acrylic surface specify
 O = Opal
 T = Translucent
 Veneer surfaces may be any
 standard AutoStrada V1,V2 or
 V3 veneer.
 Specify veneer finish code from
 list on table finishes page in
 beginning of price list.
- 3. Specify frame finish.

Frame is clear anodized aluminum or any standard paint finish except 613 Silver.

Brackets are available in all paint finishes.

Replacement mast kit for acrylic center screen is 812 Easy Grey or 111 Black.

Application Notes

Dual end screens clamp to front edge of worksurface on either side of table. Specify 14" H screens for a 42" horizon. Specify 21" H screens for a 49" horizon. Side screens align with center screens when worksurfaces are set at 28 %" H.

Specify end screen brackets separately for each sceen.

Veneer grain direction is horizontal.

Dual end screens Tackable fabric surface

Dual end screens to 43" H 24" D dual 48" 1 1/4" 14" XTES1 4814F()()() \$895. \$916. \$920. \$942. \$958. \$958. \$990. \$940. \$958. \$9	description	application	W	d	h	pattern no.	list	10	15	20	30	35	40	45
	Dual end screens to 43" H	24" D dual	48"	1 1/4"	14"	XTES1 4814F ()()()		\$895.	\$916.	\$920.	\$942.	\$958.	\$958.	\$996.
36" D dual 72" 14" XTES1 7214F()()() 1006 1034 1040 1074 1097 1097 115		30" D dual	60"	1 1/4"	14"	XTES1 6014F ()()()		980.	1,005.	1,010.	1,035.	1,057.	1,057.	1,103.
σο B data 12 174 11 ΚΙΣΟΙΙΣΙΙΙ (χ(χ) 1,000. 1,001. 1,010. 1,011. 1,011. 1,101.		36" D dual	72"	1 1/4"	14"	XTES1 7214F ()()()		1,006.	1,034.	1,040.	1,074.	1,097.	1,097.	1,155.

Dual end screens to 50" H

24" D dual	48''	1 1/4"	21''	XTES1 4821F ()()()	967.	987.	992.	1,014.	1,031.	1,031.	1,068.
30" D dual	60"	1 1/4"	21"	XTES1 6021F ()()()	1,051.	1,076.	1,082.	1,108.	1,129.	1,129.	1,175.
36" D dual	72"	1 1/4"	21"	XTES1 7221F ()()()	1,065.	1,095.	1,099.	1,132.	1,158.	1,158.	1,211.

Replacement mast Kit	acrylic center screen	XTSM1C()	113.
	slatwall center screen	XTSM1SLAT()	299.
$\overline{\mathrm{End}}$ screen brackets (pair)	tapered edge worksurface	XTSM1KK()	199.
Side screen brackets (pair)	postformed edge	XTSM1P() XTSM1S()	282. 199.

Order Code Specifications Application Notes 1. Tackable fabric surface is suffix Example: XTES16014F20 Dual end screens clamp to (W2801) 112 front edge of worksurface on either 2. Select fabric surface finish code side of table. Specify 14" H screens for a 43" horizon. Specify 21" H screens for a 50" horizon. Side XT Crinion Open Table from list on page 5. 3. Specify frame finish. ES1 End screen 60 Width screens align with center screens when worksurfaces are set at 283/8" Frame is clear anodized aluminum or any standard paint finish except 14 Height F Surface 613 Šilver. Specify end screen brackets 20 Fabric grade separately for each sceen. Fabric is railroaded. W2801 Fabric 112 Frame finish Brackets are available in all paint Replacement mast kit is 812 Easy Grey or 111 Black.

Single sided end screen Acrylic, Marker or veneer surface

description	application	W	d	h	pattern no.	list	Opal acrylic	Trans. aerylie / Marker	V1	V2	V3
Single sided end screens to 43" H	24" D Single sided	241/2"	1 1/4"	14"	XTES1 2414 ()()()		\$701.	\$721.	\$1,057.	\$1,134.	\$1,248.
	30" D Single sided	301/2"	1 1/4"	14"	XTES1 3014 ()()()		736.	761.	1,091.	1,177.	1,325.
	36" D Single sided	361/2"	1 1/4"	14"	XTES1 3614 ()()()		801.	833.	1,119.	1,218.	1,397.
	acrylic shown										
Single sided end sceen to 50" H	24" D single sided	241/2"	1 1/4"	21"	XTES1 2421 ()()()		801.	833.	1,131.	1,227.	1,391.
	30" D single sided	301/2"	1 1/4"	21"	XTES1 3021 ()()()		835.	873.	1,167.	1,279.	1,488.
	36" D single sided acrylic shown	361/2"	1 1/4"	21"	XTES1 3621 ()()()		901.	944.	1,200.	1,329.	1,585.
Single sided end screen	postformed edge				XTSM1PC()	201.					
brackets (set)	square edge				XTSM1SC()	149.					
	tapered edge				XTSM1KC()	149.					

0"40"	α
Order	Code

Example: XTES13614A O 114 XT Crinion Open Table ES1 End screen 36 Width 14 Height A Surface O Opal 114 Frame finish

Specifications

- Specify surface
 A = Acrylic
 V = Veneer
 M = Marker
 For Acrylic surface specify
 O = Opal
 T = Translucent
 Veneer surfaces may be any
 standard AutoStrada V1,V2 or
 - V3 veneer. Specify veneer finish code from list on table finishes page in beginning of price list.
- 3. Specify frame finish.

Frame is clear anodized aluminum or any standard paint finish except 613 Silver.

Brackets are available in all paint finishes.

Application Notes

Single sided end screens clamp to front edge of worksurface and attach to top of channel. Specify 14" H screens for a 42" horizon. Specify 21" H screens for a 49" horizon. Side screens align with center screens when worksurfaces are set at 283%" H.

Specify end screen brackets separately for each sceen.

Veneer grain direction is horizontal.

Single sided end screen Tackable fabric surface

description	application	W	d	h	pattern no.	list	10	15	20	30	35	40	45
Single sided end screens to 43" H	24" D Single sided	241/2"	1 1/4"	14"	XTES1 2414F()()()		\$796.	\$805.	\$807.	\$820.	\$828.	\$828.	\$846.
	30" D Single sided	301/2"	1 1/4"	14"	XTES1 3014F ()()()		820.	833.	835.	849.	859.	859.	880.
	36" D Single sided	361/2"	1 1/4"	14"	XTES1 3614F ()()()		844.	859.	877.	889.	889.	889.	917.
Single sided end sceen to 50" H	24" D single sided	241/2"	1 1/4"	21"	XTES1 2421F()()()		832.	842.	843.	854.	863.	863.	880.
	30" D single sided	301/2"	1 1/4"	21"	XTES1 3021F ()()()		868.	878.	880.	895.	906.	906.	929.
	36" D single sided	361/2"	1 1/4"	21"	XTES1 3621F ()()()		883.	899.	901.	917.	930.	930.	957.
Single sided end screen	postformed edge				XTSM1PC()	201.							
brackets (set)	square edge				XTSM1SC()	149.							
	tapered edge				XTSM1KC()	149.							

Order Code

Example: XTES13614F20 (W2801) 111 ΧT Crinion Open Table ES1 End screen Width 36 14 Height F Surface 20 Fabric grade W2801 Fabric 111 Frame finish

Specifications

- Tackable fabric surface is suffix
 F.
- 2. Select fabric surface finish code from list on table finishes page in beginning of price list.
- 3. Specify frame finish.

Frame is clear anodized aluminum or any paint finish except 613 Silver.

Fabric is railroaded.

Brackets are available in all paint finishes.

Application Notes

Single sided end screens clamp to front edge of worksurface and attach to top of channel. Specify 14" H screens for a 43" horizon. Specify 21" H screens for a 50" horizon. Side screens align with center screens when worksurfaces are set at 283/8" H.

Specify end screen brackets separately for each sceen.

Frameless glass Add up for Crinion Open Table

description	W	d	h	pattern number	clear tempered	powder
Frameless glass Add ups	48"	1/2"	12"	XAUA 1248G ()()	\$596.	\$618.
	60"	1/2"	12"	XAUA 1260G ()()	728.	757.
	72"	1/2"	12"	XAUA 1272G ()()	861.	894.

Trameress Stass Traa ap

Order Code		Specifications	Application Notes						
X	XAUA 1248G TEMP AA Crinion Open Table	Add up type: G Glass	Frameless glass addups for Crinion Open Table match those available for the AutoStrada spine.	Base extrusion is clear anodized aluminum or any standard painted finish except Silver.					
AUA 48 12	Frameless addup screen Width Height	Glass add-ups are available with the following glass options: TEMP Clear tempered	Tempered glass in clear or powered finish is '/2" thick. Base frame is secured with bolts to top channel for						
ГЕМР	Glass Finish Base finish	GL13 Powder Specify base finish: AA anodized aluminum and all	frameless glass addups. Frameless addups cannot be mounted to standard top channel						
	standard painted finishes except 613 Silver.		included with base assemblies.						

Morrison Network privacy screens mounting kit for Crinion Open Table

description	W	d	h	pattern number	list price
Fabric screen mounting kit				XTPS1MZKIT	\$136.
ń					



Order Code Specifications Applications notes

Example:	XTPS1MZKIT
XT	Crinion Open Table
PS1	Privacy Screen
MZ	Fabric
KIT	Kit

Crinion Open Tables are designed to accept Morrison Network privacy screens with fabric screen mounting kit. Screens are tackable fabric, ¾″ thick, in widths corresponding to Crinion worksurfaces 48″, 60″ or 72″ wide. Specify screens MZ1-B4815F, MZ1B6015F or MZ1B7215F.

Specify one mounting kit for each screen. Fabric screen mounting kits include two uprights that fasten to the top channel at any point. Uprights slide into internal channels in screens. Fabric screens do not align in height with acrylic privacy screens.

Alpha-Numeric Index

pattern no.	page	pattern no.	page	pattern no.	page	pattern no.	page
XAUA 1248G	56	XTB1 BAS 30S20SF	17	XTB1EP1DD30	32	XTB1TB6E	25
XAUA 1248G XAUA 1260G	56	XTB1 BAS 30S24SA	19	XTB1EP1DD30P	31	XTB1TB8C	25
	56	XTB1 BAS 30S24SF	17	XTB1EP1DD36	32	XTB1TB8E	25
XAUA 1272G XT1DS4505		XTB1 BAS 30S25SA	19	XTB1EP1DD36P	31	XTB1XD30	33
	47	XTB1 BAS 30S25SF	17	XTB1EP1LD24	32	XTB1XD30N	33
XT1DS5705	47	XTB1 BAS 36D10CA	22	XTB1EP1LD24P	31	XTB1XD36	33
XT1DS6905	47	XTB1 BAS 36D10CF	20	XTB1EP1LD30	32	XTB1XD36N	33
XT1LS4509	47	XTB1 BAS 36D12CA	22	XTB1EP1LD30P	31	XTB1XDD24	28
XT1LS5709	47	XTB1 BAS 36D12CF	20	XTB1EP1LD36	32	XTB1XDD30	28
XT1LS6909	47	XTB1 BAS 36D15CA	22	XTB1EP1LD36P	31	XTB1XDD36	28
XT1SA24	47	XTB1 BAS 36D15CF	20	XTB1EP1RD24	32	XTB1XS30	33
XT1SA30	47	XTB1 BAS 36D15CF	20	XTB1EF1RD24 XTB1EP1RD24P	31	XTB1XS30N	33
XT1SA36	47						
XT1SA42	47	XTB1 BAS 36D15SF	20	XTB1EP1RD30	32	XTB1XS36	33
XT1SA48	47	XTB1 BAS 36D18SA	22	XTB1EP1RD30P	31	XTB1XS36N	33
XT1SA54	47	XTB1 BAS 36D18SF	20	XTB1EP1RD36	32	XTB1YDD24	29
XT1SA60	47	XTB1 BAS 36D20SA	22	XTB1EP1RD36P	31	XTB1YDD30	29
XT1SA66	47	XTB1 BAS 36D20SF	20	XTB1EP2DD24	32	XTB1YDD36	29
XT1SA72	47	XTB1 BAS 36D24CA	22	XTB1EP2DD24P	31	XTB2LDD	28
XTB1 BAS 24D10CF	14	XTB1 BAS 36D24CF	20	XTB1EP2DD30	32	XTB2LDD24	28
XTB1 BAS 24D12CF	14	XTB1 BAS 36D25CA	22	XTB1EP2DD30P	31	XTB2LSD	30
XTB1 BAS 24D15CF	14	XTB1 BAS 36D25CF	20	XTB1EP2DD36	32	XTB2LSD24	30
XTB1 BAS 24D15SF	14	XTB1 BAS 36S10CA	23	XTB1EP2DD36P	31	XTBT18	44
XTB1 BAS 24D18SF	14	XTB1 BAS 36S10CF	21	XTB1EP2SD24	32	XTBT24	44
XTB1 BAS 24D20SF	14	XTB1 BAS 36S12CA	23	XTB1EP2SD24P	31	XTBT36	44
XTB1 BAS 24D24SF	14	XTB1 BAS 36S12CF	21	XTB1EP2SD30	32	XTBT48	44
XTB1 BAS 24D25SF	14	XTB1 BAS 36S15CA	23	XTB1EP2SD30P	31	XTBT60	44
XTB1 BAS 24S10CF	15	XTB1 BAS 36S15CF	21	XTB1EP2SD36	32	XTC1 120 AA	24
XTB1 BAS 24S12CF	15	XTB1 BAS 36S15SA	23	XTB1EP2SD36P	31	XTC1 144 AA	24
XTB1 BAS 24S15CF	15	XTB1 BAS 36S15SF	21	XTB1ESD24	30	XTC1 48	24
XTB1 BAS 24S15SF	15	XTB1 BAS 36S18SA	23	XTB1ESD30	30	XTC1 60	24
XTB1 BAS 24S18SF	15	XTB1 BAS 36S18SF	21	XTB1ESD36	30	XTC1 72	24
XTB1 BAS 24S20SF	15	XTB1 BAS 36S20SA	23	XTB1FC	34	XTC1 96	24
XTB1 BAS 24S24SF	15	XTB1 BAS 36S20SF	21	XTB1FC24	34	XTC1 END	24
XTB1 BAS 24S25SF	15	XTB1 BAS 36S24SA	23	XTB1FCEND	35	XTCA1 120 AA	24
XTB1 BAS 30D10CA	18	XTB1 BAS 36S24SF	21	XTB1LP	35	XTCA1 144 AA	24
XTB1 BAS 30D10CF	16	XTB1 BAS 36S25SA	23	XTB1MB	34	XTCA1 48	24
XTB1 BAS 30D12CA	18	XTB1 BAS 36S25SF	21	XTB1RAK	43	XTCA1 60	24
XTB1 BAS 30D12CF	16	XTB1 SLIK	28	XTB1SB10C	27	XTCA1 72	24
XTB1 BAS 30D15CA	18	XTB1 SLIK30	28	XTB1SB10E	27	XTCA1 96	24
XTB1 BAS 30D15CF	16	XTB1 SLIK36	28	XTB1SB12C	27	XTCF 48	24
XTB1 BAS 30D15SA	18	XTB1AC	34	XTB1SB12E	27	XTCF 60	24
	16	XTB1AC24	34	XTB1SB15C	27	XTCF 72	24
XTB1 BAS 30D15SF XTB1 BAS 30D18SA	18	XTB1ACEND	35	XTB1SB15E	27	XTCS1 4714	45
	16	XTB1DB10C	26	XTB1SB4E	27	XTCS1 4714F	46
XTB1 BAS 30D18SF XTB1 BAS 30D20SA	18	XTB1DB10E	26	XTB1SB5C	27	XTCS1 4721	45
XTB1 BAS 30D20SA XTB1 BAS 30D20SF		XTB1DB12C	26	XTB1SB5E	27	XTCS1 4721F	46
	16	XTB1DB12E	26	XTB1SB6C	27	XTCS1 4814	45
XTB1 BAS 30D24CA	18	XTB1DB15C	26	XTB1SB6E	27	XTCS1 4814F	46
XTB1 BAS 30D24CF	16	XTB1DB15E	26	XTB1SB8C	27	XTCS1 4821	45
XTB1 BAS 30D25CA	18	XTB1DB4E	26	XTB1SB8E	27	XTCS1 4821F	46
XTB1 BAS 30D25CF	16	XTB1DB4E XTB1DB5C	26	XTB1T24	33	XTCS1 4021F XTCS1 5914	45
XTB1 BAS 30S10CA	19						
XTB1 BAS 30S10CF	17	XTB1DB5E XTB1DB6C	26	XTB1TB10C	25	XTCS1 5914F	46 45
XTB1 BAS 30S12CA	19		26	XTB1TB10E VTB1TB12C	25	XTCS1 5921 YTCS1 5021F	
XTB1 BAS 30S12CF	17	XTB1DB6E	26	XTB1TB12C	25	XTCS1 5921F	46
XTB1 BAS 30S15CA	19	XTB1DB8C	26	XTB1TB12E	25	XTCS1 6014	45
XTB1 BAS 30S15CF	17	XTB1DB8E	26	XTB1TB15C	25	XTCS1 6014F	46
XTB1 BAS 30S15SA	19	XTB1EDD24	28	XTB1TB15E	25	XTCS1 6021	45
XTB1 BAS 30S15SF	17	XTB1EDD30	28	XTB1TB4E	25	XTCS1 6021F	46
XTB1 BAS 30S18SA	19	XTB1EDD36	28	XTB1TB5C	25	XTCS1 7114	45
	17	XTB1EP1DD24	32	XTB1TB5E	25	XTCS1 7114F	46
XTB1 BAS 30S18SF	17	XTB1EP1DD24P	31	XTB1TB5E XTB1TB6C	25	XTCS1 71141 XTCS1 7121	45

pattern no.	page	pattern no.	page	pattern no.	page	pattern no.	page
XTCS1 7121F	46	XTR1EJ18	37	XTSS1 3021	48	XTTK9636U (L/M/1/2/3)	8
XTCS1 7214	45	XTR1EJ30	37	XTSS1 3021F	49	XTTP3018F (L)	13
XTCS1 7214F	46	XTR1EJ42	37	XTSS1 3614	48	XTTP3618F (L)	13
XTCS1 7221	45	XTR1EPH	37	XTSS1 3614F	49	XTTP4218F (L)	13
XTCS1 7221F	46	XTR1EPI	37	XTSS1 3621	48	XTTP4824A (L)	7
XTCS1 SBA	47	XTR1FE	36, 38, 42	XTSS1 3621F	49	XTTP4824B (L)	8
XTCT6030D	43	XTR1H30D	42	XTTK3018F (L/M/1/2/3)	13	XTTP4824C (L)	9
XTCT6030LD	43	XTR1OF	37, 39, 42	XTTK3036F (L/M/1/2/3)	13	XTTP4824E (L)	10
XTCT6036D	43	XTR1PDCX	37, 39	XTTK3618F (L/M/1/2/3)	13	XTTP4830A (L)	7
XTCT6036LD	43	XTR1T30D	38	XTTK3636F (L/M/1/2/3)	13	XTTP4830B (L)	8
XTCT7230D	43	XTR1T30S	38	XTTK4218F (L/M/1/2/3)	13	XTTP4830C (L)	9
XTCT7230LD	43	XTR1T424D	38	XTTK4236F (L/M/1/2/3)	13	XTTP4830E (L)	10
XTCT7236D	43	XTR1T424S	38	XTTK4824A (L/M/1/2/3)	7	XTTP4836A (L)	7
XTCT7236LD	43	XTR1TCC25	43	XTTK4824C (L/M/1/2/3)	9	XTTP4836B (L)	8
XTDT42	43	XTR1TCPM	39	XTTK4824E (L/M/1/2/3)	10	XTTP4836C (L)	9
XTDTX42	43	XTR1TJ18	39	XTTK4824U (L/M/1/2/3)	8	XTTP4836D (L)	12
XTES1 2414	54	XTR1TJ30	39	XTTK4830A (L/M/1/2/3)	7	XTTP4836E (L)	12
XTES1 2414F	55	XTR1TJ42	39	XTTK4830C (L/M/1/2/3)	9	XTTP6024A (L)	7
XTES1 2421	54	XTR1TPH	39	XTTK4830E (L/M/1/2/3)	10	XTTP6024B (L)	8
XTES1 2421F	55	XTR1TPI	39	XTTK4830U (L/M/1/2/3)	8	XTTP6024C (L)	9
XTES1 3014	54	XTR1X30D	40	XTTK4836A (L/M/1/2/3)	7	XTTP6024E (L)	10
XTES1 3014F	55	XTR1X30S	40	XTTK4836C (L/M/1/2/3)	9	XTTP6030A (L)	7
XTES1 3021	54	XTR1X424D	40	XTTK4836D (L/M/1/2/3)	11	XTTP6030B (L)	8
XTES1 3021F	55	XTR1X424S	40	XTTK4836E (L/M/1/2/3)	11	XTTP6030C (L)	9
XTES1 3614	54	XTR1XCPM	41	XTTK4836U (L/M/1/2/3)	8	XTTP6030E (L)	10
XTES1 3614F	55	XTR1XJ18	41	XTTK6018F (L/M/1/2/3)	13	XTTP6036A (L)	7
XTES1 3621	54	XTR1XJ30	41	XTTK6024A (L/M/1/2/3)	7	XTTP6036B (L)	8
XTES1 3621F	55	XTR1XJ42	41	XTTK6024C (L/M/1/2/3)	9	XTTP6036C (L)	9
XTES1 4814	52	XTR1XPH	41	XTTK6024E (L/M/1/2/3)	10	XTTP6036D (L)	12
XTES1 4814F	53	XTR1XPI	41	XTTK6024U (L/M/1/2/3)	8	XTTP6036E (L)	12
			50		7		7
XTES1 4821	52	XTRS1 5414	51	XTTK6030A (L/M/1/2/3)	9	XTTP7224A (L)	8
XTES1 4821F	53	XTRS1 5414F		XTTK6030C (L/M/1/2/3)		XTTP7224B (L)	9
XTES1 6014	52	XTRS1 5421	50	XTTK6030E (L/M/1/2/3)	10	XTTP7224C (L)	
XTES1 6014F	53	XTRS1 5421F	51	XTTK6030U (L/M/1/2/3)	8	XTTP7224E (L)	10
XTES1 6021	52	XTRS1 6014	50	XTTK6036A (L/M/1/2/3)	7	XTTP7230A (L)	7
XTES1 6021F	53	XTRS1 6014F	51	XTTK6036C (L/M/1/2/3)	9	XTTP7230B (L)	8
XTES1 7214	52	XTRS1 6021	50	XTTK6036D (L/M/1/2/3)	11	XTTP7230C (L)	9
XTES1 7214F	53	XTRS1 6021F	51	XTTK6036E (L/M/1/2/3)	11	XTTP7230E (L)	10
XTES1 7221	52	XTRS1 6614	50	XTTK6036F (L/M/1/2/3)	13	XTTP7236A (L)	7
XTES1 7221F	53	XTRS1 6614F	51	XTTK6036U (L/M/1/2/3)	8	XTTP7236B (L)	8
XTPS1MZKIT	57	XTRS1 6621	50	XTTK7218F (L/M/1/2/3)	13	XTTP7236C (L)	9
XTR1BCC50	43	XTRS1 6621F	51	XTTK7224A (L/M/1/2/3)	7	XTTP7236D (L)	12
XTR1D1	41	XTRS1 7214	50	XTTK7224C (L/M/1/2/3)	9	XTTP7236E (L)	12
XTR1D1C	41	XTRS1 7214F	51	XTTK7224E (L/M/1/2/3)	10	XTTP9624A (L)	7
XTR1D2	41	XTRS1 7221	50	XTTK7224U (L/M/1/2/3)	8	XTTP9624B (L)	8
XTR1D2C	41	XTRS1 7221F	51	XTTK7230A (L/M/1/2/3)	7	XTTP9624C (L)	9
XTR1D3	41	XTRS1 7814	50	XTTK7230C (L/M/1/2/3)	9	XTTP9630A (L)	7
XTR1D3C	41	XTRS1 7814F	51	XTTK7230E (L/M/1/2/3)	10	XTTP9630B (L)	8
XTR1D4	41	XTRS1 7821	50	XTTK7230U (L/M/1/2/3)	8	XTTP9630C (L)	9
XTR1D4C	41	XTRS1 7821F	51	XTTK7236A (L/M/1/2/3)	7	XTTP9636A (L)	7
XTR1DA	37, 39	XTSM1C	52, 53	XTTK7236C (L/M/1/2/3)	9	XTTP9636B (L)	8
XTR1DAC	37, 39	XTSM1K	48, 49	XTTK7236D (L/M/1/2/3)	11	XTTP9636C (L)	9
XTR1DB	37, 39	XTSM1KC	54, 55	XTTK7236E (L/M/1/2/3)	11	XTTS3018F (1/2/3)	13
XTR1DBC	37, 39	XTSM1KK	52, 53	XTTK7236F (L/M/1/2/3)	13	XTTS3618F (1/2/3)	13
XTR1DC	39	XTSM1P	48, 49, 50, 51, 52, 53	XTTK7236U (L/M/1/2/3)	8	XTTS4218F (1/2/3)	13
XTR1DCC	39	XTSM1PC	54, 55	XTTK8418F (L/M/1/2/3)	13	XTTS4824A (1/2/3)	7
XTR1DXO	37, 39	XTSM1S	48, 49, 50, 51, 52, 53	XTTK8436F (L/M/1/2/3)	13	XTTS4824C (1/2/3)	9
XTR1DYO	37, 39	XTSM1SC	54, 55	XTTK9624A (L/M/1/2/3)	7	XTTS4824E (1/2/3)	10
XTR1DZO	39	XTSM1SLAT	52, 53	XTTK9624C (L/M/1/2/3)	9	XTTS4824U (1/2/3)	8
XTR1E30D	36	XTSS1 2414	48	XTTK9624U (L/M/1/2/3)	8	XTTS4830A (1/2/3)	7
XTR1E30S	36	XTSS1 2414F	49	XTTK9630A (L/M/1/2/3)	7	XTTS4830C (1/2/3)	9
XTR1E424D	36	XTSS1 2421	48	XTTK9630C (L/M/1/2/3)	9	XTTS4830E (1/2/3)	10
XTR1E424S	36	XTSS1 2421F	49	XTTK9630U (L/M/1/2/3)	8	XTTS4830U (1/2/3)	8
XTR1ECPM	37	XTSS1 3014	48	XTTK9636A (L/M/1/2/3)	7	XTTS4836A (1/2/3)	7
XTR1EE	36, 38, 42	XTSS1 3014F	49	XTTK9636C (L/M/1/2/3)	9	XTTS4836C (1/2/3)	9
	30, 30, FE	-11001 001 FI					

pattern no.	page
XTTS4836D (1/2/3)	11
XTTS4836E (1/2/3)	11
XTTS4836U (1/2/3)	8
XTTS6024A (1/2/3)	7
XTTS6024C (1/2/3)	9
XTTS6024E (1/2/3)	10
XTTS6024U (1/2/3)	8
XTTS6030A (1/2/3)	7
XTTS6030C (1/2/3)	9
XTTS6030E (1/2/3)	10
XTTS6030U (1/2/3)	8
XTTS6036A (1/2/3)	7
XTTS6036C (1/2/3)	9
XTTS6036D (1/2/3)	11
XTTS6036E (1/2/3)	11
XTTS6036U (1/2/3)	8
XTTS7224A (1/2/3)	7
XTTS7224C (1/2/3)	9
XTTS7224E (1/2/3)	10
XTTS7224U (1/2/3)	8
XTTS7230A (1/2/3)	7
XTTS7230C (1/2/3)	9
XTTS7230E (1/2/3)	10
XTTS7230U (1/2/3)	8
XTTS7236A (1/2/3)	7
XTTS7236C (1/2/3)	9
XTTS7236D (1/2/3)	11
XTTS7236E (1/2/3)	11
XTTS7236U (1/2/3)	8
XTTS9624A (1/2/3)	7
XTTS9624C (1/2/3)	9
XTTS9624U (1/2/3)	8
XTTS9630A (1/2/3)	7
XTTS9630C (1/2/3)	9
XTTS9630U (1/2/3)	8
XTTS9636A (1/2/3)	7
XTTS9636C (1/2/3)	9
XTTS9636U (1/2/3)	8
XTWB120	44
XTWTB	44
XTWTBSLIK	44
XTWTC	44
XTWTX	44

Terms & Conditions of Sales

This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.

Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.

Ordering Information Order Confirmation Pricing Policies

All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.

A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.

List prices are subject to change without notice.

List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.

Taxes

All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.

Terms of Payment

Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.

KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.

If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.

Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.

Changes and Cancellation

Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.

Freight Prepaid

programs, may not be canceled.

Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.

Delivery/Freight Charges

Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.

For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.

Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.

Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery. Partial shipments may be made and invoiced by Seller.

Claims

All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.

Seller's Security Interest

Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.

Returns

The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.

Held Orders/Storage

If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.

Customer's Own Material A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.

Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.

Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair).

Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.

Product and Period of Warranty

Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Morrison, Reff Profiles laminate, Series 2 Storage, Template and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, special or custom products, see below)

12 Years: Chadwick, Essentials Work Chairs, Generation by Knoll, Life, Moment, MultiGeneration by Knoll, ReGeneration by Knoll, Remix, and Toboggan seating (except seating upholstery, textiles, leathers and finishes, see below).

10 Years: Anchor Storage except digital keypad lock, Antenna Workspaces, AutoStrada, Crinion Open Table, Dividends Horizon, Dividends Horizon Satellite Surfaces, Reff Profiles, Template wood components, Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods (The Graham Collection) (except wood casegoods upholstered surfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Sapper XYZ Monitor Arm, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, see below), Smokador collection (except leathers, see below), and Orchestra Universal Systems Accessories, k. lounge structural components.

5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products, Currents handcrank, Interaction Counterforce, KnollStudio, Spark Series seating structural elements, structural elements of all KnollStudio outdoor products including all Richard Schultz designed products, KnollExtra CPU storage and all universal storage drawers and Power Collection, Tone

3 Years: Seating upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers.

2 Years: Anchor Storage digital keypad lock, all other KnollExtra product

1 Year: Light ballasts, bulbs and power supply, seating upholstered armpads and soft armpads, wood casegoods upholstered surfaces. KnollStudio, outdoor product finishes, k. lounge upholstery and k. lounge fabric.

This warranty does not apply to:

- Damage caused by a carrier other than the Seller.
- Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products).
- COM or other third party materials applied to Products.
- Products not installed by or under the auspices of a Knoll Dealer.
- · Dramatic temperature variations or exposure to unusual conditions.
- Changes in surface finishes, including colorfastness due to aging or exposure to light.
- Except as specifically noted above, textiles and upholstery supplied by KnollTextiles (consult current KnollTextiles price list for applicable warranty). Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces. THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.

The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.

Delay/Force Majeure

Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.

Compliance with Law

PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.

Patents

Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.

The foregoing indemnity does not apply to the following:

- Products supplied according to a design other than that of Seller, and which is required by the Purchaser.
- Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.
- Any settlements of a suit or proceeding made without Seller's written consent.

Limitations of Liability

SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.

Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc. 1235 Water Street P.O. Box 157

East Greenville, PA 18041 Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEEDTM certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."