Reff Profiles

26 1/2" PLANNING VOLUME ONE

Price List
July 2018

Knoll

Table of Contents

Introduction	Knoll and Sustainable Design	3
	General Specifications	4
	Reff Profiles finish options	5
	Reff Profiles Master Features	9
	Planning Guidelines and Specification	12
Panels	Monolithic panels 34″ H	13
	Monolithic panels 42″ H	19
	Monolithic panels 49″ H	26
	Monolithic panels 64″ H	33
	Monolithic panels 79″ H	40
	Tiled panels 34″ H	47
	Tiled panels 42″ H	52
	Tiled panels 49″ H	59
	Tiled panels 64″ H	66
	Tiled panels 79″ H	73
	Aluminum Reveal kits	80
	Beltway one side, window panel 49″ H	83
	Beltway two sides, window panel 49″ H	97
	Stacking modules	99
	Frameless glass add-ups for panels	105
	Panel connection posts	107
	Panel trims and post covers	111
	Panel Accessories	113
	Ceiling cable entry posts, poles and cable infeed	114
	Ceiling cable entry post covers	116
	Rolling door and hinged door	118
	Attachment kits	119
	Floor to ceiling modules	120
	Required components	128
	Power distribution components	129
	Beltway electrical components	136
	Data and Communications	138
	Reff Ported Panel Components	139
Worksurfaces	Worksurfaces	142
	Worksurface 1 1/4″	146
	Conference 1 1/4″	163
	Optional edge details 1 1/4″	165
	Optional edge 1 1/4	166
	Cascade Edge 1 1/4″	181
	Worksurface Credenza	186
Tables	Tables with Open Frame Legs	189
	Open Frame legs Infill Options	190
	Tables with L-legs	191
	Tables with Reverse L-Legs	192
	Tables with Soft Rectangular Legs	193
	Tables with 2 x 4 Legs	194
	Tables with 4 x 4 Legs	196
	Tables with Column Legs	198
	Tables - Mobile	199
	Tables - Sliding	200
	Tables - Height Adjustable & Sliding	203
	Tables - Fixed Height with Column Base Leg	206
	Tables - Height Adjustable	208
Support components	Top support components	210
	Stiffeners	220
Cabinetry	Pedestals, 26 1/2″ planning	221
	Cabinets, 26 1/2″ planning	233

Copyright © 2018 Knoll, Inc.
All rights reserved.
All prices effective 07/15/2018.

Overhead storage	Overhead, 26 1/2 planning	256
	Reuter overhead cabinet	264
	Reuter open shelf	268
	Reuter open overhead	269
	Reuter overhead storage	270
	Task Lights for Reuter Overhead Storage	272
Transaction tops, regular	Transaction tops	273
Gallery desk surrounds	Gallery desk surrounds	275
Classic Desks	Classic Desks	279
Preconfigured Reff Desking	Single pedestal desks	283
	Double pedestal desks	286
	Desk returns	289
	Single pedestal credenzas	292
	Bridge assemblies	295
	Double pedestal credenzas	298
Accessories and Client Samples	Accessories - Planning Guidelines and Specification	301
	Accessories	313
	Tackboards	333
	Desk Screens	338
	Cubbies	343
Wall Mounting of Knoll Products		345
Alpha-Numeric Index		347
Selling Policy		362
KnollKey Lock Program		364
General Ordering Information		365

Knoll and Sustainable Design

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC®); Rainforest Alliance; GREENGUARD® Environmental Institute; and The Business and Institutional Furniture Manufacturer's Association (BIFMA) level® certification from Scientific Certification Systems (SCS).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

Life Cycle Assessment (LCA) Tool

- Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.

Setting Industry Standards

- Knoll partners with MTS (The Institute for Market Transformation to Sustainability) to develop the SMaRT© Consensus Sustainable Products Standards, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of SMaRT©, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll also partners with BIFMA (Business and Institutional Furniture Manufacturers Association) to promote level® sustainability standards for the contract furniture industry.
- Knoll has established FSC® (Forest Stewardship Council) certified wood as the standard for general office open plan office systems, casegoods and tables.
- Knoll has launched Full Circle, a resource recovery program developed with ANEW, to help customers extend the life cycle of surplus furniture, fixtures and equipment (FF&E) in an economically, socially and environmentally responsible manner.
- Our goal is to encourage all manufacturers in the contract furniture industry and related industries to adopt standards that will lead to sustainable products and practices.

For more information about Knoll and sustainable design, visit knoll.com/environment.

Panels and Parts
All panels have a concealed perimeter frame 1 1/2″ x 2″. Panels 42″ wide and wider, other than window panels, have additional interior bracing.

Panel bases are 3 3/8″ or 6 3/16″ high with levellers at both ends. Snap-in panel side plates are provided with at least two lift-outs on each side of panels 30″ to 48″ wide; one lift-out on each side of panels 24″ wide, unless no knockout option is requested (see Planning Guide on Exchange for details). Acoustical panels can be specified with fabric on either side or fabric on one side and wood or laminate on the other. A laminated board septum is covered on both sides with acoustical fiberglass for fabric/fabric panels providing an NRC of .80 and STC of 22.

Window panels utilize tempered 4mm thick glass. Panel-to panel connection is accomplished with a steel connector bar, which engages locking points on panel perimeter frames and is drawn tight by means of a screw mechanism located at the top of the bar. Each panel is supplied with one connector, which also serves as an anchor point for panel-hung support brackets. Panel-to-wall connection is accomplished with a PVC extrusion which connects two aluminum extrusions - one screwed to the wall, the other attached to the panel perimeter frame. Stacking panels are provided with a fastener feature which allows individual 15″ and 30″H sections to be added or removed without disturbing the panel run. In all cases a leveller adjustable panel must first be specified with additional sections added on to provide height adjustment. A post is required at panel intersections, when a panel run changes direction or as in the case of the straight line post when it is required to make up an extra 2 1/2″ to match another panel run. Top trim utilizes a PVC extrusion for a press fit into the panel perimeter frame. End trim is screwed to a steel connector bar which locks it to the panel perimeter frame.

All tiled panels are constructed using the same frame as monolithic panels and also use the same internal components. However, the insert structure has been altered to allow tiles 15″H to be independently applied to the panel, thus creating a tiled appearance. Tiled panels can be stacked on.

Reff panels can be joined to existing System 6, Classic System 6, and Segmented panels with a conversion kit.

Beltway electrical panel is a Reff panel altered to provide access to electrical and communication ports at a desk height level.

Note:
Line drawings in this price list are purely for quick product identification without any form of detail. One must not use the price list line drawings to satisfy production dimensions, shape or support options. Refer to Planning Guide for detailed product information.

Wood and Laminate Components
Tops are 1 1/2″ or 1 1/4″ thick. Undersides are pre-drilled with inserts and routed to accept pedestals and connecting hardware.

Flush and cantilever top assemblies have 1 1/16″ thick endpanels, and 15/16″ thick backpanels. Recessed top assemblies have 1 1/16″ thick endpanels and a 15/16″ thick backpanel.

Pedestals are supplied with metal channels on the top to attach the pedestal to the underside of a worksurface.

Drawer boxes can be specified in both metal or wood with dovetailed joinery. Hinge doors use concealed, adjustable hinges.

All components are veneered and finished on all sides unless otherwise specified. Edges are banded with 2mm PVC or 2mm wood.

Locks
All pedestals and cabinets with drawers are supplied with a ganglock mechanism in place. In addition, cabinets with drawers have a drawer interlock anti-tip device designed to prevent the opening of a second drawer when one is already open. Drawer fronts and door fronts are routed to receive the lock itself. Locks for drawers in pedestals and cabinets can be retro-fitted. Door locks are identical in shape to drawer locks, but these components are not pre-routed and therefore, locks cannot be retro-fitted.

Reff lockcores must be specified separately. Reff lock mechanisms are black and feature a removable core for easy replacement.

Levellers
All endpanels, backpanels (except recessed), floor pedestals and cabinets have 1 1/2″ high levellers.

Lighting
Shelves and overhead cabinets have a bottom recess to house the task light. The task light can be easily retro-fitted.

Power is conveyed to the task light fixture by a 9′ long cable. The lower end of the cable can be plugged into a panel base receptacle.

Grommets
Grommets are optional (except where noted). Tops up to 48″ wide have one grommet. Tops wider than 48″ include two grommets. See Planning Guide on Exchange for locations.

All dimensions in this price list are for representative purposes only. For accurate build dimensions or factory drawings, please call Customer Services.

The Reff electrical is listed for use in the Reff panel system under UL1286.

Reff “Floor to Ceiling” is a modular, panel-based system. The ceiling channel should not be used as a support for the panel (see *support* section of specification guide).

Because local building and electrical codes vary and may have special requirements for modular walls that touch, approach or are attached to the ceiling, customers and installers should have the specifications reviewed and approved by building inspectors and a qualified electrical contractor. To the extent local codes and practices dictate, Knoll is available to help with customized solutions.

Orders with 50 or fewer locks required with no specific keying requests will be sent randomly keyed by the factory without warning.

Finishing
All Reff natural wood veneer and Techwood components are stained and sealed using a state of the art polyurethane finishing process. Which provides superior resistance to solvents, stains, abrasion and heat. Each component is coated and cured with ultraviolet light for a durable, lasting wood surface.

Natural veneers are all hand selected to best showcase the beauty of natural grain and to Knoll’s meticulous color and grain standards.

Every effort is made to ensure that Knoll Reff veneers are the best that can be sourced in quality of color, consistency and size. Natural variations of wood are held in high regard and are not considered to be defects. Natural variations are not subject to warranty. The natural process of color change in real wood products is part of the unique character and beauty of this material. Knoll expects wood to patina over time and does not warranty color change.

Techwood is a genuine real wood product, enhanced by technology to provide color and grain consistency. Techwood finishes are available in open and closed pore options.

FSC (Forest Stewardship Council) certified materials available upon request.

Wood Finishes

New codes begin with a three digit numeric sequence, followed by a letter suffix. Each letter suffix (A-F) represents a different combination of pore fill options and gloss levels.

Code	*V1 TECHWOOD*
638	Blond Maple
628	Dark Mahogany
639	Light Cherry
641	Black Oak
506	Maple
509	Cherry
512	Medium Walnut
513	Medium Teak
514	Espresso
637	Natural
644	Light Walnut
645	Dove Grey

Code	*V2 PREMIUM TECHWOOD*
647	White Pine
640	Ebony
642	Grigio

	V2 NATURAL VENEER
020	Natural Oak
038	Rustic Walnut *
017	Light Walnut
002	Bronze Cherry
006	Maple
021	Peacock Green Walnut
022	Old English Walnut
037	Birch

Code	*V3 PREMIUM VENEER*
039	Pippy Oak *
044	Figured Sycamore

	Gloss Level	Fill Level
A	Low Gloss	Closed Pore
B	MediumGloss	Closed Pore
C	High Gloss	Closed Pore
D	Low Gloss	Open Pore
E	Medium Gloss	Open Pore
F	High Gloss	Open Pore

Edge Options for Veneers

WOOD	Complementary Wood
SYN	Complementary Synthetic
WPLY	Wood Ply Edge *
SPLY	Synthetic Ply Edge *

* Ply Edge available on Birch (037) worksurfaces.

***Note:**

-Synthetic Edge option is available on worksurfaces, only.
-Finishes with * are available on worksurfaces only.
For more detailed information on Veneer finishes, please refer to the Wood Finish Matrix on the Knoll.com

Laminate Finishes

Core Laminate
Surface / Edge

111 Jet Black
114 Folkstone Grey**
115 Medium Grey
117 Soft Grey**
118 Bright White**
119 Pumice**
121 Micro Grey *
122 Brushed Sand *
123 Brushed Grey *
128 Fog
129 Micro Sand *

*121, 122, 123, 129 Not available with matching edge option, and only available on worksurfaces.
**Melamine worksurface finish.

LW Marker Board - Available for panels, Task panels and sliding display boards.

Note: All core Laminate worksurfaces are available with matching and non matching edges.
ie; A worksurface in 118, can have 139 edge finish.

Note: Pedestals and Cabinets with metal interior, when specified in "Wood Grain Laminate" or "Veneer", the shelves are painted black.

Wood Grain Laminates
Surface / Edge

124 Medium Chery
125 Natural Maple**
126 Natural Cherry**
127 Walnut**
139 Light Ash
140 Warm Ash**
141 Whitened Ash
142 Grey Ash**
143 Classic Oak**
144 Graphite Pear
145 Zebra

Textured Wood Grain Laminate
Surface / Edge

147 Silverwood**
148 Smokewood**
149 Barnwood**

Wood Grain Laminates are NOT available on the following components:
- Storage with J Pull option
- Administrative and Reception products
- 1 ¼" thick Worksurfaces with optional edge
- Panel post covers, post caps, top trims, end trims and screen doors
- 147, 148 and 149 available on build to spec components and 1 ¼" thick worksurfaces. Not available on pre-configured components or 1 ½" thick worksurfaces.

Additional Edge Options for Laminate worksurfaces (only):

WPLY Ply Edge - Wood (V1 Pricing)
SPLY Ply Edge - Synthetic (L Pricing)

Important Note:
Laminate wood grain direction depends on the width of the product.

For any vertical surface, ie; modesty panels, overheads and hutches, **up to 60"** wide, the laminate wood grain direction will be ***vertical***. For any vertical surface **greater than 60"** wide, the laminate wood grain direction is ***horizontal***.

Impact Resistant Laminate
Core & Wood Grain Laminates
Surface / Edge

911 Jet Black
914 Folkstone Grey
917 Soft Grey
918 Bright White
919 Pumice
924 Medium Cherry
925 Natural Maple
926 Natural Cherry
927 Walnut
928 Fog

Note: *The Rules of Wood Grain Laminates, applies to the Impact Resistant Laminates.*
**25% Upcharge applies to the laminate pricing for the Impact Resistant Laminates.*



Mixed Finishes: **For Laminate worksurfaces with Laminate or Veneer Edge Options, specify mixed finish worksurfaces using separate top finish & edge finish.**

For Example:
Top finish: 114 Folkstone Grey Laminate
Edge finish: 115 Medium Grey Laminate, or Y882 Dove Grey Techwood

Forbo
851 Biscuit
852 Sky Blue
853 Stone
854 Cinnamon
855 Heather Blue

Solid Surface
AW Artic White

Glass
G1
TEMP Clear Tempered

G2
Architectural Glass Options
GL13 Powder
GL8 Wafer
GL6 Block Matrix

G3
Back Painted Glass 5mm
GL11 Back Painted Black
GL14 Folkstone Grey
GL15 Back Painted Medium Grey
GL17 Back Painted Soft Grey
GL18 Back Painted White
Colored Glass
GL25 Bronze
GL35 Grey
GL85 Star Clear

Note:
All Glass options are Tempered.

Paint/Plated/Anodized finishes

P1
111 Jet Black
112 Brown
113 Dark Grey
114 Folkstone Grey
115 Medium Grey
116 Sandstone
117 Soft Grey
118 Bright White
119 Pumice

P2
611 Beige Mist Metallic
612 Medium Metallic Grey
AA Anodized Aluminum

P3
613 Silver

P4
PD Polish Chrome
PU Satin Nickel
PT Brushed Pewter
AP Anodized Polished
AU Anodized Satin

Complementary Colors:

AP (anodized polished) complements …… PD (polished chrome)
AU (anodized satin) complements ..... PU (satin nickel)

Locks
B Black
S Matte Silver

***Note:**
- All finishes shift in color over time, this natural aging process varies by material.

Fabric Options For Panels

Grade 10
Annex (W1360)
Beacon (W1597)
Broadcloth II (W1619)
Circuit (W1754)
Element (W1077)
Growth Spurt (W692)
Messa (W2061)
Pivot (W1926)
Skylark (W1718)
Symbolic Detail (W693)
Tailor Made II (W1610/6)
Twister (W1923)
Versatility (W432)

Grade 20
Bauhaus Block (W296A)
Circle Line (W1146)
Criss Cross (W305)
Delite (K2026)
Edo (W2111) ♦
Logic (W1318)
Nematic II (W1620)
Photon II (W1695)
Reflect (W884) ø

Grade 30
Flow (W565)
Match Point (W1145)
Micro (W465)*
Relay (W1020) ▲
Synth (K1693)

Grade 40
Crossroad (K2085)
Ornament (W1078)

Grade 45
Monarch (K1149)

**with backing only*

▲ Monolithic panels and tackboards only

ø May not be available in all colors.

★Non-merchandized available for purchase but samples not available.

The following textiles are approved for use on Reff panels. Consult Knoll representative for pricing:

Grade 50
Presto (K1000) For tackboards only

Grade 55
Knoll Felt (K1207)
Knoll Hopsack (K1206)
Ransom (K1298)

Customers Own Material
Prices for panels and tackboards that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing.

COM fabrics are subject to a testing charge prior to acceptance for use on Reff panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.

When specifying panel/fabrics use the following format to denote location on a tiled panel.

Side 1		Side 2
1E	Top of Panel	2E
1D		2D
1C		2C
1B		2B
1A	Bottom of Panel	2A

(Side 1 is always the inside of the workstation.)

Panels with beltway one side: assume the beltway is on SIDE 1 of the panel.

Panel Trim Profiles



Flat (Option A)



Square (Option B)



Bullnose (Option C)



Extruded Aluminum (Option E)

Worksurface Profiles

1 ½″, 1 ¼″ and 1″ Thick Standard



1 ¼″ Thick Cascade



1″ Thick Sliding Table

NOTE: See page 165 for 7 Optional Edges which are also available.



Integral Wood J-Pull

Does not protrude
Matches the case finish in all veneer options and solid color laminates. Refer to finish page.
Position: The full extension of top of doors or drawers (bottom on the flip doors)



C-Pull
(Nickle Plated Finish Only)
7 3/8″ wide x 1 5/32″ deep

Protrudes 1″ from the drawer front
Available in Nickle Plated Finish only
1 pull per drawer front
Position: center, 1/2″ down from the top of drawer



D-Pull
7 3/4″ wide x 1 13/32″ deep

Protrudes 1 13/32″ from the drawer front
Available in all core paint finishes,
Bushed Pewter (PT) and Satin Brass (PZ)
1 pull per drawer front
Position: Assembled to plate, center line
1/2″ down from the top of drawer



S-Pull
(Stainless Steel Finish Only)
6 5/32″ wide x 1 1/16″ deep

Protrudes 1 3/64″ from the drawer front
Available in Stainless Steel only
1 pull per drawer front
Position: Center, 1/2″ down from the top of drawer



R-Cylinder
1″ diameter
Protrudes 1″ from the drawer front
Available in painted and plated finishes
1 pull per 16″ & 19″ wide pedestal drawer
Position: center position for 16″ & 19″ drawers
2 pulls per 30″ & 36″ lateral drawers
Position: 6″ in from end, 1 ½″ down from top of drawers



H-Out Line
4″ wide x 1″ deep
Protrudes 1″ from the drawer front
Available in painted and plated finishes
1 pull per 16″ & 19″ wide pedestal drawer
Position: center, 1 ½″ down from the top of drawer
2 pulls per 30″ & 36″ lateral drawers
Position: 6″ in from left/right, 1 ½″ down from top of drawers



T-Tab
Short Tab: 2″ wide x 1 ¾″ deep
Long Tab: 10″ wide x 1 ¾″ deep
Protrudes ¾″ from drawer front
Available in painted or plated finishes
Position: Center line position on drawers



F-Bar Pull
Short bar pull: 3 ⅜″ wide x .3″ thick
Long bar pull: 10 ½″ wide x .3″ thick
Protrudes 1″ from drawer front
Available in painted and plated finishes









G-Grommet Pull
1 5/32″ diameter
Flush with the drawer front
Available in painted and plated finishes
1 pull per 60″ & 72″ sliding doors
Position: 1.656″ from left or right, center line vertical
2 pulls per 90″ & 108″ sliding doors
Position: 1.656″ from left and right, center line vertical
Position: Center line position on drawers

What is Reff Profiles?
Reff Profiles is finely detailed office furniture that combines versatility with image by providing unparalleled attention to quality from dovetailed joinery to a patented finishing process. Users can choose from a broad range of natural woods, fine veneers and durable laminates to create private offices, freestanding work areas and panel-based environments that fit the individual's requirements. A variety of stacking panel styles, including monolithic, tiled and floor-to-ceiling, will support any design criteria.

Worksurfaces are available in traditional rectilinear or innovative curvilinear shapes for a choice of aesthetic approaches and ergonomic solutions. Cabinetry can be specified in numerous sizes and configurations with either wood or metal interiors with a choice of hardware options to support any storage requirement. Innovative desk-height storage, cabinets and office towers combine aesthetics with functionality.

The result is a comprehensive product offering that will satisfy a wide spectrum of users. Let your imagination take hold.

For private offices consider a variety of desking options including flush, cantilevered, recessed or bow fronts and storage solutions including innovative workwalls.

In freestanding furniture, Reff Profiles offers a full selection of components to support any requirement from managerial to administrative. Options include numerous worksurfaces and meeting tops with a variety of freestanding supports. Administrative and Gallery desk surrounds, stationary and mobile storage components and storage towers provide exceptional planning alternatives.

Panel systems provide high-density power, data and communications capacity along with acoustic control and design flexibility. Panels can be specified with smooth monolithic surfaces, tiled faces or stacking modules. Additionally, panel surfaces are available with fabric on both sides or with fabric on one side and wood on the other.

Who should consider Reff Profiles?
Reff Profiles is well suited to organizations who want to project a high image while supporting any work environment from private offices to panel-based workstations. Companies will appreciate the fine quality and breathtaking aesthetics of Reff Profiles and, for those rapidly changing firms who require interchangeable components to support long term use, Reff Profiles is truly the design choice for inspired offices.

Desk Height Planning vs. Standard Height Planning
Reff Profiles offers two support height planning models: "standard" height (26 ½") and "desk" height (28 3/8").

"Standard height" support components provide an underdesk clearance of 26 ½". This yields a worksurface height of 27 ¾" with 1 ¼" thick worksurfaces and 28" with 1 ½" worksurfaces.

Standard height planning (26 ½") may be utilized in panel-based open planning, freestanding open planning (including Reff ProfilesGallery), and in private office planning.

"Desk height" support components provide an underdesk clearance of 28 3/8". This yields a worksurface height of 29 5/8" with 1 ¼" thick worksurfaces and 29 7/8" with 1 ½" thick worksurfaces.

"Low Credenza" and "¾ high" storage options may be incorporated into desk height planning models. Progressive Low Credenza storage incorporates a 1 1/16" top shelf for a finished height of 23 3/8". ¾ high storage is 22 3/8"h and requires a 1" thick applied worksurface top which yields a low worksurface height of 23 3/8".

Desk height planning (28 3/8") may be utilized in freestanding open planning (including Administrative and Reception desk units) and in private office planning.

Storage Relationships
Care should be taken to make sure storage cabinets are specified in the type that corresponds to the planning height model being used.

Classic Cabinets, Overheads, Workwalls, and Overdesk Units are available for both standard and desk height planning and must be specified accordingly.

Progressive Cabinets, Progressive Overheads, and Desktop Towers are only available for desk height planning.

Task panels are intended to be used with desk height planning. They are not recommended for use with standard height planning.

Price List / Planning Guide Organization
The Reff Profiles price list is divided into two volumes. Volume 1 contains pricing related to panels and "standard" height (26 ½") planning. Planning guidelines for 26 ½" height planning are available in the Reff Planning Guide, on Exchange. The Reff Profiles price list Volume 2 contains pricing and planning information for "desk" height (28 3/8") elements.

It is not advised to mix 28 3/8"h desk height products with 26 ½" components.

Monolithic panels 34″ H
fabric both sides

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics	18″	34″	**R3B0PFF3418-( )( )( )**	$661.	$723.	$817.	$875.	$959.	$1,015.
	20″	34″	**R3B0PFF3420-( )( )( )**	661.	723.	817.	875.	959.	1,015.
	24″	34″	**R3B0PFF3424-( )( )( )**	713.	775.	869.	927.	1,011.	1,067.
	30″	34″	**R3B0PFF3430-( )( )( )**	759.	821.	915.	973.	1,057.	1,113.
	36″	34″	**R3B0PFF3436-( )( )( )**	808.	870.	964.	1,022.	1,106.	1,162.
	42″	34″	**R3B0PFF3442-( )( )( )**	928.	990.	1,084.	1,142.	1,226.	1,282.
	48″	34″	**R3B0PFF3448-( )( )( )**	962.	1,024.	1,118.	1,176.	1,260.	1,316.



Order Code

Example:	**R3B0PFF3418-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FF	Fabric on both sides
34	34″ high
18	18″ wide
(A)	Flat style top trim profile
(4)	4″ base height
(K)	Include knockouts in base
W281	Fabric Side 1
W281	Fabric Side 2
006B	Top trim finish
111	Base finish
M	Milled for ported components

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional*: specify (M) for panel frame to be milled for ported components. $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option).

Application Notes

All panels on this page accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34″H, other 34″, 42″, 49″, 64″, and 79″ panels without beltway. To attach 34″H panels to Beltway posts over 34″H, order appropriate attachment kit from page 119.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Ported panel components to be installed below worksurface if panel 36″h.

Monolithic panels 34″ H
fabric one side, laminate other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	34″	**R3B0PFL3418-( )( )**	$631.	$660.	$702.	$727.	$763.	$790.
	20″	34″	**R3B0PFL3420-( )( )**	631.	660.	702.	727.	763.	790.
	24″	34″	**R3B0PFL3424-( )( )**	672.	701.	743.	768.	804.	831.
	30″	34″	**R3B0PFL3430-( )( )**	717.	746.	788.	813.	849.	876.
	36″	34″	**R3B0PFL3436-( )( )**	755.	784.	826.	851.	887.	914.
	42″	34″	**R3B0PFL3442-( )( )**	859.	888.	930.	955.	991.	1,018.
	48″	34″	**R3B0PFL3448-( )( )**	886.	915.	957.	982.	1,018.	1,045.



Order Code

Example:	**R3B0PFL3418-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FL	Fabric one side
34	34″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric Side 1
114	Folkstone grey - side 2
006B	Top trim finish
111	Base finish
M	Milled for ported components

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional*: specify (M) for panel frame to be milled for ported components. $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option).

These Panels will accept all core Laminates.

Application Notes

All panels on this page accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34″H, other 34″, 42″, 49″, 64″, and 79″ panels without beltway. To attach 34″H panels to Beltway posts over 34″H, order appropriate attachment kit from page 119.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Ported panel components to be installed below worksurface if panel 36″h.

Monolithic panels 34″ H
fabric one side, techwood other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	34″	**R3B0PF13418-( )( )**	$741.	$772.	$819.	$849.	$891.	$921.
	20″	34″	**R3B0PF13420-( )( )**	744.	775.	822.	852.	894.	924.
	24″	34″	**R3B0PF13424-( )( )**	792.	823.	870.	900.	942.	972.
	30″	34″	**R3B0PF13430-( )( )**	842.	873.	920.	950.	992.	1,022.
	36″	34″	**R3B0PF13436-( )( )**	894.	925.	972.	1,002.	1,044.	1,074.
	42″	34″	**R3B0PF13442-( )( )**	1,013.	1,044.	1,091.	1,121.	1,163.	1,193.
	48″	34″	**R3B0PF13448-( )( )**	1,046.	1,077.	1,124.	1,154.	1,196.	1,226.



Order Code

Example:	**R3B0PF13418-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F1	Fabric one side, V1 other side
34	34″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric Side 1
506B	Maple - side 2
506B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional*: specify (M) for panel frame to be milled for ported components. $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

Application Notes

All panels on this page accept stacking modules.

6″ Raceway option increases panel height by 2 3/4″.

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34″H, other 34″, 42″, 49″, 64″, and 79″ panels without beltway. To attach 34″H panels to Beltway posts over 34″H, order appropriate attachment kit from page 119.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Ported panel components to be installed below worksurface if panel 34″h.

Monolithic panels 34″ H
fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	34″	**R3B0PF234 18-( )( )**	$755.	$786.	$833.	$863.	$905.	$935.
	20″	34″	**R3B0PF234 20-( )( )**	758.	789.	836.	866.	908.	938.
	24″	34″	**R3B0PF234 24-( )( )**	806.	837.	884.	914.	956.	986.
	30″	34″	**R3B0PF234 30-( )( )**	860.	891.	938.	968.	1,010.	1,040.
	36″	34″	**R3B0PF234 36-( )( )**	908.	939.	986.	1,016.	1,058.	1,088.
	42″	34″	**R3B0PF234 42-( )( )**	1,035.	1,066.	1,113.	1,143.	1,185.	1,215.
	48″	34″	**R3B0PF234 48-( )( )**	1,066.	1,097.	1,144.	1,174.	1,216.	1,246.



Order Code

Example:	**R3B0PF23418-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F2	Fabric one side,V2 other side
34	34″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric Side 1
006B	Maple surface - side 2
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional*: specify (M) for panel frame to be milled for ported components. $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

Application Notes

All panels on this page accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34″H, other 34″, 42″, 49″, 64″, and 79″ panels without beltway. To attach 34″H panels to Beltway posts over 34″H, order appropriate attachment kit from page 119.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Ported panel components to be installed below worksurface if panel 34″h.

Monolithic panels 34″ H
fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	34″	**R3B0PF334 18-( )( )**	$1,004.	$1,035.	$1,082.	$1,112.	$1,154.	$1,184.
	20″	34″	**R3B0PF334 20-( )( )**	1,009.	1,040.	1,087.	1,117.	1,159.	1,189.
	24″	34″	**R3B0PF334 24-( )( )**	1,073.	1,104.	1,151.	1,181.	1,223.	1,253.
	30″	34″	**R3B0PF334 30-( )( )**	1,146.	1,177.	1,224.	1,254.	1,296.	1,326.
	36″	34″	**R3B0PF334 36-( )( )**	1,210.	1,241.	1,288.	1,318.	1,360.	1,390.
	42″	34″	**R3B0PF334 42-( )( )**	1,382.	1,413.	1,460.	1,490.	1,532.	1,562.
	48″	34″	**R3B0PF334 48-( )( )**	1,423.	1,454.	1,501.	1,531.	1,573.	1,603.



Order Code

Example:	**R3B0PF33418-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F3	Fabric one side, V3 one side
34	34″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric Side 1
039E	Figured Anigre surface - side 2
039E	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional*: specify (M) for panel frame to be milled for ported components. $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

Application Notes

All panels on this page accept stacking modules.

6″ Raceway option increases panel height by 2 ¾″.

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34″H, other 34″, 42″, 49″, 64″, and 79″ panels without beltway. To attach 34″H panels to Beltway posts over 34″H, order appropriate attachment kit from page 119.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Ported panel components to be installed below worksurface if panel 34″h.

Monolithic panels 34″ H
Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18″	34″	**R3B0PLL3418( )( )**	$634.
	20″	34″	**R3B0PLL3420( )( )**	634.
	24″	34″	**R3B0PLL3424( )( )**	692.
	30″	34″	**R3B0PLL3430( )( )**	775.
	36″	34″	**R3B0PLL3436( )( )**	837.
	42″	34″	**R3B0PLL3442( )( )**	863.
	48″	34″	**R3B0PLL3448( )( )**	904.



Order Code

Example:	**R3B0PLL3418-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
LL	Laminate both sides
34	34″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
118	Laminate - side 1
118	Laminate - side 2
006B	Top trim finish
111	Base finish
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 laminate inside
5. Panel side 2 laminate outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional*: specify (M) for panel frame to be milled for ported components. $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

These Panels will accept all core Laminates.

Application Notes

All panels on this page accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34″H, other 34″, 42″, 49″, 64″, and 79″ panels without beltway. To attach 34″H panels to Beltway posts over 34″H, order appropriate attachment kit from page 119.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Ported panel components to be installed below worksurface if panel 34″h.

Monolithic panels 42″ H
fabric both sides

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics	18″	42″	**R3B0PFF42 18-( )( )**	$600.	$668.	$766.	$842.	$930.	$992.
	20″	42″	**R3B0PFF42 20-( )( )**	600.	668.	766.	842.	930.	992.
	24″	42″	**R3B0PFF42 24-( )( )**	640.	708.	806.	882.	970.	1,032.
	30″	42″	**R3B0PFF42 30-( )( )**	698.	766.	864.	940.	1,028.	1,090.
	36″	42″	**R3B0PFF42 36-( )( )**	751.	819.	917.	993.	1,081.	1,143.
	42″	42″	**R3B0PFF42 42-( )( )**	807.	875.	973.	1,049.	1,137.	1,199.
	48″	42″	**R3B0PFF42 48-( )( )**	867.	935.	1,033.	1,109.	1,197.	1,259.
	60″	42″	**R3B0PFF42 60-( )( )**	981.	1,131.	1,325.	1,465.	1,647.	1,761.
	66″	42″	**R3B0PFF42 66-( )( )***	1,015.	1,165.	1,359.	1,499.	1,681.	1,795.
	72″	42″	**R3B0PFF42 72-( )( )***	1,048.	1,198.	1,392.	1,532.	1,714.	1,828.
Monolithic, fabric both sides High acoustics	18″	42″	**R3B0PAA42 18-( )( )**	659.	727.	825.	901.	989.	1,051.
	20″	42″	**R3B0PAA42 20-( )( )**	659.	727.	825.	901.	989.	1,051.
	24″	42″	**R3B0PAA42 24-( )( )**	702.	770.	868.	944.	1,032.	1,094.
	30″	42″	**R3B0PAA42 30-( )( )**	761.	829.	927.	1,003.	1,091.	1,153.
	36″	42″	**R3B0PAA42 36-( )( )**	823.	891.	989.	1,065.	1,153.	1,215.
	42″	42″	**R3B0PAA42 42-( )( )**	887.	955.	1,053.	1,129.	1,217.	1,279.
	48″	42″	**R3B0PAA42 48-( )( )**	952.	1,020.	1,118.	1,194.	1,282.	1,344.
	60″	42″	**R3B0PAA42 60-( )( )***	1,070.	1,220.	1,414.	1,554.	1,736.	1,850.
	66″	42″	**R3B0PAA42 66-( )( )***	1,106.	1,256.	1,450.	1,590.	1,772.	1,886.
	72″	42″	**R3B0PAA42 72-( )( )***	1,143.	1,293.	1,487.	1,627.	1,809.	1,923.

Order Code

Example:	**R3B0PFF4218-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FF	Fabric on both sides
42	42″ high
18	18″ wide
(A)	Flat style top trim profile
(4)	4″ base height
(K)	Include knockouts in base
W281	Fabric - Side 1
W281	Fabric - Side 2
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional*: specify (M) for panel frame to be milled for ported components. $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

Application Notes

The Reff Profiles System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see page 273).

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

*Fabric inserts of these panels are two pieces, split vertically.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 42″ H
with Beltway

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric both sides Beltway two sides, regular acoustics	18″	42″	**R3B2PFF42 18-( )( )**	$1,182.	$1,280.	$1,406.	$1,484.	$1,586.	$1,662.
	20″	42″	**R3B2PFF42 20-( )( )**	1,182.	1,280.	1,406.	1,484.	1,586.	1,662.
	24″	42″	**R3B2PFF42 24-( )( )**	1,206.	1,304.	1,430.	1,508.	1,610.	1,686.
	30″	42″	**R3B2PFF42 30-( )( )**	1,266.	1,364.	1,490.	1,568.	1,670.	1,746.
	36″	42″	**R3B2PFF42 36-( )( )**	1,481.	1,579.	1,705.	1,783.	1,885.	1,961.
	42″	42″	**R3B2PFF42 42-( )( )**	1,593.	1,691.	1,817.	1,895.	1,997.	2,073.
	48″	42″	**R3B2PFF42 48-( )( )**	1,650.	1,748.	1,874.	1,952.	2,054.	2,130.
Monolithic, fabric both sides Beltway one side	18″	42″	**R3B1PFF42 18-( )( )**	1,165.	1,248.	1,360.	1,437.	1,532.	1,601.
	20″	42″	**R3B1PFF42 20-( )( )**	1,165.	1,248.	1,360.	1,437.	1,532.	1,601.
	24″	42″	**R3B1PFF42 24-( )( )**	1,185.	1,268.	1,380.	1,457.	1,552.	1,621.
	30″	42″	**R3B1PFF42 30-( )( )**	1,244.	1,327.	1,439.	1,516.	1,611.	1,680.
	36″	42″	**R3B1PFF42 36-( )( )**	1,454.	1,537.	1,649.	1,726.	1,821.	1,890.
	42″	42″	**R3B1PFF42 42-( )( )**	1,564.	1,647.	1,759.	1,836.	1,931.	2,000.
	48″	42″	**R3B1PFF42 48-( )( )**	1,614.	1,697.	1,809.	1,886.	1,981.	2,050.



Order Code

Example:	**R3B2PFF4218**
R3	Reff Generation 3
B2	Beltway two sides
P	Monolithic panel
FF	Fabric on both sides
42	42″ high
18	18″ wide
(A)	Flat style top trim profile
(4)	4″ base height
(K)	Include knockouts in base
W281	Fabric - Side 1 below belt
W281	Fabric - Side 1 above belt
W281	Fabric - Side 2 below belt
W281	Fabric - Side 2 above belt
006B	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black Beltway finish

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside below belt
5. Panel side 1 finsih(s) inside above belt
6. Panel side 2 finish(s) outside below belt
7. Panel side 2 finish(s) outside above belt
8. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
9. Base finish
10. Beltway finish
11. *Optional*: specify (M) for panel frame to be milled for ported components. $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

3. Beltway:
B1 = Beltway 1 side
B2 = Beltway 2 sides

Application Notes

The Reff Profiles System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see page 273).

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

*Fabric inserts of these panels are two pieces, split vertically.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 42″ H
fabric one side, laminate other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	42″	**R3B0PFL42 18-( )( )**	$518.	$549.	$590.	$626.	$663.	$691.
	20″	42″	**R3B0PFL42 20-( )( )**	518.	549.	590.	626.	663.	691.
	24″	42″	**R3B0PFL42 24-( )( )**	524.	555.	596.	632.	669.	697.
	30″	42″	**R3B0PFL42 30-( )( )**	628.	659.	700.	736.	773.	801.
	36″	42″	**R3B0PFL42 36-( )( )**	680.	711.	752.	788.	825.	853.
	42″	42″	**R3B0PFL42 42-( )( )**	763.	794.	835.	871.	908.	936.
	48″	42″	**R3B0PFL42 48-( )( )**	829.	860.	901.	937.	974.	1,002.
	60″	42″	**R3B0PFL42 60-( )( )**	902.	968.	1,053.	1,115.	1,197.	1,246.
	66″	42″	**R3B0PFL42 66-( )( )**	935.	1,001.	1,086.	1,148.	1,230.	1,279.
	72″	42″	**R3B0PFL42 72-( )( )**	969.	1,035.	1,120.	1,182.	1,264.	1,313.
Monolithic, fabric one side Beltway one side (fabric side)	18″	42″	**R3B1PFL42 18-( )( )**	1,016.	1,059.	1,115.	1,147.	1,193.	1,229.
	20″	42″	**R3B1PFL42 20-( )( )**	1,016.	1,059.	1,115.	1,147.	1,193.	1,229.
	24″	42″	**R3B1PFL42 24-( )( )**	1,041.	1,084.	1,140.	1,172.	1,218.	1,254.
	30″	42″	**R3B1PFL42 30-( )( )**	1,119.	1,162.	1,218.	1,250.	1,296.	1,332.
	36″	42″	**R3B1PFL42 36-( )( )**	1,306.	1,349.	1,405.	1,437.	1,483.	1,519.
	42″	42″	**R3B1PFL42 42-( )( )**	1,338.	1,381.	1,437.	1,469.	1,515.	1,551.
	48″	42″	**R3B1PFL42 48-( )( )**	1,504.	1,547.	1,603.	1,635.	1,681.	1,717.





Order Code

Example:	**R3B0PFL4218-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FL	Fabric one side, laminate other
42	42″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
114	Folkstone grey - side 2
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

BO=No Beltway
B1=Beltway one side

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Panel side 1 finish(s) inside
   (for panel with beltway specify:
   Side 1-below belt
   Side 2-above belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver
7. Base finish
8. Beltway finish-only for panel with beltway option
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

These Panels will accept all core Laminates.

Application Notes

The Reff Profiles System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see transaction tops page 278.)

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Fabric and laminate covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Monolithic panels 42″ H
fabric one side, techwood other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	42″	**R3B0PF142 18-( )( )**	$607.	$642.	$693.	$732.	$775.	$807.
	20″	42″	**R3B0PF142 20-( )( )**	607.	642.	693.	732.	775.	807.
	24″	42″	**R3B0PF142 24-( )( )**	612.	647.	698.	737.	780.	812.
	30″	42″	**R3B0PF142 30-( )( )**	738.	773.	824.	863.	906.	938.
	36″	42″	**R3B0PF142 36-( )( )**	798.	833.	884.	923.	966.	998.
	42″	42″	**R3B0PF142 42-( )( )**	900.	935.	986.	1,025.	1,068.	1,100.
	48″	42″	**R3B0PF142 48-( )( )**	977.	1,012.	1,063.	1,102.	1,145.	1,177.
	60″	42″	**R3B0PF142 60-( )( )***	1,063.	1,138.	1,238.	1,308.	1,405.	1,462.
	66″	42″	**R3B0PF142 66-( )( )***	1,105.	1,180.	1,280.	1,350.	1,447.	1,504.
	72″	42″	**R3B0PF142 72-( )( )***	1,141.	1,216.	1,316.	1,386.	1,483.	1,540.
Monolithic, fabric one side Beltway one side (fabric side)	18″	42″	**R3B1PF142 18-( )( )**	1,190.	1,239.	1,304.	1,341.	1,396.	1,434.
	20″	42″	**R3B1PF142 20-( )( )**	1,190.	1,239.	1,304.	1,341.	1,396.	1,434.
	24″	42″	**R3B1PF142 24-( )( )**	1,225.	1,274.	1,339.	1,376.	1,431.	1,469.
	30″	42″	**R3B1PF142 30-( )( )**	1,316.	1,365.	1,430.	1,467.	1,522.	1,560.
	36″	42″	**R3B1PF142 36-( )( )**	1,531.	1,580.	1,645.	1,682.	1,737.	1,775.
	42″	42″	**R3B1PF142 42-( )( )**	1,572.	1,621.	1,686.	1,723.	1,778.	1,816.
	48″	42″	**R3B1PF142 48-( )( )**	1,770.	1,819.	1,884.	1,921.	1,976.	2,014.

Order Code

Example:	**R3B0PF14218-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F1	Fabric one side, V1 other
42	42″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
506B	Maple - side 2
506B	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Panel side 1 finish(s) inside
   For panels with Beltway specify:
   Side 1, Below belt
   Side 2, Above belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver
7. Base finish
8. Beltway finish (only for panels with Beltway)
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

Application Notes

The Reff Profiles System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see transaction tops page 278).

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Fabric and techwood covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Monolithic panels 42″ H
fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18″	42″	**R3B0PF242 18-( )( )**	$615.	$650.	$701.	$740.	$783.	$815.
	20″	42″	**R3B0PF242 20-( )( )**	615.	650.	701.	740.	783.	815.
	24″	42″	**R3B0PF242 24-( )( )**	626.	661.	712.	751.	794.	826.
	30″	42″	**R3B0PF242 30-( )( )**	751.	786.	837.	876.	919.	951.
	36″	42″	**R3B0PF242 36-( )( )**	812.	847.	898.	937.	980.	1,012.
	42″	42″	**R3B0PF242 42-( )( )**	914.	949.	1,000.	1,039.	1,082.	1,114.
	48″	42″	**R3B0PF242 48-( )( )**	995.	1,030.	1,081.	1,120.	1,163.	1,195.
	60″	42″	**R3B0PF242 60-( )( )***	1,077.	1,152.	1,252.	1,322.	1,419.	1,476.
	66″	42″	**R3B0PF242 66-( )( )***	1,121.	1,196.	1,296.	1,366.	1,463.	1,520.
	72″	42″	**R3B0PF242 72-( )( )***	1,159.	1,234.	1,334.	1,404.	1,501.	1,558.
Monolithic, fabric one side Beltway one side (fabric side) 	18″	42″	**R3B1PF242 18-( )( )**	1,218.	1,267.	1,332.	1,369.	1,424.	1,462.
	20″	42″	**R3B1PF242 20-( )( )**	1,218.	1,267.	1,332.	1,369.	1,424.	1,462.
	24″	42″	**R3B1PF242 24-( )( )**	1,243.	1,292.	1,357.	1,394.	1,449.	1,487.
	30″	42″	**R3B1PF242 30-( )( )**	1,344.	1,393.	1,458.	1,495.	1,550.	1,588.
	36″	42″	**R3B1PF242 36-( )( )**	1,562.	1,611.	1,676.	1,713.	1,768.	1,806.
	42″	42″	**R3B1PF242 42-( )( )**	1,603.	1,652.	1,717.	1,754.	1,809.	1,847.
	48″	42″	**R3B1PF242 48-( )( )**	1,800.	1,849.	1,914.	1,951.	2,006.	2,044.

Order Code

Example:	**R3B0PF24218-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F2	Fabric one side, V2 other
42	42″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
006B	Maple surface - side 2
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
   For panel with Beltway option specify:
   Side 1- Below Beltway
   Side 2- Above Beltway
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver
7. Base finish - (only for panels with Beltway option)
8. Beltway finish
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

Application Notes

The Reff Profiles System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see transaction tops page 278).

6″ Raceway option increases panel height by 2 3/4″.

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Fabric and veneer covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Monolithic panels 42″ H
fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	42″	**R3B0PF342 18-( )( )**	$815.	$850.	$901.	$940.	$983.	$1,015.
	20″	42″	**R3B0PF342 20-( )( )**	815.	850.	901.	940.	983.	1,015.
	24″	42″	**R3B0PF342 24-( )( )**	827.	862.	913.	952.	995.	1,027.
	30″	42″	**R3B0PF342 30-( )( )**	995.	1,030.	1,081.	1,120.	1,163.	1,195.
	36″	42″	**R3B0PF342 36-( )( )**	1,079.	1,114.	1,165.	1,204.	1,247.	1,279.
	42″	42″	**R3B0PF342 42-( )( )**	1,216.	1,251.	1,302.	1,341.	1,384.	1,416.
	48″	42″	**R3B0PF342 48-( )( )**	1,328.	1,363.	1,414.	1,453.	1,496.	1,528.
	60″	42″	**R3B0PF342 60-( )( )***	1,420.	1,495.	1,595.	1,665.	1,762.	1,819.
	66″	42″	**R3B0PF342 66-( )( )***	1,480.	1,555.	1,655.	1,725.	1,822.	1,879.
	72″	42″	**R3B0PF342 72-( )( )***	1,531.	1,606.	1,706.	1,775.	1,873.	1,930.
Monolithic, fabric one side Beltway fabric side	18″	42″	**R3B1PF342 18-( )( )**	1,625.	1,674.	1,739.	1,776.	1,831.	1,869.
	20″	42″	**R3B1PF342 20-( )( )**	1,625.	1,674.	1,739.	1,776.	1,831.	1,869.
	24″	42″	**R3B1PF342 24-( )( )**	1,661.	1,710.	1,775.	1,812.	1,867.	1,905.
	30″	42″	**R3B1PF342 30-( )( )**	1,796.	1,845.	1,910.	1,947.	2,002.	2,040.
	36″	42″	**R3B1PF342 36-( )( )**	2,093.	2,142.	2,207.	2,244.	2,299.	2,337.
	42″	42″	**R3B1PF342 42-( )( )**	2,147.	2,196.	2,261.	2,298.	2,353.	2,391.
	48″	42″	**R3B1PF342 48-( )( )**	2,415.	2,464.	2,529.	2,566.	2,621.	2,659.

Order Code

Example:	**R3B0PF34218-A4K**
R3	Reff Generation 3
B0	No Beltway, B1=Beltway, one side
P	Monolithic panel
F3	Fabric one side, V3 other
42	42″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
039E	Pippy Oak- side 2
039E	Pippy Oak (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Panel side 1 finish(s) inside
   For panel with Beltway option specify:
   Side 1=Below Beltway
   Side 2=Above Beltway
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver;
7. Base finish
8. Beltway finish (only for panels with Beltway option)
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

Application Notes

The Reff Profiles System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see transaction tops page 278).

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Fabric and veneer covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Monolithic panels 42″ H
Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18″	42″	**R3B0PLL4218( )( )**	$671.
	20″	42″	**R3B0PLL4220( )( )**	671.
	24″	42″	**R3B0PLL4224( )( )**	732.
	30″	42″	**R3B0PLL4230( )( )**	820.
	36″	42″	**R3B0PLL4236( )( )**	886.
	42″	42″	**R3B0PLL4242( )( )**	975.
	48″	42″	**R3B0PLL4248( )( )**	1,091.
	60″	42″	**R3B0PLL4260( )( )***	1,178.
	66″	42″	**R3B0PLL4266( )( )***	1,215.
	72″	42″	**R3B0PLL4272( )( )***	1,249.

Order Code

Example:	**R3B0PLL4218-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
LL	Laminate both sides
42	42″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
118	Laminate - side 1
118	Laminate - side 2
006B	Top trim finish
111	Base finish
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1inside
5. Panel side 2 outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver
7. Base finish
8. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

These Panels will accept all core Laminates.

Application Notes

The Reff Profiles System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see transaction tops page 278).

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Fabric and veneer covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Monolithic panels 49″ H
fabric both sides

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics 	18″	49″	**R3B0PFF49 18-( )( )**	$672.	$760.	$880.	$958.	$1,064.	$1,132.
	20″	49″	**R3B0PFF49 20-( )( )**	672.	760.	880.	958.	1,064.	1,132.
	24″	49″	**R3B0PFF49 24-( )( )**	717.	805.	925.	1,003.	1,109.	1,177.
	30″	49″	**R3B0PFF49 30-( )( )**	778.	866.	986.	1,064.	1,170.	1,238.
	36″	49″	**R3B0PFF49 36-( )( )**	814.	902.	1,022.	1,100.	1,206.	1,274.
	42″	49″	**R3B0PFF49 42-( )( )**	879.	967.	1,087.	1,165.	1,271.	1,339.
	48″	49″	**R3B0PFF49 48-( )( )**	965.	1,053.	1,173.	1,251.	1,357.	1,425.
	60″	49″	**R3B0PFF49 60-( )( )***	1,115.	1,279.	1,519.	1,681.	1,891.	2,021.
	66″	49″	**R3B0PFF49 66-( )( )***	1,152.	1,316.	1,556.	1,718.	1,928.	2,058.
	72″	49″	**R3B0PFF49 72-( )( )***	1,185.	1,349.	1,589.	1,751.	1,961.	2,091.
Monolithic, fabric both sides High acoustics 	18″	49″	**R3B0PAA49 18-( )( )**	732.	820.	940.	1,018.	1,124.	1,192.
	20″	49″	**R3B0PAA49 20-( )( )**	732.	820.	940.	1,018.	1,124.	1,192.
	24″	49″	**R3B0PAA49 24-( )( )**	783.	871.	991.	1,069.	1,175.	1,243.
	30″	49″	**R3B0PAA49 30-( )( )**	851.	939.	1,059.	1,137.	1,243.	1,311.
	36″	49″	**R3B0PAA49 36-( )( )**	891.	979.	1,099.	1,177.	1,283.	1,351.
	42″	49″	**R3B0PAA49 42-( )( )**	964.	1,052.	1,172.	1,250.	1,356.	1,424.
	48″	49″	**R3B0PAA49 48-( )( )**	1,057.	1,145.	1,265.	1,343.	1,449.	1,517.
	60″	49″	**R3B0PAA49 60-( )( )***	1,211.	1,375.	1,615.	1,777.	1,987.	2,117.
	66″	49″	**R3B0PAA49 66-( )( )***	1,253.	1,417.	1,657.	1,819.	2,029.	2,159.
	72″	49″	**R3B0PAA49 72-( )( )***	1,296.	1,460.	1,700.	1,862.	2,072.	2,202.

Order Code

Example:	**R3B0PFF4918-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FF	Fabric on both sides
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
W281	Fabric - Side 2
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver
7. Base finish
8. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

6″ Raceway option increases panel height by 2¾″.

*Fabric inserts of these panels are two pieces, split vertically.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 49″ H
with Beltway

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric both sides Beltway two sides, regular acoustics	18″	49″	**R3B2PFF49 18-( )( )**	$1,215.	$1,335.	$1,459.	$1,555.	$1,685.	$1,767.
	20″	49″	**R3B2PFF49 20-( )( )**	1,215.	1,335.	1,459.	1,555.	1,685.	1,767.
	24″	49″	**R3B2PFF49 24-( )( )**	1,240.	1,360.	1,484.	1,580.	1,710.	1,792.
	30″	49″	**R3B2PFF49 30-( )( )**	1,303.	1,423.	1,547.	1,643.	1,773.	1,855.
	36″	49″	**R3B2PFF49 36-( )( )**	1,538.	1,658.	1,782.	1,878.	2,008.	2,090.
	42″	49″	**R3B2PFF49 42-( )( )**	1,655.	1,775.	1,899.	1,995.	2,125.	2,207.
	48″	49″	**R3B2PFF49 48-( )( )**	1,714.	1,834.	1,958.	2,054.	2,184.	2,266.
Monolithic, fabric both sides Beltway one side	18″	49″	**R3B1PFF49 18-( )( )**	1,193.	1,297.	1,419.	1,506.	1,624.	1,699.
	20″	49″	**R3B1PFF49 20-( )( )**	1,193.	1,297.	1,419.	1,506.	1,624.	1,699.
	24″	49″	**R3B1PFF49 24-( )( )**	1,217.	1,321.	1,443.	1,530.	1,648.	1,723.
	30″	49″	**R3B1PFF49 30-( )( )**	1,275.	1,379.	1,501.	1,588.	1,706.	1,781.
	36″	49″	**R3B1PFF49 36-( )( )**	1,508.	1,612.	1,734.	1,821.	1,939.	2,014.
	42″	49″	**R3B1PFF49 42-( )( )**	1,621.	1,725.	1,847.	1,934.	2,052.	2,127.
	48″	49″	**R3B1PFF49 48-( )( )**	1,678.	1,782.	1,904.	1,991.	2,109.	2,184.



Order Code

Example:	**R3B2PFF4918-A4K**
R3	Reff Generation 3
B2	Beltway, both sides
P	Monolithic panel
FF	Fabric on both sides
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Side 1 - Below Belt
W281	Side 1 - Above Belt
W281	Side 2 - Below Belt
W281	Side 2 - Above Belt
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame
111	Beltway finish

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel 1 finish(s) Below Belt
5. Panel 2 finish(s) Above Belt
6. Panel 2 finish(s) Below Belt
7. Panel 2 finish(s) Above Belt
8. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver
9. Base finish
10. Beltway finish

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

6″ Raceway option increases panel height by 2¾″.

*Fabric inserts of these panels are two pieces, split vertically.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 49″ H
fabric one side, laminate other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	49″	**R3B0PFL49 18-( )( )**	$572.	$611.	$665.	$700.	$746.	$776.
	20″	49″	**R3B0PFL49 20-( )( )**	572.	611.	665.	700.	746.	776.
	24″	49″	**R3B0PFL49 24-( )( )**	625.	664.	718.	753.	799.	829.
	30″	49″	**R3B0PFL49 30-( )( )**	708.	747.	801.	836.	882.	912.
	36″	49″	**R3B0PFL49 36-( )( )**	763.	802.	856.	891.	937.	967.
	42″	49″	**R3B0PFL49 42-( )( )**	843.	882.	936.	971.	1,017.	1,047.
	48″	49″	**R3B0PFL49 48-( )( )**	949.	988.	1,042.	1,077.	1,123.	1,153.
	60″	49″	**R3B0PFL49 60-( )( )***	1,034.	1,108.	1,211.	1,283.	1,379.	1,434.
	66″	49″	**R3B0PFL49 66-( )( )***	1,063.	1,137.	1,240.	1,312.	1,408.	1,463.
	72″	49″	**R3B0PFL49 72-( )( )***	1,099.	1,173.	1,276.	1,348.	1,444.	1,499.
Monolithic, fabric one side Beltway one side (fabric side)	18″	49″	**R3B1PFL49 18-( )( )**	1,033.	1,083.	1,142.	1,181.	1,237.	1,278.
	20″	49″	**R3B1PFL49 20-( )( )**	1,033.	1,083.	1,142.	1,181.	1,237.	1,278.
	24″	49″	**R3B1PFL49 24-( )( )**	1,076.	1,126.	1,185.	1,224.	1,280.	1,321.
	30″	49″	**R3B1PFL49 30-( )( )**	1,156.	1,206.	1,265.	1,304.	1,360.	1,401.
	36″	49″	**R3B1PFL49 36-( )( )**	1,389.	1,439.	1,498.	1,537.	1,593.	1,634.
	42″	49″	**R3B1PFL49 42-( )( )**	1,516.	1,566.	1,625.	1,664.	1,720.	1,761.
	48″	49″	**R3B1PFL49 48-( )( )**	1,599.	1,649.	1,708.	1,747.	1,803.	1,844.





Order Code

Example:	**R3B0PFL4918-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FL	Fabric one side, laminate other
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
114	Folkstone grey - side 2
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
   For panel with Beltway option, please specify,
   Side 1 - Below Beltway
   Side 1 - Above Beltway
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver
7. Base finish
8. Beltway finish - only for panels with beltway option
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

6″ Raceway option increases panel height by 2¾″.

These Panels will accept all core Laminates.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 49″ H
fabric one side, techwood other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	49″	**R3B0PF149 18-( )( )**	$672.	$717.	$778.	$821.	$872.	$908.
	20″	49″	**R3B0PF149 20-( )( )**	672.	717.	778.	821.	872.	908.
	24″	49″	**R3B0PF149 24-( )( )**	734.	779.	840.	883.	934.	970.
	30″	49″	**R3B0PF149 30-( )( )**	836.	881.	942.	985.	1,036.	1,072.
	36″	49″	**R3B0PF149 36-( )( )**	897.	942.	1,003.	1,046.	1,097.	1,133.
	42″	49″	**R3B0PF149 42-( )( )**	992.	1,037.	1,098.	1,141.	1,192.	1,228.
	48″	49″	**R3B0PF149 48-( )( )**	1,115.	1,160.	1,221.	1,264.	1,315.	1,351.
	60″	49″	**R3B0PF149 60-( )( )***	1,213.	1,301.	1,421.	1,503.	1,609.	1,678.
	66″	49″	**R3B0PF149 66-( )( )***	1,249.	1,337.	1,457.	1,539.	1,645.	1,714.
	72″	49″	**R3B0PF149 72-( )( )***	1,292.	1,380.	1,500.	1,582.	1,688.	1,757.
Monolithic, fabric one side Beltway one side (fabric side)	18″	49″	**R3B1PF149 18-( )( )**	1,218.	1,279.	1,343.	1,389.	1,456.	1,498.
	20″	49″	**R3B1PF149 20-( )( )**	1,218.	1,279.	1,343.	1,389.	1,456.	1,498.
	24″	49″	**R3B1PF149 24-( )( )**	1,261.	1,322.	1,386.	1,432.	1,498.	1,541.
	30″	49″	**R3B1PF149 30-( )( )**	1,357.	1,418.	1,482.	1,528.	1,595.	1,637.
	36″	49″	**R3B1PF149 36-( )( )**	1,630.	1,691.	1,755.	1,801.	1,868.	1,910.
	42″	49″	**R3B1PF149 42-( )( )**	1,784.	1,845.	1,909.	1,955.	2,022.	2,064.
	48″	49″	**R3B1PF149 48-( )( )**	1,876.	1,937.	2,001.	2,047.	2,114.	2,156.





Order Code

Example:	**R3B0PF14918-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F1	Fabric one side, V1 other
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
506B	Maple - side 2
506B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top rim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
   For panel with Beltway, please specify:
   Side 1 - Below Belt
   Side 1 - Above Belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

6″ Raceway option increases panel height by 2 3/4″.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 49″ H
fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	49″	**R3B0PF249 18-( )( )**	$684.	$729.	$790.	$833.	$884.	$920.
	20″	49″	**R3B0PF249 20-( )( )**	684.	729.	790.	833.	884.	920.
	24″	49″	**R3B0PF249 24-( )( )**	749.	794.	855.	898.	949.	985.
	30″	49″	**R3B0PF249 30-( )( )**	849.	894.	955.	998.	1,049.	1,085.
	36″	49″	**R3B0PF249 36-( )( )**	913.	958.	1,019.	1,062.	1,113.	1,149.
	42″	49″	**R3B0PF249 42-( )( )**	1,010.	1,055.	1,116.	1,159.	1,210.	1,246.
	48″	49″	**R3B0PF249 48-( )( )**	1,139.	1,184.	1,245.	1,288.	1,339.	1,375.
	60″	49″	**R3B0PF249 60-( )( )***	1,235.	1,323.	1,443.	1,525.	1,631.	1,700.
	66″	49″	**R3B0PF249 66-( )( )***	1,275.	1,363.	1,483.	1,565.	1,671.	1,740.
	72″	49″	**R3B0PF249 72-( )( )***	1,314.	1,402.	1,522.	1,604.	1,710.	1,779.
Monolithic, fabric one side Beltway one side (fabric side)	18″	49″	**R3B1PF249 18-( )( )**	1,240.	1,301.	1,365.	1,411.	1,478.	1,520.
	20″	49″	**R3B1PF249 20-( )( )**	1,240.	1,301.	1,365.	1,411.	1,478.	1,520.
	24″	49″	**R3B1PF249 24-( )( )**	1,285.	1,346.	1,410.	1,456.	1,523.	1,565.
	30″	49″	**R3B1PF249 30-( )( )**	1,385.	1,446.	1,510.	1,556.	1,623.	1,665.
	36″	49″	**R3B1PF249 36-( )( )**	1,664.	1,725.	1,789.	1,835.	1,902.	1,944.
	42″	49″	**R3B1PF249 42-( )( )**	1,814.	1,875.	1,939.	1,985.	2,052.	2,094.
	48″	49″	**R3B1PF249 48-( )( )**	1,908.	1,969.	2,033.	2,079.	2,146.	2,188.





Order Code

Example:	**R3B0PF24918-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F2	Fabric one side, V2 other
49	49″ high
18	18″ wide
A	Flat style top trim option
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
006B	Maple surface - side 2
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
   For panels with Beltway, please specify:
   Side 1 - Below Belt
   Side 1 - Above Belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

6″ Raceway option increases panel height by 2¾″.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 49″ H
fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18″	49″	**R3B0PF349 18-( )( )**	$904.	$949.	$1,010.	$1,053.	$1,104.	$1,140.
	20″	49″	**R3B0PF349 20-( )( )**	904.	949.	1,010.	1,053.	1,104.	1,140.
	24″	49″	**R3B0PF349 24-( )( )**	990.	1,035.	1,096.	1,139.	1,190.	1,226.
	30″	49″	**R3B0PF349 30-( )( )**	1,127.	1,172.	1,233.	1,276.	1,327.	1,363.
	36″	49″	**R3B0PF349 36-( )( )**	1,213.	1,258.	1,319.	1,362.	1,413.	1,449.
	42″	49″	**R3B0PF349 42-( )( )**	1,342.	1,387.	1,448.	1,491.	1,542.	1,578.
	48″	49″	**R3B0PF349 48-( )( )**	1,517.	1,562.	1,623.	1,666.	1,717.	1,753.
	60″	49″	**R3B0PF349 60-( )( )***	1,628.	1,716.	1,836.	1,918.	2,024.	2,093.
	66″	49″	**R3B0PF349 66-( )( )***	1,681.	1,769.	1,889.	1,971.	2,077.	2,146.
	72″	49″	**R3B0PF349 72-( )( )***	1,732.	1,820.	1,940.	2,022.	2,128.	2,197.
Monolithic, fabric one side Beltway fabric side 	18″	49″	**R3B1PF349 18-( )( )**	1,652.	1,713.	1,777.	1,823.	1,890.	1,932.
	20″	49″	**R3B1PF349 20-( )( )**	1,652.	1,713.	1,777.	1,823.	1,890.	1,932.
	24″	49″	**R3B1PF349 24-( )( )**	1,716.	1,777.	1,841.	1,887.	1,954.	1,996.
	30″	49″	**R3B1PF349 30-( )( )**	1,849.	1,910.	1,974.	2,020.	2,087.	2,129.
	36″	49″	**R3B1PF349 36-( )( )**	2,228.	2,289.	2,353.	2,399.	2,466.	2,508.
	42″	49″	**R3B1PF349 42-( )( )**	2,430.	2,491.	2,555.	2,601.	2,668.	2,710.
	48″	49″	**R3B1PF349 48-( )( )**	2,557.	2,618.	2,682.	2,728.	2,795.	2,837.

Order Code

Example:	**R3B0PF34918-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F3	Fabric one side, V3 other
49	49″ high
18	18″ wide
A	Flat style top trim option
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
V512	Figured Anigre surface - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
   For panels with Beltway, please specify:
   Side 1 - Below belt
   Side 1 - Above belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

6″ Raceway option increases panel height by 2 3/4″.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 49″ H
Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18″	49″	**R3B0PLL4918( )( )**	$797.
	20″	49″	**R3B0PLL4920( )( )**	797.
	24″	49″	**R3B0PLL4924( )( )**	870.
	30″	49″	**R3B0PLL4930( )( )**	975.
	36″	49″	**R3B0PLL4936( )( )**	1,052.
	42″	49″	**R3B0PLL4942( )( )**	1,156.
	48″	49″	**R3B0PLL4948( )( )**	1,296.
	60″	49″	**R3B0PLL4960( )( )***	1,398.
	66″	49″	**R3B0PLL4966( )( )***	1,440.
	72″	49″	**R3B0PLL4972( )( )***	1,484.



Order Code

Example:	**R3B0PLL4918-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
LL	Laminate both sides
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
118	Laminate - side 1
118	Laminate - side 2
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1inside
5. Panel side 2 outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver
7. Base finish
8. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

These Panels will accept all core Laminates.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 64″ H
fabric both sides

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics	18″	64″	**R3B0PFF64 18-( )( )**	$776.	$886.	$1,038.	$1,144.	$1,282.	$1,372.
	20″	64″	**R3B0PFF64 20-( )( )**	776.	886.	1,038.	1,144.	1,282.	1,372.
	24″	64″	**R3B0PFF64 24-( )( )**	821.	931.	1,083.	1,189.	1,327.	1,417.
	30″	64″	**R3B0PFF64 30-( )( )**	884.	994.	1,146.	1,252.	1,390.	1,480.
	36″	64″	**R3B0PFF64 36-( )( )**	905.	1,015.	1,167.	1,273.	1,411.	1,501.
	42″	64″	**R3B0PFF64 42-( )( )**	1,054.	1,164.	1,316.	1,422.	1,560.	1,650.
	48″	64″	**R3B0PFF64 48-( )( )**	1,116.	1,226.	1,378.	1,484.	1,622.	1,712.
	60″	64″	**R3B0PFF64 60-( )( )***	1,294.	1,516.	1,834.	2,054.	2,326.	2,506.
	66″	64″	**R3B0PFF64 66-( )( )***	1,336.	1,558.	1,876.	2,096.	2,368.	2,548.
	72″	64″	**R3B0PFF64 72-( )( )***	1,380.	1,602.	1,920.	2,140.	2,412.	2,592.
Monolithic, fabric both sides High acoustics	18″	64″	**R3B0PAA64 18-( )( )**	844.	954.	1,106.	1,212.	1,350.	1,440.
	20″	64″	**R3B0PAA64 20-( )( )**	844.	954.	1,106.	1,212.	1,350.	1,440.
	24″	64″	**R3B0PAA64 24-( )( )**	900.	1,010.	1,162.	1,268.	1,406.	1,496.
	30″	64″	**R3B0PAA64 30-( )( )**	966.	1,076.	1,228.	1,334.	1,472.	1,562.
	36″	64″	**R3B0PAA64 36-( )( )**	990.	1,100.	1,252.	1,358.	1,496.	1,586.
	42″	64″	**R3B0PAA64 42-( )( )**	1,158.	1,268.	1,420.	1,526.	1,664.	1,754.
	48″	64″	**R3B0PAA64 48-( )( )**	1,224.	1,334.	1,486.	1,592.	1,730.	1,820.
	60″	64″	**R3B0PAA64 60-( )( )***	1,406.	1,628.	1,946.	2,166.	2,438.	2,618.
	66″	64″	**R3B0PAA64 66-( )( )***	1,452.	1,674.	1,992.	2,212.	2,484.	2,664.
	72″	64″	**R3B0PAA64 72-( )( )***	1,499.	1,721.	2,039.	2,259.	2,531.	2,711.



Order Code

Example:	**R3B0PFF6418-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FF	Fabric on both sides
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
W281	Fabric - Side 2
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver
7. Base finish
8. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

6″ Raceway option increases panel height by 2¾″.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves. Fabric covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 64″ H
fabric both sides, with Beltway

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric both sides Beltway two sides, regular acoustics 	18″	64″	**R3B2PFF64 18-( )( )**	$1,330.	$1,460.	$1,644.	$1,766.	$1,932.	$2,042.
	20″	64″	**R3B2PFF64 20-( )( )**	1,330.	1,460.	1,644.	1,766.	1,932.	2,042.
	24″	64″	**R3B2PFF64 24-( )( )**	1,394.	1,524.	1,708.	1,830.	1,996.	2,106.
	30″	64″	**R3B2PFF64 30-( )( )**	1,427.	1,557.	1,741.	1,863.	2,029.	2,139.
	36″	64″	**R3B2PFF64 36-( )( )**	1,726.	1,856.	2,040.	2,162.	2,328.	2,438.
	42″	64″	**R3B2PFF64 42-( )( )**	1,846.	1,976.	2,160.	2,282.	2,448.	2,558.
	48″	64″	**R3B2PFF64 48-( )( )**	1,909.	2,039.	2,223.	2,345.	2,511.	2,621.
Monolithic, fabric both sides Beltway one side	18″	64″	**R3B1PFF64 18-( )( )**	1,301.	1,421.	1,589.	1,703.	1,855.	1,955.
	20″	64″	**R3B1PFF64 20-( )( )**	1,301.	1,421.	1,589.	1,703.	1,855.	1,955.
	24″	64″	**R3B1PFF64 24-( )( )**	1,359.	1,479.	1,647.	1,761.	1,913.	2,013.
	30″	64″	**R3B1PFF64 30-( )( )**	1,391.	1,511.	1,679.	1,793.	1,945.	2,045.
	36″	64″	**R3B1PFF64 36-( )( )**	1,689.	1,809.	1,977.	2,091.	2,243.	2,343.
	42″	64″	**R3B1PFF64 42-( )( )**	1,805.	1,925.	2,093.	2,207.	2,359.	2,459.
	48″	64″	**R3B1PFF64 48-( )( )**	1,862.	1,982.	2,150.	2,264.	2,416.	2,516.

Order Code

Example:	**R3B2PFF6418-A4K**
R3	Reff Generation 3
B2	Beltway both sides, B1=Beltway, one side
P	Monolithic panel
FF	Fabric on both sides
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1 Below belt
W281	Fabric - Side 1 Above belt
W281	Fabric - Side 2 Below belt
W281	Fabric - Side 2 Above belt
006B	Maple (top trim finish)
111	Jet Black (base finish)
111	Beltway finish

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) Below Belt
5. Panel side 1 finish(s) Above Belt
6. Panel side 2 finish(s) Below Belt
7. Panel side 2 finish(s) Above Belt
8. Base finish
9. Beltway finish
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

Beltways;
B1 = Beltway 1 side
B2 = Beltway 2 side

6″ Raceway option increases panel height by 2¾″.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves. Fabric covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 64″ H
fabric one side, laminate other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	64″	**R3B0PFL64 18-( )( )**	$679.	$727.	$795.	$842.	$903.	$943.
	20″	64″	**R3B0PFL64 20-( )( )**	679.	727.	795.	842.	903.	943.
	24″	64″	**R3B0PFL64 24-( )( )**	748.	796.	864.	911.	972.	1,012.
	30″	64″	**R3B0PFL64 30-( )( )**	843.	891.	959.	1,006.	1,067.	1,107.
	36″	64″	**R3B0PFL64 36-( )( )**	910.	958.	1,026.	1,073.	1,134.	1,174.
	42″	64″	**R3B0PFL64 42-( )( )**	1,007.	1,055.	1,123.	1,170.	1,231.	1,271.
	48″	64″	**R3B0PFL64 48-( )( )**	1,134.	1,182.	1,250.	1,297.	1,358.	1,398.
	60″	64″	**R3B0PFL64 60-( )( )***	1,227.	1,328.	1,469.	1,563.	1,686.	1,765.
	66″	64″	**R3B0PFL64 66-( )( )***	1,270.	1,371.	1,512.	1,606.	1,729.	1,808.
	72″	64″	**R3B0PFL64 72-( )( )**	1,311.	1,412.	1,553.	1,647.	1,770.	1,849.
Monolithic fabric one side Beltway one side (fabric side)	18″	64″	**R3B1PFL64 18-( )( )**	1,152.	1,210.	1,294.	1,343.	1,416.	1,470.
	20″	64″	**R3B1PFL64 20-( )( )**	1,152.	1,210.	1,294.	1,343.	1,416.	1,470.
	24″	64″	**R3B1PFL64 24-( )( )**	1,230.	1,288.	1,372.	1,421.	1,494.	1,548.
	30″	64″	**R3B1PFL64 30-( )( )**	1,303.	1,361.	1,445.	1,494.	1,567.	1,621.
	36″	64″	**R3B1PFL64 36-( )( )**	1,620.	1,678.	1,762.	1,811.	1,884.	1,938.
	42″	64″	**R3B1PFL64 42-( )( )**	1,682.	1,740.	1,824.	1,873.	1,946.	2,000.
	48″	64″	**R3B1PFL64 48-( )( )**	1,819.	1,877.	1,961.	2,010.	2,083.	2,137.





Order Code

Example:	**R3B0PFL6418-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FL	Fabric one side, laminate other
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
114	Folkstone grey - side 2
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
   For panels with Beltway, please speicfy:
   Side 1-Below belt
   Side 1-Above belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

6″ Raceway option increases panel height by 2 3/4″.

These Panels will accept all core Laminates.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 64″ H
fabric one side, techwood other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	64″	**R3B0PF164 18-( )( )**	$798.	$855.	$933.	$985.	$1,057.	$1,103.
	20″	64″	**R3B0PF164 20-( )( )**	798.	855.	933.	985.	1,057.	1,103.
	24″	64″	**R3B0PF164 24-( )( )**	876.	933.	1,011.	1,063.	1,135.	1,181.
	30″	64″	**R3B0PF164 30-( )( )**	991.	1,048.	1,126.	1,178.	1,250.	1,296.
	36″	64″	**R3B0PF164 36-( )( )**	1,070.	1,127.	1,205.	1,257.	1,329.	1,375.
	42″	64″	**R3B0PF164 42-( )( )**	1,185.	1,242.	1,320.	1,372.	1,444.	1,490.
	48″	64″	**R3B0PF164 48-( )( )**	1,335.	1,392.	1,470.	1,522.	1,594.	1,640.
	60″	64″	**R3B0PF164 60-( )( )***	1,446.	1,560.	1,722.	1,832.	1,974.	2,067.
	66″	64″	**R3B0PF164 66-( )( )***	1,496.	1,610.	1,772.	1,882.	2,024.	2,117.
	72″	64″	**R3B0PF164 72-( )( )***	1,544.	1,658.	1,820.	1,930.	2,072.	2,165.
Monolithic fabric one side Beltway one side (fabric side)	18″	64″	**R3B1PF164 18-( )( )**	1,355.	1,420.	1,513.	1,574.	1,659.	1,717.
	20″	64″	**R3B1PF164 20-( )( )**	1,355.	1,420.	1,513.	1,574.	1,659.	1,717.
	24″	64″	**R3B1PF164 24-( )( )**	1,443.	1,508.	1,601.	1,662.	1,747.	1,805.
	30″	64″	**R3B1PF164 30-( )( )**	1,532.	1,597.	1,690.	1,751.	1,836.	1,894.
	36″	64″	**R3B1PF164 36-( )( )**	1,903.	1,968.	2,061.	2,122.	2,207.	2,265.
	42″	64″	**R3B1PF164 42-( )( )**	1,979.	2,044.	2,137.	2,198.	2,283.	2,341.
	48″	64″	**R3B1PF164 48-( )( )**	2,138.	2,203.	2,296.	2,357.	2,442.	2,500.





Order Code

Example:	**R3B0PF16418-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F1	Fabric one side, V1 other
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
560B	Maple - side 2
506B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
   For panels with Beltway, please specify;
   Side 1 - Below Belt
   Side 1 - Above Belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

6″ Raceway option increases panel height by 2¾″.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 64″ H
fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	64″	**R3B0PF264 18-( )( )**	$815.	$872.	$950.	$1,002.	$1,074.	$1,120.
	20″	64″	**R3B0PF264 20-( )( )**	815.	872.	950.	1,002.	1,074.	1,120.
	24″	64″	**R3B0PF264 24-( )( )**	892.	949.	1,027.	1,079.	1,151.	1,197.
	30″	64″	**R3B0PF264 30-( )( )**	1,009.	1,066.	1,144.	1,196.	1,268.	1,314.
	36″	64″	**R3B0PF264 36-( )( )**	1,088.	1,145.	1,223.	1,275.	1,347.	1,393.
	42″	64″	**R3B0PF264 42-( )( )**	1,205.	1,262.	1,340.	1,392.	1,464.	1,510.
	48″	64″	**R3B0PF264 48-( )( )**	1,360.	1,417.	1,495.	1,547.	1,619.	1,665.
	60″	64″	**R3B0PF264 60-( )( )***	1,466.	1,580.	1,742.	1,852.	1,994.	2,087.
	66″	64″	**R3B0PF264 66-( )( )***	1,518.	1,632.	1,794.	1,904.	2,046.	2,139.
	72″	64″	**R3B0PF264 72-( )( )***	1,572.	1,686.	1,848.	1,958.	2,100.	2,193.
Monolithic fabric one side Beltway one side (fabric side)	18″	64″	**R3B1PF264 18-( )( )**	1,380.	1,445.	1,538.	1,599.	1,684.	1,742.
	20″	64″	**R3B1PF264 20-( )( )**	1,380.	1,445.	1,538.	1,599.	1,684.	1,742.
	24″	64″	**R3B1PF264 24-( )( )**	1,472.	1,537.	1,630.	1,691.	1,776.	1,834.
	30″	64″	**R3B1PF264 30-( )( )**	1,560.	1,625.	1,718.	1,779.	1,864.	1,922.
	36″	64″	**R3B1PF264 36-( )( )**	1,935.	2,000.	2,093.	2,154.	2,239.	2,297.
	42″	64″	**R3B1PF264 42-( )( )**	2,016.	2,081.	2,174.	2,235.	2,320.	2,378.
	48″	64″	**R3B1PF264 48-( )( )**	2,178.	2,243.	2,336.	2,397.	2,482.	2,540.





Order Code

Example:	**R3B0PF26418-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F2	Fabric one side, V2 other
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
006B	Maple surface - side 2
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
   For panels with Beltway, please specify;
   Side 1 - Below Belt
   Side 1 - Above Belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

6″ Raceway option increases panel height by 2 3/4″.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 64″ H
fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	64″	**R3B0PF364 18-( )( )**	$1,073.	$1,130.	$1,208.	$1,260.	$1,332.	$1,378.
	20″	64″	**R3B0PF364 20-( )( )**	1,073.	1,130.	1,208.	1,260.	1,332.	1,378.
	24″	64″	**R3B0PF364 24-( )( )**	1,178.	1,235.	1,313.	1,365.	1,437.	1,483.
	30″	64″	**R3B0PF364 30-( )( )**	1,334.	1,391.	1,469.	1,521.	1,593.	1,639.
	36″	64″	**R3B0PF364 36-( )( )**	1,441.	1,498.	1,576.	1,628.	1,700.	1,746.
	42″	64″	**R3B0PF364 42-( )( )**	1,601.	1,658.	1,736.	1,788.	1,860.	1,906.
	48″	64″	**R3B0PF364 48-( )( )**	1,809.	1,866.	1,944.	1,996.	2,068.	2,114.
	60″	64″	**R3B0PF364 60-( )( )***	1,929.	2,043.	2,205.	2,315.	2,457.	2,550.
	66″	64″	**R3B0PF364 66-( )( )***	1,999.	2,113.	2,275.	2,385.	2,527.	2,620.
	72″	64″	**R3B0PF364 72-( )( )***	2,070.	2,184.	2,346.	2,456.	2,598.	2,691.
Monolithic, fabric one side Beltway fabric side	18″	64″	**R3B1PF364 18-( )( )**	1,833.	1,898.	1,991.	2,052.	2,137.	2,195.
	20″	64″	**R3B1PF364 20-( )( )**	1,833.	1,898.	1,991.	2,052.	2,137.	2,195.
	24″	64″	**R3B1PF364 24-( )( )**	1,956.	2,021.	2,114.	2,175.	2,260.	2,318.
	30″	64″	**R3B1PF364 30-( )( )**	2,078.	2,143.	2,236.	2,297.	2,382.	2,440.
	36″	64″	**R3B1PF364 36-( )( )**	2,584.	2,649.	2,742.	2,803.	2,888.	2,946.
	42″	64″	**R3B1PF364 42-( )( )**	2,691.	2,756.	2,849.	2,910.	2,995.	3,053.
	48″	64″	**R3B1PF364 48-( )( )**	2,911.	2,976.	3,069.	3,130.	3,215.	3,273.





Order Code

Example:	**R3B0PF36418-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F3	Fabric one side, V3 other
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
039E	Pippy Oak surface - side 2
039E	Pippy Oak (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
   For panels with beltway, please specify;
   Side 1 - Below belt
   Side 1 - Above belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

6″ Raceway option increases panel height by 2¾″.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 64″ H
Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18″	64″	**R3B0PLL6418( )( )**	$888.
	20″	64″	**R3B0PLL6420( )( )**	888.
	24″	64″	**R3B0PLL6424( )( )**	968.
	30″	64″	**R3B0PLL6430( )( )**	1,084.
	36″	64″	**R3B0PLL6436( )( )**	1,171.
	42″	64″	**R3B0PLL6442( )( )**	1,286.
	48″	64″	**R3B0PLL6448( )( )**	1,441.
	60″	64″	**R3B0PLL6460( )( )***	1,557.
	66″	64″	**R3B0PLL6466( )( )***	1,604.
	72″	64″	**R3B0PLL6472( )( )***	1,652.



Order Code

Example:	**R3B0PLL6418-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
LL	Laminate both sides
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
118	Laminate - side 1
118	Laminate - side 2
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 inside
5. Panel side 2 outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver
7. Base finish
8. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

These Panels will accept all core Laminates.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 79″ H
fabric both sides

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics	18″	79″	**R3B0PFF79 18-( )( )**	$967.	$1,109.	$1,299.	$1,427.	$1,599.	$1,701.
	20″	79″	**R3B0PFF79 20-( )( )**	967.	1,109.	1,299.	1,427.	1,599.	1,701.
	24″	79″	**R3B0PFF79 24-( )( )**	1,029.	1,171.	1,361.	1,489.	1,661.	1,763.
	30″	79″	**R3B0PFF79 30-( )( )**	1,110.	1,252.	1,442.	1,570.	1,742.	1,844.
	36″	79″	**R3B0PFF79 36-( )( )**	1,138.	1,280.	1,470.	1,598.	1,770.	1,872.
	42″	79″	**R3B0PFF79 42-( )( )**	1,222.	1,364.	1,554.	1,682.	1,854.	1,956.
	48″	79″	**R3B0PFF79 48-( )( )**	1,356.	1,498.	1,688.	1,816.	1,988.	2,090.
	60″	79″	**R3B0PFF79 60-( )( )**	1,567.	1,849.	2,225.	2,495.	2,835.	3,043.
	66″	79″	**R3B0PFF79 66-( )( )**	1,604.	1,886.	2,262.	2,532.	2,872.	3,080.
	72″	79″	**R3B0PFF79 72-( )( )**	1,640.	1,922.	2,298.	2,568.	2,908.	3,116.
Monolithic, fabric both sides High acoustics	18″	79″	**R3B0PAA79 18-( )( )**	1,054.	1,196.	1,386.	1,514.	1,686.	1,788.
	20″	79″	**R3B0PAA79 20-( )( )**	1,054.	1,196.	1,386.	1,514.	1,686.	1,788.
	24″	79″	**R3B0PAA79 24-( )( )**	1,121.	1,263.	1,453.	1,581.	1,753.	1,855.
	30″	79″	**R3B0PAA79 30-( )( )**	1,213.	1,355.	1,545.	1,673.	1,845.	1,947.
	36″	79″	**R3B0PAA79 36-( )( )**	1,250.	1,392.	1,582.	1,710.	1,882.	1,984.
	42″	79″	**R3B0PAA79 42-( )( )**	1,340.	1,482.	1,672.	1,800.	1,972.	2,074.
	48″	79″	**R3B0PAA79 48-( )( )**	1,490.	1,632.	1,822.	1,950.	2,122.	2,224.
	60″	79″	**R3B0PAA79 60-( )( )**	1,707.	1,989.	2,365.	2,635.	2,975.	3,183.
	66″	79″	**R3B0PAA79 66-( )( )**	1,746.	2,028.	2,404.	2,674.	3,014.	3,222.
	72″	79″	**R3B0PAA79 72-( )( )**	1,783.	2,065.	2,441.	2,711.	3,051.	3,259.



Order Code

Example:	**R3B0PFF7918-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FF	Fabric on both sides
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
W281	Fabric - Side 2
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled profile

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver
7. Base finish
8. *Optional*: specify (M) for panel frame to be milled for ported components. $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

Application Notes

The panels on this page are not designed to be stacked upon.

Fabric covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 79″ H
fabric both sides with Beltway

description	w	h	pattern n	grade 10	20	30	35	40	45
Monolithic, fabric both sides Beltway one side	18″	79″	**R3B1PFF79 18-( )( )**	$1,391.	$1,546.	$1,756.	$1,895.	$2,087.	$2,209.
	20″	79″	**R3B1PFF79 20-( )( )**	1,391.	1,546.	1,756.	1,895.	2,087.	2,209.
	24″	79″	**R3B1PFF79 24-( )( )**	1,456.	1,611.	1,821.	1,960.	2,152.	2,274.
	30″	79″	**R3B1PFF79 30-( )( )**	1,485.	1,640.	1,850.	1,989.	2,181.	2,303.
	36″	79″	**R3B1PFF79 36-( )( )**	1,782.	1,937.	2,147.	2,286.	2,478.	2,600.
	42″	79″	**R3B1PFF79 42-( )( )**	1,899.	2,054.	2,264.	2,403.	2,595.	2,717.
	48″	79″	**R3B1PFF79 48-( )( )**	1,955.	2,110.	2,320.	2,459.	2,651.	2,773.
Monolithic, fabric both sides Beltway two sides	18″	79″	**R3B2PFF79 18-( )( )**	1,465.	1,633.	1,863.	2,013.	2,225.	2,367.
	20″	79″	**R3B2PFF79 20-( )( )**	1,465.	1,633.	1,863.	2,013.	2,225.	2,367.
	24″	79″	**R3B2PFF79 24-( )( )**	1,528.	1,696.	1,926.	2,076.	2,288.	2,430.
	30″	79″	**R3B2PFF79 30-( )( )**	1,558.	1,726.	1,956.	2,106.	2,318.	2,460.
	36″	79″	**R3B2PFF79 36-( )( )**	1,859.	2,027.	2,257.	2,407.	2,619.	2,761.
	42″	79″	**R3B2PFF79 42-( )( )**	1,979.	2,147.	2,377.	2,527.	2,739.	2,881.
	48″	79″	**R3B2PFF79 48-( )( )**	2,039.	2,207.	2,437.	2,587.	2,799.	2,941.





Order Code

Example:	**R3B1PFF7918-A4K**
R3	Reff Generation 3
B1	Beltway one side
P	Monolithic panel
FF	Fabric on both sides
79	79″ high
18	18″ wide
A	Flat style top trim
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1 below belt
W281	Fabric - Side 1 above belt
W281	Fabric - Side 2 below belt
W281	Fabric - Side 2 above belt
006B	Maple (top trim finish)
111	Jet Black (base finish)
111	Beltway finish

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 below belt
5. Panel side 1 above belt
6. Panel side 2 below belt
7. Panel side 2 above belt
8. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver
9. Base finish
10. Beltway finish
11. *Optional*: specify (M) for panel frame to be milled for ported components. $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

3. Beltway:
B1 = Beltway 1 side
B2 = Beltway 2 sides

Application Notes

The panels on this page are not designed to be stacked upon.

Fabric covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 79″ H
fabric one side, laminate other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	79″	**R3B0PFL79 18-( )( )**	$857.	$919.	$1,002.	$1,060.	$1,137.	$1,182.
	20″	79″	**R3B0PFL79 20-( )( )**	857.	919.	1,002.	1,060.	1,137.	1,182.
	24″	79″	**R3B0PFL79 24-( )( )**	939.	1,001.	1,084.	1,142.	1,219.	1,264.
	30″	79″	**R3B0PFL79 30-( )( )**	1,057.	1,119.	1,202.	1,260.	1,337.	1,382.
	36″	79″	**R3B0PFL79 36-( )( )**	1,152.	1,214.	1,297.	1,355.	1,432.	1,477.
	42″	79″	**R3B0PFL79 42-( )( )**	1,275.	1,337.	1,420.	1,478.	1,555.	1,600.
	48″	79″	**R3B0PFL79 48-( )( )**	1,426.	1,488.	1,571.	1,629.	1,706.	1,751.
	60″	79″	**R3B0PFL79 60-( )( )**	1,536.	1,660.	1,826.	1,944.	2,096.	2,187.
	66″	79″	**R3B0PFL79 66-( )( )**	1,566.	1,690.	1,856.	1,974.	2,126.	2,217.
	72″	79″	**R3B0PFL79 72-( )( )**	1,597.	1,721.	1,887.	2,005.	2,157.	2,248.
Monolithic, fabric one side Beltway one side (fabric side)	18″	79″	**R3B1PFL79 18-( )( )**	1,239.	1,313.	1,418.	1,481.	1,576.	1,640.
	20″	79″	**R3B1PFL79 20-( )( )**	1,239.	1,313.	1,418.	1,481.	1,576.	1,640.
	24″	79″	**R3B1PFL79 24-( )( )**	1,324.	1,398.	1,503.	1,566.	1,661.	1,725.
	30″	79″	**R3B1PFL79 30-( )( )**	1,403.	1,477.	1,582.	1,645.	1,740.	1,804.
	36″	79″	**R3B1PFL79 36-( )( )**	1,740.	1,814.	1,919.	1,982.	2,077.	2,141.
	42″	79″	**R3B1PFL79 42-( )( )**	1,898.	1,972.	2,077.	2,140.	2,235.	2,299.
	48″	79″	**R3B1PFL79 48-( )( )**	1,984.	2,058.	2,163.	2,226.	2,321.	2,385.





Order Code

Example:	**R3B0PFL7918-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FL	Fabric one side, laminate other
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
114	Folkstone grey - side 2
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
   For panels with Beltway, please specify;
   Side 1 - Below belt
   Side 1 - Above belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver
7. Base finish
8. Beltway finish only for panels with Beltway
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

These Panels will accept all core Laminates.

Application Notes

The panels on this page are not designed to be stacked upon.

Fabric and laminate covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

6″ Raceway option increases panel height by 2 3/4″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 79″ H
fabric one side, techwood other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	79″	**R3B0PF179 18-( )( )**	$1,006.	$1,078.	$1,175.	$1,241.	$1,328.	$1,384.
	20″	79″	**R3B0PF179 20-( )( )**	1,006.	1,078.	1,175.	1,241.	1,328.	1,384.
	24″	79″	**R3B0PF179 24-( )( )**	1,101.	1,173.	1,270.	1,336.	1,423.	1,479.
	30″	79″	**R3B0PF179 30-( )( )**	1,244.	1,316.	1,413.	1,479.	1,566.	1,622.
	36″	79″	**R3B0PF179 36-( )( )**	1,355.	1,427.	1,524.	1,590.	1,677.	1,733.
	42″	79″	**R3B0PF179 42-( )( )**	1,497.	1,569.	1,666.	1,732.	1,819.	1,875.
	48″	79″	**R3B0PF179 48-( )( )**	1,678.	1,750.	1,847.	1,913.	2,000.	2,056.
	60″	79″	**R3B0PF179 60-( )( )**	1,803.	1,947.	2,140.	2,278.	2,449.	2,556.
	66″	79″	**R3B0PF179 66-( )( )**	1,842.	1,986.	2,179.	2,317.	2,488.	2,595.
	72″	79″	**R3B0PF179 72-( )( )**	1,871.	2,015.	2,208.	2,346.	2,517.	2,624.
Monolithic, fabric one side Beltway one side (fabric side)	18″	79″	**R3B1PF179 18-( )( )**	1,454.	1,539.	1,657.	1,734.	1,843.	1,915.
	20″	79″	**R3B1PF179 20-( )( )**	1,454.	1,539.	1,657.	1,734.	1,843.	1,915.
	24″	79″	**R3B1PF179 24-( )( )**	1,555.	1,640.	1,758.	1,835.	1,944.	2,016.
	30″	79″	**R3B1PF179 30-( )( )**	1,652.	1,737.	1,855.	1,932.	2,041.	2,113.
	36″	79″	**R3B1PF179 36-( )( )**	2,047.	2,132.	2,250.	2,327.	2,436.	2,508.
	42″	79″	**R3B1PF179 42-( )( )**	2,228.	2,313.	2,431.	2,508.	2,617.	2,689.
	48″	79″	**R3B1PF179 48-( )( )**	2,329.	2,414.	2,532.	2,609.	2,718.	2,790.





Order Code

Example:	**R3B0PF17918-A4K**
R3	Reff Generation 2
B0	No Beltway
P	Monolithic panel
F1	Fabric one side, V1 other
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
506B	Maple - side 2
506B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Panel side 1 finish(s) inside
   For panels with Beltway, please specify;
   Side 1 - Below Belt
   Side 1 - Above Belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

Application Notes

The panels on this page are not designed to be stacked upon.

Fabric and techwood covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

6″ Raceway option increases panel height by 2 3/4″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 79″ H
fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	79″	**R3B0PF279 18-( )( )**	$1,024.	$1,096.	$1,193.	$1,259.	$1,346.	$1,402.
	20″	79″	**R3B0PF279 20-( )( )**	1,024.	1,096.	1,193.	1,259.	1,346.	1,402.
	24″	79″	**R3B0PF279 24-( )( )**	1,122.	1,194.	1,291.	1,357.	1,444.	1,500.
	30″	79″	**R3B0PF279 30-( )( )**	1,267.	1,339.	1,436.	1,502.	1,589.	1,645.
	36″	79″	**R3B0PF279 36-( )( )**	1,379.	1,451.	1,548.	1,614.	1,701.	1,757.
	42″	79″	**R3B0PF279 42-( )( )**	1,525.	1,597.	1,694.	1,760.	1,847.	1,903.
	48″	79″	**R3B0PF279 48-( )( )**	1,707.	1,779.	1,876.	1,942.	2,029.	2,085.
	60″	79″	**R3B0PF279 60-( )( )**	1,835.	1,979.	2,172.	2,310.	2,481.	2,588.
	66″	79″	**R3B0PF279 66-( )( )**	1,870.	2,014.	2,207.	2,345.	2,516.	2,623.
	72″	79″	**R3B0PF279 72-( )( )**	1,910.	2,054.	2,247.	2,385.	2,556.	2,663.
Monolithic, fabric one side Beltway one side (fabric side)	18″	79″	**R3B1PF279 18-( )( )**	1,481.	1,566.	1,684.	1,761.	1,870.	1,942.
	20″	79″	**R3B1PF279 20-( )( )**	1,481.	1,566.	1,684.	1,761.	1,870.	1,942.
	24″	79″	**R3B1PF279 24-( )( )**	1,583.	1,668.	1,786.	1,863.	1,972.	2,044.
	30″	79″	**R3B1PF279 30-( )( )**	1,679.	1,764.	1,882.	1,959.	2,068.	2,140.
	36″	79″	**R3B1PF279 36-( )( )**	2,080.	2,165.	2,283.	2,360.	2,469.	2,541.
	42″	79″	**R3B1PF279 42-( )( )**	2,269.	2,354.	2,472.	2,549.	2,658.	2,730.
	48″	79″	**R3B1PF279 48-( )( )**	2,372.	2,457.	2,575.	2,652.	2,761.	2,833.





Order Code

Example:	**R3B0PF27918-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F2	Fabric one side, V2 other
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
006B	Maple surface - side 2
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Panel side 1 finish(s) inside
   For panels with Beltway, please specify;
   Side 1 = Below Belt
   Side 1 = Above Belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

Application Notes

The panels on this page are not designed to be stacked upon.

Fabric and veneer covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

6″ Raceway option increases panel height by 2 3/4″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 79″ H
fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	79″	**R3B0PF379 18-( )( )**	$1,349.	$1,421.	$1,518.	$1,584.	$1,671.	$1,727.
	20″	79″	**R3B0PF379 20-( )( )**	1,349.	1,421.	1,518.	1,584.	1,671.	1,727.
	24″	79″	**R3B0PF379 24-( )( )**	1,484.	1,556.	1,653.	1,719.	1,806.	1,862.
	30″	79″	**R3B0PF379 30-( )( )**	1,678.	1,750.	1,847.	1,913.	2,000.	2,056.
	36″	79″	**R3B0PF379 36-( )( )**	1,833.	1,905.	2,002.	2,068.	2,155.	2,211.
	42″	79″	**R3B0PF379 42-( )( )**	2,029.	2,101.	2,198.	2,264.	2,351.	2,407.
	48″	79″	**R3B0PF379 48-( )( )**	2,276.	2,348.	2,445.	2,511.	2,598.	2,654.
	60″	79″	**R3B0PF379 60-( )( )***	2,414.	2,558.	2,751.	2,889.	3,060.	3,167.
	66″	79″	**R3B0PF379 66-( )( )***	2,464.	2,608.	2,801.	2,939.	3,110.	3,217.
	72″	79″	**R3B0PF379 72-( )( )***	2,517.	2,661.	2,854.	2,992.	3,163.	3,270.
Monolithic, fabric one side Beltway fabric side	18″	79″	**R3B1PF379 18-( )( )**	1,951.	2,036.	2,154.	2,231.	2,340.	2,412.
	20″	79″	**R3B1PF379 20-( )( )**	1,951.	2,036.	2,154.	2,231.	2,340.	2,412.
	24″	79″	**R3B1PF379 24-( )( )**	2,089.	2,174.	2,292.	2,369.	2,478.	2,550.
	30″	79″	**R3B1PF379 30-( )( )**	2,218.	2,303.	2,421.	2,498.	2,607.	2,679.
	36″	79″	**R3B1PF379 36-( )( )**	2,758.	2,843.	2,961.	3,038.	3,147.	3,219.
	42″	79″	**R3B1PF379 42-( )( )**	3,013.	3,098.	3,216.	3,293.	3,402.	3,474.
	48″	79″	**R3B1PF379 48-( )( )**	3,155.	3,240.	3,358.	3,435.	3,544.	3,616.





Order Code

Example:	**R3B0PF37918-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F3	Fabric one side, V3 other
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
039E	Pippy Oak surface - side 2
039E	Pippy Oak (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
   For panels with Beltway, please specify;
   Side 1 - Below Belt
   Side 1 - Above Belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

Application Notes

The panels on this page are not designed to be stacked upon.

Fabric and veneer covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

6″ Raceway option increases panel height by 2 3/4″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 79″ H
Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18″	79″	**R3B0PLL7918( )( )**	$969.
	20″	79″	**R3B0PLL7920( )( )**	969.
	24″	79″	**R3B0PLL7924( )( )**	1,057.
	30″	79″	**R3B0PLL7930( )( )**	1,182.
	36″	79″	**R3B0PLL7936( )( )**	1,278.
	42″	79″	**R3B0PLL7942( )( )**	1,405.
	48″	79″	**R3B0PLL7948( )( )**	1,574.
	60″	79″	**R3B0PLL7960( )( )***	1,699.
	66″	79″	**R3B0PLL7966( )( )***	1,751.
	72″	79″	**R3B0PLL7972( )( )***	1,803.

Order Code

Example:	**R3B0PLL7918-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
LL	Laminate both sides
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
118	Laminate - side 1
118	Laminate - side 2
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 inside
5. Panel side 2 outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 7 excluding silver
7. Base finish
8. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

These Panels will accept all core Laminates.

Application Notes

The panels on this page are not designed to be stacked upon.

Fabric and veneer covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 34″ H
fabric

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric both sides Regular acoustics	18″	34″	**R3B0TFF34 18-( )( )( )**	$643.	$747.	$815.	$879.	$975.	$1,031.
	20″	34″	**R3B0TFF34 20-( )( )( )**	643.	747.	815.	879.	975.	1,031.
	24″	34″	**R3B0TFF34 24-( )( )( )**	695.	799.	867.	931.	1,027.	1,083.
	30″	34″	**R3B0TFF34 30-( )( )( )**	741.	845.	913.	977.	1,073.	1,129.
	36″	34″	**R3B0TFF34 36-( )( )( )**	790.	894.	962.	1,026.	1,122.	1,178.
	42″	34″	**R3B0TFF34 42-( )( )( )**	910.	1,014.	1,082.	1,146.	1,242.	1,298.
	48″	34″	**R3B0TFF34 48-( )( )( )**	944.	1,048.	1,116.	1,180.	1,276.	1,332.



Order Code

Example:	**R3B0TFF3418-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
34	34″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 2A
W281	Fabric - Side 2B
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1A
5. Panel side 1B
6. Panel side 2A
7. Panel side 2B
8. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
9. Base finish
10. *Optional*: specify (M) for panel frame to be milled for ported components. $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel)

All panels on this page accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

Application Notes

All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34″H, other 34″, 42″, 49″, 64″, and 79″ panels without beltway. To attach 34″ high panels to Beltway posts, order appropriate attachment kits from page 119.

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Ported panel components to be installed below worksurface if panel 34″h.

Tiled panels 34″ H
glass

description	w	h	pattern no.	clear tempered glass	architectural tempered glass	add for P2 finish	add for P3 finish	add for AA finish
Tiled, two 15″ high glass sections without center mullion (type A) 	18″	34″	**R2B0TWA34 18-( )( )( )**	$1,012.	$1,202.	$41.	$80.	$101.
	20″	34″	**R2B0TWA34 20-( )( )( )**	1,012.	1,202.	41.	80.	101.
	24″	34″	**R2B0TWA34 24-( )( )( )**	1,058.	1,286.	41.	80.	107.
	30″	34″	**R2B0TWA34 30-( )( )( )**	1,228.	1,511.	41.	80.	122.
	36″	34″	**R2B0TWA34 36-( )( )( )**	1,273.	1,613.	41.	80.	124.
	42″	34″	**R2B0TWA34 42-( )( )( )**	1,337.	1,739.	41.	80.	131.
	48″	34″	**R2B0TWA34 48-( )( )( )**	1,384.	1,843.	41.	80.	137.
Tiled, two 15″ high glass sections with center mullion (type B) 	30″	34″	**R2B0TWB34 30-( )( )( )**	1,469.	1,755.	41.	80.	148.
	36″	34″	**R2B0TWB34 36-( )( )( )**	1,529.	1,873.	41.	80.	152.
	42″	34″	**R2B0TWB34 42-( )( )( )**	1,602.	2,001.	41.	80.	157.
	48″	34″	**R2B0TWB34 48-( )( )( )**	1,663.	2,127.	41.	80.	163.
Tiled, one 30″ high glass section without center mullion on sizes 18, 20 and 24 but with center mullion on sizes 30, 36, 42, and 48 Type C 	18″	34″	**R2B0TWC34 18-( )( )( )**	797.	1,039.	32.	65.	122.
	20″	34″	**R2B0TWC34 20-( )( )( )**	797.	1,039.	32.	65.	122.
	24″	34″	**R2B0TWC34 24-( )( )( )**	841.	1,095.	32.	65.	131.
	30″	34″	**R2B0TWC34 30-( )( )( )**	1,037.	1,349.	41.	80.	165.
	36″	34″	**R2B0TWC34 36-( )( )( )**	1,154.	1,499.	41.	80.	186.
	42″	34″	**R2B0TWC34 42-( )( )( )**	1,221.	1,585.	41.	80.	203.
	48″	34″	**R2B0TWC34 48-( )( )( )**	1,280.	1,669.	41.	80.	212.

Order Code

Example:	**R2B0TWA3418-A4K**
R2	Reff Generation 2
B0	No Beltway
T	Tiled panel
WA	Window, type A
34	34″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
111	Tile Divider
006B	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (window frame finish)
GL13	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Divider option
   (applicable R2B0TWA and R2B0TWB)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (black reveal interior side, upcharge applicable for extruded aluminum)
5. Top trim finish
   i) Top trim profile A, B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 painted finish from page 5 excluding silver
6. Base finish
7. Window frame finish
   (Painted or Anodized aluminum finishes)
   If AA finish (anodized) upcharge applicable as noted in AA price column
8. Glass type

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel)

4. Extruded aluminum tile divider:
Add for:
$15 for 18w and 20w
$16 for 24w and 30w
$17 for 36w and 42w
$23 for 48w

8. *Glass type*
Temp = Cleared tempered glass
Architectural options:
GL13 = Powder glass
GL6 = Block matrix glass
GL8 = Wafer glass

All panels on this page accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

Application Notes

All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34″H, other 34″, 42″, 49″, 64″, and 79″ panels without beltway. To attach 34″ high panels to Beltway posts, order appropriate attachment kits from page 119.

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Panel glass is mounted flush to one side of the window panel. All window panels incorporate tempered glass 3/16″ thick. 30″ High window panels that are 30″ or wider incorporate a center mullion.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 34″ H
fabric one side, laminate or techwood opposite side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side laminate other; Regular acoustics 	18″	34″	**R3B0TFL34 18-( )( )**	$695.	$741.	$779.	$811.	$853.	$881.
	20″	34″	**R3B0TFL34 20-( )( )**	695.	741.	779.	811.	853.	881.
	24″	34″	**R3B0TFL34 24-( )( )**	740.	786.	824.	856.	898.	926.
	30″	34″	**R3B0TFL34 30-( )( )**	786.	832.	870.	902.	944.	972.
	36″	34″	**R3B0TFL34 36-( )( )**	833.	879.	917.	949.	991.	1,019.
	42″	34″	**R3B0TFL34 42-( )( )**	948.	994.	1,032.	1,064.	1,106.	1,134.
	48″	34″	**R3B0TFL34 48-( )( )**	981.	1,027.	1,065.	1,097.	1,139.	1,167.
Tiled, fabric one side techwood other; Regular acoustics 	18″	34″	**R3B0TF134 18-( )( )**	767.	823.	859.	891.	941.	967.
	20″	34″	**R3B0TF134 20-( )( )**	767.	823.	859.	891.	941.	967.
	24″	34″	**R3B0TF134 24-( )( )**	819.	875.	911.	943.	993.	1,019.
	30″	34″	**R3B0TF134 30-( )( )**	872.	928.	964.	996.	1,046.	1,072.
	36″	34″	**R3B0TF134 36-( )( )**	921.	977.	1,013.	1,045.	1,095.	1,121.
	42″	34″	**R3B0TF134 42-( )( )**	1,051.	1,107.	1,143.	1,175.	1,225.	1,251.
	48″	34″	**R3B0TF134 48-( )( )**	1,086.	1,142.	1,178.	1,210.	1,260.	1,286.

Order Code

Example:	**R3B0TFL3418-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FL	Fabric one side, laminate other
34	34″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black
W281	Fabric - Side 1A
W281	Fabric - Side 1B
114	Folkstone grey - side 2A
114	Folkstone grey - side 2B
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B top
6. Hard side, finish
   If laminate:
   i) tile 2A bottom
   ii) tile 2B top
   If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver
8. Base finish
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
34″h add per panel:
$15 for 18w and 20w
$16 for 24w and 30w
$17 for 36w and 42w
$23 for 48w

These Panels will accept all core Laminates.

Application Notes

All panels on this page accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34″H and higher as well as 34″, 42″, 49″, 64″, and 79″ panels. To attach 34″ Beltway panels to posts order appropriate attachment kit from page 119.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Ported panel components to be installed below worksurface if panel 34″ h.

Tiled panels 34″ H
fabric one side, conventional or exotic opposite side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side conventional other; Regular acoustics	18″	34″	**R3B0TF234 18-( )( )**	$769.	$823.	$859.	$889.	$937.	$965.
	20″	34″	**R3B0TF234 20-( )( )**	769.	823.	859.	889.	937.	965.
	24″	34″	**R3B0TF234 24-( )( )**	817.	871.	907.	937.	985.	1,013.
	30″	34″	**R3B0TF234 30-( )( )**	869.	923.	959.	989.	1,037.	1,065.
	36″	34″	**R3B0TF234 36-( )( )**	919.	973.	1,009.	1,039.	1,087.	1,115.
	42″	34″	**R3B0TF234 42-( )( )**	1,048.	1,102.	1,138.	1,168.	1,216.	1,244.
	48″	34″	**R3B0TF234 48-( )( )**	1,084.	1,138.	1,174.	1,204.	1,252.	1,280.
Tiled, fabric one side, exotic other Regular acoustics	18″	34″	**R3B0TF334 18-( )( )**	1,026.	1,080.	1,116.	1,146.	1,194.	1,222.
	20″	34″	**R3B0TF334 20-( )( )**	1,026.	1,080.	1,116.	1,146.	1,194.	1,222.
	24″	34″	**R3B0TF334 24-( )( )**	1,093.	1,147.	1,183.	1,213.	1,261.	1,289.
	30″	34″	**R3B0TF334 30-( )( )**	1,163.	1,217.	1,253.	1,283.	1,331.	1,359.
	36″	34″	**R3B0TF334 36-( )( )**	1,229.	1,283.	1,319.	1,349.	1,397.	1,425.
	42″	34″	**R3B0TF334 42-( )( )**	1,403.	1,457.	1,493.	1,523.	1,571.	1,599.
	48″	34″	**R3B0TF334 48-( )( )**	1,452.	1,506.	1,542.	1,572.	1,620.	1,648.





Order Code

Example:	**R3B0TF23418-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F2	Fabric one side, conventional other
34	34″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black
W281	Fabric - Side 1A
W281	Fabric - Side 1B
114	Folkstone grey - side 2A
114	Folkstone grey - side 2B
039E	Pippy Oak (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B top
6. Hard side, finish
   If laminate:
   i) tile 2A bottom
   ii) tile 2B top
   If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver
8. Base finish
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
34″h add per panel:
$15 for 18w and 20w
$16 for 24w and 30w
$17 for 36w and 42w
$23 for 48w

Application Notes

All panels on this page accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34″H and higher as well as 34″, 42″, 49″, 64″, and 79″ panels. To attach 34″ Beltway panels to posts order appropriate attachment kit from page 119.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Ported panel components to be installed below worksurface if panel 34″ h.

Tiled panels 34″ H
Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides 	18″	34″	**R3B0TLL3418( )( )**	$787.
	20″	34″	**R3B0TLL3420( )( )**	787.
	24″	34″	**R3B0TLL3424( )( )**	857.
	30″	34″	**R3B0TLL3430( )( )**	960.
	36″	34″	**R3B0TLL3436( )( )**	1,038.
	42″	34″	**R3B0TLL3442( )( )**	1,069.
	48″	34″	**R3B0TLL3448( )( )**	1,101.

Order Code

Example:	**R3B0TLL3418-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
34	34″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 2A
118	Laminate - side 2B
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Laminate, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B top
6. Hard side, finish
   If laminate:
   i) tile 2A bottom
   ii) tile 2B top
   If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver
8. Base finish
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
34″h add per panel:
$15 for 18w and 20w
$16 for 24w and 30w
$17 for 36w and 42w
$23 for 48w

These Panels will accept all core Laminates.

Application Notes

All panels on this page accept stacking modules.

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34″H and higher as well as 34″, 42″, 49″, 64″, and 79″ panels. To attach 34″ Beltway panels to posts order appropriate attachment kit from page 119.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Ported panel components to be installed below worksurface if panel 34″ h.

Tiled panels 42″ H
fabric both sides

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric both sides Regular acoustics	18″	42″	**R3B0TFF42 18-( )( )**	$717.	$851.	$955.	$1,033.	$1,149.	$1,227.
	20″	42″	**R3B0TFF42 20-( )( )**	717.	851.	955.	1,033.	1,149.	1,227.
	24″	42″	**R3B0TFF42 24-( )( )**	771.	905.	1,009.	1,087.	1,203.	1,281.
	30″	42″	**R3B0TFF42 30-( )( )**	826.	960.	1,064.	1,142.	1,258.	1,336.
	36″	42″	**R3B0TFF42 36-( )( )**	879.	1,013.	1,117.	1,195.	1,311.	1,389.
	42″	42″	**R3B0TFF42 42-( )( )**	994.	1,128.	1,232.	1,310.	1,426.	1,504.
	48″	42″	**R3B0TFF42 48-( )( )**	1,045.	1,179.	1,283.	1,361.	1,477.	1,555.
Tiled, fabric both sides High acoustics	18″	42″	**R3B0TAA42 18-( )( )**	785.	919.	1,023.	1,101.	1,217.	1,295.
	20″	42″	**R3B0TAA42 20-( )( )**	785.	919.	1,023.	1,101.	1,217.	1,295.
	24″	42″	**R3B0TAA42 24-( )( )**	844.	978.	1,082.	1,160.	1,276.	1,354.
	30″	42″	**R3B0TAA42 30-( )( )**	909.	1,043.	1,147.	1,225.	1,341.	1,419.
	36″	42″	**R3B0TAA42 36-( )( )**	968.	1,102.	1,206.	1,284.	1,400.	1,478.
	42″	42″	**R3B0TAA42 42-( )( )**	1,098.	1,232.	1,336.	1,414.	1,530.	1,608.
	48″	42″	**R3B0TAA42 48-( )( )**	1,156.	1,290.	1,394.	1,472.	1,588.	1,666.

Order Code

Example:	**R3B0TFF4218-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
42	42″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
5. Fabric side, finish (specify selection per insert)
   i) tile 2A bottom
   ii) tile 2B middle
   iii) tile 2C top
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.

Application Notes

The Reff Profiles System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see transaction tops page 278).

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 42″ H
fabric both sides with Beltway

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric both sides Beltway one side	18″	42″	**R3B1TFF42 18-( )( )**	$1,291.	$1,421.	$1,529.	$1,607.	$1,723.	$1,801.
	20″	42″	**R3B1TFF42 20-( )( )**	1,291.	1,421.	1,529.	1,607.	1,723.	1,801.
	24″	42″	**R3B1TFF42 24-( )( )**	1,321.	1,451.	1,559.	1,637.	1,753.	1,831.
	30″	42″	**R3B1TFF42 30-( )( )**	1,391.	1,521.	1,629.	1,707.	1,823.	1,901.
	36″	42″	**R3B1TFF42 36-( )( )**	1,643.	1,773.	1,881.	1,959.	2,075.	2,153.
	42″	42″	**R3B1TFF42 42-( )( )**	1,774.	1,904.	2,012.	2,090.	2,206.	2,284.
	48″	42″	**R3B1TFF42 48-( )( )**	1,837.	1,967.	2,075.	2,153.	2,269.	2,347.
Tiled, fabric both sides Beltway two sides	18″	42″	**R3B2TFF42 18-( )( )**	1,317.	1,443.	1,555.	1,633.	1,749.	1,827.
	20″	42″	**R3B2TFF42 20-( )( )**	1,317.	1,443.	1,555.	1,633.	1,749.	1,827.
	24″	42″	**R3B2TFF42 24-( )( )**	1,398.	1,524.	1,636.	1,714.	1,830.	1,908.
	30″	42″	**R3B2TFF42 30-( )( )**	1,419.	1,545.	1,657.	1,735.	1,851.	1,929.
	36″	42″	**R3B2TFF42 36-( )( )**	1,671.	1,797.	1,909.	1,987.	2,103.	2,181.
	42″	42″	**R3B2TFF42 42-( )( )**	1,809.	1,935.	2,047.	2,125.	2,241.	2,319.
	48″	42″	**R3B2TFF42 48-( )( )**	1,874.	2,000.	2,112.	2,190.	2,306.	2,384.





Order Code

Example:	**R3B1TFF4218-A4K**
R3	Reff Generation 3
B1	Beltway one side
T	Tiled panel
FF	Fabric on both sides
42	42″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
006B	Maple (top trim finish)
111	Jet Black (base finish)
111	Beltway finish

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
5. Fabric side, finish (specify selection per insert)
   i) tile 2A bottom
   ii) tile 2B middle
   iii) tile 2C top
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.

Application Notes

The Reff Profiles System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see transaction tops page 278).

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 42″ H
fabric one side, laminate other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	42″	**R3B0TFL42 18-( )( )**	$777.	$838.	$891.	$930.	$984.	$1,022.
	20″	42″	**R3B0TFL42 20-( )( )**	777.	838.	891.	930.	984.	1,022.
	24″	42″	**R3B0TFL42 24-( )( )**	826.	887.	940.	979.	1,033.	1,071.
	30″	42″	**R3B0TFL42 30-( )( )**	883.	944.	997.	1,036.	1,090.	1,128.
	36″	42″	**R3B0TFL42 36-( )( )**	932.	993.	1,046.	1,085.	1,139.	1,177.
	42″	42″	**R3B0TFL42 42-( )( )**	1,038.	1,099.	1,152.	1,191.	1,245.	1,283.
	48″	42″	**R3B0TFL42 48-( )( )**	1,093.	1,154.	1,207.	1,246.	1,300.	1,338.
Tiled, fabric one side Beltway one side (fabric side)	18″	42″	**R3B1TFL42 18-( )( )**	1,340.	1,403.	1,456.	1,494.	1,549.	1,587.
	20″	42″	**R3B1TFL42 20-( )( )**	1,340.	1,403.	1,456.	1,494.	1,549.	1,587.
	24″	42″	**R3B1TFL42 24-( )( )**	1,367.	1,430.	1,483.	1,521.	1,576.	1,614.
	30″	42″	**R3B1TFL42 30-( )( )**	1,435.	1,498.	1,551.	1,589.	1,644.	1,682.
	36″	42″	**R3B1TFL42 36-( )( )**	1,680.	1,743.	1,796.	1,834.	1,889.	1,927.
	42″	42″	**R3B1TFL42 42-( )( )**	1,805.	1,868.	1,921.	1,959.	2,014.	2,052.
	48″	42″	**R3B1TFL42 48-( )( )**	1,865.	1,928.	1,981.	2,019.	2,074.	2,112.





Order Code

Example:	**R3B0TFL4218-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FL	Fabric one side, laminate other
42	42″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
114	Folkstone grey - side 2A
114	Folkstone grey - side 2B
114	Folkstone grey - side 2C
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
6. Laminate side, finish (specify selection per insert)
   i) tile 2A bottom
   ii) tile 2B middle
   iii) tile 2C top
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
42″h add per panel:
$25 for 18w and 20w
$28 for 24w and 30w
$34 for 36w and 42w
$42 for 48w

6″ Raceway option increases panel height by 2¾″.

These Panels will accept all core Laminates.

Application Notes

The Reff Profiles System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see page 278).

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 42″ H
fabric one side, techwood other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	42″	**R3B0TF142 18-( )( )**	$858.	$929.	$985.	$1,023.	$1,085.	$1,121.
	20″	42″	**R3B0TF142 20-( )( )**	858.	929.	985.	1,023.	1,085.	1,121.
	24″	42″	**R3B0TF142 24-( )( )**	915.	986.	1,042.	1,080.	1,142.	1,178.
	30″	42″	**R3B0TF142 30-( )( )**	976.	1,047.	1,103.	1,141.	1,203.	1,239.
	36″	42″	**R3B0TF142 36-( )( )**	1,031.	1,102.	1,158.	1,196.	1,258.	1,294.
	42″	42″	**R3B0TF142 42-( )( )**	1,153.	1,224.	1,280.	1,318.	1,380.	1,416.
	48″	42″	**R3B0TF142 48-( )( )**	1,206.	1,277.	1,333.	1,371.	1,433.	1,469.
Tiled, fabric one side Beltway one side (fabric side)	18″	42″	**R3B1TF142 18-( )( )**	1,469.	1,540.	1,596.	1,633.	1,696.	1,732.
	20″	42″	**R3B1TF142 20-( )( )**	1,469.	1,540.	1,596.	1,633.	1,696.	1,732.
	24″	42″	**R3B1TF142 24-( )( )**	1,499.	1,570.	1,626.	1,663.	1,726.	1,762.
	30″	42″	**R3B1TF142 30-( )( )**	1,570.	1,641.	1,697.	1,734.	1,797.	1,833.
	36″	42″	**R3B1TF142 36-( )( )**	1,835.	1,906.	1,962.	1,999.	2,062.	2,098.
	42″	42″	**R3B1TF142 42-( )( )**	1,978.	2,049.	2,105.	2,142.	2,205.	2,241.
	48″	42″	**R3B1TF142 48-( )( )**	2,046.	2,117.	2,173.	2,210.	2,273.	2,309.

Order Code

Example:	**R3B0TF14218-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F1	Fabric one side, V1 other
42	42″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
506B	Maple - side 2 tiled
506B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
6. Techwood side, finish (specify one V1 finish for side)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
42″h add per panel:
$26 for 18w and 20w
$29 for 24w and 30w
$35 for 36w and 42w
$43 for 48w

6″ Raceway option increases panel height by 2¾″.

Application Notes

The Reff Profiles System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see page 278).

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 42″ H
fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	42″	**R3B0TF242 18-( )( )**	$937.	$1,006.	$1,061.	$1,097.	$1,157.	$1,195.
	20″	42″	**R3B0TF242 20-( )( )**	937.	1,006.	1,061.	1,097.	1,157.	1,195.
	24″	42″	**R3B0TF242 24-( )( )**	1,000.	1,069.	1,124.	1,160.	1,220.	1,258.
	30″	42″	**R3B0TF242 30-( )( )**	1,067.	1,136.	1,191.	1,227.	1,287.	1,325.
	36″	42″	**R3B0TF242 36-( )( )**	1,134.	1,203.	1,258.	1,294.	1,354.	1,392.
	42″	42″	**R3B0TF242 42-( )( )**	1,262.	1,331.	1,386.	1,422.	1,482.	1,520.
	48″	42″	**R3B0TF242 48-( )( )**	1,324.	1,393.	1,448.	1,484.	1,544.	1,582.
Tiled, fabric one side Beltway one side (fabric side)	18″	42″	**R3B1TF242 18-( )( )**	1,609.	1,678.	1,732.	1,769.	1,829.	1,867.
	20″	42″	**R3B1TF242 20-( )( )**	1,609.	1,678.	1,732.	1,769.	1,829.	1,867.
	24″	42″	**R3B1TF242 24-( )( )**	1,640.	1,709.	1,763.	1,800.	1,860.	1,898.
	30″	42″	**R3B1TF242 30-( )( )**	1,722.	1,791.	1,845.	1,882.	1,942.	1,980.
	36″	42″	**R3B1TF242 36-( )( )**	2,016.	2,085.	2,139.	2,176.	2,236.	2,274.
	42″	42″	**R3B1TF242 42-( )( )**	2,171.	2,240.	2,294.	2,331.	2,391.	2,429.
	48″	42″	**R3B1TF242 48-( )( )**	2,244.	2,313.	2,367.	2,404.	2,464.	2,502.





Order Code

Example:	**R3B0TF24218-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F2	Fabric one side, V2 other
42	42″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
006B	Maple surface - side 2 tiled
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
6. Conventional veneer, finish (specify one V2 finish for side)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
42″h add per panel:
$26 for 18w and 20w
$29 for 24w and 30w
$35 for 36w and 42w
$43 for 48w

6″ Raceway option increases panel height by 2¾″.

Application Notes

The Reff Profiles System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see page 278).

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 42″ H
fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	42″	**R3B0TF342 18-( )( )**	$1,142.	$1,211.	$1,266.	$1,302.	$1,362.	$1,400.
	20″	42″	**R3B0TF342 20-( )( )**	1,142.	1,211.	1,266.	1,302.	1,362.	1,400.
	24″	42″	**R3B0TF342 24-( )( )**	1,217.	1,286.	1,341.	1,377.	1,437.	1,475.
	30″	42″	**R3B0TF342 30-( )( )**	1,300.	1,369.	1,424.	1,460.	1,520.	1,558.
	36″	42″	**R3B0TF342 36-( )( )**	1,381.	1,450.	1,505.	1,541.	1,601.	1,639.
	42″	42″	**R3B0TF342 42-( )( )**	1,537.	1,606.	1,661.	1,697.	1,757.	1,795.
	48″	42″	**R3B0TF342 48-( )( )**	1,615.	1,684.	1,739.	1,775.	1,835.	1,873.
Tiled, fabric one side Beltway fabric side	18″	42″	**R3B1TF342 18-( )( )**	1,967.	2,036.	2,090.	2,127.	2,187.	2,225.
	20″	42″	**R3B1TF342 20-( )( )**	1,967.	2,036.	2,090.	2,127.	2,187.	2,225.
	24″	42″	**R3B1TF342 24-( )( )**	2,005.	2,074.	2,128.	2,165.	2,225.	2,263.
	30″	42″	**R3B1TF342 30-( )( )**	2,102.	2,171.	2,225.	2,262.	2,322.	2,360.
	36″	42″	**R3B1TF342 36-( )( )**	2,466.	2,535.	2,589.	2,626.	2,686.	2,724.
	42″	42″	**R3B1TF342 42-( )( )**	2,652.	2,721.	2,775.	2,812.	2,872.	2,910.
	48″	42″	**R3B1TF342 48-( )( )**	2,743.	2,812.	2,866.	2,903.	2,963.	3,001.





Order Code

Example:	**R3B0TF34218-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F3	Fabric one side, V3 other
42	42″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
039E	Pippy Oak surface - side 2 tiled
039E	Pippy Oak (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
6. Exotic veneer, finish (specify one V3 finish for side)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
42″h add per panel:
$26 for 18w and 20w
$29 for 24w and 30w
$35 for 36w and 42w
$43 for 48w

6″ Raceway option increases panel height by 2¾″.

Application Notes

The Reff Profiles System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see page 278).

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 42″ H
Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18″	42″	**R3B0TLL4218( )( )**	$949.
	20″	42″	**R3B0TLL4220( )( )**	949.
	24″	42″	**R3B0TLL4224( )( )**	1,035.
	30″	42″	**R3B0TLL4230( )( )**	1,157.
	36″	42″	**R3B0TLL4236( )( )**	1,251.
	42″	42″	**R3B0TLL4242( )( )**	1,288.
	48″	42″	**R3B0TLL4248( )( )**	1,326.



Order Code

Example:	**R3B0TLL4218-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
42	42″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 1C
118	Laminate - side 2A
118	Laminate - side 2B
118	Laminate - side 2C
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Laminate side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
6. Laminate, finish
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

4.Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
42″h add per panel:
$26 for 18w and 20w
$29 for 24w and 30w
$35 for 36w and 42w
$43 for 48w

These Panels will accept all core Laminates.

Application Notes

The Reff Profiles System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see page 278).

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 49″ H
fabric both sides

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric both sides Regular acoustics	18″	49″	**R3B0TFF49 18-( )( )**	$804.	$960.	$1,062.	$1,158.	$1,302.	$1,386.
	20″	49″	**R3B0TFF49 20-( )( )**	804.	960.	1,062.	1,158.	1,302.	1,386.
	24″	49″	**R3B0TFF49 24-( )( )**	859.	1,015.	1,117.	1,213.	1,357.	1,441.
	30″	49″	**R3B0TFF49 30-( )( )**	925.	1,081.	1,183.	1,279.	1,423.	1,507.
	36″	49″	**R3B0TFF49 36-( )( )**	986.	1,142.	1,244.	1,340.	1,484.	1,568.
	42″	49″	**R3B0TFF49 42-( )( )**	1,114.	1,270.	1,372.	1,468.	1,612.	1,696.
	48″	49″	**R3B0TFF49 48-( )( )**	1,175.	1,331.	1,433.	1,529.	1,673.	1,757.
Tiled, fabric both sides High acoustics	18″	49″	**R3B0TAA49 18-( )( )**	881.	1,037.	1,139.	1,235.	1,379.	1,463.
	20″	49″	**R3B0TAA49 20-( )( )**	881.	1,037.	1,139.	1,235.	1,379.	1,463.
	24″	49″	**R3B0TAA49 24-( )( )**	943.	1,099.	1,201.	1,297.	1,441.	1,525.
	30″	49″	**R3B0TAA49 30-( )( )**	1,017.	1,173.	1,275.	1,371.	1,515.	1,599.
	36″	49″	**R3B0TAA49 36-( )( )**	1,083.	1,239.	1,341.	1,437.	1,581.	1,665.
	42″	49″	**R3B0TAA49 42-( )( )**	1,221.	1,377.	1,479.	1,575.	1,719.	1,803.
	48″	49″	**R3B0TAA49 48-( )( )**	1,293.	1,449.	1,551.	1,647.	1,791.	1,875.





Order Code

Example:	**R3B0TFF4918-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
5. Fabric side, finish (specify selection per insert)
   i) tile 2A bottom
   ii) tile 2B middle
   iii) tile 2C top
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

6″ Raceway option increases panel height by 2¾″.

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 49″ H
fabric both sides with Beltway

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric both sides Beltway one side	18″	49″	**R3B1TFF49 18-( )( )**	$1,329.	$1,481.	$1,587.	$1,683.	$1,827.	$1,911.
	20″	49″	**R3B1TFF49 20-( )( )**	1,329.	1,481.	1,587.	1,683.	1,827.	1,911.
	24″	49″	**R3B1TFF49 24-( )( )**	1,356.	1,508.	1,614.	1,710.	1,854.	1,938.
	30″	49″	**R3B1TFF49 30-( )( )**	1,428.	1,580.	1,686.	1,782.	1,926.	2,010.
	36″	49″	**R3B1TFF49 36-( )( )**	1,710.	1,862.	1,968.	2,064.	2,208.	2,292.
	42″	49″	**R3B1TFF49 42-( )( )**	1,848.	2,000.	2,106.	2,202.	2,346.	2,430.
	48″	49″	**R3B1TFF49 48-( )( )**	1,912.	2,064.	2,170.	2,266.	2,410.	2,494.
Tiled, fabric both sides Beltway two sides	18″	49″	**R3B2TFF49 18-( )( )**	1,348.	1,496.	1,606.	1,702.	1,846.	1,930.
	20″	49″	**R3B2TFF49 20-( )( )**	1,348.	1,496.	1,606.	1,702.	1,846.	1,930.
	24″	49″	**R3B2TFF49 24-( )( )**	1,379.	1,527.	1,637.	1,733.	1,877.	1,961.
	30″	49″	**R3B2TFF49 30-( )( )**	1,455.	1,603.	1,713.	1,809.	1,953.	2,037.
	36″	49″	**R3B2TFF49 36-( )( )**	1,741.	1,889.	1,999.	2,095.	2,239.	2,323.
	42″	49″	**R3B2TFF49 42-( )( )**	1,879.	2,027.	2,137.	2,233.	2,377.	2,461.
	48″	49″	**R3B2TFF49 48-( )( )**	1,950.	2,098.	2,208.	2,304.	2,448.	2,532.





Order Code

Example:	**R3B2TFF4918-A4K**
R3	Reff Generation 3
B2	with Beltway
T	Tiled panel
FF	Fabric on both sides
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
006B	Maple (top trim finish)
111	Jet Black (base finish)
111	Beltway finish

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
5. Fabric side, finish (specify selection per insert)
   i) tile 2A bottom
   ii) tile 2B middle
   iii) tile 2C top
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

6″ Raceway option increases panel height by 2¾″.

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 49″ H
fabric one side, laminate opposite side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	49″	**R3B0TFL49 18-( )( )**	$872.	$941.	$998.	$1,046.	$1,109.	$1,151.
	20″	49″	**R3B0TFL49 20-( )( )**	872.	941.	998.	1,046.	1,109.	1,151.
	24″	49″	**R3B0TFL49 24-( )( )**	922.	991.	1,048.	1,096.	1,159.	1,201.
	30″	49″	**R3B0TFL49 30-( )( )**	987.	1,056.	1,113.	1,161.	1,224.	1,266.
	36″	49″	**R3B0TFL49 36-( )( )**	1,041.	1,110.	1,167.	1,215.	1,278.	1,320.
	42″	49″	**R3B0TFL49 42-( )( )**	1,161.	1,230.	1,287.	1,335.	1,398.	1,440.
	48″	49″	**R3B0TFL49 48-( )( )**	1,224.	1,293.	1,350.	1,398.	1,461.	1,503.
Tiled, fabric one side Beltway one side (fabric side)	18″	49″	**R3B1TFL49 18-( )( )**	1,384.	1,457.	1,510.	1,558.	1,624.	1,666.
	20″	49″	**R3B1TFL49 20-( )( )**	1,384.	1,457.	1,510.	1,558.	1,624.	1,666.
	24″	49″	**R3B1TFL49 24-( )( )**	1,411.	1,484.	1,537.	1,585.	1,651.	1,693.
	30″	49″	**R3B1TFL49 30-( )( )**	1,482.	1,555.	1,608.	1,656.	1,722.	1,764.
	36″	49″	**R3B1TFL49 36-( )( )**	1,752.	1,825.	1,878.	1,926.	1,992.	2,034.
	42″	49″	**R3B1TFL49 42-( )( )**	1,881.	1,954.	2,007.	2,055.	2,121.	2,163.
	48″	49″	**R3B1TFL49 48-( )( )**	1,950.	2,023.	2,076.	2,124.	2,190.	2,232.





Order Code

Example:	**R3B0TFL4918-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FL	Fabric one side. laminate other
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
114	Folkstone grey - side 2A
114	Folkstone grey - side 2B
114	Folkstone grey - side 2C
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
6. Laminate side finish (specify selection per insert)
   i) tile 2A bottom
   ii) tile 2B middle
   iii) tile 2C top
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
49″h add per panel:
$26 for 18w and 20w
$29 for 24w and 30w
$35 for 36w and 42w
$43 for 48w

6″ Raceway option increases panel height by 2¾″.

These Panels will accept all core Laminates.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 49″ H
fabric one side, techwood other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	49″	**R3B0TF149 18-( )( )**	$958.	$1,042.	$1,096.	$1,144.	$1,219.	$1,258.
	20″	49″	**R3B0TF149 20-( )( )**	958.	1,042.	1,096.	1,144.	1,219.	1,258.
	24″	49″	**R3B0TF149 24-( )( )**	1,020.	1,104.	1,158.	1,206.	1,281.	1,320.
	30″	49″	**R3B0TF149 30-( )( )**	1,088.	1,172.	1,226.	1,274.	1,349.	1,388.
	36″	49″	**R3B0TF149 36-( )( )**	1,154.	1,238.	1,292.	1,340.	1,415.	1,454.
	42″	49″	**R3B0TF149 42-( )( )**	1,291.	1,375.	1,429.	1,477.	1,552.	1,591.
	48″	49″	**R3B0TF149 48-( )( )**	1,352.	1,436.	1,490.	1,538.	1,613.	1,652.
Tiled, fabric one side Beltway one side (fabric side)	18″	49″	**R3B1TF149 18-( )( )**	1,514.	1,598.	1,652.	1,699.	1,775.	1,814.
	20″	49″	**R3B1TF149 20-( )( )**	1,514.	1,598.	1,652.	1,699.	1,775.	1,814.
	24″	49″	**R3B1TF149 24-( )( )**	1,549.	1,633.	1,687.	1,734.	1,810.	1,849.
	30″	49″	**R3B1TF149 30-( )( )**	1,623.	1,707.	1,761.	1,808.	1,884.	1,923.
	36″	49″	**R3B1TF149 36-( )( )**	1,923.	2,007.	2,061.	2,108.	2,184.	2,223.
	42″	49″	**R3B1TF149 42-( )( )**	2,065.	2,149.	2,203.	2,250.	2,326.	2,365.
	48″	49″	**R3B1TF149 48-( )( )**	2,137.	2,221.	2,275.	2,322.	2,398.	2,437.





Order Code

Example:	**R3B0TF14918-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F1	Fabric one side, V1 other
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
506B	Maple - side 2 tiled
506B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
6. Techwood side, finish (specify one V1 finish for side)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
49″h add per panel:
$26 for 18w and 20w
$29 for 24w and 30w
$35 for 36w and 42w
$43 for 48w

6″ Raceway option increases panel height by 2¾″.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 49″ H
fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	49″	**R3B0TF249 18-( )( )**	$1,052.	$1,133.	$1,187.	$1,232.	$1,304.	$1,346.
	20″	49″	**R3B0TF249 20-( )( )**	1,052.	1,133.	1,187.	1,232.	1,304.	1,346.
	24″	49″	**R3B0TF249 24-( )( )**	1,115.	1,196.	1,250.	1,295.	1,367.	1,409.
	30″	49″	**R3B0TF249 30-( )( )**	1,198.	1,279.	1,333.	1,378.	1,450.	1,492.
	36″	49″	**R3B0TF249 36-( )( )**	1,264.	1,345.	1,399.	1,444.	1,516.	1,558.
	42″	49″	**R3B0TF249 42-( )( )**	1,407.	1,488.	1,542.	1,587.	1,659.	1,701.
	48″	49″	**R3B0TF249 48-( )( )**	1,482.	1,563.	1,617.	1,662.	1,734.	1,776.
Tiled, fabric one side Beltway one side (fabric side)	18″	49″	**R3B1TF249 18-( )( )**	1,661.	1,742.	1,795.	1,841.	1,913.	1,955.
	20″	49″	**R3B1TF249 20-( )( )**	1,661.	1,742.	1,795.	1,841.	1,913.	1,955.
	24″	49″	**R3B1TF249 24-( )( )**	1,696.	1,777.	1,830.	1,876.	1,948.	1,990.
	30″	49″	**R3B1TF249 30-( )( )**	1,778.	1,859.	1,912.	1,958.	2,030.	2,072.
	36″	49″	**R3B1TF249 36-( )( )**	2,103.	2,184.	2,237.	2,283.	2,355.	2,397.
	42″	49″	**R3B1TF249 42-( )( )**	2,261.	2,342.	2,395.	2,441.	2,513.	2,555.
	48″	49″	**R3B1TF249 48-( )( )**	2,342.	2,423.	2,476.	2,522.	2,594.	2,636.





Order Code

Example:	**R3B0TF24918-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F2	Fabric one side, V2 other
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
006B	Maple surface - side 2 tiled
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
6. Conventional veneer, finish (specify one V2 finish for side)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
49″h add per panel:
$26 for 18w and 20w
$29 for 24w and 30w
$35 for 36w and 42w
$43 for 48w

6″ Raceway option increases panel height by 2¾″.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 49″ H
fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	49″	**R3B0TF349 18-( )( )**	$1,279.	$1,360.	$1,414.	$1,459.	$1,531.	$1,573.
	20″	49″	**R3B0TF349 20-( )( )**	1,279.	1,360.	1,414.	1,459.	1,531.	1,573.
	24″	49″	**R3B0TF349 24-( )( )**	1,357.	1,438.	1,492.	1,537.	1,609.	1,651.
	30″	49″	**R3B0TF349 30-( )( )**	1,458.	1,539.	1,593.	1,638.	1,710.	1,752.
	36″	49″	**R3B0TF349 36-( )( )**	1,539.	1,620.	1,674.	1,719.	1,791.	1,833.
	42″	49″	**R3B0TF349 42-( )( )**	1,716.	1,797.	1,851.	1,896.	1,968.	2,010.
	48″	49″	**R3B0TF349 48-( )( )**	1,805.	1,886.	1,940.	1,985.	2,057.	2,099.
Tiled, fabric one side Beltway fabric side	18″	49″	**R3B1TF349 18-( )( )**	2,026.	2,107.	2,160.	2,206.	2,278.	2,320.
	20″	49″	**R3B1TF349 20-( )( )**	2,026.	2,107.	2,160.	2,206.	2,278.	2,320.
	24″	49″	**R3B1TF349 24-( )( )**	2,070.	2,151.	2,204.	2,250.	2,322.	2,364.
	30″	49″	**R3B1TF349 30-( )( )**	2,171.	2,252.	2,305.	2,351.	2,423.	2,465.
	36″	49″	**R3B1TF349 36-( )( )**	2,572.	2,653.	2,706.	2,752.	2,824.	2,866.
	42″	49″	**R3B1TF349 42-( )( )**	2,765.	2,846.	2,899.	2,945.	3,017.	3,059.
	48″	49″	**R3B1TF349 48-( )( )**	2,866.	2,947.	3,000.	3,046.	3,118.	3,160.





Order Code

Example:	**R3B0TF34918-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F3	Fabric one side, V3 other
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
039E	Pippy Oak surface - side 2 tiled
039E	Pippy Oak (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert) *i*) tile 1A bottom *ii*) tile 1B middle *iii*) tile 1C top
6. Exotic veneer, finish (specify one V3 finish for side)
7. Top trim finish *i*) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes *ii*) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
49″h add per panel:
$26 for 18w and 20w
$29 for 24w and 30w
$35 for 36w and 42w
$43 for 48w

6″ Raceway option increases panel height by 2¾″.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 49″ H
Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18″	49″	**R3B0TLL4918( )( )**	$991.
	20″	49″	**R3B0TLL4920( )( )**	991.
	24″	49″	**R3B0TLL4924( )( )**	1,080.
	30″	49″	**R3B0TLL4930( )( )**	1,210.
	36″	49″	**R3B0TLL4936( )( )**	1,307.
	42″	49″	**R3B0TLL4942( )( )**	1,347.
	48″	49″	**R3B0TLL4948( )( )**	1,387.



Order Code

Example:	**R3B0TLL4918-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 1C
118	Laminate - side 2A
118	Laminate - side 2B
118	Laminate - side 2C
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Laminate side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
6. Laminate, finish
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
49″h add per panel:
$26 for 18w and 20w
$29 for 24w and 30w
$35 for 36w and 42w
$43 for 48w

These Panels will accept all core Laminates.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 64″ H
fabric both sides

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric both sides Regular acoustics	18″	64″	**R3B0TFF64 18-( )( )**	$919.	$1,127.	$1,263.	$1,391.	$1,583.	$1,695.
	20″	64″	**R3B0TFF64 20-( )( )**	919.	1,127.	1,263.	1,391.	1,583.	1,695.
	24″	64″	**R3B0TFF64 24-( )( )**	987.	1,195.	1,331.	1,459.	1,651.	1,763.
	30″	64″	**R3B0TFF64 30-( )( )**	1,060.	1,268.	1,404.	1,532.	1,724.	1,836.
	36″	64″	**R3B0TFF64 36-( )( )**	1,121.	1,329.	1,465.	1,593.	1,785.	1,897.
	42″	64″	**R3B0TFF64 42-( )( )**	1,283.	1,491.	1,627.	1,755.	1,947.	2,059.
	48″	64″	**R3B0TFF64 48-( )( )**	1,347.	1,555.	1,691.	1,819.	2,011.	2,123.
Tiled, fabric both sides High acoustics	18″	64″	**R3B0TAA64 18-( )( )**	1,007.	1,215.	1,351.	1,479.	1,671.	1,783.
	20″	64″	**R3B0TAA64 20-( )( )**	1,007.	1,215.	1,351.	1,479.	1,671.	1,783.
	24″	64″	**R3B0TAA64 24-( )( )**	1,079.	1,287.	1,423.	1,551.	1,743.	1,855.
	30″	64″	**R3B0TAA64 30-( )( )**	1,161.	1,369.	1,505.	1,633.	1,825.	1,937.
	36″	64″	**R3B0TAA64 36-( )( )**	1,238.	1,446.	1,582.	1,710.	1,902.	2,014.
	42″	64″	**R3B0TAA64 42-( )( )**	1,410.	1,618.	1,754.	1,882.	2,074.	2,186.
	48″	64″	**R3B0TAA64 48-( )( )**	1,487.	1,695.	1,831.	1,959.	2,151.	2,263.





Order Code

Example:	**R3B0TFF6418-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D top
5. Fabric side, finish (specify selection per insert)
   i) tile 2A bottom
   ii) tile 2B middle
   iii) tile 2C middle
   iv) tile 2D top
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional*: specify (M) for panel frame to be milled for ported components. $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

6″ Raceway option increases panel height by 2¾″.

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 64″ H
fabric both sides, with Beltway

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric both sides Beltway one side	18″	64″	**R3B1TFF64 18-( )( )**	$1,439.	$1,643.	$1,783.	$1,911.	$2,103.	$2,215.
	20″	64″	**R3B1TFF64 20-( )( )**	1,439.	1,643.	1,783.	1,911.	2,103.	2,215.
	24″	64″	**R3B1TFF64 24-( )( )**	1,513.	1,717.	1,857.	1,985.	2,177.	2,289.
	30″	64″	**R3B1TFF64 30-( )( )**	1,550.	1,754.	1,894.	2,022.	2,214.	2,326.
	36″	64″	**R3B1TFF64 36-( )( )**	1,904.	2,108.	2,248.	2,376.	2,568.	2,680.
	42″	64″	**R3B1TFF64 42-( )( )**	2,046.	2,250.	2,390.	2,518.	2,710.	2,822.
	48″	64″	**R3B1TFF64 48-( )( )**	2,117.	2,321.	2,461.	2,589.	2,781.	2,893.



Tiled, fabric both sides Beltway two sides	18″	64″	**R3B2TFF64 18-( )( )**	1,461.	1,661.	1,805.	1,933.	2,125.	2,237.
	20″	64″	**R3B2TFF64 20-( )( )**	1,461.	1,661.	1,805.	1,933.	2,125.	2,237.
	24″	64″	**R3B2TFF64 24-( )( )**	1,537.	1,737.	1,881.	2,009.	2,201.	2,313.
	30″	64″	**R3B2TFF64 30-( )( )**	1,575.	1,775.	1,919.	2,047.	2,239.	2,351.
	36″	64″	**R3B2TFF64 36-( )( )**	1,938.	2,138.	2,282.	2,410.	2,602.	2,714.
	42″	64″	**R3B2TFF64 42-( )( )**	2,077.	2,277.	2,421.	2,549.	2,741.	2,853.
	48″	64″	**R3B2TFF64 48-( )( )**	2,155.	2,355.	2,499.	2,627.	2,819.	2,931.



Order Code

Example:	**R3B1TFF6418-A4K**
R3	Reff Generation 3
B1	Beltway one side
T	Tiled panel
FF	Fabric on both sides
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
W281	Fabric - Side 2D
006B	Maple (top trim finish)
111	Jet Black (base finish)
111	Beltway finish

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D middle
5. Fabric side, finish (specify selection per insert)
   i) tile 2A bottom
   ii) tile 2B middle
   iii) tile 2C middle
   iv) tile 2D middle
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Application Notes

The panels on this page will not accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 64″ H
fabric one side, laminate other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	64″	**R3B0TFL64 18-( )( )**	$1,015.	$1,107.	$1,183.	$1,247.	$1,331.	$1,387.
	20″	64″	**R3B0TFL64 20-( )( )**	1,015.	1,107.	1,183.	1,247.	1,331.	1,387.
	24″	64″	**R3B0TFL64 24-( )( )**	1,075.	1,167.	1,243.	1,307.	1,391.	1,447.
	30″	64″	**R3B0TFL64 30-( )( )**	1,147.	1,239.	1,315.	1,379.	1,463.	1,519.
	36″	64″	**R3B0TFL64 36-( )( )**	1,212.	1,304.	1,380.	1,444.	1,528.	1,584.
	42″	64″	**R3B0TFL64 42-( )( )**	1,363.	1,455.	1,531.	1,595.	1,679.	1,735.
	48″	64″	**R3B0TFL64 48-( )( )**	1,427.	1,519.	1,595.	1,659.	1,743.	1,799.
Tiled, fabric one side Beltway one side (fabric side)	18″	64″	**R3B1TFL64 18-( )( )**	1,524.	1,622.	1,692.	1,756.	1,844.	1,900.
	20″	64″	**R3B1TFL64 20-( )( )**	1,524.	1,622.	1,692.	1,756.	1,844.	1,900.
	24″	64″	**R3B1TFL64 24-( )( )**	1,597.	1,695.	1,765.	1,829.	1,917.	1,973.
	30″	64″	**R3B1TFL64 30-( )( )**	1,631.	1,729.	1,799.	1,863.	1,951.	2,007.
	36″	64″	**R3B1TFL64 36-( )( )**	1,979.	2,077.	2,147.	2,211.	2,299.	2,355.
	42″	64″	**R3B1TFL64 42-( )( )**	2,111.	2,209.	2,279.	2,343.	2,431.	2,487.
	48″	64″	**R3B1TFL64 48-( )( )**	2,181.	2,279.	2,349.	2,413.	2,501.	2,557.





Order Code

Example:	**R3B0TFL6418-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FL	Fabric one side, laminate other
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
114	Folkstone grey - side 2A
114	Folkstone grey - side 2B
114	Folkstone grey - side 2C
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D top
6. Laminate side, finish (specify selection per insert)
   i) tile 2A bottom
   ii) tile 2B middle
   iii) tile 2C middle
   iv) tile 2D top
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
64″h add per panel:
$40 for 18w and 20w
$44 for 24w and 30w
$49 for 36w and 42w
$65 for 48w

6″ Raceway option increases panel height by 2¾″.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

These Panels will accept all core Laminates.

Tiled panels 64″ H
fabric one side, techwood other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	64″	**R3B0TF164 18-( )( )**	$1,121.	$1,233.	$1,305.	$1,369.	$1,469.	$1,521.
	20″	64″	**R3B0TF164 20-( )( )**	1,121.	1,233.	1,305.	1,369.	1,469.	1,521.
	24″	64″	**R3B0TF164 24-( )( )**	1,187.	1,299.	1,371.	1,435.	1,535.	1,587.
	30″	64″	**R3B0TF164 30-( )( )**	1,268.	1,380.	1,452.	1,516.	1,616.	1,668.
	36″	64″	**R3B0TF164 36-( )( )**	1,337.	1,449.	1,521.	1,585.	1,685.	1,737.
	42″	64″	**R3B0TF164 42-( )( )**	1,507.	1,619.	1,691.	1,755.	1,855.	1,907.
	48″	64″	**R3B0TF164 48-( )( )**	1,576.	1,688.	1,760.	1,824.	1,924.	1,976.
Tiled, fabric one side Beltway one side (fabric side)	18″	64″	**R3B1TF164 18-( )( )**	1,668.	1,780.	1,852.	1,915.	2,016.	2,068.
	20″	64″	**R3B1TF164 20-( )( )**	1,668.	1,780.	1,852.	1,915.	2,016.	2,068.
	24″	64″	**R3B1TF164 24-( )( )**	1,748.	1,860.	1,932.	1,995.	2,096.	2,148.
	30″	64″	**R3B1TF164 30-( )( )**	1,786.	1,898.	1,970.	2,033.	2,134.	2,186.
	36″	64″	**R3B1TF164 36-( )( )**	2,165.	2,277.	2,349.	2,412.	2,513.	2,565.
	42″	64″	**R3B1TF164 42-( )( )**	2,311.	2,423.	2,495.	2,558.	2,659.	2,711.
	48″	64″	**R3B1TF164 48-( )( )**	2,395.	2,507.	2,579.	2,642.	2,743.	2,795.





Order Code

Example:	**R3B0TF16418-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F1	Fabric one side, V1 other
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
506B	Maple - side 2 tiled
506B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D top
6. Techwood side, finish (specify one V1 finish for side)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
64″h add per panel:
$40 for 18w and 20w
$44 for 24w and 30w
$49 for 36w and 42w
$65 for 48w

6″ Raceway option increases panel height by 2¾″.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 64″ H
fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	64″	**R3B0TF264 18-( )( )**	$1,225.	$1,333.	$1,405.	$1,465.	$1,561.	$1,617.
	20″	64″	**R3B0TF264 20-( )( )**	1,225.	1,333.	1,405.	1,465.	1,561.	1,617.
	24″	64″	**R3B0TF264 24-( )( )**	1,298.	1,406.	1,478.	1,538.	1,634.	1,690.
	30″	64″	**R3B0TF264 30-( )( )**	1,383.	1,491.	1,563.	1,623.	1,719.	1,775.
	36″	64″	**R3B0TF264 36-( )( )**	1,463.	1,571.	1,643.	1,703.	1,799.	1,855.
	42″	64″	**R3B0TF264 42-( )( )**	1,647.	1,755.	1,827.	1,887.	1,983.	2,039.
	48″	64″	**R3B0TF264 48-( )( )**	1,725.	1,833.	1,905.	1,965.	2,061.	2,117.
Tiled, fabric one side Beltway one side (fabric side)	18″	64″	**R3B1TF264 18-( )( )**	1,826.	1,934.	2,005.	2,066.	2,162.	2,218.
	20″	64″	**R3B1TF264 20-( )( )**	1,826.	1,934.	2,005.	2,066.	2,162.	2,218.
	24″	64″	**R3B1TF264 24-( )( )**	1,915.	2,023.	2,094.	2,155.	2,251.	2,307.
	30″	64″	**R3B1TF264 30-( )( )**	1,956.	2,064.	2,135.	2,196.	2,292.	2,348.
	36″	64″	**R3B1TF264 36-( )( )**	2,376.	2,484.	2,555.	2,616.	2,712.	2,768.
	42″	64″	**R3B1TF264 42-( )( )**	2,534.	2,642.	2,713.	2,774.	2,870.	2,926.
	48″	64″	**R3B1TF264 48-( )( )**	2,615.	2,723.	2,794.	2,855.	2,951.	3,007.





Order Code

Example:	**R3B0TF26418-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F2	Fabric one side, V2 other
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
006B	Maple surface - side 2 tiled
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D top
6. Conventional veneer, finish (specify one V2 finish for side)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

6″ raceway option increases panel height by 2¾″.

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
64″h add per panel:
$40 for 18w and 20w
$44 for 24w and 30w
$49 for 36w and 42w
$65 for 48w

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 64″ H
fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	64″	**R3B0TF364 18-( )( )**	$1,489.	$1,597.	$1,669.	$1,729.	$1,825.	$1,881.
	20″	64″	**R3B0TF364 20-( )( )**	1,489.	1,597.	1,669.	1,729.	1,825.	1,881.
	24″	64″	**R3B0TF364 24-( )( )**	1,577.	1,685.	1,757.	1,817.	1,913.	1,969.
	30″	64″	**R3B0TF364 30-( )( )**	1,681.	1,789.	1,861.	1,921.	2,017.	2,073.
	36″	64″	**R3B0TF364 36-( )( )**	1,781.	1,889.	1,961.	2,021.	2,117.	2,173.
	42″	64″	**R3B0TF364 42-( )( )**	2,007.	2,115.	2,187.	2,247.	2,343.	2,399.
	48″	64″	**R3B0TF364 48-( )( )**	2,100.	2,208.	2,280.	2,340.	2,436.	2,492.
Tiled, fabric one side Beltway fabric side	18″	64″	**R3B1TF364 18-( )( )**	2,227.	2,335.	2,406.	2,467.	2,563.	2,619.
	20″	64″	**R3B1TF364 20-( )( )**	2,227.	2,335.	2,406.	2,467.	2,563.	2,619.
	24″	64″	**R3B1TF364 24-( )( )**	2,337.	2,445.	2,516.	2,577.	2,673.	2,729.
	30″	64″	**R3B1TF364 30-( )( )**	2,384.	2,492.	2,563.	2,624.	2,720.	2,776.
	36″	64″	**R3B1TF364 36-( )( )**	2,899.	3,007.	3,078.	3,139.	3,235.	3,291.
	42″	64″	**R3B1TF364 42-( )( )**	3,095.	3,203.	3,274.	3,335.	3,431.	3,487.
	48″	64″	**R3B1TF364 48-( )( )**	3,196.	3,304.	3,375.	3,436.	3,532.	3,588.





Order Code

Example:	**R3B0TF36418-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F3	Fabric one side, V3 other
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
039E	Pippy Oak surface - side 2 tiled
039E	Pippy Oak (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D top
6. Exotic veneer, finish (specify one V3 finish for side)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

6″ raceway option increases panel height by 2¾″.

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
64″h add per panel:
$40 for 18w and 20w
$44 for 24w and 30w
$49 for 36w and 42w
$65 for 48w

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 64″ H
Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18″	64″	**R3B0TLL6418( )( )**	$1,232.
	20″	64″	**R3B0TLL6420( )( )**	1,232.
	24″	64″	**R3B0TLL6424( )( )**	1,343.
	30″	64″	**R3B0TLL6430( )( )**	1,507.
	36″	64″	**R3B0TLL6436( )( )**	1,626.
	42″	64″	**R3B0TLL6442( )( )**	1,675.
	48″	64″	**R3B0TLL6448( )( )**	1,741.



Order Code

Example:	**R3B0TLL6418-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 1C
118	Laminate - side 1D
118	Laminate - side 2A
118	Laminate - side 2B
118	Laminate - side 2C
118	Laminate - side 2D
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Laminate side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D top
6. Laminate, finish
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
64″h add per panel:
$40 for 18w and 20w
$44 for 24w and 30w
$49 for 36w and 42w
$65 for 48w

These Panels will accept all core Laminates.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 79″ H
fabric both sides

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric both sides Regular acoustics	18″	79″	**R3B0TFF79 18-( )( )**	$1,145.	$1,405.	$1,575.	$1,735.	$1,975.	$2,115.
	20″	79″	**R3B0TFF79 20-( )( )**	1,145.	1,405.	1,575.	1,735.	1,975.	2,115.
	24″	79″	**R3B0TFF79 24-( )( )**	1,217.	1,477.	1,647.	1,807.	2,047.	2,187.
	30″	79″	**R3B0TFF79 30-( )( )**	1,288.	1,548.	1,718.	1,878.	2,118.	2,258.
	36″	79″	**R3B0TFF79 36-( )( )**	1,362.	1,622.	1,792.	1,952.	2,192.	2,332.
	42″	79″	**R3B0TFF79 42-( )( )**	1,548.	1,808.	1,978.	2,138.	2,378.	2,518.
	48″	79″	**R3B0TFF79 48-( )( )**	1,627.	1,887.	2,057.	2,217.	2,457.	2,597.



Tiled, fabric both sides High acoustics	18″	79″	**R3B0TAA79 18-( )( )**	1,252.	1,512.	1,682.	1,842.	2,082.	2,222.
	20″	79″	**R3B0TAA79 20-( )( )**	1,252.	1,512.	1,682.	1,842.	2,082.	2,222.
	24″	79″	**R3B0TAA79 24-( )( )**	1,335.	1,595.	1,765.	1,925.	2,165.	2,305.
	30″	79″	**R3B0TAA79 30-( )( )**	1,413.	1,673.	1,843.	2,003.	2,243.	2,383.
	36″	79″	**R3B0TAA79 36-( )( )**	1,493.	1,753.	1,923.	2,083.	2,323.	2,463.
	42″	79″	**R3B0TAA79 42-( )( )**	1,699.	1,959.	2,129.	2,289.	2,529.	2,669.
	48″	79″	**R3B0TAA79 48-( )( )**	1,790.	2,050.	2,220.	2,380.	2,620.	2,760.



Order Code

Example:	**R3B0TFF7918-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
W281	Fabric - Side 2D
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D middle
   v) tile 1E top
5. Fabric side, finish (specify selection per insert)
   i) tile 2A bottom
   ii) tile 2B middle
   iii) tile 2C middle
   iv) tile 2D middle
   v) tile 2E top
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Application Notes

The panels on this page will not accept stacking modules.

6″ Raceway option increases panel height by 2 3/4″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 79″ H
fabric both sides, with Beltway

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric both sides Beltway one side	18″	79″	**R3B1TFF79 18-( )( )**	$1,492.	$1,748.	$1,922.	$2,082.	$2,322.	$2,462.
	20″	79″	**R3B1TFF79 20-( )( )**	1,492.	1,748.	1,922.	2,082.	2,322.	2,462.
	24″	79″	**R3B1TFF79 24-( )( )**	1,566.	1,822.	1,996.	2,156.	2,396.	2,536.
	30″	79″	**R3B1TFF79 30-( )( )**	1,602.	1,858.	2,032.	2,192.	2,432.	2,572.
	36″	79″	**R3B1TFF79 36-( )( )**	1,958.	2,214.	2,388.	2,548.	2,788.	2,928.
	42″	79″	**R3B1TFF79 42-( )( )**	2,102.	2,358.	2,532.	2,692.	2,932.	3,072.
	48″	79″	**R3B1TFF79 48-( )( )**	2,171.	2,427.	2,601.	2,761.	3,001.	3,141.
Tiled, fabric both sides Beltway two sides	18″	79″	**R3B2TFF79 18-( )( )**	1,513.	1,765.	1,943.	2,103.	2,343.	2,483.
	20″	79″	**R3B2TFF79 20-( )( )**	1,513.	1,765.	1,943.	2,103.	2,343.	2,483.
	24″	79″	**R3B2TFF79 24-( )( )**	1,591.	1,843.	2,021.	2,181.	2,421.	2,561.
	30″	79″	**R3B2TFF79 30-( )( )**	1,626.	1,878.	2,056.	2,216.	2,456.	2,596.
	36″	79″	**R3B2TFF79 36-( )( )**	1,986.	2,238.	2,416.	2,576.	2,816.	2,956.
	42″	79″	**R3B2TFF79 42-( )( )**	2,133.	2,385.	2,563.	2,723.	2,963.	3,103.
	48″	79″	**R3B2TFF79 48-( )( )**	2,212.	2,464.	2,642.	2,802.	3,042.	3,182.





Order Code

Example:	**R3B1TFF7918-A4K**
R3	Reff Generation 3
B1	Beltway 1 side
T	Tiled panel
FF	Fabric on both sides
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 1E
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
W281	Fabric - Side 2D
W281	Fabric - Side 2E
006B	Maple (top trim finish)
111	Jet Black (base finish)
111	Beltway finish

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D middle
   v) tile 1E top
5. Fabric side, finish (specify selection per insert)
   i) tile 2A bottom
   ii) tile 2B middle
   iii) tile 2C middle
   iv) tile 2D middle
   v) tile 2E top
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Application Notes

The panels on this page will not accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 79″ H
fabric one side, laminate other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	79″	**R3B0TFL79 18-( )( )**	$1,260.	$1,375.	$1,470.	$1,550.	$1,655.	$1,725.
	20″	79″	**R3B0TFL79 20-( )( )**	1,260.	1,375.	1,470.	1,550.	1,655.	1,725.
	24″	79″	**R3B0TFL79 24-( )( )**	1,337.	1,452.	1,547.	1,627.	1,732.	1,802.
	30″	79″	**R3B0TFL79 30-( )( )**	1,401.	1,516.	1,611.	1,691.	1,796.	1,866.
	36″	79″	**R3B0TFL79 36-( )( )**	1,471.	1,586.	1,681.	1,761.	1,866.	1,936.
	42″	79″	**R3B0TFL79 42-( )( )**	1,648.	1,763.	1,858.	1,938.	2,043.	2,113.
	48″	79″	**R3B0TFL79 48-( )( )**	1,724.	1,839.	1,934.	2,014.	2,119.	2,189.



Tiled, fabric one side Beltway one side (fabric side)	18″	79″	**R3B1TFL79 18-( )( )**	1,608.	1,731.	1,818.	1,898.	2,008.	2,078.
	20″	79″	**R3B1TFL79 20-( )( )**	1,608.	1,731.	1,818.	1,898.	2,008.	2,078.
	24″	79″	**R3B1TFL79 24-( )( )**	1,681.	1,804.	1,891.	1,971.	2,081.	2,151.
	30″	79″	**R3B1TFL79 30-( )( )**	1,719.	1,842.	1,929.	2,009.	2,119.	2,189.
	36″	79″	**R3B1TFL79 36-( )( )**	2,063.	2,186.	2,273.	2,353.	2,463.	2,533.
	42″	79″	**R3B1TFL79 42-( )( )**	2,197.	2,320.	2,407.	2,487.	2,597.	2,667.
	48″	79″	**R3B1TFL79 48-( )( )**	2,266.	2,389.	2,476.	2,556.	2,666.	2,736.



Order Code

Example:	**R3B0TFL7918-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FL	Fabric one side, laminate other
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 1E
114	Folkstone grey - side 2A
114	Folkstone grey - side 2B
114	Folkstone grey - side 2C
114	Folkstone grey - side 2D
114	Folkstone grey - side 2E
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D middle
   v) tile 1E top
6. Lanimate side, finish (specify selection per insert)
   i) tile 2A bottom
   ii) tile 2B middle
   iii) tile 2C middle
   iv) tile 2D middle
   v) tile 2E top
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
79″h add per panel:
$53 for 18w and 20w
$61 for 24w and 30w
$65 for 36w and 42w
$87 for 48w

These Panels will accept all core Laminates.

Application Notes

The panels on this page will not accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 79″ H
fabric one side, techwood other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	79″	**R3B0TF179 18-( )( )**	$1,393.	$1,533.	$1,623.	$1,703.	$1,828.	$1,893.
	20″	79″	**R3B0TF179 20-( )( )**	1,393.	1,533.	1,623.	1,703.	1,828.	1,893.
	24″	79″	**R3B0TF179 24-( )( )**	1,473.	1,613.	1,703.	1,783.	1,908.	1,973.
	30″	79″	**R3B0TF179 30-( )( )**	1,548.	1,688.	1,778.	1,858.	1,983.	2,048.
	36″	79″	**R3B0TF179 36-( )( )**	1,625.	1,765.	1,855.	1,935.	2,060.	2,125.
	42″	79″	**R3B0TF179 42-( )( )**	1,823.	1,963.	2,053.	2,133.	2,258.	2,323.
	48″	79″	**R3B0TF179 48-( )( )**	1,908.	2,048.	2,138.	2,218.	2,343.	2,408.



Tiled, fabric one side Beltway one side (fabric side)	18″	79″	**R3B1TF179 18-( )( )**	1,762.	1,902.	1,992.	2,071.	2,197.	2,262.
	20″	79″	**R3B1TF179 20-( )( )**	1,762.	1,902.	1,992.	2,071.	2,197.	2,262.
	24″	79″	**R3B1TF179 24-( )( )**	1,843.	1,983.	2,073.	2,152.	2,278.	2,343.
	30″	79″	**R3B1TF179 30-( )( )**	1,876.	2,016.	2,106.	2,185.	2,311.	2,376.
	36″	79″	**R3B1TF179 36-( )( )**	2,259.	2,399.	2,489.	2,568.	2,694.	2,759.
	42″	79″	**R3B1TF179 42-( )( )**	2,406.	2,546.	2,636.	2,715.	2,841.	2,906.
	48″	79″	**R3B1TF179 48-( )( )**	2,481.	2,621.	2,711.	2,790.	2,916.	2,981.



Order Code

Example:	**R3B0TF17918-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F1	Fabric one side, V1 other
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 1E
506B	Maple - side 2A
506B	Maple - side 2B
506B	Maple - side 2C
506B	Maple - side 2D
506B	Maple - side 2E
506B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optinal milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D middle
   v) tile 1E top
6. Techwood side, finish (specify one V1 finish for side)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with beltway
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
79″h add per panel:
$53 for 18w and 20w
$61 for 24w and 30w
$65 for 36w and 42w
$87 for 48w

Application Notes

The panels on this page will not accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 79″ H
fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	79″	**R3B0TF279 18-( )( )**	$1,521.	$1,656.	$1,746.	$1,821.	$1,941.	$2,011.
	20″	79″	**R3B0TF279 20-( )( )**	1,521.	1,656.	1,746.	1,821.	1,941.	2,011.
	24″	79″	**R3B0TF279 24-( )( )**	1,610.	1,745.	1,835.	1,910.	2,030.	2,100.
	30″	79″	**R3B0TF279 30-( )( )**	1,690.	1,825.	1,915.	1,990.	2,110.	2,180.
	36″	79″	**R3B0TF279 36-( )( )**	1,776.	1,911.	2,001.	2,076.	2,196.	2,266.
	42″	79″	**R3B0TF279 42-( )( )**	1,992.	2,127.	2,217.	2,292.	2,412.	2,482.
	48″	79″	**R3B0TF279 48-( )( )**	2,085.	2,220.	2,310.	2,385.	2,505.	2,575.



Tiled, fabric one side Beltway one side (fabric side)	18″	79″	**R3B1TF279 18-( )( )**	1,928.	2,063.	2,152.	2,228.	2,348.	2,418.
	20″	79″	**R3B1TF279 20-( )( )**	1,928.	2,063.	2,152.	2,228.	2,348.	2,418.
	24″	79″	**R3B1TF279 24-( )( )**	2,014.	2,149.	2,238.	2,314.	2,434.	2,504.
	30″	79″	**R3B1TF279 30-( )( )**	2,057.	2,192.	2,281.	2,357.	2,477.	2,547.
	36″	79″	**R3B1TF279 36-( )( )**	2,475.	2,610.	2,699.	2,775.	2,895.	2,965.
	42″	79″	**R3B1TF279 42-( )( )**	2,632.	2,767.	2,856.	2,932.	3,052.	3,122.
	48″	79″	**R3B1TF279 48-( )( )**	2,718.	2,853.	2,942.	3,018.	3,138.	3,208.



Order Code

Example:	**R3B0TF27918-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F2	Fabric one side, V2 other
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 1E
006B	Maple - side 2 Tiled
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D middle
   v) tile 1E top
6. Techwood side, finish (specify one V1 finish for side)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
79″h add per panel:
$53 for 18w and 20w
$61 for 24w and 30w
$65 for 36w and 42w
$87 for 48w

Application Notes

The panels on this page will not accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 79″ H
fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	79″	**R3B0TF379 18-( )( )**	$1,846.	$1,981.	$2,071.	$2,146.	$2,266.	$2,336.
	20″	79″	**R3B0TF379 20-( )( )**	1,846.	1,981.	2,071.	2,146.	2,266.	2,336.
	24″	79″	**R3B0TF379 24-( )( )**	1,956.	2,091.	2,181.	2,256.	2,376.	2,446.
	30″	79″	**R3B0TF379 30-( )( )**	2,057.	2,192.	2,282.	2,357.	2,477.	2,547.
	36″	79″	**R3B0TF379 36-( )( )**	2,163.	2,298.	2,388.	2,463.	2,583.	2,653.
	42″	79″	**R3B0TF379 42-( )( )**	2,427.	2,562.	2,652.	2,727.	2,847.	2,917.
	48″	79″	**R3B0TF379 48-( )( )**	2,541.	2,676.	2,766.	2,841.	2,961.	3,031.



Tiled, fabric one side Beltway fabric side	18″	79″	**R3B1TF379 18-( )( )**	2,348.	2,483.	2,572.	2,648.	2,768.	2,838.
	20″	79″	**R3B1TF379 20-( )( )**	2,348.	2,483.	2,572.	2,648.	2,768.	2,838.
	24″	79″	**R3B1TF379 24-( )( )**	2,454.	2,589.	2,678.	2,754.	2,874.	2,944.
	30″	79″	**R3B1TF379 30-( )( )**	2,507.	2,642.	2,731.	2,807.	2,927.	2,997.
	36″	79″	**R3B1TF379 36-( )( )**	3,019.	3,154.	3,243.	3,319.	3,439.	3,509.
	42″	79″	**R3B1TF379 42-( )( )**	3,213.	3,348.	3,437.	3,513.	3,633.	3,703.
	48″	79″	**R3B1TF379 48-( )( )**	3,319.	3,454.	3,543.	3,619.	3,739.	3,809.



Order Code

Example:	**R3B0TF37918-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F3	Fabric one side, V3 other
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 1E
039E	Pippy Oak surface - side 2 tiled
039E	Pippy Oak (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D middle
   v) tile 1E top
6. Exotic veneer, finish (specify one V3 finish for side)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
79″h add per panel:
$53 for 18w and 20w
$61 for 24w and 30w
$65 for 36w and 42w
$87 for 48w

Application Notes

The panels on this page will not accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 79″ H
Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18″	79″	**R3B0TLL7918( )( )**	$1,439.
	20″	79″	**R3B0TLL7920( )( )**	1,439.
	24″	79″	**R3B0TLL7924( )( )**	1,569.
	30″	79″	**R3B0TLL7930( )( )**	1,758.
	36″	79″	**R3B0TLL7936( )( )**	1,898.
	42″	79″	**R3B0TLL7942( )( )**	1,955.
	48″	79″	**R3B0TLL7948( )( )**	2,054.



Order Code

Example:	**R3B0TLL7918-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 1C
118	Laminate - side 1D
118	Laminate - side 1E
118	Laminate - side 2A
118	Laminate - side 2B
118	Laminate - side 2C
118	Laminate - side 2D
118	Laminate - side 2E
006B	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Laminate side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D middle
   v) tile 1E top
6. Laminate, finish
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $15 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
79″h add per panel:
$53 for 18w and 20w
$61 for 24w and 30w
$65 for 36w and 42w
$87 for 48w

These Panels will accept all core Laminates.

Application Notes

The panels on this page will not accept stacking modules.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Aluminum Reveal kits

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 34″h tiled with 4″ or 6″h base raceway	18″	34″	**R2APT3418 ( )**		$120.
	20″	34″	**R2APT3420 ( )**		120.
	24″	34″	**R2APT3424 ( )**		123.
	30″	34″	**R2APT3430 ( )**		125.
	36″	34″	**R2APT3436 ( )**		132.
	42″	34″	**R2APT3442 ( )**		134.
	48″	34″	**R2APT3448 ( )**		139.
	Retrofit kit for Reff Profiles panels purchased under pattern numbers prefixed “R2”. Kit includes vertical hookstrip cover and tile dividers				
Aluminum reveal kit for 42″h tiled with 4″ or 6″h base raceway	18″	42″	**R2APT4218 ( )**		184.
	20″	42″	**R2APT4220 ( )**		184.
	24″	42″	**R2APT4224 ( )**		190.
	30″	42″	**R2APT4230 ( )**		192.
	36″	42″	**R2APT4236 ( )**		203.
	42″	42″	**R2APT4242 ( )**		210.
	48″	42″	**R2APT4248 ( )**		219.
	Retrofit kit for Reff Profiles panels purchased under pattern numbers prefixed “R2”. Kit includes vertical hookstrip cover and tile dividers				
Aluminum reveal kit for 49″h tiled with 4″ or 6″h base raceway	18″	49″	**R2APT4918 ( )**		197.
	20″	49″	**R2APT4920 ( )**		197.
	24″	49″	**R2APT4924 ( )**		204.
	30″	49″	**R2APT4930 ( )**		207.
	36″	49″	**R2APT4936 ( )**		218.
	42″	49″	**R2APT4942 ( )**		227.
	48″	49″	**R2APT4948 ( )**		233.
	Retrofit kit for Reff Profiles panels purchased under pattern numbers prefixed “R2”. Kit includes vertical hookstrip cover and tile dividers				
Aluminum reveal kit for 64″h tiled with 4″ or 6″h base raceway	18″	64″	**R2APT6418 ( )**		279.
	20″	64″	**R2APT6420 ( )**		279.
	24″	64″	**R2APT6424 ( )**		289.
	30″	64″	**R2APT6430 ( )**		295.
	36″	64″	**R2APT6436 ( )**		309.
	42″	64″	**R2APT6442 ( )**		320.
	48″	64″	**R2APT6448 ( )**		334.
	Retrofit kit for Reff Profiles panels purchased under pattern numbers prefixed “R2”. Kit includes vertical hookstrip cover and tile dividers				

Order Code

Example:	**R2APT3418 AA**
R2	Reff Generation 2 (AutoStrada Reff)
A	Aluminum
PT	Panels Tiled
34	Height
18	Width
AA	Anodized Aluminum

Specification Information

To order specify pattern number including height and width as applicable.

1. Specify Finish : Anodized Aluminum or painted excluding silver.

Application Notes

These pattern codes can be used for all post conditions such as “L”, “T” or “S”.

Aluminum Reveal kits

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 79″h tiled with 4″ or 6″h base raceway	18″	79″	**R2APT7918 ( )**		$361.
	20″	79″	**R2APT7920 ( )**		361.
	24″	79″	**R2APT7924 ( )**		372.
	30″	79″	**R2APT7930 ( )**		379.
	36″	79″	**R2APT7936 ( )**		401.
	42″	79″	**R2APT7942 ( )**		413.
	48″	79″	**R2APT7948 ( )**		434.
	Retrofit kit for Reff Profiles panels purchased under pattern numbers prefixed “R2”. Kit includes vertical hookstrip cover and tile dividers				
Alum horizontal reveal with 4″ or 6″ base raceway	18″		**R2AHBW18 ( )**		46.
	20″		**R2AHBW20 ( )**		46.
	24″		**R2AHBW24 ( )**		49.
	30″		**R2AHBW30 ( )**		50.
	36″		**R2AHBW36 ( )**		54.
	42″		**R2AHBW42 ( )**		56.
	48″		**R2AHBW48 ( )**		63.
	horizontal reveal only				
Alum horizontal reveal for between base panel and stacking module (FL/F1/F2)	18″		**R2AHSR18 ( )**		46.
	20″		**R2AHSR20 ( )**		46.
	24″		**R2AHSR24 ( )**		49.
	30″		**R2AHSR30 ( )**		50.
	36″		**R2AHSR36 ( )**		54.
	42″		**R2AHSR42 ( )**		56.
	48″		**R2AHSR48 ( )**		63.
	horizontal reveal only				
Aluminum reveal kit for T post with 4″ or 6″h raceway		34″	**R2ATPK34 ( )**		80.
		42″	**R2ATPK42 ( )**		99.
		49″	**R2ATPK49 ( )**		114.
		64″	**R2ATPK64 ( )**		158.
		79″	**R2ATPK79 ( )**		197.
Aluminum reveal kit for L post with 4″ or 6″h raceway		34″	**R2ALPK34 ( )**		79.
		42″	**R2ALPK42 ( )**		109.
		49″	**R2ALPK49 ( )**		120.
		64″	**R2ALPK64 ( )**		166.
		79″	**R2ALPK79 ( )**		210.

Order Code

Example:	**R2APT3418 AA**
R2	Reff Generation 2 (AutoStrada Reff)
A	Aluminum
PT	Panels Tiled
34	Height
18	Width
AA	Anodized Aluminum

Specification Information

To order specify pattern number including height and width as applicable.

1. Specify Finish : Anodized Aluminum or painted excluding silver.

Application Notes

These pattern codes can be used for all post conditions such as “L”, “T” or “S”.

Aluminum Reveal kits

description	width	height	pattern no.	AA or paint finish	list
Alum vertical reveal for end trim with 4″ or 6″h raceway		34″	**R2AETK34 ( )**		$78.
		42″	**R2AETK42 ( )**		94.
		49″	**R2AETK49 ( )**		111.
		64″	**R2AETK64 ( )**		147.
		79″	**R2AETK79 ( )**		185.

Order Code

Example:	**R2APT3418 AA**
R2	Reff Generation 2 (AutoStrada Reff)
A	Aluminum
PT	Panels Tiled
34	Height
18	Width
AA	Anodized Aluminum

Specification Information

To order specify pattern number including height and width as applicable.

1. Specify Finish : Anodized Aluminum or painted excluding silver.

Application Notes

These pattern codes can be used for all post conditions such as “L”, “T” or “S”.

Beltway one side, window panel 49″ H
tiled panel with glass type "A" at top

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway one side	18″	49″	**R3B1TFFA49 18-( )( )**	$1,390.	$1,490.	$1,562.	$1,626.	$1,722.	$1,778.
	20″	49″	**R3B1TFFA49 20-( )( )**	1,390.	1,490.	1,562.	1,626.	1,722.	1,778.
	24″	49″	**R3B1TFFA49 24-( )( )**	1,437.	1,537.	1,609.	1,673.	1,769.	1,825.
	30″	49″	**R3B1TFFA49 30-( )( )**	1,535.	1,635.	1,707.	1,771.	1,867.	1,923.
	36″	49″	**R3B1TFFA49 36-( )( )**	1,848.	1,948.	2,020.	2,084.	2,180.	2,236.
	42″	49″	**R3B1TFFA49 42-( )( )**	2,016.	2,116.	2,188.	2,252.	2,348.	2,404.
	48″	49″	**R3B1TFFA49 48-( )( )**	2,108.	2,208.	2,280.	2,344.	2,440.	2,496.



Order Code

Example:	**R3B1TFFA4918-A4K**
R3	Reff Generation 3
B1	Beltway 1 side
T	Tiled panel
FF	Fabric on both sides
A	Type A window
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric selection - side 1A
W281	Fabric selection - side 1B
W281	Fabric selection - side 2A
W281	Fabric selection - side 2B
006B	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Panel side 1 finish (specify selection per insert)
5. Panel side 2 finish (specify selection per insert)
6. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. Glass window frame finish
10. Glass type
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Add upcharge for architectural glass: *(as applicable by width)*

Width	Add
18″	$87
20″	$87
24″	$103
30″	$123
36″	$147
42″	$176
48″	$201

Add to all products on this page: upcharge of $36 per panel for P2 paint class options or $64 per panel for P3 paint class options.

Beltway one side, window panel 49″ H
tiled panel with glass type “B” at top

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway one side	30″	49″	**R3B1TFFB49 30-( )( )**	$1,656.	$1,756.	$1,828.	$1,892.	$1,988.	$2,044.
	36″	49″	**R3B1TFFB49 36-( )( )**	1,979.	2,079.	2,151.	2,215.	2,311.	2,367.
	42″	49″	**R3B1TFFB49 42-( )( )**	2,145.	2,245.	2,317.	2,381.	2,477.	2,533.
	48″	49″	**R3B1TFFB49 48-( )( )**	2,248.	2,348.	2,420.	2,484.	2,580.	2,636.



Order Code

Example:	**R3B1TFFB4930-A4K**
R3	Reff Generation 3
B1	Beltway one side
T	Tiled panel
FF	Fabric both sides
B	Type B window
49	49″ high
30	30″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1A
W281	Fabric selection - side 1B
W281	Fabric selection - side 2A
W281	Fabric selection - side 2B
006B	Maple - side 2 tiled
006B	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
GL11	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider (where optional)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional “tiled” style products only)
5. Fabric side, finish (specify selection per insert; bottom up.)
6. Techwood side, finish (specify one V1 finish for side)
7. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
8. Base finish
9. Beltway finish
10. Window frame finish
11. Glass option
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Add upcharge for architectural glass: *(as applicable by width)*

Width	Add
18″	$87
20″	$87
24″	$103
30″	$123
36″	$147
42″	$176
48″	$201

Frame finish:
Add to all products on this page: upcharge of $36 per panel for P2 paint class options or $64 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: *(as applicable by width) Optional non fabric tiled side only, fabric side always black*

Width	Add
18″	$15
20″	$15
24″	$16
30″	$16
36″	$17
42″	$17
48″	$23

Beltway one side, window panel 49″ H
monolithic with glass at top

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway one side 	18″	49″	**R3B1PFFA49 18-( )( )**	$1,258.	$1,323.	$1,415.	$1,476.	$1,559.	$1,644.
	20″	49″	**R3B1PFFA49 20-( )( )**	1,258.	1,323.	1,415.	1,476.	1,559.	1,644.
	24″	49″	**R3B1PFFA49 24-( )( )**	1,302.	1,367.	1,459.	1,520.	1,603.	1,688.
	30″	49″	**R3B1PFFA49 30-( )( )**	1,386.	1,451.	1,543.	1,604.	1,687.	1,772.
	36″	49″	**R3B1PFFA49 36-( )( )**	1,650.	1,715.	1,807.	1,868.	1,951.	2,036.
	42″	49″	**R3B1PFFA49 42-( )( )**	1,793.	1,858.	1,950.	2,011.	2,094.	2,179.
	48″	49″	**R3B1PFFA49 48-( )( )**	1,878.	1,943.	2,035.	2,096.	2,179.	2,264.
Monolithic, fabric both sides, Type B window on top, Beltway one side 	30″	49″	**R3B1PFFB49 30-( )( )**	1,507.	1,572.	1,664.	1,725.	1,808.	1,893.
	36″	49″	**R3B1PFFB49 36-( )( )**	1,781.	1,846.	1,938.	1,999.	2,082.	2,167.
	42″	49″	**R3B1PFFB49 42-( )( )**	1,922.	1,987.	2,079.	2,140.	2,223.	2,308.
	48″	49″	**R3B1PFFB49 48-( )( )**	2,018.	2,083.	2,175.	2,236.	2,319.	2,404.

Order Code

Example:	**R3B1PFFA4918-A4K**
R3	Reff Generation 3
B1	Beltway 1 side
P	Monolithic panel
FF	Fabric on both sides
A	Type A window
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
006B	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish (specify selection per insert)
5. Panel side 2 finish (specify selection per insert)
6. Top trim finish
   i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. Glass window frame finish
10. Glass type
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Add upcharge for architectural glass: *(as applicable by width)*

Width	Add
18″	$87
20″	$87
24″	$103
30″	$123
36″	$147
42″	$176
48″	$201

Add to all products on this page: upcharge of $36 per panel for P2 paint class options or $64 per panel for P3 paint class options.

Beltway one side, window panel 49″ H
tiled with glass type “A” at top, fabric one side, laminate other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18″	49″	**R3B1TFLA49 18-( )( )**	$1,525.	$1,577.	$1,614.	$1,645.	$1,691.	$1,733.
	20″	49″	**R3B1TFLA49 20-( )( )**	1,525.	1,577.	1,614.	1,645.	1,691.	1,733.
	24″	49″	**R3B1TFLA49 24-( )( )**	1,573.	1,625.	1,662.	1,693.	1,739.	1,781.
	30″	49″	**R3B1TFLA49 30-( )( )**	1,673.	1,725.	1,762.	1,793.	1,839.	1,881.
	36″	49″	**R3B1TFLA49 36-( )( )**	1,989.	2,041.	2,078.	2,109.	2,155.	2,197.
	42″	49″	**R3B1TFLA49 42-( )( )**	2,154.	2,206.	2,243.	2,274.	2,320.	2,362.
	48″	49″	**R3B1TFLA49 48-( )( )**	2,251.	2,303.	2,340.	2,371.	2,417.	2,459.

Order Code

Example:	**R3B1TFLA4918-A4K**
R3	Reff Generation 3
B1	Beltway one side
T	Tiled panel
FL	Fabric BW side, laminate other
A	Type A window
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1A
W281	Fabric selection - side 1B
114	Folkstone grey - side 2A
114	Folkstone grey - side 2B
006B	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider (where optional)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional “tiled” style products only)
5. Fabric side, finish (specify selection per insert; bottom up.)
6. Laminate side finish (specify selection per insert; bottom up.)
7. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
8. Base finish
9. Beltway finish
10. Window frame finish
11. Glass option
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

These Panels will accept all core Laminates.

Add upcharge for architectural glass: *(as applicable by width)*

Width	Add
18″	$87
20″	$87
24″	$103
30″	$123
36″	$147
42″	$176
48″	$201

Frame finish:
Add to all products on this page: upcharge of $36 per panel for P2 paint class options or $64 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: *(as applicable by width)*
Optional non fabric tiled side only, fabric side always black

Width	Add
18″	$15
20″	$15
24″	$16
30″	$16
36″	$17
42″	$17
48″	$22

Beltway one side, window panel 49″ H
tiled with glass type “B” at top, fabric one side, laminate other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30″	49″	**R3B1TFLB49 30-( )( )**	$1,797.	$1,849.	$1,886.	$1,917.	$1,963.	$2,005.
	36″	49″	**R3B1TFLB49 36-( )( )**	2,117.	2,169.	2,206.	2,237.	2,283.	2,325.
	42″	49″	**R3B1TFLB49 42-( )( )**	2,283.	2,335.	2,372.	2,403.	2,449.	2,491.
	48″	49″	**R3B1TFLB49 48-( )( )**	2,391.	2,443.	2,480.	2,511.	2,557.	2,599.



Order Code

Example:	**R3B1TFLB4918-A4K**
R3	Reff Generation 3
B1	Beltway one side
T	Tiled panel
FL	Fabric BW side, laminate other
B	Type B window
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1A
W281	Fabric selection - side 1B
114	Folkstone grey - side 2A
114	Folkstone grey - side 2B
006B	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider (where optional)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional “tiled” style products only)
5. Fabric side, finish (specify selection per insert; bottom up.)
6. Laminate side finish (specify selection per insert; bottom up.)
7. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
8. Base finish
9. Beltway finish
10. Window frame finish
11. Glass option
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

These Panels will accept all core Laminates.

Add upcharge for architectural glass: *(as applicable by width)*

Width	Add
18″	$87
20″	$87
24″	$103
30″	$123
36″	$147
42″	$176
48″	$201

Frame finish:
Add to all products on this page: upcharge of $36 per panel for P2 paint class options or $64 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: *(as applicable by width)*
Optional non fabric tiled side only, fabric side always black

Width	Add
18″	$15
20″	$15
24″	$16
30″	$16
36″	$17
42″	$17
48″	$22

Beltway one side, window panel 49″ H
monolithic with glass at top, fabric one side, laminate other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18″	49″	**R3B1PFLA49 18-( )( )**	$1,261.	$1,296.	$1,341.	$1,370.	$1,414.	$1,442.
	20″	49″	**R3B1PFLA49 20-( )( )**	1,261.	1,296.	1,341.	1,370.	1,414.	1,442.
	24″	49″	**R3B1PFLA49 24-( )( )**	1,326.	1,361.	1,406.	1,435.	1,479.	1,507.
	30″	49″	**R3B1PFLA49 30-( )( )**	1,443.	1,478.	1,523.	1,552.	1,596.	1,624.
	36″	49″	**R3B1PFLA49 36-( )( )**	1,743.	1,778.	1,823.	1,852.	1,896.	1,924.
	42″	49″	**R3B1PFLA49 42-( )( )**	1,918.	1,953.	1,998.	2,027.	2,071.	2,099.
	48″	49″	**R3B1PFLA49 48-( )( )**	2,038.	2,073.	2,118.	2,147.	2,191.	2,219.
Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30″	49″	**R3B1PFLB49 30-( )( )**	1,567.	1,602.	1,647.	1,676.	1,720.	1,748.
	36″	49″	**R3B1PFLB49 36-( )( )**	1,871.	1,906.	1,951.	1,980.	2,024.	2,052.
	42″	49″	**R3B1PFLB49 42-( )( )**	2,047.	2,082.	2,127.	2,156.	2,200.	2,228.
	48″	49″	**R3B1PFLB49 48-( )( )**	2,178.	2,213.	2,258.	2,287.	2,331.	2,359.





Order Code

Example:	**R3B1PFLA4918-A4K**
R3	Reff Generation 3
B1	Beltway one side
P	Monolithic panel
FL	Fabric BW side, laminate other
A	Type A window
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1
114	Folkstone grey - side 2
006B	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider (where optional)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional “tiled” style products only)
5. Fabric side, finish (specify selection per insert; bottom up.)
6. Laminate side finish (specify selection per insert; bottom up.)
7. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
8. Base finish
9. Beltway finish
10. Window frame finish
11. Glass option
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

These Panels will accept all core Laminates.

Add upcharge for architectural glass: *(as applicable by width)*

Width	Add
18″	$87
20″	$87
24″	$103
30″	$123
36″	$147
42″	$176
48″	$201

Frame finish:
Add to all products on this page: upcharge of $35 per panel for P2 paint class options or $63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: *(as applicable by width)*
Optional non fabric tiled side only, fabric side always black

Width	Add
18″	$15
20″	$15
24″	$16
30″	$16
36″	$17
42″	$17
48″	$22

Beltway one side, window panel 49″ H
tiled with type "A" glass at top, fabric one side, techwood other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18″	49″	**R3B1TF1A49 18-( )( )**	$1,596.	$1,652.	$1,688.	$1,719.	$1,770.	$1,811.
	20″	49″	**R3B1TF1A49 20-( )( )**	1,596.	1,652.	1,688.	1,719.	1,770.	1,811.
	24″	49″	**R3B1TF1A49 24-( )( )**	1,650.	1,706.	1,742.	1,773.	1,824.	1,865.
	30″	49″	**R3B1TF1A49 30-( )( )**	1,753.	1,809.	1,845.	1,876.	1,927.	1,968.
	36″	49″	**R3B1TF1A49 36-( )( )**	2,085.	2,141.	2,177.	2,208.	2,259.	2,300.
	42″	49″	**R3B1TF1A49 42-( )( )**	2,259.	2,315.	2,351.	2,382.	2,433.	2,474.
	48″	49″	**R3B1TF1A49 48-( )( )**	2,359.	2,415.	2,451.	2,482.	2,533.	2,574.

Order Code

Example:	**R3B1TF1A4918-A4K**
R3	Reff Generation 3
B1	Beltway one side
T	Tiled panel
F1	Fabric one side, V1 other
A	Type A window
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1A
W281	Fabric selection - side 1B
506B	Maple - side 2 tiled
506B	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider (where optional)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)
5. Fabric side, finish (specify selection per insert; bottom up.)
6. Techwood side, finish (specify one V1 finish for side)
7. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
8. Base finish
9. Beltway finish
10. Window frame finish
11. Glass option
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Add upcharge for architectural glass: *(as applicable by width)*

Width	Add
18″	$87
20″	$87
24″	$103
30″	$123
36″	$147
42″	$176
48″	$201

Frame finish:
Add to all products on this page: upcharge of $36 per panel for P2 paint class options or $64 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: *(as applicable by width)*
Optional non fabric tiled side only, fabric side always black

Width	Add
18″	$15
20″	$15
24″	$16
30″	$16
36″	$17
42″	$17
48″	$22

Beltway one side, window panel 49″ H
tiled with type “B” glass at top, fabric one side, techwood other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30″	49″	**R3B1TF1B49 30-( )( )**	$1,880.	$1,936.	$1,972.	$2,003.	$2,054.	$2,095.
	36″	49″	**R3B1TF1B49 36-( )( )**	2,220.	2,276.	2,312.	2,343.	2,394.	2,435.
	42″	49″	**R3B1TF1B49 42-( )( )**	2,392.	2,448.	2,484.	2,515.	2,566.	2,607.
	48″	49″	**R3B1TF1B49 48-( )( )**	2,503.	2,559.	2,595.	2,626.	2,677.	2,718.



Order Code

Example:	**R3B1TF1B4930-A4K**
R3	Reff Generation 3
B1	Beltway one side
T	Tiled panel
F1	Fabric one side, V1 other
B	Type B window
49	49″ high
30	30″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1A
W281	Fabric selection - side 1B
506B	Maple - side 2 tiled
506B	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider (where optional)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional “tiled” style products only)
5. Fabric side, finish (specify selection per insert; bottom up.)
6. Techwood side, finish (specify one V1 finish for side)
7. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
8. Base finish
9. Beltway finish
10. Window frame finish
11. Glass option
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Add upcharge for architectural glass: *(as applicable by width)*

Width	Add
18″	$87
20″	$87
24″	$103
30″	$123
36″	$147
42″	$176
48″	$201

Frame finish:
Add to all products on this page: upcharge of $35 per panel for P2 paint class options or $63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: *(as applicable by width)*
Optional non fabric tiled side only, fabric side always black

Width	Add
18″	$15
20″	$15
24″	$16
30″	$16
36″	$17
42″	$17
48″	$22

Beltway one side, window panel 49″ H
monolithic with glass at top, fabric one side, techwood other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18″	49″	**R3B1PF1A49 18-( )( )**	$1,298.	$1,332.	$1,378.	$1,409.	$1,452.	$1,480.
	20″	49″	**R3B1PF1A49 20-( )( )**	1,298.	1,332.	1,378.	1,409.	1,452.	1,480.
	24″	49″	**R3B1PF1A49 24-( )( )**	1,360.	1,394.	1,440.	1,471.	1,514.	1,542.
	30″	49″	**R3B1PF1A49 30-( )( )**	1,484.	1,518.	1,564.	1,595.	1,638.	1,666.
	36″	49″	**R3B1PF1A49 36-( )( )**	1,789.	1,823.	1,869.	1,900.	1,943.	1,971.
	42″	49″	**R3B1PF1A49 42-( )( )**	1,974.	2,008.	2,054.	2,085.	2,128.	2,156.
	48″	49″	**R3B1PF1A49 48-( )( )**	2,093.	2,127.	2,173.	2,204.	2,247.	2,275.
Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30″	49″	**R3B1PF1B49 30-( )( )**	1,609.	1,643.	1,689.	1,720.	1,763.	1,791.
	36″	49″	**R3B1PF1B49 36-( )( )**	1,921.	1,955.	2,001.	2,032.	2,075.	2,103.
	42″	49″	**R3B1PF1B49 42-( )( )**	2,104.	2,138.	2,184.	2,215.	2,258.	2,286.
	48″	49″	**R3B1PF1B49 48-( )( )**	2,235.	2,269.	2,315.	2,346.	2,389.	2,417.

Order Code

Example:	**R3B1PF1A4918-A4K**
R3	Reff Generation 3
B1	Beltway one side
P	Monolithic panel
F1	Fabric one side, V1 other
A	Type A window
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1
506B	Maple - side 2 tiled
506B	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider (where optional)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional “tiled” style products only)
5. Fabric side, finish (specify selection per insert; bottom up.)
6. Techwood side, finish (specify one V1 finish for side)
7. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
8. Base finish
9. Beltway finish
10. Window frame finish
11. Glass option
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Add upcharge for architectural glass: *(as applicable by width)*

Width	Add
18″	$87
20″	$87
24″	$103
30″	$123
36″	$147
42″	$176
48″	$201

Frame finish:
Add to all products on this page: upcharge of $36 per panel for P2 paint class options or $64 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: *(as applicable by width)*
Optional non fabric tiled side only, fabric side always black

Width	Add
18″	$15
20″	$15
24″	$16
30″	$16
36″	$17
42″	$17
48″	$22

Beltway one side, window panel 49″ H
tiled with type “A” glass at top, fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18″	49″	**R3B1TF2A49 18-( )( )**	$1,741.	$1,795.	$1,830.	$1,861.	$1,909.	$1,951.
	20″	49″	**R3B1TF2A49 20-( )( )**	1,741.	1,795.	1,830.	1,861.	1,909.	1,951.
	24″	49″	**R3B1TF2A49 24-( )( )**	1,795.	1,849.	1,884.	1,915.	1,963.	2,005.
	30″	49″	**R3B1TF2A49 30-( )( )**	1,905.	1,959.	1,994.	2,025.	2,073.	2,115.
	36″	49″	**R3B1TF2A49 36-( )( )**	2,262.	2,316.	2,351.	2,382.	2,430.	2,472.
	42″	49″	**R3B1TF2A49 42-( )( )**	2,451.	2,505.	2,540.	2,571.	2,619.	2,661.
	48″	49″	**R3B1TF2A49 48-( )( )**	2,559.	2,613.	2,648.	2,679.	2,727.	2,769.

Order Code

Example:	**R3B1TF2A4918-A4K**
R3	Reff Generation 3
B1	Beltway one side
T	Tiled panel
F2	Fabric one side, V2 other
A	Type A window
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1A
W281	Fabric selection - side 1B
006B	Maple surface - side 2 tiled
006B	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider (where optional)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional “tiled” style products only)
5. Fabric side, finish (specify selection per insert; bottom up.)
6. Conventional veneer side, finish (specify one V2 finish for side)
7. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
8. Base finish
9. Beltway finish
10. Window frame finish
11. Glass option
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Add upcharge for architectural glass: *(as applicable by widths)*

Width	Add
18″	$87
20″	$87
24″	$103
30″	$123
36″	$147
42″	$176
48″	$201

Frame finish:
Add to all products on this page: upcharge of $36 per panel for P2 paint class options or $64 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: *(as applicable by width)*
Optional non fabric tiled side only, fabric side always black

Width	Add
18″	$15
20″	$15
24″	$16
30″	$16
36″	$17
42″	$17
48″	$22

Beltway one side, window panel 49″ H
tiled with type “B” glass at top, fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30″	49″	**R3B1TF2B49 30-( )( )**	$2,030.	$2,084.	$2,119.	$2,150.	$2,198.	$2,240.
	36″	49″	**R3B1TF2B49 36-( )( )**	2,394.	2,448.	2,483.	2,514.	2,562.	2,604.
	42″	49″	**R3B1TF2B49 42-( )( )**	2,581.	2,635.	2,670.	2,701.	2,749.	2,791.
	48″	49″	**R3B1TF2B49 48-( )( )**	2,701.	2,755.	2,790.	2,821.	2,869.	2,911.



Order Code

Example:	**R3B1TF2B4930-A4K**
R3	Reff Generation 3
B1	Beltway one side
T	Tiled panel
F2	Fabric one side, V2 other
B	Type B window
49	49″ high
30	30″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1A
W281	Fabric selection - side 1B
006B	Maple surface - side 2 tiled
006B	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider (where optional)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional “tiled” style products only)
5. Fabric side, finish (specify selection per insert; bottom up.)
6. Conventional veneer side, finish (specify one V2 finish for side)
7. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
8. Base finish
9. Beltway finish
10. Window frame finish
11. Glass option
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Add upcharge for architectural glass: *(as applicable by widths)*

Width	Add
18″	$87
20″	$87
24″	$103
30″	$123
36″	$147
42″	$176
48″	$201

Frame finish:
Add to all products on this page: upcharge of $36 per panel for P2 paint class options or $64 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: *(as applicable by width)*
Optional non fabric tiled side only, fabric side always black

Width	Add
18″	$15
20″	$15
24″	$16
30″	$16
36″	$17
42″	$17
48″	$22

Beltway one side, window panel 49″ H
monolithic with glass at top, fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18″	49″	**R3B1PF2A49 18-( )( )**	$1,320.	$1,354.	$1,400.	$1,431.	$1,474.	$1,502.
	20″	49″	**R3B1PF2A49 20-( )( )**	1,320.	1,354.	1,400.	1,431.	1,474.	1,502.
	24″	49″	**R3B1PF2A49 24-( )( )**	1,384.	1,418.	1,464.	1,495.	1,538.	1,566.
	30″	49″	**R3B1PF2A49 30-( )( )**	1,512.	1,546.	1,592.	1,623.	1,666.	1,694.
	36″	49″	**R3B1PF2A49 36-( )( )**	1,823.	1,857.	1,903.	1,934.	1,977.	2,005.
	42″	49″	**R3B1PF2A49 42-( )( )**	2,004.	2,038.	2,084.	2,115.	2,158.	2,186.
	48″	49″	**R3B1PF2A49 48-( )( )**	2,125.	2,159.	2,205.	2,236.	2,279.	2,307.
Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30″	49″	**R3B1PF2B49 30-( )( )**	1,637.	1,671.	1,717.	1,748.	1,791.	1,819.
	36″	49″	**R3B1PF2B49 36-( )( )**	1,955.	1,989.	2,035.	2,066.	2,109.	2,137.
	42″	49″	**R3B1PF2B49 42-( )( )**	2,134.	2,168.	2,214.	2,245.	2,288.	2,316.
	48″	49″	**R3B1PF2B49 48-( )( )**	2,267.	2,301.	2,347.	2,378.	2,421.	2,449.

Order Code

Example:	**R3B1PF2A4918-A4K**
R3	Reff Generation 3
B1	Beltway one side
P	Monolithic panel
F2	Fabric one side, V2 other
A	Type A window
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1
V316	Maple surface - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider (where optional)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional “tiled” style products only)
5. Fabric side, finish (specify selection per insert; bottom up.)
6. Conventional veneer side, finish (specify one V2 finish for side)
7. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
8. Base finish
9. Beltway finish
10. Window frame finish
11. Glass option
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Add upcharge for architectural glass: *(as applicable by widths)*

Width	Add
18″	$87
20″	$87
24″	$103
30″	$123
36″	$147
42″	$176
48″	$201

Frame finish:
Add to all products on this page: upcharge of $36 per panel for P2 paint class options or $64 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: *(as applicable by width) Optional non fabric tiled side only, fabric side always black*

Width	*Add*
18″	*$15*
20″	*$15*
24″	*$16*
30″	*$16*
36″	*$17*
42″	*$17*
48″	*$22*

Beltway one side, window panel 49″ H
tiled with glass at top, fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric one side, Beltway fabric side Type A window on top, Regular acoustics	18″	49″	**R3B1TF3A49 18-( )( )**	$2,106.	$2,160.	$2,195.	$2,226.	$2,274.	$2,316.
	20″	49″	**R3B1TF3A49 20-( )( )**	2,106.	2,160.	2,195.	2,226.	2,274.	2,316.
	24″	49″	**R3B1TF3A49 24-( )( )**	2,169.	2,223.	2,258.	2,289.	2,337.	2,379.
	30″	49″	**R3B1TF3A49 30-( )( )**	2,298.	2,352.	2,387.	2,418.	2,466.	2,508.
	36″	49″	**R3B1TF3A49 36-( )( )**	2,731.	2,785.	2,820.	2,851.	2,899.	2,941.
	42″	49″	**R3B1TF3A49 42-( )( )**	2,955.	3,009.	3,044.	3,075.	3,123.	3,165.
	48″	49″	**R3B1TF3A49 48-( )( )**	3,083.	3,137.	3,172.	3,203.	3,251.	3,293.
Tiled, fabric one side, Beltway fabric side Type B window on top, Regular acoustics 	30″	49″	**R3B1TF3B49 30-( )( )**	2,423.	2,477.	2,512.	2,543.	2,591.	2,633.
	36″	49″	**R3B1TF3B49 36-( )( )**	2,863.	2,917.	2,952.	2,983.	3,031.	3,073.
	42″	49″	**R3B1TF3B49 42-( )( )**	3,085.	3,139.	3,174.	3,205.	3,253.	3,295.
	48″	49″	**R3B1TF3B49 48-( )( )**	3,225.	3,279.	3,314.	3,345.	3,393.	3,435.

Order Code

Example:	**R3B1TF3A4918-A4K**
R3	Reff Generation 3
B1	Beltway one side
T	Tiled panel
F3	Fabric one side, V3 other
A	Type A window
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1A
W281	Fabric selection - side 1B
039E	Pippy Oak surface - side 2 tiled
039E	Pippy Oak (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider (where optional)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional “tiled” style products only)
5. Fabric side, finish (specify selection per insert; bottom up.)
6. Exotic veneer side, finish (specify one V3 finish for side)
7. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
8. Base finish
9. Beltway finish
10. Window frame finish
11. Glass option
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Add upcharge for architectural glass: *(as applicable by widths)*

Width	Add
18″	$87
20″	$87
24″	$103
30″	$123
36″	$147
42″	$176
48″	$201

Frame finish:
Add to all products on this page: upcharge of $36 per panel for P2 paint class options or $64 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: *(as applicable by width) Optional non fabric tiled side only, fabric side always black*

Width	*Add*
18″	*$15*
20″	*$15*
24″	*$16*
30″	*$16*
36″	*$17*
42″	*$17*
48″	*$22*

Beltway one side, window panel 49″ H

monolithic with glass at top, fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric one side, Beltway fabric side Type A window on top, Regular acoustics	18″	49″	**R3B1PF3A49 18-( )( )**	$1,732.	$1,766.	$1,812.	$1,843.	$1,886.	$1,914.
	20″	49″	**R3B1PF3A49 20-( )( )**	1,732.	1,766.	1,812.	1,843.	1,886.	1,914.
	24″	49″	**R3B1PF3A49 24-( )( )**	1,815.	1,849.	1,895.	1,926.	1,969.	1,997.
	30″	49″	**R3B1PF3A49 30-( )( )**	1,976.	2,010.	2,056.	2,087.	2,130.	2,158.
	36″	49″	**R3B1PF3A49 36-( )( )**	2,387.	2,421.	2,467.	2,498.	2,541.	2,569.
	42″	49″	**R3B1PF3A49 42-( )( )**	2,620.	2,654.	2,700.	2,731.	2,774.	2,802.
	48″	49″	**R3B1PF3A49 48-( )( )**	2,774.	2,808.	2,854.	2,885.	2,928.	2,956.



Monolithic, fabric one side, Beltway fabric side Type B window on top, Regular acoustics	30″	49″	**R3B1PF3B49 30-( )( )**	2,101.	2,135.	2,181.	2,212.	2,255.	2,283.
	36″	49″	**R3B1PF3B49 36-( )( )**	2,519.	2,553.	2,599.	2,630.	2,673.	2,701.
	42″	49″	**R3B1PF3B49 42-( )( )**	2,750.	2,784.	2,830.	2,861.	2,904.	2,932.
	48″	49″	**R3B1PF3B49 48-( )( )**	2,916.	2,950.	2,996.	3,027.	3,070.	3,098.



Order Code

Example:	**R3B1PF3A4918-A4K**
R3	Reff Generation 3
B1	Beltway one side
P	Monolithic panel
F3	Fabric one side, V3 other
A	Type A window
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1
039E	Pippy Oak surface - side 2
039E	Pippy Oak (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider (where optional)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional “tiled” style products only)
5. Fabric side, finish (specify selection per insert; bottom up.)
6. Exotic veneer side, finish (specify one V3 finish for side)
7. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
8. Base finish
9. Beltway finish
10. Window frame finish
11. Glass option
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Add upcharge for architectural glass: *(as applicable by widths)*

Width	Add
18″	$87
20″	$87
24″	$103
30″	$123
36″	$147
42″	$176
48″	$201

Frame finish:
Add to all products on this page: upcharge of $36 per panel for P2 paint class options or $64 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: *(as applicable by width) Optional non fabric tiled side only, fabric side always black*

Width	*Add*
18″	*$15*
20″	*$15*
24″	*$16*
30″	*$16*
36″	*$17*
42″	*$17*
48″	*$22*

Beltway two sides, window panel 49″ H
tiled with glass at top

description	w	h	pattern no.	grade 10	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway two sides	18″	49″	**R3B2TFFA49 18-( )( )**	$1,409.	$1,505.	$1,581.	$1,645.	$1,741.	$1,797.
	20″	49″	**R3B2TFFA49 20-( )( )**	1,409.	1,505.	1,581.	1,645.	1,741.	1,797.
	24″	49″	**R3B2TFFA49 24-( )( )**	1,460.	1,556.	1,632.	1,696.	1,792.	1,848.
	30″	49″	**R3B2TFFA49 30-( )( )**	1,562.	1,658.	1,734.	1,798.	1,894.	1,950.
	36″	49″	**R3B2TFFA49 36-( )( )**	1,879.	1,975.	2,051.	2,115.	2,211.	2,267.
	42″	49″	**R3B2TFFA49 42-( )( )**	2,047.	2,143.	2,219.	2,283.	2,379.	2,435.
	48″	49″	**R3B2TFFA49 48-( )( )**	2,146.	2,242.	2,318.	2,382.	2,478.	2,534.
Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway two sides	30″	49″	**R3B2TFFB49 30-( )( )**	1,683.	1,779.	1,855.	1,919.	2,015.	2,071.
	36″	49″	**R3B2TFFB49 36-( )( )**	2,010.	2,106.	2,182.	2,246.	2,342.	2,398.
	42″	49″	**R3B2TFFB49 42-( )( )**	2,176.	2,272.	2,348.	2,412.	2,508.	2,564.
	48″	49″	**R3B2TFFB49 48-( )( )**	2,286.	2,382.	2,458.	2,522.	2,618.	2,674.





Order Code

Example:	**R3B2TFFA4918-A4K**
R3	Reff Generation 3
B2	Beltway two sides
T	Tiled panel
FF	Fabric on both sides
A	Type A window
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric selection - side 1A
W281	Fabric selection - side 1B
W281	Fabric selection - side 2A
W281	Fabric selection - side 2B
006B	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Panel side 1 finish (specify selection per insert)
5. Panel side 2 finish (specify selection per insert)
6. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. Window frame finish
10. Glass option
    Temp = clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Add upcharge for architectural glass: *(as applicable by width)*

Width	Add
18″	$87
20″	$87
24″	$103
30″	$123
36″	$147
42″	$176
48″	$201

Frame finish:
Add to all products on this page: upcharge of $36 per panel for P2 paint calss options or $64 per panel for P3 paint class options.

Beltway two sides, window panel 49″ H
monolithic with glass at top

description	w	h	pattern no.	grade 10	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway two sides 	18″	49″	**R3B2PFFA49 18-( )( )**	$1,276.	$1,344.	$1,434.	$1,498.	$1,580.	$1,634.
	20″	49″	**R3B2PFFA49 20-( )( )**	1,276.	1,344.	1,434.	1,498.	1,580.	1,634.
	24″	49″	**R3B2PFFA49 24-( )( )**	1,321.	1,389.	1,479.	1,543.	1,625.	1,679.
	30″	49″	**R3B2PFFA49 30-( )( )**	1,410.	1,478.	1,568.	1,632.	1,714.	1,768.
	36″	49″	**R3B2PFFA49 36-( )( )**	1,676.	1,744.	1,834.	1,898.	1,980.	2,034.
	42″	49″	**R3B2PFFA49 42-( )( )**	1,823.	1,891.	1,981.	2,045.	2,127.	2,181.
	48″	49″	**R3B2PFFA49 48-( )( )**	1,910.	1,978.	2,068.	2,132.	2,214.	2,268.
Monolithic, fabric both sides, Type B window on top, Beltway two sides 	30″	49″	**R3B2PFFB49 30-( )( )**	1,531.	1,599.	1,689.	1,753.	1,835.	1,889.
	36″	49″	**R3B2PFFB49 36-( )( )**	1,807.	1,875.	1,965.	2,029.	2,111.	2,165.
	42″	49″	**R3B2PFFB49 42-( )( )**	1,952.	2,020.	2,110.	2,174.	2,256.	2,310.
	48″	49″	**R3B2PFFB49 48-( )( )**	2,050.	2,118.	2,208.	2,272.	2,354.	2,408.

Order Code

Example:	**R3B2PFFA4918-A4K**
R3	Reff Generation 3
B2	Beltway two sides
P	Monolithic panel
FF	Fabric on both sides
A	Type A window
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
006B	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish (specify selection per insert)
5. Panel side 2 finish (specify selection per insert)
6. Top trim finish
   i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. Window frame finish
10. Glass option
    Temp = clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 119 at no charge.

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Add upcharge for architectural glass: *(as applicable by width)*

Width	Add
18″	$87
20″	$87
24″	$103
30″	$123
36″	$147
42″	$176
48″	$201

Frame finish:
Add to all products on this page: upcharge of $36 per panel for P2 paint calss options or $64 per panel for P3 paint class options.

Stacking modules
fabric

description	w	h	pattern no.	grade 10	20	30	35	40	45
Stacking modules *,** Fabric both sides 	18″	8″	**R3SFF08 18**	$227.	$257.	$293.	$305.	$327.	$345.
	20″	8″	**R3SFF08 20**	227.	257.	293.	305.	327.	345.
	24″	8″	**R3SFF08 24**	237.	267.	303.	315.	337.	355.
	30″	8″	**R3SFF08 30**	265.	295.	331.	343.	365.	383.
	36″	8″	**R3SFF08 36**	289.	319.	355.	367.	389.	407.
	42″	8″	**R3SFF08 42**	314.	344.	380.	392.	414.	432.
	48″	8″	**R3SFF08 48**	339.	369.	405.	417.	439.	457.
Stacking modules* Fabric both sides 	18″	15″	**R3SFF15 18**	307.	359.	393.	425.	473.	499.
	20″	15″	**R3SFF15 20**	307.	359.	393.	425.	473.	499.
	24″	15″	**R3SFF15 24**	324.	376.	410.	442.	490.	516.
	30″	15″	**R3SFF15 30**	357.	409.	443.	475.	523.	549.
	36″	15″	**R3SFF15 36**	395.	447.	481.	513.	561.	587.
	42″	15″	**R3SFF15 42**	425.	477.	511.	543.	591.	617.
	48″	15″	**R3SFF15 48**	459.	511.	545.	577.	625.	651.

Order Code

Example:	**R3SFF0818**
R3	Reff Generation 3
S	Stacking module
FF	Fabric/fabric
08	8″ high
18	18″ wide
W281	Fabric selection - side 1
W281	Fabric selection - side 2

Specification Information

To order please specify:

1. Pattern number *including height and width*
2. Panel side 1 finish *fabric only*
3. Panel side 2 finish *fabric only*

Application Notes

* Not for use on 79″H panels.

* * Suitable only for top of any panel. Cannot be stacked upon.

8″h module will not accept additional modules on top.

Use of 8″ module on panel heights other than 34″h will require custom end trims and Hi-Lo parts.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Stacking modules
window

description	w	h	pattern no.	clear glass	arch glass	add for P2 finish	add for P3 finish	AA frame upcharge
Stacking window module* Single glass, type "A" 	18″	15″	**RSWA15 18**	$502.	$604.	$16.	$32.	$51.
	20″	15″	**RSWA15 20**	502.	604.	16.	32.	51.
	24″	15″	**RSWA15 24**	530.	644.	16.	32.	54.
	30″	15″	**RSWA15 30**	613.	718.	16.	32.	60.
	36″	15″	**RSWA15 36**	637.	809.	16.	32.	62.
	42″	15″	**RSWA15 42**	669.	867.	16.	32.	65.
	48″	15″	**RSWA15 48**	694.	924.	16.	32.	68.
Stacking window module* Center mullion, type "B" 	30″	15″	**RSWB15 30**	735.	878.	16.	32.	72.
	36″	15″	**RSWB15 36**	769.	937.	16.	32.	75.
	42″	15″	**RSWB15 42**	801.	998.	16.	32.	78.
	48″	15″	**RSWB15 48**	831.	1,059.	16.	32.	81.
Stacking window module* 18" - 24"  30" - 48"	18″	30″	**RSWC30 18**	606.	702.	26.	40.	60.
	20″	30″	**RSWC30 20**	606.	702.	26.	40.	60.
	24″	30″	**RSWC30 24**	646.	765.	26.	40.	65.
	30″	30″	**RSWC30 30**	842.	984.	26.	40.	83.
	36″	30″	**RSWC30 36**	958.	1,132.	26.	40.	91.
	42″	30″	**RSWC30 42**	1,028.	1,228.	26.	40.	99.
	48″	30″	**RSWC30 48**	1,088.	1,320.	26.	40.	104.

Order Code

Example:	**RSWA1518 ( )( )**
R	Reff Profiles
SW	Stacking window module
A	Type A
15	15″ high
18	18″ wide
111	Jet Black, window frame finish
TEMP	Clear tempered glass option

Specification Information

To order please specify:

1. Pattern number
2. Frame finish
   (Painted or Anodized aluminum finishes)
   If P2 or P3 paint finish upcharge applicable
   If AA finish (anodized) upcharge applicable as noted in AA price column
3. Glass type
   Temp = Clear tempered glass
   Architectural options:
   GL13 = Powder glass
   GL6 = Block matrix glass
   GL8 = Wafer glass

Application Notes

* Not for use on 79″H panels.

Panel glass is mounted flush to one side of window module.

All window modules incorporate tempered glass (3/16″ thick).

30″H window panels that are 30″ or wider incorporate a center mullion.

For window panels specify the finish for frames from paint selection.

Stacking modules
Double Window

description	h	w	pattern no.	G1 clear glass	G2 architectural glass	P	V1	V2	V3	AA
Stacking window module* Single glass, type "A" 	15″	60″	**RSWAD1560 ( )( )**	$785.	$900.					
		72″	**RSWAD1572 ( )( )**	875.	1,049.					
		84″	**RSWAD1584 ( )( )**	886.	1,094.					
		96″	**RSWAD1596 ( )( )**	902.	1,142.					
	22″	60″	**RSWAD2260 ( )( )**	981.	1,199.					
		72″	**RSWAD2272 ( )( )**	1,103.	1,365.					
		84″	**RSWAD2284 ( )( )**	1,124.	1,430.					
		96″	**RSWAD2296 ( )( )**	1,147.	1,498.					
Top trim for double wide stacking window modules		60″	**R3CRTT60 ( )( )**			83.	174.	193.	249.	142.
		72″	**R3CRTT72 ( )**			88.	186.	204.	262.	193.
		84″	**R3CRTT84 ( )**			108.	210.	229.	290.	211.
		96″	**R3CRTT96 ( )**			113.	220.	240.	305.	216.

Order Code

Example:	**RSWAD1560**
R	Reff Profiles
SW	Stacking window
A	Type A
D	Double wide
15	15″ high
60	60″ wide
111	Jet Black, windowframe finish
TEMP	Clear tempered glass option

Specification Information

To order please specify:

1. Pattern number
2. Frame finish
   (Painted or Anodized aluminum finishes)
   If P2 or P3 paint finish upcharge add $26
   If AA finish (anodized) upcharge applicable as noted in AA price add $46
3. Glass type
   Temp = Clear tempered glass
   Architectural options:
   GL13 = Powder glass
   GL6 = Block matrix glass
   GL8 = Wafer glass

To be used on a 42″ panel next to a full height post or panel.

Application Notes

Panel glass is mounted flush to one side of the window module.
All window modules incorporate tempered glass 4mm thick.
Stabilizing kit is included with the window and is required with all double wide window installation.

Full length top trim is optional and can be ordered separately.
Not for use on 79″h panels.
Applicable finishes are listed on page 7

Stacking modules

fabric one side/laminate, techwood, conventional or exotic veneer other side and laminate both sides

description	w	h	pattern no.	grade 10	20	30	35	40	45	Lam.
Stacking modules *,** Fabric and laminate 	18″	8″	**R3SFL0818**	$258.	$282.	$318.	$334.	$356.	$375.	
	20″	8″	**R3SFL0820**	258.	282.	318.	334.	356.	375.	
	24″	8″	**R3SFL0824**	279.	303.	339.	355.	377.	396.	
	30″	8″	**R3SFL0830**	314.	338.	374.	390.	412.	431.	
	36″	8″	**R3SFL0836**	344.	368.	404.	420.	442.	461.	
	42″	8″	**R3SFL0842**	372.	396.	432.	448.	470.	489.	
	48″	8″	**R3SFL0848**	404.	428.	464.	480.	502.	521.	
Stacking modules *,** Fabric and techwood 	18″	8″	**R3SF10818**	273.	299.	336.	353.	374.	396.	
	20″	8″	**R3SF10820**	273.	299.	336.	353.	374.	396.	
	24″	8″	**R3SF10824**	292.	318.	355.	372.	393.	415.	
	30″	8″	**R3SF10830**	326.	352.	389.	406.	427.	449.	
	36″	8″	**R3SF10836**	357.	383.	420.	437.	458.	480.	
	42″	8″	**R3SF10842**	393.	419.	456.	473.	494.	516.	
	48″	8″	**R3SF10848**	422.	448.	485.	502.	523.	545.	
Stacking modules*,** Fabric and conventional veneer 	18″	8″	**R3SF20818**	296.	321.	357.	373.	395.	415.	
	20″	8″	**R3SF20820**	296.	321.	357.	373.	395.	415.	
	24″	8″	**R3SF20824**	319.	344.	380.	396.	418.	438.	
	30″	8″	**R3SF20830**	357.	382.	418.	434.	456.	476.	
	36″	8″	**R3SF20836**	393.	418.	454.	470.	492.	512.	
	42″	8″	**R3SF20842**	429.	454.	490.	506.	528.	548.	
	48″	8″	**R3SF20848**	460.	485.	521.	537.	559.	579.	
Stacking modules*,** Fabric and exotic veneer 	18″	8″	**R3SF30818**	355.	380.	416.	432.	454.	474.	
	20″	8″	**R3SF30820**	355.	380.	416.	432.	454.	474.	
	24″	8″	**R3SF30824**	389.	414.	450.	466.	488.	508.	
	30″	8″	**R3SF30830**	431.	456.	492.	508.	530.	550.	
	36″	8″	**R3SF30836**	476.	501.	537.	553.	575.	595.	
	42″	8″	**R3SF30842**	520.	545.	581.	597.	619.	639.	
	48″	8″	**R3SF30848**	559.	584.	620.	636.	658.	678.	

Order Code

Example:	**R3SFL0818**
R3	Reff Generation 3
S	Stacking module
FL	Fabric/Laminate
08	8″ high
18	18″ wide
W281	Fabric selection - side 1
114	Folkstone Grey - side 2

Specification Information

To order please specify:

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

Product on this page will accept Marker board (LW) and woodgrain laminate where laminate is currently an option.

Application Notes

* Not for use on 79″H panels.

* * Suitable only for top of any panel. Cannot be stacked upon.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.

8″ module will not accept additional modules.

15″ module will accept additional module.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Frameless glass add-ups cannot be installed on these modules.

Stacking modules

fabric one side/laminate, techwood, conventional or exotic veneer other side and laminate both sides

description	w	h	pattern no.	grade 10	20	30	35	40	45	Lam.
Stacking modules*,** Laminate both sides 	18″	8″	**R3SLL0818**							$248.
	20″	8″	**R3SLL0820**							248.
	24″	8″	**R3SLL0824**							271.
	30″	8″	**R3SLL0830**							302.
	36″	8″	**R3SLL0836**							327.
	42″	8″	**R3SLL0842**							337.
	48″	8″	**R3SLL0848**							347.
Stacking modules* Fabric and laminate 	18″	15″	**R3SFL1518**	368.	417.	455.	489.	537.	564.	
	20″	15″	**R3SFL1520**	368.	417.	455.	489.	537.	564.	
	24″	15″	**R3SFL1524**	383.	432.	470.	504.	552.	579.	
	30″	15″	**R3SFL1530**	419.	468.	506.	540.	588.	615.	
	36″	15″	**R3SFL1536**	455.	504.	542.	576.	624.	651.	
	42″	15″	**R3SFL1542**	490.	539.	577.	611.	659.	686.	
	48″	15″	**R3SFL1548**	525.	574.	612.	646.	694.	721.	
Stacking modules* Fabric and techwood 	18″	15″	**R3SF11518**	389.	439.	477.	513.	562.	590.	
	20″	15″	**R3SF11520**	389.	439.	477.	513.	562.	590.	
	24″	15″	**R3SF11524**	406.	456.	494.	530.	579.	607.	
	30″	15″	**R3SF11530**	440.	490.	528.	564.	613.	641.	
	36″	15″	**R3SF11536**	478.	528.	566.	602.	651.	679.	
	42″	15″	**R3SF11542**	516.	566.	604.	640.	689.	717.	
	48″	15″	**R3SF11548**	551.	601.	639.	675.	724.	752.	
Stacking modules* Fabric and conventional veneer 	18″	15″	**R3SF21518**	419.	468.	506.	541.	589.	616.	
	20″	15″	**R3SF21520**	419.	468.	506.	541.	589.	616.	
	24″	15″	**R3SF21524**	441.	490.	528.	563.	611.	638.	
	30″	15″	**R3SF21530**	482.	531.	569.	604.	652.	679.	
	36″	15″	**R3SF21536**	523.	572.	610.	645.	693.	720.	
	42″	15″	**R3SF21542**	564.	613.	651.	686.	734.	761.	
	48″	15″	**R3SF21548**	598.	647.	685.	720.	768.	795.	

Order Code

Example:	**R3SFL0818**
R3	Reff Generation 3
S	Stacking module
FL	Fabric/Laminate
08	8″ high
18	18″ wide
W281	Fabric selection - side 1
114	Folkstone Grey - side 2

Specification Information

To order please specify:

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

Product on this page will accept Marker board (LW) and woodgrain laminate where laminate is currently an option.

Application Notes

* Not for use on 79″H panels.

* * Suitable only for top of any panel. Cannot be stacked upon.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.

8″ module will not accept additional modules.

15″ module will accept additional module.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Frameless glass add-ups cannot be installed on these modules.

Stacking modules

fabric one side/laminate, techwood, conventional or exotic veneer other side and laminate both sides

description	w	h	pattern no.	grade 10	20	30	35	40	45	Lam.
Stacking modules* Fabric and exotic veneer 	18″	15″	**R3SF315 18**	$509.	$558.	$596.	$631.	$679.	$706.	
	20″	15″	**R3SF315 20**	509.	558.	596.	631.	679.	706.	
	24″	15″	**R3SF315 24**	532.	581.	619.	654.	702.	729.	
	30″	15″	**R3SF315 30**	583.	632.	670.	705.	753.	780.	
	36″	15″	**R3SF315 36**	634.	683.	721.	756.	804.	831.	
	42″	15″	**R3SF315 42**	682.	731.	769.	804.	852.	879.	
	48″	15″	**R3SF315 48**	729.	778.	816.	851.	899.	926.	
Stacking modules* Laminate both sides 	18″	15	**R3SLL1518**							352.
	20″	15	**R3SLL1520**							352.
	24″	15	**R3SLL1524**							382.
	30″	15	**R3SLL1530**							429.
	36″	15	**R3SLL1536**							463.
	42″	15	**R3SLL1542**							477.
	48″	15	**R3SLL1548**							479.

Order Code

Example:	**R3SFL0818**
R3	Reff Generation 3
S	Stacking module
FL	Fabric/Laminate
08	8″ high
18	18″ wide
W281	Fabric selection - side 1
114	Folkstone Grey - side 2

Specification Information

To order please specify:

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

Product on this page will accept Marker board (LW) and woodgrain laminate where laminate is currently an option.

Application Notes

* Not for use on 79″H panels.

* * Suitable only for top of any panel. Cannot be stacked upon.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.

8″ module will not accept additional modules.

15″ module will accept additional module.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Frameless glass add-ups cannot be installed on these modules.

Frameless glass add-ups for panels

description	w	d	pattern no.	G1	G2/G3	list
Frameless glass add-up 8″h, for panels	18″		**R3GAU0818 ( )( )**	$303.	$379.	
	20″		**R3GAU0820 ( )( )**	323.	410.	
	24″		**R3GAU0824 ( )( )**	342.	445.	
	30″		**R3GAU0830 ( )( )**	380.	504.	
	36″		**R3GAU0836 ( )( )**	417.	565.	
	42″		**R3GAU0842 ( )( )**	481.	655.	
	48″		**R3GAU0848 ( )( )**	497.	698.	
Frameless glass add-up 15″h, for panels	18″		**R3GAU1518 ( )( )**	342.	483.	
	20″		**R3GAU1520 ( )( )**	372.	535.	
	24″		**R3GAU1524 ( )( )**	399.	585.	
	30″		**R3GAU1530 ( )( )**	447.	682.	
	36″		**R3GAU1536 ( )( )**	496.	775.	
	42″		**R3GAU1542 ( )( )**	574.	903.	
	48″		**R3GAU1548 ( )( )**	608.	979.	
Frameless glass add-up 8″h, for panels for hi/lo condition no post involved	18″		**R3GAUHL0818 ( )( )**	303.	379.	
	20″		**R3GAUHL0820 ( )( )**	323.	410.	
	24″		**R3GAUHL0824 ( )( )**	342.	445.	
	30″		**R3GAUHL0830 ( )( )**	380.	504.	
	36″		**R3GAUHL0836 ( )( )**	417.	565.	
	42″		**R3GAUHL0842 ( )( )**	481.	655.	
	48″		**R3GAUHL0848 ( )( )**	497.	698.	
Frameless glass add-up 15″h, for panels for hi/lo condition no post involved	18″		**R3GAUHL1518 ( )( )**	342.	483.	
	20″		**R3GAUHL1520 ( )( )**	372.	535.	
	24″		**R3GAUHL1524 ( )( )**	399.	585.	
	30″		**R3GAUHL1530 ( )( )**	447.	682.	
	36″		**R3GAUHL1536 ( )( )**	496.	775.	
	42″		**R3GAUHL1542 ( )( )**	574.	903.	
	48″		**R3GAUHL1548 ( )( )**	608.	979.	

Order Code

Example:	**R3GAU0818GL13AA**
R3	AutoStrada w/generation 3 frame
GAU	Glass add-up
08	height
18	width
GL13	glass finish, powder
AA	finish, capture/trim

Specification Information

To order please specify pattern number including:

1. Height
   08 = 42″h panel with add-up will align with top of 49″h panel
   12 = 49″h panel with add-up will align with 48″h spine with spine add-up (overall height 61″ nominal)
   15 = add-up will align with tile segments of 34″h, 49″h or 64″h panels (ie: 34″h panel with add-up align to 49″h panel)
2. Width
3. Glass Finish
   TEMP = clear tempered glass
   GL13 = powder
   GL25 = Bronze
   GL35 = Grey
4. Finish, capture/trim
   Anodized aluminum or painted finish options listed on AutoStrada excluding silver

Application Notes

Frameless glass add-ups only for use with non-progressive tile construction panels with at least one side fabric tiles.

Panel frames are not pre-drilled to accept frameless glass add-ups. Frame requires drilling on site for installation.

Frameless glass add-ups must correspond to width of panel securing to. Do not span multiple panels with one longer glass add-up.

Frameless glass add-ups can not be installed on panel when panel attached to storage anchored cabinet.

To order please specify pattern number including configuration condition:

Finish: Anodized aluminum or painted finish options as listed on AutoStradaexcluding silver.

Note: Spacer kits are for use with fabric or veneer stacking modules ONLY. Not for use with stacking windows.

Installation instruction sheets for the Spacer kit, available on Knoll Exchange. Refer to reference number 6TR16HO.

description	w	d	pattern no.	G1	G2/G3	list
Attachment Kit, to install frameless glass to 15″h or 8″h stacking module			**R3SKIT**			$57.
	Spacer Kit includes 2 spacers and 2 washers.					
Add-up Alignment Clip, pack of 10			**R3AUAC10**			32.
	Alignment clips recommended to ensure glass alignment of add-up modules in side by side applications					

Order Code

Example:	**R3GAU0818GL13AA**
R3	AutoStrada w/generation 3 frame
GAU	Glass add-up
08	height
18	width
GL13	glass finish, powder
AA	finish, capture/trim

Specification Information

To order please specify pattern number including:

1. Height
   08 = 42″h panel with add-up will align with top of 49″h panel
   12 = 49″h panel with add-up will align with 48″h spine with spine add-up (overall height 61″ nominal)
   15 = add-up will align with tile segments of 34″h, 49″h or 64″h panels (ie: 34″h panel with add-up align to 49″h panel)
2. Width
3. Glass Finish
   TEMP = clear tempered glass
   GL13 = powder
   GL25 = Bronze
   GL35 = Grey
4. Finish, capture/trim
   Anodized aluminum or painted finish options listed on AutoStrada excluding silver

Application Notes

Frameless glass add-ups only for use with non-progressive tile construction panels with at least one side fabric tiles.

Panel frames are not pre-drilled to accept frameless glass add-ups. Frame requires drilling on site for installation.

Frameless glass add-ups must correspond to width of panel securing to. Do not span multiple panels with one longer glass add-up.

Frameless glass add-ups can not be installed on panel when panel attached to storage anchored cabinet.

To order please specify pattern number including configuration condition:

Finish: Anodized aluminum or painted finish options as listed on AutoStradaexcluding silver.

Note: Spacer kits are for use with fabric or veneer stacking modules ONLY. Not for use with stacking windows.

Installation instruction sheets for the Spacer kit, available on Knoll Exchange. Refer to reference number 6TR16HO.

Panel connection posts
Generation 3

description	h	type	pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
L-Post 	8″	stacking module post	**R3L08TT**	$77.	n/a
	15″	stacking module post	**R3L15TT**	149.	n/a
	34″		**R3L34(F/T)(F/T)-( )( )( )( )**	190.	n/a
	42″		**R3L42(B)(F/T)(F/T)-( )( )( )( )**	286.	329.
	49″		**R3L49(B)(F/T)(F/T)-( )( )( )( )**	318.	365.
	64″		**R3L64(B)(F/T)(F/T)-( )( )( )( )**	352.	403.
	79″		**R3L79(B)(F/T)(F/T)-( )( )( )( )**	394.	451.
	*Comes with only one hookstrip				
T-Post 	8″	stacking module post	**R3T08T**	95.	n/a
	15″	stacking module post	**R3T15T**	176.	n/a
	34″		**R3T34(F/T)-( )( )( )( )**	231.	n/a
	42″		**R3T42(B)(F/T)-( )( )( )( )**	253.	289.
	49″		**R3T49(B)(F/T)-( )( )( )( )**	286.	329.
	64″		**R3T64(B)(F/T)-( )( )( )( )**	318.	365.
	79″		**R3T79(B)(F/T)-( )( )( )( )**	353.	406.
	*Comes with only one hookstrip				

Order Code

Example:	**R3L79(B)TT-A16NB**
R3	Reff Generation 3
L79	90° post; 79″ h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6″ base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
006B	Top cap finish, Maple
111	Base finish, Jet black

Specification Information

To order please specify pattern number including:

1. *Face type:*
   (F) = Full height (monolithic look)
   (T) = Tiled
2. *Top cap profile:*
   A = Flat
   B = Square
   C = Bullnose
   E = Extruded Aluminum
   (Add $26 list for this option)
3. *Top cap configuration:*
   1 = Regular L or cap finish 2 adjacent sides *(applicable for L, T or X posts only)*
   2 = Regular T or cap finish 1 side *(applicable for T or X posts only)*
   3 = Regular X cap unfinished all 4 sides *(applicable for X posts only)*
   4 = Cap finished 3 sides/high-low *(applicable for L, T, X or straight posts)*
   5 = Cap finished 2 opposite sides/high-low *(applicable for X or straight posts only)*Top cap profile
4. If L post, cover configuration
   1 = one piece (same finish both sides)
   2 = two piece (same or different finish per side)
5. *Base height:*
   4 = 4″ base height
   6 = 6″ base height (add $50 list for this option)
6. *Electrical infeed post:*
   L = Base infeed left face
   M = Base infeed middle face
   R = Base infeed right face
   N = None
7. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*
   B = Black steel reveal or
   Specify AA for anodized aluminum look or painted option excluding silver
8. Finish, face covers
   (fabric, V1, V2, V3 or painted to match laminate)
9. Top cap finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver
10. Base finish

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34″H panels to Beltway posts requires the use of the attachment kit on page 119. All posts on this page will accept the 15″ stacking modular Post but only to achieve a finished height of 49″, 64″, or 79″. The 8″H Post module is primarily for transitioning a 34″H post into a 42″H post and to meet transaction height 8″H post or panel module cannot have a module mounted above itself), however, the 8″H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34″H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide on Exchange).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Panel connection posts
Generation 3

description	h	type	pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
X-Post 	8″	stacking module post	**R3X08**	$84.	n/a
	15″	stacking module post	**R3X15**	163.	n/a
	34″		**R3X34-( )( )**	215.	n/a
	42″		**R3X42(B)-( )( )**	233.	270.
	49″		**R3X49(B)-( )( )**	253.	289.
	64″		**R3X64(B)-( )( )**	286.	329.
	79″		**R3X79(B)-( )( )**	326.	370.
	*Comes with only one hookstrip				
Straight post 	8″	stacking module post	**R3S08TT**	77.	n/a
	15″	stacking module post	**R3S15TT**	149.	n/a
	34″		**R3S34(F/T)(F/T)-( )( )( )( )**	190.	n/a
	42″		**R3S42(B)(F/T)(F/T)-( )( )( )( )**	286.	329.
	49″		**R3S49(B)(F/T)(F/T)-( )( )( )( )**	318.	365.
	64″		**R3S64(B)(F/T)(F/T)-( )( )( )( )**	352.	403.
	79″		**R3S79(B)(F/T)(F/T)-( )( )( )( )**	394.	451.
	*Comes with only one hookstrip				
*R3/R2 stacking post sleeve		adapter kit for stacking posts only	**R3R2SLV**		n/c

Order Code

Example:	**R3L79(B)TT-A16NB**
R3	Reff Generation 3
L79	90° post; 79″ h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6″ base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
006B	Top cap finish, Maple
111	Base finish, Jet black

Specification Information

To order please specify pattern number including:

1. *Face type:*
   (F) = Full height (monolithic look)
   (T) = Tiled
2. *Top cap profile:*
   A = Flat
   B = Square
   C = Bullnose
   E = Extruded Aluminum
   (Add $26 list for this option)
3. *Top cap configuration:*
   1 = Cap finish 2 adjacent sides *(applicable for L, T or X posts only)*
   2 = Cap finish 1 side *(applicable for T or X posts only)*
   3 = Regular X cap unfinished all 4 sides *(applicable for X posts only)*
   4 = Cap finished 3 sides/high-low *(applicable for L, T, X or straight posts)*
   5 = Cap finished 2 opposite sides/high-low *(applicable for X or straight posts only)*Top cap profile
4. *Base height:*
   4 = 4″ base height
   6 = 6″ base height (add $50 list for this option)
5. *Electrical infeed post:*
   L = Base infeed left face
   M = Base infeed middle face
   R = Base infeed right face
   N = None
6. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*
   B = Black steel reveal or
   Specify AA for anodized aluminum look or painted option excluding silver
7. Finish, face covers *(fabric, V1, V2, V3 or painted to match laminate)*
8. Top cap finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver
9. Base finish

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34″H panels to Beltway posts requires the use of the attachment kit on page 119. All posts on this page will accept the 15″ stacking modular Post but only to achieve a finished height of 49″, 64″, or 79″. The 8″H Post module is primarily for transitioning a 34″H post into a 42″H post and to meet transaction height 8″H post or panel module cannot have a module mounted above itself), however, the 8″H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34″H post will not allow for the passing of beltway electrical.

For Top cap orientations and End power location for power specification consult Planning Guide on Exchange.

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Panel connection posts
Generation 3 135°

description	h	pattern no.	Reg. post list (A/B/C profile)
135° Tiled Post	34″	**R3135V34T( )( )( )( )( )( )( )**	$638.
	42″	**R3135V42T( )( )( )( )( )( )( )**	800.
	49″	**R3135V49T( )( )( )( )( )( )( )**	809.
	64″	**R3135V64T( )( )( )( )( )( )( )**	990.
	79″	**R3135V79T( )( )( )( )( )( )( )**	1,169.
135° Mono Post	34″	**R3135V34F( )( )( )( )( )( )( )**	638.
	42″	**R3135V42F( )( )( )( )( )( )( )**	800.
	49″	**R3135V49F( )( )( )( )( )( )( )**	809.
	64″	**R3135V64F( )( )( )( )( )( )( )**	990.
	79″	**R3135V79F( )( )( )( )( )( )( )**	1,169.

Order Code

Example:	**R3135V34T**
R3	Reff Generation 3
135V	135° post
34	Height
T	Tiled
(A)	Flat top profile
(1)	Regular L top cap
(6)	6″ base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
006B	Top cap finish, Maple
111	Base finish, Jet black

Specification Information

To order please specify pattern number including:

1. Top cap profile
2. Top cap configuration
3. If L post, cover configuration
   1 = one piece
4. Base height option
5. Base infeed knock-out (optional)
6. Tile divider option/finish, if face type T
7. Finish, face covers
   (fabric, V1, V2, V3 or painted to match laminate)
8. Top cap finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish excluding silver
9. Base finish

1. Face type:
(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add $26 list for this option) *3. Top cap configuration:*
1 = Regular L or cap finish 2 adjacent sides *(applicable for L, T or X posts only)*
2 = Regular T or cap finish 1 side *(applicable for T or X posts only)*
3 = Regular X cap unfinished all 4 sides *(applicable for X posts only)*

4 = Cap finished 3 sides/high-low *(applicable for L, T, X or straight posts)*
5 = Cap finished 2 opposite sides/high-low *(applicable for X or straight posts only)*

5. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 list for this option)

6. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 7.

Specify the mouse hole location for end power electric. Reference for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide on Exchange).

Applicable finishes are listed on page 5 and 8.

Panel connection posts
Generation 3 120°

description	h	pattern number	Re. post list (A/B/C profile)
120° Post	34″	**R3120Y34( )( )( )( )**	$445.
	42″	**R3120Y42( )( )( )( )**	469.
	49″	**R3120Y49( )( )( )( )**	483.
	64″	**R3120Y64( )( )( )( )**	529.
	79″	**R3120Y79( )( )( )( )**	578.

Order Code

Example:	**R3120Y34**
R3	Reff Generation 3
120V	120° post
34	Height
(A)	Top profile
1	Reg. Y topcap configuration
(4)	Base height
006B	Top cap finish, Maple
111	Base finish, Jet black

Specification Information

To order please specify pattern number including:

1. Top profile;
   A = Flat
   B = Square
   C = Bullnose
   E = Extruded Aluminum
   (Add $26 list for this option)
2. Top cap Configuration;
   1 = Reg. Y
   8 = High, Low, Low
   9 = High, High, Low
3. Base Height
   4 = 4″ base height
   6 = 6″ base height (add $50 list for this option)
4. Trim Finish
   Wood and Laminate for profile A,B and C
   Anodized or painted options for provile 'E'
5. Base finish;
   Painted or plated

Specify AA for anodized aluminum look or painted option from page 7 excluding silver.

Panel trims and post covers
for all applications

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim with hookstrip	–	34″		**R2ES34(A/B/C/E)(4/6)(E/N)**	$260.	$158.
	–	42″		**R2ES42(A/B/C/E)(4/6)(E/N)**	292.	184.
	–	49″		**R2ES49(A/B/C/E)(4/6)(E/N)**	323.	211.
	–	64″		**R2ES64(A/B/C/E)(4/6)(E/N)**	342.	237.
	–	79″		**R2ES79(A/B/C/E)(4/6)(E/N)**	419.	269.
End trim for Hi-Lo condition with hookstrip. Must order top trim below	34″	42″		**R2HL3442ES(A/B/C/E)**	136.	138.
	34″	49″		**R2HL3449ES(A/B/C/E)**	190.	141.
	34″	64″		**R2HL3464ES(A/B/C/E)**	242.	145.
	34″	79″		**R2HL3479ES(A/B/C/E)**	260.	161.
	42″	49″		**R2HL4249ES(A/B/C/E)**	136.	138.
	42″	64″		**R2HL4264ES(A/B/C/E)**	328.	141.
	42″	79″		**R2HL4279ES(A/B/C/E)**	377.	161.
	49″	64″		**R2HL4964ES(A/B/C/E)**	190.	145.
	49″	79″		**R2HL4979ES(A/B/C/E)**	242.	161.
	64″	79″		**R2HL6479ES(A/B/C/E)**	190.	141.
	Application: for height changes that DO NOT involve a post					
Top trim for Hi-Lo conditions (Notched one side) 	–		18″	**RSNTT18(A/B/C/E)**	96.	27.
	–	–	20″	**RSNTT20(A/B/C/E)**	96.	30.
	–	–	24″	**RSNTT24(A/B/C/E)**	108.	33.
	–	–	30″	**RSNTT30(A/B/C/E)**	120.	39.
	–	–	33″	**RSNTT33(A/B/C/E) (66″ wide panels one only)**	124.	52.
	–	–	36″	**RSNTT36(A/B/C/E)**	133.	52.
	–	–	42″	**RSNTT42(A/B/C/E)**	151.	53.
	–	–	48″	**RSNTT48(A/B/C/E)**	164.	75.

Order Code

Example:	**R2ES34A6N**
R2	Reff Generation 2
ES	End trim
34	34″ high
A	Flat profile
6	6″ base height
N	Non electrical base
006B	Maple
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

End trim:

1. Trim profile
   A = flat
   B = square
   C = bullnose
   E = extruded aluminum
2. Base height option
   4 = 4″
   6 = 6″
3. Base type
   E = electrical entry
   N = standard base
4. Finish, end trim
   If profile A, B or C specify V1, V2, V3 or painted to match laminate
   If profile E specify AA-anodized aluminum or painted finish from page5excluding silver
5. Finish, end trim base
   painted or plated finish

Post cover trim:

1. Specify full or tiled face type
   F = full (monolithic)
   T = tiled
2. Finish, post cover
   fabric, V1, V2, V3 or painted to match laminate
3. If tiled cover set, specify reveal finish
   B = black reveal
   or select P1, P2, P3 painted finish from pg. 7

Add $25 list for each end trim with 6″H base option. Does not apply to hi-lo end trims as they have no base.

Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.

Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.

Monolithic post covers are one piece. Tiled post covers will come in 8″ and 15″ pieces.

*Notched transaction top must be ordered through Custom Product.

E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

Panel trims and post covers
for all applications

description	h	h	w	pattern no.	Profile (A/B/C)	Profile E
End trim Hi-Lo with hookstrip* for transaction top (1 1/4″ shorter than above trim)	42″	49″		**R2HL4249ETS(A/B/C/E)**	$136.	$138.
	42″	64″		**R2HL4264ETS(A/B/C/E)**	328.	141.
	42″	79″		**R2HL4279ETS(A/B/C/E)**	377.	161.
Post cover trim for tiled and monolithic posts Hi-Lo applications	34″	42″		**R2HL3442(F)CS ( )**	39.	
	34″	49″		**R2HL3449(F)CS ( )**	56.	
	34″	64″		**R2HL3464(F/T)CS ( )( )**	113.	
	34″	79″		**R2HL3479(F/T)CS ( )( )**	167.	
	42″	49″		**R2HL4249(F)CS ( )**	39.	
	42″	64″		**R2HL4264(F/T)CS ( )( )**	93.	
	42″	79″		**R2HL4279(F/T)CS ( )( )**	151.	
	49″	64″		**R2HL4964(F)CS ( )**	56.	
	49″	79″		**R2HL4979(F/T)CS ( )( )**	113.	
	64″	79″		**R2HL6479(F)CS ( )**	56.	

Application: for height changes involving a post

Order Code

Example:	**R2ES34A6N**
R2	Reff Generation 2
ES	End trim
34	34″ high
A	Flat profile
6	6″ base height
N	Non electrical base
006B	Maple
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

End trim:

1. Trim profile
   A = flat
   B = square
   C = bullnose
   E = extruded aluminum
2. Base height option
   4 = 4″
   6 = 6″
3. Base type
   E = electrical entry
   N = standard base
4. Finish, end trim
   If profile A, B or C specify V1, V2, V3 or painted to match laminate
   If profile E specify AA-anodized aluminum or painted finish from page5 excluding silver
5. Finish, end trim base
   painted or plated finish

Post cover trim:

1. Specify full or tiled face type
   F = full (monolithic)
   T = tiled
2. Finish, post cover
   fabric, V1, V2, V3 or painted to match laminate
3. If tiled cover set, specify reveal finish
   B = black reveal
   or select P1, P2, P3 painted finish from pg. 5

Add $25 list for each end trim with 6″H base option. Does not apply to hi-lo end trims as they have no base.

Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.

Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.

Monolithic post covers are one piece. Tiled post covers will come in 8″ and 15″ pieces.

*Notched transaction top must be ordered through Custom Product.

E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

Panel Accessories
hookstrips and top caps

description	w	pattern no.	list price
Panel hookstrips	8″	**R2HK0008**	$51.
	15″	**R2HK0015**	82.
	34″	**R2HK0034**	112.
	42″	**R2HK0042**	119.
	49″	**R2HK0049**	127.
	64″	**R2HK0064**	138.
	79″	**R2HK0079**	145.
Beltway hookstrips	42″	**R2HKB042**	127.
	49″	**R2HKB049**	138.
	64″	**R2HKB064**	145.
	79″	**R2HKB079**	152.

Order Code

Example:	**R2HK0008**
R2	Reff generation 2
HK	Hook Strip
008	Height

Specification Information

To order please specify pattern number including:

Application Notes

An additional 34″, 42″, 49″, or 64″ high hookstrip will be required for applications of high low high panel-to-panel connections not involving a post.

Panel hookstrips and Beltway hookstrips are presented here to help prevent shortages for installations.

New top caps may be required for furniture reconfigurations. G2 and G3 top caps are required when the R3R2 SLV is specified.

Ceiling cable entry posts, poles and cable infeed

description	type	h	pattern no.	list price
Ceiling entry L-post.		42″	**R2L42C(F/T)(F/T)-(4/6)**	$286.
		49″	**R2L49C(F/T)(F/T)-(4/6)**	307.
		64″	**R2L64C(F/T)(F/T)-(4/6)**	325.
		79″	**R2L79C(F/T)(F/T)-(4/6)**	387.
Cable not included				
Ceiling entry T-post.		42″	**R2T42C(F/T)-(4/6)**	253.
		49″	**R2T49C(F/T)-(4/6)**	286.
		64″	**R2T64C(F/T)-(4/6)**	307.
		79″	**R2T79C(F/T)-(4/6)**	356.
Cable not included				
Ceiling entry X-post.		42″	**R2X42C**	233.
		49″	**R2X49C**	253.
		64″	**R2X64C**	286.
		79″	**R2X79C**	339.
Cable not included				

Order Code

Example:	**R2L42CTT4**
R2	Reff Generation 2
L	L-post
42	42″ high
C	Ceiling power entry
T	Tiled style face
T	Tiled style face
4	Base height
W230	Fabric selection
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Post face option
2. Base height option
3. Finish type, where applicable
4. Finish, where applicable
5. Base finish
6. Canopy finish (ceiling entry pole only)

1. Face type:
F = Full height
T = Tiled

2. Base height:
4 = 4″ base height
6 = 6″ base height

3. Finish type:
F = Fabric
L = Laminate
1 = V1
2 = V2
3 = V3

Application Notes

Data cable application requires the post and the pole only.

*Must order post, pole and cable for electrical application.

The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the celing entry power pole.

To determine pole height required, deduct panel height from ceiling height and add approximately 6″. Ceiling entry pole to be used with posts shown.

6″H base raceway option increase entire post height by 2¾″. (Please **add $50 list per post for this option**). Price does not apply to X-post.

The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).

Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.

Hi-lo ceiling post covers must be ordered in hi-lo applications from 116.

Ceiling cable entry posts, poles and cable infeed

description	type	h	pattern no.	list price
Ceiling entry straight line post.		42″	**R2S42C(F/T)(F/T)-(4/6)**	$286.
		49″	**R2S49C(F/T)(F/T)-(4/6)**	307.
		64″	**R2S64C(F/T)(F/T)-(4/6)**	325.
		79″	**R2S79C(F/T)(F/T)-(4/6)**	387.
Cable not included				
Ceiling entry pole. Includes junction box and ceiling grommet		41″	**RCP41-(F/L/1/2/3)***	572.
		56″	**RCP56-(F/L/1/2/3)***	594.
		71″	**RCP71-(F/L/1/2/3)***	666.
		78″	**RCP78-(F/L/1/2/3)***	689.
Cable not included				
Power infeeds	Ceiling power cable infeed. Eight-wire		**RR3-EPVR**	335.
	Ceiling power cable infeed. Ten-wire		**RR3-TPVR**	404.
	One size fits all post sizes (13' of cable) For use with Ceiling entry Pole and Pole combinations			

Order Code

Example:	**R2L42CTT4**
R2	Reff Generation 2
L	L-post
42	42″ high
C	Ceiling power entry
T	Tiled style face
T	Tiled style face
4	Base height
W230	Fabric selection
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Post face option
2. Base height option
3. Finish type, where applicable
4. Finish, where applicable
5. Base finish
6. Canopy finish (ceiling entry pole only)

1. Face type:
F = Full height
T = Tiled

2. Base height:
4 = 4″ base height
6 = 6″ base height

3. Finish type:
F = Fabric
L = Laminate
1 = V1
2 = V2
3 = V3

Application Notes

Data cable application requires the post and the pole only.

*Must order post, pole and cable for electrical application.

The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the celing entry power pole.

To determine pole height required, deduct panel height from ceiling height and add approximately 6″. Ceiling entry pole to be used with posts shown.

6″H base raceway option increase entire post height by 2¾″. (Please **add $50 list per post for this option**). Price does not apply to X-post.

The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).

Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.

Hi-lo ceiling post covers must be ordered in hi-lo applications from 116.

Ceiling cable entry post covers
Alignment kits and wall starters

description	panel h	post h	w	h	pattern no.	list price
Ceiling entry post cover for Hi-Lo for monolithic or tiled applications	34″	42″			**RPHL3442(F/T)**	$36.
	34″	49″			**RPHL3449(F/T)**	52.
	34″	64″			**RPHL3464(F/T)**	105.
	34″	79″			**RPHL3479(F/T)**	155.
	42″	49″			**RPHL4249(F/T)**	72.
	42″	64″			**RPHL4264(F/T)**	100.
	42″	79″			**RPHL4279(F/T)**	109.
	49″	64″			**RPHL4964(F/T)**	100.
	49″	79″			**RPHL4979(F/T)**	109.
	64″	79″			**RPHL6479(F/T)**	78.
Ceiling entry post cover for Hi-Lo for stackable applications 	42″	49″			**RPHL4249S**	36.
	42″	64″			**RPHL4264S**	86.
	42″	79″			**RPHL4279S**	140.
	49″	64″			**RPHL4964S**	52.
	49″	79″			**RPHL4979S**	105.
	64″	79″			**RPHL6479S**	52.
Wall starter			7/8″	15″	**R2SWS0015 ( )( )( )**	66.
			7/8″	34″	**R2SWS0034 ( )( )( )( )**	131.
			7/8″	42″	**R2SWS0042 ( )( )( )( )**	160.
			7/8″	49″	**R2SWS0049 ( )( )( )( )**	187.
			7/8″	64″	**R2SWS0064 ( )( )( )( )**	246.
			7/8″	79″	**R2SWS0079 ( )( )( )( )**	302.
			7/8″	8″	**R2SWS0008 ( )( )( )**	50.
Panel alignment kits 					**R3SPABPT**	8.
					R3SPABTD	7.
					R3SPABTT	7.
					R3SPABTW	7.
					RSPABPD	7.
					RSPABPP	7.
					RSPABPT	7.
					RSPABPW	7.
					RSPABTD	7.

*Wall starters come with extended top trim from adjoining panel.

Order Code

Example:	**RPHL4249T**
R	Reff Profiles
P	Power post
HL	Hi lo cover
42	42″ low panel
49	49″ high panel
T	Tiled face type

Specification Information

To order please specify pattern number including:

Ceiling entry post cover:

1. Face type
2. Select finish
   fabric, laminate or veneer

1. Face type options:
F = Full
T = Tiled

Wall starter:
1. Pattern number including height
2. Adjoining panel width
3. Adjoining panel top trim profile (A, B, C or E)
4. Base height (4=4″ or 6=6″)
5. Top trim finish

Applicable finishes are listed on page 5 and 8.

Application Notes

These cover trims are for ceiling entry posts only.

Wall starter is designed to attach panel run to interior walls and is available as a modular unit. Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.

Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.

Wall starters come with extended top trim from adjoining panel.

Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.

RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.

RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.

R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.

Ceiling cable entry post covers
Alignment kits and wall starters

description	panel h	post h	w	h	pattern no.	list price
Panel alignment kits					**RSPABTT**	$7.
					**RSPABTW**	7.
					RSPABWD	7.
					RSPABWW	7.

Suffix: BPT = for stacking module to panel, BTD = stacking module to door, BTT = stacking module to stacking module, BTW = stacking window to stacking module, BPD = panel to door, BPP = panel to panel

Order Code

Example:	**RPHL4249T**
R	Reff Profiles
P	Power post
HL	Hi lo cover
42	42″ low panel
49	49″ high panel
T	Tiled face type

Specification Information

To order please specify pattern number including:

Ceiling entry post cover:

1. Face type
2. Select finish
   fabric, laminate or veneer

1. Face type options:
F = Full
T = Tiled

Wall starter:
1. Pattern number including height
2. Adjoining panel width
3. Adjoining panel top trim profile (A, B, C or E)
4. Base height (4=4″ or 6=6″)
5. Top trim finish

Applicable finishes are listed on page 5 and 8.

Application Notes

These cover trims are for ceiling entry posts only.

Wall starter is designed to attach panel run to interior walls and is available as a modular unit. Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.

Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.

Wall starters come with extended top trim from adjoining panel.

Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.

RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.

RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.

R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.

description		depth	w	h	pattern no.	list price	polycarbonate	clear glass	architectural
Rolling door			36″	64′	**RRDPPL(L/R)6436( )**		$3,226.	$3,339.	$4,467.
			36″	79″	**RRD3PPL(L/R)7936( )( )**		3,519.	3,645.	4,921.
			42″	64″	**RRDPPL(L/R)6442( )**		3,287.	3,402.	4,522.
			42″	79″	**RRD3PPL(L/R)7942( )( )**		3,573.	3,698.	4,973.
Floor to ceiling rolling door			36″	79″	**RRD3FTCPPL(L/R)7936( )**		3,519.	3,645.	4,921.
			42″	79″	**RRD3FTCPPL(L/R)7942( )**		3,573.	3,698.	4,973.
Partial width threshold (full width threshold)		3″	50″		**RRDTH( )**	373.			
		3″	96″		**RRDTH(L/R)( )**	480.			
*Panel door right	(30″ opening)	1 ½″	36″	79″	**R2DRS7936( )( )( )**	4,203.			
	(36″ opening)	1 ½″	42″	79″	**R2DRS7942( )( )( )**	4,884.			
*Panel door left	(30″ opening)	1 ½″	36″	79″	**R2DLS7936( )( )( )**	4,203.			
	(36″ opening)	1 ½″	42″	79″	**R2DLS7942( )( )( )**	4,884.			

Woodgrain Laminate not available on Panel Door
*Upcharges apply for Veneer doors;
For 36″w doors, add $420.
For 42″w doors, add $488.

Order Code

Example:	**RRDPPL(L)6436(A)(4)**
RRD	Reff rolling door
PPL	Monolithic frame
L	Left hand
64	64″ high
36	36″ wide
A	Flat style top trim
4″	4″ base height

Specification Information

Hinged Door
To order hinged doors please specify:

1. Top trim profile
2. Base height
3. Lock option
4. Door finish
5. Top trim finish
6. Base finish

1. Top trim profile:
A = Flat
B = Square
C = Bullnose

2. Base height:
4 = 4″ base
6 = 6″ base (add $50 for this option)

3. Lock option:
N = Not drilled
D = Drilled *
L = Drilled lock set included
D = *Customer supplies own handle.

Reff Profiles doors are 1 ½″ thick, which must be considered when custom handle and lock sets are used. **Rolling Door**
To order please specify the pattern number including:

1. Door hand left or right
2. Top trim profile
3. Base height
4. Trim finish
5. Base finish
6. Handle finish
7. Frame/Capture finish
8. Insert finish
9. Threshold (optional) and finish

Frame Insert Finish
Temp = Cleared tempered glass
Architectural options:
GL13 = Powdered glass
GL6 = Block matrix
GL8 = Wafer glass
P5 = Polycarbonate

Application Notes

Hinged Door

- Hinged door frame matches door finish.
- Panel alignment kits required for door applications (see page 116).
- 6″ base increases door height 2¾″.
- Hinged door lock set is an ADA lever style handle in polished chrome.

Rolling Door

To meet ADA pull rating of 5 lbs., a partial or full width threshold must be specified.

The 42″ wide door meets ADA width requirements. This door can be installed on all Reff Generation 2 panels. Rolling door base is not available in plated finishes. The frame, door handle, threshold, and base are all the same finish.

When specifying 79″h rolling doors, must specify panel top trim profiles A, B or C. Do not use with applications with panel top trim profile E, extruded aluminum.

For 64″h rolling door, one of the following support conditions must be existent:
1. Full height cabinet attached to the supporting post and panel
2. Worksurface and end panel OR worksurface and pedestal attached to the supporting post and panel

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

No lock, no plated finishes available. Doors are handed. All attachment hardware comes shipped with the door including the capture and the stabilizer.

Threshold optional. Order separately. Threshold is available partial and full length. 29″ opening on 36″ wide door. 36″ opening on 42″ wide door.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post. Refer to Planning Guide for details.

Master key requests must be processed as a special request through Custom Product Development.

Attachment kits

description	type	w	h	pattern no.	list price
Attachment Kit 34″H panels to Generation 2 Beltway posts				**R234PKIT**	$131.
Attachment Kit Generation 1 34″H panels to Generation 3 Beltway posts				**R334PKIT**	131.
Attachment Kit Generation 1 panel 42″, 49″, 64″, 79″ high to Generation 2 panels				**R2AK**	n/c
Attachment Kit Generation 1 panels to Generation 3 posts				**R3AK**	n/c
*R3/R2 stacking post sleeve 	adapter kit for stacking posts only			**R3R2SLV**	n/c
Hookstrip cover reveal strip. (order separately for all panels)	15 Pieces	3/8″	79″	**RHSC15**	n/c
	250 Pieces	3/8″	79″	**RHSC250**	n/c
	70 Pieces	3/8″	79″	**RHSC70**	n/c
Carpet gripper (Pack fo 10)				**R2CG**	24.
Outlet covers	Pack of 4			**RROF4( )**	65.
	Pack of 10			**RROF10( )**	162.
	Available in painted or plated finishes				

Order Code

Example:	**R234PKIT**
R2	Reff, generation 2
34	34″ h panel to
P	Beltway post
KIT	Attachment kit

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Application Notes

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post.

Refer to Planning Guide for details.

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Floor to ceiling modules
21″ high, for 104″ ceiling height and 79″ high panels fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade 10	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides	18″	21″	**R3FTCFF2118**			$416.	$437.	$513.	$541.	$615.	$690.
	20″	21″	**R3FTCFF2120**			416.	437.	513.	541.	615.	690.
	24″	21″	**R3FTCFF2124**			438.	460.	536.	564.	637.	713.
	30″	21″	**R3FTCFF2130**			485.	507.	582.	610.	684.	759.
	36″	21″	**R3FTCFF2136**			519.	541.	617.	645.	718.	794.
	42″	21″	**R3FTCFF2142**			567.	589.	664.	692.	766.	841.
	48″	21″	**R3FTCFF2148**			608.	630.	705.	733.	807.	882.
Stack-on floor to ceiling window module. Single glass type “A”	18″	21″	**RFTCWA2118**	581.	687.						
	20″	21″	**RFTCWA2120**	581.	687.						
	24″	21″	**RFTCWA2124**	610.	740.						
	30″	21″	**RFTCWA2130**	712.	866.						
	36″	21″	**RFTCWA2136**	744.	924.						
	42″	21″	**RFTCWA2142**	782.	1,001.						
	48″	21″	**RFTCWA2148**	820.	1,061.						
Stack-on floor to ceiling window module. Center mullion, type “B”	30″	21″	**RFTCWB2130**	831.	982.						
	36″	21″	**RFTCWB2136**	899.	1,082.						
	42″	21″	**RFTCWB2142**	950.	1,161.						
	48″	21″	**RFTCWB2148**	995.	1,241.						







Order Code

Example:	**R3FTCFF2118**
R3	Reff Generation 3
FTC	Floor to ceiling
FF	Fabric/fabric
21	21″ high
18	18″ wide
W281	Fabric selection - side 1
W281	Fabric selection - side 2
111	Jet Black soffit

Specification Information

To order please specify pattern number including:

1. Pattern number
2. Panel side 1 finish
3. Panel side 2 finish
4. Soffit finish (paint)

For window panel:

1. Pattern number
2. Frame finish
3. Glass type

Application Notes

Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).

Specify the finish for frames from paint selection on page 7.

Add to all ceiling window modules on this page an upcharge of $35 per module for P2 paint class options or $65 per module per P3 paint class options.

Provide elevation drawing for mixed fabrics or veneers.

Alternative sizes from 21″ to 37″ in ½″ increments are available through Custom Product Development.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff Profiles FTC modules must be approved by local building authorities.

Refer to Reff Profiles Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

No additional acoustic rating occurs on FTC installations.

Floor to ceiling modules
25″ high, for 108″ ceiling height and 79″ high panels fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade 10	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides	18″	25″	**R3FTCFF2518**			$462.	$482.	$585.	$605.	$704.	$788.
	20″	25″	**R3FTCFF2520**			462.	482.	585.	605.	704.	788.
	24″	25″	**R3FTCFF2524**			490.	510.	613.	633.	730.	815.
	30″	25″	**R3FTCFF2530**			532.	552.	656.	675.	774.	859.
	36″	25″	**R3FTCFF2536**			582.	602.	705.	725.	824.	908.
	42″	25″	**R3FTCFF2542**			627.	647.	751.	770.	869.	954.
	48″	25″	**R3FTCFF2548**			674.	693.	797.	816.	916.	1,000.
Stack-on floor to ceiling window module. Single glass type “A”	18″	25″	**RFTCWA2518**	607.	713.						
	20″	25″	**RFTCWA2520**	607.	713.						
	24″	25″	**RFTCWA2524**	650.	772.						
	30″	25″	**RFTCWA2530**	751.	903.						
	36″	25″	**RFTCWA2536**	786.	968.						
	42″	25″	**RFTCWA2542**	837.	1,048.						
	48″	25″	**RFTCWA2548**	873.	1,115.						
Stack-on floor to ceiling window module. Center mullion, type “B”	30″	25″	**RFTCWB2530**	862.	1,012.						
	36″	25″	**RFTCWB2536**	955.	1,138.						
	42″	25″	**RFTCWB2542**	1,013.	1,227.						
	48″	25″	**RFTCWB2548**	1,070.	1,315.						







Order Code

Example:	**R3FTCFF2518**
R3	Reff Generation 3
FTC	Floor to ceiling
FF	Fabric/fabric
25	25″ high
18	18″ wide
W281	Fabric selection - side 1
W281	Fabric selection - side 2
111	Jet Black soffit

Specification Information

To order please specify pattern number including:

1. Pattern number
2. Panel side 1 finish
3. Panel side 2 finish
4. Soffit finish (paint)

For window panel:

1. Pattern number
2. Frame finish
3. Glass type

Application Notes

Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered clear glass (4mm thick).

Specify the finish for frames from paint selection on page 7.

Add to all ceiling window modules on this page an upcharge of $35 per module for P2 paint class options or $65 per module per P3 paint class options.

Provide elevation drawing for mixed fabrics or veneers.

Alternative sizes from 21″ to 37″ in ½″ increments are available through Custom Product Development.

Ceiling height includes 4″ allowance for trim.

Metal top side plates allow for 2″ adjustment downwards to allow for uneven floors.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff Profiles FTC modules must be approved by local building authorities.

Refer to Reff Profiles Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

No additional acoustic rating occurs on FTC installations.

Floor to ceiling modules
37″ high, for 120″ ceiling height and 79″ high panels fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade 10	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides	18″	37″	**R3FTCFF3718**			$608.	$623.	$777.	$800.	$949.	$1,085.
	20″	37″	**R3FTCFF3720**			608.	623.	777.	800.	949.	1,085.
	24″	37″	**R3FTCFF3724**			643.	669.	811.	835.	984.	1,120.
	30″	37″	**R3FTCFF3730**			698.	713.	866.	890.	1,039.	1,175.
	36″	37″	**R3FTCFF3736**			758.	773.	927.	950.	1,099.	1,236.
	42″	37″	**R3FTCFF3742**			815.	831.	984.	1,008.	1,157.	1,293.
	48″	37″	**R3FTCFF3748**			870.	886.	1,039.	1,063.	1,212.	1,348.
Stack-on floor to ceiling window module. Single glass type “A”	18″	37″	**RFTCWA3718**	696.	799.						
	20″	37″	**RFTCWA3720**	696.	799.						
	24″	37″	**RFTCWA3724**	750.	872.						
	30″	37″	**RFTCWA3730**	883.	1,017.						
	36″	37″	**RFTCWA3736**	920.	1,099.						
	42″	37″	**RFTCWA3742**	980.	1,190.						
	48″	37″	**RFTCWA3748**	1,031.	1,280.						
Stack-on floor to ceiling window module. Center mullion, type “B”	30″	37″	**RFTCWB3730**	953.	1,106.						
	36″	37″	**RFTCWB3736**	1,122.	1,302.						
	42″	37″	**RFTCWB3742**	1,210.	1,420.						
	48″	37″	**RFTCWB3748**	1,287.	1,534.						





Order Code

Example:	**R3FTCFF3718**
R3	Reff Generation 3
FTC	Floor to ceiling
FF	Fabric/fabric
37	37″ high
18	18″ wide
W281	Fabric selection - side 1
W281	Fabric selection - side 2
111	Jet Black soffit

Specification Information

To order please specify pattern number including:

1. Pattern number
2. Panel side 1 finish
3. Panel side 2 finish
4. Soffit finish (paint)

For window panel:

1. Pattern number
2. Frame finish
3. Glass type

Application Notes

Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).

Specify the finish for frames from paint selection on page 7.

Add to all ceiling window modules on this page an upcharge of $35 per module for P2 paint class options or $65 per module per P3 paint class options.

Provide elevation drawing for mixed fabrics or veneers.

Alternative sizes from 21″ to 37″ in ½″ increments are available through Custom Product Development.

Ceiling height includes 4″ allowance for trim.

Metal top side plates allow for 2″ adjustment downwards to allow for uneven floors.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff Profiles FTC modules must be approved by local building authorities.

Refer to Reff Profiles Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules

21" and 25" high modules, fabric one side, laminate, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 21″	18″	21″	**R3FTCFL2118**	$470.	$477.	$518.	$532.	$570.	$612.
	20″	21″	**R3FTCFL2120**	470.	477.	518.	532.	570.	612.
	24″	21″	**R3FTCFL2124**	485.	492.	534.	548.	585.	627.
	30″	21″	**R3FTCFL2130**	543.	551.	592.	606.	644.	686.
	36″	21″	**R3FTCFL2136**	591.	598.	639.	653.	691.	733.
	42″	21″	**R3FTCFL2142**	643.	650.	691.	705.	743.	785.
	48″	21″	**R3FTCFL2148**	692.	700.	741.	755.	793.	835.
Stack-on floor to ceiling module Fabric one side, techwood other side, 21″	18″	21″	**R3FTCF12118**	491.	499.	541.	556.	595.	636.
	20″	21″	**R3FTCF12120**	491.	499.	541.	556.	595.	636.
	24″	21″	**R3FTCF12124**	511.	518.	561.	576.	615.	656.
	30″	21″	**R3FTCF12130**	570.	578.	620.	635.	674.	715.
	36″	21″	**R3FTCF12136**	619.	626.	669.	684.	723.	764.
	42″	21″	**R3FTCF12142**	669.	676.	718.	733.	772.	813.
	48″	21″	**R3FTCF12148**	728.	735.	778.	793.	832.	873.
Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 21″	18″	21″	**R3FTCF22118**	536.	543.	584.	599.	637.	678.
	20″	21″	**R3FTCF22120**	536.	543.	584.	599.	637.	678.
	24″	21″	**R3FTCF22124**	553.	561.	602.	617.	654.	696.
	30″	21″	**R3FTCF22130**	622.	630.	671.	686.	724.	765.
	36″	21″	**R3FTCF22136**	673.	680.	721.	737.	774.	815.
	42″	21″	**R3FTCF22142**	732.	740.	781.	796.	834.	875.
	48″	21″	**R3FTCF22148**	793.	800.	841.	856.	894.	935.

Order Code

Example:	**R3FTCFL2118**
R3	Reff Generation 3
FTC	Floor to ceiling
FL	Fabric/laminate
21	21″ high
18	18″ wide
W281	Fabric selection - side 1
114	Folkstone grey - side 2
111	Jet Black soffit

Specification Information

To order please specify pattern number including:

1. Pattern number
2. Panel side 1 finish
3. Panel side 2 finish
4. Soffit finish (paint)

Product on this page will accept Marker board (LW) and woodgrain laminate where laminate is currently an option.

Application Notes

Provide elevation drawing for mixed fabrics or veneers.

Alternative sizes from 21″ to 37″ in ½″ increments are available through Custom Product Development.

Ceiling height includes 4″ allowance for trim.

Metal top side plates allow for 2″ (approx.) adjustment downwards to allow for uneven floors.

Modules on this page will not support the hanging of panel mount product.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff Profiles FTC modules must be approved by local building authorities.

Refer to Reff Profiles Planning Guide,
section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules
21″ and 25″ high modules, fabric one side, laminate, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, exotic veneer other side 21″	18″	21″	**R3FTCF321 18**	$648.	$656.	$697.	$712.	$750.	$791.
	20″	21″	**R3FTCF321 20**	648.	656.	697.	712.	750.	791.
	24″	21″	**R3FTCF321 24**	670.	677.	718.	733.	771.	812.
	30″	21″	**R3FTCF321 30**	755.	762.	804.	819.	856.	897.
	36″	21″	**R3FTCF321 36**	815.	823.	864.	879.	917.	958.
	42″	21″	**R3FTCF321 42**	888.	895.	936.	951.	989.	1,030.
	48″	21″	**R3FTCF321 48**	960.	968.	1,009.	1,024.	1,062.	1,103.
Stack-on floor to ceiling module Fabric one side, laminate other side, 25″	18″	25″	**R3FTCFL2518**	502.	515.	568.	578.	629.	674.
	20″	25″	**R3FTCFL2520**	502.	515.	568.	578.	629.	674.
	24″	25″	**R3FTCFL2524**	521.	534.	586.	596.	647.	692.
	30″	25″	**R3FTCFL2530**	592.	605.	658.	667.	718.	764.
	36″	25″	**R3FTCFL2536**	642.	654.	707.	717.	768.	813.
	42″	25″	**R3FTCFL2542**	704.	717.	770.	780.	831.	876.
	48″	25″	**R3FTCFL2548**	760.	773.	826.	836.	887.	932.
Stack-on floor to ceiling module Fabric one side, techwood other side, 25″	18″	25″	**R3FTCF12518**	525.	537.	592.	602.	653.	701.
	20″	25″	**R3FTCF12520**	525.	537.	592.	602.	653.	701.
	24″	25″	**R3FTCF12524**	543.	555.	610.	620.	672.	719.
	30″	25″	**R3FTCF12530**	622.	634.	689.	699.	751.	798.
	36″	25″	**R3FTCF12536**	670.	681.	737.	746.	798.	846.
	42″	25″	**R3FTCF12542**	737.	748.	804.	813.	865.	913.
	48″	25″	**R3FTCF12548**	795.	807.	862.	872.	923.	971.







Order Code

Example:	**R3FTCFL2118**
R3	Reff Generation 3
FTC	Floor to ceiling
FL	Fabric/laminate
21	21″ high
18	18″ wide
W281	Fabric selection - side 1
114	Folkstone grey - side 2
111	Jet Black soffit

Specification Information

To order please specify pattern number including:

1. Pattern number
2. Panel side 1 finish
3. Panel side 2 finish
4. Soffit finish (paint)

Product on this page will accept Marker board (LW) and woodgrain laminate where laminate is currently an option.

Application Notes

Provide elevation drawing for mixed fabrics or veneers.

Alternative sizes from 21″ to 37″ in ½″ increments are available through Custom Product Development.

Ceiling height includes 4″ allowance for trim.

Metal top side plates allow for 2″ (approx.) adjustment downwards to allow for uneven floors.

Modules on this page will not support the hanging of panel mount product.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff Profiles FTC modules must be approved by local building authorities.

Refer to Reff Profiles Planning Guide,
section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules

21" and 25" high modules, fabric one side, laminate, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 25″	18″	25″	**R3FTCF22518**	$573.	$585.	$639.	$649.	$700.	$746.
	20″	25″	**R3FTCF22520**	573.	585.	639.	649.	700.	746.
	24″	25″	**R3FTCF22524**	590.	602.	656.	665.	716.	762.
	30″	25″	**R3FTCF22530**	676.	688.	742.	752.	802.	849.
	36″	25″	**R3FTCF22536**	733.	745.	799.	809.	860.	906.
	42″	25″	**R3FTCF22542**	805.	816.	870.	880.	931.	977.
	48″	25″	**R3FTCF22548**	868.	880.	934.	944.	995.	1,041.
Stack-on floor to ceiling module Fabric one side, exotic veneer other side 25″	18″	25″	**R3FTCF325 18**	688.	700.	754.	764.	814.	861.
	20″	25″	**R3FTCF325 20**	688.	700.	754.	764.	814.	861.
	24″	25″	**R3FTCF325 24**	714.	726.	780.	789.	840.	887.
	30″	25″	**R3FTCF325 30**	815.	827.	881.	891.	942.	988.
	36″	25″	**R3FTCF325 36**	888.	900.	954.	963.	1,014.	1,061.
	42″	25″	**R3FTCF325 42**	974.	986.	1,040.	1,050.	1,101.	1,147.
	48″	25″	**R3FTCF325 48**	1,054.	1,066.	1,120.	1,130.	1,180.	1,227.





Order Code

Example:	**R3FTCFL2118**
R3	Reff Generation 3
FTC	Floor to ceiling
FL	Fabric/laminate
21	21″ high
18	18″ wide
W281	Fabric selection - side 1
114	Folkstone grey - side 2
111	Jet Black soffit

Specification Information

To order please specify pattern number including:

1. Pattern number
2. Panel side 1 finish
3. Panel side 2 finish
4. Soffit finish (paint)

Product on this page will accept Marker board (LW) and woodgrain laminate where laminate is currently an option.

Application Notes

Provide elevation drawing for mixed fabrics or veneers.

Alternative sizes from 21″ to 37″ in ½″ increments are available through Custom Product Development.

Ceiling height includes 4″ allowance for trim.

Metal top side plates allow for 2″ (approx.) adjustment downwards to allow for uneven floors.

Modules on this page will not support the hanging of panel mount product.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff Profiles FTC modules must be approved by local building authorities.

Refer to Reff Profiles Planning Guide,
section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules
37″ high modules, fabric one side, laminate, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade 10	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side	18″	37″	**R3FTCFL3718**	$615.	$623.	$700.	$713.	$789.	$860.
	20″	37″	**R3FTCFL3720**	615.	623.	700.	713.	789.	860.
	24″	37″	**R3FTCFL3724**	625.	634.	711.	724.	800.	870.
	30″	37″	**R3FTCFL3730**	743.	752.	828.	841.	918.	988.
	36″	37″	**R3FTCFL3736**	802.	811.	888.	901.	977.	1,048.
	42″	37″	**R3FTCFL3742**	895.	904.	981.	994.	1,070.	1,140.
	48″	37″	**R3FTCFL3748**	977.	986.	1,063.	1,076.	1,152.	1,223.
Stack-on floor to ceiling module Fabric one side, techwood other side	18″	37″	**R3FTCF13718**	642.	652.	731.	743.	823.	896.
	20″	37″	**R3FTCF13720**	642.	652.	731.	743.	823.	896.
	24″	37″	**R3FTCF13724**	653.	664.	743.	755.	835.	908.
	30″	37″	**R3FTCF13730**	777.	787.	866.	878.	958.	1,031.
	36″	37″	**R3FTCF13736**	843.	854.	933.	945.	1,025.	1,098.
	42″	37″	**R3FTCF13742**	941.	951.	1,030.	1,042.	1,122.	1,196.
	48″	37″	**R3FTCF13748**	1,025.	1,036.	1,115.	1,126.	1,206.	1,280.
Stack-on floor to ceiling module Fabric one side, conventional veneer other side	18″	37″	**R3FTCF23718**	696.	705.	783.	795.	873.	944.
	20″	37″	**R3FTCF23720**	696.	705.	783.	795.	873.	944.
	24″	37″	**R3FTCF23724**	711.	720.	798.	810.	888.	959.
	30″	37″	**R3FTCF23730**	842.	852.	930.	942.	1,020.	1,091.
	36″	37″	**R3FTCF23736**	914.	923.	1,001.	1,013.	1,091.	1,162.
	42″	37″	**R3FTCF23742**	1,024.	1,034.	1,111.	1,123.	1,201.	1,272.
	48″	37″	**R3FTCF23748**	1,118.	1,128.	1,205.	1,217.	1,295.	1,366.
Stack-on floor to ceiling module Fabric one side, exotic veneer other side 37″	18″	37″	**R3FTCF337 18**	834.	843.	921.	933.	1,011.	1,082.
	20″	37″	**R3FTCF337 20**	834.	843.	921.	933.	1,011.	1,082.
	24″	37″	**R3FTCF337 24**	855.	865.	943.	955.	1,032.	1,104.
	30″	37″	**R3FTCF337 30**	1,016.	1,026.	1,104.	1,116.	1,193.	1,265.
	36″	37″	**R3FTCF337 36**	1,103.	1,112.	1,190.	1,202.	1,280.	1,351.
	42″	37″	**R3FTCF337 42**	1,239.	1,248.	1,326.	1,338.	1,416.	1,487.
	48″	37″	**R3FTCF337 48**	1,355.	1,365.	1,443.	1,455.	1,533.	1,604.

Order Code

Example:	**R3FTCFL3718**
R3	Reff Generation 3
FTC	Floor to ceiling
FL	Fabric/laminate
37	37″ high
18	18″ wide
W281	Fabric selection - side 1
114	Folkstone grey - side 2
111	Jet Black soffit

Specification Information

To order please specify pattern number including:

1. Pattern number
2. Panel side 1 finish
3. Panel side 2 finish
4. Soffit finish (paint)

Product on this page will accept Marker board (LW) and woodgrain laminate where laminate is currently an option.

Application Notes

Provide elevation drawing for mixed fabrics or veneers.

Alternative sizes from 21″ to 37″ in ½″ increments are available through Custom Product Development.

Ceiling height includes 4″ allowance for trim.

Metal top side plates allow for 2″ (approx.) adjustment downwards to allow for uneven floors.

Modules on this page will not support the hanging of panel mount product.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff Profiles FTC modules must be approved by local building authorities.

Refer to Reff Profiles Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules
Panel connection posts for floor to ceiling applications

description		h	pattern no.	list price
L-Post 	add on	21″	**R3FTCL21**	$218.
	add on	25″	**R3FTCL25**	241.
	add on	37″	**R3FTCL37**	312.
	full height	104″	**R3FTCL104(F/T)(F/T)-( )( )**	492.
	full height	108″	**R3FTCL108(F/T)(F/T)-( )( )**	492.
	full height	120″	**R3FTCL120(F/T)(F/T)-( )( )**	492.
T-Post 	add on	21″	**R3FTCT21**	235.
	add on	25″	**R3FTCT25**	257.
	add on	37″	**R3FTCT37**	329.
	full height	104″	**R3FTCT104(F/T)-( )( )**	444.
	full height	108″	**R3FTCT108(F/T)-( )( )**	444.
	full height	120″	**R3FTCT120(F/T)-( )( )**	444.
X-Post 	add on	21″	**R3FTCX21**	215.
	add on	25″	**R3FTCX25**	238.
	add on	37″	**R3FTCX37**	311.
	full height	104″	**R3FTCX104**	407.
	full height	108″	**R3FTCX108**	407.
	full height	120″	**R3FTCX120**	407.
Straight post 	add on	21″	**R3FTCS21**	218.
	add on	25″	**R3FTCS25**	241.
	add on	37″	**R3FTCS37**	312.
	full height	104″	**R3FTCS104(F/T)(F/T)-( )( )**	492.
	full height	108″	**R3FTCS108(F/T)(F/T)-( )( )**	492.
	full height	120″	**R3FTCS120(F/T)(F/T)-( )( )**	492.
End post 	add on	21″	**R3FTCE21**	235.
	add on	25″	**R3FTCE25**	257.
	add on	37″	**R3FTCE37**	329.
	full height	104″	**R3FTCE104(F/T)(F/T)(F/T)-( )( )**	444.
	full height	108″	**R3FTCE108(F/T)(F/T)(F/T)-( )( )**	444.
	full height	120″	**R3FTCE120(F/T)(F/T)(F/T)-( )( )**	444.

Order Code

Example:	**R3FTCL104TT-6N**
R3FTC	Reff Gen 3 Floor to ceiling
L	Corner post
104	104″ high (one piece)
TT	Tiled appearance
6	6″ base height
N	No base infeed raceway knock-out
W808	Fabric selection
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Post face option
2. Base height option
3. Base infeed raceway knock-out, (optional)
4. Fabric selection
5. Base color

1. Face type:
F = Full height (monolithic look)
T = Tiled

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $50 list for this option)

3. Electrical infeed post:
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

Application Notes

The posts on this page do not support the hanging of panel mount product above the 79″H panels.

The posts on this page will not carry data or electrical cables from the ceiling. Contact custom product development for custom ceiling electrical requirements.

If required, specify the mouse hole location (specification action 4) to create access for electrical infeeds.

Left and Right hand locations are determined by facing the post in question from the outside of the station.

Hookstrip cover reveal strips are no charge but must be ordered separately from page 119.

Refer to Reff Profiles Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Required components
for floor to ceiling applications

description	h	pattern no.	list price
FTC wall starter	21″	**RFTCWS21S**	$70.
	25″	**RFTCWS25S**	90.
	37″	**RFTCWS37S**	108.
Ceiling channel 108* and stabilizer beam	108″	**RFTCC108**	257.
Caddy clips (box of 100)		**RFTCCLIPS**	372.
Caddy clip spacers (box of 100) (Required in addition to Caddy Clips, where ceiling tiles hang below T-Bar level.)		**RFTCSPACE**	118.
Floor to ceiling stabilizer bracket for A or C window only, G2 tiled or mono panels (B window requires two pairs)		**RFTCWT (Pair)**	8.
Floor to ceiling beam bracket for top of a stacking module		**R3FTCSM (Pair) for G3 only**	8.
		RFTCSM (Pair) for G2 only	8.
Floor to ceiling beam bracket for top of a G1 panel		**RFTCG1 (Pair)**	8.
Floor to ceiling beam bracket for top of a door panel		**RFTCDR (Pair)**	8.

*These brackets are to be used with hinge doors only.

Order Code

Example:	**RFTCWS21S**
R	Reff Profiles
FTC	Floor to ceiling
WS	Wall starter
21	21″ high

Specification Information

To order please specify pattern number including:

1. Fabric/laminate/wood options
2. Paint option for metal soffit

All floor to ceiling posts mimic the panel system post application.

Application Notes

*Ceiling channel must be field cut to the panel run length, or joined if forming extended runs.

Ceiling channel comes with panel stabilizer beam. Ceiling stabilizer beam must be attached to the top of the 79″H portion of your wall before the ceiling modules can be attached.

Please see the Planning Guide on Exchange for detailed instructions on specifying and installing FTC components.

Use of Reff Profiles FTC components must be approved by local building authorities.

Refer to Reff Profiles Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling stabilizer brackets ship with bolts to connect the stabilizer beam, brackets and FTC module to the 79″H panel.

Power distribution components
2+2 Base Raceway
four circuit, eight-wire raceway for panels power rails and connector

description	type	w	d	h	pattern no.	list price
Power rail for panel base	24″ panel	6″	2″	2″	**RR3-E24**	$155.
	30″ panel	12″	2″	2″	**RR3-E30NS**	170.
	36″ panel	18″	2″	2″	**RR3-E36NS**	187.
	42″ panel	24″	2″	2″	**RR3-E42NS**	195.
	48″ panel	30″	2″	2″	**RR3-E48NS**	204.
	60″ panel	42″	2″	2″	**RR3-E60-4**	310.
	66″ panel	48″	2″	2″	**RR3-E66-4**	326.
	72″ panel	54″	2″	2″	**RR3-E72-4**	349.
Power connector* 	Straight	16 ½″	2″	2″	**RR3-EPC24M**	89.
		18 ½″	2″	2″	**RR3-EPCSM**	89.
		20¼″	2″	2″	**RR3-EPCM**	89.
		Use **RR3-EPC24M** for straight 24″ to 24″ wide panel. Use **RR3-EPCSM** for straight 24″ to any other width panel and for 30″ to 30″ wide panels. Use **RR3-EPCM** for all other straight power connection configurations.				
	Through post	19″	2″	2″	**RR3-EPCP24M**	89.
		21″	2″	2″	**RR3-EPCPSM**	89.
		22¾″	2″	2″	**RR3-EPCPM**	89.
		Use **RR3-EPCP24M** for through post 24″ to 24″ wide panels. Use **RR3-EPCPSM** for through post 24″ to any other width panel and for 30″ to 30″ wide panels. Use **RR3-EPCPM** for all other through post power connection configurations.				
Power rail for panel base for use with panels manufactured prior to June 1996	24″ panel	6″	2″	2″	**RR3-E24RF**	155.
	30″ panel	12″	2″	2″	**RR3-E30NSRF**	170.
	36″ panel	18″	2″	2″	**RR3-E36NSRF**	187.
	42″ panel	24″	2″	2″	**RR3-E42NSRF**	195.
	48″ panel	30″	2″	2″	**RR3-E48NSRF**	204.
	60″ panel	42″	2″	2″	**RR3-E60-4RF**	310.
	66″ panel	48″	2″	2″	**RR3-E66-4RF**	326.
	72″ panel	54″	2″	2″	**RR3-E72-4RF**	349.

Order Code

Example:	**RR3-E-24**
RR3	Reff Profiles raceway
E	Eight wire 2+2
24	for 24″ panel

Specification Information

Reff Profiles 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff Profiles panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting.

Order "RF" codes for use with panels manufactured before June 1996. This electrical component will come with data shields.

Application Notes

Power rails are the primary power distribution component of the Reff Profiles 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24″ wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30″ to 48″ panels accept two outlets (or one outlet and one infeed) on each side. 60″, 66″ and 72″W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection.

*Power connectors must be specified according to the panel widths in the specified orientation.

If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components
2+2 Base Raceway
four circuit, eight-wire raceway for panels power rails and connector

description	type	w	d	h	pattern no.	list price
Duplex outlets, black	Circuit A				**RR3-DA**	$43.
	Circuit A, with controlled symbol				**RR3-DAC**	43.
	Circuit B				**RR3-DB**	43.
	Circuit B, with controlled symbol				**RR3-DBC**	43.
	Circuit X				**RR3-DX**	43.
	Circuit X, with controlled symbol				**RR3-DXC**	43.
	Circuit Y				**RR3-DY**	43.
	Circuit Y, with controlled symbol				**RR3-DYC**	43.
Duplex outlets, orange	Circuit X				**RR3-DXO**	48.
	Circuit Y				**RR3-DYO**	48.
Duplex USB Receptacles	Circuit A, black	4½″	1″	1½″	**RR3-USBA**	189.
	Circuit B, black	4½″	1″	1½″	**RR3-USBB**	189.
	Circuit C, black	4½″	1″	1½″	**RR3-USBC**	189.
	Circuit X, black	4½″	1″	1½″	**RR3-USBX**	189.
	Circuit Y, black	4½″	1″	1½″	**RR3-USBY**	189.
	Circuit Z, black	4½″	1″	1½″	**RR3-USBZ**	189.
Data Shield	1 pair				**RR3-DATSHD**	30.
	Attaches to power rail, sits under duplex					

Order Code

Example:	**RR3-E-24**
RR3	Reff Profiles raceway
E	Eight wire 2+2
24	for 24″ panel

Specification Information

Reff Profiles 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff Profiles panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting.

Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.

Application Notes

Power rails are the primary power distribution component of the Reff Profiles 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24″ wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30″ to 48″ panels accept two outlets (or one outlet and one infeed) on each side. 60″, 66″ and 72″W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection.

*Power connectors must be specified according to the panel widths in the specified orientation.

If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components

2+2 Base Raceway

four circuit, eight-wire raceway for panels jumpers and infeed

description	type	w	d	h	pattern no.	list price
Jumper 	18″ panel	38″	2″	2″	**RR3-EJ18**	$112.
	20″ panel	40″	2″	2″	**RR3-EJ20**	112.
	24″ panel	44″	2″	2″	**RR3-EJ24**	121.
	30″ panel	50″	2″	2″	**RR3-EJ30**	129.
	36″ panel	56″	2″	2″	**RR3-EJ36**	140.
	42″ panel	62″	2″	2″	**RR3-EJ42**	148.
	48″ panel	68″	2″	2″	**RR3-EJ48**	155.
	54″ panel run	76 ½″	2″	2″	**RR3-EJ54P**	162.
	60″ panel run	82 ½″	2″	2″	**RR3-EJ60P**	170.
	66″ panel run	88 ½″	2″	2″	**RR3-EJ66P**	179.
	72″ panel run	94 ½″	2″	2″	**RR3-EJ72P**	187.
	78″ panel run	100 ½″	2″	2″	**RR3-EJ78P**	195.
	84″ panel run	106 ½″	2″	2″	**RR3-EJ84P**	204.
	90″ panel run	112 ½″	2″	2″	**RR3-EJ90P**	213.
	96″ panel run	118 ½″	2″	2″	**RR3-EJ96P**	220.
Extended jumper (through one post) 	18″ + post	40 ½″	2″	2″	**RR3-EJ18P**	112.
	20″ + post	42 ½″	2″	2″	**RR3-EJ20P**	112.
	24″ + post	46 ½″	2″	2″	**RR3-EJ24P**	121.
	30″ + post	52 ½″	2″	2″	**RR3-EJ30P**	129.
	36″ + post	58 ½″	2″	2″	**RR3-EJ36P**	140.
	42″ + post	64½″	2″	2″	**RR3-EJ42P**	148.
	48″ + post	70½″	2″	2″	**RR3-EJ48P**	155.
Power infeeds 	Ceiling power cable infeed. Eight-wire				**RR3-EPVR**	335.
	Hardwire infeed (NYC) one direction				**RR3-EPNY1**	226.
	Hardwire infeed (NYC) two directions				**RR3-EPNY2**	339.
	Panel base end feed				**RR3-REPI**	269.
	Panel base side infeed				**RR3-EPI**	269.
	Surge suppressors				**RR3-SP-(A,B,X,Y)**	195.

Order Code

Example:	**RR3-EPVR**
RR3	Reff Profiles raceway
E	Eight wire 2+2
P	power infeed
VR	for vertical raceway

Specification Information

Reff Profiles 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two 20-amp circuits (X and Y) with separate neutral and ground.

For use in Canada, all circuits are CGA rated 15 amp capacity.

Note:
For NYC hardwire infeeds specify bracket height: 4″, 5″, or 6″H.

Beltway panels can use jumpers at the panel base in a straight run or around a corner.

Application Notes

Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18″ to 48″ are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54″ to 96″ wide can be used with or without a post application. Extended jumpers and jumpers 54″ to 96″ wide can only pass through panels and one post.

Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13′ pigtail for connection into panel base through power pole adjacent to panel with power rail. Power pole and post must be ordered separately.

Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30″ or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. **RR3-EPNY2** includes two power connectors to power panels on both sides of infeed panel; **RR3-EPNY1** includes only one power connector.

Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.

Power distribution components

3+3 Base Raceway

six circuit, ten-wire raceway for panels power rails and connectors

description	type	w	d	h	pattern no.	list price
Power rail for panel base	24″ panel	6″	2″	2″	**RR3-T24**	$179.
	30″ panel	12″	2″	2″	**RR3-T30NS**	195.
	36″ panel	18″	2″	2″	**RR3-T36NS**	213.
	42″ panel	24″	2″	2″	**RR3-T42NS**	226.
	48″ panel	30″	2″	2″	**RR3-T48NS**	235.
	60″ panel	42″	2″	2″	**RR3-T60-4**	367.
	66″ panel	48″	2″	2″	**RR3-T66-4**	381.
	72″ panel	54″	2″	2″	**RR3-T72-4**	408.
Power connector* 	Straight	16 1/2″	2″	2″	**RR3-TPC24M**	112.
		18 1/2″	2″	2″	**RR3-TPCSM**	112.
		20 1/4″	2″	2″	**RR3-TPCM**	112.
		Use **RR3-TPC24** for through post 24″ to 24″ wide panels. Use **RR3-TPCS** for through post 24″ to any other width panel and for 30″ to 30″ wide panels. Use **RR3-TPC** for all other through post power connection configurations.				
	Through post	19″	2″	2″	**RR3-TPCP24M**	112.
		21″	2″	2″	**RR3-TPCPSM**	112.
		22 3/4″	2″	2″	**RR3-TPCPM**	112.
		Use **RR3-TPCP24** for through post 24″ to 24″ wide panels. Use **RR3-TPCPS** for through post 24″ to any other width panel and for 30″ to 30″ wide panels. Use **RR3-TPCP** for all other through post power connection configurations.				
Power rail for panel base for use with panels manufactured prior to June 1996	24″ panel	6″	2″	2″	**RR3-T24RF**	179.
	30″ panel	12″	2″	2″	**RR3-T30NSRF**	195.
	36″ panel	18″	2″	2″	**RR3-T36NSRF**	213.
	42″ panel	24″	2″	2″	**RR3-T42NSRF**	226.
	48″ panel	30″	2″	2″	**RR3-T48NSRF**	235.
	60″ panel	42″	2″	2″	**RR3-T60-4RF**	367.
	66″ panel	48″	2″	2″	**RR3-T66-4RF**	381.
	72″ panel	54″	2″	2″	**RR3-T72-4RF**	408.

Order Code

Example:	**RR3-T-24**
RR3	Reff Profiles Raceway
T	Ten wire 3+3
24	for 24″ panel

Specification Information

Reff Profiles 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff Profiles panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.

A, B, X, Y outlets are identical to eight wire, 2+2 components.

Duplex outlet circuits are designated by white letters on black background.

In Canada, circuits carry a 15 amp load rating.

Order "RF" codes for use with panels manufactured before June 1996. This electrical component will come with data shields.

Application Notes

Power rails are the primary power distribution component of the Reff Profiles 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24″W panel accepts one duplex outlet or power infeed one either side. Rails for 30″ to 48″ panels accept two outlets each side, 60″, 66″ and 72″ rails accept four duplex outlets per side.

*Power connectors must be specified according to the panel widths in the specified orientation.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection.

Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black.

If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels power rails and connectors

description	type	w	d	h	pattern no.	list price
Duplex outlets, black	Circuit A				**RR3-DA**	$43.
	Circuit A, with controlled symbol				**RR3-DAC**	43.
	Circuit B				**RR3-DB**	43.
	Circuit B, with controlled symbol				**RR3-DBC**	43.
	Circuit C				**RR3-DC**	43.
	Circuit C, with controlled symbol				**RR3-DCC**	43.
	Circuit X				**RR3-DX**	43.
	Circuit X, with controlled symbol				**RR3-DXC**	43.
	Circuit Y				**RR3-DY**	43.
	Circuit Y, with controlled symbol				**RR3-DYC**	43.
	Circuit Z				**RR3-DZ**	43.
	Circuit Z, with controlled symbol				**RR3-DZC**	43.
Duplex outlets, orange	Circuit X				**RR3-DXO**	48.
	Circuit Y				**RR3-DYO**	48.
	Circuit Z				**RR3-DZO**	48.
Data Shield	1 pair				**RR3-DATSHD**	30.

Order Code

Example:	**RR3-T-24**
RR3	Reff Profiles raceway
T	Ten wire 3+3
24	for 24″ panel

Specification Information

Reff Profiles 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff Profiles panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.

A, B, X, Y outlets are identical to eight wire, 2+2 components.

Duplex outlet circuits are designated by white letters on black background.

In Canada, circuits carry a 15 amp load rating.

Note:
Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.

Application Notes

Power rails are the primary power distribution component of the Reff Profiles 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24″W panel accepts one duplex outlet or power infeed one either side. Rails for 30″ to 48″ panels accept two outlets each side, 60″, 66″ and 72″ rails accept four duplex outlets per side.

*Power connectors must be specified according to the panel widths in the specified orientation.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection.

Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black.

If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels jumpers and infeed

description	type	w	d	h	pattern no.	list price
Jumper 	18″ panel	38″	2″	2″	**RR3-TJ18**	$129.
	20″ panel	40″	2″	2″	**RR3-TJ20**	129.
	24″ panel	44″	2″	2″	**RR3-TJ24**	140.
	30″ panel	50″	2″	2″	**RR3-TJ30**	148.
	36″ panel	56″	2″	2″	**RR3-TJ36**	155.
	42″ panel	62″	2″	2″	**RR3-TJ42**	170.
	48″ panel	68″	2″	2″	**RR3-TJ48**	187.
	54″ panel run	76½″	2″	2″	**RR3-TJ54P**	195.
	60″ panel	82½″	2″	2″	**RR3-TJ60P**	204.
	66″ panel run	86½″	2″	2″	**RR3-TJ66P**	213.
	72″ panel run	94½″	2″	2″	**RR3-TJ72P**	220.
	78″ panel run	100½″	2″	2″	**RR3-TJ78P**	226.
	84″ panel run	106½″	2″	2″	**RR3-TJ84P**	247.
	90″ panel run	112½″	2″	2″	**RR3-TJ90P**	252.
	96″ panel run	118½″	2″	2″	**RR3-TJ96P**	259.
Extended jumper 	18″ + post	40½″	2″	2″	**RR3-TJ18P**	129.
	20″ + post	46½″	2″	2″	**RR3-TJ20P**	129.
	24″ + post	46½″	2″	2″	**RR3-TJ24P**	140.
	30″ + post	52½″	2″	2″	**RR3-TJ30P**	148.
	36″ + post	58½″	2″	2″	**RR3-TJ36P**	155.
	42″ + post	64½″	2″	2″	**RR3-TJ42P**	170.
	48″ + post	70½″	2″	2″	**RR3-TJ48P**	187.
Power infeeds 	Ceiling power cable infeed. Ten-wire				**RR3-TPVR**	404.
	Hardwire infeed (NYC) one direction **				**RR3-TPNY1**	259.
	Hardwire infeed (NYC) two directions **				**RR3-TPNY2**	374.
	Panel base end feed				**RR3-RTPI**	310.
	Panel base side infeed				**RR3-TPI**	310.
	Surge suppressors *				**RR3-SP-(A, B, C, X, Y, Z)**	195.

* Select which circuit needs protecting and order the specified surge processor.
** For RR3-TPNY1 and RR3-TPNY2 specify base height of panel for NYC.

Order Code

Example:	**RR3-TPVR**
RR3	Reff raceway
T	Ten wire 3+3
P	power infeed
VR	for vertical raceway

Specification Information

Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A, B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.

In Canada, circuits carry a 15 amp load rating.

Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13′ pigtail for connection into panel base through standard power pole. Power pole and post must be ordered separately.

Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30″ or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. **RR3-TPNY2** includes two power connectors to power panels on both sides of infeed panel; **RR3-TPNY1** includes only one power connector.

Note:
For NYC hardwire infeeds specify bracket height: 4″, 5″, or 6″H.

Application Notes

Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18″ to 48″ are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54″ to 96″ wide can be used with or without a post application. Extended jumpers and jumpers 54″ to 96″ wide can only pass through panels and one post.

Cable sizes are nominal. Use the “type” column to specify the required cable for your panel.

Beltway panels can use jumpers at the panel base in a straight run or around a corner.

Power distribution components
Hardwire box

description	type	pattern no.	list
Chicago Hardwire Box 1 Sided	24″ panel	**RR3CHI241**	$241.
	30″ panel	**RR3CHI301**	281.
	36″ panel	**RR3CHI361**	302.
	42″ panel	**RR3CHI421**	305.
	48″ panel	**RR3CHI481**	327.
Chicago Hardwire Box 2 Sided	24″ panel	**RR3CHI242**	250.
	30″ panel	**RR3CHI302**	299.
	36″ panel	**RR3CHI362**	308.
	42″ panel	**RR3CHI422**	312.
	48″ panel	**RR3CHI482**	347.





Order Code		Specification Information	Application Notes
Example:	**RR3CHI241**	Hardwire box is didicated for panels with raceway either one or two sided, be sure to match to panel specification.	Certified electrican to install. Reff Profiles Hardwire Box Installation instruction sheet available on Knoll Exchange. Part number 6TR45715.
RR3	Reff/AutoStrada raceway G3		
CHI	Chicago Hardwire Box		
24	For 24″ wide panel		
1	One sided raceway		

description	type	w	pattern no.	list price
One sided power rail for use with one sided Beltway Panel. Eight wire only. 2 sided beltway panels use standard base power rail. 	24″ panel		**RR3-E24S**	$162.
	30″ panel		**RR3-E30S**	187.
	36″ panel		**RR3-E36S**	204.
	42″ panel		**RR3-E42S**	220.
	48″ panel		**RR3-E48S**	226.
One sided power rail for use with one sided Beltway panel. Ten wire only 	24″ panel		**RR3-T24S**	195.
	30″ panel		**RR3-T30S**	213.
	36″ panel		**RR3-T36S**	226.
	42″ panel		**RR3-T42S**	247.
	48″ panel		**RR3-T48S**	252.

Order Code

Example:	**RR3-E24S**
RR3	Reff raceway
E	Eight wire 3+3
24	For 24″ panel
S	Single sided power

*Power connectors must be specified according to the panel widths in the specified orientation.

Specification Information

Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.

Two side beltway panels use power rail for base.

Single side beltway panel use one sided power rail for base.

Note:
When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.

Application Notes

Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.

Power cannot be transferred from base raceway to beltway raceway in 18″, 20″, and 24″W Reff Profiles beltway panels.

Vertical Adjacent Jumper
* *Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.

Vertical Jumper
When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

Beltway electrical components

description	type	w	pattern no.	list price
Beltway ribbon connector For eight or ten wire*	Beltway post	16½″	**RR3-LTPC24**	$112.
	Beltway post	19½″	**RR3-LTPC**	112.
	Beltway post	21½″	**RR3-LTPCP**	112.
	Only necessary for post applications where cable will turn 90°ree. A standard power connector will go through a post in a straight run.			
Vertical Jumper for linking base raceway and Beltway power rails in the same panel	For 30″ wide Beltway panels (10 Wire)		**RR3-TBBCS**	162.
	For 30″ wide Beltway panels (8 Wire)		**RR3-EBBCS**	154.
	For 36″ to 48″ wide Beltway panels (10 Wire)		**RR3-TBBCL**	171.
	For 36″ to 48″ wide Beltway panels (8 Wire)		**RR3-EBBCL**	162.
Vertical Adjacent Jumper** For linking power to beltway from an adjacent panel 	24″ wide Eight Wire		**RR3EJ48**	155.
	24″ wide Ten Wire		**RR3TJ48**	187.
	30″ wide Ten Wire		**RR3TJ60P**	204.
	36″ wide Eight Wire		**RR3EJ60P**	170.
	42″ wide Eight Wire		**RR3EJ66P**	179.
	42″ wide Ten Wire		**RR3TJ66P**	213.
	48″ wide Eight Wire		**RR3EJ72P**	187.
	48″ wide Ten Wire		**RR3TJ72P**	220.

Order Code

Example:	**RR3-E24S**
RR3	Reff raceway
E	Eight wire 3+3
24	For 24″ panel
S	Single sided power

*Power connectors must be specified according to the panel widths in the specified orientation.

Specification Information

Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.

Two side beltway panels use power rail for base.

Single side beltway panel use one sided power rail for base.

Note:
When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.

Application Notes

Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.

Power cannot be transferred from base raceway to beltway raceway in 18″, 20″, and 24″W Reff Profiles beltway panels.

Vertical Adjacent Jumper
* *Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.

Vertical Jumper
When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	pattern no.	list price
Face plates	Cover, data jack (set of 10)	**RR3-FB**	$15.
	Faceplate extender, black	**RR3-FE**	37.
	Three port faceplate, black	**RR3-3PF**	10.
	Two port faceplate, black	**RR3-2PF**	10.
Snap in module (must be used with faceplate)	BNC coupler, black	**RR3-BNC**	23.
	Cat 3 RJ11/14/25, black	**RR3-C3C**	14.
	CAT 5 RJ45 universal	**RR3-C5C**	23.
	CAT 6 universal	**RR3-C6C**	38.
	F series video coupler, black	**RR3-FV**	23.
	ST style coupler, black	**RR3-ST**	38.
Icons (sets of 10)	Data icons, 16 piece black	**RR3-DICON**	15.
	Mixed icons, 16 piece black	**RR3-MICON**	15.
	Phone icons, 16 piece black	**RR3PICON**	15.
Plate and module kits	4 Cat 5 RJ45-T568A extended face, black	**RR3-C5C4A**	152.
	4 Cat 5 RJ45-T568B extended face, black	**RR3-C5C4B**	152.
Fiber optics	Sc style dual fiber optic side mount	**RR3-FOSC**	192.
	ST style dual fiber optic side mount	**RR3-FOST**	109.
Desktop duplex monument	Duplex outlet (electrical)	**RGMDE**	139.
			

Order Code

Example:	**RR3-2PF**
RR3	Reff Profiles raceway
2PF	Two port face

Example:	**RR3-C5CA**
RR3	Reff Profiles raceway
C5CA	Cat5 RJ45s

Specification Information

All face plates and snap in modules are black.

Icons can be ordered to distinguish intended use.

*The RR3-C5C universal CAT 5 RJ45 module will accept EIA-T568A *and* EIA-T568B wiring methods.

Face plates and plate kits snap into raceway openings on Reff Profiles Base Raceway and Reff Profiles Beltway.

Application Notes

Faceplate Extender is a ½″ spacer which provides more depth for the faceplate to reside in, thereby increasing the space inside the Raceway.

Faceplates are ordered separately from snap in modules and can be configured on sight.

See Planning Guide for drawings depicting the detail of the data modules.

Reff Ported Panel Components
application notes



Ported Panel Components

Reff and AutoStrada ported panel components offer a cost effective alternative to using beltway panels which will provide users convenient access to data or power outlets at any user defined height on a Reff and AutoStrada panel. Ports are one sided and may be installed below a worksurface, at desk height or even within a panel hung overhead storage unit.

Select option ″Milled for ported components″ when specifying panels. Ports may be added as technology needs change. Ports are field installed on the left or right hand side of a panel's vertical frame in fabric inserts only. Installation instructions will be shipped with each kit, including a template for port placement along the vertical frame.

Panel jumpers are used to connect standard base electrical to the ported panel kit. Jumpers can be specified to connect a port within the same panel or to adjacent panels. Panel jumpers always pass through base raceway. If one port is installed, an additional port may be added within the same panel with an internal power jumper between the two ports. Ports can also be daisy-chained together in adjacent panels. Ported panel components are not available for stackable modules.

The kit includes a bracket set and cover plate and is ordered separately from the modular power components. Specify electrical components as you would for base raceway power then add the ported panel bracket kit, applicable duplexes and power jumpers.



Vertical power port bracket kit and duplex.

Reff Ported Panel Components
port, vertical duplex and panel jumpers

description	type	pattern no.	list price
Port	Floating data port	**RR3FDP**	$60.
	Vertical Power Port Bracket Kit (includes bracket, cover plate & installation instructions)	**RR3VPBK**	95.
Vertical Duplex	Vertical Duplex A (8/10 wire applications)	**RR3VDA**	32.
	Vertical Duplex A (8/10 wire applications) with controlled symbol	**RR3VDAC**	32.
	Vertical Duplex B (8/10 wire applications)	**RR3VDB**	32.
	Vertical Duplex B (8/10 wire applications) with controlled symbol	**RR3VDBC**	32.
	Vertical Duplex C (10 wire applications)	**RR3VDC**	32.
	Vertical Duplex C (8/10 wire applications) with controlled symbol	**RR3VDCC**	32.
	Vertical Duplex X (8/10 wire applications)	**RR3VDX**	32.
	Vertical Duplex X (8/10 wire applications) with controlled symbol	**RR3VDXC**	32.
	Vertical Duplex X Iso (8/10 wire applications)	**RR3VDXO**	32.
	Vertical Duplex Y (8/10 wire applications)	**RR3VDY**	32.
	Vertical Duplex Y (8/10 wire applications) with controlled symbol	**RR3VDYC**	32.
	Vertical Duplex Y Iso (8/10 wire applications)	**RR3VDYO**	32.
	Vertical Duplex Z (10 wire applications)	**RR3VDZ**	32.
	Vertical Duplex Z (8/10 wire applications) with controlled symbol	**RR3VDZC**	32.
	Vertical Duplex Z Iso (10 wire applications)	**RR3VDZO**	32.
Same Panel Jumper, 8w	30″ Same Panel Jumper 50″ 8w	**RR3EBVC50**	162.
	30″ Same Panel Jumper 64″ 8w	**RR3EBVC64**	176.
	30″ Same Panel Jumper 78″ 8w	**RR3EBVC78**	192.
	36″ + Same Panel Jumper 62″ 8w	**RR3EBVC62**	175.
	36″ + Same Panel Jumper 76″ 8w	**RR3EBVC76**	191.
	36″ + Same Panel Jumper 90″ 8w	**RR3EBVC90**	208.

Order Code

Example:	**RR3FDP**
RR3	Reff Profiles
F	Floating
DP	Data Port

Specification Information

For data and communications specify product listed on page 138.

Application Note

30″ same panel jumper only used if there is a harness in base of 30″ panel . Length of panel jumper required driven by intended location of port.
50″ will support port location in extreme top corner of 49″h
64″ will support port location in extreme top corner of 64″h
78″ will support port location in extreme top corner of 79″h

36″+ same panel jumper only used if there is a harness in the base of 36″, 42″ or 48″ panels. Length of panel jumper required driven by intended location of port.
62″ will support port location in extreme top corner of 49″h
76″ will support port location in extreme top corner of 64″h
90″ will support port location in extreme top corner of 79″h

If harness is in base of 24″ panel you can not jump vertically, must remove harness.

A harness for Reff Profiles 30″ wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness.

Internal panel jumper to be used within a panel, between two ports approximate span 48″. Both duplex units must be the same circuit for this application.

Adjacent Panel Jumpers:
82″ is max for 49″ high panel
96″ is max if panel is 64″ high
110″ is max if panel is 79″ high

All covers plates and snap in modules are black.

Reff Ported Panel Components
port, vertical duplex and panel jumpers

description	type	pattern no.	list price
Same Panel Jumper, 10w	30″ Same Panel Jumper 50″ 10w	**RR3TBVC50**	$186.
	30″ Same Panel Jumper 64″ 10w	**RR3TBVC64**	204.
	30″ Same Panel Jumper 78″ 10w	**RR3TBVC78**	222.
	36″ + Same Panel Jumper 62″ 10w	**RR3TBVC62**	199.
	36″ + Same Panel Jumper 76″ 10w	**RR3TBVC76**	218.
	36″ + Same Panel Jumper 90″ 10w	**RR3TBVC90**	235.
Adjacent Panel Jumper, 10w	Adjacent Panel Jumper 110″ 10w	**RR3TVJ110**	255.
	Adjacent Panel Jumper 82″ 10w	**RR3TVJ82**	219.
	Adjacent Panel Jumper 96″ 10w	**RR3TVJ96**	238.
Adjacent Panel Jumper, 8w	Adjacent Panel Jumper 110″ 8w	**RR3EVJ110**	223.
	Adjacent Panel Jumper 82″ 8w	**RR3EVJ82**	195.
	Adjacent Panel Jumper 96″ 8w	**RR3EVJ96**	212.
Internal Panel Jumper	Internal Panel Jumper 10 w	**RR3TVJ**	163.
	Internal Panel Jumper 8 w	**RR3EVJ**	152.

Order Code

Example:	**RR3FDP**
RR3	Reff Profiles
F	Floating
DP	Data Port

Specification Information

For data and communications specify product listed on page 138.

30″ same panel jumper only used if there is a harness in base of 30″ panel . Length of panel jumper required driven by intended location of port.
50″ will support port location in extreme top corner of 49″h
64″ will support port location in extreme top corner of 64″h
78″ will support port location in extreme top corner of 79″h

36″+ same panel jumper only used if there is a harness in the base of 36″, 42″ or 48″ panels. Length of panel jumper required driven by intended location of port.
62″ will support port location in extreme top corner of 49″h
76″ will support port location in extreme top corner of 64″h
90″ will support port location in extreme top corner of 79″h

If harness is in base of 24″ panel you can not jump vertically, must remove harness.

A harness for Reff Profiles 0″ wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness.

Internal panel jumper to be used within a panel, between two ports approximate span 48″. Both duplex units must be the same circuit for this application.

Adjacent Panel Jumpers:
82″ is max for 49″ high panel
96″ is max if panel is 64″ high
110″ is max if panel is 79″ high

All covers plates and snap in modules are black.

Legs and End Supports



L-Leg
Leg: 3" x 3"
Top plates: 5 ½" x 5 ½"
Flush with worksurface edges
Finishes: painted or anodized
Available on rectilinear peninsulas; square and rectangular 1 ½" tables
Available in pairs



Soft Rectangular Leg
Leg: 2" x 3"
Top plates: 5 ½" x 5 ½"
Flush with worksurface edges
Finishes: painted or anodized
Available on rectilinear peninsulas; square and rectangular 1 ½" tables
Available in pairs



Open Frame Leg
Leg: 2 ¼" thick
Top plates (2): 6" x 6"
Flush with worksurface edges
Finishes: painted or anodized
Available on rectilinear peninsulas; rectangular 1 ½" tables
Available with laminate or wood veneer infill panels



Reverse L-leg
Leg: 3" x 3"
Top plates: 5 ½" x 5 ½"
Flush with worksurface edges
Finishes: painted or anodized
Available on rectilinear peninsulas; square and rectangular 1 ½" tables
Available in pairs



Column Leg
Leg: 3" diameter
Top plate: 10" x 10" (peninsulas)
Top plate: 7 $^{5}/_{8}$" x 7 $^{5}/_{8}$" triangular (tables)
Flush with worksurface edges
Finishes: painted or plated
Available on bullet, D, P and 9 peninsulas; 2 ½" and 4" diameter available on 1 ½" tables



Thick End Panel
Leg: 2 $^{1}/_{16}$" thick
Top bracket: extends 1 $^{5}/_{8}$" inboard x 2 $^{5}/_{16}$" from front and back edges
Flush with worksurface edges
Finishes: laminate or wood veneer
Veneer direction is vertical
Available on rectilinear peninsulas
Not sold separately

Worksurfaces
The selection of worksurface sizes and their relationship to each other are primary considerations when planning a Reff Profiles office. Refer to the illustrations in the Introduction to Desk Height Planning to see how the various heights of storage and worksurface supports relate to the choice of worksurface thickness. Reff worksurfaces are available in three thicknesses: 1", 1 ¼" and 1 ½". Construction details specific to the 1 ¼" thick surfaces, including Cascade and Edge Detail surfaces, can be found in the Reff Planning Guide on Exchange.

When selecting top sizes consider whether storage components can be used to support the surfaces and what other worksurface supports will be required.

NOTE: Additional support is required when using 1" thick credenza tops for unsupported spans over 36". 1 ¼" thick worksurfaces require additional support for an unsupported span of more than 48". When using 1 ½" thick worksurfaces the maximum unsupported span is 54".

NOTE: All dimensions shown in these descriptions and on the Worksurface price pages are nominal dimensions. Actual widths are 1/16" less than nominal. Actual depths are 1/8" less than nominal.

Construction
All worksurfaces feature 3-ply construction (see figure below) and can be specified in laminate, veneer or laminate tops with veneer edges. Laminate tops have a laminate top surface with an FSC-certified, 45-pound density particle board core and neutral tone backer sheet for balanced construction. Edges match the top in 2.0mm ABS with 2.0mm radius top and bottom edges. Ends overlap the front and back edges (see figure below).

Techwood and natural veneer tops have a veneer top surface, an FSC-certified, 45-pound density particle board core and a neutral tone backer sheet for balanced construction. Veneer tops have matching finish 2.0mm thick solid veneer edges on all sides. Edges have a 2.0mm radius on the top and bottom.

All worksurfaces except Bridge Rectilinear worksurfaces are pre-drilled with pilot holes for use with wood screws.

Application Notes
1 ¼" Straight Rectilinear worksurfaces are available in 20", 24", 30" and 36" depths for regular worksurface applications. Widths available range from 24" to 96" in 6" increments.

1 ½" Straight Rectilinear worksurfaces are available in 20", 24", 30" and 36" depths for regular worksurface applications. Widths available range from 24" to 108" in 6" increments.

Bridge Rectilinear worksurfaces are 1 ½" thick and available from 36"W to 54" wide in 6 inch increments in either 20" or 24" depths. They can be ordered with the grain specified to run either vertically (across the depth of the surface) or horizontally (along the length of the surface) when specified in wood grain laminate or veneer finish.

Credenza Tops are available in both 1" and in 1 ½" thicknesses and in widths from 60" to 108" in 6" increments.

Rectilinear worksurfaces can be specified in non-standard dimensions. For information, contact Knoll Custom Product Development



Top Construction



Edge Banding

1 ¼" Worksurface Straight Rectilinear
Size Availability & Grain Direction



1 ½" Worksurface Straight Rectilinear
Size Availability & Grain Direction



1 ½" Bridge Rectilinear
Size Availability & Grain Direction



Horizontal Grain Direction



Vertical Grain Direction

1 ½" Worksurface Credenza
Size Availability & Grain Direction



1" Worksurface Credenza
Size Availability & Grain Direction



Grommets
Grommets are optional and must be specified by adding the appropriate designation to the pattern number. Designations are:

N = No grommet
F = Flush grommet location
R = Recessed grommet location

Rectilinear worksurfaces 24" to 48" wide receive one grommet centered on the back edge of the worksurface. Rectilinear worksurfaces over 48" wide receive two grommets along the back edge.

1 ¼" and 1 ½" thick rectilinear tops are available with no grommet, flush grommet or recessed grommets locations.

1 ¼" thick tops are available with additional grommet options; **Classic type** and **Profile type**.

Classic type grommets sit even with top of the worksurface.

Profiles type grommets have a 1/16" thick flange which rests above the worksurface.

These 2 types of grommets, provides additional grommet options for 1 ¼" thick tops (only);

CF = Classic grommet in flush location
PF = Profiles grommet in flush location
CR = Classic grommet in Recessed location
PR = Profiles grommet in Recessed location
CA = Classic grommet in Alternative location
PA = Profiles grommet in Alternative location

* CA & PA are available on 36" deep tops only.

1 ½" thick credenza tops come standard with a 1 3/8" deep edge grommet which runs along the rear of the worksurface to within 6" of each end (see figure below).

The 1" credenza tops are available with or without an edge grommet.

Refer to the Reff Planning Guide, posted on Exchange, for 2" x 3" grommet locations.

For non-standard grommet locations contact Knoll Custom Product Development.

Planning for Worksurface Thicknesses
Critical to the correct specification of Reff Profiles is an understanding of worksurface thicknesses, support component heights and their relationship to each other. Worksurfaces and support components can be combined to create the following overall finish heights:

23 $^{3}/_{8}$" – Intended as a credenza height in 28 $^{3}/_{8}$"H planning scenarios; this height is achieved using 1" thick worksurfaces with 22 $^{3}/_{8}$"H (¾ height) storage components.

27 ¾" – Intended as the overall worksurface height in a panel supported workstation scenario; this height is achieved by combining "Standard height" 26 ½" storage or support components with 1 ¼" thick worksurfaces.

29 $^{7}/_{8}$" – Intended as the overall worksurface height in freestanding office scenarios; this height is achieved by combining "Desk height" 28 $^{3}/_{8}$" storage or support components with 1 ½" thick worksurfaces.



Edge Grommet Detail



Edge Grommet

Worksurface 1¼″
rectilinear
20″ and 24″ deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops	20″	24″	**RSA241-( )( )**	$353.	$378.	$436.	$586.
		30″	**RSA301-( )( )**	387.	416.	477.	643.
		36″	**RSA361-( )( )**	410.	438.	502.	681.
		42″	**RSA421-( )( )**	424.	458.	527.	711.
		48″	**RSA481-( )( )**	446.	476.	547.	738.
		54″	**RSA541-( )( )**	464.	494.	571.	773.
		60″	**RSA601-( )( )**	501.	534.	614.	831.
		66″	**RSA661-( )( )**	512.	551.	636.	857.
		72″	**RSA721-( )( )**	543.	581.	665.	899.
		78″	**RSA781-( )( )**	549.	586.	674.	912.
		84″	**RSA841-( )( )**	582.	628.	719.	970.
		90″	**RSA901-( )( )**	609.	650.	747.	1,011.
		96″	**RSA961-( )( )**	632.	674.	776.	1,047.
	24″	24″	**RSA242-( )( )**	371.	397.	458.	618.
		30″	**RSA302-( )( )**	420.	448.	519.	698.
		36″	**RSA362-( )( )**	434.	470.	536.	724.
		42″	**RSA422-( )( )**	452.	482.	555.	747.
		48″	**RSA482-( )( )**	479.	519.	595.	802.
		54″	**RSA542-( )( )**	512.	551.	636.	857.
		60″	**RSA602-( )( )**	554.	592.	678.	917.
		66″	**RSA662-( )( )**	567.	610.	703.	948.
		72″	**RSA722-( )( )**	597.	638.	736.	993.
		78″	**RSA782-( )( )**	622.	667.	772.	1,039.
		84″	**RSA842-( )( )**	648.	696.	800.	1,080.
		90″	**RSA902-( )( )**	681.	725.	833.	1,124.
		96″	**RSA962-( )( )**	705.	753.	868.	1,172.

Order Code

Example:	**RSA241RL**
R	Reff Profiles
S	Straight top
A	1¼″ thick
24	24″ wide
1	20″ deep
CF	Grommet Option
111	Jet Black (grommet)
L	Laminate finish
114	Folkstone grey
( )	Edge Finish (L)

Specification Information

To order please specify pattern number including:

1. Grommet options:
CF = Classic grommet in Flush location
PF = Profiles grommet in Flush location
N = No Grommet

2. Grommet finishes:
Classic Grommet: Painted or Plated
Profiles Grommet: Painted, PU, PD

3. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

4. Top Finish
5. Edge finish: Laminate
(Edge options are available on laminate only.)

Product on this page will accept woodgrain laminate where laminate is currently an option.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16″ less than nominal dimension. Actual depth is 1/8″ less.

Application Notes

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners recommended to provide additional support for open spans greater than 54″w.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Classic type grommet sits even with top of the worksurface.
Profiles type grommets have a 1/16″ thick flange which rests above the worksurface.
Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only.
Note: Recessed grommet location is note recommended for 20″ and 24″ deep tops.

Worksurface 1¼″
rectilinear
30″ and 36″ deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops	30″	24″	**RSA243-( )( )**	$407.	$433.	$495.	$668.
		30″	**RSA303-( )( )**	456.	487.	560.	756.
		36″	**RSA363-( )( )**	489.	526.	603.	812.
		42″	**RSA423-( )( )**	509.	545.	629.	850.
		48″	**RSA483-( )( )**	545.	583.	668.	904.
		54″	**RSA543-( )( )**	589.	631.	722.	975.
		60″	**RSA603-( )( )**	610.	651.	749.	1,013.
		66″	**RSA663-( )( )**	621.	666.	771.	1,038.
		72″	**RSA723-( )( )**	640.	684.	784.	1,059.
		78″	**RSA783-( )( )**	669.	715.	823.	1,110.
		84″	**RSA843-( )( )**	693.	744.	856.	1,155.
		90″	**RSA903-( )( )**	727.	777.	896.	1,210.
		96″	**RSA963-( )( )**	753.	807.	928.	1,253.
	36″	60″	**RSA604-( )( )**	702.	752.	863.	1,165.
		66″	**RSA664-( )( )**	727.	778.	898.	1,211.
		72″	**RSA724-( )( )**	752.	806.	927.	1,252.

Order Code

Example:	**RSA243RL**
R	Reff Profiles
S	Straight top
A	1¼″ thick
24	24″ wide
3	30″ deep
CR	Grommet option
111	Jet Black (grommet)
L	Laminate finish
114	Folkstone grey
124	Edge Finish (L)

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Grommet option
3. Top finish type
4. Top finish
5. Grommet finish

1. Grommet options:
CF = Classic grommet in Flush location.
CR = Classic grommet in Recessed location.
PF = Profiles grommet in Flush location.
PR = Profiles grommet in Recessed location.
N = No grommet
*CA = Classic grommet in Alternative location.
*PA = Profile grommet in Alternative location.
*** Note:** FA and PA are for 36″D tops only.

2. Grommet finish:
Classic Grommet: Painted or Plated
Profiles Grommet: Painted, PU, PD

3. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

4. Top finish

5. Edge finish: Laminate
(Edge options are available on laminate tops only.)

Product on this page will accept woodgrain laminate where laminate is currently an option.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16″ less than nominal dimension. Actual depth is 1/8″ less.

Note: Recessed front grommets are only advisable for 30″ & 36″ deep tops.

Application Notes

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners recommended to provide additional support for open spans greater than 54″w.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Classic type grommet sits even with top of the worksurface.
Profiles type grommets have a 1/16″ thick flange which rests above the worksurface.
Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only.
Note: Recessed grommet location is note recommended for 20″ and 24″ deep tops.

Worksurface 1 1/4″
Return and Bridge rectilinear
Horizontal or vertical grain direction

description	d	w	pattern no.	L	V1	V2	V3
Return / Bridge 1 ¼″ thick 	20″	36″	**RSAR361(H/V) ( )( )( )**	$410.	$438.	$502.	$681.
		42″	**RSAR421(H/V) ( )( )( )**	424.	458.	527.	711.
		48″	**RSAR481(H/V) ( )( )( )**	446.	476.	547.	738.
		54″	**RSAR541(H/V) ( )( )( )**	464.	494.	571.	773.
		60″	**RSAR601(H/V) ( )( )( )**	501.	534.	614.	831.
		66″	**RSAR661(H/V) ( )( )( )**	512.	551.	636.	857.
		72″	**RSAR721(H/V) ( )( )( )**	543.	581.	665.	899.
	24″	36″	**RSAR362(H/V) ( )( )( )**	434.	470.	536.	724.
		42″	**RSAR422(H/V) ( )( )( )**	452.	482.	555.	747.
		48″	**RSAR482(H/V) ( )( )( )**	479.	519.	595.	802.
		54″	**RSAR542(H/V) ( )( )( )**	512.	551.	636.	857.
		60″	**RSAR602(H/V) ( )( )( )**	554.	592.	678.	917.
		66″	**RSAR662(H/V) ( )( )( )**	567.	610.	703.	948.
		72″	**RSAR722(H/V) ( )( )( )**	597.	638.	736.	993.

Order Code

Example:	**RSAR361(H/V)( )( )( )**
R	Reff Profiles
S	Straight top
A	1 ¼″ thick top
R	Return
36	36″ wide
1	20″ deep
H/V	Horizontal or Vertical grain
CF	Grommet option
111	Grommet finish
006B	Worksurface finish
( )	Edge Finish (L)

Specification Information

To order please specify pattern number including:

1. Grommet option:
   CF = Classic grommet in Flush location.
   PF = Profiles grommet in Flush location.
   N = No grommet
2. Grommet finish:
   Classic Grommet: Painted or Plated
   Profiles Grommet: Painted, PU, PD
3. Worksurface finish:
   L, V1, V2, V3
4. Edge finish: Laminate
   (Edge options are available on laminate tops only.)

Application Notes

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces



U-shaped / Triple: Spanning 3 worksurfaces



Classic type grommet sits even with top of the worksurface.
Profiles type grommets have a 1/16″ thick flange which rests above the worksurface.
Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.

Worksurface 1¼″
rectilinear corner tops

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20″ Corner worktops, straight front corners 	20″	20″	36″	36″	**RKA 363611-( )( )**	$726.	$801.	$921.	$1,244.
	20″	20″	36″	42″	**RKA 364211-( )( )**	768.	851.	974.	1,313.
	20″	20″	36″	48″	**RKA 364811-( )( )**	814.	900.	1,036.	1,398.
	20″	20″	42″	36″	**RKA 423611-( )( )**	768.	851.	974.	1,313.
	20″	20″	42″	42″	**RKA 424211-( )( )**	814.	900.	1,036.	1,398.
	20″	20″	42″	48″	**RKA 424811-( )( )**	888.	982.	1,131.	1,525.
	20″	20″	48″	36″	**RKA 483611-( )( )**	814.	900.	1,036.	1,398.
	20″	20″	48″	42″	**RKA 484211-( )( )**	888.	982.	1,131.	1,525.
	20″	20″	48″	48″	**RKA 484811-( )( )**	937.	1,036.	1,190.	1,606.
24″ Corner worktops, straight front corners 	24″	24″	36″	36″	**RKA 363622-( )( )**	825.	907.	1,043.	1,409.
	24″	24″	36″	42″	**RKA 364222-( )( )**	866.	957.	1,099.	1,484.
	24″	24″	36″	48″	**RKA 364822-( )( )**	912.	1,009.	1,156.	1,562.
	24″	24″	42″	36″	**RKA 423622-( )( )**	866.	957.	1,099.	1,484.
	24″	24″	42″	42″	**RKA 424222-( )( )**	912.	1,009.	1,156.	1,562.
	24″	24″	42″	48″	**RKA 424822-( )( )**	986.	1,091.	1,256.	1,693.
	24″	24″	48″	36″	**RKA 483622-( )( )**	912.	1,009.	1,156.	1,562.
	24″	24″	48″	42″	**RKA 484222-( )( )**	986.	1,091.	1,256.	1,693.
	24″	24″	48″	48″	**RKA 484822-( )( )**	1,035.	1,144.	1,312.	1,770.

Order Code

Example:	**RKA363611N1**
R	Reff Profiles
K	Straight front corner
A	1¼″ top thickness
36	36″ wide on left back
36	36″ wide on right back
1	20″ deep on left side
1	20″ deep on right side
CF	No grommet option
111	Grommet Finish
1	V1 finish
506B	Maple
( )	Edge Finish (L)

Specification Information

To order please specify pattern number including:

1. Grommet options:
CF = Classic grommet in flush location
PF = Profiles grommet in flush location
N = No Grommet

2. Grommet finish:
Classic Grommet: Painted or Plated
Profiles Grommet: Painted, PU, PD

3. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

4. Top finish

5. Edge finish: Laminate
(Edge options are available on laminate tops only.)

Application Notes

Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support hardware.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Actual widths are 1/16″ less all around on corner worksurfaces.

Classic type grommet sits even with top of the worksurface.
Profiles type grommets have a 1/16″ thick flange which rests above the worksurface.
Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.

Worksurface 1 1/4″
rectilinear corner tops

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20″/24″ Corner worktops, straight front corners 	20″	24″	36″	36″	**RKA 363612-( )( )**	$756.	$833.	$962.	$1,298.
	20″	24″	36″	42″	**RKA 364212-( )( )**	800.	884.	1,014.	1,368.
	20″	24″	36″	48″	**RKA 364812-( )( )**	849.	935.	1,076.	1,451.
	20″	24″	42″	36″	**RKA 423612-( )( )**	800.	884.	1,014.	1,368.
	20″	24″	42″	42″	**RKA 424212-( )( )**	849.	935.	1,076.	1,451.
	20″	24″	42″	48″	**RKA 424812-( )( )**	925.	1,017.	1,173.	1,584.
	20″	24″	48″	36″	**RKA 483612-( )( )**	849.	935.	1,076.	1,451.
	20″	24″	48″	42″	**RKA 484212-( )( )**	925.	1,017.	1,173.	1,584.
	20″	24″	48″	48″	**RKA 484812-( )( )**	969.	1,072.	1,231.	1,663.
24″/20″ Corner worktops, straight front corners 	24″	20″	36″	36″	**RKA 363621-( )( )**	756.	833.	962.	1,298.
	24″	20″	36″	42″	**RKA 364221-( )( )**	800.	884.	1,014.	1,368.
	24″	20″	36″	48″	**RKA 364821-( )( )**	849.	935.	1,076.	1,451.
	24″	20″	42″	36″	**RKA 423621-( )( )**	800.	884.	1,014.	1,368.
	24″	20″	42″	42″	**RKA 424221-( )( )**	849.	935.	1,076.	1,451.
	24″	20″	42″	48″	**RKA 424821-( )( )**	925.	1,017.	1,173.	1,584.
	24″	20″	48″	36″	**RKA 483621-( )( )**	849.	935.	1,076.	1,451.
	24″	20″	48″	42″	**RKA 484221-( )( )**	925.	1,017.	1,173.	1,584.
	24″	20″	48″	48″	**RKA 484821-( )( )**	969.	1,072.	1,231.	1,663.

Order Code

Example:	**RKA363611N1**
R	Reff Profiles
K	Straight front corner
A	1 1/4″ top thickness
36	36″ wide on left back
36	36″ wide on right back
1	20″ deep on left side
1	20″ deep on right side
CF	No grommet option
111	Grommet Finish
1	V1 finish
506B	Maple
( )	Edge Finish (L)

Specification Information

To order please specify pattern number including:

1. Grommet options:
CF = Classic grommet in flush location
PF = Profiles grommet in flush location
N = No Grommet

2. Grommet finish:
Classic Grommet: Painted or Plated
Profiles Grommet: Painted, PU, PD

3. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

4. Top finish

5. Edge finish: Laminate
(Edge options are available on laminate tops only.)

Application Notes

Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support hardware.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Actual widths are 1/16″ less all around on corner worksurfaces.

Classic type grommet sits even with top of the worksurface.
Profiles type grommets have a 1/16″ thick flange which rests above the worksurface.
Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.

Worksurface 1 1/4″
transition wave tops

description	d	w	d	pattern no.	L	M/V1	V2	V3
Wave top transition (right 20″)	24″	42″	20″	**RWA4221-( )( )**	$435.	$484.	$557.	$752.
	24″	48″	20″	**RWA4821-( )( )**	461.	507.	584.	787.
	24″	54″	20″	**RWA5421-( )( )**	495.	543.	628.	848.
	24″	60″	20″	**RWA6021-( )( )**	526.	582.	667.	902.
	24″	66″	20″	**RWA6621-( )( )**	544.	601.	689.	929.
	24″	72″	20″	**RWA7221-( )( )**	566.	629.	720.	972.
Wave top transition (left 24″)	24″	36″	30″	**RWA3623-( )( )**	453.	501.	578.	778.
	24″	42″	30″	**RWA4223-( )( )**	472.	524.	601.	808.
	24″	48″	30″	**RWA4823-( )( )**	494.	540.	622.	842.
	24″	54″	30″	**RWA5423-( )( )**	528.	584.	671.	907.
	24″	60″	30″	**RWA6023-( )( )**	565.	628.	719.	970.
	24″	66″	30″	**RWA6623-( )( )**	587.	647.	745.	1,009.
	24″	72″	30″	**RWA7223-( )( )**	616.	681.	781.	1,054.

Order Code

Example:	**RWA4221FL**
R	Reff Profiles
W	Wave top transition
A	1 1/4″ thick
42	42″ wide
2	24″ deep on left side
1	20″ deep on right side
CF	Grommet option
111	Jet Black (grommet)
L	Laminate finish
114	Folkstone grey
124	Edge Finish (L)

Specification Information

To order please specify pattern number including:

1. Grommet options:
CF = Classic grommet in flush location
PF = Profiles grommet in flush location
N = No Grommet

2. Grommet finish:
Classic Grommet: Painted or Plated
Profiles Grommet: Painted, PU, PD

3. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

4. Top finish

5. Edge finish: Laminate
(Edge options are available on laminate tops only.)

Classic type grommet sits even with top of the worksurface.
Profiles type grommets have a 1/16″ thick flange which rests above the worksurface.
Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.

Application Notes

32″D wave end top requires 20″D end panel for freestanding support.

36″D wave end top requires 24″D end panel for support.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Curvilinear worksurfaces only available in 1 1/4″ thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Slope section of top remains 21 3/4″ on all tops. The straight section grows with length of top.

Worksurface stiffeners recommended to provide additional support for open spans greater than 54″w.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface 1 1/4″
transition wave tops

description	d	w	d	pattern no.	L	M/V1	V2	V3
Wave top transition (left 20″)	20″	42″	24″	**RWA4212-( )( )**	$435.	$484.	$557.	$752.
	20″	48″	24″	**RWA4812-( )( )**	461.	507.	584.	787.
	20″	54″	24″	**RWA5412-( )( )**	495.	543.	628.	848.
	20″	60″	24″	**RWA6012-( )( )**	526.	582.	667.	902.
	20″	66″	24″	**RWA6612-( )( )**	544.	601.	689.	929.
	20″	72″	24″	**RWA7212-( )( )**	566.	629.	720.	972.
Wave top transition (right 24″)	30″	36″	24″	**RWA3632-( )( )**	453.	501.	578.	778.
	30″	42″	24″	**RWA4232-( )( )**	472.	524.	601.	808.
	30″	48″	24″	**RWA4832-( )( )**	494.	540.	622.	842.
	30″	54″	24″	**RWA5432-( )( )**	528.	584.	671.	907.
	30″	60″	24″	**RWA6032-( )( )**	565.	628.	719.	970.
	30″	66″	24″	**RWA6632-( )( )**	587.	647.	745.	1,009.
	30″	72″	24″	**RWA7232-( )( )**	616.	681.	781.	1,054.

Order Code

Example:	**RWA4221FL**
R	Reff Profiles
W	Wave top transition
A	1 1/4″ thick
42	42″ wide
2	24″ deep on left side
1	20″ deep on right side
CF	Grommet option
111	Jet Black (grommet)
L	Laminate finish
114	Folkstone grey
124	Edge Finish (L)

Specification Information

To order please specify pattern number including:

1. Grommet options:
CF = Classic grommet in flush location
PF = Profiles grommet in flush location
N = No Grommet

2. Grommet finish:
Classic Grommet: Painted or Plated
Profiles Grommet: Painted, PU, PD

3. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

4. Top finish

5. Edge finish: Laminate
(Edge options are available on laminate tops only.)

Classic type grommet sits even with top of the worksurface.
Profiles type grommets have a 1/16″ thick flange which rests above the worksurface.
Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.

Application Notes

32″D wave end top requires 20″D end panel for freestanding support.

36″D wave end top requires 24″D end panel for support.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Curvilinear worksurfaces only available in 1 1/4″ thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Slope section of top remains 21 3/4″ on all tops. The straight section grows with length of top.

Worksurface stiffeners recommended to provide additional support for open spans greater than 54″w.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface 1 1/4″
transition wave top ends

description	depth1	w	d	pattern no.	L	M/V1	V2	V3
Wave top end, (right 20″)	20″	36″	32″	**RWEA3631-( )( )**	$580.	$641.	$739.	$995.
	20″	42″	32″	**RWEA4231-( )( )**	604.	666.	771.	1,038.
	20″	48″	32″	**RWEA4831-( )( )**	636.	704.	808.	1,091.
Wave top end, (right 24″)	24″	36″	36″	**RWEA3662-( )( )**	601.	664.	763.	1,030.
	24″	42″	36″	**RWEA4262-( )( )**	620.	685.	787.	1,063.
	24″	48″	36″	**RWEA4862-( )( )**	658.	724.	832.	1,123.
Wave top end, (left 20″)	32″	36″	20″	**RWEA3613-( )( )**	580.	641.	739.	995.
	32″	42″	20″	**RWEA4213-( )( )**	604.	666.	771.	1,038.
	32″	48″	20″	**RWEA4813-( )( )**	636.	704.	808.	1,091.
Wave top end, (left 24″)	36″	36″	24″	**RWEA3626-( )( )**	601.	664.	763.	1,030.
	36″	42″	24″	**RWEA4226-( )( )**	620.	685.	787.	1,063.
	36″	48″	24″	**RWEA4826-( )( )**	658.	724.	832.	1,123.









Order Code

Example:	**RWEA3631FL**
R	Reff Profiles
E	Wave top ends
A	1 1/4″ thick
36	36″ wide
3	32″ deep on left side
1	20″ deep on right side
CF	Grommet option
111	Jet Black (grommet)
L	Laminate finish
114	Folkstone grey
124	Edge Finish (L)

Specification Information

To order please specify pattern number including:

1. Grommet options:
CF = Classic grommet in flush location
PF = Profiles grommet in flush location
N = No Grommet

2. Grommet finish:
Classic Grommet: Painted or Plated
Profiles Grommet: Painted, PU, PD

3. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

4. Top finish

5. Edge finish: Laminate
(Edge options are available on laminate tops only.)

Product on this page will accept woodgrain laminate where laminate is currently an option.

Application Notes

32″D wave end top requires 20″D end panel for freestanding support.

36″D wave end top requires 24″D end panel for support.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Curvilinear worksurfaces only available in 1 1/4″ thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Slope section of top remains 21 3/4″ on all tops. The straight section grows with length of top.

Worksurface stiffeners recommended to provide additional support for open spans greater than 54″w.

Classic type grommet sits even with top of the worksurface.
Profiles type grommets have a 1/16″ thick flange which rests above the worksurface.
Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.

Worksurface 1 1/4″
curvilinear corner tops - 20″ Deep

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20″, Right return 20″) 	20″	20″	36″	36″	**RCA363611-( )( )**	$726.	$801.	$921.	$1,244.
	20″	20″	36″	42″	**RCA364211-( )( )**	768.	851.	974.	1,313.
	20″	20″	36″	48″	**RCA364811-( )( )**	814.	900.	1,036.	1,398.
	20″	20″	42″	36″	**RCA423611-( )( )**	768.	851.	974.	1,313.
	20″	20″	42″	42″	**RCA424211-( )( )**	814.	900.	1,036.	1,398.
	20″	20″	42″	48″	**RCA424811-( )( )**	888.	982.	1,131.	1,525.
	20″	20″	48″	36″	**RCA483611-( )( )**	814.	900.	1,036.	1,398.
	20″	20″	48″	42″	**RCA484211-( )( )**	888.	982.	1,131.	1,525.
	20″	20″	48″	48″	**RCA484811-( )( )**	937.	1,036.	1,190.	1,606.
Corner worktops, Curved front corner (Left return 24″, Right return 20″)	24″	20″	36″	36″	**RCA363621-( )( )**	756.	833.	962.	1,298.
	24″	20″	36″	42″	**RCA364221-( )( )**	800.	884.	1,014.	1,368.
	24″	20″	36″	48″	**RCA364821-( )( )**	849.	935.	1,076.	1,451.
	24″	20″	42″	36″	**RCA423621-( )( )**	800.	884.	1,014.	1,368.
	24″	20″	42″	42″	**RCA424221-( )( )**	849.	935.	1,076.	1,451.
	24″	20″	42″	48″	**RCA424821-( )( )**	925.	1,017.	1,173.	1,584.
	24″	20″	48″	36″	**RCA483621-( )( )**	849.	935.	1,076.	1,451.
	24″	20″	48″	42″	**RCA484221-( )( )**	925.	1,017.	1,173.	1,584.
	24″	20″	48″	48″	**RCA484821-( )( )**	969.	1,072.	1,231.	1,663.

Order Code

Example:	**RCA363611N1**
R	Reff Profiles
C	Curved front corner
A	1 1/4″ thick
36	36″ wide on left back
36	36″ wide on right back
1	20″ deep on left side
1	20″ deep on right side
CF	No grommet
111	Grommet finish
1	V1 finish
506B	Maple
( )	Edge Finish (L)

Specification Information

To order please specify pattern number including:

1. Grommet options:
CF = Classic grommet in flush location
PF = Profiles grommet in flush location
N = No Grommet

2. Grommet finish:
Classic Grommet: Painted or Plated
Profiles Grommet: Painted, PU, PD

3. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

4. Top finish

5. Edge finish: Laminate
(Edge options are available on laminate tops only.)

Application Notes

Radius of curved front changes with overall top size. See Planning Guide.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Curvilinear worksurfaces only available in 1 1/4″ thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Please call Custom Product Development for special grommet locations.

Classic type grommet sits even with top of the worksurface.
Profiles type grommets have a 1/16″ thick flange which rests above the worksurface.
Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.

Worksurface 1 1/4″
curvilinear corner tops - 24″ Deep

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20″, Right return 24″)	20″	24″	36″	36″	**RCA363612-( )( )**	$756.	$833.	$962.	$1,298.
	20″	24″	36″	42″	**RCA364212-( )( )**	800.	884.	1,014.	1,368.
	20″	24″	36″	48″	**RCA364812-( )( )**	849.	935.	1,076.	1,451.
	20″	24″	42″	36″	**RCA423612-( )( )**	800.	884.	1,014.	1,368.
	20″	24″	42″	42″	**RCA424212-( )( )**	849.	935.	1,076.	1,451.
	20″	24″	42″	48″	**RCA424812-( )( )**	925.	1,017.	1,173.	1,584.
	20″	24″	48″	36″	**RCA483612-( )( )**	849.	935.	1,076.	1,451.
	20″	24″	48″	42″	**RCA484212-( )( )**	925.	1,017.	1,173.	1,584.
	20″	24″	48″	48″	**RCA484812-( )( )**	969.	1,072.	1,231.	1,663.
Corner worktops, Curved front corner (Left return 24″, Right return 24″)	24″	24″	36″	36″	**RCA363622-( )( )**	825.	907.	1,043.	1,409.
	24″	24″	36″	42″	**RCA364222-( )( )**	866.	957.	1,099.	1,484.
	24″	24″	36″	48″	**RCA364822-( )( )**	912.	1,009.	1,156.	1,562.
	24″	24″	42″	36″	**RCA423622-( )( )**	866.	957.	1,099.	1,484.
	24″	24″	42″	42″	**RCA424222-( )( )**	912.	1,009.	1,156.	1,562.
	24″	24″	42″	48″	**RCA424822-( )( )**	986.	1,091.	1,256.	1,693.
	24″	24″	48″	36″	**RCA483622-( )( )**	912.	1,009.	1,156.	1,562.
	24″	24″	48″	42″	**RCA484222-( )( )**	986.	1,091.	1,256.	1,693.
	24″	24″	48″	48″	**RCA484822-( )( )**	1,035.	1,144.	1,312.	1,770.

Order Code

Example:	**RCA363612**
R	Reff Profiles
C	Curved front corner
A	1 1/4″ thick
36	36″ wide on left back
36	36″ wide on right back
1	20″ deep on left side
2	24″ deep on right side
CF	No grommet
111	Grommet finish
1	V1 finish
506B	Maple
( )	Edge Finish (L)

Specification Information

To order please specify pattern number including:

1. Grommet options:
CF = Classic grommet in flush location
PF = Profiles grommet in flush location
N = No Grommet

2. Grommet finish:
Classic Grommet: Painted or Plated
Profiles Grommet: Painted, PU, PD

3. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

4. Top finish

5. Edge finish: Laminate
(Edge options are available on laminate tops only.)

Application Notes

Radius of curved front changes with overall top size. See Planning Guide.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Curvilinear worksurfaces only available in 1 1/4″ thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Please call Custom Product Development for special grommet locations.

Classic type grommet sits even with top of the worksurface.
Profiles type grommets have a 1/16″ thick flange which rests above the worksurface.
Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.

Worksurface 1 1/4″
extended curvilinear corner tops

description	w	d	pattern no.	L	M/V1	V2	V3
Extended corner worktop, LH curved front corner (return 24″)	36″	72″	**RCCDLA23672( )( )( )**	$2,005.	$2,610.	$3,684.	$4,969.
	36″	78″	**RCCDLA23678( )( )( )**	2,085.	2,714.	3,828.	5,168.
	36″	84″	**RCCDLA23684( )( )( )**	2,168.	2,824.	3,981.	5,375.
	36″	96″	**RCCDLA23696( )( )( )**	2,256.	2,936.	4,141.	5,592.
Extended corner worktop, LH curved front corner (return 30″)	36″	72″	**RCCDLA33672( )( )( )**	2,007.	2,616.	3,693.	4,986.
	36″	78″	**RCCDLA33678( )( )( )**	2,087.	2,721.	3,843.	5,188.
	36″	84″	**RCCDLA33684( )( )( )**	2,172.	2,831.	3,994.	5,392.
	36″	96″	**RCCDLA33696( )( )( )**	2,258.	2,943.	4,155.	5,608.
Extended corner worktop, RH curved front corner (return 24″)	36″	72″	**RCCDRA23672( )( )( )**	2,005.	2,610.	3,684.	4,969.
	36″	78″	**RCCDRA23678( )( )( )**	2,085.	2,714.	3,828.	5,168.
	36″	84″	**RCCDRA23684( )( )( )**	2,168.	2,824.	3,981.	5,375.
	36″	96″	**RCCDRA23696( )( )( )**	2,256.	2,936.	4,141.	5,592.
Extended corner worktop, RH curved front corner (return 30″)	36″	72″	**RCCDRA33672( )( )( )**	2,007.	2,616.	3,693.	4,986.
	36″	78″	**RCCDRA33678( )( )( )**	2,087.	2,721.	3,843.	5,188.
	36″	84″	**RCCDRA33684( )( )( )**	2,172.	2,831.	3,994.	5,392.
	36″	96″	**RCCDRA33696( )( )( )**	2,258.	2,943.	4,155.	5,608.





Order Code

Example:	**RCCDLA23672N2**
R	Reff Profiles
CC	Curved corner
D	D top
L	Left Hand
A	1 1/4″ thick
2	24″ return
36	36″ d at straight edge of corner, 30″ across “D”
72	72″ wide
N	No grommet
	Grommet finish
2	V2 finish
V319	Medium Cherry
( )	Edge Finish (L)

Specification Information

To order please specify pattern number including:

1. Grommet options:
CF = Classic grommet in flush location
PF = Profiles grommet in flush location
N = No Grommet

2. Grommet finish:
Classic Grommet: Painted or Plated
Profiles Grommet: Painted, PU, PD

3. Finish type:
L = Laminate
M = Mixed (laminate surface with wood edge)
1 = V1
2 = V2
3 = V3

4. Top Finish:

5. Edge finish: Laminate
(Edge options are available on laminate tops only.)

Product on this page will accept woodgrain laminate where laminate is currently an option.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 54″w.

Classic type grommet sits even with top of the worksurface.
Profiles type grommets have a 1/16″ thick flange which rests above the worksurface.
Note: When specifying “plated” Classic grommet - The cap is plated and the sleeve comes in black only.

Worksurface 1 1/4″
extended straight corner tops

description	d	w	d, return	pattern no.	L	M/V1	V2	V3
Extended straight corner top, LH curved front corner (returns 24″) 	36″	60″	24″	**RCEAL223660( )( )( )**	$743.	$1,075.	$1,456.	$1,968.
	36″	72″	24″	**RCEAL223672( )( )( )**	889.	1,304.	1,760.	2,378.
	42″	60″	24″	**RCEAL224260( )( )( )**	815.	1,188.	1,608.	2,170.
	42″	72″	24″	**RCEAL224272( )( )( )**	965.	1,418.	1,916.	2,586.
	48″	72″	24″	**RCEAL224872( )( )( )**	1,040.	1,531.	2,067.	2,791.
	48″	84″	24″	**RCEAL224884( )( )( )**	1,188.	1,760.	2,374.	3,204.
	48″	96″	24″	**RCEAL224896( )( )( )**	1,364.	2,028.	2,730.	3,687.
Extended straight corner top, RH curved front corner (returns 24″) 	36″	60″	24″	**RCEAR223660( )( )( )**	743.	1,075.	1,456.	1,968.
	36″	72″	24″	**RCEAR223672( )( )( )**	889.	1,304.	1,760.	2,378.
	42″	60″	24″	**RCEAR224260( )( )( )**	815.	1,188.	1,608.	2,170.
	42″	72″	24″	**RCEAR224272( )( )( )**	965.	1,418.	1,916.	2,586.
	48″	72″	24″	**RCEAR224872( )( )( )**	1,040.	1,531.	2,067.	2,791.
	48″	84″	24″	**RCEAR224884( )( )( )**	1,188.	1,760.	2,374.	3,204.
	48″	96″	24″	**RCEAR224896( )( )( )**	1,364.	2,028.	2,730.	3,687.

Order Code

Example:	**RCEAL223660N2**
R	Reff Profiles
C	Corner
E	Extended
A	1 1/4″ thick
L	Left Hand
22	24″ returns
36	36″ d at corner straight edge
60	60″ wide
CF	No grommet
111	Grommet finish
2	V2 finish
006B	Maple
( )	Edge Finish (L)

Specification Information

To order please specify pattern number including:

1. Grommet options:
CF = Classic grommet in flush location
PF = Profiles grommet in flush location
N = No Grommet

2. Grommet finish:
Classic Grommet: Painted or Plated
Profiles Grommet: Painted, PU, PD

3. Finish type:

4. Top Finish

5. Edge finish: Laminate
(Edge options are available on laminate tops only.)

3. Finish type:
L = Laminate
M = Mixed (laminate surface with wood edge)
1 = V1
2 = V2
3 = V3

4. Top finish:

Product on this page will accept woodgrain laminate where laminate is currently an option.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 54″w.

Classic type grommet sits even with top of the worksurface.
Profiles type grommets have a 1/16″ thick flange which rests above the worksurface.
Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only.

Worksurface 1¼″

Rectilinear and curvilinear corners for C-Leg and T-Leg bases 24″, 30″ and 36″ deep

description	type	d*	d	w*	w	pattern no.	L	V1	V2	V3
C-Leg and T-Leg Rectangular Tops 	For use with 24″ Deep C-Leg base	24″	23″	36″	34″	**RSA3423N( )( )**	$434.	$489.	$536.	$724.
		24″	23″	42″	40″	**RSA4023N( )( )**	452.	501.	555.	747.
		24″	23″	48″	46″	**RSA4623N( )( )**	479.	540.	595.	802.
		24″	23″	54″	52″	**RSA5223N( )( )**	512.	573.	636.	857.
		24″	23″	60″	58″	**RSA5823N( )( )**	554.	616.	678.	917.
		24″	23″	66″	64″	**RSA6423N( )( )**	567.	634.	703.	948.
		24″	23″	72″	70″	**RSA7023N( )( )**	597.	664.	736.	993.
	For use with 30″ Deep C-Leg base	30″	29″	36″	34″	**RSA3429N( )( )**	489.	547.	603.	812.
		30″	29″	42″	40″	**RSA4029N( )( )**	509.	567.	629.	850.
	For use with 30″ Deep C-Leg or T-Leg base	30″	29″	48″	46″	**RSA4629N( )( )**	545.	606.	668.	904.
		30″	29″	54″	52″	**RSA5229N( )( )**	589.	656.	722.	975.
		30″	29″	60″	58″	**RSA5829N( )( )**	610.	677.	749.	1,013.
		30″	29″	66″	64″	**RSA6429N( )( )**	621.	693.	771.	1,038.
		30″	29″	72″	70″	**RSA7029N( )( )**	640.	711.	784.	1,059.
	For use with 30″ Deep T-Leg base	36″	35″	48″	46″	**RSA4635N( )( )**	616.	688.	762.	1,023.
		36″	35″	54″	52″	**RSA5235N( )( )**	672.	750.	825.	1,110.
		36″	35″	60″	58″	**RSA5835N( )( )**	702.	782.	863.	1,165.
		36″	35″	66″	64″	**RSA6435N( )( )**	727.	809.	898.	1,211.
		36″	35″	72″	70″	**RSA7035N( )( )**	752.	838.	927.	1,252.
C-Leg/T-Leg Corner Tops, 24″ or 30″ Deep 	For use with C-Leg/T-leg Corner base	24″	23″	48″	46″	**RCA464623N( )( )**	1,035.	1,190.	1,312.	1,770.
		30″	29″	48″	46″	**RCA464629N( )( )**	1,159.	1,331.	1,468.	1,978.
T-Leg Corner Top, 24″ Deep 	For use with T-leg Corner base	24″	23″	42″	40″	**RCA404023N( )( )**	912.	1,049.	1,156.	1,562.

Order Code

Example:	**RSA 5829N, L, 118**
R	Reff Profiles
S	Straight Rectangular
A	1¼″ thick
58	Width
29	Depth
N	No Grommets
L	Finish type
118	Bright White Laminate
124	Edge Finish (L)

w * and d * = nominal dimensions

Specification Information

To order please specify pattern number including:

1. Finish Type:
(L) = Laminate
(1) = V1
(2) = V2
(3) = V3

2. Top finish:

3. Edge finish: Laminate
(Edge options are available on laminate tops only.)

Product on this page will accept woodgrain laminate where laminate is currently an option.

Application Notes

Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables.

23″, 29″ and 35″ rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases.

48″x48″ curvilinear corner worksurfaces are for use with 16″D 3-legged fixed and height adjustable corner bases or 29″D 2-legged fixed and height adjustable T-Leg corner bases.

42″ x 42″ curvilinear worksurfaces are for use with 2-legged fixed and height adjustable T-Leg corner bases.

Worksurfaces are pre-drilled with pilot holes for use with wood screws.

Actual worksurfaces are undersized by 1″ on each side edge and by 1″ on the back edge.

Worksurface 1¼″
Meeting tops 'D'

description	type	w	d	pattern no.	L	M/V1	V2	V3
D-tops	30″ deep	42″	30″	**RMDA4230-( )( )**	$642.	$683.	$783.	$1,058.
		48″	30″	**RMDA4830-( )( )**	690.	738.	850.	1,146.
		54″	30″	**RMDA5430-( )( )**	738.	790.	907.	1,226.
		60″	30″	**RMDA6030-( )( )**	792.	847.	968.	1,308.
		66″	30″	**RMDA6630-( )( )**	842.	899.	1,035.	1,397.
		72″	30″	**RMDA7230-( )( )**	896.	956.	1,098.	1,483.
		78″	30″	**RMDA7830-( )( )**	1,014.	1,078.	1,242.	1,675.
		84″	30″	**RMDA8430-( )( )**	1,128.	1,202.	1,385.	1,869.
		90″	30″	**RMDA9030-( )( )**	1,259.	1,344.	1,546.	2,085.
		96″	30″	**RMDA9630-( )( )**	1,392.	1,484.	1,706.	2,302.
	36″ deep	42″	36″	**RMDA4236-( )( )**	705.	751.	862.	1,164.
		48″	36″	**RMDA4836-( )( )**	772.	822.	943.	1,273.
		54″	36″	**RMDA5436-( )( )**	880.	939.	1,082.	1,460.
		60″	36″	**RMDA6036-( )( )**	988.	1,051.	1,211.	1,636.
		66″	36″	**RMDA6636-( )( )**	1,008.	1,073.	1,233.	1,668.
		72″	36″	**RMDA7236-( )( )**	1,021.	1,091.	1,256.	1,693.
		78″	36″	**RMDA7836-( )( )**	1,152.	1,228.	1,412.	1,908.
		84″	36″	**RMDA8436-( )( )**	1,280.	1,366.	1,571.	2,120.
		90″	36″	**RMDA9036-( )( )**	1,350.	1,438.	1,654.	2,235.
		96″	36″	**RMDA9636-( )( )**	1,480.	1,575.	1,812.	2,448.
Wrap around panel top	(20″ panels)	42½″	21¼″	**RMDA4221-( )( )**	825.	879.	1,010.	1,361.
	(24″ panels)	50½″	25¼″	**RMDA5025-( )( )**	902.	962.	1,105.	1,493.



Grommet choices are centered (as shown) or none

No Grommets

Please specify mating trim profile

Order Code

Example:	**RMDA4230N1**
R	Reff Profiles
MD	Meeting D-top
A	1¼″ thick
42	42″ wide
30	30″ deep
CC	No grommet
111	Grommet finish
1	V1
506B	Maple
( )	Edge Finish (L)

Specification Information

To order please specify pattern number including:

1. Grommet options:
CC = Classic grommet in Center location
PF = Profiles grommet in Center location
(Center location available in D-tops only)
N = No Grommet

2. Grommet finish:
Classic Grommet: Painted or Plated
Profiles Grommet: Painted, PU, PD

3. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

4. Top Finish:

5. Edge finish: Laminate
(Edge options are available on laminate tops only.)

6. Trim profile
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

Application Notes

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Additional spec option required for wrap around panel tops; specify mating trim profile.

Product on this page will accept woodgrain laminate where laminate is currently an option.

See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.

Classic type grommet sits even with top of the worksurface.
Profiles type grommets have a 1/16″ thick flange which rests above the worksurface.
Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only.
Note: Recessed grommet location is note recommended for 20″ and 24″ deep tops.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Refer to Planning Guide for modesty panel size requirements and all other support options.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 54″w.

Worksurface 1 1/4″
Meeting tops P and 9

description	type	w	d	pattern no.	L	M/V1	V2	V3
Meeting 9-top		42″	30″	**RM9A4230-( )( )**	$879.	$937.	$1,077.	$1,453.
Adjoining top must use 12″ end panel and modesty panel to support		48″	36″	**RM9A4836-( )( )**	977.	1,040.	1,198.	1,620.



No Grommets 42″ diameter

Meeting P-top		42″	30″	**RMPA4230-( )( )**	879.	937.	1,077.	1,453.
Adjoining top must use 12″ end panel and modesty panel to support		48″	36″	**RMPA4836-( )( )**	977.	1,040.	1,198.	1,620.



No Grommets 42″ diameter

Worksurface 9-top		84″	30″	**RM9A8430-( )( )**	1,789.	1,907.	2,192.	2,961.
		96″	30″	**RM9A9630-( )( )**	1,863.	1,990.	2,284.	3,084.



42″ diameter

Order Code

Example:	**RM9A4230N1**
R	Reff Profiles
M9	Meeting 9-top
A	1 1/4″ thick
42	42″ wide
30	30″ deep
CF	No grommet
111	Grommet finish
1	V1
506B	Maple
( )	Edge Finish (L)

Specification Information

To order please specify pattern number including:

1. Grommet options:
CF = Classic grommet in flush location
FR = Classic grommet in Recessed location
PF = Profiles grommet in Flush location
PR = Profiles grommet in Recessed location
N = No Grommet

2. Grommet finish:
Classic Grommet: Painted or Plated
Profiles Grommet: Painted, PU, PD

3. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

4. Top Finish:

5. Edge finish: Laminate
(Edge options are available on laminate tops only.)

Application Notes

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Product on this page will accept woodgrain laminate where laminate is currently an option.

See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Refer to Planning Guide for modesty panel size requirements and all other support options.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 54″w.

Classic type grommet sits even with top of the worksurface.
Profiles type grommets have a 1/16″ thick flange which rests above the worksurface.
Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only.
Note: Recessed grommet location is note recommended for 20″ and 24″ deep tops.

Worksurface 1 1/4″
Meeting tops

description	type	w	d	pattern no.	L	M/V1	V2	V3
Worksurface P-top		84″	30″	**RMPA8430-( )( )( )**	$1,789.	$1,907.	$2,192.	$2,961.
		96″	30″	**RMPA9630-( )( )( )**	1,863.	1,990.	2,284.	3,084.
42″ diameter	84″ top uses a 42″ modesty, 96 top uses a 54″ modesty							
Elliptical tops		60″	30″	**REBA6030-( )***	1,229.	1,337.	1,533.	2,073.
		72″	42″	**REBA7242-( )***	1,751.	1,899.	2,186.	2,950.
		78″	48″	**REBA7848-( )***	1,918.	2,084.	2,396.	3,236.

Order Code

Example:	**RMDA4230N1**
R	Reff Profiles
MD	Meeting D-top
A	1 1/4″ thick
42	42″ wide
30	30″ deep
CF	No grommet
111	Grommet finish
1	V1
506B	Maple
( )	Edge Finish (L)

Specification Information

To order please specify pattern number including:

1. Grommet options:
CF = Classic grommet in flush location
CR = Classic grommet in Recessed location
PF = Profiles grommet in Flush location
PR = Profiles grommet in Recessed location
N = No Grommet

2. Grommet finish:
Classic Grommet: Painted or Plated
Profiles Grommet: Painted, PU, PD

3. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

4. Top finish:

5. Edge finish: Laminate
(Edge options are available on laminate tops only.)

Application Notes

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Product on this page will accept woodgrain laminate where laminate is currently an option.

See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.

Classic type grommet sits even with top of the worksurface.
Profiles type grommets have a 1/16″ thick flange which rests above the worksurface.
Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only.
Note: Recessed grommet location is note recommended for 20″ and 24″ deep tops.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Refer to Planning Guide for modesty panel size requirements and all other support options.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with pilot holes for use with wood screws.

*Grommet location on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 54″w.

Worksurface 1 1/4″
Bow front and support

description	w	d	h	pattern no.	L	M/V1	V2	V3
Bow shaped top	72″	30″		**RMB(A)7230-( )( )**	$1,026.	$1,137.	$1,308.	$1,764.
	84″	30″		**RMB(A)8430-( )( )**	1,132.	1,255.	1,441.	1,944.
	96″	30″		**RMB(A)9630-( )( )**	1,255.	1,390.	1,595.	2,157.



Use 29″ deep pedestals or end panels.
Do not use 23″ deep pedestals if using recessed modesty.

Bow shaped top - 36″D	72″	36″		**RMB(A)7236-( )( )**	1,092.	1,205.	1,389.	1,873.
	84″	36″		**RMB(A)8436-( )( )**	1,196.	1,324.	1,523.	2,055.
	96″	36″		**RMB(A)9636-( )( )**	1,326.	1,468.	1,685.	2,276.



Use with 29″ deep end panels or 29″ deep pedestals (this will provide a cantilevered appearance).
Can also be used with 36″ deep end panel and recessed modesty.

Order Code

Example:	**RMBA7230R2**
R	Reff Profiles
MB	Bowed front
A	1 1/4″ thick
72	72″ wide
30	30″ wide
CR	Grommet option
111	Grommet finish
2	V2 finish
006B	Medium cherry
111	Jet Black (grommet)
( )	Edge Finish (L)

Specification Information

To order please specify pattern number including:

1. Grommet options:
CF = Classic grommet in flush location
CR = Classic grommet in Recessed location
PF = Profiles grommet in Flush location
PR = Profiles grommet in Recessed location
N = No Grommet
*CA = Classic grommet in Alternative location
*PA = Profiles grommet in Alternative location ***Note:** FA and PA are for 36″D tops only.

2. Grommet finish:
Classic Grommet: Painted or Plated
Profiles Grommet: Painted, PU, PD

3. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

4. Top Finish:

5. Edge finish: Laminate
(Edge options are available on laminate tops only.)

Application Notes

Product on this page will accept woodgrain laminate where laminate is currently an option.

These worksurfaces are predrilled with pilot holes for use with wood screws.

See Planning Guide for grommet locations.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

*Bulkhead takes the place of a pedestal in applications using the short modesty panel, but not requiring a double pedestal application.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Shipped with hardware. Refer to Planning Guide for application details.

Classic type grommet sits even with top of the worksurface.

Profiles type grommets have a 1/16″ thick flange which rests above the worksurface.

Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only

Note: Recessed grommet location is note recommended for 20″ and 24″ deep tops.

Conference 1¼″
Square and rectangular

description	w	d	pattern no.	L	M/V1	V2	V3
Rectangular top 1 piece 	72″	30″	**RRA7230-( )**	$662.	$707.	$812.	$1,096.
	72″	36″	**RRA7236-( )**	720.	769.	883.	1,192.
	84″	30″	**RRA8430-( )**	732.	779.	899.	1,212.
	84″	36″	**RRA8436-( )**	787.	837.	964.	1,302.
	84″	42″	**RRA8442-( )**	1,164.	1,242.	1,424.	1,923.
	96″	30″	**RRA9630-( )**	823.	878.	1,009.	1,360.
	96″	36″	**RRA9636-( )**	907.	967.	1,113.	1,503.
	96″	42″	**RRA9642-( )**	1,335.	1,422.	1,636.	2,210.
	96″	48″	**RRA9648-( )**	1,420.	1,516.	1,741.	2,351.
Rectangular top 2 piece	120″	36″	**RRA12036-( )**	1,456.	1,552.	1,786.	2,410.
	120″	42″	**RRA12042-( )**	2,007.	2,140.	2,462.	3,325.
	120″	48″	**RRA12048-( )**	2,182.	2,328.	2,675.	3,613.
	144″	42″	**RRA14442-( )**	2,256.	2,405.	2,766.	3,734.
	144″	48″	**RRA14448-( )**	2,416.	2,579.	2,965.	4,003.
Rectangular top 3 piece 	168″	42″	**RRA16842-( )**	2,957.	3,152.	3,629.	4,898.
	168″	48″	**RRA16848-( )**	3,213.	3,427.	3,940.	5,318.
	192″	42″	**RRA19242-( )**	3,206.	3,418.	3,928.	5,304.
	192″	48″	**RRA19248-( )**	3,453.	3,679.	4,228.	5,706.
Square tops 	*	60″	**RRA6060-( )**	1,357.	1,445.	1,667.	2,246.
	*	72″	**RRA7272-( )**	1,600.	1,706.	1,962.	2,649.
	–	36″	**RRA3636-( )**	510.	545.	629.	850.
	–	42″	**RRA4242-( )**	662.	707.	812.	1,096.
	–	48″	**RRA4848-( )**	870.	927.	1,067.	1,438.

Order Code

Example:	**RRAG72302**
R	Reff Profiles
R	Rectangular
A	1¼″ thick
72	72″ wide
30	30″ deep
2	V2 finish
006B	Medium cherry
( )	Edge Finish (L)

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:
A = 1¼″

4. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

5. Top Finish

6. Edge finish: Laminate
(Edge options are available on laminate tops only.)

*Square tops in two pieces.

Application Notes

Product on this page will accept woodgrain laminate where laminate is currently an option.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Top to top brackets included.

Tops have no radius on edges that adjoin.

See table base matrix in Planning Guide on Exchange.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Conference 1¼″
Round and racetrack

description	w	d	pattern no.	L, Option A	M/V!	V2	V3
Racetrack top 1 piece	72″	30″	**RTA7230-( )**	$1,253.	$1,337.	$1,533.	$2,073.
	84″	30″	**RTA8430-( )**	1,395.	1,487.	1,710.	2,307.
	96″	30″	**RTA9630-( )**	1,550.	1,654.	1,903.	2,569.
	72″	36″	**RTA7236-( )**	1,431.	1,523.	1,751.	2,363.
	84″	36″	**RTA8436-( )**	1,606.	1,714.	1,969.	2,657.
	96″	36″	**RTA9636-( )**	1,782.	1,899.	2,186.	2,950.
	84″	42″	**RTA8442-( )**	1,952.	2,084.	2,396.	3,236.
	96″	42″	**RTA9642-( )**	2,189.	2,335.	2,682.	3,622.
	96″	48″	**RTA9648-( )**	2,401.	2,556.	2,941.	3,969.
Racetrack top 2 piece	120″	36″	**RTA12036-( )**	2,299.	2,454.	2,824.	3,810.
	120″	42″	**RTA12042-( )**	2,484.	2,645.	3,044.	4,109.
	144″	42″	**RTA14442-( )**	2,738.	2,917.	3,356.	4,527.
	120″	48″	**RTA12048-( )**	2,638.	2,814.	3,236.	4,368.
	144″	48″	**RTA14448-( )**	2,806.	2,993.	3,439.	4,641.
Racetrack top 3 piece	168″	42″	**RTA16842-( )**	3,433.	3,657.	4,208.	5,680.
	192″	42″	**RTA19242-( )**	3,686.	3,929.	4,522.	6,105.
	168″	48″	**RTA16848-( )**	3,674.	3,913.	4,500.	6,076.
	192″	48″	**RTA19248-( )**	3,838.	4,094.	4,706.	6,352.
Round tops	–	36″	**RTA3636-( )**	705.	951.	862.	1,164.
	–	42″	**RTA4242-( )**	820.	869.	1,000.	1,350.
	–	48″	**RTA4848-( )**	1,348.	1,434.	1,648.	2,226.
	*	60″	**RTA6060-( )**	2,108.	2,248.	2,586.	3,491.
	*	72″	**RTA7272-( )**	2,608.	2,780.	3,202.	4,323.

Order Code

Example:	**RTA72302**
R	Reff Profiles
R	Round
A	1¼″ thick
72	72″ wide
30	30″ deep
2	V2 finish
006B	Medium cherry
( )	Edge Finish (L)

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:
A = 1¼″

4. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

5. Top finish

6. Edge finish: Laminate
(Edge options are available on laminate tops only.)

*Round tops in two pieces.

Application Notes

Product on this page will accept woodgrain laminate where laminate is currently an option.

Top to top brackets included with multiple piece conference tops only.

See table base matrix in Planning Guide, on Exchange.

Tops have no radius on edges that adjoin.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Optional edge details 1 1/4″

Reff Profiles System incorporates optional worksurface edge details. Wood edges are crafted from select hardwoods and are finished with Knoll's industry leading polyurethane Reff Profiles Finish. Optional for worksurface tops listed on pages 166 through 180.

It is not necessary to plan separately for edges that ″mate″; this feature is engineered into appropriate products when used as intended.

Edge detail to be specified by one of the following codes:

A - Alpha
B - Beta
C - Chi
D - Delta
E - Epsilon
F - Phi
G - Gamma

These edge options are NOT available in the following 4 veneer finishes;

513 Medium Teak
647 White Pine
640 Ebony
642 Grigio



Alpha



Beta



Chi



Delta

Epsilon

Phi



Gamma

Optional edge 1 1/4
front only, 20″ and 24″ deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Profile edge front only	20″	24″	**RSA(A/B/C/D/E/F/G)F241-( )(1/2/3)**	$436.	$497.	$671.
		30″	**RSA(A/B/C/D/E/F/G)F301-( )(1/2/3)**	478.	549.	741.
		36″	**RSA(A/B/C/D/E/F/G)F361-( )(1/2/3)**	502.	580.	781.
		42″	**RSA(A/B/C/D/E/F/G)F421-( )(1/2/3)**	527.	605.	817.
		48″	**RSA(A/B/C/D/E/F/G)F481-( )(1/2/3)**	548.	629.	850.
		54″	**RSA(A/B/C/D/E/F/G)F541-( )(1/2/3)**	567.	659.	888.
		60″	**RSA(A/B/C/D/E/F/G)F601-( )(1/2/3)**	614.	708.	956.
		66″	**RSA(A/B/C/D/E/F/G)F661-( )(1/2/3)**	633.	729.	983.
		72″	**RSA(A/B/C/D/E/F/G)F721-( )(1/2/3)**	666.	768.	1,034.
		78″	**RSA(A/B/C/D/E/F/G)F781-( )(1/2/3)**	674.	776.	1,047.
		84″	**RSA(A/B/C/D/E/F/G)F841-( )(1/2/3)**	719.	825.	1,115.
		90″	**RSA(A/B/C/D/E/F/G)F901-( )(1/2/3)**	747.	860.	1,161.
		96″	**RSA(A/B/C/D/E/F/G)F961-( )(1/2/3)**	776.	894.	1,205.
	24″	24″	**RSA(A/B/C/D/E/F/G)F242-( )(1/2/3)**	458.	527.	711.
		30″	**RSA(A/B/C/D/E/F/G)F302-( )(1/2/3)**	519.	596.	804.
		36″	**RSA(A/B/C/D/E/F/G)F362-( )(1/2/3)**	537.	618.	835.
		42″	**RSA(A/B/C/D/E/F/G)F422-( )(1/2/3)**	555.	637.	858.
		48″	**RSA(A/B/C/D/E/F/G)F482-( )(1/2/3)**	596.	683.	920.
		54″	**RSA(A/B/C/D/E/F/G)F542-( )(1/2/3)**	633.	729.	983.
		60″	**RSA(A/B/C/D/E/F/G)F602-( )(1/2/3)**	678.	779.	1,052.
		66″	**RSA(A/B/C/D/E/F/G)F662-( )(1/2/3)**	704.	807.	1,090.
		72″	**RSA(A/B/C/D/E/F/G)F722-( )(1/2/3)**	735.	848.	1,142.
		78″	**RSA(A/B/C/D/E/F/G)F782-( )(1/2/3)**	771.	886.	1,196.
		84″	**RSA(A/B/C/D/E/F/G)F842-( )(1/2/3)**	800.	918.	1,242.
		90″	**RSA(A/B/C/D/E/F/G)F902-( )(1/2/3)**	833.	962.	1,298.
		96″	**RSA(A/B/C/D/E/F/G)F962-( )(1/2/3)**	867.	1,000.	1,350.



Order Code

Example:	**RSAGF241F2**
R	Reff Profiles
S	Straight top
A	1¼″ thick
G	Gamma
F	Edge front only
24	24″ wide
1	20″ deep
F	Flush grommet
2	V2 finish
006B	Medium cherry
111	Jet black (grommet)

Specification Information

To order please specify pattern number including:

1. Edge profile
2. F = Front edge with profile only
3. Width
4. Depth
5. Grommet option
6. Top finish type
7. Top finish
8. Grommet finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

5. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20″D and 24″D tops)

6. Finish type:
1 = V1
2 = V2
3 = V3

Products on this page do not accept the following finishes:
Y342 Medium Teak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Optional edge 1 1/4
front only, 30″ and 36″ deep

description	d	width	pattern no.	V1	V2	V3
Straight rectangular work tops Profile edge front only	30″	24″	**RSA(A/B/C/D/E/F/G)F243-( )(1/2/3)**	$495.	$571.	$773.
		30″	**RSA(A/B/C/D/E/F/G)F303-( )(1/2/3)**	560.	643.	867.
		36″	**RSA(A/B/C/D/E/F/G)F363-( )(1/2/3)**	604.	692.	933.
		42″	**RSA(A/B/C/D/E/F/G)F423-( )(1/2/3)**	628.	720.	972.
		48″	**RSA(A/B/C/D/E/F/G)F483-( )(1/2/3)**	668.	773.	1,042.
		54″	**RSA(A/B/C/D/E/F/G)F543-( )(1/2/3)**	724.	831.	1,121.
		60″	**RSA(A/B/C/D/E/F/G)F603-( )(1/2/3)**	749.	861.	1,162.
		66″	**RSA(A/B/C/D/E/F/G)F663-( )(1/2/3)**	769.	884.	1,193.
		72″	**RSA(A/B/C/D/E/F/G)F723-( )(1/2/3)**	785.	902.	1,219.
		78″	**RSA(A/B/C/D/E/F/G)F783-( )(1/2/3)**	823.	949.	1,281.
		84″	**RSA(A/B/C/D/E/F/G)F843-( )(1/2/3)**	856.	985.	1,333.
		90″	**RSA(A/B/C/D/E/F/G)F903-( )(1/2/3)**	895.	1,032.	1,393.
		96″	**RSA(A/B/C/D/E/F/G)F963-( )(1/2/3)**	928.	1,069.	1,442.
	36″	60″	**RSA(A/B/C/D/E/F/G)F604-( )(1/2/3)**	865.	995.	1,343.
		66″	**RSA(A/B/C/D/E/F/G)F664-( )(1/2/3)**	896.	1,034.	1,396.
		72″	**RSA(A/B/C/D/E/F/G)F724-( )(1/2/3)**	927.	1,068.	1,439.

Order Code

Example:	**RSAGF243F2**
R	Reff Profiles
S	Straight top
A	1¼″ thick
G	Gamma
F	Edge front only
24	24″ wide
3	30″ deep
F	Flush grommet
2	V2 finish
006B	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Edge profile
2. F = Front edge with profile only
3. Width
4. Depth
5. Grommet option
6. Top finish type
7. Top finish
8. Grommet finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

5. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20″D and 24″D tops)

6. Finish type:
1 = V1
2 = V2
3 = V3

Products on this page do not accept the following finishes:
Y342 Medium Teak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Optional edge 1 1/4
front and back edge, 20″ and 24″ deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Profile edge front and back only	20″	24″	**RSA(A/B/C/D/E/F/G)A241-( )(1/2/3)**	$436.	$497.	$671.
		30″	**RSA(A/B/C/D/E/F/G)A301-( )(1/2/3)**	478.	549.	741.
		36″	**RSA(A/B/C/D/E/F/G)A361-( )(1/2/3)**	502.	580.	781.
		42″	**RSA(A/B/C/D/E/F/G)A421-( )(1/2/3)**	527.	605.	817.
		48″	**RSA(A/B/C/D/E/F/G)A481-( )(1/2/3)**	548.	629.	850.
		54″	**RSA(A/B/C/D/E/F/G)A541-( )(1/2/3)**	567.	659.	888.
		60″	**RSA(A/B/C/D/E/F/G)A601-( )(1/2/3)**	614.	708.	956.
		66″	**RSA(A/B/C/D/E/F/G)A661-( )(1/2/3)**	633.	729.	983.
		72″	**RSA(A/B/C/D/E/F/G)A721-( )(1/2/3)**	666.	768.	1,034.
		78″	**RSA(A/B/C/D/E/F/G)A781-( )(1/2/3)**	674.	776.	1,047.
		84″	**RSA(A/B/C/D/E/F/G)A841-( )(1/2/3)**	719.	825.	1,115.
		90″	**RSA(A/B/C/D/E/F/G)A901-( )(1/2/3)**	747.	860.	1,161.
		96″	**RSA(A/B/C/D/E/F/G)A961-( )(1/2/3)**	776.	894.	1,205.
	24″	24″	**RSA(A/B/C/D/E/F/G)A242-( )(1/2/3)**	458.	527.	711.
		30″	**RSA(A/B/C/D/E/F/G)A302-( )(1/2/3)**	519.	596.	804.
		36″	**RSA(A/B/C/D/E/F/G)A362-( )(1/2/3)**	537.	618.	835.
		42″	**RSA(A/B/C/D/E/F/G)A422-( )(1/2/3)**	555.	637.	858.
		48″	**RSA(A/B/C/D/E/F/G)A482-( )(1/2/3)**	596.	683.	920.
		54″	**RSA(A/B/C/D/E/F/G)A542-( )(1/2/3)**	633.	729.	983.
		60″	**RSA(A/B/C/D/E/F/G)A602-( )(1/2/3)**	678.	779.	1,052.
		66″	**RSA(A/B/C/D/E/F/G)A662-( )(1/2/3)**	704.	807.	1,090.
		72″	**RSA(A/B/C/D/E/F/G)A722-( )(1/2/3)**	735.	848.	1,142.
		78″	**RSA(A/B/C/D/E/F/G)A782-( )(1/2/3)**	771.	886.	1,196.
		84″	**RSA(A/B/C/D/E/F/G)A842-( )(1/2/3)**	800.	918.	1,242.
		90″	**RSA(A/B/C/D/E/F/G)A902-( )(1/2/3)**	833.	962.	1,298.
		96″	**RSA(A/B/C/D/E/F/G)A962-( )(1/2/3)**	867.	1,000.	1,350.



Order Code

Example:	**RSAGA241F2**
R	Reff Profiles
S	Straight top
A	1¼″ thick
G	Gamma
A	Edge front and back
24	24″ wide
1	20″ deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Edge profile
2. 5th postion A = Edge front and back
3. Width
4. Depth
5. Grommet option
6. Top finish type
7. Top finish
8. Grommet finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

5. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20″D and 24″D tops)

6. Finish type:
1 = V1
2 = V2
3 = V3

Products on this page do not accept the following finishes:
Y342 Medium Teak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Optional edge 1 1/4
front and back edge, 30″ and 36″ deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	30″	24″	**RSA(A/B/C/D/E/F/G)A243-( )(1/2/3)**	$495.	$571.	$773.
		30″	**RSA(A/B/C/D/E/F/G)A303-( )(1/2/3)**	560.	643.	867.
		36″	**RSA(A/B/C/D/E/F/G)A363-( )(1/2/3)**	604.	692.	933.
		42″	**RSA(A/B/C/D/E/F/G)A423-( )(1/2/3)**	628.	720.	972.
		48″	**RSA(A/B/C/D/E/F/G)A483-( )(1/2/3)**	668.	773.	1,042.
		54″	**RSA(A/B/C/D/E/F/G)A543-( )(1/2/3)**	724.	831.	1,121.
		60″	**RSA(A/B/C/D/E/F/G)A603-( )(1/2/3)**	749.	861.	1,162.
		66″	**RSA(A/B/C/D/E/F/G)A663-( )(1/2/3)**	769.	884.	1,193.
		72″	**RSA(A/B/C/D/E/F/G)A723-( )(1/2/3)**	785.	902.	1,219.
		78″	**RSA(A/B/C/D/E/F/G)A783-( )(1/2/3)**	823.	949.	1,281.
		84″	**RSA(A/B/C/D/E/F/G)A843-( )(1/2/3)**	856.	985.	1,333.
		90″	**RSA(A/B/C/D/E/F/G)A903-( )(1/2/3)**	895.	1,032.	1,393.
		96″	**RSA(A/B/C/D/E/F/G)A963-( )(1/2/3)**	928.	1,069.	1,442.
	36″	60″	**RSA(A/B/C/D/E/F/G)A604-( )(1/2/3)**	865.	995.	1,343.
		66″	**RSA(A/B/C/D/E/F/G)A664-( )(1/2/3)**	896.	1,034.	1,396.
		72″	**RSA(A/B/C/D/E/F/G)A724-( )(1/2/3)**	927.	1,068.	1,439.

Order Code

Example:	**RSAGA243F2**
R	Reff Profiles
S	Straight top
A	1¼″ thick
G	Gamma
A	Edge front and back
24	24″ wide
3	30″ deep
F	Flush grommet
2	V2 finish
006B	Medium cherry
111	Jet Black (grommet)

Specification Information

〉*To order please specify pattern number including:*

1. Edge profile
2. 5th postion A = Edge front and back
3. Width
4. Depth
5. Grommet option
6. Top finish type
7. Top finish
8. Grommet finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

5. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20″D and 24″D tops)

6. Finish type:
1 = V1
2 = V2
3 = V3

Products on this page do not accept the following finishes:
Y342 Medium Teak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Optional edge 1 1/4
front and attaching edge profiled

description	d	w	pattern no.	V1	V2	V3
Bridge work tops, Profile edge front only, Accepts Same Edge on attaching sides 	20″	24″	**RSA(A/B/C/D/E/F/G)B241-( )(1/2/3)**	$436.	$497.	$671.
		30″	**RSA(A/B/C/D/E/F/G)B301-( )(1/2/3)**	478.	549.	741.
		36″	**RSA(A/B/C/D/E/F/G)B361-( )(1/2/3)**	502.	580.	781.
		42″	**RSA(A/B/C/D/E/F/G)B421-( )(1/2/3)**	527.	605.	817.
		48″	**RSA(A/B/C/D/E/F/G)B481-( )(1/2/3)**	548.	629.	850.
	24″	24″	**RSA(A/B/C/D/E/F/G)B242-( )(1/2/3)**	458.	527.	711.
		30″	**RSA(A/B/C/D/E/F/G)B302-( )(1/2/3)**	519.	596.	804.
		36″	**RSA(A/B/C/D/E/F/G)B362-( )(1/2/3)**	537.	618.	835.
		42″	**RSA(A/B/C/D/E/F/G)B422-( )(1/2/3)**	555.	637.	858.
		48″	**RSA(A/B/C/D/E/F/G)B482-( )(1/2/3)**	596.	683.	920.
Left-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20″	24″	**RSA(A/B/C/D/E/F/G)L241-( )(1/2/3)**	436.	497.	671.
		30″	**RSA(A/B/C/D/E/F/G)L301-( )(1/2/3)**	478.	549.	741.
		36″	**RSA(A/B/C/D/E/F/G)L361-( )(1/2/3)**	502.	580.	781.
		42″	**RSA(A/B/C/D/E/F/G)L421-( )(1/2/3)**	527.	605.	817.
		48″	**RSA(A/B/C/D/E/F/G)L481-( )(1/2/3)**	548.	629.	850.
	24″	24″	**RSA(A/B/C/D/E/F/G)L242-( )(1/2/3)**	458.	527.	711.
		30″	**RSA(A/B/C/D/E/F/G)L302-( )(1/2/3)**	519.	596.	804.
		36″	**RSA(A/B/C/D/E/F/G)L362-( )(1/2/3)**	537.	618.	835.
		42″	**RSA(A/B/C/D/E/F/G)L422-( )(1/2/3)**	555.	637.	858.
		48″	**RSA(A/B/C/D/E/F/G)L482-( )(1/2/3)**	596.	683.	920.

Order Code

Example:	**RSAGB241F2**
R	Reff Profiles
S	Straight top
A	1¼″ thick
G	Gamma Profile option
B	Both ends accept edge
24	24″ wide
1	20″ deep
F	Flush grommet
2	V2 finish
006B	Maple
111	Jet Black (grommet)

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Specification Information

To order please specify pattern number including:

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

2. 5th position options:
B = Front edge primary profile and both sides reverse profile for mating (bridge)
L = Left hand return, front edge primary profile, right edge reverse profile for mating
R = Right hand return, front edge primary profile, left edge reverse profile for mating

3. Width

4. Depth

5. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front (not recommended on 20″D and 24″D tops)

6. Finish type:
1 = V1
2 = V2
3 = V3

7. Top finish

8. Grommet finish
Painted or plated

Products on this page do not accept the following finishes:
Y342 Medium Teak

Application Notes

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w

Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.

Optional edge 1 1/4
front and attaching edge profiled

description	d	w	pattern no.	V1	V2	V3
Right-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20″	24″	**RSA(A/B/C/D/E/F/G)R241-( )(1/2/3)**	$436.	$497.	$671.
		30″	**RSA(A/B/C/D/E/F/G)R301-( )(1/2/3)**	478.	549.	741.
		36″	**RSA(A/B/C/D/E/F/G)R361-( )(1/2/3)**	502.	580.	781.
		42″	**RSA(A/B/C/D/E/F/G)R421-( )(1/2/3)**	527.	605.	817.
		48″	**RSA(A/B/C/D/E/F/G)R481-( )(1/2/3)**	548.	629.	850.
	24″	24″	**RSA(A/B/C/D/E/F/G)R242-( )(1/2/3)**	458.	527.	711.
		30″	**RSA(A/B/C/D/E/F/G)R302-( )(1/2/3)**	519.	596.	804.
		36″	**RSA(A/B/C/D/E/F/G)R362-( )(1/2/3)**	537.	618.	835.
		42″	**RSA(A/B/C/D/E/F/G)R422-( )(1/2/3)**	555.	637.	858.
		48″	**RSA(A/B/C/D/E/F/G)R482-( )(1/2/3)**	596.	683.	920.

Order Code

Example:	**RSAGB241F2**
R	Reff Profiles
S	Straight top
A	1¼″ thick
G	Gamma Profile option
B	Both ends accept edge
24	24″ wide
1	20″ deep
F	Flush grommet
2	V2 finish
006B	Maple
111	Jet Black (grommet)

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Specification Information

To order please specify pattern number including:

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

2. 5th position options:
B = Front edge primary profile and both sides reverse profile for mating (bridge)
L = Left hand return, front edge primary profile, right edge reverse profile for mating
R = Right hand return, front edge primary profile, left edge reverse profile for mating

3. Width

4. Depth

5. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front (not recommended on 20″D and 24″D tops)

6. Finish type:
1 = V1
2 = V2
3 = V3

7. Top finish

8. Grommet finish
Painted or plated

Products on this page do not accept the following finishes:
Y342 Medium Teak

Application Notes

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w

Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.

Optional edge 1 1/4
curvilinear corner front edge only

description	width1	w right	pattern no.	V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 20″	36″	36″	**RCA(A/B/C/D/E/F/G)F363611-( )(1/2/3)**	$921.	$1,058.	$1,429.
	36″	42″	**RCA(A/B/C/D/E/F/G)F423611-( )(1/2/3)**	974.	1,120.	1,513.
	36″	48″	**RCA(A/B/C/D/E/F/G)F483611-( )(1/2/3)**	1,036.	1,190.	1,606.
	42″	36″	**RCA(A/B/C/D/E/F/G)F364211-( )(1/2/3)**	974.	1,120.	1,513.
	42″	42″	**RCA(A/B/C/D/E/F/G)F424211-( )(1/2/3)**	1,036.	1,190.	1,606.
	42″	48″	**RCA(A/B/C/D/E/F/G)F484211-( )(1/2/3)**	1,131.	1,300.	1,754.
	48″	36″	**RCA(A/B/C/D/E/F/G)F364811-( )(1/2/3)**	1,036.	1,190.	1,606.
	48″	42″	**RCA(A/B/C/D/E/F/G)F424811-( )(1/2/3)**	1,131.	1,300.	1,754.
	48″	48″	**RCA(A/B/C/D/E/F/G)F484811-( )(1/2/3)**	1,190.	1,368.	1,846.
Curved corner work tops with Profile edge on front only, left return depth 20″, right return depth 24″	36″	36″	**RCA(A/B/C/D/E/F/G)F363612-( )(1/2/3)**	962.	1,105.	1,493.
	36″	42″	**RCA(A/B/C/D/E/F/G)F423612-( )(1/2/3)**	1,014.	1,165.	1,574.
	36″	48″	**RCA(A/B/C/D/E/F/G)F483612-( )(1/2/3)**	1,077.	1,235.	1,671.
	42″	36″	**RCA(A/B/C/D/E/F/G)F364212-( )(1/2/3)**	1,014.	1,165.	1,574.
	42″	42″	**RCA(A/B/C/D/E/F/G)F424212-( )(1/2/3)**	1,077.	1,235.	1,671.
	42″	48″	**RCA(A/B/C/D/E/F/G)F484212-( )(1/2/3)**	1,173.	1,347.	1,818.
	48″	36″	**RCA(A/B/C/D/E/F/G)F364812-( )(1/2/3)**	1,077.	1,235.	1,671.
	48″	42″	**RCA(A/B/C/D/E/F/G)F424812-( )(1/2/3)**	1,173.	1,347.	1,818.
	48″	48″	**RCA(A/B/C/D/E/F/G)F484812-( )(1/2/3)**	1,231.	1,417.	1,913.



Radii of front edge varies with top dimensions

Order Code

Example:	**RCAGF363611**
R	Reff Profiles
C	Corner top
A	1¼″ thick
G	Gamma
F	Edge Front only
36	36″ wide
36	36″ wide
1	20″ deep
1	20″ deep
F	Flush grommet
2	V2 finish
006B	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Edge profile
2. Left hand width
3. Right hand width
4. Return left hand depth
5. Return right hand depth
6. Grommet option
7. Top finish type
8. Top finish
9. Grommet finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

6. Grommet options:
N = No grommet
F = Flush front grommet location

7. Finish type:
1 = V1
2 = V2
3 = V3

Products on this page do not accept the following finishes:
Y342 Medium Teak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48″w.

Optional edge 1 1/4
curvilinear corner front edge only

description	width1	w right	pattern no.	V1	V2	V3
Curved corner work tops with Profile edge on front only, left return 24″, right return 20″	36″	36″	**RCA(A/B/C/D/E/F/G)F363621-( )(1/2/3)**	$962.	$1,105.	$1,493.
	36″	42″	**RCA(A/B/C/D/E/F/G)F423621-( )(1/2/3)**	1,014.	1,165.	1,574.
	36″	48″	**RCA(A/B/C/D/E/F/G)F483621-( )(1/2/3)**	1,077.	1,235.	1,671.
	42″	36″	**RCA(A/B/C/D/E/F/G)F364221-( )(1/2/3)**	1,014.	1,165.	1,574.
	42″	42″	**RCA(A/B/C/D/E/F/G)F424221-( )(1/2/3)**	1,077.	1,235.	1,671.
	42″	48″	**RCA(A/B/C/D/E/F/G)F484221-( )(1/2/3)**	1,173.	1,347.	1,818.
	48″	36″	**RCA(A/B/C/D/E/F/G)F364821-( )(1/2/3)**	1,077.	1,235.	1,671.
	48″	42″	**RCA(A/B/C/D/E/F/G)F424821-( )(1/2/3)**	1,173.	1,347.	1,818.
	48″	48″	**RCA(A/B/C/D/E/F/G)F484821-( )(1/2/3)**	1,231.	1,417.	1,913.
Curved corner work tops with Profile edge on front only, return depth left and right 24″	36″	36″	**RCA(A/B/C/D/E/F/G)F363622-( )(1/2/3)**	1,043.	1,200.	1,622.
	36″	42″	**RCA(A/B/C/D/E/F/G)F423622-( )(1/2/3)**	1,099.	1,261.	1,703.
	36″	48″	**RCA(A/B/C/D/E/F/G)F483622-( )(1/2/3)**	1,157.	1,330.	1,797.
	42″	36″	**RCA(A/B/C/D/E/F/G)F364222-( )(1/2/3)**	1,099.	1,261.	1,703.
	42″	42″	**RCA(A/B/C/D/E/F/G)F424222-( )(1/2/3)**	1,157.	1,330.	1,797.
	42″	48″	**RCA(A/B/C/D/E/F/G)F484222-( )(1/2/3)**	1,256.	1,444.	1,949.
	48″	36″	**RCA(A/B/C/D/E/F/G)F364822-( )(1/2/3)**	1,157.	1,330.	1,797.
	48″	42″	**RCA(A/B/C/D/E/F/G)F424822-( )(1/2/3)**	1,256.	1,444.	1,949.
	48″	48″	**RCA(A/B/C/D/E/F/G)F484822-( )(1/2/3)**	1,314.	1,510.	2,040.

Order Code

Example:	**RCAGF363611**
R	Reff Profiles
C	Corner top
A	1¼″ thick
G	Gamma
F	Edge Front only
36	36″ wide
36	36″ wide
1	20″ deep
1	20″ deep
F	Flush grommet
2	V2 finish
006B	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Edge profile
2. Left hand width
3. Right hand width
4. Return left hand depth
5. Return right hand depth
6. Grommet option
7. Top finish type
8. Top finish
9. Grommet finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

6. Grommet options:
N = No grommet
F = Flush front grommet location

7. Finish type:
1 = V1
2 = V2
3 = V3

Products on this page do not accept the following finishes:
Y342 Medium Teak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48″w.

Optional edge 1 1/4
wave end tops
front edge only

description	depth1	d right	w	pattern no.	V1	V2	V3
Wave transition top with profile edge front only (left 24″, right 20″) 	20″	24″	42″	**RWA(A/B/C/D/E/F/G)F4221-( )(1/2/3)**	$556.	$640.	$862.
	20″	24″	48″	**RWA(A/B/C/D/E/F/G)F4821-( )(1/2/3)**	584.	671.	907.
	20″	24″	54″	**RWA(A/B/C/D/E/F/G)F5421-( )(1/2/3)**	623.	719.	970.
	20″	24″	60″	**RWA(A/B/C/D/E/F/G)F6021-( )(1/2/3)**	667.	771.	1,038.
	20″	24″	66″	**RWA(A/B/C/D/E/F/G)F6621-( )(1/2/3)**	689.	791.	1,071.
	20″	24″	72″	**RWA(A/B/C/D/E/F/G)F7221-( )(1/2/3)**	720.	829.	1,119.
Wave transition top with profile edge front only (left 30″, right 24″) 	24″	30″	42″	**RWA(A/B/C/D/E/F/G)F4232-( )(1/2/3)**	602.	689.	929.
	24″	30″	48″	**RWA(A/B/C/D/E/F/G)F4832-( )(1/2/3)**	622.	715.	966.
	24″	30″	54″	**RWA(A/B/C/D/E/F/G)F5432-( )(1/2/3)**	671.	774.	1,043.
	24″	30″	60″	**RWA(A/B/C/D/E/F/G)F6032-( )(1/2/3)**	719.	825.	1,115.
	24″	30″	66″	**RWA(A/B/C/D/E/F/G)F6632-( )(1/2/3)**	744.	857.	1,156.
	24″	30″	72″	**RWA(A/B/C/D/E/F/G)F7232-( )(1/2/3)**	783.	900.	1,216.
Wave transition top with profile edge front only (left 20″, right 24″) 	24″	20″	42″	**RWA(A/B/C/D/E/F/G)F4212-( )(1/2/3)**	556.	640.	862.
	24″	20″	48″	**RWA(A/B/C/D/E/F/G)F4812-( )(1/2/3)**	584.	671.	907.
	24″	20″	54″	**RWA(A/B/C/D/E/F/G)F5412-( )(1/2/3)**	623.	719.	970.
	24″	20″	60″	**RWA(A/B/C/D/E/F/G)F6012-( )(1/2/3)**	667.	771.	1,038.
	24″	20″	66″	**RWA(A/B/C/D/E/F/G)F6612-( )(1/2/3)**	689.	791.	1,071.
	24″	20″	72″	**RWA(A/B/C/D/E/F/G)F7212-( )(1/2/3)**	720.	829.	1,119.
Wave transition top with profile edge front only (left 24″, right 30″) 	30″	24″	42″	**RWA(A/B/C/D/E/F/G)F4223-( )(1/2/3)**	602.	689.	929.
	30″	24″	48″	**RWA(A/B/C/D/E/F/G)F4823-( )(1/2/3)**	622.	715.	966.
	30″	24″	54″	**RWA(A/B/C/D/E/F/G)F5423-( )(1/2/3)**	671.	774.	1,043.
	30″	24″	60″	**RWA(A/B/C/D/E/F/G)F6023-( )(1/2/3)**	719.	825.	1,115.
	30″	24″	66″	**RWA(A/B/C/D/E/F/G)F6623-( )(1/2/3)**	744.	857.	1,156.
	30″	24″	72″	**RWA(A/B/C/D/E/F/G)F7223-( )(1/2/3)**	783.	900.	1,216.
Wave end top with profile edge front only (20″ right) 	20″	32″	36″	**RWEA(A/B/C/D/E/F/G)F3631-( )(1/2/3)**	739.	851.	1,147.
	20″	32″	42″	**RWEA(A/B/C/D/E/F/G)F4231-( )(1/2/3)**	769.	884.	1,193.
	20″	32″	48″	**RWEA(A/B/C/D/E/F/G)F4831-( )(1/2/3)**	808.	929.	1,256.

Order Code

Example:	**RWAGF422-1F2**
R	Reff Profiles
W	Wave transition top
A	1¼″ thick
G	Gamma
F	Edge front only
42	42″ wide
2	20″ deep
1	20″ deep
F	Flush grommet
2	V2 finish
006B	Maple
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Edge profile
2. 5th position F = front edge with profile only
3. Width
4. Left hand depth
5. Right hand depth
6. Grommet option
7. Top finish type
8. Top finish
9. Grommet finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

6. Grommet options:
N = No grommet
F = Flush front grommet location

7. Finish type:
1 = V1
2 = V2
3 = V3

Products on this page do not accept the following finishes:
Y342 Medium Teak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Optional edge 1 1/4
wave end tops
front edge only

description	depth1	d right	w	pattern no.	V1	V2	V3
Wave end top with profile edge front only (24″ right) 	24″	36″	36″	**RWEA(A/B/C/D/E/F/G)F3662-( )(1/2/3)**	$765.	$879.	$1,187.
	24″	36″	42″	**RWEA(A/B/C/D/E/F/G)F4262-( )(1/2/3)**	787.	905.	1,222.
	24″	36″	48″	**RWEA(A/B/C/D/E/F/G)F4862-( )(1/2/3)**	832.	961.	1,297.
Wave end top with profile edge front only (20″ left) 	32″	20″	36″	**RWEA(A/B/C/D/E/F/G)F3613-( )(1/2/3)**	739.	851.	1,147.
	32″	20″	42″	**RWEA(A/B/C/D/E/F/G)F4213-( )(1/2/3)**	769.	884.	1,193.
	32″	20″	48″	**RWEA(A/B/C/D/E/F/G)F4813-( )(1/2/3)**	808.	929.	1,256.
Wave end top with profile edge front only (24″ left) 	36″	24″	36″	**RWEA(A/B/C/D/E/F/G)F3626-( )(1/2/3)**	765.	879.	1,187.
	36″	24″	42″	**RWEA(A/B/C/D/E/F/G)F4226-( )(1/2/3)**	787.	905.	1,222.
	36″	24″	48″	**RWEA(A/B/C/D/E/F/G)F4826-( )(1/2/3)**	832.	961.	1,297.

Order Code

Example:	**RWAGF422-1F2**
R	Reff Profiles
W	Wave transition top
A	1¼″ thick
G	Gamma
F	Edge front only
42	42″ wide
2	20″ deep
1	20″ deep
F	Flush grommet
2	V2 finish
006B	Maple
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Edge profile
2. 5th position F = front edge with profile only
3. Width
4. Left hand depth
5. Right hand depth
6. Grommet option
7. Top finish type
8. Top finish
9. Grommet finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

6. Grommet options:
N = No grommet
F = Flush front grommet location

7. Finish type:
1 = V1
2 = V2
3 = V3

Products on this page do not accept the following finishes:
Y342 Medium Teak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Optional edge 1 1/4
meeting tops

description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Profile edge on all except flat side. **Grommet choices are centered (as shown) or none** 	30″	42″	**RMDA(A/B/C/D/E/F/G)F4230-( )(1/2/3)**	$784.	$901.	$1,217.
	30″	48″	**RMDA(A/B/C/D/E/F/G)F4830-( )(1/2/3)**	850.	972.	1,312.
	30″	54″	**RMDA(A/B/C/D/E/F/G)F5430-( )(1/2/3)**	907.	1,043.	1,409.
	30″	60″	**RMDA(A/B/C/D/E/F/G)F6030-( )(1/2/3)**	970.	1,115.	1,504.
	30″	66″	**RMDA(A/B/C/D/E/F/G)F6630-( )(1/2/3)**	1,035.	1,189.	1,605.
	30″	72″	**RMDA(A/B/C/D/E/F/G)F7230-( )(1/2/3)**	1,098.	1,260.	1,702.
	30″	78″	**RMDA(A/B/C/D/E/F/G)F7830-( )(1/2/3)**	1,241.	1,425.	1,925.
	30″	84″	**RMDA(A/B/C/D/E/F/G)F8430-( )(1/2/3)**	1,385.	1,592.	2,150.
	30″	90″	**RMDA(A/B/C/D/E/F/G)F9030-( )(1/2/3)**	1,547.	1,779.	2,400.
	30″	96″	**RMDA(A/B/C/D/E/F/G)F9630-( )(1/2/3)**	1,706.	1,962.	2,649.
	36″	42″	**RMDA(A/B/C/D/E/F/G)F4236-( )(1/2/3)**	863.	993.	1,341.
	36″	48″	**RMDA(A/B/C/D/E/F/G)F4836-( )(1/2/3)**	943.	1,087.	1,467.
	36″	54″	**RMDA(A/B/C/D/E/F/G)F5436-( )(1/2/3)**	1,080.	1,244.	1,678.
	36″	60″	**RMDA(A/B/C/D/E/F/G)F6036-( )(1/2/3)**	1,211.	1,394.	1,883.
	36″	66″	**RMDA(A/B/C/D/E/F/G)F6636-( )(1/2/3)**	1,233.	1,420.	1,917.
	36″	72″	**RMDA(A/B/C/D/E/F/G)F7236-( )(1/2/3)**	1,256.	1,444.	1,949.
	36″	78″	**RMDA(A/B/C/D/E/F/G)F7836-( )(1/2/3)**	1,412.	1,623.	2,190.
	36″	84″	**RMDA(A/B/C/D/E/F/G)F8436-( )(1/2/3)**	1,571.	1,808.	2,442.
	36″	90″	**RMDA(A/B/C/D/E/F/G)F9036-( )(1/2/3)**	1,654.	1,903.	2,569.
	36″	96″	**RMDA(A/B/C/D/E/F/G)F9636-( )(1/2/3)**	1,813.	2,082.	2,813.
Wrap-around panel top *No Grommet option	21¼″	42½″	**RMDA(A/B/C/D/E/F/G)F4221-( )(1/2/3)( )**	1,010.	1,160.	1,565.
	25¼″	50½″	**RMDA(A/B/C/D/E/F/G)F5025-( )(1/2/3)( )**	1,105.	1,272.	1,717.

Please specify mating end trim profile option.

Order Code

Example:	**RMDAGF4230F2**
R	Reff Profiles
MD	Peninsula D-shaped top
A	1¼″ thick
G	Gamma
F	Edge front only
42	42″ wide
30	30″ deep
C	Centered grommet
2	V2 finish
006B	Maple
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Edge profile
2. Width
3. Depth
4. Grommet option
5. Top finish type
6. Top finish
7. Grommet finish
8. Applicable “wrap around panel tops” only specify mating panel end trim profile

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

4. Grommet options:
N = No grommet
C = Centered grommet (applicable RMDA product only)
F = Flush front grommet location (for worksurfaces 9 or P tops)
R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20″D and 24″D tops)

5. Finish type:
1 = V1
2 = V2
3 = V3

8. Additional specification option required for wrap around panel tops only, specify mating trim profile
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

Products on this page do not accept the following finishes:
Y342 Medium Teak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Optional edge 1 1/4
meeting tops P and 9

description	d	w	pattern no.	V1	V2	V3
Worksurface P-top 	30″	84″	**RMPA(A/B/C/D/E/F/G)F8430-( )(1/2/3)**	$2,191.	$2,525.	$3,407.
	30″	96″	**RMPA(A/B/C/D/E/F/G)F9630-( )(1/2/3)**	2,286.	2,628.	3,548.
Worksurface 9-top 	30″	84″	**RM9A(A/B/C/D/E/F/G)F8430-( )(1/2/3)**	2,191.	2,525.	3,407.
	30″	96″	**RM9A(A/B/C/D/E/F/G)F9630-( )(1/2/3)**	2,286.	2,628.	3,548.
Meeting P-top (adjoining top must use 12 end panel and modesty panel to support) ***No Grommet option**	30″	42″	**RM9A(A/B/C/D/E/F/G)F4230-( )(1/2/3)**	1,078.	1,240.	1,672.
	36″	48″	**RM9A(A/B/C/D/E/F/G)F4836-( )(1/2/3)**	1,198.	1,378.	1,861.
Meeting 9-top (adjoining top must use 12 end panel and modesty panel to support) ***No Grommet option**	30″	42″	**RMPA(A/B/C/D/E/F/G)F4230-( )(1/2/3)**	1,078.	1,240.	1,672.
	36″	48″	**RMPA(A/B/C/D/E/F/G)F4836-( )(1/2/3)**	1,198.	1,378.	1,861.

Order Code

Example:	**RMPAGF4230F2**
R	Reff Profiles
MP	Peninsula P-shaped top
A	1¼″ thick
G	Gamma
F	Edge front only
42	42″ wide
30	30″ deep
C	Centered grommet
2	V2 finish
006B	Maple
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Edge profile
2. Width
3. Depth
4. Grommet option
5. Top finish type
6. Top finish
7. Grommet finish
8. Applicable "wrap around panel tops" only specify mating panel end trim profile

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

4. Grommet options:
N = No grommet
C = Centered grommet (applicable RMDA product only)
F = Flush front grommet location (for worksurfaces 9 or P tops)
R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20″D and 24″D tops)

5. Finish type:
1 = V1
2 = V2
3 = V3

Products on this page do not accept the following finishes:
Y342 Medium Teak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48″w.

Optional edge 1 1/4
Bow front tops

description	w	d	pattern no.	L	V1	V2	V3
Profile edge on front and back (30″d) 	72″	30″	**RMBA(A/B/C/D/E/F/G)A7230-( )(1/2/3)**		$1,308.	$1,502.	$2,028.
	84″	30″	**RMBA(A/B/C/D/E/F/G)A8430( )(1/2/3)**		1,441.	1,656.	2,238.
	96″	30″	**RMBA(A/B/C/D/E/F/G)A9630( )(1/2/3)**		1,596.	1,834.	2,476.
Profile edge on front and back (36″d) 	72″	36″	**RMBA(A/B/C/D/E/F/G)A7236( )(1/2/3)**		1,389.	1,595.	2,157.
	84″	36″	**RMBA(A/B/C/D/E/F/G)A8436( )(1/2/3)**		1,522.	1,752.	2,366.
	96″	36″	**RMBA(A/B/C/D/E/F/G)A9636-( )(1/2/3)**		1,686.	1,941.	2,618.
Profile elliptical tops 	60″	30″	**REBA(A/B/C/D/E/F/G)A6030**		1,534.	1,764.	2,382.
	72″	42″	**REBA(A/B/C/D/E/F/G)A7242**		2,187.	2,511.	3,391.
	78″	48″	**REBA(A/B/C/D/E/F/G)A7848**		2,396.	2,756.	3,721.
	grommet options for elliptical tops, N or R						
Short modesty panel 	40″	1″	**RB40MR-( )**	363.	476.	545.	719.
	52″	1″	**RB52MR-( )**	426.	561.	645.	850.
	64″	1″	**RB64MR-( )**	461.	603.	698.	918.
	Use of short modesty panel Pedestals must be ordered separately with individual back panels. Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals. Order: 40″ modesty for 72″ bow top 52″ modesty for 84″ bow top 64″ modesty for 96″ bow top When ordering bow top 30″D for use with short modesty, specify recessed grommet location. When ordering bow top 36″D for use with short modesty, specify alternate grommet location.						
Bulkhead (false pedestal)* 	16″	24″	**REBH24**	511.	781.	904.	1,190.
	16″	30″	**REBH30**	529.	794.	926.	1,219.

Order Code

Example:	**RMBAGA7230F2**
R	Reff Profiles
MB	Bow front top
A	1¼″ thick
G	Gamma
A	Edge front and back
72	72″ wide
30	30″ deep
F	Flush grommet
2	V2 finish
006B	Maple
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Edge profile
2. Width
3. Depth
4. Grommet option
5. Top finish type
6. Top finish
7. Grommet finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

4. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
A = Alternate location (only for 36″ deep bow front tops)

5. Finish type:
1 = V1
2 = V2
3 = V3

Products on this page do not accept the following finishes:
Y342 Medium Teak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Optional edge 1 1/4
round and racetrack conference tops

description	w	d	pattern no.	V1	V2	V3
Racetrack top - 1 piece 	72″	30″	**RTA(A/B/C/D/E/F/G)7230-(1/2/3)**	$1,534.	$1,764.	$2,382.
	72″	36″	**RTA(A/B/C/D/E/F/G)7236-(1/2/3)**	1,752.	2,010.	2,715.
	84″	30″	**RTA(A/B/C/D/E/F/G)8430-(1/2/3)**	1,708.	1,968.	2,656.
	84″	36″	**RTA(A/B/C/D/E/F/G)8436-(1/2/3)**	1,971.	2,261.	3,055.
	84″	42″	**RTA(A/B/C/D/E/F/G)8442-(1/2/3)**	2,396.	2,756.	3,721.
	96″	30″	**RTA(A/B/C/D/E/F/G)9630-(1/2/3)**	1,903.	2,189.	2,954.
	96″	36″	**RTA(A/B/C/D/E/F/G)9636-(1/2/3)**	2,187.	2,511.	3,391.
	96″	42″	**RTA(A/B/C/D/E/F/G)9642-(1/2/3)**	2,682.	3,085.	4,165.
Racetrack top - 2 piece Profile edge on all sides except on parting lines 	120″	36″	**RTA(A/B/C/D/E/F/G)12036-(1/2/3)**	2,824.	3,246.	4,381.
	120″	42″	**RTA(A/B/C/D/E/F/G)12042-(1/2/3)**	3,044.	3,498.	4,724.
	120″	48″	**RTA(A/B/C/D/E/F/G)12048-(1/2/3)**	3,236.	3,720.	5,019.
	144″	42″	**RTA(A/B/C/D/E/F/G)14442-(1/2/3)**	3,355.	3,859.	5,208.
	144″	48″	**RTA(A/B/C/D/E/F/G)14448-(1/2/3)**	3,440.	3,953.	5,338.
Racetrack top - 3 piece Profile edge on all sides except on parting lines 	168″	42″	**RTA(A/B/C/D/E/F/G)16842-(1/2/3)**	4,207.	4,839.	6,531.
	168″	48″	**RTA(A/B/C/D/E/F/G)16848-(1/2/3)**	4,500.	5,174.	6,983.
	192″	42″	**RTA(A/B/C/D/E/F/G)19242-(1/2/3)**	4,522.	5,199.	7,018.
	192″	48″	**RTA(A/B/C/D/E/F/G)19248-(1/2/3)**	4,706.	5,412.	7,303.
Round tops Profile edge on all sides except on parting lines. 	*	60″	**RTA(A/B/C/D/E/F/G)6060-(1/2/3)**	2,586.	2,975.	4,013.
	*	72″	**RTA(A/B/C/D/E/F/G)7272-(1/2/3)**	3,200.	3,681.	4,968.
	–	36″	**RTA(A/B/C/D/E/F/G)3636-(1/2/3)**	863.	993.	1,341.
	–	42″	**RTA(A/B/C/D/E/F/G)4242-(1/2/3)**	1,001.	1,150.	1,555.
	–	48″	**RTA(A/B/C/D/E/F/G)4848-(1/2/3)**	1,648.	1,895.	2,558.

Order Code

Example:	**RTAG72302**
R	Reff Profiles
T	Racetrack top
A	1¼″ thick
G	Gamma
72	22″ wide
30	30″ deep
2	V2 finish
006B	Maple

Specification Information

To order please specify pattern number including:

1. Edge profile
2. Width
3. Depth
4. Finish type
5. Finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

4. Finish type:
1 = V1
2 = V2
3 = V3

*Round tops in two pieces.

Products on this page do not accept the following finishes:
Y342 Medium Teak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Optional edge 1 1/4
square and rectangular conference tops

description	w	d	pattern no.	V1	V2	V3
Rectangular top - 1 piece 	72″	30″	**RRA(A/B/C/D/E/F/G)7230-(1/2/3)**	$812.	$933.	$1,260.
	72″	36″	**RRA(A/B/C/D/E/F/G)7236-(1/2/3)**	883.	1,013.	1,367.
	84″	30″	**RRA(A/B/C/D/E/F/G)8430-(1/2/3)**	898.	1,035.	1,397.
	84″	36″	**RRA(A/B/C/D/E/F/G)8436-(1/2/3)**	964.	1,107.	1,495.
	84″	42″	**RRA(A/B/C/D/E/F/G)8442-(1/2/3)**	1,425.	1,638.	2,212.
	96″	30″	**RRA(A/B/C/D/E/F/G)9630-(1/2/3)**	1,009.	1,157.	1,564.
	96″	36″	**RRA(A/B/C/D/E/F/G)9636-(1/2/3)**	1,113.	1,280.	1,730.
	96″	42″	**RRA(A/B/C/D/E/F/G)9642-(1/2/3)**	1,636.	1,881.	2,538.
Rectangular top - 2 piece Profile edge on all sides except on parting lines 	120″	36″	**RRA(A/B/C/D/E/F/G)12036-(1/2/3)**	1,786.	2,053.	2,772.
	120″	42″	**RRA(A/B/C/D/E/F/G)12042-(1/2/3)**	2,462.	2,831.	3,818.
	120″	48″	**RRA(A/B/C/D/E/F/G)12048-(1/2/3)**	2,675.	3,077.	4,155.
	144″	42″	**RRA(A/B/C/D/E/F/G)14442-(1/2/3)**	2,764.	3,184.	4,298.
	144″	48″	**RRA(A/B/C/D/E/F/G)14448-(1/2/3)**	2,965.	3,408.	4,602.
Rectangular top - 3 piece Profile edge on all sides except on parting lines 	168″	42″	**RRA(A/B/C/D/E/F/G)16842-(1/2/3)**	3,627.	4,173.	5,631.
	168″	48″	**RRA(A/B/C/D/E/F/G)16848-(1/2/3)**	3,939.	4,533.	6,121.
	192″	42″	**RRA(A/B/C/D/E/F/G)19242-(1/2/3)**	3,928.	4,521.	6,102.
	192″	48″	**RRA(A/B/C/D/E/F/G)19248-(1/2/3)**	4,230.	4,865.	6,565.
Square top Profile edge on all sides except on parting lines 	*	60″	**RRA(A/B/C/D/E/F/G)6060-(1/2/3)**	1,664.	1,913.	2,584.
	*	72″	**RRA(A/B/C/D/E/F/G)7272-(1/2/3)**	1,962.	2,255.	3,045.
	–	36″	**RRA(A/B/C/D/E/F/G)3636-(1/2/3)**	628.	720.	972.
	–	42″	**RRA(A/B/C/D/E/F/G)4242-(1/2/3)**	812.	933.	1,260.
	–	48″	**RRA(A/B/C/D/E/F/G)4848-(1/2/3)**	1,068.	1,226.	1,653.

Order Code

Example:	**RRAG72302**
R	Reff Profiles
R	Conference Room top
A	1¼″ thick
G	Gamma
72	72″ wide
30	30″ deep
2	V2 finish
006B	Maple

Specification Information

To order please specify pattern number including:

1. Edge option
2. Width
3. Depth
4. Finish type
5. Finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

4. Finish type:
1 = V1
2 = V2
3 = V3

* Square tops in two pieces.

Products on this page do not accept the following finishes:
Y342 Medium Teak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Cascade Edge 1 1/4″
Rectilinear 24″ and 30″ deep

description	d	w	pattern no.	Woodgrain	Solid
24″D Rectangular	24″	24″	**RCE1R2424N**	$279.	$244.
	24″	30″	**RCE1R3024N**	321.	279.
	24″	36″	**RCE1R3624N**	354.	307.
	24″	42″	**RCE1R4224N**	408.	354.
	24″	48″	**RCE1R4824N**	458.	398.
	24″	54″	**RCE1R5424N**	491.	427.
	24″	60″	**RCE1R6024N**	534.	464.
	24″	66″	**RCE1R6624N**	574.	501.
	24″	72″	**RCE1R7224N**	602.	524.
	24″	78″	**RCE1R7824N**	647.	563.
	24″	84″	**RCE1R8424N**	683.	595.
	24″	90″	**RCE1R9024N**	770.	671.
	24″	96″	**RCE1R9624N**	841.	733.
30″D Rectangular	30″	24″	**RCE1R2430N**	356.	308.
	30″	30″	**RCE1R3030N**	398.	346.
	30″	36″	**RCE1R3630N**	444.	386.
	30″	42″	**RCE1R4230N**	480.	419.
	30″	48″	**RCE1R4830N**	534.	464.
	30″	54″	**RCE1R5430N**	604.	525.
	30″	60″	**RCE1R6030N**	663.	578.
	30″	66″	**RCE1R6630N**	740.	644.
	30″	72″	**RCE1R7230N**	770.	671.
	30″	78″	**RCE1R7830N**	822.	715.
	30″	84″	**RCE1R8430N**	875.	760.
	30″	90	**RCE1R9030N**	941.	818.
	30″	96″	**RCE1R9630N**	1,005.	875.



shown with grommet



shown with grommet

Order Code

Example:	**RCE1R3024N 118**
R	Reff Profiles
CE1	Cascade edge
R	Rectangular
30	Width
24	Depth
N	No grommet
118	Finish

Specification Information

To order please specify pattern number including finish:

Available finishes:

Solid:

114 Folkstone Grey
117 Soft Grey
118 Bright White
119 Pumice

Woodgrain:

124 Medium Cherry
125 Natural Maple
126 Natural Cherry
127 Walnut

Application Notes

Center-located edge grommet.

To specify grommet, replace the "N" suffix in pattern number with "G". Add $21.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 210 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16″ less nominal. Actual depth 3/8″ less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, pthalates and lead content.

Cascade Edge 1 1/4″
Curvilinear corner

description	A	B	C	pattern no.	Woodgrain	Solid
Curvilinear corner	24″	24″	36″	**RCE1L3636SSN**	$698.	$606.
	24″	24″	42″	**RCE1L4242SSN**	841.	733.
	24″	24″	48″	**RCE1L4848SSN**	946.	822.
	24″	30″	42″	**RCE1L4242DSN**	998.	870.
	24″	30″	48″	**RCE1L4848DSN**	1,133.	986.
	30″	24″	42″	**RCE1L4242SDN**	998.	870.
	30″	24″	48″	**RCE1L4848SDN**	1,133.	986.
	30″	30″	48″	**RCE1L4848DDN**	1,016.	883.

shown with grommets

Order Code

Example:	**RCE1L3636SSN 114**
RCE1	Reff Profiles Cascade Edge worksurface
L	Curvilinear Corner top
36	Width
36	Depth
S	24″d, left side
S	24″d, right side
N	No grommet
114	Folkstone Grey finish
	Grain Direction

Note: When wood grain or brushed finishes are specified on Cascade corner worksurfaces with two “A” sides of equal length that do not exceed 42″ you must select one of three grain direction options. Insert the desired grain direction “L”= Left hand, “R”= Right hand or “D”= Diagonal after the worksurface finish code to indicate the appropriate grain direction. When the “D” option is selected please add $26.00 to the worksurface list price. 48″ Cascade corners are not available with a diagonal grain option.

Specification Information

To order please specify pattern number including:

1. Return depths (hard coded in patttern number)

SS = 24″d left and right
SD = 24″d left, 30″d right
DS = 30″d left, 24″d right
DD = 30″d left and right

2. Grommets (hard coded in pattern number)

N= no grommets
G= grommets

To specify grommets, replace the “N” suffix in pattern number with “G”. Add $41.

3. Finish
Solid:

114 Folkstone Grey
117 Soft Grey
118 Bright White
119 Pumice

Woodgrain:

124 Medium Cherry
125 Natural Maple
126 Natural Cherry
127 Walnut

Graing Direction:

D = Diagonal
L = Left hand
N Not required
R Right hand

Application Notes

Center-located edge grommets, located on center of sides marked A.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Specify cantilever bracket (ASBC18 (L/R) or ASBC24 (L/R)) from page 210 as required to support Cascade edge worksurfaces for Reff Profiles panel hung applications.

Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16″ less nominal. Actual depth 3/8″ less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

Cascade Edge 1 1/4″
Blended “L”

description	B	C	A	D	pattern no.	Woodgrain	Solid
Blended “L”	42″	60″	24″	24″	**RCE1L4260SSN**	$1,156.	$1,005.
	42″	66″	24″	24″	**RCE1L4266SSN**	1,188.	1,031.
	42″	72″	24″	24″	**RCE1L4272SSN**	1,232.	1,070.
	42″	78″	24″	24″	**RCE1L4278SSN**	1,243.	1,083.
	48″	60″	24″	24″	**RCE1L4860SSN**	1,169.	1,018.
	48″	60″	24″	30″	**RCE1L4860SDN**	1,150.	998.
	48″	60″	30″	24″	**RCE1L4860DSN**	1,150.	998.
	48″	66″	24″	24″	**RCE1L4866SSN**	1,212.	1,055.
	48″	66″	24″	30″	**RCE1L4866SDN**	1,209.	1,051.
	48″	66″	30″	24″	**RCE1L4866DSN**	1,209.	1,051.
	48″	72″	24″	24″	**RCE1L4872SSN**	1,257.	1,093.
	48″	72″	24″	30″	**RCE1L4872SDN**	1,266.	1,099.
	48″	72″	30″	24″	**RCE1L4872DSN**	1,266.	1,099.
	48″	78″	24″	24″	**RCE1L4878SSN**	1,386.	1,205.
	48″	84″	24″	24″	**RCE1L4884SSN**	1,559.	1,355.
	60″	42″	24″	24″	**RCE1L6042SSN**	1,156.	1,005.
	60″	48″	24″	24″	**RCE1L6048SSN**	1,169.	1,018.
	60″	48″	24″	30″	**RCE1L6048SDN**	1,150.	998.
	60″	48″	30″	24″	**RCE1L6048DSN**	1,150.	998.
	66″	42″	24″	24″	**RCE1L6642SSN**	1,188.	1,031.
	66″	48″	24″	24″	**RCE1L6648SSN**	1,212.	1,055.
	66″	48″	24″	30″	**RCE1L6648SDN**	1,209.	1,051.
	66″	48″	30″	24″	**RCE1L6648DSN**	1,209.	1,051.
	72″	42″	24″	24″	**RCE1L7242SSN**	1,232.	1,070.
	72″	48″	24″	24″	**RCE1L7248SSN**	1,257.	1,093.
	72″	48″	24″	30″	**RCE1L7248SDN**	1,266.	1,099.
	72″	48″	30″	24″	**RCE1L7248DSN**	1,266.	1,099.
	78″	42″	24″	24″	**RCE1L7842SSN**	1,243.	1,083.
	78″	48″	24″	24″	**RCE1L7848SSN**	1,386.	1,205.
	84″	48″	24″	24″	**RCE1L8448SSN**	1,559.	1,355.



shown with grommets

Order Code

Example:	**RCE1L4260SSG 114**
RCE1	Cascade edge worksurface
L	Blended “L” top
42	Width
60	Depth
S	24″d, left side
S	24″d, right side
G	Grommets
114	Top finish

To specify grommets, replace the “N” suffix in pattern number with “G”. Add $41.

Specification Information

To order please specify pattern number including:

1. Return depths (hard coded in pattern number):

SS = 24″d left and right
SD = 24″d left, 30″d right
DS = 30″d left, 24″d right

2. Grommets (hard coded in pattern number):

N= no grommets
G= grommets

3. Finishes:
Solid:

114 Folkstone Grey
117 Soft Grey
118 Bright White
119 Pumice

Woodgrain:

124 Medium Cherry
125 Natural Maple
126 Natural Cherry
127 Walnut

Application Notes

Center-located edge grommets, located on center of sides marked B and C.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 210 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16″ less nominal. Actual depth 3/8″ less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

Cascade Edge 1 1/4″
Half round and corner round

description	w	d	pattern no.	Woodgrain	Solid
Half Round	48″	18″	**RCE1H4818**	$602.	$524.
	50 1/2″	18″	**RCE1H4818P**	602.	524.
	60″	24″	**RCE1H6024**	830.	720.
	62 1/2″	24″	**RCE1H6024P**	830.	720.
LH Corner Round	24″	24″	**RCE1CR24L**	321.	279.
RH Corner Round	24″	24″	**RCE1CR24R**	321.	279.
Notched Corner Round	24″	24″	**RCE1CR24N**	321.	279.

Order Code

Example:	**RCE1H4818P 118**
R	Reff Profiles
CE1	Cascade edge
H	Half round
48	Width
18	Depth
P	Notch for panel trim
118	Finish

Specification Information

To order please specify pattern number including finish:
Available finishes:

Solid:

114 Folkstone Grey
117 Soft Grey
118 Bright White
119 Pumice

Woodgrain:

124 Medium Cherry
125 Natural Maple
126 Natural Cherry
127 Walnut

Application Notes

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Specify cantilever bracket from page 210 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Half round tops with suffix P, notched for panel end trim profile B square only.

Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16″ less nominal.
Actual depth 3/8″ less nominal.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

Cascade Edge 1 1/4″
Wave end

description	1	2	3	A	B	pattern no.	Woodgrain	Solid
Wave End, LH	36″	24″	30″	3″	15″	**RCE1W363024N**	$749.	$652.
	42″	24″	30″	9″	15″	**RCE1W423024N**	788.	684.
	48″	24″	30″	15″	15″	**RCE1W483024N**	843.	734.
	72″	24″	30″	30 1/2″	23 1/2″	**RCE1W723024N**	1,072.	933.



shown with grommet

Wave End, RH	36″	30″	24″	15″	3″	**RCE1W362430N**	749.	652.
	42″	30″	24″	15″	9″	**RCE1W422430N**	788.	684.
	48″	30″	24″	15″	15″	**RCE1W482430N**	843.	734.
	72″	30″	24″	23 1/2″	30 1/2″	**RCE1W722430N**	1,072.	933.



shown with grommet

Order Code

Example:	**RCE1W483024N 118**
RCE1	Cascade edge worksurface
W	Wave end
48	Width
30	Depth, left side
24	Depth, right side
N	No grommet
118	Top finish

Specification Information

To order please specify pattern number including finish:
Available finishes:

Solid:

114 Folkstone Grey
117 Soft Grey
118 Bright White
119 Pumice

Woodgrain:

124 Medium Cherry
125 Natural Maple
126 Natural Cherry
127 Walnut

Application Notes

Center-located edge grommet.

To specify grommet, replace the "N" suffix in pattern number with "G". Add $21.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 210 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16″ less nominal. Actual depth 3/8″ less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

Worksurface Credenza
1″ No grommet

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops	20″	30″	**RCE301( )**	$398.	$414.	$428.	$555.
		36″	**RCE361( )**	420.	427.	446.	591.
		60″	**RCE601( )**	523.	513.	590.	798.
		66″	**RCE661( )**	539.	529.	609.	822.
		72″	**RCE721( )**	567.	557.	639.	862.
		78″	**RCE781( )**	573.	562.	648.	875.
		84″	**RCE841( )**	613.	602.	690.	931.
		90″	**RCE901( )**	638.	625.	716.	970.
		96″	**RCE961( )**	661.	648.	745.	1,005.
		102″	**RCE1021( )**	727.	713.	820.	1,105.
		108″	**RCE1081( )**	801.	784.	902.	1,216.
	24″	30″	**RCE302( )**	418.	434.	451.	595.
		36″	**RCE362( )**	436.	455.	476.	641.
		60″	**RCE602( )**	580.	568.	651.	880.
		66″	**RCE662( )**	598.	586.	674.	910.
		72″	**RCE722( )**	623.	611.	705.	954.
		78″	**RCE782( )**	653.	641.	741.	997.
		84″	**RCE842( )**	681.	667.	768.	1,036.
		90″	**RCE902( )**	711.	697.	801.	1,080.
		96″	**RCE962( )**	737.	723.	832.	1,124.
		102″	**RCE1022( )**	811.	796.	916.	1,236.
		108″	**RCE1082( )**	892.	875.	1,009.	1,360.

Order Code

Example:	**RCE601**
R	Reff Profiles
C	Credenza Top
E	1″
60	width
1	20″
006B	Finish
( )	Edge Finish (L)

Specification Information

To order please specify pattern number including:

1. *Finish*
   L,V1,V2,V3
2. *Edge finish:* Laminate
   (Edge options are available on laminate tops only.)

Application Notes

No grommet options

Product on this page will accept woodgrain laminate where laminate is currently an option.

Credenza tops are drilled to accept pedestals and end panels.

Credenza tops are predrilled with pilot holes for use with wood screws.

1″ Credenza tops are recommended to work with the Task Panel application.

Credenza tops are intended to be supported by full lower storage.

Worksurface Credenza
1″ and 1 1/4″ with edge grommet

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops with grommet 	20″	60″	**RCEEG601( )**	$731.	$718.	$826.	$1,118.
		66″	**RCEEG661( )**	755.	741.	854.	1,151.
		72″	**RCEEG721( )**	796.	779.	894.	1,206.
		78″	**RCEEG781( )**	803.	787.	908.	1,227.
		84″	**RCEEG841( )**	859.	844.	966.	1,303.
		90″	**RCEEG901( )**	891.	874.	1,003.	1,357.
		96″	**RCEEG961( )**	926.	908.	1,042.	1,407.
		102″	**RCEEG1021( )**	1,019.	998.	1,147.	1,546.
		108″	**RCEEG1081( )**	1,119.	1,098.	1,262.	1,703.
	24″	60″	**RCEEG602( )**	811.	796.	912.	1,232.
		66″	**RCEEG662( )**	836.	820.	944.	1,274.
		72″	**RCEEG722( )**	872.	856.	987.	1,335.
		78″	**RCEEG782( )**	914.	898.	1,036.	1,396.
		84″	**RCEEG842( )**	952.	934.	1,074.	1,450.
		90″	**RCEEG902( )**	994.	976.	1,121.	1,513.
		96″	**RCEEG962( )**	1,032.	1,013.	1,166.	1,574.
		102″	**RCEEG1022( )**	1,137.	1,115.	1,283.	1,731.
		108″	**RCEEG1082( )**	1,249.	1,226.	1,411.	1,904.
Credenza tops, 1 1/4″ thick 	20″	60″	**RCA601( )**	765.	750.	863.	1,169.
		66″	**RCA661( )**	789.	774.	891.	1,202.
		72″	**RCA721( )**	830.	815.	934.	1,262.
		78″	**RCA781( )**	838.	822.	949.	1,281.
		84″	**RCA841( )**	896.	890.	1,010.	1,361.
		90″	**RCA901( )**	933.	914.	1,049.	1,419.
		96″	**RCA961( )**	968.	949.	1,090.	1,469.
		102″	**RCA1021( )**	1,064.	1,043.	1,199.	1,617.
		108″	**RCA1081( )**	1,169.	1,147.	1,318.	1,777.
	24″	60″	**RCA602( )**	849.	831.	953.	1,286.
		66″	**RCA662( )**	875.	857.	988.	1,333.
		72″	**RCA722( )**	912.	895.	1,032.	1,394.
		78″	**RCA782( )**	955.	937.	1,084.	1,460.
		84″	**RCA842( )**	996.	978.	1,123.	1,516.
		90″	**RCA902( )**	1,040.	1,020.	1,172.	1,581.
		96″	**RCA962( )**	1,080.	1,060.	1,220.	1,645.
		102″	**RCA1022( )**	1,188.	1,165.	1,341.	1,810.
		108″	**RCA1082( )**	1,306.	1,281.	1,475.	1,992.

Order Code

Example:	**RCEEG601**
R	Reff Profiles
C	Credenza Top
E	1″
EG	Edge Grommet
60	Width
1	20″
006B	Finish
( )	Edge Finish (L)

Specification Information

To order please specify pattern number including:

1. Top finish L,V1,V2,V3
2. *Edge finish:* Laminate (Edge options are available on laminate tops only.)

Application Notes

These tops will always come with a cut out (notch) at the back of top.

No grommet option.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Credenza tops are drilled to accept pedestals.

Credenza tops are predrilled with pilot holes for use with wood screws.

1″ Credenza tops are recommended to work with the Task Panel application.

Credenza tops are intended to be supported by full lower storage.

Edge grommet: 35mm deep, 6″ in from back corner.

Worksurface Credenza
1 1/2″ with edge grommet

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops	20″	60″	**RCD601( )**	$805.	$790.	$909.	$1,230.
		66″	**RCD661( )**	830.	815.	938.	1,265.
		72″	**RCD721( )**	875.	855.	983.	1,328.
		78″	**RCD781( )**	883.	865.	998.	1,349.
		84″	**RCD841( )**	944.	927.	1,063.	1,433.
		90″	**RCD901( )**	981.	962.	1,104.	1,493.
		96″	**RCD961( )**	1,019.	998.	1,147.	1,546.
		102″	**RCD1021( )**	1,119.	1,098.	1,262.	1,703.
		108″	**RCD1081( )**	1,231.	1,207.	1,388.	1,871.
	24″	60″	**RCD602( )**	892.	875.	1,003.	1,355.
		66″	**RCD662( )**	919.	902.	1,040.	1,403.
		72″	**RCD722( )**	961.	941.	1,087.	1,468.
		78″	**RCD782( )**	1,006.	986.	1,141.	1,536.
		84″	**RCD842( )**	1,049.	1,029.	1,182.	1,596.
		90″	**RCD902( )**	1,094.	1,073.	1,233.	1,664.
		96″	**RCD962( )**	1,137.	1,115.	1,283.	1,731.
		102″	**RCD1022( )**	1,249.	1,226.	1,411.	1,904.
		108″	**RCD1082( )**	1,375.	1,349.	1,553.	2,096.

Order Code

Example:	**RCD601**
R	Reff Profiles
C	Credenza
D	1 ½″ top
60	Width
1	20″
006B	Finish
( )	Edge Finish (L)

Specification Information

To order please specify pattern number including:

1. *Finish*
   L,V1,V2,V3
2. *Edge finish:* Laminate
   (Edge options are available on laminate tops only.)

Application Notes

These tops will always come with a cut out (notch) at the back of top.

No grommet option.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Credenza tops are drilled to accept pedestals.

Credenza tops are predrilled with pilot holes for use with wood screws.

1″ Credenza tops are recommended to work with the Task Panel application.

Credenza tops are intended to be supported by full lower storage.

Edge grommet: 35mm deep, 6″ in from back corner.

Tables with Open Frame Legs
Rectangular - 26½″ High

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle 24″ Deep with 26½″ height leg 	24″	60″	1½″	**RTRDOF60241( )( )**	$1,800.	$1,842.	$2,064.	$2,380.
	24″	66″	1½″	**RTRDOF66241( )( )**	1,785.	1,889.	2,120.	2,464.
	24″	72″	1½″	**RTRDOF72241( )( )**	1,857.	1,902.	2,143.	2,492.
	24″	78″	1½″	**RTRDOF78241( )( )**	1,884.	1,959.	2,202.	2,601.
	24″	84″	1½″	**RTRDOF84241( )( )**	1,902.	2,005.	2,255.	2,681.
Table Top Rectangle 30″ Deep with 26½″ height leg 	30″	60″	1½″	**RTRDOF60301( )( )**	1,896.	1,921.	2,160.	2,533.
	30″	66″	1½″	**RTRDOF66301( )( )**	1,939.	1,971.	2,219.	2,625.
	30″	72″	1½″	**RTRDOF72301( )( )**	1,959.	1,986.	2,266.	2,704.
	30″	78″	1½″	**RTRDOF78301( )( )**	1,990.	2,051.	2,314.	2,784.
	30″	84″	1½″	**RTRDOF84301( )( )**	2,009.	2,112.	2,385.	2,886.
Table Top Rectangle 36″ Deep with 26½″ height leg 	36″	60″	1½″	**RTRDOF60361( )( )**	1,928.	1,979.	2,232.	2,660.
	36″	66″	1½″	**RTRDOF66361( )( )**	1,973.	2,035.	2,299.	2,764.
	36″	72″	1½″	**RTRDOF72361( )( )**	1,997.	2,079.	2,351.	2,853.
	36″	78″	1½″	**RTRDOF78361( )( )**	2,030.	2,123.	2,404.	2,944.
	36″	84″	1½″	**RTRDOF84361( )( )**	2,053.	2,177.	2,469.	3,044.

Order Code

Example:	**RTRDOF60241**
R	Reff Profiles
TR	Table Rectangular
D	1½″
OF	Open Frame Leg
60	Width
24	Depth
1	26½″ height leg
006B	Finish
( )	Edge Finish (L)
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
   L, V1, V2, V3
2. *Edge finish:* Laminate
   (Edge options are available on laminate tops only.)
3. Open Frame Leg finish
   Painted and Anodized

Upcharges apply to legs with P2, P3 and P4 finishes.
Additional upcharges;

LegFinish	Add
P2	$120.
P3	$180.
P4 for 20″ & 24″d legs:	$700.
for 30″ & 36″d legs:	$900.

Application Notes

Assembly required, ships knock down.

Modesty sold separately.

1½″ top will come with appropriate stiffener support.

Grommets are NOT optional for these tables.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Open Frame legs Infill Options
For Tables, 26½″ High

description	h	d	pattern no.	L	V1	V2	V3	glass
Inside Infill Options for Open Frame Legs 26½″ h	24″	20″	**RIPI201( )**	$339.	$439.	$506.	$641.	
	24″	24″	**RIPI241( )**	347.	451.	519.	659.	
	24″	30″	**RIPI301( )**	366.	475.	544.	692.	
	24″	36″	**RIPI361( )**	388.	503.	578.	733.	
Outside Infill Options for Open Frame Legs 26½″ h	25″	20″	**RIPO201( )**	340.	442.	507.	643.	
	25″	24″	**RIPO241( )**	349.	453.	521.	660.	
	25″	30″	**RIPO301( )**	368.	478.	547.	696.	
	25″	36″	**RIPO361( )**	390.	504.	580.	735.	
Outside Glass Infill Options for Open Frame Legs 26½″ h	25″	20″	**RIPOG201( )**					855.
	25″	24″	**RIPOG241( )**					964.
	25″	30″	**RIPOG301( )**					1,133.
	25″	36″	**RIPOG361( )**					1,307.

Order Code

Example:	**RIPI201**
R	Reff Profiles
IP	Infill Panel
I	Inside
20	Width
1	26½″h: Desk Height
006B	Finish

Specification Information

To order please specify pattern number including:

1. Finish: L, V1,V2,V3, Glass
   I=Inside
   O=Outside
   OG=Outside Glass

Glass options:
GL11, GL14, GL15, GL17, GL18

Application Notes

Both Inside and Outside infill panels are required and must be ordered separately.

Infills; fill entire opening of open frame legs.

Infills connect to each other. Can be removed without any damage to the frame legs.

Glass Option is only available for outside infill.

Inside infill options are wood or laminate.

Note: the infills for the open frame leg Peninsula and Tables are interchangeable, as of July 17, 2012.

Product on this page will accept woodgrain laminate where laminate is currently an option.

For Peninsula infills prior to July 17, 2012 please consult your account manager.

Tables with L-legs
Rectangular and Square

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle 30″ Deep with 26½″ height leg 	30″	48″	1½″	**R2TRDL48301( )(C)( )**	$1,507.	$1,695.	$1,904.	$1,964.
	30″	60″	1½″	**R2TRDL60301( )(E)( )**	1,575.	1,792.	2,018.	2,082.
	30″	72″	1½″	**R2TRDL72301( )(E)( )**	1,643.	1,855.	2,096.	2,218.
Table Top Rectangle 36″ Deep with 26½″ height leg 	36″	72″	1½″	**R2TRDL72361( )(E)( )**	1,720.	1,923.	2,179.	2,364.
Table Top Square with 26½″ height legs 	42″	42″	1½″	**R2TSDL42421( )(C)( )( )( )**	1,567.	1,749.	1,971.	2,025.
	48″	48″	1½″	**R2TSDL48481( )(C)( )( )( )**	1,666.	1,835.	2,210.	2,527.

Order Code

Example:	**R2TRDL48301 ( )(C)( )**
R2	Reff Profiles
TR	Table Rectangular TS = Table Square
D	1½″
L	L-Leg
48	Width
30	Depth
1	26½″ height leg
P	Grommet Option
C	Grommet Location
111	Grommet Finish
006B	Top Finish
( )	Edge Finish (L)
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. Grommet Drilling Options:
   NG = no grommet
   P = Power center grommet
   D1 = Cut out for drop in electrical unit 202
   D2 = Cut out for drop in electrical unit 210
   D3 = Cut out for drop in electrical unit 311
   D4 = Cut out for drop in electrical unit 412
   * *Electrical components are not included with tables & need to be ordered separately.
2. Grommet Locations:
   C = Center
   E= One end
   Note: 48″w Tables default to “C”
   60″ & 72″w Tables default to “E”
3. Grommet Finish:
   NG = Finish not required
   P = Painted and plated finishes
   D1, D2, D3, D4 = Drilling locations only, finish not applicable
4. Worksurface finish: L, V1, V2, V3
5. Edge finish: L, V1, V2, V3
   (Edge options are available on laminate tops only)
6. Leg finish: All core paint or veneer to match top, where applicable

Application Notes

It is not advisable to mix 28⅜″h desk height product with 26½″h standard height products.

Table height = 26½″h to the underside of worksurface.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Assembly required, ships knock down.

Worksurface stiffeners, recommended to provide additional support for open spans greater then 54″w.

Upcharges apply to legs with P2, P3 and P4 finishes.
Additional upcharges;

Leg Finish	Add
P2	$100.
P3	$160.
P4	$400.

Application Notes

When ordering: Power center grommets (P), upcharges apply for;
-lids and sleeves = $144.
-undermount wire basket kit = $93

Grommet options; D1 to D4 are drilled options only.

Products on this page do not include electrical components. For electrical components, see pages 315 to 317.

Modesty sold separately.

Installation instruction sheets available on Knoll Exchange. Refer to reference number 6TP00388, for drop in electrical.

Tables with Reverse L-Legs
Rectangular and Square

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle 30″ Deep with 26½″ height leg 	30″	48″	1½″	**R2TRDRL48301( )(C)( )( )( )**	$1,507.	$1,695.	$1,904.	$1,964.
	30″	60″	1½″	**R2TRDRL60301( )(E)( )( )( )**	1,575.	1,792.	2,018.	2,082.
	30″	72″	1½″	**R2TRDRL72301( )(E)( )( )( )**	1,643.	1,855.	2,096.	2,218.
Table Top Rectangle 36″ Deep with 26½″ height leg 	36″	72″	1½″	**R2TRDRL72361( )(E)( )( )( )**	1,720.	1,923.	2,179.	2,364.
Table Top Square with 26½″ height legs 	42″	42″	1½″	**R2TSDRL42421( )(C)( )( )( )**	1,567.	1,749.	1,971.	2,025.
	48″	48″	1½″	**R2TSDRL48481( )(C)( )( )( )**	1,666.	1,835.	2,210.	2,527.

Order Code

Example: **R2TRDRL48301 ( )(C)( )( )( )**

R2	Reff Profiles
TR	Table Rectangular TS = Table Square
D	1½″
RL	Reverse L-Leg
48	Width
30	Depth
1	26½″ height leg
P	Grommet Option
C	Grommet Location
111	Grommet Finish
006B	Top Finish
( )	Edge Finish (L)
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. Grommet Drilling Options:
   NG = no grommet
   P = Power center grommet
   D1 = Cut out for drop in electrical unit 202
   D2 = Cut out for drop in electrical unit 210
   D3 = Cut out for drop in electrical unit 311
   D4 = Cut out for drop in electrical unit 412
   * *Electrical components are not included with tables & need to be ordered separately.
2. Grommet Locations:
   C = Center
   E= One end
   Note:48″w Tables default to “C” 60″ & 72″w Tables default to E″
3. Grommet Finish:
   NG = Finish not required
   P = Painted and plated finishes
   D1, D2, D3, D4 = Drilling locations only, finish not applicable
4. Worksurface finish: L, V1, V2, V3
5. Edge finish: L, V1, V2, V3
   (Edge options are available on laminate tops only)
6. Leg finish: All core paint or veneer to match top, where applicable

Application Notes

It is not advisable to mix 28⅜″h desk height product with 26½″h standard height products.

Table height = 26½″h to the underside of worksurface.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Assembly required, ships knock down.

Worksurface stiffeners, recommended to provide additional support for open spans greater then 54″w.

Upcharges apply to legs with P2, P3 and P4 finishes.
Additional upcharges;

Leg Finish	Add
P2	$100.
P3	$160.
P4	$400.

Application Notes

When ordering: Power center grommets (P), upcharges apply for;
-lids and sleeves = $144.
-undermount wire basket kit = $93

Grommet options; D1 to D4 are drilled options only.

Products on this page do not include electrical components. For electrical components, see pages 315 to 317.

Modesty sold separately.

Installation instruction sheets available on Knoll Exchange. Refer to reference number 6TP00388, for drop in electrical.

Tables with Soft Rectangular Legs
Rectangular and Square

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle 30″ Deep with 26½″ height leg	30″	48″	1½″	**R2TRDS48301( )(C)( )( )( )**	$1,630.	$1,813.	$2,076.	$2,343.
	30″	60″	1½″	**R2TRDS60301( )(E)( )( )( )**	1,698.	1,910.	2,148.	2,522.
	30″	72″	1½″	**R2TRDS72301( )(E)( )( )( )**	1,765.	1,974.	2,225.	2,663.
Table Top Rectangle 36″ Deep with 26½″ height leg	36″	72″	1½″	**R2TRDS72361( )(E)( )( )( )**	1,635.	1,835.	2,083.	2,584.
Table Top Square with 26½″ height legs	42″	42″	1½″	**R2TSDS42421( )(C)( )( )( )**	1,690.	1,867.	2,100.	2,460.
	48″	48″	1½″	**R2TSDS48481( )(C)( )( )( )**	1,798.	1,954.	2,208.	2,657.







Order Code

Example:	**R2TRDS48301 ( )(C)( )( )( )**
R2	Reff Profiles
TR	Table Rectangular TS = Table Square
D	1½″
S	Soft Rectangular Leg
48	Width
30	Depth
1	26½″ height leg
P	Grommet Option
C	Grommet Location
111	Grommet Finish
006B	Top Finish
( )	Edge Finish (L)
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. Grommet Drilling Options:
   NG = no grommet
   P = Power center grommet
   D1 = Cut out for drop in electrical unit 202
   D2 = Cut out for drop in electrical unit 210
   D3 = Cut out for drop in electrical unit 311
   D4 = Cut out for drop in electrical unit 412
   * *Electrical components are not included with tables & need to be ordered separately.
2. Grommet Locations:
   C = Center
   E= One end
   Note: 48″w Tables default to “C”
   60″ & 72″w Tables default to “E”
3. Grommet Finish:
   NG = Finish not required
   P = Painted and plated finishes
   D1, D2, D3, D4 = Drilling locations only, finish not applicable
4. Worksurface finish: L, V1, V2, V3
5. Edge finish: L, V1, V2, V3
   (Edge options are available on laminate tops only)
6. Leg finish: All core paint or veneer to match top, where applicable

Application Notes

It is not advisable to mix 28⅜″h desk height product with 26½″h standard height products.

Table height = 26½″h to the underside of worksurface.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Assembly required, ships knock down.

Worksurface stiffeners, recommended to provide additional support for open spans greater then 54″w.

Upcharges apply to legs with P2, P3 and P4 finishes.
Additional upcharges;

Leg Finish	Add
P2	$100.
P3	$160.
P4	$400.

Application Notes

When ordering: Power center grommets (P), upcharges apply for;
-lids and sleeves = $144.
-undermount wire basket kit = $93

Grommet options; D1 to D4 are drilled options only.

Products on this page do not include electrical components. For electrical components, see pages 315 to 317.

Modesty sold separately.

Installation instruction sheets available on Knoll Exchange. Refer to reference number 6TP00388, for drop in electrical.

Tables with 2 x 4 Legs
Rectangular - 26½″ High

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle, 36″ Deep with 26½″ height legs 	36″	72″	1½″	**RTM272361H( )( )( )( )( )**	$2,218.	$2,330.	$2,423.	$2,811.
	36″	78″	1½″	**RTM278361H( )( )( )( )( )**	2,237.	2,360.	2,460.	2,878.
	36″	84″	1½″	**RTM284361H( )( )( )( )( )**	2,277.	2,415.	2,523.	2,967.
	36″	90″	1½″	**RTM290361H( )( )( )( )( )**	2,303.	2,446.	2,559.	3,033.
	36″	96″	1½″	**RTM296361H( )( )( )( )( )**	2,322.	2,474.	2,596.	3,099.
Table Top Rectangle, 42″ Deep with 26½″ height legs 	42″	72″	1½″	**RTM272421H( )( )( )( )( )**	2,253.	2,388.	2,497.	2,936.
	42″	78″	1½″	**RTM278421H( )( )( )( )( )**	2,272.	2,422.	2,539.	3,010.
	42″	84″	1½″	**RTM284421H( )( )( )( )( )**	2,325.	2,516.	2,641.	3,143.
	42″	90″	1½″	**RTM290421H( )( )( )( )( )**	2,338.	2,550.	2,683.	3,216.
	42″	96″	1½″	**RTM296421H( )( )( )( )( )**	2,367.	2,584.	2,725.	3,290.

Order Code

Example: **RTM272361H ( )( )( )( )( )**

R	Reff Profiles
TM	Table
2	2 x 4 leg
72	Width
36	Depth
1	26½″ h leg
H	Horizontal Grain Direction
P	Grommet Option
C	Grommet Location
PU	Grommet Finish
006B	Worksurface Finish
( )	Edge Finish (L)
006B	Leg finish (all core paint, V1,V2,V3)
111	Leg reveal finish (all core paint)

Specification Information

To order please specify pattern number including:

1. Grommet Options:
   NG = No grommet
   P = Power center grommet
   D1 = Cut out for drop in electrical unit 202
   D2 = Cut out for drop in electrical unit 210
   D3 = Cut out for drop in electrical unit 311
   D4 = Cut out for drop in electrical unit 412
   * *Electrical components are not included with tables and need to be ordered separately.
2. Grommet Location:
   B = Both ends
   C = Center
   E = One end
3. *Grommet Finish:*
   NG = Finish not required
   P = Painted and plated finishes
   D1, D2, D3. D4 = Drilling location only, finish not applicable.
4. *Worksurface finish:* L, V1, V2, V3
5. *Edge finish:* Laminate
   (Edge options are available on laminate tops only.)
6. *Leg finish:* Painted or wood veneer to match top, where applicable.
7. *Leg reveal finish:* All core paint options.

Application Notes

The product on this page (Table tops only) will accept wood grain laminate.

For planning heights guidelines, refer to introduction on page 12.

The tables on this page, come complete with structural frame. No additional stiffeners are required.

Table's frame ships knockdown. Assembly required.
For laminate tops (including wood grain laminate) leg finish options are: All core paint finishes only.

For veneer tops, leg finish options are: all core paint finishes or same wood veneer as the top. The prices indicated above, are for painted legs and no grommet.

Upcharges apply to legs with V1, V2 or V3 finishes.
Additional upcharges;

Leg/Apron Finish	Add
V1	$2,529
V2	$2,658
V3	$3,129

* Upcharges apply for the following power center grommets.

Grommet	Add
PB	$288
PC	$144
PE	$144

Power center grommets (lids and sleeves) are included when PB, PC and PE are selected.

Products on this page do not include electrical components. For electrical components, see pages 315 to 317.

Tables with 2 x 4 Legs
Rectangular - 26½″ High

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle, 48″ Deep with 26½″ height legs	48″	72″	1½″	**RTM272481H( )( )( )( )( )**	$2,318.	$2,511.	$2,635.	$3,123.
	48″	78″	1½″	**RTM278481H( )( )( )( )( )**	2,341.	2,551.	2,684.	3,208.
	48″	84″	1½″	**RTM284481H( )( )( )( )( )**	2,387.	2,611.	2,753.	3,313.
	48″	90″	1½″	**RTM290481H( )( )( )( )( )**	2,410.	2,661.	2,813.	3,407.
	48″	96″	1½″	**RTM296481H( )( )( )( )( )**	2,433.	2,698.	2,860.	3,491.



Order Code

Example: **RTM272361H ( )( )( )( )( )**

R	Reff
TM	Table
2	2 x 4 leg
72	Width
36	Depth
1	26½″ h leg
H	Horizontal Grain Direction
P	Grommet Option
C	Grommet Location
PU	Grommet Finish
006B	Worksurface Finish
( )	Edge Finish (L)
006B	Leg Finish (all core paint, V1,V2,V3)
111	Leg reveal finish (all core paint)

Specification Information

To order please specify pattern number including:

1. Grommet Options:
   NG = No grommet
   P = Power center grommet
   D1 = Cut out for drop in electrical unit 202
   D2 = Cut out for drop in electrical unit 210
   D3 = Cut out for drop in electrical unit 311
   D4 = Cut out for drop in electrical unit 412
   * *Electrical components are not included with tables and need to be ordered separately.
2. Grommet Location:
   B = Both ends
   C = Center
   E = One end
3. *Grommet Finish:*
   NG = Finish not required
   P = Painted and plated finishes
   D1, D2, D3, D4 = Drilling location only, finish not applicable.
4. *Worksurface finish:* L, V1, V2, V3
5. *Edge finish:* Laminate (Edge options are available on laminate tops only.)
6. *Leg finish:* Painted or wood veneer to match top, where applicable.
7. *Leg reveal finish:* All core paint options.

Application Notes

The product on this page (Table tops only) will accept wood grain laminate.

For planning heights guidelines, refer to introduction on page 12.

The tables on this page, come complete with structural frame. No additional stiffeners are required.

Table's frame ships knockdown. Assembly required.
For laminate tops (including wood grain laminate) leg finish options are: All core paint finishes only.

For veneer tops, leg finish options are: all core paint finishes or same wood veneer as the top. The prices indicated above, are for painted legs and no grommet.

Upcharges apply to legs with V1, V2 or V3 finishes.
Additional upcharges;

Leg/Apron Finish	Add
V1	$2,529
V2	$2,658
V3	$3,129

* Upcharges apply for the following power center grommets.

Grommet	Add
PB	$288
PC	$144
PE	$144

Power center grommets (lids and sleeves) are included when PB, PC and PE are selected.

Products on this page do not include electrical components. For electrical components, see pages 315 to 317.

Tables with 4 x 4 Legs
Rectangular - 26½″ High

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle, 36″ Deep with 26½″ height legs 	36″	72″	1½″	**RTM472361H( )( )( )( )( )**	$2,506.	$2,618.	$2,712.	$3,100.
	36″	78″	1½″	**RTM478361H( )( )( )( )( )**	2,539.	2,663.	2,764.	3,181.
	36″	84″	1½″	**RTM484361H( )( )( )( )( )**	2,653.	2,790.	2,899.	3,343.
	36″	90″	1½″	**RTM490361H( )( )( )( )( )**	2,680.	2,821.	2,936.	3,408.
	36″	96″	1½″	**RTM496361H( )( )( )( )( )**	2,719.	2,872.	2,994.	3,495.
Table Top Rectangle, 42″ Deep with 26½″ height legs 	42″	72″	1½″	**RTM472421H( )( )( )( )( )**	2,555.	2,691.	2,799.	3,237.
	42″	78″	1½″	**RTM478421H( )( )( )( )( )**	2,576.	2,724.	2,842.	3,312.
	42″	84″	1½″	**RTM484421H( )( )( )( )( )**	2,620.	2,811.	2,937.	3,438.
	42″	90″	1½″	**RTM490421H( )( )( )( )( )**	2,727.	2,939.	3,072.	3,606.
	42″	96″	1½″	**RTM496421H( )( )( )( )( )**	2,756.	2,974.	3,115.	3,681.

Order Code

Example: **RTM472361H ( )( )( )( )( )**

R	Reff Profiles
TM	Table
4	4 x 4 leg
72	Width
36	Depth
1	26½″ h leg
H	Horizontal Grain Direction
P	Grommet Option
C	Grommet Location
111	Grommet finish
006B	Worksurface Finish
( )	Edge Finish (L)
006B	Leg finish (all core paint, V1,V2,V3)
111	Leg reveal finish (all core paint)

Specification Information

To order please specify pattern number including:

1. Grommet Drilling Options:
   NG = No grommet
   P = Power center grommet
   D1 = Cut out for drop in electrical unit 202
   D2 = Cut out for drop in electrical unit 210
   D3 = Cut out for drop in electrical unit 311
   D4 = Cut out for drop in electrical unit 412
   * *Electrical components are not included with tables & need to be ordered separately.
2. *Grommet Location:*
   B = Both ends
   C = Center
   E = One end
3. *Grommet Finish*:
   NG = Finish not required
   P = Painted and plated finishes
   D1, D2, D3, D4 = Drilling location only, finish not applicable.
4. *Worksurface finish: L, V1, V2, V3*
5. *Edge finish:* Laminate
   (Edge options are available on laminate tops only.)
6. *Leg finish:* Painted or wood veneer to match top, where applicable.
7. *Leg reveal finish:* All core paint options.

Application Notes

The product on this page (Table tops only) will accept wood grain laminate.

For planning heights guidelines, refer to introduction on page 12.

The tables on this page, come complete with structural frame. No additional stiffeners are required.

Table's frame ships knockdown. Assembly required.
For laminate tops (including wood grain laminate) leg finish options are: All core paint finishes only.

For wood tops, leg finish options are: all core paint finishes or same wood veneer as the top. The prices indicated above, are for painted legs and no grommet.

Upcharges apply to legs with V1, V2 or V3 finishes.
Additional upcharges;

Leg Finish	Add
V1	$1,430
V2	$1,494
V3	$1,731

* Upcharges apply for the following power center grommets.

Grommet	Add
PB	$288
PC	$144
PE	$144

Power center grommets (lids and sleeves) are included when PB, PC and PE are selected.

Products on this page do not include electrical components. For electrical components, see pages 315 to 317.

Tables with 4 x 4 Legs
Rectangular - 26½″ High

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle, 48″ Deep with 26½″ height legs 	48″	72″	1½″	**RTM472481H( )( )( )( )( )**	$2,574.	$2,768.	$2,891.	$3,379.
	48″	78″	1½″	**RTM478481H( )( )( )( )( )**	2,629.	2,837.	2,970.	3,495.
	48″	84″	1½″	**RTM484481H( )( )( )( )( )**	2,653.	2,876.	3,019.	3,577.
	48″	90″	1½″	**RTM490481H( )( )( )( )( )**	2,691.	2,940.	3,092.	3,686.
	48″	96″	1½″	**RTM496481H( )( )( )( )( )**	2,809.	3,073.	3,235.	3,865.

Order Code

Example:	**RTM472361H ( )( )( )( )( )**
R	Reff Profiles
TM	Table
4	4 x 4 leg
72	Width
36	Depth
1	26½″ h leg
H	Horizontal Grain Direction
P	Grommet Option
C	Grommet Location
111	Grommet Finish
006B	Worksurface Finish
( )	Edge Finish (L)
006B	Leg finish (all core paint, V1,V2,V3)
111	Leg reveal finish (all core paint)

Specification Information

To order please specify pattern number including:

1. *Grommet Drilling Options:*
   NG = No grommet
   P = Power center grommet
   D1 = Cut out for drop in electrical unit 202
   D2 = Cut out for drop in electrical unit 210
   D3 = Cut out for drop in electrical unit 311
   D4 = Cut out for drop in electrical unit 412
   * *Electrical components are not included with tables & need to be ordered separately.
2. *Grommet Location:*
   B = Both ends
   C = Center
   E = One end
3. *Grommet Finish*:
   NG = Finish not required
   P = Painted and plated finishes
   D1, D2, D3, D4 = Drilling location only, finish not applicable.
4. *Worksurface finish: L, V1, V2, V3*
5. *Edge finish:* Laminate
   (Edge options are available on laminate tops only.)
6. *Leg finish:* Painted or wood veneer to match top, where applicable.
7. *Leg reveal finish:* All core paint options.

Application Notes

The product on this page (Table tops only) will accept wood grain laminate.

For planning heights guidelines, refer to introduction on page 12.

The tables on this page, come complete with structural frame. No additional stiffeners are required.

Table's frame ships knockdown. Assembly required.
For laminate tops (including wood grain laminate) leg finish options are: All core paint finishes only.

For wood tops, leg finish options are: all core paint finishes or same wood veneer as the top. The prices indicated above, are for painted legs and no grommet.

Upcharges apply to legs with V1, V2 or V3 finishes.
Additional upcharges;

Leg Finish	Add
V1	$1,430
V2	$1,494
V3	$1,731

* Upcharges apply for the following power center grommets.

Grommet	Add
PB	$288
PC	$144
PE	$144

Power center grommets (lids and sleeves) are included when PB, PC and PE are selected.

Products on this page do not include electrical components. For electrical components, see pages 315 to 317.

Tables with Column Legs
Round, Square, Rectangular and Racetrack

description	width	depth	th	pattern no.	L	V1	V2	V3
Table Top Round with 26½″ height legs		42″	1½″	**RTNDC421( )( )( )**	$1,674.	$2,335.	$2,569.	$3,339.
		48″	1½″	**RTNDC481( )( )( )**	1,845.	2,573.	2,830.	3,679.
Table Top Square with 26½″ height legs	36″	36″	1½″	**RTSDC361( )( )**	1,358.	1,502.	1,652.	2,148.
	42″	42″	1½″	**RTSDC421( )( )**	1,486.	1,643.	1,807.	2,349.
	48″	48″	1½″	**RTSDC481( )( )**	1,719.	1,901.	2,091.	2,718.
Table Top Rectangular with 26½″ height legs	72″	36″	1½″	**RTRDC72361( )( )**	1,605.	1,774.	1,952.	2,538.
	84″	42″	1½″	**RTRDC84421( )( )**	1,816.	2,007.	2,208.	2,870.
	96″	48″	1½″	**RTRDC96481( )( )**	2,112.	2,335.	2,569.	3,339.
Table Top Racetrack with 26½″ height legs	72″	36″	1½″	**RTTDC72361( )( )**	1,783.	2,486.	2,735.	3,555.
	84″	42″	1½″	**RTTDC84421( )( )**	1,948.	2,715.	2,987.	3,883.
	96″	48″	1½″	**RTTDC96481( )( )**	2,180.	3,039.	3,344.	4,346.

Order Code

Example:	**RTNDC421 ( )( )( )**
R	Reff Profiles
TN	Table Round
D	1½″
C	Column Leg
36	Diameter
1	26½″ height leg
006B	Finish
( )	Edge Finish (L)
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. *Worksurface finish*
   L, V1, V2, V3
2. *Edge finish:* Laminate
   (Edge options are available on laminate tops only.)
3. *Leg finish*
   Painted / Plated

* $631 upcharges apply for legs with plated finish.

Application Notes

Assembly required, ships knock down.

Modesty sold separately.

Grommets are NOT optional for these tables.

Upcharges apply to legs with P2, P3 and P4 finishes.
Additional upcharges;

Leg Finish	Add
P2	$140.
P3	$200.
P4	$607.

Product on this page will accept woodgrain laminate where laminate is currently an option.

36″d tops come with 2½″ dia. legs.
42″d tops come with 3″ dia. legs.
48″d tops come with 4″ dia. legs.

Tables - Mobile
Rectangular, Square and Round

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle, 36″ Deep, with 26½″h Column leg with casters	36″	72″	1½″	**RTRDC72363( )( )**	$1,959.	$2,030.	$2,151.	$2,622.
Table Top Rectangle, 30″ Deep, with 26½″h Column leg with casters	30″	48″	1½″	**RTRDC48303( )( )**	1,773.	1,836.	1,910.	2,200.
	30″	60″	1½″	**RTRDC60303( )( )**	1,852.	1,919.	2,007.	2,358.
	30″	72″	1½″	**RTRDC72303( )( )**	1,905.	1,973.	2,077.	2,486.
								
Table Top Rectangle, 42″ and 48″ Deep, with 26½″h Column leg with casters	42″	42″	1½″	**RTSDC42423( )( )**	1,813.	1,881.	1,968.	2,307.
	48″	48″	1½″	**RTSDC48483( )( )**	1,883.	1,955.	2,066.	2,485.
Table Top Round with 26½″h Column leg with casters	36″		1½″	**RTNDC363( )( )**	2,239.	2,366.	2,430.	2,627.
	42″		1½″	**RTNDC423( )( )**	2,300.	2,457.	2,523.	2,778.
	48″		1½″	**RTNDC483( )( )**	2,382.	2,535.	2,620.	2,939.

Order Code

Example:	**RTRDC48303( )( )**
R	Reff Profiles
TR	Table Rectangular TS = Table Square TN = Table Round
D	1½″
C	Column Leg
48	width
30	depth
3	26½″ height leg with castor
006B	Worksurface Finish
( )	Edge Finish (L)
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. *Worksurface Finish:* L, V1, V2, V3
2. *Edge finish:* Laminate (Edge options are available on laminate tops only.)
3. *Leg Finish:* Painted and plated finishes

Upcharges apply to legs with P2, P3 and P4 finishes.
Additional upcharges;

Leg Finish	Add
P2	$140.
P3	$200.
P4	$607.

Application Notes

Product on this page will accept woodgrain laminate where laminate is currently an option.

Assembly required, ships knock down.

Grommets and drilling are not an option for these tables.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 54″w.

All column legs for the products on this page are 3″ diameters.

Castors are black, swivel type. Ships with 2 locking and 2 non-locking type.

Tables - Sliding
Laminate Surface, 1" Thick, Beveled Edges

description	d	w	th	pattern no.	L
Round Table with 26½" height legs	36"		1"	**RSTRLE361( )( )**	$3,204.
	42"		1"	**RSTRLE421( )( )**	3,268.
Soft Square Table with 26½" height legs	36"	36"	1"	**RSTSLE361( )( )**	3,175.
	42"	42"	1"	**RSTSLE421( )( )**	3,244.
Soft Rectangle Table with 26½" height legs	30"	48"	1"	**RSTTLE30481( )( )**	2,992.
	36"	54"	1"	**RSTTLE36541( )( )**	3,071.

Order Code

Example:	**RSTRLE361 ( )( )**
R	Reff Profiles
ST	Sliding Table
R	Round
L	Laminate surface
E	1" thick
42	42" diameter
1	26½" height leg,
114	Finish
124	Edge Finish (L)
118T	Leg Finish

Specification Information

To order please specify pattern number including:

1. *Worksurface finish:* Laminate only
2. *Edge finish:* Laminate (Edge options are available on laminate tops only.)
3. *Leg Textured finish*: All core paint colors.

Application Notes

Assembly required.

Ships knocked down.

Grommets are <u>not</u> an option for these tables.

Column and base are color matched

Column = smooth

Base = textured

Product on this page will accept woodgrain laminate where laminate is currently an option.

The soft square and soft rectangular worksurfaces have softly curved sides.

Tables - Sliding
Wood Surface, 1" Thick, Beveled Edges

description	d	w	th	pattern no.	V1	V2	V3
Round Table with 26½" height legs	36"		1"	**RSTRWE361( )( )**	$3,476.	$3,530.	$3,804.
	42"		1"	**RSTRWE421( )( )**	3,545.	3,618.	3,957.
Soft Square Table with 26½" height legs	36"	36"	1"	**RSTSWE361( )( )**	3,445.	3,499.	3,797.
	42"	42"	1"	**RSTSWE421( )( )**	3,520.	3,591.	3,957.
Soft Rectangle Table with 26½" height legs	30"	48"	1"	**RSTTWE30481( )( )**	3,247.	3,306.	3,626.
	36"	54"	1"	**RSTTWE36541( )( )**	3,331.	3,409.	3,805.

Order Code

Example:	**RSTRWE361 ( )( )**
R	Reff Profiles
ST	Sliding Table
R	Round
W	Wood surface
E	1" thick
42	42" diameter
1	26½" height leg
006B	Finish
111T	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
   V1, V2, V3 wood only
2. Leg Textured finish:
   All core paint colors.

Column and base are color matched.

Column=smooth

Base=textured

Application Notes

Assembly required, ships knock down.

Grommets are not an option for these tables.

The soft square and soft rectangular worksurfaces have softly curved sides.

Tables - Sliding
Solid Surface, 1" Thick, Beveled Edges

description	d	w	th	pattern no.	Solid
Round Table with 26½″ height legs	36″		1″	**RSTRSE361( )( )**	$8,913.
	42″		1″	**RSTRSE421( )( )**	10,213.
Soft Square Table with 26½″ height legs	36″	36″	1″	**RSTSSE361( )( )**	7,969.
	42″	42″	1″	**RSTSSE421( )( )**	9,400.
Soft Rectangle Table with 26½″ height legs	30″	48″	1″	**RSTTSE30481( )( )**	9,822.
	36″	54″	1″	**RSTTSE36541( )( )**	10,891.

Order Code

Example:	**RSTRSE361 ( )( )**
R	Reff Profiles
ST	Sliding Table
R	Round
S	Solid
E	1″ thick
42	42″ diameter
1	26½″ height leg
AW	Worksurface finish
111T	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish: AW=Artic White, only
2. Leg finish Textured: All core paint colors.

Application Notes

Assembly required.

Ships knocked down.

Grommets are not an option for these tables.

Artic White finish available for solid tops.

Column and base are color matched.

Column=smooth

Base=textured

The soft square and soft rectangular worksurfaces have softly curved sides.

Tables - Height Adjustable & Sliding
Laminate Surface, 1" Thick, Beveled Edges

description	d	w	th	pattern no.	L
Round Sliding Table with height adjustable base	36″		1″	**RSTRLE363( )( )**	$4,332.
	42″		1″	**RSTRLE423( )( )**	4,395.
Soft Square Sliding Table with height adjustable base	36″	36″	1″	**RSTSLE363( )( )**	4,303.
	42″	42″	1″	**RSTSLE423( )( )**	4,372.
Soft Rectangle Sliding Table with height adjustable base	30″	48″	1″	**RSTTLE30483( )( )**	4,119.
	36″	54″	1″	**RSTTLE36543( )( )**	4,199.

Order Code

Example:	**RSTRLE363 ( )( )**
R	Reff Profiles
ST	Sliding Table
R	Round, S=Square,T=Rectangle
L	Laminate surface
E	1″ thick
36	36″=36″ diameter
3	Height Adjustable Base
114	Work surface finish
124	Edge Finish (L)
118T	Base Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish: Laminate
2. *Edge finish:* Laminate (Edge options are available on laminate tops only.)⟩
3. Base textured finish: All core paint colors.

The table tops on this page will accept wood grain laminate.

Application Notes

Column and base are color matched.
Column = smooth
Base = textured

Assembly required, ships knock down.

All tops have groove for fingerpull when sliding.

Grommets are not an option for these tables.

Height range is from 27″ - 42″ to the underside of worksurface.

Load capacity Height Adjustable tables, is 200 lbs., functional load.

The soft square and soft rectangular worksurfaces have softly curved sides.

Tables - Height Adjustable & Sliding
Wood Surface, 1" Thick, Beveled Edges

description	d	w	th	pattern no.	V1	V2	V3
Round Sliding Table with height adjustable base	36″		1″	**RSTRWE363( )( )**	$4,609.	$4,663.	$4,936.
	42″		1″	**RSTRWE423( )( )**	4,679.	4,751.	5,090.
							
Soft Square Sliding Table with height adjustable base	36″	36″	1″	**RSTSWE363( )( )**	4,580.	4,634.	4,930.
	42″	42″	1″	**RSTSWE423( )( )**	4,654.	4,723.	5,090.
							
Soft Rectangle Sliding Table with height adjustable base	30″	48″	1″	**RSTTWE30483( )( )**	4,380.	4,438.	4,760.
	36″	54″	1″	**RSTTWE36543( )( )**	4,466.	4,542.	4,937.
							

Order Code

Example:	**RSTRWE363 ( )( )**
R	Reff Profiles
ST	Sliding Table
R	Round, S=Square,T=Rectangle
W	Wood surface
E	1″ thick
36	36″=36″ diameter
3	Height Adjustable Base
006B	Maple work surface finish
111T	Base Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish: V1, V2, V3
2. Base textured finish: All core paint colors.

Application Notes

Column and base are color matched.
Column = smooth
Base = textured

Assembly required, ships knock down.

All tops have groove for fingerpull when sliding.

Grommets are not an option for these tables.

Height range is from 27″ - 42″ to the underside of worksurface.

Load capacity Height Adjustable tables, is 200 lbs., functional load.

The soft square and soft rectangular worksurfaces have softly curved sides.

Tables - Height Adjustable & Sliding
Solid Surface, 1" Thick, Beveled Edges

description	d	w	th	pattern no.	Solid
Round Sliding Table with height adjustable base	36″		1″	**RSTRSE363( )( )**	$9,979.
	42″		1″	**RSTRSE423( )( )**	11,279.
Soft Square Sliding Table with height adjustable base	36″	36″	1″	**RSTSSE363( )( )**	9,035.
	42″	42″	1″	**RSTSSE423( )( )**	10,466.
Soft Rectangle Sliding Table with height adjustable base	30″	48″	1″	**RSTTSE30483( )( )**	10,888.
	36″	54″	1″	**RSTTSE36543( )( )**	11,957.

Order Code

Example:	**RSTRSE363 ( )( )**
R	Reff Profiles
ST	Sliding Table
R	Round, S=Square,T=Rectangle
S	Solid surface
E	1″ thick
30	36″=36″ diameter
3	Height Adjustable Base
AW	Solid Table finish
118T	Base Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish: Solid Finish only
   AW = Artic White
2. Base textured finish:
   All core paint colors.

Application Notes

Column and base are color matched.
Column = smooth
Base = textured

Assembly required, ships knock down.

All tops have groove for fingerpull when sliding.

Grommets are not an option for these tables.

Height range is from 27″ - 42″ to the underside of worksurface.

Load capacity Height Adjustable tables, is 200 lbs., functional load.

The soft square and soft rectangular worksurfaces have softly curved sides.

Tables - Fixed Height with Column Base Leg
Laminate Surface, 1" Thick, Square Edges

description	d	w	th	pattern no.	L
Round Column Base Table with 26½″ height leg	36″		1″	**RCTRLE361( )( )**	$2,462.
	42″		1″	**RCTRLE421( )( )**	2,524.
Square Column Base Table with 26½″ height leg	36″	36″	1″	**RCTSLE361( )( )**	2,616.
	42″	42″	1″	**RCTSLE421( )( )**	2,682.
Rectangle Column Base Table with 26½″ height leg	30″	48″	1″	**RCTTLE30481( )( )**	2,546.
	36″	54″	1″	**RCTTLE36541( )( )**	2,597.

Order Code

Example:	**RCTRLE361 ( )( )**
R	Reff Profiles
CT	Column Table
R	Round, S=Square, T=Rectangle
L	Laminate surface
E	1″ thick
36	36″ diameter
1	26½″ height leg
114	Work surface finish
124	Edge Finish (L)
111T	Leg Finish

Specification Information

To order please specify pattern number including:

1. *Worksurface finish:* Laminate
2. *Edge finish:* Laminate (Edge options are available on laminate tops only.)
3. *Leg finish:* All core paint colors.

Column and base are color matched.
Column = smooth
Base = textured

It is not advisable to mix 28⅜″h desk height product with 26½″h standard height products.

Table height = 26½″h to the underside of worksurface.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Assembly required, ships knock down.

Grommets are NOT optional for these tables.

The tops have the standard square edge.
There are no grooves for finger pull, underside of table tops.
The square and Rectangular worksurfaces, have straight edges.

Tables - Fixed Height with Column Base Leg
Wood Surface, 1" Thick, Square Edges

description	d	w	th	pattern no.	V1	V2	V3
Round Column Base Table with 26½" height legs	36"		1"	**RCTRWE361( )( )**	$2,778.	$2,806.	$2,962.
	42"		1"	**RCTRWE421( )( )**	2,824.	2,860.	3,076.
Square Column Base Table with 26½" height legs	36"	36"	1"	**RCTSWE361( )( )**	2,738.	2,783.	2,966.
	42"	42"	1"	**RCTSWE421( )( )**	2,812.	2,868.	3,140.
Retangle Column Base Table with 26½" height legs	30"	48"	1"	**RCTTWE30481( )( )**	2,675.	2,723.	2,942.
	36"	54"	1"	**RCTTWE36541( )( )**	2,769.	2,830.	3,142.

Order Code

Example:	**RCTRWE361 ( )( )**
R	Reff Profiles
CT	Column Table
R	Round, S=Square, T=Rectangle
W	Wood surface
E	1" thick
36	36"diameter
1	26½" height leg
006B	Work surface finish
111T	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish: V1, V2, V3
2. Leg finish:
   All core paint colors.

Column and base are color matched.
Column = smooth
Base = textured

It is not advisable to mix 28⅜"h desk height product with 26½"h standard height products.

Table height = 26½"h to the underside of worksurface.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Assembly required, ships knock down.

Grommets are NOT optional for these tables.

The tops have the standard square edge.
There are no grooves for finger pull, underside of table tops.
The square and Rectangular worksurfaces, have straight edges.

Tables - Height Adjustable
Laminate Surface, 1" Thick, Square Edges

description	d	w	th	pattern no.	L
Round Table with height adjustable base	36″		1″	**RCTRLE363( )( )**	$3,338.
	42″		1″	**RCTRLE423( )( )**	3,387.
Square Table with height adjustable base	36″	36″	1″	**RCTSLE363( )( )**	3,431.
	42″	42″	1″	**RCTSLE423( )( )**	3,479.
Rectangle Table with height adjustable base	30″	48″	1″	**RCTTLE30483( )( )**	3,378.
	36″	54″	1″	**RCTTLE36543( )( )**	3,414.

Order Code

Example:	**RCTRLE363 ( )( )**
R	Reff Profiles
CT	Column Table
R	Round, S=Square,T=Rectangle
L	Laminate surface
E	1″ thick
36	36″ diameter
3	Height Adjustable Base
114	Work surface finish
124	Edge finish
118T	Base Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish: Laminate
2. Edge finish: Laminate (Edge options are available on laminate tops only).
3. Base textured finish: All core paint colors.

Application Notes

It is not advisable to mix 28⅜″h desk height product with 26½″h standard height products.

Height range is from 27″ - 42″ to the underside of worksurface.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Assembly required, ships knock down.

Grommets are NOT optional for these tables.

Load capacity for Height Adjustable tables is 200 lbs, functional load.

Column and base are color matched.
Column = smooth
Base = textured

The tops have the standard square edge.
There are no grooves for finger pull, underside of table tops.
The square and Rectangular worksurfaces, have straight edges.

Tables - Height Adjustable
Wood Surface, 1" Thick, Square Edges

description	d	w	pattern no.	V1	V2	V3
Round Table with height adjustable base	36″		**RCTRWE363( )( )**	$3,604.	$3,647.	$3,836.
	42″		**RCTRWE423( )( )**	3,648.	3,704.	3,945.
Square Table with height adjustable base	36″	36″	**RCTSWE363( )( )**	3,597.	3,641.	3,828.
	42″	42″	**RCTSWE423( )( )**	3,649.	3,705.	3,946.
Rectangle Table with height adjustable base	30″	48″	**RCTTWE30483( )( )**	3,586.	3,634.	3,840.
	36″	54″	**RCTTWE36543( )( )**	3,625.	3,687.	3,948.

Order Code

Example:	**RSTRWE363 ( )( )**
R	Reff Profiles
ST	Sliding Table
R	Round, S=Square,T=Rectangle
W	Wood surface
E	1″ thick
36	30″ diameter
3	Height Adjustable Base
006B	Maple work surface finish
111T	Base Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish: V1, V2, V3
2. Base textured finish: All core paint colors.

Application Notes

It is not advisable to mix 28⅜″h desk height product with 26½″h standard height products.

Height range is from 27″ - 42″ to the underside of worksurface.

Assembly required, ships knock down.

Grommets are NOT optional for these tables.

Load capacity for Height Adjustable tables is 200 lbs, functional load.

Column and base are color matched.
Column = smooth
Base = textured

The tops have the standard square edge.
There are no grooves for finger pull, underside of table tops.
The square and Rectangular worksurfaces, have straight edges.

Top support components
Bracketry

description	d	pattern no.	P1 & black only	P2	P3
Cantilever bracket, panel hung	18″	**RBC18 (L/R)**	$106.	$118.	$123.
	24″	**RBC24 (L/R)**	117.	127.	134.



Specify paint finish
18″ for 20″ and 24″d tops
24″ for 30″ and 36″d tops
Ships with wood screws for fastening to underside of worksurface into pilot hole location.

Cantilever bracket, panel hung for cascade edge worksurface	18″	**ASBC18 (L/R)**	112.	119.	123.
	24″	**ASBC24 (L/R)**	123.	132.	138.



Specify paint finish
18″ for 24″d tops
24″ for 30″ d tops
Ships with wood screws (use with AutoStrada, Dividends Horizon, Morrison and Cascade worksurfaces)

Mid-span cantilever bracket, free standing	17″	**RMSCB ( )**	89.	103.	108.



Order Code

Example:	**RMSCB**
R	Reff Profiles
MS	Mid Span
CB	Cantilever Bracket
( )	Finish

L brackets may be used in off module applications for L bases, T bases and half depth end panels.

Specification Information

To order please specify pattern number including:

1. Finish - ( ) - Painted Finish

When planning with Reff overheads half depth and panel may be required for additional support. Refer to the Planning Guide on Exchange.

Application Notes

For wood tops black bracketry is recommended.

Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.

Knoll takes no responsibility for the installation or security of tops to the wall.

Cantilever should be specified with top to top brackets.

Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

Top support components
Bracketry

description	d	pattern no.	P1& black only	P2	P3
Corner top corner bracket		**RBCC**	$21.		
	Black only				
Side hung support bracket		**RBCCP (Pair)**	48.	52.	54.
	Specify paint finish pair includes one each left and right hand bracket image depicts two left hand brackets				
Panel to pedestal bracket		**RBPP (L/R)**	9.		
	Black only				
Top to top bracket	6″ x 1″	**RBF (Pair)**	5.		
	Black only				
Wall hung support bracket	20″	**RSBWH20**	50.	54.	56.
	24″	**RSBWH24**	52.	57.	60.
	30″	**RSBWH30**	56.	62.	65.
	36″	**RSBWH36**	63.	71.	75.
	42″	**RSBWH42**	67.	75.	78.
	48″	**RSBWH48**	82.	90.	94.
	Specify paint finish				
Z-bracket for bridge applications		**RBZ (A/B) (Pair)**	40.		
	Black only				

Order Code

Example:	**RMSCB**
R	Reff Profiles
MS	Mid Span
CB	Cantilever Bracket
( )	Finish

L brackets may be used in off module applications for L bases, T bases and half depth end panels.

Specification Information

To order please specify pattern number including:

1. Finish - ( ) - Painted Finish

When planning with Reff overheads half depth and panel may be required for additional support. Refer to the Planning Guide on Exchange.

Application Notes

For wood tops black bracketry is recommended.

Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.

Knoll takes no responsibility for the installation or security of tops to the wall.

Cantilever should be specified with top to top brackets.

Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

Top support components
Bracketry

description	d	pattern no.	P1& black only	P2	P3
Modesty panel offset bracket Required to join modesty panel to end panel of adjacent top assembly - order separately.		**RBPR (Pair)**	$8.	$9.	$10.
	Specify paint finish				
Panel to storage tower bracket Used to attach office tower to panels.		**RBPS (L/R)**	12.	13.	14.
	Specify paint finish				
Utility bracket		**RUTB**	12.		
	Black only				
L Bracket for off-module applications		**R113B**	5.		
	One by one by three bracket				
Worksurface to cabinet bracket for 24″ worksurface		**RBWC24**	64.	n/a	n/a
	bracket can be used with 20″ and 24″ worksurfaces				
Worksurface to cabinet bracket for 30″ worksurface		**RBWC30**	71.	n/a	n/a
	bracket can be used with 30″ and 36″ worksurfaces				

Order Code

Example:	**RMSCB**
R	Reff Profiles
MS	Mid Span
CB	Cantilever Bracket
( )	Finish

L brackets may be used in off module applications for L bases, T bases and half depth end panels.

Specification Information

To order please specify pattern number including:

1. Finish - ( ) - Painted Finish

When planning with Reff overheads half depth and panel may be required for additional support. Refer to the Planning Guide on Exchange.

Application Notes

For wood tops black bracketry is recommended.

Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.

Knoll takes no responsibility for the installation or security of tops to the wall.

Cantilever should be specified with top to top brackets.

Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

Top support components
26 1/2 high planning
Modesty panels

description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware. 15/16″ actual thickness	24″	1″	26½″	**RB24(M/H)(F/R)(H/V)-( )**	$177.	$258.	$290.	$382.
	30″	1″	26½″	**RB30(M/H)(F/R)(H/V)-( )**	319.	461.	522.	687.
	36″	1″	26½″	**RB36(M/H)(F/R)(H/V)-( )**	353.	506.	571.	752.
	42″	1″	26½″	**RB42(M/H)(F/R)(H/V)-( )**	380.	551.	619.	816.
	48″	1″	26½″	**RB48(M/H)(F/R)(H/V)-( )**	427.	619.	698.	919.
	54″	1″	26½″	**RB54(M/H)(F/R)(H/V)-( )**	447.	650.	731.	964.
	60″	1″	26½″	**RB60(M/H)(F/R)(H/V)-( )**	465.	670.	754.	993.
	66″	1″	26½″	**RB66(M/H)(F/R)-( )**	483.	699.	791.	1,042.
	72″	1″	26½″	**RB72(M/H)(F/R)-( )**	532.	769.	867.	1,144.
	78″	1″	26½″	**RB78(M/H)(F/R)-( )**	567.	818.	926.	1,221.
	84″	1″	26½″	**RB84(M/H)(F/R)-( )**	600.	869.	977.	1,287.
	90″	1″	26½″	**RB90(M/H)(F/R)-( )**	634.	922.	1,035.	1,364.
	96″	1″	26½″	**RB96(M/H)(F/R)-( )**	652.	942.	1,061.	1,396.
Support for corner worksurfaces. All hardware included.	36″	36″	26½″	**RB3636-( )**	1,150.	1,757.	1,983.	2,615.
	36″	42″	26½″	**RB3642-( )**	1,177.	1,804.	2,036.	2,681.
	36″	48″	26½″	**RB3648-( )**	1,227.	1,874.	2,106.	2,776.
	42″	36″	26½″	**RB4236-( )**	1,177.	1,804.	2,036.	2,776.
	42″	42″	26½″	**RB4242-( )**	1,206.	1,848.	2,088.	2,751.
	42″	48″	26½″	**RB4248-( )**	1,256.	1,916.	2,162.	2,846.
	48″	36″	26½″	**RB4836-( )**	1,227.	1,874.	2,106.	2,776.
	48″	42″	26½″	**RB4842-( )**	1,256.	1,916.	2,162.	2,846.
	48	48″	26½″	**RB4848-( )**	1,304.	1,985.	2,253.	2,967.





ships with glides

Order Code

Example:	**RB24MFHL**
R	Reff Profiles
B	Back panel
24	48″ panel dimension
M	Full height modesty
F	Flush modesty placement
H	Horizontal Grain Direction in Wood grain laminate
L	Laminate
114	Folkstone grey

Specification Information

To order please specify pattern number including:

1. *Modesty type*
2. *Modesty placement*
3. *Finish type*
4. *Finish*

1. Modesty type:
M = Standard height (26½″H)
H = Half height

2. Modesty placement:
F = Flush, cantilevered
R = Recessed

3. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

Application Notes

Product on this page will accept wood grain laminate where laminate is currently an option.

Modesties 60″ wide or less, in wood grain laminate, are available in both horizontal and vertical grain direction.
For vertical surfaces greater than 60″ wide, the grain direction is only horizontal.

Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.

Modesty support for corner worksurface includes end panels 12″D to support in free standing applications.

Modesty panel lengths are nominal - length changes on option selected.

Please see Planning Guide for freestanding planning instruction.

Top support components
26 1/2 high planning
End panels

description	d	w	h	pattern no.	L	V1	V2	V3
Endpanels for recessed modesty worksurfaces (sold in pairs). All hardware included.	30″	1″	26½″	**RE30-( )**	$544.	$912.	$1,029.	$1,355.
	36″	1″	26½″	**RE36-( )**	575.	955.	1,076.	1,418.
								
Panel end panels. All hardware included.	13″	1″	26½″	**RSE1(L/R)-( )**	208.	371.	421.	553.
	16″	1″	26½″	**RSE2(L/R)-( )**	224.	396.	447.	588.
	20″	1″	26½″	**RSE3(L/R)-( )**	241.	416.	468.	615.
	24″	1″	26½″	**RSE4(L/R)-( )**	254.	435.	491.	646.
	30″	1″	26½″	**RSE5(L/R)-( )**	270.	458.	516.	681.
	36″	1″	26½″	**RSE6(L/R)-( )**	287.	477.	540.	711.
								
left hand shown								
Endpanels, for use in building flush or cantilevered worksurfaces. All hardware included. 1 1/16″ actual thickness	12″	1″	26½″	**RE12F-( ) Half depth end panel**	208.	371.	421.	553.
	15″	1″	26½″	**RE15F-( ) Half depth end panel**	224.	396.	447.	588.
	19″	1″	26½″	**RE19F-( )**	241.	416.	468.	615.
	23″	1″	26½″	**RE23F-( )**	254.	435.	491.	646.
	29″	1″	26½″	**RE29F-( )**	270.	458.	516.	681.
								

Order Code

Example:	**RSE1(L)114**
R	Reff Profiles
SE	End panel
1	13″ deep
L	Left hand
L	Laminate
114	Folkstone grey

Specification Information

To order please specify pattern number including:

1. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

2. Finish

Application Notes

Product on this page will accept woodgrain laminate where laminate is currently an option.

Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.

Modesty support for corner worksurface includes end panels 12″D to support in free standing applications.

Modesty panel lengths are nominal - length changes on option selected.

Glides ship with all supports on this page except the recessed modesty panel.

Please see Planning Guide for freestanding planning instruction.

Top support components
Painted or Plated Legs 26½″ high planning

description	dia.	w	h	d	pattern no.	P1	P2	P3	P4
T-Leg, plain tube style	–		26½″	20″	**RCB20T-( )( )**	$540.	$594.	$623.	$729.
	-		26½″	24″	**RCB24T-( )( )**	551.	606.	638.	742.
	-		26½″	30″	**RCB30T-( )( )**	606.	667.	701.	797.
	-		26½″	40″	**RCB40T-( )( )**	643.	706.	743.	832.
	Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and PD and PU plated finish options.								
Set of four column legs (3″ dia.) with casters with triangular plates	3″		26½″	–	**RSCC4( )**	1,844.	2,028.	2,130.	2,613.
	Painted, PD and PU plated finish options.								
Set of 4 Column legs	2½″		26½″		**RSC254**	1,185.	1,304.	1,368.	2,134.
	3″		26½″		**RSC304**	1,267.	1,394.	1,462.	2,229.
Round Column Leg	3″		26½″		**RSC3**	404.	444.	467.	585.
	4″		26½″		**RSCL4**	492.	532.	554.	673.
	Painted , PD and PU plated finish options								

Order Code

Example:	**RSC**
R	Reff Profiles
S	Support
C	Cylinder

The base matrix for T-Leg (tube style) is;
20″ T-Leg is used with 24″d top
24″ T-Leg is used with 30″d top
30″ T-Leg is used with 36″d top
40″ and 42″ T-Leg is used with 48″d top

Specification Information

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish

Finish type options:
P = Paint (P1, P2, P3)

For all other Top to Base matrix, please refer to the Reff planning guide on Exchange.

Application Notes

Column legs and T-legs are not available in plated finishes.

All bases include 1½″ leveller.

Only the plain cylinder and tube legs can be ordered in plated and painted finishes.

Castors are black, swivel type. Ships with 2 locking and 2 non-locking type.

Individual Round Column Leg is intended for peninsula applications where end opposite the leg is rigidly supported.

Top support components
Painted or Anodized Legs 26½″ high planning

description	h	pattern no.	P1	P2	P3	P4
L-Leg (Pair)	26½″	**RPL1( )**	$620.	$683.	$717.	$874.
Reverse L-Leg (Pair)	26½″	**RPRL1( )**	620.	683.	717.	874.
Soft Rectangular Leg (Pair)	26½″	**RPS1( )**	704.	774.	813.	957.
Wide Flange Leg (Single) 28⅜″	26½″	**RPWFL26( )**	678.	753.	801.	1,228.
						

Order Code

Example:	**RPL1 ( )**
RP	Reff Profiles
L	Leg
1	26½″h
AN	Leg finish

RL = Reverse Leg
S = Soft Rectangular Leg

Specification Information

To order please specify pattern number including:

1. Finish: Painted or Anodized (AA, AP, AU)

Application Notes

Legs are sold in pairs. These legs include 1″ leveller. Products on this page are 26½″h.

Products should not be mixed with 28⅜″h components. For “L”, “Reverse L” and “Soft Rectangular” Legs, same criteria applies as the column legs.

All legs, excluding “Wide Flange Legs” are sold in pairs.

These legs (excluding the Wide flange legs) include 1″ leveller allowing¾″ adjustability.

Wide Flange legs have 2″ leg height adjustability at the top of the leg to the worksurface connection.

Wide Flange legs are for use with Peninsula applications only.

Top support components
Open Frame Legs 26 1/2 high planning
Painted or Plated

description	d	w	h	pattern no.	P1	P2	P3	P4
Open Frame Legs, Set of one For Tables 	20″	60″	26½″	**RPOFL260201( )**	$1,444.	$1,587.	$1,666.	$2,328.
	20″	66″	26½″	**RPOFL266201( )**	1,473.	1,619.	1,702.	2,358.
	20″	72″	26½″	**RPOFL272201( )**	1,475.	1,623.	1,704.	2,360.
	20″	78″	26½″	**RPOFL278201( )**	1,489.	1,638.	1,722.	2,375.
	20″	84″	26½″	**RPOFL284201( )**	1,495.	1,644.	1,725.	2,379.
	24″	60″	26½″	**RPOFL260241( )**	1,457.	1,604.	1,684.	2,341.
	24″	66″	26½″	**RPOFL266241( )**	1,486.	1,635.	1,716.	2,371.
	24″	72″	26½″	**RPOFL272241( )**	1,488.	1,637.	1,719.	2,373.
	24″	78″	26½″	**RPOFL278241( )**	1,504.	1,656.	1,738.	2,389.
	24″	84″	26½″	**RPOFL284241( )**	1,508.	1,659.	1,741.	2,392.
	30″	60″	26½″	**RPOFL260301( )**	1,481.	1,630.	1,711.	2,619.
	30″	66″	26½″	**RPOFL266301( )**	1,509.	1,661.	1,744.	2,646.
	30″	72″	26½″	**RPOFL272301( )**	1,513.	1,663.	1,747.	2,650.
	30″	78″	26½″	**RPOFL278301( )**	1,528.	1,679.	1,765.	2,667.
	30″	84″	26½″	**RPOFL284301( )**	1,530.	1,685.	1,768.	2,669.
	36″	60″	26½″	**RPOFL260361( )**	1,481.	1,630.	1,711.	2,619.
	36″	66″	26½″	**RPOFL266361( )**	1,509.	1,661.	1,744.	2,646.
	36″	72″	26½″	**RPOFL272361( )**	1,513.	1,663.	1,747.	2,650.
	36″	78″	26½″	**RPOFL278361( )**	1,528.	1,679.	1,765.	2,667.
	36″	84″	26½″	**RPOFL284361( )**	1,530.	1,685.	1,768.	2,669.

Ships wtih two stiffeners and threaded metal inserts with machine screws, for fastening to underside of worksurface.
Painted and Anodized finishes only.

Order Code

Example:	**RPOFL1202 ( )**
RP	Reff Profiles
OFL	Open Frame Leg
2	Set of 2(for Tables)
20	depth
1	26½″h

AU = Leg Finish

Specification Information

To order please specify pattern number including:

1. Leg Finish: Painted or Anodized
   P1 = All core painted options
   P2 = All core metallic painted options, plus AA
   P3 = 613 Silver
   P4 = Anodized finishes; AP & AU

Application Notes

It is NOT advisable to mix 28⅜″h desk height products with 26½″h standard height product.

For **Tables:** Stiffeners must be installed in a specific location relative to the leg top plates and may not be arbitrarily located. Stiffeners are finished black.

To order infills for the Open Frame legs, please refer to page 190.

Open Frame legs include glides with 1¼″ height adjustability. Open Frame legs are not intended or able to be used adjacent to full height - 26½″h desk height storage. Note: These legs are intended to be used with Knoll worksurfaces, only.

Installation instruction sheets available on Knoll.Exchange. For Tables; refer to part number 6TP00441.

Top support components
Painted or Plated Bases 26½″ high planning

description	dia.	w	h	d	pattern no.	P1	P2	P3	P4
Spider base, plain tube style		–	26½″	24″	**RCB24X( )( )**	$847.	$930.	$980.	$1,035.
		–	26½″	28″	**RCB28X( )( )**	883.	971.	1,020.	1,072.
		–	26½″	36″	**RCB36X( )( )**	959.	1,056.	1,109.	1,149.
	Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and PD, PT and PZ plated finishes.								
Drum base	14″		26½″	–	**RSD1427-( )( )**	1,659.	1,823.	1,915.	n/a
	18″		26½″	–	**RSD1827-( )( )**	1,803.	1,972.	2,070.	n/a
	20″		26½″	–	**RSD2027-( )( )**	1,855.	2,041.	2,144.	n/a
	24″		26½″	–	**RSD2427-( )( )**	2,226.	2,447.	2,571.	n/a
	30″		26½″	–	**RSD3027-( )( )**	2,485.	2,733.	2,872.	n/a
	Painted finishes only.								

Order Code

Example:	**RCB24X**
R	Reff Profiles
C	Support Spider
B	Base
28	Diameter
X	X-base

The base matrix for T-Leg (tube style) is;
20″ T-leg is used with 24″d top
24″ T-leg is used with 30″d top
30″ T-leg is used with 36″d top
40″ and 42″ T-leg is used with 48″d top

Specification Information

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish

Finish type options:
P = Paint (P1, P2, P3)

For all other Top to Base matrix, please refer to the Reff planning guide on Exchange.

Application Notes

The column legs and T-legs are not available in plated finishes.

All bases include 1½″ leveller.

Only the plain cylinder and tube legs can be ordered in plated and painted finishes.

Top support components
Laminate or Wood Bases 26 1/2″ high planning

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
Drum base	14″		26½″	–	**RSD1427-( )( )**	n/a	$1,675.	$1,890.	$2,342.
	18″		26½″	–	**RSD1827-( )( )**	n/a	1,820.	2,052.	2,544.
	20″		26½″	–	**RSD2027-( )( )**	n/a	1,880.	2,118.	2,623.
	24″		26½″	–	**RSD2427-( )( )**	n/a	2,252.	2,540.	3,146.
	30″		26½″	–	**RSD3027-( )( )**	n/a	2,517.	2,834.	3,510.
	36″		26½″	–	**RSD3627-( )( )**	n/a	2,780.	3,130.	3,878.
Drum base with hinged Access door	20″		26½″	–	**RSHA2027-( )( )**	n/a	3,001.	3,207.	3,596.
	24″		26½″	–	**RSHA2427-( )( )**	n/a	3,359.	3,612.	4,098.
	30″		26½″	–	**RSHA3027-( )( )**	n/a	3,614.	3,895.	4,449.
	36″		26½″	–	**RSHA3627-( )( )**	n/a	3,993.	4,303.	4,915.
T-base (hardware included)* 		20″	26½″	12″	**RST1-( )**	520.	608.	695.	863.
		24″	26½″	12″	**RST2-( )**	556.	654.	736.	912.
		30″	26½″	12″	**RST3-( )**	655.	757.	859.	1,065.
		36″	26½″	12″	**RST4-( )**	743.	868.	978.	1,211.
		42″	26½″	12″	**RST5-( )**	825.	966.	1,092.	1,357.
		48″	26½″	12″	**RST6-( )**	920.	1,067.	1,209.	1,497.
L-base (hardware included), non-handed* 		12″	26½″	12″	**RSL12-( )**	520.	608.	695.	863.
		15″	26½″	12″	**RSL15-( )**	531.	620.	702.	868.
		20″	26½″	12″	**RSL20-( )**	556.	642.	727.	900.
		24″	26½″	12″	**RSL24-( )**	567.	654.	736.	912.
		30″	26½″	12″	**RSL30-( )**	655.	757.	859.	1,065.
		36″	26½″	12″	**RSL36-( )**	743.	868.	978.	1,211.
		42″	26½″	12″	**RSL42-( )**	825.	966.	1,092.	1,357.
		48″	26½″	12″	**RSL48-( )**	920.	1,067.	1,209.	1,497.

Order Code

Example:	**RSD1427**
R	Reff Profiles
S	Support
D	Drum base, HA = Hinged with Access door
14	Diameter
27	Height
2	Finish type
006B	Finish

Specification Information

To order please specify pattern number including:

1. Finish type
2. Finish

Finish type options:
L = Laminate
1 = V1
2 = V2
3 = V3

Application Notes

Refer to Planning Guide on Exchange for top-base.

All bases include 1½″ leveller.

Product on this page will accept woodgrain laminate where laminate is currently an option.

T and L bases are not recommended for supporting conference tops.

description	type	width	depth	height	pattern number	list
Stiffener for worksurface, full depths	36″	20″	1 ½″	1″	**AWM1 S36**	$70.
	42″	26″	1 ½″	1″	**AWM1 S42**	75.
	48″	32″	1 ½″	1″	**AWM1 S48**	77.
	60″	44″	1 ½″	1″	**AWM1 S60**	79.
	66″	50″	1 ½″	1″	**AWM1 S66**	83.
	72″	56″	1 ½″	1″	**AWM1 S72**	86.
	78″	62″	1 ½″	1″	**AWM1 S78**	90.
	84″	68″	1 ½″	1″	**AWM1 S84**	92.

Order Code

Example:	**AWM1 S36**
AWM1	Stiffener
S	Straight
36	Application

Specification Information

Stiffeners are black painted finish.

Application Notes

AutoStrada worksurfaces require stiffeners when the span between structural supports exceeds 60″. Stiffener also serves as horizontal cable manager.

Stiffener corresponds in width to straight or corner worksurface back edge. Specify 12″ less wide stiffener to mount adjacent to floor standing pedestal.

For 90″ application span, use AWM1-S84 stiffener.

Pedestals, 26½″ planning
BBF/FF
Metal interiors

description	w	d	h	pattern no.	metal interiors L	L/V1	L/V2	L/V3	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with box box file configuration	16″	19″	26½″	**RP211J-( )( )( )L**	$1,368.	$1,463.	$1,512.	$1,560.	$1,640.	$1,811.	$2,341.
	16″	23″	26½″	**RP212J-( )( )( )L**	1,426.	1,529.	1,580.	1,632.	1,717.	1,895.	2,450.
	16″	29″	26½″	**RP213J-( )( )( )L**	1,487.	1,593.	1,646.	1,699.	1,786.	1,972.	2,552.



Flushed base shown

*Pencil tray not included
*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 Counter weights required per pedestal.

Pedestal with file file configuration	16″	19″	26½″	**RP211K-( )( )( )L**	1,252.	1,343.	1,386.	1,432.	1,507.	1,664.	2,162.
	16″	23″	26½″	**RP212K-( )( )( )L**	1,341.	1,437.	1,486.	1,534.	1,614.	1,784.	2,315.
	16″	29″	26½″	**RP213K-( )( )( )L**	1,427.	1,529.	1,580.	1,631.	1,716.	1,899.	2,462.
	30″	19″	26½″	**RP231K-( )( )( )L**	1,430.	1,534.	1,587.	1,638.	1,725.	1,905.	2,474.
	30″	23″	26½″	**RP232K-( )( )( )L**	1,508.	1,616.	1,671.	1,726.	1,818.	2,005.	2,602.
	36″	19″	26½″	**RP261K-( )( )( )L**	1,527.	1,637.	1,692.	1,747.	1,838.	2,031.	2,636.
	36″	23″	26½″	**RP262K-( )( )( )L**	1,601.	1,715.	1,773.	1,830.	1,926.	2,129.	2,763.



*Pencil tray not included
*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 Counter weights required per pedestal.

Order Code

Example:	**RPB211J**
R	Reff Profiles
PB	Pedestal with back
2	26½″H
1	16″ wide
1	20″ deep
J	Box box file config.
114	Case finish
114	Front finish
M	Metal interior option
T	Pull option
111	Pull finish
L	Lock option
B	Lock finish

Product on this page **Excluding J-pull option** and any vertical surface over 48″, will accept wood grain laminate, where laminate is currently an option.

Specification Information

To order please specify pattern number including:

1. Case finish
   Wood or Laminate
2. Front finish
   Wood or Laminate
3. Interior Option
   M=Metal
4. Pull option:
   B=No pull, No drilling Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
5. Pull finish=Painted or Plated
6. Lock option
   L=Lock hole drilled
   N=No lock drilling
   Drawers are always drilled for locks. Not optional.
7. Lock finish
   B=Black
   S=Matte Silver

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Keying instructions must accompany all orders, refer to page 364 **. Pedestals do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 323.

Finished back must be ordered separately to achieve full depth without a modesty. (page 232)

Application Notes

It is NOT advisable to mix 28⅜″h desk height products with 26½″h standard height products. 26½″ high components with 1¼″ thick tops, achieve overall desk height of 27²¹/₃₂″h.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 26½″ planning
BBF/FF
Metal interiors and wood backs

description	w	d	h	pattern no.	metal interiors L	L/V1	L/V2	L/V3	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with box box file configuration	16″	20″	26½″	**RPB211J( )( )( )L**	$1,519.	$1,627.	$1,682.	$1,736.	$1,825.	$2,022.	$2,614.
	16″	24″	26½″	**RPB212J( )( )( )L**	1,579.	1,693.	1,750.	1,808.	1,902.	2,100.	2,716.
	16″	30″	26½″	**RPB213J( )( )( )L**	1,643.	1,760.	1,819.	1,877.	1,974.	2,181.	2,825.



Flushed base shown

*Pencil Tray not included
*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

Pedestal with file file configuration	16″	20″	26½″	**RPB211K( )( )( )L**	1,405.	1,507.	1,558.	1,608.	1,691.	1,874.	2,433.
	16″	24″	26½″	**RPB212K( )( )( )L**	1,497.	1,604.	1,657.	1,711.	1,800.	1,996.	2,587.
	16″	30″	26½″	**RPB213K( )( )( )L**	1,586.	1,698.	1,753.	1,812.	1,904.	2,106.	2,734.
	30″	20″	26½″	**RPB231K( )( )( )L**	1,740.	1,865.	1,928.	1,992.	2,095.	2,312.	3,003.
	30″	24″	26½″	**RPB232K( )( )( )L**	1,817.	1,948.	2,013.	2,079.	2,186.	2,413.	3,130.
	36″	20″	26½″	**RPB261K( )( )( )L**	1,889.	2,027.	2,096.	2,164.	2,279.	2,517.	3,267.
	36″	24″	26½″	**RPB262K( )( )( )L**	1,969.	2,109.	2,180.	2,250.	2,366.	2,616.	3,394.



*Pencil Tray not included
*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

Order Code

Example:	**RPB211J**
R	Reff Profiles
P	Pedestal with back
2	26½″H
1	16″ wide
1	20″ deep
J	Box box file config.
114	Case finish
114	Front finish
M	Interior option, Metal
T	Pull option
111	Pull finish
L	Lock option
B	Lock finish

Product on this page **Excluding J-pull option** and any vertical surface over 48″, will accept wood grain laminate, where laminate is currently an option.

Specification Information

To order please specify pattern number including:

1. Case finish
   Wood or Laminate
2. Front finish
   Wood or Laminate
3. Interior Option
   M=Metal
4. Pull option:
   B=No pull, No drilling
   Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
5. Pull finish=Painted or Plated
6. Lock option
   L=Lock hole drilled
   N=No lock drilling
   Drawers are always drilled for locks. Not optional.
7. Lock finish
   B=Black
   S=Matte Silver

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Keying instructions must accompany all orders, refer to page 364 **. Pedestals do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 323.

Application Notes

It is NOT advisable to mix 28⅜″h desk height products with 26½″h standard height products. 26½″ high components with 1¼″ thick tops, achieve overall desk height of 27 21/32″h.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 26½″ planning
BBF/FF
Metal interiors legal width

description	w	d	h	pattern no.	metal interiors L	L/V1	L/V2	L/V3	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with box box file configuration	19″	19″	26½″	**RP221J( )( )( )( )**	$1,432.	$1,535.	$1,586.	$1,637.	$1,723.	$1,900.	$2,457.
	19″	23″	26½″	**RP222J( )( )( )( )**	1,498.	1,605.	1,659.	1,713.	1,802.	1,988.	2,572.
	19″	29″	26½″	**RP223J( )( )( )( )**	1,560.	1,670.	1,726.	1,782.	1,874.	2,070.	2,705.



Flushed base shown

*Pencil tray not included
*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal

Pedestal with file file configuration	19″	19″	26½″	**RP221K( )( )( )( )**	1,314.	1,408.	1,457.	1,504.	1,582.	1,747.	2,270.
	19″	23″	26½″	**RP222K( )( )( )( )**	1,409.	1,510.	1,560.	1,610.	1,693.	1,874.	2,432.
	19″	29″	26½″	**RP223K( )( )( )( )**	1,500.	1,607.	1,659.	1,713.	1,802.	1,995.	2,585.



Flushed base shown

*Pencil tray not included
*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal

Order Code

Example:	**RP221J**
R	Reff Profiles
P	Pedestal
2	26½″H
2	19″ wide
1	19″ deep
J	Box box file config.
114	Case finish
114	Front finish
M	Interior Option, Metal
T	Pull option
111	Pull finish
L	Lock option
B	Lock finish

Product on this page **Excluding J-pull option and any vertical surface over 48**“, will accept wood grain laminate, where laminate is currently an option.

Specification Information

To order please specify pattern number including:

1. Case finish
   Wood or Laminate
2. Front finish
   Wood or Laminate
3. Interior Option
   M=Metal
4. Pull option:
   B=No pull, No drilling
   Customer’s own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
5. Pull finish=Painted or Plated
6. Lock option
   L=Lock hole drilled
   N=No lock drilling
   Drawers are always drilled for locks. Not optional.
7. Lock finish
   B=Black
   S=Matte Silver

Application Notes

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Keying instructions must accompany all orders, refer to page 364 **. Pedestals do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 323.

Finished back must be ordered separately to achieve full depth without a modesty. (page 232)

It is NOT advisable to mix 28⅜″h desk height products with 26½″h standard height products. 26½″ high components with 1¼″ thick tops, achieve overall desk height of 27²¹/₃₂″h.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 26½″ planning
BBF/FF
Wood interior

description	w	d	h	pattern no.	wood interiors L	L/V1	L/V2	L/V3	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with box box file configuration	16″	19″	26½″	**RP211J-( )( )( )L**	$1,448.	$1,552.	$1,602.	$1,653.	$1,738.	$1,921.	$2,483.
	16″	23″	26½″	**RP212J-( )( )( )L**	1,609.	1,736.	1,783.	1,839.	1,935.	2,135.	2,762.
	16″	29″	26½″	**RP213J-( )( )( )L**	1,749.	1,876.	1,939.	2,002.	2,105.	2,322.	3,006.



Flushed base shown

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
3 counterweights per pedestal.

Pedestal with file file configuration	16″	19″	26½″	**RP211K-( )( )( )L**	1,326.	1,421.	1,468.	1,515.	1,594.	1,761.	2,287.
	16″	23″	26½″	**RP212K-( )( )( )L**	1,563.	1,676.	1,733.	1,789.	1,881.	2,078.	2,693.
	16″	29″	26½″	**RP213K-( )( )( )L**	1,705.	1,828.	1,889.	1,951.	2,052.	2,268.	2,948.
	30″	19″	26½″	**RP231K-( )( )( )L**	1,714.	1,837.	1,900.	1,961.	2,062.	2,278.	2,958.
	30″	23″	26½″	**RP232K-( )( )( )L**	2,014.	2,159.	2,231.	2,304.	2,424.	2,674.	3,470.
	36″	19″	26½″	**RP261K-( )( )( )L**	2,118.	2,271.	2,346.	2,422.	2,548.	2,818.	3,659.
	36″	23″	26½″	**RP262K-( )( )( )L**	2,468.	2,646.	2,734.	2,824.	2,971.	3,286.	4,263.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
3 counterweights per pedestal.

Order Code

Example:	**RP211J**
R	Reff Profiles
P	Pedestal
2	26½″H
1	16″ wide
1	19″ deep
J	Box box file config.
114	Case finish
114	Front finish
W	Interior option, Wood
T	Pull option
111	Pull finish
L	Lock option
B	Lock finish

Product on this page **Excluding J-pull option and any vertical surface over 48**“, will accept wood grain laminate, where laminate is currently an option.

Specification Information

To order please specify pattern number including:

1. Case finish
   Wood or Laminate
2. Front finish
   Wood or Laminate
3. Interior Option
   W=Wood
4. Pull option:
   B=No pull, No drilling
   Customer’s own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
5. Pull finish=Painted or Plated
6. Lock option
   L=Lock hole drilled
   N=No lock drilling
   Drawers are always drilled for locks. Not optional.
7. Lock finish
   B=Black
   S=Matte Silver

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Keying instructions must accompany all orders, refer to page 364 **. Pedestals do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Pencil trays included in pedestals with wood interiors.

Finished back must be ordered separately to achieve full depth without a modesty. (page 232)

Application Notes

It is NOT advisable to mix 28⅜″h desk height products with 26½″h standard height products. 26½″ high components with 1¼″ thick tops, achieve overall desk height of 27 21/32″h.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 26½″ planning
BBF/FF
Wood interiors and wood backs

description	w	d	h	pattern no.	wood interiors L	L/V1	L/V2	L/V3	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with box box file configuration	16″	20″	26½″	**RPB211J( )( )( )L**	$1,607.	$1,720.	$1,776.	$1,832.	$1,927.	$2,128.	$2,755.
	16″	24″	26½″	**RPB212J( )( )( )L**	1,763.	1,890.	1,953.	2,017.	2,123.	2,346.	3,038.
	16″	30″	26½″	**RPB213J( )( )( )L**	1,906.	2,043.	2,109.	2,178.	2,290.	2,528.	3,272.



Flushed base shown

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

Pedestal with file file configuration	16″	20″	26½″	**RPB211K( )( )( )L**	1,480.	1,586.	1,639.	1,692.	1,780.	1,969.	2,557.
	16″	24″	26½″	**RPB212K( )( )( )L**	1,717.	1,840.	1,903.	1,965.	2,066.	2,288.	2,969.
	16″	30″	26½″	**RPB213K( )( )( )L**	1,862.	1,996.	2,062.	2,130.	2,240.	2,479.	3,217.
	30″	20″	26½″	**RPB231K( )( )( )L**	2,022.	2,169.	2,241.	2,315.	2,435.	2,689.	3,492.
	30″	24″	26½″	**RPB232K( )( )( )L**	2,253.	2,449.	2,547.	2,644.	2,797.	3,082.	4,001.
	36″	20″	26½″	**RPB261K( )( )( )L**	2,487.	2,664.	2,754.	2,842.	2,991.	3,305.	4,293.
	36″	24″	26½″	**RPB262K( )( )( )L**	2,838.	3,043.	3,145.	3,249.	3,418.	3,775.	4,900.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

Order Code

Example:	**RPB211J**
R	Reff Profiles
PB	Pedestal with back
2	26½″H
1	16″ wide
1	20″ deep
J	Box box file config.
114	Case finish
114	Front finish
W	Interior option, Wood
T	Pull Option
111	Pull finish
L	Lock option
B	Lock finish

Product on this page **Excluding J-pull option and any vertical surface over 48**", will accept wood grain laminate, where laminate is currently an option.

Specification Information

To order please specify pattern number including:

1. Case finish
   Wood or Laminate
2. Front finish
   Wood or Laminate
3. Interior Option
   W=Wood
4. Pull option:
   B=No pull, No drilling
   Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
5. Pull finish=Painted or Plated
6. Lock option
   L=Lock hole drilled
   N=No lock drilling
   Drawers are always drilled for locks. Not optional.
7. Lock finish
   B=Black
   S=Matte Silver

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Keying instructions must accompany all orders, refer to page 364 **. Pedestals do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Pencil tray included in pedestals with wood interiors.

Application Notes

It is NOT advisable to mix 28⅜″h desk height products with 26½″h standard height products. 26½″ high components with 1¼″ thick tops, achieve overall desk height of 27²¹/₃₂″h.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 26½″ planning
BBF/FF
Wood interiors legal width

description	w	d	h	pattern no.	wood interiors L	L/V1	L/V2	L/V3	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with box box file configuration	19″	19″	26½″	**RP221J( )( )( )( )**	$1,519.	$1,627.	$1,680.	$1,734.	$1,823.	$2,013.	$2,605.
	19″	23″	26½″	**RP222J( )( )( )( )**	1,689.	1,811.	1,871.	1,931.	2,033.	2,240.	2,899.
	19″	29″	26½″	**RP223J( )( )( )( )**	1,837.	1,969.	2,035.	2,101.	2,209.	2,439.	3,155.

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.



Flushed base shown

description	w	d	h	pattern no.	wood interiors L	L/V1	L/V2	L/V3	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with file file configuration	19″	19″	26½″	**RP221K( )( )( )( )**	1,393.	1,491.	1,542.	1,591.	1,675.	1,849.	2,400.
	19″	23″	26½″	**RP222K( )( )( )( )**	1,643.	1,761.	1,819.	1,878.	1,975.	2,179.	2,828.
	19″	29″	26½″	**RP223K( )( )( )( )**	1,790.	1,920.	1,983.	2,049.	2,155.	2,383.	3,093.

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.



Order Code

Example:	**RP221J**
R	Reff Profiles
P	Pedestal
2	26½″H
2	19″ wide
1	19″ deep
J	Box box file config.
114	Case finish
114	Front Finish
W	Interior option, Wood
T	Pull option
111	Pull finish
L	Lock option
B	Lock finish

Product on this page **Excluding J-pull option and any vertical surface over 48**“, will accept wood grain laminate, where laminate is currently an option.

Specification Information

To order please specify pattern number including:

1. Case finish
   Wood or Laminate
2. Front finish
   Wood or Laminate
3. Interior Option
   W=Wood
4. Pull option:
   B=No pull, No drilling
   Customer’s own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
5. Pull finish=Painted or Plated
6. Lock option
   L=Lock hole drilled
   N=No lock drilling
   Drawers are always drilled for locks. Not optional.
7. Lock finish
   B=Black
   S=Matte Silver

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Keying instructions must accompany all orders, refer to page 364 **. Pedestals do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Pencil tray included in pedestals with wood interiors.

Finished back must be ordered separately to achieve full depth without a modesty. (page 232)

Application Notes

It is NOT advisable to mix 28⅜″h desk height products with 26½″h standard height products. 26½″ high components with 1¼″ thick tops, achieve overall desk height of 27 21/32″h.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 26½″ planning
Open / Hinge Door
Metal interiors

description	w	d	h	pattern no.	metal interiors L	L/V1	L/V2	L/V3	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with hinge door configuration, includes one shelf	16″	19″	26½″	**RP211L(L/R)-( )( )( )( )**	$1,098.	$1,175.	$1,216.	$1,255.	$1,320.	$1,461.	$1,894.
	16″	23″	26½″	**RP212L(L/R)-( )( )( )( )**	1,334.	1,429.	1,477.	1,524.	1,603.	1,774.	2,302.
	16″	29″	26½″	**RP213L(L/R)-( )( )( )( )**	1,527.	1,637.	1,692.	1,747.	1,838.	2,031.	2,636.
	30″	19″	26½″	**RP231L-( )( )( )( )**	1,420.	1,520.	1,572.	1,622.	1,706.	1,884.	2,449.
	30″	23″	26½″	**RP232L-( )( )( )( )**	1,657.	1,776.	1,837.	1,896.	1,995.	2,206.	2,865.
	36″	19″	26½″	**RP261L-( )( )( )( )**	1,798.	1,928.	1,993.	2,057.	2,165.	2,393.	3,107.
	36″	23″	26½″	**RP262L-( )( )( )( )**	2,102.	2,253.	2,330.	2,406.	2,531.	2,797.	3,633.



flushed base shown

*Pencil tray not included
*Inside height clearance top shelf 10″, bottom shelf 10.5″ when shelf located in center position.
Metal interior means shelf is metal

description	w	d	h	pattern no.	metal interiors L	L/V1	L/V2	L/V3	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with open configuration including shelf	16″	19″	26½″	**RP211M-( )( )( )**	836.	n/a	n/a	n/a	1,007.	1,111.	1,443.
	16″	23″	26½″	**RP212M-( )( )( )**	970.	n/a	n/a	n/a	1,173.	1,297.	1,681.
	16″	29″	26½″	**RP213M-( )( )( )**	1,151.	n/a	n/a	n/a	1,384.	1,532.	1,989.
	30″	19″	26½″	**RP231M-( )( )( )**	968.	n/a	n/a	n/a	1,171.	1,293.	1,677.
	30″	23″	26½″	**RP232M-( )( )( )**	1,179.	n/a	n/a	n/a	1,422.	1,569.	2,038.
	36″	19″	26½″	**RP261M-( )( )( )**	1,241.	n/a	n/a	n/a	1,496.	1,654.	2,146.
	36″	23″	26½″	**RP262M-( )( )( )**	1,503.	n/a	n/a	n/a	1,808.	1,998.	2,592.



flushed base shown

*Pencil tray not included
*Inside height clearance top shelf 10″, bottom shelf 10.5″ when shelf located in center position.
Metal interior means metal shelf.

Order Code

Example:	**RP211L (L/R)**
R	Reff Profiles
P	Pedestal
2	26½″H
1	16″ wide
1	19″ deep
L	Hinge door
L	Hinge door, Left
114	Case finish
114	Front finish
M	Interior option, Metal
T	Pull option
111	Pull finish
L	Lock option
B	Lock finish

Product on this page **Excluding J-pull option and any vertical surface over 48“**, will accept wood grain laminate, where laminate is currently an option.

Specification Information

To order please specify pattern number including:

1. *Hinge location, where applicable*;
   L = Left hand
   R = Right hand Case finish
   Wood or Laminate
2. Front finish
   Wood or Laminate
3. Interior Option
   M=Metal
4. Pull option:
   B=No pull, No drilling
   Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
5. Pull finish=Painted or Plated
6. Lock option
   L=Lock hole drilled
   N=No lock drilling
   Drawers are always drilled for locks. Not optional.
7. Lock finish
   B=Black
   S=Matte Silver

For Open Pedestals;
1. Cabinet Finish
2. Interior Option

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Application Notes

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Keying instructions must accompany all orders, refer to page 364 **. Pedestals do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Finished back must be ordered separately to achieve full depth without a modesty. (page 232)

Pedestals, 26½″ planning
Open / Hinge Door
Metal interiors and wood backs

description	w	d	h	pattern no.	metal interiors L	L/V1	L/V2	L/V3	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with hinge door configuration, includes one shelf	16″	20″	26½″	**RPB211L(L/R)( )( )( )( )**	$1,254.	$1,344.	$1,386.	$1,431.	$1,506.	$1,670.	$2,169.
	16″	24″	26½″	**RPB212L(L/R)( )( )( )( )**	1,491.	1,598.	1,650.	1,704.	1,792.	1,981.	2,572.
	16″	30″	26½″	**RPB213L(L/R)( )( )( )( )**	1,682.	1,802.	1,863.	1,923.	2,022.	2,240.	2,910.
	30″	20″	26½″	**RPB231L( )( )( )( )**	1,730.	1,852.	1,916.	1,976.	2,079.	2,294.	2,978.
	30″	24″	26½″	**RPB232L( )( )( )( )**	1,969.	2,109.	2,180.	2,250.	2,366.	2,615.	3,393.
	36″	20″	26½″	**RPB261L( )( )( )( )**	2,161.	2,318.	2,397.	2,474.	2,603.	2,877.	3,735.
	36″	24″	26½″	**RPB262L( )( )( )( )**	2,467.	2,645.	2,733.	2,823.	2,970.	3,285.	4,262.



flushed base shown

*Pencil Tray not included
Inside height clearance top shelf 10″, bottom shelf 10.5″ when shelf located in center position.
Metal interior means shelf metal.

description	w	d	h	pattern no.	metal interiors L	L/V1	L/V2	L/V3	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with open configuration including shelf	16″	20″	26½″	**RPB211M( )( )( )**	991.	n/a	n/a	n/a	1,187.	1,320.	1,714.
	16″	24″	26½″	**RPB212M( )( )( )**	1,133.	n/a	n/a	n/a	1,358.	1,507.	1,956.
	16″	30″	26½″	**RPB213M( )( )( )**	1,304.	n/a	n/a	n/a	1,570.	1,739.	2,257.
	30″	20″	26½″	**RPB231M( )( )( )**	1,281.	n/a	n/a	n/a	1,542.	1,702.	2,209.
	30″	24″	26½″	**RPB232M( )( )( )**	1,489.	n/a	n/a	n/a	1,792.	1,974.	2,565.
	36″	20″	26½″	**RPB261M( )( )( )**	1,610.	n/a	n/a	n/a	1,934.	2,139.	2,776.
	36″	24″	26½″	**RPB262M( )( )( )**	1,867.	n/a	n/a	n/a	2,249.	2,485.	3,222.



flushed base shown

*Pencil Tray not included
Inside height clearance top shelf 10″, bottom shelf 10.5″ when shelf located in center position.
Metal interior means shelf metal.

Order Code

Example:	**RPB211L(L/R)**
R	Reff Profiles
PB	Pedestal with back
2	26½″H
1	16″ wide
1	20″ deep
L	Hinge door
L	Hinge door, Left
114	Case finish
114	Front finish
M	Interior option, Metal
T	Pull option
111	Pull finish
L	Lock option
B	Lock finish

Product on this page **Excluding J-pull option and any vertical surface over 48“**, will accept wood grain laminate, where laminate is currently an option.

Specification Information

To order please specify pattern number including:

1. *Hinge location, where applicable*;
   L = Left hand
   R = Right hand Case finish
   Wood or Laminate
2. Case finish
   Wood or Laminate
3. Front finish
   Wood or Laminate
4. Interior Option
   M=Metal
5. Pull option:
   B=No pull, No drilling
   Customer’s own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
6. Pull finish=Painted or Plated
7. Lock option
   L=Lock hole drilled
   N=No lock drilling
   Drawers are always drilled for locks. Not optional.
8. Lock finish
   B=Black
   S=Matte Silver

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

Application Notes

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Keying instructions must accompany all orders, refer to page 364 **. Pedestals do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

For Open Pedestals;
1. Cabinet Finish
2. Interior Option

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 26½″ planning
Open / Hinge Door
Wood interior

description	w	d	h	pattern no.	wood interiors L	L/V1	L/V2	L/V3	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with hinge door configuration, includes one shelf	16″	19″	26½″	**RP211L(L/R)-( )( )( )( )**	$1,200.	$1,286.	$1,330.	$1,373.	$1,444.	$1,601.	$2,080.
	16″	23″	26½″	**RP212L(L/R)-( )( )( )( )**	1,442.	1,548.	1,600.	1,652.	1,738.	1,918.	2,490.
	16″	29″	26½″	**RP213L(L/R)-( )( )( )( )**	1,633.	1,749.	1,808.	1,867.	1,964.	2,170.	2,817.
	30″	19″	26½″	**RP231L-( )( )( )**	1,522.	1,632.	1,688.	1,742.	1,832.	2,028.	2,632.
	30″	23″	26½″	**RP232L-( )( )( )**	1,765.	1,893.	1,957.	2,021.	2,128.	2,352.	3,051.
	36″	19″	26½″	**RP261L-( )( )( )**	1,904.	2,040.	2,109.	2,178.	2,290.	2,531.	3,287.
	36″	23″	26½″	**RP262L-( )( )( )**	2,208.	2,367.	2,448.	2,527.	2,658.	2,937.	3,812.



flushed base shown

Inside height clearance top shelf 10″, bottom shelf 10.5″ when shelf located in center position
N=No Lock option

description	w	d	h	pattern no.	wood interiors L	L/V1	L/V2	L/V3	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with open configuration including shelf	16″	19″	26½″	**RP211M-( )( )( )**	939.	n/a	n/a	n/a	1,128.	1,248.	1,618.
	16″	23″	26½″	**RP212M-( )( )( )**	1,082.	n/a	n/a	n/a	1,304.	1,442.	1,870.
	16″	29″	26½″	**RP213M-( )( )( )**	1,257.	n/a	n/a	n/a	1,511.	1,672.	2,174.
	30″	19″	26½″	**RP231M-( )( )( )**	1,080.	n/a	n/a	n/a	1,296.	1,431.	1,858.
	30″	23″	26½″	**RP232M-( )( )( )**	1,284.	n/a	n/a	n/a	1,546.	1,711.	2,218.
	36″	19″	26½″	**RP261M-( )( )( )**	1,345.	n/a	n/a	n/a	1,624.	1,796.	2,330.
	36″	23″	26½″	**RP262M-( )( )( )**	1,609.	n/a	n/a	n/a	1,931.	2,136.	2,772.



flushed base shown

Inside height clearance top shelf 10″, bottom shelf 10.5″ when shelf located in center position.

Order Code

Example:	**RP211L(L/R)**
R	Reff Profiles
P	Pedestal
2	26½″H
1	16″ wide
1	19″ deep
L	Hinge door
L	Hinge Door on Left
114	Case finish
114	Front finish
W	Interior option, Wood
T	Pull option
111	Pull finish
L	Lock option
B	Lock finish

Product on this page **Excluding J-pull option and any vertical surface over 48″**, will accept wood grain laminate, where laminate is currently an option.

Specification Information

To order please specify pattern number including:

1. *Hinge location, where applicable*;
   L = Left hand
   R = Right hand Case finish
   Wood or Laminate
2. Case finish
   Wood or Laminate
3. Front finish
   Wood or Laminate
4. Interior Option
   W=Wood
5. Pull option:
   B=No pull, No drilling
   Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
6. Pull finish=Painted or Plated
7. Lock option
   L=Lock hole drilled
   N=No lock drilling
   Drawers are always drilled for locks. Not optional.
8. Lock finish
   B=Black
   S=Matte Silver

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

Application Notes

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Keying instructions must accompany all orders, refer to page 364 **. Pedestals do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Finished back must be ordered separately to achieve full depth without a modesty. (page 0)

2. Interio

Pedestals
hardware
for attach
worksurfa

Pedestals, 26½″ planning
Open / Hinge Door
Wood interiors and wood backs

description	w	d	h	pattern no.	wood interiors L	L/V1	L/V2	L/V3	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with hinge door configuration, includes one shelf	16″	20″	26½″	**RPB211L(L/R)( )( )( )( )**	$1,358.	$1,457.	$1,505.	$1,554.	$1,634.	$1,810.	$2,347.
	16″	24″	26½″	**RPB212L(L/R)( )( )( )( )**	1,597.	1,711.	1,768.	1,825.	1,919.	2,126.	2,758.
	16″	30″	26½″	**RPB213L(L/R)( )( )( )( )**	1,788.	1,916.	1,979.	2,044.	2,149.	2,376.	3,084.
	30″	20″	26½″	**RPB231L( )( )( )( )**	1,830.	1,962.	2,026.	2,092.	2,201.	2,438.	3,166.
	30″	24″	26½″	**RPB232L( )( )( )( )**	2,071.	2,222.	2,296.	2,372.	2,497.	2,756.	3,578.
	36″	20″	26½″	**RPB261L( )( )( )( )**	2,269.	2,432.	2,514.	2,595.	2,731.	3,013.	3,913.
	36″	24″	26½″	**RPB262L( )( )( )( )**	2,576.	2,760.	2,852.	2,944.	3,097.	3,424.	4,443.



flushed base shown

Inside height clearance top shelf 10″, bottom shelf 10.5″ when shelf located in center position.

Pedestal with open configuration including shelf	16″	20″	26½″	**RPB211M( )( )( )**	1,096.	n/a	n/a	n/a	1,317.	1,460.	1,893.
	16″	24″	26½″	**RPB212M( )( )( )**	1,238.	n/a	n/a	n/a	1,489.	1,648.	2,139.
	16″	30″	26½″	**RPB213M( )( )( )**	1,413.	n/a	n/a	n/a	1,693.	1,879.	2,439.
	30″	20″	26½″	**RPB231M( )( )( )**	1,385.	n/a	n/a	n/a	1,668.	1,839.	2,390.
	30″	24″	26½″	**RPB232M( )( )( )**	1,596.	n/a	n/a	n/a	1,917.	2,115.	2,745.
	36″	20″	26½″	**RPB261M( )( )( )**	1,714.	n/a	n/a	n/a	2,064.	2,278.	2,958.
	36″	24″	26½″	**RPB262M( )( )( )**	1,973.	n/a	n/a	n/a	2,369.	2,620.	3,399.



flushed base shown

Inside height clearance top shelf 10″, bottom shelf 10.5″ when shelf located in center position.

Order Code

Example:	**RPB211L(L/R)**
R	Reff Profiles
PB	Pedestal with back
2	26½″H
1	16″ wide
1	20″ deep
L	Hinged door, Left
114	Case finish
114	Front finish
W	Interior option, Wood
T	Pull option
111	Pull finish
111	Lock option
B	Lock finish

Product on this page **Excluding J-pull option and any vertical surface over 48**“, will accept wood grain laminate, where laminate is currently an option.

Specification Information

To order please specify pattern number including:

1. *Hinge location, where applicable*;
   L = Left hand
   R = Right hand Case finish
   Wood or Laminate
2. Case finish
   Wood or Laminate
3. Front finish
   Wood or Laminate
4. Interior Option
   W=Wood
5. Pull option:
   B=No pull, No drilling
   Customer’s own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
6. Pull finish=Painted or Plated
7. Lock option
   L=Lock hole drilled
   N=No lock drilling
   Drawers are always drilled for locks. Not optional.
8. Lock finish
   B=Black
   S=Matte Silver

For Open Pedestals;
1. Cabinet Finish
2. Interior Option

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

Application Notes

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Keying instructions must accompany all orders, refer to page 364 **. Pedestals do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 26½″ planning
Mobile Pedestal
Metal interiors

description	w	d	h	pattern no.	metal interiors L	L/V1	L/V2	L/V3	metal interiors V1	metal interiors V2	metal interiors V3	list
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels) 	16″	19″	21″	**RM111J-( )( )( )L( )( )**	$1,341.	$1,425.	$1,467.	$1,509.	$1,583.	$1,784.	$2,315.	
	16″	23″	21″	**RM112J-( )( )( )L( )( )**	1,402.	1,490.	1,534.	1,579.	1,654.	1,868.	2,424.	
	16″	23″	26½″	**RM212J-( )( )( )L( )( )**	1,883.	2,002.	2,062.	2,123.	2,225.	2,504.	3,255.	
	16″	23″	26½″	**RM212K-( )( )( )L( )( )**	1,883.	2,002.	2,062.	2,123.	2,225.	2,504.	3,255.	

*Pencil tray not included
*Glue and dowel construction

Counter weight (for file/file configuration pedestals when used in freestanding applications)	–	–	–	**RCOUNTWT**								120.

Order Code

Example:	**RM111J**
R	Reff Profiles
M	Mobile Pedestal
1	21″H
1	16″ wide
1	19″ deep
J	Box box file config.
114	Case finish
114	Front finish
M	Interior option, Metal
T	Pull option
111	Pull finish
L	Lock option
B	Lock finish

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option.

Specification Information

To order please specify pattern number including:

1. Case finish
   Wood or Laminate
2. Front finish
   Wood or Laminate
3. Interior Option
   M=Metal
4. Pull option:
   B=No pull, No drilling
   Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull
   (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
5. Pull finish=Painted or Plated
6. Lock option
   L=Lock hole drilled
   N=No lock drilling
   Drawers are always drilled for locks. Not optional.
7. Lock finish
   B=Black
   S=Matte Silver

Application Notes

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Keying instructions must accompany all orders, refer to page 364 **. Pedestals do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Pencil trays not included in mobile pedestals with metal interiors.

Pencil tray to be ordered separately; see page 323.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for side to side filing only. File drawers do not support bottom loading.

Mobile pedestals are glue and dowel construction.

Casters on Mobile Pedestals are non locking.

Note:
The interior depth for the 19″ and 23″ deep mobile pedestals listed above, with Metal Interior is 16″ deep.

Pedestals, 26½″ planning
Mobile Pedestal
Wood interiors

description	w	d	h	pattern no.	wood interiors L	L/V1	L/V2	L/V3	wood interiors V1	wood interiors V2	wood interiors V3	list
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels) 	16″	19″	21″	**RM111J-( )( )( )L( )( )**	$1,588.	$1,689.	$1,738.	$1,788.	$1,875.	$2,114.	$2,744.	
	16″	23″	21″	**RM112J-( )( )( )L( )( )**	1,676.	1,782.	1,834.	1,886.	1,978.	2,228.	2,892.	
	16″	23″	26½″	**RM212J-( )( )( )L( )( )**	2,267.	2,409.	2,479.	2,550.	2,673.	3,013.	3,913.	
	16″	23″	26½″	**RM212K-( )( )( )L( )( )**	2,267.	2,409.	2,479.	2,550.	2,673.	3,013.	3,913.	
	Glue and dowel construction											
Pedestal backs 	16″	1″	26½″	**RPAB16-( )( )**	142.				164.	185.	243.	
	19″	1″	26½″	**RPAB19-( )( )**	150.				171.	197.	256.	
	30″	1″	26½″	**RPAB30-( )( )**	284.				324.	364.	472.	
	36″	1″	26½″	**RPAB36-( )( )**	336.				386.	435.	565.	
	pedestal backs for pedestals with metal or wood interiors.											
Counter weight (for file/file configuration pedestals when used in freestanding applications)	–	–	–	**RCOUNTWT**								120.

Order Code

Example:	**RM111J**
R	Reff Profiles
M	Mobile Pedestal
1	21″H
1	16″ wide
1	19″ deep
J	Box box file config.
114	Case finish
114	Front finish
W	Interior option, Wood
T	Pull option
111	Pull finish
L	Lock option
B	Lock finish

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option.

Specification Information

To order please specify pattern number including:

1. Case finish
   Wood or Laminate
2. Front finish
   Wood or Laminate
3. Interior Option
   W=Wood
4. Pull option:
   B=No pull, No drilling
   Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull
   (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
5. Pull finish=Painted or Plated
6. Lock option
   L=Lock hole drilled
   N=No lock drilling
   Drawers are always drilled for locks. Not optional.
7. Lock finish
   B=Black
   S=Matte Silver

Application Notes

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Keying instructions must accompany all orders, refer to page 364 **. Pedestals do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Mobile pedestals with wood interior, include one pencil tray and two tray dividers.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for side to side filing only. File drawers do not support bottom loading.

Mobile pedestals are glue and dowel construction.

Casters on Mobile Pedestals are non locking.

Note:
The interior depth for the 19″ and 23″ deep mobile pedestals listed above, with Wood Interior:
19″d pedestals - 16″ interior depth.
23″d pedestals - 20″ interior depth.

Cabinets, 26 1/2″ planning
49″ high, metal interior
Bookcase and hinge doors

description	w	d	h	pattern no.	metal interiors L	L/V1	L/V2	L/V3	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16″	20″	49″	**RC412C(L/R)-( )( )( )( )( )**	$1,360.	$1,634.	$1,743.	$1,854.	$2,003.	$2,216.	$2,875.
	16″	24″	49″	**RC413C(L/R)-( )( )( )( )( )**	1,496.	1,796.	1,918.	2,038.	2,201.	2,435.	3,159.
	30″	20″	49″	**RC432C-( )( )( )( )( )**	1,989.	2,393.	2,554.	2,716.	2,936.	3,247.	4,213.
	30″	24″	49″	**RC433C-( )( )( )( )( )**	2,202.	2,647.	2,825.	3,004.	3,246.	3,590.	4,661.
	36″	20″	49″	**RC462C-( )( )( )( )( )**	2,206.	2,653.	2,831.	3,011.	3,254.	3,596.	4,669.
	36″	24″	49″	**RC463C-( )( )( )( )( )**	2,432.	2,929.	3,127.	3,326.	3,598.	3,974.	5,157.



Metal interiors mean shelves metal.

Open bookcase with two adjustable shelves	30″	15″	49″	**RC431B-( )( )( )**	1,349.	n/a	n/a	n/a	1,950.	2,203.	2,860.
	30″	20″	49″	**RC432B-( )( )( )**	1,523.	n/a	n/a	n/a	2,202.	2,481.	3,221.
	30″	24″	49″	**RC433B-( )( )( )**	1,719.	n/a	n/a	n/a	2,482.	2,800.	3,633.
	36″	15″	49″	**RC461B-( )( )( )**	1,498.	n/a	n/a	n/a	2,169.	2,442.	3,172.
	36″	20″	49″	**RC462B-( )( )( )**	1,692.	n/a	n/a	n/a	2,445.	2,756.	3,577.
	36″	24″	49″	**RC463B-( )( )( )**	1,901.	n/a	n/a	n/a	2,755.	3,102.	4,027.



Flushed base shown

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

Order Code

Example:	**RC412C(L/R)**
R	Reff Profiles
C	Cabinets
4	49″ high
1	15″ wide, 3=30″ wide
2	20″ deep, 3=24″ deep
C	Hinge door cabinet w/ adjustable shelves
L	Hinge door, Left
114	Case finish
006B	Front finish
M	Metal interior
T	Pull option
111	Pull finish
L	Lock option
B	Lock finish

Specification Information

To order please specify pattern number including:

1. *Hinge location, where applicable*:
   L=Left
   R=Right
2. *Case finish*
   Wood or Laminate
3. *Front finish*
   Wood or Laminate
4. *Interior Option*
   M=Metal
5. *Pull option*:
   B=No pull, No drilling
   Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
6. *Pull finish*=Painted or Plated
7. *Lock option*
   L=Lock hole drilled
   N=No lock drilling
8. *Lock finish*
   B=Black
   S=Matte Silver

For Open Cabinets;
1. Cabinet Finish
2. Interior Option

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Application Notes

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Keying instructions must accompany all orders, refer to page 364 **. Cabinets do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for one lock core.

Cabinets, 26 1/2″ planning
49″ high, metal interior
4 Lateral files

description	w	d	h	pattern no.	metal interiors L	L/V1	L/V2	L/V3	metal interiors V1	metal interiors V2	metal interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30″	20″	49″	**RC432F-( )( )( )L( )( )**	$2,319.	$2,787.	$2,976.	$3,164.	$3,418.	$3,781.	$4,910.
	30″	24″	49″	**RC433F-( )( )( )L( )( )**	2,560.	3,077.	3,285.	3,492.	3,774.	4,171.	5,416.
	36″	20″	49″	**RC462F-( )( )( )L( )( )**	2,940.	3,536.	3,775.	4,013.	4,337.	4,790.	6,220.
	36″	24″	49″	**RC463F-( )( )( )L( )( )**	3,247.	3,904.	4,168.	4,432.	4,791.	5,295.	6,873.



Flushed base shown

Order Code

Example:	**RC432F**
R	Reff Profiles
C	Cabinets
4	49″ high
3	30″ wide
2	20″ deep
F	4 drawer lateral file
114	Case finish
006B	Front finish
M	Metal interior
T	Pull option
111	Pull finish
L	Lock option
B	Lock finish

Specification Information

To order please specify pattern number including:

1. *Case finish*
   Wood or Laminate
2. *Front finish*
   Wood or Laminate
3. *Interior Option*
   M=Metal
4. *Pull option*:
   B=No pull, No drilling
   Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull
   (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
5. *Pull finish*=Painted or Plated
6. *Lock option*
   L=Lock hole drilled
   N=No lock drilling
   Drawers are always drilled for locks. Not optional.
7. *Lock finish*
   B=Black
   S=Matte Silver

Application Notes

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Keying instructions must accompany all orders, refer to page 364 **. Cabinets do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for one lock core.

Cabinets, 26 1/2″ planning
49″ high, wood interior
Bookcase and hinge doors

description	w	d	h	pattern no.	wood interiors L	L/V1	L/V2	L/V3	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16″	20″	49″	**RC412C(L/R)-( )( )( )( )( )**	$1,520.	$1,829.	$1,952.	$2,075.	$2,244.	$2,477.	$3,216.
	16″	24″	49″	**RC413C(L/R)-( )( )( )( )( )**	1,660.	1,995.	2,130.	2,264.	2,446.	2,705.	3,510.
	30″	20″	49″	**RC432C-( )( )( )( )( )**	2,152.	2,588.	2,761.	2,937.	3,174.	3,509.	4,552.
	30″	24″	49″	**RC433C-( )( )( )( )( )**	2,364.	2,844.	3,036.	3,229.	3,490.	3,853.	5,000.
	36″	20″	49″	**RC462C-( )( )( )( )( )**	2,369.	2,849.	3,041.	3,232.	3,494.	3,864.	5,016.
	36″	24″	49″	**RC463C-( )( )( )( )( )**	2,600.	3,125.	3,338.	3,548.	3,835.	4,241.	5,506.
Open bookcase with two adjustable shelves	30″	15″	49″	**RC431B-( )( )( )**	1,513.	n/a	n/a	n/a	2,185.	2,463.	3,197.
	30″	20″	49″	**RC432B-( )( )( )**	1,686.	n/a	n/a	n/a	2,439.	2,749.	3,567.
	30″	24″	49″	**RC433B-( )( )( )**	1,879.	n/a	n/a	n/a	2,715.	3,065.	3,977.
	36″	15″	49″	**RC461B-( )( )( )**	1,663.	n/a	n/a	n/a	2,404.	2,709.	3,515.
	36″	20″	49″	**RC462B-( )( )( )**	1,853.	n/a	n/a	n/a	2,684.	3,021.	3,919.
	36″	24″	49″	**RC463B-( )( )( )**	2,067.	n/a	n/a	n/a	2,991.	3,368.	4,372.





Flushed base shown

Open cabinets require no keying instructions

Order Code

Example:	**RC412C(L/R)**
R	Reff Profiles
C	Cabinets
4	49″ high
1	15″ wide, 3=30″ wide
2	20″ deep, 3=24″ deep
C	Hinge door cabinet w/ adjustable shelves
L	Hinge door, Left
114	Case finish
006B	Front finish
W	Wood interior
T	Pull option
111	Pull finish
L	Lock option
B	Lock finish

Specification Information

To order please specify pattern number including:

1. *Hinge location, where applicable*:
   L=Left
   R=Right
2. *Case finish*
   Wood or Laminate
3. *Front finish*
   Wood or Laminate
4. *Interior Option*
   W=Wood
5. *Pull option*:
   B=No pull, No drilling
   Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
6. *Pull finish*=Painted or Plated
7. *Lock option*
   L=Lock hole drilled
   N=No lock drilling
8. *Lock finish*
   B=Black
   S=Matte Silver

For Open Cabinets;
1. Cabinet Finish
2. Interior Option

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Application Notes

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Keying instructions must accompany all orders, refer to page 364 **. Cabinets do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for one lock core.

Cabinets, 26 1/2″ planning
49″ high, wood interior
Wardrobe cabinet

description	w	d	height	pattern number	wood interiors L	L/V1	L/V2	L/V3	wood interiors V1	wood interiors V2	wood interiors V3
Wardrobe cabinet	30″	20″	49″	**RC432D-( )W( )( )( )( )**	$1,964.	$2,361.	$2,519.	$2,679.	$2,895.	$3,200.	$4,155.
	30″	24″	49″	**RC433D-( )W( )( )( )( )**	2,144.	2,579.	2,755.	2,930.	3,166.	3,502.	4,544.
	36″	20″	49″	**RC462D-( )W( )( )( )( )**	2,158.	2,596.	2,772.	2,948.	3,185.	3,519.	4,570.
	36″	24″	49″	**RC463D-( )W( )( )( )( )**	2,361.	2,840.	3,031.	3,223.	3,482.	3,850.	4,997.



Wood interior only

Order Code

Example:	**RC432D**
R	Reff Profiles
C	Cabinets
4	49″ high
3	30″ wide
2	20″ deep
D	Wardrobe cabinet
114	Case finish
006B	Front finish
W	Wood interior
T	Pull option
111	Pull finish
L	Lock option
B	Lock finish

Specification Information

To order please specify pattern number including:

1. *Hinge location, where applicable*:
   L=Left
   R=Right
2. *Case finish*
   Wood or Laminate
3. *Front finish*
   Wood or Laminate
4. *Interior Option*
   W=Wood
5. *Pull option*:
   B=No pull, No drilling
   Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
6. *Pull finish*=Painted or Plated
7. *Lock option*
   L=Lock hole drilled
   N=No lock drilling
8. *Lock finish*
   B=Black
   S=Matte Silver

Application Notes

It is NOT advisable to mix 28 3/8″h desk height products with 26 1/2″h standard height products. 26 1/2″ high components with 1 1/4″ thick tops, achieve overall desk height of 27 21/32″h.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Keying instructions must accompany all orders, refer to page364. **Cabinets do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for one lock core.

Note: Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 324.

20″ deep wardrobe cabinets provide only 18″ of clear storage space.

Cabinets, 26 1/2″ planning
49″ high, wood interior
4 Lateral files

description	w	d	h	pattern no.	wood interiors L	L/V1	L/V2	L/V3	wood interiors V1	wood interiors V2	wood interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30″	20″	49″	**RC432F-( )( )( )L( )( )**	$2,482.	$2,984.	$3,184.	$3,387.	$3,659.	$4,046.	$5,250.
	30″	24″	49″	**RC433F-( )( )( )L( )( )**	2,725.	3,278.	3,500.	3,721.	4,023.	4,439.	5,761.
	36″	20″	49″	**RC462F-( )( )( )L( )( )**	3,104.	3,732.	3,981.	4,233.	4,572.	5,053.	6,563.
	36″	24″	49″	**RC463F-( )( )( )L( )( )**	3,409.	4,099.	4,374.	4,651.	5,025.	5,555.	7,212.



Flushed base shown

Order Code

Example:	**RC432F**
R	Reff Profiles
C	Cabinets
4	49″ high
3	30″ wide
2	20″ deep
F	4 drawer lateral file
114	Case finish
006B	Front finish
W	Wood interior
T	Pull option
111	Pull finish
L	Lock option
B	Lock finish

Specification Information

To order please specify pattern number including:

1. *Case finish*
   Wood or Laminate
2. *Front finish*
   Wood or Laminate
3. *Interior Option*
   W=Wood
4. *Pull option*:
   B=No pull, No drilling
   Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull
   (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
5. *Pull finish*=Painted or Plated
6. *Lock option*
   L=Lock hole drilled
   N=No lock drilling
   Drawers are always drilled for locks. Not optional.
7. *Lock finish*
   B=Black
   S=Matte Silver

Application Notes

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Keying instructions must accompany all orders, refer to page 364 **. Cabinets do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for one lock core.

Cabinets, 26 1/2″ planning
64″ high, metal interior
Bookcase and hinge doors

description	w	d	h	pattern no.	metal interiors L	LV1	LV2	LV3	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with two open adjustable shelves, two hinged 22 1/2″ doors	30″	20″	64″	**RC632H-( )( )( )( )( )**	$2,397.	$2,883.	$3,077.	$3,272.	$3,536.	$3,908.	$5,073.
	30″	24″	64″	**RC633H-( )( )( )( )( )**	2,649.	3,183.	3,397.	3,611.	3,903.	4,317.	5,603.
	36″	20″	64″	**RC662H-( )( )( )( )( )**	2,649.	3,183.	3,397.	3,611.	3,903.	4,317.	5,603.
	36″	24″	64″	**RC663H-( )( )( )( )( )**	2,902.	3,488.	3,722.	3,959.	4,278.	4,728.	6,137.



Requires one lock core per cabinet
Shelves painted metal

Cabinet with three adjustable shelves	30″	15″	64″	**RC631B-( )( )( )**	1,732.	n/a	n/a	n/a	2,508.	2,828.	3,673.
	30″	20″	64″	**RC632B-( )( )( )**	1,949.	n/a	n/a	n/a	2,819.	3,178.	4,125.
	30″	24″	64″	**RC633B-( )( )( )**	2,167.	n/a	n/a	n/a	3,135.	3,538.	4,590.
	36″	15″	64″	**RC661B-( )( )( )**	1,988.	n/a	n/a	n/a	2,873.	3,242.	4,206.
	36″	20″	64″	**RC662B-( )( )( )**	2,212.	n/a	n/a	n/a	3,192.	3,605.	4,675.
	36″	24″	64″	**RC663B-( )( )( )**	2,436.	n/a	n/a	n/a	3,522.	3,970.	5,154.



Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

Order Code

Example:	**RC632H**
R	Reff Profiles
C	Cabinets
6	64″ high
3	30″ wide, 6=36″ wide
2	20″ deep, 3=24″ deep
H	Cabinet w/ Hinge dr. and 2 open shelves
114	Case finish
006B	Front finish
M	Metal interior
T	Pull option
111	Pull finish
L	Lock option
B	Lock finish

Specification Information

To order please specify pattern number including:

1. *Case finish*
   Wood or Laminate
2. *Front finish*
   Wood or Laminate
3. *Interior Option*
   M=Metal
4. *Pull option*:
   B=No pull, No drilling
   Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
5. *Pull finish*=Painted or Plated
6. *Lock option*
   L=Lock hole drilled
   N=No lock drilling
7. *Lock finish*
   B=Black
   S=Matte Silver

For Open Cabinets;
1. Cabinet Finish
2. Interior Option

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Application Notes

It is NOT advisable to mix 28 3/8″h desk height products with 26 1/2″h standard height products.

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Keying instructions must accompany all orders, refer to page 364 **. Cabinets do not come with locks included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for one lock core.

Cabinets, 26½″ planning
64″ high, metal interior
Hinge doors and file drawers

description	w	d	h	pattern no.	metal interiors L	LV1	L/V2	L/V3	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with 4 files and (2) 15″ doors at top	30″	20″	64″	**RC632F-( )( )( )( )( )( )**	$3,221.	$3,874.	$4,136.	$4,397.	$4,752.	$5,252.	$6,819.
	30″	24″	64″	**RC633F-( )( )( )( )( )( )**	3,562.	4,281.	4,568.	4,857.	5,247.	5,803.	7,529.
	36″	20″	64″	**RC662F-( )( )( )( )( )( )**	3,562.	4,281.	4,568.	4,857.	5,247.	5,803.	7,529.
	36″	24″	64″	**RC663F-( )( )( )( )( )( )**	3,933.	4,727.	5,046.	5,364.	5,797.	6,405.	8,317.



Requires two lock cores per cabinet
interior height clearance top drawer 10″, all others 10¾″

Cabinet with hinged 37½″H doors, two adjustable shelves, two file drawers	16″	20″	64″	**RC612G(L/R)-( )( )( )( )( )( )**	2,446.	2,938.	3,136.	3,332.	3,601.	3,981.	5,166.
	16″	24″	64″	**RC613G(L/R)-( )( )( )( )( )( )**	2,700.	3,247.	3,465.	3,684.	3,980.	4,396.	5,708.
	30″	20″	64″	**RC632G-( )( )( )( )( )( )**	3,095.	3,721.	3,973.	4,224.	4,565.	5,044.	6,548.
	30″	24″	64″	**RC633G-( )( )( )( )( )( )**	3,445.	4,141.	4,419.	4,698.	5,075.	5,611.	7,284.
	36″	20″	64″	**RC662G-( )( )( )( )( )( )**	3,421.	4,111.	4,388.	4,664.	5,042.	5,573.	7,234.
	36″	24″	64″	**RC663G-( )( )( )( )( )( )**	3,805.	4,573.	4,882.	5,191.	5,610.	6,197.	8,043.



Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Cabinet with BBF below and hinged doors above	16″	20″	64″	**RC612P(L/R)-( )( )( )( )( )( )**	2,519.	3,028.	3,231.	3,436.	3,714.	4,104.	5,328.
	16″	24″	64″	**RC613P(L/R)-( )( )( )( )( )( )**	2,797.	3,364.	3,591.	3,820.	4,128.	4,556.	5,914.
	30″	20″	64″	**RC632P-( )( )( )( )( )( )**	2,967.	3,565.	3,806.	4,047.	4,373.	4,833.	6,276.
	30″	24″	64″	**RC633P-( )( )( )( )( )( )**	3,273.	3,936.	4,202.	4,468.	4,828.	5,335.	6,925.
	36″	20″	64″	**RC662P-( )( )( )( )( )( )**	3,282.	3,945.	4,211.	4,476.	4,837.	5,348.	6,943.
	36″	24″	64″	**RC663P-( )( )( )( )( )( )**	3,618.	4,348.	4,640.	4,933.	5,331.	5,898.	7,656.



Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code

Example:	**RC632F**
R	Reff Profiles
C	Cabinets
6	64″ high
3	30″ wide, 6=36″wide
2	20″ deep, 3=24″ deep
F	Hinge door cabinet with 4 file drawers
114	Case finish
006B	Front finish
M	Metal interior
T	Pull option
111	Pull finish
L	Lock option, file
L	Lock option, door
B	Lock finish

F = Hinge door cabinet with 4 File drawers
G = Hinge door cabinet with FF
P = Hinge door cabinet with BBF

Specification Information

To order please specify pattern number including:

1. *Case finish*
   Wood or Laminate
2. *Front finish*
   Wood or Laminate
3. *Interior Option*
   M=Metal
4. *Pull option*:
   B=No pull, No drilling
   Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
5. *Pull finish*=Painted or Plated
6. *Lock option, file*
   L=Lock hole drilled
   N=No lock drilling
   Drawers are always drilled for locks.
7. *Lock option, door*
   L=Lock hole drilled
   N=No lock drilling
8. *Lock finish*
   B=Black
   S=Matte Silver

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

File drawers include file bars for side to side filing only. File drawers do not support bottom loading.

Pencil trays are not included in cabinets with BBF configuration.

Application Notes

It is NOT advisable to mix 28⅜″h desk height products with 26½″h standard height products.

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
File drawers include file bars for front to back and side to side filing.
File drawers do not support bottom loading.

Keying instructions must accompany all orders, refer to page 364 **. Cabinets do not come with locks included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for two lock core.

Cabinets, 26 1/2″ planning
64″ high, metal interior
Hinge doors and wardrobe

description	w	d	h	pattern no.	metal interiors L	L/V1	L/V2	L/V3	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with hinged doors three adjustable shelves	16″	20″	64″	**RC612C(L/R)-( )( )( )( )( )**	$2,029.	$2,438.	$2,600.	$2,765.	$2,988.	$3,303.	$4,288.
	16″	24″	64″	**RC613C(L/R)-( )( )( )( )( )**	2,262.	2,720.	2,904.	3,087.	3,336.	3,687.	4,785.
	30″	20″	64″	**RC632C-( )( )( )( )( )**	2,690.	3,233.	3,451.	3,670.	3,967.	4,385.	5,692.
	30″	24″	64″	**RC633C-( )( )( )( )( )**	2,971.	3,573.	3,814.	4,057.	4,383.	4,839.	6,282.
	36″	20″	64″	**RC662C-( )( )( )( )( )**	2,940.	3,536.	3,775.	4,013.	4,337.	4,790.	6,220.
	36″	24″	64″	**RC663C-( )( )( )( )( )**	3,221.	3,874.	4,136.	4,397.	4,752.	5,252.	6,819.



Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

Cabinet with full height doors half wardrobe and half shelves	30″	20″	64″	**RC632E(L/R)-( )( )( )( )( )**	3,126.	3,758.	4,010.	4,263.	4,607.	5,090.	6,609.
	30″	24″	64″	**RC633E(L/R)-( )( )( )( )( )**	3,467.	4,167.	4,448.	4,729.	5,109.	5,650.	7,334.
	36″	20″	64″	**RC662E(L/R)-( )( )( )( )( )**	3,454.	4,152.	4,431.	4,710.	5,092.	5,633.	7,309.
	36″	24″	64″	**RC663E(L/R)-( )( )( )( )( )**	3,830.	4,605.	4,915.	5,227.	5,648.	6,241.	8,100.



Left hand shown

Requires one lock core per cabinet
Shelves painted metal.
Coat rod included.

Order Code

Example:	**RC612C(L/R)**
R	Reff Profiles
C	Cabinets
6	64″ high
1	15″ wide, 3=30″wide, 6=36″ wide
2	20″ deep, 3=24″ deep
C	Hinge Door Cab. w/ adjustable shelves
114	Case finish
006B	Front finish
M	Metal Interior
T	Pull option
111	Pull finish
L	Lock option
111	Lock finish

C = Hinge door cabinet with full height doors and 3 adjustable shelves
E = Hinge door cabinet with full height doors, half wardrobe and half shelves

Specification Information

To order please specify pattern number including:

1. *Hinge location, where applicable*;
   L = Left hand
   R = Right hand Case finish
2. Case finish
   Wood or Laminate
3. Front finish
   Wood or Laminate
4. Interior Option
   M=Metal
5. Pull option:
   B=No pull, No drilling
   Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
6. Pull finish=Painted or Plated
7. Lock option
   L=Lock hole drilled
   N=No lock drilling
8. Lock finish
   B=Black
   S=Matte Silver

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

Application Notes

It is NOT advisable to mix 28 3/8″h desk height products with 26 1/2″h standard height products.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Keying instructions must accompany all orders, refer to page364. **Cabinets do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for one lock core.

Note: Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 324.

20″ deep wardrobe cabinets provide only 18″ of clear storage space.

Cabinets, 26½″ planning
64″ high, wood interior
Bookcase and hinge doors

description	w	d	h	pattern no.	wood interiors L	L/V1	L/V2	L/V3	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with two open adjustable shelves, two hinged 22½″ doors	30″	20″	64″	**RC632H-( )( )( )( )( )**	$2,561.	$3,079.	$3,288.	$3,495.	$3,780.	$4,177.	$5,421.
	30″	24″	64″	**RC633H-( )( )( )( )( )**	2,811.	3,380.	3,607.	3,834.	4,143.	4,583.	5,950.
	36″	20″	64″	**RC662H-( )( )( )( )( )**	2,811.	3,380.	3,607.	3,834.	4,143.	4,583.	5,950.
	36″	24″	64″	**RC663H-( )( )( )( )( )**	3,061.	3,682.	3,930.	4,180.	4,517.	4,990.	6,476.
	Requires one lock core per cabinet										
Cabinet with three adjustable shelves	30″	15″	64″	**RC631B-( )( )( )**	1,896.	n/a	n/a	n/a	2,738.	3,091.	4,013.
	30″	20″	64″	**RC632B-( )( )( )**	2,114.	n/a	n/a	n/a	3,056.	3,446.	4,474.
	30″	24″	64″	**RC633B-( )( )( )**	2,332.	n/a	n/a	n/a	3,369.	3,800.	4,933.
	36″	15″	64″	**RC661B-( )( )( )**	2,151.	n/a	n/a	n/a	3,108.	3,508.	4,549.
	36″	20″	64″	**RC662B-( )( )( )**	2,372.	n/a	n/a	n/a	3,428.	3,869.	5,022.
	36″	24″	64″	**RC663B-( )( )( )**	2,597.	n/a	n/a	n/a	3,757.	4,234.	5,495.
	Open cabintes require no keying instructions										

Order Code

Example:	**RC632H**
R	Reff Profiles
C	Cabinets
6	64″ high
3	15″ wide, 3=30″ wide
2	20″ deep, 3=24″ deep
H	Cabinet w/ Hinge dr. and 2 open shelves
114	Case finish
006B	Front finish
W	Wood interior
T	Pull option
111	Pull finish
L	Lock option
B	Lock finish

Specification Information

To order please specify pattern number including:

1. *Case finish*
   Wood or Laminate
2. *Front finish*
   Wood or Laminate
3. *Interior Option*
   W=Wood
4. *Pull option*:
   B=No pull, No drilling
   Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
5. *Pull finish*=Painted or Plated
6. *Lock option*
   L=Lock hole drilled
   N=No lock drilling
7. *Lock finish*
   B=Black
   S=Matte Silver

For Open Cabinets;
1. Cabinet Finish
2. Interior Option

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

File drawers include file bars for side to side filing only. File drawers do not support bottom loading.

Pencil trays are not included in cabinets with BBF configuration.

Application Notes

It is NOT advisable to mix 28⅜″h desk height products with 26½″h standard height products.

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Keying instructions must accompany all orders, refer to page 364 **.**
Cabinets do not come with locks included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for two lock core.

Cabinets, 26 1/2″ planning
64″ high, wood interior
Hinge doors and file drawers

description	w	d	h	pattern no.	wood interiors L	L/V1	L/V2	L/V3	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with 4 files and (2) 15″ doors at top	30″	20″	64″	**RC632F-( )( )( )( )( )( )**	$3,384.	$4,068.	$4,344.	$4,619.	$4,992.	$5,518.	$7,162.
	30″	24″	64″	**RC633F-( )( )( )( )( )( )**	3,722.	4,473.	4,775.	5,076.	5,485.	6,064.	7,871.
	36″	20″	64″	**RC662F-( )( )( )( )( )( )**	3,722.	4,473.	4,775.	5,076.	5,485.	6,064.	7,871.
	36″	24″	64″	**RC663F-( )( )( )( )( )( )**	4,095.	4,924.	5,256.	5,589.	6,040.	6,673.	8,662.
	Requires two lock cores per cabinet Interior height clearance top drawer 10″, all others 10 3/4″										
Cabinet with hinged 37 1/2″H doors, two adjustable shelves, two file drawers	16″	20″	64″	**RC612G(L/R)-( )( )( )( )( )( )**	2,604.	3,129.	3,343.	3,554.	3,839.	4,244.	5,510.
	16″	24″	64″	**RC613G(L/R)-( )( )( )( )( )( )**	2,864.	3,441.	3,672.	3,904.	4,219.	4,664.	6,055.
	30″	20″	64″	**RC632G-( )( )( )( )( )( )**	3,259.	3,918.	4,181.	4,446.	4,802.	5,308.	6,889.
	30″	24″	64″	**RC633G-( )( )( )( )( )( )**	3,604.	4,333.	4,626.	4,916.	5,313.	5,875.	7,627.
	36″	20″	64″	**RC662G-( )( )( )( )( )( )**	3,583.	4,308.	4,597.	4,887.	5,282.	5,839.	7,581.
	36″	24″	64″	**RC663G-( )( )( )( )( )( )**	3,965.	4,767.	5,089.	5,410.	5,846.	6,465.	8,394.
	Requires two lock cores per cabinet										
Cabinet with BBF below and hinged doors above	16″	20″	64″	**RC612P(L/R)-( )( )( )( )( )( )**	2,683.	3,225.	3,441.	3,660.	3,954.	4,367.	5,671.
	16″	24″	64″	**RC613P(L/R)-( )( )( )( )( )( )**	2,959.	3,558.	3,797.	4,036.	4,362.	4,824.	6,263.
	30″	20″	64″	**RC632P-( )( )( )( )( )( )**	3,131.	3,763.	4,018.	4,271.	4,614.	5,102.	6,622.
	30″	24″	64″	**RC633P-( )( )( )( )( )( )**	3,438.	4,133.	4,299.	4,689.	5,068.	5,599.	7,268.
	36″	20″	64″	**RC662P-( )( )( )( )( )( )**	3,446.	4,142.	4,420.	4,699.	5,076.	5,613.	7,287.
	36″	24″	64″	**RC663P-( )( )( )( )( )( )**	3,778.	4,545.	4,854.	5,160.	5,576.	6,162.	7,997.
	Requires two lock cores per cabinet										

Order Code

Example:	**RC632F**
R	Reff Profiles
C	Cabinets
6	64″ high
3	30″ wide, 6=36″wide
2	20″ deep, 3=24″ deep
F	Hinge door cabinet with 4 file drawers
114	Case finish
006B	Front finish
W	Wood interior
T	Pull option
111	Pull finish
L	Lock option, file
L	Lock option, door
B	Lock finish

F = Hinge door cabinet with 4 File drawers
G = Hinge door cabinet with FF
P = Hinge door cabinet with BBF

Specification Information

To order please specify pattern number including:

1. *Case finish*
   Wood or Laminate
2. *Front finish*
   Wood or Laminate
3. *Interior Option*
   W=Wood
4. *Pull option*:
   B=No pull, No drilling
   Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
5. *Pull finish*=Painted or Plated
6. *Lock option, file*
   L=Lock hole drilled
   N=No lock drilling
   Drawers are always drilled for locks.
7. *Lock option, door*
   L=Lock hole drilled
   N=No lock drilling
8. *Lock finish*
   B=Black
   S=Matte Silver

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Application Notes

It is NOT advisable to mix 28 3/8″h desk height products with 26 1/2″h standard height products.

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Keying instructions must accompany all orders, refer to page 364 **.**
Cabinets do not come with locks included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Cabinets, 26 1/2″ planning
64″ high, wood interior
Hinge door with shelves and wardrobe

description	w	d	h	pattern no.	wood interiors L	L/V1	L/V2	L/V3	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with hinged doors three adjustable shelves	16″	20″	64″	**RC612C(L/R)-( )( )( )( )( )**	$2,189.	$2,632.	$2,811.	$2,988.	$3,229.	$3,569.	$4,633.
	16″	24″	64″	**RC613C(L/R)-( )( )( )( )( )**	2,428.	2,916.	3,114.	3,308.	3,575.	3,949.	5,126.
	30″	20″	64″	**RC632C-( )( )( )( )( )**	2,851.	3,428.	3,661.	3,892.	4,205.	4,650.	6,033.
	30″	24″	64″	**RC633C-( )( )( )( )( )**	3,134.	3,768.	4,023.	4,279.	4,623.	5,107.	6,631.
	36″	20″	64″	**RC662C-( )( )( )( )( )**	3,104.	3,732.	3,981.	4,233.	4,572.	5,053.	6,563.
	36″	24″	64″	**RC663C-( )( )( )( )( )**	3,384.	4,068.	4,344.	4,619.	4,992.	5,518.	7,162.
Cabinet with full height doors half wardrobe and half shelves	30″	20″	64″	**RC632E(L/R)-( )( )( )( )( )**	3,289.	3,953.	4,218.	4,486.	4,846.	5,358.	6,954.
	30″	24″	64″	**RC633E(L/R)-( )( )( )( )( )**	3,627.	4,363.	4,656.	4,951.	5,351.	5,912.	7,675.
	36″	20″	64″	**RC662E(L/R)-( )( )( )( )( )**	3,616.	4,345.	4,638.	4,931.	5,328.	5,897.	7,653.
	36″	24″	64″	**RC663E(L/R)-( )( )( )( )( )**	3,990.	4,798.	5,123.	5,448.	5,887.	6,507.	8,448.





Left hand shown

Requires one lock core per cabinet.
Coat rod included.

Order Code

Example:	**RC612C(L/R)**
R	Reff Profiles
C	Cabinets
6	64″ high
1	15″ wide, 3=30″wide, 6=36″ wide
2	20″ deep, 3=24″ deep
C	Hinge Door Cab. w/ adjustable shelves
114	Case finish
006B	Front finish
W	Wood Interior
T	Pull option
111	Pull finish
L	Lock option
111	Lock finish

C = Hinge door cabinet with full height doors and 3 adjustable shelves
E = Hinge door cabinet with full height doors, half wardrobe and half shelves

Specification Information

To order please specify pattern number including:

1. *Hinge location, where applicable*;
   L = Left hand
   R = Right hand Case finish
   Wood or Laminate
2. Case finish
   Wood or Laminate
3. Front finish
   Wood or Laminate
4. Interior Option
   W=Wood
5. Pull option:
   B=No pull, No drilling
   Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
6. Pull finish=Painted or Plated
7. Lock option
   L=Lock hole drilled
   N=No lock drilling
8. Lock finish
   B=Black
   S=Matte Silver

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

Application Notes

It is NOT advisable to mix 28 3/8″h desk height products with 26 1/2″h standard height products.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Keying instructions must accompany all orders, refer to page364.
Cabinets do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for one lock core.

Note: Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 324.

20″ deep wardrobe cabinets provide only 18″ of clear storage space.

Cabinets, 26 1/2″ planning
64″ high, wood interior
Hinge door with shelves and wardrobe

description	w	d	h	pattern no.	wood interiors L	L/V1	L/V2	L/V3	wood interiors V1	wood interiors V2	wood interiors V3
Wardrobe cabinet	16″	20″	64″	**RC612D(L/R)-( )( )( )( )( )**	$1,919.	$2,307.	$2,460.	$2,616.	$2,826.	$3,122.	$4,053.
	16″	24″	64″	**RC613D(L/R)-( )( )( )( )( )**	2,100.	2,525.	2,696.	2,865.	3,097.	3,424.	4,441.
	30″	20″	64″	**RC632D-( )( )( )( )( )**	2,342.	2,814.	3,004.	3,192.	3,450.	3,820.	4,956.
	30″	24″	64″	**RC633D-( )( )( )( )( )**	2,411.	2,901.	3,098.	3,296.	3,561.	3,932.	5,107.
	36″	20″	64″	**RC662D-( )( )( )( )( )**	2,593.	3,119.	3,329.	3,539.	3,826.	4,229.	5,488.
	36″	24″	64″	**RC663D-( )( )( )( )( )**	2,649.	3,195.	3,415.	3,636.	3,932.	4,344.	5,638.



Wood interior only

Order Code

Example:	**RC612C(L/R)**
R	Reff Profiles
C	Cabinets
6	64″ high
1	15″ wide, 3=30″wide, 6=36″ wide
2	20″ deep, 3=24″ deep
C	Hinge Door Cab. w/ adjustable shelves
114	Case finish
006B	Front finish
W	Wood Interior
T	Pull option
111	Pull finish
L	Lock option
111	Lock finish

C = Hinge door cabinet with full height doors and 3 adjustable shelves

E = Hinge door cabinet with full height doors, half wardrobe and half shelves

Specification Information

To order please specify pattern number including:

1. *Hinge location, where applicable*;
   L = Left hand
   R = Right hand Case finish
   Wood or Laminate
2. Case finish
   Wood or Laminate
3. Front finish
   Wood or Laminate
4. Interior Option
   W=Wood
5. Pull option:
   B=No pull, No drilling
   Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
6. Pull finish=Painted or Plated
7. Lock option
   L=Lock hole drilled
   N=No lock drilling
8. Lock finish
   B=Black
   S=Matte Silver

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

Application Notes

It is NOT advisable to mix 28 3/8″h desk height products with 26 1/2″h standard height products.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Keying instructions must accompany all orders, refer to page364.
Cabinets do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for one lock core.

Note: Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 324.

20″ deep wardrobe cabinets provide only 18″ of clear storage space.

Cabinets, 26 1/2″ planning
64″ high, wood interior
Audio Visual Cabinet

description	w	d	h	pattern no.	wood interiors L	L/V1	L/V2	L/V3	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with two sets of hinged doors, two pull-out shelves and ventilation Audio visual cabinet	30″	20″	64″	**RC632I-( )( )( )( )( )( )**	$3,591.	$4,315.	$4,604.	$4,894.	$5,288.	$5,848.	$7,591.
	30″	24″	64″	**RC633I-( )( )( )( )( )( )**	3,949.	4,748.	5,068.	5,389.	5,824.	6,441.	8,358.
	36″	20″	64″	**RC662I-( )( )( )( )( )( )**	3,837.	4,613.	4,926.	5,237.	5,660.	6,258.	8,121.
	36″	24″	64″	**RC663I-( )( )( )( )( )( )**	4,199.	5,049.	5,391.	5,731.	6,195.	6,843.	8,885.



Requires two lock cores per cabinet

Order Code

Example:	**RC632I**
R	Reff Profiles
C	Cabinets
6	64″ high
3	30″wide, 6=36″ wide
2	20″ deep, 3=24″ deep
I	Audio Visual Cabinet
114	Case finish
006B	Front finish
W	Wood Interior
T	Pull option
111	Pull finish
L	Lock option
111	Lock finish

Specification Information

To order please specify pattern number including:

1. Case finish
   Wood or Laminate
2. Front finish
   Wood or Laminate
3. Interior Option
   W=Wood
4. Pull option:
   B=No pull, No drilling
   Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
5. Pull finish=Painted or Plated
6. Lock option
   L=Lock hole drilled
   N=No lock drilling
7. Lock finish
   B=Black
   S=Matte Silver

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

Application Notes

It is NOT advisable to mix 28 3/8″h desk height products with 26 1/2″h standard height products.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Keying instructions must accompany all orders, refer to page364.
Cabinets do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

* Audio Visual cabinets require two lock cores per cabinet.

Cabinets, 26½″ planning
71″ high, metal interiors
Bookcase and hinge doors

description	width	depth	height	pattern number	metal interiors L	L/V1	L/V2	L/V3	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with hinged doors below and open shelf above.	30″	20″	71⅜″	**RC732H-( )( )( )( )( )( )( )**	$2,864.	$3,440.	$3,672.	$3,903.	$4,218.	$4,662.	$6,052.
	30″	24″	71⅜″	**RC733H-( )( )( )( )( )( )( )**	3,166.	3,803.	4,058.	4,314.	4,660.	5,151.	6,689.
	36″	20″	71⅜″	**RC762H-( )( )( )( )( )( )( )**	3,146.	3,781.	4,034.	4,289.	4,635.	5,120.	6,648.
	36″	24″	71⅜″	**RC763H-( )( )( )( )( )( )( )**	3,450.	4,145.	4,422.	4,700.	5,077.	5,614.	7,289.
	Requires one lock core per cabinet										
Cabinet with open shelving	30″	20″	71⅜″	**RC732B-( )( )( )( )( )**	2,166.	n/a	n/a	n/a	3,134.	3,534.	4,589.
	30″	24″	71⅜″	**RC733B-( )( )( )( )( )**	2,402.	n/a	n/a	n/a	3,470.	3,918.	5,084.
	36″	20″	71⅜″	**RC762B-( )( )( )( )( )**	2,452.	n/a	n/a	n/a	3,547.	3,996.	5,188.
	36″	24″	71⅜″	**RC763B-( )( )( )( )( )**	2,688.	n/a	n/a	n/a	3,882.	4,380.	5,687.
	Open cabinets require no keying instructions										





Flushed base shown

Order Code

Example:	**RC732H**
R	Reff Profiles
C	Cabinets
7	71.4″ high
3	30″ wide, 6=36″ wide
2	20″ deep, 3=24″ deep
H	Cabinet w/ Hinge dr. and 2 open shelves
114	Case finish
006B	Front finish
M	Metal interior
T	Pull option
111	Pull finish
L	Lock option
B	Lock finish
N	Left hand drill
N	Right hand drill

Specification Information

To order please specify pattern number including:

1. *Case finish*
   Wood or Laminate
2. *Front finish*
   Wood or Laminate
3. *Interior Option*
   M=Metal
4. *Pull option*:
   B=No pull, No drilling
   Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
5. *Pull finish*=Painted or Plated
6. *Lock option*
   L=Lock hole drilled
   N=No lock drilling
7. *Lock finish*
   B=Black
   S=Matte Silver
8. *Left hand drill*:
   N=No drilling
   SO=Drilling 19h / 15d workwall
   S1=Drilling 19h / 20d workwall
   TO=Drilling 23h / 15d workwall
   T1=Drilling 23h / 20d workwall
9. *Right hand drill*:
   Same as above

For Open Cabinets;
1. Cabinet Finish
2. Interior Option
3. Left hand drill
4. Right hand drill

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Application Notes

It is NOT advisable to mix 28⅜″h desk height products with 26½″h standard height products.

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Keying instructions must accompany all orders, refer to page 364 **. Cabinets do not come with locks included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for one lock core.

Cabinets, 26 1/2″ planning
71″ high, metal interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	metal interiors L	L/V1	L/V2	L/V3	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with four files and hinged doors above.	30″	20″	71 3/8″	**RC732F-( )( )( )( )( )( )( )( )**	$3,562.	$4,281.	$4,568.	$4,857.	$5,247.	$5,803.	$7,529.
	30″	24″	71 3/8″	**RC733F-( )( )( )( )( )( )( )( )**	3,955.	4,754.	5,074.	5,394.	5,829.	6,444.	8,365.
	36″	20″	71 3/8″	**RC762F-( )( )( )( )( )( )( )( )**	3,933.	4,727.	5,046.	5,364.	5,797.	6,405.	8,317.
	36″	24″	71 3/8″	**RC763F-( )( )( )( )( )( )( )( )**	4,365.	5,249.	5,602.	5,957.	6,438.	7,114.	9,234.



Flushed base shown

Requires two lock cores per cabinet
interior height clearance top drawer 10″, all others 10 3/4″

Cabinet with two files and hinged doors above	16″	20″	71 3/8″	**RC712G(L/R)-( )( )( )( )( )( )( )( )**	2,587.	3,110.	3,318.	3,527.	3,811.	4,215.	5,470.
	16″	24″	71 3/8″	**RC713G(L/R)-( )( )( )( )( )( )( )( )**	2,835.	3,427.	3,667.	3,905.	4,229.	4,676.	6,066.
	30″	20″	71 3/8″	**RC732G-( )( )( )( )( )( )( )( )**	3,283.	3,947.	4,214.	4,479.	4,842.	5,350.	6,947.
	30″	24″	71 3/8″	**RC733G-( )( )( )( )( )( )( )( )**	3,610.	4,339.	4,633.	4,925.	5,323.	5,880.	7,636.
	36″	20″	71 3/8″	**RC762G-( )( )( )( )( )( )( )( )**	3,567.	4,287.	4,574.	4,864.	5,255.	5,812.	7,544.
	36″	24″	71 3/8″	**RC763G-( )( )( )( )( )( )( )( )**	3,896.	4,682.	4,998.	5,313.	5,741.	6,347.	8,238.



Flushed base shown

Requires two lock cores per cabinet

Order Code

Example:	**RC732F**
R	Reff Profiles
C	Cabinets
7	71 3/8″ high
3	30″ wide, 6=36″wide
2	20″ deep, 3=24″ deep
F	Hinge door cabinet with 4 file drawers
114	Case finish
006B	Front finish
M	Metal interior
T	Pull option
111	Pull finish
L	Lock option, file
L	Lock option, door
B	Lock finish
N	Left hand drill
N	Right hand drill

F = Hinge door cabinet with 4 File drawers
G = Hinge door cabinet with FF
P = Hinge door cabinet with BBF

Specification Information

To order please specify pattern number including:

1. *Case finish*
   Wood or Laminate
2. *Front finish*
   Wood or Laminate
3. *Interior Option*
   M=Metal
4. *Pull option*:
   B=No pull, No drilling
   Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
5. *Pull finish*=Painted or Plated
6. *Lock option*
   L=Lock hole drilled
   N=No lock drilling
7. *Lock finish*
   B=Black
   S=Matte Silver
8. *Left hand drill*:
   N=No drilling
   SO=Drilling 19h / 15d workwall
   S1=Drilling 19h / 20d workwall
   TO=Drilling 23h / 15d workwall
   T1=Drilling 23h / 20d workwall
9. *Right hand drill*:
   Same as above

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Application Notes

It is NOT advisable to mix 28 3/8″h desk height products with 26 1/2″h standard height products.

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Keying instructions must accompany all orders, refer to page 364 **.**
Cabinets do not come with locks included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for two lock core.

Cabinets, 26½″ planning
71″ high, metal interiors
Hinge doors and file drawers

description	w	d	h	pattern no.	metal interiors L	L/V1	L/V2	L/V3	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with BBF below and hinged doors above	16″	20″	71⅜″	**RC712P(L/R)-( )( )( )( )( )( )( )( )**	$2,686.	$3,227.	$3,443.	$3,662.	$3,956.	$4,373.	$5,677.
	16″	24″	71⅜″	**RC713P(L/R)-( )( )( )( )( )( )( )( )**	2,959.	3,558.	3,797.	4,036.	4,362.	4,824.	6,263.
	30″	20″	71⅜″	**RC732P-( )( )( )( )( )( )( )( )**	3,170.	3,808.	4,065.	4,321.	4,671.	5,165.	6,705.
	30″	24″	71⅜″	**RC733P-( )( )( )( )( )( )( )( )**	3,494.	4,202.	4,487.	4,770.	5,154.	5,697.	7,394.
	36″	20″	71⅜″	**RC762P-( )( )( )( )( )( )( )( )**	3,502.	4,208.	4,494.	4,777.	5,162.	5,703.	7,404.
	36″	24″	71⅜″	**RC763P-( )( )( )( )( )( )( )( )**	3,863.	4,642.	4,955.	5,267.	5,691.	6,292.	8,168.

Order Code

Example:	**RC712P**
R	Reff Profiles
C	Cabinets
7	71⅜″ high
1	15″ wide, 3=30″, 6=36″wide
2	20″ deep, 3=24″ deep
P	Hinge door cabinet with BBF
114	Case finish
006B	Front finish
M	Metal interior
T	Pull option
111	Pull finish
L	Lock option, file
L	Lock option, door
B	Lock finish
N	Left hand drill
N	Right hand drill

Specification Information

To order please specify pattern number including:

1. *Case finish*
   Wood or Laminate
2. *Front finish*
   Wood or Laminate
3. *Interior Option*
   M=Metal
4. *Pull option*:
   B=No pull, No drilling Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
5. *Pull finish*=Painted or Plated
6. *Lock option*
   L=Lock hole drilled
   N=No lock drilling
7. *Lock finish*
   B=Black
   S=Matte Silver
8. *Left hand drill*:
   N=No drilling
   SO=Drilling 19h / 15d workwall
   S1=Drilling 19h / 20d workwall
   TO=Drilling 23h / 15d workwall
   T1=Drilling 23h / 20d workwall
9. *Right hand drill*:
   Same as above

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Application Notes

It is NOT advisable to mix 28⅜″h desk height products with 26½″h standard height products.

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
Pencil trays are not included in cabinets with BBF configuration.
File drawers include file bars for front to back and side to side filing.
File drawers do not support bottom loading.

Keying instructions must accompany all orders, refer to page 364 **.**
Cabinets do not come with locks included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for two lock core.

Cabinets, 26 1/2″ planning
71″ high, metal interiors
Hinge doors and wardrobe

description	w	d	h	pattern no.	metal interiors L	L/V1	L/V2	L/V3	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with hinged doors and shelves 	16″	20″	71 3/8″	**RC712C(L/R)-( )( )( )( )( )( )( )**	$2,284.	$2,745.	$2,931.	$3,115.	$3,366.	$3,722.	$4,833.
	16″	24″	71 3/8″	**RC713C(L/R)-( )( )( )( )( )( )( )**	2,535.	3,047.	3,254.	3,459.	3,738.	4,132.	5,362.
	30″	20″	71 3/8″	**RC732C-( )( )( )( )( )( )( )**	2,980.	3,584.	3,828.	4,070.	4,399.	4,860.	6,311.
	30″	24″	71 3/8″	**RC733C-( )( )( )( )( )( )( )**	3,307.	3,975.	4,243.	4,512.	4,875.	5,391.	6,997.
	36″	20″	71 3/8″	**RC762C-( )( )( )( )( )( )( )**	3,295.	3,963.	4,233.	4,500.	4,863.	5,372.	6,973.
	36″	24″	71 3/8″	**RC763C-( )( )( )( )( )( )( )**	3,657.	4,395.	4,689.	4,986.	5,387.	5,957.	7,735.
	Requires one lock core per cabinet Shelves painted metal										
Cabinet with full height doors, half wardrobe, and half shelves 	30″	20″	71 3/8″	**RC732E(L/R)-( )( )( )( )( )( )( )**	3,507.	4,214.	4,498.	4,781.	5,166.	5,715.	7,417.
	30″	24″	71 3/8″	**RC733E(L/R)-( )( )( )( )( )( )( )**	3,920.	4,712.	5,029.	5,348.	5,778.	6,391.	8,294.
	36″	20″	71 3/8″	**RC762E(L/R)-( )( )( )( )( )( )( )**	3,842.	4,619.	4,931.	5,243.	5,665.	6,262.	8,125.
	36″	24″	71 3/8″	**RC763E(L/R)-( )( )( )( )( )( )( )**	4,290.	5,160.	5,508.	5,857.	6,332.	6,993.	9,078.
	Requires one lock core per cabinet Shelves painted metal. Coat rod included.										

Left hand shown
Flushed base shown

Order Code

Example:	**RC732E**
R	Reff Profiles
C	Cabinets
7	71.4″ high
3	30″ wide, 6=36″ wide
2	20″ deep, 3=24″ deep
E	Cabinet, 1/2 wardrobe, 1/2 shelves
114	Case finish
006B	Front finish
M	Metal interior
T	Pull option
111	Pull finish
L	Lock option
B	Lock finish
N	Left hand drill
N	Right hand drill

Specification Information

To order please specify pattern number including:

1. *Case finish*
   Wood or Laminate
2. *Front finish*
   Wood or Laminate
3. *Interior Option*
   M=Metal
4. *Pull option*:
   B=No pull, No drilling
   Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
5. *Pull finish*=Painted or Plated
6. *Lock option*
   L=Lock hole drilled
   N=No lock drilling
7. *Lock finish*
   B=Black
   S=Matte Silver
8. *Left hand drill*:
   N=No drilling
   SO=Drilling 19h / 15d workwall
   S1=Drilling 19h / 20d workwall
   TO=Drilling 23h / 15d workwall
   T1=Drilling 23h / 20d workwall
9. *Right hand drill*:
   Same as above

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Application Notes

It is NOT advisable to mix 28 3/8″h desk height products with 26 1/2″h standard height products.

*If case is Laminate, the front can be laminate or wood.
*If case is Wood, the front can only be wood.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Keying instructions must accompany all orders, refer to page 364 **.**
Cabinets do not come with locks included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking cabinet on this page counts for one lock core.

**Note:*
Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 324.

20″ deep Wardrobe Cabinets provide only 18″ of clear storage space.

Cabinets, 26 1/2″ planning
71″ high, wood interiors
Bookcase and hinge doors

description	w	d	h	pattern no.	wood interiors L	L/V1	L/V2	L/V3	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with open shelving	30″	20″	71 3/8″	**RC732B-( )( )( )( )**	$2,329.	n/a	n/a	n/a	$3,368.	$3,798.	$4,926.
	30″	24″	71 3/8″	**RC733B-( )( )( )( )**	2,564.	n/a	n/a	n/a	3,709.	4,179.	5,424.
	36″	20″	71 3/8″	**RC762B-( )( )( )( )**	2,617.	n/a	n/a	n/a	3,782.	4,262.	5,531.
	36″	24″	71 3/8″	**RC763B-( )( )( )( )**	2,849.	n/a	n/a	n/a	4,119.	4,643.	6,028.
	Open cabinets require no keying instructions										
Cabinet with hinged doors below and open shelf above.	30″	20″	71 3/8″	**RC732H-( )( )( )( )( )( )**	3,019.	3,630.	3,876.	4,120.	4,453.	4,925.	6,392.
	30″	24″	71 3/8″	**RC733H-( )( )( )( )( )( )**	3,320.	3,992.	4,262.	4,531.	4,898.	5,413.	7,030.
	36″	20″	71 3/8″	**RC762H-( )( )( )( )( )( )**	3,304.	3,971.	4,239.	4,505.	4,869.	5,384.	6,988.
	36″	24″	71 3/8″	**RC763H-( )( )( )( )( )( )**	3,604.	4,333.	4,626.	4,916.	5,313.	5,875.	7,627.
	Requires one lock core per cabinet										



Flushed base shown



Order Code

Example:	**RC732B ( )( )( )( )**
R	Reff Profiles
C	Cabinets
7	71 3/8″ high
3	30″ wide
2	20″ deep, 3 = 24″ deep
B	Open Bookcase
2	Finish Type: V2
W	Wood Interior
006B	Cabinet Finish: Maple
N	Left hand drilled
N	Right hand drilled

Specification Information

To order the Open Bookcase, please specify pattern number including:

1. *Finish type:*
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. *Interior options:*
   W = Wood
3. *Cabinet Finish:*
   Wood or Laminate
4. *Left hand drill:*
   N = No drilling
   SO = Drilling 19h / 15d workwall
   S1 = Drilling 19h / 20d workwall
   TO = Drilling 23h / 15d workwall
   T1 = Drilling 23h / 20d workwall
5. *Right hand drill:*
   Same as above

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

To order the Cabinet with Hnge Doors, specify pattern number including:

1. *Finish type:*
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. *Interior options:*
   W = Wood Interior
3. *Pull options:*
   B = No pull, No Drilling, Customer's own Pull
   C = C-Pull, (Nickel finish only)
   D = Metal D-pull (PZ or PT only)
   F = Bar Pull (1 pull per door set)
   H = Outline Pull
   J = J (Routed) Pull
   R = Cylinder Pull
   S = S Pull (Stainless Steel Finish only)
   T = Tab pull (1 pull per door set)
4. *Lock Option Doors:*
   L = Lock hole drilled
   N = No lock drilling
5. *Cabinet finish*:
   Wood or Laminate
6. *Pull finish:*
   Painted or Plated
7. *Left hand drill:*
8. *Right hand drill:*

Application Notes

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

After specifying product code, provide keying instructions. Refer to page 364 for keying instructions.

Product on this page **Excluding J-pull option and any vertical surface over 48**", will accept wood grain laminate, where laminate is currently an option.

Cabinets, 26 1/2″ planning
71″ high, wood interiors
Hinge doors and file drawers

description	w	d	pattern no.	wood interiors L	L/V1	L/V2	L/V3	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with four files and hinged doors above.	30″	20″	**RC732F-( )( )( )( )( )( )( )( )**	$3,722.	$4,473.	$4,775.	$5,076.	$5,485.	$6,064.	$7,871.
	30″	24″	**RC733F-( )( )( )( )( )( )( )( )**	4,119.	4,950.	5,282.	5,617.	6,068.	6,706.	8,706.
	36″	20″	**RC762F-( )( )( )( )( )( )( )( )**	4,095.	4,924.	5,256.	5,589.	6,040.	6,690.	8,684.
	36″	24″	**RC763F-( )( )( )( )( )( )( )( )**	4,525.	5,441.	5,808.	6,176.	6,675.	7,381.	9,583.

Requires two lock cores per cabinet
interior height clearance top drawer 10″, all others 10 3/4″



Flushed base shown

Cabinet with two files and hinged doors above	16″	20″	**RC712G(L/R)-( )( )( )( )( )( )( )( )**	2,749.	3,305.	3,528.	3,751.	4,053.	4,479.	5,813.
	16″	24″	**RC713G(L/R)-( )( )( )( )( )( )( )( )**	3,031.	3,644.	3,890.	4,135.	4,468.	4,937.	6,409.
	30″	20″	**RC732G-( )( )( )( )( )( )( )( )**	3,448.	4,143.	4,422.	4,700.	5,077.	5,614.	7,289.
	30″	24″	**RC733G-( )( )( )( )( )( )( )( )**	3,771.	4,535.	4,840.	5,147.	5,563.	6,146.	7,979.
	36″	20″	**RC762G-( )( )( )( )( )( )( )( )**	3,729.	4,482.	4,785.	5,088.	5,498.	6,076.	7,888.
	36″	24″	**RC763G-( )( )( )( )( )( )( )( )**	4,059.	4,879.	5,208.	5,536.	5,983.	6,612.	8,582.

Requires two lock cores per cabinet



Flushed base shown

Cabinet with BBF below and hinged doors above	16″	20″	**RC712P(L/R)-( )( )( )( )( )( )( )( )**	2,846.	3,422.	3,651.	3,882.	4,194.	4,638.	6,023.
	16″	24″	**RC713P(L/R)-( )( )( )( )( )( )( )( )**	3,124.	3,755.	4,008.	4,261.	4,605.	5,089.	6,608.
	30″	20″	**RC732P-( )( )( )( )( )( )( )( )**	3,334.	4,008.	4,280.	4,549.	4,915.	5,432.	7,051.
	30″	24″	**RC733P-( )( )( )( )( )( )( )( )**	3,659.	4,398.	4,696.	4,992.	5,394.	5,958.	7,737.
	36″	20″	**RC762P-( )( )( )( )( )( )( )( )**	3,663.	4,404.	4,701.	4,998.	5,402.	5,971.	7,750.
	36″	24″	**RC763P-( )( )( )( )( )( )( )( )**	4,026.	4,838.	5,164.	5,489.	5,932.	6,558.	8,514.

Requires two lock cores per cabinet



Order Code

Example: **RC732F ( )( )( )( )( )( )( )( )**

R	Reff Profiles
C	Cabinets
7	71 3/8″ high
3	30″ wide
2	20″ deep
F	Hinge Door with 4 file drawers
L	Finish Type: Laminate
W	Wood Interior
T	Tab Pull option
L	Lock option, files
N	Lock option, doors
118	Cabinet Finish
111	Pull Finish
N	Left hand drill
N	Right hand drill

Specification Information

To order, please specify pattern number including:

1. *Hinge Location where applicable:*
   L = Left hand
   R = Right hand
2. *Finish type:*
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior options:*
   W = Wood Interior
4. *Pull options:*
   B = No pull, No Drilling, Customer's own Pull
   C = C-Pull, (Nickel finish only)
   D = Metal D-pull (PZ or PT only)
   F = Bar Pull (1 pull per door set)
   H = Outline Pull
   J = J (Routed) Pull
   R = Cylinder Pull
   S = S Pull (Stainless Steel Finish only)
   T = Tab pull (1 pull per door set)
5. *Lock Option Files:*
   L = Lock hole drilled
   Drawers are always drilled for locks
6. *Lock Options Doors:*
   L = Lock hole drilled
   N = No lock drilling
7. *Cabinet finish*:
   Wood or Laminate
8. *Pull finish:*
   Painted or Plated
9. *Left hand drill:*
   N = No drilling
   SO = Drilling 19h / 15d workwall
   S1 = Drilling 19h / 20d workwall
   TO = Drilling 23h / 15d workwall
   T1 = Drilling 23h / 20d workwall
10. *Right hand drill:*
    Same as above

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Application Notes

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. After specifying product code, provide keying instructions. Refer to page 364 for keying instructions.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

F = Hinge door cabinet with 4 file drawers
G = Hinge door cabinet with FF
P = Hinge door cabinet with BBF

Pencil trays are not included in cabinets with BBF configuration.

Cabinets, 26 1/2″ planning
71″ high, wood interiors
Hinge doors and wardrobe

description	w	d	pattern no.	wood interiors L	L/V1	L/V2	L/V3	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with hinged doors and shelves	16″	20″	**RC712C(L/R)-( )( )( )( )( )( )( )**	$2,449.	$2,942.	$3,143.	$3,338.	$3,606.	$3,985.	$5,176.
	16″	24″	**RC713C(L/R)-( )( )( )( )( )( )( )**	2,698.	3,244.	3,464.	3,683.	3,979.	4,395.	5,705.
	30″	20″	**RC732C-( )( )( )( )( )( )( )**	3,145.	3,780.	4,034.	4,289.	4,635.	5,120.	6,648.
	30″	24″	**RC733C-( )( )( )( )( )( )( )**	3,471.	4,172.	4,455.	4,737.	5,118.	5,659.	7,343.
	36″	20″	**RC762C-( )( )( )( )( )( )( )**	3,458.	4,157.	4,437.	4,720.	5,099.	5,637.	7,316.
	36″	24″	**RC763C-( )( )( )( )( )( )( )**	3,821.	4,593.	4,903.	5,211.	5,631.	6,222.	8,079.
	Requires one lock core per cabinet									
Cabinet with full height doors, half wardrobe, and half shelves	30″	20″	**RC732E(L/R)-( )( )( )( )( )( )( )**	3,666.	4,409.	4,705.	5,003.	5,407.	5,977.	7,758.
	30″	24″	**RC733E(L/R)-( )( )( )( )( )( )( )**	4,081.	4,908.	5,237.	5,570.	6,019.	6,654.	8,636.
	36″	20″	**RC762E(L/R)-( )( )( )( )( )( )( )**	4,005.	4,815.	5,139.	5,463.	5,905.	6,528.	8,474.
	36″	24″	**RC763E(L/R)-( )( )( )( )( )( )( )**	4,456.	5,356.	5,717.	6,078.	6,568.	7,261.	9,424.
	Requires one lock core per cabinet. Coat rod included.									
Left hand shown *Flushed base shown*										
Wardrobe cabinet	16″	20″	**RC712D(L/R)-( )( )( )**	2,056.	2,473.	2,640.	2,807.	3,035.	3,354.	4,352.
	16″	24″	**RC713D(L/R)-( )( )( )**	2,264.	2,722.	2,906.	3,089.	3,338.	3,688.	4,786.
	30″	20″	**RC732D-( )( )( )**	2,590.	3,115.	3,325.	3,535.	3,820.	4,218.	5,477.
	30″	24″	**RC733D-( )( )( )**	2,846.	3,422.	3,651.	3,882.	4,194.	4,638.	6,023.
	36″	20″	**RC762D-( )( )( )**	2,847.	3,424.	3,655.	3,885.	4,199.	4,642.	6,027.
	36″	24″	**RC763D-( )( )( )**	3,131.	3,763.	4,018.	4,271.	4,614.	5,102.	6,622.
	Requires one lock core per cabinet. Coat rod included.									
Wood interior only *Flushed base shown*										

Order Code

Example:	**RC712C(L/R) ( )( )( )( )( )( )( )**
R	Reff Profiles
C	Cabinets
7	71 3/8″ high
1	15″ wide
2	20″ deep
C	Hinge Door Cab. w/ adjustable shelves
L	Finish Type: Laminate
W	Wood Interior
D	Pull option; D
N	Lock option; No
118	Cabinet Finish
PZ	Pull finish
N	Left hand drill
N	Right hand drill

Specification Information

To order, please specify pattern number including:

1. *Hinge Location where applicable:*
   L = Left hand
   R = Right hand
2. *Finish type:*
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior options:*
   W = Wood Interior
4. *Pull options:*
   B = No pull, No Drilling, Customer's own Pull
   C = C-Pull, (Nickel finish only)
   D = Metal D-pull (PZ or PT only)
   F = Bar Pull (1 pull per door set)
   H = Outline Pull
   J = J (Routed) Pull
   R = Cylinder Pull
   S = S Pull (Stainless Steel Finish only)
   T = Tab pull (1 pull per door set)
5. *Lock Options Doors:*
   L = Lock hole drilled
   N = No lock drilling
6. *Cabinet finish*:
   Wood or Laminate
7. *Pull finish:*
   Painted or Plated
8. *Left hand drill:*
   N = No drilling
   SO = Drilling 19h / 15d workwall
   S1 = Drilling 19h / 20d workwall
   TO = Drilling 23h / 15d workwall
   T1 = Drilling 23h / 20d workwall
9. *Right hand drill:*
   Same as above

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Application Notes

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

**Note:*
Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 324.

20″ deep Wardrobe Cabinets provide only 18″ of clear storage space.

C = Hinge door cabinet with full height doors and 3 adjustable shelves.
E = Hinge door cabinet with full height doors, half wardrobe and half shelves.
D = Hinge door cabinet with full height wardrobe. Available only with wood interior.

Product on this page **Excluding J-pull option and any vertical surface over 48**", will accept wood grain laminate, where laminate is currently an option.

Cabinets, 26 1/2″ planning
71″ high, wood interiors
Audio Visual Cabinet

description	w	d	h	pattern no.	wood interiors L	L/V1	L/V2	L/V3	wood interiors V1	wood interiors V2	wood interiors V3
Audio visual cabinet with two sets of hinged doors, two pull out shelves and ventilation	30″	20″	71 3/8″	**RC732I-( )( )( )( )( )( )( )**	$3,977.	$4,780.	$5,102.	$5,425.	$5,863.	$6,478.	$8,410.
	30″	24″	71 3/8″	**RC733I-( )( )( )( )( )( )( )**	4,388.	5,276.	5,633.	5,988.	6,472.	7,155.	9,288.
	36″	20″	71 3/8″	**RC762I-( )( )( )( )( )( )( )**	4,314.	5,186.	5,537.	5,891.	6,363.	7,032.	9,130.
	36″	24″	71 3/8″	**RC763I-( )( )( )( )( )( )( )**	4,763.	5,727.	6,114.	6,501.	7,025.	7,765.	10,079.



Requires two lock cores per cabinet
Hinge opening 110°
Wood interior only

Order Code

Example:	**RC732I ( )( )( )( )( )( )( )**
R	Reff Profiles
C	Cabinets
7	71 3/8″ high
3	30″ wide
2	20″ deep
I	Audio Visual Cabinet
2	Finish Type: V2
W	Wood Interior
D	Pull option; D
N	Lock option; No
006B	Cabinet finish
PZ	Pull finish
N	Left hand drill
N	Righ hand drill

Specification Information

To order, please specify pattern number including:

1. *Finish type:*
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. *Interior option:*
   W = Wood Interior
3. *Pull options:*
   B = No Pull, No Drilling, Customer's own Pull
   C = C-Pull, (Nickel finish only)
   D = D-pull (PZ or PT only)
   F = Bar Pull (1 pull per door set)
   H = Outline Pull
   J = J (Routed) Pull
   R = Cylinder Pull
   S = S Pull (Stainless Steel Finish only)
   T = Tab Pull (1 pull per door set)
4. *Lock Option Doors:*
   L = Lock hole drilled
   N = No lock drilling
5. *Cabinet Finish:*
   Wood or Laminate
6. *Pull Finish:*
   Painted or Plated

Product on this page **Excluding J-pull option and any vertical surface over 48**", will accept wood grain laminate, where laminate is currently an option.

Application Notes

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

* Audio Visual cabinets require two lock cores per cabinet.

Cabinets, 26 1/2″ planning
49″, 64″ and 72″ high metal interior Freestanding Multifunction Cabinets

description	type	w	d	pattern no.	metal interiors L	L/V1	L/V2	L/V3	metal interiors V1	metal interiors V2	metal interiors V3
Freestanding multifunctional cabinet, 49″h	File/File	24″	24″	**RC423M(L/R)**	$3,162.	$3,909.	$4,218.	$4,528.	$4,936.	$5,496.	$6,345.
	Box/Box/File	24″	24″	**RC423N(L/R)**	3,383.	4,150.	4,465.	4,780.	5,197.	5,780.	6,669.
Freestanding multifunctional cabinet, 64″h	File/File	24″	24″	**RC623M(L/R)**	3,405.	4,230.	4,573.	4,917.	5,366.	6,120.	7,061.
	Box/Box/File	24″	24″	**RC623N(L/R)**	3,631.	4,472.	4,820.	5,169.	5,628.	6,368.	7,347.
Freestanding multifunctional cabinet, 72″h	File/File	24″	24″	**RC723M(L/R)**	3,578.	4,445.	4,806.	5,167.	5,639.	6,473.	7,470.
	Box/Box/File	24″	24″	**RC723N(L/R)**	3,802.	4,686.	5,052.	5,418.	5,902.	6,730.	7,764.

Order Code

Example:	**RC423M**
R	Reff Profiles
C	Cabinets
4	49″ high
2	24″ wide
3	24″ deep
F	Hinge door cabinet with 4 file drawers
114	Case finish
006B	Front finish
M	Metal interior
T	Pull option
111	Pull finish
L	Lock option, file
L	Lock option, door
B	Lock finish

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Specification Information

To order please specify pattern number including:

1. *Case finish*
   Wood or Laminate
2. *Front finish*
   Wood or Laminate
3. *Interior Option*
   M=Metal
4. *Pull option*:
   B=No pull, No drilling
   Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
5. *Pull finish*=Painted or Plated
6. *Lock option file*
   L=Lock hole drilled
   N=No lock drilling
7. *Lock option door*
   L=Lock hole drilled
   N=No lock drilling
8. *Lock finish*
   B=Black
   S=Matte Silver

Application Notes

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Refer to page 364 for keying instructions.

Drawers are always drilled for locks.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Wardrobe cabinets do not come equipped with boot tray.

Coat rod is included.

Product o
J-pull op
surface c
grain lam
currently

Multifunc
interiors,
Drawer in

Cabinets, 26 1/2″ planning
49″, 64″ and 72″ high wood interior
Freestanding Multifunction Cabinet

description	type	w	d	pattern no.	wood interiors L	L/V1	L/V2	MIX V3	wood interiors V1	wood interiors V2	wood interiors V3
Freestanding multifunctional cabinet, 49″h	File/File	24″	24″	**RC423M(L/R)**	$3,638.	$4,418.	$4,733.	$5,050.	$5,474.	$6,015.	$6,941.
	Box/Box/File	24″	24″	**RC423N(L/R)**	4,080.	4,892.	5,216.	5,541.	5,982.	6,533.	7,538.
Freestanding multifunctional cabinet, 64″h	File/File	24″	24″	**RC623M(L/R)**	3,883.	4,739.	5,089.	5,439.	5,905.	6,638.	7,658.
	Box/Box/File	24″	24″	**RC623N(L/R)**	4,325.	5,212.	5,570.	5,927.	6,411.	7,120.	8,214.
Freestanding multifunctional cabinet, 72″h	File/File	24″	24″	**RC723M(L/R)**	4,056.	4,954.	5,320.	5,687.	6,176.	6,989.	8,064.
	Box/Box/File	24″	24″	**RC723N(L/R)**	4,498.	5,428.	5,802.	6,176.	6,683.	7,483.	8,631.

Order Code

Example:	**RC423M**
R	Reff Profiles
C	Cabinets
4	49″ high
2	24″ wide
3	24″ deep
F	Hinge door cabinet with 4 file drawers
114	Case finish
006B	Front finish
W	Wood interior
T	Pull option
111	Pull finish
L	Lock option, file
L	Lock option, door
B	Lock finish

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Specification Information

To order please specify pattern number including:

1. *Case finish*
   Wood or Laminate
2. *Front finish*
   Wood or Laminate
3. *Interior Option*
   W=Wood
4. *Pull option*:
   B=No pull, No drilling
   Customer's own pull.
   C=C-pull (available in Nickel finish only)
   D=metal D-pull
   F=Bar pull (1 pull per door set)
   H=Outline pull
   J=routed J-pull (finish matches case)
   N=No pull, touch latch
   R=Cylinder pull
   S=S-pull (stainless steel finish only)
   T=Tab pull (1 pull per door set)
5. *Pull finish*=Painted or Plated
6. *Lock option file*
   L=Lock hole drilled
   N=No lock drilling
7. *Lock option door*
   L=Lock hole drilled
   N=No lock drilling
8. *Lock finish*
   B=Black
   S=Matte Silver

Application Notes

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Refer to page 364 for keying instructions.

Drawers are always drilled for locks.

Pencil trays are not included in cabinets with BBF configuration.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 324.

Coat rod is included .

Overhead, 26 1/2 planning
Wall hung, Single high

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet (open) with back	30″	15″	19″			**R2OMO30S0( )-( )( )**	$1,989.	$2,143.	$2,413.	$3,258.
	36″	15″	19″			**R2OMO36S0( )-( )( )**	2,042.	2,198.	2,476.	3,343.
	42″	15″	19″			**R2OMO42S0( )-( )( )**	2,094.	2,254.	2,540.	3,430.
	48″	15″	19″			**R2OMO48S0( )-( )( )**	2,152.	2,310.	2,611.	3,523.
	60″	15″	19″			**R2OMO60S0( )-( )( )**	2,375.	2,552.	2,881.	3,887.
	72″	15″	19″			**R2OMO72S0( )-( )( )**	2,507.	2,703.	3,044.	4,108.
Wall-hung overhead cabinet (hinged door) with back	30″	15″	19″	1	2	**R2OMH30S0( )-( )( )**	2,893.	3,111.	3,505.	4,731.
	36″	15″	19″	1	2	**R2OMH36S0( )-( )( )**	3,080.	3,315.	3,737.	5,045.
	60″	15″	19″	2	4	**R2OMH60S0( )-( )( )**	3,888.	4,186.	4,718.	6,369.
	72″	15″	19″	2	4	**R2OMH72S0( )-( )( )**	4,369.	4,703.	5,302.	7,156.
	78″	15″	19″	2	4	**R2OMH78S0( )-( )( )**	4,631.	4,985.	5,620.	7,585.
	84″	15″	19″	3	6	**R2OMH84S0( )-( )( )**	4,908.	5,285.	5,957.	8,041.
	90″	15″	19″	3	6	**R2OMH90S0( )-( )( )**	5,203.	5,601.	6,314.	8,523.
	96″	15″	19″	3	6	**R2OMH96S0( )-( )( )**	5,515.	5,937.	6,693.	9,034.
Wall-hung overhead cabinet flip door) with back	30″	15″	19″	1	1	**R2OMF30S0( )-( )( )**	2,119.	2,280.	2,570.	3,470.
	36″	15″	19″	1	1	**R2OMF36S0( )-( )( )**	2,257.	2,428.	2,738.	3,697.
	42″	15″	19″	1	1	**R2OMF42S0( )-( )( )**	2,389.	2,574.	2,903.	3,918.
	48″	15″	19″	1	1	**R2OMF48S0( )-( )( )**	2,530.	2,720.	3,066.	4,140.
	60″	15″	19″	2	2	**R2OMF60S0( )-( )( )**	2,788.	3,001.	3,381.	4,567.
	72″	15″	19″	2	2	**R2OMF72S0( )-( )( )**	2,951.	3,173.	3,578.	4,832.

Note: Overheads with flip doors come with J-pull options only.

Order Code

Example:	**R2OMO30S0**
R2	Reff Generation 2
O	Overhead
M	Wall hung
O	Open
30	30″ wide
S	Standard height, 19″h
0	15″ deep

Dimensions are nominal.

Specification Information

To order please specify pattern number including:

1. Configuration option *(embedded in pattern no.)*
   H = Hinged door
   O = Open
   F = Flip door
2. Storage option *(embedded in pattern no.)*
   S0 = 19″h x 14″d open/15″d hinged door
   T0 = 23″h x 14″d open/15″d hinged door
3. Finish type
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
4. Pull option applicable hinged doors only
   D = Metal D-pull for hinged door only
   J = Routed pull
   C = Nickel finish C-pull for hinged door only (nickel finish only)
   S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)
5. Lock option
   L = Lock hole drilled
   N = No lockdrilling
6. Lock Finish
7. Finish, case
8. Pull Finish
9. Keying instructions

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option.

Overheads with flip doors, come with J-pull option only.

Woodgrain Laminate is not available on any flip door units.

Application Notes

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

Hardware included for overhead cabinets.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
A certified building contractor should be consulted.
Please refer to wall mounting information on page 345.

***Keying instructions must accompany all cabinet orders.**

Random keys are factory installed.

Order overheads with a KnollKey order form.

Overhead, 26 1/2 planning
Panel hung, Single high

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead cabinet (open) no back	30″	14″	19″			**R2OPO30S0( )-( )( )**	$1,427.	$1,532.	$1,727.	$2,334.
	36″	14″	19″			**R2OPO36S0( )-( )( )**	1,747.	1,877.	2,117.	2,859.
	42″	14″	19″			**R2OPO42S0( )-( )( )**	1,919.	2,066.	2,329.	3,144.
	48″	14″	19″			**R2OPO48S0( )-( )( )**	1,989.	2,138.	2,411.	3,256.
	60″	14″	19″			**R2OPO60S0( )-( )( )**	2,032.	2,188.	2,468.	3,334.
	72″	14″	19″			**R2OPO72S0( )-( )( )**	2,492.	2,678.	3,020.	4,077.
	90″	14″	19″			**R2OPO90S0( )-( )( )**	2,742.	2,948.	3,322.	4,486.
	96″	14″	19″			**R2OPO96S0( )-( )( )**	2,842.	3,057.	3,443.	4,651.
	60″	14″	23″			**R2OPO60T0( )-( )( )**	2,173.	2,338.	2,634.	3,556.
	72″	14″	23″			**R2OPO72T0( )-( )( )**	2,961.	3,190.	3,594.	4,853.
	90″	14″	23″			**R2OPO90T0( )-( )( )**	3,361.	3,613.	4,075.	5,503.
	96″	14″	23″			**R2OPO96T0( )-( )( )**	3,484.	3,749.	4,225.	5,705.
Panel-hung overhead cabinet (hinged door) no back	30″	14″	19″	1	2	**R2OPH30S0( )-( )( )**	1,585.	1,701.	1,917.	2,586.
	36″	14″	19″	1	2	**R2OPH36S0( )-( )( )**	1,935.	2,084.	2,352.	3,175.
	60″	14″	19″	2	4	**R2OPH60S0( )-( )( )**	2,259.	2,429.	2,739.	3,700.
	72″	14″	19″	2	4	**R2OPH72S0( )-( )( )**	2,767.	2,979.	3,358.	4,536.
	90″	14″	19″	3	6	**R2OPH90S0( )-( )( )**	3,048.	3,275.	3,692.	4,984.
	96″	14″	19″	3	6	**R2OPH96S0( )-( )( )**	3,155.	3,392.	3,829.	5,168.
	60″	14″	23″	2	4	**R2OPH60T0( )-( )( )**	2,418.	2,599.	2,931.	3,960.
	72″	14″	23″	2	4	**R2OPH72T0( )-( )( )**	3,291.	3,541.	3,991.	5,388.
	90″	14″	23″	3	6	**R2OPH90T0( )-( )( )**	3,732.	4,017.	4,522.	6,106.
	96″	14″	23″	3	6	**R2OPH96T0( )-( )( )**	3,873.	4,163.	4,692.	6,336.





Order Code

Example:	**R2OPH60S0DLL**
R2	Reff Generation 2
O	Overhead
P	Panel hung
H	Hinge door
60	60″ wide
S	Standard height, 19″h
0	15″ deep
D	D-pull
L	Lock hole drilled
L	Laminate finish

Dimensions are nominal.

Specification Information

To order please specify pattern number including:

1. Configuration option *(embedded in pattern no.)*
   H = Hinged door
   O = Open
   F = Flip door
2. Storage option *(embedded in pattern no.)*
   S0 = 19″h x 14″d open/15″d hinged door
   T0 = 23″h x 14″d open/15″d hinged door
3. Finish type
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
4. Pull option
   D = Metal D-pull for hinged door only
   J = Routed pull
   C = Nickel finish C-pull for hinged door only (nickel finish only)
   S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)
5. Lock option
   L = Lock hole drilled
   N = No lockdrilling
6. Finish, case

Woodgrain Laminate is not available on any flip door units.

Overheads with flip doors, come with J-pull option only.

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option.

Panel hung overheads come with no backs.

Application Notes

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

Hardware included for overhead cabinets.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
A certified building contractor should be consulted.
Please refer to wall mounting information on page 345.

***Keying instructions must accompany all cabinet orders.**

Refer to page 364 for keying instructions.

Random keys are factory installed.

Order overheads with a KnollKey order form.

Overhead, 26 1/2 planning
Panel hung, Single high

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead flip door cabinet (no back) 	30″	14″	18″	1	1	**R2OPF30S0J-( )( )**	$1,191.	$1,626.	$1,832.	$2,473.
	36″	14″	18″	1	1	**R2OPF36S0J-( )( )**	1,210.	1,654.	1,869.	2,520.
	42″	14″	18″	1	1	**R2OPF42S0J-( )( )**	1,295.	1,775.	2,002.	2,703.
	48″	14″	18″	1	1	**R2OPF48S0J-( )( )**	1,343.	1,845.	2,078.	2,807.
	60″	14″	18″	2	2	**R2OPF60S0J-( )( )**	1,560.	2,134.	2,407.	3,250.
	72″	14″	18″	2	2	**R2OPF72S0J-( )( )**	1,844.	2,525.	2,844.	3,837.
	84″	14″	18″	2	2	**R2OPF84S0J-( )( )**	2,060.	2,819.	3,178.	4,292.
	96″	14″	18″	2	2	**R2OPF96S0J-( )( )**	2,197.	3,009.	3,395.	4,580.

Note: Overheads with flip doors come with J-pull options only.

Panel-hung shelves 	30″	13″	9″			**R2OPS30S0NN-( )**	318.	685.	773.	1,042.
	36″	13″	9″			**R2OPS36S0NN-( )**	345.	712.	803.	1,083.
	42″	13″	9″			**R2OPS42S0NN-( )**	374.	736.	832.	1,123.
	48″	13″	9″			**R2OPS48S0NN-( )**	398.	762.	857.	1,156.
	54″	13″	9″			**R2OPS54S0NN-( )**	426.	819.	921.	1,244.
	60″	13″	9″			**R2OPS60S0NN-( )**	456.	880.	992.	1,340.
	66″	13″	9″			**R2OPS66S0NN-( )**	482.	936.	1,057.	1,425.
	72″	13″	9″			**R2OPS72S0NN-( )**	509.	998.	1,122.	1,513.
	78″	13″	9″			**R2OPS78S0NN-( )**	537.	1,081.	1,217.	1,642.
	84″	13″	9″			**R2OPS84S0NN-( )**	563.	1,164.	1,314.	1,771.
	90″	13″	9″			**R2OPS90S0NN-( )**	591.	1,246.	1,406.	1,898.
	96″	13″	9″			**R2OPS96S0NN-( )**	599.	1,312.	1,482.	2,001.

Order Code

Example:	**R2OPH60S0DLL**
R2	Reff Generation 2
O	Overhead
P	Panel hung
H	Hinge door
60	60″ wide
S	Standard height, 19″h
0	15″ deep
D	D-pull
L	Lock hole drilled
L	Laminate finish

Dimensions are nominal.

Specification Information

To order please specify pattern number including:

1. Configuration option *(embedded in pattern no.)*
   H = Hinged door
   O = Open
   F = Flip door
2. Storage option *(embedded in pattern no.)*
   S0 = 19″h x 14″d open/15″d hinged door
   T0 = 23″h x 14″d open/15″d hinged door
3. Finish type
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
4. Pull option
   D = Metal D-pull for hinged door only
   J = Routed pull
   C = Nickel finish C-pull for hinged door only (nickel finish only)
   S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)
5. Lock option
   L = Lock hole drilled
   N = No lockdrilling
6. Finish, case

Woodgrain Laminate is not available on any flip door units.

Overheads with flip doors, come with J-pull option only.

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option.

Panel hung overheads come with no backs.

Application Notes

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

Hardware included for overhead cabinets.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
A certified building contractor should be consulted.
Please refer to wall mounting information on page 345.

***Keying instructions must accompany all cabinet orders.**

Refer to page 364 for keying instructions.

Random keys are factory installed.

Order overheads with a KnollKey order form.

Overhead, 26 1/2 planning
Workwalls

description	w	d	h	dr	y	pattern no.	L	V1	V2	V3
72″h workwall overhead cabinet (open) 	60″	15″	19″	4	1.8	**ROWO60S0( )-( )( )( )**	$2,270.	$2,466.	$2,835.	$3,828.
	60″	15″	23″	4	1.8	**ROWO60T0( )-( )( )( )**	2,465.	2,678.	3,079.	4,156.
	60″	20″	19″	4	1.8	**ROWO60S1( )-( )( )( )**	2,441.	2,652.	3,047.	4,111.
	60″	20″	23″	4	1.8	**ROWO60T1( )-( )( )( )**	2,637.	2,862.	3,288.	4,435.
	72″	15″	19″		2.1	**ROWO72S0( )-( )( )( )**	2,918.	3,171.	3,636.	4,906.
	72″	15″	23″		2.1	**ROWO72T0( )-( )( )( )**	3,313.	3,596.	4,117.	5,558.
	72″	20″	19″		2.1	**ROWO72S1( )-( )( )( )**	3,134.	3,401.	3,897.	5,259.
	72″	20″	23″		2.1	**ROWO72T1( )-( )( )( )**	3,652.	3,960.	4,527.	6,110.
	90″	15″	19″		2.6	**ROWO90S0( )-( )( )( )**	3,216.	3,500.	4,037.	5,448.
	90″	15″	23″		2.6	**ROWO90T0( )-( )( )( )**	3,717.	4,041.	4,641.	6,266.
	90″	20″	19″		2.6	**ROWO90S1( )-( )( )( )**	3,572.	3,886.	4,473.	6,038.
	90″	20″	23″		2.6	**ROWO90T1( )-( )( )( )**	3,948.	4,293.	4,928.	6,652.
	96″	15″	19″		2.8	**ROWO96S0( )-( )( )( )**	3,293.	3,591.	4,145.	5,595.
	96″	15″	23″		2.8	**ROWO96T0( )-( )( )( )**	3,793.	4,129.	4,751.	6,416.
	96″	20″	19″		2.8	**ROWO96S1( )-( )( )( )**	3,655.	3,978.	4,582.	6,189.
	96″	20″	23″		2.8	**ROWO96T1( )-( )( )( )**	4,031.	4,380.	5,034.	6,796.
72″h workwall overhead cabinet (hinged door) 	60″	15″	19″	4	1.8	**ROWH60S0( )-( )( )( )**	2,929.	3,177.	3,637.	4,909.
	60″	15″	23″	4	1.8	**ROWH60T0( )-( )( )( )**	3,176.	3,443.	3,940.	5,317.
	60″	20″	19″	4	1.8	**ROWH60S1( )-( )( )( )**	3,145.	3,409.	3,900.	5,266.
	60″	20″	23″	4	1.8	**ROWH60T1( )-( )( )( )**	3,394.	3,675.	4,198.	5,669.
	72″	15″	19″	4	2.1	**ROWH72S0( )-( )( )( )**	3,753.	4,066.	4,649.	6,275.
	72″	15″	23″	4	2.1	**ROWH72T0( )-( )( )( )**	4,250.	4,601.	5,247.	7,085.
	72″	20″	19″	4	2.1	**ROWH72S1( )-( )( )( )**	4,023.	4,356.	4,972.	6,712.
	72″	20″	23″	4	2.1	**ROWH72T1( )-( )( )( )**	4,672.	5,055.	5,759.	7,778.
	90″	15″	19″	6	2.6	**ROWH90S0( )-( )( )( )**	4,167.	4,529.	5,196.	7,012.
	90″	15″	23″	6	2.6	**ROWH90T0( )-( )( )( )**	4,795.	5,200.	5,954.	8,036.
	90″	20″	19″	6	2.6	**ROWH90S1( )-( )( )( )**	4,618.	5,012.	5,739.	7,747.
	90″	20″	23″	6	2.6	**ROWH90T1( )-( )( )( )**	5,090.	5,516.	6,308.	8,517.
	96″	15″	19″	6	2.8	**ROWH96S0( )-( )( )( )**	4,283.	4,653.	5,349.	7,218.
	96″	15″	23″	6	2.8	**ROWH96T0( )-( )( )( )**	4,909.	5,328.	6,105.	8,242.
	96″	20″	19″	6	2.8	**ROWH96S1( )-( )( )( )**	4,734.	5,136.	5,891.	7,954.
	96″	20″	23″	6	2.8	**ROWH96T1( )-( )( )( )**	5,201.	5,641.	6,458.	8,719.

60″w and 72″w units have four hinged doors, two lock cores required.
90″w and 96″w have six hinged doors, three lock cores required.

Order Code

Example:	**ROWO60S0L**
R	Reff Profiles
O	Overhead
W	Workwall
O	Open
60	60″ wide
S	Standard height
0	15″ deep
L	Laminate finish
(W250)	Fabric finish Regency

Y = Yardage required

Specification Information

To order please specify pattern number including:

1. Configuration option
2. Storage option *(embedded in pattern no.)*
   S0 = 19″h x 15″d
   S1 = 19″h x 20″d
   T0 = 23″h x 15″d
   T1 = 23″h x 20″d
3. Finish type
4. Pull option for hinged door only.
5. Lock option
6. Finish
7. Pull finish when applicable
8. Fabric for tackboard

***After specifying product code, provide keying instructions.** *1. Configuration options:*
O = Open
H = Hinged door

3. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

4. Pull Options:
D = Metal D-pull for hinged door only
J = Routed pull
C = Nickel C-pull for hinged door only (nickel finish only)
S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. Lock options:
L = Lockhole drilled
N = No lock drilling

Keying instructions *
See Planning Guide for keying examples.

Application Notes

Shipped knocked-down.

Open cabinets require no locks.

Tasklights not included.

Tackboard included, fabric railroaded.

Locks are not factory installed.

If attaching workwall to 72″ high cabinets for support, please provide drawing of layout.

Product on this page excluding J-pull and any vertical surface over 48″, option and any vertical surface over 48″, will accept woodgrain laminate where laminate is currently an option.

Overhead, 26 1/2 planning
Shoulders

description	w	d	h	pattern no.	L	V1	V2	V3
Workwall support endpanels for 72″H x 20″D workwall cabinets	–	15″	19″	**RWEA7220(L/R)-( )**	$423.	$453.	$510.	$689.
	–	15″	23″	**RWEB7220(L/R)-( )**	423.	453.	510.	689.
	–	20″	19″	**RWEC7220(L/R)-( )**	423.	453.	510.	689.
	–	20″	23″	**RWED7220(L/R)-( )**	423.	453.	510.	689.
Workwall support endpanels for 72″H x 24″D workwall cabinets	–	15″	19″	**RWEA7224(L/R)-( )**	460.	496.	558.	754.
	–	15″	23″	**RWEB7224(L/R)-( )**	460.	496.	558.	754.
	–	20″	19″	**RWEC7224(L/R)-( )**	460.	496.	558.	754.
	–	20″	23″	**RWED7224(L/R)-( )**	460.	496.	558.	754.

Order Code

Example:	**ROWO60S0L**
R	Reff Profiles
O	Overhead
W	Workwall
O	Open
60	60″ wide
S	Standard height
0	15″ deep
L	Laminate finish
(W250)	Fabric finish Regency

Specification Information

To order please specify pattern number including:

1. Configuration option
2. Storage option *(embedded in pattern no.)*
   S0 = 19″h x 15″d
   S1 = 19″h x 20″d
   T0 = 23″h x 15″d
   T1 = 23″h x 20″d
3. Finish type
4. Pull option for hinged door only.
5. Lock option
6. Finish
7. Pull finish when applicable
8. Fabric for tackboard

***After specifying product code, provide keying instructions.** *1. Configuration options:*
O = Open
H = Hinged door

3. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

4. Pull Options:
D = Metal D-pull for hinged door only
J = Routed pull
C = Nickel C-pull for hinged door only (nickel finish only)
S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. Lock options:
L = Lockhole drilled
N = No lock drilling

Keying instructions *
See Planning Guide for keying examples.

Application Notes

Shipped knocked-down.

Open cabinets require no locks.

Tasklights not included.

Tackboard included, fabric railroaded.

Locks are not factory installed.

If attaching workwall to 72″ high cabinets for support, please provide drawing of layout.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Overhead, 26 1/2 planning
Overdesk Unit
Use with 1 1/4" worksurfaces
Hinge door, Open and Flip door

description	w	d	h	y	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 1/4" worksurfaces (hinged door)	60"	15"	44 1/4"	1.7	2	4	**ROAH60T0( )-( )( )**	$2,867.	$3,741.	$4,288.	$5,790.
	60"	20"	44 1/4"	1.7	2	4	**ROAH60T1( )-( )( )**	3,034.	3,958.	4,524.	6,107.
	72"	15"	44 1/4"	2.0	2	4	**ROAH72T0( )-( )( )**	3,633.	4,734.	5,413.	7,309.
	72"	20"	44 1/4"	2.0	2	4	**ROAH72T1( )-( )( )**	3,834.	4,996.	5,708.	7,705.
	90"	15"	44 1/4"	2.5	3	6	**ROAH90T0( )-( )( )**	4,039.	5,268.	6,050.	8,167.
	90"	20"	44 1/4"	2.5	3	6	**ROAH90T1( )-( )( )**	4,272.	5,575.	6,392.	8,631.
	96"	15"	44 1/4"	2.7	3	6	**ROAH96T0( )-( )( )**	4,207.	5,496.	6,316.	8,527.
	96"	20"	44 1/4"	2.7	3	6	**ROAH96T1( )-( )( )**	4,454.	5,816.	6,673.	9,010.
For 1 1/4" worksurfaces (open)	60"	15"	44 1/4"	1.7			**ROAO60T0( )-( )( )**	1,895.	2,482.	2,868.	3,872.
	60"	20"	44 1/4"	1.7			**ROAO60T1( )-( )( )**	2,014.	2,632.	3,036.	4,099.
	72"	15"	44 1/4"	2.0			**ROAO72T0( )-( )( )**	2,419.	3,159.	3,640.	4,914.
	72"	20"	44 1/4"	2.0			**ROAO72T1( )-( )( )**	2,561.	3,347.	3,849.	5,196.
	90"	15"	44 1/4"	2.5			**ROAO90T0( )-( )( )**	2,647.	3,471.	4,026.	5,434.
	90"	20"	44 1/4"	2.5			**ROAO90T1( )-( )( )**	2,808.	3,684.	4,256.	5,748.
	96"	15"	44 1/4"	2.7			**ROAO96T0( )-( )( )**	2,747.	3,607.	4,184.	5,646.
	96"	20"	44 1/4"	2.7			**ROAO96T1( )-( )( )**	2,916.	3,831.	4,433.	5,983.
For 1 1/4" worksurfaces (flip door)	60"	15"	44 1/4"	1.7	2	2	**ROAF60S0( )-( )( )**	2,453.	3,477.	3,986.	5,382.
	60"	20"	44 1/4"	1.7	2	2	**ROAF60S1( )-( )( )**	2,597.	3,681.	4,216.	5,694.
	72"	15"	44 1/4"	2.0	2	2	**ROAF72S0( )-( )( )**	2,913.	4,407.	5,044.	6,810.
	72"	20"	44 1/4"	2.0	2	2	**ROAF72S1( )-( )( )**	3,078.	4,653.	5,322.	7,185.
	84"	15"	44 1/4"	2.5	2	2	**ROAF84S0( )-( )( )**	3,774.	5,022.	5,758.	7,773.
	84"	20"	44 1/4"	2.5	2	2	**ROAF84S1( )-( )( )**	3,991.	5,312.	6,087.	8,214.
	96"	15"	44 1/4"	2.7	2	2	**ROAF96S0( )-( )( )**	3,865.	5,159.	5,935.	8,012.
	96"	20"	44 1/4"	2.7	2	2	**ROAF96S1( )-( )( )**	4,094.	5,465.	6,279.	8,475.

Order Code

Example:	**ROAF60S0LJLBF118( )**
R	Reff Profiles
O	Overhead
A	For 1 1/4" top mounting
F	Flip door
60	60" wide
S	Standard height
0	15" deep
L	Finish type, laminate
J	J-pull
L	Locks included
BF	Cord escape, back feed
118	Finish, Bright White
(W250)	Fabric

Y = Yardage required

Product on this page **Excluding J-pull option and any vertical surface over 48",** will accept wood grain laminate, where laminate is currently an option.

Specification Information

To order please specify pattern number including:

1. *Configuration option*
   O = Open
   H = Hinged door
   F = Flip door
2. *Width*
3. *Storage option*
   S0 = 19"h x 15"d
   S1 = 19"h x 20"d
   T0 = 23"h x 15"d
   T1 = 23"h x 20"d
4. *Finish type*
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
5. *Pull option for hinged door only*
   D = Metal D-pull (for hinged doors only)
   J = Routed pull
   C = Nickel C-pull (nickel finish only, for hinged doors only)
   S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)
6. *Lock option*
   L = Lockhole drilled
   N = No lock drilling
7. Cord escape option
8. Finish
9. Pull finish where applicable
10. Fabric for tackboard

Woodgrain Laminate is not available on any flip door units.

***After specifying product code, provide keying instructions.**

Overdesk unit will achieve 72" nominal height when used with correct top.

The clearance under the overhead to the top of the worksurface is approximately 21 1/4".

Application Notes

Shipped knocked-down.

Open cabinets require no locks.

Tasklights not included.

Tackboard included, fabric railroaded.

All flip door cabinets on this page are nominal 19"H not 23"H.

Overhead cabinets with flip doors, come with J-pull option only.

Open/hinge doors are nominal 23"H, actual 22 3/8".

Locks are not factory installed.

Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."

Wire manager is included and mounts adjacent to tackboard. Specify color.

Overhead, 26 1/2 planning
Overdesk Unit
Use with 1 1/4" worksurfaces
Modesty Panels for L and U Configuration

description	w	h	th	pattern no.	L	V1	V2	V3
Half Height Modesty, 26½"h	36"	17"	1"	**RBR36H(H/V)( )**	$318.	$471.	$533.	$730.
	42"	17"	1"	**RBR42H(H/V)( )**	346.	514.	582.	797.
	48"	17"	1"	**RBR48H(H/V)( )**	392.	580.	660.	900.
	54"	17"	1"	**RBR54H(H/V)( )**	413.	611.	691.	945.
	60"	17"	1"	**RBR60H(H/V)( )**	429.	630.	716.	974.
	66"	17"	1"	**RBR66H( )**	447.	658.	750.	1,026.
	72"	17"	1"	**RBR72H( )**	495.	730.	826.	1,126.
Full Height Modesty, 26½"h	36"	26"	1"	**RBR36M(H/V)( )**	347.	500.	563.	758.
	42"	26"	1"	**RBR42M(H/V)( )**	374.	542.	611.	824.
	48"	26"	1"	**RBR48M(H/V)( )**	421.	610.	688.	928.
	54"	26"	1"	**RBR54M(H/V)( )**	440.	640.	721.	973.
	60"	26"	1"	**RBR60M(H/V)( )**	458.	659.	744.	1,002.
	66"	26"	1"	**RBR66M( )**	476.	689.	779.	1,055.
	72"	26"	1"	**RBR72M( )**	524.	759.	855.	1,154.

Order Code

Example:	**RBR36H(H/V)**
R	Reff Profiles
B	Bridge
R	Return
36	36" wide
H/M	H=Half Height Modesty F=Full Height Modesty Placement for 28⅜"
H	Horizontal Grain direction in wood grain laminate
( )	Finish

Ordering Information

To order please specify pattern number including:

1. Grain Direction: H/V
   H = Horizontal
   V = Vertical
   Only applies to Wood Grain laminate Modesties
2. Modesty Finish:
   L, V1, V2, V3
   Only applies to Wood Grain laminate Modesties

Products on this page will accept wood grain laminate, where laminate is currently an option.

Modesties 60" wide or less, in wood grain laminate, are available in both horizontal and vertical grain direction.
For vertical surfaces greater than 60" wide, the grain direction is only horizontal.

Application Notes

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces



U-shaped / Triple: Spanning 3 worksurfaces



Overhead, 26 1/2 planning
Workwall units
Rectilinear worksurfaces - 1 1/4″ thick

description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60″	20″	**RSWWA601( )**	$687.	$724.	$798.	$1,079.
	60″	24″	**RSWWA602( )**	739.	777.	861.	1,162.
	72″	20″	**RSWWA721( )**	749.	787.	869.	1,173.
	72″	24″	**RSWWA722( )**	800.	844.	929.	1,255.
	90″	20″	**RSWWA901( )**	866.	912.	1,011.	1,364.
	90″	24″	**RSWWA902( )**	919.	966.	1,072.	1,447.
	96″	20″	**RSWWA961( )**	984.	1,035.	1,145.	1,546.
	96″	24″	**RSWWA962( )**	1,037.	1,093.	1,207.	1,630.
Straight workwall 1 1/4″ Rectangular tops with front edge profile 	60″	20″	**RSWWA(A/B/C/D/E/F/G)601( )**	n/a	830.	921.	1,244.
	60″	24″	**RSWWA(A/B/C/D/E/F/G)602( )**	n/a	894.	990.	1,339.
	72″	20″	**RSWWA(A/B/C/D/E/F/G)721( )**	n/a	904.	1,001.	1,351.
	72″	24″	**RSWWA(A/B/C/D/E/F/G)722( )**	n/a	967.	1,072.	1,447.
	90″	20″	**RSWWA(A/B/C/D/E/F/G)901( )**	n/a	1,051.	1,162.	1,569.
	90″	24″	**RSWWA(A/B/C/D/E/F/G)902( )**	n/a	1,114.	1,233.	1,663.
	96″	20″	**RSWWA(A/B/C/D/E/F/G)961( )**	n/a	1,191.	1,319.	1,780.
	96″	24″	**RSWWA(A/B/C/D/E/F/G)962( )**	n/a	1,255.	1,389.	1,875.

Order Code

Example:	**RSWWA60100L**
R	Reff Profiles
S	Straight top
WW	Workwall top
A	1 1/4″ thick
60	60″ wide
1	20″ deep
(L)	Laminate finish

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Top finish type
3. Top finish

1. Thickness options:
A = 1 1/4″

2. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

3. Specify edge detail where applicable.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Application Notes

20″ and 24″ depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.

No grommets available.

Hardware included.

Reuter overhead cabinet
Morrison panel mounted
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3
Enclosed cabinet, with lock (Morrison panel brackets) - One door		24″	14 1/4″	14 3/4″	**RO3-M24( )( )L**		$1,050.	$1,050.	$1,100.
		30″	14 1/4″	14 3/4″	**RO3-M30( )( )L**		1,175.	1,175.	1,228.
		36″	14 1/4″	14 3/4″	**RO3-M36( )( )L**		1,352.	1,352.	1,418.
		42″	14 1/4″	14 3/4″	**RO3-M42( )( )L**		1,561.	1,561.	1,640.
		48″	14 1/4″	14 3/4″	**RO3-M48( )( )L**		1,738.	1,738.	1,826.
Enclosed cabinet, with lock (Morrison panel brackets) - Two doors		60″	14 1/4″	14 3/4″	**RO3-M60( )( )L**		2,204.	2,204.	2,310.
		66″	14 1/4″	14 3/4″	**RO3-M66( )( )L**		2,398.	2,398.	2,524.
		72″	14 1/4″	14 3/4″	**RO3-M72( )( )L**		2,571.	2,571.	2,697.
Enclosed cabinet, no lock (Morrison panel brackets) - One door		24″	14 1/4″	14 3/4″	**RO3-M24( )( )N**		950.	950.	996.
		30″	14 1/4″	14 3/4″	**RO3-M30( )( )N**		1,075.	1,075.	1,128.
		36″	14 1/4″	14 3/4″	**RO3-M36( )( )N**		1,254.	1,254.	1,314.
		42″	14 1/4″	14 3/4″	**RO3-M42( )( )N**		1,462.	1,462.	1,532.
		48″	14 1/4″	14 3/4″	**RO3-M48( )( )N**		1,639.	1,639.	1,718.







Order Code

Example:	**RO3-M48-612-M-L**
RO3	Reuter overhead cabinet
M	Morrison panel mounted
48	Width
612	Case finish
M	Front finish
L	With lock

Specification Information

First suffix is for case, second is door finish.

Specify finish for case and door: Interior partitions are black painted steel finish.

Application Notes

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12″ less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.

Reuter overheads may be mounted on other Knoll systems, cantilevered above 42″ or 56″ Morrison panels, or wall-mounted.

Vertical interior partitions may be positioned on 1 1/2″ increments of width anywhere across shelf, 1 1/2″ in from each side. Vertical partitions contain cutouts for mounting five horizontal partitions at 2″ increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3″ less than cabinet width. Available in sets of 10; 6″, 9″, 12″, 15″ widths.

Ganging bracket (page 271) joins adjacent overheads or shelves for additional stiffness and alignment.

Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60″W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position.

Insert may be removed to retrofit a lock later.

Reuter overhead cabinet
Morrison panel mounted
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3
Enclosed cabinet, no lock (Morrison panel brackets) - Two doors		60″	14¼″	14¾″	**RO3-M60( )( )N**		$1,999.	$1,999.	$2,098.
		66″	14¼″	14¾″	**RO3-M66( )( )N**		2,201.	2,201.	2,305.
		72″	14¼″	14¾″	**RO3-M72( )( )N**		2,362.	2,362.	2,482.
Interior partitions	Horizontal, set of 10	6″	11″	–	**RO1-HP6**	202.			
	Horizontal, set of 10	9″	11″	–	**RO1-HP9**	253.			
	Horizontal, set of 10	12″	11″	–	**RO1-HP12**	301.			
	Horizontal, set of 10	15″	11″	–	**RO1-HP15**	351.			
	Vertical, set of 5	–	11″	12″	**RO3-VP**	131.			



Order Code

Example:	**RO3-M48-612-M-L**
RO3	Reuter overhead cabinet
M	Morrison panel mounted
48	Width
612	Case finish
M	Front finish
L	With lock

Specification Information

First suffix is for case, second is door finish.

Specify finish for case and door: Interior partitions are black painted steel finish.

Application Notes

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12″ less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.

Reuter overheads may be mounted on other Knoll systems, cantilevered above 42″ or 56″ Morrison panels, or wall-mounted.

Vertical interior partitions may be positioned on 1½″ increments of width anywhere across shelf, 1½″ in from each side. Vertical partitions contain cutouts for mounting five horizontal partitions at 2″ increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3″ less than cabinet width. Available in sets of 10; 6″, 9″, 12″, 15″ widths.

Ganging bracket (page 271) joins adjacent overheads or shelves for additional stiffness and alignment.

Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60″W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position.

Insert may be removed to retrofit a lock later.

Reuter overhead cabinet
desk, wall, or other Knoll system mounted
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3
Enclosed cabinet, with lock (no mounting hardware) - One door		24″	14 1/4″	14 3/4″	**RO3-N24( )( )L**		$1,030.	$1,030.	$1,079.
		30″	14 1/4″	14 3/4″	**RO3-N30( )( )L**		1,145.	1,145.	1,208.
		36″	14 1/4″	14 3/4″	**RO3-N36( )( )L**		1,324.	1,324.	1,394.
		42″	14 1/4″	14 3/4″	**RO3-N42( )( )L**		1,538.	1,538.	1,618.
		48″	14 1/4″	14 3/4″	**RO3-N48( )( )L**		1,718.	1,718.	1,802.
Enclosed cabinet, with lock (no mounting hardware) - Two doors		60″	14 1/4″	14 3/4″	**RO3-N60( )( )L**		2,175.	2,175.	2,285.
		66″	14 1/4″	14 3/4″	**RO3-N66( )( )L**		2,382.	2,382.	2,493.
		72″	14 1/4″	14 3/4″	**RO3-N72( )( )L**		2,542.	2,542.	2,670.
Enclosed cabinet, no lock (no mounting hardware) - One door		24″	14 1/4″	14 3/4″	**RO3-N24( )( )N**		924.	924.	969.
		30″	14 1/4″	14 3/4″	**RO3-N30( )( )N**		1,049.	1,049.	1,099.
		36″	14 1/4″	14 3/4″	**RO3-N36( )( )N**		1,226.	1,226.	1,286.
		42″	14 1/4″	14 3/4″	**RO3-N42( )( )N**		1,440.	1,440.	1,510.
		48″	14 1/4″	14 3/4″	**RO3-N48( )( )N**		1,615.	1,615.	1,698.
Enclosed cabinet, no lock (no mounting hardware) - Two doors		60″	14 1/4″	14 3/4″	**RO3-N60( )( )N**		1,972.	1,972.	2,071.
		66″	14 1/4″	14 3/4″	**RO3-N66( )( )N**		2,173.	2,173.	2,282.
		72″	14 1/4″	14 3/4″	**RO3-N72( )( )N**		2,344.	2,344.	2,461.









Order Code

Example:	**RO3-N48-613-613-L**
RO3	Reuter overhead cabinet
N	No brackets
48	Width
613	Case finish
613	Front finish
L	With lock

Specification Information

Specify finish for case and door.

Application Notes

Reuter storage is a universal product applicable on Knoll systems.

Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders.Vertical interior partitions may be positioned on 1 1/2″ increments of width anywhere across shelf, 1 1/2″ in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2″ increments on either or both sides.

Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3″ less than cabinet width. Available in sets of 10; 6″, 9″, 12″, 15″ widths.

Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60″W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.

Reuter overhead cabinet
desk, wall, or other Knoll system mounted
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3
Interior partitions	Vertical, set of 5	–	11″	12″	**RO3-VP**	$131.			
	Horizontal, set of 10	6″	11″	–	**RO1-HP6**	202.			
	Horizontal, set of 10	9″	11″	–	**RO1-HP9**	253.			
	Horizontal, set of 10	12″	11″	–	**RO1-HP12**	301.			
	Horizontal, set of 10	15″	11″	–	**RO1-HP15**	351.			

Order Code

Example:	**RO3-N48-613-613-L**
RO3	Reuter overhead cabinet
N	No brackets
48	Width
613	Case finish
613	Front finish
L	With lock

Specification Information

Specify finish for case and door.

Application Notes

Reuter storage is a universal product applicable on Knoll systems.

Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders.Vertical interior partitions may be positioned on 1½″ increments of width anywhere across shelf, 1½″ in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2″ increments on either or both sides.

Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3″ less than cabinet width. Available in sets of 10; 6″, 9″, 12″, 15″ widths.

Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60″W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.

Reuter open shelf
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3
Open shelf Morrison panel brackets		24″	13″	8″	**RS1-M24( )**		$465.	$465.	$490.
		30″	13″	8″	**RS1-M30( )**		510.	510.	536.
		36″	13″	8″	**RS1-M36( )**		576.	576.	606.
		42″	13″	8″	**RS1-M42( )**		623.	623.	653.
		48″	13″	8″	**RS1-M48( )**		668.	668.	700.
		60″	13″	8″	**RS1-M60( )**		781.	781.	819.
Open shelf no mounting hardware		24″	13″	8″	**RS1-N24( )**		444.	444.	465.
		30″	13″	8″	**RS1-N30( )**		491.	491.	514.
		36″	13″	8″	**RS1-N36( )**		557.	557.	584.
		42″	13″	8″	**RS1-N42( )**		601.	601.	629.
		48″	13″	8″	**RS1-N48( )**		646.	646.	678.
		60″	13″	8″	**RS1-N60( )**		758.	758.	796.
Interior partitions	Vertical, set of 5	–	12″	6″	**RS1-VP**	122.			
	Horizontal, set of 10	6″	12″	–	**RO1-HP6**	202.			
		9″	12″	–	**RO1-HP9**	253.			
		12″	12″	–	**RO1-HP12**	301.			
		15″	12″	–	**RO1-HP15**	351.			

Order Code

Example:	**RS1-N48-612**
RS1	Reuter shelf
N	No mounting hardware
48	Width
612	Finish

Specification Information

Specify paint finishes for shelf.

Application Notes

Interior partitions are black painted steel finish.

Reuter storage is a universal product applicable on Morrison or other Knoll systems.

Open shelves may be mounted on any combination of vertical panels the same width. Reuter open shelves may be Morrison Network desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify Reuter shelves with no mounting hardware, and brackets separately.

Vertical interior partitions may be positioned on 1 ½″ increments of width anywhere across shelf, 1 ½″ in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2″ increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3″ less than shelf width. Available in sets of 10; 6″, 9″, 12″, 15″ widths.

Reuter open overhead
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3
Open overhead Morrison panel brackets		30″	13″	14¾″	**RO3-OM30( )**		$758.	$758.	$796.
		36″	13″	14¾″	**RO3-OM36( )**		869.	869.	908.
		42″	13″	14¾″	**RO3-OM42( )**		980.	980.	1,030.
		48″	13″	14¾″	**RO3-OM48( )**		1,087.	1,087.	1,144.
		60″	13″	14¾″	**RO3-OM60( )**		1,269.	1,269.	1,330.
		72″	13″	14¾″	**RO3-OM72( )**		1,492.	1,492.	1,566.
Open overhead no mounting hardware		30″	13″	14¾″	**RO3-ON30( )**		737.	737.	771.
		36″	13″	14¾″	**RO3-ON36( )**		842.	842.	886.
		42″	13″	14¾″	**RO3-ON42( )**		958.	958.	1,006.
		48″	13″	14¾″	**RO3-ON48( )**		1,070.	1,070.	1,121.
		60″	13″	14¾″	**RO3-ON60( )**		1,245.	1,245.	1,309.
		72″	13″	14¾″	**RO3-ON72( )**		1,466.	1,466.	1,539.
Interior partitions	Vertical, set of 5	–	11″	12″	**RO3-VP**	131.			
	Horizontal, set of 10	6″	11″	–	**RO1-HP6**	202.			
		9″	11″	–	**RO1-HP9**	253.			
		12″	11″	–	**RO1-HP12**	301.			
		15″	11″	–	**RO1-HP15**	351.			
Door retrofit kit, with lock	For open overhead	30″			**RO3-RD30( )L**		514.	514.	543.
		36″			**RO3-RD36( )L**		557.	557.	584.
		42″			**RO3-RD42( )L**		651.	651.	681.
		48″			**RO3-RD48( )L**		712.	712.	744.
		60″			**RO3-RD60( )L**		1,085.	1,085.	1,142.
		72″			**RO3-RD72( )L**		1,221.	1,221.	1,280.
Door retrofit kit, no lock	For open overhead	30″			**RO3-RD30( )N**		394.	394.	414.
		36″			**RO3-RD36( )N**		456.	456.	478.
		42″			**RO3-RD42( )N**		551.	551.	576.
		48″			**RO3-RD48( )N**		609.	609.	638.
		60″			**RO3-RD60( )N**		884.	884.	931.
		72″			**RO3-RD72( )N**		1,021.	1,021.	1,075.

Order Code

Example:	**RO3-ON30-612**
RO3-O	Reuter open overhead
N	No mounting hardware
30	Width
612	Finish

Specification Information

Specify finish for case and door.

Application Notes

Interior partitions are black painted steel finish.

Door retrofit kits convert an open overhead to an enclosed cabinet and include Reuter overhead door, left and right arm mechanisms, and lock or lock plug.

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Open overheads may be mounted on any combination of vertical panels the same width or up to 12″ less than shelf width.

Reuter open overheads may be desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify open overhead with no mounting hardware and brackets separately.

Vertical interior partitions may be positioned on 1½″ increments of width anywhere across shelf, 1½″ in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2″ increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3″ less than shelf width. Available in sets of 10; 6″, 9″, 12″, 15″ widths.

Reuter overhead storage
desk and panel mounting options
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	paint
Stanchions for Network desk mount, pair	1 1/4″ worksurface	5″	5″	20 1/2″	**RO2-NS21( )**		$698.
	1 3/4″ worksurface	5″	5″	20″	**RO2-NS20( )**		698.
Stanchion outlets cover	1 1/4″ worksurface	7″	1/2″	15 1/2″	**MN2SO21( )**	66.	
	1 3/4″ worksurface	7″	1/2″	15″	**MN2SO20( )**	66.	
Panel mount brackets, pair, overhead cabinet	For Dividends panels				**RO1-DPB**	84.	
	For Equity panels				**RO1-EPB**	66.	
	For Morrison panels				**RO1-MPB**	66.	
	For Reff System panels				**RO1-RPB**	66.	
	Note : Reff System panels require 2 pair for 60″, 66″ and 72″ long Reuters.						
Panel mount brackets, pair, open shelf	For Dividends panels				**RS1-DPB**	84.	
	For Equity panels				**RS1-EPB**	56.	
	For Morrison panels				**RS1-MPB**	56.	
	For Reff / AutoStrada panels				**RS1-RPB**	56.	
	Note : Reff System panels require 2 pair for 60″, 66″ and 72″ long Reuters.						
Upmount brackets	For Equity panels				**RO1-ECB( )**		145.
	For Morrison panels	1/2″	10″	10″	**RO1-CB( )**		145.
	For Reff / AutoStrada panels				**RO1-RCB( )**		145.

Order Code

Example:	**RO2-NS21-612**
RO2	Reuter overhead
NS	Network stanchions
21	Height
612	Paint finish

Specification Information

Specify paint finish for stanchions and upmount brackets.

Panel mount brackets are painted black finish.

Application Notes

Reuter overhead cabinets and shelves may be mounted on Network desks or other Knoll systems, upmounted, or wall-mounted. Use bracket kits on this page with Reuter storage without mounting hardware.

For Morrison Network desk mount applications, overhead cabinet or shelf width must correspond to desk support width and worksurface with grommet. Stanchions bolt to desk support corner leg. Top of cabinet on stanchions aligns with adjacent 64″H vertical panels or vertical storage.

Specify 22″H privacy screens (to 49″H) to enclose space between overhead and desk.

Specify stanchion outlets cover when planning PDC modules and/or power module in overhead support. See page for information on desktop power module.

Upmount brackets support bottom of Reuter storage 1″ or 2″ above, or flush with top of corresponding width Morrison, Equity or Reff panel.

Overhead storage may be centered on, or mount to either side of Equity post. Note that full 6″ modular width Reuter storage is wider than Equity centerline-width panel surrounds.

Reuter overhead storage
wall-mounting options and ADA pull
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black
Wall mount frames, overhead cabinet	24″ or 30″W overheads	23″	½″	13″	**RO1-WMF2**	$127.
	36″ or 42″W overheads	35″	½″	13″	**RO1-WMF3**	137.
	48″ or 60″W overheads	47″	1/2	13″	**RO1-WMF4**	145.
Wall mount frames, shelf	24″W shelf	23″	1 ½″	6″	**RS1-WMF24**	127.
	30″W shelf	29″	1 ½″	6″	**RS1-WMF30**	133.
	36″W shelf	35″	1 ½″	6″	**RS1-WMF36**	137.
	42″W shelf	41″	1 ½″	6″	**RS1-WMF42**	143.
	48″W shelf	47″	1 ½″	6″	**RS1-WMF48**	145.
	60″W shelf	59″	1 ½″	6″	**RS1-WMF60**	153.
Wall mount wire manager, set of 10					**MWM-J**	230.
						
Ganging bracket					**RO1-GB**	18.
ADA pull					**RO1-PULL**	73.
						

Order Code

Example:	**RO1-GB**
RO1	Reuter overhead
GB	Ganging bracket

Specification Information

Wall mount frames are painted black finish.

ADA pull is stainless steel.

Application Notes

Wall mount frames secure Reuter overhead cabinet or shelf to wall (frame/wall mounting hardware is not included). Frame is concealed behind storage. Use two RO1-WMF2 to wall-mount 66″- and 72″-wide Reuter overheads.

Reuter open shelves 66″ and 72″W are for stanchion support only.

Wall mount wire manager is two-part wire concealment kit, 22″H (medium grey only).

Ganging bracket joins adjacent Reuter overheads or shelves for additional stiffness and alignment when storage is planned on only one side of a panel run.

ADA pull mounts to Reuter painted front overhead door to allow seated users to close door easily. Specify one for each cabinet 24″ - 48″, two for cabinets 60″ - 72″.

ADA pull cannot be mounted on wood front Reuter doors.

Task Lights for Reuter Overhead Storage

description	type	w	d	h	pattern no.	list
T5 Standard Task Light	Use with 24″ and wider overhead	19″	4″	1 ½″	**RTAT5E19S**	$314.
	Use with 30″ and wider overhead	25″	4″	1 ½″	**RTAT5E25S**	336.
	Use with 42″ and wider overhead	37″	4″	1 ½″	**RTAT5E37S**	364.
	Use with 60″ and wider overhead	49″	4″	1 ½″	**RTAT5E49S**	393.
	Use with 66″ and wider overhead	61″	4″	1 ½″	**RTAT5E61S**	419.
T5 Advanced Task Light	Use with 30″ and wider overhead	25″	4″	1 ½″	**RTAT5E25A**	581.
	Use with 42″ and wider overhead	37″	4″	1 ½″	**RTAT5E37A**	612.
	Use with 60″ and wider overhead	49″	4″	1 ½″	**RTAT5E49A**	634.
	Use with 66″ and wider overhead	61″	4″	1 ½″	**RTAT5E61A**	661.
LED Task Light	Use with 24″ and wider overhead (24 LED's)	17″	2″	½″	**ML4L17**	585.
	Use with 36″ and wider overhead (48 LED's)	31″	2″	½″	**ML4L31**	973.
	Use with 48″ and wider overhead (72 LED's)	44″	2″	½″	**ML4L44**	1,270.
	Use with 66″ and wider overhead (96 LED's)	58″	2″	½″	**ML4L58**	1,595.

Order Code

T5 Standard Task Light

Example:	**RTAT5E25S**
RTA	Task Light
T5	T5 lamp
E	Electronic ballast
25	Width
S	Standard

LED Task Light

Example:	ML4L17
ML4	Task Light
L	LED
17	Width

Specification Information

T5 Task Lights:
120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9′ grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.

LED Task Lights:
Includes LED's, power supply with 9-12' cord and mounting hardware. Housings are clear anodized aluminum with white color end-caps.

Application Notes

T5 Task Lights:
Specify suffix -CH and add $45 list for City of Chicago installations. Example: DL3T5E25S-CH

Cordset is center exit. On smaller units cord exit is off-center, but still not handed.

T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content.

Notes:
All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6″ wider than task light width.

All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.

Transaction tops
for use with 42″ H panel heights

description	w	d	t	pattern no.	L	M/V1	V2	V3
Transaction tops 1¼″ Thick	24″	15″	1¼″	**RTTA24( )-( )**	$369.	$374.	$431.	$582.
	30″	15″	1¼″	**RTTA30( )-( )**	404.	406.	472.	636.
	36″	15″	1¼″	**RTTA36( )-( )**	439.	446.	510.	693.
	42″	15″	1¼″	**RTTA42( )-( )**	474.	480.	551.	743.
	48″	15″	1¼″	**RTTA48( )-( )**	505.	517.	592.	800.
	54″	15″	1¼″	**RTTA54( )-( )**	542.	550.	631.	852.
	60″	15″	1¼″	**RTTA60( )-( )**	577.	584.	673.	910.
	66″	15″	1¼″	**RTTA66( )-( )**	612.	618.	711.	960.
	72″	15″	1¼″	**RTTA72( )-( )**	644.	655.	752.	1,016.
	78″	15″	1¼″	**RTTA78( )-( )**	682.	694.	797.	1,077.
	84″	15″	1¼″	**RTTA84( )-( )**	724.	736.	845.	1,142.
	90″	15″	1¼″	**RTTA90( )-( )**	766.	780.	896.	1,210.
	96″	15″	1¼″	**RTTA96( )-( )**	812.	827.	949.	1,283.





Order Code

Example:	**RTTA24 ( )( )( )**
R	Reff Profiles
TT	Trasaction top
24	24″ wide
L	Type, left side Mitre
2	V2 finish
006B	Finish
( )	Edge finish (L)

Specification Information

To order please specify pattern number including:

1. *Width*
2. *Type:*
   L = Left side Mitre
   R = Right side Mitre
   S = Straight
3. *Finish type:*
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
4. *Finish* = Laminate or Veneer
5. *Edge finish:* Laminate
   (Edge options are available on laminate transaction tops only.)

Application Notes

Transaction tops are for mounting to 42″h panel or overall panel height achieved from 34″h base panel plus 8″h stacking module. Transaction tops ship with necessary bracketry included.

No grommets included.

Tops may be used to span more than one consecutive panel.

Transaction tops will not fit between panel Hi-Lo conditions without notching the underside of the tops. This can be done in the field or through Custom Product Development.

Product on this page will accept wood grain laminate, where laminate is currently an option.

Transaction tops
Brackets for Alternative Material

description	w	h	pattern no.	list
Attachment Bracketry			**RAMTB**	$64.
	* Each panel need 2 brackets * Available in all core paints			
Foam Tape			**RAMTT**	25.
Transaction Top Bracket Cover			**RAMTC24( )( )**	47.
			RAMTC30( )( )	50.
			RAMTC36( )( )	53.
			RAMTC42( )( )	57.
			RAMTC48( )( )	60.
			RAMTC54( )( )	64.
			RAMTC60( )( )	68.
			RAMTC66( )( )	72.
			RAMTC72( )( )	74.
Transaction Top Bracket Cover Hilo			**RAMTCH24( )( )**	64.
			RAMTCH30( )( )	68.
			RAMTCH36( )( )	72.
			RAMTCH42( )( )	75.
			RAMTCH48( )( )	78.
			RAMTCH54( )( )	82.
			RAMTCH60( )( )	85.
			RAMTCH66( )( )	88.
			RAMTCH72( )( )	90.

Order Code

Example:	**RAMTC**
R	Reff Profiles
A	Alternative
M	Material
T	Transaction Top
C	Cover
24	Width
L/R/M	Left/Right/Mitered

Specification Information

To order please specify pattern number including:

1. End treatment option
2. Finish type: Core paint finishes

Application Notes

Spline piece included in the right "R" hand pattern number.

Installation instructions available on Knoll Exchange.

When a solid material is installed the "RAMTB" is required.

When a translucent material is installed ie. glass the "RAMTB" is also required in addition to the covers. The covers are intended to conceal the bracketry.

Gallery desk surrounds
1¼" worksurface

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly surround (drilled to accept shelf)	62″	25″	42″	**RGAF622-( )( )**	$1,460.	$1,808.	$1,808.	$1,949.	$2,042.	$2,632.	$2,755.
	68″	25″	42″	**RGAF682-( )( )**	1,510.	1,874.	1,874.	2,018.	2,115.	2,722.	2,855.
	74″	25″	42″	**RGAF742-( )( )**	1,566.	1,946.	1,946.	2,095.	2,191.	2,828.	2,956.
	80″	25″	42″	**RGAF802-( )( )**	1,623.	2,008.	2,008.	2,161.	2,268.	2,917.	3,061.
	86″	25″	42″	**RGAF862-( )( )**	1,673.	2,078.	2,078.	2,231.	2,343.	3,011.	3,163.
	92″	25″	42″	**RGAF922-( )( )**	1,728.	2,146.	2,146.	2,302.	2,420.	3,108.	3,263.
	98″	25″	42″	**RGAF982-( )( )**	1,784.	2,212.	2,212.	2,377.	2,498.	3,207.	3,370.
	62″	31″	42″	**RGAF623-( )( )**	1,551.	1,925.	1,925.	2,067.	2,170.	2,791.	2,929.
	68″	31″	42″	**RGAF683-( )( )**	1,610.	2,002.	2,002.	2,150.	2,257.	2,902.	3,047.
	74″	31″	42″	**RGAF743-( )( )**	1,672.	2,077.	2,077.	2,231.	2,341.	3,011.	3,160.
	80″	31″	42″	**RGAF803-( )( )**	1,732.	2,146.	2,146.	2,309.	2,424.	3,118.	3,272.
	86″	31″	42″	**RGAF863-( )( )**	1,795.	2,226.	2,226.	2,391.	2,510.	3,228.	3,391.
	92″	31″	42″	**RGAF923-( )( )**	1,855.	2,303.	2,303.	2,469.	2,595.	3,333.	3,502.
	98″	31″	42″	**RGAF983-( )( )**	1,916.	2,377.	2,377.	2,554.	2,677.	3,448.	3,616.
Shelf for above (uses keyhole) attachment hardware	60″	12″	1″	**RGS60-( )**	353.		437.		496.		669.
	66″	12″	1″	**RGS66-( )**	366.		454.		510.		693.
	72″	12″	1″	**RGS72-( )**	377.		468.		528.		712.
	78″	12″	1″	**RGS78-( )**	390.		483.		545.		736.
	84″	12″	1″	**RGS84-( )**	398.		498.		560.		755.
	90″	12″	1″	**RGS90-( )**	411.		509.		575.		775.
	96″	12″	1″	**RGS96-( )**	422.		521.		589.		797.
Bridge top assembly	42″	21″	42″	**RGAB421-( )( )**	832.	1,031.	1,031.	1,091.	1,161.	1,473.	1,567.
	48″	21″	42″	**RGAB481-( )( )**	891.	1,103.	1,103.	1,164.	1,243.	1,572.	1,677.
	54″	21″	42″	**RGAB541-( )( )**	949.	1,174.	1,174.	1,245.	1,324.	1,680.	1,789.
	60″	21″	42″	**RGAB601-( )( )**	1,006.	1,246.	1,246.	1,324.	1,410.	1,789.	1,901.
	66″	21″	42″	**RGAB661-( )( )**	1,065.	1,322.	1,322.	1,398.	1,489.	1,889.	2,009.
	72″	21″	42″	**RGAB721-( )( )**	1,121.	1,390.	1,390.	1,477.	1,567.	1,995.	2,116.
	78″	21″	42″	**RGAB781-( )( )**	1,176.	1,462.	1,462.	1,556.	1,648.	2,101.	2,226.
	84″	21″	42″	**RGAB841-( )( )**	1,234.	1,530.	1,530.	1,625.	1,726.	2,191.	2,330.
	90″	21″	42″	**RGAB901-( )( )**	1,288.	1,599.	1,599.	1,703.	1,804.	2,297.	2,436.
	96″	21″	42″	**RGAB961-( )( )**	1,342.	1,666.	1,666.	1,771.	1,881.	2,392.	2,538.

If shelf is not ordered and no drillings are required, you must order through specials.

Order Code

Example:	**RGAF622NLL**
R	Reff Profiles
G	Gallery surround
A	1¼″ top thickness
F	Freestanding
62	62″ wide
2	25″ deep
N	No grommet
L	Fnish type top, laminate
L	Finish type components
114	Folkstone grey (top)
124	Edge Finish (L)
114	Folkstone grey (components)

Specification Information

To order please specify pattern number including:

1. Grommet option
2. Finish type, top
3. Finish type, components
4. Finish, top
5. Finish, edge (available on laminate tops only)
6. Finish, components

1. Grommet options:
N = No grommets
F = Flush front grommet

2. Finish type, top:
L = Laminate
M = Mixed (laminate top w/wood edge)
1 = V1
2 = V2
3 = V3

3. Top Finish

4. Edge finish: Laminate
(Edge options are available on laminate tops only.)

Application Notes

3. Finish type, components: (surround components)
L = Laminate
1 = V1
2 = V2
3 = V3
If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.

Product on this page **Excluding any vertical surface over 48″,** will accept woodgrain laminate where laminate is currently an option.

1¼″ tops require support at midpoint to reduce spans to 48″ or less.

Hardware included.

Shipped knocked-down.

All requests for special grommet locations must be approved through custom product development.

All freestanding top assemblies are drilled to accept shelf.

M (mixed finish) includes laminate worksurface with wood edge and wood gallery surround.

Specify only 26½″h pedestals and support components as required when using with gallery desk surround products on this page.

Gallery desk surrounds
right hand end assembly, 1¼" worksurface

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for right hand application 	21″	43″	42″	**RGAR431-( )( )**	$1,018.	$1,263.	$1,263.	$1,351.	$1,421.	$1,823.	$1,918.
		49″	42″	**RGAR491-( )( )**	1,068.	1,328.	1,328.	1,421.	1,498.	1,918.	2,021.
		55″	42″	**RGAR551-( )( )**	1,123.	1,391.	1,391.	1,491.	1,568.	2,014.	2,117.
		61″	42″	**RGAR611-( )( )**	1,174.	1,456.	1,456.	1,558.	1,645.	2,103.	2,219.
		67″	42″	**RGAR671-( )( )**	1,227.	1,525.	1,525.	1,631.	1,720.	2,200.	2,320.
		73″	42″	**RGAR731-( )( )**	1,279.	1,587.	1,587.	1,700.	1,788.	2,293.	2,414.
		79″	42″	**RGAR791-( )( )**	1,330.	1,649.	1,649.	1,770.	1,866.	2,390.	2,520.
		85″	42″	**RGAR851-( )( )**	1,384.	1,717.	1,717.	1,836.	1,937.	2,477.	2,613.
		91″	42″	**RGAR911-( )( )**	1,437.	1,785.	1,785.	1,909.	2,021.	2,578.	2,729.
		97″	42″	**RGAR971-( )( )**	1,493.	1,849.	1,849.	1,976.	2,082.	2,667.	2,813.
	25″	43″	42″	**RGAR432-( )( )**	1,117.	1,384.	1,384.	1,485.	1,561.	2,004.	2,107.
		49″	42″	**RGAR492-( )( )**	1,166.	1,448.	1,448.	1,553.	1,632.	2,096.	2,203.
		55″	42″	**RGAR552-( )( )**	1,220.	1,513.	1,513.	1,617.	1,708.	2,186.	2,306.
		61″	42″	**RGAR612-( )( )**	1,274.	1,579.	1,579.	1,685.	1,779.	2,276.	2,399.
		67″	42″	**RGAR672-( )( )**	1,325.	1,643.	1,643.	1,759.	1,851.	2,375.	2,501.
		73″	42″	**RGAR732-( )( )**	1,379.	1,709.	1,709.	1,830.	1,927.	2,469.	2,605.
		79″	42″	**RGAR792-( )( )**	1,428.	1,769.	1,769.	1,893.	2,000.	2,554.	2,699.
		85″	42″	**RGAR852-( )( )**	1,480.	1,840.	1,840.	1,965.	2,075.	2,653.	2,798.
		91″	42″	**RGAR912-( )( )**	1,536.	1,906.	1,906.	2,032.	2,149.	2,744.	2,900.
		97″	42″	**RGAR972-( )( )**	1,591.	1,973.	1,973.	2,104.	2,223.	2,840.	3,001.
	31″	43″	42″	**RGAR433-( )( )**	1,187.	1,472.	1,472.	1,573.	1,658.	2,123.	2,239.
		49″	42″	**RGAR493-( )( )**	1,237.	1,533.	1,533.	1,643.	1,730.	2,217.	2,337.
		55″	42″	**RGAR553-( )( )**	1,288.	1,599.	1,599.	1,706.	1,804.	2,302.	2,436.
		61″	42″	**RGAR613-( )( )**	1,339.	1,664.	1,664.	1,771.	1,878.	2,392.	2,535.
		67″	42″	**RGAR673-( )( )**	1,390.	1,729.	1,729.	1,841.	1,949.	2,486.	2,632.
		73″	42″	**RGAR733-( )( )**	1,443.	1,793.	1,793.	1,910.	2,018.	2,579.	2,722.
		79″	42″	**RGAR793-( )( )**	1,497.	1,853.	1,853.	1,976.	2,094.	2,667.	2,827.
		85″	42″	**RGAR853-( )( )**	1,547.	1,921.	1,921.	2,048.	2,165.	2,763.	2,923.
		91″	42″	**RGAR913-( )( )**	1,600.	1,985.	1,985.	2,114.	2,233.	2,852.	3,016.
		97″	42″	**RGAR973-( )( )**	1,651.	2,046.	2,046.	2,182.	2,309.	2,947.	3,118.

Order Code

Example:	**RGAR431NLL**
R	Reff Profiles
G	Gallery surround
A	1¼″ top thickness
R	Right hand return
43	43″ wide
1	21″ deep
N	No grommet
L	Finish type, top
L	Finish type, components
114	Top Finish
124	Edge Finish (L)

Specification Information

To order please specify pattern number including:

1. Grommet option
2. Finish type top
3. Finish type components
4. Finish, top
5. Finish, edge (available on laminate tops only)
6. Finish, components

1. Grommet options:
N = No grommets
F = Flush front grommet

2. Finish type top:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

3. Top Finish

4. Edge finish: Laminate
(Edge options are available on laminate tops only.)

Application Notes

3. Finish type, surround:
L = Laminate
1 = V1
2 = V2
3 = V3
If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.

Product on this page **Excluding any vertical surface over 48″,** will accept woodgrain laminate where laminate is currently an option.

1¼″ tops require support at mid point to reduce spans to 48″ or less.

Hardware included.

All requests for special grommet locations must be approved through custom product development.

M (mixed finish) includes laminate worksurface, wood edge and wood surround.

Specify only 26½″h pedestals and support components as required when using gallery desk surround products on this page.

Gallery desk surrounds
left hand end assembly, 1¼" worksurface

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for left hand application 	21″	43″	42″	**RGAL431-( )( )**	$1,018.	$1,263.	$1,263.	$1,351.	$1,421.	$1,823.	$1,918.
		49″	42″	**RGAL491-( )( )**	1,068.	1,328.	1,328.	1,421.	1,498.	1,918.	2,021.
		55″	42″	**RGAL551-( )( )**	1,123.	1,391.	1,391.	1,491.	1,568.	2,014.	2,117.
		61″	42″	**RGAL611-( )( )**	1,174.	1,456.	1,456.	1,558.	1,645.	2,103.	2,219.
		67″	42″	**RGAL671-( )( )**	1,227.	1,525.	1,525.	1,631.	1,720.	2,200.	2,320.
		73″	42″	**RGAL731-( )( )**	1,279.	1,587.	1,587.	1,700.	1,788.	2,293.	2,414.
		79″	42″	**RGAL791-( )( )**	1,330.	1,649.	1,649.	1,770.	1,866.	2,390.	2,520.
		85″	42″	**RGAL851-( )( )**	1,384.	1,717.	1,717.	1,836.	1,937.	2,477.	2,613.
		91″	42″	**RGAL911-( )( )**	1,437.	1,785.	1,785.	1,909.	2,021.	2,578.	2,729.
		97″	42″	**RGAL971-( )( )**	1,493.	1,849.	1,849.	1,976.	2,082.	2,667.	2,813.
	25″	43″	42″	**RGAL432-( )( )**	1,117.	1,384.	1,384.	1,485.	1,561.	2,004.	2,107.
		49″	42″	**RGAL492-( )( )**	1,166.	1,448.	1,448.	1,553.	1,632.	2,096.	2,203.
		55″	42″	**RGAL552-( )( )**	1,220.	1,513.	1,513.	1,617.	1,708.	2,186.	2,306.
		61″	42″	**RGAL612-( )( )**	1,274.	1,579.	1,579.	1,685.	1,779.	2,276.	2,399.
		67″	42″	**RGAL672-( )( )**	1,325.	1,643.	1,643.	1,759.	1,851.	2,375.	2,501.
		73″	42″	**RGAL732-( )( )**	1,379.	1,709.	1,709.	1,830.	1,927.	2,469.	2,605.
		79″	42″	**RGAL792-( )( )**	1,428.	1,769.	1,769.	1,893.	2,000.	2,554.	2,699.
		85″	42″	**RGAL852-( )( )**	1,480.	1,840.	1,840.	1,965.	2,075.	2,653.	2,798.
		91″	42″	**RGAL912-( )( )**	1,536.	1,906.	1,906.	2,032.	2,149.	2,744.	2,900.
		97″	42″	**RGAL972-( )( )**	1,591.	1,973.	1,973.	2,104.	2,223.	2,840.	3,001.
	31″	43″	42″	**RGAL433-( )( )**	1,187.	1,472.	1,472.	1,573.	1,658.	2,123.	2,239.
		49″	42″	**RGAL493-( )( )**	1,237.	1,533.	1,533.	1,643.	1,730.	2,217.	2,337.
		55″	42″	**RGAL553-( )( )**	1,288.	1,599.	1,599.	1,706.	1,804.	2,302.	2,436.
		61″	42″	**RGAL613-( )( )**	1,339.	1,664.	1,664.	1,771.	1,878.	2,392.	2,535.
		67″	42″	**RGAL673-( )( )**	1,390.	1,729.	1,729.	1,841.	1,949.	2,486.	2,632.
		73″	42″	**RGAL733-( )( )**	1,443.	1,793.	1,793.	1,910.	2,018.	2,579.	2,722.
		79″	42″	**RGAL793-( )( )**	1,497.	1,853.	1,853.	1,976.	2,094.	2,667.	2,827.
		85″	42″	**RGAL853-( )( )**	1,547.	1,921.	1,921.	2,048.	2,165.	2,763.	2,923.
		91″	42″	**RGAL913-( )( )**	1,600.	1,985.	1,985.	2,114.	2,233.	2,852.	3,016.
		97″	42″	**RGAL973-( )( )**	1,651.	2,046.	2,046.	2,182.	2,309.	2,947.	3,118.

Order Code

Example:	**RGAL431NLL**
R	Reff Profiles
G	Gallery surround
A	1¼″ top thickness
L	Left hand return
43	43″ wide
1	21″ deep
N	No grommet
L	Finish type, top
L	Finish type, components
114	Top Finish
124	Edge Finish (L)

Specification Information

To order please specify pattern number including:

1. Grommet option
2. Finish type top
3. Finish type components
4. Finish, top
5. Finish, edge
6. Finish, components

1. Grommet options:
N = No grommets
F = Flush front grommet

2. Finish type top:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

3. Top Finish

4. Edge finish: Laminate
(Edge options are available on laminate tops only.)

Application Notes

3. Finish type, surround:
L = Laminate
1 = V1
2 = V2
3 = V3
If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.

Product on this page **Excluding any vertical surface over 48″,** will accept woodgrain laminate where laminate is currently an option.

1¼″ tops require support at mid point to reduce spans to 48″ or less.

Hardware included.

All requests for special grommet locations must be approved through custom product development.

M (mixed finish) includes laminate worksurface, wood edge and wood surround.

Specify only 26½″h pedestals and support components as required when using gallery desk surround products on this page.

Gallery desk surrounds
gallery towers

description	d	w	h	pattern no.	L	V1	V2	V3
Gallery Tower, left hand	32″	12″	46″	**RGTL4636( )( )( )( )**	$2,740.	$3,556.	$3,927.	$5,303.
	Actual depth of Gallery Tower is 32″.							
Gallery Tower, right hand	32″	12″	46″	**RGTR4636( )( )( )( )**	2,740.	3,556.	3,927.	5,303.
	Actual depth of Gallery Tower is 32″. Must be used with panels only.							

Order Code

Example:	**RGTL46362V319CL**
R	Reff Profiles
GT	Gallery Tower
L	Left hand
46	46″ h
36	36″ d
2	V2 finish type
006B	Finish
C	C-pull
L	Lock

Specification Information

To order please specify pattern number including:

1. Finish type
2. Finish
3. Pull option
4. Pull finish (if applicable)
5. Lock option

1. *Finish type:*
L = Laminate
1 = V1
2 = V2
3 = V3

Product on this page will accept woodgrain laminate where laminate is currently an option.

3. *Pull options:*
D = Metal D-pull
J = Routed J-pull
C = Nickel finish C-pull (nickel finish only)
S = Stainless steel finish S-pull (stainless steel finish only)

Products on this page are engineered to align with 1-1/4″ thick worksurfaces and 26-1/2″ support components only. Gallery tower shelf will not align with 28⅜″h desk height products.

Application Notes

Gallery Tower ships with hookstrip to attach to 42″h Reff panel and angle bracket for 30″ deep worksurface attachment at tower. .

Interior lower storage clearance: nominal 10.5″w x 22.5″h x 28.75″d

Overall depth includes top overhang, accommodates 30″d worksurfaces.

Gallery towers are to be used with panel applications.

Classic Desks
With Full Recessed Modesty

description	d	w	h	pattern no.	L	V1	V2	V3
Classic Desk Full Modesty Recessed 26½″	30″	60″	26½″	**RCDFMR60301( )( )( )**	$1,766.	$3,032.	$3,417.	$4,336.
	30″	72″	26½″	**RCDFMR72301( )( )( )**	1,853.	3,181.	3,586.	4,550.
	30″	84″	26½″	**RCDFMR84301( )( )( )**	1,935.	3,320.	3,744.	4,750.
	30″	96″	26½″	**RCDFMR96301( )( )( )**	2,011.	3,453.	3,892.	4,935.
	36″	60″	26½″	**RCDFMR60361( )( )( )**	1,869.	3,209.	3,617.	4,588.
	36″	72″	26½″	**RCDFMR72361( )( )( )**	1,962.	3,368.	3,797.	4,816.
	36″	84″	26½″	**RCDFMR84361( )( )( )**	2,049.	3,517.	3,965.	5,031.
	36″	96″	26½″	**RCDFMR96361( )( )( )**	2,132.	3,657.	4,125.	5,231.

Order Code

Example:	**RCDFMR60301**
R	Reff Profiles
CD	Classic Desk
FMR	Full Modesty Recessed
60	Width
30	Depth
1	26½″ high, 2 = 28⅜″ high
( )	Grommet Option
( )	Grommet Finish
( )	Fnish

Specification Information

To order please specify pattern number including:

1. Grommet Option
   F=Flush or Standard Corner location
   N=No Grommet
   R=Recessed Grommet
2. Grommet Finish:
   Painted or Plated
3. Finish: L,V1,V2,V3

Classic Desks ship knocked down, with all hardward.

Worksurface is 1½″ thick.
End panels are 2″ thick.

Grommets are located 20″ in form the sides and 3.5″ in from the back.

Grommets ship separately in a kit.

Lower storage sold separately.

26½″ high desk will only work with 26½″ high lower storage.

28⅜″ high desk will only work with 28⅜″ high lower storage.

30″ deep desk with recessed modesty will accept 19″ and 23″ deep pedestals.

36″ deep desk with recessed modesty will accept 19″, 23″ and 29″ deep pedestals.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Product on this page **Excluding any vertical surface over 48**“, will accept wood grain laminate, where laminate is currently an option.

Classic Desks
With Half Recessed Modesty

description	d	w	h	y	pattern number	L	V1	V2	V3
Classic Desk Half Modesty Recessed 26½″	30″	60″	26½″	1.8	**RCDHMR60301( )( )( )**	$1,713.	$2,941.	$3,313.	$4,203.
	30″	72″	26½″	2.1	**RCDHMR72301( )( )( )**	1,785.	3,065.	3,454.	4,382.
	30″	84″	26½″	2.6	**RCDHMR84301( )( )( )**	1,857.	3,186.	3,596.	4,558.
	30″	96″	26½″	2.8	**RCDHMR96301( )( )( )**	1,919.	3,294.	3,714.	4,710.
	36″	60″	26½″	1.8	**RCDHMR60361( )( )( )**	1,814.	3,117.	3,514.	4,456.
	36″	72″	26½″	2.1	**RCDHMR72361( )( )( )**	1,893.	3,251.	3,664.	4,648.
	36″	84″	26½″	2.6	**RCDHMR84361( )( )( )**	1,971.	3,383.	3,815.	4,839.
	36″	96″	26½″	2.8	**RCDHMR96361( )( )( )**	2,040.	3,502.	3,946.	5,005.

Order Code

Example:	**RCDHMR60301**
R	Reff Profiles
CD	Classic Desk
HMR	Half Modesty Recessed
60	Width
30	Depth
1	26½″ high, 2 = 28⅜″ high
( )	Grommet Option
( )	Grommet Finish
( )	Fnish

Specification Information

To order please specify pattern number including:

1. Grommet Option
   F=Flush or Standard Corner location
   N=No Grommet
   R=Recessed Grommet
2. Grommet Finish:
   Painted or Plated
3. Finish: L,V1,V2,V3

Application Notes

Classic Desks ship knocked down, with all hardward.

Worksurface is 1½″ thick.
End panels are 2″ thick.

Grommets are located 20″ in form the sides and 3.5″ in from the back. Grommets ship separately in a kit.

Lower storage sold separately.

26½″ high desk will only work with 26½″ high lower storage.

28⅜″ high desk will only work with 28⅜″ high lower storage.

Classic desks with half recessed modesty, accepts NO lower storage.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Product on this page **Excluding any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Classic Desks
With Quarter Recessed Modesty

description	d	w	h	pattern no.	L	V1	V2	V3
Classic Desk Quarter Modesty Recessed 26½″	30″	60″	26½″	**RCDQMR60301( )( )( )**	$1,636.	$2,808.	$3,166.	$4,016.
	30″	72″	26½″	**RCDQMR72301( )( )( )**	1,697.	2,916.	3,286.	4,169.
	30″	84″	26½″	**RCDQMR84301( )( )( )**	1,757.	3,016.	3,402.	4,313.
	30″	96″	26½″	**RCDQMR96301( )( )( )**	1,808.	3,104.	3,500.	4,440.
	36″	60″	26½″	**RCDQMR60361( )( )( )**	1,738.	2,986.	3,365.	4,268.
	36″	72″	26½″	**RCDQMR72361( )( )( )**	1,807.	3,101.	3,497.	4,435.
	36″	84″	26½″	**RCDQMR84361( )( )( )**	1,871.	3,213.	3,621.	4,592.
	36″	96″	26½″	**RCDQMR96361( )( )( )**	1,930.	3,311.	3,734.	4,736.

Order Code

Example:	**RCDQMR60301**
R	Reff Profiles
CD	Classic Desk
QMR	Quarter Modesty Recessed
60	Width
30	Depth
1	26½″ high, 2 = 28⅜″ high
( )	Grommet Option
( )	Grommet Finish
( )	Fnish

Specification Information

To order please specify pattern number including:

1. Grommet Option
   F=Flush or Standard Corner location
   N=No Grommet
   R=Recessed Grommet
2. Grommet Finish:
   Painted or Plated
3. Finish: L,V1,V2,V3

Application Notes

Classic Desks ship knocked down, with all hardward.

Worksurface is 1½″ thick.
End panels are 2″ thick.

Grommets are located 20″ in form the sides and 3.5″ in from the back. Grommets ship separately in a kit.

Lower storage sold separately.

26½″ high desk will only work with 26½″ high lower storage.

28⅜″ high desk will only work with 28⅜″ high lower storage.

Classic desks with quarter recessed modesty accepts NO lower storage.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Product on this page **Excluding any vertical surface over 48**“, will accept wood grain laminate, where laminate is currently an option.

Classic Desks
With Full Flush Modesty

description	d	w	h	pattern no.	L	V1	V2	V3
Classic Desk Full Modesty Flush 26½″	30″	60″	26½″	**RCDFMF60301( )( )( )**	$1,766.	$3,032.	$3,417.	$4,336.
	30″	72″	26½″	**RCDFMF72301( )( )( )**	1,853.	3,181.	3,586.	4,550.
	30″	84″	26½″	**RCDFMF84301( )( )( )**	1,935.	3,320.	3,744.	4,750.
	30″	96″	26½″	**RCDFMF96301( )( )( )**	2,011.	3,453.	3,892.	4,935.
	36″	60″	26½″	**RCDFMF60361( )( )( )**	1,766.	3,032.	3,417.	4,336.
	36″	72″	26½″	**RCDFMF72361( )( )( )**	1,853.	3,181.	3,586.	4,550.
	36″	84″	26½″	**RCDFMF84361( )( )( )**	1,935.	3,320.	3,744.	4,750.
	36″	96″	26½″	**RCDFMF96361( )( )( )**	2,011.	3,453.	3,892.	4,935.

Order Code

Example:	**RCDFMF60301**
R	Reff Profiles
CD	Classic Desk
FMF	Full Modesty Flush
60	Width
30	Depth
1	26½″ high, 2 = 28⅜″ high
( )	Grommet Option
( )	Grommet Finish
( )	Fnish

Specification Information

To order please specify pattern number including:

1. Grommet Option
   F=Flush or Standard Corner location
   N=No Grommet
   R=Recessed Grommet
2. Grommet Finish:
   Painted or Plated
3. Finish: L,V1,V2,V3

Application Notes

Classic Desks ship knocked down, with all hardward.

Worksurface is 1½″ thick.
End panels are 2″ thick.

Grommets are located 20″ in form the sides and 3.5″ in from the back. Grommets ship separately in a kit.

Lower storage sold separately.

26½″ high desk will only work with 26½″ high lower storage.

28⅜″ high desk will only work with 28⅜″ high lower storage.

30″ deep desk with flush modesty can accept up to 29″ deep pedestals.

36″ deep desk with flush modesty can accept up to 29″ deep pedestals.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Product on this page **Excluding any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Single pedestal desks
27¾″ high overall
V1 finish options

description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
Single pedestal bow front desk with short modesty and false pedestal	60″	30″	**RBSP6030J(A,B)( )1( )( )( )( )( )**	$3,939.	$4,219.	$4,185.	$4,467.
	72″	30″	**RBSP7230J(A,B)( )1( )( )( )( )( )**	4,074.	4,384.	4,322.	4,631.
	84″	30″	**RBSP8430J(A,B)( )1( )( )( )( )( )**	4,288.	4,627.	4,533.	4,875.
	96″	30″	**RBSP9630J(A,B)( )1( )( )( )( )( )**	4,484.	4,863.	4,728.	5,109.
Single pedestal cantilevered desk, 30″d	60″	30″	**RDSP6030J(A,B)( )1( )( )( )( )( )**	3,010.	3,445.	3,181.	3,616.
	72″	30″	**RDSP7230J(A,B)( )1( )( )( )( )( )**	3,129.	3,621.	3,301.	3,790.
	84″	30″	**RDSP8430J(A,B)( )1( )( )( )( )( )**	3,284.	3,823.	3,456.	3,992.
	96″	30″	**RDSP9630J(A,B)( )1( )( )( )( )( )**	3,418.	4,005.	3,587.	4,175.
Single pedestal cantilevered desk, 36″d	60″	36″	**RDSP6036J(A,B)( )1( )( )( )( )( )**	3,194.	3,653.	3,441.	3,898.
	72″	36″	**RDSP7236J(A,B)( )1( )( )( )( )( )**	3,341.	3,878.	3,587.	4,126.
	84″	36″	**RDSP8436J(A,B)( )1( )( )( )( )( )**	3,487.	4,118.	3,735.	4,364.
	96″	36″	**RDSP9636J(A,B)( )1( )( )( )( )( )**	3,624.	4,353.	3,867.	4,597.







Order Code

Example:	**RDSP6030J (A,B,W)**
RD	Reff desk
SP	Single pedestal
60	60″ wide
30	30″ deep
J	Box/box/file
A	1¼″ regular edge top
R	Recessed grommet option
1	Finish type
W	Wood interior option
J	Pull option
L	Lock option
506B	Finish
111	Pull Finish
111	Grommet Finish

Specification Information

To order, please specify pattern number including:

1. Top thickness option:
   A = 1¼″
   B = 1¾″
2. Grommet options:
   F = Flush or standard corner location
   N = No Grommet
   R = Recessed
3. Finish type:
   1 = V1
4. Interior option:
   M = Metal
   W = Wood
5. Pull option:
   B = No Pull, No Drilling Customer's Own Pull
   C = C-pull (Nickel finish only)
   D = D-pull (PT, PZ only)
   F = Bar pull (1 pull per door set)
   H = Outline Pull
   J = J (routed) pull
   R = Cylinder Pull
   S = S-pull (Stainless steel finish only)
   T= Tab Pull (1 pull per door set)
6. Lock option:
   L = Locks are always drilled for lock
7. Veneer finish
8. Pull Finish: Painted or plated
9. Grommet finish: Painted or plated

Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364 for keying instructions.

These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Application Notes

30″D rectilinear desk pedestals are 24″D including modesty panel.

36″D rectilinear desk pedestals are 30″D including modesty panel.

Pedestals are 16″W when calculating knee space subtract 16″ per pedestal.

Bowed front desk pedestals are 30″D with finished backs.

All desks are non-handed.

All hardware included.

Single pedestal desks
27¾" high overall
V2 finish options

description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
Single pedestal bow front desk with short modesty and false pedestal	60″	30″	**RBSP6030J(A,B)( )2( )( )( )( )( )**	$4,246.	$4,550.	$4,511.	$4,814.
	72″	30″	**RBSP7230J(A,B)( )2( )( )( )( )( )**	4,393.	4,728.	4,660.	4,992.
	84″	30″	**RBSP8430J(A,B)( )2( )( )( )( )( )**	4,622.	4,987.	4,887.	5,252.
	96″	30″	**RBSP9630J(A,B)( )2( )( )( )( )( )**	4,832.	5,242.	5,096.	5,509.
Single pedestal cantilevered desk, 30″d	60″	30″	**RDSP6030J(A,B)( )2( )( )( )( )( )**	3,244.	3,713.	3,431.	3,897.
	72″	30″	**RDSP7230J(A,B)( )2( )( )( )( )( )**	3,374.	3,902.	3,558.	4,086.
	84″	30″	**RDSP8430J(A,B)( )2( )( )( )( )( )**	3,536.	4,122.	3,723.	4,303.
	96″	30″	**RDSP9630J(A,B)( )2( )( )( )( )( )**	3,682.	4,316.	3,864.	4,501.
Single pedestal cantilevered desk, 36″d	60″	36″	**RDSP6036J(A,B)( )2( )( )( )( )( )**	3,442.	3,938.	3,708.	4,203.
	72″	36″	**RDSP7236J(A,B)( )2( )( )( )( )( )**	3,601.	4,180.	3,864.	4,446.
	84″	36″	**RDSP8436J(A,B)( )2( )( )( )( )( )**	3,760.	4,440.	4,025.	4,703.
	96″	36″	**RDSP9636J(A,B)( )2( )( )( )( )( )**	3,904.	4,692.	4,170.	4,956.







Order Code

Example:	**RDSP6030J (A,B,W)**
RD	Reff desk
SP	Single pedestal
60	60″ wide
30	30″ deep
J	Box/box/file
A	1¼″ regular edge top
R	Recessed grommets
2	Finish type
W	Wood interiors
J	Routed pulls
L	Lock
006B	Finish
111	Pull Finish
111	Grommet Finish

Specification Information

To order, please specify pattern number including:

1. Top thickness option:
   A = 1¼″
   B = 1¾″
2. Grommet options:
   F = Flush or standard corner location
   N = No Grommet
   R = Recessed
3. Finish type:
   2 = V2
4. Interior option:
   M = Metal
   W = Wood
5. Pull option:
   B = No Pull, No Drilling Customer's Own Pull
   C = C-pull (Nickel finish only)
   D = D-pull (PT, PZ only)
   F = Bar pull (1 pull per door set)
   H = Outline Pull
   J = J (routed) pull
   R = Cylinder Pull
   S = S-pull (Stainless steel finish only)
   T= Tab Pull (1 pull per door set)
6. Lock option:
   L = Locks are always drilled for lock
7. Veneer finish
8. Pull Finish: Painted or plated
9. Grommet finish: Painted or plated

Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364 for keying instructions.

These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Application Notes

30″D rectilinear desk pedestals are 24″D including modesty panel.

36″D rectilinear desk pedestals are 30″D including modesty panel.

Pedestals are 16″W when calculating knee space subtract 16″ per pedestal.

Bowed front desk pedestals are 30″D with finished backs.

All desks are non-handed.

All hardware included.

These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Single pedestal desks
27¾" high overall
V3 finish options

description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
Single pedestal bow front desk with short modesty and false pedestal	60″	30″	**RBSP6030J(A,B)( )3( )( )( )( )( )**	$5,173.	$5,542.	$5,495.	$5,866.
	72″	30″	**RBSP7230J(A,B)( )3( )( )( )( )( )**	5,351.	5,758.	5,674.	6,082.
	84″	30″	**RBSP8430J(A,B)( )3( )( )( )( )( )**	5,631.	6,077.	5,953.	6,400.
	96″	30″	**RBSP9630J(A,B)( )3( )( )( )( )( )**	5,887.	6,387.	6,210.	6,713.
Single pedestal cantilevered desk, 30″d	60″	30″	**RDSP6030J(A,B)( )3( )( )( )( )( )**	3,950.	4,521.	4,176.	4,746.
	72″	30″	**RDSP7230J(A,B)( )3( )( )( )( )( )**	4,108.	4,752.	4,334.	4,976.
	84″	30″	**RDSP8430J(A,B)( )3( )( )( )( )( )**	4,309.	5,019.	4,533.	5,243.
	96″	30″	**RDSP9630J(A,B)( )3( )( )( )( )( )**	4,485.	5,257.	4,709.	5,484.
Single pedestal cantilevered desk, 36″d	60″	36″	**RDSP6036J(A,B)( )3( )( )( )( )( )**	4,191.	4,796.	4,516.	5,119.
	72″	36″	**RDSP7236J(A,B)( )3( )( )( )( )( )**	4,385.	5,092.	4,709.	5,417.
	84″	36″	**RDSP8436J(A,B)( )3( )( )( )( )( )**	4,581.	5,408.	4,904.	5,729.
	96″	36″	**RDSP9636J(A,B)( )3( )( )( )( )( )**	4,754.	5,715.	5,079.	6,039.







Order Code

Example:	**RDSP6030J (A,B,W)**
RD	Reff desk
SP	Single pedestal
60	60″ wide
30	30″ deep
J	Box/box/file
A	1¼″ regular edge top
R	Recessed grommet option
3	Finish type
W	Wood interior option
J	Pull option
L	Lock option
039E	Finish
111	Pull Finish
111	Grommet Finish

Specification Information

To order, please specify pattern number including:

1. Top thickness option:
   A = 1¼″
   B = 1¾″
2. Grommet options:
   F = Flush or standard corner location
   N = No Grommet
   R = Recessed
3. Finish type:
   3 = V3
4. Interior option:
   M = Metal
   W = Wood
5. Pull option:
   B = No Pull, No Drilling Customer's Own Pull
   C = C-pull (Nickel finish only)
   D = D-pull (PT, PZ only)
   F = Bar pull (1 pull per door set)
   H = Outline Pull
   J = J (routed) pull
   R = Cylinder Pull
   S = S-pull (Stainless steel finish only)
   T= Tab Pull (1 pull per door set)
6. Lock option:
   L = Locks are always drilled for lock
7. Veneer finish
8. Pull Finish: Painted or plated
9. Grommet finish: Painted or plated

Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364 for keying instructions.

These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Application Notes

30″D rectilinear desk pedestals are 24″D including modesty panel.

36″D rectilinear desk pedestals are 30″D including modesty panel.

Pedestals are 16″W when calculating knee space subtract 16″ per pedestal.

Bowed front desk pedestals are 30″D with finished backs.

All desks are non-handed.

All hardware included.

Double pedestal desks
27¾″ high overall
V1 finish options

description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
Double bowed front desk with short modesty panel 	60″	30″	**RBDP6030JK(A,B)( )1( )( )( )( )( )**	$4,597.	$4,880.	$5,105.	$5,386.
	72″	30″	**RBDP7230JK(A,B)( )1( )( )( )( )( )**	4,732.	5,044.	5,238.	5,549.
	84″	30″	**RBDP8430JK(A,B)( )1( )( )( )( )( )**	4,946.	5,284.	5,451.	5,791.
	96″	30″	**RBDP9630JK(A,B)( )1( )( )( )( )( )**	5,140.	5,520.	5,648.	6,026.
Double pedestal cantilevered desk, 30″d 	60″	30″	**RDDP6030JK(A,B)( )1( )( )( )( )( )**	3,885.	4,320.	4,261.	4,694.
	72″	30″	**RDDP7230JK(A,B)( )1( )( )( )( )( )**	4,009.	4,494.	4,381.	4,873.
	84″	30″	**RDDP8430JK(A,B)( )1( )( )( )( )( )**	4,158.	4,698.	4,533.	5,070.
	96″	30″	**RDDP9630JK(A,B)( )1( )( )( )( )( )**	4,292.	4,881.	4,667.	5,256.
Double pedestal cantilevered desk, 36″d 	60″	36″	**RDDP6036JK(A,B)( )1( )( )( )( )( )**	4,130.	4,590.	4,130.	5,096.
	72″	36″	**RDDP7236JK(A,B)( )1( )( )( )( )( )**	4,276.	4,814.	4,783.	5,320.
	84″	36″	**RDDP8436JK(A,B)( )1( )( )( )( )( )**	4,424.	5,052.	4,931.	5,560.
	96″	36″	**RDDP9636JK(A,B)( )1( )( )( )( )( )**	4,556.	5,286.	5,064.	5,794.

Order Code

Example:	**RDDP6030JK (A,B,W)**
RD	Reff desk
DP	Double pedestal
60	60″ wide
30	30″ deep
J	Box/box/file
A	1¼″ regular edge top
R	Recessed grommet option
1	Finish type
W	Wood interior option
J	Pull option
L	Lock option
506B	Finish
111	Pull Finish
111	Grommet Finish

Specification Information

To order, please specify pattern number including:

1. Top thickness option:
   A = 1¼″
   B = 1¾″
2. Grommet options:
   F = Flush or standard corner location
   N = No Grommet
   R = Recessed
3. Finish type:
   1 = V1
4. Interior option:
   M = Metal
   W = Wood
5. Pull option:
   B = No Pull, No Drilling Customer's Own Pull
   C = C-pull (Nickel finish only)
   D = D-pull (PT, PZ only)
   F = Bar pull (1 pull per door set)
   H = Outline Pull
   J = J (routed) pull
   R = Cylinder Pull
   S = S-pull (Stainless steel finish only)
   T= Tab Pull (1 pull per door set)
6. Lock option:
   L = Locks are always drilled for lock
7. Veneer finish
8. Pull Finish: Painted or plated
9. Grommet finish: Painted or plated

Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364 for keying instructions.

These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Application Notes

30″D rectilinear desk pedestals are 24″D including modesty panel.

36″D rectilinear desk pedestals are 30″D including modesty panel.

Pedestals are 16″W when calculating knee space subtract 16″ per pedestal.

Bowed front desk pedestals are 30″D with finished backs.

All desks are non-handed.

All hardware included.

Double pedestal desks
27¾″ high overall
V2 finish options

description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
Double bowed front desk with short modesty panel 	60″	30″	**RBDP6030JK(A,B)( )2( )( )( )( )( )**	$4,956.	$5,259.	$5,503.	$5,804.
	72″	30″	**RBDP7230JK(A,B)( )2( )( )( )( )( )**	5,101.	5,436.	5,646.	5,981.
	84″	30″	**RBDP8430JK(A,B)( )2( )( )( )( )( )**	5,331.	5,697.	5,876.	6,243.
	96″	30″	**RBDP9630JK(A,B)( )2( )( )( )( )( )**	5,541.	5,953.	6,087.	6,497.
Double pedestal cantilevered desk, 30″d 	60″	30″	**RDDP6030JK(A,B)( )2( )( )( )( )( )**	4,187.	4,657.	4,591.	5,059.
	72″	30″	**RDDP7230JK(A,B)( )2( )( )( )( )( )**	4,319.	4,845.	4,722.	5,250.
	84″	30″	**RDDP8430JK(A,B)( )2( )( )( )( )( )**	4,482.	5,062.	4,887.	5,466.
	96″	30″	**RDDP9630JK(A,B)( )2( )( )( )( )( )**	4,626.	5,260.	5,030.	5,665.
Double pedestal cantilevered desk, 36″d 	60″	36″	**RDDP6036JK(A,B)( )2( )( )( )( )( )**	4,453.	4,947.	4,998.	5,493.
	72″	36″	**RDDP7236JK(A,B)( )2( )( )( )( )( )**	4,610.	5,191.	5,156.	5,737.
	84″	36″	**RDDP8436JK(A,B)( )2( )( )( )( )( )**	4,771.	5,446.	5,315.	5,994.
	96″	36″	**RDDP9636JK(A,B)( )2( )( )( )( )( )**	4,912.	5,699.	5,459.	6,245.

Order Code

Example:	**RDDP6030JK (A,B,W)**
RD	Reff desk
DP	Double pedestal
60	60″ wide
30	30″ deep
J	Box/box/file
A	1¼″ regular edge top
R	Recessed grommet option
2	Finish type
W	Wood interior option
J	Pull option
L	Lock option
006B	Finish
111	Pull Finish
111	Grommet Finish

Specification Information

To order, please specify pattern number including:

1. Top thickness option:
   A = 1¼″
   B = 1¾″
2. Grommet options:
   F = Flush or standard corner location
   N = No Grommet
   R = Recessed
3. Finish type:
   2 = V2
4. Interior option:
   M = Metal
   W = Wood
5. Pull option:
   B = No Pull, No Drilling Customer's Own Pull
   C = C-pull (Nickel finish only)
   D = D-pull (PT, PZ only)
   F = Bar pull (1 pull per door set)
   H = Outline Pull
   J = J (routed) pull
   R = Cylinder Pull
   S = S-pull (Stainless steel finish only)
   T= Tab Pull (1 pull per door set)
6. Lock option:
   L = Locks are always drilled for lock
7. Veneer finish
8. Pull Finish: Painted or plated
9. Grommet finish: Painted or plated

Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364 for keying instructions.

These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Application Notes

30″D rectilinear desk pedestals are 24″D including modesty panel.

36″D rectilinear desk pedestals are 30″D including modesty panel.

Pedestals are 16″W when calculating knee space subtract 16″ per pedestal.

Bowed front desk pedestals are 30″D with finished backs.

All desks are non-handed.

All hardware included.

Double pedestal desks
27¾″ high overall
V3 finish options

description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
Double bowed front desk with short modesty panel	60″	30″	**RBDP6030JK(A,B)( )3( )( )( )( )( )**	$6,039.	$6,410.	$6,708.	$7,071.
	72″	30″	**RBDP7230JK(A,B)( )3( )( )( )( )( )**	6,217.	6,624.	6,880.	7,291.
	84″	30″	**RBDP8430JK(A,B)( )3( )( )( )( )( )**	6,497.	6,941.	7,161.	7,608.
	96″	30″	**RBDP9630JK(A,B)( )3( )( )( )( )( )**	6,751.	7,252.	7,418.	7,917.
Double pedestal cantilevered desk, 30″d	60″	30″	**RDDP6030JK(A,B)( )3( )( )( )( )( )**	5,102.	5,671.	5,595.	6,164.
	72″	30″	**RDDP7230JK(A,B)( )3( )( )( )( )( )**	5,261.	5,905.	5,753.	6,397.
	84″	30″	**RDDP8430JK(A,B)( )3( )( )( )( )( )**	5,460.	6,168.	5,953.	6,661.
	96″	30″	**RDDP9630JK(A,B)( )3( )( )( )( )( )**	5,635.	6,411.	6,130.	6,903.
Double pedestal cantilevered desk, 36″d	60″	36″	**RDDP6036JK(A,B)( )3( )( )( )( )( )**	5,424.	6,026.	6,087.	6,691.
	72″	36″	**RDDP7236JK(A,B)( )3( )( )( )( )( )**	5,616.	6,323.	6,281.	6,989.
	84″	36″	**RDDP8436JK(A,B)( )3( )( )( )( )( )**	5,811.	6,637.	6,475.	7,303.
	96″	36″	**RDDP9636JK(A,B)( )3( )( )( )( )( )**	5,985.	6,944.	6,651.	7,612.







Order Code

Example:	**RDDP6030JK (A,B,W)**
RD	Reff desk
DP	Double pedestal
60	60″ wide
30	30″ deep
J	Box/box/file
A	1¼″ regular edge top
R	Recessed grommet option
3	Finish type
W	Wood interior option
J	Pull option
L	Lock option
039E	Finish
111	Pull Finish
111	Grommet Finish

Specification Information

To order, please specify pattern number including:

1. Top thickness option:
   A = 1¼″
   B = 1¾″
2. Grommet options:
   F = Flush or standard corner location
   N = No Grommet
   R = Recessed
3. Finish type:
   3 = V3
4. Interior option:
   M = Metal
   W = Wood
5. Pull option:
   B = No Pull, No Drilling Customer's Own Pull
   C = C-pull (Nickel finish only)
   D = D-pull (PT, PZ only)
   F = Bar pull (1 pull per door set)
   H = Outline Pull
   J = J (routed) pull
   R = Cylinder Pull
   S = S-pull (Stainless steel finish only)
   T= Tab Pull (1 pull per door set)
6. Lock option:
   L = Locks are always drilled for lock
7. Veneer finish
8. Pull Finish: Painted or plated
9. Grommet finish: Painted or plated

Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364 for keying instructions.

These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Application Notes

30″D rectilinear desk pedestals are 24″D including modesty panel.

36″D rectilinear desk pedestals are 30″D including modesty panel.

Pedestals are 16″W when calculating knee space subtract 16″ per pedestal.

Bowed front desk pedestals are 30″D with finished backs.

All desks are non-handed.

All hardware included.

Desk returns
27¾″ high overall
V1 finish options

description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
End panel return 	36″	24″	**RREP3624(A,B)( )1( )( )**			$1,338.	$1,683.
	42″	24″	**RREP4224(A,B)( )1( )( )**			1,395.	1,785.
	48″	24″	**RREP4824(A,B)( )1( )( )**			1,489.	1,908.
	54″	24″	**RREP5424(A,B)( )1( )( )**			1,554.	1,978.
	60″	24″	**RREP6024(A,B)( )1( )( )**			1,616.	2,041.
	36″	30″	**RREP3630(A,B)( )1( )( )**			1,421.	1,804.
	42″	30″	**RREP4230(A,B)( )1( )( )**			1,482.	1,894.
	48″	30″	**RREP4830(A,B)( )1( )( )**			1,583.	2,003.
	54″	30″	**RREP5430(A,B)( )1( )( )**			1,656.	2,071.
	60″	30″	**RREP6030(A,B)( )1( )( )**			1,703.	2,135.
Single pedestal return,24″d 	36″	24″	**RRSP3624K(A,B)( )1( )( )( )( )( )**	2,213.	2,560.	2,418.	2,763.
	42″	24″	**RRSP4224K(A,B)( )1( )( )( )( )( )**	2,268.	2,660.	2,475.	2,863.
	48″	24″	**RRSP4824K(A,B)( )1( )( )( )( )( )**	2,365.	2,785.	2,567.	2,988.
	54″	24″	**RRSP5424K(A,B)( )1( )( )( )( )( )**	2,429.	2,852.	2,632.	3,056.
	60″	24″	**RRSP6024K(A,B)( )1( )( )( )( )( )**	2,490.	2,916.	2,694.	3,121.
Single pedestal return,30″d 	36″	30″	**RRSP3630K(A,B)( )1( )( )( )( )( )**	2,353.	2,740.	2,616.	3,000.
	42″	30″	**RRSP4230K(A,B)( )1( )( )( )( )( )**	2,418.	2,832.	2,676.	3,089.
	48″	30″	**RRSP4830K(A,B)( )1( )( )( )( )( )**	2,518.	2,938.	2,777.	3,200.
	54″	30″	**RRSP5430K(A,B)( )1( )( )( )( )( )**	2,592.	3,008.	2,851.	3,266.
	60″	30″	**RRSP6030K(A,B)( )1( )( )( )( )( )**	2,639.	3,069.	2,898.	3,331.

Order Code

Example:	**RRSP3624K (A,B,W)**
RR	Reff Pedestal Return
SP	Single Pedestal
36	36″ wide
24	24″ deep
K	File/file
A	1¼″ regular edge top
R	Recessed grommet option
1	Finish type
W	Wood interior option
J	Pull option
L	Lock option
506B	Finish
111	Pull Finish
111	Grommet Finish

Specification Information

To order, please specify pattern number including:

1. Top thickness option:
   A = 1¼″
   B = 1¾″
2. Grommet options:
   F = Flush or standard corner location
   N = No Grommet
   R = Recessed
3. Finish type:
   1 = V1
4. Interior option:
   M = Metal
   W = Wood
5. Pull option:
   B = No Pull, No Drilling Customer's Own Pull
   C = C-pull (Nickel finish only)
   D = D-pull (PT, PZ only)
   F = Bar pull (1 pull per door set)
   H = Outline Pull
   J = J (routed) pull
   R = Cylinder Pull
   S = S-pull (Stainless steel finish only)
   T= Tab Pull (1 pull per door set)
6. Lock option:
   L = Locks are always drilled for lock
7. Veneer finish
8. Pull Finish: Painted or plated
9. Grommet finish: Painted or plated

For end panel returns, please specify pattern number including:

1. Top thickness option:
   A = 1¼″
   B = 1¾″
2. Grommet options:
   F = Flush or standard corner location
   N = No Grommet
   R = Recessed
3. Finish type:
   1 = V1
4. Grommet finish: Painted or plated

Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364for keying instructions.

Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Application Notes

30″D rectilinear desk pedestals are 24″D including modesty panel.

Pedestals are 16″W when calculating knee space subtract 16″ per pedestal.

All desks are non-handed.

All hardware included.

Desk returns
27¾″ high overall
V2 finish options

description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
End panel return 	36″	24″	**RREP3624(A,B)( )2( )( )**			$1,444.	$1,815.
	42″	24″	**RREP4224(A,B)( )2( )( )**			1,504.	1,925.
	48″	24″	**RREP4824(A,B)( )2( )( )**			1,606.	2,056.
	54″	24″	**RREP5424(A,B)( )2( )( )**			1,676.	2,133.
	60″	24″	**RREP6024(A,B)( )2( )( )**			1,741.	2,202.
	36″	30″	**RREP3630(A,B)( )2( )( )**			1,534.	1,945.
	42″	30″	**RREP4230(A,B)( )2( )( )**			1,600.	2,044.
	48″	30″	**RREP4830(A,B)( )2( )( )**			1,709.	2,160.
	54″	30″	**RREP5430(A,B)( )2( )( )**			1,788.	2,233.
	60″	30″	**RREP6030(A,B)( )2( )( )**			1,835.	2,301.
Single pedestal return,24″d 	36″	24″	**RRSP3624K(A,B)( )2( )( )( )( )( )**	2,386.	2,761.	2,608.	2,982.
	42″	24″	**RRSP4224K(A,B)( )2( )( )( )( )( )**	2,448.	2,868.	2,670.	3,087.
	48″	24″	**RRSP4824K(A,B)( )2( )( )( )( )( )**	2,551.	3,001.	2,770.	3,222.
	54″	24″	**RRSP5424K(A,B)( )2( )( )( )( )( )**	2,618.	3,076.	2,840.	3,296.
	60″	24″	**RRSP6024K(A,B)( )2( )( )( )( )( )**	2,683.	3,144.	2,905.	3,365.
Single pedestal return,30″d 	36″	30″	**RRSP3630K(A,B)( )2( )( )( )( )( )**	2,539.	2,955.	2,821.	3,235.
	42″	30″	**RRSP4230K(A,B)( )2( )( )( )( )( )**	2,608.	3,053.	2,886.	3,331.
	48″	30″	**RRSP4830K(A,B)( )2( )( )( )( )( )**	2,715.	3,168.	2,995.	3,449.
	54″	30″	**RRSP5430K(A,B)( )2( )( )( )( )( )**	2,796.	3,243.	3,075.	3,524.
	60″	30″	**RRSP6030K(A,B)( )2( )( )( )( )( )**	2,844.	3,309.	3,124.	3,590.

Order Code

Example:	**RRSP3624K (A,B,W)**
RR	Reff Pedestal Return
SP	Single Pedestal
36	36″ wide
24	24″ deep
K	File/file
A	1¼″ regular edge top
R	Recessed grommet option
2	Finish type
W	Wood interior option
J	Pull option
L	Lock option
006B	Finish
111	Pull Finish
111	Grommet Finish

Specification Information

To order, please specify pattern number including:

1. Top thickness option:
   A = 1¼″
   B = 1¾″
2. Grommet options:
   F = Flush or standard corner location
   N = No Grommet
   R = Recessed
3. Finish type:
   2 = V2
4. Interior option:
   M = Metal
   W = Wood
5. Pull option:
   B = No Pull, No Drilling Customer's Own Pull
   C = C-pull (Nickel finish only)
   D = D-pull (PT, PZ only)
   F = Bar pull (1 pull per door set)
   H = Outline Pull
   J = J (routed) pull
   R = Cylinder Pull
   S = S-pull (Stainless steel finish only)
   T= Tab Pull (1 pull per door set)
6. Lock option:
   L = Locks are always drilled for lock
7. Veneer finish
8. Pull Finish: Painted or plated
9. Grommet finish: Painted or plated

For end panel returns, please specify pattern number including:

1. Top thickness option:
   A = 1¼″
   B = 1¾″
2. Grommet options:
   F = Flush or standard corner location
   N = No Grommet
   R = Recessed
3. Finish type:
   2 = V2
4. Grommet finish: Painted or plated

Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364for keying instructions.

Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Application Notes

30″D rectilinear desk pedestals are 24″D including modesty panel.

Pedestals are 16″W when calculating knee space subtract 16″ per pedestal.

All desks are non-handed.

All hardware included.

Desk returns
27¾″ high overall
V3 finish options

description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
End panel return	36″	24″	**RREP3624(A,B)( )3( )( )**			$1,760.	$2,215.
	42″	24″	**RREP4224(A,B)( )3( )( )**			1,834.	2,346.
	48″	24″	**RREP4824(A,B)( )3( )( )**			1,961.	2,507.
	54″	24″	**RREP5424(A,B)( )3( )( )**			2,045.	2,602.
	60″	24″	**RREP6024(A,B)( )3( )( )**			2,124.	2,684.
	36″	30″	**RREP3630(A,B)( )3( )( )**			1,870.	2,374.
	42″	30″	**RREP4230(A,B)( )3( )( )**			1,950.	2,493.
	48″	30″	**RREP4830(A,B)( )3( )( )**			2,082.	2,635.
	54″	30″	**RREP5430(A,B)( )3( )( )**			2,179.	2,724.
	60″	30″	**RREP6030(A,B)( )3( )( )**			2,239.	2,806.
Single pedestal return,24″d	36″	24″	**RRSP3624K(A,B)( )3( )( )( )( )( )**	2,911.	3,366.	3,179.	3,635.
	42″	24″	**RRSP4224K(A,B)( )3( )( )( )( )( )**	2,985.	3,498.	3,254.	3,767.
	48″	24″	**RRSP4824K(A,B)( )3( )( )( )( )( )**	3,110.	3,661.	3,379.	3,927.
	54″	24″	**RRSP5424K(A,B)( )3( )( )( )( )( )**	3,194.	3,753.	3,465.	4,021.
	60″	24″	**RRSP6024K(A,B)( )3( )( )( )( )( )**	3,274.	3,836.	3,543.	4,106.
Single pedestal return,30″d	36″	30″	**RRSP3630K(A,B)( )3( )( )( )( )( )**	3,097.	3,605.	3,440.	3,945.
	42″	30″	**RRSP4230K(A,B)( )3( )( )( )( )( )**	3,179.	3,723.	3,520.	4,062.
	48″	30″	**RRSP4830K(A,B)( )3( )( )( )( )( )**	3,312.	3,864.	3,652.	4,207.
	54″	30″	**RRSP5430K(A,B)( )3( )( )( )( )( )**	3,411.	3,954.	3,750.	4,298.
	60″	30″	**RRSP6030K(A,B)( )3( )( )( )( )( )**	3,470.	4,035.	3,810.	4,380.

Order Code

Example:	**RRSP3624K (A,B,W)**
RR	Reff Pedestal Return
SP	Single Pedestal
36	36″ wide
24	24″ deep
K	File/file
A	1¼″ regular edge top
R	Recessed grommet option
3	Finish type
W	Wood interior option
J	Pull option
L	Lock option
039E	Finish
111	Pull Finish
111	Grommet Finish

Specification Information

To order, please specify pattern number including:

1. Top thickness option:
   A = 1¼″
   B = 1¾″
2. Grommet options:
   F = Flush or standard corner location
   N = No Grommet
   R = Recessed
3. Finish type:
   3 = V3
4. Interior option:
   M = Metal
   W = Wood
5. Pull option:
   B = No Pull, No Drilling Customer's Own Pull
   C = C-pull (Nickel finish only)
   D = D-pull (PT, PZ only)
   F = Bar pull (1 pull per door set)
   H = Outline Pull
   J = J (routed) pull
   R = Cylinder Pull
   S = S-pull (Stainless steel finish only)
   T= Tab Pull (1 pull per door set)
6. Lock option:
   L = Locks are always drilled for lock
7. Veneer finish
8. Pull Finish: Painted or plated
9. Grommet finish: Painted or plated

For end panel returns, please specify pattern number including:

1. Top thickness option:
   A = 1¼″
   B = 1¾″
2. Grommet options:
   F = Flush or standard corner location
   N = No Grommet
   R = Recessed
3. Finish type:
   3 = V3
4. Grommet finish: Painted or plated

Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364for keying instructions.

Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Application Notes

30″D rectilinear desk pedestals are 24″D including modesty panel.

Pedestals are 16″W when calculating knee space subtract 16″ per pedestal.

All desks are non-handed.

All hardware included.

Single pedestal credenzas
27¾" high overall
V1 finish options

description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
Single pedestal credenza	60″	24″	**RCSP6024K(A,B)( )1( )( )( )( )( )**	$2,860.	$3,288.	$3,067.	$3,490.
	72″	24″	**RCSP7224K(A,B)( )1( )( )( )( )( )**	3,003.	3,465.	3,207.	3,670.
	84″	24″	**RCSP8424K(A,B)( )1( )( )( )( )( )**	3,148.	3,668.	3,353.	3,872.
	96″	24″	**RCSP9624K(A,B)( )1( )( )( )( )( )**	3,280.	3,851.	3,482.	4,057.
Single lateral file credenza (30″ wide lateral file)	60″	24″	**RCS3L6024K(A,B)( )1( )( )( )( )( )**	4,036.	3,444.	3,484.	3,912.
	72″	24″	**RCS3L7224K(A,B)( )1( )( )( )( )( )**	3,159.	3,621.	3,627.	4,090.
	84″	24″	**RCS3L8424K(A,B)( )1( )( )( )( )( )**	3,305.	3,823.	3,772.	4,292.
	96″	24″	**RCS3L9624K(A,B)( )1( )( )( )( )( )**	3,433.	4,006.	3,903.	4,475.
Single lateral file credenza (36″ wide lateral file)	60″	24″	**RCS6L6024K(A,B)( )1( )( )( )( )( )**	3,103.	3,530.	3,916.	4,341.
	72″	24″	**RCS6L7224K(A,B)( )1( )( )( )( )( )**	3,245.	3,707.	4,058.	4,521.
	84″	24″	**RCS6L8424K(A,B)( )1( )( )( )( )( )**	3,392.	3,911.	4,204.	4,722.
	96″	24″	**RCS6L9624K(A,B)( )1( )( )( )( )( )**	3,519.	4,094.	4,335.	4,904.

Order Code

Example:	**RCSP6024K (A,B,W)**
RC	Reff Credenza
SP	Single pedestal
60	60″ wide
24	24″ deep
K	File/file
A	1¼″ regular edge top
R	Recessed grommet option
1	Finish type
W	Wood interior option
J	Pull option
L	Lock option
506B	Finish
111	Pull Finish
111	Grommet Finish

S3L = Single 30″w lateral file
S6L = Single 36″w lateral file

Specification Information

To order, please specify pattern number including:

1. Top thickness option:
   A = 1¼″
   B = 1¾″
2. Grommet options:
   F = Flush or standard corner location
   N = No Grommet
   R = Recessed
3. Finish type:
   1 = V1
4. Interior option:
   M = Metal
   W = Wood
5. Pull option:
   B = No Pull, No Drilling Customer's Own Pull
   C = C-pull (Nickel finish only)
   D = D-pull (PT, PZ only)
   F = Bar pull (1 pull per door set)
   H = Outline Pull
   J = J (routed) pull
   R = Cylinder Pull
   S = S-pull (Stainless steel finish only)
   T= Tab Pull (1 pull per door set)
6. Lock option:
   L = Locks are always drilled for lock
7. Veneer finish
8. Pull Finish: Painted or plated
9. Grommet finish: Painted or plated

Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364 for keying instructions.

Application Notes

30″D rectilinear desk pedestals are 24″D including modesty panel.

Credenzas with lateral files or pedestals are non handed.

Pedestals are 16″W when calculating knee space subtract 16″ per pedestal.

Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Single pedestal credenzas
27¾″ high overall
V2 finish options

description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
Single pedestal credenza	60″	24″	**RCSP6024K(A,B)( )2( )( )( )( )( )**	$3,085.	$3,545.	$3,306.	$3,767.
	72″	24″	**RCSP7224K(A,B)( )2( )( )( )( )( )**	3,239.	3,737.	3,458.	3,957.
	84″	24″	**RCSP8424K(A,B)( )2( )( )( )( )( )**	3,396.	3,954.	3,617.	4,176.
	96″	24″	**RCSP9624K(A,B)( )2( )( )( )( )( )**	3,535.	4,153.	3,755.	4,373.
Single lateral file credenza (30″ wide lateral file)	60″	24″	**RCS3L6024K(A,B)( )2( )( )( )( )( )**	3,252.	3,713.	3,759.	4,218.
	72″	24″	**RCS3L7224K(A,B)( )2( )( )( )( )( )**	3,406.	3,904.	3,909.	4,410.
	84″	24″	**RCS3L8424K(A,B)( )2( )( )( )( )( )**	3,563.	4,124.	4,068.	4,627.
	96″	24″	**RCS3L9624K(A,B)( )2( )( )( )( )( )**	3,703.	4,320.	4,210.	4,825.
Single lateral file credenza (36″ wide lateral file)	60″	24″	**RCS6L6024K(A,B)( )2( )( )( )( )( )**	3,345.	3,808.	4,222.	4,681.
	72″	24″	**RCS6L7224K(A,B)( )2( )( )( )( )( )**	3,498.	3,996.	4,376.	4,873.
	84″	24″	**RCS6L8424K(A,B)( )2( )( )( )( )( )**	3,657.	4,216.	4,533.	5,091.
	96″	24″	**RCS6L9624K(A,B)( )2( )( )( )( )( )**	3,796.	4,414.	4,674.	5,290.

Order Code

Example:	**RCSP6024K (A,B,W)**
RC	Reff Credenza
SP	Single pedestal
60	60″ wide
24	24″ deep
K	File/file
A	1¼″ regular edge top
R	Recessed grommet option
2	Finish type
W	Wood interior option
J	Pull option
L	Lock option
006B	Finish
111	Pull Finish
111	Grommet Finish

S3L = Single 30″w lateral file
S6L = Single 36″w lateral file

Specification Information

To order, please specify pattern number including:

1. Top thickness option:
   A = 1¼″
   B = 1¾″
2. Grommet options:
   F = Flush or standard corner location
   N = No Grommet
   R = Recessed
3. Finish type:
   2 = V2
4. Interior option:
   M = Metal
   W = Wood
5. Pull option:
   B = No Pull, No Drilling Customer's Own Pull
   C = C-pull (Nickel finish only)
   D = D-pull (PT, PZ only)
   F = Bar pull (1 pull per door set)
   H = Outline Pull
   J = J (routed) pull
   R = Cylinder Pull
   S = S-pull (Stainless steel finish only)
   T= Tab Pull (1 pull per door set)
6. Lock option:
   L = Locks are always drilled for lock
7. Veneer finish
8. Pull Finish: Painted or plated
9. Grommet finish: Painted or plated

Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364 for keying instructions.

Application Notes

30″D rectilinear desk pedestals are 24″D including modesty panel.

Credenzas with lateral files or pedestals are non handed.

Pedestals are 16″W when calculating knee space subtract 16″ per pedestal.

Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Single pedestal credenzas
27¾" high overall
V3 finish options

description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
Single pedestal credenza	60″	24″	**RCSP6024K(A,B)( )3( )( )( )( )( )**	$3,763.	$4,324.	$4,031.	$4,592.
	72″	24″	**RCSP7224K(A,B)( )3( )( )( )( )( )**	3,949.	4,557.	4,219.	4,826.
	84″	24″	**RCSP8424K(A,B)( )3( )( )( )( )( )**	4,141.	4,824.	4,412.	5,092.
	96″	24″	**RCSP9624K(A,B)( )3( )( )( )( )( )**	4,313.	5,064.	4,581.	5,333.
Single lateral file credenza (30″ wide lateral file)	60″	24″	**RCS3L6024K(A,B)( )3( )( )( )( )( )**	3,968.	4,527.	4,585.	5,146.
	72″	24″	**RCS3L7224K(A,B)( )3( )( )( )( )( )**	4,152.	4,762.	4,769.	5,379.
	84″	24″	**RCS3L8424K(A,B)( )3( )( )( )( )( )**	4,345.	5,030.	4,961.	5,644.
	96″	24″	**RCS3L9624K(A,B)( )3( )( )( )( )( )**	4,516.	5,269.	5,134.	5,886.
Single lateral file credenza (36″ wide lateral file)	60″	24″	**RCS6L6024K(A,B)( )3( )( )( )( )( )**	4,080.	4,642.	5,150.	5,711.
	72″	24″	**RCS6L7224K(A,B)( )3( )( )( )( )( )**	4,266.	4,876.	5,336.	5,944.
	84″	24″	**RCS6L8424K(A,B)( )3( )( )( )( )( )**	4,458.	5,142.	5,529.	6,208.
	96″	24″	**RCS6L9624K(A,B)( )3( )( )( )( )( )**	4,631.	5,383.	5,701.	6,451.

Order Code

Example:	**RCSP6024K (A,B,W)**
RC	Reff Credenza
SP	Single pedestal
60	60″ wide
24	24″ deep
K	File/file
A	1¼″ regular edge top
R	Recessed grommet option
3	Finish type
W	Wood interior option
J	Pull option
L	Lock option
039E	Finish
111	Pull Finish
111	Grommet Finish

S3L = Single 30″w lateral file
S6L = Single 36″w lateral file

Specification Information

To order, please specify pattern number including:

1. Top thickness option:
   A = 1¼″
   B = 1¾″
2. Grommet options:
   F = Flush or standard corner location
   N = No Grommet
   R = Recessed
3. Finish type:
   3 = V3
4. Interior option:
   M = Metal
   W = Wood
5. Pull option:
   B = No Pull, No Drilling Customer's Own Pull
   C = C-pull (Nickel finish only)
   D = D-pull (PT, PZ only)
   F = Bar pull (1 pull per door set)
   H = Outline Pull
   J = J (routed) pull
   R = Cylinder Pull
   S = S-pull (Stainless steel finish only)
   T= Tab Pull (1 pull per door set)
6. Lock option:
   L = Locks are always drilled for lock
7. Veneer finish
8. Pull Finish: Painted or plated
9. Grommet finish: Painted or plated

Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364 for keying instructions.

Application Notes

30″D rectilinear desk pedestals are 24″D including modesty panel.

Credenzas with lateral files or pedestals are non handed.

Pedestals are 16″W when calculating knee space subtract 16″ per pedestal.

Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Bridge assemblies
27¾″ high overall
V1 finish options

description	w	d	pattern no.	A	B
Bridge assembly	36″	24″	**RBR3624(A,B,W)( )1( )( )**	$958.	$1,304.
	42″	24″	**RBR4224(A,B,W)( )1( )( )**	1,015.	1,406.
	48″	24″	**RBR4824(A,B,W)( )1( )( )**	1,111.	1,529.
	36″	30″	**RBR3630(A,B,W)( )1( )( )**	1,021.	1,406.
	42″	30″	**RBR4230(A,B,W)( )1( )( )**	1,081.	1,494.
	48″	30″	**RBR4830(A,B,W)( )1( )( )**	1,182.	1,603.

Order Code

Example:	**RBR3624 (A,B,W)**
RBR	Reff Bridge Assembly
48	48″ wide
30	30″ deep
B	1¼″ rectangular edge
A	1¼″ regular edge top
F	Flush grommet option
1	Finish type
506B	Finish
111	Grommet Finish

S3L = Single 30″w lateral file
S6L = Single 36″w lateral file

Specification Information

To order, please specify pattern number including:

1. Top thickness option:
   A = 1¼″
   B = 1¾″
2. Grommet options:
   F = Flush or standard corner location
   N = No Grommet
   R = Recessed
3. Finish type:
   1 = V1
4. Finish: V1
5. Grommet finish: Painted or plated

Application Notes

Bridge assemblies are non-handed.

All hardware included.

Shipped with full height modesty.

Bridge assemblies
27¾″ high overall
V2 finish options

description	w	d	pattern no.	A	B
Bridge assembly	36″	24″	**RBR3624(A,B,W)( )2( )( )**	$1,034.	$1,405.
	42″	24″	**RBR4224(A,B,W)( )2( )( )**	1,095.	1,515.
	48″	24″	**RBR4824(A,B,W)( )2( )( )**	1,196.	1,647.
	36″	30″	**RBR3630(A,B,W)( )2( )( )**	1,102.	1,515.
	42″	30″	**RBR4230(A,B,W)( )2( )( )**	1,166.	1,611.
	48″	30″	**RBR4830(A,B,W)( )2( )( )**	1,275.	1,729.

Order Code

Example:	**RBR3624 (A,B,W)**
RBR	Reff Bridge Assembly
48	48″ wide
30	30″ deep
A	1¼″ rectangular edge
A	1¼″ regular edge top
F	Flush grommet option
2	Finish type
006B	Finish
111	Grommet Finish

S3L = Single 30″w lateral file
S6L = Single 36″w lateral file

Specification Information

To order, please specify pattern number including:

1. Top thickness option:
   A = 1¼″
   B = 1¾″
2. Grommet options:
   F = Flush or standard corner location
   N = No Grommet
   R = Recessed
3. Finish type:
   2 = V2
4. Finish: V2
5. Grommet finish: Painted or plated

Application Notes

Bridge assemblies are non-handed.

All hardware included.

Shipped with full height modesty.

Bridge assemblies
27¾″ high overall
V3 finish options

description	w	d	pattern no.	A	B
Bridge assembly	36″	24″	**RBR3624(A,B,W)( )3( )( )**	$1,260.	$1,716.
	42″	24″	**RBR4224(A,B,W)( )3( )( )**	1,336.	1,849.
	48″	24″	**RBR4824(A,B,W)( )3( )( )**	1,461.	2,008.
	36″	30″	**RBR3630(A,B,W)( )3( )( )**	1,343.	1,849.
	42″	30″	**RBR4230(A,B,W)( )3( )( )**	1,422.	1,966.
	48″	30″	**RBR4830(A,B,W)( )3( )( )**	1,556.	2,110.

Order Code

Example:	**RBR3624 (A,B,W)**
RBR	Reff Bridge Assembly
48	48″ wide
30	30″ deep
A	1¼″ rectangular edge
A	1¼″ regular edge top
F	Flush grommet option
3	Finish type
039E	Finish
111	Grommet Finish

S3L = Single 30″w lateral file
S6L = Single 36″w lateral file

Specification Information

To order, please specify pattern number including:

1. Top thickness option:
   A = 1¼″
   B = 1¾″
2. Grommet options:
   F = Flush or standard corner location
   N = No Grommet
   R = Recessed
3. Finish type:
   3 = V3
4. Finish: V3
5. Grommet finish: Painted or plated

Application Notes

Bridge assemblies are non-handed.

All hardware included.

Shipped with full height modesty.

Double pedestal credenzas
27¾″ high overall
V1 finish options

description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
Double pedestal credenza (16″ wide FF peds)	60″	24″	**RCDP6024K(A,B)( )1( )( )( )( )( )**	$3,738.	$4,162.	$4,145.	$4,571.
	72″	24″	**RCDP7224K(A,B)( )1( )( )( )( )( )**	3,875.	4,339.	3,847.	4,752.
	84″	24″	**RCDP8424K(A,B)( )1( )( )( )( )( )**	4,024.	4,543.	4,433.	4,951.
	96″	24″	**RCDP9624K(A,B)( )1( )( )( )( )( )**	4,153.	4,725.	4,563.	5,134.
Double lateral credenza (30″ wide laterals)	60″	24″	**RCD3L6024K(A,B)( )1( )( )( )( )( )**	4,046.	4,474.	4,985.	5,410.
	84″	24″	**RCD3L8424K(A,B)( )1( )( )( )( )( )**	4,336.	4,853.	5,271.	5,790.
96″w shown; 60″w has no knee space	96″	24″	**RCD3L9624K(A,B)( )1( )( )( )( )( )**	4,467.	5,034.	5,402.	5,972.
Double lateral credenza (36″ wide laterals)	72″	24″	**RCD6L7224K(A,B)( )1( )( )( )( )( )**	4,363.	4,825.	5,986.	6,446.
	96″	24″	**RCD6L9624K(A,B)( )1( )( )( )( )( )**	4,638.	5,209.	6,263.	6,831.
96″w shown; 72″w has no knee space							

Order Code

Example:	**RCDP6024K (A,B,W)**
RC	Reff Credenza
DP	Double Pedestal
60	60″ wide
24	24″ deep
K	File/file
A	1¼″ regular edge top
R	Recessed grommet option
1	Finish type
W	Wood interior option
J	Pull option
L	Lock option
506B	Finish
111	Pull Finish
111	Grommet Finish

S3L = Single 30″w lateral file
S6L = Single 36″w lateral file

Specification Information

To order, please specify pattern number including:

1. Top thickness option:
   A = 1¼″
   B = 1¾″
2. Grommet options:
   F = Flush or standard corner location
   N = No Grommet
   R = Recessed
3. Finish type:
   1 = V1
4. Interior option:
   M = Metal
   W = Wood
5. Pull option:
   B = No Pull, No Drilling Customer's Own Pull
   C = C-pull (Nickel finish only)
   D = D-pull (PT, PZ only)
   F = Bar pull (1 pull per door set)
   H = Outline Pull
   J = J (routed) pull
   R = Cylinder Pull
   S = S-pull (Stainless steel finish only)
   T= Tab Pull (1 pull per door set)
6. Lock option:
   L = Locks are always drilled for lock
7. Finish: V1
8. Pull Finish: Painted or plated
9. Grommet finish: Painted or plated

Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364 for keying instructions.

Application Notes

30″D rectilinear desk pedestals are 24″D including modesty panel.

Credenzas with lateral files or pedestals are non handed.

Pedestals are 16″W when calculating knee space subtract 16″ per pedestal.

Double pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Double pedestal credenzas
27¾" high overall
V2 finish options

description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
Double pedestal credenza (16" wide FF peds)	60"	24"	**RCDP6024K(A,B)( )2( )( )( )( )( )**	$4,031.	$4,488.	$4,470.	$4,929.
	72"	24"	**RCDP7224K(A,B)( )2( )( )( )( )( )**	4,180.	4,679.	4,622.	5,123.
	84"	24"	**RCDP8424K(A,B)( )2( )( )( )( )( )**	4,339.	4,900.	4,781.	5,339.
	96"	24"	**RCDP9624K(A,B)( )2( )( )( )( )( )**	4,479.	5,093.	4,922.	5,536.
Double lateral credenza (30" wide laterals)	60"	24"	**RCD3L6024K(A,B)( )2( )( )( )( )( )**	4,364.	4,825.	5,375.	5,837.
	84"	24"	**RCD3L8424K(A,B)( )2( )( )( )( )( )**	4,675.	5,237.	5,686.	6,245.
	96"	24"	**RCD3L9624K(A,B)( )2( )( )( )( )( )**	4,816.	5,429.	5,827.	6,441.
Double lateral credenza (36" wide laterals)	72"	24"	**RCD6L7224K(A,B)( )2( )( )( )( )( )**	4,703.	5,202.	6,458.	6,956.
	96"	24"	**RCD6L9624K(A,B)( )2( )( )( )( )( )**	5,002.	5,618.	6,753.	7,369.





96"w shown; 60"w has no knee space



96"w shown; 72"w has no knee space

Order Code

Example:	**RCDP6024K (A,B,W)**
RC	Reff Credenza
DP	Double Pedestal
60	60" wide
24	24" deep
K	File/file
A	1¼" regular edge top
R	Recessed grommet option
2	Finish type
W	Wood interior option
J	Pull option
L	Lock option
006B	Finish
111	Pull Finish
111	Grommet Finish

S3L = Single 30"w lateral file
S6L = Single 36"w lateral file

Specification Information

To order, please specify pattern number including:

1. Top thickness option:
   A = 1¼"
   B = 1¾"
2. Grommet options:
   F = Flush or standard corner location
   N = No Grommet
   R = Recessed
3. Finish type:
   2 = V2
4. Interior option:
   M = Metal
   W = Wood
5. Pull option:
   B = No Pull, No Drilling Customer's Own Pull
   C = C-pull (Nickel finish only)
   D = D-pull (PT, PZ only)
   F = Bar pull (1 pull per door set)
   H = Outline Pull
   J = J (routed) pull
   R = Cylinder Pull
   S = S-pull (Stainless steel finish only)
   T= Tab Pull (1 pull per door set)
6. Lock option:
   L = Locks are always drilled for lock
7. Finish: V1
8. Pull Finish: Painted or plated
9. Grommet finish: Painted or plated

Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364 for keying instructions.

Application Notes

30"D rectilinear desk pedestals are 24"D including modesty panel.

Credenzas with lateral files or pedestals are non handed.

Pedestals are 16"W when calculating knee space subtract 16" per pedestal.

Double pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Double pedestal credenzas
27¾" high overall
V3 finish options

description	w	d	pattern no.	metal interiors A	metal interiors B	wood interiors A	wood interiors B
Double pedestal credenza (16" wide FF peds)	60"	24"	**RCDP6024K(A,B)( )3( )( )( )( )( )**	$4,916.	$5,474.	$5,451.	$6,014.
	72"	24"	**RCDP7224K(A,B)( )3( )( )( )( )( )**	5,098.	5,707.	5,638.	6,246.
	84"	24"	**RCDP8424K(A,B)( )3( )( )( )( )( )**	5,292.	5,975.	5,829.	6,511.
	96"	24"	**RCDP9624K(A,B)( )3( )( )( )( )( )**	5,462.	6,213.	6,002.	6,751.
Double lateral credenza (30" wide laterals)	60"	24"	**RCD3L6024K(A,B)( )3( )( )( )( )( )**	5,324.	5,884.	6,557.	7,118.
	84"	24"	**RCD3L8424K(A,B)( )3( )( )( )( )( )**	5,702.	6,385.	6,934.	7,616.
	96"	24"	**RCD3L9624K(A,B)( )3( )( )( )( )( )**	5,873.	6,620.	7,106.	7,855.
Double lateral credenza (36" wide laterals)	72"	24"	**RCD6L7224K(A,B)( )3( )( )( )( )( )**	5,736.	6,344.	7,874.	8,481.
	96"	24"	**RCD6L9624K(A,B)( )3( )( )( )( )( )**	6,098.	6,851.	8,237.	8,985.





96"w shown; 60"w has no knee space



96"w shown; 72"w has no knee space

Order Code

Example:	**RCDP6024K (A,B,W)**
RC	Reff Credenza
DP	Double Pedestal
60	60" wide
24	24" deep
K	File/file
A	1¼" regular edge top
R	Recessed grommet option
3	Finish type
W	Wood interior option
J	Pull option
L	Lock option
039E	Finish
111	Pull Finish
111	Grommet Finish

S3L = Single 30"w lateral file
S6L = Single 36"w lateral file

Specification Information

To order, please specify pattern number including:

1. Top thickness option:
   A = 1¼"
   B = 1¾"
2. Grommet options:
   F = Flush or standard corner location
   N = No Grommet
   R = Recessed
3. Finish type:
   3 = V3
4. Interior option:
   M = Metal
   W = Wood
5. Pull option:
   B = No Pull, No Drilling Customer's Own Pull
   C = C-pull (Nickel finish only)
   D = D-pull (PT, PZ only)
   F = Bar pull (1 pull per door set)
   H = Outline Pull
   J = J (routed) pull
   R = Cylinder Pull
   S = S-pull (Stainless steel finish only)
   T= Tab Pull (1 pull per door set)
6. Lock option:
   L = Locks are always drilled for lock
7. Finish: V3
8. Pull Finish: Painted or plated
9. Grommet finish: Painted or plated

Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 364 for keying instructions.

Application Notes

30"D rectilinear desk pedestals are 24"D including modesty panel.

Credenzas with lateral files or pedestals are non handed.

Pedestals are 16"W when calculating knee space subtract 16" per pedestal.

Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.

J-Wire Troughs are available in two types, Wall Mount & Under Mount. Wall mount J-wire troughs may be attached to both architectural walls and fixed modesty panels. Under mount J-wire troughs may be attached directly under worksurfaces.

Both types are available in 6" increments, in lengths ranging from 24" to 72". Troughs are 3" high by 3" deep. They are constructed of 18-gauge cold rolled steel. Wall mount is available in black. Under mount is available in all Reff Profiles core paint finishes.

Application notes:
Wires may run along the length of the trough and may exit at the trough ends or over the open front of the trough at any point. Under mount troughs also have a 1 ½" diameter, U-shaped mouse hole for wire entry/exit.

Wall mount J-wire troughs are attached to a vertical surface such as a full modesty panel, suspended modesty panel, or architectural wall. Refer to Figure 1 and 2.

Fasteners are not included with wall mount J-wire troughs. Attachment fasteners should be selected with consideration given to the vertical surface's material type and thickness. Care should be taken so that screws will not protrude through or damage the visitor side of a modesty panel.



J-Wire Trough Wall Mount



J-Wire Trough Under Mount



Figure 1: Partial Height Modesty Applications



Figure 2: Wire Trough Wall Mounted Applications

Under mount J-wire troughs have two tabs at the top that allow them to be attached to the underside of a worksurface. Wood screws are included with under mount J-wire troughs.

Under mount J-wire troughs are designed to work with worksurfaces specified with flush, recessed, edge or no grommets. When edge grommets are specified, the trough is attached with the opening towards the wall which will enable the ability to run wires anywhere along the opening in the worksurface while still allowing the ability to run wires through the grommet of the wire manager. Refer to Figure 5.

Under mount J-wire troughs may be specified when a desk screen (i.e. Antenna) is to be used as a modesty panel. Refer to Figure 6.

The width of the J-wire trough should be specified so that the trough spans and falls beneath grommet locations, but does not interfere with leg or pedestal positions. (i.e: A 72"w double letter-wide pedestal desk with flush grommets would be get a 36" trough.) Refer to Figure 3 and 4.

Wire troughs may not be used to stiffen a worksurface.



Figure 3: Peninsula



Figure 4: Top with Desktop Grommet



Figure 5: Top with Edge Grommet



Figure 6: Desk Screen

The wire manager for credenza may be specified for use with a 1" or 1 ½" thick credenza top with edge grommet. Wires, transformers, or personal accessory chargers may then be pushed off the worksurface, but will not drop all the way to the floor.

The wire manager for credenza top is 24" wide, 1" high and 1 ¼" deep, and will fit any standard width credenza top with edge grommet. It is constructed of 24-gauge cold rolled steel and is available in black.

Application notes:
The wire manager for credenza is intended to be mounted to the inside edge of the edge grommet. Wires may run along the length of the trough, exiting at the trough ends between the trough and the un-notched portion of the worksurface top.

Note: There will be a visible black lip (approx. 1/8" wide) at the edge of the worksurface where the wire manager is mounted.

For installation, wood screws and double sided tape are included with the wire manager.



Application of Wire Manager for Credenza Top



Wire Manager Dimensions



Wire Manager

Power and Data Outlets
Power and Data Outlets are available in a variety of configurations for use with worksurfaces, peninsulas and tables.

The electrical accessories make power and data taps more accessible to the end user.

All Power and Data Accessories are ordered separately from the furniture elements which they support.

These accessories are offered in a variety of configurations consisting of simplex receptacles, double USB charging ports and blank spaces which may be used to field install data outlets. The Power and Data Outlets are available in 4 configurations. See **Figure 1** below for available configurations.

Power and Data Accessories come in the following applications:

- Table Power Center
- Table Undermount
- Table Drop-In
- Clamp-on
- Offset Clamp-on

See **Figure 3** for available configuration options for each of these Power and Data Accessories.

General Notes
Simplex outlets and USB charging ports are wired together and on the same circuit. All units have a 15 Amp overall rating. Each outlet of the duplex USB charging port can deliver up to 2.1 Amps, sufficient to charge most tablets and smart phones. All units are available with choice of 72" or 120" long cordset or 72" long hardwire cord.

The 412 units with cordset come with an OCP (Over Current Protection) plug head which is larger than standard. See **Figure 2** for dimension. All other cordset units come with a standard 3 prong plug head.

The 72" long hardwire cord is 9/16" diameter flexible metal conduit with pigtails for direct connection to building power. For hardwire option information, refer to Handwired Electrical Components.

Connection option selected must comply with local and/or national electrical code.

Cordset power and data outlets are certified to UL 962A, Furniture Power Distribution Units.

All power and data outlets are available in three color options: black body with black bracket (B/B), white body with white bracket (W/W) or white body with silver bracket (W/S). The cord sets match the body color.

Data connectors are not available through Knoll and must be coordinated and provided by a communications equipment supplier. Data port bezels are provided with the Power and Data Outlets to accept RJ45, VGA and HDMI connections. L-Com part numbers for data connectors are as follows:

- RJ45 - TDG1026A-8C
- VGA - DGBV15F
- HDMI - HDFF

Refer to Desktop Outlet Installation Instructions available on Knoll Exchange.



Figure 1: Electrical Outlet Configurations





Figure 2: Over Current Protection Plug Head

	Configurations			
Electrical Components for:	202	210	311	412
Table Power Center	✔	✔	✔	
Table Undermount	✔	✔	✔	✔
Tables - Drop-in	✔	✔	✔	✔
Clamp-on	✔	✔	✔	✔
Offset Clamp-on	✔	✔	✔	✔

Figure 3: Application Options

Electrical Component for Tables – Power Center

This electrical component (**Figure 4**) mounts to the underside of a worksurface and is used when a Table with 2x4 Legs or a Table with 4x4 Legs is specified with a power center grommet option. This unit presents the face of the electrical receptacles and data outlet(s) to the user at a convenient 45 degree angle for ease of plug insertion and is available in 3 configurations.

Refer to **Figure 3** for available configurations for this unit.

Wire Bracket Kits are available (ordered separately) to support and conceal excess cables and transformer blocks.

The Electrical Component for Tables – Power Center mounts adjacent to the power center cut-out (**Figure 5**) and is retained to the worksurface using a single bracket and associated hardware included with the unit for one power center. When a table is specified with several power centers, the equivalent number of electrical components will be required.

A Flexible Vertical Wire Manager is available (ordered separately) to route the power cable to a floor monument. Refer to Accessories - Wire Management.

Refer to Reff Profiles Desktop Electrical Components Installation Instructions available on Knoll Exchange.



Figure 4: Electrical Component for Tables – Power Center (311 shown)



Figure 5: Image from below the table showing the electrical unit adjacent the grommet opening

Electrical Component for Tables – Undermount

The electrical component (**Figure 6)** field mounts to the underside of a worksurface at the peripheral edge to provide convenient access to power and data outlets (**Figure 7**). It comes in 4 configurations. See **Figure 3** for available configurations.

Optional cable clips are provided with the unit to route the power cable under the worksurface.

A Flexible Vertical Wire Manager is available (ordered separately) to route the power cable to a floor monument.

Refer to Reff Profiles Desktop Electrical Components Installation Instructions available on Knoll Exchange.



Figure 6: Electrical Component for Tables – Undermount (202 shown)



Figure 7: Image from below the table showing the electrical component at the peripheral edge

Electrical Component for Tables - Drop-in
The Drop-in Electrical Outlet for Tables works in conjunction with Tables with 4x4 Legs and Tables with 2x4 Legs to bring electrical receptacles and data outlets directly to the worksurface and flush to the worksurface.

This Drop-in Electrical Outlet **(Figure 8**) is offered with 4 possible configurations. Refer to **Figure 3** for available configurations.

The cut-out is provided when specified with a Table with 2 x 4 legs or a Table with 4 x 4 legs. **Figure 9**

Cut-out sizes for each unit are as follows:

- 202 - $2^{3}/_{16}$" x $7^{3}/_{8}$"
- 210 - $2^{3}/_{16}$" x 6"
- 311 - $2^{3}/_{16}$" x 8½"
- 412 - $2^{3}/_{16}$" x $11^{3}/_{8}$"

Drop-in Electrical Outlets are field installed into the available cut-out.

To use this product in other applications, special tops must be ordered with the required cut-out to suit.

This component may be utilized on worksurfaces up to 1 ½" thick.

Refer to Reff Profiles Desktop Electrical Components Installation Instructions available on Knoll Exchange.



Figure 8: Electrical Component for Tables - Drop-in (412 shown)



Figure 9: Electrical Component for Tables - Drop-in

Clamp-on Electrical Component
The Clamp-on Electrical Outlet brings electrical and data receptacles to worksurface height without needing to field install grommets. See **Figure 10**. The Clamp-on Electrical Outlet is available in 4 configurations. Refer to **Figure 3** for available configurations.

This component may be utilized on any worksurface, up to 1 ½" thick where power and data access is desired. See **Figure 11** for clearance dimensions.

Space for power cable clearance must be considered. For cordset option, allow at least 3/8" between the edge of the mounting surface and any adjacent components (other worksurfaces, wall panels, tackboards, etc.) for power cable clearance. For Hardwired option, refer to Hardwired Electrical Components Planning section.



Figure 10: Clamp on Electrical Component (210 shown)



Figure 11: Clamp on Electrical Component Side

Offset Clamp-on Electrical Component
The Offset Clamp-on Electrical Component (**Figure 12)** has the same function as the Clamp-on Electrical Component but may be used where components such as task panels or taskboards are mounted above the worksurface immediately adjacent to the Clamp-on unit. See **Figure 13** for clearance dimension.



Figure 12: Offset Clamp-on Electrical Component (210 shown)



Figure 14: Installed View



Figure 13: Offset Clamp-on Electrical Component Side

Power and Communication Outlets
Hardwired Electrical Components
All Desktop Power and Communication Outlets are available with a hardwire option.

Check with your local electrical authority to verify compliance with local electrical code.

The hardwire option includes a 72" long cord contained in a 9/16" diameter silver colored flexible metal conduit with pigtails for direct connection to building power.

The hardwired option will require a qualified electrician to install.

All hardwire units are certified to UL111, Multi-Outlet Assemblies.

Each electrical component is equipped with a strain relief collar at the joint between the cable and the component housing. This strain relief is rigid and comes in 3 profiles (not user selected). The strain relief profile has been selected to provide the best power cord orientation for the application.

The strain relief color matches the body of the electrical unit.



Figure 15

Application: Table PC
Strain Relief: 90˚/60˚



Application: Table Undermount
Strain Relief: Straight



Application: Table Drop-in
Strain Relief: 90˚



Application: Clamp-on
Strain Relief: 90˚



Application: Offset Clamp-on
Strain Relief: 90˚/60˚



Figure 16

Power Center Grommet

The Power Center Grommet trims the opening in the table top that allows access into the stand-off for power center. It includes an attached, hinged lid. Refer to figure 15.

Power Center Grommets are 8"wide x 5" deep and are available in all core painted and plated finishes for 28 $^{3}/_{8}$" high planning.

The Power Center Grommet is included when specified with a table with 4x4 legs or a table with 2x4 legs.

To utilize the Power Center Grommet, special tops must be ordered with the required cut out pre-drilled to suit.

Grommets

Desktop Grommets are included with certain worksurfaces when specified. Desktop grommets may be ordered separately, if desired, for field installation.

To use this product in non-standard applications, special tops must be ordered with the required cut-out pre-drilled to suit.

The Desktop Grommet includes a grommet sleeve and lid. The grommet sleeve is 2" deep x 3" wide with a $^{1}/_{8}$" flange all round which sits $^{1}/_{16}$" above the finished worksurface. The outside to outside dimension of the flange is 2 ¼" deep and 3 ¼" wide. The grommet lid sits inside the sleeve and is flush with the top of the sleeve. Refer to figure 16.

Desktop Grommets are available in all core painted and plated finishes for 28 $^{3}/_{8}$" high planning.

Application notes:

Desktop Grommets are available for use in 1", 1 ¼" and 1 ½" thick worksurfaces. Care should be taken to specify the grommet appropriate for the worksurface's thickness.



Figure 15: Power Center Grommet



Figure 16: Grommet

Accessories
Grommet

description	type	w	d	h	pattern no.	list
Power Center Grommet (Electrical component not included)		8″	5″	1½″	**RPCG( )**	$172.
						
Desktop Grommet	For 1½″ thick top			1½″	**RDTGA( )**	38.
	For 1¼″ thick top			1¼″	**RDTGB( )**	38.
	For 1″ thick top			1″	**RDTGC( )**	38.

Order Code		Specification Information	Application Notes
Example:	**RPCG**	*To order please specify pattern number including;*	
R	Reff Profiles		
PC	Power Center	For Grommets; 1. Grommet Finish: Painted or plated options	
G	Grommet		
( )	Finish		

Accessories
Power and Communications
Table Power Center (PC) Outlet

description	type	pattern no.	list
Electrical Outlet for Table PC 210, 2 power + 1 dual USB + 0 data 	120″ cordset	**RDOTP210120(BB/WW/WS)**	$611.
	72″ cordset	**RDOTP21072(BB/WW/WS)**	593.
	72″ hardwire	**RDOTP210H(BB/WW/WS)**	655.
Electrical Outlet for Table PC 202, 2 power + 0 dual USB + 2 data 	120″ cordset	**RDOTP202120(BB/WW/WS)**	516.
	72″ cordset	**RDOTP20272(BB/WW/WS)**	473.
	72″ hardwire	**RDOTP202H(BB/WW/WS)**	592.
Electrical Outlet for Table PC 311, 3 power + 1 dual USB + 1 data 	120″ cordset	**RDOTP311120(BB/WW/WS)**	641.
	72″ cordset	**RDOTP31172(BB/WW/WS)**	623.
	72″ hardwire	**RDOTP311H(BB/WW/WS)**	711.

Order Code

Example:	**RDOTP21072 ( )**
R	Reff Profiles
DO	Desktop Outlet
TP	Table Power Center
210	2 Power, 1 USB, O Data
72	72″ cordset, 120 = 120″ cord, H = 72″ Hardwire
( )	Color option

Specification Information

To order please specify pattern number including:

1. Color option, (housing / bracket):

BB = Black/Black
WW= White/White
WS= White/Silver

Application Notes

Installation instruction sheet available on Knoll Exchange.

Refer to planning guide pages for complete description.

USB outlet is for recharging purposes only. No data transfer. All Desktop outlets are UL listed.

Simplexes receptacles and USB charging ports are wired together and on the same circuit.

Accessories
Power and Communications
Table Drop-in Outlet

description	type	pattern no.	list
Electrical Outlet for Table Drop-in 210, 2 power + 1 dual USB + 0 data 	120″ cordset	**RDOTD210120(BB/WW/WS)**	$611.
	72″ cordset	**RDOTD21072(BB/WW/WS)**	593.
	72″ hardwire	**RDOTD210H(BB/WW/WS)**	655.
Electrical Outlet for Table Drop-in 202, 2 power + 0 dual USB + 2 data 	120″ cordset	**RDOTD202120(BB/WW/WS)**	511.
	72″ cordset	**RDOTD20272(BB/WW/WS)**	490.
	72″ hardwire	**RDOTD202H(BB/WW/WS)**	579.
Electrical Outlet for Table Drop-in 311, 3 power + 1 dual USB + 1 data 	120″ cordset	**RDOTD311120(BB/WW/WS)**	718.
	72″ cordset	**RDOTD31172(BB/WW/WS)**	698.
	72″ hardwire	**RDOTD311H(BB/WW/WS)**	787.
Electrical Outlet for Table Drop-in 412, 4 power + 1 dual USB + 2 data 	120″ cordset	**RDOTD412120(BB/WW/WS)**	751.
	72″ cordset	**RDOTD41272(BB/WW/WS)**	733.
	72″ hardwire	**RDOTD412H(BB/WW/WS)**	820.

Order Code

Example:	**RDOTP21072 ( )**
R	Reff Profiles
DO	Desktop Outlet
TP	Table Power Center
210	2 Power, 1 USB, O Data
72	72″ cordset, 120 = 120″ cord, H = 72″ Hardwire
( )	Color option

Specification Information

To order please specify pattern number including:

1. Color option, (housing / bracket):

BB = Black/Black
WW= White/White
WS= White/Silver

Application Notes

Installation instruction sheet available on Knoll Exchange.

Refer to planning guide pages for complete description.

USB outlet is for recharging purposes only. No data transfer. All Desktop outlets are UL listed.

Simplexes receptacles and USB charging ports are wired together and on the same circuit.

Accessories
Power and Communications
Table Undermount Outlet

description	type	pattern no.	list
Electrical Outlet for Table Undermount 210, 2 power + 1 dual USB + 0 data 	120″ cordset	**RDOTU210120(BB/WW/WS)**	$567.
	72″ cordset	**RDOTU21072(BB/WW/WS)**	549.
	72″ hardwire	**RDOTU210H(BB/WW/WS)**	612.
Electrical Outlet for Table Undermount 202, 2 power + 0 dual USB + 2 data 	120″ cordset	**RDOTU202120(BB/WW/WS)**	516.
	72″ cordset	**RDOTU20272(BB/WW/WS)**	473.
	72″ hardwire	**RDOTU202H(BB/WW/WS)**	592.
Electrical Outlet for Table Undermount 311, 3 power + 1 dual USB + 1 data 	120″ cordset	**RDOTU311120(BB/WW/WS)**	683.
	72″ cordset	**RDOTU31172(BB/WW/WS)**	664.
	72″ hardwire	**RDOTU311H(BB/WW/WS)**	751.
Electrical Outlet for Table Undermount 412, 4 power + 1 dual USB + 2 data 	120″ cordset	**RDOTU412120(BB/WW/WS)**	758.
	72″ cordset	**RDOTU41272(BB/WW/WS)**	740.
	72″ hardwire	**RDOTU412H(BB/WW/WS)**	828.

Order Code

Example:	**RDOTU21072 (B/W)**
R	Reff Profiles
DO	Desktop Outlet
TU	Table Undermount
210	2 Power, 1 USB, O Data
72	72″ cordset, 120 = 120″ cord, H = 72″ Hardwire
( )	Color option

Specification Information

To order please specify pattern number including:

1. Color option, (housing / bracket):

BB = Black/Black
WW= White/White
WS= White/Silver

Application Notes

Installation instruction sheet available on Knoll Exchange.

Refer to planning guide pages for complete description.

USB outlet is for recharging purposes only. No data transfer. All Desktop outlets are UL listed.

Simplexes receptacles and USB charging ports are wired together and on the same circuit.

Accessories
Power and Communications
Clamp-on

description	type	pattern no.	list
Clamp-on Electrical Outlet 210, 2 power + 1 dual USB + 0 data 	120″ cordset	**RDOCL210120(BB/WW/WS)**	$609.
	72″ cordset	**RDOCL21072(BB/WW/WS)**	592.
	72″ hardwire	**RDOCL210H(BB/WW/WS)**	654.
Clamp-on Electrical Outlet 202, 2 power + 0 dual USB + 2 data 	120″ cordset	**RDOCL202120(BB/WW/WS)**	511.
	72″ cordset	**RDOCL20272(BB/WW/WS)**	490.
	72″ hardwire	**RDOCL202H(BB/WW/WS)**	579.
Clamp-on Electrical Outlet 311, 3 power + 1 dual USB + 1 data 	120″ cordset	**RDOCL311120(BB/WW/WS)**	672.
	72″ cordset	**RDOCL31172(BB/WW/WS)**	653.
	72″ hardwire	**RDOCL311H(BB/WW/WS)**	741.
Clamp-on Electrical Outlet 412, 4 power + 1 dual USB + 2 data 	120″ cordset	**RDOCL412120(BB/WW/WS)**	751.
	72″ cordset	**RDOCL41272(BB/WW/WS)**	733.
	72″ hardwire	**RDOCL412H(BB/WW/WS)**	820.

Order Code

Example:	**RDOCL210 ( )**
R	Reff Profiles
DO	Desktop Outlet
CL	Clamp-on
210	2 Power, 1 USB, O Data
72	72″ cordset, 120 = 120″ cord, H = 72″ Hardwire
( )	Color option

Specification Information

To order please specify pattern number including:

1. Color option, (housing / bracket):

BB = Black/Black
WW= White/White
WS= White/Silver

Application Notes

Installation instruction sheet available on Knoll Exchange.

Refer to planning guide pages for complete description.

USB outlet is for recharging purposes only. No data transfer. All Desktop outlets are UL listed.

Simplexes receptacles and USB charging ports are wired together and on the same circuit.

Accessories
wire management

description	w	d	h	pattern no.	list price
Wire manager used under any top in kneespace*	24″	4 1/2″	5 3/4″	**RWMWT24**	$48.
	30″	4 1/2″	5 3/4″	**RWMWT30**	54.
	36″	4 1/2″	5 3/4″	**RWMWT36**	59.
	Available black only				
Hinged vertical wire	24″	1″	3/8″	**RWMV24 ( )**	39.
	Ships with overdesk unit. Specify paint finish.				
Multi-purpose manager*	24″	2 1/2″	1 1/4″	**RWMMP24**	43.
	30″	2 1/2″	1 1/4″	**RWMMP30**	48.
	36″	2 1/2″	1 1/4″	**RWMMP36**	49.
	Available black only				
Panel-hung vertical wire	24″	–	–	**RWMVP24**	39.
	not available in finish codes: 112,116,117,611, 612, 613				
Worksurface vertical/horizontal wire manager*	24″	1 1/2″	3/4″	**RWMVH24**	46.
	30″	1 1/2″	3/4″	**RWMVH30**	50.
	36″	1 1/2″	3/4″	**RWMVH36**	54.
	Available black only				
Power bar, fits into wire manager				**RWMPB**	164.
	This Power Bar has a 6ft power cord.				
Replacement hardware	Top to endpanel disk			**RBDD**	5.
	Top to workwall endpanel disk			**RBDW**	5.
	Panel to endpanel bracket			**RBPE(L/R)( )**	22.
	Specify paint finish for RBPE(L/R) RBDD and RBDW available galvanized only				

Order Code

Example:	**RWMWT24**
R	Reff Profiles
WM	Wire Manager
W	Wall and Modesty mount
T	Top Mount
24	Width

Specification Information

To order please specify:
1. Pattern number
2. Finish: painted finishes, where applicable

Application Notes

Specify color for hinged vertical wire managment only from paint finish list.

Flexible Vertical wire manager is intended to be under mounted to a worksurface; using self tapping wood screws.

Accessories
wire management

description	w	d	h	pattern no.	list price
Flexible Vertical Wire Manager with Functional height range; for 26½″ and 28⅜″H				**RWMVF**	$143.
	*translucent with metalic silver base (613)				
* Tree wire manager package of 10 2 shipped per panel	2″			**RBWM**	11.
	used in Beltway				
J-Wire Trough Wall Mount	24″			**RJBW24( )**	71.
	30″			**RJBW30( )**	73.
	36″			**RJBW36( )**	80.
	42″			**RJBW42( )**	93.
	48″			**RJBW48( )**	99.
	54″			**RJBW54( )**	102.
	60″			**RJBW60( )**	103.
	66″			**RJBW66( )**	116.
	72″			**RJBW72( )**	117.
	*Installation Instruction Sheet: 6TP00078				
J-Wire Trough Under Mount	24″			**RJBU24( )**	86.
	30″			**RJBU30( )**	88.
	36″			**RJBU36( )**	95.
	42″			**RJBU42( )**	111.
	48″			**RJBU48( )**	118.
	54″			**RJBU54( )**	120.
	60″			**RJBU60( )**	122.
	66″			**RJBU66( )**	136.
	72″			**RJBU72( )**	138.
	*Installation Instruction Sheet: 6TP00079 *Available in painted colors.				

Order Code

Example:	**RWMWT24**
R	Reff Profiles
WM	Wire Manager
W	Wall and Modesty mount
T	Top Mount
24	Width

Specification Information

To order please specify:
1. Pattern number
2. Finish: painted finishes, where applicable

Application Notes

Specify color for hinged vertical wire managment only from paint finish list.

Flexible Vertical wire manager is intended to be under mounted to a worksurface; using self tapping wood screws.

Accessories
wire management

description	w	d	h	pattern no.	list price
Wire manager for credenza top	24″			**RWMCT24**	$141.



Cable Basket Kits Under Mounted					
	15″	12″	1″	**RWMT1512U**	57.
	27″	12″	1″	**RWMT2712U**	102.
	39″	12″	1″	**RWMT3912U**	123.



*All hardware included
*Baskets and hardware are painted med. grey (115)

Cable Basket Kits Rail Mounted					
	15″	12″	1″	**RWMT1512R**	286.
	27″	12″	1″	**RWMT2712R**	340.
	39″	12″	1″	**RWMT3912R**	523.



*All hardware included
*Baskets and hardware are painted med. grey (115)
Not for use on 30″ deep Meeting Tables with 4x4 legs.

Cable clip for column legs					
		3″		**RCC30( )**	24.
		4″		**RCC40( )**	28.

*2 clips per kit

Order Code

Example:	**RWMWT24**
R	Reff Profiles
WM	Wire Manager
W	Wall and Modesty mount
T	Top Mount
24	Width

Specification Information

To order please specify:
1. Pattern number
2. Finish: painted finishes, where applicable

Application Notes

Specify color for hinged vertical wire managment only from paint finish list.

Flexible Vertical wire manager is intended to be under mounted to a worksurface; using self tapping wood screws.

Accessories
Panel Hung and Wall Hung Components

description	y	type	w	h	pattern no.	list price
Panel-hung coat hook (hookstrip)					**RPHCHH**	$37.
Panel-hung coat hook (panel top)					**RPHCHT**	37.
	Not intended to work with (AA) Aluminum top trim					
Panel-hung tackboard Note: Fabric railroaded	0.9		30″	24″	**RPHTB3024**	312.
	1.3		42″	24″	**RPHTB4224**	382.
	All standard grades of fabric					
Panel-hung, Magnetic whiteboard with Pencil tray			30″	24″	**RPHWBM3024**	800.
			42″	24″	**RPHWBM4224**	1,187.
Wall-hung tackboard Note: Fabric railroaded Velcro supplied	0.9		30″	24″	**RWHTB3024**	344.
	1.1		36″	24″	**RWHTB3624**	382.
	1.3		42″	24″	**RWHTB4224**	420.
	1.5		48″	24″	**RWHTB4824**	456.
	for use with 26½″h support planning module					
Wall-hung tackboard for desk height (28⅜″h) planning Note: Fabric railroaded Velcro supplied	0.9		30″	26″	**RWHDHTB3026**	364.
	1.1		36″	26″	**RWHDHTB3626**	401.
	1.3		42″	26″	**RWHDHTB4226**	443.
	1.5		48″	26″	**RWHDHTB4826**	480.
	for use with 28⅜″h support planning module					
Task Panel flat tray			14″		**RTSF14**	181.
			28″		**RTSF28**	215.

Order Code

Example:	**RWHTB3024**
R	Reff Profiles
WH	Wall Hung
TB	Tack Board
30	Width
24	Height

Specification Information

To order please specify pattern number including:

1. Finish: Fabric

Application Notes

See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1″ nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

Accessories
Panel Hung and Wall Hung Components

description	y	type	w	h	pattern no.	list price
Task Panel shelf			14″		**RTST14**	$181.



Order Code

Example:	**RWHTB3024**
R	Reff Profiles
WH	Wall Hung
TB	Tack Board
30	Width
24	Height

Specification Information

To order please specify pattern number including:

1. Finish: Fabric

Application Notes

See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1″ nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

Accessories *for Pedestals*

description	type	w	h	pattern no.	list
Pencil tray, wood (ordered separately)		12″	–	**RPAPT**	$106.
Pencil tray, plastic	black	13 1/4″	–	**RPETRAY3N**	41.
	clear	13 1/4″	–	**RPETRAY3C**	48.
	These pencil trays work with all pedestals with metal interior, including Mobile pedestals.				
Pencil tray adapter				**RPETAD**	91.
Box drawer dividers, wood box drawers (Acrylic)		16″	–	**RPADSS**	57.
File bars, wood file drawers (replacement)		16″	–	**RPAHFB16**	32.
		30″	–	**RPAHFB30**	61.
		36″	–	**RPAHFB36**	94.
File bars, metal file drawers (replacement)		16″	–	**RPAHFM162 ***	23.
		30″	–	**RPAHFM30**	32.
		36″	–	**RPAHFM36**	32.
	Sold as individuals				
Counter weight (for file/file configuration pedestals when used in freestanding applications)		–	–	**RCOUNTWT**	120.
Reff Profiles Spacer kit for Pencil drawer				**RPADKIT**	38.
Box drawer divider		12″	2″	**RFBDD**	288.







Order Code		Specification Information	Application Notes
Example:	**RDHMBD**		The dividers come in black paint only.
R	Reff Profiles		Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.
DH	Desk height		
M	Metal		
B	Box		
D	Divider		

Accessories
for cabinets

description	w	d	h	pattern no.	Metal	L	V1	V2	V3	list price
Cabinet boot tray 	14″	17″		**RCABT1417**						$83.
	29″	17″		**RCABT2917**						138.
Cabinet coat rod	Half of 30″ cabinets			**RCACR30H**						81.
	Half of 36″ cabinets			**RCACR36H**						88.
	16″ cabinets			**RCACR16**						83.
	30″ cabinets			**RCACR30**						111.
	36″ cabinets			**RCACR36**						124.
CRT turntable	31″ diameter			**RKT31**						618.
Wall rails (paint options only)	–	–	8⅞″	**RWHRA-( )**						44.
	–	–	17⅝″	**RWHRB-( )**						47.
	–	–	18¼″	**RWHRC-( )**						47.
	–	–	21 1/16″	**RWHRD-( )**						49.
	–	–	22″	**RWHRE-( )**						49.
	–	–	59½″	**RWHRF-( )**						111.
	–	–	67″	**RWHRG-( )**						111.
Plate divider				**RPD11**						25.
				RPD14						25.
	RPD11 to be used with 15″ D open cabinet/bookcase with metal shelves. RPD14 to be used with 20″/24″D open cabinet/bookcase with metal shelves.									
Utility Hook				**RAUH**						22.
Pencil drawer used under worktop	16″	17″	1″	**RPAD-( )**		340.	605.	605.	784.	

Order Code

Example:	**RCABT1417**
R	Reff Profiles
CA	Cabinet
BT	Boot tray
14	Width
17	Depth

Specification Information

To order please specify pattern number including:

1. Finish, where applicable

Application Notes

See Reff Planning Guide for more information.

Pencil drawer includes slides.

Note: The spacer kit (RPADKIT) is required to mount pencil drawer (RPAD) to a table with an open frame leg.

Accessories
for cabinets

description	w	d	pattern no.	Metal	L	V1	V2	V3
Cabinet shelves, (replacement)	12″	20″	**RCAS1220-( )**	n/a	$154.	$162.	$193.	$260.
	12″	24″	**RCAS1224-( )**	n/a	175.	195.	221.	296.
	16″	20″	**RCAS1620-( )**	84.	156.	172.	195.	262.
	16″	24″	**RCAS1624-( )**	93.	174.	195.	222.	299.
	19″	20″	**RCAS1920-( )**	88.	158.	174.	198.	266.
	19″	24″	**RCAS1924-( )**	98.	179.	200.	226.	304.
	30″	15″	**RCAS3015-( )**	104.	203.	227.	255.	344.
	30″	20″	**RCAS3020-( )**	101.	174.	195.	222.	299.
	30″	24″	**RCAS3024-( )**	112.	203.	227.	255.	344.
	36″	15″	**RCAS3615-( )**	114.	217.	238.	264.	356.
	36″	20″	**RCAS3620-( )**	114.	186.	207.	233.	315.
	36″	24″	**RCAS3624-( )**	119.	219.	244.	272.	368.

Wood shelf


Metal shelf

Order Code

Example:	**RCABT1417**
R	Reff Profiles
CA	Cabinet
BT	Boot tray
14	Width
17	Depth

Specification Information

To order cabinet shelf, please specify pattern number including:

1. Finish type:
   M = Metal
   1 = V1
   2 = V2
   3 = V3
2. Shelf finish: L, V1, V2, V3 or Metal
   Metal shelves are available in all core paint finishes.

Application Notes

See Reff Planning Guide for more information.

Accessories
Fascias for Hutches
Metal

description	w	pattern no.	P1	P2	P3
Metal Fascia	60″	**ROHMTF160 ( )**	$170.	$186.	$196.
	66″	**ROHMTF166 ( )**	179.	198.	207.
	72″	**ROHMTF172 ( )**	182.	201.	211.
	78″	**ROHMTF178 ( )**	184.	203.	214.
	84″	**ROHMTF184 ( )**	186.	205.	216.
	90″	**ROHMTF190 ( )**	189.	208.	218.
	96″	**ROHMTF196 ( )**	191.	211.	221.

Order Code

Example:	**ROHMTF160**
R	Reff Profiles
O	Overhead
H	Hutch
M	Metal
T	Task light
F	Fascia
1	Letter depth
60	60″
( )	Fascia finish

Specification Information

To order please specify pattern number including:

1. Fascia Finish: Anodized and painted options

Application Notes

For single and double high Hutches.

Wood or Metal options.

Accessories
Fascias for Hutches
Wood

description	w	pattern no.	V1	V2	V3
Wood Fascia	60″	**ROHWTF160 ( )**	$431.	$456.	$569.
	66″	**ROHWTF166 ( )**	434.	459.	574.
	72″	**ROHWTF172 ( )**	436.	463.	578.
	78″	**ROHWTF178 ( )**	438.	466.	583.
	84″	**ROHWTF184 ( )**	440.	469.	588.
	90″	**ROHWTF190 ( )**	443.	472.	592.
	96″	**ROHWTF196 ( )**	605.	631.	788.

Order Code	
Example:	**ROHWTF160**
R	Reff Profiles
O	Overhead
H	Hutch
W	Wood
T	Task light
F	Fascia
1	Letter depth
60	60″
( )	Trim Finish

Specification Information

To order please specify pattern number including:

1. Trim Finish: Wood or Laminate

Application Notes

For single and double high Hutches.

Wood or Metal options.

Accessories
presentation samples
Worksurfaces

description	w	d	h	pattern no.	L	M/V1	V2	V3	list price	Solid
Presentation wood sample, 16″ x 16″	16″	16″	–	**RSAMP1616-( )( )**	$149.	$214.	$274.	$317.		
	Optional edge details available									
Presentation stackable/tiled mini panel (for demonstrations)	24″	–	34″	**R3SMP ( )( )( )**					1,229.	
	Specify trim profile, base height, base type and applicable finishes									
Presentation monolithic mini panel	4″H base			**RR3MP4 ( )**					672.	
	6″H base			**RR3MP6 ( )**					720.	
	Specify trim profile and applicable finishes									
Presentation worksurface cutaway sample	12″	12″	1¼″	**RTOP2 ( )**	123.	188.	250.	295.		
Sample, cascade edge worksurface	12″	12″		**RCE1R1212G**	139.					162.
Rangeboard	27″	12″	1¼″	**RRBRD3612 ( )**					337.	
	These Rangeboards are available in the following finishes only; Birch, Figured Sycamore, Maple, Pippy Oak & Rustic Walnut									

Order Code

Example:	**RWHRA( )**
R	Reff Profiles
WH	Wall Hung
R	Rails
A	Height
( )	Paint options only

Specification Information

To order please specify pattern number including:

1. Finish, where applicable

Specification Information

See Reff Planning Guide for more information.

Metal D-pull sample board represents the following standard Reff finishes (PT, 111, 118, 611, 612, 613)

Specify board finish in laminate, techwood, conventional or laminate with a wood edge.

Specify edge detail if applicable for presentation wood samples.

Product on this page will accept woodgrain laminate where laminate is currently an option.The wall rails will accept two sets of brackets for panel hung components.

Accessories
presentation pull samples

description	type	w	d	pattern no.	V1	V2	V3
Presentation drawer front with pull samples	Grommet pull	8″	8″	**RPULLSMPG( )( )**	$205.	$222.	$257.
							
	Bar pull	8″	8″	**RPULLSMPF( )( )**	205.	222.	257.
							
	Outline pull	8″	8″	**RPULLSMPH( )( )**	205.	222.	257.
							
	Cylinder pull	8″	8″	**RPULLSMPR( )( )**	205.	222.	257.
							
	Tab pull	8″	8″	**RPULLSMPT( )( )**	205.	222.	257.
							

Order Code

Example:	**RPULLSMPG( )( )**
R	Reff Profiles
PULL	Pull
SM	Sample
PG	Pull Grommet

Specification Information

To order please specify pattern number including:

1. Drawer Front finish: Wood or Laminate
2. Pull Finish: Painted or plated

Product on this page will accept wood grain laminate, where laminate is currently an option.

Accessories
presentation pull samples

description	type	w	d	pattern no.	V1	V2	V3
Presentation drawer front with pull samples	J-pull	8″	8″	**RPULLSMPJ( )( )**	$205.	$222.	$257.
							
	C-pull	8″	8″	**RPULLSMPC( )( )**	205.	222.	257.
							
	S-pull	8″	8″	**RPULLSMPS( )( )**	205.	222.	257.
							
	D-pull	8″	8″	**RPULLSMPD( )( )**	205.	222.	257.
							

Order Code

Example:	**RPULLSMPG( )( )**
R	Reff Profiles
PULL	Pull
SM	Sample
PG	Pull Grommet

Specification Information

To order please specify pattern number including:

1. Drawer Front finish: Wood or Laminate
2. Pull Finish: Painted or plated

Product on this page will accept wood grain laminate, where laminate is currently an option.

Accessories
Sliding Rails

description	width	pattern no.	list price
Sliding rail for open shelves	30″	**RSDR30**	$60.
	36″	**RSDR36**	60.
	42″	**RSDR42**	60.
	48″	**RSDR48**	60.
	54″	**RSDR54**	60.
	60″	**RSDR60**	94.
	66″	**RSDR66**	94.
	72″	**RSDR72**	94.
	78″	**RSDR78**	94.
	84″	**RSDR84**	106.
	90″	**RSDR90**	106.
	96″	**RSDR96**	106.
Sliding rail for open or hinged door overhead cabinets	30″	**ROHDR30**	60.
	36″	**ROHDR36**	60.
	42″	**ROHDR42**	60.
	48″	**ROHDR48**	60.
	60″	**ROHDR60**	106.
	72″	**ROHDR72**	106.
	90″	**ROHDR90**	144.
	96″	**ROHDR96**	144.
Sliding rail for flip door overhead cabinets	30″	**RFDR30**	60.
	36″	**RFDR36**	60.
	42″	**RFDR42**	60.
	48″	**RFDR48**	60.
	60″	**RFDR60**	106.
	72″	**RFDR72**	106.
	84″	**RFDR84**	106.
	96″	**RFDR96**	106.
Sliding rail divider		**R5ZNNE (3 dividers)**	25.

Order Code

Example:	**RSDR30**
R	Reff Profiles
SDR	Sliding rail for open shelves
30	For 30″ shelf

Specification Information

To order please specify pattern number.

Application Notes

Match cabinet width to rail width.

Parts come in black only.

These rails allow the use of metal "D"-ring divider to locate and separate binders and standing materials in Reff overhead cabinets. The rail which attaches to the inside back section of the cabinet is sold according to cabinet size door configuration.

Sliding rails to be used with 26½″ planning overheads and hutches only.

Accessories
Task Light
Reff

description	type	w	d	h	pattern no.	list
T5 Standard Task Light	Use with 24″ and wider overhead	19″	4″	1 ½″	**RTLT5E19S**	$311.
	Use with 30″ and wider overhead	25″	4″	1 ½″	**RTLT5E25S**	319.
	Use with 42″ and wider overhead	37″	4″	1 ½″	**RTLT5E37S**	324.
	Use with 60″ and wider overhead	49″	4″	1 ½″	**RTLT5E49S**	331.
	Use with 72″ and wider overhead	61″	4″	1 ½″	**RTLT5E61S**	349.
	Use with 84″ and wider overhead	73″	4″	1 ½″	**RTLT5E73S**	381.
	Use with 96″ and wider overhead	85″	4″	1 ½″	**RTLT5E85S**	475.
T5 Advanced Task Light	Use with 30″ and wider overhead	25″	4″	1 ½″	**RTLT5E25A**	458.
	Use with 42″ and wider overhead	37″	4″	1 ½″	**RTLT5E37A**	480.
	Use with 60″ and wider overhead	49″	4″	1 ½″	**RTLT5E49A**	502.
	Use with 72″ and wider overhead	61″	4″	1 ½″	**RTLT5E61A**	520.
	Use with 84″ and wider overhead	73″	4″	1 ½″	**RTLT5E73A**	538.
	Use with 96″ and wider overhead	85″	4″	1 ½″	**RTLT5E85A**	559.

Order Code

Example:	**RTLT5E19S**
RTL	Task Light
T5	T5 lamp
E	Electronic ballast
19	Width
S	Standard

Specification Information

T5 Task Lights:
120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9′ grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.

Application Notes

T5 Task Lights:
Specify suffix -CH and add $46 list for City of Chicago installations. Example: DL3T5E25S-CH

Cordset is center exit. On smaller units cord exit is off-center, but still not handed.

T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content.

Notes:
All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6″ wider than task light width.

All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.

Tackboards
H1 23⅛″ high
Wall hung, fabric

description	w	y	pattern no.	grade 10	15	20	30	35	40	45	50	55
Tackboard, wall hung	30″	1.0	**RWHDHTB30H1( )**	$285.	$313.	$341.	$370.	$375.	$380.	$385.	$423.	$459.
	36″	1.1	**RWHDHTB36H1( )**	303.	335.	366.	397.	403.	409.	416.	455.	496.
	42″	1.3	**RWHDHTB42H1( )**	334.	371.	406.	444.	451.	457.	465.	513.	560.
	48″	1.5	**RWHDHTB48H1( )**	364.	405.	447.	489.	498.	506.	515.	569.	623.
	54″	1.6	**RWHDHTB54H1( )**	382.	427.	474.	518.	527.	536.	545.	604.	660.
	60″	1.8	**RWHDHTB60H1( )**	412.	462.	514.	564.	575.	585.	595.	660.	724.
	66″	1.9	**RWHDHTB66H1( )**	433.	486.	538.	592.	604.	613.	625.	693.	761.
	72″	2.1	**RWHDHTB72H1( )**	462.	523.	581.	640.	651.	663.	674.	750.	825.
	78″	2.3	**RWHDHTB78H1( )**	491.	557.	620.	686.	699.	711.	724.	807.	888.
	84″	2.5	**RWHDHTB84H1( )**	523.	592.	662.	732.	747.	761.	775.	864.	953.
	90″	2.6	**RWHDHTB90H1( )**	540.	613.	687.	759.	774.	790.	805.	898.	988.
	96″	2.8	**RWHDHTB96H1( )**	571.	649.	729.	808.	823.	837.	855.	954.	1,052.

Order Code

Example:	**RWHDHTB30H1 ( )**
R	Reff Profiles
WH	Wall hung
DH	Desk height planning
TB	Tackboard
30	Width
H1	23⅛″ high
W281	Fabric selection

Specification Information

To order please specify pattern number including;

1. Finish: Fabric

Application Notes

H1 Height: Underside of overhead to top 1½″ thick desk height worksurface.

All fabric to be applied rail roaded as current tackboards.

Y = Yardage required

Tackboards
H2 29¾″ high
Wall hung, fabric

description	w	y	pattern no.	grade 10	15	20	30	35	40	45	50	55
Tackboard , wall hung	30″	1.0	**RWHDHTB30H2( )**	$301.	$328.	$356.	$381.	$387.	$394.	$399.	$436.	$474.
	36″	1.1	**RWHDHTB36H2( )**	324.	354.	382.	414.	420.	425.	433.	474.	511.
	42″	1.3	**RWHDHTB42H2( )**	357.	393.	426.	462.	470.	478.	484.	532.	579.
	48″	1.5	**RWHDHTB48H2( )**	390.	431.	472.	510.	521.	528.	536.	590.	645.
	54″	1.6	**RWHDHTB54H2( )**	412.	455.	498.	542.	551.	560.	568.	627.	685.
	60″	1.8	**RWHDHTB60H2( )**	445.	494.	542.	591.	602.	611.	621.	687.	750.
	66″	1.9	**RWHDHTB66H2( )**	468.	519.	569.	621.	633.	643.	655.	722.	789.
	72″	2.1	**RWHDHTB72H2( )**	500.	558.	613.	670.	684.	695.	707.	781.	856.
	78″	2.3	**RWHDHTB78H2( )**	533.	596.	658.	720.	735.	746.	759.	841.	923.
	84″	2.5	**RWHDHTB84H2( )**	565.	634.	701.	770.	783.	797.	812.	901.	988.
	90″	2.6	**RWHDHTB90H2( )**	589.	660.	729.	800.	815.	829.	846.	936.	1,028.
	96″	2.8	**RWHDHTB96H2( )**	621.	698.	773.	850.	864.	881.	898.	995.	1,094.

Order Code

Example:	**RWHDHTB30H2 ( )**
R	Reff Profiles
WH	Wall hung
DH	Desk height planning
TB	Tackboard
30	Width
H2	29¾″ high
W281	Fabric selection

Y = Yardage required

Specification Information

To order please specify pattern number including;

1. Finish: Fabric

Application Notes

H2 Height = Underside of overhead to top of 1″ thick credenza top for 3/4 height cabinets.

All fabric to be applied rail roaded as current tackboards.

Tackboards
H3 37⅞″ high
Wall hung, fabric

description	w	y	pattern no.	grade 10	15	20	30	35	40	45	50	55
Tackboard , wall hung	30″	1.0	**RWHDHTB30H3( )**	$317.	$343.	$372.	$399.	$404.	$410.	$416.	$452.	$488.
	36″	1.1	**RWHDHTB36H3( )**	342.	373.	402.	433.	439.	445.	451.	491.	531.
	42″	1.3	**RWHDHTB42H3( )**	378.	414.	449.	484.	491.	498.	506.	554.	601.
	48″	1.5	**RWHDHTB48H3( )**	416.	455.	496.	536.	545.	554.	562.	616.	669.
	54″	1.6	**RWHDHTB54H3( )**	441.	484.	527.	569.	580.	589.	598.	656.	712.
	60″	1.8	**RWHDHTB60H3( )**	478.	526.	575.	622.	633.	644.	655.	719.	781.
	66″	1.9	**RWHDHTB66H3( )**	501.	554.	605.	657.	667.	677.	689.	755.	823.
	72″	2.1	**RWHDHTB72H3( )**	538.	596.	651.	689.	700.	711.	723.	819.	892.
	78″	2.3	**RWHDHTB78H3( )**	575.	638.	699.	762.	775.	787.	801.	882.	962.
	84″	2.5	**RWHDHTB84H3( )**	611.	678.	747.	815.	828.	844.	857.	944.	1,033.
	90″	2.6	**RWHDHTB90H3( )**	637.	707.	776.	848.	861.	876.	891.	983.	1,074.
	96″	2.8	**RWHDHTB96H3( )**	672.	748.	824.	900.	915.	932.	947.	1,046.	1,144.

Order Code

Example:	**RWHDHTB30H3 ( )**
R	Reff Profiles
WH	Wall hung
DH	Desk height planning
TB	Tackboard
30	Width
H3	37⅞″ high
W281	Fabric selection

Y = Yardage required

Specification Information

To order please specify pattern number including;

1. Finish: Fabric

Application Notes

H3 Height = Top of U-shelf or L-shelf overhead to top of 1½″ thick desk height worksurface.

All fabric to be applied rail roaded as current tackboards.

Tackboards
H4 44½″ high
Wall hung, fabric

description	w	y	pattern no.	grade 10	15	20	30	35	40	45	50	55
Tackboard , wall hung	30″	1.0	**RWHDHTB30H4( )**	$330.	$358.	$384.	$412.	$418.	$423.	$428.	$465.	$502.
	36″	1.1	**RWHDHTB36H4( )**	359.	388.	418.	448.	454.	459.	468.	506.	545.
	42″	1.3	**RWHDHTB42H4( )**	398.	433.	469.	502.	510.	518.	526.	572.	618.
	48″	1.5	**RWHDHTB48H4( )**	436.	477.	518.	558.	566.	575.	584.	638.	691.
	54″	1.6	**RWHDHTB54H4( )**	464.	508.	551.	595.	604.	612.	621.	678.	736.
	60″	1.8	**RWHDHTB60H4( )**	502.	551.	601.	648.	659.	669.	681.	744.	807.
	66″	1.9	**RWHDHTB66H4( )**	531.	583.	634.	686.	697.	707.	718.	784.	853.
	72″	2.1	**RWHDHTB72H4( )**	569.	628.	684.	741.	752.	764.	776.	851.	924.
	78″	2.3	**RWHDHTB78H4( )**	609.	670.	735.	795.	809.	822.	834.	915.	995.
	84″	2.5	**RWHDHTB84H4( )**	647.	714.	782.	851.	864.	878.	892.	981.	1,068.
	90″	2.6	**RWHDHTB90H4( )**	674.	746.	817.	887.	902.	917.	932.	1,023.	1,113.
	96″	2.8	**RWHDHTB96H4( )**	713.	790.	864.	940.	957.	974.	988.	1,087.	1,184.

Order Code

Example:	**RWHDHTB30H4 ( )**
R	Reff Profiles
WH	Wall hung
DH	Desk height planning
TB	Tackboard
30	Width
H4	44½″ high
W281	Fabric selection

Specification Information

To order please specify pattern number including;

1. Finish: Fabric

Application Notes

H4 Height = Top of U-shelf or L-shelf overhead to top of 1″ thick credenza top for ¾″ height cabinet.

All fabric to be applied rail roaded as current tackboards.

Y = Yardage required

Tackboards
H5 42⅝″ high
Wall hung, fabric

description	w	y	pattern no.	grade 10	15	20	30	35	40	45	50	55
Tackboard , wall hung	30″	1.0	**RWHDHTB30H5( )**	$327.	$354.	$380.	$408.	$414.	$420.	$425.	$462.	$498.
	36″	1.1	**RWHDHTB36H5( )**	356.	383.	415.	444.	450.	455.	462.	502.	542.
	42″	1.3	**RWHDHTB42H5( )**	393.	426.	462.	497.	505.	511.	521.	566.	613.
	48″	1.5	**RWHDHTB48H5( )**	431.	472.	511.	552.	561.	568.	578.	632.	686.
	54″	1.6	**RWHDHTB54H5( )**	457.	501.	544.	588.	597.	606.	614.	671.	728.
	60″	1.8	**RWHDHTB60H5( )**	495.	544.	592.	642.	651.	662.	671.	737.	800.
	66″	1.9	**RWHDHTB66H5( )**	524.	575.	625.	675.	688.	699.	710.	777.	845.
	72″	2.1	**RWHDHTB72H5( )**	561.	618.	673.	731.	744.	754.	768.	842.	915.
	78″	2.3	**RWHDHTB78H5( )**	599.	661.	723.	784.	798.	811.	824.	906.	986.
	84″	2.5	**RWHDHTB84H5( )**	638.	704.	773.	841.	855.	868.	883.	971.	1,058.
	90″	2.6	**RWHDHTB90H5( )**	664.	736.	806.	875.	890.	905.	920.	1,012.	1,101.
	96″	2.8	**RWHDHTB96H5( )**	703.	778.	855.	930.	944.	962.	978.	1,075.	1,174.

Order Code

Example:	**RWHDHTB30H5 ( )**
R	Reff Profiles
WH	Wall hung
DH	Desk height planning
TB	Tackboard
30	Width
H5	42⅝″ high
W281	Fabric selection

Specification Information

To order please specify pattern number including;

1. Finish: Fabric

Application Notes

H5 Height = Top of Single high overhead to top of 1½″ thick desk height worksurface.

All fabric to be applied rail roaded as current tackboards.

Y = Yardage required

Desk Screens
Planning Guidelines and Specifications

Reff Screens
Reff screens provide partial enclosure for workspaces to a nominal horizon of 42"—seated visual access—or 49"—seated visual privacy. Screens are available in a variety of surface finishes for aesthetics, performance and price point.

Desk Mounted Screens
Desk mounted screens provide enclosure both above and below the top, starting from either 9 3/8" or 21 7/8" above the floor for 26 ½" high planning and from either 11 ¼" or 23 ¾" above the floor for 28 3/8" high planning. Desk mounted screens attach directly to the back of a desk top with two brackets that also define a 1 ¼" offset for wire management and clamp-on accessories. Bracket centers are located 3 ¼" from each end of screens 24"-30" wide and 12" from each end of screens 36" and wider.

Screens are available in the following widths 24", 27", 30", and 36"-72" wide in 6" increments. In most applications screens can be mounted to matching width or wider tops.

Two types of screens are available:
- Frameless laminate, marker surface or veneer screens are ¾" thick with matching edge and crisp, eased corners.
- Fabric screens are 1 ¼" thick, with painted perimeter frame capturing a wood structural core and tackable, fabric wrapped inserts on each face.

Specification Options
For frameless screens surface type: laminate (L) or veneer (V); specify finish, any core laminate or dry-erase marker surface (M), or any core Techwood or natural veneer. Also specify bracket color, in any Reff Profiles core paint finish.

For fabric screens specify fabric, perimeter frame and brackets painted finishes. Fabric is oriented railroad style for screens wider than 60".

Bracket and frame paint finish codes with suffix "T" indicate textured.

Construction
Frameless screens are ¾" MDF construction, with threaded inserts at bracket locations.

Fabric screens have a ½" MDF core, with 3/8" thick tackable PET material inserts on each side wrapped in fabric, and aluminum perimeter frame with seamless corners. Fabric screens have threaded metal inserts at bracket locations.

Laminate screens are edged with color matching ABS edgeband. Marker surface screens are edged with White ABS edgeband. Veneer screens are edged with matching veneer.



Screen always at back



42"H PARTIAL HEIGHT | 42"H FULL HEIGHT | 49"H PARTIAL HEIGHT | 49"H FULL HEIGHT

For applications with work surface 26 1/2" off the floor



42"H PARTIAL HEIGHT | 42"H FULL HEIGHT | 49"H PARTIAL HEIGHT | 49"H FULL HEIGHT

For applications with work surface 28 3/8" off the floor

Desk Screens
Fabric
For 42" High Horizon

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 42″ High Horizon 	24″	1¼″	20″	**YPSB2024F**	$677.	$711.	$746.	$780.	$812.
	27″	1¼″	20″	**YPSB2027F**	697.	731.	764.	800.	835.
	30″	1¼″	20″	**YPSB2030F**	715.	752.	788.	824.	859.
	36″	1¼″	20″	**YPSB2036F**	797.	836.	877.	916.	955.
	42″	1¼″	20″	**YPSB2042F**	828.	869.	909.	952.	994.
	48″	1¼″	20″	**YPSB2048F**	852.	896.	939.	980.	1,023.
	54″	1¼″	20″	**YPSB2054F**	916.	961.	1,006.	1,054.	1,098.
	60″	1¼″	20″	**YPSB2060F**	971.	1,021.	1,070.	1,119.	1,166.
	66″	1¼″	20″	**YPSB2066FRR**	1,016.	1,068.	1,119.	1,168.	1,218.
	72″	1¼″	20″	**YPSB2072FRR**	1,047.	1,099.	1,154.	1,204.	1,258.
Fabric Screens with Half Modesty For Desks, 42″ High Horizon 	24″	1¼″	32″	**YPSB3224F**	786.	824.	863.	902.	942.
	27″	1¼″	32″	**YPSB3227F**	840.	883.	924.	967.	1,007.
	30″	1¼″	32″	**YPSB3230F**	866.	908.	952.	996.	1,039.
	36″	1¼″	32″	**YPSB3236F**	978.	1,027.	1,076.	1,125.	1,172.
	42″	1¼″	32″	**YPSB3242F**	1,035.	1,086.	1,137.	1,191.	1,241.
	48″	1¼″	32″	**YPSB3248F**	1,041.	1,093.	1,146.	1,199.	1,249.
	54″	1¼″	32″	**YPSB3254F**	1,128.	1,185.	1,241.	1,297.	1,355.
	60″	1¼″	32″	**YPSB3260F**	1,222.	1,285.	1,345.	1,407.	1,467.
	66″	1¼″	32″	**YPSB3266FRR**	1,391.	1,463.	1,532.	1,601.	1,670.
	72″	1¼″	32″	**YPSB3272FRR**	1,467.	1,541.	1,614.	1,688.	1,759.

Ordering Information

Desk Screens

1. Pattern Number
2. Inside Fabric Finish
3. Outside Fabric Finish
4. Frame Paint Finish
5. Bracket Paint Finish

Order Code

Desk Screens

Example:	**YPSB2048F, W1077, W1077, 118T, 118T**
YPSB	Desk Screen
20	Height
48	Width
F	Fabric
W1077	Elements
W1077	Elements
118T	Bright White Paint
118T	Bright White Paint

Included With

Desk Screens
Brackets
Hardware

Options

Desk Screens

The price of screens specified with a combination of fabrics is the higher of the two fabric grades.

(RR) Fabric is applied railroaded

Desk Screens
Fabric
For 49″ High Horizon

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 49″ High Horizon 	24″	1¼″	26″	**YPSB2624F**	$740.	$777.	$813.	$851.	$887.
	27″	1¼″	26″	**YPSB2627F**	771.	808.	849.	886.	925.
	30″	1¼″	26″	**YPSB2630F**	791.	831.	869.	908.	949.
	36″	1¼″	26″	**YPSB2636F**	884.	927.	972.	1,017.	1,062.
	42″	1¼″	26″	**YPSB2642F**	927.	973.	1,021.	1,068.	1,115.
	48″	1¼″	26″	**YPSB2648F**	997.	1,047.	1,096.	1,147.	1,198.
	54″	1¼″	26″	**YPSB2654F**	1,067.	1,121.	1,171.	1,225.	1,281.
	60″	1¼″	26″	**YPSB2660F**	1,112.	1,165.	1,221.	1,278.	1,333.
	66″	1¼″	26″	**YPSB2666FRR**	1,161.	1,217.	1,278.	1,335.	1,391.
	72″	1¼″	26″	**YPSB2672FRR**	1,211.	1,270.	1,333.	1,391.	1,452.
Fabric Screens with Half Modesty For Desks, 49″ High Horizon 	24″	1¼″	38″	**YPSB3824F**	847.	889.	932.	972.	1,016.
	27″	1¼″	38″	**YPSB3827F**	908.	954.	1,000.	1,046.	1,091.
	30″	1¼″	38″	**YPSB3830F**	934.	980.	1,028.	1,074.	1,122.
	36″	1¼″	38″	**YPSB3836F**	1,067.	1,121.	1,171.	1,225.	1,281.
	42″	1¼″	38″	**YPSB3842F**	1,128.	1,185.	1,241.	1,297.	1,355.
	48″	1¼″	38″	**YPSB3848F**	1,216.	1,280.	1,338.	1,398.	1,461.
	54″	1¼″	38″	**YPSB3854F**	1,281.	1,343.	1,408.	1,470.	1,535.
	60″	1¼″	38″	**YPSB3860F**	1,347.	1,417.	1,484.	1,551.	1,617.
	66″	1¼″	38″	**YPSB3866FRR**	1,510.	1,586.	1,663.	1,739.	1,813.
	72″	1¼″	38″	**YPSB3872FRR**	1,593.	1,674.	1,752.	1,832.	1,913.

Ordering Information

Desk Screens

1. Pattern Number
2. Inside Fabric Finish
3. Outside Fabric Finish
4. Frame Paint Finish
5. Bracket Paint Finish

Order Code

Desk Screens

Example:	**YPSB2648F, W1077, W1077, 118T,118T**
YPSB	Desk Screen
26	Height
48	Width
F	Fabric
W1077	Elements
W1077	Elements
118T	Bright White Paint
118T	Bright White Paint

Included With

Desk Screens
Brackets
Hardware

Options

Desk Screens

The price of screens specified with a combination of fabrics is the higher of the two fabric grades.

(RR) Fabric is applied railroaded

Desk Screens
Laminate, Markerboard or Veneer
For 42" High Horizon

description	w	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty For Desks, 42″ High Horizon 	24″	¾″	20″	**YPSB2024( )**	$277.	$479.	$532.	$612.	$795.
	27″	¾″	20″	**YPSB2027( )**	282.	484.	541.	624.	809.
	30″	¾″	20″	**YPSB2030( )**	284.	486.	553.	636.	830.
	36″	¾″	20″	**YPSB2036( )**	320.	615.	579.	665.	866.
	42″	¾″	20″	**YPSB2042( )**	326.	620.	622.	714.	927.
	48″	¾″	20″	**YPSB2048( )**	421.	993.	651.	748.	969.
	54″	¾″	20″	**YPSB2054( )**	429.	999.	673.	775.	1,006.
	60″	¾″	20″	**YPSB2060( )**	434.	1,005.	729.	837.	1,090.
	66″	¾″	20″	**YPSB2066( )**	443.	1,013.	760.	876.	1,136.
	72″	¾″	20″	**YPSB2072( )**	449.	1,020.	787.	903.	1,171.
Screens with Half Modesty For Desks, 42″ High Horizon 	24″	¾″	32″	**YPSB3224( )**	311.	735.	618.	708.	923.
	27″	¾″	32″	**YPSB3227( )**	318.	740.	642.	741.	964.
	30″	¾″	32″	**YPSB3230( )**	361.	746.	664.	762.	993.
	36″	¾″	32″	**YPSB3236( )**	424.	996.	702.	806.	1,050.
	42″	¾″	32″	**YPSB3242( )**	434.	1,005.	770.	885.	1,153.
	48″	¾″	32″	**YPSB3248( )**	459.	1,744.	806.	927.	1,208.
	54″	¾″	32″	**YPSB3254( )**	467.	1,752.	852.	980.	1,276.
	60″	¾″	32″	**YPSB3260( )**	636.	1,758.	942.	1,081.	1,407.
	66″	¾″	32″	**YPSB3266( )**	651.	1,769.	988.	1,133.	1,473.
	72″	¾″	32″	**YPSB3272( )**	659.	1,782.	1,023.	1,174.	1,531.

Ordering Information

Desk Screens

1. Pattern Number
2. Surface Finish
3. Bracket Paint Finish

Order Code

Desk Screens

Example:	**YPSB2048V, 006B, 118T**
YPSB	Desk Screen
20	Height
48	Width
V	Veneer
006B	Maple
118T	Bright White Paint

Included With

Desk Screens
Brackets
Hardware

Options

Desk Screens

Finish Options:
(L)= Laminate
(LM)= Markerboard
(V)= Veneer

Desk Screens
Laminate, Markerboard or Veneer
For 49" High Horizon

description	w	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty For Desks, 49" High Horizon 	24"	¾"	26"	**YPSB2624( )**	$302.	$727.	$589.	$678.	$882.
	27"	¾"	26"	**YPSB2627( )**	307.	733.	604.	696.	904.
	30"	¾"	26"	**YPSB2630( )**	313.	736.	629.	725.	943.
	36"	¾"	26"	**YPSB2636( )**	321.	746.	661.	759.	990.
	42"	¾"	26"	**YPSB2642( )**	367.	754.	717.	824.	1,070.
	48"	¾"	26"	**YPSB2648( )**	403.	1,730.	755.	869.	1,129.
	54"	¾"	26"	**YPSB2654( )**	410.	1,739.	788.	903.	1,173.
	60"	¾"	26"	**YPSB2660( )**	432.	1,745.	876.	1,006.	1,307.
	66"	¾"	26"	**YPSB2666( )**	442.	1,754.	906.	1,042.	1,356.
	72"	¾"	26"	**YPSB2672( )**	567.	1,759.	939.	1,079.	1,402.
Screens with Half Modesty For Desks, 49" High Horizon 	24"	¾"	38"	**YPSB3824( )**	360.	746.	659.	757.	986.
	27"	¾"	38"	**YPSB3827( )**	365.	751.	681.	786.	1,018.
	30"	¾"	38"	**YPSB3830( )**	369.	756.	703.	807.	1,051.
	36"	¾"	38"	**YPSB3836( )**	437.	1,006.	757.	870.	1,132.
	42"	¾"	38"	**YPSB3842( )**	452.	1,020.	833.	957.	1,245.
	48"	¾"	38"	**YPSB3848( )**	560.	1,755.	878.	1,009.	1,312.
	54"	¾"	38"	**YPSB3854( )**	574.	1,767.	931.	1,070.	1,390.
	60"	¾"	38"	**YPSB3860( )**	659.	1,782.	1,050.	1,207.	1,569.
	66"	¾"	38"	**YPSB3866( )**	670.	1,794.	1,101.	1,267.	1,648.
	72"	¾"	38"	**YPSB3872( )**	682.	1,805.	1,149.	1,320.	1,714.

Ordering Information

Desk Screens

1. Pattern Number
2. Surface Finish
3. Bracket Paint Finish

Order Code

Desk Screens

Example:	**YPSB2648V, 006B, 118T**
YPSB	Desk Screen
26	Height
48	Width
V	Veneer
006B	Maple
118T	Bright White Paint

Included With

Desk Screens
Brackets
Hardware

Options

Desk Screens

Finish Options:
(L)= Laminate
(LM)= Markerboard
(V)= Veneer

description	w	d	pattern no.	L	V1	V2	V3
Desk Top Cubbies 30″ and 36″	30″	10″	**RDTC3010( )**	$910.	$1,161.	$1,308.	$1,699.
	36″	10″	**RDTC3610( )**	1,028.	1,170.	1,320.	1,715.
Desk Top Cubbies 60″ and 72″	60″	10″	**RDTC6010( )**	1,117.	1,424.	1,605.	2,087.
	72″	10″	**RDTC7210( )**	1,140.	1,454.	1,638.	2,130.
Desk Top Cubbies Open	60″	10″	**RDTCO6010( )**	1,234.	1,575.	1,774.	2,307.
	72″	10″	**RDTCO7210( )**	1,252.	1,595.	1,798.	2,338.
Wall Mounted Cubbies 30″ and 36″	30″	10″	**RRMC3010( )**	997.	1,272.	1,434.	1,864.
	36″	10″	**RRMC3610( )**	1,008.	1,283.	1,447.	1,881.
Wall Mounted Cubbies 60″ and 72″	60″	10″	**RRMC6010( )**	1,148.	1,463.	1,651.	2,147.
	72″	10″	**RRMC7210( )**	1,172.	1,494.	1,684.	2,190.
Under Mounted Cubbies 30″ and 36″	30″	10″	**RUMC3010( )**	965.	1,230.	1,388.	1,804.
	36″	10″	**RUMC3610( )**	977.	1,245.	1,404.	1,825.

Order Code

Example:	**RDTC3010( )( )**
R	Reff Profiles
DT	Desk Top
C	Cubby
30	Width
10	Depth
006B	Finish

Specification Information

To order please specify pattern number including:

1. Finish:
   Laminate or wood

Application Notes

Installation instruction sheets available on Knoll Exchange.

For Wall Mounted cubbies, please refer to reference number 6TP00086.

For Under Mounted cubbies, please refer to reference number 6TP00087.

Product on this page **Excluding any vertical surface over 48**“, will accept wood grain laminate, where laminate is currently an option.

description	w	d	pattern no.	L	V1	V2	V3
Under Mounted Cubbies 60″ and 72″	60″	10″	**RUMC6010( )**	$1,096.	$1,395.	$1,574.	$2,048.
	72″	10″	**RUMC7210( )**	1,123.	1,431.	1,614.	2,098.



Order Code

Example:	**RDTC3010( )( )**
R	Reff Profiles
DT	Desk Top
C	Cubby
30	Width
10	Depth
006B	Finish

Specification Information

To order please specify pattern number including:

1. Finish:
   Laminate or wood

Application Notes

Installation instruction sheets available on Knoll Exchange.

For Wall Mounted cubbies, please refer to reference number 6TP00086.

For Under Mounted cubbies, please refer to reference number 6TP00087.

Product on this page **Excluding any vertical surface over 48**“, will accept wood grain laminate, where laminate is currently an option.

Wall Mounting Suggestions

The following information is provided only as a guide, and represents minimum recommendations only. Knoll does not accept responsibility for the attachment of any Knoll product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Knoll products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Knoll products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each useable shelf length

NOTE: A cabinet's top is considered a "useable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Knoll supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

		EXISTING CONSTRUCTION				
	NEW CONSTRUCTION	**Cinder Block or Poured Concrete Masonry Wall**	**Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above**	**Wood Stud Wall, the studs being only Ceiling Height**	**Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above**	**Steel Stud Wall, the studs being only Ceiling Height**
Stud Specification	Wood studs, grade #2 or better, 3 1/2" minimum width, **OR** Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/ floor structure above	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum	N/A	Wood studs must be spaced at 16" c/c maximum	Wood studs must be spaced at 16"" c/c maximum"	Metal studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/ floor structure above			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above		Metal studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof / floor structure above
Mounting the Knoll Supplied Cleat, Bracket, Frame, etc*	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet, **and beyond to the next stud.** Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the Danback™ as directed by the manufacturer) Fasten the Knoll supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Knoll supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6", and fasten the lower horizontal element to the wall every 16"	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, **and beyond to the next stud.** Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, **and beyond to the next stud.** Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, **and beyond to the next stud.** Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, **and beyond to the next stud.** Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.
***Graham Wall Hung Shelf**	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	Fasten the Knoll supplied wall mounting brackets directly to the masonry wall, using the holes provided in each bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above
Fasten the Knoll supplied wall cleat with...	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	3/16" x 3 1/2" Tapcon Masonry Screws or equiv. @ 6" c/c with 1-1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking

Alpha-Numeric Index

pattern no.	page
ASBC18 (L/R)	210
ASBC24 (L/R)	210
AWM1 S36	220
AWM1 S42	220
AWM1 S48	220
AWM1 S60	220
AWM1 S66	220
AWM1 S72	220
AWM1 S78	220
AWM1 S84	220
ML4L17	272
ML4L31	272
ML4L44	272
ML4L58	272
MN2SO20	270
MN2SO21	270
MWM-J	271
R113B	212
R234PKIT	119
R2AETK34	82
R2AETK42	82
R2AETK49	82
R2AETK64	82
R2AETK79	82
R2AHBW18	81
R2AHBW20	81
R2AHBW24	81
R2AHBW30	81
R2AHBW36	81
R2AHBW42	81
R2AHBW48	81
R2AHSR18	81
R2AHSR20	81
R2AHSR24	81
R2AHSR30	81
R2AHSR36	81
R2AHSR42	81
R2AHSR48	81
R2AK	119
R2ALPK34	81
R2ALPK42	81
R2ALPK49	81
R2ALPK64	81
R2ALPK79	81
R2APT3418	80
R2APT3420	80
R2APT3424	80
R2APT3430	80
R2APT3436	80
R2APT3442	80
R2APT3448	80
R2APT4218	80
R2APT4220	80
R2APT4224	80
R2APT4230	80
R2APT4236	80
R2APT4242	80
R2APT4248	80
R2APT4918	80
R2APT4920	80
R2APT4924	80
R2APT4930	80
R2APT4936	80
R2APT4942	80
R2APT4948	80
R2APT6418	80
R2APT6420	80
R2APT6424	80
R2APT6430	80
R2APT6436	80
R2APT6442	80
R2APT6448	80
R2APT7918	81
R2APT7920	81
R2APT7924	81
R2APT7930	81
R2APT7936	81
R2APT7942	81
R2APT7948	81
R2ATPK34	81
R2ATPK42	81
R2ATPK49	81
R2ATPK64	81
R2ATPK79	81
R2B0TWA34 18	48
R2B0TWA34 20	48
R2B0TWA34 24	48
R2B0TWA34 30	48
R2B0TWA34 36	48
R2B0TWA34 42	48
R2B0TWA34 48	48
R2B0TWB34 30	48
R2B0TWB34 36	48
R2B0TWB34 42	48
R2B0TWB34 48	48
R2B0TWC34 18	48
R2B0TWC34 20	48
R2B0TWC34 24	48
R2B0TWC34 30	48
R2B0TWC34 36	48
R2B0TWC34 42	48
R2B0TWC34 48	48
R2CG	119
R2DLS7936	118
R2DLS7942	118
R2DRS7936	118
R2DRS7942	118
R2ES34(A/B/C/E)(4/6)(E/N)	111
R2ES42(A/B/C/E)(4/6)(E/N)	111
R2ES49(A/B/C/E)(4/6)(E/N)	111
R2ES64(A/B/C/E)(4/6)(E/N)	111
R2ES79(A/B/C/E)(4/6)(E/N)	111
R2HK0008	113
R2HK0015	113
R2HK0034	113
R2HK0042	113
R2HK0049	113
R2HK0064	113
R2HK0079	113
R2HKB042	113
R2HKB049	113
R2HKB064	113
R2HKB079	113
R2HL3442ES(A/B/C/E)	111
R2HL3442(F)CS	112
R2HL3449ES(A/B/C/E)	111
R2HL3449(F)CS	112
R2HL3464ES(A/B/C/E)	111
R2HL3464(F/T)CS	112
R2HL3479ES(A/B/C/E)	111
R2HL3479(F/T)CS	112
R2HL4249ES(A/B/C/E)	111
R2HL4249ETS(A/B/C/E)	112
R2HL4249(F)CS	112
R2HL4264ES(A/B/C/E)	111
R2HL4264ETS(A/B/C/E)	112
R2HL4264(F/T)CS	112
R2HL4279ES(A/B/C/E)	111
R2HL4279ETS(A/B/C/E)	112
R2HL4279(F/T)CS	112
R2HL4964ES(A/B/C/E)	111
R2HL4964(F)CS	112
R2HL4979ES(A/B/C/E)	111
R2HL4979(F/T)CS	112
R2HL6479ES(A/B/C/E)	111
R2HL6479(F)CS	112
R2L42C(F/T)(F/T)-(4/6)	114
R2L49C(F/T)(F/T)-(4/6)	114
R2L64C(F/T)(F/T)-(4/6)	114
R2L79C(F/T)(F/T)-(4/6)	114
R2OMF30S0( )	256
R2OMF36S0( )	256
R2OMF42S0( )	256
R2OMF48S0( )	256
R2OMF60S0( )	256
R2OMF72S0( )	256
R2OMH30S0( )	256
R2OMH36S0( )	256
R2OMH60S0( )	256
R2OMH72S0( )	256
R2OMH78S0( )	256
R2OMH84S0( )	256
R2OMH90S0( )	256
R2OMH96S0( )	256
R2OMO30S0( )	256
R2OMO36S0( )	256
R2OMO42S0( )	256
R2OMO48S0( )	256
R2OMO60S0( )	256
R2OMO72S0( )	256
R2OPF30S0J	258
R2OPF36S0J	258
R2OPF42S0J	258
R2OPF48S0J	258
R2OPF60S0J	258
R2OPF72S0J	258
R2OPF84S0J	258
R2OPF96S0J	258
R2OPH30S0( )	257
R2OPH36S0( )	257
R2OPH60S0( )	257
R2OPH60T0( )	257
R2OPH72S0( )	257
R2OPH72T0( )	257
R2OPH90S0( )	257
R2OPH90T0( )	257
R2OPH96S0( )	257
R2OPH96T0( )	257
R2OPO30S0( )	257
R2OPO36S0( )	257
R2OPO42S0( )	257
R2OPO48S0( )	257
R2OPO60S0( )	257
R2OPO60T0( )	257
R2OPO72S0( )	257
R2OPO72T0( )	257
R2OPO90S0( )	257
R2OPO90T0( )	257
R2OPO96S0( )	257
R2OPO96T0( )	257
R2OPS30S0NN	258
R2OPS36S0NN	258
R2OPS42S0NN	258
R2OPS48S0NN	258
R2OPS54S0NN	258
R2OPS60S0NN	258
R2OPS66S0NN	258
R2OPS72S0NN	258
R2OPS78S0NN	258
R2OPS84S0NN	258
R2OPS90S0NN	258
R2OPS96S0NN	258
R2S42C(F/T)(F/T)-(4/6)	115
R2S49C(F/T)(F/T)-(4/6)	115
R2S64C(F/T)(F/T)-(4/6)	115
R2S79C(F/T)(F/T)-(4/6)	115
R2SWS0008	116
R2SWS0015	116
R2SWS0034	116
R2SWS0042	116
R2SWS0049	116
R2SWS0064	116
R2SWS0079	116
R2T42C(F/T)-(4/6)	114
R2T49C(F/T)-(4/6)	114
R2T64C(F/T)-(4/6)	114
R2T79C(F/T)-(4/6)	114
R2TRDL48301	191
R2TRDL60301	191
R2TRDL72301	191
R2TRDL72361	191
R2TRDRL48301	192
R2TRDRL60301	192
R2TRDRL72301	192
R2TRDRL72361	192
R2TRDS48301	193
R2TRDS60301	193
R2TRDS72301	193
R2TRDS72361	193
R2TSDL42421	191
R2TSDL48481	191
R2TSDRL42421	192
R2TSDRL48481	192
R2TSDS42421	193

pattern no.	*page*
R2TSDS48481	193
R2X42C	114
R2X49C	114
R2X64C	114
R2X79C	114
R3120Y34	110
R3120Y42	110
R3120Y49	110
R3120Y64	110
R3120Y79	110
R3135V34F	109
R3135V34T	109
R3135V42F	109
R3135V42T	109
R3135V49F	109
R3135V49T	109
R3135V64F	109
R3135V64T	109
R3135V79F	109
R3135V79T	109
R334PKIT	119
R3AK	119
R3AUAC10	106
R3B0PAA42 18	19
R3B0PAA42 20	19
R3B0PAA42 24	19
R3B0PAA42 30	19
R3B0PAA42 36	19
R3B0PAA42 42	19
R3B0PAA42 48	19
R3B0PAA42 60	19
R3B0PAA42 66	19
R3B0PAA42 72	19
R3B0PAA49 18	26
R3B0PAA49 20	26
R3B0PAA49 24	26
R3B0PAA49 30	26
R3B0PAA49 36	26
R3B0PAA49 42	26
R3B0PAA49 48	26
R3B0PAA49 60	26
R3B0PAA49 66	26
R3B0PAA49 72	26
R3B0PAA64 18	33
R3B0PAA64 20	33
R3B0PAA64 24	33
R3B0PAA64 30	33
R3B0PAA64 36	33
R3B0PAA64 42	33
R3B0PAA64 48	33
R3B0PAA64 60	33
R3B0PAA64 66	33
R3B0PAA64 72	33
R3B0PAA79 18	40
R3B0PAA79 20	40
R3B0PAA79 24	40
R3B0PAA79 30	40
R3B0PAA79 36	40
R3B0PAA79 42	40
R3B0PAA79 48	40
R3B0PAA79 60	40
R3B0PAA79 66	40
R3B0PAA79 72	40
R3B0PF13418	15
R3B0PF13420	15
R3B0PF13424	15
R3B0PF13430	15
R3B0PF13436	15
R3B0PF13442	15
R3B0PF13448	15
R3B0PF142 18	22
R3B0PF142 20	22
R3B0PF142 24	22
R3B0PF142 30	22
R3B0PF142 36	22
R3B0PF142 42	22
R3B0PF142 48	22
R3B0PF142 60	22
R3B0PF142 66	22
R3B0PF142 72	22
R3B0PF149 18	29
R3B0PF149 20	29
R3B0PF149 24	29
R3B0PF149 30	29
R3B0PF149 36	29
R3B0PF149 42	29
R3B0PF149 48	29
R3B0PF149 60	29
R3B0PF149 66	29
R3B0PF149 72	29
R3B0PF164 18	36
R3B0PF164 20	36
R3B0PF164 24	36
R3B0PF164 30	36
R3B0PF164 36	36
R3B0PF164 42	36
R3B0PF164 48	36
R3B0PF164 60	36
R3B0PF164 66	36
R3B0PF164 72	36
R3B0PF179 18	43
R3B0PF179 20	43
R3B0PF179 24	43
R3B0PF179 30	43
R3B0PF179 36	43
R3B0PF179 42	43
R3B0PF179 48	43
R3B0PF179 60	43
R3B0PF179 66	43
R3B0PF179 72	43
R3B0PF234 18	16
R3B0PF234 20	16
R3B0PF234 24	16
R3B0PF234 30	16
R3B0PF234 36	16
R3B0PF234 42	16
R3B0PF234 48	16
R3B0PF242 18	23
R3B0PF242 20	23
R3B0PF242 24	23
R3B0PF242 30	23
R3B0PF242 36	23
R3B0PF242 42	23
R3B0PF242 48	23
R3B0PF242 60	23
R3B0PF242 66	23
R3B0PF242 72	23
R3B0PF249 18	30
R3B0PF249 20	30
R3B0PF249 24	30
R3B0PF249 30	30
R3B0PF249 36	30
R3B0PF249 42	30
R3B0PF249 48	30
R3B0PF249 60	30
R3B0PF249 66	30
R3B0PF249 72	30
R3B0PF264 18	37
R3B0PF264 20	37
R3B0PF264 24	37
R3B0PF264 30	37
R3B0PF264 36	37
R3B0PF264 42	37
R3B0PF264 48	37
R3B0PF264 60	37
R3B0PF264 66	37
R3B0PF264 72	37
R3B0PF279 18	44
R3B0PF279 20	44
R3B0PF279 24	44
R3B0PF279 30	44
R3B0PF279 36	44
R3B0PF279 42	44
R3B0PF279 48	44
R3B0PF279 60	44
R3B0PF279 66	44
R3B0PF279 72	44
R3B0PF334 18	17
R3B0PF334 20	17
R3B0PF334 24	17
R3B0PF334 30	17
R3B0PF334 36	17
R3B0PF334 42	17
R3B0PF334 48	17
R3B0PF342 18	24
R3B0PF342 20	24
R3B0PF342 24	24
R3B0PF342 30	24
R3B0PF342 36	24
R3B0PF342 42	24
R3B0PF342 48	24
R3B0PF342 60	24
R3B0PF342 66	24
R3B0PF342 72	24
R3B0PF349 18	31
R3B0PF349 20	31
R3B0PF349 24	31
R3B0PF349 30	31
R3B0PF349 36	31
R3B0PF349 42	31
R3B0PF349 48	31
R3B0PF349 60	31
R3B0PF349 66	31
R3B0PF349 72	31
R3B0PF364 18	38
R3B0PF364 20	38
R3B0PF364 24	38
R3B0PF364 30	38
R3B0PF364 36	38
R3B0PF364 42	38
R3B0PF364 48	38
R3B0PF364 60	38
R3B0PF364 66	38
R3B0PF364 72	38
R3B0PF379 18	45
R3B0PF379 20	45
R3B0PF379 24	45
R3B0PF379 30	45
R3B0PF379 36	45
R3B0PF379 42	45
R3B0PF379 48	45
R3B0PF379 60	45
R3B0PF379 66	45
R3B0PF379 72	45
R3B0PFF3418	13
R3B0PFF3420	13
R3B0PFF3424	13
R3B0PFF3430	13
R3B0PFF3436	13
R3B0PFF3442	13
R3B0PFF3448	13
R3B0PFF42 18	19
R3B0PFF42 20	19
R3B0PFF42 24	19
R3B0PFF42 30	19
R3B0PFF42 36	19
R3B0PFF42 42	19
R3B0PFF42 48	19
R3B0PFF42 60	19
R3B0PFF42 66	19
R3B0PFF42 72	19
R3B0PFF49 18	26
R3B0PFF49 20	26
R3B0PFF49 24	26
R3B0PFF49 30	26
R3B0PFF49 36	26
R3B0PFF49 42	26
R3B0PFF49 48	26
R3B0PFF49 60	26
R3B0PFF49 66	26
R3B0PFF49 72	26
R3B0PFF64 18	33
R3B0PFF64 20	33
R3B0PFF64 24	33
R3B0PFF64 30	33
R3B0PFF64 36	33
R3B0PFF64 42	33
R3B0PFF64 48	33
R3B0PFF64 60	33
R3B0PFF64 66	33
R3B0PFF64 72	33
R3B0PFF79 18	40
R3B0PFF79 20	40
R3B0PFF79 24	40
R3B0PFF79 30	40
R3B0PFF79 36	40
R3B0PFF79 42	40
R3B0PFF79 48	40
R3B0PFF79 60	40
R3B0PFF79 66	40
R3B0PFF79 72	40
R3B0PFL3418	14
R3B0PFL3420	14
R3B0PFL3424	14
R3B0PFL3430	14
R3B0PFL3436	14
R3B0PFL3442	14
R3B0PFL3448	14
R3B0PFL42 18	21
R3B0PFL42 20	21

pattern no.	*page*
R3B0PFL42 24	21
R3B0PFL42 30	21
R3B0PFL42 36	21
R3B0PFL42 42	21
R3B0PFL42 48	21
R3B0PFL42 60	21
R3B0PFL42 66	21
R3B0PFL42 72	21
R3B0PFL49 18	28
R3B0PFL49 20	28
R3B0PFL49 24	28
R3B0PFL49 30	28
R3B0PFL49 36	28
R3B0PFL49 42	28
R3B0PFL49 48	28
R3B0PFL49 60	28
R3B0PFL49 66	28
R3B0PFL49 72	28
R3B0PFL64 18	35
R3B0PFL64 20	35
R3B0PFL64 24	35
R3B0PFL64 30	35
R3B0PFL64 36	35
R3B0PFL64 42	35
R3B0PFL64 48	35
R3B0PFL64 60	35
R3B0PFL64 66	35
R3B0PFL64 72	35
R3B0PFL79 18	42
R3B0PFL79 20	42
R3B0PFL79 24	42
R3B0PFL79 30	42
R3B0PFL79 36	42
R3B0PFL79 42	42
R3B0PFL79 48	42
R3B0PFL79 60	42
R3B0PFL79 66	42
R3B0PFL79 72	42
R3B0PLL3418	18
R3B0PLL3420	18
R3B0PLL3424	18
R3B0PLL3430	18
R3B0PLL3436	18
R3B0PLL3442	18
R3B0PLL3448	18
R3B0PLL4218	25
R3B0PLL4220	25
R3B0PLL4224	25
R3B0PLL4230	25
R3B0PLL4236	25
R3B0PLL4242	25
R3B0PLL4248	25
R3B0PLL4260	25
R3B0PLL4266	25
R3B0PLL4272	25
R3B0PLL4918	32
R3B0PLL4920	32
R3B0PLL4924	32
R3B0PLL4930	32
R3B0PLL4936	32
R3B0PLL4942	32
R3B0PLL4948	32
R3B0PLL4960	32
R3B0PLL4966	32
R3B0PLL4972	32
R3B0PLL6418	39
R3B0PLL6420	39
R3B0PLL6424	39
R3B0PLL6430	39
R3B0PLL6436	39
R3B0PLL6442	39
R3B0PLL6448	39
R3B0PLL6460	39
R3B0PLL6466	39
R3B0PLL6472	39
R3B0PLL7918	46
R3B0PLL7920	46
R3B0PLL7924	46
R3B0PLL7930	46
R3B0PLL7936	46
R3B0PLL7942	46
R3B0PLL7948	46
R3B0PLL7960	46
R3B0PLL7966	46
R3B0PLL7972	46
R3B0TAA42 18	52
R3B0TAA42 20	52
R3B0TAA42 24	52
R3B0TAA42 30	52
R3B0TAA42 36	52
R3B0TAA42 42	52
R3B0TAA42 48	52
R3B0TAA49 18	59
R3B0TAA49 20	59
R3B0TAA49 24	59
R3B0TAA49 30	59
R3B0TAA49 36	59
R3B0TAA49 42	59
R3B0TAA49 48	59
R3B0TAA64 18	66
R3B0TAA64 20	66
R3B0TAA64 24	66
R3B0TAA64 30	66
R3B0TAA64 36	66
R3B0TAA64 42	66
R3B0TAA64 48	66
R3B0TAA79 18	73
R3B0TAA79 20	73
R3B0TAA79 24	73
R3B0TAA79 30	73
R3B0TAA79 36	73
R3B0TAA79 42	73
R3B0TAA79 48	73
R3B0TF134 18	49
R3B0TF134 20	49
R3B0TF134 24	49
R3B0TF134 30	49
R3B0TF134 36	49
R3B0TF134 42	49
R3B0TF134 48	49
R3B0TF142 18	55
R3B0TF142 20	55
R3B0TF142 24	55
R3B0TF142 30	55
R3B0TF142 36	55
R3B0TF142 42	55
R3B0TF142 48	55
R3B0TF149 18	62
R3B0TF149 20	62
R3B0TF149 24	62
R3B0TF149 30	62
R3B0TF149 36	62
R3B0TF149 42	62
R3B0TF149 48	62
R3B0TF164 18	69
R3B0TF164 20	69
R3B0TF164 24	69
R3B0TF164 30	69
R3B0TF164 36	69
R3B0TF164 42	69
R3B0TF164 48	69
R3B0TF179 18	76
R3B0TF179 20	76
R3B0TF179 24	76
R3B0TF179 30	76
R3B0TF179 36	76
R3B0TF179 42	76
R3B0TF179 48	76
R3B0TF234 18	50
R3B0TF234 20	50
R3B0TF234 24	50
R3B0TF234 30	50
R3B0TF234 36	50
R3B0TF234 42	50
R3B0TF234 48	50
R3B0TF242 18	56
R3B0TF242 20	56
R3B0TF242 24	56
R3B0TF242 30	56
R3B0TF242 36	56
R3B0TF242 42	56
R3B0TF242 48	56
R3B0TF249 18	63
R3B0TF249 20	63
R3B0TF249 24	63
R3B0TF249 30	63
R3B0TF249 36	63
R3B0TF249 42	63
R3B0TF249 48	63
R3B0TF264 18	70
R3B0TF264 20	70
R3B0TF264 24	70
R3B0TF264 30	70
R3B0TF264 36	70
R3B0TF264 42	70
R3B0TF264 48	70
R3B0TF279 18	77
R3B0TF279 20	77
R3B0TF279 24	77
R3B0TF279 30	77
R3B0TF279 36	77
R3B0TF279 42	77
R3B0TF279 48	77
R3B0TF334 18	50
R3B0TF334 20	50
R3B0TF334 24	50
R3B0TF334 30	50
R3B0TF334 36	50
R3B0TF334 42	50
R3B0TF334 48	50
R3B0TF342 18	57
R3B0TF342 20	57
R3B0TF342 24	57
R3B0TF342 30	57
R3B0TF342 36	57
R3B0TF342 42	57
R3B0TF342 48	57
R3B0TF349 18	64
R3B0TF349 20	64
R3B0TF349 24	64
R3B0TF349 30	64
R3B0TF349 36	64
R3B0TF349 42	64
R3B0TF349 48	64
R3B0TF364 18	71
R3B0TF364 20	71
R3B0TF364 24	71
R3B0TF364 30	71
R3B0TF364 36	71
R3B0TF364 42	71
R3B0TF364 48	71
R3B0TF379 18	78
R3B0TF379 20	78
R3B0TF379 24	78
R3B0TF379 30	78
R3B0TF379 36	78
R3B0TF379 42	78
R3B0TF379 48	78
R3B0TFF34 18	47
R3B0TFF34 20	47
R3B0TFF34 24	47
R3B0TFF34 30	47
R3B0TFF34 36	47
R3B0TFF34 42	47
R3B0TFF34 48	47
R3B0TFF42 18	52
R3B0TFF42 20	52
R3B0TFF42 24	52
R3B0TFF42 30	52
R3B0TFF42 36	52
R3B0TFF42 42	52
R3B0TFF42 48	52
R3B0TFF49 18	59
R3B0TFF49 20	59
R3B0TFF49 24	59
R3B0TFF49 30	59
R3B0TFF49 36	59
R3B0TFF49 42	59
R3B0TFF49 48	59
R3B0TFF64 18	66
R3B0TFF64 20	66
R3B0TFF64 24	66
R3B0TFF64 30	66
R3B0TFF64 36	66
R3B0TFF64 42	66
R3B0TFF64 48	66
R3B0TFF79 18	73
R3B0TFF79 20	73
R3B0TFF79 24	73
R3B0TFF79 30	73
R3B0TFF79 36	73
R3B0TFF79 42	73
R3B0TFF79 48	73
R3B0TFL34 18	49
R3B0TFL34 20	49
R3B0TFL34 24	49
R3B0TFL34 30	49
R3B0TFL34 36	49
R3B0TFL34 42	49
R3B0TFL34 48	49

pattern no.	*page*
R3B0TFL42 18	54
R3B0TFL42 20	54
R3B0TFL42 24	54
R3B0TFL42 30	54
R3B0TFL42 36	54
R3B0TFL42 42	54
R3B0TFL42 48	54
R3B0TFL49 18	61
R3B0TFL49 20	61
R3B0TFL49 24	61
R3B0TFL49 30	61
R3B0TFL49 36	61
R3B0TFL49 42	61
R3B0TFL49 48	61
R3B0TFL64 18	68
R3B0TFL64 20	68
R3B0TFL64 24	68
R3B0TFL64 30	68
R3B0TFL64 36	68
R3B0TFL64 42	68
R3B0TFL64 48	68
R3B0TFL79 18	75
R3B0TFL79 20	75
R3B0TFL79 24	75
R3B0TFL79 30	75
R3B0TFL79 36	75
R3B0TFL79 42	75
R3B0TFL79 48	75
R3B0TLL3418	51
R3B0TLL3420	51
R3B0TLL3424	51
R3B0TLL3430	51
R3B0TLL3436	51
R3B0TLL3442	51
R3B0TLL3448	51
R3B0TLL4218	58
R3B0TLL4220	58
R3B0TLL4224	58
R3B0TLL4230	58
R3B0TLL4236	58
R3B0TLL4242	58
R3B0TLL4248	58
R3B0TLL4918	65
R3B0TLL4920	65
R3B0TLL4924	65
R3B0TLL4930	65
R3B0TLL4936	65
R3B0TLL4942	65
R3B0TLL4948	65
R3B0TLL6418	72
R3B0TLL6420	72
R3B0TLL6424	72
R3B0TLL6430	72
R3B0TLL6436	72
R3B0TLL6442	72
R3B0TLL6448	72
R3B0TLL7918	79
R3B0TLL7920	79
R3B0TLL7924	79
R3B0TLL7930	79
R3B0TLL7936	79
R3B0TLL7942	79
R3B0TLL7948	79
R3B1PF142 18	22
R3B1PF142 20	22
R3B1PF142 24	22
R3B1PF142 30	22
R3B1PF142 36	22
R3B1PF142 42	22
R3B1PF142 48	22
R3B1PF149 18	29
R3B1PF149 20	29
R3B1PF149 24	29
R3B1PF149 30	29
R3B1PF149 36	29
R3B1PF149 42	29
R3B1PF149 48	29
R3B1PF164 18	36
R3B1PF164 20	36
R3B1PF164 24	36
R3B1PF164 30	36
R3B1PF164 36	36
R3B1PF164 42	36
R3B1PF164 48	36
R3B1PF179 18	43
R3B1PF179 20	43
R3B1PF179 24	43
R3B1PF179 30	43
R3B1PF179 36	43
R3B1PF179 42	43
R3B1PF179 48	43
R3B1PF1A49 18	91
R3B1PF1A49 20	91
R3B1PF1A49 24	91
R3B1PF1A49 30	91
R3B1PF1A49 36	91
R3B1PF1A49 42	91
R3B1PF1A49 48	91
R3B1PF1B49 30	91
R3B1PF1B49 36	91
R3B1PF1B49 42	91
R3B1PF1B49 48	91
R3B1PF242 18	23
R3B1PF242 20	23
R3B1PF242 24	23
R3B1PF242 30	23
R3B1PF242 36	23
R3B1PF242 42	23
R3B1PF242 48	23
R3B1PF249 18	30
R3B1PF249 20	30
R3B1PF249 24	30
R3B1PF249 30	30
R3B1PF249 36	30
R3B1PF249 42	30
R3B1PF249 48	30
R3B1PF264 18	37
R3B1PF264 20	37
R3B1PF264 24	37
R3B1PF264 30	37
R3B1PF264 36	37
R3B1PF264 42	37
R3B1PF264 48	37
R3B1PF279 18	44
R3B1PF279 20	44
R3B1PF279 24	44
R3B1PF279 30	44
R3B1PF279 36	44
R3B1PF279 42	44
R3B1PF279 48	44
R3B1PF2A49 18	94
R3B1PF2A49 20	94
R3B1PF2A49 24	94
R3B1PF2A49 30	94
R3B1PF2A49 36	94
R3B1PF2A49 42	94
R3B1PF2A49 48	94
R3B1PF2B49 30	94
R3B1PF2B49 36	94
R3B1PF2B49 42	94
R3B1PF2B49 48	94
R3B1PF342 18	24
R3B1PF342 20	24
R3B1PF342 24	24
R3B1PF342 30	24
R3B1PF342 36	24
R3B1PF342 42	24
R3B1PF342 48	24
R3B1PF349 18	31
R3B1PF349 20	31
R3B1PF349 24	31
R3B1PF349 30	31
R3B1PF349 36	31
R3B1PF349 42	31
R3B1PF349 48	31
R3B1PF364 18	38
R3B1PF364 20	38
R3B1PF364 24	38
R3B1PF364 30	38
R3B1PF364 36	38
R3B1PF364 42	38
R3B1PF364 48	38
R3B1PF379 18	45
R3B1PF379 20	45
R3B1PF379 24	45
R3B1PF379 30	45
R3B1PF379 36	45
R3B1PF379 42	45
R3B1PF379 48	45
R3B1PF3A49 18	96
R3B1PF3A49 20	96
R3B1PF3A49 24	96
R3B1PF3A49 30	96
R3B1PF3A49 36	96
R3B1PF3A49 42	96
R3B1PF3A49 48	96
R3B1PF3B49 30	96
R3B1PF3B49 36	96
R3B1PF3B49 42	96
R3B1PF3B49 48	96
R3B1PFF42 18	20
R3B1PFF42 20	20
R3B1PFF42 24	20
R3B1PFF42 30	20
R3B1PFF42 36	20
R3B1PFF42 42	20
R3B1PFF42 48	20
R3B1PFF49 18	27
R3B1PFF49 20	27
R3B1PFF49 24	27
R3B1PFF49 30	27
R3B1PFF49 36	27
R3B1PFF49 42	27
R3B1PFF49 48	27
R3B1PFF64 18	34
R3B1PFF64 20	34
R3B1PFF64 24	34
R3B1PFF64 30	34
R3B1PFF64 36	34
R3B1PFF64 42	34
R3B1PFF64 48	34
R3B1PFF79 18	41
R3B1PFF79 20	41
R3B1PFF79 24	41
R3B1PFF79 30	41
R3B1PFF79 36	41
R3B1PFF79 42	41
R3B1PFF79 48	41
R3B1PFFA49 18	85
R3B1PFFA49 20	85
R3B1PFFA49 24	85
R3B1PFFA49 30	85
R3B1PFFA49 36	85
R3B1PFFA49 42	85
R3B1PFFA49 48	85
R3B1PFFB49 30	85
R3B1PFFB49 36	85
R3B1PFFB49 42	85
R3B1PFFB49 48	85
R3B1PFL42 18	21
R3B1PFL42 20	21
R3B1PFL42 24	21
R3B1PFL42 30	21
R3B1PFL42 36	21
R3B1PFL42 42	21
R3B1PFL42 48	21
R3B1PFL49 18	28
R3B1PFL49 20	28
R3B1PFL49 24	28
R3B1PFL49 30	28
R3B1PFL49 36	28
R3B1PFL49 42	28
R3B1PFL49 48	28
R3B1PFL64 18	35
R3B1PFL64 20	35
R3B1PFL64 24	35
R3B1PFL64 30	35
R3B1PFL64 36	35
R3B1PFL64 42	35
R3B1PFL64 48	35
R3B1PFL79 18	42
R3B1PFL79 20	42
R3B1PFL79 24	42
R3B1PFL79 30	42
R3B1PFL79 36	42
R3B1PFL79 42	42
R3B1PFL79 48	42
R3B1PFLA49 18	88
R3B1PFLA49 20	88
R3B1PFLA49 24	88
R3B1PFLA49 30	88
R3B1PFLA49 36	88
R3B1PFLA49 42	88
R3B1PFLA49 48	88
R3B1PFLB49 30	88
R3B1PFLB49 36	88
R3B1PFLB49 42	88
R3B1PFLB49 48	88
R3B1TF142 18	55
R3B1TF142 20	55

pattern no.	*page*
R3B1TF142 24	55
R3B1TF142 30	55
R3B1TF142 36	55
R3B1TF142 42	55
R3B1TF142 48	55
R3B1TF149 18	62
R3B1TF149 20	62
R3B1TF149 24	62
R3B1TF149 30	62
R3B1TF149 36	62
R3B1TF149 42	62
R3B1TF149 48	62
R3B1TF164 18	69
R3B1TF164 20	69
R3B1TF164 24	69
R3B1TF164 30	69
R3B1TF164 36	69
R3B1TF164 42	69
R3B1TF164 48	69
R3B1TF179 18	76
R3B1TF179 20	76
R3B1TF179 24	76
R3B1TF179 30	76
R3B1TF179 36	76
R3B1TF179 42	76
R3B1TF179 48	76
R3B1TF1A49 18	89
R3B1TF1A49 20	89
R3B1TF1A49 24	89
R3B1TF1A49 30	89
R3B1TF1A49 36	89
R3B1TF1A49 42	89
R3B1TF1A49 48	89
R3B1TF1B49 30	90
R3B1TF1B49 36	90
R3B1TF1B49 42	90
R3B1TF1B49 48	90
R3B1TF242 18	56
R3B1TF242 20	56
R3B1TF242 24	56
R3B1TF242 30	56
R3B1TF242 36	56
R3B1TF242 42	56
R3B1TF242 48	56
R3B1TF249 18	63
R3B1TF249 20	63
R3B1TF249 24	63
R3B1TF249 30	63
R3B1TF249 36	63
R3B1TF249 42	63
R3B1TF249 48	63
R3B1TF264 18	70
R3B1TF264 20	70
R3B1TF264 24	70
R3B1TF264 30	70
R3B1TF264 36	70
R3B1TF264 42	70
R3B1TF264 48	70
R3B1TF279 18	77
R3B1TF279 20	77
R3B1TF279 24	77
R3B1TF279 30	77
R3B1TF279 36	77
R3B1TF279 42	77
R3B1TF279 48	77

pattern no.	*page*
R3B1TF2A49 18	92
R3B1TF2A49 20	92
R3B1TF2A49 24	92
R3B1TF2A49 30	92
R3B1TF2A49 36	92
R3B1TF2A49 42	92
R3B1TF2A49 48	92
R3B1TF2B49 30	93
R3B1TF2B49 36	93
R3B1TF2B49 42	93
R3B1TF2B49 48	93
R3B1TF342 18	57
R3B1TF342 20	57
R3B1TF342 24	57
R3B1TF342 30	57
R3B1TF342 36	57
R3B1TF342 42	57
R3B1TF342 48	57
R3B1TF349 18	64
R3B1TF349 20	64
R3B1TF349 24	64
R3B1TF349 30	64
R3B1TF349 36	64
R3B1TF349 42	64
R3B1TF349 48	64
R3B1TF364 18	71
R3B1TF364 20	71
R3B1TF364 24	71
R3B1TF364 30	71
R3B1TF364 36	71
R3B1TF364 42	71
R3B1TF364 48	71
R3B1TF379 18	78
R3B1TF379 20	78
R3B1TF379 24	78
R3B1TF379 30	78
R3B1TF379 36	78
R3B1TF379 42	78
R3B1TF379 48	78
R3B1TF3A49 18	95
R3B1TF3A49 20	95
R3B1TF3A49 24	95
R3B1TF3A49 30	95
R3B1TF3A49 36	95
R3B1TF3A49 42	95
R3B1TF3A49 48	95
R3B1TF3B49 30	95
R3B1TF3B49 36	95
R3B1TF3B49 42	95
R3B1TF3B49 48	95
R3B1TFF42 18	53
R3B1TFF42 20	53
R3B1TFF42 24	53
R3B1TFF42 30	53
R3B1TFF42 36	53
R3B1TFF42 42	53
R3B1TFF42 48	53
R3B1TFF49 18	60
R3B1TFF49 20	60
R3B1TFF49 24	60
R3B1TFF49 30	60
R3B1TFF49 36	60
R3B1TFF49 42	60
R3B1TFF49 48	60
R3B1TFF64 18	67

pattern no.	*page*
R3B1TFF64 20	67
R3B1TFF64 24	67
R3B1TFF64 30	67
R3B1TFF64 36	67
R3B1TFF64 42	67
R3B1TFF64 48	67
R3B1TFF79 18	74
R3B1TFF79 20	74
R3B1TFF79 24	74
R3B1TFF79 30	74
R3B1TFF79 36	74
R3B1TFF79 42	74
R3B1TFF79 48	74
R3B1TFFA49 18	83
R3B1TFFA49 20	83
R3B1TFFA49 24	83
R3B1TFFA49 30	83
R3B1TFFA49 36	83
R3B1TFFA49 42	83
R3B1TFFA49 48	83
R3B1TFFB49 30	84
R3B1TFFB49 36	84
R3B1TFFB49 42	84
R3B1TFFB49 48	84
R3B1TFL42 18	54
R3B1TFL42 20	54
R3B1TFL42 24	54
R3B1TFL42 30	54
R3B1TFL42 36	54
R3B1TFL42 42	54
R3B1TFL42 48	54
R3B1TFL49 18	61
R3B1TFL49 20	61
R3B1TFL49 24	61
R3B1TFL49 30	61
R3B1TFL49 36	61
R3B1TFL49 42	61
R3B1TFL49 48	61
R3B1TFL64 18	68
R3B1TFL64 20	68
R3B1TFL64 24	68
R3B1TFL64 30	68
R3B1TFL64 36	68
R3B1TFL64 42	68
R3B1TFL64 48	68
R3B1TFL79 18	75
R3B1TFL79 20	75
R3B1TFL79 24	75
R3B1TFL79 30	75
R3B1TFL79 36	75
R3B1TFL79 42	75
R3B1TFL79 48	75
R3B1TFLA49 18	86
R3B1TFLA49 20	86
R3B1TFLA49 24	86
R3B1TFLA49 30	86
R3B1TFLA49 36	86
R3B1TFLA49 42	86
R3B1TFLA49 48	86
R3B1TFLB49 30	87
R3B1TFLB49 36	87
R3B1TFLB49 42	87
R3B1TFLB49 48	87
R3B2PFF42 18	20
R3B2PFF42 20	20

pattern no.	*page*
R3B2PFF42 24	20
R3B2PFF42 30	20
R3B2PFF42 36	20
R3B2PFF42 42	20
R3B2PFF42 48	20
R3B2PFF49 18	27
R3B2PFF49 20	27
R3B2PFF49 24	27
R3B2PFF49 30	27
R3B2PFF49 36	27
R3B2PFF49 42	27
R3B2PFF49 48	27
R3B2PFF64 18	34
R3B2PFF64 20	34
R3B2PFF64 24	34
R3B2PFF64 30	34
R3B2PFF64 36	34
R3B2PFF64 42	34
R3B2PFF64 48	34
R3B2PFF79 18	41
R3B2PFF79 20	41
R3B2PFF79 24	41
R3B2PFF79 30	41
R3B2PFF79 36	41
R3B2PFF79 42	41
R3B2PFF79 48	41
R3B2PFFA49 18	98
R3B2PFFA49 20	98
R3B2PFFA49 24	98
R3B2PFFA49 30	98
R3B2PFFA49 36	98
R3B2PFFA49 42	98
R3B2PFFA49 48	98
R3B2PFFB49 30	98
R3B2PFFB49 36	98
R3B2PFFB49 42	98
R3B2PFFB49 48	98
R3B2TFF42 18	53
R3B2TFF42 20	53
R3B2TFF42 24	53
R3B2TFF42 30	53
R3B2TFF42 36	53
R3B2TFF42 42	53
R3B2TFF42 48	53
R3B2TFF49 18	60
R3B2TFF49 20	60
R3B2TFF49 24	60
R3B2TFF49 30	60
R3B2TFF49 36	60
R3B2TFF49 42	60
R3B2TFF49 48	60
R3B2TFF64 18	67
R3B2TFF64 20	67
R3B2TFF64 24	67
R3B2TFF64 30	67
R3B2TFF64 36	67
R3B2TFF64 42	67
R3B2TFF64 48	67
R3B2TFF79 18	74
R3B2TFF79 20	74
R3B2TFF79 24	74
R3B2TFF79 30	74
R3B2TFF79 36	74
R3B2TFF79 42	74
R3B2TFF79 48	74

pattern no.	page
R3B2TFFA49 18	97
R3B2TFFA49 20	97
R3B2TFFA49 24	97
R3B2TFFA49 30	97
R3B2TFFA49 36	97
R3B2TFFA49 42	97
R3B2TFFA49 48	97
R3B2TFFB49 30	97
R3B2TFFB49 36	97
R3B2TFFB49 42	97
R3B2TFFB49 48	97
R3CRTT60	101
R3CRTT72	101
R3CRTT84	101
R3CRTT96	101
R3FTCE104(F/T)(F/T)(F/T)	127
R3FTCE108(F/T)(F/T)(F/T)	127
R3FTCE120(F/T)(F/T)(F/T)	127
R3FTCE21	127
R3FTCE25	127
R3FTCE37	127
R3FTCF12118	123
R3FTCF12120	123
R3FTCF12124	123
R3FTCF12130	123
R3FTCF12136	123
R3FTCF12142	123
R3FTCF12148	123
R3FTCF12518	124
R3FTCF12520	124
R3FTCF12524	124
R3FTCF12530	124
R3FTCF12536	124
R3FTCF12542	124
R3FTCF12548	124
R3FTCF13718	126
R3FTCF13720	126
R3FTCF13724	126
R3FTCF13730	126
R3FTCF13736	126
R3FTCF13742	126
R3FTCF13748	126
R3FTCF22118	123
R3FTCF22120	123
R3FTCF22124	123
R3FTCF22130	123
R3FTCF22136	123
R3FTCF22142	123
R3FTCF22148	123
R3FTCF22518	125
R3FTCF22520	125
R3FTCF22524	125
R3FTCF22530	125
R3FTCF22536	125
R3FTCF22542	125
R3FTCF22548	125
R3FTCF23718	126
R3FTCF23720	126
R3FTCF23724	126
R3FTCF23730	126
R3FTCF23736	126
R3FTCF23742	126
R3FTCF23748	126
R3FTCF321 18	124
R3FTCF321 20	124
R3FTCF321 24	124
R3FTCF321 30	124
R3FTCF321 36	124
R3FTCF321 42	124
R3FTCF321 48	124
R3FTCF325 18	125
R3FTCF325 20	125
R3FTCF325 24	125
R3FTCF325 30	125
R3FTCF325 36	125
R3FTCF325 42	125
R3FTCF325 48	125
R3FTCF337 18	126
R3FTCF337 20	126
R3FTCF337 24	126
R3FTCF337 30	126
R3FTCF337 36	126
R3FTCF337 42	126
R3FTCF337 48	126
R3FTCFF2118	120
R3FTCFF2120	120
R3FTCFF2124	120
R3FTCFF2130	120
R3FTCFF2136	120
R3FTCFF2142	120
R3FTCFF2148	120
R3FTCFF2518	121
R3FTCFF2520	121
R3FTCFF2524	121
R3FTCFF2530	121
R3FTCFF2536	121
R3FTCFF2542	121
R3FTCFF2548	121
R3FTCFF3718	122
R3FTCFF3720	122
R3FTCFF3724	122
R3FTCFF3730	122
R3FTCFF3736	122
R3FTCFF3742	122
R3FTCFF3748	122
R3FTCFL2118	123
R3FTCFL2120	123
R3FTCFL2124	123
R3FTCFL2130	123
R3FTCFL2136	123
R3FTCFL2142	123
R3FTCFL2148	123
R3FTCFL2518	124
R3FTCFL2520	124
R3FTCFL2524	124
R3FTCFL2530	124
R3FTCFL2536	124
R3FTCFL2542	124
R3FTCFL2548	124
R3FTCFL3718	126
R3FTCFL3720	126
R3FTCFL3724	126
R3FTCFL3730	126
R3FTCFL3736	126
R3FTCFL3742	126
R3FTCFL3748	126
R3FTCL104(F/T)(F/T)	127
R3FTCL108(F/T)(F/T)	127
R3FTCL120(F/T)(F/T)	127
R3FTCL21	127
R3FTCL25	127
R3FTCL37	127
R3FTCS104(F/T)(F/T)	127
R3FTCS108(F/T)(F/T)	127
R3FTCS120(F/T)(F/T)	127
R3FTCS21	127
R3FTCS25	127
R3FTCS37	127
R3FTCSM (Pair) for G3 only	128
R3FTCT104(F/T)	127
R3FTCT108(F/T)	127
R3FTCT120(F/T)	127
R3FTCT21	127
R3FTCT25	127
R3FTCT37	127
R3FTCX104	127
R3FTCX108	127
R3FTCX120	127
R3FTCX21	127
R3FTCX25	127
R3FTCX37	127
R3GAU0818	105
R3GAU0820	105
R3GAU0824	105
R3GAU0830	105
R3GAU0836	105
R3GAU0842	105
R3GAU0848	105
R3GAU1518	105
R3GAU1520	105
R3GAU1524	105
R3GAU1530	105
R3GAU1536	105
R3GAU1542	105
R3GAU1548	105
R3GAUHL0818	105
R3GAUHL0820	105
R3GAUHL0824	105
R3GAUHL0830	105
R3GAUHL0836	105
R3GAUHL0842	105
R3GAUHL0848	105
R3GAUHL1518	105
R3GAUHL1520	105
R3GAUHL1524	105
R3GAUHL1530	105
R3GAUHL1536	105
R3GAUHL1542	105
R3GAUHL1548	105
R3L08TT	107
R3L15TT	107
R3L34(F/T)(F/T)	107
R3L42(B)(F/T)(F/T)	107
R3L49(B)(F/T)(F/T)	107
R3L64(B)(F/T)(F/T)	107
R3L79(B)(F/T)(F/T)	107
R3R2SLV	108, 119
R3S08TT	108
R3S15TT	108
R3S34(F/T)(F/T)	108
R3S42(B)(F/T)(F/T)	108
R3S49(B)(F/T)(F/T)	108
R3S64(B)(F/T)(F/T)	108
R3S79(B)(F/T)(F/T)	108
R3SF10818	102
R3SF10820	102
R3SF10824	102
R3SF10830	102
R3SF10836	102
R3SF10842	102
R3SF10848	102
R3SF11518	103
R3SF11520	103
R3SF11524	103
R3SF11530	103
R3SF11536	103
R3SF11542	103
R3SF11548	103
R3SF20818	102
R3SF20820	102
R3SF20824	102
R3SF20830	102
R3SF20836	102
R3SF20842	102
R3SF20848	102
R3SF21518	103
R3SF21520	103
R3SF21524	103
R3SF21530	103
R3SF21536	103
R3SF21542	103
R3SF21548	103
R3SF30818	102
R3SF30820	102
R3SF30824	102
R3SF30830	102
R3SF30836	102
R3SF30842	102
R3SF30848	102
R3SF315 18	104
R3SF315 20	104
R3SF315 24	104
R3SF315 30	104
R3SF315 36	104
R3SF315 42	104
R3SF315 48	104
R3SFF08 18	99
R3SFF08 20	99
R3SFF08 24	99
R3SFF08 30	99
R3SFF08 36	99
R3SFF08 42	99
R3SFF08 48	99
R3SFF15 18	99
R3SFF15 20	99
R3SFF15 24	99
R3SFF15 30	99
R3SFF15 36	99
R3SFF15 42	99
R3SFF15 48	99
R3SFL0818	102
R3SFL0820	102
R3SFL0824	102
R3SFL0830	102
R3SFL0836	102
R3SFL0842	102
R3SFL0848	102
R3SFL1518	103
R3SFL1520	103
R3SFL1524	103

pattern no.	*page*
R3SFL1530	103
R3SFL1536	103
R3SFL1542	103
R3SFL1548	103
R3SKIT	106
R3SLL0818	103
R3SLL0820	103
R3SLL0824	103
R3SLL0830	103
R3SLL0836	103
R3SLL0842	103
R3SLL0848	103
R3SLL1518	104
R3SLL1520	104
R3SLL1524	104
R3SLL1530	104
R3SLL1536	104
R3SLL1542	104
R3SLL1548	104
R3SMP	328
R3SPABPT	116
R3SPABTD	116
R3SPABTT	116
R3SPABTW	116
R3T08T	107
R3T15T	107
R3T34(F/T)	107
R3T42(B)(F/T)	107
R3T49(B)(F/T)	107
R3T64(B)(F/T)	107
R3T79(B)(F/T)	107
R3X08	108
R3X15	108
R3X34	108
R3X42(B)	108
R3X49(B)	108
R3X64(B)	108
R3X79(B)	108
R5ZNNE (3 dividers)	331
RAMTB	274
RAMTC24	274
RAMTC30	274
RAMTC36	274
RAMTC42	274
RAMTC48	274
RAMTC54	274
RAMTC60	274
RAMTC66	274
RAMTC72	274
RAMTCH24	274
RAMTCH30	274
RAMTCH36	274
RAMTCH42	274
RAMTCH48	274
RAMTCH54	274
RAMTCH60	274
RAMTCH66	274
RAMTCH72	274
RAMTT	274
RAUH	324
RB24(M/H)(F/R)(H/V)	213
RB30(M/H)(F/R)(H/V)	213
RB3636	213
RB3642	213
RB3648	213
RB36(M/H)(F/R)(H/V)	213
RB40MR	178
RB4236	213
RB4242	213
RB4248	213
RB42(M/H)(F/R)(H/V)	213
RB4836	213
RB4842	213
RB4848	213
RB48(M/H)(F/R)(H/V)	213
RB52MR	178
RB54(M/H)(F/R)(H/V)	213
RB60(M/H)(F/R)(H/V)	213
RB64MR	178
RB66(M/H)(F/R)	213
RB72(M/H)(F/R)	213
RB78(M/H)(F/R)	213
RB84(M/H)(F/R)	213
RB90(M/H)(F/R)	213
RB96(M/H)(F/R)	213
RBC18 (L/R)	210
RBC24 (L/R)	210
RBCC	211
RBCCP (Pair)	211
RBDD	318
RBDP6030JK(A,B)	286, 287, 288
RBDP7230JK(A,B)	286, 287, 288
RBDP8430JK(A,B)	286, 287, 288
RBDP9630JK(A,B)	286, 287, 288
RBDW	318
RBF (Pair)	211
RBPE(L/R)	318
RBPP (L/R)	211
RBPR (Pair)	212
RBPS (L/R)	212
RBR3624(A,B,W)	295, 296, 297
RBR3630(A,B,W)	295, 296, 297
RBR36H(H/V)	262
RBR36M(H/V)	262
RBR4224(A,B,W)	295, 296, 297
RBR4230(A,B,W)	295, 296, 297
RBR42H(H/V)	262
RBR42M(H/V)	262
RBR4824(A,B,W)	295, 296, 297
RBR4830(A,B,W)	295, 296, 297
RBR48H(H/V)	262
RBR48M(H/V)	262
RBR54H(H/V)	262
RBR54M(H/V)	262
RBR60H(H/V)	262
RBR60M(H/V)	262
RBR66H	262
RBR66M	262
RBR72H	262
RBR72M	262
RBSP6030J(A,B)	283, 284, 285
RBSP7230J(A,B)	283, 284, 285
RBSP8430J(A,B)	283, 284, 285
RBSP9630J(A,B)	283, 284, 285
RBWC24	212
RBWC30	212
RBWM	319
RBZ (A/B) (Pair)	211
RC412C(L/R)	233, 235
RC413C(L/R)	233, 235
RC423M(L/R)	254, 255
RC423N(L/R)	254, 255
RC431B	233, 235
RC432B	233, 235
RC432C	233, 235
RC432D	236
RC432F	234, 237
RC433B	233, 235
RC433C	233, 235
RC433D	236
RC433F	234, 237
RC461B	233, 235
RC462B	233, 235
RC462C	233, 235
RC462D	236
RC462F	234, 237
RC463B	233, 235
RC463C	233, 235
RC463D	236
RC463F	234, 237
RC612C(L/R)	240, 243
RC612D(L/R)	244
RC612G(L/R)	239, 242
RC612P(L/R)	239, 242
RC613C(L/R)	240, 243
RC613D(L/R)	244
RC613G(L/R)	239, 242
RC613P(L/R)	239, 242
RC623M(L/R)	254, 255
RC623N(L/R)	254, 255
RC631B	238, 241
RC632B	238, 241
RC632C	240, 243
RC632D	244
RC632E(L/R)	240, 243
RC632F	239, 242
RC632G	239, 242
RC632H	238, 241
RC632I	245
RC632P	239, 242
RC633B	238, 241
RC633C	240, 243
RC633D	244
RC633E(L/R)	240, 243
RC633F	239, 242
RC633G	239, 242
RC633H	238, 241
RC633I	245
RC633P	239, 242
RC661B	238, 241
RC662B	238, 241
RC662C	240, 243
RC662D	244
RC662E(L/R)	240, 243
RC662F	239, 242
RC662G	239, 242
RC662H	238, 241
RC662I	245
RC662P	239, 242
RC663B	238, 241
RC663C	240, 243
RC663D	244
RC663E(L/R)	240, 243
RC663F	239, 242
RC663G	239, 242
RC663H	238, 241
RC663I	245
RC663P	239, 242
RC712C(L/R)	249, 252
RC712D(L/R)	252
RC712G(L/R)	247, 251
RC712P(L/R)	248, 251
RC713C(L/R)	249, 252
RC713D(L/R)	252
RC713G(L/R)	247, 251
RC713P(L/R)	248, 251
RC723M(L/R)	254, 255
RC723N(L/R)	254, 255
RC732B	246, 250
RC732C	249, 252
RC732D	252
RC732E(L/R)	249, 252
RC732F	247, 251
RC732G	247, 251
RC732H	246, 250
RC732I	253
RC732P	248, 251
RC733B	246, 250
RC733C	249, 252
RC733D	252
RC733E(L/R)	249, 252
RC733F	247, 251
RC733G	247, 251
RC733H	246, 250
RC733I	253
RC733P	248, 251
RC762B	246, 250
RC762C	249, 252
RC762D	252
RC762E(L/R)	249, 252
RC762F	247, 251
RC762G	247, 251
RC762H	246, 250
RC762I	253
RC762P	248, 251
RC763B	246, 250
RC763C	249, 252
RC763D	252
RC763E(L/R)	249, 252
RC763F	247, 251
RC763G	247, 251
RC763H	246, 250
RC763I	253
RC763P	248, 251
RCA1021	187
RCA1022	187
RCA1081	187
RCA1082	187
RCA363611	154
RCA363612	155
RCA363621	154
RCA363622	155
RCA364211	154
RCA364212	155
RCA364221	154
RCA364222	155
RCA364811	154
RCA364812	155
RCA364821	154
RCA364822	155

pattern no.	*page*
RCA404023N	158
RCA423611	154
RCA423612	155
RCA423621	154
RCA423622	155
RCA424211	154
RCA424212	155
RCA424221	154
RCA424222	155
RCA424811	154
RCA424812	155
RCA424821	154
RCA424822	155
RCA464623N	158
RCA464629N	158
RCA483611	154
RCA483612	155
RCA483621	154
RCA483622	155
RCA484211	154
RCA484212	155
RCA484221	154
RCA484222	155
RCA484811	154
RCA484812	155
RCA484821	154
RCA484822	155
RCA601	187
RCA602	187
RCA661	187
RCA662	187
RCA721	187
RCA722	187
RCA781	187
RCA782	187
RCA841	187
RCA842	187
RCA901	187
RCA902	187
RCA961	187
RCA962	187
RCA(A/B/C/D/E/F/G)F363611	172
RCA(A/B/C/D/E/F/G)F363612	172
RCA(A/B/C/D/E/F/G)F363621	173
RCA(A/B/C/D/E/F/G)F363622	173
RCA(A/B/C/D/E/F/G)F364211	172
RCA(A/B/C/D/E/F/G)F364212	172
RCA(A/B/C/D/E/F/G)F364221	173
RCA(A/B/C/D/E/F/G)F364222	173
RCA(A/B/C/D/E/F/G)F364811	172
RCA(A/B/C/D/E/F/G)F364812	172
RCA(A/B/C/D/E/F/G)F364821	173
RCA(A/B/C/D/E/F/G)F364822	173
RCA(A/B/C/D/E/F/G)F423611	172
RCA(A/B/C/D/E/F/G)F423612	172
RCA(A/B/C/D/E/F/G)F423621	173
RCA(A/B/C/D/E/F/G)F423622	173
RCA(A/B/C/D/E/F/G)F424211	172
RCA(A/B/C/D/E/F/G)F424212	172
RCA(A/B/C/D/E/F/G)F424221	173
RCA(A/B/C/D/E/F/G)F424222	173
RCA(A/B/C/D/E/F/G)F424811	172
RCA(A/B/C/D/E/F/G)F424812	172
RCA(A/B/C/D/E/F/G)F424821	173
RCA(A/B/C/D/E/F/G)F424822	173

pattern no.	*page*
RCA(A/B/C/D/E/F/G)F483611	172
RCA(A/B/C/D/E/F/G)F483612	172
RCA(A/B/C/D/E/F/G)F483621	173
RCA(A/B/C/D/E/F/G)F483622	173
RCA(A/B/C/D/E/F/G)F484211	172
RCA(A/B/C/D/E/F/G)F484212	172
RCA(A/B/C/D/E/F/G)F484221	173
RCA(A/B/C/D/E/F/G)F484222	173
RCA(A/B/C/D/E/F/G)F484811	172
RCA(A/B/C/D/E/F/G)F484812	172
RCA(A/B/C/D/E/F/G)F484821	173
RCA(A/B/C/D/E/F/G)F484822	173
RCABT1417	324
RCABT2917	324
RCACR16	324
RCACR30	324
RCACR30H	324
RCACR36	324
RCACR36H	324
RCAS1220	325
RCAS1224	325
RCAS1620	325
RCAS1624	325
RCAS1920	325
RCAS1924	325
RCAS3015	325
RCAS3020	325
RCAS3024	325
RCAS3615	325
RCAS3620	325
RCAS3624	325
RCB20T	215
RCB24T	215
RCB24X	218
RCB28X	218
RCB30T	215
RCB36X	218
RCB40T	215
RCC30	320
RCC40	320
RCCDLA23672	156
RCCDLA23678	156
RCCDLA23684	156
RCCDLA23696	156
RCCDLA33672	156
RCCDLA33678	156
RCCDLA33684	156
RCCDLA33696	156
RCCDRA23672	156
RCCDRA23678	156
RCCDRA23684	156
RCCDRA23696	156
RCCDRA33672	156
RCCDRA33678	156
RCCDRA33684	156
RCCDRA33696	156
RCD1021	188
RCD1022	188
RCD1081	188
RCD1082	188
RCD3L6024K(A,B)	298, 299, 300
RCD3L8424K(A,B)	298, 299, 300
RCD3L9624K(A,B)	298, 299, 300
RCD601	188
RCD602	188

pattern no.	*page*
RCD661	188
RCD662	188
RCD6L7224K(A,B)	298, 299, 300
RCD6L9624K(A,B)	298, 299, 300
RCD721	188
RCD722	188
RCD781	188
RCD782	188
RCD841	188
RCD842	188
RCD901	188
RCD902	188
RCD961	188
RCD962	188
RCDFMF60301	282
RCDFMF60361	282
RCDFMF72301	282
RCDFMF72361	282
RCDFMF84301	282
RCDFMF84361	282
RCDFMF96301	282
RCDFMF96361	282
RCDFMR60301	279
RCDFMR60361	279
RCDFMR72301	279
RCDFMR72361	279
RCDFMR84301	279
RCDFMR84361	279
RCDFMR96301	279
RCDFMR96361	279
RCDHMR60301	280
RCDHMR60361	280
RCDHMR72301	280
RCDHMR72361	280
RCDHMR84301	280
RCDHMR84361	280
RCDHMR96301	280
RCDHMR96361	280
RCDP6024K(A,B)	298, 299, 300
RCDP7224K(A,B)	298, 299, 300
RCDP8424K(A,B)	298, 299, 300
RCDP9624K(A,B)	298, 299, 300
RCDQMR60301	281
RCDQMR60361	281
RCDQMR72301	281
RCDQMR72361	281
RCDQMR84301	281
RCDQMR84361	281
RCDQMR96301	281
RCDQMR96361	281
RCE1021	186
RCE1022	186
RCE1081	186
RCE1082	186
RCE1CR24L	184
RCE1CR24N	184
RCE1CR24R	184
RCE1H4818	184
RCE1H4818P	184
RCE1H6024	184
RCE1H6024P	184
RCE1L3636SSN	182
RCE1L4242DSN	182
RCE1L4242SDN	182
RCE1L4242SSN	182

pattern no.	*page*
RCE1L4260SSN	183
RCE1L4266SSN	183
RCE1L4272SSN	183
RCE1L4278SSN	183
RCE1L4848DDN	182
RCE1L4848DSN	182
RCE1L4848SDN	182
RCE1L4848SSN	182
RCE1L4860DSN	183
RCE1L4860SDN	183
RCE1L4860SSN	183
RCE1L4866DSN	183
RCE1L4866SDN	183
RCE1L4866SSN	183
RCE1L4872DSN	183
RCE1L4872SDN	183
RCE1L4872SSN	183
RCE1L4878SSN	183
RCE1L4884SSN	183
RCE1L6042SSN	183
RCE1L6048DSN	183
RCE1L6048SDN	183
RCE1L6048SSN	183
RCE1L6642SSN	183
RCE1L6648DSN	183
RCE1L6648SDN	183
RCE1L6648SSN	183
RCE1L7242SSN	183
RCE1L7248DSN	183
RCE1L7248SDN	183
RCE1L7248SSN	183
RCE1L7842SSN	183
RCE1L7848SSN	183
RCE1L8448SSN	183
RCE1R1212G	328
RCE1R2424N	181
RCE1R2430N	181
RCE1R3024N	181
RCE1R3030N	181
RCE1R3624N	181
RCE1R3630N	181
RCE1R4224N	181
RCE1R4230N	181
RCE1R4824N	181
RCE1R4830N	181
RCE1R5424N	181
RCE1R5430N	181
RCE1R6024N	181
RCE1R6030N	181
RCE1R6624N	181
RCE1R6630N	181
RCE1R7224N	181
RCE1R7230N	181
RCE1R7824N	181
RCE1R7830N	181
RCE1R8424N	181
RCE1R8430N	181
RCE1R9024N	181
RCE1R9030N	181
RCE1R9624N	181
RCE1R9630N	181
RCE1W362430N	185
RCE1W363024N	185
RCE1W422430N	185
RCE1W423024N	185

pattern no.	*page*
RCE1W482430N	185
RCE1W483024N	185
RCE1W722430N	185
RCE1W723024N	185
RCE301	186
RCE302	186
RCE361	186
RCE362	186
RCE601	186
RCE602	186
RCE661	186
RCE662	186
RCE721	186
RCE722	186
RCE781	186
RCE782	186
RCE841	186
RCE842	186
RCE901	186
RCE902	186
RCE961	186
RCE962	186
RCEAL223660	157
RCEAL223672	157
RCEAL224260	157
RCEAL224272	157
RCEAL224872	157
RCEAL224884	157
RCEAL224896	157
RCEAR223660	157
RCEAR223672	157
RCEAR224260	157
RCEAR224272	157
RCEAR224872	157
RCEAR224884	157
RCEAR224896	157
RCEEG1021	187
RCEEG1022	187
RCEEG1081	187
RCEEG1082	187
RCEEG601	187
RCEEG602	187
RCEEG661	187
RCEEG662	187
RCEEG721	187
RCEEG722	187
RCEEG781	187
RCEEG782	187
RCEEG841	187
RCEEG842	187
RCEEC901	187
RCEEC902	187
RCEEC961	187
RCEEC962	187
RCOUNTWT	231, 232, 323
RCP41-(F/L/1/2/3)*	115
RCP56-(F/L/1/2/3)*	115
RCP71-(F/L/1/2/3)*	115
RCP78-(F/L/1/2/3)*	115
RCS3L6024K(A,B)	292, 293, 294
RCS3L7224K(A,B)	292, 293, 294
RCS3L8424K(A,B)	292, 293, 294
RCS3L9624K(A,B)	292, 293, 294
RCS6L6024K(A,B)	292, 293, 294
RCS6L7224K(A,B)	292, 293, 294
RCS6L8424K(A,B)	292, 293, 294
RCS6L9624K(A,B)	292, 293, 294
RCSP6024K(A,B)	292, 293, 294
RCSP7224K(A,B)	292, 293, 294
RCSP8424K(A,B)	292, 293, 294
RCSP9624K(A,B)	292, 293, 294
RCTRLE361	206
RCTRLE363	208
RCTRLE421	206
RCTRLE423	208
RCTRWE361	207
RCTRWE363	209
RCTRWE421	207
RCTRWE423	209
RCTSLE361	206
RCTSLE363	208
RCTSLE421	206
RCTSLE423	208
RCTSWE361	207
RCTSWE363	209
RCTSWE421	207
RCTSWE423	209
RCTTLE30481	206
RCTTLE30483	208
RCTTLE36541	206
RCTTLE36543	208
RCTTWE30481	207
RCTTWE30483	209
RCTTWE36541	207
RCTTWE36543	209
RDDP6030JK(A,B)	286, 287, 288
RDDP6036JK(A,B)	286, 287, 288
RDDP7230JK(A,B)	286, 287, 288
RDDP7236JK(A,B)	286, 287, 288
RDDP8430JK(A,B)	286, 287, 288
RDDP8436JK(A,B)	286, 287, 288
RDDP9630JK(A,B)	286, 287, 288
RDDP9636JK(A,B)	286, 287, 288
RDOCL202120(BB/WW/WS)	317
RDOCL20272(BB/WW/WS)	317
RDOCL202H(BB/WW/WS)	317
RDOCL210120(BB/WW/WS)	317
RDOCL21072(BB/WW/WS)	317
RDOCL210H(BB/WW/WS)	317
RDOCL311120(BB/WW/WS)	317
RDOCL31172(BB/WW/WS)	317
RDOCL311H(BB/WW/WS)	317
RDOCL412120(BB/WW/WS)	317
RDOCL41272(BB/WW/WS)	317
RDOCL412H(BB/WW/WS)	317
RDOTD202120(BB/WW/WS)	315
RDOTD20272(BB/WW/WS)	315
RDOTD202H(BB/WW/WS)	315
RDOTD210120(BB/WW/WS)	315
RDOTD21072(BB/WW/WS)	315
RDOTD210H(BB/WW/WS)	315
RDOTD311120(BB/WW/WS)	315
RDOTD31172(BB/WW/WS)	315
RDOTD311H(BB/WW/WS)	315
RDOTD412120(BB/WW/WS)	315
RDOTD41272(BB/WW/WS)	315
RDOTD412H(BB/WW/WS)	315
RDOTP202120(BB/WW/WS)	314
RDOTP20272(BB/WW/WS)	314
RDOTP202H(BB/WW/WS)	314
RDOTP210120(BB/WW/WS)	314
RDOTP21072(BB/WW/WS)	314
RDOTP210H(BB/WW/WS)	314
RDOTP311120(BB/WW/WS)	314
RDOTP31172(BB/WW/WS)	314
RDOTP311H(BB/WW/WS)	314
RDOTU202120(BB/WW/WS)	316
RDOTU20272(BB/WW/WS)	316
RDOTU202H(BB/WW/WS)	316
RDOTU210120(BB/WW/WS)	316
RDOTU21072(BB/WW/WS)	316
RDOTU210H(BB/WW/WS)	316
RDOTU311120(BB/WW/WS)	316
RDOTU31172(BB/WW/WS)	316
RDOTU311H(BB/WW/WS)	316
RDOTU412120(BB/WW/WS)	316
RDOTU41272(BB/WW/WS)	316
RDOTU412H(BB/WW/WS)	316
RDSP6030J(A,B)	283, 284, 285
RDSP6036J(A,B)	283, 284, 285
RDSP7230J(A,B)	283, 284, 285
RDSP7236J(A,B)	283, 284, 285
RDSP8430J(A,B)	283, 284, 285
RDSP8436J(A,B)	283, 284, 285
RDSP9630J(A,B)	283, 284, 285
RDSP9636J(A,B)	283, 284, 285
RDTC3010	343
RDTC3610	343
RDTC6010	343
RDTC7210	343
RDTCO6010	343
RDTCO7210	343
RDTGA	313
RDTGB	313
RDTGC	313
RE12F	214
RE15F	214
RE19F	214
RE23F	214
RE29F	214
RE30	214
RE36	214
REBA6030	161
REBA7242	161
REBA7848	161
REBA(A/B/C/D/E/F/G)A6030	178
REBA(A/B/C/D/E/F/G)A7242	178
REBA(A/B/C/D/E/F/G)A7848	178
REBH24	178
REBH30	178
RFBDD	323
RFDR30	331
RFDR36	331
RFDR42	331
RFDR48	331
RFDR60	331
RFDR72	331
RFDR84	331
RFDR96	331
RFTCC108	128
RFTCCLIPS	128
RFTCDR (Pair)	128
RFTCG1 (Pair)	128
RFTCSM (Pair) for G2 only	128
RFTCSPACE	128
RFTCWA2118	120
RFTCWA2120	120
RFTCWA2124	120
RFTCWA2130	120
RFTCWA2136	120
RFTCWA2142	120
RFTCWA2148	120
RFTCWA2518	121
RFTCWA2520	121
RFTCWA2524	121
RFTCWA2530	121
RFTCWA2536	121
RFTCWA2542	121
RFTCWA2548	121
RFTCWA3718	122
RFTCWA3720	122
RFTCWA3724	122
RFTCWA3730	122
RFTCWA3736	122
RFTCWA3742	122
RFTCWA3748	122
RFTCWB2130	120
RFTCWB2136	120
RFTCWB2142	120
RFTCWB2148	120
RFTCWB2530	121
RFTCWB2536	121
RFTCWB2542	121
RFTCWB2548	121
RFTCWB3730	122
RFTCWB3736	122
RFTCWB3742	122
RFTCWB3748	122
RFTCWS21S	128
RFTCWS25S	128
RFTCWS37S	128
RFTCWT (Pair)	128
RGAB421	275
RGAB481	275
RGAB541	275
RGAB601	275
RGAB661	275
RGAB721	275
RGAB781	275
RGAB841	275
RGAB901	275
RGAB961	275
RGAF622	275
RGAF623	275
RGAF682	275
RGAF683	275
RGAF742	275
RGAF743	275
RGAF802	275
RGAF803	275
RGAF862	275
RGAF863	275
RGAF922	275
RGAF923	275
RGAF982	275
RGAF983	275
RGAL431	277
RGAL432	277
RGAL433	277
RGAL491	277

pattern no.	*page*
RGAL492	277
RGAL493	277
RGAL551	277
RGAL552	277
RGAL553	277
RGAL611	277
RGAL612	277
RGAL613	277
RGAL671	277
RGAL672	277
RGAL673	277
RGAL731	277
RGAL732	277
RGAL733	277
RGAL791	277
RGAL792	277
RGAL793	277
RGAL851	277
RGAL852	277
RGAL853	277
RGAL911	277
RGAL912	277
RGAL913	277
RGAL971	277
RGAL972	277
RGAL973	277
RGAR431	276
RGAR432	276
RGAR433	276
RGAR491	276
RGAR492	276
RGAR493	276
RGAR551	276
RGAR552	276
RGAR553	276
RGAR611	276
RGAR612	276
RGAR613	276
RGAR671	276
RGAR672	276
RGAR673	276
RGAR731	276
RGAR732	276
RGAR733	276
RGAR791	276
RGAR792	276
RGAR793	276
RGAR851	276
RGAR852	276
RGAR853	276
RGAR911	276
RGAR912	276
RGAR913	276
RGAR971	276
RGAR972	276
RGAR973	276
RGMDE	138
RGS60	275
RGS66	275
RGS72	275
RGS78	275
RGS84	275
RGS90	275
RGS96	275
RGTL4636	278
RGTR4636	278
RHSC15	119
RHSC250	119
RHSC70	119
RIPI201	190
RIPI241	190
RIPI301	190
RIPI361	190
RIPO201	190
RIPO241	190
RIPO301	190
RIPO361	190
RIPOG201	190
RIPOG241	190
RIPOG301	190
RIPOG361	190
RJBU24	319
RJBU30	319
RJBU36	319
RJBU42	319
RJBU48	319
RJBU54	319
RJBU60	319
RJBU66	319
RJBU72	319
RJBW24	319
RJBW30	319
RJBW36	319
RJBW42	319
RJBW48	319
RJBW54	319
RJBW60	319
RJBW66	319
RJBW72	319
RKA 363611	149
RKA 363612	150
RKA 363621	150
RKA 363622	149
RKA 364211	149
RKA 364212	150
RKA 364221	150
RKA 364222	149
RKA 364811	149
RKA 364812	150
RKA 364821	150
RKA 364822	149
RKA 423611	149
RKA 423612	150
RKA 423621	150
RKA 423622	149
RKA 424211	149
RKA 424212	150
RKA 424221	150
RKA 424222	149
RKA 424811	149
RKA 424812	150
RKA 424821	150
RKA 424822	149
RKA 483611	149
RKA 483612	150
RKA 483621	150
RKA 483622	149
RKA 484211	149
RKA 484212	150
RKA 484221	150
RKA 484222	149
RKA 484811	149
RKA 484812	150
RKA 484821	150
RKA 484822	149
RKT31	324
RM111J	231, 232
RM112J	231, 232
RM212J	231, 232
RM212K	231, 232
RM9A4230	160
RM9A4836	160
RM9A8430	160
RM9A9630	160
RM9A(A/B/C/D/E/F/G)F4230	177
RM9A(A/B/C/D/E/F/G)F4836	177
RM9A(A/B/C/D/E/F/G)F8430	177
RM9A(A/B/C/D/E/F/G)F9630	177
RMB(A)7230	162
RMB(A)7236	162
RMB(A)8430	162
RMB(A)8436	162
RMB(A)9630	162
RMB(A)9636	162
RMBA(A/B/C/D/E/F/G)A7230	178
RMBA(A/B/C/D/E/F/G)A7236	178
RMBA(A/B/C/D/E/F/G)A8430	178
RMBA(A/B/C/D/E/F/G)A8436	178
RMBA(A/B/C/D/E/F/G)A9630	178
RMBA(A/B/C/D/E/F/G)A9636	178
RMDA4221	159
RMDA4230	159
RMDA4236	159
RMDA4830	159
RMDA4836	159
RMDA5025	159
RMDA5430	159
RMDA5436	159
RMDA6030	159
RMDA6036	159
RMDA6630	159
RMDA6636	159
RMDA7230	159
RMDA7236	159
RMDA7830	159
RMDA7836	159
RMDA8430	159
RMDA8436	159
RMDA9030	159
RMDA9036	159
RMDA9630	159
RMDA9636	159
RMDA(A/B/C/D/E/F/G)F4221	176
RMDA(A/B/C/D/E/F/G)F4230	176
RMDA(A/B/C/D/E/F/G)F4236	176
RMDA(A/B/C/D/E/F/G)F4830	176
RMDA(A/B/C/D/E/F/G)F4836	176
RMDA(A/B/C/D/E/F/G)F5025	176
RMDA(A/B/C/D/E/F/G)F5430	176
RMDA(A/B/C/D/E/F/G)F5436	176
RMDA(A/B/C/D/E/F/G)F6030	176
RMDA(A/B/C/D/E/F/G)F6036	176
RMDA(A/B/C/D/E/F/G)F6630	176
RMDA(A/B/C/D/E/F/G)F6636	176
RMDA(A/B/C/D/E/F/G)F7230	176
RMDA(A/B/C/D/E/F/G)F7236	176
RMDA(A/B/C/D/E/F/G)F7830	176
RMDA(A/B/C/D/E/F/G)F7836	176
RMDA(A/B/C/D/E/F/G)F8430	176
RMDA(A/B/C/D/E/F/G)F8436	176
RMDA(A/B/C/D/E/F/G)F9030	176
RMDA(A/B/C/D/E/F/G)F9036	176
RMDA(A/B/C/D/E/F/G)F9630	176
RMDA(A/B/C/D/E/F/G)F9636	176
RMPA4230	160
RMPA4836	160
RMPA8430	161
RMPA9630	161
RMPA(A/B/C/D/E/F/G)F4230	177
RMPA(A/B/C/D/E/F/G)F4836	177
RMPA(A/B/C/D/E/F/G)F8430	177
RMPA(A/B/C/D/E/F/G)F9630	177
RMSCB	210
RO1-CB	270
RO1-DPB	270
RO1-ECB	270
RO1-EPB	270
RO1-GB	271
RO1-HP12	265, 267, 268, 269
RO1-HP15	265, 267, 268, 269
RO1-HP6	265, 267, 268, 269
RO1-HP9	265, 267, 268, 269
RO1-MPB	270
RO1-PULL	271
RO1-RCB	270
RO1-RPB	270
RO1-WMF2	271
RO1-WMF3	271
RO1-WMF4	271
RO2-NS20	270
RO2-NS21	270
RO3-M24	264
RO3-M30	264
RO3-M36	264
RO3-M42	264
RO3-M48	264
RO3-M60	264, 265
RO3-M66	264, 265
RO3-M72	264, 265
RO3-N24	266
RO3-N30	266
RO3-N36	266
RO3-N42	266
RO3-N48	266
RO3-N60	266
RO3-N66	266
RO3-N72	266
RO3-OM30	269
RO3-OM36	269
RO3-OM42	269
RO3-OM48	269
RO3-OM60	269
RO3-OM72	269
RO3-ON30	269
RO3-ON36	269
RO3-ON42	269
RO3-ON48	269
RO3-ON60	269
RO3-ON72	269
RO3-RD30	269

pattern no.	*page*
RO3-RD36	269
RO3-RD42	269
RO3-RD48	269
RO3-RD60	269
RO3-RD72	269
RO3-VP	265, 267, 269
ROAF60S0( )	261
ROAF60S1( )	261
ROAF72S0( )	261
ROAF72S1( )	261
ROAF84S0( )	261
ROAF84S1( )	261
ROAF96S0( )	261
ROAF96S1( )	261
ROAH60T0( )	261
ROAH60T1( )	261
ROAH72T0( )	261
ROAH72T1( )	261
ROAH90T0( )	261
ROAH90T1( )	261
ROAH96T0( )	261
ROAH96T1( )	261
ROAO60T0( )	261
ROAO60T1( )	261
ROAO72T0( )	261
ROAO72T1( )	261
ROAO90T0( )	261
ROAO90T1( )	261
ROAO96T0( )	261
ROAO96T1( )	261
ROHDR30	331
ROHDR36	331
ROHDR42	331
ROHDR48	331
ROHDR60	331
ROHDR72	331
ROHDR90	331
ROHDR96	331
ROHMTF160	326
ROHMTF166	326
ROHMTF172	326
ROHMTF178	326
ROHMTF184	326
ROHMTF190	326
ROHMTF196	326
ROHWTF160	327
ROHWTF166	327
ROHWTF172	327
ROHWTF178	327
ROHWTF184	327
ROHWTF190	327
ROHWTF196	327
ROWH60S0( )	259
ROWH60S1( )	259
ROWH60T0( )	259
ROWH60T1( )	259
ROWH72S0( )	259
ROWH72S1( )	259
ROWH72T0( )	259
ROWH72T1( )	259
ROWH90S0( )	259
ROWH90S1( )	259
ROWH90T0( )	259
ROWH90T1( )	259
ROWH96S0( )	259
ROWH96S1( )	259
ROWH96T0( )	259
ROWH96T1( )	259
ROWO60S0( )	259
ROWO60S1( )	259
ROWO60T0( )	259
ROWO60T1( )	259
ROWO72S0( )	259
ROWO72S1( )	259
ROWO72T0( )	259
ROWO72T1( )	259
ROWO90S0( )	259
ROWO90S1( )	259
ROWO90T0( )	259
ROWO90T1( )	259
ROWO96S0( )	259
ROWO96S1( )	259
ROWO96T0( )	259
ROWO96T1( )	259
RP211J	221, 224
RP211K	221, 224
RP211L(L/R)	227, 229
RP211M	227, 229
RP212J	221, 224
RP212K	221, 224
RP212L(L/R)	227, 229
RP212M	227, 229
RP213J	221, 224
RP213K	221, 224
RP213L(L/R)	227, 229
RP213M	227, 229
RP221J	223, 226
RP221K	223, 226
RP222J	223, 226
RP222K	223, 226
RP223J	223, 226
RP223K	223, 226
RP231K	221, 224
RP231L	227, 229
RP231M	227, 229
RP232K	221, 224
RP232L	227, 229
RP232M	227, 229
RP261K	221, 224
RP261L	227, 229
RP261M	227, 229
RP262K	221, 224
RP262L	227, 229
RP262M	227, 229
RPAB16	232
RPAB19	232
RPAB30	232
RPAB36	232
RPAD	324
RPADKIT	323
RPADSS	323
RPAHFB16	323
RPAHFB30	323
RPAHFB36	323
RPAHFM162	323
RPAHFM30	323
RPAHFM36	323
RPAPT	323
RPB211J	222, 225
RPB211K	222, 225
RPB211L(L/R)	228, 230
RPB211M	228, 230
RPB212J	222, 225
RPB212K	222, 225
RPB212L(L/R)	228, 230
RPB212M	228, 230
RPB213J	222, 225
RPB213K	222, 225
RPB213L(L/R)	228, 230
RPB213M	228, 230
RPB231K	222, 225
RPB231L	228, 230
RPB231M	228, 230
RPB232K	222, 225
RPB232L	228, 230
RPB232M	228, 230
RPB261K	222, 225
RPB261L	228, 230
RPB261M	228, 230
RPB262K	222, 225
RPB262L	228, 230
RPB262M	228, 230
RPCG	313
RPD11	324
RPD14	324
RPETAD	323
RPETRAY3C	323
RPETRAY3N	323
RPHCHH	321
RPHCHT	321
RPHL3442(F/T)	116
RPHL3449(F/T)	116
RPHL3464(F/T)	116
RPHL3479(F/T)	116
RPHL4249(F/T)	116
RPHL4249S	116
RPHL4264(F/T)	116
RPHL4264S	116
RPHL4279(F/T)	116
RPHL4279S	116
RPHL4964(F/T)	116
RPHL4964S	116
RPHL4979(F/T)	116
RPHL4979S	116
RPHL6479(F/T)	116
RPHL6479S	116
RPHTB3024	321
RPHTB4224	321
RPHWBM3024	321
RPHWBM4224	321
RPL1	216
RPOFL260201	217
RPOFL260241	217
RPOFL260301	217
RPOFL260361	217
RPOFL266201	217
RPOFL266241	217
RPOFL266301	217
RPOFL266361	217
RPOFL272201	217
RPOFL272241	217
RPOFL272301	217
RPOFL272361	217
RPOFL278201	217
RPOFL278241	217
RPOFL278301	217
RPOFL278361	217
RPOFL284201	217
RPOFL284241	217
RPOFL284301	217
RPOFL284361	217
RPRL1	216
RPS1	216
RPULLSMPC	330
RPULLSMPD	330
RPULLSMPF	329
RPULLSMPG	329
RPULLSMPH	329
RPULLSMPJ	330
RPULLSMPR	329
RPULLSMPS	330
RPULLSMPT	329
RPWFL26	216
RR3-2PF	138
RR3-3PF	138
RR3-BNC	138
RR3-C3C	138
RR3-C5C	138
RR3-C5C4A	138
RR3-C5C4B	138
RR3-C6C	138
RR3CHI241	135
RR3CHI242	135
RR3CHI301	135
RR3CHI302	135
RR3CHI361	135
RR3CHI362	135
RR3CHI421	135
RR3CHI422	135
RR3CHI481	135
RR3CHI482	135
RR3-DA	130, 133
RR3-DAC	130, 133
RR3-DATSHD	130, 133
RR3-DB	130, 133
RR3-DBC	130, 133
RR3-DC	133
RR3-DCC	133
RR3-DICON	138
RR3-DX	130, 133
RR3-DXC	130, 133
RR3-DXO	130, 133
RR3-DY	130, 133
RR3-DYC	130, 133
RR3-DYO	130, 133
RR3-DZ	133
RR3-DZC	133
RR3-DZO	133
RR3-E24	129
RR3-E24RF	129
RR3-E24S	136
RR3-E30NS	129
RR3-E30NSRF	129
RR3-E30S	136
RR3-E36NS	129
RR3-E36NSRF	129
RR3-E36S	136
RR3-E42NS	129
RR3-E42NSRF	129
RR3-E42S	136

pattern no.	*page*
RR3-E48NS	129
RR3-E48NSRF	129
RR3-E48S	136
RR3-E60-4	129
RR3-E60-4RF	129
RR3-E66-4	129
RR3-E66-4RF	129
RR3-E72-4	129
RR3-E72-4RF	129
RR3-EBBCL	137
RR3-EBBCS	137
RR3EBVC50	140
RR3EBVC62	140
RR3EBVC64	140
RR3EBVC76	140
RR3EBVC78	140
RR3EBVC90	140
RR3-EJ18	131
RR3-EJ18P	131
RR3-EJ20	131
RR3-EJ20P	131
RR3-EJ24	131
RR3-EJ24P	131
RR3-EJ30	131
RR3-EJ30P	131
RR3-EJ36	131
RR3-EJ36P	131
RR3-EJ42	131
RR3-EJ42P	131
RR3-EJ48	131
RR3EJ48	137
RR3-EJ48P	131
RR3-EJ54P	131
RR3-EJ60P	131
RR3EJ60P	137
RR3-EJ66P	131
RR3EJ66P	137
RR3-EJ72P	131
RR3EJ72P	137
RR3-EJ78P	131
RR3-EJ84P	131
RR3-EJ90P	131
RR3-EJ96P	131
RR3-EPC24M	129
RR3-EPCM	129
RR3-EPCP24M	129
RR3-EPCPM	129
RR3-EPCPSM	129
RR3-EPCSM	129
RR3-EPI	131
RR3-EPNY1	131
RR3-EPNY2	131
RR3-EPVR	115, 131
RR3EVJ	141
RR3EVJ110	141
RR3EVJ82	141
RR3EVJ96	141
RR3-FB	138
RR3FDP	140
RR3-FE	138
RR3-FOSC	138
RR3-FOST	138
RR3-FV	138
RR3-LTPC	137
RR3-LTPC24	137

pattern no.	*page*
RR3-LTPCP	137
RR3-MICON	138
RR3MP4	328
RR3MP6	328
RR3PICON	138
RR3-REPI	131
RR3-RTPI	134
RR3-SP-(A, B, C, X, Y, Z)	134
RR3-SP-(A,B,X,Y)	131
RR3-ST	138
RR3-T24	132
RR3-T24RF	132
RR3-T24S	136
RR3-T30NS	132
RR3-T30NSRF	132
RR3-T30S	136
RR3-T36NS	132
RR3-T36NSRF	132
RR3-T36S	136
RR3-T42NS	132
RR3-T42NSRF	132
RR3-T42S	136
RR3-T48NS	132
RR3-T48NSRF	132
RR3-T48S	136
RR3-T60-4	132
RR3-T60-4RF	132
RR3-T66-4	132
RR3-T66-4RF	132
RR3-T72-4	132
RR3-T72-4RF	132
RR3-TBBCL	137
RR3-TBBCS	137
RR3TBVC50	141
RR3TBVC62	141
RR3TBVC64	141
RR3TBVC76	141
RR3TBVC78	141
RR3TBVC90	141
RR3-TJ18	134
RR3-TJ18P	134
RR3-TJ20	134
RR3-TJ20P	134
RR3-TJ24	134
RR3-TJ24P	134
RR3-TJ30	134
RR3-TJ30P	134
RR3-TJ36	134
RR3-TJ36P	134
RR3-TJ42	134
RR3-TJ42P	134
RR3-TJ48	134
RR3TJ48	137
RR3-TJ48P	134
RR3-TJ54P	134
RR3-TJ60P	134
RR3TJ60P	137
RR3-TJ66P	134
RR3TJ66P	137
RR3-TJ72P	134
RR3TJ72P	137
RR3-TJ78P	134
RR3-TJ84P	134
RR3-TJ90P	134
RR3-TJ96P	134

pattern no.	*page*
RR3-TPC24M	132
RR3-TPCM	132
RR3-TPCP24M	132
RR3-TPCPM	132
RR3-TPCPSM	132
RR3-TPCSM	132
RR3-TPI	134
RR3-TPNY1	134
RR3-TPNY2	134
RR3-TPVR	115, 134
RR3TVJ	141
RR3TVJ110	141
RR3TVJ82	141
RR3TVJ96	141
RR3-USBA	130
RR3-USBB	130
RR3-USBC	130
RR3-USBX	130
RR3-USBY	130
RR3-USBZ	130
RR3VDA	140
RR3VDAC	140
RR3VDB	140
RR3VDBC	140
RR3VDC	140
RR3VDCC	140
RR3VDX	140
RR3VDXC	140
RR3VDXO	140
RR3VDY	140
RR3VDYC	140
RR3VDYO	140
RR3VDZ	140
RR3VDZC	140
RR3VDZO	140
RR3VPBK	140
RRA12036	163
RRA12042	163
RRA12048	163
RRA14442	163
RRA14448	163
RRA16842	163
RRA16848	163
RRA19242	163
RRA19248	163
RRA3636	163
RRA4242	163
RRA4848	163
RRA6060	163
RRA7230	163
RRA7236	163
RRA7272	163
RRA8430	163
RRA8436	163
RRA8442	163
RRA9630	163
RRA9636	163
RRA9642	163
RRA9648	163
RRA(A/B/C/D/E/F/G)12036-(1/2/3)	180
RRA(A/B/C/D/E/F/G)12042-(1/2/3)	180
RRA(A/B/C/D/E/F/G)12048-(1/2/3)	180
RRA(A/B/C/D/E/F/G)14442-(1/2/3)	180
RRA(A/B/C/D/E/F/G)14448-(1/2/3)	180
RRA(A/B/C/D/E/F/G)16842-(1/2/3)	180

pattern no.	*page*
RRA(A/B/C/D/E/F/G)16848-(1/2/3)	180
RRA(A/B/C/D/E/F/G)19242-(1/2/3)	180
RRA(A/B/C/D/E/F/G)19248-(1/2/3)	180
RRA(A/B/C/D/E/F/G)3636-(1/2/3)	180
RRA(A/B/C/D/E/F/G)4242-(1/2/3)	180
RRA(A/B/C/D/E/F/G)4848-(1/2/3)	180
RRA(A/B/C/D/E/F/G)6060-(1/2/3)	180
RRA(A/B/C/D/E/F/G)7230-(1/2/3)	180
RRA(A/B/C/D/E/F/G)7236-(1/2/3)	180
RRA(A/B/C/D/E/F/G)7272-(1/2/3)	180
RRA(A/B/C/D/E/F/G)8430-(1/2/3)	180
RRA(A/B/C/D/E/F/G)8436-(1/2/3)	180
RRA(A/B/C/D/E/F/G)8442-(1/2/3)	180
RRA(A/B/C/D/E/F/G)9630-(1/2/3)	180
RRA(A/B/C/D/E/F/G)9636-(1/2/3)	180
RRA(A/B/C/D/E/F/G)9642-(1/2/3)	180
RRBRD3612	328
RRD3FTCPPL(L/R)7936	118
RRD3FTCPPL(L/R)7942	118
RRD3PPL(L/R)7936	118
RRD3PPL(L/R)7942	118
RRDPPL(L/R)6436	118
RRDPPL(L/R)6442	118
RRDTH	118
RRDTH(L/R)	118
RREP3624(A,B)	289, 290, 291
RREP3630(A,B)	289, 290, 291
RREP4224(A,B)	289, 290, 291
RREP4230(A,B)	289, 290, 291
RREP4824(A,B)	289, 290, 291
RREP4830(A,B)	289, 290, 291
RREP5424(A,B)	289, 290, 291
RREP5430(A,B)	289, 290, 291
RREP6024(A,B)	289, 290, 291
RREP6030(A,B)	289, 290, 291
RRMC3010	343
RRMC3610	343
RRMC6010	343
RRMC7210	343
RROF10	119
RROF4	119
RRSP3624K(A,B)	289, 290, 291
RRSP3630K(A,B)	289, 290, 291
RRSP4224K(A,B)	289, 290, 291
RRSP4230K(A,B)	289, 290, 291
RRSP4824K(A,B)	289, 290, 291
RRSP4830K(A,B)	289, 290, 291
RRSP5424K(A,B)	289, 290, 291
RRSP5430K(A,B)	289, 290, 291
RRSP6024K(A,B)	289, 290, 291
RRSP6030K(A,B)	289, 290, 291
RS1-DPB	270
RS1-EPB	270
RS1-M24	268
RS1-M30	268
RS1-M36	268
RS1-M42	268
RS1-M48	268
RS1-M60	268
RS1-MPB	270
RS1-N24	268
RS1-N30	268
RS1-N36	268
RS1-N42	268
RS1-N48	268

pattern no.	*page*
RS1-N60	268
RS1-RPB	270
RS1-VP	268
RS1-WMF24	271
RS1-WMF30	271
RS1-WMF36	271
RS1-WMF42	271
RS1-WMF48	271
RS1-WMF60	271
RSA241	146
RSA242	146
RSA243	147
RSA301	146
RSA302	146
RSA303	147
RSA3423N	158
RSA3429N	158
RSA361	146
RSA362	146
RSA363	147
RSA4023N	158
RSA4029N	158
RSA421	146
RSA422	146
RSA423	147
RSA4623N	158
RSA4629N	158
RSA4635N	158
RSA481	146
RSA482	146
RSA483	147
RSA5223N	158
RSA5229N	158
RSA5235N	158
RSA541	146
RSA542	146
RSA543	147
RSA5823N	158
RSA5829N	158
RSA5835N	158
RSA601	146
RSA602	146
RSA603	147
RSA604	147
RSA6423N	158
RSA6429N	158
RSA6435N	158
RSA661	146
RSA662	146
RSA663	147
RSA664	147
RSA7023N	158
RSA7029N	158
RSA7035N	158
RSA721	146
RSA722	146
RSA723	147
RSA724	147
RSA781	146
RSA782	146
RSA783	147
RSA841	146
RSA842	146
RSA843	147
RSA901	146
RSA902	146
RSA903	147
RSA961	146
RSA962	146
RSA963	147
RSA(A/B/C/D/E/F/G)A241	168
RSA(A/B/C/D/E/F/G)A242	168
RSA(A/B/C/D/E/F/G)A243	169
RSA(A/B/C/D/E/F/G)A301	168
RSA(A/B/C/D/E/F/G)A302	168
RSA(A/B/C/D/E/F/G)A303	169
RSA(A/B/C/D/E/F/G)A361	168
RSA(A/B/C/D/E/F/G)A362	168
RSA(A/B/C/D/E/F/G)A363	169
RSA(A/B/C/D/E/F/G)A421	168
RSA(A/B/C/D/E/F/G)A422	168
RSA(A/B/C/D/E/F/G)A423	169
RSA(A/B/C/D/E/F/G)A481	168
RSA(A/B/C/D/E/F/G)A482	168
RSA(A/B/C/D/E/F/G)A483	169
RSA(A/B/C/D/E/F/G)A541	168
RSA(A/B/C/D/E/F/G)A542	168
RSA(A/B/C/D/E/F/G)A543	169
RSA(A/B/C/D/E/F/G)A601	168
RSA(A/B/C/D/E/F/G)A602	168
RSA(A/B/C/D/E/F/G)A603	169
RSA(A/B/C/D/E/F/G)A604	169
RSA(A/B/C/D/E/F/G)A661	168
RSA(A/B/C/D/E/F/G)A662	168
RSA(A/B/C/D/E/F/G)A663	169
RSA(A/B/C/D/E/F/G)A664	169
RSA(A/B/C/D/E/F/G)A721	168
RSA(A/B/C/D/E/F/G)A722	168
RSA(A/B/C/D/E/F/G)A723	169
RSA(A/B/C/D/E/F/G)A724	169
RSA(A/B/C/D/E/F/G)A781	168
RSA(A/B/C/D/E/F/G)A782	168
RSA(A/B/C/D/E/F/G)A783	169
RSA(A/B/C/D/E/F/G)A841	168
RSA(A/B/C/D/E/F/G)A842	168
RSA(A/B/C/D/E/F/G)A843	169
RSA(A/B/C/D/E/F/G)A901	168
RSA(A/B/C/D/E/F/G)A902	168
RSA(A/B/C/D/E/F/G)A903	169
RSA(A/B/C/D/E/F/G)A961	168
RSA(A/B/C/D/E/F/G)A962	168
RSA(A/B/C/D/E/F/G)A963	169
RSA(A/B/C/D/E/F/G)B241	170
RSA(A/B/C/D/E/F/G)B242	170
RSA(A/B/C/D/E/F/G)B301	170
RSA(A/B/C/D/E/F/G)B302	170
RSA(A/B/C/D/E/F/G)B361	170
RSA(A/B/C/D/E/F/G)B362	170
RSA(A/B/C/D/E/F/G)B421	170
RSA(A/B/C/D/E/F/G)B422	170
RSA(A/B/C/D/E/F/G)B481	170
RSA(A/B/C/D/E/F/G)B482	170
RSA(A/B/C/D/E/F/G)F241	166
RSA(A/B/C/D/E/F/G)F242	166
RSA(A/B/C/D/E/F/G)F243	167
RSA(A/B/C/D/E/F/G)F301	166
RSA(A/B/C/D/E/F/G)F302	166
RSA(A/B/C/D/E/F/G)F303	167
RSA(A/B/C/D/E/F/G)F361	166
RSA(A/B/C/D/E/F/G)F362	166
RSA(A/B/C/D/E/F/G)F363	167
RSA(A/B/C/D/E/F/G)F421	166
RSA(A/B/C/D/E/F/G)F422	166
RSA(A/B/C/D/E/F/G)F423	167
RSA(A/B/C/D/E/F/G)F481	166
RSA(A/B/C/D/E/F/G)F482	166
RSA(A/B/C/D/E/F/G)F483	167
RSA(A/B/C/D/E/F/G)F541	166
RSA(A/B/C/D/E/F/G)F542	166
RSA(A/B/C/D/E/F/G)F543	167
RSA(A/B/C/D/E/F/G)F601	166
RSA(A/B/C/D/E/F/G)F602	166
RSA(A/B/C/D/E/F/G)F603	167
RSA(A/B/C/D/E/F/G)F604	167
RSA(A/B/C/D/E/F/G)F661	166
RSA(A/B/C/D/E/F/G)F662	166
RSA(A/B/C/D/E/F/G)F663	167
RSA(A/B/C/D/E/F/G)F664	167
RSA(A/B/C/D/E/F/G)F721	166
RSA(A/B/C/D/E/F/G)F722	166
RSA(A/B/C/D/E/F/G)F723	167
RSA(A/B/C/D/E/F/G)F724	167
RSA(A/B/C/D/E/F/G)F781	166
RSA(A/B/C/D/E/F/G)F782	166
RSA(A/B/C/D/E/F/G)F783	167
RSA(A/B/C/D/E/F/G)F841	166
RSA(A/B/C/D/E/F/G)F842	166
RSA(A/B/C/D/E/F/G)F843	167
RSA(A/B/C/D/E/F/G)F901	166
RSA(A/B/C/D/E/F/G)F902	166
RSA(A/B/C/D/E/F/G)F903	167
RSA(A/B/C/D/E/F/G)F961	166
RSA(A/B/C/D/E/F/G)F962	166
RSA(A/B/C/D/E/F/G)F963	167
RSA(A/B/C/D/E/F/G)L241	170
RSA(A/B/C/D/E/F/G)L242	170
RSA(A/B/C/D/E/F/G)L301	170
RSA(A/B/C/D/E/F/G)L302	170
RSA(A/B/C/D/E/F/G)L361	170
RSA(A/B/C/D/E/F/G)L362	170
RSA(A/B/C/D/E/F/G)L421	170
RSA(A/B/C/D/E/F/G)L422	170
RSA(A/B/C/D/E/F/G)L481	170
RSA(A/B/C/D/E/F/G)L482	170
RSA(A/B/C/D/E/F/G)R241	171
RSA(A/B/C/D/E/F/G)R242	171
RSA(A/B/C/D/E/F/G)R301	171
RSA(A/B/C/D/E/F/G)R302	171
RSA(A/B/C/D/E/F/G)R361	171
RSA(A/B/C/D/E/F/G)R362	171
RSA(A/B/C/D/E/F/G)R421	171
RSA(A/B/C/D/E/F/G)R422	171
RSA(A/B/C/D/E/F/G)R481	171
RSA(A/B/C/D/E/F/G)R482	171
RSAMP1616	328
RSAR361(H/V)	148
RSAR362(H/V)	148
RSAR421(H/V)	148
RSAR422(H/V)	148
RSAR481(H/V)	148
RSAR482(H/V)	148
RSAR541(H/V)	148
RSAR542(H/V)	148
RSAR601(H/V)	148
RSAR602(H/V)	148
RSAR661(H/V)	148
RSAR662(H/V)	148
RSAR721(H/V)	148
RSAR722(H/V)	148
RSBWH20	211
RSBWH24	211
RSBWH30	211
RSBWH36	211
RSBWH42	211
RSBWH48	211
RSC254	215
RSC3	215
RSC304	215
RSCC4	215
RSCL4	215
RSD1427	218, 219
RSD1827	218, 219
RSD2027	218, 219
RSD2427	218, 219
RSD3027	218, 219
RSD3627	219
RSDR30	331
RSDR36	331
RSDR42	331
RSDR48	331
RSDR54	331
RSDR60	331
RSDR66	331
RSDR72	331
RSDR78	331
RSDR84	331
RSDR90	331
RSDR96	331
RSE1(L/R)	214
RSE2(L/R)	214
RSE3(L/R)	214
RSE4(L/R)	214
RSE5(L/R)	214
RSE6(L/R)	214
RSHA2027	219
RSHA2427	219
RSHA3027	219
RSHA3627	219
RSL12	219
RSL15	219
RSL20	219
RSL24	219
RSL30	219
RSL36	219
RSL42	219
RSL48	219
RSNTT18(A/B/C/E)	111
RSNTT20(A/B/C/E)	111
RSNTT24(A/B/C/E)	111
RSNTT30(A/B/C/E)	111
RSNTT33(A/B/C/E) (66″ wide panels one only)	111
RSNTT36(A/B/C/E)	111
RSNTT42(A/B/C/E)	111
RSNTT48(A/B/C/E)	111
RSPABPD	116
RSPABPP	116
RSPABPT	116
RSPABPW	116
RSPABTD	116
RSPABTT	117

pattern no.	*page*
RSPABTW	117
RSPABWD	117
RSPABWW	117
RST1	219
RST2	219
RST3	219
RST4	219
RST5	219
RST6	219
RSTRLE361	200
RSTRLE363	203
RSTRLE421	200
RSTRLE423	203
RSTRSE361	202
RSTRSE363	205
RSTRSE421	202
RSTRSE423	205
RSTRWE361	201
RSTRWE363	204
RSTRWE421	201
RSTRWE423	204
RSTSLE361	200
RSTSLE363	203
RSTSLE421	200
RSTSLE423	203
RSTSSE361	202
RSTSSE363	205
RSTSSE421	202
RSTSSE423	205
RSTSWE361	201
RSTSWE363	204
RSTSWE421	201
RSTSWE423	204
RSTTLE30481	200
RSTTLE30483	203
RSTTLE36541	200
RSTTLE36543	203
RSTTSE30481	202
RSTTSE30483	205
RSTTSE36541	202
RSTTSE36543	205
RSTTWE30481	201
RSTTWE30483	204
RSTTWE36541	201
RSTTWE36543	204
RSWA15 18	100
RSWA15 20	100
RSWA15 24	100
RSWA15 30	100
RSWA15 36	100
RSWA15 42	100
RSWA15 48	100
RSWAD1560	101
RSWAD1572	101
RSWAD1584	101
RSWAD1596	101
RSWAD2260	101
RSWAD2272	101
RSWAD2284	101
RSWAD2296	101
RSWB15 30	100
RSWB15 36	100
RSWB15 42	100
RSWB15 48	100
RSWC30 18	100
RSWC30 20	100
RSWC30 24	100
RSWC30 30	100
RSWC30 36	100
RSWC30 42	100
RSWC30 48	100
RSWWA601	263
RSWWA602	263
RSWWA721	263
RSWWA722	263
RSWWA901	263
RSWWA902	263
RSWWA961	263
RSWWA962	263
RSWWA(A/B/C/D/E/F/G)601	263
RSWWA(A/B/C/D/E/F/G)602	263
RSWWA(A/B/C/D/E/F/G)721	263
RSWWA(A/B/C/D/E/F/G)722	263
RSWWA(A/B/C/D/E/F/G)901	263
RSWWA(A/B/C/D/E/F/G)902	263
RSWWA(A/B/C/D/E/F/G)961	263
RSWWA(A/B/C/D/E/F/G)962	263
RTA12036	164
RTA12042	164
RTA12048	164
RTA14442	164
RTA14448	164
RTA16842	164
RTA16848	164
RTA19242	164
RTA19248	164
RTA3636	164
RTA4242	164
RTA4848	164
RTA6060	164
RTA7230	164
RTA7236	164
RTA7272	164
RTA8430	164
RTA8436	164
RTA8442	164
RTA9630	164
RTA9636	164
RTA9642	164
RTA9648	164
RTA(A/B/C/D/E/F/G)12036-(1/2/3)	179
RTA(A/B/C/D/E/F/G)12042-(1/2/3)	179
RTA(A/B/C/D/E/F/G)12048-(1/2/3)	179
RTA(A/B/C/D/E/F/G)14442-(1/2/3)	179
RTA(A/B/C/D/E/F/G)14448-(1/2/3)	179
RTA(A/B/C/D/E/F/G)16842-(1/2/3)	179
RTA(A/B/C/D/E/F/G)16848-(1/2/3)	179
RTA(A/B/C/D/E/F/G)19242-(1/2/3)	179
RTA(A/B/C/D/E/F/G)19248-(1/2/3)	179
RTA(A/B/C/D/E/F/G)3636-(1/2/3)	179
RTA(A/B/C/D/E/F/G)4242-(1/2/3)	179
RTA(A/B/C/D/E/F/G)4848-(1/2/3)	179
RTA(A/B/C/D/E/F/G)6060-(1/2/3)	179
RTA(A/B/C/D/E/F/G)7230-(1/2/3)	179
RTA(A/B/C/D/E/F/G)7236-(1/2/3)	179
RTA(A/B/C/D/E/F/G)7272-(1/2/3)	179
RTA(A/B/C/D/E/F/G)8430-(1/2/3)	179
RTA(A/B/C/D/E/F/G)8436-(1/2/3)	179
RTA(A/B/C/D/E/F/G)8442-(1/2/3)	179
RTA(A/B/C/D/E/F/G)9630-(1/2/3)	179
RTA(A/B/C/D/E/F/G)9636-(1/2/3)	179
RTA(A/B/C/D/E/F/G)9642-(1/2/3)	179
RTAT5E19S	272
RTAT5E25A	272
RTAT5E25S	272
RTAT5E37A	272
RTAT5E37S	272
RTAT5E49A	272
RTAT5E49S	272
RTAT5E61A	272
RTAT5E61S	272
RTLT5E19S	332
RTLT5E25A	332
RTLT5E25S	332
RTLT5E37A	332
RTLT5E37S	332
RTLT5E49A	332
RTLT5E49S	332
RTLT5E61A	332
RTLT5E61S	332
RTLT5E73A	332
RTLT5E73S	332
RTLT5E85A	332
RTLT5E85S	332
RTM272361H	194
RTM272421H	194
RTM272481H	195
RTM278361H	194
RTM278421H	194
RTM278481H	195
RTM284361H	194
RTM284421H	194
RTM284481H	195
RTM290361H	194
RTM290421H	194
RTM290481H	195
RTM296361H	194
RTM296421H	194
RTM296481H	195
RTM472361H	196
RTM472421H	196
RTM472481H	197
RTM478361H	196
RTM478421H	196
RTM478481H	197
RTM484361H	196
RTM484421H	196
RTM484481H	197
RTM490361H	196
RTM490421H	196
RTM490481H	197
RTM496361H	196
RTM496421H	196
RTM496481H	197
RTNDC363	199
RTNDC421	198
RTNDC423	199
RTNDC481	198
RTNDC483	199
RTOP2	328
RTRDC48303	199
RTRDC60303	199
RTRDC72303	199
RTRDC72361	198
RTRDC72363	199
RTRDC84421	198
RTRDC96481	198
RTRDOF60241	189
RTRDOF60301	189
RTRDOF60361	189
RTRDOF66241	189
RTRDOF66301	189
RTRDOF66361	189
RTRDOF72241	189
RTRDOF72301	189
RTRDOF72361	189
RTRDOF78241	189
RTRDOF78301	189
RTRDOF78361	189
RTRDOF84241	189
RTRDOF84301	189
RTRDOF84361	189
RTSDC361	198
RTSDC421	198
RTSDC42423	199
RTSDC481	198
RTSDC48483	199
RTSF14	321
RTSF28	321
RTST14	322
RTTA24( )	273
RTTA30( )	273
RTTA36( )	273
RTTA42( )	273
RTTA48( )	273
RTTA54( )	273
RTTA60( )	273
RTTA66( )	273
RTTA72( )	273
RTTA78( )	273
RTTA84( )	273
RTTA90( )	273
RTTA96( )	273
RTTDC72361	198
RTTDC84421	198
RTTDC96481	198
RUMC3010	343
RUMC3610	343
RUMC6010	344
RUMC7210	344
RUTB	212
RWA3623	151
RWA3632	152
RWA4212	152
RWA4221	151
RWA4223	151
RWA4232	152
RWA4812	152
RWA4821	151
RWA4823	151
RWA4832	152
RWA5412	152
RWA5421	151
RWA5423	151
RWA5432	152
RWA6012	152
RWA6021	151
RWA6023	151
RWA6032	152
RWA6612	152

pattern no.	*page*
RWA6621	151
RWA6623	151
RWA6632	152
RWA7212	152
RWA7221	151
RWA7223	151
RWA7232	152
RWA(A/B/C/D/E/F/G)F4212	174
RWA(A/B/C/D/E/F/G)F4221	174
RWA(A/B/C/D/E/F/G)F4223	174
RWA(A/B/C/D/E/F/G)F4232	174
RWA(A/B/C/D/E/F/G)F4812	174
RWA(A/B/C/D/E/F/G)F4821	174
RWA(A/B/C/D/E/F/G)F4823	174
RWA(A/B/C/D/E/F/G)F4832	174
RWA(A/B/C/D/E/F/G)F5412	174
RWA(A/B/C/D/E/F/G)F5421	174
RWA(A/B/C/D/E/F/G)F5423	174
RWA(A/B/C/D/E/F/G)F5432	174
RWA(A/B/C/D/E/F/G)F6012	174
RWA(A/B/C/D/E/F/G)F6021	174
RWA(A/B/C/D/E/F/G)F6023	174
RWA(A/B/C/D/E/F/G)F6032	174
RWA(A/B/C/D/E/F/G)F6612	174
RWA(A/B/C/D/E/F/G)F6621	174
RWA(A/B/C/D/E/F/G)F6623	174
RWA(A/B/C/D/E/F/G)F6632	174
RWA(A/B/C/D/E/F/G)F7212	174
RWA(A/B/C/D/E/F/G)F7221	174
RWA(A/B/C/D/E/F/G)F7223	174
RWA(A/B/C/D/E/F/G)F7232	174
RWEA3613	153
RWEA3626	153
RWEA3631	153
RWEA3662	153
RWEA4213	153
RWEA4226	153
RWEA4231	153
RWEA4262	153
RWEA4813	153
RWEA4826	153
RWEA4831	153
RWEA4862	153
RWEA7220(L/R)	260
RWEA7224(L/R)	260
RWEA(A/B/C/D/E/F/G)F3613	175
RWEA(A/B/C/D/E/F/G)F3626	175
RWEA(A/B/C/D/E/F/G)F3631	174
RWEA(A/B/C/D/E/F/G)F3662	175
RWEA(A/B/C/D/E/F/G)F4213	175
RWEA(A/B/C/D/E/F/G)F4226	175
RWEA(A/B/C/D/E/F/G)F4231	174
RWEA(A/B/C/D/E/F/G)F4262	175
RWEA(A/B/C/D/E/F/G)F4813	175
RWEA(A/B/C/D/E/F/G)F4826	175
RWEA(A/B/C/D/E/F/G)F4831	174
RWEA(A/B/C/D/E/F/G)F4862	175
RWEB7220(L/R)	260
RWEB7224(L/R)	260
RWEC7220(L/R)	260
RWEC7224(L/R)	260
RWED7220(L/R)	260
RWED7224(L/R)	260
RWHDHTB3026	321
RWHDHTB30H1	333
RWHDHTB30H2	334
RWHDHTB30H3	335
RWHDHTB30H4	336
RWHDHTB30H5	337
RWHDHTB3626	321
RWHDHTB36H1	333
RWHDHTB36H2	334
RWHDHTB36H3	335
RWHDHTB36H4	336
RWHDHTB36H5	337
RWHDHTB4226	321
RWHDHTB42H1	333
RWHDHTB42H2	334
RWHDHTB42H3	335
RWHDHTB42H4	336
RWHDHTB42H5	337
RWHDHTB4826	321
RWHDHTB48H1	333
RWHDHTB48H2	334
RWHDHTB48H3	335
RWHDHTB48H4	336
RWHDHTB48H5	337
RWHDHTB54H1	333
RWHDHTB54H2	334
RWHDHTB54H3	335
RWHDHTB54H4	336
RWHDHTB54H5	337
RWHDHTB60H1	333
RWHDHTB60H2	334
RWHDHTB60H3	335
RWHDHTB60H4	336
RWHDHTB60H5	337
RWHDHTB66H1	333
RWHDHTB66H2	334
RWHDHTB66H3	335
RWHDHTB66H4	336
RWHDHTB66H5	337
RWHDHTB72H1	333
RWHDHTB72H2	334
RWHDHTB72H3	335
RWHDHTB72H4	336
RWHDHTB72H5	337
RWHDHTB78H1	333
RWHDHTB78H2	334
RWHDHTB78H3	335
RWHDHTB78H4	336
RWHDHTB78H5	337
RWHDHTB84H1	333
RWHDHTB84H2	334
RWHDHTB84H3	335
RWHDHTB84H4	336
RWHDHTB84H5	337
RWHDHTB90H1	333
RWHDHTB90H2	334
RWHDHTB90H3	335
RWHDHTB90H4	336
RWHDHTB90H5	337
RWHDHTB96H1	333
RWHDHTB96H2	334
RWHDHTB96H3	335
RWHDHTB96H4	336
RWHDHTB96H5	337
RWHRA	324
RWHRB	324
RWHRC	324
RWHRD	324
RWHRE	324
RWHRF	324
RWHRG	324
RWHTB3024	321
RWHTB3624	321
RWHTB4224	321
RWHTB4824	321
RWMCT24	320
RWMMP24	318
RWMMP30	318
RWMMP36	318
RWMPB	318
RWMT1512R	320
RWMT1512U	320
RWMT2712R	320
RWMT2712U	320
RWMT3912R	320
RWMT3912U	320
RWMV24	318
RWMVF	319
RWMVH24	318
RWMVH30	318
RWMVH36	318
RWMVP24	318
RWMWT24	318
RWMWT30	318
RWMWT36	318
YPSB2024	341
YPSB2024F	339
YPSB2027	341
YPSB2027F	339
YPSB2030	341
YPSB2030F	339
YPSB2036	341
YPSB2036F	339
YPSB2042	341
YPSB2042F	339
YPSB2048	341
YPSB2048F	339
YPSB2054	341
YPSB2054F	339
YPSB2060	341
YPSB2060F	339
YPSB2066	341
YPSB2066FRR	339
YPSB2072	341
YPSB2072FRR	339
YPSB2624	342
YPSB2624F	340
YPSB2627	342
YPSB2627F	340
YPSB2630	342
YPSB2630F	340
YPSB2636	342
YPSB2636F	340
YPSB2642	342
YPSB2642F	340
YPSB2648	342
YPSB2648F	340
YPSB2654	342
YPSB2654F	340
YPSB2660	342
YPSB2660F	340
YPSB2666	342
YPSB2666FRR	340
YPSB2672	342
YPSB2672FRR	340
YPSB3224	341
YPSB3224F	339
YPSB3227	341
YPSB3227F	339
YPSB3230	341
YPSB3230F	339
YPSB3236	341
YPSB3236F	339
YPSB3242	341
YPSB3242F	339
YPSB3248	341
YPSB3248F	339
YPSB3254	341
YPSB3254F	339
YPSB3260	341
YPSB3260F	339
YPSB3266	341
YPSB3266FRR	339
YPSB3272	341
YPSB3272FRR	339
YPSB3824	342
YPSB3824F	340
YPSB3827	342
YPSB3827F	340
YPSB3830	342
YPSB3830F	340
YPSB3836	342
YPSB3836F	340
YPSB3842	342
YPSB3842F	340
YPSB3848	342
YPSB3848F	340
YPSB3854	342
YPSB3854F	340
YPSB3860	342
YPSB3860F	340
YPSB3866	342
YPSB3866FRR	340
YPSB3872	342
YPSB3872FRR	340

Selling Policy

This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.

Terms & Conditions of Sales

Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.

Ordering Information

All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.

Order Confirmation

A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.

Pricing Policies

List prices are subject to change without notice.

List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.

Taxes

All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.

Terms of Payment

Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than $100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.

KnollStudio orders less than $2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than $2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.

If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.

Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.

Changes and Cancellation

Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.

Freight Prepaid

Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.

Delivery/Freight Charges

Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.

For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.

Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.

Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery.

Partial shipments may be made and invoiced by Seller.

Claims

All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.

Seller's Security Interest

Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.

Returns

The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.

Held Orders/Storage

If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.

Customer's Own Material

A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.

Warranty

Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.

Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair).

Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.

Product and Period of Warranty

Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Morrison, Reff Profiles laminate, *Rockwell Unscripted, Series 2 Storage, Template* and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, *Series 2* Veneer Front Storage, uphostery, textiles and leathers, special or custom products, see below)

12 Years: Chadwick, Essentials Work Chairs, Generation by Knoll, k. task, Life, Moment, MultiGeneration by Knoll, ReGeneration by Knoll, Remix, and *Toboggan* seating (except seating upholstery, textiles, leathers and finishes, see below).

10 Years: Anchor Storage except digital keypad lock, *Antenna Workspaces, AutoStrada, Crinion Open Table, Dividends Horizon, Dividends Horizon Satellite Surfaces,* Reff Profiles, Rockwell Unscripted, Template wood components, *Series 2* Veneer Front Storage, cascade edge worksurfaces, *Wood Casegoods* (The Graham Collection) (except wood casegoods upholstered surfaces, see below), *Reuter* overheads, *Reuter* vertical storage, *KnollExtra* Sapper Monitor Arm Collection, Sapper XYZ Monitor Arm Series, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, cork and FilzFelt, see below), Smokador collection (except leathers, see below), Orchestra Universal Systems Accessories, *k. lounge* structural components, *KnollStudio* Pixel and Propeller, *Tone* bases.

5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products and plywood, *Currents* handcrank, *KnollStudio, Rockwell Unscripted* wire bases, Spark Series seating structural elements, structural elements of all KnollStudio outdoor products including all Richard Schultz designed products, *KnollExtra* CPU holders and all universal storage drawers and *Power Collection, k. stand* bases and *HiLo.*

3 Years: Rockwell Unscripted upholstery (except textiles and leather), *Office Seating* upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers, *KnollExtra* Pop Up Screens.

2 Years: Anchor Storage digital keypad lock, all other *KnollExtra* product

1 Year: Light ballasts, bulbs and power supply, seating upholstered armpads and soft armpads, wood casegoods upholstered surfaces. *KnollStudio,* outdoor product finishes, *k. lounge* upholstery and *k. lounge* fabric. *Rockwell Unscripted* fabric and accessories.

This warranty does not apply to:

- Damage caused by a carrier other than the Seller.
- Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products).
- COM or other third party materials applied to Products.
- Products not installed by or under the auspices of a Knoll Dealer.
- Dramatic temperature variations or exposure to unusual conditions.
- Changes in surface finishes, including colorfastness due to aging or exposure to light.
- Except as specifically noted above, textiles and upholstery supplied by *KnollTextiles* and Spinneybeck FilzFelt (consult current price lists for applicable warranties).

Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces.

THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.

The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.

Delay/Force Majeure

Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of war or terrorism, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.

Compliance with Law

PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.

Patents

Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.

The foregoing indemnity does not apply to the following:

- Products supplied according to a design other than that of Seller, and which is required by the Purchaser.
- Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.
- Any settlements of a suit or proceeding made without Seller's written consent.

Limitations of Liability

SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.

Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A $50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.

Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	$10
KBLANK	Shrouded Key Blank	$10
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	$22
KCHANGE	Change Key	$10
HLKRKMASTER*	Master Key	$10

*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

General Ordering Information

The Products
This guide encompasses all standard products for this product group.

Sizes
Dimensions listed in this guide are indicated as:
H = height
W = width
D = depth
Dia. = diameter
Rad. = radius

Pricing
All prices shown are list.

How to Order
Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:
Knoll, Inc.
1235 Water Street
P.O. Box 157
East Greenville, PA 18041
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."