

Tone

Price List
July 2018



Knoll

Introduction	Knoll and Sustainable Design	2
	Tone and Sustainable Design	3
	Finish Options	4
	Tone Height-Adjustable Tables	6
Bases	Standard Electric	7
	Extended Electric	11
	Handcrank	15
	Extended Handcrank	17
	Pin-Set	19
	Fixed Height	21
Tops	Antenna Workspaces Worksurfaces	23
	AutoStrada Worksurfaces	24
	Dividends Horizon Worksurfaces	25
	Morrison Worksurfaces	27
	Reff Profiles Worksurfaces	28
Accessories	Accessories	29
Alpha-Numeric Index		31
Selling Policy		33
General Ordering Information		35

Knoll and Sustainable Design

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC®); Rainforest Alliance; GREENGUARD® Environmental Institute; and The Business and Institutional Furniture Manufacturer's Association (BIFMA) level® certification from Scientific Certification Systems (SCS).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

Life Cycle Assessment (LCA) Tool

- Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.

Setting Industry Standards

- Knoll partners with MTS (The Institute for Market Transformation to Sustainability) to develop the SMaRT® Consensus Sustainable Products Standards, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of SMaRT®, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll also partners with BIFMA (Business and Institutional Furniture Manufacturers Association) to promote level® sustainability standards for the contract furniture industry.
- Knoll has established FSC® (Forest Stewardship Council) certified wood as the standard for general office open plan office systems, casegoods and tables.
- Knoll has launched Full Circle, a resource recovery program developed with ANEW, to help customers extend the life cycle of surplus furniture, fixtures and equipment (FF&E) in an economically, socially and environmentally responsible manner.
- Our goal is to encourage all manufacturers in the contract furniture industry and related industries to adopt standards that will lead to sustainable products and practices.

For more information about Knoll and sustainable design, visit knoll.com/environment.

Tone and Sustainable Design

GREENGUARD Indoor Air Quality Certified®

A natural extension of the Knoll commitment to protect the biosphere, conserve natural resources and reduce waste, Tone Height-Adjustable Tables are environmentally responsible in manufacturing process and materials.

Tone Height-Adjustable Tables are GREENGUARD certified.

Visit GREENGUARD.org for more information and to find printable certificates for Knoll products that can be used for verification and LEED submission. GREENGUARD provides the only guide to certified low-emitting interior products and building materials. Its goal is to help building owners and managers, architects, interior designers and product specifiers build and furnish healthier offices, hospitals, schools and homes by providing a register of tested and certified low-emitting products and materials.

The GREENGUARD Certification Program (formerly known as GREENGUARD Indoor Air Quality Certification) gives assurance that products designed for use in indoor spaces meet strict chemical emissions limits, which contribute to the creation of healthier interiors. Achieving GREENGUARD Certification gives credence to manufacturers' sustainability claims, backing them with empirical scientific data from an unbiased, third-party organization.

GREENGUARD Certification emissions limits were first used as purchasing specifications for the US EPA and the State of Washington for furniture and commercial building products. GREENGUARD Certification criteria have been the basis for the LEED credit for low-emitting furniture since 2002. Office furniture products that are GREENGUARD Certified are also compliant with the BIFMA X7.1 standard and BIFMA e3 credit 7.6.1.

Tone environmentally responsible manufacturing processes and materials include:

FSC-Certified

Wood components are standard FSC certified with North American hardwood veneers.

Recovered Particleboard

Tone tops have FSC certified, 90% recovered particleboard cores.

VOC-Free Finishes

Water-based wood stains and UV cured polyurethane wood top coats are virtually VOC-free.

VOC-Free Adhesives

Water-based adhesives used to adhere laminate and veneer to substrate are 99% VOC-free.

Recycled Steel

Recycled steel bases have 20-25% recycled steel content.



Base Finish Options

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey
611	Beige Mist Metallic
612	Medium Metallic Grey
613	Silver
118	Bright White

Wood Finishes

New codes begin with a three digit numeric sequence, followed by a letter suffix. Each letter suffix (A-F) represents a different combination of pore fill options and gloss levels.

Code	V1 TECHWOOD	Code	V2 PREMIUM TECHWOOD	Code	V3 PREMIUM VENEER
638	Blond Maple	647	White Pine	039	Pippy Oak *
628	Dark Mahogany	640	Ebony	044	Figured Sycamore
639	Light Cherry	642	Grigio		
641	Black Oak				
506	Maple		V2 NATURAL VENEER		
509	Cherry	020	Natural Oak		
512	Medium Walnut	038	Rustic Walnut *		
513	Medium Teak	017	Light Walnut		
514	Espresso	002	Bronze Cherry		
637	Natural	006	Maple		
644	Light Walnut	021	Peacock Green Walnut		
645	Dove Grey	022	Old English Walnut		
		037	Birch		

	Gloss Level	Fill Level
A	Low Gloss	Closed Pore
B	MediumGloss	Closed Pore
C	High Gloss	Closed Pore
D	Low Gloss	Open Pore
E	Medium Gloss	Open Pore
F	High Gloss	Open Pore

Edge Options for Veneers

WOOD	Complementary Wood
SYN	Complementary Synthetic
WPLY	Wood Ply Edge *
SPLY	Synthetic Ply Edge *

* Ply Edge available on Birch (037) worksurfaces.

*Note:

-Synthetic Edge option is available on worksurfaces, only.

-Finishes with * are available on worksurfaces only.

For more detailed information on Veneer finishes, please refer to the Wood Finish Matrix on the Knoll.com

Laminate Finishes

Core Laminate

Surface / Edge

111	Jet Black
114	Folkstone Grey**
115	Medium Grey
117	Soft Grey**
118	Bright White**
119	Pumice**
121	Micro Grey *
122	Brushed Sand *
123	Brushed Grey *
128	Fog
129	Micro Sand *

*121, 122, 123, 129 Not available with matching edge option, and only available on worksurfaces.

**Melamine worksurface finish, excluding AutoStrada, Currents and Morrison Tables.

Note: All core Laminate worksurfaces are available with matching and non matching edges, ie; A worksurface in 118, can have 139 edge finish.

Wood Grain Laminates

Surface / Edge

124	Medium Chery
125	Natural Maple**
126	Natural Cherry**
127	Walnut**
139	Light Ash
140	Warm Ash**
141	Whitened Ash
142	Grey Ash**
143	Classic Oak**
144	Graphite Pear
145	Zebra
147	Silverwood**
148	Smokewood**
149	Barnwood**

Additional Edge Options for Laminate worksurfaces (only):

WPLY	Ply Edge - Wood (V1 Pricing)
SPLY	Ply Edge - Synthetic (L Pricing)

Impact Resistant Laminate

Core & Wood Grain Laminates

Surface / Edge

911	Jet Black
914	Folkstone Grey
917	Soft Grey
918	Bright White
919	Pumice
924	Medium Cherry
925	Natural Maple
926	Natural Cherry
927	Walnut
928	Fog

Note: The Rules of Wood Grain Laminates, applies to the Impact Resistant Laminates.
*25% Upcharge applies to the laminate pricing for the Impact Resistant Laminates.

Note: For Tone Profiles, AutoStrada and Antenna / Telescope and Morrison you can chose from V1, V2 and V3.
For Dividends Horizon you can chose from V1 only.

Please refer to individual price lists for detailed information on finish options.

Tone Height-Adjustable Tables

Base Types and Height Ranges

Tone is available in six base types with a range of height-adjustability options to meet a variety of workplace needs. Tone Height-Adjustable Tables are available in four height-adjustable options that are controlled by the user - Electric, Extended Electric, Handcrank and Extended Handcrank. Both types of Electric bases have button controls on the front edge of the base underneath the top to adjust the top up and down. Handcrank table bases have a handle on the front of the table underneath the top that turns to adjust the height of the table. Pin-Set bases adjust with the placement of a pin in each leg to create the appropriate height worksurface for each user - this adjustment is not adjustable by the user. A fixed-height option is also available.

The energy use per electric Tone table during operation ranges from 180-320 Watts, which translates to 1.5-3.2 Amps. Energy consumption during standby is .45 Watts, which translates to .00375 Amps. Power requirements and usage per table: 120-240V, 50-60 HZ; 3.2 amp 120V running draw.

Base Types	Fixed	Pin-Set	Handcrank	Extended Handcrank	Electric	Extended Electric
Height Range *	26.8"	25.8"-40.8"	25.6"-42.1"	21.6"-47.8"	25.6"-42.1"	21.6"-47.8"
Adjustments	N/A	1" increments	6 turns per inch	6 turns per inch	1-2" per second	1-2" per second
Load Capacity (Rectangular)	265 lbs.	265 lbs.	135 lbs.	135 lbs.	265 lbs.	265 lbs.
Load Capacity (Corner and 120°)	395 lbs.	395 lbs.	N/A	N/A	395 lbs.	395 lbs.

* Height ranges shown do not include top thickness






* Heights above are for Tone with glides. Casters raise the table 1 1/8"

Published heights are measured to the underside of the worksurface. When planning with storage or other object under the desk, account for 2 1/2" of base structure. Do not specify items that interfere with the travel of the table.

A 15" worksurface overhand is permitted on one or both sides.

Standard Electric Fixed Width Base

Tone Height Adjustable Tables

description	type	w*	w	d	pattern no.	list price
	For use with 42"W, 24"D C-Leg Top	42"	35"	22"	TBCEF3522() ()	\$2,760.
	For use with 48"W, 24"D C-Leg Top	48"	41"	22"	TBCEF4122() ()	2,760.
	For use with 54"W, 24"D C-Leg Top	54"	47"	22"	TBCEF4722() ()	2,760.
	For use with 60"W, 24"D C-Leg Top	60"	53"	22"	TBCEF5322() ()	2,760.
	For use with 66"W, 24"D C-Leg Top	66"	59"	22"	TBCEF5922() ()	2,784.
	For use with 72"W, 24"D C-Leg Top	72"	65"	22"	TBCEF6522() ()	2,784.
	For use with 78"W, 24"D C-Leg Top	78"	71"	22"	TBCEF7122() ()	2,784.
	For use with 42"W, 30"D C-Leg Top	42"	35"	28"	TBCEF3528() ()	2,808.
	For use with 48"W, 30"D C-Leg Top	48"	41"	28"	TBCEF4128() ()	2,808.
	For use with 54"W, 30"D C-Leg Top	54"	47"	28"	TBCEF4728() ()	2,808.
	For use with 60"W, 30"D C-Leg Top	60"	53"	28"	TBCEF5328() ()	2,808.
	For use with 66"W, 30"D C-Leg Top	66"	59"	28"	TBCEF5928() ()	2,832.
	For use with 72"W, 30"D C-Leg Top	72"	65"	28"	TBCEF6528() ()	2,832.
	For use with 78"W, 30"D C-Leg Top	78"	71"	28"	TBCEF7128() ()	2,832.
	For use with 48"W, 30" or 36"D T-Leg Top	48"	41"	28"	TBTEF4128() ()	2,808.
	For use with 54"W, 30" or 36"D T-Leg Top	54"	47"	28"	TBTEF4728() ()	2,808.
	For use with 60"W, 30" or 36"D T-Leg Top	60"	53"	28"	TBTEF5328() ()	2,808.
	For use with 66"W, 30" or 36"D T-Leg Top	66"	59"	28"	TBTEF5928() ()	2,832.
	For use with 72"W, 30" or 36"D T-Leg Top	72"	65"	28"	TBTEF6528() ()	2,832.
	For use with 78"W, 30" or 36"D T-Leg Top	78"	71"	28"	TBTEF7128() ()	2,832.
	For use with 48"W Corner Top	48"	44"	16"	TBKEF444416() ()	3,912.
	For use with 48"W, 24" or 27"D 120° Tops	48"	45"	16"	TBVEF454516() ()	3,912.
	For use with 54"W, 24" or 27"D 120° Tops	54"	51"	16"	TBVEF515116() ()	3,936.
	For use with 60"W, 24" or 27"D 120° Tops	60"	57"	16"	TBVEF575716() ()	3,960.



* Nominal Width

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases		
<i>Example:</i> TBCEF5328GD613		
TB Tone Base	1. Glides or Casters: Add a "C" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$69 list for casters.	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.
C C-Leg	2. Control Switch: "S" specifies the Standard Up/Down Switch. "D" will specify the Digital Control Switch with programmable setting. Add \$318 list for the Digital Control Switch. When planning with furniture that interferes with the travel of the table, the Digital Control Switch must be ordered.	A stiffener is recommended on worksurfaces that are 72" or wider.
E Electric		Base comes with worksurface mounting hardware.
F Fixed Width		Privacy Screens can only be specified with glides.
53 Width		
28 Depth		
G Glides		
D Digital Control Switch		
613 Silver Finish	3. Base Finish: All core paint finishes are available	22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120° bases support 120° tops up to 30"D.

Standard Electric

Fixed Width Base, Extended Heel

Tone Height Adjustable Tables






description	type	w*	w	d	pattern no.	list price
 24" Deep C-Leg Bases	For use with 42"W, 24"D C-Leg Top	42"	35"	23"	TBCEF3523 ()()	\$2,760.
	For use with 48"W, 24"D C-Leg Top	48"	41"	23"	TBCEF4123 ()()	2,760.
	For use with 54"W, 24"D C-Leg Top	54"	47"	23"	TBCEF4723 ()()	2,760.
	For use with 60"W, 24"D C-Leg Top	60"	53"	23"	TBCEF5323 ()()	2,760.
	For use with 66"W, 24"D C-Leg Top	66"	59"	23"	TBCEF5923 ()()	2,784.
	For use with 72"W, 24"D C-Leg Top	72"	65"	23"	TBCEF6523 ()()	2,784.
	For use with 78"W, 24"D C-Leg Top	78"	71"	23"	TBCEF7123 ()()	2,784.
 30" Deep C-Leg Bases	For use with 42"W, 30"D C-Leg Top	42"	35"	29"	TBCEF3529 ()()	2,808.
	For use with 48"W, 30"D C-Leg Top	48"	41"	29"	TBCEF4129 ()()	2,808.
	For use with 54"W, 30"D C-Leg Top	54"	47"	29"	TBCEF4729 ()()	2,808.
	For use with 60"W, 30"D C-Leg Top	60"	53"	29"	TBCEF5329 ()()	2,808.
	For use with 66"W, 30"D C-Leg Top	66"	59"	29"	TBCEF5929 ()()	2,832.
	For use with 72"W, 30"D C-Leg Top	72"	65"	29"	TBCEF6529 ()()	2,832.
	For use with 78"W, 30"D C-Leg Top	78"	71"	29"	TBCEF7129 ()()	2,832.
 30" Deep T-Leg Bases	For use with 48"W, 30" or 36"D T-Leg Top	48"	41"	30"	TBTEF4130 ()()	2,808.
	For use with 54"W, 30" or 36"D T-Leg Top	54"	47"	30"	TBTEF4730 ()()	2,808.
	For use with 60"W, 30" or 36"D T-Leg Top	60"	53"	30"	TBTEF5330 ()()	2,808.
	For use with 66"W, 30" or 36"D T-Leg Top	66"	59"	30"	TBTEF5930 ()()	2,832.
	For use with 72"W, 30" or 36"D T-Leg Top	72"	65"	30"	TBTEF6530 ()()	2,832.
	For use with 78"W, 30" or 36"D T-Leg Top	78"	71"	30"	TBTEF7130 ()()	2,832.

* Nominal Width

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases	1. Glides or Casters: Add a "C" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$69 list for casters.	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.
<i>Example:</i> TBCEF5328GD613	2. Control Switch: "S" specifies the Standard Up/Down Switch. "D" will specify the Digital Control Switch with programmable setting. Add \$318 list for the Digital Control Switch. When planning with furniture that interferes with the travel of the table, the Digital Control Switch must be ordered.	A stiffener is recommended on worksurfaces that are 72" or wider.
TB Tone Base	3. Base Finish: All core paint finishes are available	Base comes with worksurface mounting hardware.
C C-Leg		Privacy Screens can only be specified with glides.
E Electric		22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120° bases support 120° tops up to 30"D.
F Fixed Width		Tone with an Extended Heel is available on rectangular Standard Electric and Extended Electric bases only. Tone Extended Heel bases are recommended when privacy screen are specified.
53 Width		
28 Depth		
G Glides		
D Digital Control Switch		
613 Silver Finish		

Standard Electric Adjustable Width Base

Tone Height Adjustable Tables

description	type	w	d	pattern no.	list
 24" Deep C-Leg Bases	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	22"	TBCEAS22() ()	\$2,881.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	22"	TBCEAM22() ()	2,904.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	22"	TBCEAL22() ()	2,928.
 30" Deep C-Leg Bases	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	28"	TBCEAS28() ()	2,951.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	28"	TBCEAM28() ()	2,975.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	28"	TBCEAL28() ()	3,000.
 30" Deep T-Leg Bases	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	28"	TBTEAS28() ()	2,951.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	28"	TBTEAM28() ()	2,975.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	28"	TBTEAL28() ()	3,000.
 Corner Base	Small - For use with Corner tops or rectangular worksurfaces with perpendicular returns. Max 60" on each side.	35 1/4" - 50 1/2"	16"	TBKEAS16() ()	3,960.
	Medium - For use with Corner tops or rectangular worksurfaces with perpendicular returns. Max 84" on each side.	47 1/4" - 74 1/2"	16"	TBKEAM16() ()	3,983.
	Small/Medium - For use with Extended Corner tops or rectangular worksurfaces with perpendicular returns. Max 60" wide on one side and 84" wide on the other	35 1/4" - 50 1/2" 47 1/4" - 74 1/2"	16"	TBKEASM16() ()	3,983.
 120° Base	For use with 48", 54" and 60"W 120° Tops	43 1/4" - 58 1/2"	16"	TBVEAS16() ()	3,983.

Order Code

C-Leg and T-Leg Bases

Example: **TBCEAS28GD613**

TB	Tone Base
C	C-Leg
E	Electric
A	Adjustable Width
S	Small
28	Depth
G	Glides
D	Digital Control Switch
613	Silver Finish

Specification Information

- Glides or Casters:
Add a "C" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$69 list for casters.
- Control Switch:
"S" specifies the Standard Up/Down Switch. "D" will specify the Digital Control Switch with programmable setting. Add \$318 list for the Digital Control Switch. When planning with furniture that interferes with the travel of the table, the Digital Control Switch must be ordered.
- Base Finish:
All core paint finishes are available

Application Notes

Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.

A stiffener is recommended on worksurfaces that are 72" or wider.



Base comes with worksurface mounting hardware.

Privacy Screens can only be specified with glides.

22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120° bases support 120° tops up to 30"D.

Standard Electric Adjustable Width Base, Extended Heel

Tone Height Adjustable Tables

description	type	w	d	pattern no.	list
 24" Deep C-Leg Bases	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	23"	TBCEAS23() ()	\$2,881.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	23"	TBCEAM23() ()	2,904.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	23"	TBCEAL23() ()	2,928.
 30" Deep C-Leg Bases	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	29"	TBCEAS29() ()	2,951.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	29"	TBCEAM29() ()	2,975.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	29"	TBCEAL29() ()	3,000.
 30" Deep T-Leg Bases	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	30"	TBTEAS30() ()	2,951.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	30"	TBTEAM30() ()	2,975.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	30"	TBTEAL30() ()	3,000.

Order Code

C-Leg and T-Leg Bases

Example: **TBCEAS28GD613**

TB	Tone Base
C	C-Leg
E	Electric
A	Adjustable Width
S	Small
28	Depth
G	Glides
D	Digital Control Switch
613	Silver Finish

Specification Information

- Glides or Casters:
Add a "C" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$69 list for casters.
- Control Switch:
"S" specifies the Standard Up/Down Switch. "D" will specify the Digital Control Switch with programmable setting. Add \$318 list for the Digital Control Switch. When planning with furniture that interferes with the travel of the table, the Digital Control Switch must be ordered.
- Base Finish:
All core paint finishes are available

Application Notes

Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.

A stiffener is recommended on worksurfaces that are 72" or wider.

Base comes with worksurface mounting hardware.




Privacy Screens can only be specified with glides.

22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops up to 30"D. 120° bases support 120° tops up to 30"D.

Tone with an Extended Heel is available on rectangular Standard Electric and Extended Electric bases only. Tone Extended Heel bases are recommended when privacy screen are specified.

Extended Electric Fixed Width Base

Tone Height Adjustable Tables

description	type	w*	w	d	pattern no.	list
 24" Deep C-Leg Bases	For use with 42"W, 24"D C-Leg Top	42"	35"	22"	TBCEXF3522() ()	\$3,385.
	For use with 48"W, 24"D C-Leg Top	48"	41"	22"	TBCEXF4122() ()	3,385.
	For use with 54"W, 24"D C-Leg Top	54"	47"	22"	TBCEXF4722() ()	3,385.
	For use with 60"W, 24"D C-Leg Top	60"	53"	22"	TBCEXF5322() ()	3,385.
	For use with 66"W, 24"D C-Leg Top	66"	59"	22"	TBCEXF5922() ()	3,408.
	For use with 72"W, 24"D C-Leg Top	72"	65"	22"	TBCEXF6522() ()	3,408.
	For use with 78"W, 24"D C-Leg Top	78"	71"	22"	TBCEXF7122() ()	3,408.
 30" Deep C-Leg Bases	For use with 42"W, 30"D C-Leg Top	42"	35"	28"	TBCEXF3528() ()	3,432.
	For use with 48"W, 30"D C-Leg Top	48"	41"	28"	TBCEXF4128() ()	3,432.
	For use with 54"W, 30"D C-Leg Top	54"	47"	28"	TBCEXF4728() ()	3,432.
	For use with 60"W, 30"D C-Leg Top	60"	53"	28"	TBCEXF5328() ()	3,432.
	For use with 66"W, 30"D C-Leg Top	66"	59"	28"	TBCEXF5928() ()	3,455.
	For use with 72"W, 30"D C-Leg Top	72"	65"	28"	TBCEXF6528() ()	3,455.
	For use with 78"W, 30"D C-Leg Top	78"	71"	28"	TBCEXF7128() ()	3,455.
 30" Deep T-Leg Bases	For use with 48"W, 30" or 36"D T-Leg Top	48"	41"	28"	TBTEXF4128() ()	3,432.
	For use with 54"W, 30" or 36"D T-Leg Top	54"	47"	28"	TBTEXF4728() ()	3,432.
	For use with 60"W, 30" or 36"D T-Leg Top	60"	53"	28"	TBTEXF5328() ()	3,432.
	For use with 66"W, 30" or 36"D T-Leg Top	66"	59"	28"	TBTEXF5928() ()	3,455.
	For use with 72"W, 30" or 36"D T-Leg Top	72"	65"	28"	TBTEXF6528() ()	3,455.
	For use with 78"W, 30" or 36"D T-Leg Top	78"	71"	28"	TBTEXF7128() ()	3,455.
 Corner Base	For use with 48"W Corner Top	48"	44"	16"	TBKEXF444416() ()	4,800.



* Nominal Width

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases		
<i>Example:</i> TBCEXF4722CS613		
TB Tone Base	1. Glides or Casters: Add a "C" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$69 list for casters.	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.
C C-Leg	2. Control Switch: "S" specifies the Standard Up/Down Switch. "D" will specify the Digital Control Switch with programmable setting. Add \$318 list for the Digital Control Switch. When planning with furniture that interferes with the travel of the table, the Digital Control Switch must be ordered.	A stiffener is recommended on worksurfaces that are 72" or wider.
EX Extended Electric		Base comes with worksurface mounting hardware.
F Fixed Width		Privacy Screens can only be specified with glides.
47 Width		
22 Depth		
C Casters		
S Standard Display		
613 Silver Finish	3. Base Finish: All core paint finishes are available	22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120° bases support 120° tops up to 30"D.

Extended Electric

Fixed Width Base, Extended Heel

Tone Height Adjustable Tables



description	type	w*	w	d	pattern no.	list
	For use with 42"W, 24"D C-Leg Top	42"	35"	23"	TBCEXF3523 ()()	\$3,385.
	For use with 48"W, 24"D C-Leg Top	48"	41"	23"	TBCEXF4123 ()()	3,385.
	For use with 54"W, 24"D C-Leg Top	54"	47"	23"	TBCEXF4723 ()()	3,385.
	For use with 60"W, 24"D C-Leg Top	60"	53"	23"	TBCEXF5323 ()()	3,385.
	For use with 66"W, 24"D C-Leg Top	66"	59"	23"	TBCEXF5923 ()()	3,408.
	For use with 72"W, 24"D C-Leg Top	72"	65"	23"	TBCEXF6523 ()()	3,408.
	For use with 78"W, 24"D C-Leg Top	78"	71"	23"	TBCEXF7123 ()()	3,408.
	For use with 42"W, 30"D C-Leg Top	42"	35"	29"	TBCEXF3529 ()()	3,432.
	For use with 48"W, 30"D C-Leg Top	48"	41"	29"	TBCEXF4129 ()()	3,432.
	For use with 54"W, 30"D C-Leg Top	54"	47"	29"	TBCEXF4729 ()()	3,432.
	For use with 60"W, 30"D C-Leg Top	60"	53"	29"	TBCEXF5329 ()()	3,432.
	For use with 66"W, 30"D C-Leg Top	66"	59"	29"	TBCEXF5929 ()()	3,455.
	For use with 72"W, 30"D C-Leg Top	72"	65"	29"	TBCEXF6529 ()()	3,455.
	For use with 78"W, 30"D C-Leg Top	78"	71"	29"	TBCEXF7129 ()()	3,455.
	For use with 48"W, 30" or 36"D T-Leg Top	48"	41"	30"	TBTEXF4130 ()()	3,432.
	For use with 54"W, 30" or 36"D T-Leg Top	54"	47"	30"	TBTEXF4730 ()()	3,432.
	For use with 60"W, 30" or 36"D T-Leg Top	60"	53"	30"	TBTEXF5330 ()()	3,432.
	For use with 66"W, 30" or 36"D T-Leg Top	66"	59"	30"	TBTEXF5930 ()()	3,455.
	For use with 72"W, 30" or 36"D T-Leg Top	72"	65"	30"	TBTEXF6530 ()()	3,455.
	For use with 78"W, 30" or 36"D T-Leg Top	78"	71"	30"	TBTEXF7130 ()()	3,455.

* Nominal Width

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases	1. Glides or Casters: Add a "C" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$69 list for casters.	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.
<i>Example:</i> TBCEXF4722CS613	2. Control Switch: "S" specifies the Standard Up/Down Switch. "D" will specify the Digital Control Switch with programmable setting. Add \$318 list for the Digital Control Switch. When planning with furniture that interferes with the travel of the table, the Digital Control Switch must be ordered.	A stiffener is recommended on worksurfaces that are 72" or wider.
TB Tone Base	3. Base Finish: All core paint finishes are available	Base comes with worksurface mounting hardware.
C C-Leg		Privacy Screens can only be specified with glides.
EX Extended Electric		22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120° bases support 120° tops up to 30"D.
F Fixed Width		Tone with an Extended Heel is available on rectangular Standard Electric and Extended Electric bases only. Tone Extended Heel bases are recommended when privacy screen are specified.
47 Width		
22 Depth		
C Casters		
S Standard Display		
613 Silver Finish		

Extended Electric Adjustable Width Base



Tone Height Adjustable Tables

description	type	w	d	pattern no.	list
 24" Deep C-Leg Bases	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	22"	TBCEXAS22() ()	\$3,504.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	22"	TBCEXAM22() ()	3,528.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	22"	TBCEXAL22() ()	3,552.
 30" Deep C-Leg Bases	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	28"	TBCEXAS28() ()	3,575.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	28"	TBCEXAM28() ()	3,600.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	28"	TBCEXAL28() ()	3,625.
 30" Deep T-Leg Bases	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	28"	TBTexas28() ()	3,575.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	28"	TBTexasAM28() ()	3,600.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	28"	TBTexasAL28() ()	3,625.
 Corner Base	Small - For use with Corner tops or rectangular worksurfaces with perpendicular returns. Max 60" on each side.	35 1/4" - 50 1/2"	16"	TBKEXAS16() ()	4,895.
	Medium - For use with Corner tops or rectangular worksurfaces with perpendicular returns. Max 84" on each side.	47 1/4" - 74 1/2"	16"	TBKEXAM16() ()	4,920.
	Small/Medium - For use with Extended Corner tops or rectangular worksurfaces with perpendicular returns. Max 60" wide on one side and 84" wide on the other.	35 1/4" - 50 1/2" 47 1/4" - 74 1/2"	16"	TBKEXASM16() ()	4,920.

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases		
<i>Example:</i> TBTexas28GD613		
TB Tone Base	1. Glides or Casters: Add a "C" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$69 list for casters.	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.
T T-Leg	2. Control Switch: "S" specifies the Standard Up/Down Switch. "D" will specify the Digital Control Switch with programmable setting. Add \$318 list for the Digital Control Switch. When planning with furniture that interferes with the travel of the table, the Digital Control Switch must be ordered.	A stiffener is recommended on worksurfaces that are 72" or wider.
EX Extended Electric		Base comes with worksurface mounting hardware.
A Adjustable Width		Privacy Screens can only be specified with glides.
S Small		
28 Depth		
G Glides		
D Digital Control Switch		
613 Silver Finish	3. Base Finish: All core paint finishes are available	22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120° bases support 120° tops up to 30"D.

Extended Electric Adjustable Width Base, Extended Heel

Tone Height Adjustable Tables

description	type	w	d	pattern no.	list
 24" Deep C-Leg Bases	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	23"	TBCEXAS23() ()	\$3,504.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	23"	TBCEXAM23() ()	3,528.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	23"	TBCEXAL23() ()	3,552.
 30" Deep C-Leg Bases	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	29"	TBCEXAS29() ()	3,575.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	29"	TBCEXAM29() ()	3,600.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	29"	TBCEXAL29() ()	3,625.
 30" Deep T-Leg Bases	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	30"	TBTEXAS30() ()	3,575.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	30"	TBTEXAM30() ()	3,600.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	30"	TBTEXAL30() ()	3,625.

Order Code

C-Leg and T-Leg Bases

Example: **TBTEXAS28GD613**

TB	Tone Base
T	T-Leg
EX	Extended Electric
A	Adjustable Width
S	Small
28	Depth
G	Glides
D	Digital Control Switch
613	Silver Finish

Specification Information

- Glides or Casters:
Add a "C" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$69 list for casters.
- Control Switch:
"S" specifies the Standard Up/Down Switch. "D" will specify the Digital Control Switch with programmable setting. Add \$318 list for the Digital Control Switch. When planning with furniture that interferes with the travel of the table, the Digital Control Switch must be ordered.
- Base Finish:
All core paint finishes are available

Application Notes

Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.

A stiffener is recommended on worksurfaces that are 72" or wider.

Base comes with worksurface mounting hardware.




Privacy Screens can only be specified with glides.

22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120° bases support 120° tops up to 30"D.

Tone with an Extended Heel is available on rectangular Standard Electric and Extended Electric bases only. Tone Extended Heel bases are recommended when privacy screen are specified.

Handcrank Fixed Width




Tone Height Adjustable Tables

description	type	w*	w	d	pattern no.	list
 24" Deep C-Leg Bases	For use with 42"W, 24"D C-Leg Top	42"	35"	22"	TBCHF3522() ()	\$2,189.
	For use with 48"W, 24"D C-Leg Top	48"	41"	22"	TBCHF4122() ()	2,189.
	For use with 54"W, 24"D C-Leg Top	54"	47"	22"	TBCHF4722() ()	2,189.
	For use with 60"W, 24"D C-Leg Top	60"	53"	22"	TBCHF5322() ()	2,189.
	For use with 66"W, 24"D C-Leg Top	66"	59"	22"	TBCHF5922() ()	2,211.
	For use with 72"W, 24"D C-Leg Top	72"	65"	22"	TBCHF6522() ()	2,211.
	For use with 78"W, 24"D C-Leg Top	78"	71"	22"	TBCHF7122() ()	2,211.
 30" Deep C-Leg Bases	For use with 42"W, 30"D C-Leg Top	42"	35"	28"	TBCHF3528() ()	2,235.
	For use with 48"W, 30"D C-Leg Top	48"	41"	28"	TBCHF4128() ()	2,235.
	For use with 54"W, 30"D C-Leg Top	54"	47"	28"	TBCHF4728() ()	2,235.
	For use with 60"W, 30"D C-Leg Top	60"	53"	28"	TBCHF5328() ()	2,235.
	For use with 66"W, 30"D C-Leg Top	66"	59"	28"	TBCHF5928() ()	2,259.
	For use with 72"W, 30"D C-Leg Top	72"	65"	28"	TBCHF6528() ()	2,259.
	For use with 78"W, 30"D C-Leg Top	78"	71"	28"	TBCHF7128() ()	2,259.
 30" Deep T-Leg Bases	For use with 48"W, 30" or 36"D T-Leg Top	48"	41"	28"	TBTHF4128() ()	2,235.
	For use with 54"W, 30" or 36"D T-Leg Top	54"	47"	28"	TBTHF4728() ()	2,235.
	For use with 60"W, 30" or 36"D T-Leg Top	60"	53"	28"	TBTHF5328() ()	2,235.
	For use with 66"W, 30" or 36"D T-Leg Top	66"	59"	28"	TBTHF5928() ()	2,259.
	For use with 72"W, 30" or 36"D T-Leg Top	72"	65"	28"	TBTHF6528() ()	2,259.

Order Code	Specification Information	Application Notes	Application Notes
C-Leg and T-Leg Bases	1. Glides or Casters: Add a "C" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$69 list for casters.	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.	The handcrank is located at the front of the table and retracts to stow under the worksurface. Handcrank tables are non-handed.
<i>Example:</i> TBCHF3522C613	2. Base Finish: All core paint finishes are available	A stiffener is recommended on worksurfaces that are 72" or wider.	
TB Tone Base		Base comes with worksurface mounting hardware.	
C C-Leg		Privacy Screens can only be specified with glides.	
H Handcrank		22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet.	
F Fixed Width			
35 Width			
22 Depth			
C Casters			
613 Silver Finish			

Handcrank Adjustable Width

Tone Height Adjustable Tables




description	type	w	d	pattern no.	list
 24" Deep C-Leg Bases	Small - For use with 30" - 54"W Tops	29 3/4" - 45 1/4"	22"	TBCHAS22()()	\$2,259.
	Medium - For use with 42" - 72"W Tops	41 3/4" - 69 1/4"	22"	TBCHAM22()()	2,283.
	Large - For use with 66" - 96"W Tops	61 1/4" - 89 1/4"	22"	TBCHAL22()()	2,306.
 30" Deep C-Leg Bases	Small - For use with 30" - 54"W Tops	29 3/4" - 45 1/4"	28"	TBCHAS28()()	2,329.
	Medium - For use with 42" - 72"W Tops	41 3/4" - 69 1/4"	28"	TBCHAM28()()	2,353.
	Large - For use with 66" - 96"W Tops	61 1/4" - 89 1/4"	28"	TBCHAL28()()	2,376.
 30" Deep T-Leg Bases	Small - For use with 30" - 54"W Tops	29 3/4" - 45 1/4"	28"	TBTHAS28()()	2,329.
	Medium - For use with 42" - 72"W Tops	41 3/4" - 69 1/4"	28"	TBTHAM28()()	2,353.
	Large - For use with 66" - 96"W Tops	61 1/4" - 89 1/4"	28"	TBTHAL28()()	2,376.

Order Code	Specification Information	Application Notes	Application Notes
C-Leg and T-Leg Bases			
<i>Example:</i> TBCHF3522C613			
TB Tone Base	1. Glides or Casters: Add a "C" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$69 list for casters.	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.	The handcrank is located at the front of the table and retracts to stow under the worksurface. Handcrank tables are non-handed.
C C-Leg	2. Base Finish: All core paint finishes are available	A stiffener is recommended on worksurfaces that are 72" or wider.	
H Handcrank		Base comes with worksurface mounting hardware.	
A Adjustable Width		22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet.	
M Medium			
22 Depth			
G Casters			
613 Silver Finish			

Extended Handcrank

Fixed Width



Tone Height Adjustable Tables

description	type	w*	w	d	pattern no.	list
 24" Deep C-Leg Bases	For use with 42"W, 24"D C-Leg Top	42"	35"	22"	TBCHXF3522() ()	\$2,752.
	For use with 48"W, 24"D C-Leg Top	48"	41"	22"	TBCHXF4122() ()	2,752.
	For use with 54"W, 24"D C-Leg Top	54"	47"	22"	TBCHXF4722() ()	2,752.
	For use with 60"W, 24"D C-Leg Top	60"	53"	22"	TBCHXF5322() ()	2,752.
	For use with 66"W, 24"D C-Leg Top	66"	59"	22"	TBCHXF5922() ()	2,776.
	For use with 72"W, 24"D C-Leg Top	72"	65"	22"	TBCHXF6522() ()	2,776.
	For use with 78"W, 24"D C-Leg Top	78"	71"	22"	TBCHXF7122() ()	2,776.
 30" Deep C-Leg Bases	For use with 42"W, 30"D C-Leg Top	42"	35"	28"	TBCHXF3528() ()	2,801.
	For use with 48"W, 30"D C-Leg Top	48"	41"	28"	TBCHXF4128() ()	2,801.
	For use with 54"W, 30"D C-Leg Top	54"	47"	28"	TBCHXF4728() ()	2,801.
	For use with 60"W, 30"D C-Leg Top	60"	53"	28"	TBCHXF5328() ()	2,801.
	For use with 66"W, 30"D C-Leg Top	66"	59"	28"	TBCHXF5928() ()	2,823.
	For use with 72"W, 30"D C-Leg Top	72"	65"	28"	TBCHXF6528() ()	2,823.
	For use with 78"W, 30"D C-Leg Top	78"	71"	28"	TBCHXF7128() ()	2,823.
 30" Deep T-Leg Bases	For use with 48"W, 30" or 36"D T-Leg Top	48"	41"	28"	TBTHXF4128() ()	2,801.
	For use with 54"W, 30" or 36"D T-Leg Top	54"	47"	28"	TBTHXF4728() ()	2,801.
	For use with 60"W, 30" or 36"D T-Leg Top	60"	53"	28"	TBTHXF5328() ()	2,801.
	For use with 66"W, 30" or 36"D T-Leg Top	66"	59"	28"	TBTHXF5928() ()	2,823.
	For use with 72"W, 30" or 36"D T-Leg Top	72"	65"	28"	TBTHXF6528() ()	2,823.

Order Code	Specification Information	Application Notes	Application Notes
C-Leg and T-Leg Bases			
<i>Example:</i> TBCHF3522C613	1. Glides or Casters: Add a "G" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$69 list for casters. 2. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware.	The handcrank is located at the front of the table and retracts to stow under the worksurface. Handcrank tables are non-handed.
TB Tone Base			
C C-Leg			
HX Extended Handcrank			
F Fixed Width			
35 Width			
22 Depth			
C Casters		Privacy Screens can only be specified with glides.	
613 Silver Finish		22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet.	

Extended Handcrank Adjustable Width

Tone Height Adjustable Tables






description	type	w	d	pattern no.	list
 24" Deep C-Leg Bases	Small - For use with 30" - 54"W Tops	29 ³ / ₄ " - 45 ¹ / ₄ "	22"	TBCHXAS22() ()	\$2,894.
	Medium - For use with 42" - 72"W Tops	41 ³ / ₄ " - 69 ¹ / ₄ "	22"	TBCHXAM22() ()	2,917.
	Large - For use with 66" - 72"W Tops	61 ¹ / ₄ " - 89 ¹ / ₄ "	22"	TBCHXAL22() ()	2,941.
 30" Deep C-Leg Bases	Small - For use with 30" - 54"W Tops	29 ³ / ₄ " - 45 ¹ / ₄ "	28"	TBCHXAS28() ()	2,917.
	Medium - For use with 42" - 72"W Tops	41 ³ / ₄ " - 69 ¹ / ₄ "	28"	TBCHXAM28() ()	2,941.
	Large - For use with 66" - 72"W Tops	61 ¹ / ₄ " - 89 ¹ / ₄ "	28"	TBCHXAL28() ()	2,965.
 30" Deep T-Leg Bases	Small - For use with 30" - 54"W Tops	29 ³ / ₄ " - 45 ¹ / ₄ "	28"	TBTHXAS28() ()	2,917.
	Medium - For use with 30" - 54"W Tops	41 ³ / ₄ " - 69 ¹ / ₄ "	28"	TBTHXAM28() ()	2,941.
	Large - For use with 30" - 54"W Tops	61 ¹ / ₄ " - 89 ¹ / ₄ "	28"	TBTHXAL28() ()	2,965.

Order Code	Specification Information	Application Notes	Application Notes
C-Leg and T-Leg Bases	1. Glides or Casters: Add a "C" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$69 list for casters. 2. Base Finish: All core paint finishes are available	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately. A stiffener is recommended on worksurfaces that are 72" or wider. Base comes with worksurface mounting hardware. Privacy screen can only be specified with glides.	The handcrank is located at the front of the table and retracts to stow under the worksurface. Handcrank tables are non-handed.
Example: TBCHF3522C613 TB Tone Base C C-Leg HX Extended Handcrank A Adjustable Width M Medium 22 Depth C Casters 613 Silver Finish			

22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet.

Pin-Set Fixed Width Base

Tone Height Adjustable Tables

description	type	w*	w	d	pattern no.	list price
	For use with 42"W, 24"D C-Leg Top	42"	35"	22"	TBCPF3522() ()	\$1,513.
	For use with 48"W, 24"D C-Leg Top	48"	41"	22"	TBCPF4122() ()	1,513.
	For use with 54"W, 24"D C-Leg Top	54"	47"	22"	TBCPF4722() ()	1,513.
	For use with 60"W, 24"D C-Leg Top	60"	53"	22"	TBCPF5322() ()	1,513.
	For use with 66"W, 24"D C-Leg Top	66"	59"	22"	TBCPF5922() ()	1,536.
	For use with 72"W, 24"D C-Leg Top	72"	65"	22"	TBCPF6522() ()	1,536.
	For use with 78"W, 24"D C-Leg Top	78"	71"	22"	TBCPF7122() ()	1,536.
	For use with 42"W, 30"D C-Leg Top	42"	35"	28"	TBCPF3528() ()	1,560.
	For use with 48"W, 30"D C-Leg Top	48"	41"	28"	TBCPF4128() ()	1,560.
	For use with 54"W, 30"D C-Leg Top	54"	47"	28"	TBCPF4728() ()	1,560.
	For use with 60"W, 30"D C-Leg Top	60"	53"	28"	TBCPF5328() ()	1,560.
	For use with 66"W, 30"D C-Leg Top	66"	59"	28"	TBCPF5928() ()	1,584.
	For use with 72"W, 30"D C-Leg Top	72"	65"	28"	TBCPF6528() ()	1,584.
	For use with 78"W, 30"D C-Leg Top	78"	71"	28"	TBCPF7128() ()	1,584.
	For use with 48"W, 30" or 36"D T-Leg Top	48"	41"	28"	TBTPF4128() ()	1,560.
	For use with 54"W, 30" or 36"D T-Leg Top	54"	47"	28"	TBTPF4728() ()	1,560.
	For use with 60"W, 30" or 36"D T-Leg Top	60"	53"	28"	TBTPF5328() ()	1,560.
	For use with 66"W, 30" or 36"D T-Leg Top	66"	59"	28"	TBTPF5928() ()	1,584.
	For use with 72"W, 30" or 36"D T-Leg Top	72"	65"	28"	TBTPF6528() ()	1,584.
	For use with 48"W Corner Top	48"	44"	16"	TBKP444416() ()	2,255.
	For use with 48"W, 24" or 27"D 120° Tops	48"	45"	16"	TBVP454516() ()	2,255.
	For use with 54"W, 24" or 27"D 120° Tops	54"	51"	16"	TBVP515116() ()	2,280.
	For use with 60"W, 24" or 27"D 120° Tops	60"	57"	16"	TBVP575716() ()	2,304.

Order Code

C-Leg and T-Leg Bases

Example: **TBCPF4722G,613**

TB	Tone Base
C	C-Leg
P	Pin-Set
F	Fixed Width
47	Width
22	Depth
G	Glides
613	Silver Finish

Specification Information

- Glides or Casters:
Add a "C" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$69 list for casters.
- Base Finish:
All core paint finishes are available

Application Notes

Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.

A stiffener is recommended on worksurfaces that are 72" or wider.




Base comes with worksurface mounting hardware.

Privacy screens can only be specified with glides.

22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support 48" Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120° bases support 120° tops up to 30"D.

Pin-Set Adjustable Width Base

Tone Height Adjustable Tables






description	type	w*	d	pattern no.	list price
 24" Deep C-Leg Bases	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	22"	TBCPAS22() ()	\$1,584.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	22"	TBCPAM22() ()	1,608.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	22"	TBCPAL22() ()	1,631.
 30" Deep C-Leg Bases	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	28"	TBCPAS28() ()	1,655.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	28"	TBCPAM28() ()	1,681.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	28"	TBCPAL28() ()	1,704.
 30" Deep T-Leg Bases	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	28"	TBTPAS28() ()	1,655.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	28"	TBTPAM28() ()	1,681.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	28"	TBTPAL28() ()	1,704.
 Corner Bases	Small - For use with corner tops or rectangular worksurfaces with perpendicular returns. Max 60" on each side.	35 1/4" - 50 1/2"	16"	TBKPAS16() ()	2,305.
	Medium - For use with corner tops or rectangular worksurfaces with perpendicular returns. Max 84" on each side.	47 1/4" - 74 1/2"	16"	TBKPAM16() ()	2,328.
	Small/Medium - For use with Extended corner tops or rectangular worksurfaces with perpendicular returns. Max 60" wide on one side and 84" wide on the other.	35 1/4" - 50 1/2" 47 1/4" - 74 1/2"	16"	TBKPASM16() ()	2,328.
 120° Base	For use with 48", 54" and 60"W 120° Tops	43 1/4" - 58 1/2"	16"	TBVPAS16() ()	2,328.

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases	1. Glides or Casters: Add a "C" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$69 list for casters.	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.
<i>Example:</i> TBCPAM22C,613	2. Base Finish: All core paint finishes are available	A stiffener is recommended on worksurfaces that are 72" or wider.
TB Tone Base		Base comes with worksurface mounting hardware.
C C-Leg		Privacy screens can only be specified with glides.
P Pin-Set		
A Adjustable Width		
M Medium		
22 Depth		
C Casters		
613 Silver Finish		

22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120° bases support 120° tops up to 30"D.

Fixed Height Fixed Width Base

Tone Height Adjustable Tables

description	type	w*	w	d	pattern no.	list price
	For use with 42"W, 24"D C-Leg Top	42"	35"	22"	TBCFF3522() ()	\$1,273.
	For use with 48"W, 24"D C-Leg Top	48"	41"	22"	TBCFF4122() ()	1,273.
	For use with 54"W, 24"D C-Leg Top	54"	47"	22"	TBCFF4722() ()	1,273.
	For use with 60"W, 24"D C-Leg Top	60"	53"	22"	TBCFF5322() ()	1,273.
	For use with 66"W, 24"D C-Leg Top	66"	59"	22"	TBCFF5922() ()	1,296.
	For use with 72"W, 24"D C-Leg Top	72"	65"	22"	TBCFF6522() ()	1,296.
	For use with 78"W, 24"D C-Leg Top	78"	71"	22"	TBCFF7122() ()	1,296.
	For use with 42"W, 30"D C-Leg Top	42"	35"	28"	TBCFF3528() ()	1,320.
	For use with 48"W, 30"D C-Leg Top	48"	41"	28"	TBCFF4128() ()	1,320.
	For use with 54"W, 30"D C-Leg Top	54"	47"	28"	TBCFF4728() ()	1,320.
	For use with 60"W, 30"D C-Leg Top	60"	53"	28"	TBCFF5328() ()	1,320.
	For use with 66"W, 30"D C-Leg Top	66"	59"	28"	TBCFF5928() ()	1,343.
	For use with 72"W, 30"D C-Leg Top	72"	65"	28"	TBCFF6528() ()	1,343.
	For use with 78"W, 30"D C-Leg Top	78"	71"	28"	TBCFF7128() ()	1,343.
	For use with 48"W, 30" or 36"D T-Leg Top	48"	41"	28"	TBTFF4128() ()	1,320.
	For use with 54"W, 30" or 36"D T-Leg Top	54"	47"	28"	TBTFF4728() ()	1,320.
	For use with 60"W, 30" or 36"D T-Leg Top	60"	53"	28"	TBTFF5328() ()	1,320.
	For use with 66"W, 30" or 36"D T-Leg Top	66"	59"	28"	TBTFF5928() ()	1,343.
	For use with 72"W, 30" or 36"D T-Leg Top	72"	65"	28"	TBTFF6528() ()	1,343.
	For use with 48"W Corner Top	48"	44"	16"	TBKFF444416() ()	1,848.
	For use with 48"W, 24" or 27"D 120° Tops	48"	45"	16"	TBVFF454516() ()	1,848.
	For use with 54"W, 24" or 27"D 120° Tops	54"	51"	16"	TBVFF515116() ()	1,872.
	For use with 60"W, 24" or 27"D 120° Tops	60"	57"	16"	TBVFF575716() ()	1,896.

Order Code

C-Leg and T-Leg Bases

Example: **TBCFF4722G,613**

TB	Tone Base
C	C-Leg
F	Fixed
F	Fixed Width
47	Width
22	Depth
G	Glides
613	Silver Finish

Specification Information

1. Glides or Casters:
Add a "C" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$69 list for casters.
2. Base Finish:
All core paint finishes are available

Application Notes

Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.

A stiffener is recommended on worksurfaces that are 72" or wider.






Base comes with worksurface mounting hardware.

Privacy screens can only be specified with glides.

22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120° bases support 120° tops up to 30"D.

Fixed Height Adjustable Width Base

Tone Height Adjustable Tables

description	type	w*	d	pattern no.	list price
 24" Deep C-Leg Bases	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	22"	TBCFAS22() ()	\$1,343.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	22"	TBCFAM22() ()	1,368.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	22"	TBCFAL22() ()	1,392.
 30" Deep C-Leg Bases	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	28"	TBCFAS28() ()	1,416.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	28"	TBCFAM28() ()	1,440.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	28"	TBCFAL28() ()	1,463.
 30" Deep T-Leg Bases	Small - For use with 30" - 54" wide tops	29 3/4" - 45 1/4"	28"	TBTBAS28() ()	1,416.
	Medium - For use with 42" - 78" wide tops	41 3/4" - 69 1/4"	28"	TBT FAM28() ()	1,440.
	Large - For use with 66" - 96" wide tops	61 1/4" - 89 1/4"	28"	TBT FAL28() ()	1,463.
 Corner Bases	Small - For use with corner tops or rectangular worksurfaces with perpendicular returns. Max 60" on each side.	35 1/4" - 50 1/2"	16"	TBK FAS16() ()	1,968.
	Medium - For use with corner tops or rectangular worksurfaces with perpendicular returns. Max 84" on each side.	47 1/4" - 74 1/2"	16"	TBK FAM16() ()	1,992.
	Small/Medium - For use with Extended corner tops or rectangular worksurfaces with perpendicular returns. Max 60" wide on one side and 84" wide on the other.	35 1/4" - 50 1/2" 47 1/4" - 74 1/2"	16"	TBK FASM16() ()	1,992.
 120° Base	For use with 48", 54" and 60"W 120° Tops	43 1/4" - 58 1/2"	16"	TBVFAS16() ()	1,992.

Order Code	Specification Information	Application Notes
C-Leg and T-Leg Bases		
<i>Example:</i> TBCFAM22C,613		
TB Tone Base	1. Glides or Casters: Add a "C" Suffix to the pattern number to specify Glides. Or add a "C" to specify Casters. Add \$69 list for casters.	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.
C C-Leg	2. Base Finish: All core paint finishes are available	A stiffener is recommended on worksurfaces that are 72" or wider.
F Fixed		Base comes with worksurface mounting hardware.
A Adjustable Width		Privacy screens can only be specified with glides.
M Medium		
22 Depth		
C Casters		
613 Silver Finish		





22"D and 23"D C-Leg bases support rectangular tops up to 24"D. 28"D and 29"D C-Leg bases support rectangular tops up to 30"D. 28"D and 30"D T-Leg bases support rectangular tops up to 36"D centered over feet. Corner bases support Corner tops and rectangular worksurfaces with perpendicular returns up to 30"D. 120° bases support 120° tops up to 30"D.

Antenna Workspaces Worksurfaces

C-Leg and T-Leg Tables

24", 30" and 36" Deep Rectangular

Tone Height Adjustable Tables

description	type	w*	w	d	h	pattern no.	L	V1	V2	V3
Antenna C-Leg Tops, 24" Deep 	For use with 24"D C-Leg Base	42"	39"	24"	1 1/4"	TTYR3924()	\$288.	\$534.	\$615.	\$828.
		48"	45"	24"	1 1/4"	TTYR4524()	323.	557.	640.	867.
		54"	51"	24"	1 1/4"	TTYR5124()	350.	594.	684.	924.
		60"	57"	24"	1 1/4"	TTYR5724()	377.	632.	729.	985.
		66"	63"	24"	1 1/4"	TTYR6324()	408.	659.	757.	1,022.
		72"	69"	24"	1 1/4"	TTYR6924()	424.	683.	788.	1,062.
		78"	69"	24"	1 1/4"	TTYR7524()	458.	715.	824.	1,112.
Antenna C-Leg and T-Leg Tops, 30" Deep 	For use with 30"D C-Leg Base	42"	39"	30"	1 1/4"	TTYR3930()	340.	584.	671.	905.
	For use with 30"D C-Leg or T-Leg Bases	48"	45"	30"	1 1/4"	TTYR4530()	377.	627.	722.	972.
		54"	51"	30"	1 1/4"	TTYR5130()	428.	665.	763.	1,031.
		60"	57"	30"	1 1/4"	TTYR5730()	471.	702.	806.	1,090.
		66"	63"	30"	1 1/4"	TTYR6330()	526.	715.	824.	1,112.
		72"	69"	30"	1 1/4"	TTYR6930()	544.	740.	851.	1,150.
		78"	75"	30"	1 1/4"	TTYR7530()	583.	782.	886.	1,199.
Antenna T-Leg Tops, 36" Deep 	For use with 30"D T-Leg Base	48"	45"	36"	1 1/4"	TTYR4536()	413.	677.	780.	1,051.
		54"	51"	36"	1 1/4"	TTYR5136()	469.	715.	824.	1,112.
		60"	57"	36"	1 1/4"	TTYR5736()	519.	753.	866.	1,168.
		66"	63"	36"	1 1/4"	TTYR6336()	578.	791.	908.	1,225.
		72"	69"	36"	1 1/4"	TTYR6936()	598.	828.	952.	1,286.
		78"	75"	36"	1 1/4"	TTYR7536()	638.	866.	996.	1,343.
Antenna 120° Tops 	For use with 24"D C-Leg 120° Bases	48"	47"	24"	1 1/4"	TTYV4724()	828.	1,826.	2,100.	2,730.
		54"	53"	24"	1 1/4"	TTYV5324()	883.	1,930.	2,221.	2,886.
		60"	59"	24"	1 1/4"	TTYV5924()	1,021.	n/a	n/a	n/a
	For use with 27"D C-Leg 120° Bases	48"	47"	27"	1 1/4"	TTYV4727()	840.	1,856.	2,136.	2,776.
		54"	53"	27"	1 1/4"	TTYV5327()	978.	n/a	n/a	n/a
		60"	59"	27"	1 1/4"	TTYV5927()	1,037.	n/a	n/a	n/a

* Nominal Width


Order Code	Application Notes	Options
<i>Example:</i> TTYR5724L118118		
TT Tone Top	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg and T-Leg bases to create freestanding tables.	Top finish Options: Add an (L) for laminate or (V) for veneer suffix to pattern number.
Y Antenna		
R Rectangular		
57 Width	24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases.	
24 Depth		
L Laminate		
118 Bright White Laminate	120° Tops are for use with 16"D 3-legged 120° bases.	
118 Bright White Edge	Worksurfaces are pre-drilled with pilot holes for use with wood screws. Actual worksurfaces are undersized by 1 1/2" on each side edge.	

AutoStrada Worksurfaces

C-Leg and T-Leg Tables

24", 30" and 36" Deep Rectangular


Tone Height Adjustable Tables

description	type	w*	w	d*	d	h	pattern no.	L	V1	V2	V3
	For use with 24"D C-Leg Base	42"	40"	24	23"	1 1/4"	TTAR4023()N	\$485.	\$711.	\$799.	\$1,040.
		48"	46"	24	23"	1 1/4"	TTAR4623()N	500.	761.	856.	1,114.
		54"	52"	24	23"	1 1/4"	TTAR5223()N	589.	814.	917.	1,193.
		60"	58"	24	23"	1 1/4"	TTAR5823()N	648.	871.	981.	1,274.
		66"	64"	24	23"	1 1/4"	TTAR6423()N	666.	904.	1,012.	1,319.
		72"	70"	24	23"	1 1/4"	TTAR7023()N	683.	941.	1,062.	1,381.
		78"	76"	24	23"	1 1/4"	TTAR7623()N	706.	985.	1,113.	1,448.
AutoStrada C-Leg/T-Leg Tops, 30" Deep	For use with 30"D C-Leg Base	42"	40"	30"	29"	1 1/4"	TTAR4029()N	537.	802.	902.	1,175.
	For use with 30"D C-Leg or T-Leg Base	48"	46"	30"	29"	1 1/4"	TTAR4629()N	594.	858.	968.	1,262.
		54"	52"	30"	29"	1 1/4"	TTAR5229()N	609.	928.	1,044.	1,360.
		60"	58"	30"	29"	1 1/4"	TTAR5829()N	679.	963.	1,082.	1,407.
		66"	64"	30"	29"	1 1/4"	TTAR6429()N	695.	984.	1,107.	1,442.
		72"	70"	30"	29"	1 1/4"	TTAR7029()N	716.	1,010.	1,136.	1,478.
		78"	76"	30"	29"	1 1/4"	TTAR7629()N	739.	1,056.	1,191.	1,547.
AutoStrada T-Leg Tops, 36" Deep	For use with 30"D T-Leg Base	48"	46"	36"	35"	1 1/4"	TTAR4635()N	652.	1,126.	1,249.	1,582.
		54"	52"	36"	35"	1 1/4"	TTAR5235()N	738.	1,230.	1,345.	1,703.
		60"	58"	36"	35"	1 1/4"	TTAR5835()N	765.	1,221.	1,352.	1,707.
		66"	64"	36"	35"	1 1/4"	TTAR6435()N	807.	1,234.	1,365.	1,733.
		72"	70"	36"	35"	1 1/4"	TTAR7035()N	816.	1,263.	1,402.	1,775.
		78"	76"	36"	35"	1 1/4"	TTAR7635()N	852.	1,289.	1,432.	1,816.

* Nominal

Order Code	Application Notes	Options
<i>Example:</i> TTAR4623()N118		
TT Tone Top	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg and T-Leg bases to create freestanding tables.	Worksurfaces are pre-drilled with pilot holes for use with wood screws.
A AutoStrada		
R Rectangular	24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases.	Actual worksurfaces are undersized by 1" on each side edge and by 1" on the back edge.
46 Width		
23 Depth	24" and 30" worksurfaces are user edge tapered. 36" worksurfaces are user and approach edges tapered.	Top finish Options: Add an (L) for laminate or (V) for veneer suffix to pattern number.
L Laminate		
N No Grommet		
118 Bright White Laminate		

*C-Leg and T-Leg Tables**24", 30" and 36" Deep Rectangular and Curvilinear Corners*


description	type	w*	w	d*	d	h	pattern no.	Laminate w/ ABS edge	Laminate w/ woodgrain edge	Techwood w/ Techwood edge
Dividends Horizon C-Leg Tops, 24" Deep 	For use with 24"D C-Leg Base	42"	40"	24"	23"	1 1/4"	TTDR4023N	\$290.	\$318.	\$555.
		48"	46"	24"	23"	1 1/4"	TTDR4623N	323.	358.	583.
		54"	52"	24"	23"	1 1/4"	TTDR5223N	352.	387.	614.
		60"	58"	24"	23"	1 1/4"	TTDR5823N	382.	417.	644.
		66"	64"	24"	23"	1 1/4"	TTDR6423N	409.	450.	671.
		72"	70"	24"	23"	1 1/4"	TTDR7023N	427.	472.	701.
		78"	76"	24"	23"	1 1/4"	TTDR7623N	460.	504.	735.
Dividends Horizon C-Leg/T-Leg Tops, 30" Deep 	For use with 30"D C-Leg Base	42"	40"	30"	29"	1 1/4"	TTDR4029N	342.	375.	604.
	For use with 30"D C-Leg or T-Leg Base	48"	46"	30"	29"	1 1/4"	TTDR4629N	382.	417.	641.
		54"	52"	30"	29"	1 1/4"	TTDR5229N	431.	473.	669.
		60"	58"	30"	29"	1 1/4"	TTDR5829N	474.	523.	698.
		66"	64"	30"	29"	1 1/4"	TTDR6429N	527.	581.	725.
		72"	70"	30"	29"	1 1/4"	TTDR7029N	548.	600.	751.
		78"	76"	30"	29"	1 1/4"	TTDR7629N	585.	648.	788.
Dividends Horizon T-Leg Tops, 36" Deep 	For use with 30"D T-Leg Base	48"	46"	36"	35"	1 1/4"	TTDR4635N	498.	535.	761.
		54"	52"	36"	35"	1 1/4"	TTDR5235N	550.	592.	789.
		60"	58"	36"	35"	1 1/4"	TTDR5835N	607.	667.	828.
		66"	64"	36"	35"	1 1/4"	TTDR6435N	670.	740.	857.
		72"	70"	36"	35"	1 1/4"	TTDR7035N	740.	815.	888.
		78"	76"	36"	35"	1 1/4"	TTDR7635N	788.	837.	895.

* Nominal


Order Code	Application Notes	Options
<i>Example:</i> TTDR4029NL118		
TT Tone Top	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables.	Top Finish Options: Laminate with ABS edge Laminate with woodgrain edge Techwood with techwood edge
D Dividends Horizon		
R Rectangular	24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases.	Note: When woodgrain laminates are specified on corner worksurfaces a grain direction option must be specified. (L) = Left (R) = Right (D) = Diagonal (Add \$27 to list price)
40 Width		
29 Depth	Corner tops are for use with 16"D 3-legged fixed width Corner Base. 120° tops are for use with 16"D 3-legged 120° bases.	Note: Techwood corner worksurfaces have a diagonal grain direction. See grain direction page for more information.
N No Grommet		
118 Bright White Laminate	Worksurfaces are pre-drilled with pilot holes for use with wood screws.	
118 Bright White Laminate		
	Actual worksurfaces are undersized by 1" on each side edge and by 1" on the back edge.	

*C-Leg and T-Leg Tables**24", 30" and 36" Deep Rectangular and Curvilinear Corners*

description	type	w*	w	d*	d	h	pattern no.	Laminate w/ ABS edge	Laminate w/ woodgrain edge	Techwood w/ Techwood edge
Dividends Horizon 120° Tops, 24" Deep	For use with 120° Base	48"	46"	24"	23"	1 1/4"	TTDV4623N	\$944.	\$1,035.	n/a







Dividends Horizon Corner Tops, 24" or 30" Deep	For use with C-Leg Corner Base	48"	46"	24"	23"	1 1/4"	TTDK464623N	671.	743.	1,282.
		48"	46"	30"	29"	1 1/4"	TTDK464629N	725.	798.	1,297.



* Nominal

Order Code	Application Notes	Options
<i>Example:</i> TTDR4029NL118		
TT Tone Top	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables.	Top Finish Options: Laminate with ABS edge Laminate with woodgrain edge Techwood with techwood edge
D Dividends Horizon		
R Rectangular		
40 Width	24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases.	Note: When woodgrain laminates are specified on corner worksurfaces a grain direction option must be specified. (L) = Left (R) = Right (D) = Diagonal (Add \$27 to list price)
29 Depth		
N No Grommet	Corner tops are for use with 16"D 3-legged fixed width Corner Base. 120° tops are for use with 16"D 3-legged 120° bases.	Note: Techwood corner worksurfaces have a diagonal grain direction. See grain direction page for more information.
118 Bright White Laminate	Worksurfaces are pre-drilled with pilot holes for use with wood screws.	
118 Bright White Laminate	Actual worksurfaces are undersized by 1" on each side edge and by 1" on the back edge.	





*C-Leg and T-Leg Tables**24", 30" and 36" Deep Rectangular and Curvilinear Corners*

description	type	w*	w	d*	d	h	pattern no.	L	V1	V2
	For use with 24"D C-Leg Base	42"	40"	24"	23"	1 1/4"	TTMR4023()	\$442.	\$739.	\$1,099.
		48"	46"	24"	23"	1 1/4"	TTMR4623()	485.	799.	1,254.
		54"	52"	24"	23"	1 1/4"	TTMR5223()	532.	898.	1,372.
		60"	58"	24"	23"	1 1/4"	TTMR5823()	574.	941.	1,441.
		66"	64"	24"	23"	1 1/4"	TTMR6423()	621.	1,039.	1,594.
		72"	70"	24"	23"	1 1/4"	TTMR7023()	665.	1,108.	1,746.
		78"	76"	24"	23"	1 1/4"	TTMR7623()	708.	1,143.	1,821.
	For use with 30"D C-Leg Base	42"	40"	30"	29"	1 1/4"	TTMR4029()	505.	825.	1,270.
	For use with 30"D C-Leg or T-Leg Base	48"	46"	30"	29"	1 1/4"	TTMR4629()	553.	894.	1,368.
		54"	52"	30"	29"	1 1/4"	TTMR5229()	595.	992.	1,492.
		60"	58"	30"	29"	1 1/4"	TTMR5829()	640.	1,061.	1,617.
		66"	64"	30"	29"	1 1/4"	TTMR6429()	684.	1,127.	1,763.
		72"	70"	30"	29"	1 1/4"	TTMR7029()	750.	1,220.	1,884.
		78"	76"	30"	29"	1 1/4"	TTMR7629()	797.	1,284.	1,982.
	For use with 30"D T-Leg Base	48"	46"	36"	35"	1 1/4"	TTMR4635()	621.	989.	1,483.
		54"	52"	36"	35"	1 1/4"	TTMR5235()	657.	1,090.	1,614.
		60"	58"	36"	35"	1 1/4"	TTMR5835()	709.	1,183.	1,792.
		66"	64"	36"	35"	1 1/4"	TTMR6435()	742.	1,216.	1,932.
		72"	70"	36"	35"	1 1/4"	TTMR7035()	833.	1,332.	2,020.
	For use with C-Leg Corner Base	48"	46"	24"	23"	1 1/4"	TTMK464623()	1,146.	1,560.	2,294.
		48"	46"	30"	29"	1 1/4"	TTMK464629()	1,146.	1,560.	2,294.

* Nominal






Order Code	Application Notes	Options
<i>Example:</i> TTMR4635L118		
TT Tone Top	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables.	Top finish Options: Add an (L) for laminate or (V) for veneer suffix to pattern number.
M Morrison		
R Rectangular		
46 Width	24", 30" and 36" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases.	
35 Depth		
L Laminate		
118 Bright White Laminate	Corner tops are for use with 16"D 3-legged fixed width Corner Base.	

*C-Leg and T-Leg Tables**24", 30" and 36" Deep Rectangular and Curvilinear Corners*





description	type	w*	w	d*	d	h	pattern no.	L	V1	V2	V3
	For use with 24"D C-Leg Base	42"	40"	24"	23"	1 1/4"	TTRR4023N	\$466.	\$496.	\$572.	\$769.
		48"	46"	24"	23"	1 1/4"	TTRR4623N	494.	535.	613.	826.
		54"	52"	24"	23"	1 1/4"	TTRR5223N	527.	568.	655.	883.
		60"	58"	24"	23"	1 1/4"	TTRR5823N	571.	610.	698.	945.
		66"	64"	24"	23"	1 1/4"	TTRR6423N	583.	628.	724.	976.
		72"	70"	24"	23"	1 1/4"	TTRR7023N	615.	657.	758.	1,023.
		78"	76"	24"	23"	1 1/4"	TTRR7623N	641.	687.	795.	1,070.
	For use with 30"D C-Leg Base	42"	40"	30"	29"	1 1/4"	TTRR4029N	524.	561.	648.	876.
	For use with 30"D C-Leg or T-Leg Base	48"	46"	30"	29"	1 1/4"	TTRR4629N	562.	600.	688.	931.
		54"	52"	30"	29"	1 1/4"	TTRR5229N	606.	650.	744.	1,004.
		60"	58"	30"	29"	1 1/4"	TTRR5829N	629.	671.	771.	1,043.
		66"	64"	30"	29"	1 1/4"	TTRR6429N	640.	686.	794.	1,069.
		72"	70"	30"	29"	1 1/4"	TTRR7029N	658.	705.	808.	1,091.
		78"	76"	30"	29"	1 1/4"	TTRR7629N	688.	736.	848.	1,143.
	For use with 30"D T-Leg Base	48"	46"	36"	35"	1 1/4"	TTRR4635N	634.	682.	785.	1,054.
		54"	52"	36"	35"	1 1/4"	TTRR5235N	692.	743.	850.	1,143.
		60"	58"	36"	35"	1 1/4"	TTRR5835N	723.	775.	889.	1,200.
		66"	64"	36"	35"	1 1/4"	TTRR6435N	749.	801.	925.	1,247.
		72"	70"	36"	35"	1 1/4"	TTRR7035N	775.	830.	955.	1,290.
		78"	76"	36"	35"	1 1/4"	TTRR7635N	801.	859.	988.	1,335.
	For use with C-Leg Corner Base	48"	46"	24"	23"	1 1/4"	TTRK464623N	1,066.	1,178.	1,351.	1,823.
		48"	46"	30"	29"	1 1/4"	TTRK464629N	1,193.	1,318.	1,512.	2,037.

* Nominal

Order Code	Application Notes	Options
<i>Example:</i> TTRR5229NL118		
TT Tone Top	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables.	Worksurfaces are pre-drilled with pilot holes for use with wood screws.
R Reff Profiles		
R Rectangular	23", 29" and 35" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases.	Actual worksurfaces are undersized by 1" on each side edge and by 1" on the back edge.
52 Width		
29 Depth		
N No Grommet		
L Laminate	Corner tops are for use with 16"D 3-legged fixed width Corner Base.	Top finish Options: Add an (L) for laminate or (V) for veneer suffix to pattern number.
118 Bright White Laminate		

description	type	w	d	h	pattern no.	list
Digital Control Switch 	For Tone Standard Electric and Extended Electric				TB2DPD	\$342.
Cleat Plate 	For Tone Height Adjustable Table	25"	3 3/4"	2 1/4"	TBCP	124.
Hinged Wire Cover 	For Tone Fixed and Adjustable-Width Bases	28"	7 1/2"	2"	TBHCPC	132.
Snap-On Wire Cover 	For Tone Fixed Width Bases	28"	7 1/4"	2 1/2"	TBSCPC	98.
Power Strip 	Plug strip with 10' power cord For Tone Height-Adjustable Tables	24 3/4"	2"	2"	TBPS24	390.
Z-Manager 	For Tone Extended Electric Height Range				TBZEX	208.
	For Tone Standrd Electric Height Range				TBZES	202.

Order Code	Specification Information	Application Notes
Digital Control Switch	1. Digital Control Switch ships with wood screws, and 31 1/2" power cord.	1. Digital Control Switch is not handed.
<i>Example:</i> TBCP	2. Z-Manager must be specified for either Tone Standard Electric or Tone Extended Electric.	2. Cleat Plate mounts between the crossbars of Tone and can also be mounted behind the crossbars.
TB Tone Base		3. Z-Manager for Tone Standard Electric and Extended Electric Tone are installed from the underside of the worksurface to the underside of the foot on either side of the leg. Foot is pre-drilled to accept the Z-Manager.
CP Cleat Plate		The Tone Hinged Wire Cover includes J-Brackets for mounting on the outside of the Tone crossbars. The Snap-On Wire Cover friction fits to Tone Fixed Width crossbars and is not compatible with Tone Adjustable Width bases. The Vertical Wire Manager manages the table power cord.

description	type	w	d	h	pattern no.	list
 Vertical Wire Manager	For Tone Extended Electric	1"	3/4"	16 1/2"	TBVWMEX	\$31.
	For Tone Standard Electric	1"	3/4"	20"	TBVWMES	31.
 Casters	Kit of 4, all locking	2"	1 1/2"	1 1/2"	TBCAS	76.
Chicago 9' Power Cord	For use in City of Chicago	108"			TBPCH	43.
 Worksurface Reinforcement		54"	4"		DB1WR54	72.
		60"	4"		DB1WR60	73.
		66"	4"		DB1WR66	76.
		72"	4"		DB1WR72	79.
 Flat Brackets (Single Pack)	For 30"D Worksurfaces	3 3/4"	20 15/16"		DB1F30SP	36.
	For 24"D Worksurfaces	3 3/4"	14 5/8"		DB1F24SP	31.
 Flat Brackets (Pack of 10)	For 30"D Worksurfaces	3 3/4"	20 15/16"		DB1F30TP	285.
	For 24"D Worksurfaces	3 3/4"	14 5/8"		DB1F24TP	248.
 Worksurface Collision sensor	For use with Tone Standard Electric and Extended Electric Bases	4"	6 1/4"	1 1/2"	TBWCS	198.
 Carpet Gripper	Kit of 4, for use with Glides"	1 1/2"		1/2"	TBCG	7.

Order Code	Specification Information	Application Notes
Digital Control Switch	1. Digital Control Switch ships with wood screws, and 31 1/2" power cord.	1. Digital Control Switch is not handed.
<i>Example:</i> TBCP	2. Z-Manager must be specified for either Tone Standard Electric or Tone Extended Electric.	2. Cleat Plate mounts between the crossbars of Tone and can also be mounted behind the crossbars.
TB Tone Base		3. Z-Manager for Tone Standard Electric and Extended Electric Tone are installed from the underside of the worksurface to the underside of the foot on either side of the leg. Foot is pre-drilled to accept the Z-Manager.
CP Cleat Plate		The Tone Hinged Wire Cover includes J-Brackets for mounting on the outside of the Tone crossbars. The Snap-On Wire Cover friction fits to Tone Fixed Width crossbars and is not compatible with Tone Adjustable Width bases. The Vertical Wire Manager manages the table power cord.

Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
DB1F24SP	30	TBCEXAS29	14	TBCHF4728	15	TBKFSAM16	22
DB1F24TP	30	TBCEXF3522	11	TBCHF5322	15	TBKFF444416	21
DB1F30SP	30	TBCEXF3523	12	TBCHF5328	15	TBKPFAM16	20
DB1F30TP	30	TBCEXF3528	11	TBCHF5922	15	TBKPAS16	20
DB1WR54	30	TBCEXF3529	12	TBCHF5928	15	TBKPSAM16	20
DB1WR60	30	TBCEXF4122	11	TBCHF6522	15	TBKPF444416	19
DB1WR66	30	TBCEXF4123	12	TBCHF6528	15	TBPCH	30
DB1WR72	30	TBCEXF4128	11	TBCHF7122	15	TBPS24	29
TB2DPD	29	TBCEXF4129	12	TBCHF7128	15	TBSCPC	29
TBCAS	30	TBCEXF4722	11	TBCHXAL22	18	TBTEAL28	9
TBCEAL22	9	TBCEXF4723	12	TBCHXAL28	18	TBTEAL30	10
TBCEAL23	10	TBCEXF4728	11	TBCHXAM22	18	TBTEAM28	9
TBCEAL28	9	TBCEXF4729	12	TBCHXAM28	18	TBTEAM30	10
TBCEAL29	10	TBCEXF5322	11	TBCHXAS22	18	TBTEAS28	9
TBCEAM22	9	TBCEXF5323	12	TBCHXAS28	18	TBTEAS30	10
TBCEAM23	10	TBCEXF5328	11	TBCHXF3522	17	TBTEF4128	7
TBCEAM28	9	TBCEXF5329	12	TBCHXF3528	17	TBTEF4130	8
TBCEAM29	10	TBCEXF5922	11	TBCHXF4122	17	TBTEF4728	7
TBCEAS22	9	TBCEXF5923	12	TBCHXF4128	17	TBTEF4730	8
TBCEAS23	10	TBCEXF5928	11	TBCHXF4722	17	TBTEF5328	7
TBCEAS28	9	TBCEXF5929	12	TBCHXF4728	17	TBTEF5330	8
TBCEAS29	10	TBCEXF6522	11	TBCHXF5322	17	TBTEF5928	7
TBCEF3522	7	TBCEXF6523	12	TBCHXF5328	17	TBTEF5930	8
TBCEF3523	8	TBCEXF6528	11	TBCHXF5922	17	TBTEF6528	7
TBCEF3528	7	TBCEXF6529	12	TBCHXF5928	17	TBTEF6530	8
TBCEF3529	8	TBCEXF7122	11	TBCHXF6522	17	TBTEF7128	7
TBCEF4122	7	TBCEXF7123	12	TBCHXF6528	17	TBTEF7130	8
TBCEF4123	8	TBCEXF7128	11	TBCHXF7122	17	TBTEXAL28	13
TBCEF4128	7	TBCEXF7129	12	TBCHXF7128	17	TBTEXAL30	14
TBCEF4129	8	TBCFAL22	22	TBCP	29	TBTEXAM28	13
TBCEF4722	7	TBCFAL28	22	TBCPAL22	20	TBTEXAM30	14
TBCEF4723	8	TBCFAM22	22	TBCPAL28	20	TBTEXAS28	13
TBCEF4728	7	TBCFAM28	22	TBCPAM22	20	TBTEXAS30	14
TBCEF4729	8	TBCFAS22	22	TBCPAM28	20	TBTEXF4128	11
TBCEF5322	7	TBCFAS28	22	TBCPAS22	20	TBTEXF4130	12
TBCEF5323	8	TBCFF3522	21	TBCPAS28	20	TBTEXF4728	11
TBCEF5328	7	TBCFF3528	21	TBCPF3522	19	TBTEXF4730	12
TBCEF5329	8	TBCFF4122	21	TBCPF3528	19	TBTEXF5328	11
TBCEF5922	7	TBCFF4128	21	TBCPF4122	19	TBTEXF5330	12
TBCEF5923	8	TBCFF4722	21	TBCPF4128	19	TBTEXF5928	11
TBCEF5928	7	TBCFF4728	21	TBCPF4722	19	TBTEXF5930	12
TBCEF5929	8	TBCFF5322	21	TBCPF4728	19	TBTEXF6528	11
TBCEF6522	7	TBCFF5328	21	TBCPF5322	19	TBTEXF6530	12
TBCEF6523	8	TBCFF5922	21	TBCPF5328	19	TBTEXF7128	11
TBCEF6528	7	TBCFF5928	21	TBCPF5922	19	TBTEXF7130	12
TBCEF6529	8	TBCFF6522	21	TBCPF5928	19	TBTAL28	22
TBCEF7122	7	TBCFF6528	21	TBCPF6522	19	TBTAM28	22
TBCEF7123	8	TBCFF7122	21	TBCPF6528	19	TBTAS28	22
TBCEF7128	7	TBCFF7128	21	TBCPF7122	19	TBTFF4128	21
TBCEF7129	8	TBCG	30	TBCPF7128	19	TBTFF4728	21
TBCEXAL22	13	TBCHAL22	16	TBHCPC	29	TBTFF5328	21
TBCEXAL23	14	TBCHAL28	16	TBKEAM16	9	TBTFF5928	21
TBCEXAL28	13	TBCHAM22	16	TBKEAS16	9	TBTFF6528	21
TBCEXAL29	14	TBCHAM28	16	TBKEASM16	9	TBTHAL28	16
TBCEXAM22	13	TBCHAS22	16	TBKEF444416	7	TBTHAM28	16
TBCEXAM23	14	TBCHAS28	16	TBKEXAM16	13	TBTHAS28	16
TBCEXAM28	13	TBCHF3522	15	TBKEXAS16	13	TBTHF4128	15
TBCEXAM29	14	TBCHF3528	15	TBKEXASM16	13	TBTHF4728	15
TBCEXAS22	13	TBCHF4122	15	TBKEXF444416	11	TBTHF5328	15
TBCEXAS23	14	TBCHF4128	15	TBKFAM16	22	TBTHF5928	15
TBCEXAS28	13	TBCHF4722	15	TBKFAS16	22	TBTHF6528	15

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
TBTHXAL28	18	TTDR5835N	25	TTYR6324	23
TBTHXAM28	18	TTDR6423N	25	TTYR6330	23
TBTHXAS28	18	TTDR6429N	25	TTYR6336	23
TBTHXF4128	17	TTDR6435N	25	TTYR6924	23
TBTHXF4728	17	TTDR7023N	25	TTYR6930	23
TBTHXF5328	17	TTDR7029N	25	TTYR6936	23
TBTHXF5928	17	TTDR7035N	25	TTYR7524	23
TBTHXF6528	17	TTDR7623N	25	TTYR7530	23
TBTPAL28	20	TTDR7629N	25	TTYR7536	23
TBTPAM28	20	TTDR7635N	25	TTYV4724	23
TBTPAS28	20	TTDV4623N	26	TTYV4727	23
TBTPF4128	19	TTMK464623	27	TTYV5324	23
TBTPF4728	19	TTMK464629	27	TTYV5327	23
TBTPF5328	19	TTMR4023	27	TTYV5924	23
TBTPF5928	19	TTMR4029	27	TTYV5927	23
TBTPF6528	19	TTMR4623	27		
TBVEAS16	9	TTMR4629	27		
TBVEF454516	7	TTMR4635	27		
TBVEF515116	7	TTMR5223	27		
TBVEF575716	7	TTMR5229	27		
TBVFAS16	22	TTMR5235	27		
TBVFF454516	21	TTMR5823	27		
TBVFF515116	21	TTMR5829	27		
TBVFF575716	21	TTMR5835	27		
TBVPAS16	20	TTMR6423	27		
TBVPF454516	19	TTMR6429	27		
TBVPF515116	19	TTMR6435	27		
TBVPF575716	19	TTMR7023	27		
TBVWMES	30	TTMR7029	27		
TBVWMEX	30	TTMR7035	27		
TBWCS	30	TTMR7623	27		
TBZES	29	TTMR7629	27		
TBZEX	29	TTRK464623N	28		
TTAR4023	24	TTRK464629N	28		
TTAR4029	24	TTRR4023N	28		
TTAR4623	24	TTRR4029N	28		
TTAR4629	24	TTRR4623N	28		
TTAR4635	24	TTRR4629N	28		
TTAR5223	24	TTRR4635N	28		
TTAR5229	24	TTRR5223N	28		
TTAR5235	24	TTRR5229N	28		
TTAR5823	24	TTRR5235N	28		
TTAR5829	24	TTRR5823N	28		
TTAR5835	24	TTRR5829N	28		
TTAR6423	24	TTRR5835N	28		
TTAR6429	24	TTRR6423N	28		
TTAR6435	24	TTRR6429N	28		
TTAR7023	24	TTRR6435N	28		
TTAR7029	24	TTRR7023N	28		
TTAR7035	24	TTRR7029N	28		
TTAR7623	24	TTRR7035N	28		
TTAR7629	24	TTRR7623N	28		
TTAR7635	24	TTRR7629N	28		
TTDK464623N	26	TTRR7635N	28		
TTDK464629N	26	TTYR3924	23		
TTDR4023N	25	TTYR3930	23		
TTDR4029N	25	TTYR4524	23		
TTDR4623N	25	TTYR4530	23		
TTDR4629N	25	TTYR4536	23		
TTDR4635N	25	TTYR5124	23		
TTDR5223N	25	TTYR5130	23		
TTDR5229N	25	TTYR5136	23		
TTDR5235N	25	TTYR5724	23		
TTDR5823N	25	TTYR5730	23		
TTDR5829N	25	TTYR5736	23		

Selling Policy

	This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.
Terms & Conditions of Sales	Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.
Ordering Information	All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.
Order Confirmation	A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.
Pricing Policies	List prices are subject to change without notice. List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.
Taxes	All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.
Terms of Payment	Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice. KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment. If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance. Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.
Changes and Cancellation	Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.
Freight Prepaid	Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.
Delivery/Freight Charges	Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin. For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination. Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing. Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery. Partial shipments may be made and invoiced by Seller.
Claims	All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.
Seller's Security Interest	Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.
Returns	The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.
Held Orders/Storage	If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.

Selling Policy

Customer's Own Material	A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.
Warranty	Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below. Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair). Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts. <i>Product and Period of Warranty</i> <i>Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Morrison, Reff Profiles laminate, Rockwell Unscripted, Series 2 Storage, Template and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, upholstery, textiles and leathers, special or custom products, see below)</i> <i>12 Years: Chadwick, Essentials Work Chairs, Generation by Knoll, k. task, Life, Moment, MultiGeneration by Knoll, ReGeneration by Knoll, Remix, and Toboggan seating (except seating upholstery, textiles, leathers and finishes, see below).</i> <i>10 Years: Anchor Storage except digital keypad lock, Antenna Workspaces, AutoStrada, Crinion Open Table, Dividends Horizon, Dividends Horizon Satellite Surfaces, Reff Profiles, Rockwell Unscripted, Template wood components, Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods (The Graham Collection) (except wood casegoods upholstered surfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Sapper XYZ Monitor Arm Series, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, cork and FilzFelt, see below), Smokador collection (except leathers, see below), Orchestra Universal Systems Accessories, k. lounge structural components, KnollStudio Pixel and Propeller, Tone bases.</i> <i>5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products and plywood, Currents handcrank, KnollStudio, Rockwell Unscripted wire bases, Spark Series seating structural elements, structural elements of all KnollStudio outdoor products including all Richard Schultz designed products, KnollExtra CPU holders and all universal storage drawers and Power Collection, k. stand bases and HiLo.</i> <i>3 Years: Rockwell Unscripted upholstery (except textiles and leather), Office Seating upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers, KnollExtra Pop Up Screens.</i> <i>2 Years: Anchor Storage digital keypad lock, all other KnollExtra product</i> <i>1 Year: Light ballasts, bulbs and power supply, seating upholstered armpads and soft arm pads, wood casegoods upholstered surfaces. KnollStudio, outdoor product finishes, k. lounge upholstery and k. lounge fabric. Rockwell Unscripted fabric and accessories.</i> This warranty does not apply to: • Damage caused by a carrier other than the Seller. • Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products). • COM or other third party materials applied to Products. • Products not installed by or under the auspices of a Knoll Dealer. • Dramatic temperature variations or exposure to unusual conditions. • Changes in surface finishes, including colorfastness due to aging or exposure to light. • Except as specifically noted above, textiles and upholstery supplied by <i>KnollTextiles</i> and Spinneybeck FilzFelt (consult current price lists for applicable warranties). Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces. THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE. The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.
Delay/Force Majeure	Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of war or terrorism, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.
Compliance with Law	PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.
Patents	Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended. The foregoing indemnity does not apply to the following: • Products supplied according to a design other than that of Seller, and which is required by the Purchaser. • Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer. • Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT. Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.
1235 Water Street
P.O. Box 157
East Greenville, PA 18041
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."