
Islands Collection by Knoll®

Price List
July 2023

Knoll

Introduction	Materials and Finish Options	2
Straight Leg Tables	Straight Leg, Occasional Heights	4
	Straight Leg - Desk Height	15
X-Base Tables	X-Base Tables - Occasional Heights	27
	X-Base Tables - Desk Height	34
	X-Base Tables - Standing Height	37
	X-Base Tables - Conference	42
MX Base Tables	MX Base Tables - Occasional Heights	57
	MX Base Tables - Desk Height	65
	MX Base Tables - Standing Height	69
	MX Base Tables - Conference	75
Accessories	Electrical Units - Drop-in	89
	Electrical Units - Power Square	92
	Electrical Units - Clamp-On	95
	Electrical Units - Offset Clamp-On	97
	Electrical Units - for Chicago	99
	Electrical Units - Undermount	103
	Electrical Units - Wide Channel Desktop Outlets	104
	Wire Management	106
Alpha-Numeric Index		109
Selling Policy		114
General Ordering Information		117

For specific product applications for each finish refer to the finish matrix on the following pages.

POLISHED FINISH

PD Chrome
AL Aluminum

KNOLL CORE LAMINATES**Solid Colors**

111 Jet Black* **
114 Folkstone Grey* **
115 Medium Grey* **
117 Soft Grey* **
118 Bright White* **
119 Pumice* **
128 Fog* **

Patterned

121 Micro Grey
122 Brushed Sand
123 Brushed Grey
129 Micro Sand

Wood Grain

124 Medium Cherry* **
125 Natural Maple* **
126 Natural Cherry* **
127 Walnut* **
139 Light Ash* **
140 Warm Ash* **
141 Whitened Ash*
142 Grey Ash* **
143 Classic Oak* **
144 Graphite Pear* **
145 Zebra*
147 Silverwood**
148 Smokewood**
149 Barnwood**

*Matching edgeband available

**Melamine worksurface finish

Edgeband selection on multi-top tables will be present on all sides of the individual top and visible at the seams if differing top/edge combination is specified.

KNOLL CORE PAINTS

111T Jet Black
112T Brown
113T Dark Grey
114T Folkstone Grey
115T Medium Grey
116T Sandstone
117T Soft Grey
118T Bright White
611T Beige Mist Metallic
612T Medium Metallic Grey
613T Silver


EDGE OPTIONS FOR LAMINATE WORKSURFACES

SPLY Ply Edge Synthetic (L pricing)

GRAIN DIRECTION

Horizontal (H)

Vertical (V):



Grain direction applies to wood grain laminates, techwoods and natural veneers.

Note: Neither Vertical nor Horizontal grain alignment is offered when woodgrain laminate finish is chosen.

Wood Finishes

Codes begin with a three digit numeric sequence, followed by a letter suffix. Each letter suffix (A-F) represents a different combination of pore fill options and gloss levels.

Code V1 TECHWOOD

638	Blond Maple
628	Dark Mahogany
639	Light Cherry
641	Black Oak
506	Maple
509	Cherry
512	Medium Walnut
513	Medium Teak
514	Espresso
637	Natural
644	Light Walnut
645	Dove Grey

Code V2 PREMIUM TECHWOOD

647	White Pine
640	Ebony
642	Grigio

V2 Natural Veneer

020	Natural Oak
038	Rustic Walnut
017	Light Walnut
002	Bronze Cherry
006	Maple
021	Peacock Green Walnut
022	Old English Walnut
037	Birch

Code V3 PREMIUM VENEER

039	Pippy Oak
044	Figured Sycamore

	<u>Gloss Level</u>	<u>Fill Level</u>
A	Low Gloss	Closed Pore
B	Medium Gloss	Closed Pore
C	High Gloss	Closed Pore
D	Low Gloss	Open Pore
E	Medium Gloss	Open Pore
F	High Gloss	Open Pore

Edge Options for Veneers

SYN	Complementary Synthetic
SPLY	Synthetic Ply Edge *

* Ply Edge available on Birch (037) worksurfaces.

Note:

For more detailed information on Veneer finishes, please refer to the Wood Finish Matrix on the Knoll.com site.

Straight Leg, Occasional Heights

12", 15" and 18" High

Round Tables

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
 Round Table 12" High	30"	30"	12"	ILTRD(S/B4/T4)SG301() () () () ()	\$1,558.	\$1,822.	\$1,935.	\$2,232.
	36"	36"	12"	ILTRD(S/B4/T4)SG361() () () () ()	1,605.	1,868.	1,983.	2,276.
	42"	42"	12"	ILTRD(S/B4/T4)SG421() () () () ()	1,651.	1,914.	2,030.	2,324.
	48"	48"	12"	ILTRD(S/B4/T4)SG481() () () () ()	1,699.	1,961.	2,075.	2,371.
	54"	54"	12"	ILTRD(S/B4/T4)SG541() () () () ()	1,748.	2,030.	2,167.	2,486.
	60"	60"	12"	ILTRD(S/B4/T4)SG601() () () () ()	1,809.	2,113.	2,274.	2,626.

*Available with Glides only.

 Round Table 15" High	30"	30"	15"	ILTRD(S/B4/T4)SG302() () () () ()	1,593.	1,855.	1,971.	2,263.
	36"	36"	15"	ILTRD(S/B4/T4)SG362() () () () ()	1,639.	1,902.	2,016.	2,312.
	42"	42"	15"	ILTRD(S/B4/T4)SG422() () () () ()	1,686.	1,949.	2,063.	2,356.
	48"	48"	15"	ILTRD(S/B4/T4)SG482() () () () ()	1,731.	1,995.	2,110.	2,402.
	54"	54"	15"	ILTRD(S/B4/T4)SG542() () () () ()	1,780.	2,063.	2,200.	2,522.
	60"	60"	15"	ILTRD(S/B4/T4)SG602() () () () ()	1,842.	2,144.	2,308.	2,661.

*Available with Glides only.

 Round Table 18" High	30"	30"	18"	ILTRD(S/B4/T4)(SG/SC)303() () () () ()	1,593.	1,855.	1,971.	2,263.
	36"	36"	18"	ILTRD(S/B4/T4)(SG/SC)363() () () () ()	1,639.	1,902.	2,016.	2,312.
	42"	42"	18"	ILTRD(S/B4/T4)(SG/SC)423() () () () ()	1,686.	1,949.	2,063.	2,356.
	48"	48"	18"	ILTRD(S/B4/T4)(SG/SC)483() () () () ()	1,731.	1,995.	2,110.	2,402.
	54"	54"	18"	ILTRD(S/B4/T4)(SG/SC)543() () () () ()	1,780.	2,063.	2,200.	2,522.
	60"	60"	18"	ILTRD(S/B4/T4)(SG/SC)603() () () () ()	1,842.	2,144.	2,308.	2,661.

*Available with Glides and Casters.


Order Code	Specification Information	Application Notes
Example: ILTRDSSG301	<i>To order please specify pattern number including:</i>	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Castors: \$33 Grommets D4, D8 & D12: \$86 Polished finish: \$134 (Top plate, leg or both) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W (30", 36", 42") D8 = Narrow slot 8"W (48" & 54") D12 = Narrow slot 12"W (60" only) S = Power square (All sizes except 30"D)	
T Table	2. Grommet finish: N = Not applicable D4/D8/D12 = B=Black, W=White (textured) S = 111, 114, 115, 117	
RD Round	3. Worksurface finish: L, V1, V2, V3	
S Edge (S/B4/T4)	4. Edge finish: Complementary synthetic	
SG Foot (SG/SC)		
30 Size		
1 Height (1/2/3)		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Top plate finish		
(114) Leg finish		

Straight Leg, Occasional Heights


12", 15" and 18" High

Square Table


Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Square Table 12" High 	30"	30"	12"	ILTSQ(S/B4/T4)SG301()	\$1,367.	\$1,531.	\$1,605.	\$1,772.
	36"	36"	12"	ILTSQ(S/B4/T4)SG361()	1,413.	1,577.	1,651.	1,818.
	42"	42"	12"	ILTSQ(S/B4/T4)SG421()	1,457.	1,636.	1,727.	1,918.
	48"	48"	12"	ILTSQ(S/B4/T4)SG481()	1,501.	1,731.	1,845.	2,067.
	54"	54"	12"	ILTSQ(S/B4/T4)SG541()	1,554.	1,805.	1,941.	2,195.
	60"	60"	12"	ILTSQ(S/B4/T4)SG601()	1,615.	1,887.	2,050.	2,336.

* Available with Glides only.

Square Table 15" High 	30"	30"	15"	ILTSQ(S/B4/T4)SG302()	1,401.	1,576.	1,669.	1,858.
	36"	36"	15"	ILTSQ(S/B4/T4)SG362()	1,445.	1,622.	1,716.	1,905.
	42"	42"	15"	ILTSQ(S/B4/T4)SG422()	1,489.	1,669.	1,762.	1,951.
	48"	48"	15"	ILTSQ(S/B4/T4)SG482()	1,533.	1,737.	1,850.	2,065.
	54"	54"	15"	ILTSQ(S/B4/T4)SG542()	1,587.	1,838.	1,976.	2,226.
	60"	60"	15"	ILTSQ(S/B4/T4)SG602()	1,648.	1,922.	2,083.	2,370.

* Available with Glides only.


Square Table 18" High 	30"	30"	18"	ILTSQ(S/B4/T4)(SG/SC)303()	1,401.	1,576.	1,669.	1,858.
	36"	36"	18"	ILTSQ(S/B4/T4)(SG/SC)363()	1,445.	1,622.	1,716.	1,905.
	42"	42"	18"	ILTSQ(S/B4/T4)(SG/SC)423()	1,489.	1,669.	1,762.	1,951.
	48"	48"	18"	ILTSQ(S/B4/T4)(SG/SC)483()	1,533.	1,737.	1,850.	2,065.
	54"	54"	18"	ILTSQ(S/B4/T4)(SG/SC)543()	1,587.	1,838.	1,976.	2,226.
	60"	60"	18"	ILTSQ(S/B4/T4)(SG/SC)603()	1,648.	1,922.	2,083.	2,370.

* Available with Glides and Casters.


Order Code	Specification Information	Application Notes
Example: ILTRDSSG301	<i>To order please specify pattern number including:</i>	The following upcharges apply: Beveled Edge (B4 & T4): \$696 Castors: \$33 Grommets D4, D8 & D12: \$86 Polished finish: \$134 (Top plate, leg or both) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W (30", 36", 42") D8 = Narrow slot 8"W (48" & 54") D12 = Narrow slot 12"W (60" only) S = Power square (All sizes except 30"D)	
T Table	2. Grommet finish: N = Not applicable D4/D8/D12 = B=Black, W=White (textured) S = 111, 114, 115, 117	
SQ Square	3. Worksurface finish: L, V1, V2, V3	
S Edge (S/B4/T4)	4. Edge finish: Complementary synthetic	Edges: S = Square Edge B4 = Thin beveled edge four sides T4 = Thick beveled edge four sides *Foot: SG = Glide SC = Caster Height (to top of worksurface): 1 = 12"H 2 = 15"H 3 = 18"H
SG Foot (SG/SC)		
30 Size		
1 Height (1/2/3)		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Top plate finish		
(114) Leg finish		

Straight Leg, Occasional Heights 12", 15" and 18" High Square Table with Curved Corners


Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Square Table, 12" High Curved corners 	30"	30"	12"	ILTSC(S/B4/T4)SG301() () () ()	\$1,367.	\$1,531.	\$1,605.	\$1,772.
	36"	36"	12"	ILTSC(S/B4/T4)SG361() () () ()	1,413.	1,577.	1,651.	1,818.
	42"	42"	12"	ILTSC(S/B4/T4)SG421() () () ()	1,457.	1,636.	1,727.	1,918.
	48"	48"	12"	ILTSC(S/B4/T4)SG481() () () ()	1,501.	1,731.	1,845.	2,067.
	54"	54"	12"	ILTSC(S/B4/T4)SG541() () () ()	1,554.	1,805.	1,941.	2,195.
	60"	60"	12"	ILTSC(S/B4/T4)SG601() () () ()	1,615.	1,887.	2,050.	2,336.

*Available with Glides only.

Square Table, 15" High Curved corners 	30"	30"	15"	ILTSC(S/B4/T4)SG302() () () ()	1,401.	1,576.	1,669.	1,858.
	36"	36"	15"	ILTSC(S/B4/T4)SG362() () () ()	1,445.	1,622.	1,716.	1,905.
	42"	42"	15"	ILTSC(S/B4/T4)SG422() () () ()	1,489.	1,669.	1,762.	1,951.
	48"	48"	15"	ILTSC(S/B4/T4)SG482() () () ()	1,533.	1,737.	1,850.	2,065.
	54"	54"	15"	ILTSC(S/B4/T4)SG542() () () ()	1,587.	1,838.	1,976.	2,226.
	60"	60"	15"	ILTSC(S/B4/T4)SG602() () () ()	1,648.	1,922.	2,083.	2,370.

*Available with Glides only.

Square Table, 18" High Curved Corners 	30"	30"	18"	ILTSC(S/B4/T4)(SG/SC)303() () () ()	1,401.	1,576.	1,669.	1,858.
	36"	36"	18"	ILTSC(S/B4/T4)(SG/SC)363() () () ()	1,445.	1,622.	1,716.	1,905.
	42"	42"	18"	ILTSC(S/B4/T4)(SG/SC)423() () () ()	1,489.	1,669.	1,762.	1,951.
	48"	48"	18"	ILTSC(S/B4/T4)(SG/SC)483() () () ()	1,533.	1,737.	1,850.	2,065.
	54"	54"	18"	ILTSC(S/B4/T4)(SG/SC)543() () () ()	1,587.	1,838.	1,976.	2,226.
	60"	60"	18"	ILTSC(S/B4/T4)(SG/SC)603() () () ()	1,648.	1,922.	2,083.	2,370.

*Available with Glides and Casters.


Order Code	Specification Information	Application Notes
Example: ILTSCSSG301	<i>To order please specify pattern number including:</i>	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Castors: \$33 Grommets D4, D8 & D12: \$86 Polished finish: \$134 (Top plate, leg or both) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
IL Islands Collection by Knoll®	5. Top plate finish: Painted/textured Polished aluminum	
T Table	6. Leg finish Painted/textured Polished aluminum	
SC Square with Curved Corners	<i>All Worksurfaces are 1 1/4" thick .</i>	
S Edge (S/B4/T4)	Edges: <i>S = Square Edge</i> <i>B4 = Thin beveled edge four sides</i> <i>T4 = Thick beveled edge four sides</i>	
SG Foot (SG/SC)	*Foot: <i>SG = Glide</i> <i>SC = Caster</i>	
30 Size	Height (to top of worksurface): 1 = 12"H 2 = 15"H 3 = 18"H	
1 Height (1/2/3)		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Top plate finish		
(114) Leg finish		

Straight Leg, Occasional Heights


12", 15" and 18" High

Soft Square Tables


Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Soft square Table 12" High 	30"	30"	12"	ILTSS(S/B4/T4)SG301() () () ()	\$1,367.	\$1,531.	\$1,605.	\$1,772.
	36"	36"	12"	ILTSS(S/B4/T4)SG361() () () ()	1,413.	1,577.	1,651.	1,818.
	42"	42"	12"	ILTSS(S/B4/T4)SG421() () () ()	1,457.	1,636.	1,727.	1,918.
	48"	48"	12"	ILTSS(S/B4/T4)SG481() () () ()	1,501.	1,731.	1,845.	2,067.
	54"	54"	12"	ILTSS(S/B4/T4)SG541() () () ()	1,554.	1,805.	1,941.	2,195.
	60"	60"	12"	ILTSS(S/B4/T4)SG601() () () ()	1,615.	1,887.	2,050.	2,336.

*Available with Glides only.

Soft square Table 15" High 	30"	30"	15"	ILTSS(S/B4/T4)SG302() () () ()	1,401.	1,576.	1,669.	1,858.
	36"	36"	15"	ILTSS(S/B4/T4)SG362() () () ()	1,445.	1,622.	1,716.	1,905.
	42"	42"	15"	ILTSS(S/B4/T4)SG422() () () ()	1,489.	1,669.	1,762.	1,951.
	48"	48"	15"	ILTSS(S/B4/T4)SG482() () () ()	1,533.	1,737.	1,850.	2,065.
	54"	54"	15"	ILTSS(S/B4/T4)SG542() () () ()	1,587.	1,838.	1,976.	2,226.
	60"	60"	15"	ILTSS(S/B4/T4)SG602() () () ()	1,648.	1,922.	2,083.	2,370.

*Available with Glides only.

Soft square Table 18" High 	30"	30"	18"	ILTSS(S/B4/T4)(SG/SC)303() () () ()	1,401.	1,576.	1,669.	1,858.
	36"	36"	18"	ILTSS(S/B4/T4)(SG/SC)363() () () ()	1,445.	1,622.	1,716.	1,905.
	42"	42"	18"	ILTSS(S/B4/T4)(SG/SC)423() () () ()	1,489.	1,669.	1,762.	1,951.
	48"	48"	18"	ILTSS(S/B4/T4)(SG/SC)483() () () ()	1,533.	1,737.	1,850.	2,065.
	54"	54"	18"	ILTSS(S/B4/T4)(SG/SC)543() () () ()	1,587.	1,838.	1,976.	2,226.
	60"	60"	18"	ILTSS(S/B4/T4)(SG/SC)603() () () ()	1,648.	1,922.	2,083.	2,370.

*Available with Glides and Casters.

Specification Notes		Application Notes	
Example: ILTSSSSG301	<i>To order please specify pattern number including:</i>	5. Top plate finish: Painted/textured Polished aluminum	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Castors: \$33 Grommets D4, D8 & D12: \$86 Polished finish: \$134 (Top plate, leg or both)
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W (30", 36", 42") D8 = Narrow slot 8"W (48" & 54") D12 = Narrow slot 12"W (60" only) S = Power square (All sizes except 30"D)	6. Leg finish Painted/textured Polished aluminum	
T Table	2. Grommet finish: N = Not applicable D4/D8/D12 = B=Black, W=White (textured) S = 111, 114, 115, 117	<i>All Worksurfaces are 1/4" thick.</i>	
SS Soft Square	3. Worksurface finish: L, V1, V2, V3	Edges: S = Square Edge B4 = Thin beveled edge four sides T4 = Thick beveled edge four sides	All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
S Edge (S/B4/T4)	4. Edge finish: Complementary synthetic	*Foot: SG = Glide SC = Caster	
SG Foot (SG/SC)		Height (to top of worksurface): 1 = 12"H 2 = 15"H 3 = 18"H	
30 Size			
1 Height (1/2/3)			
N Grommet option			
() Grommet finish			
(114) Worksurface finish			
(SYN) Edge finish			
(114) Top plate finish			
(114) Leg finish			

Straight Leg, Occasional Heights


12", 15" and 18" High

Soft Pentagon Tables


Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Soft pentagon Tables 12" High 	36"	36"	12"	ILTPT(S/B4/T4)SG361()	\$1,879.	\$2,138.	\$2,252.	\$2,559.
	42"	42"	12"	ILTPT(S/B4/T4)SG421()	1,926.	2,186.	2,299.	2,607.
	48"	48"	12"	ILTPT(S/B4/T4)SG481()	1,974.	2,234.	2,345.	2,655.
	54"	54"	12"	ILTPT(S/B4/T4)SG541()	2,018.	2,277.	2,393.	2,700.
	60"	60"	12"	ILTPT(S/B4/T4)SG601()	2,072.	2,350.	2,487.	2,826.

*Available with Glides only.

Soft pentagon Tables 15" High 	36"	36"	15"	ILTPT(S/B4/T4)SG362()	1,992.	2,252.	2,365.	2,673.
	42"	42"	15"	ILTPT(S/B4/T4)SG422()	2,039.	2,299.	2,411.	2,720.
	48"	48"	15"	ILTPT(S/B4/T4)SG482()	2,085.	2,345.	2,458.	2,767.
	54"	54"	15"	ILTPT(S/B4/T4)SG542()	2,139.	2,418.	2,555.	2,893.
	60"	60"	15"	ILTPT(S/B4/T4)SG602()	2,200.	2,501.	2,663.	3,034.

*Available with Glides only.

Soft pentagon Tables 18" High 	36"	36"	18"	ILTPT(S/B4/T4)(SG/SC)363()	1,992.	2,252.	2,365.	2,673.
	42"	42"	18"	ILTPT(S/B4/T4)(SG/SC)423()	2,039.	2,299.	2,411.	2,720.
	48"	48"	18"	ILTPT(S/B4/T4)(SG/SC)483()	2,085.	2,345.	2,458.	2,767.
	54"	54"	18"	ILTPT(S/B4/T4)(SG/SC)543()	2,139.	2,418.	2,555.	2,893.
	60"	60"	18"	ILTPT(S/B4/T4)(SG/SC)603()	2,200.	2,501.	2,663.	3,034.

*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTPTSSG301	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W (36", 42") D8 = Narrow slot 8"W (48" & 54") D12 = Narrow slot 12"W (60" only) S = Power square (All sizes)	5. Top plate finish: Painted/textured Polished aluminum
T Table	2. Grommet finish: N = Not applicable D4/D8/D12 = B=Black, W=White (textured) S = 111, 114, 115, 117	6. Leg finish Painted/textured Polished aluminum
PT Soft Pentagon	3. Worksurface finish: L, V1, V2, V3	<i>All Worksurfaces are 1 1/4" thick.</i>
S Edge (S/B4/T4)	4. Edge finish: Complementary synthetic	Edges: S = Square Edge B4 = Thin beveled edge four sides T4 = Thick beveled edge four sides
SG Foot (SG/SC)		*Foot: SG = Glide SC = Caster
30 Size		
1 Height (1/2/3)		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Top plate finish		
(114) Leg finish		

The following upcharges apply:
Beveled Edge (B4 & T4): \$536
Castors: \$33
Grommets D4, D8 & D12: \$86
Polished finish: \$188 (Top plate, leg or both)

All electrical accessories are specified separately.

Refer to Accessories section for electrical component pricing.

Straight Leg, Occasional Heights
12", 15" and 18" High
Soft Pentagon Tables, Type 2


Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Soft Pentagon Tables Type 2, 12" High	48"	48"	12"	ILTP2(S/B4/T4)SG481()	\$2,018.	\$2,277.	\$2,393.	\$2,700.
	54"	54"	12"	ILTP2(S/B4/T4)SG541()	2,072.	2,350.	2,487.	2,826.
	60"	60"	12"	ILTP2(S/B4/T4)SG601()	2,134.	2,434.	2,597.	2,968.




* Available with Glides only.

Soft Pentagon Tables Type 2, 15" High	48"	48"	15"	ILTP2(S/B4/T4)SG482()	2,085.	2,345.	2,458.	2,767.
	54"	54"	15"	ILTP2(S/B4/T4)SG542()	2,139.	2,418.	2,555.	2,893.
	60"	60"	15"	ILTP2(S/B4/T4)SG602()	2,200.	2,501.	2,663.	3,034.



* Available with Glides only.

Soft Pentagon Tables Type 2, 18" High	48"	48"	18"	ILTP2(S/B4/T4)(SG/SC)483()	2,085.	2,345.	2,458.	2,767.
	54"	54"	18"	ILTP2(S/B4/T4)(SG/SC)543()	2,139.	2,418.	2,555.	2,893.
	60"	60"	18"	ILTP2(S/B4/T4)(SG/SC)603()	2,200.	2,501.	2,663.	3,034.



* Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTP2SSG301	<i>To order please specify pattern number including:</i>	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Castors: \$33 Grommets D8 & D12: \$86 Polished finish: \$188 (Top plate, leg or both) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D8 = Narrow slot 8"W (48" & 54") D12 = Narrow slot 12"W (60" only) S = Power square (All sizes except 30"D)	
T Table	2. Grommet finish: N = Not applicable D4/D8/D12 = B=Black, W=White (textured) S = 111, 114, 115, 117	
P2 Soft Pentagon Type 2	3. Worksurface finish: L, V1, V2, V3	*Foot: SG = Glide SC = Caster Height (to top of worksurface): 1 = 12"H 2 = 15"H 3 = 18"H
S Edge (S/B4/T4)	4. Edge finish: Complementary synthetic	
SG Foot (SG/SC)		
30 Size		
1 Height (1/2/3)		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Top plate finish		
(114) Leg finish		

Straight Leg, Occasional Heights
12", 15" and 18" High
Organic Pentagon Tables, Type A


Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Organic Pentagon Table Type A, 12" High	48"	48"	12"	ILTOPA(S/B4/T4)SG481() () () ()	\$2,018.	\$2,277.	\$2,393.	\$2,700.
	54"	54"	12"	ILTOPA(S/B4/T4)SG541() () () ()	2,072.	2,350.	2,487.	2,826.
	60"	60"	12"	ILTOPA(S/B4/T4)SG601() () () ()	2,134.	2,434.	2,597.	2,968.




*Available with Glides only.

Organic Pentagon Table Type A, 15" High	48"	48"	15"	ILTOPA(S/B4/T4)SG482() () () ()	2,085.	2,345.	2,458.	2,767.
	54"	54"	15"	ILTOPA(S/B4/T4)SG542() () () ()	2,139.	2,418.	2,555.	2,893.
	60"	60"	15"	ILTOPA(S/B4/T4)SG602() () () ()	2,200.	2,501.	2,663.	3,034.



*Available with Glides only.

Organic Pentagon Table Type A, 18" High	48"	48"	18"	ILTOPA(S/B4/T4)(SG/SC)483() () () ()	2,085.	2,345.	2,458.	2,767.
	54"	54"	18"	ILTOPA(S/B4/T4)(SG/SC)543() () () ()	2,139.	2,418.	2,555.	2,893.
	60"	60"	18"	ILTOPA(S/B4/T4)(SG/SC)603() () () ()	2,200.	2,501.	2,663.	3,034.



*Available with Glides and Casters.

Order Code	Specification Notes	Application Notes
Example: ILTOPASSG301	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®		
T Table		
OPA Organic pentagon Type A		
S Edge (S/B4/T4)		
SG Foot (SG/SC)		
30 Size		
1 Height (1/2/3)		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Top plate finish		
(114) Leg finish		
	1. Grommet option: N = None (no grommet) D8 = Narrow slot 8"W (48" & 54") D12 = Narrow slot 12"W (60" only) S = Power square (All sizes except 30"D) 2. Grommet finish: N = Not applicable D8/D12 = B=Black, W=White (textured) S = 111, 114, 115, 117 3. Worksurface finish: L, V1, V2, V3 4. Edge finish: Complementary synthetic	5. Top plate finish: Painted/textured Polished aluminum 6. Leg finish: Painted/textured Polished aluminum <i>All Worksurfaces are 1 1/4" thick.</i> Edges: S = Square Edge B4 = Thin beveled edge four sides T4 = Thick beveled edge four sides *Foot: SG = Glide SC = Caster Height (to top of worksurface): 1 = 12"H 2 = 15"H 3 = 18"H The following upcharges apply: Beveled Edge (B4 & T4): \$536 Castors: \$33 Grommets D4, D8 & D12: \$86 Polished finish: \$188 (Top plate, leg or both) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.

Straight Leg, Occasional Heights
12", 15" and 18" High
Organic Pentagon Tables, Type B


Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Organic Pentagon Table Type B, 12" High	48"	48"	12"	ILTOPB(S/B4/T4)SG481() () () ()	\$2,018.	\$2,277.	\$2,393.	\$2,700.
	54"	54"	12"	ILTOPB(S/B4/T4)SG541() () () ()	2,072.	2,350.	2,487.	2,826.
	60"	60"	12"	ILTOPB(S/B4/T4)SG601() () () ()	2,134.	2,434.	2,597.	2,968.



*Available with Glides only.

Organic Pentagon Table Type B, 15" High	48"	48"	15"	ILTOPB(S/B4/T4)SG482() () () ()	2,085.	2,345.	2,458.	2,767.
	54"	54"	15"	ILTOPB(S/B4/T4)SG542() () () ()	2,139.	2,418.	2,555.	2,893.
	60"	60"	15"	ILTOPB(S/B4/T4)SG602() () () ()	2,200.	2,501.	2,663.	3,034.



*Available with Glides only.

Organic Pentagon Table Type B, 18" High	48"	48"	18"	ILTOPB(S/B4/T4)(SG/SC)483() () () ()	2,085.	2,345.	2,458.	2,767.
	54"	54"	18"	ILTOPB(S/B4/T4)(SG/SC)543() () () ()	2,139.	2,418.	2,555.	2,893.
	60"	60"	18"	ILTOPB(S/B4/T4)(SG/SC)603() () () ()	2,200.	2,501.	2,663.	3,034.




*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTOPBSSG301	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®		
T Table		
OPB Organic Pentagon Type B		
S Edge (S/B4/T4)		
SG Foot (SG/SC)		
30 Size		
1 Height (1/2/3)		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Top plate finish		
(114) Leg finish		
	1. Grommet option: N = None (no grommet) D8 = Narrow slot 8"W (48" & 54") D12 = Narrow slot 12"W (60" only) S = Power square (All sizes except 30"D) 2. Grommet finish: N = Not applicable D8/D12 = B=Black, W=White (textured) S = 111, 114, 115, 117 3. Worksurface finish: L, V1, V2, V3 4. Edge finish: Complementary synthetic 5. Top plate finish: Painted/textured Polished aluminum 6. Leg finish: Painted/textured Polished aluminum <i>All Worksurfaces are 1 1/4" thick.</i> Edges: S = Square Edge B4 = Thin beveled edge four sides T4 = Thick beveled edge four sides *Foot: SG = Glide SC = Caster Height (to top of worksurface): 1 = 12"H 2 = 15"H 3 = 18"H	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Casters: \$33 Grommets D4, D8 & D12: \$86 Polished finish: \$188 (Top plate, leg or both) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.

Straight Leg, Occasional Heights
12", 15" and 18" High
Organic Triangle Tables, Left and Right

Islands Collection by Knoll®


description	d	w	h	pattern no.	L	V1	V2	V3
Organic triangle Table 12" High	36"	44"	12"	ILTOT(L/R)(S/B4/T4)SG36441()	\$1,689.	\$1,927.	\$2,012.	\$2,286.
	42"	51"	12"	ILTOT(L/R)(S/B4/T4)SG42511()	1,739.	1,993.	2,101.	2,400.
	48"	59"	12"	ILTOT(L/R)(S/B4/T4)SG48591()	1,799.	2,075.	2,209.	2,542.
	54"	66"	12"	ILTOT(L/R)(S/B4/T4)SG54661()	1,863.	2,163.	2,325.	2,693.
	60"	74"	12"	ILTOT(L/R)(S/B4/T4)SG60741()	1,941.	2,269.	2,463.	2,873.



Left hand shown

*Available with Glides only.


Organic triangle Table 15" High	36"	44"	15"	ILTOT(L/R)(S/B4/T4)SG36442()	1,722.	1,960.	2,046.	2,321.
	42"	51"	15"	ILTOT(L/R)(S/B4/T4)SG42512()	1,772.	2,027.	2,134.	2,434.
	48"	59"	15"	ILTOT(L/R)(S/B4/T4)SG48592()	1,833.	2,110.	2,244.	2,576.
	54"	66"	15"	ILTOT(L/R)(S/B4/T4)SG54662()	1,899.	2,196.	2,358.	2,728.
	60"	74"	15"	ILTOT(L/R)(S/B4/T4)SG60742()	1,976.	2,301.	2,498.	2,906.



Left hand shown

*Available with Glides only.

Organic triangle Table 18" High	36"	44"	18"	ILTOT(L/R)(S/B4/T4)(SG/SC)36443()	1,722.	1,960.	2,046.	2,321.
	42"	51"	18"	ILTOT(L/R)(S/B4/T4)(SG/SC)42513()	1,772.	2,027.	2,134.	2,434.
	48"	59"	18"	ILTOT(L/R)(S/B4/T4)(SG/SC)48593()	1,833.	2,110.	2,244.	2,576.
	54"	66"	18"	ILTOT(L/R)(S/B4/T4)(SG/SC)54663()	1,899.	2,196.	2,358.	2,728.
	60"	74"	18"	ILTOT(L/R)(S/B4/T4)(SG/SC)60743()	1,976.	2,301.	2,498.	2,906.



Left hand shown

*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTOTLSSG36441	To order please specify pattern number including:	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Casters: \$33 Grommets D8 & D12: \$86 Polished finish: \$134 (Top plate, leg or both) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
IL Islands Collection by Knoll®	5. Top plate finish: Painted/textured Polished aluminum	
T Table	6. Leg finish: Painted/textured Polished aluminum	
OT Organic Triangle	All Worksurfaces are 1 1/4" thick.	
L Left hand, (R=Right)	Edges: S = Square Edge B4 = Thin beveled edge four sides T4 = Thick beveled edge four sides	
S Edge (S/B4/T4)	*Foot: SG = Glide SC = Caster	
SG Foot (SG/SC)	Height (to top of worksurface): 1 = 12"H 2 = 15"H 3 = 18"H	
36 Depth		
44 Width		
1 Height (1/2/3)		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Top plate finish		
(114) Leg finish		


Straight Leg, Occasional Heights

Islands Collection by Knoll®

12", 15" and 18" High

Organic Elongated Pentagon Tables, Left and Right


description	d	w	h	pattern no.	L	V1	V2	V3
Organic elongated pentagon Table, 12" High	35"	60"	12"	ILTOE(L/R)(S/B4/T4)SG35601()	\$1,735.	\$1,988.	\$2,092.	\$2,393.
	39"	66"	12"	ILTOE(L/R)(S/B4/T4)SG39661()	1,777.	2,046.	2,169.	2,487.
	42"	72"	12"	ILTOE(L/R)(S/B4/T4)SG42721()	1,817.	2,099.	2,240.	2,583.
	45"	78"	12"	ILTOE(L/R)(S/B4/T4)SG45781()	1,859.	2,156.	2,316.	2,681.
	48"	84"	12"	ILTOE(L/R)(S/B4/T4)SG48841()	1,906.	2,219.	2,398.	2,787.



Left hand shown

*Available with Glides only.


Organic elongated pentagon Table, 15" High	35"	60"	15"	ILTOE(L/R)(S/B4/T4)SG35602()	1,768.	2,021.	2,127.	2,423.
	39"	66"	15"	ILTOE(L/R)(S/B4/T4)SG39662()	1,810.	2,079.	2,201.	2,523.
	42"	72"	15"	ILTOE(L/R)(S/B4/T4)SG42722()	1,850.	2,133.	2,273.	2,614.
	45"	78"	15"	ILTOE(L/R)(S/B4/T4)SG45782()	1,892.	2,189.	2,348.	2,715.
	48"	84"	15"	ILTOE(L/R)(S/B4/T4)SG48842()	1,938.	2,252.	2,432.	2,820.



Left hand shown

*Available with Glides only.

Organic elongated pentagon Table, 18" High	35"	60"	18"	ILTOE(L/R)(S/B4/T4)(SG/SC)35603()	1,768.	2,021.	2,127.	2,423.
	39"	66"	18"	ILTOE(L/R)(S/B4/T4)(SG/SC)39663()	1,810.	2,079.	2,201.	2,523.
	42"	72"	18"	ILTOE(L/R)(S/B4/T4)(SG/SC)42723()	1,850.	2,133.	2,273.	2,614.
	45"	78"	18"	ILTOE(L/R)(S/B4/T4)(SG/SC)45783()	1,892.	2,189.	2,348.	2,715.
	48"	84"	18"	ILTOE(L/R)(S/B4/T4)(SG/SC)48843()	1,938.	2,252.	2,432.	2,820.



Left hand shown


*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTOELSSG35601	To order please specify pattern number including:	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Castors: \$33 Grommets D12: \$86 Polished finish: \$131 (Top plate, leg or both) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D12 = Narrow slot 12"W (60" only) S = Power square (All sizes) All grommets are centered on the worksurfaces.	
T Table	2. Grommet finish: N = Not applicable D12 = B=Black, W=White (textured) S = 111, 114, 115, 117	
OE Organic Elongated Pentagon	3. Worksurface finish: L, V1, V2, V3	
L Left Hand, (R=Right)	4. Edge finish: Complementary synthetic	
S Edge (S/B4/T4)	5. Top plate finish: Painted/textured Polished aluminum	Edges: S = Square Edge B4 = Thin beveled edge four sides T4 = Thick beveled edge four sides *Foot: SG = Glide SC = Caster Height (to top of worksurface): 1 = 12"H 2 = 15"H 3 = 18"H
SG Foot (SG/SC)		
35 Depth		
60 Width		
1 Height (1/2/3)		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Top plate finish		
(114) Leg finish		

Straight Leg, Occasional Heights
12", 15" and 18" High
Organic Rectangle Table, Left and Right

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Organic rectangle Table 12" High	33"	60"	12"	ILTOR(L/R)(S/B4/T4)SG33601()	\$1,723.	\$1,975.	\$2,074.	\$2,368.
	33"	72"	12"	ILTOR(L/R)(S/B4/T4)SG33721()	1,757.	2,021.	2,137.	2,449.
	39"	60"	12"	ILTOR(L/R)(S/B4/T4)SG39601()	1,755.	2,017.	2,132.	2,443.
	39"	72"	12"	ILTOR(L/R)(S/B4/T4)SG39721()	1,796.	2,072.	2,206.	2,537.



Left hand shown

*Available with Glides only.


Organic rectangle Table 15" High	33"	60"	15"	ILTOR(L/R)(S/B4/T4)SG33602()	1,756.	2,007.	2,109.	2,400.
	33"	72"	15"	ILTOR(L/R)(S/B4/T4)SG33722()	1,791.	2,054.	2,172.	2,482.
	39"	60"	15"	ILTOR(L/R)(S/B4/T4)SG39602()	1,789.	2,051.	2,165.	2,474.
	39"	72"	15"	ILTOR(L/R)(S/B4/T4)SG39722()	1,830.	2,108.	2,239.	2,572.



Left hand shown

*Available with Glides only.

Organic rectangle Table 18" High	33"	60"	18"	ILTOR(L/R)(S/B4/T4)(SG/SC)33603()	1,756.	2,007.	2,109.	2,400.
	33"	72"	18"	ILTOR(L/R)(S/B4/T4)(SG/SC)33723()	1,791.	2,054.	2,172.	2,482.
	39"	60"	18"	ILTOR(L/R)(S/B4/T4)(SG/SC)39603()	1,789.	2,051.	2,165.	2,474.
	39"	72"	18"	ILTOR(L/R)(S/B4/T4)(SG/SC)39723()	1,830.	2,108.	2,239.	2,572.



Left hand shown

*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTORLSSG36441	To order please specify pattern number including:	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Castors: \$33 Grommets D8 & D12: \$86 Polished finish: \$134 (Top plate, leg or both) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D8 = Narrow slot 8"W (48" & 54") S = Power square (All sizes) All grommets are center on the work surface.	
T Table	2. Grommet finish: N = Not applicable D8 = B=Black, W=White (textured) S = 111, 114, 115, 117	
OR Organic Rectangle	3. Worksurface finish: L, V1, V2, V3	
L Left hand, (R=Right)	4. Edge finish: Complementary synthetic	
S Edge (S/B4/T4)	5. Top plate finish: Painted/textured Polished aluminum	
SG Foot (SG/SC)	6. Leg finish: Painted/textured Polished aluminum	
33 Depth	All Worksurfaces are 1 1/4" thick.	
60 Width	Edges: S = Square Edge B4 = Thin beveled edge four sides T4 = Thick beveled edge four sides	
1 Height (1/2/3)	*Foot: SG = Glide SC = Caster	
N Grommet option	Height (to top of work surface): 1 = 12"H 2 = 15"H 3 = 18"H	
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Top plate finish		
(114) Leg finish		

Straight Leg - Desk Height

29" High

Round Tables

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Round Table	48"	48"	29"	ILTRD(S/B4/T4)(SG/SC)484()	\$1,797.	\$2,062.	\$2,176.	\$2,470.
29" High	54"	54"	29"	ILTRD(S/B4/T4)(SG/SC)544()	1,848.	2,130.	2,266.	2,587.
	60"	60"	29"	ILTRD(S/B4/T4)(SG/SC)604()	1,909.	2,211.	2,375.	2,728.



*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTRDSSG484	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D8 = Narrow slot 8"W (48" & 54") D12 = Narrow slot 12"W (60" only) S = Power square (All sizes except 30"D)	5. Top plate finish: Painted/textured Polished aluminum
T Table		6. Leg finish Painted/textured Polished aluminum
RD Round		<i>All Worksurfaces are 1/4" thick .</i>
S Edge (S/B4/T4)		Edges: <i>S = Square Edge</i> <i>B4 = Thin beveled edge four sides</i> <i>T4 = Thick beveled edge four sides</i>
SG Foot (SG/SC)		*Foot: <i>SG = Glide</i> <i>SC = Caster</i>
48 Size		Height 29" is to top of worksurface.
4 29" High		
N Grommet option	2. Grommet finish: N = Not applicable D8/D12 = B=Black, W=White (textured) S = 111, 114, 115, 117	
() Grommet finish	3. Worksurface finish: L, V1, V2, V3	
(114) Worksurface finish	4. Edge finish: Complementary synthetic	
(SYN) Edge finish		
(114) Top plate finish		
(114) Leg finish		

The following upcharges apply:
Beveled Edge (B4 & T4): \$536
Castors: \$33
Grommets D8 & D12: \$86
Polished finish: \$242 (Top plate, leg or both)

All electrical accessories are specified separately.

Refer to Accessories section for electrical component pricing.


Straight Leg - Desk Height

Islands Collection by Knoll®

29" High


Square Tables with Square and Curved Corners

description	d	w	h	pattern no.	L	V1	V2	V3
Square Table 29" High	36"	36"	29"	ILTSQ(S/B4/T4)(SG/SC)364() () () () ()	\$1,513.	\$1,676.	\$1,751.	\$1,852.
	42"	42"	29"	ILTSQ(S/B4/T4)(SG/SC)424() () () () ()	1,556.	1,737.	1,828.	1,951.
	48"	48"	29"	ILTSQ(S/B4/T4)(SG/SC)484() () () () ()	1,600.	1,831.	1,946.	2,103.
	54"	54"	29"	ILTSQ(S/B4/T4)(SG/SC)544() () () () ()	1,653.	1,905.	2,041.	2,226.
	60"	60"	29"	ILTSQ(S/B4/T4)(SG/SC)604() () () () ()	1,715.	1,987.	2,149.	2,370.



*Available with Glides and Casters.

Square Table with curved corners 29" High	36"	36"	29"	ILTSC(S/B4/T4)(SG/SC)364() () () () ()	1,513.	1,676.	1,751.	1,852.
	42"	42"	29"	ILTSC(S/B4/T4)(SG/SC)424() () () () ()	1,556.	1,737.	1,828.	1,951.
	48"	48"	29"	ILTSC(S/B4/T4)(SG/SC)484() () () () ()	1,600.	1,831.	1,946.	2,103.
	54"	54"	29"	ILTSC(S/B4/T4)(SG/SC)544() () () () ()	1,653.	1,905.	2,041.	2,226.
	60"	60"	29"	ILTSC(S/B4/T4)(SG/SC)604() () () () ()	1,715.	1,987.	2,149.	2,370.



*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTSQSSG364	<i>To order please specify pattern number including:</i>	The following upcharges apply: Beveled Edge (B4 & T4): \$696 for Square Table Beveled Edge (B4 & T4): \$536 for Soft Square Table Castors: \$33 Grommets D4, D8 & D12: \$86 Polished finish: \$242 (Top plate, leg or both) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
IL Island Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W (36", 42") D8 = Narrow slot 8"W (48" & 54") D12 = Narrow slot 12"W (60" only) S = Power square (All sizes except 30"D) <i>All grommets are centered on the work surface.</i>	
T Table	2. Grommet finish: N = Not applicable D4/D8/D12 = B=Black, W=White (textured) S = 111, 114, 115, 117	
SQ Square, SC=Square with Curved corners	3. Worksurface finish: L, V1, V2, V3	
S Edge (S/B4/T4)	4. Edge finish: Complementary synthetic	
SG Foot (SG/SC)	5. Top plate finish: Painted/textured Polished aluminum	*Foot: SG = Glide SC = Caster Height 29" is to top of work surface.
36 Size	6. Leg finish: Painted/textured Polished aluminum	
4 29" High	<i>All Worksurfaces are 1 1/4" thick .</i>	
N Grommet option	Edges: S = Square Edge B4 = Thin beveled edge four sides T4 = Thick beveled edge four sides	
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Top plate finish		
(114) Leg finish		

Straight Leg - Desk Height

29" High

Soft Square Tables

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Soft Square Table 29" High	42"	42"	29"	ILTSS(S/B4/T4)(SG/SC)424 () () () () ()	\$1,556.	\$1,737.	\$1,828.	\$2,017.
	48"	48"	29"	ILTSS(S/B4/T4)(SG/SC)484 () () () () ()	1,606.	1,802.	1,915.	2,133.
	54"	54"	29"	ILTSS(S/B4/T4)(SG/SC)544 () () () () ()	1,653.	1,905.	2,041.	2,294.
	60"	60"	29"	ILTSS(S/B4/T4)(SG/SC)604 () () () () ()	1,715.	1,987.	2,149.	2,435.



*Available with Glides and Casters.

Specification Notes

Example:	ILTSSSSG424
IL	Island Collection by Knoll®
T	Table
SS	Soft Square
S	Edge (S/B4/T4)
SG	Foot (SG/SC)
42	Size
4	29" High
N	Grommet option
()	Grommet finish
(114)	Worksurface finish
(SYN)	Edge finish
(114)	Top plate finish
(114)	Leg finish

To order please specify pattern number including:

- Grommet option:
N = None (no grommet)
D4 = Narrow slot 4"W (42" only)
D8 = Narrow slot 8"W (48" & 54")
D12 = Narrow slot 12"W (60" only)
S = Power square (All sizes)
All grommets are centered on the worksurface.
- Grommet finish:
N = Not applicable
D4/D8/D12 = B=Black, W=White (textured)
S = 111, 114, 115, 117
- Worksurface finish:
L, V1, V2, V3
- Edge finish:
Complementary synthetic

- Top plate finish:
Painted/textured
Polished aluminum
- Leg finish:
Painted/textured
Polished aluminum

All Worksurfaces are 1 1/4" thick .

Edges:
S = Square Edge
B4 = **Thin** beveled edge four sides
T4 = **Thick** beveled edge four sides

***Foot:**
SG = Glide
SC = Caster

Height 29" is to top of worksurface.

Application Notes

The following upcharges apply:
Beveled Edge (B4 & T4): \$536
Castors: \$33
Grommets D4, D8 & D12: \$86
Polished finish: \$242 (Top plate, leg or both)

All electrical accessories are specified separately.

Refer to Accessories section for electrical component pricing.

Straight Leg - Desk Height

Islands Collection by Knoll®

29" High

Soft Pentagon and Soft Pentagon Type 2 Tables

description	d	w	h	pattern no.	L	V1	V2	V3
Soft Pentagon Table 29" High	48"	48"	29"	ILTP2(S/B4/T4)(SG/SC)484() () () ()	\$2,186.	\$2,446.	\$2,557.	\$2,867.
	54"	54"	29"	ILTP2(S/B4/T4)(SG/SC)544() () () ()	2,240.	2,519.	2,656.	2,993.
	60"	60"	29"	ILTP2(S/B4/T4)(SG/SC)604() () () ()	2,300.	2,601.	2,763.	3,132.



* Available with Glides and Casters.

Soft Pentagon Tables Type 2, 29" High	48"	48"	29"	ILTP2(S/B4/T4)(SG/SC)484() () () ()	2,186.	2,446.	2,557.	2,867.
	54"	54"	29"	ILTP2(S/B4/T4)(SG/SC)544() () () ()	2,240.	2,519.	2,656.	2,993.
	60"	60"	29"	ILTP2(S/B4/T4)(SG/SC)604() () () ()	2,300.	2,601.	2,763.	3,132.



* Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILPTSSG484	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D8 = Narrow slot 8"W (48" & 54") D12 = Narrow slot 12"W (60" only) S = Power square (All sizes) <i>All grommets are centered on the worksurface.</i>	5. Top plate finish: Painted/textured Polished aluminum
T Table	2. Grommet finish: N = Not applicable D8/D12 = B=Black, W=White (textured) S = 111, 114, 115, 117	6. Leg finish Painted/textured Polished aluminum
PT Soft Pentagon	3. Worksurface finish: L, V1, V2, V3	<i>All Worksurfaces are 1 1/4" thick .</i>
S Edge (S/B4/T4)	4. Edge finish: Complementary synthetic	Edges: S = Square Edge B4 = Thin beveled edge four sides T4 = Thick beveled edge four sides
SG Foot (SG/SC)		*Foot: SG = Glide SC = Caster
48 Size		
4 29" High		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Top plate finish		
(114) Leg finish		

Application Notes

The following upcharges apply:
Beveled Edge (B4 & T4): \$536
Castors: \$33
Grommets D8 & D12: \$86
Polished finish: \$295 (Top plate, leg or both)

All electrical accessories are specified separately.

Refer to Accessories section for electrical component pricing.

Height 29" is to top of worksurface.

Straight Leg - Desk Height

29" High

Organic Pentagon Type A and B

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Organic Pentagon Table Type A, 29" High	48"	48"	29"	ILTOPA(S/B4/T4)(SG/SC)484() () () ()	\$1,853.	\$2,113.	\$2,224.	\$2,534.
	54"	54"	29"	ILTOPA(S/B4/T4)(SG/SC)544() () () ()	1,908.	2,186.	2,323.	2,661.
	60"	60"	29"	ILTOPA(S/B4/T4)(SG/SC)604() () () ()	1,967.	2,269.	2,431.	2,800.



*Available with Glides and Casters.

Organic Pentagon Table Type B, 29" High	48"	48"	29"	ILTOPB(S/B4/T4)(SG/SC)484() () () ()	1,853.	2,113.	2,224.	2,534.
	54"	54"	29"	ILTOPB(S/B4/T4)(SG/SC)544() () () ()	1,908.	2,186.	2,323.	2,661.
	60"	60"	29"	ILTOPB(S/B4/T4)(SG/SC)604() () () ()	1,967.	2,269.	2,431.	2,800.



*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTOPASSG484	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	5. Top plate finish: Painted/textured Polished aluminum	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Castors: \$33 Grommets D8 & D12: \$86 Polished finish: \$295 (Top plate, leg or both) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
T Table	6. Leg finish Painted/textured Polished aluminum	
OPA Organic Pentagon Type A	<i>All Worksurfaces are 1 1/4" thick .</i>	
S Edge (S/B4/T4)	Edges: <i>S = Square Edge</i> <i>B4 = Thin beveled edge four sides</i> <i>T4 = Thick beveled edge four sides</i>	
SG Foot (SG/SC)	*Foot: <i>SG = Glide</i> <i>SC = Caster</i>	
48 Size		
4 29" High		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Top plate finish		
(114) Leg finish		

Straight Leg - Desk Height

29" High

Organic Triangle, Left and Right

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Organic triangle Table 29" High	36"	44"	29"	ILTOT(L/R)(S/B4/T4)(SG/SC)36444() () () ()	\$1,789.	\$2,027.	\$2,113.	\$2,386.
	42"	51"	29"	ILTOT(L/R)(S/B4/T4)(SG/SC)42514() () () ()	1,838.	2,092.	2,200.	2,501.
	48"	59"	29"	ILTOT(L/R)(S/B4/T4)(SG/SC)48594() () () ()	1,900.	2,176.	2,310.	2,643.
	54"	66"	29"	ILTOT(L/R)(S/B4/T4)(SG/SC)54664() () () ()	1,965.	2,262.	2,423.	2,794.
	60"	74"	29"	ILTOT(L/R)(S/B4/T4)(SG/SC)60744() () () ()	2,041.	2,368.	2,562.	2,973.



Left hand shown

*Available with Glides and Casters.

*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTOTLSSG36444	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D8 = Narrow slot 8"W (3644, 4251) D12 = Narrow slot 12"W (4859, 5460, 6074) S = Power square (All sizes) <i>All grommets are centered on the work surface.</i>	5. Top plate finish: Painted/textured Polished aluminum
T Table	2. Grommet finish: N = Not applicable D8/D12 = B=Black, W=White (textured) S = 111, 114, 115, 117	6. Leg finish: Painted/textured Polished aluminum
OT Organic Triangle	3. Worksurface finish: L, V1, V2, V3	<i>All Worksurfaces are 1 1/4" thick .</i>
L Left hand (R=Right hand)	4. Edge finish: Complementary synthetic	*Foot: SG = Glide SC = Caster
S Edge (S/B4/T4)		
SG Foot (SG/SC)		
36 Depth		
44 Width		
4 29" High		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Top plate finish		
(114) Leg finish		

The following upcharges apply:
Beveled Edge (B4 & T4): \$536
Castors: \$33
Grommets D8 & D12: \$86
Polished finish: \$242 (Top plate, leg or both)

All electrical accessories are specified separately.

Refer to Accessories section for electrical component pricing.

Height 29" is to top of work surface.

Straight Leg - Desk Height

Islands Collection by Knoll®

29" High

Organic Elongated Pentagon, Left and Right

description	d	w	h	pattern no.	L	V1	V2	V3
Organic elongated pentagon Table, 29" High	35"	60"	29"	ILTOE(L/R)(S/B4/T4)(SG/SC)35604() () () () ()	\$1,835.	\$2,088.	\$2,193.	\$2,489.
	39"	66"	29"	ILTOE(L/R)(S/B4/T4)(SG/SC)39664() () () () ()	1,877.	2,144.	2,269.	2,588.
	42"	72"	29"	ILTOE(L/R)(S/B4/T4)(SG/SC)42724() () () () ()	1,915.	2,198.	2,340.	2,681.
	42"	72"	29"	ILTOE(L/R)(S/B4/T4)(SG/SC)45784() () () () ()	1,959.	2,256.	2,415.	2,782.
	48"	84"	29"	ILTOE(L/R)(S/B4/T4)(SG/SC)48844() () () () ()	2,004.	2,319.	2,499.	2,887.



Left hand shown

*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTOELSSG35604	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D12 = Narrow slot 12"W (All sizes) S = Power square (All sizes)	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Castors: \$33 Grommets D12: \$86 Polished finish: \$242 (Top plate, leg or both) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
T Table	2. Grommet Location: CB = Centered Back Edge (Short edge) CF = Centered Front Edge (Long edge)	
OE Organic Elongated Pentagon	3. Grommet finish: N = Not applicable D12 = B=Black, W=White (textured) S = 111, 114, 115, 117	
L Left hand (R=Right hand)	4. Worksurface finish: L, V1, V2, V3	
S Edge (S/B4/T4)	5. Edge finish: Complementary synthetic	
SG Foot (SG/SC)	6. Top plate finish: Painted/textured Polished aluminum	Edges: <i>S = Square Edge</i> <i>B4 = Thin beveled edge four sides</i> <i>T4 = Thick beveled edge four sides</i> *Foot: <i>SG = Glide</i> <i>SC = Caster</i> Height 29" is to top of worksurface.
35 Depth	7. Leg finish: Painted/textured Polished aluminum	
60 Width		
4 27 1/2" High		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Top plate finish		
(114) Leg finish		

Straight Leg - Desk Height
29" High
Organic Rectangle, Left and Right

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Organic rectangle Table	33"	60"	29"	ILTOR(L/R)(S/B4/T4)(SG/SC)33604()	\$1,824.	\$2,072.	\$2,175.	\$2,468.
29" High	33"	72"	29"	ILTOR(L/R)(S/B4/T4)(SG/SC)33724()	1,858.	2,121.	2,238.	2,549.
	39"	60"	29"	ILTOR(L/R)(S/B4/T4)(SG/SC)39604()	1,855.	2,117.	2,232.	2,539.
	39"	72"	29"	ILTOR(L/R)(S/B4/T4)(SG/SC)39724()	1,898.	2,174.	2,306.	2,638.



Left hand shown

*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTORLSSG33604	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D8 = Narrow slot 8"W (All sizes) S = Power square (All sizes)	6. Top plate finish: Painted/textured Polished aluminum
T Table	2. Grommet location: CB = Centered Back Edge (Short edge) CF = Centered Front Edge (Long edge)	7. Leg finish Painted/textured Polished aluminum
OR Organic Rectangle	3. Grommet finish: N = Not applicable D8 = B=Black, W=White (textured) S = 111, 114, 115, 117	<i>All Worksurfaces are 1 1/4" thick .</i>
L Left hand (R=Right hand)	4. Worksurface finish: L, V1, V2, V3	Edges: <i>S = Square Edge</i> <i>B4 = Thin beveled edge four sides</i> <i>T4 = Thick beveled edge four sides</i>
S Edge (S/B4/T4)	5. Edge finish: Complementary synthetic	*Foot: <i>SG = Glide</i> <i>SC = Caster</i>
SG Foot (SG/SC)		Height 29" is to top of worksurface.
33 Depth		
60 Width		
4 29" High		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Top plate finish		
(114) Leg finish		

The following upcharges apply:
Beveled Edge (B4 & T4): \$536
Castors: \$33
Grommets D8: \$86
Polished finish: \$242 (Top plate, leg or both)

All electrical accessories are specified separately.


Refer to Accessories section for electrical component pricing.

Straight Leg - Desk Height

29" High

Rectilinear Tables with Square Corners

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Rectilinear Table with square corners 	24"	48"	29"	ILTRL(S/B4/T4)(SG/SC)48244() () () () ()	\$1,497.	\$1,618.	\$1,681.	\$1,827.
		54"	29"	ILTRL(S/B4/T4)(SG/SC)54244() () () () ()	1,513.	1,636.	1,705.	1,859.
		60"	29"	ILTRL(S/B4/T4)(SG/SC)60244() () () () ()	1,529.	1,653.	1,729.	1,889.
		66"	29"	ILTRL(S/B4/T4)(SG/SC)66244() () () () ()	1,546.	1,704.	1,791.	1,971.
		72"	29"	ILTRL(S/B4/T4)(SG/SC)72244() () () () ()	1,561.	1,722.	1,814.	1,999.
		78"	29"	ILTRL(S/B4/T4)(SG/SC)78244() () () () ()	1,576.	1,741.	1,838.	2,030.
		78"	29"	ILTRL(S/B4/T4)(SG/SC)84244() () () () ()	1,594.	1,797.	1,901.	2,111.
	30"	48"	29"	ILTRL(S/B4/T4)(SG/SC)48304() () () () ()	1,529.	1,653.	1,729.	1,889.
		54"	29"	ILTRL(S/B4/T4)(SG/SC)54304() () () () ()	1,546.	1,676.	1,760.	1,929.
		60"	29"	ILTRL(S/B4/T4)(SG/SC)60304() () () () ()	1,565.	1,701.	1,790.	1,968.
		66"	29"	ILTRL(S/B4/T4)(SG/SC)66304() () () () ()	1,586.	1,754.	1,855.	2,052.
		72"	29"	ILTRL(S/B4/T4)(SG/SC)72304() () () () ()	1,605.	1,776.	1,884.	2,090.
		78"	29"	ILTRL(S/B4/T4)(SG/SC)78304() () () () ()	1,622.	1,797.	1,913.	2,128.
		84"	29"	ILTRL(S/B4/T4)(SG/SC)84304() () () () ()	1,643.	1,859.	1,980.	2,213.
	36"	48"	29"	ILTRL(S/B4/T4)(SG/SC)48364() () () () ()	1,558.	1,691.	1,778.	1,952.
		54"	29"	ILTRL(S/B4/T4)(SG/SC)54364() () () () ()	1,581.	1,718.	1,814.	1,999.
		60"	29"	ILTRL(S/B4/T4)(SG/SC)60364() () () () ()	1,603.	1,746.	1,850.	2,046.
		66"	29"	ILTRL(S/B4/T4)(SG/SC)66364() () () () ()	1,626.	1,804.	1,921.	2,136.
		72"	29"	ILTRL(S/B4/T4)(SG/SC)72364() () () () ()	1,649.	1,830.	1,954.	2,184.
		78"	29"	ILTRL(S/B4/T4)(SG/SC)78364() () () () ()	1,670.	1,856.	1,989.	2,226.
		84"	29"	ILTRL(S/B4/T4)(SG/SC)84364() () () () ()	1,692.	1,922.	2,062.	2,322.

*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTRLSSG48244	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D12 = Narrow slot 12"W (All sizes) D30 = Narrow slot 30"W (Available on 60" and 96"w tops) S = Power square (All sizes)	6. Top plate finish: Painted/textured Polished aluminum
T Table	2. Grommet finish: N = Not applicable D12/D30 = B=Black, W=White (textured) S = 111, 114, 115, 117	7. Leg finish Painted/textured Polished aluminum
RL Rectilinear Square Corner	3. Grommet location: CC = Centered/Centered (Centered on both length and width) CB = Centered/Back (Centered across the width, recessed from back edge)	<i>All Worksurfaces are 1 1/4" thick .</i>
S Edge (S/B4/T4)	4. Worksurface finish: L, V1, V2, V3	Edges: S = Square Edge B4 = Thin beveled edge four sides T4 = Thick beveled edge four sides
SG Foot (SG/SC)	5. Edge finish: Complementary synthetic	*Foot: SG = Glide SC = Caster
48 Width		Height 29" is to top of worksurface.
24 Depth		
4 29" High		
N Grommet option		
() Grommet finish		
(CC) Grommet location		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Top plate finish		
(114) Leg finish		

The following upcharges apply:
Beveled Edge (B4 & T4): \$696
Casters: \$33
Grommets D12: \$86
Grommets D30: \$107
Polished finish: \$242 (Top plate, leg or both)


All electrical accessories are specified separately.
 Refer to Accessories section for electrical component pricing.

Straight Leg - Desk Height

29" High

Rectilinear Tables with Curved Corners

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Rectilinear Table with Curved corners 	24"	48"	29"	ILTRC(S/B4/T4)(SG/SC)48244() () () () ()	\$1,497.	\$1,858.	\$1,855.	\$2,138.
		54"	29"	ILTRC(S/B4/T4)(SG/SC)54244() () () () ()	1,513.	1,876.	1,879.	2,172.
		60"	29"	ILTRC(S/B4/T4)(SG/SC)60244() () () () ()	1,529.	1,894.	1,904.	2,201.
		66"	29"	ILTRC(S/B4/T4)(SG/SC)66244() () () () ()	1,546.	1,927.	1,941.	2,252.
		72"	29"	ILTRC(S/B4/T4)(SG/SC)72244() () () () ()	1,561.	1,947.	1,966.	2,281.
		72"	29"	ILTRC(S/B4/T4)(SG/SC)78244() () () () ()	1,576.	1,964.	1,988.	2,313.
		84"	29"	ILTRC(S/B4/T4)(SG/SC)84244() () () () ()	1,594.	2,027.	2,063.	2,409.
	30"	48"	29"	ILTRC(S/B4/T4)(SG/SC)48304() () () () ()	1,529.	1,894.	1,904.	2,201.
		54"	29"	ILTRC(S/B4/T4)(SG/SC)54304() () () () ()	1,546.	1,915.	1,933.	2,242.
		60"	29"	ILTRC(S/B4/T4)(SG/SC)60304() () () () ()	1,565.	1,940.	1,964.	2,278.
		66"	29"	ILTRC(S/B4/T4)(SG/SC)66304() () () () ()	1,586.	1,977.	2,004.	2,333.
		72"	29"	ILTRC(S/B4/T4)(SG/SC)72304() () () () ()	1,605.	1,999.	2,036.	2,374.
		78"	29"	ILTRC(S/B4/T4)(SG/SC)78304() () () () ()	1,622.	2,020.	2,064.	2,410.
		84"	29"	ILTRC(S/B4/T4)(SG/SC)84304() () () () ()	1,643.	2,088.	2,141.	2,513.
	36"	48"	29"	ILTRC(S/B4/T4)(SG/SC)48364() () () () ()	1,558.	1,930.	1,951.	2,263.
		54"	29"	ILTRC(S/B4/T4)(SG/SC)54364() () () () ()	1,581.	1,958.	1,987.	2,312.
		60"	29"	ILTRC(S/B4/T4)(SG/SC)60364() () () () ()	1,603.	1,986.	2,023.	2,356.
		66"	29"	ILTRC(S/B4/T4)(SG/SC)66364() () () () ()	1,626.	2,026.	2,070.	2,419.
		72"	29"	ILTRC(S/B4/T4)(SG/SC)72364() () () () ()	1,649.	2,052.	2,107.	2,464.
		78"	29"	ILTRC(S/B4/T4)(SG/SC)78364() () () () ()	1,670.	2,079.	2,140.	2,511.
		84"	29"	ILTRC(S/B4/T4)(SG/SC)84364() () () () ()	1,692.	2,149.	2,223.	2,618.

*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTRCSSG48244	<i>To order please specify pattern number including:</i>	The following upcharges apply:
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D12 = Narrow slot 12"W (All sizes) D30 = Narrow slot 30"W (Available on 60" to 84"w tops) S = Power square (All sizes)	Beveled Edge (B4 & T4): \$536 Castors: \$33 Grommets D12: \$86 Grommets D30: \$107 Polished finish: \$242 (Top plate, leg or both)
T Table	2. Grommet finish: N = Not applicable D12/D30 = B=Black, W=White (textured) S = 111, 114, 115, 117	All electrical accessories are specified separately.
RC Rectilinear with Curved Corner	3. Grommet location: CC = Centered/Centered (Centered on both length and width) CB = Centered/Back (Centered across the width, recessed from back edge)	Refer to Accessories section for electrical component pricing.
S Edge (S/B4/T4)	4. Worksurface finish: L, V1, V2, V3	
SG Foot (SG/SC)	5. Edge finish: Complementary synthetic	
48 Width		
24 Depth		
4 29" High		
N Grommet option		
() Grommet finish		
(CC) Grommet location		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Top plate finish		
(114) Leg finish		

Straight Leg - Desk Height

29" High

120° Degree Tables

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
120° Degree Table with Square corners	24"	33"	29"	ILTVS(S/B4/T4)(SG/SC)24334 () () () () ()	\$1,718.	\$1,932.	\$1,987.	\$2,223.
	30"	36"	29"	ILTVS(S/B4/T4)(SG/SC)30364 () () () () ()	1,743.	1,966.	2,034.	2,281.



* Available with Glides and Casters.

120° Degree Table with Curved corners	24"	33"	29"	ILTVR(S/B4/T4)(SG/SC)24334 () () () () ()	1,718.	1,932.	1,987.	2,223.
	30"	36"	29"	ILTVR(S/B4/T4)(SG/SC)30364 () () () () ()	1,743.	1,966.	2,034.	2,281.



* Available with Glides and Casters.

Order Code		Specification Information	Application Notes	
Example: ILTVSSSG24334		<i>To order please specify pattern number including:</i>	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Casters: \$33 Grommets D8: \$86 Polished finish: \$242 (Top plate, leg or both) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.	
IL	Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D8 = Narrow slot 8"W (All sizes) S = Power square		5. Top plate finish: Painted/textured Polished aluminum
T	Table	2. Grommet finish: N = Not applicable D8 = B=Black, W=White (textured) S = 111, 114, 115, 117		6. Leg finish Painted/textured Polished aluminum
VS	120° Table with Square corners (CY=with Curved corners)	3. Worksurface finish: L, V1, V2, V3		<i>All Worksurfaces are 1 1/4" thick .</i>
S	Edge (S/B4/T4)	4. Edge finish: Complementary synthetic		Edges: <i>S = Square Edge</i> <i>B4 = Thin beveled edge four sides</i> <i>T4 = Thick beveled edge four sides</i>
SG	Foot (SG/SC)			*Foot: <i>SG = Glide</i> <i>SC = Caster</i>
24	Depth			Height 29" is to top of worksurface.
33	Width			
4	29" High			
N	Grommet option			
()	Grommet finish			
(114)	Worksurface finish			
(SYN)	Edge finish			
(114)	Top plate finish			
(114)	Leg finish			

Straight Leg - Desk Height

29" High

Cairo Shaped Tables

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Cairo Shaped Table with Square corners	30"	52"	29"	ILTC(S/B4/T4)(SG/SC)52304()()()()()()	\$1,786.	\$2,024.	\$2,109.	\$2,382.
	36"	63"	29"	ILTC(S/B4/T4)(SG/SC)63364()()()()()()	1,849.	2,109.	2,220.	2,526.



Cairo Shaped Table with Curved corners	30"	52"	29"	ILTCY(S/B4/T4)(SG/SC)52304()()()()()()	1,786.	2,024.	2,109.	2,382.
	36"	63"	29"	ILTCY(S/B4/T4)(SG/SC)63364()()()()()()	1,849.	2,109.	2,220.	2,526.



Order Code	Specification Information	Application Notes
Example: ILTCSSSG52304	<i>To order please specify pattern number including:</i>	
IL	Islands Collection by Knoll®	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Casters: \$33 Grommets D12: \$86 Polished finish: \$242 (Top plate, leg or both)
T	Table	
CS	Cairo with Square corners CY=with Curved corners)	
S	Edge (S/B4/T4)	
SG	Foot (SG/SC)	
52	Width	All electrical accessories are specified separately.
30	Depth	Refer to Accessories section for electrical component pricing.
4	29" High	
N	Grommet option	
()	Grommet finish	
(CC)	Grommet location	
(114)	Worksurface finish	
(SYN)	Edge finish	
(114)	Top plate finish	
(114)	Leg finish	

X-Base Tables - Occasional Heights

12", 15" and 18" High

Round Tables

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
	30"		12"	ILTRD(S/B/T)X301() () () ()	\$1,270.	\$1,491.	\$1,550.	\$1,777.
	36"		12"	ILTRD(S/B/T)X361() () () ()	1,306.	1,540.	1,615.	1,859.
	42"		12"	ILTRD(S/B/T)X421() () () ()	1,350.	1,598.	1,689.	1,956.

*Available with Glides only.

	30"		15"	ILTRD(S/B/T)X302() () () ()	1,270.	1,491.	1,550.	1,777.
	36"		15"	ILTRD(S/B/T)X362() () () ()	1,306.	1,540.	1,615.	1,859.
	42"		15"	ILTRD(S/B/T)X422() () () ()	1,350.	1,598.	1,689.	1,956.

*Available with Glides only.

	30"		18"	ILTRD(S/B/T)(X/XC)303() () () ()	1,270.	1,491.	1,550.	1,777.
	36"		18"	ILTRD(S/B/T)(X/XC)363() () () ()	1,306.	1,540.	1,615.	1,859.
	42"		18"	ILTRD(S/B/T)(X/XC)423() () () ()	1,350.	1,598.	1,689.	1,956.

*Available with Glides and Casters.

Order Code	Specification Information	Application Notes	
Example: ILTRDSX301	<i>To order please specify pattern number including:</i>		
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W (36", 42") S = Power square (36", 42")	5. Cone finish (36" & 42"): Painted/textured Polished aluminum	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Casters: \$33 Grommets D4: \$86 Polished finish: \$107 (Cone, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
T Table	2. Grommet finish: N = Not applicable D4 = B=Black, W=White (textured) S = 111, 114, 115, 117	6. Column finish Painted/textured Polished aluminum	
RD Round	3. Worksurface finish: L, V1, V2, V3	7. Foot finish Painted/textured Polished aluminum	
S Edge (S/B/T)	4. Edge finish: Complementary synthetic		
X Foot (X/XC)			
30 Size		<i>All Worksurfaces are 1 1/4" thick.</i>	
1 Height (1/2/3)		Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>	
N Grommet option		*Foot: <i>X = Glide</i> <i>XC = Caster</i>	
() Grommet finish		Height (to top of worksurface): 1 = 12"H 2 = 15"H 3 = 18"H	
(114) Worksurface finish			
(SYN) Edge finish			
(114) Cone finish			
(114) Foot finish			


X-Base Tables - Occasional Heights

12", 15" and 18" High

Square Tables


Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Square Table 12" High	30"		12"	ILTSQ(S/B/T)X301() () () ()	\$1,076.	\$1,229.	\$1,287.	\$1,436.
	36"		12"	ILTSQ(S/B/T)X361() () () ()	1,115.	1,278.	1,352.	1,517.
	42"		12"	ILTSQ(S/B/T)X421() () () ()	1,155.	1,337.	1,429.	1,618.



*Available with Glides only.

Square Table 15" High	30"		15"	ILTSQ(S/B/T)X302() () () ()	1,076.	1,229.	1,287.	1,436.
	36"		15"	ILTSQ(S/B/T)X362() () () ()	1,115.	1,278.	1,352.	1,517.
	42"		15"	ILTSQ(S/B/T)X422() () () ()	1,155.	1,337.	1,429.	1,618.



*Available with Glides only.

Square Table 18" High	30"		18"	ILTSQ(S/B/T)(X/XC)303() () () ()	1,076.	1,229.	1,287.	1,436.
	36"		18"	ILTSQ(S/B/T)(X/XC)363() () () ()	1,115.	1,278.	1,352.	1,517.
	42"		18"	ILTSQ(S/B/T)(X/XC)423() () () ()	1,155.	1,337.	1,429.	1,618.



*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTSQSX301	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	5. Cone finish (36" & 42"): Painted/textured Polished aluminum	The following upcharges apply: Beveled Edge (B4 & T4): \$696 Casters: \$33 Grommets D4: \$86 Polished finish: \$107 (Cone, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
T Table	6. Column finish: Painted/textured Polished aluminum	
SQ Square	7. Foot finish: Painted/textured Polished aluminum	
S Edge (S/B/T)		
X Foot (X/XC)		
30 Size		
1 Height (1/2/3)		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Cone finish		
(114) Foot finish		

To order please specify pattern number including:

- Grommet option:
N = None (no grommet)
D4 = Narrow slot 4"W (36", 42")
S = Power square (36", 42")
- Grommet finish:
N = Not applicable
D4 = B=Black, W=White (textured)
S = 111, 114, 115, 117
- Worksurface finish:
L, V1, V2, V3
- Edge finish:
Complementary synthetic

5. Cone finish (36" & 42"): Painted/textured Polished aluminum

6. Column finish: Painted/textured Polished aluminum

7. Foot finish: Painted/textured Polished aluminum

All Worksurfaces are 1/4" thick.

Edges:
S = Square Edge
B = Thin beveled edge four sides
T = Thick beveled edge four sides

***Foot:**
X = Glide
XC = Caster

Height (to top of worksurface):
 1 = 12"H
 2 = 15"H
 3 = 18"H

X-Base Tables - Occasional Heights

12", 15" and 18" High

Soft Square Tables

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Soft Square Table 12" High 	30"		12"	ILTSS(S/B/T)X301() () () () ()	\$1,076.	\$1,229.	\$1,287.	\$1,436.
	36"		12"	ILTSS(S/B/T)X361() () () () ()	1,115.	1,278.	1,352.	1,517.
	42"		12"	ILTSS(S/B/T)X421() () () () ()	1,155.	1,337.	1,429.	1,618.

*Available with Glides only.

Soft Square Table 15" High 	30"		15"	ILTSS(S/B/T)X302() () () () ()	1,076.	1,229.	1,287.	1,436.
	36"		15"	ILTSS(S/B/T)X362() () () () ()	1,115.	1,278.	1,352.	1,517.
	42"		15"	ILTSS(S/B/T)X422() () () () ()	1,155.	1,337.	1,429.	1,618.

*Available with Glides only.

Soft Square Table 18" High 	30"		18"	ILTSS(S/B/T)(X/XC)303() () () () ()	1,076.	1,229.	1,287.	1,436.
	36"		18"	ILTSS(S/B/T)(X/XC)363() () () () ()	1,115.	1,278.	1,352.	1,517.
	42"		18"	ILTSS(S/B/T)(X/XC)423() () () () ()	1,155.	1,337.	1,429.	1,618.

*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTSSSX301	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	5. Cone finish (36" & 42"): Painted/textured Polished aluminum	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Casters: \$33 Grommets D4: \$86 Polished finish: \$107 (Cone, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
T Table	6. Column finish: Painted/textured Polished aluminum	
SS Soft Square	7. Foot finish: Painted/textured Polished aluminum	
S Edge (S/B/T)		
X Foot (X/XC)		
30 Size		
1 Height (1/2/3)		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Cone finish		
(114) Foot finish		

To order please specify pattern number including:

- Grommet option:
N = None (no grommet)
D4 = Narrow slot 4"W (36", 42")
S = Power square (36", 42")
- Grommet finish:
N = Not applicable
D4 = B=Black, W=White (textured)
S = 111, 114, 115, 117
- Worksurface finish:
L, V1, V2, V3
- Edge finish:
Complementary synthetic

5. Cone finish (36" & 42"): Painted/textured Polished aluminum

6. Column finish: Painted/textured Polished aluminum

7. Foot finish: Painted/textured Polished aluminum

All Worksurfaces are 1/4" thick.

Edges:
S = Square Edge
B = Thin beveled edge four sides
T = Thick beveled edge four sides

***Foot:**
X = Glide
XC = Caster

Height (to top of worksurface):
 1 = 12"H
 2 = 15"H
 3 = 18"H


X-Base Tables - Occasional Heights

12", 15" and 18" High

Square Tables with Curved Corners


Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Square Table, 12" High Curved Corners	30"		12"	ILTSC(S/B/T)X301() () () ()	\$1,076.	\$1,229.	\$1,287.	\$1,436.
	36"		12"	ILTSC(S/B/T)X361() () () ()	1,115.	1,278.	1,352.	1,517.
	42"		12"	ILTSC(S/B/T)X421() () () ()	1,155.	1,337.	1,429.	1,618.




*Available with Glides only.

Square Table, 15" High Curved Corners	30"		15"	ILTSC(S/B/T)X302() () () ()	1,076.	1,229.	1,287.	1,436.
	36"		15"	ILTSC(S/B/T)X362() () () ()	1,115.	1,278.	1,352.	1,517.
	42"		15"	ILTSC(S/B/T)X422() () () ()	1,155.	1,337.	1,429.	1,618.



*Available with Glides only.

Square Table, 18" High Curved Corners	30"		18"	ILTSC(S/B/T)(X/XC)303() () () ()	1,076.	1,229.	1,287.	1,436.
	36"		18"	ILTSC(S/B/T)(X/XC)363() () () ()	1,115.	1,278.	1,352.	1,517.
	42"		18"	ILTSC(S/B/T)(X/XC)423() () () ()	1,155.	1,337.	1,429.	1,618.



*Available with Glides and Casters.

Order Code	Specification Information	Application Notes	
Example: ILTSCSX301	<i>To order please specify pattern number including:</i>		
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W (36", 42") S = Power square (36", 42")	5. Cone finish (36" & 42"): Painted/textured Polished aluminum	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Casters: \$33 Grommets D4: \$86 Polished finish: \$107 (Cone, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
T Table	2. Grommet finish: N = Not applicable D4 = B=Black, W=White (textured) S = 111, 114, 115, 117	6. Column finish Painted/textured Polished aluminum	
SC Square table with curved corners	3. Worksurface finish: L, V1, V2, V3	7. Foot finish Painted/textured Polished aluminum	
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	<i>All Worksurfaces are 1 1/4" thick.</i>	
X Foot (X/XC)		Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>	
30 Size		*Foot: <i>X = Glide</i> <i>XC = Caster</i>	
1 Height (1/2/3)		Height (to top of worksurface): 1 = 12"H 2 = 15"H 3 = 18"H	
N Grommet option			
() Grommet finish			
(114) Worksurface finish			
(SYN) Edge finish			
(114) Cone finish			
(114) Foot finish			

X-Base Tables - Occasional Heights

12", 15" and 18" High

Soft Pentagon

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Soft Pentagon Table 12" High 	30"		12"	ILTSP(S/B/T)X301() () () () ()	\$1,328.	\$1,545.	\$1,603.	\$1,847.
	36"		12"	ILTSP(S/B/T)X361() () () () ()	1,362.	1,594.	1,667.	1,927.
	42"		12"	ILTSP(S/B/T)X421() () () () ()	1,406.	1,649.	1,741.	2,023.

*Available with Glides only.

Soft Pentagon Table 15" High 	30"		15"	ILTSP(S/B/T)X302() () () () ()	1,328.	1,545.	1,603.	1,847.
	36"		15"	ILTSP(S/B/T)X362() () () () ()	1,362.	1,594.	1,667.	1,927.
	42"		15"	ILTSP(S/B/T)X422() () () () ()	1,406.	1,649.	1,741.	2,023.

*Available with Glides only.

Soft Pentagon Table 18" High 	30"		18"	ILTSP(S/B/T)(X/XC)303() () () () ()	1,328.	1,545.	1,603.	1,847.
	36"		18"	ILTSP(S/B/T)(X/XC)363() () () () ()	1,362.	1,594.	1,667.	1,927.
	42"		18"	ILTSP(S/B/T)(X/XC)423() () () () ()	1,406.	1,649.	1,741.	2,023.

*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTSPSX301	<i>To order please specify pattern number including:</i>	The following upcharges apply:
IL Islands Collection by Knoll®	5. Cone finish (36" & 42"): Painted/textured Polished aluminum	Beveled Edge (B4 & T4): \$536
T Table	6. Column finish: Painted/textured Polished aluminum	Casters: \$33
SP Soft Pentagon	7. Foot finish: Painted/textured Polished aluminum	Grommets D4: \$86
S Edge (S/B/T)		Polished finish: \$107 (Cone, Column, Foot or all)
X Foot (X/XC)		All electrical accessories are specified separately.
30 Size		Refer to Accessories section for electrical component pricing.
1 Height (1/2/3)		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Cone finish		
(114) Foot finish		

To order please specify pattern number including:

- Grommet option:
N = None (no grommet)
D4 = Narrow slot 4"W (36", 42")
S = Power square (36", 42")
- Grommet finish:
N = Not applicable
D4 = B=Black, W=White (textured)
S = 111, 114, 115, 117
- Worksurface finish:
L, V1, V2, V3
- Edge finish:
Complementary synthetic

5. Cone finish (36" & 42"): Painted/textured Polished aluminum

6. Column finish: Painted/textured Polished aluminum

7. Foot finish: Painted/textured Polished aluminum

All Worksurfaces are 1/4" thick.

Edges:
S = Square Edge
B = **Thin** beveled edge four sides
T = **Thick** beveled edge four sides

***Foot:**
X = Glide
XC = Caster

Height (to top of worksurface):
1 = 12"H
2 = 15"H
3 = 18"H

X-Base Tables - Occasional Heights

12", 15" and 18" High

Organic Pentagon Type A

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Organic Pentagon Table Type A, 12" High 	30"	30"	12"	ILTOPA(S/B/T)X301 () () () () ()	\$1,328.	\$1,545.	\$1,603.	\$1,847.
	36"	36"	12"	ILTOPA(S/B/T)X361 () () () () ()	1,362.	1,594.	1,667.	1,927.
	42"	42"	12"	ILTOPA(S/B/T)X421 () () () () ()	1,406.	1,649.	1,741.	2,023.

*Available with Glides only.

Organic Pentagon Table Type A, 15" High 	30"	30"	15"	ILTOPA(S/B/T)X302 () () () () ()	1,328.	1,545.	1,603.	1,847.
	36"	36"	15"	ILTOPA(S/B/T)X362 () () () () ()	1,362.	1,594.	1,667.	1,927.
	42"	42"	15"	ILTOPA(S/B/T)X422 () () () () ()	1,406.	1,649.	1,741.	2,023.

*Available with Glides only.

Organic Pentagon Table Type A, 18" High 	30"	30"	18"	ILTOPA(S/B/T)(X/XC)303 () () () () ()	1,328.	1,545.	1,603.	1,847.
	36"	36"	18"	ILTOPA(S/B/T)(X/XC)363 () () () () ()	1,362.	1,594.	1,667.	1,927.
	42"	42"	18"	ILTOPA(S/B/T)(X/XC)423 () () () () ()	1,406.	1,649.	1,741.	2,023.

*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTOPASX301	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®		
T Table		
OPA Organic Pentagon Type A		
S Edge (S/B/T)		
X Foot (X/XC)		
30 Size		
1 Height (1/2/3)		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Cone finish		
(114) Foot finish		

To order please specify pattern number including:

- Grommet option:
N = None (no grommet)
D4 = Narrow slot 4"W (36", 42")
S = Power square (36", 42")
- Grommet finish:
N = Not applicable
D4 = B=Black, W=White (textured)
S = 111, 114, 115, 117
- Worksurface finish:
L, V1, V2, V3
- Edge finish:
Complementary synthetic

- Cone finish (36" & 42"):
Painted/textured
Polished aluminum
- Column finish
Painted/textured
Polished aluminum
- Foot finish
Painted/textured
Polished aluminum

All Worksurfaces are 1/4" thick.

Edges:
S = Square Edge
B = **Thin** beveled edge four sides
T = **Thick** beveled edge four sides

***Foot:**
X = Glide
XC = Caster

Height (to top of worksurface):
1 = 12"H
2 = 15"H
3 = 18"H

The following upcharges apply:
Beveled Edge (B4 & T4): \$536
Casters: \$33
Grommets D4: \$86
Polished finish: \$107 (Cone, Column, Foot or all)

All electrical accessories are specified separately.

Refer to Accessories section for electrical component pricing.

X-Base Tables - Occasional Heights

12", 15" and 18" High

Organic Pentagon Type B

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Organic Pentagon Table Type B, 12" High	30"	30"	12"	ILTOPB(S/B/T)X301()	\$1,328.	\$1,545.	\$1,603.	\$1,847.
	36"	36"	12"	ILTOPB(S/B/T)X361()	1,362.	1,594.	1,667.	1,927.
	42"	42"	12"	ILTOPB(S/B/T)X421()	1,406.	1,649.	1,741.	2,023.



*Available with Glides only.

Organic Pentagon Table Type B, 15" High	30"	30"	15"	ILTOPB(S/B/T)X302()	1,328.	1,545.	1,603.	1,847.
	36"	36"	15"	ILTOPB(S/B/T)X362()	1,362.	1,594.	1,667.	1,927.
	42"	42"	15"	ILTOPB(S/B/T)X422()	1,406.	1,649.	1,741.	2,023.



*Available with Glides only.

Organic Pentagon Table Type B, 18" High	30"	30"	18"	ILTOPB(S/B/T)(X/XC)303()	1,328.	1,545.	1,603.	1,847.
	36"	36"	18"	ILTOPB(S/B/T)(X/XC)363()	1,362.	1,594.	1,667.	1,927.
	42"	42"	18"	ILTOPB(S/B/T)(X/XC)423()	1,406.	1,649.	1,741.	2,023.



*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTOPBSX301	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	5. Cone finish (36" & 42"): Painted/textured Polished aluminum	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Castors: \$33 Grommets D4: \$86 Polished finish: \$107 (Cone, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
T Table	6. Column finish: Painted/textured Polished aluminum	
OPB Organic Pentagon Type B	7. Foot finish: Painted/textured Polished aluminum	
S Edge (S/B/T)		
X Foot (X/XC)		
30 Size	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W (36", 42") S = Power square (36", 42")	
1 Height (1/2/3)	2. Grommet finish: N = Not applicable D4 = B=Black, W=White (textured) S = 111, 114, 115, 117	
N Grommet option	3. Worksurface finish: L, V1, V2, V3	
() Grommet finish	4. Edge finish: Complementary synthetic	
(114) Worksurface finish		
(SYN) Edge finish		
(114) Cone finish		
(114) Foot finish		

All Worksurfaces are 1 1/4" thick.

Edges:
S = Square Edge
B = Thin beveled edge four sides
T = Thick beveled edge four sides

***Foot:**
X = Glide
XC = Caster

Height (to top of worksurface):
1 = 12"H
2 = 15"H
3 = 18"H

X-Base Tables - Desk Height

29" High

Round Tables

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Round Table 29" High	30"	30"	29"	ILTRD(S/B/T)(X/XC)304() () () () ()	\$1,303.	\$1,526.	\$1,584.	\$1,810.
	36"	36"	29"	ILTRD(S/B/T)(X/XC)364() () () () ()	1,340.	1,574.	1,648.	1,892.
	42"	42"	29"	ILTRD(S/B/T)(X/XC)424() () () () ()	1,384.	1,631.	1,722.	1,989.



*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTRDSX304	<i>To order please specify pattern number including:</i>	The following upcharges apply:
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W (36", 42") S = Power square (36", 42")	Beveled Edge (B4 & T4): \$536 Castors: \$33 Grommets D4: \$86 Polished finish: \$107 (Cone, Column, Foot or all)
T Table	2. Grommet finish: N = Not applicable D4 = B=Black, W=White (textured) S = 111, 114, 115, 117	All electrical accessories are specified separately.
RD Round	3. Worksurface finish: L, V1, V2, V3	Refer to Accessories section for electrical component pricing.
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	
X Foot (X/XC)		
30 Width		
4 29" High		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Cone finish		
(114) Column finish		
(114) Foot finish		

5. Cone finish:
Painted/textured
Polished aluminum

6. Column finish:
Painted/textured
Polished aluminum

7. Foot finish
Painted/textured
Polished aluminum

All Worksurfaces are 1 1/4" thick .

Edges:
S = Square Edge
B = **Thin** beveled edge four sides
T = **Thick** beveled edge four sides

***Foot:**
X = Glide
XC = Caster

Height 29" is to top of worksurface.

X-Base Tables - Desk Height

Islands Collection by Knoll®

29" High

Square, Soft Square and Square with Curved Corners Tables

description	d	w	h	pattern no.	L	V1	V2	V3
Square Table 29" High	30"		29"	ILTSQ(S/B/T)(X/XC)304()	\$1,111.	\$1,263.	\$1,322.	\$1,467.
	36"		29"	ILTSQ(S/B/T)(X/XC)364()	1,146.	1,311.	1,387.	1,551.
	42"		29"	ILTSQ(S/B/T)(X/XC)424()	1,191.	1,370.	1,463.	1,651.



*Available with Glides and Casters.

Soft Square Table 29" High	30"		29"	ILTSS(S/B/T)(X/XC)304()	1,111.	1,263.	1,322.	1,467.
	36"		29"	ILTSS(S/B/T)(X/XC)364()	1,146.	1,311.	1,387.	1,551.
	42"		29"	ILTSS(S/B/T)(X/XC)424()	1,191.	1,370.	1,463.	1,651.



*Available with Glides and Casters.

Square Table, 29" High Curved Corners	30"		29"	ILTSC(S/B/T)(X/XC)304()	1,111.	1,263.	1,322.	1,467.
	36"		29"	ILTSC(S/B/T)(X/XC)364()	1,146.	1,311.	1,387.	1,551.
	42"		29"	ILTSC(S/B/T)(X/XC)424()	1,191.	1,370.	1,463.	1,651.



*Available with Glides and Casters.

Order Code		Specification Information	Application Notes	
Example:	ILTSQSX304	<i>To order please specify pattern number including:</i>	The following upcharges apply: Beveled Edge (B4 & T4): \$696 for Square Table Beveled Edge (B4 & T4): \$536 for Soft Square Table Casters: \$33 Grommets D4: \$86 Polished finish: \$107 (Cone, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.	
IL	Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W (36", 42") S = Power square (36", 42")		5. Cone finish: Painted/textured Polished aluminum
T	Table	2. Grommet finish: N = Not applicable D4 = B=Black, W=White (textured) S = 111, 114, 115, 117		6. Column finish: Painted/textured Polished aluminum
SQ	Square SS=Soft Square	3. Worksurface finish: L, V1, V2, V3		7. Foot finish Painted/textured Polished aluminum
S	Edge (S/B/T)	4. Edge finish: Complementary synthetic		<i>All Worksurfaces are 1 1/4" thick .</i>
X	Foot (X/XC)			Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>
30	Width / Depth			*Foot: <i>X = Glide</i> <i>XC = Caster</i>
4	29" High			Height 29" is to top of worksurface.
N	Grommet option			
()	Grommet finish			
(114)	Worksurface finish			
(SYN)	Edge finish			
(114)	Cone finish			
(114)	Column finish			
(114)	Foot finish			

X-Base Tables - Desk Height

Islands Collection by Knoll®

29" High

Soft Pentagon, Organic Pentagon Type A and B

description	d	w	h	pattern no.	L	V1	V2	V3
Soft Pentagon Table 29" High	30"		29"	ILTSP(S/B/T)(X/XC)304() () () ()	\$1,361.	\$1,579.	\$1,638.	\$1,879.
	36"		29"	ILTSP(S/B/T)(X/XC)364() () () ()	1,396.	1,626.	1,700.	1,960.
	42"		29"	ILTSP(S/B/T)(X/XC)424() () () ()	1,439.	1,681.	1,774.	2,057.



*Available with Glides and Casters.

Organic Pentagon Table Type A, 29" High	30"		29"	ILTOPA(S/B/T)(X/XC)304() () () ()	1,361.	1,579.	1,638.	1,879.
	36"		29"	ILTOPA(S/B/T)(X/XC)364() () () ()	1,396.	1,626.	1,700.	1,960.
	42"		29"	ILTOPA(S/B/T)(X/XC)424() () () ()	1,439.	1,681.	1,774.	2,057.



*Available with Glides and Casters.

Organic Pentagon Table Type B, 29" High	30"		29"	ILTOPB(S/B/T)(X/XC)304() () () ()	1,361.	1,579.	1,638.	1,879.
	36"		29"	ILTOPB(S/B/T)(X/XC)364() () () ()	1,396.	1,626.	1,700.	1,960.
	42"		29"	ILTOPB(S/B/T)(X/XC)424() () () ()	1,439.	1,681.	1,774.	2,057.



*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTSPSX304	<i>To order please specify pattern number including:</i>	
IL	Islands Collection by Knoll®	5. Cone finish: Painted/textured Polished aluminum 6. Column finish: Painted/textured Polished aluminum 7. Foot finish Painted/textured Polished aluminum <i>All Worksurfaces are 1 1/4" thick .</i> Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i> *Foot: <i>X = Glide</i> <i>XC = Caster</i> Height 29" is to top of worksurface.
T	Table	
SP	Soft Pentagon OPA=Organic Pentagon Type A OPB=Organic Pentagon Type B	
S	Edge (S/B/T)	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Casters: \$33 Grommets D4: \$86 Polished finish: \$107 (Cone, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
X	Foot (X/XC)	
30	Width	
4	29" High	
N	Grommet option	
()	Grommet finish	
(114)	Worksurface finish	
(SYN)	Edge finish	
(114)	Cone finish	
(114)	Column finish	
(114)	Foot finish	

X-Base Tables - Standing Height


36" and 42" High

Round Tables

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
 Round Table 36" High	30"	30"	36"	ILTRD(S/B/T)X305() () () () ()	\$1,337.	\$1,558.	\$1,617.	\$1,843.
	36"	36"	36"	ILTRD(S/B/T)X365() () () () ()	1,374.	1,606.	1,680.	1,926.
	42"	42"	36"	ILTRD(S/B/T)X425() () () () ()	1,415.	1,665.	1,755.	2,023.

*Available with Glides only.

 Round Table 42" High	30"	30"	42"	ILTRD(S/B/T)X306() () () () ()	1,337.	1,558.	1,617.	1,843.
	36"	36"	42"	ILTRD(S/B/T)X366() () () () ()	1,374.	1,606.	1,680.	1,926.
	42"	42"	42"	ILTRD(S/B/T)X426() () () () ()	1,415.	1,665.	1,755.	2,023.

*Available with Glides only.

Order Code	Specification Information	Application Notes	
Example: ILTRDSX305	<i>To order please specify pattern number including:</i>		
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W (36", 42") S = Power square (36", 42")	5. Cone finish: Painted/textured Polished aluminum	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Casters: \$33 Grommets D4: \$86 Polished finish: \$107 (Cone, Column, Foot or all)
T Table	2. Grommet finish: N = Not applicable D4 = B=Black, W=White (textured) S = 111, 114, 115, 117	6. Column finish: Painted/textured Polished aluminum	
RD Round	3. Worksurface finish: L, V1, V2, V3	7. Foot finish Painted/textured Polished aluminum	
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	<i>All Worksurfaces are 1 1/4" thick .</i>	All electrical accessories are specified separately.
X Foot (X/XC)		Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>	Refer to Accessories section for electrical component pricing.
30 Width		*Foot: <i>X = Glide</i>	
5 36" High, 6=42" High		Height 36" and 42" is to top of	
N Grommet option			
() Grommet finish			
(114) Worksurface finish			
(SYN) Edge finish			
(114) Cone finish			
(114) Column finish			
(114) Foot finish			

X-Base Tables - Standing Height

36" and 42" High

Square and Soft Square Tables

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Square Table 36" High	30"		36"	ILTSQ(S/B/T)X305()	\$1,143.	\$1,296.	\$1,354.	\$1,502.
	36"		36"	ILTSQ(S/B/T)X365()	1,181.	1,344.	1,418.	1,585.
	42"		36"	ILTSQ(S/B/T)X425()	1,222.	1,403.	1,494.	1,686.



* Available with Glides only.

Square Table 42" High	30"		42"	ILTSQ(S/B/T)X306()	1,143.	1,296.	1,354.	1,502.
	36"		42"	ILTSQ(S/B/T)X366()	1,181.	1,344.	1,418.	1,585.
	42"		42"	ILTSQ(S/B/T)X426()	1,222.	1,403.	1,494.	1,686.



* Available with Glides only.

Soft Square Table 36" High	30"		36"	ILTSS(S/B/T)X305()	1,143.	1,296.	1,354.	1,502.
	36"		36"	ILTSS(S/B/T)X365()	1,181.	1,344.	1,418.	1,585.
	42"		36"	ILTSS(S/B/T)X425()	1,222.	1,403.	1,494.	1,686.



* Available with Glides only.

Soft Square Table 42" High	30"		42"	ILTSS(S/B/T)X306()	1,143.	1,296.	1,354.	1,502.
	36"		42"	ILTSS(S/B/T)X366()	1,181.	1,344.	1,418.	1,585.
	42"		42"	ILTSS(S/B/T)X426()	1,222.	1,403.	1,494.	1,686.



* Available with Glides only.

Order Code	Specification Information	Application Notes
Example: ILTSQSX305	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	5. Cone finish: Painted/textured Polished aluminum	The following upcharges apply: Beveled Edge (B4 & T4): \$696 for Square Table Beveled Edge (B4 & T4): \$536 for Soft Square Table Casters: \$33 Grommets D4: \$86 Polished finish: \$107 (Cone, Column, Foot or all)
T Table	6. Column finish: Painted/textured Polished aluminum	
SQ Square SS=Soft Square	7. Foot finish Painted/textured Polished aluminum	
S Edge (S/B/T)		
X Foot		All electrical accessories are specified separately.
30 Width / Depth		
5 36" High, 6=42" High		
N Grommet option		Refer to Accessories section for electrical component pricing.
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Cone finish		
(114) Column finish		
(114) Foot finish		

To order please specify pattern number including:

- Grommet option:
N = None (no grommet)
D4 = Narrow slot 4"W (36", 42")
S = Power square (36", 42")
- Grommet finish:
N = Not applicable
D4 = B=Black, W=White (textured)
S = 111, 114, 115, 117
- Worksurface finish:
L, V1, V2, V3
- Edge finish:
Complementary synthetic

- Cone finish:
Painted/textured
Polished aluminum
 - Column finish:
Painted/textured
Polished aluminum
 - Foot finish:
Painted/textured
Polished aluminum
- All Worksurfaces are 1 1/4" thick .*
- Edges:**
S = Square Edge
B = Thin beveled edge four sides
T = Thick beveled edge four sides

***Foot:**
X= Glide

Height 36" and 42" is to top of worksurface.

X-Base Tables - Standing Height

36" and 42" High

Square Tables with Curved Corners

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Square Table, 36" High Curved Corners	30"		36"	ILTSC(S/B/T)X305() () () () ()	\$1,143.	\$1,296.	\$1,354.	\$1,502.
	36"		36"	ILTSC(S/B/T)X365() () () () ()	1,181.	1,344.	1,418.	1,585.
	42"		36"	ILTSC(S/B/T)X425() () () () ()	1,222.	1,403.	1,494.	1,686.

*Available with Glides only.



Square Table, 42" High Curved Corners	30"		42"	ILTSC(S/B/T)X306() () () () ()	1,143.	1,296.	1,354.	1,502.
	36"		42"	ILTSC(S/B/T)X366() () () () ()	1,181.	1,344.	1,418.	1,585.
	42"		42"	ILTSC(S/B/T)X426() () () () ()	1,222.	1,403.	1,494.	1,686.

*Available with Glides only.



Order Code	Specification Information	Application Notes
Example: ILTSCSX305	<i>To order please specify pattern number including:</i>	
IL	Islands Collection by Knoll®	5. Cone finish: Painted/textured Polished aluminum
T	Table	6. Column finish: Painted/textured Polished aluminum
SC	Square with curved corners	7. Foot finish Painted/textured Polished aluminum
S	Edge (S/B/T)	<i>All Worksurfaces are 1 ¼" thick .</i> Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i> *Foot: <i>X= Glide</i> Height 36" and 42" is to top of worksurface.
X	Foot	
30	Width / Depth	
5	36" High, 6=42" High	
N	Grommet option	
()	Grommet finish	
(114)	Worksurface finish	
(SYN)	Edge finish	
(114)	Cone finish	
(114)	Column finish	
(114)	Foot finish	

X-Base Tables - Standing Height

36" and 42" High

Soft Pentagon

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Soft Pentagon Table 36" High	30"		36"	ILTSP(S/B/T)X305() ()()()()	\$1,394.	\$1,612.	\$1,670.	\$1,912.
	36"		36"	ILTSP(S/B/T)X365() ()()()()()	1,429.	1,661.	1,732.	1,993.
	42"		36"	ILTSP(S/B/T)X425() ()()()()()	1,471.	1,716.	1,807.	2,089.



*Available with Glides only.

Soft Pentagon Table 42" High	30"		42"	ILTSP(S/B/T)X306() ()()()()()	1,394.	1,612.	1,670.	1,912.
	36"		42"	ILTSP(S/B/T)X366() ()()()()()()	1,429.	1,661.	1,732.	1,993.
	42"		42"	ILTSP(S/B/T)X426() ()()()()()()	1,471.	1,716.	1,807.	2,089.



*Available with Glides only.

Order Code	Specification Information	Application Notes	
Example: ILTSPSX305	<i>To order please specify pattern number including:</i>		
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W (36", 42") S = Power square (36", 42")	5. Cone finish: Painted/textured Polished aluminum	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Casters: \$33 Grommets D4: \$86 Polished finish: \$107 (Cone, Column, Foot or all)
T Table	2. Grommet finish: N = Not applicable D4 = B=Black, W=White (textured) S = 111, 114, 115, 117	6. Column finish: Painted/textured Polished aluminum	
SP Soft Pentagon	3. Worksurface finish: L, V1, V2, V3	7. Foot finish Painted/textured Polished aluminum	
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	<i>All Worksurfaces are 1 1/4" thick .</i>	All electrical accessories are specified separately.
X Foot		Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>	Refer to Accessories section for electrical component pricing.
30 Width		*Foot: <i>X = Glide</i>	
5 36" High, 6=42" High		Height 36" and 42" is to top of	
N Grommet option			
() Grommet finish			
(114) Worksurface finish			
(SYN) Edge finish			
(114) Cone finish			
(114) Column finish			
(114) Foot finish			

X-Base Tables - Standing Height

36" and 42" High

Organic Pentagon Type A and B

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Organic Pentagon Table Type A, 36" High	30"		36"	ILTOPA(S/B/T)X305() () () () ()	\$1,394.	\$1,612.	\$1,670.	\$1,912.
	36"		36"	ILTOPA(S/B/T)X365() () () () ()	1,429.	1,661.	1,732.	1,993.
	42"		36"	ILTOPA(S/B/T)X425() () () () ()	1,471.	1,716.	1,807.	2,089.



*Available with Glides only.

Organic Pentagon Table Type A, 42" High	30"		42"	ILTOPA(S/B/T)X306() () () () ()	1,394.	1,612.	1,670.	1,912.
	36"		42"	ILTOPA(S/B/T)X366() () () () ()	1,429.	1,661.	1,732.	1,993.
	42"		42"	ILTOPA(S/B/T)X426() () () () ()	1,471.	1,716.	1,807.	2,089.



*Available with Glides only.

Organic Pentagon Table Type B, 36" High	30"		36"	ILTOPB(S/B/T)X305() () () () ()	1,394.	1,612.	1,670.	1,912.
	36"		36"	ILTOPB(S/B/T)X365() () () () ()	1,429.	1,661.	1,732.	1,993.
	42"		36"	ILTOPB(S/B/T)X425() () () () ()	1,471.	1,716.	1,807.	2,089.



*Available with Glides only.

Organic Pentagon Table Type B, 42" High	30"		42"	ILTOPB(S/B/T)X306() () () () ()	1,394.	1,612.	1,670.	1,912.
	36"		42"	ILTOPB(S/B/T)X366() () () () ()	1,429.	1,661.	1,732.	1,993.
	42"		42"	ILTOPB(S/B/T)X426() () () () ()	1,471.	1,716.	1,807.	2,089.



*Available with Glides only.

Order Code	Specification Information	Application Notes
Example: ILTOPASX305	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W (36", 42") S = Power square (36", 42")	5. Cone finish: Painted/textured Polished aluminum
T Table	2. Grommet finish: N = Not applicable D4 = B=Black, W=White (textured) S = 111, 114, 115, 117	6. Column finish: Painted/textured Polished aluminum
OPA Organic Pentagon Type A OPB=Organic Pentagon Type B	3. Worksurface finish: L, V1, V2, V3	7. Foot finish: Painted/textured Polished aluminum
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	<i>All Worksurfaces are 1 1/4" thick .</i>
X Foot		Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>
30 Width		*Foot: <i>X = Glide</i>
5 36" High, 6=42" High		Height 36" and 42" is to top of worksurface.
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Cone finish		
(114) Column finish		
(114) Foot finish		

The following upcharges apply:
Beveled Edge (B4 & T4): \$536
Casters: \$33
Grommets D4: \$86
Polished finish: \$107 (Cone, Column, Foot or all)
 All electrical accessories are specified separately.
 Refer to Accessories section for electrical component pricing.

X-Base Tables - Conference

29" High, Horizontal Grain

Racetrack, Single-Piece Top

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Racetrack 29" High 	36"	72"	29"	ILTRT(S/B/T)X72364H()	\$2,314.	\$2,519.	\$2,638.	\$2,930.
		78"	29"	ILTRT(S/B/T)X78364H()	2,332.	2,545.	2,673.	2,977.
		84"	29"	ILTRT(S/B/T)X84364H()	2,351.	2,572.	2,709.	3,022.
		90"	29"	ILTRT(S/B/T)X90364H()	2,374.	2,599.	2,743.	3,066.
		96"	29"	ILTRT(S/B/T)X96364H()	2,394.	2,624.	2,780.	3,113.
	42"	108"	29"	ILTRT(S/B/T)X108364H()	2,433.	2,678.	2,849.	3,204.
		78"	29"	ILTRT(S/B/T)X78424H()	2,376.	2,602.	2,748.	3,076.
		84"	29"	ILTRT(S/B/T)X84424H()	2,399.	2,634.	2,791.	3,129.
		90"	29"	ILTRT(S/B/T)X90424H()	2,421.	2,664.	2,832.	3,181.
		96"	29"	ILTRT(S/B/T)X96424H()	2,447.	2,695.	2,872.	3,234.
	48"	108"	29"	ILTRT(S/B/T)X108424H()	2,492.	2,758.	2,954.	3,341.
		90"	29"	ILTRT(S/B/T)X90484H()	2,472.	2,732.	2,919.	3,296.
		96"	29"	ILTRT(S/B/T)X96484H()	2,500.	2,767.	2,968.	3,357.
		108"	29"	ILTRT(S/B/T)X108484H()	2,552.	2,837.	3,059.	3,478.

*Available with Glides only.

Order Code	Specification Information	Application Notes
Example: ILRTSX72364H	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W D8 = Narrow slot 8"W D12 = Narrow slot 12"W D18 = Narrow slot 18"W D24 = Narrow slot 24"W D36 = Narrow slot 36"W S = Power square <i>*Refer to planning guide for grommet options and locations.</i>	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Casters: \$33 Grommets D4, D8, D12, D18: \$86 each Grommets D24, D36: \$107 each Polished finish: \$214 (Cone, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
T Table	2. Grommet finish: N = Not applicable D4 to D36 = B=Black, W=White (textured) S = 111, 114, 115, 117	
RT Racetrack	3. Worksurface finish: L, V1, V2, V3	
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	
X Foot		
72 Width		5. Cone finish: Painted/textured Polished aluminum
36 Depth		6. Column finish: Painted/textured Polished aluminum
4 29" High		7. Foot finish: Painted/textured Polished aluminum
H Horizontal Grain Direction		<i>All Worksurfaces are 1/4" thick .</i>
N Grommet option		Edges: S = <i>Square Edge</i> B = <i>Thin beveled edge four sides</i> T = <i>Thick beveled edge four sides</i>
() Grommet finish		Grain Direction: H = Horizontal V = Vertical
(CC) Grommet location		*Foot: X = <i>Glide</i>
(114) Worksurface finish		Height 29" is to top of worksurface.
(SYN) Edge finish		
(114) Cone finish		
(114) Column finish		
(114) Foot finish		

X-Base Tables - Conference
29" High, Vertical Grain
Racetrack, Multi-Piece Top

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
 Racetrack 29" High	36"	120"	29"	ILTRT(S/B/T)X120364V()	\$3,722.	\$4,530.	\$4,841.	\$5,543.
		132"	29"	ILTRT(S/B/T)X132364V()	3,756.	4,566.	4,895.	5,612.
		144"	29"	ILTRT(S/B/T)X144364V()	3,791.	4,600.	4,946.	5,680.
		156"	29"	ILTRT(S/B/T)X156364V()	3,827.	4,638.	4,998.	5,748.
	42"	120"	29"	ILTRT(S/B/T)X120424V()	3,779.	4,589.	4,929.	5,658.
		132"	29"	ILTRT(S/B/T)X132424V()	3,819.	4,634.	4,990.	5,737.
		144"	29"	ILTRT(S/B/T)X144424V()	3,862.	4,672.	5,052.	5,816.
		156"	29"	ILTRT(S/B/T)X156424V()	3,904.	4,714.	5,111.	5,896.
	48"	120"	29"	ILTRT(S/B/T)X120484V()	3,838.	4,648.	5,015.	5,770.
		132"	29"	ILTRT(S/B/T)X132484V()	3,885.	4,695.	5,085.	5,862.
		144"	29"	ILTRT(S/B/T)X144484V()	3,933.	4,743.	5,155.	5,950.
		156"	29"	ILTRT(S/B/T)X156484V()	3,979.	4,792.	5,224.	6,042.

*Available with Glides only.

Order Code	Specification Information	Application Notes
Example: ILRTSX120364V	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W D8 = Narrow slot 8"W D12 = Narrow slot 12"W D18 = Narrow slot 18"W D24 = Narrow slot 24"W D36 = Narrow slot 36"W S = Power square *Refer to planning guide for grommet options and locations.	5. Cone finish: Painted/textured Polished aluminum
T Table	2. Grommet finish: N = Not applicable D4 to D36 = B=Black, W=White (textured) S = 111, 114, 115, 117	6. Column finish: Painted/textured Polished aluminum
RT Racetrack	3. Worksurface finish: L, V1, V2, V3	7. Foot finish: Painted/textured Polished aluminum
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	<i>All Worksurfaces are 1 1/4" thick .</i>
X Foot		Edges: S = Square Edge B = Thin beveled edge four sides T = Thick beveled edge four sides
120 Width		Grain Direction: H = Horizontal V = Vertical
36 Depth		*Foot: X = Glide
4 29" High		Height 29" is to top of worksurface.
V Vertical Grain Direction		
N Grommet option		
() Grommet finish		
(CC) Grommet location		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Cone finish		
(114) Column finish		
(114) Foot finish		

The following upcharges apply:
Beveled Edge (B4 & T4): \$536
Casters: \$33
Grommets D4, D8, D12, D18: \$86 each
Grommets D24, D36: \$107 each
Polished finish: \$321 (Cone, Column, Foot or all)

All electrical accessories are specified separately.

Refer to Accessories section for electrical component pricing.

X-Base Tables - Conference
29" High, Horizontal Grain
Racetrack, Multi-Piece Top

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
 Racetrack 29" High	36"	120"	29"	ILTRT(S/B/T)X120364H()	\$3,857.	\$4,755.	\$5,103.	\$5,880.
		132"	29"	ILTRT(S/B/T)X132364H()	3,897.	4,796.	5,160.	5,960.
		144"	29"	ILTRT(S/B/T)X144364H()	3,935.	4,834.	5,217.	6,034.
		156"	29"	ILTRT(S/B/T)X156364H()	3,974.	4,874.	5,276.	6,110.
	42"	120"	29"	ILTRT(S/B/T)X120424H()	3,922.	4,821.	5,198.	6,009.
		132"	29"	ILTRT(S/B/T)X132424H()	3,968.	4,869.	5,266.	6,099.
		144"	29"	ILTRT(S/B/T)X144424H()	4,014.	4,916.	5,333.	6,185.
		156"	29"	ILTRT(S/B/T)X156424H()	4,060.	4,960.	5,402.	6,273.
	48"	120"	29"	ILTRT(S/B/T)X120484H()	3,987.	4,886.	5,295.	6,134.
		132"	29"	ILTRT(S/B/T)X132484H()	4,039.	4,940.	5,372.	6,237.
		144"	29"	ILTRT(S/B/T)X144484H()	4,092.	4,993.	5,451.	6,337.
		156"	29"	ILTRT(S/B/T)X156484H()	4,144.	5,045.	5,527.	6,436.

*Available with Glides only.

Order Code	Specification Information	Application Notes
Example: ILTRTSX120364H	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W D8 = Narrow slot 8"W D12 = Narrow slot 12"W D18 = Narrow slot 18"W D24 = Narrow slot 24"W D36 = Narrow slot 36"W S = Power square <i>*Refer to planning guide for grommet options and locations.</i>	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Casters: \$33 Grommets D4, D8, D12, D18: \$86 each Grommets D24, D36: \$107 each Polished finish: \$321 (Cone, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
T Table	2. Grommet finish: N = Not applicable D4 to D36 = B=Black, W=White (textured) S = 111, 114, 115, 117	
RT Racetrack	3. Worksurface finish: L, V1, V2, V3	
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	
X Foot		5. Cone finish: Painted/textured Polished aluminum
120 Width		6. Column finish: Painted/textured Polished aluminum
36 Depth		7. Foot finish: Painted/textured Polished aluminum
4 29" High		<i>All Worksurfaces are 1 1/4" thick .</i>
H Horizontal Grain Direction		Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>
N Grommet option		Grain Direction: H = Horizontal V = Vertical
() Grommet finish		*Foot: <i>X = Glide</i>
(CC) Grommet location		Height 29" is to top of worksurface.
(114) Worksurface finish		
(SYN) Edge finish		
(114) Cone finish		
(114) Column finish		
(114) Foot finish		

X-Base Tables - Conference

29" High, Horizontal Grain

Rectilinear, Single-Piece Top

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Rectilinear 29" High 	36"	72"	29"	ILTRL(S/B/T)X72364H()	\$2,314.	\$2,519.	\$2,638.	\$2,930.
		78"	29"	ILTRL(S/B/T)X78364H()	2,332.	2,545.	2,673.	2,977.
		84"	29"	ILTRL(S/B/T)X84364H()	2,351.	2,572.	2,709.	3,022.
		90"	29"	ILTRL(S/B/T)X90364H()	2,374.	2,599.	2,743.	3,066.
		96"	29"	ILTRL(S/B/T)X96364H()	2,394.	2,624.	2,780.	3,113.
	42"	108"	29"	ILTRL(S/B/T)X108364H()	2,433.	2,678.	2,849.	3,204.
		78"	29"	ILTRL(S/B/T)X78424H()	2,376.	2,602.	2,748.	3,076.
		84"	29"	ILTRL(S/B/T)X84424H()	2,399.	2,634.	2,791.	3,129.
		90"	29"	ILTRL(S/B/T)X90424H()	2,421.	2,664.	2,832.	3,181.
		96"	29"	ILTRL(S/B/T)X96424H()	2,447.	2,695.	2,872.	3,234.
	48"	108"	29"	ILTRL(S/B/T)X108424H()	2,492.	2,758.	2,954.	3,341.
		90"	29"	ILTRL(S/B/T)X90484H()	2,472.	2,732.	2,919.	3,296.
		96"	29"	ILTRL(S/B/T)X96484H()	2,500.	2,767.	2,968.	3,357.
		108"	29"	ILTRL(S/B/T)X108484H()	2,552.	2,837.	3,059.	3,478.

* Available with Glides only.

Order Code	Specification Information	Application Notes
Example: ILTRLSX72364H	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W D8 = Narrow slot 8"W D12 = Narrow slot 12"W D18 = Narrow slot 18"W D24 = Narrow slot 24"W D36 = Narrow slot 36"W S = Power square <i>*Refer to planning guide for grommet options and locations.</i>	The following upcharges apply: Beveled Edge (B4 & T4): \$696 Casters: \$33 Grommets D4, D8, D12, D18: \$86 each Grommets D24, D36: \$107 each Polished finish: \$214 (Cone, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
T Table	2. Grommet finish: N = Not applicable D4 to D36 = B=Black, W=White (textured) S = 111, 114, 115, 117	
RL Rectilinear	3. Worksurface finish: L, V1, V2, V3	
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	
X Foot		
72 Width		5. Cone finish: Painted/textured Polished aluminum
36 Depth		6. Column finish: Painted/textured Polished aluminum
4 29" High		7. Foot finish: Painted/textured Polished aluminum
H Horizontal Grain Direction		<i>All Worksurfaces are 1/4" thick .</i>
N Grommet option		Edges: S = <i>Square Edge</i> B = <i>Thin beveled edge four sides</i> T = <i>Thick beveled edge four sides</i>
() Grommet finish		Grain Direction: H = Horizontal V = Vertical
(CC) Grommet location		*Foot: X = <i>Glide</i>
(114) Worksurface finish		Height 29" is to top of worksurface.
(SYN) Edge finish		
(114) Cone finish		
(114) Column finish		
(114) Foot finish		


X-Base Tables - Conference

29" High, Vertical Grain

Rectilinear, Multi-Piece Top

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Rectilinear 29" High	36"	120"	29"	ILTRL(S/B/T)X120364V()	\$3,282.	\$4,137.	\$4,444.	\$5,030.
		132"	29"	ILTRL(S/B/T)X132364V()	3,319.	4,174.	4,499.	5,098.
		144"	29"	ILTRL(S/B/T)X144364V()	3,353.	4,210.	4,549.	5,168.
		156"	29"	ILTRL(S/B/T)X156364V()	3,389.	4,248.	4,602.	5,235.
	42"	120"	29"	ILTRL(S/B/T)X120424V()	3,341.	4,199.	4,533.	5,143.
		132"	29"	ILTRL(S/B/T)X132424V()	3,384.	4,242.	4,595.	5,226.
		144"	29"	ILTRL(S/B/T)X144424V()	3,423.	4,283.	4,657.	5,304.
		156"	29"	ILTRL(S/B/T)X156424V()	3,465.	4,326.	4,719.	5,385.
	48"	120"	29"	ILTRL(S/B/T)X120484V()	3,400.	4,259.	4,621.	5,259.
		132"	29"	ILTRL(S/B/T)X132484V()	3,449.	4,310.	4,693.	5,351.
		144"	29"	ILTRL(S/B/T)X144484V()	3,494.	4,360.	4,763.	5,443.
		156"	29"	ILTRL(S/B/T)X156484V()	3,542.	4,407.	4,833.	5,533.



*Available with Glides only.

Order Code	Specification Information	Application Notes
Example: ILTRLSX120364V	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W D8 = Narrow slot 8"W D12 = Narrow slot 12"W D18 = Narrow slot 18"W D24 = Narrow slot 24"W D36 = Narrow slot 36"W S = Power square <i>*Refer to planning guide for grommet options and locations.</i>	5. Cone finish: Painted/textured Polished aluminum
T Table	2. Grommet finish: N = Not applicable D4 to D36 = B=Black, W=White (textured) S = 111, 114, 115, 117	6. Column finish: Painted/textured Polished aluminum
RL Rectilinear	3. Worksurface finish: L, V1, V2, V3	7. Foot finish: Painted/textured Polished aluminum
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	<i>All Worksurfaces are 1 1/4" thick .</i>
X Foot		Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>
120 Width		Grain Direction: H = Horizontal V = Vertical
36 Depth		*Foot: <i>X = Glide</i>
4 29" High		Height 29" is to top of worksurface.
V Vertical Grain Direction		
N Grommet option		
() Grommet finish		
(CC) Grommet location		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Cone finish		
(114) Column finish		
(114) Foot finish		

The following upcharges apply:
Beveled Edge (B4 & T4): \$696
Casters: \$33
Grommets D4, D8, D12, D18: \$86 each
Grommets D24, D36: \$107 each
Polished finish: \$321 (Cone, Column, Foot or all)
 All electrical accessories are specified separately.
 Refer to Accessories section for electrical component pricing.


X-Base Tables - Conference

29" High, Horizontal Grain

Rectilinear, Multi-Piece Top

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Rectilinear 29" High	36"	120"	29"	ILTRL(S/B/T)X120364H()	\$3,371.	\$4,320.	\$4,661.	\$5,311.
		132"	29"	ILTRL(S/B/T)X132364H()	3,411.	4,361.	4,721.	5,389.
		144"	29"	ILTRL(S/B/T)X144364H()	3,451.	4,400.	4,780.	5,463.
		156"	29"	ILTRL(S/B/T)X156364H()	3,488.	4,443.	4,836.	5,540.
	42"	120"	29"	ILTRL(S/B/T)X120424H()	3,438.	4,387.	4,759.	5,438.
		132"	29"	ILTRL(S/B/T)X132424H()	3,480.	4,436.	4,829.	5,528.
		144"	29"	ILTRL(S/B/T)X144424H()	3,528.	4,482.	4,897.	5,615.
		156"	29"	ILTRL(S/B/T)X156424H()	3,575.	4,531.	4,966.	5,707.
	48"	120"	29"	ILTRL(S/B/T)X120484H()	3,503.	4,456.	4,858.	5,567.
		132"	29"	ILTRL(S/B/T)X132484H()	3,552.	4,511.	4,936.	5,667.
		144"	29"	ILTRL(S/B/T)X144484H()	3,604.	4,566.	5,015.	5,770.
		156"	29"	ILTRL(S/B/T)X156484H()	3,656.	4,619.	5,093.	5,873.



*Available with Glides only.

Order Code	Specification Information	Application Notes
Example: ILTRLSX120364H	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W D8 = Narrow slot 8"W D12 = Narrow slot 12"W D18 = Narrow slot 18"W D24 = Narrow slot 24"W D36 = Narrow slot 36"W S = Power square <i>*Refer to planning guide for grommet options and locations.</i>	The following upcharges apply: Beveled Edge (B4 & T4): \$696 Casters: \$33 Grommets D4, D8, D12, D18: \$86 each Grommets D24, D36: \$107 each Polished finish: \$321 (Cone, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
T Table	2. Grommet finish: N = Not applicable D4 to D36 = B=Black, W=White (textured) S = 111, 114, 115, 117	
RL Rectilinear	3. Worksurface finish: L, V1, V2, V3	
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	
X Foot		5. Cone finish: Painted/textured Polished aluminum
120 Width		6. Column finish: Painted/textured Polished aluminum
36 Depth		7. Foot finish: Painted/textured Polished aluminum
4 29" High		<i>All Worksurfaces are 1 1/4" thick .</i>
H Horizontal Grain Direction		Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>
N Grommet option		Grain Direction: H = Horizontal V = Vertical
() Grommet finish		*Foot: <i>X = Glide</i>
(CC) Grommet location		Height 29" is to top of worksurface.
(114) Worksurface finish		
(SYN) Edge finish		
(114) Cone finish		
(114) Column finish		
(114) Foot finish		

X-Base Tables - Conference
29" High, Horizontal Grain
Rectilinear with Curved Corners, Single-Piece Top

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Rectilinear with Curved Corners 29" High	36"	72"	29"	ILTRC(S/B/T)X72364H()	\$2,314.	\$2,519.	\$2,638.	\$2,930.
		78"	29"	ILTRC(S/B/T)X78364H()	2,332.	2,545.	2,673.	2,977.
		84"	29"	ILTRC(S/B/T)X84364H()	2,351.	2,572.	2,709.	3,022.
		90"	29"	ILTRC(S/B/T)X90364H()	2,374.	2,599.	2,743.	3,066.
		96"	29"	ILTRC(S/B/T)X96364H()	2,394.	2,624.	2,780.	3,113.
	42"	78"	29"	ILTRC(S/B/T)X78424H()	2,433.	2,678.	2,849.	3,204.
		84"	29"	ILTRC(S/B/T)X84424H()	2,376.	2,602.	2,748.	3,076.
		90"	29"	ILTRC(S/B/T)X90424H()	2,399.	2,634.	2,791.	3,129.
		96"	29"	ILTRC(S/B/T)X96424H()	2,421.	2,664.	2,832.	3,181.
		108"	29"	ILTRC(S/B/T)X108424H()	2,447.	2,695.	2,872.	3,234.
	48"	90"	29"	ILTRC(S/B/T)X90484H()	2,492.	2,758.	2,954.	3,341.
		96"	29"	ILTRC(S/B/T)X96484H()	2,472.	2,732.	2,919.	3,296.
		108"	29"	ILTRC(S/B/T)X108484H()	2,500.	2,767.	2,968.	3,357.
					2,552.	2,837.	3,059.	3,478.



*Available with Glides only.

Order Code	Specification Information	Application Notes
Example: ILTRCSX72364H	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W D8 = Narrow slot 8"W D12 = Narrow slot 12"W D18 = Narrow slot 18"W D24 = Narrow slot 24"W D36 = Narrow slot 36"W S = Power square <i>*Refer to planning guide for grommet options and locations.</i>	5. Cone finish: Painted/textured Polished aluminum
T Table	2. Grommet finish: N = Not applicable D4 to D36 = B=Black, W=White (textured) S = 111, 114, 115, 117	6. Column finish: Painted/textured Polished aluminum
RC Rectilinear with Curved Corners	3. Worksurface finish: L, V1, V2, V3	7. Foot finish: Painted/textured Polished aluminum
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	<i>All Worksurfaces are 1/4" thick .</i>
X Foot		Edges: S = Square Edge B = Thin beveled edge four sides T = Thick beveled edge four sides
72 Width		Grain Direction: H = Horizontal V = Vertical
36 Depth		*Foot: X = Glide
4 29" High		Height 29" is to top of worksurface.
H Horizontal Grain Direction		
N Grommet option		
() Grommet finish		
(CC) Grommet location		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Cone finish		
(114) Column finish		
(114) Foot finish		

The following upcharges apply:
Beveled Edge (B4 & T4): \$536
Casters: \$33
Grommets D4, D8, D12, D18: \$86 each
Grommets D24, D36: \$107 each
Polished finish: \$214 (Cone, Column, Foot or all)


All electrical accessories are specified separately.

Refer to Accessories section for electrical component pricing.

X-Base Tables - Conference
29" High, Vertical Grain
Rectilinear with Curved Corners, Multi-Piece Top

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Rectilinear with Curved Corners 29" High	36"	120"	29"	ILTRC(S/B/T)X120364V()	\$3,282.	\$4,137.	\$4,444.	\$5,030.
		132"	29"	ILTRC(S/B/T)X132364V()	3,319.	4,174.	4,499.	5,098.
		144"	29"	ILTRC(S/B/T)X144364V()	3,353.	4,210.	4,549.	5,168.
		156"	29"	ILTRC(S/B/T)X156364V()	3,389.	4,248.	4,602.	5,235.
	42"	120"	29"	ILTRC(S/B/T)X120424V()	3,341.	4,199.	4,533.	5,143.
		132"	29"	ILTRC(S/B/T)X132424V()	3,384.	4,242.	4,595.	5,226.
		144"	29"	ILTRC(S/B/T)X144424V()	3,423.	4,283.	4,657.	5,304.
		156"	29"	ILTRC(S/B/T)X156424V()	3,465.	4,326.	4,719.	5,385.
	48"	120"	29"	ILTRC(S/B/T)X120484V()	3,400.	4,259.	4,621.	5,259.
		132"	29"	ILTRC(S/B/T)X132484V()	3,449.	4,310.	4,693.	5,351.
		144"	29"	ILTRC(S/B/T)X144484V()	3,494.	4,360.	4,763.	5,443.
		156"	29"	ILTRC(S/B/T)X156484V()	3,542.	4,407.	4,833.	5,533.




*Available with Glides only.

Order Code	Specification Information	Application Notes
Example: ILTRCSX120364V	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W D8 = Narrow slot 8"W D12 = Narrow slot 12"W D18 = Narrow slot 18"W D24 = Narrow slot 24"W D36 = Narrow slot 36"W S = Power square <i>*Refer to planning guide for grommet options and locations.</i>	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Casters: \$33 Grommets D4, D8, D12, D18: \$86 each Grommets D24, D36: \$107 each Polished finish: \$321 (Cone, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
T Table	2. Grommet finish: N = Not applicable D4 to D36 = B=Black, W=White (textured) S = 111, 114, 115, 117	
RC Rectilinear with Curved Corners	3. Worksurface finish: L, V1, V2, V3	
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	
X Foot		5. Cone finish: Painted/textured Polished aluminum
120 Width		6. Column finish: Painted/textured Polished aluminum
36 Depth		7. Foot finish: Painted/textured Polished aluminum
4 29" High		<i>All Worksurfaces are 1/4" thick .</i>
V Vertical Grain Direction		Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>
N Grommet option		Grain Direction: H = Horizontal V = Vertical
() Grommet finish		*Foot: <i>X = Glide</i>
(CC) Grommet location		Height 29" is to top of worksurface.
(114) Worksurface finish		
(SYN) Edge finish		
(114) Cone finish		
(114) Column finish		
(114) Foot finish		

X-Base Tables - Conference
29" High, Horizontal Grain
Rectilinear with Curved Corners, Multi-Piece Top

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Rectilinear with Curved Corners 29" High	36"	120"	29"	ILTRC(S/B/T)X120364H() () () () () ()	\$3,857.	\$4,755.	\$5,103.	\$5,880.
		132"	29"	ILTRC(S/B/T)X132364H() () () () () ()	3,897.	4,796.	5,160.	5,960.
		144"	29"	ILTRC(S/B/T)X144364H() () () () () ()	3,935.	4,834.	5,217.	6,034.
		156"	29"	ILTRC(S/B/T)X156364H() () () () () ()	3,974.	4,874.	5,276.	6,110.
	42"	120"	29"	ILTRC(S/B/T)X120424H() () () () () ()	3,922.	4,821.	5,198.	6,009.
		132"	29"	ILTRC(S/B/T)X132424H() () () () () ()	3,968.	4,869.	5,266.	6,099.
		144"	29"	ILTRC(S/B/T)X144424H() () () () () ()	4,014.	4,916.	5,333.	6,185.
		156"	29"	ILTRC(S/B/T)X156424H() () () () () ()	4,060.	4,960.	5,402.	6,273.
	48"	120"	29"	ILTRC(S/B/T)X120484H() () () () () ()	3,987.	4,886.	5,295.	6,134.
		132"	29"	ILTRC(S/B/T)X132484H() () () () () ()	4,039.	4,940.	5,372.	6,237.
		144"	29"	ILTRC(S/B/T)X144484H() () () () () ()	4,092.	4,993.	5,451.	6,337.
		156"	29"	ILTRC(S/B/T)X156484H() () () () () ()	4,144.	5,045.	5,527.	6,436.



*Available with Glides only.

Order Code	Specification Information	Application Notes
Example: ILTRCSX120364H	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W D8 = Narrow slot 8"W D12 = Narrow slot 12"W D18 = Narrow slot 18"W D24 = Narrow slot 24"W D36 = Narrow slot 36"W S = Power square <i>*Refer to planning guide for grommet options and locations.</i>	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Casters: \$33 Grommets D4, D8, D12, D18: \$86 each Grommets D24, D36: \$107 each Polished finish: \$321 (Cone, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
T Table	2. Grommet finish: N = Not applicable D4 to D36 = B=Black, W=White (textured) S = 111, 114, 115, 117	
RC Rectilinear with Curved Corners	3. Worksurface finish: L, V1, V2, V3	
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	
X Foot		
120 Width		
36 Depth		
4 29" High		
H Horizontal Grain Direction		
N Grommet option		
() Grommet finish		
(CC) Grommet location		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Cone finish		
(114) Column finish		
(114) Foot finish		

5. Cone finish:
Painted/textured
Polished aluminum
6. Column finish:
Painted/textured
Polished aluminum
7. Foot finish
Painted/textured
Polished aluminum
- All Worksurfaces are 1 1/4" thick .*
- Edges:**
S = Square Edge
B = **Thin** beveled edge four sides
T = **Thick** beveled edge four sides
- Grain Direction:
H = Horizontal
V = Vertical
- *Foot:**
X = Glide
- Height 29" is to top of worksurface.

X-Base Tables - Conference

29" High, Horizontal Grain

Round Rectilinear, Single-Piece Top

Islands Collection by Knoll®


description	d	w	h	pattern no.	L	V1	V2	V3
Round Rectilinear 29" High 	36"	72"	29"	ILTRR(S/B/T)X72364H() () () () () ()	\$2,314.	\$2,519.	\$2,638.	\$2,930.
		78"	29"	ILTRR(S/B/T)X78364H() () () () () ()	2,332.	2,545.	2,673.	2,977.
		84"	29"	ILTRR(S/B/T)X84364H() () () () () ()	2,351.	2,572.	2,709.	3,022.
		90"	29"	ILTRR(S/B/T)X90364H() () () () () ()	2,374.	2,599.	2,743.	3,066.
		96"	29"	ILTRR(S/B/T)X96364H() () () () () ()	2,394.	2,624.	2,780.	3,113.
	42"	108"	29"	ILTRR(S/B/T)X108364H() () () () () ()	2,433.	2,678.	2,849.	3,204.
		78"	29"	ILTRR(S/B/T)X78424H() () () () () ()	2,376.	2,602.	2,748.	3,076.
		84"	29"	ILTRR(S/B/T)X84424H() () () () () ()	2,399.	2,634.	2,791.	3,129.
		90"	29"	ILTRR(S/B/T)X90424H() () () () () ()	2,421.	2,664.	2,832.	3,181.
		96"	29"	ILTRR(S/B/T)X96424H() () () () () ()	2,447.	2,695.	2,872.	3,234.
		108"	29"	ILTRL(S/B/T)X108442H() () () () () ()	2,492.	2,758.	2,954.	3,341.
	48"	90"	29"	ILTRR(S/B/T)X90484H() () () () () ()	2,472.	2,732.	2,919.	3,296.
		96"	29"	ILTRR(S/B/T)X96484H() () () () () ()	2,500.	2,767.	2,968.	3,357.
		108"	29"	ILTRR(S/B/T)X108484H() () () () () ()	2,552.	2,837.	3,059.	3,478.

* Available with Glides only.

Order Code	Specification Information	Application Notes
Example: ILTRRSX72364H	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W D8 = Narrow slot 8"W D12 = Narrow slot 12"W D18 = Narrow slot 18"W D24 = Narrow slot 24"W D36 = Narrow slot 36"W S = Power square <i>*Refer to planning guide for grommet options and locations.</i>	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Casters: \$33 Grommets D4, D8, D12, D18: \$86 each Grommets D24, D36: \$107 each Polished finish: \$214 (Cone, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
T Table	2. Grommet finish: N = Not applicable D4 to D36 = B=Black, W=White (textured) S = 111, 114, 115, 117	
RR Round Rectilinear	3. Worksurface finish: L, V1, V2, V3	
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	
X Foot		
72 Width		5. Cone finish: Painted/textured Polished aluminum
36 Depth		6. Column finish: Painted/textured Polished aluminum
4 29" High		7. Foot finish: Painted/textured Polished aluminum
H Horizontal Grain Direction		<i>All Worksurfaces are 1/4" thick .</i>
N Grommet option		Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>
() Grommet finish		Grain Direction: H = Horizontal V = Vertical
(CC) Grommet location		*Foot: <i>X = Glide</i>
(114) Worksurface finish		Height 29" is to top of worksurface.
(SYN) Edge finish		
(114) Cone finish		
(114) Column finish		
(114) Foot finish		

X-Base Tables - Conference
29" High, Vertical Grain
Round Rectilinear, Multi-Piece Top

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Round Rectilinear Table 29" High 	36"	120"	29"	ILTRR(S/B/T)X120364V()	\$3,722.	\$4,530.	\$4,841.	\$5,543.
		132"	29"	ILTRR(S/B/T)X132364V()	3,756.	4,566.	4,895.	5,612.
		144"	29"	ILTRR(S/B/T)X144364V()	3,791.	4,600.	4,946.	5,680.
		156"	29"	ILTRR(S/B/T)X156364V()	3,827.	4,638.	4,998.	5,748.
	42"	120"	29"	ILTRR(S/B/T)X120424V()	3,779.	4,589.	4,929.	5,658.
		132"	29"	ILTRR(S/B/T)X132424V()	3,819.	4,634.	4,990.	5,737.
		144"	29"	ILTRR(S/B/T)X144424V()	3,862.	4,672.	5,052.	5,816.
		156"	29"	ILTRR(S/B/T)X156424V()	3,904.	4,714.	5,111.	5,896.
	48"	120"	29"	ILTRR(S/B/T)X120484V()	3,838.	4,648.	5,015.	5,770.
		132"	29"	ILTRR(S/B/T)X132484V()	3,885.	4,695.	5,085.	5,862.
		144"	29"	ILTRR(S/B/T)X144484V()	3,933.	4,743.	5,155.	5,950.
		156"	29"	ILTRR(S/B/T)X156484V()	3,979.	4,792.	5,224.	6,042.

*Available with Glides only.


Order Code	Specification Information	Application Notes
Example: ILTRRSX120364H	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	5. Cone finish: Painted/textured Polished aluminum	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Casters: \$33 Grommets D4, D8, D12, D18: \$86 each Grommets D24, D36: \$107 each Polished finish: \$321 (Cone, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
T Table	6. Column finish: Painted/textured Polished aluminum	
RR Round Rectilinear	7. Foot finish: Painted/textured Polished aluminum	
S Edge (S/B/T)		
X Foot	<i>All Worksurfaces are 1 1/4" thick .</i>	
120 Width	Edges: S = Square Edge B = Thin beveled edge four sides T = Thick beveled edge four sides	
36 Depth	Grain Direction: H = Horizontal V = Vertical	
4 29" High	*Foot: X = Glide	
N Grommet option	Height 29" is to top of worksurface.	
() Grommet finish		
(CC) Grommet location		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Cone finish		
(114) Column finish		
(114) Foot finish		

X-Base Tables - Conference

29" High, Horizontal Grain

Round Rectilinear, Multi-Piece Top

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Round Rectilinear Table 29" High 	36"	120"	29"	ILTRR(S/B/T)X120364H() () () () () ()	\$3,857.	\$4,755.	\$5,103.	\$5,880.
		132"	29"	ILTRR(S/B/T)X132364H() () () () () ()	3,897.	4,796.	5,160.	5,960.
		144"	29"	ILTRR(S/B/T)X144364H() () () () () ()	3,935.	4,834.	5,217.	6,034.
		156"	29"	ILTRR(S/B/T)X156364H() () () () () ()	3,974.	4,874.	5,276.	6,110.
	42"	120"	29"	ILTRR(S/B/T)X120424H() () () () () ()	3,922.	4,821.	5,198.	6,009.
		132"	29"	ILTRR(S/B/T)X132424H() () () () () ()	3,968.	4,869.	5,266.	6,099.
		144"	29"	ILTRR(S/B/T)X144424H() () () () () ()	4,014.	4,916.	5,333.	6,185.
		156"	29"	ILTRR(S/B/T)X156424H() () () () () ()	4,060.	4,960.	5,402.	6,273.
	48"	120"	29"	ILTRR(S/B/T)X120484H() () () () () ()	3,987.	4,886.	5,295.	6,134.
		132"	29"	ILTRR(S/B/T)X132484H() () () () () ()	4,039.	4,940.	5,372.	6,237.
		144"	29"	ILTRR(S/B/T)X144484H() () () () () ()	4,092.	4,993.	5,451.	6,337.
		156"	29"	ILTRR(S/B/T)X156484H() () () () () ()	4,144.	5,045.	5,527.	6,436.

*Available with Glides only.

Order Code	Specification Information	Application Notes
Example: ILTRRSX120364H	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	5. Cone finish: Painted/textured Polished aluminum	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Casters: \$33 Grommets D4, D8, D12, D18: \$86 each Grommets D24, D36: \$107 each Polished finish: \$321 (Cone, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
T Table	6. Column finish: Painted/textured Polished aluminum	
RR Round Rectilinear	7. Foot finish: Painted/textured Polished aluminum	
S Edge (S/B/T)		
X Foot	<i>All Worksurfaces are 1 1/4" thick .</i>	
120 Width	Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>	
36 Depth	Grain Direction: H = Horizontal V = Vertical	
4 29" High	*Foot: <i>X = Glide</i>	
N Grommet option	Height 29" is to top of worksurface.	
() Grommet finish		
(CC) Grommet location		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Cone finish		
(114) Column finish		
(114) Foot finish		

X-Base Tables - Conference

29" High, Horizontal Grain

Soft Rectilinear, Single-Piece Top

Islands Collection by Knoll®


description	d	w	h	pattern no.	L	V1	V2	V3
Soft Rectilinear 29" High 	36"	72"	29"	ILTSR(S/B/T)X72364H() () () () () ()	\$2,314.	\$2,519.	\$2,638.	\$2,930.
		78"	29"	ILTSR(S/B/T)X78364H() () () () () ()	2,332.	2,545.	2,673.	2,977.
		84"	29"	ILTSR(S/B/T)X84364H() () () () () ()	2,351.	2,572.	2,709.	3,022.
		90"	29"	ILTSR(S/B/T)X90364H() () () () () ()	2,374.	2,599.	2,743.	3,066.
		96"	29"	ILTSR(S/B/T)X96364H() () () () () ()	2,394.	2,624.	2,780.	3,113.
	42"	108"	29"	ILTSR(S/B/T)X108364H() () () () () ()	2,433.	2,678.	2,849.	3,204.
		78"	29"	ILTSR(S/B/T)X78424H() () () () () ()	2,376.	2,602.	2,748.	3,076.
		84"	29"	ILTSR(S/B/T)X84424H() () () () () ()	2,399.	2,634.	2,791.	3,129.
		90"	29"	ILTSR(S/B/T)X90424H() () () () () ()	2,421.	2,664.	2,832.	3,181.
		96"	29"	ILTSR(S/B/T)X96424H() () () () () ()	2,447.	2,695.	2,872.	3,234.
	48"	108"	29"	ILTSR(S/B/T)X108424H() () () () () ()	2,492.	2,758.	2,954.	3,341.
		90"	29"	ILTSR(S/B/T)X90484H() () () () () ()	2,472.	2,732.	2,919.	3,296.
		96"	29"	ILTSR(S/B/T)X96484H() () () () () ()	2,500.	2,767.	2,968.	3,357.
		108"	29"	ILTSR(S/B/T)X108484H() () () () () ()	2,552.	2,837.	3,059.	3,478.

*Available with Glides only.

Order Code	Specification Information	Application Notes
Example: ILTSRSX72364H	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W D8 = Narrow slot 8"W D12 = Narrow slot 12"W D18 = Narrow slot 18"W D24 = Narrow slot 24"W D36 = Narrow slot 36"W S = Power square <i>*Refer to planning guide for grommet options and locations.</i>	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Casters: \$33 Grommets D4, D8, D12, D18: \$86 each Grommets D24, D36: \$107 each Polished finish: \$214 (Cone, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
T Table	2. Grommet finish: N = Not applicable D4 to D36 = B=Black, W=White (textured) S = 111, 114, 115, 117	
SR Soft Rectilinear	3. Worksurface finish: L, V1, V2, V3	
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	
X Foot		
72 Width		5. Cone finish: Painted/textured Polished aluminum
36 Depth		6. Column finish: Painted/textured Polished aluminum
4 29" High		7. Foot finish: Painted/textured Polished aluminum
H Horizontal Grain Direction		<i>All Worksurfaces are 1 1/4" thick .</i>
N Grommet option		Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>
() Grommet finish		Grain Direction: H = Horizontal V = Vertical
(CC) Grommet location		*Foot: <i>X = Glide</i>
(114) Worksurface finish		Height 29" is to top of worksurface.
(SYN) Edge finish		
(114) Cone finish		
(114) Column finish		
(114) Foot finish		

X-Base Tables - Conference
29" High, Vertical Grain
Soft Rectilinear, Multi-Piece Top

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Soft Rectilinear 29" High 	36"	120"	29"	ILTSR(S/B/T)X120364V() () () () () ()	\$3,722.	\$4,530.	\$4,841.	\$5,543.
		132"	29"	ILTSR(S/B/T)X132364V() () () () () ()	3,756.	4,566.	4,895.	5,612.
		144"	29"	ILTSR(S/B/T)X144364V() () () () () ()	3,791.	4,600.	4,946.	5,680.
		156"	29"	ILTSR(S/B/T)X156364V() () () () () ()	3,827.	4,638.	4,998.	5,748.
	42"	120"	29"	ILTSR(S/B/T)X120424V() () () () () ()	3,779.	4,589.	4,929.	5,658.
		132"	29"	ILTSR(S/B/T)X132424V() () () () () ()	3,819.	4,634.	4,990.	5,737.
		144"	29"	ILTSR(S/B/T)X144424V() () () () () ()	3,862.	4,672.	5,052.	5,816.
		156"	29"	ILTSR(S/B/T)X156424V() () () () () ()	3,904.	4,714.	5,111.	5,896.
	48"	120"	29"	ILTSR(S/B/T)X120484V() () () () () ()	3,838.	4,648.	5,015.	5,770.
		132"	29"	ILTSR(S/B/T)X132484V() () () () () ()	3,885.	4,695.	5,085.	5,862.
		144"	29"	ILTSR(S/B/T)X144484V() () () () () ()	3,933.	4,743.	5,155.	5,950.
		156"	29"	ILTSR(S/B/T)X156484V() () () () () ()	3,979.	4,792.	5,224.	6,042.

*Available with Glides only.

Order Code	Specification Information	Application Notes
Example: ILTSRSX120364H	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W D8 = Narrow slot 8"W D12 = Narrow slot 12"W D18 = Narrow slot 18"W D24 = Narrow slot 24"W D36 = Narrow slot 36"W S = Power square <i>*Refer to planning guide for grommet options and locations.</i>	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Casters: \$33 Grommets D4, D8, D12, D18: \$86 each Grommets D24, D36: \$107 each Polished finish: \$321 (Cone, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
T Table	2. Grommet finish: N = Not applicable D4 to D36 = B=Black, W=White (textured) S = 111, 114, 115, 117	
SR Soft Rectilinear	3. Worksurface finish: L, V1, V2, V3	
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	
X Foot	5. Cone finish: Painted/textured Polished aluminum	Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i> Grain Direction: H = Horizontal V = Vertical *Foot: <i>X = Glide</i> Height 29" is to top of worksurface.
120 Width	6. Column finish: Painted/textured Polished aluminum	
36 Depth	7. Foot finish: Painted/textured Polished aluminum	
4 29" High	<i>All Worksurfaces are 1 1/4" thick .</i>	
H Horizontal Grain Direction		
N Grommet option		
() Grommet finish		
(CC) Grommet location		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Cone finish		
(114) Column finish		
(114) Foot finish		

X-Base Tables - Conference


29" High, Horizontal Grain

Soft Rectilinear, Multi-Piece Top

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Soft Rectilinear 29" High	36"	120"	29"	ILTSR(S/B/T)X120364H() () () () () ()	\$3,857.	\$4,755.	\$5,103.	\$5,880.
		132"	29"	ILTSR(S/B/T)X132364H() () () () () ()	3,897.	4,796.	5,160.	5,960.
		144"	29"	ILTSR(S/B/T)X144364H() () () () () ()	3,935.	4,834.	5,217.	6,034.
		156"	29"	ILTSR(S/B/T)X156364H() () () () () ()	3,974.	4,874.	5,276.	6,110.
	42"	120"	29"	ILTSR(S/B/T)X120424H() () () () () ()	3,922.	4,821.	5,198.	6,009.
		132"	29"	ILTSR(S/B/T)X132424H() () () () () ()	3,968.	4,869.	5,266.	6,099.
		144"	29"	ILTSR(S/B/T)X144424H() () () () () ()	4,014.	4,916.	5,333.	6,185.
		156"	29"	ILTSR(S/B/T)X156424H() () () () () ()	4,060.	4,960.	5,402.	6,273.
	48"	120"	29"	ILTSR(S/B/T)X120484H() () () () () ()	3,987.	4,886.	5,295.	6,134.
		132"	29"	ILTSR(S/B/T)X132484H() () () () () ()	4,039.	4,940.	5,372.	6,237.
		144"	29"	ILTSR(S/B/T)X144484H() () () () () ()	4,092.	4,993.	5,451.	6,337.
		156"	29"	ILTSR(S/B/T)X156484H() () () () () ()	4,144.	5,045.	5,527.	6,436.

*Available with Glides only.



Order Code	Specification Information	Application Notes
Example: ILTSRSX120364H	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W D8 = Narrow slot 8"W D12 = Narrow slot 12"W D18 = Narrow slot 18"W D24 = Narrow slot 24"W D36 = Narrow slot 36"W S = Power square <i>*Refer to planning guide for grommet options and locations.</i>	The following upcharges apply: Beveled Edge (B4 & T4): \$536 Casters: \$33 Grommets D4, D8, D12, D18: \$86 each Grommets D24, D36: \$107 each Polished finish: \$321 (Cone, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
T Table	2. Grommet finish: N = Not applicable D4 to D36 = B=Black, W=White (textured) S = 111, 114, 115, 117	
SR Soft Rectilinear	3. Worksurface finish: L, V1, V2, V3	
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	
X Foot		5. Cone finish: Painted/textured Polished aluminum
120 Width		6. Column finish: Painted/textured Polished aluminum
36 Depth		7. Foot finish: Painted/textured Polished aluminum
4 29" High		<i>All Worksurfaces are 1/4" thick .</i>
H Horizontal Grain Direction		Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>
N Grommet option		Grain Direction: H = Horizontal V = Vertical
() Grommet finish		*Foot: <i>X = Glide</i>
(CC) Grommet location		Height 29" is to top of worksurface.
(114) Worksurface finish		
(SYN) Edge finish		
(114) Cone finish		
(114) Column finish		
(114) Foot finish		

MX Base Tables - Occasional Heights

12", 15" and 18" High

Round Tables

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
 Round Table 12" High	45"		12"	ILTRD(S/B/T)MG451() () () ()	\$1,331.	\$1,665.	\$1,796.	\$2,063.
	48"		12"	ILTRD(S/B/T)MG481() () () ()	1,371.	1,715.	1,852.	2,124.
	54"		12"	ILTRD(S/B/T)MG541() () () ()	1,412.	1,766.	1,906.	2,209.
	60"		12"	ILTRD(S/B/T)MG601() () () ()	1,456.	1,818.	1,964.	2,275.

* Available with Glides only.

45" dia. Table shown

 Round Table 15" High	45"		15"	ILTRD(S/B/T)MG452() () () ()	1,796.	2,063.	2,196.	2,462.
	48"		15"	ILTRD(S/B/T)MG482() () () ()	1,852.	2,124.	2,262.	2,536.
	54"		15"	ILTRD(S/B/T)MG542() () () ()	1,906.	2,188.	2,328.	2,638.
	60"		15"	ILTRD(S/B/T)MG602() () () ()	1,964.	2,254.	2,399.	2,716.

* Available with Glides only.

45" dia. Table shown

 Round Table 18" High	45"		18"	ILTRD(S/B/T)(MG/MC)453() () () ()	1,796.	2,063.	2,196.	2,462.
	48"		18"	ILTRD(S/B/T)(MG/MC)483() () () ()	1,852.	2,124.	2,262.	2,536.
	54"		18"	ILTRD(S/B/T)(MG/MC)543() () () ()	1,906.	2,188.	2,328.	2,638.
	60"		18"	ILTRD(S/B/T)(MG/MC)603() () () ()	1,964.	2,254.	2,399.	2,716.

* Available with Glides and Casters.

45" dia. Table shown

45" diameter tables feature 3 legs
48", 54", 60" diameter tables feature 4 legs

Order Code	Specification Information	Application Notes
Example: ILTRDSMG451 IL Islands Collection by Knoll® T Table RD Round S Edge (S/B/T) MG Foot (MG/MC) 45 Size 1 Height (1/2/3) N Grommet option () Grommet finish (114) Worksurface finish (SYN) Edge finish (114) Mount finish (114) Column finish (114) Foot finish	<i>To order please specify pattern number including:</i> 1. Grommet option: N = None (no grommet) D8 = Narrow slot 8"W (45", 48" & 54") D12 = Wide Slide 12"W (60") S = Power square 2. Grommet finish: N = Not applicable D8 / D12 = B=Black, W=White (textured) S = 111, 114, 115, 117 3. Worksurface finish: L, V1, V2, V3 4. Edge finish: Complementary synthetic	5. Mount finish: Painted/textured Polished aluminum 6. Column finish: Painted/textured Polished aluminum 7. Foot finish: Painted/textured Polished aluminum <i>All Worksurfaces are 1/4" thick.</i> Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i> *Foot: <i>MG = Glide</i> <i>MC = Caster</i> Height (to top of worksurface): 1 = 12"H 2 = 15"H 3 = 18"H

The following upcharges apply:
Beveled Edge (B & T): \$536
Casters: \$33
Grommets D4: \$86
Polished finish: \$107 (Mount, Column, Foot or all)

 All electrical accessories are specified separately.
 Refer to Accessories section for electrical component pricing.


MX Base Tables - Occasional Heights

12", 15" and 18" High

Square Tables


Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Square Table 12" High	48"		12"	ILTSA(S/B/T)MG481() () () ()	\$1,371.	\$1,715.	\$1,852.	\$2,124.
	54"		12"	ILTSA(S/B/T)MG541() () () ()	1,412.	1,766.	1,906.	2,209.
	60"		12"	ILTSA(S/B/T)MG601() () () ()	1,456.	1,818.	1,964.	2,275.




*Available with Glides only.

Square Table 15" High	48"		15"	ILTSA(S/B/T)MG482() () () ()	1,852.	2,124.	2,262.	2,536.
	54"		15"	ILTSA(S/B/T)MG542() () () ()	1,906.	2,188.	2,328.	2,638.
	60"		15"	ILTSA(S/B/T)MG602() () () ()	1,964.	2,254.	2,399.	2,716.



*Available with Glides only.

Square Table 18" High	48"		18"	ILTSA(S/B/T)(MG/MC)483() () () ()	1,852.	2,124.	2,262.	2,536.
	54"		18"	ILTSA(S/B/T)(MG/MC)543() () () ()	1,906.	2,188.	2,328.	2,638.
	60"		18"	ILTSA(S/B/T)(MG/MC)603() () () ()	1,964.	2,254.	2,399.	2,716.



*Available with Glides and Casters.

Order Code	Specification Information	Application Notes		
Example: ILTSQSMG481	<i>To order please specify pattern number including:</i>			
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D8 = Narrow slot 8"W (48" & 54") D12 = Narrow Slot 12"W (60") S = Power square	5. Mount finish: Painted/textured Polished aluminum 12"H = NA-top plate is black	The following upcharges apply: Beveled Edge (B & T): \$536 Casters: \$33 Grommets D8/12: \$128 Polished finish: \$107 (Column, Foot or all)	
T Table	2. Grommet finish: N = Not applicable D8 / D12 = B=Black, W=White (textured) S = 111, 114, 115, 117	6. Column finish Painted/textured Polished aluminum		All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
SQ Square	3. Worksurface finish: L, V1, V2, V3	7. Foot finish Painted/textured Polished aluminum		
S Edge (S/B/T)	4. Edge finish: Complementary synthetic			
MG Foot (MG/MC)		<i>All Worksurfaces are 1/4" thick.</i>		
48 Width		Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>		
1 Height (1/2/3)		*Foot: <i>MG = Glide</i> <i>MC = Caster</i>		
N Grommet option				
() Grommet finish				
(114) Worksurface finish				
(SYN) Edge finish				
(114) Mount finish				
(114) Column finish				
(114) Foot finish				

All Worksurfaces are 1/4" thick.

Edges:
S = Square Edge
B = Thin beveled edge four sides
T = Thick beveled edge four sides

***Foot:**
MG = Glide
MC = Caster

Height (to top of worksurface):
 1 = 12"H
 2 = 15"H
 3 = 18"H


MX Base Tables - Occasional Heights

12", 15" and 18" High

Square Table with Curved Corners


Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Square Table, Curved corners 12" High	48"	48"	12"	ILTSC(S/B/T)MG481()	\$1,371.	\$1,715.	\$1,852.	\$2,124.
	54"	54"	12"	ILTSC(S/B/T)MG541()	1,412.	1,766.	1,906.	2,209.
	60"	60"	12"	ILTSC(S/B/T)MG601()	1,456.	1,818.	1,964.	2,275.




*Available with Glides only.

Square Table, Curved corners 15" High	48"	48"	15"	ILTSC(S/B/T)MG482()	1,852.	2,124.	2,262.	2,536.
	54"	54"	15"	ILTSC(S/B/T)MG542()	1,906.	2,188.	2,328.	2,638.
	60"	60"	15"	ILTSC(S/B/T)MG602()	1,964.	2,254.	2,399.	2,716.



*Available with Glides only.

Square Table, Curved corners 18" High	48"	48"	18"	ILTSC(S/B/T)(MG/MC)483()	1,852.	2,124.	2,262.	2,536.
	54"	54"	18"	ILTSC(S/B/T)(MG/MC)543()	1,906.	2,188.	2,328.	2,638.
	60"	60"	18"	ILTSC(S/B/T)(MG/MC)603()	1,964.	2,254.	2,399.	2,716.



*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTSCSMG481	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D8 = Narrow slot 8"W (48" & 54") D12 = Narrow Slot 12"W (60") S = Power square	5. Mount finish: Painted/textured Polished aluminum, 12"H NA - top plate is black
T Table	2. Grommet finish: N = Not applicable D8/D12 = B=Black, W=White (textured)	6. Column finish Painted/textured Polished aluminum
SC Square with Curved Corners	3. Worksurface finish: L, V1, V2, V3	7. Foot finish: Painted/textured polished aluminum
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	
MG Foot (MG/MC)		
48 Size		
1 Height (1/2/3)		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Mount finish		
(114) Column finish		
(114) Leg finish		

The following upcharges apply:
Beveled Edge (B & T): \$696
Castors: \$33
Grommets D8 & D12: \$128
Polished finish: \$107 (Mount, Column, Foot or all)

All electrical accessories are specified separately.

All Worksurfaces are 1/4" thick .

Edges:
S = Square Edge
B = Thin beveled edge four sides
T = Thick beveled edge four sides

***Foot:**
MG = Glide
MC = Caster

Height (to top of worksurface):
 1 = 12"H
 2 = 15"H
 3 = 18"H


MX Base Tables - Occasional Heights

12", 15" and 18" High

Soft Square Tables


Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Soft Square Table 12" High	48"		12"	ILTSS(S/B/T)MG481()	\$1,371.	\$1,715.	\$1,852.	\$2,124.
	54"		12"	ILTSS(S/B/T)MG541()	1,412.	1,766.	1,906.	2,209.
	60"		12"	ILTSS(S/B/T)MG601()	1,456.	1,818.	1,964.	2,275.




*Available with Glides only.

Soft Square Table 15" High	48"		15"	ILTSS(S/B/T)MG482()	1,852.	2,124.	2,262.	2,536.
	54"		15"	ILTSS(S/B/T)MG542()	1,906.	2,188.	2,328.	2,638.
	60"		15"	ILTSS(S/B/T)MG602()	1,964.	2,254.	2,399.	2,716.



*Available with Glides only.

Soft Square Table 18" High	48"		18"	ILTSS(S/B/T)(MG/MC)483()	1,852.	2,124.	2,262.	2,536.
	54"		18"	ILTSS(S/B/T)(MG/MC)543()	1,906.	2,188.	2,328.	2,638.
	60"		18"	ILTSS(S/B/T)(MG/MC)603()	1,964.	2,254.	2,399.	2,716.



*Available with Glides and Casters.

Order Code	Specification Information	Application Notes	
Example: ILTSSSMG481	<i>To order please specify pattern number including:</i>	The following upcharges apply: Beveled Edge (B & T): \$536 Casters: \$33 Grommets D8 /D12: \$128 Polished finish: \$107 (Mount, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D8 = Narrow slot 8"W (48" & 54") D12 = Narrow Slot 12"W (60") S = Power square		5. Mount finish: Painted/textured Polished aluminum, 12"H NA - top plate is black
T Table	2. Grommet finish: N = Not applicable D8 / D12 = B=Black, W=White (textured)		6. Column finish Painted/textured Polished aluminum
SS Soft Square	3. Worksurface finish: L, V1, V2, V3		7. Foot finish Painted/textured Polished aluminum
S Edge (S/B/T)	4. Edge finish: Complementary synthetic		<i>All Worksurfaces are 1 1/4" thick.</i>
MG Foot (MG/MC)			Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>
48 Size			*Foot: <i>MG = Glide</i> <i>MC = Caster</i>
1 Height (1/2/3)			Height (to top of worksurface): 1 = 12"H 2 = 15"H 3 = 18"H
N Grommet option			
() Grommet finish			
(114) Worksurface finish			
(SYN) Edge finish			
(114) Cone finish			
(114) Foot finish			

MX Base Tables - Occasional Heights

12", 15" and 18" High

Soft Pentagon

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Soft Pentagon Table 12" High 	45"		12"	ILTSP(S/B/T)MG451()	\$1,577.	\$1,972.	\$2,128.	\$2,445.
	48"		12"	ILTSP(S/B/T)MG481()	1,623.	2,030.	2,191.	2,517.
	54"		12"	ILTSP(S/B/T)MG541()	1,673.	2,090.	2,258.	2,618.
	60"		12"	ILTSP(S/B/T)MG601()	1,722.	2,153.	2,325.	2,696.

*Available with Glides only.

45" d Table shown

Soft Pentagon Table 15" High 	45"		15"	ILTSP(S/B/T)MG452()	2,209.	2,582.	2,746.	3,051.
	48"		15"	ILTSP(S/B/T)MG482()	2,275.	2,658.	2,830.	3,141.
	54"		15"	ILTSP(S/B/T)MG542()	2,344.	2,737.	2,916.	3,267.
	60"		15"	ILTSP(S/B/T)MG602()	2,414.	2,819.	3,001.	3,367.

*Available with Glides only.

54" d Table shown

Soft Pentagon Table 18" High 	45"		18"	ILTSP(S/B/T)(MG/MC)453()	2,209.	2,582.	2,746.	3,051.
	48"		18"	ILTSP(S/B/T)(MG/MC)483()	2,275.	2,658.	2,830.	3,141.
	54"		18"	ILTSP(S/B/T)(MG/MC)543()	2,344.	2,737.	2,916.	3,267.
	60"		18"	ILTSP(S/B/T)(MG/MC)603()	2,414.	2,819.	3,001.	3,367.

*Available with Glides and Casters.

45" d Table shown

45" diameter tables feature 3 legs
48", 54" & 60" diameter tables feature 5 legs

Order Code	Specification Information	Application Notes
Example: ILTSPSMG451	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	5. Mount finish: Painted/textured Polished aluminum 12"H NA - Top plate is black	The following upcharges apply: Beveled Edge (B & T): \$536 Castors: \$33 Grommets D8 / D12: \$128 Polished finish: \$107 (Mount, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
T Table	6. Column finish Painted/textured Polished aluminum	
SP Soft Pentagon	7. Foot finish Painted/textured Polished aluminum	
S Edge (S/B/T)		
MG Foot (MG/MC)	1. Grommet option: N = None (no grommet) D8 = Narrow slot 8"W (45", 48" & 54") D12 = Narrow Slot 12"W (60") S = Power square	
45 Size	2. Grommet finish: N = Not applicable D8 / D12 = B=Black, W=White (textured) S = 111, 114, 115, 117	
1 Height (1/2/3)	3. Worksurface finish: L, V1, V2, V3	
N Grommet option	4. Edge finish: Complementary synthetic	
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Mount finish		
(114) Column finish		
(114) Foot finish		

All Worksurfaces are 1/4" thick.

Edges:
S = Square Edge
B = Thin beveled edge four sides
T = Thick beveled edge four sides

***Foot:**
MG = Glide
MC = Caster

Height (to top of worksurface):
1 = 12"H
2 = 15"H
3 = 18"H


MX Base Tables - Occasional Heights

12", 15" and 18" High

Organic Pentagon Type A


Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Soft Pentagon Table Type A, 12" High	48"	30"	12"	ILTOPA(S/B/T)MG481() () () () ()	\$1,425.	\$1,782.	\$1,925.	\$2,209.
	56"	36"	12"	ILTOPA(S/B/T)MG541() () () () ()	1,467.	1,836.	1,983.	2,299.
	60"	42"	12"	ILTOPA(S/B/T)MG601() () () () ()	1,512.	1,890.	2,041.	2,368.




*Available with Glides only.

Soft Pentagon Table Type A, 15" High	48"	30"	15"	ILTOPA(S/B/T)MG482() () () () ()	1,925.	2,209.	2,350.	2,638.
	54"	36"	15"	ILTOPA(S/B/T)MG542() () () () ()	1,983.	2,275.	2,422.	2,743.
	60"	42"	15"	ILTOPA(S/B/T)MG602() () () () ()	2,041.	2,344.	2,497.	2,825.



*Available with Glides only.

Soft Pentagon Table Type A, 18" High	48"	30"	18"	ILTOPA(S/B/T)(MG/MC)483() () () () ()	1,925.	2,209.	2,350.	2,638.
	54"	36"	18"	ILTOPA(S/B/T)(MG/MC)543() () () () ()	1,983.	2,275.	2,422.	2,743.
	60"	42"	18"	ILTOPA(S/B/T)(MG/MC)603() () () () ()	2,041.	2,344.	2,497.	2,825.



*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTOPASMG481	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	5. Mount finish: Painted/textured Polished aluminum 12"H NA - Top plate is black	The following upcharges apply: Beveled Edge (B & T): \$536 Castors: \$33 Grommets D8 / D12: \$128 Polished finish: \$107 (Mount, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
T Table	6. Column finish Painted/textured Polished aluminum	
OPA Organic Pentagon Type A	7. Foot finish Painted/textured Polished aluminum	
S Edge (S/B/T)		
MG Foot (MG/MC)		
48 Size		
1 Height (1/2/3)		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Mount finish		
(114) Column finish		
(114) Foot finish		

To order please specify pattern number including:

- Grommet option:
N = None (no grommet)
D8 = Narrow slot 8"W (48" & 54")
D12 = Narrow Slot 12"W (60")
S = Power square
- Grommet finish:
N = Not applicable
D8 / D12 = B=Black, W=White (textured)
S = 111, 114, 115, 117
- Worksurface finish:
L, V1, V2, V3
- Edge finish:
Complementary synthetic

All Worksurfaces are 1 1/4" thick.

Edges:
S = Square Edge
B = Thin beveled edge four sides
T = Thick beveled edge four sides

***Foot:**
MG = Glide
MC = Caster

Height (to top of worksurface):
 1 = 12"H
 2 = 15"H
 3 = 18"H


MX Base Tables - Occasional Heights

12", 15" and 18" High

Organic Pentagon Type B


Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Organic Pentagon Table Type B, 12" High	48"	48"	12"	ILTOPB(S/B/T)MG481() () () () ()	\$1,425.	\$1,782.	\$1,925.	\$2,209.
	54"	54"	12"	ILTOPB(S/B/T)MG541() () () () ()	1,467.	1,836.	1,983.	2,299.
	60"	60"	12"	ILTOPB(S/B/T)MG601() () () () ()	1,512.	1,890.	2,041.	2,368.




*Available with Glides only.

Organic Pentagon Table Type B, 15" High	48"	48"	15"	ILTOPB(S/B/T)MG482() () () () ()	1,925.	2,209.	2,350.	2,638.
	54"	54"	15"	ILTOPB(S/B/T)MG542() () () () ()	1,983.	2,275.	2,422.	2,743.
	60"	60"	15"	ILTOPB(S/B/T)MG602() () () () ()	2,041.	2,344.	2,497.	2,825.



*Available with Glides only.

Organic Pentagon Table Type B, 18" High	48"	48"	18"	ILTOPB(S/B/T)(MG/MC)483() () () () ()	1,925.	2,209.	2,350.	2,638.
	54"	54"	18"	ILTOPB(S/B/T)(MG/MC)543() () () () ()	1,983.	2,275.	2,422.	2,743.
	60"	60"	18"	ILTOPB(S/B/T)(MG/MC)603() () () () ()	2,041.	2,344.	2,497.	2,825.



*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTOPBSMG54451	<i>To order please specify pattern number including:</i>	
IL	Islands Collection by Knoll®	5. Mount finish: Painted/textured Polished aluminum 6. Column finish Painted/textured Polished aluminum 7. Foot finish Painted/textured Polished aluminum <i>All Worksurfaces are 1 1/4" thick.</i> Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i> *Foot: <i>MG = Glide</i> <i>MC = Caster</i> Height (to top of worksurface): 1 = 12"H
T	Table	
OPB	Organic Pentagon Type B	
S	Edge (S/B/T)	
MG	Foot (MG/MC)	
54	Depth	
45	Width	
1	Height (1/2/3)	
N	Grommet option	
()	Grommet finish	
(114)	Worksurface finish	
(SYN)	Edge finish	
(114)	Mount finish	
(114)	Column finish	
(114)	Foot finish	


MX Base Tables - Occasional Heights

12", 15" and 18" High

Cairo Shaped Tables


Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Cairo Shaped Table	54"	45"	12"	ILTCY(S/B/T)MG54451 () () () ()	\$1,782.	\$1,766.	\$1,906.	\$2,209.
12" High	60"	48"	12"	ILTCY(S/B/T)MG60481 () () () ()	1,836.	1,818.	1,964.	2,275.




*Available with Glides only.

Cairo Shaped Table	54"	45"	15"	ILTCY(S/B/T)MG54452 () () () ()	1,872.	1,853.	2,001.	2,321.
15" High	60"	48"	15"	ILTCY(S/B/T)MG60482 () () () ()	1,927.	1,909.	2,062.	2,391.



*Available with Glides only.

Cairo Shaped Table	54"	45"	18"	ILTCY(S/B/T)(MG/MC)54453 () () () ()	1,872.	1,853.	2,001.	2,321.
18" High	60"	48"	18"	ILTCY(S/B/T)(MG/MC)60483 () () () ()	1,927.	1,909.	2,062.	2,391.



*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTCYSYMG54451	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	5. Mount finish: Painted/textured Polished aluminum	The following upcharges apply: Beveled Edge (B & T): \$536 Casters: \$33 Grommets D4: \$86 Polished finish: \$107 (Mount, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
T Table	6. Column finish: Painted/textured Polished aluminum	
CY Cairo Shaped tables	7. Foot finish: Painted/textured Polished aluminum	
S Edge (S/B/T)		
MG Foot (MG/MC)		
54 Depth	<i>All Worksurfaces are 1 1/4" thick .</i>	
45 Width	Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>	
1 Height (1/2/3)	*Foot: <i>MG = Glide</i> <i>MC = Casters</i>	
N Grommet option	Height (to top of worksurface): 1 = 12"H 2 = 15"H 3 = 18"H	
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Mount finish		
(114) Column finish		
(114) Foot finish		

MX Base Tables - Desk Height

29" High

Round Tables

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
 Round Table 29" High	45"	45"	29"	ILTRD(S/B/T)(MG/MC)454()()()()()()	\$1,852.	\$2,124.	\$2,262.	\$2,536.
	48"	48"	29"	ILTRD(S/B/T)(MG/MC)484()()()()()()	1,906.	2,188.	2,328.	2,611.
	54"	54"	29"	ILTRD(S/B/T)(MG/MC)544()()()()()()	1,964.	2,254.	2,399.	2,716.
	60"	60"	29"	ILTRD(S/B/T)(MG/MC)604()()()()()()	2,021.	2,323.	2,471.	2,797.

*Available with Glides and Casters.

45" dia. Table shown

45" diameter tables feature 3 legs
48" 54" & 60" diameter tables feature 4 legs

Order Code	Specification Information	Application Notes
Example: ILTRDSMG454	<i>To order please specify pattern number including:</i>	The following upcharges apply: Beveled Edge (B & T): \$536 Castors: \$33 Grommets D8/D12: \$128 Polished finish: \$107 (Mount, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D8 = Narrow slot 8"W (45", 48" & 54") D12 = Narrow Slot 12"W (60") S = Power square	
T Table	2. Grommet finish: N = Not applicable D8 / D12 = B=Black, W=White (textured) S = 111, 114, 115, 117	
RD Round	3. Worksurface finish: L, V1, V2, V3	
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i> *Foot: <i>MG = Glide</i> <i>MC = Caster</i> Height 29" is to top of worksurface.
MG Foot (MG/MC)		
45 Width		
4 29" High		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Mount finish		
(114) Column finish		
(114) Foot finish		


MX Base Tables - Desk Height

Islands Collection by Knoll®

29" High

Square, Soft Square and Square with Curved Corners Tables

description	d	w	h	pattern no.	L	V1	V2	V3
Square Table 29" High	48"		29"	ILTSA(S/B/T)(MG/MC)484() () () ()	\$1,925.	\$2,209.	\$2,350.	\$2,739.
	54"		29"	ILTSA(S/B/T)(MG/MC)544() () () ()	1,983.	2,275.	2,422.	2,848.
	60"		29"	ILTSA(S/B/T)(MG/MC)604() () () ()	2,041.	2,344.	2,497.	2,932.



*Available with Glides and Casters.

Soft Square Table 29" High	48"		29"	ILTSS(S/B/T)(MG/MC)484() () () ()	1,925.	2,209.	2,350.	2,739.
	54"		29"	ILTSS(S/B/T)(MG/MC)544() () () ()	1,983.	2,275.	2,422.	2,848.
	60"		29"	ILTSS(S/B/T)(MG/MC)604() () () ()	2,041.	2,344.	2,497.	2,932.



*Available with Glides and Casters.

Square Table, 29" High Curved Corners	48"		29"	ILTSC(S/B/T)(MG/MC)484() () () ()	1,925.	2,209.	2,350.	2,739.
	54"		29"	ILTSC(S/B/T)(MG/MC)544() () () ()	1,983.	2,275.	2,422.	2,848.
	60"		29"	ILTSC(S/B/T)(MG/MC)604() () () ()	2,041.	2,344.	2,497.	2,932.



*Available with Glides and Casters.

Order Code	Specification Information	Application Notes	
Example: ILTSSSMG484	<i>To order please specify pattern number including:</i>	The following upcharges apply: Beveled Edge (B & T): \$696 for Square Table Beveled Edge (B & T): \$536 for Soft Square Table, and Square with Curved Corners Casters: \$33 Grommets D8/D12: \$128 Polished finish: \$107 (Mount, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D8 = Narrow slot 8"W (48" & 54") D12 = Narrow Slot 12"W (60") S = Power square		5. Mount finish: Painted/textured Polished aluminum 12"H NA - Top plate is black
T Table	2. Grommet finish: N = Not applicable D8 / D12 = B=Black, W=White (textured) S = 111, 114, 115, 117		6. Column finish: Painted/textured Polished aluminum
SA Square SS=Soft Square SC=Square with Curved corners	3. Worksurface finish: L, V1, V2, V3		7. Foot finish Painted/textured Polished aluminum
S Edge (S/B/T)	4. Edge finish: Complementary synthetic		<i>All Worksurfaces are 1 1/4" thick .</i>
MG Foot (MG/MC)			Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>
48 Width / Depth			*Foot: <i>MG = Glide</i> <i>MC = Caster</i>
4 29" High			Height 29" is to top of worksurface.
N Grommet option			
() Grommet finish			
(114) Worksurface finish			
(SYN) Edge finish			
(114) Mount finish			
(114) Column finish			
(114) Foot finish			

MX Base Tables - Desk Height

Islands Collection by Knoll®

29" High

Soft Pentagon, Organic Pentagon Type A and B

description	d	w	h	pattern no.	L	V1	V2	V3
Soft Pentagon Table 29" High	45"		29"	ILTSP(S/B/T)(MG/MC)454() () () ()	\$2,431.	\$2,839.	\$3,021.	\$3,354.
	48"		29"	ILTSP(S/B/T)(MG/MC)484() () () ()	2,504.	2,923.	3,111.	3,456.
	54"		29"	ILTSP(S/B/T)(MG/MC)544() () () ()	2,578.	3,010.	3,204.	3,595.
	60"		29"	ILTSP(S/B/T)(MG/MC)604() () () ()	2,656.	2,969.	3,303.	3,702.



45" d Table shown

*Available with Glides and Casters.
45" diameter tables feature 3 legs
48", 54", 60" diameter tables feature 5 legs

Organic Pentagon Table Type A, 29" High	48"		29"	ILTOPA(S/B/T)(MG/MC)484() () () ()	2,271.	2,607.	2,776.	3,165.
	54"		29"	ILTOPA(S/B/T)(MG/MC)544() () () ()	2,340.	2,686.	2,859.	3,291.
	60"		29"	ILTOPA(S/B/T)(MG/MC)604() () () ()	2,409.	2,767.	2,945.	3,390.



*Available with Glides and Casters.

Organic Pentagon Table Type B, 29" High	48"		29"	ILTOPB(S/B/T)(MG/MC)484() () () ()	2,271.	2,607.	2,776.	3,165.
	54"		29"	ILTOPB(S/B/T)(MG/MC)544() () () ()	2,340.	2,686.	2,859.	3,291.
	60"		29"	ILTOPB(S/B/T)(MG/MC)604() () () ()	2,409.	2,767.	2,945.	3,390.



*Available with Glides and Casters.

Order Code	Specification Information	Application Notes
Example: ILTOPASMG484	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D8 = Narrow slot 8"W (45", 48" & 54") D12 = Narrow Slot 12"W (60")	5. Mount finish: Painted/textured Polished aluminum
T Table	S = Power square	6. Column finish: Painted/textured Polished aluminum
OPA Soft Pentagon OPA=Organic Pentagon Type A OPB=Organic Pentagon Type B	2. Grommet finish: N = Not applicable D8 / D12 = B=Black, W=White (textured) S = 111, 114, 115, 117	7. Foot finish: Painted/textured Polished aluminum
S Edge (S/B/T)	3. Worksurface finish: L, V1, V2, V3	<i>All Worksurfaces are 1 1/4" thick .</i>
MG Foot (MG/MC)	4. Edge finish: Complementary synthetic	Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>
48 Width		*Foot: <i>MG= Glide</i> <i>MC = Caster</i>
4 29" High		Height 29" is to top of worksurface.
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Mount finish		
(114) Column finish		
(114) Foot finish		

The following upcharges apply:
Beveled Edge (B & T): \$536
Castors: \$33
Grommets D8 / D12: \$128
Polished finish: \$107 (Mount, Column, Foot or all)

All electrical accessories are specified separately.
Refer to Accessories section for electrical component pricing.

MX Base Tables - Desk Height

29" High

Cairo Shaped Tables

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Cairo Shaped Table 29" High	54"	45"	29"	ILTCY(S/B/T)(MG/MC)54454 () () () () ()	\$2,059.	\$2,039.	\$2,201.	\$2,552.
	60"	48"	29"	ILTCY(S/B/T)(MG/MC)60484 () () () () ()	2,120.	2,101.	2,269.	2,629.



*Available with Glides and Casters.

Order Code		Specification Information	Application Notes	
Example: ILTCYSMG54454		<i>To order please specify pattern number including:</i>	The following upcharges apply: Beveled Edge (B & T): \$536 Casters: \$33 Grommets D4: \$86 Polished finish: \$107 (Mount, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.	
IL	Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"W S = Power square		5. Mount finish: Painted/textured Polished aluminum
T	Table	2. Grommet finish: N = Not applicable D4 = B=Black, W=White (textured) S = 111, 114, 115, 117		6. Column finish Painted/textured Polished aluminum
CY	Cairo Shaped tables	3. Worksurface finish: L, V1, V2, V3		7. Foot finish: Painted/textured Polished aluminum
S	Edge (S/B/T)	4. Edge finish: Complementary synthetic		
MG	Foot (MG/MC)			
54	Width			
45	Depth			
4	Height			
N	Grommet option			
()	Grommet finish			
(114)	Worksurface finish			
(SYN)	Edge finish			
(114)	Mount finish			
(114)	Column finish			
(114)	Foot finish			
		<i>All Worksurfaces are 1 1/4" thick .</i>		
		Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>		
		*Foot: <i>MG = Glide</i> <i>MC = Caster</i>		
		Height (to top of worksurface): 1 = 12"H 2 = 15"H 3 = 18"H		

MX Base Tables - Standing Height

36" and 42" High

Round Tables

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Round Table 36" High 	45"		36"	ILTRD(S/B/T)MG455() () () () ()	\$1,887.	\$2,167.	\$2,307.	\$2,688.
	48"		36"	ILTRD(S/B/T)MG485() () () () ()	1,946.	2,234.	2,376.	2,768.
	54"		36"	ILTRD(S/B/T)MG545() () () () ()	2,002.	2,300.	2,448.	2,880.
	60"		36"	ILTRD(S/B/T)MG605() () () () ()	2,063.	2,368.	2,522.	2,968.

*Available with Glides only.

45" dia. Table shown

Round Table 42" High 	45"		42"	ILTRD(S/B/T)MG456() () () () ()	1,946.	2,234.	2,376.	2,768.
	48"		42"	ILTRD(S/B/T)MG486() () () () ()	2,002.	2,300.	2,448.	2,852.
	54"		42"	ILTRD(S/B/T)MG546() () () () ()	2,063.	2,368.	2,522.	2,968.
	60"		42"	ILTRD(S/B/T)MG606() () () () ()	2,123.	2,440.	2,597.	3,055.

*Available with Glides only.

45" dia. Table shown

45" diameter tables feature 3 legs
48" 54" & 60" diameter tables feature 4 legs

Order Code	Specification Information	Application Notes
Example: ILTRDSMG485	<i>To order please specify pattern number including:</i>	
IL	Islands Collection by Knoll®	The following upcharges apply: Beveled Edge (B & T): \$536 Casters: \$33 Grommets D8 /D12: \$128 Polished finish: \$107 (Mount, Column, Foot or all)
T	Table	
RD	Round	
S	Edge (S/B/T)	
MG	Foot	All electrical accessories are specified separately.
48	Width	Refer to Accessories section for electrical component pricing.
5	36" High, 6=42" High	
N	Grommet option	
()	Grommet finish	
(114)	Worksurface finish	
(SYN)	Edge finish	
(114)	Mount finish	
(114)	Column finish	
(114)	Foot finish	
	1. Grommet option: N = None (no grommet) D8 = Narrow slot 8"W (45", 48" & 54") D12 = Narrow Slot 12"W (60") S = Power square	5. Mount finish: Painted/textured Polished aluminum
	2. Grommet finish: N = Not applicable D8 / D12 = B=Black, W=White (textured) S = 111, 114, 115, 117	6. Column finish: Painted/textured Polished aluminum
	3. Worksurface finish: L, V1, V2, V3	7. Foot finish Painted/textured Polished aluminum
	4. Edge finish: Complementary synthetic	
		<i>All Worksurfaces are 1 1/4" thick .</i>
		Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>
		*Foot: <i>MG = Glide</i>
		Height 36" and 42" is to top of


MX Base Tables - Standing Height

36" and 42" High

Square Tables


Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Square Table 36" High	48"		36"	ILTSA(S/B/T)MG485() () () () ()	\$2,001.	\$2,299.	\$2,447.	\$2,848.
	54"		36"	ILTSA(S/B/T)MG545() () () () ()	2,062.	2,368.	2,521.	2,965.
	60"		36"	ILTSA(S/B/T)MG605() () () () ()	2,123.	2,437.	2,595.	3,052.



*Available with Glides only.

Square Table 42" High	48"		42"	ILTSA(S/B/T)MG486() () () () ()	2,001.	2,299.	2,447.	2,848.
	54"		42"	ILTSA(S/B/T)MG546() () () () ()	2,062.	2,368.	2,521.	2,965.
	60"		42"	ILTSA(S/B/T)MG606() () () () ()	2,123.	2,437.	2,595.	3,052.



*Available with Glides only.

Order Code	Specification Information	Application Notes
Example: ILTSASMG485	<i>To order please specify pattern number including:</i>	The following upcharges apply:
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D8 = Narrow slot 8"W (48" & 54") D12 = Narrow Slot 12"W (60") S = Power square	Beveled Edge (B & T): \$696 for Square Table
T Table	2. Grommet finish: N = Not applicable D8 /D12 = B=Black, W=White (textured) S = 111, 114, 115, 117	Casters: \$33
SA Square	3. Worksurface finish: L, V1, V2, V3	Grommets D8 /D12: \$128
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	Polished finish: \$107 (Mount, Column, Foot or all)
MG Foot		All electrical accessories are specified separately.
48 Width / Depth		Refer to Accessories section for electrical component pricing.
5 36" High, 6=42" High		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Mount finish		
(114) Column finish		
(114) Foot finish		

5. Mount finish:
Painted/textured
Polished aluminum

6. Column finish:
Painted/textured
Polished aluminum

7. Foot finish
Painted/textured
Polished aluminum

All Worksurfaces are 1 1/4" thick .

Edges:
S = *Square Edge*
B = **Thin** beveled edge four sides
T = **Thick** beveled edge four sides

***Foot:**
MG= *Glide*

Height 36" and 42" is to top of worksurface.

MX Base Tables - Standing Height

36" and 42" High

Soft Square and Square with Curved Corners

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Soft Square Table 36" High	48"		36"	ILTSS(S/B/T)MG485()	\$2,001.	\$2,299.	\$2,447.	\$2,848.
	54"		36"	ILTSS(S/B/T)MG545()	2,062.	2,368.	2,521.	2,965.
	60"		36"	ILTSS(S/B/T)MG605()	2,123.	2,437.	2,595.	3,052.



*Available with Glides only.

Soft Square Table 42" High	48"		42"	ILTSS(S/B/T)MG486()	2,001.	2,299.	2,447.	2,848.
	54"		42"	ILTSS(S/B/T)MG546()	2,062.	2,368.	2,521.	2,965.
	60"		42"	ILTSS(S/B/T)MG606()	2,123.	2,437.	2,595.	3,052.



*Available with Glides only.

Square Table, 36" High Curved Corners	48"		36"	ILTSC(S/B/T)MG485()	2,001.	2,299.	2,447.	2,848.
	54"		36"	ILTSC(S/B/T)MG545()	2,062.	2,368.	2,521.	2,965.
	60"		36"	ILTSC(S/B/T)MG605()	2,123.	2,437.	2,595.	3,052.



*Available with Glides only.

Square Table, 42" High Curved Corners	48"		42"	ILTSC(S/B/T)MG486()	2,001.	2,299.	2,447.	2,848.
	54"		42"	ILTSC(S/B/T)MG546()	2,062.	2,368.	2,521.	2,965.
	60"		42"	ILTSC(S/B/T)MG606()	2,123.	2,437.	2,595.	3,052.



*Available with Glides only.

Order Code	Specification Information	Application Notes
Example: ILTSCSMG485	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D8 = Narrow slot 8"W (48" & 54") D12 = Narrow Slot 12"W (60") S = Power square	5. Mount finish: Painted/textured Polished aluminum
T Table	2. Grommet finish: N = Not applicable D8 /D12 = B=Black, W=White (textured) S = 111, 114, 115, 117	6. Column finish: Painted/textured Polished aluminum
SS Soft Square SC = Square with Curved corners	3. Worksurface finish: L, V1, V2, V3	7. Foot finish Painted/textured Polished aluminum
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	<i>All Worksurfaces are 1/4" thick .</i>
MG Foot		Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>
48 Width		*Foot: <i>MG = Glide</i>
5 36" High, 6=42" High		Height 36" and 42" is to top of worksurface.
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(SYN) Edge finish		
(114) Mount finish		
(114) Column finish		
(114) Foot finish		

The following upcharges apply:
Beveled Edge (B & T): \$536 for Soft Square and Square with Curved corner Tables
Castors: \$33
Grommets D8 /D12: \$128
Polished finish: \$107 (Mount, Column, Foot or all)

All electrical accessories are specified separately.

Refer to Accessories section for electrical component pricing.

MX Base Tables - Standing Height

36" and 42" High

Soft Pentagon

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Soft Pentagon Table 36" High	45"		36"	ILTSP(S/B/T)MG455() () () () ()	\$2,673.	\$3,122.	\$3,322.	\$3,690.
	48"		36"	ILTSP(S/B/T)MG485() () () () ()	2,754.	3,214.	3,421.	3,803.
	54"		36"	ILTSP(S/B/T)MG545() () () () ()	2,836.	3,314.	3,526.	3,954.
	60"		36"	ILTSP(S/B/T)MG605() () () () ()	2,921.	3,411.	3,631.	4,072.



45" d Table shown

Soft Pentagon Table 42" High	45"		42"	ILTSP(S/B/T)MG456() () () () ()	2,673.	3,122.	3,322.	3,690.
	48"		42"	ILTSP(S/B/T)MG486() () () () ()	2,754.	3,214.	3,421.	3,803.
	54"		42"	ILTSP(S/B/T)MG546() () () () ()	2,836.	3,314.	3,526.	3,954.
	60"		42"	ILTSP(S/B/T)MG606() () () () ()	2,921.	3,411.	3,631.	4,072.



45" d Table shown

45" diameter tables feature 3 legs
48", 54" & 60" diameter tables feature 5 legs

Order Code	Specification Information	Application Notes	
Example: ILPTSMG485	<i>To order please specify pattern number including:</i>		
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D8 = Narrow slot 8"W (45", 48" & 54") D12 = Narrow Slot 12"W (60") S = Power square	5. Mount finish: Painted/textured Polished aluminum	The following upcharges apply: Beveled Edge (B & T): \$536 Casters: \$33 Grommets D8 /D12: \$128 Polished finish: \$107 (Mount, Column, Foot or all)
T Table	2. Grommet finish: N = Not applicable D8 / D12 = B=Black, W=White (textured) S = 111, 114, 115, 117	6. Column finish: Painted/textured Polished aluminum	
PT Soft Pentagon	3. Worksurface finish: L, V1, V2, V3	7. Foot finish Painted/textured Polished aluminum	
S Edge (S/B/T)	4. Edge finish: Complementary synthetic		
MG Foot		<i>All Worksurfaces are 1 1/4" thick .</i>	All electrical accessories are specified separately.
48 Width		Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>	Refer to Accessories section for electrical component pricing.
5 36" High, 6=42" High		*Foot: <i>MG = Glide</i>	
N Grommet option		Height 36" and 42" is to top of	
() Grommet finish			
(114) Worksurface finish			
(SYN) Edge finish			
(114) Cone finish			
(114) Column finish			
(114) Foot finish			

MX Base Tables - Standing Height

36" and 42" High

Organic Pentagon Type A and B

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Organic Pentagon Table Type A, 36" High	48"		36"	ILTOPA(S/B/T)MG485 () () () () ()	\$2,318.	\$2,660.	\$2,832.	\$3,230.
	54"		36"	ILTOPA(S/B/T)MG545 () () () () ()	2,386.	2,739.	2,917.	3,357.
	60"		36"	ILTOPA(S/B/T)MG605 () () () () ()	2,458.	2,820.	3,003.	3,458.



*Available with Glides only.

Organic Pentagon Table Type A, 42" High	48"		42"	ILTOPA(S/B/T)MG486 () () () () ()	2,318.	2,660.	2,832.	3,230.
	54"		42"	ILTOPA(S/B/T)MG546 () () () () ()	2,386.	2,739.	2,917.	3,357.
	60"		42"	ILTOPA(S/B/T)MG606 () () () () ()	2,458.	2,820.	3,003.	3,458.



*Available with Glides only.

Organic Pentagon Table Type B, 36" High	48"		36"	ILTOPB(S/B/T)MG485 () () () () ()	2,318.	2,660.	2,832.	3,230.
	54"		36"	ILTOPB(S/B/T)MG545 () () () () ()	2,386.	2,739.	2,917.	3,357.
	60"		36"	ILTOPB(S/B/T)MG605 () () () () ()	2,458.	2,820.	3,003.	3,458.



*Available with Glides only.

Organic Pentagon Table Type B, 42" High	48"		42"	ILTOPB(S/B/T)MG486 () () () () ()	2,318.	2,660.	2,832.	3,230.
	54"		42"	ILTOPB(S/B/T)MG546 () () () () ()	2,386.	2,739.	2,917.	3,357.
	60"		42"	ILTOPB(S/B/T)MG606 () () () () ()	2,458.	2,820.	3,003.	3,458.



*Available with Glides only.

Order Code	Specification Information	Application Notes
Example: ILTOPASMG5	<i>To order please specify pattern number including:</i>	
IL Islands Collection by Knoll®		
T Table		
OPA Organic Pentagon Type A OPB=Organic Pentagon Type B	1. Grommet option: N = None (no grommet) D8 = Narrow slot 8"W (48" & 54") D12 = Narrow slot 12"W (60") S = Power square	
S Edge (S/B/T)	2. Grommet finish: N = Not applicable D8 / D12 = B=Black, W=White (textured) S = 111, 114, 115, 117	
MG Foot	3. Worksurface finish: L, V1, V2, V3	
48 Width	4. Edge finish: Complementary synthetic	
5 36" High, 6=42" High		5. Mount finish: Painted/textured Polished aluminum
N Grommet option		6. Column finish: Painted/textured Polished aluminum
() Grommet finish		7. Foot finish: Painted/textured Polished aluminum
(114) Worksurface finish		<i>All Worksurfaces are 1 1/4" thick .</i>
(SYN) Edge finish		Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>
(114) Mount finish		*Foot: <i>MG = Glide</i>
(114) Column finish		Height 36" and 42" is to top of worksurface.
(114) Foot finish		

The following upcharges apply:
Beveled Edge (B & T): \$536
Casters: \$33
Grommets D8 /D12: \$128
Polished finish: \$107 (Mount, Column, Foot or all)
 All electrical accessories are specified separately.
 Refer to Accessories section for electrical component pricing.

MX Base Tables - Standing Height

36" and 42" High

Cairo Shaped Tables

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Cairo Shaped Table 36" High	54"	45"	36"	ILTCY(S/B/T)MG54455 () () () () ()	\$2,222.	\$2,201.	\$2,378.	\$2,757.
	60"	48"	36"	ILTCY(S/B/T)MG60485 () () () () ()	2,306.	2,281.	2,467.	2,859.



*Available with Glides only.

Cairo Shaped Table 42" High	54"	45"	42"	ILTCY(S/B/T)MG54456 () () () () ()	2,306.	2,281.	2,467.	2,859.
	60"	48"	42"	ILTCY(S/B/T)MG60486 () () () () ()	2,375.	2,350.	2,538.	2,944.



*Available with Glides only.


Order Code		Specification Information	Application Notes	
Example: ILTCYSMG54455		<i>To order please specify pattern number including:</i>	The following upcharges apply: Beveled Edge (B & T): \$536 Casters: \$33 Grommets D4: \$86 Polished finish: \$107 (Mount, Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories section for electrical component pricing.	
IL	Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D4 = Narrow slot 4"		5. Mount finish: Painted/textured Polished aluminum
T	Table	S = Power square		6. Column finish Painted/textured Polished aluminum
CY	Cairo Shaped tables	2. Grommet finish: N = Not applicable D4 = Black, W=White (textured)		7. Foot finish: Painted/textured Polished aluminum
S	Edge (S/B/T)	S = 111, 114, 115, 117		
MG	Foot	3. Worksurface finish: L, V1, V2, V3		
54	Width	4. Edge finish: Complementary synthetic		<i>All Worksurfaces are 1 1/4" thick .</i>
45	Depth			Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>
5	Hight			*Foot: <i>MG = Glide</i> <i>MC = Caster</i>
N	Grommet option			Height (to top of worksurface):
()	Grommet finish			
(114)	Worksurface finish			
(SYN)	Edge finish			
(114)	Mount finish			
(114)	Column finish			
(114)	Foot finish			

MX Base Tables - Conference

29" High, Horizontal or Vertical Grain

Racetrack, Single-Piece Top

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
 Racetrack 29" High	48"	108"	29"	ILTRT(S/B/T)M108484(H/V)N() () ()	\$3,887.	\$3,947.	\$4,190.	\$6,499.
		120"	29"	ILTRT(S/B/T)M120484(H/V)N() () ()	4,009.	4,070.	4,321.	6,701.
		96"	29"	ILTRT(S/B/T)M96484(H/V)N() () ()	3,809.	3,873.	4,130.	5,164.
	60"	108"	29"	ILTRT(S/B/T)M108604(H/V)N() () ()	4,130.	4,196.	4,455.	6,907.
		120"	29"	ILTRT(S/B/T)M120604(H/V)N() () ()	4,258.	4,325.	4,592.	7,121.
	54"	108"	29"	ILTRT(S/B/T)M108544(H/V)N() () ()	4,009.	4,070.	4,321.	6,701.
		120"	29"	ILTRT(S/B/T)M120544(H/V)N() () ()	4,130.	4,196.	4,455.	6,907.
		96"	29"	ILTRT(S/B/T)M96544(H/V)N() () ()	3,926.	3,992.	4,258.	6,055.


Order Code	Specification Information	Application Notes
Example: ILTRTSM96544H IL Islands Collection by Knoll® T Table RT Racetrack S Edge (S/B/T) M Base MX 96 Width 54 Depth 4 29" High H Horizontal Grain Direction N Grommet option () Grommet finish (114) Worksurface finish (SYN) Edge finish (114) Column finish (114) Foot finish	<i>To order please specify pattern number including:</i> 1. Grommet option: N = None (no grommet) D = Narrow slot (length) P = Power Center with lid (length) G = Power Center no lid W = Wide Cannel with lid set (length) - comes with pre-defined set of lids M = Wide Channel no lids (length) S = Power Square <i>Grommet options depend upon table top width:</i> 96"W options: N, D12 (2 locations), D45 (centered), P9 & G9 (2 locations), W45 & M45 (centered), S (2 locations) 108"W options: N, D12 (2 locations), D54 (centered), P9 & G9 (2 locations), W54 & M54 (centered), S (2 locations) 120"W options: N, D18 (2 locations), D72 (centered), P18 & G18 (2 locations), W72 & M72 (centered), S (2 locations)	The following upcharges apply: Beveled Edge (B & T): \$857 Grommets: D18 = \$214 D45, D54, D72, M45, M54, M72 = \$385 P9 & G9 = \$278 P18 = \$364 P36 = \$525 W45 = \$943 W54 = \$1221 Polished finish: \$214 (Column, Foot or all) All electrical accessories are specified separately. Edges: B= Thin beveled edge four sides T= Thick beveled edge four sides
	2. Grommet finish: N = Not applicable D: B=Black, W=White (textured paint) P: Painted / textured G: Painted / textured W: Painted / textured S = 111, 114, 115, 118 3. Worksurface finish: L, V1, V2, V3 4. Edge finish: Complementary synthetic 5. Column finish: Painted/textured Polished aluminum 6. Foot finish: Painted/textured Polished aluminum All Worksurfaces are 1 1/4" thick . Edges: S = Square Edge B = Thin beveled edge four sides T = Thick beveled edge four sides Grain Direction: H = Horizontal V = Vertical Height 29" is to top of worksurface.	

MX Base Tables - Conference

29" High, Horizontal or Vertical Grain

Racetrack, Multi-Piece Top


Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
 Racetrack 29" High	54"	132"	29"	ILTRT(S/B/T)M132544(H/V)N() () ()	\$5,358.	\$5,421.	\$5,809.	\$8,520.
		144"	29"	ILTRT(S/B/T)M144544(H/V)N() () ()	5,517.	5,583.	5,984.	8,775.
		156"	29"	ILTRT(S/B/T)M156544(H/V)N() () ()	5,683.	5,751.	6,163.	9,038.
		180"	29"	ILTRT(S/B/T)M180544(H/V)N() () ()	7,262.	7,326.	7,827.	12,084.
		216"	29"	ILTRT(S/B/T)M216544(H/V)N() () ()	7,488.	7,553.	8,067.	12,457.
	48"	132"	29"	ILTRT(S/B/T)M132484(H/V)N() () ()	5,196.	5,259.	5,636.	8,265.
		144"	29"	ILTRT(S/B/T)M144484(H/V)N() () ()	5,352.	5,417.	5,803.	8,512.
		156"	29"	ILTRT(S/B/T)M156484(H/V)N() () ()	5,513.	5,579.	5,978.	8,769.
		180"	29"	ILTRT(S/B/T)M180484(H/V)N() () ()	7,045.	7,105.	7,591.	11,720.
		216"	29"	ILTRT(S/B/T)M216484(H/V)N() () ()	7,262.	7,326.	7,827.	12,084.
	60"	132"	29"	ILTRT(S/B/T)M132604(H/V)N() () ()	5,524.	5,590.	5,990.	8,783.
		144"	29"	ILTRT(S/B/T)M144604(H/V)N() () ()	5,689.	5,757.	6,168.	9,048.
		156"	29"	ILTRT(S/B/T)M156604(H/V)N() () ()	5,860.	5,929.	6,352.	9,318.
		180"	29"	ILTRT(S/B/T)M180604(H/V)N() () ()	7,488.	7,553.	8,067.	12,457.
		216"	29"	ILTRT(S/B/T)M216604(H/V)N() () ()	7,718.	7,785.	8,318.	12,843.

Order Code	Specification Information	Application Notes
Example: ILTRTSM132484H IL Islands Collection by Knoll® T Table RT Racetrack S Edge (S/B/T) M Base MX 132 Width 48 Depth 4 29" High H Horizontal Grain Direction N Grommet option () Grommet finish (114) Worksurface finish (114) Edge finish (114) Column finish (114) Foot finish	To order please specify pattern number including: 1. Grommet option: N = None (no grommet) D = Narrow slot (length) P = Power Center with lid (length) G = Power Center no lid W = Wide Cannel with lid set (length) - comes with pre-defined set of lids M = Wide Channel no lids (length) S = Power Square Grommet options depend upon table top width: 132"W options: N, D18 (2 locations), D72 (centered), P18 & G18 (2 locations), W72 & M72 (centered), S (2 locations) 144"W options: N, D30 (2 locations), D90 (centered), P36 & G36 (2 locations), W90 & M90 (centered), S (2 locations) 156"W options: N, D30 (2 locations), D99 (centered), P36 & G36 (2 locations), W99 & M99 (centered), S (3 locations) 180"W options: N, D45 (2 locations), D126 (centered), P36 & G36 (centered), S (4 locations) 216"W options: N, D54 (2 locations), D153 (centered), P36 & G36 (2 locations), W153 & M153 (centered), S (4 locations)	2. Grommet finish: N = Not applicable D: B=Black, W=White (textured paint) P: Painted / textured G: Painted / textured W: Painted / textured S = 111, 114, 115, 118 3. Worksurface finish: L, V1, V2, V3 4. Edge finish: Complementary synthetic 5. Column finish: Painted/textured Polished aluminum 6. Foot finish: Painted/textured Polished aluminum All Worksurfaces are 1 1/4" thick. Height 29" is to top of worksurface . Edges: S = Square Edge B = Thin beveled edge four sides T = Thick beveled edge four sides Grain Direction: H = Horizontal V = Vertical
		The following upcharges apply: Beveled Edge (B & T): \$1714 Grommets: D18 = \$214 D30 = \$257 D45, D54 = \$771 D72, M72 = \$385 D90, D99 = \$643 D126, D153 = \$803 P18 = \$364 P36 = \$525 W72 = \$1553 W90 = \$1885 W99 = \$2163 W126 = \$2549 W153 = \$2935 G18 = \$557 G36 = \$707 M90, M99 = \$664 M126, M153 = \$836 Polished finish: \$214 (Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories for electrical components pricing.

MX Base Tables - Conference
29" High, Horizontal or Vertical Grain
Rectilinear, Single-Piece Top

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Rectilinear 29" High 	48"	108"	29"	ILTRL(S/B/T)M108484(H/V)N() () ()	\$3,887.	\$3,947.	\$4,190.	\$6,499.
		120"	29"	ILTRL(S/B/T)M120484(H/V)N() () ()	4,009.	4,070.	4,321.	6,701.
		96"	29"	ILTRL(S/B/T)M96484(H/V)N() () ()	3,809.	3,873.	4,130.	5,164.
	54"	108"	29"	ILTRL(S/B/T)M108544(H/V)N() () ()	4,009.	4,070.	4,321.	6,701.
		120"	29"	ILTRL(S/B/T)M120544(H/V)N() () ()	4,130.	4,196.	4,455.	6,907.
		96"	29"	ILTRL(S/B/T)M96544(H/V)N() () ()	3,926.	3,992.	4,258.	6,055.
	60"	108"	29"	ILTRL(S/B/T)M108604(H/V)N() () ()	4,130.	4,196.	4,455.	6,907.
		120"	29"	ILTRL(S/B/T)M120604(H/V)N() () ()	4,258.	4,325.	4,592.	7,121.


Order Code	Specification Information	Application Notes
Example: ILTRLSM96544H	<i>To order please specify pattern number including:</i>	The following upcharges apply:
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D = Narrow slot (length) P = Power Center with lid (length) G = Power Center no lid W = Wide Cannel with lid set (length) - comes with pre-defined set of lids M = Wide Channel no lids (length) S = Power Square <i>Grommet options depend upon table top width:</i> 96"W options: N, D12 (2 locations), D45 (centered), P9 & G9 (2 locations), W45 & M45 (centered), S (2 locations) 108"W options: N, D12 (2 locations), D54 (centered), P9 & G9 (2 locations), W54 & M54 (centered), S (2 locations) 120"W options: N, D18 (2 locations), D72 (centered), P18 & G18 (2 locations), W72 & M72 (centered), S (2 locations)	Beveled Edge (B & T): \$857 Grommets: D18 = \$214; D45, D54, D72, M45, M54, M72 = \$385 P9 & G9 = \$278 P18 = \$364 P36 = \$525 W45 = \$943 W54 = \$1221
T Table	2. Grommet finish: N = Not applicable D: B=Black, W=White (textured paint) P: Painted / textured G: Painted / textured W: Painted / textured S = 111, 114, 115, 118	Polished finish: \$214 (Column, Foot or all)
RL Rectilinear	3. Worksurface finish: L, V1, V2, V3	All electrical accessories are specified separately.
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	Edges: B= Thin beveled edge four sides T= Thick beveled edge four sides
M Base MX	5. Column finish: Painted/textured Polished aluminum	
96 Width	6. Foot finish Painted/textured Polished aluminum	
54 Depth		
4 29" High	<i>All Worksurfaces are 1 1/4" thick .</i>	
H Horizontal Grain Direction	Edges: S = Square Edge B = Thin beveled edge four sides T = Thick beveled edge four sides	
N Grommet option	Grain Direction: H = Horizontal V = Vertical	
() Grommet finish	Height 29" is to top of worksurface.	
(114) Worksurface finish		
(SYN) Edge finish		
(114) Column finish		
(114) Foot finish		

MX Base Tables - Conference

29" High, Horizontal or Vertical Grain

Rectilinear, Multi-Piece Top

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Rectilinear 29" High 	48"	132"	29"	ILTRL(S/B/T)M132484(H/V)N() () ()	\$5,196.	\$5,259.	\$5,636.	\$8,265.
		144"	29"	ILTRL(S/B/T)M144484(H/V)N() () ()	5,352.	5,417.	5,803.	8,512.
		156"	29"	ILTRL(S/B/T)M156484(H/V)N() () ()	5,513.	5,579.	5,978.	8,769.
		180"	29"	ILTRL(S/B/T)M180484(H/V)N() () ()	7,045.	7,105.	7,591.	11,720.
		216"	29"	ILTRL(S/B/T)M216484(H/V)N() () ()	7,262.	7,326.	7,827.	12,084.
	54"	132"	29"	ILTRL(S/B/T)M132544(H/V)N() () ()	5,358.	5,421.	5,809.	8,520.
		144"	29"	ILTRL(S/B/T)M144544(H/V)N() () ()	5,517.	5,583.	5,984.	8,775.
		156"	29"	ILTRL(S/B/T)M156544(H/V)N() () ()	5,683.	5,751.	6,163.	9,038.
		180"	29"	ILTRL(S/B/T)M180544(H/V)N() () ()	7,262.	7,326.	7,827.	12,084.
		216"	29"	ILTRL(S/B/T)M216544(H/V)N() () ()	7,488.	7,553.	8,067.	12,457.
	60"	132"	29"	ILTRL(S/B/T)M132604(H/V)N() () ()	5,524.	5,590.	5,990.	8,783.
		144"	29"	ILTRL(S/B/T)M144604(H/V)N() () ()	5,689.	5,757.	6,168.	9,048.
		156"	29"	ILTRL(S/B/T)M156604(H/V)N() () ()	5,860.	5,929.	6,352.	9,318.
		180"	29"	ILTRL(S/B/T)M180604(H/V)N() () ()	7,488.	7,553.	8,067.	12,457.
		216"	29"	ILTRL(S/B/T)M216604(H/V)N() () ()	7,718.	7,785.	8,318.	12,843.

Order Code	Specification Information	Application Notes
Example: ILTRLSM132484H IL Islands Collection by Knoll® T Table RL Rectilinear S Edge (S/B/T) M Base MX 132 Width 48 Depth 4 29" High H Horizontal Grain Direction N Grommet option () Grommet finish (114) Worksurface finish (114) Edge finish (114) Column finish (114) Foot finish	To order please specify pattern number including: 1. Grommet option: N = None (no grommet) D = Narrow slot (length) P = Power Center with lid (length) G = Power Center no lid W = Wide Cannel with lid set (length) - comes with pre-defined set of lids M = Wide Channel no lids (length) S = Power Square Grommet options depend upon table top width: 132"W options: N, D18 (2 locations), D72 (centered), P18 & G18 (2 locations), W72 & M72 (centered), S (2 locations) 144"W options: N, D30 (2 locations), D90 (centered), P36 & G36 (2 locations), W90 & M90 (centered), S (2 locations) 156"W options: N, D30 (2 locations), D99 (centered), P36 & G36 (2 locations), W99 & M99 (centered), S (3 locations) 180"W options: N, D45 (2 locations), D126 (centered), P36 & G36 (centered), S (4 locations) 216"W options: N, D54 (2 locations), D153 (centered), P36 & G36 (2 locations), W153 & M153 (centered), S (4 locations)	2. Grommet finish: N = Not applicable D: B=Black, W=White (textured paint) P: Painted / textured G: Painted / textured W: Painted / textured S = 111, 114, 115, 118 3. Worksurface finish: L, V1, V2, V3 4. Edge finish: Complementary synthetic 5. Column finish: Painted/textured Polished aluminum 6. Foot finish: Painted/textured Polished aluminum All Worksurfaces are 1 1/4" thick. Height 29" is to top of worksurface . Edges: S = Square Edge B = Thin beveled edge four sides T = Thick beveled edge four sides Grain Direction: H = Horizontal V = Vertical
		The following upcharges apply: Beveled Edge (B & T): \$1714 Grommets: D18 = \$214 D30 = \$257 D45, D54 = \$770 D72, M72 = \$385 D90, D99 = \$643 D126, D153 = \$803 P18 = \$364 P36 = \$525 W72 = \$1553 W90 = \$1885 W99 = \$2163 W126 = \$2549 W153 = \$2935 G18 = \$557 G36 = \$707 M90, M99 = \$664 M126, M153 = \$836 Polished finish: \$214 (Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories for electrical components pricing.

MX Base Tables - Conference
 29" High, Horizontal or Vertical Grain
 Rectilinear with Curved Corners, Single-Piece Top

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Rectilinear with Curved Corners 29" High 	54"	108"	29"	ILTRC(S/B/T)M108544(H/V)N() () ()	\$4,009.	\$4,070.	\$4,321.	\$6,701.
		120"	29"	ILTRC(S/B/T)M120544(H/V)N() () ()	4,130.	4,196.	4,455.	6,907.
		96"	29"	ILTRC(S/B/T)M96544(H/V)N() () ()	3,926.	3,992.	4,258.	6,055.
	60"	108"	29"	ILTRC(S/B/T)M108604(H/V)N() () ()	4,130.	4,196.	4,455.	6,907.
		120"	29"	ILTRC(S/B/T)M120604(H/V)N() () ()	4,258.	4,325.	4,592.	7,121.
	48"	108"	29"	ILTRC(S/B/T)M108484(H/V)N() () ()	3,887.	3,947.	4,190.	6,499.
		120"	29"	ILTRC(S/B/T)M120484(H/V)N() () ()	4,009.	4,070.	4,321.	6,701.
		96"	29"	ILTRC(S/B/T)M96484(H/V)N() () ()	3,809.	3,873.	4,130.	5,164.

Order Code	Specification Information	Application Notes
Example: ILTRCSM96544H	<i>To order please specify pattern number including:</i>	The following upcharges apply:
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D = Narrow slot (length) P = Power Center with lid (length) G = Power Center no lid W = Wide Cannel with lid set (length) - comes with pre-defined set of lids M = Wide Channel no lids (length) S = Power Square <i>Grommet options depend upon table top width:</i> 96"W options: N, D12 (2 locations), D45 (centered), P9 & G9 (2 locations), W45 & M45 (centered), S (2 locations) 108"W options: N, D12 (2 locations), D54 (centered), P9 & G9 (2 locations), W54 & M54 (centered), S (2 locations) 120"W options: N, D18 (2 locations), D72 (centered), P18 & G18 (2 locations), W72 & M72 (centered), S (2 locations)	Beveled Edge (B & T): \$857 Grommets: D18 = \$214 D45, D54, D72, M45, M54, M72 = \$385 P9 & G9 = \$278 P18 = \$364 P36 = \$525 W45 = \$943 W54 = \$1221
T Table		Polished finish: \$214 (Column, Foot or all)
RC Rectilinear with Curved Corners		All electrical accessories are specified separately.
S Edge (S/B/T)		Edges: B= Thin beveled edge four sides T= Thick beveled edge four sides
M Base MX		
96 Width		
54 Depth		
4 29" High		
H Horizontal Grain Direction		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(114) Edge finish		
(114) Column finish		
(114) Foot finish		
	2. Grommet finish: N = Not applicable D: B=Black, W=White (textured paint) P: Painted / textured G: Painted / textured W: Painted / textured S = 111, 114, 115, 118	
	3. Worksurface finish: L, V1, V2, V3	
	4. Edge finish: Complementary synthetic	
	5. Column finish: Painted/textured Polished aluminum	
	6. Foot finish: Painted/textured Polished aluminum	
	<i>All Worksurfaces are 1 1/4" thick .</i>	
	Edges: S = Square Edge B = Thin beveled edge four sides T = Thick beveled edge four sides	
	Grain Direction: H = Horizontal V = Vertical	
	Height 29" is to top of worksurface.	


MX Base Tables - Conference

29" High, Horizontal or Vertical Grain

Rectilinear with Curved Corners, Multi-Piece Top

Islands Collection by Knoll®


description	d	w	h	pattern no.	L	V1	V2	V3
Rectilinear with Curved Corners 29" High	54"	132"	29"	ILTRC(S/B/T)M132544(H/V)N() () ()	\$5,358.	\$5,421.	\$5,809.	\$8,520.
		144"	29"	ILTRC(S/B/T)M144544(H/V)N() () ()	5,517.	5,583.	5,984.	8,775.
		156"	29"	ILTRC(S/B/T)M156544(H/V)N() () ()	5,683.	5,751.	6,163.	9,038.
		180"	29"	ILTRC(S/B/T)M180544(H/V)N() () ()	7,262.	7,326.	7,827.	12,084.
		216"	29"	ILTRC(S/B/T)M216544(H/V)N() () ()	7,488.	7,553.	8,067.	12,457.
	60"	132"	29"	ILTRC(S/B/T)M132604(H/V)N() () ()	5,524.	5,590.	5,990.	8,783.
		144"	29"	ILTRC(S/B/T)M144604(H/V)N() () ()	5,689.	5,757.	6,168.	9,048.
		156"	29"	ILTRC(S/B/T)M156604(H/V)N() () ()	5,860.	5,929.	6,352.	9,318.
		180"	29"	ILTRC(S/B/T)M180604(H/V)N() () ()	7,488.	7,553.	8,067.	12,457.
		216"	29"	ILTRC(S/B/T)M216604(H/V)N() () ()	7,718.	7,785.	8,318.	12,843.
	48"	132"	29"	ILTRC(S/B/T)M132484(H/V)N() () ()	5,196.	5,259.	5,636.	8,265.
		144"	29"	ILTRC(S/B/T)M144484(H/V)N() () ()	5,352.	5,417.	5,803.	8,512.
		156"	29"	ILTRC(S/B/T)M156484(H/V)N() () ()	5,513.	5,579.	5,978.	8,769.
		180"	29"	ILTRC(S/B/T)M180484(H/V)N() () ()	7,045.	7,105.	7,591.	11,720.
		216"	29"	ILTRC(S/B/T)M216484(H/V)N() () ()	7,262.	7,326.	7,827.	12,084.



Order Code	Specification Information	Application Notes
Example: ILTRCSM132484(H/V)	<i>To order please specify pattern number including:</i>	The following upcharges apply:
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D = Narrow slot (length) P = Power Center with lid (length) G = Power Center no lid W = Wide Cannel with lid set (length) - comes with pre-defined set of lids M = Wide Channel no lids (length) S = Power Square <i>Grommet options depend upon table top width:</i> 132"W options: N, D18 (2 locations), D72 (centered), P18 & G18 (2 locations), W72 & M72 (centered), S (2 locations) 144"W options: N, D30 (2 locations), D90 (centered), P36 & G36 (2 locations), W90 & M90 (centered), S (2 locations) 156"W options: N, D30 (2 locations), D99 (centered), P36 & G36 (2 locations), W99 & M99 (centered), S (3 locations) 180"W options: N, D45 (2 locations), D126 (centered), P36 & G36 (centered), S (4 locations) 216"W options: N, D54 (2 locations), D153 (centered), P36 & G36 (2 locations), W153 & M153 (centered), S (4 locations)	Beveled Edge (B & T): \$1714 Grommets: D18 = \$214 D30 = \$257 D45, D54 = \$770 D72, M72 = \$385 D90, D99 = \$643 D126, D153 = \$803 P18 = \$364 P36 = \$525 W72 = \$1553 W90 = \$1885 W99 = \$2163 W126 = \$2549 W153 = \$2935 G18 = \$557 G36 = \$707 M90, M99 = \$664 M126, M153 = \$836
T Table	2. Grommet finish: N = Not applicable D: B=Black, W=White (textured paint) P: Painted / textured G: Painted / textured W: Painted / textured S = 111, 114, 115, 118	Polished finish: \$214 (Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories for electrical components pricing.
RC Rectilinear with Curved Corners	3. Worksurface finish: L, V1, V2, V3	
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	
M Base MX	5. Column finish: Painted/textured Polished aluminum	
132 Width	6. Foot finish: Painted/textured Polished aluminum	
48 Depth	<i>All Worksurfaces are 1 1/4" thick. Height 29" is to top of worksurface .</i>	
4 29" High	Edges: S = Square Edge B = Thin beveled edge four sides T = Thick beveled edge four sides	
H Horizontal Grain Direction	Grain Direction: H = Horizontal V = Vertical	
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(114) Edge finish		
(114) Column finish		
(114) Foot finish		

MX Base Tables - Conference
29" High, Horizontal or Vertical Grain
Round Rectilinear, Single-Piece Top

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Round Rectilinear 29" High 	54"	108"	29"	ILTRR(S/B/T)M108544(H/V)N() () ()	\$4,009.	\$4,070.	\$4,321.	\$6,701.
		120"	29"	ILTRR(S/B/T)M120544(H/V)N() () ()	4,130.	4,196.	4,455.	6,907.
		96"	29"	ILTRR(S/B/T)M96544(H/V)N() () ()	3,926.	3,992.	4,258.	6,055.
	60"	108"	29"	ILTRR(S/B/T)M108604(H/V)N() () ()	4,130.	4,196.	4,455.	6,907.
		120"	29"	ILTRR(S/B/T)M120604(H/V)N() () ()	4,258.	4,325.	4,592.	7,121.
	48"	108"	29"	ILTRR(S/B/T)M108484(H/V)N() () ()	3,887.	3,947.	4,190.	6,499.
		120"	29"	ILTRR(S/B/T)M120484(H/V)N() () ()	4,009.	4,070.	4,321.	6,701.
		96"	29"	ILTRR(S/B/T)M96484(H/V)N() () ()	3,809.	3,873.	4,130.	5,164.


Order Code	Specification Information	Application Notes
Example: ILTRRSM96544H	<i>To order please specify pattern number including:</i>	The following upcharges apply:
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D = Narrow slot (length) P = Power Center with lid (length) G = Power Center no lid W = Wide Channel with lid set (length) - comes with pre-defined set of lids M = Wide Channel no lids (length) S = Power Square <i>Grommet options depend upon table top width:</i> 96"W options: N, D12 (2 locations), D45 (centered), P9 & G9 (2 locations), W45 & M45 (centered), S (2 locations) 108"W options: N, D12 (2 locations), D54 (centered), P9 & G9 (2 locations), W54 & M54 (centered), S (2 locations) 120"W options: N, D18 (2 locations), D72 (centered), P18 & G18 (2 locations), W72 & M72 (centered), S (2 locations)	Beveled Edge (B & T): \$857 Grommets: D18 = \$214 D45, D54, D72, M45, M54, M72 = \$385 P9 & G9 = \$278 P18 = \$364 P36 = \$525 W45 = \$943 W54 = \$1221
T Table	2. Grommet finish: N = Not applicable D: B=Black, W=White (textured paint) P: Painted / textured G: Painted / textured W: Painted / textured S = 111, 114, 115, 118	Polished finish: \$214 (Column, Foot or all)
RR Round Rectilinear	3. Worksurface finish: L, V1, V2, V3	All electrical accessories are specified separately.
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	Edges: B= Thin beveled edge four sides T= Thick beveled edge four sides
M Base MX	5. Column finish: Painted/textured Polished aluminum	
96 Width	6. Foot finish: Painted/textured Polished aluminum	
54 Depth	<i>All Worksurfaces are 1 1/4" thick .</i>	
4 29" High	Edges: S = Square Edge B = Thin beveled edge four sides T = Thick beveled edge four sides	
H Horizontal Grain Direction	Grain Direction: H = Horizontal V = Vertical	
N Grommet option	Height 29" is to top of worksurface.	
() Grommet finish		
(114) Worksurface finish		
(114) Edge finish		
(114) Column finish		
(114) Foot finish		

MX Base Tables - Conference

29" High, Horizontal or Vertical Grain

Round Rectilinear, Multi-Piece Top

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
 Round Rectilinear 29" High	54"	132"	29"	ILTRR(S/B/T)M132544(H/V)N() () ()	\$4,971.	\$5,035.	\$5,421.	\$8,262.
		144"	29"	ILTRR(S/B/T)M144544(H/V)N() () ()	5,119.	5,184.	5,583.	8,509.
		156"	29"	ILTRR(S/B/T)M156544(H/V)N() () ()	5,272.	5,341.	5,751.	8,764.
		180"	29"	ILTRR(S/B/T)M180544(H/V)N() () ()	6,887.	7,011.	7,387.	11,644.
		216"	29"	ILTRR(S/B/T)M216544(H/V)N() () ()	7,100.	7,229.	7,616.	12,005.
	48"	132"	29"	ILTRR(S/B/T)M132484(H/V)N() () ()	4,820.	4,883.	5,259.	8,013.
		144"	29"	ILTRR(S/B/T)M144484(H/V)N() () ()	4,966.	5,032.	5,417.	8,253.
		156"	29"	ILTRR(S/B/T)M156484(H/V)N() () ()	5,114.	5,181.	5,579.	8,501.
		180"	29"	ILTRR(S/B/T)M180484(H/V)N() () ()	6,680.	6,801.	7,167.	11,296.
		216"	29"	ILTRR(S/B/T)M216484(H/V)N() () ()	6,887.	7,011.	7,387.	11,644.
	60"	132"	29"	ILTRR(S/B/T)M132604(H/V)N() () ()	5,123.	5,191.	5,590.	8,516.
		144"	29"	ILTRR(S/B/T)M144604(H/V)N() () ()	5,278.	5,346.	5,757.	8,773.
		156"	29"	ILTRR(S/B/T)M156604(H/V)N() () ()	5,435.	5,507.	5,929.	9,036.
		180"	29"	ILTRR(S/B/T)M180604(H/V)N() () ()	7,100.	7,229.	7,616.	12,005.
		216"	29"	ILTRR(S/B/T)M216604(H/V)N() () ()	7,320.	7,453.	7,852.	12,376.

Order Code	Specification Information	Application Notes
Example: ILTRRSM132484H IL Islands Collection by Knoll® T Table RR Round Rectilinear S Edge (S/B/T) M Base MX 132 Width 48 Depth 4 29" High H Horizontal Grain Direction N Grommet option () Grommet finish (114) Worksurface finish (114) Edge finish (114) Column finish (114) Foot finish	To order please specify pattern number including: 1. Grommet option: N = None (no grommet) D = Narrow slot (length) P = Power Center with lid (length) G = Power Center no lid W = Wide Cannel with lid set (length) - comes with pre-defined set of lids M = Wide Channel no lids (length) S = Power Square Grommet options depend upon table top width: 132"W options: N, D18 (2 locations), D72 (centered), P18 & G18 (2 locations), W72 & M72 (centered), S (2 locations) 144"W options: N, D30 (2 locations), D90 (centered), P36 & G36 (2 locations), W90 & M90 (centered), S (2 locations) 156"W options: N, D30 (2 locations), D99 (centered), P36 & G36 (2 locations), W99 & M99 (centered), S (3 locations) 180"W options: N, D45 (2 locations), D126 (centered), P36 & G36 (centered), S (4 locations) 216"W options: N, D54 (2 locations), D153 (centered), P36 & G36 (2 locations), W153 & M153 (centered), S (4 locations)	2. Grommet finish: N = Not applicable D: B=Black, W=White (textured paint) P: Painted / textured G: Painted / textured W: Painted / textured S = 111, 114, 115, 118 3. Worksurface finish: L, V1, V2, V3 4. Edge finish: Complementary synthetic 5. Column finish: Painted/textured Polished aluminum 6. Foot finish: Painted/textured Polished aluminum All Worksurfaces are 1 1/4" thick. Height 29" is to top of worksurface . Edges: S = Square Edge B = Thin beveled edge four sides T = Thick beveled edge four sides Grain Direction: H = Horizontal V = Vertical
		The following upcharges apply: Beveled Edge (B & T): \$1714 Grommets: D18 = \$214 D30 = \$257 D45, D54 = \$770 D72, M72 = \$385 D90, D99 = \$643 D126, D153 = \$803 P18 = \$364 P36 = \$525 W72 = \$1553 W90 = \$1885 W99 = \$2163 W126 = \$2549 W153 = \$2935 G18 = \$557 G36 = \$707 M90, M99 = \$664 M126, M153 = \$836 Polished finish: \$214 (Column, Foot or all) All electrical accessories are specified separately. Refer to Accessories for electrical components pricing.

MX Base Tables - Conference
29" High, Horizontal or Vertical Grain
Soft Rectilinear, Single-Piece Top

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Soft Rectilinear 29" High 	48"	108"	29"	ILTSR(S/B/T)M108484(H/V)N() () ()	\$3,887.	\$3,947.	\$4,190.	\$6,499.
		120"	29"	ILTSR(S/B/T)M120484(H/V)N() () ()	4,009.	4,070.	4,321.	6,701.
		96"	29"	ILTSR(S/B/T)M96484(H/V)N() () ()	3,809.	3,873.	4,130.	5,164.
	54"	108"	29"	ILTSR(S/B/T)M108544(H/V)N() () ()	4,009.	4,070.	4,321.	6,701.
		120"	29"	ILTSR(S/B/T)M120544(H/V)N() () ()	4,130.	4,196.	4,455.	6,907.
		96"	29"	ILTSR(S/B/T)M96544(H/V)N() () ()	3,926.	3,992.	4,258.	6,055.
	60"	108"	29"	ILTSR(S/B/T)M108604(H/V)N() () ()	4,130.	4,196.	4,455.	6,907.
		120"	29"	ILTSR(S/B/T)M120604(H/V)N() () ()	4,258.	4,325.	4,592.	7,121.

Order Code	Specification Information	Application Notes
Example: ILTSRSM96544H	<i>To order please specify pattern number including:</i>	The following upcharges apply:
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D = Narrow slot (length) P = Power Center with lid (length) G = Power Center no lid W = Wide Cannel with lid set (length) - comes with pre-defined set of lids M = Wide Channel no lids (length) S = Power Square <i>Grommet options depend upon table top width:</i> 96"W options: N, D12 (2 locations), D45 (centered), P9 & G9 (2 locations), W45 & M45 (centered), S (2 locations) 108"W options: N, D12 (2 locations), D54 (centered), P9 & G9 (2 locations), W54 & M54 (centered), S (2 locations) 120"W options: N, D18 (2 locations), D72 (centered), P18 & G18 (2 locations), W72 & M72 (centered), S (2 locations)	Beveled Edge (B & T): \$857 Grommets: D18 = \$214 D45, D54, D72, M45, M54, M72 = \$385 P9 & G9 = \$278 P18 = \$364 P36 = \$525 W45 = \$943 W54 = \$1221
T Table		Polished finish: \$214 (Column, Foot or all)
SR Soft Rectilinear		All electrical accessories are specified separately.
S Edge (S/B/T)		Edges: B= Thin beveled edge four sides T= Thick beveled edge four sides
M Base MX		
96 Width		
54 Depth		
4 29" High		
H Horizontal Grain Direction		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(114) Edge finish		
(114) Column finish		
(114) Foot finish		
	2. Grommet finish: N = Not applicable D: B=Black, W=White (textured paint) P: Painted / textured G: Painted / textured W: Painted / textured S = 111, 114, 115, 118	
	3. Worksurface finish: L, V1, V2, V3	
	4. Edge finish: Complementary synthetic	
	5. Column finish: Painted/textured Polished aluminum	
	6. Foot finish: Painted/textured Polished aluminum	
	<i>All Worksurfaces are 1 1/4" thick .</i>	
	Edges: S = Square Edge B = Thin beveled edge four sides T = Thick beveled edge four sides	
	Grain Direction: H = Horizontal V = Vertical	
	Height 29" is to top of worksurface.	

MX Base Tables - Conference

29" High, Horizontal or Vertical Grain

Soft Rectilinear, Multi-Piece Top

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Soft Rectilinear 29" High	54"	132"	29"	ILTSR(S/B/T)M132544(H/V)N()(())	\$5,358.	\$5,421.	\$5,809.	\$8,520.
		144"	29"	ILTSR(S/B/T)M144544(H/V)N()(())	5,517.	5,583.	5,984.	8,775.
		156"	29"	ILTSR(S/B/T)M156544(H/V)N()(())	5,683.	5,751.	6,163.	9,038.
		180"	29"	ILTSR(S/B/T)M180544(H/V)N()(())	7,262.	7,326.	7,827.	12,084.
		216"	29"	ILTSR(S/B/T)M216544(H/V)N()(())	7,488.	7,553.	8,067.	12,457.
	48"	132"	29"	ILTSR(S/B/T)M132484(H/V)N()(())	5,196.	5,259.	5,636.	8,265.
		144"	29"	ILTSR(S/B/T)M144484(H/V)N()(())	5,352.	5,417.	5,803.	8,512.
		156"	29"	ILTSR(S/B/T)M156484(H/V)N()(())	5,513.	5,579.	5,978.	8,769.
		180"	29"	ILTSR(S/B/T)M180484(H/V)N()(())	7,045.	7,105.	7,591.	11,720.
		216"	29"	ILTSR(S/B/T)M216484(H/V)N()(())	7,262.	7,326.	7,827.	12,084.
	60"	132"	29"	ILTSR(S/B/T)M132604(H/V)N()(())	5,524.	5,590.	5,990.	8,783.
		144"	29"	ILTSR(S/B/T)M144604(H/V)N()(())	5,689.	5,757.	6,168.	9,048.
		156"	29"	ILTSR(S/B/T)M156604(H/V)N()(())	5,860.	5,929.	6,352.	9,318.
		180"	29"	ILTSR(S/B/T)M180604(H/V)N()(())	7,488.	7,553.	8,067.	12,457.
		216"	29"	ILTSR(S/B/T)M216604(H/V)N()(())	7,718.	7,785.	8,318.	12,843.



Order Code	Specification Information	Application Notes
Example: ILTSRSM132484H	<i>To order please specify pattern number including:</i>	The following upcharges apply:
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D = Narrow slot (length) P = Power Center with lid (length) G = Power Center no lid W = Wide Cannel with lid set (length) - comes with pre-defined set of lids M = Wide Channel no lids (length) S = Power Square <i>Grommet options depend upon table top width:</i> 132"W options: N, D18 (2 locations), D72 (centered), P18 & G18 (2 locations), W72 & M72 (centered), S (2 locations) 144"W options: N, D30 (2 locations), D90 (centered), P36 & G36 (2 locations), W90 & M90 (centered), S (2 locations) 156"W options: N, D30 (2 locations), D99 (centered), P36 & G36 (2 locations), W99 & M99 (centered), S (3 locations) 180"W options: N, D45 (2 locations), D126 (centered), P36 & G36 (centered), S (4 locations) 216"W options: N, D54 (2 locations), D153 (centered), P36 & G36 (2 locations), W153 & M153 (centered), S (4 locations)	Beveled Edge (B & T): \$1714 Grommets: D18 = \$214 D30 = \$257 D45, D54 = \$771 D72, M72 = \$385 D90, D99 = \$643 D126, D153 = \$803 P18 = \$364 P36 = \$525 W72 = \$1553 W90 = \$1885 W99 = \$2163 W126 = \$2549 W153 = \$2935 G18 = \$557 G36 = \$707 M90, M99 = \$664 M126, M153 = \$836
T Table	2. Grommet finish: N = Not applicable D: B=Black, W=White (textured paint) P: Painted / textured G: Painted / textured W: Painted / textured S = 111, 114, 115, 118	
SR Soft Rectilinear	3. Worksurface finish: L, V1, V2, V3	
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	
M Base MX	5. Column finish: Painted/textured Polished aluminum	
132 Width	6. Foot finish: Painted/textured Polished aluminum	
48 Depth	<i>All Worksurfaces are 1 1/4" thick. Height 29" is to top of worksurface .</i>	
4 29" High	Edges: S = Square Edge B = Thin beveled edge four sides T = Thick beveled edge four sides	Polished finish: \$214 (Column, Foot or all)
H Horizontal Grain Direction	Grain Direction: H = Horizontal V = Vertical	All electrical accessories are specified separately. Refer to Accessories for electrical components pricing.
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(114) Edge finish		
(114) Column finish		
(114) Foot finish		

MX Base Tables - Conference

29" High, Horizontal or Vertical Grain

Elongated Hexagon, Single-Piece Top

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
 Elongated Hexagon 29" High	54"	108"	29"	ILTEH(S/B/T)M108544(H/V)N() () ()	\$4,009.	\$4,070.	\$4,321.	\$6,701.
		120"	29"	ILTEH(S/B/T)M120544(H/V)N() () ()	4,130.	4,196.	4,455.	6,907.
		96"	29"	ILTEH(S/B/T)M96544(H/V)N() () ()	3,926.	3,992.	4,258.	6,055.
	60"	108"	29"	ILTEH(S/B/T)M108604(H/V)N() () ()	4,130.	4,196.	4,455.	6,907.
		120"	29"	ILTEH(S/B/T)M120604(H/V)N() () ()	4,258.	4,325.	4,592.	7,121.
	48"	108"	29"	ILTEH(S/B/T)M108484(H/V)N() () ()	3,887.	3,947.	4,190.	6,499.
		120"	29"	ILTEH(S/B/T)M120484(H/V)N() () ()	4,009.	4,070.	4,321.	6,701.
		96"	29"	ILTEH(S/B/T)M96484(H/V)N() () ()	3,809.	3,873.	4,130.	5,164.

Order Code	Specification Information	Application Notes
Example: ILTEHSM96544H	<i>To order please specify pattern number including:</i>	The following upcharges apply:
IL Islands Collection by Knoll®	2. Grommet finish: N = Not applicable D: B=Black, W=White (textured paint) P: Painted / textured G: Painted / textured W: Painted / textured S = 111, 114, 115, 118	Beveled Edge (B & T): \$857 Grommets: D18 = \$214; D45, D54, D72, M45, M54, M72 = \$385 P9 & G9 = \$278 P18 = \$364 P36 = \$525 W45 = \$943 W54 = \$1221
T Table	1. Grommet option: N = None (no grommet) D = Narrow slot (length) P = Power Center with lid (length) G = Power Center no lid (length) - comes with pre-defined set of lids M = Wide Channel no lids (length) S = Power Square	Polished finish: \$214 (Column, Foot or all)
EH Elongated Hexagon	<i>Grommet options depend upon table top width:</i>	All electrical accessories are specified separately.
S Edge (S/B/T)	96"W options: N, D12 (2 locations), D45 (centered), P9 & G9 (2 locations), W45 & M45 (centered), S (2 locations)	Edges: B= Thin beveled edge four sides T= Thick beveled edge four sides
M Base MX	108"W options: N, D12 (2 locations), D54 (centered), P9 & G9 (2 locations), W54 & M54 (centered), S (2 locations)	
96 Width	120"W options: N, D18 (2 locations), D72 (centered), P18 & G18 (2 locations), W72 & M72 (centered), S (2 locations)	
54 Depth		
4 29" High		
H Horizontal Grain Direction		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(114) Edge finish		
(114) Column finish		
(114) Foot finish		

MX Base Tables - Conference

29" High, Horizontal or Vertical Grain

Elongated Hexagon, Multi-Piece Top

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Elongated Hexagon 29" High	48"	132"	29"	ILTEH(S/B/T)M132484(H/V)N() () ()	\$4,820.	\$4,883.	\$5,259.	\$8,013.
		144"	29"	ILTEH(S/B/T)M144484(H/V)N() () ()	4,966.	5,032.	5,417.	8,253.
		156"	29"	ILTEH(S/B/T)M156484(H/V)N() () ()	5,114.	5,181.	5,579.	8,501.
		180"	29"	ILTEH(S/B/T)M180484(H/V)N() () ()	6,680.	6,801.	7,167.	11,296.
		216"	29"	ILTEH(S/B/T)M216484(H/V)N() () ()	6,887.	7,011.	7,387.	11,644.
	54"	132"	29"	ILTEH(S/B/T)M132544(H/V)N() () ()	4,971.	5,035.	5,421.	8,262.
		144"	29"	ILTEH(S/B/T)M144544(H/V)N() () ()	5,119.	5,184.	5,583.	8,509.
		156"	29"	ILTEH(S/B/T)M156544(H/V)N() () ()	5,272.	5,341.	5,751.	8,764.
		180"	29"	ILTEH(S/B/T)M180544(H/V)N() () ()	6,887.	7,011.	7,387.	11,644.
		216"	29"	ILTEH(S/B/T)M216544(H/V)N() () ()	7,100.	7,229.	7,616.	12,005.
	60"	132"	29"	ILTEH(S/B/T)M132604(H/V)N() () ()	5,123.	5,191.	5,590.	8,516.
		144"	29"	ILTEH(S/B/T)M144604(H/V)N() () ()	5,278.	5,346.	5,757.	8,773.
		156"	29"	ILTEH(S/B/T)M156604(H/V)N() () ()	5,435.	5,507.	5,929.	9,036.
		180"	29"	ILTEH(S/B/T)M180604(H/V)N() () ()	7,100.	7,229.	7,616.	12,005.
		216"	29"	ILTEH(S/B/T)M216604(H/V)N() () ()	7,320.	7,453.	7,852.	12,376.




Order Code	Specification Information	Application Notes
Example: ILTEHSM132484H	<i>To order please specify pattern number including:</i>	The following upcharges apply:
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D = Narrow slot (length) P = Power Center with lid (length) G = Power Center no lid W = Wide Cannel with lid set (length) - comes with pre-defined set of lids M = Wide Channel no lids (length) S = Power Square	Beveled Edge (B & T): \$1714 Grommets: D18 = \$214 D30 = \$257 D45, D54 = \$771 D72, M72 = \$385 D90, D99 = \$643 D126, D153 = \$803 P18 = \$364 P36 = \$525 W72 = \$1553 W90 = \$1885 W99 = \$2163 W126 = \$2549 W153 = \$2935 G18 = \$557 G36 = \$707 M90, M99 = \$664 M126, M153 = \$836
T Table	<i>Grommet options depend upon table top width:</i> 132"W options: N, D18 (2 locations), D72 (centered), P18 & G18 (2 locations), W72 & M72 (centered), S (2 locations) 144"W options: N, D30 (2 locations), D90 (centered), P36 & G36 (2 locations), W90 & M90 (centered), S (2 locations) 156"W options: N, D30 (2 locations), D99 (centered), P36 & G36 (2 locations), W99 & M99 (centered), S (3 locations) 180"W options: N, D45 (2 locations), D126 (centered), P36 & G36 (centered), S (4 locations) 216"W options: N, D54 (2 locations), D153 (centered), P36 & G36 (2 locations), W153 & M153 (centered), S (4 locations)	Polished finish: \$214 (Column, Foot or all)
EH Elongated Hexagon		All electrical accessories are specified separately. Refer to Accessories for electrical components pricing.
S Edge (S/B/T)		
M Base MX		
132 Width		
48 Depth		
4 29" High		
H Horizontal Grain Direction		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(114) Edge finish		
(114) Column finish		
(114) Foot finish		

MX Base Tables - Conference

29" High, Horizontal or Vertical Grain

Cairo Shaped Tables, Single-Piece Top

Islands Collection by Knoll®

description	d	w	h	pattern no.	L	V1	V2	V3
Cairo Shaped Table 29" High 	60"	108"	29"	ILTCY(S/B/T)M108604(H/V)N() () ()	\$4,130.	\$4,196.	\$4,455.	\$6,907.
		120"	29"	ILTCY(S/B/T)M120604(H/V)N() () ()	4,258.	4,325.	4,592.	7,121.
	48"	108"	29"	ILTCY(S/B/T)M108484(H/V)N() () ()	3,887.	3,947.	4,190.	6,499.
		120"	29"	ILTCY(S/B/T)M120484(H/V)N() () ()	4,009.	4,070.	4,321.	6,701.
		96"	29"	ILTCY(S/B/T)M96484(H/V)N() () ()	3,809.	3,873.	4,130.	5,164.
	54"	108"	29"	ILTCY(S/B/T)M108544(H/V)N() () ()	4,009.	4,070.	4,321.	6,701.
		120"	29"	ILTCY(S/B/T)M120544(H/V)N() () ()	4,130.	4,196.	4,455.	6,907.
		96"	29"	ILTCY(S/B/T)M96544(H/V)N() () ()	3,926.	3,992.	4,258.	6,055.


Order Code	Specification Information	Application Notes
Example: ILTCYSM96544H	<i>To order please specify pattern number including:</i>	The following upcharges apply:
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D = Narrow slot (length) P = Power Center with lid (length) G = Power Center no lid W = Wide Channel with lid set (length) - comes with pre-defined set of lids M = Wide Channel no lids (length) S = Power Square <i>Grommet options depend upon table top width:</i> 96"W options: N, D12 (2 locations), D45 (centered), P9 & G9 (2 locations), W45 & M45 (centered), S (2 locations) 108"W options: N, D12 (2 locations), D54 (centered), P9 & G9 (2 locations), W54 & M54 (centered), S (2 locations) 120"W options: N, D18 (2 locations), D72 (centered), P18 & G18 (2 locations), W72 & M72 (centered), S (2 locations)	Beveled Edge (B & T): \$857 Grommets: D18 = \$214 D45, D54, D72, M45, M54, M72 = \$385 P9 & G9 = \$278 P18 = \$364 P36 = \$525 W45 = \$943 W54 = \$1221
T Table		Polished finish: \$214 (Column, Foot or all)
CY Cairo Shaped Table		All electrical accessories are specified separately.
S Edge (S/B/T)		Edges:
M Base MX		B= Thin beveled edge four sides T= Thick beveled edge four sides
96 Width		
54 Depth		
4 29" High		
H Horizontal Grain Direction		
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(114) Edge finish		
(114) Column finish		
(114) Foot finish		
	2. Grommet finish: N = Not applicable D: B=Black, W=White (textured paint) P: Painted / textured G: Painted / textured W: Painted / textured S = 111, 114, 115, 118	
	3. Worksurface finish: L, V1, V2, V3	
	4. Edge finish: Complementary synthetic	
	5. Column finish: Painted/textured Polished aluminum	
	6. Foot finish: Painted/textured Polished aluminum	
	<i>All Worksurfaces are 1 1/4" thick .</i>	
	Edges: S = Square Edge B = Thin beveled edge four sides T = Thick beveled edge four sides	
	Grain Direction: H = Horizontal V = Vertical	
	Height 29" is to top of worksurface.	

MX Base Tables - Conference

29" High, Horizontal or Vertical Grain

Cairo Shaped Tables, Multi-Piece Top

Islands Collection by Knoll®


description	d	w	h	pattern no.	L	V1	V2	V3
Cairo Shaped Table 29" High 	54"	132"	29"	ILTCY(S/B/T)M132544(H/V)N() () ()	\$4,971.	\$5,035.	\$5,421.	\$8,262.
		144"	29"	ILTCY(S/B/T)M144544(H/V)N() () ()	5,119.	5,184.	5,583.	8,509.
		156"	29"	ILTCY(S/B/T)M156544(H/V)N() () ()	5,272.	5,341.	5,751.	8,764.
		180"	29"	ILTCY(S/B/T)M180544(H/V)N() () ()	6,887.	7,011.	7,387.	11,644.
		216"	29"	ILTCY(S/B/T)M216544(H/V)N() () ()	7,100.	7,229.	7,616.	12,005.
	48"	132"	29"	ILTCY(S/B/T)M132484(H/V)N() () ()	4,820.	4,883.	5,259.	8,013.
		144"	29"	ILTCY(S/B/T)M144484(H/V)N() () ()	4,966.	5,032.	5,417.	8,253.
		156"	29"	ILTCY(S/B/T)M156484(H/V)N() () ()	5,114.	5,181.	5,579.	8,501.
		180"	29"	ILTCY(S/B/T)M180484(H/V)N() () ()	6,680.	6,801.	7,167.	11,296.
		216"	29"	ILTCY(S/B/T)M216484(H/V)N() () ()	6,887.	7,011.	7,387.	11,644.
	60"	132"	29"	ILTCY(S/B/T)M132604(H/V)N() () ()	5,123.	5,191.	5,590.	8,516.
		144"	29"	ILTCY(S/B/T)M144604(H/V)N() () ()	5,278.	5,346.	5,757.	8,773.
		156"	29"	ILTCY(S/B/T)M156604(H/V)N() () ()	5,435.	5,507.	5,929.	9,036.
		180"	29"	ILTCY(S/B/T)M180604(H/V)N() () ()	7,100.	7,229.	7,616.	12,005.
		216"	29"	ILTCY(S/B/T)M216604(H/V)N() () ()	7,320.	7,453.	7,852.	12,376.


Order Code	Specification Information	Application Notes
Example: ILTCYSM132484H	<i>To order please specify pattern number including:</i>	The following upcharges apply:
IL Islands Collection by Knoll®	1. Grommet option: N = None (no grommet) D = Narrow slot (length) P = Power Center with lid (length) G = Power Center no lid W = Wide Cannel with lid set (length) - comes with pre-defined set of lids M = Wide Channel no lids (length) S = Power Square <i>Grommet options depend upon table top width:</i> 132"W options: N, D18 (2 locations), D72 (centered), P18 & G18 (2 locations), W72 & M72 (centered), S (2 locations) 144"W options: N, D30 (2 locations), D90 (centered), P36 & G36 (2 locations), W90 & M90 (centered), S (2 locations) 156"W options: N, D30 (2 locations), D99 (centered), P36 & G36 (2 locations), W99 & M99 (centered), S (3 locations) 180"W options: N, D45 (2 locations), D126 (centered), P36 & G36 (centered), S (4 locations) 216"W options: N, D54 (2 locations), D153 (centered), P36 & G36 (2 locations), W153 & M153 (centered), S (4 locations)	Beveled Edge (B & T): \$1714 Grommets: D18 = \$214 D30 = \$257 D45, D54 = \$771 D72, M72 = \$385 D90, D99 = \$643 D126, D153 = \$803 P18 = \$364 P36 = \$525 W72 = \$1553 W90 = \$1885 W99 = \$2163 W126 = \$2549 W153 = \$2935 G18 = \$557 G36 = \$707 M90, M99 = \$664 M126, M153 = \$836
T Table	2. Grommet finish: N = Not applicable D: B=Black, W=White (textured paint) P: Painted / textured G: Painted / textured W: Painted / textured S = 111, 114, 115, 118	
RC Cairo Shaped Tables	3. Worksurface finish: L, V1, V2, V3	
S Edge (S/B/T)	4. Edge finish: Complementary synthetic	
M Base MX	5. Column finish: Painted/textured Polished aluminum	
132 Width	6. Foot finish: Painted/textured Polished aluminum	
48 Depth	<i>All Worksurfaces are 1 1/4" thick. Height 29" is to top of worksurface .</i>	
4 29" High	Edges: <i>S = Square Edge</i> <i>B = Thin beveled edge four sides</i> <i>T = Thick beveled edge four sides</i>	Polished finish: \$214 (Column, Foot or all)
H Horizontal Grain Direction	Grain Direction: H = Horizontal V = Vertical	All electrical accessories are specified separately. Refer to Accessories for electrical components pricing.
N Grommet option		
() Grommet finish		
(114) Worksurface finish		
(114) Edge finish		
(114) Column finish		
(114) Foot finish		


Electrical Units - Drop-in Desktop Outlets

Islands Collection by Knoll®

description	type	pattern no.	list
 Electrical Outlet for Tables Drop-in 110, 1 power + 1 dual USB + 0 data	72" cordset	ILED11072(BB/WW)	\$419.
	120" cordset	ILED110120(BB/WW)	436.
	12" linkable	ILED110L(BB/WW)	459.
	72" hardwired	ILED110H(BB/WW)	484.

 Electrical Outlet for Tables Drop-in 202, 2 power + 0 dual USB + 2 data	72" cordset	ILED20272(BB/WW)	370.
	120" cordset	ILED202120(BB/WW)	386.
	12" linkable	ILED202L(BB/WW)	412.
	72" hardwired	ILED202H(BB/WW)	438.

 Electrical Outlet for Tables Drop-in 210, 2 power + 1 dual USB + 0 data	72" cordset	ILED21072(BB/WW)	448.
	120" cordset	ILED210120(BB/WW)	463.
	12" linkable	ILED210L(BB/WW)	477.
	72" hardwired	ILED210H(BB/WW)	494.

 Electrical Outlet for Tables Drop-in 311, 3 power + 1 dual USB + 1 data	72" cordset	ILED31172(BB/WW)	526.
	120" cordset	ILED311120(BB/WW)	543.
	12" linkable	ILED311L(BB/WW)	571.
	72" hardwired	ILED311H(BB/WW)	595.


Order Code	Specification Information	Application Notes
Example: ILED11072BB	<i>To order please specify pattern number including:</i>	Installation instructions available on Knoll.com+.
IL Islands Collection by Knoll®	1. Color option, (housing/bracket): BB = Black / Black WW = White / White	Refer to planning guide pages for complete description.
E Electrical Accessories		USB / USB-C outlets are for recharging purposes only. No data transfer. All desktop outlets are UL listed.
D Drop-in Desktop Outlet		Simplex receptacles and USB charging ports are wired together on the same circuit.
110 1 Power, 1 dual USB, 0 Data		
72 72" Cordset 120=120" cordset L = Linkable H = Hardwired		
BB Color option		

Units with data ports come with Tech Adapters. Connectors and jacks are not included are available from third party vendors. Refer to "Tech Adapter Master List" for compatible jacks and connectors.

Electrical Units - Drop-in Desktop Outlets

Islands Collection by Knoll®

description	type	pattern no.	list
 Electrical Outlet for Tables Drop-in 21C, 2 power + 1 dual USB + 1 USB-C	72" cordset	ILED21C72(BB/WW)	\$748.
	120" cordset	ILED21C120(BB/WW)	775.
	12" linkable	ILED21CL(BB/WW)	803.
	72" hardwired	ILED21CH(BB/WW)	828.



 Electrical Outlet for Tables Drop-in 412, 4 power + 1 dual USB + 2 data	72" cordset	ILED41272(BB/WW)	554.
	120" cordset	ILED412120(BB/WW)	570.
	12" linkable	ILED412L(BB/WW)	594.
	72" hardwired	ILED412H(BB/WW)	620.

Order Code	Specification Information	Application Notes
Example: ILED11072BB	<i>To order please specify pattern number including:</i>	Installation instructions available on Knoll.com+.
IL Islands Collection by Knoll®	1. Color option, (housing/bracket): BB = Black / Black WW = White / White	Refer to planning guide pages for complete description.
E Electrical Accessories		USB / USB-C outlets are for recharging purposes only. No data transfer. All desktop outlets are UL listed.
D Drop-in Desktop Outlet		Simplex receptacles and USB charging ports are wired together on the same circuit.
110 1 Power, 1 dual USB, 0 Data		
72 72" Cordset 120=120" cordset L = Linkable H = Hardwired		
BB Color option		

Units with data ports come with Tech Adapters. Connectors and jacks are not included are available from third party vendors. Refer to "Tech Adapter Master List" for compatible jacks and connectors.

Electrical Units - Drop-in Infeeds and Jumper Cables Linkable Power Outlets

Islands Collection by Knoll®

description	type	d	w	pattern no.	list
 Infeeds for Linkable Drop-in Outlets	infeed cable, 60" cord	3"	79.5"	ILEI60	\$641.
	infeed cable, 120" cord	3"	139.5"	ILEI120	663.
 Jumpers for Linkable Drop-in Outlets	jumper cable, 24"	2"	24"	ILEJ24	126.
	jumper cable, 30"	2"	30"	ILEJ30	129.
	jumper cable, 36"	2"	36"	ILEJ36	133.
	jumper cable, 42"	2"	42"	ILEJ42	135.
	jumper cable, 48"	2"	48"	ILEJ48	138.
	jumper cable, 54"	2"	54"	ILEJ54	141.
	jumper cable, 60"	2"	60"	ILEJ60	146.
	jumper cable, 66"	2"	66"	ILEJ66	150.
	jumper cable, 72"	2"	72"	ILEJ72	154.
	jumper cable, 78"	2"	78"	ILEJ78	161.
	jumper cable, 84"	2"	84"	ILEJ84	166.
	jumper cable, 90"	2"	90"	ILEJ90	172.
	jumper cable, 96"	2"	96"	ILEJ96	176.
	jumper cable, 102"	2"	102"	ILEJ102	182.
	jumper cable, 108"	2"	108"	ILEJ108	186.
	jumper cable, 114"	2"	114"	ILEJ114	189.
	jumper cable, 120"	2"	120"	ILEJ120	194.
	jumper cable, 126"	2"	126"	ILEJ126	201.
	jumper cable, 132"	2"	132"	ILEJ132	207.

Order Code

Example:	ILEI60
IL	Islands Collection by Knoll®
E	Electrical Accessories
I	Power Infeed
60	60" long

Specification Information

To order please specify pattern number including:
1. Pattern number:

Application Notes


Infeed Cables and Jumpers on this page are for use with Linkable Desktop Electrical outlets.

Electrical Units - Power Square


Desktop Outlets

Islands Collection by Knoll®


description	type	d	w	pattern no.	list
Power Square Outlet for Tables 2 Outlets, 2 Blanks	cordset, 120" cord	3.375"	3.375"	ILEPSPNPN(W/G/B)C	\$575.
	hardwire, 120" whip	3.375"	3.375"	ILEPSPNPN(W/G/B)H	720.
	linkable, 60" link	3.375"	3.375"	ILEPSPNPN(W/G/B)L	820.




Power Square Outlet for Tables 3 Outlets, 1 Blanks	cordset, 120" cord	3.375"	3.375"	ILEPSPPPN(W/G/B)C	720.
	hardwire, 120" whip	3.375"	3.375"	ILEPSPPPN(W/G/B)H	864.
	linkable, 60" link	3.375"	3.375"	ILEPSPPPN(W/G/B)L	967.




Power Square Outlet for Tables 3 Outlets, 1 dual USB	cordset, 120" cord	3.375"	3.375"	ILEPSPPPU(W/G/B)C	1,078.
	hardwire, 120" whip	3.375"	3.375"	ILEPSPPPU(W/G/B)H	1,224.
	linkable, 60" link	3.375"	3.375"	ILEPSPPPU(W/G/B)L	1,326.



Power Square Outlet for Tables 2 Outlets, 2 dual USB	cordset, 120" cord	3.375"	3.375"	ILEPSPUPU(W/G/B)C	1,296.
	hardwire, 120" whip	3.375"	3.375"	ILEPSPUPU(W/G/B)H	1,439.
	linkable, 60" link	3.375"	3.375"	ILEPSPUPU(W/G/B)L	1,540.



Power Square Outlet for Tables 3 Outlets, 1 HDMI port	cordset, 120" cord	3.375"	3.375"	ILEPSPPPH(W/G/B)C	1,122.
	hardwire, 120" whip	3.375"	3.375"	ILEPSPPPH(W/G/B)H	1,267.
	linkable, 60" link	3.375"	3.375"	ILEPSPPPH(W/G/B)L	1,368.




Order Code	Specification Information	Application Notes
Example: ILEPSPNPNWC	<i>To order please specify pattern number including:</i> 1. Color Code: W = White G = Medium Grey B = Black	Power Square application is used with type S grommet option on Islands Tables. Type S grommet cutout size is 3" square. USB outlets are for recharging purposes only. No data transfer. All desktop outlets are UL listed. Simplex receptacles and USB charging ports are wired together on the same circuit.
IL Islands Collection by Knoll®		
E Electrical Accessories		
PS Power Square Desktop Outlet		
PNPN 2 Outlets, 2 Blanks		
W White		
C Cordset		
		Linking power starter and linking power extenders required for linkable power square option. Refer to planning guide pages for complete description. Installation instructions available on Knoll.com+.

Electrical Units - Power Square


Desktop Outlets

Islands Collection by Knoll®


description	type	d	w	pattern no.	list
Power Square Outlet for Tables	cordset, 120" cord	3.375"	3.375"	ILEPSPHPE(W/G/B)C	\$1,093.
2 Outlets, 1 HDMI port, 1 Ethernet port	hardwire, 120" whip	3.375"	3.375"	ILEPSPHPE(W/G/B)H	1,238.
	linkable, 60" link	3.375"	3.375"	ILEPSPHPE(W/G/B)L	1,339.



Power Square Outlet for Tables	cordset, 120" cord	3.375"	3.375"	ILEPSPHPU(W/G/B)C	1,267.
2 Outlets, 1 dual USB, 1 HDMI port	hardwire, 120" whip	3.375"	3.375"	ILEPSPHPU(W/G/B)H	1,512.
	linkable, 60" link	3.375"	3.375"	ILEPSPHPU(W/G/B)L	1,412.



Power Square Outlet for Tables	cordset, 120" cord	3.375"	3.375"	ILEPSPEPU(W/G/B)C	1,267.
2 Outlets, 1 dual USB, 1 Ethernet port	hardwire, 120" whip	3.375"	3.375"	ILEPSPEPU(W/G/B)H	1,512.
	linkable, 60" link	3.375"	3.375"	ILEPSPEPU(W/G/B)L	1,412.




Order Code	Specification Information	Application Notes	
Example: ILEPSPNPNC	<i>To order please specify pattern number including:</i>	Power Square application is used with type S grommet option on Islands Tables. Type S grommet cutout size is 3" square.	Linking power starter and linking power extenders required for linkable power square option.
IL Islands Collection by Knoll®	1. Color Code: W = White G = Medium Grey B = Black		
E Electrical Accessories		USB outlets are for recharging purposes only. No data transfer. All desktop outlets are UL listed.	Refer to planning guide pages for complete description.
PS Power Square Desktop Outlet			
PNPN 2 Outlets, 2 Blanks		Simplex receptacles and USB charging ports are wired together on the same circuit.	Installation instructions available on Knoll.com+.
W White			
C Cordset			

Electrical Units - Power Square


Linking Power Extender and Power Starter

Islands Collection by Knoll®

description	type	d	w	pattern no.	list
Linking Power Extender for Power Square	linkable, 24" extender cable		24"	ILEPLJ24	\$173.



Linking Power Starter for Power Square	cordset, 72", cord		72"	ILEPLS72	841.
	cordset, 120", cord		120"	ILEPLS120	864.





Order Code	Specification Information	Application Notes
Example: ILEPLJ24		
IL	Islands Collection by Knoll®	Power Starter and Power Extender are used on linkable Islands power Square Outlets.
E	Electrical Accessories	
PL	Power Square Linkage	Refer to planning guide pages for complete description.
J	Linking Power Extender	
24	24" long	Installation instructions available on Knoll.com+.


Electrical Units - Clamp-On


Electrical Outlets


Islands Collection by Knoll®

description	type	pattern no.	list
Clamp-on Electric Outlet 110, 1 Power + 1 USB 	72" Cordset	ILEC11072(WW/BB)	\$419.
	120" Cordset	ILEC110120(WW/BB)	419.
	Hardwired	ILEC110H(WW/BB)	419.

Clamp-on Electric Outlet 202, 2 Power + 2 Data Ports 	72" Cordset	ILEC20272(WW/BB)	335.
	120" Cordset	ILEC202120(WW/BB)	335.
	Hardwired	ILEC202H(WW/BB)	335.
	Linkable	ILEC202L(WW/BB)	335.

Clamp-on Electric Outlet 210, 2 Power + 1 USB 	72" Cordset	ILEC21072(WW/BB)	419.
	120" Cordset	ILEC210120(WW/BB)	419.
	Hardwired	ILEC210H(WW/BB)	419.
	Linkable	ILEC210L(WW/BB)	419.

Clamp-on Electric Outlet 311, 3 Power + 1 USB + Data Port 	72" Cordset	ILEC31172(WW/BB)	496.
	120" Cordset	ILEC311120(WW/BB)	496.
	Hardwired	ILEC311H(WW/BB)	496.
	Linkable	ILEC311L(WW/BB)	496.


Clamp-on Electric Outlet 412, 4 Power + 1 USB + 2 Data Ports 	72" Cordset	ILEC41272(WW/BB)	622.
	120" Cordset	ILEC412120(WW/BB)	622.
	Hardwired	ILEC412H(WW/BB)	622.
	Linkable	ILEC412L(WW/BB)	622.

Order Code	Specification Information	Application Notes
Example: ILEC11072BB IL Islands Collection by Knoll® E Electrical Accessories C Clamp On Electric Outlet 110 1 Power, 1 dual USB, 0 Data 72 72" Cordset 120=120" cordset L = Linkable H = Hardwired BB Color option	<i>To order please specify pattern number including:</i> 1. Color option, (housing/bracket): BB = Black / Black WW = White / White	Installation instructions available on Knoll.com+. Refer to planning guide pages for complete description. USB / USB-C outlets are for recharging purposes only. No data transfer. All desktop outlets are UL listed. Simplex receptacles and USB charging ports are wired together on the same circuit. Units with data ports come with Tech Adapters. Connectors and jacks are not included are available from third party vendors. Refer to "Tech Adapter Master List" for compatible jacks and connectors.

Electrical Units - Clamp-On

Electrical Outlets

Islands Collection by Knoll®






description	type	pattern no.	list
Clamp-on Electric Outlet 21C, 2 Power + 1 USB + 1 USB C 	72" Cordset	ILEC21C72(WW/BB)	\$699.
	120" Cordset	ILEC21C120(WW/BB)	699.
	Hardwired	ILEC21CH(WW/BB)	699.
	Linkable	ILEC21CL(WW/BB)	699.

Order Code	Specification Information	Application Notes
Example: ILEC11072BB	<i>To order please specify pattern number including:</i>	Installation instructions available on Knoll.com+.
IL Islands Collection by Knoll®	1. Color option, (housing/bracket): BB = Black / Black WW = White / White	Refer to planning guide pages for complete description.
E Electrical Accessories		USB / USB-C outlets are for recharging purposes only. No data transfer. All desktop outlets are UL listed.
C Clamp On Electric Outlet		Simplex receptacles and USB charging ports are wired together on the same circuit.
110 1 Power, 1 dual USB, 0 Data		
72 72" Cordset 120=120" cordset L = Linkable H = Hardwired		
BB Color option		

Electrical Units - Offset Clamp-On

Electrical Outlets

Islands Collection by Knoll®

description	type	pattern no.	list
 Offset Clamp-on Electric Outlet 110, 1 Power + 1 USB	72" Cordset	ILEO11072(WW/BB)	\$419.
	120" Cordset	ILEO110120(WW/BB)	419.
	Hardwired	ILEO110H(WW/BB)	419.
 Offset Clamp-on Electric Outlet 202, 2 Power + 2 Data Ports	72" Cordset	ILEO20272(WW/BB)	335.
	120" Cordset	ILEO202120(WW/BB)	335.
	Hardwired	ILEO202H(WW/BB)	335.
	Linkable	ILEO202L(WW/BB)	335.
 Offset Clamp-on Electric Outlet 210, 2 Power + 1 USB	72" Cordset	ILEO21072(WW/BB)	419.
	120" Cordset	ILEO210120(WW/BB)	419.
	Hardwired	ILEO210H(WW/BB)	419.
	Linkable	ILEO210L(WW/BB)	419.
 Offset Clamp-on Electric Outlet 311, 3 Power + 1 USB + Data Port	72" Cordset	ILEO31172(WW/BB)	496.
	120" Cordset	ILEO311120(WW/BB)	496.
	Hardwired	ILEO311H(WW/BB)	496.
	Linkable	ILEO311L(WW/BB)	496.
 Offset Clamp-on Electric Outlet 412, 4 Power + 1 USB + 2 Data Ports	72" Cordset	ILEO41272(WW/BB)	622.
	120" Cordset	ILEO412120(WW/BB)	622.
	Hardwired	ILEO412H(WW/BB)	622.
	Linkable	ILEO412L(WW/BB)	622.


Order Code	Specification Information	Application Notes
Example: ILEO11072BB	<i>To order please specify pattern number including:</i>	Installation instructions available on Knoll.com+.
IL Islands Collection by Knoll®	1. Color option, (housing/bracket): BB = Black / Black WW = White / White	Refer to planning guide pages for complete description.
E Electrical Accessories		USB / USB-C outlets are for recharging purposes only. No data transfer. All desktop outlets are UL listed.
O Offset Clamp On Electrical Outlet		Simplex receptacles and USB charging ports are wired together on the same circuit.
110 1 Power, 1 dual USB, 0 Data		
72 72" Cordset 120=120" cordset L = Linkable H = Hardwired		
BB Color option		

Units with data ports come with Tech Adapters. Connectors and jacks are not included are available from third party vendors. Refer to "Tech Adapter Master List" for compatible jacks and connectors.

Electrical Units - Offset Clamp-On

Electrical Outlets

Islands Collection by Knoll®

description	type	pattern no.	list
 Offset Clamp-on Electric Outlet 21C, 2 Power + 1 USB + 1 USB C	72" Cordset	ILEO21C72(WW/BB)	\$699.
	120" Cordset	ILEO21C120(WW/BB)	699.
	Hardwired	ILEO21CH(WW/BB)	699.
	Linkable	ILEO21CL(WW/BB)	699.



Order Code	Specification Information	Application Notes
Example: ILEO11072BB	<i>To order please specify pattern number including:</i>	Installation instructions available on Knoll.com+.
IL Islands Collection by Knoll®	1. Color option, (housing/bracket): BB = Black / Black WW = White / White	Refer to planning guide pages for complete description.
E Electrical Accessories		USB / USB-C outlets are for recharging purposes only. No data transfer. All desktop outlets are UL listed.
O Offset Clamp On Electrical Outlet		Simplex receptacles and USB charging ports are wired together on the same circuit.
110 1 Power, 1 dual USB, 0 Data		
72 72" Cordset 120=120" cordset L = Linkable H = Hardwired		
BB Color option		

Units with data ports come with Tech Adapters.
Connectors and jacks are not included are available from third party vendors. Refer to "Tech Adapter Master List" for compatible jacks and connectors.

Electrical Units - for Chicago

Clamp-On Electrical Outlets

Islands Collection by Knoll®

description	type	pattern no.	list
Clamp-on Electric Outlet 110, 1 Power + 1 USB	108" whip	ILECC110108(WW/BB)	\$419.
			
Clamp-on Electric Outlet 202, 2 Power + 2 Data Ports	108" whip	ILECC202108(WW/BB)	335.
			
Clamp-on Electric Outlet 210, 2 Power + 1 USB	108" whip	ILECC210108(WW/BB)	419.
			
Clamp-on Electric Outlet 311, 3 Power + 1 USB + Data Port	108" whip	ILECC311108(WW/BB)	496.
			
Clamp-on Electric Outlet 412, 4 Power + 1 USB + 2 Data Ports	108" whip	ILECC412108(WW/BB)	622.
			


Order Code	Specification Information	Application Notes
Example: ILEC11072BB	<i>To order please specify pattern number including:</i>	Installation instructions available on Knoll.com+.
IL Islands Collection by Knoll®	1. Color option, (housing/bracket): BB = Black / Black WW = White / White	Refer to planning guide pages for complete description.
E Electrical Accessories		USB / USB-C outlets are for recharging purposes only. No data transfer. All desktop outlets are UL listed.
C Clamp On Electric Outlet		Simplex receptacles and USB charging ports are wired together on the same circuit.
110 1 Power, 1 dual USB, 0 Data		
72 72" Cordset 120=120" cordset L = Linkable H = Hardwired		
BB Color option		

Electrical Units - for Chicago

Clamp-On Electrical Outlets

Islands Collection by Knoll®

description	type	pattern no.	list
Clamp-on Electric Outlet 21C, 2 Power + 1 USB + 1 USB C	108" whip	ILECC21CC108(WW/BB)	\$699.





Order Code	Specification Information	Application Notes
Example: ILEC11072BB	<i>To order please specify pattern number including:</i>	Installation instructions available on Knoll.com+.
IL Islands Collection by Knoll®	1. Color option, (housing/bracket): BB = Black / Black WW = White / White	Refer to planning guide pages for complete description.
E Electrical Accessories		USB / USB-C outlets are for recharging purposes only. No data transfer. All desktop outlets are UL listed.
C Clamp On Electric Outlet		Simplex receptacles and USB charging ports are wired together on the same circuit.
110 1 Power, 1 dual USB, 0 Data		
72 72" Cordset 120=120" cordset L = Linkable H = Hardwired		
BB Color option		

Electrical Units - for Chicago

Offset Clamp-On Electrical Outlets

Islands Collection by Knoll®

description	type	pattern no.	list
Offset Clamp-on Electric Outlet 110, 1 Power + 1 USB	108" whip	ILEOC110108(WW/BB)	\$419.
			
Offset Clamp-on Electric Outlet 202, 2 Power + 2 Data Ports	108" whip	ILEOC202108(WW/BB)	335.
			
Offset Clamp-on Electric Outlet 210, 2 Power + 1 USB	108" whip	ILEOC210108(WW/BB)	419.
			
Offset Clamp-on Electric Outlet 311, 3 Power + 1 USB + Data Port	108" whip	ILEOC311108(WW/BB)	496.
			
Offset Clamp-on Electric Outlet 412, 4 Power + 1 USB + 2 Data Port	108" whip	ILEOC412108(WW/BB)	622.
			


Order Code	Specification Information	Application Notes
Example: ILEC11072BB	<i>To order please specify pattern number including:</i>	Installation instructions available on Knoll.com+.
IL Islands Collection by Knoll®	1. Color option, (housing/bracket): BB = Black / Black WW = White / White	Refer to planning guide pages for complete description.
E Electrical Accessories		USB / USB-C outlets are for recharging purposes only. No data transfer. All desktop outlets are UL listed.
C Clamp On Electric Outlet		Simplex receptacles and USB charging ports are wired together on the same circuit.
110 1 Power, 1 dual USB, 0 Data		
72 72" Cordset 120=120" cordset L = Linkable H = Hardwired		
BB Color option		

Electrical Units - for Chicago

Offset Clamp-On Electrical Outlets

Islands Collection by Knoll®

description	type	pattern no.	list
Offset Clamp-on Electric Outlet 21C, 2 Power + 1 USB + 1 USB C	108" whip	ILEOC21C108(WW/BB)	\$699.








Order Code	Specification Information	Application Notes
Example: ILEC11072BB	<i>To order please specify pattern number including:</i>	Installation instructions available on Knoll.com+.
IL Islands Collection by Knoll®	1. Color option, (housing/bracket): BB = Black / Black WW = White / White	Refer to planning guide pages for complete description.
E Electrical Accessories		USB / USB-C outlets are for recharging purposes only. No data transfer. All desktop outlets are UL listed.
C Clamp On Electric Outlet		Simplex receptacles and USB charging ports are wired together on the same circuit.
110 1 Power, 1 dual USB, 0 Data		
72 72" Cordset 120=120" cordset L = Linkable H = Hardwired		
BB Color option		

Electrical Units - Undermount

Electrical Outlets

Islands Collection by Knoll®

description	type	pattern no.	list
Undermount Electric Outlet 110, 1 Power + 1 USB 	72" Cordset	ILEU11072(WW/BB)	\$419.
	120" Cordset	ILEU110120(WW/BB)	419.
	Hardwired	ILEU110H(WW/BB)	419.
Undermount Electric Outlet 202, 2 Power + 2 Data Ports 	72" Cordset	ILEU20272(WW/BB)	335.
	120" Cordset	ILEU202120(WW/BB)	335.
	Hardwired	ILEU202H(WW/BB)	335.
	Linkable	ILEU202L(WW/BB)	335.
Undermount Electric Outlet 210, 2 Power + 1 USB 	72" Cordset	ILEU21072(WW/BB)	419.
	120" Cordset	ILEU210120(WW/BB)	419.
	Hardwired	ILEU210H(WW/BB)	419.
	Linkable	ILEU210L(WW/BB)	419.
Undermount Electric Outlet 311, 3 Power + 1 USB + Data Port 	72" Cordset	ILEU31172(WW/BB)	496.
	120" Cordset	ILEU311120(WW/BB)	496.
	Hardwired	ILEU311H(WW/BB)	496.
	Linkable	ILEU311L(WW/BB)	496.
Undermount Electric Outlet 412, 4 Power + 1 USB + 2 Data Ports 	72" Cordset	ILEU41272(WW/BB)	622.
	120" Cordset	ILEU412120(WW/BB)	622.
	Hardwired	ILEU412H(WW/BB)	622.
	Linkable	ILEU412L(WW/BB)	622.
Undermount Electric Outlet 21C, 2 Power + 1 USB + 1 USB C 	72" Cordset	ILEU21C72(WW/BB)	699.
	120" Cordset	ILEU21C120(WW/BB)	699.
	Hardwired	ILEU21CH(WW/BB)	699.
	Linkable	ILEU21CL(WW/BB)	699.






Order Code	Specification Information	Application Notes
Example: ILEO11072BB	<i>To order please specify pattern number including:</i>	Installation instructions available on Knoll.com+.
IL Islands Collection by Knoll®	1. Color option, (housing/bracket): BB = Black / Black WW = White / White	Refer to planning guide pages for complete description.
E Electrical Accessories		USB / USB-C outlets are for recharging purposes only. No data transfer. All desktop outlets are UL listed.
O Offset Clamp On Electrical Outlet		Simplex receptacles and USB charging ports are wired together on the same circuit.
110 1 Power, 1 dual USB, 0 Data		
72 72" Cordset 120=120" cordset L = Linkable H = Hardwired		
BB Color option		

Units with data ports come with Tech Adapters. Connectors and jacks are not included are available from third party vendors. Refer to "Tech Adapter Master List" for compatible jacks and connectors.

Electrical Units - Wide Channel Desktop Outlets

Electrical Outlets

Islands Collection by Knoll®


description	type	pattern no.	list
 Wide Channel Desktop Electric Outlet 110, 1 Power + 1 USB	72" Cordset	ILEW11072(BB/WW)	\$386.
	120" Cordset	ILEW110120(BB/WW)	386.
	Hardwired	ILEW110H(BB/WW)	413.
	Linkable	ILEW110L(BB/WW)	413.
 Wide Channel Desktop Electric Outlet 202, 2 Power + 2 Data Ports	72" Cordset	ILEW20272(BB/WW)	320.
	120" Cordset	ILEW202120(BB/WW)	320.
	Hardwired	ILEW202H(BB/WW)	333.
	Linkable	ILEW202L(BB/WW)	333.
 Wide Channel Desktop Electric Outlet 210, 2 Power + 1 USB	72" Cordset	ILEW21072(WW/BB)	451.
	120" Cordset	ILEW210120(WW/BB)	451.
	Hardwired	ILEW210H(WW/BB)	467.
	Linkable	ILEW210L(WW/BB)	467.
 Wide Channel Desktop Electric Outlet 311, 3 Power + 1 USB + Data Port	72" Cordset	ILEW31172(WW/BB)	506.
	120" Cordset	ILEW311120(WW/BB)	506.
	Hardwired	ILEW311H(WW/BB)	533.
	Linkable	ILEW311L(WW/BB)	533.
 Wide Channel Desktop Electric Outlet 412, 4 Power + 1 USB + 2 Data Ports	72" Cordset	ILEW41272(WW/BB)	632.
	120" Cordset	ILEW412120(WW/BB)	632.
	Hardwired	ILEW412H(WW/BB)	666.
	Linkable	ILEW412L(WW/BB)	666.

Order Code	Specification Information	Application Notes
Example: ILEW11072BB IL Islands Collection by Knoll® E Electrical Accessories W Wide Channel Desktop Electrical Outlet 110 1 Power, 1 dual USB, 0 Data 72 72" Cordset 120=120" cordset L = Linkable H = Hardwired BB Color option	<i>To order please specify pattern number including:</i> 1. Color option, (housing/bracket): BB = Black / Black WW = White / White	Installation instructions available on Knoll.com+. Refer to planning guide pages for complete description. USB / USB-C outlets are for recharging purposes only. No data transfer. All desktop outlets are UL listed. Simplex receptacles and USB charging ports are wired together on the same circuit.
		Units with data ports come with Tech Adapters. Connectors and jacks are not included are available from third party vendors. Refer to "Tech Adapter Master List" for compatible jacks and connectors.

Electrical Units - Wide Channel Desktop Outlets

Electrical Outlets

Islands Collection by Knoll®

description	type	pattern no.	list
 Wide Channel Desktop Electric Outlet 21C, 2 Power + 1 USB + 1 USB C	72" Cordset	ILEW21C72(WW/BB)	\$719.
	120" Cordset	ILEW21C120(WW/BB)	719.
	Hardwired	ILEW21CH(WW/BB)	772.
	Linkable	ILEW21CL(WW/BB)	772.

Order Code	Specification Information	Application Notes
Example: ILEW11072BB	<i>To order please specify pattern number including:</i>	Installation instructions available on Knoll.com+.
IL Islands Collection by Knoll®	1. Color option, (housing/bracket): BB = Black / Black WW = White / White	Refer to planning guide pages for complete description.
E Electrical Accessories		USB / USB-C outlets are for recharging purposes only. No data transfer. All desktop outlets are UL listed.
W Wide Channel Desktop Electrical Outlet		Simplex receptacles and USB charging ports are wired together on the same circuit.
110 1 Power, 1 dual USB, 0 Data		
72 72" Cordset 120=120" cordset L = Linkable H = Hardwired		
BB Color option		

Units with data ports come with Tech Adapters.
Connectors and jacks are not included are available from third party vendors. Refer to "Tech Adapter Master List" for compatible jacks and connectors.

Wire Management

Cable Clips

Islands Collection by Knoll®

description	type	d	w	h	pattern no.	list
Cable Clips - X-Base Table 	set of 3	2.3"	2.8"	1"	ILECX1	\$41.
Cable Clips - MX-Base Table	set of 3	.8"	1.2"	1"	ILECM1	41.

Order Code	Specification Information	Application Notes
Example: ILECX1		Cable clips are clear.
IL	Islands Collection by Knoll®	All electrical accessories are specified separately.
E	Electrical Accessories	Refer to Accessories section for electrical component pricing.
CX	Cable clip for X-Base	
1	Set of 3	

Wire Management

MX Table Cable Trays

Islands Collection by Knoll®

description	type	d	w	h	pattern no.	list
Cable Tray 40"W	qty 1 used on 96"w MX tables with RL, RC, RR, SR, EH, CY top shapes	15"	40"	4"	ILTCC4015	\$254.
Cable Tray 44"W	qty 2 used on 156"w MX tables with RT, RL, RC, RR, SR, EH, CY top shapes	15"	44"	4"	ILTCC4415	260.
Cable Tray 47"W	qty 1 used on 108"w MX tables with RL, RC, RR, SR, EH, CY top shapes	15"	47"	4"	ILTCC4715	265.
Cable Tray 53"W	qty 2 used on 180"w MX tables with RL, RC, RR, SR, EH, CY top shapes	15"	53"	4"	ILTCC5315	273.
Cable Tray 59"W	qty 1 used on 120"w MX tables with RL, RC, RR, SR, EH, CY top shapes	15"	59"	4"	ILTCC5915	280.
						
Cable Tray 65"W	qty 1 used on 132"w MX tables with RL, RC, RR, SR, EH, CY top shapes	15"	65"	4"	ILTCC6515	285.
Cable Tray 71"W	qty 1 used on 140"w MX tables with RL, RC, RR, SR, EH, CY top shapes	15"	71"	4"	ILTCC7115	293.
Cable Tray 77"W	qty 1 used on 144"w MX tables with RL, RC, RR, SR, EH, CY top shapes	15"	77"	4"	ILTCC7715	300.
Cable Tray 82"W	qty 1 used on 144"w MX tables with RT top shapes	15"	82"	4"	ILTCC8215	307.


Order Code	Specification Information	Application Notes
Example: ILTCC4015	1. Pattern number	Cable trays are always painted Olivares Grey.
ILT Islands Collection by Knoll®		Race Track shape conference tables in different widths call for varying cable trays. Please see planning and specification guide for more detail.
CC Cable Cover		
4015 40"W x 15"D		

Wire Management

MX Table Wide Channel Lid Sets

Islands Collection by Knoll®

description	type	d	w	h	pattern no.	list
Wide Channel Lid Set	18" Lid Set	5"	18"		ILEL18	\$413.
	9" Lid Set	5"	9"		ILEL9	346.



Order Code	Specification Information	Application Notes
Example: ILEL9		
IL	Islands Collection by Knoll®	
E	Electrical Accessories	
L	Lid Set	
9	Width	

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ILEC110120(W/W/BB)	95	ILEJ126	91	ILEPSPPPH(W/G/B)C	92	ILTCC4715	107
ILEC11072(W/W/BB)	95	ILEJ132	91	ILEPSPPPH(W/G/B)H	92	ILTCC5315	107
ILEC110H(W/W/BB)	95	ILEJ24	91	ILEPSPPPH(W/G/B)L	92	ILTCC5915	107
ILEC202120(W/W/BB)	95	ILEJ30	91	ILEPSPPPN(W/G/B)C	92	ILTCC6515	107
ILEC20272(W/W/BB)	95	ILEJ36	91	ILEPSPPPN(W/G/B)H	92	ILTCC7115	107
ILEC202H(W/W/BB)	95	ILEJ42	91	ILEPSPPPN(W/G/B)L	92	ILTCC7715	107
ILEC202L(W/W/BB)	95	ILEJ48	91	ILEPSPPPU(W/G/B)C	92	ILTCC8215	107
ILEC210120(W/W/BB)	95	ILEJ54	91	ILEPSPPPU(W/G/B)H	92	ILTCS(S/B4/T4)(SG/SC)52304	26
ILEC21072(W/W/BB)	95	ILEJ60	91	ILEPSPPPU(W/G/B)L	92	ILTCS(S/B4/T4)(SG/SC)63364	26
ILEC210H(W/W/BB)	95	ILEJ66	91	ILEPSPUPU(W/G/B)C	92	ILTCY(S/B4/T4)(SG/SC)52304	26
ILEC210L(W/W/BB)	95	ILEJ72	91	ILEPSPUPU(W/G/B)H	92	ILTCY(S/B4/T4)(SG/SC)63364	26
ILEC21C120(W/W/BB)	96	ILEJ78	91	ILEPSPUPU(W/G/B)L	92	ILTCY(S/B/T)M108484(H/V)N	87
ILEC21C72(W/W/BB)	96	ILEJ84	91	ILEU110120(W/W/BB)	103	ILTCY(S/B/T)M108544(H/V)N	87
ILEC21CH(W/W/BB)	96	ILEJ90	91	ILEU11072(W/W/BB)	103	ILTCY(S/B/T)M108604(H/V)N	87
ILEC21CL(W/W/BB)	96	ILEJ96	91	ILEU110H(W/W/BB)	103	ILTCY(S/B/T)M120484(H/V)N	87
ILEC311120(W/W/BB)	95	ILEL18	108	ILEU202120(W/W/BB)	103	ILTCY(S/B/T)M120544(H/V)N	87
ILEC31172(W/W/BB)	95	ILEL9	108	ILEU20272(W/W/BB)	103	ILTCY(S/B/T)M120604(H/V)N	87
ILEC311H(W/W/BB)	95	ILEO110120(W/W/BB)	97	ILEU202H(W/W/BB)	103	ILTCY(S/B/T)M132484(H/V)N	88
ILEC311L(W/W/BB)	95	ILEO11072(W/W/BB)	97	ILEU202L(W/W/BB)	103	ILTCY(S/B/T)M132544(H/V)N	88
ILEC412120(W/W/BB)	95	ILEO110H(W/W/BB)	97	ILEU210120(W/W/BB)	103	ILTCY(S/B/T)M132604(H/V)N	88
ILEC41272(W/W/BB)	95	ILEO202120(W/W/BB)	97	ILEU21072(W/W/BB)	103	ILTCY(S/B/T)M144484(H/V)N	88
ILEC412H(W/W/BB)	95	ILEO20272(W/W/BB)	97	ILEU210H(W/W/BB)	103	ILTCY(S/B/T)M144544(H/V)N	88
ILEC412L(W/W/BB)	95	ILEO202H(W/W/BB)	97	ILEU210L(W/W/BB)	103	ILTCY(S/B/T)M144604(H/V)N	88
ILECC110108(W/W/BB)	99	ILEO202L(W/W/BB)	97	ILEU21C120(W/W/BB)	103	ILTCY(S/B/T)M156484(H/V)N	88
ILECC202108(W/W/BB)	99	ILEO210120(W/W/BB)	97	ILEU21C72(W/W/BB)	103	ILTCY(S/B/T)M156544(H/V)N	88
ILECC210108(W/W/BB)	99	ILEO21072(W/W/BB)	97	ILEU21CH(W/W/BB)	103	ILTCY(S/B/T)M156604(H/V)N	88
ILECC210H(W/W/BB)	100	ILEO210H(W/W/BB)	97	ILEU21CL(W/W/BB)	103	ILTCY(S/B/T)M180484(H/V)N	88
ILECC311108(W/W/BB)	99	ILEO210L(W/W/BB)	97	ILEU311120(W/W/BB)	103	ILTCY(S/B/T)M180544(H/V)N	88
ILECC412108(W/W/BB)	99	ILEO21C120(W/W/BB)	98	ILEU31172(W/W/BB)	103	ILTCY(S/B/T)M180604(H/V)N	88
ILECM1	106	ILEO21C72(W/W/BB)	98	ILEU311H(W/W/BB)	103	ILTCY(S/B/T)M216484(H/V)N	88
ILECX1	106	ILEO21CH(W/W/BB)	98	ILEU311L(W/W/BB)	103	ILTCY(S/B/T)M216544(H/V)N	88
ILED110120(BB/W/W)	89	ILEO21CL(W/W/BB)	98	ILEU412120(W/W/BB)	103	ILTCY(S/B/T)M216604(H/V)N	88
ILED11072(BB/W/W)	89	ILEO311120(W/W/BB)	97	ILEU41272(W/W/BB)	103	ILTCY(S/B/T)M96484(H/V)N	87
ILED110H(BB/W/W)	89	ILEO31172(W/W/BB)	97	ILEU412H(W/W/BB)	103	ILTCY(S/B/T)M96544(H/V)N	87
ILED110L(BB/W/W)	89	ILEO311H(W/W/BB)	97	ILEU412L(W/W/BB)	103	ILTCY(S/B/T)MG54451	64
ILED202120(BB/W/W)	89	ILEO311L(W/W/BB)	97	ILEW110120(BB/W/W)	104	ILTCY(S/B/T)MG54452	64
ILED20272(BB/W/W)	89	ILEO412120(W/W/BB)	97	ILEW11072(BB/W/W)	104	ILTCY(S/B/T)MG54455	74
ILED202H(BB/W/W)	89	ILEO41272(W/W/BB)	97	ILEW110H(BB/W/W)	104	ILTCY(S/B/T)MG54456	74
ILED202L(BB/W/W)	89	ILEO412H(W/W/BB)	97	ILEW110L(BB/W/W)	104	ILTCY(S/B/T)MG60481	64
ILED210120(BB/W/W)	89	ILEO412L(W/W/BB)	97	ILEW202120(BB/W/W)	104	ILTCY(S/B/T)MG60482	64
ILED21072(BB/W/W)	89	ILEOC110108(W/W/BB)	101	ILEW20272(BB/W/W)	104	ILTCY(S/B/T)MG60485	74
ILED210H(BB/W/W)	89	ILEOC202108(W/W/BB)	101	ILEW202H(BB/W/W)	104	ILTCY(S/B/T)MG60486	74
ILED210L(BB/W/W)	89	ILEOC210108(W/W/BB)	101	ILEW202L(BB/W/W)	104	ILTCY(S/B/T)(MG/MC)54453	64
ILED21C120(BB/W/W)	90	ILEOC21C108(W/W/BB)	102	ILEW210120(W/W/BB)	104	ILTCY(S/B/T)(MG/MC)54454	68
ILED21C72(BB/W/W)	90	ILEOC311108(W/W/BB)	101	ILEW21072(W/W/BB)	104	ILTCY(S/B/T)(MG/MC)60483	64
ILED21CH(BB/W/W)	90	ILEOC412108(W/W/BB)	101	ILEW210H(W/W/BB)	104	ILTCY(S/B/T)(MG/MC)60484	68
ILED21CL(BB/W/W)	90	ILEPLJ24	94	ILEW210L(W/W/BB)	104	ILTEH(S/B/T)M108484(H/V)N	85
ILED311120(BB/W/W)	89	ILEPLS120	94	ILEW21C120(W/W/BB)	105	ILTEH(S/B/T)M108544(H/V)N	85
ILED31172(BB/W/W)	89	ILEPLS72	94	ILEW21C72(W/W/BB)	105	ILTEH(S/B/T)M108604(H/V)N	85
ILED311H(BB/W/W)	89	ILEPSPEPU(W/G/B)C	93	ILEW21CH(W/W/BB)	105	ILTEH(S/B/T)M120484(H/V)N	85
ILED311L(BB/W/W)	89	ILEPSPEPU(W/G/B)H	93	ILEW21CL(W/W/BB)	105	ILTEH(S/B/T)M120544(H/V)N	85
ILED412120(BB/W/W)	90	ILEPSPEPU(W/G/B)L	93	ILEW311120(W/W/BB)	104	ILTEH(S/B/T)M120604(H/V)N	85
ILED41272(BB/W/W)	90	ILEPSPHPE(W/G/B)C	93	ILEW31172(W/W/BB)	104	ILTEH(S/B/T)M132484(H/V)N	86
ILED412H(BB/W/W)	90	ILEPSPHPE(W/G/B)H	93	ILEW311H(W/W/BB)	104	ILTEH(S/B/T)M132544(H/V)N	86
ILED412L(BB/W/W)	90	ILEPSPHPE(W/G/B)L	93	ILEW311L(W/W/BB)	104	ILTEH(S/B/T)M132604(H/V)N	86
ILEI120	91	ILEPSPHPU(W/G/B)C	93	ILEW412120(W/W/BB)	104	ILTEH(S/B/T)M144484(H/V)N	86
ILEI60	91	ILEPSPHPU(W/G/B)H	93	ILEW41272(W/W/BB)	104	ILTEH(S/B/T)M144544(H/V)N	86
ILEJ102	91	ILEPSPHPU(W/G/B)L	93	ILEW412H(W/W/BB)	104	ILTEH(S/B/T)M144604(H/V)N	86
ILEJ108	91	ILEPSPNPN(W/G/B)C	92	ILEW412L(W/W/BB)	104	ILTEH(S/B/T)M156484(H/V)N	86
ILEJ114	91	ILEPSPNPN(W/G/B)H	92	ILTCC4015	107	ILTEH(S/B/T)M156544(H/V)N	86
ILEJ120	91	ILEPSPNPN(W/G/B)L	92	ILTCC4415	107	ILTEH(S/B/T)M156604(H/V)N	86

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ILTEH(S/B/T)M180484(H/V)N	86	ILTOPA(S/B/T)X366	41	ILTOR(L/R)(S/B4/T4)SG39721	14	ILTRC(S/B4/T4)(SG/SC)54364	24
ILTEH(S/B/T)M180544(H/V)N	86	ILTOPA(S/B/T)X421	32	ILTOR(L/R)(S/B4/T4)SG39722	14	ILTRC(S/B4/T4)(SG/SC)60244	24
ILTEH(S/B/T)M180604(H/V)N	86	ILTOPA(S/B/T)X422	32	ILTOR(L/R)(S/B4/T4)(SG/SC)33603	14	ILTRC(S/B4/T4)(SG/SC)60304	24
ILTEH(S/B/T)M216484(H/V)N	86	ILTOPA(S/B/T)X425	41	ILTOR(L/R)(S/B4/T4)(SG/SC)33604	22	ILTRC(S/B4/T4)(SG/SC)60364	24
ILTEH(S/B/T)M216544(H/V)N	86	ILTOPA(S/B/T)X426	41	ILTOR(L/R)(S/B4/T4)(SG/SC)33723	14	ILTRC(S/B4/T4)(SG/SC)66244	24
ILTEH(S/B/T)M216604(H/V)N	86	ILTOPA(S/B/T)(X/XC)303	32	ILTOR(L/R)(S/B4/T4)(SG/SC)33724	22	ILTRC(S/B4/T4)(SG/SC)66304	24
ILTEH(S/B/T)M96484(H/V)N	85	ILTOPA(S/B/T)(X/XC)304	36	ILTOR(L/R)(S/B4/T4)(SG/SC)39603	14	ILTRC(S/B4/T4)(SG/SC)66364	24
ILTEH(S/B/T)M96544(H/V)N	85	ILTOPA(S/B/T)(X/XC)363	32	ILTOR(L/R)(S/B4/T4)(SG/SC)39604	22	ILTRC(S/B4/T4)(SG/SC)72244	24
ILTOE(L/R)(S/B4/T4)SG35601	13	ILTOPA(S/B/T)(X/XC)364	36	ILTOR(L/R)(S/B4/T4)(SG/SC)39723	14	ILTRC(S/B4/T4)(SG/SC)72304	24
ILTOE(L/R)(S/B4/T4)SG35602	13	ILTOPA(S/B/T)(X/XC)423	32	ILTOR(L/R)(S/B4/T4)(SG/SC)39724	22	ILTRC(S/B4/T4)(SG/SC)72364	24
ILTOE(L/R)(S/B4/T4)SG39661	13	ILTOPA(S/B/T)(X/XC)424	36	ILTOT(L/R)(S/B4/T4)SG36441	12	ILTRC(S/B4/T4)(SG/SC)78244	24
ILTOE(L/R)(S/B4/T4)SG39662	13	ILTOPB(S/B4/T4)SG481	11	ILTOT(L/R)(S/B4/T4)SG36442	12	ILTRC(S/B4/T4)(SG/SC)78304	24
ILTOE(L/R)(S/B4/T4)SG42721	13	ILTOPB(S/B4/T4)SG482	11	ILTOT(L/R)(S/B4/T4)SG42511	12	ILTRC(S/B4/T4)(SG/SC)78364	24
ILTOE(L/R)(S/B4/T4)SG42722	13	ILTOPB(S/B4/T4)SG541	11	ILTOT(L/R)(S/B4/T4)SG42512	12	ILTRC(S/B4/T4)(SG/SC)84244	24
ILTOE(L/R)(S/B4/T4)SG45781	13	ILTOPB(S/B4/T4)SG542	11	ILTOT(L/R)(S/B4/T4)SG48591	12	ILTRC(S/B4/T4)(SG/SC)84304	24
ILTOE(L/R)(S/B4/T4)SG45782	13	ILTOPB(S/B4/T4)SG601	11	ILTOT(L/R)(S/B4/T4)SG48592	12	ILTRC(S/B4/T4)(SG/SC)84364	24
ILTOE(L/R)(S/B4/T4)SG48841	13	ILTOPB(S/B4/T4)SG602	11	ILTOT(L/R)(S/B4/T4)SG54661	12	ILTRC(S/B/T)M108484(H/V)N	79
ILTOE(L/R)(S/B4/T4)SG48842	13	ILTOPB(S/B4/T4)(SG/SC)483	11	ILTOT(L/R)(S/B4/T4)SG54662	12	ILTRC(S/B/T)M108544(H/V)N	79
ILTOE(L/R)(S/B4/T4)(SG/SC)35603	13	ILTOPB(S/B4/T4)(SG/SC)484	19	ILTOT(L/R)(S/B4/T4)SG60741	12	ILTRC(S/B/T)M108604(H/V)N	79
ILTOE(L/R)(S/B4/T4)(SG/SC)35604	21	ILTOPB(S/B4/T4)(SG/SC)543	11	ILTOT(L/R)(S/B4/T4)SG60742	12	ILTRC(S/B/T)M120484(H/V)N	79
ILTOE(L/R)(S/B4/T4)(SG/SC)39663	13	ILTOPB(S/B4/T4)(SG/SC)544	19	ILTOT(L/R)(S/B4/T4)(SG/SC)36443	12	ILTRC(S/B/T)M120544(H/V)N	79
ILTOE(L/R)(S/B4/T4)(SG/SC)39664	21	ILTOPB(S/B4/T4)(SG/SC)603	11	ILTOT(L/R)(S/B4/T4)(SG/SC)36444	20	ILTRC(S/B/T)M120604(H/V)N	79
ILTOE(L/R)(S/B4/T4)(SG/SC)42723	13	ILTOPB(S/B4/T4)(SG/SC)604	19	ILTOT(L/R)(S/B4/T4)(SG/SC)42513	12	ILTRC(S/B/T)M132484(H/V)N	80
ILTOE(L/R)(S/B4/T4)(SG/SC)42724	21	ILTOPB(S/B/T)MG481	63	ILTOT(L/R)(S/B4/T4)(SG/SC)42514	20	ILTRC(S/B/T)M132544(H/V)N	80
ILTOE(L/R)(S/B4/T4)(SG/SC)45783	13	ILTOPB(S/B/T)MG482	63	ILTOT(L/R)(S/B4/T4)(SG/SC)48593	12	ILTRC(S/B/T)M132604(H/V)N	80
ILTOE(L/R)(S/B4/T4)(SG/SC)45784	21	ILTOPB(S/B/T)MG485	73	ILTOT(L/R)(S/B4/T4)(SG/SC)48594	20	ILTRC(S/B/T)M144484(H/V)N	80
ILTOE(L/R)(S/B4/T4)(SG/SC)48843	13	ILTOPB(S/B/T)MG486	73	ILTOT(L/R)(S/B4/T4)(SG/SC)54663	12	ILTRC(S/B/T)M144544(H/V)N	80
ILTOE(L/R)(S/B4/T4)(SG/SC)48844	21	ILTOPB(S/B/T)MG541	63	ILTOT(L/R)(S/B4/T4)(SG/SC)54664	20	ILTRC(S/B/T)M144604(H/V)N	80
ILTOPA(S/B4/T4)SG481	10	ILTOPB(S/B/T)MG542	63	ILTOT(L/R)(S/B4/T4)(SG/SC)60743	12	ILTRC(S/B/T)M156484(H/V)N	80
ILTOPA(S/B4/T4)SG482	10	ILTOPB(S/B/T)MG545	73	ILTOT(L/R)(S/B4/T4)(SG/SC)60744	20	ILTRC(S/B/T)M156544(H/V)N	80
ILTOPA(S/B4/T4)SG541	10	ILTOPB(S/B/T)MG546	73	ILTP2(S/B4/T4)SG481	9	ILTRC(S/B/T)M156604(H/V)N	80
ILTOPA(S/B4/T4)SG542	10	ILTOPB(S/B/T)MG601	63	ILTP2(S/B4/T4)SG482	9	ILTRC(S/B/T)M180484(H/V)N	80
ILTOPA(S/B4/T4)SG601	10	ILTOPB(S/B/T)MG602	63	ILTP2(S/B4/T4)SG541	9	ILTRC(S/B/T)M180544(H/V)N	80
ILTOPA(S/B4/T4)SG602	10	ILTOPB(S/B/T)MG605	73	ILTP2(S/B4/T4)SG542	9	ILTRC(S/B/T)M180604(H/V)N	80
ILTOPA(S/B4/T4)(SG/SC)483	10	ILTOPB(S/B/T)MG606	73	ILTP2(S/B4/T4)SG601	9	ILTRC(S/B/T)M216484(H/V)N	80
ILTOPA(S/B4/T4)(SG/SC)484	19	ILTOPB(S/B/T)(MG/MC)483	63	ILTP2(S/B4/T4)SG602	9	ILTRC(S/B/T)M216544(H/V)N	80
ILTOPA(S/B4/T4)(SG/SC)543	10	ILTOPB(S/B/T)(MG/MC)484	67	ILTP2(S/B4/T4)(SG/SC)483	9	ILTRC(S/B/T)M216604(H/V)N	80
ILTOPA(S/B4/T4)(SG/SC)544	19	ILTOPB(S/B/T)(MG/MC)543	63	ILTP2(S/B4/T4)(SG/SC)484	18	ILTRC(S/B/T)M96484(H/V)N	79
ILTOPA(S/B4/T4)(SG/SC)603	10	ILTOPB(S/B/T)(MG/MC)544	67	ILTP2(S/B4/T4)(SG/SC)543	9	ILTRC(S/B/T)M96544(H/V)N	79
ILTOPA(S/B4/T4)(SG/SC)604	19	ILTOPB(S/B/T)(MG/MC)603	63	ILTP2(S/B4/T4)(SG/SC)544	18	ILTRC(S/B/T)X108364H	48
ILTOPA(S/B/T)MG481	62	ILTOPB(S/B/T)(MG/MC)604	67	ILTP2(S/B4/T4)(SG/SC)603	9	ILTRC(S/B/T)X108424H	48
ILTOPA(S/B/T)MG482	62	ILTOPB(S/B/T)X301	33	ILTP2(S/B4/T4)(SG/SC)604	18	ILTRC(S/B/T)X108484H	48
ILTOPA(S/B/T)MG485	73	ILTOPB(S/B/T)X302	33	ILTPT(S/B4/T4)SG361	8	ILTRC(S/B/T)X120364H	50
ILTOPA(S/B/T)MG486	73	ILTOPB(S/B/T)X305	41	ILTPT(S/B4/T4)SG362	8	ILTRC(S/B/T)X120364V	49
ILTOPA(S/B/T)MG541	62	ILTOPB(S/B/T)X306	41	ILTPT(S/B4/T4)SG421	8	ILTRC(S/B/T)X120424H	50
ILTOPA(S/B/T)MG542	62	ILTOPB(S/B/T)X361	33	ILTPT(S/B4/T4)SG422	8	ILTRC(S/B/T)X120424V	49
ILTOPA(S/B/T)MG545	73	ILTOPB(S/B/T)X362	33	ILTPT(S/B4/T4)SG481	8	ILTRC(S/B/T)X120484H	50
ILTOPA(S/B/T)MG546	73	ILTOPB(S/B/T)X365	41	ILTPT(S/B4/T4)SG482	8	ILTRC(S/B/T)X120484V	49
ILTOPA(S/B/T)MG601	62	ILTOPB(S/B/T)X366	41	ILTPT(S/B4/T4)SG541	8	ILTRC(S/B/T)X132364H	50
ILTOPA(S/B/T)MG602	62	ILTOPB(S/B/T)X421	33	ILTPT(S/B4/T4)SG542	8	ILTRC(S/B/T)X132364V	49
ILTOPA(S/B/T)MG605	73	ILTOPB(S/B/T)X422	33	ILTPT(S/B4/T4)SG601	8	ILTRC(S/B/T)X132424H	50
ILTOPA(S/B/T)MG606	73	ILTOPB(S/B/T)X425	41	ILTPT(S/B4/T4)SG602	8	ILTRC(S/B/T)X132424V	49
ILTOPA(S/B/T)(MG/MC)483	62	ILTOPB(S/B/T)X426	41	ILTPT(S/B4/T4)(SG/SC)363	8	ILTRC(S/B/T)X132484H	50
ILTOPA(S/B/T)(MG/MC)484	67	ILTOPB(S/B/T)(X/XC)303	33	ILTPT(S/B4/T4)(SG/SC)423	8	ILTRC(S/B/T)X132484V	49
ILTOPA(S/B/T)(MG/MC)543	62	ILTOPB(S/B/T)(X/XC)304	36	ILTPT(S/B4/T4)(SG/SC)483	8	ILTRC(S/B/T)X144364H	50
ILTOPA(S/B/T)(MG/MC)544	67	ILTOPB(S/B/T)(X/XC)363	33	ILTPT(S/B4/T4)(SG/SC)484	18	ILTRC(S/B/T)X144364V	49
ILTOPA(S/B/T)(MG/MC)603	62	ILTOPB(S/B/T)(X/XC)364	36	ILTPT(S/B4/T4)(SG/SC)543	8	ILTRC(S/B/T)X144424H	50
ILTOPA(S/B/T)(MG/MC)604	67	ILTOPB(S/B/T)(X/XC)423	33	ILTPT(S/B4/T4)(SG/SC)544	18	ILTRC(S/B/T)X144424V	49
ILTOPA(S/B/T)X301	32	ILTOPB(S/B/T)(X/XC)424	36	ILTPT(S/B4/T4)(SG/SC)603	8	ILTRC(S/B/T)X144484H	50
ILTOPA(S/B/T)X302	32	ILTOR(L/R)(S/B4/T4)SG33601	14	ILTPT(S/B4/T4)(SG/SC)604	18	ILTRC(S/B/T)X144484V	49
ILTOPA(S/B/T)X305	41	ILTOR(L/R)(S/B4/T4)SG33602	14	ILTRC(S/B4/T4)(SG/SC)48244	24	ILTRC(S/B/T)X156364H	50
ILTOPA(S/B/T)X306	41	ILTOR(L/R)(S/B4/T4)SG33721	14	ILTRC(S/B4/T4)(SG/SC)48304	24	ILTRC(S/B/T)X156364V	49
ILTOPA(S/B/T)X361	32	ILTOR(L/R)(S/B4/T4)SG33722	14	ILTRC(S/B4/T4)(SG/SC)48364	24	ILTRC(S/B/T)X156424H	50
ILTOPA(S/B/T)X362	32	ILTOR(L/R)(S/B4/T4)SG39601	14	ILTRC(S/B4/T4)(SG/SC)54244	24	ILTRC(S/B/T)X156424V	49
ILTOPA(S/B/T)X365	41	ILTOR(L/R)(S/B4/T4)SG39602	14	ILTRC(S/B4/T4)(SG/SC)54304	24	ILTRC(S/B/T)X156484H	50

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ILTRC(S/B/T)X156484V	49	ILTRD(S/B/T)X421	27	ILTRL(S/B/T)X132364V	46	ILTRR(S/B/T)X144364H	53
ILTRC(S/B/T)X72364H	48	ILTRD(S/B/T)X422	27	ILTRL(S/B/T)X132424H	47	ILTRR(S/B/T)X144364V	52
ILTRC(S/B/T)X78364H	48	ILTRD(S/B/T)X425	37	ILTRL(S/B/T)X132424V	46	ILTRR(S/B/T)X144424H	53
ILTRC(S/B/T)X78424H	48	ILTRD(S/B/T)X426	37	ILTRL(S/B/T)X132484H	47	ILTRR(S/B/T)X144424V	52
ILTRC(S/B/T)X84364H	48	ILTRD(S/B/T)(X/XC)303	27	ILTRL(S/B/T)X132484V	46	ILTRR(S/B/T)X144484H	53
ILTRC(S/B/T)X84424H	48	ILTRD(S/B/T)(X/XC)304	34	ILTRL(S/B/T)X144364H	47	ILTRR(S/B/T)X144484V	52
ILTRC(S/B/T)X90364H	48	ILTRD(S/B/T)(X/XC)363	27	ILTRL(S/B/T)X144364V	46	ILTRR(S/B/T)X156364H	53
ILTRC(S/B/T)X90424H	48	ILTRD(S/B/T)(X/XC)364	34	ILTRL(S/B/T)X144424H	47	ILTRR(S/B/T)X156364V	52
ILTRC(S/B/T)X90484H	48	ILTRD(S/B/T)(X/XC)423	27	ILTRL(S/B/T)X144424V	46	ILTRR(S/B/T)X156424H	53
ILTRC(S/B/T)X96364H	48	ILTRD(S/B/T)(X/XC)424	34	ILTRL(S/B/T)X144484H	47	ILTRR(S/B/T)X156424V	52
ILTRC(S/B/T)X96424H	48	ILTRL(S/B4/T4)(SG/SC)48244	23	ILTRL(S/B/T)X144484V	46	ILTRR(S/B/T)X156484H	53
ILTRC(S/B/T)X96484H	48	ILTRL(S/B4/T4)(SG/SC)48304	23	ILTRL(S/B/T)X156364H	47	ILTRR(S/B/T)X156484V	52
ILTRD(S/B4/T4)SG301	4	ILTRL(S/B4/T4)(SG/SC)48364	23	ILTRL(S/B/T)X156364V	46	ILTRR(S/B/T)X72364H	51
ILTRD(S/B4/T4)SG302	4	ILTRL(S/B4/T4)(SG/SC)54244	23	ILTRL(S/B/T)X156424H	47	ILTRR(S/B/T)X78364H	51
ILTRD(S/B4/T4)SG361	4	ILTRL(S/B4/T4)(SG/SC)54304	23	ILTRL(S/B/T)X156424V	46	ILTRR(S/B/T)X78424H	51
ILTRD(S/B4/T4)SG362	4	ILTRL(S/B4/T4)(SG/SC)54364	23	ILTRL(S/B/T)X156484H	47	ILTRR(S/B/T)X84364H	51
ILTRD(S/B4/T4)SG421	4	ILTRL(S/B4/T4)(SG/SC)60244	23	ILTRL(S/B/T)X156484V	46	ILTRR(S/B/T)X84424H	51
ILTRD(S/B4/T4)SG422	4	ILTRL(S/B4/T4)(SG/SC)60304	23	ILTRL(S/B/T)X72364H	45	ILTRR(S/B/T)X90364H	51
ILTRD(S/B4/T4)SG481	4	ILTRL(S/B4/T4)(SG/SC)60364	23	ILTRL(S/B/T)X78364H	45	ILTRR(S/B/T)X90424H	51
ILTRD(S/B4/T4)SG482	4	ILTRL(S/B4/T4)(SG/SC)66244	23	ILTRL(S/B/T)X78424H	45	ILTRR(S/B/T)X90484H	51
ILTRD(S/B4/T4)SG541	4	ILTRL(S/B4/T4)(SG/SC)66304	23	ILTRL(S/B/T)X84364H	45	ILTRR(S/B/T)X96364H	51
ILTRD(S/B4/T4)SG542	4	ILTRL(S/B4/T4)(SG/SC)66364	23	ILTRL(S/B/T)X84424H	45	ILTRR(S/B/T)X96424H	51
ILTRD(S/B4/T4)SG601	4	ILTRL(S/B4/T4)(SG/SC)72244	23	ILTRL(S/B/T)X90364H	45	ILTRR(S/B/T)X96484H	51
ILTRD(S/B4/T4)SG602	4	ILTRL(S/B4/T4)(SG/SC)72304	23	ILTRL(S/B/T)X90424H	45	ILTRT(S/B/T)M108484(H/V)N	75
ILTRD(S/B4/T4)(SG/SC)303	4	ILTRL(S/B4/T4)(SG/SC)72364	23	ILTRL(S/B/T)X90484H	45	ILTRT(S/B/T)M108544(H/V)N	75
ILTRD(S/B4/T4)(SG/SC)363	4	ILTRL(S/B4/T4)(SG/SC)78244	23	ILTRL(S/B/T)X96364H	45	ILTRT(S/B/T)M108604(H/V)N	75
ILTRD(S/B4/T4)(SG/SC)423	4	ILTRL(S/B4/T4)(SG/SC)78304	23	ILTRL(S/B/T)X96424H	45	ILTRT(S/B/T)M120484(H/V)N	75
ILTRD(S/B4/T4)(SG/SC)483	4	ILTRL(S/B4/T4)(SG/SC)78364	23	ILTRL(S/B/T)X96484H	45	ILTRT(S/B/T)M120544(H/V)N	75
ILTRD(S/B4/T4)(SG/SC)484	15	ILTRL(S/B4/T4)(SG/SC)84244	23	ILTRR(S/B/T)M108484(H/V)N	81	ILTRT(S/B/T)M120604(H/V)N	75
ILTRD(S/B4/T4)(SG/SC)543	4	ILTRL(S/B4/T4)(SG/SC)84304	23	ILTRR(S/B/T)M108544(H/V)N	81	ILTRT(S/B/T)M132484(H/V)N	76
ILTRD(S/B4/T4)(SG/SC)544	15	ILTRL(S/B4/T4)(SG/SC)84364	23	ILTRR(S/B/T)M108604(H/V)N	81	ILTRT(S/B/T)M132544(H/V)N	76
ILTRD(S/B4/T4)(SG/SC)603	4	ILTRL(S/B/T)M108484(H/V)N	77	ILTRR(S/B/T)M120484(H/V)N	81	ILTRT(S/B/T)M132604(H/V)N	76
ILTRD(S/B4/T4)(SG/SC)604	15	ILTRL(S/B/T)M108544(H/V)N	77	ILTRR(S/B/T)M120544(H/V)N	81	ILTRT(S/B/T)M144484(H/V)N	76
ILTRD(S/B/T)MC451	57	ILTRL(S/B/T)M108604(H/V)N	77	ILTRR(S/B/T)M120604(H/V)N	81	ILTRT(S/B/T)M144544(H/V)N	76
ILTRD(S/B/T)MC452	57	ILTRL(S/B/T)M120484(H/V)N	77	ILTRR(S/B/T)M132484(H/V)N	82	ILTRT(S/B/T)M144604(H/V)N	76
ILTRD(S/B/T)MC455	69	ILTRL(S/B/T)M120544(H/V)N	77	ILTRR(S/B/T)M132544(H/V)N	82	ILTRT(S/B/T)M156484(H/V)N	76
ILTRD(S/B/T)MC456	69	ILTRL(S/B/T)M120604(H/V)N	77	ILTRR(S/B/T)M132604(H/V)N	82	ILTRT(S/B/T)M156544(H/V)N	76
ILTRD(S/B/T)MC481	57	ILTRL(S/B/T)M132484(H/V)N	78	ILTRR(S/B/T)M144484(H/V)N	82	ILTRT(S/B/T)M156604(H/V)N	76
ILTRD(S/B/T)MC482	57	ILTRL(S/B/T)M132544(H/V)N	78	ILTRR(S/B/T)M144544(H/V)N	82	ILTRT(S/B/T)M180484(H/V)N	76
ILTRD(S/B/T)MC485	69	ILTRL(S/B/T)M132604(H/V)N	78	ILTRR(S/B/T)M144604(H/V)N	82	ILTRT(S/B/T)M180544(H/V)N	76
ILTRD(S/B/T)MC486	69	ILTRL(S/B/T)M144484(H/V)N	78	ILTRR(S/B/T)M156484(H/V)N	82	ILTRT(S/B/T)M180604(H/V)N	76
ILTRD(S/B/T)MC541	57	ILTRL(S/B/T)M144544(H/V)N	78	ILTRR(S/B/T)M156544(H/V)N	82	ILTRT(S/B/T)M216484(H/V)N	76
ILTRD(S/B/T)MC542	57	ILTRL(S/B/T)M144604(H/V)N	78	ILTRR(S/B/T)M156604(H/V)N	82	ILTRT(S/B/T)M216544(H/V)N	76
ILTRD(S/B/T)MC545	69	ILTRL(S/B/T)M156484(H/V)N	78	ILTRR(S/B/T)M180484(H/V)N	82	ILTRT(S/B/T)M216604(H/V)N	76
ILTRD(S/B/T)MC546	69	ILTRL(S/B/T)M156544(H/V)N	78	ILTRR(S/B/T)M180544(H/V)N	82	ILTRT(S/B/T)M96484(H/V)N	75
ILTRD(S/B/T)MC601	57	ILTRL(S/B/T)M156604(H/V)N	78	ILTRR(S/B/T)M180604(H/V)N	82	ILTRT(S/B/T)M96544(H/V)N	75
ILTRD(S/B/T)MC602	57	ILTRL(S/B/T)M180484(H/V)N	78	ILTRR(S/B/T)M216484(H/V)N	82	ILTRT(S/B/T)X108364H	42
ILTRD(S/B/T)MC605	69	ILTRL(S/B/T)M180544(H/V)N	78	ILTRR(S/B/T)M216544(H/V)N	82	ILTRT(S/B/T)X108424H	42
ILTRD(S/B/T)MC606	69	ILTRL(S/B/T)M180604(H/V)N	78	ILTRR(S/B/T)M216604(H/V)N	82	ILTRT(S/B/T)X108484H	42
ILTRD(S/B/T)(MC/MC)453	57	ILTRL(S/B/T)M216484(H/V)N	78	ILTRR(S/B/T)M96484(H/V)N	81	ILTRT(S/B/T)X120364H	44
ILTRD(S/B/T)(MC/MC)454	65	ILTRL(S/B/T)M216544(H/V)N	78	ILTRR(S/B/T)M96544(H/V)N	81	ILTRT(S/B/T)X120364V	43
ILTRD(S/B/T)(MC/MC)483	57	ILTRL(S/B/T)M216604(H/V)N	78	ILTRR(S/B/T)X108364H	51	ILTRT(S/B/T)X120424H	44
ILTRD(S/B/T)(MC/MC)484	65	ILTRL(S/B/T)M96484(H/V)N	77	ILTRR(S/B/T)X108484H	51	ILTRT(S/B/T)X120424V	43
ILTRD(S/B/T)(MC/MC)543	57	ILTRL(S/B/T)M96544(H/V)N	77	ILTRR(S/B/T)X120364H	53	ILTRT(S/B/T)X120484H	44
ILTRD(S/B/T)(MC/MC)544	65	ILTRL(S/B/T)X108364H	45	ILTRR(S/B/T)X120364V	52	ILTRT(S/B/T)X120484V	43
ILTRD(S/B/T)(MC/MC)603	57	ILTRL(S/B/T)X108424H	45	ILTRR(S/B/T)X120424H	53	ILTRT(S/B/T)X132364H	44
ILTRD(S/B/T)(MC/MC)604	65	ILTRL(S/B/T)X108442H	51	ILTRR(S/B/T)X120424V	52	ILTRT(S/B/T)X132364V	43
ILTRD(S/B/T)X301	27	ILTRL(S/B/T)X108484H	45	ILTRR(S/B/T)X120484H	53	ILTRT(S/B/T)X132424H	44
ILTRD(S/B/T)X302	27	ILTRL(S/B/T)X120364H	47	ILTRR(S/B/T)X120484V	52	ILTRT(S/B/T)X132424V	43
ILTRD(S/B/T)X305	37	ILTRL(S/B/T)X120364V	46	ILTRR(S/B/T)X132364H	53	ILTRT(S/B/T)X132484H	44
ILTRD(S/B/T)X306	37	ILTRL(S/B/T)X120424H	47	ILTRR(S/B/T)X132364V	52	ILTRT(S/B/T)X132484V	43
ILTRD(S/B/T)X361	27	ILTRL(S/B/T)X120424V	46	ILTRR(S/B/T)X132424H	53	ILTRT(S/B/T)X144364H	44
ILTRD(S/B/T)X362	27	ILTRL(S/B/T)X120484H	47	ILTRR(S/B/T)X132424V	52	ILTRT(S/B/T)X144364V	43
ILTRD(S/B/T)X365	37	ILTRL(S/B/T)X120484V	46	ILTRR(S/B/T)X132484H	53	ILTRT(S/B/T)X144424H	44
ILTRD(S/B/T)X366	37	ILTRL(S/B/T)X132364H	47	ILTRR(S/B/T)X132484V	52	ILTRT(S/B/T)X144424V	43

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ILTRT(S/B/T)X144484H	44	ILTSC(S/B/T)MG542	59	ILTSP(S/B/T)X425	40	ILTSR(S/B/T)M180544(H/V)N	84
ILTRY(S/B/T)X144484V	43	ILTSC(S/B/T)MG545	71	ILTSP(S/B/T)X426	40	ILTSR(S/B/T)M180604(H/V)N	84
ILTRT(S/B/T)X156364H	44	ILTSC(S/B/T)MG546	71	ILTSP(S/B/T)(X/XC)303	31	ILTSR(S/B/T)M216484(H/V)N	84
ILTRT(S/B/T)X156364V	43	ILTSC(S/B/T)MG601	59	ILTSP(S/B/T)(X/XC)304	36	ILTSR(S/B/T)M216544(H/V)N	84
ILTRT(S/B/T)X156424H	44	ILTSC(S/B/T)MG602	59	ILTSP(S/B/T)(X/XC)363	31	ILTSR(S/B/T)M216604(H/V)N	84
ILTRY(S/B/T)X156424V	43	ILTSC(S/B/T)MG605	71	ILTSP(S/B/T)(X/XC)364	36	ILTSR(S/B/T)M96484(H/V)N	83
ILTRT(S/B/T)X156484H	44	ILTSC(S/B/T)MG606	71	ILTSP(S/B/T)(X/XC)423	31	ILTSR(S/B/T)M96544(H/V)N	83
ILTRT(S/B/T)X156484V	43	ILTSC(S/B/T)(MG/MC)483	59	ILTSP(S/B/T)(X/XC)424	36	ILTSR(S/B/T)X108364H	54
ILTRT(S/B/T)X72364H	42	ILTSC(S/B/T)(MG/MC)484	66	ILTSQ(S/B4/T4)SG301	5	ILTSR(S/B/T)X108424H	54
ILTRY(S/B/T)X78364H	42	ILTSC(S/B/T)(MG/MC)543	59	ILTSQ(S/B4/T4)SG302	5	ILTSR(S/B/T)X108484H	54
ILTRY(S/B/T)X78424H	42	ILTSC(S/B/T)(MG/MC)544	66	ILTSQ(S/B4/T4)SG361	5	ILTSR(S/B/T)X120364H	56
ILTRT(S/B/T)X84364H	42	ILTSC(S/B/T)(MG/MC)603	59	ILTSQ(S/B4/T4)SG362	5	ILTSR(S/B/T)X120364V	55
ILTRT(S/B/T)X84424H	42	ILTSC(S/B/T)(MG/MC)604	66	ILTSQ(S/B4/T4)SG421	5	ILTSR(S/B/T)X120424H	56
ILTRY(S/B/T)X90364H	42	ILTSC(S/B/T)X301	30	ILTSQ(S/B4/T4)SG422	5	ILTSR(S/B/T)X120424V	55
ILTRT(S/B/T)X90424H	42	ILTSC(S/B/T)X302	30	ILTSQ(S/B4/T4)SG481	5	ILTSR(S/B/T)X120484H	56
ILTRT(S/B/T)X90484H	42	ILTSC(S/B/T)X305	39	ILTSQ(S/B4/T4)SG482	5	ILTSR(S/B/T)X120484V	55
ILTRT(S/B/T)X96364H	42	ILTSC(S/B/T)X306	39	ILTSQ(S/B4/T4)SG541	5	ILTSR(S/B/T)X132364H	56
ILTRY(S/B/T)X96424H	42	ILTSC(S/B/T)X361	30	ILTSQ(S/B4/T4)SG542	5	ILTSR(S/B/T)X132364V	55
ILTRT(S/B/T)X96484H	42	ILTSC(S/B/T)X362	30	ILTSQ(S/B4/T4)SG601	5	ILTSR(S/B/T)X132424H	56
ILTSA(S/B/T)MC481	58	ILTSC(S/B/T)X365	39	ILTSQ(S/B4/T4)SG602	5	ILTSR(S/B/T)X132424V	55
ILTSA(S/B/T)MC482	58	ILTSC(S/B/T)X366	39	ILTSQ(S/B4/T4)(SG/SC)303	5	ILTSR(S/B/T)X132484H	56
ILTSA(S/B/T)MC485	70	ILTSC(S/B/T)X421	30	ILTSQ(S/B4/T4)(SG/SC)363	5	ILTSR(S/B/T)X132484V	55
ILTSA(S/B/T)MC486	70	ILTSC(S/B/T)X422	30	ILTSQ(S/B4/T4)(SG/SC)364	16	ILTSR(S/B/T)X144364H	56
ILTSA(S/B/T)MC541	58	ILTSC(S/B/T)X425	39	ILTSQ(S/B4/T4)(SG/SC)423	5	ILTSR(S/B/T)X144364V	55
ILTSA(S/B/T)MC542	58	ILTSC(S/B/T)X426	39	ILTSQ(S/B4/T4)(SG/SC)424	16	ILTSR(S/B/T)X144424H	56
ILTSA(S/B/T)MC545	70	ILTSC(S/B/T)(X/XC)303	30	ILTSQ(S/B4/T4)(SG/SC)483	5	ILTSR(S/B/T)X144424V	55
ILTSA(S/B/T)MC546	70	ILTSC(S/B/T)(X/XC)304	35	ILTSQ(S/B4/T4)(SG/SC)484	16	ILTSR(S/B/T)X144484H	56
ILTSA(S/B/T)MC601	58	ILTSC(S/B/T)(X/XC)363	30	ILTSQ(S/B4/T4)(SG/SC)543	5	ILTSR(S/B/T)X144484V	55
ILTSA(S/B/T)MC602	58	ILTSC(S/B/T)(X/XC)364	35	ILTSQ(S/B4/T4)(SG/SC)544	16	ILTSR(S/B/T)X156364H	56
ILTSA(S/B/T)MC605	70	ILTSC(S/B/T)(X/XC)423	30	ILTSQ(S/B4/T4)(SG/SC)603	5	ILTSR(S/B/T)X156364V	55
ILTSA(S/B/T)MC606	70	ILTSC(S/B/T)(X/XC)424	35	ILTSQ(S/B4/T4)(SG/SC)604	16	ILTSR(S/B/T)X156424H	56
ILTSA(S/B/T)(MG/MC)483	58	ILTSP(S/B/T)MG451	61	ILTSQ(S/B/T)X301	28	ILTSR(S/B/T)X156424V	55
ILTSA(S/B/T)(MG/MC)484	66	ILTSP(S/B/T)MG452	61	ILTSQ(S/B/T)X302	28	ILTSR(S/B/T)X156484H	56
ILTSA(S/B/T)(MG/MC)543	58	ILTSP(S/B/T)MG455	72	ILTSQ(S/B/T)X305	38	ILTSR(S/B/T)X156484V	55
ILTSA(S/B/T)(MG/MC)544	66	ILTSP(S/B/T)MG456	72	ILTSQ(S/B/T)X306	38	ILTSR(S/B/T)X72364H	54
ILTSA(S/B/T)(MG/MC)603	58	ILTSP(S/B/T)MG481	61	ILTSQ(S/B/T)X361	28	ILTSR(S/B/T)X78364H	54
ILTSA(S/B/T)(MG/MC)604	66	ILTSP(S/B/T)MG482	61	ILTSQ(S/B/T)X362	28	ILTSR(S/B/T)X78424H	54
ILTSC(S/B4/T4)SG301	6	ILTSP(S/B/T)MG485	72	ILTSQ(S/B/T)X365	38	ILTSR(S/B/T)X84364H	54
ILTSC(S/B4/T4)SG302	6	ILTSP(S/B/T)MG486	72	ILTSQ(S/B/T)X366	38	ILTSR(S/B/T)X84424H	54
ILTSC(S/B4/T4)SG361	6	ILTSP(S/B/T)MG541	61	ILTSQ(S/B/T)X421	28	ILTSR(S/B/T)X90364H	54
ILTSC(S/B4/T4)SG362	6	ILTSP(S/B/T)MG542	61	ILTSQ(S/B/T)X422	28	ILTSR(S/B/T)X90424H	54
ILTSC(S/B4/T4)SG421	6	ILTSP(S/B/T)MG545	72	ILTSQ(S/B/T)X425	38	ILTSR(S/B/T)X90484H	54
ILTSC(S/B4/T4)SG422	6	ILTSP(S/B/T)MG546	72	ILTSQ(S/B/T)X426	38	ILTSR(S/B/T)X96364H	54
ILTSC(S/B4/T4)SG481	6	ILTSP(S/B/T)MG601	61	ILTSQ(S/B/T)(X/XC)303	28	ILTSR(S/B/T)X96424H	54
ILTSC(S/B4/T4)SG482	6	ILTSP(S/B/T)MG602	61	ILTSQ(S/B/T)(X/XC)304	35	ILTSR(S/B/T)X96484H	54
ILTSC(S/B4/T4)SG541	6	ILTSP(S/B/T)MG605	72	ILTSQ(S/B/T)(X/XC)363	28	ILTSS(S/B4/T4)SG301	7
ILTSC(S/B4/T4)SG542	6	ILTSP(S/B/T)MG606	72	ILTSQ(S/B/T)(X/XC)364	35	ILTSS(S/B4/T4)SG302	7
ILTSC(S/B4/T4)SG601	6	ILTSP(S/B/T)(MG/MC)453	61	ILTSQ(S/B/T)(X/XC)423	28	ILTSS(S/B4/T4)SG361	7
ILTSC(S/B4/T4)SG602	6	ILTSP(S/B/T)(MG/MC)454	67	ILTSQ(S/B/T)(X/XC)424	35	ILTSS(S/B4/T4)SG362	7
ILTSC(S/B4/T4)(SG/SC)303	6	ILTSP(S/B/T)(MG/MC)483	61	ILTSR(S/B/T)M108484(H/V)N	83	ILTSS(S/B4/T4)SG421	7
ILTSC(S/B4/T4)(SG/SC)363	6	ILTSP(S/B/T)(MG/MC)484	67	ILTSR(S/B/T)M108544(H/V)N	83	ILTSS(S/B4/T4)SG422	7
ILTSC(S/B4/T4)(SG/SC)364	16	ILTSP(S/B/T)(MG/MC)543	61	ILTSR(S/B/T)M108604(H/V)N	83	ILTSS(S/B4/T4)SG481	7
ILTSC(S/B4/T4)(SG/SC)423	6	ILTSP(S/B/T)(MG/MC)544	67	ILTSR(S/B/T)M120484(H/V)N	83	ILTSS(S/B4/T4)SG482	7
ILTSC(S/B4/T4)(SG/SC)424	16	ILTSP(S/B/T)(MG/MC)603	61	ILTSR(S/B/T)M120544(H/V)N	83	ILTSS(S/B4/T4)SG541	7
ILTSC(S/B4/T4)(SG/SC)483	6	ILTSP(S/B/T)(MG/MC)604	67	ILTSR(S/B/T)M120604(H/V)N	83	ILTSS(S/B4/T4)SG542	7
ILTSC(S/B4/T4)(SG/SC)484	16	ILTSP(S/B/T)X301	31	ILTSR(S/B/T)M132484(H/V)N	84	ILTSS(S/B4/T4)SG601	7
ILTSC(S/B4/T4)(SG/SC)543	6	ILTSP(S/B/T)X302	31	ILTSR(S/B/T)M132544(H/V)N	84	ILTSS(S/B4/T4)SG602	7
ILTSC(S/B4/T4)(SG/SC)544	16	ILTSP(S/B/T)X305	40	ILTSR(S/B/T)M132604(H/V)N	84	ILTSS(S/B4/T4)(SG/SC)303	7
ILTSC(S/B4/T4)(SG/SC)603	6	ILTSP(S/B/T)X306	40	ILTSR(S/B/T)M144484(H/V)N	84	ILTSS(S/B4/T4)(SG/SC)363	7
ILTSC(S/B4/T4)(SG/SC)604	16	ILTSP(S/B/T)X361	31	ILTSR(S/B/T)M144544(H/V)N	84	ILTSS(S/B4/T4)(SG/SC)423	7
ILTSC(S/B/T)MC481	59	ILTSP(S/B/T)X362	31	ILTSR(S/B/T)M144604(H/V)N	84	ILTSS(S/B4/T4)(SG/SC)424	7
ILTSC(S/B/T)MC482	59	ILTSP(S/B/T)X365	40	ILTSR(S/B/T)M156484(H/V)N	84	ILTSS(S/B4/T4)(SG/SC)483	17
ILTSC(S/B/T)MC485	71	ILTSP(S/B/T)X366	40	ILTSR(S/B/T)M156544(H/V)N	84	ILTSS(S/B4/T4)(SG/SC)484	17
ILTSC(S/B/T)MC486	71	ILTSP(S/B/T)X421	31	ILTSR(S/B/T)M156604(H/V)N	84	ILTSS(S/B4/T4)(SG/SC)543	7
ILTSC(S/B/T)MC541	59	ILTSP(S/B/T)X422	31	ILTSR(S/B/T)M180484(H/V)N	84	ILTSS(S/B4/T4)(SG/SC)544	17

<i>pattern no.</i>	<i>page</i>
ILTSS(S/B4/T4)(SG/SC)603	7
ILTSS(S/B4/T4)(SG/SC)604	17
ILTSS(S/B/T)MG481	60
ILTSS(S/B/T)MG482	60
ILTSS(S/B/T)MG485	71
ILTSS(S/B/T)MG486	71
ILTSS(S/B/T)MG541	60
ILTSS(S/B/T)MG542	60
ILTSS(S/B/T)MG545	71
ILTSS(S/B/T)MG546	71
ILTSS(S/B/T)MG601	60
ILTSS(S/B/T)MG602	60
ILTSS(S/B/T)MG605	71
ILTSS(S/B/T)MG606	71
ILTSS(S/B/T)(MG/MC)483	60
ILTSS(S/B/T)(MG/MC)484	66
ILTSS(S/B/T)(MG/MC)543	60
ILTSS(S/B/T)(MG/MC)544	66
ILTSS(S/B/T)(MG/MC)603	60
ILTSS(S/B/T)(MG/MC)604	66
ILTSS(S/B/T)X301	29
ILTSS(S/B/T)X302	29
ILTSS(S/B/T)X305	38
ILTSS(S/B/T)X306	38
ILTSS(S/B/T)X361	29
ILTSS(S/B/T)X362	29
ILTSS(S/B/T)X365	38
ILTSS(S/B/T)X366	38
ILTSS(S/B/T)X421	29
ILTSS(S/B/T)X422	29
ILTSS(S/B/T)X425	38
ILTSS(S/B/T)X426	38
ILTSS(S/B/T)(X/XC)303	29
ILTSS(S/B/T)(X/XC)304	35
ILTSS(S/B/T)(X/XC)363	29
ILTSS(S/B/T)(X/XC)364	35
ILTSS(S/B/T)(X/XC)423	29
ILTSS(S/B/T)(X/XC)424	35
ILTVR(S/B4/T4)(SG/SC)24334	25
ILTVR(S/B4/T4)(SG/SC)30364	25
ILTVS(S/B4/T4)(SG/SC)24334	25
ILTVS(S/B4/T4)(SG/SC)30364	25

Selling Policy

	This Selling Policy supersedes all previous selling policies and is inclusive of Knoll, KnollStudio and Muuto. Prices, discounts and product offerings are subject to change without notice.
Terms & Conditions of Sales	Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supersede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.
Ordering Information	All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.
Order Confirmation	A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.
Pricing Policies	List prices are subject to change without notice. List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.
Taxes	All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.
Terms of Payment	Payment for one hundred percent (100%) of the net order amount (including any applicable shipping and handling fee) is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice. KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment. If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance. Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.
Changes and Cancellation	Standard purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled. QuickShip orders may not be changed or canceled without Knoll's authorization. In the event of Muuto order changes, 25% payment of original net order amount is required for changes incurring the week the order was entered. 100% payment of original net order amount is required for changes incurring the week the order is scheduled to ship. If Muuto is ordered on QuickShip, the QuickShip policy supersedes.
Freight Prepaid	For standard orders, freight is prepaid and included in the price of all Knoll Office and KnollStudio Products, except KnollTextiles and Muuto, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice. Freight for all Muuto orders must be specified at time of order placement and added to the PO.
Delivery/Freight Charges	Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin. For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination. Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing. Nonstandard methods of shipment and/or additional services are available upon request. Orders for QuickShip product shipping direct parcel or White Glove are subject to additional shipping and handling charges and must be paid by Purchaser. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery. Partial shipments may be made and invoiced by Seller.
Claims	All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.

Selling Policy

Seller's Security Interest	Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.
Returns	The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.
Held Orders/Storage	If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.
Customer's Own Material	A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.
Delay/Force Majeure	Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of war or terrorism, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.
Compliance with Law	PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.
Patents	Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.
	The foregoing indemnity does not apply to the following:
	• Products supplied according to a design other than that of Seller, and which is required by the Purchaser. • Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer. • Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT. Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.
Warranty	please visit warranty website link Warranty Knoll for up-to-date information.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.
1235 Water Street
P.O. Box 157
East Greenville, PA 18041
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."