Fragment - WC2379 - Wallcovering by KnollTextiles

HPD UNIQUE IDENTIFIER: 24017

CLASSIFICATION: 09 72 19 Textile Wall Coverings

PRODUCT DESCRIPTION: Inspired by mosaics, Fragment features a mix of smooth and textured squares to create its allover shimmering small-scale pattern.

Section 1: Summary

CONTENT INVENTORY

- Inventory Reporting Format • Nested Materials Method
- C Basic Method
- Threshold Disclosed Per
- O Material
- O Product

Threshold level C 100 ppm C 1,000 ppm C Per GHS SDS

○ Other

Residuals/Impurities Residuals/Impurities Considered in 15 of 15 Materials Explanation(s) provided for Residuals/Impurities? © Yes O No

Nested Method / Product Threshold

 All Substances Above the Threshold Indicated Are:

 Characterized
 © Yes Ex/SC © Yes © No

 % weight and role provided for all substances except SC

 substances characterized according to SC guidance.

 Screened
 © Yes Ex/SC © Yes © No

 All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.

 Identified
 © Yes Ex/SC © Yes © No

 One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

PVC [POLYVINYL CHLORIDE LT-P1 | RES] CALCIUM MAGNESIUM CARBONATE [CALCIUM MAGNESIUM CARBONATE NoGS] COTTON [SC:COTTON Not Screened] DINP [DIISONONYL PHTHALATE BM-1] END | MUL | REP | CAN | DEV] TRIARYL PHOSPHATES ISOPROPYLATED [UNDISCLOSED BM-2] C14-C17 CHLORINATED PARAFFIN [ALKANES, C14-17, CHLORO LT-1 | CAN | AQU | END | PBT | MUL | DEV] TITANIUM DIOXIDE [TITANIUM DIOXIDE LT-1 | CAN | END AMORPHOUS SILICA BM-1 | CAN ALUMINUM HYDROXIDE BM-2] PVC/ACRYLIC RESIN [UNDISCLOSED NoGS] FATTY ACID ESTER/LOXIOL G40 [UNDISCLOSED NoGS] EPOXIDISED SOYA BEAN OIL [SOYBEAN OIL, EPOXIDIZED LT-P1] 2-OCTYL -2H-ISOTHIAZOL-3-ONE [3(2H)-ISOTHIAZOLONE, 2-OCTYL- LT-P1 | AQU | SKI | MUL | MAM] ACRYLIC CO- POLYMER [2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER, POLYMER WITH ETHYL 2-PROPENOATE LT-UNK] BLEND OF BARIUM/ZINC SALTS [PHOSPHOROUS ACID, ISODECYL DIPHENYL ESTER LT-P1 | MUL] ORGANIC PIGMENT [SC:ORGANIC PIGMENT Not Screened] STEARIC ACID/FATTY ACIDS [FATTY ACIDS, TALLOW, HYDROGENATED LT-UNK]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 0

Condition did not follow guidance.

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: BiologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

The product inventory was screened to the 1,000 ppm threshold and all materials and substances above the threshold have been disclosed.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Clean Air Gold

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

PREPARER: Self-Prepared

SCREENING DATE: 2021-03-04

HPD v2.2 created via HPDC Builder Page 1 of 12

O Yes

No

VERIFIER: VERIFICATION #: PUBLISHED DATE: 2021-03-05 EXPIRY DATE: 2024-03-04 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

| Р | vc | %: 38.8000 - 38.8000 | | | | |
|---|-----------------------------|---|---------------------------|---------------------|-----------------------------------|------|
| Р | RODUCT THRESHOLD: 1000 ppm | RESIDUALS AND IMPURITIES C | ONSIDERED: Ye | es MATE | ERIAL TYPE: Polymeric Material | |
| R | ESIDUALS AND IMPURITIES NOT | ES: Residuals and Impurities were conside | ered and detern | nined below the 1,0 | 00 ppm threshold. | |
| 0 | THER MATERIAL NOTES: _ | | | | | |
| | POLYVINYL CHLORIDE | | | | ID: 9002-8 | 86-2 |
| | HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SCR | EENING DATE: 20 | 021-03-04 | |
| | %: 100.0000 - 100.0000 | GS: LT-P1 | RC: None N | ANO: Unknown | SUBSTANCE ROLE: Polymer spe | cies |
| | HAZARD TYPE | AGENCY AND LIST TITLES | WAF | RNINGS | | |
| | RES | AOEC - Asthmagens | Asth | imagen (Rs) - sensi | tizer-induced | |
| | SUBSTANCE NOTES: | | | | | |
| | | | | | | |
| 1 1 | | | | | | |
| С | ALCIUM MAGNESIUM CARBONA | ATE %: 21.6000 - 21.6000 | | | | |
| Ρ | RODUCT THRESHOLD: 1000 ppm | RESIDUALS AND IMPURITIES | CONSIDERED: | Yes MATE | RIAL TYPE: Polymeric Material | |
| R | ESIDUALS AND IMPURITIES NOT | ES: Residuals and Impurities were conside | ered and detern | nined below the 1,0 | 00 ppm threshold. | |
| 0 | THER MATERIAL NOTES: _ | | | | | |
| | CALCIUM MAGNESIUM CARBON | NATE | | | ID: 16389-88 | -1 |
| | HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SCREENING DATE: 20 | | 021-03-04 | |
| | %: 100.0000 - 100.0000 | GS: NoGS | RC: None | NANO: Unknown | SUBSTANCE ROLE: Filler | |
| | HAZARD TYPE | AGENCY AND LIST TITLES | WARI | NINGS | | |
| | None found | | | No warnings fo | ound on HPD Priority Hazard Lists | S |
| | SUBSTANCE NOTES: | | | | | |
| Ľ | | | | | | |
| | | | | | | |
| С | OTTON | %: 14.5000 - 14.5000 | | | | |
| Ρ | RODUCT THRESHOLD: 1000 ppm | RESIDUALS AND IMPURITIES CO | ONSIDERED: Ye | s MATEF | RIAL TYPE: Plant-Based Fiber | |
| R | ESIDUALS AND IMPURITIES NOT | ES: Residuals and Impurities were conside | ered and detern | nined below the 1,0 | 00 ppm threshold. | |
| OTHER MATERIAL NOTES: Special Condition Applied: Biological Material. | | | | | | |
| | | | | | | |

| SC:COTTON | | ID: SC:Bio |
|---------------------------------------|---|--|
| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SCREENING DATE: 2021-03-04 |
| %: 14.0000 GS: | Not Screened | RC: None NANO: No SUBSTANCE ROLE: Textile component |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
| | Hazard Screening not performed | |
| · · · · · · · · · · · · · · · · · · · | | ation of metals, production of any toxic substances during normal hazards which may be found in certain biological materials. |
| DINP | %: 6.3000 - 6.3000 | |
| PRODUCT THRESHOLD: 1000 ppm | RESIDUALS AND IMPURITIES CO | NSIDERED: Yes MATERIAL TYPE: Polymeric Material |
| RESIDUALS AND IMPURITIES NOT | ES: Residuals and Impurities were conside | ered and determined below the 1,000 ppm threshold. |
| OTHER MATERIAL NOTES: _ | | |
| DIISONONYL PHTHALATE | | ID: 28553-12-0 |
| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SCREENING DATE: 2021-03-04 |
| %: 100.0000 - 100.0000 | GS: BM-1 | RC: None NANO: Unknown SUBSTANCE ROLE: Plasticizer |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| MUL | US EPA - PPT Chemical Action Plans | EPA Chemical of Concern - Action Plan published |
| MUL | US EPA - PPT Chemical Action Plans | TSCA Work Plan chemical - Action Plan in development |
| END | ChemSec - SIN List | Endocrine Disruption |
| REP | US EPA - PPT Chemical Action Plans | Reproductive effects |
| CAN | CA EPA - Prop 65 | Carcinogen |
| DEV | US NIH - Reproductive & Development Monographs | al Some Evidence of Adverse Effects - Developmental Toxicity |
| END | EU - Priority Endocrine Disruptors | Category 2 - In vitro evidence of biological activity related to Endocrine Disruption |
| SUBSTANCE NOTES: | | |
| TRIARYL PHOSPHATES ISOPROPY | /LATED %: 3.4000 - 3.4000 | |
| PRODUCT THRESHOLD: 1000 ppm | RESIDUALS AND IMPURIT | IES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material |
| | ES: Residuals and Impurities were conside | ered and determined below the 1,000 ppm threshold. |
| OTHER MATERIAL NOTES: _ | | |
| | | |

| UNDISCLOSED | | ID: Undisclosed |
|-------------------------------|---|--|
| HAZARD SCREENING METHOD: | Toxnot Chemical Hazard Screening Library | HAZARD SCREENING DATE: 2021-03-04 |
| %: 100.0000 - 100.0000 | GS: BM-2 | RC: None NANO: Unknown SUBSTANCE ROLE: Plasticizer |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
| None found | | No warnings found on HPD Priority Hazard Lists |
| SUBSTANCE NOTES: | | |
| I | | |
| | | |
| C14-C17 CHLORINATED PARAFFIN | %: 3.4000 - 3.4000 | |
| PRODUCT THRESHOLD: 1000 ppm | RESIDUALS AND IMPURITIES CONS | IDERED: Yes MATERIAL TYPE: Polymeric Material |
| RESIDUALS AND IMPURITIES NOTE | S: Residuals and Impurities were considered | and determined below the 1,000 ppm threshold. |
| OTHER MATERIAL NOTES: _ | | |
| ALKANES, C14-17, CHLORO | | ID: 85535-85-9 |
| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library HA | ZARD SCREENING DATE: 2021-03-04 |
| %: 100.0000 - 100.0000 | GS: LT-1 RC | : None NANO: Unknown SUBSTANCE ROLE: Plasticizer |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
| CAN | МАК | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |
| AQU | EU - GHS (H-Statements) | H400 - Very toxic to aquatic life |
| AQU | EU - GHS (H-Statements) | H410 - Very toxic to aquatic life with long lasting effects |
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| AQU | US EPA - PPT Chemical Action Plans | Highly toxic to aquatic organisms |
| РВТ | EU - ESIS PBT | Under PBT evaluation |
| MUL | US EPA - PPT Chemical Action Plans | TSCA Work Plan chemical - ongoing chemical (risk) assessment |
| РВТ | EC - CEPA DSL | Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms) |
| MUL | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters |
| РВТ | EHP - San Antonio Statement on BFRs & CFRs | Flame retardant substance class of concern for PB&T & long range transport |
| DEV | EU - GHS (H-Statements) | H362 - May cause harm to breast-fed children |
| END | EU - Priority Endocrine Disruptors | Category 1 - In vivo evidence of Endocrine Disruption Activity |
| | | |

SUBSTANCE NOTES:

TITANIUM DIOXIDE

I

%: 3.2900 - 4.1100

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined below the 1,000 ppm threshold.

OTHER MATERIAL NOTES: _

| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SCREENING DATE: 2021-03-04 |
|--|--|---|
| %: 75.4258 - 81.1550 | GS: LT-1 | RC: None NANO: Unknown SUBSTANCE ROLE: Pigment |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
| CAN | EU - GHS (H-Statements) | H351 - Suspected of causing cancer |
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CAN | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources |
| CAN | МАК | Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value |
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| CAN | МАК | Carcinogen Group 4 - Non-genotoxic carcinogen with low |
| SUBSTANCE NOTES: | | risk under MAK/BAT levels |
| SUBSTANCE NOTES: | Pharos Chemical and Materials Library | risk under MAK/BAT levels ID: 7631-86 |
| SUBSTANCE NOTES: AMORPHOUS SILICA HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library GS: BM-1 | risk under MAK/BAT levels ID: 7631-86 |
| SUBSTANCE NOTES: AMORPHOUS SILICA HAZARD SCREENING METHOD: | | risk under MAK/BAT levels ID: 7631-86 HAZARD SCREENING DATE: 2021-03-04 |
| SUBSTANCE NOTES: MORPHOUS SILICA HAZARD SCREENING METHOD: %: 9.4225 - 17.0316 | GS: BM-1 | risk under MAK/BAT levels ID: 7631-86 HAZARD SCREENING DATE: 2021-03-04 RC: None NANO: Unknown SUBSTANCE ROLE: Pigment |
| SUBSTANCE NOTES: AMORPHOUS SILICA HAZARD SCREENING METHOD: %: 9.4225 - 17.0316 HAZARD TYPE | GS: BM-1 | risk under MAK/BAT levels ID: 7631-86 HAZARD SCREENING DATE: 2021-03-04 RC: None NANO: Unknown SUBSTANCE ROLE: Pigment WARNINGS |
| SUBSTANCE NOTES: AMORPHOUS SILICA HAZARD SCREENING METHOD: %: 9.4225 - 17.0316 HAZARD TYPE CAN | GS: BM-1 AGENCY AND LIST TITLES GHS - Australia | risk under MAK/BAT levels ID: 7631-86 HAZARD SCREENING DATE: 2021-03-04 RC: None NANO: Unknown SUBSTANCE ROLE: Pigment WARNINGS H350i - May cause cancer by inhalation |
| SUBSTANCE NOTES: AMORPHOUS SILICA HAZARD SCREENING METHOD: %: 9.4225 - 17.0316 HAZARD TYPE CAN CAN | GS: BM-1 AGENCY AND LIST TITLES GHS - Australia | risk under MAK/BAT levels ID: 7631-86 HAZARD SCREENING DATE: 2021-03-04 RC: None NANO: Unknown SUBSTANCE ROLE: Pigment WARNINGS H350i - May cause cancer by inhalation |
| SUBSTANCE NOTES: AMORPHOUS SILICA HAZARD SCREENING METHOD: %: 9.4225 - 17.0316 HAZARD TYPE CAN CAN SUBSTANCE NOTES: ALUMINUM HYDROXIDE | GS: BM-1 AGENCY AND LIST TITLES GHS - Australia GHS - Japan | risk under MAK/BAT levels ID: 7631-86 HAZARD SCREENING DATE: 2021-03-04 RC: None NANO: Unknown SUBSTANCE ROLE: Pigment WARNINGS H350i - May cause cancer by inhalation Carcinogenicity - Category 1A [H350] |
| SUBSTANCE NOTES: AMORPHOUS SILICA HAZARD SCREENING METHOD: %: 9.4225 - 17.0316 HAZARD TYPE CAN CAN SUBSTANCE NOTES: ALUMINUM HYDROXIDE | GS: BM-1 AGENCY AND LIST TITLES GHS - Australia GHS - Japan | risk under MAK/BAT levels ID: 7631-86 HAZARD SCREENING DATE: 2021-03-04 RC: None NANO: Unknown SUBSTANCE ROLE: Pigment WARNINGS H350i - May cause cancer by inhalation Carcinogenicity - Category 1A [H350] ID: 21645-51 |

SUBSTANCE NOTES:

PVC/ACRYLIC RESIN

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

%: 2.7000 - 2.7000

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined below the 1,000 ppm threshold. OTHER MATERIAL NOTES: _ UNDISCLOSED **ID: Undisclosed** HAZARD SCREENING METHOD: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2021-03-04 %: 100.0000 - 100.0000 GS: NoGS NANO: Unknown SUBSTANCE ROLE: Ink RC: None HAZARD TYPE AGENCY AND LIST TITLES WARNINGS None found No warnings found on HPD Priority Hazard Lists SUBSTANCE NOTES: FATTY ACID ESTER/LOXIOL G40 %: 1.3000 - 1.3000 PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined below the 1,000 ppm threshold. OTHER MATERIAL NOTES: _ UNDISCLOSED ID: Undisclosed HAZARD SCREENING METHOD: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2021-03-04 %: 100.0000 - 100.0000 GS: NoGS RC: None NANO: Unknown SUBSTANCE ROLE: Lubricant HAZARD TYPE AGENCY AND LIST TITLES WARNINGS None found No warnings found on HPD Priority Hazard Lists SUBSTANCE NOTES: **EPOXIDISED SOYA BEAN OIL** %: 1.2000 - 1.2000 PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined below the 1,000 ppm threshold. OTHER MATERIAL NOTES: _ SOYBEAN OIL, EPOXIDIZED ID: 8013-07-8 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-04 %: 100.0000 - 100.0000 NANO: Unknown SUBSTANCE ROLE: Plasticizer GS: LT-P1 RC: None HAZARD TYPE AGENCY AND LIST TITLES WARNINGS No warnings found on HPD Priority Hazard Lists None found SUBSTANCE NOTES: 2-OCTYL -2H-ISOTHIAZOL-3-ONE %: 0.9000 - 0.9000 PRODUCT THRESHOLD: 1000 ppm **RESIDUALS AND IMPURITIES CONSIDERED: Yes** MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined below the 1,000 ppm threshold.

OTHER MATERIAL NOTES: _

3(2H)-ISOTHIAZOLONE, 2-OCTYL-

ID: 26530-20-1

| Pharos Chemical and Materials Library | HAZARD | SCREENING DATE: 2021-03-04 |
|---|---|---|
| GS: LT-P1 | RC: None | e NANO: Unknown SUBSTANCE ROLE: Biocide |
| AGENCY AND LIST TITLES | V | WARNINGS |
| EU - GHS (H-Statements) | н | H400 - Very toxic to aquatic life |
| EU - GHS (H-Statements) | Н | H410 - Very toxic to aquatic life with long lasting effects |
| МАК | S | Sensitizing Substance Sh - Danger of skin sensitization |
| German FEA - Substances Hazardous Waters | to C | Class 3 - Severe Hazard to Waters |
| EU - GHS (H-Statements) | н | H311 - Toxic in contact with skin |
| EU - GHS (H-Statements) | Н | H314 - Causes severe skin burns and eye damage |
| EU - GHS (H-Statements) | н | H331 - Toxic if inhaled |
| EU - GHS (H-Statements) | Н | H317 - May cause an allergic skin reaction |
| | AGENCY AND LIST TITLES EU - GHS (H-Statements) EU - GHS (H-Statements) MAK German FEA - Substances Hazardous Waters EU - GHS (H-Statements) EU - GHS (H-Statements) EU - GHS (H-Statements) | GS: LT-P1 RC: Non AGENCY AND LIST TITLES M EU - GHS (H-Statements) H MAK G German FEA - Substances Hazardous to Waters H EU - GHS (H-Statements) H |

SUBSTANCE NOTES:

| ACRYLIC CO- POLYMER | %: 0.7600 - 0.8000 | | | |
|--|--|-----------------------|--------------------|------------------------------|
| PRODUCT THRESHOLD: 1000 ppm | RESIDUALS AND IMPURITIES CC | NSIDERED: Yes | MATERIAL T | YPE: Polymeric Material |
| RESIDUALS AND IMPURITIES NOTE | S: Residuals and Impurities were conside | ered and determined b | pelow the 1,000 pp | m threshold. |
| OTHER MATERIAL NOTES: _ | | | | |
| 2-PROPENOIC ACID, 2-METHYL-, ETHYL 2-PROPENOATE | METHYL ESTER, POLYMER WITH | | | ID: 9010-88-2 |
| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SCREENIN | G DATE: 2021-03 | 3-04 |
| %: 100.0000 - 100.0000 | GS: LT-UNK | RC: None NANO | : Unknown SUB | STANCE ROLE: Lubricant |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No | o warnings found c | on HPD Priority Hazard Lists |
| SUBSTANCE NOTES: | | | | |
| • | | | | |
| | | | | |
| BLEND OF BARIUM/ZINC SALTS | %: 0.3100 - 0.5000 | | | |
| PRODUCT THRESHOLD: 1000 ppm | RESIDUALS AND IMPURITIES CC | NSIDERED: Yes | MATERIAL T | YPE: Polymeric Material |

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined below the 1,000 ppm threshold.

OTHER MATERIAL NOTES: _

| PHOSPHOROUS ACID, ISODEC | YL DIPHENYL ESTER | | | | | ID: 26544-23-0 |
|---|---|-----------------------------------|---------------|-----------|---------------|---------------------|
| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SCREENING DATE: 2021-03-04 | | | | |
| %: 100.0000 - 100.0000 | GS: LT-P1 | RC: None | NANO: Uni | known | SUBSTANC | E ROLE: Stabilizer |
| HAZARD TYPE | AGENCY AND LIST TITLES | WA | RNINGS | | | |
| MUL | German FEA - Substances Hazardous Waters | to Cla | ss 2 - Hazard | to Wate | ers | |
| SUBSTANCE NOTES: | | | | | | |
| I | | | | | | |
| | | | | | | |
| | | | | | | |
| ORGANIC PIGMENT | %: 0.3000 - 0.3000 | | | | | |
| PRODUCT THRESHOLD: 1000 ppn | RESIDUALS AND IMPURITIES CON | SIDERED: Ye | s MA | FERIAL | TYPE: Other B | Biological Material |
| RESIDUALS AND IMPURITIES NOT | ES: Residuals and Impurities were conside | ered and dete | ermined belov | v the 1,0 | 000 ppm thres | shold. |
| OTHER MATERIAL NOTES: Specia | I Condition Applied: Biological Material. | | | | | |
| | <u>-</u> | | | | | |
| SC:ORGANIC PIGMENT | | | | | | ID: SC:Bio |
| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SO | CREENING D | ATE: 2 | 021-03-04 | |
| %: 0.3000 GS: | Not Screened | RC: None | NANO: No | SUBS | TANCE ROLE | : Textile component |
| HAZARD TYPE | AGENCY AND LIST TITLES | WA | RNINGS | | | |
| | Hazard Screening not performed | | | | | |
| SUBSTANCE NOTES: Version: SCBioMats/2018-02-23 Category: Plant-based materials Identifier: Organic Pigment | | | | | | |
| | e information on allergens, hyper-accumula and other potential hazards or sources of | | | - | | _ |
| | | | - | | U | a materialo. |

STEARIC ACID/FATTY ACIDS

%: 0.2000 - 0.2000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined below the 1,000 ppm threshold.

OTHER MATERIAL NOTES: _

| FATTY ACIDS, TALLOW, HYDRO | GENATED | ID: 61790 | | | |
|----------------------------|-----------------------------------|-----------|----------------|-----------------------------------|--|
| HAZARD SCREENING METHOD: | HAZARD SCREENING DATE: 2021-03-04 | | | | |
| %: 100.0000 - 100.0000 | GS: LT-UNK | RC: None | NANO: Unknown | SUBSTANCE ROLE: Lubricant | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WA | RNINGS | | |
| None found | | | No warnings fo | ound on HPD Priority Hazard Lists | |

SUBSTANCE NOTES:

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS | Clean Air Gold | |
|-------------------------------|--|--|
| CERTIFYING PARTY: Third Party | ISSUE DATE: 2020-07- EXPIRY DATE: CERTIFIER OR LAB: Intertek | |
| APPLICABLE FACILITIES: All | 10 | |
| CERTIFICATE URL: | | |

CERTIFICATION AND COMPLIANCE NOTES:

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Textile warehousing and shipping from the Lubin Building located in East Greenville, Pennsylvania. This facility is also ISO 14001 and ISO 9001 Certified. Textiles can be purchased without finishes as a custom order to meet specific environmental standards, however, it may not comply with some contract market standards. Prior evaluation and approval is required by KnollTextiles. Confidentiality Notice: This data is intended for the use of the individual or entity to which it is addressed and may contain confidential information that is privileged, confidential and exempt from disclosure under applicable law. Information has been provided by the supplier to the best of their knowledge at time of completion.

MANUFACTURER INFORMATION

MANUFACTURER: KnollTextiles ADDRESS: 120 W Pumping Station Road Suite A Quakertown Pennsylvania 18951, USA WEBSITE: www.knolltextiles.com CONTACT NAME: Sustainability Coordinator TITLE: Sustainability Coordinator PHONE: 866-565-5858 EMAIL: textiles.technicalsupport@knoll.com

LT-1 List Translator 1 (Likely Benchmark-1)

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

present on at least one GreenScreen Specified List, but the

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

a method for the assessment of exposure or risk associated with product handling or use,

• a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.