

Crinion Open Table

Price List
February 2022

Knoll

Introduction	Knoll and Sustainable Design	2
	Introduction	3
	Specifications	4
	Crinion Open Table Finishes	5
Worksurfaces	Worksurfaces with center hinged power access	8
	Worksurfaces with edge grommet	9
	Worksurfaces with cord drop	10
	End counters	11
	Extended end counters	12
File tops	File tops	14
Complete base assemblies	Complete base assemblies fixed height 24" D dual	15
	Complete base assemblies fixed height 24" D single sided	16
	Complete base assemblies fixed height 30" D dual	17
	Complete base assemblies fixed height 30" D single sided	18
	Complete base assemblies adjustable height 30" D dual	19
	Complete base assemblies adjustable height 30" D single sided	20
	Complete base assemblies fixed height 36" D dual	21
	Complete base assemblies fixed height 36" D single sided	22
	Complete base assemblies adjustable height 36" D dual	23
	Complete base assemblies adjustable height 36" D single sided	24
Base components	Top channels	25
	Beams for single sided or dual tables	26
	Beams for dual tables	27
	Beams for single sided tables	28
	End legs, intermediate leg sets for dual tables	29
	End legs, intermediate leg sets for single sided tables	31
	End panels for dual tables and single sided tables, painted	32
	End panels for dual tables and single sided tables, laminate and veneer	33
	Beam trusses	34
	Worksurface support	35
Power components	Modular Raceway	37
	Hardwire Raceway	43
	Cable tray and cable clips	44
	Beam mounted cable trays and cable baskets	45
Screens	Center screens	46
	Shelves, adapters and buttresses for slatwall screens	48
	Side screens	49
	Return screens	51
	Dual end screens	53
	Single sided end screen	55
	Frameless glass Add up	57
	Network privacy screens	58
Alpha-Numeric Index		59
Selling Policy		62
General Ordering Information		65

Knoll and Sustainable Design

Each year Knoll sets key initiatives in the journey to sustainability. Focused on our impact to people and planet, Knoll reports material health product attributes and sets operational targets to reduce greenhouse gas emissions, waste generation and water use (in our North American facilities.)

Material transparency is a core Knoll sustainable design value, enabling us to optimize the design and performance of our products. Our material health program utilizes independent third-party certifications that provide an impartial and trustworthy foundation for industry-wide transparency. Certification by respected third parties ensures that all manufacturers are held to the same high standards. Knoll certifications include: Forest Stewardship Council (FSC®), Intertek's Clean Air Program, Business and Institutional Furniture Manufacturer's Association (BIFMA) LEVEL® certification, International Living Future Institute's (ILFI) Declare labelling and Certified Environmental Product Declarations. In addition, Knoll is aligned with the U.S. Green Building Council and can help organizations achieve credits for Leadership in Energy and Environmental Design (LEED®), WELL and the Living Building Challenge (LBC) building certifications.

In our manufacturing operations, we focus on efficiency and impact. Knoll Office and Knoll Europe manufacturing locations are ISO 14001:2015 certified. Knoll sets objectives and targets to reduce energy, water and waste. These initiatives are part of a long-term strategy to further reduce energy consumption and lower our carbon footprint.

We also believe in helping our customers find viable options when decommissioning furniture or other related assets. ANEW's Full Circle Program, in partnership with Knoll, allows customers to leverage buy-back and re-sale programs as well as explore options for repurposing or recycling that mitigate landfill impact through energy-from-waste conversion.

For more information about Knoll and sustainable design, visit www.knoll.com/environment.

This Order Guide provides basic planning, specifications and pricing information for Crinion Open Tables.

Refer to KnollExtra price list for compatible accessories such as flat screen monitor supports, task lights, paper management accessories, keyboard and storage drawers.

Refer to Calibre, Reff or Currents price lists for shared and individual storage options. Additional information can be found at www.knoll.com.

Crinion Open Table is the straightforward alternative for open, collaborative work environments.

Crinion Open Table typically consists of deep worksurfaces end-to-end and back-to-back, cantilever supported by parallel beams between end legs or end panels. The beams form a technology corridor for flat screen monitor supports, outlets and power/data distribution. Also available is a single-sided configuration, with a single main beam and a smaller back beam, and a single beam configuration for tables with shallower (24" deep) worksurface.

The center of dual tables or back of single-sided tables features a top channel which supports privacy screens above the table and modular power distribution below the worksurface.

Crinion Open Table is appropriate for libraries and education environments, laboratories, finance and trading desks, teaming areas and design offices.

Crinion Open Table is unique in offering individual height-adjustability and extraordinarily deep worksurfaces. Overall dual table depth is 48", 60" or 72".


The table structure is strong enough to span 16 feet between end legs or intermediate supports to build tables of any length.

The continuous worksurfaces and clear kneespace enable varying numbers of workers to sit on each side. Storage is typically separated from the table in parallel, shared file-and-storage islands, perpendicular files as returns or mobile pedestals.

Crinion is distinguished by a minimalist, modern design, and details like square or tapered edge worksurfaces, plastic laminate, Techwood or natural veneers, and aluminum fittings.

Crinion Open Table simplifies the planning and specifications of an open office, and it can make a dramatic visual and functional statement of collaboration.

The quality and classic design of Crinion work well in virtually any interior.



Crinion Open Tables are comprised of worksurfaces, table base assemblies, power components and screens.

Worksurfaces

Individual worksurfaces are available in four standard widths (48", 60", 72", 96") and three depths (nominal 24", 30", 36"), which may be combined to form single-sided or dual-sided groups of two to ten or more positions.

Worksurface edge options

Worksurfaces are 1 1/4" thick, with three front edge options: Tapered edge, laminate, veneer or mixed.

Square edge, veneer

Postformed edge, laminate only

Power and accessory options

Worksurfaces may be specified with hinged power access door and continuous 1/2" cord drop, or edge grommet and continuous cord drop, or just cord drop.

Hinged power access door is 24"W and 5"D, centered on worksurface width. Door hinges toward user for continuity between access opening and cord drop.

Any worksurface (except end counters) accepts clamp on KnollExtra accessories such as flat screen monitor arm or task light.

Other worksurface types

End counters have front edge detail on side edges as well and are designed to extend dual tables 24" or 30" beyond the end leg. End counters also include 3" wide center grommet. Extended end counters are 36"D surfaces with center grommet or hinged power access door. Base of the table must be extended 12" under the back of each extended end counter (although top channels should be specified only as wide as the worksurfaces on each side of the table).

All end counters must be supported by end counter cantilevers and endlegs for end counters.

Worksurface heights

Fixed height cantilevers support worksurfaces at 28 1/2"H, with 27" clear below the top (except directly below cantilevers).

Adjustable height cantilevers enable worksurfaces to be independently set at 27", 27 3/4", 28 1/2", 29 1/4", or 30"H.

Open Table base assemblies

Complete base assemblies simplify specifications for most common configurations of dual or single-sided open tables. Base assemblies include top channels and end caps, beams, end legs and intermediate legs (where required), trusses and top channel supports, cantilever brackets (specify fixed or adjustable height) and midspan supports. Specify worksurfaces, screens, power components, cable trays and accessories separately.

Complete base assemblies are available for the following typical tables, combinations of 60" or 72" worksurfaces.

Single-sided or dual, 24"D, 30"D, or 36"D, with continuous beam span between end legs

10' W two/four positions 60"W

12' W two/four positions 72"W

15' W three/six positions 60"W

Single sided or dual 24"D, 30"D, or 36"D, with intermediate leg

18' W three/six positions 72"W

20' W four/eight positions 60"W

24' W four/eight positions 72"W

25' W five/ten positions 60"W

Open Table base components

Base assemblies may also be specified by individual components to create configurations other than those listed above, or to create tables with end counters or frameless glass add ups.

In addition to worksurfaces Open tables require top channel, starter beams for spans up to 15', extension beams for additional spans of 4' to 15', intermediate legs every 16' or less, two end legs or end panels, trusses at every worksurface junction and at each end leg or end panel.

Adjustable tables require two cantilevers per worksurface (or three for 96"W). Fixed height tables may be supported by a fixed height cantilever at each end, shared cantilevers at each worksurface joint, and a midspan support bracket at the center of each worksurface greater than 48" wide. For 96"W worksurfaces the midspan support should be a 24"D cantilever.

Power components, cable trays and screens are optional.

Power distribution

Optional modular raceway distributes 2+2 four circuit or 3+3 six circuit configuration from a single point of supply. Bundles of cables can be managed from the floor in a cable infeed shroud located at any intermediate leg. Raceway provides power outlets and data/communications outlet openings on one or both sides, accessed through hinged access doors in worksurfaces or from under table. Specify 30" raceway for two duplex outlets each side or 42" raceway for four duplex outlets each side. Specify compact power module for outlets under an extended end counter. Duplex outlets, power infeed and jumpers between raceways must be specified separately.

Privacy screens

There are four screen options for Crinion Open Table.

The standard screens are 14"H (42" horizon) or 21"H (49" horizon) in acrylic, slat wall or combination surfaces, tackable fabric, marker or veneer. Center screens include mounting hardware to attach to the standard top channel. Center screens are available full width, 48", 60" or 72", or shorter by 1" to leave space at either end of the table for a dual end screen. Side screens attach to the front and back of a worksurface at any point other than at a hinged access door. Mounting brackets are specified separately to correspond to each worksurface edge detail. Dual end screens span across the end of a table (or above an end counter) from worksurface front edges.

Frameless glass add ups are available in 12" height only, 48", 60", and 72"W. Add ups can only mount to a top channel for frameless glass add ups, which may be at the center of a dual table or back of a single-sided table.

Original Crinion privacy screens are 12"H or 19"H (41" or 48" horizons) and mount to a standard top channel only.

Morrison Network fabric screens (15"H or 22"H) can also be mounted to the standard top channel with Crinion Open Table mast kit.

Accessories and storage

All Crinion worksurfaces accept clamp base KnollExtra flat screen monitor arms and task lights at any point except behind the hinged power access door. Worksurfaces also accept suspended accessories like adjustable keyboard supports, BackPack center file or keyboard drawers, or CPU holders. Beam location under most tables prevents pedestals deeper than 20" underneath. However 36"D tops can be planned on 30"D table bases to create additional kneespace depth and room for 24"D pedestals.

Crinion Open Table file tops are available for 27"H Calibre files positioned perpendicular to the table to act as returns. Tapered front and back edges assure consistent detail with tapered worksurface edges. File tops are also available for pairs of files and back to back files.

Wood Finishes

New codes begin with a three digit numeric sequence, followed by a letter suffix. Each letter suffix (A-F) represents a different combination of pore fill options and gloss levels.

Code	V1 TECHWOOD	Code	V2 PREMIUM TECHWOOD	Code	V3 PREMIUM VENEER
638	Blond Maple	647	White Pine	039	Pippy Oak *
628	Dark Mahogany	640	Ebony	044	Figured Sycamore
639	Light Cherry	642	Grigio		
641	Black Oak				
506	Maple		V2 NATURAL VENEER		
509	Cherry	020	Natural Oak		
512	Medium Walnut	038	Rustic Walnut *		
513	Medium Teak	017	Light Walnut		
514	Espresso	002	Bronze Cherry		
637	Natural	006	Maple		
644	Light Walnut	021	Peacock Green Walnut		
645	Dove Grey	022	Old English Walnut		
		037	Birch		

	Gloss Level	Fill Level
A	Low Gloss	Closed Pore
B	MediumGloss	Closed Pore
C	High Gloss	Closed Pore
D	Low Gloss	Open Pore
E	Medium Gloss	Open Pore
F	High Gloss	Open Pore

Edge Options for Veneers

WOOD	Complementary Wood
SYN	Complementary Synthetic
WPLY	Wood Ply Edge *
SPLY	Synthetic Ply Edge *

* Ply Edge available on Birch (037) worksurfaces.

*Note:

-Synthetic Edge option is available on worksurfaces, only.

-Finishes with * are available on worksurfaces only.

For more detailed information on Veneer finishes, please refer to the Wood Finish Matrix on the Knoll.com

Laminate Finishes

Core Laminate

Surface / Edge

111	Jet Black
114	Folkstone Grey
115	Medium Grey
117	Soft Grey
118	Bright White
119	Pumice
121	Micro Grey *
122	Brushed Sand *
123	Brushed Grey *
128	Fog
129	Micro Sand *
*121, 122, 123, 129 Not available with matching edge option, and only available on worksurfaces.	

LW Marker Board - Available for panels, Task panels and sliding display boards.

Note: All core Laminate worksurfaces are available with matching and non matching edges.

ie; A worksurface in 118, can have 139 edge finish.

Wood Grain Laminates

Surface / Edge

124	Medium Chery
125	Natural Maple
126	Natural Cherry
127	Walnut
139	Light Ash
140	Warm Ash
141	Whitened Ash
142	Grey Ash
143	Classic Oak
144	Graphite Pear
145	Zebra
147	Silverwood
148	Smokewood
149	Barnwood

Wood Grain Laminates are NOT available on the following components:

- Storage with J Pull option
- Administrative and Reception products
- Panel post covers, post caps, top trims, end trims and screen doors

Additional Edge Options for Laminate worksurfaces (only):

WPLY Ply Edge Wood (V1 Pricing)

SPLY Ply Edge - Synthetic (L Pricing)

Impact Resistant Laminate

Core & Wood Grain Laminates

Surface / Edge

911	Jet Black
914	Folkstone Grey
917	Soft Grey
918	Bright White
919	Pumice
924	Medium Cherry
925	Natural Maple
926	Natural Cherry
927	Walnut
928	Fog

Note: The Rules of Wood Grain Laminates, applies to the Impact Resistant Laminates. 25% Upcharge applies to the laminate pricing for the Impact Resistant Laminates.

Note: Pedestals and Cabinets with metal interior, when specified in "Wood Grain Laminate" or "Veneer", the shelves are painted black.

Important Note:


Laminate wood grain direction depends on the width of the product.

For any vertical surface, ie; modesty panels, overheads and hutches, **up to 60"** wide, the laminate wood grain direction will be **vertical**. For any vertical surface **greater than 60"** wide, the laminate wood grain direction is **horizontal**.

up to 60" (vertical)



60" greater (horizontal)






Mixed Finishes: For Laminate worksurfaces with Laminate or Veneer Edge Options, specify mixed finish worksurfaces using separate top finish & edge finish.

For Example:

Top finish: 114 Folkstone Grey Laminate




Edge finish: 115 Medium Grey Laminate, or Y882 Dove Grey Techwood

This page intentionally left blank




description	nominal depth	w	d	h	pattern number	L	M	V1	V2	V3
<p>Worksurface, tapered edge</p> 	24"	48"	22"	1 1/4"	XTTK4824A (L/M/1/2/3) () ()	\$1,235.	\$1,448.	\$1,448.	\$1,590.	\$1,883.
	24"	60"	22"	1 1/4"	XTTK6024A (L/M/1/2/3) () ()	1,282.	1,587.	1,587.	1,750.	2,087.
	24"	72"	22"	1 1/4"	XTTK7224A (L/M/1/2/3) () ()	1,368.	1,675.	1,675.	1,859.	2,226.
	24"	96"	22"	1 1/4"	XTTK9624A (L/M/1/2/3) () ()	1,530.	1,894.	1,894.	2,113.	2,549.
	30"	48"	28"	1 1/4"	XTTK4830A (L/M/1/2/3) () ()	1,255.	1,569.	1,569.	1,738.	2,065.
	30"	60"	28"	1 1/4"	XTTK6030A (L/M/1/2/3) () ()	1,322.	1,700.	1,700.	1,888.	2,253.
	30"	72"	28"	1 1/4"	XTTK7230A (L/M/1/2/3) () ()	1,417.	1,760.	1,760.	1,956.	2,343.
	30"	96"	28"	1 1/4"	XTTK9630A (L/M/1/2/3) () ()	1,587.	1,995.	1,995.	2,225.	2,687.
	36"	48"	34"	1 1/4"	XTTK4836A (L/M/1/2/3) () ()	1,315.	1,713.	1,713.	1,906.	2,280.
	36"	60"	34"	1 1/4"	XTTK6036A (L/M/1/2/3) () ()	1,356.	1,836.	1,836.	2,036.	2,443.
	36"	72"	34"	1 1/4"	XTTK7236A (L/M/1/2/3) () ()	1,480.	1,856.	1,856.	2,057.	2,471.
	36"	96"	34"	1 1/4"	XTTK9636A (L/M/1/2/3) () ()	1,687.	2,099.	2,099.	2,343.	2,838.
<p>Worksurface, veneer square edge</p> 	24"	48"	22"	1 1/4"	XTTS4824A (1/2/3) () ()	n/a	n/a	1,179.	1,300.	1,427.
	24"	60"	22"	1 1/4"	XTTS6024A (1/2/3) () ()	n/a	n/a	1,236.	1,360.	1,506.
	24"	72"	22"	1 1/4"	XTTS7224A (1/2/3) () ()	n/a	n/a	1,300.	1,419.	1,584.
	24"	96"	22"	1 1/4"	XTTS9624A (1/2/3) () ()	n/a	n/a	1,400.	1,521.	1,722.
	30"	48"	28"	1 1/4"	XTTS4830A (1/2/3) () ()	n/a	n/a	1,360.	1,481.	1,643.
	30"	60"	28"	1 1/4"	XTTS6030A (1/2/3) () ()	n/a	n/a	1,400.	1,532.	1,723.
	30"	72"	28"	1 1/4"	XTTS7230A (1/2/3) () ()	n/a	n/a	1,442.	1,585.	1,881.
	30"	96"	28"	1 1/4"	XTTS9630A (1/2/3) () ()	n/a	n/a	1,521.	1,684.	2,140.
	36"	48"	34"	1 1/4"	XTTS4836A (1/2/3) () ()	n/a	n/a	1,481.	1,634.	1,843.
	36"	60"	34"	1 1/4"	XTTS6036A (1/2/3) () ()	n/a	n/a	1,544.	1,695.	1,890.
	36"	72"	34"	1 1/4"	XTTS7236A (1/2/3) () ()	n/a	n/a	1,603.	1,790.	2,069.
	36"	96"	34"	1 1/4"	XTTS9636A (1/2/3) () ()	n/a	n/a	1,725.	1,968.	2,395.
<p>Worksurface, postformed plastic</p> 	24"	48"	22"	1 1/4"	XTPP4824A (L) () ()	899.	n/a	n/a	n/a	n/a
	24"	60"	22"	1 1/4"	XTPP6024A (L) () ()	1,027.	n/a	n/a	n/a	n/a
	24"	72"	22"	1 1/4"	XTPP7224A (L) () ()	1,129.	n/a	n/a	n/a	n/a
	24"	96"	22"	1 1/4"	XTPP9624A (L) () ()	1,238.	n/a	n/a	n/a	n/a
	30"	48"	28"	1 1/4"	XTPP4830A (L) () ()	939.	n/a	n/a	n/a	n/a
	30"	60"	28"	1 1/4"	XTPP6030A (L) () ()	1,078.	n/a	n/a	n/a	n/a
	30"	72"	28"	1 1/4"	XTPP7230A (L) () ()	1,189.	n/a	n/a	n/a	n/a
	30"	96"	28"	1 1/4"	XTPP9630A (L) () ()	1,320.	n/a	n/a	n/a	n/a
	36"	48"	34"	1 1/4"	XTPP4836A (L) () ()	993.	n/a	n/a	n/a	n/a
	36"	60"	34"	1 1/4"	XTPP6036A (L) () ()	1,189.	n/a	n/a	n/a	n/a
	36"	72"	34"	1 1/4"	XTPP7236A (L) () ()	1,287.	n/a	n/a	n/a	n/a
	36"	96"	34"	1 1/4"	XTPP9636A (L) () ()	1,431.	n/a	n/a	n/a	n/a

Order Code	Specifications	Application Notes
Example: XTPP6030AL 118 118		
XT Crinion Open Table	Worksurfaces are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge.	Crinion 30"D worksurfaces correspond in width to table bases, which are specified separately.
T Worksurface	1. Specify finish group: L - Laminate M - Laminate/veneer edge	48"W worksurfaces plan on 12' wide or 20' wide bases. 60"W worksurfaces plan on 5', 10', 15' and 20' wide bases. 72" W worksurfaces plan on 6', 12' and 18' wide bases.
P Postformed plastic	1 - Veneer group 1 2 - Veneer group 2 3 - Veneer group 3	Worksurfaces with hinged power access enable access to suspended modular raceway.
60 Width	2. Specify worksurface finish.	
30 Depth	3. Specify Edge finish: (option on tapered edge <u>laminate</u> worksurfaces only)	
A With center hinged power access	4. Specify hinged access cover finish.	
L Finish Type		
118 Work Surface finish		
() Edge Finish		
118 Access door finish		




AA anodized aluminum and all P1,P2 and P3 paint finishes are available except 613 Silver.

description	nominal depth	w	d	h	pattern number	L	M	V1	V2	V3
<p>Worksurface, tapered edge</p> 	24"	48"	22"	1 1/4"	XTTK4824U (L/M/1/2/3) () ()	\$831.	\$1,042.	\$1,042.	\$1,185.	\$1,485.
	24"	60"	22"	1 1/4"	XTTK6024U (L/M/1/2/3) () ()	880.	1,181.	1,181.	1,350.	1,691.
	24"	72"	22"	1 1/4"	XTTK7224U (L/M/1/2/3) () ()	965.	1,272.	1,272.	1,456.	1,833.
	24"	96"	22"	1 1/4"	XTTK9624U (L/M/1/2/3) () ()	1,126.	1,491.	1,491.	1,713.	2,151.
	30"	48"	28"	1 1/4"	XTTK4830U (L/M/1/2/3) () ()	850.	1,168.	1,168.	1,332.	1,671.
	30"	60"	28"	1 1/4"	XTTK6030U (L/M/1/2/3) () ()	919.	1,297.	1,297.	1,481.	1,859.
	30"	72"	28"	1 1/4"	XTTK7230U (L/M/1/2/3) () ()	1,014.	1,359.	1,359.	1,551.	1,946.
	30"	96"	28"	1 1/4"	XTTK9630U (L/M/1/2/3) () ()	1,181.	1,593.	1,593.	1,819.	2,291.
	36"	48"	34"	1 1/4"	XTTK4836U (L/M/1/2/3) () ()	911.	1,307.	1,307.	1,503.	1,887.
	36"	60"	34"	1 1/4"	XTTK6036U (L/M/1/2/3) () ()	950.	1,431.	1,431.	1,632.	2,046.
	36"	72"	34"	1 1/4"	XTTK7236U (L/M/1/2/3) () ()	1,077.	1,452.	1,452.	1,653.	2,078.
	36"	96"	34"	1 1/4"	XTTK9636U (L/M/1/2/3) () ()	1,284.	1,696.	1,696.	1,939.	2,439.
<p>Worksurface, veneer square edge</p> 	24"	48"	22"	1 1/4"	XTTS4824U (1/2/3) () ()	n/a	n/a	776.	897.	1,033.
	24"	60"	22"	1 1/4"	XTTS6024U (1/2/3) () ()	n/a	n/a	833.	956.	1,110.
	24"	72"	22"	1 1/4"	XTTS7224U (1/2/3) () ()	n/a	n/a	897.	1,015.	1,189.
	24"	96"	22"	1 1/4"	XTTS9624U (1/2/3) () ()	n/a	n/a	998.	1,119.	1,328.
	30"	48"	28"	1 1/4"	XTTS4830U (1/2/3) () ()	n/a	n/a	956.	1,078.	1,249.
	30"	60"	28"	1 1/4"	XTTS6030U (1/2/3) () ()	n/a	n/a	998.	1,128.	1,329.
	30"	72"	28"	1 1/4"	XTTS7230U (1/2/3) () ()	n/a	n/a	1,035.	1,180.	1,484.
	30"	96"	28"	1 1/4"	XTTS9630U (1/2/3) () ()	n/a	n/a	1,119.	1,280.	1,746.
	36"	48"	34"	1 1/4"	XTTS4836U (1/2/3) () ()	n/a	n/a	1,078.	1,230.	1,448.
	36"	60"	34"	1 1/4"	XTTS6036U (1/2/3) () ()	n/a	n/a	1,136.	1,291.	1,495.
	36"	72"	34"	1 1/4"	XTTS7236U (1/2/3) () ()	n/a	n/a	1,199.	1,386.	1,673.
	36"	96"	34"	1 1/4"	XTTS9636U (1/2/3) () ()	n/a	n/a	1,321.	1,563.	2,001.
<p>Worksurface, postformed plastic</p> 	24"	48"	22"	1 1/4"	XTPP4824B (L) () ()	495.	n/a	n/a	n/a	n/a
	24"	60"	22"	1 1/4"	XTPP6024B (L) () ()	625.	n/a	n/a	n/a	n/a
	24"	72"	22"	1 1/4"	XTPP7224B (L) () ()	726.	n/a	n/a	n/a	n/a
	24"	96"	22"	1 1/4"	XTPP9624B (L) () ()	834.	n/a	n/a	n/a	n/a
	30"	48"	28"	1 1/4"	XTPP4830B (L) () ()	535.	n/a	n/a	n/a	n/a
	30"	60"	28"	1 1/4"	XTPP6030B (L) () ()	673.	n/a	n/a	n/a	n/a
	30"	72"	28"	1 1/4"	XTPP7230B (L) () ()	785.	n/a	n/a	n/a	n/a
	30"	96"	28"	1 1/4"	XTPP9630B (L) () ()	915.	n/a	n/a	n/a	n/a
	36"	48"	34"	1 1/4"	XTPP4836B (L) () ()	585.	n/a	n/a	n/a	n/a
	36"	60"	34"	1 1/4"	XTPP6036B (L) () ()	785.	n/a	n/a	n/a	n/a
	36"	72"	34"	1 1/4"	XTPP7236B (L) () ()	884.	n/a	n/a	n/a	n/a
	36"	96"	34"	1 1/4"	XTPP9636B (L) () ()	1,025.	n/a	n/a	n/a	n/a

Order Code	Specifications	Application Notes
Example: XTPP6030BL 118 812	Worksurfaces are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge.	Crinion 30"D worksurfaces correspond in width to table bases, which are specified separately.
XT Crinion Open Table		48"W worksurfaces plan on 12' wide or 20' wide bases. 60"W worksurfaces plan on 5', 10', 15' and 20' wide bases. 72" W worksurfaces plan on 6', 12' and 18' wide bases.
T Worksurface		
P Postformed plastic		
60 Width	1. Specify finish group: L - Laminate M - Laminate/veneer edge	
30 Depth	1 - Veneer group 1 2 - Veneer group 2 3 - Veneer group 3	
B With edge grommet	2. Specify worksurface finish.	
L Finish type	3. Specify Edge finish: (option on tapered edge <u>laminate</u> worksurfaces only)	Edge grommet accommodates most power cord plugs up to 1" deep.
118 Worksurface finish	4. Specify grommet color: 812 - Easy grey 111 - Black	
() Edge finish		
812 Grommet finish		

description	nominal depth	w	d	h	pattern number	L	M	V1	V2	V3
<p>Worksurface, tapered edge</p> 	24"	48"	22"	1 1/4"	XTTK4824C (L/M/1/2/3) ()	\$770.	\$980.	\$980.	\$1,124.	\$1,426.
	24"	60"	22"	1 1/4"	XTTK6024C (L/M/1/2/3) ()	816.	1,120.	1,120.	1,284.	1,630.
	24"	72"	22"	1 1/4"	XTTK7224C (L/M/1/2/3) ()	904.	1,209.	1,209.	1,394.	1,770.
	24"	96"	22"	1 1/4"	XTTK9624C (L/M/1/2/3) ()	1,065.	1,427.	1,427.	1,648.	2,092.
	30"	48"	28"	1 1/4"	XTTK4830C (L/M/1/2/3) ()	788.	1,103.	1,103.	1,271.	1,612.
	30"	60"	28"	1 1/4"	XTTK6030C (L/M/1/2/3) ()	856.	1,235.	1,235.	1,419.	1,800.
	30"	72"	28"	1 1/4"	XTTK7230C (L/M/1/2/3) ()	953.	1,296.	1,296.	1,488.	1,888.
	30"	96"	28"	1 1/4"	XTTK9630C (L/M/1/2/3) ()	1,120.	1,530.	1,530.	1,757.	2,230.
	36"	48"	34"	1 1/4"	XTTK4836C (L/M/1/2/3) ()	848.	1,245.	1,245.	1,440.	1,824.
	36"	60"	34"	1 1/4"	XTTK6036C (L/M/1/2/3) ()	889.	1,367.	1,367.	1,568.	1,988.
	36"	72"	34"	1 1/4"	XTTK7236C (L/M/1/2/3) ()	1,014.	1,390.	1,390.	1,592.	2,019.
	36"	96"	34"	1 1/4"	XTTK9636C (L/M/1/2/3) ()	1,221.	1,635.	1,635.	1,874.	2,380.
<p>Worksurface, veneer square edge</p> 	24"	48"	22"	1 1/4"	XTTS4824C (1/2/3) ()	n/a	n/a	714.	834.	975.
	24"	60"	22"	1 1/4"	XTTS6024C (1/2/3) ()	n/a	n/a	771.	892.	1,051.
	24"	72"	22"	1 1/4"	XTTS7224C (1/2/3) ()	n/a	n/a	834.	955.	1,130.
	24"	96"	22"	1 1/4"	XTTS9624C (1/2/3) ()	n/a	n/a	933.	1,057.	1,267.
	30"	48"	28"	1 1/4"	XTTS4830C (1/2/3) ()	n/a	n/a	892.	1,015.	1,187.
	30"	60"	28"	1 1/4"	XTTS6030C (1/2/3) ()	n/a	n/a	933.	1,066.	1,269.
	30"	72"	28"	1 1/4"	XTTS7230C (1/2/3) ()	n/a	n/a	975.	1,119.	1,425.
	30"	96"	28"	1 1/4"	XTTS9630C (1/2/3) ()	n/a	n/a	1,057.	1,216.	1,683.
	36"	48"	34"	1 1/4"	XTTS4836C (1/2/3) ()	n/a	n/a	1,015.	1,168.	1,388.
	36"	60"	34"	1 1/4"	XTTS6036C (1/2/3) ()	n/a	n/a	1,077.	1,230.	1,436.
	36"	72"	34"	1 1/4"	XTTS7236C (1/2/3) ()	n/a	n/a	1,135.	1,322.	1,615.
	36"	96"	34"	1 1/4"	XTTS9636C (1/2/3) ()	n/a	n/a	1,258.	1,503.	1,939.
<p>Worksurface, postformed plastic</p> 	24"	48"	22"	1 1/4"	XTPP4824C (L) ()	432.	n/a	n/a	n/a	n/a
	24"	60"	22"	1 1/4"	XTPP6024C (L) ()	562.	n/a	n/a	n/a	n/a
	24"	72"	22"	1 1/4"	XTPP7224C (L) ()	663.	n/a	n/a	n/a	n/a
	24"	96"	22"	1 1/4"	XTPP9624C (L) ()	772.	n/a	n/a	n/a	n/a
	30"	48"	28"	1 1/4"	XTPP4830C (L) ()	473.	n/a	n/a	n/a	n/a
	30"	60"	28"	1 1/4"	XTPP6030C (L) ()	613.	n/a	n/a	n/a	n/a
	30"	72"	28"	1 1/4"	XTPP7230C (L) ()	725.	n/a	n/a	n/a	n/a
	30"	96"	28"	1 1/4"	XTPP9630C (L) ()	854.	n/a	n/a	n/a	n/a
	36"	48"	34"	1 1/4"	XTPP4836C (L) ()	527.	n/a	n/a	n/a	n/a
	36"	60"	34"	1 1/4"	XTPP6036C (L) ()	725.	n/a	n/a	n/a	n/a
	36"	72"	34"	1 1/4"	XTPP7236C (L) ()	821.	n/a	n/a	n/a	n/a
	36"	96"	34"	1 1/4"	XTPP9636C (L) ()	964.	n/a	n/a	n/a	n/a

Order Code	Specifications	Application Notes
Example: XTPP6030CL 118	Worksurfaces are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge.	Crinion 30"D worksurfaces correspond in width to table bases, which are specified separately. 48"W worksurfaces plan on 12' wide or 20' wide bases. 60"W worksurfaces plan on 5', 10', 15' and 20' wide bases. 72" W worksurfaces plan on 6', 12' and 18' wide bases.
XT Crinion Open Table	1. Specify worksurface finishes: L - Laminate M - Laminate/veneer edge	Actual worksurface depth is 21.85", 27.85" or 33.85".
T Worksurface	1 - Veneer group 1 2 - Veneer group 2 3 - Veneer group 3	
P Postformed plastic	2. Specify Edge finish: (option on tapered edge laminate worksurfaces only)	Continuous 1/2" cord drop accommodates clamp-on flat screen monitor arm or most power cords.
60 Width		
30 Depth		
C With cord drop		
L Finish type		
118 Worksurface finish		
() Edge finish		

description	nominal depth	w	l	h	pattern number	L	M	V1	V2	V3
End counter, tapered edge 	24"	48"	24"	1 1/4"	XTTK4824E (L/M/1/2/3) ()	\$1,078.	\$1,389.	\$1,389.	\$1,530.	\$1,819.
	24"	60"	24"	1 1/4"	XTTK6024E (L/M/1/2/3) ()	1,276.	1,527.	1,527.	1,694.	2,026.
	24"	72"	24"	1 1/4"	XTTK7224E (L/M/1/2/3) ()	1,324.	1,612.	1,612.	1,801.	2,166.
	30"	48"	30"	1 1/4"	XTTK4830E (L/M/1/2/3) ()	1,207.	1,509.	1,509.	1,680.	2,008.
	30"	60"	30"	1 1/4"	XTTK6030E (L/M/1/2/3) ()	1,313.	1,640.	1,640.	1,825.	2,196.
	30"	72"	30"	1 1/4"	XTTK7230E (L/M/1/2/3) ()	1,371.	1,700.	1,700.	1,893.	2,285.
End counter, veneer square edge 	24"	48"	24"	1 1/4"	XTTS4824E (1/2/3) ()	n/a	n/a	714.	834.	975.
	24"	60"	24"	1 1/4"	XTTS6024E (1/2/3) ()	n/a	n/a	771.	892.	1,051.
	24"	72"	24"	1 1/4"	XTTS7224E (1/2/3) ()	n/a	n/a	834.	955.	1,130.
	30"	48"	30"	1 1/4"	XTTS4830E (1/2/3) ()	n/a	n/a	892.	1,015.	1,187.
	30"	60"	30"	1 1/4"	XTTS6030E (1/2/3) ()	n/a	n/a	933.	1,066.	1,269.
	30"	72"	30"	1 1/4"	XTTS7230E (1/2/3) ()	n/a	n/a	975.	1,119.	1,425.
End counter for postformed plastic 	24"	48"	24"	1 1/4"	XTPP4824E (L) ()	804.	n/a	n/a	n/a	n/a
	24"	60"	24"	1 1/4"	XTPP6024E (L) ()	955.	n/a	n/a	n/a	n/a
	24"	72"	24"	1 1/4"	XTPP7224E (L) ()	1,076.	n/a	n/a	n/a	n/a
	30"	48"	30"	1 1/4"	XTPP4830E (L) ()	903.	n/a	n/a	n/a	n/a
	30"	60"	30"	1 1/4"	XTPP6030E (L) ()	1,076.	n/a	n/a	n/a	n/a
	30"	72"	30"	1 1/4"	XTPP7230E (L) ()	1,284.	n/a	n/a	n/a	n/a

* Note

Order Code	Specifications	Application Notes
Example: XTPP6024EL 118		
XT Crinion Open Table	End counters are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge. End counters are tapered front and side edges only.	End counters mount at the ends of dual tables with two end counter cantilever brackets. Specify dual end legs for end counters instead of standard dual end legs (tables with end counters must be specified from components, not assemblies).
T Worksurface		
P Postformed plastic		
60 Width	1. Specify worksurface finishes:	Specify added length of 24" or 30" beyond end leg for end counters.
24 Length	L - Laminate	
E End counter	M - Laminate/veneer edge	
L Finish Type	1 - Veneer group 1	
118 Worksurface finish	2 - Veneer group 2	Specify 48" W for dual 24" tables, 60" W for dual 30" tables and 72" W for dual 36" tables.
() Edge finish	3 - Veneer group 3	
	2. Specify Edge finish: (option on tapered edge laminate worksurfaces only)	End counters may not be used with end panel kits.

* Note - End counters for postformed plastic are not available in these finishes:

121	Micro grey
129	Micro sand
122	Brushed sand
123	Brushed grey

description	nominal depth	w	l	h	pattern no.	L	M	V1	V2	V3
Extended end counter, tapered edge with hinged power access	36"	48"	36"	1 1/4"	XTTK4836D (L/M/1/2/3) () ()	\$1,790.	\$2,078.	\$2,078.	\$2,265.	\$2,618.
	36"	60"	36"	1 1/4"	XTTK6036D (L/M/1/2/3) () ()	1,837.	2,167.	2,167.	2,360.	2,740.
	36"	72"	36"	1 1/4"	XTTK7236D (L/M/1/2/3) () ()	1,971.	2,333.	2,333.	2,537.	2,958.
Extended end counter, tapered edge with grommet	36"	48"	36"	1 1/4"	XTTK4836E (L/M/1/2/3) ()	1,324.	1,612.	1,612.	1,801.	2,166.
	36"	60"	36"	1 1/4"	XTTK6036E (L/M/1/2/3) ()	1,371.	1,700.	1,700.	1,893.	2,285.
	36"	72"	36"	1 1/4"	XTTK7236E (L/M/1/2/3) ()	1,506.	1,867.	1,867.	2,074.	2,505.
Extended end counter, veneer square edge with hinged power access	36"	48"	36"	1 1/4"	XTTS4836D (1/2/3) () ()	n/a	n/a	1,257.	1,372.	1,529.
	36"	60"	36"	1 1/4"	XTTS6036D (1/2/3) () ()	n/a	n/a	1,441.	1,583.	1,880.
	36"	72"	36"	1 1/4"	XTTS7236D (1/2/3) () ()	n/a	n/a	1,583.	1,735.	2,089.
Extended end counter, veneer square edge with grommet	36"	48"	36"	1 1/4"	XTTS4836E (1/2/3) ()	n/a	n/a	792.	908.	1,076.
	36"	60"	36"	1 1/4"	XTTS6036E (1/2/3) ()	n/a	n/a	975.	1,119.	1,425.
	36"	72"	36"	1 1/4"	XTTS7236E (1/2/3) ()	n/a	n/a	1,119.	1,267.	1,634.

Order Code	Specifications	Application Notes
Example: XTTP6036DL 118 AA		
XT Crinion Open Table	End counters are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge. End counters are tapered front and side edges only.	End counters mount at the ends of dual tables with two end counter cantilever brackets. Specify dual end legs for end counters instead of standard dual end legs (tables with end counters must be specified from components, not assemblies).
T Worksurface		
P Postformed plastic		
60 Width		
36 Length		
D End counter,center hinged power access	1. Specify finish group: L - Laminate M - Laminate/veneer edge 1 - Veneer group 1 2 - Veneer group 2 3 - Veneer group 3	Specify 48" W for dual 24" tables, 60" W for dual 30" tables and 72" W for dual 36" tables.
L Finish Type	2. Specify worksurface finish.	End counters may not be used with end panel kits.
118 Worksurface finish	3. Specify Edge finish: (option on tapered edge <u>laminate</u> worksurfaces only)	
() Edge finish	4. Specify hinged access cover finish.	
AA Access door finish		

Hinged access covers are available in AA anodized aluminum and all standard paint finishes except 613 Silver.


Each extended end counter requires base assembly 12" longer than worksurfaces on each side.

* Note - End counters for postformed plastic are not available in these finishes:

121	Micro grey
129	Micro sand
122	Brushed sand
123	Brushed grey

description	nominal depth	w	l	h	pattern no.	L	M	V1	V2	V3
Extended end counter, postformed plastic with hinged power access	36"	48"	36"	1 1/4"	XTP4836D (L) () ()	\$1,541.	n/a	n/a	n/a	n/a
	36"	60"	36"	1 1/4"	XTP6036D (L) () ()	1,749.	n/a	n/a	n/a	n/a
	36"	72"	36"	1 1/4"	XTP7236D (L) () ()	1,904.	n/a	n/a	n/a	n/a




* Note



Extended end counter, postformed plastic with grommet	36"	48"	36"	1 1/4"	XTP4836E (L) () ()	1,076.	n/a	n/a	n/a	n/a
	36"	60"	36"	1 1/4"	XTP6036E (L) () ()	1,284.	n/a	n/a	n/a	n/a
	36"	72"	36"	1 1/4"	XTP7236E (L) () ()	1,438.	n/a	n/a	n/a	n/a

* Note




Order Code	Specifications	Application Notes
Example: XTTP6036DL 118 AA	End counters are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge. End counters are tapered front and side edges only.	End counters mount at the ends of dual tables with two end counter cantilever brackets. Specify dual end legs for end counters instead of standard dual end legs (tables with end counters must be specified from components, not assemblies).
XT Crinion Open Table		Each extended end counter requires base assembly 12" longer than worksurfaces on each side.
T Worksurface		
P Postformed plastic		
60 Width		
36 Length		
D End counter,center hinged power access		
L Finish Type		
118 Worksurface finish		
() Edge finish		
AA Access door finish		
	<div><div><div>1. Specify finish group: L - Laminate M- Laminate/veneer edge 1 - Veneer group 1 2 - Veneer group 2 3 - Veneer group 3</div><div>2. Specify worksurface finish.</div><div>3. Specify Edge finish: (option on tapered edge <u>laminate</u> worksurfaces only)</div><div>4. Specify hinged access cover finish.</div></div><div>Hinged access covers are available in AA anodized aluminum and all standard paint finishes except 613 Silver.</div></div>	<div><div>Specify 48" W for dual 24" tables, 60" W for dual 30" tables and 72" W for dual 36" tables.</div><div>End counters may not be used with end panel kits.</div></div> <div><div>* Note - End counters for postformed plastic are not available in these finishes:</div><div><div>121 Micro grey</div><div>129 Micro sand</div><div>122 Brushed sand</div><div>123 Brushed grey</div></div></div>

description	w	d	h	pattern number	L	M	V1	V2	V3
File top, tapered edge 	30"	18"	1 1/4"	XTTK3018F (L/M/1/2/3) ()	\$562.	\$955.	\$955.	\$1,000.	\$1,407.
	30"	36"	1 1/4"	XTTK3036F (L/M/1/2/3) ()	771.	1,205.	1,205.	1,352.	1,653.
	36"	18"	1 1/4"	XTTK3618F (L/M/1/2/3) ()	583.	975.	975.	1,008.	1,502.
	36"	36"	1 1/4"	XTTK3636F (L/M/1/2/3) ()	804.	1,320.	1,320.	1,477.	1,816.
	42"	18"	1 1/4"	XTTK4218F (L/M/1/2/3) ()	605.	1,000.	1,000.	1,024.	1,592.
	42"	36"	1 1/4"	XTTK4236F (L/M/1/2/3) ()	839.	1,368.	1,368.	1,548.	1,905.
	60"	18"	1 1/4"	XTTK6018F (L/M/1/2/3) ()	955.	1,473.	1,473.	1,624.	1,979.
	60"	36"	1 1/4"	XTTK6036F (L/M/1/2/3) ()	1,032.	1,568.	1,568.	1,771.	2,186.
	72"	18"	1 1/4"	XTTK7218F (L/M/1/2/3) ()	1,005.	1,524.	1,524.	1,705.	2,085.
	72"	36"	1 1/4"	XTTK7236F (L/M/1/2/3) ()	1,103.	1,593.	1,593.	1,794.	2,212.
	84"	18"	1 1/4"	XTTK8418F (L/M/1/2/3) ()	1,084.	1,624.	1,624.	1,826.	2,179.
	84"	36"	1 1/4"	XTTK8436F (L/M/1/2/3) ()	1,179.	1,709.	1,709.	1,946.	2,412.
File top, veneer square edge 	30"	18"	1 1/4"	XTTS3018F (1/2/3) ()	n/a	n/a	418.	458.	741.
	36"	18"	1 1/4"	XTTS3618F (1/2/3) ()	n/a	n/a	429.	466.	800.
	42"	18"	1 1/4"	XTTS4218F (1/2/3) ()	n/a	n/a	437.	479.	862.
File top, postformed plastic 	30"	18"	1 1/4"	XTPP3018F (L) ()	382.	n/a	n/a	n/a	n/a
	36"	18"	1 1/4"	XTPP3618F (L) ()	402.	n/a	n/a	n/a	n/a
	42"	18"	1 1/4"	XTPP4218F (L) ()	424.	n/a	n/a	n/a	n/a

Order Code	Specifications	Application Notes
Example: XTPP4218FL 118		
XT Crinion Open Table	File tops are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge. Tapered edge file tops are tapered front and back edges only.	File tops correspond to 30", 36" or 42"W lateral files. File tops on 2 high Calibre files positioned perpendicular to the Crinion Open Table serve as a worksurface return.
T Worksurface		
P Postformed		
42 Width	1. Specify worksurface finishes:	
18 Depth	L - Laminate	
F File top	M - Laminate/veneer edge	
L Finish type	1 - Veneer group 1	
118 Worksurface	2 - Veneer group 2	
() Edge finish	3 - Veneer group 3	
	2. Specify Edge finish:	
	(option on tapered edge laminate worksurfaces only)	

Complete base assemblies fixed height 24" D dual




Crinion Open Table

description	nominal	w	d	h	pattern number	P1/P2	P3
 Base assembly, continuous	10' dual	120"	44"	28½"	XTB1 BAS 24D10CF () ()	\$14,427.	\$14,807.
	12' dual	144"	44"	28½"	XTB1 BAS 24D12CF () ()	15,028.	15,414.
	15' dual	180"	44"	28½"	XTB1 BAS 24D15CF () ()	17,393.	17,788.
 Base assembly, segmented	10' + 5' dual	180"	44"	28½"	XTB1 BAS 24D15SF () ()	18,658.	19,059.
 Base assembly, with intermediate leg	10' + 10' dual	240"	44"	28½"	XTB1 BAS 24D20SF () ()	22,502.	22,912.
	12' + 12' dual	288"	44"	28½"	XTB1 BAS 24D24SF () ()	23,709.	24,124.
	12' + 6' dual	216"	44"	28½"	XTB1 BAS 24D18SF () ()	20,587.	20,986.
	15' + 10' dual	300"	44"	28½"	XTB1 BAS 24D25SF () ()	25,469.	25,896.

Order Code	Specifications	Application Notes
Example: XTB1BAS24D10CF 613 AA	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
XT Crinion Open Table	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	Base assemblies correspond to: 10': four 60"x24"D worksurfaces 12': four 72"x24"D worksurfaces 15': six 60"x24"D worksurfaces 18': six 72"x24"D worksurfaces 20': eight 60"x24"D worksurfaces 24': eight 72"x24"D worksurfaces 25': ten 60"x24"D worksurfaces
B1 Base components		
BAS Assembly		
24 Depth		
D Dual		
10 Width		
C Continuous		
F Fixed height		
613 Base finish		
AA Top channel finish		

Complete base assemblies fixed height 24" D single sided

Crinion Open Table

description	nominal	w	d	h	pattern number	P1/P2	P3
	10' single sided	120"	24"	28 1/2"	XTB1 BAS 24S10CF () ()	\$12,980.	\$13,350.
	12' single sided	144"	24"	28 1/2"	XTB1 BAS 24S12CF () ()	13,584.	13,950.
	15' single sided	180"	24"	28 1/2"	XTB1 BAS 24S15CF () ()	15,411.	15,784.
	10' + 5' single sided	180"	24"	28 1/2"	XTB1 BAS 24S15SF () ()	16,675.	17,050.
	10' + 10' single sided	240"	24"	28 1/2"	XTB1 BAS 24S20SF () ()	19,980.	20,361.
	12' + 12' single sided	288"	24"	28 1/2"	XTB1 BAS 24S24SF () ()	21,187.	21,572.
	12' + 6' single sided	216"	24"	28 1/2"	XTB1 BAS 24S18SF () ()	18,603.	18,978.
	15' + 10' single sided	300"	24"	28 1/2"	XTB1 BAS 24S25SF () ()	22,408.	22,796.




Order Code	Specifications	Application Notes
Example: XTB1BAS24S10CF 613 118	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
XT Crinion Open Table	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	Base assemblies correspond to: 10': two 60"x24"D worksurfaces 12': two 72"x24"D worksurfaces 15': three 60"x24"D worksurfaces 18': three 72"x24"D worksurfaces 20': four 60"x24"D worksurfaces 24': four 72"x24"D worksurfaces 25': five 60"x24"D worksurfaces
B1 Base components		
BAS Assembly		
24 Depth		
S Single		
10 Width		
C Continuous		
F Fixed height		
613 Base finish		
118 Top channel finish		

1. Specify base finish for base assembly.
For legs and cantilever brackets specify one paint finish for all.
2. Specify top channel finish.
AA anodized aluminum and all paint finishes are available except 613 Silver.
Beams are anodized aluminum only.

No table on this page has beams longer than 15'.

Complete base assemblies fixed height 30" D dual




Crinion Open Table

description	nominal	w	d	h	pattern number	P1/P2	P3
 Base assembly, continuous	10' dual	120"	54"	28½"	XTB1 BAS 30D10CF () ()	\$17,168.	\$17,654.
	12' dual	144"	54"	28½"	XTB1 BAS 30D12CF () ()	17,868.	18,351.
	15' dual	180"	54"	28½"	XTB1 BAS 30D15CF () ()	20,800.	21,338.
 Base assembly, segmented	10' + 5' dual	180"	54"	28½"	XTB1 BAS 30D15SF () ()	22,552.	23,091.
 Base assembly, with intermediate leg	10' + 10' dual	240"	54"	28½"	XTB1 BAS 30D20SF () ()	27,861.	28,529.
	12' + 12' dual	288"	54"	28½"	XTB1 BAS 30D24CF () ()	29,266.	29,928.
	12' + 6' dual	216"	54"	28½"	XTB1 BAS 30D18SF () ()	24,987.	25,607.
	15' + 10' dual	300"	54"	28½"	XTB1 BAS 30D25CF () ()	31,493.	32,208.

Order Code	Specifications	Application Notes
Example: XTB1BAS30D18SF 613 111	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
XT Crinion Open Table	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	Base assemblies correspond to: 10': four 60"x30"D worksurfaces 12': four 72"x30"D worksurfaces 15': six 60"x30"D worksurfaces 18': six 72"x30"D worksurfaces 20': eight 60"x30"D worksurfaces 24': eight 72"x30"D worksurfaces 25': ten 60"x30"D worksurfaces
B1 Base components		
BAS Assembly		
30 Depth		
D Dual		
18 Width		
S Segmented		
F Fixed height		
613 Base finish		
111 Top channel finish		

Complete base assemblies fixed height 30" D single sided




Crinion Open Table

description	nominal	w	d	h	pattern number	P1/P2	P3
 Base assembly, continuous	10' single sided	120"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S10CF () ()	\$15,111.	\$15,532.
	12' single sided	144"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S12CF () ()	15,810.	16,228.
	15' single sided	180"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S15CF () ()	17,989.	18,433.
 Base assembly, segmented	10' + 5' single sided	180"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S15SF () ()	16,820.	17,263.
 Base assembly, with intermediate leg	10' + 10' single sided	240"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S20SF () ()	20,767.	21,239.
	12' + 12' single sided	288"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S24SF () ()	25,093.	25,565.
	12' + 6' single sided	216"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S18SF () ()	18,262.	18,704.
	15' + 10' single sided	300"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S25SF () ()	26,569.	27,064.

Order Code	Specifications	Application Notes
Example: XTB1BAS30S15CF 613 115	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
XT Crinion Open Table	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	Base assemblies correspond to: 10': two 60"x30"D worksurfaces 12': two 72"x30"D worksurfaces 15': three 60"x30"D worksurfaces 18': three 72"x30"D worksurfaces 20': four 60"x30"D worksurfaces 24': four 72"x30"D worksurfaces 25': five 60"x30"D worksurfaces
B1 Base components		
BAS Assembly		
30 Depth		
S Single		
15 Width		
C Continuous		
F Fixed height		
613 Base finish		
115 Top channel finish		

Complete base assemblies adjustable height 30" D dual




Crinion Open Table

description	nominal	w	d	h	pattern number	P1/P2	P3
 Base assembly, continuous	10' dual	120"	54"	28½"	XTB1 BAS 30D10CA () ()	\$17,421.	\$17,927.
	12' dual	144"	54"	28½"	XTB1 BAS 30D12CA () ()	18,124.	18,627.
	15' dual	180"	54"	28½"	XTB1 BAS 30D15CA () ()	21,531.	22,114.
 Base assembly, segmented	10' + 5' dual	180"	54"	28½"	XTB1 BAS 30D15SA () ()	23,285.	23,871.
 Base assembly, with intermediate leg	10' + 10' dual	240"	54"	28½"	XTB1 BAS 30D20SA () ()	29,071.	29,812.
	12' + 12' dual	288"	54"	28½"	XTB1 BAS 30D24CA () ()	30,477.	31,215.
	12' + 6' dual	216"	54"	28½"	XTB1 BAS 30D18SA () ()	25,720.	26,385.
	15' + 10' dual	300"	54"	28½"	XTB1 BAS 30D25CA () ()	33,182.	34,002.

Order Code	Specifications	Application Notes
Example: XTB1BAS30D18SA 613 118	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, top channel and end caps.
XT Crinion Open Table	1. Specify base finish for base assembly.	Base assemblies correspond to: 10': four 60"x30"D worksurfaces 12': four 72"x30"D worksurfaces 15': six 60"x30"D worksurfaces 18': six 72"x30"D worksurfaces 20': eight 60"x30"D worksurfaces 24': eight 72"x30"D worksurfaces 25': ten 60"x30"D worksurfaces
B1 Base components	For legs and cantilever brackets specify one paint finish for all.	
BAS Assembly	2. Specify top channel finish.	No table on this page has beams longer than 15'.
30 Depth	AA anodized aluminum and all paint finishes are available except 613 Silver.	
D Dual	Beams are anodized aluminum only.	
18 Width		
S Segmented		
A Adjustable height		
613 Base finish		
118 Top channel finish		

Complete base assemblies adjustable height 30" D single sided




Crinion Open Table

description	nominal	w	d	h	pattern number	P1/P2	P3
 Base assembly, continuous	10' single sided	120"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S10CA () ()	\$15,278.	\$15,705.
	12' single sided	144"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S12CA () ()	15,979.	16,403.
	15' single sided	180"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S15CA () ()	18,414.	18,880.
 Base assembly, segmented	10' +5' single sided	180"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S15SA () ()	17,246.	17,714.
 Base assembly, with intermediate leg	10' + 10' single sided	240"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S20SA () ()	21,453.	21,959.
	12' + 12' single sided	288"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S24SA () ()	25,780.	26,287.
	12' + 6' single sided	216"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S18SA () ()	19,076.	19,544.
	15' + 10' single sided	300"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S25SA () ()	27,512.	28,058.

Order Code	Specifications	Application Notes
Example: XTB1BAS30S18SA 613 AA	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, top channel and end caps.
XT Crinion Open Table	1. Specify base finish for base assembly.	Base assemblies correspond to:
B1 Base components	For legs and cantilever brackets specify one paint finish for all.	10': two 60"x30"D worksurfaces
BAS Assembly	2. Specify top channel finish.	12': two 72"x30"D worksurfaces
30 Depth	AA anodized aluminum and all paint finishes are available except 613 Silver.	15': three 60"x30"D worksurfaces
S Single	Beams are anodized aluminum only.	18': three 72"x30"D worksurfaces
18 Width		20': four 60"x30"D worksurfaces
S Segmented		24': four 72"x30"D worksurfaces
A Adjustable height		25': five 60"x30"D worksurfaces
613 Base finish		No table on this page has beams longer than 15'.
AA Top channel finish		

Complete base assemblies fixed height 36" D dual




Crinion Open Table

description	nominal	w	h	d	pattern number	P1/P2	P3
	10' dual	120"	28 1/2"	54"	XTB1 BAS 36D10CF () ()	\$17,400.	\$17,888.
	12' dual	144"	28 1/2"	54"	XTB1 BAS 36D12CF () ()	18,104.	18,587.
	15' dual	180"	28 1/2"	54"	XTB1 BAS 36D15CF () ()	21,108.	21,648.
	10' + 5' dual	180"	28 1/2"	54"	XTB1 BAS 36D15SF () ()	22,865.	23,403.
	10' + 10' dual	240"	28 1/2"	54"	XTB1 BAS 36D20SF () ()	28,251.	28,916.
	12' + 12' dual	288"	28 1/2"	54"	XTB1 BAS 36D24CF () ()	29,651.	30,315.
	12' + 6' dual	216"	28 1/2"	54"	XTB1 BAS 36D18SF () ()	25,301.	25,914.
	15' + 10' dual	300"	28 1/2"	54"	XTB1 BAS 36D25CF () ()	31,958.	32,674.

Order Code	Specifications	Application Notes
Example: XTB1BAS36D18SF 613 111	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
XT Crinion Open Table	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	Base assemblies correspond to: 10': four 60"x36"D worksurfaces 12': four 72"x36"D worksurfaces 15': six 60"x36"D worksurfaces 18': six 72"x36"D worksurfaces 20': eight 60"x36"D worksurfaces 24': eight 72"x36"D worksurfaces 25': ten 60"x36"D worksurfaces
B1 Base components		
BAS Assembly		
36 Depth		
D Dual		
18 Width		
S Segmented		
F Fixed height		
613 Base finish		
111 Top channel finish		

Complete base assemblies fixed height 36" D single sided




Crinion Open Table

description	nominal	w	d	h	pattern number	P1/P2	P3
 Base assembly, continuous	10' single sided	120"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S10CF () ()	\$15,347.	\$15,762.
	12' single sided	144"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S12CF () ()	16,042.	16,463.
	15' single sided	180"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S15CF () ()	18,301.	18,742.
 Base assembly, segmented	10' + 5' single sided	180"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S15SF () ()	17,129.	17,576.
 Base assembly, with intermediate leg	10' + 10' single sided	240"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S20SF () ()	21,159.	21,629.
	12' + 12' single sided	288"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S24SF () ()	25,485.	25,956.
	12' + 6' single sided	216"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S18SF () ()	18,963.	19,407.
	15' + 10' single sided	300"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S25SF () ()	27,035.	27,533.

Order Code	Specifications	Application Notes
Example: XTB1BAS36S18SF 613 AA	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
XT Crinion Open Table	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	Base assemblies correspond to: 10': two 60"x36"D worksurfaces 12': two 72"x36"D worksurfaces 15': three 60"x36"D worksurfaces 18': three 72"x36"D worksurfaces 20': four 60"x36"D worksurfaces 24': four 72"x36"D worksurfaces 25': five 60"x36"D worksurfaces
B1 Base components		
BAS Assembly		
36 Depth		
S Single		
18 Width		
S Segmented		
F Fixed height		
613 Base finish		
AA Top channel finish		

Complete base assemblies adjustable height 36" D dual




Crinion Open Table

description	nominal	w	d	h	pattern number	P1/P2	P3
 Base assembly, continuous	10' dual	120"	54"	28 1/2"	XTB1 BAS 36D10CA () ()	\$17,654.	\$18,159.
	12' dual	144"	54"	28 1/2"	XTB1 BAS 36D12CA () ()	18,351.	18,862.
	15' dual	180"	54"	28 1/2"	XTB1 BAS 36D15CA () ()	21,844.	22,429.
 Base assembly, segmented	10' + 5' dual	180"	54"	28 1/2"	XTB1 BAS 36D15SA () ()	23,598.	24,179.
 Base assembly, with intermediate leg	10' + 10' dual	240"	54"	28 1/2"	XTB1 BAS 36D20SA () ()	29,462.	30,202.
	12' + 12' dual	288"	54"	28 1/2"	XTB1 BAS 36D24CA () ()	30,865.	31,604.
	12' + 6' dual	216"	54"	28 1/2"	XTB1 BAS 36D18SA () ()	26,033.	26,696.
	15' + 10' dual	300"	54"	28 1/2"	XTB1 BAS 36D25CA () ()	33,649.	34,470.





Order Code	Specifications	Application Notes
Example: XTB1BAS36D18SA 613 115	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, top channel and end caps.
XT Crinion Open Table	1. Specify base finish for base assembly.	Base assemblies correspond to: 10': four 60"x36"D worksurfaces 12': four 72"x36"D worksurfaces 15': six 60"x36"D worksurfaces 18': six 72"x36"D worksurfaces 20': eight 60"x36"D worksurfaces 24': eight 72"x36"D worksurfaces 25': ten 60"x36"D worksurfaces
B1 Base components	For legs and cantilever brackets specify one paint finish for all.	
BAS Assembly	2. Specify top channel finish.	No table on this page has beams longer than 15'.
36 Depth	AA anodized aluminum and all paint finishes are available except 613 Silver.	
D Dual	Beams are anodized aluminum only.	
18 Width		
S Segmented		
A Adjustable height		
613 Base finish		
115 Top channel finish		

Complete base assemblies adjustable height 36" D single sided

Crinion Open Table

description	nominal	w	d	h	pattern number	P1/P2	P3
 Base assembly, continuous	10' single sided	120"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S10CA () ()	\$15,508.	\$15,940.
	12' single sided	144"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S12CA () ()	16,212.	16,641.
	15' single sided	180"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S15CA () ()	18,728.	19,194.
 Base assembly, segmented	10' + 5' single sided	180"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S15SA () ()	17,558.	18,026.
 Base assembly, with intermediate leg	10' + 10' single sided	240"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S20SA () ()	21,844.	22,348.
	12' + 12' single sided	288"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S24SA () ()	26,169.	26,676.
	12' + 6' single sided	216"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S18SA () ()	19,388.	19,857.
	15' + 10' single sided	300"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S25SA () ()	27,983.	28,529.

Order Code	Specifications	Application Notes
Example: XTB1BAS36S18SA 613 AA	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, top channel and end caps.
XT Crinion Open Table	1. Specify base finish for base assembly.	Base assemblies correspond to: 10': two 60"x36"D worksurfaces 12': two 72"x36"D worksurfaces 15': three 60"x36"D worksurfaces 18': three 72"x36"D worksurfaces 20': four 60"x36"D worksurfaces 24': four 72"x36"D worksurfaces 25': five 60"x36"D worksurfaces
B1 Base components	For legs and cantilever brackets specify one paint finish for all.	
BAS Assembly	2. Specify top channel finish.	No table on this page has beams longer than 15'.
36 Depth	AA anodized aluminum and all paint finishes are available except 613 Silver.	
S Single	Beams are anodized aluminum only.	
18 Width		
S Segmented		
A Adjustable height		
613 Base finish		
AA Top channel finish		

description	nominal	w	d	h	pattern number	list price
 Top channel	10'	120"	2 1/2"	2"	XTC1 120 AA	\$663.
	12'	144"	2 1/2"	2"	XTC1 144 AA	781.
	4'	48"	2 1/2"	2"	XTC1 48 ()	261.
	5'	60"	2 1/2"	2"	XTC1 60 ()	333.
	6'	72"	2 1/2"	2"	XTC1 72 ()	389.
	8'	96"	2 1/2"	2"	XTC1 96 ()	529.
 Top channel end cap			2 1/2"	2"	XTC1 END ()	61.
 Top channel for frameless glass addups	10'	120"	2 1/2"	2"	XTCA1 120 AA	880.
	12'	144"	2 1/2"	2"	XTCA1 144 AA	1,090.
	4'	48"	2 1/2"	2"	XTCA1 48 ()	389.
	5'	60"	2 1/2"	2"	XTCA1 60 ()	470.
	6'	72"	2 1/2"	2"	XTCA1 72 ()	552.
	8'	96"	2 1/2"	2"	XTCA1 96 ()	723.
 Top channel filler		48"			XTCF 48 ()	51.
		60"			XTCF 60 ()	67.
		72"			XTCF 72 ()	67.

Order Code

Example:	XTC1120AA
XT	Crinion open table
C1	Top channel
120	Width
AA	Finish

Specifications

Top channels are extruded aluminum with natural anodized finish AA or any standard painted finish except 613 Silver.

Top channel end caps are die cast aluminum AA or any standard painted finish except 613 Silver.

Top channel filler is 812 Easy Grey or 111 Black.

Application Notes

Crinion Open Table top channel supports privacy screens and suspended raceway components at any point. Top channel is required at the center of dual tables.



Top channels and end caps are included in complete base assemblies.

Top channels correspond in width to one or two worksurface widths.

Beams for single sided or dual tables

24" D


Crinion Open Table


description	nominal	w	d	h	pattern number	list price
 Starter beam set for 24" D	10'	112"	3"	8"	XTB1TB10C	\$2,827.
	12'	136"	3"	8"	XTB1TB12C	3,311.
	15'	172"	3"	8"	XTB1TB15C	4,088.
	5'	52"	3"	8"	XTB1TB5C	1,753.
	6'	64"	3"	8"	XTB1TB6C	1,946.
	8'	88"	3"	8"	XTB1TB8C	2,339.
 Extension beam set for 24" D tables	10'	120"	3"	8"	XTB1TB10E	3,606.
	12'	144"	3"	8"	XTB1TB12E	4,088.
	15'	180"	3"	8"	XTB1TB15E	4,871.
	4'	48"	3"	8"	XTB1TB4E	2,339.
	5'	60"	3"	8"	XTB1TB5E	2,531.
	6'	72"	3"	8"	XTB1TB6E	2,728.
	8'	96"	3"	8"	XTB1TB8E	3,117.

Order Code	Specifications	Application Notes
Example: XTB1TB15C	Beams are extruded aluminum with natural anodized finish.	Crinion Open Table bases are assembled from beams, end legs or end panels, intermediate legs and trusses. Beam sets can be used with either dual or single sided tables. Table bases require one starter beam and extension beam adding up to the length as the sum of the worksurface widths on one side. Extension beam sets are specified only to add on to starter sets or other extension beams.
XT Crinion Open Table		
B1 Base components		
TB Dual beam set		
15 Width		
C Starter		Beam sets must be supported by intermediate legs at least every 16'. Intermediate leg must be positioned at beam truss location, where two worksurfaces meet.

Beams for dual tables 30" and 36" D

Crinion Open Table

description	nominal	w		h	pattern number	list price
Starter beam set for dual table 30" or 36" (pair of beams) 	10'	112"	3"	8"	XTB1DB10C	\$3,896.
	12'	136"	3"	8"	XTB1DB12C	4,480.
	15'	172"	3"	8"	XTB1DB15C	5,262.
	5'	52"	3"	8"	XTB1DB5C	2,339.
	6'	64"	3"	8"	XTB1DB6C	2,531.
	8'	88"	3"	8"	XTB1DB8C	3,311.


Extension beam set for dual table 30" or 36" (pair of beams) 	10'	120"	3"	8"	XTB1DB10E	4,677.
	12'	144"	3"	8"	XTB1DB12E	5,262.
	15'	180"	3"	8"	XTB1DB15E	6,042.
	4'	48"	3"	8"	XTB1DB4E	3,117.
	5'	60"	3"	8"	XTB1DB5E	3,117.
	6'	72"	3"	8"	XTB1DB6E	3,311.
	8'	96"	3"	8"	XTB1DB8E	4,088.


Order Code	Specifications	Application Notes
Example: XTB1DB15C		
XT Crinion Open Table	Beams are extruded aluminum with natural anodized finish.	Crinion Open Table bases are assembled from beams, end legs or end panels, intermediate legs and trusses. Beam sets may be used with either worksurface depth. Dual tables require one pair of main beams of the same nominal width as the sum of the worksurfaces on each side.
B1 Base components	Beam sets are starter or extension.	
DB Dual beam set	Extension beam sets are specified only to add on to starter sets or other extension beams.	
15 Width		
C Starter		Beam sets must be supported by intermediate legs at least every 16'. Intermediate leg must be positioned at beam truss location, where two worksurfaces meet.

Beams for single sided tables

30" and 36" D

Crinion Open Table

description	nominal	w	d	h	pattern number	list price
Starter beam set for single sided table 30" or 36" (main and back beam) 	10'	112"		8"	XTB1SB10C	\$3,311.
	12'	136"		8"	XTB1SB12C	3,896.
	15'	172"		8"	XTB1SB15C	4,480.
	5'	52"		8"	XTB1SB5C	2,045.
	6'	64"		8"	XTB1SB6C	2,143.
	8'	88"		8"	XTB1SB8C	2,827.


Extension beam set for single sided table 30" or 36" (main and back beam) 	10'	120"		8"	XTB1SB10E	4,088.
	12'	144"		8"	XTB1SB12E	4,677.
	15'	180"		8"	XTB1SB15E	5,262.
	4'	48"		8"	XTB1SB4E	2,728.
	5'	60"		8"	XTB1SB5E	2,827.
	6'	72"		8"	XTB1SB6E	2,925.
	8'	96"		8"	XTB1SB8E	3,606.

Order Code	Specifications	Application Notes
Example: XTB1DB15C	Beams are extruded aluminum with natural anodized finish.	Crinion Open Table bases are assembled from beams, end legs or end panels, intermediate legs and trusses. Beam sets may be used with either worksurface depth. Single sided tables require one pair of main beams of the same nominal width as the sum of the worksurfaces on each side.
XT Crinion Open Table	Beam sets are starter or extension.	
B1 Base components	Extension beam sets are specified only to add on to starter sets or other extension beams.	
DB Dual beam set		
15 Width		
C Starter		Beam sets must be supported by intermediate legs at least every 16'. Intermediate leg must be positioned at beam truss location, where two worksurfaces meet.


End legs, intermediate leg sets for dual tables

Crinion Open Table


description	application	w	d	h	pattern number	P1/P2	P3
End leg for dual tables (pair of legs for 36"D worksurface)	24" D worksurface	4"	44"	24"	XTB1EDD24 ()	\$7,052.	\$7,405.
	30" D worksurface	4"	54"	24"	XTB1EDD30 ()	7,052.	7,405.
	36" D worksurface	4"	54"	24"	XTB1EDD36 ()	7,052.	7,405.




Intermediate leg for dual table (pair of legs for 30" and 36"D)	24" D worksurfaces	4"	2 3/4"	16"	XTB2LDD24 ()	846.	846.
	30" & 36" D worksurfaces	4"	2 3/4"	16"	XTB2LDD ()	931.	931.



Shroud for intermediate leg infeed kit	24" D or single sided	3 3/4"	2 1/2"	15"	XTB1 SLIK ()	267.	278.
	30" D	11"	4"	15"	XTB1 SLIK30 ()	337.	352.
	36" D	23"	4"	15"	XTB1 SLIK36 ()	393.	416.



End leg for end counters both ends (pair of legs for 36"D worksurface)	48" W end counter	4"	44"	24"	XTB1XDD24 ()	7,539.	7,894.
	60" W end counter	4"	54"	24"	XTB1XDD30 ()	7,539.	7,894.
	72" W end counter	4"	54"	24"	XTB1XDD36 ()	7,539.	7,894.




Order Code	Specifications	Application Notes	
Example: XTB1EDD30 118	Specify paint finish code after pattern number.	Crinion Open Table bases are assembled from main beams, end legs or end panels, intermediate legs and trusses. After selecting starter or segmented beam sets, specify legs to support each end of beams. End legs support main beams at each end of a table.	Shroud for intermediate leg kit encloses the space between legs to protect power, data and communication cables between floor and table base. Side covers may be removed for access.
XT Crinion Open Table			
B1 Base components			
E End leg			
D Dual			
D Desk height			
30 Depth of tops			
118 Finish		Dual end legs for end counters have threaded metal inserts on the outside of the leg to accept two fixed height or adjustable cantilevers for end counters.	Shroud for 24" d intermediate leg is U-shaped cover that attaches to side of intermediate leg for 24" d or any single sided intermediate leg.
		Intermediate legs must be specified to provide support under beam sets spanning longer than 16'. Intermediate legs may be positioned under beams at any beam truss location. End legs include beam end plates and hardware.	End legs for 24"D worksurfaces and end legs for 48"W end counters have only one end plate for attaching a single centered beam for 24"D tables.
			End legs for 30"D and 36"D worksurfaces and end legs for 60"W and 72"W end counters have two end plates for attaching two beams for 30"D and 36"D tables.

End legs, intermediate leg sets for dual tables


Crinion Open Table

description	application	w	d	h	pattern number	P1/P2	P3
End leg for end counters one end only (pair of legs for 36"D worksurface)	48" W end counter	4"	44"	24"	XTB1YDD24 ()	\$7,300.	\$7,647.
	60" W end counter	4"	54"	24"	XTB1YDD30 ()	7,300.	7,647.
	72" W end counter	4"	54"	24"	XTB1YDD36 ()	7,300.	7,647.




Order Code	Specifications	Application Notes
Example: XTB1EDD30 118	Specify paint finish code after pattern number.	Crinion Open Table bases are assembled from main beams, end legs or end panels, intermediate legs and trusses. After selecting starter or segmented beam sets, specify legs to support each end of beams. End legs support main beams at each end of a table.
XT Crinion Open Table		
B1 Base components		
E End leg		
D Dual		
D Desk height		
30 Depth of tops		
118 Finish		

description	application	width	depth	height	pattern number	P1/P2	P3
End leg for single sided tables (pair of legs)	24" D worksurface	4"	24"	24"	XTB1ESD24 ()	\$7,052.	\$7,405.
	30" D worksurface	4"	28 ³ / ₄ "	24"	XTB1ESD30 ()	7,052.	7,405.
	36" D worksurface	4"	28 ³ / ₄ "	24"	XTB1ESD36 ()	7,052.	7,405.



Intermediate leg for single sided table	24" D worksurfaces	4"	2 ³ / ₄ "	16"	XTB2LSD24 ()	761.	761.
	30" & 36" D worksurfaces	4"	2 ³ / ₄ "	16"	XTB2LSD ()	931.	931.




Order Code	Specifications	Application Notes
Example: XTB1ESD30 118	Specify paint finish code after pattern number.	<p>Crinion Open Table bases are assembled from main beams, end legs or end panels, intermediate legs and trusses. After selecting starter or segmented beam sets, specify legs to support each end of beams. End legs support main beams at each end of a table.</p> <p>Dual end legs for end counters have threaded metal inserts on the outside of the leg to accept two fixed height or adjustable cantilvers for end counters.</p> <p>Intermediate legs must be specified to provide support under beam sets spanning longer than 16'. Intermediate legs may be positioned under beams at any beam truss location. End legs include beam end plates and hardware.</p>
XT Crinion Open Table		
B1 Base components		
E End leg		
S Single		
D Desk height		
30 Depth of tops		
118 Finish		

Shroud for intermediate leg kit encloses the space between legs to protect power, data and communication cables between floor and table base. Side covers may be removed for access.


End panels for dual tables and single sided tables, painted

Crinion Open Table


description	application	width	depth	height	pattern no.	P1/P2/P3
End panels for dual tables (pair of end panels)	24" D worksurface	1 1/4"	46"	25 1/2"	XTB1EP2DD24P() ()	\$3,722.
	30" D worksurface	1 1/4"	58"	25 1/2"	XTB1EP2DD30P() ()	5,244.
	36" D worksurface	1 1/4"	70"	25 1/2"	XTB1EP2DD36P() ()	5,584.




End panels for dual tables (single end panel)	24" D worksurface	1 1/4"	46"	25 1/2"	XTB1EP1DD24P() ()	1,861.
	30" D worksurface	1 1/4"	58"	25 1/2"	XTB1EP1DD30P() ()	2,621.
	36" D worksurface	1 1/4"	70"	25 1/2"	XTB1EP1DD36P() ()	2,791.



End panels for single sided tables (pair of end panels)	24" D worksurface	1 1/4"	25 3/16"	25 1/2"	XTB1EP2SD24P() ()	3,299.
	30" D worksurface	1 1/4"	30 3/16"	25 1/2"	XTB1EP2SD30P() ()	4,734.
	36" D worksurface	1 1/4"	36 3/16"	25 1/2"	XTB1EP2SD36P() ()	4,905.



End panels for single sided tables (single end panel)	24" D worksurface, Left	1 1/4"	25 3/16"	25 1/2"	XTB1EP1LD24P() ()	1,648.
	24" D worksurface, Right	1 1/4"	25 3/16"	25 1/2"	XTB1EP1RD24P() ()	1,648.
	30" D worksurface, Left	1 1/4"	30 3/16"	25 1/2"	XTB1EP1LD30P() ()	2,368.
	30" D worksurface, Right	1 1/4"	30 3/16"	25 1/2"	XTB1EP1RD30P() ()	2,368.
	36" D worksurface, Left	1 1/4"	36 3/16"	25 1/2"	XTB1EP1LD36P() ()	2,452.
	36" D worksurface, Right	1 1/4"	36 3/16"	25 1/2"	XTB1EP1RD36P() ()	2,452.




LH Shown
RH Opposite


Order Code	Specification	Application Notes
Example: XTB1EP2DD 24P118	Specify paint finish for brackets, then specify paint finish for end panel.	End panels may be specified as an alternative to End legs to support each end of beams.
XT Crinion Open Table		
B1 Base components		End panel kits include end panel, connecting hardware and support legs.
EP2 End panel		
D Dual		End panel kits are not compatible with end counters.
D Desk Height		
24 Depth of tops		
P Finish		
118 Finish		
118 Finish		

End panels for dual tables and single sided tables, laminate and veneer Crinion Open Table


description	application	w	d	h	pattern no.	L	V1	V2	V3
End panels for dual tables (pair of end panels)	24" D worksurface	1 1/4"	46"	25 1/2"	XTB1EP2DD24() ()	\$3,891.	\$4,058.	\$4,905.	\$4,949.
	30" D worksurface	1 1/4"	58"	25 1/2"	XTB1EP2DD30() ()	5,409.	5,751.	6,599.	6,765.
	36" D worksurface	1 1/4"	70"	25 1/2"	XTB1EP2DD36() ()	5,751.	5,921.	6,933.	7,095.




End panel for dual tables (single end panel)	24" D worksurface	1 1/4"	46"	25 1/2"	XTB1EP1DD24() ()	1,944.	2,030.	2,452.	2,474.
	30" D worksurface	1 1/4"	58"	25 1/2"	XTB1EP1DD30() ()	2,706.	2,875.	3,299.	3,381.
	36" D worksurface	1 1/4"	70"	25 1/2"	XTB1EP1DD36() ()	2,875.	2,958.	3,467.	3,550.



End panels for single sided tables (pair of end panels)	24" D worksurface	1 1/4"	25 3/16"	25 1/2"	XTB1EP2SD24() ()	3,467.	3,722.	4,231.	4,289.
	30" D worksurface	1 1/4"	30 3/16"	25 1/2"	XTB1EP2SD30() ()	4,905.	5,244.	5,751.	5,940.
	36" D worksurface	1 1/4"	36 3/16"	25 1/2"	XTB1EP2SD36() ()	5,072.	5,409.	6,090.	6,268.




End panel for single sided tables (single end panel)	24" D worksurface, Left	1 1/4"	25 3/16"	25 1/2"	XTB1EP1LD24() ()	1,736.	1,861.	2,112.	2,145.
	24" D worksurface, Right	1 1/4"	25 3/16"	25 1/2"	XTB1EP1RD24() ()	1,736.	1,861.	2,112.	2,145.
	30" D worksurface, Left	1 1/4"	30 3/16"	25 1/2"	XTB1EP1LD30() ()	2,452.	2,621.	2,875.	2,969.
	30" D worksurface, Right	1 1/4"	30 3/16"	25 1/2"	XTB1EP1RD30() ()	2,452.	2,621.	2,875.	2,969.
	36" D worksurface, Left	1 1/4"	36 3/16"	25 1/2"	XTB1EP1LD36() ()	2,538.	2,706.	3,045.	3,135.
	36" D worksurface, Right	1 1/4"	36 3/16"	25 1/2"	XTB1EP1RD36() ()	2,538.	2,706.	3,045.	3,135.




LH Shown
RH Opposite

Order Code	Specifications	Application Notes
Example: XTB1EP2DD 24118 118		
XT Crinion Open Table	Specify paint finish for brackets, then specify laminate or veneer finish for end panel.	End panels may be specified as an alternative to End legs to support each end of beams.
B1 Base components		
EP2 End panel	Brushed and woodgrain laminates are not available on 70" wide end panels for use on 36"D dual sided tables.	End panel kits include end panel, connecting hardware and support legs.
D Dual		End panel kits are not compatible with end counters.
D Desk Height		
24 Depth of tops		
118 Finish		
118 Finish		


description	application	w	d	h	pattern number	P1/P2/P3
Beam truss for dual tables	30" D worksurface	3"	11"	10"	XTB1XD30 ()	\$858.
	36" D worksurface	3"	23"	10"	XTB1XD36 ()	937.




Top channel support	24" D worksurface				XTB1T24 ()	309.
---------------------	-------------------	--	--	--	--------------------	------




Beam truss for single sided tables	30" D worksurface	3"			XTB1XS30 ()	858.
	36" D worksurface	3"			XTB1XS36 ()	937.



Beam truss for dual tables no top channel support	30" D worksurface	3"	11"	8"	XTB1XD30N ()	664.
	36" D worksurface	3"	23"	8"	XTB1XD36N ()	762.








Beam truss for single sided tables no top channel support	30" D worksurface	3"			XTB1XS30N ()	664.
	36" D worksurface	3"			XTB1XS36N ()	762.



Order Code	Specifications	Application Notes
Example: XTB1XD30 613	Beam trusses are available in all standard painted finishes.	Crinion Open Table bases are assembled from beams, end legs or end panels, intermediate legs and trusses. After selecting beams and leg kits, specify trusses between beams.
XT Crinion Open Table		
B1 Base components		
XD Beam truss for dual table		
30 Depth		
613 Finish		Specify beam trusses adjacent to each end leg and at each worksurface junction.
		For 24"D tables specify top channel support instead of truss.
		Beam trusses with no top channel support must be specified in combination with intermediate legs planned other than at worksurface junctions (as for cable infeed shrouds).

Worksurface support cantilever and mid span support




Crinion Open Table

description	w	d	h	pattern number	P1/P2	P3
Cantilever, fixed height 30" or 36" D 	3"	24"	9"	XTB1FC ()	\$353.	\$371.
Cantilever, fixed height 24" D 	3"	19"	9"	XTB1FC24 ()	353.	371.
Cantilever, adjustable height 30" or 36" D 	3"	24"	9" - 12"	XTB1AC ()	389.	409.
Cantilever, adjustable height 24" D 	3"	24"	9" - 12"	XTB1AC24 ()	389.	409.
Mid span support 	2	2	8	XTB1MB ()	167.	176.

Order Code	Specifications	Application Notes
Example: XTB1FC 118	Specify paint finish code after pattern number.	Cantilever brackets are required to support each end of worksurfaces.
XT Crinion Open Table		
B1 Base components		Brackets can be positioned at ends of worksurface, or inset at legs or floorstanding pedestal locations.
FC Fixed height cantilever	48"worksurfaces: shared cantilevers each end or two adjustable per worksurface.	Fixed height cantilevers can be shared between adjacent worksurfaces. Mid span support bracket must be specified for worksurface spans exceeding 4'.
118 Finish	60" and 72" worksurfaces: shared cantilevers each end plus mid span support or two adjustable cantilevers inset 8".	Fixed height cantilever supports worksurface at 28 1/2" H.
	96"worksurfaces: shared cantilevers at ends plus one in center or three adjustable cantilevers.	Adjustable cantilevers enable worksurfaces to be set at 27", 27 3/4", 28 1/2", 29 1/4" or 30" H.
	96"x 24" with hinged door: shared cantilever each end plus two mid span supports.	
	96"x 30" with hinged door: shared cantilever each end plus 24"d cantilever as center support.	
	96"x 36" with hinged door: shared cantilever each end plus 24", 30" or 36"d cantilever as center support.	

Worksurface support linking plate and cantilever for end counters

Crinion Open Table

description	w	d	h	pattern no.	P1/P2	P3
Cantilever for end counters, fixed height	3"	19"	9"	XTB1FCEND ()	\$353.	\$371.
						
Cantilever for end counters, adjustable height	3"	19"	9" - 12"	XTB1ACEND ()	389.	409.
						
Worksurface linking plate					XTB1LP	50.
						


Order Code	Specification	Application Notes
Example: XTB1FCEND 613	Specify paint finish code after pattern number.	<p>Cantilever brackets are required to support each end of worksurface.</p> <p>Brackets attach to inserts on the outside face of end legs for end counters.</p> <p>Fixed height cantilever supports for end counter at 28 1/2" H.</p> <p>Adjustable cantilevers for end counter enables end counter to be set at 28 1/2", 29 1/4" or 30" H.</p> <p>A linking plate is recommended to join adjacent worksurfaces that are independently supported at the same height. Specify two linking plates at the junction of two worksurfaces, or four total for each end counter to two worksurfaces. A linking plate is not required where adjacent tops are supported by a shared fixed height cantilever bracket, as with complete fixed height base assemblies. Linking plates are recommended for complete adjustable height base assemblies in which tops are set at the same height.</p>
XT Crinion Open Table		
B1 Base components		
FC Fixed height cantilever		
END for end counter		
613 Finish		

Modular Raceway


2 + 2 eight-wire Raceway with covers

Crinion Open Table

description	type	h	w	d	pattern number	list price
Dual raceway, two power + two data outlets each side		4"	30"	2"	XTR1E30D ()	\$462.




Dual raceway, four power + two data outlets each side		4"	42"	2"	XTR1E424D ()	663.
---	--	----	-----	----	----------------------	------




Flat end cover					XTR1FE ()	41.
----------------	--	--	--	--	-------------------	-----

Extended end cover					XTR1EE ()	41.
--------------------	--	--	--	--	-------------------	-----

Single sided raceway two power + two data outlets one side		4"	30"	2"	XTR1E30S ()	462.
---	--	----	-----	----	---------------------	------



Single sided raceway four power + two data outlets one side		4"	42"	2"	XTR1E424S ()	663.
--	--	----	-----	----	----------------------	------



Order Code	Specifications	Applications notes
Example: XTR1E424D 613		
XT Crinion Open Table	Eight wire 2+2 has two sets of circuits, each set with a separate ground and neutral.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
E Eight wire system	Specify paint finish code after pattern number.	
42 Width		
4 Extra outlets	Covers have two openings for data/com outlet modules (Decora-size, specified separately).	Each raceway requires four or eight duplex outlets, on any of four circuits.
D Dual Raceway		Jumpers connect power from one raceway to another.
613 Finish		To join power between 30" raceways: specify 30" jumper for 60" desks and specify 42" jumper for 72" desks.

To join power between 42" raceways: specify 18" jumper for 60" desks and 30" jumper for 72" desks.

Flat end covers enclose the end of a raceway at the end of a table.






Extended end covers enclose the end of a raceway at the end of a table where power infeed is located.

Specify outlet fillers separately for unused outlet openings.

Modular Raceway

2 + 2 eight-wire Raceway components

Crinion Open Table

description	type	h	w	d	pattern number	list price
Modular infeed					XTR1EPI	\$343.
						
NYC infeed kit					XTR1EPH	783.
						
Jumper			18"		XTR1EJ18	157.
			30"		XTR1EJ30	180.
			42"		XTR1EJ42	207.
						
Duplex outlet	Circuit A				XTR1DA	57.
	Circuit A, with controlled symbol				XTR1DAC	57.
	Circuit B				XTR1DB	57.
	Circuit B, with controlled symbol				XTR1DBC	57.
	Circuit X, orange				XTR1DXO	66.
	Circuit Y, orange				XTR1DYO	66.
						
Outlet filler	Set of 10				XTR1OF	50.
PDC module extension kit	Set of 10				XTR1PDCX	201.
Compact Power Module					XTR1ECPM ()	847.
						


Order Code	Specifications	Application Notes
Example: XTR1EJ18		
XT Crinion Open Table	Eight wire 2+2 has two sets of circuits, each set with a separate ground and neutral.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
E Eight wire		
J Jumper		
18 Width		
		Jumper length is difference between worksurface width and specified raceway width.
		Compact power module is designed to supply power outlets under extended end counter worksurfaces, or additional outlets under desks.
		Compact power module can be suspended from top channel or attached to inside face of beams.
		Each face of compact power module accepts two duplex outlets.
		Power infeed includes pigtail for connection to building power supply and connector to either end of any raceway.
		NYC infeed kit includes junction box that mounts to inside face of beams in table base.

Modular Raceway


3 + 3 ten-wire Raceway with covers

Crinion Open Table

description	type	h	w	d	pattern number	list price
Dual raceway, two power + two data outlets each side		4"	30"	2"	XTR1T30D ()	\$483.




Dual raceway, four power + two data outlets each side		4"	42"	2"	XTR1T424D ()	683.
---	--	----	-----	----	----------------------	------




Flat end cover					XTR1FE ()	41.
----------------	--	--	--	--	-------------------	-----

Extended end cover					XTR1EE ()	41.
--------------------	--	--	--	--	-------------------	-----

Single sided raceway two power + two data outlets one side		4"	30"	2"	XTR1T30S ()	483.
---	--	----	-----	----	---------------------	------



Single sided raceway four power + two data outlets one side		4"	42"	2"	XTR1T424S ()	683.
--	--	----	-----	----	----------------------	------








Order Code	Specifications	Application Notes
Example: XTR1T424D 613		
XT Crinion Open Table	Ten wire 3+3 has two sets of three circuits, each set with a separate ground and neutral.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
T Ten wire system	Specify paint finish code after pattern number.	
42 Width		Each raceway requires four or eight duplex outlets, on any of six circuits.
4 Extra outlets	Covers have two openings for data/com outlet modules (Decora-size, specified separately).	Jumpers connect power from one raceway to another.
D Dual Raceway		To join power between 30" raceways: specify 30" jumper for 60" desks and specify 42" jumper for 72" desks.
613 Finish		To join power between 42" raceways: specify 18" jumper for 60" desks and 30" jumper for 72" desks.
		Flat end covers enclose the end of a raceway at the end of a table.
		Extended end covers enclose the end of a raceway at the end of a table where power infeed is located.
		Specify outlet fillers separately for unused outlet openings.

Modular Raceway

3 + 3 ten-wire Raceway components

Crinion Open Table

description	type	h	w	d	pattern number	list pricing
Modular infeed					XTR1TPI	\$385.
						
NYC infeed kit					XTR1TPH	783.
						
Jumper			18"		XTR1TJ18	180.
			30"		XTR1TJ30	207.
			42"		XTR1TJ42	238.
Duplex outlet	Circuit A				XTR1DA	57.
	Circuit A, with controlled symbol				XTR1DAC	57.
	Circuit B				XTR1DB	57.
	Circuit B, with controlled symbol				XTR1DBC	57.
	Circuit C				XTR1DC	57.
	Circuit C, with controlled symbol				XTR1DCC	57.
	Circuit X, orange				XTR1DXO	66.
	Circuit Y, orange				XTR1DYO	66.
	Circuit Z, orange				XTR1DZO	66.
Outlet filler	Set of 10				XTR1OF	50.
PDC module extension kit	Set of 10				XTR1PDCX	201.
Compact Power Module					XTR1TCPM ()	873.
						


Order Code	Specifications	Application Notes
Example: XTR1TJ18		
XT Crinion Open Table	Ten wire 3+3 has two sets of three circuits, each set with a separate ground and neutral.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
T Ten wire		
J Jumper		Each raceway requires four or eight duplex outlets, on any of six circuits.
18 Width		Power infeed includes pigtail for connection to building power supply and connector to either end of any raceway.
		NYC infeed kit includes junction box that mounts to inside face of beams in table base.
		Jumper length is difference between worksurface width and specified raceway width.
		Compact power module is designed to supply power outlets under extended end counter worksurfaces, or additional outlets under desks.
		Compact power module can be suspended from top channel or attached to inside face of beams.
		Each face of compact power module accepts two duplex outlets.

Modular Raceway


4-4-2 ten-wire Raceway with covers

Crinion Open Table


description	type	h	w	d	pattern number	list price
Dual raceway, two power + two data outlets each side		4"	30"	2"	XTR1X30D ()	\$512.




Dual raceway, four power + two data outlets each side		4"	42"	2"	XTR1X424D ()	719.
---	--	----	-----	----	----------------------	------



Single sided raceway two power + two data outlets one side		4"	30"	2"	XTR1X30S ()	512.
---	--	----	-----	----	---------------------	------



Single sided raceway four power + two data outlets one side		4"	42"	2"	XTR1X424S ()	719.
--	--	----	-----	----	----------------------	------








Order Code	Specifications	Application Notes
Example: XTR1X424D 613		
XT Crinion Open Table	Ten wire 4-4-2 has four circuits each with a separate neutral, plus a ground wire for circuit 1 and 2 and another ground for circuit 3 and 4.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
X Ten wire 4-4-2	Specify paint finish code after pattern number.	Each raceway requires four or eight duplex outlets, on any of six circuits.
42 Width	Covers have two openings for data/com outlet modules (Decora-size, specified separately).	Jumpers connect power from one raceway to another.
4 Extra outlets		To join power between 30" raceways: specify 30" jumper for 60" desks and specify 42" jumper for 72" desks.
D Dual Raceway		To join power between 42" raceways: specify 18" jumper for 60" desks and 30" jumper for 72" desks.
613 Finish		Flat end covers enclose the end of a raceway at the end of a table. Extended end covers enclose the end of a raceway at the end of a table where power infeed is located. Specify outlet fillers separately for unused outlet openings.

Modular Raceway

4-4-2 ten-wire Raceway components





Crinion Open Table

description	type	h	w	d	pattern number	list price
Modular infeed					XTR1XPI	\$405.
						
NYC infeed kit					XTR1XPH	823.
						
Jumper			18"		XTR1XJ18	187.
			30"		XTR1XJ30	219.
			42"		XTR1XJ42	245.
Duplex outlet	Circuit 1				XTR1D1	62.
	Circuit 1, with controlled symbol				XTR1D1C	62.
	Circuit 2				XTR1D2	62.
	Circuit 2, with controlled symbol				XTR1D2C	62.
	Circuit 3				XTR1D3	62.
	Circuit 3, with controlled symbol				XTR1D3C	62.
	Circuit 4				XTR1D4	62.
	Circuit 4, with controlled symbol				XTR1D4C	62.
Compact Power Module					XTR1XCPM ()	873.
						






Order Code	Specifications	Application Notes
Example: XTR1XJ18		
XT Crinion Open Table	Ten wire 4-4-2 has four circuits each with a separate neutral, plus a ground wire for circuit 1 and 2 and another ground for circuit 3 and 4.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
X Ten wire 4-4-2		
J Jumper	All duplex outlets are black.	Each raceway requires four or eight duplex outlets, on any of six circuits.
18 Width		Power infeed includes pigtail for connection to building power supply and connector to either end of any raceway.
		NYC infeed kit includes junction box that mounts to inside face of beams in table base.
		Jumper length is difference between worksurface width and specified raceway width.
		Compact power module is designed to supply power outlets under extended end counter worksurfaces, or additional outlets under desks.
		Compact power module can be suspended from top channel or attached to inside face of beams.
		Each face of compact power module accepts two duplex outlets.

description	type	h	w	d	pattern number	list price
Dual raceway, two power + two data outlets each side		4"	30"	2"	XTR1H30D ()	\$992.
Flat end cover					XTR1FE ()	41.
Extended end cover					XTR1EE ()	41.
Outlet filler	Set of 10				XTR1OF	50.

Order Code	Specifications	Application Notes
Example: XTR1H30D 613		
XT Crinion Open Table	Specify paint finish code after pattern number.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
H Hard wire system	Hardwired raceway components are designed for use in City of Chicago installations.	
30 Width		
D Dual Raceway		
613 Finish	Covers have two openings for data/com outlet modules (Decora-size, by others).	Dual raceways are code-approved boxed with openings for two or four duplex outlets on each face, plus two additional openings for data/communications faceplates on each face. A continuous horizontal metal septum divides power wires and connections from data and communications cables. Each raceway requires Decora-type architectural power outlets, internal wiring and connecting cables, supplied by electrical contractor.
		Flat end covers enclose the raceway at the end of a table. Extended end covers provide an opening on the underside to permit cables to enter the raceway.
		Specify outlet filler plates for unused outlet openings. Specify PDC extenders to create space behind data/com for cable distribution inside dual raceway.

description	table size	w	d	pattern number	list price
 Cable trays, leg position, pair	5', 30"D	53"	1"	XTCT6030LD ()	\$421.
	5', 36"D	53"	4"	XTCT6036LD ()	571.
	6', 30"D	65"	1"	XTCT7230LD ()	453.
	6', 36"D	65"	4"	XTCT7236LD ()	662.
 Cable trays, full width, pair	5', 30"D	60"	1"	XTCT6030D ()	421.
	5', 36"D	60"	4"	XTCT6036D ()	571.
	6', 30"D	72"	1"	XTCT7230D ()	453.
	6', 36"D	72"	4"	XTCT7236D ()	662.
 Data tray kit		42"		XTDT42 ()	293.
 Data + excess cable tray kit		42"		XTDTX42 ()	487.
Truss cable clips, set of 25				XTR1TCC25	21.
Beam cable clips, set of 50				XTR1BCC50	389.
Random attachment kit, set of 10				XTB1RAK	133.

Order Code	Specifications	Applications notes
Example: XTCT7230D 613	Cable trays and Data tray kits are available in all standard paint finishes.	Cable trays are optional kits to manage cables on each side of dual table bases. Specify cable trays for leg position at each end of the table. Specify cable trays, full width for other positions.
XT Crinion Open Table		
CT Cable tray		
72 Width		
30 Depth		
D Dual table		
613 Finish		Data tray kit provides 3" wide horizontal open cable tray directly below either 30" or 42"W raceway module (at center of 60" or 72" desks). Data + excess tray kit provides two open trays below either raceway module, one 3"W and one 5"W.
		Truss cable clips manage cables between raceway. Specify 2 clips per truss (one set of 10 for each five trusses).
		Beam cable clips manage cables along the inside faces of each beam set.
		Random attachment kit is a set of ten M8 slot nuts for attaching various products to the Crinion Open Table beams or top channel. Specify appropriate M8 screws separately.


description	application	w	d	h	pattern no.	list
	24"D tables	18"	2"	3/4"	XTBT18 ()	\$131.
	24"D tables	24"	2"	3/4"	XTBT24 ()	152.
	24"D tables	36"	2"	3/4"	XTBT36 ()	162.
	24"D tables	48"	2"	3/4"	XTBT48 ()	177.
	24"D tables	60"	2"	3/4"	XTBT60 ()	190.
		120"	8"	1"	XTWB120	726.
Cable basket hangers	From truss 30/36D only				XTWTX ()	116.
						
	From truss at infeed shroud				XTWTBSLIK ()	353.
						
	From main beam, 24D only				XTWTB ()	116.
						
	From top channel, 30/36D only				XTWTC ()	153.


Order Code	Specifications	Application Notes
Example: XTBT36 118		
XT	Crinion Open Table	
BT	Beam mounted cable tray	
36	Width	
118	Paint finish	
	Beam mounted cable trays are available in any standard painted finish.	Beam mounted cable trays may be inserted in slots on either face of Crinion Open Table main beams. On 24"D dual or single sided tables beam mounted cable trays are the only option for cable management other than the shallow channel on top of the beam or a cable basket. On 30"D and 36"D tables beam mounted trays may complement other cable tray options.
	Cable basket is zinc metal finish only.	
	Basket hangers can be specified in any standard painted finish.	Beam mounted cable trays must be segmented to fit between cantilever and midspan support brackets.
		For 48"W worksurfaces with shared cantilevers specify 36"W trays. For 60"W worksurfaces with shared cantilevers and midspan supports specify 24"W trays adjacent to end legs specify 18"W trays.
		For 72"W worksurfaces with shared cantilevers and midspan supports specify 24"W trays.
		For 96"W worksurfaces specify 36"W trays between supports. Specify 48"W trays for additional cable management between trusses on the inside face of beams on dual 30"D and 36"D tables with 60" worksurfaces. Specify 60"W trays on the inside face of beams on dual 30"D and 36"D tables with 72"W worksurfaces.
		Cable basket is suspended below the center of dual tables instead of or in addition to cable trays. Cable basket offers the most flexibility for managing large bundles of cables and for entering or exiting the tray at any point. Cable basket ships in 10' lengths and is cut to size in field. Specify cable basket hangers separately. Each hanger can suspend one end of a tray or two adjacent trays. Hanger from trusses is for 30" or 36"D dual or single sided tables. Hanger from main beam is for 24"D dual tables only. Hangers from top channel are for 30" or 36"D dual tables only.


Center screens


Crinion Open Table

Acrylic, slatwall, combination, marker or veneer surface

description	appl.	w	d	h	pattern no.	Opal acrylic	Trans. acrylic / Marker	slatwall	Comb. acrylic / slatwall	V1	V2	V3
Center screen to 43" H 	48"	48"	1 1/4"	14"	XTCS1 4814 () ()	\$1,411.	\$1,461.	\$2,244.	n/a	\$1,946.	\$2,137.	\$2,437.
	60"	60"	1 1/4"	14"	XTCS1 6014 () ()	1,854.	1,942.	2,435.	n/a	2,107.	2,325.	2,721.
	72"	72"	1 1/4"	14"	XTCS1 7214 () ()	1,946.	2,039.	2,631.	n/a	2,213.	2,467.	2,946.
acrylic shown												

Center screen to 43" H adjacent to end screen 	48"	47"	1 1/4"	14"	XTCS1 4714 () ()	1,411.	1,461.	2,244.	n/a	1,946.	2,137.	2,437.
	60"	59"	1 1/4"	14"	XTCS1 5914 () ()	1,854.	1,942.	2,435.	n/a	2,107.	2,325.	2,721.
	72"	71"	1 1/4"	14"	XTCS1 7114 () ()	1,946.	2,039.	2,631.	n/a	2,213.	2,467.	2,946.
acrylic shown												

Center screen to 50" H 	48"	48"	1 1/4"	21"	XTCS1 4821 () ()	1,657.	1,731.	2,631.	2,435.	2,138.	2,379.	2,837.
	60"	60"	1 1/4"	21"	XTCS1 6021 () ()	2,143.	2,283.	2,925.	2,827.	2,298.	2,592.	3,171.
	72"	72"	1 1/4"	21"	XTCS1 7221 () ()	2,244.	2,378.	3,219.	3,023.	2,380.	2,725.	3,433.
slatwall shown												


Center screen to 50" H adjacent to end screen 	48"	47"	1 1/4"	21"	XTCS1 4721 () ()	1,657.	1,731.	2,631.	2,435.	2,138.	2,379.	2,837.
	60"	59"	1 1/4"	21"	XTCS1 5921 () ()	2,143.	2,283.	2,925.	2,827.	2,298.	2,592.	3,171.
	72"	71"	1 1/4"	21"	XTCS1 7121 () ()	2,244.	2,378.	3,219.	3,023.	2,380.	2,725.	3,433.
combination shown												


Order Code	Specifications	Application Notes
Example: XTCS16014A O 111		
XT	Crinion Open Table	
CS1	Center screen	Center screens mount to continuous channel at center of tables. Specify 14" H screens for a 42" horizon. Specify 21" H screens for a 49" horizon. Horizons are maintained regardless of worksurface height.
60	Width	Center screens adjacent to end screens allow space for dual or single sided end screens.
14	Height	Slatwall screens require buttresses to support Knoll Extra flat screen monitor arm. Specify one buttress per monitor arm, up to four buttresses per screen.
A	Surface	
O	Opal	Combination screens include 14" high slatwall with acrylic above.
111	Frame finish	Center screens include mounting hardware for standard top channel only.
	Slatwall surface is available in (AA) or any standard painted finish except 613 Silver.	Slatwall screens will support flat panel monitor arms with varying weight limitations based on mounting and application. Please refer to the KnollExtra price list for comprehensive mounting and weight limitation information by application.
	For veneer surface specify suffix V and finish code from list on page 0.	Veneer grain direction is horizontal.
	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.	Marker surface has wood core.


Center screens


Tackable fabric surface

Crinion Open Table





description	application	w	d	h	pattern no.	10	15	20	30	35	40	45
Center screen to 43" H 	48"	48"	1 1/4"	14"	XTCS1 4814F () ()	\$1,492.	\$1,517.	\$1,528.	\$1,560.	\$1,583.	\$1,583.	\$1,637.
	60"	60"	1 1/4"	14"	XTCS1 6014F () ()	1,631.	1,664.	1,669.	1,709.	1,742.	1,742.	1,808.
	72"	72"	1 1/4"	14"	XTCS1 7214F () ()	1,667.	1,713.	1,717.	1,766.	1,805.	1,805.	1,883.

Center screen to 43" H adjacent to end screen 	48"	47"	1 1/4"	14"	XTCS1 4714F () ()	1,477.	1,506.	1,510.	1,543.	1,566.	1,566.	1,621.
	60"	59"	1 1/4"	14"	XTCS1 5914F () ()	1,631.	1,664.	1,669.	1,709.	1,742.	1,742.	1,808.
	72"	71"	1 1/4"	14"	XTCS1 7114F () ()	1,667.	1,713.	1,717.	1,766.	1,805.	1,805.	1,883.

Center screen to 50" H 	48"	48"	1 1/4"	21"	XTCS1 4821F () ()	1,582.	1,608.	1,616.	1,646.	1,669.	1,669.	1,720.
	60"	60"	1 1/4"	21"	XTCS1 6021F () ()	1,762.	1,804.	1,808.	1,846.	1,874.	1,874.	1,944.
	72"	72"	1 1/4"	21"	XTCS1 7221F () ()	1,782.	1,826.	1,835.	1,881.	1,920.	1,920.	1,997.

Center screen to 50" H adjacent to end screen 	48"	47"	1 1/4"	21"	XTCS1 4721F () ()	1,582.	1,608.	1,616.	1,646.	1,669.	1,669.	1,720.
	60"	59"	1 1/4"	21"	XTCS1 5921F () ()	1,762.	1,804.	1,808.	1,846.	1,874.	1,874.	1,944.
	72"	71"	1 1/4"	21"	XTCS1 7121F () ()	1,782.	1,826.	1,835.	1,881.	1,920.	1,920.	1,997.

Order Code	Specifications	Application Notes
Example: XTCS16014F20 (W2801) AA	1. Select fabric surface, side 1 finish code from list on page 11 .	Fabric center screens mount to continuous channel at center of tables. Specify 14" H screens for a 43" horizon. Specify 21" H screens for a 50" horizon. Horizons are maintained regardless of worksurface height.
XT Crinion Open Table	2. Select fabric surface, side 2 finish code from list on page 11 .	
CS1 Center screen		Center screens adjacent to end screens allow space for dual or single sided end screens.
60 Width		
14 Height		Center screens include mounting hardware for standard top channel only.
F Surface		
W2801 Fabric - Side 1	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.	
W2801 Fabric - Side 2	Fabric is railroaded.	
AA Frame finish		



description	application	w	d	h	pattern no.	list	AA/paint	L	V1	V2	V3
Display shelf 5"D aluminum only 	48" slatwall	45"	5"	1"	XT1DS4505 ()		\$432.				
	60" slatwall	57"	5"	1"	XT1DS5705 ()		484.				
	72" slatwall	69"	5"	1"	XT1DS6905 ()		527.				
Open shelf 9"D laminate or veneer only 	48" slatwall	45"	9"	1"	XT1LS4509 ()()			484.	634.	728.	957.
	60" slatwall	57"	9"	1"	XT1LS5709 ()()			556.	727.	834.	1,102.
	72" slatwall	69"	9"	1"	XT1LS6909 ()()			631.	821.	942.	1,240.
Slatwall adapters for applied wall accessories 		24"			XT1SA24 ()	46.					
		30"			XT1SA30 ()	53.					
		36"			XT1SA36 ()	64.					
		42"			XT1SA42 ()	69.					
		48"			XT1SA48 ()	78.					
		54"			XT1SA54 ()	91.					
		60"			XT1SA60 ()	100.					
		66"			XT1SA66 ()	107.					
		72"			XT1SA72 ()	116.					
Buttress for slatwall screen					XTCS1 SBA ()	389.					
											

Order Code	Specifications	Application Notes
Example: XT1LS5709 118 AA		
XT1 Crinion Open Table	Display shelves are anodized aluminum (AA) or any standard painted finish except silver.	Open shelves and display shelves for slatwall are designed for use on Crinion Open Table center screens with slatwall inserts.
LS Open shelf		
57 Width	For open shelves specify any standard laminate or veneer finish, then platform finish.	Shelves include adapter that snaps into horizontal channels in slatwall, approximately every 2" vertically.
09 Depth	Shelf platform may be AA or any standard paint finish except silver.	Shelf width fits either full width center screens or screens adjacent to end screens.
118 Shelf finish		
AA Platform finish	Slatwall adapters are integral color 812 Easy grey or 111 Black only.	Slatwall adapters enable other Applied Wall System shelves and accessories to be mounted to Crinion Open Table slatwall.
		Adapter will also fit other Knoll system slatwalls, such as AutoStrada spine or panels, but use of shelves in these applications may not comply with ANSI/BIFMA safety standards for anti-dislodgment.

Side screens

Acrylic, Marker or veneer surface

Crinion Open Table



description	application	w	d	h	pattern no.	list	Opal acrylic	Trans. acrylic / Marker	V1	V2	V3
	Side screen to 43" H	24" D worksurface	22"	1 1/4"	14"	XTSS1 2414 () ()	\$1,023.	\$1,053.	\$1,543.	\$1,653.	\$1,774.
		30" D worksurface	28"	1 1/4"	14"	XTSS1 3014 () ()	1,075.	1,111.	1,592.	1,717.	1,887.
		36" D worksurface	34"	1 1/4"	14"	XTSS1 3614 () ()	1,169.	1,214.	1,634.	1,777.	1,989.
	acrylic shown										
	Side screen to 50" H	24" D worksurface	22"	1 1/4"	21"	XTSS1 2421 () ()	1,169.	1,214.	1,649.	1,790.	1,979.
		30" D worksurface	28"	1 1/4"	21"	XTSS1 3021 () ()	1,219.	1,274.	1,702.	1,866.	2,118.
		36" D worksurface	34"	1 1/4"	21"	XTSS1 3621 () ()	1,313.	1,377.	1,750.	1,939.	2,257.
	acrylic shown										
Side screen brackets (pair)	postformed edge					XTSM1P ()	409.				
	squared edge					XTSM1S ()	290.				
	tapered edge					XTSM1K ()	290.				

Order Code	Specifications	Application Notes
Example: XTSS13014A O AA		
XT Crinion Open Table	1. Specify surface <i>A = Acrylic</i> <i>V = Veneer</i> <i>M = Marker</i>	Side screens clamp to front and back edge of worksurface at any point (except at hinged access door). Specify side screen brackets separately. Specify 14" H screens for a 42" horizon. Specify 21" H screens for a 49" horizon. Side screens align in height with center screens when worksurfaces are set at 28 3/8" H.
SS1 Side screen	2. For Acrylic surface specify <i>O = Opal</i> <i>T = Translucent</i>	
30 Width	Veneer surfaces may be any standard AutoStrada V1,V2 or V3 veneer.	
14 Height	Specify veneer finish code from list on table finishes page in beginning of price list.	
A Surface		
O Opal		Veneer grain direction is horizontal.
AA Frame finish	Frame is clear anodized aluminum or any standard paint finish except 613 Silver. Brackets are available in all paint finishes	

Side screens

Tackable fabric surface

Crinion Open Table



description	application	w	d	h	pattern no.	list	10	15	20	30	35	40	45
	24" D worksurface	22"	1 1/4"	14"	XTSS1 2414F () ()	\$1,163.	\$1,176.	\$1,178.	\$1,196.	\$1,208.	\$1,208.	\$1,233.	
	30" D worksurface	28"	1 1/4"	14"	XTSS1 3014F () ()	1,196.	1,214.	1,219.	1,238.	1,254.	1,254.	1,284.	
	36" D worksurface	34"	1 1/4"	14"	XTSS1 3614F () ()	1,231.	1,254.	1,280.	1,297.	1,297.	1,297.	1,340.	
	24" D worksurface	22"	1 1/4"	21"	XTSS1 2421F () ()	1,213.	1,229.	1,230.	1,246.	1,258.	1,258.	1,284.	
	30" D worksurface	28"	1 1/4"	21"	XTSS1 3021F () ()	1,266.	1,282.	1,284.	1,306.	1,321.	1,321.	1,356.	
	36" D worksurface	34"	1 1/4"	21"	XTSS1 3621F () ()	1,288.	1,310.	1,313.	1,340.	1,357.	1,357.	1,396.	
Side screen brackets (pair)	postformed edge				XTSM1P ()	409.							
	squared edge				XTSM1S ()	290.							
	tapered edge				XTSM1K ()	290.							

Order Code	Specifications	Application Notes
Example: XTSS13014F20 (W2801) 115		
XT Crinion Open Table	1. Tackable fabric surface is suffix F.	Side screens clamp to front and back edge of worksurface at any point (except at hinged access door). Specify side screen brackets separately. Specify 14" H screens for a 43" horizon. Specify 21" H screens for a 50" horizon. Side screens align in height with center screens when worksurfaces are set at 28 3/8" H.
SS1 Side screen	2. Select fabric surface finish code from list on page 0.	
30 Width	3. Specify frame finish.	
14 Height	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.	
F Surface	Fabric is railroaded.	
20 Fabric grade	Brackets are available in all paint finishes.	
W2801 Fabric		
115 Frame finish		

Return screens

Acrylic, Marker or veneer surface

Crinion Open Table



description	application	w	d	h	pattern no.	list	Opal acrylic	Trans. acrylic / Marker	V1	V2	V3
	54"	52"	1 1/4"	14"	XTRS1 5414 () ()		\$1,705.	\$1,799.	\$1,858.	\$2,053.	\$2,390.
	60"	58"	1 1/4"	14"	XTRS1 6014 () ()		1,705.	1,799.	1,881.	2,096.	2,477.
	66"	64"	1 1/4"	14"	XTRS1 6614 () ()		1,705.	1,799.	1,922.	2,147.	2,580.
	72"	70"	1 1/4"	14"	XTRS1 7214 () ()		1,705.	1,799.	1,945.	2,192.	2,666.
	78"	76"	1 1/4"	14"	XTRS1 7814 () ()		1,902.	1,989.	2,303.	2,515.	3,025.
	54"	52"	1 1/4"	21"	XTRS1 5421 () ()		1,995.	2,137.	2,037.	2,297.	2,801.
	60"	58"	1 1/4"	21"	XTRS1 6021 () ()		1,995.	2,137.	2,075.	2,362.	2,928.
	66"	64"	1 1/4"	21"	XTRS1 6621 () ()		1,995.	2,137.	2,107.	2,417.	3,049.
	72"	70"	1 1/4"	21"	XTRS1 7221 () ()		1,995.	2,137.	2,142.	2,476.	3,172.
	78"	76"	1 1/4"	21"	XTRS1 7821 () ()		2,244.	2,378.	2,511.	2,815.	3,564.
Side screen brackets (pair)	postformed edge				XTSM1P ()	409.					
	squared edge				XTSM1S ()	290.					

Order Code	Specifications	Application Notes
Example: XTRS16014A O 118		
XT Crinion Open Table	1. Specify surface <i>A = Acrylic</i> <i>V = Veneer</i> <i>M = Marker</i>	Return screens span the depth of Crinion Open Table worksurfaces and the width of a 30", 36" or 42" worksurface planned as perpendicular return. Specify 14" H screens for 42" horizon. Specify 21" H screens for a 49" horizon. Returns (file tops or AutoStrada worksurfaces) must be at the same height as worksurface.
RS1 Return screen	2. For Acrylic surface specify <i>O = Opal</i> <i>T = Translucent</i>	
60 Width	Veneer surfaces may be any standard AutoStrada V1,V2 or V3 veneer. Specify veneer finish code from list on table finishes page in beginning of price list.	
14 Height	3. Specify frame finish.	Specify side brackets separately.
A Acrylic		Veneer grain direction is horizontal.
O Opal		
118 Frame finish	Frame is clear anodized aluminum (AA) or any standard paint finish except 613 Silver. Brackets are available in all paint finishes.	

Return screens

Tackable fabric surface

Crinion Open Table



description	application	w	d	h	pattern no.	list	10	15	20	30	35	40	45
	Return screen to 43" H	54"	52"	1 1/4"	14"	XTRS1 5414F () ()	\$1,417.	\$1,452.	\$1,461.	\$1,493.	\$1,517.	\$1,517.	\$1,583.
		60"	58"	1 1/4"	14"	XTRS1 6014F () ()	1,429.	1,465.	1,473.	1,510.	1,543.	1,543.	1,608.
		66"	64"	1 1/4"	14"	XTRS1 6614F () ()	1,460.	1,495.	1,505.	1,549.	1,582.	1,582.	1,653.
		72"	70"	1 1/4"	14"	XTRS1 7214F () ()	1,467.	1,509.	1,516.	1,568.	1,599.	1,599.	1,685.
		78"	76"	1 1/4"	14"	XTRS1 7814F () ()	1,687.	1,736.	1,746.	1,797.	1,833.	1,833.	1,920.
	Return screen to 50" H	54"	52"	1 1/4"	21"	XTRS1 5421F () ()	1,389.	1,417.	1,425.	1,463.	1,491.	1,491.	1,551.
		60"	58"	1 1/4"	21"	XTRS1 6021F () ()	1,440.	1,476.	1,480.	1,524.	1,553.	1,553.	1,618.
		66"	64"	1 1/4"	21"	XTRS1 6621F () ()	1,448.	1,488.	1,494.	1,539.	1,571.	1,571.	1,646.
		72"	70"	1 1/4"	21"	XTRS1 7221F () ()	1,460.	1,498.	1,509.	1,557.	1,594.	1,594.	1,673.
		78"	76"	1 1/4"	21"	XTRS1 7821F () ()	1,718.	1,766.	1,777.	1,829.	1,867.	1,867.	1,956.
Side screen brackets (pair)	postformed edge					XTSM1P ()	409.						
	squared edge					XTSM1S ()	290.						

Order Code	Specifications	Application Notes
Example: XTRS16014F20 (W2801) 611	1. Tackable fabric surface is suffix F. 2. Select fabric surface finish code from list on page 0. 3. Specify frame finish.	Fabric return screens span the depth of Crinion Open Table worksurfaces and the width of a 30", 36" or 42" worksurface planned as perpendicular return. Specify 14" H screens for 43" horizon. Specify 21" H screens for a 50" horizon. Returns must be at the same height as worksurface.
XT Crinion Open Table		
RS1 Return screen		
60 Width		
14 Height		
F Surface	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.	
20 Fabric grade		
W2801 Fabric	Fabric is railroaded.	Specify mounting brackets separately.
611 Frame finish	Brackets are available in all paint finishes.	

Dual end screens

Acrylic, Marker or veneer surface

Crinion Open Table



description	application	w	d	h	pattern no.	list	Opal acrylic	Trans. acrylic / Marker	V1	V2	V3
	Dual end screens to 43" H	24" D dual	48"	1 1/4"	14"	XTES1 4814 () ()	\$1,269.	\$1,312.	\$1,782.	\$1,968.	\$2,278.
		30" D dual	60"	1 1/4"	14"	XTES1 6014 () ()	1,657.	1,749.	1,940.	2,163.	2,558.
		36" D dual	72"	1 1/4"	14"	XTES1 7214 () ()	1,705.	1,799.	2,046.	2,299.	2,781.
	acrylic shown										
	Dual end screens to 50" H	24" D dual	48"	1 1/4"	21"	XTES1 4821 () ()	1,509.	1,583.	1,970.	2,213.	2,675.
		30" D dual	60"	1 1/4"	21"	XTES1 6021 () ()	1,946.	2,087.	2,134.	2,423.	3,010.
		36" D dual	72"	1 1/4"	21"	XTES1 7221 () ()	1,995.	2,316.	2,218.	2,556.	3,271.
	acrylic shown										
Replacement mast Kit	acrylic center screen					XTSM1C ()	166.				
	slatwall center screen					XTSM1SLAT ()	437.				
End screen brackets (pair)	tapered edge worksurface					XTSM1KK ()	290.				
Side screen brackets (pair)	postformed edge					XTSM1P ()	409.				
	squared edge					XTSM1S ()	290.				

Order Code	Specifications	Application Notes
Example: XTES16014A O AA		
XT Crinion Open Table	1. Specify surface <i>A = Acrylic</i> <i>V = Veneer</i> <i>M = Marker</i>	Dual end screens clamp to front edge of worksurface on either side of table. Specify 14" H screens for a 42" horizon. Specify 21" H screens for a 49" horizon. Side screens align with center screens when worksurfaces are set at 28 3/8" H.
ES1 End screen	2. For Acrylic surface specify <i>O = Opal</i> <i>T = Translucent</i> Veneer surfaces may be any standard AutoStrada V1,V2 or V3 veneer. Specify veneer finish code from list on table finishes page in beginning of price list.	
60 Width	3. Specify frame finish. Frame is clear anodized aluminum or any standard paint finish except 613 Silver. Brackets are available in all paint finishes. Replacement mast kit for acrylic center screen is 812 Easy Grey or 111 Black.	
14 Height		Specify end screen brackets separately for each screen.
A Surface		Veneer grain direction is horizontal.
O Opal		
AA Frame finish		

Dual end screens

Tackable fabric surface

Crinion Open Table



description	application	w	d	h	pattern no.	list	10	15	20	30	35	40	45
	Dual end screens to 43" H	24" D dual	48"	1 1/4"	14"	XTES1 4814F () () ()	\$1,306.	\$1,338.	\$1,343.	\$1,375.	\$1,397.	\$1,397.	\$1,454.
		30" D dual	60"	1 1/4"	14"	XTES1 6014F () () ()	1,429.	1,465.	1,473.	1,510.	1,543.	1,543.	1,608.
		36" D dual	72"	1 1/4"	14"	XTES1 7214F () () ()	1,467.	1,509.	1,516.	1,566.	1,599.	1,599.	1,685.
	Dual end screens to 50" H	24" D dual	48"	1 1/4"	21"	XTES1 4821F () () ()	1,410.	1,441.	1,448.	1,478.	1,505.	1,505.	1,560.
		30" D dual	60"	1 1/4"	21"	XTES1 6021F () () ()	1,533.	1,569.	1,579.	1,617.	1,647.	1,647.	1,715.
		36" D dual	72"	1 1/4"	21"	XTES1 7221F () () ()	1,554.	1,596.	1,603.	1,651.	1,689.	1,689.	1,766.
Replacement mast Kit	acrylic center screen				XTSM1C ()	166.							
	slatwall center screen				XTSM1SLAT ()	437.							
End screen brackets (pair)	tapered edge worksurface				XTSM1KK ()	290.							
Side screen brackets (pair)	postformed edge				XTSM1P ()	409.							
	squared edge				XTSM1S ()	290.							

Order Code	Specifications	Application Notes
Example: XTES16014F20 (W2801) 112	1. Tackable fabric surface is suffix F.	Dual end screens clamp to front edge of worksurface on either side of table. Specify 14" H screens for a 43" horizon. Specify 21" H screens for a 50" horizon. Side screens align with center screens when worksurfaces are set at 28 3/8" H.
XT Crinion Open Table	2. Select fabric surface finish code from list on page 0.	
ES1 End screen	3. Specify frame finish.	
60 Width	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.	
14 Height	Fabric is railroaded.	
F Surface	Brackets are available in all paint finishes.	Specify end screen brackets separately for each screen.
20 Fabric grade	Replacement mast kit is 812 Easy Grey or 111 Black.	
W2801 Fabric		
112 Frame finish		

Single sided end screen

Acrylic, Marker or veneer surface

Crinion Open Table



description	application	w	d	h	pattern no.	list	Opal acrylic	Trans. acrylic / Marker	V1	V2	V3
	Single sided end screens to 43" H	24" D Single sided	24 1/2"	1 1/4"	14"	XTES1 2414 () () ()	\$1,023.	\$1,053.	\$1,543.	\$1,653.	\$1,774.
		30" D Single sided	30 1/2"	1 1/4"	14"	XTES1 3014 () () ()	1,075.	1,111.	1,592.	1,717.	1,887.
		36" D Single sided	36 1/2"	1 1/4"	14"	XTES1 3614 () () ()	1,169.	1,214.	1,634.	1,777.	1,989.
	acrylic shown										
	Single sided end sceen to 50" H	24" D single sided	24 1/2"	1 1/4"	21"	XTES1 2421 () () ()	1,169.	1,214.	1,649.	1,790.	1,979.
		30" D single sided	30 1/2"	1 1/4"	21"	XTES1 3021 () () ()	1,219.	1,274.	1,702.	1,866.	2,118.
		36" D single sided	36 1/2"	1 1/4"	21"	XTES1 3621 () () ()	1,313.	1,377.	1,750.	1,939.	2,257.
	acrylic shown										
Single sided end screen brackets (set)	postformed edge					XTSM1PC ()	293.				
	square edge					XTSM1SC ()	218.				
	tapered edge					XTSM1KC ()	218.				

Order Code	Specifications	Application Notes
Example: XTES13614A O 114		
XT Crinion Open Table	1. Specify surface <i>A = Acrylic</i> <i>V = Veneer</i> <i>M = Marker</i>	Single sided end screens clamp to front edge of worksurface and attach to top of channel. Specify 14" H screens for a 42" horizon. Specify 21" H screens for a 49" horizon. Side screens align with center screens when worksurfaces are set at 28 3/8" H.
ES1 End screen	2. For Acrylic surface specify <i>O = Opal</i> <i>T = Translucent</i>	
36 Width	Veneer surfaces may be any standard AutoStrada V1,V2 or V3 veneer.	
14 Height	Specify veneer finish code from list on table finishes page in beginning of price list.	Specify end screen brackets separately for each sceen.
A Surface		Veneer grain direction is horizontal.
O Opal		
114 Frame finish	3. Specify frame finish. Frame is clear anodized aluminum or any standard paint finish except 613 Silver. Brackets are available in all paint finishes.	

Single sided end screen

Tackable fabric surface

Crinion Open Table


description	application	w	d	h	pattern no.	list	10	15	20	30	35	40	45
	Single sided end screens to 43" H	24" D Single sided	24 1/2"	1 1/4"	14"	XTES1 2414F () ()	\$1,163.	\$1,176.	\$1,178.	\$1,196.	\$1,208.	\$1,208.	\$1,233.
		30" D Single sided	30 1/2"	1 1/4"	14"	XTES1 3014F () ()	1,196.	1,214.	1,219.	1,238.	1,254.	1,254.	1,284.
		36" D Single sided	36 1/2"	1 1/4"	14"	XTES1 3614F () ()	1,231.	1,254.	1,280.	1,297.	1,297.	1,297.	1,340.
	Single sided end sceen to 50" H	24" D single sided	24 1/2"	1 1/4"	21"	XTES1 2421F () ()	1,213.	1,229.	1,230.	1,246.	1,258.	1,258.	1,284.
		30" D single sided	30 1/2"	1 1/4"	21"	XTES1 3021F () ()	1,266.	1,282.	1,284.	1,306.	1,321.	1,321.	1,356.
		36" D single sided	36 1/2"	1 1/4"	21"	XTES1 3621F () ()	1,288.	1,310.	1,313.	1,340.	1,357.	1,357.	1,396.
Single sided end screen brackets (set)	postformed edge				XTSM1PC ()	293.							
	square edge				XTSM1SC ()	218.							
	tapered edge				XTSM1KC ()	218.							

Order Code	Specifications	Application Notes
Example: XTES13614F20 (W2801) 111		
XT Crinion Open Table	1. Tackable fabric surface is suffix F.	Single sided end screens clamp to front edge of worksurface and attach to top of channel. Specify 14" H screens for a 43" horizon. Specify 21" H screens for a 50" horizon. Side screens align with center screens when worksurfaces are set at 28 3/8" H.
ES1 End screen	2. Select fabric surface finish code from list on table finishes page in beginning of price list.	
36 Width	3. Specify frame finish.	
14 Height		
F Surface	Frame is clear anodized aluminum or any paint finish except 613 Silver.	Specify end screen brackets separately for each screen.
20 Fabric grade		
W2801 Fabric	Fabric is railroaded.	
111 Frame finish	Brackets are available in all paint finishes.	

Frameless glass Add up for *Crinion Open Table*

Crinion Open Table

description	w	d	h	pattern number	clear tempered	powder
Frameless glass Add ups	48"	1/2"	12"	XAUA 1248G () ()	\$868.	\$903.
	60"	1/2"	12"	XAUA 1260G () ()	1,063.	1,106.
	72"	1/2"	12"	XAUA 1272G () ()	1,256.	1,305.



Order Code		Specifications	Application Notes	
Example: XAUA 1248G TEMP AA		<i>Add up type:</i>		
X	Crinion Open Table	G Glass	Frameless glass addups for Crinion Open Table match those available for the AutoStrada spine.	Base extrusion is clear anodized aluminum or any standard painted finish except Silver.
AUA	Frameless addup screen			
48	Width	Glass add-ups are available with the following glass options:	Tempered glass in clear or powered finish is 1/2" thick. Base frame is	
12	Height	TEMP Clear tempered	secured with bolts to top channel for	
G	Glass	GL13 Powder	frameless glass addups.	
TEMP	Finish			
AA	Base finish	Specify base finish: AA anodized aluminum and all standard painted finishes except 613 Silver.	Frameless addups cannot be mounted to standard top channel included with base assemblies.	

Network privacy screens

mounting kit for Crinion Open Table

Crinion Open Table

description	w	d	h	pattern number	list price
Fabric screen mounting kit				XTPS1MZKIT	\$200.



Order Code	Specifications	Applications notes
Example: XTPS1MZKIT		
XT	Crinion Open Table	<p>Crinion Open Tables are designed to accept Network privacy screens with fabric screen mounting kit. Screens are tackable fabric, $\frac{3}{4}$" thick, in widths corresponding to Crinion worksurfaces 48", 60" or 72" wide. Specify screens MZ1-B4815F, MZ1B6015F or MZ1B7215F.</p> <p>Specify one mounting kit for each screen. Fabric screen mounting kits include two uprights that fasten to the top channel at any point. Uprights slide into internal channels in screens. Fabric screens do not align in height with acrylic privacy screens.</p>
PS1	Privacy Screen	
MZ	Fabric	
KIT	Kit	

Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
XAUA 1248G	57	XTB1 BAS 30S20SF	18	XTB1EP1DD30	33	XTB1TB6E	26
XAUA 1260G	57	XTB1 BAS 30S24SA	20	XTB1EP1DD30P	32	XTB1TB8C	26
XAUA 1272G	57	XTB1 BAS 30S24SF	18	XTB1EP1DD36	33	XTB1TB8E	26
XT1DS4505	48	XTB1 BAS 30S25SA	20	XTB1EP1DD36P	32	XTB1XD30	34
XT1DS5705	48	XTB1 BAS 30S25SF	18	XTB1EP1LD24	33	XTB1XD30N	34
XT1DS6905	48	XTB1 BAS 36D10CA	23	XTB1EP1LD24P	32	XTB1XD36	34
XT1LS4509	48	XTB1 BAS 36D10CF	21	XTB1EP1LD30	33	XTB1XD36N	34
XT1LS5709	48	XTB1 BAS 36D12CA	23	XTB1EP1LD30P	32	XTB1XDD24	29
XT1LS6909	48	XTB1 BAS 36D12CF	21	XTB1EP1LD36	33	XTB1XDD30	29
XT1SA24	48	XTB1 BAS 36D15CA	23	XTB1EP1LD36P	32	XTB1XDD36	29
XT1SA30	48	XTB1 BAS 36D15CF	21	XTB1EP1RD24	33	XTB1XS30	34
XT1SA36	48	XTB1 BAS 36D15SA	23	XTB1EP1RD24P	32	XTB1XS30N	34
XT1SA42	48	XTB1 BAS 36D15SF	21	XTB1EP1RD30	33	XTB1XS36	34
XT1SA48	48	XTB1 BAS 36D18SA	23	XTB1EP1RD30P	32	XTB1XS36N	34
XT1SA54	48	XTB1 BAS 36D18SF	21	XTB1EP1RD36	33	XTB1YDD24	30
XT1SA60	48	XTB1 BAS 36D20SA	23	XTB1EP1RD36P	32	XTB1YDD30	30
XT1SA66	48	XTB1 BAS 36D20SF	21	XTB1EP2DD24	33	XTB1YDD36	30
XT1SA72	48	XTB1 BAS 36D24CA	23	XTB1EP2DD24P	32	XTB2LDD	29
XTB1 BAS 24D10CF	15	XTB1 BAS 36D24CF	21	XTB1EP2DD30	33	XTB2LDD24	29
XTB1 BAS 24D12CF	15	XTB1 BAS 36D25CA	23	XTB1EP2DD30P	32	XTB2LSDD	31
XTB1 BAS 24D15CF	15	XTB1 BAS 36D25CF	21	XTB1EP2DD36	33	XTB2LSDD24	31
XTB1 BAS 24D15SF	15	XTB1 BAS 36S10CA	24	XTB1EP2DD36P	32	XTBT18	45
XTB1 BAS 24D18SF	15	XTB1 BAS 36S10CF	22	XTB1EP2SD24	33	XTBT24	45
XTB1 BAS 24D20SF	15	XTB1 BAS 36S12CA	24	XTB1EP2SD24P	32	XTBT36	45
XTB1 BAS 24D24SF	15	XTB1 BAS 36S12CF	22	XTB1EP2SD30	33	XTBT48	45
XTB1 BAS 24D25SF	15	XTB1 BAS 36S15CA	24	XTB1EP2SD30P	32	XTBT60	45
XTB1 BAS 24S10CF	16	XTB1 BAS 36S15CF	22	XTB1EP2SD36	33	XTC1 120 AA	25
XTB1 BAS 24S12CF	16	XTB1 BAS 36S15SA	24	XTB1EP2SD36P	32	XTC1 144 AA	25
XTB1 BAS 24S15CF	16	XTB1 BAS 36S15SF	22	XTB1ESD24	31	XTC1 48	25
XTB1 BAS 24S15SF	16	XTB1 BAS 36S18SA	24	XTB1ESD30	31	XTC1 60	25
XTB1 BAS 24S18SF	16	XTB1 BAS 36S18SF	22	XTB1ESD36	31	XTC1 72	25
XTB1 BAS 24S20SF	16	XTB1 BAS 36S20SA	24	XTB1FC	35	XTC1 96	25
XTB1 BAS 24S24SF	16	XTB1 BAS 36S20SF	22	XTB1FC24	35	XTC1 END	25
XTB1 BAS 24S25SF	16	XTB1 BAS 36S24SA	24	XTB1FCEND	36	XTCA1 120 AA	25
XTB1 BAS 30D10CA	19	XTB1 BAS 36S24SF	22	XTB1LP	36	XTCA1 144 AA	25
XTB1 BAS 30D10CF	17	XTB1 BAS 36S25SA	24	XTB1MB	35	XTCA1 48	25
XTB1 BAS 30D12CA	19	XTB1 BAS 36S25SF	22	XTB1RAK	44	XTCA1 60	25
XTB1 BAS 30D12CF	17	XTB1 SLIK	29	XTB1SB10C	28	XTCA1 72	25
XTB1 BAS 30D15CA	19	XTB1 SLIK30	29	XTB1SB10E	28	XTCA1 96	25
XTB1 BAS 30D15CF	17	XTB1 SLIK36	29	XTB1SB12C	28	XTCF 48	25
XTB1 BAS 30D15SA	19	XTB1AC	35	XTB1SB12E	28	XTCF 60	25
XTB1 BAS 30D15SF	17	XTB1AC24	35	XTB1SB15C	28	XTCF 72	25
XTB1 BAS 30D18SA	19	XTB1ACEND	36	XTB1SB15E	28	XTCS1 4714	46
XTB1 BAS 30D18SF	17	XTB1DB10C	27	XTB1SB4E	28	XTCS1 4714F	47
XTB1 BAS 30D20SA	19	XTB1DB10E	27	XTB1SB5C	28	XTCS1 4721	46
XTB1 BAS 30D20SF	17	XTB1DB12C	27	XTB1SB5E	28	XTCS1 4721F	47
XTB1 BAS 30D24CA	19	XTB1DB12E	27	XTB1SB6C	28	XTCS1 4814	46
XTB1 BAS 30D24CF	17	XTB1DB15C	27	XTB1SB6E	28	XTCS1 4814F	47
XTB1 BAS 30D25CA	19	XTB1DB15E	27	XTB1SB8C	28	XTCS1 4821	46
XTB1 BAS 30D25CF	17	XTB1DB4E	27	XTB1SB8E	28	XTCS1 4821F	47
XTB1 BAS 30S10CA	20	XTB1DB5C	27	XTB1T24	34	XTCS1 5914	46
XTB1 BAS 30S10CF	18	XTB1DB5E	27	XTB1TB10C	26	XTCS1 5914F	47
XTB1 BAS 30S12CA	20	XTB1DB6C	27	XTB1TB10E	26	XTCS1 5921	46
XTB1 BAS 30S12CF	18	XTB1DB6E	27	XTB1TB12C	26	XTCS1 5921F	47
XTB1 BAS 30S15CA	20	XTB1DB8C	27	XTB1TB12E	26	XTCS1 6014	46
XTB1 BAS 30S15CF	18	XTB1DB8E	27	XTB1TB15C	26	XTCS1 6014F	47
XTB1 BAS 30S15SA	20	XTB1EDD24	29	XTB1TB15E	26	XTCS1 6021	46
XTB1 BAS 30S15SF	18	XTB1EDD30	29	XTB1TB4E	26	XTCS1 6021F	47
XTB1 BAS 30S18SA	20	XTB1EDD36	29	XTB1TB5C	26	XTCS1 7114	46
XTB1 BAS 30S18SF	18	XTB1EP1DD24	33	XTB1TB5E	26	XTCS1 7114F	47
XTB1 BAS 30S20SA	20	XTB1EP1DD24P	32	XTB1TB6C	26	XTCS1 7121	46

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
XTCS1 7121F	47	XTR1EJ18	38	XTSS1 3021	49	XTTK9636U (L/M/1/2/3)	9
XTCS1 7214	46	XTR1EJ30	38	XTSS1 3021F	50	XTTP3018F (L)	14
XTCS1 7214F	47	XTR1EJ42	38	XTSS1 3614	49	XTTP3618F (L)	14
XTCS1 7221	46	XTR1EPH	38	XTSS1 3614F	50	XTTP4218F (L)	14
XTCS1 7221F	47	XTR1EPI	38	XTSS1 3621	49	XTTP4824A (L)	8
XTCS1 SBA	48	XTR1FE	37, 39, 43	XTSS1 3621F	50	XTTP4824B (L)	9
XTCT6030D	44	XTR1H30D	43	XTTK3018F (L/M/1/2/3)	14	XTTP4824C (L)	10
XTCT6030LD	44	XTR1OF	38, 40, 43	XTTK3036F (L/M/1/2/3)	14	XTTP4824E (L)	11
XTCT6036D	44	XTR1PDCX	38, 40	XTTK3618F (L/M/1/2/3)	14	XTTP4830A (L)	8
XTCT6036LD	44	XTR1T30D	39	XTTK3636F (L/M/1/2/3)	14	XTTP4830B (L)	9
XTCT7230D	44	XTR1T30S	39	XTTK4218F (L/M/1/2/3)	14	XTTP4830C (L)	10
XTCT7230LD	44	XTR1T424D	39	XTTK4236F (L/M/1/2/3)	14	XTTP4830E (L)	11
XTCT7236D	44	XTR1T424S	39	XTTK4824A (L/M/1/2/3)	8	XTTP4836A (L)	8
XTCT7236LD	44	XTR1TCC25	44	XTTK4824C (L/M/1/2/3)	10	XTTP4836B (L)	9
XTDT42	44	XTR1TCPM	40	XTTK4824E (L/M/1/2/3)	11	XTTP4836C (L)	10
XTDTX42	44	XTR1TJ18	40	XTTK4824U (L/M/1/2/3)	9	XTTP4836D (L)	13
XTES1 2414	55	XTR1TJ30	40	XTTK4830A (L/M/1/2/3)	8	XTTP4836E (L)	13
XTES1 2414F	56	XTR1TJ42	40	XTTK4830C (L/M/1/2/3)	10	XTTP6024A (L)	8
XTES1 2421	55	XTR1TPH	40	XTTK4830E (L/M/1/2/3)	11	XTTP6024B (L)	9
XTES1 2421F	56	XTR1TPI	40	XTTK4830U (L/M/1/2/3)	9	XTTP6024C (L)	10
XTES1 3014	55	XTR1X30D	41	XTTK4836A (L/M/1/2/3)	8	XTTP6024E (L)	11
XTES1 3014F	56	XTR1X30S	41	XTTK4836C (L/M/1/2/3)	10	XTTP6030A (L)	8
XTES1 3021	55	XTR1X424D	41	XTTK4836D (L/M/1/2/3)	12	XTTP6030B (L)	9
XTES1 3021F	56	XTR1X424S	41	XTTK4836E (L/M/1/2/3)	12	XTTP6030C (L)	10
XTES1 3614	55	XTR1XCPM	42	XTTK4836U (L/M/1/2/3)	9	XTTP6030E (L)	11
XTES1 3614F	56	XTR1XJ18	42	XTTK6018F (L/M/1/2/3)	14	XTTP6036A (L)	8
XTES1 3621	55	XTR1XJ30	42	XTTK6024A (L/M/1/2/3)	8	XTTP6036B (L)	9
XTES1 3621F	56	XTR1XJ42	42	XTTK6024C (L/M/1/2/3)	10	XTTP6036C (L)	10
XTES1 4814	53	XTR1XPH	42	XTTK6024E (L/M/1/2/3)	11	XTTP6036D (L)	13
XTES1 4814F	54	XTR1XPI	42	XTTK6024U (L/M/1/2/3)	9	XTTP6036E (L)	13
XTES1 4821	53	XTRS1 5414	51	XTTK6030A (L/M/1/2/3)	8	XTTP7224A (L)	8
XTES1 4821F	54	XTRS1 5414F	52	XTTK6030C (L/M/1/2/3)	10	XTTP7224B (L)	9
XTES1 6014	53	XTRS1 5421	51	XTTK6030E (L/M/1/2/3)	11	XTTP7224C (L)	10
XTES1 6014F	54	XTRS1 5421F	52	XTTK6030U (L/M/1/2/3)	9	XTTP7224E (L)	11
XTES1 6021	53	XTRS1 6014	51	XTTK6036A (L/M/1/2/3)	8	XTTP7230A (L)	8
XTES1 6021F	54	XTRS1 6014F	52	XTTK6036C (L/M/1/2/3)	10	XTTP7230B (L)	9
XTES1 7214	53	XTRS1 6021	51	XTTK6036D (L/M/1/2/3)	12	XTTP7230C (L)	10
XTES1 7214F	54	XTRS1 6021F	52	XTTK6036E (L/M/1/2/3)	12	XTTP7230E (L)	11
XTES1 7221	53	XTRS1 6614	51	XTTK6036F (L/M/1/2/3)	14	XTTP7236A (L)	8
XTES1 7221F	54	XTRS1 6614F	52	XTTK6036U (L/M/1/2/3)	9	XTTP7236B (L)	9
XTPS1MZKIT	58	XTRS1 6621	51	XTTK7218F (L/M/1/2/3)	14	XTTP7236C (L)	10
XTR1BCC50	44	XTRS1 6621F	52	XTTK7224A (L/M/1/2/3)	8	XTTP7236D (L)	13
XTR1D1	42	XTRS1 7214	51	XTTK7224C (L/M/1/2/3)	10	XTTP7236E (L)	13
XTR1D1C	42	XTRS1 7214F	52	XTTK7224E (L/M/1/2/3)	11	XTTP9624A (L)	8
XTR1D2	42	XTRS1 7221	51	XTTK7224U (L/M/1/2/3)	9	XTTP9624B (L)	9
XTR1D2C	42	XTRS1 7221F	52	XTTK7230A (L/M/1/2/3)	8	XTTP9624C (L)	10
XTR1D3	42	XTRS1 7814	51	XTTK7230C (L/M/1/2/3)	10	XTTP9630A (L)	8
XTR1D3C	42	XTRS1 7814F	52	XTTK7230E (L/M/1/2/3)	11	XTTP9630B (L)	9
XTR1D4	42	XTRS1 7821	51	XTTK7230U (L/M/1/2/3)	9	XTTP9630C (L)	10
XTR1D4C	42	XTRS1 7821F	52	XTTK7236A (L/M/1/2/3)	8	XTTP9636A (L)	8
XTR1DA	38, 40	XTSM1C	53, 54	XTTK7236C (L/M/1/2/3)	10	XTTP9636B (L)	9
XTR1DAC	38, 40	XTSM1K	49, 50	XTTK7236D (L/M/1/2/3)	12	XTTP9636C (L)	10
XTR1DB	38, 40	XTSM1KC	55, 56	XTTK7236E (L/M/1/2/3)	12	XTTS3018F (1/2/3)	14
XTR1DBC	38, 40	XTSM1KK	53, 54	XTTK7236F (L/M/1/2/3)	14	XTTS3618F (1/2/3)	14
XTR1DC	40	XTSM1P	49, 50, 51, 52, 53, 54	XTTK7236U (L/M/1/2/3)	9	XTTS4218F (1/2/3)	14
XTR1DCC	40	XTSM1PC	55, 56	XTTK8418F (L/M/1/2/3)	14	XTTS4824A (1/2/3)	8
XTR1DXO	38, 40	XTSM1S	49, 50, 51, 52, 53, 54	XTTK8436F (L/M/1/2/3)	14	XTTS4824C (1/2/3)	10
XTR1DYO	38, 40	XTSM1SC	55, 56	XTTK9624A (L/M/1/2/3)	8	XTTS4824E (1/2/3)	11
XTR1DZO	40	XTSM1SLAT	53, 54	XTTK9624C (L/M/1/2/3)	10	XTTS4824U (1/2/3)	9
XTR1E30D	37	XTSS1 2414	49	XTTK9624U (L/M/1/2/3)	9	XTTS4830A (1/2/3)	8
XTR1E30S	37	XTSS1 2414F	50	XTTK9630A (L/M/1/2/3)	8	XTTS4830C (1/2/3)	10
XTR1E424D	37	XTSS1 2421	49	XTTK9630C (L/M/1/2/3)	10	XTTS4830E (1/2/3)	11
XTR1E424S	37	XTSS1 2421F	50	XTTK9630U (L/M/1/2/3)	9	XTTS4830U (1/2/3)	9
XTR1ECPM	38	XTSS1 3014	49	XTTK9636A (L/M/1/2/3)	8	XTTS4836A (1/2/3)	8
XTR1EE	37, 39, 43	XTSS1 3014F	50	XTTK9636C (L/M/1/2/3)	10	XTTS4836C (1/2/3)	10

<i>pattern no.</i>	<i>page</i>
XTTS4836D (1/2/3)	12
XTTS4836E (1/2/3)	12
XTTS4836U (1/2/3)	9
XTTS6024A (1/2/3)	8
XTTS6024C (1/2/3)	10
XTTS6024E (1/2/3)	11
XTTS6024U (1/2/3)	9
XTTS6030A (1/2/3)	8
XTTS6030C (1/2/3)	10
XTTS6030E (1/2/3)	11
XTTS6030U (1/2/3)	9
XTTS6036A (1/2/3)	8
XTTS6036C (1/2/3)	10
XTTS6036D (1/2/3)	12
XTTS6036E (1/2/3)	12
XTTS6036U (1/2/3)	9
XTTS7224A (1/2/3)	8
XTTS7224C (1/2/3)	10
XTTS7224E (1/2/3)	11
XTTS7224U (1/2/3)	9
XTTS7230A (1/2/3)	8
XTTS7230C (1/2/3)	10
XTTS7230E (1/2/3)	11
XTTS7230U (1/2/3)	9
XTTS7236A (1/2/3)	8
XTTS7236C (1/2/3)	10
XTTS7236D (1/2/3)	12
XTTS7236E (1/2/3)	12
XTTS7236U (1/2/3)	9
XTTS9624A (1/2/3)	8
XTTS9624C (1/2/3)	10
XTTS9624U (1/2/3)	9
XTTS9630A (1/2/3)	8
XTTS9630C (1/2/3)	10
XTTS9630U (1/2/3)	9
XTTS9636A (1/2/3)	8
XTTS9636C (1/2/3)	10
XTTS9636U (1/2/3)	9
XTWB120	45
XTWTB	45
XTWTBSLIK	45
XTWTC	45
XTWTX	45

Selling Policy

	<p>This Selling Policy supersedes all previous selling policies and is inclusive of Knoll, KnollStudio and Muuto. Prices, discounts and product offerings are subject to change without notice.</p>
Terms & Conditions of Sales	<p>Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supersede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.</p>
Ordering Information	<p>All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.</p>
Order Confirmation	<p>A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.</p>
Pricing Policies	<p>List prices are subject to change without notice.</p>
	<p>List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.</p>
Taxes	<p>All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.</p>
Terms of Payment	<p>Payment for one hundred percent (100%) of the net order amount (including any applicable shipping and handling fee) is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.</p> <p>KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.</p> <p>If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance. Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.</p>
Changes and Cancellation	<p>Standard purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.</p> <p>QuickShip orders may not be changed or canceled without Knoll's authorization. In the event of Muuto order changes, 25% payment of original net order amount is required for changes incurring the week the order was entered. 100% payment of original net order amount is required for changes incurring the week the order is scheduled to ship. If Muuto is ordered on QuickShip, the QuickShip policy supersedes.</p>
Freight Prepaid	<p>For standard orders, freight is prepaid and included in the price of all Knoll Office and KnollStudio Products, except KnollTextiles and Muuto, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.</p> <p>Freight for all Muuto orders must be specified at time of order placement and added to the PO.</p>
Delivery/Freight Charges	<p>Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.</p> <p>For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.</p> <p>Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.</p> <p>Nonstandard methods of shipment and/or additional services are available upon request. Orders for QuickShip product shipping direct parcel or White Glove are subject to additional shipping and handling charges and must be paid by Purchaser. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery.</p> <p>Partial shipments may be made and invoiced by Seller.</p>
Claims	<p>All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.</p>

Selling Policy

Seller's Security Interest	Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.
Returns	The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.
Held Orders/Storage	If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.
Customer's Own Material	A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.
Warranty	<p>Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.</p> <p>Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair).</p> <p>Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.</p> <p>Product and Period of Warranty</p> <p>Lifetime: <i>Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Morrison, Reff Profiles</i> laminate, <i>Rockwell Unscripted, Series 2 Storage, Template, Quoin</i> and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, <i>Series 2 Veneer Front Storage</i>, digital locks, upholstery, textiles and leathers, special or custom products, see below), <i>Islands Collection</i> table structure, legs, and laminate worksurfaces; and <i>Wexby</i> mobile bin.</p> <p>12 Years: <i>Chadwick, Generation by Knoll, k. task, Life, Moment, MultiGeneration by Knoll, Ollo, ReGeneration by Knoll, Remix</i>, and <i>Toboggan</i> seating (except seating upholstery, textiles, leathers and finishes, see below).</p> <p>10 Years: <i>Anchor Storage</i> except digital locks, <i>Antenna Workspaces, AutoStrada, Crinion Open Table, Dividends Horizon, Dividends Horizon Satellite Surfaces</i>, <i>Reff Profiles</i>, <i>Rockwell Unscripted, Quoin</i> wood components, <i>Template</i> wood components, <i>Series 2 Veneer Front Storage</i>, cascade edge worksurfaces, <i>Wood Casegoods</i> (The Graham Collection) (except wood casegoods upholstered surfaces, see below), <i>Reuter</i> overheads, <i>Reuter</i> vertical storage, <i>KnollExtra</i> Sapper Monitor Arm Collection, Sapper XYZ Monitor Arm Series, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, cork and FilzFelt, see below), Smokador collection (except leathers, see below), Orchestra Universal Systems Accessories, <i>k. lounge</i> structural components, <i>KnollStudio</i> Pixel and Propeller, <i>Tone</i> bases and <i>k.screens</i>, and dealer-purchased non BIFMA-certified <i>Muuto</i> products.</p> <p>5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products and plywood, <i>Currents</i> handcrank, <i>KnollStudio</i> (excluding textiles, leather and outdoor finishes), <i>LSM, Pixel Lounge, Rockwell Unscripted</i> wire bases, <i>KnollExtra</i> CPU holders and all universal storage drawers, and <i>Power Collection, k.bench</i> (except changes in finish, see below) and <i>k.stand</i> bases (except changes in finish, see below), <i>Islands Collection</i> veneer worksurfaces, operational parts, wide grommet lid, castors, glides and electrical; and dealer-purchased non BIFMA-certified <i>Muuto</i> products.</p> <p>3 Years: <i>Rockwell Unscripted</i> upholstery (except textiles and leather), <i>Office Seating</i> upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers, <i>KnollExtra</i> Pop Up Screens, <i>k.screen</i> (except cork and PET), and retailer-purchased <i>Muuto</i> products.</p> <p>2 Years: <i>Anchor Storage</i> digital locks, <i>Quoin</i> digital locks, all other <i>KnollExtra</i> product.</p> <p>1 Year: Light ballasts, bulbs and power supply, seating upholstered armpads and soft armpads, wood casegoods, upholstered surfaces, <i>KnollStudio</i>, textiles, leathers and outdoor product finishes, <i>Pixel Lounge</i> fabric, <i>k. lounge</i> upholstery and <i>k. lounge</i> fabric, <i>Rockwell Unscripted</i> fabric and accessories, <i>k.screen</i> cork and PET.</p> <p>This warranty does not apply to:</p> <ul style="list-style-type: none">• Damage caused by a carrier other than the Seller.• Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products).• COM or other third party materials applied to Products.• Products not installed by or under the auspices of a Knoll Dealer.• Dramatic temperature variations or exposure to unusual conditions.• Changes in surface finishes, including colorfastness due to aging or exposure to light.• Except as specifically noted above, textiles and upholstery supplied by <i>KnollTextiles</i> and Spinneybeck FilzFelt (consult current price lists for applicable warranties). <p>Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces.</p> <p>THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.</p> <p>The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with</p>

Selling Policy

Delay/Force Majeure	respect to or arising out of the Product furnished hereunder. Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of war or terrorism, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.
Compliance with Law	PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.
Patents	Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.
	The foregoing indemnity does not apply to the following:
	<ul style="list-style-type: none">• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.• Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT. Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.
1235 Water Street
P.O. Box 157
East Greenville, PA 18041
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."