









---

# Pixel<sup>TM</sup> Collection

Price List  
October 2022

# Knoll

Introduction	Visual Index	2
	Intertek Clean Air Certified Products	4
	Materials and Finishes	5
	Product Maintenance	6
	Placing your Pixel Order	7
Pixel Collection	Marc Krusin : Pixel™ Table Series	8
	Marc Krusin : Pixel™ Storage Units	40
	Marc Krusin : Pixel™ Electrical	50
	Marc Krusin : Pixel™ Accessories	62
Selling Policy		72
General Ordering Information		75

Page	PIXEL COLLECTION	
8	KRUSIN	Pixel™ C-Leg Advanced Tables 
12		Pixel™C-Leg Simplified Tables 
16		Pixel™T-Leg Advanced Tables 
20	Pixel™ Trapezoid tables Fixed Top, Work Height	Pixel™ Trapezoid Tables Fixed Top, Pin Set Height 
	Pixel™ Trapezoid Flip Top tables Work Height, Casters	Pixel™ Trapezoid tables Pin Set Height Adjustable 
24		Pixel™T-Leg Simplified Tables 
28	Pixel™ Four Leg Advanced Tables	Pixel™ Y-Leg Advanced Tables 
		Pixel™ Y-Fold table 

---


Page **PIXEL COLLECTION, continued**

---


32 Pixel™ Column Leg Advanced Tables




38 Pixel™ Storage Units




48 Pixel™ Electrical



50 Pixel™ Electrical (continued)



56 Pixel™ Trac



---

### Intertek Clean Air Certification

Intertek's Clean Air Certification validates the level of volatile organic compound (VOC) emissions from products. VOCs are gases emitted from products and include a variety of chemicals that may affect consumers' health in the short- and long-term. Both Intertek Clean Air GOLD and SILVER certifications ensure the user-health, safety and sustainability of Knoll products. A selection of Knoll Office and KnollStudio products are Intertek certified Clean Air, most of which are certified GOLD, which imposes more rigorous standards than certified SILVER.

- USGBC LEED credits
- California 01350 Special Environmental Requirements (CDPH)
- California Department of General Service (DGS) Indoor Air Quality Specifications for Open Panel Office Furniture
- Compliant to BIFMA e3 standard credit 7.6.2 and 7.6.3

**Table Top**

Colored laminate finishes:

Bright White, matte (suffix 118)  
Folkstone, matte (suffix 114)  
Black, matte (suffix 111)

Woodgrain laminate finishes:

Medium Cherry (suffix 124)  
Natural Maple (suffix 125)  
Natural Cherry (suffix 126)  
Walnut (suffix 127)  
Light Ash (suffix 139)  
Warm Ash (suffix 140)  
Whitened Ash (suffix 141)  
Grey Ash (suffix 142)  
Classic Oak (suffix 143)  
Graphite Pear (suffix 144)

Veneer top \*:

American Walnut (suffix AW)  
Natural Oak (suffix ON)  
Fumed Oak (suffix OF)  
Ebonized Oak (suffix DE)

**Edgeband**

Molded edgeband finishes \*:

Black (suffix 300M)  
Mink (suffix 324M)  
Innertone (suffix 386M)  
Platinum (suffix 367M)  
Folkstone (suffix 004M)

Colored flat edgeband finishes:

Black (suffix 111)  
Mink (suffix 324)  
Innertone (suffix 386)  
Platinum (suffix 367)  
Folkstone (suffix 004)  
White (suffix 118)

Woodgrain flat edgeband finishes:

Medium Cherry (suffix 124)  
Natural Maple (suffix 125)  
Natural Cherry (suffix 126)  
Walnut (suffix 127)  
Light Ash (suffix 139)  
Warm Ash (suffix 140)  
Whitened Ash (suffix 141)  
Grey Ash (suffix 142)  
Classic Oak (suffix 143)  
Graphite Pear (suffix 144)

Veneer flat edgeband finishes \*:

American Walnut (suffix AW)  
Natural Oak (suffix ON)  
Fumed Oak (suffix OF)  
Ebonized Oak (suffix OE)

**Leg finishes**

Jet Black (suffix 111T)  
Bright White (suffix 118T)  
Medium Grey (suffix 115T)  
Sterling (suffix 906T)  
Hybrid chrome (Suffix C) \*

**Glides/Casters**

Glides (suffix G)  
Casters (suffix C)

**Electrical Module**

Black case with Black receptacles (suffix BK)  
White case with White receptacles (suffix WH)  
Bright White case with Bright White receptacles (suffix 118)

\*Only available on Advanced Tables

---

*With proper care, your KnollStudio furniture should last for years to come. To help ensure the longevity of your purchase, below are helpful hints on routine cleaning for your KnollStudio piece. Most basic maintenance can be performed with common household cleaning products.*

**Wood**

Clean with a commercial brand of liquid furniture polish twice a month. For stubborn dirt or light scratches, rub lightly with very fine steel wool before using furniture polish. Steel wool Grade #0000 is recommended. To rejuvenate luster, apply a furniture cream as a last step. Do not use water or household solvents: they will destroy the protective finish.

**Laminate/Melamine**

Scrub with Windex, Fantastik, Mr. Clean, or other household soaps or detergents well dissolved in water, or with a very soft cloth dampened with alcohol or a synthetic thinner. For a dull finish, rub with jeweler's rouge as a polishing agent and finish with paste wax. Never use abrasives. Remove stubborn stains with Soft Scrub.

**Chrome/Satin Chrome**

Clean with Windex or an automotive chrome cleaner such as Semi-Chrome twice a month. Apply a coat of hard paste wax to protect against moisture.

**Polished Aluminum**

Clean with Windex, Fantastik, or other non-abrasive cleaning solutions. Coat with a hard paste wax semi-annually to maintain luster and prevent discoloration.

**Urethane Edge**

Clean with household soaps and detergents well dissolved in water. Do not use abrasive cleaning solutions.

**Powder Coat Paint**

Clean with Windex or Endust using a soft cloth. Remove stubborn stains with Soft Scrub.

---

**Use the Following Address:**

If you would like to send a standard lead time order to our order entry department, please use the following address:

For North American orders:  
Knoll, Inc.  
1235 Water Street  
East Greenville, PA 18041  
Attn: Order Entry

Fax: 215-679-1570  
Tel: 800 343-KNOLL (5665)

All accepted orders will be confirmed in writing on the Knoll standard order confirmation form.

**For More Information:**

For complete Knoll Selling Policy and warranty information, please refer to page 70 of this price list.

For additional information on k.<sup>TM</sup>lounge, contact your Knoll representative, a Knoll dealer, or telephone Customer Services at 800-343-KNOLL (5665).



Marc Krusin  
*Pixel™ Table Series*  
*Grommet and Electrical Module Cutout Matrix*

		TOP OPTIONS					TROUGH OPTIONS
TYPE	TABLE	FRONT CENTER	FRONT LEFT	FRONT RIGHT	FRONT LEFT AND RIGHT	CENTER CENTER	CENTER
<b>NO CUTOUTS</b>	ALL TABLES	Y	Y	Y	Y	Y	•
<b>ROUND GROMMET</b>	FIXED T-LEG	ERG	DRGL	DRGR	DRG	GRG	•
	FLIP T-LEG	ERG	DRGL	DRGR	DRG	GRG	•
	FIXED C-LEG	ERG	DRGL	DRGR	DRG	GRG	•
	FLIP C-LEG	ERG	DRGL	DRGR	DRG	•	•
	FIXED Y-LEG	ERG	DRGL	DRGR	DRG	GRG	•
	FLIP Y-LEG	ERG	DRGL	DRGR	DRG	GRG	•
	Y-FOLD, (96 X 48)	•	•	•	•	GRG2 *	•
	4-LEG RECTANGLE	ERG	DRGL	DRGR	DRG	GRG	•
	4-LEG SQUARE	ERG	•	•	•	GRG	•
	ELEC. HGT. C-LEG	ERG	DRGL	DRGR	DRG	•	•
	ELEC. HGT. T-LEG	ERG	DRGL	DRGR	DRG	•	•
	COLUMN LEG	•	•	•	•	GRG	•
	<b>KE1, KE2, KE3</b>	FIXED T-LEG	ENO	DNOL	DNOR	DNO	GNO
FLIP T-LEG		ENO	DNOL	DNOR	DNO	GNO	•
FIXED C-LEG		ENO	DNOL	DNOR	DNO	GNO	•
FLIP C-LEG		•	•	•	•	•	•
FIXED Y-LEG		ENO	DNOL	DNOR	DNO	GNO	•
FLIP Y-LEG		ENO	DNOL	DNOR	DNO	GNO	•
Y-FOLD, (96 X 48)		•	•	•	•	GNO2 *	•
4-LEG RECTANGLE		ENO	DNOL	DNOR	DNO	GNO	•
4-LEG SQUARE		ENO	•	•	•	GNO	•
ELEC. HGT. C-LEG		•	•	•	•	•	•
ELEC. HGT. T-LEG		ENO	DNOL	DNOR	DNO	•	•
COLUMN LEG		•	•	•	•	GNO	•
TRAPEZOID		•	BNOL**	BNOR**	•	•	•
<b>KE4</b>	FIXED T-LEG	EN	DNL	DNR	DN	GN	•
	FLIP T-LEG	EN	DNL	DNR	DN	GN	•
	FIXED C-LEG	EN	DNL	DNR	DN	GN	•
	FLIP C-LEG	EN	DNL	DNR	DN	•	•
	FIXED Y-LEG	EN	DNL	DNR	DN	GN	•
	FLIP Y-LEG	EN	DNL	DNR	DN	GN	•
	Y FOLD	•	•	•	•	•	•
	4-LEG RECTANGLE	EN	DNL	DNR	DN	GN	•
	4-LEG SQUARE	EN	•	•	•	GN	•
	ELEC. HGT. C-LEG	EN	DNL	DNR	DN	•	•
	ELEC. HGT. T-LEG	EN	DNL	DNR	DN	•	•
	COLUMN LEG	•	•	•	•	GN	•
	<b>KE5</b>	FIXED T-LEG	EA	DAL	DAR	DA	GA
FLIP T-LEG		EA	DAL	DAR	DA	GA	•
FIXED C-LEG		EA	DAL	DAR	DA	GA	•
FLIP C-LEG		EA	DAL	DAR	DA	•	•
FIXED Y-LEG		EA	DAL	DAR	DA	GA	•
FLIP Y-LEG		EA	DAL	DAR	DA	GA	•
Y-FOLD, (96 X 48)		•	•	•	•	GA2 *	•
4-LEG RECTANGLE		EA	DAL	DAR	DA	GA	•
4-LEG SQUARE		EA	•	•	•	GA	•
ELEC. HGT. C-LEG		EA	DAL	DAR	DA	•	•
ELEC. HGT. T-LEG		EA	DAL	DAR	DA	•	•
COLUMN LEG		•	•	•	•	GA	•
TRAPEZOID		•	BAL	BAR	•	•	•

		TOP OPTIONS					TROUGH OPTIONS
TYPE	TABLE	FRONT CENTER	FRONT LEFT	FRONT RIGHT	FRONT LEFT AND RIGHT	CENTER CENTER	CENTER
<b>KE6</b>	FIXED T-LEG	•	•	•	•	•	•
	FLIP T-LEG	•	•	•	•	•	•
	FIXED C-LEG	•	•	•	•	•	TAS
	FLIP C-LEG	•	•	•	•	•	TAS
	FIXED Y-LEG	•	•	•	•	•	•
	FLIP Y-LEG	•	•	•	•	•	•
	Y FOLD	•	•	•	•	•	•
	4-LEG RECTANGLE	•	•	•	•	•	•
	4-LEG SQUARE	•	•	•	•	•	•
	ELEC. HGT. C-LEG	•	•	•	•	•	•
	ELEC. HGT. T-LEG	•	•	•	•	•	•
	COLUMN LEG	•	•	•	•	•	•
	<b>KE7</b>	FIXED T-LEG	NO CUTOUT CODE REQUIRED - MODULE CLIPS ON TO EDGE OF TABLE. NOT AVAILABLE ON TABLES WITH KNIFE EDGES	NO CUTOUT CODE REQUIRED - MODULE CLIPS ON TO EDGE OF TABLE. NOT AVAILABLE ON TABLES WITH KNIFE EDGES	NO CUTOUT CODE REQUIRED - MODULE CLIPS ON TO EDGE OF TABLE. NOT AVAILABLE ON TABLES WITH KNIFE EDGES	NO CUTOUT CODE REQUIRED - MODULE CLIPS ON TO EDGE OF TABLE. NOT AVAILABLE ON TABLES WITH KNIFE EDGES	NO CUTOUT CODE REQUIRED - MODULE CLIPS ON TO EDGE OF TABLE. NOT AVAILABLE ON TABLES WITH KNIFE EDGES
FLIP T-LEG							
FIXED C-LEG							
FLIP C-LEG							
FIXED Y-LEG							
FLIP Y-LEG							
Y FOLD							
4-LEG RECTANGLE							
4-LEG SQUARE							
ELEC. HGT. C-LEG							
ELEC. HGT. T-LEG							
COLUMN LEG							
<b>KE8</b>		FIXED T-LEG					
	FLIP T-LEG	ET	DTL	DTR	DT	GT	•
	FIXED C-LEG	ET	DTL	DTR	DT	GT	•
	FLIP C-LEG	ET	DTL	DTR	DT	•	•
	FIXED Y-LEG	ET	DTL	DTR	DT	GT	•
	FLIP Y-LEG	ET	DTL	DTR	DT	GT	•
	Y-FOLD, (96 X 48)	•	•	•	•	GT2 *	•
	4-LEG RECTANGLE	ET	DTL	DTR	DT	GT	•
	4-LEG SQUARE	ET	•	•	•	GT	•
	ELEC. HGT. C-LEG	ET	DTL	DTR	DT	•	•
	ELEC. HGT. T-LEG	ET	DTL	DTR	DT	•	•
	COLUMN LEG	•	•	•	•	GT	•
	TRAPEZOID	•	BTL	BTR	•	•	•

**PATTERN CODE EXAMPLES**

**Y** - NO CUTOUTS

**ERG** - ONE CUTOUT FRONT CENTER FOR ROUND GROMMET

**DN** - TWO CUTOUTS FOR KE4 ELECTRICAL MODULES, (1) FRONT LEFT AND (1) FRONT RIGHT










\* A Y-FOLD TABLE CONSISTS OF TWO 48" X 48" SQUARE SEGMENTS. ONE CUTOUT WILL BE PLACED IN BOTH SECTIONS FOR A TOTAL OF TWO CUTOUTS PER TABLE.

\*\* ONLY APPLICABLE FOR KE3 MODULE ON TRAPEZOID TABLES. KE1 AND KE2 SHOULD NOT BE SPECIFIED.

• NOT AVAILABLE

NOTE: LOCATION AT LEFT AND RIGHT CUTOUTS ON TRAPEZOID ARE CENTER ON DEPTH.

Marc Krusin  
Pixel™ Table Series  
C-Leg Advanced Tables, Fixed Top

	description	w	d	h	leg type	table wgt. (lbs)	
<p><i>Designer(s):</i> Marc Krusin, 2015</p> <p><i>Award(s):</i> Best of Neocon Gold Award, 2015</p>  	<p><b>KCXW</b> Work Height, Fixed Top</p>  	48"	18"	28 3/4"	C-Leg	52	
		60"	18"	28 3/4"	C-Leg	61	
		72"	18"	28 3/4"	C-Leg	70	
		48"	21"	28 3/4"	C-Leg	63	
		60"	21"	28 3/4"	C-Leg	74	
		72"	21"	28 3/4"	C-Leg	85	
		48"	24"	28 3/4"	C-Leg	63	
		60"	24"	28 3/4"	C-Leg	74	
		72"	24"	28 3/4"	C-Leg	85	
		48"	30"	28 3/4"	C-Leg	74	
		60"	30"	28 3/4"	C-Leg	87	
		72"	30"	28 3/4"	C-Leg	101	
		<p><b>KCXA</b> Pin Set Height Adjustable, Fixed Top</p>  	48"	18"	28 3/4 - 34"	C-Leg	55
			60"	18"	28 3/4 - 34"	C-Leg	64
			72"	18"	28 3/4 - 34"	C-Leg	73
48"	21"		28 3/4 - 34"	C-Leg	66		
60"	21"		28 3/4 - 34"	C-Leg	77		
72"	21"		28 3/4 - 34"	C-Leg	89		
48"	24"		28 3/4 - 34"	C-Leg	66		
60"	24"		28 3/4 - 34"	C-Leg	77		
72"	24"		28 3/4 - 34"	C-Leg	89		
48"	30"		28 3/4 - 34"	C-Leg	77		
60"	30"		28 3/4 - 34"	C-Leg	91		
72"	30"		28 3/4 - 34"	C-Leg	104		
<p><b>KCXE</b> Electric Height Adjustable, Fixed top, Glides</p>  	60"	30"	26" - 51 1/2"	C-Leg	120		
	72"	30"	26" - 51 1/2"	C-Leg	132		
	<b>KGANG</b> Pixel ganging mechanism						
							

pattern no.	laminate/flat edge	laminate/molded edge	veneer/wood
<b>KCXW4818-(-)(-)(-)(-)</b>	\$2,216.	\$2,370.	\$3,900.
<b>KCXW6018-(-)(-)(-)(-)</b>	\$2,313.	\$2,485.	\$4,069.
<b>KCXW7218-(-)(-)(-)(-)</b>	\$2,395.	\$2,582.	\$4,267.
<b>KCXW4821-(-)(-)(-)(-)</b>	\$2,294.	\$2,461.	\$4,088.
<b>KCXW6021-(-)(-)(-)(-)</b>	\$2,397.	\$2,583.	\$4,332.
<b>KCXW7221-(-)(-)(-)(-)</b>	\$2,486.	\$2,697.	\$4,579.
<b>KCXW4824-(-)(-)(-)(-)</b>	\$2,294.	\$2,461.	\$4,088.
<b>KCXW6024-(-)(-)(-)(-)</b>	\$2,397.	\$2,583.	\$4,332.
<b>KCXW7224-(-)(-)(-)(-)</b>	\$2,486.	\$2,697.	\$4,579.
<b>KCXW4830-(-)(-)(-)(-)</b>	\$2,406.	\$2,588.	\$4,345.
<b>KCXW6030-(-)(-)(-)(-)</b>	\$2,518.	\$2,722.	\$4,636.
<b>KCXW7230-(-)(-)(-)(-)</b>	\$2,617.	\$2,847.	\$4,848.
<b>KCXA4818-(-)(-)(-)(-)</b>	\$2,477.	\$2,627.	\$4,130.
<b>KCXA6018-(-)(-)(-)(-)</b>	\$2,569.	\$2,743.	\$4,302.
<b>KCXA7218-(-)(-)(-)(-)</b>	\$2,652.	\$2,850.	\$4,499.
<b>KCXA4821-(-)(-)(-)(-)</b>	\$2,552.	\$2,719.	\$4,322.
<b>KCXA6021-(-)(-)(-)(-)</b>	\$2,653.	\$2,845.	\$4,562.
<b>KCXA7221-(-)(-)(-)(-)</b>	\$2,744.	\$2,957.	\$4,805.
<b>KCXA4824-(-)(-)(-)(-)</b>	\$2,552.	\$2,719.	\$4,322.
<b>KCXA6024-(-)(-)(-)(-)</b>	\$2,653.	\$2,845.	\$4,562.
<b>KCXA7224-(-)(-)(-)(-)</b>	\$2,744.	\$2,957.	\$4,805.
<b>KCXA4830-(-)(-)(-)(-)</b>	\$2,663.	\$2,845.	\$4,580.
<b>KCXA6030-(-)(-)(-)(-)</b>	\$2,775.	\$2,984.	\$4,864.
<b>KCXA7230-(-)(-)(-)(-)</b>	\$2,875.	\$3,107.	\$5,076.
<b>KCXE6030-(G)-(-)(-)(-)(111T, 118T)</b>	\$5,135.	\$5,360.	\$7,025.
<b>KCXE7230-(G)-(-)(-)(-)(111T, 118T)</b>	\$5,256.	\$5,506.	\$7,263.
<b>KGANG</b>	\$39.	n/a	n/a

Order Code	Finishes
<i>Example:</i> <b>KCXW7224-C-114-004T-Y-115T</b>	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)
<b>KCXW7224</b> 72" x 24" Work Height, Fixed Top	
<b>C</b> Locking casters	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
<b>114</b> Folkstone laminate	
<b>004T</b> Folkstone flat edgeband	<i>Flat edgeband finishes:</i> Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004M)
<b>Y</b> No grommet	
<b>115T</b> Medium Grey legs	<i>Woodgrain flat edgeband finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
	<i>Veneer top/edge finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)
<i>Specify:</i>	
1. Pattern number	
2. Locking casters or glide selection	
3. Top finish selection	
4. Edgeband selection	
5. Cutout option	
6. Leg finish	

*Leg finishes:*  
Jet Black (suffix 111T)  
Bright White (suffix 118T) \*  
Medium Grey (suffix 115T)  
Sterling (suffix 906T)

*Glides/Casters:*  
Glides (suffix G)  
Casters (suffix C)




**Hybrid Chrome Base:**  
Chromed legs are available on KCXW at an upcharge of \$891 list. Legs and feet will be chromed while the horizontal trough will be in a standard Pixel paint finish. Place suffix C after leg finish suffix. Please note Hybrid Chrome base is not available on 18" depth tables on casters.  
*Example:*  
**KCXW6030-C-118-300-Y-118T-C**

*Note:*  
Glides are not available on flip top tables.

\*For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.

Electrical	Construction	Features
<i>Cutout Options: (\$33 list per cutout)</i> Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 8 for the proper cutout code.	<i>Laminate and Veneer tops:</i> Constructed of particle board substrates sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Laminate tops can be specified with a flat ABS or molded urethane edge. Veneer tops will have matching solid wood edge. Solid wood edges can be specified on corner wedge tops with a wood veneer top. Edge and top will match.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage.
<i>Note:</i> Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.	<i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.	<b>Trough cutout on C-Leg Only</b> TAS - Center Cutout  C-Leg tables may be specified with a center trough cutout but only if no box cutouts are specified on the top.
		<i>Maintenance:</i> See pages 6.  <i>Note:</i> Pixel tables are certified Clean Air GOLD.

Marc Krusin  
Pixel™ Table Series  
C-Leg Advanced Tables, Flip Top




	description	w	d	h	leg type	table wgt. (lbs)		
<i>Designer(s):</i> Marc Krusin, 2015	<b>KCPW</b> Work Height, Flip Top, Casters 	48"	18"	28 3/4"	C-Leg	74		
		60"	18"	28 3/4"	C-Leg	66		
		72"	18"	28 3/4"	C-Leg	75		
		48"	21"	28 3/4"	C-Leg	74		
		60"	21"	28 3/4"	C-Leg	78		
		72"	21"	28 3/4"	C-Leg	91		
		48"	24"	28 3/4"	C-Leg	74		
		60"	24"	28 3/4"	C-Leg	78		
		72"	24"	28 3/4"	C-Leg	91		
		48"	30"	28 3/4"	C-Leg	74		
		60"	30"	28 3/4"	C-Leg	93		
		72"	30"	28 3/4"	C-Leg	106		
		<i>Award(s):</i> Best of Neocon Gold Award, 2015	<b>KCPA</b> Pin Set Height Adjustable, Flip Top, Casters 	48"	18"	28 3/4 - 33 3/4"	C-Leg	60
				60"	18"	28 3/4 - 33 3/4"	C-Leg	69
				72"	18"	28 3/4 - 33 3/4"	C-Leg	78
				48"	21"	28 3/4 - 33 3/4"	C-Leg	71
60"	21"			28 3/4 - 33 3/4"	C-Leg	82		
72"	21"			28 3/4 - 33 3/4"	C-Leg	94		
48"	24"			28 3/4 - 33 3/4"	C-Leg	71		
60"	24"			28 3/4 - 33 3/4"	C-Leg	82		
72"	24"			28 3/4 - 33 3/4"	C-Leg	94		
48"	30"			28 3/4 - 33 3/4"	C-Leg	82		
60"	30"			28 3/4 - 33 3/4"	C-Leg	96		
72"	30"			28 3/4 - 33 3/4"	C-Leg	109		
	<b>KGANG</b> Pixel ganging mechanism 							

pattern no.	laminate/flat edge	laminate/molded edge	veneer/wood
<b>KCPW4818-(C)-( )-( )-( )</b>	\$2,445.	\$2,597.	\$4,215.
<b>KCPW6018-(C)-( )-( )-( )</b>	\$2,543.	\$2,719.	\$4,393.
<b>KCPW7218-(C)-( )-( )-( )</b>	\$2,630.	\$2,827.	\$4,592.
<b>KCPW4821-(C)-( )-( )-( )</b>	\$2,521.	\$2,689.	\$4,408.
<b>KCPW6021-(C)-( )-( )-( )</b>	\$2,630.	\$2,821.	\$4,657.
<b>KCPW7221-(C)-( )-( )-( )</b>	\$2,722.	\$2,938.	\$4,900.
<b>KCPW4824-(C)-( )-( )-( )</b>	\$2,521.	\$2,689.	\$4,408.
<b>KCPW6024-(C)-( )-( )-( )</b>	\$2,630.	\$2,821.	\$4,657.
<b>KCPW7224-(C)-( )-( )-( )</b>	\$2,722.	\$2,938.	\$4,900.
<b>KCPW4830-(C)-( )-( )-( )</b>	\$2,637.	\$2,817.	\$4,670.
<b>KCPW6030-(C)-( )-( )-( )</b>	\$2,750.	\$2,959.	\$4,961.
<b>KCPW7230-(C)-( )-( )-( )</b>	\$2,857.	\$3,090.	\$5,172.
<b>KCPA4818-(C)-( )-( )-( )</b>	\$2,625.	\$2,781.	\$4,375.
<b>KCPA6018-(C)-( )-( )-( )</b>	\$2,726.	\$2,903.	\$4,551.
<b>KCPA7218-(C)-( )-( )-( )</b>	\$2,813.	\$3,011.	\$4,750.
<b>KCPA4821-(C)-( )-( )-( )</b>	\$2,706.	\$2,873.	\$4,569.
<b>KCPA6021-(C)-( )-( )-( )</b>	\$2,813.	\$3,005.	\$4,816.
<b>KCPA7221-(C)-( )-( )-( )</b>	\$2,906.	\$3,120.	\$5,061.
<b>KCPA4824-(C)-( )-( )-( )</b>	\$2,706.	\$2,873.	\$4,569.
<b>KCPA6024-(C)-( )-( )-( )</b>	\$2,813.	\$3,005.	\$4,816.
<b>KCPA7224-(C)-( )-( )-( )</b>	\$2,906.	\$3,120.	\$5,061.
<b>KCPA4830-(C)-( )-( )-( )</b>	\$2,817.	\$3,004.	\$4,829.
<b>KCPA6030-(C)-( )-( )-( )</b>	\$2,937.	\$3,144.	\$5,121.
<b>KCPA7230-(C)-( )-( )-( )</b>	\$3,041.	\$3,274.	\$5,337.
<b>KGANG</b>	\$39.	n/a	n/a

Order Code	Finishes
<i>Example:</i> <b>KCPW7224-C-114-004T-Y-115T</b>	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)
<b>KCPW7224</b> 72" x 24" Work Height, Flip Top	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
<b>C</b> Locking casters	<i>Veneer top/edge finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)
<b>114</b> Folkstone laminate	<i>Molded edgeband finishes:</i> Black (suffix 300M) Mink (suffix 324M) Innertone (suffix 386M) Platinum (suffix 367M) Folkstone (suffix 004M)
<b>004T</b> Folkstone flat edgeband	<i>Flat edgeband finishes:</i> Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) White (suffix 118)
<b>Y</b> No grommet	<i>Woodgrain flat edgeband finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
<b>115T</b> Medium Grey legs	<i>Leg finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T)* Medium Grey (suffix 115T) Sterling (suffix 906T)
<i>Specify:</i> 1. Pattern number 2. Locking casters or glide selection 3. Top finish selection 4. Edgeband selection 5. Cutout option 6. Leg finish	<i>Hybrid Chrome Base:</i> Chromed legs are available on KCPW at an upcharge of \$891 list. Legs and feet will be chromed while the horizontal trough will be in a standard Pixel paint finish. Place suffix C after leg finish suffix. Please note Hybrid Chrome base is not available on 18" depth tables on casters. <i>Example:</i> <b>KCPW6030-C-118-300-Y-118T-C</b>  <i>Note:</i> Glides are not available on flip top tables.  *For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.  <i>Glides/Casters:</i> Glides (suffix G) Casters (suffix C)

Electrical	Construction	Features
<i>Cutout Options: (\$33 list per cutout)</i> Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 8 for the proper cutout code.  <i>Note:</i> Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.	<i>Laminate and Veneer tops:</i> Constructed of particle board substrates sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Laminate tops can be specified with a flat ABS or molded urethane edge. Veneer tops will have matching solid wood edge. Solid wood edges can be specified on corner wedge tops with a wood veneer top. Edge and top will match.  <i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage.  <b>Trough cutout on C-Leg Only</b> TAS - Center Cutout  C-Leg tables may be specified with a center trough cutout but only if no box cutouts are specified on the top.  <i>Maintenance:</i> See pages 6.  <i>Note:</i> Pixel tables are certified Clean Air GOLD.  <i>Caution:</i> When moving flip top tables on casters, only push tables while the top is down in the flat position.

Marc Krusin  
Pixel™ Table Series  
C-Leg Simplified Tables, Fixed Top




	description	w	d	h	leg type	table wgt. (lbs)			
<i>Designer(s):</i> Marc Krusin, 2015		<b>KLCXW</b> Work Height, Fixed Top					52		
		48"	18"	28 3/4"	C-Leg	52			
		60"	18"	28 3/4"	C-Leg	61			
		72"	18"	28 3/4"	C-Leg	70			
		48"	21"	28 3/4"	C-Leg	63			
		60"	21"	28 3/4"	C-Leg	74			
		72"	21"	28 3/4"	C-Leg	85			
		48"	24"	28 3/4"	C-Leg	63			
		60"	24"	28 3/4"	C-Leg	74			
		72"	24"	28 3/4"	C-Leg	85			
		48"	30"	28 3/4"	C-Leg	74			
		60"	30"	28 3/4"	C-Leg	87			
		72"	30"	28 3/4"	C-Leg	101			
		<i>Award(s):</i> Best of Neocon Gold Award, 2015		<b>KLCXA</b> Pin Set Height Adjustable, Fixed Top					55
				48"	18"	28 3/4" - 34"	C-Leg	55	
				60"	18"	28 3/4" - 34"	C-Leg	64	
				72"	18"	28 3/4" - 34"	C-Leg	73	
48"	21"			28 3/4" - 34"	C-Leg	66			
60"	21"			28 3/4" - 34"	C-Leg	77			
72"	21"			28 3/4" - 34"	C-Leg	89			
48"	24"			28 3/4" - 34"	C-Leg	66			
60"	24"			28 3/4" - 34"	C-Leg	77			
72"	24"			28 3/4" - 34"	C-Leg	89			
48"	30"			28 3/4" - 34"	C-Leg	77			
60"	30"	28 3/4" - 34"	C-Leg	91					
72"	30"	28 3/4" - 34"	C-Leg	104					
	<b>KGANG</b> Pixel ganging mechanism								
									

pattern no.	laminate/flat edge
KLCXW4818-(C,G)-( )-( )-( )	\$1,493.
KLCXW6018-(C,G)-( )-( )-( )	\$1,558.
KLCXW7218-(C,G)-( )-( )-( )	\$1,617.
KLCXW4821-(C,G)-( )-( )-( )	\$1,493.
KLCXW6021-(C,G)-( )-( )-( )	\$1,558.
KLCXW7221-(C,G)-( )-( )-( )	\$1,617.
KLCXW4824-(C,G)-( )-( )-( )	\$1,493.
KLCXW6024-(C,G)-( )-( )-( )	\$1,558.
KLCXW7224-(C,G)-( )-( )-( )	\$1,617.
KLCXW4830-(C,G)-( )-( )-( )	\$1,563.
KLCXW6030-(C,G)-( )-( )-( )	\$1,636.
KLCXW7230-(C,G)-( )-( )-( )	\$1,701.
KLCXA4818-(C,G)-( )-( )-( )	\$1,610.
KLCXA6018-(C,G)-( )-( )-( )	\$1,669.
KLCXA7218-(C,G)-( )-( )-( )	\$1,724.
KLCXA4821-(C,G)-( )-( )-( )	\$1,660.
KLCXA6021-(C,G)-( )-( )-( )	\$1,725.
KLCXA7221-(C,G)-( )-( )-( )	\$1,784.
KLCXA4824-(C,G)-( )-( )-( )	\$1,660.
KLCXA6024-(C,G)-( )-( )-( )	\$1,725.
KLCXA7224-(C,G)-( )-( )-( )	\$1,784.
KLCXA4830-(C,G)-( )-( )-( )	\$1,731.
KLCXA6030-(C,G)-( )-( )-( )	\$1,804.
KLCXA7230-(C,G)-( )-( )-( )	\$1,870.
<b>KGANG</b>	\$39.

Order Code	Finishes
<i>Example:</i> <b>KLCXW6024-C-114-004T-Y-115T</b>	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)
<b>KLCXW6024</b> 60" x 24" Work Height, Fixed Top	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
<b>C</b> Locking casters	<i>Flat edgeband finishes:</i> Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) White (suffix 118)
<b>114</b> Folkstone laminate	<i>Woodgrain flat edgeband finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
<b>004T</b> Folkstone flat edgeband	<i>Leg finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T)* Medium Grey (suffix 115T) Sterling (suffix 906T)
<b>Y</b> No grommet	<i>Glides/Casters:</i> Glides (suffix G) Casters (suffix C)
<b>115T</b> Medium Grey legs	
<i>Specify:</i>	
1. Pattern number	
2. Locking casters or glide selection	
3. Top finish selection	
4. Edgeband selection	
5. Cutout option	
6. Leg finish	

Electrical	Construction	Features
<i>Cutout Options: (\$33 list per cutout)</i> Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 8 for the proper cutout code.	<i>Laminate tops:</i> Constructed of particle board substrates sandwiched between laminate top and phenolic backer sheet bottom. Tops can be specified with a flat ABS edge.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage.
<i>Note:</i> Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.	<i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.	<i>Wire Management:</i> Use magnetic clips to secure wires and cords to black horizontal beam underneath the tabletop. Tuck excess wires and cords inside wire management bar.
		<i>Maintenance:</i> See pages 6.
		<i>Note:</i> Pixel tables are certified Clean Air GOLD.

Marc Krusin  
Pixel™ Table Series  
C-Leg Simplified Tables, Flip Top





	description	w	d	h	leg type	table wgt. (lbs)			
<i>Designer(s):</i> Marc Krusin, 2015		<b>KLCPW</b> Work Height, Flip Top, Casters					74		
		48"	18"	28 3/4"	C-Leg	60"	66		
		60"	18"	28 3/4"	C-Leg	72"	75		
		48"	21"	28 3/4"	C-Leg	48"	74		
		60"	21"	28 3/4"	C-Leg	60"	78		
		72"	21"	28 3/4"	C-Leg	72"	91		
		48"	24"	28 3/4"	C-Leg	48"	74		
		60"	24"	28 3/4"	C-Leg	60"	78		
		72"	24"	28 3/4"	C-Leg	72"	91		
		48"	30"	28 3/4"	C-Leg	48"	74		
		60"	30"	28 3/4"	C-Leg	60"	93		
		72"	30"	28 3/4"	C-Leg	72"	106		
		<i>Award(s):</i> Best of Neon Gold Award, 2015		<b>KLCPA</b> Pin Set Height Adjustable, Flip Top, Casters					60
				48"	18"	28 3/4" - 34"	C-Leg	60"	69
				60"	18"	28 3/4" - 34"	C-Leg	72"	78
				48"	21"	28 3/4" - 34"	C-Leg	48"	71
				60"	21"	28 3/4" - 34"	C-Leg	60"	82
72"	21"			28 3/4" - 34"	C-Leg	72"	94		
48"	24"			28 3/4" - 34"	C-Leg	48"	71		
60"	24"			28 3/4" - 34"	C-Leg	60"	82		
72"	24"			28 3/4" - 34"	C-Leg	72"	94		
48"	30"			28 3/4" - 34"	C-Leg	48"	82		
60"	30"			28 3/4" - 34"	C-Leg	60"	96		
72"	30"	28 3/4" - 34"	C-Leg	72"	109				
	<b>KGANG</b> Pixel ganging mechanism								
									

pattern no.	laminate/flat edge
<b>KLCPW4818-(C)-( )-( )-( )</b>	\$1,890.
<b>KLCPW6018-(C)-( )-( )-( )</b>	\$1,972.
<b>KLCPW7218-(C)-( )-( )-( )</b>	\$2,042.
<b>KLCPW4821-(C)-( )-( )-( )</b>	\$1,890.
<b>KLCPW6021-(C)-( )-( )-( )</b>	\$1,972.
<b>KLCPW7221-(C)-( )-( )-( )</b>	\$2,042.
<b>KLCPW4824-(C)-( )-( )-( )</b>	\$1,890.
<b>KLCPW6024-(C)-( )-( )-( )</b>	\$1,972.
<b>KLCPW7224-(C)-( )-( )-( )</b>	\$2,042.
<b>KLCPW4830-(C)-( )-( )-( )</b>	\$1,976.
<b>KLCPW6030-(C)-( )-( )-( )</b>	\$2,064.
<b>KLCPW7230-(C)-( )-( )-( )</b>	\$2,142.
<b>KLCPA4818-(C)-( )-( )-( )</b>	\$1,970.
<b>KLCPA6018-(C)-( )-( )-( )</b>	\$2,043.
<b>KLCPA7218-(C)-( )-( )-( )</b>	\$2,109.
<b>KLCPA4821-(C)-( )-( )-( )</b>	\$2,031.
<b>KLCPA6021-(C)-( )-( )-( )</b>	\$2,109.
<b>KLCPA7221-(C)-( )-( )-( )</b>	\$2,180.
<b>KLCPA4824-(C)-( )-( )-( )</b>	\$2,031.
<b>KLCPA6024-(C)-( )-( )-( )</b>	\$2,109.
<b>KLCPA7224-(C)-( )-( )-( )</b>	\$2,180.
<b>KLCPA4830-(C)-( )-( )-( )</b>	\$2,113.
<b>KLCPA6030-(C)-( )-( )-( )</b>	\$2,202.
<b>KLCPA7230-(C)-( )-( )-( )</b>	\$2,282.
<b>KGANG</b>	\$39.

Order Code	Finishes
<i>Example:</i> <b>KLCPW6024-C-114-004T-Y-115T</b>	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)
<b>KLCPW</b>	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
<b>6024</b>	60" x 24" Work Height, Flip Top
<b>C</b>	Locking casters
<b>114</b>	Folkstone laminate
<b>004T</b>	Folkstone flat edgeband
<b>Y</b>	No grommet
<b>115T</b>	Medium Grey legs
<i>Specify:</i>	<i>Flat edgeband finishes:</i> Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) White (suffix 118)
1. Pattern number	<i>Woodgrain flat edgeband finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
2. Locking casters or glide selection	<i>Leg finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T)* Medium Grey (suffix 115T) Sterling (suffix 906T)
3. Top finish selection	<i>Glides/Casters:</i> Glides (suffix G) Casters (suffix C)
4. Edgeband selection	
5. Cutout option	
6. Leg finish	

Electrical	Construction	Features
<i>Cutout Options: (\$33 list per cutout)</i> Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 8 for the proper cutout code.	<i>Laminate tops:</i> Constructed of particle board substrates sandwiched between laminate top and phenolic backer sheet bottom. Tops can be specified with a flat ABS edge.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage.
<i>Note:</i> Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.	<i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.	<i>Wire Management:</i> Use magnetic clips to secure wires and cords to black horizontal beam underneath the tabletop. Tuck excess wires and cords inside wire management bar.
		<i>Flip Mechanism:</i> To flip tabletop, pull red button on right side of the table and use other hand to gently lift the tabletop up. Black button on left side of the table can also be pushed while performing the same movement.
		<i>Maintenance:</i> See pages 6.
		<i>Note:</i> Pixel tables are certified Clean Air GOLD.

Marc Krusin  
Pixel™ Table Series  
T-Leg Advanced Tables, Fixed Top

	description	w	d	h	leg type	table wgt. (lbs)
<i>Designer(s):</i> Marc Krusin, 2015  <i>Award(s):</i> Best of Neocon Gold Award, 2015		<b>KTXW</b> Work Height, Fixed Top				
		60"	30"	28 3/4"	T-Leg	84
		72"	30"	28 3/4"	T-Leg	98
		60"	36"	28 3/4"	T-Leg	98
		<b>KTXA</b> Pin Set Height Adjustable, Fixed Top				
		60"	30"	28 3/4 - 33 3/4"	T-Leg	88
		72"	30"	28 3/4 - 33 3/4"	T-Leg	102
		60"	36"	28 3/4 - 33 3/4"	T-Leg	101
		<b>KTXE</b> Electric Height Adjustable, Fixed top, Glides				
		60"	36"	26" - 51 1/2"	T-Leg	132
		72"	36"	26" - 51 1/2"	T-Leg	146
	<b>KGANG</b> Pixel ganging mechanism					
						

pattern no.	laminate/flat edge	laminate/molded edge	veneer/wood
<b>KTXW6030-(-)(-)(-)(-)</b>	\$2,376.	\$2,585.	\$4,497.
<b>KTXW7230-(-)(-)(-)(-)</b>	\$2,489.	\$2,727.	\$5,304.
<b>KTXW6036-(-)(-)(-)(-)</b>	\$2,431.	\$2,659.	\$4,695.
<b>KTXW7236-(-)(-)(-)(-)</b>	\$2,617.	\$2,873.	\$5,297.
<hr/>			
<b>KTXA6030-(-)(-)(-)(-)</b>	\$2,546.	\$2,759.	\$4,758.
<b>KTXA7230-(-)(-)(-)(-)</b>	\$2,781.	\$3,017.	\$4,997.
<b>KTXA6036-(-)(-)(-)(-)</b>	\$2,785.	\$3,013.	\$5,010.
<b>KTXA7236-(-)(-)(-)(-)</b>	\$2,971.	\$3,226.	\$5,609.
<hr/>			
<b>KTXE6036-(G)(-)(-)(-)(111T, 118T)</b>	\$5,202.	\$5,447.	\$7,226.
<b>KTXE7236-(G)(-)(-)(-)(111T, 118T)</b>	\$5,330.	\$5,602.	\$7,776.
<hr/>			
<b>KGANG</b>	\$39.	n/a	n/a






Order Code	Finishes
<i>Example:</i> <b>KTXW7224-C-114-004T-Y-115T</b>	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)
<b>KTXW7224</b> 72" x 24" Work Height, Fixed Top	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
<b>C</b> Locking casters	<i>Veneer top/edge finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)
<b>114</b> Folkstone laminate	<i>Molded edgeband finishes:</i> Black (suffix 300M) Mink (suffix 324M) Innertone (suffix 386M) Platinum (suffix 367M) Folkstone (suffix 004M)
<b>004T</b> Folkstone flat edgeband	<i>Flat edgeband finishes:</i> Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) White (suffix 118)
<b>Y</b> No grommet	<i>Woodgrain flat edgeband finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
<b>115T</b> Medium Grey legs	<i>Leg finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T)* Medium Grey (suffix 115T) Sterling (suffix 906T)
<i>Specify:</i>	<i>Glides/Casters:</i> Glides (suffix G) Casters (suffix C)
1. Pattern number	<i>Hybrid Chrome Base:</i> Chromed legs are available on KTXW at an upcharge of \$891 list. Legs and feet will be chromed while the horizontal trough will be in a standard Pixel paint finish. Place suffix C after leg finish suffix. <i>Example:</i> <b>KTXW6030-C-118-300-Y-118T-C</b>
2. Locking casters or glide selection	<i>Note:</i> Glides are not available on flip top tables.
3. Top finish selection	<i>*For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.</i>
4. Edgeband selection	
5. Cutout option	
6. Leg finish	

Electrical	Construction	Features
<i>Cutout Options: (\$33 list per cutout)</i> Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 8 for the proper cutout code.	<i>Laminate and Veneer tops:</i> Constructed of particle board substrates sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Laminate tops can be specified with a flat ABS or molded urethane edge. Veneer tops with have matching solid wood edge. Solid wood edges can be specified on corner wedge tops with a wood veneer top. Edge and top will match.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage.
<i>Note:</i> Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.	<i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.	<b>Trough cutout on C-Leg Only</b> TAS - Center Cutout  C-Leg tables may be specified with a center trough cutout but only if no box cutouts are specified on the top.
		<i>Maintenance:</i> See pages 6.  <i>Note:</i> Pixel tables are certified Clean Air GOLD.

# Marc Krusin

## Pixel™ Table Series

### T-Leg Advanced Tables, Flip Top






	description	w	d	h	leg type	table wgt. (lbs)
<i>Designer(s):</i> Marc Krusin, 2015  <i>Award(s):</i> Best of Neocon Gold Award, 2015	<b>KTPW</b> Work Height, Flip Top, Casters 	60"	30"	28 3/4"	T-Leg	93
		72"	30"	28 3/4"	T-Leg	107
		60"	36"	28 3/4"	T-Leg	106
		72"	36"	28 3/4"	T-Leg	122
	<b>KTPA</b> Pin Set Height Adjustable, Flip top, Casters 	60"	30"	28 3/4 - 34"	T-Leg	96
		72"	30"	28 3/4 - 34"	T-Leg	110
		60"	36"	28 3/4 - 34"	T-Leg	109
		72"	36"	28 3/4 - 34"	T-Leg	125
	<b>KGANG</b> Pixel ganging mechanism 					

pattern no.	laminate/flat edge	laminate/molded edge	veneer/wood
<b>KTPW6030-(C)-( )-( )-( )</b>	\$3,179.	\$3,393.	\$5,335.
<b>KTPW7230-(C)-( )-( )-( )</b>	\$3,308.	\$3,546.	\$5,587.
<b>KTPW6036-(C)-( )-( )-( )</b>	\$3,306.	\$3,536.	\$5,591.
<b>KTPW7236-(C)-( )-( )-( )</b>	\$3,500.	\$3,759.	\$6,200.
<b>KTPA6030-(C)-( )-( )-( )</b>	\$3,437.	\$3,645.	\$5,567.
<b>KTPA7230-(C)-( )-( )-( )</b>	\$3,560.	\$3,797.	\$5,819.
<b>KTPA6036-(C)-( )-( )-( )</b>	\$3,555.	\$3,784.	\$5,840.
<b>KTPA7236-(C)-( )-( )-( )</b>	\$3,751.	\$4,011.	\$6,434.
<b>KGANG</b>	\$39.	n/a	n/a

Order Code	Finishes
<i>Example:</i> <b>KTPW6036-C-114-004T-Y-115T</b>	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)
<b>KTPW6036</b> 60" x 36" rectangle, T-Leg, Flip, Work Height, Casters	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
<b>C</b> Locking casters	<i>Veneer top/edge finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)
<b>114</b> Folkstone laminate	<i>Molded edgeband finishes:</i> Black (suffix 300M) Mink (suffix 324M) Innertone (suffix 386M) Platinum (suffix 367M) Folkstone (suffix 004M)
<b>004T</b> Folkstone flat edgeband	<i>Flat edgeband finishes:</i> Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) White (suffix 118)
<b>Y</b> No grommet	<i>Woodgrain flat edgeband finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
<b>115T</b> Medium Grey legs	<i>Leg finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T) * Medium Grey (suffix 115T) Sterling (suffix 906T)
<i>Specify:</i> 1. Pattern number 2. Locking caster or glide selection 3. Top finish selection 4. Edgeband selection 5. Cutout option 6. Leg finish	<i>Hybrid Chrome Base:</i> Chromed legs are available on KTPW at an upcharge of \$891 list. Legs and feet will be chromed while the horizontal trough will be in a standard Pixel paint finish. Place suffix C after leg finish suffix. <i>Example:</i> <b>KTPW6030-C-118-300-Y-118T-C</b>  <i>Note:</i> Glides are not available on flip top tables.  *For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.  <i>Glides/Casters:</i> Casters (suffix C)

Electrical	Construction	Features
<i>Cutout Options: (\$33 list per cutout)</i> Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 8 for the proper cutout code.  <i>Note:</i> Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.	<i>Laminate and Veneer tops:</i> Constructed of particle board substrates sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Laminate tops can be specified with a flat ABS or molded urethane edge. Veneer tops will have matching solid wood edge. Solid wood edges can be specified on corner wedge tops with a wood veneer top. Edge and top will match.  <i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage.  <i>Maintenance:</i> See pages 6.  <i>Note:</i> Pixel tables are certified Clean Air GOLD.
		<i>Caution:</i> When moving flip top tables on casters, only push tables while the top is down in the flat position.

Marc Krusin  
*Pixel™ Table Series*  
*T-Leg Advanced Tables, Trapezoid, Fixed Top*

	description	w	side d	h	leg type	table wgt. (lbs)
<i>Designer(s):</i> Marc Krusin, 2015  <i>Award(s):</i> Best of Neon Gold Award, 2015    	<b>KZTXW</b> Work Height, Fixed Top	48"	24"	28 3/4"	T-Leg	
		60"	24"	28 3/4"	T-Leg	
		60"	30"	28 3/4"	T-Leg	
	<b>KZTXA</b> Pin Set Height Adjustable, Fixed Top	48"	24"	28 3/4 - 34"	T-Leg	
		60"	24"	28 3/4 - 34"	T-Leg	
		60"	30"	28 3/4 - 34"	T-Leg	
	<b>KGANG</b> Pixel ganging mechanism 					






pattern no.	laminate/flat edge	laminate/molded edge
<b>KZTXW4824-(-)(-)(-)(-)</b>	\$2,251.	\$2,414.
<b>KZTXW6024-(-)(-)(-)(-)</b>	\$2,352.	\$2,535.
<b>KZTXW6030-(-)(-)(-)(-)</b>	\$2,469.	\$2,670.
<b>KZTXA4824-(-)(-)(-)(-)</b>	\$2,504.	\$2,666.
<b>KZTXA6024-(-)(-)(-)(-)</b>	\$2,603.	\$2,791.
<b>KZTXA6030-(-)(-)(-)(-)</b>	\$2,722.	\$2,925.
<b>KGANG</b>	\$39.	n/a

Order Code	Finishes
<i>Example:</i> <b>KZTXW6024-C-114-004T-Y-115T</b>	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)
<b>KZTXW6024</b> 40" x 24" T-Leg S Series Table, Work Height, Fixed Top	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
<b>C</b> Locking casters	<i>Molded edgeband finishes:</i> Black (suffix 300M) Mink (suffix 324M) Innertone (suffix 386M) Platinum (suffix 367M) Folkstone (suffix 004M)
<b>114</b> Folkstone laminate	<i>Flat edgeband finishes:</i> Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) White (suffix 118)
<b>004T</b> Folkstone flat edgeband	<i>Woodgrain flat edgeband finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
<b>Y</b> No grommet	<i>Leg finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T)* Medium Grey (suffix 115T) Sterling (suffix 906T)
<b>115T</b> Medium Grey legs	<i>Glides/Casters:</i> Glides (suffix G) Casters (suffix C)
<i>Specify:</i> 1. Pattern number 2. Locking casters or glide selection 3. Top finish selection 4. Edgeband selection 5. Cutout option 6. Leg finish	<i>Note:</i> Glides are not available on flip top tables.  *For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.  <i>Dimensions:</i> Side depth refers to the shorter non-parallel sides of the trapezoid top.

Electrical	Construction	Features
<i>Cutout Options: (\$33 list per cutout)</i> Tables may be specified with no cutouts (code Y). For cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 8 for the proper cutout code.	<i>Laminate tops:</i> Constructed of particle board substrates sandwiched between laminate top and phenolic backer sheet bottom. Laminate tops can be specified with a flat ABS or molded urethane edge.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage.
<i>Note:</i> Only KE3, KE5, and KE8 electrical modules are available on Pixel Trapezoid Tables.	<i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.	The Pixel Trapezoid Table Series are designed to gang and integrate with rectangular tables with the same depth from the Pixel Table Series.  <i>Maintenance:</i> See pages 6.



Marc Krusin  
*Pixel™ Table Series*  
*T-Leg Advanced Tables, Trapezoid, Flip Top*



	description	w	side d	h	leg type	table wgt. (lbs)
<i>Designer(s):</i> Marc Krusin, 2015  <i>Award(s):</i> Best of Neoncon Gold Award, 2015  	<b>KZTPW</b> Work Height, Flip Top, Casters 	48"	24"	28 3/4"	T-Leg	
		60"	24"	28 3/4"	T-Leg	
		60"	30"	28 3/4"	T-Leg	
	<b>KZTPA</b> Pin Set Height Adjustable, Flip Top, Casters 	48"	24"	28 3/4 - 34"	T-Leg	
		60"	24"	28 3/4 - 34"	T-Leg	
		60"	30"	28 3/4 - 34"	T-Leg	
	<b>KGANG</b> Pixel ganging mechanism 					


pattern no.	laminate/flat edge	laminate/molded edge
<b>KZTPW4824-(C)-( )-( )-( )</b>	\$2,474.	\$2,639.
<b>KZTPW6024-(C)-( )-( )-( )</b>	\$2,580.	\$2,768.
<b>KZTPW6030-(C)-( )-( )-( )</b>	\$2,699.	\$2,903.
<b>KZTPA4824-(C)-( )-( )-( )</b>	\$2,653.	\$2,817.
<b>KZTPA6024-(C)-( )-( )-( )</b>	\$2,759.	\$2,945.
<b>KZTPA6030-(C)-( )-( )-( )</b>	\$2,879.	\$3,083.
<b>KGANG</b>	\$39.	n/a

Order Code	Finishes
<i>Example:</i> <b>KZTPW4824-C-114-004T-Y-115T</b>	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)
<b>KZTPW4824</b> 48" x 24" rectangle, T-Leg, Flip, Work Height, Casters	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
<b>C</b> Locking casters	<i>Molded edgeband finishes:</i> Black (suffix 300M) Mink (suffix 324M) Innertone (suffix 386M) Platinum (suffix 367M) Folkstone (suffix 004M)
<b>114</b> Folkstone laminate	<i>Flat edgeband finishes:</i> Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) White (suffix 118)
<b>004T</b> Folkstone flat edgeband	<i>Woodgrain flat edgeband finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
<b>Y</b> No grommet	<i>Leg finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T)* Medium Grey (suffix 115T) Sterling (suffix 906T)
<b>115T</b> Medium Grey legs	<i>Glides/Casters:</i> Casters (suffix C)
<i>Specify:</i> 1. Pattern number 2. Locking caster or glide selection 3. Top finish selection 4. Edgeband selection 5. Cutout option 6. Leg finish	<i>Note:</i> Glides are not available on flip top tables.  *For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.  <i>Dimensions:</i> Side depth refers to the shorter non-parallel sides of the trapezoid top.

Electrical	Construction	Features
<i>Cutout Options: (\$33 list per cutout)</i> Tables may be specified with no cutouts (code Y). For cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 8 for the proper cutout code.	<i>Laminate tops:</i> Constructed of particle board substrates sandwiched between laminate top and phenolic backer sheet bottom. Laminate tops can be specified with a flat ABS or molded urethane edge.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage.  <i>Caution:</i> When moving flip top tables on casters, only push tables while the top is down in the flat position.
<i>Note:</i> Only KE3, KE5, and KE8 electrical modules are available on Pixel Trapezoid Tables.	<i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.	The Pixel Trapezoid Table Series are designed to gang and integrate with rectangular tables with the same depth from the Pixel Table Series.  <i>Maintenance:</i> See pages 6.

Marc Krusin  
*Pixel™ Table Series*  
*T-Leg Simplified Tables, Fixed Top*

	description	w	d	h	leg type	table wgt. (lbs)		
<i>Designer(s):</i> Marc Krusin, 2015		<b>KLTXW</b> Work Height, Fixed Top	48"	24"	28 3/4"	T-Leg	64	
		60"	24"	28 3/4"	T-Leg	74		
		72"	24"	28 3/4"	T-Leg	85		
		48"	30"	28 3/4"	T-Leg	74		
		60"	30"	28 3/4"	T-Leg	87		
		72"	30"	28 3/4"	T-Leg	100		
		48"	36"	28 3/4"	T-Leg	84		
		60"	36"	28 3/4"	T-Leg	100		
		72"	36"	28 3/4"	T-Leg	115		
		<i>Award(s):</i> Best of Neocon Gold Award, 2015		<b>KGANG</b> Pixel ganging mechanism				






pattern no.	laminate/flat edge
<b>KLTXW4824-(C,G)-(-)-(-)-(-)</b>	\$1,458.
<b>KLTXW6024-(C,G)-(-)-(-)-(-)</b>	\$1,558.
<b>KLTXW7224-(C,G)-(-)-(-)-(-)</b>	\$1,617.
<b>KLTXW4830-(C,G)-(-)-(-)-(-)</b>	\$1,563.
<b>KLTXW6030-(C,G)-(-)-(-)-(-)</b>	\$1,636.
<b>KLTXW7230-(C,G)-(-)-(-)-(-)</b>	\$1,701.
<b>KLTXW4836-(C,G)-(-)-(-)-(-)</b>	\$1,656.
<b>KLTXW6036-(C,G)-(-)-(-)-(-)</b>	\$1,734.
<b>KLTXW7236-(C,G)-(-)-(-)-(-)</b>	\$1,804.
<b>KGANG</b>	\$39.

Order Code	Finishes
<i>Example:</i> <b>KLTXW6024-C-114-004T-Y-115T</b>	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)
<b>KLTXW 6024</b> 60" x 24" Work Height, Fixed Top	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
<b>C</b> Locking casters	<i>Flat edgeband finishes:</i> Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) White (suffix 118)
<b>114</b> Folkstone laminate	<i>Woodgrain flat edgeband finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
<b>004T</b> Folkstone flat edgeband	<i>Leg finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T)* Medium Grey (suffix 115T) Sterling (suffix 906T)
<b>Y</b> No grommet	<i>Glides/Casters:</i> Glides (suffix G) Casters (suffix C)
<b>115T</b> Medium Grey legs	
<i>Specify:</i> 1. Pattern number 2. Locking casters or glide selection 3. Top finish selection 4. Edgeband selection 5. Cutout option 6. Leg finish	

Electrical	Construction	Features
<i>Cutout Options: (\$33 list per cutout)</i> Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 8 for the proper cutout code.	<i>Laminate tops:</i> Constructed of particle board substrates sandwiched between laminate top and phenolic backer sheet bottom. Tops can be specified with a flat ABS edge.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage.
<i>Note:</i> Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.	<i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.	<i>Wire Management:</i> Use magnetic clips to secure wires and cords to black horizontal beam underneath the tabletop. Tuck excess wires and cords inside wire management bar.
		<i>Maintenance:</i> See pages 6.
		<i>Note:</i> Pixel tables are certified Clean Air GOLD.

Marc Krusin  
Pixel™ Table Series  
T-Leg Simplified Tables, Flip Top

	description	w	d	h	leg type	table wgt. (lbs)	
<p><i>Designer(s):</i> Marc Krusin, 2015</p> <p><i>Award(s):</i> Best of Neocon Gold Award, 2015</p> 	<p><b>KLTPW</b> Work Height, Flip Top, Casters</p> 	48"	24"	28 3/4"	T-Leg	71	
		60"	24"	28 3/4"	T-Leg	83	
		72"	24"	28 3/4"	T-Leg	95	
		48"	30"	28 3/4"	T-Leg	81	
		60"	30"	28 3/4"	T-Leg	96	
		72"	30"	28 3/4"	T-Leg	110	
		48"	36"	28 3/4"	T-Leg	92	
		60"	36"	28 3/4"	T-Leg	109	
		72"	36"	28 3/4"	T-Leg	125	
		<p><b>KLTPA</b> Pin Set Height Adjustable, Flip Top, Casters</p> 	48"	24"	28 3/4" - 34"	T-Leg	74
			60"	24"	28 3/4" - 34"	T-Leg	86
			72"	24"	28 3/4" - 34"	T-Leg	98
			48"	30"	28 3/4" - 34"	T-Leg	84
60"	30"		28 3/4" - 34"	T-Leg	99		
72"	30"		28 3/4" - 34"	T-Leg	113		
48"	36"		28 3/4" - 34"	T-Leg	95		
60"	36"		28 3/4" - 34"	T-Leg	112		
	72"	36"	28 3/4" - 34"	T-Leg	129		
	<b>KGANG</b> Pixel ganging mechanism						







pattern no.	laminate/flat edge
<b>KLTPW4824-(C)-( )-( )-( )</b>	\$1,890.
<b>KLTPW6024-(C)-( )-( )-( )</b>	\$1,972.
<b>KLTPW7224-(C)-( )-( )-( )</b>	\$2,042.
<b>KLTPW4830-(C)-( )-( )-( )</b>	\$1,976.
<b>KLTPW6030-(C)-( )-( )-( )</b>	\$2,064.
<b>KLTPW7230-(C)-( )-( )-( )</b>	\$2,142.
<b>KLTPW4836-(C)-( )-( )-( )</b>	\$2,094.
<b>KLTPW6036-(C)-( )-( )-( )</b>	\$2,187.
<b>KLTPW7236-(C)-( )-( )-( )</b>	\$2,271.
<b>KLTPA4824-(C)-( )-( )-( )</b>	\$2,031.
<b>KLTPA6024-(C)-( )-( )-( )</b>	\$2,109.
<b>KLTPA7224-(C)-( )-( )-( )</b>	\$2,180.
<b>KLTPA4830-(C)-( )-( )-( )</b>	\$2,113.
<b>KLTPA6030-(C)-( )-( )-( )</b>	\$2,202.
<b>KLTPA7230-(C)-( )-( )-( )</b>	\$2,282.
<b>KLTPA4836-(C)-( )-( )-( )</b>	\$2,240.
<b>KLTPA6036-(C)-( )-( )-( )</b>	\$2,335.
<b>KLTPA7236-(C)-( )-( )-( )</b>	\$2,417.
<b>KGANG</b>	\$39.

Order Code	Finishes
<i>Example:</i> <b>KLTPW6024-C-114-004T-Y-115T</b>	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)
<b>KLTPW 6024</b> 60" x 24" T-Leg S Series Table, Work Height, Flip Top	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
<b>C</b> Locking casters	
<b>114</b> Folkstone laminate	
<b>004T</b> Folkstone flat edgeband	
<b>Y</b> No grommet	
<b>115T</b> Medium Grey legs	
<i>Specify:</i>	
1. Pattern number	<i>Flat edgeband finishes:</i> Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) White (suffix 118)
2. Locking casters or glide selection	<i>Note:</i> Glides are not available on flip top tables.
3. Top finish selection	*For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.
4. Edgeband selection	<i>Woodgrain flat edgeband finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
5. Cutout option	<i>Leg finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T)* Medium Grey (suffix 115T) Sterling (suffix 906T)
6. Leg finish	<i>Glides/Casters:</i> Glides (suffix G) Casters (suffix C)

Electrical	Construction	Features
<i>Cutout Options: (\$33 list per cutout)</i> Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 8 for the proper cutout code.	<i>Laminate tops:</i> Constructed of particle board substrates sandwiched between laminate top and phenolic backer sheet bottom. Tops can be specified with a flat ABS edge.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage.
<i>Note:</i> Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.	<i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.	<i>Wire Management:</i> Use magnetic clips to secure wires and cords to black horizontal beam underneath the tabletop. Tuck excess wires and cords inside wire management bar.
		<i>Flip Mechanism:</i> To flip tabletop, pull red button on right side of the table and use other hand to gently lift the tabletop up. Black button on left side of the table can also be pushed while performing the same movement.
		<i>Maintenance:</i> See pages 6.
		<i>Note:</i> Pixel tables are certified Clean Air GOLD.

Marc Krusin  
Pixel™ Table Series  
Four Leg Advanced Tables, Fixed Top

	description	w	d	h	top	99sort	table wgt. (lbs)
<i>Designer(s):</i> Marc Krusin, 2015	<b>KFXW</b> Work Height, Fixed Top 	36"	36"	28 3/4"	square		57
		42"	42"	28 3/4"	square		72
<i>Award(s):</i> Best of Neocon Gold Award, 2015		48"	48"	28 3/4"	square		89
		48"	18"	28 3/4"	rectangle		43
 		60"	18"	28 3/4"	rectangle		56
		72"	18"	28 3/4"	rectangle		65
		48"	24"	28 3/4"	rectangle		53
		60"	24"	28 3/4"	rectangle		62
		72"	24"	28 3/4"	rectangle		79
		48"	30"	28 3/4"	rectangle		62
		60"	30"	28 3/4"	rectangle		73
		72"	30"	28 3/4"	rectangle		85
		48"	36"	28 3/4"	rectangle		71
		60"	36"	28 3/4"	rectangle		85
		72"	36"	28 3/4"	rectangle		99

pattern no.	laminate/flat edge	laminate/molded edge	veneer/wood
<b>KFXW3636-</b> (-)(-)(-)(-)	\$1,655.	\$1,826.	\$3,456.
<b>KFXW4242-</b> (-)(-)(-)(-)	\$1,820.	\$2,018.	\$3,724.
<b>KFXW4848-</b> (-)(-)(-)(-)	\$1,830.	\$2,044.	\$4,376.
<b>KFXW4818-</b> (-)(-)(-)(-)	\$1,598.	\$1,773.	\$3,164.
<b>KFXW6018-</b> (-)(-)(-)(-)	\$1,726.	\$1,924.	\$3,358.
<b>KFXW7218-</b> (-)(-)(-)(-)	\$1,797.	\$2,017.	\$3,517.
<b>KFXW4824-</b> (-)(-)(-)(-)	\$1,633.	\$1,820.	\$3,311.
<b>KFXW6024-</b> (-)(-)(-)(-)	\$1,689.	\$1,899.	\$3,513.
<b>KFXW7224-</b> (-)(-)(-)(-)	\$1,845.	\$2,082.	\$3,816.
<b>KFXW4830-</b> (-)(-)(-)(-)	\$1,683.	\$1,882.	\$3,513.
<b>KFXW6030-</b> (-)(-)(-)(-)	\$1,747.	\$1,974.	\$3,761.
<b>KFXW7230-</b> (-)(-)(-)(-)	\$1,806.	\$2,066.	\$3,957.
<b>KFXW4836-</b> (-)(-)(-)(-)	\$1,729.	\$1,947.	\$3,724.
<b>KFXW6036-</b> (-)(-)(-)(-)	\$1,807.	\$2,049.	\$3,943.
<b>KFXW7236-</b> (-)(-)(-)(-)	\$1,942.	\$2,214.	\$4,515.

Order Code	Finishes
<i>Example:</i> <b>KFXW6030-G-141-118T-Y-118T</b>	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)
<b>KFXW6030</b> 60" x 30" rectangle, 4-Leg, Fixed, Work Height	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
<b>G</b> Glides	<i>Molded edgeband finishes:</i> Black (suffix 300M) Mink (suffix 324M) Innertone (suffix 386M) Platinum (suffix 367M) Folkstone (suffix 004M)
<b>141</b> Whitened Ash laminate	<i>Flat edgeband finishes:</i> Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) White (suffix 118)
<b>118T</b> Bright White flat edgeband	<i>Woodgrain flat edgeband finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
<b>Y</b> No grommet	<i>Leg finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T) * Medium Grey (suffix 115T) Sterling (suffix 906T)
<b>118T</b> Bright White legs	<i>Glides/Casters:</i> Glides (suffix G) Casters (suffix C)
<i>Specify:</i> 1. Pattern number 2. Locking casters or glide selection 3. Top finish selection 4. Edgeband selection 5. Cutout option 6. Leg finish	<i>Veneer top/edge finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)






\*For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.

Electrical	Construction	Features
<i>Cutout Options:</i> (\$33 list per cutout) Tables may be specified with no cutouts (code Y). For single or double * cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 8 for the proper cutout code.	<i>Laminate and Veneer tops:</i> Constructed of particle board substrates sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Laminate tops can be specified with a flat ABS or molded urethane edge. Veneer tops will have matching solid wood edge. Solid wood edges can be specified on corner wedge tops with a wood veneer top. Edge and top will match.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. Four leg tables have the ganging mechanism incorporated into the leg casting. To join the tables, align the mechanisms and slide the lever along the curved path to engage.
*Square tables may not have double cutout codes		<i>Maintenance:</i> See pages 6-0.
<i>Note:</i> Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.	<i>Legs:</i> Legs are extruded aluminum and finished in a highly durable textured powder coat paint.	<i>Note:</i> Pixel tables are certified Clean Air GOLD.

# Marc Krusin

## Pixel™ Table Series

### Y-Leg Advanced Tables, Fixed, Flip, and Fold Tops





	description	w	d	h	table wgt. (lbs)
<i>Designer(s):</i> Marc Krusin, 2015	<b>KYXW</b> Work Height, Fixed Top 	72"	36"	28 3/4"	116
		84"	36"	28 3/4"	131
<i>Award(s):</i> Best of Neocon Gold Award, 2015	<b>KYPW</b> Work Height, Flip Top, Casters 	72"	36"	28 3/4"	118
		84"	36"	28 3/4"	133
	<b>KYDW</b> Work Height, Y-Fold Top, Casters 	96"	48"	28 3/4"	
	<b>KGANG</b> Pixel ganging mechanism 				

pattern no.	laminate/flat edge	laminate/molded edge	veneer/wood	veneer/wood knife edge
<b>KYXW7236-( )-( )-( )-( )</b>	\$2,747.	\$3,006.	\$5,413.	n/a
<b>KYXW8436-( )-( )-( )-( )</b>	\$2,940.	\$3,164.	\$6,087.	n/a
<b>KYPW7236-(C)-( )-( )-( )</b>	\$3,057.	\$3,315.	\$5,802.	n/a
<b>KYPW8436-(C)-( )-( )-( )</b>	\$3,273.	\$3,511.	\$6,312.	n/a
<b>KYDW9648-(C)-( )-( )-( )</b>	\$11,222.	\$11,401.	n/a	n/a
<b>KGANG</b>	\$39.	n/a	n/a	n/a

Order Code	Finishes
<i>Example:</i> <b>KYPW7236-C-142-367T-Y-906T</b>	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)
<b>KYPW7236</b> 36" x 72" rectangle, Y-Leg, Flip top table	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
<b>C</b> Locking casters	<i>Markerboard laminate finish:</i> White (suffix M) *
<b>142</b> Grey Ash laminate	*Available only on KYDW9648 with ABS flat edgeband.
<b>367T</b> Platinum flat edgeband	<i>Veneer top/edge finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)
<b>Y</b> No grommet	
<b>906T</b> Sterling legs	
<i>Specify:</i> 1. Pattern number 2. Locking caster or glide selection 3. Top finish selection 4. Edgeband selection 5. Cutout option 6. Leg finish	<i>Molded edgeband finishes:</i> Black (suffix 300M) Mink (suffix 324M) Innertone (suffix 386M) Platinum (suffix 367M) Folkstone (suffix 004M)  <i>Flat edgeband finishes:</i> Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) White (suffix 118)  <i>Woodgrain flat edgeband finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)  <i>Leg finishes:</i> Black (suffix 111T) Bright White (suffix 118T) * * Medium Grey (suffix 115T) Sterling (suffix 906T)  <i>Glides/Casters:</i> Glides (suffix G) Casters (suffix C)  <i>Note:</i> Glides are not available on flip top tables and fold tables.  * *For tables with bright white legs, the face of the casters are white and the edge is black. For all other leg finishes, casters are all black.

Electrical	Construction	Features
<i>Cutout Options: (\$33 list per cutout)</i> Tables may be specified with no cutouts (code Y). For single or double cutout codes, please choose your electrical module(s) then refer to the cutout matrix on page 8 for the proper cutout code.	<i>Laminate and Veneer tops:</i> Constructed of particle board substrates sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Laminate tops can be specified with a flat ABS or molded urethane edge. Veneer tops will have matching solid wood edge. Solid wood edges can be specified on corner wedge tops with a wood veneer top. Edge and top will match.	<i>Ganging tables:</i> Each table is fitted with a Pixel connector on the underside of each corner. To join the tables, align the mechanisms and slide the lever along the curved path to engage.  <i>Markerboard:</i> A white laminate markerboard top finish is available on the Y-Fold table with ABS edge.  <i>Maintenance:</i> See pages 6.  <i>Note:</i> Pixel tables are certified Clean Air GOLD.
Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.	<i>Note:</i> KYDW9648 consists of two 48" x 48" square segments. One cutout will be placed in both sections for a total of two cutouts per table.	<i>Caution:</i> When moving flip top tables on casters, only push tables while the top is down in the flat position.  KYDW9648 Y-Fold table can be moved in the folded position.  <i>Note:</i> Folding the KYDW9648 Y-Fold table requires two people.
	<i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Base and upper mounting plates are cast aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.	

Marc Krusin  
*Pixel™ Table Series*  
*Column Leg Advanced Tables*







	description	width	depth	height	top	table wgt. (lbs)
<i>Designer(s):</i> Marc Krusin, 2015	<b>KBXW</b> Work Height, Fixed Round Top, Knife Edge	36"		28 3/4"	round	48
<i>Award(s):</i> Best of Neocon Gold Award, 2015						
	<b>KBXL</b> Lounge Height, Fixed Round Top, Knife Edge	36"		23 1/2"	round	47
	<b>KBXC</b> Counter Height, Fixed Round Top, Knife Edge	36"		36"	round	49
	<b>KBXB</b> Bar Height, Fixed Round Top, Knife Edge	36"		42"	round	50
	<b>KBXW</b> Work Height, Fixed Square Top, Knife Edge	30"	30"	28 3/4"	square	45
						
	<b>KBXL</b> Lounge Height, Fixed Square Top, Knife Edge	30"	30"	23 1/2"	square	44
	<b>KBXC</b> Counter Height, Fixed Square Top, Knife Edge	30"	30"	36"	square	46
	<b>KBXB</b> Bar Height, Fixed Square Top, Knife Edge	30"	30"	42"	square	46

pattern no.	laminate/molded edge	veneer/wood edge
<b>KBXW36D-(G)-( )-( )-( )</b>	\$1,689.	\$3,293.
<b>KBXL36D-(G)-( )-( )-( )</b>	\$1,668.	\$3,271.
<b>KBXC36D-(G)-( )-( )-( )</b>	\$1,709.	\$3,299.
<b>KBXB36D-(G)-( )-( )-( )</b>	\$1,725.	\$3,333.
<b>KBXW3030-(G)-( )-( )-( )</b>	\$1,626.	\$2,898.
<b>KBXL3030-(G)-( )-( )-( )</b>	\$1,607.	\$2,876.
<b>KBXC3030-(G)-( )-( )-( )</b>	\$1,642.	\$2,903.
<b>KBXB3030-(G)-( )-( )-( )</b>	\$1,663.	\$2,938.

Order Code	Finishes
<i>Example:</i> <b>KBXB36D-G-111-300-Y-111T</b>	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)
<b>KBXB36D</b> 36" diameter, round, counter height	<i>Molded edgeband finishes:</i> Black (suffix 300M) Mink (suffix 324M) Innertone (suffix 386M) Platinum (suffix 367M) Folkstone (suffix 004M)
<b>G</b> Glides	<i>Leg finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T) Medium Grey (suffix 115T) Sterling (suffix 906T)
<b>111</b> Black laminate	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)
<b>300</b> Black molded edgeband	<i>Veneer top/edge finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)
<b>Y</b> No grommet	
<b>111T</b> Jet Black legs	
<i>Specify:</i> 1. Pattern number 2. Glide selection 3. Top finish selection 4. Edgeband selection 5. Cutout option 6. Leg finish	

Electrical	Construction
<i>Cutout Options: (\$33 list per cutout)</i> Tables may be specified with zero or one round grommet. Please refer to page 8 for the proper cutout code.	<i>Laminate and Veneer tops:</i> Constructed of an MDF core sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Reverse knife edge is only available in a molded urethane edge and a solid wood edge. ABS flat edge is not available.
<i>Note:</i> Column base tables can only accommodate the KE1, KE2, and KE3 electrical modules.	<i>Legs:</i> Legs are extruded aluminum and finished in a highly durable textured powder coat paint.
Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.	

Marc Krusin  
Pixel™ Table Series  
Column Leg Advanced Tables

	description	width	depth	height	top	table wgt. (lbs)
<i>Designer(s):</i> Marc Krusin, 2015	<b>KBXW</b> Work Height, Fixed Round Top, Knife Edge	42"	42"	28 3/4"	round	–
<i>Award(s):</i> Best of Neocon Gold Award, 2015						
	<b>KBXL</b> Lounge Height, Fixed Round Top, Knife Edge	42"	42"	23 1/2"	round	–
	<b>KBXC</b> Counter Height, Fixed Round Top, Knife Edge	42"	42"	36"	round	–
	<b>KBXB</b> Bar Height, Fixed Round Top, Knife Edge	42"	42"	42"	round	–
	<b>KBXW</b> Work Height, Fixed Square Top, Knife Edge	36"	36"	28 3/4"	square	–
	<b>KBXL</b> Lounge Height, Fixed Square Top, Knife Edge	36"	36"	23 1/2"	square	–
	<b>KBXC</b> Counter Height, Fixed Square Top, Knife Edge	36"	36"	36"	square	–
	<b>KBXB</b> Bar Height, Fixed Square Top, Knife Edge	36"	36"	42"	square	–

pattern no.	laminate/molded edge	veneer/wood edge
<b>KBXW42DE-(G)-( )-( )-( )</b>	\$1,948.	\$3,941.
<b>KBXL42DE-(G)-( )-( )-( )</b>	\$1,928.	\$3,923.
<b>KBXC42DE-(G)-( )-( )-( )</b>	\$1,972.	\$3,963.
<b>KBXB42DE-(G)-( )-( )-( )</b>	\$1,999.	\$3,985.
<b>KBXW3636E-(G)-( )-( )-( )</b>	\$1,791.	\$3,388.
<b>KBXL3636E-(G)-( )-( )-( )</b>	\$1,773.	\$3,375.
<b>KBXC3636E-(G)-( )-( )-( )</b>	\$1,817.	\$3,414.
<b>KBXB3636E-(G)-( )-( )-( )</b>	\$1,843.	\$3,438.




Order Code	Finishes	Features
<i>Example:</i> <b>KBXW42DE-G-111-300-Y-111T</b>	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	Electrical cord can pass through the vertical column on 42" Round and 36" Square tables only.
<b>KBXW42DE</b> 42" diameter, round, counter height, electric column	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)	<i>Molded edgeband finishes:</i> Black (suffix 300M) Mink (suffix 324M) Innertone (suffix 386M) Platinum (suffix 367M) Folkstone (suffix 004M)
<b>G</b> Glides	<i>Leg finishes:</i> Jet Black (suffix 111T) Bright White (suffix 118T) Medium Grey (suffix 115T) Sterling (suffix 906T)	
<b>111</b> Black laminate	<i>Glides:</i> Glides (suffix G)	
<b>300</b> Black molded edgeband	<i>Veneer top/edge finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebony Oak (suffix OE)	
<b>Y</b> No grommet		
<b>111T</b> Jet Black legs		

*Specify:*

1. Pattern number
2. Glide selection
3. Top finish selection
4. Edgeband selection
5. Cutout option
6. Leg finish

Electrical	Construction
<i>Cutout Options: (\$33 list per cutout)</i> Tables may be specified with zero or one round grommet. Please refer to page 8 for the proper cutout code.	<i>Laminate and Veneer tops:</i> Constructed of an MDF core sandwiched between laminate or wood veneer top and phenolic backer sheet bottom. Reverse knife edge is only available in a molded urethane edge and a solid wood edge. ABS flat edge is not available.
<i>Note:</i> Column base tables can only accommodate the KE1, KE2, and KE3 electrical modules.	<i>Legs:</i> Legs are extruded aluminum and finished in a highly durable textured powder coat paint.
Grommet cover must be ordered separately if specifying a grommet cutout. Please refer to pg. 174-175.	




Marc Krusin  
Pixel™ Table Series  
Pixel™ Corner Wedge

	description	width	side depth	depth	height
<i>Designer(s):</i> Marc Krusin, 2016	<b>KP</b> Corner Wedge Top	25 1/2"	18"		
		34"	24"		
		42.5"	30"		
		51"	36"		
	<b>KGANG</b> Pixel ganging mechanism				
					
	<b>KP</b> Corner Wedge Dolly	50"		24"	27 1/2"
					

pattern no.	laminates/flat edge	laminates/molded edge	veneers/wood
<b>KP-18-(-)-(-)</b>	\$641.	\$779.	\$1,336.
<b>KP-24-(-)-(-)</b>	\$677.	\$835.	\$1,662.
<b>KP-30-(-)-(-)</b>	\$737.	\$922.	\$2,184.
<b>KP-36-(-)-(-)</b>	\$809.	\$1,015.	\$2,397.
<b>KGANG</b>	\$39.	n/a	n/a
<b>KP-DOLLY</b>	\$1,422.		


Order Code	Finishes	Construction
<i>Example:</i> <b>KP-24-141-004-118T</b>	<i>Colored laminate finishes:</i>	<i>Molded edgeband finishes:</i>
<b>KP-24</b> Corner Wedge Top, 24"	Bright White, matte (suffix 118)	Black (suffix 300M)
<b>141</b> Whitened Ash laminate	Folkstone, matte (suffix 114)	Mink (suffix 324M)
<b>004</b> Folkstone molded edgeband	Black, matte (suffix 111)	Innertone (suffix 386M)
<b>118T</b> Bright white hanger		Platinum (suffix 367M)
	<i>Woodgrain laminate finishes:</i>	Folkstone (suffix 004M)
	Medium Cherry (suffix 124)	
	Natural Maple (suffix 125)	<i>Flat edgeband finishes:</i>
	Natural Cherry (suffix 126)	Black (suffix 111)
	Walnut (suffix 127)	Mink (suffix 324)
	Light Ash (suffix 139)	Innertone (suffix 386)
	Warm Ash (suffix 140)	Platinum (suffix 367)
	Whitened Ash (suffix 141)	Folkstone (suffix 004)
	Grey Ash (suffix 142)	White (suffix 118)
	Classic Oak (suffix 143)	<i>Woodgrain flat edgeband finishes:</i>
	Graphite Pear (suffix 144)	Medium Cherry (suffix 124)
		Natural Maple (suffix 125)
	<i>Veneer top/edge finishes:</i>	Natural Cherry (suffix 126)
	American Walnut (suffix AW)	Walnut (suffix 127)
	Natural Oak (suffix ON)	Light Ash (suffix 139)
	Fumed Oak (suffix OF)	Warm Ash (suffix 140)
	Ebonized Oak (suffix OE)	Whitened Ash (suffix 141)
		Grey Ash (suffix 142)
		Classic Oak (suffix 143)
		Graphite Pear (suffix 144)
		<i>Hanger finishes:</i>
		Jet Black (suffix 111T)
		Bright White (suffix 118T)
		Medium Grey (suffix 115T)
		Sterling (suffix 906T)

- Specify:*
1. Pattern number
  2. Top finish selection
  3. Edgeband finish selection
  4. Hanger finish selection

Features	Configurations
<b>Corner Wedge Top:</b> The Corner Wedge Top is used to easily transition Pixel rectangular training tables into L-shape, U-shape or hollow square configurations. This top connects to the adjacent tables by powder coated steel hangers and Pixel ganging brackets. By eliminating legs in the design, the Corner Wedge allows for unencumbered leg room in the corner position.	<b>L-Shape Configuration:</b> 
<b>Corner Wedge Dolly:</b> The Corner Wedge Dolly is made of black powder coated steel on casters and can fit up to 12 wedges. The handle on the dolly can be used to support the weight of the Corner Wedge while ganging or removing from the Pixel Tables.	<b>U-Shape Configuration:</b> 
<b>Maintenance:</b> See pages 6.	<b>Hollow Square Configuration:</b> 
<b>Note:</b> Pixel tables are certified Clean Air GOLD.	



Marc Krusin  
Pixel™ Storage Units  
Pedestal

	description	w	d	h	top thickness	weight
<i>Designer(s):</i> Marc Krusin, 2015	<b>KS-31</b> Pedestal with two drawers 	18"	18"	26"	1/2"	



pattern no.	laminate top / ABS edge / Painted case	Veneer top / Veneer edge / Veneer case
<b>KS-31-(G,C)-( )-( )-( )</b>	\$3,637.	\$3,788.

Order Code	Finishes	Construction
<i>Example:</i> <b>KS-31-C-118-118T-118T-118T</b>	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	<i>Case:</i> 3/4" MDF with mitered corners for seamless edges. Case is constructed using dowel joints for added durability. Wood veneer applied on surface of each side or finished in a wet coat paint.
<b>KS-31</b> Pixel Pedestal		
<b>C</b> locking casters		
<b>118</b> Bright White laminate top	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)	<i>Drawers:</i> Body of drawer is veneer wrapped, mitered, and glued 1/2" particle board. Drawer front is 3/4" particle board with wood veneer applied on surface of each side or finished in a textured wet paint. The drawer features a faux double drawer facade which is delineated with a horizontal 1/8" groove painted or stained to match the case finish.
<b>118T</b> Bright White ABS edge		
<b>118T</b> Bright White painted case	<i>Woodgrain flat edgeband finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)	
<b>118T</b> Bright White legs	<i>Veneer top/Veneer edge/Veneer case finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)	
<i>Specify:</i>	<i>Painted case finishes:</i> Bright White (suffix 118T) Jet Black (suffix 111T)	<i>Leg finishes:</i> Black (suffix 111T) Bright White (suffix 118T) Medium Grey (suffix 115T) Aluminum (suffix 906T)
1. Pattern number		<i>Legs/Casters:</i> Glides (suffix G) Casters (suffix C) *
2. Locking caster or glide selection		
3. Top finish selection		
4. ABS edge selection		
5. Case finish selection		
6. Leg finish		
		*Casters are always black


*Laminate and Veneer tops:*  
Constructed of particle board wrapped in laminate or wood veneer. Edges can only be specified with a flat ABS edge for laminate tops, and solid wood for veneer tops.

*Note:*  
There is a 1/8" reveal between the top of the case and the bottom of the pedestal top.

*Legs:*  
Legs are constructed using a combination of extruded aluminum and a machined aluminum sheet metal plate. Upper mounting plates are aluminum and bolted to an extruded aluminum vertical stem. Finished in a highly durable textured powder coat paint.

*Maintenance:*  
See pages 6.

*Interior configuration:*  
KS-31




# Marc Krusin

## Pixel™ Storage Units

### Consoles

Designer(s):  
Marc Krusin, 2015



description	w	d	h	top thickness	weight
<b>KS-21L</b> Console with two drawer interior with interior divider (left). False front facade shows three drawers (right) and a split double pencil drawer (left) 	60"	14 3/4"	28 3/4"	1 1/8"	
<b>KS-21R</b> Console with two drawer interior with interior divider (right). False front facade shows three drawers (left) and a split double pencil drawer (right) 	60"	14 3/4"	28 3/4"	1 1/8"	

pattern no.	laminate top / ABS edge / Painted case	Veneer top / Veneer edge / Veneer case
<b>KS-21L-(G)-( )-( )-( )</b>	\$8,194.	\$8,950.
<b>KS-21R-(G)-( )-( )-( )</b>	\$8,194.	\$8,950.

Order Code	Finishes	Construction
<i>Example:</i> <b>KS-21R-G-118-118T-118T-118T</b> <b>KS-21R</b> Pixel Console, split double pencil drawer (right) <b>G</b> Glides <b>118</b> Bright White laminate top <b>118T</b> White ABS edge <b>118T</b> Bright White painted case <b>118T</b> Bright White legs	<p><i>Colored laminate finishes:</i>                      Bright White, matte (suffix 118)                      Folkstone, matte (suffix 114)                      Black, matte (suffix 111)</p> <p><i>Woodgrain laminate finishes:</i>                      Medium Cherry (suffix 124)                      Natural Maple (suffix 125)                      Natural Cherry (suffix 126)                      Walnut (suffix 127)                      Light Ash (suffix 139)                      Warm Ash (suffix 140)                      Whitened Ash (suffix 141)                      Grey Ash (suffix 142)                      Classic Oak (suffix 143)                      Graphite Pear (suffix 144)</p> <p><i>Veneer top/Veneer edge/Veneer case finishes:</i>                      American Walnut (suffix AW)                      Natural Oak (suffix ON)                      Fumed Oak (suffix OF)                      Ebonized Oak (suffix OE)</p> <p><i>Painted case finishes:</i>                      Bright White (suffix 118T)                      Jet Black (suffix 111T)</p>	<p><i>Flat edgeband finishes:</i>                      Black (suffix 111)                      Mink (suffix 324)                      Innertone (suffix 386)                      Platinum (suffix 367)                      Folkstone (suffix 004)                      White (suffix 118)</p> <p><i>Woodgrain flat edgeband finishes:</i>                      Medium Cherry (suffix 124)                      Natural Maple (suffix 125)                      Natural Cherry (suffix 126)                      Walnut (suffix 127)                      Light Ash (suffix 139)                      Warm Ash (suffix 140)                      Whitened Ash (suffix 141)                      Grey Ash (suffix 142)                      Classic Oak (suffix 143)                      Graphite Pear (suffix 144)</p> <p><i>Leg finishes:</i>                      Black (suffix 111T)                      Bright White (suffix 118T)                      Medium Grey (suffix 115T)                      Aluminum (suffix 906T)</p> <p><i>Glides/Casters:</i>                      Glides (suffix G)</p>

*Specify:*

1. Pattern number
2. Glide selection
3. Top finish selection
4. ABS edge selection
5. Case finish selection
6. Leg finish

**Laminate and Veneer tops:**  
 Constructed of particle board wrapped in laminate or wood veneer. Edges can only be specified with a flat ABS edge for laminate tops, and solid wood for veneer tops.


**Note:**  
 There is a 1/8" reveal between the top of the case and the bottom of the console top.

**Legs:**  
 Legs are constructed using a combination of cast and extruded aluminum. Upper mounting plates are cast aluminum and bolted to extruded aluminum legs and horizontal crossbars. Finished in a highly durable textured powder coat paint.


**Maintenance:**  
 See pages 6.

*Interior configurations:*

KS-21L



KS-21R







# Marc Krusin

## Pixel™ Storage Units

### Two Position Credenzas

Designer(s):  
Marc Krusin, 2015






description	w	d	h	top thickness	weight
<b>KS-01</b> Two position credenza. Two doors, with center divide and two adjustable interior shelves	30"	18"	28 3/4"	1 1/8"	
					
<b>KS-02L</b> Two position credenza. Single door (right) with interior shelf. Drawer and box file (left)	30"	18"	28 3/4"	1 1/8"	
					
<b>KS-02R</b> Two position credenza. Single door (left) with interior shelf. Drawer and box file (right)	30"	18"	28 3/4"	1 1/8"	
					

pattern no.	laminate top / ABS edge / Painted case	Veneer top / Veneer edge / Veneer case
<b>KS-01-(G)-( )-( )-( )</b>	\$5,862.	\$6,243.
<b>KS-02L-(G)-( )-( )-( )</b>	\$6,682.	\$7,290.
<b>KS-02R-(G)-( )-( )-( )</b>	\$6,682.	\$7,290.

Order Code	Finishes	Construction
<i>Example:</i> <b>KS-01-G-141-004T-118T-118T</b>	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	<i>Case:</i> 3/4" MDF with mitered corners for seamless edges. Case is constructed using dowel joints for added durability. Wood veneer applied on surface of each side or finished in a wet coat paint.
<b>KS-01</b> Pixel Two Position Credenza, two doors	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)	<i>Drawers and box files:</i> Body of drawer and box files are veneer wrapped, mitered, and glued 1/2" particle board. Drawer and box file fronts and cabinet doors are 3/4" particle board with wood veneer applied on surface of each side or finished in a textured wet paint.
<b>G</b> Glides	<i>Veneer top/Veneer edge/Veneer case finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebony Oak (suffix OE)	<i>Leg finishes:</i> Black (suffix 111T) Bright White (suffix 118T) Medium Grey (suffix 115T) Sterling (suffix 906T)
<b>141</b> Whitened Ash laminate top	<i>Painted case finishes:</i> Bright White (suffix 118T) Jet Black (suffix 111T)	<i>Glides/Casters:</i> Glides (suffix G)
<b>004T</b> Folkstone ABS edge		
<b>118T</b> Bright White painted case		
<b>118T</b> Bright White legs		

*Specify:*

1. Pattern number
2. Glide selection
3. Top finish selection
4. ABS edge selection
5. Case finish selection
6. Leg finish


Interior configurations:
<p><b>KS-01</b></p>  <p>Two front doors removed to show interior with adjustable shelves.</p>
<p><b>KS-02L</b></p>  <p>Right door removed to show interior with adjustable shelf. Left side features a drawer above a box file.</p>
<p><b>KS-02R</b></p>  <p>Left door removed to show interior with adjustable shelf. Right side features a drawer above a box file.</p>
<p><i>Maintenance:</i> See pages 6.</p>

# Marc Krusin



## Pixel™ Storage Units

### Four Position Credenzas

Designer(s):  
Marc Krusin, 2015



description	w	d	h	top thickness	weight
<b>KS-11L</b> Four position credenza. Four doors, left door set divided, right door set open, interior adjustable shelves	60"	18"	28 3/4"	1 1/8"	
<b>KS-11R</b> Four position credenza. Four doors, right door set divided, left door set open, interior adjustable shelves	60"	18"	28 3/4"	1 1/8"	



pattern no.	laminate top / ABS edge / Painted case	Veneer top / Veneer edge / Veneer case
<b>KS-11L-(G)-( )-( )-( )</b>	\$8,944.	\$9,763.
<b>KS-11R-(G)-( )-( )-( )</b>	\$8,944.	\$9,763.

Order Code	Finishes	Construction
<i>Example:</i> <b>KS-12R-G-OF-386T-111T-115T</b>	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	<i>Case:</i> 3/4" MDF with mitered corners for seamless edges. Case is constructed using dowel joints for added durability. Wood veneer applied on surface of each side or finished in a wet coat paint.
<b>KS-12R</b> Pixel Four Position Credenza, two doors, two drawers and box files	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)	<i>Drawers and box files:</i> Body of drawers and box files are veneer wrapped, mitered, and glued 1/2" partical board. Drawer and box file fronts and cabinet doors are 3/4" particle board with wood veneer applied on surface of each side or finished in a textured wet paint.
<b>G</b> Glides	<i>Veneer top/Veneer edge/Veneer case finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)	<i>Leg finishes:</i> Black (suffix 111T) Bright White (suffix 118T) Medium Grey (suffix 115T) Sterling (suffix 906T)
<b>OF</b> Fumed Oak veneer top	<i>Painted case finishes:</i> Bright White (suffix 118T) Jet Black (suffix 111T)	<i>Glides/Casters:</i> Glides (suffix G)
<b>386T</b> Innertone ABS edge		
<b>111T</b> Jet Black painted case		
<b>115T</b> Medium Grey legs		
<i>Specify:</i>		
1. Pattern number		
2. Glide selection		
3. Top finish selection		
4. ABS edge selection		
5. Case finish selection		
6. Leg finish		


Interior configurations:
<p>Laminate and Veneer tops: Constructed of particle board wrapped in laminate or wood veneer. Edges can only be specified with a flat ABS edge for laminate tops, and solid wood for veneer tops.</p> <p><i>Note:</i> There is a 1/8" reveal between the top of the case and the bottom of the pedestal top.</p> <p><i>Legs:</i> Legs are constructed using a combination of cast and extruded aluminum. Upper mounting plates are cast aluminum and bolted to extruded aluminum legs and horizontal crossbars. Finished in a highly durable textured powder coat paint.</p> <p><i>Maintenance:</i> See pages 6.</p>
<p><b>KS-11L</b></p> <p>Four doors removed to show interior adjustable shelves.</p>
<p><b>KS-11R</b></p> <p>Four doors removed to show interior adjustable shelves.</p>





# Marc Krusin

## Pixel™ Storage Units

### Four Position Credenzas

Designer(s):  
Marc Krusin, 2015



description	w	d	h	top thickness	weight
<b>KS-12L</b> Four position credenza. Two doors with center divide and interior adjustable shelves (right), two box files (left)	60"	18"	28 3/4"	1 1/8"	
					
<b>KS-12R</b> Four position credenza. Two doors with center divide and interior adjustable shelves (left), two box files (right)	60"	18"	28 3/4"	1 1/8"	
					
<b>KS-13L</b> Residential - Four position credenza. Two doors with center divide and interior adjustable shelves (right), three drawers (left)	60"	18"	28 3/4"	1/2"	
					
<b>KS-13R</b> Residential - Four position credenza. Two doors with center divide and interior adjustable shelves (left), three drawers (right)	60"	18"	28 3/4"	1/2"	
					


pattern no.	laminate top / ABS edge / Painted case	Veneer top / Veneer edge / Veneer case
<b>KS-12L-(G)-( )-( )-( )</b>	\$10,765.	\$11,749.
<b>KS-12R-(G)-( )-( )-( )</b>	\$10,765.	\$11,749.
<b>KS-13L-(G)-( )-( )-( )</b>	\$10,726.	\$11,704.
<b>KS-13R-(G)-( )-( )-( )</b>	\$10,726.	\$11,704.

Order Code	Finishes	Construction
<i>Example:</i> <b>KS-12R-G-OF-386T-111T-115T</b>	<i>Colored laminate finishes:</i> Bright White, matte (suffix 118) Folkstone, matte (suffix 114) Black, matte (suffix 111)	<i>Case:</i> 3/4" MDF with mitered corners for seamless edges. Case is constructed using dowel joints for added durability. Wood veneer applied on surface of each side or finished in a wet coat paint.
<b>KS-12R</b> Pixel Four Position Credenza, two doors, two drawers and box files	<i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)	<i>Drawers and box files:</i> Body of drawers and box files are veneer wrapped, mitered, and glued 1/2" particle board. Drawer and box file fronts and cabinet doors are 3/4" particle board with wood veneer applied on surface of each side or finished in a textured wet paint.
<b>G</b> Glides	<i>Woodgrain flat edgeband finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)	
<b>OF</b> Fumed Oak veneer top	<i>Veneer top/Veneer edge/Veneer case finishes:</i> American Walnut (suffix AW) Natural Oak (suffix ON) Fumed Oak (suffix OF) Ebonized Oak (suffix OE)	<i>Leg finishes:</i> Black (suffix 111T) Bright White (suffix 118T) Medium Grey (suffix 115T) Sterling (suffix 906T)
<b>386T</b> Innertone ABS edge	<i>Painted case finishes:</i> Bright White (suffix 118T) Jet Black (suffix 111T)	<i>Glides/Casters:</i> Glides (suffix G)
<b>111T</b> Jet Black painted case		
<b>115T</b> Medium Grey legs		
<i>Specify:</i>		
1. Pattern number		
2. Glide selection		
3. Top finish selection		
4. ABS edge selection		
5. Case finish selection		
6. Leg finish		

Laminate and Veneer tops:  
Constructed of particle board wrapped in laminate or wood veneer. Edges can only be specified with a flat ABS edge for laminate tops, and solid wood for veneer tops.


*Interior configurations:*

KS-12L




Two right doors removed to show interior adjustable shelves. Left side feature two drawers above two box files.

KS-13L




Two right doors removed to show interior adjustable shelves. Left side features three drawers.

KS-12R



Two left doors removed to show interior adjustable shelves. Right side feature two drawers above two box files.

KS-13R







Two left doors removed to show interior adjustable shelves. Right side features three drawers.

*Legs:*  
Legs are constructed using a combination of cast and extruded aluminum. Upper mounting plates are cast aluminum and bolted to extruded aluminum legs and horizontal crossbars. Finished in a highly durable textured powder coat paint.

*Maintenance:*  
See pages 6.

Marc Krusin  
*Pixel™ Electrical*  
 Round Grommet, KE1, KE2, KE3

	description	type	power cord
<i>Designer(s):</i> Marc Krusin, 2015	<b>KERG</b> Round grommet	Round Grommet	n/a
			
	<b>KE1</b> Two receptacle module 	1 Power, 1 USB	120" Cordset
		2 Power	120" Cordset
		1 Power, 1 USB	48" Cordset
		2 Power	48" Cordset
		1 Power, 1 USB	72" Cordset
		2 Power	72" Cordset
	<b>KE2</b> Three receptacle module 	2 Power, 1 USB	48" Cordset
		3 Power	48" Cordset
		2 Power, 1 USB	72" Cordset
		3 Power	72" Cordset
	<b>KE3</b> Four receptacle module 	2 Power, 2 USB	48" Cordset
		4 Power	48" Cordset
		2 Power, 2 USB	72" Cordset
		4 Power	72" Cordset





pattern no.	
<b>KERG-</b> ( )	\$34.
<b>KE1101C120-</b> ( )	\$460.
<b>KE1200C120-</b> ( )	\$322.
<b>KE1101C48-</b> ( )	\$460.
<b>KE1200C48-</b> ( )	\$322.
<b>KE1101C72-</b> ( )	\$460.
<b>KE1200C72-</b> ( )	\$322.
<b>KE2201C48-</b> ( )	\$467.
<b>KE2300C48-</b> ( )	\$335.
<b>KE2201C72-</b> ( )	\$467.
<b>KE2300C72-</b> ( )	\$335.
<b>KE3202C48-</b> ( )	\$739.
<b>KE3400C48-</b> ( )	\$519.
<b>KE3202C72-</b> ( )	\$739.
<b>KE3400C72-</b> ( )	\$519.

Order Code	Ordering Information	Construction
<i>Example:</i> <b>ARE1-W</b>	<i>Case and Receptacle Finishes:</i>	<i>Description:</i>
<b>ARE1</b> Single power module	Black case with Black receptacles (suffix B)	Electrical modules are die-cast aluminum and plastic with powder coat matte paint finish.
<b>W</b> White finish	White case with White receptacles (suffix W)	

*Specify:*

1. Pattern number
2. Case Finish

Designer(s):  
Marc Krusin, 2015

description	type	power cord
<b>KE4</b> Four receptacle module 	4 Power	48" Cordset
	4 Power	72" Cordset
	3 Power, 1 USB	48" Cordset
	3 Power, 1 USB	72" Cordset
	3 Power, 1 USB	48" Pixel Link
	3 Power, 1 USB	60" Pixel Link
	2 Power, 2 USB	48" Cordset
	2 Power, 2 USB	72" Cordset
	2 Power, 2 USB	48" Pixel Link
	2 Power, 2 USB	60" Pixel Link
<b>KE5</b> Four receptacle module 	2 Power, 2 USB	72" Hardwire
	3 Power, 1 USB	48" Cordset
	3 Power, 1 USB	72" Cordset
	4 Power	48" Cordset
	4 Power	72" Cordset
	3 Power, 1 USB	48" Pixel Link
	3 Power, 1 USB	60" Pixel Link
	3 Power, 1 USB	72" Hardwire
	2 Power, 2 USB	48" Cordset
	2 Power, 2 USB	72" Cordset
<b>KE7</b> Four receptacle module with clamp mount 	3 Power, 1 USB	72" Cordset
	4 Power	72" Cordset
	2 Power, 2 USB	72" Cordset
<b>KE8</b> Three receptacle module 	3 Power	48" Cordset
	3 Power	72" Cordset
	3 Power	48" Pixel Link
	3 Power	60" Pixel Link
	3 Power	72" Hardwire
	2 Power, 1 USB	48" Cordset
	2 Power, 1 USB	72" Cordset
	2 Power, 1 USB	48" Pixel Link
	2 Power, 1 USB	60" Pixel Link
	2 Power, 1 USB	72" Hardwire

pattern no.	
<b>KE4400C48-()</b>	\$602.
<b>KE4400C72-()</b>	\$602.
<b>KE4301C48-()</b>	\$664.
<b>KE4301C72-()</b>	\$664.
<b>KE4301L48U2-()</b>	\$749.
<b>KE4301L60U2-()</b>	\$752.
<b>KE4202C48-()</b>	\$786.
<b>KE4202C72-()</b>	\$786.
<b>KE4202L48U2-()</b>	\$926.
<b>KE4202L60U2-()</b>	\$928.
<b>KE5202H(L,R)-()</b>	\$1,052.
<b>KE5301C48-()</b>	\$824.
<b>KE5301C72-()</b>	\$824.
<b>KE5400C48-()</b>	\$846.
<b>KE5400C72-()</b>	\$846.
<b>KE5301L48U2-()</b>	\$863.
<b>KE5301L60U2-()</b>	\$865.
<b>KE5301H(L,R)-()</b>	\$922.
<b>KE5202C48-()</b>	\$957.
<b>KE5202C72-()</b>	\$957.
<b>KE5202L48U2-()</b>	\$995.
<b>KE5202L60U2-()</b>	\$998.
<b>KE7301C72-()</b>	\$824.
<b>KE7400C72-()</b>	\$847.
<b>KE7202C72-()</b>	\$957.

<b>KE8300C48-()</b>	\$639.
<b>KE8300C72-()</b>	\$639.
<b>KE8300L48U2-()</b>	\$678.
<b>KE8300L60U2-()</b>	\$681.
<b>KE8300H(L,R)-()</b>	\$735.
<b>KE8201C48-()</b>	\$788.
<b>KE8201C72-()</b>	\$788.
<b>KE8201L48U2-()</b>	\$828.
<b>KE8201L60U2-()</b>	\$830.
<b>KE8201H(L,R)-()</b>	\$884.

**Order Code**

<i>Example:</i> <b>KE8300L60-BK</b>
<b>KE8</b> KE8 Electrical Module
<b>300</b> 3 Power
<b>L60</b> 60" Pixel Link
<b>BK</b> Black finish

*Specify:*

1. Pattern number
2. Case Finish

**Ordering Information**

*Case and Receptacle Finishes:*

Black case with Black receptacles (suffix BK)  
White case with White receptacles (suffix WH)  
Bright White case with Bright White receptacles (suffix 118)

**Note:**

White (suffix WH) option for electrical modules has a warmer tone compared to Bright White (suffix 118). It is recommended that Bright White be specified with a Bright White laminate top for closest match.

*Cutout Codes:*  
Please refer to the Grommet and Electrical Module Cutout Matrix on page 8 for table compatibility and cutout codes.

*Note:*

Power Modules with a Pixel Link require a Starter Box. 72" wide tables require a jumper cable. Please refer to page 188 of the price list for Pixel Link Starter Boxes and Cables.

**Pixel Link**

Pixel Link is a non-sequential power system that allows users to "daisy chain" multiple power centers together. **Please specify a Starter Box (KLSC) if using the Pixel Link system.** Pixel Link's "brain" allows users to connect up to 8 power/data centers off of one infeed. The smart LED indicators built into the Starter Box will illuminate green when you're connected and ready to plug in. A red light means that you've linked too many units.

**Construction**

*Description:*

KE4: Die-cast aluminum with powder coat matte paint finish.  
KE5: Aluminum case with powder coat matte paint finish.  
KE7: Aluminum case with powder coat matte paint finish. \*  
KE8: Aluminum case with powder coat matte paint finish.

\*KE7 Electrical Module is compatible with flat edge tops only. This mount will not work with knife edge tables.

**Electrical**

*USB:*

The USB option that is included in the KE4 module will have (2) USB jacks per position. For example a KE4202C72 module includes (2) Power and (2) USB but will actually have (2) Power and (4) USB jacks.


The USB option that is included in the KE5, KE7, and KE8 modules will only have (1) USB jack per position. For example a KE5202C72 module includes (2) Power and (2) USB and will have (2) Power and (2) USB jacks.

USB: 2 Amps

*Note:*

Additional data and power configurations can be requested through Custom Product Development.

Marc Krusin  
*Pixel™ Electrical*  
*KE6: C-Leg Trough Only*

	description	type	power cord
<i>Designer(s):</i> Marc Krusin, 2015	<b>KE6</b> Four receptacle module 	3 Power, 1 USB	48" Pixel Link
		3 Power, 1 USB	60" Pixel Link
		3 Power, 1 USB	72" Hardwire
		3 Power, 1 USB	48" Cordset
		3 Power, 1 USB	72" Cordset

pattern no.	
<b>KE6301L48U2-( )</b>	\$1,006.
<b>KE6301L60U2-( )</b>	\$1,008.
<b>KE6301H-( )</b>	\$1,071.
<b>KE6301C48-( )</b>	\$975.
<b>KE6301C72-( )</b>	\$975.

Order Code	Ordering Information
<i>Example:</i> <b>KE6301C72</b>	
<b>KE6</b>	KE6 Electrical Module
<b>301</b>	3 Power, 1 High Speed USB
<b>C72</b>	72" Cordset
<b>BK</b>	Black finish

- Specify:*
1. Pattern number
  2. Case Finish

**Ordering Information**

*Case and Receptacle Finishes:*

Black case with Black receptacles (suffix BK)

White case with White receptacles (suffix WH)

Bright White case with Bright White receptacles (suffix 118)

**Note:** White (suffix WH) option for electrical modules has a warmer tone compared to Bright White (suffix 118). It is recommended that Bright White be specified with a Bright White laminate top for closest match.

**KE6 Electrical Modules are only available on C-Leg tables with trough cutout.**

**Pixel Link**

*Cutout Codes:* Please refer to the Grommet and Electrical Module Cutout Matrix on page 8 for table compatibility and cutout codes.

*Note:* Power Modules with a Pixel Link require a Starter Box. 72" wide tables require a jumper cable. Please refer to page 188 of the price list for Pixel Link Starter Boxes and Cables.

**Construction**

*Description:* KE6: Aluminum case with powder coat matte paint finish.

Pixel Link is a non-sequential power system that allows users to "daisy chain" multiple power centers together. **Please specify a Starter Box (KLSC) if using the Pixel Link system.** Pixel Link's "brain" allows users to connect up to 8 power/data centers off of one infeed. The smart LED indicators built into the Starter Box will illuminate green when you're connected and ready to plug in. A red light means that you've linked too many units.

**Electrical**

*USB:*



The USB option that is included in the KE6 module will only have (1) USB jack per position. For example a KE6301C72 module includes (3) Power and (1) USB and will have (3) Power and (1) USB jack.

USB: 2 Amps

*Note:* Additional data and power configurations can be requested through Custom Product Development.






Marc Krusin  
 Pixel™ Electrical  
 Pixel™ Link Starter Boxes and Jumper Cables

	description	type	power cord
<i>Designer(s):</i> Marc Krusin, 2015	<b>KLJ</b> Jumper cable 	Jumper cable	12"
		Jumper cable	24"
		Jumper cable	36"
		Jumper cable	48"
		Jumper cable	60"
	<b>KLSC</b> Starter box 	Starter box	72" Cordset
Starter box		120" Cordset	
	<b>KLA1-2</b> Pixel Link Adaptor		
	<b>KLA2-1</b> Pixel Link Adaptor		

pattern no.	
<b>KLJ12U2</b>	\$134.
<b>KLJ24U2</b>	\$140.
<b>KLJ36U2</b>	\$149.
<b>KLJ48U2</b>	\$156.
<b>KLJ60U2</b>	\$164.
<b>KLSC72U2</b>	\$680.
<b>KLSC120U2</b>	\$699.
<b>KLA1-2</b>	\$134.
<b>KLA2-1</b>	\$134.










Order Code	Pixel Link	Pixel Link Rules
<i>Example:</i> <b>KLSC120</b>		
<b>KLSC</b>	Pixel Link Starter Box	
<b>120</b>	120" power cord	
<i>Specify:</i>		
1. Pattern number		
2. Cord length		
	Pixel Link is a non-sequential power system that allows users to “daisy chain” multiple power centers together. Pixel Link’s “brain” allows users to connect up to 8 power/data centers off of one starter box. The smart LED indicators will illuminate green when you’re connected and ready to plug in. A red light means that you’ve linked too many units.	<p><b>Starter Boxes:</b>                      Starter Boxes can accommodate a maximum of (8) electrical modules and/or jumper cables (do not count the Starter Box itself).</p> <p><i>Example:</i> (8) Electrical Modules <b>or</b> (4) Electrical Modules with (4) Jumper Cables.</p> <p><b>Electrical Modules:</b>                      Cordset: Choose an Electrical Module with the appropriate length cordset to reach the power source.</p> <p>Pixel Link: Choose an electrical module with a Pixel Link length equivalent to the width of your table. The maximum Pixel Link cable length is 60". Therefore, on 72" tables, you will need to order the electrical module with 60" Pixel Link cable and an additional 12" jumper cable.</p> <p><b>Cutout Codes:</b>                      Refer to the Pixel Grommet and Electrical Module Cutout Matrix on page 8 for table compatibility and cutout codes.</p> <p><b>Corner Wedge:</b>                      If utilizing a Corner Wedge in your configuration, specify a 24" Pixel Link to accommodate the added distance and curve for each corner wedge top.</p>
		<p><b>Pixel Link Adaptor:</b>                      As of January 1, 2020, the Pixel Link male/female connectors have been updated and will not fit previous Pixel Link electrical modules and starter boxes. If you need to add additional Pixel Link modules to your existing run, specify a <b>KLA1-2</b> adaptor cable in between your existing module and the new module. If you need to replace an old starter box but still need to use your existing electrical modules, specify a <b>KLA2-1</b> adaptor cable in between your new starter box and existing electrical module. Please note that you are still limited to 8 connections per starter box and this adaptor cable counts towards that limit.</p>

Ordering Information
<p><b>How to Specify Pixel Link Power System:</b></p> <p><b>Example 1:</b>                      Need: (3) rows of (8) tables</p> <p>Table Specifications:                      (24) 60" x 24" Pixel C-Leg Tables with consistent cutout positions on all tables.</p> <p>Starter boxes can only accommodate a maximum of (8) electrical modules + jumper cables (do not count the starter box itself). For this application, we will need to specify (3) starter boxes (one for each row) since no jumpers are required. Choose the length cord that matches the distance to your power source.</p> <p>Electrical Specifications:                      (24) KE4 Pixel Electrical Module - KE4301L60BK                      (3) Pixel Link Starter Box with 72" Cordset - KLSC72</p>
<p><b>Example 2:</b>                      Need: (3) rows of (8) tables</p> <p>Table Specifications:                      (24) 72" x 30" Pixel C-Leg Tables with consistent cutout positions on all tables.</p> <p>Here we are going to show the same application with larger tables. Again, we have used (24) KE4 electrical modules with a 60" Pixel Link connector. Since our tables are 72" we will need to add 12" jumper cables to our specification to accommodate the added length.</p> <p>Since we now have two components per table (electrical module + jumper cable) we will need a starter box for every (4) tables. In this case we will need (6) starter boxes. An additional power source will need to be provided for each row. Choose the length cord that matches the distance to each power source.</p> <p>Electrical Specifications:                      (24) KE4 Pixel Electrical Module - KE4301L60BK                      (18) 12" Pixel Jumper Cable - KLJ12                      (6) Pixel Link Starter Box with 72" Cordset - KLSC72</p>

	description	type	power cord
<i>Designer(s):</i> Marc Krusin, 2015		Single Duplex Kit for 48" table	48" metal conduit
		Single Duplex Kit for 60" table	60" metal conduit
		Single Duplex Kit for 72" table	72" metal conduit
		Single Duplex Kit	84" metal conduit
		Single Duplex Kit	96" metal conduit
	<b>KTD Pixel Trac Duplex Kit</b>	Single Duplex Kit	-
			
		<b>KTSH Pixel Trac Starter</b>	Starter Cable for 72" Hardwire
		Starter Cable for 120" Hardwire	120" metal conduit

pattern no.	
<b>KTK48</b>	\$232.
<b>KTK60</b>	\$245.
<b>KTK72</b>	\$260.
<b>KTK84</b>	\$274.
<b>KTK96</b>	\$287.
<b>KTD</b>	\$110.
<b>KTSH72</b>	\$152.
<b>KTSH120</b>	\$189.

Order Code	Pixel Trac	Ordering Information	
<i>Example:</i> <b>KTSH120</b>	Pixel Trac is a non-sequential modular power system that allows users to link up to 13 duplex receptacles together off of one hardwired power infeed. With locking and keyed connectors, installation is a snap. Pixel Trac is a UL Listed Manufactured Wiring System.	<p><b>How to Specify Pixel Trac Power System:</b></p> <p><b>Example 1:</b> Need: (2) rows of (13) tables</p> <p>Table Specifications: (26) 60" x 24" Pixel C-Leg Tables with a Front Center (EA) cutout for a KE5 power module in all tables.</p> <p>Each starter (infeed) cable can accommodate a maximum of (13) Pixel Trac jumper kits. Choose the length starter that matches the distance to your power source. For this application we will need to specify (2) Pixel Trac Starters, one for each row.</p> <p>Select the Pixel Trac Kit that is the same length as the table. For this application we will need (26) of the 60" Pixel Trac Kits, (1) for each table.</p> <p>Review the Grommet and Electrical Module Cutout Matrix to verify that the preferred power module is available in the requested location. Choose the power module with the 48" cordset to reduce the amount of excess cord that needs to be stored in each trough. For this application we will need (26) of the KE4 Electrical Modules.</p> <p>Electrical Specifications: (26) KE5 Pixel Electrical Module - KE5202C48 (26) 60" Pixel Trac Kit - KTK60 (2) Pixel Trac Starter - KTSH72</p>	
<b>KTSH</b> Pixel Trac metal conduit			<p><b>Example 2:</b> Need: (2) rows of (13) tables</p> <p>Table Specifications: (26) 72" x 30" Pixel C-Leg Tables with a Front Left and Right (DA) cutouts with two KE5 power modules in each table.</p> <p>Each starter (infeed) cable can accommodate a maximum of (13) Pixel Trac jumper kits. Choose the length starter that matches the distance to your power source. For this application we will need to specify (2) Pixel Trac Starters, one for each row.</p> <p>Select the Pixel Trac Kit that is the same length as the table. For this application we will need (26) of the 72" Pixel Trac Kits, (1) for each table.</p> <p>Review the Grommet and Electrical Module Cutout Matrix to verify that the preferred power module is available in the requested location. Choose the power module with the 48" cordset to reduce the amount of excess cord that needs to be stored in each trough. For this application we will need (52) of the KE4 Electrical Modules.</p> <p>Electrical Specifications: (52) KE5 Pixel Electrical Module - KE5202C48 (26) 72" Pixel Trac Kit - KTK72 (2) Pixel Trac Starter - KTSH72</p>
<b>120</b> 120" metal conduit			
<i>Specify:</i> 1. Pattern number 2. Conduit length			

	description
<i>Designer(s):</i> Marc Krusin, 2015	<b>KE-VF</b> Vertical wire management clips for Four Leg Pixel Tables 
	<b>KE-VB</b> Vertical wire management clips for Column Base Pixel Tables 
	<b>KE-VCT</b> Vertical wire management clips for C and T Leg Pixel Tables 
	<b>KE-VCTE</b> Vertical wire management clips for Electric Height Adjustable C and T Leg Pixel Tables 
	<b>KE-VY</b> Vertical wire management clips for Y Leg Pixel Tables 
	<b>KE-H</b> Horizontal wire management clips for Pixel Tables 
	<b>KE-KLH</b> Magnetic wire management clips for Pixel S Series Tables 
	<b>KE-VC</b> Vertical cord cover for C and T leg tables with casters 
	<b>KE-VG</b> Vertical cord cover for C and T leg tables with glides 





	pattern no.	
	<b>KE-VF</b>	\$26.
	<b>KE-VB</b>	\$26.
	<b>KE-VCT</b>	\$40.
	<b>KE-VCTE</b>	\$27.
	<b>KE-VY</b>	\$26.
	<b>KE-H</b>	\$31.
	<b>KE-KLH</b>	\$72.
	<b>KE-VC(-)</b>	\$78.
	<b>KE-VG(-)</b>	\$84.

Order Code	Finishes	Features
<i>Example:</i> <b>KE-CT</b>	<i>Cord cover finishes:</i>	<i>Vertical Wire Management Clips:</i>
<b>KE-CT</b> Vertical wire management clips for C and T Leg	Jet Black (suffix 111T) Bright White (suffix 118T) Medium Grey (suffix 115T) Sterling (suffix 906T)	Vertical wire management clips easily snap on to the leg of the Pixel Table in order to guide the wires and cords down to the floor. Clips slide up and down the leg for adjustment.
<i>Specify:</i> 1. Pattern number		<i>Horizontal Wire Management Clips:</i> Horizontal wire management clips screw onto the underside of the table top which secure the wires or cables in place.
<i>Example:</i> <b>KE-VG-118T</b>		<i>Note:</i> Horizontal wire mangement clips are black and come in a pack of 4.
<b>KE-VG</b> Vertical cord cover for C and T Leg table on glides		<i>Note:</i> Vertical wire management clips are clear and come in a pack of 2.
<b>118T</b> Bright White		

*Cord Covers:*  
Cord covers can be specified for both C and T leg Pixel tables on casters or glides. Covers are extruded aluminum and snap onto the leg to hide vertical wires and allow for a more seamless look. Specify paint finish to match table leg finish. Recommended for use when specifying Pixel Trac.

*Note:*  
Cord covers cannot be used on electric and pinset height adjustable tables.

Marc Krusin  
*Pixel™ Accessories*  
*Pixel™ Modesty and Privacy Screens*






	description	h	w	d
<i>Designer(s):</i> Marc Newson, 2022	<b>KS48L</b> Pixel modesty/privacy screen, 48". For all C-Leg tables. For use on Four Leg tables for privacy only	14"	48"	1/2"
				
	<b>KS60L</b> Pixel modesty/privacy screen, 60". For all C-Leg tables and T-Leg fix tables. For use on Four Leg tables for privacy only	14"	60"	1/2"
				
	<b>KS72L</b> Pixel modesty/privacy screen, 72". For all C-Leg tables, T-Leg fix tables, and Y-Leg fix tables. For use on Four Leg tables for privacy only	14"	72"	1/2"
				
	<b>KS84L</b> Pixel modesty/privacy screen, 84". For Y-Leg fix tables	14"	84"	1/2"
				

pattern no.	list
<b>KS48L-(-)(-)</b>	\$634.
<b>KS60L-(-)(-)</b>	\$691.
<b>KS72L-(-)(-)</b>	\$824.
<b>KS84L-(-)(-)</b>	\$927.

Order Code	Finishes	Construction
<i>Example:</i> <b>KS48L-141-118T</b>	<i>Colored laminate finishes:</i>	<i>Flat edgeband finishes:</i>
<b>KS48L</b> Pixel Modesty/Privacy screen, 48" laminate	Bright White (suffix 118) Folkstone Grey (suffix 114) Jet Black (suffix 111)	Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) White (suffix 118)
<b>141</b> Whitened Ash laminate finish	<i>Woodgrain laminate finishes:</i>	<i>Laminate screens:</i>
<b>118T</b> White flat edgeband	Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)	Constructed of MDF substrate sandwiched between laminate veneer. Laminate screens are specified with a flat .8mm ABS edgeband.
<i>Specify:</i>		
1. Pattern number		
2. Screen finish		
3. Edgeband finish		

Features
<i>Modesty Screens:</i> Modesty screens can remain attached to Pixel Flip-Top Tables while tables are flipped and nested due to the flexibility of the Hytel® hinge.
<i>Note:</i> Tables cannot be flipped or nested if privacy screen is attached.
<i>Modesty/Privacy screen brackets:</i> Two brackets are required for each modesty and privacy screen EXCEPT for KS84L (84" width) which requires three brackets. Modesty Brackets screw into inserts located on the underside of the table top. Privacy brackets clamp onto the table top.

Marc Krusin  
*Pixel™ Accessories*  
*Pixel™ Modesty and Privacy Screens*

	description	h	w	d
<i>Designer(s):</i> Marc Newson, 2022	<b>KSF48L</b> Pixel modesty screen, 44". For 48" Four leg tables only 	14"	44"	1/2"
	<b>KSF60L</b> Pixel modesty screen, 56". For 60" Four leg tables only 	14"	56"	1/2"
	<b>KSF72L</b> Pixel modesty screen, 68". For 72" Four leg tables only 	14"	68"	1/2"
	<b>KST60L</b> Pixel modesty screen, 38". For 60" T-Leg flip tables only 	14"	38"	1/2"
	<b>KST72L</b> Pixel modesty screen, 50". For 72" T-Leg flip tables only 	14"	50"	1/2"




pattern no.	list
<b>KSF48L-(-)(-)</b>	\$630.
<b>KSF60L-(-)(-)</b>	\$689.
<b>KSF72L-(-)(-)</b>	\$822.
<b>KST60L-(-)(-)</b>	\$627.
<b>KST72L-(-)(-)</b>	\$682.

Order Code	Finishes	Construction
<i>Example:</i> <b>KSF60-111-111T</b> <b>KSF60</b> Pixel Modesty/Privacy screen, 56" laminate <b>111</b> Jet Black laminate finish <b>111T</b> Black flat edgeband	<i>Colored laminate finishes:</i> Bright White (suffix 118) Folkstone Grey (suffix 114) Jet Black (suffix 111)  <i>Woodgrain laminate finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)	<i>Flat edgeband finishes:</i> Black (suffix 111) Mink (suffix 324) Innertone (suffix 386) Platinum (suffix 367) Folkstone (suffix 004) White (suffix 118)  <i>Woodgrain flat edgeband finishes:</i> Medium Cherry (suffix 124) Natural Maple (suffix 125) Natural Cherry (suffix 126) Walnut (suffix 127) Light Ash (suffix 139) Warm Ash (suffix 140) Whitened Ash (suffix 141) Grey Ash (suffix 142) Classic Oak (suffix 143) Graphite Pear (suffix 144)

*Specify:*  
 1. Pattern number  
 2. Screen finish  
 3. Edgeband finish

Features
<i>Modesty Screens:</i> Modesty screens can remain attached to Pixel Flip-Top Tables while tables are flipped and nested due to the flexibility of the Hytel® hinge.  <i>Note:</i> Tables cannot be flipped or nested if privacy screen is attached.  <i>Modesty/Privacy screen brackets:</i> Two brackets are required for each modesty and privacy screen EXCEPT for KS84L (84" width) which requires three brackets. Modesty Brackets screw into inserts located on the underside of the table top. Privacy brackets clamp onto the table top.

Marc Krusin  
*Pixel™ Accessories*  
*Pixel™ Modesty and Privacy Screens*

	description	h	w	d
<i>Designer(s):</i> Marc Newson, 2022	<b>KS24L</b> Pixel side privacy screen, 24". For all C-Leg, T-Leg, and Four leg tables	14"	24"	1/2"
				
	<b>KS30L</b> Pixel side privacy screen, 30". For all C-Leg, T-Leg, and Four leg tables	14"	30"	1/2"
				
	<b>KS36L</b> Pixel side privacy screen, 36". For all C-Leg, T-Leg, Y-Leg, and Four leg tables	14"	36"	1/2"
				

pattern no.	list
<b>KS24L-()-()</b>	\$514.
<b>KS30L-()-()</b>	\$541.
<b>KS36L-()-()</b>	\$609.

Order Code	Finishes	Construction
<i>Example:</i> <b>KS24L-118-118T</b>	<i>Colored laminate finishes:</i>	<i>Laminate screens:</i>
<b>KS24L</b> Pixel Side Privacy screen, 24" laminate	Bright White (suffix 118)	Constructed of MDF substrate sandwiched between laminate veneer.
<b>118</b> Bright White laminate finish	Folkstone Grey (suffix 114)	Laminate screens are specified with a flat .8mm ABS edgeband.
<b>118T</b> White flat edgeband	Jet Black (suffix 111)	
	<i>Woodgrain laminate finishes:</i>	
	Medium Cherry (suffix 124)	
	Natural Maple (suffix 125)	
	Natural Cherry (suffix 126)	
	Walnut (suffix 127)	
	Light Ash (suffix 139)	
	Warm Ash (suffix 140)	
	Whitened Ash (suffix 141)	
	Grey Ash (suffix 142)	
	Classic Oak (suffix 143)	
	Graphite Pear (suffix 144)	
	<i>Woodgrain flat edgeband finishes:</i>	
	Medium Cherry (suffix 124)	
	Natural Maple (suffix 125)	
	Natural Cherry (suffix 126)	
	Walnut (suffix 127)	
	Light Ash (suffix 139)	
	Warm Ash (suffix 140)	
	Whitened Ash (suffix 141)	
	Grey Ash (suffix 142)	
	Classic Oak (suffix 143)	
	Graphite Pear (suffix 144)	





*Specify:*  
1. Pattern number  
2. Screen finish  
3. Edgeband finish

**Features**

*Privacy screen brackets:*  
Two privacy screen brackets are required for each privacy screen EXCEPT for KS84L (84" width) which requires three brackets. Privacy screen brackets clamp onto the table top.

*Note:* Tables cannot be flipped or nested if privacy screen is attached.

Marc Krusin  
*Pixel™ Accessories*  
*Pixel™ Modesty and Privacy Screen Brackets*

	description
<i>Designer(s):</i> Marc Newson, 2022	<p><b>KSB-M</b> Pixel Modesty Screen Bracket</p> 
	<p><b>KSB-PS</b> Pixel Privacy Screen Bracket - Single table</p> 
	<p><b>KSB-PD</b> Pixel Shared Privacy Screen Bracket</p> 
	<p><b>KSB-MCB</b> Pixel Shared Privacy Screen Mid-span Connecting Bracket</p> 

pattern no.	list
<b>KSB-M-()</b>	\$110.
<b>KSB-PS-()</b>	\$165.
<b>KSB-PD-()</b>	\$180.
<b>KSB-MCB-()</b>	\$156.

Order Code	Finishes	Construction	Features
<i>Example:</i> <b>KSB-M-118T</b>	<i>Bracket finishes:</i>	<i>Modesty and Privacy bracket:</i>	<i>Modesty and Privacy screen brackets:</i>
<b>KSB-M</b>	Bright White (suffix 118T) Jet Black (suffix 111T)	Brackets are constructed using a combination of cast aluminum and a Hytel® hinge which allows tables to flip while screens are attached. Aluminum parts are powder coated and available in Bright White and Jet Black.	Two brackets are required for each modesty screen EXCEPT for KS84L (34" width) which requires three brackets. Modesty brackets screw into inserts located on the underside of the table top. Privacy brackets clamp onto the table top.
<b>118T</b>	White bracket finish	<i>Note:</i> <b>Bracket screws are always black.</b>	

*Specify:*  
 1. Pattern number  
 2. Specify bracket finish

Specifications
<b>KSB-M:</b> Specify if only modesty is required.
<b>KSB-PS:</b> Specify if only privacy is required. <i>Note:</i> If both modesty and privacy are being used together, specify both KSB-M and KSB-PS.
<b>KSB-PD:</b> Specify if privacy screen is shared by two tables. Bracket will also double as ganging bracket to join adjacent tables together.
<b>KSB-MCB:</b> Specify in conjunction with KSB-PS if privacy screen is shared by two perpendicular tables along the long edge of one table and the short edge of the second table.

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
KBXB3030	34	KCXW6030	10	KERG	50	KLCXA7224	14
KBXB3636E	36	KCXW7218	10	KE-VB	60	KLCXA7230	14
KBXB36D	34	KCXW7221	10	KE-VC	60	KLCXW4818	14
KBXB42DE	36	KCXW7224	10	KE-VCT	60	KLCXW4821	14
KBXC3030	34	KCXW7230	10	KE-VCTE	60	KLCXW4824	14
KBXC3636E	36	KE1101C120	50	KE-VF	60	KLCXW4830	14
KBXC36D	34	KE1101C48	50	KE-VG	60	KLCXW6018	14
KBXC42DE	36	KE1101C72	50	KE-VY	60	KLCXW6021	14
KBXL3030	34	KE1200C120	50	KFXW3636	30	KLCXW6024	14
KBXL3636E	36	KE1200C48	50	KFXW4242	30	KLCXW6030	14
KBXL36D	34	KE1200C72	50	KFXW4818	30	KLCXW7218	14
KBXL42DE	36	KE2201C48	50	KFXW4824	30	KLCXW7221	14
KBXW3030	34	KE2201C72	50	KFXW4830	30	KLCXW7224	14
KBXW3636E	36	KE2300C48	50	KFXW4836	30	KLCXW7230	14
KBXW36D	34	KE2300C72	50	KFXW4848	30	KLJ24U2	56
KBXW42DE	36	KE3202C48	50	KFXW6018	30	KLJ24U2	56
KCPA4818	12	KE3202C72	50	KFXW6024	30	KLJ36U2	56
KCPA4821	12	KE3400C48	50	KFXW6030	30	KLJ48U2	56
KCPA4824	12	KE3400C72	50	KFXW6036	30	KLJ60U2	56
KCPA4830	12	KE4202C48	52	KFXW7218	30	KLSC120U2	56
KCPA6018	12	KE4202C72	52	KFXW7224	30	KLSC72U2	56
KCPA6021	12	KE4202L48U2	52	KFXW7230	30	KLTPA4824	28
KCPA6024	12	KE4202L60U2	52	KFXW7236	30	KLTPA4830	28
KCPA6030	12	KE4301C48	52	KGANG	10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 32, 38	KLTPA4836	28
KCPA7218	12	KE4301C72	52			KLTPA6024	28
KCPA7221	12	KE4301L48U2	52	KLA1-2	56	KLTPA6030	28
KCPA7224	12	KE4301L60U2	52	KLA2-1	56	KLTPA6036	28
KCPA7230	12	KE4400C48	52	KLCPA4818	16	KLTPA7224	28
KCPW4818	12	KE4400C72	52	KLCPA4821	16	KLTPA7230	28
KCPW4821	12	KE5202C48	52	KLCPA4824	16	KLTPA7236	28
KCPW4824	12	KE5202C72	52	KLCPA4830	16	KLTPW4824	28
KCPW4830	12	KE5202H(L,R)	52	KLCPA6018	16	KLTPW4830	28
KCPW6018	12	KE5202L48U2	52	KLCPA6021	16	KLTPW4836	28
KCPW6021	12	KE5202L60U2	52	KLCPA6024	16	KLTPW6024	28
KCPW6024	12	KE5301C48	52	KLCPA6030	16	KLTPW6030	28
KCPW6030	12	KE5301C72	52	KLCPA7218	16	KLTPW6036	28
KCPW7218	12	KE5301H(L,R)	52	KLCPA7221	16	KLTPW7224	28
KCPW7221	12	KE5301L48U2	52	KLCPA7224	16	KLTPW7230	28
KCPW7224	12	KE5301L60U2	52	KLCPA7230	16	KLTPW7236	28
KCPW7230	12	KE5400C48	52	KLCPW4818	16	KLTXW4824	26
KCXA4818	10	KE5400C72	52	KLCPW4821	16	KLTXW4830	26
KCXA4821	10	KE6301C48	54	KLCPW4824	16	KLTXW4836	26
KCXA4824	10	KE6301C72	54	KLCPW4830	16	KLTXW6024	26
KCXA4830	10	KE6301H	54	KLCPW6018	16	KLTXW6030	26
KCXA6018	10	KE6301L48U2	54	KLCPW6021	16	KLTXW6036	26
KCXA6021	10	KE6301L60U2	54	KLCPW6024	16	KLTXW7224	26
KCXA6024	10	KE7202C72	52	KLCPW6030	16	KLTXW7230	26
KCXA6030	10	KE7301C72	52	KLCPW7218	16	KLTXW7236	26
KCXA7218	10	KE7400C72	52	KLCPW7221	16	KP-18	38
KCXA7221	10	KE8201C48	52	KLCPW7224	16	KP-24	38
KCXA7224	10	KE8201C72	52	KLCPW7230	16	KP-30	38
KCXA7230	10	KE8201H(L,R)	52	KLCXA4818	14	KP-36	38
KCXE6030	10	KE8201L48U2	52	KLCXA4821	14	KP-DOLLY	38
KCXE7230	10	KE8201L60U2	52	KLCXA4824	14	KS-01	44
KCXW4818	10	KE8300C48	52	KLCXA4830	14	KS-02L	44
KCXW4821	10	KE8300C72	52	KLCXA6018	14	KS-02R	44
KCXW4824	10	KE8300H(L,R)	52	KLCXA6021	14	KS-11L	46
KCXW4830	10	KE8300L48U2	52	KLCXA6024	14	KS-11R	46
KCXW6018	10	KE8300L60U2	52	KLCXA6030	14	KS-12L	48
KCXW6021	10	KE-H	60	KLCXA7218	14	KS-12R	48
KCXW6024	10	KE-KLH	60	KLCXA7221	14	KS-13L	48



<i>pattern no.</i>	<i>page</i>
KS-13R	48
KS-21L	42
KS-21R	42
KS24L	66
KS30L	66
KS-31	40
KS36L	66
KS48L	62
KS60L	62
KS72L	62
KS84L	62
KSB-M	68
KSB-MCB	68
KSB-PD	68
KSB-PS	68
KSF48L	64
KSF60L	64
KSF72L	64
KST60L	64
KST72L	64
KTD	58
KTK48	58
KTK60	58
KTK72	58
KTK84	58
KTK96	58
KTPA6030	20
KTPA6036	20
KTPA7230	20
KTPA7236	20
KTPW6030	20
KTPW6036	20
KTPW7230	20
KTPW7236	20
KTSH120	58
KTSH72	58
KTXA6030	18
KTXA6036	18
KTXA7230	18
KTXA7236	18
KTXE6036	18
KTXE7236	18
KTXW6030	18
KTXW6036	18
KTXW7230	18
KTXW7236	18
KYDW9648	32
KYPW7236	32
KYPW8436	32
KYXW7236	32
KYXW8436	32
KZTPA4824	24
KZTPA6024	24
KZTPA6030	24
KZTPW4824	24
KZTPW6024	24
KZTPW6030	24
KZTXA4824	22
KZTXA6024	22
KZTXA6030	22
KZTXW4824	22
KZTXW6024	22
KZTXW6030	22

# Selling Policy

This Selling Policy supersedes all previous selling policies and is inclusive of Knoll, KnollStudio and Muuto. Prices, discounts and product offerings are subject to change without notice.

<b>Terms &amp; Conditions of Sales</b>	Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supersede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.
<b>Ordering Information</b>	All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.
<b>Order Confirmation</b>	A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.
<b>Pricing Policies</b>	List prices are subject to change without notice. List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.
<b>Taxes</b>	All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.
<b>Terms of Payment</b>	Payment for one hundred percent (100%) of the net order amount (including any applicable shipping and handling fee) is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice. KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment. If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance. Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.
<b>Changes and Cancellation</b>	Standard purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled. QuickShip orders may not be changed or canceled without Knoll's authorization. In the event of Muuto order changes, 25% payment of original net order amount is required for changes incurring the week the order was entered. 100% payment of original net order amount is required for changes incurring the week the order is scheduled to ship. If Muuto is ordered on QuickShip, the QuickShip policy supersedes.
<b>Freight Prepaid</b>	For standard orders, freight is prepaid and included in the price of all Knoll Office and KnollStudio Products, except KnollTextiles and Muuto, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice. Freight for all Muuto orders must be specified at time of order placement and added to the PO.
<b>Delivery/Freight Charges</b>	Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin. For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination. Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing. Nonstandard methods of shipment and/or additional services are available upon request. Orders for QuickShip product shipping direct parcel or White Glove are subject to additional shipping and handling charges and must be paid by Purchaser. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reassignment and redelivery. Partial shipments may be made and invoiced by Seller.
<b>Claims</b>	All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.

# Selling Policy

---

<b>Seller's Security Interest</b>	Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.
<b>Returns</b>	The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.
<b>Held Orders/Storage</b>	If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.
<b>Customer's Own Material</b>	A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.
<b>Warranty</b>	Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below. Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair). Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.

## Product and Period of Warranty

Lifetime: *Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Morrison, Reff Profiles* laminate, *Rockwell Unscripted, Series 2 Storage, Template, Quoin* and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, *Series 2 Veneer Front Storage, digital locks, upholstery, textiles and leathers, special or custom products, see below), Islands Collection* table structure, legs, and laminate worksurfaces; and *Wexby* mobile bin.

12 Years: *Chadwick, Generation by Knoll, k. task, Life, Newson Task, Moment, MultiGeneration by Knoll, Ollo, ReGeneration by Knoll, Remix, and Toboggan* seating (except seating upholstery, textiles, leathers and finishes, see below).

10 Years: *Anchor Storage* except digital locks, *Antenna Workspaces, AutoStrada, Crinion Open Table, Dividends Horizon, Dividends Horizon Satellite Surfaces, Reff Profiles, Rockwell Unscripted, Quoin* wood components, *Template* wood components, *Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods* (The Graham Collection) (except wood casegoods upholstered surfaces, see below), *Reuter* overheads, *Reuter* vertical storage, *KnollExtra Sapper Monitor Arm Collection, Sapper XYZ Monitor Arm Series, Adjustable keyboard mechanisms and platforms, Communication Boards* (except fabric board textiles, cork and FilzFelt, see below), *Smokador* collection (except leathers, see below), *Orchestra Universal Systems Accessories, k. lounge* structural components, *KnollStudio* Pixel and Propeller, *Antenna Telescope* bases, *Tone* bases, *k.screens*, and dealer-purchased non BIFMA-certified *Muuto* products.

5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products and plywood, *Currents* handcrank, *KnollStudio* (excluding textiles, leather and outdoor finishes), *LSM, Pixel Lounge, Rockwell Unscripted* wire bases, *KnollExtra* CPU holders and all universal storage drawers, and *Power Collection, k.bench* (except changes in finish, see below) and *k.stand* bases (except changes in finish, see below), *Islands Collection* veneer worksurfaces, operational parts, wide grommet lid, castors, glides and electrical; and dealer-purchased non BIFMA-certified *Muuto* products.

3 Years: *Rockwell Unscripted* upholstery (except textiles and leather), *Office Seating* upholstery, textiles, leathers and finishes. Fabric boards textiles and *Smokador* Collection leathers, *KnollExtra* Pop Up Screens, *k.screen* (except cork and PET), and retailer-purchased *Muuto* products.

2 Years: *Anchor Storage* digital locks, *Quoin* digital locks, all other *KnollExtra* product.

1 Year: Light ballasts, bulbs and power supply, seating upholstered armpads and soft armpads, wood casegoods, upholstered surfaces, *KnollStudio*, textiles, leathers and outdoor product finishes, *Pixel Lounge* fabric, *k. lounge* upholstery and *k. lounge* fabric, *Rockwell Unscripted* fabric and accessories, *k.screen* cork and PET.

This warranty does not apply to:

- Damage caused by a carrier other than the Seller.
- Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products).
- COM or other third party materials applied to Products.
- Products not installed by or under the auspices of a Knoll Dealer.
- Dramatic temperature variations or exposure to unusual conditions.
- Changes in surface finishes, including colorfastness due to aging or exposure to light.
- Except as specifically noted above, textiles and upholstery supplied by *KnollTextiles* and Spinneybeck FilzFelt (consult current price lists for applicable warranties).

Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces.

THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.

The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with

# Selling Policy

---

	respect to or arising out of the Product furnished hereunder.
<b>Delay/Force Majeure</b>	..... Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of war or terrorism, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.
<b>Compliance with Law</b>	..... PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.
<b>Patents</b>	..... Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.
	..... The foregoing indemnity does not apply to the following:
	..... <ul style="list-style-type: none"><li>• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.</li><li>• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.</li><li>• Any settlements of a suit or proceeding made without Seller's written consent.</li></ul>
<b>Limitations of Liability</b>	..... <b>SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.</b> ..... Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.

# General Ordering Information

---

## **The Products**

This guide encompasses all standard products for this product group.

## **Sizes**

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

## **Pricing**

All prices shown are list.

## **How to Order**

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

## **Mail all orders to:**

Knoll, Inc.

1235 Water Street

P.O. Box 157

East Greenville, PA 18041

Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

## Sustainability Statement

---

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to [knoll.com](http://knoll.com), click on "About Knoll" and then "Environmental Focus."