

AutoStrada

Price List
August 2016



Knoll

Introduction	Knoll and Sustainable Design	4
	AutoStrada Basics	5
	AutoStrada Materials and Details	6
	AutoStrada Finishes	7
	AutoStrada Fabric Options	9
	AutoStrada Paint and Laminate Finishes Matrix	11
Applied Wall	Introduction	12
	Planning the applied wall system	13
	Specifying the applied wall system	14
	Applied wall frames	15
	Horizontal channels	16
	Wall trim and corners	21
	Wall covers	23
	Display shelves	37
	Glass shelves	38
	Bookshelves	39
	Open overhead cabinets	40
	Sliding door overhead cabinets with glass doors	41
	Sliding door overhead cabinets with laminate or veneer doors	42
	Hinged door overhead cabinets	43
	Overhead storage mounting kits	44
	Power and wire management	45
	Accessories	47
Spine and linkable screens	Service Wall frames	48
	Wall crown and base trim covers	49
	Structural base cover kits	52
	Access covers	54
	Spine ends and connectors	59
	End Starters	67
	Panel system starters and T-ends	71
	Power components, spine	79
	Add up glass panels, for spine	83
	Linkable screens and windows	84
	Gallery Screens	90
	Glass Gallery Screens	91
Panels	Tiled/Monolithic - mono side only with base raceway	92
	Mono/Mono - exterior hard side no raceway	98
	Tiled/Monolithic - both sides with base raceway	102
	Tiled one side/Slatwall combo other	108
	Slatwall/Fabric combo both sides - both sides with base raceway	112
	Frameless glass add-ups for panels	113
	Glass Gallery Screens	115
	Posts, panels	116
	Trim, panels	128
	Power distribution components for one side raceway panels	132
	Power distribution components	133
	AutoStrada Ported Panel Components	140

Medians	42" Medians with binder depth top shelf	143
	42" Medians with binder depth top shelf cont'd	144
	42" Medians with legal depth top shelf	145
	42" Medians with legal depth top shelf cont'd	146
	42" Medians with double end gable	147
	42" Medians with double end gable cont'd	148
	42" Median storage, binder depth	149
	42" Median storage, legal depth	150
	49" Medians with binder depth top shelf	151
	49" Medians with binder depth top shelf cont'd	152
	49" Medians with legal depth top shelf	153
	49" Medians with legal depth top shelf cont'd	154
	49" Medians with double end gable	155
	49" Medians with double end gable cont'd	156
	49" Median storage, binder depth	157
	49" Median storage, legal depth	158
Bridges	42" Bridge units	159
	49" Bridge units	160
	Top shelves for bridges	161
	Window kits for bridges	163
Cabinets	Storage Anchored Cabinets, w/BBF and FF configurations	164
	Storage Anchored Cabinets, with hinged door configurations	166
	Storage Anchored Cabinets, w/ Wardrobe and BBF	168
	Storage Anchored Cabinets, w/ Wardrobe and FF	169
	Storage Anchored Cabinets w/front and back access	170
	Storage Anchored Cabinets, front access	176
	Storage Anchored brackets	179
	Storage anchored cabinet trim	180
	Freestanding Cabinets for private office	181
	Freestanding Cabinets for open plan use with metal case pedestals	185
Lower Storage	Metal case	186
	Wood or laminate case	191
	Box shelf	200
Overhead Storage	Overhead storage, wood cases	201
	Reuter flat front overhead cabinet	220
	Reuter overhead cabinet mounting options	221
	Task Lights for Reuter Overhead Storage	222
	Task Lights	223
Worksurfaces	Reuter T5 mounting kit	224
	Credenza Top Glass Divider	226
	Flush, user edge tapered	227
	Cord drop, user edge tapered	230
	Rectilinear, user and approach edges tapered	233
	Rectilinear for C-Leg and T-Leg bases	235
	Wedge, user and approach edges tapered	236
	Peninsula, user and approach edges tapered	237
	Peninsulas	238
	Tables	244
	Open Frame Legs Infill Options	247
	Table desks	248
	Transaction tops	250
	Transaction Top Brackets	252
Support Components	Spine-based support	253
	Linkable screen mounted worksurface support	254
	Panel hung worksurface support	255
	Worksurface support	256
	Stiffeners	264
Accessories	Tackboard sections for medians and bridges	265
	Slatwall sections for medians and bridges	266
	Wall hung tackboards	267
	Worksurface stand-offs and cabinet feet	268

Elevations	Side Elevation	270
Crinion Open Table	Introduction	272
	Specifications	273
	Crinion Open Table Finishes	274
	Worksurfaces with center hinged power access	275
	Worksurfaces with edge grommet	276
	Worksurfaces with cord drop	277
	End counters	278
	Extended end counters	279
	File tops	281
	Complete base assemblies fixed height 24" D dual	282
	Complete base assemblies fixed height 24" D single sided	283
	Complete base assemblies fixed height 30" D dual	284
	Complete base assemblies fixed height 30" D single sided	285
	Complete base assemblies adjustable height 30" D dual	286
	Complete base assemblies adjustable height 30" D single sided	287
	Complete base assemblies fixed height 36" D dual	288
	Complete base assemblies fixed height 36" D single sided	289
	Complete base assemblies adjustable height 36" D dual	290
	Complete base assemblies adjustable height 36" D single sided	291
	Top channels	292
	Beams for single sided or dual tables	293
	Beams for dual tables	294
	Beams for single sided tables	295
	End legs, intermediate leg sets for dual tables	296
	End legs, intermediate leg sets for single sided tables	298
	End panels for dual tables and single sided tables, painted	299
	End panels for dual tables and single sided tables, laminate and veneer	300
	Beam trusses	301
	Worksurface support	302
	Modular Raceway	304
	Hardwire Raceway	310
	Cable tray and cable clips	311
	Beam mounted cable trays and cable baskets	312
	Center screens	313
	Shelves, adapters and buttresses for slatwall screens	315
	Side screens	316
	Return screens	318
	Dual end screens	320
	Single sided end screen	322
	Frameless glass Add up	324
	Morrison Network privacy screens	325
Wall Mounting of Knoll Products		326
Alpha-Numeric Index		328
Selling Policy		346
KnollKey Lock Program		348
General Ordering Information		349

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC®); Rainforest Alliance; GREENGUARD® Environmental Institute; and The Business and Institutional Furniture Manufacturer's Association (BIFMA) level® certification from Scientific Certification Systems (SCS).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

Life Cycle Assessment (LCA) Tool

- Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.
- Knoll has partnered with The Green Standard.org to develop an affordable, universal ISO-compliant computer-based LCA tool that can be used by the entire contract furniture industry and is partnering on the development of an Environmental Product Declaration System (EPDs) for Knoll products. EPDs are verified documents containing LCA results and additional environmental performance information about a product.

Setting Industry Standards

- Knoll partners with MTS (The Institute for Market Transformation to Sustainability) to develop the SMaRT® Consensus Sustainable Products Standards, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of SMaRT®, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll also partners with BIFMA (Business and Institutional Furniture Manufacturers Association) to promote level® sustainability standards for the contract furniture industry.
- Knoll has established FSC® (Forest Stewardship Council) certified wood as the standard for general office open plan office systems, casegoods and tables.
- Knoll has launched Full Circle, a resource recovery program developed with ANEW, to help customers extend the life cycle of surplus furniture, fixtures and equipment (FF&E) in an economically, socially and environmentally responsible manner.
- Our goal is to encourage all manufacturers in the contract furniture industry and related industries to adopt standards that will lead to sustainable products and practices.

For more information about Knoll and sustainable design, visit knoll.com/environment.

Introduction

With a commitment to innovation and modern aesthetics, Knoll sets the standard for the environment in which people work. AutoStrada is one of the most comprehensive office concepts to be developed by Knoll. Evolving workplace needs are met with innovative design, from private offices to collaborative spaces for team interaction.

AutoStrada addresses any office combination with a consistent aesthetic of high quality materials and carefully detailed design. Whether an office requires a high-performance open plan system, refined architectural case goods, progressive private office furniture, or a collaborative “big table” concept, AutoStrada provides a solution.

AutoStrada is a planning approach that combines furniture and interior architecture for both open plan and private offices spaces.

AutoStrada is a premium, one-source design.

AutoStrada is the definition of the most advanced technology management capabilities.

AutoStrada is modern. It is absolute design with a strong, basic design premise.

The Planning Models

Four AutoStrada planning models offer one set of continuous, intelligent, solutions-oriented capabilities.

Four ways AutoStrada redefines space:

- Spine-based planning
- Storage-anchored planning
- Collaborative table-based planning
- Architectural office planning

Any one environment could include solutions provided by any mix or all of the four planning models. Diverse planning models meet cross-cultural workplace environments everywhere.

AS1 AutoStrada spine based planning

AutoStrada spine based planning provides wall-like architectural order to office interiors and offers high performance technological support. The spine supports continuous off-module attachment of work surfaces, storage components, KnollExtra accessories, and perpendicular linkable screens or panels to define workstations. The spine also manages and distributes power and communications throughout clusters of workstations, enabling convenient outlets at desk height and unobstructed access to cabling.

Spines can be built to any one foot increment of length and can be freestanding with outriggers to support cantilevered work surfaces and overhead storage. Spines may also be integrated with attached panels or screens for support and enclosure. T-ends enable the spine to extend to absorb the dimensional gain of attached panels.

Spine covers include veneer, laminate, dry-erase marker, tackable fabric, integral shelves, slat wall and integral cable tray surfaces. Spines are available in three horizons--39”H, 48”H and 64”H--and may be fitted with frameless glass add ups for additional privacy above any of four crown profiles.

Linkable screens are available in tackable upholstered or glazed panels and windows, with a complete range of connectors that also support work surfaces and storage.

AS2 AutoStrada storage anchored planning

AutoStrada storage anchored planning redefines the open office architecture with aesthetic and functional alternatives to conventional panel-based systems. Storage anchored planning begins with the anchor cabinet to which either AutoStrada panels or wood or laminate surrounds are attached to create individual or shared work areas. Storage anchored planning combines the performance of systems furniture with elegant details more like custom millwork.

AutoStrada panels feature a laminate or veneer tiled grid to the floor, with aluminum reveals between tiles on the exterior, and fabric or fabric and slat wall surfaces on the inside of the workstation. Interior base raceway distributes power and communications throughout a cluster with outlets only on the inside of the panels. AutoStrada panel heights enable seated access (42”H), seated privacy (49”H) or standing privacy (64”H). Frameless glass add ups can be added to panels for additional privacy. Connectors support work surfaces, overhead storage or shelves and KnollExtra paper management and technology support tools.

AutoStrada surrounds, in veneer or laminate surface, are ideal for raised floor environments and a visual alternative to panels. Median surrounds or median storage form the backbone to which bridges and anchor cabinets are attached. Medians include a back panel, one or two end gables, a counter surface and a work surface or shelves. Bridges include a back panel and work surface. AutoStrada surrounds typically describe workstation boundaries at a 49” horizon.

AS3 AutoStrada wall based planning

AutoStrada wall based planning integrates freestanding and wall supported storage, desks and tables to build distinctive workspaces in private offices and walled collaborative areas.

AutoStrada Applied Walls add systems performance to built walls, enabling various surface materials and off module support for shelves, overheads and work surfaces. Applied wall is either 69”H or 84”H, in any 6” increment of width. Horizontal channels contain interchangeable inserts like veneer, marker surface, fabric, glass, slat wall or recessed covers, and accept brackets for a variety of accessories at any point. Wall frames transfer most of the supported load directly to the floor.

AutoStrada overheads and tackboards can also be directly attached to most built walls. Freestanding AutoStrada cabinets for private offices are available in 70” and 84” horizons.

AS4 AutoStrada collaborative planning

AutoStrada collaborative planning is based on the Crinion Open Table, which creates open shared workspaces for groups from two to ten or more at a continuous work surface “bench”. Designed to support teams of people Crinion Open Table is ideal for trading rooms, libraries and conference rooms.

Crinion Open Table offers a unique alternative to traditional workstations, with continuous cantilevered work surfaces, unobstructed knee space, convenient, capable power and communications distribution, and optional desktop privacy screens. An extremely strong structure supports work surfaces up to 36”d each side and virtually unlimited in length.

Crinion Open Table may be complemented with AutoStrada metal or wood storage, or Calibre files and cabinets as parallel file banks or as returns.

Materials

AutoStrada offers a range of exceptional materials and finishes, including premium grade hardwood veneers, Techwood, laminate, clear anodized aluminum, and architectural glass.

Veneers are all hand selected to best showcase the beauty of natural grain. Every effort is made to ensure that Knoll veneers are the best that can be sourced in quality of color, consistency and size. Natural variations of wood are not considered to be defects. The natural process of color change in real wood products is part of the beauty and unique character of the material. Knoll expects wood to patina over time.

Techwood is a genuine wood veneer which has been enhanced by technology to provide color and grain consistency.

High recycled content aluminum is used in the manufacture of aluminum components.

High-pressure laminate surface materials have been selected for their durability and low maintenance.

FSC (Forest Stewardship Council) certified materials are available by request.

Construction details

All AutoStrada worksurfaces are 1 1/4" thick and are a 3 ply solid construction. Worksurfaces are available in rectilinear and wedge shapes. The distinctive 3/8" tapered edge can be specified on just the user side or also on the approach side. Worksurfaces can be specified "full depth" with or without grommets, or with a 3/8" cord drop along the back with a centered edge grommet.

Worksurfaces appear to "float" 1" above lower storage components. Pedestals and legs can support a worksurface height of 28 1/4"H (typically in open plan) or 29 5/8" (in private offices). The higher worksurface height requires wood pedestals equipped with cabinet feet.

Pedestals and overhead storage are available in either metal or wood case. Wood pedestals have full extension file drawer slides with bottom-loadable steel floor and 3/4 extension slides all wood construction box drawers.

Wood or laminate case cabinets with hinged doors and adjustable shelves require doors to be removed to adjust shelving; alternatively a special request 170° hinge package is available to retrofit cabinets in the field.

Metal pedestals and Reuter overhead storage cabinets with flat front are durable steel construction with painted, laminate or veneer drawer fronts.

Metal pedestals feature full width protruding aluminum pull. Metal pedestals have all full extension personal, data and file drawer slides.

Wood cases incorporate 3 ply construction and components are finished on all sides. Core material is 45lb density particleboard. Wood drawers feature dovetail joinery details. File drawers have steel floor and are bottom loadable. Wood drawers feature full width anodized aluminum recessed or protruding pull. File drawers include file bars to support letter or legal suspended filing in either direction.

Freestanding private office cabinets are supported by cylindrical extruded aluminum feet which match an optional worksurface standoff detail.

Spine, linkable screens, panels, legs and metal storage offer 1" or greater levelling capacity. Wood storage has 1/2" levelling.

Cable management

AutoStrada incorporates discreet and concealed wire management as well as four or six circuit power distribution in all four planning models, supporting low to very high technology requirements. Storage anchored surrounds, designed for raised floor environments, are the only planning type that does not have power distribution capability.

Leg design

AutoStrada support legs are a refined shape in clear anodized aluminum finish. Legs feature either lockable casters or a unique glide sleeve that allows leveling without exposed glide threads. A pair of straight legs or one 9" wide leg can support one end of a worksurface when the other end is spine-supported, panel-supported or joined to a perpendicular worksurface with AT2TB brackets. If distance between support spans over 48", additional support is required.

Two pairs of straight legs may also be specified to create a freestanding table in combination with an AutoStrada worksurface not to exceed 72" x 30" with a corresponding stiffener.

Locks

All pedestals and cabinets with drawers are supplied with a ganglock mechanism in place. In addition, cabinets 30" wide and over with drawers have an interlock anti-tip feature to prevent the opening of a second drawer when one is already open. Drawer fronts and door fronts where applicable are routed to receive the lock itself. Keying instructions for key alike must accompany all orders and are field installed. Products are shipped from the factory with random locks or lock plugs for key-alike orders.

Representative Dimensions

All dimensions in this price list are nominal and for representative purposes only. For specific build dimensions please consult specification planning tools or contact your Customer Service representative.

Line drawings in this price list are strictly for quick product identification.

Wood Finishes

V1 Techwood

Natural Edge	Synthetic Edge	Finish
Y316	S316	Maple
Y319	S319	Cherry
Y323	S323	Medium Walnut
Y326	S326	Dark Mahogany
Y329	S329	Medium Oak
Y342	S342	Medium Teak *
Y344	S344	Espresso
Y811	S811	Natural
Y821	S821	Blond Maple
Y831	S831	Light Cherry
Y851	S851	Black Oak
Y881	S881	Light Walnut
Y882	S882	Dove Grey *
Y883	S883	Pangar Wenge

V2 Natural Veneers / Premium Techwood

Natural Edge	Synthetic Edge	Finish
V312	R312	Bronze Cherry
V316	R316	Maple
V319	R319	Medium Cherry
V411	R411	Light Walnut
V412	R412	Natural Cherry
V413	R413	Sand Oak (Open pore)
V414	R414	Natural Oak
V415	R415	Peacock Green Walnut
V417	R417	Old English Walnut
V421	R421	Chalk Oak
V423	R423	Light Oak
V433	R433	Light Fawn Cherry

V2 Natural Veneers / Premium Techwood (cont.)

Natural Edge	Synthetic Edge	Finish
V436	R436	Medium Brown Cherry
V439	R439	Straight Anigre
V440	R440	Natural Hemlock (QC)
V442	R442	Birch with Ply Edge
V443	R443	Passion Oak - Coffee
V444	R444	Passion Oak - Nero
V445	R445	Birch with Birch Edge
Y841	S841	Ebony (Open pore)*
Y861	S861	Grigio (Open pore)*
Y884	S884	White Pine (Open pore)*

V3 Premium Veneer

Natural Edge	Synthetic Edge	Finish
V512	R512	Figured Anigre
V514	R514	Makore
V515	R515	Figured Sycamore
V517	R517	Natural Sapele
V518	R518	Natural Chestnut

*Note:

- Finishes with * are NOT available 1 1/4" thick worksurfaces in Reff Optionanl Edges.
- Synthetic Edge option is available on worksurfaces, only.

Laminate Finishes

Core Laminate Surface / Edge

111	Jet Black
114	Folkstone Grey
115	Medium Grey
117	Soft Grey
118	Bright White
119	Pumice
121	Micro Grey *
122	Brushed Sand *
123	Brushed Grey *
128	Fog
129	Micro Sand *

*121, 122, 123, 129 Not available with matching edge option, and only available on worksurfaces.

LW Marker Board - Available for panels, Task panels and sliding display boards.

Note: All core Laminate worksurfaces are available with matching and non matching edges.
ie; A worksurface in 118, can have 139 edge finish.

Wood Grain Laminates Surface / Edge

124	Medium Chery
125	Natural Maple
126	Natural Cherry
127	Walnut
139	Light Ash
140	Warm Ash
141	Whitened Ash
142	Grey Ash
143	Classic Oak
144	Graphite Pear
145	Zebra

Wood Grain Laminates are NOT available on the following components:

- Storage with J Pull option
- Administrative and Reception products
- 1 1/4" thick Worksurfaces with optional edge
- Panel post covers, post caps, top trims, end trims and screen doors

Additional Edge Options for Laminate worksurfaces (only):

P442	Ply Edge Techwood
S442	Ply Edge - Synthetic

Impact Resistant Laminate

Core & Wood Grain Laminates Surface / Edge

911	Jet Black
914	Folkstone Grey
917	Soft Grey
918	Bright White
919	Pumice
924	Medium Cherry
925	Natural Maple
926	Natural Cherry
927	Walnut
928	Fog

Note: The Rules of Core and Wood grain Laminates, applies to the Impact Resistant Laminates.

*25% Upcharge applies to the laminate pricing for the Impact Resistant Laminates.

Note: Pedestals and Cabinets with metal interior, when specified in "Wood Grain Laminate" or "Veneer", the shelves are painted black.

Important Note:


Laminate wood grain direction depends on the width of the product.

For any vertical surface, ie; modesty panels, overheads and hutches, **up to 60"** wide, the laminate wood grain direction will be **vertical**. For any vertical surface **greater than 60"** wide, the laminate wood grain direction is **horizontal**.

up to 60" (vertical)



60" greater (horizontal)



Mixed Finishes: For Laminate worksurfaces with Laminate or Veneer Edge Options, specify mixed finish worksurfaces using separate top finish & edge finish.

For Example:

Top finish: 114 Folkstone Grey Laminate

Edge finish: 115 Medium Grey Laminate, or Y882 Dove Grey Techwood

Paint

P1

111 Jet Black
 112 Brown
 113 Dark Grey
 114 Folkstone Grey
 115 Medium Grey
 116 Sandstone
 117 Soft Grey
 118 Bright White

P2

611 Beige Mist Metallic
 612 Medium Metallic Grey

P3

613 Silver

Anodized

AA Anodized Aluminum

Plated

PT Brushed Pewter

G1

Glass

TEMP Clear Tempered

G2

Architectural Glass

GL6 Block Matrix
 GL13 Powder

G3

Back Painted Glass 4mm

GL11 Back Painted Black
 GL14 Folkstone Grey
 GL15 Back Painted Medium Grey
 GL17 Back Painted Soft Grey
 GL18 Back Painted White

Colored Glass

GL25 Bronze
 GL35 Grey

Forbo

851 Biscuit
 852 Sky Blue
 853 Stone
 854 Cinnamon
 855 Heather Blue

Fabric Options*Grade 10*

Annex (W1360) ●
 Broadcloth II (W1619)
 Circuit (W1754)
 Element (W1077) ●
 Foundation (W351)
 Growth Spurt (W692)
 Messa (W2061)
 Pivot (W1926)
 Skylark (W1718)
 Symbolic Detail (W693)
 Tailor made II (W1610)
 Twister (W1923)
 Versatility (W432)

Grade 20

Bauhaus Block (W296A)
 Circle Line (W1146)
 Criss Cross (W305)
 Delite (K2026)
 Logic (W1318)
 Neamtic II (W1620)
 Photon II (W1695)
 Reflect (W884) ø
 Resolution (W280)
 Weave Three (W298)

Grade 30

Flow (W565)
 Harmony (W232)
 Interknit (W1090)
 Match Point (W1145)
 Micro (W465) *
 Relay (W1020) ▲

Grade 40

Amplify (W1215) ●
 Bandwidth (W1219) ●
 Clarkson (W1218)
 Ornament (W1078)
 Palladium (W1030)

Grade 45

Monarch (K1149) - (not available on
 Linkable Screens)

Grade 50

Presto (K1000) ●
 Trophy (K1709) ●
 versa (K1698)

Grade 55

Ransom (K1298) ●
 Transition (W816)

**with backing only*

▲ Monolithic panels, linkable
 screens and tackboards only

● Linkable screens and add ups only

ø May not be available in all colors.

Customers Own Material

Prices for panels that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing. Customer's Own Material is subject to an application testing fee of \$750 per fabric and a \$2500 fee for UL testing. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.

Fabric Options For Cushions**A**

Alignment (K349) ▲
 Basket Draft (W249)
 Beacon (W1597)
 Bocce (K1255) ▲
 Cats Cradle (K1290) ▲
 Chance (K1552)
 Common Ground
 (K448) ▲
 Delite (K20265)
 Distri (K872)
 Hourglass (K1523)
 Mariner (K642)
 Monarch (K1149) ▲
 Prep (K1076) ▲
 Presto (K1000) ▲
 Reflect (W884)
 Soliloquy (K1458)
 Sonnet (K1460) ▲
 Stacks (K528)
 Trophy (K1709) ▲

B

Abacus (K715) ▲
 Argyle (K19386)
 Bank Shot (K134) ▲
 Belize (K1165)
 Bistro (K1775)
 Boundary (K1828)
 Cameo (K1443)
 Chroma (K345) ▲
 Chronicle (K1525) ▲
 Close Knit (K201)
 Dovetail (K1150) ▲
 Ferry (K1697)
 Forza (K5848)
 Framework (K1447) ▲

Holbrook (K19286)

B cont.

Journey(K18064)
 Keaton (K15963)
 Gala II (K1520) ▲
 Grande (K180)
 Grandview (K1463)
 Knoll Felt (K1207) ▲
 Knoll Hopsack
 (K1206) ▲
 Ludlow (K19985)
 Lyric (K698)
 Mini Stitch (K1130) ▲
 Night Life (K181)
 Nonchalant CR (HC198)
 Paradigm (K1101)
 Petal Pusher (K19682)
 Pogo (K1100) ▲
 Pop (K782)
 Prairie (K1925)
 Prim (K1884)
 Radiance (K19215)
 Ransom (K1298) ▲
 Ricochet (K498) ▲
 Roam (K1657)
 Rush Hour (K18244)
 Soiree (K16162)
 Spark (K1075) ▲
 Spotlight (K772)
 Spree (K16006)
 Sutton (K1750) ▲
 Synth (K16933)
 Tabloid (K20223)
 Utmost (K1325)
 Venue (K1558)
 Westwood (K19495)
 Versa (K16983)

Vinyl (K24221)

B cont.

Wide Angle (K244) ▲
 Zephyr (K724)
 Zipline (K1448) ▲
C
 Atlas (K1236)
 Axiom (K16507)
 Baxter (K1557)
 Biota (K1297) ▲
 Cairo (K20345)
 Charm (K1049)
 Circa (K1054)
 Classic Boucle (K162) ▲
 Cricket (HC1279)
 Dahlia CR (HC1660)
 Durand (K1885)
 Earthwork (K1238) ▲
 Echo (K1019)
 Empire Stripe (K1025)
 Enmesh (K1092) ▲
 Entourage (K1389)
 Fable CR (HC1122)
 Fibra (K1105)
 Fox Trot CR (HC777)
 Greenwich (K1753)
 Highline CR (HC1064)
 Hudson (K1765)
 Hula Hoop (K753)
 Kora CR (HC1010)
 Lagos (K20282)
 Legend CR (W432)
 Lore CR (HC1123)
 Magnolia (K19998)
 Metro (K1018)
 Milestone (K1886)
 Moto CR (HC1002)

▲ = Cal 133 Pre-approved

C cont.

Noble (K1556)
 Palisade (W4322)
 Panache CR (HC1047)
 Parasol (HC1257)
 Pony Up (K1323) ▲
 Quark (K781)
 Regard CR (HC1063)
 Rio (K1164)
 Roundtrip (K1430) ▲
 Sahara (HC1269)
 Sandpiper CR (HC1258)
 Sequin CR (HC1009)
 Sinclair (K1555)
 Smart (K1268)
 Spectator (K1391) ▲
 Spot On (K1324)
 Star Struck (K1048)
 Stepping Stones (K346)
 Swing (K479)
 Tight Rope (K1798)
 Tilden (K17793)
 Tower Grid (K1887)
 Transition (K816)
 Treble CR (HC1062)
 Vibe (K1029)
 Zari CR (HC1008)

D

Cavalier (K217)
 Compass CR (HC1183)
 Coterie (K15643)
 Eclat Weave (K1104)
 Harrison (K1084)
 Hologram (K500)
 Ikat Stripe (K17015)
 Masquerade (K806)

D cont.

Menagerie (K1322) 
Obi (K1175)
Origins (K17003)
Satellite (K503)
Thoery (K16563)
Zoom (K113)

E

Cross Stitch (K1026) 
Highland (K20104)
Ikat Square (K17034)
Kampala (K20324)
Katazome (K1459)
Kimono (K1174)
Mamba (K549)
Marquee (K1608)
Meroe (K20431)
Sherman (K1789)
Tryst (K1522)
Whip (K1386)

F

Atelier (K16072)
Biscayne (K1771)
Century (K1051)
Coco (K1024)
Cornaro (K1320)
Cuddle Cloth (K231)
Glider (K1717)
Groove Line (K488)
Icon (K1028)
Intrigue (K1551)
Jubilee (K1445)
Kinship (K1465) 
Liberty (K1883)

F cont.

Mod Plaid (K1630)
Rivington (K1080)
Soon (K1787)
Topography (K1052)
Totem (K1561)
Tweed Frieze (K754)

G

Djenne (K20294)
Gibson (K1086)
Haze (K109)
Kinabalu (K1800)
Kingston (K18265)
Rattan (K138)
Serendipity (K1528)
Spencer (K11068)
Striae Stripe (K18274)
Turner (K18202)
Ultrasuede® (K1021) 
Utrillo (K1807)

H

Arno (K128) 
Haiku (K1479)

I

Aswan (K20461)
Cato (KH80019)
Dynamic (K1617)

		All standard Paint Finishes	AA or all paints except Silver	Laminate Horizontal Surfaces	Laminate Vertical Surfaces	Anodized Aluminum Only
AS1 Spine Based		standard crown covers	spine base trim covers	worksurfaces	structural base covers	
		structural base covers	slat wall covers	tables	access covers	
		outlet covers	integral shelves		fronts for metal pedestals	
		spine connectors	flat crown covers		fronts for Reuter overheads	
		metal pedestals and fronts	flat crown covers		box shelves	
		Reuter cases and fronts	straight legs			
			wide legs			
			pulls			
AS2 Storage Anchored		slat wall, panel	panel top trim	worksurfaces	all laminate pedestals	top trim wider than 96"
		panel raceway covers	panel reveals		anchor cabinets	
			storage reveals		medians	
			pulls		bridges	
					tiles, panels	
AS3 Applied Wall & private office components					all laminate overheads	
		wall covers	horizontal channels up to 96"	worksurfaces	wall covers	horizontal channels wider than 96"
		coat hook	slat wall covers	tables	freestanding storage	
		picture hook	recess covers	applied wall shelves	wall hung overheads	
		bookends	end trim			
			cable tray			
			marker tray			
			display shelf			
AS4 Crinion Open Table			shelf platforms			
		end legs	hinged access	worksurfaces, tapered edge and post formed		beams
		intermediate legs	top channel up to 96"			top channel longer than 96"
		cantilevers	screen frames			

Finish code	Finish name	Paint grade	All standard Paint Finishes	AA or all paints except Silver	Laminate Horizontal Surfaces	Laminate Vertical Surfaces	Anodized Aluminum Only
611	Beige Mist Metallic	P2	•	•			
118	Bright White	P1	•	•	•	•	
112	Brown	P1	•	•			
123	Brushed Grey				▲		
122	Brushed Sand				▲		
113	Dark Grey	P1	•	•			
128	Fog				•	•	
114	Folkstone Grey	P1	•	•	•	•	
111	Jet Black	P1	•	•	•	•	
115	Medium Grey	P1	•	•			
612	Medium Metallic Grey	P2	•	•			
121	Micro Grey				▲		
129	Micro Sand				▲		
119	Pumice				•	•	
116	Sandstone	P1	•	•			
613	Silver	P3	•				
117	Soft Grey	P1	•	•	•	•	
812	Easy Grey*						
813	Trim Grey*						
AA	Anodized Aluminum			•			•
LW	Markerboard White **						

Notes:

▲ All laminates have matching edge bands except:

123 Brushed Grey has 128 Fog edge

122 Brushed Sand has 119 Pumice edge

121 Micro Grey has 114 Folkstone grey edge

129 Micro Sand has 119 Pumice edge

* Easy Grey and Trim grey integral colors only available for

Compact crown covers

Linkable screen trim

Linkable screen top caps

Spine end connector top caps


** Markerboard white is available only on AS1 spine access covers, AS3 Applied Wall covers and AS4 screens.

Introduction

AutoStrada Applied Wall System is designed for systems performance in built wall environments. Applied Wall enables a variety of interchangeable wall surface materials, continuous support for worksurfaces, shelves and overhead storage, power distribution and integrated wire management. Applied Wall System supports AutoStrada components in private offices and collaborative work spaces, while transmitting much of the weight load directly to the floor.

Applied Wall System includes:

- wall mount frames which stand on leveling glides and are secured to built walls
- horizontal channels that are attached to the frames
- covers that insert between the channels
- shelves and overhead storage components that can be engaged anywhere along the channels
- cable tray, worksurface support brackets and accessories



Frames

Wall mount frames are available in 69" and 84" horizons, 36" or 48" wide. Frames are steel weldments that include two or three horizontal rails through which frames are bolted to the vertical structure of the built wall. Adjacent frames can be leveled and shims enable each frame to be made plumb. At each side are vertical frame members with leveling glides. Between the side frame members are one or two intermediate studs that extend from approximately 24" above the floor to the top of the frame.

Channels

Channels are painted or natural anodized aluminum extrusions that hold covers and feature a continuous curved slot into which components and brackets are inserted. Channels are attached to the frames at each side member and stud with a bracket above and below. Channels do not need to align with frame widths and can extend up to 6" beyond the side of a frame.

Top channels, 36"-144" in width in 6" increments, attach only at the top of the frame and finish off the top of the assembly. Intermediate channels, 24"-144" in 6" increments of width, attach typically every 15" below the top channel, but may also be set at 7 1/2" or 22 1/2" increments to accommodate specific purpose covers such as slat wall or markerboards. Bottom channels, 36"-144" in 6" increments of width, attach only at the base of a wall frame to support covers below worksurface height (between 1 1/2" and 24" above the floor). If no covers are planned below 24" no bottom channel is required but intermediate bottom trim cover and vertical frame covers are recommended to enclose the structural frame.







Covers

Wall covers are designed to insert between channels and may be interchanged without removing channels. Covers are optional and not required behind overhead storage cabinets or below worksurface height, for example. The scope of wall covers includes:

- 7 1/2"H recess covers for surface-mounted plugmold and voice/data outlets, normally mounted just below worksurface height, with optional cable trays
 - 7 1/2"H slat wall covers to support KnollExtra accessories
 - 15" and 22 1/2"H tackable linoleum covers
 - 7 1/2", 15", 22 1/2" and 30"H veneer, laminate, paint, fabric, tackable fabric covers
 - 7 1/2", 15", 22 1/2", 30", 45" H marker.
- All covers are available from 24"-96" in 6" increments of width except laminate and marker, 24"-72".

Components

- 5 1/2" deep display shelves in painted or clear anodized aluminum, 24"-72" wide in 6" increments
- 9" deep, 1/2" thick glass shelves and 12" deep plastic laminate or wood veneer bookshelves, 24"-72" wide, designed to align with the bottom of an adjacent cabinet,
- 9" deep glass and 12" deep plastic or veneer bookshelves to align with the top of an adjacent cabinet,
- open overhead storage units in plastic laminate or wood veneer, 18"-96" wide
- overhead storage units with solid or glass sliding doors, 42"-96" wide in 6" increments
- fully enclosed overhead storage units with hinged doors, 18"-96" wide,
- Reuter overhead storage, task lights and fascias for wood overhead storage,
- grommets for wall covers, surface mounted plugmold raceway and cable trays,
- support brackets for the back or end of a worksurface, and
- accessories such as coat hook, picture hook, marker tray, notepad, and horizontal/vertical wire manager clips.

Other cover sets**69" frames****display wall with marker surface****84" frames****Upper shelf, lower shelf, glass shelf and overhead****sliding doors****hinged doors****open overhead****Recess cover with cable tray and worksurface brackets**

How to specify Applied Wall

1. Plan frames to support the height and width of the intended overall wall system. Frames can be installed side-by-side or as much as 12" apart to provide adequate structure for horizontal channels up to 6" wider than the frame on each side. For example, a 10' length of channels and wall covers can be supported by three 36" wide frames or by two 48" wide frames.
2. Specify horizontal channels at each level required for covers and overhead storage or shelves. A top channel is always required and intermediate channels may be attached to the frame at any 7 1/2" increment above 24", 31 1/2", 39", 46 1/2", 54", 61 1/2", or 69" above the floor.
3. Typically intermediate channels are planned at 24", 39" and 54" to support 15"h covers. An additional channel at 31 1/2" will enable 7 1/2"h covers above and below worksurface height for slat wall and power/wire management. Horizontal channels can be planned the full width of the wall or may be segmented to allow taller covers such as a markerboard in specific locations. Alternatively intermediate channels may be planned at 24" and 46 1/2" on a 69"H frame to support all 22 1/2" H covers.
4. Specify bottom channel to support 22 1/2"H covers between floor and 24". Specify intermediate bottom trim and vertical frame covers if leaving the frame open below 24".
5. Specify end trim if end of wall is visible and specify corner connectors, if any.

6. Specify functional covers such as recess cover, the mounting location for surface mounted power distribution and voice/data outlets, and slat wall covers. Also specify tackable or marker surface covers. Then fill in the wall with decorative covers such as wood veneer, plastic laminate, non-tackable fabric, or backpainted glass. If planning a bookshelf the cover below the shelf cannot be glass. Covers are not required behind overhead storage cabinets.
7. Specify overhead storage: display shelves at 31 1/2" or 39", lower bookshelves at 54" and upper bookshelves at 69" to align with adjacent overhead storage cabinets. Specify open, partially open or fully enclosed overhead storage in veneer or laminate surface. Overhead storage cabinets usually hang from a channel at 69" and bear against a channel at 54" above the floor.
8. Specify power and cable trays. Power is distributed by a surface mounted plugmold raceway with ten simplex outlets, available in three configurations: one- circuit three-wire, two-circuit four wire, or two-circuit six wire. A 24" wide plugmold with eight simplex outlets is also available. Raceways are always hardwired to the building power supply by an electrical contractor. Contractor will punch a hole through the recess cover behind the plugmold to connect from the wall to the plugmold. Recess cover also accommodates voice/data outlets and cable grommets are available to line a punched hole.
9. Specify worksurface supports. Worksurface support brackets can be attached to the channel at 24" above the floor or may be attached within a cable tray at the same level.
10. Add accessories.

Customer's Responsibility:**Attachment of AutoStrada Applied Wall System to built walls**



It is the responsibility of the customer and their structural engineer/architect to verify that the permanent built wall (studs, blocks, solid masonry, or other) to which the Applied Wall System is intended to be attached is designed to support the load bearing standards set forth below. It is also the responsibility of the customer and their structural engineer/architect to specify the fasteners and method for attaching the frames to the built wall and confirm that the installers have followed these specifications. For local standards and additional requirements such as seismic the customer should consult local building and safety codes.

Design loads:

69"H Applied wall: 240#/foot of width. Assume four 60 lb. vertical loads spaced evenly between 24" and 69" above the floor, with the load centered 11" from the built wall.
 84"H Applied wall: 300#/foot of width. Assume five 60 lb. vertical loads spaced evenly between 24" and 84" above the floor, with the load centered 11" from the built wall.

Warning/Disclaimer

Knoll is not responsible for the attachment method of the Applied Wall System product, which is the responsibility of the customer and its structural engineer/architect. Knoll is not responsible for the cost of preparing an existing wall nor the additional cost for a new wall to make them appropriate for the installation of the Applied Wall System product. Failure to properly attach the Applied Wall System to a wall capable of supporting the loads listed above can lead to property damage and/or personal injury.

description	h	w	d	pattern number	black
69"H frames 	69"	36"	1 1/4"	AAWS F6936	\$559.
	69"	48"	1 1/4"	AAWS F6948	695.
84"H frames 	84"	36"	1 1/4"	AAWS F8436	627.
	84"	48"	1 1/4"	AAWS F8448	764.
22 1/2" add on frames 	22 1/2"	36"	1 1/4"	AAWS F2236	304.
	22 1/2"	48"	1 1/4"	AAWS F2248	354.
30" add on frames 	30"	36"	1 1/4"	AAWS F3036	334.
	30"	48"	1 1/4"	AAWS F3048	372.

Order Code

Example:	AAWS F6936
A	AutoStrada
AWS	Applied wall system
F	Wall frame
69	Height
36	Width

Specification Information

Applied wall frames are painted black

Application Notes

Wall frames attach to built walls to provide level, vertical structure for complete applied wall system assemblies. Wall frames include two leveling glides, studs on 14" centers, and horizontal beams.

Add on frames add 22 1/2" or 30" of height to 69" or 84" frames (or other add on frames). Add on frames include stacking hardware.

Knoll does not supply or recommend specific hardware to fasten frame to built wall.

Horizontal channels

Top channels

AutoStrada

description	h	w	d	pattern number	painted	aluminum
Top channel	1"	36"	1"	AAWS TC 036 ()	\$76.	\$76.
	1"	42"	1"	AAWS TC 042 ()	87.	87.
	1"	48"	1"	AAWS TC 048 ()	100.	100.
	1"	54"	1"	AAWS TC 054 ()	122.	122.
	1"	60"	1"	AAWS TC 060 ()	127.	127.
	1"	66"	1"	AAWS TC 066 ()	134.	134.
	1"	72"	1"	AAWS TC 072 ()	139.	139.
	1"	78"	1"	AAWS TC 078 ()	153.	153.
	1"	84"	1"	AAWS TC 084 ()	165.	165.
	1"	90"	1"	AAWS TC 090 ()	178.	178.
	1"	96"	1"	AAWS TC 096 ()	185.	185.
	1"	102"	1"	AAWS TC 102 ()	n/a	190.
	1"	108"	1"	AAWS TC 108 ()	n/a	203.
	1"	114"	1"	AAWS TC 114 ()	n/a	211.
	1"	120"	1"	AAWS TC 120 ()	n/a	216.
	1"	126"	1"	AAWS TC 126 ()	n/a	221.
	1"	132"	1"	AAWS TC 132 ()	n/a	241.
	1"	138"	1"	AAWS TC 138 ()	n/a	247.
	1"	144"	1"	AAWS TC 144 ()	n/a	252.

Order Code	Specification Information	Application Notes
Example: AAWS TC 036 AA	AA- Anodized Aluminum.	Top channel attaches only at the top of wall frames to provide continuous slot for component support and retention for top of wall covers. Top channel encloses top of frames to within 1/4" of the built wall for cord passage.
A AutoStrada	All standard painted finishes except 613 Silver also available for channels up to 96" wide.	Specify top channel in length to match overall length of applied wall covers, or in shorter segments. Top channel can extend past wall frame up to 6" on each end.
AWS Applied wall system		
TC Top channel		
036 Width		
AA Finish		

Horizontal channels

Top Up channels

AutoStrada

Applied Wall

description	h	w	d	pattern number	painted	aluminum
Top Up channel	1"	36"	1"	AAWS TU 036 ()	\$183.	\$183.
	1"	42"	1"	AAWS TU 042 ()	214.	214.
	1"	48"	1"	AAWS TU 048 ()	243.	243.
	1"	54"	1"	AAWS TU 054 ()	292.	292.
	1"	60"	1"	AAWS TU 060 ()	304.	304.
	1"	66"	1"	AAWS TU 066 ()	317.	317.
	1"	72"	1"	AAWS TU 072 ()	328.	328.
	1"	78"	1"	AAWS TU 078 ()	339.	339.
	1"	84"	1"	AAWS TU 084 ()	549.	549.
	1"	90"	1"	AAWS TU 090 ()	549.	549.
	1"	96"	1"	AAWS TU 096 ()	549.	549.
	1"	102"	1"	AAWS TU 102 ()	n/a	577.
	1"	108"	1"	AAWS TU 108 ()	n/a	577.
	1"	114"	1"	AAWS TU 114 ()	n/a	577.
	1"	120"	1"	AAWS TU 120 ()	n/a	577.
	1"	126"	1"	AAWS TU 126 ()	n/a	592.
	1"	132"	1"	AAWS TU 132 ()	n/a	592.
	1"	138"	1"	AAWS TU 138 ()	n/a	592.
	1"	144"	1"	AAWS TU 144 ()	n/a	592.

Order Code	Specification Information	Application Notes
Example: AAWS TU 073 AA	AA- Anodized Aluminum.	Top Up channels are an alternative to top channels at the top of wall frames or add on frames.
A AutoStrada	All standard painted finishes except Silver also available for channels up to 96" wide.	Top Up channel enables covers to be mounted above the applied wall. Specify ceiling channel separately to retain top of covers mounted above frames.
AWS Applied wall system		Top Up channel provides continuous slot for component support, retains top of covers on frame and bottom of covers mounted above frame.
TU Top Up channel		Top Up channel encloses top of frames to within 1/4" of the built wall for cord passage.
072 Width		Specify Top Up channel in length to match overall length of applied wall covers, or in shorter segments. Top Up channel can extend past wall frame up to 6" on each end.
AA Finish		

Horizontal channels

Ceiling channels

AutoStrada

description	h	w	d	pattern number	painted	aluminum
Ceiling channel	1"	36"	1"	AAWS CC 036 ()	\$153.	\$153.
	1"	42"	1"	AAWS CC 042 ()	171.	171.
	1"	48"	1"	AAWS CC 048 ()	189.	189.
	1"	54"	1"	AAWS CC 054 ()	207.	207.
	1"	60"	1"	AAWS CC 060 ()	226.	226.
	1"	66"	1"	AAWS CC 066 ()	243.	243.
	1"	72"	1"	AAWS CC 072 ()	261.	261.
	1"	78"	1"	AAWS CC 078 ()	292.	292.
	1"	84"	1"	AAWS CC 084 ()	426.	426.
	1"	90"	1"	AAWS CC 090 ()	426.	426.
	1"	96"	1"	AAWS CC 096 ()	426.	426.
	1"	102"	1"	AAWS CC 102 ()	n/a	451.
	1"	108"	1"	AAWS CC 108 ()	n/a	451.
	1"	114"	1"	AAWS CC 114 ()	n/a	451.
	1"	120"	1"	AAWS CC 120 ()	n/a	451.
	1"	126"	1"	AAWS CC 126 ()	n/a	476.
	1"	132"	1"	AAWS CC 132 ()	n/a	476.
	1"	138"	1"	AAWS CC 138 ()	n/a	476.
	1"	144"	1"	AAWS CC 144 ()	n/a	476.

Order Code	Specification Information	Application Notes
Example: AAWS CC 036 AA	AA- Anodized Aluminum.	Ceiling channels are fastened directly to the building wall to retain the top of covers up to 30"H mounted above wall frames with Top Up channel. Ceiling channels do not accept brackets for applied wall storage, shelves or accessories. Specify ceiling channels in lengths to match overall width of covers mounted above frames or in shorter segments.
A AutoStrada	All standard painted finishes except Silver also available for channels up to 96" wide.	
AWS Applied wall system		
CC Ceiling channel		
036 Width		
AA Finish		

Knoll does not supply or recommend specific hardware for fastening ceiling channel to building wall.

Horizontal channels

Intermediate channels

AutoStrada

Applied Wall

description	h	w	d	pattern number	painted	aluminum
Intermediate channel 	1"	24"	1"	AAWS IC 024 ()	\$64.	\$64.
	1"	30"	1"	AAWS IC 030 ()	71.	71.
	1"	36"	1"	AAWS IC 036 ()	76.	76.
	1"	42"	1"	AAWS IC 042 ()	87.	87.
	1"	48"	1"	AAWS IC 048 ()	94.	94.
	1"	54"	1"	AAWS IC 054 ()	113.	113.
	1"	60"	1"	AAWS IC 060 ()	122.	122.
	1"	66"	1"	AAWS IC 066 ()	127.	127.
	1"	72"	1"	AAWS IC 072 ()	134.	134.
	1"	78"	1"	AAWS IC 078 ()	148.	148.
	1"	84"	1"	AAWS IC 084 ()	171.	171.
	1"	90"	1"	AAWS IC 090 ()	178.	178.
	1"	96"	1"	AAWS IC 096 ()	185.	185.
	1"	102"	1"	AAWS IC 102 ()	n/a	190.
	1"	108"	1"	AAWS IC 108 ()	n/a	195.
	1"	114"	1"	AAWS IC 114 ()	n/a	203.
	1"	120"	1"	AAWS IC 120 ()	n/a	216.
	1"	126"	1"	AAWS IC 126 ()	n/a	229.
	1"	132"	1"	AAWS IC 132 ()	n/a	241.
	1"	138"	1"	AAWS IC 138 ()	n/a	247.
	1"	144"	1"	AAWS IC 144 ()	n/a	252.

Order Code

Example:	AAWS IC 024 AA
A	AutoStrada
AWS	Applied wall system
IC	Intermediate channel
024	Width
AA	Finish

Specification Information

AA- Anodized Aluminum or any painted finish except 613 silver. Painted finish is not available on channels wider than 96".

Application Notes

Intermediate channels attach to wall frames to provide continuous slot for component support and retention for top and bottom of wall covers. Horizontal channels attach to wall frames at predetermined mounting locations depending on what height covers and overhead storage are planned on wall surface: 24", 31 1/2", 39", 46 1/2", 54", 61 1/2", 69" above the floor.

Specify channels in length to match overall length of applied wall covers, or in shorter segments. Intermediate channels can extend past wall frame up to 6" on each end. Channels include mounting hardware to attach to wall frame studs.

Horizontal channels

Bottom channels

AutoStrada

description	h	w	d	pattern number	painted	aluminum
Bottom channel 	1"	36"	1"	AAWS BC 036 ()	\$64.	\$64.
	1"	42"	1"	AAWS BC 042 ()	71.	71.
	1"	48"	1"	AAWS BC 048 ()	76.	76.
	1"	54"	1"	AAWS BC 054 ()	87.	87.
	1"	60"	1"	AAWS BC 060 ()	94.	94.
	1"	66"	1"	AAWS BC 066 ()	100.	100.
	1"	72"	1"	AAWS BC 072 ()	107.	107.
	1"	78"	1"	AAWS BC 078 ()	113.	113.
	1"	84"	1"	AAWS BC 084 ()	127.	127.
	1"	90"	1"	AAWS BC 090 ()	134.	134.
	1"	96"	1"	AAWS BC 096 ()	139.	139.
	1"	102"	1"	AAWS BC 102 ()	n/a	148.
	1"	108"	1"	AAWS BC 108 ()	n/a	153.
	1"	114"	1"	AAWS BC 114 ()	n/a	158.
	1"	120"	1"	AAWS BC 120 ()	n/a	165.
	1"	126"	1"	AAWS BC 126 ()	n/a	171.
	1"	132"	1"	AAWS BC 132 ()	n/a	178.
	1"	138"	1"	AAWS BC 138 ()	n/a	185.
	1"	138"	1"	AAWS BC 144 ()	n/a	190.

Order Code

Example:	AAWS BC 036 AA
A	AutoStrada
AWS	Applied wall system
BC	Bottom channel
036	Width
AA	Finish

Specification Information

AA - Anodized Aluminum or any painted finish except 613 Silver.

Painted finish is not available on channels wider than 96".

Application Notes

Bottom channels attach to bottom of wall frames to retain bottom of wall covers planned below 24". Specify channels in length to match overall length of applied wall covers, or in shorter segments. Bottom channels can extend past wall frame up to 6" on each end.

Includes hardware.

Bottom channel is not required if no covers are planned below intermediate channel mounted at 24" above floor. Specify intermediate bottom trim and vertical frame covers to cover exposed studs at bottom of each wall frame.

Wall trim and corners

End trims, intermediate trim

AutoStrada

Applied Wall

description	type	h	w	d	pattern no.	painted or easy grey	painted or aluminum
	69"H frame	69"	1/8"	2 1/4"	AAWS ET 69 ()		\$113.
	84"H frame	84"	1/8"	2 1/4"	AAWS ET 84 ()		153.
	69"H + 22" add on	91 1/2"	1/8"	2 1/4"	AAWS ET 91 ()		177.
	69"H + 30" add on	99"	1/8"	2 1/4"	AAWS ET 99 ()		189.
	84"H + 22" add on	106 1/2"	1/8"	2 1/4"	AAWS ET 106 ()		214.
	84"H + 30" add on	114"	1/8"	2 1/4"	AAWS ET 114 ()		226.
	Field Modifiable	144"	1/8"	2 1/4"	AAWS ET 144 ()		261.
Wall end trim for frames open below 24"	69"H frame, open base	69"	1/8"	2 1/4"	AAWS ETO 69 ()		87.
	84"H frame, open base	84"	1/8"	2 1/4"	AAWS ETO 84 ()		107.
Intermediate trim cover		1 1/8"	144"	3/4"	AAWS IBT ()	111.	
Vertical frame covers (pair)		21"	2 1/2"	2"	AAWS VFC ()	49.	

Order Code	Specification Information	Application
Example: AAWS ET 69 AA		
A AutoStrada	Intermediate bottom trim and Vertical frame covers are available in Easy Grey (812) or any standard painted finish except 613 Silver.	Wall end trim encloses exposed end of applied wall frame and add on frames. If no wall covers are planned below 24" datum specify corresponding wall end trims for open base: 48"h for 69" h frames or 63"h for 84"h frames.
AWS Applied wall system	All end trim inside and outside covers are available in AA anodized aluminum or any standard paint finish except 613 Silver.	If no covers are planned below 24" datum specify optional intermediate bottom trim, which may be cut on site to overall width of applied wall, and one pair of vertical frame covers to cover exposed studs of each wall frame.
ET End trim	All standard painted finishes except silver are also available for all end trims up to 91"H.	
69 Width		
AA Finish		

Wall trim and corners

Inside and outside corners

AutoStrada

description	type	h	w	d	pattern no.	list	aluminum
Inside corner	69"H frame	69"	2 1/4"	2 1/4"	AAWSIL69 ()		\$153.
	84"H frame	84"	2 1/4"	2 1/4"	AAWSIL84 ()		195.
	69"H + 22 1/2" add on	91 1/2"	2 1/4"	2 1/4"	AAWSIL91 ()		268.
	69"H + 30" add on	99"	2 1/4"	2 1/4"	AAWSIL99 ()		268.
	84"H + 22 1/2" add on	106 1/2"	2 1/4"	2 1/4"	AAWSIL106 ()		268.
	84"H + 30" add on	114"	2 1/4"	2 1/4"	AAWSIL114 ()		268.
	Field Modifiable	144"	2 1/4"	2 1/4"	AAWSIL144 ()		268.
Inside corner for frames open below 24"	69"H frame, open base	48"	2 1/4"	2 1/4"	AAWSILO69 ()		122.
	84"H frame, open base	63"	2 1/4"	2 1/4"	AAWSILO84 ()		148.



Outside corner	69"H frame	69"	2 1/4"	2 1/4"	AAWSOL69 ()		241.
	84"H frame	84"	2 1/4"	2 1/4"	AAWSOL84 ()		304.
	69"H + 22 1/2"H add on	91 1/2"	2 1/4"	2 1/4"	AAWSOL91 ()		456.
	69"H + 30"H add on	99"	2 1/4"	2 1/4"	AAWSOL99 ()		456.
	84"H + 22 1/2"H add on	106 1/2"	2 1/4"	2 1/4"	AAWSOL106 ()		456.
	84"H + 30"H add on	114"	2 1/4"	2 1/4"	AAWSOL114 ()		456.
	Field modifiable	144"	2 1/4"	2 1/4"	AAWSOL144 ()		456.
Outside corner for frames open below 24"	69"H frame, open base	48"	2 1/4"	2 1/4"	AAWSOLO69 ()		178.
	84"H frame, open base	63"	2 1/4"	2 1/4"	AAWSOLO84 ()		221.



Order Code	Specification Information	Application Notes
Example: AAWS IL 69 AA	AA - Anodized Aluminum.	Inside corners and outside corners align and enclose the 90° junction of two wall frames or wall frames plus add on frames.
A AutoStrada	All standard painted finishes except silver are also available for all end trims up to 91"H.	Frames must match in height.
AWS Applied wall system		Inside and outside corners require 2 1/4" square planning footprint.
IL Inside corner		
69 Width		
AA Finish		

Wall covers

Recess surface

AutoStrada

Applied Wall

description	h	w	d	pattern no.	painted or easy grey	painted or aluminum
Recess cover	7 1/2"	24"	3/4"	AAWS C0724 R ()		\$87.
	7 1/2"	30"	3/4"	AAWS C0730 R ()		100.
	7 1/2"	36"	3/4"	AAWS C0736 R ()		113.
	7 1/2"	42"	3/4"	AAWS C0742 R ()		127.
	7 1/2"	48"	3/4"	AAWS C0748 R ()		137.
	7 1/2"	54"	3/4"	AAWS C0754 R ()		159.
	7 1/2"	60"	3/4"	AAWS C0760 R ()		171.
	7 1/2"	66"	3/4"	AAWS C0766 R ()		183.
	7 1/2"	72"	3/4"	AAWS C0772 R ()		193.
	7 1/2"	78"	3/4"	AAWS C0778 R ()		205.
	7 1/2"	84"	3/4"	AAWS C0784 R ()		217.
	7 1/2"	90"	3/4"	AAWS C0790 R ()		240.
	7 1/2"	96"	3/4"	AAWS C0796 R ()		250.
Recess end trim (pair)	6 1/2"	1/2"	3/4"	AAWS RET ()	34.	
						

Order Code	Specification Information	Application	
Example: AAWS C0724 R AA			
A AutoStrada	Recess covers are available in AA anodized aluminum or any standard painted finish except 613 Silver.	Recess covers provide mounting location for continuous, surface-mounted plugmold strip or voice/data outlets. Recess covers are typically mounted below or just above desk height (24"-35 1/2" above floor).	Recess cover should be at least 6" wider than 60" plugmold or 24" plugstrip to be mounted.
AWS Applied wall system			
C Cover	Recess end trim is 812 Easy Grey or any standard painted finish except 613 Silver.		Recess end trim encloses the ends of a recess cover where it meets any other cover type.
07 Height			
24 Width			
R Recess cover		Recess covers insert between intermediate channels and are secured in position with screws.	Recess end trim kit includes one left hand and one right hand trim.
AA Finish		Recess covers are extruded, clear anodized aluminum surface.	Recess end trim is not required where recess cover meets wall end trim, corner connector or another recess cover.

Wall covers

Slatwall surface

AutoStrada

description	h	w	d	pattern no.	painted or aluminum
Slatwall cover 	7 1/2"	24"	1/2"	AAWS C0724 S ()	\$100.
	7 1/2"	30"	1/2"	AAWS C0730 S ()	113.
	7 1/2"	36"	1/2"	AAWS C0736 S ()	127.
	7 1/2"	42"	1/2"	AAWS C0742 S ()	139.
	7 1/2"	48"	1/2"	AAWS C0748 S ()	153.
	7 1/2"	54"	1/2"	AAWS C0754 S ()	178.
	7 1/2"	60"	1/2"	AAWS C0760 S ()	190.
	7 1/2"	66"	1/2"	AAWS C0766 S ()	203.
	7 1/2"	72"	1/2"	AAWS C0772 S ()	216.
	7 1/2"	78"	1/2"	AAWS C0778 S ()	229.
	7 1/2"	84"	1/2"	AAWS C0784 S ()	241.
	7 1/2"	90"	1/2"	AAWS C0790 S ()	265.
	7 1/2"	96"	1/2"	AAWS C0796 S ()	279.




Order Code	Specification Information	Application
Example: AAWS C0724 S AA	AA - Anodized Aluminum only.	Slatwall covers provide four continuous, horizontal slots to accept a variety of KnollExtra paper management accessories and flat screen monitor arms. Slatwall covers are typically installed just above desk height (31 1/2 - 39" above floor). Slatwall covers insert between intermediate channels and are secured in position with screws. Slatwall covers are extruded, clear anodized aluminum surface. Slatwall covers will support flat panel monitor arms with varying weight limitations based on mounting and application. Please refer to the KnollExtra price list for comprehensive mounting and weight limitation information by application.
A AutoStrada	Slatwall covers are available in AA anodized aluminum or any standard painted finish except 613 Silver.	
AWS Applied wall system		
C Cover		
07 Height		
24 Width		
S Slatwall cover		
AA Finish		

Wall covers

Marker surface

AutoStrada

Applied Wall

description	h	w	d	pattern no.	list
Marker cover, 7 1/2"H 	7 1/2"	24"	1/2"	AAWS C0724 M ()	\$76.
	7 1/2"	30"	1/2"	AAWS C0730 M ()	83.
	7 1/2"	36"	1/2"	AAWS C0736 M ()	88.
	7 1/2"	42"	1/2"	AAWS C0742 M ()	96.
	7 1/2"	48"	1/2"	AAWS C0748 M ()	100.
	7 1/2"	54"	1/2"	AAWS C0754 M ()	106.
	7 1/2"	60"	1/2"	AAWS C0760 M ()	111.
	7 1/2"	66"	1/2"	AAWS C0766 M ()	117.
	7 1/2"	72"	1/2"	AAWS C0772 M ()	124.
Marker cover, 15"H 	15"	24"	1/2"	AAWS C1524 M ()	99.
	15"	30"	1/2"	AAWS C1530 M ()	110.
	15"	36"	1/2"	AAWS C1536 M ()	122.
	15"	42"	1/2"	AAWS C1542 M ()	131.
	15"	48"	1/2"	AAWS C1548 M ()	145.
	15"	54"	1/2"	AAWS C1554 M ()	157.
	15"	60"	1/2"	AAWS C1560 M ()	167.
	15"	66"	1/2"	AAWS C1566 M ()	178.
	15"	72"	1/2"	AAWS C1572 M ()	187.
Marker cover, 22 1/2"H 	22 1/2"	24"	1/2"	AAWS C2224 M ()	124.
	22 1/2"	30"	1/2"	AAWS C2230 M ()	138.
	22 1/2"	36"	1/2"	AAWS C2236 M ()	161.
	22 1/2"	42"	1/2"	AAWS C2242 M ()	177.
	22 1/2"	48"	1/2"	AAWS C2248 M ()	191.
	22 1/2"	54"	1/2"	AAWS C2254 M ()	206.
	22 1/2"	60"	1/2"	AAWS C2260 M ()	240.
	22 1/2"	66"	1/2"	AAWS C2266 M ()	246.
	22 1/2"	72"	1/2"	AAWS C2272 M ()	250.
Marker cover, 30"H 	30"	24"	1/2"	AAWS C3024 M ()	145.
	30"	30"	1/2"	AAWS C3030 M ()	167.
	30"	36"	1/2"	AAWS C3036 M ()	191.
	30"	42"	1/2"	AAWS C3042 M ()	212.
	30"	48"	1/2"	AAWS C3048 M ()	232.
	30"	54"	1/2"	AAWS C3054 M ()	255.
	30"	60"	1/2"	AAWS C3060 M ()	277.
	30"	66"	1/2"	AAWS C3066 M ()	295.
	30"	72"	1/2"	AAWS C3072 M ()	316.

Order Code

Example:	AAWS C0724 M LW
A	AutoStrada
AWS	Applied wall system
C	Cover
07	Height
24	Width
M	Marker cover
LW	Finish

Specification Information

LW - Markerboard surface

Application


Markerboard cover is a white, dry-erase surface that fits flush with adjacent wall covers. Marker covers insert between channels set at the corresponding height differences.

Wall covers

Marker surface

AutoStrada

description	h	w	d	pattern no.	list
Marker cover, 45"H	45"	24"	1/2"	AAWS C4524 M ()	\$192.
	45"	30"	1/2"	AAWS C4530 M ()	220.
	45"	36"	1/2"	AAWS C4536 M ()	268.
	45"	42"	1/2"	AAWS C4542 M ()	296.
	45"	48"	1/2"	AAWS C4548 M ()	326.
	45"	54"	1/2"	AAWS C4554 M ()	359.
	45"	60"	1/2"	AAWS C4560 M ()	384.
	45"	66"	1/2"	AAWS C4566 M ()	415.
	45"	72"	1/2"	AAWS C4572 M ()	446.





Order Code	Specification Information	Application
Example: AAWS C0724 M LW	LW - Markerboard surface	Markerboard cover is a white, dry-erase surface that fits flush with adjacent wall covers.
A AutoStrada		Marker covers insert between channels set at the corresponding height differences.
AWS Applied wall system		
C Cover		
07 Height		
24 Width		
M Marker cover		
LW Finish		

Wall covers

Tackable linoleum

AutoStrada

Applied Wall

description	h	w	d	pattern no.	list
Linoleum cover, 15"H 	15"	24"	1/2"	AAWS C1524 L ()	\$161.
	15"	30"	1/2"	AAWS C1530 L ()	192.
	15"	36"	1/2"	AAWS C1536 L ()	231.
	15"	42"	1/2"	AAWS C1542 L ()	260.
	15"	48"	1/2"	AAWS C1548 L ()	297.
	15"	54"	1/2"	AAWS C1554 L ()	334.
	15"	60"	1/2"	AAWS C1560 L ()	373.
	15"	66"	1/2"	AAWS C1566 L ()	405.
	15"	72"	1/2"	AAWS C1572 L ()	442.
	15"	78"	1/2"	AAWS C1578 L ()	479.
	15"	84"	1/2"	AAWS C1584 L ()	516.
	15"	90"	1/2"	AAWS C1590 L ()	545.
	15"	96"	1/2"	AAWS C1596 L ()	583.
Linoleum cover, 22 1/2"H 	22 1/2"	24"	1/2"	AAWS C2224 L ()	224.
	22 1/2"	30"	1/2"	AAWS C2230 L ()	272.
	22 1/2"	36"	1/2"	AAWS C2236 L ()	323.
	22 1/2"	42"	1/2"	AAWS C2242 L ()	373.
	22 1/2"	48"	1/2"	AAWS C2248 L ()	428.
	22 1/2"	54"	1/2"	AAWS C2254 L ()	484.
	22 1/2"	60"	1/2"	AAWS C2260 L ()	540.
	22 1/2"	66"	1/2"	AAWS C2266 L ()	583.
	22 1/2"	72"	1/2"	AAWS C2272 L ()	640.
	22 1/2"	78"	1/2"	AAWS C2278 L ()	690.
	22 1/2"	84"	1/2"	AAWS C2284 L ()	744.
	22 1/2"	90"	1/2"	AAWS C2290 L ()	795.
	22 1/2"	96"	1/2"	AAWS C2296 L ()	857.

Order Code	Specification Information	Application
Example: AAWS C0724 L 851	851 Forbo #2186	Linoleum covers insert between horizontal channels to provide tackable, non-upholstered surface. Linoleum covers are tackable with 1/2" pushpins. Linoleum surface is firm enough to permit open shelf brackets to bear against face of cover.
A AutoStrada	852 Forbo #2162	
AWS Applied wall system	853 Forbo #2182	
C Cover	854 Forbo #2166	
07 Height	855 Forbo #2204	
24 Width	856 Forbo #2202	
L Tackable linoleum		
851 Finish		

Wall covers

Tackable upholstered

AutoStrada

description	h	w	d	pattern no.	Grade	15	20	30	35	40	45	50	55
					10								
Tackable upholstered cover, 7 1/2"H 	7 1/2"	24"	1/2"	AAWS C0724 A ()	\$85.	\$87.	\$89.	\$97.	\$99.	\$103.	\$105.	\$111.	\$119.
	7 1/2"	30"	1/2"	AAWS C0730 A ()	92.	96.	98.	104.	106.	108.	110.	119.	125.
	7 1/2"	36"	1/2"	AAWS C0736 A ()	99.	102.	105.	109.	111.	113.	117.	125.	131.
	7 1/2"	42"	1/2"	AAWS C0742 A ()	113.	117.	119.	121.	123.	126.	127.	131.	137.
	7 1/2"	48"	1/2"	AAWS C0748 A ()	129.	131.	133.	134.	136.	138.	140.	144.	149.
	7 1/2"	54"	1/2"	AAWS C0754 A ()	141.	144.	146.	148.	149.	152.	153.	157.	161.
	7 1/2"	60"	1/2"	AAWS C0760 A ()	156.	157.	158.	160.	161.	166.	167.	171.	176.
	7 1/2"	66"	1/2"	AAWS C0766 A ()	168.	171.	172.	174.	176.	178.	180.	183.	188.
	7 1/2"	72"	1/2"	AAWS C0772 A ()	181.	183.	186.	187.	188.	191.	192.	195.	201.
Tackable upholstered cover, 15"H 	15"	24"	1/2"	AAWS C1524 A ()	130.	131.	133.	134.	136.	138.	140.	141.	151.
	15"	30"	1/2"	AAWS C1530 A ()	154.	156.	157.	158.	160.	163.	166.	167.	176.
	15"	36"	1/2"	AAWS C1536 A ()	179.	180.	181.	183.	186.	188.	190.	191.	199.
	15"	42"	1/2"	AAWS C1542 A ()	204.	205.	206.	209.	211.	214.	215.	216.	226.
	15"	48"	1/2"	AAWS C1548 A ()	230.	231.	232.	234.	235.	239.	240.	241.	249.
	15"	54"	1/2"	AAWS C1554 A ()	252.	254.	255.	258.	259.	262.	264.	265.	273.
	15"	60"	1/2"	AAWS C1560 A ()	278.	281.	282.	285.	286.	289.	290.	292.	298.
	15"	66"	1/2"	AAWS C1566 A ()	304.	305.	308.	309.	310.	314.	315.	317.	324.
	15"	72"	1/2"	AAWS C1572 A ()	328.	329.	330.	331.	332.	336.	337.	340.	351.



Order Code	Specification Information	Application
Example: AAWS C0724 A 288-6	See finish page for Knoll textile selections.	Tackable upholstered covers insert between horizontal channels to provide tackable, fabric surface. Covers are tackable with 1/2" pushpins. Fabric is railroaded. Open shelves cannot be positioned immediately above tackable fabric covers. Tackable core is not firm enough to permit open shelf brackets to bear against face of cover.
A AutoStrada		
AWS Applied wall system		
C Cover		
07 Height		
24 Width		
A Tackable upholstered		
288-6 Fabric		

Wall covers

Tackable upholstered

AutoStrada

Applied Wall



description	h	w	d	pattern no.	Grade 10	15	20	30	35	40	45	50	55
Tackable upholstered cover, 22 1/2"H	22 1/2"	24"	1/2"	AAWS C2224 A ()	\$183.	\$188.	\$191.	\$194.	\$199.	\$204.	\$209.	\$216.	\$230.
	22 1/2"	30"	1/2"	AAWS C2230 A ()	222.	228.	232.	235.	239.	243.	247.	255.	268.
	22 1/2"	36"	1/2"	AAWS C2236 A ()	260.	265.	269.	272.	278.	284.	287.	294.	308.
	22 1/2"	42"	1/2"	AAWS C2242 A ()	299.	304.	310.	314.	317.	322.	325.	332.	345.
	22 1/2"	48"	1/2"	AAWS C2248 A ()	337.	342.	346.	353.	359.	363.	366.	373.	384.
	22 1/2"	54"	1/2"	AAWS C2254 A ()	378.	381.	388.	392.	395.	401.	405.	412.	424.
	22 1/2"	60"	1/2"	AAWS C2260 A ()	417.	422.	426.	429.	436.	439.	444.	451.	462.
	22 1/2"	66"	1/2"	AAWS C2266 A ()	456.	460.	465.	470.	475.	479.	482.	490.	502.
	22 1/2"	72"	1/2"	AAWS C2272 A ()	496.	500.	503.	507.	514.	517.	521.	529.	541.
Tackable upholstered cover, 30"H	30"	24"	1/2"	AAWS C3024 A ()	332.	337.	340.	344.	353.	359.	364.	368.	388.
	30"	30"	1/2"	AAWS C3030 A ()	403.	408.	410.	414.	419.	424.	429.	436.	454.
	30"	36"	1/2"	AAWS C3036 A ()	473.	477.	479.	482.	487.	492.	498.	502.	523.
	30"	42"	1/2"	AAWS C3042 A ()	539.	543.	545.	551.	557.	561.	565.	570.	593.
	30"	48"	1/2"	AAWS C3048 A ()	609.	612.	614.	618.	624.	631.	636.	640.	659.
	30"	54"	1/2"	AAWS C3054 A ()	678.	682.	684.	688.	692.	696.	702.	707.	728.
	30"	60"	1/2"	AAWS C3060 A ()	743.	746.	749.	755.	761.	765.	771.	775.	796.
	30"	66"	1/2"	AAWS C3066 A ()	811.	817.	819.	824.	829.	834.	842.	845.	865.
	30"	72"	1/2"	AAWS C3072 A ()	880.	884.	887.	891.	896.	902.	909.	912.	934.

Order Code	Specification Information	Application
Example: AAWS C0724 A 288-6	See finish page for Knoll textile selections.	Tackable upholstered covers insert between horizontal channels to provide tackable, fabric surface. Covers are tackable with 1/2" pushpins.
A AutoStrada		
AWS Applied wall system		
C Cover		
07 Height		
24 Width		
A Tackable upholstered		
288-6 Fabric		Fabric is railroaded. Open shelves cannot be positioned immediately above tackable fabric covers. Tackable core is not firm enough to permit open shelf brackets to bear against face of cover.

Wall covers

Non-tackable upholstered

AutoStrada

description	h	w	d	pattern no.	Grade									
					10	15	20	30	35	40	45	50	55	
 Non-tackable upholstered cover, 7 1/2"H	7 1/2"	24"	1/2"	AAWS C0724 F ()	\$85.	\$87.	\$89.	\$97.	\$99.	\$103.	\$105.	\$111.	\$119.	
	7 1/2"	30"	1/2"	AAWS C0730 F ()	92.	96.	98.	104.	106.	108.	110.	119.	125.	
	7 1/2"	36"	1/2"	AAWS C0736 F ()	99.	103.	105.	109.	111.	113.	117.	125.	131.	
	7 1/2"	42"	1/2"	AAWS C0742 F ()	106.	108.	110.	114.	119.	122.	124.	131.	137.	
	7 1/2"	48"	1/2"	AAWS C0748 F ()	111.	113.	117.	123.	125.	127.	130.	137.	144.	
	7 1/2"	54"	1/2"	AAWS C0754 F ()	119.	122.	124.	129.	131.	134.	136.	144.	150.	
	7 1/2"	60"	1/2"	AAWS C0760 F ()	125.	127.	130.	135.	137.	139.	141.	150.	156.	
	7 1/2"	66"	1/2"	AAWS C0766 F ()	131.	134.	136.	140.	144.	146.	149.	156.	161.	
	7 1/2"	72"	1/2"	AAWS C0772 F ()	137.	139.	141.	148.	150.	152.	154.	161.	168.	
	7 1/2"	78"	1/2"	AAWS C0778 F ()	144.	146.	149.	153.	156.	158.	160.	168.	175.	
	7 1/2"	84"	1/2"	AAWS C0784 F ()	150.	152.	154.	159.	161.	165.	167.	175.	180.	
	7 1/2"	90"	1/2"	AAWS C0790 F ()	156.	158.	160.	166.	168.	171.	174.	180.	187.	
7 1/2"	96"	1/2"	AAWS C0796 F ()	161.	165.	167.	172.	175.	177.	179.	187.	192.		
 Non-tackable upholstered cover, 15"H	15"	24"	1/2"	AAWS C1524 F ()	108.	111.	113.	123.	125.	127.	131.	134.	139.	
	15"	30"	1/2"	AAWS C1530 F ()	122.	125.	127.	135.	137.	139.	144.	146.	152.	
	15"	36"	1/2"	AAWS C1536 F ()	134.	137.	139.	148.	150.	152.	156.	158.	165.	
	15"	42"	1/2"	AAWS C1542 F ()	146.	150.	152.	159.	161.	165.	168.	171.	177.	
	15"	48"	1/2"	AAWS C1548 F ()	158.	161.	165.	172.	175.	177.	180.	183.	189.	
	15"	54"	1/2"	AAWS C1554 F ()	171.	175.	177.	185.	187.	189.	192.	194.	201.	
	15"	60"	1/2"	AAWS C1560 F ()	183.	187.	189.	195.	198.	201.	205.	207.	214.	
	15"	66"	1/2"	AAWS C1566 F ()	194.	198.	201.	209.	212.	214.	218.	220.	228.	
	15"	72"	1/2"	AAWS C1572 F ()	207.	212.	214.	221.	224.	228.	231.	233.	239.	
	15"	78"	1/2"	AAWS C1578 F ()	220.	224.	228.	234.	236.	239.	242.	244.	250.	
	15"	84"	1/2"	AAWS C1584 F ()	233.	236.	239.	246.	248.	250.	254.	257.	262.	
	15"	90"	1/2"	AAWS C1590 F ()	244.	248.	250.	258.	260.	262.	267.	269.	275.	
	15"	96"	1/2"	AAWS C1596 F ()	257.	260.	262.	270.	272.	275.	281.	284.	289.	



Order Code	Specification Information	Application
Example: AAWS C0724 F 288-6	See finish page for Knoll textile selections.	Non-tackable upholstered covers insert between horizontal channels to provide fabric surface.
A AutoStrada		
AWS Applied wall system	Fabric is railroaded. Wood core is firm enough to permit open shelf brackets to bear against face of cover.	
C Cover		
07 Height		
24 Width		
F Non-tackable upholstered		
288-6 Fabric		

Wall covers

Non-tackable upholstered

AutoStrada

Applied Wall


description	h	w	d	pattern no.	Grade 10	15	20	30	35	40	45	50	55
Non-tackable upholstered cover, 22 1/2"H	22 1/2"	24"	1/2"	AAWS C2224 F ()	\$148.	\$153.	\$157.	\$168.	\$175.	\$180.	\$187.	\$198.	\$218.
	22 1/2"	30"	1/2"	AAWS C2230 F ()	161.	171.	175.	186.	191.	197.	204.	216.	235.
	22 1/2"	36"	1/2"	AAWS C2236 F ()	179.	188.	191.	203.	209.	215.	221.	234.	251.
	22 1/2"	42"	1/2"	AAWS C2242 F ()	195.	205.	209.	220.	228.	233.	239.	250.	269.
	22 1/2"	48"	1/2"	AAWS C2248 F ()	214.	222.	228.	237.	243.	249.	255.	268.	288.
	22 1/2"	54"	1/2"	AAWS C2254 F ()	232.	240.	243.	254.	260.	267.	272.	287.	304.
	22 1/2"	60"	1/2"	AAWS C2260 F ()	248.	257.	260.	271.	278.	286.	291.	302.	322.
	22 1/2"	66"	1/2"	AAWS C2266 F ()	265.	273.	278.	290.	295.	300.	309.	320.	337.
	22 1/2"	72"	1/2"	AAWS C2272 F ()	285.	292.	295.	308.	314.	319.	325.	336.	359.
	22 1/2"	78"	1/2"	AAWS C2278 F ()	299.	310.	314.	324.	329.	335.	341.	357.	374.
	22 1/2"	84"	1/2"	AAWS C2284 F ()	318.	326.	329.	340.	346.	356.	363.	373.	392.
	22 1/2"	90"	1/2"	AAWS C2290 F ()	334.	342.	346.	362.	367.	372.	377.	391.	409.
22 1/2"	96"	1/2"	AAWS C2296 F ()	354.	364.	367.	376.	381.	389.	395.	408.	426.	
Non-tackable upholstered cover, 30"H	30"	24"	1/2"	AAWS C3024 F ()	168.	177.	180.	192.	205.	212.	218.	224.	242.
	30"	30"	1/2"	AAWS C3030 F ()	190.	198.	203.	215.	229.	234.	240.	246.	264.
	30"	36"	1/2"	AAWS C3036 F ()	213.	221.	226.	237.	249.	255.	261.	268.	288.
	30"	42"	1/2"	AAWS C3042 F ()	235.	243.	247.	259.	271.	278.	286.	291.	310.
	30"	48"	1/2"	AAWS C3048 F ()	257.	265.	269.	284.	294.	299.	308.	314.	330.
	30"	54"	3/4"	AAWS C3054 F ()	281.	289.	292.	304.	317.	323.	328.	334.	356.
	30"	60"	1/2"	AAWS C3060 F ()	300.	311.	315.	326.	337.	344.	353.	361.	376.
	30"	66"	1/2"	AAWS C3066 F ()	324.	331.	335.	351.	364.	369.	374.	379.	400.
	30"	72"	1/2"	AAWS C3072 F ()	345.	357.	362.	372.	382.	391.	398.	403.	420.
	30"	78"	1/2"	AAWS C3078 F ()	370.	377.	380.	394.	407.	412.	418.	424.	445.
	30"	84"	1/2"	AAWS C3084 F ()	392.	401.	405.	416.	428.	436.	442.	448.	465.
	30"	90"	1/2"	AAWS C3090 F ()	414.	422.	426.	439.	451.	456.	462.	470.	487.
	30"	96"	1/2"	AAWS C3096 F ()	437.	446.	449.	460.	475.	480.	485.	491.	510.

Order Code	Specification Information	Application
Example: AAWS C0724 F 288-6	See finish page for Knoll textile selections.	Non-tackable upholstered covers insert between horizontal channels to provide fabric surface.
A AutoStrada		Fabric is railroaded.
AWS Applied wall system		
C Cover		
07 Height		
24 Width		
F Non-tackable upholstered		Wood core is firm enough to permit open shelf brackets to bear against face of cover.
288-6 Fabric		

Wall covers

Laminate or Veneer surface

AutoStrada

description	h	w	d	pattern no.	L	V1	V2	V3
Laminate or Veneer cover, 7 1/2"H 	7 1/2"	24"	1/2"	AAWS C0724 ()	\$71.	\$159.	\$193.	\$261.
	7 1/2"	30"	1/2"	AAWS C0730 ()	78.	168.	197.	273.
	7 1/2"	36"	1/2"	AAWS C0736 ()	81.	171.	199.	296.
	7 1/2"	42"	1/2"	AAWS C0742 ()	85.	177.	209.	322.
	7 1/2"	48"	1/2"	AAWS C0748 ()	89.	181.	215.	341.
	7 1/2"	54"	1/2"	AAWS C0754 ()	95.	188.	222.	367.
	7 1/2"	60"	1/2"	AAWS C0760 ()	100.	192.	232.	391.
	7 1/2"	66"	1/2"	AAWS C0766 ()	104.	195.	237.	411.
	7 1/2"	72"	1/2"	AAWS C0772 ()	108.	199.	244.	435.
	7 1/2"	78"	1/2"	AAWS C0778 ()	n/a	205.	251.	458.
	7 1/2"	84"	1/2"	AAWS C0784 ()	n/a	210.	259.	480.
	7 1/2"	90"	1/2"	AAWS C0790 ()	n/a	216.	268.	503.
	7 1/2"	96"	1/2"	AAWS C0796 ()	n/a	220.	273.	526.
Laminate or Veneer cover, 15"H 	15"	24"	1/2"	AAWS C1524 ()	87.	180.	214.	337.
	15"	30"	1/2"	AAWS C1530 ()	97.	190.	230.	384.
	15"	36"	1/2"	AAWS C1536 ()	106.	197.	242.	427.
	15"	42"	1/2"	AAWS C1542 ()	116.	207.	257.	474.
	15"	48"	1/2"	AAWS C1548 ()	126.	219.	273.	521.
	15"	54"	1/2"	AAWS C1554 ()	136.	232.	295.	564.
	15"	60"	1/2"	AAWS C1560 ()	145.	240.	305.	611.
	15"	66"	1/2"	AAWS C1566 ()	154.	249.	319.	655.
	15"	72"	1/2"	AAWS C1572 ()	161.	257.	331.	696.
	15"	78"	1/2"	AAWS C1578 ()	n/a	267.	346.	741.
	15"	84"	1/2"	AAWS C1584 ()	n/a	275.	364.	783.
	15"	90"	1/2"	AAWS C1590 ()	n/a	286.	376.	830.
	15"	96"	1/2"	AAWS C1596 ()	n/a	295.	391.	875.



Order Code	Specification Information	Application
Example: AAWS C0724 118		
A AutoStrada	See finish page for laminate and veneer finish codes.	Veneer or laminate covers insert between horizontal channels.
AWS Applied wall system	Product on this page will accept wood grain laminate where laminate is currently an option.	Techwood and natural veneer grain direction is horizontal.
C Cover		
07 Height		
24 Width		
118 Finish		

Wall covers

Laminate or Veneer surface

AutoStrada

Applied Wall


description	h	w	d	pattern no.	L	V1	V2	V3
Laminate or Veneer cover, 22 1/2"H 	22 1/2"	24"	1/2"	AAWS C2224 ()	\$108.	\$201.	\$246.	\$432.
	22 1/2"	30"	1/2"	AAWS C2230 ()	122.	215.	262.	484.
	22 1/2"	36"	1/2"	AAWS C2236 ()	141.	237.	295.	570.
	22 1/2"	42"	1/2"	AAWS C2242 ()	154.	249.	317.	638.
	22 1/2"	48"	1/2"	AAWS C2248 ()	165.	262.	336.	699.
	22 1/2"	54"	1/2"	AAWS C2254 ()	176.	274.	361.	764.
	22 1/2"	60"	1/2"	AAWS C2260 ()	205.	291.	380.	836.
	22 1/2"	66"	1/2"	AAWS C2266 ()	209.	302.	401.	895.
	22 1/2"	72"	1/2"	AAWS C2272 ()	213.	316.	420.	959.
	22 1/2"	78"	1/2"	AAWS C2278 ()	n/a	328.	444.	1,025.
	22 1/2"	84"	1/2"	AAWS C2284 ()	n/a	341.	462.	1,093.
	22 1/2"	90"	1/2"	AAWS C2290 ()	n/a	358.	484.	1,160.
	22 1/2"	96"	1/2"	AAWS C2296 ()	n/a	371.	504.	1,222.
Laminate or Veneer cover, 30"H 	30"	24"	1/2"	AAWS C3024 ()	126.	219.	273.	522.
	30"	30"	1/2"	AAWS C3030 ()	144.	240.	304.	611.
	30"	36"	1/2"	AAWS C3036 ()	166.	262.	336.	700.
	30"	42"	1/2"	AAWS C3042 ()	181.	278.	367.	788.
	30"	48"	1/2"	AAWS C3048 ()	196.	297.	393.	874.
	30"	54"	1/2"	AAWS C3054 ()	218.	321.	426.	965.
	30"	60"	1/2"	AAWS C3060 ()	233.	336.	454.	1,055.
	30"	66"	1/2"	AAWS C3066 ()	247.	358.	482.	1,138.
	30"	72"	1/2"	AAWS C3072 ()	264.	374.	509.	1,185.
	30"	78"	1/2"	AAWS C3078 ()	n/a	388.	538.	1,311.
	30"	84"	1/2"	AAWS C3084 ()	n/a	409.	564.	1,395.
	30"	90"	1/2"	AAWS C3090 ()	n/a	425.	595.	1,483.
	30"	96"	1/2"	AAWS C3096 ()	n/a	443.	619.	1,569.

Order Code	Specification Information	Application
Example: AAWS C0724 118		
A AutoStrada	See finish page for laminate and veneer finish codes.	Veneer or laminate covers insert between horizontal channels.
AWS Applied wall system	Product on this page will accept wood grain laminate where laminate is currently an option.	Techwood and natural veneer grain direction is horizontal.
C Cover		
07 Height		
24 Width		
118 Finish		

Wall covers

Painted surface

AutoStrada

description	h	w	d	pattern no.	paint
Painted cover, 7 1/2"H 	7 1/2"	24"	1/2"	AAWS C0724 P ()	\$134.
	7 1/2"	30"	1/2"	AAWS C0730 P ()	135.
	7 1/2"	36"	1/2"	AAWS C0736 P ()	136.
	7 1/2"	42"	1/2"	AAWS C0742 P ()	168.
	7 1/2"	48"	1/2"	AAWS C0748 P ()	171.
	7 1/2"	54"	1/2"	AAWS C0754 P ()	172.
	7 1/2"	60"	1/2"	AAWS C0760 P ()	204.
	7 1/2"	66"	1/2"	AAWS C0766 P ()	206.
	7 1/2"	72"	1/2"	AAWS C0772 P ()	207.
	7 1/2"	78"	1/2"	AAWS C0778 P ()	211.
	7 1/2"	84"	1/2"	AAWS C0784 P ()	243.
	7 1/2"	90"	1/2"	AAWS C0790 P ()	246.
	7 1/2"	96"	1/2"	AAWS C0796 P ()	247.
Painted cover, 15"H 	15"	24"	1/2"	AAWS C1524 P ()	141.
	15"	30"	1/2"	AAWS C1530 P ()	146.
	15"	36"	1/2"	AAWS C1536 P ()	150.
	15"	42"	1/2"	AAWS C1542 P ()	185.
	15"	48"	1/2"	AAWS C1548 P ()	188.
	15"	54"	1/2"	AAWS C1554 P ()	190.
	15"	60"	1/2"	AAWS C1560 P ()	226.
	15"	66"	1/2"	AAWS C1566 P ()	230.
	15"	72"	1/2"	AAWS C1572 P ()	233.
	15"	78"	1/2"	AAWS C1578 P ()	236.
	15"	84"	1/2"	AAWS C1584 P ()	271.
	15"	90"	1/2"	AAWS C1590 P ()	275.
	15"	96"	1/2"	AAWS C1596 P ()	281.

Order Code

Example:	AAWS C0724 P 118
A	AutoStrada
AWS	Applied wall system
C	Cover
07	Height
24	Width
P	Painted surface
118	Finish

Specification Information

See finish page for painted finish codes.

Application



Painted wood covers insert between horizontal channels.
Painted covers are powder coat or wet spray on medium density fiberboard.

Wall covers

Painted surface

AutoStrada

Applied Wall

description	h	w	d	pattern no.	paint
Painted cover, 22 1/2"H	22 1/2"	24"	1/2"	AAWS C2224 P ()	\$150.
	22 1/2"	30"	1/2"	AAWS C2230 P ()	156.
	22 1/2"	36"	1/2"	AAWS C2236 P ()	160.
	22 1/2"	42"	1/2"	AAWS C2242 P ()	195.
	22 1/2"	48"	1/2"	AAWS C2248 P ()	201.
	22 1/2"	54"	1/2"	AAWS C2254 P ()	207.
	22 1/2"	60"	1/2"	AAWS C2260 P ()	243.
	22 1/2"	66"	1/2"	AAWS C2266 P ()	248.
	22 1/2"	72"	1/2"	AAWS C2272 P ()	254.
	22 1/2"	78"	1/2"	AAWS C2278 P ()	259.
	22 1/2"	84"	1/2"	AAWS C2284 P ()	297.
	22 1/2"	90"	1/2"	AAWS C2290 P ()	302.
	22 1/2"	96"	1/2"	AAWS C2296 P ()	309.
Painted cover, 30"H	30"	24"	1/2"	AAWS C3024 P ()	157.
	30"	30"	1/2"	AAWS C3030 P ()	165.
	30"	36"	1/2"	AAWS C3036 P ()	172.
	30"	42"	1/2"	AAWS C3042 P ()	211.
	30"	48"	1/2"	AAWS C3048 P ()	216.
	30"	54"	1/2"	AAWS C3054 P ()	224.
	30"	60"	1/2"	AAWS C3060 P ()	261.
	30"	66"	1/2"	AAWS C3066 P ()	269.
	30"	72"	1/2"	AAWS C3072 P ()	275.
	30"	78"	1/2"	AAWS C3078 P ()	285.
	30"	84"	1/2"	AAWS C3084 P ()	324.
	30"	90"	1/2"	AAWS C3090 P ()	329.
	30"	96"	1/2"	AAWS C3096 P ()	336.

Order Code

Example:	AAWS C0724 P 118
A	AutoStrada
AWS	Applied wall system
C	Cover
07	Height
24	Width
P	Painted surface
118	Finish

Specification Information

See finish page for painted finish codes.


Application

Painted wood covers insert between horizontal channels.
Painted covers are powder coat or wet spray on medium density fiberboard.

Wall covers

Backpainted glass surface

AutoStrada

description	h	w	pattern no.	881	882
Backpainted glass, 15"H 	15"	24"	AAWS C1524 G ()	\$297.	\$363.
	15"	30"	AAWS C1530 G ()	346.	410.
	15"	36"	AAWS C1536 G ()	399.	459.
	15"	42"	AAWS C1542 G ()	448.	509.
	15"	48"	AAWS C1548 G ()	497.	559.
	15"	54"	AAWS C1554 G ()	545.	610.
	15"	60"	AAWS C1560 G ()	598.	658.
	15"	66"	AAWS C1566 G ()	646.	707.
	15"	72"	AAWS C1572 G ()	695.	757.
Backpainted glass, 22 1/2"H 	22 1/2"	24"	AAWS C2224 G ()	392.	474.
	22 1/2"	30"	AAWS C2230 G ()	465.	540.
	22 1/2"	36"	AAWS C2236 G ()	534.	610.
	22 1/2"	42"	AAWS C2242 G ()	610.	685.
	22 1/2"	48"	AAWS C2248 G ()	679.	770.
	22 1/2"	54"	AAWS C2254 G ()	744.	857.
	22 1/2"	60"	AAWS C2260 G ()	820.	943.
	22 1/2"	66"	AAWS C2266 G ()	888.	1,030.
	22 1/2"	72"	AAWS C2272 G ()	956.	1,119.

Order Code	Specification Information	Application
Example: AAWS C1524 G 881	Backpainted glass is 4mm thick.	Backpainted glass covers insert between horizontal channels to provide nearly opaque glass surface. Glass covers may be used as dry-erase marker surface.
A AutoStrada	Specify glass surface:	
AWS Applied wall system	881 sea glass white	
C Cover	882 star white	
15 Height		
24 Width	Sea glass has natural glass tint. Star glass has low lead content for pure white appearance.	Bookshelves cannot be mounted in channel directly above glass cover.
G Backpainted glass		
881 Finish		

description	h	w	d	pattern no.	painted or aluminum
Display shelf	1"	6"	5 1/2"	AAWS DS0605 ()	\$85.
	1"	24"	5 1/2"	AAWS DS2405 ()	224.
	1"	30"	5 1/2"	AAWS DS3005 ()	236.
	1"	36"	5 1/2"	AAWS DS3605 ()	254.
	1"	42"	5 1/2"	AAWS DS4205 ()	281.
	1"	48"	5 1/2"	AAWS DS4805 ()	297.
	1"	54"	5 1/2"	AAWS DS5405 ()	323.
	1"	60"	5 1/2"	AAWS DS6005 ()	334.
	1"	66"	5 1/2"	AAWS DS6605 ()	346.
	1"	72"	5 1/2"	AAWS DS7205 ()	363.

Order Code

Example:	AAWS DS2405 AA
A	AutoStrada
AWS	Applied wall system
DS	Display shelf
24	Width
05	Depth
AA	Finish

Specification Information

AA - Anodized Aluminum or any standard painted finish except 613 Silver.

Application

Display shelf is natural anodized aluminum extrusion with integral bracket detail that engages into horizontal channel at any point. Display shelves are typically mounted in channels at 31 1/2" or 39" above the floor. Display shelf can be mounted in channel between glass covers.

description	h	w	d	pattern no.	list	glass
Powder glass lower shelf 	1 1/2"	24"	9"	AAWS LS2409 G ()()		\$522.
	1 1/2"	30"	9"	AAWS LS3009 G ()()		559.
	1 1/2"	36"	9"	AAWS LS3609 G ()()		605.
	1 1/2"	42"	9"	AAWS LS4209 G ()()		652.
	1 1/2"	48"	9"	AAWS LS4809 G ()()		701.
	1 1/2"	54"	9"	AAWS LS5409 G ()()		757.
	1 1/2"	60"	9"	AAWS LS6009 G ()()		806.
	1 1/2"	66"	9"	AAWS LS6609 G ()()		864.
	1 1/2"	72"	9"	AAWS LS7209 G ()()		920.
Powder glass upper shelf 	1 1/2"	24"	9"	AAWS US2409 G ()()		522.
	1 1/2"	30"	9"	AAWS US3009 G ()()		559.
	1 1/2"	36"	9"	AAWS US3609 G ()()		605.
	1 1/2"	42"	9"	AAWS US4209 G ()()		652.
	1 1/2"	48"	9"	AAWS US4809 G ()()		701.
	1 1/2"	54"	9"	AAWS US5409 G ()()		757.
	1 1/2"	60"	9"	AAWS US6009 G ()()		806.
	1 1/2"	66"	9"	AAWS US6609 G ()()		864.
	1 1/2"	72"	9"	AAWS US7209 G ()()		920.
Book ends (pair)	7"	5"	7"	AAWS BE ()	69.	

Order Code	Specification Information	Application
Example: AAWS LS2409 G GL13 AA	GL13 - Powder glass only.	Glass shelves are supported by a 5 1/2" deep aluminum platform with integral bracket detail that engages into horizontal channel at any point.
A AutoStrada	Glass platform is available in AA anodized aluminum or any standard painted finish except Silver.	Book ends rest on glass shelf at any point to contain books or binders.
AWS Applied wall system		
LS Shelf		
24 Width	Bookends are available in any standard painted finish.	Specify lower shelf for most applications to align with bottom of adjacent overhead storage cabinet.
09 Depth		Specify upper shelf only to align with top of adjacent overhead storage cabinet.
G Glass		Shelf bracket bears against surface of cover below so it cannot be positioned above glass or tackable fabric covers.
GL13 Glass finish		
AA Support finish		

Bookshelves

laminate and veneer

AutoStrada

Applied Wall


description	h	w	d	pattern no.	list	L	V1	V2	V3
 Laminate or veneer lower shelf	1 1/2"	24"	12"	AAWS LS2412 () ()		\$230.	\$308.	\$354.	\$477.
	1 1/2"	30"	12"	AAWS LS3012 () ()		252.	337.	391.	525.
	1 1/2"	36"	12"	AAWS LS3612 () ()		278.	372.	427.	574.
	1 1/2"	42"	12"	AAWS LS4212 () ()		301.	405.	463.	625.
	1 1/2"	48"	12"	AAWS LS4812 () ()		324.	437.	501.	678.
	1 1/2"	54"	12"	AAWS LS5412 () ()		399.	533.	613.	826.
	1 1/2"	60"	12"	AAWS LS6012 () ()		373.	500.	574.	777.
	1 1/2"	66"	12"	AAWS LS6612 () ()		399.	533.	613.	826.
	1 1/2"	72"	12"	AAWS LS7212 () ()		423.	564.	649.	876.
 Laminate or veneer upper shelf	1 1/2"	24"	12"	AAWS US2412 () ()		230.	308.	354.	477.
	1 1/2"	30"	12"	AAWS US3012 () ()		252.	337.	391.	525.
	1 1/2"	36"	12"	AAWS US3612 () ()		278.	372.	427.	574.
	1 1/2"	42"	12"	AAWS US4212 () ()		301.	405.	463.	625.
	1 1/2"	48"	12"	AAWS US4812 () ()		324.	437.	501.	678.
	1 1/2"	54"	12"	AAWS US5412 () ()		399.	533.	613.	826.
	1 1/2"	60"	12"	AAWS US6012 () ()		373.	500.	574.	777.
	1 1/2"	66"	12"	AAWS US6612 () ()		399.	533.	613.	826.
	1 1/2"	72"	12"	AAWS US7212 () ()		423.	564.	649.	876.
Book ends (pair)	7"	5"	7"	AAWS BE ()	69.				

Order Code	Specification Information	Application	
Example: AAWS LS2412 118 AA			
A Autostrada	Shelf platform is available in AA anodized aluminum or any standard painted finish except 613 Silver.	Laminate and veneer bookshelves are supported by a 5 1/2" deep aluminum platform with integral bracket detail that engages into horizontal channel at any point.	Book ends rest on bookshelf at any point to contain books or binders.
AWS Applied wall system			
LS Shelf	Bookends are available in any standard painted finish.	Specify lower shelf for most applications to align with bottom of adjacent overhead storage cabinet.	
24 Width		Specify upper shelf only to align with top of adjacent overhead storage cabinet.	
12 Depth	See finish page for laminate and veneer finish codes.	Shelf bracket bears against surface of cover below so it cannot be positioned above glass or tackable fabric covers.	
118 Shelf finish	Product on this page will accept wood grain laminate where laminate is currently an option.		
AA Support finish			

Open overhead cabinets

Laminate or wood veneer

AutoStrada

description	h	w	d	pattern no.	L	V1	V2	V3
Open overhead, binder depth  96" w shown	15"	18"	14 1/4"	AAWS OBO 18 () ()	\$1,614.	\$1,724.	\$1,989.	\$2,584.
	15"	24"	14 1/4"	AAWS OBO 24 () ()	1,657.	1,769.	2,038.	2,648.
	15"	30"	14 1/4"	AAWS OBO 30 () ()	1,704.	1,816.	2,087.	2,715.
	15"	36"	14 1/4"	AAWS OBO 36 () ()	1,750.	1,864.	2,142.	2,783.
	15"	42"	14 1/4"	AAWS OBO 42 () ()	1,794.	1,910.	2,197.	2,857.
	15"	48"	14 1/4"	AAWS OBO 48 () ()	1,843.	1,961.	2,257.	2,935.
	15"	54"	14 1/4"	AAWS OBO 54 () ()	1,939.	2,061.	2,375.	3,085.
	15"	60"	14 1/4"	AAWS OBO 60 () ()	2,036.	2,162.	2,491.	3,240.
	15"	66"	14 1/4"	AAWS OBO 66 () ()	2,091.	2,229.	2,559.	3,329.
	15"	72"	14 1/4"	AAWS OBO 72 () ()	2,150.	2,293.	2,630.	3,420.
	15"	78"	14 1/4"	AAWS OBO 78 () ()	2,255.	2,407.	2,762.	3,591.
	15"	84"	14 1/4"	AAWS OBO 84 () ()	2,322.	2,478.	2,845.	3,699.
	15"	90"	14 1/4"	AAWS OBO 90 () ()	2,393.	2,554.	2,933.	3,810.
	15"	96"	14 1/4"	AAWS OBO 96 () ()	2,463.	2,629.	3,020.	4,239.
Open overhead, legal depth	15"	18"	17 1/4"	AAWS OGO 18 () ()	1,744.	1,864.	2,143.	2,789.
	15"	24"	17 1/4"	AAWS OGO 24 () ()	1,790.	1,913.	2,198.	2,860.
	15"	30"	17 1/4"	AAWS OGO 30 () ()	1,840.	1,962.	2,256.	2,934.
	15"	36"	17 1/4"	AAWS OGO 36 () ()	1,889.	2,014.	2,312.	3,008.
	15"	42"	17 1/4"	AAWS OGO 42 () ()	1,938.	2,061.	2,374.	3,085.
	15"	48"	17 1/4"	AAWS OGO 48 () ()	1,990.	2,117.	2,436.	3,169.
	15"	54"	17 1/4"	AAWS OGO 54 () ()	2,093.	2,227.	2,565.	3,333.
	15"	60"	17 1/4"	AAWS OGO 60 () ()	2,200.	2,338.	2,692.	3,497.
	15"	66"	17 1/4"	AAWS OGO 66 () ()	2,257.	2,407.	2,766.	3,597.
	15"	72"	17 1/4"	AAWS OGO 72 () ()	2,319.	2,476.	2,843.	3,695.
	15"	78"	17 1/4"	AAWS OGO 78 () ()	2,437.	2,600.	2,986.	3,880.
	15"	84"	17 1/4"	AAWS OGO 84 () ()	2,509.	2,676.	3,074.	3,996.
	15"	90"	17 1/4"	AAWS OGO 90 () ()	2,585.	2,755.	3,167.	4,114.
	15"	96"	17 1/4"	AAWS OGO 96 () ()	2,663.	2,840.	3,262.	4,239.


Order Code	Specification Information	Application
Example: AAWS OBO 18 118 115	See finish page for laminate and veneer finish codes.	Open overhead cabinets include continuous mounting extrusion that engages into top or intermediate channel at any point.
A AutoStrada	Product on this page will accept wood grain laminate where laminate is currently an option.	Overhead cabinets also include anti-dislodgement brackets that engage into intermediate channel below cabinet.
AWS Applied wall system	Top trim may be specified in AA anodized aluminum or any standard painted finish except Silver.	Overhead cabinets normally mount between 54" and 69" above the floor.
OBO Open overhead cabinet		
18 Width		
118 Laminate or veneer		
115 Trim finish	Mounting extrusions and anti dislodgement brackets match the AA trim or are black paint with any painted finish trim.	Open overhead cabinets are binder height.

Sliding door overhead cabinets with glass doors

Laminate or wood veneer

AutoStrada

Applied Wall


description	h	w	d	pattern no.	L	V1	V2	V3
 96" w shown	15"	42"	15 1/4"	AAWS OBR 42 () ()	\$3,334.	\$3,583.	\$4,495.	\$5,393.
	15"	48"	15 1/4"	AAWS OBR 48 () ()	3,437.	3,700.	4,633.	5,563.
	15"	54"	15 1/4"	AAWS OBR 54 () ()	3,539.	3,818.	4,769.	5,725.
	15"	60"	15 1/4"	AAWS OBR 60 () ()	3,643.	3,938.	4,907.	5,889.
	15"	66"	15 1/4"	AAWS OBR 66 () ()	3,742.	4,056.	5,046.	6,056.
	15"	72"	15 1/4"	AAWS OBR 72 () ()	3,844.	4,173.	5,182.	6,222.
	15"	78"	15 1/4"	AAWS OBR 78 () ()	4,038.	4,382.	5,444.	6,533.
	15"	84"	15 1/4"	AAWS OBR 84 () ()	4,158.	4,513.	5,608.	6,727.
	15"	90"	15 1/4"	AAWS OBR 90 () ()	4,283.	4,647.	5,776.	6,931.
	15"	96"	15 1/4"	AAWS OBR 96 () ()	4,415.	4,788.	5,949.	7,140.
Open/Sliding door(s) glass, legal depth	15"	42"	18 1/4"	AAWS OGR 42 () ()	3,599.	3,872.	4,852.	5,819.
	15"	48"	18 1/4"	AAWS OGR 48 () ()	3,707.	3,999.	5,001.	6,000.
	15"	54"	18 1/4"	AAWS OGR 54 () ()	3,819.	4,431.	5,152.	6,181.
	15"	60"	18 1/4"	AAWS OGR 60 () ()	3,929.	4,254.	5,301.	6,361.
	15"	66"	18 1/4"	AAWS OGR 66 () ()	4,044.	4,380.	5,449.	6,537.
	15"	72"	18 1/4"	AAWS OGR 72 () ()	4,152.	4,504.	5,600.	6,720.
	15"	78"	18 1/4"	AAWS OGR 78 () ()	4,360.	4,732.	5,880.	7,056.
	15"	84"	18 1/4"	AAWS OGR 84 () ()	4,493.	4,875.	6,056.	7,268.
	15"	90"	18 1/4"	AAWS OGR 90 () ()	4,625.	5,019.	6,237.	7,488.
	15"	96"	18 1/4"	AAWS OGR 96 () ()	4,765.	5,170.	6,426.	7,710.

Order Code	Specification Information	Application
Example: AAWS OBR 42 118 GL13 AA	See finish page for laminate, veneer and glass finish codes.	Sliding door overhead cabinets include continuous mounting extrusion that engages into top or intermediate channel at any point. Overhead cabinets also include anti-dislodgement brackets that engage into intermediate channel below cabinet. Overhead cabinets normally mount between 54" and 69" above the floor.
A AutoStrada	Product on this page will accept wood grain laminate where laminate is currently an option.	Overhead cabinets are binder height.
AWS Applied wall system	Trim finish is AA anodized aluminum or any standard painted finish except 613 Silver.	No locks.
OBR Sliding glass door binder depth overhead	Mounting extrusion and anti dislodgement brackets match the AA trim or are black paint with any painted finish trim.	
42 Width		
118 Case finish		
GL13 Glass finish		
AA Trim finish		

Sliding door overhead cabinets with laminate or veneer doors

Laminate or wood veneer

AutoStrada

description	h	w	d	pattern no.	L	V1	V2	V3
Open/Sliding door(s) laminate or veneer, binder depth  96" w shown	15"	42"	15 1/4"	AAWS OBS 42 () ()	\$2,792.	\$3,016.	\$3,832.	\$4,983.
	15"	48"	15 1/4"	AAWS OBS 48 () ()	2,880.	3,116.	3,950.	5,135.
	15"	54"	15 1/4"	AAWS OBS 54 () ()	2,966.	3,213.	4,068.	5,289.
	15"	60"	15 1/4"	AAWS OBS 60 () ()	3,049.	3,311.	4,185.	5,442.
	15"	66"	15 1/4"	AAWS OBS 66 () ()	3,139.	3,408.	4,303.	5,594.
	15"	72"	15 1/4"	AAWS OBS 72 () ()	3,223.	3,507.	4,421.	5,748.
	15"	78"	15 1/4"	AAWS OBS 78 () ()	3,384.	3,684.	4,643.	6,037.
	15"	84"	15 1/4"	AAWS OBS 84 () ()	3,484.	3,792.	4,785.	6,217.
	15"	90"	15 1/4"	AAWS OBS 90 () ()	3,590.	3,909.	4,925.	6,402.
	15"	96"	15 1/4"	AAWS OBS 96 () ()	3,696.	4,024.	5,073.	6,597.
Open/Sliding door(s) laminate or veneer, legal depth	15"	42"	18 1/4"	AAWS OGS 42 () ()	3,017.	3,253.	4,150.	5,379.
	15"	48"	18 1/4"	AAWS OGS 48 () ()	3,113.	3,361.	4,272.	5,545.
	15"	54"	18 1/4"	AAWS OGS 54 () ()	3,203.	3,469.	4,396.	5,711.
	15"	60"	18 1/4"	AAWS OGS 60 () ()	3,294.	3,575.	4,519.	5,875.
	15"	66"	18 1/4"	AAWS OGS 66 () ()	3,389.	3,684.	4,647.	6,043.
	15"	72"	18 1/4"	AAWS OGS 72 () ()	3,480.	3,786.	4,779.	6,208.
	15"	78"	18 1/4"	AAWS OGS 78 () ()	3,655.	3,976.	5,016.	6,519.
	15"	84"	18 1/4"	AAWS OGS 84 () ()	3,763.	4,098.	5,165.	6,713.
	15"	90"	18 1/4"	AAWS OGS 90 () ()	3,877.	4,219.	5,319.	6,917.
	15"	96"	18 1/4"	AAWS OGS 96 () ()	3,993.	4,346.	5,481.	7,123.


Order Code	Specification Information	Application
Example: AAWS OBS 42 118 AA	See finish page for laminate and veneer finish codes.	Sliding door overhead cabinets include continuous mounting extrusion that engages into top or intermediate channel at any point. Overhead cabinets also include anti-dislodgement brackets that engage into intermediate channel below cabinet. Overhead cabinets normally mount between 54" and 69" above the floor. Sliding door overheads are not available with locks.
A AutoStrada		Overhead cabinets are binder height.
AWS Applied wall system	Product on this page will accept wood grain laminate where laminate is currently an option.	No locks.
OBS Sliding solid door binder depth overhead		
42 Width	Trim finish is AA anodized aluminum or any standard painted finish except 613 Silver.	
118 Finish		
AA Trim finish	Mounting extrusion and anti dislodgement bracket match the AA trim or are black paint with any painted finish trim.	

Hinged door overhead cabinets

Laminate or wood veneer

AutoStrada



Applied Wall

description	h	w	d	#drs/locks	pattern no.	L	V1	V2	V3
Hinged door overhead binder depth  96" w shown	15"	18"	15 1/4"	1/1	AAWS OBD 18L () ()	\$2,218.	\$2,362.	\$2,710.	\$3,525.
	15"	18"	15 1/4"	1/1	AAWS OBD 18R () ()	2,218.	2,362.	2,710.	3,525.
	15"	24"	15 1/4"	2/1	AAWS OBD 24 () ()	2,345.	2,495.	2,863.	3,727.
	15"	30"	15 1/4"	2/1	AAWS OBD 30 () ()	2,478.	2,638.	3,031.	3,943.
	15"	36"	15 1/4"	2/1	AAWS OBD 36 () ()	2,619.	2,789.	3,209.	4,172.
	15"	42"	15 1/4"	3/2	AAWS OBD 42 () ()	2,638.	2,813.	3,232.	4,199.
	15"	48"	15 1/4"	3/2	AAWS OBD 48 () ()	2,689.	2,861.	3,296.	4,283.
	15"	54"	15 1/4"	3/2	AAWS OBD 54 () ()	2,830.	3,011.	3,467.	4,506.
	15"	60"	15 1/4"	4/2	AAWS OBD 60 () ()	2,965.	3,154.	3,629.	4,717.
	15"	66"	15 1/4"	4/2	AAWS OBD 66 () ()	3,050.	3,252.	3,738.	4,863.
	15"	72"	15 1/4"	4/2	AAWS OBD 72 () ()	3,135.	3,338.	3,840.	4,989.
	15"	78"	15 1/4"	5/3	AAWS OBD 78 () ()	3,294.	3,514.	4,033.	5,246.
	15"	84"	15 1/4"	5/3	AAWS OBD 84 () ()	3,392.	3,620.	4,155.	5,403.
	15"	90"	15 1/4"	6/3	AAWS OBD 90 () ()	3,491.	3,728.	4,281.	5,566.
	15"	96"	15 1/4"	6/3	AAWS OBD 96 () ()	3,600.	3,840.	4,409.	5,732.
Hinged door overhead legal depth	15"	18"	18 1/4"	1/1	AAWS OGD 18L () ()	2,396.	2,549.	2,925.	3,805.
	15"	18"	18 1/4"	1/1	AAWS OGD 18R () ()	2,396.	2,549.	2,925.	3,805.
	15"	24"	18 1/4"	2/1	AAWS OGD 24 () ()	2,531.	2,695.	3,096.	4,025.
	15"	30"	18 1/4"	2/1	AAWS OGD 30 () ()	2,675.	2,848.	3,275.	4,257.
	15"	36"	18 1/4"	2/1	AAWS OGD 36 () ()	2,829.	3,012.	3,466.	4,503.
	15"	42"	18 1/4"	3/2	AAWS OGD 42 () ()	2,850.	3,049.	3,490.	4,536.
	15"	48"	18 1/4"	3/2	AAWS OGD 48 () ()	2,905.	3,088.	3,557.	4,628.
	15"	54"	18 1/4"	3/2	AAWS OGD 54 () ()	3,059.	3,251.	3,740.	4,867.
	15"	60"	18 1/4"	4/2	AAWS OGD 60 () ()	3,201.	3,407.	3,920.	5,095.
	15"	66"	18 1/4"	4/2	AAWS OGD 66 () ()	3,296.	3,513.	4,040.	5,250.
	15"	72"	18 1/4"	4/2	AAWS OGD 72 () ()	3,387.	3,604.	4,148.	5,390.
	15"	78"	18 1/4"	5/3	AAWS OGD 78 () ()	3,560.	3,796.	4,355.	5,665.
	15"	84"	18 1/4"	5/3	AAWS OGD 84 () ()	3,665.	3,910.	4,487.	5,834.
	15"	90"	18 1/4"	6/3	AAWS OGD 90 () ()	3,775.	4,026.	4,625.	6,008.
	15"	96"	18 1/4"	6/3	AAWS OGD 96 () ()	3,887.	4,148.	4,761.	6,190.

Order Code	Specification Information	Application
Example: AAWS OBD 24 L 118 AA	See finish page for laminate and veneer finish codes.	Hinged door overhead cabinets include continuous mounting extrusion that engages into top or intermediate channel at any point. Overhead cabinets also include anti-dislodgement brackets that engage into intermediate channel below cabinet. Overhead cabinets normally mount between 54" and 69" above the floor.
A AutoStrada	Product on this page will accept wood grain laminate where laminate is currently an option.	Overhead cabinets are binder height.
AWS Applied wall system	Trim finish is AA anodized aluminum or any standard painted finish except 613 Silver.	
OBD Hinged door binder depth overhead		
24 Width		
L Lock		
118 Case & matching door finish	Mounting extrusion and anti dislodgement brackets match the AA trim or are black paint with any painted finish trim.	
AA Trim finish		

Overhead storage mounting kits

Adapters for Reuter and wall-attached wood overheads

description	type	w	pattern no.	painting	black or AA
Reuter overhead storage downmount kit	Applied Wall		AAWS RO MK ()	\$199.	
					
Adapter kit for wood overhead storage	18"	16 1/2"	AAWS WOMK 18 ()		96.
	24"	22 1/2"	AAWS WOMK 24 ()		101.
	30"	28 1/2"	AAWS WOMK 30 ()		106.
	36"	34 1/2"	AAWS WOMK 36 ()		113.
	42"	40 1/2"	AAWS WOMK 42 ()		121.
	48"	46 1/2"	AAWS WOMK 48 ()		126.
	54"	52 1/2"	AAWS WOMK 54 ()		131.
	60"	58 1/2"	AAWS WOMK 60 ()		137.
	66"	64 1/2"	AAWS WOMK 66 ()		142.
	72"	70 1/2"	AAWS WOMK 72 ()		160.
	78"	76 1/2"	AAWS WOMK 78 ()		170.
	84"	82 1/2"	AAWS WOMK 84 ()		177.
	90"	88 1/2"	AAWS WOMK 90 ()		183.
	96"	94 1/2"	AAWS WOMK 96 ()		189.
					

Order Code	Specification Information	Application
Example: AAWS WOMK 18 AA		
A AutoStrada	For Reuter overhead downmount brackets - see finish page for painted finish code options.	Reuter overhead storage downmount kit adapts Reuter flat front or curved front cabinets to attach to top or intermediate channel. Kit includes two anti-dislodgement brackets that engage into intermediate channel below the cabinet.
AWS Applied wall system	Adapter kits for wood overheads are available in AA anodized aluminum or 111 black only.	Adapter kit for wood overhead storage converts AutoStrada wall-attached single-high overhead cabinets to mount on the applied wall system.
WOMK Wall mount bracket kit		
18 Width		
AA Finish		

Power and wire management

Cable trays and worksurface supports

AutoStrada

Applied Wall

description	application	h	w	d	pattern no.	list	painting or aluminum
Cable tray 		2 1/4"	24"	1 3/4"	AAWS CT24 ()		\$76.
		2 1/4"	30"	1 3/4"	AAWS CT30 ()		82.
		2 1/4"	36"	1 3/4"	AAWS CT36 ()		94.
		2 1/4"	42"	1 3/4"	AAWS CT42 ()		107.
		2 1/4"	48"	1 3/4"	AAWS CT48 ()		122.
		2 1/4"	54"	1 3/4"	AAWS CT54 ()		139.
		2 1/4"	60"	1 3/4"	AAWS CT60 ()		148.
		2 1/4"	66"	1 3/4"	AAWS CT66 ()		153.
		2 1/4"	72"	1 3/4"	AAWS CT72 ()		158.
End support bracket 	28 3/8"H worksurface	3"	2"		AAWS BE27 ()	127.	
	29 5/8"H worksurface	4"	2"		AAWS BE28 ()	127.	

Order Code

Example:	AAWS CT24 AA
A	AutoStrada
AWS	Applied Wall System
CT	Cable tray
24	Width
AA	Finish

Specification Information

Cable trays are available in AA - Anodized Aluminum or any standard painted finish except 613 Silver.

End support brackets are available in all standard paint finishes.

Application

Cable trays mount anywhere along any intermediate channel, and are typically installed below worksurface height in the channel 24" above the floor.

When combined with recess cover above cable tray is effectively expanded from 1 3/4" to 2 1/2" deep.




End support brackets include a flat base plate to engage into a slot in the base of the cable tray.

End support brackets also directly engage into intermediate channel at 24" above floor to support back edge or one end of worksurface.



Power and wire management

Surface mounted plugmold raceway

AutoStrada

description	h	w	d	pattern no.	aluminum
Plugmold, single circuit (3 wire, grey outlets) 	1 1/2"	60"	1 1/8"	AAWS RPM1 05 ()	\$439.
Plugmold, two circuits (4 wire, grey outlets shared neutral and ground) 	1 1/2"	60"	1 1/8"	AAWS RPM2 05 ()	549.
Plugmold, isolated (6 wire, gray + orange outlets independent neutral and ground) 	1 1/2"	60"	1 1/8"	AAWS RPM2I 05 ()	549.
Plugstrip, two circuits (4 wire, grey + orange outlets shared neutral and ground) 	1 1/2"	28"	1 1/8"	AAWS RPM2 02 ()	268.

Order Code	Specification Information	Application	
Example: AAWS RPM1 05 AA			
A AutoStrada	AA - Aluminum only available finish.	Plugmold is surface mounted raceway for one or two circuits. Plugmold includes ten simplex outlets, anodized aluminum covers and end caps. Plugmold may be linked or trimmed to length on site. Plugstrip includes eight simplex outlets. Plugstrip mounts to 30" or wider recess cover.	Power supply must be made by an electrical contractor, including hardwire connection from junction box in building to back side of plugmold raceway. Typically contractor punches a hole for connection through a recess cover positioned just above a junction box in the building wall.
AWS Applied Wall System	Plugmold is 60" wide with outlets every 6" (ten simplex outlets total).		
RPM1 Plugmold raceway, one circuit	Plugstrip is 28" wide with outlets every 3" (eight outlets total).		
05 width			
AA Finish, Aluminum			

description	h	w	d	pattern no.	list	painted or aluminum	paint	black or AA only
Marker tray 	3/4"	24"	2 1/2"	AAWS MT24 ()		\$68.		
	3/4"	30"	2 1/2"	AAWS MT30 ()		74.		
	3/4"	36"	2 1/2"	AAWS MT36 ()		79.		
	3/4"	42"	2 1/2"	AAWS MT42 ()		84.		
	3/4"	48"	2 1/2"	AAWS MT48 ()		89.		
	3/4"	54"	2 1/2"	AAWS MT54 ()		114.		
	3/4"	60"	2 1/2"	AAWS MT60 ()		123.		
	3/4"	66"	2 1/2"	AAWS MT66 ()		129.		
	3/4"	72"	2 1/2"	AAWS MT72 ()		135.		
Easel pad holder 	2"	28"	1 1/8"	AAWS EASEL ()				104.
Picture hook 	1"	1 1/4"	1"	AAWS PH ()			23.	
Coat hook 	2"	2 1/2"	1 1/2"	AAWS CH ()			23.	
Cable grommet (10/pk) 	1 1/4"		1 1/4"	AAWS CG	10.			

Order Code

Example:	AAWS MT24 AA
A	AutoStrada
AWS	Applied wall system
MT	Marker tray
24	Width
AA	Finish

Specification Information

- Markertray is available in AA anodized aluminum or any standard painted finish except 613 Silver.
- Easel pad holder is available in AA anodized aluminum or 111 black only.
- Picture hook and Coat hook are available in all standard painted finishes.
- Wire manager clips are easy grey plastic.
- Cable grommets are black plastic.

Application Notes

Applied wall system accessories include integral bracket detail that engages into top or intermediate channels at any point.

Easel pad holder includes three studs to hang standard 27"x34" easel pads on inside and outside face of bracket.



Wire manager clips may be used for horizontal or vertical wire management of lamp cords on the face of the applied wall.

Cable grommet is 1 1/4" diameter trim ring for 1" diameter hole which may be punched in recess covers to route data/communications cables from inside of applied wall to the surface.




Service Wall frames

Standard and compact crown




AutoStrada

description	type	w	d	h	pattern number	black	list
	39"H	48"	5"	43"	APF1 3948	\$571.	
		60"	5"	43"	APF1 3960	656.	
		72"	5"	43"	APF1 3972	813.	
	48"H	48"	5"	52"	APF1 4848	628.	
		60"	5"	52"	APF1 4860	718.	
		72"	5"	52"	APF1 4872	896.	
	64"H	48"	5"	68"	APF1 6448	747.	
		60"	5"	68"	APF1 6460	854.	
		72"	5"	68"	APF1 6472	1,069.	
	39"H	48"	5"	40"	APFA1 3948	457.	
		60"	5"	40"	APFA1 3960	524.	
		72"	5"	40"	APFA1 3972	647.	
	48"H	48"	5"	49"	APFA1 4848	501.	
		60"	5"	49"	APFA1 4860	574.	
		72"	5"	49"	APFA1 4872	717.	
	64"H	48"	5"	65"	APFA1 6448	597.	
		60"	5"	65"	APFA1 6460	682.	
		72"	5"	65"	APFA1 6472	854.	
Acoustical inserts	39"H		2"	34"	APA 39		33.
	48"H		2"	43"	APA 48		39.
	64"H		2"	59"	APA 64		53.

Order Code	Specification Information	Application
Example: APFA1 3948	Wall frame pattern numbers begin with APF (standard crown) and APFA (compact crown) prefixes.	Service Wall frames are the structural component of spine-based planning. Specify frames in any combination of widths to create the overall wall length required.
APF Spine frame		
A compact crown		
1 Generation		
39 Height		
48 Width		
	<i>Specify:</i> <i>Fifth position: height</i> 39 39"H 48 48"H 64 64"H <i>Seventh position: width</i> 48 48"W 60 60"W 72 72"W All Service Wall frames include 3" diameter, 2" levelling glides and one set of connectors to adjacent frame or wall connector. Frames are black painted finish.	Crown is bored to accept stackable add-up panels at 3" increments. Service Wall frames include two levelling feet with 2" travel, 12" from each side edge. Acoustical inserts fit between studs in Service Wall frame to increase control of sound transmission. Inserts are bagged in heights corresponding to wall frame. Specify four inserts for 48"W frame, five for 60"W frame, and six for 72"W frame. Service Walls with acoustical inserts have been tested to STC 33. Inserts do not affect the NRC rating of the wall which is .40. Specify crown covers, raceway covers, structural base covers, and wall covers for each face of Service Wall frame, and specify power components separately.

description	type	w	d	h	pattern number	paint	list	anodized alum
Crown covers (pair)		48"	5"	4"	APT 48 ()	\$40.		
		60"	5"	4"	APT 60 ()	48.		
		72"	5"	4"	APT 72 ()	54.		
		(specify painted finish)						
		48"	5"	1"	APTA 48 ()		64.	
		60"	5"	1"	APTA 60 ()		76.	
		72"	5"	1"	APTA 72 ()		130.	
		48"	5"	1"	APTL 48 ()	87.		87.
		60"	5"	1"	APTL 60 ()	110.		110.
		72"	5"	1"	APTL 72 ()	132.		132.
		96"	5"	1"	APTL 96 ()	177.		177.
		120"	5"	1"	APTL 120 ()	n/a		220.
		(finish default AA, anodized aluminum)						
		48"	5"	1 1/4"	APTH 48 ()	87.		87.
		60"	5"	1 1/4"	APTH 60 ()	110.		110.
		72"	5"	1 1/4"	APTH 72 ()	132.		132.
		96"	5"	1 1/4"	APTH 96 ()	177.		177.
		120"	5"	1 1/4"	APTH 120 ()	n/a		220.
		(finish default AA, anodized aluminum)						

Order Code	Specification Information	Application
Example: APRA 480 AA		
APR A Base trim	Service Wall crown pattern numbers begin with APT- (standard) and APTA- (compact) prefix, then frame width.	Crown, base trim, and structural base covers are required for every wall frame in corresponding widths. Covers are specified in pairs to cover both sides of a frame.
48 Width	Standard crown covers are available in painted finish. Please specify painted finish from paint options listed on page 7.	Crown top caps are optional fillers for the crown where no add-up panels are planned. Standard crown end caps are included with all connectors. Compact crown end caps must be ordered individually or in kits of 10.
0 Outlet openings	Compact crown covers are available in Integral light grey (812 Easy grey) or dark grey (813 Trim grey) plastic.	Specify painted finish for standard crown end caps.
AA Finish	Flat crown covers are available in clear anodized aluminum or painted finish options listed on page 7 excluding silver.	Specify light grey (812 Easy Grey) or dark grey (813 Trim Grey) integral color for crown top cap and Sloped compact crown end cap.
	Base trim covers begin with APRA- prefix, then frame width. Base trim covers are available in clear anodized aluminum or painted finish options listed on page 7 excluding silver.	Flat crown end caps in corresponding low or high profile are ordered separately as individual units.
		Flat crown end caps are required for all connectors except flat ends.

description	type	w	d	h	pattern number	paint	list	anodized alum
 Base trim covers (pair)	no outlets	48"	–	4"	APRA 480 ()	\$149.		\$149.
		60"	–	4"	APRA 600 ()	178.		178.
		72"	–	4"	APRA 720 ()	214.		214.
 Crown top cap		24"	2"	–	APT1 C24 ()		9.	
		36"	2"	–	APT1 C36 ()		18.	
		48"	2"	–	APT1 C48 ()		30.	
		60"	2"	–	APT1 C60 ()		33.	
		72"	2"	–	APT1 C72 ()		40.	
	integral color only, plastic							
 Crown top cap, metal		24"	2"	–	APTA C24 ()	32.		32.
		36"	2"	–	APTA C36 ()	39.		39.
		48"	2"	–	APTA C48 ()	47.		47.
		60"	2"	–	APTA C60 ()	53.		53.
		72"	2"	–	APTA C72 ()	65.		65.
	default finish AA, anodized aluminum							
Crown end cap	standard (replacement part)				APT ()		5.	
	 compact				APTA CC1 ()		15.	
	 compact (kit of 10)				APTA CC ()		131.	

Order Code	Specification Information	Application
Example: APRA 480 AA		
APR A Base trim	Service Wall crown pattern numbers begin with APT- (standard) and APTA- (compact) prefix, then frame width.	Crown, base trim, and structural base covers are required for every wall frame in corresponding widths. Covers are specified in pairs to cover both sides of a frame.
48 Width	Standard crown covers are available in painted finish. Please specify painted finish from paint options listed on page 7.	Crown top caps are optional fillers for the crown where no add-up panels are planned. Standard crown end caps are included with all connectors. Compact crown end caps must be ordered individually or in kits of 10.
0 Outlet openings	Compact crown covers are available in Integral light grey (812 Easy grey) or dark grey (813 Trim grey) plastic.	Specify painted finish for standard crown end caps.
AA Finish	Flat crown covers are available in clear anodized aluminum or painted finish options listed on page 7 excluding silver.	Specify light grey (812 Easy Grey) or dark grey (813 Trim Grey) integral color for crown top cap and Sloped compact crown end cap.
	Base trim covers begin with APRA- prefix, then frame width. Base trim covers are available in clear anodized aluminum or painted finish options listed on page 7 excluding silver.	Flat crown end caps in corresponding low or high profile are ordered separately as individual units.
		Flat crown end caps are required for all connectors except flat ends.

description	type	w	d	h	pattern number	paint	list	anodized alum
Crown end cap, metal	flat, low profile				APTL ()	\$38.		
					specify painted finish			
	flat, high profile				APTH ()	\$38.		
					specify painted finish			


Order Code	Specification Information	Application
Example: APRA 480 AA		
APR A Base trim	Service Wall crown pattern numbers begin with APT- (standard) and APTA- (compact) prefix, then frame width.	Crown, base trim, and structural base covers are required for every wall frame in corresponding widths. Covers are specified in pairs to cover both sides of a frame.
48 Width	Standard crown covers are available in painted finish. Please specify painted finish from paint options listed on page 7.	Crown top caps are optional fillers for the crown where no add-up panels are planned. Standard crown end caps are included with all connectors. Compact crown end caps must be ordered individually or in kits of 10.
0 Outlet openings	Compact crown covers are available in Integral light grey (812 Easy grey) or dark grey (813 Trim grey) plastic.	Specify painted finish for standard crown end caps.
AA Finish	Flat crown covers are available in clear anodized aluminum or painted finish options listed on page 7 excluding silver.	Specify light grey (812 Easy Grey) or dark grey (813 Trim Grey) integral color for crown top cap and Sloped compact crown end cap.
	Base trim covers begin with APRA- prefix, then frame width. Base trim covers are available in clear anodized aluminum or painted finish options listed on page 7 excluding silver.	Flat crown end caps are required for all connectors except flat ends.

Structural base cover kits

Painted steel surface (pair)

AutoStrada

description	type	width	depth	height	pattern number	paint
Structural base covers (pair)	painted steel	48"	1"	16"	APCA AZ48S()	\$295.
		60"	1"	16"	APCA AZ60S()	343.
		72"	1"	16"	APCA AZ72S()	406.




Order Code	Specification Information	Application Notes
Example: APCA AZ48S 118	Structural base cover kit pattern numbers begin with APCA AZ prefix, then cover width. Starting at tenth position specify paint finish	Please specify painted finish for structural base covers from paint options listed on page 7. Structural base covers are required for every wall frame in corresponding widths. Covers are specified in pairs to cover both sides of a frame. Structural base covers bolt to each side of the wall frame up to 21"H for structure and continuous attachment capability.
APCA Autostrada wall cover		
AZ Attachment zone		
48 Width		
S Steel		
118 Finish		

Structural base cover kits

Veneer and laminate surface (pair)

AutoStrada

description	type	width	depth	height	pattern number	L	V1	V2	V3
Structural base covers (pair)	anodized aluminum or painted trim	48"	1"	16"	APCA AZ48 () ()	\$837.	\$943.	\$1,024.	\$1,392.
		60"	1"	16"	APCA AZ60 () ()	925.	1,030.	1,125.	1,575.
		72"	1"	16"	APCA AZ72 () ()	961.	1,054.	1,182.	1,715.





Spine and linkable screens

Order Code	Specification Information	Application Notes
Example: APCA AZ48 V312 AA	Structural base cover kit pattern numbers begin with APCA AZ prefix, then cover width.	Structural base covers are required for every Service Wall frame in corresponding widths. Covers are specified in pairs to cover both sides of a Service Wall.
APCA AutoStrada wall cover		
AZ Attachment zone		
48 Width	Starting at ninth position specify laminate, veneer or techwood finish	
V312 Cover finish		
AA Trim finish	Product on this page will accept wood grain laminate where laminate is currently an option.	Structural base covers bolt to each side of the Service Wall frame up to 21"H for structure and continuous attachment capability.
	Laminate and veneer covers have an anodized aluminum or painted trim at the top and bottom of each cover. Painted finish options listed on page 7 excluding silver.	

Access covers

Slatwall, cable tray and outlets covers

AutoStrada

description	height	depth	width	pattern number	list	textured
9"H cable tray covers 	9"	1"	12"	APCA 0912 C ()	\$84.	
		1"	24"	APCA 0924 C ()	101.	
		1"	36"	APCA 0936 C ()	116.	
		1"	48"	APCA 0948 C ()	153.	
		1"	60"	APCA 0960 C ()	195.	
		1"	72"	APCA 0972 C ()	237.	
9"H slatwall covers 	9"	1"	12"	APCA 0912 S ()	74.	
		1"	24"	APCA 0924 S ()	86.	
		1"	36"	APCA 0936 S ()	104.	
		1"	48"	APCA 0948 S ()	133.	
		1"	60"	APCA 0960 S ()	169.	
		1"	72"	APCA 0972 S ()	206.	
Outlets cover 	9"	1"	12"	APCA OC () ()		83.


Order Code	Specification Information	Application Notes
Example: APCA 0948C AA APCA Autostrada wall cover 09 Height 48 Width C Type AA Finish	Cable tray and slatwall covers are aluminum with an anodized or painted finish. Outlets covers are painted plastic with anodized aluminum or painted extrusion on the top and bottom. Please specify painted finish for outlets cover face from paint options listed on page 7.	Cable tray mounts from 21" - 30" only on any Service Wall frame. Adjacent trays form continuous, easily accessible cable management at worksurface or table height. Shorter segments provide local cable management below outlet modules. Covers may span across a straight Service Wall frame connection. Bottom half of cable tray cover permits cables to be managed on surface of studs with one cable holder (55 CAT5 cables) or two clips (28 cables). Slatwall supports KnollExtra task lights, monitor arms, paper trays, file holders and other accessories. Slatwall covers will support flat panel monitor arms with varying weight limitations based on mounting and application. Please refer to the KnollExtra price list for comprehensive mounting and weight limitation information by application. Locate outlets covers on Service Wall frames before specifying other Service Wall covers. Outlets cover mounts between 21" and 30" (below standard desk height), 30" - 39" (above desk height) or 39" - 48" on Service Wall frame. Outlets cover is 12" wide, and mounts anywhere on Service Wall frame between 21" and 48" above the floor. Outlets cover corresponds to power components (specified separately) mounted on Service Wall frame. Outlets covers have four openings for power or PDC outlets. Specify outlet fillers for unused outlet openings in cover.

Access covers


Hardwire outlets and covers

AutoStrada

description	height	depth	width	pattern number	list
Hardwire outlets cover	9"	1"	12"	APCA HOC () ()	\$81.



Hardwire outlet box, desk height				AR1 HOB	233.
				AR1 HOB2	307.




Spine and linkable screens

Order Code	Specification Information	Application Notes	
Example: APCA HOC 613 AA			
APCA	AutoStrada wall cover	For hardwire power applications (required in City of Chicago) specify hardwire outlets cover and hardwire outlets box, instead of standard outlets covers and modular power components. Do not specify cable tray covers at same level as hardwire power.	
H	Hardwire		
OC	Outlets cover		
613	Cover Finish		
AA	Trim Finish		
	Hardwire outlets covers are painted steel with anodized aluminum or painted extrusion top and bottom.		Hardwire outlet box accepts two Decora-style duplex outlets, and includes mounting brackets for one face of Service Wall between 21" and 48"H. Two quad hardwire outlet box accepts four duplex outlets on one face.
	Please specify painted finish for outlets cover face from paint options listed on page 7.		
	Painted finish option for hardwire outlets cover trim listed on page 7 excluding silver.	Hardwire outlets cover mounts between 21" and 30" (below standard desk height) or 30" - 39" (above desk height) on Service Wall frame.	Outlet boxes include openings to permit continuous lay-in wiring with Wiremold® raceway. Electrical contractor supplies infeed cable, Wiremold 2400®, and duplex outlets. Outlet boxes can be planned back to back, with distribution on one side of Service Wall.
		Outlets covers have four openings for power or PDC outlets. Specify outlet fillers for unused outlet openings in cover.	NOTE: Currents cable tray access covers and all AutoStrada access covers cannot be used in the same 9"H zone as the Wiremold raceway as the Wiremold will not fit behind the covers.

Access covers

Integral shelf

AutoStrada


description	height	width of shelf	pattern number	list	L	V1	V2	V3
Integral shelf covers 	9"	21"	APSA 0921 () ()		\$643.	\$708.	\$722.	\$770.
		24"	APSA 0924 () ()		643.	708.	722.	770.
		33"	APSA 0933 () ()		729.	796.	811.	878.
		36"	APSA 0936 () ()		729.	796.	811.	878.
		45"	APSA 0945 () ()		781.	853.	873.	957.
		48"	APSA 0948 () ()		781.	853.	873.	957.
		57"	APSA 0957 () ()		864.	939.	960.	1,061.
		60"	APSA 0960 () ()		864.	939.	960.	1,061.
		69"	APSA 0969 () ()		930.	1,008.	1,031.	1,149.
		72"	APSA 0972 () ()		930.	1,008.	1,031.	1,149.
	16"	21"	APSA 1621 () ()		658.	720.	738.	819.
		24"	APSA 1624 () ()		658.	720.	738.	819.
		33"	APSA 1633 () ()		740.	808.	833.	945.
		36"	APSA 1636 () ()		740.	808.	833.	945.
		45"	APSA 1645 () ()		804.	875.	902.	1,047.
		48"	APSA 1648 () ()		804.	875.	902.	1,047.
		57"	APSA 1657 () ()		891.	966.	998.	1,177.
		60"	APSA 1660 () ()		891.	966.	998.	1,177.
		69"	APSA 1669 () ()		958.	1,036.	1,074.	1,281.
		72"	APSA 1672 () ()		958.	1,036.	1,074.	1,281.
Integral shelves 		21"	ADS 0821 ()	377.				
		24"	ADS 0824 ()	377.				
		33"	ADS 0833 ()	432.				
		36"	ADS 0836 ()	432.				
		45"	ADS 0845 ()	477.				
		48"	ADS 0848 ()	477.				
		57"	ADS 0857 ()	535.				
		60"	ADS 0860 ()	535.				
		69"	ADS 0869 ()	582.				
		72"	ADS 0872 ()	582.				

Order Code	Specification Information	Application Notes
Example: APSA 0948 118 AA		
APSA Autostrada integral shelf cover	Please specify laminate, V1, V2 or V3 finish for Service Wall cover from finish options listed on page 7.	Integral shelves may be added to any laminate, marker or veneer spine cover. Holes for fasteners must be drilled through bottom extrusion and cover on site.
09 Height	Product on this page will accept wood grain laminate where laminate is currently an option.	
48 Width	Shelf is extruded aluminum with an anodized or painted finish.	
118 Cover Ffinish	Painted finish option for integral shelf cover trim and integral shelf listed on page 7excluding silver.	
AA Shelf and Trim Finish		
		Service Wall covers enclose frames between 21"H and the top crown. Covers may be specified in any combination of widths corresponding to the total Service Wall length. Covers may span across a straight Service Wall frame connection. The integral shelf cover features a full width 8" deep display shelf crafted in anodized or painted aluminum. The cover is also available with a shelf that is 3" less wide than full module to accomodate a panel connected to the Service Wall.

Access covers

Laminate, marker and veneer

AutoStrada

description	height	width	pattern number	L	V1	V2	V3
Access covers 	9"	12"	APCA 0912 ()()	\$300.	\$353.	\$368.	\$407.
		24"	APCA 0924 ()()	318.	371.	388.	464.
		36"	APCA 0936 ()()	352.	404.	428.	531.
		48"	APCA 0948 ()()	365.	418.	448.	577.
		60"	APCA 0960 ()()	394.	448.	486.	644.
		72"	APCA 0972 ()()	412.	470.	508.	695.
	16"	12"	APCA 1612 ()()	305.	361.	381.	452.
		24"	APCA 1624 ()()	331.	384.	412.	537.
		36"	APCA 1636 ()()	368.	421.	459.	629.
		48"	APCA 1648 ()()	388.	441.	487.	708.
		60"	APCA 1660 ()()	429.	482.	536.	806.
		72"	APCA 1672 ()()	452.	505.	569.	888.
	18"	12"	APCA 1812 ()()	311.	362.	382.	462.
		24"	APCA 1824 ()()	338.	387.	419.	559.
		36"	APCA 1836 ()()	372.	425.	467.	661.
		48"	APCA 1848 ()()	399.	451.	501.	747.
		60"	APCA 1860 ()()	437.	488.	547.	852.
		72"	APCA 1872 ()()	463.	521.	587.	947.
	27"	12"	APCA 2712 ()()	321.	377.	400.	521.
		24"	APCA 2724 ()()	355.	411.	451.	651.
		36"	APCA 2736 ()()	406.	462.	519.	801.
		48"	APCA 2748 ()()	436.	489.	556.	918.
		60"	APCA 2760 ()()	485.	539.	620.	1,068.
		72"	APCA 2772 ()()	519.	572.	665.	1,196.


Spine and linkable screens

Order Code	Specification Information	Application Notes
Example: APCA 0948 V312 AA		
APCA Autostrada wall cover	Please specify laminate, V1, V2 or V3 finish for access covers from finish options listed on page 7.	Service Wall covers enclose frames between 21"H and the top crown. Covers may be specified in any combination of widths corresponding to the total Service Wall length. Covers may span across a straight Service Wall frame connection.
09 Height	Product on this page will accept wood grain laminate where laminate is currently an option.	
48 Width	Specify finish code: LW for markerboard surface.	
V312 Cover Finish	Painted finish option for trim listed on page 7 excluding silver.	For active surfaces with access to cables and power/data/communications outlets, specify 9" and 16"H segmented covers as described in Specification Information.
AA Trim Finish		

Access covers

Tackable upholstered

AutoStrada

description	height	depth	width	pattern number	10	15	20	30	35	40	45	50	55
Access covers 	9"	1"	12"	APCA 0912 A () ()	\$126.	\$128.	\$129.	\$133.	\$137.	\$141.	\$146.	\$153.	\$161.
		1"	24"	APCA 0924 A () ()	154.	156.	157.	161.	163.	169.	170.	175.	189.
		1"	36"	APCA 0936 A () ()	170.	174.	175.	181.	183.	188.	189.	193.	204.
		1"	48"	APCA 0948 A () ()	192.	196.	197.	199.	204.	206.	207.	215.	226.
		1"	60"	APCA 0960 A () ()	206.	209.	214.	217.	221.	226.	230.	232.	243.
		1"	72"	APCA 0972 A () ()	n/a	231.	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	16"	1"	12"	APCA 1612 A () ()	135.	140.	142.	153.	158.	162.	169.	178.	199.
		1"	24"	APCA 1624 A () ()	174.	181.	182.	192.	199.	205.	207.	220.	243.
		1"	36"	APCA 1636 A () ()	193.	199.	203.	209.	220.	226.	231.	240.	264.
		1"	48"	APCA 1648 A () ()	216.	222.	224.	234.	242.	247.	250.	262.	286.
		1"	60"	APCA 1660 A () ()	237.	242.	243.	252.	261.	270.	273.	283.	305.
		1"	72"	APCA 1672 A () ()	n/a	262.	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	18"	1"	12"	APCA 1812 A () ()	151.	155.	157.	168.	174.	182.	186.	196.	220.
		1"	24"	APCA 1824 A () ()	176.	182.	186.	196.	203.	207.	214.	222.	246.
		1"	36"	APCA 1836 A () ()	197.	203.	205.	215.	222.	231.	233.	242.	268.
		1"	48"	APCA 1848 A () ()	241.	244.	247.	259.	265.	274.	275.	286.	313.
		1"	60"	APCA 1860 A () ()	241.	244.	247.	259.	265.	274.	275.	286.	313.
		1"	72"	APCA 1872 A () ()	n/a	268.	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	27"	1"	12"	APCA 2712 A () ()	169.	177.	182.	197.	206.	217.	222.	239.	274.
		1"	24"	APCA 2724 A () ()	198.	206.	214.	226.	239.	247.	250.	268.	303.
		1"	36"	APCA 2736 A () ()	221.	232.	237.	247.	261.	273.	275.	290.	328.
		1"	48"	APCA 2748 A () ()	246.	256.	262.	275.	286.	295.	300.	317.	353.
		1"	60"	APCA 2760 A () ()	272.	282.	284.	298.	312.	319.	325.	339.	374.
		1"	72"	APCA 2772 A () ()	n/a	300.	n/a	n/a	n/a	n/a	n/a	n/a	n/a

Order Code	Specification Information	Application Notes	
Example: APCA 0948A W210 AA			
APCA	Autostrada wall cover		
09	Height		
48	Width		
A	Surface type		
W210	Fabric		
AA	Trim Finish		
	For active face of 39"H Service Wall frame, specify two 9"H covers. For passive face (along corridor or wall) specify one 18" cover.	Tackable upholstered Service Wall covers enclose Service Wall frames between 21" and the top crown. Covers incorporate a tackable, acoustical core in the same outward profile as other upholstered covers.Specify widths corresponding to Service Wall frame width, or in any 12" increment to accommodate 12"W outlets covers or slatwall covers. Covers may span across a straight Service Wall frame connection.For active surfaces with access to cables and power/data/communications outlets, specify 9" and 16"H segmented covers as described in Specification Information.	For passive Service Wall surfaces (corridors or conference areas) specify 18"H or 27"H covers in place of two or three 9"H covers.
	For active face of 48"H Service Wall frame, specify three 9"H covers or one 9"H and one 18"H cover. For passive face, specify 27"H cover.		18"H covers may also be specified above 9"H covers including outlets covers below desk height on 48" or 64"H Service Walls.
	For active face of 64"H Service Wall frame, specify three 9"H covers and one 16"H cover or one 9"H, one 18"H, and one 16"H cover. For passive face, specify one 27" and one 16"H cover.		Service Wall with upholstered tackable covers has been tested to NRC .40 and STC 22.
	For full fabric surface between 5" and 21", order upholstered attachment zone cover.		When ordering 60" or wider covers, please check width of fabric specified. In which cases fabric will need to be applied railroaded. Contact CPD.
	Surface type:		
	A tackable upholstered		

Spine ends and connectors

Flat ends

AutoStrada

description	type	h	d	pattern no.	painted
Flat end	standard crown 	39"	5"	AX1A F39 () ()	\$121.
		48"	5"	AX1A F48 () ()	137.
		64"	5"	AX1A F64 () ()	153.
	compact crown 	39"	5"	AX1A C39 ()	121.
		48"	5"	AX1A C48 ()	137.
		64"	5"	AX1A C64 ()	153.
	low profile flat crown 	39"	5"	AX1A EL39 ()	121.
		48"	5"	AX1A EL48 ()	137.
		64"	5"	AX1A EL64 ()	151.
	high profile flat crown 	39"	5"	AX1A EH39 ()	121.
		48"	5"	AX1A EH48 ()	137.
		64"	5"	AX1A EH64 ()	151.

Spine and linkable screens

Order Code	Specification Information	Application Notes
Example: AX1A C48 118	For flat ends specify:	Flat end finishes end of corresponding height Service Wall when end of Service Wall is supported by outriggers or perpendicular screens or panels. Flat ends include end cover for compact crown or standard crown, as specified.
AX1A AutoStrada connector	<i>Starting seventh position:</i> painted finish for outside trim cover and raceway cover	
C Type	<i>Starting eleventh position:</i> painted finish for crown end cap	
48 Height	Please specify painted finishes from paint finish options listed on page 7.	High-low straight connectors join Service Wall of different heights in a straight line.
118 vertical cover finish		Straight connector is replacement hardware kit to join Service Wall frames of the same height end to end. Kit includes four barrel-shape connectors and hardware.

Spine ends and connectors

Corner, T, X, V and Y connections

AutoStrada

description	type	h	w	d	pattern number	list
90° connector	X connector	39"	7"	7"	AX1A X39 ()	\$393.
		48"	7"	7"	AX1A X48 ()	428.
		64"	7"	7"	AX1A X64 ()	472.
	L connector	39"	6"	6"	AX1A L39 ()()	393.
		48"	6"	6"	AX1A L48 ()()	472.
		64"	6"	6"	AX1A L64 ()()	551.
	T connector	39"	6"	7"	AX1A T39 ()()	393.
		48"	6"	7"	AX1A T48 ()()	472.
		64"	6"	7"	AX1A T64 ()()	551.
120° connector	V connector	39"	5 1/2"	5 1/2"	AX1A V39 ()()	393.
		48"	5 1/2"	5 1/2"	AX1A V48 ()()	472.
		64"	5 1/2"	5 1/2"	AX1A V64 ()()	551.
	Y connector	39"	6 1/2"	5 1/2"	AX1A Y39 ()()	393.
		48"	6 1/2"	5 1/2"	AX1A Y48 ()()	472.
		64"	6 1/2"	5 1/2"	AX1A Y64 ()()	551.

Order Code	Specification Information	Application Notes
Example: AX1A L48 118	For L, T, V and Y connectors specify:	L, T, and X connectors join Service Wall frames at 90° angles and include vertical trim covers, top cap and standard crown end caps, and one spare set of straight connectors.
AX1A AutoStrada connector	<i>Seventh position:</i> painted finish for vertical trim cover and raceway cover	V and Y connectors join Service Wall frames at 120° angles and include vertical trim covers, topcap and standard crown end caps.
L Type	<i>Eighth position, and X connectors:</i> painted finish for top cap and standard crown end caps	When ordering connectors for the Service Wall with compact crown, specify crown end caps separately.
48 Height		
118 vertical cover finish	Please specify painted finish as applicable from paint options listed on page 7.	

Spine ends and connectors

Outriggers and spine starters

AutoStrada

description	type	h	w	d	pattern number	list
Outrigger 	deep	21"	3"	15"	AA1ORD()	\$192.
	standard	21"	3"	8"	AA1OR()	139.
Service Wall starter	39"	39"		2"	AX1 SWS39 ()	125.
	48"	48"		2"	AX1 SWS48 ()	139.
	64"	64"		2"	AX1 SWS64 ()	160.
Straight connector kit (replacement)		—	—	—	AX1 S	26.
High low straight connector for spine with standard crown only	48 - 39"	48"		5"	AX1 HLS4839 ()()	220.
	64 - 39"	64"		5"	AX1 HLS6439 ()()	374.
	64 - 48"	64"		5"	AX1 HLS6448 ()()	251.

Spine and linkable screens

Order Code	Specification Information	Application Notes
Example: AA1 ORD 118	Please specify painted finish as applicable from finish options listed on page 7.	Outrigger connects to structural base cover at any point. Outriggers (or perpendicular systems panels) are required every 8' and adjacent to flat end for adequate support. Specify deep outriggers when cantilevering 24"D worksurfaces without adjacent perpendicular systems panels or spine wall connectors.
AA1 Accessory		
ORD Outrigger deep		
118 Finish		
		Service Wall starter connects Service Wall to building wall.

Spine end connectors for linkable screens and Morrison panels

description	application	h	w	d	pattern no.	list
 Spine end connector	39"h spine	39"	5"	1/2"	AX1SEC3939 () () ()	\$259.
	48"h spine	48"	5"	1/2"	AX1SEC4848 () () ()	272.
	64"h spine	64"	5"	1/2"	AX1SEC6464 () () ()	325.
 Spine end connector to top of compact 1"h crown	39"h spine	40"	5"	1/2"	AX1SEC4039 L () ()	259.
	48"h spine	49"	5"	1/2"	AX1SEC4948 L () ()	272.
	64"h spine	65"	5"	1/2"	AX1SEC6564 L () ()	325.
 Spine end connector to top of Currents 4"h crown	39"h spine	43"	5"	1/2"	AX1SEC4339 C () ()	259.
	48"h spine	52"	5"	1/2"	AX1SEC5248 C () ()	272.
	64"h spine	68"	5"	1/2"	AX1SEC6864 C () ()	325.
Inside base trim cover for Currents raceway		4"	5"		AX1SECBT ()	51.

Order Code	Specification Information	Application Notes
Example: AX1 SEC 3939 L 613 812	For spine end connectors specify:	Spine end connectors are complete vertical cover and top trim for the end of an AutoStrada or Currents spine. Side edges of end connectors accept end starters for linkable screens and other systems panels of the same height or lower.
AX1 Spine connector	1.Crown type C=Currents standard 4"h L=low profile flat 1" H=high profile flat 1 1/4" F=compact crown 1"	Inside base trim for Currents raceway is recommended to finish inside of any spine end connector when combined with standard Currents recessed base raceway covers. Base trim is not required with AutoStrada spine base covers.
SEC Type		
39 Connector height		
39 Spine height		
L Crown type		
613 Crown end cap finish	2.Crown end cap finish Standard, low and high profile flat and compact crown end caps are available in all standard paint finishes and 813 Trim Grey. Compact crown end caps are also available in 812 Easy Grey.	Spine end connectors include painted aluminum cover with beveled top cap and the specified flat, compact, or standard crown end cap.
613 Vertical cover finish		Spine end connectors to top of compact crown are a visual alternative that replaces the crown end cap with a taller aluminum end cover and flat top cap.
812 Top cap finish	3.Vertical cover finish: All standard paint finishes	Spine end connectors to top of Currents crown are recommended when attaching any end started panel that is between the nominal height of the spine and the actual height with crown, such as 42"h panel to 39"h spine with 4"h crown.
	4.Top cap for vertical cover: 812=Easy Grey 813=Trim Grey And all standard paint finishes	Spine end connectors to top of Currents crown enclose the end of spine and standard crown and include flat top cap and inside top trim cover.
	Spine end connectors on this page align with spine base covers ^{13/16"} above the floor.	

Spine ends and connectors

High-low spine end connectors

for linkable screens and Morrison panels

description	application	h	w	d	pattern no.	list
	42" h panel/39" h spine	39"	5"	1/2"	AX1SEC4239 () ()	\$259.
	48" h panel/39" h spine	48"	5"	1/2"	AX1SEC4839 () ()	272.
	56" h panel/39" h spine	56"	5"	1/2"	AX1SEC5639 () ()	313.
	64" h panel/39" h spine	64"	5"	1/2"	AX1SEC6439 () ()	325.
	56" h panel/48" h spine	56"	5"	1/2"	AX1SEC5648 () ()	313.
	64" h panel/48" h spine	64"	5"	1/2"	AX1SEC6448 () ()	325.
	80" h panel/48" h spine	80"	5"	1/2"	AX1SEC8048 () ()	494.
	80" h panel/64" h spine	80"	5"	1/2"	AX1SEC8064 () ()	473.
Inside base trim cover for Currents raceway		4"	5"		AX1SECBT ()	51.

Order Code	Specification Information	Application Notes
Example: AX1 SEC 6448 613 812	For spine end connectors specify:	Note: 42”h panel/39”h spine combination (AX1SEC4239) can only be specified with compact or flat crown versions of the spine. For combination of 39”h spine with standard 4”h crown and 42”h panels specify AX1SEC4339C () ().
AX1 Spine connector	1.Vertical cover finish: All standard paint finishes	
SEC Type	2.Top cap for vertical cover 812=Easy Grey 813=Trim Grey And all standard painted finishes	
64 Panel height	Spine end connectors on this page align with spine base covers ¹³ / ₁₆ ” ⁿ above the floor.	
48 Spine height		
613 Painted finish		
613 Trim finish		

Spine end connectors for AutoStrada and Reff panels and Gallery screens

description	application	h	w	d	pattern no.	list
Spine end connector	34" panel or 39" screen/39"h spine	39"	5"	1/2"	AX1SEA3939 () () ()	\$259.
	34"-42" panel or 39"-49" screen/48"h spine	48"	5"	1/2"	AX1SEA4848 () () ()	272.
	34"-49" panel or screen/64"h spine	64"	5"	1/2"	AX1SEA4964 () () ()	325.
	42" panel/39"h spine + 1 1/4" crown	42"	5"	1/2"	AX1SEA4239 () ()	259.
	42" panel/39"h spine + 4" crown	43"	5"	1/2"	AX1SEA4339 C () ()	259.
	49" panel /39"h spine	49"	5"	1/2"	AX1SEA4939 () ()	272.
	49" panel or screen/48"h spine + 1 1/4" crown	49"	5"	1/2"	AX1SEA4948 () ()	286.
	49" panel or screen/48"h spine + 4" crown	52"	5"	1/2"	AX1SEA5248 C () ()	272.
	64" panel/39"h spine	64"	5"	1/2"	AX1SEA6439 () ()	325.
	64" panel/48"h spine	64"	5"	1/2"	AX1SEA6448 () ()	325.
	64" panel/64"h spine + 1 1/4" crown	65"	5"	1/2"	AX1SEA6464 () ()	325.
	64" panel/64"h spine + 4" crown	68"	5"	1/2"	AX1SEA6864 C () ()	325.
	79" panel/48"h spine	79"	5"	1/2"	AX1SEA7948 () ()	494.
	79" panel/64"h spine	79"	5"	1/2"	AX1SEA7964 () ()	473.
Inside base trim cover for Currents raceway		4"	5"		AX1SECBT ()	51.

Order Code	Specification Information	Application Notes
Example: AX1 SEA 4239 613 613 812		
AX1 Spine connector	For spine end connectors when panels are lower than spine specify crown type and finish for crown end cap.	Spine end connectors are complete end cover and trim for an AutoStrada or Currents spine. Side edges of spine end connectors accept end starters for AutoStrada or Reff panels or Gallery screens.
SEA Type		When attached panel is between the nominal height of the spine and the top of the Currents 4"h crown, spine end connector must cover the entire height of the spine with crown.
42 Panel height	1. Crown type: C=Currents standard 4"h L=low profile flat 1"h H=high profile flat 1 1/4"h F=compact 1"h	Spine end connectors include painted outside cover with flat top cap and inside cover (where applicable) over the end of the spine.
39 Spine height		
613 Painted finish		
613 Trim finish		
812 Top trim finish		
	2. All crown end caps are available in all painted finishes.	In most cases spine end connectors match the height of the attached panel. When attached panel is lower than the spine, the spine end connector is as high as the nominal height of the spine and the crown requires an end cap.
	For all spine end connectors specify vertical cover and top trim finish.	Inside base trim for Currents raceway is recommended to finish inside when combined with standard Currents recessed base raceway covers. Base trim is not required with AutoStrada spine base covers.
	3. Vertical cover finish: All standard paint finishes	
	4. Top trim for vertical cover: 812=Easy Grey 813=Trim Grey And all standard paint finishes	
	End connectors on this page begin 1/2" above floor.	

Spine end connectors for Dividends Horizon panels and screens

description	application	h	w	d	pattern no.	list
Spine end connector	36"h panel/39"h spine	39"	5"	1/2"	AX1SED3939 () () ()	\$259.
	36"h-42"h panel/ 48"h spine	48"	5"	1/2"	AX1SED4848 () () ()	272.
	36"h-64"h panel/ 64"h spine	64"	5"	1/2"	AX1SED6464 () () ()	325.
	42"h panel/ 39"h spine + 1" crown	42"	5"	1/2"	AX1SED4239 () ()	259.
	42"h panel/ 39"h spine + 4" crown	43"	5"	1/2"	AX1SED4339C () ()	259.
	50"h panel/ 39"h spine	50"	5"	1/2"	AX1SED5039 () ()	272.
	50"h panel/ 48"h spine + 1" crown	50"	5"	1/2"	AX1SED5048 () ()	286.
	50"h panel/ 48"h spine + 4" crown	52"	5"	1/2"	AX1SED5248C () ()	272.
	57"h panel/ 39"h spine	57"	5"	1/2"	AX1SED5739 () ()	313.
	57"h panel/ 48"h spine	57"	5"	1/2"	AX1SED5748 () ()	313.
	64"h panel/ 39"h spine	64"	5"	1/2"	AX1SED6439 () ()	325.
	64"h panel/ 48"h spine	64"	5"	1/2"	AX1SED6448 () ()	325.
	78"h panel/ 48"h spine	78"	5"	1/2"	AX1SED7848 () ()	494.
	78"h panel/ 64"h spine	78"	5"	1/2"	AX1SED7864 () ()	473.
Inside base trim cover for Currents raceway		4"	5"		AX1SECBT ()	51.

Order Code	Specification Information	Application Notes	
Example: AX1 SED 6448 613 812			
AX1	Spine connector	Spine end connectors are complete end cover and trim for an AutoStrada or Currents spine. Side edges of spine end connectors accept end starters for Dividends Horizon panels and screens.	When attached panel/screen is between the nominal height of the spine and the top of the Currents 4" crown, spine end connector must cover the entire height of the spine with crown.
SED	Type		
64	Panel height		
48	Spine height		
613	Vertical cover finish	In most cases spine end connectors match the height of the attached Dividends Horizon panel/screen. When attached panel/screen is lower than the spine, the spine end connector is as high as the nominal height of the spine and the crown requires an end cap.	Spine end connectors include painted aluminum outside cover with flat top cap and inside cover (where applicable) over the end of the spine.
812	Top cap finish		

End connectors on this page
begin 1/2" above floor.

3 1/2" spine extender kit for use with ceiling infeed or panels

description	application	h	w	d	pattern no.	list
Spine extender kit for use with Currents Spine	39"h spine	39"	5"	4"	AX1SX39 C (L/C/P)() ()	\$532.
	48"h spine	48"	5"	4"	AX1SX48 C (L/C/P)() ()	550.
	64"h spine	64"	5"	4"	AX1SX64 C (L/C/P)() ()	650.
Spine extender kit for use with AutoStrada Spine	39"h spine	39"	5"	4"	AX1SX39 A (L/C/P)() ()	650.
	48"h spine	48"	5"	4"	AX1SX48 A (L/C/P)() ()	667.
	64"h spine	64"	5"	4"	AX1SX64 A (L/C/P)() ()	774.

Order Code	Specification Information	Application Notes
Example: AX1 SX 48 AL 613 613	For all 3 1/2" spine extenders specify spine base type:	Spine extenders include brackets, side and top trim covers between the end of a spine and any spine end connector to add 3 1/2" to the length of a spine.
AX1 Spine connector	A AutoStrada	Spine end connector must be specified separately to finish off face of spine extender.
SX Type	C Currents	
48 Spine height	Then specify crown end type.	Spine extender dimension matches that of the Currents 3 1/2"x 5" ceiling infeed panel which may be added between nominal spine height and ceiling for connection to building power, data and communications supply.
A Spine type	L=Flat low/high profile metal crown end cap	
L Crown end type	C=Standard and compact sloped end cap	This extension can also make up for the dimensional gain of one Dividends Horizon panel or screen in the middle of a cluster of workstations.
613 Vertical finish	P=Power Pole	
613 Base trim finish	Then specify finish for vertical trim covers, all standard painted finishes.	In most cases the spine end connector matches the height of the attached Dividends Horizon panel or screen, but the extending area is only as high as the nominal height of the spine (bottom of crown) so the crown always requires an end cap.
613 Top cap finish	Then specify base cover finish. AutoStrada spine base covers are clear anodized aluminum (AA) or painted finish excluding silver. Currents spine raceway covers are available in any painted finish only.	
	Then specify top cap finish (if applicable).	When attached panel or screen is lower than the spine, the spine end connector should be the same height as the nominal height of the spine.

To attach linkable screens or Morrison panels to spine end connector

description	application	h	w	d	pattern no.	00	02	04
	30"h screen	25"	1"	1/2" - 4 1/2"	AX1LES30 () ()	\$156.	\$169.	\$181.
	39"h screen	34"	1"	1/2" - 4 1/2"	AX1LES39 () ()	169.	181.	202.
	48"h screen	43"	1"	1/2" - 4 1/2"	AX1LES48 () ()	195.	220.	246.
	64"h screen	59"	1"	1/2" - 4 1/2"	AX1LES64 () ()	229.	265.	304.
	30"h panel	30"	1"	1/2" - 4 1/2"	AX1MES30 () ()	162.	169.	181.
	39"h panel	39"	1"	1/2" - 4 1/2"	AX1MES39 () ()	195.	202.	220.
	42"h panel	42"	1"	1/2" - 4 1/2"	AX1MES42 () ()	195.	202.	229.
	48"h panel	48"	1"	1/2" - 4 1/2"	AX1MES48 () ()	202.	207.	236.
	56"h panel	56"	1"	1/2" - 4 1/2"	AX1MES56 () ()	236.	259.	293.
	64"h panel	64"	1"	1/2" - 4 1/2"	AX1MES64 () ()	236.	259.	293.
	80"h panel	80"	1"	1/2" - 4 1/2"	AX1MES80 () ()	337.	388.	467.
End starter top cap for Morrison panel with linkable screen trim	00, 02 or 04 offset		1"	2 1/4"	AX1LES E ()	11.	11.	n/a

Order Code	Specification Information	Application Notes
Example: AX1 LES48 02 613 812	For spine end starters specify:	End starters connect a linkable screen or panel to either side of a spine end connector of the same height or taller.
AX1 Spine connector	1.Configuration	
L for linkable screens	00=Flush	
ES End starter	02=Offset one panel	End starters for linkable screens and Morrison panels include connector track and top cap.
48 Panel height	04=Offset two panels	For Morrison panels that have linkable screen trim also specify end starter linkable screen end cap.
02 Offset	2.Paint finish for end starter: All standard paint finishes	End starters are available in three configurations: flush with end of spine or offset one or two screen/panel thickness beyond end of spine.
613 Painted finish	3.Trim finish for top cap: 812=Easy Grey 813=Trim Grey Or all standard paint finishes for Morrison top cap.	
812 Trim finish	End starters on this page align with spine base coves 13/16" above the floor.	
		For full access to entire width of spine surface specify end starters offset one panel thickness (02 suffix).
		For a cluster of two workstations with one screen or panel between specify one end starter offset two panel thicknesses (04 suffix) and one offset one thickness (02 suffix).
		For a cluster of three workstations (two intermediate panels) specify two end starters offset two panel thicknesses (04 suffix).
		For a cluster of four workstations (three intermediate panels) extend the spine 12" and specify two flush end starters (00 suffix).
		When specifying an end starter top cap for a Morrison panel with linkable screen trim, note that the 02 offset top cap will also work in an 04 offset application.

To attach AutoStrada or Reff panels to spine end connector

description	application	h	w	d	pattern no.	00	02	04
End starters for AutoStrada or Reff panels	34"h panel	34"	1"	1/2" - 4 1/2"	AX1AES34 () () () ()	\$420.	\$420.	\$459.
	42"h panel	42"	1"	1/2" - 4 1/2"	AX1AES42 () () () ()	529.	529.	579.
	49"h panel	49"	1"	1/2" - 4 1/2"	AX1AES49 () () () ()	547.	547.	599.
	64"h panel	64"	1"	1/2" - 4 1/2"	AX1AES64 () () () ()	662.	662.	725.
	79"h panel	79"	1"	1/2" - 4 1/2"	AX1AES79 () () () ()	1,012.	1,012.	1,140.

Order Code	Specification Information	Application Notes
Example: AX1 AES49 02 24 E 812 AA	For spine end starters specify:	End starters connect a panel to either side of a spine end connector of the same height or taller. End starters include hookstrip and top cap. Specify first adjacent panel top cap width and type.
AX1 Spine connector	1.Configuration 00=Inset flush 02=Offset one panel 04=Offset two panels	For a cluster of two workstations (one intermediate panel) specify one end starter offset two panel thicknesses (04 suffix).
A for AutoStrada panels		
ES End starter		For a cluster of three workstations (two intermediate panels) specify two end starters offset two panel thicknesses (04).
49 Panel height	2.Adjoining panel width (18, 20, 24, 30, 36, 42, 48)	For a cluster of four workstations (three intermediate panels) extend the spine 12" and specify two inset end starters (00 suffix).
02 Offset		End starters on this page start 1/2" above the floor.
24 Panel width	3.Trim profile A=Flat B=Square C=Bullnose E=AutoStrada	
E Trim profile		
812 Vertical cover finish	4.Vertical cover finish All standard paint finishes	
AA Top trim finish	5.Top trim AutoStrada: AA Clear anodized aluminum and all core paint finishes except silver. Reff: All core paint finishes	

To attach Gallery screens to spine end connector

description	application	height	width	depth	pattern no.	00	01	02
End starters for Gallery screens	39"h or 49"h screen	39"	1"	1/2" - 3"	AX1GES39 ()()	\$192.	\$159.	\$159.
	49"h screen	48"	1"	1/2" - 3"	AX1GES48 ()()	217.	165.	179.

Order Code	Specification Information	Application Notes
Example: AX1GES 48 02 613	For spine end starters specify:	End starters connect a 1" thick Gallery screen to either side of spine end connector of the same height or taller.
AX1 Spine connector	1.Configuration	
G Thin screens	00=Flush	
ES End starter	01=Offset one panel	
48 Panel height	02=Offset two panels	End starters are available in three configurations: flush with end of spine or offset one or two screen thicknesses beyond end of spine.
02 Offset	2.Finish:	
613 Painted finish	All standard paint finishes	Offset end starters compensate for the dimensional gain of Gallery screens attached to the spine.
	End starters on this page start 1/2" above the floor.	

To attach Dividends Horizon panels and screens to spine end connector

description	application	h	w	d	pattern no.	list
End starters for Dividends Horizon panels and screens	36"h panel, flush, left end of Service Wall	36"	1"	3"	AX1DHES3600L(5)()	\$206.
	36"h panel, flush, right end of Service Wall	36"	1"	3"	AX1DHES3600R(5)()	206.
	36"h panel, offset 1 panel thickness, left end of Service Wall	36"	1"	3"	AX1DHES3603L(5)()	206.
	36"h panel, offset 1 panel thickness, right end of Service Wall	36"	1"	3"	AX1DHES3603R(5)()	206.
	42"h panel, flush, left end of Service Wall	42"	1"	3"	AX1DHES4200L(5)()	206.
	42"h panel, flush, right end of Service Wall	42"	1"	3"	AX1DHES4200R(5)()	206.
	42"h panel, offset 1 panel thickness, left end of Service Wall	42"	1"	3"	AX1DHES4203L(5)()	206.
	42"h panel, offset 1 panel thickness, right end of Service Wall	42"	1"	3"	AX1DHES4203R(5)()	206.
	50"h panel, flush, left end of Service Wall	50"	1"	3"	AX1DHES5000L(5)()	206.
	50"h panel, flush, right end of Service Wall	50"	1"	3"	AX1DHES5000R(5)()	206.
	50"h panel, offset 1 panel thickness, left end of Service Wall	50"	1"	3"	AX1DHES5003L(5)()	206.
	50"h panel, offset 1 panel thickness, right end of Service Wall	50"	1"	3"	AX1DHES5003R(5)()	206.
	57"h panel, flush, left end of Service Wall	57"	1"	3"	AX1DHES5700L(5)()	206.
	57"h panel, flush, right end of Service Wall	57"	1"	3"	AX1DHES5700R(5)()	206.
	57"h panel, offset 1 panel thickness, left end of Service Wall	57"	1"	3"	AX1DHES5703L(5)()	206.
	57"h panel, offset 1 panel thickness, right end of Service Wall	57"	1"	3"	AX1DHES5703R(5)()	206.
	64"h panel, flush, left end of Service Wall	64"	1"	3"	AX1DHES6400L(5)()	206.
	64"h panel, flush, right end of Service Wall	64"	1"	3"	AX1DHES6400R(5)()	206.
	64"h panel, offset 1 panel thickness, left end of Service Wall	64"	1"	3"	AX1DHES6403L(5)()	206.
	64"h panel, offset 1 panel thickness, right end of Service Wall	64"	1"	3"	AX1DHES6403R(5)()	206.

Order Code	Specification Information	Application Notes
Example: AX1 DHES 36 00 L (5)		
AX1 Spine connector	1.Offset 00=Flush 03=Offset 1 panel thickness	End starters connect a Dividends Horizon panel or screen to either side of a same height or taller spine end connector. End starters for Dividends Horizon panels and screens include specified end top cap.
DH Dividends Horizon		
ES End starter	2.Top cap type 5=Metal flat	End starters may be positioned in either of two configurations: flush with end of spine or offset one panel thickness beyond end of spine. For full access to entire width of spine surface, position end starters offset one panel thickness.
36 Panel height		
00 Offset	3.Paint finish All standard paint finishes	For a single workstation (0 intermediate panels), specify 2 spine end connectors and 2 end starters positioned offset by 1 panel thickness. For a cluster of 2 workstations (1 intermediate panel), specify 1 panel starter, 2 spine end connectors, 1 spine extender, and 2 end starters positioned offset by 1 panel thickness. For a cluster of 3 workstations, (2 intermediate panels), extend the spine another 12", specify 2 panel starters, 2 spine end connectors, and 2 end starters positioned flush. For a cluster of 4 workstations (3 intermediate panels), extend the spine 12" and specify 3 panel starters, 2 spine end connectors, and 2 end starters (1 end starter flush and the other offset by 1 panel thickness). For a cluster of 5 workstations (4 intermediate panels) extend the spine by 12" and specify 4 panel starters, 2 spine end connectors, and 2 end starters positioned offset by 1 panel thickness.
5 Top cap type		
613 Painted finish		

Panel system starters and T-ends

Linkable screen panel starters

AutoStrada

description	type	width	depth	height	pattern number	paint
	Morrison and linkable screen panel starters	30"H panel	4"	1"	26"	AA1MPS30() \$125.
		39"H panel/screen	4"	1"	35"	AA1MPS39() 125.
		42"H panel	4"	1"	38"	AA1MPS42() 125.
		48"H panel/screen	4"	1"	44"	AA1MPS48() 131.
		56"H panel	4"	1"	52"	AA1MPS56() 136.
		64"H panel/screen	4"	1"	60"	AA1MPS64() 141.
		74"H panel	4"	1"	70"	AA1MPS74() 146.
		80"H panel	4"	1"	76"	AA1MPS80() 146.
		Morrison raceway shroud	2 1/4"	3"	4"	AA1MRS() 53.
		panel/screen top clip				AA2 MTC () 62.
Linkable screen starter fillers		39"H linkable screen	1"	2"	18"	AA1CET39 () 44.
		48"H linkable screen	1"	2"	27"	AA1CET48 () 49.
		64"H linkable screen	1"	2"	43"	AA1CET64 () 62.


Spine and linkable screens

Order Code	Specification Information	Application Notes
Example: AA1 MPS48 3		
AA1	Accessory	Panel starters attach perpendicular panels or linkable screens to Service Wall structural base covers (5" - 21"H).
M	Morrison	
PS	Panel starter	Panel starters include clamp bracket to any height Service Wall and full height connector track with modified top wedge block.
48	Panel height	
V3	Finish	
		Top clip connects panel connector track to Service Wall crown. Specify top clip for added stiffness of panels higher than 48" or whenever cantilevering components from panel. Top clip is not compatible with end trim.
		Specify raceway shroud if connecting power from Service Wall to Morrison panel.
		Linkable screen fillers are optional fillers for linkable screen starters. End trims may interfere with easy access to Service Wall covers.

Panel system starters and T-ends

Morrison panel/linkable screen T-ends

AutoStrada

description	type	w	d	h	pattern no.	extension, 0 or 1 1/8	extension, 3 1/2
	39" screen/39" spine	2 1/4"-5 3/4"	7"	39"	AX2 C3939 () ()	\$847.	\$951.
	48" screen/39" spine	2 1/4"-5 3/4"	7"	48"	AX2 C4839 () ()	984.	1,086.
	48" screen/48" spine	2 1/4"-5 3/4"	7"	48"	AX2 C4848 () ()	916.	1,017.
	64" screen/39" spine	2 1/4"-5 3/4"	7"	64"	AX2 C6439 () ()	1,122.	1,221.
	64" screen/48" spine	2 1/4"-5 3/4"	7"	64"	AX2 C6448 () ()	1,053.	1,153.
	64" screen/64" spine	2 1/4"-5 3/4"	7"	64"	AX2 C6464 () ()	1,053.	1,153.

	39" panel/39" spine	6"	7"	39"	AX1 M3939 () ()	847.	951.
	42" panel/39" spine	6"	7"	42"	AX1 M4239 () ()	916.	1,017.
	48" panel/39" spine	6"	7"	48"	AX1 M4839 () ()	984.	1,086.
	48" panel/48" spine	6"	7"	48"	AX1 M4848 () ()	916.	1,017.
	56" panel/39" spine	6"	7"	56"	AX1 M5639 () ()	1,053.	1,153.
	56" panel/48" spine	6"	7"	56"	AX1 M5648 () ()	984.	1,086.
	64" panel/39" spine	6"	7"	64"	AX1 M6439 () ()	1,122.	1,221.
	64" panel/48" spine	6"	7"	64"	AX1 M6448 () ()	1,053.	1,153.
	64" panel/64" spine	6"	7"	64"	AX1 M6464 () ()	1,053.	1,153.
	80" panel/39" spine	6"	7"	80"	AX1 M8039 () ()	1,355.	1,491.
	80" panel/48" spine	6"	7"	80"	AX1 M8048 () ()	1,355.	1,491.
	80" panel/64" spine	6"	7"	80"	AX1 M8064 () ()	1,355.	1,491.

	1 1/8" extension				AX1 RF1 ()	52.	52.
	3 1/2" extension				AX1 RF3 ()	77.	77.

T-end raceway end cover					AA1 ARE ()	30.	30.




Order Code	Specification Information	Application Notes	
Example: AX1 M6448 3 613 613	T ends begin with AX1-prefix. Fourth position indicates attached panel system:	T-end encloses the end of a Service Wall and connects to linkable screens or panels on one or both sides. T-ends include Morrison-style top trim for the 7" wide connection to panels or screens. Currents T-end includes 5" and 6" wide trim and two end caps. Morrison T-end includes 7" wide trim. Use 5" wide trim and two end caps when connecting Currents screens on both sides. Use 6" wide trim and one end cap when connecting to Currents screens on one side only. Specify Morrison end connector separately to finish side edge without a connected screen. Use 7" wide trim when connecting to Morrison panels. Specify Morrison end counter, top cap and raceway cover kits separately to finish side edge of Morrison T-ends without a connected panel.	T-ends for linkable screens and Morrison panels capture the end of the Service Wall (no extension) or extend the Service Wall 1 1/8" or 3 1/2". This extension enables precise planning of multiple workstations and intermediate screens or panels between workstations.
AX1 Spine connector			Specify two 0" T-ends for a single workstation on each side (no intermediate screens).
M Morrison	C Linkable screen M Morrison panel		Specify two 1 1/8" T-ends for one intermediate screen, one 1 1/8" and one 3 1/2" for two screens, and two 3 1/2" for three intermediate screens.
64 Morrison height			T-ends with 3 1/2" extension have removable inside covers and accept ceiling infeed panel.
48 Spine height			The Raceway Adapter kit finishes the bottom of a T-end with the Autostrada base trim profile. No adapter kit is necessary for 0"
3 Extension	Fifth position: height of panel.		
613 Top cap finish	Seventh position: height of service wall.		
613 Vertical trim cover	Ninth position: extension at end of spine.		
	0 0" extension 1 1 1/8" extension 3 3 1/2" extension		
	Please specify painted finish for Morrison top cap, crown end, vertical trim cover, raceway cover and T end vertical cover from from paint finish options listed on page 7.		
	When ordering T-ends for the Service Wall, specify crown end caps separately.		

Panel system starters and T-ends

AutoStrada and Reff panel starters and T-ends

AutoStrada

description	type	pattern number	list	extension, 0 or 1 1/8	extension, 3 1/2
	34"H (includes AA1RTC bracket)	AA1RPS34 () () ()	\$142.		
	42"H (includes AA1RTC bracket)	AA1RPS42 () () ()	248.		
	49"H (includes AA1RTC bracket)	AA1RPS49 () () ()	254.		
	64"H (includes AA1RTC bracket)	AA1RPS64 () () ()	271.		
	79"H (includes AA1RTC bracket)	AA1RPS79 () () ()	282.		

	42" panel to 39" spine frame	AX1 R34239 () ()		1,017.	1,122.
	49" panel to 39" spine frame	AX1 R34939 () ()		1,028.	1,133.
	49" panel to 48" spine frame	AX1 R34948 () ()		964.	1,064.
	64" panel to 39" spine frame	AX1 R36439 () ()		1,137.	1,238.
	64" panel to 48" spine frame	AX1 R36448 () ()		1,070.	1,174.
	64" panel to 64" spine frame	AX1 R36464 () ()		1,070.	1,174.
	79" panel to 39" spine frame	AX1 R37939 () ()		1,146.	1,250.
	79" panel to 48" spine frame	AX1 R37948 () ()		1,078.	1,180.
	79" panel to 64" spine frame	AX1 R37964 () ()		1,044.	1,146.

T-end frame for AutoStrada panel without base raceway	42" panel to 39" spine frame	AX1 A34239 () ()		987.	1,089.
	49" panel to 39" spine frame	AX1 A34939 () ()		998.	1,100.
	49" panel to 48" spine frame	AX1 A34948 () ()		936.	1,033.
	64" panel to 39" spine frame	AX1 A36439 () ()		1,104.	1,202.


Order Code	Specification Information	Application Notes
Example: AA1-RPS6448E613AA	For T-end specify extension at end of spine, then paint finish.	Panel starters attach perpendicular AutoStrada panels to Service Wall.
AA1 Accessory	Extension at end of spine:	Panel starter includes clamp bracket to structural base cover, top clip, and vertical extrusion corresponding to AutoStrada panel height.
R Reff/AutoStrada	0 0" extension	
PS Panel starter	1 1 1/8" extension	
64 Panel height	3 3 1/2" extensions	
48 Adjoining panel width	<i>Specify following for panel starter:</i>	T-end encloses the end of a Service Wall and connects to perpendicular AutoStrada panels on one or both sides.
E Panel top trim profile	1. Adjoining panel width (panel starter includes extended panel top trim for panel attached to starter)	Specify AutoStrada end connector to finish side edge without a connected wall.
613 Finish, panel starter	2. Top trim profile of adjoining panel	Specify T-end with 0", 1 1/8", or 3 1/2" of extension to accommodate the "creep" of panels between workstations on each side of Service Wall.
AA Panel top trim finish	E = Extruded aluminum top trim	
	3. Painted finish for panel starter	
	4. Top trim finish	
	Anodized aluminum or painted finish	
	Please specify painted finish for panel starters and inside covers of T-end from paint finish options listed on page 7.	
		Specify two 0" T-ends for a single workstation on each side (no intermediate panels).
		Specify two 1 1/8" T-ends for one intermediate panel, one 1 1/8" and one 3 1/2" for two panels, and two 3 1/2" for three intermediate panels.
		T-ends with 3 1/2" extension have removable inside covers and accept ceiling infeed panel.
		Finish options for AA1RTC() top clip:
		118 White
		111 Black
		613 Silver
		To complete T - end solution, must specify frame, crown end cap, raceway extender and cover set.

Panel system starters and T-ends

AutoStrada and Reff panel starters and T-ends


AutoStrada

description	type	pattern number	list	extension, 0 or 1 1/8	extension, 3 1/2
T-end frame for AutoStrada panel without base raceway	64" panel to 48" spine frame	AX1 A36448() ()		\$1,039.	\$1,140.
	64" panel to 64" spine frame	AX1 A36464() ()		1,039.	1,140.
Top clip (replacement part)		AA1RTC()	101.		



Order Code	Specification Information	Application Notes
Example: AA1-RPS6448E613AA	For T-end specify extension at end of spine, then paint finish.	Panel starters attach perpendicular AutoStrada panels to Service Wall.
AA1 Accessory	Extension at end of spine:	Panel starter includes clamp bracket to structural base cover, top clip, and vertical extrusion corresponding to AutoStrada panel height.
R Reff/AutoStrada	0 0" extension	
PS Panel starter	1 1 1/8" extension	
64 Panel height	3 3 1/2" extensions	
48 Adjoining panel width	<i>Specify following for panel starter:</i>	T-end encloses the end of a Service Wall and connects to perpendicular AutoStrada panels on one or both sides.
E Panel top trim profile	1. Adjoining panel width (panel starter includes extended panel top trim for panel attached to starter)	Specify AutoStrada end connector to finish side edge without a connected wall.
613 Finish, panel starter	2. Top trim profile of adjoining panel	Specify T-end with 0", 1 1/8", or 3 1/2" of extension to accommodate the "creep" of panels between workstations on each side of Service Wall.
AA Panel top trim finish	E = Extruded aluminum top trim	
	3. Painted finish for panel starter	
	4. Top trim finish	
	Anodized aluminum or painted finish	
	Please specify painted finish for panel starters and inside covers of T-end from paint finish options listed on page 7.	
		Specify two 0" T-ends for a single workstation on each side (no intermediate panels).
		Specify two 1 1/8" T-ends for one intermediate panel, one 1 1/8" and one 3 1/2" for two panels, and two 3 1/2" for three intermediate panels.
		T-ends with 3 1/2" extension have removable inside covers and accept ceiling infeed panel.
		Finish options for AA1RTC() top clip:
		118 White
		111 Black
		613 Silver
		To complete T - end solution, must specify frame, crown end cap, raceway extender and cover set.

T-end fabric and wood cover sets (AutoStrada or Reff panels)

description	type	height	pattern number	list
 Monolithic cover set	Fabric	42"	R3B0P0F4207	\$153.
		49"	R3B0P0F4907	174.
		64"	R3B0P0F6407	204.
		79"	R3B0P0F7907	234.
	L/V1/V2/V3	42"	R3B0P0H4207	157.
		49"	R3B0P0H4907	178.
		64"	R3B0P0H6407	210.
		79"	R3B0P0H7907	239.
 Tiled cover set	Fabric	42"	R3B0T0F4207	153.
		49"	R3B0T0F4907	174.
		64"	R3B0T0F6407	204.
		79"	R3B0T0F7907	234.
	L/V1/V2/V3	42"	R3B0T0H4207	157.
		49"	R3B0T0H4907	178.
		64"	R3B0T0H6407	210.
		79"	R3B0T0H7907	239.
 Tiled cover set, no base raceway	L/V1/V2/V3	42"	R3R0T0H4207	181.
		49"	R3R0T0H4907	206.
		64"	R3R0T0H6407	241.

Order Code	Specification Information	Application Notes
Example: R3B0P0F4207 E 4	See Reff System for full selection of painted finishes, fabrics and wood veneers for T-end cover sets.	Specify covers in monolithic or tiled sets to complete T-end frames for AutoStrada or Reff panel.
R3B Generation 3		
OP0F Monolithic		
42 Panel height		
07 Width		
E Top trim profile		
4 4" base height		
W359- Fabric		
AA Trim finish		
111 Outside base finish		
111 Inside base finish		
	<i>Specify:</i> 1. Top trim profile 2. Panel finishes 3. Top trim finish 4. Base finish <i>Top trim profile:</i> E Extruded Aluminum <i>Base height:</i> 4 4" base height	Monolithic cover sets include a raceway cover and a single snap-in panel above. Tiled sets include raceway cover and segmented tiles corresponding to adjacent AutoStrada or Reff tiled panels. AutoStrada or Reff tiled module horizontal reveals are at nominal 19", 34", 49" and 64" above the floor and do not align with service wall cover reveals.

Panel system starters and T-ends

Gallery screen starters

AutoStrada

description	h	w	d	pattern no.	list
Gallery screen starter	21"	3"	1"	AA1GPS ()	\$139.
Screen-to-worksurface bracket				AG1B	34.

Order Code	Specification Information	Application Notes
Example: AA1 GPS 613		
AA1 Accessory	For intermediate gallery screen starters specify any standard painted finish.	Gallery screen starter attaches thin screen to structural base cover of AutoStrada spine or Currents service wall. Specify Gallery screen to have through holes for starter bracket.
G For thin screens		
PS Panel starter	Screen to worksurface bracket is black painted finish.	
613 Painted finish		Screen-to-worksurface bracket is required to stabilize Gallery screens by connecting to adjacent worksurface. Specify one bracket for each screen.

Panel system starters and T-ends

Dividends Horizon panel and screen starters

AutoStrada

description	application	h	w	d	pattern no.	list
Service Wall starters for Dividends Horizon panels and screens	36" high Dividends Horizon Panel or Screen	36"	1"	3"	AA1DHPS36(5)()	\$337.
	42" high Dividends Horizon Panel or Screen	42"	1"	3"	AA1DHPS42(5)()	337.
	50" high Dividends Horizon Panel or Screen	50"	1"	3"	AA1DHPS50(5)()	337.
	57" high Dividends Horizon Panel or Screen	57"	1"	3"	AA1DHPS57(5)()	337.
	64" high Dividends Horizon Panel or Screen	64"	1"	3"	AA1DHPS64(5)()	337.
Top clip for Dividends Horizon panels and screens to lower Service Wall	Top clip for Dividends Horizon Panel/Screen to Service Wall				AA1DHTC()	88.

Spine and linkable screens

Order Code	Specification Information	Application Notes
Example: AA1 DHPS 36 (5)	1.Top cap type 5=Metal flat	Panel/screen starter includes a clamp bracket that attaches to the structural base cover of the Service Wall to start a Dividends panel/screen run perpendicular to the face of the Service Wall anywhere other than at the end of the Service Wall.
AA1 Accessory		
DH Dividends Horizon	2.Paint finish	
PS Panel starter	All standard paint finishes	
36 Panel height		
5 Top cap type		Top clip, which secures top edge of panel to underside of Service Wall crown, is required in addition to panel starter for stability of 57" or higher panels or 50"H panels with cantilevered shelves overhead storage.
613 Painted finish		

Panel system starters and T-ends

Universal panel starter and T-end

AutoStrada

description	width	depth	height	pattern number	paint
 Universal T-end adapter	2-6"	7"	39"	AA1UA39()	\$88.
	2-6"	7"	48"	AA1UA48()	107.
	2-6"	7"	64"	AA1UA64()	117.


 Universal panel starters	3"	1"	39"	AA1UPS39()	198.
	3"	1"	48"	AA1UPS48()	213.
	3"	1"	64"	AA1UPS64()	227.

 Universal top clip				AA2 UTC ()	85.

Order Code	Specification Information	Application Notes
Example: AA1 UPS48 111	Please specify painted finish for universal end and panel starters from paint finish options listed on page 7.	Universal adapters and starters integrate other panel systems with the Service Wall. Vertical surface accepts architectural wall starter of most other systems. T-end adapters include connector to corresponding height T-end for linkable screen (specified separately). Panel starter includes clamp bracket to structural base cover on Service Wall. Top clip gives added stability to attached panels of the same height or higher than the Service Wall.
AA1 Accessory		
UPS Panel starter		
48 Panel height		
111 Finish		

Power components, spine 2+2 power components

AutoStrada

description	type	w	d	h	pattern number	black	orange (-O) or orange triangle (-T)	no finish
Desk height outlet module 	21-48"H	5"	—	6"	AR1 EOM			\$181.
Central switch	21-48"H				AR1-ELS-B			505.
Duplex outlet	Circuit A				AR1 DA	44.		
	Circuit B				AR1 DB	44.		
	Circuit X				AR1 DX	44.	49.	
	Circuit Y				AR1 DY	44.	49.	
Power infeeds, modular	Desk height power	85"			AR1 EPI5			209.
	Ceiling infeed	145"			AR1 EPIC			260.
Hardwire base infeeds (NYC)	One connector				AR1 EPH1			347.
	Two connectors				AR1 EPH2			520.
Transitional connectors for Morrison or Reff	12"	61"			AR1 ET1			192.
	36"	85"			AR1 ET3			243.
	60"	109"			AR1 ET5			278.
	96"	133"			AR1 ET8			309.

Order Code

Example:	AR1 EOM
AR1	Power component
E	2+2
OM	Outlet module

Application Notes

Autostrada power components distribute four 20-amp circuits at desk height: two convenience circuits and two protected circuits, with separate grounds and heavy duty #10 neutrals. Power may be distributed point-to-point between outlet modules at or below desk height. Outlet modules accept two duplex outlets on each face and four jumper cables to connect to other modules or infeed power.

Modular desk-height outlet module mounts between frame studs at any height from 21" - 48", above or below adjacent worksurfaces. Each 12"W Service Wall frame bay can accept two outlet housings (up to four duplex outlets on each side) side by side.

Central switch controls three outlets inside Service Wall frame for task or ambient lights. Switch occupies right-hand outlet opening in outlets cover on one side of wall.

Switches cannot be positioned back-to-back in combination with an outlet module. Central switch includes white rocker switch, connector to adjacent outlet module, and three simplex outlets on circuit B (2+2 or 3+3).

Outlet modules accept two duplex outlets on each face. Specify outlets with black face for convenience circuits. Specify orange face or black with orange triangle for protected circuits with separate ground and neutral in building power supply.

Desk height power infeed connects from floor box to outlets module in Service Wall. Infeed includes 85" conduit with a 6" pigtail. Ceiling infeed connects from ceiling mounted box to desk height outlet module. Specify ceiling infeed panel separately.

Hardwire base infeed is approved for installations in the City of New York. Infeed includes junction box for base raceway and connector to outlet module.

Jumper cables join power from outlet module to outlet module. Application dimension is distance between modules.

Transitional connectors connect power from Service Wall to powered Morrison or Reff panels attached to the Service Wall. Application dimension suggests distance from outlet to panel. Transitional connectors have watertight conduit between modular ends. Do not specify transitional connectors in City of New York installations.

Power components, spine 2+2 power components

AutoStrada

description	type	w	d	h	pattern number	black	orange (-O) or orange triangle (-T)	no finish
Jumper cable	12"	37"			AR1 EJ1			\$104.
	120"	145"			AR1 EJ10			277.
	144"	169"			AR1 EJ12			309.
	24"	49"			AR1 EJ2			137.
	36"	61"			AR1 EJ3			158.
	48"	73"			AR1 EJ4			171.
	60"	85"			AR1 EJ5			192.
	72"	97"			AR1 EJ6			209.
	96"	121"			AR1 EJ8			243.

Order Code

Example: AR1 EOM	
AR1	Power component
E	2+2
OM	Outlet module

Application Notes

Autostrada power components distribute four 20-amp circuits at desk height: two convenience circuits and two protected circuits, with separate grounds and heavy duty #10 neutrals. Power may be distributed point-to-point between outlet modules at or below desk height. Outlet modules accept two duplex outlets on each face and four jumper cables to connect to other modules or infeed power.

Modular desk-height outlet module mounts between frame studs at any height from 21" - 48", above or below adjacent worksurfaces. Each 12"W Service Wall frame bay can accept two outlet housings (up to four duplex outlets on each side) side by side.

Central switch controls three outlets inside Service Wall frame for task or ambient lights. Switch occupies right-hand outlet opening in outlets cover on one side of wall.

Switches cannot be positioned back-to-back in combination with an outlet module. Central switch includes white rocker switch, connector to adjacent outlet module, and three simplex outlets on circuit B (2+2 or 3+3).

Outlet modules accept two duplex outlets on each face. Specify outlets with black face for convenience circuits. Specify orange face or black with orange triangle for protected circuits with separate ground and neutral in building power supply.

Desk height power infeed connects from floor box to outlets module in Service Wall. Infeed includes 85" conduit with a 6" pigtail. Ceiling infeed connects from ceiling mounted box to desk height outlet module. Specify ceiling infeed panel separately.

Hardwire base infeed is approved for installations in the City of New York. Infeed includes junction box for base raceway and connector to outlet module.


Jumper cables join power from outlet module to outlet module. Application dimension is distance between modules.

Transitional connectors connect power from Service Wall to powered Morrison or Reff panels attached to the Service Wall. Application dimension suggests distance from outlet to panel. Transitional connectors have watertight conduit between modular ends. Do not specify transitional connectors in City of New York installations.

Power components, spine

3+3 power components

AutoStrada

description	type	w	d	h	pattern number	black	orange (-O) or orange triangle (-T)	no finish
Desk-height outlet module	21"-48"H	6"	1"	9"	AR1 TOM			\$209.
								
Central switch	21-48"H				AR1-ELS-B			505.
Duplex outlet	Circuit A				AR1 DA	44.		
	Circuit B				AR1 DB	44.		
	Circuit C				AR1 DC	44.		
	Circuit X				AR1 DX	44.	49.	
	Circuit Y				AR1 DY	44.	49.	
	Circuit Z				AR1 DZ	44.	49.	
Power infeeds	Desk height power	85"			AR1 TPI5			243.
	Ceiling infeed	145"			AR1 TPIC			296.
Hardwire base infeeds (NYC)	One connector				AR1 TPH1			383.
	Two connectors				AR1 TPH2			592.
Transitional connectors for Morrison or Reff	12"	61"			AR1 TT1			226.
	36"	85"			AR1 TT3			278.
	60"	109"			AR1 TT5			309.
	96"	133"			AR1 TT8			347.
Jumper cable	120"				AR1 TJ10			309.
	12"	37"			AR1 TJ1			119.
	24"	49"			AR1 TJ2			158.
	36"	61"			AR1 TJ3			192.
	48"	73"			AR1 TJ4			209.
	60"	85"			AR1 TJ5			226.
	72"	97"			AR1 TJ6			243.
	96"	121"			AR1 TJ8			277.
	144" wall	169"			AR1 TJ12			346.

Order Code

Example:	AR1 TOM
AR1	Power component
T	3+3
OM	Outlet module

Application Notes

AutoStrada power components distribute six 20-amp circuits at desk height or wall base: three convenience circuits and three protected circuits, with separate grounds and heavy-duty #10 neutrals.

Service Wall power may be distributed point-to-point between outlet modules at desk height or in the base raceway. Outlet modules and power rails accept two duplex outlets on each face and four connector/jumper cables.

Modular desk-height outlet module mounts between Service Wall frame studs at any height from 21" - 48", above or below adjacent worksurfaces. Each 12"W frame bay can accept two outlet housings (up to four duplex outlets on each side.)

Central switch controls three outlets inside Service Wall frame for task or ambient lights. Switch occupies right-hand outlet opening in outlets cover on one side of Service Wall.

Central switch includes white rocker switch, connector to adjacent outlet module, and three simplex outlets on circuit B (2+2 or 3+3).

Outlet modules and power rails accept two duplex outlets on each face. Specify outlets with black face for convenience circuits. Specify orange face or black with orange triangle for protected circuits with separate ground and neutral in building power supply.

description	width	depth	height	pattern number	no finish	paint
High capacity cable holders (10)	1"	3/4"	2 1/2"	AR1 HCC H10	\$36.	






Cable clips for wall studs (100)	1/4"	1/2"	1 1/2"	AR1 PCC 100	87.	



Ceiling infeed panel for stabilizer end cabinet or T-end with 3 1/2" extension	5"	48"	APX CIP4 ()	530.
	5"	72"	APX CIP6 ()	620.
	5"	96"	APX CIP8 ()	709.



Order Code	Specification Information	Application Notes
Example: AR1 PCC 100	Cable clips and cable managers are black plastic.	Specify cable clips, approximately 50 per Service Wall frame to support and manage cables on the face of studs in the Service Wall frame.
AR1 Raceway	Cable holders are light grey plastic.	Each clip manages up to 14 Category 5 or fiber optic cables; four clips attach between 21"-30", 30"-39", 39"-48"; six between 48"-64"H. Only two clips fit behind a cable tray cover at the 21"-30" height.
PCC Cable clip	Please specify painted finish for ceiling infeed panel from paint finish options listed on page 7.	Specify high capacity cable holders approximately 20 per Service Wall frame to support and manage larger bundles of cables. Each holds up to 55 Cat 5 cables; two holders attach to studs at each 9" level; three holders at the 16" level of a 64"H wall. Only one holder fits behind a cable tray cover at the 21"-30" height (upside down).
100 Size/Quantity		Raceway cable managers are U-shape cable supports that snap into the underside of the Service Wall frame. Plan one per foot foot to contain data cables or power jumpers in the base raceway. Ceiling infeed panel attaches to end of Service Wall adjacent to Currents, Morrison, or Reff T-end panel with 3 1/2" extension. Center channel, 2" x 2 1/2", accommodates one or two power infeed cables. Each side channel is 1 1/2" x 3 1/2" lay-in cable raceway, for continuous lay-in cabling from ceiling to Service Wall surface. Specify ceiling infeed separately.

description	type	width	depth	height	pattern number	clear tempered	powder
Add up panels	frameless glass, 8"h 	24"	1/2"	8"	AUA1 0824 G () ()	\$276.	\$336.
		36"	1/2"	8"	AUA1 0836 G () ()	314.	450.
		48"	1/2"	8"	AUA1 0848 G () ()	406.	562.
		60"	1/2"	8"	AUA1 0860 G () ()	499.	724.
		72"	1/2"	8"	AUA1 0872 G () ()	562.	874.
	frameless glass, 12"h 	24"	1/2"	12"	AUA1 1224 G () ()	330.	379.
		36"	1/2"	12"	AUA1 1236 G () ()	468.	536.
		48"	1/2"	12"	AUA1 1248 G () ()	596.	688.
		60"	1/2"	12"	AUA1 1260 G () ()	727.	841.
		72"	1/2"	12"	AUA1 1272 G () ()	862.	990.
	frameless glass, 15"h 	24"	1/2"	15"	AUA1 1524 G () ()	336.	591.
		36"	1/2"	15"	AUA1 1536 G () ()	468.	655.
		48"	1/2"	15"	AUA1 1548 G () ()	599.	942.
		60"	1/2"	15"	AUA1 1560 G () ()	737.	1,062.
		72"	1/2"	15"	AUA1 1572 G () ()	868.	1,243.

Order Code	Specification Information	Application Notes
Example: AUA1 1248 G TEMP AA	<i>Add up type:</i>	Add-up panels add acoustical privacy and light control above any height Service Wall.
AUA1 Autostrada add up panel	G Glass	
12 Height	Glass add-ups are available with the following glass options:	Anodized aluminum or painted base frame inserts in center of any Service Wall crown and is secured by bolts within crown.
48 Width	TEMP Clear tempered	
G Type	GL13 Powder	Frameless glass add-ups can be positioned at any 3" increment in standard or compact crown with any cover type.
TEMP Glass Finish	Specify wide add-up panels for use on long Service Wall and Fence runs.	
AA Trim Finish		Any height add up can be used on any height AutoStrada or Currents Service Wall or Fence.
		8"h Add ups are designed primarily for use on 39"h spine with 1"h crown to create a 48"h horizon. 12"h Add ups are designed for use on 48"h spine for a 61" horizon with 1"h crown or a 64" horizon with 4"h crown. 15"h Add ups are designed primarily for use on 48"h spine with 1"h crown for a 64" horizon.

Linkable screens and windows

Upholstered

AutoStrada

description	type	height	depth	width	pattern number	10	15	20	30	35	40	45	50	55
	30"H	30"	2 1/4"	18"	AP1L 3018 N () ()	\$268.	\$303.	\$323.	\$375.	\$393.	\$420.	\$420.	\$470.	\$524.
		30"	2 1/4"	24"	AP1L 3024 N () ()	310.	351.	372.	433.	452.	485.	538.	566.	598.
		30"	2 1/4"	30"	AP1L 3030 N () ()	338.	384.	406.	474.	495.	528.	589.	620.	654.
		30"	2 1/4"	36"	AP1L 3036 N () ()	387.	438.	460.	535.	558.	597.	662.	699.	737.
		30"	2 1/4"	42"	AP1L 3042 N () ()	445.	498.	527.	612.	638.	685.	757.	797.	837.
		30"	2 1/4"	48"	AP1L 3048 N () ()	488.	550.	577.	669.	698.	748.	828.	872.	918.
		30"	2 1/4"	60"	AP1L 3060 N () ()	576.	647.	684.	784.	876.	969.	n/a	n/a	n/a
		30"	2 1/4"	72"	AP1L 3072 N () ()	n/a	806.	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	39"H	39"	2 1/4"	18"	AP1L 3918 N () ()	324.	361.	376.	432.	450.	476.	526.	551.	577.
		39"	2 1/4"	24"	AP1L 3924 N () ()	367.	405.	426.	488.	506.	539.	593.	622.	654.
		39"	2 1/4"	30"	AP1L 3930 N () ()	395.	442.	460.	528.	551.	583.	643.	678.	709.
		39"	2 1/4"	36"	AP1L 3936 N () ()	444.	491.	517.	590.	614.	652.	720.	755.	792.
		39"	2 1/4"	42"	AP1L 3942 N () ()	498.	555.	582.	664.	693.	738.	815.	852.	892.
		39"	2 1/4"	48"	AP1L 3948 N () ()	542.	603.	633.	724.	754.	801.	883.	928.	972.
		39"	2 1/4"	60"	AP1L 3960 N () ()	632.	700.	737.	838.	875.	932.	1,025.	n/a	n/a
		39"	2 1/4"	72"	AP1L 3972 N () ()	n/a	847.	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	48"H	48"	2 1/4"	18"	AP1L 4818 N () ()	378.	420.	443.	503.	526.	559.	616.	647.	682.
		48"	2 1/4"	24"	AP1L 4824 N () ()	428.	476.	500.	572.	596.	634.	696.	730.	768.
		48"	2 1/4"	30"	AP1L 4830 N () ()	465.	518.	543.	620.	648.	690.	757.	794.	834.
		48"	2 1/4"	36"	AP1L 4836 N () ()	524.	580.	610.	695.	724.	772.	849.	890.	935.
		48"	2 1/4"	42"	AP1L 4842 N () ()	587.	651.	686.	782.	818.	868.	955.	1,002.	1,052.
		48"	2 1/4"	48"	AP1L 4848 N () ()	639.	709.	746.	851.	887.	942.	1,037.	1,091.	1,145.
		48"	2 1/4"	60"	AP1L 4860 N () ()	743.	827.	868.	992.	1,032.	1,098.	1,208.	n/a	n/a
		48"	2 1/4"	72"	AP1L 4872 N () ()	n/a	1,008.	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	64"H	64"	2 1/4"	18"	AP1L 6418 A () ()	492.	549.	575.	655.	686.	726.	800.	838.	883.
		64"	2 1/4"	24"	AP1L 6424 A () ()	542.	603.	633.	724.	754.	801.	883.	928.	972.
		64"	2 1/4"	30"	AP1L 6430 A () ()	610.	679.	710.	816.	847.	899.	992.	1,038.	1,092.
		64"	2 1/4"	36"	AP1L 6436 A () ()	657.	732.	771.	880.	917.	974.	1,072.	1,125.	1,182.
		64"	2 1/4"	42"	AP1L 6442 A () ()	726.	806.	849.	969.	1,012.	1,075.	1,182.	1,244.	1,304.
		64"	2 1/4"	48"	AP1L 6448 A () ()	779.	865.	906.	1,035.	1,082.	1,148.	1,264.	1,328.	1,392.
		64"	2 1/4"	60"	AP1L 6460 A () ()	883.	979.	1,028.	1,175.	1,223.	1,302.	1,432.	n/a	n/a

Order Code	Specification Information	Application Notes	
Example: AP1L 3948N 15 812 AA			
AP1 AutoStrada	Linkable screens include top cap and 4"H x 2'½"W extruded aluminum legs with levellers.	Linkable screens divide workstations perpendicular to Service Wall where base raceway is not required. Linkable screens connect to the Service Wall with screen starters and to each other with screen connectors. Specify starters and connectors separately.	39"H screens align with the underside of either compact or standard crown on 39"H Service Wall. 39"H screens enable seated visual access.
L Linkable screen	Top cap is integral color trim grey or easy grey.		
39 Height	Legs are available in clear anodized aluminim or painted finish options list on page 7 excluding silver.	Linkable screens with connectors can end support or cantilever worksurfaces, upmount or downmount overhead storage, with brackets designed for Morrison panel mounting.	48"H screens align with the underside of either compact or standard crown on 48"H Service Wall. 48"H screens provide some seated privacy.
48 Width			
N Core			
15 Fabric Grade			
812 Trim Color			
AA Leg Finish		30"H upholstered screens are primarily intended for use in combination with 18"H windows, connected to other 48"H screens with 48"H screen connectors.	64"H screens align with the underside of either compact or standard crown on 64"H Service Wall. 64"H screens provide seated privacy, and include a high-acoustical core for improved sound absorption.

Linkable screens and windows

Glazed

AutoStrada

description	type	width	depth	height	pattern number	clear tempered	architectural
	39"H	18"	2 1/4"	39"	AP1L 3918G () ()	\$613.	\$753.
		24"	2 1/4"	39"	AP1L 3924G () ()	659.	847.
		30"	2 1/4"	39"	AP1L 3930G () ()	737.	972.
		36"	2 1/4"	39"	AP1L 3936G () ()	757.	1,046.
		42"	2 1/4"	39"	AP1L 3942G () ()	817.	1,153.
		48"	2 1/4"	39"	AP1L 3948G () ()	845.	1,231.
	48"H	18"	2 1/4"	48"	AP1L 4818G () ()	664.	842.
		24"	2 1/4"	48"	AP1L 4824G () ()	715.	955.
		30"	2 1/4"	48"	AP1L 4830G () ()	784.	1,089.
		36"	2 1/4"	48"	AP1L 4836G () ()	827.	1,191.
		42"	2 1/4"	48"	AP1L 4842G () ()	888.	1,316.
		48"	2 1/4"	48"	AP1L 4848G () ()	925.	1,412.
	64"H	18"	2 1/4"	64"	AP1L 6418G () ()	764.	1,009.
		24"	2 1/4"	64"	AP1L 6424G () ()	831.	1,162.
		30"	2 1/4"	64"	AP1L 6430G () ()	910.	1,323.
		36"	2 1/4"	64"	AP1L 6436G () ()	953.	1,458.
		42"	2 1/4"	64"	AP1L 6442G () ()	1,032.	1,623.
		48"	2 1/4"	64"	AP1L 6448G () ()	1,078.	1,752.


Spine and linkable screens

Order Code	Specification Information	Application Notes
Example: AP1L 3948G GL6 AA 812 AA	Glazed linkable screens include top cap and two 4"H x 2 1/2"W extruded aluminum legs with levellers. Top cap is integral color trim grey or easy grey. Window frame is anodized aluminum or painted extrusions.	Linkable screens divide workstations perpendicular to Service Wall where base raceway is not required. Linkable screens connect to the Service Wall with screen starters and to each other with screen connectors. Specify starters and connectors separately.
AP1 AutoStrada	Frame and legs are available in clear anodized aluminum or painted finish options listed on page 7 excluding silver.	Glazed linkable screens feature nearly flush glazing on one surface and a perimeter frame of anodized or painted aluminum. Glazed linkable screens with connectors can end support or cantilever worksurfaces with brackets designed for Morrison panel mounting.
L Linkable screen	Glass is tempered clear. Architectural glass is available in powder or block matrix finishes.	39"H screens align with the underside of either compact or standard crown on 39"H Service Wall. 39"H screens enable seated visual access.
39 Height		48"H screens align with the underside of either compact or standard crown on 48"H Service Wall. 48"H screens provide some seated privacy.
48 Width		64"H screens align with the underside of either compact or standard crown on 64"H Service Wall.
G Glazed		
GL6 Glass Type		
AA Frame Finish		
812 Trim Color		
AA Leg Finish		
	TEMP Clear Tempered GL6 Block Matrix GL13 Powder	

Linkable screens and windows

Windows for linkable screens

AutoStrada






description	type	width	height	pattern number	clear tempered	architectural
	16"H	24"	16"	AP1W 1624G () ()	\$499.	\$519.
		30"	16"	AP1W 1630G () ()	551.	571.
		36"	16"	AP1W 1636G () ()	616.	640.
		42"	16"	AP1W 1642G () ()	663.	692.
		48"	16"	AP1W 1648G () ()	737.	766.
		60"	16"	AP1W 1660G () ()	815.	846.
		72"	16"	AP1W 1672G () ()	930.	966.
	18"H	24"	18"	AP1W 1824G () ()	518.	538.
		30"	18"	AP1W 1830G () ()	570.	593.
		36"	18"	AP1W 1836G () ()	639.	663.
		42"	18"	AP1W 1842G () ()	691.	717.
		48"	18"	AP1W 1848G () ()	762.	792.
		60"	18"	AP1W 1860G () ()	883.	918.
		72"	18"	AP1W 1872G () ()	1,083.	1,125.
	22"H	24"	22"	AP1W 2224G () ()	536.	557.
		30"	22"	AP1W 2230G () ()	590.	613.
		36"	22"	AP1W 2236G () ()	661.	690.
		42"	22"	AP1W 2242G () ()	714.	742.
		48"	22"	AP1W 2248G () ()	785.	819.
		60"	22"	AP1W 2260G () ()	912.	948.
		72"	22"	AP1W 2272G () ()	1,126.	1,172.
	25"H	24"	25"	AP1W 2524G () ()	555.	575.
		30"	25"	AP1W 2530G () ()	610.	633.
		36"	25"	AP1W 2536G () ()	686.	712.
		42"	25"	AP1W 2542G () ()	739.	768.
		48"	25"	AP1W 2548G () ()	814.	845.
		60"	25"	AP1W 2560G () ()	940.	977.
		72"	25"	AP1W 2572G () ()	1,172.	1,219.

Order Code	Specification Information	Application Notes
Example: AP1W 1624G GL6 AA	Window frame is anodized aluminum or painted extrusions.	Windows add on to linkable screens to build partially glazed screens.
AP1 AutoStrada linkable screen	Painted finish option listed on page 7 excluding silver.	Linkable screens with windows connect to the Service Wall with screen starters and to each other with screen connectors. Specify starters and connectors in the same height as the combination of screen and window.
W Window	Glass is tempered clear. Architectural glass is available in powder or block matrix finishes.	Windows feature nearly flush glazing on one surface and a perimeter frame of anodized or painted aluminum.
16 Height		
24 Width		
G Surface Type		
GL6 Glass Finish		
AA Frame Finish		

Linkable screens and windows

Connectors and trim

AutoStrada

description	type	height	depth	width	pattern number	no finish	integral color	list
90° connector	4-way X 	39"	2 1/4"	2 1/4"	AC1 39X4 ()	\$252.		
		48"	2 1/4"	2 1/4"	AC1 48X4 ()	281.		
		64"	2 1/4"	2 1/4"	AC1 64X4 ()	313.		
	2-way L 	39"	2"		AC1 39L2 ()		170.	
		48"	2"		AC1 48L2 ()		179.	
		64"	2"		AC1 64L2 ()		193.	
	3-way T 	39"	2"		AC1 39T3 ()		216.	
		48"	2"		AC1 48T3 ()		227.	
		64"	2"		AC1 64T3 ()		244.	
120° connector	2-way V 	39"			AC1 39V2 ()			188.
		48"			AC1 48V2 ()			197.
		64"			AC1 64V2 ()			215.
	3-way Y 	39"			AC1 39Y3 ()			230.

Order Code

Example:	AC1 39L2 812
AC1	Linkable screen connector
39	Height
L2	90° 2-way L
812	Finish

Specification Information

All top and vertical trim is easy grey (812) or trim grey (813) integral color surface.

Connector post is painted black extrusion.

Carpet grips are black integral color surface.

Linkable screen feet are anodized aluminum or painted finish option listed on page 7 excluding silver.

Application Notes

Connectors join linkable screens in straight, 90° or 120° post configurations.

Linkable screen connectors include connector tracks, universal posts and top and vertical trim (where required).

Connector tracks have cantilever slots for worksurface and storage support.

L, T and X connectors include a universal post and 2, 3 or 4 connector tracks and top cap.

End trim may be specified instead of an end connector if cantilever capability is not required.

Carpet grips snap into linkable screen glides to prevent components from sliding. Glide rotates in carpet grip to permit levelling.


Non-skid grips snap into glides to prevent sliding on hard surface floors.

Linkable screens and windows

Connectors and trim

AutoStrada


description	type	height	depth	width	pattern number	no finish	integral color	list
120° connector	3-way Y	48"			AC1 48Y3 ()			\$240.
		64"			AC1 64Y3 ()			256.



Connector track	No trim	39"	—	—	MC1-39S1	62.		
		48"	—	—	MC1-48S1	71.		
		64"	—	—	MC1-64S1	76.		




End connector	with connector track	30"			ACA1 30E1 ()		73.	
		39"			ACA1 39E1 ()		76.	
		48"			ACA1 48E1 ()		89.	
		64"			ACA1 64E1 ()		103.	



linkable screen end trim (no connector)	30"	AA1 30E ()	45.
	39"	AA1 39E ()	47.
	48"	AA1 48E ()	49.
	64"	AA1 64E ()	50.



top trim, linkable screen (replacement)	18"	AA1 T18 ()	12.
	24"	AA1 T24 ()	15.
	30"	AA1 T30 ()	26.
	36"	AA1 T36 ()	28.
	42"	AA1 T42 ()	29.
	48"	AA1 T48 ()	31.
	6"	AA1 T06 ()	9.
	60"	AA1 T60 ()	34.




Order Code	Specification Information	Application Notes		
Example: AC1 39L2 812				
AC1	Linkable screen connector	All top and vertical trim is easy grey (812) or trim grey (813) integral color surface.	Connectors join linkable screens in straight, 90° or 120° post configurations.	End trim may be specified instead of an end connector if cantilever capability is not required.
39	Height	Connector post is painted black extrusion.	Linkable screen connectors include connector tracks, universal posts and top and vertical trim (where required).	Carpet grips snap into linkable screen glides to prevent components from sliding. Glide rotates in carpet grip to permit levelling.
L2	90° 2-way L	Carpet grips are black integral color surface.	Connector tracks have cantilever slots for worksurface and storage support.	Non-skid grips snap into glides to prevent sliding on hard surface floors.
812	Finish	Linkable screen feet are anodized aluminum or painted finish option listed on page 7 excluding silver.	L, T and X connectors include a universal post and 2, 3 or 4 connector tracks and top cap.	

Linkable screens and windows

Connectors and trim

AutoStrada

description	type	height	depth	width	pattern number	no finish	integral color	list
top trim, linkable screen (replacement)				72"	AA1 T72 ()			\$37.
								
linkable screen feet, pair	replacement part				APA1 LF ()			73.
								
Raceway cover for Currents end connector or end trim on Morrison panel					AA1RE()			33.
Non-skid pads (set of 10)					AA1NSK			39.
Carpet grips (set of 10)					MM2-CG			27.

Spine and linkable screens

Order Code	Specification Information	Application Notes
Example: AC1 39L2 812		
AC1 Linkable screen connector	All top and vertical trim is easy grey (812) or trim grey (813) integral color surface.	Connectors join linkable screens in straight, 90° or 120° post configurations.
39 Height	Connector post is painted black extrusion.	Linkable screen connectors include connector tracks, universal posts and top and vertical trim (where required).
L2 90° 2-way L	Carpet grips are black integral color surface.	Connector tracks have cantilever slots for worksurface and storage support.
812 Finish	Linkable screen feet are anodized aluminum or painted finish option listed on page 7 excluding silver.	L, T and X connectors include a universal post and 2, 3 or 4 connector tracks and top cap.
		End trim may be specified instead of an end connector if cantilever capability is not required.
		Carpet grips snap into linkable screen glides to prevent components from sliding. Glide rotates in carpet grip to permit levelling.
		Non-skid grips snap into glides to prevent sliding on hard surface floors.

description	application	h	w	d	pattern no.	L	V1	V2	V3
Gallery screens	39" high	39"	20"	1"	AG1B3920 () ()	\$350.	\$438.	\$562.	\$948.
	39" high	39"	24"	1"	AG1B3924 () ()	393.	477.	628.	1,098.
	39" high	39"	30"	1"	AG1B3930 () ()	438.	517.	692.	1,267.
	39" high	39"	36"	1"	AG1B3936 () ()	481.	557.	756.	1,436.
	39" high	39"	42"	1"	AG1B3942 () ()	525.	597.	821.	1,605.
	39" high	39"	48"	1"	AG1B3948 () ()	568.	637.	885.	1,773.
	39" high	39"	54"	1"	AG1B3954 () ()	612.	678.	952.	1,942.
	39" high	39"	60"	1"	AG1B3960 () ()	655.	716.	1,016.	2,110.
	39" high	39"	66"	1"	AG1B3966 () ()	699.	756.	1,082.	2,277.
	39" high	39"	72"	1"	AG1B3972 () ()	742.	796.	1,146.	2,448.
	39" high	39"	78"	1"	AG1B3978 () ()	785.	836.	1,210.	2,614.
	39" high	39"	84"	1"	AG1B3984 () ()	831.	876.	1,277.	2,783.
	39" high	39"	90"	1"	AG1B3990 () ()	874.	916.	1,341.	2,953.
	39" high	39"	96"	1"	AG1B3996 () ()	917.	956.	1,405.	3,120.
	49" high	49"	20"	1"	AG1B4920 () ()	455.	530.	693.	1,167.
	49" high	49"	24"	1"	AG1B4924 () ()	499.	570.	768.	1,317.
	49" high	49"	30"	1"	AG1B4930 () ()	542.	611.	843.	1,523.
	49" high	49"	36"	1"	AG1B4936 () ()	587.	650.	917.	1,729.
	49" high	49"	42"	1"	AG1B4942 () ()	631.	691.	992.	1,936.
	49" high	49"	48"	1"	AG1B4948 () ()	674.	730.	1,067.	2,139.
	49" high	49"	54"	1"	AG1B4954 () ()	718.	771.	1,142.	2,346.
	49" high	49"	60"	1"	AG1B4960 () ()	762.	808.	1,217.	2,553.
	49" high	49"	66"	1"	AG1B4966 () ()	804.	850.	1,290.	2,756.
	49" high	49"	72"	1"	AG1B4972 () ()	849.	889.	1,365.	2,964.
	49" high	49"	78"	1"	AG1B4978 () ()	891.	930.	1,441.	3,169.
	49" high	49"	84"	1"	AG1B4984 () ()	937.	969.	1,516.	3,377.
	49" high	49"	90"	1"	AG1B4990 () ()	980.	1,011.	1,590.	3,582.
	49" high	49"	96"	1"	AG1B4996 () ()	1,023.	1,050.	1,667.	3,789.

Order Code	Specification Information	Application Notes	
Example: AG1 B 4948L N 115	For Gallery screens specify:	Gallery screens attach to AutoStrada or Currents Service Wall and adjacent worksurfaces to define workspaces. Gallery screens are 1" thick, solid wood core, self-edged in laminate, Techwood or natural veneer. 39"H screens correspond in height to 39"H Service Wall (underside of any crown). 49"H screens correspond in height to 49"H Anchor cabinet and to 48"H Service Wall with compact or flat crown.	Other end of 39"H screen is always "N", no attachment. Other end of 49"H screen can have provisions for attachment to 49"H Anchor cabinet or no attachment.
AG1	Gallery screen		
B	Back screen		
49	Height		
48	Width		
L	End starter		
N	No attachment		
115	Finish		
	1.Planning application, L=Screen at left end of Service Wall (from inside face of screen) R=Screen at right end of Service Wall S=Intermediate screen attached to face of Service Wall		
	2.Then specify other end application: A=Attach to anchor cabinet (49"H screen only) N=No attachment		
	3.Then specify finish, all standard laminates for vertical applications, all standard Techwoods and natural veneers.	Gallery screens are specified by application: inserts for end starter (attach to left or right end of Service Wall) or through holes for screen starter (intermediate screen attachment to face of Service Wall) on one end. Inserts enable either 39"H or 48"H end starter to attach to inside face of 49"H screens.	Gallery screens must be stabilized by screen-to-worksurface bracket or attachment to Anchor cabinet.
	Gallery screens include black leveling glides with 1" range. Starting point for screens is 1/2" above floor.		


description	application	pattern no.	AA	P1	P2	P3	G1	G2	G3
Panel attachment kit for glass gallery screen	for 42"h panel attachment	A1GGPC4234(L/R)()	\$775.	\$659.	\$659.	\$698.			
	for 46"h panel attachment	A1GGPC4934(L/R)()	775.	659.	659.	698.			
Spine attachment kit for glass gallery screen	mid span/ off modular	A1GGSPSC30(L/R)()	808.	687.	687.	726.			
	spine end starter	A1GGSE30(L/R)()()	785.	668.	668.	708.			
Glass, for panel based	for 42"h x 60"w	A1PGG4260()					935.	1,410.	1,899.
	for 42"h x 72"w	A1PGG4272()					1,071.	1,636.	2,265.
	for 49"h x 60"w	A1PGG4960()					1,058.	1,620.	2,204.
	for 49"h x 72"w	A1PGG4972()					1,216.	1,887.	2,585.
Glass, for spine based	for 48"h x 60"w	A1SGG4860()					1,029.	1,567.	2,127.
	for 48"h x 72"w	A1SGG4872()					1,180.	1,823.	2,496.

Order Code	Specification Information	Application Notes
Example: A1GGPC4234		
A AutoStrada	1.L/R- Left or right hand connection	Glass Gallery Screen Panel
1 Generation 1	If left hand, worksurface on right	attachment kit includes finished
GG Gallery screen, glass	side of glass	connection to panel post and end
PC Panel post connector	If right hand, worksurface on left	capture for glass.
42 42"h panel attachment	side of glass	
(includes Hi/low trim)		Glass Gallery Screen Spine
34 34" high nominal	2.Finish divider capture	attachment kit includes finished
(L/R) Left or right hand	AA and all core paint options except	connection to spine and end capture
connection	613	for glass.
() Finish divider, capture	<i>Glass Finish</i>	
	G1=Clear Temp glass	Glass to align top of panel insert,
	G2=Architectural	below top trim for panel base.
	G3=Color	Glass to align top of Service Wall
		cover, below crown or at horizontal
		channel at nominal 48" high if 64"
		Service Wall.

Tiled/Monolithic - mono side only with base raceway
Tiled one side - Laminate/Monolithic side - fabric

AutoStrada

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled laminate one side, fabric monolithic other side (tiled side without base raceway)	34"	18"	R3R1AFL3418 () () () () () ()	\$738.	\$750.	\$785.	\$833.	\$864.	\$921.	\$949.
		24"	R3R1AFL3424 () () () () () ()	785.	802.	838.	882.	916.	971.	1,001.
		30"	R3R1AFL3430 () () () () () ()	845.	859.	897.	939.	972.	1,030.	1,060.
		36"	R3R1AFL3436 () () () () () ()	899.	911.	949.	992.	1,024.	1,082.	1,109.
		42"	R3R1AFL3442 () () () () () ()	1,033.	1,048.	1,083.	1,128.	1,160.	1,216.	1,245.
		48"	R3R1AFL3448 () () () () () ()	1,068.	1,083.	1,119.	1,163.	1,195.	1,252.	1,281.
	42"	18"	R3R1AFL4218 () () () () () ()	819.	842.	887.	949.	988.	1,057.	1,097.
		24"	R3R1AFL4224 () () () () () ()	875.	899.	947.	1,006.	1,047.	1,111.	1,154.
		30"	R3R1AFL4230 () () () () () ()	938.	961.	1,008.	1,069.	1,108.	1,176.	1,218.
		36"	R3R1AFL4236 () () () () () ()	998.	1,021.	1,069.	1,131.	1,171.	1,234.	1,279.
		42"	R3R1AFL4242 () () () () () ()	1,122.	1,146.	1,192.	1,253.	1,294.	1,361.	1,402.
		48"	R3R1AFL4248 () () () () () ()	1,185.	1,211.	1,255.	1,316.	1,358.	1,421.	1,466.
	49"	18"	R3R1AFL4918 () () () () () ()	910.	932.	988.	1,055.	1,102.	1,185.	1,227.
		24"	R3R1AFL4924 () () () () () ()	972.	993.	1,050.	1,115.	1,166.	1,247.	1,292.
		30"	R3R1AFL4930 () () () () () ()	1,049.	1,069.	1,124.	1,191.	1,240.	1,324.	1,366.
		36"	R3R1AFL4936 () () () () () ()	1,109.	1,135.	1,189.	1,254.	1,305.	1,384.	1,428.
		42"	R3R1AFL4942 () () () () () ()	1,251.	1,273.	1,328.	1,395.	1,443.	1,525.	1,570.
		48"	R3R1AFL4948 () () () () () ()	1,320.	1,340.	1,398.	1,465.	1,514.	1,597.	1,638.
	64"	18"	R3R1AFL6418 () () () () () ()	1,041.	1,071.	1,146.	1,232.	1,303.	1,408.	1,467.
		24"	R3R1AFL6424 () () () () () ()	1,111.	1,144.	1,216.	1,305.	1,369.	1,477.	1,540.
		30"	R3R1AFL6430 () () () () () ()	1,196.	1,227.	1,304.	1,390.	1,454.	1,565.	1,624.
		36"	R3R1AFL6436 () () () () () ()	1,271.	1,304.	1,375.	1,464.	1,527.	1,637.	1,696.
		42"	R3R1AFL6442 () () () () () ()	1,447.	1,476.	1,552.	1,637.	1,704.	1,813.	1,873.
		48"	R3R1AFL6448 () () () () () ()	1,521.	1,552.	1,624.	1,711.	1,780.	1,887.	1,946.



both sides 64x48 shown, 49" h with three tiles; 34" h with two tiles; 42" h 3 tiles/ top tile 7" h

Order Code	Specification Information	Application Notes
Example: R3R1AFL3418EAA4K 613W359-118N	<i>To order please specify pattern number including:</i>	Monolithic side with base raceway only. Tiled side inserts extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3	AutoStrada w/generation 3 frame	
R1	Base raceway monolithic side only	
A	Tiled one side, Monolithic other	Tiled side includes panel reveals between laminate inserts. Aluminum vertical hookstrip cover ordered separately.
F	Fabric, monolithic side	
L	Laminate, tiled side	Panels are not for use with medians, storage medians or bridges.
34	34" high	
18	18" wide	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
E	Extruded Aluminum top trim	
AA	Top Trim anodized aluminum finish	Panels on this page will accept standard Reff System stacking window modules.
4	4" high base raceway	
K	Knock-outs in base raceway	Product on this page will accept marker board and wood grain laminate where laminate is currently an option.
613	Finish, base raceway	
W359-	Finish, fabric	
118	Finish, Bright White	
N	Not milled for ported components	

1. Height
2. Width
3. Extruded Aluminum Top Trim
E - default
4. Finish, Aluminum trim (top trim and tile dividers/reveals)
Anodized aluminum or painted finish options listed on page 11 excluding silver.
5. Base raceway height
4 = 4" h, default
6. Knock-out option
K = with knock-outs
N = no knock-outs
7. Base raceway finish
painted or plated finish options only
8. Fabric selection
9. Finish, L = Laminate
LW = Marker board
10. Milled for ported components
M = milled for (\$15 list upcharge applicable)
N = not milled for


See page 7 for finish options applicable.

Tiled/Monolithic - mono side only with base raceway

Tiled one side - V1 Techwood/Monolithic - fabric

AutoStrada

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled V1 techwood one side, fabric monolithic other side (tiled side without base raceway)	34"	18"	R3R1AF13418 () () () () () ()	\$757.	\$773.	\$810.	\$856.	\$887.	\$941.	\$974.
		24"	R3R1AF13424 () () () () () ()	815.	828.	867.	910.	941.	1,000.	1,029.
		30"	R3R1AF13430 () () () () () ()	871.	886.	924.	967.	1,001.	1,058.	1,088.
		36"	R3R1AF13436 () () () () () ()	924.	938.	975.	1,019.	1,051.	1,109.	1,140.
		42"	R3R1AF13442 () () () () () ()	1,069.	1,080.	1,117.	1,162.	1,194.	1,252.	1,281.
		48"	R3R1AF13448 () () () () () ()	1,100.	1,116.	1,154.	1,197.	1,232.	1,286.	1,317.
	42"	18"	R3R1AF14218 () () () () () ()	842.	864.	912.	972.	1,013.	1,080.	1,122.
		24"	R3R1AF14224 () () () () () ()	903.	926.	972.	1,033.	1,074.	1,142.	1,184.
		30"	R3R1AF14230 () () () () () ()	969.	993.	1,040.	1,100.	1,142.	1,205.	1,249.
		36"	R3R1AF14236 () () () () () ()	1,029.	1,052.	1,098.	1,158.	1,200.	1,265.	1,310.
		42"	R3R1AF14242 () () () () () ()	1,158.	1,184.	1,231.	1,294.	1,334.	1,398.	1,442.
		48"	R3R1AF14248 () () () () () ()	1,217.	1,241.	1,289.	1,349.	1,389.	1,458.	1,498.
	49"	18"	R3R1AF14918 () () () () () ()	935.	958.	1,014.	1,080.	1,131.	1,212.	1,258.
		24"	R3R1AF14924 () () () () () ()	1,001.	1,022.	1,077.	1,146.	1,193.	1,280.	1,323.
		30"	R3R1AF14930 () () () () () ()	1,076.	1,098.	1,155.	1,224.	1,272.	1,353.	1,397.
		36"	R3R1AF14936 () () () () () ()	1,145.	1,164.	1,224.	1,286.	1,339.	1,420.	1,465.
		42"	R3R1AF14942 () () () () () ()	1,294.	1,316.	1,369.	1,434.	1,485.	1,570.	1,615.
		48"	R3R1AF14948 () () () () () ()	1,363.	1,384.	1,439.	1,508.	1,557.	1,640.	1,685.
	64"	18"	R3R1AF16418 () () () () () ()	1,075.	1,105.	1,179.	1,267.	1,337.	1,445.	1,505.
		24"	R3R1AF16424 () () () () () ()	1,148.	1,178.	1,249.	1,340.	1,408.	1,520.	1,576.
		30"	R3R1AF16430 () () () () () ()	1,234.	1,263.	1,339.	1,427.	1,491.	1,606.	1,665.
		36"	R3R1AF16436 () () () () () ()	1,307.	1,339.	1,412.	1,502.	1,569.	1,680.	1,740.
		42"	R3R1AF16442 () () () () () ()	1,489.	1,521.	1,594.	1,684.	1,751.	1,860.	1,919.
		48"	R3R1AF16448 () () () () () ()	1,569.	1,597.	1,671.	1,760.	1,828.	1,939.	2,000.



both sides 64x48 shown, 49"h with three
tiles; 34"h with two tiles; 42"h 3 tiles/ top
tile 7"h

Panels


Order Code	Specification Information	Application Notes
Example: R3R1AF13418EAA4K 613W359-Y319N	<i>To order please specify pattern number including:</i>	Monolithic side with base raceway only. Tiled side inserts extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	
R1 Base raceway monolithic side only	2. Width	
A Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	Tiled side includes panel reveals between V1 inserts. Aluminum vertical hookstrip cover ordered separately.
F Fabric, monolithic side	4. Finish, Aluminum trim (top trim and tile dividers/reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Panels are not for use with medians, storage medians or bridges.
1 V1 Techwood, tiled side	5. Base raceway height <i>4 = 4"h, default</i>	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
34 34" high	6. Knock-out option <i>K = with knock-outs</i> <i>N = no knock-outs</i>	Panels on this page will accept standard Reff System stacking window modules.
18 18" wide	7. Base raceway finish <i>painted or plated finish options only</i>	
E Extruded Aluminum top trim	8. Fabric selection	
AA Top Trim anodized aluminum finish	9. Finish, V1 Techwood	
4 4" high base raceway	10. Milled for ported componenets <i>M = milled for (\$15 list upcharge applicable)</i> <i>N = not milled for</i>	
K Knock-outs in base raceway		
613 Finish, base raceway		
W359- Finish, fabric		
Y319 Finish, Cherry		
N Not milled for ported components	See page 7 for finish options applicable.	

Tiled/Monolithic - mono side only with base raceway


Tiled one side - V2 Natural/Monolithic - fabric

AutoStrada

description	h	w	pattern no.	Grade	10	15	20	30	35	40	45
Tiled V2 natural one side, fabric monolithic other side (tiled side without base raceway)	34"	18"	R3R1AF23418 (X)(X)(X)(X)(X)	\$774.	\$791.	\$827.	\$871.	\$906.	\$959.	\$988.	
		24"	R3R1AF23424 (X)(X)(X)(X)(X)	829.	847.	884.	928.	959.	1,016.	1,047.	
		30"	R3R1AF23430 (X)(X)(X)(X)(X)	887.	904.	939.	984.	1,017.	1,074.	1,102.	
		36"	R3R1AF23436 (X)(X)(X)(X)(X)	940.	957.	995.	1,039.	1,072.	1,126.	1,156.	
		42"	R3R1AF23442 (X)(X)(X)(X)(X)	1,087.	1,098.	1,138.	1,180.	1,212.	1,271.	1,302.	
		48"	R3R1AF23448 (X)(X)(X)(X)(X)	1,123.	1,140.	1,175.	1,220.	1,253.	1,308.	1,339.	
	42"	18"	R3R1AF24218 (X)(X)(X)(X)(X)	859.	882.	928.	988.	1,030.	1,096.	1,141.	
		24"	R3R1AF24224 (X)(X)(X)(X)(X)	921.	942.	992.	1,052.	1,093.	1,157.	1,201.	
		30"	R3R1AF24230 (X)(X)(X)(X)(X)	985.	1,011.	1,058.	1,118.	1,157.	1,227.	1,267.	
		36"	R3R1AF24236 (X)(X)(X)(X)(X)	1,052.	1,076.	1,122.	1,184.	1,226.	1,292.	1,336.	
		42"	R3R1AF24242 (X)(X)(X)(X)(X)	1,182.	1,203.	1,252.	1,312.	1,353.	1,420.	1,463.	
		48"	R3R1AF24248 (X)(X)(X)(X)(X)	1,243.	1,265.	1,315.	1,377.	1,416.	1,482.	1,525.	
49"	18"	R3R1AF24918 (X)(X)(X)(X)(X)	957.	979.	1,033.	1,099.	1,150.	1,234.	1,280.		
	24"	R3R1AF24924 (X)(X)(X)(X)(X)	1,019.	1,043.	1,098.	1,164.	1,216.	1,300.	1,344.		
	30"	R3R1AF24930 (X)(X)(X)(X)(X)	1,100.	1,123.	1,180.	1,247.	1,299.	1,380.	1,423.		
	36"	R3R1AF24936 (X)(X)(X)(X)(X)	1,166.	1,190.	1,245.	1,315.	1,363.	1,445.	1,489.		
	42"	R3R1AF24942 (X)(X)(X)(X)(X)	1,316.	1,338.	1,392.	1,459.	1,510.	1,593.	1,636.		
	48"	R3R1AF24948 (X)(X)(X)(X)(X)	1,388.	1,411.	1,465.	1,534.	1,581.	1,667.	1,710.		
64"	18"	R3R1AF26418 (X)(X)(X)(X)(X)	1,097.	1,126.	1,201.	1,292.	1,358.	1,466.	1,527.		
	24"	R3R1AF26424 (X)(X)(X)(X)(X)	1,170.	1,200.	1,273.	1,363.	1,430.	1,539.	1,599.		
	30"	R3R1AF26430 (X)(X)(X)(X)(X)	1,257.	1,286.	1,361.	1,450.	1,515.	1,627.	1,686.		
	36"	R3R1AF26436 (X)(X)(X)(X)(X)	1,338.	1,365.	1,439.	1,528.	1,595.	1,708.	1,765.		
	42"	R3R1AF26442 (X)(X)(X)(X)(X)	1,523.	1,553.	1,626.	1,713.	1,782.	1,892.	1,952.		
	48"	R3R1AF26448 (X)(X)(X)(X)(X)	1,597.	1,627.	1,702.	1,790.	1,857.	1,969.	2,028.		



both sides 64x48 shown, 49"h with three tiles; 34"h with two tiles; 42"h 3 tiles/ top tile 7"h



both sides 64x48 shown, 49" h with three tiles; 34" h with two tiles; 42" h 3 tiles/ top tile 7" h


Order Code	Specification Information	Application Notes
Example: R3R1AF23418EAA4K613W359-V316N	<i>To order please specify pattern number including:</i>	Monolithic side with base raceway only. Tiled side inserts extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	
R1 Base raceway monolithic side only	2. Width	
A Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	Tiled side includes panel reveals between V2 inserts. Aluminum vertical hookstrip cover ordered separately.
F Fabric, monolithic side	4. Finish, Aluminum trim (top trim and tile dividers/reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Panels are not for use with medians, storage medians or bridges.
2 V2 Natural, tiled side	5. Base raceway height <i>4 = 4" h, default</i>	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
34 34" high	6. Knock-out option <i>K = with knock-outs</i>	
18 18" wide	<i>N = no knock-outs</i>	
E Extruded Aluminum top trim	7. Base raceway finish <i>painted or plated finish options only</i>	Panels on this page will accept standard Reff System stacking window modules.
AA Top Trim anodized aluminum finish	8. Fabric selection	
4 4" high base raceway	9. Finish, V2 Natural	
K Knock-outs in base raceway	10. Milled for ported components <i>M = milled for (\$15 list upcharge applicable)</i>	
613 Finish, base raceway	<i>N = not milled for</i>	
W359- Finish, fabric		
V316 Finish, Maple		
N Not milled for ported components	See page 7 for finish options applicable.	

Tiled/Monolithic - mono side only with base raceway

Tiled one side - V3 Exotic/Monolithic - fabric

AutoStrada

description	h	w	pattern no.	Grade 10	15	20	30	35	40	45
Tiled V3 exotic one side, fabric monolithic other side (tiled side without base raceway)	34"	18"	R3R1AF33418 (X)(X)(X)(X)(X)	\$1,030.	\$1,049.	\$1,097.	\$1,156.	\$1,200.	\$1,272.	\$1,308.
		24"	R3R1AF33424 (X)(X)(X)(X)(X)	1,100.	1,120.	1,171.	1,229.	1,272.	1,344.	1,382.
		30"	R3R1AF33430 (X)(X)(X)(X)(X)	1,178.	1,194.	1,244.	1,304.	1,347.	1,418.	1,458.
		36"	R3R1AF33436 (X)(X)(X)(X)(X)	1,247.	1,265.	1,316.	1,370.	1,415.	1,488.	1,527.
		42"	R3R1AF33442 (X)(X)(X)(X)(X)	1,432.	1,451.	1,498.	1,557.	1,601.	1,672.	1,711.
		48"	R3R1AF33448 (X)(X)(X)(X)(X)	1,482.	1,504.	1,553.	1,608.	1,650.	1,724.	1,762.
	42"	18"	R3R1AF34218 (X)(X)(X)(X)(X)	1,171.	1,194.	1,242.	1,304.	1,344.	1,411.	1,456.
		24"	R3R1AF34224 (X)(X)(X)(X)(X)	1,254.	1,279.	1,326.	1,387.	1,425.	1,492.	1,536.
		30"	R3R1AF34230 (X)(X)(X)(X)(X)	1,345.	1,369.	1,416.	1,476.	1,518.	1,583.	1,628.
		36"	R3R1AF34236 (X)(X)(X)(X)(X)	1,433.	1,459.	1,505.	1,567.	1,607.	1,673.	1,715.
		42"	R3R1AF34242 (X)(X)(X)(X)(X)	1,608.	1,631.	1,677.	1,740.	1,781.	1,846.	1,889.
		48"	R3R1AF34248 (X)(X)(X)(X)(X)	1,691.	1,715.	1,763.	1,825.	1,863.	1,933.	1,974.
	49"	18"	R3R1AF34918 (X)(X)(X)(X)(X)	1,275.	1,305.	1,378.	1,463.	1,528.	1,636.	1,694.
		24"	R3R1AF34924 (X)(X)(X)(X)(X)	1,359.	1,388.	1,462.	1,548.	1,614.	1,721.	1,781.
		30"	R3R1AF34930 (X)(X)(X)(X)(X)	1,465.	1,493.	1,568.	1,651.	1,717.	1,828.	1,885.
		36"	R3R1AF34936 (X)(X)(X)(X)(X)	1,553.	1,577.	1,650.	1,738.	1,803.	1,911.	1,970.
		42"	R3R1AF34942 (X)(X)(X)(X)(X)	1,741.	1,769.	1,842.	1,926.	1,993.	2,102.	2,161.
		48"	R3R1AF34948 (X)(X)(X)(X)(X)	1,839.	1,866.	1,937.	2,026.	2,089.	2,196.	2,255.
	64"	18"	R3R1AF36418 (X)(X)(X)(X)(X)	1,468.	1,509.	1,606.	1,718.	1,805.	1,952.	2,028.
		24"	R3R1AF36424 (X)(X)(X)(X)(X)	1,566.	1,601.	1,699.	1,814.	1,899.	2,047.	2,123.
		30"	R3R1AF36430 (X)(X)(X)(X)(X)	1,677.	1,714.	1,809.	1,926.	2,015.	2,161.	2,237.
		36"	R3R1AF36436 (X)(X)(X)(X)(X)	1,782.	1,818.	1,916.	2,031.	2,117.	2,262.	2,340.
		42"	R3R1AF36442 (X)(X)(X)(X)(X)	2,021.	2,059.	2,158.	2,272.	2,358.	2,502.	2,581.
		48"	R3R1AF36448 (X)(X)(X)(X)(X)	2,122.	2,161.	2,255.	2,369.	2,457.	2,601.	2,679.



both sides 64x48 shown, 49"h with three tiles; 34"h with two tiles; 42"h 3 tiles/ top tile 7"h


Order Code	Specification Information	Application Notes
Example: R3R1AF33418EAA4K 613W359-V515N	<i>To order please specify pattern number including:</i>	Monolithic side with base raceway only. Tiled side inserts extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3	AutoStrada w/generation 3 frame	
R1	Base raceway monolithic side only	
A	Tiled one side, Monolithic other	Tiled side includes panel reveals between V3 inserts. Aluminum vertical hookstrip cover ordered separately.
F	Fabric, monolithic side	
3	V3 Exotic, tiled side	Panels are not for use with medians, storage medians or bridges.
34	34" high	
18	18" wide	
E	Extruded Aluminum top trim	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
AA	Top Trim anodized aluminum finish	Panels on this page will accept standard Reff System stacking window modules.
4	4" high base raceway	
K	Knock-outs in base raceway	
613	Finish, base raceway	
W359-	Finish, fabric	
V515	Finish, Quartered Clear Figured Sycamore	
N	Not milled for ported components	

- Height
- Width
- Extruded Aluminum Top Trim
E - default
- Finish, Aluminum trim (top trim and tile dividers/reveals)
Anodized aluminum or painted finish options listed on page 11 excluding silver.
- Base raceway height
4 = 4"h, default
- Knock-out option
K = with knock-outs
N = no knock-outs
- Base raceway finish
painted or plated finish options only
- Fabric selection
- Finish, V3 Exotic
- Milled for ported components
M = milled for (\$15 list upcharge applicable)
N = not milled for

See page 7 for finish options applicable.

Tiled/Monolithic - mono side only with base raceway
Tiled one side - Laminate / Laminate
 34" and 42" h

description	h	w	pattern no.	L
Tiled/Monolithic - tiled side no raceway	34"	18"	R3R1ALL3418 () () () () () ()	\$654.
Laminate outside/Laminate inside		24"	R3R1ALL3424 () () () () () ()	712.
		30"	R3R1ALL3430 () () () () () ()	796.
		36"	R3R1ALL3436 () () () () () ()	861.
		42"	R3R1ALL3442 () () () () () ()	886.
		48"	R3R1ALL3448 () () () () () ()	930.
	42"	18"	R3R1ALL4218 () () () () () ()	691.
		24"	R3R1ALL4224 () () () () () ()	751.
		30"	R3R1ALL4230 () () () () () ()	844.
		36"	R3R1ALL4236 () () () () () ()	910.
		42"	R3R1ALL4242 () () () () () ()	1,001.
		48"	R3R1ALL4248 () () () () () ()	1,121.




both sides 64x48 shown, 49" h with three tiles; 34" h with two tiles; 42" h 3 tiles/ top tile 7" h

Order Code	Specification Information	Application Notes
Example: R3R1ALL4218EAA4K613W359-118N	<i>To order please specify pattern number including:</i>	Laminate finish insert extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	
R1 Base raceway monolithic side only	2. Width	
A Monolithic	3. Extruded Aluminum Top Trim <i>E - default</i>	Aluminum vertical hookstrip cover ordered separately.
L Laminate, interior side	4. Finish, Aluminum top trim <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Panels are not for use with medians, storage medians or bridges.
L Laminate, exterior side	5. Base raceway height <i>4 = 4" h, default</i>	Black PVC hookstrip reveals should be ordered for fabric side from Reff price list.
42 42" high	6. Knock-out option <i>K = with knock-outs</i>	
18 18" wide	<i>N = no knock-outs</i>	
E Extruded Aluminum top trim	7. Base raceway finish <i>painted or plated finish options only</i>	Panels on this page will accept standard Reff System stacking window modules.
AA Top Trim anodized aluminum finish	8. Finish, L = Laminate	
4 4" high base raceway	LW = Marker board	These panels will accept all core laminates; including marker board and wood grain laminate.
K Knock-outs in base raceway	9. Finish, L = Laminate	
613 Finish, base raceway	LW = Marker board	
118 Finish, Bright White	10. Milled for ported components <i>M = milled for (\$15 list upcharge applicable)</i>	
118 Finish, Bright White	<i>N = not milled for</i>	
N Not milled for ported components	See page 7 for finish options applicable.	

Tiled/Monolithic - mono side only with base raceway
Tiled one side - Laminate / Laminate
49" and 64"h

description	h	w	pattern no.	L
Tiled/Monolithic - tiled side no raceway	49"	18"	R3R1ALL4918 ()()()()()()	\$821.
Laminate outside/Laminate inside		24"	R3R1ALL4924 ()()()()()()	895.
		30"	R3R1ALL4930 ()()()()()()	1,000.
		36"	R3R1ALL4936 ()()()()()()	1,082.
		42"	R3R1ALL4942 ()()()()()()	1,189.
		48"	R3R1ALL4948 ()()()()()()	1,331.
	64"	18"	R3R1ALL6418 ()()()()()()	912.
		24"	R3R1ALL6424 ()()()()()()	994.
		30"	R3R1ALL6430 ()()()()()()	1,114.
		36"	R3R1ALL6436 ()()()()()()	1,203.
		42"	R3R1ALL6442 ()()()()()()	1,324.
		48"	R3R1ALL6448 ()()()()()()	1,482.




both sides 64x48 shown, 49"h with three tiles; 34"h with two tiles; 42"h 3 tiles/ top tile 7"h

Order Code	Specification Information	Application Notes
Example: R3R1ALL4218EAA4K613W359-118N	To order please specify pattern number including:	Laminate finish insert extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	
R1 Base raceway monolithic side only	2. Width	
A Monolithic	3. Extruded Aluminum Top Trim <i>E - default</i>	Aluminum vertical hookstrip cover ordered separately.
L Laminate, interior side	4. Finish, Aluminum top trim <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Panels are not for use with medians, storage medians or bridges.
L Laminate, exterior side	5. Base raceway height <i>4 = 4"h, default</i>	Black PVC hookstrip reveals should be ordered for fabric side from Reff price list.
42 42" high	6. Knock-out option <i>K = with knock-outs</i>	
18 18" wide	<i>N = no knock-outs</i>	
E Extruded Aluminum top trim	7. Base raceway finish <i>painted or plated finish options only</i>	Panels on this page will accept standard Reff System stacking window modules.
AA Top Trim anodized aluminum finish	8. Finish, L = Laminate	
4 4" high base raceway	LW = Marker board	These panels will accept all core laminates; including marker board and wood grain laminate.
K Knock-outs in base raceway	9. Finish, L = Laminate	
613 Finish, base raceway	LW = Marker board	
118 Finish, Bright White	10. Milled for ported components <i>M = milled for (\$15 list upcharge applicable)</i>	
118 Finish, Bright White	<i>N = not milled for</i>	
N Not milled for ported components	See page 7 for finish options applicable.	

Mono/Mono - exterior hard side no raceway

Laminate outside / Fabric inside

AutoStrada

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Monolithic laminate exterior no raceway, interior fabric with raceway 	42"	18"	R3R1PFL4218 () () () () () ()	\$516.	\$528.	\$550.	\$597.	\$632.	\$673.	\$702.
		24"	R3R1PFL4224 () () () () () ()	524.	534.	557.	604.	639.	681.	710.
		30"	R3R1PFL4230 () () () () () ()	629.	638.	663.	709.	744.	784.	818.
		36"	R3R1PFL4236 () () () () () ()	681.	690.	713.	761.	796.	838.	867.
		42"	R3R1PFL4242 () () () () () ()	765.	774.	796.	847.	882.	925.	953.
		48"	R3R1PFL4248 () () () () () ()	832.	842.	864.	912.	950.	991.	1,021.
	49"	18"	R3R1PFL4918 () () () () () ()	571.	588.	614.	671.	709.	756.	789.
		24"	R3R1PFL4924 () () () () () ()	627.	641.	668.	725.	765.	815.	847.
		30"	R3R1PFL4930 () () () () () ()	709.	725.	749.	810.	848.	898.	930.
		36"	R3R1PFL4936 () () () () () ()	766.	780.	809.	864.	904.	954.	986.
		42"	R3R1PFL4942 () () () () () ()	845.	859.	886.	945.	984.	1,035.	1,067.
		48"	R3R1PFL4948 () () () () () ()	951.	965.	993.	1,055.	1,092.	1,144.	1,176.

both sides 49x48 shown


Order Code	Specification Information	Application Notes
Example: R3R1PFL4218EAA4K613W359-118N	<i>To order please specify pattern number including:</i>	Interior fabric side with base raceway, exterior monolithic laminate finish insert extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	
R1 Base raceway monolithic side only	2. Width	
P Monolithic	3. Extruded Aluminum Top Trim <i>E - default</i>	Aluminum vertical hookstrip cover ordered separately.
F Fabric, interior side	4. Finish, Aluminum top trim <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Panels are not for use with medians, storage medians or bridges.
L Laminate, exterior side	5. Base raceway height <i>4 = 4"h, default</i>	Black PVC hookstrip reveals should be ordered for fabric side from Reff price list.
42 42" high	6. Knock-out option <i>K = with knock-outs</i>	
18 18" wide	<i>N = no knock-outs</i>	
E Extruded Aluminum top trim	7. Base raceway finish <i>painted or plated finish options only</i>	Panels on this page will accept standard Reff System stacking window modules.
AA Top Trim anodized aluminum finish	8. Fabric selection	
4 4" high base raceway	9. Finish, L = Laminate <i>LW = Marker board</i>	Product on this page will accept marker board and wood grain laminate where laminate is currently an option.
K Knock-outs in base raceway	10. Milled for ported components <i>M = milled for (\$15 list upcharge applicable)</i>	
613 Finish, base raceway	<i>N = not milled for</i>	
W359- Finish, fabric		
118 Finish, Bright White		
N Not milled for ported components	See page 7 for finish options applicable.	

Mono/Mono - exterior hard side no raceway


V1 Techwood outside / Fabric inside

AutoStrada

description	h	w	pattern no.	Grade							
				10	15	20	30	35	40	45	
Monolithic V1 techwood exterior no raceway, interior fabric with raceway	42"	18"	R3R1PF14218	() () () () () ()	\$613.	\$628.	\$652.	\$705.	\$749.	\$796.	\$830.
		24"	R3R1PF14224	() () () () () ()	619.	633.	659.	712.	754.	802.	836.
		30"	R3R1PF14230	() () () () () ()	747.	757.	785.	842.	884.	932.	965.
		36"	R3R1PF14236	() () () () () ()	809.	821.	849.	903.	943.	994.	1,029.
		42"	R3R1PF14242	() () () () () ()	909.	921.	950.	1,003.	1,048.	1,096.	1,131.
		48"	R3R1PF14248	() () () () () ()	988.	1,000.	1,029.	1,083.	1,128.	1,175.	1,211.
		49"	18"	R3R1PF14918	() () () () () ()	682.	698.	729.	794.	841.	896.
24"	R3R1PF14924		() () () () () ()	745.	763.	792.	860.	905.	961.	1,000.	
30"	R3R1PF14930		() () () () () ()	849.	865.	896.	964.	1,010.	1,068.	1,105.	
36"	R3R1PF14936		() () () () () ()	908.	927.	958.	1,023.	1,071.	1,126.	1,165.	
42"	R3R1PF14942		() () () () () ()	1,005.	1,022.	1,056.	1,122.	1,167.	1,227.	1,263.	
48"	R3R1PF14948		() () () () () ()	1,131.	1,149.	1,182.	1,248.	1,296.	1,353.	1,392.	



both sides 49x48 shown



both sides 49x48 shown

Panels

Order Code	Specification Information	Application Notes
Example: R3R1PF14218EAA4K613W359-Y319N	<i>To order please specify pattern number including:</i>	Interior fabric side with base raceway, exterior monolithic V1 insert extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3	AutoStrada w/generation 3 frame	
R1	Base raceway monolithic side only	
P	Monolithic, both sides	Aluminum vertical hookstrip cover ordered separately.
F	Fabric, inside	Panels are not for use with medians, storage medians or bridges.
1	V1 Techwood, outside	
42	42" high	Black PVC hookstrip reveals should be ordered for fabric side from Reff price list.
18	18" wide	
E	Extruded Aluminum top trim	Panels on this page will accept standard Reff System stacking window modules.
AA	Top Trim anodized aluminum finish	
4	4" high base raceway	
K	Knock-outs in base raceway	
613	Finish, base raceway	
W359-	Finish, fabric	
Y319	Finish, Cherry	
N	Not milled for ported components	


1. Height
2. Width
3. Extruded Aluminum Top Trim
E - default
4. Finish, Aluminum top trim
Anodized aluminum or painted finish options listed on page 11 excluding silver.
5. Base raceway height
4 = 4"h, default
6. Knock-out option
K = with knock-outs
N = no knock-outs
7. Base raceway finish
painted or plated finish options only
8. Fabric selection
9. Finish, V1 Techwood
10. Milled for ported components
M = milled for (\$15 list upcharge applicable)
N = not milled for

See page 7 for finish options applicable.

Mono/Mono - exterior hard side no raceway
V2 Natural veneer outside / Fabric inside

AutoStrada

description	h	w	pattern no.	Grade 10	15	20	30	35	40	45
Monolithic V2 natural veneer exterior no raceway, interior fabric with raceway	42"	18"	R3R1PF24218 () () () () () ()	\$627.	\$638.	\$665.	\$716.	\$762.	\$809.	\$844.
		24"	R3R1PF24224 () () () () () ()	634.	646.	673.	726.	770.	818.	851.
		30"	R3R1PF24230 () () () () () ()	763.	773.	801.	857.	901.	945.	981.
		36"	R3R1PF24236 () () () () () ()	824.	835.	864.	918.	961.	1,010.	1,043.
		42"	R3R1PF24242 () () () () () ()	928.	938.	967.	1,021.	1,068.	1,113.	1,149.
		48"	R3R1PF24248 () () () () () ()	1,011.	1,021.	1,051.	1,107.	1,150.	1,197.	1,233.
	49"	18"	R3R1PF24918 () () () () () ()	694.	710.	743.	809.	853.	909.	947.
		24"	R3R1PF24924 () () () () () ()	757.	775.	806.	874.	920.	975.	1,014.
		30"	R3R1PF24930 () () () () () ()	861.	879.	910.	977.	1,021.	1,078.	1,117.
		36"	R3R1PF24936 () () () () () ()	927.	942.	975.	1,042.	1,089.	1,146.	1,185.
		42"	R3R1PF24942 () () () () () ()	1,023.	1,042.	1,075.	1,144.	1,188.	1,244.	1,284.
		48"	R3R1PF24948 () () () () () ()	1,155.	1,173.	1,204.	1,273.	1,320.	1,379.	1,417.



both sides 49x48 shown

Order Code	Specification Information	Application Notes
Example: R3R1PF24218EAA4K613W359-V316N	<i>To order please specify pattern number including:</i>	Interior fabric side with base raceway, exterior monolithic V2 finish insert extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3	AutoStrada w/generation 3 frame	
R1	Base raceway monolithic side only	
P	Monolithic	Aluminum vertical hookstrip cover ordered separately.
F	Fabric, monolithic interior	Panels are not for use with medians, storage medians or bridges.
2	V2 Natural, monolithic exterior	
42	42" high	Black PVC hookstrip reveals should be ordered for fabric side from Reff price list.
18	18" wide	
E	Extruded Aluminum top trim	Panels on this page will accept standard Reff System stacking window modules.
AA	Top Trim anodized aluminum finish	
4	4" high base raceway	
K	Knock-outs in base raceway	
613	Finish, base raceway	
W359-	Finish, fabric	
V316	Finish, Maple	
N	Not milled for ported components	

1. Height
2. Width
3. Extruded Aluminum Top Trim
E - default
4. Finish, Aluminum top trim
Anodized aluminum or painted finish options listed on page 11 excluding silver.
5. Base raceway height
4 = 4" h, default
6. Knock-out option
K = with knock-outs
N = no knock-outs
7. Base raceway finish
painted or plated finish options only
8. Fabric selection
9. Finish, V2 Natural
10. Milled for ported components
M = milled for (\$15 list upcharge applicable)
N = not milled for


See page 7 for finish options applicable.

Mono/Mono - exterior hard side no raceway

V3 Exotic veneer outside / Fabric inside

AutoStrada

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Monolithic V3 exotic veneer exterior no raceway, interior fabric with raceway	42"	18"	R3R1PF34218 () () () () () ()	\$845.	\$857.	\$883.	\$936.	\$980.	\$1,024.	\$1,062.
		24"	R3R1PF34224 () () () () () ()	858.	868.	896.	948.	993.	1,040.	1,074.
		30"	R3R1PF34230 () () () () () ()	1,031.	1,043.	1,072.	1,124.	1,167.	1,216.	1,249.
		36"	R3R1PF34236 () () () () () ()	1,116.	1,128.	1,156.	1,210.	1,254.	1,303.	1,338.
		42"	R3R1PF34242 () () () () () ()	1,260.	1,272.	1,302.	1,355.	1,398.	1,446.	1,481.
		48"	R3R1PF34248 () () () () () ()	1,377.	1,388.	1,417.	1,470.	1,516.	1,563.	1,598.
	49"	18"	R3R1PF34918 () () () () () ()	935.	954.	983.	1,050.	1,095.	1,152.	1,191.
		24"	R3R1PF34924 () () () () () ()	1,023.	1,043.	1,074.	1,142.	1,187.	1,243.	1,282.
		30"	R3R1PF34930 () () () () () ()	1,165.	1,185.	1,216.	1,283.	1,328.	1,385.	1,423.
		36"	R3R1PF34936 () () () () () ()	1,257.	1,274.	1,306.	1,375.	1,419.	1,476.	1,516.
		42"	R3R1PF34942 () () () () () ()	1,393.	1,411.	1,442.	1,511.	1,557.	1,614.	1,651.
		48"	R3R1PF34948 () () () () () ()	1,571.	1,590.	1,623.	1,689.	1,736.	1,793.	1,834.




both sides 49x48 shown

Order Code	Specification Information	Application Notes
Example: R3R1PF34218EAA4K613W359-V515N	To order please specify pattern number including:	Interior fabric side with base raceway, exterior monolithic V3 finish insert extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	
R1 Base raceway monolithic side only	2. Width	
P Monolithic	3. Extruded Aluminum Top Trim	
F Fabric, interior side	<i>E - default</i>	Aluminum vertical hookstrip cover ordered separately.
3 V3 Exotic, exterior side	4. Finish, Aluminum top trim	
42 42" high	<i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	
18 18" wide	5. Base raceway height	Panels are not for use with medians, storage medians or bridges.
E Extruded Aluminum top trim	<i>4 = 4"h, default</i>	
AA Top Trim anodized aluminum finish	6. Knock-out option	Black PVC hookstrip reveals should be ordered for fabric side from Reff price list.
4 4" high base raceway	<i>K = with knock-outs</i>	
K Knock-outs in base raceway	<i>N = no knock-outs</i>	
613 Finish, base raceway	7. Base raceway finish	Panels on this page will accept standard Reff System stacking window modules.
W359- Finish, fabric	<i>painted or plated finish options only</i>	
V515 Finish, Quartered Clear Figured Sycamore	8. Fabric selection	
N Not milled for ported components	9. Finish, V3 Exotic	
	10. Milled for ported components	
	<i>M = milled for (\$15 list upcharge applicable)</i>	
	<i>N = not milled for</i>	
	See page 7 for finish options applicable.	

Tiled/Monolithic - both sides with base raceway
Tiled one side - Laminate/Monolithic side - fabric

AutoStrada

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled laminate one side, fabric monolithic other side (both sides w/ base raceway)	34"	18"	R3R2AFL3418 () () () () () ()	\$738.	\$750.	\$785.	\$833.	\$864.	\$921.	\$949.
		24"	R3R2AFL3424 () () () () () ()	785.	802.	838.	882.	916.	971.	1,001.
		30"	R3R2AFL3430 () () () () () ()	845.	859.	897.	939.	972.	1,030.	1,060.
		36"	R3R2AFL3436 () () () () () ()	899.	911.	949.	992.	1,024.	1,082.	1,109.
		42"	R3R2AFL3442 () () () () () ()	1,033.	1,048.	1,083.	1,128.	1,160.	1,216.	1,245.
		48"	R3R2AFL3448 () () () () () ()	1,068.	1,083.	1,119.	1,163.	1,195.	1,252.	1,281.
	49"	18"	R3R2AFL4918 () () () () () ()	910.	932.	988.	1,055.	1,102.	1,185.	1,227.
		24"	R3R2AFL4924 () () () () () ()	972.	993.	1,050.	1,115.	1,166.	1,247.	1,292.
		30"	R3R2AFL4930 () () () () () ()	1,049.	1,069.	1,124.	1,191.	1,240.	1,324.	1,366.
		36"	R3R2AFL4936 () () () () () ()	1,109.	1,135.	1,189.	1,254.	1,305.	1,384.	1,428.
		42"	R3R2AFL4942 () () () () () ()	1,251.	1,273.	1,328.	1,395.	1,443.	1,525.	1,570.
		48"	R3R2AFL4948 () () () () () ()	1,320.	1,340.	1,398.	1,465.	1,514.	1,597.	1,638.
	64"	18"	R3R2AFL6418 () () () () () ()	1,041.	1,071.	1,146.	1,232.	1,303.	1,408.	1,467.
		24"	R3R2AFL6424 () () () () () ()	1,111.	1,144.	1,216.	1,305.	1,369.	1,477.	1,540.
		30"	R3R2AFL6430 () () () () () ()	1,196.	1,227.	1,304.	1,390.	1,454.	1,565.	1,624.
		36"	R3R2AFL6436 () () () () () ()	1,271.	1,304.	1,375.	1,464.	1,527.	1,637.	1,696.
		42"	R3R2AFL6442 () () () () () ()	1,447.	1,476.	1,552.	1,637.	1,704.	1,813.	1,873.
		48"	R3R2AFL6448 () () () () () ()	1,521.	1,552.	1,624.	1,711.	1,780.	1,887.	1,946.




both sides 64x48 shown, 49"h with three tiles; 34"h with two tiles

Order Code	Specification Information	Application Notes
Example: R3R2AFL3418EAA4K 613W359-118N	<i>To order please specify pattern number including:</i>	Tiled side includes aluminum panel reveals between laminate inserts. Aluminum vertical hookstrip cover ordered separately.
R3 AutoStrada w/generation 3 frame	1. Height	
R2 Base raceway both sides	2. Width	
A Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	Panels are not for use with medians, storage medians or bridges.
F Fabric, monolithic side	4. Finish, Aluminum trim (top trim and tile dividers/reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
L Laminate, tiled side	5. Base raceway height <i>4 = 4"h, default</i>	Panels on this page will accept standard Reff System stacking window modules.
34 34" high	6. Knock-out option <i>K = with knock-outs N = no knock-outs</i>	Product on this page will accept marker board and wood grain laminate where laminate is currently an option.
18 18" wide	7. Base raceway finish <i>painted or plated finish options only</i>	
E Extruded Aluminum top trim	8. Fabric selection	
AA Top Trim anodized aluminum finish	9. Finish, L= Laminate LW = Marker board	
4 4" high base raceway	10. Milled for ported components <i>M = milled for (\$15 list upcharge applicable) N = not milled for</i>	
K Knock-outs in base raceway		
613 Finish, base raceway		
W359- Finish, fabric		
118 Finish, laminate tile side		
N Not milled for ported components		

See page 7 for finish options applicable.

Tiled/Monolithic - both sides with base raceway
Tiled one side - V1 Techwood/Monolithic - fabric

AutoStrada

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled V1 techwood one side, fabric monolithic other side (both sides w/ base raceway) 	34"	18"	R3R2AF13418 () () () () () ()	\$757.	\$773.	\$810.	\$856.	\$887.	\$941.	\$974.
		24"	R3R2AF13424 () () () () () ()	815.	828.	867.	910.	941.	1,000.	1,029.
		30"	R3R2AF13430 () () () () () ()	871.	886.	924.	967.	1,001.	1,058.	1,088.
		36"	R3R2AF13436 () () () () () ()	924.	938.	975.	1,019.	1,051.	1,109.	1,140.
		42"	R3R2AF13442 () () () () () ()	1,069.	1,080.	1,117.	1,162.	1,194.	1,252.	1,281.
		48"	R3R2AF13448 () () () () () ()	1,100.	1,116.	1,154.	1,197.	1,232.	1,286.	1,317.
	49"	18"	R3R2AF14918 () () () () () ()	935.	958.	1,014.	1,080.	1,131.	1,212.	1,258.
		24"	R3R2AF14924 () () () () () ()	1,001.	1,022.	1,077.	1,146.	1,193.	1,280.	1,323.
		30"	R3R2AF14930 () () () () () ()	1,076.	1,098.	1,155.	1,224.	1,272.	1,353.	1,397.
		36"	R3R2AF14936 () () () () () ()	1,145.	1,164.	1,224.	1,286.	1,339.	1,420.	1,465.
		42"	R3R2AF14942 () () () () () ()	1,294.	1,316.	1,369.	1,434.	1,485.	1,570.	1,615.
		48"	R3R2AF14948 () () () () () ()	1,363.	1,384.	1,439.	1,508.	1,557.	1,640.	1,685.
	64"	18"	R3R2AF16418 () () () () () ()	1,075.	1,105.	1,179.	1,267.	1,337.	1,445.	1,505.
		24"	R3R2AF16424 () () () () () ()	1,148.	1,178.	1,249.	1,340.	1,408.	1,520.	1,576.
		30"	R3R2AF16430 () () () () () ()	1,234.	1,263.	1,339.	1,427.	1,491.	1,606.	1,665.
		36"	R3R2AF16436 () () () () () ()	1,307.	1,339.	1,412.	1,502.	1,569.	1,680.	1,740.
		42"	R3R2AF16442 () () () () () ()	1,489.	1,521.	1,594.	1,684.	1,751.	1,860.	1,919.
		48"	R3R2AF16448 () () () () () ()	1,569.	1,597.	1,671.	1,760.	1,828.	1,939.	2,000.

both sides 64x48 shown, 49"h with three
tiles; 34"h with two tiles


Panels

Order Code	Specification Information	Application Notes
Example: R3R2AF13418EAA4K 613W359-Y319N	<i>To order please specify pattern number including:</i>	Tiled side includes panel reveals between V1 inserts. Aluminum vertical hookstrip cover ordered separately.
R3 AutoStrada w/generation 3 frame	1. Height	
R2 Base raceway both sides	2. Width	
A Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	Panels are not for use with medians, storage medians or bridges.
F Fabric, monolithic side	4. Finish, Aluminum trim (top trim and tile dividers/reveals)	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
1 V1 Techwood, tiled side	<i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	
34 34" high	5. Base raceway height <i>4 = 4" h, default</i>	Panels on this page will accept standard Reff System stacking window modules.
18 18" wide	6. Knock-out option <i>K = with knock-outs</i>	
E Extruded Aluminum top trim	<i>N = no knock-outs</i>	
AA Top Trim anodized aluminum finish	7. Base raceway finish <i>painted or plated finish options only</i>	
4 4" high base raceway	8. Fabric selection	
K Knock-outs in base raceway	9. Finish, V1 Techwood	
613 Finish, base raceway	10. Milled for ported components <i>M = milled for (\$15 list upcharge applicable)</i>	
W359- Finish, fabric	<i>N = not milled for</i>	
Y319 Finish, Cherry		
N Not milled for ported components	See page 7 for finish options applicable.	

Tiled/Monolithic - both sides with base raceway
Tiled one side - V2 Natural/Monolithic - fabric

AutoStrada

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled V2 natural one side, fabric monolithic other side (both sides w/ base raceway)	34"	18"	R3R2AF23418 (X)(X)(X)(X)(X)	\$774.	\$791.	\$827.	\$871.	\$906.	\$959.	\$988.
		24"	R3R2AF23424 (X)(X)(X)(X)(X)	829.	847.	884.	928.	959.	1,016.	1,047.
		30"	R3R2AF23430 (X)(X)(X)(X)(X)	887.	904.	939.	984.	1,017.	1,074.	1,102.
		36"	R3R2AF23436 (X)(X)(X)(X)(X)	940.	957.	995.	1,039.	1,072.	1,126.	1,156.
		42"	R3R2AF23442 (X)(X)(X)(X)(X)	1,087.	1,098.	1,138.	1,180.	1,212.	1,271.	1,302.
		48"	R3R2AF23448 (X)(X)(X)(X)(X)	1,123.	1,140.	1,175.	1,220.	1,253.	1,308.	1,339.
	49"	18"	R3R2AF24918 (X)(X)(X)(X)(X)	957.	979.	1,033.	1,099.	1,150.	1,234.	1,280.
		24"	R3R2AF24924 (X)(X)(X)(X)(X)	1,019.	1,043.	1,098.	1,164.	1,216.	1,300.	1,344.
		30"	R3R2AF24930 (X)(X)(X)(X)(X)	1,100.	1,123.	1,180.	1,247.	1,299.	1,380.	1,423.
		36"	R3R2AF24936 (X)(X)(X)(X)(X)	1,166.	1,190.	1,245.	1,315.	1,363.	1,445.	1,489.
		42"	R3R2AF24942 (X)(X)(X)(X)(X)	1,316.	1,338.	1,392.	1,459.	1,510.	1,593.	1,636.
		48"	R3R2AF24948 (X)(X)(X)(X)(X)	1,388.	1,411.	1,465.	1,534.	1,581.	1,667.	1,710.
	64"	18"	R3R2AF26418 (X)(X)(X)(X)(X)	1,097.	1,126.	1,201.	1,292.	1,358.	1,466.	1,527.
		24"	R3R2AF26424 (X)(X)(X)(X)(X)	1,170.	1,200.	1,273.	1,363.	1,430.	1,539.	1,599.
		30"	R3R2AF26430 (X)(X)(X)(X)(X)	1,257.	1,286.	1,361.	1,450.	1,515.	1,627.	1,686.
		36"	R3R2AF26436 (X)(X)(X)(X)(X)	1,338.	1,365.	1,439.	1,528.	1,595.	1,708.	1,765.
		42"	R3R2AF26442 (X)(X)(X)(X)(X)	1,523.	1,553.	1,626.	1,713.	1,782.	1,892.	1,952.
		48"	R3R2AF26448 (X)(X)(X)(X)(X)	1,597.	1,627.	1,702.	1,790.	1,857.	1,969.	2,028.




both sides 64x48 shown, 49" h with three tiles; 34" h with two tiles

Order Code	Specification Information	Application Notes
Example: R3R2AF23418EAA4K613W359-V316N	<i>To order please specify pattern number including:</i>	Tiled side includes panel reveals between V2 inserts. Aluminum vertical hookstrip cover ordered separately.
R3 AutoStrada w/generation 3 frame	1. Height	
R2 Base raceway both sides	2. Width	
A Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	Panels are not for use with medians, storage medians or bridges.
F Fabric, monolithic side	4. Finish, Aluminum trim (top trim and tile dividers/reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
2 V2 Natural, tiled side	5. Base raceway height <i>4 = 4" h, default</i>	Panels on this page will accept standard Reff System stacking window modules.
34 34" high	6. Knock-out option <i>K = with knock-outs</i>	
18 18" wide	<i>N = no knock-outs</i>	
E Extruded Aluminum top trim	7. Base raceway finish <i>painted or plated finish options only</i>	
AA Top Trim anodized aluminum finish	8. Fabric selection	
4 4" high base raceway	9. Finish, V2 Natural	
K Knock-outs in base raceway	10. Milled for ported components <i>M = milled for (\$15 list upcharge applicable)</i>	
613 Finish, base raceway	<i>N = not milled for</i>	
W359- Finish, fabric		
V316 Finish, Maple		
N Not milled for ported components	See page 7 for finish options applicable.	

Tiled/Monolithic - both sides with base raceway
Tiled one side - V3 Exotic/Monolithic - fabric

AutoStrada

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled V3 exotic one side, fabric monolithic other side (both sides w/ base raceway)	34"	18"	R3R2AF33418 (X)(X)(X)(X)(X)	\$1,030.	\$1,049.	\$1,097.	\$1,156.	\$1,200.	\$1,272.	\$1,308.
		24"	R3R2AF33424 (X)(X)(X)(X)(X)	1,100.	1,120.	1,171.	1,229.	1,272.	1,344.	1,382.
		30"	R3R2AF33430 (X)(X)(X)(X)(X)	1,178.	1,194.	1,244.	1,304.	1,347.	1,418.	1,458.
		36"	R3R2AF33436 (X)(X)(X)(X)(X)	1,247.	1,265.	1,316.	1,370.	1,415.	1,488.	1,527.
		42"	R3R2AF33442 (X)(X)(X)(X)(X)	1,432.	1,451.	1,498.	1,557.	1,601.	1,672.	1,711.
		48"	R3R2AF33448 (X)(X)(X)(X)(X)	1,482.	1,504.	1,553.	1,608.	1,650.	1,724.	1,762.
	49"	18"	R3R2AF34918 (X)(X)(X)(X)(X)	1,275.	1,305.	1,378.	1,463.	1,528.	1,636.	1,694.
		24"	R3R2AF34924 (X)(X)(X)(X)(X)	1,359.	1,388.	1,462.	1,548.	1,614.	1,721.	1,781.
		30"	R3R2AF34930 (X)(X)(X)(X)(X)	1,465.	1,493.	1,568.	1,651.	1,717.	1,828.	1,885.
		36"	R3R2AF34936 (X)(X)(X)(X)(X)	1,553.	1,577.	1,650.	1,738.	1,803.	1,911.	1,970.
		42"	R3R2AF34942 (X)(X)(X)(X)(X)	1,741.	1,769.	1,842.	1,926.	1,993.	2,102.	2,161.
		48"	R3R2AF34948 (X)(X)(X)(X)(X)	1,839.	1,866.	1,937.	2,026.	2,089.	2,196.	2,255.
	64"	18"	R3R2AF36418 (X)(X)(X)(X)(X)	1,468.	1,509.	1,606.	1,718.	1,805.	1,952.	2,028.
		24"	R3R2AF36424 (X)(X)(X)(X)(X)	1,566.	1,601.	1,699.	1,814.	1,899.	2,047.	2,123.
		30"	R3R2AF36430 (X)(X)(X)(X)(X)	1,677.	1,714.	1,809.	1,926.	2,015.	2,161.	2,237.
		36"	R3R2AF36436 (X)(X)(X)(X)(X)	1,782.	1,818.	1,916.	2,031.	2,117.	2,262.	2,340.
		42"	R3R2AF36442 (X)(X)(X)(X)(X)	2,021.	2,059.	2,158.	2,272.	2,358.	2,502.	2,581.
		48"	R3R2AF36448 (X)(X)(X)(X)(X)	2,122.	2,161.	2,255.	2,369.	2,457.	2,601.	2,679.



boths sides 64x48 shown, 49"h with three tiles; 34"h with two tiles

Order Code	Specification Information	Application Notes
Example: R3R2AF33418EAA4K613W359-V515N	<i>To order please specify pattern number including:</i>	Tiled side includes panel reveals between V3 inserts. Aluminum vertical hookstrip cover ordered separately.
R3 AutoStrada w/generation 3 frame	1. Height	
R2 Base raceway both sides	2. Width	
A Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim	Panels are not for use with medians, storage medians or bridges.
F Fabric, monolithic side	<i>E - default</i>	
3 V3 Exotic, tiled side	4. Finish, Aluminum trim (top trim and tile dividers/reveals)	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
34 34" high	<i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	
18 18" wide	5. Base raceway height	Panels on this page will accept standard Reff System stacking window modules.
E Extruded Aluminum top trim	<i>4 = 4"h, default</i>	
AA Top Trim anodized aluminum finish	6. Knock-out option	
4 4" high base raceway	<i>K = with knock-outs</i>	
K Knock-outs in base raceway	<i>N = no knock-outs</i>	
613 Finish, base raceway	7. Base raceway finish	
W359- Finish, fabric	<i>painted or plated finish options only</i>	
V515 Finish, Quartered Clear Figured Sycamore	8. Fabric selection	
N Not milled for ported components	9. Finish, V3 Exotic	
	10. Milled for ported componenets	
	<i>M = milled for (\$15 list upcharge applicable)</i>	
	<i>N = not milled for</i>	
	See page 7 for finish options applicable.	


Panels

Tiled/Monolithic - both sides with base raceway

Tiled one side - Laminate/Laminate

34" and 42"h

description	h	w	pattern no.	L
Tiled/Monolithic - both sides with base raceway	34"	18"	R3R2ALL3418 () () () () () ()	\$802.
Laminate outside/Laminate inside		24"	R3R2ALL3424 () () () () () ()	874.
		30"	R3R2ALL3430 () () () () () ()	977.
		36"	R3R2ALL3436 () () () () () ()	1,058.
		42"	R3R2ALL3442 () () () () () ()	1,089.
		48"	R3R2ALL3448 () () () () () ()	1,120.
	42"	18"	R3R2ALL4218 () () () () () ()	966.
		20"	R3R2ALL4220 () () () () () ()	966.
		24"	R3R2ALL4224 () () () () () ()	1,055.
		30"	R3R2ALL4230 () () () () () ()	1,179.
		36"	R3R2ALL4236 () () () () () ()	1,274.
		42"	R3R2ALL4242 () () () () () ()	1,311.
		48"	R3R2ALL4248 () () () () () ()	1,353.



both sides 64x48 shown, 49"h with three tiles; 34"h with two tiles

Order Code	Specification Information	Application Notes
Example: R3R2ALL3418EAA4K613W359-V515N	<i>To order please specify pattern number including:</i>	Panels are not for use with medians, storage medians or bridges.
R3 AutoStrada w/generation 3 frame	1. Height	
R2 Base raceway both sides	2. Width	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
A Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	
L Laminate	4. Finish, Aluminum trim (top trim and tile dividers/reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Panels on this page will accept standard Reff System stacking window modules.
L Laminate		
34 34" high	5. Base raceway height <i>4 = 4"h, default</i>	These panels will accept all core laminate; including marker board and wood grain laminates.
18 18" wide	6. Knock-out option <i>K = with knock-outs</i> <i>N = no knock-outs</i>	
E Extruded Aluminum top trim	7. Base raceway finish <i>painted or plated finish options only</i>	
AA Top Trim anodized aluminum finish	8. Finish, L = Laminate LW = Marker board	
4 4" high base raceway	9. Finish, L = Laminate LW = Marker board	
K Knock-outs in base raceway	10. Milled for ported components <i>M = milled for (\$15 list upcharge applicable)</i> <i>N = not milled for</i>	
613 Finish, base raceway		
118 Finish, Laminate		
118 Finish, Laminate		
N Not milled for ported components		


See page 7 for finish options applicable.

Tiled/Monolithic - both sides with base raceway

Tiled one side - Laminate/Laminate

49" and 64"h

description	h	w	pattern no.	L
Tiled/Monolithic - both sides with base raceway	49"	18"	R3R2ALL4918 (X)(X)(X)(X)(X)	\$1,009.
Laminate outside/Laminate inside		24"	R3R2ALL4924 (X)(X)(X)(X)(X)	1,100.
		30"	R3R2ALL4930 (X)(X)(X)(X)(X)	1,231.
		36"	R3R2ALL4936 (X)(X)(X)(X)(X)	1,330.
		42"	R3R2ALL4942 (X)(X)(X)(X)(X)	1,370.
		48"	R3R2ALL4948 (X)(X)(X)(X)(X)	1,411.
	64"	18"	R3R2ALL6418 (X)(X)(X)(X)(X)	1,255.
		24"	R3R2ALL6424 (X)(X)(X)(X)(X)	1,368.
		30"	R3R2ALL6430 (X)(X)(X)(X)(X)	1,533.
		36"	R3R2ALL6436 (X)(X)(X)(X)(X)	1,654.
		42"	R3R2ALL6442 (X)(X)(X)(X)(X)	1,704.
		48"	R3R2ALL6448 (X)(X)(X)(X)(X)	1,774.




both sides 64x48 shown, 49"h with three tiles; 34"h with two tiles

Order Code	Specification Information	Application Notes
Example: R3R2ALL3418EAA4K613W359-V515N	<i>To order please specify pattern number including:</i>	Panels are not for use with medians, storage medians or bridges.
R3 AutoStrada w/generation 3 frame	1. Height	
R2 Base raceway both sides	2. Width	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
A Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	Panels on this page will accept standard Reff System stacking window modules.
L Laminate	4. Finish, Aluminum trim (top trim and tile dividers/reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	
L Laminate	5. Base raceway height <i>4 = 4"h, default</i>	These panels will accept all core laminate; including marker board and wood grain laminates.
34 34" high	6. Knock-out option <i>K = with knock-outs</i>	See page 7 for finish options applicable.
18 18" wide	7. Base raceway finish <i>N = no knock-outs</i>	
E Extruded Aluminum top trim	8. Finish, L = Laminate LW = Marker board	
AA Top Trim anodized aluminum finish	9. Finish, L = Laminate LW = Marker board	
4 4" high base raceway	10. Milled for ported components <i>M = milled for (\$15 list upcharge applicable)</i>	
K Knock-outs in base raceway	<i>N = not milled for</i>	
613 Finish, base raceway		
118 Finish, Laminate		
118 Finish, Laminate		
N Not milled for ported components		

Tiled one side - Laminate/Slatwall and Fabric other side

description	h	w	pattern no.	Grade 10	15	20	30	35	40	45
Tiled laminate one side, slatwall/fabric other side (tiled side without base raceway)	42"	18"	R3R1CXL4218 () () () () () () ()	\$1,103.	\$1,119.	\$1,158.	\$1,216.	\$1,251.	\$1,309.	\$1,340.
	24"		R3R1CXL4224 () () () () () () ()	1,221.	1,235.	1,277.	1,331.	1,368.	1,425.	1,462.
	30"		R3R1CXL4230 () () () () () () ()	1,336.	1,355.	1,394.	1,447.	1,483.	1,543.	1,577.
	36"		R3R1CXL4236 () () () () () () ()	1,454.	1,470.	1,511.	1,565.	1,601.	1,659.	1,694.
	42"		R3R1CXL4242 () () () () () () ()	1,572.	1,589.	1,627.	1,683.	1,720.	1,779.	1,810.
	48"		R3R1CXL4248 () () () () () () ()	1,691.	1,707.	1,745.	1,802.	1,838.	1,897.	1,928.
	49"	18"	R3R1CXL4918 () () () () () () ()	1,265.	1,285.	1,331.	1,388.	1,431.	1,504.	1,541.
	24"		R3R1CXL4924 () () () () () () ()	1,401.	1,419.	1,467.	1,523.	1,566.	1,637.	1,677.
	30"		R3R1CXL4930 () () () () () () ()	1,539.	1,555.	1,603.	1,659.	1,702.	1,775.	1,811.
	36"		R3R1CXL4936 () () () () () () ()	1,673.	1,693.	1,740.	1,797.	1,839.	1,913.	1,950.
	42"		R3R1CXL4942 () () () () () () ()	1,809.	1,828.	1,874.	1,933.	1,974.	2,046.	2,084.
	48"		R3R1CXL4948 () () () () () () ()	1,946.	1,965.	2,013.	2,071.	2,112.	2,184.	2,222.
	64"	18"	R3R1CXL6418 () () () () () () ()	1,400.	1,424.	1,489.	1,563.	1,621.	1,715.	1,766.
	24"		R3R1CXL6424 () () () () () () ()	1,583.	1,608.	1,672.	1,748.	1,806.	1,899.	1,951.
	30"		R3R1CXL6430 () () () () () () ()	1,766.	1,791.	1,855.	1,929.	1,989.	2,082.	2,133.
	36"		R3R1CXL6436 () () () () () () ()	1,951.	1,974.	2,038.	2,114.	2,171.	2,265.	2,318.
	42"		R3R1CXL6442 () () () () () () ()	2,133.	2,158.	2,222.	2,297.	2,354.	2,450.	2,501.
	48"		R3R1CXL6448 () () () () () () ()	2,318.	2,341.	2,405.	2,482.	2,539.	2,634.	2,686.




both sides 64x48 shown, 42" & 49"h do not have insert above slatwall section

Order Code	Specification Information	Application Notes
Example: R3R1CXL4218EAA4K613W359-118AA	<i>To order please specify pattern number including:</i>	Tiled side includes panel reveals between laminate inserts. Aluminum vertical hookstrip cover ordered separately. Tiled side inserts extend to the floor, there is no base raceway on this panel side. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	Panels with slatwall one or both sides do not accommodate ported power or data modules
R1 Base raceway slatwall combo side only	2. Width	42" and 49"h panels on this page will not accept frameless glass add-ups.
C Tiled one side, Slatwall combo other	3. Extruded Aluminum Top Trim <i>E - default</i>	Slatwall stiffener bracket recommended when installing multiple Wishbone monitor arms. See page 112.
X Fabric/Slatwall combo side	4. Finish, Aluminum trim (top trim and tile dividers/reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Product on this page will accept marker board and wood grain laminate where laminate is currently an option.
L Laminate, tiled side	5. Base raceway height <i>4 = 4"h, default</i>	
42 42" high	6. Knock-out option <i>K = with knock-outs</i>	
18 18" wide	<i>N = no knock-outs</i>	
E Extruded Aluminum top trim	7. Base raceway finish <i>painted or plated finish options only</i>	
AA Top Trim anodized aluminum finish	8. Fabric selection	Black PVC hookstrip reveals should be ordered for panel side with slatwall.
4 4" high base raceway	9. Finish, L = Laminate	Panels on this page will accept standard Reff System stacking window modules.
K Knock-outs in base raceway	LW = Marker board	
613 Finish, base raceway	10. Finish, Slatwall <i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>	
W359- Finish, Fabric (combo side)		
118 Finish, Bright white (tiled side)	See page 7 for finish options applicable.	
AA Finish, Slatwall		

Tiled one side - V1 Techwood/Slatwall and Fabric other side

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled V1 techwood one side, slatwall/fabric other side (tiled side without base raceway)	42"	18"	R3R1CX14218 (X)(X)(X)(X)(X)(X)	\$1,571.	\$1,588.	\$1,627.	\$1,684.	\$1,718.	\$1,781.	\$1,811.
		24"	R3R1CX14224 (X)(X)(X)(X)(X)(X)	1,693.	1,709.	1,750.	1,804.	1,842.	1,899.	1,935.
		30"	R3R1CX14230 (X)(X)(X)(X)(X)(X)	1,814.	1,830.	1,871.	1,925.	1,964.	2,021.	2,055.
		36"	R3R1CX14236 (X)(X)(X)(X)(X)(X)	1,936.	1,952.	1,992.	2,048.	2,084.	2,141.	2,175.
		42"	R3R1CX14242 (X)(X)(X)(X)(X)(X)	2,057.	2,075.	2,114.	2,168.	2,207.	2,265.	2,298.
		48"	R3R1CX14248 (X)(X)(X)(X)(X)(X)	2,174.	2,189.	2,232.	2,287.	2,323.	2,382.	2,415.
	49"	18"	R3R1CX14918 (X)(X)(X)(X)(X)(X)	1,736.	1,757.	1,803.	1,860.	1,901.	1,975.	2,015.
		24"	R3R1CX14924 (X)(X)(X)(X)(X)(X)	1,876.	1,895.	1,942.	2,002.	2,046.	2,116.	2,155.
		30"	R3R1CX14930 (X)(X)(X)(X)(X)(X)	2,017.	2,035.	2,084.	2,140.	2,185.	2,257.	2,296.
		36"	R3R1CX14936 (X)(X)(X)(X)(X)(X)	2,160.	2,175.	2,226.	2,282.	2,324.	2,396.	2,435.
		42"	R3R1CX14942 (X)(X)(X)(X)(X)(X)	2,298.	2,319.	2,364.	2,424.	2,466.	2,538.	2,575.
		48"	R3R1CX14948 (X)(X)(X)(X)(X)(X)	2,441.	2,459.	2,507.	2,565.	2,608.	2,680.	2,718.
	64"	18"	R3R1CX16418 (X)(X)(X)(X)(X)(X)	1,989.	2,015.	2,078.	2,155.	2,211.	2,307.	2,358.
		24"	R3R1CX16424 (X)(X)(X)(X)(X)(X)	2,185.	2,210.	2,274.	2,350.	2,409.	2,505.	2,554.
		30"	R3R1CX16430 (X)(X)(X)(X)(X)(X)	2,380.	2,405.	2,471.	2,547.	2,604.	2,701.	2,752.
		36"	R3R1CX16436 (X)(X)(X)(X)(X)(X)	2,577.	2,602.	2,667.	2,742.	2,801.	2,898.	2,949.
		42"	R3R1CX16442 (X)(X)(X)(X)(X)(X)	2,775.	2,800.	2,863.	2,941.	2,996.	3,093.	3,145.
		48"	R3R1CX16448 (X)(X)(X)(X)(X)(X)	2,970.	2,994.	3,060.	3,135.	3,194.	3,287.	3,337.




both sides 64x48 shown, 42" & 49"h do not have insert above slatwall section

Panels


Order Code	Specification Information	Application Notes
Example: R3R1CX14218EAA4K613W359-Y319AA	<i>To order please specify pattern number including:</i>	Tiled side includes panel reveals between V1 inserts. Aluminum vertical hookstrip cover ordered separately. Tiled side inserts extend to the floor, there is no base raceway on this panel side. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	Panels with slatwall one or both sides do not accommodate ported power or data modules
R1 Base raceway slatwall combo side only	2. Width	42" and 49"h panels on this page will not accept frameless glass add-ups.
C Tiled one side, Slatwall combo other	3. Extruded Aluminum Top Trim <i>E - default</i>	Slatwall stiffener bracket recommended when installing multiple Wishbone monitor arms. See page 112.
X Fabric/Slatwall combo side	4. Finish, Aluminum trim (top trim and tile dividers/reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	
1 V1 Techwood, tiled side	5. Base raceway height <i>4 = 4"h, default</i>	
42 42" high	6. Knock-out option <i>K = with knock-outs</i>	
18 18" wide	<i>N = no knock-outs</i>	
E Extruded Aluminum top trim	7. Base raceway finish <i>painted or plated finish options only</i>	
AA Top Trim anodized aluminum finish	8. Fabric selection	Black PVC hookstrip reveals should be ordered for panel side with slatwall.
4 4" high base raceway	9. Finish, V1 Techwood	
K Knock-outs in base raceway	10. Finish, Slatwall <i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>	Panels on this page will accept standard Reff System stacking window modules.
613 Finish, base raceway		
W359- Finish, Fabric (combo side)		
Y319 Finish, Cherry (tiled side)	See page 7 for finish options applicable.	
AA Finish, Slatwall		

Tiled one side - V2 Natural/Slatwall and Fabric other side

description	h	w	pattern no.	Grade 10	15	20	30	35	40	45
Tiled V2 natural one side, slatwall/fabric other side (tiled side without base raceway)	42"	18"	R3R1CX24218 () () () () () () ()	\$1,635.	\$1,650.	\$1,691.	\$1,748.	\$1,785.	\$1,843.	\$1,876.
		24"	R3R1CX24224 () () () () () () ()	1,773.	1,789.	1,829.	1,885.	1,920.	1,979.	2,015.
		30"	R3R1CX24230 () () () () () () ()	1,910.	1,925.	1,966.	2,021.	2,058.	2,117.	2,151.
		36"	R3R1CX24236 () () () () () () ()	2,048.	2,062.	2,103.	2,161.	2,195.	2,255.	2,288.
		42"	R3R1CX24242 () () () () () () ()	2,185.	2,203.	2,241.	2,297.	2,335.	2,393.	2,426.
		48"	R3R1CX24248 () () () () () () ()	2,322.	2,338.	2,378.	2,434.	2,471.	2,530.	2,564.
		49"	18"	R3R1CX24918 () () () () () () ()	1,808.	1,829.	1,876.	1,935.	1,977.	2,049.
24"	R3R1CX24924 () () () () () () ()		1,970.	1,989.	2,035.	2,094.	2,135.	2,209.	2,246.	
30"	R3R1CX24930 () () () () () () ()		2,128.	2,149.	2,195.	2,253.	2,297.	2,367.	2,405.	
36"	R3R1CX24936 () () () () () () ()		2,289.	2,308.	2,354.	2,414.	2,457.	2,530.	2,569.	
42"	R3R1CX24942 () () () () () () ()		2,450.	2,469.	2,514.	2,574.	2,617.	2,688.	2,728.	
48"	R3R1CX24948 () () () () () () ()		2,610.	2,629.	2,679.	2,735.	2,778.	2,851.	2,889.	
64"	18"		R3R1CX26418 () () () () () () ()	2,086.	2,114.	2,175.	2,253.	2,311.	2,405.	2,457.
	24"	R3R1CX26424 () () () () () () ()	2,308.	2,336.	2,397.	2,477.	2,534.	2,628.	2,680.	
	30"	R3R1CX26430 () () () () () () ()	2,531.	2,555.	2,621.	2,698.	2,756.	2,851.	2,902.	
	36"	R3R1CX26436 () () () () () () ()	2,754.	2,778.	2,842.	2,919.	2,976.	3,073.	3,124.	
	42"	R3R1CX26442 () () () () () () ()	2,975.	3,000.	3,063.	3,142.	3,198.	3,293.	3,349.	
	48"	R3R1CX26448 () () () () () () ()	3,197.	3,222.	3,284.	3,363.	3,420.	3,515.	3,568.	



both sides 64x48 shown, 42" & 49"h do not have insert above slatwall section




both sides 64x48 shown, 42" & 49" h do not have insert above slatwall section

Order Code	Specification Information	Application Notes
Example: R3R1CX24218EAA4K 613W359-V316AA	<i>To order please specify pattern number including:</i>	Tiled side includes panel reveals between V2 inserts. Aluminum vertical hookstrip cover ordered separately. Tiled side inserts extend to the floor, there is no base raceway on this panel side. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	Panels with slatwall one or both sides do not accommodate ported power or data modules
R1 Base raceway slatwall combo side only	2. Width	42" and 49" h panels on this page will not accept frameless glass add-ups.
C Tiled one side, Slatwall combo other	3. Extruded Aluminum Top Trim <i>E - default</i>	Slatwall stiffener bracket recommended when installing multiple Wishbone monitor arms. See page 112.
X Fabric/Slatwall combo side	4. Finish, Aluminum trim (top trim and tile dividers/reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	
2 V2 Natural, tiled side	5. Base raceway height <i>4 = 4" h, default</i>	
42 42" high	6. Knock-out option <i>K = with knock-outs N = no knock-outs</i>	
18 18" wide	7. Base raceway finish <i>painted or plated finish options only</i>	
E Extruded Aluminum top trim	8. Fabric selection	Black PVC hookstrip reveals should be ordered for panel side with slatwall.
AA Top Trim anodized aluminum finish	9. Finish, V2 Natural	
4 4" high base raceway	10. Finish, Slatwall <i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>	Panels on this page will accept standard Reff System stacking window modules.
K Knock-outs in base raceway		
613 Finish, base raceway		
W359- Finish, Fabric (combo side)		
V316 Finish, Maple (tiled side)		
AA Finish, Slatwall		

See page 7 for finish options applicable.

Tiled one side - V3 Exotic/Slatwall and Fabric other side

description	h	w	pattern no.	Grade 10	15	20	30	35	40	45
Tiled V3 exotic one side, slatwall/fabric other side (tiled side without base raceway)	42"	18"	R3R1CX34218 () () () () () () ()	\$2,155.	\$2,174.	\$2,227.	\$2,299.	\$2,347.	\$2,425.	\$2,467.
		24"	R3R1CX34224 () () () () () () ()	2,333.	2,351.	2,403.	2,478.	2,526.	2,601.	2,646.
		30"	R3R1CX34230 () () () () () () ()	2,509.	2,531.	2,584.	2,656.	2,704.	2,780.	2,825.
		36"	R3R1CX34236 () () () () () () ()	2,688.	2,712.	2,762.	2,833.	2,881.	2,958.	3,002.
		42"	R3R1CX34242 () () () () () () ()	2,870.	2,889.	2,941.	3,014.	3,061.	3,140.	3,181.
		48"	R3R1CX34248 () () () () () () ()	3,047.	3,065.	3,120.	3,193.	3,241.	3,316.	3,361.
	49"	18"	R3R1CX34918 () () () () () () ()	2,384.	2,410.	2,472.	2,546.	2,602.	2,697.	2,744.
		24"	R3R1CX34924 () () () () () () ()	2,591.	2,617.	2,680.	2,754.	2,811.	2,903.	2,952.
		30"	R3R1CX34930 () () () () () () ()	2,800.	2,825.	2,888.	2,959.	3,018.	3,109.	3,163.
		36"	R3R1CX34936 () () () () () () ()	3,009.	3,034.	3,096.	3,172.	3,225.	3,321.	3,370.
		42"	R3R1CX34942 () () () () () () ()	3,217.	3,242.	3,305.	3,379.	3,435.	3,526.	3,580.
		48"	R3R1CX34948 () () () () () () ()	3,428.	3,449.	3,513.	3,589.	3,646.	3,738.	3,787.
	64"	18"	R3R1CX36418 () () () () () () ()	2,757.	2,789.	2,873.	2,973.	3,047.	3,172.	3,239.
		24"	R3R1CX36424 () () () () () () ()	3,045.	3,077.	3,164.	3,261.	3,334.	3,460.	3,525.
		30"	R3R1CX36430 () () () () () () ()	3,333.	3,367.	3,448.	3,550.	3,625.	3,747.	3,815.
		36"	R3R1CX36436 () () () () () () ()	3,623.	3,655.	3,738.	3,838.	3,913.	4,034.	4,106.
		42"	R3R1CX36442 () () () () () () ()	3,910.	3,946.	4,028.	4,127.	4,203.	4,328.	4,394.
		48"	R3R1CX36448 () () () () () () ()	4,200.	4,233.	4,315.	4,416.	4,490.	4,616.	4,680.



both sides 64x48 shown, 42" & 49"h do not have insert above slatwall section

Order Code	Specification Information	Application Notes	
Example: R3R1CX34218EAA4K613W359-V515AA	<i>To order please specify pattern number including:</i>	Tiled side includes panel reveals between V3 inserts. Aluminum vertical hookstrip cover ordered separately. Tiled side inserts extend to the floor, there is no base raceway on this panel side. Be sure to specify power rails for panels with one sided base raceways.	Panels with slatwall one or both sides do not accommodate ported power or data modules.
R3	AutoStrada w/generation 3 frame		42" and 49"h panels on this page will not accept frameless glass add-ups.
R1	Base raceway slatwall combo side only		Slatwall stiffener bracket recommended when installing multiple Wishbone monitor arms. See page 112.
C	Tiled one side, Slatwall combo other		
X	Fabric/Slatwall combo side		
3	V3 Exotic, tiled side		
42	42" high		
18	18" wide		
E	Extruded Aluminum top trim		
AA	Top Trim anodized aluminum finish		
4	4" high base raceway		
K	Knock-outs in base raceway		
613	Finish, base raceway		
W359-	Finish, Fabric (combo side)		
V515	Finish, Quartered Clear Figured Sycamore (tiled side)		
AA	Finish, Slatwall		

To order please specify pattern number including:

- Height
- Width
- Extruded Aluminum Top Trim *E - default*
- Finish, Aluminum trim (top trim and tile dividers/reveals)
Anodized aluminum or painted finish options listed on page 11 excluding silver.
- Base raceway height
4 = 4" h, default
- Knock-out option
K = with knock-outs
N = no knock-outs
- Base raceway finish
painted or plated finish options only
- Fabric selection
- Finish, V3 Exotic
- Finish, Slatwall
Anodized aluminum or painted finish options listed on page 11 excluding silver

See page 7 for finish options applicable.

Tiled side includes panel reveals between V3 inserts. Aluminum vertical hookstrip cover ordered separately. Tiled side inserts extend to the floor, there is no base raceway on this panel side. Be sure to specify power rails for panels with one sided base raceways.


Slatwall/fabric side combination: Slatwall above worksurface is nominally 15" h for 42" high panels, and 22 1/2" h for both 49" and 64" high panels. Fabric insert begins at just below worksurface height to the base raceway. (64" high panels also have a fabric insert above the slatwall section).

Black PVC hookstrip reveals should be ordered for panel side with slatwall.

Panels on this page will accept standard Reff System stacking window modules.

Slatwall/Fabric combo both sides - both sides with base raceway

AutoStrada

description	h	w	pattern no.	Grade	10	15	20	30	35	40	45	list
Slatwall/Fabric both sides (base raceway both sides)  <i>both sides 64x48 shown, 42\"h and 49\"h do not have inserts above slatwall sections</i>	42"	18"	R3R2SXX4218 () () () () () () ()	\$1,244.	\$1,275.	\$1,354.	\$1,466.	\$1,541.	\$1,659.	\$1,726.		
	24"		R3R2SXX4224 () () () () () () ()	1,359.	1,392.	1,470.	1,581.	1,654.	1,775.	1,842.		
	30"		R3R2SXX4230 () () () () () () ()	1,475.	1,508.	1,585.	1,696.	1,771.	1,889.	1,955.		
	36"		R3R2SXX4236 () () () () () () ()	1,590.	1,622.	1,701.	1,811.	1,887.	2,004.	2,073.		
	42"		R3R2SXX4242 () () () () () () ()	1,704.	1,736.	1,815.	1,926.	2,002.	2,118.	2,186.		
	48"		R3R2SXX4248 () () () () () () ()	1,823.	1,855.	1,935.	2,047.	2,118.	2,239.	2,304.		
	49"	18"	R3R2SXX4918 () () () () () () ()	1,536.	1,573.	1,670.	1,786.	1,872.	2,016.	2,091.		
	24"		R3R2SXX4924 () () () () () () ()	1,680.	1,715.	1,811.	1,926.	2,015.	2,160.	2,235.		
	30"		R3R2SXX4930 () () () () () () ()	1,819.	1,858.	1,954.	2,071.	2,158.	2,299.	2,377.		
	36"		R3R2SXX4936 () () () () () () ()	1,964.	2,002.	2,096.	2,211.	2,298.	2,442.	2,517.		
	42"		R3R2SXX4942 () () () () () () ()	2,105.	2,141.	2,240.	2,352.	2,441.	2,584.	2,662.		
	48"		R3R2SXX4948 () () () () () () ()	2,246.	2,285.	2,380.	2,496.	2,583.	2,725.	2,803.		
	64"	18"	R3R2SXX6418 () () () () () () ()	1,576.	1,629.	1,758.	1,910.	2,026.	2,217.	2,320.		
	24"		R3R2SXX6424 () () () () () () ()	1,726.	1,779.	1,903.	2,058.	2,173.	2,364.	2,467.		
	30"		R3R2SXX6430 () () () () () () ()	1,874.	1,925.	2,052.	2,208.	2,322.	2,511.	2,616.		
	36"		R3R2SXX6436 () () () () () () ()	2,022.	2,076.	2,205.	2,353.	2,471.	2,663.	2,763.		
	42"		R3R2SXX6442 () () () () () () ()	2,171.	2,222.	2,350.	2,505.	2,619.	2,811.	2,913.		
	48"		R3R2SXX6448 () () () () () () ()	2,320.	2,369.	2,497.	2,650.	2,765.	2,957.	3,060.		
Slatwall Stiffener Bracket	42"		ASWRB42									369.
	49"		ASWRB49									465.
	64"		ASWRB64									492.
	79"		ASWRB79									518.


Order Code	Specification Information	Application Notes	
Example: R3R2SXX4218EAA4K613W359-W359-AA	<i>To order please specify pattern number including:</i>	Slatwall/fabric combination: Slatwall above worksurface is nominally 15”h for 42” high panels; and 22 ½”h for both 49” and 64” high panels. Fabric insert begins just below worksurface height to base raceway. (64” high panels also have a fabric insert above the slatwall section.)	Panels with slatwall one or both sides do not accommodate ported power or data modules.
R3	AutoStrada w/generation 3 frame		42” and 49”h panels on this page will not accept frameless glass add-ups.
R2	Base raceway both sides		
S	Slatwall/Fabric combo both sides		
X	Fabric/Slatwall combo side 1		
X	Fabric/Slatwall combo side 2	Black PVC hookstrip reveals should be ordered for both panel sides with slatwall.	
42	42” high		
18	18” wide		
E	Extruded Aluminum top trim	Panels on this page will accept standard Ref System stacking window modules.	
AA	Top Trim anodized aluminum finish		
4	4” high base raceway		
K	Knock-outs in base raceway		
613	Finish, base raceway		
W359-	Finish, Fabric (side 1)		
W359-	Finish, Fabric (side 2)		
AA	Finish, Slatwall		

To order please specify pattern number including:

1. Height
2. Width
3. Extruded Aluminum Top Trim
E - default
4. Finish, Aluminum trim (top trim and tile dividers/reveals)
Anodized aluminum or painted finish options listed on page 11 excluding silver.
5. Base raceway height
4 = 4”h, default
6. Knock-out option
K = with knock-outs
N = no knock-outs
7. Base raceway finish
painted or plated finish options only
8. Fabric selection (side 1)
9. Fabric selection (side 2)
10. Finish, Slatwall
Anodized aluminum or painted finish options listed on page 11 excluding silver


See page 7 for finish options applicable.

description	w	d	pattern no.	G1	G2/G3	list
Frameless glass add-up 8"h, for panels	18"		R3GAU0818 () ()	\$303.	\$379.	
	20"		R3GAU0820 () ()	323.	410.	
	24"		R3GAU0824 () ()	342.	445.	
	30"		R3GAU0830 () ()	380.	504.	
	36"		R3GAU0836 () ()	417.	565.	
	42"		R3GAU0842 () ()	481.	655.	
	48"		R3GAU0848 () ()	497.	698.	
Frameless glass add-up 12"h, for panels	18"		R3GAU1218 () ()	331.	454.	
	20"		R3GAU1220 () ()	361.	498.	
	24"		R3GAU1224 () ()	381.	545.	
	30"		R3GAU1230 () ()	427.	631.	
	36"		R3GAU1236 () ()	475.	715.	
	42"		R3GAU1242 () ()	549.	830.	
	48"		R3GAU1248 () ()	575.	901.	
Frameless glass add-up 15"h, for panels	18"		R3GAU1518 () ()	342.	483.	
	20"		R3GAU1520 () ()	372.	535.	
	24"		R3GAU1524 () ()	399.	585.	
	30"		R3GAU1530 () ()	447.	682.	
	36"		R3GAU1536 () ()	496.	775.	
	42"		R3GAU1542 () ()	574.	903.	
	48"		R3GAU1548 () ()	608.	979.	
Frameless glass add-up 8"h, for panels for hi/lo condition no post involved	18"		R3GAUHL0818 () ()	303.	379.	
	20"		R3GAUHL0820 () ()	323.	410.	
	24"		R3GAUHL0824 () ()	342.	445.	
	30"		R3GAUHL0830 () ()	380.	504.	
	36"		R3GAUHL0836 () ()	417.	565.	
	42"		R3GAUHL0842 () ()	481.	655.	
	48"		R3GAUHL0848 () ()	497.	698.	



Order Code	Specification Information	Application Notes
Example: R3GAU0818GL13AA	<i>To order please specify pattern number including:</i>	Frameless glass add-ups only for use with non-progressive tile construction panels with at least one side fabric tiles.
R3 AutoStrada w/generation 3 frame	1. Height 08 = 42"h panel with add-up will align with top of 49"h panel 12 = 49"h panel with add-up will align with 48"h spine with spine add-up (overall height 61" nominal) 15 = add-up will align with tile segments of 34"h, 49"h or 64"h panels (ie: 34"h panel with add-up align to 49"h panel)	Panel frames are not pre-drilled to accept frameless glass add-ups. Frame requires drilling on site for installation.
GAU Glass add-up	2. Width	Frameless glass add-ups must correspond to width of panel securing to. Do not span multiple panels with one longer glass add-up.
08 height	3. Glass Finish TEMP = clear tempered glass GL13 = powder GL25 = Bronze GL35 = Grey	Frameless glass add-ups can not be installed on panel when panel attached to storage anchored cabinet.
18 width	4. Finish, capture/trim <i>Anodized aluminum or painted finish options listed on page 7 excluding silver</i>	<i>To order please specify pattern number including configuration condition:</i> Finish: Anodized aluminum or painted finish options as listed on page 7 excluding silver. Note: Spacer kits are for use with fabric or veneer stacking modules ONLY. Not for use with stacking windows. Installation instruction sheets for the Spacer kit, available on Knoll Exchange. Refer to reference number 6TR16H0.
GL13 glass finish, powder		
AA finish, capture/trim		

description	w	d	pattern no.	G1	G2/G3	list
Frameless glass add-up 12"h, for panels for hi/lo condition no post involved	18"		R3GAUHL1218 ()()	\$331.	\$454.	
	20"		R3GAUHL1220 ()()	361.	498.	
	24"		R3GAUHL1224 ()()	381.	545.	
	30"		R3GAUHL1230 ()()	427.	631.	
	36"		R3GAUHL1236 ()()	475.	715.	
	42"		R3GAUHL1242 ()()	549.	830.	
	48"		R3GAUHL1248 ()()	575.	901.	
Frameless glass add-up 15"h, for panels for hi/lo condition no post involved	18"		R3GAUHL1518 ()()	342.	483.	
	20"		R3GAUHL1520 ()()	372.	535.	
	24"		R3GAUHL1524 ()()	399.	585.	
	30"		R3GAUHL1530 ()()	447.	682.	
	36"		R3GAUHL1536 ()()	496.	775.	
	42"		R3GAUHL1542 ()()	574.	903.	
	48"		R3GAUHL1548 ()()	608.	979.	
Attachment Kit, to install frameless glass to 15"h or 8"h stacking module			R3SKIT			57.
	Spacer Kit includes 2 spacers and 2 washers.					
Add-up Alignment Clip, pack of 10			R3AUAC10			32.
	Alignment clips recommended to ensure glass alignment of add-up modules in side by side applications					



Order Code	Specification Information	Application Notes
Example: R3GAU0818GL13AA	<i>To order please specify pattern number including:</i>	<i>To order please specify pattern number including configuration condition:</i>
R3 AutoStrada w/generation 3 frame	1. Height	Frameless glass add-ups only for use with non-progressive tile construction panels with at least one side fabric tiles.
GAU Glass add-up	08 = 42"h panel with add-up will align with top of 49"h panel	Panel frames are not pre-drilled to accept frameless glass add-ups. Frame requires drilling on site for installation.
08 height	12 = 49"h panel with add-up will align with 48"h spine with spine add-up (overall height 61" nominal)	Frameless glass add-ups must correspond to width of panel securing to. Do not span multiple panels with one longer glass add-up.
18 width	15 = add-up will align with tile segments of 34"h, 49"h or 64"h panels (ie: 34"h panel with add-up align to 49"h panel)	Frameless glass add-ups can not be installed on panel when panel attached to storage anchored cabinet.
GL13 glass finish, powder	2. Width	
AA finish, capture/trim	3. Glass Finish	
	<i>TEMP = clear tempered glass</i>	
	<i>GL13 = powder</i>	
	<i>GL25 = Bronze</i>	
	<i>GL35 = Grey</i>	
	4. Finish, capture/trim	
	<i>Anodized aluminum or painted finish options listed on page 7 excluding silver</i>	

Finish: Anodized aluminum or painted finish options as listed on page 7excluding silver.

Note: Spacer kits are for use with fabric or veneer stacking modules ONLY. Not for use with stacking windows.

Installation instruction sheets for the Spacer kit, available on Knoll Exchange. Refer to reference number 6TR16H0.


description	application	pattern no.	AA	P1	P2	P3	G1	G2	G3
Panel attachment kit for glass gallery screen	for 42"h panel attachment	A1GGPC4234(L/R)()	\$775.	\$659.	\$659.	\$698.			
	for 46"h panel attachment	A1GGPC4934(L/R)()	775.	659.	659.	698.			
Spine attachment kit for glass gallery screen	mid span/ off modular	A1GGSPSC30(L/R)()	808.	687.	687.	726.			
	spine end starter	A1GGSE30(L/R)() ()	785.	668.	668.	708.			
Glass, for panel based	for 42"h x 60"w	A1PGG4260()					935.	1,410.	1,899.
	for 42"h x 72"w	A1PGG4272()					1,071.	1,636.	2,265.
	for 49"h x 60"w	A1PGG4960()					1,058.	1,620.	2,204.
	for 49"h x 72"w	A1PGG4972()					1,216.	1,887.	2,585.
Glass, for spine based	for 48"h x 60"w	A1SGG4860()					1,029.	1,567.	2,127.
	for 48"h x 72"w	A1SGG4872()					1,180.	1,823.	2,496.

Order Code	Specification Information	Application Notes
Example: A1GGPC4234		
A AutoStrada	1.L/R- Left or right hand connection If left hand, worksurface on right side of glass If right hand, worksurface on left side of glass	Glass Gallery Screen Panel attachment kit includes finished connection to panel post and end capture for glass.
1 Generation 1		
GG Gallery screen, glass		Glass Gallery Screen Spine attachment kit includes finished connection to spine and end capture for glass.
PC Panel post connector		
42 42"h panel attachment (includes Hi/low trim)	2.Finish divider capture AA and all core paint options except 613	
34 34" high nominal		Glass to align top of panel insert, below top trim for panel base.
(L/R) Left or right hand connection	<i>Glass Finish</i> G1=Clear Temp glass G2=Architectural G3=Color	Glass to align top of spine cover, below crown or at horizontal channel at nominal 48" high if 64" spine.
() Finish divider, capture		

Posts, panels

T post

AutoStrada

description	h	pattern no.	list
 T post, tiled laminate (no base plate)	34"	R3R0TTL34 () () ()	\$239.
	42"	R3R0TTL42 () () ()	263.
	49"	R3R0TTL49 () () ()	297.
	64"	R3R0TTL64 () () ()	329.
T post, tiled V1 techwood (no base plate)	34"	R3R0TT134 () () ()	252.
	42"	R3R0TT142 () () ()	276.
	49"	R3R0TT149 () () ()	313.
	64"	R3R0TT164 () () ()	346.
T post, tiled V2 natural (no base plate)	34"	R3R0TT234 () () ()	277.
	42"	R3R0TT242 () () ()	303.
	49"	R3R0TT249 () () ()	341.
	64"	R3R0TT264 () () ()	379.
T post, tiled V3 exotic (no base plate)	34"	R3R0TT334 () () ()	363.
	42"	R3R0TT342 () () ()	396.
	49"	R3R0TT349 () () ()	448.
	64"	R3R0TT364 () () ()	495.
T post, monolithic V1 techwood (no base plate)	42"	R3R0TP142 () () ()	276.
	49"	R3R0TP149 () () ()	313.

Order Code	Specification Information	Application Notes	
Example: R3R0TTL34E2AA118	<i>To order please specify pattern number including:</i>	5. Finish, Aluminum trim (top cap and reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>	Aluminum vertical hookstrip cover ordered separately.
R3	AutoStrada w/generation 3 post		
R0	No base raceway exposed		* Painted to match laminate.
T	T post		
T	Tiled		
L	Laminate match		
34	34" high		
E	Extruded aluminum top cap		
2	Regular T cap configuration		
AA	Finish, top cap and reveal		
118	Finish, tiles		
	1. Surface <i>L = Painted to match laminate</i> <i>V1 = V1 Techwood</i> <i>V2 = V2 Natural</i> <i>V3 = V3 Exotic</i>	6. Finish, Tiles <i>Laminate *, V1, V2 or V3 finish</i>	
	2. Height	See page 7 for finish options applicable.	
	3. Extruded aluminum top cap <i>E = default</i>		
	4. Top Cap Configuration <i>1 = Regular L, finished 2 adjacent sides</i> <i>2 = Regular T, finished one side</i> <i>3 = Regular X, no sides finished</i> <i>4 = Hi/Lo cap at direction change, finished 3 sides</i> <i>5 = Hi/Lo cap in line, finished 2 opposite sides</i>		

Posts, panels

T post

AutoStrada

description	h	pattern no.	list
T post, monolithic V2 natural (no base plate)	42"	R3R0TP242 () () ()	\$303.
	49"	R3R0TP249 () () ()	341.
T post, monolithic laminate (no base plate)	42"	R3R0TPL42 () () ()	263.
	49"	R3R0TPL49 () () ()	297.
T post, monolithic V3 exotic (no base plate)	42"	R3R0TP342 () () ()	396.
	49"	R3R0TP349 () () ()	448.


Panels

Order Code	Specification Information	Application Notes	
Example: R3R0TTL34E2AA118	<i>To order please specify pattern number including:</i>	5. Finish, Aluminum trim (top cap and reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>	Aluminum vertical hookstrip cover ordered separately.
R3 AutoStrada w/generation 3 post	1. Surface <i>L = Painted to match laminate</i>	6. Finish, Tiles <i>Laminate *, V1, V2 or V3 finish</i>	* Painted to match laminate.
R0 No base raceway exposed	<i>V1 = V1 Techwood</i>		
T T post	<i>V2 = V2 Natural</i>		
T Tiled	<i>V3 = V3 Exotic</i>		
L Laminate match	2. Height	See page 7 for finish options applicable.	
34 34" high	3. Extruded aluminum top cap <i>E = default</i>		
E Extruded aluminum top cap	4. Top Cap Configuration <i>1 = Regular L, finished 2 adjacent sides</i>		
2 Regular T cap configuration	<i>2 = Regular T, finished one side</i>		
AA Finish, top cap and reveal	<i>3 = Regular X, no sides finished</i>		
118 Finish, tiles	<i>4 = Hi/Lo cap at direction change, finished 3 sides</i>		
	<i>5 = Hi/Lo cap in line, finished 2 opposite sides</i>		

Posts, panels

L post, no base plates

AutoStrada

description	h	pattern no.	list
 L post, tiled (to match) laminate (no base plate)	34"	R3R0LTL34 () () () ()	\$199.
	42"	R3R0LTL42 () () () ()	297.
	49"	R3R0LTL49 () () () ()	329.
	64"	R3R0LTL64 () () () ()	367.
	Tiled laminate both sides		
L post, tiled V1 techwood (no base plate)	34"	R3R0LT134 () () () ()	210.
	42"	R3R0LT142 () () () ()	313.
	49"	R3R0LT149 () () () ()	346.
	64"	R3R0LT164 () () () ()	383.
	Tiled V1 both sides		
L post, tiled V2 natural (no base plate)	34"	R3R0LT234 () () () ()	230.
	42"	R3R0LT242 () () () ()	341.
	49"	R3R0LT249 () () () ()	379.
	64"	R3R0LT264 () () () ()	421.
	Tiled V2 both sides		
L post, tiled V3 exotic (no base plate)	34"	R3R0LT334 () () () ()	296.
	42"	R3R0LT342 () () () ()	448.
	49"	R3R0LT349 () () () ()	495.
	64"	R3R0LT364 () () () ()	547.
	Tiled V3 both sides		
L post, monolithic (to match) laminate (no base plate)	42"	R3R0LPL42 () () () ()	297.
	49"	R3R0LPL49 () () () ()	329.

Order Code	Specification Information	Application Notes	
Example: R3R0LTL34E1AA118	<i>To order please specify pattern number including:</i>	5. Post cover configuration	Aluminum vertical hookstrip cover ordered separately. * Painted to match laminate.
R3 AutoStrada w/generation 3 post	1. Finish type tiles <i>L = Painted to match laminate</i> <i>V1 = V1 Techwood</i> <i>V2 = V2 Natural</i> <i>V3 = V3 Exotic</i>	1 = 1 piece (same finish both sides) 2 = 2 piece (same or different finish per side)	
R0 No base raceway exposed	2. Height	6. Finish, Aluminum trim (top cap and reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>	
L L post	3. Extruded aluminum top cap <i>E = default</i>	7. Finish, Side 1 <i>Laminate *, V1, V2 or V3 finish</i>	
T Tiled (both faces)	4. Top Cap Configuration <i>1 = Regular L, finished 2 adjacent sides</i> <i>2 = Regular T, finished one side</i> <i>3 = Regular X, no sides finished</i> <i>4 = Hi/Lo cap at direction change, finished 3 sides</i> <i>5 = Hi/Lo cap in line, finished 2 opposite sides</i>	8. Finish, Side 2 (side 2 finish applicable only when 2 piece post cover configuration selected) <i>Laminate *, V1, V2, or V3 finish</i>	
L Laminate match			
34 34" high			
E Extruded aluminum top cap			
1 Regular L cap configuration			
AA Finish, top cap and reveal			
118 Finish, tiles			
		See page 7 for finish options applicable.	

Posts, panels

L post, no base plates

AutoStrada

description	h	pattern no.	list
L post, monolithic V1 techwood (no base plate)	42"	R3R0LP142 () () () () ()	\$313.
	49"	R3R0LP149 () () () () ()	346.
L post, monolithic V2 natural (no base plate)	42"	R3R0LP242 () () () () ()	341.
	49"	R3R0LP249 () () () () ()	379.
L post, monolithic V3 exotic (no base plate)	42"	R3R0LP342 () () () () ()	448.
	49"	R3R0LP349 () () () () ()	495.

Panels

Order Code	Specification Information	Application Notes	
Example: R3R0LTL34E1AA118	<i>To order please specify pattern number including:</i>		
R3	AutoStrada w/generation 3 post	5. Post cover configuration 1 = 1 piece (same finish both sides) 2 = 2 piece (same or different finish per side)	Aluminum vertical hookstrip cover ordered separately. * Painted to match laminate.
R0	No base raceway exposed	6. Finish, Aluminum trim (top cap and reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>	
L	L post	7. Finish, Side 1 <i>Laminate *, V1, V2 or V3 finish</i>	
T	Tiled (both faces)	8. Finish, Side 2 (side 2 finish applicable only when 2 piece post cover configuration selected) <i>Laminate *, V1, V2, or V3 finish</i>	
L	Laminate match		
34	34" high		
E	Extruded aluminum top cap		
1	Regular L cap configuration		
AA	Finish, top cap and reveal		
118	Finish, tiles		
		See page 7 for finish options applicable.	

See page 7 for finish options applicable.

Posts, panels

L post, one face only w/base plate

AutoStrada

description	h	pattern no.	list
L post, tiled laminate left face w/o base, fabric/mono right face w/base	34"	R3R1LALL34 () () () () () ()	\$199.
	42"	R3R1LALL42 () () () () () ()	297.
	49"	R3R1LALL49 () () () () () ()	329.
	64"	R3R1LALL64 () () () () () ()	367.

Laminate side 1, fabric side 2

L post, tiled laminate right face w/o base, fabric/mono left face w/base	34"	R3R1LARL34 () () () () () ()	199.
	42"	R3R1LARL42 () () () () () ()	297.
	49"	R3R1LARL49 () () () () () ()	329.
	64"	R3R1LARL64 () () () () () ()	367.

Fabric side 1, laminate side 2

L post, tiled V1 techwood left face w/o base, fabric/mono right face w/base	34"	R3R1LAL134 () () () () () ()	210.
	42"	R3R1LAL142 () () () () () ()	313.
	49"	R3R1LAL149 () () () () () ()	346.
	64"	R3R1LAL164 () () () () () ()	383.

V1 side 1, fabric side 2

L post, tiled V1 techwood right face w/o base, fabric/mono left face w/base	34"	R3R1LAR134 () () () () () ()	210.
	42"	R3R1LAR142 () () () () () ()	313.
	49"	R3R1LAR149 () () () () () ()	346.
	64"	R3R1LAR164 () () () () () ()	383.

Fabric side 1, V1 side 2

Order Code	Specification Information	Application Notes
Example: R3R1LALL34E1AA4N 613118W359-	<i>To order please specify pattern number including:</i>	6. Finish, Aluminum trim (top cap and reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>
R3 AutoStrada w/generation 3 post	1. Tiled side <i>L = Tiled left face, monolithic right face</i>	7. Base height <i>4 = 4"h, default</i>
R1 Base raceway, mono side	<i>R = Tiled right face, monolithic left face</i>	8. Base infeed - applicable for face with base plate only <i>N = None</i>
L L post	2. Finish type tiled side <i>L = Painted to match laminate</i>	<i>F = Base infeed fabric face side</i>
A Tiled one side/Mono other	<i>V1 = V1 Techwood</i>	9. Finish, base raceway
L Left face tiled	<i>V2 = V2 Natural</i>	10. Finish, Side 1 <i>If side 1 tiled specify laminate *, V1, V2 or V3 finish;</i>
L Laminate match	<i>V3 = V3 Exotic</i>	<i>If side 1 monolithic specify fabric</i>
34 34" high	3. Height	11. Finish, Side 2 <i>If side 2 tiled specify laminate *, V1, V2 or V3 finish;</i>
E Extruded aluminum top cap	4. Extruded aluminum top cap <i>E = default</i>	<i>If side 2 monolithic specify fabric</i>
1 Regular L cap configuration	5. Top Cap Configuration <i>1 = Regular L, finished 2 adjacent sides</i>	
AA Finish, top cap and reveal	<i>2 = Regular T, finished one side</i>	
4 4" high base	<i>3 = Regular X, no sides finished</i>	
N No base infeed	<i>4 = Hi/Lo cap at direction change, finished 3 sides</i>	
613 Finish, base plate	<i>5 = Hi/Lo cap in line, finished 2 opposite sides</i>	
118 Finish, tiles		
W359- Finish, fabric (mono side)		

Posts, panels

L post, one face only w/base plate

AutoStrada

description	h	pattern no.	list
L post, tiled V2 natural left face w/o base, fabric/mono right face w/base	34"	R3R1LAL234 () () () () ()	\$230.
	42"	R3R1LAL242 () () () () ()	341.
	49"	R3R1LAL249 () () () () ()	379.
	64"	R3R1LAL264 () () () () ()	421.

V2 side 1, fabric side 2

L post, tiled V2 natural right face w/o base, fabric/mono left face w/base	34"	R3R1LAR234 () () () () ()	230.
	42"	R3R1LAR242 () () () () ()	341.
	49"	R3R1LAR249 () () () () ()	379.
	64"	R3R1LAR264 () () () () ()	421.

Fabric side 1, V2 side 2

L post, tiled V3 exotic left face w/o base, fabric/mono right face w/base	34"	R3R1LAL334 () () () () ()	296.
	42"	R3R1LAL342 () () () () ()	448.
	49"	R3R1LAL349 () () () () ()	495.
	64"	R3R1LAL364 () () () () ()	547.

V3 side 1, fabric side 2



L post, tiled V3 exotic right face w/o base, fabric/mono left face w/base	34"	R3R1LAR334 () () () () ()	296.
	42"	R3R1LAR342 () () () () ()	448.
	49"	R3R1LAR349 () () () () ()	495.
	64"	R3R1LAR364 () () () () ()	547.

Fabric side 1, V3 side 2

Order Code	Specification Information	Application Notes
Example: R3R1LALL34E1AA4N 613118W359-	<i>To order please specify pattern number including:</i>	6. Finish, Aluminum trim (top cap and reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>
R3 AutoStrada w/generation 3 post	1. Tiled side <i>L = Tiled left face, monolithic right face</i>	7. Base height <i>4 = 4"h, default</i>
R1 Base raceway, mono side	<i>R = Tiled right face, monolithic left face</i>	8. Base infeed - applicable for face with base plate only <i>N = None</i>
L L post	2. Finish type tiled side <i>L = Painted to match laminate</i>	<i>F = Base infeed fabric face side</i>
A Tiled one side/Mono other	<i>V1 = V1 Techwood</i>	9. Finish, base raceway
L Left face tiled	<i>V2 = V2 Natural</i>	10. Finish, Side 1 <i>If side 1 tiled specify laminate *, V1, V2 or V3 finish;</i>
L Laminate match	<i>V3 = V3 Exotic</i>	<i>If side 1 monolithic specify fabric</i>
34 34" high	3. Height	11. Finish, Side 2 <i>If side 2 tiled specify laminate *, V1, V2 or V3 finish;</i>
E Extruded aluminum top cap	4. Extruded aluminum top cap <i>E = default</i>	<i>If side 2 monolithic specify fabric</i>
1 Regular L cap configuration	5. Top Cap Configuration <i>1 = Regular L, finished 2 adjacent sides</i>	
AA Finish, top cap and reveal	<i>2 = Regular T, finished one side</i>	
4 4" high base	<i>3 = Regular X, no sides finished</i>	
N No base infeed	<i>4 = Hi/Lo cap at direction change, finished 3 sides</i>	
613 Finish, base plate	<i>5 = Hi/Lo cap in line, finished 2 opposite sides</i>	
118 Finish, tiles		
W359- Finish, fabric (mono side)		

Posts, panels x and straight posts

AutoStrada

description	h	pattern no.	list
 X post, universal aluminum top cap	34"	R3X34E ()	\$226.
	42"	R3X42E ()	243.
	49"	R3X49E ()	261.
	64"	R3X64E ()	292.
 Straight post, tiled laminate face w/o base, fabric/mono face w/base	34"	R3R1SAL34 () () () () ()	199.
	42"	R3R1SAL42 () () () () ()	297.
	49"	R3R1SAL49 () () () () ()	329.
	64"	R3R1SAL64 () () () () ()	367.
Straight post, tiled V1 techwood face w/o base, fabric/mono face w/base	34"	R3R1SA134 () () () () ()	210.
	42"	R3R1SA142 () () () () ()	313.
	49"	R3R1SA149 () () () () ()	346.
	64"	R3R1SA164 () () () () ()	383.
Straight post, tiled V2 natural face w/o base, fabric/mono face w/base	34"	R3R1SA234 () () () () ()	230.
	42"	R3R1SA242 () () () () ()	341.
	49"	R3R1SA249 () () () () ()	379.
	64"	R3R1SA264 () () () () ()	421.

Order Code	Order Code	Specification Information
Example: R3X34E3AA R3 AutoStrada w/generation 3 Post X X post 34 34" high E Extruded aluminum top cap 3 Regular X cap configuration AA Finish, aluminum top cap	Example: R3R1SAL34E1AA4 N613118W359- R3 AutoStrada w/generation 3 Post R1 Base raceway, fabric mono side S Straight post A Tiled one face/mono other L Tiled face, Laminate match 34 34" high E Extruded aluminum top cap 1 Reg L cap config AA Finish, aluminum top cap & reveal 4 4" high base N No base infeed 613 Finish, base raceway 118 Finish, tiled side W359- Finish, mono side	To order please specify pattern number including: 1. Post type <i>X = X post</i> <i>S = Straight post</i> 2. Tiled surface type (applicable straight posts only, embedded in pattern number) <i>L = Painted to match laminate</i> <i>1 = V1 Techwood</i> <i>2 = V2 Natural</i> <i>3 = V3 Exotic</i> 3. Height 4. Extruded aluminum top cap <i>E = default</i> 5. Top Cap Configuration <i>1 = Regular L, finished 2 adjacent sides</i> <i>2 = Regular T, finished one side</i> <i>3 = Regular X, no sides finished</i> <i>4 = Hi/Lo cap at direction change, finished 3 sides</i> <i>5 = Hi/Lo cap in line, finished 2 opposite sides</i> 6. Finish, Aluminum top cap and reveals <i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i> 7. Base height <i>4 = 4" h, default</i> 8. Base infeed (applicable straight posts only) <i>N = None</i> <i>F = Base infeed fabric face side</i> 9. Finish, base raceway (applicable straight posts only) 10. Finish, Tiled side <i>Laminate *, V1, V2 or V3 finish</i> 11. Finish, mono side <i>Fabric selection</i> See page 7 for finish options applicable. Aluminum vertical hookstrip cover ordered separately. * Painted to match laminate.

Posts, panels x and straight posts

description	h	pattern no.	list
Straight post, tiled V3 exotic face w/o base, fabric/mono face w/base	34"	R3R1SA334 () () () () ()	\$296.
	42"	R3R1SA342 () () () () ()	448.
	49"	R3R1SA349 () () () () ()	495.
	64"	R3R1SA364 () () () () ()	547.
Straight post, monolithic (to match) laminate (no base plate)	42"	R3R0SPL42 () () ()	297.
	49"	R3R0SPL49 () () ()	329.
Straight post, monolithic V1 techwood (no base plate)	42"	R3R0SP142 () () ()	313.
	49"	R3R0SP149 () () ()	346.
Straight post, monolithic V2 natural (no base plate)	42"	R3R0SP242 () () ()	341.
	49"	R3R0SP249 () () ()	379.
Straight post, monolithic V3 exotic (no base plate)	42"	R3R0SP342 () () ()	448.
	49"	R3R0SP349 () () ()	495.

Order Code	Order Code	Specification Information	
Example: R3X34E3AA	Example: R3R1SAL34E1AA4 N613118W359-	<i>To order please specify pattern number including:</i>	
R3 AutoStrada w/generation 3 Post	R3 AutoStrada w/generation 3 Post	1. Post type <i>X = X post</i> <i>S = Straight post</i>	6. Finish, Aluminum top cap and reveals <i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>
X X post	R1 Bace raceway, fabric mono side	2. Tiled surface type (applicable straight posts only, embedded in pattern number) <i>L = Painted to match laminate</i> <i>1 = V1 Techwood</i> <i>2 = V2 Natural</i> <i>3 = V3 Exotic</i>	7. Base height <i>4 = 4"h, default</i>
34 34" high	S Straight post	3. Height	8. Base infeed (applicable straight posts only) <i>N = None</i> <i>F = Base infeed fabric face side</i>
E Extruded aluminum top cap	A Tiled one face/mono other	4. Extruded aluminum top cap <i>E = default</i>	9. Finish, base raceway (applicable straight posts only)
3 Regular X cap configuration	L Tiled face, Laminate match	5. Top Cap Configuration <i>1 = Regular L, finished 2 adjacent sides</i> <i>2 = Regular T, finished one side</i> <i>3 = Regular X, no sides finished</i> <i>4 = Hi/Lo cap at direction change, finished 3 sides</i> <i>5 = Hi/Lo cap in line, finished 2 opposite sides</i>	10. Finish, Tiled side <i>Laminate *, V1, V2 or V3 finish</i>
AA Finish, aluminum top cap	34 34" high		11. Finish, mono side <i>Fabric selection</i>
	E Extruded aluminum top cap		See page 7 for finish options applicable.
	1 Reg L cap config		Aluminum vertical hookstrip cover ordered separately.
	AA Finish, aluminum top cap & reveal		* Painted to match laminate.
	4 4" high base		
	N No base infeed		
	613 Finish, base raceway		
	118 Finish, tiled side		
	W359- Finish, mono side		

Posts, panels

120° post, tiled

AutoStrada

description	h	pattern no.	list
 120° post, tiled (to match) laminate (no base plate)	34"	R3R0120VTL34() () () ()	\$669.
	42"	R3R0120VTL42() () () ()	762.
	49"	R3R0120VTL49() () () ()	785.
	64"	R3R0120VTL64() () () ()	932.
	Tiled laminate both sides		
120° post, tiled V1 techwood (no base plate)	34"	R3R0120VT134() () () ()	682.
	42"	R3R0120VT142() () () ()	773.
	49"	R3R0120VT149() () () ()	797.
	64"	R3R0120VT164() () () ()	942.
	Tiled V1 both sides		
120° post, tiled V2 techwood (no base plate)	34"	R3R0120VT234() () () ()	698.
	42"	R3R0120VT242() () () ()	790.
	49"	R3R0120VT249() () () ()	817.
	64"	R3R0120VT264() () () ()	961.
	Tiled V2 both sides		
120° post, tiled V3 techwood (no base plate)	34"	R3R0120VT334() () () ()	732.
	42"	R3R0120VT342() () () ()	825.
	49"	R3R0120VT349() () () ()	851.
	64"	R3R0120VT364() () () ()	995.
	Tiled V3 both sides		

Order Code	Specification Information	Application Notes	
Example: R3R0120VTL34E1AA118	<i>To order please specify pattern number including:</i>		
R3	AutoStrada w/generation 3 post	5. Post cover configuration 1 = 1 piece	Aluminum vertical hookstrip cover ordered separately.
R0	No base raceway exposed	6. Finish, Aluminum trim (top cap and reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>	
120V	V post	7. Finish, <i>Laminate *, V1, V2, V3 finish or Fabric</i>	
T	Tiled (both faces)	See page 7 for finish options applicable.	
L	Laminate match		
34	34" high		
E	Extruded aluminum top cap		
1	Regular L cap configuration		
AA	Finish, top cap and reveal		
118	Finish, tiles		

Posts, panels

120° post, monolithic

AutoStrada

description	h	pattern no.	list
120° post, monolithic (to match)	34"	R3R0120VPL34 ()()()()	\$606.
laminate (no base plate)	42"	R3R0120VPL42 ()()()()	636.
	49"	R3R0120VPL49 ()()()()	660.
	64"	R3R0120VPL64 ()()()()	743.
Monolithic laminate both sides			
120° post, monolithic V1 techwood	34"	R3R0120VP134 ()()()()	617.
(no base plate)	42"	R3R0120VP142 ()()()()	646.
	49"	R3R0120VP149 ()()()()	671.
	64"	R3R0120VP164 ()()()()	753.
Monolithic V1 both sides			
120° post, monolithic V2 techwood	34"	R3R0120VP234 ()()()()	636.
(no base plate)	42"	R3R0120VP242 ()()()()	663.
	49"	R3R0120VP249 ()()()()	689.
	64"	R3R0120VP264 ()()()()	772.
Monolithic V2 both sides			
120° post, monolithic V3 techwood	34"	R3R0120VP334 ()()()()	669.
(no base plate)	42"	R3R0120VP342 ()()()()	698.
	49"	R3R0120VP349 ()()()()	723.
	64"	R3R0120VP364 ()()()()	806.
Monolithic V3 both sides			

Order Code	Specification Information	Application Notes	
Example: R3R0135VT34E1AA118	<i>To order please specify pattern number including:</i>	5. Post cover configuration 1 = 1 piece	Aluminum vertical hookstrip cover ordered separately.
R3	AutoStrada w/generation 3 post	6. Finish, Aluminum trim (top cap and reveals)	* Painted to match laminate.
R0	No base raceway exposed	<i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>	
135V	V post	7. Finish,	
T	Tiled (both faces)	<i>Laminate *, V1, V2, V3 finish or Fabric</i>	
L	Laminate match	See page 7 for finish options applicable.	
34	34" high		
E	Extruded aluminum top cap		
1	Regular L cap configuration		
AA	Finish, top cap and reveal		
118	Finish, tiles		

Posts, panels

135° post, tiled

AutoStrada

description	h	pattern no.	list
135° post, tiled (to match) laminate (no base plate)	34"	R3R0135VTL34() () () ()	\$625.
	42"	R3R0135VTL42() () () ()	671.
	49"	R3R0135VTL49() () () ()	713.
	64"	R3R0135VTL64() () () ()	823.
	Tiled laminate both sides		
135° post, tiled V1 techwood (no base plate)	34"	R3R0135VT134() () () ()	637.
	42"	R3R0135VT142() () () ()	684.
	49"	R3R0135VT149() () () ()	725.
	64"	R3R0135VT164() () () ()	833.
	Tiled V1 both sides		
135° post, tiled V2 techwood (no base plate)	34"	R3R0135VT234() () () ()	652.
	42"	R3R0135VT242() () () ()	700.
	49"	R3R0135VT249() () () ()	743.
	64"	R3R0135VT264() () () ()	852.
	Tiled V2 both sides		
135° post, tiled V3 techwood (no base plate)	34"	R3R0135VT334() () () ()	688.
	42"	R3R0135VT342() () () ()	736.
	49"	R3R0135VT349() () () ()	777.
	64"	R3R0135VT364() () () ()	886.
	Tiled V3 both sides		

Order Code	Specification Information	Application Notes	
Example: R3R0135VTL34E1AA118	<i>To order please specify pattern number including:</i>	5. Post cover configuration 1 = 1 piece	Aluminum vertical hookstrip cover ordered separately.
R3	AutoStrada w/generation 3 post	6. Finish, Aluminum trim (top cap and reveals) <i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>	* Painted to match laminate.
R0	No base raceway exposed	7. Finish, <i>Laminate *, V1, V2, V3 finish or Fabric</i>	
135V	V post	See page 7 for finish options applicable.	
T	Tiled (both faces)		
L	Laminate match		
34	34" high		
E	Extruded aluminum top cap		
1	Regular L cap configuration		
AA	Finish, top cap and reveal		
118	Finish, tiles		

Posts, panels

135° post, monolithic

AutoStrada

description	h	pattern no.	list
135° post, monolithic (to match)	34"	R3R0135VPL34 ()()()()	\$708.
laminate (no base plate)	42"	R3R0135VPL42 ()()()()	871.
	49"	R3R0135VPL49 ()()()()	882.
	64"	R3R0135VPL64 ()()()()	1,074.
Monolithic laminate both sides			
135° post, monolithic V1 techwood	34"	R3R0135VP134 ()()()()	720.
(no base plate)	42"	R3R0135VP142 ()()()()	883.
	49"	R3R0135VP149 ()()()()	892.
	64"	R3R0135VP164 ()()()()	1,087.
Monolithic V1 both sides			
135° post, monolithic V2 techwood	34"	R3R0135VP234 ()()()()	738.
(no base plate)	42"	R3R0135VP242 ()()()()	901.
	49"	R3R0135VP249 ()()()()	910.
	64"	R3R0135VP264 ()()()()	1,103.
Monolithic V2 both sides			
135° post, monolithic V3 techwood	34"	R3R0135VP334 ()()()()	772.
(no base plate)	42"	R3R0135VP342 ()()()()	934.
	49"	R3R0135VP349 ()()()()	943.
	64"	R3R0135VP364 ()()()()	1,138.
Monolithic V3 both sides			

Order Code	Specification Information	Application Notes	
Example: R3R0135VT34E1AA118	<i>To order please specify pattern number including:</i>	5. Post cover configuration 1 = 1 piece	Aluminum vertical hookstrip cover ordered separately.
R3	AutoStrada w/generation 3 post	6. Finish, Aluminum trim (top cap and reveals)	* Painted to match laminate.
R0	No base raceway exposed	<i>Anodized aluminum or painted finish options listed on page 11 excluding silver</i>	
135V	V post	7. Finish,	
T	Tiled (both faces)	<i>Laminate *, V1, V2, V3 finish or Fabric</i>	
L	Laminate match	See page 7 for finish options applicable.	
34	34" high		
E	Extruded aluminum top cap		
1	Regular L cap configuration		
AA	Finish, top cap and reveal		
118	Finish, tiles		

Trim, panels aluminum reveals

AutoStrada

description	h	w	pattern no.	AA or paint
Aluminum hookstrip cover condition including stacking modules without exposed 4" raceway	33.5"		R2AHCN34 ()	\$71.
	41.5"		R2AHCN42 ()	86.
	48.5"		R2AHCN49 ()	100.
	63.5"		R2AHCN64 ()	133.
	78.5"		R2AHCN79 ()	169.
Aluminum hookstrip cover condition including stacking modules with 4"h base raceway.	30"		R2AHCR34 ()	72.
	38"		R2AHCR42 ()	87.
	45"		R2AHCR49 ()	103.
	60"		R2AHCR64 ()	136.
	75"		R2AHCR79 ()	171.
Alum horizontal reveal for between base panel and stacking window module		18"	R2AHWR18 ()	43.
		20"	R2AHWR20 ()	43.
		24"	R2AHWR24 ()	45.
		30"	R2AHWR30 ()	46.
		36"	R2AHWR36 ()	50.
		42"	R2AHWR42 ()	52.
		48"	R2AHWR48 ()	58.
Alum horizontal reveal for between two stacking window modules or between stacking and window modules or between two stacking modules		18"	R2AHBW18 ()	43.
		20"	R2AHBW20 ()	43.
		24"	R2AHBW24 ()	45.
		30"	R2AHBW30 ()	46.
		36"	R2AHBW36 ()	50.
		42"	R2AHBW42 ()	52.
		48"	R2AHBW48 ()	58.
Alum horizontal reveal for between base panel and stacking module (FL/F1/F2)		18"	R2AHSR18 ()	43.
		20"	R2AHSR20 ()	43.
		24"	R2AHSR24 ()	45.
		30"	R2AHSR30 ()	46.
		36"	R2AHSR36 ()	50.
		42"	R2AHSR42 ()	52.
		48"	R2AHSR48 ()	58.

Order Code	Specification Information	Application Notes
Example: R2AHCN34 AA	<i>To order please specify pattern number including:</i> 1. Height or 2. Width 3. Finish <i>Anodized aluminum or painted finish options listed on page 7 excluding silver</i>	Aluminum hookstrip covers best suited for hard side (lamine, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. When and where aluminum vertical hookstrip cover installed, forfeit panel hung capability.
R2 AutoStrada/Reff		
A Aluminum		
HC Hookstrip cover		
N No exposed raceway		
34 for 34"h		
AA Finish, anodized aluminum		

Trim, panels end trim and post trim


AutoStrada

description	height	to height	width	pattern no.	list
Aluminum end trim (full height), w/hookstrip 	34"			A1FHETE34 ()	\$145.
	42"			A1FHETE42 ()	169.
	49"			A1FHETE49 ()	193.
	64"			A1FHETE64 ()	217.

Aluminum end trim for Hi/Lo w/hookstrip (no post involved) 	34"	42"		A1HLETE3442 ()	127.
	34"	49"		A1HLETE3449 ()	129.
	34"	64"		A1HLETE3464 ()	133.
	42"	49"		A1HLETE4249 ()	127.
	42"	64"		A1HLETE4264 ()	129.
	49"	64"		A1HLETE4964 ()	133.

Post cover trim for Hi/Lo (post involved) 	34"	42"		A1HLPTE3442 ()	34.
	34"	49"		A1HLPTE3449 ()	49.
	34"	64"		A1HLPTE3464 (F/T)() ()	99.
	42"	49"		A1HLPTE4249 ()	34.
	42"	64"		A1HLPTE4264 (F/T)() ()	83.
	49"	64"		A1HLPTE4964 ()	49.

Finish options fabric, V1, V2, V3 or painted to match laminate only, not available in AA anodized aluminum.



Alum Top Trim for Hi/Lo condition, no post involved 		18"		AHLTTE18 ()	25.
		20"		AHLTTE20 ()	28.
		24"		AHLTTE24 ()	31.
		30"		AHLTTE30 ()	36.
		36"		AHLTTE36 ()	47.
		42"		AHLTTE42 ()	48.
		48"		AHLTTE48 ()	65.

Order Code	Specification Information	Application Notes	
Example: A1HLETE3442AA	<i>To order please specify pattern number including:</i>		
A AutoStrada	1. Hi/Lo Condition <i>ETE = End trim, no post w/hookstrip, height changes does not involve a post</i>	3. If (T) for tiled cover set, specify tile divider finish B - Black reveal E - painted silver to match AA extruded aluminum panel reveal or painted finish options list on page 7	Aluminum end trim (full height), with hookstrip does not have base plate detail.
1 Generation 1	<i>PTE = Post end trim, height change involves post</i>	4. Finish <i>If end trim: Anodized aluminum or painted finish options listed on page 11 excluding silver</i>	Post cover trim for hi/lo conditions are available in choice of fabric, V1, V2, V3 or painted to match laminate finishes only.
HL Hi/Lo	2. Hi/Lo Height <i>3442 = 34" h to 42" h</i> <i>3449 = 34" h to 49" h</i> <i>3464 = 34" h to 64" h *</i> <i>4249 = 42" h to 49" h</i> <i>4264 = 42" h to 64" h *</i> <i>4964 = 49" h to 64" h</i>	<i>If post cover trim: () fabric, V1,V2,V3 or painted to match laminate</i>	
ET End Trim			
E Extruded Aluminum Profile			
3442 34" h to 42" h			
AA Finish, anodized aluminum			
	*Applicable for post cover trim: Specify (F) for full monolithic cover or (T) for tiled cover set.		See page 7 for finish options applicable.

*Applicable for post cover trim:
Specify (F) for full monolithic cover or (T) for tiled cover set.

Trim, panels full length top trim

AutoStrada


description	width	pattern no.	paint	AA
Continuous run top trim 	60"	A1CRTT60 ()	\$90.	\$90.
	66"	A1CRTT66 ()	90.	90.
	72"	A1CRTT72 ()	98.	98.
	78"	A1CRTT78 ()	98.	98.
	84"	A1CRTT84 ()	111.	111.
	90"	A1CRTT90 ()	149.	149.
	96"	A1CRTT96 ()	149.	149.
	102"	A1CRTT102 ()	n/a	160.
	108"	A1CRTT108 ()	n/a	160.
	114"	A1CRTT114 ()	n/a	160.
	120"	A1CRTT120 ()	n/a	160.
	126"	A1CRTT126 ()	n/a	169.
	132"	A1CRTT132 ()	n/a	169.
	138"	A1CRTT138 ()	n/a	176.
	144"	A1CRTT144 ()	n/a	176.
Continuous run top trim for Hi/Lo conditions 	60"	A1CHLTT60 ()	90.	90.
	66"	A1CHLTT66 ()	90.	90.
	72"	A1CHLTT72 ()	98.	98.
	78"	A1CHLTT78 ()	98.	98.
	84"	A1CHLTT84 ()	111.	111.
	90"	A1CHLTT90 ()	149.	149.
	96"	A1CHLTT96 ()	149.	149.
	102"	A1CHLTT102 ()	n/a	160.
	108"	A1CHLTT108 ()	n/a	160.
	114"	A1CHLTT114 ()	n/a	160.
	120"	A1CHLTT120 ()	n/a	160.
	126"	A1CHLTT126 ()	n/a	169.
	132"	A1CHLTT132 ()	n/a	169.
	138"	A1CHLTT138 ()	n/a	176.
	144"	A1CHLTT144 ()	n/a	176.

Order Code	Specification Information	Application Notes
Example: A1CRTT60AA	<i>To order please specify pattern number including:</i>	Continuous run top trim for spanning multiple panels with one piece of trim. Continuous run top trim ships with "W" clips which secures trim to panel frame.
A AutoStrada	1. Width	
1 Generation 1	2. Finish, where applicable	
CR Continuous Run	<i>Up to and including 96" w AA anodized aluminum or painted finish options listed on page 7 excluding silver</i>	
TT Top Trim		
60 60" wide		
AA Finish, anodized aluminum	Only available in AA-anodized aluminum over 96" w	

Trim, panels

panel trim and install aids


AutoStrada

description	type	h	pattern no.	list
Hookstrip cover strips, black flexible PVC	15 pcs/pack	79"	RHSCN15	\$0.
	70 pcs/pack	79"	RHSCN70	0.
	250 pcs/pack	79"	RHSCN250	0.
cut to size to fit during installation recommended use interior of station or where aluminum vertical reveals not installed				
 Panel alignment kits	panel-to-panel		RSPABPP	7.
	window-to-panel		RSPABPW	7.
	window-to-window		RSPABWW	7.
	stacking module-to-panel		R3SPABPT	7.
	stacking module-to-stacking module		R3SPABTT	7.
	window-to-stacking module		R3SPABTW	7.
 Panel leveling plates	10 pcs/pack		APLP10	43.
	25 pcs/pack		APLP25	96.
Carpet grippers	10 pcs/pack		R2CG	22.


Panels

Order Code	Specification Information	Application Notes
Example: APLP10	<i>To order please specify pattern number including:</i>	Panel leveling plates are for installation aid only. The plate fits on top of the hookstrip connecting two panels and spans the joint between the panels. Simply drop the plate in the cavity between the two panels, tighten top wedges as you would normally during installation. The dimension and shape will force panel alignment. Remove the plate and proceed onto the next connection.
A AutoStrada	1. Pack quantity required	Panel alignment kits are required for stacking modules and long panel runs. Panel alignment kits are required at the highest point of each panel and stacking module connection. They are recommended when panels are supporting overhead storage. One alignment bracket required for every two panels. Please refer to Reff planning guide, page 45 for additional information.
P Panel		
L Leveling		
P Plates		
10 Pack of 10		

description	type	h	w	d	pattern no.	list
Power rail for panel with one side only base raceway (8 wire)	24" panel	2"	6"	2"	RR3-E24S	\$162.
	30" panel	2"	12"	2"	RR3-E30S	187.
	36" panel	2"	18"	2"	RR3-E36S	204.
	42" panel	2"	24"	2"	RR3-E42S	220.
	48" panel	2"	30"	2"	RR3-E48S	226.



Power rail for panel with one side only base raceway (10 wire)	24" panel	2"	6"	2"	RR3-T24S	195.
	30" panel	2"	12"	2"	RR3-T30S	213.
	36" panel	2"	18"	2"	RR3-T36S	226.
	42" panel	2"	24"	2"	RR3-T42S	247.
	48" panel	2"	30"	2"	RR3-T48S	252.



Order Code	Specification Information	Application Notes
Example: RR3-T24S	Power rails are the primary power distribution component. Each rail provides outlet mounting position on one side and receptacles for branching power connectors at each end. Power rail for 24" wide panel accepts one duplex outlet or one power infed. Power rails for 30" to 48" wide panels accept two outlets.	Power rails on this page are for use with panels with one side raceway only. Power connections and duplexes as required to be specified from following pages for 8 or 10 wire as required for panels with either one sided base raceway or both sides with base raceway.
RR3		
T		
24		
S		

Reff panel frame raceway


Ten wire, 3+3

for 24" w panel

Single sided raceway

Power distribution components
 2+2 Base Raceway
four circuit, eight-wire raceway for panels
power rails and connector

description	type	w	d	h	pattern no.	list price
	24" panel	6"	2"	2"	RR3-E24	\$155.
	30" panel	12"	2"	2"	RR3-E30NS	170.
	36" panel	18"	2"	2"	RR3-E36NS	187.
	42" panel	24"	2"	2"	RR3-E42NS	195.
	48" panel	30"	2"	2"	RR3-E48NS	204.
	60" panel	42"	2"	2"	RR3-E60-4	310.
	66" panel	48"	2"	2"	RR3-E66-4	326.
	72" panel	54"	2"	2"	RR3-E72-4	349.

	Straight	16 1/2"	2"	2"	RR3-EPC24M	89.
		18 1/2"	2"	2"	RR3-EPCSM	89.
		20 1/4"	2"	2"	RR3-EPCM	89.
	Through post	19"	2"	2"	RR3-EPCP24M	89.

Use **RR3-EPC24M** for straight 24" to 24" wide panel.
 Use **RR3-EPCSM** for straight 24" to any other width panel and for 30" to 30" wide panels.
 Use **RR3-EPCM** for all other straight power connection configurations.

21"	2"	2"	RR3-EPCPSM	89.
22 3/4"	2"	2"	RR3-EPCPM	89.

Use **RR3-EPCP24M** for through post 24" to 24" wide panels.
 Use **RR3-EPCPSM** for through post 24" to any other width panel and for 30" to 30" wide panels.
 Use **RR3-EPCPM** for all other through post power connection configurations.




Order Code	Specification Information	Application Notes
Example: RR3-E-24	Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting. Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.	Power rails are the primary power distribution component of the Reff 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway. Rail for 24" wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30" to 48" panels accept two outlets (or one outlet and one infeed) on each side. 60", 66" and 72"W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.
RR3		
E		
24		
		Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection. *Power connectors must be specified according to the panel widths in the specified orientation. If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components
2+2 Base Raceway
four circuit, eight-wire raceway for panels
power rails and connector

description	type	w	d	h	pattern no.	list price
 Duplex outlets, black	Circuit A				RR3-DA	\$43.
	Circuit A, with controlled symbol				RR3-DAC	43.
	Circuit B				RR3-DB	43.
	Circuit B, with controlled symbol				RR3-DBC	43.
	Circuit X				RR3-DX	43.
	Circuit X, with controlled symbol				RR3-DXC	43.
	Circuit Y				RR3-DY	43.
	Circuit Y, with controlled symbol				RR3-DYC	43.
 Duplex outlets, orange	Circuit X				RR3-DXO	48.
	Circuit Y				RR3-DYO	48.
Data Shield	1 pair				RR3-DATSHD	30.
Attaches to power rail, sits under duplex						


Order Code	Specification Information	Application Notes	
Example: RR3-E-24	Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting. Specify the suffix “RF” after the power rail pattern number for panels manufactured before June 1996.	Power rails are the primary power distribution component of the Reff 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway. Rail for 24” wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30” to 48” panels accept two outlets (or one outlet and one infeed) on each side. 60”, 66” and 72”W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.	
RR3			Reff raceway
E			Eight wire 2+2
24			for 24” panel
		Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection. *Power connectors must be specified according to the panel widths in the specified orientation. If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.	

Power distribution components
 2+2 Base Raceway
*four circuit, eight-wire raceway for panels
 jumpers and infeed*

description	type	w	d	h	pattern no.	list price
 Jumper	18" panel	38"	2"	2"	RR3-EJ18	\$112.
	20" panel	40"	2"	2"	RR3-EJ20	112.
	24" panel	44"	2"	2"	RR3-EJ24	121.
	30" panel	50"	2"	2"	RR3-EJ30	129.
	36" panel	56"	2"	2"	RR3-EJ36	140.
	42" panel	62"	2"	2"	RR3-EJ42	148.
	48" panel	68"	2"	2"	RR3-EJ48	155.
	54" panel run	76 1/2"	2"	2"	RR3-EJ54P	162.
	60" panel run	82 1/2"	2"	2"	RR3-EJ60P	170.
	66" panel run	88 1/2"	2"	2"	RR3-EJ66P	179.
	72" panel run	94 1/2"	2"	2"	RR3-EJ72P	187.
	78" panel run	100 1/2"	2"	2"	RR3-EJ78P	195.
	84" panel run	106 1/2"	2"	2"	RR3-EJ84P	204.
	90" panel run	112 1/2"	2"	2"	RR3-EJ90P	213.
	96" panel run	118 1/2"	2"	2"	RR3-EJ96P	220.
 Extended jumper (through one post)	18" + post	40 1/2"	2"	2"	RR3-EJ18P	112.
	20" + post	42 1/2"	2"	2"	RR3-EJ20P	112.
	24" + post	46 1/2"	2"	2"	RR3-EJ24P	121.
	30" + post	52 1/2"	2"	2"	RR3-EJ30P	129.
	36" + post	58 1/2"	2"	2"	RR3-EJ36P	140.
	42" + post	64 1/2"	2"	2"	RR3-EJ42P	148.
	48" + post	70 1/2"	2"	2"	RR3-EJ48P	155.
 Power infeeds	Ceiling power cable infeed. Eight-wire				RR3-EPVR	310.
	Hardwire infeed (NYC) one direction				RR3-EPNY1	226.
	Hardwire infeed (NYC) two directions				RR3-EPNY2	339.
	Panel base end feed				RR3-REPI	269.
	Panel base side infeed				RR3-EPI	269.
	Surge suppressors				RR3-SP-(A,B,X,Y)	195.

Order Code	Specification Information	Application Notes
Example: RR3-EPVR		
RR3 Reff raceway	Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two 20-amp circuits (X and Y) with separate neutral and ground.	Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.
E Eight wire 2+2		
P power infeed	For use in Canada, all circuits are CGA rated 15 amp capacity.	into panel base through power pole adjacent to panel with power rail. Power pole and post must be ordered separately.
VR for vertical raceway		
	<i>Note:</i> For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H.	Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. RR3-EPNY2 includes two power connectors to power panels on both sides of infeed panel; RR3-EPNY1 includes only one power connector.
	Beltway panels can use jumpers at the panel base in a straight run or around a corner.	Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.

Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels
power rails and connectors

description	type	w	d	h	pattern no.	list price
	24" panel	6"	2"	2"	RR3-T24	\$179.
	30" panel	12"	2"	2"	RR3-T30NS	195.
	36" panel	18"	2"	2"	RR3-T36NS	213.
	42" panel	24"	2"	2"	RR3-T42NS	226.
	48" panel	30"	2"	2"	RR3-T48NS	235.
	60" panel	42"	2"	2"	RR3-T60-4	367.
	66" panel	48"	2"	2"	RR3-T66-4	381.
	72" panel	54"	2"	2"	RR3-T72-4	408.
	Straight	16 1/2"	2"	2"	RR3-TPC24M	112.
		18 1/2"	2"	2"	RR3-TPCSM	112.
		20 1/4"	2"	2"	RR3-TPCM	112.
		Use RR3-TPC24 for through post 24" to 24" wide panels. Use RR3-TPCS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-TPC for all other through post power connection configurations.				
	Through post	19"	2"	2"	RR3-TPCP24M	112.
		21"	2"	2"	RR3-TPCPSM	112.
		22 3/4"	2"	2"	RR3-TPCPM	112.
		Use RR3-TPCP24 for through post 24" to 24" wide panels. Use RR3-TPCPS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-TPCP for all other through post power connection configurations.				




Order Code	Specification Information	Application Notes
Example: RR3-T-24		
RR3 Reff raceway		
T Ten wire 3+3		
24 for 24" panel		
	Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground. A, B, X, Y outlets are identical to eight wire, 2+2 components. Duplex outlet circuits are designated by white letters on black background. In Canada, circuits carry a 15 amp load rating. <i>Note:</i> Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.	Power rails are the primary power distribution component of the Reff 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway. Rail for 24"W panel accepts one duplex outlet or power infeed one either side. Rails for 30" to 48" panels accept two outlets each side, 60", 66" and 72" rails accept four duplex outlets per side. *Power connectors must be specified according to the panel widths in the specified orientation. Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black. If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels
power rails and connectors

description	type	w	d	h	pattern no.	list price
Duplex outlets, black 	Circuit A				RR3-DA	\$43.
	Circuit A, with controlled symbol				RR3-DAC	43.
	Circuit B				RR3-DB	43.
	Circuit B, with controlled symbol				RR3-DBC	43.
	Circuit C				RR3-DC	43.
	Circuit C, with controlled symbol				RR3-DCC	43.
	Circuit X				RR3-DX	43.
	Circuit X, with controlled symbol				RR3-DXC	43.
	Circuit Y				RR3-DY	43.
	Circuit Y, with controlled symbol				RR3-DYC	43.
	Circuit Z				RR3-DZ	43.
	Circuit Z, with controlled symbol				RR3-DZC	43.
Duplex outlets, orange 	Circuit X				RR3-DXO	48.
	Circuit Y				RR3-DYO	48.
	Circuit Z				RR3-DZO	48.
Data Shield	1 pair				RR3-DATSHD	30.

Order Code	Specification Information	Application Notes
Example: RR3-T-24		
RR3 Reff raceway		
T Ten wire 3+3		
24 for 24" panel		
	Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground. A, B, X, Y outlets are identical to eight wire, 2+2 components. Duplex outlet circuits are designated by white letters on black background. In Canada, circuits carry a 15 amp load rating. <i>Note:</i> Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.	Power rails are the primary power distribution component of the Reff 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway. Rail for 24"W panel accepts one duplex outlet or power infeed one either side. Rails for 30" to 48" panels accept two outlets each side, 60", 66" and 72" rails accept four duplex outlets per side. *Power connectors must be specified according to the panel widths in the specified orientation. Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black. If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels
jumpers and infeed

description	type	w	d	h	pattern no.	list price
 Jumper	18" panel	38"	2"	2"	RR3-TJ18	\$129.
	20" panel	40"	2"	2"	RR3-TJ20	129.
	24" panel	44"	2"	2"	RR3-TJ24	140.
	30" panel	50"	2"	2"	RR3-TJ30	148.
	36" panel	56"	2"	2"	RR3-TJ36	155.
	42" panel	62"	2"	2"	RR3-TJ42	170.
	48" panel	68"	2"	2"	RR3-TJ48	187.
	54" panel run	76 1/2"	2"	2"	RR3-TJ54P	195.
	60" panel	82 1/2"	2"	2"	RR3-TJ60P	204.
	66" panel run	86 1/2"	2"	2"	RR3-TJ66P	213.
	72" panel run	94 1/2"	2"	2"	RR3-TJ72P	220.
	78" panel run	100 1/2"	2"	2"	RR3-TJ78P	226.
	84" panel run	106 1/2"	2"	2"	RR3-TJ84P	247.
	90" panel run	112 1/2"	2"	2"	RR3-TJ90P	252.
	96" panel run	118 1/2"	2"	2"	RR3-TJ96P	259.
 Extended jumper	18" + post	40 1/2"	2"	2"	RR3-TJ18P	129.
	20" + post	46 1/2"	2"	2"	RR3-TJ20P	129.
	24" + post	46 1/2"	2"	2"	RR3-TJ24P	140.
	30" + post	52 1/2"	2"	2"	RR3-TJ30P	148.
	36" + post	58 1/2"	2"	2"	RR3-TJ36P	155.
	42" + post	64 1/2"	2"	2"	RR3-TJ42P	170.
	48" + post	70 1/2"	2"	2"	RR3-TJ48P	187.
 Power infeeds	Ceiling power cable infeed. Ten-wire				RR3-TPVR	374.
	Hardwire infeed (NYC) one direction **				RR3-TPNY1	259.
	Hardwire infeed (NYC) two directions **				RR3-TPNY2	374.
	Panel base end feed				RR3-RTPI	310.
	Panel base side infeed				RR3-TPI	310.
	Surge suppressors *				RR3-SP-(A, B, C, X, Y, Z)	195.

* Select which circuit needs protecting and order the specified surge processor.



** For RR3-TPNY1 and RR3-TPNY2 specify base height of panel for NYC.

Order Code	Specification Information	Application Notes
Example: RR3-TPVR RR3 Reff raceway T Ten wire 3+3 P power infeed VR for vertical raceway	Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A, B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground. In Canada, circuits carry a 15 amp load rating. Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection into panel base through standard power pole. Power pole and post must be ordered separately.	Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post. Cable sizes are nominal. Use the "type" column to specify the required cable for your panel. Beltway panels can use jumpers at the panel base in a straight run or around a corner.

Power distribution components


Hardwire box

AutoStrada

description	type	pattern no.	list
Chicago Hardwire Box 1 Sided 	24" panel	RR3CHI241	\$241.
	30" panel	RR3CHI301	281.
	36" panel	RR3CHI361	302.
	42" panel	RR3CHI421	305.
	48" panel	RR3CHI481	327.
Chicago Hardwire Box 2 Sided 	24" panel	RR3CHI242	250.
	30" panel	RR3CHI302	299.
	36" panel	RR3CHI362	308.
	42" panel	RR3CHI422	312.
	48" panel	RR3CHI482	347.

Panels

Order Code	Specification Information	Application Notes
Example: RR3CHI241	Hardwire box is dedicated for panels with raceway either one or two sided, be sure to match to panel specification.	Certified electrician to install. Reff Hardwire Box Installation instruction sheet available on Knoll Exchange. Part number 6TR45715.
RR3 Reff/AutoStrada raceway G3		
CHI Chicago Hardwire Box		
24 For 24" wide panel		
1 One sided raceway		





Ported Panel Components

Reff and AutoStrada ported panel components offer a cost effective alternative to using beltway panels which will provide users convenient access to data or power outlets at any user defined height on a Reff and AutoStrada panel. Ports are one sided and may be installed below a worksurface, at desk height or even within a panel hung overhead storage unit.

Select option "Milled for ported components" when specifying panels. Ports may be added as technology needs change. Ports are field installed on the left or right hand side of a panel's vertical frame in fabric inserts only. Installation instructions will be shipped with each kit, including a template for port placement along the vertical frame.

Panel jumpers are used to connect standard base electrical to the ported panel kit. Jumpers can be specified to connect a port within the same panel or to adjacent panels. Panel jumpers always pass through base raceway. If one port is installed, an additional port may be added within the same panel with an internal power jumper between the two ports. Ports can also be daisy-chained together in adjacent panels. Ported panel components are not available for stackable modules.

The kit includes a bracket set and cover plate and is ordered separately from the modular power components. Specify electrical components as you would for base raceway power then add the ported panel bracket kit, applicable duplexes and power jumpers.




Vertical power port bracket kit and duplex.

AutoStrada Ported Panel Components


port, vertical duplex and panel jumpers

AutoStrada


description	type	pattern no.	list price
Port	Floating data port	RR3FDP	\$60.
	Vertical Power Port Bracket Kit (includes bracket, cover plate & installation instructions)	RR3VPBK	95.



Vertical Duplex	Vertical Duplex A (8/10 wire applications)	RR3VDA	32.
	Vertical Duplex A (8/10 wire applications) with controlled symbol	RR3VDAC	32.
	Vertical Duplex B (8/10 wire applications)	RR3VDB	32.
	Vertical Duplex B (8/10 wire applications) with controlled symbol	RR3VDBC	32.
	Vertical Duplex C (10 wire applications)	RR3VDC	32.
	Vertical Duplex C (8/10 wire applications) with controlled symbol	RR3VDCC	32.
	Vertical Duplex X (8/10 wire applications)	RR3VDX	32.
	Vertical Duplex X (8/10 wire applications) with controlled symbol	RR3VDXC	32.
	Vertical Duplex X Iso (8/10 wire applications)	RR3VDXO	32.
	Vertical Duplex Y (8/10 wire applications)	RR3VDY	32.
	Vertical Duplex Y (8/10 wire applications) with controlled symbol	RR3VDYC	32.
	Vertical Duplex Y Iso (8/10 wire applications)	RR3VDYO	32.
	Vertical Duplex Z (10 wire applications)	RR3VDZ	32.
	Vertical Duplex Z (8/10 wire applications) with controlled symbol	RR3VDZC	32.
	Vertical Duplex Z Iso (10 wire applications)	RR3VDZO	32.



Same Panel Jumper, 8w	30" Same Panel Jumper 50" 8w	RR3EBVC50	162.
	30" Same Panel Jumper 64" 8w	RR3EBVC64	176.
	30" Same Panel Jumper 78" 8w	RR3EBVC78	192.
	36" + Same Panel Jumper 62" 8w	RR3EBVC62	175.
	36" + Same Panel Jumper 76" 8w	RR3EBVC76	191.
	36" + Same Panel Jumper 90" 8w	RR3EBVC90	208.



Order Code	Specification Information	Application Note
Example: RR3FDP	For data and communications specify product listed on page 0.	30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port. 50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h 36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port. 62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h
RR3 Reff		
F Floating		
DP Data Port		
		If harness is in base of 24" panel you can not jump vertically, must remove harness. A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness. Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application. Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high All covers plates and snap in modules are black.

Panels


AutoStrada Ported Panel Components

port, vertical duplex and panel jumpers

AutoStrada


description	type	pattern no.	list price
Same Panel Jumper, 10w	30" Same Panel Jumper 50" 10w	RR3TBVC50	\$186.
	30" Same Panel Jumper 64" 10w	RR3TBVC64	204.
	30" Same Panel Jumper 78" 10w	RR3TBVC78	222.
	36" + Same Panel Jumper 62" 10w	RR3TBVC62	199.
	36" + Same Panel Jumper 76" 10w	RR3TBVC76	218.
	36" + Same Panel Jumper 90" 10w	RR3TBVC90	235.

Adjacent Panel Jumper, 10w	Adjacent Panel Jumper 110" 10w	RR3TVJ110	255.
	Adjacent Panel Jumper 82" 10w	RR3TVJ82	219.
	Adjacent Panel Jumper 96" 10w	RR3TVJ96	238.




Adjacent Panel Jumper, 8w	Adjacent Panel Jumper 110" 8w	RR3EVJ110	223.
	Adjacent Panel Jumper 82" 8w	RR3EVJ82	195.
	Adjacent Panel Jumper 96" 8w	RR3EVJ96	212.

Internal Panel Jumper	Internal Panel Jumper 10 w	RR3TVJ	163.
	Internal Panel Jumper 8 w	RR3EVJ	152.




Order Code	Specification Information		
Example: RR3FDP	For data and communications specify product listed on page 0.	30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port. 50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h 36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port. 62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h	If harness is in base of 24" panel you can not jump vertically, must remove harness. A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness. Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application. Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high All covers plates and snap in modules are black.
RR3 Reff			
F Floating			
DP Data Port			

description	type	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 <i>left hand shown, worksurface height fixed 27"h to underside</i>	left hand	42"	42"	26 1/2"	AMB42L424 () () () () ()	\$1,579.	\$1,987.	\$2,285.	\$2,969.
		42"	48"	26 1/2"	AMB42L484 () () () () ()	1,642.	2,067.	2,377.	3,090.
		42"	54"	26 1/2"	AMB42L544 () () () () ()	1,707.	2,149.	2,472.	3,210.
		42"	60"	26 1/2"	AMB42L604 () () () () ()	1,771.	2,229.	2,565.	3,333.
		42"	66"	26 1/2"	AMB42L664 () () () () ()	1,837.	2,311.	2,659.	3,456.
		42"	72"	26 1/2"	AMB42L724 () () () () ()	1,901.	2,391.	2,750.	3,574.
		42"	78"	26 1/2"	AMB42L784 () () () () ()	1,965.	2,474.	2,843.	3,696.
		42"	84"	26 1/2"	AMB42L844 () () () () ()	2,028.	2,553.	2,938.	3,818.
		42"	90"	26 1/2"	AMB42L904 () () () () ()	2,095.	2,633.	3,031.	3,940.
		42"	96"	26 1/2"	AMB42L964 () () () () ()	2,157.	2,716.	3,124.	4,063.
	right hand	42"	42"	26 1/2"	AMB42R424 () () () () ()	1,579.	1,987.	2,285.	2,969.
		42"	48"	26 1/2"	AMB42R484 () () () () ()	1,642.	2,067.	2,377.	3,090.
		42"	54"	26 1/2"	AMB42R544 () () () () ()	1,707.	2,149.	2,472.	3,210.
		42"	60"	26 1/2"	AMB42R604 () () () () ()	1,771.	2,229.	2,565.	3,333.
		42"	66"	26 1/2"	AMB42R664 () () () () ()	1,837.	2,311.	2,659.	3,456.
		42"	72"	26 1/2"	AMB42R724 () () () () ()	1,901.	2,391.	2,750.	3,574.
		42"	78"	26 1/2"	AMB42R784 () () () () ()	1,965.	2,474.	2,843.	3,696.
		42"	84"	26 1/2"	AMB42R844 () () () () ()	2,028.	2,553.	2,938.	3,818.
		42"	90"	26 1/2"	AMB42R904 () () () () ()	2,095.	2,633.	3,031.	3,940.
		42"	96"	26 1/2"	AMB42R964 () () () () ()	2,157.	2,716.	3,124.	4,063.

left hand shown, worksurface height fixed
27"h to underside

Order Code	Specification Information	Application Notes	
Example: AMB42L424GFEV316 V316613AA	<i>To order please specify pattern number including:</i>		
A AutoStrada	1. Hand <i>L = Left hand</i> <i>R = Right hand</i>	7. Finish, surround, top shelf <i>Laminate, V1, V2 or V3 finish</i>	Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 160, specify no drill if configuration does not include bridge unit.
M Median	2. Width	8. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>	
B Binder depth top shelf	3. Depth <i>4 = 26.5" d nominal</i> <i>5 = 32.5" d nominal</i>	9. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i> <i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>	
42 42" high	4. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	10. Finish, Grommet(s) <i>specify painted or plated finish</i>	
L Left hand	5. Face drill option <i>F = face drill for attachment to next unit</i> <i>N = no drill, last unit in run</i>	11. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	
42 42" wide	6. End drill option <i>E = end drill gable to attach to bridge</i> <i>N = no drill</i>	Order worksurface stiffener for unsupported spans exceeding 48".	
4 26.5" d			
G Grommet			
F Face drill gable			
E End drill gable			
V316 Finish, surround, top shelf & worksurface edge			
V316 Finish, worksurface			Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
() Edge finish (L)			
613 Finish, grommet			
AA Trim, anodized aluminum			Products on this page shipped knocked-down.
			</

Product on this page will accept
wood grain laminate where laminate
is currently an option.

description	type	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 <i>left hand shown, worksurface height fixed 27"h to underside</i>	left hand	42"	42"	32 1/2"	AMB42L425 () () () () ()	\$1,671.	\$2,081.	\$2,394.	\$3,111.
		42"	48"	32 1/2"	AMB42L485 () () () () ()	1,733.	2,162.	2,487.	3,230.
		42"	54"	32 1/2"	AMB42L545 () () () () ()	1,798.	2,242.	2,577.	3,353.
		42"	60"	32 1/2"	AMB42L605 () () () () ()	1,860.	2,320.	2,670.	3,470.
		42"	66"	32 1/2"	AMB42L665 () () () () ()	1,924.	2,400.	2,761.	3,590.
		42"	72"	32 1/2"	AMB42L725 () () () () ()	1,991.	2,479.	2,855.	3,707.
		42"	78"	32 1/2"	AMB42L785 () () () () ()	2,054.	2,559.	2,948.	3,829.
		42"	84"	32 1/2"	AMB42L845 () () () () ()	2,117.	2,640.	3,036.	3,948.
		42"	90"	32 1/2"	AMB42L905 () () () () ()	2,181.	2,719.	3,129.	4,068.
		42"	96"	32 1/2"	AMB42L965 () () () () ()	2,245.	2,798.	3,222.	4,187.
	right hand	42"	42"	32 1/2"	AMB42R425 () () () () ()	1,671.	2,081.	2,394.	3,111.
		42"	48"	32 1/2"	AMB42R485 () () () () ()	1,733.	2,162.	2,487.	3,230.
		42"	54"	32 1/2"	AMB42R545 () () () () ()	1,798.	2,242.	2,577.	3,353.
		42"	60"	32 1/2"	AMB42R605 () () () () ()	1,860.	2,320.	2,670.	3,470.
		42"	66"	32 1/2"	AMB42R665 () () () () ()	1,924.	2,400.	2,761.	3,590.
		42"	72"	32 1/2"	AMB42R725 () () () () ()	1,991.	2,479.	2,855.	3,707.
		42"	78"	32 1/2"	AMB42R785 () () () () ()	2,054.	2,559.	2,948.	3,829.
		42"	84"	32 1/2"	AMB42R845 () () () () ()	2,117.	2,640.	3,036.	3,948.
		42"	90"	32 1/2"	AMB42R905 () () () () ()	2,181.	2,719.	3,129.	4,068.
		42"	96"	32 1/2"	AMB42R965 () () () () ()	2,245.	2,798.	3,222.	4,187.


Order Code	Specification Information	Application Notes
Example: AMB42L425GFEV316 V316613AA	<i>To order please specify pattern number including:</i>	Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 160, specify no drill if configuration does not include bridge unit.
A AutoStrada	1. Hand <i>L = Left hand R = Right hand</i>	
M Median	2. Width	
B Binder depth top shelf	3. Depth <i>4 = 26.5" d nominal 5 = 32.5" d nominal</i>	
42 42" high	4. Grommet option <i>G = Grommet(s) N = No grommet(s)</i>	
L Left hand	5. Face drill option <i>F = face drill for attachment to next unit N = no drill, last unit in run</i>	
42 42" wide	6. End drill option <i>E = end drill gable to attach to bridge N = no drill</i>	
5 32.5" d	7. Finish, surround, top shelf <i>Laminate, V1, V2 or V3 finish</i>	
G Grommet	8. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>	
F Face drill gable	9. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7</i>	
E End drill gable	10. Finish, Grommet(s) <i>specify painted or plated finish</i>	
V316 Finish, surround, top shelf & worksurface edge	11. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	
V316 Finish, worksurface	Order worksurface stiffener for unsupported spans exceeding 48".	Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
() Edge finish (L)		Products on this page shipped knocked-down.
613 Finish, grommet		
AA Trim, anodized aluminum		

*42"h to top of gable; with aluminum trim and top shelf 43.2"h.

*Width noted is interior nominal dimension, overall footprint additional 1" nominal.

See page 7 for finish options applicable.


Product on this page will accept wood grain laminate where laminate is currently an option.

description	type	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 left hand shown, worksurface height fixed 27" h to underside	left hand	42"	42"	26 1/2"	AMG42L424 () () () () ()	\$1,611.	\$2,026.	\$2,330.	\$3,029.
		42"	48"	26 1/2"	AMG42L484 () () () () ()	1,677.	2,108.	2,426.	3,151.
		42"	54"	26 1/2"	AMG42L544 () () () () ()	1,743.	2,192.	2,520.	3,277.
		42"	60"	26 1/2"	AMG42L604 () () () () ()	1,808.	2,272.	2,616.	3,402.
		42"	66"	26 1/2"	AMG42L664 () () () () ()	1,873.	2,355.	2,712.	3,523.
		42"	72"	26 1/2"	AMG42L724 () () () () ()	1,938.	2,441.	2,806.	3,648.
		42"	78"	26 1/2"	AMG42L784 () () () () ()	2,005.	2,522.	2,902.	3,772.
		42"	84"	26 1/2"	AMG42L844 () () () () ()	2,071.	2,604.	2,995.	3,894.
		42"	90"	26 1/2"	AMG42L904 () () () () ()	2,136.	2,686.	3,091.	4,017.
		42"	96"	26 1/2"	AMG42L964 () () () () ()	2,202.	2,769.	3,187.	4,143.
	right hand	42"	42"	26 1/2"	AMG42R424 () () () () ()	1,611.	2,026.	2,330.	3,029.
		42"	48"	26 1/2"	AMG42R484 () () () () ()	1,677.	2,108.	2,426.	3,151.
		42"	54"	26 1/2"	AMG42R544 () () () () ()	1,743.	2,192.	2,520.	3,277.
		42"	60"	26 1/2"	AMG42R604 () () () () ()	1,808.	2,272.	2,616.	3,402.
		42"	66"	26 1/2"	AMG42R664 () () () () ()	1,873.	2,355.	2,712.	3,523.
		42"	72"	26 1/2"	AMG42R724 () () () () ()	1,938.	2,441.	2,806.	3,648.
		42"	78"	26 1/2"	AMG42R784 () () () () ()	2,005.	2,522.	2,902.	3,772.
		42"	84"	26 1/2"	AMG42R844 () () () () ()	2,071.	2,604.	2,995.	3,894.
		42"	90"	26 1/2"	AMG42R904 () () () () ()	2,136.	2,686.	3,091.	4,017.
		42"	96"	26 1/2"	AMG42R964 () () () () ()	2,202.	2,769.	3,187.	4,143.

Order Code	Specification Information	Application Notes
Example: AMG42L424GFEV316 V316613AA	To order please specify pattern number including:	
A AutoStrada	1. Left or Right hand <i>L = Left hand</i> <i>R = Right hand</i>	7. Finish, surround, top shelf <i>Laminate, V1, V2 or V3 finish</i>
M Median	2. Width	8. Finish, worksurface <i>Laminate, V1, V2 or V3</i>
G Legal depth top shelf	3. Depth <i>4 = 26.5" d nominal</i> <i>5 = 32.5" d nominal</i>	9. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i> <i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>
42 42" high	4. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	10. Finish, Grommet(s) <i>specify painted or plated finish</i>
L Left hand	5. Face drill option <i>F = face drill for attachment to next unit</i> <i>N = no drill, last unit in run</i>	11. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>
42 42" wide	6. End drill option <i>E = end drill gable to attach to bridge</i> <i>N = no drill</i>	Order worksurface stiffener for unsupported spans exceeding 48". <i>*42"h to top of gable; with aluminum trim and top shelf 43.2"h.</i> <i>*Width noted is interior nominal dimension, overall footprint additional 1" nominal.</i>
4 26.5" d		
G Grommet		
F Face drill gable		
E End drill gable		
V316 Finish, surround, top shelf & worksurface edge		Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 160, specify no drill if configuration does not include bridge unit.
V316 Finish, worksurface		Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
() Edge finish (L)		Product on this page shipped knocked-down.
613 Finish, grommet		
AA Trim, anodized aluminum		


See page 7 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option.

description	type	h*	w*	d	pattern no	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 left hand shown, worksurface height fixed 27" h to underside	left hand	42"	42"	32 1/2"	AMG42L425 () () () () ()	\$1,704.	\$2,124.	\$2,442.	\$3,173.
		42"	48"	32 1/2"	AMG42L485 () () () () ()	1,768.	2,205.	2,535.	3,294.
		42"	54"	32 1/2"	AMG42L545 () () () () ()	1,835.	2,287.	2,628.	3,417.
		42"	60"	32 1/2"	AMG42L605 () () () () ()	1,899.	2,366.	2,721.	3,541.
		42"	66"	32 1/2"	AMG42L665 () () () () ()	1,964.	2,450.	2,816.	3,660.
		42"	72"	32 1/2"	AMG42L725 () () () () ()	2,028.	2,529.	2,910.	3,781.
		42"	78"	32 1/2"	AMG42L785 () () () () ()	2,095.	2,611.	3,003.	3,906.
		42"	84"	32 1/2"	AMG42L845 () () () () ()	2,158.	2,690.	3,097.	4,027.
		42"	90"	32 1/2"	AMG42L905 () () () () ()	2,226.	2,772.	3,193.	4,148.
		42"	96"	32 1/2"	AMG42L965 () () () () ()	2,289.	2,857.	3,284.	4,273.
	right hand	42"	42"	32 1/2"	AMG42R425 () () () () ()	1,704.	2,124.	2,442.	3,173.
		42"	48"	32 1/2"	AMG42R485 () () () () ()	1,768.	2,205.	2,535.	3,294.
		42"	54"	32 1/2"	AMG42R545 () () () () ()	1,835.	2,287.	2,628.	3,417.
		42"	60"	32 1/2"	AMG42R605 () () () () ()	1,899.	2,366.	2,721.	3,541.
		42"	66"	32 1/2"	AMG42R665 () () () () ()	1,964.	2,450.	2,816.	3,660.
		42"	72"	32 1/2"	AMG42R725 () () () () ()	2,028.	2,529.	2,910.	3,781.
		42"	78"	32 1/2"	AMG42R785 () () () () ()	2,095.	2,611.	3,003.	3,906.
		42"	84"	32 1/2"	AMG42R845 () () () () ()	2,158.	2,690.	3,097.	4,027.
		42"	90"	32 1/2"	AMG42R905 () () () () ()	2,226.	2,772.	3,193.	4,148.
		42"	96"	32 1/2"	AMG42R965 () () () () ()	2,289.	2,857.	3,284.	4,273.

Order Code	Specification Information	Application Notes
Example: AMG42L425GFEV316 V316613AA	<i>To order please specify pattern number including:</i>	Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 160, specify no drill if configuration does not include bridge unit.
A AutoStrada	1. Left or Right hand <i>L = Left hand</i> <i>R = Right hand</i>	7. Finish, surround, top shelf <i>Laminate, V1, V2 or V3 finish</i>
M Median	2. Width <i>4 = 26.5" d nominal</i> <i>5 = 32.5" d nominal</i>	8. Finish, worksurface <i>Laminate, V1, V2 or V3</i>
G Legal depth top shelf	3. Depth	9. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i> <i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>
42 42" high	4. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	10. Finish, Grommet(s) <i>specify painted or plated finish</i>
L Left hand	5. Face drill option <i>F = face drill for attachment to next unit</i> <i>N = no drill, last unit in run</i>	11. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>
42 42" wide	6. End drill option <i>E = end drill gable to attach to bridge</i> <i>N = no drill</i>	Order worksurface stiffener for unsupported spans exceeding 48". <i>*42" h to top of gable; with aluminum trim and top shelf 43.2" h.</i> <i>*Width noted is interior nominal dimension, overall footprint additional 1" nominal.</i>
5 32.5" d		See page 7 for finish options applicable.
G Grommet		Product on this page will accept wood grain laminate where laminate is currently an option.
F Face drill gable		
E End drill gable		
V316 Finish, surround, top shelf & worksurface edge		
V316 Finish, worksurface		
() Edge finish (L)		
613 Finish, grommet		
AA Trim, anodized aluminum		


description	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
Medians with double end gable 42"h x 26.5"d with binder depth top shelf	42"	60"	26.5"	AMB42E604 () () () () ()	\$2,179.	\$2,780.	\$3,210.	\$4,178.
	42"	66"	26.5"	AMB42E664 () () () () ()	2,243.	2,862.	3,306.	4,298.
	42"	72"	26.5"	AMB42E724 () () () () ()	2,304.	2,947.	3,400.	4,418.
	42"	78"	26.5"	AMB42E784 () () () () ()	2,371.	3,026.	3,493.	4,538.
	42"	84"	26.5"	AMB42E844 () () () () ()	2,436.	3,106.	3,586.	4,662.
	42"	90"	26.5"	AMB42E904 () () () () ()	2,500.	3,187.	3,681.	4,783.
	42"	96"	26.5"	AMB42E964 () () () () ()	2,565.	3,268.	3,773.	4,904.



Medians with double end gable 42"h x 32.5"d with binder depth top shelf	42"	60"	32.5"	AMB42E605 () () () () ()	2,293.	2,905.	3,367.	4,375.
	42"	66"	32.5"	AMB42E665 () () () () ()	2,355.	2,983.	3,459.	4,495.
	42"	72"	32.5"	AMB42E725 () () () () ()	2,420.	3,063.	3,550.	4,617.
	42"	78"	32.5"	AMB42E785 () () () () ()	2,482.	3,143.	3,644.	4,737.
	42"	84"	32.5"	AMB42E845 () () () () ()	2,549.	3,224.	3,734.	4,853.
	42"	90"	32.5"	AMB42E905 () () () () ()	2,611.	3,305.	3,827.	4,975.
	42"	96"	32.5"	AMB42E965 () () () () ()	2,676.	3,381.	3,919.	5,096.



Order Code	Specification Information	Application Notes	
Example: AMB42E604GFNEBV316 V316613AA	<i>To order please specify pattern number including:</i>		
A AutoStrada	1. Width	6. Finish, surround, top shelf <i>Laminate, V1, V2 or V3 finish</i>	Median with double end gables to be specified for single work station or end of run unit without storage anchored cabinet terminating work space. Optional end drill gable option is for attachment to bridge units on page 160, specify no drill if configuration does not include bridge unit.
M Median	2. Depth <i>4 = 26.5" d nominal 5 = 32.5" d nominal</i>	7. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>	
B Binder depth top shelf	3. Grommet option <i>G = Grommet(s) N = No grommet(s)</i>	8. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7</i>	
42 42" high	4. Face drill option <i>FL = face drill left gable for ganging FR = face drill right gable for ganging FN = face drill none</i>	9. Finish, Grommet(s) <i>specify painted or plated finish</i>	Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
E End gables, both sides	5. End drill option <i>EL = end drill left gable to attach to bridge ER = end drill right gable to attach to bridge EB = end drill both gables to attach to bridges (applicable 84"w, 90"w and 96"w only) EN = no drill(for freestanding applications)</i>	10. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	
60 60" wide		Order worksurface stiffener for unsupported spans exceeding 48".	Product on this page shipped knocked-down.
4 26.5" d		<i>*42"h to top of gable; with aluminum trim and top shelf 43.2"h.</i>	
G Grommet		<i>*Width noted is interior nominal dimension, overall footprint additional 2" nominal.</i>	
FN Face drill gable, none		See page 7 for finish options applicable.	
EB End drill gable, both			
V316 Finish, surround, top shelf & worksurface edge			
V316 Finish, worksurface			
() Edge finish (L)			
613 Finish, grommet			
AA Trim, anodized aluminum			
		Product on this page will accept wood grain laminate where laminate is currently an option.	

description	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
Medians with double end gable 42"h x 26.5"d with legal depth top shelf	42"	60"	26.5"	AMG42E604 () () () () ()	\$2,215.	\$2,825.	\$3,263.	\$4,241.
	42"	66"	26.5"	AMG42E664 () () () () ()	2,280.	2,909.	3,359.	4,368.
	42"	72"	26.5"	AMG42E724 () () () () ()	2,344.	2,992.	3,455.	4,490.
	42"	78"	26.5"	AMG42E784 () () () () ()	2,411.	3,073.	3,547.	4,613.
	42"	84"	26.5"	AMG42E844 () () () () ()	2,476.	3,156.	3,644.	4,739.
	42"	90"	26.5"	AMG42E904 () () () () ()	2,543.	3,237.	3,738.	4,860.
	42"	96"	26.5"	AMG42E964 () () () () ()	2,608.	3,322.	3,835.	4,988.



Medians with double end gable 42"h x 32.5"d with legal depth top shelf	42"	60"	32.5"	AMG42E605 () () () () ()	2,329.	2,951.	3,420.	4,446.
	42"	66"	32.5"	AMG42E665 () () () () ()	2,393.	3,032.	3,514.	4,567.
	42"	72"	32.5"	AMG42E725 () () () () ()	2,460.	3,112.	3,608.	4,691.
	42"	78"	32.5"	AMG42E785 () () () () ()	2,525.	3,197.	3,702.	4,813.
	42"	84"	32.5"	AMG42E845 () () () () ()	2,591.	3,277.	3,797.	4,934.
	42"	90"	32.5"	AMG42E905 () () () () ()	2,657.	3,357.	3,891.	5,057.
	42"	96"	32.5"	AMG42E965 () () () () ()	2,720.	3,438.	3,983.	5,177.

Order Code	Specification Information	Application Notes	
Example: AMB42E604GFNEBV316 V316613AA	<i>To order please specify pattern number including:</i>		
A	AutoStrada	6. Finish, surround, top shelf <i>Laminate, V1, V2 or V3 finish</i>	Median with double end gables to be specified for single work station or end of run unit without storage anchored cabinet terminating work space. Optional end drill gable option is for attachment to bridge units on page 160, specify no drill if configuration does not include bridge unit.
M	Median	7. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>	
B	Binder depth top shelf	8. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7</i>	
42	42" high	9. Finish, Grommet(s) <i>specify painted or plated finish</i>	Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
E	End gables, both sides	10. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	
60	60" wide	Order worksurface stiffener for unsupported spans exceeding 48".	Product on this page shipped knocked-down.
4	26.5" d	*42"h to top of gable; with aluminum trim and top shelf 43.2"h.	
G	Grommet	*Width noted is interior nominal dimension, overall footprint additional 2" nominal.	
FN	Face drill gable, none	See page 7 for finish options applicable.	
EB	End drill gable, both	Product on this page will accept wood grain laminate where laminate is currently an option.	
V316	Finish, surround, top shelf & worksurface edge		
V316	Finish, worksurface		
()	Edge finish (L)		
613	Finish, grommet		
AA	Trim, anodized aluminum		

description	type	h*	w*	d	pattern no.	L	V1	V2	V3
 center gable only in units 54"w and over	binder depth	42"	42"	14"	ASM42WB42 () () ()	\$1,813.	\$2,286.	\$2,624.	\$3,414.
		42"	48"	14"	ASM42WB48 () () ()	1,888.	2,377.	2,733.	3,552.
		42"	54"	14"	ASM42WB54 () () ()	2,066.	2,815.	3,383.	4,398.
		42"	60"	14"	ASM42WB60 () () ()	2,144.	2,920.	3,513.	4,563.
		42"	66"	14"	ASM42WB66 () () ()	2,222.	3,027.	3,642.	4,734.
		42"	72"	14"	ASM42WB72 () () ()	2,299.	3,133.	3,767.	4,897.
		42"	78"	14"	ASM42WB78 () () ()	2,376.	3,237.	3,896.	5,066.
		42"	84"	14"	ASM42WB84 () () ()	2,456.	3,344.	4,025.	5,230.
		42"	90"	14"	ASM42WB90 () () ()	2,534.	3,449.	4,151.	5,398.
		42"	96"	14"	ASM42WB96 () () ()	2,611.	3,554.	4,280.	5,565.
 center gable only in units 54"w and over	binder depth	42"	42"	14"	ASM42MB42 () () ()	2,502.	3,060.	3,110.	3,733.
		42"	48"	14"	ASM42MB48 () () ()	2,604.	3,186.	3,237.	3,886.
		42"	54"	14"	ASM42MB54 () () ()	2,847.	3,484.	4,008.	4,812.
		42"	60"	14"	ASM42MB60 () () ()	2,955.	3,614.	4,160.	4,990.
		42"	66"	14"	ASM42MB66 () () ()	3,062.	3,745.	4,309.	5,174.
		42"	72"	14"	ASM42MB72 () () ()	3,168.	3,880.	4,463.	5,357.
		42"	78"	14"	ASM42MB78 () () ()	3,276.	4,008.	4,616.	5,538.
		42"	84"	14"	ASM42MB84 () () ()	3,386.	4,140.	4,767.	5,720.
		42"	90"	14"	ASM42MB90 () () ()	3,490.	4,272.	4,916.	5,902.
		42"	96"	14"	ASM42MB96 () () ()	3,599.	4,403.	5,069.	6,083.

Order Code

Specification Information

Application Notes

Example:	ASM42WB42FNELV316AA
A	AutoStrada
SM	Storage Median
42	42" high
W	Wood shelves
B	Binder depth
42	42" wide
FN	Face drill gable, no
EL	End drill left gable
V316	Finish, Maple
AA	Trim, anodized aluminum

To order please specify pattern number including:

1. Wood or Metal shelves
Embedded in pattern number
W = wood shelves
M = metal shelves (Two piece extruded assembly)
Note: shelf at worksurface height always wood
2. Depth
Embedded in pattern number
B = Binder depth
G = Legal depth
3. Width
4. Face drill option
FL = face drill left gable for ganging
FR = face drill right gable for ganging
FB = face drill both gables for ganging
FN = face drill none

5. End drill option
EL = end drill left gable to attach to bridge
ER = end drill right gable to attach to bridge
EB = end drill both gables to attach to bridges (applicable 84"w, 90"w and 96"w only)
EN = no drill (for freestanding applications)
6. Finish
Laminate, V1, V2 or V3 finish
7. Finish, metal shelves
AA - anodized aluminum or painted finish option from page 7 excluding silver
8. Finish, Aluminum trim
AA - Anodized aluminum or painted finish option from page 7 excluding silver

*42"h to top of gables, with aluminum trim and top shelf 43.2"h. Inside width above, overall footprint additional 2" nominal.

See page 7 for finish options applicable.



Product on this page will accept wood grain laminate where laminate is currently an option.

Storage medians may be used in free-standing applications alone or multiple units side by side. When specifying side by side applications, be sure to select appropriate face drilling option (see specification option #4) and EN for no end drilling in gables. Storage medians may also be used with bridges on page 160 for creating L shaped work area configurations. When specifying for use with bridges, be sure to specify appropriate end drill option (see specification option #5).


Center shelf fixed at 27"h to underside to align with bridge worksurface height and always same material as case (wood or laminate).

Bridge units include hardware kit with washers to accommodate connection of 1" thick fixed storage median shelf to 1 1/4" thick bridge worksurface.


Product on this page shipped knocked-down.

description	type	h*	w*	d	pattern no.	L	V1	V2	V3
 <i>center gable only in units 54"w and over</i>	legal depth	42"	42"	17"	ASM42WG42 () () ()	\$1,908.	\$2,399.	\$2,757.	\$3,586.
		42"	48"	17"	ASM42WG48 () () ()	1,983.	2,497.	2,871.	3,733.
		42"	54"	17"	ASM42WG54 () () ()	2,171.	2,953.	3,553.	4,620.
		42"	60"	17"	ASM42WG60 () () ()	2,251.	3,065.	3,688.	4,794.
		42"	66"	17"	ASM42WG66 () () ()	2,333.	3,178.	3,822.	4,968.
		42"	72"	17"	ASM42WG72 () () ()	2,415.	3,287.	3,957.	5,143.
		42"	78"	17"	ASM42WG78 () () ()	2,497.	3,402.	4,092.	5,318.
		42"	84"	17"	ASM42WG84 () () ()	2,577.	3,512.	4,225.	5,491.
		42"	90"	17"	ASM42WG90 () () ()	2,660.	3,624.	4,359.	5,668.
		42"	96"	17"	ASM42WG96 () () ()	2,741.	3,734.	4,494.	5,845.
 <i>center gable only in units 54"w and over</i>	legal depth	42"	42"	17"	ASM42MG42 () () ()	2,628.	3,212.	3,266.	3,919.
		42"	48"	17"	ASM42MG48 () () ()	2,734.	3,348.	3,400.	4,081.
		42"	54"	17"	ASM42MG54 () () ()	2,990.	3,656.	4,209.	5,049.
		42"	60"	17"	ASM42MG60 () () ()	3,104.	3,796.	4,369.	5,241.
		42"	66"	17"	ASM42MG66 () () ()	3,215.	3,932.	4,528.	5,434.
		42"	72"	17"	ASM42MG72 () () ()	3,329.	4,070.	4,686.	5,624.
		42"	78"	17"	ASM42MG78 () () ()	3,440.	4,209.	4,846.	5,814.
		42"	84"	17"	ASM42MG84 () () ()	3,554.	4,348.	5,005.	6,005.
		42"	90"	17"	ASM42MG90 () () ()	3,665.	4,483.	5,163.	6,194.
		42"	96"	17"	ASM42MG96 () () ()	3,780.	4,622.	5,323.	6,389.

Order Code	Specification Information	Application Notes	
Example: ASM42WG42FNELV316AA	To order please specify pattern number including:		
A AutoStrada	1. Wood or Metal shelves Embedded in pattern number W = wood shelves M = metal shelves(Two piece extruded assembly) Note: shelf at worksurface height always wood	5. End drill option EL = end drill left gable to attach to bridge ER = end drill right gable to attach to bridge EB = end drill both gables to attach to bridges (applicable 84"w, 90"w and 96"w only) EN = no drill (for freestanding applications)	Storage medians may be used in free-standing applications alone or multiple units side by side. When specifying side by side applications, be sure to select appropriate face drilling option (see specification option #4) and EN for no end drilling in gables. Storage medians may also be used with bridges on page 160 for creating L shaped work area configurations. When specifying for use with bridges, be sure to specify appropriate end drill option (see specification option #5).
SM Storage Median	2. Depth Embedded in pattern number B = Binder depth G = Legal depth	6. Finish Laminate, V1, V2 or V3 finish	Center shelf fixed at 27"h to underside to align with bridge worksurface height and always same material as case (wood or laminate).
42 42" high	3. Width	7. Finish, metal shelves AA - Anodized aluminum or painted finish option from page 7 excluding silver	Bridge units include hardware kit with washers to accomodate connection of 1" thick fixed storage median shelf to 1 1/4" thick bridge worksurface.
W Wood shelves	4. Face drill option FL = face drill left gable for ganging FR = face drill right gable for ganging FB = face drill both gables for ganging FN = face drill none	8. Finish, Aluminum trim AA - Anodized aluminum or painted finish option from page 7 excluding silver	Products on this page shipped knocked-down.
G Legal depth		See page 7 for finish options applicable.	
42 42" wide		*42"h to top of gables, with aluminum trim and top shelf 43.2"h. Inside width above, overall footprint additional 2" nominal.	
FN Face drill gable, no		See page 7 for finish options applicable.	
EL End drill left gable			
V316 Finish, Maple			
AA Trim, anodized aluminum		Product on this page will accept wood grain laminate where laminate is currently an option.	

description	type	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 <i>left hand shown, worksurface height fixed 27"h to underside</i>	left hand	49"	42"	26 ½"	AMBL424 () () () () ()	\$1,659.	\$2,090.	\$2,403.	\$3,126.
		49"	48"	26 ½"	AMBL484 () () () () ()	1,730.	2,175.	2,501.	3,253.
		49"	54"	26 ½"	AMBL544 () () () () ()	1,797.	2,262.	2,601.	3,379.
		49"	60"	26 ½"	AMBL604 () () () () ()	1,864.	2,345.	2,700.	3,511.
		49"	66"	26 ½"	AMBL664 () () () () ()	1,931.	2,432.	2,797.	3,639.
		49"	72"	26 ½"	AMBL724 () () () () ()	2,002.	2,515.	2,896.	3,763.
		49"	78"	26 ½"	AMBL784 () () () () ()	2,068.	2,602.	2,993.	3,891.
		49"	84"	26 ½"	AMBL844 () () () () ()	2,136.	2,688.	3,091.	4,018.
		49"	90"	26 ½"	AMBL904 () () () () ()	2,206.	2,772.	3,190.	4,148.
		49"	96"	26 ½"	AMBL964 () () () () ()	2,270.	2,859.	3,286.	4,278.
	right hand	49"	42"	26 ½"	AMBR424 () () () () ()	1,659.	2,090.	2,403.	3,126.
		49"	48"	26 ½"	AMBR484 () () () () ()	1,730.	2,175.	2,501.	3,253.
		49"	54"	26 ½"	AMBR544 () () () () ()	1,797.	2,262.	2,601.	3,379.
		49"	60"	26 ½"	AMBR604 () () () () ()	1,864.	2,345.	2,700.	3,511.
		49"	66"	26 ½"	AMBR664 () () () () ()	1,931.	2,432.	2,797.	3,639.
		49"	72"	26 ½"	AMBR724 () () () () ()	2,002.	2,515.	2,896.	3,763.
		49"	78"	26 ½"	AMBR784 () () () () ()	2,068.	2,602.	2,993.	3,891.
		49"	84"	26 ½"	AMBR844 () () () () ()	2,136.	2,688.	3,091.	4,018.
		49"	90"	26 ½"	AMBR904 () () () () ()	2,206.	2,772.	3,190.	4,148.
		49"	96"	26 ½"	AMBR964 () () () () ()	2,270.	2,859.	3,286.	4,278.

Order Code	Specification Information	Application Notes
Example: AMBL424GFEV316 V316613AA	To order please specify pattern number including:	7. Finish, surround, top shelf <i>Laminate, V1, V2 or V3 finish</i>
A AutoStrada	1. Hand <i>L = Left hand</i> <i>R = Right hand</i>	8. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>
M Median	2. Width	9. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i> <i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>
B Binder depth top shelf	3. Depth <i>4 = 26.5" d nominal</i> <i>5 = 32.5" d nominal</i>	10. Finish, Grommet(s) <i>specify painted or plated finish</i>
L Left hand	4. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	11. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>
42 42" wide	5. Face drill option <i>F = face drill for attachment to next unit</i> <i>N = no drill, last unit in run</i>	Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 160, specify no drill if configuration does not include bridge unit.
4 26.5" d	6. End drill option <i>E = end drill gable to attach to bridge</i> <i>N = no drill</i>	Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
G Grommet		Worksurfaces are available with synthetic edge options.
F Face drill gable		Products on this page shipped knocked-down.
E End drill gable		
V316 Finish, surround, top shelf		
V316 Finish, worksurface		
() Edge finish (L)		
613 Finish, grommet		
AA Trim, anodized aluminum		


description	type	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 <i>left hand shown, worksurface height fixed 27"h to underside</i>	left hand	49"	42"	32 1/2"	AMBL425 () () () () ()	\$1,758.	\$2,189.	\$2,520.	\$3,276.
		49"	48"	32 1/2"	AMBL485 () () () () ()	1,825.	2,274.	2,616.	3,402.
		49"	54"	32 1/2"	AMBL545 () () () () ()	1,892.	2,358.	2,714.	3,525.
		49"	60"	32 1/2"	AMBL605 () () () () ()	1,960.	2,442.	2,811.	3,652.
		49"	66"	32 1/2"	AMBL665 () () () () ()	2,026.	2,527.	2,907.	3,776.
		49"	72"	32 1/2"	AMBL725 () () () () ()	2,094.	2,610.	3,003.	3,906.
		49"	78"	32 1/2"	AMBL785 () () () () ()	2,159.	2,695.	3,101.	4,029.
		49"	84"	32 1/2"	AMBL845 () () () () ()	2,230.	2,778.	3,197.	4,154.
		49"	90"	32 1/2"	AMBL905 () () () () ()	2,295.	2,862.	3,293.	4,283.
		49"	96"	32 1/2"	AMBL965 () () () () ()	2,364.	2,947.	3,392.	4,408.
	right hand	49"	42"	32 1/2"	AMBR425 () () () () ()	1,758.	2,189.	2,520.	3,276.
		49"	48"	32 1/2"	AMBR485 () () () () ()	1,825.	2,274.	2,616.	3,402.
		49"	54"	32 1/2"	AMBR545 () () () () ()	1,892.	2,358.	2,714.	3,525.
		49"	60"	32 1/2"	AMBR605 () () () () ()	1,960.	2,442.	2,811.	3,652.
		49"	66"	32 1/2"	AMBR665 () () () () ()	2,026.	2,527.	2,907.	3,776.
		49"	72"	32 1/2"	AMBR725 () () () () ()	2,094.	2,610.	3,003.	3,906.
		49"	78"	32 1/2"	AMBR785 () () () () ()	2,159.	2,695.	3,101.	4,029.
		49"	84"	32 1/2"	AMBR845 () () () () ()	2,230.	2,778.	3,197.	4,154.
		49"	90"	32 1/2"	AMBR905 () () () () ()	2,295.	2,862.	3,293.	4,283.
		49"	96"	32 1/2"	AMBR965 () () () () ()	2,364.	2,947.	3,392.	4,408.

Order Code	Specification Information	Application Notes	
Example: AMBR425GFEV316 V316613AA	<i>To order please specify pattern number including:</i>		
A	AutoStrada	7. Finish, surround, top shelf <i>Laminate, V1, V2 or V3 finish</i>	Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 160, specify no drill if configuration does not include bridge unit.
M	Median	8. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>	
B	Binder depth top shelf	9. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i> <i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>	
R	Right hand	10. Finish, Grommet(s) <i>specify painted or plated finish</i>	
42	42" wide	11. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	
5	32.5" d		
G	Grommet		
F	Face drill gable		
E	End drill gable		
V316	Finish, surround, top shelf	Order worksurface stiffener for unsupported spans exceeding 48". *49"h to top of gable; with aluminum trim and top shelf 50.2"h.	Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
V316	Finish, worksurface		Worksurfaces are available with synthetic edge options.
()	Edge finish (L)		
613	Finish, grommet		Product on this page shipped knocked-down.
AA	Trim, anodized aluminum		


*Width noted is interior nominal dimension, overall footprint additional 1" nominal.

See page 7 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option.

description	type	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 left hand shown, worksurface height fixed 27"h to underside	left hand	49"	42"	26 1/2"	AMGL424 () () () () ()	\$1,695.	\$2,132.	\$2,453.	\$3,188.
		49"	48"	26 1/2"	AMGL484 () () () () ()	1,765.	2,219.	2,552.	3,319.
		49"	54"	26 1/2"	AMGL544 () () () () ()	1,835.	2,307.	2,651.	3,448.
		49"	60"	26 1/2"	AMGL604 () () () () ()	1,902.	2,393.	2,754.	3,581.
		49"	66"	26 1/2"	AMGL664 () () () () ()	1,972.	2,481.	2,853.	3,708.
		49"	72"	26 1/2"	AMGL724 () () () () ()	2,041.	2,569.	2,954.	3,840.
		49"	78"	26 1/2"	AMGL784 () () () () ()	2,109.	2,655.	3,053.	3,970.
		49"	84"	26 1/2"	AMGL844 () () () () ()	2,180.	2,740.	3,152.	4,100.
		49"	90"	26 1/2"	AMGL904 () () () () ()	2,248.	2,826.	3,254.	4,229.
		49"	96"	26 1/2"	AMGL964 () () () () ()	2,319.	2,915.	3,355.	4,362.
	right hand	49"	42"	26 1/2"	AMGR424 () () () () ()	1,695.	2,132.	2,453.	3,188.
		49"	48"	26 1/2"	AMGR484 () () () () ()	1,765.	2,219.	2,552.	3,319.
		49"	54"	26 1/2"	AMGR544 () () () () ()	1,835.	2,307.	2,651.	3,448.
		49"	60"	26 1/2"	AMGR604 () () () () ()	1,902.	2,393.	2,754.	3,581.
		49"	66"	26 1/2"	AMGR664 () () () () ()	1,972.	2,481.	2,853.	3,708.
		49"	72"	26 1/2"	AMGR724 () () () () ()	2,041.	2,569.	2,954.	3,840.
		49"	78"	26 1/2"	AMGR784 () () () () ()	2,109.	2,655.	3,053.	3,970.
		49"	84"	26 1/2"	AMGR844 () () () () ()	2,180.	2,740.	3,152.	4,100.
		49"	90"	26 1/2"	AMGR904 () () () () ()	2,248.	2,826.	3,254.	4,229.
		49"	96"	26 1/2"	AMGR964 () () () () ()	2,319.	2,915.	3,355.	4,362.

Order Code	Specification Information	Application Notes
Example: AMGL424GFEV316 V316613AA	To order please specify pattern number including:	
A AutoStrada	1. Left or Right hand <i>L = Left hand</i> <i>R = Right hand</i>	7. Finish, surround, top shelf <i>Laminate, V1, V2 or V3 finish</i>
M Median	2. Width	8. Finish, worksurface <i>Laminate, V1, V2 or V3</i>
G Legal depth top shelf	3. Depth <i>4 = 26.5" d nominal</i> <i>5 = 32.5" d nominal</i>	9. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i> <i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>
L Left hand	4. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	10. Finish, Grommet(s) <i>specify painted or plated finish</i>
42 42" wide	5. Face drill option <i>F = face drill for attachment to next unit</i> <i>N = no drill, last unit in run</i>	11. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>
4 26.5" d	6. End drill option <i>E = end drill gable to attach to bridge</i> <i>N = no drill</i>	Order worksurface stiffener for unsupported spans exceeding 48". <i>*49"h to top of gable; with aluminum trim and top shelf 50.2"h.</i> <i>*Width noted is interior nominal dimension, overall footprint additional 1" nominal.</i>
G Grommet		
F Face drill gable		
E End drill gable		
V316 Finish, surround, top shelf		Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 160, specify no drill if configuration does not include bridge unit.
V316 Finish, worksurface		Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
() Edge finish (L)		Worksurfaces are available with synthetic edge options.
613 Finish, grommet		Product on this page shipped knocked-down.
AA Trim, anodized aluminum		
	See page 7 for finish options applicable.	
	Product on this page will accept wood grain laminate where laminate is currently an option.	

description	type	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 left hand shown, worksurface height fixed 27"h to underside	left hand	49"	42"	32 1/2"	AMGL425 () () () () ()	\$1,794.	\$2,237.	\$2,570.	\$3,338.
		49"	48"	32 1/2"	AMGL485 () () () () ()	1,860.	2,320.	2,668.	3,468.
		49"	54"	32 1/2"	AMGL545 () () () () ()	1,928.	2,405.	2,766.	3,596.
		49"	60"	32 1/2"	AMGL605 () () () () ()	2,000.	2,493.	2,864.	3,728.
		49"	66"	32 1/2"	AMGL665 () () () () ()	2,067.	2,577.	2,964.	3,855.
		49"	72"	32 1/2"	AMGL725 () () () () ()	2,136.	2,662.	3,062.	3,981.
		49"	78"	32 1/2"	AMGL785 () () () () ()	2,206.	2,749.	3,164.	4,110.
		49"	84"	32 1/2"	AMGL845 () () () () ()	2,271.	2,832.	3,261.	4,239.
		49"	90"	32 1/2"	AMGL905 () () () () ()	2,341.	2,917.	3,361.	4,368.
		49"	96"	32 1/2"	AMGL965 () () () () ()	2,409.	3,006.	3,459.	4,496.
	right hand	49"	42"	32 1/2"	AMGR425 () () () () ()	1,794.	2,237.	2,570.	3,338.
		49"	48"	32 1/2"	AMGR485 () () () () ()	1,860.	2,320.	2,668.	3,468.
		49"	54"	32 1/2"	AMGR545 () () () () ()	1,928.	2,405.	2,766.	3,596.
		49"	60"	32 1/2"	AMGR605 () () () () ()	2,000.	2,493.	2,864.	3,728.
		49"	66"	32 1/2"	AMGR665 () () () () ()	2,067.	2,577.	2,964.	3,855.
		49"	72"	32 1/2"	AMGR725 () () () () ()	2,136.	2,662.	3,062.	3,981.
		49"	78"	32 1/2"	AMGR785 () () () () ()	2,206.	2,749.	3,164.	4,110.
		49"	84"	32 1/2"	AMGR845 () () () () ()	2,271.	2,832.	3,261.	4,239.
		49"	90"	32 1/2"	AMGR905 () () () () ()	2,341.	2,917.	3,361.	4,368.
		49"	96"	32 1/2"	AMGR965 () () () () ()	2,409.	3,006.	3,459.	4,496.


Order Code	Specification Information	Application Notes	
Example: AMGR425GFEV316 V316613AA	<i>To order please specify pattern number including:</i>		
A AutoStrada	1. Left or Right hand <i>L = Left hand</i> <i>R = Right hand</i>	7. Finish, surround, top shelf <i>Laminate, V1, V2 or V3 finish</i>	Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 160, specify no drill if configuration does not include bridge unit.
M Median	2. Width	8. Finish, worksurface <i>Laminate, V1, V2 or V3</i>	
G Legal depth top shelf	3. Depth <i>4 = 26.5" d nominal</i> <i>5 = 32.5" d nominal</i>	9. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i> <i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>	
R Right hand	4. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	10. Finish, Grommet(s) <i>specify painted or plated finish</i>	
42 42" wide	5. Face drill option <i>F = face drill for attachment to next unit</i> <i>N = no drill, last unit in run</i>	11. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	
5 32.5" d	6. End drill option <i>E = end drill gable to attach to bridge</i> <i>N = no drill</i>	Order worksurface stiffener for unsupported spans exceeding 48". <i>*49"h to top of gable; with aluminum trim and top shelf 50.2"h.</i>	
G Grommet			
F Face drill gable			
E End drill gable			
V316 Finish, surround, top shelf			
V316 Finish, worksurface			Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
() Edge finish (L)			Worksurfaces are available with synthetic edge options.
613 Finish, grommet			Product on this page shipped knocked-down.
AA Trim, anodized aluminum			

*Width noted is interior nominal dimension, overall footprint additional 1" nominal.

See page 7 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option.


description	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
Medians with double end gable 49"h x 26.5"d with binder depth top shelf	49"	60"	26.5"	AMBE604() () () () ()	\$2,293.	\$2,927.	\$3,379.	\$4,395.
	49"	66"	26.5"	AMBE664() () () () ()	2,362.	3,012.	3,479.	4,524.
	49"	72"	26.5"	AMBE724() () () () ()	2,428.	3,100.	3,577.	4,651.
	49"	78"	26.5"	AMBE784() () () () ()	2,497.	3,184.	3,677.	4,778.
	49"	84"	26.5"	AMBE844() () () () ()	2,563.	3,270.	3,773.	4,906.
	49"	90"	26.5"	AMBE904() () () () ()	2,631.	3,355.	3,873.	5,036.
	49"	96"	26.5"	AMBE964() () () () ()	2,700.	3,439.	3,971.	5,162.



Medians with double end gable 49"h x 32.5"d with binder depth top shelf	49"	60"	32.5"	AMBE605() () () () ()	2,414.	3,058.	3,543.	4,606.
	49"	66"	32.5"	AMBE665() () () () ()	2,479.	3,141.	3,643.	4,734.
	49"	72"	32.5"	AMBE725() () () () ()	2,549.	3,224.	3,738.	4,857.
	49"	78"	32.5"	AMBE785() () () () ()	2,613.	3,308.	3,836.	4,986.
	49"	84"	32.5"	AMBE845() () () () ()	2,684.	3,394.	3,929.	5,110.
	49"	90"	32.5"	AMBE905() () () () ()	2,748.	3,477.	4,028.	5,235.
	49"	96"	32.5"	AMBE965() () () () ()	2,816.	3,560.	4,125.	5,365.



Order Code	Specification Information	Application Notes	
Example: AMBE604GFNEBV316 V316613AA	<i>To order please specify pattern number including:</i>		
A AutoStrada	1. Width	6. Finish, surround, top shelf <i>Laminate, V1, V2 or V3 finish</i>	Median with double end gables to be specified for single work station or end of run unit without storage anchored cabinet terminating work space. Optional end drill gable option is for attachment to bridge units on page 160, specify no drill if configuration does not include bridge unit.
M Median	2. Depth <i>4 = 26.5" d nominal 5 = 32.5" d nominal</i>	7. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>	
B Binder depth top shelf	3. Grommet option <i>G = Grommet(s) N = No grommet(s)</i>	8. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7</i>	
E End gables, both sides	4. Face drill option <i>FL = face drill left gable for ganging FR = face drill right gable for ganging FN = face drill none</i>	9. Finish, Grommet(s) <i>specify painted or plated finish</i>	Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
60 60" wide	5. End drill option <i>EL = end drill left gable to attach to bridge ER = end drill right gable to attach to bridge EB = end drill both gables to attach to bridges (applicable 84"w, 90"w and 96"w only) EN = no drill(for freestanding applications)</i>	10. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	
4 26.5" d		Order worksurface stiffener for unsupported spans exceeding 48".	Worksurfaces are available with synthetic edge options.
G Grommet		<i>*49"h to top of gable; with aluminum trim and top shelf 50.2"h.</i>	
FN Face drill gable, none		<i>*Width noted is interior nominal dimension, overall footprint additional 2" nominal.</i>	
EB End drill gable, both		See page 7 for finish options applicable.	Product on this page shipped knocked-down.
V316 Finish, surround, top shelf		Product on this page will accept wood grain laminate where laminate is currently an option.	
V316 Finish, worksurface			
() Edge finish (L)			
613 Finish, grommet			
AA Trim, anodized aluminum			

description	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
Medians with double end gable 49"h x 26.5"d with legal depth top shelf	49"	60"	26.5"	AMGE604 () () () () ()	\$2,330.	\$2,975.	\$3,435.	\$4,466.
	49"	66"	26.5"	AMGE664 () () () () ()	2,400.	3,061.	3,535.	4,598.
	49"	72"	26.5"	AMGE724 () () () () ()	2,469.	3,149.	3,637.	4,726.
	49"	78"	26.5"	AMGE784 () () () () ()	2,539.	3,236.	3,735.	4,854.
	49"	84"	26.5"	AMGE844 () () () () ()	2,607.	3,322.	3,836.	4,988.
	49"	90"	26.5"	AMGE904 () () () () ()	2,676.	3,409.	3,934.	5,118.
	49"	96"	26.5"	AMGE964 () () () () ()	2,744.	3,496.	4,033.	5,250.





Medians with double end gable 49"h x 32.5"d with legal depth top shelf	49"	60"	32.5"	AMGE605 () () () () ()	2,453.	3,106.	3,600.	4,680.
	49"	66"	32.5"	AMGE665 () () () () ()	2,522.	3,191.	3,698.	4,808.
	49"	72"	32.5"	AMGE725 () () () () ()	2,588.	3,277.	3,799.	4,936.
	49"	78"	32.5"	AMGE785 () () () () ()	2,658.	3,364.	3,897.	5,066.
	49"	84"	32.5"	AMGE845 () () () () ()	2,727.	3,448.	3,996.	5,197.
	49"	90"	32.5"	AMGE905 () () () () ()	2,795.	3,533.	4,095.	5,322.
	49"	96"	32.5"	AMGE965 () () () () ()	2,863.	3,619.	4,193.	5,452.

Order Code	Specification Information	Application Notes	
Example: AMBE604GFNEBV316 V316613AA	<i>To order please specify pattern number including:</i>		
A AutoStrada	1. Width	6. Finish, surround, top shelf <i>Laminate, V1, V2 or V3 finish</i>	Median with double end gables to be specified for single work station or end of run unit without storage anchored cabinet terminating work space. Optional end drill gable option is for attachment to bridge units on page 160, specify no drill if configuration does not include bridge unit.
M Median	2. Depth <i>4 = 26.5" d nominal 5 = 32.5" d nominal</i>	7. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>	
B Binder depth top shelf	3. Grommet option <i>G = Grommet(s) N = No grommet(s)</i>	8. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7</i>	
E End gables, both sides	4. Face drill option <i>FL = face drill left gable for ganging FR = face drill right gable for ganging FN = face drill none</i>	9. Finish, Grommet(s) <i>specify painted or plated finish</i>	Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
60 60" wide	5. End drill option <i>EL = end drill left gable to attach to bridge ER = end drill right gable to attach to bridge EB = end drill both gables to attach to bridges (applicable 84"w, 90"w and 96"w only) EN = no drill(for freestandingapplications)</i>	10. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	
4 26.5" d		Order worksurface stiffener for unsupported spans exceeding 48".	Worksurfaces are available with synthetic edge options.
G Grommet		<i>*49"h to top of gable; with aluminum trim and top shelf 50.2"h.</i>	
FN Face drill gable, none		<i>*Width noted is interior nominal dimension, overall footprint additional 2" nominal.</i>	Product on this page shipped knocked-down.
EB End drill gable, both		See page 7 for finish options applicable.	
V316 Finish, surround, top shelf		Product on this page will accept wood grain laminate where laminate is currently an option.	
V316 Finish, worksurface			
() Edge finish (L)			
613 Finish, grommet			
AA Trim, anodized aluminum			


description	type	h*	w*	d	pattern no.	L	V1	V2	V3
 center gable only in units 54"w and over	binder depth	49"	42"	14"	ASMWB42 () () ()	\$1,911.	\$2,404.	\$2,763.	\$3,594.
		49"	48"	14"	ASMWB48 () () ()	1,990.	2,501.	2,876.	3,739.
		49"	54"	14"	ASMWB54 () () ()	2,176.	2,961.	3,562.	4,630.
		49"	60"	14"	ASMWB60 () () ()	2,257.	3,073.	3,697.	4,804.
		49"	66"	14"	ASMWB66 () () ()	2,338.	3,186.	3,834.	4,983.
		49"	72"	14"	ASMWB72 () () ()	2,420.	3,296.	3,967.	5,156.
		49"	78"	14"	ASMWB78 () () ()	2,502.	3,409.	4,102.	5,332.
		49"	84"	14"	ASMWB84 () () ()	2,584.	3,519.	4,236.	5,505.
		49"	90"	14"	ASMWB90 () () ()	2,667.	3,633.	4,371.	5,683.
		49"	96"	14"	ASMWB96 () () ()	2,748.	3,741.	4,506.	5,858.
 center gable only in units 54"w and over	binder depth	49"	42"	14"	ASMMB42 () () ()	2,579.	3,153.	3,207.	3,848.
		49"	48"	14"	ASMMB48 () () ()	2,687.	3,282.	3,335.	4,005.
		49"	54"	14"	ASMMB54 () () ()	2,936.	3,591.	4,133.	4,961.
		49"	60"	14"	ASMMB60 () () ()	3,045.	3,728.	4,291.	5,143.
		49"	66"	14"	ASMMB66 () () ()	3,156.	3,861.	4,443.	5,334.
		49"	72"	14"	ASMMB72 () () ()	3,267.	3,999.	4,602.	5,524.
		49"	78"	14"	ASMMB78 () () ()	3,378.	4,133.	4,758.	5,709.
		49"	84"	14"	ASMMB84 () () ()	3,488.	4,269.	4,914.	5,897.
		49"	90"	14"	ASMMB90 () () ()	3,600.	4,402.	5,069.	6,082.
		49"	96"	14"	ASMMB96 () () ()	3,708.	4,541.	5,225.	6,271.

Order Code	Specification Information	Application Notes
Example: ASMWB42FNELV316AA	To order please specify pattern number including:	Storage medians may be used in free-standing applications alone or multiple units side by side. When specifying side by side applications, be sure to select appropriate face drilling option (see specification option #4) and EN for no end drilling in gables. Storage medians may also be used with bridges on page 160 for creating L shaped work area configurations. When specifying for use with bridges, be sure to specify appropriate end drill option (see specification option #5).
A AutoStrada	1. Wood or Metal shelves Embedded in pattern number W = wood shelves M = metal shelves (Two piece extruded assembly) Note: shelf at worksurface height always wood	5. End drill option EL = end drill left gable to attach to bridge ER = end drill right gable to attach to bridge EB = end drill both gables to attach to bridges (applicable 84"w, 90"w and 96"w only) EN = no drill (for freestanding applications)
SM Storage Median	2. Depth Embedded in pattern number B = Binder depth G = Legal depth	6. Finish Laminate, V1, V2 or V3 finish
W Wood shelves	3. Width	7. Finish, metal shelves
B Binder depth	4. Face drill option FL = face drill left gable for ganging FR = face drill right gable for ganging FB = face drill both gables for ganging FN = face drill none	8. Finish, Aluminum trim AA - Anodized aluminum or painted finish option from page 7 excluding silver
42 42" wide		See page 7 for finish options applicable. *49"h to top of gables, with aluminum trim and top shelf 50.2"h. Inside width above, overall footprint additional 2" nominal.
FN Face drill gable, no		See page 7 for finish options applicable.
EL End drill left gable		Product on this page will accept wood grain laminate where laminate is currently an option.
V316 Finish, Maple		
AA Trim, anodized aluminum		

description	type	h*	w*	d	pattern no.	L	V1	V2	V3
 center gable only in units 54"w and over	legal depth	49"	42"	17"	ASMWG42 () () ()	\$2,007.	\$2,526.	\$2,902.	\$3,773.
		49"	48"	17"	ASMWG48 () () ()	2,087.	2,627.	3,021.	3,927.
		49"	54"	17"	ASMWG54 () () ()	2,285.	3,108.	3,740.	4,862.
		49"	60"	17"	ASMWG60 () () ()	2,370.	3,226.	3,883.	5,046.
		49"	66"	17"	ASMWG66 () () ()	2,456.	3,344.	4,024.	5,230.
		49"	72"	17"	ASMWG72 () () ()	2,543.	3,463.	4,165.	5,413.
		49"	78"	17"	ASMWG78 () () ()	2,628.	3,581.	4,307.	5,598.
		49"	84"	17"	ASMWG84 () () ()	2,712.	3,696.	4,446.	5,780.
		49"	90"	17"	ASMWG90 () () ()	2,798.	3,815.	4,588.	5,966.
		49"	96"	17"	ASMWG96 () () ()	2,886.	3,929.	4,733.	6,152.
 center gable only in units 54"w and over	legal depth	49"	42"	17"	ASMMG42 () () ()	2,708.	3,312.	3,367.	4,042.
		49"	48"	17"	ASMMG48 () () ()	2,818.	3,448.	3,502.	4,207.
		49"	54"	17"	ASMMG54 () () ()	3,081.	3,768.	4,340.	5,206.
		49"	60"	17"	ASMMG60 () () ()	3,199.	3,913.	4,505.	5,403.
		49"	66"	17"	ASMMG66 () () ()	3,316.	4,056.	4,668.	5,600.
		49"	72"	17"	ASMMG72 () () ()	3,432.	4,195.	4,831.	5,798.
		49"	78"	17"	ASMMG78 () () ()	3,548.	4,340.	4,995.	5,994.
		49"	84"	17"	ASMMG84 () () ()	3,662.	4,481.	5,160.	6,192.
		49"	90"	17"	ASMMG90 () () ()	3,780.	4,623.	5,323.	6,387.
		49"	96"	17"	ASMMG96 () () ()	3,895.	4,766.	5,488.	6,585.

Order Code	Specification Information	Application Notes
Example: ASMWG42FNELV316AA	To order please specify pattern number including:	Storage medians may be used in free-standing applications alone or multiple units side by side. When specifying side by side applications, be sure to select appropriate face drilling option (see specification option #4) and EN for no end drilling in gables. Storage medians may also be used with bridges on page 160 for creating L shaped work area configurations. When specifying for use with bridges, be sure to specify appropriate end drill option (see specification option #5).
A AutoStrada	1. Wood or Metal shelves Embedded in pattern number W = wood shelves M = metal shelves (Two piece extruded assembly) Note: shelf at worksurface height always wood	5. End drill option EL = end drill left gable to attach to bridge ER = end drill right gable to attach to bridge EB = end drill both gables to attach to bridges (applicable 84"w, 90"w and 96"w only) EN = no drill (for freestanding applications)
SM Storage Median	2. Depth Embedded in pattern number B = Binder depth G = Legal depth	6. Finish Laminate, V1, V2 or V3 finish
W Wood shelves	3. Width	7. Finish, metal shelves
G Legal depth	4. Face drill option FL = face drill left gable for ganging FR = face drill right gable for ganging FB = face drill both gables for ganging FN = face drill none	8. Finish, Aluminum trim AA - Anodized aluminum or painted finish option from page 7 excluding silver
42 42" wide		See page 7 for finish options applicable.
FN Face drill gable, no		*49"h to top of gables, with aluminum trim and top shelf 50.2"h. Inside width above, overall footprint additional 2" nominal.
EL End drill left gable		See page 7 for finish options applicable.
V316 Finish, Maple		Product on this page will accept wood grain laminate where laminate is currently an option.
AA Trim, anodized aluminum		


description	h	w	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
Bridge assembly, 42"h includes worksurface	42"	42"	26 1/2"	AOB4242 () () () ()	\$1,047.	\$1,318.	\$1,516.	\$1,970.
	42"	48"	26 1/2"	AOB4248 () () () ()	1,089.	1,370.	1,575.	2,050.
	42"	54"	26 1/2"	AOB4254 () () () ()	1,135.	1,422.	1,640.	2,130.
	42"	60"	26 1/2"	AOB4260 () () () ()	1,175.	1,478.	1,700.	2,211.
	42"	66"	26 1/2"	AOB4266 () () () ()	1,217.	1,531.	1,763.	2,289.
	42"	72"	26 1/2"	AOB4272 () () () ()	1,261.	1,584.	1,825.	2,372.
	42"	78"	26 1/2"	AOB4278 () () () ()	1,303.	1,640.	1,884.	2,453.



worksurface height fixed 27"h to underside


Order Code	Specification Information	Application Notes
Example: AOB4242GDV316V316613	<i>To order please specify pattern number including:</i>	Overall depth is 26.5" nominal
A AutoStrada	1. Width	Product on this page shipped knocked-down.
OB Open Bridge	2. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	Bridge units attach one side to gable end of medians or storage medians, and other end to 26.5" deep storage anchored cabinets. Attachment method is universal, bridge units are not handed.
42 42" high	3. Drill for top shelf option <i>Note: not applicable for window bridges</i> <i>D = drill for top shelf attachment</i> <i>N = no drill for top shelf attachment</i>	Mixed finish options must only be combination of laminate surface with V1 or V2 or V3 back and edge.
42 42" wide	4. Finish, back <i>Laminate, V1, V2 or V3 finish</i>	Worksurfaces are available with synthetic edge options.
G Grommet	5. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>	Optional top shelf for bridge assembly specified separately, refer to page 161. Be sure to specify drill for top shelf if required.
D Drill for top shelf attachment	6. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i> <i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>	
V316 Finish, back panel	7. Finish, Grommet(s) <i>specify painted or plated finish</i>	
V316 Finish, worksurface		
() Edge finish (L)		
613 Finish, grommet		
	Order worksurface stiffener for unsupported spans exceeding 48".	
	See page 7 for finish options applicable.	
	Product on this page will accept wood grain laminate where laminate is currently an option.	

description	h	w	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
Bridge assembly, 49"h includes worksurface	49"	42"	26 1/2"	AOBS42 () () () ()	\$1,100.	\$1,388.	\$1,595.	\$2,074.
	49"	48"	26 1/2"	AOBS48 () () () ()	1,147.	1,442.	1,659.	2,160.
	49"	54"	26 1/2"	AOBS54 () () () ()	1,191.	1,497.	1,725.	2,244.
	49"	60"	26 1/2"	AOBS60 () () () ()	1,235.	1,557.	1,790.	2,326.
	49"	66"	26 1/2"	AOBS66 () () () ()	1,282.	1,613.	1,856.	2,410.
	49"	72"	26 1/2"	AOBS72 () () () ()	1,326.	1,669.	1,920.	2,497.
	49"	78"	26 1/2"	AOBS78 () () () ()	1,371.	1,725.	1,982.	2,581.



worksurface height fixed 27"h to underside


Bridge assembly, includes worksurface	28"	42"	26 1/2"	AWBS42 () () () ()	1,032.	1,298.	1,489.	1,937.
	28"	48"	26 1/2"	AWBS48 () () () ()	1,071.	1,348.	1,552.	2,017.
	28"	54"	26 1/2"	AWBS54 () () () ()	1,113.	1,402.	1,613.	2,095.
	28"	60"	26 1/2"	AWBS60 () () () ()	1,155.	1,456.	1,672.	2,174.
	28"	66"	26 1/2"	AWBS66 () () () ()	1,196.	1,509.	1,733.	2,251.
	28"	72"	26 1/2"	AWBS72 () () () ()	1,241.	1,560.	1,795.	2,335.
	28"	78"	26 1/2"	AWBS78 () () () ()	1,282.	1,613.	1,856.	2,410.
	28"	84"	26 1/2"	AWBS84 () () () ()	1,323.	1,667.	1,917.	2,491.
	28"	90"	26 1/2"	AWBS90 () () () ()	1,365.	1,718.	1,976.	2,570.
	28"	96"	26 1/2"	AWBS96 () () () ()	1,406.	1,771.	2,037.	2,647.



worksurface height fixed 27"h to underside

Specify with window bridge kits to achieve 49"h


Order Code	Specification Information	Application Notes
Example: AOBS42GDV316V316613	<i>To order please specify pattern number including:</i>	Overall depth is 26.5" nominal
A AutoStrada	1. Width	Product on this page shipped knocked-down.
OB Open Bridge	2. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	Bridge units attach one side to gable end of medians or storage medians, and other end to 26.5" deep storage anchored cabinets. Attachment method is universal, bridge units are not handed.
S Single	3. Drill for top shelf option <i>Note: not applicable for window bridges</i> <i>D = drill for top shelf attachment</i> <i>N = no drill for top shelf attachment</i>	Mixed finish options must only be combination of laminate surface with V1 or V2 or V3 back and edge.
42 42" wide	4. Finish, back <i>Laminate, V1, V2 or V3 finish</i>	Window kit and window trim kit for window bridge assembly specified separately, refer to page 163.
G Grommet	5. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>	Worksurfaces are available with synthetic edge options.
D Drill for top shelf attachment	6. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i> <i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>	Optional top shelf for bridge assembly specified separately, refer to page 161. Be sure to specify drill for top shelf if required.
V316 Finish, back panel	7. Finish, Grommet(s) <i>specify painted or plated finish</i>	
V316 Finish, worksurface		
() Edge finish (L)		
613 Finish, grommet		
	Order worksurface stiffener for unsupported spans exceeding 48".	
	See page 7 for finish options applicable.	
	Product on this page will accept wood grain laminate where laminate is currently an option.	

description	thickness	w	d	pattern no.	L	V1	V2	V3
Top shelf for bridge assy to median w/26.5" gable & binder depth top 	1 1/4"	54 7/16"	14"	ATSBA42 () ()	\$310.	\$394.	\$452.	\$590.
	1 1/4"	60 7/16"	14"	ATSBA48 () ()	321.	408.	469.	610.
	1 1/4"	66 7/16"	14"	ATSBA54 () ()	332.	423.	488.	636.
	1 1/4"	72 7/16"	14"	ATSBA60 () ()	349.	441.	506.	658.
	1 1/4"	78 7/16"	14"	ATSBA66 () ()	361.	456.	524.	684.
	1 1/4"	84 7/16"	14"	ATSBA72 () ()	371.	475.	542.	707.
	1 1/4"	90 7/16"	14"	ATSBA78 () ()	385.	488.	561.	730.
Top shelf for bridge assy to median w/26.5" gable & legal depth top	1 1/4"	51 7/16"	14"	ATSBB42 () ()	310.	394.	452.	590.
	1 1/4"	57 7/16"	14"	ATSBB48 () ()	321.	408.	469.	610.
	1 1/4"	63 7/16"	14"	ATSBB54 () ()	332.	423.	488.	636.
	1 1/4"	69 7/16"	14"	ATSBB60 () ()	349.	441.	506.	658.
	1 1/4"	75 7/16"	14"	ATSBB66 () ()	361.	456.	524.	684.
	1 1/4"	81 7/16"	14"	ATSBB72 () ()	371.	475.	542.	707.
	1 1/4"	87 7/16"	14"	ATSBB78 () ()	385.	488.	561.	730.
Top shelf for bridge assy to median w/32.5" gable & binder depth top	1 1/4"	60 7/16"	14"	ATSBC42 () ()	382.	487.	560.	726.
	1 1/4"	66 7/16"	14"	ATSBC48 () ()	398.	505.	583.	755.
	1 1/4"	72 7/16"	14"	ATSBC54 () ()	414.	525.	607.	784.
	1 1/4"	78 7/16"	14"	ATSBC60 () ()	432.	545.	629.	818.
	1 1/4"	84 7/16"	14"	ATSBC66 () ()	446.	565.	650.	848.
	1 1/4"	90 7/16"	14"	ATSBC72 () ()	461.	585.	673.	876.
	1 1/4"	96 7/16"	14"	ATSBC78 () ()	477.	607.	696.	906.
Top shelf for bridge assy to median w/32.5" gable & legal depth top	1 1/4"	57 7/16"	14"	ATSBD42 () ()	382.	487.	560.	726.
	1 1/4"	63 7/16"	14"	ATSBD48 () ()	398.	505.	583.	755.
	1 1/4"	69 7/16"	14"	ATSBD54 () ()	414.	525.	607.	784.
	1 1/4"	75 7/16"	14"	ATSBD60 () ()	432.	545.	629.	818.
	1 1/4"	81 7/16"	14"	ATSBD66 () ()	446.	565.	650.	848.
	1 1/4"	87 7/16"	14"	ATSBD72 () ()	461.	585.	673.	876.
	1 1/4"	93 7/16"	14"	ATSBD78 () ()	477.	607.	696.	906.
Top shelf for bridge assy to storage median	1 1/4"	42"	14"	ATSBE42 () ()	310.	394.	452.	590.
	1 1/4"	48"	14"	ATSBE48 () ()	321.	408.	469.	610.
	1 1/4"	54"	14"	ATSBE54 () ()	332.	423.	488.	636.


Order Code	Specification Information	Application Notes
Example: ATSBA42V316AA	<i>To order please specify pattern number including:</i>	See page 7 for finish options applicable.
A AutoStrada	1. Bridge to Median condition <i>A = to 26.5" d median w/binder depth top shelf</i> <i>B = to 26.5" d median w/legal depth top shelf</i> <i>C = to 32.5" d median w/binder depth top shelf</i> <i>D = to 32.5" d median w/legal depth top shelf</i> <i>E = to storage median binder or legal depth</i>	Product on this page will accept wood grain laminate where laminate is currently an option.
TS Top Shelf	2. Width <i>specify same as corresponding bridge assembly</i>	Top shelf extends width of bridge assembly plus exposed portion of the median gable where the median gable extends beyond median's top shelf.
B Bridge	3. Finish, Shelf <i>Laminate, V1, V2 or V3 finish</i>	Top shelf assembly includes aluminum trim to install between bridge assembly and underside of top shelf; and aligns with aluminum trim detail of median or storage median.
A for bridge to median condition A	4. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	
42 42" wide plus condition A		
V316 Finish, Maple		
AA Trim, anodized aluminum		

description	thickness	w	d	pattern no.	L	V1	V2	V3
Top shelf for bridge assy to storage median	1 1/4"	60"	14"	ATSBE60 () ()	\$349.	\$441.	\$506.	\$658.
	1 1/4"	66"	14"	ATSBE66 () ()	361.	456.	524.	684.
	1 1/4"	72"	14"	ATSBE72 () ()	371.	475.	542.	707.
	1 1/4"	78"	14"	ATSBE78 () ()	385.	488.	561.	730.

Order Code	Specification Information	Application Notes
Example: ATSBA42V316AA	<i>To order please specify pattern number including:</i>	See page 7 for finish options applicable.
A AutoStrada	1. Bridge to Median condition	Product on this page will accept wood grain laminate where laminate is currently an option.
TS Top Shelf	<i>A = to 26.5" d median w/binder depth top shelf</i>	Top shelf extends width of bridge assembly plus exposed portion of the median gable where the median gable extends beyond median's top shelf.
B Bridge	<i>B = to 26.5" d median w/legal depth top shelf</i>	
A for bridge to median condition A	<i>C = to 32.5" d median w/binder depth top shelf</i>	Top shelf assembly includes aluminum trim to install between bridge assembly and underside of top shelf; and aligns with aluminum trim detail of median or storage median.
42 42" wide plus condition A	<i>D = to 32.5" d median w/legal depth top shelf</i>	
V316 Finish, Maple	<i>E = to storage median binder or legal depth</i>	
AA Trim, anodized aluminum	2. Width <i>specify same as corresponding bridge assembly</i>	
	3. Finish, Shelf <i>Laminate, V1, V2 or V3 finish</i>	
	4. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	


description	h	w	pattern no.	clear	architectural	list
 Window Bridge Kit	21"	42"	AWBK42 () () ()	\$794.	\$957.	
	21"	48"	AWBK48 () () ()	859.	1,030.	
	21"	54"	AWBK54 () () ()	920.	1,105.	
	21"	60"	AWBK60 () () ()	982.	1,179.	
	21"	66"	AWBK66 () () ()	1,043.	1,252.	
	21"	72"	AWBK72 () () ()	1,107.	1,327.	
	21"	78"	AWBK78 () () ()	1,166.	1,402.	
	21"	84"	AWBK84 () () ()	1,230.	1,476.	
	21"	90"	AWBK90 () () ()	1,292.	1,552.	
	21"	96"	AWBK96 () () ()	1,353.	1,626.	
Median gable top trim for window to median w/26.5" gable & binder depth top		12"	AMGTTA ()			108.
 Median gable top trim for window to median w/26.5" gable & legal depth top		9"	AMGTTB ()			90.
		18"	AMGTTC ()			133.
Median gable top trim for window to median w/32.5" gable & binder depth top		15"	AMGTTD ()			119.

Order Code	Specification Information	Application Notes
Example: AWBK42EAAGL13AA	<i>To order please specify pattern number including:</i>	Window bridge kits are for use with window bridge assemblies on page 160.
A AutoStrada	Window bridge kit:	
W Window	1. Width	Be sure to include median gable top trim when attaching window bridge assembly and window bridge kit to medians for the appropriate condition of median gable and top shelf. The median gable top trim is an aluminum extrusion which finishes the exposed portion of the median gable and continues a consistent aluminum trim detail from one unit to the next.
BK Bridge kit	<i>Note: Be sure to specify window bridge kit to correspond with width of window bridge assembly</i>	
42 42" wide	2. Extruded Aluminum Top Trim profile	
E Extruded Aluminum Top Trim	<i>E = default</i>	
AA Finish, window frame	3. Finish, window frame	
GL13 Finish, glass	<i>Paint or Anodized Aluminum</i>	
AA Finish, aluminum top trim	4. Finish, glass	
	<i>TEMP - Clear, tempered</i>	
	<i>GL6 - Block Matrix</i>	
	<i>GL13 - Powder</i>	
	5. Finish, Aluminum top trim	
	<i>AA - anodized aluminum or painted finish option from page 7 excluding silver</i>	

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, BBF front, open interior side 	left	42"	19"	24"	ACAL4224 ()()()	\$3,333.	\$4,890.	\$5,308.	\$6,899.
		42"	19"	30"	ACAL4230 ()()()	3,590.	5,169.	5,671.	7,375.
		42"	19"	26.5"	ACAL4226 ()()()	3,462.	5,030.	5,491.	7,140.
		42"	19"	32.5"	ACAL4232 ()()()	3,717.	5,311.	5,855.	7,611.
		49"	19"	24"	ACAL4924 ()()()()	3,402.	4,990.	5,416.	7,042.
		49"	19"	30"	ACAL4930 ()()()()	3,661.	5,276.	5,787.	7,526.
		49"	19"	26.5"	ACAL4926 ()()()()	3,532.	5,133.	5,604.	7,285.
		49"	19"	32.5"	ACAL4932 ()()()()	3,793.	5,417.	5,974.	7,766.
left hand shown, shelf aligns with worksurface at 28 1/4" overall, or 27"h to underside	right	42"	19"	24"	ACAR4224 ()()()()	3,333.	4,890.	5,308.	6,899.
		42"	19"	30"	ACAR4230 ()()()()	3,590.	5,169.	5,671.	7,375.
		42"	19"	26.5"	ACAR4226 ()()()	3,462.	5,030.	5,491.	7,140.
		42"	19"	32.5"	ACAR4232 ()()()	3,717.	5,311.	5,855.	7,611.
		49"	19"	24"	ACAR4924 ()()()()	3,402.	4,990.	5,416.	7,042.
		49"	19"	30"	ACAR4930 ()()()()	3,661.	5,276.	5,787.	7,526.
		49"	19"	26.5"	ACAR4926 ()()()()	3,532.	5,133.	5,604.	7,285.
		49"	19"	32.5"	ACAR4932 ()()()()	3,793.	5,417.	5,974.	7,766.

Order Code	Specification Information	Application Notes
Example: ACAL4924NEDWV316AA	To order please specify pattern number including:	*Upcharge applicable as follows for ACA(L/R)49 and ACB(L/R)49 cabinets: Option S upcharge for L/V1/V2 or V3 to correspond to shelf to match case; Option M upcharge under AA or paint for aluminum metal shelf
A AutoStrada	1. Hand L = User's Left R = User's Right	
C Cabinet	2. Height	
A BBF front, Open interior side	3. Depth 24 = 24" deep 26 = 26.5" deep 30 = 30" deep 32 = 32.5" deep	depth L V1 24" \$ 97 217 26.5" \$102 223 30" \$107 234 32.5" \$113 239
L Left Hand	4. Shelf option for open interior side 42"h do not have shelf options 49"h have shelf option 64"h do not have "no" shelf option, shelf included N = No shelf S = Shelf to match case * M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable)	depth V2 V3 24" \$240 310 26.5" \$248 321 30" \$260 338 32.5" \$268 348
49 49" high	5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull	depth AA or paint 24" \$296 26.5" \$317 30" \$347 32.5" \$368
24 24" deep	6. Drill option, applicable only for 24" and 30" deep units D = drilled to anchor to panel or median F = no drill, freestanding	42" h - 42" h to below trim, 43.2" h overall 49" h - 49" h to below trim, 50.2" h overall
N No Shelf	7. Interior W = wood drawer interior M = metal drawer interior, deduct \$100 list	Product on this page will accept wood grain laminate where laminate is currently an option.
E Extruded Aluminum Pull	8. Finish Laminate, V1, V2 or V3 finish	When planning with medians and bridges (single station or clusters of stations) specify either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth. Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.
D Drilled to anchor	9. Finish, Aluminum trim (trim, M shelf option & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver	See page 7 for finish options applicable. Pencil trays not included in pedestals with metal interior. One pencil tray is included in pedestals with wood interior.
W Wood interior		
V316 Finish, Maple		
AA Finish, trim & pull, anodized aluminum		

3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.


description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, FF front, open interior side 	left	42"	19"	24"	ACBL4224 () () () ()	\$2,858.	\$4,222.	\$4,685.	\$6,088.
		42"	19"	30"	ACBL4230 () () () ()	3,074.	4,461.	5,006.	6,506.
		42"	19"	26.5"	ACBL4226 () () () ()	2,965.	4,343.	4,844.	6,298.
		42"	19"	32.5"	ACBL4232 () () () ()	3,187.	4,586.	5,166.	6,717.
		49"	19"	24"	ACBL4924 () () () () ()	2,916.	4,309.	4,780.	6,215.
		49"	19"	30"	ACBL4930 () () () () ()	3,140.	4,554.	5,111.	6,640.
		49"	19"	26.5"	ACBL4926 () () () () ()	3,027.	4,430.	4,946.	6,425.
		49"	19"	32.5"	ACBL4932 () () () () ()	3,251.	4,676.	5,271.	6,853.
<i>left hand shown, shelf aligns with worksurface at 28 1/2" h overall, or 27" h to underside</i>	right	42"	19"	24"	ACBR4224 () () () ()	2,858.	4,222.	4,685.	6,089.
		42"	19"	30"	ACBR4230 () () () ()	3,074.	4,461.	5,006.	6,506.
		42"	19"	26.5"	ACBR4226 () () () ()	2,965.	4,343.	4,844.	6,298.
		42"	19"	32.5"	ACBR4232 () () () ()	3,187.	4,586.	5,166.	6,717.
		49"	19"	24"	ACBR4924 () () () () ()	2,916.	4,309.	4,780.	6,215.
		49"	19"	30"	ACBR4930 () () () () ()	3,140.	4,554.	5,111.	6,640.
		49"	19"	26.5"	ACBR4926 () () () () ()	3,027.	4,430.	4,946.	6,425.
		49"	19"	32.5"	ACBR4932 () () () () ()	3,251.	4,676.	5,271.	6,853.

Order Code	Specification Information	Application Notes	
Example: ACAL4924NEDWV316AA	<i>To order please specify pattern number including:</i>	*Upcharge applicable as follows for ACA(L/R)49 and ACB(L/R)49 cabinets: <i>Option S upcharge for L/V1/V2 or V3 to correspond to shelf to match case; Option M upcharge under AA or paint for aluminum metal shelf</i>	When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or with stations back to back with panel run perpendicular to two cabinets, you then need to specify one 24"d with one 26.5"d or 30"d with one 32.5" d cabinet to go side by side or back to back as the case may be. Brackets to secure cabinets to panel are required, specified separately - see page 179.
A AutoStrada	1. Hand <i>L = User's Left</i> <i>R = User's Right</i>	depth L V1 24" \$ 97 217 26.5" \$102 223 30" \$107 234 32.5" \$113 239	24" and 30" deep storage anchored cabinets may be specified for freestanding applications, specify drill option F for freestanding, otherwise connection detail will be exposed.
C Cabinet	2. Height	depth V2 V3 24" \$240 310 26.5" \$248 321 30" \$260 338 32.5" \$268 348	Cabinets include angle bracket to side support worksurfaces except when drill option "F" for freestanding selected.
A BBF front, Open interior side	3. Depth <i>24 = 24" deep</i> <i>26 = 26.5" deep</i> <i>30 = 30" deep</i> <i>32 = 32.5" deep</i>	depth AA or paint 24" \$296 26.5" \$317 30" \$347 32.5" \$368	Cabinets drilled for locks, keying instructions must accompany order.
L Left Hand	4. Shelf option for open interior side <i>42"h do not have shelf options</i> <i>49"h have shelf option</i> <i>64"h do not have "no" shelf option, shelf included</i> <i>N = No shelf</i> <i>S = Shelf to match case *</i> <i>M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable)</i>	42"h - 42"h to below trim, 43.2"h overall 49"h - 49"h to below trim, 50.2"h overall	See page 7 for finish options applicable.
49 49" high	5. Pull <i>E = extruded aluminum pull</i> <i>P = extruded aluminum protruding pull</i>	When planning with medians and bridges (single station or clusters of stations) specify either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth. Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.	Pencil trays not included in pedestals with metal interior.
24 24" deep	6. Drill option, applicable only for 24" and 30" deep units <i>D = drilled to anchor to panel or median</i> <i>F = no drill, freestanding</i>		One pencil tray is included in pedestals with wood interior.
N No Shelf	7. Interior <i>W = wood drawer interior</i> <i>M = metal drawer interior, deduct \$100 list</i>		
E Extruded Aluminum Pull	8. Finish <i>Laminate, V1, V2 or V3 finish</i>		
D Drilled to anchor	9. Finish, Aluminum trim (trim, M shelf option & pull) <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>		
W Wood interior			
V316 Finish, Maple			
AA Finish, trim & pull, anodized aluminum			

3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.

3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, Hinged Door front, open interior side	left	42"	19"	24"	ACCL4224 ()()()	\$2,380.	\$3,519.	\$3,905.	\$5,072.
		42"	19"	30"	ACCL4230 ()()()	2,563.	3,720.	4,173.	5,424.
		42"	19"	26.5"	ACCL4226 ()()()	2,472.	3,617.	4,036.	5,251.
		42"	19"	32.5"	ACCL4232 ()()()	2,656.	3,820.	4,306.	5,597.
		49"	19"	24"	ACCL4924 ()()()	2,430.	3,591.	3,986.	5,175.
		49"	19"	30"	ACCL4930 ()()()	2,615.	3,796.	4,258.	5,534.
		49"	19"	26.5"	ACCL4926 ()()()	2,523.	3,691.	4,121.	5,357.
		49"	19"	32.5"	ACCL4932 ()()()	2,708.	3,898.	4,392.	5,709.
right	right	42"	19"	24"	ACCR4224 ()()()	2,380.	3,519.	3,905.	5,072.
		42"	19"	30"	ACCR4230 ()()()	2,563.	3,720.	4,173.	5,424.
		42"	19"	26.5"	ACCR4226 ()()()	2,472.	3,617.	4,036.	5,251.
		42"	19"	32.5"	ACCR4232 ()()()	2,656.	3,820.	4,306.	5,597.
		49"	19"	24"	ACCR4924 ()()()	2,430.	3,591.	3,986.	5,175.
		49"	19"	30"	ACCR4930 ()()()	2,615.	3,796.	4,258.	5,534.
		49"	19"	26.5"	ACCR4926 ()()()	2,523.	3,691.	4,121.	5,357.
		49"	19"	32.5"	ACCR4932 ()()()	2,708.	3,898.	4,392.	5,709.




left hand shown, shelf aligns with
worksurface at 28 1/4" h overall, or 27" h to
underside

Order Code	Specification Information	Application Notes
Example: ACCL4924NEDV316AA	To order please specify pattern number including:	*Upcharge applicable as follows for ACC(L/R)49 units on this page: For option S upcharge for L/V1/V2 or V3 to correspond to shelf to match case; option M upcharge under AA or paint for aluminum metal shelf
A AutoStrada	1. Hand L = User's Left R = User's Right	
C Cabinet	2. Height	
C HD front, Open interior side	3. Depth 24 = 24" deep 30 = 30" deep 26 = 26.5" deep 32 = 32.5" deep	depth L V1 24" \$ 97 217 26.5" \$102 223 30" \$107 234 32.5" \$113 239
L Left Hand	4. Shelf option for open interior side 42" h do not have shelf options 49" h have shelf option 64" h do not have "no" shelf option, shelf included N = No shelf S = Shelf to match case * M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable)	depth V2 V3 24" \$240 310 26.5" \$248 321 30" \$260 338 32.5" \$268 348
E Extruded Aluminum Pull	5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull	depth AA or paint 24" \$296 26.5" \$317 30" \$347 32.5" \$368
D Drilled to anchor	6. Drill option applicable only for 24" and 30" deep units D = drilled to anchor to panel or median F = no drill, freestanding	42" h - 42" h to below trim, 43.2" h overall 49" h - 49" h to below trim, 50.2" h overall Product on this page will accept wood grain laminate where laminate is currently an option.
V316 Finish, Maple	7. Finish Laminate, V1, V2 or V3 finish	When planning with medians and bridges (single station or clusters of stations) specify either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth. Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.
AA Finish, trim & pull, anodized aluminum	8. Finish, Aluminum trim (trim M shelf option & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver	24" and 30" deep storage anchored cabinets may be specified for freestanding applications, specify drill option F for freestanding, otherwise connection detail will be exposed. Cabinets include angle bracket to side support worksurfaces except when drill option "F" for freestanding selected. Cabinets drilled for locks, keying instructions must accompany order. See page 7 for finish options applicable.

3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.


description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, Hinged Door front, open side	left	49"	19"	24"	ACDL4924 ()()()	\$2,744.	\$4,056.	\$4,501.	\$5,851.
		49"	19"	30"	ACDL4930 ()()()	2,955.	4,289.	4,811.	6,253.
		49"	19"	26.5"	ACDL4926 ()()()	2,848.	4,171.	4,657.	6,050.
		49"	19"	32.5"	ACDL4932 ()()()	3,061.	4,404.	4,962.	6,453.
	right	49"	19"	24"	ACDR4924 ()()()	2,744.	4,056.	4,501.	5,851.
		49"	19"	30"	ACDR4930 ()()()	2,955.	4,289.	4,811.	6,253.
		49"	19"	26.5"	ACDR4926 ()()()	2,848.	4,171.	4,657.	6,050.
		49"	19"	32.5"	ACDR4932 ()()()	3,061.	4,404.	4,962.	6,453.



left hand shown, shelf aligns with work surface at 28 1/4" h overall, or 27" h to underside

Order Code	Specification Information	Application Notes
Example: ACCL4924NEDV316AA	To order please specify pattern number including:	*Upcharge applicable as follows for ACC(L/R)49 units on this page: For option S upcharge for L/V1/V2 or V3 to correspond to shelf to match case; option M upcharge under AA or paint for aluminum metal shelf
A AutoStrada	1. Hand L = User's Left R = User's Right	
C Cabinet	2. Height	
C HD front, Open interior side	3. Depth 24 = 24" deep 30 = 30" deep 26 = 26.5" deep 32 = 32.5" deep	depth L V1 24" \$ 97 217 26.5" \$102 223 30" \$107 234 32.5" \$113 239
L Left Hand	4. Shelf option for open interior side 42" h do not have shelf options 49" h have shelf option 64" h do not have "no" shelf option, shelf included N = No shelf S = Shelf to match case * M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable)	depth V2 V3 24" \$240 310 26.5" \$248 321 30" \$260 338 32.5" \$268 348
E Extruded Aluminum Pull	5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull	depth AA or paint 24" \$296 26.5" \$317 30" \$347 32.5" \$368
D Drilled to anchor	6. Drill option applicable only for 24" and 30" deep units D = drilled to anchor to panel or median F = no drill, freestanding	42" h - 42" h to below trim, 43.2" h overall 49" h - 49" h to below trim, 50.2" h overall Product on this page will accept wood grain laminate where laminate is currently an option.
V316 Finish, Maple	7. Finish Laminate, V1, V2 or V3 finish	When planning with medians and bridges (single station or clusters of stations) specify either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth. Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.
AA Finish, trim & pull, anodized aluminum	8. Finish, Aluminum trim (trim M shelf option & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver	When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or with stations back to back with panel run perpendicular to two cabinets, you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be. Brackets to secure cabinets to panel are required, specified separately - see page 179. 24" and 30" deep storage anchored cabinets may be specified for freestanding applications, specify drill option F for freestanding, otherwise connection detail will be exposed. Cabinets include angle bracket to side support work surfaces except when drill option "F" for freestanding selected. Cabinets drilled for locks, keying instructions must accompany order. See page 7 for finish options applicable.


3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.

description	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, wardrobe and BBF front, open interior side 	42"	24"	24"	ACWJ(L/R)4224() () () ()	\$4,275.	\$6,337.	\$6,755.	\$8,784.
	42"	24"	30"	ACWJ(L/R)4230() () () ()	4,604.	6,699.	7,216.	9,393.
	42"	24"	26.5"	ACWJ(L/R)4226() () () ()	4,435.	6,520.	6,987.	9,090.
	42"	24"	32.5"	ACWJ(L/R)4232() () () ()	4,765.	6,882.	7,452.	9,690.
	49"	24"	24"	ACWJ(L/R)4924() () () () ()	4,350.	6,451.	6,881.	8,947.
	49"	24"	30"	ACWJ(L/R)4930() () () () ()	4,688.	6,823.	7,349.	9,564.
	49"	24"	26.5"	ACWJ(L/R)4926() () () () ()	4,518.	6,636.	7,118.	9,259.
	49"	24"	32.5"	ACWJ(L/R)4932() () () () ()	4,850.	7,009.	7,588.	9,870.
	64"	24"	24"	ACWJ(L/R)6424() () () () ()	4,432.	6,566.	7,078.	9,248.
	64"	24"	30"	ACWJ(L/R)6430() () () () ()	4,774.	6,942.	7,561.	9,888.
	64"	24"	26.5"	ACWJ(L/R)6426() () () () ()	4,604.	6,752.	7,322.	9,571.
	64"	24"	32.5"	ACWJ(L/R)6432() () () () ()	4,943.	7,129.	7,805.	10,202.

64"h left hand shown, shelf aligns with worksurface at 28 1/4" overall, or 27"h to underside

Order Code	Specification Information	Application Notes
Example: ACWJL4924NEDWV316AA	To order please specify pattern number including:	*Upcharge applicable as follows 49"h and 64"h only: Option S upcharge for L/V1/V2 or V3 to correspond to shelf to match case
A AutoStrada	1. Hand L = User's Left R = User's Right	depth L V1 24" \$ 97 217
C Cabinet	2. Height	26.5" \$102 223
WJ Wardrobe/ BBF Front, Side Open	3. Depth 24 = 24" deep 26 = 26.5" deep 30 = 30" deep 32 = 32.5" deep	30" \$107 234 32.5" \$113 239
L Left Hand	4. Shelf option for open interior side 42"h do not have shelf options 49"h have shelf option 64"h do not have "no" shelf option, shelf included N = No shelf S = Shelf to match case * M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable)	depth V2 V3 24" \$240 310 26.5" \$248 321 30" \$260 338 32.5" \$268 348
49 49" high	5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull	49" and 64"h: Option M upcharge under AA or paint for aluminum metal shelf depth AA or paint 24" \$296 26.5" \$317 30" \$347 32.5" \$367
24 24" deep	6. Drill option, applicable only for 24" and 30" deep units D = drilled to anchor to panel or median F = no drill, freestanding	Product on this page will accept wood grain laminate where laminate is currently an option. Specify either 26.5" or 32.5" deep storage anchored cabinets for anchoring median or bridge units of the same depth. Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.
N No Shelf	7. Interior W = wood drawer interior M = metal drawer interior, deduct \$100 list	24" and 30" deep storage anchored cabinets may be specified for freestanding applications, specify drill option F for freestanding, otherwise connection detail will be exposed. Cabinets include angle bracket to side support worksurfaces except when drill option "F" for freestanding selected. Cabinets drilled for locks, keying instructions must accompany order.
E Extruded Aluminum Pull	8. Finish Laminate, V1, V2 or V3 finish	See page 7 for finish options applicable.
D Drilled to anchor	9. Finish, Aluminum trim (trim, M shelf option & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver	
W Wood interior		
V316 Finish, Maple		
AA Finish, trim & pull, anodized aluminum		

3rd and 4th digit in pattern number indicates storage configuration, see individual pattern groups above for description.

description	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, wardrobe and FF front, open interior side 	42"	24"	24"	ACWK(L/R)4224() () () ()	\$3,797.	\$5,666.	\$6,133.	\$7,975.
	42"	24"	30"	ACWK(L/R)4230() () () ()	4,090.	5,995.	6,554.	8,523.
	42"	24"	26.5"	ACWK(L/R)4226() () () ()	3,943.	5,829.	6,343.	8,252.
	42"	24"	32.5"	ACWK(L/R)4232() () () ()	4,235.	6,155.	6,761.	8,795.
	49"	24"	24"	ACWK(L/R)4924() () () () ()	3,875.	5,785.	6,259.	8,135.
	49"	24"	30"	ACWK(L/R)4930() () () () ()	4,173.	6,116.	6,686.	8,695.
	49"	24"	26.5"	ACWK(L/R)4926() () () () ()	4,023.	5,951.	6,472.	8,417.
	49"	24"	32.5"	ACWK(L/R)4932() () () () ()	4,321.	6,281.	6,899.	8,976.
	64"	24"	24"	ACWK(L/R)6424() () () () ()	3,957.	5,897.	6,453.	8,439.
	64"	24"	30"	ACWK(L/R)6430() () () () ()	4,260.	6,235.	6,895.	9,019.
	64"	24"	26.5"	ACWK(L/R)6426() () () () ()	4,107.	6,066.	6,675.	8,731.
	64"	24"	32.5"	ACWK(L/R)6432() () () () ()	4,413.	6,402.	7,117.	9,307.

64"h left hand shown, shelf aligns with worksurface at 28 1/4" overall, or 27"h to underside

Order Code	Specification Information	Application Notes
Example: ACWKL4924NEDWV316AA	To order please specify pattern number including:	*Upcharge applicable as follows 49"h and 64"h only: Option S upcharge for L/V1/V2 or V3 to correspond to shelf to match case
A AutoStrada	1. Hand L = User's Left R = User's Right	depth L V1 24" \$ 95 212
C Cabinet	2. Height	26.5" \$100 218
WK Wardrobe/FF front, side open	3. Depth 24 = 24" deep 26 = 26.5" deep 30 = 30" deep 32 = 32.5" deep	30" \$104 229 32.5" \$110 234
L Left Hand	4. Shelf option for open interior side 42"h do not have shelf options 49"h have shelf option 64"h do not have "no" shelf option, shelf included N = No shelf S = Shelf to match case * M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable)	depth V2 V3 24" \$235 303 26.5" \$243 314 30" \$254 331 32.5" \$262 341
49 49" high		49" and 64"h: Option M upcharge under AA or paint for aluminum metal shelf
24 24" deep		depth AA or paint 24" \$290
N No Shelf		26.5" \$310
E Extruded Aluminum Pull		30" \$340
D Drilled to anchor		32.5" \$359
W Wood interior		Specify either 26.5" or 32.5" deep storage anchored cabinets for anchoring median or bridge units of the same depth. Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.
V316 Finish, Maple		Product on this page will accept wood grain laminate where laminate is currently an option.
AA Finish, trim & pull, anodized aluminum		
	5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull	
	6. Drill option, applicable only for 24" and 30" deep units D = drilled to anchor to panel or median F = no drill, freestanding	
	7. Interior W = wood drawer interior M = metal drawer interior, deduct \$100 list	
	8. Finish Laminate, V1, V2 or V3 finish	
	9. Finish, Aluminum trim (trim, M shelf option & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver	

3rd and 4th digit in pattern number indicates storage configuration, see individual pattern groups above for description.


When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or with stations back to back with panel run perpendicular to two cabinets, you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be. Brackets to secure cabinets to panel are required, specified separately - see page 179.

24" and 30" deep storage anchored cabinets may be specified for freestanding applications, specify drill option F for freestanding, otherwise connection detail will be exposed.

Cabinets include angle bracket to side support worksurfaces except when drill option "F" for freestanding selected.

Cabinets drilled for locks, keying instructions must accompany order.


See page 7 for finish options applicable.

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, FF lower front, open interior back 	49"h left	49"	24"	19"	ACEL4924 ()()()	\$2,993.	\$4,421.	\$4,818.	\$6,265.
		49"	30"	19"	ACEL4930 ()()()	3,224.	4,673.	5,150.	6,693.
		49"	26.5"	19"	ACEL4926 ()()()	3,109.	4,547.	4,985.	6,481.
		49"	32.5"	19"	ACEL4932 ()()()	3,335.	4,801.	5,314.	6,909.
	49"h right	49"	24"	19"	ACER4924 ()()()	2,993.	4,421.	4,818.	6,265.
		49"	30"	19"	ACER4930 ()()()	3,224.	4,673.	5,150.	6,693.
		49"	26.5"	19"	ACER4926 ()()()	3,109.	4,547.	4,985.	6,481.
		49"	32.5"	19"	ACER4932 ()()()	3,335.	4,801.	5,314.	6,909.
	64"h left	64"	24"	19"	ACEL6424 ()()()	3,292.	4,862.	5,301.	6,891.
		64"	30"	19"	ACEL6430 ()()()	3,545.	5,139.	5,662.	7,364.
		64"	26.5"	19"	ACEL6426 ()()()	3,417.	5,003.	5,483.	7,126.
		64"	32.5"	19"	ACEL6432 ()()()	3,668.	5,279.	5,847.	7,602.
	64"h right	64"	24"	19"	ACER6424 ()()()	3,292.	4,862.	5,301.	6,891.
		64"	30"	19"	ACER6430 ()()()	3,545.	5,139.	5,662.	7,364.

left hand shown, shelf aligns with
worksurface at 28 1/4" h overall, or 27" h to
underside


Order Code	Specification Information	Application Notes																																													
Example: ACEL4924SEWV316AA	To order please specify pattern number including:	See page 7 for finish options applicable.																																													
A AutoStrada																																															
C Cabinet																																															
E File/File lower front, Interior back open shelf		Product on this page will accept wood grain laminate where laminate is currently an option.																																													
L Left Hand																																															
49 49" high																																															
24 24" deep																																															
S w/shelf to match cabinet case																																															
E Extruded Aluminum Pull																																															
W Wood interior																																															
V316 Finish, Maple																																															
AA Finish, trim & pull, anodized aluminum																																															
3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.	1. Hand L = User's Left R = User's Right 2. Height 49 = 49" h (for use with medians, bridges or panels, 49" h to below trim, 50.2" h overall) 64 = 64" h (for use with panels 64" h to below trim, 65.2" h overall) 3. Depth 24 = 24" deep (use with 26.5" d unit for side by side cabinet application with panels) 30 = 30" deep (use with 32.5" d unit for side by side cabinet application with panels) 26 = 26.5" deep (use with medians, bridges & panels) 32 = 32.5" deep (use with medians, bridges & panels) 4. Shelf option for open interior side 42" h do not have shelf options 49" h have shelf option 64" h do not have "no" shelf option, shelf included N = No shelf S = Shelf to match case * M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable) 5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull 6. Drawer Interior applicable ACE(L/R) and ACI(L/R) only W = wood interior M = metal drawer interior, deduct \$100 list 7. Finish Laminate, V1, V2 or V3 finish 8. Finish, Aluminum trim (trim, M shelf option & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required. 64" h cabinets include shelf to match case in price list above. Upcharge below applicable as follows for 49" h shelf to match case for L/V1/V2/V3 or AA or paint for aluminum metal shelf for M option for both 49" h and 64" h cabinets. <table> <tr> <td>depth</td><td>L</td><td>V1</td></tr> <tr> <td>24"</td><td>\$ 97</td><td>217</td></tr> <tr> <td>26.5"</td><td>\$102</td><td>223</td></tr> <tr> <td>30"</td><td>\$107</td><td>235</td></tr> <tr> <td>32.5"</td><td>\$113</td><td>239</td></tr> <tr> <td>depth</td><td>V2</td><td>V3</td></tr> <tr> <td>24"</td><td>\$240</td><td>310</td></tr> <tr> <td>26.5"</td><td>\$248</td><td>321</td></tr> <tr> <td>30"</td><td>\$260</td><td>338</td></tr> <tr> <td>32.5"</td><td>\$268</td><td>348</td></tr> <tr> <td>depth</td><td>AA or paint</td><td></td></tr> <tr> <td>24"</td><td>\$296</td><td></td></tr> <tr> <td>26.5"</td><td>\$317</td><td></td></tr> <tr> <td>30"</td><td>\$347</td><td></td></tr> <tr> <td>32.5"</td><td>\$368</td><td></td></tr> </table>	depth	L	V1	24"	\$ 97	217	26.5"	\$102	223	30"	\$107	235	32.5"	\$113	239	depth	V2	V3	24"	\$240	310	26.5"	\$248	321	30"	\$260	338	32.5"	\$268	348	depth	AA or paint		24"	\$296		26.5"	\$317		30"	\$347		32.5"	\$368		When planning with medians and bridges (single station or clusters of stations) specify 49" h cabinets in either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth. When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or back to back stations with panel run perpendicular to two cabinets, you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be. Cabinets with front and back access not to be used in freestanding applications. Cabinet to panel attachment brackets required, see page 179. Cabinets include angle bracket to side support worksurfaces. Cabinets drilled for locks, keying instructions must accompany order. File drawers in cabinet styles prefixed ACIL and ACIR do not accommodate legal filing side to side.
depth	L	V1																																													
24"	\$ 97	217																																													
26.5"	\$102	223																																													
30"	\$107	235																																													
32.5"	\$113	239																																													
depth	V2	V3																																													
24"	\$240	310																																													
26.5"	\$248	321																																													
30"	\$260	338																																													
32.5"	\$268	348																																													
depth	AA or paint																																														
24"	\$296																																														
26.5"	\$317																																														
30"	\$347																																														
32.5"	\$368																																														

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, FF lower front, open interior back	64"h right	64"	26.5"	19"	ACER6426 (X)(X)(X)(X)	\$3,417.	\$5,003.	\$5,483.	\$7,126.
		64"	32.5"	19"	ACER6432 (X)(X)(X)(X)	3,668.	5,279.	5,847.	7,602.



left hand shown, shelf aligns with
workspace at 28 1/4" h overall, or 27" h to
underside

Order Code	Specification Information	Application Notes																																													
Example: ACEL4924SEWV316AA	To order please specify pattern number including:	See page 7 for finish options applicable.																																													
A AutoStrada																																															
C Cabinet																																															
E File/File lower front, Interior back open shelf		Product on this page will accept wood grain laminate where laminate is currently an option.																																													
L Left Hand																																															
49 49" high																																															
24 24" deep																																															
S w/shelf to match cabinet case																																															
E Extruded Aluminum Pull																																															
W Wood interior																																															
V316 Finish, Maple																																															
AA Finish, trim & pull, anodized aluminum																																															
3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.	1. Hand L = User's Left R = User's Right 2. Height 49 = 49"h (for use with medians, bridges or panels, 49"h to below trim, 50.2"h overall) 64 = 64"h (for use with panels 64"h to below trim, 65.2"h overall) 3. Depth 24 = 24" deep (use with 26.5" d unit for side by side cabinet application with panels) 30 = 30" deep (use with 32.5" d unit for side by side cabinet application with panels) 26 = 26.5" deep (use with medians, bridges & panels) 32 = 32.5" deep (use with medians, bridges & panels) 4. Shelf option for open interior side 42"h do not have shelf options 49"h have shelf option 64"h do not have "no" shelf option, shelf included N = No shelf S = Shelf to match case * M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable) 5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull 6. Drawer Interior applicable ACE(L/R) and ACI(L/R) only W = wood interior M = metal drawer interior, deduct \$100 list 7. Finish Laminate, V1, V2 or V3 finish 8. Finish, Aluminum trim (trim, M shelf option & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required. 64"h cabinets include shelf to match case in price list above. Upcharge below applicable as follows for 49"h shelf to match case for L/V1/V2/V3 or AA or paint for aluminum metal shelf for M option for both 49"h and 64"h cabinets. <table> <tr> <td>depth</td><td>L</td><td>V1</td></tr> <tr> <td>24"</td><td>\$ 97</td><td>217</td></tr> <tr> <td>26.5"</td><td>\$102</td><td>223</td></tr> <tr> <td>30"</td><td>\$107</td><td>235</td></tr> <tr> <td>32.5"</td><td>\$113</td><td>239</td></tr> <tr> <td>depth</td><td>V2</td><td>V3</td></tr> <tr> <td>24"</td><td>\$240</td><td>310</td></tr> <tr> <td>26.5"</td><td>\$248</td><td>321</td></tr> <tr> <td>30"</td><td>\$260</td><td>338</td></tr> <tr> <td>32.5"</td><td>\$268</td><td>348</td></tr> <tr> <td>depth</td><td>AA or paint</td><td></td></tr> <tr> <td>24"</td><td>\$296</td><td></td></tr> <tr> <td>26.5"</td><td>\$317</td><td></td></tr> <tr> <td>30"</td><td>\$347</td><td></td></tr> <tr> <td>32.5"</td><td>\$368</td><td></td></tr> </table>	depth	L	V1	24"	\$ 97	217	26.5"	\$102	223	30"	\$107	235	32.5"	\$113	239	depth	V2	V3	24"	\$240	310	26.5"	\$248	321	30"	\$260	338	32.5"	\$268	348	depth	AA or paint		24"	\$296		26.5"	\$317		30"	\$347		32.5"	\$368		When planning with medians and bridges (single station or clusters of stations) specify 49"h cabinets in either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth. When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or back to back stations with panel run perpendicular to two cabinets, you then need to specify one 24"d with one 26.5"d or 30"d with one 32.5" d cabinet to go side by side or back to back as the case may be. Cabinets with front and back access not to be used in freestanding applications. Cabinet to panel attachment brackets required, see page 179. Cabinets include angle bracket to side support worksurfaces. Cabinets drilled for locks, keying instructions must accompany order. File drawers in cabinet styles prefixed ACIL and ACIR do not accommodate legal filing side to side.
depth	L	V1																																													
24"	\$ 97	217																																													
26.5"	\$102	223																																													
30"	\$107	235																																													
32.5"	\$113	239																																													
depth	V2	V3																																													
24"	\$240	310																																													
26.5"	\$248	321																																													
30"	\$260	338																																													
32.5"	\$268	348																																													
depth	AA or paint																																														
24"	\$296																																														
26.5"	\$317																																														
30"	\$347																																														
32.5"	\$368																																														

description	hand	h	w	d	pattern no.	L	V1	V2	V3
 left hand shown, shelf aligns with work surface at 28 1/4" h overall, or 27" h to underside	49"h left	49"	24"	19"	ACFL4924() () ()	\$2,650.	\$3,837.	\$4,341.	\$5,645.
		49"	30"	19"	ACFL4930() () ()	2,850.	4,053.	4,641.	6,030.
		49"	26.5"	19"	ACFL4926() () ()	2,750.	3,945.	4,492.	5,838.
		49"	32.5"	19"	ACFL4932() () ()	2,953.	4,166.	4,791.	6,225.
	49"h right	49"	24"	19"	ACFR4924() () ()	2,650.	3,837.	4,341.	5,645.
		49"	30"	19"	ACFR4930() () ()	2,850.	4,053.	4,641.	6,030.
		49"	26.5"	19"	ACFR4926() () ()	2,750.	3,945.	4,492.	5,838.
		49"	32.5"	19"	ACFR4932() () ()	2,953.	4,166.	4,791.	6,225.
	64"h left	64"	24"	19"	ACFL6424() () ()	2,914.	4,221.	4,774.	6,205.
		64"	30"	19"	ACFL6430() () ()	3,138.	4,461.	5,100.	6,636.
		64"	26.5"	19"	ACFL6426() () ()	3,024.	4,339.	4,939.	6,421.
		64"	32.5"	19"	ACFL6432() () ()	3,247.	4,581.	5,269.	6,847.
	64"h right	64"	24"	19"	ACFR6424() () ()	2,914.	4,221.	4,774.	6,205.
		64"	30"	19"	ACFR6430() () ()	3,138.	4,461.	5,100.	6,636.

Order Code

Example:	ACEL4924SEWV316AA
A	AutoStrada
C	Cabinet
E	File/File lower front, Interior back open shelf
L	Left Hand
49	49" high
24	24" deep
S	w/shelf to match cabinet case
E	Extruded Aluminum Pull
W	Wood interior
V316	Finish, Maple
AA	Finish, trim & pull, anodized aluminum

3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.

Specification Information

To order please specify pattern number including:

- Hand
L = User's Left
R = User's Right
- Height
49 = 49"h (for use with medians, bridges or panels, 49"h to below trim, 50.2"h overall)
64 = 64"h (for use with panels 64"h to below trim, 65.2"h overall)
- Depth
24 = 24" deep (use with 26.5" d unit for side by side cabinet application with panels)
30 = 30" deep (use with 32.5" d unit for side by side cabinet application with panels)
26 = 26.5" deep (use with medians, bridges & panels)
32 = 32.5" deep (use with medians, bridges & panels)
- Shelf option for open interior side
42"h do not have shelf options
49"h have shelf option
64"h do not have "no" shelf option, shelf included
N = No shelf
S = Shelf to match case *
M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable)
- Pull
E = extruded aluminum pull
P = extruded aluminum protruding pull

- Drawer Interior
applicable ACE(L/R) and ACI(L/R) only
W = wood interior
M = metal drawer interior, deduct \$100 list
- Finish
Laminate, V1, V2 or V3 finish
- Finish, Aluminum trim (trim, M shelf option & pull)
AA - Anodized aluminum or painted finish option from page 7 excluding silver

Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.

64"h cabinets include shelf to match case in price list above. Upcharge below applicable as follows for 49"h shelf to match case for L/V1/V2/V3 or AA or paint for aluminum metal shelf for M option for both 49"h and 64"h cabinets.

depth	L	V1
24"	\$ 97	217
26.5"	\$102	223
30"	\$107	235
32.5"	\$113	239
depth	V2	V3
24"	\$240	310
26.5"	\$248	321
30"	\$260	338
32.5"	\$268	348
depth	AA or paint	
24"	\$296	
26.5"	\$317	
30"	\$347	
32.5"	\$368	

Application Notes

See page 7 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option.

When planning with medians and bridges (single station or clusters of stations) specify 49"h cabinets in either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth.

When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or back to back stations with panel run perpendicular to two cabinets, you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be.


Cabinets with front and back access not to be used in freestanding applications.

Cabinet to panel attachment brackets required, see page 179.

Cabinets include angle bracket to side support work surfaces. Cabinets drilled for locks, keying instructions must accompany order.

File drawers in cabinet styles prefixed ACIL and ACIR do not accommodate legal filing side to side.

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, HD lower front, open interior back	64"h right	64"	26.5"	19"	ACFR6426 () () ()	\$3,024.	\$4,339.	\$4,939.	\$6,421.
		64"	32.5"	19"	ACFR6432 () () ()	3,247.	4,581.	5,269.	6,847.




left hand shown, shelf aligns with
worksurface at 28 1/4" overall, or 27" h to
underside

Order Code	Specification Information	Application Notes																																													
Example: ACEL4924SEWV316AA	To order please specify pattern number including:	See page 7 for finish options applicable.																																													
A AutoStrada																																															
C Cabinet																																															
E File/File lower front, Interior back open shelf		Product on this page will accept wood grain laminate where laminate is currently an option.																																													
L Left Hand																																															
49 49" high																																															
24 24" deep																																															
S w/shelf to match cabinet case																																															
E Extruded Aluminum Pull																																															
W Wood interior																																															
V316 Finish, Maple																																															
AA Finish, trim & pull, anodized aluminum																																															
	1. Hand L = User's Left R = User's Right 2. Height 49 = 49"h (for use with medians, bridges or panels, 49"h to below trim, 50.2"h overall) 64 = 64"h (for use with panels 64"h to below trim, 65.2"h overall) 3. Depth 24 = 24" deep (use with 26.5" d unit for side by side cabinet application with panels) 30 = 30" deep (use with 32.5" d unit for side by side cabinet application with panels) 26 = 26.5" deep (use with medians, bridges & panels) 32 = 32.5" deep (use with medians, bridges & panels) 4. Shelf option for open interior side 42"h do not have shelf options 49"h have shelf option 64"h do not have "no" shelf option, shelf included N = No shelf S = Shelf to match case * M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable) 5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull 6. Drawer Interior applicable ACE(L/R) and ACI(L/R) only W = wood interior M = metal drawer interior, deduct \$100 list 7. Finish Laminate, V1, V2 or V3 finish 8. Finish, Aluminum trim (trim, M shelf option & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required. 64"h cabinets include shelf to match case in price list above. Upcharge below applicable as follows for 49"h shelf to match case for L/V1/V2/V3 or AA or paint for aluminum metal shelf for M option for both 49"h and 64"h cabinets. <table> <tr> <td>depth</td><td>L</td><td>V1</td></tr> <tr> <td>24"</td><td>\$ 97</td><td>217</td></tr> <tr> <td>26.5"</td><td>\$102</td><td>223</td></tr> <tr> <td>30"</td><td>\$107</td><td>235</td></tr> <tr> <td>32.5"</td><td>\$113</td><td>239</td></tr> <tr> <td>depth</td><td>V2</td><td>V3</td></tr> <tr> <td>24"</td><td>\$240</td><td>310</td></tr> <tr> <td>26.5"</td><td>\$248</td><td>321</td></tr> <tr> <td>30"</td><td>\$260</td><td>338</td></tr> <tr> <td>32.5"</td><td>\$268</td><td>348</td></tr> <tr> <td>depth</td><td>AA or paint</td><td></td></tr> <tr> <td>24"</td><td>\$296</td><td></td></tr> <tr> <td>26.5"</td><td>\$317</td><td></td></tr> <tr> <td>30"</td><td>\$347</td><td></td></tr> <tr> <td>32.5"</td><td>\$368</td><td></td></tr> </table>	depth	L	V1	24"	\$ 97	217	26.5"	\$102	223	30"	\$107	235	32.5"	\$113	239	depth	V2	V3	24"	\$240	310	26.5"	\$248	321	30"	\$260	338	32.5"	\$268	348	depth	AA or paint		24"	\$296		26.5"	\$317		30"	\$347		32.5"	\$368		When planning with medians and bridges (single station or clusters of stations) specify 49"h cabinets in either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth. When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or back to back stations with panel run perpendicular to two cabinets, you then need to specify one 24"d with one 26.5"d or 30"d with one 32.5" d cabinet to go side by side or back to back as the case may be. Cabinets with front and back access not to be used in freestanding applications. Cabinet to panel attachment brackets required, see page 179. Cabinets include angle bracket to side support worksurfaces. Cabinets drilled for locks, keying instructions must accompany order. File drawers in cabinet styles prefixed ACIL and ACIR do not accommodate legal filing side to side.
depth	L	V1																																													
24"	\$ 97	217																																													
26.5"	\$102	223																																													
30"	\$107	235																																													
32.5"	\$113	239																																													
depth	V2	V3																																													
24"	\$240	310																																													
26.5"	\$248	321																																													
30"	\$260	338																																													
32.5"	\$268	348																																													
depth	AA or paint																																														
24"	\$296																																														
26.5"	\$317																																														
30"	\$347																																														
32.5"	\$368																																														

3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, 49"h Personal wardrobe and storage	left	49"	30"	19"	ACIL4930()()()	\$4,257.	\$6,203.	\$6,748.	\$8,713.
		49"	32.5"	19"	ACIL4932()()()	4,497.	6,478.	7,092.	9,169.
	right	49"	30"	19"	ACIR4930()()()	4,257.	6,203.	6,748.	8,713.
		49"	32.5"	19"	ACIR4932()()()	4,497.	6,478.	7,092.	9,169.



left hand shown, attach perpendicular to panel at back right side

Left hand = wardrobe on left front side

Right hand = wardrobe on right front side

wardrobe includes coat rod

supports worksurface on back side at 28 1/4" overall or 27"h to underside of worksurface


49"h I style cabinets do not have shelf above box drawer on back side access

File drawers (front side) do not accommodate side to side legal filing

Order Code	Specification Information	Application Notes
Example: ACEL4924SEWV316AA	To order please specify pattern number including:	See page 7 for finish options applicable.
A AutoStrada	1. Hand	Product on this page will accept wood grain laminate where laminate is currently an option.
C Cabinet	<i>L = User's Left</i>	
E File/File lower front, Interior back open shelf	<i>R = User's Right</i>	
L Left Hand	2. Height	When planning with medians and bridges (single station or clusters of stations) specify 49"h cabinets in either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth.
49 49" high	49 = 49"h (for use with medians, bridges or panels, 49"h to below trim, 50.2"h overall)	
24 24" deep	64 = 64"h (for use with panels 64"h to below trim, 65.2"h overall)	When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or back to back stations with panel run perpendicular to two cabinets, you then need to specify one 24"d with one 26.5"d or 30"d with one 32.5" d cabinet to go side by side or back to back as the case may be.
S w/shelf to match cabinet case	3. Depth	Cabinets with front and back access not to be used in freestanding applications.
E Extruded Aluminum Pull	24 = 24" deep (use with 26.5"d unit for side by side cabinet application with panels)	Cabinet to panel attachment brackets required, see page 179.
W Wood interior	30 = 30" deep (use with 32.5"d unit for side by side cabinet application with panels)	Cabinets include angle bracket to side support worksurfaces. Cabinets drilled for locks, keying instructions must accompany order.
V316 Finish, Maple	26 = 26.5" deep (use with medians, bridges & panels)	File drawers in cabinet styles prefixed ACIL and ACIR do not accommodate legal filing side to side.
AA Finish, trim & pull, anodized aluminum	32 = 32.5" deep (use with medians, bridges & panels)	
	4. Shelf option for open interior side	
	42"h do not have shelf options	
	49"h have shelf option	
	64"h do not have "no" shelf option, shelf included	
	<i>N = No shelf</i>	
	<i>S = Shelf to match case *</i>	
	<i>M = Two piece extruded aluminum metal shelf assembly *</i>	
	(*upcharge applicable)	
	5. Pull	
	E = extruded aluminum pull	
	P = extruded aluminum protruding pull	
	6. Drawer Interior	
	applicable ACE(L/R) and ACI(L/R) only	
	W = wood interior	
	M = metal drawer interior, deduct \$100 list	
	7. Finish	
	Laminate, V1, V2 or V3 finish	
	8. Finish, Aluminum trim (trim, M shelf option & pull)	
	AA - Anodized aluminum or painted finish option from page 7 excluding silver	
	Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.	
	64"h cabinets include shelf to match case in price list above. Upcharge below applicable as follows for 49"h shelf to match case for L/V1/V2/V3 or AA or paint for aluminum metal shelf for M option for both 49"h and 64"h cabinets.	
	depth L V1	
	24" \$ 97 217	
	26.5" \$102 223	
	30" \$107 235	
	32.5" \$113 239	
	depth V2 V3	
	24" \$240 310	
	26.5" \$248 321	
	30" \$260 338	
	32.5" \$268 348	
	depth AA or paint	
	24" \$296	
	26.5" \$317	
	30" \$347	
	32.5" \$368	

3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, 64"h Personal wardrobe and storage	left	64"	30"	19"	ACIL6430 () () () ()	\$4,273.	\$6,251.	\$6,853.	\$8,910.
		64"	32.5"	19"	ACIL6432 () () () ()	4,587.	6,600.	7,309.	9,499.
	right	64"	30"	19"	ACIR6430 () () () ()	4,273.	6,251.	6,853.	8,910.
		64"	32.5"	19"	ACIR6432 () () () ()	4,587.	6,600.	7,309.	9,499.



left hand shown, attach perpendicular to panel at back right side

Left hand = wardrobe on left front side


Right hand = wardrobe on right front side


supports worksurface on back side at 28 1/4" overall, 27"h to underside of worksurface

wardrobe includes coat rod

File drawers (front side) do not accommodate side to side legal filing

Order Code	Specification Information	Application Notes																																													
Example: ACEL4924SEWV316AA	To order please specify pattern number including:	See page 7 for finish options applicable.																																													
A AutoStrada																																															
C Cabinet																																															
E File/File lower front, Interior back open shelf		Product on this page will accept wood grain laminate where laminate is currently an option.																																													
L Left Hand																																															
49 49" high																																															
24 24" deep																																															
S w/shelf to match cabinet case																																															
E Extruded Aluminum Pull																																															
W Wood interior																																															
V316 Finish, Maple																																															
AA Finish, trim & pull, anodized aluminum																																															
3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.	1. Hand L = User's Left R = User's Right 2. Height 49 = 49"h (for use with medians, bridges or panels, 49"h to below trim, 50.2"h overall) 64 = 64"h (for use with panels 64"h to below trim, 65.2"h overall) 3. Depth 24 = 24" deep (use with 26.5"d unit for side by side cabinet application with panels) 30 = 30" deep (use with 32.5"d unit for side by side cabinet application with panels) 26 = 26.5" deep (use with medians, bridges & panels) 32 = 32.5" deep (use with medians, bridges & panels) 4. Shelf option for open interior side 42"h do not have shelf options 49"h have shelf option 64"h do not have "no" shelf option, shelf included N = No shelf S = Shelf to match case * M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable) 5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull 6. Drawer Interior applicable ACE(L/R) and ACI(L/R) only W = wood interior M = metal drawer interior, deduct \$100 list 7. Finish Laminate, V1, V2 or V3 finish 8. Finish, Aluminum trim (trim, M shelf option & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required. 64"h cabinets include shelf to match case in price list above. Upcharge below applicable as follows for 49"h shelf to match case for L/V1/V2/V3 or AA or paint for aluminum metal shelf for M option for both 49"h and 64"h cabinets. <table> <tr> <td>depth</td><td>L</td><td>V1</td></tr> <tr> <td>24"</td><td>\$ 97</td><td>217</td></tr> <tr> <td>26.5"</td><td>\$102</td><td>223</td></tr> <tr> <td>30"</td><td>\$107</td><td>235</td></tr> <tr> <td>32.5"</td><td>\$113</td><td>239</td></tr> <tr> <td>depth</td><td>V2</td><td>V3</td></tr> <tr> <td>24"</td><td>\$240</td><td>310</td></tr> <tr> <td>26.5"</td><td>\$248</td><td>321</td></tr> <tr> <td>30"</td><td>\$260</td><td>338</td></tr> <tr> <td>32.5"</td><td>\$268</td><td>348</td></tr> <tr> <td>depth</td><td>AA or paint</td><td></td></tr> <tr> <td>24"</td><td>\$296</td><td></td></tr> <tr> <td>26.5"</td><td>\$317</td><td></td></tr> <tr> <td>30"</td><td>\$347</td><td></td></tr> <tr> <td>32.5"</td><td>\$368</td><td></td></tr> </table>	depth	L	V1	24"	\$ 97	217	26.5"	\$102	223	30"	\$107	235	32.5"	\$113	239	depth	V2	V3	24"	\$240	310	26.5"	\$248	321	30"	\$260	338	32.5"	\$268	348	depth	AA or paint		24"	\$296		26.5"	\$317		30"	\$347		32.5"	\$368		When planning with medians and bridges (single station or clusters of stations) specify 49"h cabinets in either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth. When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or back to back stations with panel run perpendicular to two cabinets, you then need to specify one 24"d with one 26.5"d or 30"d with one 32.5" d cabinet to go side by side or back to back as the case may be. Cabinets with front and back access not to be used in freestanding applications. Cabinet to panel attachment brackets required, see page 179. Cabinets include angle bracket to side support worksurfaces. Cabinets drilled for locks, keying instructions must accompany order. File drawers in cabinet styles prefixed ACIL and ACIR do not accommodate legal filing side to side.
depth	L	V1																																													
24"	\$ 97	217																																													
26.5"	\$102	223																																													
30"	\$107	235																																													
32.5"	\$113	239																																													
depth	V2	V3																																													
24"	\$240	310																																													
26.5"	\$248	321																																													
30"	\$260	338																																													
32.5"	\$268	348																																													
depth	AA or paint																																														
24"	\$296																																														
26.5"	\$317																																														
30"	\$347																																														
32.5"	\$368																																														


description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, FFF and HD above (49"h) 	left	49"	24"	19"	ACGL4924() () () ()	\$3,395.	\$4,719.	\$5,315.	\$6,913.
		49"	30"	19"	ACGL4930() () () ()	3,511.	4,859.	5,592.	7,267.
		49"	26.5"	19"	ACGL4926() () () ()	3,453.	4,789.	5,455.	7,091.
		49"	32.5"	19"	ACGL4932() () () ()	3,569.	4,927.	5,727.	7,446.
	right	49"	24"	19"	ACGR4924() () () ()	3,395.	4,719.	5,315.	6,913.
		49"	30"	19"	ACGR4930() () () ()	3,511.	4,859.	5,592.	7,267.
		49"	26.5"	19"	ACGR4926() () () ()	3,453.	4,789.	5,455.	7,091.
		49"	32.5"	19"	ACGR4932() () () ()	3,569.	4,927.	5,727.	7,446.
inside clearance behind hinged doors approx 9 1/4"h									

Storage anchored cabinet, FFF and HD above (64"h) 	left	64"	24"	19"	ACGL6424() () () ()	3,563.	4,954.	5,584.	7,259.
		64"	30"	19"	ACGL6430() () () ()	3,687.	5,100.	5,871.	7,630.
		64"	26.5"	19"	ACGL6426() () () ()	3,625.	5,028.	5,727.	7,446.
		64"	32.5"	19"	ACGL6432() () () ()	3,747.	5,172.	6,016.	7,816.
	right	64"	24"	19"	ACGR6424() () () ()	3,563.	4,954.	5,584.	7,259.
		64"	30"	19"	ACGR6430() () () ()	3,687.	5,100.	5,871.	7,630.
		64"	26.5"	19"	ACGR6426() () () ()	3,625.	5,028.	5,727.	7,446.
		64"	32.5"	19"	ACGR6432() () () ()	3,747.	5,172.	6,016.	7,816.


64"h includes adjustable shelf behind hinged doors, doors must be removed to adjust shelf

Order Code	Specification Information	Application Notes
Example: ACGL4924EDWV316AA	To order please specify pattern number including:	Products listed on this page are for use with panel based stations or freestanding applications. Not to be used with median based storage anchored planning model.
A AutoStrada	6. Interior option <i>W</i> = wood drawer interior <i>M</i> = metal drawer interior, deduct \$200 list	
C Cabinet	7. Finish <i>L</i> = laminate, <i>V1</i> , <i>V2</i> or <i>V3</i> finish	Product on this page will accept wood grain laminate where laminate is currently an option.
G File drawers w/Hinged doors above	8. Finish, Metal Shelves (if applicable) (paint finish or anodized aluminum two piece assembly)	
L Left Hand	9. Finish, Aluminum trim (trim & pull) <i>AA</i> - Anodized aluminum or painted finish option from page 7 excluding silver	When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand with stations back to back with panel run perpendicular to two cabinets you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be.
49 49" high	Hinged doors above feature touch latches and do not lock.	
24 24" deep	File drawers are drilled for locks, keying instructions must accompany order.	Cabinet to panel attachment brackets required, see page 179
E Extruded Aluminum Pull	Cabinets include angle brackets to side support worksurfaces perpendicular to cabinet except when drill option "F" for freestanding selected.	
D Drilled to anchor		
W Wood interior		
V316 Finish, Maple		
AA Finish, trim & pull, anodized aluminum		

3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, 49"h bookcase w/metal shelves 	left	49"	24"	19"	ACHL4924M () () ()	\$2,117.	\$2,886.	\$3,319.	\$3,987.
		49"	30"	19"	ACHL4930M () () ()	2,292.	3,121.	3,591.	4,312.
		49"	26.5"	19"	ACHL4926M () () ()	2,206.	3,004.	3,457.	4,147.
		49"	32.5"	19"	ACHL4932M () () ()	2,377.	3,240.	3,726.	4,474.
	right	49"	24"	19"	ACHR4924M () () ()	2,117.	2,886.	3,319.	3,987.
		49"	30"	19"	ACHR4930M () () ()	2,292.	3,121.	3,591.	4,312.
		49"	26.5"	19"	ACHR4926M () () ()	2,206.	3,004.	3,457.	4,147.
		49"	32.5"	19"	ACHR4932M () () ()	2,377.	3,240.	3,726.	4,474.



left hand shown

Storage anchored cabinet, 64"h bookcase w/metal shelves 	left	64"	24"	19"	ACHL6424M () () ()	2,226.	3,035.	3,487.	4,183.
		64"	30"	19"	ACHL6430M () () ()	2,407.	3,277.	3,770.	4,524.
		64"	26.5"	19"	ACHL6426M () () ()	2,317.	3,154.	3,627.	4,352.
		64"	32.5"	19"	ACHL6432M () () ()	2,498.	3,402.	3,913.	4,696.
	right	64"	24"	19"	ACHR6424M () () ()	2,226.	3,035.	3,487.	4,183.
		64"	30"	19"	ACHR6430M () () ()	2,407.	3,277.	3,770.	4,524.
		64"	26.5"	19"	ACHR6426M () () ()	2,317.	3,154.	3,627.	4,352.
		64"	32.5"	19"	ACHR6432M () () ()	2,498.	3,402.	3,913.	4,696.

left hand shown

Order Code	Specification Information	Application Notes	
Example: ACGL4924EDWV316AA	To order please specify pattern number including:		
A AutoStrada	1. Hand (applicable for personal wardrobe & storage units only) L = wardrobe on left R = wardrobe on right	6. Interior option W = wood drawer interior M = metal drawer interior, deduct \$200 list	Products listed on this page are for use with panel based stations or freestanding applications. Not to be used with median based storage anchored planning model.
C Cabinet	2. Height 49 = 49" h (where applicable, 49" h to below trim, 50.2" h overall) 64 = 64" h (64" h to below trim, 65.2" h overall)	7. Finish Laminate, V1, V2 or V3 finish	
G File drawers w/Hinged doors above	3. Depth 24 = 24" deep (use with one 26.5" d for side by side or freestanding) 30 = 30" deep (use with one 32.5" d for side by side or freestanding) 26 = 26.5" deep (use with panels) 32 = 32.5" deep (use with panels)	8. Finish, Metal Shelves (if applicable) (paint finish or anodized aluminum two piece assembly)	Product on this page will accept wood grain laminate where laminate is currently an option.
L Left Hand	4. Pull (where applicable) E = Extruded aluminum pull P = Extruded aluminum protruding pull	9. Finish, Aluminum trim (trim & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver	
49 49" high	5. Drill option, applicable only for 24" and 30" deep units D = drilled to anchor to panel F = no drill, freestanding	Hinged doors above feature touch latches and do not lock.	When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand with stations back to back with panel run perpendicular to two cabinets you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be.
24 24" deep		File drawers are drilled for locks, keying instructions must accompany order.	
E Extruded Aluminum Pull		Cabinets include angle brackets to side support worksurfaces perpendicular to cabinet except when drill option "F" for freestanding selected.	Cabinet to panel attachment brackets required, see page 179
D Drilled to anchor			
W Wood interior			
V316 Finish, Maple			
AA Finish, trim & pull, anodized aluminum			
3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.			


3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.

description	hand	h	w	d	pattern no.	L	V1	V2	V3	
Storage anchored cabinet, 49"h bookcase w/shelves  left hand shown	left	49"	24"	19"	ACHL4924W()()	\$2,525.	\$3,618.	\$4,119.	\$5,357.	
		49"	30"	19"	ACHL4930W()()	2,630.	3,769.	4,290.	5,575.	
		49"	26.5"	19"	ACHL4926W()()	2,570.	3,686.	4,192.	5,453.	
		49"	32.5"	19"	ACHL4932W()()	2,668.	3,827.	4,351.	5,659.	
	right	49"	24"	19"	ACHR4924W()()	2,525.	3,618.	4,119.	5,357.	
		49"	30"	19"	ACHR4930W()()	2,630.	3,769.	4,290.	5,575.	
		49"	26.5"	19"	ACHR4926W()()	2,570.	3,686.	4,192.	5,453.	
		49"	32.5"	19"	ACHR4932W()()	2,668.	3,827.	4,351.	5,659.	
	shelves same as case finish									
	Storage anchored cabinet, 64"h bookcase w/shelves  left hand shown	left	64"	24"	19"	ACHL6424W()()	2,786.	3,993.	4,546.	5,908.
			64"	30"	19"	ACHL6430W()()	2,909.	4,173.	4,745.	6,174.
			64"	26.5"	19"	ACHL6426W()()	2,837.	4,072.	4,634.	6,021.
64"			32.5"	19"	ACHL6432W()()	2,958.	4,244.	4,831.	6,277.	
right		64"	24"	19"	ACHR6424W()()	2,786.	3,993.	4,546.	5,908.	
		64"	30"	19"	ACHR6430W()()	2,909.	4,173.	4,745.	6,174.	
		64"	26.5"	19"	ACHR6426W()()	2,837.	4,072.	4,634.	6,021.	
		64"	32.5"	19"	ACHR6432W()()	2,958.	4,244.	4,831.	6,277.	
shelves same as case finish										

Order Code	Specification Information	Application Notes
Example: ACGL4924EDWV316AA	To order please specify pattern number including:	Products listed on this page are for use with panel based stations or freestanding applications. Not to be used with median based storage anchored planning model.
A AutoStrada	6. Interior option W = wood drawer interior M = metal drawer interior, deduct \$200 list	
C Cabinet	7. Finish Laminate, V1, V2 or V3 finish	Product on this page will accept wood grain laminate where laminate is currently an option.
G File drawers w/Hinged doors above	8. Finish, Metal Shelves (if applicable) (paint finish or anodized aluminum two piece assembly)	
L Left Hand	9. Finish, Aluminum trim (trim & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver	When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand with stations back to back with panel run perpendicular to two cabinets you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be.
49 49" high	Hinged doors above feature touch latches and do not lock.	
24 24" deep	File drawers are drilled for locks, keying instructions must accompany order.	Cabinet to panel attachment brackets required, see page 179
E Extruded Aluminum Pull	Cabinets include angle brackets to side support worksurfaces perpendicular to cabinet except when drill option "F" for freestanding selected.	
D Drilled to anchor		
W Wood interior		
V316 Finish, Maple		
AA Finish, trim & pull, anodized aluminum		


3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.

description	type	pattern no.	49" h	64" h	list
Bracket kit, cabinet to panel attachment top and bottom connection for single cabinet attachment to panel run		A3CPBS () ()	\$131.	\$138.	



kit includes hookstrip connector (not shown)

Bracket kit, cabinet to panel attachment top and bottom connection for use with two cabinets side by side or back to back attached perpendicular to panel run	left	A3CPBDL () ()	236.	247.
	right	A3CPBDR () ()	236.	247.



Left hand shown, (kit includes hookstrip
connector not shown)


Note - one of the two cabinets should be 2.5" wider or deeper (width or depth dimension depending on style of cabinet) than the other

Order Code	Specification Information	Application Notes
Example: A3CPBS4	<i>To order please specify pattern number including:</i>	Bracket kits for use when attaching storage anchored cabinets to panels; kit includes top and bottom bracket as shown and ships with hookstrip connector. Please be sure to specify height to correspond with cabinet and panel height. When one cabinet perpendicular to panel run, use S bracket; when two cabinets are side by side and perpendicular to panel run, use D bracket.
A3 AutoStrada, generation3	1. Hand (if applicable) <i>L = left hand attachment R = right hand attachment</i>	Brackets are NOT to be used with Reff stacking modules. Only use for cabinet to panel attachment (panel and cabinet at same height) or with cabinet to panel plus window modules (overall at same height).
CPB Cabinet to Panel bracket	2. Hookstrip connector height <i>2 = for 42" h cabinet to panel connection 4 = for 49" h cabinet to panel connection 6 = for 64" h cabinet to panel connection</i>	Painted finish 613 used when AA trim finish specified.
S Single	3. Finish <i>Painted finish options only from page7</i>	
4 With 49" h hookstrip connector		
() Finish		


description	type	d	pattern no.	list
Worksurface to cabinet trim		24"	AWTCT24 ()	\$106.
		30"	AWTCT30 ()	119.
Slatwall end trim, use w/SA "D" cabinets	2 pc trim kit		ATSCD19 ()	139.
Note: for use with ACD style storage anchored cabinets when slatwall adjacent to cabinet				

Order Code	Specification Information	Application Notes
Example: AWTCT24AA	<i>To order please specify pattern number including:</i>	Aluminum spacer optional to fill 1/8" gap at worksurface and storage anchored cabinet connection in AS-2 storage anchored panel based planning. Trim piece installed at worksurface level and rests on side support bracket to cabinet.
A	AutoStrada	
W	Worksurface	
TC	to Cabinet	
T	Trim	
24	24" d worksurface	
AA	Finish, anodized aluminum	



description	type	h	w	d	pattern no.	L	V1	V2	V3
File drawers (2) with open wood shelves above		70"	30"	24"	ACJ722WE () ()	\$3,568.	\$4,926.	\$5,725.	\$7,440.
		70"	36"	24"	ACJ723WE () ()	3,674.	5,073.	5,895.	7,663.



File drawers (3) with open wood shelves above		84"	30"	24"	ACJ822WE () ()	4,175.	5,761.	6,695.	8,706.
		84"	36"	24"	ACJ823WE () ()	4,300.	5,934.	6,896.	8,967.



Order Code	Specification Information	Application Notes
Example: ACKL722WEV316AAAA	<i>To order please specify pattern number including:</i>	
A AutoStrada		
C Cabinet		
K Wardrobe/Open bookcase	1. Hand (applicable for units with wardrobes only) <i>L = wardrobe on left</i> <i>R = wardrobe on right</i>	
L Left Hand	2. Height <i>7 = 70" h</i> <i>8 = 84" h</i>	
7 70" high	3. Width <i>2 = 30" wide</i> <i>3 = 36" wide</i>	
2 24" deep	4. Interior & shelf <i>W = wood drawer interior and wood shelves</i> <i>M = wood drawer interior and metal shelves</i>	
2 30" wide	5. Extruded aluminum pull <i>E = extruded aluminum pull (default)</i>	
W Wood interior	6. Finish <i>Laminate, V1, V2 or V3 finish</i>	
E Extruded Aluminum Pull	7. Finish, Metal Shelves (if applicable) (paint finish or anodized aluminum three piece assembly)	Cabinets on this page are styled for the private office and include aluminum feet detail which is optional addition to lower storage beginning on page 191. Specify 70" h cabinets for use with single high overhead storage and 84" h cabinets for use with double high overhead storage.
V316 Finish, Maple	8. Finish, Aluminum trim (trim & if pull) <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	
AA Finish, trim & pull, anodized aluminum	9. Finish, cabinet feet <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	Hinged doors feature touch latches and do not lock. Sliding doors do not lock. File drawers dilled for locks, keying instructions must accompany order.
AA Finish, cabinet feet, anodized alum	See page 7 for finish options applicable. Product on this page will accept wood grain laminate where laminate is currently an option.	Coat rod included in wardrobes.

description	type	h	w	d	pattern no.	L	V1	V2	V3
	metal shelves	70"	30"	24"	ACL722M () () ()	\$3,064.	\$4,148.	\$4,356.	\$5,661.
		70"	36"	24"	ACL723M () () ()	3,240.	4,367.	4,585.	5,963.
		84"	30"	24"	ACL822M () () ()	3,412.	4,586.	4,815.	6,262.
		84"	36"	24"	ACL823M () () ()	3,585.	4,806.	5,048.	6,562.
	wood shelves	70"	30"	24"	ACL722W () () ()	2,453.	3,340.	3,844.	4,994.
		70"	36"	24"	ACL723W () () ()	2,591.	3,514.	4,073.	5,293.
		84"	30"	24"	ACL822W () () ()	2,730.	3,689.	4,302.	5,593.
		84"	36"	24"	ACL823W () () ()	2,871.	3,864.	4,529.	5,890.
	left hand	70"	30"	24"	ACKL722WE () () ()	3,317.	4,758.	5,318.	6,914.
		70"	36"	24"	ACKL723WE () () ()	3,482.	4,995.	5,584.	7,259.
		84"	30"	24"	ACKL822WE () () ()	3,482.	4,995.	5,584.	7,259.
		84"	36"	24"	ACKL823WE () () ()	3,602.	5,167.	5,777.	7,508.
	<i>left hand = wardrobe on left side facing cabinet (1/3rd of width)</i>								
	right hand	70"	30"	24"	ACKR722WE () () ()	3,317.	4,758.	5,318.	6,914.
		70"	36"	24"	ACKR723WE () () ()	3,482.	4,995.	5,584.	7,259.
		84"	30"	24"	ACKR822WE () () ()	3,482.	4,995.	5,584.	7,259.
		84"	36"	24"	ACKR823WE () () ()	3,602.	5,167.	5,777.	7,508.
	<i>right hand = wardrobe on right side facing cabinet (1/3rd of width)</i>								

left hand shown


Order Code	Specification Information	Application Notes
Example: ACKL722WEV316AAAA	To order please specify pattern number including:	
A AutoStrada	1. Hand (applicable for units with wardrobes only) <i>L = wardrobe on left</i> <i>R = wardrobe on right</i>	6. Finish <i>Laminate, V1, V2 or V3 finish</i>
C Cabinet	2. Height <i>7 = 70" h</i> <i>8 = 84" h</i>	7. Finish, Metal Shelves (if applicable) (paint finish or anodized aluminum three piece assembly)
K Wardrobe/Open bookcase	3. Width <i>2 = 30" wide</i> <i>3 = 36" wide</i>	8. Finish, Aluminum trim (trim & if pull) <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>
L Left Hand	4. Interior & shelf <i>W = wood drawer interior and wood shelves</i> <i>M = wood drawer interior and metal shelves</i>	9. Finish, cabinet feet <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>
7 70" high	5. Extruded aluminum pull <i>E = extruded aluminum pull (default)</i>	See page 7 for finish options applicable.
2 24" deep		Product on this page will accept wood grain laminate where laminate is currently an option.
2 30" wide		
W Wood interior		
E Extruded Aluminum Pull		
V316 Finish, Maple		
AA Finish, trim & pull, anodized aluminum		
AA Finish, cabinet feet, anodized alum		

Cabinets on this page are styled for the private office and include aluminum feet detail which is optional addition to lower storage beginning on page 191. Specify 70" h cabinets for use with single high overhead storage and 84" h cabinets for use with double high overhead storage.

Hinged doors feature touch latches and do not lock. Sliding doors do not lock. File drawers dilled for locks, keying instructions must accompany order.


Coat rod included in wardrobes.

description	type	h	w	d	pattern no.	L	V1	V2	V3
Wardrobe w/sliding door open bookcase w/wood shelves	left hand	70"	30"	24"	ACMWL722 () () ()	\$3,523.	\$4,802.	\$5,525.	\$7,181.
		70"	36"	24"	ACMWL723 () () ()	3,699.	5,041.	5,800.	7,542.
		84"	30"	24"	ACMWL822 () () ()	3,810.	5,167.	5,991.	7,788.
		84"	36"	24"	ACMWL823 () () ()	3,991.	5,395.	6,289.	8,176.
	right hand	70"	30"	24"	ACMWR722 () () ()	3,523.	4,802.	5,525.	7,181.
		70"	36"	24"	ACMWR723 () () ()	3,699.	5,041.	5,800.	7,542.
		84"	30"	24"	ACMWR822 () () ()	3,810.	5,167.	5,991.	7,788.
		84"	36"	24"	ACMWR823 () () ()	3,991.	5,395.	6,289.	8,176.



left hand shown

Wardrobe w/sliding door open bookcase w/metal shelves	left hand	70"	30"	24"	ACMML722 () () ()	3,758.	5,059.	5,781.	7,439.
		70"	36"	24"	ACMML723 () () ()	3,963.	5,330.	6,089.	7,831.
		84"	30"	24"	ACMML822 () () ()	4,103.	5,488.	6,313.	8,109.
		84"	36"	24"	ACMML823 () () ()	4,314.	5,749.	6,643.	8,530.
	right hand	70"	30"	24"	ACMMR722 () () ()	3,758.	5,059.	5,781.	7,439.
		70"	36"	24"	ACMMR723 () () ()	3,963.	5,330.	6,089.	7,831.
		84"	30"	24"	ACMMR822 () () ()	4,103.	5,488.	6,313.	8,109.
		84"	36"	24"	ACMMR823 () () ()	4,314.	5,749.	6,643.	8,530.



left hand shown


Order Code	Specification Information	Application Notes
Example: ACKL722WEV316AAAA	To order please specify pattern number including:	
A AutoStrada	1. Hand (applicable for units with wardrobes only) L = wardrobe on left R = wardrobe on right	6. Finish Laminate, V1, V2 or V3 finish
C Cabinet	2. Height 7 = 70" h 8 = 84" h	7. Finish, Metal Shelves (if applicable) (paint finish or anodized aluminum three piece assembly)
K Wardrobe/Open bookcase	3. Width 2 = 30" wide 3 = 36" wide	8. Finish, Aluminum trim (trim & if pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver
L Left Hand	4. Interior & shelf W = wood drawer interior and wood shelves M = wood drawer interior and metal shelves	9. Finish, cabinet feet AA - Anodized aluminum or painted finish option from page 7 excluding silver
7 70" high	5. Extruded aluminum pull E = extruded aluminum pull (default)	See page 7 for finish options applicable.
2 24" deep		Product on this page will accept wood grain laminate where laminate is currently an option.
2 30" wide		
W Wood interior		
E Extruded Aluminum Pull		
V316 Finish, Maple		
AA Finish, trim & pull, anodized aluminum		
AA Finish, cabinet feet, anodized alum		

Cabinets on this page are styled for the private office and include aluminum feet detail which is optional addition to lower storage beginning on page 191. Specify 70" h cabinets for use with single high overhead storage and 84" h cabinets for use with double high overhead storage.

Hinged doors feature touch latches and do not lock. Sliding doors do not lock. File drawers dilled for locks, keying instructions must accompany order.

Coat rod included in wardrobes.

description	type	h	w	d	pattern no.	L	V1	V2	V3
Full wardrobe		70"	30"	24"	ACW722() ()	\$3,301.	\$4,646.	\$5,301.	\$6,893.
		70"	36"	24"	ACW723() ()	3,468.	4,880.	5,566.	7,234.
		84"	30"	24"	ACW822() ()	3,468.	4,880.	5,566.	7,234.
		84"	36"	24"	ACW823() ()	3,585.	5,045.	5,758.	7,487.




Touch latch only, no pulls/no lock; includes coat rod.

Order Code	Specification Information	Application Notes
Example: ACKL722WEV316AAAA	<i>To order please specify pattern number including:</i>	
A AutoStrada		
C Cabinet		
K Wardrobe/Open bookcase	1. Hand (applicable for units with wardrobes only) <i>L = wardrobe on left</i> <i>R = wardrobe on right</i>	
L Left Hand	2. Height <i>7 = 70" high</i> <i>8 = 84" high</i>	
7 70" high	3. Width <i>2 = 30" wide</i> <i>3 = 36" wide</i>	
2 24" deep	4. Interior & shelf <i>W = wood drawer interior and wood shelves</i> <i>M = wood drawer interior and metal shelves</i>	
2 30" wide	5. Extruded aluminum pull <i>E = extruded aluminum pull (default)</i>	
W Wood interior	6. Finish <i>Laminate, V1, V2 or V3 finish</i>	
E Extruded Aluminum Pull	7. Finish, Metal Shelves (if applicable) (paint finish or anodized aluminum three piece assembly)	Cabinets on this page are styled for the private office and include aluminum feet detail which is optional addition to lower storage beginning on page 191. Specify 70" high cabinets for use with single high overhead storage and 84" high cabinets for use with double high overhead storage.
V316 Finish, Maple	8. Finish, Aluminum trim (trim & if pull) <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	
AA Finish, trim & pull, anodized aluminum	9. Finish, cabinet feet <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	Hinged doors feature touch latches and do not lock. Sliding doors do not lock. File drawers drilled for locks, keying instructions must accompany order.
AA Finish, cabinet feet, anodized alum	See page 7 for finish options applicable. Product on this page will accept wood grain laminate where laminate is currently an option.	Coat rod included in wardrobes.


Freestanding Cabinets for open plan use with metal case pedestals

AutoStrada

description	h	w	d	pattern no.	lam. case P1/P2/P3 front	lam. case lam front	lam. case V1 front	lam. case V2 front	lam. case V3 front	ven. case V1 front	ven. case V2 front	ven. case V3 front
Freestanding cabinet, 48"h	48"	24"	24"	AAV1 4824 S2D1F () () () ()	\$3,072.	\$2,983.	\$3,327.	\$3,419.	\$4,026.	\$4,033.	\$4,702.	\$6,364.
	48"	30"	24"	AAV1 4830 S2D1F () () () ()	3,219.	3,119.	3,456.	3,576.	4,278.	4,144.	4,920.	6,902.



Freestanding cabinet, 64"h	64"	24"	24"	AAV1 6424 S2D2F () () () ()	3,327.	3,216.	3,600.	3,649.	4,440.	4,572.	5,280.	7,306.
	64"	30"	24"	AAV1 6430 S2D2F () () () ()	3,511.	3,379.	3,758.	3,841.	4,759.	4,668.	5,584.	7,977.




Order Code	Specification Information	Application Notes
Example: AAV1 4824 S2D1F L 118 P 613 AA	<i>To order please specify pattern number including:</i>	Freestanding cabinets for open plan are designed to match drawer fronts of AutoStrada metal pedestals in heights and thickness. Doors have 5 1/2" wide protruding pull and drawers have full width pulls. Cabinets are wood construction with 1 1/2" telescoping glides to match pedestals.
AAV1 Freestanding cabinet	L Lock	48"H cabinets have 2 doors over 1 file.
48 Height	N No lock	64"H cabinets have 2 doors over 2 files.
24 Width	Case finish (laminate or veneer only)	Files are full extension steel drawers that accept suspended legal file folders side to side. File bars are included to also support suspended letter or A4 side to side or front to back. File drawers are not bottom loadable.
S Depth	Front type	Cabinets are laminate case and top with painted, laminate or veneer fronts, or all veneer case and fronts.
2D Two door	L Laminate	
1F One file	P Paint	
L With lock	V Veneer	
118 Case finish	Front finish code	
P Front type	Pull finish (AA only)	
613 Front finish		
AA Pull finish		

Metal case


Pedestals

Floorstanding

description	type	width	depth	height	pattern number	P1/P2 front	P3 front	L front	V1 front	V2 front	V3 front
Floorstanding pedestal	personal/data/file	15"	17"	27"	ASFS1PDF18 () () ()	\$1,253.	\$1,313.	\$1,211.	\$1,620.	\$1,669.	\$1,811.
		15"	23"	27"	ASFS1PDF24 () () ()	1,356.	1,423.	1,327.	1,690.	1,738.	1,888.
	file/file	15"	17"	27"	ASFS1FF18 () () ()	1,069.	1,124.	1,068.	1,408.	1,486.	1,631.
		15"	23"	27"	ASFS1FF24 () () ()	1,161.	1,218.	1,164.	1,471.	1,554.	1,703.



Floorstanding pedestal Double wide	personal/data/file	30"	17"	27"	ASFS1WPDF30 () () ()	1,784.	1,873.	1,784.	2,145.	2,411.	3,137.
		36"	17"	27"	ASFS1WPDF36 () () ()	2,180.	2,291.	2,180.	2,630.	2,963.	3,850.
	file/file	30"	17"	27"	ASFS1WFF30 () () ()	1,550.	1,628.	1,550.	1,867.	2,099.	2,724.
		36"	17"	27"	ASFS1WFF36 () () ()	1,896.	1,992.	1,896.	2,289.	2,577.	3,349.
	data/file	30"	17"	23"	ASFS1WDF30 () () ()	1,474.	1,547.	1,474.	1,772.	1,991.	2,590.
		36"	17"	23"	ASFS1WDF36 () () ()	1,803.	1,892.	1,803.	2,175.	2,449.	3,181.
	2 door	30"	17"	27"	ASFS1WDD30 () () ()	1,550.	1,628.	1,550.	1,867.	2,099.	2,724.
		36"	17"	27"	ASFS1WDD36 () () ()	1,896.	1,992.	1,896.	2,289.	2,577.	3,349.




Order Code	Specification Information	Application Notes
Example: ASFS1 FF18 111 P 114 AA	All pedestals include front lock with KnollKey lock system. Personal drawer is 4"h. Data drawer is 7"h. File drawers are 11"h. Deep file drawers include file support for letter (width) or legal (depth) suspended file folders. All drawers have full extension, ball bearing drawer slides.	Floorstanding pedestals include levelling glides and closed top with 1" spacer to support one end of a worksurface at 27"h to underside of worksurface. 18"d pedestals fit under any worksurface with standard stiffener. Deep floorstanding pedestals fit under worksurfaces with worksurface stiffener 18" less than nominal width.
ASFS1 Autostrada floorstanding pedestal		
FF Configuration	<i>Please specify painted finish for case or fronts from paint finish options; front finish also optional from laminate, V1, V2 or V3 finish options listed on page 7.</i>	Pedestals may not be used in freestanding applications.
18 Depth		
111 Finish for case		
P Finish type for fronts		
114 Finish for fronts		
AA Finish for pulls	Pulls are available in anodized aluminum or painted finish options listed on page 7 excluding silver.	The metal case pedestals come with a 1"h board spacer that installs between the case and the worksurface it is supporting. The tops of the pedestals are drilled to accept the attachment screws.

Metal case

Pedestals

Mobile

AutoStrada


description	type	width	depth	height	pattern number	P1/P2 front	P3 front	L front	V1 front	V2 front	V3 front	
	Mobile pedestal	Standard - data/file	15"	17"	22"	ASMS1 DF18 () () ()	\$1,057.	\$1,107.	\$1,068.	\$1,425.	\$1,521.	\$1,584.
		Deep - data/file	15"	23"	22"	ASMS1 DF24 () () ()	1,194.	1,256.	1,205.	1,635.	1,737.	1,803.
		Standard - personal/data/file	15"	17"	26 1/2"	ASMS1 PDF18 () () ()	1,231.	1,295.	1,205.	1,622.	1,669.	1,805.
		Deep - personal/data/file	15"	23"	26 1/2"	ASMS1 PDF24 () () ()	1,369.	1,439.	1,342.	1,841.	1,890.	2,044.
		Standard - file/file	15"	17"	26 1/2"	ASMS1 FF18 () () ()	1,114.	1,170.	1,115.	1,494.	1,573.	1,584.
		Deep - file/file	15"	23"	26 1/2"	ASMS1 FF24 () () ()	1,255.	1,315.	1,259.	1,635.	1,718.	1,872.
Mobile pedestal, open top	Standard - data/file	15"	17"	22"	ASMS1 DFO18 () () ()	997.	1,050.	1,006.	1,386.	1,484.	1,542.	
		Deep - data/file	15"	23"	22"	ASMS1 DFO24 () () ()	1,126.	1,181.	1,130.	1,585.	1,685.	1,754.

Order Code	Specification Information	Application Notes
Example: ASMS1 FF18 111 P 114 AA		
ASMS1 Autostrada mobile pedestal	All pedestals include front lock with KnollKey lock system. Personal drawer is 4"H. Data drawer is 7"H. File drawers are 11"H. Deep file drawers include file support for letter (width) or legal (depth) suspended file folders. All drawers have full extension, ball bearing drawer slides. <i>Please specify painted finish for case or fronts from paint finish options: front finish also optional from laminate, V1, V2 or V3 finish options listed on page 7.</i> Pulls are available in anodized aluminum or painted finish options listed on page 7 excluding silver.	Mobile pedestals are independent storage components with locking casters and pull. Standard mobile pedestals roll under worksurfaces set at 28" or higher. Deep mobile pedestals with two files or personal/data/file will not fit under stiffener of universal worksurface or desk set at 29" or lower. Specify data/file mobile pedestal under worksurfaces adjusted lower than 28"H.
FF Configuration		
18 Depth		
111 Finish for case		
P Finish type for fronts		
114 Finish for fronts		
AA Finish for pulls		

Metal case
Pedestals
Accessories
cushion - fabric

AutoStrada


description	type	width	depth	pattern number	A	com B	C	D	E	F	G	H	I
Cushion	Deep	15"	23"	AS1 DPAD ()	\$248.	\$278.	\$325.	\$340.	\$373.	\$405.	\$449.	\$495.	\$513.
	Standard	15"	17"	AS1 SPAD ()	201.	231.	264.	278.	295.	325.	355.	405.	418.



Order Code	Specification Information	Application Notes
Example: AS1 SPAD		
AS1 Pedestal	There is a \$77 upcharge on CAL133 backing on the cushion.	Pedestal cushions are for use on open top mobile pedestals.
S Depth	Consult the Currents price list for fabric information and grades	For Customers Own Material (COM) applications, specify .75 yards of fabric for 17 inch deep mobile pedestal seat cushions, and .90 yards for 23 inch deep seat cushion.
PAD Cushion		




Metal case
 Pedestals
 Accessories
 cushion - leather

description	type	width	depth	pattern number	COL U	V	W	X	Y
Cushion	Deep	15"	23"	AS1 DPAD ()	\$495.	\$589.	\$726.	\$760.	\$803.
	Standard	15"	17"	AS1 SPAD ()	387.	464.	572.	589.	619.



Order Code	Specification Information	Application Notes
Example: AS1 SPAD		
AS1 Pedestal	There is a \$105 upcharge for perforated leather.	Pedestal cushions are for use on open top mobile pedestals.
S Depth	Consult the Currents price list for leather information and grades.	For Customers Own Leather (COL) applications, specify 11.5 sq. feet of leather for 17 inch deep mobile pedestal seat cushions, and 14.5 sq. feet for 23 inch deep seat cushion.
PAD Cushion		

Metal case
Pedestals
Accessories
various



description	type	width	depth	height	pattern number	list
Drawer divider 	Personal or data drawer				MD6-BD	\$43.
File support rail	File drawer, set of 2				MD6-FS	15.
Bumper kits for mobile pedestal	21"H pedestal			21"	AS1 BKL	48.
	26"H pedestal			26"	AS1 BKH	58.
Pencil tray 	Personal or data drawer for 16" (letter width) Peds	13 1/4"	5 7/8"	1"	AS2 PT(C)	48.
	Personal or data drawer for 16" (letter width) Peds	13 1/4"	5 7/8"	1"	AS2 PT(N)	41.
Pencil tray adapter 	Use with 19" (Legal width) peds Includes metal adapter tray and plastic pencil tray				RPETAD	89.

Order Code	Specification Information	Application Notes
Example: AS2 PT		
AS2 Pedestal	Pencil tray is molded plastic and is available in black or clear. Black: N Clear: C	Pencil tray sets in top of personal or data drawer. Moveable dividers organize pencils, pens, and paper clips in separate compartments.
PT Pencil tray	Replacement worksurface stiffeners are black painted steel. Bumper kit is trim grey plastic.	Drawer divider mounts in slots in bottom of personal or data drawer. U-shaped divider supports two rows of four CDs with titles visible in data drawer. File support spans width of file drawer to support side-to-side letter or legal width suspended files.

Wood or laminate case

Pedestals, wood drawer interiors

AutoStrada


description	type	h	w	d	pattern no.	L	V1	V2	V3
	19" deep	26"	16"	19"	AFPB10(E/P)(W)() ()	\$1,494.	\$1,767.	\$1,990.	\$2,579.
		26"	19"	19"	AFPB11(E/P)(W)() ()	1,494.	1,767.	1,990.	2,579.
	23" deep	26"	16"	23"	AFPB20(E/P)(W)() ()	1,641.	1,940.	2,185.	2,832.
		26"	19"	23"	AFPB21(E/P)(W)() ()	1,641.	1,940.	2,185.	2,832.
	29" deep	26"	16"	29"	AFPB30(E/P)(W)() ()	1,887.	2,228.	2,508.	3,255.
		26"	19"	29"	AFPB31(E/P)(W)() ()	1,887.	2,228.	2,508.	3,255.
	19" deep	26"	16"	19"	AFPF10(E/P)(W)() ()	1,392.	1,641.	1,850.	2,404.
		26"	19"	19"	AFPF11(E/P)(W)() ()	1,392.	1,641.	1,850.	2,404.
		26"	30"	19"	AFPF12(E/P)(W)() ()	1,797.	2,118.	2,380.	3,096.
		26"	36"	19"	AFPF13(E/P)(W)() ()	2,197.	2,598.	2,925.	3,800.
		26"	42"	19"	AFPF14(E/P)(W)() () *	2,695.	3,186.	3,594.	4,673.
	23" deep	26"	16"	23"	AFPF20(E/P)(W)() ()	1,599.	1,888.	2,128.	2,764.
		26"	19"	23"	AFPF21(E/P)(W)() ()	1,599.	1,888.	2,128.	2,764.
		26"	30"	23"	AFPF22(E/P)(W)() ()	2,061.	2,434.	2,741.	3,559.
		26"	36"	23"	AFPF23(E/P)(W)() ()	2,528.	2,987.	3,366.	4,374.
		26"	42"	23"	AFPF24(E/P)(W)() () *	3,100.	3,663.	4,134.	5,374.
	29" deep	26"	16"	29"	AFPF30(E/P)(W)() ()	1,840.	2,172.	2,446.	3,178.
		26"	19"	29"	AFPF31(E/P)(W)() ()	1,840.	2,172.	2,446.	3,178.

Order Code	Specification Information	Application Notes	
Example: AFPB21EWV316AA	To order please specify pattern number including:		
A AutoStrada	1. Pedestal type (embedded in pattern number) <i>F = Floor standing</i> <i>M = Mobile</i>	5. Pull <i>E = extruded aluminum pull</i> <i>P = extruded aluminum protruding pull</i>	Actual depth nominal plus 3/8", finished back adds 1/2" (see page 196 for backs). Mobile pedestal includes finished back. All pedestals on this page include a finished sub-top and anti-tip spacer. Height to underside of worksurface including anti-tip spacer is 27"h. Optional work surface stand-offs (to use in place of anit-tip spacer) are specified separately from page 268.
F Floor standing	2. Pedestal configuration <i>B = BBF (floorstanding) or BF (mobile)</i> <i>F = File/File</i>	6. Interior <i>W = wood drawer interior</i>	
P Pedestal	3. Depth (nominal) <i>1 = 19" deep</i> <i>2 = 23" deep</i> <i>3 = 29" deep *</i> (*available only in 16" or 19" widths)	7. Finish <i>Laminate, V1, V2 or V3 finish</i>	
B Box/Box/File configuration	4. Width <i>0 = 16" wide (nominal)</i> <i>1 = 19" wide (nominal)</i> <i>2 = 30" wide (nominal)</i> <i>3 = 36" wide (nominal)</i> <i>4 = 42" wide (nominal)</i>	8. Finish, pull <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	
2 23" deep (nominal)		See page 7 for finish options applicable.	19" wide (nominal) units accommodate legal filing front to back. File bars included to accommodate letter filing front to back. 30", 36" and 42" wide units include file bars to accommodate legal and letter filing front to back and side to side.
1 19" wide (nominal)		Product on this page will accept wood grain laminate where laminate is currently an option.	
E Extruded aluminum pull		Note: Optional cabinet feet are recommended when pedestals used in free-standing applications to achieve overall desk height of 29 5/8" (see page 268).	
W Wood interior		Primary finished top required in freestanding applications, ordered separately when item stands alone.	
V316 Finish, Maple		Wood pencil tray included with BBF pedestals.	File drawers are bottom loadable for 30" and 36" only. * 42" are not bottom loadable.
AA Finish, pull (anodized aluminum)			Note: 42" wide pedestals, require 4 counter weights. Pedestals drilled for locks, keying instructions must accompany order.

Wood or laminate case

Pedestals, wood drawer interiors

AutoStrada



description	type	h	w	d	pattern no.	L	V1	V2	V3
Counterweight (for file/file configurations when used in single use freestanding applications)					RCOUNTWT	\$109.			
 Mobile ped, BF	19" deep	21 3/4"	16"	19"	AMPB10(E/P)(W)() ()	2,020.	2,383.	2,684.	3,489.
		21 3/4"	19"	19"	AMPB11(E/P)(W)() ()	2,020.	2,383.	2,684.	3,489.
	23" deep	21 3/4"	16"	23"	AMPB20(E/P)(W)() ()	2,323.	2,738.	3,090.	4,015.
		21 3/4"	19"	23"	AMPB21(E/P)(W)() ()	2,323.	2,738.	3,090.	4,015.

Order Code	Specification Information	Application Notes	
Example: AFPB21EWV316AA	To order please specify pattern number including:		
A AutoStrada	1. Pedestal type (embedded in pattern number) <i>F = Floor standing</i> <i>M = Mobile</i>	5. Pull <i>E = extruded aluminum pull</i> <i>P = extruded aluminum protruding pull</i>	Actual depth nominal plus 3/8", finished back adds 1/2" (see page 196 for backs). Mobile pedestal includes finished back. All pedestals on this page include a finished sub-top and anti-tip spacer. Height to underside of worksurface including anti-tip spacer is 27"h. Optional work surface stand-offs (to use in place of anit-tip spacer) are specified separately from page 268.
F Floor standing	2. Pedestal configuration <i>B = BBF (floorstanding) or BF (mobile)</i> <i>F = File/File</i>	6. Interior <i>W = wood drawer interior</i>	
P Pedestal	3. Depth (nominal) <i>1 = 19" deep</i> <i>2 = 23" deep</i> <i>3 = 29" deep *</i> (*available only in 16" or 19" widths)	7. Finish <i>Laminate, V1, V2 or V3 finish</i>	
B Box/Box/File configuration	4. Width <i>0 = 16" wide (nominal)</i> <i>1 = 19" wide (nominal)</i> <i>2 = 30" wide (nominal)</i> <i>3 = 36" wide (nominal)</i> <i>4 = 42" wide (nominal)</i>	8. Finish, pull <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	
2 23" deep (nominal)		See page 7 for finish options applicable.	19" wide (nominal) units accommodate legal filing front to back. File bars included to accommodate letter filing front to back. 30", 36" and 42" wide units include file bars to accommodate legal and letter filing front to back and side to side.
1 19" wide (nominal)		Product on this page will accept wood grain laminate where laminate is currently an option.	
E Extruded aluminum pull		Note: Optional cabinet feet are recommended when pedestals used in free-standing applications to achieve overall desk height of 29 5/8" (see page 268).	
W Wood interior		Primary finished top required in freestanding applications, ordered separately when item stands alone.	
V316 Finish, Maple		Wood pencil tray included with BBF pedestals.	
AA Finish, pull (anodized aluminum)			

Wood or laminate case

Pedestals, metal drawer interiors


AutoStrada

description	type	h	w	d	pattern no.	L	V1	V2	V3	
	19" deep	26"	16"	19"	AFPB10(E/P)(M)() ()	\$1,356.	\$1,611.	\$1,833.	\$2,418.	
		26"	19"	19"	AFPB11(E/P)(M)() ()	1,356.	1,611.	1,833.	2,418.	
	23" deep	26"	16"	23"	AFPB20(E/P)(M)() ()	1,500.	1,784.	2,027.	2,669.	
		26"	19"	23"	AFPB21(E/P)(M)() ()	1,500.	1,784.	2,027.	2,669.	
	29" deep	26"	16"	29"	AFPB30(E/P)(M)() ()	1,740.	2,067.	2,346.	3,083.	
		26"	19"	29"	AFPB31(E/P)(M)() ()	1,740.	2,067.	2,346.	3,083.	
		19" deep	26"	16"	19"	AFPF10(E/P)(M)() ()	1,252.	1,487.	1,694.	2,242.
			26"	19"	19"	AFPF11(E/P)(M)() ()	1,252.	1,487.	1,694.	2,242.
26"			30"	19"	AFPF12(E/P)(M)() ()	1,530.	1,820.	2,086.	2,791.	
26"			36"	19"	AFPF13(E/P)(M)() ()	1,924.	2,295.	2,624.	3,489.	
23" deep		26"	16"	23"	AFPF20(E/P)(M)() ()	1,458.	1,730.	1,970.	2,600.	
		26"	19"	23"	AFPF21(E/P)(M)() ()	1,458.	1,730.	1,970.	2,600.	
		26"	30"	23"	AFPF22(E/P)(M)() ()	1,791.	2,132.	2,442.	3,252.	
		26"	36"	23"	AFPF23(E/P)(M)() ()	2,253.	2,681.	3,061.	4,055.	
29" deep		26"	16"	29"	AFPF30(E/P)(M)() ()	1,695.	2,010.	2,283.	3,008.	
		26"	19"	29"	AFPF31(E/P)(M)() ()	1,695.	2,010.	2,283.	3,008.	
Counterweight (for file/file configurations when used in single use freestanding applications)					RCOUNTWT	109.				

Order Code	Specification Information	Application Notes	
Example: AFPB21EMV316AA	To order please specify pattern number including:		
A AutoStrada	1. Pedestal type (embedded in pattern number) <i>F = Floor standing</i> <i>M = Mobile</i>	5. Pull <i>E = extruded aluminum pull</i> <i>P = extruded aluminum protruding pull</i>	Actual depth nominal plus 3/8", finished back adds 1/2" (see page 196 for backs). Mobile pedestal includes finished back. All pedestals on this page include a finished sub-top and anti-tip spacer. Height to underside of worksurface including anti-tip spacer is 27"h. Optional work surface stand-offs (to use in place of anit-tip spacer) are specified separately from page 268.
F Floor standing	2. Pedestal configuration <i>B = BBF (floorstanding) or BF (mobile)</i> <i>F = File/File</i>	6. Interior <i>M = metal drawer interior</i>	
P Pedestal	3. Depth (nominal) <i>1 = 19" deep</i> <i>2 = 23" deep</i> <i>3 = 29" deep *</i> (*available only in 16" or 19" widths)	7. Finish <i>Laminate, V1, V2 or V3 finish</i>	19" wide (nominal) units accommodate legal filing front to back. File bars included to accommodate letter filing front to back. 30", 36" and 42" wide units include file bars to accommodate legal and letter filing front to back and side to side.
B Box/Box/File configuration	4. Width <i>0 = 16" wide (nominal)</i> <i>1 = 19" wide (nominal)</i> <i>2 = 30" wide (nominal)</i> <i>3 = 36" wide (nominal)</i>	8. Finish, pull <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	
2 23" deep (nominal)		See page 7 for finish options applicable.	File drawers are bottom loadable for 30" and 36" only. 42" are not bottom loadable.
1 19" wide (nominal)		Product on this page will accept wood grain laminate where laminate is currently an option.	
E Extruded aluminum pull		Note: Optional cabinet feet are recommended when pedestals used in free-standing applications to achieve overall desk height of 29 5/8" (see page 268).	Pedestals drilled for locks, keying instructions must accompany order.
M Metal interior		Primary finished top required in freestanding applications, ordered separately when item stands alone.	
V316 Finish, Maple		Pencil tray to be ordered separately see page 190.	
AA Finish, pull (anodized aluminum)			

Wood or laminate case
Pedestals, metal drawer interiors

AutoStrada


description	type	h	w	d	pattern no.	L	V1	V2	V3
	19" deep	21 3/4"	16"	19"	AMPB10(E/P)(M)() ()	\$1,904.	\$2,253.	\$2,555.	\$3,350.
		21 3/4"	19"	19"	AMPB11(E/P)(M)() ()	1,904.	2,253.	2,555.	3,350.
	23" deep	21 3/4"	16"	23"	AMPB20(E/P)(M)() ()	2,204.	2,607.	2,954.	3,868.
		21 3/4"	19"	23"	AMPB21(E/P)(M)() ()	2,204.	2,607.	2,954.	3,868.

Order Code	Specification Information	Application Notes	
Example: AFPB21EMV316AA	To order please specify pattern number including:		
A AutoStrada	1. Pedestal type (embedded in pattern number) <i>F</i> = Floor standing <i>M</i> = Mobile	5. Pull <i>E</i> = extruded aluminum pull <i>P</i> = extruded aluminum protruding pull	Actual depth nominal plus 3/8", finished back adds 1/2" (see page 196 for backs). Mobile pedestal includes finished back. All pedestals on this page include a finished sub-top and anti-tip spacer. Height to underside of worksurface including anti-tip spacer is 27"h. Optional work surface stand-offs (to use in place of anit-tip spacer) are specified separately from page 268.
F Floor standing	2. Pedestal configuration <i>B</i> = BBF (floorstanding) or <i>BF</i> (mobile) <i>F</i> = File/File	6. Interior <i>M</i> = metal drawer interior	
P Pedestal	3. Depth (nominal) <i>1</i> = 19" deep <i>2</i> = 23" deep <i>3</i> = 29" deep * (*available only in 16" or 19" widths)	7. Finish <i>L</i> aminate, <i>V</i> 1, <i>V</i> 2 or <i>V</i> 3 finish	
B Box/Box/File configuration	4. Width <i>0</i> = 16" wide (nominal) <i>1</i> = 19" wide (nominal) <i>2</i> = 30" wide (nominal) <i>3</i> = 36" wide (nominal)	8. Finish, pull <i>A</i> nodized aluminum or painted finish options listed on page 11 excluding silver.	
2 23" deep (nominal)		See page 7 for finish options applicable.	19" wide (nominal) units accommodate legal filing front to back. File bars included to accommodate letter filing front to back. 30", 36" and 42" wide units include file bars to accommodate legal and letter filing front to back and side to side.
1 19" wide (nominal)		Product on this page will accept wood grain laminate where laminate is currently an option.	
E Extruded aluminum pull		Note: Optional cabinet feet are recommended when pedestals used in free-standing applications to achieve overall desk height of 29 3/8" (see page 268).	
M Metal interior		Primary finished top required in freestanding applications, ordered separately when item stands alone.	
V316 Finish, Maple		Pencil tray to be ordered separately see page 190.	File drawers are bottom loadable for 30" and 36" only. 42" are not bottom loadable.
AA Finish, pull (anodized aluminum)			Pedestals drilled for locks, keying instructions must accompany order.

Wood or laminate case

Lower storage



AutoStrada

description	type	h	w	d	pattern no.	L	V1	V2	V3
 36" w shown	19" deep	26"	16"	19"	AFPHL10(E/P)(L/N)(W)() ()	\$953.	\$1,101.	\$1,269.	\$1,649.
		26"	16"	19"	AFPHR10(E/P)(L/N)(W)() ()	953.	1,101.	1,269.	1,649.
		26"	19"	19"	AFPHL11(E/P)(L/N)(W)() ()	953.	1,101.	1,269.	1,649.
		26"	19"	19"	AFPHR11(E/P)(L/N)(W)() ()	953.	1,101.	1,269.	1,649.
		26"	30"	19"	AFPH12(E/P)(L/N)(W)() ()	1,134.	1,308.	1,502.	1,955.
		26"	36"	19"	AFPH13(E/P)(L/N)(W)() ()	1,412.	1,634.	1,882.	2,444.
		26"	42"	19"	AFPH14(E/P)(L/N)(W)() ()	1,768.	2,035.	2,349.	3,056.
	23" deep	26"	16"	23"	AFPHL20(E/P)(L/N)(W)() ()	1,096.	1,269.	1,460.	1,896.
		26"	16"	23"	AFPHR20(E/P)(L/N)(W)() ()	1,096.	1,269.	1,460.	1,896.
		26"	19"	23"	AFPHL21(E/P)(L/N)(W)() ()	1,096.	1,269.	1,460.	1,896.
		26"	19"	23"	AFPHR21(E/P)(L/N)(W)() ()	1,096.	1,269.	1,460.	1,896.
		26"	30"	23"	AFPH22(E/P)(L/N)(W)() ()	1,299.	1,505.	1,730.	2,249.
		26"	36"	23"	AFPH23(E/P)(L/N)(W)() ()	1,626.	1,880.	2,161.	2,810.
		26"	42"	23"	AFPH24(E/P)(L/N)(W)() ()	2,032.	2,344.	2,700.	3,510.

Order Code	Specification Information	Application Notes
Example: AFPHL21ELWV316AA	To order please specify pattern number including:	Units on this page include a finished sub-top and anti-tip spacer. Height to underside of worksurface including anti-tip spacer is 27"h. Optional work surface stand-offs (to use in place of anti-tip spacer) are specified separately from page 268.
A AutoStrada	1. Hand (applicable 16" and 19" wide units) <i>L = hinges on left</i> <i>R = hinges on right</i>	Primary finished top required in freestanding applications, ordered separately when item stands alone.
F Floor standing	2. Depth <i>1 = 20" deep</i> <i>2 = 24" deep</i>	Note: Optional cabinet feet are recommended when units used in free-standing applications to achieve overall desk height of 29 ⁵ / ₈ " (see page 268).
P Pedestal	3. Width <i>0 = 16" wide</i> <i>1 = 19" wide</i> <i>2 = 30" wide</i> <i>3 = 36" wide</i> <i>4 = 42" wide</i>	
H Hinged door/open shelf above	4. Pull <i>E = Extruded aluminum pull</i> <i>P = Extruded aluminum protruding pull</i>	
L Left hand	5. Lock option <i>L = drilled for locks</i> <i>N = not drilled for locks</i>	
2 24" deep	6. Interior <i>W = wood interior (only)</i>	
1 19" wide	7. Finish <i>Laminate, V1, V2 or V3 finish</i>	
E Extruded aluminum pull	8. Finish, pull <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	
L Drilled for lock	Optional lock drilled to be specified. If drilled for locks selected, keying instructions must accompany order.	
W Wood interior	See page 7 for finish options applicable.	
V316 Finish, Maple	Product on this page will accept wood grain laminate where laminate is currently an option.	
AA Finish, pull (anodized aluminum)		

Wood or laminate case
Finished backs for lower storage

AutoStrada

description	h	w	thickness	pattern no.	L	V1	V2	V3
	25 1/2"	16"	1/2"	AFB16 ()	\$131.	\$146.	\$169.	\$222.
	25 1/2"	19"	1/2"	AFB19 ()	131.	146.	169.	222.
	25 1/2"	30"	1/2"	AFB30 ()	260.	291.	334.	434.
	25 1/2"	36"	1/2"	AFB36 ()	308.	347.	399.	516.
	25 1/2"	42"	1/2"	AFB42 ()	428.	516.	597.	776.
	25 1/2"	60"	1/2"	AFB60 ()	518.	633.	726.	943.
	25 1/2"	72"	1/2"	AFB72 ()	598.	726.	836.	1,085.
	25 1/2"	84"	1/2"	AFB84 ()	673.	822.	942.	1,226.
	25 1/2"	90"	1/2"	AFB90 ()	714.	869.	996.	1,296.
	25 1/2"	96"	1/2"	AFB96 ()	734.	889.	1,022.	1,329.
Pedestal filler strip	25 1/2"	5"	1/2"	AWCPFS ()	100.	145.	146.	154.
								
Pedestal filler for 3/4 planning	20 3/4"	6"	1/2"	AWCPFS19()	92.	133.	136.	144.
	20 3/4"	16"	1/2"	APBF16	131.	146.	169.	222.
	20 3/4"	19"	1/2"	APBF19	131.	146.	169.	222.
	20 3/4"	30"	1/2"	APBF30	260.	291.	334.	434.
	20 3/4"	36"	1/2"	APBF36	308.	347.	399.	516.

Order Code	Specification Information	Application Notes
Example: AFB19V316	<i>To order please specify pattern number including:</i>	Finished backs are used with lower storage in free-standing applications where the back is exposed. Backs are 1/2" thick. Finished backs also recommended for "ganging" units together when creating build-to-spec credenza units.
A AutoStrada	1. Width	Pedestal filler strip used in lieu of finished back when full back not exposed to finish gap to wall.
FB Finished back	16 = for 16" wide units	
19 19" wide	19 = for 19" wide units	
V316 Finish, Maple	30 = for 30" wide units	
	36 = for 36" wide units	
	42 = for 42" wide units	
	60 = for two 30"w side by side	
	72 = for two 36"w side by side	
	84 = for two 42"w side by side	
	90 = for three 30"w side by side	
	96 = for two 30"w & one 36"w side by side	
	2. Finish	See page 7 for finish options applicable.
	Laminate, V1, V2 or V3 finish	Product on this page will accept wood grain laminate where laminate is currently an option.

Wood or laminate case
Pedestals, Open Access
Wood drawer interior

description	w	d	h	pattern no.	L	V1	V2	V3
 Pedestal, Open Access	30"	19"	20 3/4"	AFPA12()	\$1,025.	\$1,183.	\$1,359.	\$1,835.
	36"	19"	20 3/4"	AFPA13()	1,219.	1,409.	1,624.	2,188.
	30"	23"	20 3/4"	AFPA22()	1,276.	1,480.	1,705.	2,299.
	36"	23"	20 3/4"	AFPA23()	1,525.	1,761.	2,026.	2,736.
 Pedestal, Hinge doors	30"	19"	20 3/4"	AFPHD12(E/P)W()()	1,236.	1,410.	1,604.	2,057.
	36"	19"	20 3/4"	AFPHD13(E/P)W()()	1,515.	1,736.	1,984.	2,546.
	30"	23"	20 3/4"	AFPHD22(E/P)W()()	1,401.	1,607.	1,833.	2,351.
	36"	23"	20 3/4"	AFPHD23(E/P)W()()	1,728.	1,982.	2,263.	2,912.
 Pedestal, (desk height planning) box/file configuration	16"	19"	20 3/4"	AFPR10(E/P)W()()	1,597.	1,835.	2,092.	2,681.
	19"	19"	20 3/4"	AFPR11(E/P)W()()	1,597.	1,835.	2,092.	2,681.
	30"	19"	20 3/4"	AFPR12(E/P)W()()	1,990.	2,287.	2,611.	3,358.
	36"	19"	20 3/4"	AFPR13(E/P)W()()	2,299.	2,650.	3,028.	3,902.
	16"	23"	20 3/4"	AFPR20(E/P)W()()	1,744.	2,005.	2,288.	2,935.
	19"	23"	20 3/4"	AFPR21(E/P)W()()	1,744.	2,005.	2,288.	2,935.
	30"	23"	20 3/4"	AFPR22(E/P)W()()	1,990.	2,287.	2,611.	3,358.
	36"	23"	20 3/4"	AFPR23(E/P)W()()	2,630.	3,031.	3,469.	4,476.

Order Code

Example:	AFPA12()
A	AutoStrada
F	Floor Standing
P	Pedestal
A	Open Access Configuration
1	19" deep
2	30" wide
316	Finish

Specification Information

To order please specify pattern number including:

- Pedestal type (embedded in pattern number)
 A = Open access
 HD = Hinge doors
 R = Box File
- Depth (nominal)
 1 = 19" deep
 2 = 23" deep
- Width (nominal)
 2 = 30" wide
 3 = 36" wide
- Finish:
 Laminate, V1, V2 or V3

Application Notes

Product on this page will accept wood grain laminate where laminate is currently an option.

The open access pedestals are available with Wood interior only.

Wood or laminate case
Pedestals, Open Access
Metal drawer interior

AutoStrada



description	w	d	h	pattern no.	L	V1	V2	V3
Pedestal, (desk height planning) box/file configuration 	16"	19"	20 ³ / ₄ "	AFPR10(E/P)M() ()	\$1,459.	\$1,682.	\$1,935.	\$2,520.
	19"	19"	20 ³ / ₄ "	AFPR11(E/P)M() ()	1,459.	1,682.	1,935.	2,520.
	30"	19"	20 ³ / ₄ "	AFPR12(E/P)M() ()	1,843.	2,129.	2,449.	3,186.
	36"	19"	20 ³ / ₄ "	AFPR13(E/P)M() ()	2,026.	2,352.	2,727.	3,592.
	16"	23"	20 ³ / ₄ "	AFPR20(E/P)M() ()	1,602.	1,851.	2,130.	2,772.
	19"	23"	20 ³ / ₄ "	AFPR21(E/P)M() ()	1,602.	1,851.	2,130.	2,772.
	30"	23"	20 ³ / ₄ "	AFPR22(E/P)M() ()	1,843.	2,129.	2,449.	3,186.
	36"	23"	20 ³ / ₄ "	AFPR23(E/P)M() ()	2,355.	2,732.	3,163.	4,157.

Order Code	Specification Information	Application Notes	
Example: AFPA10(E/P)()W()	<i>To order please specify pattern number including:</i>		
A AutoStrada	1. Pedestal type (embedded in pattern number) A = Open access HD = Hinge doors R = Box File	5. Interior Option: W = Wood M = Metal	Product on this page will accept wood grain laminate where laminate is currently an option.
F Floor Standing	2. Depth (nominal) 1 = 19" deep 2 = 23" deep	6. Pedestal Finish: Laminate, V1, V2 or V3	
P Pedestal	3. Width (nominal) 0 = 16" wide 1 = 19" wide 2 = 30" wide 3 = 36" wide	7. Pull finish: Anodized aluminum or painted finish options, listed on page 10 excluding silver.	The open access pedestals are available with Wood interior only.
R Box / File Configuration	4. Pull E = Extruded P = Extruded aluminum	See page 8 for finish options.	
1 19" deep			
0 16" wide			
E Extruded pull option			
M Metal interior			
V316 Pedestal finish			
AA Pull Finish			

Wood or laminate case
Pedestals, Equipment style, 22³/₄" high
Wood drawer interiors

description	type	h	w	d	pattern no.	L	V1	V2	V3
 Pedestal, Equipment	19" deep	20 ³ / ₄ "	30"	19"	AFPE12(L/R)(E/P)()W()	\$2,249.	\$3,194.	\$3,530.	\$4,212.
		20 ³ / ₄ "	36"	19"	AFPE13(L/R)(E/P)()W()	2,304.	3,260.	3,605.	4,337.
	23" deep	20 ³ / ₄ "	30"	23"	AFPE22(L/R)(E/P)()W()	2,290.	3,252.	3,588.	4,344.
		20 ³ / ₄ "	36"	23"	AFPE23(L/R)(E/P)()W()	2,342.	3,310.	3,679.	4,468.

Order Code	Specification Information	Application Notes
Example: AFPE12(L/R)(E/P)()W()	<i>To order please specify pattern number including:</i>	
A AutoStrada		
F Floor standing		
P Pedestal	1. Pedestal type (<i>embedded in pattern number</i>)	
E Equipment	E = Equipment pedestal	
1 19" deep	2. Depth (nominal)	
2 30" wide	1 = 19" deep	
L Left hand	2 = 23" deep	
E Pull option	3. Width (nominal)	
AA Pull finish	2 = 30" wide	
W Wood interior	3 = 36" wide	
V316 Finish, Maple	4. Hand	
	L = Left hand	
	R = Right hand	
	5. Pull Option	
	E = Extruded	
	P = Extruded Aluminum	
	6. Pull finish	
	Anodized aluminum or painted	
	finish options listed on page	
	9 excluding silver	
	7. Interior	
	W = Wood interior	
	8. Finish:	
	Wood or Laminate	
	<i>See page 7 for finish options applicable</i>	
		Product on this page will accept wood grain laminate where laminate is currently an option.
		The equipment pedestals are available with Wood interior only.

description	w	d	h	pattern no.	L	V1	V2	V3	list
Box shelf, freestanding 	36"	15"	21"	ASBF1 36() ()	\$1,038.	\$1,553.	\$1,792.	\$2,222.	
	42"	15"	21"	ASBF1 42() ()	1,073.	1,591.	1,832.	2,315.	
	48"	15"	21"	ASBF1 48() ()	1,109.	1,630.	1,872.	2,410.	
Box shelf, spine support 	36"	15"	21"	ASBS1 36() () ()	1,038.	1,553.	1,792.	2,222.	
	42"	15"	21"	ASBS1 42() () ()	1,073.	1,591.	1,832.	2,315.	
	48"	15"	21"	ASBS1 48() () ()	1,109.	1,630.	1,872.	2,410.	
Box top	36"	15"		ASBT1 36()					220.
	42"	15"		ASBT1 42()					235.
	48"	15"		ASBT1 48()					249.


Order Code	Specification Information	Application Notes
Example: ASBF1 48 114 AA	<i>To order please specify pattern number including:</i>	Box shelf is an open storage unit for binders or other material. Box shelf has full back, sides and partition which support one 16" wide, adjustable height glass shelf.
AS AutoStrada storage	Box shelf freestanding	Freestanding box shelf includes four clear anodized aluminum or painted legs with leveling glides.
B Box shelf	1. Finish, Case <i>Laminate, V1, V2 or V3</i>	Spine support version includes two legs and two brackets that clamp on to the structural base cover of AutoStrada spine or Currents service wall.
F1 freestanding	2. Finish, Legs <i>Clear anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Box shelf also serves as spine support in place of outrigger. Fixed height end support bracket can be attached behind spine-attached Box shelf.
48 width	3. Finish, Bracket <i>All standard paint finishes</i>	Optional Box top is 1/4" clear tempered glass.
114 case finish	Painted finish options listed on page 7 excluding silver.	
AA leg finish		

Overhead storage, wood cases

Stack-on Overheads (for use with Medians)

open

description	type	sections	h	w	d	pattern no.	L	V1	V2	V3
Stack-on Overhead, Open	binder depth	2	15"	42"	14 1/4"	ASOBO42 () ()	\$1,882.	\$1,964.	\$2,259.	\$2,936.
		2	15"	48"	14 1/4"	ASOBO48 () ()	1,949.	2,036.	2,339.	3,041.
		2	15"	54"	14 1/4"	ASOBO54 () ()	1,973.	2,057.	2,368.	3,077.
		2	15"	60"	14 1/4"	ASOBO60 () ()	1,993.	2,082.	2,395.	3,114.
		2	15"	66"	14 1/4"	ASOBO66 () ()	2,218.	2,315.	2,663.	3,463.
		2	15"	72"	14 1/4"	ASOBO72 () ()	2,445.	2,548.	2,932.	3,810.
		3	15"	78"	14 1/4"	ASOBO78 () ()	2,524.	2,634.	3,028.	3,939.
		3	15"	84"	14 1/4"	ASOBO84 () ()	2,608.	2,719.	3,128.	4,066.
		3	15"	90"	14 1/4"	ASOBO90 () ()	2,688.	2,804.	3,225.	4,193.
		3	15"	96"	14 1/4"	ASOBO96 () ()	2,784.	2,909.	3,342.	4,344.
	legal depth	2	15"	42"	17 1/4"	ASOGO42 () ()	2,032.	2,116.	2,443.	3,172.
		2	15"	48"	17 1/4"	ASOGO48 () ()	2,106.	2,197.	2,526.	3,286.
		2	15"	54"	17 1/4"	ASOGO54 () ()	2,128.	2,223.	2,558.	3,326.
		2	15"	60"	17 1/4"	ASOGO60 () ()	2,153.	2,247.	2,585.	3,363.
		2	15"	66"	17 1/4"	ASOGO66 () ()	2,394.	2,500.	2,877.	3,738.
		2	15"	72"	17 1/4"	ASOGO72 () ()	2,636.	2,750.	3,166.	4,113.
		3	15"	78"	17 1/4"	ASOGO78 () ()	2,725.	2,843.	3,272.	4,255.
		3	15"	84"	17 1/4"	ASOGO84 () ()	2,814.	2,936.	3,377.	4,391.
		3	15"	90"	17 1/4"	ASOGO90 () ()	2,901.	3,028.	3,482.	4,529.
		3	15"	96"	17 1/4"	ASOGO96 () ()	3,006.	3,140.	3,610.	4,695.




96" w shown

Order Code	Specification Information	Application Notes
Example: ASOBO42V316AA	<i>To order please specify pattern number including:</i>	Stack-on overheads, as the description implies "stack-on" median top shelf, please make sure median top shelf depth and overhead depth correspond.
A AutoStrada	1. Depth	Stack-on overheads correspond to interior width of medians and median storage.
S Stack-on	<i>B = Binder depth</i>	
O Overhead	<i>G = Legal depth</i>	
B Binder depth	2. Width	
O Open	3. Finish	NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
42 42" wide	<i>Laminate, V1, V2 or V3</i>	
V316 Finish, Maple	4. Finish, support feet	A certified building contractor should be consulted.
AA Finish, Support feet	<i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Please refer to wall mounting information on page 326 .
	See page 7 for finish options applicable.	
	Product on this page will accept wood grain laminate where laminate is currently an option.	

Overhead storage, wood cases

Stack-on Overheads (for use with Medians)

hinged door

description	type	# drs/locks	h	w	d	pattern no.	L	V1	V2	V3
 96" w shown	binder depth	3/2	15"	42"	15 1/4"	ASOBD42 () ()	\$2,087.	\$2,179.	\$2,508.	\$3,258.
		3/2	15"	48"	15 1/4"	ASOBD48 () ()	2,163.	2,259.	2,596.	3,377.
		3/2	15"	54"	15 1/4"	ASOBD54 () ()	2,187.	2,285.	2,628.	3,417.
		4/2	15"	60"	15 1/4"	ASOBD60 () ()	2,212.	2,312.	2,658.	3,454.
		4/2	15"	66"	15 1/4"	ASOBD66 () ()	2,461.	2,567.	2,956.	3,842.
		4/2	15"	72"	15 1/4"	ASOBD72 () ()	2,713.	2,834.	3,261.	4,240.
		5/3	15"	78"	15 1/4"	ASOBD78 () ()	2,802.	2,923.	3,363.	4,373.
		5/3	15"	84"	15 1/4"	ASOBD84 () ()	2,894.	3,018.	3,470.	4,513.
		6/3	15"	90"	15 1/4"	ASOBD90 () ()	2,987.	3,115.	3,581.	4,657.
		6/3	15"	96"	15 1/4"	ASOBD96 () ()	3,090.	3,229.	3,716.	4,829.
	legal depth	3/2	15"	42"	18 1/4"	ASOGD42 () ()	2,254.	2,353.	2,708.	3,521.
		3/2	15"	48"	18 1/4"	ASOGD48 () ()	2,336.	2,443.	2,804.	3,648.
		3/2	15"	54"	18 1/4"	ASOGD54 () ()	2,363.	2,469.	2,836.	3,690.
		4/2	15"	60"	18 1/4"	ASOGD60 () ()	2,390.	2,496.	2,871.	3,731.
		4/2	15"	66"	18 1/4"	ASOGD66 () ()	2,659.	2,775.	3,193.	4,152.
		4/2	15"	72"	18 1/4"	ASOGD72 () ()	2,929.	3,062.	3,521.	4,580.
		5/3	15"	78"	18 1/4"	ASOGD78 () ()	3,028.	3,155.	3,631.	4,722.
		5/3	15"	84"	18 1/4"	ASOGD84 () ()	3,122.	3,258.	3,747.	4,874.
		6/3	15"	90"	18 1/4"	ASOGD90 () ()	3,226.	3,364.	3,868.	5,030.
		6/3	15"	96"	18 1/4"	ASOGD96 () ()	3,340.	3,487.	4,012.	5,215.

Order Code	Specification Information	Application Notes	
Example: ASOBD42LV316AA	<i>To order please specify pattern number including:</i>	Stack-on overheads, as the description implies “stack-on” median top shelf, please make sure median top shelf depth and overhead depth correspond.	Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.
A AutoStrada	1. Depth <i>B = Binder depth</i> <i>G = Legal depth</i>		
S Stack-on	2. Width		
O Overhead	3. Lock option <i>L = Lock hole drilled</i> <i>N = Not drilled for locks</i>	Hinged doors extend slightly beyond case constrution to allow for easy finger pull access along the bottom. No pulls available.	Stack-on overheads correspond to interior width of medians and median storage.
B Binder depth	4. Finish <i>Laminate, V1, V2 or V3</i>		NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
D Hinged Door	5. Finish, support feet <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>		A certified building contractor should be consulted.
42 42” wide			Please refer to wall mounting information on page326.
L Locking			
V316 Finish, Maple			
AA Finish, support feet			


See page 7 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option.

Overhead storage, wood cases

Stack-on Overheads (for use with Medians)

open / hinged door / open

description	type	locks	h	w	d	pattern no.	L	V1	V2	V3
 96" w shown	binder depth	1	15"	60"	15 1/4"	ASOBT60 () ()	\$2,090.	\$2,185.	\$2,514.	\$3,268.
		1	15"	66"	15 1/4"	ASOBT66 () ()	2,328.	2,430.	2,797.	3,635.
		1	15"	72"	15 1/4"	ASOBT72 () ()	2,565.	2,675.	3,077.	4,002.
		1	15"	78"	15 1/4"	ASOBT78 () ()	2,650.	2,766.	3,181.	4,136.
		1	15"	84"	15 1/4"	ASOBT84 () ()	2,736.	2,854.	3,284.	4,268.
		1	15"	90"	15 1/4"	ASOBT90 () ()	2,821.	2,944.	3,387.	4,401.
		1	15"	96"	15 1/4"	ASOBT96 () ()	2,923.	3,056.	3,510.	4,560.
	legal depth	1	15"	60"	18 1/4"	ASOGT60 () ()	2,261.	2,361.	2,715.	3,533.
		1	15"	66"	18 1/4"	ASOGT66 () ()	2,515.	2,623.	3,019.	3,926.
		1	15"	72"	18 1/4"	ASOGT72 () ()	2,770.	2,888.	3,326.	4,322.
		1	15"	78"	18 1/4"	ASOGT78 () ()	2,861.	2,987.	3,435.	4,469.
		1	15"	84"	18 1/4"	ASOGT84 () ()	2,956.	3,085.	3,549.	4,610.
		1	15"	90"	18 1/4"	ASOGT90 () ()	3,046.	3,180.	3,655.	4,755.
		1	15"	96"	18 1/4"	ASOGT96 () ()	3,156.	3,297.	3,791.	4,926.

Order Code	Specification Information	Application Notes	
Example: ASOBT60LV316AA	<i>To order please specify pattern number including:</i>	Stack-on overheads, as the description implies “stack-on” median top shelf, please make sure median top shelf depth and overhead depth correspond.	Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.
A AutoStrada	1. Depth <i>B = Binder depth</i> <i>G = Legal depth</i>		
S Stack-on	2. Width		Stack-on overheads correspond to interior width of medians and median storage.
O Overhead	3. Lock option <i>L = Lock hole drilled</i> <i>N = Not drilled for locks</i>	Hinged doors extend slightly beyond case constrution to allow for easy finger pull access along the bottom. No pulls available.	
B Binder depth	4. Finish <i>Laminate, V1, V2 or V3</i>		NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
T Open/Hinged Door/Open	5. Finish, support feet <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>		A certified building contractor should be consulted.
60 60” wide			Please refer to wall mounting information on page326.
L Locking			
V316 Finish, Maple			
AA Finish, support feet			


See page 7 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option.

See page 7 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option.

Overhead storage, wood cases
Stack-on Overheads (for use with Medians)
with sliding wood door(s)

description	type	h	w	d	pattern no.	L	V1	V2	V3
 96" w shown	binder depth	15"	42"	15 1/4"	ASOBS42 () ()	\$2,820.	\$3,002.	\$3,796.	\$4,933.
		15"	48"	15 1/4"	ASOBS48 () ()	2,922.	3,114.	3,932.	5,110.
		15"	54"	15 1/4"	ASOBS54 () ()	2,956.	3,149.	3,976.	5,171.
		15"	60"	15 1/4"	ASOBS60 () ()	2,988.	3,183.	4,023.	5,233.
		15"	66"	15 1/4"	ASOBS66 () ()	3,327.	3,539.	4,474.	5,815.
		15"	72"	15 1/4"	ASOBS72 () ()	3,665.	3,896.	4,926.	6,402.
		15"	78"	15 1/4"	ASOBS78 () ()	3,784.	4,028.	5,088.	6,615.
		15"	84"	15 1/4"	ASOBS84 () ()	3,908.	4,159.	5,255.	6,829.
		15"	90"	15 1/4"	ASOBS90 () ()	4,029.	4,293.	5,418.	7,043.
		15"	96"	15 1/4"	ASOBS96 () ()	4,175.	4,449.	5,614.	7,299.
	legal depth	15"	42"	18 1/4"	ASOGS42 () ()	3,045.	3,244.	4,100.	5,330.
		15"	48"	18 1/4"	ASOGS48 () ()	3,156.	3,363.	4,245.	5,519.
		15"	54"	18 1/4"	ASOGS54 () ()	3,193.	3,402.	4,295.	5,582.
		15"	60"	18 1/4"	ASOGS60 () ()	3,227.	3,438.	4,346.	5,649.
		15"	66"	18 1/4"	ASOGS66 () ()	3,592.	3,822.	4,832.	6,283.
		15"	72"	18 1/4"	ASOGS72 () ()	3,955.	4,210.	5,319.	6,914.
		15"	78"	18 1/4"	ASOGS78 () ()	4,087.	4,350.	5,497.	7,144.
		15"	84"	18 1/4"	ASOGS84 () ()	4,220.	4,496.	5,673.	7,376.
		15"	90"	18 1/4"	ASOGS90 () ()	4,352.	4,634.	5,852.	7,604.
		15"	96"	18 1/4"	ASOGS96 () ()	4,511.	4,804.	6,062.	7,882.

Order Code	Specification Information	Application Notes
Example: ASOBS42V316AA	<i>To order please specify pattern number including:</i>	Sliding doors are not available with locks.
A AutoStrada	1. Depth <i>B = Binder depth</i> <i>G = Legal depth</i>	Stack-on overheads, as the description implies "stack-on" median top shelf, please make sure median top shelf depth and overhead depth correspond.
S Stack-on	2. Sliding door material <i>S = wood, same as case</i> <i>R = glass</i>	
O Overhead	3. Width	
B Binder depth	4. Pull option: AR = AutoStrada Radius pull AB = AutoStrada Bar pull	Sliding door pulls included, not visible on image. When AA finish specified pull is complimentary painted match to AA, pull not anodized.
S Open/Sliding (wood) Door	5. Finish <i>Laminate, V1, V2 or V3</i>	
42 42" wide	6. Finish, support feet and pull <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	
AR Radius pull option		
V316 Finish, Maple		
AA Finish, support feet		

See page 7 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option.

Stack-on overheads correspond to interior width of medians and median storage.

NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.


Please refer to wall mounting information on page 326 .

Overhead storage, wood cases

Stack-on Overheads (for use with Medians)

with sliding glass door(s)

description	type	h	w	d	pattern no.	L	V1	V2	V3
Stack-on Overhead, Glass Sliding Door(s)	binder depth	15"	42"	15 1/4"	ASOBR42 () () () ()	\$3,366.	\$3,572.	\$4,450.	\$5,788.
		15"	48"	15 1/4"	ASOBR48 () () () ()	3,486.	3,702.	4,610.	5,994.
		15"	54"	15 1/4"	ASOBR54 () () () ()	3,528.	3,745.	4,664.	6,062.
		15"	60"	15 1/4"	ASOBR60 () () () ()	3,569.	3,787.	4,718.	6,133.
		15"	66"	15 1/4"	ASOBR66 () () () ()	3,970.	4,213.	5,247.	6,821.
		15"	72"	15 1/4"	ASOBR72 () () () ()	4,373.	4,635.	5,776.	7,509.
		15"	78"	15 1/4"	ASOBR78 () () () ()	4,518.	4,794.	5,967.	7,758.
		15"	84"	15 1/4"	ASOBR84 () () () ()	4,665.	4,948.	6,162.	8,009.
		15"	90"	15 1/4"	ASOBR90 () () () ()	4,808.	5,105.	6,353.	8,260.
		15"	96"	15 1/4"	ASOBR96 () () () ()	4,984.	5,292.	6,584.	8,560.
	legal depth	15"	42"	18 1/4"	ASOGR42 () () () ()	3,633.	3,857.	4,807.	6,248.
		15"	48"	18 1/4"	ASOGR48 () () () ()	3,767.	4,001.	4,977.	6,472.
		15"	54"	18 1/4"	ASOGR54 () () () ()	3,811.	4,045.	5,037.	6,550.
		15"	60"	18 1/4"	ASOGR60 () () () ()	3,850.	4,092.	5,096.	6,626.
		15"	66"	18 1/4"	ASOGR66 () () () ()	4,288.	4,548.	5,666.	7,366.
		15"	72"	18 1/4"	ASOGR72 () () () ()	4,721.	5,008.	6,238.	8,108.
		15"	78"	18 1/4"	ASOGR78 () () () ()	4,880.	5,175.	6,445.	8,378.
		15"	84"	18 1/4"	ASOGR84 () () () ()	5,037.	5,345.	6,654.	8,650.
		15"	90"	18 1/4"	ASOGR90 () () () ()	5,195.	5,513.	6,863.	8,921.
		15"	96"	18 1/4"	ASOGR96 () () () ()	5,382.	5,715.	7,109.	9,242.



96" w shown


Order Code	Specification Information	Application Notes
Example: ASOBR42V316GL6AA AA	To order please specify pattern number including:	Sliding doors are not available with locks.
A AutoStrada	1. Depth <i>B = Binder depth</i>	Stack-on overheads, as the description implies "stack-on" median top shelf, please make sure median top shelf depth and overhead depth correspond.
S Stack-on	<i>G = Legal depth</i>	
O Overhead	2. Sliding door material <i>S = wood, same as case</i>	Sliding door pulls included, not visible on image. When AA finish specified pull is complimentary painted match, pull not anodized.
B Binder depth	<i>R = glass</i>	
R Open/Sliding (glass) Door	3. Width	See page 7 for finish options applicable.
42 42" wide	4. Pull option: AR = AutoStrada Radius pull AB = AutoStrada Bar pull	
AR Radius pull option	5. Finish <i>Laminate, V1, V2 or V3</i>	Product on this page will accept wood grain laminate where laminate is currently an option.
V316 Finish, Maple	6. Finish, Glass sliding door <i>TEMP - Clear, tempered</i> <i>GL6 - Block Matrix</i> <i>GL13 - Powder</i> <i>GL11, GL14, GL15, GL17, GL18</i>	
GL6 Glass, Block Matrix	7. Finish, Glass sliding door frame and pull <i>Anodized aluminum or painted finish options listed on page 11 excluding silver.</i>	Stack-on overheads correspond to interior width of medians and median storage. NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 326 .
AA Frame, anodized aluminum	8. Finish, support feet <i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>	
AA Finish, support feet		

Overhead storage, wood cases

Panel hung overheads


open

AutoStrada

description	type	sections	h	w	d	pattern no.	L	V1	V2	V3
 96" w shown	binder depth	2	15"	42"	14 1/4"	A2PHOBO42 ()	\$1,882.	\$1,964.	\$2,259.	\$2,936.
		2	15"	48"	14 1/4"	A2PHOBO48 ()	1,949.	2,036.	2,339.	3,041.
		2	15"	54"	14 1/4"	A2PHOBO54 ()	1,973.	2,057.	2,368.	3,077.
		2	15"	60"	14 1/4"	A2PHOBO60 ()	1,993.	2,082.	2,395.	3,114.
		2	15"	66"	14 1/4"	A2PHOBO66 ()	2,218.	2,315.	2,663.	3,463.
		2	15"	72"	14 1/4"	A2PHOBO72 ()	2,445.	2,548.	2,932.	3,810.
		3	15"	78"	14 1/4"	A2PHOBO78 ()	2,524.	2,634.	3,028.	3,939.
		3	15"	84"	14 1/4"	A2PHOBO84 ()	2,608.	2,719.	3,128.	4,066.
		3	15"	90"	14 1/4"	A2PHOBO90 ()	2,688.	2,804.	3,225.	4,193.
		3	15"	96"	14 1/4"	A2PHOBO96 ()	2,784.	2,909.	3,342.	4,344.
		2	15"	42"	17 1/4"	A2PHOGO42 ()	2,032.	2,116.	2,443.	3,172.
		2	15"	48"	17 1/4"	A2PHOGO48 ()	2,106.	2,197.	2,526.	3,286.
		2	15"	54"	17 1/4"	A2PHOGO54 ()	2,128.	2,223.	2,558.	3,326.
		2	15"	60"	17 1/4"	A2PHOGO60 ()	2,153.	2,247.	2,585.	3,363.
		2	15"	66"	17 1/4"	A2PHOGO66 ()	2,394.	2,500.	2,877.	3,738.
		2	15"	72"	17 1/4"	A2PHOGO72 ()	2,636.	2,750.	3,166.	4,113.
		3	15"	78"	17 1/4"	A2PHOGO78 ()	2,725.	2,843.	3,272.	4,255.
		3	15"	84"	17 1/4"	A2PHOGO84 ()	2,814.	2,936.	3,377.	4,391.
		3	15"	90"	17 1/4"	A2PHOGO90 ()	2,901.	3,028.	3,482.	4,529.
		3	15"	96"	17 1/4"	A2PHOGO96 ()	3,006.	3,140.	3,610.	4,695.

Order Code	Specification Information	Application Notes
Example: APHOBO42V316	<i>To order please specify pattern number including:</i>	Panel hung overhead storage units include hardware to hang unit on panels.
A AutoStrada	1. Depth <i>B = Binder depth</i>	NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
PH Panel hung	<i>G = Legal depth</i>	
O Overhead	2. Width	
B Binder depth	3. Finish <i>Laminate, V1, V2 or V3</i>	A certified building contractor should be consulted. Please refer to wall mounting information on page 326 .
O Open	See page 7 for finish options applicable.	
42 42" wide	Product on this page will accept wood grain laminate where laminate is currently an option.	
V316 Finish, Maple		

Panel hung overheads hinged door

description	type	# drs/locks	h	w	d	pattern no.	L	V1	V2	V3
 96" w shown	binder depth	3/2	15"	42"	15 1/4"	A2PHOBD42 () ()	\$2,087.	\$2,179.	\$2,508.	\$3,258.
		3/2	15"	48"	15 1/4"	A2PHOBD48 () ()	2,163.	2,259.	2,596.	3,377.
		3/2	15"	54"	15 1/4"	A2PHOBD54 () ()	2,187.	2,285.	2,628.	3,417.
		4/2	15"	60"	15 1/4"	A2PHOBD60 () ()	2,212.	2,312.	2,658.	3,454.
		4/2	15"	66"	15 1/4"	A2PHOBD66 () ()	2,461.	2,567.	2,956.	3,842.
		4/2	15"	72"	15 1/4"	A2PHOBD72 () ()	2,713.	2,834.	3,261.	4,240.
		5/3	15"	78"	15 1/4"	A2PHOBD78 () ()	2,802.	2,923.	3,363.	4,373.
		5/3	15"	84"	15 1/4"	A2PHOBD84 () ()	2,894.	3,018.	3,470.	4,513.
		6/3	15"	90"	15 1/4"	A2PHOBD90 () ()	2,987.	3,115.	3,581.	4,657.
		6/3	15"	96"	15 1/4"	A2PHOBD96 () ()	3,090.	3,229.	3,716.	4,829.
	legal depth	3/2	15"	42"	18 1/4"	A2PHOGD42 () ()	2,254.	2,353.	2,708.	3,521.
		3/2	15"	48"	18 1/4"	A2PHOGD48 () ()	2,336.	2,443.	2,804.	3,648.
		3/2	15"	54"	18 1/4"	A2PHOGD54 () ()	2,363.	2,469.	2,836.	3,690.
		4/2	15"	60"	18 1/4"	A2PHOGD60 () ()	2,390.	2,496.	2,871.	3,731.
		4/2	15"	66"	18 1/4"	A2PHOGD66 () ()	2,659.	2,775.	3,193.	4,152.
		4/2	15"	72"	18 1/4"	A2PHOGD72 () ()	2,929.	3,062.	3,521.	4,580.
		5/3	15"	78"	18 1/4"	A2PHOGD78 () ()	3,028.	3,155.	3,631.	4,722.
		5/3	15"	84"	18 1/4"	A2PHOGD84 () ()	3,122.	3,258.	3,747.	4,874.
		6/3	15"	90"	18 1/4"	A2PHOGD90 () ()	3,226.	3,364.	3,868.	5,030.
		6/3	15"	96"	18 1/4"	A2PHOGD96 () ()	3,340.	3,487.	4,012.	5,215.

Order Code

Example:	APHOBD42LV316
A	AutoStrada
PH	Panel hung
O	Overhead
B	Binder depth
D	Hinged Door
42	42" wide
L	Locking
V316	Finish, Maple

Specification Information

To order please specify pattern number including:

1. Depth
B = Binder depth
G = Legal depth
2. Width
3. Lock option
L = Lock hole drilled
N = Not drilled for locks
4. Finish
Laminate, V1, V2 or V3

See page 7 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option.

Application Notes

Panel hung overhead storage units include hardware to hang unit on panels.

Hinged doors extend slightly beyond case construction to allow for easy finger pull access along the bottom. No pulls available.

Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.

NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.


A certified building contractor should be consulted.

Please refer to wall mounting information on page 326.

Overhead storage, wood cases

Panel hung overheads

open / hinged door / open

description	type	locks	h	w	d	pattern no.	L	V1	V2	V3
 96" w shown	binder depth	1	15"	60"	15 1/4"	A2PHOBT60 () ()	\$2,090.	\$2,185.	\$2,514.	\$3,268.
		1	15"	66"	15 1/4"	A2PHOBT66 () ()	2,328.	2,430.	2,797.	3,635.
		1	15"	72"	15 1/4"	A2PHOBT72 () ()	2,565.	2,675.	3,077.	4,002.
		1	15"	78"	15 1/4"	A2PHOBT78 () ()	2,650.	2,766.	3,181.	4,136.
		1	15"	84"	15 1/4"	A2PHOBT84 () ()	2,736.	2,854.	3,284.	4,268.
		1	15"	90"	15 1/4"	A2PHOBT90 () ()	2,821.	2,944.	3,387.	4,401.
		1	15"	96"	15 1/4"	A2PHOBT96 () ()	2,923.	3,056.	3,510.	4,560.
	legal depth	1	15"	60"	18 1/4"	A2PHOGT60 () ()	2,261.	2,361.	2,715.	3,533.
		1	15"	66"	18 1/4"	A2PHOGT66 () ()	2,515.	2,623.	3,019.	3,926.
		1	15"	72"	18 1/4"	A2PHOGT72 () ()	2,770.	2,888.	3,326.	4,322.
		1	15"	78"	18 1/4"	A2PHOGT78 () ()	2,861.	2,987.	3,435.	4,469.
		1	15"	84"	18 1/4"	A2PHOGT84 () ()	2,956.	3,085.	3,549.	4,610.
		1	15"	90"	18 1/4"	A2PHOGT90 () ()	3,046.	3,180.	3,655.	4,755.
		1	15"	96"	18 1/4"	A2PHOGT96 () ()	3,156.	3,297.	3,791.	4,926.

Order Code

Example:	APHOBT60LV316
A	AutoStrada
PH	Panel hung
O	Overhead
B	Binder depth
T	Open/Hinged Door/Open
60	60" wide
L	Locking
V316	Finish, Maple

Specification Information

To order please specify pattern number including:

1. Depth
B = Binder depth
G = Legal depth
2. Width
3. Lock option
L = Lock hole drilled
N = Not drilled for locks
4. Finish
Laminate, V1, V2 or V3

See page 7 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option.

Application Notes

Panel hung overhead storage units include hardware to hang unit on panels.

Hinged doors extend slightly beyond case construction to allow for easy finger pull access along the bottom. No pulls available

Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.

NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.


A certified building contractor should be consulted.

Please refer to wall mounting information on page 326.

Overhead storage, wood cases

Panel hung overheads


with sliding wood door(s)

description	type	sections	h	w	d	pattern no.	L	V1	V2	V3
 96" w shown	binder depth	1/1	15"	42"	15 1/4"	APHOBS42 () ()	\$2,820.	\$3,002.	\$3,796.	\$4,933.
		1/1	15"	48"	15 1/4"	APHOBS48 () ()	2,922.	3,114.	3,932.	5,110.
		1/1	15"	54"	15 1/4"	APHOBS54 () ()	2,956.	3,149.	3,976.	5,171.
		2/2	15"	60"	15 1/4"	APHOBS60 () ()	2,988.	3,183.	4,023.	5,233.
		2/2	15"	66"	15 1/4"	APHOBS66 () ()	3,327.	3,539.	4,474.	5,815.
		2/2	15"	72"	15 1/4"	APHOBS72 () ()	3,665.	3,896.	4,926.	6,402.
		2/2	15"	78"	15 1/4"	APHOBS78 () ()	3,784.	4,028.	5,088.	6,615.
		2/2	15"	84"	15 1/4"	APHOBS84 () ()	3,908.	4,159.	5,255.	6,829.
		2/2	15"	90"	15 1/4"	APHOBS90 () ()	4,029.	4,293.	5,418.	7,043.
		2/2	15"	96"	15 1/4"	APHOBS96 () ()	4,175.	4,449.	5,614.	7,299.
	legal depth	1/1	15"	42"	18 1/4"	APHOGS42 () ()	3,045.	3,244.	4,100.	5,330.
		1/1	15"	48"	18 1/4"	APHOGS48 () ()	3,156.	3,363.	4,245.	5,519.
		1/1	15"	54"	18 1/4"	APHOGS54 () ()	3,193.	3,402.	4,295.	5,582.
		2/2	15"	60"	18 1/4"	APHOGS60 () ()	3,227.	3,438.	4,346.	5,649.
		2/2	15"	66"	18 1/4"	APHOGS66 () ()	3,592.	3,822.	4,832.	6,283.
		2/2	15"	72"	18 1/4"	APHOGS72 () ()	3,955.	4,210.	5,319.	6,914.
		2/2	15"	78"	18 1/4"	APHOGS78 () ()	4,087.	4,350.	5,497.	7,144.
		2/2	15"	84"	18 1/4"	APHOGS84 () ()	4,220.	4,496.	5,673.	7,376.
		2/2	15"	90"	18 1/4"	APHOGS90 () ()	4,352.	4,634.	5,852.	7,604.
		2/2	15"	96"	18 1/4"	APHOGS96 () ()	4,511.	4,804.	6,062.	7,882.

Order Code	Specification Information	Application Notes
Example: APHOBS42V316	<i>To order please specify pattern number including:</i>	Sliding doors are not available with locks.
A AutoStrada	1. Depth <i>B = Binder depth</i>	Panel hung overhead storage units include hardware to hang unit on panels.
PH Panel hung	<i>G = Legal depth</i>	
O Overhead	2. Sliding door material <i>S = wood, same as case</i>	Sliding door pulls included, not visible on image.
B Binder depth	3. Width	
S Open/Sliding (wood) Door	4. Pull option: AR = AutoStrada Radius pull AB = AutoStrada Bar pull	NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 326.
42 42" wide	5. Finish <i>Laminate, V1, V2 or V3</i>	
AR Radius pull option	6. <i>Finish, pull</i> <i>AA-complimentary painted match to anodized aluminum or painted finish options listed on page 7 excluding silver.</i>	
V316 Finish, Maple		
118 Pull Finish		
	See page 7 for finish options applicable.	
	Product on this page will accept wood grain laminate where laminate is currently an option.	

Overhead storage, wood cases

*Panel hung overheads
with sliding glass door(s)*

description	type	sections	h	w	d	pattern no.	L	V1	V2	V3
 96" w shown	binder depth	1/1	15"	42"	15 1/4"	APHOBR42 () () ()	\$3,366.	\$3,572.	\$4,450.	\$5,788.
		1/1	15"	48"	15 1/4"	APHOBR48 () () ()	3,486.	3,702.	4,610.	5,994.
		1/1	15"	54"	15 1/4"	APHOBR54 () () ()	3,528.	3,745.	4,664.	6,062.
		2/2	15"	60"	15 1/4"	APHOBR60 () () ()	3,569.	3,787.	4,718.	6,133.
		2/2	15"	66"	15 1/4"	APHOBR66 () () ()	3,970.	4,213.	5,247.	6,821.
		2/2	15"	72"	15 1/4"	APHOBR72 () () ()	4,373.	4,635.	5,776.	7,509.
		2/2	15"	78"	15 1/4"	APHOBR78 () () ()	4,518.	4,794.	5,967.	7,758.
		2/2	15"	84"	15 1/4"	APHOBR84 () () ()	4,665.	4,948.	6,162.	8,009.
		2/2	15"	90"	15 1/4"	APHOBR90 () () ()	4,808.	5,105.	6,353.	8,260.
		2/2	15"	96"	15 1/4"	APHOBR96 () () ()	4,984.	5,292.	6,584.	8,560.
	legal depth	1/1	15"	42"	18 1/4"	APHOGR42 () () ()	3,633.	3,857.	4,807.	6,248.
		1/1	15"	48"	18 1/4"	APHOGR48 () () ()	3,767.	4,001.	4,977.	6,472.
		1/1	15"	54"	18 1/4"	APHOGR54 () () ()	3,811.	4,045.	5,037.	6,550.
		2/2	15"	60"	18 1/4"	APHOGR60 () () ()	3,850.	4,092.	5,096.	6,626.
		2/2	15"	66"	18 1/4"	APHOGR66 () () ()	4,288.	4,548.	5,666.	7,366.
		2/2	15"	72"	18 1/4"	APHOGR72 () () ()	4,721.	5,008.	6,238.	8,108.
		2/2	15"	78"	18 1/4"	APHOGR78 () () ()	4,880.	5,175.	6,445.	8,378.
		2/2	15"	84"	18 1/4"	APHOGR84 () () ()	5,037.	5,345.	6,654.	8,650.
		2/2	15"	90"	18 1/4"	APHOGR90 () () ()	5,195.	5,513.	6,863.	8,921.
		2/2	15"	96"	18 1/4"	APHOGR96 () () ()	5,382.	5,715.	7,109.	9,242.

Order Code	Specification Information	Application Notes
Example: APHOBR42V316GL6AA	<i>To order please specify pattern number including:</i>	Sliding doors are not available with locks.
A AutoStrada	1. Depth <i>B = Binder depth</i> <i>G = Legal depth</i>	Panel hung overhead storage units include hardware to hang unit on panels.
PH Panel hung	2. Sliding door material <i>S = wood, same as case</i>	Sliding door pulls included, not visible on image. When AA finish specified pull is complimentary painted match, pull is not anodized.
O Overhead	3. Width	See page 7 for finish options applicable.
B Binder depth	4. Pull option: AR = AutoStrada Radius pull AB = AutoStrada Bar pull	Product on this page will accept wood grain laminate where laminate is currently an option.
R Open/Sliding (glass) Door	5. Finish <i>Laminate, V1, V2 or V3</i>	
42 42" wide	6. Finish, Glass sliding door <i>TEMP - Clear, tempered</i> <i>GL6 - Block Matrix</i> <i>GL13 - Powder</i> <i>GL11, GL14, GL15, GL17, GL18</i>	
AR Radius pull option	7. Finish, Glass sliding door frame and pull <i>Anodized aluminum or painted finish options listed on page</i> <i>excluding silver.</i>	
V316 Finish, Maple		
GL6 Glass, Block Matrix		
AA Frame, anodized aluminum		

NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.

Please refer to wall mounting information on page 326 .

Overhead storage, wood cases

Shared open overhead mounting options

AutoStrada


description	type	h	pattern no.	paint
Mounting brackets for 64" h horizon on 48" h Service Wall or for 55" h horizon on 39" h Service Wall and 39" h Fence	For 24" w - 48" w overhead		AUOMBCC2 ()	\$108.
	For 54" w - 72" w overhead		AUOMBCC3 ()	141.
Mounting brackets for AutoStrada panels	For 24" w - 48" w overhead		AUOMBAP2 ()	69.
	For 54" w - 72" w overhead		AUOMBAP3 ()	103.
Stanchion upmount brackets for 49" h horizon on 28" h Fence or for 48" h horizon on 27" h Fence	For 24" w - 48" w overhead	6 1/2"	AUOMBSS62 ()	148.
	For 54" w - 72" w overhead	6 1/2"	AUOMBSS63 ()	197.
Stanchion upmount brackets for 49" h horizon on 27" h Fence	For 24" w - 48" w overhead	7 1/2"	AUOMBSS72 ()	153.
	For 54" w - 72" w overhead	7 1/2"	AUOMBSS73 ()	204.
Stanchion upmount brackets for 64" h horizon on 39" h Service Wall and 39" h Fence	For 24" w - 48" w overhead	9 1/2"	AUOMBSS92 ()	158.
	For 54" w - 72" w overhead	9 1/2"	AUOMBSS93 ()	215.

Order Code	Specification Information	Application Notes
Example: AUO MB CC 2 118	Specify painted finish.	Shared open overhead mounting brackets for the Service Wall are designed for use on the compact crown only.
A AutoStrada	6 1/2" h stanchions are for use on 28" h Fence for 49" h horizon or on 27" h Fence for 48" h horizon.	
U Upmounted		
O Overhead		
MB Mounting brackets	7 1/2" h stanchions are for use on 27" h Fence for 49" h horizon.	
CC Compact Crown		
2 Quantity of brackets	9 1/2" h stanchions are for use on 39" h Service Wall and 39" h Fence for 64" h horizon.	
118 Finish	Mounting brackets for 24" w - 48" w upmounted overheads come in a pair.	
	Mounting brackets for 54" w - 72" w upmounted overheads come in a quantity of 3.	
	9 1/2" h stanchions can only be used on 39" h Fence when Fence is supported by attached perpendicular panels or screens.	

Overhead storage, wood cases

Wall-attached overheads for private office

open, single high

description	type	h	w	d	pattern no.	L	V1	V2	V3
 96" w shown	binder height & depth	15"	30"	14 1/4"	A2WHOB SO30 () ()	\$1,804.	\$1,886.	\$2,171.	\$2,819.
		15"	36"	14 1/4"	A2WHOB SO36 () ()	1,851.	1,935.	2,226.	2,891.
		15"	42"	14 1/4"	A2WHOB SO42 () ()	1,900.	1,982.	2,284.	2,967.
		15"	48"	14 1/4"	A2WHOB SO48 () ()	1,952.	2,037.	2,342.	3,045.
		15"	54"	14 1/4"	A2WHOB SO54 () ()	2,052.	2,142.	2,469.	3,205.
		15"	60"	14 1/4"	A2WHOB SO60 () ()	2,156.	2,247.	2,587.	3,364.
		15"	66"	14 1/4"	A2WHOB SO66 () ()	2,217.	2,315.	2,660.	3,460.
		15"	72"	14 1/4"	A2WHOB SO72 () ()	2,274.	2,380.	2,733.	3,554.
		15"	78"	14 1/4"	A2WHOB SO78 () ()	2,389.	2,501.	2,871.	3,731.
		15"	84"	14 1/4"	A2WHOB SO84 () ()	2,461.	2,575.	2,956.	3,843.
		15"	90"	14 1/4"	A2WHOB SO90 () ()	2,535.	2,655.	3,043.	3,957.
		15"	96"	14 1/4"	A2WHOB SO96 () ()	2,611.	2,731.	3,138.	4,402.
		Units up to 36" w have one section, units 42" w up to 72" wide have two sections, over 72" w have three sections							
	binder height & legal depth	15"	30"	17 1/4"	A2WHOG SO30 () ()	1,949.	2,038.	2,341.	3,044.
		15"	36"	17 1/4"	A2WHOG SO36 () ()	2,001.	2,091.	2,403.	3,122.
		15"	42"	17 1/4"	A2WHOG SO42 () ()	2,051.	2,142.	2,467.	3,205.
		15"	48"	17 1/4"	A2WHOG SO48 () ()	2,108.	2,201.	2,532.	3,290.
		15"	54"	17 1/4"	A2WHOG SO54 () ()	2,218.	2,313.	2,663.	3,463.
		15"	60"	17 1/4"	A2WHOG SO60 () ()	2,328.	2,428.	2,793.	3,633.
		15"	66"	17 1/4"	A2WHOG SO66 () ()	2,391.	2,501.	2,875.	3,736.
		15"	72"	17 1/4"	A2WHOG SO72 () ()	2,458.	2,570.	2,952.	3,839.
		15"	78"	17 1/4"	A2WHOG SO78 () ()	2,581.	2,700.	3,102.	4,029.
		15"	84"	17 1/4"	A2WHOG SO84 () ()	2,659.	2,783.	3,193.	4,152.
		15"	90"	17 1/4"	A2WHOG SO90 () ()	2,739.	2,864.	3,288.	4,276.
		15"	96"	17 1/4"	A2WHOG SO96 () ()	2,820.	2,950.	3,388.	4,402.
Units up to 36" w have one section, units 42" w up to 72" w have two sections, over 72" wide have three sections									

Order Code	Specification Information	Application Notes
Example: AWHOB SO30V316AA	<i>To order please specify pattern number including:</i>	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 5/8" h. Bottom piece attached to wall.
A AutoStrada	1. Depth <i>B = Binder depth</i>	Single high overhead storage to be mounted at 68 1/2" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 70" h floor standing cabinet not including aluminum and wood top trim.
WH Wall hung	3. Finish <i>Laminate, V1, V2 or V3</i>	
O Overhead	4. Finish, aluminum trim <i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>	
B Binder depth		
S Single high		
O Open		
30 30" wide		
V316 Finish, Maple		
AA Finish, Aluminum trim		
See page 7 for finish options applicable.		
Product on this page will accept wood grain laminate where laminate is currently an option.		

NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.


Please refer to wall mounting information on page 326 .

Overhead storage, wood cases

Wall-attached overheads for private office

hinged door, single high

description	type	# drs/locks	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead Hinged doors (wood) single high	binder height and depth	2/1	15"	30"	15 1/4"	A2WHOBSD30 () ()	\$2,627.	\$2,740.	\$3,150.	\$4,096.
		2/1	15"	36"	15 1/4"	A2WHOBSD36 () ()	2,773.	2,899.	3,332.	4,332.
		3/2	15"	42"	15 1/4"	A2WHOBSD42 () ()	2,794.	2,921.	3,357.	4,364.
		3/2	15"	48"	15 1/4"	A2WHOBSD48 () ()	2,851.	2,974.	3,422.	4,449.
		3/2	15"	54"	15 1/4"	A2WHOBSD54 () ()	2,996.	3,128.	3,602.	4,680.
		4/2	15"	60"	15 1/4"	A2WHOBSD60 () ()	3,140.	3,275.	3,767.	4,901.
		4/2	15"	66"	15 1/4"	A2WHOBSD66 () ()	3,232.	3,378.	3,884.	5,051.
		4/2	15"	72"	15 1/4"	A2WHOBSD72 () ()	3,322.	3,468.	3,989.	5,184.
		5/3	15"	78"	15 1/4"	A2WHOBSD78 () ()	3,489.	3,650.	4,190.	5,447.
		5/3	15"	84"	15 1/4"	A2WHOBSD84 () ()	3,594.	3,761.	4,315.	5,612.
		6/3	15"	90"	15 1/4"	A2WHOBSD90 () ()	3,701.	3,872.	4,445.	5,781.
		6/3	15"	96"	15 1/4"	A2WHOBSD96 () ()	3,813.	3,989.	4,580.	5,951.
	binder height and legal depth	2/1	15"	30"	18 1/4"	A2WHOGSD30 () ()	2,835.	2,958.	3,403.	4,423.
		2/1	15"	36"	18 1/4"	A2WHOGSD36 () ()	2,995.	3,132.	3,601.	4,678.
		3/2	15"	42"	18 1/4"	A2WHOGSD42 () ()	3,016.	3,152.	3,625.	4,714.
		3/2	15"	48"	18 1/4"	A2WHOGSD48 () ()	3,077.	3,209.	3,697.	4,807.
		3/2	15"	54"	18 1/4"	A2WHOGSD54 () ()	3,237.	3,377.	3,888.	5,055.
		4/2	15"	60"	18 1/4"	A2WHOGSD60 () ()	3,390.	3,538.	4,070.	5,292.
		4/2	15"	66"	18 1/4"	A2WHOGSD66 () ()	3,491.	3,649.	4,194.	5,454.
		4/2	15"	72"	18 1/4"	A2WHOGSD72 () ()	3,589.	3,745.	4,309.	5,601.
		5/3	15"	78"	18 1/4"	A2WHOGSD78 () ()	3,768.	3,943.	4,525.	5,884.
		5/3	15"	84"	18 1/4"	A2WHOGSD84 () ()	3,882.	4,062.	4,660.	6,060.
		6/3	15"	90"	18 1/4"	A2WHOGSD90 () ()	3,998.	4,182.	4,802.	6,242.
		6/3	15"	96"	18 1/4"	A2WHOGSD96 () ()	4,115.	4,309.	4,947.	6,429.




96" w shown

Order Code	Specification Information	Application Notes	
Example: AWHOBSD30LV316AA	<i>To order please specify pattern number including:</i>	Single high overhead storage to be mounted at 68 1/2" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 70"h floor standing cabinet not including aluminum and wood top trim.	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 5/8"h. Bottom piece attached to wall.
A AutoStrada	1. Depth <i>B = Binder depth</i> <i>G = Legal depth</i>	Hinged doors extend slightly beyond case construction to allow for easy finger pull access along the bottom. No pulls available.	NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
WH Wall hung	2. Width		
O Overhead	3. Lock <i>L = lock hole drilled</i> <i>N = not drilled for locks</i>		
B Binder depth	4. Finish <i>Laminate, V1, V2 or V3</i>		
S Single high	5. Finish, aluminum trim <i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>		
D Hinged doors, wood	See page 7 for finish options applicable.	Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.	A certified building contractor should be consulted.
30 30" wide	Product on this page will accept wood grain laminate where laminate is currently an option.		Please refer to wall mounting information on page 326.
L Lock holes drilled			
V316 Finish, Maple			
AA Finish, Aluminum trim			

Overhead storage, wood cases
*Wall-attached overheads for private office
 open / hinged door / open, single high*

description	type	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead Open/Hinged doors (wood) single high	binder height & depth	15"	60"	15 1/4"	A2WHOBST60 () ()	\$2,263.	\$2,361.	\$2,715.	\$3,534.
		15"	66"	15 1/4"	A2WHOBST66 () ()	2,327.	2,430.	2,793.	3,631.
		15"	72"	15 1/4"	A2WHOBST72 () ()	2,389.	2,501.	2,871.	3,731.
		15"	78"	15 1/4"	A2WHOBST78 () ()	2,508.	2,624.	3,015.	3,919.
		15"	84"	15 1/4"	A2WHOBST84 () ()	2,584.	2,702.	3,104.	4,034.
		15"	90"	15 1/4"	A2WHOBST90 () ()	2,661.	2,786.	3,196.	4,156.
		15"	96"	15 1/4"	A2WHOBST96 () ()	2,743.	2,870.	3,293.	4,282.
	binder height & legal depth	15"	60"	18 1/4"	A2WHOGST60 () ()	2,446.	2,549.	2,933.	3,812.
		15"	66"	18 1/4"	A2WHOGST66 () ()	2,513.	2,623.	3,017.	3,923.
		15"	72"	18 1/4"	A2WHOGST72 () ()	2,581.	2,700.	3,102.	4,029.
		15"	78"	18 1/4"	A2WHOGST78 () ()	2,711.	2,834.	3,252.	4,231.
		15"	84"	18 1/4"	A2WHOGST84 () ()	2,790.	2,921.	3,354.	4,356.
		15"	90"	18 1/4"	A2WHOGST90 () ()	2,877.	3,008.	3,453.	4,487.
		15"	96"	18 1/4"	A2WHOGST96 () ()	2,960.	3,100.	3,557.	4,623.



96" w shown

Order Code	Specification Information	Application Notes	
Example: AWHOBST60LV316AA	<i>To order please specify pattern number including:</i>	Single high overhead storage to be mounted at 68 1/2" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 70"h floor standing cabinet not including aluminum and wood top trim.	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 5/8"h. Bottom piece attached to wall.
A AutoStrada	1. Depth <i>B = Binder depth</i> <i>G = Legal depth</i>	Hinged doors extend slightly beyond case construction to allow for easy finger pull access along the bottom. No pulls available.	NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
WH Wall hung	2. Width		
O Overhead	3. Lock <i>L = lock hole drilled</i> <i>N = not drilled for locks</i>		
B Binder depth	4. Finish <i>Laminate, V1, V2 or V3</i>		
S Single high	5. Finish, aluminum trim <i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>		
T Open/Hinged doors/Open		Optional lock drilling to be specified. If drilled for locks selected, keying instructions must	A certified building contractor should be consulted.
60 60" wide			Please refer to wall mounting information on page 326.
L Lock holes drilled			
V316 Finish, Maple			
AA Finish, Aluminum trim			



See page 7 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option.

Overhead storage, wood cases

Wall-attached overheads for private office

with sliding door(s), single high

description	type	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead Open/Sliding door(s) wood single high  96" w shown	binder height and depth	15"	60"	15 1/4"	AWHOBSS60 () () ()	\$3,231.	\$3,438.	\$4,348.	\$5,653.
		15"	66"	15 1/4"	AWHOBSS66 () () ()	3,324.	3,539.	4,471.	5,809.
		15"	72"	15 1/4"	AWHOBSS72 () () ()	3,415.	3,645.	4,592.	5,969.
		15"	78"	15 1/4"	AWHOBSS78 () () ()	3,585.	3,825.	4,825.	6,268.
		15"	84"	15 1/4"	AWHOBSS84 () () ()	3,690.	3,940.	4,966.	6,458.
		15"	90"	15 1/4"	AWHOBSS90 () () ()	3,803.	4,060.	5,115.	6,652.
		15"	96"	15 1/4"	AWHOBSS96 () () ()	3,916.	4,179.	5,269.	6,852.
	binder height and legal depth	15"	60"	18 1/4"	AWHOGSS60 () () ()	3,489.	3,716.	4,697.	6,104.
		15"	66"	18 1/4"	AWHOGSS66 () () ()	3,590.	3,825.	4,828.	6,275.
		15"	72"	18 1/4"	AWHOGSS72 () () ()	3,685.	3,934.	4,961.	6,446.
		15"	78"	18 1/4"	AWHOGSS78 () () ()	3,871.	4,132.	5,207.	6,769.
		15"	84"	18 1/4"	AWHOGSS84 () () ()	3,986.	4,257.	5,362.	6,974.
		15"	90"	18 1/4"	AWHOGSS90 () () ()	4,107.	4,383.	5,522.	7,183.
		15"	96"	18 1/4"	AWHOGSS96 () () ()	4,231.	4,514.	5,694.	7,398.
Wall hung overhead Open/Sliding door(s) glass single high  96" w shown	binder height and depth	15"	60"	15 1/4"	AWHOBSR60 () () ()	3,856.	4,092.	5,097.	6,119.
		15"	66"	15 1/4"	AWHOBSR66 () () ()	3,966.	4,213.	5,244.	6,289.
		15"	72"	15 1/4"	AWHOBSR72 () () ()	4,072.	4,334.	5,385.	6,462.
		15"	78"	15 1/4"	AWHOBSR78 () () ()	4,278.	4,553.	5,655.	6,788.
		15"	84"	15 1/4"	AWHOBSR84 () () ()	4,404.	4,690.	5,825.	6,988.
		15"	90"	15 1/4"	AWHOBSR90 () () ()	4,537.	4,828.	5,998.	7,200.
		15"	96"	15 1/4"	AWHOBSR96 () () ()	4,675.	4,973.	6,178.	7,415.
	binder height and legal depth	15"	60"	18 1/4"	AWHOGSR60 () () ()	4,163.	4,419.	5,506.	6,607.
		15"	66"	18 1/4"	AWHOGSR66 () () ()	4,283.	4,548.	5,660.	6,794.
		15"	72"	18 1/4"	AWHOGSR72 () () ()	4,397.	4,679.	5,815.	6,980.
		15"	78"	18 1/4"	AWHOGSR78 () () ()	4,619.	4,918.	6,107.	7,329.
		15"	84"	18 1/4"	AWHOGSR84 () () ()	4,756.	5,064.	6,289.	7,547.
		15"	90"	18 1/4"	AWHOGSR90 () () ()	4,901.	5,213.	6,479.	7,776.
		15"	96"	18 1/4"	AWHOGSR96 () () ()	5,048.	5,372.	6,671.	8,007.

Order Code	Specification Information	Application Notes
Example: AWHOBSS60V316AA	<i>To order please specify pattern number including:</i>	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 3/8" h. Bottom piece attached to wall.
A AutoStrada	1. Depth <i>B = Binder depth</i> <i>G = Legal depth</i>	Sliding doors are not available with locks. When AA finish specified pull is complimentary painted match, pull is not anodized.
WH Wall hung	2. Sliding door material <i>S = wood, same as case</i> <i>R = glass</i>	See page 7 for finish options applicable.
O Overhead	3. Width	Product on this page will accept wood grain laminate where laminate is currently an option.
B Binder depth	4. Pull options for Glass doors (as applicable) AR=AutoStrada Radius pull AB=AutoStrada Bar pull	
S Single high	5. Finish <i>Laminate, V1, V2 or V3</i>	
S Open/Sliding door(s)/wood	6. Finish, Glass sliding door (as applicable) <i>TEMP - Clear, tempered</i> <i>GL6 - Block Matrix</i> <i>GL13 - Powder</i> <i>GL11, GL14, GL15, GL17, GL18</i>	
60 60" wide	7. Finish, Glass sliding door frame and pull (as applicable) <i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>	
AR Radius pull option		
V316 Finish, Maple		
AA Finish, Aluminum trim		

Single high overhead storage to be mounted at 68 1/2" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 70" h floor standing cabinet not including aluminum and wood top trim.

Sliding door pulls included, not visible on image.

NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.


A certified building contractor should be consulted.


Please refer to wall mounting information on page 326.

Overhead storage, wood cases

Wall-attached overheads for private office

open, double high

description	type	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead open, double high  96" w shown	binder height & depth	29"	30"	14 1/4"	A2WHOBDO30 () ()	\$2,434.	\$2,548.	\$2,928.	\$3,807.
		29"	36"	14 1/4"	A2WHOBDO36 () ()	2,500.	2,614.	3,003.	3,907.
		29"	42"	14 1/4"	A2WHOBDO42 () ()	2,565.	2,679.	3,082.	4,007.
		29"	48"	14 1/4"	A2WHOBDO48 () ()	2,633.	2,749.	3,166.	4,112.
		29"	54"	14 1/4"	A2WHOBDO54 () ()	2,771.	2,889.	3,330.	4,329.
		29"	60"	14 1/4"	A2WHOBDO60 () ()	2,911.	3,033.	3,491.	4,541.
		29"	66"	14 1/4"	A2WHOBDO66 () ()	2,989.	3,122.	3,591.	4,668.
		29"	72"	14 1/4"	A2WHOBDO72 () ()	3,072.	3,215.	3,690.	4,798.
		29"	78"	14 1/4"	A2WHOBDO78 () ()	3,226.	3,376.	3,876.	5,037.
		29"	84"	14 1/4"	A2WHOBDO84 () ()	3,324.	3,476.	3,991.	5,190.
		29"	90"	14 1/4"	A2WHOBDO90 () ()	3,420.	3,580.	4,109.	5,345.
		29"	96"	14 1/4"	A2WHOBDO96 () ()	3,524.	3,689.	4,236.	5,945.
units up to 36" w have one section, 42" w up to 72" w have two sections, over 72" w have three sections									
binder height & legal depth	29"	30"	17 1/4"	A2WHOGDO30 () ()	2,630.	2,750.	3,164.	4,110.	
	29"	36"	17 1/4"	A2WHOGDO36 () ()	2,702.	2,822.	3,245.	4,216.	
	29"	42"	17 1/4"	A2WHOGDO42 () ()	2,770.	2,891.	3,329.	4,328.	
	29"	48"	17 1/4"	A2WHOGDO48 () ()	2,846.	2,968.	3,418.	4,442.	
	29"	54"	17 1/4"	A2WHOGDO54 () ()	2,992.	3,121.	3,596.	4,672.	
	29"	60"	17 1/4"	A2WHOGDO60 () ()	3,142.	3,275.	3,775.	4,904.	
	29"	66"	17 1/4"	A2WHOGDO66 () ()	3,230.	3,375.	3,880.	5,041.	
	29"	72"	17 1/4"	A2WHOGDO72 () ()	3,319.	3,473.	3,986.	5,181.	
	29"	78"	17 1/4"	A2WHOGDO78 () ()	3,484.	3,647.	4,184.	5,441.	
	29"	84"	17 1/4"	A2WHOGDO84 () ()	3,590.	3,755.	4,311.	5,606.	
	29"	90"	17 1/4"	A2WHOGDO90 () ()	3,697.	3,868.	4,439.	5,773.	
	29"	96"	17 1/4"	A2WHOGDO96 () ()	3,807.	3,985.	4,574.	5,945.	
units up to 36" w have one section, 42" w up to 72" w have two sections, over 72" w have three sections									



96"w shown

Order Code	Specification Information	Application Notes
Example: AWHOBDO30V316AA	<i>To order please specify pattern number including:</i>	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 5/8" h. Bottom piece attached to wall.
A AutoStrada	1. Depth <i>B = Binder depth</i>	
WH Wall hung	2. Width <i>G = Legal depth</i>	
O Overhead	3. Finish <i>Laminate, V1, V2 or V3</i>	
B Binder depth	4. Finish, aluminum trim <i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>	Double high overhead storage to be mounted at 82-5/16" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 84"h floor standing cabinet not including aluminum and wood top trim.
D Double high		
O Open		
30 30" wide		
V316 Finish, Maple		
AA Finish, Aluminum trim		

NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.

Please refer to wall mounting information on page 326 .

See page 7 for finish options applicable.


Product on this page will accept wood grain laminate where laminate is currently an option.

Overhead storage, wood cases

Wall-attached overheads for private office

hinged door, double high

description	type	# drs/locks	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead Hinged doors (wood) double high	binder height and depth	2/1	29"	30"	15 1/4"	A2WHOBDD30 () ()	\$3,543.	\$3,699.	\$4,254.	\$5,529.
		2/1	29"	36"	15 1/4"	A2WHOBDD36 () ()	3,745.	3,911.	4,499.	5,848.
		3/2	29"	42"	15 1/4"	A2WHOBDD42 () ()	3,773.	3,941.	4,533.	5,891.
		3/2	29"	48"	15 1/4"	A2WHOBDD48 () ()	3,845.	4,015.	4,621.	6,009.
		3/2	29"	54"	15 1/4"	A2WHOBDD54 () ()	4,047.	4,221.	4,859.	6,319.
		4/2	29"	60"	15 1/4"	A2WHOBDD60 () ()	4,239.	4,424.	5,088.	6,615.
		4/2	29"	66"	15 1/4"	A2WHOBDD66 () ()	4,365.	4,560.	5,245.	6,816.
		4/2	29"	72"	15 1/4"	A2WHOBDD72 () ()	4,484.	4,680.	5,385.	7,000.
		5/3	29"	78"	15 1/4"	A2WHOBDD78 () ()	4,711.	4,928.	5,658.	7,353.
		5/3	29"	84"	15 1/4"	A2WHOBDD84 () ()	4,850.	5,074.	5,830.	7,575.
		6/3	29"	90"	15 1/4"	A2WHOBDD90 () ()	4,996.	5,228.	6,002.	7,802.
		6/3	29"	96"	15 1/4"	A2WHOBDD96 () ()	5,148.	5,385.	6,180.	8,037.
	binder height and legal depth	2/1	29"	30"	18 1/4"	A2WHOGDD30 () ()	3,827.	3,993.	4,592.	5,969.
		2/1	29"	36"	18 1/4"	A2WHOGDD36 () ()	4,043.	4,222.	4,857.	6,315.
		3/2	29"	42"	18 1/4"	A2WHOGDD42 () ()	4,073.	4,258.	4,893.	6,361.
		3/2	29"	48"	18 1/4"	A2WHOGDD48 () ()	4,155.	4,335.	4,991.	6,490.
		3/2	29"	54"	18 1/4"	A2WHOGDD54 () ()	4,370.	4,559.	5,249.	6,823.
		4/2	29"	60"	18 1/4"	A2WHOGDD60 () ()	4,577.	4,780.	5,494.	7,142.
		4/2	29"	66"	18 1/4"	A2WHOGDD66 () ()	4,716.	4,926.	5,665.	7,361.
		4/2	29"	72"	18 1/4"	A2WHOGDD72 () ()	4,841.	5,056.	5,814.	7,558.
		5/3	29"	78"	18 1/4"	A2WHOGDD78 () ()	5,084.	5,321.	6,110.	7,945.
		5/3	29"	84"	18 1/4"	A2WHOGDD84 () ()	5,239.	5,484.	6,292.	8,183.
		6/3	29"	90"	18 1/4"	A2WHOGDD90 () ()	5,395.	5,646.	6,481.	8,426.
		6/3	29"	96"	18 1/4"	A2WHOGDD96 () ()	5,559.	5,814.	6,675.	8,680.



96" w shown


Order Code	Specification Information	Application Notes
Example: AWHOBDD30LV316AA	<i>To order please specify pattern number including:</i>	Double high overhead storage to be mounted at 82-5/16" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 84" h floor standing cabinet not including aluminum and wood top trim.
A AutoStrada	1. Depth <i>B = Binder depth</i> <i>G = Legal depth</i>	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 7/8" h. Bottom piece attached to wall.
WH Wall hung	2. Width	NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
O Overhead	3. Lock <i>L = lock hole drilled</i> <i>N = not drilled for locks</i>	A certified building contractor should be consulted.
B Binder depth	4. Finish <i>Laminate, V1, V2 or V3</i>	Please refer to wall mounting information on page 326 .
D Double high	5. Finish, aluminum trim <i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>	
D Hinged doors, wood		
30 30" wide		
L Lock holes drilled		
V316 Finish, Maple		
AA Finish, Aluminum trim		

See page 7 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option.

Overhead storage, wood cases
*Wall-attached overheads for private office
 open / hinged door / open, double high*

description	type	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead Open/Hinged doors (wood) double high	binder height & depth	29"	60"	15 1/4"	A2WHOB DT60 () ()	\$3,056.	\$3,187.	\$3,667.	\$4,768.
		29"	66"	15 1/4"	A2WHOB DT66 () ()	3,142.	3,280.	3,770.	4,903.
		29"	72"	15 1/4"	A2WHOB DT72 () ()	3,226.	3,376.	3,876.	5,037.
		29"	78"	15 1/4"	A2WHOB DT78 () ()	3,388.	3,545.	4,068.	5,288.
		29"	84"	15 1/4"	A2WHOB DT84 () ()	3,487.	3,650.	4,190.	5,447.
		29"	90"	15 1/4"	A2WHOB DT90 () ()	3,594.	3,761.	4,315.	5,612.
		29"	96"	15 1/4"	A2WHOB DT96 () ()	3,700.	3,872.	4,445.	5,781.
	binder height & legal depth	29"	60"	18 1/4"	A2WHOG DT60 () ()	3,298.	3,440.	3,963.	5,150.
		29"	66"	18 1/4"	A2WHOG DT66 () ()	3,390.	3,545.	4,072.	5,295.
		29"	72"	18 1/4"	A2WHOG DT72 () ()	3,484.	3,647.	4,184.	5,441.
		29"	78"	18 1/4"	A2WHOG DT78 () ()	3,657.	3,830.	4,394.	5,713.
		29"	84"	18 1/4"	A2WHOG DT84 () ()	3,768.	3,943.	4,525.	5,884.
		29"	90"	18 1/4"	A2WHOG DT90 () ()	3,882.	4,062.	4,660.	6,060.
		29"	96"	18 1/4"	A2WHOG DT96 () ()	3,998.	4,182.	4,802.	6,242.



Order Code	Specification Information	Application Notes	
Example: AWHOB DT60 LV316 AA	<i>To order please specify pattern number including:</i>	Double high overhead storage to be mounted at 82-5/16" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 84"h floor standing cabinet not including aluminum and wood top trim.	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 5/8"h. Bottom piece attached to wall.
A AutoStrada	1. Depth <i>B = Binder depth</i> <i>G = Legal depth</i>	Overhead configuration for all widths of open/hinged door/open units is two hinged doors in the center and two open ends.Hinged doors extend slightly beyond case constrution to allow for easy finger pull access along the bottom. No pulls available.	NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
WH Wall hung	2. Width		
O Overhead	3. Lock <i>L = lock hole drilled</i> <i>N = not drilled for locks</i>		
B Binder depth	4. Finish <i>Laminate, V1, V2 or V3</i>		
D Double high	5. Finish, aluminum trim <i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>		
T Open/Hinged doors/Open			A certified building contractor should be consulted.
60 60" wide			Please refer to wall mounting information on page326.
L Lock holes drilled			
V316 Finish, Maple			
AA Finish, Aluminum trim			



See page 7 for finish options applicable.

Product on this page will accept wood grain laminate where laminate is currently an option.

Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.

Overhead storage, wood cases

Wall-attached overheads for private office with sliding door(s), double high

description	type	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead Open/Sliding door(s) wood double high  96" w shown	binder height and depth	29"	60"	15 1/4"	AWHOBDS60 () () ()	\$4,362.	\$4,643.	\$5,869.	\$7,629.
		29"	66"	15 1/4"	AWHOBDS66 () () ()	4,485.	4,781.	6,033.	7,845.
		29"	72"	15 1/4"	AWHOBDS72 () () ()	4,607.	4,920.	6,199.	8,058.
		29"	78"	15 1/4"	AWHOBDS78 () () ()	4,838.	5,165.	6,509.	8,464.
		29"	84"	15 1/4"	AWHOBDS84 () () ()	4,984.	5,319.	6,705.	8,718.
		29"	90"	15 1/4"	AWHOBDS90 () () ()	5,133.	5,478.	6,906.	8,979.
		29"	96"	15 1/4"	AWHOBDS96 () () ()	5,286.	5,644.	7,111.	9,250.
	binder height and legal depth	29"	60"	18 1/4"	AWHOGDS60 () () ()	4,713.	5,014.	6,339.	8,239.
		29"	66"	18 1/4"	AWHOGDS66 () () ()	4,843.	5,164.	6,519.	8,473.
		29"	72"	18 1/4"	AWHOGDS72 () () ()	4,978.	5,312.	6,694.	8,707.
		29"	78"	18 1/4"	AWHOGDS78 () () ()	5,226.	5,577.	7,030.	9,140.
		29"	84"	18 1/4"	AWHOGDS84 () () ()	5,383.	5,742.	7,243.	9,415.
		29"	90"	18 1/4"	AWHOGDS90 () () ()	5,545.	5,919.	7,460.	9,697.
		29"	96"	18 1/4"	AWHOGDS96 () () ()	5,710.	6,096.	7,682.	9,989.
Wall hung overhead Open/Sliding door(s) glass double high  96" w shown	binder height and depth	29"	60"	15 1/4"	AWHOBDR60 () () ()	5,207.	5,521.	6,881.	8,259.
		29"	66"	15 1/4"	AWHOBDR66 () () ()	5,354.	5,687.	7,078.	8,492.
		29"	72"	15 1/4"	AWHOBDR72 () () ()	5,499.	5,851.	7,271.	8,723.
		29"	78"	15 1/4"	AWHOBDR78 () () ()	5,776.	6,142.	7,632.	9,162.
		29"	84"	15 1/4"	AWHOBDR84 () () ()	5,949.	6,326.	7,863.	9,436.
		29"	90"	15 1/4"	AWHOBDR90 () () ()	6,126.	6,519.	8,099.	9,719.
		29"	96"	15 1/4"	AWHOBDR96 () () ()	6,308.	6,713.	8,341.	10,012.
	binder height and legal depth	29"	60"	18 1/4"	AWHOGDR60 () () ()	5,622.	5,964.	7,433.	8,920.
		29"	66"	18 1/4"	AWHOGDR66 () () ()	5,781.	6,140.	7,642.	9,171.
		29"	72"	18 1/4"	AWHOGDR72 () () ()	5,938.	6,319.	7,852.	9,423.
		29"	78"	18 1/4"	AWHOGDR78 () () ()	6,236.	6,634.	8,244.	9,893.
		29"	84"	18 1/4"	AWHOGDR84 () () ()	6,424.	6,834.	8,492.	10,191.
		29"	90"	18 1/4"	AWHOGDR90 () () ()	6,615.	7,038.	8,744.	10,498.
		29"	96"	18 1/4"	AWHOGDR96 () () ()	6,814.	7,249.	9,010.	10,810.

Order Code	Specification Information	Application Notes
Example: AWHOBDS60V316AA	<i>To order please specify pattern number including:</i>	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 3/8" h. Bottom piece attached to wall.
A AutoStrada	1. Depth <i>B = Binder depth</i> <i>G = Legal depth</i>	
WH Wall hung	2. Sliding door material <i>S = wood, same as case</i> <i>R = glass</i>	Sliding doors are not available with locks. When AA finish specified pull is complimentary painted match, pull is not anodized.
O Overhead	3. Width	
B Binder depth	4. Pull options for Glass doors (as applicable) <i>AR = AutoStrada Radius pull</i> <i>AB = AutoStrada Bar pull</i>	See page 7 for finish options applicable.
D Double high	5. Finish <i>Laminate, V1, V2 or V3</i>	Product on this page will accept wood grain laminate where laminate is currently an option.
S Open/Sliding door(s)/wood	6. Finish, Glass sliding door (as applicable) <i>TEMP - Clear, tempered</i> <i>GL6 - Block Matrix</i> <i>GL13 - Powder</i> <i>GL11, GL14, GL15, GL17, GL18</i>	Double high overhead storage to be mounted at 82-5/16" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 84" h floor standing cabinet not including aluminum and wood top trim. Sliding door pulls included, not visible on image.
60 60" wide	7. Finish, Glass sliding door frame and pull (as applicable) <i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>	NOTE: Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 326.
AR Radius pull option		
V316 Finish, Maple		
AA Finish, Aluminum trim		

Reuter flat front overhead cabinet
flat front
Designed by Robert Reuter

AutoStrada



description	w	d	h	pattern no.	P1/P2/P3	L	V1	V2	V3
Enclosed cabinet (no mounting hardware) - One door, no pull, no lock	30"	14 1/4"	14 3/4"	RO3-A30NN () () ()	n/a	\$1,286.	\$1,399.	\$1,462.	\$1,769.
	36"	14 1/4"	14 3/4"	RO3-A36NN () () ()	n/a	1,461.	1,623.	1,708.	2,180.
	42"	14 1/4"	14 3/4"	RO3-A42NN () () ()	n/a	1,658.	1,881.	2,009.	2,693.
	48"	14 1/4"	14 3/4"	RO3-A48NN () () ()	n/a	1,872.	2,037.	2,187.	3,123.
Enclosed cabinet (no mounting hardware) - Two doors, no pull, no lock	60"	14 1/4"	14 3/4"	RO3-A60NN () () ()	n/a	2,494.	2,604.	2,739.	3,392.
	72"	14 1/4"	14 3/4"	RO3-A72NN () () ()	n/a	2,818.	3,020.	3,206.	4,206.
Enclosed cabinet (no mounting hardware) - One door, no pull, with lock	30"	14 1/4"	14 3/4"	RO3-A30NL () () ()	1,285.	1,368.	1,483.	1,544.	1,850.
	36"	14 1/4"	14 3/4"	RO3-A36NL () () ()	1,438.	1,542.	1,705.	1,794.	2,261.
	42"	14 1/4"	14 3/4"	RO3-A42NL () () ()	1,596.	1,743.	1,969.	2,091.	2,778.
	48"	14 1/4"	14 3/4"	RO3-A48NL () () ()	1,859.	1,954.	2,121.	2,269.	3,206.
Enclosed cabinet (no mounting hardware) - Two doors, no pull, with lock	60"	14 1/4"	14 3/4"	RO3-A60NL () () ()	2,468.	2,658.	2,766.	2,904.	3,561.
	72"	14 1/4"	14 3/4"	RO3-A72NL () () ()	2,791.	2,981.	3,187.	3,368.	4,369.
Enclosed cabinet (no mounting hardware) - One door, with pull, no lock	30"	14 1/4"	14 3/4"	RO3-A30PN () () ()	n/a	1,525.	1,639.	1,700.	2,008.
	36"	14 1/4"	14 3/4"	RO3-A36PN () () ()	n/a	1,702.	1,867.	1,950.	2,422.
	42"	14 1/4"	14 3/4"	RO3-A42PN () () ()	n/a	1,905.	2,130.	2,253.	2,937.
	48"	14 1/4"	14 3/4"	RO3-A48PN () () ()	n/a	2,122.	2,289.	2,438.	3,374.
Enclosed cabinet (no mounting hardware) - Two doors, with pull, no lock	60"	14 1/4"	14 3/4"	RO3-A60PN () () ()	n/a	2,971.	3,081.	3,215.	3,870.
	72"	14 1/4"	14 3/4"	RO3-A72PN () () ()	n/a	3,296.	3,502.	3,685.	4,687.
Enclosed cabinet (no mounting hardware) - One door, with pull, with lock	30"	14 1/4"	14 3/4"	RO3-A30PL () () ()	1,521.	1,607.	1,721.	1,784.	2,089.
	36"	14 1/4"	14 3/4"	RO3-A36PL () () ()	1,679.	1,785.	1,948.	2,033.	2,505.
	42"	14 1/4"	14 3/4"	RO3-A42PL () () ()	1,839.	1,986.	2,211.	2,336.	3,018.
	48"	14 1/4"	14 3/4"	RO3-A48PL () () ()	2,105.	2,204.	2,372.	2,523.	3,456.
Enclosed cabinet (no mounting hardware) - Two doors, with pull, with lock	60"	14 1/4"	14 3/4"	RO3-A60PL () () ()	2,945.	3,137.	3,244.	3,379.	4,036.
	60"	14 1/4"	14 3/4"	RO3-A72PL () () ()	3,271.	3,462.	3,670.	3,851.	4,848.

Order Code	Specification Information	Application Notes
Example: RO3-A30PL-117-V-H-Y316 AA	Specify mounting hardware separately.	Reuter storage is a universal product applicable Knoll systems.
RO3 Reuter overhead	Optional anodized aluminum or painted front pull trims the entire width of cabinet door.	Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2" increments on either or both sides.
A flat front	<i>Specify paint finishes for case. Finish types for front:</i>	Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.
30 width	L laminate	Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.
P with pull	P paint	
L with lock	V veneer or techwood	
117 case finish	Specify grain direction for veneer fronts.	
V front finish type		
H front grain direction		
Y316 front color		
AA pull finish		

Please refer to the AutoStrada price list for finishes available on Reuter Flat Front overhead cabinets fronts.

description	type	width	depth	height	pattern number	black	paint
Reuter overhead downmount brackets	For 64"H spine				AA1ARODN()		\$248.
Reuter overhead upmount brackets	For 48"H spine with standard crown				AA1ROUP()		249.
Reuter overhead extended upmount brackets	For 39"H spine with standard crown				AA1ROXUP()		497.
Upmount brackets	For AutoStrada panels				RO1-RCB()		122.
	For Morrison panels				RO1-CB()		122.
Panel mount brackets, pair	For AutoStrada panels				RO1-RPB	56.	
	For Morrison panels				RO1-MPB	56.	
Wall mount frames, overhead cabinet	30"W overheads	23"	1/2"	13"	RO1-WMF2	107.	
	36" or 42"W overheads	35"	1/2"	13"	RO1-WMF3	116.	
	48" or 60"W overheads	47"	1/2"	13"	RO1-WMF4	122.	
Wall mount wire manager, set of 10					MWM-J	194.	

Order Code	Specification Information	Application Notes
Example: AA1RODN 613	<i>Please specify painted finish for overhead upmount or downmount kit. Paint options are listed on page 7.</i>	Reuter upmount brackets attach overhead cabinet anywhere along standard spine crown, lifting 1" above nominal wall height. Extended upmount brackets lift overhead to 10" above nominal wall height. Downmount brackets attach overheads within the upper 16" of 64"H walls with either compact or standard crown. The AutoStrada version of the downmount brackets extends to the bottom of the access cover, making contact with the bottom trim extrusion.
AA1 Spine accessory		
RO Reuter overhead		
DN Configuration		
613 Finish		Specify an extra bracket (one-half pair) for center support of overhead cabinets wider than 60". Upmount or downmount brackets may be inset to permit overhead to extend 1" or 3" beyond the end of the spine at T-ends. Wall mount frames secure Reuter overhead cabinets to wall (frame/wall mounting hardware is not included). Frame is concealed behind storage. Use 2 RO1-WMF2 to wall mount 66" and 72" wide Reuter overheads. Wall mount wire manager is two-part wire concealment kit, 22"H (medium grey only).


description	type	w	d	h	pattern no.	list
	Use with 24" and wider overhead	19"	4"	1 1/2"	RTAT5E19S	\$267.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25S	287.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37S	310.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49S	335.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61S	357.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25A	495.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37A	521.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49A	541.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61A	564.
	Use with 24" and wider overhead (24 LED's)	17"	2"	1/2"	ML4L17	520.
	Use with 36" and wider overhead (48 LED's)	31"	2"	1/2"	ML4L31	867.
	Use with 48" and wider overhead (72 LED's)	44"	2"	1/2"	ML4L44	1,130.
	Use with 66" and wider overhead (96 LED's)	58"	2"	1/2"	ML4L58	1,419.

Order Code	Specification Information	Application Notes
T5 Standard Task Light	T5 Task Lights: 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.	T5 Task Lights: Specify suffix -CH and add \$45 list for City of Chicago installations. Example: DL3T5E25S-CH Cordset is center exit. On smaller units cord exit is off-center, but still not handed.
Example: RTAT5E25S		
RTA Task Light		
T5 T5 lamp		
E Electronic ballast		
25 Width		
S Standard		
LED Task Light	LED Task Lights: Includes LED's, power supply with 9-12' cord and mounting hardware. Housings are clear anodized aluminum with white color end-caps.	T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content.
Example: ML4L17		
ML4 Task Light		
L LED		
17 Width		
		Notes: All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width. All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.

Task Lights for wood and laminate overhead storage

AutoStrada


Overhead Storage


description	type	w	d	h	pattern no.	list
	Use with 24" and wider overhead	19"	4"	1 1/2"	AL1T5E19S	\$306.
	Use with 30" and wider overhead	25"	4"	1 1/2"	AL1T5E25S	313.
	Use with 42" and wider overhead	37"	4"	1 1/2"	AL1T5E37S	321.
	Use with 60" and wider overhead	49"	4"	1 1/2"	AL1T5E49S	326.
	Use with 72" and wider overhead	61"	4"	1 1/2"	AL1T5E61S	344.
	Use with 84" and wider overhead	73"	4"	1 1/2"	AL1T5E73S	376.
	Use with 96" and wider overhead	85"	4"	1 1/2"	AL1T5E85S	469.
	Use with 30" and wider overhead	25"	4"	1 1/2"	AL1T5E25A	453.
	Use with 42" and wider overhead	37"	4"	1 1/2"	AL1T5E37A	475.
	Use with 60" and wider overhead	49"	4"	1 1/2"	AL1T5E49A	494.
	Use with 72" and wider overhead	61"	4"	1 1/2"	AL1T5E61A	514.
	Use with 84" and wider overhead	73"	4"	1 1/2"	AL1T5E73A	534.
	Use with 96" and wider overhead	85"	4"	1 1/2"	AL1T5E85A	552.
	Use with 24" and wider overhead (24 LED's)	17"	2"	1/2"	AL4L17	507.
	Use with 36" and wider overhead (48 LED's)	31"	2"	1/2"	AL4L31	846.
	Use with 48" and wider overhead (72 LED's)	44"	2"	1/2"	AL4L44	1,102.
	Use with 66" and wider overhead (96 LED's)	58"	2"	1/2"	AL4L58	1,384.

Order Code	Specification Information	Application Notes
T5 Standard Task Light	T5 Task Lights: 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.	T5 Task Lights: Specify suffix -CH and add \$45 list for City of Chicago installations. Example: DL3T5E25S-CH Cordset is center exit. On smaller units cord exit is off-center, but still not handed.
Example: AL1T5E19S		
AL1 Task Light		
T5 T5 lamp		
E Electronic ballast		
19 Width		
S Standard		
LED Task Light	LED Task Lights: Includes LED's, power supply with 9-12' cord and mounting hardware. Housings are clear anodized aluminum with white color end-caps.	T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content.
Example: AL4L17		
AL4 Task Light		
L LED		
17 Width		
		Notes: All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width. All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.

Reuter T5 mounting kit for binder depth wood overhead storage

AutoStrada

description	type	h	w	d	pattern no.	list
Mounting kit 	binder depth	1 1/2"	18"	13 1/8"	RT1 SMK 1813 ()	\$168.
		1 1/2"	24"	13 1/8"	RT1 SMK 2413 ()	170.
		1 1/2"	30"	13 1/8"	RT1 SMK 3013 ()	172.
		1 1/2"	36"	13 1/8"	RT1 SMK 3613 ()	175.
		1 1/2"	42"	13 1/8"	RT1 SMK 4213 ()	178.
		1 1/2"	48"	13 1/8"	RT1 SMK 4813 ()	181.
		1 1/2"	54"	13 1/8"	RT1 SMK 5413 ()	183.
		1 1/2"	60"	13 1/8"	RT1 SMK 6013 ()	190.
		1 1/2"	66"	13 1/8"	RT1 SMK 6613 ()	197.
		1 1/2"	72"	13 1/8"	RT1 SMK 7213 ()	199.
		1 1/2"	78"	13 1/8"	RT1 SMK 7813 ()	203.
		1 1/2"	84"	13 1/8"	RT1 SMK 8413 ()	206.
		1 1/2"	90"	13 1/8"	RT1 SMK 9013 ()	208.
		1 1/2"	96"	13 1/8"	RT1 SMK 9613 ()	210.
	binder depth with tackboard	1 1/2"	18"	12 3/8"	RT1 SMK 1812 ()	168.
		1 1/2"	24"	12 3/8"	RT1 SMK 2412 ()	170.
		1 1/2"	30"	12 3/8"	RT1 SMK 3012 ()	172.
		1 1/2"	36"	12 3/8"	RT1 SMK 3612 ()	175.
		1 1/2"	42"	12 3/8"	RT1 SMK 4212 ()	178.
		1 1/2"	48"	12 3/8"	RT1 SMK 4812 ()	181.
		1 1/2"	54"	12 3/8"	RT1 SMK 5412 ()	183.
		1 1/2"	60"	12 3/8"	RT1 SMK 6012 ()	189.
		1 1/2"	66"	12 3/8"	RT1 SMK 6612 ()	197.
		1 1/2"	72"	12 3/8"	RT1 SMK 7212 ()	199.
		1 1/2"	78"	12 3/8"	RT1 SMK 7812 ()	203.
		1 1/2"	84"	12 3/8"	RT1 SMK 8412 ()	206.
		1 1/2"	90"	12 3/8"	RT1 SMK 9012 ()	208.
		1 1/2"	96"	12 3/8"	RT1 SMK 9612 ()	209.
Additional T5 mounting brackets					RT1 SMK B	28.





Order Code	Specification Information	Application
Example: RT1 SMK 2413 AA		
RT1 Reuter task lamp	Mounting kit finish choice:	Reuter T5 task lamp mounting kit enables task lamp to be mounted under veneer or laminate overhead storage cabinets (with or without doors). Mounting kit includes anodized aluminum fascia to conceal lamp and manage power cord along front and side of cabinet. Specify mounting kit in width corresponding to overhead cabinet. Mounting kit also includes back supports for one task lamp.
SMK Mounting kit	Anodized Aluminum or painted finish options listed on page 11 excluding silver.	To mount a second task lamp within one longer mounting kit specify one additional pair of back supports. Back supports are L brackets into which the pins at the back of the Reuter are inserted. Sliding brackets on sides of the lamp slide over the inside lip of the fascia at any point to support the front of the lamp.
24 Width	12" deep: binder depth wood overhead, wall mounted with tackboard below.	
13 Depth	13" deep: binder depth wood overhead on Applied Wall System or wall mounted without tackboard.	
AA Finish		

Reuter T5 mounting kit for legal depth wood overhead storage


AutoStrada

Overhead Storage

description	type	h	w	d	pattern no.	list
	legal depth	1 1/2"	18"	16 1/8"	RT1 SMK 1816 ()	\$170.
		1 1/2"	24"	16 1/8"	RT1 SMK 2416 ()	172.
		1 1/2"	30"	16 1/8"	RT1 SMK 3016 ()	174.
		1 1/2"	36"	16 1/8"	RT1 SMK 3616 ()	178.
		1 1/2"	42"	16 1/8"	RT1 SMK 4216 ()	179.
		1 1/2"	48"	16 1/8"	RT1 SMK 4816 ()	182.
		1 1/2"	54"	16 1/8"	RT1 SMK 5416 ()	189.
		1 1/2"	60"	16 1/8"	RT1 SMK 6016 ()	191.
		1 1/2"	66"	16 1/8"	RT1 SMK 6616 ()	199.
		1 1/2"	72"	16 1/8"	RT1 SMK 7216 ()	202.
		1 1/2"	78"	16 1/8"	RT1 SMK 7816 ()	204.
		1 1/2"	84"	16 1/8"	RT1 SMK 8416 ()	207.
		1 1/2"	90"	16 1/8"	RT1 SMK 9016 ()	209.
		1 1/2"	96"	16 1/8"	RT1 SMK 9616 ()	211.
	legal depth with tackboard	1 1/2"	18"	15 3/8"	RT1 SMK 1815 ()	170.
		1 1/2"	24"	15 3/8"	RT1 SMK 2415 ()	171.
		1 1/2"	30"	15 3/8"	RT1 SMK 3015 ()	174.
		1 1/2"	36"	15 3/8"	RT1 SMK 3615 ()	176.
		1 1/2"	42"	15 3/8"	RT1 SMK 4215 ()	179.
		1 1/2"	48"	15 3/8"	RT1 SMK 4815 ()	182.
		1 1/2"	54"	15 3/8"	RT1 SMK 5415 ()	189.
		1 1/2"	60"	15 3/8"	RT1 SMK 6015 ()	191.
		1 1/2"	66"	15 3/8"	RT1 SMK 6615 ()	198.
		1 1/2"	72"	15 3/8"	RT1 SMK 7215 ()	202.
		1 1/2"	78"	15 3/8"	RT1 SMK 7815 ()	204.
		1 1/2"	84"	15 3/8"	RT1 SMK 8415 ()	207.
		1 1/2"	90"	15 3/8"	RT1 SMK 9015 ()	209.
		1 1/2"	96"	15 3/8"	RT1 SMK 9615 ()	211.
Additional T5 mounting brackets					RT1 SMK B	28.



Order Code	Specification Information	Application
Example: RT1 SMK 2416 AA		
RT1 Reuter task lamp	Mounting kit finish choice:	Reuter T5 task lamp mounting kit enables task lamp to be mounted under veneer or laminate overhead storage cabinets (with or without doors). Mounting kit includes anodized aluminum fascia to conceal lamp and manage power cord along front and side of cabinet. Specify mounting kit in width corresponding to overhead cabinet. Mounting kit also includes back supports for one task lamp.
SMK Mounting kit	Anodized Aluminum or painted finish options listed on page 11 excluding silver.	To mount a second task lamp within one longer mounting kit specify one additional pair of back supports. Back supports are L brackets into which the pins at the back of the Reuter are inserted. Sliding brackets on sides of the lamp slide over the inside lip of the fascia at any point to support the front of the lamp.
24 Width	15" deep: legal depth wood overhead, wall mounted with tackboard below.	
16 depth	16" deep: legal depth wood overhead on Applied Wall System or wall mounted without tackboard.	
AA Finish		

description	h	w	d	pattern no.	L	V1/M	V2	V3
 Glass credenza top divider	15"	60	40	A1GCTDK60141(L/V/M)() () ()	\$2,448.	\$2,834.	\$2,957.	\$3,549.
	15"	60"	48"	A1GCTDK60142(L/V/M)() () ()	2,506.	2,898.	3,041.	3,650.
	15"	72"	40"	A1GCTDK72141(L/V/M)() () ()	2,660.	3,053.	3,198.	3,837.
	15"	72"	48"	A1GCTDK72142(L/V/M)() () ()	2,729.	3,127.	3,296.	3,955.
	15"	90"	40"	A1GCTDK90141(L/V/M)() () ()	2,901.	3,305.	3,481.	4,178.
	15"	90"	48"	A1GCTDK90142(L/V/M)() () ()	2,992.	3,403.	3,603.	4,326.
	15"	96"	40"	A1GCTDK96141(L/V/M)() () ()	2,970.	3,375.	3,560.	4,272.
	15"	96"	48"	A1GCTDK96142(L/V/M)() () ()	3,063.	3,474.	3,692.	4,430.

1=use with nominal 19" deep storage.

2=use with nominal 23" deep storage.

Order Code	Specifications	Application Notes
Example: A1GCTDK60141L	<i>To order please specify pattern number including:</i>	Credenza top glass divider kit to include glass divider, pair of worksurfaces under one product code per size.
A AutoStrada	1. Surface type <i>L = Laminare</i>	Worksurfaces are dedicated to kit and to be notched for securing divider capture.
1 Generation 1	<i>M = Mixed, Laminare surface/V1, V2 or V3 edge</i>	Grommets not optional in worksurface.
G Glass	<i>V = V1, V2 or V3</i>	Hardware included.
CT Credenza top	2. Finish, Surface <i>Laminare, V1, V2 or V3 finish</i>	Assembly required.
DK Divider kit	3. Finish, Edge <i>Must be same as surface finish</i>	Standoff / subtop only available in 111.
60 60" wide	4. Finish, Glass <i>TEMP = clear tempered glass</i>	
141 Nominal glass height	<i>GL13 = powder</i>	
L Laminare	<i>GL25 = bronze</i>	
V316 Finish, primary worksurface	<i>GL35 = grey</i>	
111 Subtop spacer	5. Finish, capture/ divider <i>Anodized aluminum or painted finish options, listed on page 7 excluding 613 Silver.</i>	
TEMP Finish, glass		
AA Finish, divider capture		


Applications to be restricted for use with common depth of storage either 19" deep or 23" deep on both sides. Will not offer 19" deep on one side and 23" deep on other side.

Upcharges

width	GL13	GL25/GL35
60"	\$122	\$390
72"	\$145	\$467
90"	\$181	\$584
96"	\$196	\$625

Flush, user edge tapered Rectilinear, 20" and 24" deep

AutoStrada


description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (full depth) front edge tapered 	20"	18"	AW1T1RF1820 () () () ()	\$367.	\$448.	\$470.	\$536.	\$699.
		20"	AW1T1RF2020 () () () ()	381.	458.	482.	551.	718.
		24"	AW1T1RF2420 () () () ()	392.	470.	494.	564.	734.
		30"	AW1T1RF3020 () () () ()	422.	517.	542.	622.	808.
		36"	AW1T1RF3620 () () () ()	426.	543.	571.	658.	855.
		42"	AW1T1RF4220 () () () ()	437.	569.	598.	688.	894.
		48"	AW1T1RF4820 () () () ()	448.	591.	621.	712.	927.
		54"	AW1T1RF5420 () () () ()	461.	616.	647.	747.	971.
		60"	AW1T1RF6020 () () () ()	488.	666.	699.	803.	1,042.
		66"	AW1T1RF6620 () () () ()	524.	686.	720.	829.	1,078.
		72"	AW1T1RF7220 () () () ()	528.	721.	756.	870.	1,128.
		78"	AW1T1RF7820 () () () ()	544.	729.	766.	882.	1,145.
		84"	AW1T1RF8420 () () () ()	576.	775.	814.	937.	1,221.
		90"	AW1T1RF9020 () () () ()	589.	810.	851.	977.	1,270.
		96"	AW1T1RF9620 () () () ()	629.	841.	882.	1,012.	1,317.
	24"	18"	AW1T1RF1824 () () () ()	393.	472.	495.	567.	739.
		20"	AW1T1RF2024 () () () ()	408.	482.	506.	581.	756.
		24"	AW1T1RF2424 () () () ()	417.	492.	517.	598.	776.
		30"	AW1T1RF3024 () () () ()	436.	559.	586.	674.	876.
		36"	AW1T1RF3624 () () () ()	449.	582.	611.	701.	913.
		42"	AW1T1RF4224 () () () ()	464.	599.	629.	722.	939.
		48"	AW1T1RF4824 () () () ()	514.	643.	674.	774.	1,006.
		54"	AW1T1RF5424 () () () ()	518.	686.	720.	829.	1,078.
		60"	AW1T1RF6024 () () () ()	544.	735.	771.	886.	1,150.
		66"	AW1T1RF6624 () () () ()	590.	762.	800.	915.	1,191.
		72"	AW1T1RF7224 () () () ()	606.	794.	833.	960.	1,248.
		78"	AW1T1RF7824 () () () ()	625.	830.	872.	1,006.	1,308.
		84"	AW1T1RF8424 () () () ()	651.	867.	910.	1,042.	1,358.
		90"	AW1T1RF9024 () () () ()	695.	902.	947.	1,093.	1,419.
		96"	AW1T1RF9624 () () () ()	711.	937.	984.	1,137.	1,475.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: AW1T1RF1820MG118 V316613	<i>To order please specify pattern number including:</i>	7. Finish, Grommet(s) <i>specify painted or plated finish</i>
A AutoStrada	1. Width	
W Worksurface	2. Depth	See page 7 for finish options applicable.
1 Generation 1	3. Surface type <i>L = Laminate</i>	Product on this page will accept wood grain laminate where laminate is currently an option.
T1 Tapered one side, user	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>	
R Rectilinear	<i>V = V1, V2 or V3</i>	
F Full depth, flush	4. Grommet option <i>N = No grommets</i>	Hardware to attach to vertical support to be specified separately.
18 18" wide	<i>G = Grommet(s), flush</i>	1 1/4" tops require additional support when distance spans over 48".
20 20" deep	<i>R = Grommet(s), recessed</i>	
M Surface type, Mixed	<i>EG = Edge Grommet (for worksurfaces 30" wide or greater)</i>	Actual widths are 1/16" less than nominal dimension noted and depths are 1/8" less than nominal dimension noted.
G Grommet	5. Finish, Surface <i>Laminate, V1, V2 or V3 finish</i>	When grommets specified up to 48" w tops have one grommet, over 48" w tops have two grommets.
118 Finish surface, Bright white	6. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i>	Edge grommets are available on worksurfaces 30" wide or greater. The upcharge for Edge Grommet is \$175.
() Finish edge, (L)	<i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>	
613 Finish, grommet		

Flush, user edge tapered Rectilinear, 30" and 36" deep


AutoStrada

description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (full depth) front edge tapered 	30"	18"	AW1T1RF1830 () () () ()	\$401.	\$509.	\$535.	\$619.	\$803.
		20"	AW1T1RF2030 () () () ()	407.	524.	550.	634.	821.
		24"	AW1T1RF2430 () () () ()	416.	536.	563.	649.	846.
		30"	AW1T1RF3030 () () () ()	437.	607.	637.	729.	949.
		36"	AW1T1RF3630 () () () ()	452.	654.	687.	784.	1,023.
		42"	AW1T1RF4230 () () () ()	474.	675.	710.	816.	1,061.
		48"	AW1T1RF4830 () () () ()	527.	723.	759.	875.	1,140.
		54"	AW1T1RF5430 () () () ()	540.	781.	821.	944.	1,228.
		60"	AW1T1RF6030 () () () ()	574.	811.	852.	978.	1,271.
		66"	AW1T1RF6630 () () () ()	617.	829.	871.	1,001.	1,302.
		72"	AW1T1RF7230 () () () ()	637.	851.	894.	1,027.	1,335.
		78"	AW1T1RF7830 () () () ()	660.	889.	934.	1,077.	1,397.
		84"	AW1T1RF8430 () () () ()	686.	926.	971.	1,119.	1,457.
		90"	AW1T1RF9030 () () () ()	746.	966.	1,014.	1,173.	1,522.
		96"	AW1T1RF9630 () () () ()	748.	1,002.	1,052.	1,214.	1,574.
	36"	18"	AW1T1RF1836 () () () ()	410.	552.	580.	670.	872.
		20"	AW1T1RF2036 () () () ()	415.	568.	597.	690.	896.
		24"	AW1T1RF2436 () () () ()	433.	582.	611.	703.	916.
		30"	AW1T1RF3036 () () () ()	450.	657.	690.	790.	1,028.
		36"	AW1T1RF3636 () () () ()	479.	730.	767.	877.	1,142.
		42"	AW1T1RF4236 () () () ()	516.	765.	803.	927.	1,203.
		48"	AW1T1RF4836 () () () ()	569.	817.	857.	990.	1,288.
		54"	AW1T1RF5436 () () () ()	587.	898.	942.	1,074.	1,396.
		60"	AW1T1RF6036 () () () ()	593.	901.	945.	1,081.	1,404.
		66"	AW1T1RF6636 () () () ()	657.	905.	950.	1,097.	1,425.
		72"	AW1T1RF7236 () () () ()	679.	930.	977.	1,124.	1,462.
		78"	AW1T1RF7836 () () () ()	711.	951.	998.	1,153.	1,499.
		84"	AW1T1RF8436 () () () ()	737.	989.	1,038.	1,201.	1,562.
		90"	AW1T1RF9036 () () () ()	796.	1,037.	1,090.	1,255.	1,632.
		96"	AW1T1RF9636 () () () ()	818.	1,071.	1,124.	1,294.	1,680.

Order Code	Specification Information	Application Notes
Example: AW1T1RF1830MG118 V316613	<i>To order please specify pattern number including:</i>	7. Finish, Grommet(s) <i>specify painted or plated finish</i>
A AutoStrada	1. Width	See page 7 for finish options applicable.
W Worksurface	2. Depth	Product on this page will accept wood grain laminate where laminate is currently an option.
1 Generation 1	3. Surface type <i>L = Laminate</i> <i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i> <i>V = V1, V2 or V3</i>	Actual widths are 1/16" less than nominal dimension noted and depths are 1/8" less than nominal dimension noted.
T1 Tapered 1 side, user	4. Grommet option <i>N = No grommets</i> <i>G = Grommet(s), flush</i> <i>R = Grommet(s), recessed</i> <i>GR = Edge Grommet (for worksurfaces 30" wide or greater)</i>	When grommets specified up to 48" w tops have one grommet, over 48" w have two grommets.
R Rectilinear	5. Finish, Surface <i>Laminate, V1, V2 or V3 finish</i>	Edge grommets are available on worksurfaces 30" wide or greater. The upcharge for Edge Grommet is \$175.
F Full depth, flush	6. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i> <i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>	
18 18" wide		
30 30" deep		
M Surface type, Mixed		
G Grommet		
118 Finish surface, Bright white		
() Edge finish (L)		
613 Finish, grommet		

Flush, user edge tapered Wedge

AutoStrada

description	d, left	w	d, right	pattern no.	L	M	V1	V2	V3
 Wedge, (full depth) front edge tapered	24"	48"	30"	AW1T1WF4823 () () () ()	\$609.	\$723.	\$759.	\$875.	\$1,140.
	24"	60"	30"	AW1T1WF6023 () () () ()	646.	811.	852.	978.	1,271.
	24"	72"	36"	AW1T1WF7226 () () () ()	798.	911.	957.	1,096.	1,423.
	30"	48"	24"	AW1T1WF4832 () () () ()	609.	723.	759.	875.	1,140.
	30"	60"	24"	AW1T1WF6032 () () () ()	646.	811.	852.	978.	1,271.
	36"	72"	24"	AW1T1WF7262 () () () ()	798.	911.	957.	1,096.	1,423.
Presentation wood sample (with tapered edge detail)	16"	16"	16"	ASAMP1616 ()	121.	176.	185.	245.	290.


Worksurfaces

Order Code	Specification Information	Application Notes
Example: AW1T1WF4823MG118 V316613	<i>To order please specify pattern number including:</i>	Hardware to attach to vertical support to be specified separately.
A AutoStrada	1. Width	1 1/4" tops require additional support when distance spans over 48".
W Worksurface	2. Depth 23 = 24" deep left, 30" deep right 32 = 30" deep left, 24" deep right 26 = 24" deep left, 36" deep right 62 = 36" deep left, 24" deep right	Actual widths are 1/16" less than nominal dimension noted and depths are 1/8" less than nominal dimension noted.
1 Generation 1	3. Surface type <i>L = Laminate M = Mixed, Laminate surface/V1, V2 or V3 edge V = V1, V2 or V3</i>	When grommets specified up to 48"w tops have one grommet, over 48"w have two grommets.
T1 Tapered 1 side, user	4. Grommet option <i>N = No grommets G = Grommet(s), flush R = Grommet(s), recessed</i>	
W Wedge	5. Finish, Surface <i>Laminate, V1, V2 or V3 finish</i>	
F Full depth, flush	6. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7</i>	
48 48" wide	7. Finish, Grommet(s) <i>specify painted or plated finish</i>	
2 24" deep, left	See page 7 for finish options applicable.	
3 30" deep, right	Product on this page will accept wood grain laminate where laminate is currently an option.	
M Surface type, Mixed		
G Grommet		
118 Finish surface, Bright white		
() Edge finish (L)		
613 Finish, grommet		

Cord drop, user edge tapered

Rectilinear

AutoStrada


description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (cord drop) front edge tapered 	20"	18"	AW1T1RU1820 () () ()	\$378.	\$448.	\$470.	\$536.	\$699.
		20"	AW1T1RU2020 () () ()	381.	458.	482.	551.	718.
		24"	AW1T1RU2420 () () ()	392.	470.	494.	564.	734.
		30"	AW1T1RU3020 () () ()	438.	517.	542.	622.	808.
		36"	AW1T1RU3620 () () ()	442.	543.	571.	658.	855.
		42"	AW1T1RU4220 () () ()	447.	569.	598.	688.	894.
		48"	AW1T1RU4820 () () ()	460.	591.	621.	712.	927.
		54"	AW1T1RU5420 () () ()	474.	616.	647.	747.	971.
		60"	AW1T1RU6020 () () ()	500.	666.	699.	803.	1,042.
		66"	AW1T1RU6620 () () ()	534.	686.	720.	829.	1,078.
		72"	AW1T1RU7220 () () ()	538.	721.	756.	870.	1,128.
		78"	AW1T1RU7820 () () ()	558.	729.	766.	882.	1,145.
		84"	AW1T1RU8420 () () ()	586.	775.	814.	937.	1,221.
		90"	AW1T1RU9020 () () ()	599.	810.	851.	977.	1,270.
		96"	AW1T1RU9620 () () ()	640.	841.	882.	1,012.	1,317.
	24"	18"	AW1T1RU1824 () () ()	404.	472.	495.	567.	739.
		20"	AW1T1RU2024 () () ()	409.	482.	506.	581.	756.
		24"	AW1T1RU2424 () () ()	412.	492.	517.	598.	776.
		30"	AW1T1RU3024 () () ()	415.	559.	586.	674.	876.
		36"	AW1T1RU3624 () () ()	422.	582.	611.	701.	913.
		42"	AW1T1RU4224 () () ()	439.	599.	629.	722.	939.
		48"	AW1T1RU4824 () () ()	452.	643.	674.	774.	1,006.
		54"	AW1T1RU5424 () () ()	532.	686.	720.	829.	1,078.
		60"	AW1T1RU6024 () () ()	585.	735.	771.	886.	1,150.
		66"	AW1T1RU6624 () () ()	602.	762.	800.	915.	1,191.
		72"	AW1T1RU7224 () () ()	617.	794.	833.	960.	1,248.
		78"	AW1T1RU7824 () () ()	638.	830.	872.	1,006.	1,308.
		84"	AW1T1RU8424 () () ()	663.	867.	910.	1,042.	1,358.
		90"	AW1T1RU9024 () () ()	705.	902.	947.	1,093.	1,419.
		96"	AW1T1RU9624 () () ()	723.	937.	984.	1,137.	1,475.

Order Code	Specification Information	Application Notes
Example: AW1T1RC1820M118 V316 812	<i>To order please specify pattern number including:</i>	Worksurfaces with cord drop are not recommended for freestanding applications.
A AutoStrada	1. Width	See page 7 for finish options applicable.
W Worksurface	2. Depth	
1 Generation 1	3. Surface type	Product on this page will accept wood grain laminate where laminate is currently an option.
T1 Tapered 1 side, user	<i>L = Laminate</i>	
R Rectilinear	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>	Hardware to attach to vertical support to be specified separately.
U Cord drop	<i>V = V1, V2 or V3</i>	
18 18" wide	4. Finish, Surface	1 1/4" tops require additional support when distance spans over 48".
20 20" deep	<i>Laminate, V1, V2 or V3 finish</i>	
M Surface type, Mixed	5. Finish, Edge:	Actual widths are 1/16" less than nominal dimension noted and depths are 3/8" less than nominal dimension noted.
118 Finish surface, Bright white	<i>*For L surfaces, all core laminate colors are optional</i>	
() Edge finish (L)	<i>*For M surfaces, the options are V1, V2 or V3, see page 7.</i>	
812 Finish grommet, Easy grey	6. Finish, Grommet	
	111 Jet black	
	812 Easy grey	

Cord drop, user edge tapered

Rectilinear

AutoStrada

description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (cord drop) front edge tapered 	30"	18"	AW1T1RU1830 () () ()	\$411.	\$509.	\$535.	\$619.	\$803.
		20"	AW1T1RU2030 () () ()	417.	524.	550.	634.	821.
		24"	AW1T1RU2430 () () ()	432.	536.	563.	649.	846.
		30"	AW1T1RU3030 () () ()	447.	607.	637.	729.	949.
		36"	AW1T1RU3630 () () ()	464.	654.	687.	784.	1,023.
		42"	AW1T1RU4230 () () ()	485.	675.	710.	816.	1,061.
		48"	AW1T1RU4830 () () ()	537.	723.	759.	875.	1,140.
		54"	AW1T1RU5430 () () ()	550.	781.	821.	944.	1,228.
		60"	AW1T1RU6030 () () ()	614.	811.	852.	978.	1,271.
		66"	AW1T1RU6630 () () ()	628.	829.	871.	1,001.	1,302.
		72"	AW1T1RU7230 () () ()	648.	851.	894.	1,027.	1,335.
		78"	AW1T1RU7830 () () ()	668.	889.	934.	1,077.	1,397.
		84"	AW1T1RU8430 () () ()	695.	926.	971.	1,119.	1,457.
		90"	AW1T1RU9030 () () ()	759.	966.	1,014.	1,173.	1,522.
		96"	AW1T1RU9630 () () ()	761.	1,002.	1,052.	1,214.	1,574.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: AW1T1RC1820M118 V316 812	<i>To order please specify pattern number including:</i>	Worksurfaces with cord drop are not recommended for freestanding applications.
A AutoStrada	1. Width	See page 7 for finish options applicable.
W Worksurface	2. Depth	
1 Generation 1	3. Surface type	Product on this page will accept wood grain laminate where laminate is currently an option.
T1 Tapered 1 side, user	<i>L = Laminate</i>	
R Rectilinear	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>	Hardware to attach to vertical support to be specified separately.
U Cord drop	<i>V = V1, V2 or V3</i>	
18 18" wide	4. Finish, Surface	1 1/4" tops require additional support when distance spans over 48".
20 20" deep	<i>Laminate, V1, V2 or V3 finish</i>	
M Surface type, Mixed	5. Finish, Edge:	Actual widths are 1/16" less than nominal dimension noted and depths are 3/8" less than nominal dimension noted.
118 Finish surface, Bright white	<i>*For L surfaces, all core laminate colors are optional</i>	
() Edge finish (L)	<i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>	
812 Finish grommet, Easy grey	6. Finish, Grommet	
	111 Jet black	
	812 Easy grey	

Cord drop, user edge tapered


Wedge

AutoStrada

description	d, left	w	d, right	pattern no.	L	M	V1	V2	V3
Wedge, (cord drop) front edge tapered	24"	48"	30"	AW1T1WU4823 () () ()	\$614.	\$723.	\$759.	\$875.	\$1,140.
	24"	60"	30"	AW1T1WU6023 () () ()	649.	811.	852.	978.	1,271.
	24"	72"	36"	AW1T1WU7226 () () ()	806.	911.	957.	1,096.	1,423.
	30"	48"	24"	AW1T1WU4832 () () ()	614.	723.	759.	875.	1,140.
	30"	60"	24"	AW1T1WU6032 () () ()	649.	811.	852.	978.	1,271.
	36"	72"	24"	AW1T1WU7262 () () ()	806.	911.	957.	1,096.	1,423.



Order Code	Specification Information	Application Notes
Example: AW1T1WU4823M118 V316 812	<i>To order please specify pattern number including:</i>	Worksurfaces with cord drop are not recommended for freestanding applications.
A AutoStrada	1. Width	Hardware to attach to vertical support to be specified separately.
W Worksurface	2. Depth	1 1/4" tops require additional support when distance spans over 48".
1 Generation 1	23 = 24" deep left, 30" deep right	Actual widths are 1/16" less than nominal dimension noted and depths are 3/8" less than nominal dimension noted.
T1 Tapered 1 side, user	32 = 30" deep left, 24" deep right	
W Wedge	26 = 24" deep left, 36" deep right	
U Cord drop	62 = 36" deep left, 24" deep right	
48 48" wide	3. Surface type	
2 24" deep, left	L = Laminate	
3 30" deep, right	M = Mixed, Laminate surface/V1, V2 or V3 edge	
M Surface type, Mixed	V = V1, V2 or V3	
118 Finish surface, Bright white	4. Finish, Surface Laminate, V1, V2 or V3 finish	
() Edge finish (L)	5. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7	
812 Finish grommet, Easy grey	6. Finish, Grommet 111 Jet black 812 Easy grey	
	See page 7 for finish options applicable.	
	Product on this page will accept wood grain laminate where laminate is currently an option.	


description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (full depth) front & back edge tapered 	30"	30"	AW1T2R3030 () () () ()	\$499.	\$739.	\$776.	\$870.	\$1,091.
		36"	AW1T2R3630 () () () ()	514.	783.	823.	925.	1,160.
		42"	AW1T2R4230 () () () ()	535.	810.	851.	958.	1,202.
		48"	AW1T2R4830 () () () ()	559.	857.	900.	1,014.	1,278.
		54"	AW1T2R5430 () () () ()	633.	916.	962.	1,087.	1,367.
		60"	AW1T2R6030 () () () ()	654.	943.	990.	1,118.	1,411.
		66"	AW1T2R6630 () () () ()	673.	961.	1,010.	1,143.	1,442.
		72"	AW1T2R7230 () () () ()	694.	983.	1,032.	1,166.	1,472.
		78"	AW1T2R7830 () () () ()	720.	1,022.	1,073.	1,218.	1,539.
		84"	AW1T2R8430 () () () ()	740.	1,059.	1,112.	1,257.	1,596.
		90"	AW1T2R9030 () () () ()	795.	1,099.	1,154.	1,312.	1,662.
		96"	AW1T2R9630 () () () ()	817.	1,136.	1,192.	1,351.	1,714.
		36"	AW1T2R3036 () () () ()	515.	788.	827.	931.	1,167.
			AW1T2R3636 () () () ()	537.	864.	908.	1,016.	1,280.
			AW1T2R4236 () () () ()	561.	899.	943.	1,064.	1,344.
			AW1T2R4836 () () () ()	589.	949.	996.	1,129.	1,429.
			AW1T2R5436 () () () ()	667.	1,035.	1,088.	1,216.	1,538.
			AW1T2R6036 () () () ()	691.	1,030.	1,081.	1,222.	1,542.
			AW1T2R6636 () () () ()	729.	1,039.	1,092.	1,234.	1,565.
			AW1T2R7236 () () () ()	738.	1,064.	1,117.	1,267.	1,603.
			AW1T2R7836 () () () ()	770.	1,087.	1,141.	1,294.	1,640.
			AW1T2R8436 () () () ()	789.	1,122.	1,179.	1,342.	1,702.
			AW1T2R9036 () () () ()	847.	1,170.	1,228.	1,394.	1,770.
			AW1T2R9636 () () () ()	872.	1,205.	1,267.	1,432.	1,819.

Order Code	Specification Information	Application Notes
Example: AW1T2R3030MG118 V316613	<i>To order please specify pattern number including:</i>	7. Finish, Grommet(s) <i>specify painted or plated finish</i>
A AutoStrada	1. Width	See page 7 for finish options
W Worksurface	2. Depth	applicable.
1 Generation 1	3. Surface type <i>L = Laminate</i>	Product on this page will accept wood grain laminate where laminate is currently an option.
T2 Tapered 2 sides, user & approach	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>	
R Rectilinear	<i>V = V1, V2 or V3</i>	
30 30" wide	4. Grommet option <i>N = No grommets</i>	
30 30" deep	<i>G = Grommet(s), flush</i>	
M Surface type, Mixed	<i>R = Grommet(s), recessed</i>	
G Grommet	5. Finish, Surface <i>Laminate, V1, V2 or V3 finish</i>	
118 Finish surface, Bright white	6. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i>	
() Edge finish (L)	<i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>	
613 Finish, grommet		

Hardware to attach to vertical support to be specified separately.

1 1/4" tops require additional support when distance spans over 48".


When grommets specified up to 48" w tops have one grommet, over 48" w have two grommets.

description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (full depth) front & back edge tapered 	42"	30"	AW1T2R3042 () () () ()	\$536.	\$854.	\$897.	\$1,006.	\$1,308.
		36"	AW1T2R3642 () () () ()	561.	969.	1,017.	1,139.	1,476.
		42"	AW1T2R4242 () () () ()	586.	1,011.	1,061.	1,205.	1,570.
		48"	AW1T2R4842 () () () ()	616.	1,070.	1,123.	1,280.	1,665.
		54"	AW1T2R5442 () () () ()	697.	1,103.	1,158.	1,314.	1,707.
		60"	AW1T2R6042 () () () ()	724.	1,137.	1,193.	1,348.	1,753.
		66"	AW1T2R6642 () () () ()	749.	1,144.	1,201.	1,359.	1,765.
		72"	AW1T2R7242 () () () ()	775.	1,148.	1,205.	1,368.	1,777.
		78"	AW1T2R7842 () () () ()	826.	1,163.	1,222.	1,386.	1,800.
		84"	AW1T2R8442 () () () ()	834.	1,202.	1,262.	1,437.	1,871.
		90"	AW1T2R9042 () () () ()	896.	1,254.	1,316.	1,498.	1,948.
		96"	AW1T2R9642 () () () ()	925.	1,287.	1,352.	1,528.	1,989.

Order Code	Specification Information	Application Notes
Example: AW1T2R3030MG118 V316613	<i>To order please specify pattern number including:</i>	7. Finish, Grommet(s) <i>specify painted or plated finish</i>
A AutoStrada	1. Width	Hardware to attach to vertical support to be specified separately.
W Worksurface	2. Depth	See page 7 for finish options applicable.
1 Generation 1	3. Surface type <i>L = Laminate</i>	Product on this page will accept wood grain laminate where laminate is currently an option.
T2 Tapered 2 sides, user & approach	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>	When grommets specified up to 48" w tops have one grommet, over 48" w have two grommets.
R Rectilinear	<i>V = V1, V2 or V3</i>	
30 30" wide	4. Grommet option <i>N = No grommets</i>	
30 30" deep	<i>G = Grommet(s), flush</i>	
M Surface type, Mixed	<i>R = Grommet(s), recessed</i>	
G Grommet	5. Finish, Surface <i>Laminate, V1, V2 or V3 finish</i>	
118 Finish surface, Bright white	6. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i>	
() Edge finish (L)	<i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>	
613 Finish, grommet		

Rectilinear for C-Leg and T-Leg bases 24", 30" and 36" Deep


AutoStrada

description	type	d*	d	w*	w	pattern no.	L	V1	V2	V3
	For use with 24"D C-Leg base	24"	23"	36"	34"	AW1T1R3423()N()	\$422.	\$611.	\$701.	\$913.
		24"	23"	42"	40"	AW1T1R4023()N()	439.	629.	722.	939.
		24"	23"	48"	46"	AW1T1R4623()N()	452.	674.	774.	1,006.
		24"	23"	54"	52"	AW1T1R5223()N()	532.	720.	829.	1,078.
		24"	23"	60"	58"	AW1T1R5823()N()	585.	771.	886.	1,150.
		24"	23"	66"	64"	AW1T1R6423()N()	602.	800.	915.	1,191.
		24"	23"	72"	70"	AW1T1R7023()N()	617.	833.	960.	1,248.
	For use with 30"D C-Leg base	30"	29"	36"	34"	AW1T1R3429()N()	464.	687.	784.	1,023.
		30"	29"	42"	40"	AW1T1R4029()N()	485.	710.	816.	1,061.
		30"	29"	48"	46"	AW1T1R4629()N()	537.	759.	875.	1,140.
		30"	29"	54"	52"	AW1T1R5229()N()	550.	821.	944.	1,228.
		30"	29"	60"	58"	AW1T1R5829()N()	614.	852.	978.	1,271.
		30"	29"	66"	64"	AW1T1R6429()N()	628.	871.	1,001.	1,302.
		30"	29"	72"	70"	AW1T1R7029()N()	648.	894.	1,027.	1,335.
	For use with 30"D T-Leg base	36"	35"	48"	46"	AW1T2R4635()N()	589.	996.	1,129.	1,429.
		36"	35"	54"	52"	AW1T2R5235()N()	667.	1,088.	1,216.	1,538.
		36"	35"	60"	58"	AW1T2R5835()N()	691.	1,081.	1,222.	1,542.
		36"	35"	66"	64"	AW1T2R6435()N()	729.	1,092.	1,234.	1,565.
		36"	35"	72"	70"	AW1T2R7035()N()	738.	1,117.	1,267.	1,603.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: AW1T1R5829LN, 118	<i>To order please specify pattern number including:</i>	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg and T-Leg bases to create freestanding tables.
AW Worksurface	1. Width	Worksurfaces are pre-drilled with pilot holes for use with wood screws.
1 Generation 1	2. Depth	Actual worksurfaces are undersized by 1" on each side edge and by 1" on the back edge.
T1 Tapered 1 side, user	3. Surface Type: <i>L = Laminate</i> <i>V = V1, V2 or V3</i>	23", 29" and 35" rectangular worksurfaces are for use with corresponding depth fixed and height adjustable C-Leg bases and T-Leg bases.
R Rectilinear	4. <i>N = No Grommet</i>	23" and 29" worksurfaces are user edge tapered. 35" worksurfaces are user and approach edges tapered.
58 Width	5. Finish, Surface <i>Laminate, V1, V2 or V3</i>	
29 Depth	6. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i> <i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>	
L Laminate	See page 7 for finish options applicable.	
N No Grommets	Product on this page will accept woodgrain laminate where laminate is currently an option.	
118 Bright White Laminate		
() Edge finish (L)		

w * and d * = nominal dimensions

description	d, left	w	d, right	pattern no.	L	M	V1	V2	V3
 Wedge, front and back edge tapered	24"	48"	30"	AW1T2W4823 () () () ()	\$657.	\$857.	\$900.	\$1,014.	\$1,278.
	24"	60"	30"	AW1T2W6023 () () () ()	726.	943.	990.	1,118.	1,411.
	24"	72"	36"	AW1T2W7226 () () () ()	847.	1,044.	1,097.	1,233.	1,562.
	30"	48"	24"	AW1T2W4832 () () () ()	657.	857.	900.	1,014.	1,278.
	30"	60"	24"	AW1T2W6032 () () () ()	726.	943.	990.	1,118.	1,411.
	36"	72"	24"	AW1T2W7262 () () () ()	847.	1,044.	1,097.	1,233.	1,562.

Order Code	Specification Information	Application Notes
Example: AW1T2W4823MG118 V316613	<i>To order please specify pattern number including:</i>	Hardware to attach to vertical support to be specified separately.
A AutoStrada	1. Width	*For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7
W Worksurface	2. Depth 23 = 24" deep left, 30" deep right 32 = 30" deep left, 24" deep right 26 = 24" deep left, 36" deep right 62 = 36" deep left, 24" deep right	
1 Generation 1	3. Surface type L = Laminate M = Mixed, Laminate surface/V1, V2 or V3 edge V = V1, V2 or V3	7. Finish, Grommet(s) specify painted or plated finish
T2 Tapered 2 sides, user & approach	4. Grommet option N = No grommets G = Grommet(s), flush R = Grommet(s), recessed	See page 7 for finish options applicable. Product on this page will accept wood grain laminate where laminate is currently an option.
W Wedge	5. Finish, Surface Laminate, V1, V2 or V3 finish	Important: Please note placement of grommet(s) when specified assumes user edge is wedge side. If application requires user side to be straight edge and wedge edge as approach side, then specify no grommets. When grommets specified up to 48" w tops have one grommet, over 48" w have two grommets.
48 48" wide		
2 24" deep, left		
3 30" deep, right		
M Surface type, Mixed		
G Grommet		
118 Finish surface, Bright white		
() Edge finish (L)		
613 Finish, grommet		

description	d, left	w	d, right	pattern no.	L	M	V1	V2	V3
Double wedge, front and back edge tapered	24"	48"	36"	AW1T2DW4826 () () () ()	\$686.	\$949.	\$996.	\$1,129.	\$1,429.
	24"	60"	36"	AW1T2DW6026 () () () ()	764.	1,030.	1,081.	1,222.	1,542.
	24"	72"	36"	AW1T2DW7226 () () () ()	847.	1,087.	1,141.	1,294.	1,640.



Order Code		Specification Information	Application Notes	
Example:	AW1T2DW4826MG118 V316613	<i>To order please specify pattern number including:</i>	5. Finish, Grommet <i>specify painted or plated finish</i>	Hardware to attach to vertical support to be specified separately.
A	AutoStrada	1. Surface type <i>L = Laminate</i>	See page 7 for finish options applicable.	1 ¼” tops require additional support when distance spans over 48”.
W	Worksurface	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>		
1	Generation 1	<i>V = V1, V2 or V3</i>	Product on this page will accept wood grain laminate where laminate is currently an option.	Grommet when specified, centered 36”w end.
T2	Tapered 2 sides, user & approach	2. Grommet option <i>N = No grommet</i>		
DW	Double Wedge	<i>G = Grommet</i>		
48	48” wide	3. Finish, Surface <i>Laminate, V1, V2 or V3 finish</i>		
2	24” deep	4. Finish, Edge: <i>*For L surfaces, all core laminate colors are optional</i>		
6	36” deep	<i>*For M surfaces, the options are V1, V2 or V3, see page 7</i>		
M	Surface type, Mixed			
G	Grommet			
118	Finish surface, Bright white			
()	Edge finish (L)			
613	Finish, grommet			

Peninsulas

with straight legs and simple stand-off

AutoStrada

description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3
Rectangular peninsulas, tapered 2 sides with straight legs and simple stand-off	30"	28 ³ / ₈ "	60"	27"	APRT2S1ST(L/R)6030() () () () ()	\$1,178.	\$1,467.	\$1,514.	\$1,642.	\$1,935.
		28 ³ / ₈ "	66"	27"	APRT2S1ST(L/R)6630() () () () ()	1,216.	1,485.	1,533.	1,667.	1,966.
		28 ³ / ₈ "	72"	27"	APRT2S1ST(L/R)7230() () () () ()	1,218.	1,507.	1,556.	1,690.	1,996.
		28 ³ / ₈ "	78"	27"	APRT2S1ST(L/R)7830() () () () ()	1,243.	1,546.	1,597.	1,741.	2,062.
		28 ³ / ₈ "	84"	27"	APRT2S1ST(L/R)8430() () () () ()	1,264.	1,583.	1,636.	1,780.	2,120.
		28 ³ / ₈ "	90"	27"	APRT2S1ST(L/R)9030() () () () ()	1,319.	1,623.	1,678.	1,836.	2,185.
		28 ³ / ₈ "	96"	27"	APRT2S1ST(L/R)9630() () () () ()	1,341.	1,659.	1,716.	1,875.	2,238.
		29 ³ / ₈ "	60"	28 ³ / ₈ "	APRT2S2ST(L/R)6030() () () () ()	1,178.	1,467.	1,514.	1,642.	1,935.
		29 ³ / ₈ "	66"	28 ³ / ₈ "	APRT2S2ST(L/R)6630() () () () ()	1,216.	1,485.	1,533.	1,667.	1,966.
		29 ³ / ₈ "	72"	28 ³ / ₈ "	APRT2S2ST(L/R)7230() () () () ()	1,218.	1,507.	1,556.	1,690.	1,996.
		29 ³ / ₈ "	78"	28 ³ / ₈ "	APRT2S2ST(L/R)7830() () () () ()	1,243.	1,546.	1,597.	1,741.	2,062.
		29 ³ / ₈ "	84"	28 ³ / ₈ "	APRT2S2ST(L/R)8430() () () () ()	1,264.	1,583.	1,636.	1,780.	2,120.
		29 ³ / ₈ "	90"	28 ³ / ₈ "	APRT2S2ST(L/R)9030() () () () ()	1,319.	1,623.	1,678.	1,836.	2,185.
		29 ³ / ₈ "	96"	28 ³ / ₈ "	APRT2S2ST(L/R)9630() () () () ()	1,341.	1,659.	1,716.	1,875.	2,238.
	36"	28 ³ / ₈ "	60"	27"	APRT2S1ST(L/R)6036() () () () ()	1,215.	1,554.	1,605.	1,746.	2,065.
		28 ³ / ₈ "	66"	27"	APRT2S1ST(L/R)6636() () () () ()	1,253.	1,563.	1,615.	1,758.	2,089.
		28 ³ / ₈ "	72"	27"	APRT2S1ST(L/R)7236() () () () ()	1,262.	1,588.	1,641.	1,791.	2,127.
		28 ³ / ₈ "	78"	27"	APRT2S1ST(L/R)7836() () () () ()	1,294.	1,610.	1,665.	1,817.	2,164.
		28 ³ / ₈ "	84"	27"	APRT2S1ST(L/R)8436() () () () ()	1,313.	1,646.	1,703.	1,866.	2,225.
		28 ³ / ₈ "	90"	27"	APRT2S1ST(L/R)9036() () () () ()	1,370.	1,693.	1,752.	1,918.	2,294.
		28 ³ / ₈ "	96"	27"	APRT2S1ST(L/R)9636() () () () ()	1,396.	1,729.	1,791.	1,956.	2,343.
		29 ³ / ₈ "	60"	28 ³ / ₈ "	APRT2S2ST(L/R)6036() () () () ()	1,215.	1,554.	1,605.	1,746.	2,065.
		29 ³ / ₈ "	66"	28 ³ / ₈ "	APRT2S2ST(L/R)6636() () () () ()	1,253.	1,563.	1,615.	1,758.	2,089.
		29 ³ / ₈ "	72"	28 ³ / ₈ "	APRT2S2ST(L/R)7236() () () () ()	1,262.	1,588.	1,641.	1,791.	2,127.
		29 ³ / ₈ "	78"	28 ³ / ₈ "	APRT2S2ST(L/R)7836() () () () ()	1,294.	1,610.	1,665.	1,817.	2,164.
		29 ³ / ₈ "	84"	28 ³ / ₈ "	APRT2S2ST(L/R)8436() () () () ()	1,313.	1,646.	1,703.	1,866.	2,225.
		29 ³ / ₈ "	90"	28 ³ / ₈ "	APRT2S2ST(L/R)9036() () () () ()	1,370.	1,693.	1,752.	1,918.	2,294.
		29 ³ / ₈ "	96"	28 ³ / ₈ "	APRT2S2ST(L/R)9636() () () () ()	1,396.	1,729.	1,791.	1,956.	2,343.

Order Code	Specification Information	Application Notes
Example: APRT2S1ST(L/R)6030	<i>To order please specify pattern number including:</i>	7. Finish, Leg Anodized aluminum or painted finish option, excluding silver.
A AutoStrada	1. Leg height S1 = 27" high S2 = 28 3/8" high	8. Finish, Stand-off Painted finish only
PR Peninsula Rectilinear	2. Hand L = Left hand R = Right hand	See page 7 for finish options applicable.
T2 Tapered 2 sides; user and approach	3. Grommet option M = Mid grommet N = No grommet S = Stand-off SE = Stand-off, end location SD = Stand-off with drop in box SDR = Right hand stand-off with drop in box SDL = Left hand stand-off with drop in box	Product on this page will accept wood grain laminate where laminate is currently an option.
S1 27"h Straight leg	Note: SD, SDR and SDL are only factory cut out, no grommet option is necessary.	Modesties sold separately and can be field installed.
ST Simple stand-off	4. Finish, Grommet Painted or plated	Wire chase sold separately.
L Left hand	5. Finish, Top Laminate, V1, V2 or V3 finish	
60 Width	6. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7	
30 Depth		
M Grommet option		
111 Grommet finish		
V316 Finish, Top		
() Finish, Edge (L)		
111 Finish, Leg		
111 Finish, Stand-off		

with straight legs and simple stand-off with power center

description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3
Rectangular peninsulas, tapered 2 sides with straight legs and simple stand-off with power cen	30"	28 ³ / ₈ "	60"	27"	APRT2S1PC(L/R)6030() () () () ()	\$1,210.	\$1,499.	\$1,546.	\$1,674.	\$1,967.
		28 ³ / ₈ "	66"	27"	APRT2S1PC(L/R)6630() () () () ()	1,247.	1,517.	1,565.	1,698.	1,998.
		28 ³ / ₈ "	72"	27"	APRT2S1PC(L/R)7230() () () () ()	1,249.	1,539.	1,588.	1,722.	2,027.
		28 ³ / ₈ "	78"	27"	APRT2S1PC(L/R)7830() () () () ()	1,275.	1,577.	1,629.	1,773.	2,094.
		28 ³ / ₈ "	84"	27"	APRT2S1PC(L/R)8430() () () () ()	1,296.	1,614.	1,668.	1,812.	2,151.
		28 ³ / ₈ "	90"	27"	APRT2S1PC(L/R)9030() () () () ()	1,351.	1,654.	1,710.	1,868.	2,217.
		28 ³ / ₈ "	96"	27"	APRT2S1PC(L/R)9630() () () () ()	1,372.	1,691.	1,748.	1,907.	2,269.
		29 ⁵ / ₈ "	60"	28 ³ / ₈ "	APRT2S2PC(L/R)6030() () () () ()	1,210.	1,499.	1,546.	1,674.	1,967.
		29 ⁵ / ₈ "	66"	28 ³ / ₈ "	APRT2S2PC(L/R)6630() () () () ()	1,247.	1,517.	1,565.	1,698.	1,998.
		29 ⁵ / ₈ "	72"	28 ³ / ₈ "	APRT2S2PC(L/R)7230() () () () ()	1,249.	1,539.	1,588.	1,722.	2,027.
		29 ⁵ / ₈ "	78"	28 ³ / ₈ "	APRT2S2PC(L/R)7830() () () () ()	1,275.	1,577.	1,629.	1,773.	2,094.
		29 ⁵ / ₈ "	84"	28 ³ / ₈ "	APRT2S2PC(L/R)8430() () () () ()	1,296.	1,614.	1,668.	1,812.	2,151.
		29 ⁵ / ₈ "	90"	28 ³ / ₈ "	APRT2S2PC(L/R)9030() () () () ()	1,351.	1,654.	1,710.	1,868.	2,217.
		29 ⁵ / ₈ "	96"	28 ³ / ₈ "	APRT2S2PC(L/R)9630() () () () ()	1,372.	1,691.	1,748.	1,907.	2,269.
	36"	28 ³ / ₈ "	60"	27"	APRT2S1PC(L/R)6036() () () () ()	1,246.	1,586.	1,637.	1,777.	2,097.
		28 ³ / ₈ "	66"	27"	APRT2S1PC(L/R)6636() () () () ()	1,284.	1,595.	1,647.	1,790.	2,121.
		28 ³ / ₈ "	72"	27"	APRT2S1PC(L/R)7236() () () () ()	1,294.	1,620.	1,673.	1,822.	2,159.
		28 ³ / ₈ "	78"	27"	APRT2S1PC(L/R)7836() () () () ()	1,325.	1,642.	1,696.	1,849.	2,196.
		28 ³ / ₈ "	84"	27"	APRT2S1PC(L/R)8436() () () () ()	1,345.	1,678.	1,734.	1,897.	2,257.
		28 ³ / ₈ "	90"	27"	APRT2S1PC(L/R)9036() () () () ()	1,402.	1,725.	1,784.	1,950.	2,326.
		28 ³ / ₈ "	96"	27"	APRT2S1PC(L/R)9636() () () () ()	1,428.	1,761.	1,822.	1,987.	2,375.
		29 ⁵ / ₈ "	60"	28 ³ / ₈ "	APRT2S2PC(L/R)6036() () () () ()	1,246.	1,586.	1,637.	1,777.	2,097.
		29 ⁵ / ₈ "	66"	28 ³ / ₈ "	APRT2S2PC(L/R)6636() () () () ()	1,284.	1,595.	1,647.	1,790.	2,121.
		29 ⁵ / ₈ "	72"	28 ³ / ₈ "	APRT2S2PC(L/R)7236() () () () ()	1,294.	1,620.	1,673.	1,822.	2,159.
		29 ⁵ / ₈ "	78"	28 ³ / ₈ "	APRT2S2PC(L/R)7836() () () () ()	1,325.	1,642.	1,696.	1,849.	2,196.
		29 ⁵ / ₈ "	84"	28 ³ / ₈ "	APRT2S2PC(L/R)8436() () () () ()	1,345.	1,678.	1,734.	1,897.	2,257.
		29 ⁵ / ₈ "	90"	28 ³ / ₈ "	APRT2S2PC(L/R)9036() () () () ()	1,402.	1,725.	1,784.	1,950.	2,326.
		29 ⁵ / ₈ "	96"	28 ³ / ₈ "	APRT2S2PC(L/R)9636() () () () ()	1,428.	1,761.	1,822.	1,987.	2,375.

Order Code	Specification Information	Application Notes
Example: APRT2S1PC(L/R)6030	To order please specify pattern number including:	7. Finish, Leg Anodized aluminum or painted finish option, excluding silver.
A AutoStrada	1. Leg height S1 = 27" high S2 = 28 3/8" high	8. Finish, Stand-off Painted finish only
PR Peninsula Rectilinear	2. Hand L = Left hand R = Right hand	See page 7 for finish options applicable.
T2 Tapered 2 sides; user and approach	3. Grommet option P = Power Center PE = Power center grommet	Product on this page will accept wood grain laminate where laminate is currently an option.
S1 27" h Straight leg	4. Finish, Grommet Painted or plated	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
PC Power center	5. Finish, Top Laminate, V1, V2 or V3 finish	Modesties sold separately and can be field installed.
L Left hand	6. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7	Wire chase sold separately.
60 Width		
30 Depth		
M Grommet option		
111 Grommet finish		
V316 Finish, Top		
() Edge finish (L)		
111 Finish, Leg		
111 Finish, Stand-off		

Peninsulas

with L- legs and simple stand-off

AutoStrada

description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3
Rectangular peninsulas, tapered 2 sides with L-legs and simple stand-off	30"	28 ³ / ₈ "	60"	27"	APRT2L1ST(L/R)6030() () () () ()	\$1,475.	\$1,764.	\$1,811.	\$1,939.	\$2,232.
		28 ³ / ₈ "	66"	27"	APRT2L1ST(L/R)6630() () () () ()	1,513.	1,782.	1,831.	1,964.	2,263.
		28 ³ / ₈ "	72"	27"	APRT2L1ST(L/R)7230() () () () ()	1,515.	1,804.	1,853.	1,987.	2,293.
		28 ³ / ₈ "	78"	27"	APRT2L1ST(L/R)7830() () () () ()	1,541.	1,843.	1,894.	2,039.	2,360.
		28 ³ / ₈ "	84"	27"	APRT2L1ST(L/R)8430() () () () ()	1,561.	1,880.	1,933.	2,078.	2,417.
		28 ³ / ₈ "	90"	27"	APRT2L1ST(L/R)9030() () () () ()	1,616.	1,920.	1,975.	2,133.	2,483.
		28 ³ / ₈ "	96"	27"	APRT2L1ST(L/R)9630() () () () ()	1,638.	1,957.	2,013.	2,172.	2,535.
		29 ³ / ₈ "	60"	28 ³ / ₈ "	APRT2L2ST(L/R)6030() () () () ()	1,475.	1,764.	1,811.	1,939.	2,232.
		29 ³ / ₈ "	66"	28 ³ / ₈ "	APRT2L2ST(L/R)6630() () () () ()	1,513.	1,782.	1,831.	1,964.	2,263.
		29 ³ / ₈ "	72"	28 ³ / ₈ "	APRT2L2ST(L/R)7230() () () () ()	1,515.	1,804.	1,853.	1,987.	2,293.
		29 ³ / ₈ "	78"	28 ³ / ₈ "	APRT2L2ST(L/R)7830() () () () ()	1,541.	1,843.	1,894.	2,039.	2,360.
		29 ³ / ₈ "	84"	28 ³ / ₈ "	APRT2L2ST(L/R)8430() () () () ()	1,561.	1,880.	1,933.	2,078.	2,417.
		29 ³ / ₈ "	90"	28 ³ / ₈ "	APRT2L2ST(L/R)9030() () () () ()	1,616.	1,920.	1,975.	2,133.	2,483.
		29 ³ / ₈ "	96"	28 ³ / ₈ "	APRT2L2ST(L/R)9630() () () () ()	1,638.	1,957.	2,013.	2,172.	2,535.
	36"	28 ³ / ₈ "	60"	27"	APRT1L2ST(L/R)6036() () () () ()	1,512.	1,851.	1,902.	2,043.	2,363.
		28 ³ / ₈ "	66"	27"	APRT2L1ST(L/R)6636() () () () ()	1,550.	1,860.	1,913.	2,055.	2,386.
		28 ³ / ₈ "	72"	27"	APRT2L1ST(L/R)7236() () () () ()	1,559.	1,885.	1,938.	2,088.	2,424.
		28 ³ / ₈ "	78"	27"	APRT2L1ST(L/R)7836() () () () ()	1,591.	1,908.	1,962.	2,115.	2,461.
		28 ³ / ₈ "	84"	27"	APRT2L1ST(L/R)8436() () () () ()	1,610.	1,943.	2,000.	2,163.	2,523.
		28 ³ / ₈ "	90"	27"	APRT2L1ST(L/R)9036() () () () ()	1,668.	1,991.	2,049.	2,215.	2,591.
		28 ³ / ₈ "	96"	27"	APRT2L1ST(L/R)9636() () () () ()	1,693.	2,026.	2,088.	2,253.	2,640.
		29 ³ / ₈ "	60"	28 ³ / ₈ "	APRT2L1ST(L/R)6036() () () () ()	1,512.	1,851.	1,902.	2,043.	2,363.
		29 ³ / ₈ "	66"	28 ³ / ₈ "	APRT2L2ST(L/R)6636() () () () ()	1,550.	1,860.	1,913.	2,055.	2,386.
		29 ³ / ₈ "	72"	28 ³ / ₈ "	APRT2L2ST(L/R)7236() () () () ()	1,559.	1,885.	1,938.	2,088.	2,424.
		29 ³ / ₈ "	78"	28 ³ / ₈ "	APRT2L2ST(L/R)7836() () () () ()	1,591.	1,908.	1,962.	2,115.	2,461.
		29 ³ / ₈ "	84"	28 ³ / ₈ "	APRT2L2ST(L/R)8436() () () () ()	1,610.	1,943.	2,000.	2,163.	2,523.
		29 ³ / ₈ "	90"	28 ³ / ₈ "	APRT2L2ST(L/R)9036() () () () ()	1,668.	1,991.	2,049.	2,215.	2,591.
		29 ³ / ₈ "	96"	28 ³ / ₈ "	APRT2L2ST(L/R)9636() () () () ()	1,693.	2,026.	2,088.	2,253.	2,640.

Order Code	Specification Information	Application Notes
Example: APRT2L1ST(L/R)6030	<i>To order please specify pattern number including:</i>	7. Finish, Leg Anodized aluminum or painted finish option, excluding silver.
A AutoStrada	1. Leg height L1 = 27" high l2 = 28 3/8" high	8. Finish, Stand-off Painted finish only
PR Peninsula Rectilinear	2. Hand L = Left hand R = Right hand	See page 7 for finish options applicable.
T2 Tapered 2 sides; user and approach	3. Grommet option M = Mid grommet N = No grommet S = Stand-off SE = Stand-off, end location SD = Stand-off with drop in box SDR = Right hand stand-off with drop in box SDL = Left hand stand-off with drop in box Note: SD, SDR and SDL are only factory cut out, no grommet option is necessary.	Product on this page will accept wood grain laminate where laminate is currently an option. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
L1 27" h L-leg	4. Finish, Grommet Painted or plated	Modesties sold separately and can be field installed.
ST Simple stand-off	5. Finish, Top Laminate, V1, V2 or V3 finish	Wire chase sold separately.
L Left hand	6. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3 see page 7.	
60 Width		
30 Depth		
M Grommet option		
111 Grommet finish		
V316 Finish, Top		
() Edge finish (L)		
111 Finish, Leg		
111 Finish, Stand-off		

Peninsulas

with L- legs and simple stand-off with power center

AutoStrada

description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3
Rectangular peninsulas, tapered 2 sides with L-legs and simple stand-off with power center	30"	28 ³ / ₈ "	60"	27"	APRT2L1PC(L/R)6030() () () () ()	\$1,507.	\$1,796.	\$1,843.	\$1,971.	\$2,264.
		28 ³ / ₈ "	66"	27"	APRT2L1PC(L/R)6630() () () () ()	1,545.	1,814.	1,862.	1,996.	2,295.
		28 ³ / ₈ "	72"	27"	APRT2L1PC(L/R)7230() () () () ()	1,547.	1,836.	1,885.	2,019.	2,325.
		28 ³ / ₈ "	78"	27"	APRT2L1PC(L/R)7830() () () () ()	1,572.	1,875.	1,926.	2,071.	2,391.
		28 ³ / ₈ "	84"	27"	APRT2L1PC(L/R)8430() () () () ()	1,593.	1,912.	1,965.	2,109.	2,449.
		28 ³ / ₈ "	90"	27"	APRT2L1PC(L/R)9030() () () () ()	1,648.	1,952.	2,007.	2,165.	2,514.
		28 ³ / ₈ "	96"	27"	APRT2L1PC(L/R)9630() () () () ()	1,670.	1,989.	2,045.	2,204.	2,567.
		29 ³ / ₈ "	60"	28 ³ / ₈ "	APRT2L2PC(L/R)6030() () () () ()	1,507.	1,796.	1,843.	1,971.	2,264.
		29 ³ / ₈ "	66"	28 ³ / ₈ "	APRT2L2PC(L/R)6630() () () () ()	1,545.	1,814.	1,862.	1,996.	2,295.
		29 ³ / ₈ "	72"	28 ³ / ₈ "	APRT2L2PC(L/R)7230() () () () ()	1,547.	1,836.	1,885.	2,019.	2,325.
		29 ³ / ₈ "	78"	28 ³ / ₈ "	APRT2L2PC(L/R)7830() () () () ()	1,572.	1,875.	1,926.	2,071.	2,391.
		29 ³ / ₈ "	84"	28 ³ / ₈ "	APRT2L2PC(L/R)8430() () () () ()	1,593.	1,912.	1,965.	2,109.	2,449.
		29 ³ / ₈ "	90"	28 ³ / ₈ "	APRT2L2PC(L/R)9030() () () () ()	1,648.	1,952.	2,007.	2,165.	2,514.
		29 ³ / ₈ "	96"	28 ³ / ₈ "	APRT2L2PC(L/R)9630() () () () ()	1,670.	1,989.	2,045.	2,204.	2,567.
	36"	28 ³ / ₈ "	60"	27"	APRT2L1PC(L/R)6036() () () () ()	1,544.	1,883.	1,934.	2,075.	2,394.
		28 ³ / ₈ "	66"	27"	APRT2L1PC(L/R)6636() () () () ()	1,582.	1,892.	1,944.	2,087.	2,418.
		28 ³ / ₈ "	72"	27"	APRT2L1PC(L/R)7236() () () () ()	1,591.	1,917.	1,970.	2,120.	2,456.
		28 ³ / ₈ "	78"	27"	APRT2L1PC(L/R)7836() () () () ()	1,623.	1,939.	1,994.	2,146.	2,493.
		28 ³ / ₈ "	84"	27"	APRT2L1PC(L/R)8436() () () () ()	1,642.	1,975.	2,032.	2,195.	2,554.
		28 ³ / ₈ "	90"	27"	APRT2L1PC(L/R)9036() () () () ()	1,699.	2,022.	2,081.	2,247.	2,623.
		28 ³ / ₈ "	96"	27"	APRT2L1PC(L/R)9636() () () () ()	1,725.	2,058.	2,120.	2,285.	2,672.
		29 ³ / ₈ "	60"	28 ³ / ₈ "	APRT2L2PC(L/R)6036() () () () ()	1,544.	1,883.	1,934.	2,075.	2,394.
		29 ³ / ₈ "	66"	28 ³ / ₈ "	APRT2L2PC(L/R)6636() () () () ()	1,582.	1,892.	1,944.	2,087.	2,418.
		29 ³ / ₈ "	72"	28 ³ / ₈ "	APRT2L2PC(L/R)7236() () () () ()	1,591.	1,917.	1,970.	2,120.	2,456.
		29 ³ / ₈ "	78"	28 ³ / ₈ "	APRT2L2PC(L/R)7836() () () () ()	1,623.	1,939.	1,994.	2,146.	2,493.
		29 ³ / ₈ "	84"	28 ³ / ₈ "	APRT2L2PC(L/R)8436() () () () ()	1,642.	1,975.	2,032.	2,195.	2,554.
		29 ³ / ₈ "	90"	28 ³ / ₈ "	APRT2L2PC(L/R)9036() () () () ()	1,699.	2,022.	2,081.	2,247.	2,623.
		29 ³ / ₈ "	96"	28 ³ / ₈ "	APRT2L2PC(L/R)9636() () () () ()	1,725.	2,058.	2,120.	2,285.	2,672.


Order Code	Specification Information	Application Notes
Example: APRT2L1PC(L/R)6030	To order please specify pattern number including:	7. Finish, Leg Anodized aluminum or painted finish option, excluding silver.
A AutoStrada	1. Leg height L1 = 27" high L2 = 28 3/8" high	8. Finish, Stand-off Painted finish only
PR Peninsula Rectilinear	2. Hand L = Left hand R = Right hand	See page 7 for finish options applicable.
T2 Tapered 2 sides; user and approach	3. Grommet option P = Power Center PE = Power center grommet	Product on this page will accept wood grain laminate where laminate is currently an option.
L1 27" h L-leg	4. Finish, Grommet Painted or plated	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
PC Power center	5. Finish, Top Laminate, V1, V2 or V3 finish	Modesties sold separately and can be field installed.
L Left hand	6. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3 see page 7.	Wire chase sold separately.
60 Width		
30 Depth		
M Grommet option		
111 Grommet finish		
V316 Finish, Top		
() Edge finish (L)		
111 Finish, Leg		
111 Finish, Stand-off		

Worksurfaces

Peninsulas

with Open frame legs and simple stand-off


AutoStrada

description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3	
Rectangular peninsulas, tapered 2 sides with open frame legs and simple stand-off		30"	28 ³ / ₈ "	60"	27"	APRT2O1ST(L/R)6030() () () () ()	\$1,401.	\$1,690.	\$1,737.	\$1,866.	\$2,159.
		28 ³ / ₈ "	66"	27"	APRT2O1ST(L/R)6630() () () () ()	1,439.	1,709.	1,757.	1,890.	2,189.	
		28 ³ / ₈ "	72"	27"	APRT2O1ST(L/R)7230() () () () ()	1,441.	1,730.	1,779.	1,914.	2,219.	
		28 ³ / ₈ "	78"	27"	APRT2O1ST(L/R)7830() () () () ()	1,467.	1,769.	1,820.	1,965.	2,286.	
		28 ³ / ₈ "	84"	27"	APRT2O1ST(L/R)8430() () () () ()	1,487.	1,806.	1,859.	2,004.	2,343.	
		28 ³ / ₈ "	84"	27"	APRT2O1ST(L/R)9030() () () () ()	1,543.	1,846.	1,901.	2,059.	2,409.	
		28 ³ / ₈ "	96"	27"	APRT2O1ST(L/R)9630() () () () ()	1,564.	1,883.	1,939.	2,098.	2,461.	
		29 ⁵ / ₈ "	60"	28 ³ / ₈ "	APRT2O2ST(L/R)6030() () () () ()	1,401.	1,690.	1,737.	1,866.	2,159.	
		29 ⁵ / ₈ "	66"	28 ³ / ₈ "	APRT2O2ST(L/R)6630() () () () ()	1,439.	1,709.	1,757.	1,890.	2,189.	
		29 ⁵ / ₈ "	72"	28 ³ / ₈ "	APRT2O2ST(L/R)7230() () () () ()	1,441.	1,730.	1,779.	1,914.	2,219.	
		29 ⁵ / ₈ "	78"	28 ³ / ₈ "	APRT2O2ST(L/R)7830() () () () ()	1,467.	1,769.	1,820.	1,965.	2,286.	
		29 ⁵ / ₈ "	84"	28 ³ / ₈ "	APRT2O2ST(L/R)8430() () () () ()	1,487.	1,806.	1,859.	2,004.	2,343.	
		29 ⁵ / ₈ "	90"	28 ³ / ₈ "	APRT2O2ST(L/R)9030() () () () ()	1,543.	1,846.	1,901.	2,059.	2,409.	
		29 ⁵ / ₈ "	96"	28 ³ / ₈ "	APRT2O2ST(L/R)9630() () () () ()	1,564.	1,883.	1,939.	2,098.	2,461.	
		36"	28 ³ / ₈ "	60"	27"	APRT2O1ST(L/R)6036() () () () ()	1,438.	1,777.	1,829.	1,969.	2,289.
		28 ³ / ₈ "	66"	27"	APRT2O1ST(L/R)6636() () () () ()	1,476.	1,787.	1,839.	1,981.	2,312.	
28 ³ / ₈ "	72"	27"	APRT2O1ST(L/R)7236() () () () ()	1,485.	1,811.	1,864.	2,014.	2,350.			
28 ³ / ₈ "	78"	27"	APRT2O1ST(L/R)7836() () () () ()	1,517.	1,834.	1,888.	2,041.	2,387.			
28 ³ / ₈ "	78"	27"	APRT2O1ST(L/R)8436() () () () ()	1,536.	1,870.	1,926.	2,089.	2,449.			
28 ³ / ₈ "	90"	27"	APRT2O1ST(L/R)9036() () () () ()	1,594.	1,917.	1,975.	2,141.	2,517.			
28 ³ / ₈ "	96"	27"	APRT2O1ST(L/R)9636() () () () ()	1,620.	1,953.	2,014.	2,179.	2,567.			
29 ⁵ / ₈ "	60"	28 ³ / ₈ "	APRT2O2ST(L/R)6036() () () () ()	1,438.	1,777.	1,829.	1,969.	2,289.			
29 ⁵ / ₈ "	66"	28 ³ / ₈ "	APRT2O2ST(L/R)6636() () () () ()	1,476.	1,787.	1,839.	1,981.	2,312.			
29 ⁵ / ₈ "	72"	28 ³ / ₈ "	APRT2O2ST(L/R)7236() () () () ()	1,485.	1,811.	1,864.	2,014.	2,350.			
29 ⁵ / ₈ "	78"	28 ³ / ₈ "	APRT2O2ST(L/R)7836() () () () ()	1,517.	1,834.	1,888.	2,041.	2,387.			
29 ⁵ / ₈ "	84"	28 ³ / ₈ "	APRT2O2ST(L/R)8436() () () () ()	1,536.	1,870.	1,926.	2,089.	2,449.			
29 ⁵ / ₈ "	90"	28 ³ / ₈ "	APRT2O2ST(L/R)9036() () () () ()	1,594.	1,917.	1,975.	2,141.	2,517.			
29 ⁵ / ₈ "	96"	28 ³ / ₈ "	APRT2O2ST(L/R)9636() () () () ()	1,620.	1,953.	2,014.	2,179.	2,567.			

Order Code	Specification Information	Application Notes
Example: APRT2O1ST(L/R)6030	<i>To order please specify pattern number including:</i>	
A AutoStrada		
PR Peninsula Rectilinear		
T2 Tapered 2 sides; user and approach		
O1 27" h Open frame leg	1. Leg height O1 = 27" high O2 = 28 3/8" high	7. Finish, Leg Anodized aluminum or painted finish option, excluding silver.
ST Simple stand-off	2. Hand L = Left hand R = Right hand	8. Finish, Stand-off Painted finish only
L Left hand	3. Grommet option M = Mid grommet N = No grommet S = Stand-off	See page 7 for finish options applicable.
60 Width	SE = Stand-off, end location SD = Stand-off with drop in box SDR = Right hand stand-off with drop in box SDL = Left hand stand-off with drop in box	Product on this page will accept wood grain laminate where laminate is currently an option.
30 Depth	Note: SD, SDR and SDL are only factory cut out, no grommet option is necessary.	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
M Grommet option		Modesties sold separately and can be field installed.
111 Grommet finish		Wire chase sold separately.
V316 Finish, Top	4. Finish, Grommet Painted or plated	
() Edge finish (L)	5. Finish, Top Laminate, V1, V2 or V3 finish	
111 Finish, Leg	6. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3 see page 7.	
111 Finish, Stand-off		

with Open frame legs and simple stand-off with power center

description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3
Rectangular peninsulas, tapered 2 sides with open frame legs and simple stand-off with power c	30"	28 3/8"	60"	27"	APRT2O1PC(L/R)6030() () () () ()	\$1,433.	\$1,722.	\$1,769.	\$1,897.	\$2,190.
		28 3/8"	66"	27"	APRT2O1PC(L/R)6630() () () () ()	1,471.	1,740.	1,789.	1,922.	2,221.
		28 3/8"	72"	27"	APRT2O1PC(L/R)7230() () () () ()	1,473.	1,762.	1,811.	1,945.	2,251.
		28 3/8"	78"	27"	APRT2O1PC(L/R)7830() () () () ()	1,499.	1,801.	1,852.	1,997.	2,318.
		28 3/8"	84"	27"	APRT2O1PC(L/R)8430() () () () ()	1,519.	1,838.	1,891.	2,036.	2,375.
		28 3/8"	90"	27"	APRT2O1PC(L/R)9030() () () () ()	1,575.	1,878.	1,933.	2,091.	2,441.
		28 3/8"	96"	27"	APRT2O1PC(L/R)9630() () () () ()	1,596.	1,915.	1,971.	2,130.	2,493.
		29 3/8"	60"	28 3/8"	APRT2O2PC(L/R)6030() () () () ()	1,433.	1,722.	1,769.	1,897.	2,190.
		29 3/8"	66"	28 3/8"	APRT2O2PC(L/R)6630() () () () ()	1,471.	1,740.	1,789.	1,922.	2,221.
		29 3/8"	72"	28 3/8"	APRT2O2PC(L/R)7230() () () () ()	1,473.	1,762.	1,811.	1,945.	2,251.
		29 3/8"	78"	28 3/8"	APRT2O2PC(L/R)7830() () () () ()	1,499.	1,801.	1,852.	1,997.	2,318.
		29 3/8"	84"	28 3/8"	APRT2O2PC(L/R)8430() () () () ()	1,519.	1,838.	1,891.	2,036.	2,375.
		29 3/8"	90"	28 3/8"	APRT2O2PC(L/R)9030() () () () ()	1,575.	1,878.	1,933.	2,091.	2,441.
		29 3/8"	96"	28 3/8"	APRT2O2PC(L/R)9630() () () () ()	1,596.	1,915.	1,971.	2,130.	2,493.





36"	28 3/8"	60"	27"	APRT2O1PC(L/R)6036() () () () ()	1,470.	1,809.	1,860.	2,001.	2,321.
	28 3/8"	66"	27"	APRT2O1PC(L/R)6636() () () () ()	1,508.	1,818.	1,871.	2,013.	2,344.
	28 3/8"	72"	27"	APRT2O1PC(L/R)7236() () () () ()	1,517.	1,843.	1,896.	2,046.	2,382.
	28 3/8"	78"	27"	APRT2O1PC(L/R)7836() () () () ()	1,549.	1,866.	1,920.	2,073.	2,419.
	28 3/8"	84"	27"	APRT2O1PC(L/R)8436() () () () ()	1,568.	1,901.	1,958.	2,121.	2,481.
	28 3/8"	90"	27"	APRT2O1PC(L/R)9036() () () () ()	1,626.	1,949.	2,007.	2,173.	2,549.
	28 3/8"	96"	27"	APRT2O1PC(L/R)9636() () () () ()	1,651.	1,984.	2,046.	2,211.	2,598.
	29 3/8"	60"	28 3/8"	APRT2O2PC(L/R)6036() () () () ()	1,470.	1,809.	1,860.	2,001.	2,321.
	29 3/8"	66"	28 3/8"	APRT2O2PC(L/R)6636() () () () ()	1,508.	1,818.	1,871.	2,013.	2,344.
	29 3/8"	72"	28 3/8"	APRT2O2PC(L/R)7236() () () () ()	1,517.	1,843.	1,896.	2,046.	2,382.
	29 3/8"	78"	28 3/8"	APRT2O2PC(L/R)7836() () () () ()	1,549.	1,866.	1,920.	2,073.	2,419.
	29 3/8"	84"	28 3/8"	APRT2O2PC(L/R)8436() () () () ()	1,568.	1,901.	1,958.	2,121.	2,481.
	29 3/8"	90"	28 3/8"	APRT2O2PC(L/R)9036() () () () ()	1,626.	1,949.	2,007.	2,173.	2,549.
	29 3/8"	96"	28 3/8"	APRT2O2PC(L/R)9636() () () () ()	1,651.	1,984.	2,046.	2,211.	2,598.

Order Code	Specification Information	Application Notes
Example: APRT2O1PC(L/R)6030	To order please specify pattern number including:	7. Finish, Leg Anodized aluminum or painted finish option, excluding silver.
A AutoStrada	1. Leg height O1 = 27" high O2 = 28 3/8" high	8. Finish, Stand-off Painted finish only
PR Peninsula Rectilinear	2. Hand L = Left hand R = Right hand	See page 7 for finish options applicable.
T2 Tapered 2 sides; user and approach	3. Grommet option P = Power Center PE = Power center grommet	Product on this page will accept wood grain laminate where laminate is currently an option.
O1 27" h Open frame leg	4. Finish, Grommet Painted or plated	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
PC Power center	5. Finish, Top Laminate, V1, V2 or V3 finish	Modesties sold separately and can be field installed.
L Left hand	6. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3 see page 7.	Wire chase sold separately.
60 Width		
30 Depth		
M Grommet option		
111 Grommet finish		
V316 Finish, Top		
() Edge finish (L)		
111 Finish, Leg		
111 Finish, Stand-off		

Tables



with straight legs

AutoStrada

description	h	w	d	dia.	pattern no.	L	M	V1	V2	V3
Square table, tapered 4 sides 	28 1/4"	42"	42"		ATA1T44242 () () () ()	\$1,673.	\$1,855.	\$1,948.	\$1,986.	\$2,300.
	28 1/4"	48"	48"		ATA1T44848 () () () ()	1,810.	1,899.	1,995.	2,050.	2,444.
Rectangular table, tapered 4 sides 	28 1/4"	48"	30"		ATA1T44830 () () () ()	1,708.	1,839.	1,930.	1,957.	2,230.
	28 1/4"	60"	30"		ATA1T46030 () () () ()	1,800.	1,940.	2,037.	2,079.	2,407.
	28 1/4"	72"	30"		ATA1T47230 () () () ()	1,890.	1,978.	2,078.	2,127.	2,511.
	28 1/4"	72"	36"		ATA1T47236 () () () ()	1,935.	2,011.	2,112.	2,177.	2,626.
Round table, tapered edge 	28 1/4"		36"		ATA1R36 () () () ()	1,734.	1,990.	1,889.	1,950.	2,213.
	28 1/4"		42"		ATA1R42 () () () ()	1,816.	2,026.	1,933.	2,008.	2,351.
	28 1/4"		48"		ATA1R48 () () () ()	1,964.	2,074.	1,987.	2,078.	2,508.

Order Code	Specification Information	Application Notes	
Example: ATA1T44242V27C V316AA	<i>To order please specify pattern number including:</i>	7. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3 see page 7.	AutoStrada tables include four straight legs with glides or casters.
A	AutoStrada	8. Finish, Leg <i>Anodized aluminum finish or painted finish option excluding silver.</i>	Tables can be specified to surface height of: 28 3/8" : specify 27" leg. 29 5/8" : specify 28" leg. 31 1/2" : specify 30" leg.
TA	Table	See page 7 for finish options applicable.	
1	Generation 1	Product on this page will accept wood grain laminate where laminate is currently an option.	
T4	Tapered edge 4 sides	Grommets are not optional for tables.	
42	42" wide	Stiffener included with rectangular tables 60"w and over.	
42	42" deep		
V	Surface type, veneer		
27	27" leg height		
C	Caster		
V316	Finish top, Maple		
()	Edge finish (L)		
AA	Finish, leg		



Tables with L-legs

description	h	w	d	dia.	leg height	pattern no.	L	M	V1	V2	V3
Square table, tapered 4 sides with L-legs 	28 ³ / ₈ "	42"	42"		27"	ATAT4LL424227(L/M/V)() () ()	\$2,426.	\$2,696.	\$2,830.	\$2,887.	\$3,321.
	28 ³ / ₈ "	48"	48"		27"	ATAT4LL484827(L/M/V)() () ()	2,442.	2,712.	2,847.	2,906.	3,340.
	29 ⁵ / ₈ "	42"	42"		28 ³ / ₈ "	ATAT4LL424228(L/M/V)() () ()	2,430.	2,701.	2,836.	2,894.	3,329.
	29 ⁵ / ₈ "	48"	48"		28 ³ / ₈ "	ATAT4LL484828(L/M/V)() () ()	2,472.	2,745.	2,882.	2,941.	3,383.
Round table, tapered edge with L-legs 	28 ³ / ₈ "		36"	27"		ATARLL3627(L/M/V)() () ()	2,362.	2,624.	2,755.	2,811.	3,232.
	28 ³ / ₈ "		42"	27"		ATARLL4227(L/M/V)() () ()	2,368.	2,632.	2,763.	2,819.	3,242.
	28 ³ / ₈ "		48"	27"		ATARLL4827(L/M/V)() () ()	2,381.	2,645.	2,777.	2,835.	3,261.
	29 ⁵ / ₈ "		36"	28 ³ / ₈ "		ATARLL3628(L/M/V)() () ()	2,402.	2,668.	2,801.	2,858.	3,287.
	29 ⁵ / ₈ "		42"	28 ³ / ₈ "		ATARLL4228(L/M/V)() () ()	2,408.	2,675.	2,810.	2,867.	3,296.
	29 ⁵ / ₈ "		48"	28 ³ / ₈ "		ATARLL4828(L/M/V)() () ()	2,422.	2,689.	2,823.	2,882.	3,314.
Rectangular table desk, tapered 4 sides with L-legs 	28 ³ / ₈ "	48"	30"		27"	ATDT4LL483027(L/M/V)() () ()	2,216.	2,461.	2,584.	2,638.	3,034.
	28 ³ / ₈ "	60"	30"		27"	ATDT4LL603027(L/M/V)() () ()	2,256.	2,505.	2,631.	2,686.	3,087.
	28 ³ / ₈ "	72"	30"		27"	ATDT4LL723027(L/M/V)() () ()	2,274.	2,528.	2,655.	2,708.	3,115.
	28 ³ / ₈ "	72"	36"		27"	ATDT4LL723627(L/M/V)() () ()	2,295.	2,550.	2,677.	2,734.	3,142.
	29 ⁵ / ₈ "	48"	30"		28 ³ / ₈ "	ATDT4LL483028(L/M/V)() () ()	2,304.	2,561.	2,690.	2,745.	3,155.
	29 ⁵ / ₈ "	60"	30"		28 ³ / ₈ "	ATDT4LL603028(L/M/V)() () ()	2,365.	2,629.	2,760.	2,816.	3,239.
	29 ⁵ / ₈ "	72"	30"		28 ³ / ₈ "	ATDT4LL723028(L/M/V)() () ()	2,415.	2,683.	2,818.	2,875.	3,307.
	29 ⁵ / ₈ "	72"	36"		28 ³ / ₈ "	ATDT4LL723628(L/M/V)() () ()	2,455.	2,728.	2,864.	2,923.	3,360.

Order Code	Specification Information	Application Notes
Example: ATAT4LL424227 V316AA	<i>To order please specify pattern number including:</i>	AutoStrada table desks include four L-legs with glides.
A AutoStrada	1. Width	Tables can be specified to overall surface height of:
TA Table	2. Depth	28 ³ / ₈ " : specify 27" leg.
T4 Top tapered 4 sides	3. Leg height (<i>to underside of surface</i>)	29 ⁵ / ₈ " : specify 28" leg.
LL L-Leg	27 = 27"h	
42 42" wide	28 = 28 ³ / ₈ "h	
42 42" deep	4. Surface type	
27 Leg height	L = Laminate	
V Surface type, veneer	M = Mixed, Laminate surface/V1, V2 or V3 edge	
V316 Finish top, Maple	V = V1, V2 or V3	
() Edge finish (L)	5. Finish, Surface	See page 7 for finish options applicable.
AA Finish, leg	Laminate, Mixed, V1, V2 or V3 finish	Product on this page will accept wood grain laminate where laminate is currently an option.
	6. Finish, Edge:	Grommets are not optional for tables.
	*For L surfaces, all core laminate colors are optional	Worksurface stiffener included with rectangular table desks 60"w and over.
	*For M surfaces, the options are V1, V2 or V3 see page 7.	
	7. Finish, Edge (if applicable)	
	<i>Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish</i>	
	8. Finish, Leg	
	<i>Anodized aluminum finish or painted finish option excluding silver.</i>	

Tables with Open Frame legs

AutoStrada

description	d	h	w	leg height	pattern no.	L	M	V1	V2	V3
Rectangular Table, tapered 2 sides with Open Frame legs, 27" high 	30"	28 ³ / ₈ "	60"	27"	ATRT2DOF60301() ()	\$1,855.	\$2,144.	\$2,191.	\$2,320.	\$2,798.
		28 ³ / ₈ "	66"	27"	ATRT2DOF66301() ()	1,897.	2,185.	2,233.	2,367.	2,857.
		28 ³ / ₈ "	72"	27"	ATRT2DOF72301() ()	1,921.	2,210.	2,259.	2,393.	2,888.
		28 ³ / ₈ "	78"	27"	ATRT2DOF78301() ()	1,959.	2,261.	2,312.	2,457.	2,969.
		28 ³ / ₈ "	84"	27"	ATRT2DOF84301() ()	1,981.	2,300.	2,353.	2,498.	3,030.
		28 ³ / ₈ "	90"	27"	ATRT2DOF90301() ()	2,039.	2,342.	2,397.	2,555.	3,098.
		28 ³ / ₈ "	96"	27"	ATRT2DOF96301() ()	2,062.	2,381.	2,437.	2,596.	3,152.
	36"	28 ³ / ₈ "	60"	27"	ATRT2DOF60361() ()	1,892.	2,231.	2,283.	2,423.	2,743.
		28 ³ / ₈ "	66"	27"	ATRT2DOF66361() ()	1,953.	2,263.	2,315.	2,458.	2,789.
		28 ³ / ₈ "	72"	27"	ATRT2DOF72361() ()	1,965.	2,291.	2,344.	2,494.	2,830.
		28 ³ / ₈ "	78"	27"	ATRT2DOF78361() ()	2,009.	2,326.	2,380.	2,533.	2,879.
		28 ³ / ₈ "	84"	27"	ATRT2DOF84361() ()	2,031.	2,364.	2,420.	2,583.	2,943.
		28 ³ / ₈ "	90"	27"	ATRT2DOF90361() ()	2,090.	2,413.	2,471.	2,637.	3,014.
		28 ³ / ₈ "	96"	27"	ATRT2DOF96361() ()	2,118.	2,451.	2,512.	2,677.	3,065.
Rectangular Table, tapered 2 sides with Open Frame legs, 28 ³ / ₈ " high 	30"	29 ⁵ / ₈ "	60"	28 ³ / ₈ "	ATRT2DOF60302() ()	1,855.	2,144.	2,191.	2,320.	2,798.
		29 ⁵ / ₈ "	66"	28 ³ / ₈ "	ATRT2DOF66302() ()	1,897.	2,185.	2,233.	2,367.	2,857.
		29 ⁵ / ₈ "	72"	28 ³ / ₈ "	ATRT2DOF72302() ()	1,921.	2,210.	2,259.	2,393.	2,888.
		29 ⁵ / ₈ "	78"	28 ³ / ₈ "	ATRT2DOF78302() ()	1,959.	2,261.	2,312.	2,457.	2,969.
		29 ⁵ / ₈ "	84"	28 ³ / ₈ "	ATRT2DOF84302() ()	1,981.	2,300.	2,353.	2,498.	3,030.
		29 ⁵ / ₈ "	90"	28 ³ / ₈ "	ATRT2DOF90302() ()	2,039.	2,342.	2,397.	2,555.	3,098.
		29 ⁵ / ₈ "	96"	28 ³ / ₈ "	ATRT2DOF96302() ()	2,062.	2,381.	2,437.	2,596.	3,152.
	36"	29 ⁵ / ₈ "	60"	28 ³ / ₈ "	ATRT2DOF60362() ()	1,892.	2,231.	2,283.	2,423.	2,743.
		29 ⁵ / ₈ "	66"	28 ³ / ₈ "	ATRT2DOF66362() ()	1,953.	2,263.	2,315.	2,458.	2,789.
		29 ⁵ / ₈ "	72"	28 ³ / ₈ "	ATRT2DOF72362() ()	1,965.	2,291.	2,344.	2,494.	2,830.
		29 ⁵ / ₈ "	78"	28 ³ / ₈ "	ATRT2DOF78362() ()	2,009.	2,326.	2,380.	2,533.	2,879.
		29 ⁵ / ₈ "	84"	28 ³ / ₈ "	ATRT2DOF84362() ()	2,031.	2,364.	2,420.	2,583.	2,943.
		29 ⁵ / ₈ "	90"	28 ³ / ₈ "	ATRT2DOF90362() ()	2,090.	2,413.	2,471.	2,637.	3,014.
		29 ⁵ / ₈ "	96"	28 ³ / ₈ "	ATRT2DOF96362() ()	2,118.	2,451.	2,512.	2,677.	3,065.

Order Code

Example:	ATRT2DOF60301() ()
A	AutoStrada
TR	Table Rectangular
T2	Tapered 2 sides, User & approach
D	1 1/4" thick top
OF	Open Frame leg
60	Width
30	Depth
1	27" height leg 2 = 28 ³ / ₈ " height leg
V316	Finish, top
()	Edge finish (L)
111	Finish, leg

Specification Information

<i>To order please specify pattern number including:</i> 1. Leg height 1 = 27"h 2 = 28 ³ / ₈ "h 2. Finish: Top Laminate, Mixed, V1, V2 or V3 finish 3. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3 see page 7.	4. Finish: Leg Anodized aluminum finish or painted finish option excluding silver. See page 7 for finish options applicable.	Product on this page will accept wood grain laminate where laminate is currently an option. Grommets are not optional for tables. The tables on this page, will come with appropriate stiffener support. Modesty & wire chase sold separately. For infill options please refer to page 247 Assembly required. Ships knock down.

Open Frame Legs Infill Options for Tables and Peninsulas

AutoStrada




description	d	h	leg height	pattern no.	L	V1	V2	V3
Inside Infill Options for Open Frame leg for 27" h leg	30"	24"	27"	AIPI301()	\$341.	\$442.	\$507.	\$661.
	30"	26"	28 ³ / ₈ "	AIPI302()	341.	442.	507.	661.
	36"	24"	27"	AIPI361()	362.	469.	538.	700.
	36"	26"	28 ³ / ₈ "	AIPI362()	362.	469.	538.	700.
Outside Infill Options for Open Frame leg	30"	25"	27"	AIPO301()	343.	445.	510.	664.
	30"	27"	28 ³ / ₈ "	AIPO302()	343.	445.	510.	664.
	36"	25"	27"	AIPO361()	363.	470.	540.	702.
	36"	27"	28 ³ / ₈ "	AIPO362()	363.	470.	540.	702.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: AIPI301()	<i>To order please specify pattern number including:</i>	Product on this page will accept wood grain laminate where laminate is currently an option.
A AutoStrada	1. Leg height 1 = 27" h 2 = 28 ³ / ₈ " h	Both inside and outside infill panels are required and must be ordered separately.
IP Infill Panel	2. Infill finish: <i>Laminate, V1, V2 or V3</i>	Infills fill entire opening of the open frame leg. Infills connect to each other. Can be removed without any damage to the frame leg. Please refer to installation instructions.
I Inside, O = Outside		
20 Depth		
1 27" height leg 2 = 28 ³ / ₈ " height leg		
() Finish		

Table desks with L-legs

AutoStrada


description	h	w	d	leg height	pattern no.	L	M	V1	V2	V3
 Rectangular table desk with L-legs and full front modesty	28 ³ / ₈ "	48"	30"	27"	ATDT1LFM483027(L/M/V)() () () ()	\$2,728.	\$3,031.	\$3,182.	\$3,248.	\$3,735.
	28 ³ / ₈ "	60"	30"	27"	ATDT1LFM603027(L/M/V)() () () ()	2,769.	3,076.	3,230.	3,295.	3,789.
	28 ³ / ₈ "	72"	30"	27"	ATDT1LFM723027(L/M/V)() () () ()	2,801.	3,113.	3,269.	3,334.	3,835.
	28 ³ / ₈ "	72"	36"	27"	ATDT1LFM723627(L/M/V)() () () ()	2,820.	3,134.	3,290.	3,358.	3,860.
	29 ⁵ / ₈ "	48"	30"	28 ³ / ₈ "	ATDT1LFM483028(L/M/V)() () () ()	2,877.	3,195.	3,355.	3,422.	3,937.
	29 ⁵ / ₈ "	60"	30"	28 ³ / ₈ "	ATDT1LFM603028(L/M/V)() () () ()	2,881.	3,200.	3,360.	3,429.	3,944.
	29 ⁵ / ₈ "	72"	30"	28 ³ / ₈ "	ATDT1LFM723028(L/M/V)() () () ()	2,891.	3,212.	3,373.	3,441.	3,959.
	29 ⁵ / ₈ "	72"	36"	28 ³ / ₈ "	ATDT1LFM723628(L/M/V)() () () ()	2,921.	3,245.	3,407.	3,476.	3,999.
 Rectangular table desk with L-legs and partial front modesty	28 ³ / ₈ "	48"	30"	27"	ATDT1LPM483027(L/M/V)() () () ()	2,616.	2,907.	3,052.	3,115.	3,580.
	28 ³ / ₈ "	60"	30"	27"	ATDT1LPM603027(L/M/V)() () () ()	2,622.	2,912.	3,059.	3,120.	3,589.
	28 ³ / ₈ "	72"	30"	27"	ATDT1LPM723027(L/M/V)() () () ()	2,632.	2,924.	3,070.	3,133.	3,603.
	28 ³ / ₈ "	72"	36"	27"	ATDT1LPM723627(L/M/V)() () () ()	2,662.	2,957.	3,106.	3,168.	3,644.
	29 ⁵ / ₈ "	48"	30"	28 ³ / ₈ "	ATDT1LPM483028(L/M/V)() () () ()	2,725.	3,029.	3,180.	3,245.	3,733.
	29 ⁵ / ₈ "	60"	30"	28 ³ / ₈ "	ATDT1LPM603028(L/M/V)() () () ()	2,731.	3,034.	3,186.	3,251.	3,739.
	29 ⁵ / ₈ "	72"	30"	28 ³ / ₈ "	ATDT1LPM723028(L/M/V)() () () ()	2,742.	3,044.	3,197.	3,264.	3,754.
	29 ⁵ / ₈ "	72"	36"	28 ³ / ₈ "	ATDT1LPM723628(L/M/V)() () () ()	2,771.	3,079.	3,232.	3,298.	3,795.
 Rectangular table desk with L-legs and full front & side modesties	28 ³ / ₈ "	48"	30"	27"	ATDT1LFS483027(L/M/V)() () () ()	3,378.	3,755.	3,942.	4,023.	4,625.
	28 ³ / ₈ "	60"	30"	27"	ATDT1LFS603027(L/M/V)() () () ()	3,424.	3,804.	3,993.	4,075.	4,687.
	28 ³ / ₈ "	72"	30"	27"	ATDT1LFS723027(L/M/V)() () () ()	3,463.	3,848.	4,042.	4,123.	4,742.
	28 ³ / ₈ "	72"	36"	27"	ATDT1LFS723627(L/M/V)() () () ()	3,492.	3,882.	4,075.	4,159.	4,782.
	29 ⁵ / ₈ "	48"	30"	28 ³ / ₈ "	ATDT1LFS483028(L/M/V)() () () ()	3,479.	3,864.	4,057.	4,140.	4,762.
	29 ⁵ / ₈ "	60"	30"	28 ³ / ₈ "	ATDT1LFS603028(L/M/V)() () () ()	3,523.	3,914.	4,110.	4,193.	4,825.
	29 ⁵ / ₈ "	72"	30"	28 ³ / ₈ "	ATDT1LFS723028(L/M/V)() () () ()	3,564.	3,961.	4,158.	4,240.	4,879.
	29 ⁵ / ₈ "	72"	36"	28 ³ / ₈ "	ATDT1LFS723628(L/M/V)() () () ()	3,593.	3,992.	4,191.	4,276.	4,920.

Order Code	Specification Information	Application Notes
Example: ATDT1LPS483027VG V316AA111	<i>To order please specify pattern number including:</i>	AutoStrada tables include four L-legs with glides and full or partial height modesty (and optional end panels).
A AutoStrada	1. Full or partial modesty (and end panels when applicable)	
TD Table desk	2. Width	Tables can be specified to overall surface height of: 28 ³ / ₈ " : specify 27" leg. 29 ⁵ / ₈ " : specify 28" leg.
T1 Top tapered 1 side (user only)	3. Depth	
L L-Leg	4. Leg height (<i>to underside of surface</i>) 27 = 27"h 28 = 28 ³ / ₈ "h	Partial height option for 27" leg is nominally 13" and 14"h nominally with 28 ³ / ₈ "h legs; and may be mounted flush to underside of worksurface or with 1" gap below worksurface.
FM Full front modesty	5. Surface type L = Laminated M = Mixed, Laminated surface/V1, V2 or V3 edge V = V1, V2 or V3	
48 48" wide	6. Grommet G=Grommet N=No Grommet	See page 7 for finish options applicable.
30 30" deep	7. Finish, Surface Laminated, Mixed, V1, V2 or V3 finish	
27 Leg height	8. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3 see page 7.	Laminated finish options for modesty panels on this page are as follows: 111 = Jet Black 114 = Folkstone grey 115 = Medium Grey 117 = Soft grey 118 = Bright white 119 = Pumice 128 = Fog
V Surface type, veneer	9. Finish, Support <i>Must be same as surface type. Laminated and Mix surfaces can only have Laminated support.</i>	
G Grommet	10. Finish, Grommet	Product on this page will accept wood grain laminate where laminate is currently an option. Worksurface stiffener included with rectangular tables 60"w and over.
V316 Finish top, Maple	11. Finish, Leg <i>Anodized aluminum finish or painted finish option excluding silver.</i>	
() Edge finish (L)		
AA Finish, leg		
111 Grommet finish		

Table desks with L-legs

AutoStrada

description	h	w	d	leg height	pattern no.	L	M	V1	V2	V3
Rectangular table desk with L-legs and partial front and side modesties	28 ³ / ₈ "	48"	30"	27"	ATDT1LPS483027(L/M/V)() () ()	\$3,207.	\$3,564.	\$3,741.	\$3,817.	\$4,389.
	28 ³ / ₈ "	60"	30"	27"	ATDT1LPS603027(L/M/V)() () ()	3,251.	3,614.	3,795.	3,871.	4,453.
	28 ³ / ₈ "	72"	30"	27"	ATDT1LPS723027(L/M/V)() () ()	3,293.	3,657.	3,841.	3,920.	4,506.
	28 ³ / ₈ "	72"	36"	27"	ATDT1LPS723627(L/M/V)() () ()	3,322.	3,690.	3,875.	3,954.	4,548.
	29 ⁵ / ₈ "	48"	30"	28 ³ / ₈ "	ATDT1LPS483028(L/M/V)() () ()	3,307.	3,674.	3,857.	3,937.	4,526.
	29 ⁵ / ₈ "	60"	30"	28 ³ / ₈ "	ATDT1LPS603028(L/M/V)() () ()	3,353.	3,724.	3,910.	3,990.	4,588.
	29 ⁵ / ₈ "	72"	30"	28 ³ / ₈ "	ATDT1LPS723028(L/M/V)() () ()	3,392.	3,768.	3,957.	4,036.	4,643.
	29 ⁵ / ₈ "	72"	36"	28 ³ / ₈ "	ATDT1LPS723628(L/M/V)() () ()	3,420.	3,802.	3,991.	4,073.	4,685.




Worksurfaces

Order Code	Specification Information	Application Notes
Example: ATDT1LPS483027VG V316AA111	<i>To order please specify pattern number including:</i>	AutoStrada tables include four L-legs with glides and full or partial height modesty (and optional end panels).
A AutoStrada	1. Full or partial modesty (and end panels when applicable)	Tables can be specified to overall surface height of:
TD Table desk	2. Width	28 ³ / ₈ " : specify 27" leg.
T1 Top tapered 1 side (user only)	3. Depth	29 ⁵ / ₈ " : specify 28" leg.
L L-Leg	4. Leg height (<i>to underside of surface</i>) 27 = 27"h 28 = 28 ³ / ₈ "h	
FM Full front modesty	5. Surface type <i>L = Laminate</i> <i>M = Mixed, Laminate surface or V2 or V3 edge</i> <i>V = V1, V2 or V3</i>	
48 48" wide	6. Grommet <i>G = Grommet</i> <i>N = No Grommet</i>	
30 30" deep	7. Finish, Surface Laminate, Mixed, V1, V2 or V3 finish	
27 Leg height	8. Finish, Edge: *For L surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3 see page 7.	
V Surface type, veneer	9. Finish, Support <i>Must be same as surface type.</i> <i>Laminate and Mix surfaces can only have Laminate support.</i>	
G Grommet	10. Finish, Grommet	
V316 Finish top, Maple	11. Finish, Leg <i>Anodized aluminum finish or painted finish option excluding silver.</i>	
() Edge finish (L)	See page 7 for finish options applicable.	
AA Finish, leg	Laminate finish options for modesty panels on this page are as follows:	
111 Grommet finish	111 = Jet Black 114 = Folkstone grey 115 = Medium Grey 117 = Soft grey 118 = Bright white 119 = Pumice 128 = Fog	

Product on this page will accept
wood grain laminate where laminate
is currently an option. Worksurface
stiffener included with rectangular
tables 60"w and over.

description	w	d	t	pattern no.	L	M	V1	V2	V3
Transaction Top 1 1/4" Thick, Straight	24"	15"	1 1/4"	ATTA24S()	\$769.	\$779.	\$795.	\$819.	\$1,040.
	30"	15"	1 1/4"	ATTA30S()	784.	798.	815.	834.	1,057.
	36"	15"	1 1/4"	ATTA36S()	798.	809.	825.	848.	1,069.
	42"	15"	1 1/4"	ATTA42S()	809.	820.	835.	859.	1,080.
	48"	15"	1 1/4"	ATTA48S()	826.	837.	855.	875.	1,097.
	54"	15"	1 1/4"	ATTA54S()	844.	854.	871.	892.	1,115.
	60"	15"	1 1/4"	ATTA60S()	859.	871.	888.	910.	1,128.
	66"	15"	1 1/4"	ATTA66S()	876.	888.	906.	928.	1,143.
	72"	15"	1 1/4"	ATTA72S()	889.	901.	918.	976.	1,327.



Straight



Transaction Top 1 1/4" Thick, mitered left Left Side	24"	15"	1 1/4"	ATTA24L()	1,016.	1,029.	1,049.	1,076.	1,329.
	30"	15"	1 1/4"	ATTA30L()	1,034.	1,046.	1,067.	1,094.	1,347.
	36"	15"	1 1/4"	ATTA36L()	1,046.	1,057.	1,077.	1,105.	1,357.
	42"	15"	1 1/4"	ATTA42L()	1,057.	1,068.	1,090.	1,117.	1,369.
	48"	15"	1 1/4"	ATTA48L()	1,073.	1,085.	1,107.	1,135.	1,387.
	54"	15"	1 1/4"	ATTA54L()	1,091.	1,101.	1,123.	1,151.	1,404.
	60"	15"	1 1/4"	ATTA60L()	1,107.	1,119.	1,142.	1,167.	1,418.
	66"	15"	1 1/4"	ATTA66L()	1,124.	1,136.	1,157.	1,187.	1,431.
	72"	15"	1 1/4"	ATTA72L()	1,138.	1,148.	1,172.	1,233.	1,616.



Order Code	Specification Information	Application Notes	
Example: ATTA24S1	<i>To order please specify pattern number including:</i>	Transaction tops are for mounting to 42”h panel or overall panel height achieved from 34”h base panel plus 8”h stacking module. Transaction tops ship with necessary bracketry included.	Applicable finishes are listed on page 7.
A	AutoStrada		
TT	Transaction top		
A	1 ¼” thick		
24	24” wide		
S	Straight end treatment	No grommets included.	Product on this page will accept woodgrain laminate where laminate is currently an option.
1	V1 finish	Tops may be used to span more than one consecutive panel.	
V316	Maple	Transaction tops will not fit between panel Hi-Lo conditions without notching the underside of the top. This can be done in the field or through Custom Product Development.	
	<i>1. End treatment options:</i> S = Straight L = Left side mitre R = Right side mitre		
	<i>2. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3		
	3. Transaction top finish: Laminate or wood		
	4. Transaction edge finish: For Lam. surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7.		

description	w	d	t	pattern no.	L	M	V1	V2	V3
Transaction Top	24"	15"	1 1/4"	ATTA24R()	\$1,016.	\$1,029.	\$1,049.	\$1,076.	\$1,329.
1 1/4" Thick, mitered right	30"	15"	1 1/4"	ATTA30R()	1,034.	1,046.	1,067.	1,094.	1,347.
Right Side	36"	15"	1 1/4"	ATTA36R()	1,046.	1,057.	1,077.	1,105.	1,357.
	42"	15"	1 1/4"	ATTA42R()	1,057.	1,068.	1,090.	1,117.	1,369.
	48"	15"	1 1/4"	ATTA48R()	1,073.	1,085.	1,107.	1,135.	1,387.
	54"	15"	1 1/4"	ATTA54R()	1,091.	1,101.	1,123.	1,151.	1,404.
	60"	15"	1 1/4"	ATTA60R()	1,107.	1,119.	1,142.	1,167.	1,418.
	66"	15"	1 1/4"	ATTA66R()	1,124.	1,136.	1,157.	1,187.	1,431.
	72"	15"	1 1/4"	ATTA72R()	1,138.	1,148.	1,172.	1,233.	1,616.

Order Code	Specification Information	Application Notes	
Example: ATTA24S1	<i>To order please specify pattern number including:</i>	Transaction tops are for mounting to 42”h panel or overall panel height achieved from 34”h base panel plus 8”h stacking module. Transaction tops ship with necessary bracketry included.	Applicable finishes are listed on page 7.
A	AutoStrada		
TT	Transaction top		
A	1 ¼” thick		Product on this page will accept woodgrain laminate where laminate is currently an option.
24	24” wide		
S	Straight end treatment	No grommets included.	
1	V1 finish	Tops may be used to span more than one consecutive panel.	
V316	Maple	Transaction tops will not fit between panel Hi-Lo conditions without notching the underside of the top. This can be done in the field or through Custom Product Development.	
	<i>1. End treatment options:</i> S = Straight L = Left side mitre R = Right side mitre		
	<i>2. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3		
	3. Transaction top finish: Laminate or wood		
	4. Transaction edge finish: For Lam. surfaces, all core laminate colors are optional *For M surfaces, the options are V1, V2 or V3, see page 7.		

Transaction Top Brackets for Alternative Material

AutoStrada

description	w	h	pattern no.	list
Attachment Bracketry			AAMTB	\$62.
Foam Tape			AAMTT	25.
Transaction Top Bracket			AAMTC24()()	45.
Cover			AAMTC30()()	48.
			AAMTC36()()	51.
			AAMTC42()()	55.
			AAMTC48()()	58.
			AAMTC54()()	62.
			AAMTC60()()	65.
			AAMTC66()()	70.
			AAMTC72()()	72.
Transaction Top Bracket			AAMTCH24()()	62.
Cover Hilo			AAMTCH30()()	65.
			AAMTCH36()()	70.
			AAMTCH42()()	73.
			AAMTCH48()()	76.
			AAMTCH54()()	79.
			AAMTCH60()()	82.
			AAMTCH66()()	85.
			AAMTCH72()()	87.

Order Code



Example: AAMTC	
A	Reff
A	Alternative
M	Material
T	Transaction Top
C	Cover
24	Width
S/L/R/M	Straight/Left/Right/Mitered
()	Finish

Application Information

To order please specify pattern number including:

- End treatment options
L = Left side miter
R = Right side miter
M = Mitered both sides
- Finish:
Core paint finishes


Transaction top Brackets are available in core paint finishes.


description	type	width	depth	height	pattern no.	painting	list
Adjustable cantilever bracket (up to 24"D)		3"	20"	23-33"	AB1 AC24 ()	\$225.	
 Maximum of 24" deep worksurfaces may be cantilevered from Spine.							
Adjustable end support bracket			6"	23-33"	AB2 AE ()	181.	
							
Compact fixed height end support bracket	for 28"h worksurface		6"	27"	AB2 FE27 ()	153.	
	for 29 5/8"h worksurface		6"	28"	AB2 FE28 ()	153.	
							
Adjustable cantilever bridging bracket		3"	20"	23-33"	AB1-ABC24()	291.	
Maximum of 24" deep worksurfaces may be cantilevered from Spine.							
spacers (20 per pack) use with spine worksurface support brackets					AA1 BS		14.

Order Code	Specification Information	Application Notes	
Example: AB1 AC24118			
AB1 Bracket	Please specify painted finish from paint options listed on page 7.	Adjustable height cantilever and bridging cantilever brackets support underside of worksurface in 1" increments from 23" to 33"H (24" to 34" top height).	Adjustable bridging cantilever supports adjacent 48"W straight or corner worksurfaces.
AC Type	Specify worksurface cantilever and end support brackets to attach worksurfaces to spine walls.		End support brackets adjust 23"-33"H (24" to 34" top height). Fixed height brackets support worksurface at 28"H and 29 ⁵ / ₈ "H.
24 Depth	Specify two cantilever brackets to support any 24"D worksurface up to 84" wide, or one back edge of corner worksurface. Specify three cantilever brackets to support any 24"D worksurface greater than 84" wide. Specify two end support brackets to support one end of straight, conference, or arc-shape surface.	Spacers (AA1 BS) to be used with adjustable cantilever or end support brackets to accomodate wood case AutoStrada pedestals and lower storage with optional cabinet feet. Resulting overall worksurface height achieved 29 ⁵ / ₈ "h.	Cannot exceed maximum of 24" deep worksurfaces cantilevered from Spine.
118 Finish			

description	type	w	d	h	pattern no.	paint	list
	End support brackets - E with wood screws	18"d straight worksurface	18"	1 1/4"	MB3-E18W-()	\$55.	
		24"d straight worksurface	24"	1 1/4"	MB3-E24W-()	58.	
		30"d straight worksurface	30"	1 1/4"	MB3-E30W-()	65.	
		36"d straight worksurface	36"	1 1/4"	MB3-E36W-()	75.	
End support brackets - E with wood screws	18"d straight worksurface		18"	1 1/4"	MB3-EC18W-() *	55.	
End support for 30"h linkable screen	24"d straight worksurface		24"	1 1/4"	MB3-EC24W-() *	58.	
	30"d straight worksurface		30"	1 1/4"	MB3-EC30W-() *	65.	
	Cantilever brackets - C with wood screws	18"d worksurface	1/2"	15"	8 1/2"	MB2-C18W-(L/R)-()	72.
		24"d worksurface	1/2"	21"	11 1/2"	MB2-C24W-(L/R)-()	83.
		30"d worksurface	1/2"	24"	13 1/2"	MB2-C30W-(L/R)-()	98.
Cantilever tie-clips - AUX-C (10)					MB1-AUX-C		16.
Worksurface/vertical panel spacer Y with wood screws			1/16"	15"	8 1/2"	MB2-YW-(L/R)-()	60.
							

Order Code	Specification Information	Application Notes
Example: MB3-E30W-613	Bracket type:	E-type end support brackets support 1 1/4" or 1 3/4" worksurface from connector tracks at both back and front.
MB3 Bracket	E End Support	
E Bracket type	C Cantilever	C-type cantilever brackets support worksurfaces from connector track at the back. Specify left or right hand.
30 Bracket depth	Y Worksurface/vertical panel spacer	AUX-C cantilever tie-clips tie together two adjacent cantilever brackets for added stability.
W with wood screws		
613 Finish, paint		
	<i>Please specify painted finish from paint options listed on page 7.</i>	Y-type spacer brackets secure the end of pedestal-supported worksurfaces to a connector track. Y brackets maintain the 3/8" wire drop and allow pedestal fronts to align with the end of the worksurface. * MB3-EC18W-(), MB3-EC24W-() and MB3-EC30W-() end support brackets should be specified when supporting worksurfaces from 30" high linkable screens.


description	d	pattern no.	P1	P2	P3
Cantilever bracket, panel hung	18"	ASBC18 (L/R) ()	\$101.	\$107.	\$111.
	24"	ASBC24 (L/R) ()	111.	119.	125.
 18" for 20" and 24" deep tops 24" for 30" and 36" deep tops specify paint finish					

Side hung support bracket, pair	RBCCP ()	43.	47.	49.
 specify paint finish				

top to top brackets (pair) for use when top to top condition is without tapered edges	6" x 1"	RBF	5.



Top to top bracket for use with tapered edge worksurface conditions (‘tapered to tapered’ or ‘tapered to straight’)	4" x 7"	AT2TB (pair)	108.



Order Code	Specification Information	Application Notes
Example: RBC18L111	<i>To order please specify pattern number including:</i>	<i>Flat edge to flat edge:</i>
R from Reff	1. Left or right hand where applicable	RBF top to top brackets are for end to end worksurface connection, no tapered edges.
B Bracket	2. Paint finish where applicable	
C Cantilever	<i>Specify painted finish from paint options listed on page 7.</i>	A cantilever bracket should be used to join two adjacent straight worksurfaces along with pair of RBF top to top brackets. RBF brackets install between screw ports on cantilever bracket to underside of worksurface.
18 18" deep		
L Left hand		
111 Finish, Jet black		

Tapered edges:
AT2TB top to top brackets are for connection of worksurfaces at right angle, with one or both edges tapered.

A cantilever bracket should be used to join two worksurfaces along with pair of AT2TB top to top brackets. Install one AT2TB bracket behind cantilever and one in front of cantilever.




Midspan suport required every 48" for all worksurfaces.

Side hung support brackets provide primary connection of a worksurface to a panel, not recommended for midspan support.

Worksurface support

Straight legs, wide legs and L-legs

AutoStrada


description	type	height	pattern number	list
 Straight leg (pair)	Fixed height	27"	AB1AS27 ()	\$387.
		28 ³ / ₈ "	AB1AS28 ()	408.
		30 ¹ / ₈ "	AB1AS30 ()	419.
 Straight leg with casters (pair)	Fixed height	27"	AB1ASC27 ()	387.
		28 ³ / ₈ "	AB1ASC28 ()	408.
		30 ¹ / ₈ "	AB1ASC30 ()	419.
 Wide leg	Fixed height	27"	AB1AW27 ()	358.
		28 ³ / ₈ "	AB1AW28 ()	379.
 L-legs (pair)	Fixed height	26 ¹ / ₂ "	APTLL26 ()	686.
		27"	APTLL27 ()	704.
		28 ³ / ₈ "	APTLL28 ()	716.
 Wide Flange Leg (Single)	Fixed height	27"	AWFL27 ()	610.
		28 ³ / ₈ "	AWFL28 ()	610.

Order Code	Specification Information	Application Notes
Example: AB1AS28 AA		
A AutoStrada leg	AutoStrada straight legs, wide legs and L-Legs are available in anodized aluminum or painted finish option listed on page 7 excluding silver.	27" from floor to underside of worksurface (28 ³ / ₈ " desk height)
S Straight		28 ³ / ₈ " from floor to underside of worksurface (29 ³ / ₄ " desk height)
28 Height	To order specify pattern number including height 1. Specify finish	30 ¹ / ₈ " from floor to underside of worksurface (31 ¹ / ₂ " desk height)
AA Finish		AutoStrada wide legs are only available on glides, 27" or 28 ³ / ₈ " to underside of worksurface. AutoStrada L-legs are available in three heights, glide only (no caster option) 26 ¹ / ₂ "h, 27"h and 28 ³ / ₈ "h.
		Two pairs of straight legs or L-legs may also be specified to create a freestanding table in combination with an AutoStrada worksurface not to exceed 72" x 36" with a corresponding worksurface stiffener.
		Wide Flange legs are for use with Peninsula applications only.
		AutoStrada straight legs are available in three heights with or without casters:

Worksurface support

Open frame leg sets


AutoStrada

description	d	h	w	pattern no.	list
 Open frame legs, Set of One, For Peninsulas	30"	27"		AOFL1301()	\$633.
		28 ³ / ₈ "		AOFL1302()	633.
	36"	27"		AOFL1361()	633.
		28 ³ / ₈ "		AOFL1362()	633.
 Open frame legs, Set of Two, For Tables	30"	27"	60"	AOFL260301()	1,321.
		27"	66"	AOFL266301()	1,347.
		27"	72"	AOFL272301()	1,349.
		27"	78"	AOFL278301()	1,362.
		27"	84"	AOFL284301()	1,366.
		27"	90"	AOFL290301()	1,368.
		27"	96"	AOFL296301()	1,370.
		28 ³ / ₈ "	60"	AOFL260302()	1,321.
		28 ³ / ₈ "	66"	AOFL266302()	1,347.
		28 ³ / ₈ "	72"	AOFL272302()	1,349.
		28 ³ / ₈ "	78"	AOFL278302()	1,362.
		28 ³ / ₈ "	84"	AOFL284302()	1,366.
		28 ³ / ₈ "	90"	AOFL290302()	1,368.
		28 ³ / ₈ "	96"	AOFL296302()	1,370.
	36"	27"	60"	AOFL260361()	1,321.
		27"	66"	AOFL266361()	1,347.
		27"	72"	AOFL272361()	1,349.
		27"	78"	AOFL278361()	1,362.
		27"	84"	AOFL284361()	1,366.
		27"	90"	AOFL290361()	1,368.
		27"	96"	AOFL296361()	1,370.
		28 ³ / ₈ "	60"	AOFL260362()	1,321.
		28 ³ / ₈ "	66"	AOFL266362()	1,347.
		28 ³ / ₈ "	72"	AOFL272362()	1,349.
		28 ³ / ₈ "	78"	AOFL278362()	1,362.
		28 ³ / ₈ "	84"	AOFL284362()	1,366.
		28 ³ / ₈ "	90"	AOFL290362()	1,368.
		28 ³ / ₈ "	96"	AOFL296362()	1,370.


Support Components

Order Code	Specification Information	Application Notes
Example: AOFL1301()	<i>To order please specify pattern number including:</i>	Peninsulas are supplied with one leg and attachment hardware. Stiffeners are required for a span greater than 54" wide.
A AutoStrada	1. Leg height <i>1 = 27"h</i> <i>2 = 28³/₈"h</i>	Table are supplied with two legs, two stiffeners and attachment hardware.
OFL Open Frame Leg	2. Finish: Leg <i>Anodized aluminum or painted finish option, excluding silver.</i>	Stiffeners must be installed in a specific location relative to the leg top plates.
1 Set of one(for peninsulas) 2 = Set of two for tables	See page 7 for finish options applicable	Stiffeners are finished in black. Please refer to installation instructions.
20 Depth		Open Frame legs include glides with 1 1/4" height adjustability. Open Frame legs are not intended or able to be used adjacent to full height 28 3/8"h desk height storage. Note: These legs are intended to be used with Knoll worksurfaces only.
1 26 1/2" h, 2 = 28 3/8"h		
() Leg Finish (all core paint, AA)		


Fixed Height and Height Adjustable C-Leg and T-Leg Bases

											Advanced
description	type	w*	w	d	pattern no.	Fixed (F)	Pin-Set (P)	Handcrank (H)	Electric (E)	Electric (A)	
	24" Deep C-Leg Bases	For use with 36"W, 24"D AutoStrada C-Leg Top	36"	34"	23"	ABAC3423 () () ()	\$1,018.	\$1,357.	\$2,035.	\$3,535.	\$3,721.
		For use with 42"W, 24"D AutoStrada C-Leg Top	42"	40"	23"	ABAC4023 () () ()	1,018.	1,357.	2,035.	3,535.	3,721.
		For use with 48"W, 24"D AutoStrada C-Leg Top	48"	46"	23"	ABAC4623 () () ()	1,018.	1,357.	2,035.	3,535.	3,721.
		For use with 54"W, 24"D AutoStrada C-Leg Top	54"	52"	23"	ABAC5223 () () ()	1,018.	1,357.	2,035.	3,535.	3,721.
		For use with 60"W, 24"D AutoStrada C-Leg Top	60"	58"	23"	ABAC5823 () () ()	1,018.	1,357.	2,035.	3,535.	3,721.
		For use with 66"W, 24"D AutoStrada C-Leg Top	66"	64"	23"	ABAC6423 () () ()	1,041.	1,380.	2,059.	3,558.	3,746.
		For use with 72"W, 24"D AutoStrada C-Leg Top	72"	70"	23"	ABAC7023 () () ()	1,041.	1,380.	2,059.	3,558.	3,746.

Fixed Shown

	30" Deep C-Leg Bases	For use with 36"W, 30"D AutoStrada C-Leg Top	36"	34"	29"	ABAC3429 () () ()	1,066.	1,405.	2,084.	3,582.	3,769.
		For use with 42"W, 30"D AutoStrada C-Leg Top	42"	40"	29"	ABAC4029 () () ()	1,066.	1,405.	2,084.	3,582.	3,769.
		For use with 48"W, 30"D AutoStrada C-Leg Top	48"	46"	29"	ABAC4629 () () ()	1,066.	1,405.	2,084.	3,582.	3,769.
		For use with 54"W, 30"D AutoStrada C-Leg Top	54"	52"	29"	ABAC5229 () () ()	1,066.	1,405.	2,084.	3,582.	3,769.
		For use with 60"W, 30"D AutoStrada C-Leg Top	60"	58"	29"	ABAC5829 () () ()	1,066.	1,405.	2,084.	3,582.	3,769.
		For use with 66"W, 30"D AutoStrada C-Leg Top	66"	64"	29"	ABAC6429 () () ()	1,091.	1,430.	2,107.	3,605.	3,794.
		For use with 72"W, 30"D AutoStrada C-Leg Top	72"	70"	29"	ABAC7029 () () ()	1,091.	1,430.	2,107.	3,605.	3,794.

Fixed Shown

	30" Deep T-Leg Bases	For use with 48"W, 36"D AutoStrada T-Leg Top	48"	46"	29"	ABAT4629 () () ()	1,066.	1,405.	2,084.	3,582.	3,769.
		For use with 54"W, 36"D AutoStrada T-Leg Top	54"	52"	29"	ABAT5229 () () ()	1,066.	1,405.	2,084.	3,582.	3,769.
		For use with 60"W, 36"D AutoStrada T-Leg Top	60"	58"	29"	ABAT5829 () () ()	1,066.	1,405.	2,084.	3,582.	3,769.
		For use with 66"W, 36"D AutoStrada T-Leg Top	66"	64"	29"	ABAT6429 () () ()	1,091.	1,430.	2,107.	3,605.	3,794.
		For use with 72"W, 36"D AutoStrada T-Leg Top	72"	70"	29"	ABAT7029 () () ()	1,091.	1,430.	2,107.	3,605.	3,794.

Pin-Set Shown

Order Code	Specification Information	Application Notes
Example: ABAC5829HS, 9005, 613	To order please specify pattern number including:	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.
ABA Universal Base	1. <i>Base Type:</i>	Base comes with worksurface mounting hardware and leveling glides with 1/4" of height adjustability.
C C-Leg	(F) = Fixed (27" High)	23"D C-Leg bases support rectangular tops up to 24"D. 29"D C-Leg bases support rectangular tops up to 30"D. 29"D T-Leg bases support rectangular tops 36"D centered over feet.
58 Width	(P) = Pin-Set (22" - 35" High)	36"W C-Leg bases (except for Pin-set) support tops up to 60"W centered over feet (max 12" overhang on each side). 36"W Pin-Set C-Leg bases cannot support tops wider than the base. 42"W C-Leg bases support tops up to 66"W centered over feet (max 12" overhang on each side). 48", 54", 60" and 66"W C-Leg and T-Leg bases support tops up to 30" wider than the base centered over feet (max 15" overhang on each side). 72"W C-Leg and T-Leg bases support tops up to 96"W centered over feet (max 12" overhang on each side).
29 Depth	(H) = Handcrank (22" - 35" High)	
H Handcrank	(E) = Electric (27" - 46 1/2" High)	
S Shroud	(A) = Advanced Electric (21" - 47 1/2" High)	
9005 Black Base Finish	Base height ranges shown do not include worksurface thickness.	
613 Shroud/Feet Paint Finish	2. <i>Shroud Options:</i>	
	(N) = Leg without a metal shroud	
	(S) = Painted metal shroud to surround lower leg with matching foot. Add \$100 to the list price.	
	3. <i>Base Finish:</i>	
	(9005) Black paint	
	(613) Silver paint	
	(118) Bright White paint	
	4. <i>Shroud/Feet Paint Finish, when applicable</i>	

w * = nominal width

Bases available in Black paint finish (9005), Silver finish (613), or Bright White finish (118). Painted lower leg shroud and feet can be specified in Knoll Core paint finishes (for Black base only).

Fixed and Pin-Set bases support up to 440lbs. Handcrank bases support up to 260lbs. Electric bases support up to 300lbs.

Pin-Set base adjusts on 1" increments.


Crank handle is located on the right side of the base. Five turns of the handle adjust worksurface height 1".

Worksurface support

Fixed Height and Height Adjustable C-Leg and T-Leg Bases

AutoStrada

description	type	w	d	h	pattern no.	list
Electric Table Memory Switch with Digital Display	For use with Electric C-Leg and T-Leg bases	5"	.75"	1"	SISDDPS	\$399.



Locking Casters, Set of 4	For use with C-Leg and T-Leg bases	2"	2"	1.5"	SISLC4	53.





Support Components

Order Code	Application Notes
Example: SISDDPS	
SIS Universal Base	Locking casters replace standard glides to facilitate reconfiguration. Locking casters raise top height 1 1/2".
DDPS Electric Table Memory Switch with Digital Display	Electric table memory switch with digital display offers three programmable memory settings with digital read out display. Mounting options include a 90° bracket and a 45° bracket. (Both are supplied) This memory switch will replace the standard up/down control.
	Insert kit is required when attaching Antenna Workspaces privacy screens to C-leg and T-leg workspaces.

Worksurface support T and L bases

AutoStrada

description	type	h	w	d	pattern no.	L	V1	V2	V3	
	right hand	28 ³ / ₈ "	24"		ALBR24 ()	\$501.	\$523.	\$601.	\$779.	
		28 ³ / ₈ "	30"		ALBR30 ()	579.	606.	700.	911.	
		28 ³ / ₈ "	36"		ALBR36 ()	658.	695.	796.	1,035.	
	left hand	28 ³ / ₈ "	24"		ALBL24 ()	501.	523.	601.	779.	
		28 ³ / ₈ "	30"		ALBL30 ()	579.	606.	700.	911.	
		28 ³ / ₈ "	36"		ALBL36 ()	658.	695.	796.	1,035.	
<i>left hand shown</i>										
	T Base for tapered 1 edge tops		28 ³ / ₈ "	18"	12"	ATBT120 ()	459.	486.	564.	736.
			28 ³ / ₈ "	22"	12"	ATBT124 ()	491.	523.	601.	779.
			28 ³ / ₈ "	28"	12"	ATBT130 ()	579.	606.	700.	911.
			28 ³ / ₈ "	34"	12"	ATBT136 ()	658.	695.	796.	1,035.
	T Base for tapered 2 edge tops		28 ³ / ₈ "	20"	12"	ATBT224 ()	491.	523.	601.	779.
			28 ³ / ₈ "	26"	12"	ATBT230 ()	579.	606.	700.	911.
			28 ³ / ₈ "	32"	12"	ATBT236 ()	658.	695.	796.	1,035.
			28 ³ / ₈ "	38"	12"	ATBT242 ()	812.	855.	985.	1,280.

Order Code

Example:	ATB24V316
A	Autostrada
TB	T-base
24	24"w x 12"d
V316	Finish, Maple

Specification Information

To order please specify pattern number including:

1. Hand (applicable for L bases only)
L = left hand
R = right hand
2. Width
3. Finish
Laminate, V1, V2 or V3 finish

See page 7 for finish options applicable.


Product on this page will accept wood grain laminate where laminate is currently an option.

Application Notes

T and L bases are 28³/₈"h to underside of worksurface. If used with wood case pedestals or lower storage as support, must specify cabinet feet (see page 268) for pedestals/lower storage to achieve required height.

Worksurface support Modesty panels

AutoStrada

description	h	w	pattern no.	L	V1	V2	V3
 Half height suspended modesty	12"	33 1/2"	AHHSM36 ()	\$361.	\$435.	\$473.	\$613.
	12"	39 1/2"	AHHSM42 ()	371.	444.	485.	632.
	12"	45 1/2"	AHHSM48 ()	380.	453.	496.	646.
	12"	51 1/2"	AHHSM54 ()	394.	460.	510.	662.
	12"	57 1/2"	AHHSM60 ()	402.	472.	524.	681.
	12"	63 1/2"	AHHSM66 ()	412.	479.	536.	697.
	12"	69 1/2"	AHHSM72 ()	424.	488.	549.	712.
	12"	75 1/2"	AHHSM78 ()	435.	496.	561.	730.
	12"	81 1/2"	AHHSM84 ()	446.	505.	575.	748.
	12"	87 1/2"	AHHSM90 ()	455.	515.	589.	765.
	12"	93 1/2"	AHHSM96 ()	465.	525.	602.	780.

Support Components


Order Code	Specification Information	Application Notes
Example: AHHSM30V316	<i>To order please specify pattern number including:</i>	To be used for free-standing private office applications.
A AutoStrada	1. Finish	Half height suspended modesty intended for optional use with work surfaces when creating configurations including a peninsula top supported at one end by a pair of legs (legs on page 256) or "freestanding" table desk by set of legs and would install just behind the legs by angle bracket that ships with modesty. Attachment hardware included.
HH Half height	<i>Laminate, V1, V2 or V3 finish</i>	
S Suspended	See page 7 for finish options applicable.	
M Modesty	Product on this page will accept wood grain laminate where laminate is currently an option.	
30 for 30"w work surface		
V316 Finish, Maple		If installing below worksurface with grommets, be sure to specify recessed grommet location.

Worksurface support


Modesty

Hinged

28³/₈" planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
 Hinged Modesty for End panel and Storage Unit	72" wide assembly - 16" storage	1"	72"	25"	ADHMH7210()	\$867.	\$1,080.	\$1,136.	\$1,363.
	72" wide assembly - 19" storage	1"	72"	25"	ADHMH7220()	859.	1,075.	1,126.	1,352.
	72" wide assembly - 30" storage	1"	72"	25"	ADHMH7230()	691.	898.	945.	1,136.
	72" wide assembly - 36" storage	1"	72"	25"	ADHMH7240()	681.	886.	928.	1,113.
	78" wide assembly - 16" storage	1"	78"	25"	ADHMH7810()	883.	1,092.	1,152.	1,383.
	78" wide assembly - 19" storage	1"	78"	25"	ADHMH7820()	871.	1,087.	1,144.	1,371.
	78" wide assembly - 30" storage	1"	78"	25"	ADHMH7830()	703.	915.	962.	1,154.
	78" wide assembly - 36" storage	1"	78"	25"	ADHMH7840()	691.	898.	945.	1,136.
	84" wide assembly - 16" storage	1"	84"	25"	ADHMH8410()	899.	1,111.	1,175.	1,411.
	84" wide assembly - 19" storage	1"	84"	25"	ADHMH8420()	888.	1,096.	1,166.	1,401.
	84" wide assembly - 30" storage	1"	84"	25"	ADHMH8430()	861.	1,075.	1,128.	1,354.
	84" wide assembly - 36" storage	1"	84"	25"	ADHMH8440()	703.	915.	962.	1,154.
	90" wide assembly - 16" storage	1"	90"	25"	ADHMH9010()	909.	1,121.	1,193.	1,431.
	90" wide assembly - 19" storage	1"	90"	25"	ADHMH9020()	903.	1,116.	1,185.	1,421.
	90" wide assembly - 30" storage	1"	90"	25"	ADHMH9030()	873.	1,088.	1,145.	1,374.
	90" wide assembly - 36" storage	1"	90"	25"	ADHMH9040()	861.	1,075.	1,128.	1,354.
	96" wide assembly - 16" storage	1"	96"	25"	ADHMH9610()	921.	1,134.	1,208.	1,451.
	96" wide assembly - 19" storage	1"	96"	25"	ADHMH9620()	914.	1,126.	1,200.	1,441.
	96" wide assembly - 30" storage	1"	96"	25"	ADHMH9630()	889.	1,098.	1,170.	1,404.
	96" wide assembly - 36" storage	1"	96"	25"	ADHMH9640()	873.	1,088.	1,145.	1,374.

Back side shown

 Hinged Modesty for Between Two Storage Elements	72" wide assembly - 16"/16" storage	1"	72"	25"	ADHMH7211()	691.	898.	943.	1,135.
	72" wide assembly - 19"/19" storage	1"	72"	25"	ADHMH7212()	685.	891.	935.	1,122.
	72" wide assembly - 16"/19" storage	1"	72"	25"	ADHMH7222()	681.	886.	928.	1,113.
	78" wide assembly - 16"/16" storage	1"	78"	25"	ADHMH7811()	703.	915.	962.	1,154.
	78" wide assembly - 16"/19" storage	1"	78"	25"	ADHMH7812()	696.	909.	955.	1,145.
	78" wide assembly - 16"/30" storage	1"	78"	25"	ADHMH7813()	673.	882.	915.	1,098.
	78" wide assembly - 19"/19" storage	1"	78"	25"	ADHMH7822()	691.	898.	943.	1,135.
	78" wide assembly - 19"/30" storage	1"	78"	25"	ADHMH7823()	668.	875.	902.	1,081.
	84" wide assembly - 16"/16" storage	1"	84"	25"	ADHMH8411()	861.	1,075.	1,128.	1,354.
	84" wide assembly - 16"/19" storage	1"	84"	25"	ADHMH8412()	854.	1,070.	1,119.	1,343.
	84" wide assembly - 16"/36" storage	1"	84"	25"	ADHMH8413()	687.	892.	937.	1,125.
	84" wide assembly - 16"/30" storage	1"	84"	25"	ADHMH8414()	673.	882.	915.	1,098.
	84" wide assembly - 19"/19" storage	1"	84"	25"	ADHMH8422()	703.	915.	962.	1,154.
	84" wide assembly - 19"/30" storage	1"	84"	25"	ADHMH8423()	681.	886.	930.	1,116.
	84" wide assembly - 19"/36" storage	1"	84"	25"	ADHMH8424()	668.	875.	902.	1,081.
	90" wide assembly - 16"/16" storage	1"	90"	25"	ADHMH9011()	873.	1,088.	1,145.	1,374.
	90" wide assembly - 16"/19" storage	1"	90"	25"	ADHMH9012()	867.	1,081.	1,137.	1,364.
	90" wide assembly - 16"/36" storage	1"	90"	25"	ADHMH9013()	697.	910.	956.	1,147.
	90" wide assembly - 16"/30" storage	1"	90"	25"	ADHMH9014()	687.	892.	937.	1,125.

Back side shown

Order Code	Specification Information	Application Notes
Example: ADHMH7222	To order please specify pattern number including:	Modesty may prohibit the adjacent drawer from opening.
A AutoStrada	1. <i>Finish Type</i> L, V1, V2, V3	Recommended that when using a modesty the adjacent ped is an open configuration.
DH Desk height	2. <i>Finish</i> V316	Hardware shipped with modesty to attach to worksurface.
M Modesty		J-Extrusion Wire Trough sold separately.
H Hinged		
72 Width		
22 19"/19" storage		
V2 Finish type		
V316 Light Maple		

Modesty End panel and storage unit.

10= 16" storage
 20= 19" storage
 30= 30" storage
 40= 36" storage

Modesty between two storage units.


11= 16"/16" storage
 12= 16"/19" storage
 13= 16"/36" storage
 14= 16"/30" storage
 22= 19"/19" storage
 23= 19"/30" storage
 24= 19"/36" storage
 33= 30"/30" storage
 34= 36"/36" storage

Worksurface support


Modesty

Hinged



28³/₈" planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
 Back side shown	90" wide assembly - 19"/19" storage	1"	90"	25"	ADHMH9022()	\$861.	\$1,075.	\$1,128.	\$1,354.
	90" wide assembly - 19"/30" storage	1"	90"	25"	ADHMH9023()	692.	899.	945.	1,136.
	90" wide assembly - 19"/36" storage	1"	90"	25"	ADHMH9024()	681.	886.	930.	1,116.
	90" wide assembly - 30"/30" storage	1"	90"	25"	ADHMH9033()	669.	876.	904.	1,085.
	96" wide assembly - 16"/16" storage	1"	96"	25"	ADHMH9611()	889.	1,097.	1,167.	1,403.
	96" wide assembly - 16"/19" storage	1"	96"	25"	ADHMH9612()	884.	1,093.	1,153.	1,384.
	96" wide assembly - 16"/36" storage	1"	96"	25"	ADHMH9613()	856.	1,071.	1,120.	1,344.
	96" wide assembly - 16"/30" storage	1"	96"	25"	ADHMH9614()	697.	910.	956.	1,147.
	96" wide assembly - 19"/19" storage	1"	96"	25"	ADHMH9622()	873.	1,088.	1,145.	1,374.
	96" wide assembly - 19"/30" storage	1"	96"	25"	ADHMH9623()	703.	916.	964.	1,155.
	96" wide assembly - 19"/36" storage	1"	96"	25"	ADHMH9624()	692.	899.	945.	1,136.
	96" wide assembly - 30"/30" storage	1"	96"	25"	ADHMH9633()	683.	888.	931.	1,117.
	96" wide assembly - 36"/36" storage	1"	96"	25"	ADHMH9634()	669.	876.	904.	1,085.



Order Code	Specification Information	Application Notes
Example: ADHMH7222	<i>To order please specify pattern number including:</i>	Modesty may prohibit the adjacent drawer from opening.
A AutoStrada	1. <i>Finish Type</i>	Recommended that when using a modesty the adjacent ped is an open configuration.
DH Desk height	L, V1, V2, V3	Hardware shipped with modesty to attach to worksurface.
M Modesty	2. <i>Finish</i>	J-Extrusion Wire Trough sold separately.
H Hinged	V316	
72 Width		Modesty End panel and storage unit.
22 19"/19" storage		10= 16" storage
V2 Finish type		20= 19" storage
V316 Light Maple		30= 30" storage
		40= 36" storage
		Modesty between two storage units.
		11= 16"/16" storage
		12= 16"/19" storage
		13= 16"/36" storage
		14= 16"/30" storage
		22= 19"/19" storage
		23= 19"/30" storage
		24= 19"/36" storage
		33= 30"/30" storage
		34= 36"/36" storage

description	type	width	depth	height	pattern number	list
Stiffener for worksurface, full depths 	36"	20"	1 1/2"	1"	AWM1 S36	\$60.
	42"	26"	1 1/2"	1"	AWM1 S42	64.
	48"	32"	1 1/2"	1"	AWM1 S48	66.
	60"	44"	1 1/2"	1"	AWM1 S60	68.
	66"	50"	1 1/2"	1"	AWM1 S66	72.
	72"	56"	1 1/2"	1"	AWM1 S72	74.
	78"	62"	1 1/2"	1"	AWM1 S78	77.
	84"	68"	1 1/2"	1"	AWM1 S84	79.

Order Code	Specification Information	Application Notes
Example: AWM1 S36 AWM1 Stiffener S Straight 36 Application 	Stiffeners are black painted finish.	AutoStrada worksurfaces require stiffeners when the span between structural supports exceeds 60". Stiffener also serves as horizontal cable manager. Stiffener corresponds in width to straight or corner worksurface back edge. Specify 12" less wide stiffener to mount adjacent to floor standing pedestal. For 90" application span, use AWM1-S84 stiffener.

description	h	w	y	pattern no.	list
Tackboard for 49"h Median 	21"	26 1/2"	0.7	ATBM26 ()	\$161.
	21"	32 1/2"	1.0	ATBM32 ()	196.
	21"	42"	1.3	ATBM42 ()	258.
	21"	48"	1.5	ATBM48 ()	295.
	21"	54"	1.6	ATBM54 ()	331.
	21"	60"	1.8	ATBM60 ()	369.
	21"	66"	2.0	ATBM66 ()	406.
	21"	72"	2.2	ATBM72 ()	444.
	21"	78"	2.3	ATBM78 ()	480.
	21"	84"	2.5	ATBM84 ()	516.
	21"	90"	2.6	ATBM90 ()	552.
	21"	96"	2.8	ATBM96 ()	590.
Tackboard for 49"h Bridge 	21"	42"	1.3	ATBB42 ()	258.
	21"	48"	1.5	ATBB48 ()	295.
	21"	54"	1.6	ATBB54 ()	331.
	21"	60"	1.8	ATBB60 ()	369.
	21"	66"	2.0	ATBB66 ()	406.
	21"	72"	2.2	ATBB72 ()	444.
	21"	78"	2.3	ATBB78 ()	480.
14"h Tackboard for use with 42"h medians or bridges	14"	26 1/2"	0.7	ATB1426 ()	156.
	14"	32 1/2"	1.0	ATB1432 ()	190.
	14"	42"	1.3	ATB1442 ()	250.
	14"	48"	1.5	ATB1448 ()	286.
	14"	54"	1.6	ATB1454 ()	322.
	14"	60"	1.8	ATB1460 ()	359.
	14"	66"	2.0	ATB1466 ()	396.
	14"	72"	2.2	ATB1472 ()	431.
	14"	78"	2.3	ATB1478 ()	465.
	14"	84"	2.5	ATB1484 ()	502.
	14"	90"	2.6	ATB1490 ()	537.
	14"	96"	2.8	ATB1496 ()	574.



Order Code	Specification Information	Application Notes
Example: ATBM26W359-	<i>To order please specify pattern number including:</i>	Velcro included to attach tackboard to median or bridge as required.
A AutoStrada	1. For median or bridge	Fabric orientation is applied "railroaded".
TB Tackboard	<i>M = for medians</i>	
M for median	<i>B = for bridges</i>	Fabric choices listed on page 9.
26 for 26.5"d gable	2. Width	
W359- Fabric selection	<i>26 = for 26.5 d median gable</i>	
	<i>32 = for 32.5 d median gable</i>	
	<i>All others specify to match width of corresponding median or bridge</i>	
	3. Fabric selection	

description	h	w	pattern no.	AA or paint
Slatwall for Median 	19"	26 1/2"	ASWM26 ()	\$255.
	19"	32 1/2"	ASWM32 ()	319.
	19"	42"	ASWM42 ()	380.
	19"	48"	ASWM48 ()	427.
	19"	54"	ASWM54 ()	476.
	19"	60"	ASWM60 ()	522.
	19"	66"	ASWM66 ()	568.
	19"	72"	ASWM72 ()	614.
	19"	78"	ASWM78 ()	659.
	19"	84"	ASWM84 ()	692.
	19"	90"	ASWM90 ()	725.
	19"	96"	ASWM96 ()	757.
Slatwall for Bridge 	19"	42"	ASWB42 ()	380.
	19"	48"	ASWB48 ()	427.
	19"	54"	ASWB54 ()	476.
	19"	60"	ASWB60 ()	522.
	19"	66"	ASWB66 ()	568.
	19"	72"	ASWB72 ()	614.
	19"	78"	ASWB78 ()	659.

Order Code	Specification Information	Application Notes
Example: ASWM26AA	<i>To order please specify pattern number including:</i>	Slatwall attaches to median or bridge assembly with brackets (supplied with slatwall) which are then screwed onto modesty of median or bridge assembly. Modesties are not predrilled for attachment, field drill required during installation.
A AutoStrada	1. For median or bridge	
SW Slatwall	<i>M = for medians</i>	
M for median	<i>B = for bridges</i>	
26 for 26.5" d gable	2. Width	
AA Finish, anodized aluminum	<i>26 = for 26.5 d median gable</i>	
	<i>32 = for 32.5 d median gable</i>	
	<i>All others specify to match width of corresponding median or bridge</i>	
	3. Finish	
	<i>AA - anodized aluminum or painted finish option from page 7 excluding silver</i>	

Wall hung tackboards 24" and 30" high

AutoStrada

description	w	y	pattern no.	grade 10	15	20	30	35	40	45	50	55
 Wall hung tackboards, 24" high	30"	1	AWHTB3024 ()	\$285.	\$313.	\$341.	\$370.	\$375.	\$380.	\$385.	\$423.	\$459.
	36"	1.1	AWHTB3624 ()	303.	335.	366.	397.	403.	409.	416.	455.	496.
	42"	1.3	AWHTB4224 ()	334.	371.	406.	444.	451.	457.	465.	513.	560.
	48"	1.5	AWHTB4824 ()	364.	405.	447.	489.	498.	506.	515.	569.	623.
	54"	1.6	AWHTB5424 ()	382.	427.	474.	518.	527.	536.	545.	604.	660.
	60"	1.8	AWHTB6024 ()	412.	462.	514.	564.	575.	585.	595.	660.	724.
	66"	1.9	AWHTB6624 ()	433.	486.	538.	592.	604.	613.	625.	693.	761.
	72"	2.1	AWHTB7224 ()	462.	523.	581.	640.	651.	663.	674.	750.	825.
	78"	2.3	AWHTB7824 ()	491.	557.	620.	686.	699.	711.	724.	806.	888.
	84"	2.5	AWHTB8424 ()	523.	592.	662.	732.	747.	761.	775.	863.	953.
	90"	2.6	AWHTB9024 ()	540.	613.	687.	759.	774.	790.	805.	897.	988.
	96"	2.8	AWHTB9624 ()	571.	649.	729.	808.	823.	837.	855.	954.	1,052.
 Wall hung tackboards, 30" high	30"	1	AWHTB3030 ()	301.	328.	356.	381.	387.	394.	399.	427.	463.
	36"	1.1	AWHTB3630 ()	324.	354.	382.	414.	420.	425.	433.	463.	502.
	42"	1.3	AWHTB4230 ()	357.	393.	426.	462.	470.	478.	484.	522.	567.
	48"	1.5	AWHTB4830 ()	390.	431.	472.	510.	521.	528.	536.	579.	632.
	54"	1.6	AWHTB5430 ()	412.	455.	498.	542.	551.	560.	568.	614.	670.
	60"	1.8	AWHTB6030 ()	445.	494.	542.	591.	602.	611.	621.	672.	736.
	66"	1.9	AWHTB6630 ()	468.	519.	569.	621.	633.	643.	655.	708.	773.
	72"	2.1	AWHTB7230 ()	500.	558.	613.	670.	684.	695.	707.	767.	838.
	78"	2.3	AWHTB7830 ()	533.	596.	658.	720.	735.	746.	758.	824.	904.
	84"	2.5	AWHTB8430 ()	565.	634.	701.	770.	783.	797.	812.	883.	969.
	90"	2.6	AWHTB9030 ()	589.	660.	729.	800.	815.	829.	846.	917.	1,008.
	96"	2.8	AWHTB9630 ()	621.	698.	773.	850.	864.	882.	898.	977.	1,072.






Accessories

Order Code	Specification Information	Application Notes
Example: AWHTB3024 ()	<i>To order please specify pattern number including:</i>	Fabric orientation is applied railroaded.
A AutoStrada	1. Fabric selection	Velcro supplied for attaching to wall.
WH Wall hung	24" high Nominal = 23.8"h Actual	Fabric choices listed on page 9.
TB Tackboard	30" high Nominal = 29.9"h Actual	
30 Wide		
24 Height		
W359- Fabric selection		

Vertical channel is routed in the center of the tackboard to accept T5 light cord.

Note: Y = Fabric requirements.

Note: The 24" high tackboards work with 24" high pedestals. The 30" high tackboards work with 21 3/4" high pedestals.

description	height	width	dia.	pattern no.	list
Worksurface stand-off (pair) 	1"		1 3/4"	AWSO ()	\$34.
AutoStrada Stand-Off 	5"	12"	2 1/4"	AST()	114.
AutoStrada Power Center Stand-Off 	5"	8"	6 3/8"	APCST()	146.
Cabinet feet (pair) 	1 7/8"		1 3/4"	ACF1 ()	172.
Worksurface stand-off (pair), for "ganging" 	1"		1 3/4"	AWSOG ()	34.
Cabinet feet (pair) for "ganging" 	1 7/8"		1 3/4"	ACFG1 ()	172.


Order Code	Specification Information	Application Notes
Example: AWSOAA	To order please specify pattern number including: 1. Finish <i>AA - anodized aluminum or painted finish option from page 7 excluding silver</i>	Worksurface stand-offs are for use primarily in the private office between work surfaces and wood case pedestals or lower storage. Worksurface stand-offs may also be installed in place of anti-tip wood spacer between work surfaces and wood case pedestals or lower storage in storage anchored planning. Anti-tip wood spacer and stand-offs are both 1"h. Cabinet feet are for use with lower storage units in private office planning to achieve overall worksurface height of 29 3/8". Note: Free-standing cabinets on page 181 include cabinet feet. If you are planning to create an open knee space credenza with one storage unit on either end of the credenza, you would require 2 pairs of work surface stand-offs and 2 pairs of cabinet feet for each lower storage unit.
A AutoStrada		
WSO Work surface stand-off		
AA Finish, anodized aluminum		
		When "ganging" units together to create "build-to-spec" credenzas, one pair of work surface stand-offs and one pair of cabinet feet are required to span side-by-side units. For instance, if creating a credenza with 3 lower storage units, specify 4 pairs of stand-offs and 4 pairs of cabinet feet. Cabinet feet should not be used in spine-based or storage anchored planning models. Use only with wood case pedestals and laterals to achieve overall worksurface height of 29 3/8" (or 28 3/8" to underside of worksurface). Spine based and Storage Anchored planning model components are engineered at 27" from floor to underside of worksurface. To install cabinet feet, first remove leveller from pedestal or lower storage, then reinstall with feet.

description	height	width	dia.	pattern no.	list
Cabinet metal cap leveler (12/pk)				ACMCL	\$19.




Order Code	Specification Information	Application Notes
Example: AWSOAA	To order please specify pattern number including: 1. Finish <i>AA - anodized aluminum or painted finish option from page 7 excluding silver</i>	Worksurface stand-offs are for use primarily in the private office between work surfaces and wood case pedestals or lower storage. Worksurface stand-offs may also be installed in place of anti-tip wood spacer between worksurfaces and wood case pedestals or lower storage in storage anchored planning. Anti-tip wood spacer and stand-offs are both 1”h. Cabinet feet are for use with lower storage units in private office planning to achieve overall worksurface height of 29⁵/₈”. Note: Free-standing cabinets on page 181 include cabinet feet. If you are planning to create an open knee space credenza with one storage unit on either end of the credenza, you would require 2 pairs of work surface stand-offs and 2 pairs of cabinet feet for each lower storage unit.
A AutoStrada		
WSO Work surface stand-off		
AA Finish, anodized aluminum		
		When “ganging” units together to create “build-to-spec” credenzas, one pair of worksurface stand-offs and one pair of cabinet feet are required to span side-by-side units. For instance, if creating a credenza with 3 lower storage units, specify 4 pairs of stand-offs and 4 pairs of cabinet feet. Cabinet feet should not be used in spine-based or storage anchored planning models. Use only with wood case pedestals and laterals to achieve overall worksurface height of 29⁵/₈” (or 28³/₈” to underside of worksurface). Spine based and Storage Anchored planning model components are engineered at 27” from floor to underside of worksurface. To install cabinet feet, first remove leveller from pedestal or lower storage, then reinstall with feet.


without Cabinet Feet




with Cabinet Feet




Note: Planning Side Elevations are nominal. Dimensions are actual.





MEDIANS AND STACK-ON OVERHEADS



DETAIL B
OVERHEAD w/ HINGED DOOR



DETAIL C
OVERHEAD w/ SLIDING DOOR



FLOOR-STANDING CABINETS

This Order Guide provides basic planning, specifications and pricing information for Crinion Open Tables.

Refer to KnollExtra price list for compatible accessories such as flat screen monitor supports, task lights, paper management accessories, keyboard and storage drawers.

Refer to Calibre, Reff or Currents price lists for shared and individual storage options. Additional information can be found at www.knoll.com.

Crinion Open Table is the straightforward alternative for open, collaborative work environments. The table accommodates a group of four to eight or more at a continuous work surface.

Crinion Open Table typically consists of deep worksurfaces end-to-end and back-to-back, cantilever supported by parallel beams between end legs. The beams form a technology corridor for flat screen monitor supports, outlets and power/data distribution. Also available is a single-sided configuration, with a single main beam and a smaller back beam, and a single beam configuration for tables with shallower (24" deep) worksurface.

The center of dual tables or back of single-sided tables features a top channel which supports privacy screens above the table and modular power distribution below the worksurface.

Crinion Open Table is appropriate for libraries and education environments, laboratories, finance and trading desks, teaming areas and design offices.

Crinion Open Table is unique in offering individual height-adjustability and extraordinarily deep worksurfaces. Overall dual table depth is 48", 60" or 72".


The table structure is strong enough to span 16 feet between end legs or intermediate supports to build tables of any length.

The continuous worksurfaces and clear kneespace enable varying numbers of workers to sit on each side. Storage is typically separated from the table in parallel, shared file-and-storage islands, perpendicular files and filetops as returns or mobile pedestals.

Crinion is distinguished by a minimalist, modern design, and details like square or tapered edge worksurfaces, plastic laminate, Techwood or natural veneers, and aluminum fittings.

Crinion Open Table simplifies the planning and specifications of an open office, and it can make a dramatic visual and functional statement of collaboration.

The quality and classic design of Crinion work well in virtually any interior.



Crinion Open Tables are comprised of worksurfaces, table base assemblies, power components and screens.

Worksurfaces

Individual worksurfaces are available in four standard widths (48", 60", 72", 96") and three depths (nominal 24", 30", 36"), which may be combined to form single-sided or dual-sided groups of two to ten or more positions.

Worksurface edge options

Worksurfaces are 1 1/4" thick, with three front edge options: Tapered edge, laminate, veneer or mixed.

Square edge, veneer

Postformed edge, laminate only

Power and accessory options

Worksurfaces may be specified with hinged power access door and continuous 1/2" cord drop, or edge grommet and continuous cord drop, or just cord drop.

Hinged power access door is 24"W and 5"D, centered on worksurface width. Door hinges toward user for continuity between access opening and cord drop.

Any worksurface (except end counters) accepts clamp on KnollExtra accessories such as flat screen monitor arm or task light.

Other worksurface types

End counters have front edge detail on side edges as well and are designed to extend dual tables 24" or 30" beyond the endleg. End counters also include 3" wide center grommet. Extended end counters are 36"D surfaces with center grommet or hinged power access door. Base of the table must be extended 12" under the back of each extended end counter (although top channels should be specified only as wide as the worksurfaces on each side of the table).

All end counters must be supported by end counter cantilevers and endlegs for end counters.

Worksurface heights

Fixed height cantilevers support worksurfaces at 28 1/2"H, with 27" clear below the top (except directly below cantilevers).

Adjustable height cantilevers enable worksurfaces to be independently set at 27", 27 3/4", 28 1/2", 29 1/4", or 30"H.

Open Table base assemblies

Complete base assemblies simplify specifications for most common configurations of dual or single-sided open tables. Base assemblies include top channels and end caps, beams, end legs and intermediate legs (where required), trusses and top channel supports, cantilever brackets (specify fixed or adjustable height) and midspan supports. Specify worksurfaces, screens, power components, cable trays and accessories separately.

Complete base assemblies are available for the following typical tables, combinations of 60" or 72" worksurfaces.

Single-sided or dual, 24"D, 30"D, or 36"D, with continuous beam span between end legs

10' W two/four positions 60"W

12' W two/four positions 72"W

15' W three/six positions 60"W

Single sided or dual 24"D, 30"D, or 36"D, with intermediate leg

18' W three/six positions 72"W

20' W four/eight positions 60"W

24' W four/eight positions 72"W

25' W five/ten positions 60"W

Open Table base components

Base assemblies may also be specified by individual components to create configurations other than those listed above, or to create tables with end counters or frameless glass add ups.

In addition to worksurfaces Open tables require top channel, starter beams for spans up to 15', extension beams for additional spans of 4' to 15', intermediate legs every 16' or less, two end legs, trusses at every worksurface junction and at each end leg. Adjustable tables require two cantilevers per worksurface (or three for 96"W). Fixed height tables may be supported by a fixed height cantilever at each end, shared cantilevers at each worksurface joint, and a midspan support bracket at the center of each worksurface greater than 48" wide. For 96"W worksurfaces the midspan support should be a 24"D cantilever. Power components, cable trays and screens are optional.

Power distribution

Optional modular raceway distributes 2+2 four circuit or 3+3 six circuit configuration from a single point of supply. Bundles of cables can be managed from the floor in a cable infeed shroud located at any intermediate leg. Raceway provides power outlets and data/communications outlet openings on one or both sides, accessed through hinged access doors in worksurfaces or from under table. Specify 30" raceway for two duplex outlets each side or 42" raceway for four duplex outlets each side. Duplex outlets, power infeed and jumpers between raceways must be specified separately.

Specify compact power module for outlets under extended end counters.

Privacy screens

There are four screen options for Crinion Open Table.

The standard screens are 14"H (42" horizon) or 21"H (49" horizon) in acrylic, slat wall or combination surfaces. Center screens include mounting hardware to attach to the standard top channel. Center screens are available full width, 48", 60" or 72", or shorter by 1" to leave space at either end of the table for a dual end screen. Side screens attach to the front and back of a worksurface at any point other than at a hinged access door. Mounting brackets are specified separately to correspond to each worksurface edge detail. Dual end screens span across the end of a table (or above an end counter) from worksurface front edges.

Frameless glass add ups are available in 12" height only, 48", 60", and 72"W. Add ups can only mount to a top channel for frameless glass add ups, which may be at the center of a dual table or back of a single-sided table specified by components.

Original Crinion privacy screens are 12"H or 19"H (41" or 48" horizons) and mount to a standard top channel only.

Morrison Network fabric screens (15"H or 22"H) can also be mounted to the standard top channel with Crinion Open Table mast kit.

Accessories and storage

All Crinion worksurfaces accept clamp base KnollExtra flat screen monitor arms and task lights at any point except behind the hinged power access door. Worksurfaces also accept suspended accessories like adjustable keyboard supports, BackPack center file or keyboard drawers, or CPU holders. Beam location under most tables prevents pedestals deeper than 20" underneath. However 36"D tops can be planned on 30"D table bases to create additional kneespace depth and room for 24"D pedestals.

Crinion Open Table file tops are available for 27"H Calibre files positioned perpendicular to the table to act as returns. Tapered front and back edges assure consistent detail with tapered worksurface edges. File tops are also available for pairs of files and back to back files.

Finishes

L - Laminate

Matching edge band unless noted otherwise

117	Soft Grey
118	Bright White
114	Folkstone Grey
111	Jet Black
119	Pumice
121	Micro Grey with 114 Folkstone grey edge band
122	Brushed Sand with 119 Pumice edge band
123	Brushed Grey with 128 Fog edge band
128	Fog
129	Micro Sand with 119 Pumice edge band

Woodgrain Laminates

125	Natural Maple
126	Natural Cherry
124	Medium Cherry
127	Walnut
139	Light Ash
140	Warm Ash
141	Whitened Ash
142	Grey Ash
143	Classic Oak
144	Graphite Pear
145	Zebra

Woodgrain laminates not available on all components.

V1 - Techwood Veneer

Y316	Maple
Y319	Cherry
Y323	Medium Walnut
Y326	Dark Mahogany
Y329	Medium Oak
Y341	Wenge
Y342	Medium Teak
Y344	Espresso
Y811	Natural
Y821	Blond Maple
Y831	Light Cherry
Y851	Black Oak
Y881	Light Walnut
Y882	Dove Grey

V2 – Natural Veneer/Premium Techwood Veneer

V312	Bronze Cherry
V316	Maple
V319	Medium Cherry
V411	Light Walnut
V412	Natural Cherry
V413	Sand Oak
V414	Natural Oak
V415	Peacock Green Walnut
V417	Old English Walnut
V433	Light Fawn Cherry
V436	Medium Brown Cherry

(above V2's are flat cut)

V421	Chalk Oak
V423	Light Oak

(above V2 Oaks are rift cut)

V439	Straight Anigre
V440	Natural Hemock

(above V2's are quarter cut)

Y841	Ebony
Y861	Grigio

(above Premium Techwoods are straight grain)

V3 – Natural Exotic veneer

V512	Figured Anigre
V514	Makore
V515	Figured Sycamore
V517	Sapele
V518	Natural Chestnut

(all remaining V3s are quarter cut)

Paint

P1

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey

P2

611	Beige Mist Metallic
612	Medium Metallic Grey

P3

613	Silver
118	Bright White

Anodized

AA	Anodized Aluminum

Glass

TEMP	Clear Tempered
GL13	Powder

Acrylic

O	Opal
T	Translucent

Architectural

GL13	Powder

Fabric Options

Grade 10

Annex (W1360)
Beacon (W1597)
Broadcloth II (W1619)
Circuit W1754
Element (W1077)
Foundation (W351)
Growth Spurt (W692)
Skylark (W1718)
Symbolic Detail (W693)
Tailor Made II (W1610)
Versatility (W432)

Fabric Options

Grade 20

Bauhaus Block (W296A)
Circle Line (W1146)
Criss Cross (W305)
Logic (W1318)
Mainframe (W1783)
Newmatic II (W1620)
Photon II (W1695)
Reflect (W884)
Resolution (W280)
Weave Three (W298)

Grade 30

Flow (W565)
Harmony (W232)
Match Point (W1145)
Micro (W465)
Relay (W1020)

Grade 40

Amplify (W1215)
Bandwidth (W1219)
Ornament (W1078)
Spellbound (W1464)

Grade 45

Macro (W544)
Mezzo (W543)

Grade 50

Presto (K1000)

Grade 55

Ransom (K1298)
Transition (W816)

Customers Own Material

Prices for panels that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing. COM fabrics are subject to a testing charge prior to acceptance for use on panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.

Mixed Finish work surfaces:

To order mixed finishes, enter four digit finish code as follows:

Use 2 digit prefix to indicate surface finish (laminate)

11	Jet Black
14	Folkstone Grey
17	Soft Grey
18	Bright White
19	Pumice
21	Micro Grey
22	Brushed Sand
23	Brushed Grey
28	Fog
29	Micro Sand




Use 2 digit suffix to indicate edge finish (wood)

16	for V316, Y316
Y9	for Y319
Y3	for Y323
26	for Y326
27	for Y327
29	for Y329
43	for V433
45	for V415
46	for V436
47	for V417
48	for V418
52	for V512
54	for V514
55	for V515
57	for V517
61	for V411
71	for V421
73	for V423
75	for V425
77	for V427




Example:

For a Micro Grey laminate surface with Bronzed Cherry edge, enter finish code 2112




For a Jet Black laminate surface with Light Maple edge, enter finish code 1116

description	nominal depth	w	d	h	pattern number	L	M	V1	V2	V3
Worksurface, tapered edge 	24"	48"	22"	1 1/4"	XTTK4824A (L/M/1/2/3) () ()	\$847.	\$992.	\$992.	\$1,090.	\$1,322.
	24"	60"	22"	1 1/4"	XTTK6024A (L/M/1/2/3) () ()	878.	1,088.	1,088.	1,200.	1,465.
	24"	72"	22"	1 1/4"	XTTK7224A (L/M/1/2/3) () ()	939.	1,149.	1,149.	1,275.	1,564.
	24"	96"	22"	1 1/4"	XTTK9624A (L/M/1/2/3) () ()	1,049.	1,299.	1,299.	1,449.	1,790.
	30"	48"	28"	1 1/4"	XTTK4830A (L/M/1/2/3) () ()	860.	1,076.	1,076.	1,191.	1,451.
	30"	60"	28"	1 1/4"	XTTK6030A (L/M/1/2/3) () ()	907.	1,166.	1,166.	1,294.	1,584.
	30"	72"	28"	1 1/4"	XTTK7230A (L/M/1/2/3) () ()	972.	1,207.	1,207.	1,340.	1,646.
	30"	96"	28"	1 1/4"	XTTK9630A (L/M/1/2/3) () ()	1,088.	1,368.	1,368.	1,525.	1,887.
	36"	48"	34"	1 1/4"	XTTK4836A (L/M/1/2/3) () ()	902.	1,173.	1,173.	1,306.	1,602.
	36"	60"	34"	1 1/4"	XTTK6036A (L/M/1/2/3) () ()	929.	1,258.	1,258.	1,395.	1,716.
	36"	72"	34"	1 1/4"	XTTK7236A (L/M/1/2/3) () ()	1,015.	1,272.	1,272.	1,410.	1,736.
	36"	96"	34"	1 1/4"	XTTK9636A (L/M/1/2/3) () ()	1,157.	1,440.	1,440.	1,606.	1,993.
Worksurface, veneer square edge 	24"	48"	22"	1 1/4"	XTTS4824A (1/2/3) () ()	n/a	n/a	808.	891.	1,003.
	24"	60"	22"	1 1/4"	XTTS6024A (1/2/3) () ()	n/a	n/a	848.	932.	1,058.
	24"	72"	22"	1 1/4"	XTTS7224A (1/2/3) () ()	n/a	n/a	891.	974.	1,114.
	24"	96"	22"	1 1/4"	XTTS9624A (1/2/3) () ()	n/a	n/a	959.	1,043.	1,210.
	30"	48"	28"	1 1/4"	XTTS4830A (1/2/3) () ()	n/a	n/a	932.	1,016.	1,154.
	30"	60"	28"	1 1/4"	XTTS6030A (1/2/3) () ()	n/a	n/a	959.	1,050.	1,211.
	30"	72"	28"	1 1/4"	XTTS7230A (1/2/3) () ()	n/a	n/a	988.	1,087.	1,321.
	30"	96"	28"	1 1/4"	XTTS9630A (1/2/3) () ()	n/a	n/a	1,043.	1,154.	1,503.
	36"	48"	34"	1 1/4"	XTTS4836A (1/2/3) () ()	n/a	n/a	1,016.	1,119.	1,295.
	36"	60"	34"	1 1/4"	XTTS6036A (1/2/3) () ()	n/a	n/a	1,058.	1,162.	1,327.
	36"	72"	34"	1 1/4"	XTTS7236A (1/2/3) () ()	n/a	n/a	1,099.	1,227.	1,453.
	36"	96"	34"	1 1/4"	XTTS9636A (1/2/3) () ()	n/a	n/a	1,183.	1,349.	1,682.
Worksurface, postformed plastic 	24"	48"	22"	1 1/4"	XTTP4824A (L) () ()	616.	n/a	n/a	n/a	n/a
	24"	60"	22"	1 1/4"	XTTP6024A (L) () ()	705.	n/a	n/a	n/a	n/a
	24"	72"	22"	1 1/4"	XTTP7224A (L) () ()	774.	n/a	n/a	n/a	n/a
	24"	96"	22"	1 1/4"	XTTP9624A (L) () ()	849.	n/a	n/a	n/a	n/a
	30"	48"	28"	1 1/4"	XTTP4830A (L) () ()	644.	n/a	n/a	n/a	n/a
	30"	60"	28"	1 1/4"	XTTP6030A (L) () ()	739.	n/a	n/a	n/a	n/a
	30"	72"	28"	1 1/4"	XTTP7230A (L) () ()	816.	n/a	n/a	n/a	n/a
	30"	96"	28"	1 1/4"	XTTP9630A (L) () ()	905.	n/a	n/a	n/a	n/a
	36"	48"	34"	1 1/4"	XTTP4836A (L) () ()	681.	n/a	n/a	n/a	n/a
	36"	60"	34"	1 1/4"	XTTP6036A (L) () ()	816.	n/a	n/a	n/a	n/a
	36"	72"	34"	1 1/4"	XTTP7236A (L) () ()	882.	n/a	n/a	n/a	n/a
	36"	96"	34"	1 1/4"	XTTP9636A (L) () ()	981.	n/a	n/a	n/a	n/a

Order Code	Specifications	Application Notes
Example: XTTP6030AL 118 118		
XT Crinion Open Table	Worksurfaces are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge.	Crinion 30"D worksurfaces correspond in width to table bases, which are specified separately.
T Worksurface		48"W worksurfaces plan on 12' wide or 20' wide bases. 60"W worksurfaces plan on 5', 10', 15' and 20' wide bases. 72" W worksurfaces plan on 6', 12' and 18' wide bases.
P Postformed plastic	1. Specify finish group: L - Laminate M - Laminate/veneer edge	Power access door is 24" wide, 5" deep, centered at back edge of worksurface.
60 Width	1 - Veneer group 1 2 - Veneer group 2 3 - Veneer group 3	Continuous 1/2" wire drop accommodates clamp-on flat screen monitor arm or most power cords plugs.
30 Depth		Actual worksurface depth is 22.35", 28.35" or 34.35".
A With center hinged power access	2. Veneer group finish.	
L Finish Type	3. Specify hinged access cover finish.	
118 Work Surface finish	AA anodized aluminum and all P1,P2 and P3 paint finishes are available except 613 Silver.	Worksurfaces with hinged power access enable access to suspended modular raceway.
118 Access door finish		

description	nominal depth	w	d	h	pattern number	L	M	V1	V2	V3
Worksurface, tapered edge 	24"	48"	22"	1 1/4"	XTTK4824U (L/M/1/2/3) () ()	\$569.	\$715.	\$715.	\$812.	\$1,044.
	24"	60"	22"	1 1/4"	XTTK6024U (L/M/1/2/3) () ()	602.	810.	810.	924.	1,188.
	24"	72"	22"	1 1/4"	XTTK7224U (L/M/1/2/3) () ()	662.	872.	872.	997.	1,286.
	24"	96"	22"	1 1/4"	XTTK9624U (L/M/1/2/3) () ()	772.	1,021.	1,021.	1,173.	1,513.
	30"	48"	28"	1 1/4"	XTTK4830U (L/M/1/2/3) () ()	583.	800.	800.	913.	1,175.
	30"	60"	28"	1 1/4"	XTTK6030U (L/M/1/2/3) () ()	630.	889.	889.	1,016.	1,307.
	30"	72"	28"	1 1/4"	XTTK7230U (L/M/1/2/3) () ()	695.	931.	931.	1,063.	1,368.
	30"	96"	28"	1 1/4"	XTTK9630U (L/M/1/2/3) () ()	810.	1,092.	1,092.	1,248.	1,609.
	36"	48"	34"	1 1/4"	XTTK4836U (L/M/1/2/3) () ()	624.	896.	896.	1,029.	1,325.
	36"	60"	34"	1 1/4"	XTTK6036U (L/M/1/2/3) () ()	651.	981.	981.	1,118.	1,439.
	36"	72"	34"	1 1/4"	XTTK7236U (L/M/1/2/3) () ()	738.	994.	994.	1,134.	1,460.
	36"	96"	34"	1 1/4"	XTTK9636U (L/M/1/2/3) () ()	880.	1,163.	1,163.	1,329.	1,715.
Worksurface, veneer square edge 	24"	48"	22"	1 1/4"	XTTS4824U (1/2/3) () ()	n/a	n/a	531.	614.	726.
	24"	60"	22"	1 1/4"	XTTS6024U (1/2/3) () ()	n/a	n/a	570.	655.	780.
	24"	72"	22"	1 1/4"	XTTS7224U (1/2/3) () ()	n/a	n/a	614.	696.	836.
	24"	96"	22"	1 1/4"	XTTS9624U (1/2/3) () ()	n/a	n/a	683.	767.	933.
	30"	48"	28"	1 1/4"	XTTS4830U (1/2/3) () ()	n/a	n/a	655.	739.	877.
	30"	60"	28"	1 1/4"	XTTS6030U (1/2/3) () ()	n/a	n/a	683.	773.	934.
	30"	72"	28"	1 1/4"	XTTS7230U (1/2/3) () ()	n/a	n/a	711.	809.	1,043.
	30"	96"	28"	1 1/4"	XTTS9630U (1/2/3) () ()	n/a	n/a	767.	877.	1,226.
	36"	48"	34"	1 1/4"	XTTS4836U (1/2/3) () ()	n/a	n/a	739.	843.	1,017.
	36"	60"	34"	1 1/4"	XTTS6036U (1/2/3) () ()	n/a	n/a	780.	885.	1,050.
	36"	72"	34"	1 1/4"	XTTS7236U (1/2/3) () ()	n/a	n/a	822.	950.	1,176.
	36"	96"	34"	1 1/4"	XTTS9636U (1/2/3) () ()	n/a	n/a	906.	1,071.	1,405.
Worksurface, postformed plastic 	24"	48"	22"	1 1/4"	XTTP4824B (L) () ()	339.	n/a	n/a	n/a	n/a
	24"	60"	22"	1 1/4"	XTTP6024B (L) () ()	428.	n/a	n/a	n/a	n/a
	24"	72"	22"	1 1/4"	XTTP7224B (L) () ()	497.	n/a	n/a	n/a	n/a
	24"	96"	22"	1 1/4"	XTTP9624B (L) () ()	571.	n/a	n/a	n/a	n/a
	30"	48"	28"	1 1/4"	XTTP4830B (L) () ()	367.	n/a	n/a	n/a	n/a
	30"	60"	28"	1 1/4"	XTTP6030B (L) () ()	461.	n/a	n/a	n/a	n/a
	30"	72"	28"	1 1/4"	XTTP7230B (L) () ()	538.	n/a	n/a	n/a	n/a
	30"	96"	28"	1 1/4"	XTTP9630B (L) () ()	628.	n/a	n/a	n/a	n/a
	36"	48"	34"	1 1/4"	XTTP4836B (L) () ()	403.	n/a	n/a	n/a	n/a
	36"	60"	34"	1 1/4"	XTTP6036B (L) () ()	538.	n/a	n/a	n/a	n/a
	36"	72"	34"	1 1/4"	XTTP7236B (L) () ()	605.	n/a	n/a	n/a	n/a
	36"	96"	34"	1 1/4"	XTTP9636B (L) () ()	703.	n/a	n/a	n/a	n/a

Order Code	Specifications	Application Notes
Example: XTTP6030BL 118 812	Worksurfaces are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge.	Crinion 30"D worksurfaces correspond in width to table bases, which are specified separately.
XT Crinion Open Table	1. Specify finish group: L - Laminate M - Laminate/veneer edge	48"W worksurfaces plan on 12' wide or 20' wide bases. 60"W worksurfaces plan on 5', 10', 15' and 20' wide bases. 72" W worksurfaces plan on 6', 12' and 18' wide bases.
T Worksurface	1 - Veneer group 1 2 - Veneer group 2 3 - Veneer group 3	Edge grommet accommodates most power cord plugs up to 1" deep.
P Postformed plastic	2. Specify worksurface finish.	
60 Width	3. Specify grommet color: 812 - Easy grey 111 - Black	
30 Depth		
B With edge grommet		
L Finish type		
118 Surface finish		
812 Grommet finish		

description	nominal depth	w	d	h	pattern number	L	M	V1	V2	V3
Worksurface, tapered edge 	24"	48"	22"	1 1/4"	XTTK4824C (L/M/1/2/3) ()	\$527.	\$672.	\$672.	\$770.	\$1,002.
	24"	60"	22"	1 1/4"	XTTK6024C (L/M/1/2/3) ()	559.	768.	768.	880.	1,145.
	24"	72"	22"	1 1/4"	XTTK7224C (L/M/1/2/3) ()	619.	829.	829.	955.	1,244.
	24"	96"	22"	1 1/4"	XTTK9624C (L/M/1/2/3) ()	729.	979.	979.	1,130.	1,470.
	30"	48"	28"	1 1/4"	XTTK4830C (L/M/1/2/3) ()	540.	756.	756.	871.	1,132.
	30"	60"	28"	1 1/4"	XTTK6030C (L/M/1/2/3) ()	587.	847.	847.	974.	1,264.
	30"	72"	28"	1 1/4"	XTTK7230C (L/M/1/2/3) ()	652.	888.	888.	1,020.	1,326.
	30"	96"	28"	1 1/4"	XTTK9630C (L/M/1/2/3) ()	768.	1,049.	1,049.	1,205.	1,567.
	36"	48"	34"	1 1/4"	XTTK4836C (L/M/1/2/3) ()	582.	853.	853.	986.	1,282.
	36"	60"	34"	1 1/4"	XTTK6036C (L/M/1/2/3) ()	609.	938.	938.	1,075.	1,396.
	36"	72"	34"	1 1/4"	XTTK7236C (L/M/1/2/3) ()	695.	952.	952.	1,091.	1,417.
	36"	96"	34"	1 1/4"	XTTK9636C (L/M/1/2/3) ()	837.	1,120.	1,120.	1,286.	1,673.
Worksurface, veneer square edge 	24"	48"	22"	1 1/4"	XTTS4824C (1/2/3) ()	n/a	n/a	488.	571.	684.
	24"	60"	22"	1 1/4"	XTTS6024C (1/2/3) ()	n/a	n/a	528.	612.	738.
	24"	72"	22"	1 1/4"	XTTS7224C (1/2/3) ()	n/a	n/a	571.	654.	794.
	24"	96"	22"	1 1/4"	XTTS9624C (1/2/3) ()	n/a	n/a	640.	724.	890.
	30"	48"	28"	1 1/4"	XTTS4830C (1/2/3) ()	n/a	n/a	612.	696.	834.
	30"	60"	28"	1 1/4"	XTTS6030C (1/2/3) ()	n/a	n/a	640.	730.	891.
	30"	72"	28"	1 1/4"	XTTS7230C (1/2/3) ()	n/a	n/a	668.	767.	1,001.
	30"	96"	28"	1 1/4"	XTTS9630C (1/2/3) ()	n/a	n/a	724.	834.	1,183.
	36"	48"	34"	1 1/4"	XTTS4836C (1/2/3) ()	n/a	n/a	696.	800.	975.
	36"	60"	34"	1 1/4"	XTTS6036C (1/2/3) ()	n/a	n/a	738.	843.	1,008.
	36"	72"	34"	1 1/4"	XTTS7236C (1/2/3) ()	n/a	n/a	779.	907.	1,134.
	36"	96"	34"	1 1/4"	XTTS9636C (1/2/3) ()	n/a	n/a	863.	1,029.	1,362.
Worksurface, postformed plastic 	24"	48"	22"	1 1/4"	XTPP4824C (L) ()	296.	n/a	n/a	n/a	n/a
	24"	60"	22"	1 1/4"	XTPP6024C (L) ()	385.	n/a	n/a	n/a	n/a
	24"	72"	22"	1 1/4"	XTPP7224C (L) ()	454.	n/a	n/a	n/a	n/a
	24"	96"	22"	1 1/4"	XTPP9624C (L) ()	529.	n/a	n/a	n/a	n/a
	30"	48"	28"	1 1/4"	XTPP4830C (L) ()	324.	n/a	n/a	n/a	n/a
	30"	60"	28"	1 1/4"	XTPP6030C (L) ()	419.	n/a	n/a	n/a	n/a
	30"	72"	28"	1 1/4"	XTPP7230C (L) ()	496.	n/a	n/a	n/a	n/a
	30"	96"	28"	1 1/4"	XTPP9630C (L) ()	585.	n/a	n/a	n/a	n/a
	36"	48"	34"	1 1/4"	XTPP4836C (L) ()	361.	n/a	n/a	n/a	n/a
	36"	60"	34"	1 1/4"	XTPP6036C (L) ()	496.	n/a	n/a	n/a	n/a
	36"	72"	34"	1 1/4"	XTPP7236C (L) ()	562.	n/a	n/a	n/a	n/a
	36"	96"	34"	1 1/4"	XTPP9636C (L) ()	661.	n/a	n/a	n/a	n/a

Order Code

Example: XTPP6030CL 118	
XT	Crinion Open Table
T	Worksurface
P	Postformed plastic
60	Width
30	Depth
C	With cord drop
L	Finish type
118	Surface

Specifications

Worksurfaces are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge.




Specify finishes:
 L - Laminate
 M - Laminate/veneer edge
 1 - Veneer group 1
 2 - Veneer group 2
 3 - Veneer group 3

Application Notes

Crinion 30"D worksurfaces correspond in width to table bases, which are specified separately. 48"W worksurfaces plan on 12' wide or 20' wide bases. 60"W worksurfaces plan on 5', 10', 15' and 20' wide bases. 72" W worksurfaces plan on 6', 12' and 18' wide bases.

Continuous 1/2" cord drop accommodates clamp-on flat screen monitor arm or most power cords.

Actual worksurface depth is 21.85", 27.85" or 33.85".

description	nominal depth	w	l	h	pattern number	L	M	V1	V2	V3
End counter, tapered edge 	24"	48"	24"	1 1/4"	XTTK4824E (L/M/1/2/3) ()	\$739.	\$951.	\$951.	\$1,049.	\$1,279.
	24"	60"	24"	1 1/4"	XTTK6024E (L/M/1/2/3) ()	874.	1,046.	1,046.	1,161.	1,424.
	24"	72"	24"	1 1/4"	XTTK7224E (L/M/1/2/3) ()	908.	1,105.	1,105.	1,234.	1,521.
	30"	48"	30"	1 1/4"	XTTK4830E (L/M/1/2/3) ()	827.	1,034.	1,034.	1,150.	1,410.
	30"	60"	30"	1 1/4"	XTTK6030E (L/M/1/2/3) ()	901.	1,124.	1,124.	1,251.	1,543.
	30"	72"	30"	1 1/4"	XTTK7230E (L/M/1/2/3) ()	940.	1,166.	1,166.	1,298.	1,605.
End counter, veneer square edge 	24"	48"	24"	1 1/4"	XTTS4824E (1/2/3) ()	n/a	n/a	488.	571.	684.
	24"	60"	24"	1 1/4"	XTTS6024E (1/2/3) ()	n/a	n/a	528.	612.	738.
	24"	72"	24"	1 1/4"	XTTS7224E (1/2/3) ()	n/a	n/a	571.	654.	794.
	30"	48"	30"	1 1/4"	XTTS4830E (1/2/3) ()	n/a	n/a	612.	696.	834.
	30"	60"	30"	1 1/4"	XTTS6030E (1/2/3) ()	n/a	n/a	640.	730.	891.
	30"	72"	30"	1 1/4"	XTTS7230E (1/2/3) ()	n/a	n/a	668.	767.	1,001.
End counter for postformed plastic 	24"	48"	24"	1 1/4"	XTTP4824E (L) ()	551.	n/a	n/a	n/a	n/a
	24"	60"	24"	1 1/4"	XTTP6024E (L) ()	654.	n/a	n/a	n/a	n/a
	24"	72"	24"	1 1/4"	XTTP7224E (L) ()	737.	n/a	n/a	n/a	n/a
	30"	48"	30"	1 1/4"	XTTP4830E (L) ()	618.	n/a	n/a	n/a	n/a
	30"	60"	30"	1 1/4"	XTTP6030E (L) ()	737.	n/a	n/a	n/a	n/a
	30"	72"	30"	1 1/4"	XTTP7230E (L) ()	880.	n/a	n/a	n/a	n/a
* Note										

Order Code	Specifications	Application Notes
Example: XTTP6024EL 118		
XT Crinion Open Table	End counters are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge. End counters are tapered front and side edges only.	End counters mount at the ends of dual tables with two end counter cantilever brackets. Specify dual end legs for end counters instead of standard dual end legs (tables with end counters must be specified from components, not assemblies).
T Worksurface		
P Postformed plastic	Specify finishes: L - Laminate M- Laminate/veneer edge 1 - Veneer group 1 2 - Veneer group 2 3 - Veneer group 3	Specify 48" W for dual 24" tables, 60" W for dual 30" tables and 72" W for dual 36" tables.
60 Width		
24 Length		
E End counter		
L Finish Type		
118 Surface		End counters may not be used with end panel kits.
		Specify added length of 24" or 30" beyond end leg for end counters.
		* Note - End counters for postformed plastic are not available in these finishes:
		121 Micro grey
		129 Micro sand
		122 Brushed sand
		123 Brushed grey

description	nominal depth	w	l	h	pattern no.	L	M	V1	V2	V3
Extended end counter, tapered edge with hinged power access	36"	48"	36"	1 1/4"	XTTK4836D (L/M/1/2/3) () ()	\$1,227.	\$1,424.	\$1,424.	\$1,552.	\$1,839.
	36"	60"	36"	1 1/4"	XTTK6036D (L/M/1/2/3) () ()	1,259.	1,485.	1,485.	1,616.	1,924.
	36"	72"	36"	1 1/4"	XTTK7236D (L/M/1/2/3) () ()	1,351.	1,599.	1,599.	1,738.	2,079.
Extended end counter, tapered edge with grommet	36"	48"	36"	1 1/4"	XTTK4836E (L/M/1/2/3) ()	908.	1,105.	1,105.	1,234.	1,521.
	36"	60"	36"	1 1/4"	XTTK6036E (L/M/1/2/3) ()	940.	1,166.	1,166.	1,298.	1,605.
	36"	72"	36"	1 1/4"	XTTK7236E (L/M/1/2/3) ()	1,032.	1,280.	1,280.	1,420.	1,760.
Extended end counter, veneer square edge with hinged power access	36"	48"	36"	1 1/4"	XTTS4836D (1/2/3) () ()	n/a	n/a	862.	941.	1,074.
	36"	60"	36"	1 1/4"	XTTS6036D (1/2/3) () ()	n/a	n/a	987.	1,085.	1,320.
	36"	72"	36"	1 1/4"	XTTS7236D (1/2/3) () ()	n/a	n/a	1,085.	1,188.	1,467.
Extended end counter, veneer square edge with grommet	36"	48"	36"	1 1/4"	XTTS4836E (1/2/3) ()	n/a	n/a	543.	622.	755.
	36"	60"	36"	1 1/4"	XTTS6036E (1/2/3) ()	n/a	n/a	668.	767.	1,001.
	36"	72"	36"	1 1/4"	XTTS7236E (1/2/3) ()	n/a	n/a	767.	869.	1,148.

Order Code	Specifications	Application Notes
Example: XTTP6036DL 118 AA		
XT Crinion Open Table	End counters are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge. End counters are tapered front and side edges only.	End counters mount at the ends of dual tables with two end counter cantilever brackets. Specify dual end legs for end counters instead of standard dual end legs (tables with end counters must be specified from components, not assemblies).
T Worksurface		
P Postformed plastic		
60 Width	1. Specify finish group: L - Laminate M - Laminate/veneer edge	
36 Length	1 - Veneer group 1 2 - Veneer group 2 3 - Veneer group 3	Specify 48" W for dual 24" tables, 60" W for dual 30" tables and 72" W for dual 36" tables.
D End counter, center hinged power access	2. Specify worksurface finish.	End counters may not be used with end panel kits.
L Finish Type	3. Specify hinged access cover finish.	
118 Surface finish		
AA Access door finish		

Hinged access covers are available in AA anodized aluminum and all standard paint finishes except 613 Silver.


Each extended end counter requires base assembly 12" longer than worksurfaces on each side.

* Note - End counters for postformed plastic are not available in these finishes:

121	Micro grey
129	Micro sand
122	Brushed sand
123	Brushed grey

description	nominal depth	w	l	h	pattern no.	L	M	V1	V2	V3
Extended end counter, postformed plastic with hinged power access	36"	48"	36"	1 1/4"	XTTP4836D (L) () ()	\$1,056.	n/a	n/a	n/a	n/a
	36"	60"	36"	1 1/4"	XTTP6036D (L) () ()	1,199.	n/a	n/a	n/a	n/a
	36"	72"	36"	1 1/4"	XTTP7236D (L) () ()	1,304.	n/a	n/a	n/a	n/a

* Note



Extended end counter, postformed plastic with grommet	36"	48"	36"	1 1/4"	XTTP4836E (L) ()	737.	n/a	n/a	n/a	n/a
	36"	60"	36"	1 1/4"	XTTP6036E (L) ()	880.	n/a	n/a	n/a	n/a
	36"	72"	36"	1 1/4"	XTTP7236E (L) ()	985.	n/a	n/a	n/a	n/a

* Note




Order Code	Specifications	Application Notes
Example: XTTP6036DL 118 AA		
XT Crinion Open Table	End counters are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge. End counters are tapered front and side edges only.	End counters mount at the ends of dual tables with two end counter cantilever brackets. Specify dual end legs for end counters instead of standard dual end legs (tables with end counters must be specified from components, not assemblies).
T Worksurface		
P Postformed plastic		
60 Width	1. Specify finish group: L - Laminate M - Laminate/veneer edge 1 - Veneer group 1 2 - Veneer group 2 3 - Veneer group 3	Specify 48" W for dual 24" tables, 60" W for dual 30" tables and 72" W for dual 36" tables.
36 Length		
D End counter, center hinged power access		
L Finish Type	2. Specify worksurface finish. 3. Specify hinged access cover finish.	End counters may not be used with end panel kits.
118 Surface finish		
AA Access door finish		

Each extended end counter requires base assembly 12" longer than worksurfaces on each side.

* Note - End counters for postformed plastic are not available in these finishes:

121	Micro grey
129	Micro sand
122	Brushed sand
123	Brushed grey

Hinged access covers are available in AA anodized aluminum and all standard paint finishes except 613 Silver.

description	w	d	h	pattern number	L	M	V1	V2	V3
File top, tapered edge 	30"	18"	1 1/4"	XTTK3018F (L/M/1/2/3) ()	\$385.	\$654.	\$640.	\$684.	\$988.
	30"	36"	1 1/4"	XTTK3036F (L/M/1/2/3) ()	528.	826.	826.	926.	1,162.
	36"	18"	1 1/4"	XTTK3618F (L/M/1/2/3) ()	401.	668.	654.	690.	1,054.
	36"	36"	1 1/4"	XTTK3636F (L/M/1/2/3) ()	551.	905.	905.	1,013.	1,276.
	42"	18"	1 1/4"	XTTK4218F (L/M/1/2/3) ()	414.	684.	668.	702.	1,118.
	42"	36"	1 1/4"	XTTK4236F (L/M/1/2/3) ()	576.	939.	939.	1,061.	1,338.
	60"	18"	1 1/4"	XTTK6018F (L/M/1/2/3) ()	654.	1,010.	1,010.	1,113.	1,391.
	60"	36"	1 1/4"	XTTK6036F (L/M/1/2/3) ()	708.	1,075.	1,075.	1,215.	1,536.
	72"	18"	1 1/4"	XTTK7218F (L/M/1/2/3) ()	688.	1,044.	1,044.	1,169.	1,464.
	72"	36"	1 1/4"	XTTK7236F (L/M/1/2/3) ()	756.	1,092.	1,092.	1,230.	1,554.
	84"	18"	1 1/4"	XTTK8418F (L/M/1/2/3) ()	743.	1,113.	1,113.	1,252.	1,531.
	84"	36"	1 1/4"	XTTK8436F (L/M/1/2/3) ()	808.	1,172.	1,172.	1,335.	1,694.
File top, veneer square edge 	30"	18"	1 1/4"	XTTS3018F (1/2/3) ()	n/a	n/a	286.	314.	521.
	36"	18"	1 1/4"	XTTS3618F (1/2/3) ()	n/a	n/a	293.	320.	561.
	42"	18"	1 1/4"	XTTS4218F (1/2/3) ()	n/a	n/a	299.	328.	607.
File top, postformed plastic 	30"	18"	1 1/4"	XTPP3018F (L) ()	262.	n/a	n/a	n/a	n/a
	36"	18"	1 1/4"	XTPP3618F (L) ()	276.	n/a	n/a	n/a	n/a
	42"	18"	1 1/4"	XTPP4218F (L) ()	289.	n/a	n/a	n/a	n/a

Order Code

Example:	XTPP4218F L 118
XT	Crinion Open Table
T	Worksurface
P	Postformed
42	Width
18	Depth
F	File top
L	Finish type
118	Surface

Specifications

File tops are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge. Tapered edge file tops are tapered front and back edges only.




Specify finishes:
 L - Laminate
 M - Laminate/veneer edge
 1 - Veneer group 1
 2 - Veneer group 2
 3 - Veneer group 3

Application Notes

File tops correspond to 30", 36" or 42"W lateral files. File tops on 2 high Calibre files positioned perpendicular to the Crinion Open Table serve as a worksurface return.

Complete base assemblies fixed height 24" D dual



AutoStrada

description	nominal	w	d	h	pattern number	P1/P2	P3
 Base assembly, continuous	10' dual	120"	44"	28 1/2"	XTB1 BAS 24D10CF () ()	\$9,888.	\$10,150.
	12' dual	144"	44"	28 1/2"	XTB1 BAS 24D12CF () ()	10,302.	10,566.
	15' dual	180"	44"	28 1/2"	XTB1 BAS 24D15CF () ()	11,922.	12,193.
 Base assembly, segmented	10' + 5' dual	180"	44"	28 1/2"	XTB1 BAS 24D15SF () ()	12,789.	13,064.
 Base assembly, with intermediate leg	12' + 6' dual	216"	44"	28 1/2"	XTB1 BAS 24D18SF () ()	14,112.	14,385.
	10' + 10' dual	240"	44"	28 1/2"	XTB1 BAS 24D20SF () ()	15,424.	15,706.
	12' + 12' dual	288"	44"	28 1/2"	XTB1 BAS 24D24SF () ()	16,252.	16,535.
	15' + 10' dual	300"	44"	28 1/2"	XTB1 BAS 24D25SF () ()	17,458.	17,750.

Order Code	Specifications	Application Notes
Example: XTB1BAS24D10CF 613 AA	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
XT Crinion Open Table	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	Base assemblies correspond to: 10': four 60"x24"D worksurfaces 12': four 72"x24"D worksurfaces 15': six 60"x24"D worksurfaces 18': six 72"x24"D worksurfaces 20': eight 60"x24"D worksurfaces 24': eight 72"x24"D worksurfaces 25': ten 60"x24"D worksurfaces
B1 Base components		
BAS Assembly		
24 Depth		
D Dual		
10 Width		
C Continuous		
F Fixed height		
613 Base finish		
AA Top channel finish		

Complete base assemblies fixed height 24" D single sided

AutoStrada

description	nominal	w	d	h	pattern number	P1/P2	P3
 Base assembly, continuous	10' single sided	120"	24"	28 1/2"	XTB1 BAS 24S10CF () ()	\$8,897.	\$9,150.
	12' single sided	144"	24"	28 1/2"	XTB1 BAS 24S12CF () ()	9,312.	9,563.
	15' single sided	180"	24"	28 1/2"	XTB1 BAS 24S15CF () ()	10,563.	10,819.
 Base assembly, segmented	10' + 5' single sided	180"	24"	28 1/2"	XTB1 BAS 24S15SF () ()	11,431.	11,687.
 Base assembly, with intermediate leg	12' + 6' single sided	216"	24"	28 1/2"	XTB1 BAS 24S18SF () ()	12,751.	13,009.
	10' + 10' single sided	240"	24"	28 1/2"	XTB1 BAS 24S20SF () ()	13,695.	13,957.
	12' + 12' single sided	288"	24"	28 1/2"	XTB1 BAS 24S24SF () ()	14,523.	14,785.
	15' + 10' single sided	300"	24"	28 1/2"	XTB1 BAS 24S25SF () ()	15,359.	15,627.




Order Code	Specifications	Application Notes
Example: XTB1BAS24S10CF 613 118	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
XT Crinion Open Table	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	Base assemblies correspond to: 10': two 60"x24"D worksurfaces 12': two 72"x24"D worksurfaces 15': three 60"x24"D worksurfaces 18': three 72"x24"D worksurfaces 20': four 60"x24"D worksurfaces 24': four 72"x24"D worksurfaces 25': five 60"x24"D worksurfaces
B1 Base components		
BAS Assembly		
24 Depth		
S Single		
10 Width		
C Continuous		
F Fixed height		
613 Base finish		
118 Top channel finish		

1. Specify base finish for base assembly.
For legs and cantilever brackets specify one paint finish for all.
2. Specify top channel finish.
AA anodized aluminum and all paint finishes are available except 613 Silver.
Beams are anodized aluminum only.

No table on this page has beams longer than 15'.

Complete base assemblies fixed height 30" D dual

AutoStrada

description	nominal	w	d	h	pattern number	P1/P2	P3
	10' dual	120"	54"	28½"	XTB1 BAS 30D10CF () ()	\$11,768.	\$12,101.
	12' dual	144"	54"	28½"	XTB1 BAS 30D12CF () ()	12,248.	12,580.
	15' dual	180"	54"	28½"	XTB1 BAS 30D15CF () ()	14,257.	14,626.
	10' + 5' dual	180"	54"	28½"	XTB1 BAS 30D15SF () ()	15,458.	15,827.
	12' + 6' dual	216"	54"	28½"	XTB1 BAS 30D18SF () ()	17,128.	17,552.
	10' + 10' dual	240"	54"	28½"	XTB1 BAS 30D20SF () ()	19,098.	19,554.
	12' + 12' dual	288"	54"	28½"	XTB1 BAS 30D24CF () ()	20,059.	20,515.
	15' + 10' dual	300"	54"	28½"	XTB1 BAS 30D25CF () ()	21,587.	22,077.



Order Code	Specifications	Application Notes
Example: XTB1BAS30D18SF 613 111	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
XT Crinion Open Table	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	Base assemblies correspond to: 10': four 60"x30"D worksurfaces 12': four 72"x30"D worksurfaces 15': six 60"x30"D worksurfaces 18': six 72"x30"D worksurfaces 20': eight 60"x30"D worksurfaces 24': eight 72"x30"D worksurfaces 25': ten 60"x30"D worksurfaces
B1 Base components		
BAS Assembly		
30 Depth		
D Dual		
18 Width		
S Segmented		
F Fixed height		
613 Base finish		
111 Top channel finish		

1. Specify base finish for base assembly.
For legs and cantilever brackets specify one paint finish for all.
2. Specify top channel finish.
AA anodized aluminum and all paint finishes are available except 613 Silver.
Beams are anodized aluminum only.

No table on this page has beams longer than 15'.

Complete base assemblies fixed height 30" D single sided

AutoStrada

description	nominal	w	d	h	pattern number	P1/P2	P3
 Base assembly, continuous	10' single sided	120"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S10CF () ()	\$10,358.	\$10,646.
	12' single sided	144"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S12CF () ()	10,837.	11,124.
	15' single sided	180"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S15CF () ()	12,330.	12,635.
 Base assembly, segmented	10' + 5' single sided	180"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S15SF () ()	11,529.	11,833.
 Base assembly, with intermediate leg	12' + 6' single sided	216"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S18SF () ()	12,518.	12,821.
	10' + 10' single sided	240"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S20SF () ()	14,235.	14,558.
	12' + 12' single sided	288"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S24SF () ()	17,201.	17,523.
	15' + 10' single sided	300"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S25SF () ()	18,213.	18,551.




Order Code	Specifications	Application Notes
Example: XTB1BAS30S15CF 613 115	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
XT Crinion Open Table	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	Base assemblies correspond to: 10': two 60"x30"D worksurfaces 12': two 72"x30"D worksurfaces 15': three 60"x30"D worksurfaces 18': three 72"x30"D worksurfaces 20': four 60"x30"D worksurfaces 24': four 72"x30"D worksurfaces 25': five 60"x30"D worksurfaces
B1 Base components		
BAS Assembly		
30 Depth		
S Single		
15 Width		
C Continuous		
F Fixed height		
613 Base finish		
115 Top channel finish		

1. Specify base finish for base assembly.
For legs and cantilever brackets specify one paint finish for all.
2. Specify top channel finish.
AA anodized aluminum and all paint finishes are available except 613 Silver.
Beams are anodized aluminum only.

No table on this page has beams longer than 15'.

Complete base assemblies adjustable height 30" D dual




AutoStrada

description	nominal	w	d	h	pattern number	P1/P2	P3
 Base assembly, continuous	10' dual	120"	54"	28½"	XTB1 BAS 30D10CA () ()	\$11,941.	\$12,288.
	12' dual	144"	54"	28½"	XTB1 BAS 30D12CA () ()	12,422.	12,768.
	15' dual	180"	54"	28½"	XTB1 BAS 30D15CA () ()	14,759.	15,159.
 Base assembly, segmented	10' + 5' dual	180"	54"	28½"	XTB1 BAS 30D15SA () ()	15,960.	16,362.
 Base assembly, with intermediate leg	12' + 6' dual	216"	54"	28½"	XTB1 BAS 30D18SA () ()	17,631.	18,086.
	10' + 10' dual	240"	54"	28½"	XTB1 BAS 30D20SA () ()	19,927.	20,435.
	12' + 12' dual	288"	54"	28½"	XTB1 BAS 30D24CA () ()	20,890.	21,397.
	15' + 10' dual	300"	54"	28½"	XTB1 BAS 30D25CA () ()	22,745.	23,307.

Order Code	Specifications	Application Notes
Example: XTB1BAS30D18SA 613 118	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, top channel and end caps.
XT Crinion Open Table	1. Specify base finish for base assembly.	Base assemblies correspond to:
B1 Base components	For legs and cantilever brackets specify one paint finish for all.	10': four 60"x30"D worksurfaces
BAS Assembly	2. Specify top channel finish.	12': four 72"x30"D worksurfaces
30 Depth	AA anodized aluminum and all paint finishes are available except 613 Silver.	15': six 60"x30"D worksurfaces
D Dual	Beams are anodized aluminum only.	18': six 72"x30"D worksurfaces
18 Width		20': eight 60"x30"D worksurfaces
S Segmented		24': eight 72"x30"D worksurfaces
A Adjustable height		25': ten 60"x30"D worksurfaces
613 Base finish		
118 Top channel finish		

Complete base assemblies adjustable height 30" D single sided




AutoStrada

description	nominal	w	d	h	pattern number	P1/P2	P3
 Base assembly, continuous	10' single sided	120"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S10CA () ()	\$10,472.	\$10,765.
	12' single sided	144"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S12CA () ()	10,952.	11,244.
	15' single sided	180"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S15CA () ()	12,622.	12,942.
 Base assembly, segmented	10' +5' single sided	180"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S15SA () ()	11,822.	12,142.
 Base assembly, with intermediate leg	12' + 6' single sided	216"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S18SA () ()	13,076.	13,397.
	10' + 10' single sided	240"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S20SA () ()	14,705.	15,053.
	12' + 12' single sided	288"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S24SA () ()	17,670.	18,017.
	15' + 10' single sided	300"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 30S25SA () ()	18,858.	19,232.

Order Code	Specifications	Application Notes
Example: XTB1BAS30S18SA 613 AA	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, top channel and end caps.
XT Crinion Open Table	1. Specify base finish for base assembly.	Base assemblies correspond to: 10': two 60"x30"D worksurfaces 12': two 72"x30"D worksurfaces 15': three 60"x30"D worksurfaces 18': three 72"x30"D worksurfaces 20': four 60"x30"D worksurfaces 24': four 72"x30"D worksurfaces 25': five 60"x30"D worksurfaces
B1 Base components	For legs and cantilever brackets specify one paint finish for all.	No table on this page has beams longer than 15'.
BAS Assembly	2. Specify top channel finish.	
30 Depth	AA anodized aluminum and all paint finishes are available except 613 Silver.	
S Single	Beams are anodized aluminum only.	
18 Width		
S Segmented		
A Adjustable height		
613 Base finish		
AA Top channel finish		

Complete base assemblies fixed height 36" D dual

AutoStrada

description	nominal	w	h	d	pattern number	P1/P2	P3
	10' dual	120"	28 1/2"	54"	XTB1 BAS 36D10CF () ()	\$11,927.	\$12,261.
	12' dual	144"	28 1/2"	54"	XTB1 BAS 36D12CF () ()	12,408.	12,741.
	15' dual	180"	28 1/2"	54"	XTB1 BAS 36D15CF () ()	14,469.	14,839.
	10' + 5' dual	180"	28 1/2"	54"	XTB1 BAS 36D15SF () ()	15,672.	16,042.
	12' + 6' dual	216"	28 1/2"	54"	XTB1 BAS 36D18SF () ()	17,342.	17,763.
	10' + 10' dual	240"	28 1/2"	54"	XTB1 BAS 36D20SF () ()	19,364.	19,821.
	12' + 12' dual	288"	28 1/2"	54"	XTB1 BAS 36D24CF () ()	20,324.	20,781.
	15' + 10' dual	300"	28 1/2"	54"	XTB1 BAS 36D25CF () ()	21,906.	22,397.




Order Code	Specifications	Application Notes
Example: XTB1BAS36D18SF 613 111	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
XT Crinion Open Table	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	Base assemblies correspond to: 10': four 60"x36"D worksurfaces 12': four 72"x36"D worksurfaces 15': six 60"x36"D worksurfaces 18': six 72"x36"D worksurfaces 20': eight 60"x36"D worksurfaces 24': eight 72"x36"D worksurfaces 25': ten 60"x36"D worksurfaces
B1 Base components		
BAS Assembly		
36 Depth		
D Dual		
18 Width		
S Segmented		
F Fixed height		
613 Base finish		
111 Top channel finish		

1. Specify base finish for base assembly.
For legs and cantilever brackets specify one paint finish for all.
2. Specify top channel finish.
AA anodized aluminum and all paint finishes are available except 613 Silver.
Beams are anodized aluminum only.

No table on this page has beams longer than 15'.

Complete base assemblies fixed height 36" D single sided

AutoStrada

description	nominal	w	d	h	pattern number	P1/P2	P3
 Base assembly, continuous	10' single sided	120"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S10CF () ()	\$10,518.	\$10,805.
	12' single sided	144"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S12CF () ()	10,997.	11,284.
	15' single sided	180"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S15CF () ()	12,545.	12,848.
 Base assembly, segmented	10' + 5' single sided	180"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S15SF () ()	11,742.	12,048.
 Base assembly, with intermediate leg	12' + 6' single sided	216"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S18SF () ()	12,998.	13,302.
	10' + 10' single sided	240"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S20SF () ()	14,504.	14,825.
	12' + 12' single sided	288"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S24SF () ()	17,468.	17,791.
	15' + 10' single sided	300"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S25SF () ()	18,532.	18,873.



Order Code	Specifications	Application Notes
Example: XTB1BAS36S18SF 613 AA	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
XT Crinion Open Table	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	Base assemblies correspond to: 10': two 60"x36"D worksurfaces 12': two 72"x36"D worksurfaces 15': three 60"x36"D worksurfaces 18': three 72"x36"D worksurfaces 20': four 60"x36"D worksurfaces 24': four 72"x36"D worksurfaces 25': five 60"x36"D worksurfaces
B1 Base components		
BAS Assembly		
36 Depth		
S Single		
18 Width		
S Segmented		
F Fixed height		
613 Base finish		
AA Top channel finish		

1. Specify base finish for base assembly.
For legs and cantilever brackets specify one paint finish for all.
2. Specify top channel finish.
AA anodized aluminum and all paint finishes are available except 613 Silver.
Beams are anodized aluminum only.

No table on this page has beams longer than 15'.

Complete base assemblies adjustable height 36" D dual




AutoStrada

description	nominal	w	d	h	pattern number	P1/P2	P3
 Base assembly, continuous	10' dual	120"	54"	28 1/2"	XTB1 BAS 36D10CA () ()	\$12,101.	\$12,447.
	12' dual	144"	54"	28 1/2"	XTB1 BAS 36D12CA () ()	12,580.	12,929.
	15' dual	180"	54"	28 1/2"	XTB1 BAS 36D15CA () ()	14,973.	15,374.
 Base assembly, segmented	10' + 5' dual	180"	54"	28 1/2"	XTB1 BAS 36D15SA () ()	16,175.	16,574.
 Base assembly, with intermediate leg	12' + 6' dual	216"	54"	28 1/2"	XTB1 BAS 36D18SA () ()	17,844.	18,298.
	10' + 10' dual	240"	54"	28 1/2"	XTB1 BAS 36D20SA () ()	20,195.	20,702.
	12' + 12' dual	288"	54"	28 1/2"	XTB1 BAS 36D24CA () ()	21,156.	21,663.
	15' + 10' dual	300"	54"	28 1/2"	XTB1 BAS 36D25CA () ()	23,065.	23,628.

Order Code	Specifications	Application Notes
Example: XTB1BAS36D18SA 613 115	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, top channel and end caps.
XT Crinion Open Table	1. Specify base finish for base assembly.	Base assemblies correspond to: 10': four 60"x36"D worksurfaces 12': four 72"x36"D worksurfaces 15': six 60"x36"D worksurfaces 18': six 72"x36"D worksurfaces 20': eight 60"x36"D worksurfaces 24': eight 72"x36"D worksurfaces 25': ten 60"x36"D worksurfaces
B1 Base components	For legs and cantilever brackets specify one paint finish for all.	
BAS Assembly	2. Specify top channel finish.	No table on this page has beams longer than 15'.
36 Depth	AA anodized aluminum and all paint finishes are available except 613 Silver.	
D Dual	Beams are anodized aluminum only.	
18 Width		
S Segmented		
A Adjustable height		
613 Base finish		
115 Top channel finish		

Complete base assemblies adjustable height 36" D single sided

AutoStrada

description	nominal	w	d	h	pattern number	P1/P2	P3
 Base assembly, continuous	10' single sided	120"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S10CA () ()	\$10,631.	\$10,927.
	12' single sided	144"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S12CA () ()	11,113.	11,406.
	15' single sided	180"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S15CA () ()	12,837.	13,157.
 Base assembly, segmented	10' + 5' single sided	180"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S15SA () ()	12,035.	12,356.
 Base assembly, with intermediate leg	12' + 6' single sided	216"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S18SA () ()	13,290.	13,611.
	10' + 10' single sided	240"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S20SA () ()	14,973.	15,319.
	12' + 12' single sided	288"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S24SA () ()	17,938.	18,284.
	15' + 10' single sided	300"	28 ³ / ₄ "	28 ¹ / ₂ "	XTB1 BAS 36S25SA () ()	19,181.	19,554.


Order Code	Specifications	Application Notes
Example: XTB1BAS36S18SA 613 AA	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, top channel and end caps.
XT Crinion Open Table	1. Specify base finish for base assembly.	Base assemblies correspond to: 10': two 60"x36"D worksurfaces 12': two 72"x36"D worksurfaces 15': three 60"x36"D worksurfaces 18': three 72"x36"D worksurfaces 20': four 60"x36"D worksurfaces 24': four 72"x36"D worksurfaces 25': five 60"x36"D worksurfaces
B1 Base components	For legs and cantilever brackets specify one paint finish for all.	No table on this page has beams longer than 15'.
BAS Assembly	2. Specify top channel finish.	
36 Depth	AA anodized aluminum and all paint finishes are available except 613 Silver.	
S Single	Beams are anodized aluminum only.	
18 Width		
S Segmented		
A Adjustable height		
613 Base finish		
AA Top channel finish		

description	nominal	w	d	h	pattern number	list price
 Top channel	4'	48"	2 1/2"	2"	XTC1 48 ()	\$179.
	5'	60"	2 1/2"	2"	XTC1 60 ()	228.
	6'	72"	2 1/2"	2"	XTC1 72 ()	267.
	8'	96"	2 1/2"	2"	XTC1 96 ()	363.
	10'	120"	2 1/2"	2"	XTC1 120 AA	454.
	12'	144"	2 1/2"	2"	XTC1 144 AA	535.

Top channel end cap			2 1/2"	2"	XTC1 END ()	41.



 Top channel for frameless glass addups	4'	48"	2 1/2"	2"	XTCA1 48 ()	267.
	5'	60"	2 1/2"	2"	XTCA1 60 ()	322.
	6'	72"	2 1/2"	2"	XTCA1 72 ()	379.
	8'	96"	2 1/2"	2"	XTCA1 96 ()	495.
	10'	120"	2 1/2"	2"	XTCA1 120 AA	602.
	12'	144"	2 1/2"	2"	XTCA1 144 AA	748.



 Top channel filler		48"			XTCF 48 ()	34.
		60"			XTCF 60 ()	46.
		72"			XTCF 72 ()	46.

Order Code	Specifications	Application Notes
Example: XTC1120AA		
XT Crinion open table	Top channels are extruded aluminum with natural anodized finish AA or any standard painted finish except 613 Silver.	Crinion Open Table top channel supports privacy screens and suspended raceway components at any point. Top channel is required at the center of dual tables.
C1 Top channel		
120 Width	Top channel end caps are die cast aluminum AA or any standard painted finish except 613 Silver.	Top channels and end caps are included in complete base assemblies.
AA Finish	Top channel filler is 812 Easy Grey or 111 Black.	Top channels correspond in width to one or two worksurface widths.

Beams for single sided or dual tables

24" D

AutoStrada


description	nominal	w	d	h	pattern number	list price
 Starter beam set for 24" D	5'	52"	3"	8"	XTB1TB5C	\$1,202.
	6'	64"	3"	8"	XTB1TB6C	1,335.
	8'	88"	3"	8"	XTB1TB8C	1,604.
	10'	112"	3"	8"	XTB1TB10C	1,938.
	12'	136"	3"	8"	XTB1TB12C	2,270.
	15'	172"	3"	8"	XTB1TB15C	2,803.
 Extension beam set for 24" D tables	4'	48"	3"	8"	XTB1TB4E	1,604.
	5'	60"	3"	8"	XTB1TB5E	1,735.
	6'	72"	3"	8"	XTB1TB6E	1,870.
	8'	96"	3"	8"	XTB1TB8E	2,136.
	10'	120"	3"	8"	XTB1TB10E	2,472.
	12'	144"	3"	8"	XTB1TB12E	2,803.
	15'	180"	3"	8"	XTB1TB15E	3,339.


Order Code	Specifications	Application Notes
Example: XTB1TB15C	Beams are extruded aluminum with natural anodized finish.	Crinion Open Table bases are assembled from beams, end legs or end panels, intermediate legs and trusses. Beam sets can be used with either dual or single sided tables. Table bases require one starter beam and extension beam adding up to the length as the sum of the worksurface widths on one side. Extension beam sets are specified only to add on to starter sets or other extension beams.
XT Crinion Open Table		
B1 Base components		
TB Dual beam set		
15 Width		
C Starter		Beam sets must be supported by intermediate legs at least every 16'. Intermediate leg must be positioned at beam truss location, where two worksurfaces meet.

Beams for dual tables

30" and 36" D

AutoStrada


description	nominal	w		h	pattern number	list price
Starter beam set for dual table 30" or 36" (pair of beams) 	5'	52"	3"	8"	XTB1DB5C	\$1,604.
	6'	64"	3"	8"	XTB1DB6C	1,735.
	8'	88"	3"	8"	XTB1DB8C	2,270.
	10'	112"	3"	8"	XTB1DB10C	2,671.
	12'	136"	3"	8"	XTB1DB12C	3,071.
	15'	172"	3"	8"	XTB1DB15C	3,607.


Extension beam set for dual table 30" or 36" (pair of beams) 	4'	48"	3"	8"	XTB1DB4E	2,136.
	5'	60"	3"	8"	XTB1DB5E	2,136.
	6'	72"	3"	8"	XTB1DB6E	2,270.
	8'	96"	3"	8"	XTB1DB8E	2,803.
	10'	120"	3"	8"	XTB1DB10E	3,205.
	12'	144"	3"	8"	XTB1DB12E	3,607.
	15'	180"	3"	8"	XTB1DB15E	4,141.

Order Code	Specifications	Application Notes
Example: XTB1DB15C		
XT Crinion Open Table	Beams are extruded aluminum with natural anodized finish.	Crinion Open Table bases are assembled from beams, end legs or end panels, intermediate legs and trusses. Beam sets may be used with either worksurface depth. Dual tables require one pair of main beams of the same nominal width as the sum of the worksurfaces on each side.
B1 Base components	Beam sets are starter or extension.	
DB Dual beam set	Extension beam sets are specified only to add on to starter sets or other extension beams.	
15 Width		
C Starter		Beam sets must be supported by intermediate legs at least every 16'. Intermediate leg must be positioned at beam truss location, where two worksurfaces meet.

Beams for single sided tables 30" and 36" D


AutoStrada

description	nominal	w	d	h	pattern number	list price
Starter beam set for single sided table 30" or 36" (main and back beam) 	5'	52"		8"	XTB1SB5C	\$1,403.
	6'	64"		8"	XTB1SB6C	1,469.
	8'	88"		8"	XTB1SB8C	1,938.
	10'	112"		8"	XTB1SB10C	2,270.
	12'	136"		8"	XTB1SB12C	2,671.
	15'	172"		8"	XTB1SB15C	3,071.


Extension beam set for single sided table 30" or 36" (main and back beam) 	4'	48"		8"	XTB1SB4E	1,870.
	5'	60"		8"	XTB1SB5E	1,938.
	6'	72"		8"	XTB1SB6E	2,004.
	8'	96"		8"	XTB1SB8E	2,472.
	10'	120"		8"	XTB1SB10E	2,803.
	12'	144"		8"	XTB1SB12E	3,205.
	15'	180"		8"	XTB1SB15E	3,607.

Order Code	Specifications	Application Notes
Example: XTB1DB15C	Beams are extruded aluminum with natural anodized finish.	Crinion Open Table bases are assembled from beams, end legs or end panels, intermediate legs and trusses. Beam sets may be used with either worksurface depth. Single sided tables require one pair of main beams of the same nominal width as the sum of the worksurfaces on each side.
XT Crinion Open Table	Beam sets are starter or extension.	
B1 Base components	Extension beam sets are specified only to add on to starter sets or other extension beams.	
DB Dual beam set		
15 Width		
C Starter		Beam sets must be supported by intermediate legs at least every 16'. Intermediate leg must be positioned at beam truss location, where two worksurfaces meet.


description	application	w	d	h	pattern number	P1/P2	P3
End leg for dual tables (pair of legs for 36" D worksurface)	24" D worksurface	4"	44"	24"	XTB1EDD24 ()	\$4,834.	\$5,076.
	30" D worksurface	4"	54"	24"	XTB1EDD30 ()	4,834.	5,076.
	36" D worksurface	4"	54"	24"	XTB1EDD36 ()	4,834.	5,076.




Intermediate leg for dual table (pair of legs for 30" and 36" D)	24" D worksurfaces	4"	2 3/4"	16"	XTB2LDD24 ()	580.	580.
	30" & 36" D worksurfaces	4"	2 3/4"	16"	XTB2LDD ()	638.	638.



Shroud for intermediate leg infeed kit	24" D or single sided	3 3/4"	2 1/2"	15"	XTB1 SLIK ()	182.	191.
	30" D	11"	4"	15"	XTB1 SLIK30 ()	230.	241.
	36" D	23"	4"	15"	XTB1 SLIK36 ()	269.	285.




End leg for end counters both ends (pair of legs for 36" D worksurface)	48" W end counter	4"	44"	24"	XTB1XDD24 ()	5,168.	5,411.
	60" W end counter	4"	54"	24"	XTB1XDD30 ()	5,168.	5,411.
	72" W end counter	4"	54"	24"	XTB1XDD36 ()	5,168.	5,411.




Order Code	Specifications	Application Notes		
Example: XTB1EDD30 118	Specify paint finish code after pattern number.	Crinion Open Table bases are assembled from main beams, end legs or end panels, intermediate legs and trusses. After selecting starter or segmented beam sets, specify legs to support each end of beams. End legs support main beams at each end of a table.	Shroud for intermediate leg kit encloses the space between legs to protect power, data and communication cables between floor and table base. Side covers may be removed for access.	
XT				Crinion Open Table
B1				Base components
E				End leg
D		Dual	Shroud for 24" d intermediate leg is U-shaped cover that attaches to side of intermediate leg for 24" d or any single sided intermediate leg.	
D		Desk height		
30		Depth of tops		
118		Finish		
		Dual end legs for end counters have threaded metal inserts on the outside of the leg to accept two fixed height or adjustable cantilevers for end counters.	End legs for 24"D worksurfaces and end legs for 48"W end counters have only one end plate for attaching a single centered beam for 24"D tables.	
		Intermediate legs must be specified to provide support under beam sets spanning longer than 16'. Intermediate legs may be positioned under beams at any beam truss location. End legs include beam end plates and hardware.	End legs for 30"D and 36"D worksurfaces and end legs for 60"W and 72"W end counters have two end plates for attaching two beams for 30"D and 36"D tables.	

description	application	w	d	h	pattern number	P1/P2	P3
End leg for end counters one end only (pair of legs for 36"D worksurface)	48" W end counter	4"	44"	24"	XTB1YDD24 ()	\$5,003.	\$5,243.
	60" W end counter	4"	54"	24"	XTB1YDD30 ()	5,003.	5,243.
	72" W end counter	4"	54"	24"	XTB1YDD36 ()	5,003.	5,243.



Order Code	Specifications	Application Notes
Example: XTB1EDD30 118	Specify paint finish code after pattern number.	Crinion Open Table bases are assembled from main beams, end legs or end panels, intermediate legs and trusses. After selecting starter or segmented beam sets, specify legs to support each end of beams. End legs support main beams at each end of a table. Dual end legs for end counters have threaded metal inserts on the outside of the leg to accept two fixed height or adjustable cantilevers for end counters. Intermediate legs must be specified to provide support under beam sets spanning longer than 16'. Intermediate legs may be positioned under beams at any beam truss location. End legs include beam end plates and hardware.
XT Crinion Open Table		
B1 Base components		
E End leg		
D Dual		
D Desk height		
30 Depth of tops		
118 Finish		Shroud for intermediate leg kit encloses the space between legs to protect power, data and communication cables between floor and table base. Side covers may be removed for access. Shroud for 24"D intermediate leg is U-shaped cover that attaches to side of intermediate leg for 24"d or any single sided intermediate leg. End legs for 24"D worksurfaces and end legs for 48"W end counters have only one end plate for attaching a single centered beam for 24"D tables. End legs for 30"D and 36"D worksurfaces and end legs for 60"W and 72"W end counters have two end plates for attaching two beams for 30"D and 36"D tables.

description	application	width	depth	height	pattern number	P1/P2	P3
End leg for single sided tables (pair of legs)	24" D worksurface	4"	24"	24"	XTB1ESD24 ()	\$4,834.	\$5,076.
	30" D worksurface	4"	28 ³ / ₄ "	24"	XTB1ESD30 ()	4,834.	5,076.
	36" D worksurface	4"	28 ³ / ₄ "	24"	XTB1ESD36 ()	4,834.	5,076.




Intermediate leg for single sided table	24" D worksurfaces	4"	2 ³ / ₄ "	16"	XTB2LSD24 ()	522.	522.
	30" & 36" D worksurfaces	4"	2 ³ / ₄ "	16"	XTB2LSD ()	638.	638.




Order Code	Specifications	Application Notes
Example: XTB1ESD30 118	Specify paint finish code after pattern number.	Crinion Open Table bases are assembled from main beams, end legs or end panels, intermediate legs and trusses. After selecting starter or segmented beam sets, specify legs to support each end of beams. End legs support main beams at each end of a table.
XT Crinion Open Table		
B1 Base components		
E End leg		
S Single		
D Desk height		
30 Depth of tops		
118 Finish		Shroud for intermediate leg kit encloses the space between legs to protect power, data and communication cables between floor and table base. Side covers may be removed for access.
		Dual end legs for end counters have threaded metal inserts on the outside of the leg to accept two fixed height or adjustable cantilvers for end counters.
		Intermediate legs must be specified to provide support under beam sets spanning longer than 16'. Intermediate legs may be positioned under beams at any beam truss location. End legs include beam end plates and hardware.


description	application	width	depth	height	pattern no.	P1/P2/P3
End panels for dual tables (pair of end panels)	24" D worksurface	1 1/4"	46"	25 1/2"	XTB1EP2DD24P() ()	\$2,551.
	30" D worksurface	1 1/4"	58"	25 1/2"	XTB1EP2DD30P() ()	3,594.
	36" D worksurface	1 1/4"	70"	25 1/2"	XTB1EP2DD36P() ()	3,826.




End panels for dual tables (single end panel)	24" D worksurface	1 1/4"	46"	25 1/2"	XTB1EP1DD24P() ()	1,276.
	30" D worksurface	1 1/4"	58"	25 1/2"	XTB1EP1DD30P() ()	1,797.
	36" D worksurface	1 1/4"	70"	25 1/2"	XTB1EP1DD36P() ()	1,913.



End panels for single sided tables (pair of end panels)	24" D worksurface	1 1/4"	25 3/16"	25 1/2"	XTB1EP2SD24P() ()	2,261.
	30" D worksurface	1 1/4"	30 3/16"	25 1/2"	XTB1EP2SD30P() ()	3,246.
	36" D worksurface	1 1/4"	36 3/16"	25 1/2"	XTB1EP2SD36P() ()	3,362.



End panels for single sided tables (single end panel)	24" D worksurface, Left	1 1/4"	25 3/16"	25 1/2"	XTB1EP1LD24P() ()	1,130.
	24" D worksurface, Right	1 1/4"	25 3/16"	25 1/2"	XTB1EP1RD24P() ()	1,130.
	30" D worksurface, Left	1 1/4"	30 3/16"	25 1/2"	XTB1EP1LD30P() ()	1,623.
	30" D worksurface, Right	1 1/4"	30 3/16"	25 1/2"	XTB1EP1RD30P() ()	1,623.
	36" D worksurface, Left	1 1/4"	36 3/16"	25 1/2"	XTB1EP1LD36P() ()	1,681.
	36" D worksurface, Right	1 1/4"	36 3/16"	25 1/2"	XTB1EP1RD36P() ()	1,681.




LH Shown
RH Opposite

Order Code	Specification	Application Notes
Example: XTB1EP2DD 24P118	Specify paint finish for brackets, then specify paint finish for end panel.	End panels may be specified as an alternative to End legs to support each end of beams.
XT Crinion Open Table		
B1 Base components		End panel kits include end panel, connecting hardware and support legs.
EP2 End panel		
D Dual		End panel kits are not compatible with end counters.
D Desk Height		
24 Depth of tops		
P Finish		
118 Finish		
118 Finish		


End panels for dual tables and single sided tables, laminate and veneer

AutoStrada


description	application	w	d	h	pattern no.	L	V1	V2	V3
End panels for dual tables (pair of end panels)	24" D worksurface	1 1/4"	46"	25 1/2"	XTB1EP2DD24() ()	\$2,667.	\$2,782.	\$3,362.	\$3,477.
	30" D worksurface	1 1/4"	58"	25 1/2"	XTB1EP2DD30() ()	3,708.	3,942.	4,522.	4,753.
	36" D worksurface	1 1/4"	70"	25 1/2"	XTB1EP2DD36() ()	3,942.	4,058.	4,753.	4,985.




End panel for dual tables (single end panel)	24" D worksurface	1 1/4"	46"	25 1/2"	XTB1EP1DD24() ()	1,333.	1,391.	1,681.	1,739.
	30" D worksurface	1 1/4"	58"	25 1/2"	XTB1EP1DD30() ()	1,855.	1,971.	2,261.	2,376.
	36" D worksurface	1 1/4"	70"	25 1/2"	XTB1EP1DD36() ()	1,971.	2,028.	2,376.	2,493.



End panels for single sided tables (pair of end panels)	24" D worksurface	1 1/4"	25 3/16"	25 1/2"	XTB1EP2SD24() ()	2,376.	2,551.	2,899.	3,014.
	30" D worksurface	1 1/4"	30 3/16"	25 1/2"	XTB1EP2SD30() ()	3,362.	3,594.	3,942.	4,174.
	36" D worksurface	1 1/4"	36 3/16"	25 1/2"	XTB1EP2SD36() ()	3,477.	3,708.	4,174.	4,404.




End panel for single sided tables (single end panel)	24" D worksurface, Left	1 1/4"	25 3/16"	25 1/2"	XTB1EP1LD24() ()	1,189.	1,276.	1,448.	1,508.
	24" D worksurface, Right	1 1/4"	25 3/16"	25 1/2"	XTB1EP1RD24() ()	1,189.	1,276.	1,448.	1,508.
	30" D worksurface, Left	1 1/4"	30 3/16"	25 1/2"	XTB1EP1LD30() ()	1,681.	1,797.	1,971.	2,086.
	30" D worksurface, Right	1 1/4"	30 3/16"	25 1/2"	XTB1EP1RD30() ()	1,681.	1,797.	1,971.	2,086.
	36" D worksurface, Left	1 1/4"	36 3/16"	25 1/2"	XTB1EP1LD36() ()	1,739.	1,855.	2,086.	2,203.
	36" D worksurface, Right	1 1/4"	36 3/16"	25 1/2"	XTB1EP1RD36() ()	1,739.	1,855.	2,086.	2,203.




LH Shown
RH Opposite

Order Code	Specifications	Application Notes
Example: XTB1EP2DD 24118 118		
XT Crinion Open Table	Specify paint finish for brackets, then specify laminate or veneer finish for end panel.	End panels may be specified as an alternative to End legs to support each end of beams.
B1 Base components		
EP2 End panel	Brushed and woodgrain laminates are not available on 70" wide end panels for use on 36"D dual sided tables.	End panel kits include end panel, connecting hardware and support legs.
D Dual		End panel kits are not compatible with end counters.
D Desk Height		
24 Depth of tops		
118 Finish		
118 Finish		


description	application	w	d	h	pattern number	P1/P2/P3
Beam truss for dual tables	30" D worksurface	3"	11"	10"	XTB1XD30 ()	\$589.
	36" D worksurface	3"	23"	10"	XTB1XD36 ()	642.




Top channel support	24" D worksurface				XTB1T24 ()	213.




Beam truss for single sided tables	30" D worksurface	3"			XTB1XS30 ()	589.
	36" D worksurface	3"			XTB1XS36 ()	642.



Beam truss for dual tables no top channel support	30" D worksurface	3"	11"	8"	XTB1XD30N ()	455.
	36" D worksurface	3"	23"	8"	XTB1XD36N ()	523.







Beam truss for single sided tables no top channel support	30" D worksurface	3"			XTB1XS30N ()	455.
	36" D worksurface	3"			XTB1XS36N ()	523.



Order Code	Specifications	Application Notes
Example: XTB1XD30 613	Beam trusses are available in all standard painted finishes.	Crinion Open Table bases are assembled from beams, end legs or end panels, intermediate legs and trusses. After selecting beams and leg kits, specify trusses between beams.
XT Crinion Open Table		
B1 Base components		
XD Beam truss for dual table		
30 Depth		
613 Finish		Specify beam trusses adjacent to each end leg and at each worksurface junction.
		For 24"D tables specify top channel support instead of truss.
		Beam trusses with no top channel support must be specified in combination with intermediate legs planned other than at worksurface junctions (as for cable infeed shrouds).

Worksurface support cantilever and mid span support




AutoStrada

description	w	d	h	pattern number	P1/P2	P3
Cantilever, fixed height 30" or 36" D 	3"	24"	9"	XTB1FC ()	\$242.	\$252.
Cantilever, fixed height 24" D 	3"	19"	9"	XTB1FC24 ()	242.	252.
Cantilever, adjustable height 30" or 36" D 	3"	24"	9" - 12"	XTB1AC ()	267.	282.
Cantilever, adjustable height 24" D 	3"	24"	9" - 12"	XTB1AC24 ()	267.	282.
Mid span support 	2	2	8	XTB1MB ()	114.	121.

Order Code	Specifications	Application Notes
Example: XTB1FC 118	Specify paint finish code after pattern number.	Cantilever brackets are required to support each end of worksurfaces.
XT Crinion Open Table		
B1 Base components		Brackets can be positioned at ends of worksurface, or inset at legs or floorstanding pedestal locations.
FC Fixed height cantilever	48"worksurfaces: shared cantilevers each end or two adjustable per worksurface.	Fixed height cantilevers can be shared between adjacent worksurfaces. Mid span support bracket must be specified for worksurface spans exceeding 4'.
118 Finish	60" and 72" worksurfaces: shared cantilevers each end plus mid span support or two adjustable cantilevers inset 8".	Fixed height cantilever supports worksurface at 28 1/2" H.
	96"worksurfaces: shared cantilevers at ends plus one in center or three adjustable cantilevers.	Adjustable cantilevers enable worksurfaces to be set at 27", 27 3/4", 28 1/2", 29 1/4" or 30" H.
	96"x 24" with hinged door: shared cantilever each end plus two mid span supports.	
	96"x 30" with hinged door: shared cantilever each end plus 24"d cantilever as center support.	
	96"x 36" with hinged door: shared cantilever each end plus 24", 30" or 36"d cantilever as center support.	

Worksurface support linking plate and cantilever for end counters

AutoStrada

description	w	d	h	pattern no.	P1/P2	P3
Cantilever for end counters, fixed height	3"	19"	9"	XTB1FCEND ()	\$242.	\$252.
						
Cantilever for end counters, adjustable height	3"	19"	9" - 12"	XTB1ACEND ()	267.	282.
						
Worksurface linking plate				XTB1LP	33.	
						





Order Code	Specification	Application Notes
Example: XTB1FCEND 613	Specify paint finish code after pattern number.	Cantilever brackets are required to support each end of worksurface.
XT Crinion Open Table		Brackets attach to inserts on the outside face of end legs for end counters.
B1 Base components		Fixed height cantilever supports for end counter at 28 1/2" H.
FC Fixed height cantilever		Adjustable cantilevers for end counter enables end counter to be set at 28 1/2", 29 1/4" or 30" H.
END for end counter		
613 Finish		

A linking plate is recommended to join adjacent worksurfaces that are independently supported at the same height. Specify two linking plates at the junction of two worksurfaces, or four total for each end counter to two worksurfaces. A linking plate is not required where adjacent tops are supported by a shared fixed height cantilever bracket, as with complete fixed height base assemblies. Linking plates are recommended for complete adjustable height base assemblies in which tops are set at the same height.

Modular Raceway

2 + 2 eight-wire Raceway with covers

AutoStrada

description	type	h	w	d	pattern number	list price
Dual raceway, two power + two data outlets each side		4"	30"	2"	XTR1E30D ()	\$317.
						
Dual raceway, four power + two data outlets each side		4"	42"	2"	XTR1E424D ()	454.
						
Flat end cover					XTR1FE ()	28.
Extended end cover					XTR1EE ()	28.
Single sided raceway two power + two data outlets one side		4"	30"	2"	XTR1E30S ()	317.
						
Single sided raceway four power + two data outlets one side		4"	42"	2"	XTR1E424S ()	454.
						

Order Code	Specifications	Applications notes
Example: XTR1E424D 613		
XT Crinion Open Table	Eight wire 2+2 has two sets of circuits, each set with a separate ground and neutral.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
E Eight wire system	Specify paint finish code after pattern number.	
42 Width		
4 Extra outlets	Covers have two openings for data/com outlet modules (Decora-size, specified separately).	Each raceway requires four or eight duplex outlets, on any of four circuits.
D Dual Raceway		Jumpers connect power from one raceway to another.
613 Finish		To join power between 30" raceways: specify 30" jumper for 60" desks and specify 42" jumper for 72" desks.

To join power between 42" raceways: specify 18" jumper for 60" desks and 30" jumper for 72" desks.

Flat end covers enclose the end of a raceway at the end of a table.




Extended end covers enclose the end of a raceway at the end of a table where power infeed is located.

Specify outlet fillers separately for unused outlet openings.

Modular Raceway

2 + 2 eight-wire Raceway components

AutoStrada

description	type	h	w	d	pattern number	list price
Modular infeed					XTR1EPI	\$239.
						
NYC infeed kit					XTR1EPH	545.
						
Jumper			18"		XTR1EJ18	110.
			30"		XTR1EJ30	125.
			42"		XTR1EJ42	144.
Duplex outlet	Circuit A				XTR1DA	41.
	Circuit A, with controlled symbol				XTR1DAC	41.
	Circuit B				XTR1DB	41.
	Circuit B, with controlled symbol				XTR1DBC	41.
	Circuit X, orange				XTR1DXO	46.
	Circuit Y, orange				XTR1DYO	46.
Outlet filler	Set of 10				XTR1OF	34.
PDC module extension kit	Set of 10				XTR1PDCX	139.
Compact Power Module					XTR1ECPM ()	589.
						

Order Code	Specifications	Application Notes
Example: XTR1EJ18		
XT Crinion Open Table	Eight wire 2+2 has two sets of circuits, each set with a separate ground and neutral.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
E Eight wire		
J Jumper		Each raceway requires four or eight duplex outlets, on any of four circuits.
18 Width		Power infeed includes pigtail for connection to building power supply and connector to either end of any raceway.
		NYC infeed kit includes junction box that mounts to inside face of beams in table base.
		Jumper length is difference between worksurface width and specified raceway width.
		Compact power module is designed to supply power outlets under extended end counter worksurfaces, or additional outlets under desks.
		Compact power module can be suspended from top channel or attached to inside face of beams.
		Each face of compact power module accepts two duplex outlets.


Crinion Open Table

Modular Raceway


3 + 3 ten-wire Raceway with covers

AutoStrada

description	type	h	w	d	pattern number	list price
Dual raceway, two power + two data outlets each side		4"	30"	2"	XTR1T30D ()	\$331.




Dual raceway, four power + two data outlets each side		4"	42"	2"	XTR1T424D ()	469.




Flat end cover					XTR1FE ()	28.

Extended end cover					XTR1EE ()	28.

Single sided raceway two power + two data outlets one side		4"	30"	2"	XTR1T30S ()	331.



Single sided raceway four power + two data outlets one side		4"	42"	2"	XTR1T424S ()	469.



Order Code	Specifications	Application Notes
Example: XTR1T424D 613		
XT Crinion Open Table	Ten wire 3+3 has two sets of three circuits, each set with a separate ground and neutral.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
T Ten wire system	Specify paint finish code after pattern number.	
42 Width		Each raceway requires four or eight duplex outlets, on any of six circuits.
4 Extra outlets	Covers have two openings for data/com outlet modules (Decora-size, specified separately).	Jumpers connect power from one raceway to another.
D Dual Raceway		To join power between 30" raceways: specify 30" jumper for 60" desks and specify 42" jumper for 72" desks.
613 Finish		To join power between 42" raceways: specify 18" jumper for 60" desks and 30" jumper for 72" desks.

Flat end covers enclose the end of a raceway at the end of a table.




Extended end covers enclose the end of a raceway at the end of a table where power infeed is located.

Specify outlet fillers separately for unused outlet openings.

Modular Raceway

3 + 3 ten-wire Raceway components

AutoStrada

description	type	h	w	d	pattern number	list pricing
Modular infeed					XTR1TPI	\$268.
						
NYC infeed kit					XTR1TPH	545.
						
Jumper			18"		XTR1TJ18	125.
			30"		XTR1TJ30	144.
			42"		XTR1TJ42	166.
Duplex outlet	Circuit A				XTR1DA	41.
	Circuit A, with controlled symbol				XTR1DAC	41.
	Circuit B				XTR1DB	41.
	Circuit B, with controlled symbol				XTR1DBC	41.
	Circuit C				XTR1DC	41.
	Circuit C, with controlled symbol				XTR1DCC	41.
	Circuit X, orange				XTR1DXO	46.
	Circuit Y, orange				XTR1DYO	46.
	Circuit Z, orange				XTR1DZO	46.
Outlet filler	Set of 10				XTR1OF	34.
PDC module extension kit	Set of 10				XTR1PDCX	139.
Compact Power Module					XTR1TCPM ()	607.
						

Order Code	Specifications	Application Notes
Example: XTR1TJ18		
XT Crinion Open Table	Ten wire 3+3 has two sets of three circuits, each set with a separate ground and neutral.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
T Ten wire		
J Jumper		Each raceway requires four or eight duplex outlets, on any of six circuits.
18 Width		Power infeed includes pigtail for connection to building power supply and connector to either end of any raceway.
		NYC infeed kit includes junction box that mounts to inside face of beams in table base.
		Jumper length is difference between worksurface width and specified raceway width.
		Compact power module is designed to supply power outlets under extended end counter worksurfaces, or additional outlets under desks.
		Compact power module can be suspended from top channel or attached to inside face of beams.
		Each face of compact power module accepts two duplex outlets.


Crinion Open Table

Modular Raceway


4-4-2 ten-wire Raceway with covers

AutoStrada


description	type	h	w	d	pattern number	list price
Dual raceway, two power + two data outlets each side		4"	30"	2"	XTR1X30D ()	\$350.




Dual raceway, four power + two data outlets each side		4"	42"	2"	XTR1X424D ()	492.



Single sided raceway two power + two data outlets one side		4"	30"	2"	XTR1X30S ()	350.



Single sided raceway four power + two data outlets one side		4"	42"	2"	XTR1X424S ()	492.






Order Code	Specifications	Application Notes
Example: XTR1X424D 613		
XT Crinion Open Table	Ten wire 4-4-2 has four circuits each with a separate neutral, plus a ground wire for circuit 1 and 2 and another ground for circuit 3 and 4.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
X Ten wire 4-4-2	Specify paint finish code after pattern number.	Each raceway requires four or eight duplex outlets, on any of six circuits.
42 Width	Covers have two openings for data/com outlet modules (Decora-size, specified separately).	Jumpers connect power from one raceway to another.
4 Extra outlets		To join power between 30" raceways: specify 30" jumper for 60" desks and specify 42" jumper for 72" desks.
D Dual Raceway		To join power between 42" raceways: specify 18" jumper for 60" desks and 30" jumper for 72" desks.
613 Finish		Flat end covers enclose the end of a raceway at the end of a table. Extended end covers enclose the end of a raceway at the end of a table where power infeed is located. Specify outlet fillers separately for unused outlet openings.

Modular Raceway

4-4-2 ten-wire Raceway components

AutoStrada



description	type	h	w	d	pattern number	list price
Modular infeed					XTR1XPI	\$282.
						
NYC infeed kit					XTR1XPH	572.
						
Jumper			18"		XTR1XJ18	131.
			30"		XTR1XJ30	151.
			42"		XTR1XJ42	172.
Duplex outlet	Circuit 1				XTR1D1	43.
	Circuit 1, with controlled symbol				XTR1D1C	43.
	Circuit 2				XTR1D2	43.
	Circuit 2, with controlled symbol				XTR1D2C	43.
	Circuit 3				XTR1D3	43.
	Circuit 3, with controlled symbol				XTR1D3C	43.
	Circuit 4				XTR1D4	43.
	Circuit 4, with controlled symbol				XTR1D4C	43.
Compact Power Module					XTR1XCPM ()	607.
						

Order Code	Specifications	Application Notes
Example: XTR1XJ18		
XT Crinion Open Table	Ten wire 4-4-2 has four circuits each with a separate neutral, plus a ground wire for circuit 1 and 2 and another ground for circuit 3 and 4.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
X Ten wire 4-4-2		
J Jumper	All duplex outlets are black.	Each raceway requires four or eight duplex outlets, on any of six circuits.
18 Width		Power infeed includes pigtail for connection to building power supply and connector to either end of any raceway.
		NYC infeed kit includes junction box that mounts to inside face of beams in table base.
		Jumper length is difference between worksurface width and specified raceway width.
		Compact power module is designed to supply power outlets under extended end counter worksurfaces, or additional outlets under desks.
		Compact power module can be suspended from top channel or attached to inside face of beams.
		Each face of compact power module accepts two duplex outlets.


Crinion Open Table

description	type	h	w	d	pattern number	list price
Dual raceway, two power + two data outlets each side		4"	30"	2"	XTR1H30D ()	\$690.
Flat end cover					XTR1FE ()	28.
Extended end cover					XTR1EE ()	28.
Outlet filler	Set of 10				XTR1OF	34.

Order Code	Specifications	Application Notes
Example: XTR1H30D 613		
XT Crinion Open Table	Specify paint finish code after pattern number.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
H Hard wire system	Hardwired raceway components are designed for use in City of Chicago installations.	
30 Width		
D Dual Raceway		
613 Finish	Covers have two openings for data/com outlet modules (Decora-size, by others).	Dual raceways are code-approved boxed with openings for two or four duplex outlets on each face, plus two additional openings for data/communications faceplates on each face. A continuous horizontal metal septum divides power wires and connections from data and communications cables. Each raceway requires Decora-type architectural power outlets, internal wiring and connecting cables, supplied by electrical contractor.
		Flat end covers enclose the raceway at the end of a table. Extended end covers provide an opening on the underside to permit cables to enter the raceway.
		Specify outlet filler plates for unused outlet openings. Specify PDC extenders to create space behind data/com for cable distribution inside dual raceway.

description	table size	w	d	pattern number	list price
 Cable trays, leg position, pair	5', 30"D	53"	1"	XTCT6030LD ()	\$287.
	5', 36"D	53"	4"	XTCT6036LD ()	391.
	6', 30"D	65"	1"	XTCT7230LD ()	311.
	6', 36"D	65"	4"	XTCT7236LD ()	453.
 Cable trays, full width, pair	5', 30"D	60"	1"	XTCT6030D ()	287.
	5', 36"D	60"	4"	XTCT6036D ()	391.
	6', 30"D	72"	1"	XTCT7230D ()	311.
	6', 36"D	72"	4"	XTCT7236D ()	453.
 Data tray kit		42"		XTDT42 ()	201.
 Data + excess cable tray kit		42"		XTDTX42 ()	334.
Truss cable clips, set of 25				XTR1TCC25	16.
Beam cable clips, set of 50				XTR1BCC50	267.
Random attachment kit, set of 10				XTB1RAK	92.

Order Code	Specifications	Applications notes
Example: XTCT7230D 613	Cable trays and Data tray kits are available in all standard paint finishes.	Cable trays are optional kits to manage cables on each side of dual table bases. Specify cable trays for leg position at each end of the table. Specify cable trays, full width for other positions.
XT Crinion Open Table		
CT Cable tray		
72 Width		
30 Depth		
D Dual table	Data tray kit provides 3" wide horizontal open cable tray directly below either 30" or 42"W raceway module (at center of 60" or 72" desks). Data + excess tray kit provides two open trays below either raceway module, one 3"W and one 5"W.	Truss cable clips manage cables between raceway. Specify 2 clips per truss (one set of 10 for each five trusses).
613 Finish		
		Beam cable clips manage cables along the inside faces of each beam set.
		Random attachment kit is a set of ten M8 slot nuts for attaching various products to the Crinion Open Table beams or top channel. Specify appropriate M8 screws separately.

description	application	w	d	h	pattern no.	list
	24"D tables	18"	2"	3/4"	XTBT18 ()	\$90.
	24"D tables	24"	2"	3/4"	XTBT24 ()	103.
	24"D tables	36"	2"	3/4"	XTBT36 ()	111.
	24"D tables	48"	2"	3/4"	XTBT48 ()	122.
	24"D tables	60"	2"	3/4"	XTBT60 ()	131.
		120"	8"	1"	XTWB120	497.
Cable basket hangers	From truss 30/36D only				XTWTX ()	79.
						
	From truss at infeed shroud				XTWTBSLIK ()	242.
						
	From main beam, 24D only				XTWTB ()	79.
						
	From top channel, 30/36D only				XTWTC ()	104.


Order Code	Specifications	Application Notes
Example: XTBT36 118		
XT	Crinion Open Table	
BT	Beam mounted cable tray	
36	Width	
118	Paint finish	

Beam mounted cable trays are available in any standard painted finish.	Beam mounted cable trays may be inserted in slots on either face of Crinion Open Table main beams. On 24"D dual or single sided tables beam mounted cable trays are the only option for cable management other than the shallow channel on top of the beam or a cable basket. On 30"D and 36"D tables beam mounted trays may complement other cable tray options.	For 96"W worksurfaces specify 36"W trays between supports. Specify 48"W trays for additional cable management between trusses on the inside face of beams on dual 30"D and 36"D tables with 60" worksurfaces. Specify 60"W trays on the inside face of beams on dual 30"D and 36"D tables with 72"W worksurfaces.
Cable basket is zinc metal finish only.	Beam mounted cable trays must be segmented to fit between cantilever and midspan support brackets.	Cable basket is suspended below the center of dual tables instead of or in addition to cable trays. Cable basket offers the most flexibility for managing large bundles of cables and for entering or exiting the tray at any point. Cable basket ships in 10' lengths and is cut to size in field. Specify cable basket hangers separately. Each hanger can suspend one end of a tray or two adjacent trays. Hanger from trusses is for 30" or 36"D dual or single sided tables. Hanger from main beam is for 24"D dual tables only. Hangers from top channel are for 30" or 36"D dual tables only.
Basket hangers can be specified in any standard painted finish.	For 48"W worksurfaces with shared cantilevers specify 36"W trays. For 60"W worksurfaces with shared cantilevers and midspan supports specify 24"W trays adjacent to end legs specify 18"W trays.	
	For 72"W worksurfaces with shared cantilevers and midspan supports specify 24"W trays.	


Center screens

AutoStrada


Acrylic, slatwall, combination, marker or veneer surface

description	appl.	w	d	h	pattern no.	Opal acrylic	Trans. acrylic / Marker	slatwall	Comb. acrylic / slatwall	V1	V2	V3
Center screen to 43" H 	48"	48"	1 1/4"	14"	XTCS1 4814 () () ()	\$968.	\$1,001.	\$1,538.	n/a	\$1,335.	\$1,464.	\$1,713.
	60"	60"	1 1/4"	14"	XTCS1 6014 () () ()	1,270.	1,331.	1,670.	n/a	1,443.	1,594.	1,911.
	72"	72"	1 1/4"	14"	XTCS1 7214 () () ()	1,335.	1,398.	1,804.	n/a	1,517.	1,690.	2,069.


acrylic shown

Center screen to 43" H adjacent to end screen 	48"	47"	1 1/4"	14"	XTCS1 4714 () () ()	968.	1,001.	1,538.	n/a	1,335.	1,464.	1,713.
	60"	59"	1 1/4"	14"	XTCS1 5914 () () ()	1,270.	1,331.	1,670.	n/a	1,443.	1,594.	1,911.
	72"	71"	1 1/4"	14"	XTCS1 7114 () () ()	1,335.	1,398.	1,804.	n/a	1,517.	1,690.	2,069.

acrylic shown

Center screen to 50" H 	48"	48"	1 1/4"	21"	XTCS1 4821 () () ()	1,135.	1,185.	1,804.	1,670.	1,465.	1,631.	1,992.
	60"	60"	1 1/4"	21"	XTCS1 6021 () () ()	1,469.	1,564.	2,004.	1,938.	1,575.	1,777.	2,228.
	72"	72"	1 1/4"	21"	XTCS1 7221 () () ()	1,538.	1,630.	2,206.	2,072.	1,632.	1,867.	2,413.

slatwall shown

Center screen to 50" H adjacent to end screen 	48"	47"	1 1/4"	21"	XTCS1 4721 () () ()	1,135.	1,185.	1,804.	1,670.	1,465.	1,631.	1,992.
	60"	59"	1 1/4"	21"	XTCS1 5921 () () ()	1,469.	1,564.	2,004.	1,938.	1,575.	1,777.	2,228.
	72"	71"	1 1/4"	21"	XTCS1 7121 () () ()	1,538.	1,630.	2,206.	2,072.	1,632.	1,867.	2,413.


combination shown


Order Code	Specifications	Application Notes	
Example: XTCS16014A O 111			
XT Crinion Open Table	Acrylic surface is AO opal or AT translucent.	Center screens mount to continuous channel at center of tables. Specify 14" H screens for a 42" horizon. Specify 21" H screens for a 49" horizon. Horizons are maintained regardless of worksurface height.	Center screens adjacent to end screens allow space for dual or single sided end screens.
CS1 Center screen	For Marker surface both sides specify suffix M.		
60 Width	For Slatwall screens specify slatwall and frame finish.	Combination screens include 14" high slatwall with acrylic above.	Slatwall screens require buttresses to support Knoll Extra flat screen monitor arm. Specify one buttress per monitor arm, up to four buttresses per screen.
14 Height	For combination acrylic/slatwall screens specify suffixes CO (opal) or CT (translucent), slatwall and frame finish.	Center screens include mounting hardware for standard top channel only.	Slatwall screens will support flat panel monitor arms with varying weight limitations based on mounting and application. Please refer to the KnollExtra price list for comprehensive mounting and weight limitation information by application.
A Surface	Slatwall surface is available in (AA) or any standard painted finish except 613 Silver.		Veneer grain direction is horizontal.
O Opal	For veneer surface specify suffix V and finish code from list on Crinion Open Table.		Marker surface has wood core.
111 Frame finish	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.		


Center screens


Tackable fabric surface

AutoStrada



description	application	w	d	h	pattern no.	10	15	20	30	35	40	45
Center screen to 43" H 	48"	48"	1 1/4"	14"	XTCS1 4814F () ()	\$1,022.	\$1,041.	\$1,047.	\$1,068.	\$1,085.	\$1,085.	\$1,122.
	60"	60"	1 1/4"	14"	XTCS1 6014F () ()	1,117.	1,141.	1,145.	1,172.	1,194.	1,194.	1,240.
	72"	72"	1 1/4"	14"	XTCS1 7214F () ()	1,143.	1,173.	1,177.	1,211.	1,237.	1,237.	1,290.

Center screen to 43" H adjacent to end screen 	48"	47"	1 1/4"	14"	XTCS1 4714F () ()	1,013.	1,032.	1,035.	1,057.	1,074.	1,074.	1,111.
	60"	59"	1 1/4"	14"	XTCS1 5914F () ()	1,117.	1,141.	1,145.	1,172.	1,194.	1,194.	1,240.
	72"	71"	1 1/4"	14"	XTCS1 7114F () ()	1,143.	1,173.	1,177.	1,211.	1,237.	1,237.	1,290.

Center screen to 50" H 	48"	48"	1 1/4"	21"	XTCS1 4821F () ()	1,084.	1,103.	1,107.	1,128.	1,145.	1,145.	1,180.
	60"	60"	1 1/4"	21"	XTCS1 6021F () ()	1,208.	1,236.	1,240.	1,265.	1,286.	1,286.	1,332.
	72"	72"	1 1/4"	21"	XTCS1 7221F () ()	1,221.	1,252.	1,257.	1,289.	1,316.	1,316.	1,369.

Center screen to 50" H adjacent to end screen 	48"	47"	1 1/4"	21"	XTCS1 4721F () ()	1,084.	1,103.	1,107.	1,128.	1,145.	1,145.	1,180.
	60"	59"	1 1/4"	21"	XTCS1 5921F () ()	1,208.	1,236.	1,240.	1,265.	1,286.	1,286.	1,333.
	72"	71"	1 1/4"	21"	XTCS1 7121F () ()	1,221.	1,252.	1,257.	1,289.	1,316.	1,316.	1,369.

Order Code	Specifications	Application Notes
Example: XTCS16014F20 (W2801) AA		
XT Crinion Open Table	1. Tackable fabric surface is suffix F.	Fabric center screens mount to continuous channel at center of tables. Specify 14" H screens for a 43" horizon. Specify 21" H screens for a 50" horizon. Horizons are maintained regardless of worksurface height.
CS1 Center screen	2. Select fabric surface finish code from list on page Crinion Open Table.	
60 Width		Center screens adjacent to end screens allow space for dual or single sided end screens.
14 Height		
F Surface	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.	Center screens include mounting hardware for standard top channel only.
20 Fabric grade		
W2801 Fabric	Fabric is railroaded.	
AA Frame finish		



description	application	w	d	h	pattern no.	list	AA/paint	L	V1	V2	V3
Display shelf 5"D aluminum only 	48" slatwall	45"	5"	1"	XT1DS4505 ()		\$296.				
	60" slatwall	57"	5"	1"	XT1DS5705 ()		332.				
	72" slatwall	69"	5"	1"	XT1DS6905 ()		361.				
Open shelf 9"D lamine or veneer only 	48" slatwall	45"	9"	1"	XT1LS4509 ()()			332.	435.	499.	673.
	60" slatwall	57"	9"	1"	XT1LS5709 ()()			381.	498.	571.	774.
	72" slatwall	69"	9"	1"	XT1LS6909 ()()			433.	562.	646.	872.
Slatwall adapters for applied wall accessories 		24"			XT1SA24 ()	31.					
		30"			XT1SA30 ()	36.					
		36"			XT1SA36 ()	43.					
		42"			XT1SA42 ()	48.					
		48"			XT1SA48 ()	53.					
		54"			XT1SA54 ()	62.					
		60"			XT1SA60 ()	68.					
		66"			XT1SA66 ()	74.					
		72"			XT1SA72 ()	79.					
Buttress for slatwall screen 					XTCS1 SBA ()	267.					

Order Code	Specifications	Application Notes
Example: XT1LS5709 118 AA		
XT1 Crinion Open Table	Display shelves are anodized aluminum (AA) or any standard painted finish except silver.	Open shelves and display shelves for slatwall are designed for use on Crinion Open Table center screens with slatwall inserts.
LS Open shelf		
57 Width	For open shelves specify any standard laminate or veneer finish, then platform finish.	Shelves include adapter that snaps into horizontal channels in slatwall, approximately every 2" vertically.
09 Depth	Shelf platform may be AA or any standard paint finish except silver.	Shelf width fits either full width center screens or screens adjacent to end screens.
118 Shelf finish		
AA Platform finish	Slatwall adapters are integral color 812 Easy grey or 111 Black only.	Slatwall adapters enable other Applied Wall System shelves and accessories to be mounted to Crinion Open Table slatwall.
		Adapter will also fit other Knoll system slatwalls, such as AutoStrada spine or panels, but use of shelves in these applications may not comply with ANSI/BIFMA safety standards for anti-dislodgment.

Side screens

Acrylic, Marker or veneer surface

AutoStrada



description	application	w	d	h	pattern no.	list	Opal acrylic	Trans. acrylic / Marker	V1	V2	V3
	Side screen to 43" H	24" D worksurface	22"	1 1/4"	14"	XTSS1 2414 () () ()	\$701.	\$721.	\$1,057.	\$1,134.	\$1,248.
		30" D worksurface	28"	1 1/4"	14"	XTSS1 3014 () () ()	736.	761.	1,091.	1,177.	1,325.
		36" D worksurface	34"	1 1/4"	14"	XTSS1 3614 () () ()	801.	833.	1,119.	1,218.	1,397.
	acrylic shown										
	Side screen to 50" H	24" D worksurface	22"	1 1/4"	21"	XTSS1 2421 () () ()	801.	833.	1,131.	1,227.	1,391.
		30" D worksurface	28"	1 1/4"	21"	XTSS1 3021 () () ()	835.	873.	1,167.	1,279.	1,488.
		36" D worksurface	34"	1 1/4"	21"	XTSS1 3621 () () ()	901.	944.	1,200.	1,329.	1,585.
	acrylic shown										
Side screen brackets (pair)	postformed edge					XTSM1P ()	282.				
	squared edge					XTSM1S ()	199.				
	tapered edge					XTSM1K ()	199.				

Order Code	Specifications	Application Notes
Example: XTSS13014A O AA		
XT Crinion Open Table	1. Specify surface <i>A</i> = Acrylic <i>V</i> = Veneer <i>M</i> = Marker	Side screens clamp to front and back edge of worksurface at any point (except at hinged access door). Specify side screen brackets separately. Specify 14" H screens for a 42" horizon. Specify 21" H screens for a 49" horizon. Side screens align in height with center screens when worksurfaces are set at 28 3/8" H.
SS1 Side screen	2. For Acrylic surface specify <i>O</i> = Opal <i>T</i> = Translucent	
30 Width	Veneer surfaces may be any standard AutoStrada V1,V2 or V3 veneer.	
14 Height	Specify veneer finish code from list on table finishes page in beginning of price list.	
A Surface	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.	Veneer grain direction is horizontal.
O Opal	Brackets are available in all paint finishes	
AA Frame finish		

Side screens

Tackable fabric surface

AutoStrada



description	application	w	d	h	pattern no.	list	10	15	20	30	35	40	45
	24" D worksurface	22"	1 1/4"	14"	XTSS1 2414F () ()		\$796.	\$805.	\$807.	\$820.	\$828.	\$828.	\$846.
	30" D worksurface	28"	1 1/4"	14"	XTSS1 3014F () ()		820.	833.	835.	849.	859.	859.	880.
	36" D worksurface	34"	1 1/4"	14"	XTSS1 3614F () ()		844.	859.	877.	889.	889.	889.	917.
	24" D worksurface	22"	1 1/4"	21"	XTSS1 2421F () ()		832.	842.	843.	854.	863.	863.	880.
	30" D worksurface	28"	1 1/4"	21"	XTSS1 3021F () ()		868.	878.	880.	895.	906.	906.	929.
	36" D worksurface	34"	1 1/4"	21"	XTSS1 3621F () ()		883.	899.	901.	917.	930.	930.	957.
Side screen brackets (pair)	postformed edge				XTSM1P ()		282.						
	squared edge				XTSM1S ()		199.						
	tapered edge				XTSM1K ()		199.						

Order Code	Specifications	Application Notes
Example: XTSS13014F20 (W2801) 115	1. Tackable fabric surface is suffix F.	Side screens clamp to front and back edge of worksurface at any point (except at hinged access door). Specify side screen brackets separately. Specify 14" H screens for a 43" horizon. Specify 21" H screens for a 50" horizon. Side screens align in height with center screens when worksurfaces are set at 28 3/8" H.
XT Crinion Open Table	2. Select fabric surface finish code from list on page Crinion Open Table.	
SS1 Side screen	3. Specify frame finish.	
30 Width		
14 Height		
F Surface	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.	
20 Fabric grade		
W2801 Fabric	Fabric is railroaded.	
115 Frame finish	Brackets are available in all paint finishes.	

Return screens

Acrylic, Marker or veneer surface

AutoStrada



description	application	w	d	h	pattern no.	list	Opal acrylic	Trans. acrylic / Marker	V1	V2	V3
	Return screen to 43" H	54"	52"	1 1/4"	14"	XTRS1 5414 () () ()	\$1,169.	\$1,232.	\$1,274.	\$1,407.	\$1,680.
		60"	58"	1 1/4"	14"	XTRS1 6014 () () ()	1,169.	1,232.	1,289.	1,437.	1,741.
		66"	64"	1 1/4"	14"	XTRS1 6614 () () ()	1,169.	1,232.	1,317.	1,473.	1,813.
		72"	70"	1 1/4"	14"	XTRS1 7214 () () ()	1,169.	1,232.	1,334.	1,502.	1,873.
		78"	76"	1 1/4"	14"	XTRS1 7814 () () ()	1,303.	1,363.	1,580.	1,723.	2,125.
	Return screen to 50" H	54"	52"	1 1/4"	21"	XTRS1 5421 () () ()	1,368.	1,464.	1,396.	1,574.	1,968.
		60"	58"	1 1/4"	21"	XTRS1 6021 () () ()	1,368.	1,464.	1,421.	1,617.	2,057.
		66"	64"	1 1/4"	21"	XTRS1 6621 () () ()	1,368.	1,464.	1,443.	1,656.	2,143.
		72"	70"	1 1/4"	21"	XTRS1 7221 () () ()	1,368.	1,464.	1,468.	1,697.	2,229.
		78"	76"	1 1/4"	21"	XTRS1 7821 () () ()	1,538.	1,630.	1,721.	1,929.	2,504.
Side screen brackets (pair)	postformed edge					XTSM1P ()	282.				
	squared edge					XTSM1S ()	199.				

Order Code	Specifications	Application Notes
Example: XTRS16014A O 118		
XT Crinion Open Table	1. Specify surface <i>A = Acrylic</i> <i>V = Veneer</i> <i>M = Marker</i>	Return screens span the depth of Crinion Open Table worksurfaces and the width of a 30", 36" or 42" worksurface planned as perpendicular return. Specify 14" H screens for 42" horizon. Specify 21" H screens for a 49" horizon. Returns (file tops or AutoStrada worksurfaces) must be at the same height as worksurface.
RS1 Return screen	2. For Acrylic surface specify <i>O = Opal</i> <i>T = Translucent</i>	Specify side brackets separately.
60 Width	Veneer surfaces may be any standard AutoStrada V1,V2 or V3 veneer.	Veneer grain direction is horizontal.
14 Height	Specify veneer finish code from list on table finishes page in beginning of price list.	
A Acrylic		
O Opal		
118 Frame finish	3. Specify frame finish.	
	Frame is clear anodized aluminum (AA) or any standard paint finish except 613 Silver.	
	Brackets are available in all paint finishes.	

Return screens

Tackable fabric surface

AutoStrada



description	application	w	d	h	pattern no.	list	10	15	20	30	35	40	45
 Return screen to 43" H	54"	52"	1 1/4"	14"	XTRS1 5414F () ()		\$972.	\$994.	\$1,001.	\$1,023.	\$1,041.	\$1,041.	\$1,085.
	60"	58"	1 1/4"	14"	XTRS1 6014F () ()		980.	1,004.	1,010.	1,035.	1,057.	1,057.	1,103.
	66"	64"	1 1/4"	14"	XTRS1 6614F () ()		1,000.	1,025.	1,031.	1,062.	1,084.	1,084.	1,134.
	72"	70"	1 1/4"	14"	XTRS1 7214F () ()		1,006.	1,034.	1,040.	1,075.	1,097.	1,097.	1,155.
	78"	76"	1 1/4"	14"	XTRS1 7814F () ()		1,157.	1,189.	1,196.	1,231.	1,255.	1,255.	1,316.
 Return screen to 50" H	54"	52"	1 1/4"	21"	XTRS1 5421F () ()		951.	972.	977.	1,003.	1,021.	1,021.	1,063.
	60"	58"	1 1/4"	21"	XTRS1 6021F () ()		986.	1,012.	1,015.	1,044.	1,064.	1,064.	1,109.
	66"	64"	1 1/4"	21"	XTRS1 6621F () ()		992.	1,020.	1,024.	1,055.	1,077.	1,077.	1,128.
	72"	70"	1 1/4"	21"	XTRS1 7221F () ()		1,000.	1,028.	1,034.	1,067.	1,093.	1,093.	1,147.
	78"	76"	1 1/4"	21"	XTRS1 7821F () ()		1,178.	1,211.	1,218.	1,253.	1,280.	1,280.	1,340.
Side screen brackets (pair)	postformed edge				XTSM1P ()	282.							
	squared edge				XTSM1S ()	199.							

Order Code	Specifications	Application Notes
Example: XTRS16014F20 (W2801) 611	1. Tackable fabric surface is suffix F.	Fabric return screens span the depth of Crinion Open Table worksurfaces and the width of a 30", 36" or 42" worksurface planned as perpendicular return. Specify 14" H screens for 43" horizon. Specify 21" H screens for a 50" horizon. Returns must be at the same height as worksurface.
XT Crinion Open Table	2. Select fabric surface finish code from list on page Crinion Open Table.	
RS1 Return screen	3. Specify frame finish.	
60 Width	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.	Specify mounting brackets separately.
14 Height	Fabric is railroaded.	
F Surface	Brackets are available in all paint finishes.	
20 Fabric grade		
W2801 Fabric		
611 Frame finish		

Dual end screens

Acrylic, Marker or veneer surface

AutoStrada



description	application	w	d	h	pattern no.	list	Opal acrylic	Trans. acrylic / Marker	V1	V2	V3
	Dual end screens to 43" H	24" D dual	48"	1 1/4"	14"	XTES1 4814 () () ()	\$870.	\$900.	\$1,221.	\$1,349.	\$1,600.
		30" D dual	60"	1 1/4"	14"	XTES1 6014 () () ()	1,135.	1,199.	1,330.	1,483.	1,797.
		36" D dual	72"	1 1/4"	14"	XTES1 7214 () () ()	1,169.	1,232.	1,404.	1,576.	1,954.
	acrylic shown										
	Dual end screens to 50" H	24" D dual	48"	1 1/4"	21"	XTES1 4821 () () ()	1,034.	1,085.	1,350.	1,517.	1,880.
		30" D dual	60"	1 1/4"	21"	XTES1 6021 () () ()	1,335.	1,429.	1,463.	1,662.	2,115.
		36" D dual	72"	1 1/4"	21"	XTES1 7221 () () ()	1,368.	1,587.	1,520.	1,752.	2,298.
	acrylic shown										
Replacement mast Kit	acrylic center screen					XTSM1C ()	113.				
	slatwall center screen					XTSM1SLAT ()	299.				
End screen brackets (pair)	tapered edge worksurface					XTSM1KK ()	199.				
Side screen brackets (pair)	postformed edge					XTSM1P ()	282.				
	squared edge					XTSM1S ()	199.				

Order Code	Specifications	Application Notes
Example: XTES16014A O AA		
XT Crinion Open Table	1. Specify surface <i>A = Acrylic</i> <i>V = Veneer</i> <i>M = Marker</i>	Dual end screens clamp to front edge of worksurface on either side of table. Specify 14" H screens for a 42" horizon. Specify 21" H screens for a 49" horizon. Side screens align with center screens when worksurfaces are set at 28 3/8" H.
ES1 End screen	2. For Acrylic surface specify <i>O = Opal</i> <i>T = Translucent</i> Veneer surfaces may be any standard AutoStrada V1,V2 or V3 veneer. Specify veneer finish code from list on table finishes page in beginning of price list.	
60 Width	3. Specify frame finish. Frame is clear anodized aluminum or any standard paint finish except 613 Silver. Brackets are available in all paint finishes.	
14 Height		Specify end screen brackets separately for each sceen.
A Surface		Veneer grain direction is horizontal.
O Opal		
AA Frame finish		
	Replacement mast kit for acrylic center screen is 812 Easy Grey or 111 Black.	

Dual end screens

Tackable fabric surface

AutoStrada

description	application	w	d	h	pattern no.	list	10	15	20	30	35	40	45
	Dual end screens to 43" H	24" D dual	48"	1 1/4"	14"	XTES1 4814F () ()	\$895.	\$916.	\$920.	\$942.	\$958.	\$958.	\$996.
		30" D dual	60"	1 1/4"	14"	XTES1 6014F () ()	980.	1,005.	1,010.	1,035.	1,057.	1,057.	1,103.
		36" D dual	72"	1 1/4"	14"	XTES1 7214F () ()	1,006.	1,034.	1,040.	1,074.	1,097.	1,097.	1,155.
	Dual end screens to 50" H	24" D dual	48"	1 1/4"	21"	XTES1 4821F () ()	967.	987.	992.	1,014.	1,031.	1,031.	1,068.
		30" D dual	60"	1 1/4"	21"	XTES1 6021F () ()	1,051.	1,076.	1,082.	1,108.	1,129.	1,129.	1,175.
		36" D dual	72"	1 1/4"	21"	XTES1 7221F () ()	1,065.	1,095.	1,099.	1,132.	1,158.	1,158.	1,211.
Replacement mast Kit	acrylic center screen				XTSM1C ()	113.							
	slatwall center screen				XTSM1SLAT ()	299.							
End screen brackets (pair)	tapered edge worksurface				XTSM1KK ()	199.							
Side screen brackets (pair)	postformed edge				XTSM1P ()	282.							
	squared edge				XTSM1S ()	199.							



Order Code	Specifications	Application Notes
Example: XTES16014F20 (W2801) 112	1. Tackable fabric surface is suffix F.	Dual end screens clamp to front edge of worksurface on either side of table. Specify 14" H screens for a 43" horizon. Specify 21" H screens for a 50" horizon. Side screens align with center screens when worksurfaces are set at 28 3/8" H.
XT Crinion Open Table	2. Select fabric surface finish code from list on page Crinion Open Table.	
ES1 End screen	3. Specify frame finish.	
60 Width	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.	Specify end screen brackets separately for each screen.
14 Height	Fabric is railroaded.	
F Surface	Brackets are available in all paint finishes.	
20 Fabric grade	Replacement mast kit is 812 Easy Grey or 111 Black.	
W2801 Fabric		
112 Frame finish		

Crinion Open Table

Single sided end screen

Acrylic, Marker or veneer surface

AutoStrada



description	application	w	d	h	pattern no.	list	Opal acrylic	Trans. acrylic / Marker	V1	V2	V3
	Single sided end screens to 43" H	24" D Single sided	24 1/2"	1 1/4"	14"	XTES1 2414 () ()	\$701.	\$721.	\$1,057.	\$1,134.	\$1,248.
		30" D Single sided	30 1/2"	1 1/4"	14"	XTES1 3014 () ()	736.	761.	1,091.	1,177.	1,325.
		36" D Single sided	36 1/2"	1 1/4"	14"	XTES1 3614 () ()	801.	833.	1,119.	1,218.	1,397.
	acrylic shown										
	Single sided end sceen to 50" H	24" D single sided	24 1/2"	1 1/4"	21"	XTES1 2421 () ()	801.	833.	1,131.	1,227.	1,391.
		30" D single sided	30 1/2"	1 1/4"	21"	XTES1 3021 () ()	835.	873.	1,167.	1,279.	1,488.
		36" D single sided	36 1/2"	1 1/4"	21"	XTES1 3621 () ()	901.	944.	1,200.	1,329.	1,585.
	acrylic shown										
Single sided end screen brackets (set)	postformed edge					XTSM1PC ()	201.				
	square edge					XTSM1SC ()	149.				
	tapered edge					XTSM1KC ()	149.				

Order Code	Specifications	Application Notes
Example: XTES13614A O 114		
XT Crinion Open Table	1. Specify surface <i>A = Acrylic</i> <i>V = Veneer</i> <i>M = Marker</i>	Single sided end screens clamp to front edge of worksurface and attach to top of channel. Specify 14" H screens for a 42" horizon. Specify 21" H screens for a 49" horizon. Side screens align with center screens when worksurfaces are set at 28 3/8" H.
ES1 End screen	2. For Acrylic surface specify <i>O = Opal</i> <i>T = Translucent</i>	
36 Width	Veneer surfaces may be any standard AutoStrada V1,V2 or V3 veneer.	
14 Height	Specify veneer finish code from list on table finishes page in beginning of price list.	Specify end screen brackets separately for each sceen.
A Surface		Veneer grain direction is horizontal.
O Opal		
114 Frame finish	3. Specify frame finish. Frame is clear anodized aluminum or any standard paint finish except 613 Silver. Brackets are available in all paint finishes.	

Single sided end screen

Tackable fabric surface

AutoStrada


description	application	w	d	h	pattern no.	list	10	15	20	30	35	40	45
	Single sided end screens to 43" H	24" D Single sided	24 1/2"	1 1/4"	14"	XTES1 2414F () ()	\$796.	\$805.	\$807.	\$820.	\$828.	\$828.	\$846.
		30" D Single sided	30 1/2"	1 1/4"	14"	XTES1 3014F () ()	820.	833.	835.	849.	859.	859.	880.
		36" D Single sided	36 1/2"	1 1/4"	14"	XTES1 3614F () ()	844.	859.	877.	889.	889.	889.	917.
	Single sided end sceen to 50" H	24" D single sided	24 1/2"	1 1/4"	21"	XTES1 2421F () ()	832.	842.	843.	854.	863.	863.	880.
		30" D single sided	30 1/2"	1 1/4"	21"	XTES1 3021F () ()	868.	878.	880.	895.	906.	906.	929.
		36" D single sided	36 1/2"	1 1/4"	21"	XTES1 3621F () ()	883.	899.	901.	917.	930.	930.	957.
Single sided end screen brackets (set)	postformed edge				XTSM1PC ()	201.							
	square edge				XTSM1SC ()	149.							
	tapered edge				XTSM1KC ()	149.							

Order Code	Specifications	Application Notes
Example: XTES13614F20 (W2801) 111		
XT Crinion Open Table	1. Tackable fabric surface is suffix F.	Single sided end screens clamp to front edge of worksurface and attach to top of channel. Specify 14" H screens for a 43" horizon. Specify 21" H screens for a 50" horizon. Side screens align with center screens when worksurfaces are set at 28 3/8" H.
ES1 End screen	2. Select fabric surface finish code from list on table finishes page in beginning of price list.	
36 Width	3. Specify frame finish.	
14 Height		
F Surface	Frame is clear anodized aluminum or any paint finish except 613 Silver.	Specify end screen brackets separately for each screen.
20 Fabric grade		
W2801 Fabric	Fabric is railroaded.	
111 Frame finish	Brackets are available in all paint finishes.	

Frameless glass Add up for *Crinion Open Table*

AutoStrada

description	w	d	h	pattern number	clear tempered	powder
Frameless glass Add ups	48"	1/2"	12"	XAUA 1248G () ()	\$596.	\$618.
	60"	1/2"	12"	XAUA 1260G () ()	728.	757.
	72"	1/2"	12"	XAUA 1272G () ()	861.	894.



Order Code	Specifications	Application Notes	
Example: XAUA 1248G TEMP AA	<i>Add up type:</i>	Frameless glass addups for Crinion Open Table match those available for the AutoStrada spine.	Base extrusion is clear anodized aluminum or any standard painted finish except Silver.
X Crinion Open Table	G Glass		
AUA Frameless addup screen	Glass add-ups are available with the following glass options: TEMP Clear tempered GL13 Powder	Tempered glass in clear or powered finish is 1/2" thick. Base frame is secured with bolts to top channel for frameless glass addups.	
48 Width			
12 Height			
G Glass			
TEMP Finish	Specify base finish: AA anodized aluminum and all standard painted finishes except 613 Silver.	Frameless addups cannot be mounted to standard top channel included with base assemblies.	
AA Base finish			

Morrison Network privacy screens

mounting kit for Crinion Open Table

AutoStrada

description	w	d	h	pattern number	list price
Fabric screen mounting kit				XTPS1MZKIT	\$136.



Order Code	Specifications	Applications notes
Example: XTPS1MZKIT		
XT	Crinion Open Table	Crinion Open Tables are designed to accept Morrison Network privacy screens with fabric screen mounting kit. Screens are tackable fabric, $\frac{3}{4}$ " thick, in widths corresponding to Crinion worksurfaces 48", 60" or 72" wide. Specify screens MZ1-B4815F, MZ1B6015F or MZ1B7215F.
PS1	Privacy Screen	
MZ	Fabric	
KIT	Kit	
		Specify one mounting kit for each screen. Fabric screen mounting kits include two uprights that fasten to the top channel at any point. Uprights slide into internal channels in screens. Fabric screens do not align in height with acrylic privacy screens.

Wall Mounting Suggestions

The following information is provided only as a guide, and represents minimum recommendations only. Knoll does not accept responsibility for the attachment of any Knoll product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Knoll products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Knoll products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each useable shelf length

NOTE: A cabinet's top is considered a "useable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Knoll supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

		EXISTING CONSTRUCTION				
	NEW CONSTRUCTION	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
Stud Specification	Wood studs, grade #2 or better, 3 1/2" minimum width, OR Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/ floor structure above	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum	N/A	Wood studs must be spaced at 16" c/c maximum	Wood studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/ floor structure above			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above		Metal studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof / floor structure above
Mounting the Knoll Supplied Cleat, Bracket, Frame, etc*	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet, and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the Danback™ as directed by the manufacturer) Fasten the Knoll supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Knoll supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6", and fasten the lower horizontal element to the wall every 16" Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.
*Graham Wall Hung Shelf	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	Fasten the Knoll supplied wall mounting brackets directly to the masonry wall, using the holes provided in each bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above
Fasten the Knoll supplied wall cleat with...	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	3/16" x 3 1/2" Tapcon Masonry Screws or equiv. @ 6" c/c with 1-1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking

Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
A1CHLTT102	130	A1PGG4972	91, 115	A2WHOBDD54	217	A2WHOGDD48	217
A1CHLTT108	130	A1SCG4860	91, 115	A2WHOBDD60	217	A2WHOGDD54	217
A1CHLTT114	130	A1SCG4872	91, 115	A2WHOBDD66	217	A2WHOGDD60	217
A1CHLTT120	130	A2PHOBD42	207	A2WHOBDD72	217	A2WHOGDD66	217
A1CHLTT126	130	A2PHOBD48	207	A2WHOBDD78	217	A2WHOGDD72	217
A1CHLTT132	130	A2PHOBD54	207	A2WHOBDD84	217	A2WHOGDD78	217
A1CHLTT138	130	A2PHOBD60	207	A2WHOBDD90	217	A2WHOGDD84	217
A1CHLTT144	130	A2PHOBD66	207	A2WHOBDD96	217	A2WHOGDD90	217
A1CHLTT60	130	A2PHOBD72	207	A2WHOBDO30	216	A2WHOGDD96	217
A1CHLTT66	130	A2PHOBD78	207	A2WHOBDO36	216	A2WHOGDO30	216
A1CHLTT72	130	A2PHOBD84	207	A2WHOBDO42	216	A2WHOGDO36	216
A1CHLTT78	130	A2PHOBD90	207	A2WHOBDO48	216	A2WHOGDO42	216
A1CHLTT84	130	A2PHOBD96	207	A2WHOBDO54	216	A2WHOGDO48	216
A1CHLTT90	130	A2PHOBO42	206	A2WHOBDO60	216	A2WHOGDO54	216
A1CHLTT96	130	A2PHOBO48	206	A2WHOBDO66	216	A2WHOGDO60	216
A1CRTT102	130	A2PHOBO54	206	A2WHOBDO72	216	A2WHOGDO66	216
A1CRTT108	130	A2PHOBO60	206	A2WHOBDO78	216	A2WHOGDO72	216
A1CRTT114	130	A2PHOBO66	206	A2WHOBDO84	216	A2WHOGDO78	216
A1CRTT120	130	A2PHOBO72	206	A2WHOBDO90	216	A2WHOGDO84	216
A1CRTT126	130	A2PHOBO78	206	A2WHOBDO96	216	A2WHOGDO90	216
A1CRTT132	130	A2PHOBO84	206	A2WHOBDO60	218	A2WHOGDO96	216
A1CRTT138	130	A2PHOBO90	206	A2WHOBDO66	218	A2WHOGDT60	218
A1CRTT144	130	A2PHOBO96	206	A2WHOBDO72	218	A2WHOGDT66	218
A1CRTT60	130	A2PHOBT60	208	A2WHOBDO78	218	A2WHOGDT72	218
A1CRTT66	130	A2PHOBT66	208	A2WHOBDO84	218	A2WHOGDT78	218
A1CRTT72	130	A2PHOBT72	208	A2WHOBDO90	218	A2WHOGDT84	218
A1CRTT78	130	A2PHOBT78	208	A2WHOBDO96	218	A2WHOGDT90	218
A1CRTT84	130	A2PHOBT84	208	A2WHOBSD30	213	A2WHOGDT96	218
A1CRTT90	130	A2PHOBT90	208	A2WHOBSD36	213	A2WHOGSD30	213
A1CRTT96	130	A2PHOBT96	208	A2WHOBSD42	213	A2WHOGSD36	213
A1FHETE34	129	A2PHOGD42	207	A2WHOBSD48	213	A2WHOGSD42	213
A1FHETE42	129	A2PHOGD48	207	A2WHOBSD54	213	A2WHOGSD48	213
A1FHETE49	129	A2PHOGD54	207	A2WHOBSD60	213	A2WHOGSD54	213
A1FHETE64	129	A2PHOGD60	207	A2WHOBSD66	213	A2WHOGSD60	213
A1GCTDK60141(L/V/M)	226	A2PHOGD66	207	A2WHOBSD72	213	A2WHOGSD66	213
A1GCTDK60142(L/V/M)	226	A2PHOGD72	207	A2WHOBSD78	213	A2WHOGSD72	213
A1GCTDK72141(L/V/M)	226	A2PHOGD78	207	A2WHOBSD84	213	A2WHOGSD78	213
A1GCTDK72142(L/V/M)	226	A2PHOGD84	207	A2WHOBSD90	213	A2WHOGSD84	213
A1GCTDK90141(L/V/M)	226	A2PHOGD90	207	A2WHOBSD96	213	A2WHOGSD90	213
A1GCTDK90142(L/V/M)	226	A2PHOGD96	207	A2WHOBSD030	212	A2WHOGSD96	213
A1GCTDK96141(L/V/M)	226	A2PHOGO42	206	A2WHOBSD036	212	A2WHOGSD030	212
A1GCTDK96142(L/V/M)	226	A2PHOGO48	206	A2WHOBSD042	212	A2WHOGSD036	212
A1GGPC4234(L/R)	91, 115	A2PHOGO54	206	A2WHOBSD048	212	A2WHOGSD042	212
A1GGPC4934(L/R)	91, 115	A2PHOGO60	206	A2WHOBSD054	212	A2WHOGSD048	212
A1GGSE30(L/R)	91, 115	A2PHOGO66	206	A2WHOBSD060	212	A2WHOGSD054	212
A1GGSPSC30(L/R)	91, 115	A2PHOGO72	206	A2WHOBSD066	212	A2WHOGSD060	212
A1HLETE3442	129	A2PHOGO78	206	A2WHOBSD066	212	A2WHOGSD066	212
A1HLETE3449	129	A2PHOGO84	206	A2WHOBSD072	212	A2WHOGSD072	212
A1HLETE3464	129	A2PHOGO90	206	A2WHOBSD078	212	A2WHOGSD078	212

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
A3CPBS	179	AAMTC72	252	AAWS C0748	32	AAWS C1530 G	36
AA1 30E	88	AAMTCH24	252	AAWS C0748 A	28	AAWS C1530 L	27
AA1 39E	88	AAMTCH30	252	AAWS C0748 F	30	AAWS C1530 M	25
AA1 48E	88	AAMTCH36	252	AAWS C0748 M	25	AAWS C1530 P	34
AA1 64E	88	AAMTCH42	252	AAWS C0748 P	34	AAWS C1536	32
AA1 ARE	72	AAMTCH48	252	AAWS C0748 R	23	AAWS C1536 A	28
AA1 BS	253	AAMTCH54	252	AAWS C0748 S	24	AAWS C1536 F	30
AA1 T06	88	AAMTCH60	252	AAWS C0754	32	AAWS C1536 G	36
AA1 T18	88	AAMTCH66	252	AAWS C0754 A	28	AAWS C1536 L	27
AA1 T24	88	AAMTCH72	252	AAWS C0754 F	30	AAWS C1536 M	25
AA1 T30	88	AAMTT	252	AAWS C0754 M	25	AAWS C1536 P	34
AA1 T36	88	AAV1 4824 S2D1F	185	AAWS C0754 P	34	AAWS C1542	32
AA1 T42	88	AAV1 4830 S2D1F	185	AAWS C0754 R	23	AAWS C1542 A	28
AA1 T48	88	AAV1 6424 S2D2F	185	AAWS C0754 S	24	AAWS C1542 F	30
AA1 T60	88	AAV1 6430 S2D2F	185	AAWS C0760	32	AAWS C1542 G	36
AA1 T72	89	AAWS BC 036	20	AAWS C0760 A	28	AAWS C1542 L	27
AA1ARODN	221	AAWS BC 042	20	AAWS C0760 F	30	AAWS C1542 M	25
AA1CET39	71	AAWS BC 048	20	AAWS C0760 M	25	AAWS C1542 P	34
AA1CET48	71	AAWS BC 054	20	AAWS C0760 P	34	AAWS C1548	32
AA1CET64	71	AAWS BC 060	20	AAWS C0760 R	23	AAWS C1548 A	28
AA1DHPS36(5)	77	AAWS BC 066	20	AAWS C0760 S	24	AAWS C1548 F	30
AA1DHPS42(5)	77	AAWS BC 072	20	AAWS C0766	32	AAWS C1548 G	36
AA1DHPS50(5)	77	AAWS BC 078	20	AAWS C0766 A	28	AAWS C1548 L	27
AA1DHPS57(5)	77	AAWS BC 084	20	AAWS C0766 F	30	AAWS C1548 M	25
AA1DHPS64(5)	77	AAWS BC 090	20	AAWS C0766 M	25	AAWS C1548 P	34
AA1DHTC	77	AAWS BC 096	20	AAWS C0766 P	34	AAWS C1554	32
AA1GPS	76	AAWS BC 102	20	AAWS C0766 R	23	AAWS C1554 A	28
AA1MPS30	71	AAWS BC 108	20	AAWS C0766 S	24	AAWS C1554 F	30
AA1MPS39	71	AAWS BC 114	20	AAWS C0772	32	AAWS C1554 G	36
AA1MPS42	71	AAWS BC 120	20	AAWS C0772 A	28	AAWS C1554 L	27
AA1MPS48	71	AAWS BC 126	20	AAWS C0772 F	30	AAWS C1554 M	25
AA1MPS56	71	AAWS BC 132	20	AAWS C0772 M	25	AAWS C1554 P	34
AA1MPS64	71	AAWS BC 138	20	AAWS C0772 P	34	AAWS C1560	32
AA1MPS74	71	AAWS BC 144	20	AAWS C0772 R	23	AAWS C1560 A	28
AA1MPS80	71	AAWS BE	38, 39	AAWS C0772 S	24	AAWS C1560 F	30
AA1MRS	71	AAWS BE27	45	AAWS C0778	32	AAWS C1560 G	36
AA1NSK	89	AAWS BE28	45	AAWS C0778 F	30	AAWS C1560 L	27
AA1OR	61	AAWS C0724	32	AAWS C0778 P	34	AAWS C1560 M	25
AA1ORD	61	AAWS C0724 A	28	AAWS C0778 R	23	AAWS C1560 P	34
AA1RE	89	AAWS C0724 F	30	AAWS C0778 S	24	AAWS C1566	32
AA1ROUP	221	AAWS C0724 M	25	AAWS C0784	32	AAWS C1566 A	28
AA1ROXUP	221	AAWS C0724 P	34	AAWS C0784 F	30	AAWS C1566 F	30
AA1RPS34	73	AAWS C0724 R	23	AAWS C0784 P	34	AAWS C1566 G	36
AA1RPS42	73	AAWS C0724 S	24	AAWS C0784 R	23	AAWS C1566 L	27
AA1RPS49	73	AAWS C0730	32	AAWS C0784 S	24	AAWS C1566 M	25
AA1RPS64	73	AAWS C0730 A	28	AAWS C0790	32	AAWS C1566 P	34
AA1RPS79	73	AAWS C0730 F	30	AAWS C0790 F	30	AAWS C1572	32
AA1RTC	74	AAWS C0730 M	25	AAWS C0790 P	34	AAWS C1572 A	28
AA1UA39	78	AAWS C0730 P	34	AAWS C0790 R	23	AAWS C1572 F	30
AA1UA48	78	AAWS C0730 R	23	AAWS C0790 S	24	AAWS C1572 G	36
AA1UA64	78	AAWS C0730 S	24	AAWS C0796	32	AAWS C1572 L	27
AA1UPS39	78	AAWS C0736	32	AAWS C0796 F	30	AAWS C1572 M	25
AA1UPS48	78	AAWS C0736 A	28	AAWS C0796 P	34	AAWS C1572 P	34
AA1UPS64	78	AAWS C0736 F	30	AAWS C0796 R	23	AAWS C1578	32
AA2 MTC	71	AAWS C0736 M	25	AAWS C0796 S	24	AAWS C1578 F	30
AA2 UTC	78	AAWS C0736 P	34	AAWS C1524	32	AAWS C1578 L	27
AAMTB	252	AAWS C0736 R	23	AAWS C1524 A	28	AAWS C1578 P	34
AAMTC24	252	AAWS C0736 S	24	AAWS C1524 F	30	AAWS C1584	32
AAMTC30	252	AAWS C0742	32	AAWS C1524 G	36	AAWS C1584 F	30
AAMTC36	252	AAWS C0742 A	28	AAWS C1524 L	27	AAWS C1584 L	27
AAMTC42	252	AAWS C0742 F	30	AAWS C1524 M	25	AAWS C1584 P	34
AAMTC48	252	AAWS C0742 M	25	AAWS C1524 P	34	AAWS C1590	32
AAMTC54	252	AAWS C0742 P	34	AAWS C1530	32	AAWS C1590 F	30
AAMTC60	252	AAWS C0742 R	23	AAWS C1530 A	28	AAWS C1590 L	27
AAMTC66	252	AAWS C0742 S	24	AAWS C1530 F	30	AAWS C1590 P	34

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AAWS C1596	32	AAWS C2272 M	25	AAWS C3078 P	35	AAWS ET 91	21
AAWS C1596 F	30	AAWS C2272 P	35	AAWS C3084	33	AAWS ET 99	21
AAWS C1596 L	27	AAWS C2278	33	AAWS C3084 F	31	AAWS ETO 69	21
AAWS C1596 P	34	AAWS C2278 F	31	AAWS C3084 P	35	AAWS ETO 84	21
AAWS C2224	33	AAWS C2278 L	27	AAWS C3090	33	AAWS F2236	15
AAWS C2224 A	29	AAWS C2278 P	35	AAWS C3090 F	31	AAWS F2248	15
AAWS C2224 F	31	AAWS C2284	33	AAWS C3090 P	35	AAWS F3036	15
AAWS C2224 G	36	AAWS C2284 F	31	AAWS C3096	33	AAWS F3048	15
AAWS C2224 L	27	AAWS C2284 L	27	AAWS C3096 F	31	AAWS F6936	15
AAWS C2224 M	25	AAWS C2284 P	35	AAWS C3096 P	35	AAWS F6948	15
AAWS C2224 P	35	AAWS C2290	33	AAWS C4524 M	26	AAWS F8436	15
AAWS C2230	33	AAWS C2290 F	31	AAWS C4530 M	26	AAWS F8448	15
AAWS C2230 A	29	AAWS C2290 L	27	AAWS C4536 M	26	AAWS IBT	21
AAWS C2230 F	31	AAWS C2290 P	35	AAWS C4542 M	26	AAWS IC 024	19
AAWS C2230 G	36	AAWS C2296	33	AAWS C4548 M	26	AAWS IC 030	19
AAWS C2230 L	27	AAWS C2296 F	31	AAWS C4554 M	26	AAWS IC 036	19
AAWS C2230 M	25	AAWS C2296 L	27	AAWS C4560 M	26	AAWS IC 042	19
AAWS C2230 P	35	AAWS C2296 P	35	AAWS C4566 M	26	AAWS IC 048	19
AAWS C2236	33	AAWS C3024	33	AAWS C4572 M	26	AAWS IC 054	19
AAWS C2236 A	29	AAWS C3024 A	29	AAWS CC 036	18	AAWS IC 060	19
AAWS C2236 F	31	AAWS C3024 F	31	AAWS CC 042	18	AAWS IC 066	19
AAWS C2236 G	36	AAWS C3024 M	25	AAWS CC 048	18	AAWS IC 072	19
AAWS C2236 L	27	AAWS C3024 P	35	AAWS CC 054	18	AAWS IC 078	19
AAWS C2236 M	25	AAWS C3030	33	AAWS CC 060	18	AAWS IC 084	19
AAWS C2236 P	35	AAWS C3030 A	29	AAWS CC 066	18	AAWS IC 090	19
AAWS C2242	33	AAWS C3030 F	31	AAWS CC 072	18	AAWS IC 096	19
AAWS C2242 A	29	AAWS C3030 M	25	AAWS CC 078	18	AAWS IC 102	19
AAWS C2242 F	31	AAWS C3030 P	35	AAWS CC 084	18	AAWS IC 108	19
AAWS C2242 G	36	AAWS C3036	33	AAWS CC 090	18	AAWS IC 114	19
AAWS C2242 L	27	AAWS C3036 A	29	AAWS CC 096	18	AAWS IC 120	19
AAWS C2242 M	25	AAWS C3036 F	31	AAWS CC 102	18	AAWS IC 126	19
AAWS C2242 P	35	AAWS C3036 M	25	AAWS CC 108	18	AAWS IC 132	19
AAWS C2248	33	AAWS C3036 P	35	AAWS CC 114	18	AAWS IC 138	19
AAWS C2248 A	29	AAWS C3042	33	AAWS CC 120	18	AAWS IC 144	19
AAWS C2248 F	31	AAWS C3042 A	29	AAWS CC 126	18	AAWS LS2409 G	38
AAWS C2248 G	36	AAWS C3042 F	31	AAWS CC 132	18	AAWS LS2412	39
AAWS C2248 L	27	AAWS C3042 M	25	AAWS CC 138	18	AAWS LS3009 G	38
AAWS C2248 M	25	AAWS C3042 P	35	AAWS CC 144	18	AAWS LS3012	39
AAWS C2248 P	35	AAWS C3048	33	AAWS CG	47	AAWS LS3609 G	38
AAWS C2254	33	AAWS C3048 A	29	AAWS CH	47	AAWS LS3612	39
AAWS C2254 A	29	AAWS C3048 F	31	AAWS CT24	45	AAWS LS4209 G	38
AAWS C2254 F	31	AAWS C3048 M	25	AAWS CT30	45	AAWS LS4212	39
AAWS C2254 G	36	AAWS C3048 P	35	AAWS CT36	45	AAWS LS4809 G	38
AAWS C2254 L	27	AAWS C3054	33	AAWS CT42	45	AAWS LS4812	39
AAWS C2254 M	25	AAWS C3054 A	29	AAWS CT48	45	AAWS LS5409 G	38
AAWS C2254 P	35	AAWS C3054 F	31	AAWS CT54	45	AAWS LS5412	39
AAWS C2260	33	AAWS C3054 M	25	AAWS CT60	45	AAWS LS6009 G	38
AAWS C2260 A	29	AAWS C3054 P	35	AAWS CT66	45	AAWS LS6012	39
AAWS C2260 F	31	AAWS C3060	33	AAWS CT72	45	AAWS LS6609 G	38
AAWS C2260 G	36	AAWS C3060 A	29	AAWS DS0605	37	AAWS LS6612	39
AAWS C2260 L	27	AAWS C3060 F	31	AAWS DS2405	37	AAWS LS7209 G	38
AAWS C2260 M	25	AAWS C3060 M	25	AAWS DS3005	37	AAWS LS7212	39
AAWS C2260 P	35	AAWS C3060 P	35	AAWS DS3605	37	AAWS MT24	47
AAWS C2266	33	AAWS C3066	33	AAWS DS4205	37	AAWS MT30	47
AAWS C2266 A	29	AAWS C3066 A	29	AAWS DS4805	37	AAWS MT36	47
AAWS C2266 F	31	AAWS C3066 F	31	AAWS DS5405	37	AAWS MT42	47
AAWS C2266 G	36	AAWS C3066 M	25	AAWS DS6005	37	AAWS MT48	47
AAWS C2266 L	27	AAWS C3066 P	35	AAWS DS6605	37	AAWS MT54	47
AAWS C2266 M	25	AAWS C3072	33	AAWS DS7205	37	AAWS MT60	47
AAWS C2266 P	35	AAWS C3072 A	29	AAWS EASEL	47	AAWS MT66	47
AAWS C2272	33	AAWS C3072 F	31	AAWS ET 106	21	AAWS MT72	47
AAWS C2272 A	29	AAWS C3072 M	25	AAWS ET 114	21	AAWS OBD 18L	43
AAWS C2272 F	31	AAWS C3072 P	35	AAWS ET 144	21	AAWS OBD 18R	43
AAWS C2272 G	36	AAWS C3078	33	AAWS ET 69	21	AAWS OBD 24	43
AAWS C2272 L	27	AAWS C3078 F	31	AAWS ET 84	21	AAWS OBD 30	43

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AAWS OBD 36	43	AAWS OGO 48	40	AAWS TU 096	17	AB1ASC27	256
AAWS OBD 42	43	AAWS OGO 54	40	AAWS TU 102	17	AB1ASC28	256
AAWS OBD 48	43	AAWS OGO 60	40	AAWS TU 108	17	AB1ASC30	256
AAWS OBD 54	43	AAWS OGO 66	40	AAWS TU 114	17	AB1AW27	256
AAWS OBD 60	43	AAWS OGO 72	40	AAWS TU 120	17	AB1AW28	256
AAWS OBD 66	43	AAWS OGO 78	40	AAWS TU 126	17	AB2 AE	253
AAWS OBD 72	43	AAWS OGO 84	40	AAWS TU 132	17	AB2 FE27	253
AAWS OBD 78	43	AAWS OGO 90	40	AAWS TU 138	17	AB2 FE28	253
AAWS OBD 84	43	AAWS OGO 96	40	AAWS TU 144	17	ABAC3423	258
AAWS OBD 90	43	AAWS OGR 42	41	AAWS US2409 G	38	ABAC3429	258
AAWS OBD 96	43	AAWS OGR 48	41	AAWS US2412	39	ABAC4023	258
AAWS OBO 18	40	AAWS OGR 54	41	AAWS US3009 G	38	ABAC4029	258
AAWS OBO 24	40	AAWS OGR 60	41	AAWS US3012	39	ABAC4623	258
AAWS OBO 30	40	AAWS OGR 66	41	AAWS US3609 G	38	ABAC4629	258
AAWS OBO 36	40	AAWS OGR 72	41	AAWS US3612	39	ABAC5223	258
AAWS OBO 42	40	AAWS OGR 78	41	AAWS US4209 G	38	ABAC5229	258
AAWS OBO 48	40	AAWS OGR 84	41	AAWS US4212	39	ABAC5823	258
AAWS OBO 54	40	AAWS OGR 90	41	AAWS US4809 G	38	ABAC5829	258
AAWS OBO 60	40	AAWS OGR 96	41	AAWS US4812	39	ABAC6423	258
AAWS OBO 66	40	AAWS OGS 42	42	AAWS US5409 G	38	ABAC6429	258
AAWS OBO 72	40	AAWS OGS 48	42	AAWS US5412	39	ABAC7023	258
AAWS OBO 78	40	AAWS OGS 54	42	AAWS US6009 G	38	ABAC7029	258
AAWS OBO 84	40	AAWS OGS 60	42	AAWS US6012	39	ABAT4629	258
AAWS OBO 90	40	AAWS OGS 66	42	AAWS US6609 G	38	ABAT5229	258
AAWS OBO 96	40	AAWS OGS 72	42	AAWS US6612	39	ABAT5829	258
AAWS OBR 42	41	AAWS OGS 78	42	AAWS US7209 G	38	ABAT6429	258
AAWS OBR 48	41	AAWS OGS 84	42	AAWS US7212	39	ABAT7029	258
AAWS OBR 54	41	AAWS OGS 90	42	AAWS VFC	21	AC1 39L2	87
AAWS OBR 60	41	AAWS OGS 96	42	AAWS WOMK 18	44	AC1 39T3	87
AAWS OBR 66	41	AAWS PH	47	AAWS WOMK 24	44	AC1 39V2	87
AAWS OBR 72	41	AAWS RET	23	AAWS WOMK 30	44	AC1 39X4	87
AAWS OBR 78	41	AAWS RO MK	44	AAWS WOMK 36	44	AC1 39Y3	87
AAWS OBR 84	41	AAWS RPM1 05	46	AAWS WOMK 42	44	AC1 48L2	87
AAWS OBR 90	41	AAWS RPM2 02	46	AAWS WOMK 48	44	AC1 48T3	87
AAWS OBR 96	41	AAWS RPM2 05	46	AAWS WOMK 54	44	AC1 48V2	87
AAWS OBS 42	42	AAWS RPM21 05	46	AAWS WOMK 60	44	AC1 48X4	87
AAWS OBS 48	42	AAWS TC 036	16	AAWS WOMK 66	44	AC1 48Y3	88
AAWS OBS 54	42	AAWS TC 042	16	AAWS WOMK 72	44	AC1 64L2	87
AAWS OBS 60	42	AAWS TC 048	16	AAWS WOMK 78	44	AC1 64T3	87
AAWS OBS 66	42	AAWS TC 054	16	AAWS WOMK 84	44	AC1 64V2	87
AAWS OBS 72	42	AAWS TC 060	16	AAWS WOMK 90	44	AC1 64X4	87
AAWS OBS 78	42	AAWS TC 066	16	AAWS WOMK 96	44	AC1 64Y3	88
AAWS OBS 84	42	AAWS TC 072	16	AAWSIL106	22	ACA1 30E1	88
AAWS OBS 90	42	AAWS TC 078	16	AAWSIL114	22	ACA1 39E1	88
AAWS OBS 96	42	AAWS TC 084	16	AAWSIL144	22	ACA1 48E1	88
AAWS OGD 18L	43	AAWS TC 090	16	AAWSIL69	22	ACA1 64E1	88
AAWS OGD 18R	43	AAWS TC 096	16	AAWSIL84	22	ACAL4224	164
AAWS OGD 24	43	AAWS TC 102	16	AAWSIL91	22	ACAL4226	164
AAWS OGD 30	43	AAWS TC 108	16	AAWSIL99	22	ACAL4230	164
AAWS OGD 36	43	AAWS TC 114	16	AAWSILO69	22	ACAL4232	164
AAWS OGD 42	43	AAWS TC 120	16	AAWSILO84	22	ACAL4924	164
AAWS OGD 48	43	AAWS TC 126	16	AAWSOL106	22	ACAL4926	164
AAWS OGD 54	43	AAWS TC 132	16	AAWSOL114	22	ACAL4930	164
AAWS OGD 60	43	AAWS TC 138	16	AAWSOL144	22	ACAL4932	164
AAWS OGD 66	43	AAWS TC 144	16	AAWSOL69	22	ACAR4224	164
AAWS OGD 72	43	AAWS TU 036	17	AAWSOL84	22	ACAR4226	164
AAWS OGD 78	43	AAWS TU 042	17	AAWSOL91	22	ACAR4230	164
AAWS OGD 84	43	AAWS TU 048	17	AAWSOL99	22	ACAR4232	164
AAWS OGD 90	43	AAWS TU 054	17	AAWSOLO69	22	ACAR4924	164
AAWS OGD 96	43	AAWS TU 060	17	AAWSOLO84	22	ACAR4926	164
AAWS OGO 18	40	AAWS TU 066	17	AB1 AC24	253	ACAR4930	164
AAWS OGO 24	40	AAWS TU 072	17	AB1-ABC24	253	ACAR4932	164
AAWS OGO 30	40	AAWS TU 078	17	AB1AS27	256	ACBL4224	165
AAWS OGO 36	40	AAWS TU 084	17	AB1AS28	256	ACBL4226	165
AAWS OGO 42	40	AAWS TU 090	17	AB1AS30	256	ACBL4230	165

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ACBL4232	165	ACFR4930	172	ACJ823WE	181	ADHMH7220	262
ACBL4924	165	ACFR4932	172	ACKL722WE	182	ADHMH7222	262
ACBL4926	165	ACFR6424	172	ACKL723WE	182	ADHMH7230	262
ACBL4930	165	ACFR6426	173	ACKL822WE	182	ADHMH7240	262
ACBL4932	165	ACFR6430	172	ACKL823WE	182	ADHMH7810	262
ACBR4224	165	ACFR6432	173	ACKR722WE	182	ADHMH7811	262
ACBR4226	165	ACGL4924	176	ACKR723WE	182	ADHMH7812	262
ACBR4230	165	ACGL4926	176	ACKR822WE	182	ADHMH7813	262
ACBR4232	165	ACGL4930	176	ACKR823WE	182	ADHMH7820	262
ACBR4924	165	ACGL4932	176	ACL722M	182	ADHMH7822	262
ACBR4926	165	ACGL6424	176	ACL722W	182	ADHMH7823	262
ACBR4930	165	ACGL6426	176	ACL723M	182	ADHMH7830	262
ACBR4932	165	ACGL6430	176	ACL723W	182	ADHMH7840	262
ACCL4224	166	ACGL6432	176	ACL822M	182	ADHMH8410	262
ACCL4226	166	ACGR4924	176	ACL822W	182	ADHMH8411	262
ACCL4230	166	ACGR4926	176	ACL823M	182	ADHMH8412	262
ACCL4232	166	ACGR4930	176	ACL823W	182	ADHMH8413	262
ACCL4924	166	ACGR4932	176	ACMCL	269	ADHMH8414	262
ACCL4926	166	ACGR6424	176	ACMML722	183	ADHMH8420	262
ACCL4930	166	ACGR6426	176	ACMML723	183	ADHMH8422	262
ACCL4932	166	ACGR6430	176	ACMML822	183	ADHMH8423	262
ACCR4224	166	ACGR6432	176	ACMML823	183	ADHMH8424	262
ACCR4226	166	ACHL4924M	177	ACMMR722	183	ADHMH8430	262
ACCR4230	166	ACHL4924W	178	ACMMR723	183	ADHMH8440	262
ACCR4232	166	ACHL4926M	177	ACMMR822	183	ADHMH9010	262
ACCR4924	166	ACHL4926W	178	ACMMR823	183	ADHMH9011	262
ACCR4926	166	ACHL4930M	177	ACMWL722	183	ADHMH9012	262
ACCR4930	166	ACHL4930W	178	ACMWL723	183	ADHMH9013	262
ACCR4932	166	ACHL4932M	177	ACMWL822	183	ADHMH9014	262
ACDL4924	167	ACHL4932W	178	ACMWL823	183	ADHMH9020	262
ACDL4926	167	ACHL6424M	177	ACMWR722	183	ADHMH9022	263
ACDL4930	167	ACHL6424W	178	ACMWR723	183	ADHMH9023	263
ACDL4932	167	ACHL6426M	177	ACMWR822	183	ADHMH9024	263
ACDR4924	167	ACHL6426W	178	ACMWR823	183	ADHMH9030	262
ACDR4926	167	ACHL6430M	177	ACW722	184	ADHMH9033	263
ACDR4930	167	ACHL6430W	178	ACW723	184	ADHMH9040	262
ACDR4932	167	ACHL6432M	177	ACW822	184	ADHMH9610	262
ACEL4924	170	ACHL6432W	178	ACW823	184	ADHMH9611	263
ACEL4926	170	ACHR4924M	177	ACWJ(L/R)4224	168	ADHMH9612	263
ACEL4930	170	ACHR4924W	178	ACWJ(L/R)4226	168	ADHMH9613	263
ACEL4932	170	ACHR4926M	177	ACWJ(L/R)4230	168	ADHMH9614	263
ACEL6424	170	ACHR4926W	178	ACWJ(L/R)4232	168	ADHMH9620	262
ACEL6426	170	ACHR4930M	177	ACWJ(L/R)4924	168	ADHMH9622	263
ACEL6430	170	ACHR4930W	178	ACWJ(L/R)4926	168	ADHMH9623	263
ACEL6432	170	ACHR4932M	177	ACWJ(L/R)4930	168	ADHMH9624	263
ACER4924	170	ACHR4932W	178	ACWJ(L/R)4932	168	ADHMH9630	262
ACER4926	170	ACHR6424M	177	ACWJ(L/R)6424	168	ADHMH9633	263
ACER4930	170	ACHR6424W	178	ACWJ(L/R)6426	168	ADHMH9634	263
ACER4932	170	ACHR6426M	177	ACWJ(L/R)6430	168	ADHMH9640	262
ACER6424	170	ACHR6426W	178	ACWJ(L/R)6432	168	ADS 0821	56
ACER6426	171	ACHR6430M	177	ACWK(L/R)4224	169	ADS 0824	56
ACER6430	170	ACHR6430W	178	ACWK(L/R)4226	169	ADS 0833	56
ACER6432	171	ACHR6432M	177	ACWK(L/R)4230	169	ADS 0836	56
ACF1	268	ACHR6432W	178	ACWK(L/R)4232	169	ADS 0845	56
ACFG1	268	ACIL4930	174	ACWK(L/R)4924	169	ADS 0848	56
ACFL4924	172	ACIL4932	174	ACWK(L/R)4926	169	ADS 0857	56
ACFL4926	172	ACIL6430	175	ACWK(L/R)4930	169	ADS 0860	56
ACFL4930	172	ACIL6432	175	ACWK(L/R)4932	169	ADS 0869	56
ACFL4932	172	ACIR4930	174	ACWK(L/R)6424	169	ADS 0872	56
ACFL6424	172	ACIR4932	174	ACWK(L/R)6426	169	AFB16	196
ACFL6426	172	ACIR6430	175	ACWK(L/R)6430	169	AFB19	196
ACFL6430	172	ACIR6432	175	ACWK(L/R)6432	169	AFB30	196
ACFL6432	172	ACJ722WE	181	ADHMH7210	262	AFB36	196
ACFR4924	172	ACJ723WE	181	ADHMH7211	262	AFB42	196
ACFR4926	172	ACJ822WE	181	ADHMH7212	262	AFB60	196

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AFB72	196	AFPR10(E/P)W	197	API362	247	AMB42R485	144
AFB84	196	AFPR11(E/P)M	198	AIP0301	247	AMB42R544	143
AFB90	196	AFPR11(E/P)W	197	AIP0302	247	AMB42R545	144
AFB96	196	AFPR12(E/P)M	198	AIP0361	247	AMB42R604	143
AFPA12	197	AFPR12(E/P)W	197	AIP0362	247	AMB42R605	144
AFPA13	197	AFPR13(E/P)M	198	AL1T5E19S	223	AMB42R664	143
AFPA22	197	AFPR13(E/P)W	197	AL1T5E25A	223	AMB42R665	144
AFPA23	197	AFPR20(E/P)M	198	AL1T5E25S	223	AMB42R724	143
AFPB10(E/P)(M)	193	AFPR20(E/P)W	197	AL1T5E37A	223	AMB42R725	144
AFPB10(E/P)(W)	191	AFPR21(E/P)M	198	AL1T5E37S	223	AMB42R784	143
AFPB11(E/P)(M)	193	AFPR21(E/P)W	197	AL1T5E49A	223	AMB42R785	144
AFPB11(E/P)(W)	191	AFPR22(E/P)M	198	AL1T5E49S	223	AMB42R844	143
AFPB20(E/P)(M)	193	AFPR22(E/P)W	197	AL1T5E61A	223	AMB42R845	144
AFPB20(E/P)(W)	191	AFPR23(E/P)M	198	AL1T5E61S	223	AMB42R904	143
AFPB21(E/P)(M)	193	AFPR23(E/P)W	197	AL1T5E73A	223	AMB42R905	144
AFPB21(E/P)(W)	191	AG1B	76	AL1T5E73S	223	AMB42R964	143
AFPB30(E/P)(M)	193	AG1B3920	90	AL1T5E85A	223	AMB42R965	144
AFPB30(E/P)(W)	191	AG1B3924	90	AL1T5E85S	223	AMBE604	155
AFPB31(E/P)(M)	193	AG1B3930	90	AL4L17	223	AMBE605	155
AFPB31(E/P)(W)	191	AG1B3936	90	AL4L31	223	AMBE664	155
AFPE12(L/R)(E/P)	199	AG1B3942	90	AL4L44	223	AMBE665	155
AFPE13(L/R)(E/P)	199	AG1B3948	90	AL4L58	223	AMBE724	155
AFPE22(L/R)(E/P)	199	AG1B3954	90	ALBL24	260	AMBE725	155
AFPE23(L/R)(E/P)	199	AG1B3960	90	ALBL30	260	AMBE784	155
AFPF10(E/P)(M)	193	AG1B3966	90	ALBL36	260	AMBE785	155
AFPF10(E/P)(W)	191	AG1B3972	90	ALBR24	260	AMBE844	155
AFPF11(E/P)(M)	193	AG1B3978	90	ALBR30	260	AMBE845	155
AFPF11(E/P)(W)	191	AG1B3984	90	ALBR36	260	AMBE904	155
AFPF12(E/P)(M)	193	AG1B3990	90	AMB42E604	147	AMBE905	155
AFPF12(E/P)(W)	191	AG1B3996	90	AMB42E605	147	AMBE964	155
AFPF13(E/P)(M)	193	AG1B4920	90	AMB42E664	147	AMBE965	155
AFPF13(E/P)(W)	191	AG1B4924	90	AMB42E665	147	AMBL424	151
AFPF14(E/P)(W)	191	AG1B4930	90	AMB42E724	147	AMBL425	152
AFPF20(E/P)(M)	193	AG1B4936	90	AMB42E725	147	AMBL484	151
AFPF20(E/P)(W)	191	AG1B4942	90	AMB42E784	147	AMBL485	152
AFPF21(E/P)(M)	193	AG1B4948	90	AMB42E785	147	AMBL544	151
AFPF21(E/P)(W)	191	AG1B4954	90	AMB42E844	147	AMBL545	152
AFPF22(E/P)(M)	193	AG1B4960	90	AMB42E845	147	AMBL604	151
AFPF22(E/P)(W)	191	AG1B4966	90	AMB42E904	147	AMBL605	152
AFPF23(E/P)(M)	193	AG1B4972	90	AMB42E905	147	AMBL664	151
AFPF23(E/P)(W)	191	AG1B4978	90	AMB42E964	147	AMBL665	152
AFPF24(E/P)(W)	191	AG1B4984	90	AMB42E965	147	AMBL724	151
AFPF30(E/P)(M)	193	AG1B4990	90	AMB42L424	143	AMBL725	152
AFPF30(E/P)(W)	191	AG1B4996	90	AMB42L425	144	AMBL784	151
AFPF31(E/P)(M)	193	AHHSM36	261	AMB42L484	143	AMBL785	152
AFPF31(E/P)(W)	191	AHHSM42	261	AMB42L485	144	AMBL844	151
AFPH12(E/P)(L/N)(W)	195	AHHSM48	261	AMB42L544	143	AMBL845	152
AFPH13(E/P)(L/N)(W)	195	AHHSM54	261	AMB42L545	144	AMBL904	151
AFPH14(E/P)(L/N)(W)	195	AHHSM60	261	AMB42L604	143	AMBL905	152
AFPH22(E/P)(L/N)(W)	195	AHHSM66	261	AMB42L605	144	AMBL964	151
AFPH23(E/P)(L/N)(W)	195	AHHSM72	261	AMB42L664	143	AMBL965	152
AFPH24(E/P)(L/N)(W)	195	AHHSM78	261	AMB42L665	144	AMBR424	151
AFPHD12(E/P)W	197	AHHSM84	261	AMB42L724	143	AMBR425	152
AFPHD13(E/P)W	197	AHHSM90	261	AMB42L725	144	AMBR484	151
AFPHD22(E/P)W	197	AHHSM96	261	AMB42L784	143	AMBR485	152
AFPHD23(E/P)W	197	AHLTTE18	129	AMB42L785	144	AMBR544	151
AFPHL10(E/P)(L/N)(W)	195	AHLTTE20	129	AMB42L844	143	AMBR545	152
AFPHL11(E/P)(L/N)(W)	195	AHLTTE24	129	AMB42L845	144	AMBR604	151
AFPHL20(E/P)(L/N)(W)	195	AHLTTE30	129	AMB42L904	143	AMBR605	152
AFPHL21(E/P)(L/N)(W)	195	AHLTTE36	129	AMB42L905	144	AMBR664	151
AFPHR10(E/P)(L/N)(W)	195	AHLTTE42	129	AMB42L964	143	AMBR665	152
AFPHR11(E/P)(L/N)(W)	195	AHLTTE48	129	AMB42L965	144	AMBR724	151
AFPHR20(E/P)(L/N)(W)	195	AIP301	247	AMB42R424	143	AMBR725	152
AFPHR21(E/P)(L/N)(W)	195	AIP302	247	AMB42R425	144	AMBR784	151
AFPR10(E/P)M	198	AIP361	247	AMB42R484	143	AMBR785	152

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AMBR844	151	AMGE725	156	AOB4266	159	APIL 4818G	85
AMBR845	152	AMGE784	156	AOB4272	159	APIL 4824 N	84
AMBR904	151	AMGE785	156	AOB4278	159	APIL 4824G	85
AMBR905	152	AMGE844	156	AOBS42	160	APIL 4830 N	84
AMBR964	151	AMGE845	156	AOBS48	160	APIL 4830G	85
AMBR965	152	AMGE904	156	AOBS54	160	APIL 4836 N	84
AMG42E604	148	AMGE905	156	AOBS60	160	APIL 4836G	85
AMG42E605	148	AMGE964	156	AOBS66	160	APIL 4842 N	84
AMG42E664	148	AMGE965	156	AOBS72	160	APIL 4842G	85
AMG42E665	148	AMGL424	153	AOBS78	160	APIL 4848 N	84
AMG42E724	148	AMGL425	154	AOFL1301	257	APIL 4848G	85
AMG42E725	148	AMGL484	153	AOFL1302	257	APIL 4860 N	84
AMG42E784	148	AMGL485	154	AOFL1361	257	APIL 4872 N	84
AMG42E785	148	AMGL544	153	AOFL1362	257	APIL 6418 A	84
AMG42E844	148	AMGL545	154	AOFL260301	257	APIL 6418G	85
AMG42E845	148	AMGL604	153	AOFL260302	257	APIL 6424 A	84
AMG42E904	148	AMGL605	154	AOFL260361	257	APIL 6424G	85
AMG42E905	148	AMGL664	153	AOFL260362	257	APIL 6430 A	84
AMG42E964	148	AMGL665	154	AOFL266301	257	APIL 6430G	85
AMG42E965	148	AMGL724	153	AOFL266302	257	APIL 6436 A	84
AMG42L424	145	AMGL725	154	AOFL266361	257	APIL 6436G	85
AMG42L425	146	AMGL784	153	AOFL266362	257	APIL 6442 A	84
AMG42L484	145	AMGL785	154	AOFL272301	257	APIL 6442G	85
AMG42L485	146	AMGL844	153	AOFL272302	257	APIL 6448 A	84
AMG42L544	145	AMGL845	154	AOFL272361	257	APIL 6448G	85
AMG42L545	146	AMGL904	153	AOFL272362	257	APIL 6460 A	84
AMG42L604	145	AMGL905	154	AOFL278301	257	AP1W 1624G	86
AMG42L605	146	AMGL964	153	AOFL278302	257	AP1W 1630G	86
AMG42L664	145	AMGL965	154	AOFL278361	257	AP1W 1636G	86
AMG42L665	146	AMGR424	153	AOFL278362	257	AP1W 1642G	86
AMG42L724	145	AMGR425	154	AOFL284301	257	AP1W 1648G	86
AMG42L725	146	AMGR484	153	AOFL284302	257	AP1W 1660G	86
AMG42L784	145	AMGR485	154	AOFL284361	257	AP1W 1672G	86
AMG42L785	146	AMGR544	153	AOFL284362	257	AP1W 1824G	86
AMG42L844	145	AMGR545	154	AOFL290301	257	AP1W 1830G	86
AMG42L845	146	AMGR604	153	AOFL290302	257	AP1W 1836G	86
AMG42L904	145	AMGR605	154	AOFL290361	257	AP1W 1842G	86
AMG42L905	146	AMGR664	153	AOFL290362	257	AP1W 1848G	86
AMG42L964	145	AMGR665	154	AOFL296301	257	AP1W 1860G	86
AMG42L965	146	AMGR724	153	AOFL296302	257	AP1W 1872G	86
AMG42R424	145	AMGR725	154	AOFL296361	257	AP1W 2224G	86
AMG42R425	146	AMGR784	153	AOFL296362	257	AP1W 2230G	86
AMG42R484	145	AMGR785	154	APIL 3018 N	84	AP1W 2236G	86
AMG42R485	146	AMGR844	153	APIL 3024 N	84	AP1W 2242G	86
AMG42R544	145	AMGR845	154	APIL 3030 N	84	AP1W 2248G	86
AMG42R545	146	AMGR904	153	APIL 3036 N	84	AP1W 2260G	86
AMG42R604	145	AMGR905	154	APIL 3042 N	84	AP1W 2272G	86
AMG42R605	146	AMGR964	153	APIL 3048 N	84	AP1W 2524G	86
AMG42R664	145	AMGR965	154	APIL 3060 N	84	AP1W 2530G	86
AMG42R665	146	AMGTTA	163	APIL 3072 N	84	AP1W 2536G	86
AMG42R724	145	AMGTTB	163	APIL 3918 N	84	AP1W 2542G	86
AMG42R725	146	AMGTTC	163	APIL 3918G	85	AP1W 2548G	86
AMG42R784	145	AMGTTD	163	APIL 3924 N	84	AP1W 2560G	86
AMG42R785	146	AMPB10(E/P)(M)	194	APIL 3924G	85	AP1W 2572G	86
AMG42R844	145	AMPB10(E/P)(W)	192	APIL 3930 N	84	APA 39	48
AMG42R845	146	AMPB11(E/P)(M)	194	APIL 3930G	85	APA 48	48
AMG42R904	145	AMPB11(E/P)(W)	192	APIL 3936 N	84	APA 64	48
AMG42R905	146	AMPB20(E/P)(M)	194	APIL 3936G	85	APA1 LF	89
AMG42R964	145	AMPB20(E/P)(W)	192	APIL 3942 N	84	APBF16	196
AMG42R965	146	AMPB21(E/P)(M)	194	APIL 3942G	85	APBF19	196
AMGE604	156	AMPB21(E/P)(W)	192	APIL 3948 N	84	APBF30	196
AMGE605	156	AOB4242	159	APIL 3948G	85	APBF36	196
AMGE664	156	AOB4248	159	APIL 3960 N	84	APCA 0912	57
AMGE665	156	AOB4254	159	APIL 3972 N	84	APCA 0912 A	58
AMGE724	156	AOB4260	159	APIL 4818 N	84	APCA 0912 C	54

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
APCA 0912 S	54	APCST	268	APRT2L1PC(L/R)6030	241	APRT2O1PC(L/R)9030	243
APCA 0924	57	APF1 3948	48	APRT2L1PC(L/R)6036	241	APRT2O1PC(L/R)9036	243
APCA 0924 A	58	APF1 3960	48	APRT2L1PC(L/R)6630	241	APRT2O1PC(L/R)9630	243
APCA 0924 C	54	APF1 3972	48	APRT2L1PC(L/R)6636	241	APRT2O1PC(L/R)9636	243
APCA 0924 S	54	APF1 4848	48	APRT2L1PC(L/R)7230	241	APRT2O1ST(L/R)6030	242
APCA 0936	57	APF1 4860	48	APRT2L1PC(L/R)7236	241	APRT2O1ST(L/R)6036	242
APCA 0936 A	58	APF1 4872	48	APRT2L1PC(L/R)7830	241	APRT2O1ST(L/R)6630	242
APCA 0936 C	54	APF1 6448	48	APRT2L1PC(L/R)7836	241	APRT2O1ST(L/R)6636	242
APCA 0936 S	54	APF1 6460	48	APRT2L1PC(L/R)8430	241	APRT2O1ST(L/R)7230	242
APCA 0948	57	APF1 6472	48	APRT2L1PC(L/R)8436	241	APRT2O1ST(L/R)7236	242
APCA 0948 A	58	APFA1 3948	48	APRT2L1PC(L/R)9030	241	APRT2O1ST(L/R)7830	242
APCA 0948 C	54	APFA1 3960	48	APRT2L1PC(L/R)9036	241	APRT2O1ST(L/R)7836	242
APCA 0948 S	54	APFA1 3972	48	APRT2L1PC(L/R)9630	241	APRT2O1ST(L/R)8430	242
APCA 0960	57	APFA1 4848	48	APRT2L1PC(L/R)9636	241	APRT2O1ST(L/R)8436	242
APCA 0960 A	58	APFA1 4860	48	APRT2L1ST(L/R)6030	240	APRT2O1ST(L/R)9030	242
APCA 0960 C	54	APFA1 4872	48	APRT2L1ST(L/R)6036	240	APRT2O1ST(L/R)9036	242
APCA 0960 S	54	APFA1 6448	48	APRT2L1ST(L/R)6630	240	APRT2O1ST(L/R)9630	242
APCA 0972	57	APFA1 6460	48	APRT2L1ST(L/R)6636	240	APRT2O1ST(L/R)9636	242
APCA 0972 A	58	APFA1 6472	48	APRT2L1ST(L/R)7230	240	APRT2O2PC(L/R)6030	243
APCA 0972 C	54	APHOBR42	210	APRT2L1ST(L/R)7236	240	APRT2O2PC(L/R)6036	243
APCA 0972 S	54	APHOBR48	210	APRT2L1ST(L/R)7830	240	APRT2O2PC(L/R)6630	243
APCA 1612	57	APHOBR54	210	APRT2L1ST(L/R)7836	240	APRT2O2PC(L/R)6636	243
APCA 1612 A	58	APHOBR60	210	APRT2L1ST(L/R)8430	240	APRT2O2PC(L/R)7230	243
APCA 1624	57	APHOBR66	210	APRT2L1ST(L/R)8436	240	APRT2O2PC(L/R)7236	243
APCA 1624 A	58	APHOBR72	210	APRT2L1ST(L/R)9030	240	APRT2O2PC(L/R)7830	243
APCA 1636	57	APHOBR78	210	APRT2L1ST(L/R)9036	240	APRT2O2PC(L/R)7836	243
APCA 1636 A	58	APHOBR84	210	APRT2L1ST(L/R)9630	240	APRT2O2PC(L/R)8430	243
APCA 1648	57	APHOBR90	210	APRT2L1ST(L/R)9636	240	APRT2O2PC(L/R)8436	243
APCA 1648 A	58	APHOBR96	210	APRT2L2PC(L/R)6030	241	APRT2O2PC(L/R)9030	243
APCA 1660	57	APHOBS42	209	APRT2L2PC(L/R)6036	241	APRT2O2PC(L/R)9036	243
APCA 1660 A	58	APHOBS48	209	APRT2L2PC(L/R)6630	241	APRT2O2PC(L/R)9630	243
APCA 1672	57	APHOBS54	209	APRT2L2PC(L/R)6636	241	APRT2O2PC(L/R)9636	243
APCA 1672 A	58	APHOBS60	209	APRT2L2PC(L/R)7230	241	APRT2O2ST(L/R)6030	242
APCA 1812	57	APHOBS66	209	APRT2L2PC(L/R)7236	241	APRT2O2ST(L/R)6036	242
APCA 1812 A	58	APHOBS72	209	APRT2L2PC(L/R)7830	241	APRT2O2ST(L/R)6630	242
APCA 1824	57	APHOBS78	209	APRT2L2PC(L/R)7836	241	APRT2O2ST(L/R)6636	242
APCA 1824 A	58	APHOBS84	209	APRT2L2PC(L/R)8430	241	APRT2O2ST(L/R)7230	242
APCA 1836	57	APHOBS90	209	APRT2L2PC(L/R)8436	241	APRT2O2ST(L/R)7236	242
APCA 1836 A	58	APHOBS96	209	APRT2L2PC(L/R)9030	241	APRT2O2ST(L/R)7830	242
APCA 1848	57	APHOGR42	210	APRT2L2PC(L/R)9036	241	APRT2O2ST(L/R)7836	242
APCA 1848 A	58	APHOGR48	210	APRT2L2PC(L/R)9630	241	APRT2O2ST(L/R)8430	242
APCA 1860	57	APHOGR54	210	APRT2L2PC(L/R)9636	241	APRT2O2ST(L/R)8436	242
APCA 1860 A	58	APHOGR60	210	APRT2L2ST(L/R)6030	240	APRT2O2ST(L/R)9030	242
APCA 1872	57	APHOGR66	210	APRT2L2ST(L/R)6630	240	APRT2O2ST(L/R)9036	242
APCA 1872 A	58	APHOGR72	210	APRT2L2ST(L/R)6636	240	APRT2O2ST(L/R)9630	242
APCA 2712	57	APHOGR78	210	APRT2L2ST(L/R)7230	240	APRT2O2ST(L/R)9636	242
APCA 2712 A	58	APHOGR84	210	APRT2L2ST(L/R)7236	240	APRT2S1PC(L/R)6030	239
APCA 2724	57	APHOGR90	210	APRT2L2ST(L/R)7830	240	APRT2S1PC(L/R)6036	239
APCA 2724 A	58	APHOGR96	210	APRT2L2ST(L/R)7836	240	APRT2S1PC(L/R)6630	239
APCA 2736	57	APHOGS42	209	APRT2L2ST(L/R)8430	240	APRT2S1PC(L/R)6636	239
APCA 2736 A	58	APHOGS48	209	APRT2L2ST(L/R)8436	240	APRT2S1PC(L/R)7230	239
APCA 2748	57	APHOGS54	209	APRT2L2ST(L/R)9030	240	APRT2S1PC(L/R)7236	239
APCA 2748 A	58	APHOGS60	209	APRT2L2ST(L/R)9036	240	APRT2S1PC(L/R)7830	239
APCA 2760	57	APHOGS66	209	APRT2L2ST(L/R)9630	240	APRT2S1PC(L/R)7836	239
APCA 2760 A	58	APHOGS72	209	APRT2L2ST(L/R)9636	240	APRT2S1PC(L/R)8430	239
APCA 2772	57	APHOGS78	209	APRT2O1PC(L/R)6030	243	APRT2S1PC(L/R)8436	239
APCA 2772 A	58	APHOGS84	209	APRT2O1PC(L/R)6036	243	APRT2S1PC(L/R)9030	239
APCA AZ48	53	APHOGS90	209	APRT2O1PC(L/R)6630	243	APRT2S1PC(L/R)9036	239
APCA AZ48S	52	APHOGS96	209	APRT2O1PC(L/R)6636	243	APRT2S1PC(L/R)9630	239
APCA AZ60	53	APLP10	131	APRT2O1PC(L/R)7230	243	APRT2S1PC(L/R)9636	239
APCA AZ60S	52	APLP25	131	APRT2O1PC(L/R)7236	243	APRT2S1ST(L/R)6030	238
APCA AZ72	53	APRA 480	50	APRT2O1PC(L/R)7830	243	APRT2S1ST(L/R)6036	238
APCA AZ72S	52	APRA 600	50	APRT2O1PC(L/R)7836	243	APRT2S1ST(L/R)6630	238
APCA HOC	55	APRA 720	50	APRT2O1PC(L/R)8430	243	APRT2S1ST(L/R)6636	238
APCA OC	54	APRT1L2ST(L/R)6036	240	APRT2O1PC(L/R)8436	243	APRT2S1ST(L/R)7230	238

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
APRT2S1ST(L/R)7236	238	APT1 C72	50	AR1 TJ8	81	ASM42WB66	149
APRT2S1ST(L/R)7830	238	APTA 48	49	AR1 TOM	81	ASM42WB72	149
APRT2S1ST(L/R)7836	238	APTA 60	49	AR1 TPH1	81	ASM42WB78	149
APRT2S1ST(L/R)8430	238	APTA 72	49	AR1 TPH2	81	ASM42WB84	149
APRT2S1ST(L/R)8436	238	APTA C24	50	AR1 TPI5	81	ASM42WB90	149
APRT2S1ST(L/R)9030	238	APTA C36	50	AR1 TPIC	81	ASM42WB96	149
APRT2S1ST(L/R)9036	238	APTA C48	50	AR1 TT1	81	ASM42WG42	150
APRT2S1ST(L/R)9630	238	APTA C60	50	AR1 TT3	81	ASM42WG48	150
APRT2S1ST(L/R)9636	238	APTA C72	50	AR1 TT5	81	ASM42WG54	150
APRT2S2PC(L/R)6030	239	APTA CC	50	AR1 TT8	81	ASM42WG60	150
APRT2S2PC(L/R)6036	239	APTA CC1	50	AR1-ELS-B	79, 81	ASM42WG66	150
APRT2S2PC(L/R)6630	239	APTH	51	AS1 BKH	190	ASM42WG72	150
APRT2S2PC(L/R)6636	239	APTH 120	49	AS1 BKL	190	ASM42WG78	150
APRT2S2PC(L/R)7230	239	APTH 48	49	AS1 DPAD	188, 189	ASM42WG84	150
APRT2S2PC(L/R)7236	239	APTH 60	49	AS1 SPAD	188, 189	ASM42WG90	150
APRT2S2PC(L/R)7830	239	APTH 72	49	AS2 PT(C)	190	ASM42WG96	150
APRT2S2PC(L/R)7836	239	APTH 96	49	AS2 PT(N)	190	ASMMB42	157
APRT2S2PC(L/R)8430	239	APTL	51	ASAMP1616	229	ASMMB48	157
APRT2S2PC(L/R)8436	239	APTL 120	49	ASBC18 (L/R)	255	ASMMB54	157
APRT2S2PC(L/R)9030	239	APTL 48	49	ASBC24 (L/R)	255	ASMMB60	157
APRT2S2PC(L/R)9036	239	APTL 60	49	ASBF1 36	200	ASMMB66	157
APRT2S2PC(L/R)9630	239	APTL 72	49	ASBF1 42	200	ASMMB72	157
APRT2S2PC(L/R)9636	239	APTL 96	49	ASBF1 48	200	ASMMB78	157
APRT2S2ST(L/R)6030	238	APTL126	256	ASBS1 36	200	ASMMB84	157
APRT2S2ST(L/R)6036	238	APTL127	256	ASBS1 42	200	ASMMB90	157
APRT2S2ST(L/R)6630	238	APTL128	256	ASBS1 48	200	ASMMB96	157
APRT2S2ST(L/R)6636	238	APX CIP4	82	ASBT1 36	200	ASMMC42	158
APRT2S2ST(L/R)7230	238	APX CIP6	82	ASBT1 42	200	ASMMC48	158
APRT2S2ST(L/R)7236	238	APX CIP8	82	ASBT1 48	200	ASMMC54	158
APRT2S2ST(L/R)7830	238	AR1 DA	79, 81	ASFS1FF18	186	ASMMC60	158
APRT2S2ST(L/R)7836	238	AR1 DB	79, 81	ASFS1FF24	186	ASMMC66	158
APRT2S2ST(L/R)8430	238	AR1 DC	81	ASFS1PDF18	186	ASMMC72	158
APRT2S2ST(L/R)8436	238	AR1 DX	79, 81	ASFS1PDF24	186	ASMMC78	158
APRT2S2ST(L/R)9030	238	AR1 DY	79, 81	ASFS1WDD30	186	ASMMC84	158
APRT2S2ST(L/R)9036	238	AR1 DZ	81	ASFS1WDD36	186	ASMMC90	158
APRT2S2ST(L/R)9630	238	AR1 EJ1	80	ASFS1WDF30	186	ASMMC96	158
APRT2S2ST(L/R)9636	238	AR1 EJ10	80	ASFS1WDF36	186	ASMS1 DF18	187
APSA 0921	56	AR1 EJ12	80	ASFS1WFF30	186	ASMS1 DF24	187
APSA 0924	56	AR1 EJ2	80	ASFS1WFF36	186	ASMS1 DFO18	187
APSA 0933	56	AR1 EJ3	80	ASFS1WPDF30	186	ASMS1 DFO24	187
APSA 0936	56	AR1 EJ4	80	ASFS1WPDF36	186	ASMS1 FF18	187
APSA 0945	56	AR1 EJ5	80	ASM42MB42	149	ASMS1 FF24	187
APSA 0948	56	AR1 EJ6	80	ASM42MB48	149	ASMS1 PDF18	187
APSA 0957	56	AR1 EJ8	80	ASM42MB54	149	ASMS1 PDF24	187
APSA 0960	56	AR1 EOM	79	ASM42MB60	149	ASMWB42	157
APSA 0969	56	AR1 EPH1	79	ASM42MB66	149	ASMWB48	157
APSA 0972	56	AR1 EPH2	79	ASM42MB72	149	ASMWB54	157
APSA 1621	56	AR1 EPI5	79	ASM42MB78	149	ASMWB60	157
APSA 1624	56	AR1 EPIC	79	ASM42MB84	149	ASMWB66	157
APSA 1633	56	AR1 ET1	79	ASM42MB90	149	ASMWB72	157
APSA 1636	56	AR1 ET3	79	ASM42MB96	149	ASMWB78	157
APSA 1645	56	AR1 ET5	79	ASM42MC42	150	ASMWB84	157
APSA 1648	56	AR1 ET8	79	ASM42MC48	150	ASMWB90	157
APSA 1657	56	AR1 HCC H10	82	ASM42MC54	150	ASMWB96	157
APSA 1660	56	AR1 HOB	55	ASM42MC60	150	ASMWC42	158
APSA 1669	56	AR1 HOB2	55	ASM42MC66	150	ASMWC48	158
APSA 1672	56	AR1 PCC 100	82	ASM42MC72	150	ASMWC54	158
APT	50	AR1 TJ1	81	ASM42MC78	150	ASMWC60	158
APT 48	49	AR1 TJ10	81	ASM42MC84	150	ASMWC66	158
APT 60	49	AR1 TJ12	81	ASM42MC90	150	ASMWC72	158
APT 72	49	AR1 TJ2	81	ASM42MC96	150	ASMWC78	158
APT1 C24	50	AR1 TJ3	81	ASM42WB42	149	ASMWC84	158
APT1 C36	50	AR1 TJ4	81	ASM42WB48	149	ASMWC90	158
APT1 C48	50	AR1 TJ5	81	ASM42WB54	149	ASMWC96	158
APT1 C60	50	AR1 TJ6	81	ASM42WB60	149	ASOBD42	202

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ASOBD48	202	ASOG096	201	ATARLL4228(L/M/V)	245	ATDT1LPM603028(L/M/V)	248
ASOBD54	202	ASOGR42	205	ATARLL4827(L/M/V)	245	ATDT1LPM723027(L/M/V)	248
ASOBD60	202	ASOGR48	205	ATARLL4828(L/M/V)	245	ATDT1LPM723028(L/M/V)	248
ASOBD66	202	ASOGR54	205	ATAT4LL424227(L/M/V)	245	ATDT1LPM723627(L/M/V)	248
ASOBD72	202	ASOGR60	205	ATAT4LL424228(L/M/V)	245	ATDT1LPM723628(L/M/V)	248
ASOBD78	202	ASOGR66	205	ATAT4LL484827(L/M/V)	245	ATDT1LPS483027(L/M/V)	249
ASOBD84	202	ASOGR72	205	ATAT4LL484828(L/M/V)	245	ATDT1LPS483028(L/M/V)	249
ASOBD90	202	ASOGR78	205	ATB1426	265	ATDT1LPS603027(L/M/V)	249
ASOBD96	202	ASOGR84	205	ATB1432	265	ATDT1LPS603028(L/M/V)	249
ASOBO42	201	ASOGR90	205	ATB1442	265	ATDT1LPS723027(L/M/V)	249
ASOBO48	201	ASOGR96	205	ATB1448	265	ATDT1LPS723028(L/M/V)	249
ASOBO54	201	ASOGS42	204	ATB1454	265	ATDT1LPS723627(L/M/V)	249
ASOBO60	201	ASOGS48	204	ATB1460	265	ATDT1LPS723628(L/M/V)	249
ASOBO66	201	ASOGS54	204	ATB1466	265	ATDT4LL483027(L/M/V)	245
ASOBO72	201	ASOGS60	204	ATB1472	265	ATDT4LL483028(L/M/V)	245
ASOBO78	201	ASOGS66	204	ATB1478	265	ATDT4LL603027(L/M/V)	245
ASOBO84	201	ASOGS72	204	ATB1484	265	ATDT4LL603028(L/M/V)	245
ASOBO90	201	ASOGS78	204	ATB1490	265	ATDT4LL723027(L/M/V)	245
ASOBO96	201	ASOGS84	204	ATB1496	265	ATDT4LL723028(L/M/V)	245
ASOBR42	205	ASOGS90	204	ATBB42	265	ATDT4LL723627(L/M/V)	245
ASOBR48	205	ASOGS96	204	ATBB48	265	ATDT4LL723628(L/M/V)	245
ASOBR54	205	ASOGT60	203	ATBB54	265	ATRT2DOF60301	246
ASOBR60	205	ASOGT66	203	ATBB60	265	ATRT2DOF60302	246
ASOBR66	205	ASOGT72	203	ATBB66	265	ATRT2DOF60361	246
ASOBR72	205	ASOGT78	203	ATBB72	265	ATRT2DOF60362	246
ASOBR78	205	ASOGT84	203	ATBB78	265	ATRT2DOF66301	246
ASOBR84	205	ASOGT90	203	ATBM26	265	ATRT2DOF66302	246
ASOBR90	205	ASOGT96	203	ATBM32	265	ATRT2DOF66361	246
ASOBR96	205	AST	268	ATBM42	265	ATRT2DOF66362	246
ASOBS42	204	ASWB42	266	ATBM48	265	ATRT2DOF72301	246
ASOBS48	204	ASWB48	266	ATBM54	265	ATRT2DOF72302	246
ASOBS54	204	ASWB54	266	ATBM60	265	ATRT2DOF72361	246
ASOBS60	204	ASWB60	266	ATBM66	265	ATRT2DOF72362	246
ASOBS66	204	ASWB66	266	ATBM72	265	ATRT2DOF78301	246
ASOBS72	204	ASWB72	266	ATBM78	265	ATRT2DOF78302	246
ASOBS78	204	ASWB78	266	ATBM84	265	ATRT2DOF78361	246
ASOBS84	204	ASWM26	266	ATBM90	265	ATRT2DOF78362	246
ASOBS90	204	ASWM32	266	ATBM96	265	ATRT2DOF84301	246
ASOBS96	204	ASWM42	266	ATBT120	260	ATRT2DOF84302	246
ASOBT60	203	ASWM48	266	ATBT124	260	ATRT2DOF84361	246
ASOBT66	203	ASWM54	266	ATBT130	260	ATRT2DOF84362	246
ASOBT72	203	ASWM60	266	ATBT136	260	ATRT2DOF90301	246
ASOBT78	203	ASWM66	266	ATBT224	260	ATRT2DOF90302	246
ASOBT84	203	ASWM72	266	ATBT230	260	ATRT2DOF90361	246
ASOBT90	203	ASWM78	266	ATBT236	260	ATRT2DOF90362	246
ASOBT96	203	ASWM84	266	ATBT242	260	ATRT2DOF96301	246
ASOGD42	202	ASWM90	266	ATDT1LFM483027(L/M/V)	248	ATRT2DOF96302	246
ASOGD48	202	ASWM96	266	ATDT1LFM483028(L/M/V)	248	ATRT2DOF96361	246
ASOGD54	202	ASWRB42	112	ATDT1LFM603027(L/M/V)	248	ATRT2DOF96362	246
ASOGD60	202	ASWRB49	112	ATDT1LFM603028(L/M/V)	248	ATSB442	161
ASOGD66	202	ASWRB64	112	ATDT1LFM723027(L/M/V)	248	ATSB448	161
ASOGD72	202	ASWRB79	112	ATDT1LFM723028(L/M/V)	248	ATSB454	161
ASOGD78	202	AT2TB (pair)	255	ATDT1LFM723627(L/M/V)	248	ATSB460	161
ASOGD84	202	ATA1R36	244	ATDT1LFM723628(L/M/V)	248	ATSB466	161
ASOGD90	202	ATA1R42	244	ATDT1LFS483027(L/M/V)	248	ATSB472	161
ASOGD96	202	ATA1R48	244	ATDT1LFS483028(L/M/V)	248	ATSB478	161
ASOGO42	201	ATA1T44242	244	ATDT1LFS603027(L/M/V)	248	ATSB484	161
ASOGO48	201	ATA1T44830	244	ATDT1LFS603028(L/M/V)	248	ATSB490	161
ASOGO54	201	ATA1T44848	244	ATDT1LFS723027(L/M/V)	248	ATSB496	161
ASOGO60	201	ATA1T46030	244	ATDT1LFS723028(L/M/V)	248	ATSB502	161
ASOGO66	201	ATA1T47230	244	ATDT1LFS723627(L/M/V)	248	ATSB508	161
ASOGO72	201	ATA1T47236	244	ATDT1LFS723628(L/M/V)	248	ATSB514	161
ASOGO78	201	ATARLL3627(L/M/V)	245	ATDT1LPM483027(L/M/V)	248	ATSB520	161
ASOGO84	201	ATARLL3628(L/M/V)	245	ATDT1LPM483028(L/M/V)	248	ATSB526	161
ASOGO90	201	ATARLL4227(L/M/V)	245	ATDT1LPM603027(L/M/V)	248	ATSB532	161

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ATSBC54	161	AUOMBCC3	211	AW1T1RF7820	227	AW1T1WF7226	229
ATSBC60	161	AUOMBSS62	211	AW1T1RF7824	227	AW1T1WF7262	229
ATSBC66	161	AUOMBSS63	211	AW1T1RF7830	228	AW1T1WU4823	232
ATSBC72	161	AUOMBSS72	211	AW1T1RF7836	228	AW1T1WU4832	232
ATSBC78	161	AUOMBSS73	211	AW1T1RF8420	227	AW1T1WU6023	232
ATSBD42	161	AUOMBSS92	211	AW1T1RF8424	227	AW1T1WU6032	232
ATSBD48	161	AUOMBSS93	211	AW1T1RF8430	228	AW1T1WU7226	232
ATSBD54	161	AW1T1R3423	235	AW1T1RF8436	228	AW1T1WU7262	232
ATSBD60	161	AW1T1R3429	235	AW1T1RF9020	227	AW1T2DW4826	237
ATSBD66	161	AW1T1R4023	235	AW1T1RF9024	227	AW1T2DW6026	237
ATSBD72	161	AW1T1R4029	235	AW1T1RF9030	228	AW1T2DW7226	237
ATSBD78	161	AW1T1R4623	235	AW1T1RF9036	228	AW1T2R3030	233
ATSBE42	161	AW1T1R4629	235	AW1T1RF9620	227	AW1T2R3036	233
ATSBE48	161	AW1T1R5223	235	AW1T1RF9624	227	AW1T2R3042	234
ATSBE54	161	AW1T1R5229	235	AW1T1RF9630	228	AW1T2R3630	233
ATSBE60	162	AW1T1R5823	235	AW1T1RF9636	228	AW1T2R3636	233
ATSBE66	162	AW1T1R5829	235	AW1T1RU1820	230	AW1T2R3642	234
ATSBE72	162	AW1T1R6423	235	AW1T1RU1824	230	AW1T2R4230	233
ATSBE78	162	AW1T1R6429	235	AW1T1RU1830	231	AW1T2R4236	233
ATSCD19	180	AW1T1R7023	235	AW1T1RU2020	230	AW1T2R4242	234
ATTA24L	250	AW1T1R7029	235	AW1T1RU2024	230	AW1T2R4635	235
ATTA24R	251	AW1T1RF1820	227	AW1T1RU2030	231	AW1T2R4830	233
ATTA24S	250	AW1T1RF1824	227	AW1T1RU2420	230	AW1T2R4836	233
ATTA30L	250	AW1T1RF1830	228	AW1T1RU2424	230	AW1T2R4842	234
ATTA30R	251	AW1T1RF1836	228	AW1T1RU2430	231	AW1T2R5235	235
ATTA30S	250	AW1T1RF2020	227	AW1T1RU3020	230	AW1T2R5430	233
ATTA36L	250	AW1T1RF2024	227	AW1T1RU3024	230	AW1T2R5436	233
ATTA36R	251	AW1T1RF2030	228	AW1T1RU3030	231	AW1T2R5442	234
ATTA36S	250	AW1T1RF2036	228	AW1T1RU3620	230	AW1T2R5835	235
ATTA42L	250	AW1T1RF2420	227	AW1T1RU3624	230	AW1T2R6030	233
ATTA42R	251	AW1T1RF2424	227	AW1T1RU3630	231	AW1T2R6036	233
ATTA42S	250	AW1T1RF2430	228	AW1T1RU4220	230	AW1T2R6042	234
ATTA48L	250	AW1T1RF2436	228	AW1T1RU4224	230	AW1T2R6435	235
ATTA48R	251	AW1T1RF3020	227	AW1T1RU4230	231	AW1T2R6630	233
ATTA48S	250	AW1T1RF3024	227	AW1T1RU4820	230	AW1T2R6636	233
ATTA54L	250	AW1T1RF3030	228	AW1T1RU4824	230	AW1T2R6642	234
ATTA54R	251	AW1T1RF3036	228	AW1T1RU4830	231	AW1T2R7035	235
ATTA54S	250	AW1T1RF3620	227	AW1T1RU5420	230	AW1T2R7230	233
ATTA60L	250	AW1T1RF3624	227	AW1T1RU5424	230	AW1T2R7236	233
ATTA60R	251	AW1T1RF3630	228	AW1T1RU5430	231	AW1T2R7242	234
ATTA60S	250	AW1T1RF3636	228	AW1T1RU6020	230	AW1T2R7830	233
ATTA66L	250	AW1T1RF4220	227	AW1T1RU6024	230	AW1T2R7836	233
ATTA66R	251	AW1T1RF4224	227	AW1T1RU6030	231	AW1T2R7842	234
ATTA66S	250	AW1T1RF4230	228	AW1T1RU6620	230	AW1T2R8430	233
ATTA72L	250	AW1T1RF4236	228	AW1T1RU6624	230	AW1T2R8436	233
ATTA72R	251	AW1T1RF4820	227	AW1T1RU6630	231	AW1T2R8442	234
ATTA72S	250	AW1T1RF4824	227	AW1T1RU7220	230	AW1T2R9030	233
AUA1 0824 G	83	AW1T1RF4830	228	AW1T1RU7224	230	AW1T2R9036	233
AUA1 0836 G	83	AW1T1RF4836	228	AW1T1RU7230	231	AW1T2R9042	234
AUA1 0848 G	83	AW1T1RF5420	227	AW1T1RU7820	230	AW1T2R9630	233
AUA1 0860 G	83	AW1T1RF5424	227	AW1T1RU7824	230	AW1T2R9636	233
AUA1 0872 G	83	AW1T1RF5430	228	AW1T1RU7830	231	AW1T2R9642	234
AUA1 1224 G	83	AW1T1RF5436	228	AW1T1RU8420	230	AW1T2W4823	236
AUA1 1236 G	83	AW1T1RF6020	227	AW1T1RU8424	230	AW1T2W4832	236
AUA1 1248 G	83	AW1T1RF6024	227	AW1T1RU8430	231	AW1T2W6023	236
AUA1 1260 G	83	AW1T1RF6030	228	AW1T1RU9020	230	AW1T2W6032	236
AUA1 1272 G	83	AW1T1RF6036	228	AW1T1RU9024	230	AW1T2W7226	236
AUA1 1524 G	83	AW1T1RF6620	227	AW1T1RU9030	231	AW1T2W7262	236
AUA1 1536 G	83	AW1T1RF6624	227	AW1T1RU9620	230	AWBK42	163
AUA1 1548 G	83	AW1T1RF6630	228	AW1T1RU9624	230	AWBK48	163
AUA1 1560 G	83	AW1T1RF6636	228	AW1T1RU9630	231	AWBK54	163
AUA1 1572 G	83	AW1T1RF7220	227	AW1T1WF4823	229	AWBK60	163
AUOMBAP2	211	AW1T1RF7224	227	AW1T1WF4832	229	AWBK66	163
AUOMBAP3	211	AW1T1RF7230	228	AW1T1WF6023	229	AWBK72	163
AUOMBCC2	211	AW1T1RF7236	228	AW1T1WF6032	229	AWBK78	163

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AWBK84	163	AWHOGSR96	215	AX1 R34239	73	AX1DHES6403L(5)	70
AWBK90	163	AWHOGSS60	215	AX1 R34939	73	AX1DHES6403R(5)	70
AWBK96	163	AWHOGSS66	215	AX1 R34948	73	AX1GES39	69
AWBS42	160	AWHOGSS72	215	AX1 R36439	73	AX1GES48	69
AWBS48	160	AWHOGSS78	215	AX1 R36448	73	AX1LES E	67
AWBS54	160	AWHOGSS84	215	AX1 R36464	73	AX1LES30	67
AWBS60	160	AWHOGSS90	215	AX1 R37939	73	AX1LES39	67
AWBS66	160	AWHOGSS96	215	AX1 R37948	73	AX1LES48	67
AWBS72	160	AWHTB3024	267	AX1 R37964	73	AX1LES64	67
AWBS78	160	AWHTB3030	267	AX1 RF1	72	AX1MES30	67
AWBS84	160	AWHTB3624	267	AX1 RF3	72	AX1MES39	67
AWBS90	160	AWHTB3630	267	AX1 S	61	AX1MES42	67
AWBS96	160	AWHTB4224	267	AX1 SWS39	61	AX1MES48	67
AWCPFS	196	AWHTB4230	267	AX1 SWS48	61	AX1MES56	67
AWCPFS19	196	AWHTB4824	267	AX1 SWS64	61	AX1MES64	67
AWFL27	256	AWHTB4830	267	AX1A C39	59	AX1MES80	67
AWFL28	256	AWHTB5424	267	AX1A C48	59	AX1SEA3939	64
AWHOBDR60	219	AWHTB5430	267	AX1A C64	59	AX1SEA4239	64
AWHOBDR66	219	AWHTB6024	267	AX1A EH39	59	AX1SEA4339 C	64
AWHOBDR72	219	AWHTB6030	267	AX1A EH48	59	AX1SEA4848	64
AWHOBDR78	219	AWHTB6624	267	AX1A EH64	59	AX1SEA4939	64
AWHOBDR84	219	AWHTB6630	267	AX1A EL39	59	AX1SEA4948	64
AWHOBDR90	219	AWHTB7224	267	AX1A EL48	59	AX1SEA4964	64
AWHOBDR96	219	AWHTB7230	267	AX1A EL64	59	AX1SEA5248 C	64
AWHOBDS60	219	AWHTB7824	267	AX1A F39	59	AX1SEA6439	64
AWHOBDS66	219	AWHTB7830	267	AX1A F48	59	AX1SEA6448	64
AWHOBDS72	219	AWHTB8424	267	AX1A F64	59	AX1SEA6464	64
AWHOBDS78	219	AWHTB8430	267	AX1A L39	60	AX1SEA6864 C	64
AWHOBDS84	219	AWHTB9024	267	AX1A L48	60	AX1SEA7948	64
AWHOBDS90	219	AWHTB9030	267	AX1A L64	60	AX1SEA7964	64
AWHOBDS96	219	AWHTB9624	267	AX1A T39	60	AX1SEC3939	62
AWHOBDR60	215	AWHTB9630	267	AX1A T48	60	AX1SEC4039 L	62
AWHOBDR66	215	AWM1 S36	264	AX1A T64	60	AX1SEC4239	63
AWHOBDR72	215	AWM1 S42	264	AX1A V39	60	AX1SEC4339 C	62
AWHOBDR78	215	AWM1 S48	264	AX1A V48	60	AX1SEC4839	63
AWHOBDR84	215	AWM1 S60	264	AX1A V64	60	AX1SEC4848	62
AWHOBDR90	215	AWM1 S66	264	AX1A X39	60	AX1SEC4948 L	62
AWHOBDR96	215	AWM1 S72	264	AX1A X48	60	AX1SEC5248 C	62
AWHOBSS60	215	AWM1 S78	264	AX1A X64	60	AX1SEC5639	63
AWHOBSS66	215	AWM1 S84	264	AX1A Y39	60	AX1SEC5648	63
AWHOBSS72	215	AWSO	268	AX1A Y48	60	AX1SEC6439	63
AWHOBSS78	215	AWSO	268	AX1A Y64	60	AX1SEC6448	63
AWHOBSS84	215	AWTCT24	180	AX1AES34	68	AX1SEC6464	62
AWHOBSS90	215	AWTCT30	180	AX1AES42	68	AX1SEC6564 L	62
AWHOBSS96	215	AX1 A34239	73	AX1AES49	68	AX1SEC6864 C	62
AWHOGDR60	219	AX1 A34939	73	AX1AES64	68	AX1SEC8048	63
AWHOGDR66	219	AX1 A34948	73	AX1AES79	68	AX1SEC8064	63
AWHOGDR72	219	AX1 A36439	73	AX1DHES3600L(5)	70	AX1SECBT	62, 63, 64, 65
AWHOGDR78	219	AX1 A36448	74	AX1DHES3600R(5)	70	AX1SED3939	65
AWHOGDR84	219	AX1 A36464	74	AX1DHES3603L(5)	70	AX1SED4239	65
AWHOGDR90	219	AX1 HLS4839	61	AX1DHES3603R(5)	70	AX1SED4339C	65
AWHOGDR96	219	AX1 HLS6439	61	AX1DHES4200L(5)	70	AX1SED4848	65
AWHOGDS60	219	AX1 HLS6448	61	AX1DHES4200R(5)	70	AX1SED5039	65
AWHOGDS66	219	AX1 M3939	72	AX1DHES4203L(5)	70	AX1SED5048	65
AWHOGDS72	219	AX1 M4239	72	AX1DHES4203R(5)	70	AX1SED5248C	65
AWHOGDS78	219	AX1 M4839	72	AX1DHES5000L(5)	70	AX1SED5739	65
AWHOGDS84	219	AX1 M4848	72	AX1DHES5000R(5)	70	AX1SED5748	65
AWHOGDS90	219	AX1 M5639	72	AX1DHES5003L(5)	70	AX1SED6439	65
AWHOGDS96	219	AX1 M5648	72	AX1DHES5003R(5)	70	AX1SED6448	65
AWHOGSR60	215	AX1 M6439	72	AX1DHES5700L(5)	70	AX1SED6464	65
AWHOGSR66	215	AX1 M6448	72	AX1DHES5700R(5)	70	AX1SED7848	65
AWHOGSR72	215	AX1 M6464	72	AX1DHES5703L(5)	70	AX1SED7864	65
AWHOGSR78	215	AX1 M8039	72	AX1DHES5703R(5)	70	AX1SX39 A (L/C/P)	66
AWHOGSR84	215	AX1 M8048	72	AX1DHES6400L(5)	70	AX1SX39 C (L/C/P)	66
AWHOGSR90	215	AX1 M8064	72	AX1DHES6400R(5)	70	AX1SX48 A (L/C/P)	66

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AX1SX48 C (L/C/P)	66	R3B0P0F4207	75	R3R0120VP264	125	R3R0LT134	118
AX1SX64 A (L/C/P)	66	R3B0P0F4907	75	R3R0120VP334	125	R3R0LT142	118
AX1SX64 C (L/C/P)	66	R3B0P0F6407	75	R3R0120VP342	125	R3R0LT149	118
AX2 C3939	72	R3B0P0F7907	75	R3R0120VP349	125	R3R0LT164	118
AX2 C4839	72	R3B0P0H4207	75	R3R0120VP364	125	R3R0LT234	118
AX2 C4848	72	R3B0P0H4907	75	R3R0120VPL34	125	R3R0LT242	118
AX2 C6439	72	R3B0P0H6407	75	R3R0120VPL42	125	R3R0LT249	118
AX2 C6448	72	R3B0P0H7907	75	R3R0120VPL49	125	R3R0LT264	118
AX2 C6464	72	R3B0T0F4207	75	R3R0120VPL64	125	R3R0LT334	118
MB1-AUX-C	254	R3B0T0F4907	75	R3R0120VT134	124	R3R0LT342	118
MB2-C18W-(L/R)	254	R3B0T0F6407	75	R3R0120VT142	124	R3R0LT349	118
MB2-C24W-(L/R)	254	R3B0T0F7907	75	R3R0120VT149	124	R3R0LT364	118
MB2-C30W-(L/R)	254	R3B0T0H4207	75	R3R0120VT164	124	R3R0LTL34	118
MB2-YW-(L/R)	254	R3B0T0H4907	75	R3R0120VT234	124	R3R0LTL42	118
MB3-E18W	254	R3B0T0H6407	75	R3R0120VT242	124	R3R0LTL49	118
MB3-E24W	254	R3B0T0H7907	75	R3R0120VT249	124	R3R0LTL64	118
MB3-E30W	254	R3GAU0818	113	R3R0120VT264	124	R3R0SP142	123
MB3-E36W	254	R3GAU0820	113	R3R0120VT334	124	R3R0SP149	123
MB3-EC18W	254	R3GAU0824	113	R3R0120VT342	124	R3R0SP242	123
MB3-EC24W	254	R3GAU0830	113	R3R0120VT349	124	R3R0SP249	123
MB3-EC30W	254	R3GAU0836	113	R3R0120VT364	124	R3R0SP342	123
MC1-39S1	88	R3GAU0842	113	R3R0120VTL34	124	R3R0SP349	123
MC1-48S1	88	R3GAU0848	113	R3R0120VTL42	124	R3R0SPL42	123
MC1-64S1	88	R3GAU1218	113	R3R0120VTL49	124	R3R0SPL49	123
MD6-BD	190	R3GAU1220	113	R3R0120VTL64	124	R3R0TOH4207	75
MD6-FS	190	R3GAU1224	113	R3R0135VP134	127	R3R0TOH4907	75
ML4L17	222	R3GAU1230	113	R3R0135VP142	127	R3R0TOH6407	75
ML4L31	222	R3GAU1236	113	R3R0135VP149	127	R3R0TP142	116
ML4L44	222	R3GAU1242	113	R3R0135VP164	127	R3R0TP149	116
ML4L58	222	R3GAU1248	113	R3R0135VP234	127	R3R0TP242	117
MM2-CG	89	R3GAU1518	113	R3R0135VP242	127	R3R0TP249	117
MWM-J	221	R3GAU1520	113	R3R0135VP249	127	R3R0TP342	117
R2AHBW18	128	R3GAU1524	113	R3R0135VP264	127	R3R0TP349	117
R2AHBW20	128	R3GAU1530	113	R3R0135VP334	127	R3R0TPL42	117
R2AHBW24	128	R3GAU1536	113	R3R0135VP342	127	R3R0TPL49	117
R2AHBW30	128	R3GAU1542	113	R3R0135VP349	127	R3R0TT134	116
R2AHBW36	128	R3GAU1548	113	R3R0135VP364	127	R3R0TT142	116
R2AHBW42	128	R3GAUHL0818	113	R3R0135VPL34	127	R3R0TT149	116
R2AHBW48	128	R3GAUHL0820	113	R3R0135VPL42	127	R3R0TT164	116
R2AHCN34	128	R3GAUHL0824	113	R3R0135VPL49	127	R3R0TT234	116
R2AHCN42	128	R3GAUHL0830	113	R3R0135VPL64	127	R3R0TT242	116
R2AHCN49	128	R3GAUHL0836	113	R3R0135VT134	126	R3R0TT249	116
R2AHCN64	128	R3GAUHL0842	113	R3R0135VT142	126	R3R0TT264	116
R2AHCN79	128	R3GAUHL0848	113	R3R0135VT149	126	R3R0TT334	116
R2AHCR34	128	R3GAUHL1218	114	R3R0135VT164	126	R3R0TT342	116
R2AHCR42	128	R3GAUHL1220	114	R3R0135VT234	126	R3R0TT349	116
R2AHCR49	128	R3GAUHL1224	114	R3R0135VT242	126	R3R0TT364	116
R2AHCR64	128	R3GAUHL1230	114	R3R0135VT249	126	R3R0TTL34	116
R2AHCR79	128	R3GAUHL1236	114	R3R0135VT264	126	R3R0TTL42	116
R2AHSR18	128	R3GAUHL1242	114	R3R0135VT334	126	R3R0TTL49	116
R2AHSR20	128	R3GAUHL1248	114	R3R0135VT342	126	R3R0TTL64	116
R2AHSR24	128	R3GAUHL1518	114	R3R0135VT349	126	R3R1AF13418	93
R2AHSR30	128	R3GAUHL1520	114	R3R0135VT364	126	R3R1AF13424	93
R2AHSR36	128	R3GAUHL1524	114	R3R0135VTL34	126	R3R1AF13430	93
R2AHSR42	128	R3GAUHL1530	114	R3R0135VTL42	126	R3R1AF13436	93
R2AHSR48	128	R3GAUHL1536	114	R3R0135VTL49	126	R3R1AF13442	93
R2AHWR18	128	R3GAUHL1542	114	R3R0135VTL64	126	R3R1AF13448	93
R2AHWR20	128	R3GAUHL1548	114	R3R0LP142	119	R3R1AF14218	93
R2AHWR24	128	R3R0120VP134	125	R3R0LP149	119	R3R1AF14224	93
R2AHWR30	128	R3R0120VP142	125	R3R0LP242	119	R3R1AF14230	93
R2AHWR36	128	R3R0120VP149	125	R3R0LP249	119	R3R1AF14236	93
R2AHWR42	128	R3R0120VP164	125	R3R0LP342	119	R3R1AF14242	93
R2AHWR48	128	R3R0120VP234	125	R3R0LP349	119	R3R1AF14248	93
R2CCG	131	R3R0120VP242	125	R3R0LP142	118	R3R1AF14918	93
R3AUAC10	114	R3R0120VP249	125	R3R0LP149	118	R3R1AF14924	93

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3R1AF14930	93	R3R1AFL4224	92	R3R1CX24918	110	R3R1LAR142	120
R3R1AF14936	93	R3R1AFL4230	92	R3R1CX24924	110	R3R1LAR149	120
R3R1AF14942	93	R3R1AFL4236	92	R3R1CX24930	110	R3R1LAR164	120
R3R1AF14948	93	R3R1AFL4242	92	R3R1CX24936	110	R3R1LAR234	121
R3R1AF16418	93	R3R1AFL4248	92	R3R1CX24942	110	R3R1LAR242	121
R3R1AF16424	93	R3R1AFL4918	92	R3R1CX24948	110	R3R1LAR249	121
R3R1AF16430	93	R3R1AFL4924	92	R3R1CX26418	110	R3R1LAR264	121
R3R1AF16436	93	R3R1AFL4930	92	R3R1CX26424	110	R3R1LAR334	121
R3R1AF16442	93	R3R1AFL4936	92	R3R1CX26430	110	R3R1LAR342	121
R3R1AF16448	93	R3R1AFL4942	92	R3R1CX26436	110	R3R1LAR349	121
R3R1AF23418	94	R3R1AFL4948	92	R3R1CX26442	110	R3R1LAR364	121
R3R1AF23424	94	R3R1AFL6418	92	R3R1CX26448	110	R3R1LAR134	120
R3R1AF23430	94	R3R1AFL6424	92	R3R1CX34218	111	R3R1LAR142	120
R3R1AF23436	94	R3R1AFL6430	92	R3R1CX34224	111	R3R1LAR149	120
R3R1AF23442	94	R3R1AFL6436	92	R3R1CX34230	111	R3R1LAR164	120
R3R1AF23448	94	R3R1AFL6442	92	R3R1CX34236	111	R3R1PF14218	99
R3R1AF24218	94	R3R1AFL6448	92	R3R1CX34242	111	R3R1PF14224	99
R3R1AF24224	94	R3R1ALL3418	96	R3R1CX34248	111	R3R1PF14230	99
R3R1AF24230	94	R3R1ALL3424	96	R3R1CX34918	111	R3R1PF14236	99
R3R1AF24236	94	R3R1ALL3430	96	R3R1CX34924	111	R3R1PF14242	99
R3R1AF24242	94	R3R1ALL3436	96	R3R1CX34930	111	R3R1PF14248	99
R3R1AF24248	94	R3R1ALL3442	96	R3R1CX34936	111	R3R1PF14918	99
R3R1AF24918	94	R3R1ALL3448	96	R3R1CX34942	111	R3R1PF14924	99
R3R1AF24924	94	R3R1ALL4218	96	R3R1CX34948	111	R3R1PF14930	99
R3R1AF24930	94	R3R1ALL4224	96	R3R1CX36418	111	R3R1PF14936	99
R3R1AF24936	94	R3R1ALL4230	96	R3R1CX36424	111	R3R1PF14942	99
R3R1AF24942	94	R3R1ALL4236	96	R3R1CX36430	111	R3R1PF14948	99
R3R1AF24948	94	R3R1ALL4242	96	R3R1CX36436	111	R3R1PF24218	100
R3R1AF26418	94	R3R1ALL4248	96	R3R1CX36442	111	R3R1PF24224	100
R3R1AF26424	94	R3R1ALL4918	97	R3R1CX36448	111	R3R1PF24230	100
R3R1AF26430	94	R3R1ALL4924	97	R3R1CX14218	108	R3R1PF24236	100
R3R1AF26436	94	R3R1ALL4930	97	R3R1CX14224	108	R3R1PF24242	100
R3R1AF26442	94	R3R1ALL4936	97	R3R1CX14230	108	R3R1PF24248	100
R3R1AF26448	94	R3R1ALL4942	97	R3R1CX14236	108	R3R1PF24918	100
R3R1AF33418	95	R3R1ALL4948	97	R3R1CX14242	108	R3R1PF24924	100
R3R1AF33424	95	R3R1ALL6418	97	R3R1CX14248	108	R3R1PF24930	100
R3R1AF33430	95	R3R1ALL6424	97	R3R1CX14918	108	R3R1PF24936	100
R3R1AF33436	95	R3R1ALL6430	97	R3R1CX14924	108	R3R1PF24942	100
R3R1AF33442	95	R3R1ALL6436	97	R3R1CX14930	108	R3R1PF24948	100
R3R1AF33448	95	R3R1ALL6442	97	R3R1CX14936	108	R3R1PF34218	101
R3R1AF34218	95	R3R1ALL6448	97	R3R1CX14942	108	R3R1PF34224	101
R3R1AF34224	95	R3R1CX14218	109	R3R1CX14948	108	R3R1PF34230	101
R3R1AF34230	95	R3R1CX14224	109	R3R1CX16418	108	R3R1PF34236	101
R3R1AF34236	95	R3R1CX14230	109	R3R1CX16424	108	R3R1PF34242	101
R3R1AF34242	95	R3R1CX14236	109	R3R1CX16430	108	R3R1PF34248	101
R3R1AF34248	95	R3R1CX14242	109	R3R1CX16436	108	R3R1PF34918	101
R3R1AF34918	95	R3R1CX14248	109	R3R1CX16442	108	R3R1PF34924	101
R3R1AF34924	95	R3R1CX14918	109	R3R1CX16448	108	R3R1PF34930	101
R3R1AF34930	95	R3R1CX14924	109	R3R1LAL134	120	R3R1PF34936	101
R3R1AF34936	95	R3R1CX14930	109	R3R1LAL142	120	R3R1PF34942	101
R3R1AF34942	95	R3R1CX14936	109	R3R1LAL149	120	R3R1PF34948	101
R3R1AF34948	95	R3R1CX14942	109	R3R1LAL164	120	R3R1PFL4218	98
R3R1AF36418	95	R3R1CX14948	109	R3R1LAL234	121	R3R1PFL4224	98
R3R1AF36424	95	R3R1CX16418	109	R3R1LAL242	121	R3R1PFL4230	98
R3R1AF36430	95	R3R1CX16424	109	R3R1LAL249	121	R3R1PFL4236	98
R3R1AF36436	95	R3R1CX16430	109	R3R1LAL264	121	R3R1PFL4242	98
R3R1AF36442	95	R3R1CX16436	109	R3R1LAL334	121	R3R1PFL4248	98
R3R1AF36448	95	R3R1CX16442	109	R3R1LAL342	121	R3R1PFL4918	98
R3R1AFL3418	92	R3R1CX16448	109	R3R1LAL349	121	R3R1PFL4924	98
R3R1AFL3424	92	R3R1CX24218	110	R3R1LAL364	121	R3R1PFL4930	98
R3R1AFL3430	92	R3R1CX24224	110	R3R1LAL34	120	R3R1PFL4936	98
R3R1AFL3436	92	R3R1CX24230	110	R3R1LAL42	120	R3R1PFL4942	98
R3R1AFL3442	92	R3R1CX24236	110	R3R1LAL49	120	R3R1PFL4948	98
R3R1AFL3448	92	R3R1CX24242	110	R3R1LAL64	120	R3R1SA134	122
R3R1AFL4218	92	R3R1CX24248	110	R3R1LAR134	120	R3R1SA142	122

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3R1SA149	122	R3R2AF36436	105	R3SPABPT	131	RR3-DY	134, 137
R3R1SA164	122	R3R2AF36442	105	R3SPABTT	131	RR3-DYC	134, 137
R3R1SA234	122	R3R2AF36448	105	R3SPABTW	131	RR3-DYO	134, 137
R3R1SA242	122	R3R2AFL3418	102	R3X34E	122	RR3-DZ	137
R3R1SA249	122	R3R2AFL3424	102	R3X42E	122	RR3-DZC	137
R3R1SA264	122	R3R2AFL3430	102	R3X49E	122	RR3-DZO	137
R3R1SA334	123	R3R2AFL3436	102	R3X64E	122	RR3-E24	133
R3R1SA342	123	R3R2AFL3442	102	RBCCP	255	RR3-E24S	132
R3R1SA349	123	R3R2AFL3448	102	RBF	255	RR3-E30NS	133
R3R1SA364	123	R3R2AFL4918	102	RCOUNTWT	192, 193	RR3-E30S	132
R3R1SAL34	122	R3R2AFL4924	102	RHSCN15	131	RR3-E36NS	133
R3R1SAL42	122	R3R2AFL4930	102	RHSCN250	131	RR3-E36S	132
R3R1SAL49	122	R3R2AFL4936	102	RHSCN70	131	RR3-E42NS	133
R3R1SAL64	122	R3R2AFL4942	102	RO1-CB	221	RR3-E42S	132
R3R2AF13418	103	R3R2AFL4948	102	RO1-MPB	221	RR3-E48NS	133
R3R2AF13424	103	R3R2AFL6418	102	RO1-RCB	221	RR3-E48S	132
R3R2AF13430	103	R3R2AFL6424	102	RO1-RPB	221	RR3-E60-4	133
R3R2AF13436	103	R3R2AFL6430	102	RO1-WMF2	221	RR3-E66-4	133
R3R2AF13442	103	R3R2AFL6436	102	RO1-WMF3	221	RR3-E72-4	133
R3R2AF13448	103	R3R2AFL6442	102	RO1-WMF4	221	RR3EBVC50	141
R3R2AF14918	103	R3R2AFL6448	102	RO3-A30NL	220	RR3EBVC62	141
R3R2AF14924	103	R3R2ALL3418	106	RO3-A30NN	220	RR3EBVC64	141
R3R2AF14930	103	R3R2ALL3424	106	RO3-A30PL	220	RR3EBVC76	141
R3R2AF14936	103	R3R2ALL3430	106	RO3-A30PN	220	RR3EBVC78	141
R3R2AF14942	103	R3R2ALL3436	106	RO3-A36NL	220	RR3EBVC90	141
R3R2AF14948	103	R3R2ALL3442	106	RO3-A36NN	220	RR3-EJ18	135
R3R2AF16418	103	R3R2ALL3448	106	RO3-A36PL	220	RR3-EJ18P	135
R3R2AF16424	103	R3R2ALL4218	106	RO3-A36PN	220	RR3-EJ20	135
R3R2AF16430	103	R3R2ALL4220	106	RO3-A42NL	220	RR3-EJ20P	135
R3R2AF16436	103	R3R2ALL4224	106	RO3-A42NN	220	RR3-EJ24	135
R3R2AF16442	103	R3R2ALL4230	106	RO3-A42PL	220	RR3-EJ24P	135
R3R2AF16448	103	R3R2ALL4236	106	RO3-A42PN	220	RR3-EJ30	135
R3R2AF23418	104	R3R2ALL4242	106	RO3-A48NL	220	RR3-EJ30P	135
R3R2AF23424	104	R3R2ALL4248	106	RO3-A48NN	220	RR3-EJ36	135
R3R2AF23430	104	R3R2ALL4918	107	RO3-A48PL	220	RR3-EJ36P	135
R3R2AF23436	104	R3R2ALL4924	107	RO3-A48PN	220	RR3-EJ42	135
R3R2AF23442	104	R3R2ALL4930	107	RO3-A60NL	220	RR3-EJ42P	135
R3R2AF23448	104	R3R2ALL4936	107	RO3-A60NN	220	RR3-EJ48	135
R3R2AF24918	104	R3R2ALL4942	107	RO3-A60PL	220	RR3-EJ48P	135
R3R2AF24924	104	R3R2ALL4948	107	RO3-A60PN	220	RR3-EJ54P	135
R3R2AF24930	104	R3R2ALL6418	107	RO3-A72NL	220	RR3-EJ60P	135
R3R2AF24936	104	R3R2ALL6424	107	RO3-A72NN	220	RR3-EJ66P	135
R3R2AF24942	104	R3R2ALL6430	107	RO3-A72PL	220	RR3-EJ72P	135
R3R2AF24948	104	R3R2ALL6436	107	RO3-A72PN	220	RR3-EJ78P	135
R3R2AF26418	104	R3R2ALL6442	107	RPETAD	190	RR3-EJ84P	135
R3R2AF26424	104	R3R2ALL6448	107	RR3CHI241	139	RR3-EJ90P	135
R3R2AF26430	104	R3R2SXX4218	112	RR3CHI242	139	RR3-EJ96P	135
R3R2AF26436	104	R3R2SXX4224	112	RR3CHI301	139	RR3-EPC24M	133
R3R2AF26442	104	R3R2SXX4230	112	RR3CHI302	139	RR3-EPCM	133
R3R2AF26448	104	R3R2SXX4236	112	RR3CHI361	139	RR3-EPCP24M	133
R3R2AF33418	105	R3R2SXX4242	112	RR3CHI362	139	RR3-EPCPM	133
R3R2AF33424	105	R3R2SXX4248	112	RR3CHI421	139	RR3-EPCPSM	133
R3R2AF33430	105	R3R2SXX4918	112	RR3CHI422	139	RR3-EPCSM	133
R3R2AF33436	105	R3R2SXX4924	112	RR3CHI481	139	RR3-EPI	135
R3R2AF33442	105	R3R2SXX4930	112	RR3CHI482	139	RR3-EPNY1	135
R3R2AF33448	105	R3R2SXX4936	112	RR3-DA	134, 137	RR3-EPNY2	135
R3R2AF34918	105	R3R2SXX4942	112	RR3-DAC	134, 137	RR3-EPVR	135
R3R2AF34924	105	R3R2SXX4948	112	RR3-DATSHD	134, 137	RR3EVJ	142
R3R2AF34930	105	R3R2SXX6418	112	RR3-DB	134, 137	RR3EVJ110	142
R3R2AF34936	105	R3R2SXX6424	112	RR3-DBC	134, 137	RR3EVJ82	142
R3R2AF34942	105	R3R2SXX6430	112	RR3-DC	137	RR3EVJ96	142
R3R2AF34948	105	R3R2SXX6436	112	RR3-DCC	137	RR3FDP	141
R3R2AF36418	105	R3R2SXX6442	112	RR3-DX	134, 137	RR3-REPI	135
R3R2AF36424	105	R3R2SXX6448	112	RR3-DXC	134, 137	RR3-RTPI	138
R3R2AF36430	105	R3SKIT	114	RR3-DXO	134, 137	RR3-SP-(A, B, C, X, Y, Z)	138

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RR3-SP-(A,B,X,Y)	135	RR3VDY	141	RT1 SMK 9616	225	XTB1 BAS 30S12CA	287
RR3-T24	136	RR3VDYC	141	RT1 SMK B	224, 225	XTB1 BAS 30S12CF	285
RR3-T24S	132	RR3VDYO	141	RTAT5E19S	222	XTB1 BAS 30S15CA	287
RR3-T30NS	136	RR3VDZ	141	RTAT5E25A	222	XTB1 BAS 30S15CF	285
RR3-T30S	132	RR3VDZC	141	RTAT5E25S	222	XTB1 BAS 30S15SA	287
RR3-T36NS	136	RR3VDZO	141	RTAT5E37A	222	XTB1 BAS 30S15SF	285
RR3-T36S	132	RR3VPBK	141	RTAT5E37S	222	XTB1 BAS 30S18SA	287
RR3-T42NS	136	RSPABPP	131	RTAT5E49A	222	XTB1 BAS 30S18SF	285
RR3-T42S	132	RSPABPW	131	RTAT5E49S	222	XTB1 BAS 30S20SA	287
RR3-T48NS	136	RSPABWW	131	RTAT5E61A	222	XTB1 BAS 30S20SF	285
RR3-T48S	132	RT1 SMK 1812	224	RTAT5E61S	222	XTB1 BAS 30S24SA	287
RR3-T60-4	136	RT1 SMK 1813	224	SISDDPS	259	XTB1 BAS 30S24SF	285
RR3-T66-4	136	RT1 SMK 1815	225	SISLC4	259	XTB1 BAS 30S25SA	287
RR3-T72-4	136	RT1 SMK 1816	225	XAUA 1248G	324	XTB1 BAS 30S25SF	285
RR3TBVC50	142	RT1 SMK 2412	224	XAUA 1260G	324	XTB1 BAS 36D10CA	290
RR3TBVC62	142	RT1 SMK 2413	224	XAUA 1272G	324	XTB1 BAS 36D10CF	288
RR3TBVC64	142	RT1 SMK 2415	225	XTIDS4505	315	XTB1 BAS 36D12CA	290
RR3TBVC76	142	RT1 SMK 2416	225	XTIDS5705	315	XTB1 BAS 36D12CF	288
RR3TBVC78	142	RT1 SMK 3012	224	XTIDS6905	315	XTB1 BAS 36D15CA	290
RR3TBVC90	142	RT1 SMK 3013	224	XTILS4509	315	XTB1 BAS 36D15CF	288
RR3-TJ18	138	RT1 SMK 3015	225	XTILS5709	315	XTB1 BAS 36D15SA	290
RR3-TJ18P	138	RT1 SMK 3016	225	XTILS6909	315	XTB1 BAS 36D15SF	288
RR3-TJ20	138	RT1 SMK 3612	224	XTISA24	315	XTB1 BAS 36D18SA	290
RR3-TJ20P	138	RT1 SMK 3613	224	XTISA30	315	XTB1 BAS 36D18SF	288
RR3-TJ24	138	RT1 SMK 3615	225	XTISA36	315	XTB1 BAS 36D20SA	290
RR3-TJ24P	138	RT1 SMK 3616	225	XTISA42	315	XTB1 BAS 36D20SF	288
RR3-TJ30	138	RT1 SMK 4212	224	XTISA48	315	XTB1 BAS 36D24CA	290
RR3-TJ30P	138	RT1 SMK 4213	224	XTISA54	315	XTB1 BAS 36D24CF	288
RR3-TJ36	138	RT1 SMK 4215	225	XTISA60	315	XTB1 BAS 36D25CA	290
RR3-TJ36P	138	RT1 SMK 4216	225	XTISA66	315	XTB1 BAS 36D25CF	288
RR3-TJ42	138	RT1 SMK 4812	224	XTISA72	315	XTB1 BAS 36S10CA	291
RR3-TJ42P	138	RT1 SMK 4813	224	XTB1 BAS 24D10CF	282	XTB1 BAS 36S10CF	289
RR3-TJ48	138	RT1 SMK 4815	225	XTB1 BAS 24D12CF	282	XTB1 BAS 36S12CA	291
RR3-TJ48P	138	RT1 SMK 4816	225	XTB1 BAS 24D15CF	282	XTB1 BAS 36S12CF	289
RR3-TJ54P	138	RT1 SMK 5412	224	XTB1 BAS 24D15SF	282	XTB1 BAS 36S15CA	291
RR3-TJ60P	138	RT1 SMK 5413	224	XTB1 BAS 24D18SF	282	XTB1 BAS 36S15CF	289
RR3-TJ66P	138	RT1 SMK 5415	225	XTB1 BAS 24D20SF	282	XTB1 BAS 36S15SA	291
RR3-TJ72P	138	RT1 SMK 5416	225	XTB1 BAS 24D24SF	282	XTB1 BAS 36S15SF	289
RR3-TJ78P	138	RT1 SMK 6012	224	XTB1 BAS 24D25SF	282	XTB1 BAS 36S18SA	291
RR3-TJ84P	138	RT1 SMK 6013	224	XTB1 BAS 24S10CF	283	XTB1 BAS 36S18SF	289
RR3-TJ90P	138	RT1 SMK 6015	225	XTB1 BAS 24S12CF	283	XTB1 BAS 36S20SA	291
RR3-TJ96P	138	RT1 SMK 6016	225	XTB1 BAS 24S15CF	283	XTB1 BAS 36S20SF	289
RR3-TPC24M	136	RT1 SMK 6612	224	XTB1 BAS 24S15SF	283	XTB1 BAS 36S24SA	291
RR3-TPCM	136	RT1 SMK 6613	224	XTB1 BAS 24S18SF	283	XTB1 BAS 36S24SF	289
RR3-TPCP24M	136	RT1 SMK 6615	225	XTB1 BAS 24S20SF	283	XTB1 BAS 36S25SA	291
RR3-TPCPM	136	RT1 SMK 6616	225	XTB1 BAS 24S24SF	283	XTB1 BAS 36S25SF	289
RR3-TPCPSM	136	RT1 SMK 7212	224	XTB1 BAS 24S25SF	283	XTB1 SLIK	296
RR3-TPCSM	136	RT1 SMK 7213	224	XTB1 BAS 30D10CA	286	XTB1 SLIK30	296
RR3-TPI	138	RT1 SMK 7215	225	XTB1 BAS 30D10CF	284	XTB1 SLIK36	296
RR3-TPNY1	138	RT1 SMK 7216	225	XTB1 BAS 30D12CA	286	XTB1AC	302
RR3-TPNY2	138	RT1 SMK 7812	224	XTB1 BAS 30D12CF	284	XTB1AC24	302
RR3-TPVR	138	RT1 SMK 7813	224	XTB1 BAS 30D15CA	286	XTB1ACEND	303
RR3TVJ	142	RT1 SMK 7815	225	XTB1 BAS 30D15CF	284	XTB1DB10C	294
RR3TVJ110	142	RT1 SMK 7816	225	XTB1 BAS 30D15SA	286	XTB1DB10E	294
RR3TVJ82	142	RT1 SMK 8412	224	XTB1 BAS 30D15SF	284	XTB1DB12C	294
RR3TVJ96	142	RT1 SMK 8413	224	XTB1 BAS 30D18SA	286	XTB1DB12E	294
RR3VDA	141	RT1 SMK 8415	225	XTB1 BAS 30D18SF	284	XTB1DB15C	294
RR3VDAC	141	RT1 SMK 8416	225	XTB1 BAS 30D20SA	286	XTB1DB15E	294
RR3VDB	141	RT1 SMK 9012	224	XTB1 BAS 30D20SF	284	XTB1DB4E	294
RR3VDBC	141	RT1 SMK 9013	224	XTB1 BAS 30D24CA	286	XTB1DB5C	294
RR3VDC	141	RT1 SMK 9015	225	XTB1 BAS 30D24CF	284	XTB1DB5E	294
RR3VDCC	141	RT1 SMK 9016	225	XTB1 BAS 30D25CA	286	XTB1DB6C	294
RR3VDX	141	RT1 SMK 9612	224	XTB1 BAS 30D25CF	284	XTB1DB6E	294
RR3VDXC	141	RT1 SMK 9613	224	XTB1 BAS 30S10CA	287	XTB1DB8C	294
RR3VDXO	141	RT1 SMK 9615	225	XTB1 BAS 30S10CF	285	XTB1DB8E	294

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
XTB1EDD24	296	XTB1TB6C	293	XTCS1 7221	313	XTR1EPH	305
XTB1EDD30	296	XTB1TB6E	293	XTCS1 7221F	314	XTR1EPI	305
XTB1EDD36	296	XTB1TB8C	293	XTCS1 SBA	315	XTR1FE	304, 306, 310
XTB1EP1DD24	300	XTB1TB8E	293	XTCT6030D	311	XTR1H30D	310
XTB1EP1DD24P	299	XTB1XD30	301	XTCT6030LD	311	XTR1OF	305, 307, 310
XTB1EP1DD30	300	XTB1XD30N	301	XTCT6036D	311	XTR1PDCX	305, 307
XTB1EP1DD30P	299	XTB1XD36	301	XTCT6036LD	311	XTR1T30D	306
XTB1EP1DD36	300	XTB1XD36N	301	XTCT7230D	311	XTR1T30S	306
XTB1EP1DD36P	299	XTB1XDD24	296	XTCT7230LD	311	XTR1T424D	306
XTB1EP1LD24	300	XTB1XDD30	296	XTCT7236D	311	XTR1T424S	306
XTB1EP1LD24P	299	XTB1XDD36	296	XTCT7236LD	311	XTR1TCC25	311
XTB1EP1LD30	300	XTB1XS30	301	XTDT42	311	XTR1TCPM	307
XTB1EP1LD30P	299	XTB1XS30N	301	XTDTX42	311	XTR1TJ18	307
XTB1EP1LD36	300	XTB1XS36	301	XTES1 2414	322	XTR1TJ30	307
XTB1EP1LD36P	299	XTB1XS36N	301	XTES1 2414F	323	XTR1TJ42	307
XTB1EP1RD24	300	XTB1YDD24	297	XTES1 2421	322	XTR1TPH	307
XTB1EP1RD24P	299	XTB1YDD30	297	XTES1 2421F	323	XTR1TPI	307
XTB1EP1RD30	300	XTB1YDD36	297	XTES1 3014	322	XTR1X30D	308
XTB1EP1RD30P	299	XTB2LDD	296	XTES1 3014F	323	XTR1X30S	308
XTB1EP1RD36	300	XTB2LDD24	296	XTES1 3021	322	XTR1X424D	308
XTB1EP1RD36P	299	XTB2LSD	298	XTES1 3021F	323	XTR1X424S	308
XTB1EP2DD24	300	XTB2LSD24	298	XTES1 3614	322	XTR1XCPM	309
XTB1EP2DD24P	299	XTBT18	312	XTES1 3614F	323	XTR1XJ18	309
XTB1EP2DD30	300	XTBT24	312	XTES1 3621	322	XTR1XJ30	309
XTB1EP2DD30P	299	XTBT36	312	XTES1 3621F	323	XTR1XJ42	309
XTB1EP2DD36	300	XTBT48	312	XTES1 4814	320	XTR1XPH	309
XTB1EP2DD36P	299	XTBT60	312	XTES1 4814F	321	XTR1XPI	309
XTB1EP2SD24	300	XTC1 120 AA	292	XTES1 4821	320	XTRS1 5414	318
XTB1EP2SD24P	299	XTC1 144 AA	292	XTES1 4821F	321	XTRS1 5414F	319
XTB1EP2SD30	300	XTC1 48	292	XTES1 6014	320	XTRS1 5421	318
XTB1EP2SD30P	299	XTC1 60	292	XTES1 6014F	321	XTRS1 5421F	319
XTB1EP2SD36	300	XTC1 72	292	XTES1 6021	320	XTRS1 6014	318
XTB1EP2SD36P	299	XTC1 96	292	XTES1 6021F	321	XTRS1 6014F	319
XTB1ESD24	298	XTC1 END	292	XTES1 7214	320	XTRS1 6021	318
XTB1ESD30	298	XTCA1 120 AA	292	XTES1 7214F	321	XTRS1 6021F	319
XTB1ESD36	298	XTCA1 144 AA	292	XTES1 7221	320	XTRS1 6614	318
XTB1FC	302	XTCA1 48	292	XTES1 7221F	321	XTRS1 6614F	319
XTB1FC24	302	XTCA1 60	292	XTPS1MZKIT	325	XTRS1 6621	318
XTB1FCEND	303	XTCA1 72	292	XTR1BCC50	311	XTRS1 6621F	319
XTB1LP	303	XTCA1 96	292	XTR1D1	309	XTRS1 7214	318
XTB1MB	302	XTCF 48	292	XTR1D1C	309	XTRS1 7214F	319
XTB1RAK	311	XTCF 60	292	XTR1D2	309	XTRS1 7221	318
XTB1SB10C	295	XTCF 72	292	XTR1D2C	309	XTRS1 7221F	319
XTB1SB10E	295	XTCS1 4714	313	XTR1D3	309	XTRS1 7814	318
XTB1SB12C	295	XTCS1 4714F	314	XTR1D3C	309	XTRS1 7814F	319
XTB1SB12E	295	XTCS1 4721	313	XTR1D4	309	XTRS1 7821	318
XTB1SB15C	295	XTCS1 4721F	314	XTR1D4C	309	XTRS1 7821F	319
XTB1SB15E	295	XTCS1 4814	313	XTR1DA	305, 307	XTSM1C	320, 321
XTB1SB4E	295	XTCS1 4814F	314	XTR1DAC	305, 307	XTSM1K	316, 317
XTB1SB5C	295	XTCS1 4821	313	XTR1DB	305, 307	XTSM1KC	322, 323
XTB1SB5E	295	XTCS1 4821F	314	XTR1DBC	305, 307	XTSM1KK	320, 321
XTB1SB6C	295	XTCS1 5914	313	XTR1DC	307	XTSM1P	316, 317, 318, 319, 320, 321
XTB1SB6E	295	XTCS1 5914F	314	XTR1DCC	307	XTSM1PC	322, 323
XTB1SB8C	295	XTCS1 5921	313	XTR1DXO	305, 307	XTSM1S	316, 317, 318, 319, 320, 321
XTB1SB8E	295	XTCS1 5921F	314	XTR1DYO	305, 307	XTSM1SC	322, 323
XTB1T24	301	XTCS1 6014	313	XTR1DZO	307	XTSM1SLAT	320, 321
XTB1TB10C	293	XTCS1 6014F	314	XTR1E30D	304	XTSS1 2414	316
XTB1TB10E	293	XTCS1 6021	313	XTR1E30S	304	XTSS1 2414F	317
XTB1TB12C	293	XTCS1 6021F	314	XTR1E424D	304	XTSS1 2421	316
XTB1TB12E	293	XTCS1 7114	313	XTR1E424S	304	XTSS1 2421F	317
XTB1TB15C	293	XTCS1 7114F	314	XTR1ECPM	305	XTSS1 3014	316
XTB1TB15E	293	XTCS1 7121	313	XTR1EE	304, 306, 310	XTSS1 3014F	317
XTB1TB4E	293	XTCS1 7121F	314	XTR1EJ18	305	XTSS1 3021	316
XTB1TB5C	293	XTCS1 7214	313	XTR1EJ30	305	XTSS1 3021F	317
XTB1TB5E	293	XTCS1 7214F	314	XTR1EJ42	305	XTSS1 3614	316

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
XTSS1 3614F	317	XTHP4218F (L)	281	XTTS6024A (1/2/3)	275
XTSS1 3621	316	XTHP4824A (L)	275	XTTS6024C (1/2/3)	277
XTSS1 3621F	317	XTHP4824B (L)	276	XTTS6024E (1/2/3)	278
XTHK3018F (L/M/1/2/3)	281	XTHP4824C (L)	277	XTTS6024U (1/2/3)	276
XTHK3036F (L/M/1/2/3)	281	XTHP4824E (L)	278	XTTS6030A (1/2/3)	275
XTHK3618F (L/M/1/2/3)	281	XTHP4830A (L)	275	XTTS6030C (1/2/3)	277
XTHK3636F (L/M/1/2/3)	281	XTHP4830B (L)	276	XTTS6030E (1/2/3)	278
XTHK4218F (L/M/1/2/3)	281	XTHP4830C (L)	277	XTTS6030U (1/2/3)	276
XTHK4236F (L/M/1/2/3)	281	XTHP4830E (L)	278	XTTS6036A (1/2/3)	275
XTHK4824A (L/M/1/2/3)	275	XTHP4836A (L)	275	XTTS6036C (1/2/3)	277
XTHK4824C (L/M/1/2/3)	277	XTHP4836B (L)	276	XTTS6036D (1/2/3)	279
XTHK4824E (L/M/1/2/3)	278	XTHP4836C (L)	277	XTTS6036E (1/2/3)	279
XTHK4824U (L/M/1/2/3)	276	XTHP4836D (L)	280	XTTS6036U (1/2/3)	276
XTHK4830A (L/M/1/2/3)	275	XTHP4836E (L)	280	XTTS7224A (1/2/3)	275
XTHK4830C (L/M/1/2/3)	277	XTHP6024A (L)	275	XTTS7224C (1/2/3)	277
XTHK4830E (L/M/1/2/3)	278	XTHP6024B (L)	276	XTTS7224E (1/2/3)	278
XTHK4830U (L/M/1/2/3)	276	XTHP6024C (L)	277	XTTS7224U (1/2/3)	276
XTHK4836A (L/M/1/2/3)	275	XTHP6024E (L)	278	XTTS7230A (1/2/3)	275
XTHK4836C (L/M/1/2/3)	277	XTHP6030A (L)	275	XTTS7230C (1/2/3)	277
XTHK4836D (L/M/1/2/3)	279	XTHP6030B (L)	276	XTTS7230E (1/2/3)	278
XTHK4836E (L/M/1/2/3)	279	XTHP6030C (L)	277	XTTS7230U (1/2/3)	276
XTHK4836U (L/M/1/2/3)	276	XTHP6030E (L)	278	XTTS7236A (1/2/3)	275
XTHK6018F (L/M/1/2/3)	281	XTHP6036A (L)	275	XTTS7236C (1/2/3)	277
XTHK6024A (L/M/1/2/3)	275	XTHP6036B (L)	276	XTTS7236D (1/2/3)	279
XTHK6024C (L/M/1/2/3)	277	XTHP6036C (L)	277	XTTS7236E (1/2/3)	279
XTHK6024E (L/M/1/2/3)	278	XTHP6036D (L)	280	XTTS7236U (1/2/3)	276
XTHK6024U (L/M/1/2/3)	276	XTHP6036E (L)	280	XTTS9624A (1/2/3)	275
XTHK6030A (L/M/1/2/3)	275	XTHP7224A (L)	275	XTTS9624C (1/2/3)	277
XTHK6030C (L/M/1/2/3)	277	XTHP7224B (L)	276	XTTS9624U (1/2/3)	276
XTHK6030E (L/M/1/2/3)	278	XTHP7224C (L)	277	XTTS9630A (1/2/3)	275
XTHK6030U (L/M/1/2/3)	276	XTHP7224E (L)	278	XTTS9630C (1/2/3)	277
XTHK6036A (L/M/1/2/3)	275	XTHP7230A (L)	275	XTTS9630U (1/2/3)	276
XTHK6036C (L/M/1/2/3)	277	XTHP7230B (L)	276	XTTS9636A (1/2/3)	275
XTHK6036D (L/M/1/2/3)	279	XTHP7230C (L)	277	XTTS9636C (1/2/3)	277
XTHK6036E (L/M/1/2/3)	279	XTHP7230E (L)	278	XTTS9636U (1/2/3)	276
XTHK6036F (L/M/1/2/3)	281	XTHP7236A (L)	275	XTWB120	312
XTHK6036U (L/M/1/2/3)	276	XTHP7236B (L)	276	XTWTB	312
XTHK7218F (L/M/1/2/3)	281	XTHP7236C (L)	277	XTWTBSLIK	312
XTHK7224A (L/M/1/2/3)	275	XTHP7236D (L)	280	XTWTC	312
XTHK7224C (L/M/1/2/3)	277	XTHP7236E (L)	280	XTWTX	312
XTHK7224E (L/M/1/2/3)	278	XTHP9624A (L)	275		
XTHK7224U (L/M/1/2/3)	276	XTHP9624B (L)	276		
XTHK7230A (L/M/1/2/3)	275	XTHP9624C (L)	277		
XTHK7230C (L/M/1/2/3)	277	XTHP9630A (L)	275		
XTHK7230E (L/M/1/2/3)	278	XTHP9630B (L)	276		
XTHK7230U (L/M/1/2/3)	276	XTHP9630C (L)	277		
XTHK7236A (L/M/1/2/3)	275	XTHP9636A (L)	275		
XTHK7236C (L/M/1/2/3)	277	XTHP9636B (L)	276		
XTHK7236D (L/M/1/2/3)	279	XTHP9636C (L)	277		
XTHK7236E (L/M/1/2/3)	279	XTTS3018F (1/2/3)	281		
XTHK7236F (L/M/1/2/3)	281	XTTS3618F (1/2/3)	281		
XTHK7236U (L/M/1/2/3)	276	XTTS4218F (1/2/3)	281		
XTHK8418F (L/M/1/2/3)	281	XTTS4824A (1/2/3)	275		
XTHK8436F (L/M/1/2/3)	281	XTTS4824C (1/2/3)	277		
XTHK9624A (L/M/1/2/3)	275	XTTS4824E (1/2/3)	278		
XTHK9624C (L/M/1/2/3)	277	XTTS4824U (1/2/3)	276		
XTHK9624U (L/M/1/2/3)	276	XTTS4830A (1/2/3)	275		
XTHK9630A (L/M/1/2/3)	275	XTTS4830C (1/2/3)	277		
XTHK9630C (L/M/1/2/3)	277	XTTS4830E (1/2/3)	278		
XTHK9630U (L/M/1/2/3)	276	XTTS4830U (1/2/3)	276		
XTHK9636A (L/M/1/2/3)	275	XTTS4836A (1/2/3)	275		
XTHK9636C (L/M/1/2/3)	277	XTTS4836C (1/2/3)	277		
XTHK9636U (L/M/1/2/3)	276	XTTS4836D (1/2/3)	279		
XTHP3018F (L)	281	XTTS4836E (1/2/3)	279		
XTHP3618F (L)	281	XTTS4836U (1/2/3)	276		

Selling Policy

This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.	
Terms & Conditions of Sales	Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.
Ordering Information	All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.
Order Confirmation	A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.
Pricing Policies	List prices are subject to change without notice. List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.
Taxes	All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.
Terms of Payment	Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice. KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment. If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance. Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.
Changes and Cancellation	Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.
Freight Prepaid	Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.
Delivery/Freight Charges	Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin. For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination. Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing. Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery. Partial shipments may be made and invoiced by Seller.
Claims	All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.
Seller's Security Interest	Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.
Returns	The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.
Held Orders/Storage	If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.

Selling Policy

Customer's Own Material	A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.
Warranty	Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below. Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair). Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts. <i>Product and Period of Warranty</i> <i>Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Morrison, Reff Profiles laminate, Series 2 Storage, Template and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, special or custom products, see below)</i> <i>12 Years: Chadwick, Essentials Work Chairs, Generation by Knoll, Life, Moment, MultiGeneration by Knoll, ReGeneration by Knoll, Remix, and Toboggan seating (except seating upholstery, textiles, leathers and finishes, see below).</i> <i>10 Years: Anchor Storage except digital keypad lock, Antenna Workspaces, AutoStrada, Crinion Open Table, Dividends Horizon, Dividends Horizon Satellite Surfaces, Reff Profiles, Template wood components, Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods (The Graham Collection) (except wood casegoods upholstered surfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Sapper XYZ Monitor Arm, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, see below), Smokador collection (except leathers, see below), and Orchestra Universal Systems Accessories, k. lounge structural components.</i> <i>5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products, Currents handcrank, Interaction Counterforce, KnollStudio, Spark Series seating structural elements, structural elements of all KnollStudio outdoor products including all Richard Schultz designed products, KnollExtra CPU storage and all universal storage drawers and Power Collection, Tone Tables.</i> <i>3 Years: Seating upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers.</i> <i>2 Years: Anchor Storage digital keypad lock, all other KnollExtra product</i> <i>1 Year: Light ballasts, bulbs and power supply, seating upholstered armpads and soft armpads, wood casegoods upholstered surfaces. KnollStudio, outdoor product finishes, k. lounge upholstery and k. lounge fabric.</i> This warranty does not apply to: • Damage caused by a carrier other than the Seller. • Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products). • COM or other third party materials applied to Products. • Products not installed by or under the auspices of a Knoll Dealer. • Dramatic temperature variations or exposure to unusual conditions. • Changes in surface finishes, including colorfastness due to aging or exposure to light. • Except as specifically noted above, textiles and upholstery supplied by <i>KnollTextiles</i> (consult current <i>KnollTextiles</i> price list for applicable warranty). Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces. THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE. The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.
Delay/Force Majeure	Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.
Compliance with Law	PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.
Patents	Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended. The foregoing indemnity does not apply to the following: • Products supplied according to a design other than that of Seller, and which is required by the Purchaser. • Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer. • Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT. Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.

KnollKey Lock Program

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$10
KBLANK	Shrouded Key Blank	\$10
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$22
KCHANGE	Change Key	\$10
HLKRKMASTER*	Master Key	\$10

*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.
1235 Water Street
P.O. Box 157
East Greenville, PA 18041
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."