

REFF PROFILES

**26 1/2" PLANNING
VOLUME ONE**

Price List
October 2014

Knoll

Introduction	Knoll and Sustainable Design	3
	General Specifications	4
	Reff Profiles finish options	5
	Reff Profiles Master Features	8
	Planning Guidelines and Specification	11
Panels	Monolithic panels 34" H	12
	Monolithic panels 42" H	18
	Monolithic panels 49" H	25
	Monolithic panels 64" H	32
	Monolithic panels 79" H	39
	Tiled panels 34" H	46
	Tiled panels 42" H	51
	Tiled panels 49" H	58
	Tiled panels 64" H	65
	Tiled panels 79" H	72
	Aluminum Reveal kits	79
	Beltway one side, window panel 49" H	82
	Beltway two sides, window panel 49" H	96
	Stacking modules	98
	Frameless glass add-ups for panels	104
	Panel connection posts	106
	Panel trims and post covers	111
	Panel Accessories	113
	Ceiling cable entry posts, poles and cable infeed	114
	Ceiling cable entry post covers	116
	Rolling door and hinged door	118
	Attachment kits	119
	Floor to ceiling modules	120
	Required components	128
	Power distribution components	129
	Beltway electrical components	134
	Data and Communications	136
	Reff Ported Panel Components	137
Worksurfaces	Worksurfaces	140
	Worksurface 1 1/4"	144
	Conference 1 1/4"	160
	Optional edge details 1 1/4"	162
	Optional edge 1 1/4	163
	Cascade Edge 1 1/4"	178
	Worksurface Credenza	184
Tables	Tables with Open Frame Legs	187
	Open Frame legs Infill Options	188
	Tables with L-legs	189
	Tables with Reverse L-Legs	190
	Tables with Soft Rectangular Legs	191
	Tables with 2 x 4 Legs	192
	Tables with 4 x 4 Legs	193
	Tables with Column Legs	194
	Tables - Mobile	195
	Tables - Sliding	196
	Tables - Height Adjustable & Sliding	199
	Tables - Fixed Height with Column Base Leg	202
	Tables - Height Adjustable	204
Support components	Top support components	206
	Stiffeners	219
Cabinetry	Pedestals, 26 1/2" planning	220
	Cabinets, 26 1/2" planning	232

Overhead storage	Overhead, 26 1/2 planning	255
	Reuter overhead cabinet	263
	Reuter open shelf	267
	Reuter open overhead	268
	Reuter overhead storage	269
	Task Lights for Reuter Overhead Storage	271
Transaction tops, regular	Transaction tops	272
Gallery desk surrounds	Gallery desk surrounds	274
Classic Desks	Classic Desks	278
Preconfigured Reff Desking	Single pedestal desks	282
	Double pedestal desks	285
	Desk returns	288
	Single pedestal credenzas	291
	Bridge assemblies	294
	Double pedestal credenzas	297
Accessories and Client Samples	Accessories - Planning Guidelines and Specification	300
	Accessories	311
	Tackboards	334
	Desk Screens	339
	Cubbies	344
Wall Mounting of Knoll Products		345
Alpha-Numeric Index		347
Selling Policy		363
KnollKey Lock Program		365
General Ordering Information		366

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC®); Rainforest Alliance; GREENGUARD® Environmental Institute; and The Business and Institutional Furniture Manufacturer's Association (BIFMA) level® certification from Scientific Certification Systems (SCS).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

Life Cycle Assessment (LCA) Tool

- Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.
- Knoll has partnered with The Green Standard.org to develop an affordable, universal ISO-compliant computer-based LCA tool that can be used by the entire contract furniture industry and is partnering on the development of an Environmental Product Declaration System (EPDs) for Knoll products. EPDs are verified documents containing LCA results and additional environmental performance information about a product.

Setting Industry Standards

- Knoll partners with MTS (The Institute for Market Transformation to Sustainability) to develop the SMaRT® Consensus Sustainable Products Standards, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of SMaRT®, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll also partners with BIFMA (Business and Institutional Furniture Manufacturers Association) to promote level® sustainability standards for the contract furniture industry.
- Knoll has established FSC® (Forest Stewardship Council) certified wood as the standard for general office open plan office systems, casegoods and tables.
- Knoll has launched Full Circle, a resource recovery program developed with ANEW, to help customers extend the life cycle of surplus furniture, fixtures and equipment (FF&E) in an economically, socially and environmentally responsible manner.
- Our goal is to encourage all manufacturers in the contract furniture industry and related industries to adopt standards that will lead to sustainable products and practices.

For more information about Knoll and sustainable design, visit knoll.com/environment.

Panels and Parts

All panels have a concealed perimeter frame 1 1/2" x 2". Panels 42" wide and wider, other than window panels, have additional interior bracing.

Panel bases are 3 3/8" or 6 3/16" high with levellers at both ends. Snap-in panel side plates are provided with at least two lift-outs on each side of panels 30" to 48" wide; one lift-out on each side of panels 24" wide, unless no knockout option is requested (see Planning Guide for details). Acoustical panels can be specified with fabric on either side or fabric on one side and wood or laminate on the other. A laminated board septum is covered on both sides with acoustical fiberglass for fabric/fabric panels providing an NRC of .80 and STC of 22.

Window panels utilize tempered 4mm thick glass. Panel-to-panel connection is accomplished with a steel connector bar, which engages locking points on panel perimeter frames and is drawn tight by means of a screw mechanism located at the top of the bar. Each panel is supplied with one connector, which also serves as an anchor point for panel-hung support brackets. Panel-to-wall connection is accomplished with a PVC extrusion which connects two aluminum extrusions - one screwed to the wall, the other attached to the panel perimeter frame. Stacking panels are provided with a fastener feature which allows individual 15" and 30"H sections to be added or removed without disturbing the panel run. In all cases a leveller adjustable panel must first be specified with additional sections added on to provide height adjustment. A post is required at panel intersections, when a panel run changes direction or as in the case of the straight line post when it is required to make up an extra 2 1/2" to match another panel run. Top trim utilizes a PVC extrusion for a press fit into the panel perimeter frame. End trim is screwed to a steel connector bar which locks it to the panel perimeter frame.

All tiled panels are constructed using the same frame as monolithic panels and also use the same internal components. However, the insert structure has been altered to allow tiles 15"H to be independently applied to the panel, thus creating a tiled appearance. Tiled panels can be stacked on.

Reff panels can be joined to existing System 6, Classic System 6, and Segmented panels with a conversion kit.

Beltway electrical panel is a Reff panel altered to provide access to electrical and communication ports at a desk height level.

Note:

Line drawings in this price list are purely for quick product identification without any form of detail. One must not use the price list line drawings to satisfy production dimensions, shape or support options. Refer to Planning Guide for detailed product information.

Wood and Laminate Components

Tops are 1 1/2" or 1 1/4" thick. Undersides are pre-drilled with inserts and routed to accept pedestals and connecting hardware.

Flush and cantilever top assemblies have 1 1/16" thick endpanels, and 15/16" thick backpanels. Recessed top assemblies have 1 1/16" thick endpanels and a 15/16" thick backpanel.

Pedestals are supplied with metal channels on the top to attach the pedestal to the underside of a worksurface.

Drawer boxes can be specified in both metal or wood with dovetailed joinery. Hinge doors use concealed, adjustable hinges.

All components are veneered and finished on all sides unless otherwise specified. Edges are banded with 2mm PVC or 2mm wood.

Locks

All pedestals and cabinets with drawers are supplied with a ganglock mechanism in place. In addition, cabinets with drawers have a drawer interlock anti-tip device designed to prevent the opening of a second drawer when one is already open. Drawer fronts and door fronts are routed to receive the lock itself. Locks for drawers in pedestals and cabinets can be retro-fitted. Door locks are identical in shape to drawer locks, but these components are not pre-routed and therefore, locks cannot be retro-fitted.

Reff lockcores must be specified separately. Reff lock mechanisms are black and feature a removable core for easy replacement.

Levellers

All endpanels, backpanels (except recessed), floor pedestals and cabinets have 1 1/2" high levellers.

Lighting

Shelves and overhead cabinets have a bottom recess to house the task light. The task light can be easily retro-fitted.

Power is conveyed to the task light fixture by a 9' long cable. The lower end of the cable can be plugged into a panel base receptacle.

Grommets

Grommets are optional (except where noted). Tops up to 48" wide have one grommet. Tops wider than 48" include two grommets. See Planning Guide for locations.

All dimensions in this price list are for representative purposes only. For accurate build dimensions or factory drawings, please call Customer Services.

The Reff electrical is listed for use in the Reff panel system under UL1286.

Reff "Floor to Ceiling" is a modular, panel-based system. The ceiling channel should not be used as a support for the panel (see *support* section of specification guide).

Because local building and electrical codes vary and may have special requirements for modular walls that touch, approach or are attached to the ceiling, customers and installers should have the specifications reviewed and approved by building inspectors and a qualified electrical contractor. To the extent local codes and practices dictate, Knoll is available to help with customized solutions.

Orders with 50 or fewer locks required with no specific keying requests will be sent randomly keyed by the factory without warning.

Finishing

All Reff natural wood veneer and Techwood components are stained and sealed using a state of the art polyurethane finishing process. Which provides superior resistance to solvents, stains, abrasion and heat. Each component is coated and cured with ultraviolet light for a durable, lasting wood surface.

Natural veneers are all hand selected to best showcase the beauty of natural grain and to Knoll's meticulous color and grain standards.

Every effort is made to ensure that Knoll Reff veneers are the best that can be sourced in quality of color, consistency and size. Natural variations of wood are held in high regard and are not considered to be defects. Natural variations are not subject to warranty. The natural process of color change in real wood products is part of the unique character and beauty of this material. Knoll expects wood to patina over time and does not warranty color change.

Techwood is a genuine real wood product, enhanced by technology to provide color and grain consistency. Techwood finishes are available in open and closed pore options.

FSC (Forest Stewardship Council) certified materials available upon request.

Wood Finishes

V1 Techwood

Natural Edge	Synthetic Edge	Finish
Y316	S316	Maple
Y319	S319	Cherry
Y323	S323	Medium Walnut
Y326	S326	Dark Mahogany
Y329	S329	Medium Oak
Y342	S342	Medium Teak *
Y344	S344	Espresso
Y811	S811	Natural
Y821	S821	Blond Maple
Y831	S831	Light Cherry
Y851	S851	Black Oak
Y881	S881	Light Walnut
Y882	S882	Dove Grey
Y883	S883	Pangar Wenge

V2 Natural Veneers / Premium Techwood

Natural Edge	Synthetic Edge	Finish
V312	R312	Bronze Cherry
V316	R316	Maple
V319	R319	Medium Cherry
V411	R411	Light Walnut
V412	R412	Natural Cherry
V413	R413	Sand Oak (Open pore)
V414	R414	Natural Oak
V415	R415	Peacock Green Walnut
V417	R417	Old English Walnut
V421	R421	Chalk Oak
V423	R423	Light Oak
V433	R433	Light Fawn Cherry
V436	R436	Medium Brown Cherry
V439	R439	Straight Anigre

V2 Natural Veneers / Premium Techwood (cont.)

Natural Edge	Synthetic Edge	Finish
V440	R440	Natural Hemlock (QC)
Y841	S841	Ebony (Open pore)*
Y861	S861	Grigio (Open pore)*

V3 Premium Veneer

Natural Edge	Synthetic Edge	Finish
V512	R512	Figured Anigre
V514	R514	Makore
V515	R515	Figured Sycamore
V517	R517	Natural Sapele
V518	R518	Natural Chestnut

*Note:

- Finishes with * are NOT available on Reff Optional Edges.
- All finishes shift in color over time, this natural aging process varies by material.
- Synthetic Edge option is available on worksurfaces, only.

Laminates

Note:

Matching edge band unless noted otherwise

Laminate

111	Jet Black
114	Folkstone Grey
115	Medium Grey
117	Soft Grey
118	Bright White
119	Pumice
121	Micro Grey with 114
122	Folkstone grey edge band
122	Brushed Sand with 119
122	Pumice edge band
123	Brushed Grey with 128
123	Fog edge band
128	Fog
129	Micro Sand with 119
129	Pumice edge band

Wood Grain Laminates

124	Medium Chery *
125	Natural Maple *
126	Natural Cherry *
127	Walnut *


*Woodgrain Laminate. Not available on all components.

Important Note:


Wood grain direction depends on the width of the product.

For any vertical surface, ie; modesty panels, overheads and hutches, **up to 60"** wide, the grain direction will be **vertical**. For any vertical surface **greater than 60"** wide, the grain direction is **horizontal**.

up to 60" (vertical)



60" greater (horizontal)



Mixed Finishes: (where applicable for work surfaces only)

Use 2 digit prefix to indicate surface finish

Laminate Surfaces

11	Jet Black
14	Folkstone Grey
15	Medium Grey
17	Soft Grey
18	Bright White
19	Pumice
21	Micro Grey
22	Brushed Sand
23	Brushed Grey
28	Fog
29	Micro Sand

Use 2 digit suffix to indicate wood edge finishes

V1 Edges

Y3	Y323
Y9	Y319
16	Y316
26	Y326
29	Y329
44	Y344
62	Y342
81	Y811
82	Y821
83	Y831
85	Y851
88	Y882
89	Y881
90	Y883

V2 Edges

12	V312
16	V316
39	V439
40	V440
42	V412
43	V433
45	V415
46	V436
47	V417
61	V411
63	V413
64	V414
71	V421
73	V423
84	Y841
86	Y861

V3 Edges

52	V512
54	V514
55	V515
57	V517
58	V518

Note:

To order mixed finishes, enter four digit finish code as follows:

For example:

For a Micro Grey laminate surface with Bronzed Cherry edge. enter finish code: 2112

For a Jet Black laminate surface with Light Maple edge, enter finish code: 1116

Forbo

851	Biscuit
852	Sky Blue
853	Stone
854	Cinnamon
855	Heather Blue

Solid Surface

AW	Artic White

Glass

G1	TEMP Clear Tempered

G2
Architectural Glass Options

GL13	Powder
GL8	Wafer
GL6	Block Matrix

G3
Back Painted Glass 5mm

GL11	Back Painted Black
GL14	Folkstone Grey
GL15	Back Painted Medium Grey
GL18	Back Painted White

Colored Glass

GL35	Grey
GL85	Star Clear

Note:

All Glass options are Tempered.

Paint
P1

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey
118	Bright White

P2

611	Beige Mist Metallic
612	Medium Metallic Grey
AA	Anodized Aluminum

P3

613	Silver

P4

PD	Polish Chrome
PU	Satin Nickel
PT	Brushed Pewter
AP	Anodized Polished
AU	Anodized Satin

Note:

Upcharge as applicable for paint class noted on applicable product pages.

Plated

PD	Polish Chrome
PU	Satin Nickel
PT	Brushed Pewter

Anodized

AP	Anodized Polished
AU	Anodized Satin
AA	Anodized Aluminum

Locks

B	Black
S	Mattte Silver

Complementary Colors:

AP (anodized polished)	compliments	PD (polished chrome)
AU (anodized satin)	compliments	PU (satin nickel)

Fabric Options For Panels*Grade 10*

Broadcloth II (W1619)
 Circuit (W1754)
 Element (W1077)
 Foundation (W351)
 Growth Spurt (W692)
 Skylark (W1718)
 Symbolic Detail (W693)
 Tailor Made II (W1610/6)
 Versatility (W432)

Grade 20

Bauhaus Block (W296A)
 Circle Line (W1146)
 Clarity (W281)
 Criss Cross (W305)
 Logic (W1318)
 Nematic II (W1620)
 Photon II (W1620)
 Reflect (W884) Ø
 Resolution (W280)
 Weave Three (W298)

Grade 30

Basket Draft (W249)
 Flow (W565)
 Harmony (W232)
 Match Point (W1145)
 Micro (W465)*
 Relay (W1020) ▲

Grade 40

Ornament (W1078)
 Palladium (W1030)

Grade 45

Monarch (K1149)

**with backing only*

▲ Monolithic panels and tackboards only

Ø May not be available in all colors.

★Non-merchandized available for purchase but samples not available.

The following textiles are approved for use on Reff panels. Consult Knoll representative for pricing:

Grade 50

Versa (K1698)

Grade 55

Knoll Felt (K1207)
 Knoll Hopsack (K1206)
 Ransom (K1298)
 Transition (W816)

Customers Own Material

Prices for panels and tackboards that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing.

COM fabrics are subject to a testing charge prior to acceptance for use on Reff panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.


When specifying panel/fabrics use the following format to denote location on a tiled panel.

Side 1		Side 2
1E	Top of Panel	2E
1D		2D
1C		2C
1B		2B
1A	Bottom of Panel	2A


(Side 1 is always the inside of the workstation.)

Panels with beltway one side: assume the beltway is on SIDE 1 of the panel.


Panel Trim Profiles




Flat (Option A)



Square (Option B)



Bullnose (Option C)




Extruded Aluminum (Option E)


Worksurface Profiles



1 1/2", 1 1/4" and 1" Thick Standard




1 1/4" Thick Cascade




1" Thick Sliding Table

NOTE: See page 162 for 7 Optional Edges which are also available.



Integral Wood J-Pull


Does not protrude
Matches the case finish



C-Pull

(Nickle Plated Finish Only)
7 3/8" wide x 1 5/32" deep


Protrudes 1" from the drawer front
Available in Nickle Plated Finish only
1 pull per drawer front
Position: center, 1/2" down from the top of drawer



D-Pull

7 3/4" wide x 1 13/32" deep


Protrudes 1 13/32" from the drawer front
Available in all core paint finishes,
Brushed Pewter (PT) and Satin Brass (PZ)
1 pull per drawer front
Position: Assembled to plate, center line,
1/2" down from the top of drawer



S-Pull

(Stainless Steel Finish Only)
6 5/32" wide x 1 1/16" deep

Protrudes 1 3/64" from the drawer front
Available in Stainless Steel only
1 pull per drawer front
Position : Center, 1/2" down from the top of drawer



R-Cylinder

1" diameter

Protrudes 1" from the drawer front


Available in painted and plated finishes

1 pull per 16" & 19" wide pedestal drawer

Position: center position for 16" & 19" drawers

2 pulls per 30" & 36" lateral drawers

Position: 6" in from end, 1 1/2" down from top of drawers



H-Out Line

4" wide x 1" deep

Protrudes 1" from the drawer front


Available in painted and plated finishes

1 pull per 16" & 19" wide pedestal drawer

Position: center, 1 1/2" down from the top of drawer

2 pulls per 30" & 36" lateral drawers

Position: 6" in from left/right, 1 1/2" down from top of drawers



T-Tab


Short Tab: 2" wide x 1 3/4" deep

Long Tab: 10" wide x 1 3/4" deep

Protrudes 3/4" from drawer front

Available in painted or plated finishes

Position: Center line position on drawers




F-Bar Pull

Short bar pull: 3 3/8" wide x .3" thick

Long bar pull: 10 1/2" wide x .3" thick

Protrudes 1" from drawer front

Available in painted and plated finishes



G-Grommet Pull

1 3/32" diameter

Flush with the drawer front

Available in painted and plated finishes


1 pull per 60" & 72" sliding doors

Position: 1.656" from left or right, center line vertical

2 pulls per 90" & 108" sliding doors

Position: 1.656" from left and right, center line vertical

Position: Center line position on drawers



What is Reff Profiles?

Reff Profiles is finely detailed office furniture that combines versatility with image by providing unparalleled attention to quality from dovetailed joinery to a patented finishing process. Users can choose from a broad range of natural woods, fine veneers and durable laminates to create private offices, freestanding work areas and panel-based environments that fit the individual's requirements. A variety of stacking panel styles, including monolithic, tiled and floor-to-ceiling, will support any design criteria.

Worksurfaces are available in traditional rectilinear or innovative curvilinear shapes for a choice of aesthetic approaches and ergonomic solutions. Cabinetry can be specified in numerous sizes and configurations with either wood or metal interiors with a choice of hardware options to support any storage requirement. Innovative desk-height storage, cabinets and office towers combine aesthetics with functionality.

The result is a comprehensive product offering that will satisfy a wide spectrum of users. Let your imagination take hold.

For private offices consider a variety of desk options including flush, cantilevered, recessed or bow fronts and storage solutions including innovative workwalls.

In freestanding furniture, Reff Profiles offers a full selection of components to support any requirement from managerial to administrative. Options include numerous worksurfaces and meeting tops with a variety of freestanding supports. Administrative and Gallery desk surrounds, stationary and mobile storage components and storage towers provide exceptional planning alternatives.

Panel systems provide high-density power, data and communications capacity along with acoustic control and design flexibility. Panels can be specified with smooth monolithic surfaces, tiled faces or stacking modules. Additionally, panel surfaces are available with fabric on both sides or with fabric on one side and wood on the other.

Who should consider Reff Profiles?

Reff Profiles is well suited to organizations who want to project a high image while supporting any work environment from private offices to panel-based workstations. Companies will appreciate the fine quality and breathtaking aesthetics of Reff Profiles and, for those rapidly changing firms who require interchangeable components to support long term use, Reff Profiles is truly the design choice for inspired offices.

Desk Height Planning vs. Standard Height Planning

Reff Profiles offers two support height planning models: "standard" height (26 1/2") and "desk" height (28 3/8").

"Standard height" support components provide an underdesk clearance of 26 1/2". This yields a worksurface height of 27 3/4" with 1 1/4" thick worksurfaces and 28" with 1 1/2" worksurfaces.

Standard height planning (26 1/2") may be utilized in panel-based open planning, freestanding open planning (including Reff ProfilesGallery), and in private office planning.

"Desk height" support components provide an underdesk clearance of 28 3/8". This yields a worksurface height of 29 5/8" with 1 1/4" thick worksurfaces and 29 7/8" with 1 1/2" thick worksurfaces.

"Low Credenza" and "3/4 high" storage options may be incorporated into desk height planning models. Progressive Low Credenza storage incorporates a 1 1/16" top shelf for a finished height of 23 3/8". 3/4 high storage is 22 3/8"h and requires a 1" thick applied worksurface top which yields a low worksurface height of 23 3/8".

Desk height planning (28 3/8") may be utilized in freestanding open planning (including Administrative and Reception desk units) and in private office planning.

Storage Relationships

Care should be taken to make sure storage cabinets are specified in the type that corresponds to the planning height model being used.

Classic Cabinets, Overheads, Workwalls, and Overdesk Units are available for both standard and desk height planning and must be specified accordingly.

Progressive Cabinets, Progressive Overheads, and Desktop Towers are only available for desk height planning.

Task panels are intended to be used with desk height planning. They are not recommended for use with standard height planning.


Price List / Planning Guide Organization

The Reff Profiles price list is divided into two volumes. Volume 1 contains pricing related to panels and "standard" height (26 1/2") planning. Planning guidelines for 26 1/2" height planning are available in the Reff Planning Guide, circa 2000. The Reff Profiles price list Volume 2 contains pricing and planning information for "desk" height (28 3/8") elements.

It is not advised to mix 28 3/8"h desk height products with 26 1/2" components.

Monolithic panels 34" H

fabric both sides


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics 	18"	34"	R3B0PFF3418-() ()	\$645.	\$661.	\$705.	\$797.	\$853.	\$935.	\$991.
	20"	34"	R3B0PFF3420-() ()	645.	661.	705.	797.	853.	935.	991.
	24"	34"	R3B0PFF3424-() ()	696.	712.	756.	848.	904.	986.	1,042.
	30"	34"	R3B0PFF3430-() ()	741.	757.	801.	893.	949.	1,031.	1,087.
	36"	34"	R3B0PFF3436-() ()	788.	804.	848.	940.	996.	1,078.	1,134.
	42"	34"	R3B0PFF3442-() ()	905.	921.	965.	1,057.	1,113.	1,195.	1,251.
	48"	34"	R3B0PFF3448-() ()	939.	955.	999.	1,091.	1,147.	1,229.	1,285.

Order Code	Specification Information	Application Notes	
Example: R3B0PFF3418-A4K	<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	All panels on this page accept stacking modules.
R3	Reff Generation 3		
B0	No Beltway		6" Raceway option increases panel height by 2 3/4".
P	Monolithic panel		
FF	Fabric on both sides		All panels on this page have no high acoustical option or Beltway option.
34	34" high	2. Base height: 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option).	
18	18" wide		Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 119.
(A)	Flat style top trim profile		
(4)	4" base height		79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
(K)	Include knockouts in base		Ported panel components to be installed below worksurface if panel 36"h
W281	Fabric Side 1		
W281	Fabric Side 2		
V316	Maple (top trim finish)		
111	Jet Black (base finish)		
M	Milled for ported components		

Monolithic panels 34" H

fabric one side, laminate other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PFL3418-() ()	\$615.	\$624.	\$643.	\$684.	\$709.	\$744.	\$770.
Regular acoustics	20"	34"	R3B0PFL3420-() ()	615.	624.	643.	684.	709.	744.	770.
	24"	34"	R3B0PFL3424-() ()	655.	664.	683.	724.	749.	784.	810.
	30"	34"	R3B0PFL3430-() ()	699.	708.	727.	768.	793.	828.	854.
	36"	34"	R3B0PFL3436-() ()	736.	745.	764.	805.	830.	865.	891.
	42"	34"	R3B0PFL3442-() ()	838.	847.	866.	907.	932.	967.	993.
	48"	34"	R3B0PFL3448-() ()	864.	873.	892.	933.	958.	993.	1,019.




Order Code	Specification Information	Application Notes	
Example: R3B0PFL3418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>	All panels on this page accept stacking modules.
R3	Reff Generation 3	A = Flat	
B0	No Beltway	B = Square	
P	Monolithic panel	C = Bullnose	6" Raceway option increases panel height by 2 3/4".
FL	Fabric one side	E = Extruded Aluminum	
34	34" high	<i>2. Base height:</i>	All panels on this page have no high acoustical option or Beltway option.
18	18" wide	4 = 4" base height	
A	Flat style top trim profile	6 = 6" base height (add \$50 per panel for this option).	Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 119.
4	4" base height	Product on this page will accept woodgrain laminate where laminate is currently an option.	
K	Include knockouts in base		
W281	Fabric Side 1		
114	Folkstone grey - side 2		79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
V316	Maple (top trim finish)		
111	Jet Black (base finish)		
M	Milled for ported components		Ported panel components to be installed below worksurface if panel 36"H.

Monolithic panels 34" H

fabric one side, techwood other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	34"	R3B0PF13418-() ()	\$723.	\$730.	\$753.	\$799.	\$828.	\$869.	\$899.
	20"	34"	R3B0PF13420-() ()	726.	733.	756.	802.	831.	872.	902.
	24"	34"	R3B0PF13424-() ()	773.	780.	803.	849.	878.	919.	949.
	30"	34"	R3B0PF13430-() ()	822.	829.	852.	898.	927.	968.	998.
	36"	34"	R3B0PF13436-() ()	872.	879.	902.	948.	977.	1,018.	1,048.
	42"	34"	R3B0PF13442-() ()	988.	995.	1,018.	1,064.	1,093.	1,134.	1,164.
	48"	34"	R3B0PF13448-() ()	1,021.	1,028.	1,051.	1,097.	1,126.	1,167.	1,197.

Order Code	Specification Information	Application Notes
Example: R3B0PF13418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other side	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
34 34" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim profile	6. Top trim finish	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	i) Top trim profile A, B or C options:	
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric Side 1	ii) Top trim profile E options:	
Y328 Mahogany - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$15 list upcharge applicable	
M Optional milled frame		

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 119.


79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.

Monolithic panels 34" H

fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18"	34"	R3B0PF234 18-() ()	\$737.	\$744.	\$767.	\$813.	\$842.	\$883.	\$913.
	20"	34"	R3B0PF234 20-() ()	740.	747.	770.	816.	845.	886.	916.
	24"	34"	R3B0PF234 24-() ()	786.	793.	816.	862.	891.	932.	962.
	30"	34"	R3B0PF234 30-() ()	839.	846.	869.	915.	944.	985.	1,015.
	36"	34"	R3B0PF234 36-() ()	886.	893.	916.	962.	991.	1,032.	1,062.
	42"	34"	R3B0PF234 42-() ()	1,010.	1,017.	1,040.	1,086.	1,115.	1,156.	1,186.
	48"	34"	R3B0PF234 48-() ()	1,040.	1,047.	1,070.	1,116.	1,145.	1,186.	1,216.



Order Code	Specification Information	Application Notes
Example: R3B0PF23418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other side	(K = with knockouts, N = without knockouts)	E = Extruded aluminum
34 34" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim profile	6. Top trim finish	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	i) Top trim profile A, B or C options:	
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric Side 1	ii) Top trim profile E options:	
V316 Maple surface - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$15 list upcharge applicable	
M Optional milled frame		

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 119.


79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.

Monolithic panels 34" H

fabric one side, exotic veneer other side

Reff Profiles Vol. One


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
 Monolithic, fabric one side Regular acoustics	18"	34"	R3B0PF334 18-() ()	\$980.	\$987.	\$1,010.	\$1,056.	\$1,085.	\$1,126.	\$1,156.
	20"	34"	R3B0PF334 20-() ()	984.	991.	1,014.	1,060.	1,089.	1,130.	1,160.
	24"	34"	R3B0PF334 24-() ()	1,047.	1,054.	1,077.	1,123.	1,152.	1,193.	1,223.
	30"	34"	R3B0PF334 30-() ()	1,118.	1,125.	1,148.	1,194.	1,223.	1,264.	1,294.
	36"	34"	R3B0PF334 36-() ()	1,181.	1,188.	1,211.	1,257.	1,286.	1,327.	1,357.
	42"	34"	R3B0PF334 42-() ()	1,348.	1,355.	1,378.	1,424.	1,453.	1,494.	1,524.
	48"	34"	R3B0PF334 48-() ()	1,388.	1,395.	1,418.	1,464.	1,493.	1,534.	1,564.

Order Code	Specification Information	Application Notes
Example: R3B0PF33418-A4K	<i>To order please specify pattern number including:</i>	
R3	Reff Generation 3	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded aluminum
B0	No Beltway	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
P	Monolithic panel	
F3	Fabric one side, V3 one side	
34	34" high	
18	18" wide	
A	Flat style top trim profile	
4	4" base height	
K	Include knockouts in base	
W281	Fabric Side 1	
V512	Figured Anigre surface - side 2	
V512	Figured Anigre (top trim finish)	
111	Jet Black (base finish)	
M	Optional milled frame	

Monolithic panels 34" H

Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18"	34"	R3B0PLL3418 ()()	\$619.
	20"	34"	R3B0PLL3420 ()()	619.
	24"	34"	R3B0PLL3424 ()()	675.
	30"	34"	R3B0PLL3430 ()()	756.
	36"	34"	R3B0PLL3436 ()()	817.
	42"	34"	R3B0PLL3442 ()()	842.
	48"	34"	R3B0PLL3448 ()()	882.



Order Code	Specification Information	Application Notes
Example: R3B0PLL3418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded aluminum
R3 Reff Generation 3	1. Top trim profile	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
B0 No Beltway	2. Base height	Product on this page will accept woodgrain laminate where laminate is currently an option.
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
LL Laminate both sides	4. Panel side 1 laminate inside	
34 34" high	5. Panel side 2 laminate outside	
18 18" wide	6. Top trim finish <i>i</i>)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	All panels on this page accept stacking modules. 6" Raceway option increases panel height by 2 3/4". All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 119. 79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
A Flat style top trim profile	7. Base finish	
4 4" base height	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$15 list upcharge applicable	Ported panel components to be installed below worksurface if panel 34"h.
K Include knockouts in base		
118 Laminate - side 1		
118 Laminate - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Monolithic panels 42" H fabric both sides

Reff Profiles Vol. One


description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics	18"	42"	R3B0PFF42 18-() ()	\$586.	\$604.	\$652.	\$748.	\$822.	\$908.	\$968.
	20"	42"	R3B0PFF42 20-() ()	586.	604.	652.	748.	822.	908.	968.
	24"	42"	R3B0PFF42 24-() ()	625.	643.	691.	787.	861.	947.	1,007.
	30"	42"	R3B0PFF42 30-() ()	681.	699.	747.	843.	917.	1,003.	1,063.
	36"	42"	R3B0PFF42 36-() ()	733.	651.	799.	895.	969.	1,055.	1,115.
	42"	42"	R3B0PFF42 42-() ()	788.	806.	854.	950.	1,024.	1,110.	1,170.
	48"	42"	R3B0PFF42 48-() ()	846.	864.	912.	1,008.	1,082.	1,168.	1,228.
	60"	42"	R3B0PFF42 60-() ()	958.	1,008.	1,104.	1,292.	1,430.	1,608.	1,718.
	66"	42"	R3B0PFF42 66-() () *	991.	1,041.	1,137.	1,325.	1,463.	1,641.	1,751.
	72"	42"	R3B0PFF42 72-() () *	1,023.	1,073.	1,169.	1,357.	1,495.	1,673.	1,783.
Monolithic, fabric both sides High acoustics	18"	42"	R3B0PAA42 18-() ()	643.	661.	709.	805.	879.	965.	1,025.
	20"	42"	R3B0PAA42 20-() ()	643.	661.	709.	805.	879.	965.	1,025.
	24"	42"	R3B0PAA42 24-() ()	685.	703.	751.	847.	921.	1,007.	1,067.
	30"	42"	R3B0PAA42 30-() ()	743.	761.	809.	905.	979.	1,065.	1,125.
	36"	42"	R3B0PAA42 36-() ()	803.	821.	869.	965.	1,039.	1,125.	1,185.
	42"	42"	R3B0PAA42 42-() ()	866.	884.	932.	1,028.	1,102.	1,188.	1,248.
	48"	42"	R3B0PAA42 48-() ()	929.	947.	995.	1,091.	1,165.	1,251.	1,311.
	60"	42"	R3B0PAA42 60-() () *	1,045.	1,095.	1,191.	1,379.	1,517.	1,695.	1,805.
	66"	42"	R3B0PAA42 66-() () *	1,080.	1,130.	1,226.	1,414.	1,552.	1,730.	1,840.
	72"	42"	R3B0PAA42 72-() () *	1,116.	1,166.	1,262.	1,450.	1,588.	1,766.	1,876.

Order Code	Specification Information	Application Notes
Example: R3B0PFF4218-A4K	<i>To order please specify pattern number including:</i>	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 272).
R3 Reff Generation 3	1. Top trim profile	79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
B0 No Beltway	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 3/4".
FF Fabric on both sides	4. Panel side 1 finish(s) inside	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 119.
42 42" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish	
(A) Flat style top trim profile	i) Top trim profile A, B or C options:	
(4) 4" base height	V1, V2, V3, P1, P2, P3 finishes	
(K) Include knockouts in base	ii) Top trim profile E options:	
W281 Fabric - Side 1	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
W281 Fabric - Side 2	7. Base finish	Remember to specify Beltway paint finish when applicable.
V316 Maple (top trim finish)	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$15 list upcharge applicable	*These panel widths do not accept stacking modules.
111 Jet Black (base finish)		*Fabric inserts of these panels are two pieces, split vertically.
M Optional milled frame		
	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	

Monolithic panels 42" H with Beltway

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	R3B2PFF42 18-() ()	\$1,153.	\$1,183.	\$1,247.	\$1,371.	\$1,447.	\$1,547.	\$1,621.
Beltway two sides, regular acoustics	20"	42"	R3B2PFF42 20-() ()	1,153.	1,183.	1,247.	1,371.	1,447.	1,547.	1,621.
	24"	42"	R3B2PFF42 24-() ()	1,177.	1,207.	1,271.	1,395.	1,471.	1,571.	1,645.
	30"	42"	R3B2PFF42 30-() ()	1,235.	1,265.	1,329.	1,453.	1,529.	1,629.	1,703.
	36"	42"	R3B2PFF42 36-() ()	1,445.	1,475.	1,539.	1,663.	1,739.	1,839.	1,913.
	42"	42"	R3B2PFF42 42-() ()	1,554.	1,584.	1,648.	1,772.	1,848.	1,948.	2,022.
	48"	42"	R3B2PFF42 48-() ()	1,610.	1,640.	1,704.	1,828.	1,904.	2,004.	2,078.

Monolithic, fabric both sides	18"	42"	R3B1PFF42 18-() ()	1,137.	1,161.	1,217.	1,327.	1,402.	1,495.	1,562.
Beltway one side	20"	42"	R3B1PFF42 20-() ()	1,137.	1,161.	1,217.	1,327.	1,402.	1,495.	1,562.
	24"	42"	R3B1PFF42 24-() ()	1,156.	1,180.	1,236.	1,346.	1,421.	1,514.	1,581.
	30"	42"	R3B1PFF42 30-() ()	1,214.	1,238.	1,294.	1,404.	1,479.	1,572.	1,639.
	36"	42"	R3B1PFF42 36-() ()	1,419.	1,443.	1,499.	1,609.	1,684.	1,777.	1,844.
	42"	42"	R3B1PFF42 42-() ()	1,526.	1,550.	1,606.	1,716.	1,791.	1,884.	1,951.
	48"	42"	R3B1PFF42 48-() ()	1,575.	1,599.	1,655.	1,765.	1,840.	1,933.	2,000.



Order Code	Specification Information	Application Notes
Example: R3B2PFF4218	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Panel side 1 finish(s) inside below belt	<i>2. Base height:</i>
18 18" wide	5. Panel side 1 finish(s) inside above belt	4 = 4" base height
(A) Flat style top trim profile	6. Panel side 2 finish(s) outside below belt	6 = 6" base height (add \$50 per panel for this option)
(4) 4" base height	7. Panel side 2 finish(s) outside above belt	<i>3. Beltway:</i>
(K) Include knockouts in base	8. Top trim finish	B1 = Beltway 1 side
W281 Fabric - Side 1 below belt	i) Top trim profile A, B or C options:	B2 = Beltway 2 sides
W281 Fabric - Side 1 above belt	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric - Side 2 below belt	ii) Top trim profile E options:	
W281 Fabric - Side 2 above belt	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	9. Base finish	
111 Jet Black (base finish)	10. Beltway finish	
111 Jet Black Beltway finish	11. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$15 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 272).

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.



*Fabric inserts of these panels are two pieces, split vertically.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 42" H

fabric one side, laminate other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
 Monolithic, fabric one side Regular acoustics	18"	42"	R3B0PFL42 18-() ()	\$505.	\$513.	\$535.	\$575.	\$610.	\$646.	\$674.
	20"	42"	R3B0PFL42 20-() ()	505.	513.	535.	575.	610.	646.	674.
	24"	42"	R3B0PFL42 24-() ()	511.	519.	541.	581.	616.	652.	680.
	30"	42"	R3B0PFL42 30-() ()	613.	621.	643.	683.	718.	754.	782.
	36"	42"	R3B0PFL42 36-() ()	663.	671.	693.	733.	768.	804.	832.
	42"	42"	R3B0PFL42 42-() ()	744.	752.	774.	814.	849.	885.	913.
	48"	42"	R3B0PFL42 48-() ()	809.	817.	839.	879.	914.	950.	978.
	60"	42"	R3B0PFL42 60-() ()	880.	902.	944.	1,027.	1,088.	1,168.	1,216.
	66"	42"	R3B0PFL42 66-() ()	912.	934.	976.	1,059.	1,120.	1,200.	1,248.
	72"	42"	R3B0PFL42 72-() ()	945.	967.	1,009.	1,092.	1,153.	1,233.	1,281.
 Monolithic, fabric one side Beltway one side (fabric side)	18"	42"	R3B1PFL42 18-() ()	991.	1,004.	1,032.	1,087.	1,119.	1,164.	1,198.
	20"	42"	R3B1PFL42 20-() ()	991.	1,004.	1,032.	1,087.	1,119.	1,164.	1,198.
	24"	42"	R3B1PFL42 24-() ()	1,016.	1,029.	1,057.	1,112.	1,144.	1,189.	1,223.
	30"	42"	R3B1PFL42 30-() ()	1,092.	1,105.	1,133.	1,188.	1,220.	1,265.	1,299.
	36"	42"	R3B1PFL42 36-() ()	1,274.	1,287.	1,315.	1,370.	1,402.	1,447.	1,481.
	42"	42"	R3B1PFL42 42-() ()	1,305.	1,318.	1,346.	1,401.	1,433.	1,478.	1,512.
	48"	42"	R3B1PFL42 48-() ()	1,467.	1,480.	1,508.	1,563.	1,595.	1,640.	1,674.

Order Code	Specification Information	Application Notes
Example: R3B0PFL4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B0 No Beltway	B0=No Beltway	B = Square
P Monolithic panel	B1=Beltway one side	C = Bullnose
FL Fabric one side, laminate other		E = Extruded Aluminum
42 42" high	1. Top trim profile	<i>2. Base height:</i>
18 18" wide	2. Base height	4 = 4" base height
A Flat style top trim profile	3. Knockout option	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	(K = with knockouts, N = without knockouts)	<i>3. Beltway:</i>
K Include knockouts in base	4. Panel side 1 finish(s) inside (for panel with beltway specify: Side 1-below belt Side 2-above belt)	B0 = No Beltway
W281 Fabric - Side 1	5. Panel side 2 finish(s) outside	B1 = Beltway 1 side
114 Folkstone grey - side 2	6. Top trim finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
V316 Maple (top trim finish)	i)Top trim profile A,B or C options:	
111 Jet Black (base finish)	V1, V2, V3, P1, P2, P3 finishes	
M Optional milled frame	ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	
	7. Base finish	
	8. Beltway finish-only for panel with beltway option	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page 277.)

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.



Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

fabric one side, techwood other side

Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	42"	R3B0PF142 18-() ()	\$592.	\$602.	\$626.	\$676.	\$714.	\$756.	\$787.
Regular acoustics	20"	42"	R3B0PF142 20-() ()	592.	602.	626.	676.	714.	756.	787.
	24"	42"	R3B0PF142 24-() ()	597.	607.	631.	681.	719.	761.	792.
	30"	42"	R3B0PF142 30-() ()	720.	730.	754.	804.	842.	884.	915.
	36"	42"	R3B0PF142 36-() ()	779.	789.	813.	863.	901.	943.	974.
	42"	42"	R3B0PF142 42-() ()	878.	888.	912.	962.	1,000.	1,042.	1,073.
	48"	42"	R3B0PF142 48-() ()	953.	963.	987.	1,037.	1,075.	1,117.	1,148.
	60"	42"	R3B0PF142 60-() ()*	1,037.	1,061.	1,110.	1,207.	1,276.	1,370.	1,426.
	66"	42"	R3B0PF142 66-() ()*	1,078.	1,102.	1,151.	1,248.	1,317.	1,411.	1,467.
	72"	42"	R3B0PF142 72-() ()*	1,114.	1,138.	1,187.	1,284.	1,353.	1,447.	1,503.
Monolithic, fabric one side	18"	42"	R3B1PF142 18-() ()	1,161.	1,176.	1,208.	1,272.	1,308.	1,361.	1,399.
Beltway one side (fabric side)	20"	42"	R3B1PF142 20-() ()	1,162.	1,176.	1,208.	1,272.	1,308.	1,361.	1,399.
	24"	42"	R3B1PF142 24-() ()	1,195.	1,210.	1,242.	1,306.	1,342.	1,395.	1,433.
	30"	42"	R3B1PF142 30-() ()	1,284.	1,299.	1,331.	1,395.	1,431.	1,484.	1,522.
	36"	42"	R3B1PF142 36-() ()	1,494.	1,509.	1,541.	1,605.	1,641.	1,694.	1,732.
	42"	42"	R3B1PF142 42-() ()	1,534.	1,549.	1,581.	1,645.	1,681.	1,734.	1,772.
	48"	42"	R3B1PF142 48-() ()	1,727.	1,742.	1,774.	1,838.	1,874.	1,927.	1,965.

Order Code	Specification Information	Application Notes
Example: R3B0PF14218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway specify: Side 1, Below belt	4 = 4" base height
A Flat style top trim profile	Side 2, Above belt	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	5. Panel side 2 finish(s) outside	<i>3. Beltway:</i>
K Include knockouts in base	6. Top trim finish	B0 = No Beltway
W281 Fabric - Side 1	i) Top trim profile A, B or C options:	B1 = Beltway 1 side
Y328 Mahogany - side 2	V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	
111 Jet Black (base finish)	7. Base finish	
	8. Beltway finish (only for panels with Beltway)	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page 277).

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.



79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

fabric one side, conventional veneer other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF242 18-() ()	\$600.	\$610.	\$634.	\$684.	\$722.	\$764.	\$795.
	20"	42"	R3B0PF242 20-() ()	600.	610.	634.	684.	722.	764.	795.
	24"	42"	R3B0PF242 24-() ()	611.	621.	645.	695.	733.	775.	806.
	30"	42"	R3B0PF242 30-() ()	733.	743.	767.	817.	855.	897.	928.
	36"	42"	R3B0PF242 36-() ()	792.	802.	826.	876.	914.	956.	987.
	42"	42"	R3B0PF242 42-() ()	892.	902.	926.	976.	1,014.	1,056.	1,087.
	48"	42"	R3B0PF242 48-() ()	971.	981.	1,005.	1,055.	1,093.	1,135.	1,166.
	60"	42"	R3B0PF242 60-() ()*	1,051.	1,075.	1,124.	1,221.	1,290.	1,384.	1,440.
	66"	42"	R3B0PF242 66-() ()*	1,094.	1,118.	1,167.	1,264.	1,333.	1,427.	1,483.
	72"	42"	R3B0PF242 72-() ()*	1,131.	1,155.	1,204.	1,301.	1,370.	1,464.	1,520.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PF242 18-() ()	1,188.	1,203.	1,235.	1,299.	1,335.	1,388.	1,426.
	20"	42"	R3B1PF242 20-() ()	1,188.	1,203.	1,235.	1,299.	1,335.	1,388.	1,426.
	24"	42"	R3B1PF242 24-() ()	1,213.	1,228.	1,260.	1,324.	1,360.	1,413.	1,451.
	30"	42"	R3B1PF242 30-() ()	1,311.	1,326.	1,358.	1,422.	1,458.	1,511.	1,549.
	36"	42"	R3B1PF242 36-() ()	1,524.	1,539.	1,571.	1,635.	1,671.	1,724.	1,762.
	42"	42"	R3B1PF242 42-() ()	1,564.	1,579.	1,611.	1,675.	1,711.	1,764.	1,802.
	48"	42"	R3B1PF242 48-() ()	1,756.	1,771.	1,803.	1,867.	1,903.	1,956.	1,994.

Order Code	Specification Information	Application Notes
Example: R3B0PF24218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panel with Beltway option specify:	4 = 4" base height
A Flat style top trim profile	Side 1- Below Beltway	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	Side 2- Above Beltway	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
V316 Maple surface - side 2	i) Top trim profile A, B or C options:	
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	
	7. Base finish - (only for panels with Beltway option)	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page 277).

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

fabric one side, exotic veneer other side

Reff Profiles Vol. One

Panels


description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18"	42"	R3B0PF342 18-() ()	\$795.	\$805.	\$829.	\$879.	\$917.	\$959.	\$990.
	20"	42"	R3B0PF342 20-() ()	795.	805.	829.	879.	917.	959.	990.
	24"	42"	R3B0PF342 24-() ()	807.	817.	841.	891.	929.	971.	1,002.
	30"	42"	R3B0PF342 30-() ()	971.	981.	1,005.	1,055.	1,093.	1,135.	1,166.
	36"	42"	R3B0PF342 36-() ()	1,053.	1,063.	1,087.	1,137.	1,175.	1,217.	1,248.
	42"	42"	R3B0PF342 42-() ()	1,187.	1,197.	1,221.	1,271.	1,309.	1,351.	1,382.
	48"	42"	R3B0PF342 48-() ()	1,296.	1,306.	1,330.	1,380.	1,418.	1,460.	1,491.
	60"	42"	R3B0PF342 60-() ()*	1,386.	1,410.	1,459.	1,556.	1,625.	1,719.	1,775.
	66"	42"	R3B0PF342 66-() ()*	1,444.	1,468.	1,517.	1,614.	1,683.	1,777.	1,833.
	72"	42"	R3B0PF342 72-() ()*	1,494.	1,518.	1,567.	1,664.	1,733.	1,827.	1,883.
Monolithic, fabric one side Beltway fabric side	18"	42"	R3B1PF342 18-() ()	1,586.	1,601.	1,633.	1,697.	1,733.	1,786.	1,824.
	20"	42"	R3B1PF342 20-() ()	1,586.	1,601.	1,633.	1,697.	1,733.	1,786.	1,824.
	24"	42"	R3B1PF342 24-() ()	1,621.	1,636.	1,668.	1,732.	1,768.	1,821.	1,859.
	30"	42"	R3B1PF342 30-() ()	1,752.	1,767.	1,799.	1,863.	1,899.	1,952.	1,990.
	36"	42"	R3B1PF342 36-() ()	2,042.	2,057.	2,089.	2,153.	2,189.	2,242.	2,280.
	42"	42"	R3B1PF342 42-() ()	2,095.	2,110.	2,142.	2,206.	2,242.	2,295.	2,333.
	48"	42"	R3B1PF342 48-() ()	2,356.	2,371.	2,403.	2,467.	2,503.	2,556.	2,594.

Order Code	Specification Information	Application Notes
Example: R3B0PF34218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway, B1=Beltway, one side	2. Base height	B = Square
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F3 Fabric one side, V3 other	4. Panel side 1 finish(s) inside For panel with Beltway option specify: Side 1=Below Beltway Side 2=Above Beltway	E = Extruded Aluminum
42 42" high	5. Panel side 2 finish(s) outside	<i>2. Base height:</i>
18 18" wide	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver;	4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
A Flat style top trim profile	7. Base finish	<i>3. Beltway:</i>
4 4" base height	8. Beltway finish (only for panels with Beltway option)	B0 = No Beltway B1 = Beltway 1 side
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page 277).
W281 Fabric - Side 1		6" Raceway option increases panel height by 2 3/4".
V512 Figured Anigre surface - side 2		Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
V512 Figured Anigre (top trim finish)		Remember to specify Beltway paint finish when applicable.
111 Jet Black (base finish)		79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
M Optional milled frame		Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

Laminate/Laminate


Reff Profiles Vol. One

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides 	18"	42"	R3B0PLL4218() ()	\$655.
	20"	42"	R3B0PLL4220() ()	655.
	24"	42"	R3B0PLL4224() ()	714.
	30"	42"	R3B0PLL4230() ()	800.
	36"	42"	R3B0PLL4236() ()	864.
	42"	42"	R3B0PLL4242() ()	951.
	48"	42"	R3B0PLL4248() ()	1,064.
	60"	42"	R3B0PLL4260() ()*	1,149.
	66"	42"	R3B0PLL4266() ()*	1,185.
	72"	42"	R3B0PLL4272() ()*	1,219.


Order Code	Specification Information	Application Notes	
Example: R3B0PLL4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page 277). 6" Raceway option increases panel height by 2¾". Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
R3	Reff Generation 3	A = Flat	
B0	No Beltway	B = Square	
P	Monolithic panel	C = Bullnose	
LL	Laminate both sides	E = Extruded Aluminum	
42	42" high	<i>2. Base height:</i>	
18	18" wide	4 = 4" base height	
A	Flat style top trim profile	6 = 6" base height (add \$50 per panel for this option)	
4	4" base height	<i>3. Beltway:</i>	
K	Include knockouts in base	B0 = No Beltway	
118	Laminate - side 1	B1 = Beltway 1 side	
118	Laminate - side 2	Product on this page will accept woodgrain laminate where laminate is currently an option.	
V512	Figured Anigre (top trim finish)		
111	Jet Black (base finish)		
M	Optional milled frame		

Monolithic panels 49" H fabric both sides

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	49"	R3B0PFF49 18-() ()	\$656.	\$686.	\$742.	\$858.	\$934.	\$1,038.	\$1,104.
Regular acoustics	20"	49"	R3B0PFF49 20-() ()	656.	686.	742.	858.	934.	1,038.	1,104.
	24"	49"	R3B0PFF49 24-() ()	700.	730.	786.	902.	978.	1,082.	1,148.
	30"	49"	R3B0PFF49 30-() ()	760.	790.	846.	962.	1,038.	1,142.	1,208.
	36"	49"	R3B0PFF49 36-() ()	795.	825.	881.	997.	1,073.	1,177.	1,243.
	42"	49"	R3B0PFF49 42-() ()	858.	888.	944.	1,060.	1,136.	1,240.	1,306.
	48"	49"	R3B0PFF49 48-() ()	942.	972.	1,028.	1,144.	1,220.	1,324.	1,390.
	60"	49"	R3B0PFF49 60-() () *	1,087.	1,137.	1,247.	1,481.	1,639.	1,845.	1,971.
	66"	49"	R3B0PFF49 66-() () *	1,123.	1,173.	1,283.	1,517.	1,675.	1,881.	2,007.
	72"	49"	R3B0PFF49 72-() () *	1,156.	1,206.	1,316.	1,550.	1,708.	1,914.	2,040.



Monolithic, fabric both sides	18"	49"	R3B0PAA49 18-() ()	715.	745.	801.	917.	993.	1,097.	1,163.
High acoustics	20"	49"	R3B0PAA49 20-() ()	715.	745.	801.	917.	993.	1,097.	1,163.
	24"	49"	R3B0PAA49 24-() ()	765.	795.	851.	967.	1,043.	1,147.	1,213.
	30"	49"	R3B0PAA49 30-() ()	831.	861.	917.	1,033.	1,109.	1,213.	1,279.
	36"	49"	R3B0PAA49 36-() ()	870.	900.	956.	1,072.	1,148.	1,252.	1,318.
	42"	49"	R3B0PAA49 42-() ()	941.	971.	1,027.	1,143.	1,219.	1,323.	1,389.
	48"	49"	R3B0PAA49 48-() ()	1,032.	1,062.	1,118.	1,234.	1,310.	1,414.	1,480.
	60"	49"	R3B0PAA49 60-() () *	1,181.	1,231.	1,341.	1,575.	1,733.	1,939.	2,065.
	66"	49"	R3B0PAA49 66-() () *	1,222.	1,272.	1,382.	1,616.	1,774.	1,980.	2,106.
	72"	49"	R3B0PAA49 72-() () *	1,264.	1,314.	1,424.	1,658.	1,816.	2,022.	2,148.




Order Code	Specification Information	Application Notes
Example: R3B0PFF4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim profile	6. Top trim finish	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	i) Top trim profile A, B or C options:	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric - Side 1	ii) Top trim profile E options:	
W281 Fabric - Side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	*Fabric inserts of these panels are two pieces, split vertically.
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. <i>Optional non-beltway panels:</i>	
M Optional milled frame	specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
		Remember to specify Beltway paint finish when applicable.
		*These panel widths do not accept stacking modules.
		79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 49" H with Beltway

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	49"	R3B2PFF49 18-() ()	\$1,186.	\$1,224.	\$1,302.	\$1,424.	\$1,516.	\$1,644.	\$1,724.
Beltway two sides, regular acoustics	20"	49"	R3B2PFF49 20-() ()	1,186.	1,224.	1,302.	1,424.	1,516.	1,644.	1,724.
	24"	49"	R3B2PFF49 24-() ()	1,210.	1,248.	1,326.	1,448.	1,540.	1,668.	1,748.
	30"	49"	R3B2PFF49 30-() ()	1,272.	1,310.	1,388.	1,510.	1,602.	1,730.	1,810.
	36"	49"	R3B2PFF49 36-() ()	1,501.	1,539.	1,617.	1,739.	1,831.	1,959.	2,039.
	42"	49"	R3B2PFF49 42-() ()	1,615.	1,653.	1,731.	1,853.	1,945.	2,073.	2,153.
	48"	49"	R3B2PFF49 48-() ()	1,673.	1,711.	1,789.	1,911.	2,003.	2,131.	2,211.

Monolithic, fabric both sides	18"	49"	R3B1PFF49 18-() ()	1,165.	1,199.	1,266.	1,385.	1,469.	1,585.	1,658.
Beltway one side	20"	49"	R3B1PFF49 20-() ()	1,165.	1,199.	1,266.	1,385.	1,469.	1,585.	1,658.
	24"	49"	R3B1PFF49 24-() ()	1,188.	1,222.	1,289.	1,408.	1,492.	1,608.	1,681.
	30"	49"	R3B1PFF49 30-() ()	1,245.	1,279.	1,346.	1,465.	1,549.	1,665.	1,738.
	36"	49"	R3B1PFF49 36-() ()	1,472.	1,506.	1,573.	1,692.	1,776.	1,892.	1,965.
	42"	49"	R3B1PFF49 42-() ()	1,582.	1,616.	1,683.	1,802.	1,886.	2,002.	2,075.
	48"	49"	R3B1PFF49 48-() ()	1,638.	1,672.	1,739.	1,858.	1,942.	2,058.	2,131.



Order Code	Specification Information	Application Notes
Example: R3B2PFF4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway, both sides	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Panel 1 finish(s) Below Belt	<i>2. Base height:</i>
18 18" wide	5. Panel 2 finish(s) Above Belt	4 = 4" base height
A Flat style top trim profile	6. Panel 2 finish(s) Below Belt	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	7. Panel 2 finish(s) Above Belt	<i>3. Beltway:</i>
K Include knockouts in base	8. Top trim finish	B0 = No Beltway
W281 Side 1 - Below Belt	i) Top trim profile A,B or C options:	B1 = Beltway 1 side
W281 Side 1 - Above Belt	V1, V2, V3, P1, P2, P3 finishes	
W281 Side 2 - Below Belt	ii) Top trim profile E options:	6" Raceway option increases panel height by 2 ³ / ₄ ".
W281 Side 2 - Above Belt	AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	*Fabric inserts of these panels are two pieces, split vertically.
V316 Maple (top trim finish)	9. Base finish	
111 Jet Black (base finish)	10. Beltway finish	
M Optional milled frame		
111 Beltway finish		

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.


Monolithic panels 49" H

fabric one side, laminate other side


Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18"	49"	R3B0PFL49 18-() ()	\$558.	\$573.	\$596.	\$649.	\$683.	\$728.	\$757.
	20"	49"	R3B0PFL49 20-() ()	558.	573.	596.	649.	683.	728.	757.
	24"	49"	R3B0PFL49 24-() ()	610.	625.	648.	701.	735.	780.	809.
	30"	49"	R3B0PFL49 30-() ()	691.	706.	729.	782.	816.	861.	890.
	36"	49"	R3B0PFL49 36-() ()	745.	760.	783.	836.	870.	915.	944.
	42"	49"	R3B0PFL49 42-() ()	823.	838.	861.	914.	948.	993.	1,022.
	48"	49"	R3B0PFL49 48-() ()	926.	941.	964.	1,017.	1,051.	1,096.	1,125.
	60"	49"	R3B0PFL49 60-() () *	1,009.	1,030.	1,081.	1,181.	1,251.	1,345.	1,399.
	66"	49"	R3B0PFL49 66-() () *	1,038.	1,059.	1,110.	1,210.	1,280.	1,374.	1,428.
	72"	49"	R3B0PFL49 72-() () *	1,073.	1,094.	1,145.	1,245.	1,315.	1,409.	1,463.



Monolithic, fabric one side Beltway one side (fabric side)	18"	49"	R3B1PFL49 18-() ()	1,008.	1,025.	1,056.	1,114.	1,152.	1,207.	1,247.
	20"	49"	R3B1PFL49 20-() ()	1,008.	1,025.	1,056.	1,114.	1,152.	1,207.	1,247.
	24"	49"	R3B1PFL49 24-() ()	1,050.	1,067.	1,098.	1,156.	1,194.	1,249.	1,289.
	30"	49"	R3B1PFL49 30-() ()	1,128.	1,145.	1,176.	1,234.	1,272.	1,327.	1,367.
	36"	49"	R3B1PFL49 36-() ()	1,355.	1,372.	1,403.	1,461.	1,499.	1,554.	1,594.
	42"	49"	R3B1PFL49 42-() ()	1,479.	1,496.	1,527.	1,585.	1,623.	1,678.	1,718.
	48"	49"	R3B1PFL49 48-() ()	1,560.	1,577.	1,608.	1,666.	1,704.	1,759.	1,799.





Order Code	Specification Information	Application Notes
Example: R3B0PFL4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panel with Beltway option, please specify,	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Beltway	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	Side 1 - Above Beltway	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
114 Folkstone grey - side 2	i) Top trim profile A, B or C options:	6" Raceway option increases panel height by 2 3/4".
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Product on this page will accept woodgrain laminate where laminate is currently an option.
111 Jet Black (base finish)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
M Optional milled frame	7. Base finish	Remember to specify Beltway paint finish when applicable.
	8. Beltway finish - only for panels with beltway option	*These panel widths do not accept stacking modules.
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 49" H

fabric one side, techwood other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
 Monolithic, fabric one side Regular acoustics	18"	49"	R3B0PF149 18-() ()	\$656.	\$673.	\$700.	\$759.	\$801.	\$851.	\$886.
	20"	49"	R3B0PF149 20-() ()	656.	673.	700.	759.	801.	851.	886.
	24"	49"	R3B0PF149 24-() ()	716.	733.	760.	819.	861.	911.	946.
	30"	49"	R3B0PF149 30-() ()	816.	833.	860.	919.	961.	1,011.	1,046.
	36"	49"	R3B0PF149 36-() ()	875.	892.	919.	978.	1,020.	1,070.	1,105.
	42"	49"	R3B0PF149 42-() ()	968.	985.	1,012.	1,071.	1,113.	1,163.	1,198.
	48"	49"	R3B0PF149 48-() ()	1,088.	1,105.	1,132.	1,191.	1,233.	1,283.	1,318.
	60"	49"	R3B0PF149 60-() () *	1,183.	1,210.	1,269.	1,386.	1,466.	1,570.	1,637.
	66"	49"	R3B0PF149 66-() () *	1,218.	1,245.	1,304.	1,421.	1,501.	1,605.	1,672.
	72"	49"	R3B0PF149 72-() () *	1,260.	1,287.	1,346.	1,463.	1,543.	1,647.	1,714.

 Monolithic, fabric one side Beltway one side (fabric side)	18"	49"	R3B1PF149 18-() ()	1,189.	1,207.	1,248.	1,310.	1,355.	1,421.	1,462.
	20"	49"	R3B1PF149 20-() ()	1,189.	1,207.	1,248.	1,310.	1,355.	1,421.	1,462.
	24"	49"	R3B1PF149 24-() ()	1,231.	1,249.	1,290.	1,352.	1,397.	1,463.	1,504.
	30"	49"	R3B1PF149 30-() ()	1,324.	1,342.	1,383.	1,445.	1,490.	1,556.	1,597.
	36"	49"	R3B1PF149 36-() ()	1,591.	1,609.	1,650.	1,712.	1,757.	1,823.	1,864.
	42"	49"	R3B1PF149 42-() ()	1,741.	1,759.	1,800.	1,862.	1,907.	1,973.	2,014.
	48"	49"	R3B1PF149 48-() ()	1,831.	1,849.	1,890.	1,952.	1,997.	2,063.	2,104.

Order Code	Specification Information	Application Notes
Example: R3B0PF14918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top rim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panel with Beltway, please specify:	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	Side 1 - Above Belt	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
Y328 Mahogany - side 2	i) Top trim profile A, B or C options:	<i>6" Raceway option increases panel height by 2 3/4".</i>
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.


Monolithic panels 49" H

fabric one side, conventional veneer other side


Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18"	49"	R3B0PF249 18-() ()	\$668.	\$685.	\$712.	\$771.	\$813.	\$863.	\$898.
	20"	49"	R3B0PF249 20-() ()	668.	685.	712.	771.	813.	863.	898.
	24"	49"	R3B0PF249 24-() ()	731.	748.	775.	834.	876.	926.	961.
	30"	49"	R3B0PF249 30-() ()	829.	846.	873.	932.	974.	1,024.	1,059.
	36"	49"	R3B0PF249 36-() ()	891.	908.	935.	994.	1,036.	1,086.	1,121.
	42"	49"	R3B0PF249 42-() ()	986.	1,003.	1,030.	1,089.	1,131.	1,181.	1,216.
	48"	49"	R3B0PF249 48-() ()	1,112.	1,129.	1,156.	1,215.	1,257.	1,307.	1,342.
	60"	49"	R3B0PF249 60-() () *	1,205.	1,232.	1,291.	1,408.	1,488.	1,592.	1,659.
	66"	49"	R3B0PF249 66-() () *	1,244.	1,271.	1,330.	1,447.	1,527.	1,631.	1,698.
	72"	49"	R3B0PF249 72-() () *	1,282.	1,309.	1,368.	1,485.	1,565.	1,669.	1,736.



Monolithic, fabric one side Beltway one side (fabric side)	18"	49"	R3B1PF249 18-() ()	1,210.	1,228.	1,269.	1,331.	1,376.	1,442.	1,483.
	20"	49"	R3B1PF249 20-() ()	1,210.	1,228.	1,269.	1,331.	1,376.	1,442.	1,483.
	24"	49"	R3B1PF249 24-() ()	1,254.	1,272.	1,313.	1,375.	1,420.	1,486.	1,527.
	30"	49"	R3B1PF249 30-() ()	1,352.	1,370.	1,411.	1,473.	1,518.	1,584.	1,625.
	36"	49"	R3B1PF249 36-() ()	1,624.	1,642.	1,683.	1,745.	1,790.	1,856.	1,897.
	42"	49"	R3B1PF249 42-() ()	1,770.	1,788.	1,829.	1,891.	1,936.	2,002.	2,043.
	48"	49"	R3B1PF249 48-() ()	1,862.	1,880.	1,921.	1,983.	2,028.	2,094.	2,135.



Order Code	Specification Information	Application Notes
Example: R3B0PF24918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F2 Fabric one side, V2 other	4. Panel side 1 finish(s) inside For panels with Beltway, please specify:	E = Extruded Aluminum
49 49" high	Side 1 - Below Belt	<i>2. Base height:</i>
18 18" wide	Side 1 - Above Belt	4 = 4" base height
A Flat style top trim option	5. Panel side 2 finish(s) outside	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	6. Top trim finish	<i>3. Beltway:</i>
K Include knockouts in base	i) Top trim profile A, B or C options:	B0 = No Beltway
W281 Fabric - Side 1	V1, V2, V3, P1, P2, P3 finishes	B1 = Beltway 1 side
V316 Maple surface - side 2	ii) Top trim profile E options:	
V316 Maple (top trim finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 6	<i>6" Raceway option increases panel height by 2 3/4".</i>
111 Jet Black (base finish)	excluding silver	
M Optional milled frame	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.


79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 49" H


fabric one side, exotic veneer other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18"	49"	R3B0PF349 18-() ()	\$882.	\$899.	\$926.	\$985.	\$1,027.	\$1,077.	\$1,112.
	20"	49"	R3B0PF349 20-() ()	882.	899.	926.	985.	1,027.	1,077.	1,112.
	24"	49"	R3B0PF349 24-() ()	966.	983.	1,010.	1,069.	1,111.	1,161.	1,196.
	30"	49"	R3B0PF349 30-() ()	1,100.	1,117.	1,144.	1,203.	1,245.	1,295.	1,330.
	36"	49"	R3B0PF349 36-() ()	1,184.	1,201.	1,228.	1,287.	1,329.	1,379.	1,414.
	42"	49"	R3B0PF349 42-() ()	1,310.	1,327.	1,354.	1,413.	1,455.	1,505.	1,540.
	48"	49"	R3B0PF349 48-() ()	1,480.	1,497.	1,524.	1,583.	1,625.	1,675.	1,710.
	60"	49"	R3B0PF349 60-() ()*	1,588.	1,615.	1,674.	1,791.	1,871.	1,975.	2,042.
	66"	49"	R3B0PF349 66-() ()*	1,640.	1,667.	1,726.	1,843.	1,923.	2,027.	2,094.
	72"	49"	R3B0PF349 72-() ()*	1,690.	1,717.	1,776.	1,893.	1,973.	2,077.	2,144.



Monolithic, fabric one side Beltway fabric side	18"	49"	R3B1PF349 18-() ()	1,612.	1,630.	1,671.	1,733.	1,778.	1,844.	1,885.
	20"	49"	R3B1PF349 20-() ()	1,612.	1,630.	1,671.	1,733.	1,778.	1,844.	1,885.
	24"	49"	R3B1PF349 24-() ()	1,674.	1,692.	1,733.	1,795.	1,840.	1,906.	1,947.
	30"	49"	R3B1PF349 30-() ()	1,804.	1,822.	1,863.	1,925.	1,970.	2,036.	2,077.
	36"	49"	R3B1PF349 36-() ()	2,174.	2,192.	2,233.	2,295.	2,340.	2,406.	2,447.
	42"	49"	R3B1PF349 42-() ()	2,371.	2,389.	2,430.	2,492.	2,537.	2,603.	2,644.
	48"	49"	R3B1PF349 48-() ()	2,495.	2,513.	2,554.	2,616.	2,661.	2,727.	2,768.




Order Code	Specification Information	Application Notes
Example: R3B0PF34918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	
F3 Fabric one side, V3 other	4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1 - Below belt Side 1 - Above belt	
49 49" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	
A Flat style top trim option	7. Base finish	
4 4" base height	8. Beltway finish - only for panels with Beltway	
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
W281 Fabric - Side 1		
V512 Figured Anigre surface - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Monolithic panels 49" H

Laminate/Laminate

Reff Profiles Vol. One

Panels


description	w	h	pattern no.	L
 Monolithic, laminate both sides with raceway both sides	18"	49"	R3B0PLL4918() ()	\$778.
	20"	49"	R3B0PLL4920() ()	778.
	24"	49"	R3B0PLL4924() ()	849.
	30"	49"	R3B0PLL4930() ()	951.
	36"	49"	R3B0PLL4936() ()	1,026.
	42"	49"	R3B0PLL4942() ()	1,128.
	48"	49"	R3B0PLL4948() ()	1,264.
	60"	49"	R3B0PLL4960() ()*	1,364.
	66"	49"	R3B0PLL4966() ()*	1,405.
	72"	49"	R3B0PLL4972() ()*	1,448.

Order Code	Specification Information	Application Notes
Example: R3B0PLL4918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel LL Laminate both sides 49 49" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base 118 Laminate - side 1 118 Laminate - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	<i>To order please specify pattern number including:</i> 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 inside 5. Panel side 2 outside 6. Top trim finish <i>i)</i> Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii)</i> Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver 7. Base finish 8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option) Product on this page will accept woodgrain laminate where laminate is currently an option. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 64" H fabric both sides

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	64"	R3B0PFF64 18-() ()	\$757.	\$791.	\$865.	\$1,013.	\$1,117.	\$1,251.	\$1,339.
Regular acoustics	20"	64"	R3B0PFF64 20-() ()	767.	791.	865.	1,013.	1,117.	1,251.	1,339.
	24"	64"	R3B0PFF64 24-() ()	801.	835.	909.	1,057.	1,161.	1,295.	1,383.
	30"	64"	R3B0PFF64 30-() ()	862.	896.	970.	1,118.	1,222.	1,356.	1,444.
	36"	64"	R3B0PFF64 36-() ()	883.	917.	991.	1,139.	1,243.	1,377.	1,465.
	42"	64"	R3B0PFF64 42-() ()	1,028.	1,062.	1,136.	1,284.	1,388.	1,522.	1,610.
	48"	64"	R3B0PFF64 48-() ()	1,088.	1,122.	1,196.	1,344.	1,448.	1,582.	1,670.
	60"	64"	R3B0PFF64 60-() () *	1,262.	1,340.	1,480.	1,790.	2,004.	2,270.	2,446.
	66"	64"	R3B0PFF64 66-() () *	1,303.	1,381.	1,521.	1,831.	2,045.	2,311.	2,487.
	72"	64"	R3B0PFF64 72-() () *	1,346.	1,424.	1,564.	1,874.	2,088.	2,354.	2,530.



Monolithic, fabric both sides	18"	64"	R3B0PAA64 18-() ()	823.	857.	931.	1,079.	1,183.	1,317.	1,405.
High acoustics	20"	64"	R3B0PAA64 20-() ()	823.	857.	931.	1,079.	1,183.	1,317.	1,405.
	24"	64"	R3B0PAA64 24-() ()	878.	912.	986.	1,134.	1,238.	1,372.	1,460.
	30"	64"	R3B0PAA64 30-() ()	942.	976.	1,050.	1,198.	1,302.	1,436.	1,524.
	36"	64"	R3B0PAA64 36-() ()	965.	999.	1,073.	1,221.	1,325.	1,459.	1,547.
	42"	64"	R3B0PAA64 42-() ()	1,129.	1,163.	1,237.	1,385.	1,489.	1,623.	1,711.
	48"	64"	R3B0PAA64 48-() ()	1,194.	1,228.	1,302.	1,450.	1,554.	1,688.	1,776.
	60"	64"	R3B0PAA64 60-() () *	1,371.	1,449.	1,589.	1,899.	2,113.	2,379.	2,555.
	66"	64"	R3B0PAA64 66-() () *	1,416.	1,494.	1,634.	1,944.	2,158.	2,424.	2,600.
	72"	64"	R3B0PAA64 72-() () *	1,462.	1,540.	1,680.	1,990.	2,204.	2,470.	2,646.



Order Code	Specification Information	Application Notes
Example: R3B0PFF6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim profile	6. Top trim finish	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	i) Top trim profile A, B or C options:	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric - Side 1	ii) Top trim profile E options:	
W281 Fabric - Side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. <i>Optional non-beltway panels:</i>	
M Optional milled frame	specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.


Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 64" H fabric both sides, with Beltway

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	64"	R3B2PFF64 18-() ()	\$1,297.	\$1,335.	\$1,423.	\$1,603.	\$1,721.	\$1,883.	\$1,993.
Beltway two sides, regular acoustics	20"	64"	R3B2PFF64 20-() ()	1,297.	1,335.	1,423.	1,603.	1,721.	1,883.	1,993.
	24"	64"	R3B2PFF64 24-() ()	1,360.	1,398.	1,486.	1,666.	1,784.	1,946.	2,056.
	30"	64"	R3B2PFF64 30-() ()	1,392.	1,430.	1,518.	1,698.	1,816.	1,978.	2,088.
	36"	64"	R3B2PFF64 36-() ()	1,684.	1,722.	1,810.	1,990.	2,108.	2,270.	2,380.
	42"	64"	R3B2PFF64 42-() ()	1,801.	1,839.	1,927.	2,107.	2,225.	2,387.	2,497.
	48"	64"	R3B2PFF64 48-() ()	1,862.	1,900.	1,988.	2,168.	2,286.	2,448.	2,558.



Monolithic, fabric both sides	18"	64"	R3B1PFF64 18-() ()	1,269.	1,305.	1,386.	1,550.	1,661.	1,809.	1,908.
Beltway one side	20"	64"	R3B1PFF64 20-() ()	1,269.	1,305.	1,386.	1,550.	1,661.	1,809.	1,908.
	24"	64"	R3B1PFF64 24-() ()	1,326.	1,362.	1,443.	1,607.	1,718.	1,866.	1,965.
	30"	64"	R3B1PFF64 30-() ()	1,357.	1,393.	1,474.	1,638.	1,749.	1,897.	1,996.
	36"	64"	R3B1PFF64 36-() ()	1,648.	1,684.	1,765.	1,929.	2,040.	2,188.	2,287.
	42"	64"	R3B1PFF64 42-() ()	1,761.	1,797.	1,878.	2,042.	2,153.	2,301.	2,400.
	48"	64"	R3B1PFF64 48-() ()	1,816.	1,852.	1,933.	2,097.	2,208.	2,356.	2,455.

Order Code	Specification Information	Application Notes
Example: R3B2PFF6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway both sides, B1=Beltway, one side	2. Base height	B = Square
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
FF Fabric on both sides	4. Panel side 1 finish(s) Below Belt	E = Extruded Aluminum
64 64" high	5. Panel side 1 finish(s) Above Belt	
18 18" wide	6. Panel side 2 finish(s) Below Belt	
A Flat style top trim profile	7. Panel side 2 finish(s) Above Belt	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish	
W281 Fabric - Side 1 Below belt	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
W281 Fabric - Side 1 Above belt		
W281 Fabric - Side 2 Below belt		
W281 Fabric - Side 2 Above belt		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Beltway finish		

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.


79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 64" H

fabric one side, laminate other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
 Monolithic, fabric one side Regular acoustics	18"	64"	R3B0PFL64 18-() ()	\$662.	\$679.	\$709.	\$776.	\$821.	\$881.	\$920.
	20"	64"	R3B0PFL64 20-() ()	662.	679.	709.	776.	821.	881.	920.
	24"	64"	R3B0PFL64 24-() ()	729.	746.	776.	843.	888.	948.	987.
	30"	64"	R3B0PFL64 30-() ()	822.	839.	869.	936.	981.	1,041.	1,080.
	36"	64"	R3B0PFL64 36-() ()	887.	904.	934.	1,001.	1,046.	1,106.	1,145.
	42"	64"	R3B0PFL64 42-() ()	982.	999.	1,029.	1,096.	1,141.	1,201.	1,240.
	48"	64"	R3B0PFL64 48-() ()	1,106.	1,123.	1,153.	1,220.	1,265.	1,325.	1,364.
	60"	64"	R3B0PFL64 60-() () *	1,197.	1,232.	1,295.	1,433.	1,525.	1,645.	1,722.
	66"	64"	R3B0PFL64 66-() () *	1,239.	1,274.	1,337.	1,475.	1,567.	1,687.	1,764.
	72"	64"	R3B0PFL64 72-() ()	1,279.	1,314.	1,377.	1,515.	1,607.	1,727.	1,804.

 Monolithic fabric one side Beltway one side (fabric side)	18"	64"	R3B1PFL64 18-() ()	1,124.	1,143.	1,180.	1,262.	1,311.	1,382.	1,434.
	20"	64"	R3B1PFL64 20-() ()	1,124.	1,143.	1,180.	1,262.	1,311.	1,382.	1,434.
	24"	64"	R3B1PFL64 24-() ()	1,200.	1,219.	1,256.	1,338.	1,387.	1,458.	1,510.
	30"	64"	R3B1PFL64 30-() ()	1,271.	1,290.	1,328.	1,409.	1,458.	1,529.	1,581.
	36"	64"	R3B1PFL64 36-() ()	1,580.	1,599.	1,637.	1,718.	1,767.	1,838.	1,890.
	42"	64"	R3B1PFL64 42-() ()	1,641.	1,660.	1,697.	1,779.	1,828.	1,899.	1,951.
	48"	64"	R3B1PFL64 48-() ()	1,774.	1,793.	1,830.	1,912.	1,961.	2,032.	2,084.

Order Code	Specification Information	Application Notes
Example: R3B0PFL6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
FL Fabric one side, laminate other	4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1-Below belt Side 1-Above belt	E = Extruded Aluminum
64 64" high	5. Panel side 2 finish(s) outside	<i>2. Base height:</i>
18 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
A Flat style top trim profile	7. Base finish	<i>3. Beltway:</i>
4 4" base height	8. Beltway finish - only for panels with Beltway	B0 = No Beltway B1 = Beltway 1 side
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	6" Raceway option increases panel height by 2 3/4".
W281 Fabric - Side 1		Product on this page will accept woodgrain laminate where laminate is currently an option.
114 Folkstone grey - side 2		Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
V316 Maple (top trim finish)		Remember to specify Beltway paint finish when applicable.
111 Jet Black (base finish)		*These panel widths do not accept stacking modules.
M Optional milled frame		79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 64" H

fabric one side, techwood other side


Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	64"	R3B0PF164 18-()()	\$778.	\$795.	\$834.	\$910.	\$961.	\$1,031.	\$1,076.
Regular acoustics	20"	64"	R3B0PF164 20-()()	778.	795.	834.	910.	961.	1,031.	1,076.
	24"	64"	R3B0PF164 24-()()	854.	871.	910.	986.	1,037.	1,107.	1,152.
	30"	64"	R3B0PF164 30-()()	967.	984.	1,023.	1,099.	1,150.	1,220.	1,265.
	36"	64"	R3B0PF164 36-()()	1,044.	1,061.	1,100.	1,176.	1,227.	1,297.	1,342.
	42"	64"	R3B0PF164 42-()()	1,156.	1,173.	1,212.	1,288.	1,339.	1,409.	1,454.
	48"	64"	R3B0PF164 48-()()	1,302.	1,319.	1,358.	1,434.	1,485.	1,555.	1,600.
	60"	64"	R3B0PF164 60-()() *	1,410.	1,451.	1,522.	1,680.	1,787.	1,925.	2,016.
	66"	64"	R3B0PF164 66-()() *	1,459.	1,500.	1,571.	1,729.	1,836.	1,974.	2,065.
	72"	64"	R3B0PF164 72-()() *	1,506.	1,547.	1,618.	1,776.	1,883.	2,021.	2,112.



Monolithic fabric one side	18"	64"	R3B1PF164 18-()()	1,322.	1,339.	1,385.	1,476.	1,535.	1,618.	1,676.
Beltway one side (fabric side)	20"	64"	R3B1PF164 20-()()	1,322.	1,339.	1,385.	1,476.	1,535.	1,618.	1,676.
	24"	64"	R3B1PF164 24-()()	1,408.	1,425.	1,471.	1,562.	1,621.	1,704.	1,762.
	30"	64"	R3B1PF164 30-()()	1,495.	1,512.	1,558.	1,649.	1,708.	1,791.	1,849.
	36"	64"	R3B1PF164 36-()()	1,857.	1,874.	1,920.	2,011.	2,070.	2,153.	2,211.
	42"	64"	R3B1PF164 42-()()	1,931.	1,948.	1,994.	2,085.	2,144.	2,227.	2,285.
	48"	64"	R3B1PF164 48-()()	2,086.	2,103.	2,149.	2,240.	2,299.	2,382.	2,440.



Order Code	Specification Information	Application Notes
Example: R3B0PF16418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	Side 1 - Above Belt	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
Y328 Mahogany - side 2	i) Top trim profile A, B or C options:	<i>6" Raceway option increases panel height by 2 3/4".</i>
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 64" H


fabric one side, conventional veneer other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	64"	R3B0PF264 18-() ()	\$795.	\$812.	\$851.	\$927.	\$978.	\$1,048.	\$1,093.
Regular acoustics	20"	64"	R3B0PF264 20-() ()	795.	812.	851.	927.	978.	1,048.	1,093.
	24"	64"	R3B0PF264 24-() ()	870.	887.	926.	1,002.	1,053.	1,123.	1,168.
	30"	64"	R3B0PF264 30-() ()	984.	1,001.	1,040.	1,116.	1,167.	1,237.	1,282.
	36"	64"	R3B0PF264 36-() ()	1,061.	1,078.	1,117.	1,193.	1,244.	1,314.	1,359.
	42"	64"	R3B0PF264 42-() ()	1,175.	1,192.	1,231.	1,307.	1,358.	1,428.	1,473.
	48"	64"	R3B0PF264 48-() ()	1,327.	1,344.	1,383.	1,459.	1,510.	1,580.	1,625.
	60"	64"	R3B0PF264 60-() () *	1,430.	1,471.	1,542.	1,700.	1,807.	1,945.	2,036.
	66"	64"	R3B0PF264 66-() () *	1,481.	1,522.	1,593.	1,751.	1,858.	1,996.	2,087.
	72"	64"	R3B0PF264 72-() () *	1,533.	1,574.	1,645.	1,803.	1,910.	2,048.	2,139.



Monolithic fabric one side	18"	64"	R3B1PF264 18-() ()	1,346.	1,363.	1,409.	1,500.	1,559.	1,642.	1,700.
Beltway one side (fabric side)	20"	64"	R3B1PF264 20-() ()	1,346.	1,363.	1,409.	1,500.	1,559.	1,642.	1,700.
	24"	64"	R3B1PF264 24-() ()	1,436.	1,453.	1,499.	1,590.	1,649.	1,732.	1,790.
	30"	64"	R3B1PF264 30-() ()	1,522.	1,539.	1,585.	1,676.	1,735.	1,818.	1,876.
	36"	64"	R3B1PF264 36-() ()	1,888.	1,905.	1,951.	2,042.	2,101.	2,184.	2,242.
	42"	64"	R3B1PF264 42-() ()	1,967.	1,984.	2,030.	2,121.	2,180.	2,263.	2,321.
	48"	64"	R3B1PF264 48-() ()	2,125.	2,142.	2,188.	2,279.	2,338.	2,421.	2,479.



Order Code	Specification Information	Application Notes
Example: R3B0PF26418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	Side 1 - Above Belt	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
V316 Maple surface - side 2	i) Top trim profile A, B or C options:	<i>6" Raceway option increases panel height by 2 3/4".</i>
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 64" H

fabric one side, exotic veneer other side


Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	64"	R3B0PF364 18-() ()	\$1,047.	\$1,064.	\$1,103.	\$1,179.	\$1,230.	\$1,300.	\$1,345.
Regular acoustics	20"	64"	R3B0PF364 20-() ()	1,047.	1,064.	1,103.	1,179.	1,230.	1,300.	1,345.
	24"	64"	R3B0PF364 24-() ()	1,149.	1,166.	1,205.	1,281.	1,332.	1,402.	1,447.
	30"	64"	R3B0PF364 30-() ()	1,301.	1,318.	1,357.	1,433.	1,484.	1,554.	1,599.
	36"	64"	R3B0PF364 36-() ()	1,406.	1,423.	1,462.	1,538.	1,589.	1,659.	1,704.
	42"	64"	R3B0PF364 42-() ()	1,562.	1,579.	1,618.	1,694.	1,745.	1,815.	1,860.
	48"	64"	R3B0PF364 48-() ()	1,765.	1,782.	1,821.	1,897.	1,948.	2,018.	2,063.
	60"	64"	R3B0PF364 60-() ()*	1,882.	1,923.	1,994.	2,152.	2,259.	2,397.	2,488.
	66"	64"	R3B0PF364 66-() ()*	1,950.	1,991.	2,062.	2,220.	2,327.	2,465.	2,556.
	72"	64"	R3B0PF364 72-() ()*	2,019.	2,060.	2,131.	2,289.	2,396.	2,534.	2,625.



Monolithic, fabric one side	18"	64"	R3B1PF364 18-() ()	1,788.	1,805.	1,851.	1,942.	2,001.	2,084.	2,142.
Beltway fabric side	20"	64"	R3B1PF364 20-() ()	1,788.	1,805.	1,851.	1,942.	2,001.	2,084.	2,142.
	24"	64"	R3B1PF364 24-() ()	1,908.	1,925.	1,971.	2,062.	2,121.	2,204.	2,262.
	30"	64"	R3B1PF364 30-() ()	2,027.	2,044.	2,090.	2,181.	2,240.	2,323.	2,381.
	36"	64"	R3B1PF364 36-() ()	2,521.	2,538.	2,584.	2,675.	2,734.	2,817.	2,875.
	42"	64"	R3B1PF364 42-() ()	2,625.	2,642.	2,688.	2,779.	2,838.	2,921.	2,979.
	48"	64"	R3B1PF364 48-() ()	2,840.	2,857.	2,903.	2,994.	3,053.	3,136.	3,194.



Order Code	Specification Information	Application Notes
Example: R3B0PF36418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. <i>Top trim profile:</i>
B0 No Beltway	2. Base height	A = Flat
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	B = Square
F3 Fabric one side, V3 other	4. Panel side 1 finish(s) inside	C = Bullnose
64 64" high	For panels with beltway, please specify;	E = Extruded Aluminum
18 18" wide	Side 1 - Below belt	
A Flat style top trim profile	Side 1 - Above belt	
4 4" base height	5. Panel side 2 finish(s) outside	2. <i>Base height:</i>
K Include knockouts in base	6. Top trim finish	4 = 4" base height
W281 Fabric - Side 1	i) Top trim profile A, B or C options:	6 = 6" base height (add \$50 per panel for this option)
V512 Figured Anigre surface - side 2	V1, V2, V3, P1, P2, P3 finishes	
V512 Figured Anigre (top trim finish)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	3. <i>Beltway:</i>
111 Jet Black (base finish)	7. Base finish	B0 = No Beltway
M Optional milled frame	8. Beltway finish - only for panels with Beltway	B1 = Beltway 1 side
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	6" Raceway option increases panel height by 2 3/4".

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 64" H

Laminate/Laminate

Reff Profiles Vol. One

description	w	h	pattern no.	L
 Monolithic, laminate both sides with raceway both sides	18"	64"	R3B0PLL6418() ()	\$866.
	20"	64"	R3B0PLL6420() ()	866.
	24"	64"	R3B0PLL6424() ()	944.
	30"	64"	R3B0PLL6430() ()	1,058.
	36"	64"	R3B0PLL6436() ()	1,142.
	42"	64"	R3B0PLL6442() ()	1,255.
	48"	64"	R3B0PLL6448() ()	1,406.
	60"	64"	R3B0PLL6460() ()*	1,519.
	66"	64"	R3B0PLL6466() ()*	1,565.
	72"	64"	R3B0PLL6472() ()*	1,612.

Order Code	Specification Information	Application Notes
Example: R3B0PLL6418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel LL Laminate both sides 64 64" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base 118 Laminate - side 1 118 Laminate - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	<i>To order please specify pattern number including:</i> 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 inside 5. Panel side 2 outside 6. Top trim finish <i>i)</i> Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii)</i> Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver 7. Base finish 8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option) Product on this page will accept woodgrain laminate where laminate is currently an option. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 79" H

fabric both sides

Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	79"	R3B0PFF79 18-() ()	\$944.	\$994.	\$1,082.	\$1,268.	\$1,392.	\$1,560.	\$1,660.
Regular acoustics	20"	79"	R3B0PFF79 20-() ()	944.	994.	1,082.	1,268.	1,392.	1,560.	1,660.
	24"	79"	R3B0PFF79 24-() ()	1,004.	1,054.	1,142.	1,328.	1,452.	1,620.	1,720.
	30"	79"	R3B0PFF79 30-() ()	1,083.	1,133.	1,221.	1,407.	1,531.	1,699.	1,799.
	36"	79"	R3B0PFF79 36-() ()	1,111.	1,161.	1,249.	1,435.	1,559.	1,727.	1,827.
	42"	79"	R3B0PFF79 42-() ()	1,193.	1,243.	1,331.	1,517.	1,641.	1,809.	1,909.
	48"	79"	R3B0PFF79 48-() ()	1,323.	1,373.	1,461.	1,647.	1,771.	1,939.	2,039.
	60"	79"	R3B0PFF79 60-() ()	1,529.	1,629.	1,803.	2,171.	2,433.	2,765.	2,969.
	66"	79"	R3B0PFF79 66-() ()	1,566.	1,666.	1,840.	2,208.	2,470.	2,802.	3,006.
	72"	79"	R3B0PFF79 72-() ()	1,601.	1,701.	1,875.	2,243.	2,505.	2,837.	3,041.
Monolithic, fabric both sides	18"	79"	R3B0PAA79 18-() ()	1,029.	1,079.	1,167.	1,353.	1,477.	1,645.	1,745.
High acoustics	20"	79"	R3B0PAA79 20-() ()	1,029.	1,079.	1,167.	1,353.	1,477.	1,645.	1,745.
	24"	79"	R3B0PAA79 24-() ()	1,094.	1,144.	1,232.	1,418.	1,542.	1,710.	1,810.
	30"	79"	R3B0PAA79 30-() ()	1,184.	1,234.	1,322.	1,508.	1,632.	1,800.	1,900.
	36"	79"	R3B0PAA79 36-() ()	1,220.	1,270.	1,358.	1,544.	1,668.	1,836.	1,936.
	42"	79"	R3B0PAA79 42-() ()	1,308.	1,358.	1,446.	1,632.	1,756.	1,924.	2,024.
	48"	79"	R3B0PAA79 48-() ()	1,454.	1,504.	1,592.	1,778.	1,902.	2,070.	2,170.
	60"	79"	R3B0PAA79 60-() ()	1,666.	1,766.	1,940.	2,308.	2,570.	2,902.	3,106.
	66"	79"	R3B0PAA79 66-() ()	1,704.	1,804.	1,978.	2,346.	2,608.	2,940.	3,144.
	72"	79"	R3B0PAA79 72-() ()	1,740.	1,840.	2,014.	2,382.	2,644.	2,976.	3,180.

Order Code	Specification Information	Application Notes
Example: R3B0PFF7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim profile	6. Top trim finish	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	i) Top trim profile A,B or C options:	
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric - Side 1	ii) Top trim profile E options:	
W281 Fabric - Side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$15 list upcharge applicable	
M Optional milled profile		

The panels on this page are not designed to be stacked upon.

Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 79" H


fabric both sides with Beltway

Reff Profiles Vol. One

description	w	h	pattern n	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	79"	R3B1PFF79 18-() ()	\$1,358.	\$1,409.	\$1,508.	\$1,714.	\$1,849.	\$2,036.	\$2,156.
Beltway one side	20"	79"	R3B1PFF79 20-() ()	1,358.	1,409.	1,508.	1,714.	1,849.	2,036.	2,156.
	24"	79"	R3B1PFF79 24-() ()	1,421.	1,472.	1,571.	1,777.	1,912.	2,099.	2,219.
	30"	79"	R3B1PFF79 30-() ()	1,449.	1,500.	1,599.	1,805.	1,940.	2,127.	2,247.
	36"	79"	R3B1PFF79 36-() ()	1,739.	1,790.	1,889.	2,095.	2,230.	2,417.	2,537.
	42"	79"	R3B1PFF79 42-() ()	1,853.	1,904.	2,003.	2,209.	2,344.	2,531.	2,651.
	48"	79"	R3B1PFF79 48-() ()	1,908.	1,959.	2,058.	2,264.	2,399.	2,586.	2,706.



Monolithic, fabric both sides	18"	79"	R3B2PFF79 18-() ()	1,430.	1,482.	1,592.	1,818.	1,964.	2,170.	2,310.
Beltway two sides	20"	79"	R3B2PFF79 20-() ()	1,430.	1,482.	1,592.	1,818.	1,964.	2,170.	2,310.
	24"	79"	R3B2PFF79 24-() ()	1,491.	1,543.	1,653.	1,879.	2,025.	2,231.	2,371.
	30"	79"	R3B2PFF79 30-() ()	1,521.	1,573.	1,683.	1,909.	2,055.	2,261.	2,401.
	36"	79"	R3B2PFF79 36-() ()	1,814.	1,866.	1,976.	2,202.	2,348.	2,554.	2,694.
	42"	79"	R3B2PFF79 42-() ()	1,931.	1,983.	2,093.	2,319.	2,465.	2,671.	2,811.
	48"	79"	R3B2PFF79 48-() ()	1,990.	2,042.	2,152.	2,378.	2,524.	2,730.	2,870.



Order Code	Specification Information	Application Notes
Example: R3B1PFF7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 below belt	<i>2. Base height:</i>
18 18" wide	5. Panel side 1 above belt	4 = 4" base height
A Flat style top trim	6. Panel side 2 below belt	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	7. Panel side 2 above belt	<i>3. Beltway:</i>
K Include knockouts in base	8. Top trim finish	B1 = Beltway 1 side
W281 Fabric - Side 1 below belt	i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	B2 = Beltway 2 sides
W281 Fabric - Side 1 above belt	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	
W281 Fabric - Side 2 below belt	9. Base finish	
W281 Fabric - Side 2 above belt	10. Beltway finish	
V316 Maple (top trim finish)	11. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$15 list upcharge applicable	
111 Jet Black (base finish)		
111 Beltway finish		

The panels on this page are not designed to be stacked upon.

Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.


Monolithic panels 79" H

fabric one side, laminate other side


Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	79"	R3B0PFL79 18-()()	\$836.	\$859.	\$897.	\$978.	\$1,034.	\$1,109.	\$1,153.
Regular acoustics	20"	79"	R3B0PFL79 20-()()	836.	859.	897.	978.	1,034.	1,109.	1,153.
	24"	79"	R3B0PFL79 24-()()	916.	939.	977.	1,058.	1,114.	1,189.	1,233.
	30"	79"	R3B0PFL79 30-()()	1,031.	1,054.	1,092.	1,173.	1,229.	1,304.	1,348.
	36"	79"	R3B0PFL79 36-()()	1,124.	1,147.	1,185.	1,266.	1,322.	1,397.	1,441.
	42"	79"	R3B0PFL79 42-()()	1,244.	1,267.	1,305.	1,386.	1,442.	1,517.	1,561.
	48"	79"	R3B0PFL79 48-()()	1,391.	1,414.	1,452.	1,533.	1,589.	1,664.	1,708.
	60"	79"	R3B0PFL79 60-()()	1,498.	1,543.	1,619.	1,781.	1,896.	2,044.	2,133.
	66"	79"	R3B0PFL79 66-()()	1,528.	1,573.	1,649.	1,811.	1,926.	2,074.	2,163.
	72"	79"	R3B0PFL79 72-()()	1,558.	1,603.	1,679.	1,841.	1,956.	2,104.	2,193.



Monolithic, fabric one side	18"	79"	R3B1PFL79 18-()()	1,209.	1,235.	1,281.	1,383.	1,445.	1,538.	1,600.
Beltway one side (fabric side)	20"	79"	R3B1PFL79 20-()()	1,209.	1,235.	1,281.	1,383.	1,445.	1,538.	1,600.
	24"	79"	R3B1PFL79 24-()()	1,292.	1,318.	1,364.	1,466.	1,528.	1,621.	1,683.
	30"	79"	R3B1PFL79 30-()()	1,369.	1,395.	1,441.	1,543.	1,605.	1,698.	1,760.
	36"	79"	R3B1PFL79 36-()()	1,697.	1,723.	1,769.	1,871.	1,933.	2,026.	2,088.
	42"	79"	R3B1PFL79 42-()()	1,852.	1,878.	1,924.	2,026.	2,088.	2,181.	2,243.
	48"	79"	R3B1PFL79 48-()()	1,936.	1,962.	2,008.	2,110.	2,172.	2,265.	2,327.



Order Code	Specification Information	Application Notes
Example: R3B0PFL7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 - Below belt	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	Side 1 - Above belt	
K Include knockouts in base	5. Panel side 2 finish(s) outside	Product on this page will accept woodgrain laminate where laminate is currently an option.
W281 Fabric - Side 1	6. Top trim finish	
114 Folkstone grey - side 2	i)Top trim profile A,B or C options:	
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii)Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	
	7. Base finish	
	8. Beltway finish only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	

The panels on this page are not designed to be stacked upon.

Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 79" H


fabric one side, techwood other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	79"	R3B0PF179 18-() ()	\$982.	\$1,007.	\$1,052.	\$1,147.	\$1,211.	\$1,296.	\$1,351.
Regular acoustics	20"	79"	R3B0PF179 20-() ()	982.	1,007.	1,052.	1,147.	1,211.	1,296.	1,351.
	24"	79"	R3B0PF179 24-() ()	1,074.	1,099.	1,144.	1,239.	1,303.	1,388.	1,443.
	30"	79"	R3B0PF179 30-() ()	1,214.	1,239.	1,284.	1,379.	1,443.	1,528.	1,583.
	36"	79"	R3B0PF179 36-() ()	1,322.	1,347.	1,392.	1,487.	1,551.	1,636.	1,691.
	42"	79"	R3B0PF179 42-() ()	1,461.	1,486.	1,531.	1,626.	1,690.	1,775.	1,830.
	48"	79"	R3B0PF179 48-() ()	1,637.	1,662.	1,707.	1,802.	1,866.	1,951.	2,006.
	60"	79"	R3B0PF179 60-() ()	1,759.	1,810.	1,899.	2,087.	2,222.	2,389.	2,493.
	66"	79"	R3B0PF179 66-() ()	1,797.	1,848.	1,937.	2,125.	2,260.	2,427.	2,531.
	72"	79"	R3B0PF179 72-() ()	1,826.	1,877.	1,966.	2,154.	2,289.	2,456.	2,560.



Monolithic, fabric one side	18"	79"	R3B1PF179 18-() ()	1,419.	1,445.	1,501.	1,617.	1,691.	1,798.	1,869.
Beltway one side (fabric side)	20"	79"	R3B1PF179 20-() ()	1,419.	1,445.	1,501.	1,617.	1,691.	1,798.	1,869.
	24"	79"	R3B1PF179 24-() ()	1,517.	1,543.	1,599.	1,715.	1,789.	1,896.	1,967.
	30"	79"	R3B1PF179 30-() ()	1,612.	1,638.	1,694.	1,810.	1,884.	1,991.	2,062.
	36"	79"	R3B1PF179 36-() ()	1,997.	2,023.	2,079.	2,195.	2,269.	2,376.	2,447.
	42"	79"	R3B1PF179 42-() ()	2,174.	2,200.	2,256.	2,372.	2,446.	2,553.	2,624.
	48"	79"	R3B1PF179 48-() ()	2,273.	2,299.	2,355.	2,471.	2,545.	2,652.	2,723.



Order Code	Specification Information	Application Notes
Example: R3B0PF17918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 2	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	Side 1 - Above Belt	
K Include knockouts in base	5. Panel side 2 finish(s) outside	
W281 Fabric - Side 1	6. Top trim finish	
Y328 Mahogany - side 2	i) Top trim profile A, B or C options:	
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	

The panels on this page are not designed to be stacked upon.

Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.


Monolithic panels 79" H

fabric one side, conventional veneer other side


Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	79"	R3B0PF279 18-() ()	\$999.	\$1,024.	\$1,069.	\$1,164.	\$1,228.	\$1,313.	\$1,368.
Regular acoustics	20"	79"	R3B0PF279 20-() ()	999.	1,024.	1,069.	1,164.	1,228.	1,313.	1,368.
	24"	79"	R3B0PF279 24-() ()	1,095.	1,120.	1,165.	1,260.	1,324.	1,409.	1,464.
	30"	79"	R3B0PF279 30-() ()	1,236.	1,261.	1,306.	1,401.	1,465.	1,550.	1,605.
	36"	79"	R3B0PF279 36-() ()	1,346.	1,371.	1,416.	1,511.	1,575.	1,660.	1,715.
	42"	79"	R3B0PF279 42-() ()	1,488.	1,513.	1,558.	1,653.	1,717.	1,802.	1,857.
	48"	79"	R3B0PF279 48-() ()	1,666.	1,691.	1,736.	1,831.	1,895.	1,980.	2,035.
	60"	79"	R3B0PF279 60-() ()	1,791.	1,842.	1,931.	2,119.	2,254.	2,421.	2,525.
	66"	79"	R3B0PF279 66-() ()	1,825.	1,876.	1,965.	2,153.	2,288.	2,455.	2,559.
	72"	79"	R3B0PF279 72-() ()	1,864.	1,915.	2,004.	2,192.	2,327.	2,494.	2,598.



Monolithic, fabric one side	18"	79"	R3B1PF279 18-() ()	1,445.	1,471.	1,527.	1,643.	1,717.	1,824.	1,895.
Beltway one side (fabric side)	20"	79"	R3B1PF279 20-() ()	1,445.	1,471.	1,527.	1,643.	1,717.	1,824.	1,895.
	24"	79"	R3B1PF279 24-() ()	1,545.	1,571.	1,627.	1,743.	1,817.	1,924.	1,995.
	30"	79"	R3B1PF279 30-() ()	1,638.	1,664.	1,720.	1,836.	1,910.	2,017.	2,088.
	36"	79"	R3B1PF279 36-() ()	2,030.	2,056.	2,112.	2,228.	2,302.	2,409.	2,480.
	42"	79"	R3B1PF279 42-() ()	2,214.	2,240.	2,296.	2,412.	2,486.	2,593.	2,664.
	48"	79"	R3B1PF279 48-() ()	2,315.	2,341.	2,397.	2,513.	2,587.	2,694.	2,765.





Order Code	Specification Information	Application Notes	
Example: R3B0PF27918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	The panels on this page are not designed to be stacked upon.
R3	Reff Generation 3		
B0	No Beltway		
P	Monolithic panel		Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.
F2	Fabric one side, V2 other	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	6" Raceway option increases panel height by 2 3/4".
79	79" high		
18	18" wide		
A	Flat style top trim profile		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
4	4" base height		
K	Include knockouts in base		Remember to specify Beltway paint finish when applicable.
W281	Fabric - Side 1		79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
V316	Maple surface - side 2		
V316	Maple (top trim finish)		
111	Jet Black (base finish)		
M	Optional milled frame		
	1. Top trim profile		
	2. Base height		
	3. Knockout option (K = with knockouts, N = without knockouts)		
	4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side 1 = Below Belt Side 1 = Above Belt		
	5. Panel side 2 finish(s) outside		
	6. Top trim finish i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver		
	7. Base finish		
	8. Beltway finish - only for panels with Beltway		
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable		

Monolithic panels 79" H

fabric one side, exotic veneer other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	79"	R3B0PF379 18-() ()	\$1,316.	\$1,341.	\$1,386.	\$1,481.	\$1,545.	\$1,630.	\$1,685.
	20"	79"	R3B0PF379 20-() ()	1,316.	1,341.	1,386.	1,481.	1,545.	1,630.	1,685.
	24"	79"	R3B0PF379 24-() ()	1,448.	1,473.	1,518.	1,613.	1,677.	1,762.	1,817.
	30"	79"	R3B0PF379 30-() ()	1,637.	1,662.	1,707.	1,802.	1,866.	1,951.	2,006.
	36"	79"	R3B0PF379 36-() ()	1,788.	1,813.	1,858.	1,953.	2,017.	2,102.	2,157.
	42"	79"	R3B0PF379 42-() ()	1,980.	2,005.	2,050.	2,145.	2,209.	2,294.	2,349.
	48"	79"	R3B0PF379 48-() ()	2,221.	2,246.	2,291.	2,386.	2,450.	2,535.	2,590.
	60"	79"	R3B0PF379 60-() ()*	2,356.	2,407.	2,496.	2,684.	2,819.	2,986.	3,090.
	66"	79"	R3B0PF379 66-() ()*	2,404.	2,455.	2,544.	2,732.	2,867.	3,034.	3,138.
	72"	79"	R3B0PF379 72-() ()*	2,456.	2,507.	2,596.	2,784.	2,919.	3,086.	3,190.

Monolithic, fabric one side Beltway fabric side 	18"	79"	R3B1PF379 18-() ()	1,904.	1,930.	1,986.	2,102.	2,176.	2,283.	2,354.
	20"	79"	R3B1PF379 20-() ()	1,904.	1,930.	1,986.	2,102.	2,176.	2,283.	2,354.
	24"	79"	R3B1PF379 24-() ()	2,038.	2,064.	2,120.	2,236.	2,310.	2,417.	2,488.
	30"	79"	R3B1PF379 30-() ()	2,164.	2,190.	2,246.	2,362.	2,436.	2,543.	2,614.
	36"	79"	R3B1PF379 36-() ()	2,691.	2,717.	2,773.	2,889.	2,963.	3,070.	3,141.
	42"	79"	R3B1PF379 42-() ()	2,940.	2,966.	3,022.	3,138.	3,212.	3,319.	3,390.
	48"	79"	R3B1PF379 48-() ()	3,078.	3,104.	3,160.	3,276.	3,350.	3,457.	3,528.

Order Code	Specification Information	Application Notes
Example: R3B0PF37918-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel F3 Fabric one side, V3 other 79 79" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base W281 Fabric - Side 1 V512 Figured Anigre surface - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	<i>To order please specify pattern number including:</i> 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1 - Below Belt Side 1 - Above Belt 5. Panel side 2 finish(s) outside 6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver 7. Base finish 8. Beltway finish - only for panels with Beltway 9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option) The panels on this page are not designed to be stacked upon. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Monolithic panels 79" H

Laminate/Laminate

Reff Profiles Vol. One

Panels

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18"	79"	R3B0PLL7918() ()	\$945.
	20"	79"	R3B0PLL7920() ()	945.
	24"	79"	R3B0PLL7924() ()	1,031.
	30"	79"	R3B0PLL7930() ()	1,153.
	36"	79"	R3B0PLL7936() ()	1,247.
	42"	79"	R3B0PLL7942() ()	1,371.
	48"	79"	R3B0PLL7948() ()	1,536.
	60"	79"	R3B0PLL7960() ()*	1,658.
	66"	79"	R3B0PLL7966() ()*	1,708.
	72"	79"	R3B0PLL7972() ()*	1,759.

Order Code	Specification Information	Application Notes
Example: R3B0PLL7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
LL Laminate both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 outside	4 = 4" base height
A Flat style top trim profile	6. Top trim finish	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	i) Top trim profile A,B or C options:	Product on this page will accept woodgrain laminate where laminate is currently an option.
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
118 Laminate - side 1	ii) Top trim profile E options:	
118 Laminate - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver	
V512 Figured Anigre (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. <i>Optional non-beltway panels:</i>	
M Optional milled frame	specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	

The panels on this page are not designed to be stacked upon.

Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.


6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 34" H fabric

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides	18"	34"	R3B0TFF34 18-() ()	\$629.	\$661.	\$729.	\$797.	\$857.	\$953.	\$1,005.
Regular acoustics	20"	34"	R3B0TFF34 20-() ()	629.	661.	729.	797.	857.	953.	1,005.
	24"	34"	R3B0TFF34 24-() ()	680.	712.	780.	848.	908.	1,004.	1,056.
	30"	34"	R3B0TFF34 30-() ()	725.	757.	825.	893.	953.	1,049.	1,101.
	36"	34"	R3B0TFF34 36-() ()	772.	804.	872.	940.	1,000.	1,096.	1,148.
	42"	34"	R3B0TFF34 42-() ()	889.	921.	989.	1,057.	1,117.	1,213.	1,265.
	48"	34"	R3B0TFF34 48-() ()	923.	955.	1,023.	1,091.	1,151.	1,247.	1,299.

Order Code	Specification Information	Application Notes
Example: R3B0TFF3418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	2. Base height: 4 = 4" base height 6 = 6" base height (add \$50 per panel)	All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 119.
B0 No Beltway	1. Top trim profile	
T Tiled panel	2. Base height	
FF Fabric on both sides	3. Knockout option (K = with knockouts, N = without knockouts)	All panels on this page accept stacking modules.
34 34" high	4. Panel side 1A	6" Raceway option increases panel height by 2 3/4".
18 18" wide	5. Panel side 1B	
A Flat style top trim profile	6. Panel side 2A	
4 4" base height	7. Panel side 2B	
K Include knockouts in base	8. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
W281 Fabric - Side 1A	9. Base finish	79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
W281 Fabric - Side 1B	10. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$15 list upcharge applicable	Ported panel components to be installed below worksurface if panel 34"h.
W281 Fabric - Side 2A		
W281 Fabric - Side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		
	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	

Tiled panels 34" H glass

Reff Profiles Vol. One

Panels


description	w	h	pattern no.	clear tempered glass	architectural tempered glass	add for P2 finish	add for P3 finish	add for AA finish
Tiled, two 15" high glass sections without center mullion (type A)	18"	34"	R2B0TWA34 18-() ()	\$987.	\$1,173.	\$40.	\$78.	\$99.
	20"	34"	R2B0TWA34 20-() ()	987.	1,173.	40.	78.	99.
	24"	34"	R2B0TWA34 24-() ()	1,032.	1,255.	40.	78.	104.
	30"	34"	R2B0TWA34 30-() ()	1,198.	1,474.	40.	78.	119.
	36"	34"	R2B0TWA34 36-() ()	1,242.	1,574.	40.	78.	121.
	42"	34"	R2B0TWA34 42-() ()	1,304.	1,697.	40.	78.	128.
	48"	34"	R2B0TWA34 48-() ()	1,350.	1,798.	40.	78.	134.



Tiled, two 15" high glass sections with center mullion (type B)	30"	34"	R2B0TWB34 30-() ()	1,433.	1,712.	40.	78.	144.
	36"	34"	R2B0TWB34 36-() ()	1,492.	1,827.	40.	78.	148.
	42"	34"	R2B0TWB34 42-() ()	1,563.	1,952.	40.	78.	153.
	48"	34"	R2B0TWB34 48-() ()	1,622.	2,075.	40.	78.	159.



Tiled, one 30" high glass section without center mullion on sizes 18, 20 and 24 but with center mullion on sizes 30, 36, 42, and 48 Type C	18"	34"	R2B0TWC34 18-() ()	778.	1,014.	31.	63.	119.
	20"	34"	R2B0TWC34 20-() ()	778.	1,014.	31.	63.	119.
	24"	34"	R2B0TWC34 24-() ()	820.	1,068.	31.	63.	128.
	30"	34"	R2B0TWC34 30-() ()	1,012.	1,316.	40.	78.	161.
	36"	34"	R2B0TWC34 36-() ()	1,126.	1,462.	40.	78.	181.
	42"	34"	R2B0TWC34 42-() ()	1,191.	1,546.	40.	78.	198.
	48"	34"	R2B0TWC34 48-() ()	1,249.	1,628.	40.	78.	207.



Order Code	Specification Information	Application Notes
Example: R2B0TWA3418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R2 Reff Generation 2	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
WA Window, type A	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
34 34" high	4. Divider option (applicable R2B0TWA and R2B0TWB)	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (black reveal interior side, upcharge applicable for extruded aluminum)	4 = 4" base height
A Flat style top trim profile		6 = 6" base height (add \$50 per panel)
4 4" base height		<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base		Add for:
111 Tile Divider		\$15 for 18w and 20w
V316 Maple (top trim finish)		\$16 for 24w and 30w
111 Jet Black (base finish)		\$17 for 36w and 42w
111 Jet Black (window frame finish)		\$23 for 48w
GL13 Glass option		<i>8. Glass type</i>
	5. Top trim finish	Temp = Cleared tempered glass
	i) Top trim profile A, B or C options:	<i>Architectural options:</i>
	V1, V2, V3, P1, P2, P3 finishes	GL13 = Powder glass
	ii) Top trim profile E options:	GL6 = Block matrix glass
	AA-anodized aluminum or P1, P2, P3 painted finish from page 5 excluding silver	GL8 = Wafer glass
	6. Base finish	All panels on this page accept stacking modules.
	7. Window frame finish (Painted or Anodized aluminum finishes)	6" Raceway option increases panel height by 2 3/4".
	<i>If AA finish (anodized) upcharge applicable as noted in AA price column</i>	
	8. Glass type	

All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 119.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.



Panel glass is mounted flush to one side of the window panel. All window panels incorporate tempered glass 3/16" thick. 30" High window panels that are 30" or wider incorporate a center mullion.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 34" H

fabric one side, laminate or techwood opposite side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side laminate other; Regular acoustics 	18"	34"	R3B0TFL34 18-()()	\$679.	\$695.	\$723.	\$761.	\$791.	\$833.	\$859.
	20"	34"	R3B0TFL34 20-()()	679.	695.	723.	761.	791.	833.	859.
	24"	34"	R3B0TFL34 24-()()	723.	739.	767.	805.	835.	877.	903.
	30"	34"	R3B0TFL34 30-()()	768.	784.	812.	850.	880.	922.	948.
	36"	34"	R3B0TFL34 36-()()	813.	829.	857.	895.	925.	967.	993.
	42"	34"	R3B0TFL34 42-()()	926.	942.	970.	1,008.	1,038.	1,080.	1,106.
	48"	34"	R3B0TFL34 48-()()	958.	974.	1,002.	1,040.	1,070.	1,112.	1,138.
Tiled, fabric one side techwood other; Regular acoustics 	18"	34"	R3B0TF134 18-()()	749.	767.	803.	837.	869.	917.	943.
	20"	34"	R3B0TF134 20-()()	749.	767.	803.	837.	869.	917.	943.
	24"	34"	R3B0TF134 24-()()	800.	818.	854.	888.	920.	968.	994.
	30"	34"	R3B0TF134 30-()()	852.	870.	906.	940.	972.	1,020.	1,046.
	36"	34"	R3B0TF134 36-()()	899.	917.	953.	987.	1,019.	1,067.	1,093.
	42"	34"	R3B0TF134 42-()()	1,026.	1,044.	1,080.	1,114.	1,146.	1,194.	1,220.
	48"	34"	R3B0TF134 48-()()	1,060.	1,078.	1,114.	1,148.	1,180.	1,228.	1,254.

Order Code	Specification Information	Application Notes
Example: R3B0TFL3418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	8. Base finish	All panels on this page accept stacking modules.
B0 No Beltway	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	6" Raceway option increases panel height by 2 3/4".
T Tiled panel	1. Top trim profile	All panels on this page have no high acoustical option or Beltway option.
FL Fabric one side, laminate other	2. Base height	Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 119.
34 34" high	3. Knockout option (K = with knockouts, N = without knockouts)	79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
18 18" wide	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Ported panel components to be installed below worksurface if panel 34" h.
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B top	
4 4" base height	6. Hard side, finish If laminate: i) tile 2A bottom ii) tile 2B top If V1, V2 or V3 specify wood finish, one finish per side (not per insert)	
K Include knockouts in base	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	
B Tile divider, black		
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
114 Folkstone grey - side 2A		
114 Folkstone grey - side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 34" H

fabric one side, conventional or exotic opposite side

Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side conventional other; Regular acoustics	18"	34"	R3B0TF234 18-() ()	\$751.	\$767.	\$803.	\$837.	\$867.	\$915.	\$941.
	20"	34"	R3B0TF234 20-() ()	751.	767.	803.	837.	867.	915.	941.
	24"	34"	R3B0TF234 24-() ()	798.	814.	850.	884.	914.	962.	988.
	30"	34"	R3B0TF234 30-() ()	849.	865.	901.	935.	965.	1,013.	1,039.
	36"	34"	R3B0TF234 36-() ()	897.	913.	949.	983.	1,013.	1,061.	1,087.
	42"	34"	R3B0TF234 42-() ()	1,023.	1,039.	1,075.	1,109.	1,139.	1,187.	1,213.
	48"	34"	R3B0TF234 48-() ()	1,058.	1,074.	1,110.	1,144.	1,174.	1,222.	1,248.
Tiled, fabric one side, exotic other Regular acoustics	18"	34"	R3B0TF334 18-() ()	1,002.	1,018.	1,054.	1,088.	1,118.	1,166.	1,192.
	20"	34"	R3B0TF334 20-() ()	1,002.	1,018.	1,054.	1,088.	1,118.	1,166.	1,192.
	24"	34"	R3B0TF334 24-() ()	1,067.	1,083.	1,119.	1,153.	1,183.	1,231.	1,257.
	30"	34"	R3B0TF334 30-() ()	1,135.	1,151.	1,187.	1,221.	1,251.	1,299.	1,325.
	36"	34"	R3B0TF334 36-() ()	1,200.	1,216.	1,252.	1,286.	1,316.	1,364.	1,390.
	42"	34"	R3B0TF334 42-() ()	1,370.	1,386.	1,422.	1,456.	1,486.	1,534.	1,560.
	48"	34"	R3B0TF334 48-() ()	1,417.	1,433.	1,469.	1,503.	1,533.	1,581.	1,607.

Order Code

Example:	R3B0TF23418-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F2	Fabric one side, conventional other
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black
W281	Fabric - Side 1A
W281	Fabric - Side 1B
114	Folkstone grey - side 2A
114	Folkstone grey - side 2B
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B top
6. Hard side, finish
If laminate:
i) tile 2A bottom
ii) tile 2B top
If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
7. Top trim finish
i) Profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options:
AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver

8. Base finish
9. *Optional non-beltway panels:*
specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable
1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$50 per panel)
4. *Extruded aluminum tile divider: Optional for non fabric side only* (fabric side always black)
34"h add per panel:
\$15 for 18w and 20w
\$16 for 24w and 30w
\$17 for 36w and 42w
\$23 for 48w

Application Notes

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 119.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.


Ported panel components to be installed below worksurface if panel 34" h.

Tiled panels 34" H

Laminate/Laminate

Reff Profiles Vol. One


description	w	h	pattern no.	L
Tiled, laminate both sides	18"	34"	R3B0TLL3418() ()	\$768.
with raceway both sides	20"	34"	R3B0TLL3420() ()	768.
	24"	34"	R3B0TLL3424() ()	836.
	30"	34"	R3B0TLL3430() ()	937.
	36"	34"	R3B0TLL3436() ()	1,013.
	42"	34"	R3B0TLL3442() ()	1,043.
	48"	34"	R3B0TLL3448() ()	1,074.




Order Code	Specification Information	Application Notes
Example: R3B0TLL3418-A4K	<i>To order please specify pattern number including:</i>	All panels on this page accept stacking modules.
R3 Reff Generation 3	1. Top trim profile	All panels on this page have no high acoustical option or Beltway option.
B0 No Beltway	2. Base height	Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 119.
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
LL Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Ported panel components to be installed below worksurface if panel 34" h.
34 34" high	5. Laminate, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B top	
18 18" wide	6. Hard side, finish If laminate: i) tile 2A bottom ii) tile 2B top If V1, V2 or V3 specify wood finish, one finish per side (not per insert)	
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	
4 4" base height	8. Base finish	
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
B Tile divider, black	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
118 Laminate - side 1A	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
118 Laminate - side 1B	<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 34"h add per panel: \$15 for 18w and 20w \$16 for 24w and 30w \$17 for 36w and 42w \$23 for 48w	
118 Laminate - side 2A		
118 Laminate - side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 42" H fabric both sides

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides	18"	42"	R3B0TFF42 18-() ()	\$702.	\$742.	\$830.	\$934.	\$1,008.	\$1,124.	\$1,196.
Regular acoustics	20"	42"	R3B0TFF42 20-() ()	702.	742.	830.	934.	1,008.	1,124.	1,196.
	24"	42"	R3B0TFF42 24-() ()	754.	794.	882.	986.	1,060.	1,176.	1,248.
	30"	42"	R3B0TFF42 30-() ()	808.	848.	936.	1,040.	1,114.	1,230.	1,302.
	36"	42"	R3B0TFF42 36-() ()	860.	900.	988.	1,092.	1,166.	1,282.	1,354.
	42"	42"	R3B0TFF42 42-() ()	972.	1,012.	1,100.	1,204.	1,278.	1,394.	1,466.
	48"	42"	R3B0TFF42 48-() ()	1,022.	1,062.	1,150.	1,254.	1,328.	1,444.	1,516.



Tiled, fabric both sides	18"	42"	R3B0TAA42 18-() ()	768.	808.	896.	1,000.	1,074.	1,190.	1,262.
High acoustics	20"	42"	R3B0TAA42 20-() ()	768.	808.	896.	1,000.	1,074.	1,190.	1,262.
	24"	42"	R3B0TAA42 24-() ()	826.	866.	954.	1,058.	1,132.	1,248.	1,320.
	30"	42"	R3B0TAA42 30-() ()	889.	929.	1,017.	1,121.	1,195.	1,311.	1,383.
	36"	42"	R3B0TAA42 36-() ()	947.	987.	1,075.	1,179.	1,253.	1,369.	1,441.
	42"	42"	R3B0TAA42 42-() ()	1,073.	1,113.	1,201.	1,305.	1,379.	1,495.	1,567.
	48"	42"	R3B0TAA42 48-() ()	1,130.	1,170.	1,258.	1,362.	1,436.	1,552.	1,624.



Order Code	Specification Information	Application Notes
Example: R3B0TFF4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	iii) tile 1C top	Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	
W281 Fabric - Side 1A	i) tile 2A bottom	
W281 Fabric - Side 1B	ii) tile 2B middle	
W281 Fabric - Side 1C	iii) tile 2C top	
W281 Fabric - Side 2A	6. Top trim finish	
W281 Fabric - Side 2B	i) Top trim profile A,B or C	
W281 Fabric - Side 2C	options:	
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page 277).

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 42" H


fabric both sides with Beltway

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides	18"	42"	R3B1TFF42 18-() ()	\$1,262.	\$1,302.	\$1,386.	\$1,494.	\$1,568.	\$1,684.	\$1,756.
Beltway one side	20"	42"	R3B1TFF42 20-() ()	1,262.	1,302.	1,386.	1,494.	1,568.	1,684.	1,756.
	24"	42"	R3B1TFF42 24-() ()	1,291.	1,331.	1,415.	1,523.	1,597.	1,713.	1,785.
	30"	42"	R3B1TFF42 30-() ()	1,359.	1,399.	1,483.	1,591.	1,665.	1,781.	1,853.
	36"	42"	R3B1TFF42 36-() ()	1,605.	1,645.	1,729.	1,837.	1,911.	2,027.	2,099.
	42"	42"	R3B1TFF42 42-() ()	1,733.	1,773.	1,857.	1,965.	2,039.	2,155.	2,227.
	48"	42"	R3B1TFF42 48-() ()	1,794.	1,834.	1,918.	2,026.	2,100.	2,216.	2,288.



Tiled, fabric both sides	18"	42"	R3B2TFF42 18-() ()	1,287.	1,327.	1,407.	1,519.	1,593.	1,709.	1,781.
Beltway two sides	20"	42"	R3B2TFF42 20-() ()	1,287.	1,327.	1,407.	1,519.	1,593.	1,709.	1,781.
	24"	42"	R3B2TFF42 24-() ()	1,260.	1,300.	1,380.	1,492.	1,566.	1,682.	1,754.
	30"	42"	R3B2TFF42 30-() ()	1,386.	1,426.	1,506.	1,618.	1,692.	1,808.	1,880.
	36"	42"	R3B2TFF42 36-() ()	1,632.	1,672.	1,752.	1,864.	1,938.	2,054.	2,126.
	42"	42"	R3B2TFF42 42-() ()	1,767.	1,807.	1,887.	1,999.	2,073.	2,189.	2,261.
	48"	42"	R3B2TFF42 48-() ()	1,830.	1,870.	1,950.	2,062.	2,136.	2,252.	2,324.



Order Code	Specification Information	Application Notes
Example: R3B1TFF4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	iii) tile 1C top	Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	
W281 Fabric - Side 1A	i) tile 2A bottom	
W281 Fabric - Side 1B	ii) tile 2B middle	
W281 Fabric - Side 1C	iii) tile 2C top	
W281 Fabric - Side 2A	6. Top trim finish	
W281 Fabric - Side 2B	i) Top trim profile A,B or C	
W281 Fabric - Side 2C	options:	
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options:	
111 Beltway finish	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page 277).

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 42" H

fabric one side, laminate other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TFL42 18-() ()	\$759.	\$780.	\$817.	\$870.	\$907.	\$961.	\$996.
Regular acoustics	20"	42"	R3B0TFL42 20-() ()	759.	870.	817.	870.	907.	961.	996.
	24"	42"	R3B0TFL42 24-() ()	807.	828.	865.	918.	955.	1,009.	1,044.
	30"	42"	R3B0TFL42 30-() ()	862.	883.	920.	973.	1,010.	1,064.	1,099.
	36"	42"	R3B0TFL42 36-() ()	910.	931.	968.	1,021.	1,058.	1,112.	1,147.
	42"	42"	R3B0TFL42 42-() ()	1,014.	1,035.	1,072.	1,125.	1,162.	1,216.	1,251.
	48"	42"	R3B0TFL42 48-() ()	1,067.	1,088.	1,125.	1,178.	1,215.	1,269.	1,304.



Tiled, fabric one side	18"	42"	R3B1TFL42 18-() ()	1,308.	1,329.	1,368.	1,421.	1,457.	1,512.	1,547.
Beltway one side (fabric side)	20"	42"	R3B1TFL42 20-() ()	1,308.	1,329.	1,368.	1,421.	1,457.	1,512.	1,547.
	24"	42"	R3B1TFL42 24-() ()	1,335.	1,356.	1,395.	1,448.	1,484.	1,539.	1,574.
	30"	42"	R3B1TFL42 30-() ()	1,401.	1,422.	1,461.	1,514.	1,550.	1,605.	1,640.
	36"	42"	R3B1TFL42 36-() ()	1,640.	1,661.	1,700.	1,753.	1,789.	1,844.	1,879.
	42"	42"	R3B1TFL42 42-() ()	1,762.	1,783.	1,822.	1,875.	1,911.	1,966.	2,001.
	48"	42"	R3B1TFL42 48-() ()	1,820.	1,841.	1,880.	1,933.	1,969.	2,024.	2,059.




Order Code	Specification Information	Application Notes
Example: R3B0TFL4218-A4K	<i>To order please specify pattern number including:</i>	
R3	Reff Generation 3	
B0	No Beltway	
T	Tiled panel	
FL	Fabric one side, laminate other	
42	42" high	
18	18" wide	
A	Flat style top trim profile	
4	4" base height	
K	Include knockouts in base	
B	Tile divider, black reveal	
W281	Fabric - Side 1A	
W281	Fabric - Side 1B	
W281	Fabric - Side 1C	
114	Folkstone grey - side 2A	
114	Folkstone grey - side 2B	
114	Folkstone grey - side 2C	
V316	Maple (top trim finish)	
111	Jet Black (base finish)	
M	Optional milled frame	
	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 277).
	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
	<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 42"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w	Remember to specify Beltway paint finish when applicable.
	<i>6" Raceway option increases panel height by 2 3/4".</i>	79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
	Product on this page will accept woodgrain laminate where laminate is currently an option.	

Tiled panels 42" H

fabric one side, techwood other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF142 18-()()	\$838.	\$861.	\$906.	\$960.	\$998.	\$1,057.	\$1,093.
Regular acoustics	20"	42"	R3B0TF142 20-()()	838.	861.	906.	960.	998.	1,057.	1,093.
	24"	42"	R3B0TF142 24-()()	894.	917.	962.	1,016.	1,054.	1,113.	1,149.
	30"	42"	R3B0TF142 30-()()	953.	976.	1,021.	1,075.	1,113.	1,172.	1,208.
	36"	42"	R3B0TF142 36-()()	1,007.	1,030.	1,075.	1,129.	1,167.	1,226.	1,262.
	42"	42"	R3B0TF142 42-()()	1,126.	1,149.	1,194.	1,248.	1,286.	1,345.	1,381.
	48"	42"	R3B0TF142 48-()()	1,178.	1,201.	1,246.	1,300.	1,338.	1,397.	1,433.



Tiled, fabric one side	18"	42"	R3B1TF142 18-()()	1,434.	1,456.	1,502.	1,556.	1,593.	1,653.	1,689.
Beltway one side (fabric side)	20"	42"	R3B1TF142 20-()()	1,434.	1,456.	1,502.	1,556.	1,593.	1,653.	1,689.
	24"	42"	R3B1TF142 24-()()	1,463.	1,485.	1,531.	1,585.	1,622.	1,682.	1,718.
	30"	42"	R3B1TF142 30-()()	1,533.	1,555.	1,601.	1,655.	1,692.	1,752.	1,788.
	36"	42"	R3B1TF142 36-()()	1,791.	1,813.	1,859.	1,913.	1,950.	2,010.	2,046.
	42"	42"	R3B1TF142 42-()()	1,931.	1,953.	1,999.	2,053.	2,090.	2,150.	2,186.
	48"	42"	R3B1TF142 48-()()	1,997.	2,019.	2,065.	2,119.	2,156.	2,216.	2,252.



Order Code	Specification Information	Application Notes
Example: R3B0TF14218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	painted option excluding silver	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	from page 5 for extruded	Optional for non fabric side only
B Tile divider, black reveal	aluminum divider (upcharge	(fabric side always black)
W281 Fabric - Side 1A	applicable for extruded	42"h add per panel:
W281 Fabric - Side 1B	aluminum divider)	\$26 for 18w and 20w
W281 Fabric - Side 1C	5. Fabric side, finish (specify	\$29 for 24w and 30w
Y328 Mahogany - side 2 tiled	selection per insert)	\$35 for 36w and 42w
V316 Maple (top trim finish)	i) tile 1A bottom	\$43 for 48w
111 Jet Black (base finish)	ii) tile 1B middle	
M Optional milled frame	iii) tile 1C top	
	6. Techwood side, finish (specify	6" Raceway option increases panel
	one V1 finish for side)	height by 2 3/4".
	7. Top trim finish	
	i) Profile A, B or C options:	
	V1, V2, V3, P1, P2, P3 finishes	
	ii) Profile E options:	
	AA-anodized aluminum or	
	painted finish from page	
	5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to	
	be milled for ported	
	components, \$15 list upcharge	
	applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 277).

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.


Tiled panels 42" H

fabric one side, conventional veneer other side

Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF242 18-()()	\$836.	\$857.	\$902.	\$955.	\$991.	\$1,050.	\$1,086.
Regular acoustics	20"	42"	R3B0TF242 20-()()	836.	857.	902.	955.	991.	1,050.	1,086.
	24"	42"	R3B0TF242 24-()()	892.	913.	958.	1,011.	1,047.	1,106.	1,142.
	30"	42"	R3B0TF242 30-()()	951.	972.	1,017.	1,070.	1,106.	1,165.	1,201.
	36"	42"	R3B0TF242 36-()()	1,010.	1,031.	1,076.	1,129.	1,165.	1,224.	1,260.
	42"	42"	R3B0TF242 42-()()	1,124.	1,145.	1,190.	1,243.	1,279.	1,338.	1,374.
	48"	42"	R3B0TF242 48-()()	1,179.	1,200.	1,245.	1,298.	1,334.	1,393.	1,429.



Tiled, fabric one side	18"	42"	R3B1TF242 18-()()	1,432.	1,453.	1,498.	1,551.	1,587.	1,646.	1,682.
Beltway one side (fabric side)	20"	42"	R3B1TF242 20-()()	1,432.	1,453.	1,498.	1,551.	1,587.	1,646.	1,682.
	24"	42"	R3B1TF242 24-()()	1,459.	1,480.	1,525.	1,578.	1,614.	1,673.	1,709.
	30"	42"	R3B1TF242 30-()()	1,532.	1,553.	1,598.	1,651.	1,687.	1,746.	1,782.
	36"	42"	R3B1TF242 36-()()	1,793.	1,814.	1,859.	1,912.	1,948.	2,007.	2,043.
	42"	42"	R3B1TF242 42-()()	1,930.	1,951.	1,996.	2,049.	2,085.	2,144.	2,180.
	48"	42"	R3B1TF242 48-()()	1,995.	2,016.	2,061.	2,114.	2,150.	2,209.	2,245.



Order Code	Specification Information	Application Notes
Example: R3B0TF24218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	painted option excluding silver	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	from page 5 for extruded	Optional for non fabric side only
B Tile divider, black reveal	aluminum divider (upcharge	(fabric side always black)
W281 Fabric - Side 1A	applicable for extruded	42"h add per panel:
W281 Fabric - Side 1B	aluminum divider)	\$26 for 18w and 20w
W281 Fabric - Side 1C	5. Fabric side, finish (specify	\$29 for 24w and 30w
V316 Maple surface - side 2 tiled	selection per insert)	\$35 for 36w and 42w
V316 Maple (top trim finish)	i) tile 1A bottom	\$43 for 48w
111 Jet Black (base finish)	ii) tile 1B middle	<i>6" Raceway option increases panel height by 2 3/4".</i>
M Optional milled frame	iii) tile 1C top	
	6. Conventional veneer, finish	
	(specify one V2 finish for side)	
	7. Top trim finish	
	i) Profile A, B or C options:	
	V1, V2, V3, P1, P2, P3 finishes	
	ii) Profile E options:	
	AA-anodized aluminum or	
	painted finish from page	
	5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to	
	be milled for ported	
	components, \$15 list upcharge	
	applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 277).

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 42" H

fabric one side, exotic veneer other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF342 18-() ()	\$1,115.	\$1,136.	\$1,181.	\$1,234.	\$1,270.	\$1,329.	\$1,365.
Regular acoustics	20"	42"	R3B0TF342 20-() ()	1,115.	1,136.	1,181.	1,234.	1,270.	1,329.	1,365.
	24"	42"	R3B0TF342 24-() ()	1,188.	1,209.	1,254.	1,307.	1,343.	1,402.	1,438.
	30"	42"	R3B0TF342 30-() ()	1,269.	1,290.	1,335.	1,388.	1,424.	1,483.	1,519.
	36"	42"	R3B0TF342 36-() ()	1,348.	1,369.	1,414.	1,467.	1,503.	1,562.	1,598.
	42"	42"	R3B0TF342 42-() ()	1,501.	1,522.	1,567.	1,620.	1,656.	1,715.	1,751.
	48"	42"	R3B0TF342 48-() ()	1,577.	1,598.	1,643.	1,696.	1,732.	1,791.	1,827.



Tiled, fabric one side	18"	42"	R3B1TF342 18-() ()	1,920.	1,941.	1,986.	2,039.	2,075.	2,134.	2,170.
Beltway fabric side	20"	42"	R3B1TF342 20-() ()	1,920.	1,941.	1,986.	2,039.	2,075.	2,134.	2,170.
	24"	42"	R3B1TF342 24-() ()	1,957.	1,978.	2,023.	2,076.	2,112.	2,171.	2,207.
	30"	42"	R3B1TF342 30-() ()	2,052.	2,073.	2,118.	2,171.	2,207.	2,266.	2,302.
	36"	42"	R3B1TF342 36-() ()	2,407.	2,428.	2,473.	2,526.	2,562.	2,621.	2,657.
	42"	42"	R3B1TF342 42-() ()	2,588.	2,609.	2,654.	2,707.	2,743.	2,802.	2,838.
	48"	42"	R3B1TF342 48-() ()	2,677.	2,698.	2,743.	2,796.	2,832.	2,891.	2,927.



Order Code	Specification Information	Application Notes
Example: R3B0TF34218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F3 Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	painted option excluding silver	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	from page 5 for extruded	Optional for non fabric side only
B Tile divider, black reveal	aluminum divider (upcharge	(fabric side always black)
W281 Fabric - Side 1A	applicable for extruded	42"h add per panel:
W281 Fabric - Side 1B	aluminum divider)	\$26 for 18w and 20w
W281 Fabric - Side 1C	5. Fabric side, finish (specify	\$29 for 24w and 30w
V512 Figured Anigre surface - side 2 tiled	selection per insert)	\$35 for 36w and 42w
V512 Figured Anigre (top trim finish)	i) tile 1A bottom	\$43 for 48w
111 Jet Black (base finish)	ii) tile 1B middle	
M Optional milled frame	iii) tile 1C top	
	6. Exotic veneer, finish (specify one	6" Raceway option increases panel height by 2 3/4".
	V3 finish for side)	
	7. Top trim finish	
	i) Profile A, B or C options:	
	V1, V2, V3, P1, P2, P3 finishes	
	ii) Profile E options:	
	AA-anodized aluminum or	
	painted finish from page	
	5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to	
	be milled for ported	
	components, \$15 list upcharge	
	applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 277).

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 42" H

Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18"	42"	R3B0TLL4218() ()	\$926.
	20"	42"	R3B0TLL4220() ()	926.
	24"	42"	R3B0TLL4224() ()	1,010.
	30"	42"	R3B0TLL4230() ()	1,129.
	36"	42"	R3B0TLL4236() ()	1,220.
	42"	42"	R3B0TLL4242() ()	1,257.
	48"	42"	R3B0TLL4248() ()	1,294.




Order Code	Specification Information	Application Notes
Example: R3B0TLL4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
R3 Reff Generation 3	1. Top trim profile	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
B0 No Beltway	2. Base height	<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 42"h add per panel: \$26 for 18w and 20w \$29 for 24w and 30w \$35 for 36w and 42w \$43 for 48w
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page will accept woodgrain laminate where laminate is currently an option.
LL Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 277).
42 42" high	5. Laminate side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C top	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
18 18" wide	6. Laminate, finish	Remember to specify Beltway paint finish when applicable.
A Flat style top trim profile	7. Top trim finish <i>i</i>) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
118 Laminate - side 1A		
118 Laminate - side 1B		
118 Laminate - side 1C		
118 Laminate - side 2A		
118 Laminate - side 2B		
118 Laminate - side 2C		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		


Tiled panels 49" H fabric both sides

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	R3B0TFF49 18-() ()	\$787.	\$835.	\$937.	\$1,039.	\$1,129.	\$1,273.	\$1,351.
Regular acoustics	20"	49"	R3B0TFF49 20-() ()	787.	835.	937.	1,039.	1,129.	1,273.	1,351.
	24"	49"	R3B0TFF49 24-() ()	841.	889.	991.	1,093.	1,183.	1,327.	1,405.
	30"	49"	R3B0TFF49 30-() ()	905.	953.	1,055.	1,157.	1,247.	1,391.	1,469.
	36"	49"	R3B0TFF49 36-() ()	964.	1,012.	1,114.	1,216.	1,306.	1,450.	1,528.
	42"	49"	R3B0TFF49 42-() ()	1,089.	1,137.	1,239.	1,341.	1,431.	1,575.	1,653.
	48"	49"	R3B0TFF49 48-() ()	1,149.	1,197.	1,299.	1,401.	1,491.	1,635.	1,713.



Tiled, fabric both sides	18"	49"	R3B0TAA49 18-() ()	862.	910.	1,012.	1,114.	1,204.	1,348.	1,426.
High acoustics	20"	49"	R3B0TAA49 20-() ()	862.	910.	1,012.	1,114.	1,204.	1,348.	1,426.
	24"	49"	R3B0TAA49 24-() ()	922.	970.	1,072.	1,174.	1,264.	1,408.	1,486.
	30"	49"	R3B0TAA49 30-() ()	955.	1,043.	1,145.	1,247.	1,337.	1,481.	1,559.
	36"	49"	R3B0TAA49 36-() ()	1,059.	1,107.	1,209.	1,311.	1,401.	1,545.	1,623.
	42"	49"	R3B0TAA49 42-() ()	1,194.	1,242.	1,344.	1,446.	1,536.	1,680.	1,758.
	48"	49"	R3B0TAA49 48-() ()	1,264.	1,312.	1,414.	1,516.	1,606.	1,750.	1,828.



Order Code	Specification Information	Application Notes
Example: R3B0TFF4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Fabric side finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	iii) tile 1C top	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric - Side 1A	i) tile 2A bottom	
W281 Fabric - Side 1B	ii) tile 2B middle	
W281 Fabric - Side 1C	iii) tile 2C top	
W281 Fabric - Side 2A	6. Top trim finish	
W281 Fabric - Side 2B	i) Top trim profile A,B or C options:	
W281 Fabric - Side 2C	V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Top trim profile E options:	
111 Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
M Optional milled frame	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 49" H

fabric both sides with Beltway

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides Beltway one side	18"	49"	R3B1TFF49 18-() ()	\$1,299.	\$1,347.	\$1,445.	\$1,551.	\$1,641.	\$1,785.	\$1,863.
	20"	49"	R3B1TFF49 20-() ()	1,299.	1,347.	1,445.	1,551.	1,641.	1,785.	1,863.
	24"	49"	R3B1TFF49 24-() ()	1,325.	1,373.	1,471.	1,577.	1,667.	1,811.	1,889.
	30"	49"	R3B1TFF49 30-() ()	1,396.	1,444.	1,542.	1,648.	1,738.	1,882.	1,960.
	36"	49"	R3B1TFF49 36-() ()	1,671.	1,719.	1,817.	1,923.	2,013.	2,157.	2,235.
	42"	49"	R3B1TFF49 42-() ()	1,805.	1,853.	1,951.	2,057.	2,147.	2,291.	2,369.
	48"	49"	R3B1TFF49 48-() ()	1,868.	1,916.	2,014.	2,120.	2,210.	2,354.	2,432.



Tiled, fabric both sides Beltway two sides	18"	49"	R3B2TFF49 18-() ()	1,318.	1,366.	1,460.	1,570.	1,660.	1,804.	1,882.
	20"	49"	R3B2TFF49 20-() ()	1,318.	1,366.	1,460.	1,570.	1,660.	1,804.	1,882.
	24"	49"	R3B2TFF49 24-() ()	1,348.	1,396.	1,490.	1,600.	1,690.	1,834.	1,912.
	30"	49"	R3B2TFF49 30-() ()	1,422.	1,470.	1,564.	1,674.	1,764.	1,908.	1,986.
	36"	49"	R3B2TFF49 36-() ()	1,701.	1,749.	1,843.	1,953.	2,043.	2,187.	2,265.
	42"	49"	R3B2TFF49 42-() ()	1,836.	1,884.	1,978.	2,088.	2,178.	2,322.	2,400.
	48"	49"	R3B2TFF49 48-() ()	1,905.	1,953.	2,047.	2,157.	2,247.	2,391.	2,469.



Order Code	Specification Information	Application Notes
Example: R3B2TFF4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 with Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Fabric side finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	iii) tile 1C top	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric - Side 1A	i) tile 2A bottom	
W281 Fabric - Side 1B	ii) tile 2B middle	
W281 Fabric - Side 1C	iii) tile 2C top	
W281 Fabric - Side 2A	6. Top trim finish	
W281 Fabric - Side 2B	i) Top trim profile A,B or C options:	
W281 Fabric - Side 2C	V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Top trim profile E options:	
111 Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Beltway finish	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 49" H

fabric one side, laminate opposite side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TFL49 18-() ()	\$852.	\$876.	\$918.	\$975.	\$1,020.	\$1,083.	\$1,122.
Regular acoustics	20"	49"	R3B0TFL49 20-() ()	852.	876.	918.	975.	1,020.	1,083.	1,122.
	24"	49"	R3B0TFL49 24-() ()	901.	925.	967.	1,024.	1,069.	1,132.	1,171.
	30"	49"	R3B0TFL49 30-() ()	964.	988.	1,030.	1,087.	1,132.	1,195.	1,234.
	36"	49"	R3B0TFL49 36-() ()	1,017.	1,041.	1,083.	1,140.	1,185.	1,248.	1,287.
	42"	49"	R3B0TFL49 42-() ()	1,134.	1,158.	1,200.	1,257.	1,302.	1,365.	1,404.
	48"	49"	R3B0TFL49 48-() ()	1,195.	1,219.	1,261.	1,318.	1,363.	1,426.	1,465.



Tiled, fabric one side	18"	49"	R3B1TFL49 18-() ()	1,351.	1,375.	1,421.	1,474.	1,519.	1,585.	1,624.
Beltway one side (fabric side)	20"	49"	R3B1TFL49 20-() ()	1,351.	1,375.	1,421.	1,474.	1,519.	1,585.	1,624.
	24"	49"	R3B1TFL49 24-() ()	1,378.	1,402.	1,448.	1,501.	1,546.	1,612.	1,651.
	30"	49"	R3B1TFL49 30-() ()	1,447.	1,471.	1,517.	1,570.	1,615.	1,681.	1,720.
	36"	49"	R3B1TFL49 36-() ()	1,710.	1,734.	1,780.	1,833.	1,878.	1,944.	1,983.
	42"	49"	R3B1TFL49 42-() ()	1,836.	1,860.	1,906.	1,959.	2,004.	2,070.	2,109.
	48"	49"	R3B1TFL49 48-() ()	1,904.	1,928.	1,974.	2,027.	2,072.	2,138.	2,177.



Order Code	Specification Information	Application Notes
Example: R3B0TFL4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4 = 4" base height
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert)	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	i) tile 1A bottom	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	ii) tile 1B middle	Optional for non fabric side only
B Tile divider, black reveal	iii) tile 1C top	(fabric side always black)
W281 Fabric - Side 1A	6. Laminate side finish (specify selection per insert)	49"h add per panel:
W281 Fabric - Side 1B	i) tile 2A bottom	\$26 for 18w and 20w
W281 Fabric - Side 1C	ii) tile 2B middle	\$29 for 24w and 30w
114 Folkstone grey - side 2A	iii) tile 2C top	\$35 for 36w and 42w
114 Folkstone grey - side 2B	7. Top trim finish	\$43 for 48w
114 Folkstone grey - side 2C	i) Profile A, B or C options:	
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Profile E options:	
M Optional milled frame	AA-anodized aluminum or painted finish from page 5 excluding silver	
	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

6" Raceway option increases panel height by 2 3/4".

Product on this page will accept woodgrain laminate where laminate is currently an option.


Tiled panels 49" H

fabric one side, techwood other side

Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF149 18-() ()	\$936.	\$963.	\$1,017.	\$1,068.	\$1,116.	\$1,188.	\$1,227.
Regular acoustics	20"	49"	R3B0TF149 20-() ()	936.	963.	1,017.	1,068.	1,116.	1,188.	1,227.
	24"	49"	R3B0TF149 24-() ()	996.	1,023.	1,077.	1,128.	1,176.	1,248.	1,287.
	30"	49"	R3B0TF149 30-() ()	1,063.	1,090.	1,144.	1,195.	1,243.	1,315.	1,354.
	36"	49"	R3B0TF149 36-() ()	1,127.	1,154.	1,208.	1,259.	1,307.	1,379.	1,418.
	42"	49"	R3B0TF149 42-() ()	1,261.	1,288.	1,342.	1,393.	1,441.	1,513.	1,552.
	48"	49"	R3B0TF149 48-() ()	1,320.	1,347.	1,401.	1,452.	1,500.	1,572.	1,611.



Tiled, fabric one side	18"	49"	R3B1TF149 18-() ()	1,478.	1,504.	1,559.	1,610.	1,657.	1,730.	1,769.
Beltway one side (fabric side)	20"	49"	R3B1TF149 20-() ()	1,478.	1,504.	1,559.	1,610.	1,657.	1,730.	1,769.
	24"	49"	R3B1TF149 24-() ()	1,512.	1,538.	1,593.	1,644.	1,691.	1,764.	1,803.
	30"	49"	R3B1TF149 30-() ()	1,585.	1,611.	1,666.	1,717.	1,764.	1,837.	1,876.
	36"	49"	R3B1TF149 36-() ()	1,877.	1,903.	1,958.	2,009.	2,056.	2,129.	2,168.
	42"	49"	R3B1TF149 42-() ()	2,016.	2,042.	2,097.	2,148.	2,195.	2,268.	2,307.
	48"	49"	R3B1TF149 48-() ()	2,086.	2,112.	2,167.	2,218.	2,265.	2,338.	2,377.



Order Code	Specification Information	Application Notes
Example: R3B0TF14918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver	4 = 4" base height
A Flat style top trim profile	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	5. Fabric side, finish (specify selection per insert)	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)</i>
K Include knockouts in base	i) tile 1A bottom	49"h add per panel:
B Tile divider, black reveal	ii) tile 1B middle	\$26 for 18w and 20w
W281 Fabric - Side 1A	iii) tile 1C top	\$29 for 24w and 30w
W281 Fabric - Side 1B	6. Techwood side, finish (specify one V1 finish for side)	\$35 for 36w and 42w
W281 Fabric - Side 1C	7. Top trim finish	\$43 for 48w
Y328 Mahogany - side 2 tiled	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	<i>6" Raceway option increases panel height by 2 3/4".</i>
V316 Maple (top trim finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
111 Jet Black (base finish)	8. Base finish	
M Optional milled frame	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 49" H

fabric one side, conventional veneer other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF249 18-() ()	\$939.	\$963.	\$1,017.	\$1,068.	\$1,113.	\$1,185.	\$1,224.
Regular acoustics	20"	49"	R3B0TF249 20-() ()	939.	963.	1,017.	1,068.	1,113.	1,185.	1,224.
	24"	49"	R3B0TF249 24-() ()	995.	1,019.	1,073.	1,124.	1,169.	1,241.	1,280.
	30"	49"	R3B0TF249 30-() ()	1,068.	1,092.	1,146.	1,197.	1,242.	1,314.	1,353.
	36"	49"	R3B0TF249 36-() ()	1,126.	1,150.	1,204.	1,255.	1,300.	1,372.	1,411.
	42"	49"	R3B0TF249 42-() ()	1,254.	1,278.	1,332.	1,383.	1,428.	1,500.	1,539.
	48"	49"	R3B0TF249 48-() ()	1,320.	1,344.	1,398.	1,449.	1,494.	1,566.	1,605.



Tiled, fabric one side	18"	49"	R3B1TF249 18-() ()	1,479.	1,503.	1,557.	1,608.	1,653.	1,725.	1,764.
Beltway one side (fabric side)	20"	49"	R3B1TF249 20-() ()	1,479.	1,503.	1,557.	1,608.	1,653.	1,725.	1,764.
	24"	49"	R3B1TF249 24-() ()	1,510.	1,534.	1,588.	1,639.	1,684.	1,756.	1,795.
	30"	49"	R3B1TF249 30-() ()	1,583.	1,607.	1,661.	1,712.	1,757.	1,829.	1,868.
	36"	49"	R3B1TF249 36-() ()	1,871.	1,895.	1,949.	2,000.	2,045.	2,117.	2,156.
	42"	49"	R3B1TF249 42-() ()	2,011.	2,035.	2,089.	2,140.	2,185.	2,257.	2,296.
	48"	49"	R3B1TF249 48-() ()	2,083.	2,107.	2,161.	2,212.	2,257.	2,329.	2,368.



Order Code	Specification Information	Application Notes
Example: R3B0TF24918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or	6 = 6" base height (add \$50 per
4 4" base height	painted option excluding silver	panel for this option)
K Include knockouts in base	from page 5 for extruded	<i>4. Extruded aluminum tile divider:</i>
B Tile divider, black reveal	aluminum divider (upcharge	Optional for non fabric side only
W281 Fabric - Side 1A	applicable for extruded	(fabric side always black)
W281 Fabric - Side 1B	aluminum divider)	49"h add per panel:
W281 Fabric - Side 1C	5. Fabric side, finish (specify	\$26 for 18w and 20w
V316 Maple surface - side 2 tiled	selection per insert)	\$29 for 24w and 30w
V316 Maple (top trim finish)	i) tile 1A bottom	\$35 for 36w and 42w
111 Jet Black (base finish)	ii) tile 1B middle	\$43 for 48w
M Optional milled frame	iii) tile 1C top	6" Raceway option increases panel
	6. Conventional veneer, finish	height by 2 3/4".
	(specify one V2 finish for side)	
	7. Top trim finish	
	i) Profile A, B or C options:	
	V1, V2, V3, P1, P2, P3 finishes	
	ii) Profile E options:	
	AA-anodized aluminum or	
	painted finish from page	
	5 excluding silver	
	8. Base finish	
	9. Beltway finish, for panels with	
	Beltway	
	10. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to	
	be milled for ported	
	components, \$15 list upcharge	
	applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.


Tiled panels 49" H

fabric one side, exotic veneer other side


Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF349 18-()()	\$1,249.	\$1,273.	\$1,327.	\$1,378.	\$1,423.	\$1,495.	\$1,534.
Regular acoustics	20"	49"	R3B0TF349 20-()()	1,249.	1,273.	1,327.	1,378.	1,423.	1,495.	1,534.
	24"	49"	R3B0TF349 24-()()	1,325.	1,349.	1,403.	1,454.	1,499.	1,571.	1,610.
	30"	49"	R3B0TF349 30-()()	1,424.	1,448.	1,502.	1,553.	1,598.	1,670.	1,709.
	36"	49"	R3B0TF349 36-()()	1,503.	1,527.	1,581.	1,632.	1,677.	1,749.	1,788.
	42"	49"	R3B0TF349 42-()()	1,675.	1,699.	1,753.	1,804.	1,849.	1,921.	1,960.
	48"	49"	R3B0TF349 48-()()	1,762.	1,786.	1,840.	1,891.	1,936.	2,008.	2,047.



Tiled, fabric one side	18"	49"	R3B1TF349 18-()()	1,978.	2,002.	2,056.	2,107.	2,152.	2,224.	2,263.
Beltway fabric side	20"	49"	R3B1TF349 20-()()	1,978.	2,002.	2,056.	2,107.	2,152.	2,224.	2,263.
	24"	49"	R3B1TF349 24-()()	2,021.	2,045.	2,099.	2,150.	2,195.	2,267.	2,306.
	30"	49"	R3B1TF349 30-()()	2,119.	2,143.	2,197.	2,248.	2,293.	2,365.	2,404.
	36"	49"	R3B1TF349 36-()()	2,510.	2,534.	2,588.	2,639.	2,684.	2,756.	2,795.
	42"	49"	R3B1TF349 42-()()	2,699.	2,723.	2,777.	2,828.	2,873.	2,945.	2,984.
	48"	49"	R3B1TF349 48-()()	2,797.	2,821.	2,875.	2,926.	2,971.	3,043.	3,082.



Order Code	Specification Information	Application Notes
Example: R3B0TF34918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F3 Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4 = 4" base height
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert)	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	i) tile 1A bottom	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	ii) tile 1B middle	Optional for non fabric side only
B Tile divider, black reveal	iii) tile 1C top	(fabric side always black)
W281 Fabric - Side 1A	6. Exotic veneer, finish (specify one V3 finish for side)	49"h add per panel:
W281 Fabric - Side 1B	7. Top trim finish	\$26 for 18w and 20w
W281 Fabric - Side 1C	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$29 for 24w and 30w
V512 Figured Anigre surface - side 2 tiled	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	\$35 for 36w and 42w
V512 Figured Anigre (top trim finish)	8. Base finish	\$43 for 48w
111 Jet Black (base finish)	9. Beltway finish, for panels with Beltway	<i>6" Raceway option increases panel height by 2 3/4".</i>
M Optional milled frame	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 49" H

Laminate/Laminate

Reff Profiles Vol. One


description	w	h	pattern no.	L
Tiled, laminate both sides	18"	49"	R3B0TLL4918() ()	\$967.
with raceway both sides	20"	49"	R3B0TLL4920() ()	967.
	24"	49"	R3B0TLL4924() ()	1,054.
	30"	49"	R3B0TLL4930() ()	1,180.
	36"	49"	R3B0TLL4936() ()	1,275.
	42"	49"	R3B0TLL4942() ()	1,314.
	48"	49"	R3B0TLL4948() ()	1,353.




Order Code	Specification Information	Application Notes
Example: R3B0TLL4918-A4K R3 Reff Generation 3 B0 No Beltway T Tiled panel LL Laminate both sides 49 49" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base B Tile divider, black reveal 118 Laminate - side 1A 118 Laminate - side 1B 118 Laminate - side 1C 118 Laminate - side 2A 118 Laminate - side 2B 118 Laminate - side 2C V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	<i>To order please specify pattern number including:</i> - Top trim profile - Base height - Knockout option (K = with knockouts, N = without knockouts) - Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider) - Laminate side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top - Laminate, finish - Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver - Base finish <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum <i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option) <i>4. Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 49"h add per panel: \$26 for 18w and 20w \$29 for 24w and 30w \$35 for 36w and 42w \$43 for 48w Product on this page will accept woodgrain laminate where laminate is currently an option. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 64" H fabric both sides

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	R3B0TFF64 18-() ()	\$900.	\$964.	\$1,110.	\$1,236.	\$1,356.	\$1,548.	\$1,652.
Regular acoustics	20"	64"	R3B0TFF64 20-() ()	900.	964.	1,100.	1,236.	1,356.	1,548.	1,652.
	24"	64"	R3B0TFF64 24-() ()	966.	1,030.	1,166.	1,302.	1,422.	1,614.	1,718.
	30"	64"	R3B0TFF64 30-() ()	1,037.	1,101.	1,237.	1,373.	1,493.	1,685.	1,789.
	36"	64"	R3B0TFF64 36-() ()	1,097.	1,161.	1,297.	1,433.	1,553.	1,745.	1,849.
	42"	64"	R3B0TFF64 42-() ()	1,255.	1,319.	1,455.	1,591.	1,711.	1,903.	2,007.
	48"	64"	R3B0TFF64 48-() ()	1,317.	1,381.	1,517.	1,653.	1,773.	1,965.	2,069.



Tiled, fabric both sides	18"	64"	R3B0TAA64 18-() ()	986.	1,050.	1,186.	1,322.	1,442.	1,634.	1,738.
High acoustics	20"	64"	R3B0TAA64 20-() ()	986.	1,050.	1,186.	1,322.	1,442.	1,634.	1,738.
	24"	64"	R3B0TAA64 24-() ()	1,056.	1,120.	1,256.	1,392.	1,512.	1,704.	1,808.
	30"	64"	R3B0TAA64 30-() ()	1,136.	1,200.	1,336.	1,472.	1,592.	1,784.	1,888.
	36"	64"	R3B0TAA64 36-() ()	1,211.	1,275.	1,411.	1,547.	1,667.	1,859.	1,963.
	42"	64"	R3B0TAA64 42-() ()	1,379.	1,443.	1,579.	1,715.	1,835.	2,027.	2,131.
	48"	64"	R3B0TAA64 48-() ()	1,454.	1,518.	1,654.	1,790.	1,910.	2,102.	2,206.



Order Code	Specification Information	Application Notes
Example: R3B0TFF6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
FF Fabric on both sides	4. Fabric side, finish (specify selection per insert)	E = Extruded Aluminum
64 64" high	i) tile 1A bottom	<i>2. Base height:</i>
18 18" wide	ii) tile 1B middle	4 = 4" base height
A Flat style top trim profile	iii) tile 1C middle	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	iv) tile 1D top	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric - Side 1A	i) tile 2A bottom	
W281 Fabric - Side 1B	ii) tile 2B middle	
W281 Fabric - Side 1C	iii) tile 2C middle	
W281 Fabric - Side 2A	iv) tile 2D top	
W281 Fabric - Side 2B	6. Top trim finish	
W281 Fabric - Side 2C	i) Top trim profile A,B or C options:	
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$15 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.


Tiled panels 64" H fabric both sides, with Beltway

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	R3B1TFF64 18-() ()	\$1,407.	\$1,471.	\$1,603.	\$1,743.	\$1,863.	\$2,055.	\$2,159.
Beltway one side	20"	64"	R3B1TFF64 20-() ()	1,407.	1,471.	1,603.	1,743.	1,863.	2,055.	2,159.
	24"	64"	R3B1TFF64 24-() ()	1,479.	1,543.	1,675.	1,815.	1,935.	2,127.	2,231.
	30"	64"	R3B1TFF64 30-() ()	1,515.	1,579.	1,711.	1,851.	1,971.	2,163.	2,267.
	36"	64"	R3B1TFF64 36-() ()	1,861.	1,925.	2,057.	2,197.	2,317.	2,509.	2,613.
	42"	64"	R3B1TFF64 42-() ()	1,999.	2,063.	2,195.	2,335.	2,455.	2,647.	2,751.
	48"	64"	R3B1TFF64 48-() ()	2,069.	2,133.	2,265.	2,405.	2,525.	2,717.	2,821.



Tiled, fabric both sides	18"	64"	R3B2TFF64 18-() ()	1,429.	1,493.	1,621.	1,765.	1,885.	2,077.	2,181.
Beltway two sides	20"	64"	R3B2TFF64 20-() ()	1,429.	1,493.	1,621.	1,765.	1,885.	2,077.	2,181.
	24"	64"	R3B2TFF64 24-() ()	1,503.	1,567.	1,695.	1,839.	1,959.	2,151.	2,255.
	30"	64"	R3B2TFF64 30-() ()	1,540.	1,604.	1,732.	1,876.	1,996.	2,188.	2,292.
	36"	64"	R3B2TFF64 36-() ()	1,894.	1,958.	2,086.	2,230.	2,350.	2,542.	2,646.
	42"	64"	R3B2TFF64 42-() ()	2,030.	2,094.	2,222.	2,366.	2,486.	2,678.	2,782.
	48"	64"	R3B2TFF64 48-() ()	2,106.	2,170.	2,298.	2,442.	2,562.	2,754.	2,858.



Order Code	Specification Information	Application Notes
Example: R3B1TFF6418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	6. Top trim finish
B1 Beltway one side	2. Base height	i) Top trim profile A, B or C
T Tiled panel	3. Knockout option	options:
FF Fabric on both sides	(K = with knockouts,	V1, V2, V3, P1, P2, P3 finishes
64 64" high	N = without knockouts)	ii) Top trim profile E options:
18 18" wide	4. Fabric side, finish (specify selection per insert)	AA-anodized aluminum or P1,
A Flat style top trim profile	i) tile 1A bottom	P2, P3 finish listed on page
4 4" base height	ii) tile 1B middle	5 excluding silver
K Include knockouts in base	iii) tile 1C middle	7. Base finish
W281 Fabric - Side 1A	iv) tile 1D middle	8. Beltway finish
W281 Fabric - Side 1B	5. Fabric side, finish (specify selection per insert)	
W281 Fabric - Side 1C	i) tile 2A bottom	1. Top trim profile:
W281 Fabric - Side 1D	ii) tile 2B middle	A = Flat
W281 Fabric - Side 2A	iii) tile 2C middle	B = Square
W281 Fabric - Side 2B	iv) tile 2D middle	C = Bullnose
W281 Fabric - Side 2C		E = Extruded Aluminum
W281 Fabric - Side 2D		2. Base height:
V316 Maple (top trim finish)		4 = 4" base height
111 Jet Black (base finish)		6 = 6" base height (add \$50 per panel for this option)
111 Beltway finish		Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.


Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.


Tiled panels 64" H

fabric one side, laminate other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TFL64 18-() ()	\$992.	\$1,024.	\$1,080.	\$1,156.	\$1,216.	\$1,300.	\$1,352.
Regular acoustics	20"	64"	R3B0TFL64 20-() ()	992.	1,024.	1,080.	1,156.	1,216.	1,300.	1,352.
	24"	64"	R3B0TFL64 24-() ()	1,050.	1,082.	1,138.	1,214.	1,274.	1,358.	1,410.
	30"	64"	R3B0TFL64 30-() ()	1,121.	1,153.	1,209.	1,285.	1,345.	1,429.	1,481.
	36"	64"	R3B0TFL64 36-() ()	1,184.	1,216.	1,272.	1,348.	1,408.	1,492.	1,544.
	42"	64"	R3B0TFL64 42-() ()	1,331.	1,363.	1,419.	1,495.	1,555.	1,639.	1,691.
	48"	64"	R3B0TFL64 48-() ()	1,394.	1,426.	1,482.	1,558.	1,618.	1,702.	1,754.



Tiled, fabric one side	18"	64"	R3B1TFL64 18-() ()	1,488.	1,520.	1,582.	1,652.	1,712.	1,800.	1,852.
Beltway one side (fabric side)	20"	64"	R3B1TFL64 20-() ()	1,488.	1,520.	1,582.	1,652.	1,712.	1,800.	1,852.
	24"	64"	R3B1TFL64 24-() ()	1,560.	1,592.	1,654.	1,724.	1,784.	1,872.	1,924.
	30"	64"	R3B1TFL64 30-() ()	1,593.	1,625.	1,687.	1,757.	1,817.	1,905.	1,957.
	36"	64"	R3B1TFL64 36-() ()	1,932.	1,964.	2,026.	2,096.	2,156.	2,244.	2,296.
	42"	64"	R3B1TFL64 42-() ()	2,061.	2,093.	2,155.	2,225.	2,285.	2,373.	2,425.
	48"	64"	R3B1TFL64 48-() ()	2,129.	2,161.	2,223.	2,293.	2,353.	2,441.	2,493.




Order Code	Specification Information	Application Notes
Example: R3B0TFL6418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	8. Base finish
B0 No Beltway	2. Base height	9. Beltway finish, for panels with Beltway
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable
FL Fabric one side, laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
64 64" high	5. Fabric side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C middle <i>iv</i>) tile 1D top	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
18 18" wide	6. Laminate side, finish (specify selection per insert) <i>i</i>) tile 2A bottom <i>ii</i>) tile 2B middle <i>iii</i>) tile 2C middle <i>iv</i>) tile 2D top	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 64"h add per panel: \$50 for 18w and 20w \$44 for 24w and 30w \$49 for 36w and 42w \$65 for 48w
A Flat style top trim profile	7. Top trim finish <i>i</i>) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	6" Raceway option increases panel height by 2 3/4".
4 4" base height		
K Include knockouts in base		
B Tile divider, black reveal		
W281 Fabric - Side 1A		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
W281 Fabric - Side 1B		Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
W281 Fabric - Side 1C		Remember to specify Beltway paint finish when applicable.
114 Folkstone grey - side 2A		79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
114 Folkstone grey - side 2B		Product on this page will accept woodgrain laminate where laminate is currently an option.
114 Folkstone grey - side 2C		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 64" H


fabric one side, techwood other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF164 18-()()	\$1,095.	\$1,131.	\$1,203.	\$1,271.	\$1,335.	\$1,431.	\$1,483.
Regular acoustics	20"	64"	R3B0TF164 20-()()	1,095.	1,131.	1,203.	1,271.	1,335.	1,431.	1,483.
	24"	64"	R3B0TF164 24-()()	1,160.	1,196.	1,268.	1,336.	1,400.	1,496.	1,548.
	30"	64"	R3B0TF164 30-()()	1,239.	1,275.	1,347.	1,415.	1,479.	1,575.	1,627.
	36"	64"	R3B0TF164 36-()()	1,306.	1,342.	1,414.	1,482.	1,546.	1,642.	1,694.
	42"	64"	R3B0TF164 42-()()	1,472.	1,508.	1,580.	1,648.	1,712.	1,808.	1,860.
	48"	64"	R3B0TF164 48-()()	1,539.	1,575.	1,647.	1,715.	1,779.	1,875.	1,927.



Tiled, fabric one side	18"	64"	R3B1TF164 18-()()	1,629.	1,664.	1,737.	1,805.	1,868.	1,965.	2,017.
Beltway one side (fabric side)	20"	64"	R3B1TF164 20-()()	1,629.	1,664.	1,737.	1,805.	1,868.	1,965.	2,017.
	24"	64"	R3B1TF164 24-()()	1,707.	1,742.	1,815.	1,883.	1,946.	2,043.	2,095.
	30"	64"	R3B1TF164 30-()()	1,744.	1,779.	1,852.	1,920.	1,983.	2,080.	2,132.
	36"	64"	R3B1TF164 36-()()	2,114.	2,149.	2,222.	2,290.	2,353.	2,450.	2,502.
	42"	64"	R3B1TF164 42-()()	2,256.	2,291.	2,364.	2,432.	2,495.	2,592.	2,644.
	48"	64"	R3B1TF164 48-()()	2,338.	2,373.	2,446.	2,514.	2,577.	2,674.	2,726.



Order Code	Specification Information	Application Notes
Example: R3B0TF16418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F1 Fabric one side, V1 other	4. Tile divider	E = Extruded Aluminum
64 64" high	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver	<i>2. Base height:</i>
18 18" wide	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4 = 4" base height
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert)	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	i) tile 1A bottom	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	ii) tile 1B middle	Optional for non fabric side only
B Tile divider, black reveal	iii) tile 1C middle	(fabric side always black)
W281 Fabric - Side 1A	iv) tile 1D top	64"h add per panel:
W281 Fabric - Side 1B	6. Techwood side, finish (specify one V1 finish for side)	\$40 for 18w and 20w
W281 Fabric - Side 1C	7. Top trim finish	\$44 for 24w and 30w
Y328 Mahogany - side 2 tiled	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$49 for 36w and 42w
V316 Maple (top trim finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	\$65 for 48w
111 Jet Black (base finish)	8. Base finish	6" Raceway option increases panel height by 2 3/4".
M Optional milled frame	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.


Tiled panels 64" H

fabric one side, conventional veneer other side


Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18"	64"	R3B0TF264 18-() ()	\$1,094.	\$1,126.	\$1,198.	\$1,266.	\$1,326.	\$1,422.	\$1,474.
	20"	64"	R3B0TF264 20-() ()	1,094.	1,126.	1,198.	1,266.	1,326.	1,422.	1,474.
	24"	64"	R3B0TF264 24-() ()	1,159.	1,191.	1,263.	1,331.	1,391.	1,487.	1,539.
	30"	64"	R3B0TF264 30-() ()	1,234.	1,266.	1,338.	1,406.	1,466.	1,562.	1,614.
	36"	64"	R3B0TF264 36-() ()	1,305.	1,337.	1,409.	1,477.	1,537.	1,633.	1,685.
	42"	64"	R3B0TF264 42-() ()	1,468.	1,500.	1,572.	1,640.	1,700.	1,796.	1,848.
	48"	64"	R3B0TF264 48-() ()	1,538.	1,570.	1,642.	1,710.	1,770.	1,866.	1,918.



Tiled, fabric one side Beltway one side (fabric side)	18"	64"	R3B1TF264 18-() ()	1,627.	1,659.	1,731.	1,799.	1,859.	1,955.	2,007.
	20"	64"	R3B1TF264 20-() ()	1,627.	1,659.	1,731.	1,799.	1,859.	1,955.	2,007.
	24"	64"	R3B1TF264 24-() ()	1,706.	1,738.	1,810.	1,878.	1,938.	2,034.	2,086.
	30"	64"	R3B1TF264 30-() ()	1,742.	1,774.	1,846.	1,914.	1,974.	2,070.	2,122.
	36"	64"	R3B1TF264 36-() ()	2,115.	2,147.	2,219.	2,287.	2,347.	2,443.	2,495.
	42"	64"	R3B1TF264 42-() ()	2,255.	2,287.	2,359.	2,427.	2,487.	2,583.	2,635.
	48"	64"	R3B1TF264 48-() ()	2,327.	2,359.	2,431.	2,499.	2,559.	2,655.	2,707.



Order Code	Specification Information	Application Notes
Example: R3B0TF26418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver	4 = 4" base height
A Flat style top trim profile	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	5. Fabric side, finish (specify selection per insert)	6" raceway option increases panel height by 2 3/4".
K Include knockouts in base	i) tile 1A bottom	<i>4. Extruded aluminum tile divider:</i>
B Tile divider, black reveal	ii) tile 1B middle	Optional for non fabric side only
W281 Fabric - Side 1A	iii) tile 1C middle	(fabric side always black)
W281 Fabric - Side 1B	iv) tile 1D top	64"h add per panel:
W281 Fabric - Side 1C	6. Conventional veneer, finish (specify one V2 finish for side)	\$40 for 18w and 20w
W281 Fabric - Side 1D	7. Top trim finish	\$44 for 24w and 30w
V316 Maple surface - side 2 tiled	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$49 for 36w and 42w
V316 Maple (top trim finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	\$65 for 48w
111 Jet Black (base finish)	8. Base finish	
M Optional milled frame	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 64" H


fabric one side, exotic veneer other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF364 18-()()	\$1,454.	\$1,486.	\$1,558.	\$1,626.	\$1,686.	\$1,782.	\$1,834.
Regular acoustics	20"	64"	R3B0TF364 20-()()	1,454.	1,486.	1,558.	1,626.	1,686.	1,782.	1,834.
	24"	64"	R3B0TF364 24-()()	1,540.	1,572.	1,644.	1,712.	1,772.	1,868.	1,920.
	30"	64"	R3B0TF364 30-()()	1,642.	1,674.	1,746.	1,814.	1,874.	1,970.	2,022.
	36"	64"	R3B0TF364 36-()()	1,739.	1,771.	1,843.	1,911.	1,971.	2,067.	2,119.
	42"	64"	R3B0TF364 42-()()	1,960.	1,992.	2,064.	2,132.	2,192.	2,288.	2,340.
	48"	64"	R3B0TF364 48-()()	2,050.	2,082.	2,154.	2,222.	2,282.	2,378.	2,430.



Tiled, fabric one side	18"	64"	R3B1TF364 18-()()	2,174.	2,206.	2,278.	2,346.	2,406.	2,502.	2,554.
Beltway fabric side	20"	64"	R3B1TF364 20-()()	2,174.	2,206.	2,278.	2,346.	2,406.	2,502.	2,554.
	24"	64"	R3B1TF364 24-()()	2,282.	2,314.	2,386.	2,454.	2,514.	2,610.	2,662.
	30"	64"	R3B1TF364 30-()()	2,327.	2,359.	2,431.	2,499.	2,559.	2,655.	2,707.
	36"	64"	R3B1TF364 36-()()	2,830.	2,862.	2,934.	3,002.	3,062.	3,158.	3,210.
	42"	64"	R3B1TF364 42-()()	3,021.	3,053.	3,125.	3,193.	3,253.	3,349.	3,401.
	48"	64"	R3B1TF364 48-()()	3,120.	3,152.	3,224.	3,292.	3,352.	3,448.	3,500.



Order Code	Specification Information	Application Notes
Example: R3B0TF36418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F3 Fabric one side, V3 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	E = Extruded Aluminum
64 64" high	5. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$50 per panel for this option)
4 4" base height	iii) tile 1C middle	6" raceway option increases panel height by 2 3/4".
K Include knockouts in base	iv) tile 1D top	<i>4. Extruded aluminum tile divider:</i>
B Tile divider, black reveal	6. Exotic veneer, finish (specify one V3 finish for side)	Optional for non fabric side only (fabric side always black)
W281 Fabric - Side 1A	7. Top trim finish	64"h add per panel:
W281 Fabric - Side 1B	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	\$40 for 18w and 20w
W281 Fabric - Side 1C	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	\$44 for 24w and 30w
W281 Fabric - Side 1D	8. Base finish	\$49 for 36w and 42w
V512 Figured Anigre surface - side 2 tiled	9. Beltway finish, for panels with Beltway	\$65 for 48w
V512 Figured Anigre (top trim finish)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
111 Jet Black (base finish)		
M Optional milled frame		

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.


Tiled panels 64" H

Laminate/Laminate

Reff Profiles Vol. One

Panels

description	w	h	pattern no.	L
Tiled, laminate both sides	18"	64"	R3B0TLL6418() ()	\$1,202.
with raceway both sides	20"	64"	R3B0TLL6420() ()	1,202.
	24"	64"	R3B0TLL6424() ()	1,310.
	30"	64"	R3B0TLL6430() ()	1,470.
	36"	64"	R3B0TLL6436() ()	1,586.
	42"	64"	R3B0TLL6442() ()	1,634.
	48"	64"	R3B0TLL6448() ()	1,699.




Order Code	Specification Information	Application Notes
Example: R3B0TLL6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
R3 Reff Generation 3	1. Top trim profile	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
B0 No Beltway	2. Base height	<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 64"h add per panel: \$40 for 18w and 20w \$44 for 24w and 30w \$49 for 36w and 42w \$65 for 48w
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page will accept woodgrain laminate where laminate is currently an option.
LL Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
64 64" high	5. Laminate side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C middle <i>iv</i>) tile 1D top	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
18 18" wide	6. Laminate, finish	Remember to specify Beltway paint finish when applicable.
A Flat style top trim profile	7. Top trim finish <i>i</i>) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
4 4" base height	8. Base finish	
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
B Tile divider, black reveal		
118 Laminate - side 1A		
118 Laminate - side 1B		
118 Laminate - side 1C		
118 Laminate - side 1D		
118 Laminate - side 2A		
118 Laminate - side 2B		
118 Laminate - side 2C		
118 Laminate - side 2D		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 79" H


fabric both sides

Reff Profiles Vol. One

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Regular acoustics	18"	79"	R3B0TFF79 18-() ()	\$1,121.	\$1,201.	\$1,371.	\$1,541.	\$1,691.	\$1,931.	\$2,061.
	20"	79"	R3B0TFF79 20-() ()	1,121.	1,201.	1,371.	1,541.	1,691.	1,931.	2,061.
	24"	79"	R3B0TFF79 24-() ()	1,191.	1,271.	1,441.	1,611.	1,761.	2,001.	2,131.
	30"	79"	R3B0TFF79 30-() ()	1,261.	1,341.	1,511.	1,681.	1,831.	2,071.	2,201.
	36"	79"	R3B0TFF79 36-() ()	1,333.	1,413.	1,583.	1,753.	1,903.	2,143.	2,273.
	42"	79"	R3B0TFF79 42-() ()	1,514.	1,594.	1,764.	1,934.	2,084.	2,324.	2,454.
	48"	79"	R3B0TFF79 48-() ()	1,591.	1,671.	1,841.	2,011.	2,161.	2,401.	2,531.



Tiled, fabric both sides High acoustics	18"	79"	R3B0TAA79 18-() ()	1,226.	1,306.	1,476.	1,646.	1,796.	2,036.	2,166.
	20"	79"	R3B0TAA79 20-() ()	1,226.	1,306.	1,476.	1,646.	1,796.	2,036.	2,166.
	24"	79"	R3B0TAA79 24-() ()	1,307.	1,387.	1,557.	1,727.	1,877.	2,117.	2,247.
	30"	79"	R3B0TAA79 30-() ()	1,383.	1,463.	1,633.	1,803.	1,953.	2,193.	2,323.
	36"	79"	R3B0TAA79 36-() ()	1,461.	1,541.	1,711.	1,881.	2,031.	2,271.	2,401.
	42"	79"	R3B0TAA79 42-() ()	1,662.	1,742.	1,912.	2,082.	2,232.	2,472.	2,602.
	48"	79"	R3B0TAA79 48-() ()	1,750.	1,830.	2,000.	2,170.	2,320.	2,560.	2,690.




Order Code	Specification Information	Application Notes
Example: R3B0TFF7918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will not accept stacking modules.
R3 Reff Generation 3	1. Top trim profile	
B0 No Beltway	2. Base height	6" Raceway option increases panel height by 2 3/4".
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	
FF Fabric on both sides	4. Fabric side, finish (specify selection per insert)	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
79 79" high	i) tile 1A bottom	
18 18" wide	ii) tile 1B middle	Remember to specify Beltway paint finish when applicable.
A Flat style top trim profile	iii) tile 1C middle	
4 4" base height	iv) tile 1D middle	79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
K Include knockouts in base	v) tile 1E top	
W281 Fabric - Side 1A	5. Fabric side, finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric - Side 1B	i) tile 2A bottom	
W281 Fabric - Side 1C	ii) tile 2B middle	6 = 6" base height (add \$50 per panel for this option)
W281 Fabric - Side 1D	iii) tile 2C middle	
W281 Fabric - Side 2A	iv) tile 2D middle	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum
W281 Fabric - Side 2B	v) tile 2E top	
W281 Fabric - Side 2C		2. Base height: 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
W281 Fabric - Side 2D		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		


Tiled panels 79" H

fabric both sides, with Beltway

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	R3B1TFF79 18-() ()	\$1,460.	\$1,540.	\$1,706.	\$1,880.	\$2,030.	\$2,270.	\$2,400.
Beltway one side	20"	79"	R3B1TFF79 20-() ()	1,460.	1,540.	1,706.	1,880.	2,030.	2,270.	2,400.
	24"	79"	R3B1TFF79 24-() ()	1,532.	1,612.	1,778.	1,952.	2,102.	2,342.	2,472.
	30"	79"	R3B1TFF79 30-() ()	1,567.	1,647.	1,813.	1,987.	2,137.	2,377.	2,507.
	36"	79"	R3B1TFF79 36-() ()	1,914.	1,994.	2,160.	2,334.	2,484.	2,724.	2,854.
	42"	79"	R3B1TFF79 42-() ()	2,055.	2,135.	2,301.	2,475.	2,625.	2,865.	2,995.
	48"	79"	R3B1TFF79 48-() ()	2,122.	2,202.	2,368.	2,542.	2,692.	2,932.	3,062.



Tiled, fabric both sides	18"	79"	R3B2TFF79 18-() ()	1,480.	1,560.	1,722.	1,900.	2,050.	2,290.	2,420.
Beltway two sides	20"	79"	R3B2TFF79 20-() ()	1,480.	1,560.	1,722.	1,900.	2,050.	2,290.	2,420.
	24"	79"	R3B2TFF79 24-() ()	1,556.	1,636.	1,798.	1,976.	2,126.	2,366.	2,496.
	30"	79"	R3B2TFF79 30-() ()	1,590.	1,670.	1,832.	2,010.	2,160.	2,400.	2,530.
	36"	79"	R3B2TFF79 36-() ()	1,942.	2,022.	2,184.	2,362.	2,512.	2,752.	2,882.
	42"	79"	R3B2TFF79 42-() ()	2,085.	2,165.	2,327.	2,505.	2,655.	2,895.	3,025.
	48"	79"	R3B2TFF79 48-() ()	2,162.	2,242.	2,404.	2,582.	2,732.	2,972.	3,102.



Order Code	Specification Information	Application Notes
Example: R3B1TFF7918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	6. Top trim finish
B1 Beltway 1 side	2. Base height	i) Top trim profile A, B or C options:
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	V1, V2, V3, P1, P2, P3 finishes
FF Fabric on both sides	4. Fabric side, finish (specify selection per insert)	ii) Top trim profile E options:
79 79" high	i) tile 1A bottom	AA-anodized aluminum or P1, P2, P3 finish listed on page
18 18" wide	ii) tile 1B middle	5 excluding silver
A Flat style top trim profile	iii) tile 1C middle	7. Base finish
4 4" base height	iv) tile 1D middle	8. Beltway finish
K Include knockouts in base	v) tile 1E top	
W281 Fabric - Side 1A	5. Fabric side, finish (specify selection per insert)	1. Top trim profile:
W281 Fabric - Side 1B	i) tile 2A bottom	A = Flat
W281 Fabric - Side 1C	ii) tile 2B middle	B = Square
W281 Fabric - Side 1D	iii) tile 2C middle	C = Bullnose
W281 Fabric - Side 1E	iv) tile 2D middle	E = Extruded Aluminum
W281 Fabric - Side 2A	v) tile 2E top	
W281 Fabric - Side 2B		2. Base height:
W281 Fabric - Side 2C		4 = 4" base height
W281 Fabric - Side 2D		6 = 6" base height (add \$50 per panel for this option)
W281 Fabric - Side 2E		
V316 Maple (top trim finish)		Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
111 Jet Black (base finish)		
111 Beltway finish		

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Tiled panels 79" H


fabric one side, laminate other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18"	79"	R3B0TFL79 18-() ()	\$1,231.	\$1,271.	\$1,341.	\$1,436.	\$1,511.	\$1,616.	\$1,681.
	20"	79"	R3B0TFL79 20-() ()	1,231.	1,271.	1,341.	1,436.	1,511.	1,616.	1,681.
	24"	79"	R3B0TFL79 24-() ()	1,306.	1,346.	1,416.	1,511.	1,586.	1,691.	1,756.
	30"	79"	R3B0TFL79 30-() ()	1,369.	1,409.	1,479.	1,574.	1,649.	1,754.	1,819.
	36"	79"	R3B0TFL79 36-() ()	1,437.	1,477.	1,547.	1,642.	1,717.	1,822.	1,887.
	42"	79"	R3B0TFL79 42-() ()	1,610.	1,650.	1,720.	1,815.	1,890.	1,995.	2,060.
	48"	79"	R3B0TFL79 48-() ()	1,684.	1,724.	1,794.	1,889.	1,964.	2,069.	2,134.



Tiled, fabric one side Beltway one side (fabric side)	18"	79"	R3B1TFL79 18-() ()	1,571.	1,611.	1,689.	1,776.	1,851.	1,961.	2,026.
	20"	79"	R3B1TFL79 20-() ()	1,571.	1,611.	1,689.	1,776.	1,851.	1,961.	2,026.
	24"	79"	R3B1TFL79 24-() ()	1,642.	1,682.	1,760.	1,847.	1,922.	2,032.	2,097.
	30"	79"	R3B1TFL79 30-() ()	1,679.	1,719.	1,797.	1,884.	1,959.	2,069.	2,134.
	36"	79"	R3B1TFL79 36-() ()	2,015.	2,055.	2,133.	2,220.	2,295.	2,405.	2,470.
	42"	79"	R3B1TFL79 42-() ()	2,145.	2,185.	2,263.	2,350.	2,425.	2,535.	2,600.
	48"	79"	R3B1TFL79 48-() ()	2,213.	2,253.	2,331.	2,418.	2,493.	2,603.	2,668.



Order Code	Specification Information	Application Notes
Example: R3B0TFL7918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	8. Base finish
B0 No Beltway	2. Base height	9. Beltway finish, for panels with Beltway
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable
FL Fabric one side, laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
79 79" high	5. Fabric side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C middle <i>iv</i>) tile 1D middle <i>v</i>) tile 1E top	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
18 18" wide	6. Laminate side, finish (specify selection per insert) <i>i</i>) tile 2A bottom <i>ii</i>) tile 2B middle <i>iii</i>) tile 2C middle <i>iv</i>) tile 2D middle <i>v</i>) tile 2E top	<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"H add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w
A Flat style top trim profile	7. Top trim finish <i>i</i>) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Product on this page will accept woodgrain laminate where laminate is currently an option.
4 4" base height		
K Include knockouts in base		
B Tile divider, black reveal		
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
W281 Fabric - Side 1D		
W281 Fabric - Side 1E		
114 Folkstone grey - side 2A		
114 Folkstone grey - side 2B		
114 Folkstone grey - side 2C		
114 Folkstone grey - side 2D		
114 Folkstone grey - side 2E		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Application Notes

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.


Tiled panels 79" H

fabric one side, techwood other side


Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF179 18-() ()	\$1,361.	\$1,406.	\$1,496.	\$1,581.	\$1,661.	\$1,781.	\$1,846.
Regular acoustics	20"	79"	R3B0TF179 20-() ()	1,361.	1,406.	1,496.	1,581.	1,661.	1,781.	1,846.
	24"	79"	R3B0TF179 24-() ()	1,439.	1,484.	1,574.	1,659.	1,739.	1,859.	1,924.
	30"	79"	R3B0TF179 30-() ()	1,512.	1,557.	1,647.	1,732.	1,812.	1,932.	1,997.
	36"	79"	R3B0TF179 36-() ()	1,587.	1,632.	1,722.	1,807.	1,887.	2,007.	2,072.
	42"	79"	R3B0TF179 42-() ()	1,781.	1,826.	1,916.	2,001.	2,081.	2,201.	2,266.
	48"	79"	R3B0TF179 48-() ()	1,864.	1,909.	1,999.	2,084.	2,164.	2,284.	2,349.



Tiled, fabric one side	18"	79"	R3B1TF179 18-() ()	1,721.	1,765.	1,856.	1,941.	2,020.	2,141.	2,206.
Beltway one side (fabric side)	20"	79"	R3B1TF179 20-() ()	1,721.	1,765.	1,856.	1,941.	2,020.	2,141.	2,206.
	24"	79"	R3B1TF179 24-() ()	1,800.	1,844.	1,935.	2,020.	2,099.	2,220.	2,285.
	30"	79"	R3B1TF179 30-() ()	1,832.	1,876.	1,967.	2,052.	2,131.	2,252.	2,317.
	36"	79"	R3B1TF179 36-() ()	2,206.	2,250.	2,341.	2,426.	2,505.	2,626.	2,691.
	42"	79"	R3B1TF179 42-() ()	2,349.	2,393.	2,484.	2,569.	2,648.	2,769.	2,834.
	48"	79"	R3B1TF179 48-() ()	2,423.	2,467.	2,558.	2,643.	2,722.	2,843.	2,908.




Order Code	Specification Information	Application Notes
Example: R3B0TF17918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	8. Base finish
B0 No Beltway	2. Base height	9. Beltway finish, for panels with beltway
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable
F1 Fabric one side, V1 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
79 79" high	5. Fabric side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C middle <i>iv</i>) tile 1D middle <i>v</i>) tile 1E top	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
18 18" wide	6. Techwood side, finish (specify one V1 finish for side)	<i>4. Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w
A Flat style top trim profile	7. Top trim finish <i>i</i>) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	The panels on this page will not accept stacking modules. 6" Raceway option increases panel height by 2 3/4". Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
4 4" base height		
K Include knockouts in base		
B Tile divider, black reveal		
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
W281 Fabric - Side 1D		
W281 Fabric - Side 1E		
Y328 Mahogany - side 2A		
Y328 Mahogany - side 2B		
Y328 Mahogany - side 2C		
Y328 Mahogany - side 2D		
Y328 Mahogany - side 2E		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optinal milled frame		

Tiled panels 79" H


fabric one side, conventional veneer other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF279 18-()()	\$1,359.	\$1,399.	\$1,489.	\$1,574.	\$1,649.	\$1,769.	\$1,834.
Regular acoustics	20"	79"	R3B0TF279 20-()()	1,359.	1,399.	1,489.	1,574.	1,649.	1,769.	1,834.
	24"	79"	R3B0TF279 24-()()	1,438.	1,478.	1,568.	1,653.	1,728.	1,848.	1,913.
	30"	79"	R3B0TF279 30-()()	1,509.	1,549.	1,639.	1,724.	1,799.	1,919.	1,984.
	36"	79"	R3B0TF279 36-()()	1,585.	1,625.	1,715.	1,800.	1,875.	1,995.	2,060.
	42"	79"	R3B0TF279 42-()()	1,776.	1,816.	1,906.	1,991.	2,066.	2,186.	2,251.
	48"	79"	R3B0TF279 48-()()	1,859.	1,899.	1,989.	2,074.	2,149.	2,269.	2,334.



Tiled, fabric one side	18"	79"	R3B1TF279 18-()()	1,719.	1,759.	1,849.	1,934.	2,009.	2,129.	2,194.
Beltway one side (fabric side)	20"	79"	R3B1TF279 20-()()	1,719.	1,759.	1,849.	1,934.	2,009.	2,129.	2,194.
	24"	79"	R3B1TF279 24-()()	1,796.	1,836.	1,926.	2,011.	2,086.	2,206.	2,271.
	30"	79"	R3B1TF279 30-()()	1,834.	1,874.	1,964.	2,049.	2,124.	2,244.	2,309.
	36"	79"	R3B1TF279 36-()()	2,205.	2,245.	2,335.	2,420.	2,495.	2,615.	2,680.
	42"	79"	R3B1TF279 42-()()	2,344.	2,384.	2,474.	2,559.	2,634.	2,754.	2,819.
	48"	79"	R3B1TF279 48-()()	2,420.	2,460.	2,550.	2,635.	2,710.	2,830.	2,895.




Order Code	Specification Information	Application Notes
Example: R3B0TF27918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will not accept stacking modules.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 ³ / ₄ ".
B0 No Beltway	2. Base height	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H .
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
F2 Fabric one side, V2 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	Remember to specify Beltway paint finish when applicable.
79 79" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
18 18" wide	6. Techwood side, finish (specify one V1 finish for side)	
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish, for panels with Beltway	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
W281 Fabric - Side 1A	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
W281 Fabric - Side 1B	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
W281 Fabric - Side 1C	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	
W281 Fabric - Side 1D		
W281 Fabric - Side 1E		
V316 Maple - side 2 Tiled		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		


Tiled panels 79" H

fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF379 18-()()	\$1,803.	\$1,843.	\$1,933.	\$2,018.	\$2,093.	\$2,213.	\$2,278.
Regular acoustics	20"	79"	R3B0TF379 20-()()	1,803.	1,843.	1,933.	2,018.	2,093.	2,213.	2,278.
	24"	79"	R3B0TF379 24-()()	1,910.	1,950.	2,040.	2,125.	2,200.	2,320.	2,385.
	30"	79"	R3B0TF379 30-()()	2,009.	2,049.	2,139.	2,224.	2,299.	2,419.	2,484.
	36"	79"	R3B0TF379 36-()()	2,112.	2,152.	2,242.	2,327.	2,402.	2,522.	2,587.
	42"	79"	R3B0TF379 42-()()	2,370.	2,410.	2,500.	2,585.	2,660.	2,780.	2,845.
	48"	79"	R3B0TF379 48-()()	2,481.	2,521.	2,611.	2,696.	2,771.	2,891.	2,956.



Tiled, fabric one side	18"	79"	R3B1TF379 18-()()	2,293.	2,333.	2,423.	2,508.	2,583.	2,703.	2,768.
Beltway fabric side	20"	79"	R3B1TF379 20-()()	2,293.	2,333.	2,423.	2,508.	2,583.	2,703.	2,768.
	24"	79"	R3B1TF379 24-()()	2,396.	2,436.	2,526.	2,611.	2,686.	2,806.	2,871.
	30"	79"	R3B1TF379 30-()()	2,448.	2,488.	2,578.	2,663.	2,738.	2,858.	2,923.
	36"	79"	R3B1TF379 36-()()	2,947.	2,987.	3,077.	3,162.	3,237.	3,357.	3,422.
	42"	79"	R3B1TF379 42-()()	3,137.	3,177.	3,267.	3,352.	3,427.	3,547.	3,612.
	48"	79"	R3B1TF379 48-()()	3,240.	3,280.	3,370.	3,455.	3,530.	3,650.	3,715.



Order Code	Specification Information	Application Notes	
Example: R3B0TF37918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	The panels on this page will not accept stacking modules.
R3	Reff Generation 3		6" Raceway option increases panel height by 2¾".
B0	No Beltway		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
T	Tiled panel		Remember to specify Beltway paint finish when applicable.
F3	Fabric one side, V3 other		79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
79	79" high		
18	18" wide		
A	Flat style top trim profile		
4	4" base height		
K	Include knockouts in base		
B	Tile divider, black reveal		
W281	Fabric - Side 1A		
W281	Fabric - Side 1B		
W281	Fabric - Side 1C		
W281	Fabric - Side 1D		
W281	Fabric - Side 1E		
V512	Figured Anigre surface - side 2 tiled		
V512	Figured Anigre (top trim finish)		
111	Jet Black (base finish)		
M	Optional milled frame		

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	

<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)	
<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w	


<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>

Tiled panels 79" H

Laminate/Laminate

Reff Profiles Vol. One

description	w	h	pattern no.	L
Tiled, laminate both sides	18"	79"	R3B0TLL7918() ()	\$1,404.
with raceway both sides	20"	79"	R3B0TLL7920() ()	1,404.
	24"	79"	R3B0TLL7924() ()	1,531.
	30"	79"	R3B0TLL7930() ()	1,715.
	36"	79"	R3B0TLL7936() ()	1,852.
	42"	79"	R3B0TLL7942() ()	1,907.
	48"	79"	R3B0TLL7948() ()	2,004.



Order Code	Specification Information	Application Notes
Example: R3B0TLL7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
R3 Reff Generation 3	1. Top trim profile	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 per panel for this option)
B0 No Beltway	2. Base height	<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 79"h add per panel: \$53 for 18w and 20w \$61 for 24w and 30w \$65 for 36w and 42w \$87 for 48w
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page will accept woodgrain laminate where laminate is currently an option.
LL Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
79 79" high	5. Laminate side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C middle <i>iv</i>) tile 1D middle <i>v</i>) tile 1E top	The panels on this page will not accept stacking modules. Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119. Remember to specify Beltway paint finish when applicable. 79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
18 18" wide	6. Laminate, finish	
A Flat style top trim profile	7. Top trim finish <i>i</i>) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
4 4" base height	8. Base finish	
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$15 list upcharge applicable	
B Tile divider, black reveal		
118 Laminate - side 1A		
118 Laminate - side 1B		
118 Laminate - side 1C		
118 Laminate - side 1D		
118 Laminate - side 1E		
118 Laminate - side 2A		
118 Laminate - side 2B		
118 Laminate - side 2C		
118 Laminate - side 2D		
118 Laminate - side 2E		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 34"h tiled with 4" or 6"h base raceway	18"	34"	R2APT3418 ()	\$108.	
	20"	34"	R2APT3420 ()	108.	
	24"	34"	R2APT3424 ()	111.	
	30"	34"	R2APT3430 ()	113.	
	36"	34"	R2APT3436 ()	119.	
	42"	34"	R2APT3442 ()	121.	
	48"	34"	R2APT3448 ()	126.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 42"h tiled with 4" or 6"h base raceway	18"	42"	R2APT4218 ()	166.	
	20"	42"	R2APT4220 ()	166.	
	24"	42"	R2APT4224 ()	172.	
	30"	42"	R2APT4230 ()	174.	
	36"	42"	R2APT4236 ()	183.	
	42"	42"	R2APT4242 ()	189.	
	48"	42"	R2APT4248 ()	198.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 49"h tiled with 4" or 6"h base raceway	18"	49"	R2APT4918 ()	178.	
	20"	49"	R2APT4920 ()	178.	
	24"	49"	R2APT4924 ()	184.	
	30"	49"	R2APT4930 ()	187.	
	36"	49"	R2APT4936 ()	197.	
	42"	49"	R2APT4942 ()	205.	
	48"	49"	R2APT4948 ()	211.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 64"h tiled with 4" or 6"h base raceway	18"	64"	R2APT6418 ()	252.	
	20"	64"	R2APT6420 ()	252.	
	24"	64"	R2APT6424 ()	261.	
	30"	64"	R2APT6430 ()	266.	
	36"	64"	R2APT6436 ()	279.	
	42"	64"	R2APT6442 ()	289.	
	48"	64"	R2APT6448 ()	301.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	
R2 Reff Generation 2 (AutoStrada Reff)		
A Aluminum	1. Specify Finish : Anodized Aluminum or painted excluding silver.	
PT Panels Tiled		
34 Height		
18 Width		
AA Anodized Aluminum		

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 79" h tiled with 4" or 6" h base raceway	18"	79"	R2APT7918 ()	\$326.	
	20"	79"	R2APT7920 ()	326.	
	24"	79"	R2APT7924 ()	336.	
	30"	79"	R2APT7930 ()	342.	
	36"	79"	R2APT7936 ()	362.	
	42"	79"	R2APT7942 ()	373.	
	48"	79"	R2APT7948 ()	392.	
Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2". Kit includes vertical hookstrip cover and tile dividers					
Aluminum reveal kit for T post with 4" or 6" h raceway		34"	R2ATPK34 ()		72.
		42"	R2ATPK42 ()		90.
		49"	R2ATPK49 ()		103.
		64"	R2ATPK64 ()		142.
		79"	R2ATPK79 ()		178.
Aluminum reveal kit for L post with 4" or 6" h raceway		34"	R2ALPK34 ()		71.
		42"	R2ALPK42 ()		99.
		49"	R2ALPK49 ()		108.
		64"	R2ALPK64 ()		150.
		79"	R2ALPK79 ()		189.
Alum vertical reveal for end trim with 4" or 6" h raceway		34"	R2AETK34 ()		70.
		42"	R2AETK42 ()		85.
		49"	R2AETK49 ()		100.
		64"	R2AETK64 ()		133.
		79"	R2AETK79 ()		167.
for use with generation 2 or 3 installations					
Aluminum hookstrip cover condition including stacking modules with 4" or 6" h base raceway		30"	R2AHCR34 ()	70.	
		38"	R2AHCR42 ()	85.	
		45"	R2AHCR49 ()	100.	
		60"	R2AHCR64 ()	133.	
		75"	R2AHCR79 ()	167.	
for use with generation 2 or 3 installations					

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	To order specify pattern number including height and width as applicable. 1. Specify Finish : Anodized Aluminum or painted excluding silver.	
R2 Reff Generation 2 (AutoStrada Reff)		
A Aluminum		
PT Panels Tiled		
34 Height		
18 Width		
AA Anodized Aluminum		

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal/tile divider for between laminate or wood inserts	18"		R2AHTR18 ()	\$48.	
	20"		R2AHTR20 ()	48.	
	24"		R2AHTR24 ()	50.	
	30"		R2AHTR30 ()	55.	
	36"		R2AHTR36 ()	59.	
	42"		R2AHTR42 ()	61.	
	48"		R2AHTR48 ()	69.	
horizontal reveal only					
Alum horizontal reveal for between base panel and stacking window module or stacking and window modules or between two stacking modules	18"		R2AHWR18 ()	42.	
	20"		R2AHWR20 ()	42.	
	24"		R2AHWR24 ()	44.	
	30"		R2AHWR30 ()	45.	
	36"		R2AHWR36 ()	49.	
	42"		R2AHWR42 ()	51.	
	48"		R2AHWR48 ()	57.	
horizontal reveal only					
Alum horizontal reveal for between two stacking window modules	18"		R2AHBW18 ()	42.	
	20"		R2AHBW20 ()	42.	
	24"		R2AHBW24 ()	44.	
	30"		R2AHBW30 ()	45.	
	36"		R2AHBW36 ()	49.	
	42"		R2AHBW42 ()	51.	
	48"		R2AHBW48 ()	57.	
horizontal reveal only					
Alum horizontal reveal for between base panel and stacking module (FL/F1/F2)	18"		R2AHSR18 ()	42.	
	20"		R2AHSR20 ()	42.	
	24"		R2AHSR24 ()	44.	
	30"		R2AHSR30 ()	45.	
	36"		R2AHSR36 ()	49.	
	42"		R2AHSR42 ()	51.	
	48"		R2AHSR48 ()	57.	
horizontal reveal only					

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i> 1. Specify Finish : Anodized Aluminum or painted excluding silver.	
R2 Reff Generation 2 (AutoStrada Reff)		
A Aluminum		
PT Panels Tiled		
34 Height		
18 Width		
AA Anodized Aluminum		

Beltway one side, window panel 49" H tiled panel with glass type "A" at top

Reff Profiles Vol. One

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway one side	18"	49"	R3B1TFFA49 18-()()	\$1,358.	\$1,390.	\$1,454.	\$1,526.	\$1,586.	\$1,682.	\$1,734.
	20"	49"	R3B1TFFA49 20-()()	1,358.	1,390.	1,454.	1,526.	1,586.	1,682.	1,734.
	24"	49"	R3B1TFFA49 24-()()	1,403.	1,435.	1,499.	1,571.	1,631.	1,727.	1,779.
	30"	49"	R3B1TFFA49 30-()()	1,500.	1,532.	1,596.	1,668.	1,728.	1,824.	1,876.
	36"	49"	R3B1TFFA49 36-()()	1,805.	1,837.	1,901.	1,973.	2,033.	2,129.	2,181.
	42"	49"	R3B1TFFA49 42-()()	1,968.	2,000.	2,064.	2,136.	2,196.	2,292.	2,344.
	48"	49"	R3B1TFFA49 48-()()	2,058.	2,090.	2,154.	2,226.	2,286.	2,382.	2,434.




Order Code	Specification Information	Application Notes
Example: R3B1TFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B1 Beltway 1 side	2. Base height	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
A Type A window	5. Panel side 2 finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
49 49" high	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
18 18" wide	7. Base finish	
A Flat style top trim profile	8. Beltway finish	
4 4" base height	9. Glass window frame finish	
K Include knockouts in base	10. Glass type Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
W281 Fabric selection - side 1A		
W281 Fabric selection - side 1B		
W281 Fabric selection - side 2A		
W281 Fabric selection - side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H tiled panel with glass type "B" at top

Reff Profiles Vol. One

Panels


description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway one side	30"	49"	R3B1TFFB49 30-() ()	\$1,618.	\$1,650.	\$1,714.	\$1,786.	\$1,846.	\$1,942.	\$1,994.
	36"	49"	R3B1TFFB49 36-() ()	1,933.	1,965.	2,029.	2,101.	2,161.	2,257.	2,309.
	42"	49"	R3B1TFFB49 42-() ()	2,094.	2,126.	2,190.	2,262.	2,322.	2,418.	2,470.
	48"	49"	R3B1TFFB49 48-() ()	2,195.	2,227.	2,291.	2,363.	2,423.	2,519.	2,571.



Order Code	Specification Information	Application Notes
Example: R3B1TFFB4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
B Type B window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify	4 = 4" base height
30 30" wide	AA-anodized aluminum or painted option excluding silver	6 = 6" base height (add \$50 per panel for this option)
A Flat style top trim profile	from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	5. Fabric side, finish (specify selection per insert; bottom up.)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	6. Techwood side, finish (specify one V1 finish for side)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
B Tile divider, black reveal	7. Top trim finish	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	i) Top trim profile A,B or C options:	79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
W281 Fabric selection - side 1B	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric selection - side 2A	ii) Top trim profile E options:	
W281 Fabric selection - side 2B	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
Y328 Mahogany - side 2 tiled	8. Base finish	
V316 Maple (top trim finish)	9. Beltway finish	
111 Jet Black (base finish)	10. Window frame finish	
111 Jet Black (beltway finish)	11. Glass option	
111 Jet Black (window frame finish)	Temp = Clear temp	
TEMP Glass option	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway one side, window panel 49" H monolithic with glass at top

Reff Profiles Vol. One

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
 Monolithic, fabric both sides, Type A window on top, Beltway one side	18"	49"	R3B1PFFA49 18-() ()	\$1,228.	\$1,247.	\$1,291.	\$1,381.	\$1,440.	\$1,521.	\$1,605.
	20"	49"	R3B1PFFA49 20-() ()	1,228.	1,247.	1,291.	1,381.	1,440.	1,521.	1,605.
	24"	49"	R3B1PFFA49 24-() ()	1,270.	1,289.	1,333.	1,423.	1,482.	1,563.	1,647.
	30"	49"	R3B1PFFA49 30-() ()	1,353.	1,372.	1,416.	1,506.	1,565.	1,646.	1,730.
	36"	49"	R3B1PFFA49 36-() ()	1,610.	1,629.	1,673.	1,763.	1,822.	1,903.	1,987.
	42"	49"	R3B1PFFA49 42-() ()	1,749.	1,768.	1,812.	1,902.	1,961.	2,042.	2,126.
	48"	49"	R3B1PFFA49 48-() ()	1,832.	1,851.	1,895.	1,985.	2,044.	2,125.	2,209.
 Monolithic, fabric both sides, Type B window on top, Beltway one side	30"	49"	R3B1PFFB49 30-() ()	1,471.	1,490.	1,534.	1,624.	1,683.	1,764.	1,848.
	36"	49"	R3B1PFFB49 36-() ()	1,738.	1,757.	1,801.	1,891.	1,950.	2,031.	2,115.
	42"	49"	R3B1PFFB49 42-() ()	1,875.	1,894.	1,938.	2,028.	2,087.	2,168.	2,252.
	48"	49"	R3B1PFFB49 48-() ()	1,969.	1,988.	2,032.	2,122.	2,181.	2,262.	2,346.

Order Code	Specification Information	Application Notes
Example: R3B1PFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B1 Beltway 1 side	2. Base height	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
A Type A window	5. Panel side 2 finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
49 49" high	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
18 18" wide	7. Base finish	
A Flat style top trim profile	8. Beltway finish	
4 4" base height	9. Glass window frame finish	
K Include knockouts in base	10. Glass type Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
W281 Fabric selection - side 1		
W281 Fabric selection - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H
 tiled with glass type "A" at top,
 fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TFLA49 18-() ()	\$1,489.	\$1,505.	\$1,539.	\$1,575.	\$1,605.	\$1,651.	\$1,691.
	20"	49"	R3B1TFLA49 20-() ()	1,489.	1,505.	1,539.	1,575.	1,605.	1,651.	1,691.
	24"	49"	R3B1TFLA49 24-() ()	1,535.	1,551.	1,585.	1,621.	1,651.	1,697.	1,737.
	30"	49"	R3B1TFLA49 30-() ()	1,633.	1,649.	1,683.	1,719.	1,749.	1,795.	1,835.
	36"	49"	R3B1TFLA49 36-() ()	1,942.	1,958.	1,992.	2,028.	2,058.	2,104.	2,144.
	42"	49"	R3B1TFLA49 42-() ()	2,102.	2,118.	2,152.	2,188.	2,218.	2,264.	2,304.
	48"	49"	R3B1TFLA49 48-() ()	2,197.	2,213.	2,247.	2,283.	2,313.	2,359.	2,399.



Order Code	Specification Information	Application Notes
Example: R3B1TFLA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FL Fabric BW side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver	4 = 4" base height
18 18" wide	from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6 = 6" base height (add \$50 per panel for this option)
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	6. Laminate side finish (specify selection per insert; bottom up.)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
B Tile divider, black reveal	i) Top trim profile A,B or C options:	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	V1, V2, V3, P1, P2, P3 finishes	79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
W281 Fabric selection - side 1B	ii) Top trim profile E options:	Product on this page will accept woodgrain laminate where laminate is currently an option.
114 Folkstone grey - side 2A	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
114 Folkstone grey - side 2B	8. Base finish	
V316 Maple (top trim finish)	9. Beltway finish	
111 Jet Black (base finish)	10. Window frame finish	
111 Jet Black (beltway finish)	11. Glass option	
111 Jet Black (window frame finish)	Temp = Clear temp	
TEMP Glass option	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$87
20"	\$87
24"	\$103
30"	\$123
36"	\$147
42"	\$176
48"	\$201

Frame finish:
 Add to all products on this page:
 upcharge of \$36 per panel for P2 paint class options or \$64 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
 Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$15
20"	\$15
24"	\$16
30"	\$16
36"	\$17
42"	\$17
48"	\$22

Beltway one side, window panel 49" H
 tiled with glass type "B" at top,
 fabric one side, laminate other side

Reff Profiles Vol. One


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TFLB49 30-() ()	\$1,754.	\$1,770.	\$1,804.	\$1,840.	\$1,870.	\$1,916.	\$1,956.
	36"	49"	R3B1TFLB49 36-() ()	2,067.	2,083.	2,117.	2,153.	2,183.	2,229.	2,269.
	42"	49"	R3B1TFLB49 42-() ()	2,228.	2,244.	2,278.	2,314.	2,344.	2,390.	2,430.
	48"	49"	R3B1TFLB49 48-() ()	2,334.	2,350.	2,384.	2,420.	2,450.	2,496.	2,536.



Order Code	Specification Information	Application Notes
Example: R3B1TFLB4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FL Fabric BW side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
B Type B window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver	4 = 4" base height
18 18" wide	from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6 = 6" base height (add \$50 per panel for this option)
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	6. Laminate side finish (specify selection per insert; bottom up.)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
B Tile divider, black reveal	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
W281 Fabric selection - side 1B	8. Base finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
114 Folkstone grey - side 2A	9. Beltway finish	
114 Folkstone grey - side 2B	10. Window frame finish	
V316 Maple (top trim finish)	11. Glass option	
111 Jet Black (base finish)	Temp = Clear temp	
111 Jet Black (beltway finish)	<i>Architectural options:</i>	
111 Jet Black (window frame finish)	GL13 = Powder glass	
TEMP Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway one side, window panel 49" H
monolithic with glass at top,
fabric one side, laminate other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1PFLA49 18-() ()	\$1,230.	\$1,240.	\$1,264.	\$1,308.	\$1,336.	\$1,379.	\$1,407.
	20"	49"	R3B1PFLA49 20-() ()	1,230.	1,240.	1,264.	1,308.	1,336.	1,379.	1,407.
	24"	49"	R3B1PFLA49 24-() ()	1,293.	1,303.	1,327.	1,371.	1,399.	1,442.	1,470.
	30"	49"	R3B1PFLA49 30-() ()	1,408.	1,418.	1,442.	1,486.	1,514.	1,557.	1,585.
	36"	49"	R3B1PFLA49 36-() ()	1,701.	1,711.	1,735.	1,779.	1,807.	1,850.	1,878.
	42"	49"	R3B1PFLA49 42-() ()	1,871.	1,881.	1,905.	1,949.	1,977.	2,020.	2,048.
	48"	49"	R3B1PFLA49 48-() ()	1,988.	1,998.	2,022.	2,066.	2,094.	2,137.	2,165.



Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1PFLB49 30-() ()	1,529.	1,539.	1,563.	1,607.	1,635.	1,678.	1,706.
	36"	49"	R3B1PFLB49 36-() ()	1,826.	1,836.	1,860.	1,904.	1,932.	1,975.	2,003.
	42"	49"	R3B1PFLB49 42-() ()	1,997.	2,007.	2,031.	2,075.	2,103.	2,146.	2,174.
	48"	49"	R3B1PFLB49 48-() ()	2,125.	2,135.	2,159.	2,203.	2,231.	2,274.	2,302.



Order Code	Specification Information	Application Notes
Example: R3B1PFLA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3	Reff Generation 3	A = Flat
B1	Beltway one side	B = Square
P	Monolithic panel	C = Bullnose
FL	Fabric BW side, laminate other	E = Extruded Aluminum
A	Type A window	2. Base height
49	49" high	E = Extruded Aluminum
18	18" wide	2. Base height
A	Flat style top trim profile	height:
4	4" base height	4 = 4" base height
K	Include knockouts in base	6 = 6" base height (add \$50 per panel for this option)
B	Tile divider, black reveal	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
W281	Fabric selection - side 1	6" Raceway option increases panel height by 2 3/4".
114	Folkstone grey - side 2	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
V316	Maple (top trim finish)	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
111	Jet Black (base finish)	79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
111	Jet Black (beltway finish)	
111	Jet Black (window frame finish)	
TEMP	Glass option	

Product on this page will accept woodgrain laminate where laminate is currently an option.

Beltway one side, window panel 49" H
 tiled with type "A" glass at top,
 fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF1A49 18-() ()	\$1,558.	\$1,575.	\$1,612.	\$1,646.	\$1,677.	\$1,726.	\$1,767.
	20"	49"	R3B1TF1A49 20-() ()	1,558.	1,575.	1,612.	1,646.	1,677.	1,726.	1,767.
	24"	49"	R3B1TF1A49 24-() ()	1,610.	1,627.	1,664.	1,698.	1,729.	1,778.	1,819.
	30"	49"	R3B1TF1A49 30-() ()	1,711.	1,728.	1,765.	1,799.	1,830.	1,879.	1,920.
	36"	49"	R3B1TF1A49 36-() ()	2,035.	2,052.	2,089.	2,123.	2,154.	2,203.	2,244.
	42"	49"	R3B1TF1A49 42-() ()	2,205.	2,222.	2,259.	2,293.	2,324.	2,373.	2,414.
	48"	49"	R3B1TF1A49 48-() ()	2,302.	2,319.	2,356.	2,390.	2,421.	2,470.	2,511.



Order Code	Specification Information	Application Notes
Example: R3B1TF1A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver	4 = 4" base height
18 18" wide	from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6 = 6" base height (add \$50 per panel for this option)
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	6. Techwood side, finish (specify one V1 finish for side)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
B Tile divider, black reveal	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
W281 Fabric selection - side 1B	8. Base finish	
Y328 Mahogany - side 2 tiled	9. Beltway finish	
V316 Maple (top trim finish)	10. Window frame finish	
111 Jet Black (base finish)	11. Glass option	
111 Jet Black (beltway finish)	Temp = Clear temp	
111 Jet Black (window frame finish)	Architectural options:	
TEMP Glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)	
Width	Add
18"	\$87
20"	\$87
24"	\$103
30"	\$123
36"	\$147
42"	\$176
48"	\$201
Frame finish:	
Add to all products on this page: upcharge of \$36 per panel for P2 paint class options or \$64 per panel for P3 paint class options.	
Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)	
Optional non fabric tiled side only, fabric side always black	
Width	Add
18"	\$15
20"	\$15
24"	\$16
30"	\$16
36"	\$17
42"	\$17
48"	\$22

Beltway one side, window panel 49" H
 tiled with type "B" glass at top,
 fabric one side, techwood other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF1B49 30-()()	\$1,835.	\$1,852.	\$1,889.	\$1,923.	\$1,954.	\$2,003.	\$2,044.
	36"	49"	R3B1TF1B49 36-()()	2,166.	2,183.	2,220.	2,254.	2,285.	2,334.	2,375.
	42"	49"	R3B1TF1B49 42-()()	2,335.	2,352.	2,389.	2,423.	2,454.	2,503.	2,544.
	48"	49"	R3B1TF1B49 48-()()	2,443.	2,460.	2,497.	2,531.	2,562.	2,611.	2,652.




Order Code	Specification Information	Application Notes
Example: R3B1TF1B4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
B Type B window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver	4 = 4" base height
30 30" wide	from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6 = 6" base height (add \$50 per panel for this option)
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	6. Techwood side, finish (specify one V1 finish for side)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
B Tile divider, black reveal	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
W281 Fabric selection - side 1B	8. Base finish	
Y328 Mahogany - side 2 tiled	9. Beltway finish	
V316 Maple (top trim finish)	10. Window frame finish	
111 Jet Black (base finish)	11. Glass option	
111 Jet Black (beltway finish)	Temp = Clear temp	
111 Jet Black (window frame finish)	<i>Architectural options:</i>	
TEMP Glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)	
Width	Add
18"	\$87
20"	\$87
24"	\$103
30"	\$123
36"	\$147
42"	\$176
48"	\$201
Frame finish:	
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.	
Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)	
Optional non fabric tiled side only, fabric side always black	
Width	Add
18"	\$15
20"	\$15
24"	\$16
30"	\$16
36"	\$17
42"	\$17
48"	\$22


Beltway one side, window panel 49" H
monolithic with glass at top,
fabric one side, techwood other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1PF1A49 18-() ()	\$1,267.	\$1,277.	\$1,300.	\$1,345.	\$1,375.	\$1,417.	\$1,445.
	20"	49"	R3B1PF1A49 20-() ()	1,267.	1,277.	1,300.	1,345.	1,375.	1,417.	1,445.
	24"	49"	R3B1PF1A49 24-() ()	1,327.	1,337.	1,360.	1,405.	1,435.	1,477.	1,505.
	30"	49"	R3B1PF1A49 30-() ()	1,447.	1,457.	1,480.	1,525.	1,555.	1,597.	1,625.
	36"	49"	R3B1PF1A49 36-() ()	1,746.	1,756.	1,779.	1,824.	1,854.	1,896.	1,924.
	42"	49"	R3B1PF1A49 42-() ()	1,926.	1,936.	1,959.	2,004.	2,034.	2,076.	2,104.
	48"	49"	R3B1PF1A49 48-() ()	2,042.	2,052.	2,075.	2,120.	2,150.	2,192.	2,220.



Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1PF1B49 30-() ()	1,569.	1,579.	1,602.	1,647.	1,677.	1,719.	1,747.
	36"	49"	R3B1PF1B49 36-() ()	1,874.	1,884.	1,907.	1,952.	1,982.	2,024.	2,052.
	42"	49"	R3B1PF1B49 42-() ()	2,053.	2,063.	2,086.	2,131.	2,161.	2,203.	2,231.
	48"	49"	R3B1PF1B49 48-() ()	2,181.	2,191.	2,214.	2,259.	2,289.	2,331.	2,359.



Order Code	Specification Information	Application Notes
Example: R3B1PF1A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver	4 = 4" base height
18 18" wide	from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6 = 6" base height (add \$50 per panel for this option)
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	6. Techwood side, finish (specify one V1 finish for side)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
B Tile divider, black reveal	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
Y328 Mahogany - side 2	8. Base finish	
V316 Maple (top trim finish)	9. Beltway finish	
111 Jet Black (base finish)	10. Window frame finish	
111 Jet Black (beltway finish)	11. Glass option	
111 Jet Black (window frame finish)	Temp = Clear temp	
TEMP Glass option	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)	
Width	Add
18"	\$87
20"	\$87
24"	\$103
30"	\$123
36"	\$147
42"	\$176
48"	\$201
Frame finish:	
Add to all products on this page: upcharge of \$36 per panel for P2 paint class options or \$64 per panel for P3 paint class options.	
Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)	
Optional non fabric tiled side only, fabric side always black	
Width	Add
18"	\$15
20"	\$15
24"	\$16
30"	\$16
36"	\$17
42"	\$17
48"	\$22

Beltway one side, window panel 49" H
 tiled with type "A" glass at top,
 fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF2A49 18-() ()	\$1,557.	\$1,573.	\$1,609.	\$1,643.	\$1,673.	\$1,721.	\$1,761.
	20"	49"	R3B1TF2A49 20-() ()	1,557.	1,573.	1,609.	1,643.	1,673.	1,721.	1,761.
	24"	49"	R3B1TF2A49 24-() ()	1,606.	1,622.	1,658.	1,692.	1,722.	1,770.	1,810.
	30"	49"	R3B1TF2A49 30-() ()	1,706.	1,722.	1,758.	1,792.	1,822.	1,870.	1,910.
	36"	49"	R3B1TF2A49 36-() ()	2,026.	2,042.	2,078.	2,112.	2,142.	2,190.	2,230.
	42"	49"	R3B1TF2A49 42-() ()	2,196.	2,212.	2,248.	2,282.	2,312.	2,360.	2,400.
	48"	49"	R3B1TF2A49 48-() ()	2,294.	2,310.	2,346.	2,380.	2,410.	2,458.	2,498.



Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver	4 = 4" base height
18 18" wide	from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6 = 6" base height (add \$50 per panel for this option)
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	6. Conventional veneer side, finish (specify one V2 finish for side)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
B Tile divider, black reveal	i) Top trim profile A,B or C options:	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric selection - side 1B	ii) Top trim profile E options:	
V316 Maple surface - side 2 tiled	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	8. Base finish	
111 Jet Black (base finish)	9. Beltway finish	
111 Jet Black (beltway finish)	10. Window frame finish	
111 Jet Black (window frame finish)	11. Glass option	79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
TEMP Glass option	Temp = Clear temp	
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by widths)	
Width	Add
18"	\$87
20"	\$87
24"	\$103
30"	\$123
36"	\$147
42"	\$176
48"	\$201
Frame finish:	
Add to all products on this page: upcharge of \$36 per panel for P2 paint class options or \$64 per panel for P3 paint class options.	
Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)	
Optional non fabric tiled side only, fabric side always black	
Width	Add
18"	\$15
20"	\$15
24"	\$16
30"	\$16
36"	\$17
42"	\$17
48"	\$22

Beltway one side, window panel 49" H
 tiled with type "B" glass at top,
 fabric one side, conventional veneer other side

Reff Profiles Vol. One

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF2B49 30-()()	\$1,828.	\$1,844.	\$1,880.	\$1,914.	\$1,944.	\$1,992.	\$2,032.
	36"	49"	R3B1TF2B49 36-()()	2,154.	2,170.	2,206.	2,240.	2,270.	2,318.	2,358.
	42"	49"	R3B1TF2B49 42-()()	2,323.	2,339.	2,375.	2,409.	2,439.	2,487.	2,527.
	48"	49"	R3B1TF2B49 48-()()	2,433.	2,449.	2,485.	2,519.	2,549.	2,597.	2,637.



Order Code	Specification Information	Application Notes
Example: R3B1TF2B4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
B Type B window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver	4 = 4" base height
30 30" wide	from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6 = 6" base height (add \$50 per panel for this option)
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	6. Conventional veneer side, finish (specify one V2 finish for side)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
B Tile divider, black reveal	i) Top trim profile A,B or C options:	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric selection - side 1B	ii) Top trim profile E options:	
V316 Maple surface - side 2 tiled	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	8. Base finish	
111 Jet Black (base finish)	9. Beltway finish	
111 Jet Black (beltway finish)	10. Window frame finish	
111 Jet Black (window frame finish)	11. Glass option	
TEMP Glass option	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	


Add upcharge for architectural glass: (as applicable by widths)	
Width	Add
18"	\$87
20"	\$87
24"	\$103
30"	\$123
36"	\$147
42"	\$176
48"	\$201
Frame finish:	
Add to all products on this page: upcharge of \$36 per panel for P2 paint class options or \$64 per panel for P3 paint class options.	
Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)	
Optional non fabric tiled side only, fabric side always black	
Width	Add
18"	\$15
20"	\$15
24"	\$16
30"	\$16
36"	\$17
42"	\$17
48"	\$22

Beltway one side, window panel 49" H
monolithic with glass at top,
fabric one side, conventional veneer other side

Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1PF2A49 18-() ()	\$1,288.	\$1,298.	\$1,321.	\$1,366.	\$1,396.	\$1,438.	\$1,466.
	20"	49"	R3B1PF2A49 20-() ()	1,288.	1,298.	1,321.	1,366.	1,396.	1,438.	1,466.
	24"	49"	R3B1PF2A49 24-() ()	1,350.	1,360.	1,383.	1,428.	1,458.	1,500.	1,528.
	30"	49"	R3B1PF2A49 30-() ()	1,475.	1,485.	1,508.	1,553.	1,583.	1,625.	1,653.
	36"	49"	R3B1PF2A49 36-() ()	1,779.	1,789.	1,812.	1,857.	1,887.	1,929.	1,957.
	42"	49"	R3B1PF2A49 42-() ()	1,955.	1,965.	1,988.	2,033.	2,063.	2,105.	2,133.
	48"	49"	R3B1PF2A49 48-() ()	2,073.	2,083.	2,106.	2,151.	2,181.	2,223.	2,251.



Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1PF2B49 30-() ()	1,597.	1,607.	1,630.	1,675.	1,705.	1,747.	1,775.
	36"	49"	R3B1PF2B49 36-() ()	1,907.	1,917.	1,940.	1,985.	2,015.	2,057.	2,085.
	42"	49"	R3B1PF2B49 42-() ()	2,082.	2,092.	2,115.	2,160.	2,190.	2,232.	2,260.
	48"	49"	R3B1PF2B49 48-() ()	2,212.	2,222.	2,245.	2,290.	2,320.	2,362.	2,390.




Order Code	Specification Information	Application Notes
Example: R3B1PF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver	4 = 4" base height
18 18" wide	from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6 = 6" base height (add \$50 per panel for this option)
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	6. Conventional veneer side, finish (specify one V2 finish for side)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
B Tile divider, black reveal	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
V316 Maple surface - side 2	8. Base finish	
V316 Maple (top trim finish)	9. Beltway finish	
111 Jet Black (base finish)	10. Window frame finish	
111 Jet Black (beltway finish)	11. Glass option	
111 Jet Black (window frame finish)	Temp = Clear temp	
TEMP Glass option	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway one side, window panel 49" H


Reff Profiles Vol. One

tilled with glass at top, fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side, Beltway fabric side	18"	49"	R3B1TF3A49 18-() ()	\$2,056.	\$2,072.	\$2,108.	\$2,142.	\$2,172.	\$2,220.	\$2,260.
Type A window on top, Regular acoustics	20"	49"	R3B1TF3A49 20-() ()	2,056.	2,072.	2,108.	2,142.	2,172.	2,220.	2,260.
	24"	49"	R3B1TF3A49 24-() ()	2,117.	2,133.	2,169.	2,203.	2,233.	2,281.	2,321.
	30"	49"	R3B1TF3A49 30-() ()	2,242.	2,258.	2,294.	2,328.	2,358.	2,406.	2,446.
	36"	49"	R3B1TF3A49 36-() ()	2,665.	2,681.	2,717.	2,751.	2,781.	2,829.	2,869.
	42"	49"	R3B1TF3A49 42-() ()	2,884.	2,900.	2,936.	2,970.	3,000.	3,048.	3,088.
	48"	49"	R3B1TF3A49 48-() ()	3,008.	3,024.	3,060.	3,094.	3,124.	3,172.	3,212.



Tiled, fabric one side, Beltway fabric side	30"	49"	R3B1TF3B49 30-() ()	2,364.	2,380.	2,416.	2,450.	2,480.	2,528.	2,568.
Type B window on top, Regular acoustics	36"	49"	R3B1TF3B49 36-() ()	2,793.	2,809.	2,845.	2,879.	2,909.	2,957.	2,997.
	42"	49"	R3B1TF3B49 42-() ()	3,011.	3,027.	3,063.	3,097.	3,127.	3,175.	3,215.
	48"	49"	R3B1TF3B49 48-() ()	3,147.	3,163.	3,199.	3,233.	3,263.	3,311.	3,351.



Order Code	Specification Information	Application Notes
Example: R3B1TF3A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F3 Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver	4 = 4" base height
18 18" wide	from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6 = 6" base height (add \$50 per panel for this option)
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	6. Exotic veneer side, finish (specify one V3 finish for side)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
B Tile divider, black reveal	i) Top trim profile A,B or C options:	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric selection - side 1B	ii) Top trim profile E options:	
V512 Figured Anigre surface - side 2 tiled	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V512 Figured Anigre (top trim finish)	8. Base finish	
111 Jet Black (base finish)	9. Beltway finish	
111 Jet Black (beltway finish)	10. Window frame finish	
111 Jet Black (window frame finish)	11. Glass option	
TEMP Glass option	Temp = Clear temp	79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by widths)

Width	Add
18"	\$87
20"	\$87
24"	\$103
30"	\$123
36"	\$147
42"	\$176
48"	\$201

Frame finish:
Add to all products on this page:
upcharge of \$36 per panel for P2 paint class options or \$64 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$15
20"	\$15
24"	\$16
30"	\$16
36"	\$17
42"	\$17
48"	\$22


Beltway one side, window panel 49" H

Reff Profiles Vol. One

monolithic with glass at top, fabric one side, exotic veneer other side

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side, Beltway fabric side Type A window on top, Regular acoustics	18"	49"	R3B1PF3A49 18-() ()	\$1,690.	\$1,700.	\$1,723.	\$1,768.	\$1,798.	\$1,840.	\$1,868.
	20"	49"	R3B1PF3A49 20-() ()	1,690.	1,700.	1,723.	1,768.	1,798.	1,840.	1,868.
	24"	49"	R3B1PF3A49 24-() ()	1,770.	1,780.	1,803.	1,848.	1,878.	1,920.	1,948.
	30"	49"	R3B1PF3A49 30-() ()	1,927.	1,937.	1,960.	2,005.	2,035.	2,077.	2,105.
	36"	49"	R3B1PF3A49 36-() ()	2,329.	2,339.	2,362.	2,407.	2,437.	2,479.	2,507.
	42"	49"	R3B1PF3A49 42-() ()	2,556.	2,566.	2,589.	2,634.	2,664.	2,706.	2,734.
	48"	49"	R3B1PF3A49 48-() ()	2,706.	2,716.	2,739.	2,784.	2,814.	2,856.	2,884.



Monolithic, fabric one side, Beltway fabric side Type B window on top, Regular acoustics	30"	49"	R3B1PF3B49 30-() ()	2,049.	2,059.	2,082.	2,127.	2,157.	2,199.	2,227.
	36"	49"	R3B1PF3B49 36-() ()	2,457.	2,467.	2,490.	2,535.	2,565.	2,607.	2,635.
	42"	49"	R3B1PF3B49 42-() ()	2,683.	2,693.	2,716.	2,761.	2,791.	2,833.	2,861.
	48"	49"	R3B1PF3B49 48-() ()	2,845.	2,855.	2,878.	2,923.	2,953.	2,995.	3,023.



Order Code	Specification Information	Application Notes
Example: R3B1PF3A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F3 Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver	4 = 4" base height
18 18" wide	from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6 = 6" base height (add \$50 per panel for this option)
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	6. Exotic veneer side, finish (specify one V3 finish for side)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
B Tile divider, black reveal	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
V512 Figured Anigre surface - side 2	8. Base finish	
V512 Figured Anigre (top trim finish)	9. Beltway finish	
111 Jet Black (base finish)	10. Window frame finish	
111 Jet Black (beltway finish)	11. Glass option	
111 Jet Black (window frame finish)	Temp = Clear temp	
TEMP Glass option	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by widths)	
Width	Add
18"	\$87
20"	\$87
24"	\$103
30"	\$123
36"	\$147
42"	\$176
48"	\$201
Frame finish:	
Add to all products on this page: upcharge of \$36 per panel for P2 paint class options or \$64 per panel for P3 paint class options.	
Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)	
Optional non fabric tiled side only, fabric side always black	
Width	Add
18"	\$15
20"	\$15
24"	\$16
30"	\$16
36"	\$17
42"	\$17
48"	\$22

Beltway two sides, window panel 49" H tiled with glass at top

Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway two sides	18"	49"	R3B2TFFA49 18-() ()	\$1,377.	\$1,409.	\$1,469.	\$1,545.	\$1,605.	\$1,701.	\$1,753.
	20"	49"	R3B2TFFA49 20-() ()	1,377.	1,409.	1,469.	1,545.	1,605.	1,701.	1,753.
	24"	49"	R3B2TFFA49 24-() ()	1,426.	1,458.	1,518.	1,594.	1,654.	1,750.	1,802.
	30"	49"	R3B2TFFA49 30-() ()	1,526.	1,558.	1,618.	1,694.	1,754.	1,850.	1,902.
	36"	49"	R3B2TFFA49 36-() ()	1,835.	1,867.	1,927.	2,003.	2,063.	2,159.	2,211.
	42"	49"	R3B2TFFA49 42-() ()	1,999.	2,031.	2,091.	2,167.	2,227.	2,323.	2,375.
	48"	49"	R3B2TFFA49 48-() ()	2,095.	2,127.	2,187.	2,263.	2,323.	2,419.	2,471.



Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway two sides	30"	49"	R3B2TFFB49 30-() ()	1,644.	1,676.	1,736.	1,812.	1,872.	1,968.	2,020.
	36"	49"	R3B2TFFB49 36-() ()	1,963.	1,995.	2,055.	2,131.	2,191.	2,287.	2,339.
	42"	49"	R3B2TFFB49 42-() ()	2,125.	2,157.	2,217.	2,293.	2,353.	2,449.	2,501.
	48"	49"	R3B2TFFB49 48-() ()	2,232.	2,264.	2,324.	2,400.	2,460.	2,556.	2,608.





Order Code	Specification Information	Application Notes
Example: R3B2TFFA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
49 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
18 18" wide	6. Top trim finish	6 = 6" base height (add \$50 per panel for this option)
A Flat style top trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	ii) Top trim profile E options:	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
W281 Fabric selection - side 1A	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1B	7. Base finish	79"H hookstrip reveal strips are ordered separately from page 119 at no charge.
W281 Fabric selection - side 2A	8. Beltway finish	
W281 Fabric selection - side 2B	9. Window frame finish	
V316 Maple (top trim finish)	10. Glass option	
111 Jet Black (base finish)	Temp = clear temp	
111 Jet Black (beltway finish)	<i>Architectural options:</i>	
111 Jet Black (window frame finish)	GL13 = Powder glass	
TEMP Glass option	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway two sides, window panel 49" H monolithic with glass at top

Reff Profiles Vol. One

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway two sides 	18"	49"	R3B2PFFA49 18-() ()	\$1,245.	\$1,267.	\$1,311.	\$1,399.	\$1,461.	\$1,541.	\$1,595.
	20"	49"	R3B2PFFA49 20-() ()	1,245.	1,267.	1,311.	1,399.	1,461.	1,541.	1,595.
	24"	49"	R3B2PFFA49 24-() ()	1,288.	1,310.	1,354.	1,442.	1,504.	1,584.	1,638.
	30"	49"	R3B2PFFA49 30-() ()	1,376.	1,398.	1,442.	1,530.	1,592.	1,672.	1,726.
	36"	49"	R3B2PFFA49 36-() ()	1,635.	1,657.	1,701.	1,789.	1,850.	1,931.	1,985.
	42"	49"	R3B2PFFA49 42-() ()	1,778.	1,800.	1,844.	1,932.	1,994.	2,074.	2,128.
	48"	49"	R3B2PFFA49 48-() ()	1,863.	1,885.	1,929.	2,017.	2,079.	2,159.	2,213.
Monolithic, fabric both sides, Type B window on top, Beltway two sides 	30"	49"	R3B2PFFB49 30-() ()	1,494.	1,516.	1,560.	1,648.	1,710.	1,790.	1,844.
	36"	49"	R3B2PFFB49 36-() ()	1,763.	1,785.	1,829.	1,917.	1,979.	2,059.	2,113.
	42"	49"	R3B2PFFB49 42-() ()	1,904.	1,926.	1,970.	2,058.	2,120.	2,200.	2,254.
	48"	49"	R3B2PFFB49 48-() ()	2,000.	2,022.	2,066.	2,154.	2,216.	2,296.	2,350.

Order Code	Specification Information	Application Notes
Example: R3B2PFFA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
49 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
18 18" wide	6. Top trim finish	6 = 6" base height (add \$50 per panel for this option)
A Flat style top trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 119.
W281 Fabric selection - side 1	7. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 2	8. Beltway finish	
V316 Maple (top trim finish)	9. Window frame finish	
111 Jet Black (base finish)	10. Glass option	
111 Jet Black (beltway finish)	Temp = clear temp	
111 Jet Black (window frame finish)	<i>Architectural options:</i>	
TEMP Glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Add upcharge for architectural glass: (as applicable by width)



Width	Add
18"	\$87
20"	\$87
24"	\$103
30"	\$123
36"	\$147
42"	\$176
48"	\$201

Frame finish:
Add to all products on this page: upcharge of \$36 per panel for P2 paint class options or \$64 per panel for P3 paint class options.

79"H hookstrip reveal strips are ordered separately from page 119 at no charge.

Stacking modules *fabric*



Reff Profiles Vol. One

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Stacking modules *,**	18"	8"	R3SFF08 18	\$222.	\$230.	\$250.	\$286.	\$298.	\$320.	\$336.
Fabric both sides	20"	8"	R3SFF08 20	222.	230.	250.	286.	298.	320.	336.
	24"	8"	R3SFF08 24	232.	240.	260.	296.	308.	330.	346.
	30"	8"	R3SFF08 30	259.	267.	287.	323.	335.	357.	373.
	36"	8"	R3SFF08 36	282.	290.	310.	346.	358.	380.	396.
	42"	8"	R3SFF08 42	307.	315.	335.	371.	383.	405.	421.
	48"	8"	R3SFF08 48	331.	339.	359.	395.	407.	429.	445.
Stacking modules*	18"	15"	R3SFF15 18	300.	316.	350.	384.	414.	462.	486.
Fabric both sides	20"	15"	R3SFF15 20	300.	316.	350.	384.	414.	462.	486.
	24"	15"	R3SFF15 24	317.	333.	367.	401.	431.	479.	503.
	30"	15"	R3SFF15 30	349.	365.	399.	433.	463.	511.	535.
	36"	15"	R3SFF15 36	386.	402.	436.	470.	500.	548.	572.
	42"	15"	R3SFF15 42	415.	431.	465.	499.	529.	577.	601.
	48"	15"	R3SFF15 48	449.	465.	499.	533.	563.	611.	635.

Order Code	Specification Information	Application Notes
Example: R3SFF0818	<i>To order please specify:</i>	* Not for use on 79"H panels.
R3 Reff Generation 3	1. Pattern number	* * Suitable only for top of any
S Stacking module	<i>including height and width</i>	panel. Cannot be stacked upon.
FF Fabric/fabric	2. Panel side 1 finish	8"h module will not accept
08 8" high	<i>fabric only</i>	additional modules on top.
18 18" wide	3. Panel side 2 finish	Use of 8" module on panel heights
W281 Fabric selection - side 1	<i>fabric only</i>	other than 34"h will require custom
W281 Fabric selection - side 2		end trims and Hi-Lo parts.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Stacking modules window

description	w	h	pattern no.	clear glass	arch glass	add for P2 finish	add for P3 finish	AA frame upcharge
Stacking window module* Single glass, type "A" 	18"	15"	RSWA15 18	\$490.	\$589.	\$16.	\$31.	\$50.
	20"	15"	RSWA15 20	490.	589.	16.	31.	50.
	24"	15"	RSWA15 24	517.	628.	16.	31.	53.
	30"	15"	RSWA15 30	598.	700.	16.	31.	59.
	36"	15"	RSWA15 36	621.	789.	16.	31.	60.
	42"	15"	RSWA15 42	653.	846.	16.	31.	63.
	48"	15"	RSWA15 48	677.	901.	16.	31.	66.
Stacking window module* Center mullion, type "B" 	30"	15"	RSWB15 30	717.	857.	16.	31.	70.
	36"	15"	RSWB15 36	750.	914.	16.	31.	73.
	42"	15"	RSWB15 42	781.	974.	16.	31.	76.
	48"	15"	RSWB15 48	811.	1,033.	16.	31.	79.
Stacking window module*  18" - 24"  30" - 48"	18"	30"	RSWC30 18	591.	685.	25.	39.	59.
	20"	30"	RSWC30 20	591.	685.	25.	39.	59.
	24"	30"	RSWC30 24	630.	746.	25.	39.	63.
	30"	30"	RSWC30 30	821.	960.	25.	39.	81.
	36"	30"	RSWC30 36	935.	1,104.	25.	39.	89.
	42"	30"	RSWC30 42	1,003.	1,198.	25.	39.	97.
	48"	30"	RSWC30 48	1,061.	1,288.	25.	39.	101.

Order Code	Specification Information	Application Notes
Example: RSWA1518 () ()	<i>To order please specify:</i>	* Not for use on 79"H panels.
R Reff	1. Pattern number	Panel glass is mounted flush to one side of window module.
SW Stacking window module	2. Frame finish (Painted or Anodized aluminum finishes)	All window modules incorporate tempered glass (3/16" thick).
A Type A	<i>If P2 or P3 paint finish upcharge applicable</i>	30"H window panels that are 30" or wider incorporate a center mullion.
15 15" high	<i>If AA finish (anodized) upcharge applicable as noted in AA price column</i>	For window panels specify the finish for frames from paint selection.
18 18" wide	3. Glass type	
111 Jet Black, window frame finish	Temp = Clear tempered glass	
TEMP Clear tempered glass option	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	

Stacking modules

Double Window

Reff Profiles Vol. One

description	h	w	pattern no.	G1 clear glass	G2 architectural glass	L	V1	V2	V3	AA
Stacking window module* Single glass, type "A"	15"	60"	RSWAD1560 () ()	\$766.	\$878.					
		72"	RSWAD1572 () ()	854.	1,023.					
		84"	RSWAD1584 () ()	864.	1,067.					
		96"	RSWAD1596 () ()	880.	1,114.					
	22"	60"	RSWAD2260 () ()	957.	1,170.					
		72"	RSWAD2272 () ()	1,076.	1,332.					
		84"	RSWAD2284 () ()	1,097.	1,395.					
		96"	RSWAD2296 () ()	1,119.	1,461.					
Top trim for double wide stacking window modules		60"	R3CRTT60 () ()			81.	170.	188.	243.	139.
		72"	R3CRTT72 ()			86.	181.	199.	256.	188.
		84"	R3CRTT84 ()			105.	205.	223.	283.	206.
		96"	R3CRTT96 ()			110.	215.	234.	298.	211.



Order Code	Specification Information	Application Notes
<i>Example:</i> RSWAD1560	<i>To order please specify:</i>	To be used on a 42" panel next to a full height post or panel.
R Reff	1. Pattern number	Panel glass is mounted flush to one side of the window module.
SW Stacking window	2. Frame finish (Painted or Anodized aluminum finishes)	All window modules incorporate tempered glass 4mm thick.
A Type A	<i>If P2 or P3 paint finish upcharge add \$26</i>	Stabilizing kit is included with the window and is required with all double wide window installation.
D Double wide	<i>If AA finish (anodized) upcharge applicable as noted in AA price add \$46</i>	
15 15" high	3. Glass type	Full length top trim is optional and can be ordered separately.
60 60" wide	Temp = Clear tempered glass	Not for use on 79" h panels.
111 Jet Black, windowframe finish	<i>Architectural options:</i>	Applicable finishes are listed on page 6
TEMP Clear tempered glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Stacking modules

Reff Profiles Vol. One

*fabric one side/laminate, techwood, conventional or exotic veneer
other side and laminate both sides*

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45	Lam.
Stacking modules *,** Fabric and laminate	18"	8"	R3SFL0818	\$251.	\$256.	\$275.	\$310.	\$326.	\$347.	\$366.	
	20"	8"	R3SFL0820	251.	256.	275.	310.	326.	347.	366.	
	24"	8"	R3SFL0824	272.	277.	296.	331.	347.	368.	387.	
	30"	8"	R3SFL0830	306.	311.	330.	365.	381.	402.	421.	
	36"	8"	R3SFL0836	335.	340.	359.	394.	410.	431.	450.	
	42"	8"	R3SFL0842	362.	367.	386.	421.	437.	458.	477.	
	48"	8"	R3SFL0848	394.	399.	418.	453.	469.	490.	509.	
Stacking modules *,** Fabric and techwood	18"	8"	R3SF10818	266.	273.	292.	328.	344.	365.	386.	
	20"	8"	R3SF10820	266.	273.	292.	328.	344.	365.	386.	
	24"	8"	R3SF10824	284.	291.	310.	346.	362.	383.	404.	
	30"	8"	R3SF10830	318.	325.	344.	380.	396.	417.	438.	
	36"	8"	R3SF10836	348.	355.	374.	410.	426.	447.	468.	
	42"	8"	R3SF10842	383.	390.	409.	445.	461.	482.	503.	
	48"	8"	R3SF10848	411.	418.	437.	473.	489.	510.	531.	
Stacking modules*,** Fabric and conventional veneer	18"	8"	R3SF20818	264.	270.	289.	324.	340.	361.	381.	
	20"	8"	R3SF20820	264.	270.	289.	324.	340.	361.	381.	
	24"	8"	R3SF20824	285.	291.	310.	345.	361.	382.	402.	
	30"	8"	R3SF20830	318.	324.	343.	378.	394.	415.	435.	
	36"	8"	R3SF20836	350.	356.	375.	410.	426.	447.	467.	
	42"	8"	R3SF20842	382.	388.	407.	442.	458.	479.	499.	
	48"	8"	R3SF20848	409.	415.	434.	469.	485.	506.	526.	
Stacking modules*,** Fabric and exotic veneer	18"	8"	R3SF30818	346.	352.	371.	406.	422.	443.	463.	
	20"	8"	R3SF30820	346.	352.	371.	406.	422.	443.	463.	
	24"	8"	R3SF30824	379.	385.	404.	439.	455.	476.	496.	
	30"	8"	R3SF30830	420.	426.	445.	480.	496.	517.	537.	
	36"	8"	R3SF30836	464.	470.	489.	524.	540.	561.	581.	
	42"	8"	R3SF30842	507.	513.	532.	567.	583.	604.	624.	
	48"	8"	R3SF30848	545.	551.	570.	605.	621.	642.	662.	

Order Code

Example:	R3SFL0818
R3	Reff Generation 3
S	Stacking module
FL	Fabric/Laminate
08	8" high
18	18" wide
W281	Fabric selection - side 1
114	Folkstone Grey - side 2

Specification Information

To order please specify:

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

Product on this page will accept woodgrain laminate where laminate is currently an option.

Application Notes

* Not for use on 79"H panels.

** Suitable only for top of any panel. Cannot be stacked upon.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.

8" module will not accept additional modules.

15" module will accept additional module.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Frameless glass add-ups cannot be installed on these modules.

Stacking modules

Reff Profiles Vol. One

*fabric one side/laminate, techwood, conventional or exotic veneer
other side and laminate both sides*

description	w	h	pattern no.	grade	10	15	20	30	35	40	45	Lam.
Stacking modules*,** Laminate both sides	18"	8"	R3SLL0818									\$242.
	20"	8"	R3SLL0820									242.
	24"	8"	R3SLL0824									264.
	30"	8"	R3SLL0830									295.
	36"	8"	R3SLL0836									319.
	42"	8"	R3SLL0842									329.
	48"	8"	R3SLL0848									339.
Stacking modules* Fabric and laminate	18"	15"	R3SFL1518	359.	375.	407.	444.	477.	524.	550.		
	20"	15"	R3SFL1520	359.	375.	407.	444.	477.	524.	550.		
	24"	15"	R3SFL1524	373.	389.	421.	458.	491.	538.	564.		
	30"	15"	R3SFL1530	409.	425.	475.	494.	527.	574.	600.		
	36"	15"	R3SFL1536	444.	460.	492.	529.	562.	609.	635.		
	42"	15"	R3SFL1542	478.	494.	526.	563.	596.	643.	669.		
	48"	15"	R3SFL1548	512.	528.	560.	597.	630.	677.	703.		
Stacking modules* Fabric and techwood	18"	15"	R3SF11518	379.	395.	428.	465.	500.	548.	575.		
	20"	15"	R3SF11520	379.	395.	428.	465.	500.	548.	575.		
	24"	15"	R3SF11524	396.	412.	445.	482.	517.	565.	592.		
	30"	15"	R3SF11530	429.	445.	478.	515.	550.	598.	625.		
	36"	15"	R3SF11536	466.	482.	515.	552.	587.	635.	662.		
	42"	15"	R3SF11542	503.	519.	552.	589.	624.	672.	699.		
	48"	15"	R3SF11548	537.	553.	586.	623.	658.	706.	733.		
Stacking modules* Fabric and conventional veneer	18"	15"	R3SF21518	375.	391.	423.	460.	494.	541.	567.		
	20"	15"	R3SF21520	375.	391.	423.	460.	494.	541.	567.		
	24"	15"	R3SF21524	394.	410.	442.	479.	513.	560.	586.		
	30"	15"	R3SF21530	430.	446.	478.	515.	549.	596.	622.		
	36"	15"	R3SF21536	467.	483.	515.	552.	586.	633.	659.		
	42"	15"	R3SF21542	503.	519.	551.	588.	622.	669.	695.		
	48"	15"	R3SF21548	533.	549.	581.	618.	652.	699.	725.		

Order Code	Specification Information	Application Notes
Example: R3SFL0818	<i>To order please specify:</i>	* Not for use on 79"H panels.
R3 Reff Generation 3	1. Pattern number	** Suitable only for top of any panel. Cannot be stacked upon.
S Stacking module	2. Panel side 1 finish(s)	Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.
FL Fabric/Laminate	3. Panel side 2 finish(s)	8" module will not accept additional modules.
08 8" high	Product on this page will accept woodgrain laminate where laminate is currently an option.	15" module will accept additional module.
18 18" wide		
W281 Fabric selection - side 1		
114 Folkstone Grey - side 2		

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.



Frameless glass add-ups cannot be installed on these modules.

Stacking modules

Reff Profiles Vol. One

*fabric one side/laminate, techwood, conventional or exotic veneer
other side and laminate both sides*

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45	Lam.
Stacking modules*	18"	15"	R3SF315 18	\$496.	\$512.	\$544.	\$581.	\$615.	\$662.	\$688.	
Fabric and exotic veneer	20"	15"	R3SF315 20	496.	512.	544.	581.	615.	662.	688.	
	24"	15"	R3SF315 24	519.	535.	567.	604.	638.	685.	711.	
	30"	15"	R3SF315 30	569.	585.	617.	654.	688.	735.	761.	
	36"	15"	R3SF315 36	618.	634.	666.	703.	737.	784.	810.	
	42"	15"	R3SF315 42	665.	681.	713.	750.	784.	831.	857.	
	48"	15"	R3SF315 48	711.	727.	759.	796.	830.	877.	903.	
Stacking modules*	18"	15	R3SLL1518								343.
Laminate both sides	20"	15	R3SLL1520								343.
	24"	15	R3SLL1524								373.
	30"	15	R3SLL1530								419.
	36"	15	R3SLL1536								452.
	42"	15	R3SLL1542								465.
	48"	15	R3SLL1548								467.

Order Code	Specification Information	Application Notes
Example: R3SFL0818	<i>To order please specify:</i>	* Not for use on 79"H panels.
R3 Reff Generation 3	1. Pattern number	** Suitable only for top of any panel. Cannot be stacked upon.
S Stacking module	2. Panel side 1 finish(s)	Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.
FL Fabric/Laminate	3. Panel side 2 finish(s)	8" module will not accept additional modules.
08 8" high	Product on this page will accept woodgrain laminate where laminate is currently an option.	15" module will accept additional module.
18 18" wide		
W281 Fabric selection - side 1		
114 Folkstone Grey - side 2		

description	w	d	pattern no.	clear temp	GL13	list
Frameless glass add-up 8"h, for panels	18"		R3GAU0818 () ()	\$296.	\$370.	
	20"		R3GAU0820 () ()	315.	400.	
	24"		R3GAU0824 () ()	334.	434.	
	30"		R3GAU0830 () ()	371.	492.	
	36"		R3GAU0836 () ()	407.	551.	
	42"		R3GAU0842 () ()	469.	639.	
	48"		R3GAU0848 () ()	485.	681.	
Frameless glass add-up 15"h, for panels	18"		R3GAU1518 () ()	334.	471.	
	20"		R3GAU1520 () ()	363.	522.	
	24"		R3GAU1524 () ()	389.	571.	
	30"		R3GAU1530 () ()	436.	665.	
	36"		R3GAU1536 () ()	484.	756.	
	42"		R3GAU1542 () ()	560.	881.	
	48"		R3GAU1548 () ()	593.	955.	
Frameless glass add-up 8"h, for panels for hi/lo condition no post involved	18"		R3GAUHL0818 () ()	296.	370.	
	20"		R3GAUHL0820 () ()	315.	400.	
	24"		R3GAUHL0824 () ()	334.	434.	
	30"		R3GAUHL0830 () ()	371.	492.	
	36"		R3GAUHL0836 () ()	407.	551.	
	42"		R3GAUHL0842 () ()	469.	639.	
	48"		R3GAUHL0848 () ()	485.	681.	
Frameless glass add-up 15"h, for panels for hi/lo condition no post involved	18"		R3GAUHL1518 () ()	334.	471.	
	20"		R3GAUHL1520 () ()	363.	522.	
	24"		R3GAUHL1524 () ()	389.	571.	
	30"		R3GAUHL1530 () ()	436.	665.	
	36"		R3GAUHL1536 () ()	484.	756.	
	42"		R3GAUHL1542 () ()	560.	881.	
	48"		R3GAUHL1548 () ()	593.	955.	

Order Code	Specification Information	Application Notes
Example: R3GAU0818GL13AA	<i>To order please specify pattern number including:</i>	Frameless glass add-ups only for use with non-progressive tile construction panels with at least one side fabric tiles.
R3 AutoStrada w/generation 3 frame	1. Height 08 = 42"h panel with add-up will align with top of 49"h panel 12 = 49"h panel with add-up will align with 48"h spine with spine add-up (overall height 61" nominal) 15 = add-up will align with tile segments of 34"h, 49"h or 64"h panels (ie: 34"h panel with add-up align to 49"h panel)	Panel frames are not pre-drilled to accept frameless glass add-ups. Frame requires drilling on site for installation.
GAU Glass add-up	2. Width	Frameless glass add-ups must correspond to width of panel securing to. Do not span multiple panels with one longer glass add-up.
08 height	3. Glass Finish <i>TEMP</i> = clear tempered glass <i>GL13</i> = powder	Frameless glass add-ups can not be installed on panel when panel attached to storage anchored cabinet.
18 width	4. Finish, capture/trim <i>Anodized aluminum or painted finish options listed on AutoStrada excluding silver</i>	<i>To order please specify pattern number including configuration condition:</i> 1 = add-up on one side of post 2 = add-ups on two sides of post 3 = add-ups on three sides of post (applicable T and X post caps) 4 = add-ups on four sides of post (applicable X post caps only) Finish: Anodized aluminum or painted finish options as listed on AutoStrada excluding silver. Note: Spacer kits are for use with fabric or veneer stacking modules ONLY. Not for use with stacking windows. Installation instruction sheets for the Spacer kit, available on Knoll Exchange. Refer to reference number 6TR16HO.
GL13 glass finish, powder		
AA finish, capture/trim		


description	w	d	pattern no.	clear temp	GL13	list
Attachment Kit, to install frameless glass to 15"h or 8"h stacking module			R3SKIT			\$56.
Spacer Kit includes 2 spacers and 2 washers.						
Add-up Alignment Clip, pack of 10			R3AUAC10			31.
Alignment clips recommended to ensure glass alignment of add-up modules in side by side applications						

Order Code	Specification Information	Application Notes
Example: R3GAU0818GL13AA	<i>To order please specify pattern number including:</i>	<i>To order please specify pattern number including configuration condition:</i>
R3 AutoStrada w/generation 3 frame	1. Height 08 = 42"h panel with add-up will align with top of 49"h panel 12 = 49"h panel with add-up will align with 48"h spine with spine add-up (overall height 61" nominal) 15 = add-up will align with tile segments of 34"h, 49"h or 64"h panels (ie: 34"h panel with add-up align to 49"h panel)	Frameless glass add-ups only for use with non-progressive tile construction panels with at least one side fabric tiles. Panel frames are not pre-drilled to accept frameless glass add-ups. Frame requires drilling on site for installation. Frameless glass add-ups must correspond to width of panel securing to. Do not span multiple panels with one longer glass add-up. Frameless glass add-ups can not be installed on panel when panel attached to storage anchored cabinet.
GAU Glass add-up	2. Width	1 = add-up on one side of post 2 = add-ups on two sides of post 3 = add-ups on three sides of post (applicable T and X post caps) 4 = add-ups on four sides of post (applicable X post caps only)
08 height	3. Glass Finish <i>TEMP</i> = clear tempered glass <i>GL13</i> = powder	Finish: Anodized aluminum or painted finish options as listed on AutoStradaexcluding silver.
18 width	4. Finish, capture/trim <i>Anodized aluminum or painted finish options listed on AutoStrada excluding silver</i>	Note: Spacer kits are for use with fabric or veneer stacking modules ONLY. Not for use with stacking windows. Installation instruction sheets for the Spacer kit, available on Knoll Exchange. Refer to reference number 6TR16HO.
GL13 glass finish, powder		
AA finish, capture/trim		


Panel connection posts

Generation 3

Reff Profiles Vol. One

description	h	type	pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 L-Post	8"	stacking module post	R3L08TT	\$69.	n/a
	15"	stacking module post	R3L15TT	135.	n/a
	34"		R3L34(F/T)(F/T)-() () ()	172.	n/a
	42"		R3L42(B)(F/T)(F/T)-() () ()	259.	298.
	49"		R3L49(B)(F/T)(F/T)-() () ()	287.	330.
	64"		R3L64(B)(F/T)(F/T)-() () ()	318.	364.
	79"		R3L79(B)(F/T)(F/T)-() () ()	356.	408.

*Comes with only one hookstrip

 T-Post	8"	stacking module post	R3T08T	86.	n/a
	15"	stacking module post	R3T15T	159.	n/a
	34"		R3T34(F/T)-() () ()	209.	n/a
	42"		R3T42(B)(F/T)-() () ()	228.	261.
	49"		R3T49(B)(F/T)-() () ()	259.	298.
	64"		R3T64(B)(F/T)-() () ()	287.	330.
	79"		R3T79(B)(F/T)-() () ()	319.	367.

*Comes with only one hookstrip

Order Code

Example:	R3L79(B)TT-A16NB
R3	Reff Generation 3
L79	90° post; 79" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

Specification Information

To order please specify pattern number including:

1. *Face type:*
(F) = Full height (monolithic look)
(T) = Tiled
2. *Top cap profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$26 list for this option)
3. *Top cap configuration:*
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)
4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)
5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*) Top cap profile
4. If L post, cover configuration
1 = one piece (same finish both sides)
2 = two piece (same or different finish per side)

5. *Base height:*
4 = 4" base height
6 = 6" base height (add \$50 list for this option)
6. *Electrical infeed post:*
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None
7. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*
B = Black steel reveal or Specify AA for anodized aluminum look or painted option excluding silver
8. Finish, face covers (*fabric, V1, V2, V3 or painted to match laminate*)
9. Top cap finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver
10. Base finish

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 119. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.



description	h	type	pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
*R3/R2 stacking post sleeve		adapter kit for stacking posts only	R3R2SLV		n/c



Panel connection posts

Generation 3

Reff Profiles Vol. One

description	h	type	pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 X-Post	8"	stacking module post	R3X08	\$76.	n/a
	15"	stacking module post	R3X15	147.	n/a
	34"		R3X34-() ()	194.	n/a
	42"		R3X42(B)-() ()	211.	244.
	49"		R3X49(B)-() ()	228.	261.
	64"		R3X64(B)-() ()	259.	298.
	79"		R3X79(B)-() ()	295.	335.
*Comes with only one hookstrip					
 Straight post	8"	stacking module post	R3S08TT	69.	n/a
	15"	stacking module post	R3S15TT	135.	n/a
	34"		R3S34(F/T)(F/T)-() () ()	172.	n/a
	42"		R3S42(B)(F/T)(F/T)-() () ()	259.	298.
	49"		R3S49(B)(F/T)(F/T)-() () ()	287.	330.
	64"		R3S64(B)(F/T)(F/T)-() () ()	318.	364.
	79"		R3S79(B)(F/T)(F/T)-() () ()	356.	408.
*Comes with only one hookstrip					
*R3/R2 stacking post sleeve		adapter kit for stacking posts only	R3R2SLV		n/c

Order Code

Example:	R3L79(B)TT-A16NB
R3	Reff Generation 3
L79	90° post; 79" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

Specification Information

To order please specify pattern number including:

1. *Face type:*
(F) = Full height (monolithic look)
(T) = Tiled
2. *Top cap profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum (Add \$26 list for this option)
3. *Top cap configuration:*
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)
4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)
5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*) Top cap profile
4. If L post, cover configuration
1 = one piece (same finish both sides)
2 = two piece (same or different finish per side)
5. *Base height:*
4 = 4" base height
6 = 6" base height (add \$50 list for this option)

6. *Electrical infeed post:*
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None
7. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*
B = Black steel reveal or Specify AA for anodized aluminum look or painted option excluding silver
8. Finish, face covers (*fabric, V1, V2, V3 or painted to match laminate*)
9. Top cap finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 6 excluding silver
10. Base finish

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 119. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, then one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Panel connection posts

Generation 3 135°

Reff Profiles Vol. One

Panels

description	h	pattern no.	Reg. post list (A/B/C profile)
135° Tiled Post 	34"	R3135V34T () () () () () ()	\$577.
	42"	R3135V42T () () () () () ()	723.
	49"	R3135V49T () () () () () ()	731.
	64"	R3135V64T () () () () () ()	895.
	79"	R3135V79T () () () () () ()	1,056.
135° Mono Post 	34"	R3135V34F () () () () () ()	577.
	42"	R3135V42F () () () () () ()	723.
	49"	R3135V49F () () () () () ()	731.
	64"	R3135V64F () () () () () ()	895.
	79"	R3135V79F () () () () () ()	1,056.

Order Code

Example:	R3135V34T
R3	Reff Generation 3
135V	135° post
34	Height
T	Tiled
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

Specification Information

To order please specify pattern number including:

- Top cap profile
- Top cap configuration
- If L post, cover configuration
1 = one piece
- Base height option
- Base infeed knock-out (optional)
- Tile divider option/finish, if face type T
- Finish, face covers
(*fabric, V1, V2, V3 or painted to match laminate*)
- Top cap finish
i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish excluding silver
- Base finish

1. Face type:

(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:

A = Flat

B = Square

C = Bullnose

E = Extruded Aluminum

(Add \$26 list for this option)3. Top cap configuration:

1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)

2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)

3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)

4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)

5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)

5. Base height:

4 = 4" base height

6 = 6" base height (add \$50 list for this option)

6. Tile divider, optional if face type "tiled" and face finish "non-fabric"

B = Black steel reveal or

Specify AA for anodized aluminum look or painted option excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 6.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Applicable finishes are listed on page 5 and 7.

Panel connection posts

Generation 3 120°

Reff Profiles Vol. One


description	h	pattern number	Re. post list (A/B/C profile)
120° Post	34"	R3120Y34 ()()()	\$402.
	42"	R3120Y42 ()()()	423.
	49"	R3120Y49 ()()()	436.
	64"	R3120Y64 ()()()	478.
	79"	R3120Y79 ()()()	522.

Order Code	Specification Information
Example: R3120Y34	
R3 Reff Generation 3	<i>To order please specify pattern number including:</i>
120V 120° post	Specify AA for anodized aluminum look or painted option from page 6 excluding silver.
34 Height	1. Top profile; A = Flat B = Square C = Bullnose E = Extruded Aluminum (Add \$26 list for this option)
(A) Top profile	2. Top cap Configuration; 1 = Reg. Y 8 = High, Low, Low 9 = High, High, Low
1 Reg. Y topcap configuration	3. Base Height 4 = 4" base height 6 = 6" base height (add \$50 list for this option)
(4) Base height	4. Trim Finish Wood and Laminate for profile A,B and C Anodized or painted options for profile 'E'
V316 Top cap finish, Maple	5. Base finish; Painted or plated
111 Base finish, Jet black	

Panel trims and post covers for all applications

Reff Profiles Vol. One

Panels


description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim with hookstrip	—	34"		R2ES34(A/B/C/E)(4/6)(E/N)	\$235.	\$142.
	—	42"		R2ES42(A/B/C/E)(4/6)(E/N)	263.	166.
	—	49"		R2ES49(A/B/C/E)(4/6)(E/N)	292.	190.
	—	64"		R2ES64(A/B/C/E)(4/6)(E/N)	309.	214.
	—	79"		R2ES79(A/B/C/E)(4/6)(E/N)	379.	243.

End trim for Hi-Lo condition with hookstrip.
Must order top trim below

	34"	42"		R2HL3442ES(A/B/C/E)	123.	125.
	34"	49"		R2HL3449ES(A/B/C/E)	172.	128.
	34"	64"		R2HL3464ES(A/B/C/E)	219.	131.
	34"	79"		R2HL3479ES(A/B/C/E)	235.	145.
	42"	49"		R2HL4249ES(A/B/C/E)	123.	125.
	42"	64"		R2HL4264ES(A/B/C/E)	297.	128.
	42"	79"		R2HL4279ES(A/B/C/E)	340.	145.
	49"	64"		R2HL4964ES(A/B/C/E)	172.	131.
	49"	79"		R2HL4979ES(A/B/C/E)	219.	145.
	64"	79"		R2HL6479ES(A/B/C/E)	172.	128.

Application: for height changes that DO NOT involve a post

Top trim for Hi-Lo conditions (Notched one side)

	—		18"	RSNTT18(A/B/C/E)	87.	24.
	—	—	20"	RSNTT20(A/B/C/E)	87.	27.
	—	—	24"	RSNTT24(A/B/C/E)	98.	30.
	—	—	30"	RSNTT30(A/B/C/E)	108.	35.
	—	—	33"	RSNTT33(A/B/C/E) (66" wide panels one only)	112.	47.
	—	—	36"	RSNTT36(A/B/C/E)	120.	47.
	—	—	42"	RSNTT42(A/B/C/E)	137.	48.
	—	—	48"	RSNTT48(A/B/C/E)	148.	67.

Order Code

Example: R2ES34A6N	
R2	Reff Generation 2
ES	End trim
34	34" high
A	Flat profile
6	6" base height
N	Non electrical base
V311	Beech
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

End trim:

- Trim profile
A = flat
B = square
C = bullnose
E = extruded aluminum
- Base height option
4 = 4"
6 = 6"
- Base type
E = electrical entry
N = standard base
- Finish, end trim
If profile A, B or C specify V1, V2, V3 or painted to match laminate
If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver
- Finish, end trim base
painted or plated finish

Post cover trim:

- Specify full or tiled face type
F = full (monolithic)
T = tiled
- Finish, post cover
fabric, V1, V2, V3 or painted to match laminate
- If tiled cover set, specify reveal finish
B = black reveal
or select P1, P2, P3 painted finish from pg. 6

Add \$25 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.

Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.

Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.

Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.

*Notched transaction top must be ordered through Custom Product.

E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

Panel trims and post covers for all applications

Reff Profiles Vol. One

description	h	h	w	pattern no.	Profile (A/B/C)	Profile E
End trim Hi-Lo with hookstrip* for transaction top (1 1/4" shorter than above trim)	42"	49"		R2HL4249ETS(A/B/C/E)	\$123.	\$125.
	42"	64"		R2HL4264ETS(A/B/C/E)	297.	128.
	42"	79"		R2HL4279ETS(A/B/C/E)	340.	145.



Post cover trim for tiled and monolithic posts	34"	42"		R2HL3442(F)CS ()	35.	
Hi-Lo applications	34"	49"		R2HL3449(F)CS ()	51.	
	34"	64"		R2HL3464(F/T)CS ()()	102.	
	34"	79"		R2HL3479(F/T)CS ()()	151.	
	42"	49"		R2HL4249(F)CS ()	35.	
	42"	64"		R2HL4264(F/T)CS ()()	84.	
	42"	79"		R2HL4279(F/T)CS ()()	137.	
	49"	64"		R2HL4964(F)CS ()	51.	
	49"	79"		R2HL4979(F/T)CS ()()	102.	
	64"	79"		R2HL6479(F)CS ()	51.	



Application: for height changes involving a post

Order Code	Specification Information
Example: R2ES34A6N	To order please specify pattern number including:
R2 Reff Generation 2	End trim:
ES End trim	1. Trim profile
34 34" high	<i>A = flat</i>
A Flat profile	<i>B = square</i>
6 6" base height	<i>C = bullnose</i>
N Non electrical base	<i>E = extruded aluminum</i>
V311 Beech	2. Base height option
111 Jet Black (base finish)	<i>4 = 4"</i>
	<i>6 = 6"</i>
	3. Base type
	<i>E = electrical entry</i>
	<i>N = standard base</i>
	4. Finish, end trim
	<i>If profile A, B or C specify V1, V2, V3 or painted to match laminate</i>
	<i>If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver</i>
	5. Finish, end trim base
	<i>painted or plated finish</i>
	Post cover trim:
	1. Specify full or tiled face type
	<i>F = full (monolithic)</i>
	<i>T = tiled</i>
	2. Finish, post cover
	<i>fabric, V1, V2, V3 or painted to match laminate</i>
	3. If tiled cover set, specify reveal finish
	<i>B = black reveal</i>
	<i>or select P1, P2, P3 painted finish from pg. 5</i>
	Add \$25 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.
	Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.
	Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.
	Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.
	*Notched transaction top must be ordered through Custom Product.
	E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

Panel Accessories

hookstrips and top caps

Reff Profiles Vol. One

Panels

description	w	pattern no.	list price
Panel hookstrips	8"	R2HK0008	\$46.
	15"	R2HK0015	74.
	34"	R2HK0034	101.
	42"	R2HK0042	107.
	49"	R2HK0049	115.
	64"	R2HK0064	125.
	79"	R2HK0079	131.
Beltway hookstrips	42"	R2HKB042	115.
	49"	R2HKB049	125.
	64"	R2HKB064	131.
	79"	R2HKB079	138.

Order Code	Specification Information	Application Notes
Example: R2HK0008	<i>To order please specify pattern number including:</i>	An additional 34", 42", 49", or 64" high hookstrip will be required for applications of high low high panel-to-panel connections not involving a post.
R2		
HK		
008		
		Panel hookstrips and Beltway hookstrips are presented here to help prevent shortages for installations.
		New top caps may be required for furniture reconfigurations. G2 and G3 top caps are required when the R3R2 SLV is specified.

description	type	h	pattern no.	list price
Ceiling entry L-post.		42"	R2L42C(F/T)-(4/6)	\$259.
		49"	R2L49C(F/T)-(4/6)	277.
		64"	R2L64C(F/T)-(4/6)	294.
		79"	R2L79C(F/T)-(4/6)	349.




Cable not included

Ceiling entry T-post.		42"	R2T42C(F/T)-(4/6)	228.
		49"	R2T49C(F/T)-(4/6)	259.
		64"	R2T64C(F/T)-(4/6)	277.
		79"	R2T79C(F/T)-(4/6)	322.



Cable not included

Ceiling entry X-post.		42"	R2X42C	211.
		49"	R2X49C	228.
		64"	R2X64C	259.
		79"	R2X79C	306.



Cable not included

Order Code	Specification Information	Application Notes
Example: R2L42CTT4	<i>To order please specify pattern number including:</i>	Data cable application requires the post and the pole only.
R2 Reff Generation 2	1. Post face option	*Must order post, pole and cable for electrical application.
L L-post	2. Base height option	
42 42" high	3. Finish type, where applicable	The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
C Ceiling power entry	4. Finish, where applicable	To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
T Tiled style face	5. Base finish	
T Tiled style face	6. Canopy finish (ceiling entry pole only)	
4 Base height	1. <i>Face type:</i>	
W230 Fabric selection	F = Full height	
111 Jet Black (base finish)	T = Tiled	
	2. <i>Base height:</i>	
	4 = 4" base height	
	6 = 6" base height	
	3. <i>Finish type:</i>	
	F = Fabric	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	

The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).

Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.

Hi-lo ceiling post covers must be ordered in hi-lo applications from 116.

6"H base raceway option increase entire post height by 2 3/4". (Please add \$50 list per post for this option). Price does not apply to X-post.

description	type	h	pattern no.	list price
Ceiling entry straight line post.		42"	R2S42C(F/T)(F/T)-(4/6)	\$259.
		49"	R2S49C(F/T)(F/T)-(4/6)	277.
		64"	R2S64C(F/T)(F/T)-(4/6)	294.
		79"	R2S79C(F/T)(F/T)-(4/6)	349.



Cable not included

Ceiling entry pole. Includes junction box and ceiling grommet		41"	RCP41-(F/L/1/2/3)*	517.
		56"	RCP56-(F/L/1/2/3)*	537.
		71"	RCP71-(F/L/1/2/3)*	602.
		78"	RCP78-(F/L/1/2/3)*	622.



Cable not included

Power infeeds	Ceiling power cable infeed. Eight-wire	RR3-EPVR	302.
	Ceiling power cable infeed. Ten-wire	RR3-TPVR	365.



One size fits all post sizes (13' of cable)
For use with Ceiling entry Pole and Pole combinations

Order Code	Specification Information	Application Notes
Example: R2L42CTT4	<i>To order please specify pattern number including:</i>	Data cable application requires the post and the pole only.
R2 Reff Generation 2	1. Post face option	*Must order post, pole and cable for electrical application.
L L-post	2. Base height option	
42 42" high	3. Finish type, where applicable	The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
C Ceiling power entry	4. Finish, where applicable	To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
T Tiled style face	5. Base finish	
T Tiled style face	6. Canopy finish (ceiling entry pole only)	6"H base raceway option increase entire post height by 2 3/4". (Please add \$50 list per post for this option). Price does not apply to X-post.
4 Base height	1. Face type:	
W230 Fabric selection	F = Full height	
111 Jet Black (base finish)	T = Tiled	
	2. Base height:	
	4 = 4" base height	
	6 = 6" base height	
	3. Finish type:	
	F = Fabric	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	

The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).

Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.

Hi-lo ceiling post covers must be ordered in hi-lo applications from 116.

Ceiling cable entry post covers

Alignment kits and wall starters


Reff Profiles Vol. One

description	panel h	post h	w	h	pattern no.	list price
Ceiling entry post cover for Hi-Lo for monolithic or tiled applications 	34"	42"			RPHL3442(F/T)	\$35.
	34"	49"			RPHL3449(F/T)	51.
	34"	64"			RPHL3464(F/T)	102.
	34"	79"			RPHL3479(F/T)	151.
	42"	49"			RPHL4249(F/T)	70.
	42"	64"			RPHL4264(F/T)	98.
	42"	79"			RPHL4279(F/T)	106.
	49"	64"			RPHL4964(F/T)	98.
	49"	79"			RPHL4979(F/T)	106.
	64"	79"			RPHL6479(F/T)	76.

Ceiling entry post cover for Hi-Lo for stackable applications 	42"	49"			RPHL4249S	35.
	42"	64"			RPHL4264S	84.
	42"	79"			RPHL4279S	137.
	49"	64"			RPHL4964S	51.
	49"	79"			RPHL4979S	102.
	64"	79"			RPHL6479S	51.

Wall starter			7/8"	15"	R2SWS0015 () ()	64.
			7/8"	34"	R2SWS0034 () () ()	128.
			7/8"	42"	R2SWS0042 () () ()	156.
			7/8"	49"	R2SWS0049 () () ()	182.
			7/8"	64"	R2SWS0064 () () ()	240.
			7/8"	79"	R2SWS0079 () () ()	295.
			7/8"	8"	R2SWS0008 () ()	49.

*Wall starters come with extended top trim from adjoining panel.

Panel alignment kits 		R3SPABPT	7.
		R3SPABTD	7.
		R3SPABTT	7.
		R3SPABTW	7.
		RSPABPD	7.
		RSPABPP	7.
		RSPABPT	7.
		RSPABPW	7.
		RSPABTD	7.

Order Code	Specification Information	Application Notes
Example: RPHL4249T	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
R Reff		
P Power post		
HL Hi lo cover	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
42 42" low panel	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
49 49" high panel	2. Select finish fabric, laminate or veneer	
T Tiled face type	1. <i>Face type options:</i> F = Full T = Tiled	
	Wall starter:	
	1. Pattern number including height	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	2. Adjoining panel width	Wall starters come with extended top trim from adjoining panel.
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 5 and 7.	

Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.

RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.


RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.

R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.

Ceiling cable entry post covers

Alignment kits and wall starters

description	panel h	post h	w	h	pattern no.	list price
Panel alignment kits					RSPABTT	\$7.
					RSPABTW	7.
					RSPABWD	7.
					RSPABWW	7.



Suffix: BPT = for stacking module to panel, BTD = stacking module to door, BTT = stacking module to stacking module, BTW = stacking window to stacking module, BPD = panel to door, BPP = panel to panel

Order Code	Specification Information	Application Notes
Example: RPHL4249T	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
R Reff	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
P Power post	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
HL Hi lo cover	2. Select finish fabric, laminate or veneer	
42 42" low panel	1. Face type options:	
49 49" high panel	F = Full	
T Tiled face type	T = Tiled	
	Wall starter:	
	1. Pattern number including height	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	2. Adjoining panel width	Wall starters come with extended top trim from adjoining panel.
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 5 and 7.	

Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.

RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.

RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.

R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.

description	depth	w	h	pattern no.	list price	polycarbonate	clear glass	architectural
Rolling door		36"	64'	RRDPPL(L/R)6436()		\$3,147.	\$3,258.	\$4,358.
		36"	79"	RRD3PPL(L/R)7936()()		3,433.	3,556.	4,801.
		42"	64"	RRDPPL(L/R)6442()		3,207.	3,319.	4,412.
		42"	79"	RRD3PPL(L/R)7942()()		3,486.	3,608.	4,852.
Floor to ceiling rolling door		36"	79"	RRD3FTCPPL(L/R)7936()		3,433.	3,556.	4,801.
		42"	79"	RRD3FTCPPL(L/R)7942()		3,486.	3,608.	4,852.
Partial width threshold (full width threshold)		3"	50"	RRDTH()		364.		
		3"	96"	RRDTH(L/R)()		468.		
*Panel door right	(30" opening)	1 1/2"	36"	79"	R2DRS7936()()		4,100.	
	(36" opening)	1 1/2"	42"	79"	R2DRS7942()()		4,765.	
*Panel door left	(30" opening)	1 1/2"	36"	79"	R2DLS7936()()		4,100.	
	(36" opening)	1 1/2"	42"	79"	R2DLS7942()()		4,765.	

Woodgrain Laminate not available on Panel Door



Order Code

Example:	RRDPPL(L)6436(A)(4)
RRD	Reff rolling door
PPL	Monolithic frame
L	Left hand
64	64" high
36	36" wide
A	Flat style top trim
4"	4" base height

Specification Information

Hinged Door

To order hinged doors please specify:

1. Top trim profile
2. Base height
3. Lock option
4. Door finish
5. Top trim finish
6. Base finish

1. Top trim profile:

- A = Flat
B = Square
C = Bullnose

2. Base height:

- 4 = 4" base
6 = 6" base (add \$50 for this option)

3. Lock option:

- N = Not drilled
D = Drilled *
L = Drilled lock set included
D = *Customer supplies own handle.

Reff doors are 1 1/2" thick, which must be considered when custom handle and lock sets are used.

Rolling Door

To order please specify the pattern number including:

1. Door hand left or right
2. Top trim profile
3. Base height
4. Trim finish
5. Base finish
6. Handle finish
7. Frame/Capture finish
8. Insert finish
9. Threshold (optional) and finish

Frame Insert Finish

Temp = Cleared tempered glass

Architectural options:

- GL13 = Powdered glass
GL6 = Block matrix
GL8 = Wafer glass
P5 = Polycarbonate

Application Notes

Hinged Door

- Hinged door frame matches door finish.
- Panel alignment kits required for door applications (see page 116).
- 6" base increases door height 2 3/4".
- Hinged door lock set is an ADA lever style handle in polished chrome.

Rolling Door

To meet ADA pull rating of 5 lbs., a partial or full width threshold must be specified.

The 42" wide door meets ADA width requirements. This door can be installed on all Reff Generation 2 panels. Rolling door base is not available in plated finishes. The frame, door handle, threshold, and base are all the same finish.

When specifying 79" h rolling doors, must specify panel top trim profiles A, B or C. Do not use with applications with panel top trim profile E, extruded aluminum.

For 64" h rolling door, one of the following support conditions must be existent:

1. Full height cabinet attached to the supporting post and panel
2. Worksurface and end panel OR worksurface and pedestal attached to the supporting post and panel

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

No lock, no plated finishes available. Doors are handed. All attachment hardware comes shipped with the door including the capture and the stabilizer.

Threshold optional. Order separately. Threshold is available partial and full length. 29" opening on 36" wide door. 36" opening on 42" wide door.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post. Refer to Planning Guide for details.

Master key requests must be processed as a special request through Custom Product Development.

description	w	h	pattern no.	list price
Attachment Kit 34"H panels to Generation 2 Beltway posts			R234PKIT	\$118.
Attachment Kit Generation 1 34"H panels to Generation 3 Beltway posts			R334PKIT	118.
Attachment Kit Generation 1 panel 42", 49", 64", 79" high to Generation 2 panels			R2AK	n/c
Attachment Kit Generation 1 panels to Generation 3 posts			R3AK	n/c
*R3/R2 stacking post sleeve	adapter kit for stacking posts only		R3R2SLV	
Hookstrip cover reveal strip. (order separately for all panels)	15 Pieces	$\frac{3}{8}"$	79"	RHSC15 n/c
	250 Pieces	$\frac{3}{8}"$	79"	RHSC250 n/c
	70 Pieces	$\frac{3}{8}"$	79"	RHSC70 n/c
Carpet gripper (Pack fo 10)			R2CG	21.

Order Code

Example:	R234PKIT
R2	Reff, generation 2
34	34" h panel to
P	Beltway post
KIT	Attachment kit

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Application Notes

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post.

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Refer to Planning Guide for details.

Floor to ceiling modules
*21" high, for 104" ceiling height and 79" high panels
 fabric and glass*

Reff Profiles Vol. One

description	w	h	pattern no.	clear glass	arch. glass	grade 10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides	18"	21"	R3FTCFF2118			\$376.	\$382.	\$396.	\$464.	\$490.	\$556.	\$624.
	20"	21"	R3FTCFF2120			376.	382.	396.	464.	490.	556.	624.
	24"	21"	R3FTCFF2124			396.	402.	416.	484.	510.	576.	644.
	30"	21"	R3FTCFF2130			438.	444.	458.	526.	552.	618.	686.
	36"	21"	R3FTCFF2136			469.	475.	489.	557.	583.	649.	717.
	42"	21"	R3FTCFF2142			512.	518.	532.	600.	626.	692.	760.
	48"	21"	R3FTCFF2148			549.	555.	569.	637.	663.	729.	797.
Stack-on floor to ceiling window module. Single glass type "A"	18"	21"	RFTCWA2118	525.	620.							
	20"	21"	RFTCWA2120	525.	620.							
	24"	21"	RFTCWA2124	551.	668.							
	30"	21"	RFTCWA2130	643.	782.							
	36"	21"	RFTCWA2136	672.	835.							
	42"	21"	RFTCWA2142	706.	904.							
	48"	21"	RFTCWA2148	740.	958.							
Stack-on floor to ceiling window module. Center mullion, type "B"	30"	21"	RFTCWB2130	750.	887.							
	36"	21"	RFTCWB2136	812.	978.							
	42"	21"	RFTCWB2142	859.	1,049.							
	48"	21"	RFTCWB2148	899.	1,121.							

Order Code	Specification Information	Application Notes
Example: R3FTCFF2118	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).
R3 Reff Generation 3	1. Pattern number	Specify the finish for frames from paint selection on page 6.
FTC Floor to ceiling	2. Panel side 1 finish	Add to all ceiling window modules on this page an upcharge of \$35 per module for P2 paint class options or \$65 per module per P3 paint class options.
FF Fabric/fabric	3. Panel side 2 finish	Provide elevation drawing for mixed fabrics or veneers.
21 21" high	4. Soffit finish (paint)	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
18 18" wide	<i>For window panel:</i>	
W281 Fabric selection - side 1	1. Pattern number	
W281 Fabric selection - side 2	2. Frame finish	
111 Jet Black soffit	3. Glass type	

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.




Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

No additional acoustic rating occurs on FTC installations.

Floor to ceiling modules

25" high, for 108" ceiling height and 79" high panels
fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade 10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	25"	R3FTCFF2518			\$418.	\$424.	\$436.	\$528.	\$546.	\$636.	\$712.
	20"	25"	R3FTCFF2520			418.	424.	436.	528.	546.	636.	712.
	24"	25"	R3FTCFF2524			443.	449.	461.	553.	571.	661.	737.
	30"	25"	R3FTCFF2530			481.	487.	499.	591.	609.	699.	775.
	36"	25"	R3FTCFF2536			526.	532.	544.	636.	654.	744.	820.
	42"	25"	R3FTCFF2542			567.	573.	585.	677.	695.	785.	861.
	48"	25"	R3FTCFF2548			609.	615.	627.	719.	737.	827.	903.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	25"	RFTCWA2518	548.	644.							
	20"	25"	RFTCWA2520	548.	644.							
	24"	25"	RFTCWA2524	587.	698.							
	30"	25"	RFTCWA2530	678.	816.							
	36"	25"	RFTCWA2536	710.	874.							
	42"	25"	RFTCWA2542	756.	946.							
	48"	25"	RFTCWA2548	788.	1,007.							
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	25"	RFTCWB2530	779.	914.							
	36"	25"	RFTCWB2536	862.	1,028.							
	42"	25"	RFTCWB2542	915.	1,108.							
	48"	25"	RFTCWB2548	967.	1,188.							

Order Code	Specification Information	Application Notes
Example: R3FTCFF2518	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered clear glass (4mm thick).
R3 Reff Generation 3	1. Pattern number	Specify the finish for frames from paint selection on page 6.
FTC Floor to ceiling	2. Panel side 1 finish	Add to all ceiling window modules on this page an upcharge of \$35 per module for P2 paint class options or \$65 per module per P3 paint class options.
FF Fabric/fabric	3. Panel side 2 finish	Provide elevation drawing for mixed fabrics or veneers.
25 25" high	4. Soffit finish (paint)	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
18 18" wide		Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1	<i>For window panel:</i>	
W281 Fabric selection - side 2	1. Pattern number	
111 Jet Black soffit	2. Frame finish	
	3. Glass type	

Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.


Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

No additional acoustic rating occurs on FTC installations.

Floor to ceiling modules
 37" high, for 120" ceiling height and 79" high panels
 fabric and glass

Reff Profiles Vol. One

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module	18"	37"	R3FTCFF3718			\$549.	\$553.	\$563.	\$701.	\$723.	\$857.	\$981.
Fabric both sides	20"	37"	R3FTCFF3720			549.	553.	563.	701.	723.	857.	981.
	24"	37"	R3FTCFF3724			580.	584.	595.	732.	754.	888.	1,012.
	30"	37"	R3FTCFF3730			630.	634.	644.	782.	804.	938.	1,062.
	36"	37"	R3FTCFF3736			684.	688.	698.	836.	858.	992.	1,116.
	42"	37"	R3FTCFF3742			736.	740.	750.	888.	910.	1,044.	1,168.
	48"	37"	R3FTCFF3748			786.	790.	800.	938.	960.	1,094.	1,218.

Stack-on floor to ceiling window module. Single glass type "A" 	18"	37"	RFTCWA3718	628.	722.
	20"	37"	RFTCWA3720	628.	722.
	24"	37"	RFTCWA3724	677.	787.
	30"	37"	RFTCWA3730	798.	919.
	36"	37"	RFTCWA3736	831.	993.
	42"	37"	RFTCWA3742	885.	1,075.
	48"	37"	RFTCWA3748	932.	1,156.

Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	37"	RFTCWB3730	860.	999.
	36"	37"	RFTCWB3736	1,014.	1,177.
	42"	37"	RFTCWB3742	1,093.	1,283.
	48"	37"	RFTCWB3748	1,163.	1,385.

Order Code	Specification Information	Application Notes
Example: R3FTCFF3718	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).
R3 Reff Generation 3	1. Pattern number	Specify the finish for frames from paint selection on page 6.
FTC Floor to ceiling	2. Panel side 1 finish	Add to all ceiling window modules on this page an upcharge of \$35 per module for P2 paint class options or \$65 per module per P3 paint class options.
FF Fabric/fabric	3. Panel side 2 finish	Provide elevation drawing for mixed fabrics or veneers.
37 37" high	4. Soffit finish (paint)	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
18 18" wide		Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1	<i>For window panel:</i>	
W281 Fabric selection - side 2	1. Pattern number	
111 Jet Black soffit	2. Frame finish	
	3. Glass type	

Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules

Reff Profiles Vol. One


*21" and 25" high modules, fabric one side,
laminate, techwood, conventional or exotic veneer other side*

Panels


description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Stack-on floor to ceiling module	18"	21"	R3FTCFL2118	\$424.	\$426.	\$431.	\$468.	\$481.	\$515.	\$553.
Fabric one side, laminate other side, 21"	20"	21"	R3FTCFL2120	424.	426.	431.	468.	481.	515.	553.
	24"	21"	R3FTCFL2124	438.	440.	445.	482.	495.	529.	567.
	30"	21"	R3FTCFL2130	491.	493.	498.	535.	548.	582.	620.
	36"	21"	R3FTCFL2136	534.	536.	541.	578.	591.	625.	663.
	42"	21"	R3FTCFL2142	581.	583.	588.	625.	638.	672.	710.
	48"	21"	R3FTCFL2148	625.	627.	632.	669.	682.	716.	754.



Stack-on floor to ceiling module	18"	21"	R3FTCF12118	444.	446.	451.	489.	502.	538.	575.
Fabric one side, techwood other side, 21"	20"	21"	R3FTCF12120	444.	446.	451.	489.	502.	538.	575.
	24"	21"	R3FTCF12124	462.	464.	469.	507.	520.	556.	593.
	30"	21"	R3FTCF12130	515.	517.	522.	560.	573.	609.	646.
	36"	21"	R3FTCF12136	559.	561.	566.	604.	617.	653.	690.
	42"	21"	R3FTCF12142	604.	606.	611.	649.	662.	698.	735.
	48"	21"	R3FTCF12148	658.	660.	665.	703.	716.	752.	789.



Stack-on floor to ceiling module	18"	21"	R3FTCF22118	444.	446.	451.	488.	501.	536.	573.
Fabric one side, conventional veneer other side, 21"	20"	21"	R3FTCF22120	444.	446.	451.	488.	501.	536.	573.
	24"	21"	R3FTCF22124	458.	460.	465.	502.	515.	550.	587.
	30"	21"	R3FTCF22130	515.	517.	522.	559.	572.	607.	644.
	36"	21"	R3FTCF22136	557.	559.	564.	601.	614.	649.	686.
	42"	21"	R3FTCF22142	606.	608.	613.	650.	663.	698.	735.
	48"	21"	R3FTCF22148	655.	657.	662.	699.	712.	747.	784.



Order Code	Specification Information	Application Notes
Example: R3FTCFL2118	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
R3 Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
FTC Floor to ceiling	2. Panel side 1 finish	
FL Fabric/laminate	3. Panel side 2 finish	
21 21" high	4. Soffit finish (paint)	
18 18" wide	Product on this page will accept woodgrain laminate where laminate is currently an option.	Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1		Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
114 Folkstone grey - side 2		Modules on this page will not support the hanging of panel mount product.
111 Jet Black soffit		

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules


Reff Profiles Vol. One

*21" and 25" high modules, fabric one side,
laminate, techwood, conventional or exotic veneer other side*


description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Stack-on floor to ceiling module	18"	21"	R3FTCF321 18	\$585.	\$587.	\$592.	\$629.	\$642.	\$677.	\$714.
Fabric one side, exotic veneer other side	20"	21"	R3FTCF321 20	585.	587.	592.	629.	642.	677.	714.
21"	24"	21"	R3FTCF321 24	605.	607.	612.	649.	662.	697.	734.
	30"	21"	R3FTCF321 30	682.	684.	689.	726.	739.	774.	811.
	36"	21"	R3FTCF321 36	737.	739.	744.	781.	794.	829.	866.
	42"	21"	R3FTCF321 42	802.	804.	809.	846.	859.	894.	931.
	48"	21"	R3FTCF321 48	867.	869.	874.	911.	924.	959.	996.



Stack-on floor to ceiling module	18"	25"	R3FTCFL2518	454.	457.	466.	513.	522.	568.	609.
Fabric one side, laminate other side, 25"	20"	25"	R3FTCFL2520	454.	457.	466.	513.	522.	568.	609.
	24"	25"	R3FTCFL2524	470.	473.	482.	529.	538.	584.	625.
	30"	25"	R3FTCFL2530	535.	538.	547.	594.	603.	649.	690.
	36"	25"	R3FTCFL2536	580.	583.	592.	639.	648.	694.	735.
	42"	25"	R3FTCFL2542	636.	639.	648.	695.	704.	750.	791.
	48"	25"	R3FTCFL2548	687.	690.	699.	746.	755.	801.	842.



Stack-on floor to ceiling module	18"	25"	R3FTCF12518	474.	477.	485.	534.	543.	590.	633.
Fabric one side, techwood other side, 25"	20"	25"	R3FTCF12520	474.	477.	485.	534.	543.	590.	633.
	24"	25"	R3FTCF12524	491.	494.	502.	551.	560.	607.	650.
	30"	25"	R3FTCF12530	562.	565.	573.	622.	631.	678.	721.
	36"	25"	R3FTCF12536	605.	608.	616.	665.	674.	721.	764.
	42"	25"	R3FTCF12542	666.	669.	677.	726.	735.	782.	825.
	48"	25"	R3FTCF12548	718.	721.	729.	778.	787.	834.	877.



Order Code	Specification Information	Application Notes
Example: R3FTCFL2118	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
R3 Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
FTC Floor to ceiling	2. Panel side 1 finish	
FL Fabric/laminate	3. Panel side 2 finish	
21 21" high	4. Soffit finish (paint)	
18 18" wide	Product on this page will accept woodgrain laminate where laminate is currently an option.	Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1		Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
114 Folkstone grey - side 2		Modules on this page will not support the hanging of panel mount product.
111 Jet Black soffit		

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules

Reff Profiles Vol. One


21" and 25" high modules, fabric one side,
laminate, techwood, conventional or exotic veneer other side

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Stack-on floor to ceiling module	18"	25"	R3FTCF22518	\$475.	\$478.	\$486.	\$534.	\$543.	\$589.	\$631.
Fabric one side, conventional veneer other side, 25"	20"	25"	R3FTCF22520	475.	478.	486.	534.	543.	589.	631.
	24"	25"	R3FTCF22524	489.	492.	500.	548.	557.	603.	645.
	30"	25"	R3FTCF22530	560.	563.	571.	619.	628.	674.	716.
	36"	25"	R3FTCF22536	607.	610.	618.	666.	675.	721.	763.
	42"	25"	R3FTCF22542	665.	668.	676.	724.	733.	779.	821.
	48"	25"	R3FTCF22548	718.	721.	729.	777.	786.	832.	874.



Stack-on floor to ceiling module	18"	25"	R3FTCF325 18	622.	625.	633.	681.	690.	736.	778.
Fabric one side, exotic veneer other side 25"	20"	25"	R3FTCF325 20	622.	625.	633.	681.	690.	736.	778.
	24"	25"	R3FTCF325 24	645.	648.	656.	704.	713.	759.	801.
	30"	25"	R3FTCF325 30	737.	740.	748.	796.	805.	851.	893.
	36"	25"	R3FTCF325 36	802.	805.	813.	861.	870.	916.	958.
	42"	25"	R3FTCF325 42	880.	883.	891.	939.	948.	994.	1,036.
	48"	25"	R3FTCF325 48	952.	955.	963.	1,011.	1,020.	1,066.	1,108.



Order Code	Specification Information	Application Notes
Example: R3FTCFL2118	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
R3 Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
FTC Floor to ceiling	2. Panel side 1 finish	
FL Fabric/laminate	3. Panel side 2 finish	
21 21" high	4. Soffit finish (paint)	
18 18" wide	Product on this page will accept woodgrain laminate where laminate is currently an option.	Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1		Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
114 Folkstone grey - side 2		Modules on this page will not support the hanging of panel mount product.
111 Jet Black soffit		

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules


Reff Profiles Vol. One

*37" high modules, fabric one side,
laminate, techwood, conventional or exotic veneer other side*


description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side	18"	37"	R3FTCFL3718	\$555.	\$557.	\$563.	\$632.	\$644.	\$713.	\$777.
	20"	37"	R3FTCFL3720	555.	557.	563.	632.	644.	713.	777.
	24"	37"	R3FTCFL3724	565.	567.	573.	642.	654.	723.	787.
	30"	37"	R3FTCFL3730	671.	673.	679.	748.	760.	829.	893.
	36"	37"	R3FTCFL3736	725.	727.	733.	802.	814.	883.	947.
	42"	37"	R3FTCFL3742	809.	811.	817.	886.	898.	967.	1,031.
	48"	37"	R3FTCFL3748	883.	885.	891.	960.	972.	1,041.	1,105.




Stack-on floor to ceiling module Fabric one side, techwood other side	18"	37"	R3FTCF13718	579.	581.	589.	660.	671.	743.	809.
	20"	37"	R3FTCF13720	579.	581.	589.	660.	671.	743.	809.
	24"	37"	R3FTCF13724	590.	592.	600.	671.	682.	754.	820.
	30"	37"	R3FTCF13730	701.	703.	711.	782.	793.	865.	931.
	36"	37"	R3FTCF13736	762.	764.	772.	843.	854.	926.	992.
	42"	37"	R3FTCF13742	850.	852.	860.	931.	942.	1,014.	1,080.
	48"	37"	R3FTCF13748	926.	928.	936.	1,007.	1,018.	1,090.	1,156.



Stack-on floor to ceiling module Fabric one side, conventional veneer other side	18"	37"	R3FTCF23718	577.	579.	586.	656.	667.	737.	802.
	20"	37"	R3FTCF23720	577.	579.	586.	656.	667.	737.	802.
	24"	37"	R3FTCF23724	590.	592.	599.	669.	680.	750.	815.
	30"	37"	R3FTCF23730	698.	700.	707.	777.	788.	858.	923.
	36"	37"	R3FTCF23736	756.	758.	765.	835.	846.	916.	981.
	42"	37"	R3FTCF23742	847.	849.	856.	926.	937.	1,007.	1,072.
	48"	37"	R3FTCF23748	925.	927.	934.	1,004.	1,015.	1,085.	1,150.



Stack-on floor to ceiling module Fabric one side, exotic veneer other side 37"	18"	37"	R3FTCF337 18	753.	755.	762.	832.	843.	913.	978.
	20"	37"	R3FTCF337 20	753.	755.	762.	832.	843.	913.	978.
	24"	37"	R3FTCF337 24	772.	774.	781.	851.	862.	932.	997.
	30"	37"	R3FTCF337 30	918.	920.	927.	997.	1,008.	1,078.	1,143.
	36"	37"	R3FTCF337 36	996.	998.	1,005.	1,075.	1,086.	1,156.	1,221.
	42"	37"	R3FTCF337 42	1,119.	1,121.	1,128.	1,198.	1,209.	1,279.	1,344.
	48"	37"	R3FTCF337 48	1,224.	1,226.	1,233.	1,303.	1,314.	1,384.	1,449.



Order Code	Specification Information	Application Notes
Example: R3FTCFL3718	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
R3 Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
FTC Floor to ceiling	2. Panel side 1 finish	
FL Fabric/laminate	3. Panel side 2 finish	
37 37" high	4. Soffit finish (paint)	
18 18" wide	Product on this page will accept woodgrain laminate where laminate is currently an option.	Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1		Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
114 Folkstone grey - side 2		Modules on this page will not support the hanging of panel mount product.
111 Jet Black soffit		

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.






Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules

Panel connection posts

for floor to ceiling applications

description		h	pattern no.	list price
 L-Post	add on	21"	R3FTCL21	\$197.
	add on	25"	R3FTCL25	218.
	add on	37"	R3FTCL37	282.
	full height	104"	R3FTCL104(F/T)(F/T)-() ()	445.
	full height	108"	R3FTCL108(F/T)(F/T)-() ()	445.
	full height	120"	R3FTCL120(F/T)(F/T)-() ()	445.
 T-Post	add on	21"	R3FTCT21	213.
	add on	25"	R3FTCT25	232.
	add on	37"	R3FTCT37	298.
	full height	104"	R3FTCT104(F/T)-() ()	401.
	full height	108"	R3FTCT108(F/T)-() ()	401.
	full height	120"	R3FTCT120(F/T)-() ()	401.
 X-Post	add on	21"	R3FTCX21	194.
	add on	25"	R3FTCX25	215.
	add on	37"	R3FTCX37	281.
	full height	104"	R3FTCX104	368.
	full height	108"	R3FTCX108	368.
	full height	120"	R3FTCX120	368.
 Straight post	add on	21"	R3FTCS21	197.
	add on	25"	R3FTCS25	218.
	add on	37"	R3FTCS37	282.
	full height	104"	R3FTCS104(F/T)(F/T)-() ()	445.
	full height	108"	R3FTCS108(F/T)(F/T)-() ()	445.
	full height	120"	R3FTCS120(F/T)(F/T)-() ()	445.
 End post	add on	21"	R3FTCE21	213.
	add on	25"	R3FTCE25	232.
	add on	37"	R3FTCE37	298.
	full height	104"	R3FTCE104(F/T)(F/T)(F/T)-() ()	401.
	full height	108"	R3FTCE108(F/T)(F/T)(F/T)-() ()	401.
	full height	120"	R3FTCE120(F/T)(F/T)(F/T)-() ()	401.

Order Code	Specification Information	Application Notes
Example: R3FTCL104TT-6N R3FTC Reff Gen 3 Floor to ceiling L Corner post 104 104" high (one piece) TT Tiled appearance 6 6" base height N No base infeed raceway knock-out W808 Fabric selection 111 Jet Black (base finish)	<i>To order please specify pattern number including:</i> - Post face option - Base height option - Base infeed raceway knock-out, (optional) - Fabric selection - Base color <i>1. Face type:</i> F = Full height (monolithic look) T = Tiled <i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$50 list for this option) <i>3. Electrical infeed post:</i> L = Base infeed left face M = Base infeed middle face R = Base infeed right face N = None	The posts on this page do not support the hanging of panel mount product above the 79"H panels. The posts on this page will not carry data or electrical cables from the ceiling. Contact custom product development for custom ceiling electrical requirements. If required, specify the mouse hole location (specification action 4) to create access for electrical infeeds. Left and Right hand locations are determined by facing the post in question from the outside of the station. Hookstrip cover reveal strips are no charge but must be ordered separately from page 119. Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Required components for floor to ceiling applications


Reff Profiles Vol. One

description	h	pattern no.	list price
FTC wall starter	21"	RFTCWS21S	\$63.
	25"	RFTCWS25S	81.
	37"	RFTCWS37S	98.
Ceiling channel 108* and stabilizer beam	108"	RFTCC108	232.
Caddy clips (box of 100)		RFTCCLIPS	336.
Caddy clip spacers (box of 100) (Required in addition to Caddy Clips, where ceiling tiles hang below T-Bar level.)		RFTCSPACE	106.
Floor to ceiling stabilizer bracket for A or C window only, G2 tiled or mono panels (B window requires two pairs)		RFTCWT (Pair)	7.
Floor to ceiling beam bracket for top of a stacking module		R3FTCSM (Pair) for G3 only	7.
		RFTCSM (Pair) for G2 only	7.
Floor to ceiling beam bracket for top of a G1 panel		RFTCG1 (Pair)	7.
Floor to ceiling beam bracket for top of a door panel		RFTCDR (Pair)	7.

*These brackets are to be used with hinge doors only.




Order Code	Specification Information	Application Notes
Example: RFTCWS21S	<i>To order please specify pattern number including:</i> 1. Fabric/laminate/wood options 2. Paint option for metal soffit All floor to ceiling posts mimic the panel system post application.	*Ceiling channel must be field cut to the panel run length, or joined if forming extended runs. Ceiling channel comes with panel stabilizer beam. Ceiling stabilizer beam must be attached to the top of the 79"H portion of your wall before the ceiling modules can be attached. Please see the Planning Guide (pages 51-55) for detailed instructions on specifying and installing FTC components. Use of Reff FTC components must be approved by local building authorities. Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.
R Reff		
FTC Floor to ceiling		
WS Wall starter		
21 21" high		Floor to ceiling stabilizer brackets ship with bolts to connect the stabilizer beam, brackets and FTC module to the 79"H panel.

Power distribution components
2+2 Base Raceway
four circuit, eight-wire raceway for panels
power rails and connector

description	type	w	d	h	pattern no.	list price	
	24" panel	6"	2"	2"	RR3-E24	\$151.	
	30" panel	12"	2"	2"	RR3-E30NS	166.	
	36" panel	18"	2"	2"	RR3-E36NS	182.	
	42" panel	24"	2"	2"	RR3-E42NS	190.	
	48" panel	30"	2"	2"	RR3-E48NS	199.	
	60" panel	42"	2"	2"	RR3-E60-4	302.	
	66" panel	48"	2"	2"	RR3-E66-4	318.	
	72" panel	54"	2"	2"	RR3-E72-4	340.	
	Straight	16 1/2"	2"	2"	RR3-EPC24M	87.	
		18 1/2"	2"	2"	RR3-EPCSM	87.	
		20 1/4"	2"	2"	RR3-EPCM	87.	
	Use RR3-EPC24M for straight 24" to 24" wide panel. Use RR3-EPCSM for straight 24" to any other width panel and for 30" to 30" wide panels. Use RR3-EPCM for all other straight power connection configurations.						
	Through post	19"	2"	2"	RR3-EPCP24M	87.	
		21"	2"	2"	RR3-EPCPSM	87.	
		22 3/4"	2"	2"	RR3-EPCPM	87.	
	Use RR3-EPCP24M for through post 24" to 24" wide panels. Use RR3-EPCPSM for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-EPCPM for all other through post power connection configurations.						
		Circuit A				RR3-DA	42.
		Circuit B				RR3-DB	42.
Circuit X					RR3-DX	42.	
Circuit Y					RR3-DY	42.	
	Circuit X				RR3-DXO	47.	
	Circuit Y				RR3-DYO	47.	
Data Shield	1 pair				RR3-DATSHD	29.	
Attaches to power rail, sits under duplex							

Order Code	Specification Information	Application Notes
Example: RR3-E-24		
RR3 Reff raceway	Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting.	Power rails are the primary power distribution component of the Reff 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.
E Eight wire 2+2		
24 for 24" panel		
	Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.	Rail for 24" wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30" to 48" panels accept two outlets (or one outlet and one infeed) on each side. 60", 66" and 72"W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.
		Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection. Power connectors are enclosed in steel flexible conduit. *Power connectors must be specified according to the panel widths in the specified orientation. If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components
2+2 Base Raceway
four circuit, eight-wire raceway for panels
jumpers and infeed

description	type	w	d	h	pattern no.	list price
 Jumper	18" panel	38"	2"	2"	RR3-EJ18	\$109.
	20" panel	40"	2"	2"	RR3-EJ20	109.
	24" panel	44"	2"	2"	RR3-EJ24	118.
	30" panel	50"	2"	2"	RR3-EJ30	126.
	36" panel	56"	2"	2"	RR3-EJ36	137.
	42" panel	62"	2"	2"	RR3-EJ42	144.
	48" panel	68"	2"	2"	RR3-EJ48	151.
	54" panel run	76 1/2"	2"	2"	RR3-EJ54P	158.
	60" panel run	82 1/2"	2"	2"	RR3-EJ60P	166.
	66" panel run	88 1/2"	2"	2"	RR3-EJ66P	175.
	72" panel run	94 1/2"	2"	2"	RR3-EJ72P	182.
	78" panel run	100 1/2"	2"	2"	RR3-EJ78P	190.
	84" panel run	106 1/2"	2"	2"	RR3-EJ84P	199.
	90" panel run	112 1/2"	2"	2"	RR3-EJ90P	208.
	96" panel run	118 1/2"	2"	2"	RR3-EJ96P	215.
 Extended jumper (through one post)	18" + post	40 1/2"	2"	2"	RR3-EJ18P	109.
	20" + post	42 1/2"	2"	2"	RR3-EJ20P	109.
	24" + post	46 1/2"	2"	2"	RR3-EJ24P	118.
	30" + post	52 1/2"	2"	2"	RR3-EJ30P	126.
	36" + post	58 1/2"	2"	2"	RR3-EJ36P	137.
	42" + post	64 1/2"	2"	2"	RR3-EJ42P	144.
	48" + post	70 1/2"	2"	2"	RR3-EJ48P	151.
 Power infeeds	Ceiling power cable infeed. Eight-wire				RR3-EPVR	302.
	Hardwire infeed (NYC) one direction				RR3-EPNY1	220.
	Hardwire infeed (NYC) two directions				RR3-EPNY2	331.
	Panel base end feed				RR3-REPI	262.
	Panel base side infeed				RR3-EPI	262.
	Surge suppressors				RR3-SP-(A,B,X,Y)	190.


Order Code	Specification Information	Application Notes
Example: RR3-EPVR		
RR3 Reff raceway	Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two 20-amp circuits (X and Y) with separate neutral and ground.	Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.
E Eight wire 2+2	For use in Canada, all circuits are CGA rated 15 amp capacity.	into panel base through power pole adjacent to panel with power rail. Power pole and post must be ordered separately.
P power infeed	<i>Note:</i> For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H.	Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length.
VR for vertical raceway	Beltway panels can use jumpers at the panel base in a straight run or around a corner.	RR3-EPNY2 includes two power connectors to power panels on both sides of infeed panel; RR3-EPNY1 includes only one power connector.
		Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.
		Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection

Power distribution components

3+3 Base Raceway




six circuit, ten-wire raceway for panels

power rails and connectors

description	type	w	d	h	pattern no.	list price
	24" panel	6"	2"	2"	RR3-T24	\$175.
	30" panel	12"	2"	2"	RR3-T30NS	190.
	36" panel	18"	2"	2"	RR3-T36NS	208.
	42" panel	24"	2"	2"	RR3-T42NS	220.
	48" panel	30"	2"	2"	RR3-T48NS	229.
	60" panel	42"	2"	2"	RR3-T60-4	358.
	66" panel	48"	2"	2"	RR3-T66-4	372.
	72" panel	54"	2"	2"	RR3-T72-4	398.
	Straight	16 1/2"	2"	2"	RR3-TPC24	109.
		18 1/2"	2"	2"	RR3-TPCS	109.
		20 1/4"	2"	2"	RR3-TPCM	109.
	Use RR3-TPC24 for through post 24" to 24" wide panels. Use RR3-TPCS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-TPC for all other through post power connection configurations.					
	Through post	19"	2"	2"	RR3-TPCP24	109.
		21"	2"	2"	RR3-TPCPS	109.
		22 3/4"	2"	2"	RR3-TPCPM	109.
	Use RR3-TPCP24 for through post 24" to 24" wide panels. Use RR3-TPCPS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-TPCP for all other through post power connection configurations.					
	Circuit A				RR3-DA	42.
	Circuit B				RR3-DB	42.
	Circuit C				RR3-DC	42.
	Circuit X				RR3-DX	42.
	Circuit Y				RR3-DY	42.
	Circuit Z				RR3-DZ	42.
	Circuit X				RR3-DXO	47.
	Circuit Y				RR3-DYO	47.
	Circuit Z				RR3-DZO	47.
Data Shield	1 pair				RR3-DATSHD	29.

Order Code	Specification Information	Application Notes
Example: RR3-T-24 RR3 Reff raceway T Ten wire 3+3 24 for 24" panel	Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground. A, B, X, Y outlets are identical to eight wire, 2+2 components. Duplex outlet circuits are designated by white letters on black background. In Canada, circuits carry a 15 amp load rating. <i>Note:</i> Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.	Power rails are the primary power distribution component of the Reff 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway. Rail for 24"W panel accepts one duplex outlet or power infeed one either side. Rails for 30" to 48" panels accept two outlets each side, 60", 66" and 72" rails accept four duplex outlets per side. *Power connectors must be specified according to the panel widths in the specified orientation. Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black. If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels
jumpers and infeed

description	type	w	d	h	pattern no.	list price
 Jumper	18" panel	38"	2"	2"	RR3-TJ18	\$126.
	20" panel	40"	2"	2"	RR3-TJ20	126.
	24" panel	44"	2"	2"	RR3-TJ24	137.
	30" panel	50"	2"	2"	RR3-TJ30	144.
	36" panel	56"	2"	2"	RR3-TJ36	151.
	42" panel	62"	2"	2"	RR3-TJ42	166.
	48" panel	68"	2"	2"	RR3-TJ48	182.
	54" panel run	76 1/2"	2"	2"	RR3-TJ54P	190.
	60" panel	82 1/2"	2"	2"	RR3-TJ60P	199.
	66" panel run	86 1/2"	2"	2"	RR3-TJ66P	208.
	72" panel run	94 1/2"	2"	2"	RR3-TJ72P	215.
	78" panel run	100 1/2"	2"	2"	RR3-TJ78P	220.
	84" panel run	106 1/2"	2"	2"	RR3-TJ84P	241.
 Extended jumper	90" panel run	112 1/2"	2"	2"	RR3-TJ90P	246.
	96" panel run	118 1/2"	2"	2"	RR3-TJ96P	253.
	18" + post	40 1/2"	2"	2"	RR3-TJ18P	126.
	20" + post	46 1/2"	2"	2"	RR3-TJ20P	126.
	24" + post	46 1/2"	2"	2"	RR3-TJ24P	137.
	30" + post	52 1/2"	2"	2"	RR3-TJ30P	144.
 Power infeeds	36" + post	58 1/2"	2"	2"	RR3-TJ36P	151.
	42" + post	64 1/2"	2"	2"	RR3-TJ42P	166.
	48" + post	70 1/2"	2"	2"	RR3-TJ48P	182.
	Ceiling power cable infeed. Ten-wire				RR3-TPVR	365.
	Hardwire infeed (NYC) one direction **				RR3-TPNY1	253.
	Hardwire infeed (NYC) two directions **				RR3-TPNY2	365.
	Panel base end feed				RR3-RTPI	302.
	Panel base side infeed				RR3-TPI	302.
	Surge suppressors *				RR3-SP-(A, B, C, X, Y, Z)	190.

* Select which circuit needs protecting and order the specified surge processor.

** For RR3-TPNY1 and RR3-TPNY2 specify base height of panel for NYC.

Order Code	Specification Information	Application Notes
Example: RR3-TPVR		
RR3 Reff raceway	Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A, B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground. In Canada, circuits carry a 15 amp load rating. Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection into panel base through standard power pole. Power pole and post must be ordered separately.	Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post. Cable sizes are nominal. Use the "type" column to specify the required cable for your panel. Beltway panels can use jumpers at the panel base in a straight run or around a corner.
T Ten wire 3+3		
P power infeed		
VR for vertical raceway		

Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. **RR3-TPNY2** includes two power connectors to power panels on both sides of infeed panel; **RR3-TPNY1** includes only one power connector.

Note:



For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H.

Power distribution components

Hardwire box


Reff Profiles Vol. One

Panels


description	type	pattern no.	list
Chicago Hardwire Box 1 Sided 	24" panel	RR3CHI241	\$235.
	30" panel	RR3CHI301	274.
	36" panel	RR3CHI361	295.
	42" panel	RR3CHI421	298.
	48" panel	RR3CHI481	319.
Chicago Hardwire Box 2 Sided 	24" panel	RR3CHI242	244.
	30" panel	RR3CHI302	292.
	36" panel	RR3CHI362	300.
	42" panel	RR3CHI422	304.
	48" panel	RR3CHI482	339.

Order Code	Specification Information	Application Notes
Example: RR3CHI241	Hardwire box is dedicated for panels with raceway either one or two sided, be sure to match to panel specification.	Certified electrician to install. Reff Hardwire Box Installation instruction sheet available on Knoll Exchange. Part number 6TR45715.
RR3 Reff/AutoStrada raceway G3		
CHI Chicago Hardwire Box		
24 For 24" wide panel		
1 One sided raceway		

description	type	w	pattern no.	list price
One sided power rail for use with one sided Beltway Panel. Eight wire only. 2 sided beltway panels use standard base power rail.	24" panel		RR3-E24S	\$158.
	30" panel		RR3-E30S	182.
	36" panel		RR3-E36S	199.
	42" panel		RR3-E42S	215.
	48" panel		RR3-E48S	220.



One sided power rail for use with one sided Beltway panel. Ten wire only	24" panel		RR3-T24S	190.
	30" panel		RR3-T30S	208.
	36" panel		RR3-T36S	220.
	42" panel		RR3-T42S	241.
	48" panel		RR3-T48S	246.



Order Code	Specification Information	Application Notes	
Example: RR3-E24S	Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector. Two side beltway panels use power rail for base. Single side beltway panel use one sided power rail for base. <i>Note:</i> When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.	Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages. Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.	
RR3 Reff raceway			Vertical Adjacent Jumper * *Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers. Vertical Jumper When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.
E Eight wire 3+3			
24 For 24" panel			
S Single sided power			
*Power connectors must be specified according to the panel widths in the specified orientation.			


description	type	w	pattern no.	list price
Beltway ribbon connector For eight or ten wire*	Beltway post	16 1/2"	RR3-LTPC24	\$109.
	Beltway post	19 1/2"	RR3-LTPC	109.
	Beltway post	21 1/2"	RR3-LTPCP	109.






Only necessary for post applications where cable will turn 90°ree.
A standard power connector will go through a post in a straight run.

Vertical Jumper for linking base raceway and Beltway power rails in the same panel	For 30" wide Beltway panels (10 Wire)	RR3-TBBCS	158.
	For 30" wide Beltway panels (8 Wire)	RR3-EBBCS	150.
	For 36" to 48" wide Beltway panels (10 Wire)	RR3-TBBCCL	167.
	For 36" to 48" wide Beltway panels (8 Wire)	RR3-EBBCL	158.


Vertical Adjacent Jumper** For linking power to beltway from an adjacent panel	24" wide Eight Wire	RR3EJ48	151.
	24" wide Ten Wire	RR3TJ48	182.
	30" wide Ten Wire	RR3TJ60P	199.
	30" wide Ten Wire	RR3TJ60P	199.
	36" wide Eight Wire	RR3EJ60P	166.
	36" wide Eight Wire	RR3EJ60P	166.
	42" wide Eight Wire	RR3EJ66P	175.
	42" wide Ten Wire	RR3TJ66P	208.
	48" wide Eight Wire	RR3EJ72P	182.
	48" wide Ten Wire	RR3TJ72P	215.



Order Code	Specification Information	Application Notes
Example: RR3-E24S	Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.	Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.
RR3 Reff raceway		
E Eight wire 3+3		
24 For 24" panel		
S Single sided power	Two side beltway panels use power rail for base.	Vertical Adjacent Jumper * *Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.
*Power connectors must be specified according to the panel widths in the specified orientation.		
<i>Note:</i> When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.		
		Vertical Jumper When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	pattern no.	list price
Face plates	Cover, data jack (set of 10)	RR3-FB	\$15.
	Faceplate extender, black	RR3-FE	36.
	Three port faceplate, black	RR3-3PF	10.
	Two port faceplate, black	RR3-2PF	10.
 Snap in module (must be used with faceplate)	BNC coupler, black	RR3-BNC	22.
	Cat 3 RJ11/14/25, black	RR3-C3C	14.
	CAT 5 RJ45 universal	RR3-C5C	22.
	CAT 6 universal	RR3-C6C	37.
	F series video coupler, black	RR3-FV	22.
	ST style coupler, black	RR3-ST	37.
 Icons (sets of 10)	Data icons, 16 piece black	RR3-DICON	15.
	Mixed icons, 16 piece black	RR3-MICON	15.
	Phone icons, 16 piece black	RR3PICON	15.
 Plate and module kits	4 Cat 5 RJ45-T568A extended face, black	RR3-C5C4A	148.
	4 Cat 5 RJ45-T568B extended face, black	RR3-C5C4B	148.
 Fiber optics	Sc style dual fiber optic side mount	RR3-FOSC	187.
	ST style dual fiber optic side mount	RR3-FOST	106.
 Desktop duplex monument	2-RJ11 (telephone)	RGMD6	112.
	2-RJ45's (phone and intercom)	RGMD8	125.
	Duplex outlet (electrical)	RGMDE	136.

Order Code	Specification Information	Application Notes
Example: RR3-2PF		
RR3 Reff raceway	All face plates and snap in modules are black.	Faceplate Extender is a 1/2" spacer which provides more depth for the faceplate to reside in, thereby increasing the space inside the Raceway.
2PF Two port face	Icons can be ordered to distinguish intended use.	
Example: RR3-C5CA		
RR3 Reff raceway	*The RR3-C5C universal CAT 5 RJ45 module will accept EIA-T568A and EIA-T568B wiring methods.	Faceplates are ordered separately from snap in modules and can be configured on sight.
C5CA Cat5 RJ45s	Face plates and plate kits snap into raceway openings on Reff Base Raceway and Reff Beltway.	
		See Planning Guide for drawings depicting the detail of the data modules.





Ported Panel Components

Reff and AutoStrada ported panel components offer a cost effective alternative to using beltway panels which will provide users convenient access to data or power outlets at any user defined height on a Reff and AutoStrada panel. Ports are one sided and may be installed below a worksurface, at desk height or even within a panel hung overhead storage unit.

Select option "Milled for ported components" when specifying panels. Ports may be added as technology needs change. Ports are field installed on the left or right hand side of a panel's vertical frame in fabric inserts only. Installation instructions will be shipped with each kit, including a template for port placement along the vertical frame.

Panel jumpers are used to connect standard base electrical to the ported panel kit. Jumpers can be specified to connect a port within the same panel or to adjacent panels. Panel jumpers always pass through base raceway. If one port is installed, an additional port may be added within the same panel with an internal power jumper between the two ports. Ports can also be daisy-chained together in adjacent panels. Ported panel components are not available for stackable modules.

The kit includes a bracket set and cover plate and is ordered separately from the modular power components. Specify electrical components as you would for base raceway power then add the ported panel bracket kit, applicable duplexes and power jumpers.




Vertical power port bracket kit and duplex.

Reff Ported Panel Components


port, vertical duplex and panel jumpers

Reff Profiles Vol. One


description	type	pattern no.	list price
Port	Floating data port	RR3FDP	\$59.
	Vertical Power Port Bracket Kit (includes bracket, cover plate & installation instructions)	RR3VPBK	93.



Vertical Duplex	Vertical Duplex A (8/10 wire applications)	RR3VDA	31.
	Vertical Duplex B (8/10 wire applications)	RR3VDB	31.
	Vertical Duplex C (10 wire applications)	RR3VDC	31.
	Vertical Duplex X (8/10 wire applications)	RR3VDX	31.
	Vertical Duplex X Iso (8/10 wire applications)	RR3VDXO	31.
	Vertical Duplex Y (8/10 wire applications)	RR3VDY	31.
	Vertical Duplex Y Iso (8/10 wire applications)	RR3VDYO	31.
	Vertical Duplex Z (10 wire applications)	RR3VDZ	31.
	Vertical Duplex Z Iso (10 wire applications)	RR3VDZO	31.



Same Panel Jumper, 8w	30" Same Panel Jumper 50" 8w	RR3EBVC50	158.
	30" Same Panel Jumper 64" 8w	RR3EBVC64	172.
	30" Same Panel Jumper 78" 8w	RR3EBVC78	187.
	36" + Same Panel Jumper 62" 8w	RR3EBVC62	171.
	36" + Same Panel Jumper 76" 8w	RR3EBVC76	186.
	36" + Same Panel Jumper 90" 8w	RR3EBVC90	203.



Same Panel Jumper, 10w	30" Same Panel Jumper 50" 10w	RR3TBVC50	181.
	30" Same Panel Jumper 64" 10w	RR3TBVC64	199.
	30" Same Panel Jumper 78" 10w	RR3TBVC78	217.
	36" + Same Panel Jumper 62" 10w	RR3TBVC62	194.
	36" + Same Panel Jumper 76" 10w	RR3TBVC76	213.
	36" + Same Panel Jumper 90" 10w	RR3TBVC90	229.

Order Code	Specification Information	Application Note
Example: RR3FDP	For data and communications specify product listed on page 136.	30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port. 50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h
RR3 Reff		
F Floating	36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port. 62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h	If harness is in base of 24" panel you can not jump vertically, must remove harness. A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness.
DP Data Port		
		Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application. Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high All covers plates and snap in modules are black.


Reff Ported Panel Components

port, vertical duplex and panel jumpers

Reff Profiles Vol. One


Panels

description	type	pattern no.	list price
Adjacent Panel Jumper, 10w	Adjacent Panel Jumper 110" 10w	RR3TVJ110	\$249.
	Adjacent Panel Jumper 82" 10w	RR3TVJ82	214.
	Adjacent Panel Jumper 96" 10w	RR3TVJ96	232.



Adjacent Panel Jumper, 8w	Adjacent Panel Jumper 110" 8w	RR3EVJ110	218.
	Adjacent Panel Jumper 82" 8w	RR3EVJ82	190.
	Adjacent Panel Jumper 96" 8w	RR3EVJ96	207.

Internal Panel Jumper	Internal Panel Jumper 10 w	RR3TVJ	159.
	Internal Panel Jumper 8 w	RR3EVJ	148.



Order Code

Example: **RR3FDP**
RR3 Reff
F Floating
DP Data Port

Specification Information

For data and communications specify product listed on page 136.

30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port.
 50" will support port location in extreme top corner of 49"h
 64" will support port location in extreme top corner of 64"h
 78" will support port location in extreme top corner of 79"h

36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port.
 62" will support port location in extreme top corner of 49"h
 76" will support port location in extreme top corner of 64"h
 90" will support port location in extreme top corner of 79"h

If harness is in base of 24" panel you can not jump vertically, must remove harness.


A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness.

Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application.


Adjacent Panel Jumpers:
 82" is max for 49" high panel
 96" is max if panel is 64" high
 110" is max if panel is 79" high

All covers plates and snap in modules are black.


Legs and End Supports




L-Leg
Leg: 3" x 3"
Top plates: 5 1/2" x 5 1/2"
Flush with worksurface edges
Finishes: painted or anodized
Available on rectilinear peninsulas;
square and rectangular 1 1/2" tables
Available in pairs




Soft Rectangular Leg
Leg: 2" x 3"
Top plates: 5 1/2" x 5 1/2"
Flush with worksurface edges
Finishes: painted or anodized
Available on rectilinear peninsulas;
square and rectangular 1 1/2" tables
Available in pairs




Open Frame Leg
Leg: 2 1/4" thick
Top plates (2): 6" x 6"
Flush with worksurface edges
Finishes: painted or anodized
Available on rectilinear peninsulas;
rectangular 1 1/2" tables
Available with laminate or wood
veneer infill panels



Reverse L-leg
Leg: 3" x 3"
Top plates: 5 1/2" x 5 1/2"
Flush with worksurface edges
Finishes: painted or anodized
Available on rectilinear peninsulas;
square and rectangular 1 1/2" tables
Available in pairs



Column Leg
Leg: 3" diameter
Top plate: 10" x 10" (peninsulas)
Top plate: 7 5/8" x 7 5/8" (triangular tables)
Flush with worksurface edges
Finishes: painted or plated
Available on bullet, D, P and 9
peninsulas; 2 1/2" and 4" diameter
available on 1 1/2" tables



Thick End Panel
Leg: 2 1/16" thick
Top bracket: extends 1 5/8" inboard x
2 5/16" from front and back edges
Flush with worksurface edges
Finishes: laminate or wood veneer
Veneer direction is vertical
Available on rectilinear peninsulas
Not sold separately

Worksurfaces

The selection of worksurface sizes and their relationship to each other are primary considerations when planning a Reff Profiles office. Refer to the illustrations in the Introduction to Desk Height Planning to see how the various heights of storage and worksurface supports relate to the choice of worksurface thickness. Reff worksurfaces are available in three thicknesses: 1", 1 1/4" and 1 1/2". Construction details specific to the 1 1/4" thick surfaces, including Cascade and Edge Detail surfaces, can be found in the Reff Planning Guide circa 2000 (Pages 29 and 86)

When selecting top sizes consider whether storage components can be used to support the surfaces and what other worksurface supports will be required.

NOTE: Additional support is required when using 1" thick credenza tops for unsupported spans over 36". 1 1/4" thick worksurfaces require additional support for an unsupported span of more than 48". When using 1 1/2" thick worksurfaces the maximum unsupported span is 54".

NOTE: All dimensions shown in these descriptions and on the Worksurface price pages are nominal dimensions. Actual widths are 1/16" less than nominal. Actual depths are 1/8" less than nominal.

Construction

All worksurfaces feature 3-ply construction (see figure below) and can be specified in laminate, veneer or laminate tops with veneer edges. Laminate tops have a laminate top surface with an FSC-certified, 45-pound density particle board core and neutral tone backer sheet for balanced construction. Edges match the top in 2.0mm ABS with 2.0mm radius top and bottom edges. Ends overlap the front and back edges (see figure below).

Techwood and natural veneer tops have a veneer top surface, an FSC-certified, 45-pound density particle board core and a neutral tone backer sheet for balanced construction. Veneer tops have matching finish 2.0mm thick solid veneer edges on all sides. Edges have a 2.0mm radius on the top and bottom.

All worksurfaces except Bridge Rectilinear worksurfaces are pre-drilled with pilot holes for use with wood screws.

Application Notes


1 1/4" Straight Rectilinear worksurfaces are available in 20", 24", 30" and 36" depths for regular worksurface applications. Widths available range from 24" to 96" in 6" increments.

1 1/2" Straight Rectilinear worksurfaces are available in 20", 24", 30" and 36" depths for regular worksurface applications. Widths available range from 24" to 108" in 6" increments.


Bridge Rectilinear worksurfaces are 1 1/2" thick and available from 36"W to 54" wide in 6 inch increments in either 20" or 24" depths. They can be ordered with the grain specified to run either vertically (across the depth of the surface) or horizontally (along the length of the surface) when specified in wood grain laminate or veneer finish.

Credenza Tops are available in both 1" and in 1 1/2" thicknesses and in widths from 60" to 108" in 6" increments.

Rectilinear worksurfaces can be specified in non-standard dimensions. For information, contact Knoll Custom Product Development



Top Construction



Edge Banding

1 ¼" Worksurface Straight Rectilinear

Size Availability & Grain Direction

	20"D	24"D	30"D	36"D
24"W				
30"W				
36"W				
42"W				
48"W				
54"W				
60"W				
66"W				
72"W				
78"W				
84"W				
90"W				
96"W				

1 ½" Worksurface Straight Rectilinear

Size Availability & Grain Direction

	20"D	24"D	30"D	36"D
24"W				
30"W				
36"W				
42"W				
48"W				
54"W				
60"W				
66"W				
72"W				
78"W				
84"W				
90"W				
96"W				
108"W				

1 ½" Bridge Rectilinear

Size Availability & Grain Direction

	20"D	24"D
36"W		
42"W		
48"W		
54"W		

Horizontal Grain Direction

	20"D	24"D
36"W		
42"W		
48"W		
54"W		

Vertical Grain Direction

1 ½" Worksurface Credenza

Size Availability & Grain Direction

60"W		
66"W		
72"W		
78"W		
84"W		
90"W		
96"W		
108"W		

1" Worksurface Credenza

Size Availability & Grain Direction

60"W		
66"W		
72"W		
78"W		
84"W		
90"W		
96"W		
108"W		

Grommets

Grommets are optional and must be specified by adding the appropriate designation to the pattern number. Designations are:

- N = No grommet
- F = Flush grommet location
- R = Recessed grommet location

Rectilinear worksurfaces 24" to 48" wide receive one grommet centered on the back edge of the worksurface. Rectilinear worksurfaces over 48" wide receive two grommets along the back edge.

1 1/4" and 1 1/2" thick rectilinear tops are available with no grommet, flush grommet or recessed grommets locations.

1 1/4" thick tops are available with additional grommet options; **Classic type** and **Profile type**.

Classic type grommets sit even with top of the worksurface.

Profiles type grommets have a 1/16" thick flange which rests above the worksurface.

These 2 types of grommets, provides additional grommet options for 1 1/4" thick tops (only);

- CF = Classic grommet in flush location
- PF = Profiles grommet in flush location
- CR = Classic grommet in Recessed location
- PR = Profiles grommet in Recessed location
- CA = Classic grommet in Alternative location
- PA = Profiles grommet in Alternative location

* CA & PA are available on 36" deep tops only.

1 1/2" thick credenza tops come standard with a 1 3/8" deep edge grommet which runs along the rear of the worksurface to within 6" of each end (see figure below).

The 1" credenza tops are available with or without an edge grommet.

Refer to page 102 of the Reff Planning Guide, circa 2000, for 2" x 3" grommet locations.

For non-standard grommet locations contact Knoll Custom Product Development.


Planning for Worksurface Thicknesses

Critical to the correct specification of Reff Profiles is an understanding of worksurface thicknesses, support component heights and their relationship to each other. Worksurfaces and support components can be combined to create the following overall finish heights:

23 3/8" – Intended as a credenza height in 28 3/8"H planning scenarios; this height is achieved using 1" thick worksurfaces with 22 3/8"H (3/4 height) storage components.


27 3/4" – Intended as the overall worksurface height in a panel supported workstation scenario; this height is achieved by combining "Standard height" 26 1/2" storage or support components with 1 1/4" thick worksurfaces.

29 7/8" – Intended as the overall worksurface height in freestanding office scenarios; this height is achieved by combining "Desk height" 28 3/8" storage or support components with 1 1/2" thick worksurfaces.



Worksurface 1 1/4"
rectilinear
20" and 24" deep


Reff Profiles Vol. One

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	RSA241-() ()	\$331.	\$369.	\$425.	\$572.
		30"	RSA301-() ()	363.	406.	465.	627.
		36"	RSA361-() ()	384.	427.	490.	664.
		42"	RSA421-() ()	398.	447.	514.	694.
		48"	RSA481-() ()	419.	464.	534.	720.
		54"	RSA541-() ()	435.	482.	557.	754.
		60"	RSA601-() ()	470.	521.	599.	811.
		66"	RSA661-() ()	480.	538.	620.	836.
		72"	RSA721-() ()	509.	567.	649.	877.
		78"	RSA781-() ()	515.	572.	658.	890.
		84"	RSA841-() ()	546.	613.	701.	946.
		90"	RSA901-() ()	572.	634.	729.	986.
		96"	RSA961-() ()	593.	658.	757.	1,021.
	24"	24"	RSA242-() ()	348.	387.	447.	603.
		30"	RSA302-() ()	394.	437.	506.	681.
		36"	RSA362-() ()	407.	459.	523.	706.
		42"	RSA422-() ()	424.	470.	541.	729.
		48"	RSA482-() ()	450.	506.	580.	782.
		54"	RSA542-() ()	480.	538.	620.	836.
		60"	RSA602-() ()	520.	578.	661.	895.
		66"	RSA662-() ()	532.	595.	686.	925.
		72"	RSA722-() ()	560.	622.	718.	969.
		78"	RSA782-() ()	583.	651.	753.	1,014.
		84"	RSA842-() ()	608.	679.	780.	1,054.
		90"	RSA902-() ()	639.	707.	813.	1,097.
		96"	RSA962-() ()	661.	735.	847.	1,143.

Order Code	Specification Information	Application Notes
Example: RSA241RL	<i>To order please specify pattern number including:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
R Reff	<i>1. Grommet options:</i>	Worksurface stiffeners recommended to provide additional support for open spans greater than 54"w.
S Straight top	CF = Classic grommet in Flush location	These worksurfaces are predrilled with pilot holes for use with wood screws.
A 1 1/4" thick	PF = Profiles grommet in Flush location	Classic type grommet sits even with top of the worksurface.
24 24" wide	N = No Grommet	Profiles type grommets have a 1/16" thick flange which rests above the worksurface.
1 20" deep	<i>2. Grommet finishes:</i>	Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only.
CF Grommet Option	Painted or Plated	Note: Recessed grommet location is note recommended for 20" and 24" deep tops.
111 Jet Black (grommet)	<i>3. Finish type:</i>	
L Laminate finish	L = Laminate	
114 Folkstone grey	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	

Worksurface 1 1/4"
rectilinear
30" and 36" deep

Reff Profiles Vol. One

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	RSA243- () ()	\$381.	\$422.	\$483.	\$652.
		30"	RSA303- () ()	427.	475.	546.	738.
		36"	RSA363- () ()	459.	513.	588.	792.
		42"	RSA423- () ()	477.	532.	614.	829.
		48"	RSA483- () ()	511.	569.	652.	882.
		54"	RSA543- () ()	552.	616.	704.	951.
		60"	RSA603- () ()	573.	635.	731.	988.
		66"	RSA663- () ()	582.	650.	752.	1,013.
		72"	RSA723- () ()	600.	667.	765.	1,033.
		78"	RSA783- () ()	627.	698.	803.	1,083.
		84"	RSA843- () ()	650.	726.	835.	1,127.
		90"	RSA903- () ()	682.	758.	874.	1,180.
		96"	RSA963- () ()	706.	787.	905.	1,222.
	36"	60"	RSA604- () ()	659.	734.	842.	1,137.
		66"	RSA664- () ()	682.	759.	876.	1,181.
		72"	RSA724- () ()	705.	786.	904.	1,221.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RSA243RL	<i>To order please specify pattern number including:</i>	
R Reff	1. Top thickness	4. <i>Top finish</i>
S Straight top	2. Grommet option	Product on this page will accept woodgrain laminate where laminate is currently an option.
A 1 1/4" thick	3. Top finish type	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
24 24" wide	4. Top finish	Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.
3 30" deep	5. Grommet finish	Note: Recessed front grommets are only advisable for 30" & 36" deep tops.
CR Grommet option	1. <i>Grommet options:</i> CF = Classic grommet in Flush location. CR = Classic grommet in Recessed location. PF = Profiles grommet in Flush location. PR = Profiles grommet in Recessed location. N = No grommet *CA = Classic grommet in Alternative location. *PA = Profile grommet in Alternative location. * Note: FA and PA are for 36"D tops only.	Products on this page are shipped without hardware which must be ordered separately from the support components section. Worksurface stiffeners recommended to provide additional support for open spans greater than 54"w. These worksurfaces are predrilled with pilot holes for use with wood screws. Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface. Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only. Note: Recessed grommet location is not recommended for 20" and 24" deep tops.
111 Jet Black (grommet)	2. <i>Grommet finish:</i> Painted or Plated	
L Laminate finish	3. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
114 Folkstone grey		

Worksurface 1 1/4"

Return and Bridge rectilinear

Horizontal or vertical grain direction

Reff Profiles Vol. One

description	d	w	pattern no.	L	V1	V2	V3
Return / Bridge 1 1/4" thick 	20"	36"	RSAR361(H/V) () ()	\$384.	\$427.	\$490.	\$664.
		42"	RSAR421(H/V) () ()	398.	447.	514.	694.
		48"	RSAR481(H/V) () ()	419.	464.	534.	720.
		54"	RSAR541(H/V) () ()	435.	482.	557.	754.
		60"	RSAR601(H/V) () ()	470.	521.	599.	811.
		66"	RSAR661(H/V) () ()	480.	538.	620.	836.
		72"	RSAR721(H/V) () ()	509.	567.	649.	877.
	24"	36"	RSAR362(H/V) () ()	407.	459.	523.	706.
		42"	RSAR422(H/V) () ()	424.	470.	541.	729.
		48"	RSAR482(H/V) () ()	450.	506.	580.	782.
		54"	RSAR542(H/V) () ()	480.	538.	620.	836.
		60"	RSAR602(H/V) () ()	520.	578.	661.	895.
		66"	RSAR662(H/V) () ()	532.	595.	686.	925.
		72"	RSAR722(H/V) () ()	560.	622.	718.	969.

Order Code

Example:	RSAR361(H/V) () ()
R	Reff
S	Straight top
A	1 1/4" thick top
R	Return
36	36" wide
1	20" deep
H/V	Horizontal or Vertical grain
CF	Grommet option
111	Grommet finish
V316	Worksurface finish

Specification Information


To order please specify pattern number including:

- Grommet option:
CF = Classic grommet in Flush location.
PF = Profiles grommet in Flush location.
N = No grommet
- Grommet finish:
Painted or Plated
- Worksurface finish:
L, V1, V2, V3

Application Notes

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.


L-shaped / Double: Spanning 2 worksurfaces



Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface.



Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.

U-shaped / Triple: Spanning 3 worksurfaces



Worksurface 1 1/4" rectilinear corner tops

Reff Profiles Vol. One

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20" Corner worktops, straight front corners 	20"	20"	36"	36"	RKA 363611-() ()	\$681.	\$781.	\$899.	\$1,214.
	20"	20"	36"	42"	RKA 364211-() ()	720.	830.	950.	1,281.
	20"	20"	36"	48"	RKA 364811-() ()	764.	878.	1,011.	1,364.
	20"	20"	42"	36"	RKA 423611-() ()	720.	830.	950.	1,281.
	20"	20"	42"	42"	RKA 424211-() ()	764.	878.	1,011.	1,364.
	20"	20"	42"	48"	RKA 424811-() ()	833.	958.	1,103.	1,488.
	20"	20"	48"	36"	RKA 483611-() ()	764.	878.	1,011.	1,364.
	20"	20"	48"	42"	RKA 484211-() ()	833.	958.	1,103.	1,488.
24" Corner worktops, straight front corners 	24"	24"	36"	36"	RKA 363622-() ()	774.	885.	1,018.	1,375.
	24"	24"	36"	42"	RKA 364222-() ()	813.	934.	1,072.	1,448.
	24"	24"	36"	48"	RKA 364822-() ()	856.	984.	1,128.	1,524.
	24"	24"	42"	36"	RKA 423622-() ()	813.	934.	1,072.	1,448.
	24"	24"	42"	42"	RKA 424222-() ()	856.	984.	1,128.	1,524.
	24"	24"	42"	48"	RKA 424822-() ()	925.	1,064.	1,225.	1,652.
	24"	24"	48"	36"	RKA 483622-() ()	856.	984.	1,128.	1,524.
	24"	24"	48"	42"	RKA 484222-() ()	925.	1,064.	1,225.	1,652.
	24"	24"	48"	48"	RKA 484822-() ()	971.	1,116.	1,280.	1,727.

Order Code	Specification Information	Application Notes
Example: RKA363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff		
K Straight front corner		
A 1 1/4" top thickness	<i>1. Grommet options:</i>	
36 36" wide on left back	CF = Classic grommet in flush location	
36 36" wide on right back	PF = Profiles grommet in flush location	
1 20" deep on left side	N = No Grommet	
1 20" deep on right side		
N No grommet option	<i>2. Grommet finish:</i>	
	Painted or Plated	
	<i>3. Finish type:</i>	
1 V1 finish	L = Laminate	
Y324 Ash	M = Wood/laminate mixed	
() Grommet Finish	1 = V1	
	2 = V2	
	3 = V3	
	<i>4. Top finish</i>	

These worksurfaces are predrilled with pilot holes for use with wood screws.

Actual widths are 1/16" less all around on corner worksurfaces.

Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface.

Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.



Knoll accepts no responsibility for special grommet locations which interfere with support hardware.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface 1 1/4" rectilinear corner tops





Reff Profiles Vol. One

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20"/24" Corner worktops, straight front corners 	20"	24"	36"	36"	RKA 363612-() ()	\$709.	\$813.	\$939.	\$1,266.
	20"	24"	36"	42"	RKA 364212-() ()	750.	862.	989.	1,335.
	20"	24"	36"	48"	RKA 364812-() ()	796.	912.	1,050.	1,416.
	20"	24"	42"	36"	RKA 423612-() ()	750.	862.	989.	1,335.
	20"	24"	42"	42"	RKA 424212-() ()	796.	912.	1,050.	1,416.
	20"	24"	42"	48"	RKA 424812-() ()	867.	992.	1,144.	1,545.
	20"	24"	48"	36"	RKA 483612-() ()	796.	912.	1,050.	1,416.
	20"	24"	48"	42"	RKA 484212-() ()	867.	992.	1,144.	1,545.
	20"	24"	48"	48"	RKA 484812-() ()	909.	1,046.	1,201.	1,622.
24"/20" Corner worktops, straight front corners 	24"	20"	36"	36"	RKA 363621-() ()	709.	813.	939.	1,266.
	24"	20"	36"	42"	RKA 364221-() ()	750.	862.	989.	1,335.
	24"	20"	36"	48"	RKA 364821-() ()	796.	912.	1,050.	1,416.
	24"	20"	42"	36"	RKA 423621-() ()	750.	862.	989.	1,335.
	24"	20"	42"	42"	RKA 424221-() ()	796.	912.	1,050.	1,416.
	24"	20"	42"	48"	RKA 424821-() ()	867.	992.	1,144.	1,545.
	24"	20"	48"	36"	RKA 483621-() ()	796.	912.	1,050.	1,416.
	24"	20"	48"	42"	RKA 484221-() ()	867.	992.	1,144.	1,545.
	24"	20"	48"	48"	RKA 484821-() ()	909.	1,046.	1,201.	1,622.

Order Code	Specification Information	Application Notes
Example: RKA363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff		
K Straight front corner		
A 1 1/4" top thickness	<i>1. Grommet options:</i>	
36 36" wide on left back	CF = Classic grommet in flush location	
36 36" wide on right back	PF = Profiles grommet in flush location	
1 20" deep on left side	N = No Grommet	
1 20" deep on right side		
N No grommet option	<i>2. Grommet finish:</i>	
	Painted or Plated	
	<i>3. Finish type:</i>	
	L = Laminate	
Y324 Ash	M = Wood/laminate mixed	
() Grommet Finish	1 = V1	
	2 = V2	
	3 = V3	
	<i>4. Top finish</i>	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Product on this page will accept woodgrain laminate where laminate is currently an option.
		These worksurfaces are predrilled with pilot holes for use with wood screws.
		Actual widths are 1/16" less all around on corner worksurfaces.
		Classic type grommet sits even with top of the worksurface.
		Profiles type grommets have a 1/16" thick flange which rests above the worksurface.
		Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.

Worksurface 1 1/4" transition wave tops

Reff Profiles Vol. One

description	d	w	d	pattern no.	L	M/V1	V2	V3
Wave top transition (right 20") 	24"	42"	20"	RWA4221-() ()	\$408.	\$472.	\$543.	\$734.
	24"	48"	20"	RWA4821-() ()	432.	495.	570.	768.
	24"	54"	20"	RWA5421-() ()	464.	530.	613.	827.
	24"	60"	20"	RWA6021-() ()	494.	568.	651.	880.
	24"	66"	20"	RWA6621-() ()	510.	586.	672.	906.
	24"	72"	20"	RWA7221-() ()	531.	614.	702.	948.
Wave top transition (left 24") 	24"	36"	30"	RWA3623-() ()	425.	489.	564.	759.
	24"	42"	30"	RWA4223-() ()	443.	511.	586.	788.
	24"	48"	30"	RWA4823-() ()	463.	527.	607.	821.
	24"	54"	30"	RWA5423-() ()	496.	570.	655.	885.
	24"	60"	30"	RWA6023-() ()	530.	613.	701.	946.
	24"	66"	30"	RWA6623-() ()	550.	631.	727.	984.
	24"	72"	30"	RWA7223-() ()	578.	664.	762.	1,028.
Wave top transition (left 20") 	20"	42"	24"	RWA4212-() ()	408.	472.	543.	734.
	20"	48"	24"	RWA4812-() ()	432.	495.	570.	768.
	20"	54"	24"	RWA5412-() ()	464.	530.	613.	827.
	20"	60"	24"	RWA6012-() ()	494.	568.	651.	880.
	20"	66"	24"	RWA6612-() ()	510.	586.	672.	906.
	20"	72"	24"	RWA7212-() ()	531.	614.	702.	948.
Wave top transition (right 24") 	30"	36"	24"	RWA3632-() ()	425.	489.	564.	759.
	30"	42"	24"	RWA4232-() ()	443.	511.	586.	788.
	30"	48"	24"	RWA4832-() ()	463.	527.	607.	821.
	30"	54"	24"	RWA5432-() ()	496.	570.	655.	885.
	30"	60"	24"	RWA6032-() ()	530.	613.	701.	946.
	30"	66"	24"	RWA6632-() ()	550.	631.	727.	984.
	30"	72"	24"	RWA7232-() ()	578.	664.	762.	1,028.

Order Code	Specification Information	Application Notes
Example: RWA4221FL	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff		36"D wave end top requires 24"D end panel for support.
W Wave top transition	1. <i>Grommet options:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	CF = Classic grommet in flush location	
42 42" wide	PF = Profiles grommet in flush location	
2 24" deep on left side	N = No Grommet	
1 20" deep on right side	2. <i>Grommet finish:</i>	These worksurfaces are predrilled with pilot holes for use with wood screws.
CF Grommet option	Painted or Plated	Curvilinear worksurfaces only available in 1 1/4" thick.
111 Jet Black (grommet)	3. <i>Finish type:</i>	See Planning Guide for grommet locations.
L Laminate finish	L = Laminate	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
114 Folkstone grey	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	4. <i>Top finish</i>	
	Classic type grommet sits even with top of the worksurface.	
	Profiles type grommets have a 1/16" thick flange which rests above the worksurface.	
	Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.	

Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.





Slope section of top remains 2 1/4" on all tops. The straight section grows with length of top.

Worksurface stiffeners recommended to provide additional support for open spans greater than 54" w.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface 1 1/4" transition wave top ends

Reff Profiles Vol. One

description	depth	w	d	pattern no.	L	M/V1	V2	V3
Wave top end, (right 20") 	20"	36"	32"	RWEA3631-()	\$544.	\$625.	\$721.	\$971.
	20"	42"	32"	RWEA4231-()	567.	650.	752.	1,013.
	20"	48"	32"	RWEA4831-()	597.	687.	788.	1,064.
Wave top end, (right 24") 	24"	36"	36"	RWEA3662-()	564.	648.	744.	1,005.
	24"	42"	36"	RWEA4262-()	581.	668.	768.	1,037.
	24"	48"	36"	RWEA4862-()	618.	706.	812.	1,096.
Wave top end, (left 20") 	32"	36"	20"	RWEA3613-()	544.	625.	721.	971.
	32"	42"	20"	RWEA4213-()	567.	650.	752.	1,013.
	32"	48"	20"	RWEA4813-()	597.	687.	788.	1,064.
Wave top end, (left 24") 	36"	36"	24"	RWEA3626-()	564.	648.	744.	1,005.
	36"	42"	24"	RWEA4226-()	581.	668.	768.	1,037.
	36"	48"	24"	RWEA4826-()	618.	706.	812.	1,096.

Order Code	Specification Information	Application Notes
Example: RWEA3631FL	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff		
E Wave top ends	<i>1. Grommet options:</i>	36"D wave end top requires 24"D end panel for support.
A 1 1/4" thick	CF = Classic grommet in flush location	Products on this page are shipped without hardware which must be ordered separately from the support components section.
36 36" wide	PF = Profiles grommet in flush location	These worksurfaces are predrilled with pilot holes for use with wood screws.
3 32" deep on left side	N = No Grommet	Curvilinear worksurfaces only available in 1 1/4" thick.
1 20" deep on right side		See Planning Guide for grommet locations.
CF Grommet option	<i>2. Grommet finish:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
111 Jet Black (grommet)	Painted or Plated	
L Laminate finish	<i>3. Finish type:</i>	
114 Folkstone grey	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>4. Top finish</i>	
	Product on this page will accept woodgrain laminate where laminate is currently an option.	

Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.


Slope section of top remains 21 3/4" on all tops. The straight section grows with length of top.

Worksurface stiffeners recommended to provide additional support for open spans greater than 54"w.

Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface.
Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.

Worksurface 1 1/4" curvilinear corner tops - 20" Deep

Reff Profiles Vol. One

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 20") 	20"	20"	36"	36"	RCA363611 -() ()	\$681.	\$781.	\$899.	\$1,214.
	20"	20"	36"	42"	RCA364211 -() ()	720.	830.	950.	1,281.
	20"	20"	36"	48"	RCA364811 -() ()	764.	878.	1,011.	1,364.
	20"	20"	42"	36"	RCA423611 -() ()	720.	830.	950.	1,281.
	20"	20"	42"	42"	RCA424211 -() ()	764.	878.	1,011.	1,364.
	20"	20"	42"	48"	RCA424811 -() ()	833.	958.	1,103.	1,488.
	20"	20"	48"	36"	RCA483611 -() ()	764.	878.	1,011.	1,364.
	20"	20"	48"	42"	RCA484211 -() ()	833.	958.	1,103.	1,488.
	20"	20"	48"	48"	RCA484811 -() ()	879.	1,011.	1,161.	1,567.
Corner worktops, Curved front corner (Left return 24", Right return 20")	24"	20"	36"	36"	RCA363621 -() ()	709.	813.	939.	1,266.
	24"	20"	36"	42"	RCA364221 -() ()	750.	862.	989.	1,335.
	24"	20"	36"	48"	RCA364821 -() ()	796.	912.	1,050.	1,416.
	24"	20"	42"	36"	RCA423621 -() ()	750.	862.	989.	1,335.
	24"	20"	42"	42"	RCA424221 -() ()	796.	912.	1,050.	1,416.
	24"	20"	42"	48"	RCA424821 -() ()	867.	992.	1,144.	1,545.
	24"	20"	48"	36"	RCA483621 -() ()	796.	912.	1,050.	1,416.
	24"	20"	48"	42"	RCA484221 -() ()	867.	992.	1,144.	1,545.
	24"	20"	48"	48"	RCA484821 -() ()	909.	1,046.	1,201.	1,622.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCA363611N1	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
R Reff	<i>1. Grommet options:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
C Curved front corner	CF = Classic grommet in flush location	Product on this page will accept woodgrain laminate where laminate is currently an option.
A 1 1/4" thick	PF = Profiles grommet in flush location	These worksurfaces are predrilled with pilot holes for use with wood screws.
36 36" wide on left back	N = No Grommet	Curvilinear worksurfaces only available in 1 1/4" thick.
36 36" wide on right back	<i>2. Grommet finish:</i>	See Planning Guide for grommet locations.
1 20" deep on left side	Painted or Plated	
1 20" deep on right side	<i>3. Finish type:</i>	
N No grommet	L = Laminate	
CF Grommet finish	M = Wood/laminate mixed	
1 V1 finish	1 = V1	
Y324 Ash	2 = V2	
	3 = V3	
	<i>4. Top finish</i>	

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Please call Custom Product Development for special grommet locations.

Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface.

Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.

Worksurface 1 1/4" curvilinear corner tops - 24" Deep

Reff Profiles Vol. One

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 24")	20"	24"	36"	36"	RCA363612-() ()	\$709.	\$813.	\$939.	\$1,266.
	20"	24"	36"	42"	RCA364212-() ()	750.	862.	989.	1,335.
	20"	24"	36"	48"	RCA364812-() ()	796.	912.	1,050.	1,416.
	20"	24"	42"	36"	RCA423612-() ()	750.	862.	989.	1,335.
	20"	24"	42"	42"	RCA424212-() ()	796.	912.	1,050.	1,416.
	20"	24"	42"	48"	RCA424812-() ()	867.	992.	1,144.	1,545.
	20"	24"	48"	36"	RCA483612-() ()	796.	912.	1,050.	1,416.
	20"	24"	48"	42"	RCA484212-() ()	867.	992.	1,144.	1,545.
	20"	24"	48"	48"	RCA484812-() ()	909.	1,046.	1,201.	1,622.
Corner worktops, Curved front corner (Left return 24", Right return 24")	24"	24"	36"	36"	RCA363622-() ()	774.	885.	1,018.	1,375.
	24"	24"	36"	42"	RCA364222-() ()	813.	934.	1,072.	1,448.
	24"	24"	36"	48"	RCA364822-() ()	856.	984.	1,128.	1,524.
	24"	24"	42"	36"	RCA423622-() ()	813.	934.	1,072.	1,448.
	24"	24"	42"	42"	RCA424222-() ()	856.	984.	1,128.	1,524.
	24"	24"	42"	48"	RCA424822-() ()	925.	1,064.	1,225.	1,652.
	24"	24"	48"	36"	RCA483622-() ()	856.	984.	1,128.	1,524.
	24"	24"	48"	42"	RCA484222-() ()	925.	1,064.	1,225.	1,652.
	24"	24"	48"	48"	RCA484822-() ()	971.	1,116.	1,280.	1,727.



Order Code	Specification Information	Application Notes
Example: RCA363612	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
R Reff	<i>1. Grommet options:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
C Curved front corner	CF = Classic grommet in flush location	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.
A 1 1/4" thick	PF = Profiles grommet in flush location	Please call Custom Product Development for special grommet locations.
36 36" wide on left back	N = No Grommet	Classic type grommet sits even with top of the worksurface.
36 36" wide on right back		Profiles type grommets have a 1/16" thick flange which rests above the worksurface.
1 20" deep on left side	<i>2. Grommet finish:</i>	Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in Black only.
2 24" deep on right side	Painted or Plated	
N No grommet	<i>3. Finish type:</i>	
Grommet finish	L = Laminate	
1 V1 finish	M = Wood/laminate mixed	
Y324 Ash	1 = V1	
	2 = V2	
	3 = V3	
	<i>4. Top finish</i>	

Worksurface 1 1/4"

extended curvilinear corner tops

Reff Profiles Vol. One

description	w	d	pattern no.	L	M/V1	V2	V3
Extended corner worktop, LH curved front corner (return 24")	36"	72"	RCCDLA23672 () () ()	\$1,881.	\$2,546.	\$3,594.	\$4,848.
	36"	78"	RCCDLA23678 () () ()	1,956.	2,648.	3,735.	5,042.
	36"	84"	RCCDLA23684 () () ()	2,034.	2,755.	3,884.	5,244.
	36"	96"	RCCDLA23696 () () ()	2,116.	2,864.	4,040.	5,456.
Extended corner worktop, LH curved front corner (return 30")	36"	72"	RCCDLA33672 () () ()	1,883.	2,552.	3,603.	4,864.
	36"	78"	RCCDLA33678 () () ()	1,958.	2,655.	3,749.	5,061.
	36"	84"	RCCDLA33684 () () ()	2,037.	2,762.	3,897.	5,260.
	36"	96"	RCCDLA33696 () () ()	2,118.	2,871.	4,054.	5,471.
Extended corner worktop, RH curved front corner (return 24")	36"	72"	RCCDRA23672 () () ()	1,881.	2,546.	3,594.	4,848.
	36"	78"	RCCDRA23678 () () ()	1,956.	2,648.	3,735.	5,042.
	36"	84"	RCCDRA23684 () () ()	2,034.	2,755.	3,884.	5,244.
	36"	96"	RCCDRA23696 () () ()	2,116.	2,864.	4,040.	5,456.
Extended corner worktop, RH curved front corner (return 30")	36"	72"	RCCDRA33672 () () ()	1,883.	2,552.	3,603.	4,864.
	36"	78"	RCCDRA33678 () () ()	1,958.	2,655.	3,749.	5,061.
	36"	84"	RCCDRA33684 () () ()	2,037.	2,762.	3,897.	5,260.
	36"	96"	RCCDRA33696 () () ()	2,118.	2,871.	4,054.	5,471.



Order Code

Example:	RCCDLA23672N2
R	Reff
CC	Curved corner
D	D top
L	Left Hand
A	1 1/4" thick
2	24" return
36	36" d at straight edge of corner, 30" across "D"
72	72" wide
N	No grommet
	Grommet finish
2	V2 finish
V319	Medium Cherry

Specification Information

To order please specify pattern number including:

1. Grommet options:
CF = Classic grommet in flush location
PF = Profiles grommet in flush location
N = No Grommet

2. Grommet Finish:
Painted or Plated

3. Finish type:
L = Laminate
M = Mixed (laminated surface with wood edge)
1 = V1
2 = V2
3 = V3

4. Top Finish:

Product on this page will accept woodgrain laminate where laminate is currently an option.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 54"w.

Classic type grommet sits even with top of the worksurface.

Profiles type grommets have a 1/16" thick flange which rests above the worksurface.


Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only.

Worksurface 1 1/4"


extended straight corner tops

Reff Profiles Vol. One

description	d	w	d, return	pattern no.	L	M/V1	V2	V3
Extended straight corner top, LH curved front corner (returns 24")	36"	60"	24"	RCEAL223660 () () ()	\$697.	\$1,049.	\$1,420.	\$1,920.
	36"	72"	24"	RCEAL223672 () () ()	834.	1,272.	1,717.	2,320.
	42"	60"	24"	RCEAL224260 () () ()	765.	1,159.	1,569.	2,117.
	42"	72"	24"	RCEAL224272 () () ()	905.	1,383.	1,869.	2,523.
	48"	72"	24"	RCEAL224872 () () ()	976.	1,494.	2,017.	2,723.
	48"	84"	24"	RCEAL224884 () () ()	1,114.	1,717.	2,316.	3,126.
	48"	96"	24"	RCEAL224896 () () ()	1,280.	1,979.	2,663.	3,597.



Extended straight corner top, RH curved front corner (returns 24")	36"	60"	24"	RCEAR223660 () () ()	697.	1,049.	1,420.	1,920.
	36"	72"	24"	RCEAR223672 () () ()	834.	1,272.	1,717.	2,320.
	42"	60"	24"	RCEAR224260 () () ()	765.	1,159.	1,569.	2,117.
	42"	72"	24"	RCEAR224272 () () ()	905.	1,383.	1,869.	2,523.
	48"	72"	24"	RCEAR224872 () () ()	976.	1,494.	2,017.	2,723.
	48"	84"	24"	RCEAR224884 () () ()	1,114.	1,717.	2,316.	3,126.
	48"	96"	24"	RCEAR224896 () () ()	1,280.	1,979.	2,663.	3,597.



Order Code	Specification Information
Example: RCEAL223660N2	
R Reff	<i>To order please specify pattern number including:</i>
C Corner	<i>1. Grommet options:</i>
E Extended	CF = Classic grommet in flush location
A 1 1/4" thick	PF = Profiles grommet in flush location
L Left Hand	N = No Grommet
22 24" returns	<i>2. Grommet Finish</i>
36 36" d at corner straight edge	<i>3. Finish type:</i>
60 60" wide	L = Laminate
N No grommet	M = Mixed (laminated surface with wood edge)
Grommet finish	1 = V1
2 V2 finish	2 = V2
V319 Medium Cherry	3 = V3
	<i>4. Top finish:</i>

Product on this page will accept woodgrain laminate where laminate is currently an option.




These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 54" w.

Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface.

Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only.

Rectilinear and curvilinear corners for C-Leg and T-Leg bases
24", 30" and 36" deep

description	type	d*	d	w*	w	pattern no.	L	V1	V2	V3
	C-Leg and T-Leg Rectangular Tops For use with 24" Deep C-Leg base	24"	23"	36"	34"	RSA3423N()	\$407.	\$459.	\$523.	\$706.
		24"	23"	42"	40"	RSA4023N()	424.	470.	541.	729.
		24"	23"	48"	46"	RSA4623N()	450.	506.	580.	782.
		24"	23"	54"	52"	RSA5223N()	480.	538.	620.	836.
		24"	23"	60"	58"	RSA5823N()	520.	578.	661.	895.
		24"	23"	66"	64"	RSA6423N()	532.	595.	686.	925.
		24"	23"	72"	70"	RSA7023N()	560.	622.	718.	969.
	For use with 30" Deep C-Leg base	30"	29"	36"	34"	RSA3429N()	459.	513.	588.	792.
		30"	29"	42"	40"	RSA4029N()	477.	532.	614.	829.
	For use with 30" Deep C-Leg or T-Leg base	30"	29"	48"	46"	RSA4629N()	511.	569.	652.	882.
		30"	29"	54"	52"	RSA5229N()	552.	616.	704.	951.
		30"	29"	60"	58"	RSA5829N()	573.	635.	731.	988.
		30"	29"	66"	64"	RSA6429N()	582.	650.	752.	1,013.
		30"	29"	72"	70"	RSA7029N()	600.	667.	765.	1,033.
	For use with 30" Deep T-Leg base	36"	35"	48"	46"	RSA4635N()	578.	646.	743.	998.
		36"	35"	54"	52"	RSA5235N()	630.	703.	805.	1,083.
		36"	35"	60"	58"	RSA5835N()	659.	734.	842.	1,137.
		36"	35"	66"	64"	RSA6435N()	682.	759.	876.	1,181.
		36"	35"	72"	70"	RSA7035N()	705.	786.	904.	1,221.
	C-Leg/T-Leg Corner Tops, 24" or 30" Deep For use with C-Leg/T-leg Corner base	24"	23"	48"	46"	RCA464623N()	971.	1,116.	1,280.	1,727.
		30"	29"	48"	46"	RCA464629N()	1,087.	1,249.	1,432.	1,930.
	T-Leg Corner Top, 24" Deep For use with T-leg Corner base	24"	23"	42"	40"	RCA404023N()	856.	964.	1,107.	1,493.


Order Code	Specification Information	Application Notes
Example: RSA 5829N, L, 118	<i>To order please specify pattern number including:</i>	Worksurfaces on this page are designed for use with fixed and height adjustable C-Leg, T-Leg and corner bases to create freestanding tables.
R Reff	<i>1. Finish Type:</i>	42" x 42" curvilinear worksurfaces are for use with 2-legged fixed and height adjustable T-Leg corner bases.
S Straight Rectangular	(L) = Laminate	Worksurfaces are pre-drilled with pilot holes for use with wood screws.
A 1 1/4" thick	(1) = V1	Actual worksurfaces are undersized by 1" on each side edge and by 1" on the back edge.
58 Width	(2) = V2	
29 Depth	(3) = V3	
N No Grommets	<i>2. Finish:</i>	
L Finish type	Product on this page will accept woodgrain laminate where laminate is currently an option.	48"x48" curvilinear corner worksurfaces are for use with 16"D 3-legged fixed and height adjustable corner bases or 29"D 2-legged fixed and height adjustable T-Leg corner bases.
118 Bright White Laminate		

w * and d * = nominal dimensions

Worksurface 1 1/4"

Meeting tops 'D'

Reff Profiles Vol. One

description	type	w	d	pattern no.	L	M/V1	V2	V3
 Grommet choices are centered (as shown) or none	30" deep	42"	30"	RMDA4230-() ()	\$602.	\$666.	\$764.	\$1,032.
		48"	30"	RMDA4830-() ()	647.	720.	829.	1,118.
		54"	30"	RMDA5430-() ()	693.	771.	885.	1,196.
		60"	30"	RMDA6030-() ()	743.	826.	944.	1,276.
		66"	30"	RMDA6630-() ()	790.	877.	1,010.	1,363.
		72"	30"	RMDA7230-() ()	841.	933.	1,071.	1,447.
		78"	30"	RMDA7830-() ()	951.	1,052.	1,212.	1,634.
		84"	30"	RMDA8430-() ()	1,059.	1,173.	1,351.	1,823.
		90"	30"	RMDA9030-() ()	1,181.	1,311.	1,508.	2,034.
		96"	30"	RMDA9630-() ()	1,305.	1,448.	1,664.	2,246.
	36" deep	42"	36"	RMDA4236-() ()	661.	733.	841.	1,136.
		48"	36"	RMDA4836-() ()	724.	802.	920.	1,242.
		54"	36"	RMDA5436-() ()	825.	916.	1,056.	1,424.
		60"	36"	RMDA6036-() ()	927.	1,025.	1,181.	1,596.
		66"	36"	RMDA6636-() ()	945.	1,047.	1,203.	1,627.
		72"	36"	RMDA7236-() ()	958.	1,064.	1,225.	1,652.
		78"	36"	RMDA7836-() ()	1,081.	1,198.	1,378.	1,861.
		84"	36"	RMDA8436-() ()	1,201.	1,333.	1,533.	2,068.
		90"	36"	RMDA9036-() ()	1,266.	1,403.	1,614.	2,180.
		96"	36"	RMDA9636-() ()	1,388.	1,537.	1,768.	2,388.
 No Grommets	(20" panels)	42 1/2"	21 1/4"	RMDA4221-() ()	774.	858.	985.	1,328.
	(24" panels)	50 1/2"	25 1/4"	RMDA5025-() ()	846.	939.	1,078.	1,457.

Please specify mating trim profile

Order Code	Specification Information	Application Notes
Example: RMDA4230N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Reff	1. <i>Grommet options:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
MD Meeting D-top	CC = Classic grommet in Center location	Refer to Planning Guide for modesty panel size requirements and all other support options.
A 1 1/4" thick	PF = Profiles grommet in Center location	Products on this page are shipped without hardware which must be ordered separately from the support components section.
42 42" wide	(Center location available in D-tops only)	These worksurfaces are predrilled with pilot holes for use with wood screws.
30 30" deep	N = No Grommet	Worksurface stiffeners are recommended to provide additional support for open spans greater than 54"w.
N No grommet	2. <i>Grommet Finish:</i>	
Grommet finish	Painted or Plated	
1 V1	3. <i>Finish type:</i>	
Y311 Beech	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	4. <i>Top Finish:</i>	
	5. <i>Trim profile</i>	
	A = Flat	
	B = Square	
	C = Bullnose	
	E = Extruded Aluminum	

Application Notes

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Additional spec option required for wrap around panel tops; specify mating trim profile.

Product on this page will accept woodgrain laminate where laminate is currently an option.

See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.

Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface.

Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only.
Note: Recessed grommet location is not recommended for 20" and 24" deep tops.

Worksurface 1 1/4"

Meeting tops P and 9


Reff Profiles Vol. One

description	type	w	d	pattern no.	L	M/V1	V2	V3
Meeting 9-top		42"	30"	RM9A4230-() ()	\$824.	\$914.	\$1,051.	\$1,418.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RM9A4836-() ()	916.	1,015.	1,169.	1,580.



No Grommets 42" diameter

Meeting P-top		42"	30"	RMPA4230-() ()	824.	914.	1,051.	1,418.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RMPA4836-() ()	916.	1,015.	1,169.	1,580.



No Grommets 42" diameter

Worksurface 9-top		84"	30"	RM9A8430-() ()	1,678.	1,860.	2,139.	2,889.
		96"	30"	RM9A9630-() ()	1,747.	1,941.	2,228.	3,009.



42" diameter

Order Code	Specification Information	Application Notes
Example: RM9A4230N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Reff	<i>1. Grommet options:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
M9 Meeting 9-top	CF = Classic grommet in flush location	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
A 1 1/4" thick	FR = Classic grommet in Recessed location	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
42 42" wide	PF = Profiles grommet in Flush location	Refer to Planning Guide for modesty panel size requirements and all other support options.
30 30" deep	PR = Profiles grommet in Recessed location	
N No grommet	N = No Grommet	
Grommet finish	<i>2. Grommet finish:</i>	
1 V1	Painted or Plated	
Y311 Beech	<i>3. Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>4. Top Finish:</i>	

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 54"w.

Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface.


Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only.
Note: Recessed grommet location is not recommended for 20" and 24" deep tops.

Worksurface 1 1/4"

Meeting tops

Reff Profiles Vol. One


description	type	w	d	pattern no.	L	M/V1	V2	V3
Worksurface P-top		84"	30"	RMPA8430-() ()	\$1,678.	\$1,860.	\$2,139.	\$2,889.
		96"	30"	RMPA9630-() ()	1,747.	1,941.	2,228.	3,009.



84" top uses a 42" modesty, 96 top uses a 54" modesty

42" diameter

Elliptical tops		60"	30"	REBA6030-() *	1,153.	1,304.	1,496.	2,022.
		72"	42"	REBA7242-() *	1,643.	1,853.	2,133.	2,878.
		78"	48"	REBA7848-() *	1,799.	2,033.	2,338.	3,157.





Order Code	Specification Information	Application Notes
Example: RMDA4230N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Reff		
MD Meeting D-top		
A 1 1/4" thick	1. Grommet options:	
42 42" wide	CF = Classic grommet in flush location	Product on this page will accept woodgrain laminate where laminate is currently an option.
30 30" deep	CR = Classic grommet in Recessed location	
N No grommet	PF = Profiles grommet in Flush location	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
Grommet finish	PR = Profiles grommet in Recessed location	
1 V1	N = No Grommet	
Y311 Beech		
	2. Grommet finish: Painted or Plated	Classic type grommet sits even with top of the worksurface. Profiles type grommets have a 1/16" thick flange which rests above the worksurface.
	3. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only. Note: Recessed grommet location is not recommended for 20" and 24" deep tops.
	4. Top finish:	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. Refer to Planning Guide for modesty panel size requirements and all other support options. Products on this page are shipped without hardware which must be ordered separately from the support components section. These worksurfaces are predrilled with pilot holes for use with wood screws. *Grommet location on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions. Worksurface stiffeners are recommended to provide additional support for open spans greater than 54"w.

Worksurface 1 1/4"

Bow front and support

Reff Profiles Vol. One

description	w	d	h	pattern no.	L	M/V1	V2	V3
	72"	30"		RMB(A)7230-() ()	\$963.	\$1,109.	\$1,276.	\$1,721.
	84"	30"		RMB(A)8430-() ()	1,061.	1,224.	1,406.	1,897.
	96"	30"		RMB(A)9630-() ()	1,178.	1,356.	1,556.	2,104.
	Use 29" deep pedestals or end panels. Do not use 23" deep pedestals if using recessed modesty.							
	72"	36"		RMB(A)7236-() ()	1,024.	1,176.	1,355.	1,827.
	84"	36"		RMB(A)8436-() ()	1,122.	1,292.	1,486.	2,005.
	96"	36"		RMB(A)9636-() ()	1,244.	1,432.	1,644.	2,220.
	Use with 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance). Can also be used with 36" deep end panel and recessed modesty.							

Order Code	Specification Information	Application Notes
Example: RMBA7230R2	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
R Reff		
MB Bowed front	<i>1. Grommet options:</i>	These worksurfaces are predrilled with pilot holes for use with wood screws.
A 1 1/4" thick	CF = Classic grommet in flush location	See Planning Guide for grommet locations.
72 72" wide	CR = Classic grommet in Recessed location	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
30 30" wide	PF = Profiles grommet in Flush location	
CR Grommet option	PR = Profiles grommet in Recessed location	
	N = No Grommet	
	*CA = Classic grommet in Alternative location	
	*PA = Profiles grommet in Alternative location *Note: FA and PA are for 36"D tops only.	
2 V2 finish	<i>2. Grommet finish:</i>	
V319 Medium cherry	<i>3. Finish type:</i>	
111 Jet Black (grommet)	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	<i>4. Top Finish:</i>	

*Bulkhead takes the place of a pedestal in applications using the short modesty panel, but not requiring a double pedestal application.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Shipped with hardware. Refer to page 119 of Planning Guide for application details.

Classic type grommet sits even with top of the worksurface.

Profiles type grommets have a 1/16" thick flange which rests above the worksurface.


Note: When specifying "plated" Classic grommet - The cap is plated and the sleeve comes in black only

Note: Recessed grommet location is not recommended for 20" and 24" deep tops.

Conference 1 1/4"

Square and rectangular

Reff Profiles Vol. One





description	w	d	pattern no.	L	M/V1	V2	V3
Rectangular top 1 piece	72"	30"	RR A7230-()	\$621.	\$690.	\$792.	\$1,069.
	72"	36"	RR A7236-()	675.	750.	861.	1,163.
	84"	30"	RR A8430-()	687.	760.	877.	1,182.
	84"	36"	RR A8436-()	739.	817.	940.	1,270.
	84"	42"	RR A8442-()	1,092.	1,212.	1,389.	1,876.
	96"	30"	RR A9630-()	772.	857.	984.	1,327.
	96"	36"	RR A9636-()	851.	943.	1,086.	1,466.
	96"	42"	RR A9642-()	1,253.	1,387.	1,596.	2,156.
	96"	48"	RR A9648-()	1,332.	1,479.	1,699.	2,294.
Rectangular top 2 piece	120"	36"	RR A12036-()	1,366.	1,514.	1,742.	2,351.
	120"	42"	RR A12042-()	1,883.	2,088.	2,402.	3,244.
	120"	48"	RR A12048-()	2,047.	2,271.	2,610.	3,525.
	144"	42"	RR A14442-()	2,116.	2,346.	2,699.	3,643.
	144"	48"	RR A14448-()	2,266.	2,516.	2,893.	3,905.
Rectangular top 3 piece	168"	42"	RR A16842-()	2,774.	3,075.	3,540.	4,779.
	168"	48"	RR A16848-()	3,014.	3,343.	3,844.	5,188.
	192"	42"	RR A19242-()	3,008.	3,335.	3,832.	5,175.
	192"	48"	RR A19248-()	3,239.	3,589.	4,125.	5,567.
Square tops	*	60"	RR A6060-()	1,273.	1,410.	1,626.	2,191.
	*	72"	RR A7272-()	1,500.	1,664.	1,914.	2,584.
	—	36"	RR A3636-()	478.	532.	614.	829.
	—	42"	RR A4242-()	621.	690.	792.	1,069.
	—	48"	RR A4848-()	817.	904.	1,041.	1,403.

Order Code	Specification Information	Application Notes
Example: RRAG72302	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
R Reff	1. Top thickness	
R Rectangular	2. Width	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.
A 1 1/4" thick	3. Depth	Top to top brackets included.
72 72" wide	4. Finish type	Tops have no radius on edges that adjoin.
30 30" deep	5. Finish	See table base matrix in Planning Guide, pages 140 and 141.
2 V2 finish	1. Thickness options:	
V319 Medium cherry	A = 1 1/4"	
	4. Finish type:	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	*Square tops in two pieces.	

Conference 1 1/4"

Round and racetrack

Reff Profiles Vol. One

description	w	d	pattern no.	L, Option A	M/V!	V2	V3
Racetrack top 1 piece	72"	30"	RTA7230-()	\$1,176.	\$1,304.	\$1,496.	\$2,022.
	84"	30"	RTA8430-()	1,308.	1,451.	1,668.	2,251.
	96"	30"	RTA9630-()	1,454.	1,614.	1,857.	2,506.
	72"	36"	RTA7236-()	1,342.	1,486.	1,708.	2,305.
	84"	36"	RTA8436-()	1,506.	1,672.	1,921.	2,592.
	96"	36"	RTA9636-()	1,671.	1,853.	2,133.	2,878.
	84"	42"	RTA8442-()	1,831.	2,033.	2,338.	3,157.
	96"	42"	RTA9642-()	2,054.	2,278.	2,617.	3,534.
	96"	48"	RTA9648-()	2,253.	2,494.	2,869.	3,872.
Racetrack top 2 piece	120"	36"	RTA12036-()	2,157.	2,394.	2,755.	3,717.
	120"	42"	RTA12042-()	2,330.	2,580.	2,970.	4,009.
	144"	42"	RTA14442-()	2,569.	2,846.	3,274.	4,417.
	120"	48"	RTA12048-()	2,475.	2,745.	3,157.	4,261.
	144"	48"	RTA14448-()	2,632.	2,920.	3,355.	4,528.
Racetrack top 3 piece	168"	42"	RTA16842-()	3,220.	3,568.	4,105.	5,541.
	192"	42"	RTA19242-()	3,458.	3,833.	4,412.	5,956.
	168"	48"	RTA16848-()	3,447.	3,818.	4,390.	5,928.
	192"	48"	RTA19248-()	3,600.	3,994.	4,591.	6,197.
Round tops	—	36"	RTA3636-()	661.	733.	841.	1,136.
	—	42"	RTA4242-()	769.	848.	976.	1,317.
	—	48"	RTA4848-()	1,264.	1,399.	1,608.	2,172.
	*	60"	RTA6060-()	1,978.	2,193.	2,523.	3,406.
	*	72"	RTA7272-()	2,447.	2,712.	3,124.	4,218.

Order Code	Specification Information	Application Notes
Example: RTA72302	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
R Reff	1. Top thickness	Top to top brackets included with multiple piece conference tops only.
R Round	2. Width	See table base matrix in Planning Guide pages 140 and 141.
A 1 1/4" thick	3. Depth	Tops have no radius on edges that adjoin.
72 72" wide	4. Finish type	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.
30 30" deep	5. Finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
2 V2 finish	1. Thickness options:	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
V319 Medium cherry	A = 1 1/4"	
	4. Finish type:	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	


*Round tops in two pieces.

Reff Profiles System incorporates optional worksurface edge details. Wood edges are crafted from select hardwoods and are finished with Knoll's industry leading polyurethane Reff Profiles Finish. Optional for worksurface tops listed on pages 163 through 177.

It is not necessary to plan separately for edges that "mate"; this feature is engineered into appropriate products when used as intended.

Edge detail to be specified by one of the following codes:


A - Alpha
B - Beta
C - Chi
D - Delta
E - Epsilon
F - Phi
G - Gamma



Alpha



Beta



Chi



Delta



Epsilon




Phi



Gamma

Optional edge 1 1/4
front only, 20" and 24" deep

Reff Profiles Vol. One


description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Profile edge front only 	20"	24"	RSA(A/B/C/D/E/F/G)F241-() (1/2/3)	\$425.	\$485.	\$655.
		30"	RSA(A/B/C/D/E/F/G)F301-() (1/2/3)	466.	536.	723.
		36"	RSA(A/B/C/D/E/F/G)F361-() (1/2/3)	490.	566.	762.
		42"	RSA(A/B/C/D/E/F/G)F421-() (1/2/3)	514.	590.	797.
		48"	RSA(A/B/C/D/E/F/G)F481-() (1/2/3)	535.	614.	829.
		54"	RSA(A/B/C/D/E/F/G)F541-() (1/2/3)	553.	643.	866.
		60"	RSA(A/B/C/D/E/F/G)F601-() (1/2/3)	599.	691.	933.
		66"	RSA(A/B/C/D/E/F/G)F661-() (1/2/3)	618.	711.	959.
		72"	RSA(A/B/C/D/E/F/G)F721-() (1/2/3)	650.	749.	1,009.
		78"	RSA(A/B/C/D/E/F/G)F781-() (1/2/3)	658.	757.	1,021.
		84"	RSA(A/B/C/D/E/F/G)F841-() (1/2/3)	701.	805.	1,088.
		90"	RSA(A/B/C/D/E/F/G)F901-() (1/2/3)	729.	839.	1,133.
		96"	RSA(A/B/C/D/E/F/G)F961-() (1/2/3)	757.	872.	1,176.
		24"	RSA(A/B/C/D/E/F/G)F242-() (1/2/3)	447.	514.	694.
		30"	RSA(A/B/C/D/E/F/G)F302-() (1/2/3)	506.	581.	784.
		36"	RSA(A/B/C/D/E/F/G)F362-() (1/2/3)	524.	603.	815.
		42"	RSA(A/B/C/D/E/F/G)F422-() (1/2/3)	541.	621.	837.
		48"	RSA(A/B/C/D/E/F/G)F482-() (1/2/3)	581.	666.	898.
		54"	RSA(A/B/C/D/E/F/G)F542-() (1/2/3)	618.	711.	959.
		60"	RSA(A/B/C/D/E/F/G)F602-() (1/2/3)	661.	760.	1,026.
		66"	RSA(A/B/C/D/E/F/G)F662-() (1/2/3)	687.	787.	1,063.
		72"	RSA(A/B/C/D/E/F/G)F722-() (1/2/3)	717.	827.	1,114.
		78"	RSA(A/B/C/D/E/F/G)F782-() (1/2/3)	752.	864.	1,167.
		84"	RSA(A/B/C/D/E/F/G)F842-() (1/2/3)	780.	896.	1,212.
		90"	RSA(A/B/C/D/E/F/G)F902-() (1/2/3)	813.	939.	1,266.
		96"	RSA(A/B/C/D/E/F/G)F962-() (1/2/3)	846.	976.	1,317.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAGF241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	
S Straight top	2. F = Front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
F Edge front only	5. Grommet option	
24 24" wide	6. Top finish type	
1 20" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front	
	(not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Optional edge 1 1/4
front only, 30" and 36" deep


Reff Profiles Vol. One

description	d	width	pattern no.	M/V1	V2	V3	
Straight rectangular work tops Profile edge front only 	30"	24"	RSA(A/B/C/D/E/F/G)F243-()(1/2/3)	\$483.	\$557.	\$754.	
		30"	RSA(A/B/C/D/E/F/G)F303-()(1/2/3)	546.	627.	846.	
		36"	RSA(A/B/C/D/E/F/G)F363-()(1/2/3)	589.	675.	910.	
		42"	RSA(A/B/C/D/E/F/G)F423-()(1/2/3)	613.	702.	948.	
		48"	RSA(A/B/C/D/E/F/G)F483-()(1/2/3)	652.	754.	1,017.	
		54"	RSA(A/B/C/D/E/F/G)F543-()(1/2/3)	706.	811.	1,094.	
		60"	RSA(A/B/C/D/E/F/G)F603-()(1/2/3)	731.	840.	1,134.	
		66"	RSA(A/B/C/D/E/F/G)F663-()(1/2/3)	750.	862.	1,164.	
		72"	RSA(A/B/C/D/E/F/G)F723-()(1/2/3)	766.	880.	1,189.	
		78"	RSA(A/B/C/D/E/F/G)F783-()(1/2/3)	803.	926.	1,250.	
		84"	RSA(A/B/C/D/E/F/G)F843-()(1/2/3)	835.	961.	1,300.	
		90"	RSA(A/B/C/D/E/F/G)F903-()(1/2/3)	873.	1,007.	1,359.	
		96"	RSA(A/B/C/D/E/F/G)F963-()(1/2/3)	905.	1,043.	1,407.	
		36"	60"	RSA(A/B/C/D/E/F/G)F604-()(1/2/3)	844.	971.	1,310.
			66"	RSA(A/B/C/D/E/F/G)F664-()(1/2/3)	874.	1,009.	1,362.
			72"	RSA(A/B/C/D/E/F/G)F724-()(1/2/3)	904.	1,042.	1,404.

Order Code	Specification Information	Application Notes
Example: RSAGF243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	
S Straight top	2. F = Front edge with profile only	
A 1 1/4" thick	3. Width	
G Gamma	4. Depth	
F Edge front only	5. Grommet option	
24 24" wide	6. Top finish type	
3 30" deep	7. Top finish	
F Flush grommet	8. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>5. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front	
	(not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Optional edge 1 1/4
front and back edge, 20" and 24" deep

Reff Profiles Vol. One

description	d	w	pattern no.	M/V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	20"	24"	RSA(A/B/C/D/E/F/G)A241-()(1/2/3)	\$425.	\$485.	\$655.
		30"	RSA(A/B/C/D/E/F/G)A301-()(1/2/3)	466.	536.	723.
		36"	RSA(A/B/C/D/E/F/G)A361-()(1/2/3)	490.	566.	762.
		42"	RSA(A/B/C/D/E/F/G)A421-()(1/2/3)	514.	590.	797.
		48"	RSA(A/B/C/D/E/F/G)A481-()(1/2/3)	535.	614.	829.
		54"	RSA(A/B/C/D/E/F/G)A541-()(1/2/3)	553.	643.	866.
		60"	RSA(A/B/C/D/E/F/G)A601-()(1/2/3)	599.	691.	933.
		66"	RSA(A/B/C/D/E/F/G)A661-()(1/2/3)	618.	711.	959.
		72"	RSA(A/B/C/D/E/F/G)A721-()(1/2/3)	650.	749.	1,009.
		78"	RSA(A/B/C/D/E/F/G)A781-()(1/2/3)	658.	757.	1,021.
		84"	RSA(A/B/C/D/E/F/G)A841-()(1/2/3)	701.	805.	1,088.
		90"	RSA(A/B/C/D/E/F/G)A901-()(1/2/3)	729.	839.	1,133.
		96"	RSA(A/B/C/D/E/F/G)A961-()(1/2/3)	757.	872.	1,176.
		24"	24"	RSA(A/B/C/D/E/F/G)A242-()(1/2/3)	447.	514.
30"	RSA(A/B/C/D/E/F/G)A302-()(1/2/3)		506.	581.	784.	
36"	RSA(A/B/C/D/E/F/G)A362-()(1/2/3)		524.	603.	815.	
42"	RSA(A/B/C/D/E/F/G)A422-()(1/2/3)		541.	621.	837.	
48"	RSA(A/B/C/D/E/F/G)A482-()(1/2/3)		581.	666.	898.	
54"	RSA(A/B/C/D/E/F/G)A542-()(1/2/3)		618.	711.	959.	
60"	RSA(A/B/C/D/E/F/G)A602-()(1/2/3)		661.	760.	1,026.	
66"	RSA(A/B/C/D/E/F/G)A662-()(1/2/3)		687.	787.	1,063.	
72"	RSA(A/B/C/D/E/F/G)A722-()(1/2/3)		717.	827.	1,114.	
78"	RSA(A/B/C/D/E/F/G)A782-()(1/2/3)		752.	864.	1,167.	
84"	RSA(A/B/C/D/E/F/G)A842-()(1/2/3)		780.	896.	1,212.	
90"	RSA(A/B/C/D/E/F/G)A902-()(1/2/3)		813.	939.	1,266.	
96"	RSA(A/B/C/D/E/F/G)A962-()(1/2/3)		846.	976.	1,317.	

Worksurfaces

Order Code	Specification Information	Application Notes	
Example: RSAGA241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.	
R Reff	1. Edge profile		5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)
S Straight top	2. 5th postion A = Edge front and back		6. Finish type: 1 = V1 2 = V2 3 = V3
A 1 1/4" thick	3. Width		Products on this page are shipped without hardware which must be ordered separately from the support components section.
G Gamma	4. Depth	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
A Edge front and back	5. Grommet option		
24 24" wide	6. Top finish type		
1 20" deep	7. Top finish		
F Flush grommet	8. Grommet finish		
2 V2 finish	<i>1. Edge profile options:</i>		
V319 Medium cherry	A = Alpha		
111 Jet Black (grommet)	B = Beta		
	C = Chi		
	D = Delta		
	E = Epsilon		
	F = Phi		
	G = Gamma		

Optional edge 1 1/4
front and back edge, 30" and 36" deep



Reff Profiles Vol. One

description	d	w	pattern no.	V1	V2	V3	
Straight rectangular work tops Profile edge front and back only	30"	24"	RSA(A/B/C/D/E/F/G)A243-()(1/2/3)	\$483.	\$557.	\$754.	
		30"	RSA(A/B/C/D/E/F/G)A303-()(1/2/3)	546.	627.	846.	
		36"	RSA(A/B/C/D/E/F/G)A363-()(1/2/3)	589.	675.	910.	
		42"	RSA(A/B/C/D/E/F/G)A423-()(1/2/3)	613.	702.	948.	
		48"	RSA(A/B/C/D/E/F/G)A483-()(1/2/3)	652.	754.	1,017.	
		54"	RSA(A/B/C/D/E/F/G)A543-()(1/2/3)	706.	811.	1,094.	
		60"	RSA(A/B/C/D/E/F/G)A603-()(1/2/3)	731.	840.	1,134.	
		66"	RSA(A/B/C/D/E/F/G)A663-()(1/2/3)	750.	862.	1,164.	
		72"	RSA(A/B/C/D/E/F/G)A723-()(1/2/3)	766.	880.	1,189.	
		78"	RSA(A/B/C/D/E/F/G)A783-()(1/2/3)	803.	926.	1,250.	
		84"	RSA(A/B/C/D/E/F/G)A843-()(1/2/3)	835.	961.	1,300.	
		90"	RSA(A/B/C/D/E/F/G)A903-()(1/2/3)	873.	1,007.	1,359.	
		96"	RSA(A/B/C/D/E/F/G)A963-()(1/2/3)	905.	1,043.	1,407.	
		36"	60"	RSA(A/B/C/D/E/F/G)A604-()(1/2/3)	844.	971.	1,310.
			66"	RSA(A/B/C/D/E/F/G)A664-()(1/2/3)	874.	1,009.	1,362.
72"	RSA(A/B/C/D/E/F/G)A724-()(1/2/3)		904.	1,042.	1,404.		

Order Code	Specification Information	Application Notes
Example: RSAGA243F2	<i>>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	
S Straight top	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	2. 5th position A = Edge front and back	
G Gamma	3. Width	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
A Edge front and back	4. Depth	
24 24" wide	5. Grommet option	
3 30" deep	6. Top finish type	
F Flush grommet	7. Top finish	
2 V2 finish	8. Grommet finish	
V319 Medium cherry	1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
111 Jet Black (grommet)	2. Finish type: 1 = V1 2 = V2 3 = V3 Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Optional edge 1 1/4 front and attaching edge profiled

Reff Profiles Vol. One

description	d	w	pattern no.	V1	V2	V3
Bridge work tops, Profile edge front only, Accepts Same Edge on attaching sides 	20"	24"	RSA(A/B/C/D/E/F/G)B241-()(1/2/3)	\$425.	\$485.	\$655.
		30"	RSA(A/B/C/D/E/F/G)B301-()(1/2/3)	466.	536.	723.
		36"	RSA(A/B/C/D/E/F/G)B361-()(1/2/3)	490.	566.	762.
		42"	RSA(A/B/C/D/E/F/G)B421-()(1/2/3)	514.	590.	797.
		48"	RSA(A/B/C/D/E/F/G)B481-()(1/2/3)	535.	614.	829.
	24"	24"	RSA(A/B/C/D/E/F/G)B242-()(1/2/3)	447.	514.	694.
		30"	RSA(A/B/C/D/E/F/G)B302-()(1/2/3)	506.	581.	784.
		36"	RSA(A/B/C/D/E/F/G)B362-()(1/2/3)	524.	603.	815.
		42"	RSA(A/B/C/D/E/F/G)B422-()(1/2/3)	541.	621.	837.
		48"	RSA(A/B/C/D/E/F/G)B482-()(1/2/3)	581.	666.	898.
Left-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)L241-()(1/2/3)	425.	485.	655.
		30"	RSA(A/B/C/D/E/F/G)L301-()(1/2/3)	466.	536.	723.
		36"	RSA(A/B/C/D/E/F/G)L361-()(1/2/3)	490.	566.	762.
		42"	RSA(A/B/C/D/E/F/G)L421-()(1/2/3)	514.	590.	797.
		48"	RSA(A/B/C/D/E/F/G)L481-()(1/2/3)	535.	614.	829.
	24"	24"	RSA(A/B/C/D/E/F/G)L242-()(1/2/3)	447.	514.	694.
		30"	RSA(A/B/C/D/E/F/G)L302-()(1/2/3)	506.	581.	784.
		36"	RSA(A/B/C/D/E/F/G)L362-()(1/2/3)	524.	603.	815.
		42"	RSA(A/B/C/D/E/F/G)L422-()(1/2/3)	541.	621.	837.
		48"	RSA(A/B/C/D/E/F/G)L482-()(1/2/3)	581.	666.	898.


Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
R Reff	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	3. Width 4. Depth 5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)
S Straight top	<i>2. 5th position options:</i> B = Front edge primary profile and both sides reverse profile for mating (bridge) L = Left hand return, front edge primary profile, right edge reverse profile for mating R = Right hand return, front edge primary profile, left edge reverse profile for mating	6. Finish type: 1 = V1 2 = V2 3 = V3 7. Top finish 8. Grommet finish Painted or plated
A 1 1/4" thick		Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
G Gamma Profile option		Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.
B Both ends accept edge		
24 24" wide		
1 20" deep		
F Flush grommet		
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Optional edge 1 1/4 front and attaching edge profiled


Reff Profiles Vol. One

description	d	w	pattern no.	V1	V2	V3
Right-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)R241-()(1/2/3)	\$425.	\$485.	\$655.
		30"	RSA(A/B/C/D/E/F/G)R301-()(1/2/3)	466.	536.	723.
		36"	RSA(A/B/C/D/E/F/G)R361-()(1/2/3)	490.	566.	762.
		42"	RSA(A/B/C/D/E/F/G)R421-()(1/2/3)	514.	590.	797.
		48"	RSA(A/B/C/D/E/F/G)R481-()(1/2/3)	535.	614.	829.
	24"	24"	RSA(A/B/C/D/E/F/G)R242-()(1/2/3)	447.	514.	694.
		30"	RSA(A/B/C/D/E/F/G)R302-()(1/2/3)	506.	581.	784.
		36"	RSA(A/B/C/D/E/F/G)R362-()(1/2/3)	524.	603.	815.
		42"	RSA(A/B/C/D/E/F/G)R422-()(1/2/3)	541.	621.	837.
		48"	RSA(A/B/C/D/E/F/G)R482-()(1/2/3)	581.	666.	898.

Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
R Reff	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w
S Straight top	<i>2. 5th position options:</i> B = Front edge primary profile and both sides reverse profile for mating (bridge) L = Left hand return, front edge primary profile, right edge reverse profile for mating R = Right hand return, front edge primary profile, left edge reverse profile for mating	Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.
A 1 1/4" thick		
G Gamma Profile option		
B Both ends accept edge		
24 24" wide		
1 20" deep		
F Flush grommet		
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		
Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.		Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Optional edge 1 1/4 curvilinear corner front edge only

Reff Profiles Vol. One

description	widthl	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 20"  <i>Radii of front edge varies with top dimensions</i>	36"	36"	RCA(A/B/C/D/E/F/G)F363611-()(1/2/3)	\$899.	\$1,032.	\$1,394.
	36"	42"	RCA(A/B/C/D/E/F/G)F423611-()(1/2/3)	950.	1,093.	1,476.
	36"	48"	RCA(A/B/C/D/E/F/G)F483611-()(1/2/3)	1,011.	1,161.	1,567.
	42"	36"	RCA(A/B/C/D/E/F/G)F364211-()(1/2/3)	950.	1,093.	1,476.
	42"	42"	RCA(A/B/C/D/E/F/G)F424211-()(1/2/3)	1,011.	1,161.	1,567.
	42"	48"	RCA(A/B/C/D/E/F/G)F484211-()(1/2/3)	1,103.	1,268.	1,711.
	48"	36"	RCA(A/B/C/D/E/F/G)F364811-()(1/2/3)	1,011.	1,161.	1,567.
	48"	42"	RCA(A/B/C/D/E/F/G)F424811-()(1/2/3)	1,103.	1,268.	1,711.
	48"	48"	RCA(A/B/C/D/E/F/G)F484811-()(1/2/3)	1,161.	1,335.	1,801.
Curved corner work tops with Profile edge on front only, left return depth 20", right return depth 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363612-()(1/2/3)	939.	1,078.	1,457.
	36"	42"	RCA(A/B/C/D/E/F/G)F423612-()(1/2/3)	989.	1,137.	1,536.
	36"	48"	RCA(A/B/C/D/E/F/G)F483612-()(1/2/3)	1,051.	1,205.	1,630.
	42"	36"	RCA(A/B/C/D/E/F/G)F364212-()(1/2/3)	989.	1,137.	1,536.
	42"	42"	RCA(A/B/C/D/E/F/G)F424212-()(1/2/3)	1,051.	1,205.	1,630.
	42"	48"	RCA(A/B/C/D/E/F/G)F484212-()(1/2/3)	1,144.	1,314.	1,774.
	48"	36"	RCA(A/B/C/D/E/F/G)F364812-()(1/2/3)	1,051.	1,205.	1,630.
	48"	42"	RCA(A/B/C/D/E/F/G)F424812-()(1/2/3)	1,144.	1,314.	1,774.
	48"	48"	RCA(A/B/C/D/E/F/G)F484812-()(1/2/3)	1,201.	1,382.	1,866.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCAGF363611	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	6. Grommet options: N = No grommet F = Flush front grommet location
C Corner top	2. Left hand width	7. Finish type: 1 = V1 2 = V2 3 = V3
A 1 1/4" thick	3. Right hand width	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
G Gamma	4. Return left hand depth	
F Edge Front only	5. Return right hand depth	
36 36" wide	6. Grommet option	
36 36" wide	7. Top finish type	
1 20" deep	8. Top finish	
1 20" deep	9. Grommet finish	
F Flush grommet	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	Products on this page are shipped without hardware which must be ordered separately from the support components section.
2 V2 finish		Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
V319 Medium cherry		
111 Jet Black (grommet)		

Optional edge 1 1/4
curvilinear corner front edge only

Reff Profiles Vol. One



description	widthl	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, left return 24", right return 20"	36"	36"	RCA(A/B/C/D/E/F/G)F363621-()(1/2/3)	\$939.	\$1,078.	\$1,457.
	36"	42"	RCA(A/B/C/D/E/F/G)F423621-()(1/2/3)	989.	1,137.	1,536.
	36"	48"	RCA(A/B/C/D/E/F/G)F483621-()(1/2/3)	1,051.	1,205.	1,630.
	42"	36"	RCA(A/B/C/D/E/F/G)F364221-()(1/2/3)	989.	1,137.	1,536.
	42"	42"	RCA(A/B/C/D/E/F/G)F424221-()(1/2/3)	1,051.	1,205.	1,630.
	42"	48"	RCA(A/B/C/D/E/F/G)F484221-()(1/2/3)	1,144.	1,314.	1,774.
	48"	36"	RCA(A/B/C/D/E/F/G)F364821-()(1/2/3)	1,051.	1,205.	1,630.
	48"	42"	RCA(A/B/C/D/E/F/G)F424821-()(1/2/3)	1,144.	1,314.	1,774.
	48"	48"	RCA(A/B/C/D/E/F/G)F484821-()(1/2/3)	1,201.	1,382.	1,866.
Curved corner work tops with Profile edge on front only, return depth left and right 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363622-()(1/2/3)	1,018.	1,171.	1,582.
	36"	42"	RCA(A/B/C/D/E/F/G)F423622-()(1/2/3)	1,072.	1,230.	1,661.
	36"	48"	RCA(A/B/C/D/E/F/G)F483622-()(1/2/3)	1,129.	1,298.	1,753.
	42"	36"	RCA(A/B/C/D/E/F/G)F364222-()(1/2/3)	1,072.	1,230.	1,661.
	42"	42"	RCA(A/B/C/D/E/F/G)F424222-()(1/2/3)	1,129.	1,298.	1,753.
	42"	48"	RCA(A/B/C/D/E/F/G)F484222-()(1/2/3)	1,225.	1,409.	1,901.
	48"	36"	RCA(A/B/C/D/E/F/G)F364822-()(1/2/3)	1,129.	1,298.	1,753.
	48"	42"	RCA(A/B/C/D/E/F/G)F424822-()(1/2/3)	1,225.	1,409.	1,901.
	48"	48"	RCA(A/B/C/D/E/F/G)F484822-()(1/2/3)	1,282.	1,473.	1,990.

Order Code	Specification Information	Application Notes
Example: RCAGF363611	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	6. Grommet options: N = No grommet F = Flush front grommet location
C Corner top	2. Left hand width	7. Finish type: 1 = V1 2 = V2 3 = V3
A 1 1/4" thick	3. Right hand width	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
G Gamma	4. Return left hand depth	
F Edge Front only	5. Return right hand depth	
36 36" wide	6. Grommet option	
36 36" wide	7. Top finish type	
1 20" deep	8. Top finish	
1 20" deep	9. Grommet finish	
F Flush grommet	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	Products on this page are shipped without hardware which must be ordered separately from the support components section.
2 V2 finish		Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
V319 Medium cherry		
111 Jet Black (grommet)		

Optional edge 1 1/4

Reff Profiles Vol. One

wave end tops front edge only

description	depth1	d right	w	pattern no.	M/V1	V2	V3
Wave transition top with profile edge front only (left 24", right 20") 	20"	24"	42"	RWA(A/B/C/D/E/F/G)F4221-() (1/2/3)	\$542.	\$624.	\$841.
	20"	24"	48"	RWA(A/B/C/D/E/F/G)F4821-() (1/2/3)	570.	655.	885.
	20"	24"	54"	RWA(A/B/C/D/E/F/G)F5421-() (1/2/3)	608.	701.	946.
	20"	24"	60"	RWA(A/B/C/D/E/F/G)F6021-() (1/2/3)	651.	752.	1,013.
	20"	24"	66"	RWA(A/B/C/D/E/F/G)F6621-() (1/2/3)	672.	772.	1,045.
	20"	24"	72"	RWA(A/B/C/D/E/F/G)F7221-() (1/2/3)	702.	809.	1,092.
Wave transition top with profile edge front only (left 30", right 24") 	24"	30"	42"	RWA(A/B/C/D/E/F/G)F4232-() (1/2/3)	587.	672.	906.
	24"	30"	48"	RWA(A/B/C/D/E/F/G)F4832-() (1/2/3)	607.	698.	942.
	24"	30"	54"	RWA(A/B/C/D/E/F/G)F5432-() (1/2/3)	655.	755.	1,018.
	24"	30"	60"	RWA(A/B/C/D/E/F/G)F6032-() (1/2/3)	701.	805.	1,088.
	24"	30"	66"	RWA(A/B/C/D/E/F/G)F6632-() (1/2/3)	726.	836.	1,128.
	24"	30"	72"	RWA(A/B/C/D/E/F/G)F7232-() (1/2/3)	764.	878.	1,186.
Wave transition top with profile edge front only (left 20", right 24") 	24"	20"	42"	RWA(A/B/C/D/E/F/G)F4212-() (1/2/3)	542.	624.	841.
	24"	20"	48"	RWA(A/B/C/D/E/F/G)F4812-() (1/2/3)	570.	655.	885.
	24"	20"	54"	RWA(A/B/C/D/E/F/G)F5412-() (1/2/3)	608.	701.	946.
	24"	20"	60"	RWA(A/B/C/D/E/F/G)F6012-() (1/2/3)	651.	752.	1,013.
	24"	20"	66"	RWA(A/B/C/D/E/F/G)F6612-() (1/2/3)	672.	772.	1,045.
	24"	20"	72"	RWA(A/B/C/D/E/F/G)F7212-() (1/2/3)	702.	809.	1,092.
Wave transition top with profile edge front only (left 24", right 30") 	30"	24"	42"	RWA(A/B/C/D/E/F/G)F4223-() (1/2/3)	587.	672.	906.
	30"	24"	48"	RWA(A/B/C/D/E/F/G)F4823-() (1/2/3)	607.	698.	942.
	30"	24"	54"	RWA(A/B/C/D/E/F/G)F5423-() (1/2/3)	655.	755.	1,018.
	30"	24"	60"	RWA(A/B/C/D/E/F/G)F6023-() (1/2/3)	701.	805.	1,088.
	30"	24"	66"	RWA(A/B/C/D/E/F/G)F6623-() (1/2/3)	726.	836.	1,128.
	30"	24"	72"	RWA(A/B/C/D/E/F/G)F7223-() (1/2/3)	764.	878.	1,186.
Wave end top with profile edge front only (20" right) 	20"	32"	36"	RWEA(A/B/C/D/E/F/G)F3631-() (1/2/3)	721.	830.	1,119.
	20"	32"	42"	RWEA(A/B/C/D/E/F/G)F4231-() (1/2/3)	750.	862.	1,164.
	20"	32"	48"	RWEA(A/B/C/D/E/F/G)F4831-() (1/2/3)	788.	906.	1,225.

Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
W Wave transition top	2. 5th position F = front edge with profile only	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
A 1 1/4" thick	3. Width	
G Gamma	4. Left hand depth	
F Edge front only	5. Right hand depth	
42 42" wide	6. Grommet option	
2 20" deep	7. Top finish type	
1 20" deep	8. Top finish	
F Flush grommet	9. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	6. Grommet options: N = No grommet F = Flush front grommet location	
	7. Finish type: 1 = V1 2 = V2 3 = V3	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	


Optional edge 1 1/4

Reff Profiles Vol. One


wave end tops

front edge only


description	depthl	d right	w	pattern no.	M/V1	V2	V3
Wave end top with profile edge front only (24" right)	24"	36"	36"	RWEA(A/B/C/D/E/F/G)F3662-()(1/2/3)	\$746.	\$858.	\$1,158.
	24"	36"	42"	RWEA(A/B/C/D/E/F/G)F4262-()(1/2/3)	768.	883.	1,192.
	24"	36"	48"	RWEA(A/B/C/D/E/F/G)F4862-()(1/2/3)	812.	938.	1,265.



Wave end top with profile edge front only (20" left)	32"	20"	36"	RWEA(A/B/C/D/E/F/G)F3613-()(1/2/3)	721.	830.	1,119.
	32"	20"	42"	RWEA(A/B/C/D/E/F/G)F4213-()(1/2/3)	750.	862.	1,164.
	32"	20"	48"	RWEA(A/B/C/D/E/F/G)F4813-()(1/2/3)	788.	906.	1,225.




Wave end top with profile edge front only (24" left)	36"	24"	36"	RWEA(A/B/C/D/E/F/G)F3626-()(1/2/3)	746.	858.	1,158.
	36"	24"	42"	RWEA(A/B/C/D/E/F/G)F4226-()(1/2/3)	768.	883.	1,192.
	36"	24"	48"	RWEA(A/B/C/D/E/F/G)F4826-()(1/2/3)	812.	938.	1,265.



Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	6. Grommet options: N = No grommet F = Flush front grommet location	
W Wave transition top	7. Finish type: 1 = V1 2 = V2 3 = V3	
A 1 1/4" thick	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	Products on this page are shipped without hardware which must be ordered separately from the support components section.
G Gamma		
F Edge front only		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
42 42" wide		
2 20" deep		
1 20" deep		
F Flush grommet		
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		

Optional edge 1 1/4 meeting tops

Reff Profiles Vol. One

description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Profile edge on all except flat side. Grommet choices are centered (as shown) or none 	30"	42"	RMDA(A/B/C/D/E/F/G)F4230-()(1/2/3)	\$765.	\$879.	\$1,187.
	30"	48"	RMDA(A/B/C/D/E/F/G)F4830-()(1/2/3)	829.	948.	1,280.
	30"	54"	RMDA(A/B/C/D/E/F/G)F5430-()(1/2/3)	885.	1,018.	1,375.
	30"	60"	RMDA(A/B/C/D/E/F/G)F6030-()(1/2/3)	946.	1,088.	1,467.
	30"	66"	RMDA(A/B/C/D/E/F/G)F6630-()(1/2/3)	1,010.	1,160.	1,566.
	30"	72"	RMDA(A/B/C/D/E/F/G)F7230-()(1/2/3)	1,071.	1,229.	1,660.
	30"	78"	RMDA(A/B/C/D/E/F/G)F7830-()(1/2/3)	1,211.	1,390.	1,878.
	30"	84"	RMDA(A/B/C/D/E/F/G)F8430-()(1/2/3)	1,351.	1,553.	2,098.
	30"	90"	RMDA(A/B/C/D/E/F/G)F9030-()(1/2/3)	1,509.	1,736.	2,341.
	30"	96"	RMDA(A/B/C/D/E/F/G)F9630-()(1/2/3)	1,664.	1,914.	2,584.
	36"	42"	RMDA(A/B/C/D/E/F/G)F4236-()(1/2/3)	842.	969.	1,308.
	36"	48"	RMDA(A/B/C/D/E/F/G)F4836-()(1/2/3)	920.	1,060.	1,431.
	36"	54"	RMDA(A/B/C/D/E/F/G)F5436-()(1/2/3)	1,054.	1,214.	1,637.
	36"	60"	RMDA(A/B/C/D/E/F/G)F6036-()(1/2/3)	1,181.	1,360.	1,837.
	36"	66"	RMDA(A/B/C/D/E/F/G)F6636-()(1/2/3)	1,203.	1,385.	1,870.
	36"	72"	RMDA(A/B/C/D/E/F/G)F7236-()(1/2/3)	1,225.	1,409.	1,901.
	36"	78"	RMDA(A/B/C/D/E/F/G)F7836-()(1/2/3)	1,378.	1,583.	2,137.
	36"	84"	RMDA(A/B/C/D/E/F/G)F8436-()(1/2/3)	1,533.	1,764.	2,382.
	36"	90"	RMDA(A/B/C/D/E/F/G)F9036-()(1/2/3)	1,614.	1,857.	2,506.
	36"	96"	RMDA(A/B/C/D/E/F/G)F9636-()(1/2/3)	1,769.	2,031.	2,744.
Wrap-around panel top	21 1/4"	42 1/2"	RMDA(A/B/C/D/E/F/G)F4221-()(1/2/3)()	985.	1,132.	1,527.
*No Grommet option	25 1/4"	50 1/2"	RMDA(A/B/C/D/E/F/G)F5025-()(1/2/3)()	1,078.	1,241.	1,675.





Please specify mating end trim profile option.

Order Code	Specification Information	Application Notes
Example: RM DAGF4230F2 R Reff MD Peninsula D-shaped top A 1 1/4" thick G Gamma F Edge front only 42 42" wide 30 30" deep C Centered grommet 2 V2 finish V319 Medium cherry 111 Jet Black (grommet)	<i>To order please specify pattern number including:</i> - Edge profile - Width - Depth - Grommet option - Top finish type - Top finish - Grommet finish - Applicable "wrap around panel tops" only specify mating panel end trim profile <i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	<i>4. Grommet options:</i> N = No grommet C = Centered grommet (applicable RMDA product only) F = Flush front grommet location (for worksurfaces 9 or P tops) R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops) <i>5. Finish type:</i> 1 = V1 2 = V2 3 = V3 <i>8. Additional specification option required for wrap around panel tops only, specify mating trim profile</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
		Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development. Products on this page are shipped without hardware which must be ordered separately from the support components section. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Optional edge 1 1/4 meeting tops *P* and *9*


Reff Profiles Vol. One

description	d	w	pattern no.	V1	V2	V3
Worksurface P-top	30"	84"	RMPA(A/B/C/D/E/F/G)F8430-()(1/2/3)	\$2,138.	\$2,463.	\$3,324.
	30"	96"	RMPA(A/B/C/D/E/F/G)F9630-()(1/2/3)	2,230.	2,564.	3,461.
Worksurface 9-top	30"	84"	RM9A(A/B/C/D/E/F/G)F8430-()(1/2/3)	2,138.	2,463.	3,324.
	30"	96"	RM9A(A/B/C/D/E/F/G)F9630-()(1/2/3)	2,230.	2,564.	3,461.
Meeting P-top (adjoining top must use 12 end panel and modesty panel to support)	30"	42"	RM9A(A/B/C/D/E/F/G)F4230-()(1/2/3)	1,052.	1,210.	1,631.
*No Grommet option	36"	48"	RM9A(A/B/C/D/E/F/G)F4836-()(1/2/3)	1,169.	1,344.	1,816.
						
Meeting 9-top (adjoining top must use 12 end panel and modesty panel to support)	30"	42"	RMPA(A/B/C/D/E/F/G)F4230-()(1/2/3)	1,052.	1,210.	1,631.
*No Grommet option	36"	48"	RMPA(A/B/C/D/E/F/G)F4836-()(1/2/3)	1,169.	1,344.	1,816.
						

Order Code	Specification Information	Application Notes	
Example: RMPAGF4230F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development. Products on this page are shipped without hardware which must be ordered separately from the support components section. Worksurface stiffeners recommended to provide additional support for open spans greater than 48" w.	
R Reff	1. Edge profile		4. Grommet options: N = No grommet C = Centered grommet (applicable RMDA product only) F = Flush front grommet location (for worksurfaces 9 or P tops) R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops)
MP Peninsula P-shaped top	2. Width		5. Finish type: 1 = V1 2 = V2 3 = V3 Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grev Oak
A 1 ¼" thick	3. Depth		
G Gamma	4. Grommet option		
F Edge front only	5. Top finish type		
42 42" wide	6. Top finish		
30 30" deep	7. Grommet finish		
C Centered grommet	8. Applicable "wrap around panel tops" only specify mating panel end trim profile		
2 V2 finish	1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma		
V319 Medium cherry			
111 Jet Black (grommet)			

Optional edge 1 1/4


Bow front tops

description	w	d	pattern no.	L	V1	V2	V3
Profile edge on front and back (30"D)	72"	30"	RMBA(A/B/C/D/E/F/G)A7230-()(1/2/3)		\$1,276.	\$1,465.	\$1,979.
	84"	30"	RMBA(A/B/C/D/E/F/G)A8430-()(1/2/3)		1,406.	1,616.	2,183.
	96"	30"	RMBA(A/B/C/D/E/F/G)A9630-()(1/2/3)		1,557.	1,789.	2,416.

Profile edge on front and back (36"D)	72"	36"	RMBA(A/B/C/D/E/F/G)A7236-()(1/2/3)		1,355.	1,556.	2,104.
	84"	36"	RMBA(A/B/C/D/E/F/G)A8436-()(1/2/3)		1,485.	1,709.	2,308.
	96"	36"	RMBA(A/B/C/D/E/F/G)A9636-()(1/2/3)		1,645.	1,894.	2,554.

Profile elliptical tops	60"	30"	REBA(A/B/C/D/E/F/G)A6030		1,497.	1,721.	2,324.
	72"	42"	REBA(A/B/C/D/E/F/G)A7242		2,134.	2,450.	3,308.
	78"	48"	REBA(A/B/C/D/E/F/G)A7848		2,338.	2,689.	3,630.

grommet options for elliptical tops, N or R

Short modesty panel	40"	1"	RB40MR-()	345.	453.	519.	701.
	52"	1"	RB52MR-()	406.	534.	614.	829.
	64"	1"	RB64MR-()	439.	574.	664.	896.

Use of short modesty panel

Pedestals must be ordered separately with individual back panels.

Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.

Order:


40" modesty for 72" bow top

52" modesty for 84" bow top

64" modesty for 96" bow top

When ordering bow top 30"D for use with short modesty, specify recessed grommet location.





When ordering bow top 36"D for use with short modesty, specify alternate grommet location.

Bulkhead (false pedestal)*	16"	24"	REBH24	487.	743.	860.	1,161.
	16"	30"	REBH30	503.	756.	881.	1,189.

Order Code	Specification Information		Application Notes
Example: RMBAGA7230F2	<i>To order please specify pattern number including:</i>	<i>4. Grommet options:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff		N = No grommet	
MB Bow front top	1. Edge profile	F = Flush front grommet location	
A 1 ¼" thick	2. Width	R = Recessed front	
G Gamma	3. Depth	A = Alternate location (only for 36" deep bow front tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A Edge front and back	4. Grommet option	<i>5. Finish type:</i>	
72 72" wide	5. Top finish type	1 = V1	
30 30" deep	6. Top finish	2 = V2	
F Flush grommet	7. Grommet finish	3 = V3	
2 V2 finish	<i>1. Edge profile options:</i>	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
V319 Medium cherry	A = Alpha		
111 Jet Black (grommet)	B = Beta		
	C = Chi		
	D = Delta		
	E = Epsilon		
	F = Phi		
	G = Gamma		

Optional edge 1 1/4 round and racetrack conference tops





Reff Profiles Vol. One

description	w	d	pattern no.	V1	V2	V3
Racetrack top - 1 piece	72"	30"	RTA(A/B/C/D/E/F/G)7230-(1/2/3)	\$1,497.	\$1,721.	\$2,324.
	72"	36"	RTA(A/B/C/D/E/F/G)7236-(1/2/3)	1,709.	1,961.	2,649.
	84"	30"	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	1,666.	1,920.	2,591.
	84"	36"	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	1,923.	2,206.	2,980.
	84"	42"	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	2,338.	2,689.	3,630.
	96"	30"	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	1,857.	2,136.	2,882.
	96"	36"	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	2,134.	2,450.	3,308.
	96"	42"	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	2,617.	3,010.	4,063.
Racetrack top - 2 piece Profile edge on all sides except on parting lines	120"	36"	RTA(A/B/C/D/E/F/G)12036-(1/2/3)	2,755.	3,167.	4,274.
	120"	42"	RTA(A/B/C/D/E/F/G)12042-(1/2/3)	2,970.	3,413.	4,609.
	120"	48"	RTA(A/B/C/D/E/F/G)12048-(1/2/3)	3,157.	3,629.	4,897.
	144"	42"	RTA(A/B/C/D/E/F/G)14442-(1/2/3)	3,273.	3,765.	5,081.
	144"	48"	RTA(A/B/C/D/E/F/G)14448-(1/2/3)	3,356.	3,857.	5,208.
Racetrack top - 3 piece Profile edge on all sides except on parting lines	168"	42"	RTA(A/B/C/D/E/F/G)16842-(1/2/3)	4,104.	4,721.	6,372.
	168"	48"	RTA(A/B/C/D/E/F/G)16848-(1/2/3)	4,390.	5,048.	6,813.
	192"	42"	RTA(A/B/C/D/E/F/G)19242-(1/2/3)	4,412.	5,072.	6,847.
	192"	48"	RTA(A/B/C/D/E/F/G)19248-(1/2/3)	4,591.	5,280.	7,125.
Round tops Profile edge on all sides except on parting lines.	*	60"	RTA(A/B/C/D/E/F/G)6060-(1/2/3)	2,523.	2,902.	3,915.
	*	72"	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	3,122.	3,591.	4,847.
	-	36"	RTA(A/B/C/D/E/F/G)3636-(1/2/3)	842.	969.	1,308.
	-	42"	RTA(A/B/C/D/E/F/G)4242-(1/2/3)	977.	1,122.	1,517.
	-	48"	RTA(A/B/C/D/E/F/G)4848-(1/2/3)	1,608.	1,849.	2,496.

Order Code	Specification Information	Application Notes
Example: RTAG72302	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	4. Finish type: 1 = V1 2 = V2 3 = V3
T Racetrack top	2. Width	*Round tops in two pieces.
A 1 1/4" thick	3. Depth	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
G Gamma	4. Finish type	
72 22" wide	5. Finish	
30 30" deep	<i>1. Edge profile options:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Optional edge 1 1/4 square and rectangular conference tops

Reff Profiles Vol. One

description	w	d	pattern no.	V1	V2	V3
Rectangular top - 1 piece 	72"	30"	RRR(A/B/C/D/E/F/G)7230-(1/2/3)	\$792.	\$910.	\$1,229.
	72"	36"	RRR(A/B/C/D/E/F/G)7236-(1/2/3)	861.	988.	1,334.
	84"	30"	RRR(A/B/C/D/E/F/G)8430-(1/2/3)	876.	1,010.	1,363.
	84"	36"	RRR(A/B/C/D/E/F/G)8436-(1/2/3)	940.	1,080.	1,459.
	84"	42"	RRR(A/B/C/D/E/F/G)8442-(1/2/3)	1,390.	1,598.	2,158.
	96"	30"	RRR(A/B/C/D/E/F/G)9630-(1/2/3)	984.	1,129.	1,526.
	96"	36"	RRR(A/B/C/D/E/F/G)9636-(1/2/3)	1,086.	1,249.	1,688.
	96"	42"	RRR(A/B/C/D/E/F/G)9642-(1/2/3)	1,596.	1,835.	2,476.
Rectangular top - 2 piece Profile edge on all sides except on parting lines 	120"	36"	RRR(A/B/C/D/E/F/G)12036-(1/2/3)	1,742.	2,003.	2,704.
	120"	42"	RRR(A/B/C/D/E/F/G)12042-(1/2/3)	2,402.	2,762.	3,725.
	120"	48"	RRR(A/B/C/D/E/F/G)12048-(1/2/3)	2,610.	3,002.	4,054.
	144"	42"	RRR(A/B/C/D/E/F/G)14442-(1/2/3)	2,697.	3,106.	4,193.
	144"	48"	RRR(A/B/C/D/E/F/G)14448-(1/2/3)	2,893.	3,325.	4,490.
Rectangular top - 3 piece Profile edge on all sides except on parting lines 	168"	42"	RRR(A/B/C/D/E/F/G)16842-(1/2/3)	3,539.	4,071.	5,494.
	168"	48"	RRR(A/B/C/D/E/F/G)16848-(1/2/3)	3,843.	4,422.	5,972.
	192"	42"	RRR(A/B/C/D/E/F/G)19242-(1/2/3)	3,832.	4,411.	5,953.
	192"	48"	RRR(A/B/C/D/E/F/G)19248-(1/2/3)	4,127.	4,746.	6,405.
Square top Profile edge on all sides except on parting lines 	*	60"	RRR(A/B/C/D/E/F/G)6060-(1/2/3)	1,623.	1,866.	2,521.
	*	72"	RRR(A/B/C/D/E/F/G)7272-(1/2/3)	1,914.	2,200.	2,971.
	—	36"	RRR(A/B/C/D/E/F/G)3636-(1/2/3)	613.	702.	948.
	—	42"	RRR(A/B/C/D/E/F/G)4242-(1/2/3)	792.	910.	1,229.
	—	48"	RRR(A/B/C/D/E/F/G)4848-(1/2/3)	1,042.	1,196.	1,613.



Worksurfaces

Order Code	Specification Information	Application Notes
Example: RRAG72302	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge option	Products on this page are shipped without hardware which must be ordered separately from the support components section.
R Conference Room top	2. Width	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
A 1 1/4" thick	3. Depth	
G Gamma	4. Finish type	
72 72" wide	5. Finish	
30 30" deep	<i>1. Edge profile options:</i>	
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>4. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	
	* Square tops in two pieces.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Cascade Edge 1 1/4"

Rectilinear 24" and 30" deep

Reff Profiles Vol. One

description	d	w	pattern no.	Solid	Woodgrain
24"D Rectangular  shown with grommet	24"	24"	RCE1R2424N	\$255.	\$222.
	24"	30"	RCE1R3024N	293.	255.
	24"	36"	RCE1R3624N	324.	281.
	24"	42"	RCE1R4224N	373.	324.
	24"	48"	RCE1R4824N	419.	364.
	24"	54"	RCE1R5424N	449.	391.
	24"	60"	RCE1R6024N	488.	424.
	24"	66"	RCE1R6624N	526.	459.
	24"	72"	RCE1R7224N	551.	479.
	24"	78"	RCE1R7824N	591.	515.
	24"	84"	RCE1R8424N	625.	544.
	24"	90"	RCE1R9024N	704.	614.
	24"	96"	RCE1R9624N	770.	670.
30"D Rectangular  shown with grommet	30"	24"	RCE1R2430N	326.	282.
	30"	30"	RCE1R3030N	364.	317.
	30"	36"	RCE1R3630N	406.	353.
	30"	42"	RCE1R4230N	439.	383.
	30"	48"	RCE1R4830N	488.	424.
	30"	54"	RCE1R5430N	552.	480.
	30"	60"	RCE1R6030N	606.	528.
	30"	66"	RCE1R6630N	677.	589.
	30"	72"	RCE1R7230N	704.	614.
	30"	78"	RCE1R7830N	752.	654.
	30"	84"	RCE1R8430N	800.	696.
	30"	90"	RCE1R9030N	860.	748.
	30"	96"	RCE1R9630N	919.	800.

Order Code

Example:	RCE1R3024N 118
R	Reff
CE1	Cascade edge
R	Rectangular
30	Width
24	Depth
N	No grommet
118	Finish

Specification Information

To order please specify pattern number including finish:

Available finishes:

Solid:

114	Folkstone Grey
117	Soft Grey
118	Bright White
119	Pumice

Woodgrain:

124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut

Application Notes

Center-located edge grommet.

To specify grommet, replace the "N" suffix in pattern number with "G". Add \$21.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 206 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Cascade edge worksurfaces are not recommended for free-standing applications.


Actual width 1/16" less nominal.
Actual depth 3/8" less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

Cascade Edge 1 1/4" Blended "D"

Reff Profiles Vol. One

description	A	B	C	pattern no.	Solid	Woodgrain
 right hand shown	48"	24"	66"	RCE1BD6648S(L/R)	\$1,032.	\$898.
	48"	24"	72"	RCE1BD7248S(L/R)	1,057.	917.
	48"	24"	78"	RCE1BD7848S(L/R)	1,219.	1,060.
	48"	24"	84"	RCE1BD8448S(L/R)	1,252.	1,089.
	48"	30"	66"	RCE1BD6648D(L/R)	1,086.	943.
	48"	30"	72"	RCE1BD7248D(L/R)	1,125.	978.
	48"	30"	78"	RCE1BD7848D(L/R)	1,259.	1,096.
	48"	30"	84"	RCE1BD8448D(L/R)	1,330.	1,158.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RCE1BD6648SR 118	<i>To order please specify pattern number including:</i>	All support hardware ordered separately.
R Reff		
CE1 Cascade edge	1. Return depth (dimension C on line art, hard coded in pattern number)	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
BD Blended "D"	S = 24" return	Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 206 as required to support Cascade edge worksurfaces for Reff panel hung applications.
66 Width	D = 30" return	Cascade edge worksurfaces are not recommended for free-standing applications.
48 Depth	2. Hand (left or right)	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
S 24" return	3. Finish	
R right hand	<i>Solid:</i>	
118 Finish	114 Folkstone Grey	Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
	117 Soft Grey	Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.
	118 Bright White	
	119 Pumice	
	Woodgrain:	
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Cascade Edge 1 1/4"

Curvilinear corner

Reff Profiles Vol. One

description	A	B	C	pattern no.	Solid	Woodgrain
Curvilinear corner	24"	24"	36"	RCE1L3636SSN	\$639.	\$554.
	24"	24"	42"	RCE1L4242SSN	770.	670.
	24"	24"	48"	RCE1L4848SSN	865.	752.
	24"	30"	42"	RCE1L4242DSN	913.	796.
	24"	30"	48"	RCE1L4848DSN	1,036.	901.
	30"	24"	42"	RCE1L4242SDN	913.	796.
	30"	24"	48"	RCE1L4848SDN	1,036.	901.
	30"	30"	48"	RCE1L4848DDN	930.	808.



shown with grommets

Order Code	Specification Information	Application Notes
Example: RCE1L3636SSN 114	<i>To order please specify pattern number including:</i>	Center-located edge grommets, located on center of sides marked A.
RCE1 Reff Cascade Edge worksurface	1. Return depths (hard coded in pattern number)	All support hardware ordered separately.
L Curvilinear Corner top	SS = 24"d left and right	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
36 Width	SD = 24"d left, 30"d right	Specify cantilever bracket (ASBC18 (L/R) or ASBC24 (L/R)) from page 206 as required to support Cascade edge worksurfaces for Reff panel hung applications.
36 Depth	DS = 30"d left, 24"d right	Cascade edge worksurfaces are not recommended for free-standing applications.
S 24"d, left side	DD = 30"d left and right	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
S 24"d, right side	2. Grommets (hard coded in pattern number)	
N No grommet	N= no grommets	
114 Folkstone Grey finish	G= grommets	
Grain Direction	To specify grommets, replace the "N" suffix in pattern number with "G". Add \$41.	
	3. Finish	
	<i>Solid:</i>	
	114 Folkstone Grey	
	117 Soft Grey	
	118 Bright White	
	119 Pumice	
	Woodgrain:	
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	
	Graing Direction:	
	D = Diagonal	
	L = Left hand	
	N = Not required	
	R = Right hand	


Note: When wood grain or brushed finishes are specified on Cascade corner worksurfaces with two "A" sides of equal length that do not exceed 42" you must select one of three grain direction options. Insert the desired grain direction "L"= Left hand, "R"= Right hand or "D"= Diagonal after the worksurface finish code to indicate the appropriate grain direction. When the "D" option is selected please add \$26.00 to the worksurface list price. 48" Cascade corners are not available with a diagonal grain option.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

Cascade Edge 1 1/4" Blended "L"

Reff Profiles Vol. One

description	B	C	A	D	pattern no.	Solid	Woodgrain
 shown with grommets	42"	60"	24"	24"	RCE1L4260SSN	\$1,058.	\$919.
	42"	66"	24"	24"	RCE1L4266SSN	1,086.	943.
	42"	72"	24"	24"	RCE1L4272SSN	1,127.	979.
	42"	78"	24"	24"	RCE1L4278SSN	1,138.	991.
	48"	60"	24"	24"	RCE1L4860SSN	1,070.	932.
	48"	60"	24"	30"	RCE1L4860SDN	1,052.	913.
	48"	60"	30"	24"	RCE1L4860DSN	1,052.	913.
	48"	66"	24"	24"	RCE1L4866SSN	1,109.	965.
	48"	66"	24"	30"	RCE1L4866SDN	1,106.	961.
	48"	66"	30"	24"	RCE1L4866DSN	1,106.	961.
	48"	72"	24"	24"	RCE1L4872SSN	1,150.	1,000.
	48"	72"	24"	30"	RCE1L4872SDN	1,158.	1,006.
	48"	72"	30"	24"	RCE1L4872DSN	1,158.	1,006.
	48"	78"	24"	24"	RCE1L4878SSN	1,268.	1,102.
	48"	84"	24"	24"	RCE1L4884SSN	1,426.	1,239.
	60"	42"	24"	24"	RCE1L6042SSN	1,058.	919.
	60"	48"	24"	24"	RCE1L6048SSN	1,070.	932.
	60"	48"	24"	30"	RCE1L6048SDN	1,052.	913.
	60"	48"	30"	24"	RCE1L6048DSN	1,052.	913.
	66"	42"	24"	24"	RCE1L6642SSN	1,086.	943.
	66"	48"	24"	24"	RCE1L6648SSN	1,109.	965.
	66"	48"	24"	30"	RCE1L6648SDN	1,106.	961.
	66"	48"	30"	24"	RCE1L6648DSN	1,106.	961.
	72"	42"	24"	24"	RCE1L7242SSN	1,127.	979.
	72"	48"	24"	24"	RCE1L7248SSN	1,150.	1,000.
	72"	48"	24"	30"	RCE1L7248SDN	1,158.	1,006.
	72"	48"	30"	24"	RCE1L7248DSN	1,158.	1,006.
	78"	42"	24"	24"	RCE1L7842SSN	1,138.	991.
	78"	48"	24"	24"	RCE1L7848SSN	1,268.	1,102.
	84"	48"	24"	24"	RCE1L8448SSN	1,426.	1,239.

Order Code		Specification Information	Application Notes		
Example: RCE1L4260SSG 114		<i>To order please specify pattern number including:</i>	Center-located edge grommets, located on center of sides marked B and C.	Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.	
RCE1	Cascade edge worksurface	1. Return depths (hard coded in pattern number):	All support hardware ordered separately.		
L	Blended “L” top	SS = 24”d left and right	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48”w.		
42	Width	SD = 24”d left, 30”d right			
60	Depth	DS = 30”d left, 24”d right			
S	24”d, left side	2. Grommets (hard coded in pattern number):	Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 206 as required to support Cascade edge worksurfaces for Reff panel hung applications.		
S	24”d, right side	N= no grommets	Cascade edge worksurfaces are not recommended for free-standing applications.		
G	Grommets	G= grommets			
114	Top finish	3. Finishes:			Actual width 1/16” less nominal.
		<i>Solid:</i>			Actual depth 3/8” less nominal for cord drop.
		114 Folkstone Grey	Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.		
		117 Soft Grey			
		118 Bright White			
		119 Pumice			
		Woodgrain:			
		124 Medium Cherry			
		125 Natural Maple			
		126 Natural Cherry			
		127 Walnut			

To specify grommets, replace the "N" suffix in pattern number with "G". Add \$41.

Cascade Edge 1 1/4"

Half round and corner round

Reff Profiles Vol. One



description	w	d	pattern no.	Solid	Woodgrain
 Half Round	48"	18"	RCE1H4818	\$551.	\$479.
	50 1/2"	18"	RCE1H4818P	551.	479.
	60"	24"	RCE1H6024	760.	659.
	62 1/2"	24"	RCE1H6024P	760.	659.
 LH Corner Round	24"	24"	RCE1CR24L	293.	255.
 RH Corner Round	24"	24"	RCE1CR24R	293.	255.
 Notched Corner Round	24"	24"	RCE1CR24N	293.	255.

Order Code	Specification Information	Application Notes
Example: RCE1H4818P 118 R Reff CE1 Cascade edge H Half round 48 Width 18 Depth P Notch for panel trim 118 Finish	<i>To order please specify pattern number including finish:</i> <i>Available finishes:</i> Solid: 114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice Woodgrain: 124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut	All support hardware ordered separately. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w. Specify cantilever bracket from page 206 as required to support Cascade edge worksurfaces for Reff panel hung applications. Half round tops with suffix P, notched for panel end trim profile B square only. Cascade edge worksurfaces are not recommended for free-standing applications. Actual width 1/16" less nominal. Actual depth 3/8" less nominal.
		Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation. Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.

Cascade Edge 1 1/4"

Wave end

Reff Profiles Vol. One


description	1	2	3	A	B	pattern no.	Solid	Woodgrain
Wave End, LH 	36"	24"	30"	3"	15"	RCE1W363024N	\$685.	\$596.
	42"	24"	30"	9"	15"	RCE1W423024N	721.	626.
	48"	24"	30"	15"	15"	RCE1W483024N	772.	671.
	72"	24"	30"	30 1/2"	23 1/2"	RCE1W723024N	980.	854.
<i>shown with grommet</i>								
Wave End, RH 	36"	30"	24"	15"	3"	RCE1W362430N	685.	596.
	42"	30"	24"	15"	9"	RCE1W422430N	721.	626.
	48"	30"	24"	15"	15"	RCE1W482430N	772.	671.
	72"	30"	24"	23 1/2"	30 1/2"	RCE1W722430N	980.	854.
<i>shown with grommet</i>								

Order Code	Specification Information	Application Notes
Example: RCE1W483024N 118	<i>To order please specify pattern number including finish:</i>	Center-located edge grommet.
RCE1 Cascade edge worksurface	Available finishes:	To specify grommet, replace the "N" suffix in pattern number with "G". Add \$21.
W Wave end	<i>Solid:</i>	All support hardware ordered separately.
48 Width	114 Folkstone Grey	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
30 Depth, left side	117 Soft Grey	Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 206 as required to support Cascade edge worksurfaces for Reff panel hung applications.
24 Depth, right side	118 Bright White	Cascade edge worksurfaces are not recommended for free-standing applications.
N No grommet	119 Pumice	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
118 Top finish	<i>Woodgrain:</i>	Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
	124 Medium Cherry	Cascade edge worksurfaces in solid colors utilize a non -PVC construction and are also free of any plasticizers, phthalates and lead content.
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Worksurface Credenza

1" No grommet

Reff Profiles Vol. One


description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops 	20"	30"	RCE301()	\$374.	\$404.	\$418.	\$541.
		36"	RCE361()	394.	417.	435.	577.
		60"	RCE601()	491.	500.	576.	779.
		66"	RCE661()	505.	516.	594.	802.
		72"	RCE721()	532.	543.	623.	841.
		78"	RCE781()	538.	548.	632.	854.
		84"	RCE841()	575.	587.	673.	908.
		90"	RCE901()	598.	610.	699.	946.
		96"	RCE961()	620.	632.	727.	980.
		102"	RCE1021()	682.	696.	800.	1,078.
		108"	RCE1081()	751.	765.	880.	1,186.
	24"	30"	RCE302()	392.	423.	440.	580.
		36"	RCE362()	409.	444.	464.	625.
		60"	RCE602()	544.	554.	635.	859.
		66"	RCE662()	561.	572.	658.	888.
		72"	RCE722()	584.	596.	688.	931.
		78"	RCE782()	613.	625.	723.	973.
		84"	RCE842()	639.	651.	749.	1,011.
		90"	RCE902()	667.	680.	781.	1,054.
		96"	RCE962()	692.	705.	812.	1,097.
		102"	RCE1022()	761.	777.	894.	1,206.
		108"	RCE1082()	837.	854.	984.	1,327.

Order Code	Specification Information	Application Notes
Example: RCE601	<i>To order please specify pattern number including:</i> 1. Finish L, V1, V2, V3	No grommet options Product on this page will accept woodgrain laminate where laminate is currently an option.
R Reff		
C Credenza Top		
E 1"		
60 width		
1 20"		
V316 Finish		Credenza tops are drilled to accept pedestals and end panels. Credenza tops are predrilled with pilot holes for use with wood screws. 1" Credenza tops are recommended to work with the Task Panel application. Credenza tops are intended to be supported by full lower storage.

Worksurface Credenza

1" with edge grommet

Reff Profiles Vol. One

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops with grommet 	20"	60"	RCEEG601()	\$686.	\$700.	\$806.	\$1,091.
		66"	RCEEG661()	708.	723.	833.	1,123.
		72"	RCEEG721()	746.	760.	872.	1,177.
		78"	RCEEG781()	753.	768.	886.	1,197.
		84"	RCEEG841()	806.	823.	942.	1,271.
		90"	RCEEG901()	836.	853.	979.	1,324.
		96"	RCEEG961()	868.	886.	1,017.	1,373.
		102"	RCEEG1021()	956.	974.	1,119.	1,508.
		108"	RCEEG1081()	1,050.	1,071.	1,231.	1,661.
	24"	60"	RCEEG602()	761.	777.	890.	1,202.
		66"	RCEEG662()	784.	800.	921.	1,243.
		72"	RCEEG722()	818.	835.	963.	1,302.
		78"	RCEEG782()	858.	876.	1,011.	1,362.
		84"	RCEEG842()	893.	911.	1,048.	1,415.
		90"	RCEEG902()	933.	952.	1,094.	1,476.
		96"	RCEEG962()	968.	988.	1,138.	1,536.
		102"	RCEEG1022()	1,066.	1,088.	1,252.	1,689.
		108"	RCEEG1082()	1,172.	1,196.	1,377.	1,858.


Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCEEG601	<i>To order please specify pattern number including:</i> 1. Top finish L,V1,V2,V3	These tops will always come with a cut out (notch) at the back of top. No grommet option. Product on this page will accept woodgrain laminate where laminate is currently an option.
R Reff		
C Credenza Top		
E 1"		
EG Edge Grommet		
60 Width		
1 20"		
V316 Finish		Credenza tops are drilled to accept pedestals. Credenza tops are predrilled with pilot holes for use with wood screws. 1" Credenza tops are recommended to work with the Task Panel application. Credenza tops are intended to be supported by full lower storage. Edge grommet: 35mm deep, 6" in from back corner.

Worksurface Credenza

1 1/2" with edge grommet

Reff Profiles Vol. One

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops 	20"	60"	RCD601()	\$755.	\$771.	\$887.	\$1,200.
		66"	RCD661()	779.	795.	915.	1,234.
		72"	RCD721()	820.	834.	959.	1,296.
		78"	RCD781()	828.	844.	974.	1,316.
		84"	RCD841()	886.	904.	1,037.	1,398.
		90"	RCD901()	920.	939.	1,077.	1,457.
		96"	RCD961()	956.	974.	1,119.	1,508.
		102"	RCD1021()	1,050.	1,071.	1,231.	1,661.
		108"	RCD1081()	1,155.	1,178.	1,354.	1,825.
	24"	60"	RCD602()	837.	854.	979.	1,322.
		66"	RCD662()	862.	880.	1,015.	1,369.
		72"	RCD722()	901.	918.	1,060.	1,432.
		78"	RCD782()	943.	962.	1,113.	1,499.
		84"	RCD842()	984.	1,004.	1,153.	1,557.
		90"	RCD902()	1,026.	1,047.	1,203.	1,623.
		96"	RCD962()	1,066.	1,088.	1,252.	1,689.
		102"	RCD1022()	1,172.	1,196.	1,377.	1,858.
		108"	RCD1082()	1,290.	1,316.	1,515.	2,045.

Order Code	Specification Information	Application Notes
Example: RCD601	<i>To order please specify pattern number including:</i> 1. Finish L, V1, V2, V3	These tops will always come with a cut out (notch) at the back of top. No grommet option. Product on this page will accept woodgrain laminate where laminate is currently an option.
R Reff		
C Credenza		
D 1 1/2" top		
60 Width		
1 20"		
V316 Finish		Credenza tops are drilled to accept pedestals. Credenza tops are predrilled with pilot holes for use with wood screws. 1" Credenza tops are recommended to work with the Task Panel application. Credenza tops are intended to be supported by full lower storage. Edge grommet: 35mm deep, 6" in from back corner.

Tables with Open Frame Legs

Rectangular - 26 1/2" High

Reff Profiles Vol. One

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle 24" Deep with 26 1/2" height leg	24"	60"	1 1/2"	RTRDOF60241()	\$1,689.	\$1,797.	\$2,014.	\$2,322.
	24"	66"	1 1/2"	RTRDOF66241()	1,674.	1,843.	2,068.	2,404.
	24"	72"	1 1/2"	RTRDOF72241()	1,742.	1,856.	2,091.	2,431.
	24"	78"	1 1/2"	RTRDOF78241()	1,768.	1,911.	2,148.	2,538.
	24"	84"	1 1/2"	RTRDOF84241()	1,784.	1,956.	2,200.	2,616.




Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	60"	1 1/2"	RTRDOF60301()	1,779.	1,874.	2,107.	2,471.
	30"	66"	1 1/2"	RTRDOF66301()	1,819.	1,923.	2,165.	2,561.
	30"	72"	1 1/2"	RTRDOF72301()	1,838.	1,938.	2,211.	2,638.
	30"	78"	1 1/2"	RTRDOF78301()	1,866.	2,001.	2,258.	2,716.
	30"	84"	1 1/2"	RTRDOF84301()	1,885.	2,060.	2,327.	2,816.





Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	60"	1 1/2"	RTRDOF60361()	1,809.	1,931.	2,178.	2,595.
	36"	66"	1 1/2"	RTRDOF66361()	1,851.	1,985.	2,243.	2,597.
	36"	72"	1 1/2"	RTRDOF72361()	1,873.	2,028.	2,294.	2,783.
	36"	78"	1 1/2"	RTRDOF78361()	1,904.	2,071.	2,345.	2,872.
	36"	84"	1 1/2"	RTRDOF84361()	1,926.	2,124.	2,409.	2,970.



Tables

Order Code	Specification Information	Application Notes
Example: RTRDOF60241	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
R Reff	1. Worksurface finish L, V1, V2, V3	Modesty sold separately.
TR Table Rectangular	2. Open Frame Leg finish Painted and Anodized	1 1/2" top will come with appropriate stiffener support.
D 1 1/2"	Upcharges apply to legs with P2, P3 and P4 finishes.	Grommets are NOT optional for these tables.
OF Open Frame Leg	Additional upcharges;	
60 Width	LegFinish Add	
24 Depth	P2 \$120.	
1 26 1/2" height leg	P3 \$180.	
V316 Finish	P4 for 20" & 24"d legs: \$700.	
111 Leg Finish	for 30" & 36"d legs: \$900.	

Open Frame legs Infill Options

For Tables, 26¹/₂" High

Reff Profiles Vol. One

description	h	d	pattern no.	L	V1	V2	V3	glass
Inside Infill Options for Open Frame Legs 26 ¹ / ₂ " h 	24"	20"	RIPI201()	\$308.	\$399.	\$460.	\$597.	
	24"	24"	RIPI241()	316.	410.	471.	614.	
	24"	30"	RIPI301()	333.	431.	495.	645.	
	24"	36"	RIPI361()	353.	458.	525.	683.	
Outside Infill Options for Open Frame Legs 26 ¹ / ₂ " h 	25"	20"	RIPO201()	309.	401.	461.	599.	
	25"	24"	RIPO241()	317.	412.	473.	615.	
	25"	30"	RIPO301()	335.	434.	498.	648.	
	25"	36"	RIPO361()	354.	459.	527.	685.	
Outside Glass Infill Options for Open Frame Legs 26 ¹ / ₂ " h 	25"	20"	RIPOG201()					796.
	25"	24"	RIPOG241()					898.
	25"	30"	RIPOG301()					1,056.
	25"	36"	RIPOG361()					1,218.

Order Code	Specification Information	Application Notes
Example: RIPPEI202	<i>To order please specify pattern number including:</i>	Both Inside and Outside infill panels are required and must be ordered separately.
R Reff Profiles	1. Finish: L, V1,V2,V3, Glass	
IP Infill Panel	I=Inside	Infills; fill entire opening of open frame legs.
PE Peninsula End	O=Outside	Infills connect to each other. Can be removed without any damage to the frame legs.
I Inside	OG=Outside Glass	Glass Option is only available for outside infill.
20 Width	Glass options:	Inside infill options are wood or laminate.
1 26 ¹ / ₂ "h: Desk Height	GL11, GL14, GL15, GL18	
() Finish		

Note: the infills for the open frame leg Peninsula and Tables are not interchangeable.

Product on this page will accept woodgrain laminate where laminate is currently an option.

For Peninsula infills prior to July 17, 2012 please consult your account manager.

Tables with L-legs

Rectangular and Square

Reff Profiles Vol. One

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDL48301() ()	\$1,414.	\$1,654.	\$1,858.	\$1,916.
	30"	60"	1 1/2"	RTRDL60301() ()	1,477.	1,748.	1,969.	2,031.
	30"	72"	1 1/2"	RTRDL72301() ()	1,541.	1,810.	2,045.	2,164.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDL72361() ()	1,614.	1,876.	2,126.	2,306.





Table Top Square with 26 1/2" height legs	42"	42"	1 1/2"	RTSDL42421() () ()	1,470.	1,706.	1,923.	1,976.
	48"	48"	1 1/2"	RTSDL48481() () ()	1,563.	1,790.	2,156.	2,465.



Tables

Order Code	Specification Information	Application Notes	Application Notes
Example: RTRDL48301() ()	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.	Assembly required, ships knock down.
R Reff	1. Worksurface finish	Upcharges apply to legs with P2, P3 and P4 finishes.	Modesty sold separately.
TR Table Rectangular TS = Table Square	L, V1, V2, V3	Additional upcharges;	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	2. Leg finish	Leg Finish Add	Grommets are NOT optional for these tables.
L L-Leg	Painted / Anodized	P2 \$100.	
48 Width		P3 \$160.	
30 Depth		P4 \$400.	
1 26 1/2" height leg			
V316 Finish			
111 Leg Finish			

Tables with Reverse L-Legs

Rectangular and Square

Reff Profiles Vol. One

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDRL48301 () () ()	\$1,414.	\$1,654.	\$1,858.	\$1,916.
	30"	60"	1 1/2"	RTRDRL60301 () () ()	1,477.	1,748.	1,969.	2,031.
	30"	72"	1 1/2"	RTRDRL72301 () () ()	1,541.	1,810.	2,045.	2,164.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDRL72361 () () ()	1,614.	1,876.	2,126.	2,306.





Table Top Square with 26 1/2" height legs	42"	42"	1 1/2"	RTSDRL42421 () () ()	1,470.	1,706.	1,923.	1,976.
	48"	48"	1 1/2"	RTSDRL48481 () () ()	1,563.	1,790.	2,156.	2,465.



Order Code	Specification Information		Application Notes	
Example: RTRDRL48301 () () ()	To order please specify pattern number including: 1. Worksurface finish L, V1, V2, V3 2. Leg finish Painted / Anodized	Product on this page will accept woodgrain laminate where laminate is currently an option.	Assembly required, ships knock down.	
R Reff		Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges;	Modesty sold separately.	
TR Table Rectangular TS = Table Square			Leg Finish Add P2 \$100. P3 \$160. P4 \$400.	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"				
RL Reverse L-Leg				
48 Width				
30 Depth		Grommets are NOT optional for these tables.		
1 26 1/2" height leg				
V316 Finish				
111 Leg Finish				

Tables with Soft Rectangular Legs

Rectangular and Square

Reff Profiles Vol. One

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDS48301 ()()()	\$1,529.	\$1,769.	\$2,025.	\$2,286.
	30"	60"	1 1/2"	RTRDS60301 ()()()	1,593.	1,863.	2,096.	2,460.
	30"	72"	1 1/2"	RTRDS72301 ()()()	1,656.	1,926.	2,171.	2,598.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDS72361 ()()()	1,534.	1,790.	2,032.	2,521.





Table Top Square with 26 1/2" height legs	42"	42"	1 1/2"	RTSDS42421 ()()()	1,585.	1,821.	2,049.	2,400.
	48"	48"	1 1/2"	RTSDS48481 ()()()	1,687.	1,906.	2,154.	2,592.



Tables

Order Code	Specification Information	Application Notes
Example: RTRDS48301 ()()()	To order please specify pattern number including:	Product on this page will accept woodgrain laminate where laminate is currently an option..
R Reff	1. Worksurface finish	Assembly required, ships knock down.
TR Table Rectangular TS = Table Square	L, V1, V2, V3	Modesty sold separately.
D 1 1/2"	2. Leg finish	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
S Soft Rectangular Leg	Painted / Anodized	Grommets are NOT optional for these tables.
48 Width		
30 Depth		
1 26 1/2" height leg		
V316 Finish		
111 Leg Finish		

Tables with 2 x 4 Legs Rectangular - 26 1/2" High

Reff Profiles Vol. One

description	depth	width	thickness	pattern number	L	V1	V2	V3
Table Top Rectangle, 36" Deep with 26 1/2" height legs	36"	72"	1 1/2"	RTM272361 ()()()	\$2,164.	\$2,273.	\$2,364.	\$2,742.
	36"	78"	1 1/2"	RTM278361 ()()()	2,182.	2,302.	2,400.	2,808.
	36"	84"	1 1/2"	RTM284361 ()()()	2,221.	2,356.	2,461.	2,895.
	36"	90"	1 1/2"	RTM290361 ()()()	2,247.	2,386.	2,497.	2,959.
	36"	96"	1 1/2"	RTM296361 ()()()	2,265.	2,414.	2,533.	3,023.




Table Top Rectangle, 42" Deep with 26 1/2" height legs	42"	72"	1 1/2"	RTM272421 ()()()	2,198.	2,330.	2,436.	2,864.
	42"	78"	1 1/2"	RTM278421 ()()()	2,217.	2,363.	2,477.	2,937.
	42"	84"	1 1/2"	RTM284421 ()()()	2,268.	2,455.	2,577.	3,066.
	42"	90"	1 1/2"	RTM290421 ()()()	2,281.	2,488.	2,618.	3,138.
	42"	96"	1 1/2"	RTM296421 ()()()	2,309.	2,521.	2,659.	3,210.





Table Top Rectangle, 48" Deep with 26 1/2" height legs	48"	72"	1 1/2"	RTM272481 ()()()	2,261.	2,450.	2,571.	3,047.
	48"	78"	1 1/2"	RTM278481 ()()()	2,284.	2,489.	2,619.	3,130.
	48"	84"	1 1/2"	RTM284481 ()()()	2,329.	2,547.	2,686.	3,232.
	48"	90"	1 1/2"	RTM290481 ()()()	2,351.	2,596.	2,744.	3,324.
	48"	96"	1 1/2"	RTM296481 ()()()	2,374.	2,632.	2,790.	3,406.



Order Code	Specification Information	Application Notes
Example: RTM272361 ()()()	To order please specify pattern number including:	The product on this page (Table tops only) will accept wood grain laminate.
R Reff	1. Grommet Drilling Options: NG = no grommet PB = power center grommet both ends PC = power center grommet center * PE = power center grommet end *	Upcharges apply to legs with V1, V2 or V3 finishes. Additional upcharges; Leg/Apron Finish Add V1 \$2,529 V2 \$2,658 V3 \$3,129
TM Table	2B = 2 + 2 Drop in electrical unit both ends 2C = 2 + 2 Drop in electrical unit center 2E = 2 + 2 Drop in electrical unit end	For planning heights guidelines, refer to introduction on page 11.
2 2 x 4 leg	3B = 3 + 3 Drop in electrical unit both ends 3C = 3 + 3 Drop in electrical unit center 3E = 3 + 3 Drop in electrical unit end	The tables on this page, come complete with structural frame. No additional stiffeners are required.
72 Width		Table's frame ships knockdown. Assembly required.
36 Depth		For laminate tops (including wood grain laminate) leg finish options are: All core paint finishes only.
1 26 1/2" h leg		For veneer tops, leg finish options are: all core paint finishes or same wood veneer as the top. The prices indicated above, are for painted legs and no grommet.
PC Grommet option:		
PU Grommet finish		
V316 Worksurface Finish		* Upcharges apply for the following power center grommets. Grommet Add PB \$288 PC \$144 PE \$144
V316 Leg finish (all core paint, V1,V2,V3)		Power center grommets (lids and sleeves) are included when PB, PC and PE are selected.
111 Leg reveal finish (all core paint)		Products on this page do not included electrical components. For electrical components, see page 0.

Tables with 4 x 4 Legs Rectangular - 26 1/2" High

Reff Profiles Vol. One

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle, 36" Deep with 26 1/2" height legs	36"	72"	1 1/2"	RTM472361 () () () ()	\$2,445.	\$2,554.	\$2,646.	\$3,024.
	36"	78"	1 1/2"	RTM478361 () () () ()	2,477.	2,598.	2,697.	3,103.
	36"	84"	1 1/2"	RTM484361 () () () ()	2,588.	2,722.	2,828.	3,261.
	36"	90"	1 1/2"	RTM490361 () () () ()	2,615.	2,752.	2,864.	3,325.
	36"	96"	1 1/2"	RTM496361 () () () ()	2,653.	2,802.	2,921.	3,410.




Table Top Rectangle, 42" Deep with 26 1/2" height legs	42"	72"	1 1/2"	RTM472421 () () () ()	2,493.	2,625.	2,731.	3,158.
	42"	78"	1 1/2"	RTM478421 () () () ()	2,513.	2,658.	2,773.	3,231.
	42"	84"	1 1/2"	RTM484421 () () () ()	2,556.	2,742.	2,865.	3,354.
	42"	90"	1 1/2"	RTM490421 () () () ()	2,660.	2,867.	2,997.	3,518.
	42"	96"	1 1/2"	RTM496421 () () () ()	2,689.	2,901.	3,039.	3,591.





Table Top Rectangle, 48" Deep with 26 1/2" height legs	48"	72"	1 1/2"	RTM472481 () () () ()	2,511.	2,700.	2,820.	3,297.
	48"	78"	1 1/2"	RTM478481 () () () ()	2,565.	2,768.	2,898.	3,410.
	48"	84"	1 1/2"	RTM484481 () () () ()	2,588.	2,806.	2,945.	3,490.
	48"	90"	1 1/2"	RTM490481 () () () ()	2,625.	2,868.	3,017.	3,596.
	48"	96"	1 1/2"	RTM496481 () () () ()	2,740.	2,998.	3,156.	3,771.



Order Code	Specification Information	Application Notes
Example: RTM472361 () () () ()	To order please specify pattern number including:	The product on this page (Table tops only) will accept wood grain laminate.
R Reff	1. Grommet Drilling Options:	Upcharges apply to legs with V1, V2 or V3 finishes.
TM Table	NG = no grommet	Additional upcharges;
4 4 x 4 leg	PB = power center grommet both ends	Leg Finish Add
72 Width	PC = power center grommet center *	V1 \$1,430
36 Depth	PE = power center grommet end *	V2 \$1,494
1 26 1/2" h leg	2B = 2 + 2 Drop in electrical unit both ends	V3 \$1,731
PC Grommet option:	2C = 2 + 2 Drop in electrical unit center	* Upcharges apply for the following power center grommets.
111 Grommet finish	2E = 2 + 2 Drop in electrical unit end	Grommet Add
V316 Worksurface Finish	3B = 3 + 3 Drop in electrical unit both ends	PB \$288
V316 Leg finish (all core paint, V1,V2,V3)	3C = 3 + 3 Drop in electrical unit center	PC \$144
111 Leg reveal finish (all core paint)	3E = 3 + 3 Drop in electrical unit end	PE \$144
	2. Grommet Finish:	Power center grommets (lids and sleeves) are included when PB, PC and PE are selected.
	NG = Finish not required	Products on this do not included electrical components. For electrical components, see page 0.
	PC, PE, PB = Painted and plated finishes	
	3C, 3E, 3B, 2C, 2E, 2B = Drilling location only, finish not applicable.	
	3. Worksurface finish: L, V1, V2, V3	
	4. Leg finish: Painted or wood veneer to match top, where applicable.	
	5. Leg reveal finish: All core paint options.	

Tables with Column Legs

Round, Square, Rectangular and Racetrack

Reff Profiles Vol. One


description	width	depth	th	pattern no.	L	V1	V2	V3

Table Top Round with 26 1/2" height legs




42"	1 1/2"	RTNDC421 () () ()	\$1,571.	\$2,278.	\$2,506.	\$3,258.
48"	1 1/2"	RTNDC481 () () ()	1,731.	2,510.	2,761.	3,589.

Table Top Square with 26 1/2" height legs




36"	36"	1 1/2"	RTSDC361 () ()	1,274.	1,465.	1,612.	2,096.
42"	42"	1 1/2"	RTSDC421 () ()	1,394.	1,603.	1,763.	2,292.
48"	48"	1 1/2"	RTSDC481 () ()	1,613.	1,855.	2,040.	2,652.

Table Top Rectangular with 26 1/2" height legs



72"	36"	1 1/2"	RTRDC72361 () ()	1,505.	1,731.	1,904.	2,476.
84"	42"	1 1/2"	RTRDC84421 () ()	1,703.	1,958.	2,154.	2,800.
96"	48"	1 1/2"	RTRDC96481 () ()	1,981.	2,278.	2,506.	3,258.

Table Top Racetrack with 26 1/2" height legs



72"	36"	1 1/2"	RTTDC72361 () ()	1,672.	2,425.	2,668.	3,468.
84"	42"	1 1/2"	RTTDC84421 () ()	1,827.	2,649.	2,914.	3,788.
96"	48"	1 1/2"	RTTDC96481 () ()	2,045.	2,965.	3,262.	4,240.

Order Code

Example:	RTNDC361 () () ()
R	Reff
TN	Table Round
D	1 1/2"
C	Column Leg
36	Diameter
1	26 1/2" height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
L, V1, V2, V3
2. Leg finish
Painted / Plated

* \$631 upcharges apply for legs with plated finish.

Application Notes

Assembly required, ships knock down.

Modesty sold separately.

Grommets are NOT optional for these tables.

Upcharges apply to legs with P2, P3 and P4 finishes.

Additional upcharges;

Leg Finish	Add
P2	\$140.
P3	\$200.
P4	\$607.

Product on this page will accept woodgrain laminate where laminate is currently an option.

36"d tops come with 2 1/2" dia. legs.
42"d tops come with 3" dia. legs.
48"d tops come with 4" dia. legs.

Tables - Mobile

Rectangular, Square and Round

Reff Profiles Vol. One

description	d	w	th	pattern no.	L	V1	V2	V3
Table Top Rectangle, 36" Deep, with 26 1/2"h Column leg with casters	36"	72"	1 1/2"	RTRDC72363()()	\$1,838.	\$1,980.	\$2,099.	\$2,558.



Table Top Rectangle, 30" Deep, with 26 1/2"h Column leg with casters	30"	48"	1 1/2"	RTRDC48303()()	1,663.	1,791.	1,863.	2,146.
	30"	60"	1 1/2"	RTRDC60303()()	1,738.	1,872.	1,958.	2,300.
	30"	72"	1 1/2"	RTRDC72303()()	1,787.	1,925.	2,026.	2,425.



Table Top Rectangle, 42" and 48" Deep, with 26 1/2"h Column leg with casters	42"	42"	1 1/2"	RTSDC42423()()	1,700.	1,835.	1,920.	2,251.
	48"	48"	1 1/2"	RTSDC48483()()	1,767.	1,907.	2,016.	2,424.



Table Top Round with 26 1/2"h Column leg with casters	36"		1 1/2"	RTNDC363()()	2,100.	2,308.	2,371.	2,563.
	42"		1 1/2"	RTNDC423()()	2,158.	2,397.	2,461.	2,710.
	48"		1 1/2"	RTNDC483()()	2,234.	2,473.	2,556.	2,867.



Tables

Order Code	Specification Information	Application Notes
Example: RTRDC48303()()	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
R Reff	1. Worksurface Finish: L, V1, V2, V3	Assembly required, ships knock down.
TR Table Rectangular TS = Table Square TN = Table Round	2. Leg Finish: Painted and plated finishes	Grommets and drilling are not an option for these tables.
D 1 1/2"	Upcharges apply to legs with P2, P3 and P4 finishes.	Worksurface stiffeners, recommended to provide additional support for open spans greater than 54"w.
C Column Leg	Additional upcharges;	
48 width	Leg Finish Add	
30 depth	P2 \$140.	
3 26 1/2" height leg with castor	P3 \$200.	
V316 Worksurface Finish	P4 \$607.	
111 Leg Finish		

Tables - Sliding


Laminate Surface, 1" Thick, Beveled Edges

Reff Profiles Vol. One

description	d	w	th	pattern no.	L
Round Table with 26 1/2" height legs	36"		1"	RSTRLE361()()	\$3,126.
	42"		1"	RSTRLE421()()	3,188.



Soft Square Table with 26 1/2" height legs	36"	36"	1"	RSTSLE361()()	3,098.
	42"	42"	1"	RSTSLE421()()	3,165.



Soft Rectangle Table with 26 1/2" height legs	30"	48"	1"	RSTTLE30481()()	2,919.
	36"	54"	1"	RSTTLE36541()()	2,996.



Order Code	Specification Information	Application Notes
Example: RSTRLE361()()	To order please specify pattern number including:	Assembly required.
R Reff	1. Worksurface finish:	Ships knocked down.
ST Sliding Table	Laminate only	Grommets are <u>not</u> an option for these tables.
R Round	2. Leg Textured finish:	Column and base are color matched
L Laminate surface	All core paint colors.	Column = smooth
E 1" thick		Base = textured
42 42" diameter		
1 26 1/2" height leg,		
114 Finish		
118T Leg Finish		

Product on this page will accept woodgrain laminate where laminate is currently an option.

The soft square and soft rectangular worksurfaces have softly curved sides.

Tables - Sliding


Wood Surface, 1" Thick, Beveled Edges

Reff Profiles Vol. One

description	d	w	th	pattern no.	V1	V2	V3
Round Table with 26 1/2" height legs	36"		1"	RSTRWE361() ()	\$3,391.	\$3,444.	\$3,711.
	42"		1"	RSTRWE421() ()	3,459.	3,530.	3,860.



Soft Square Table with 26 1/2" height legs	36"	36"	1"	RSTSWE361() ()	3,361.	3,414.	3,704.
	42"	42"	1"	RSTSWE421() ()	3,434.	3,503.	3,860.



Soft Rectangle Table with 26 1/2" height legs	30"	48"	1"	RSTTWE30481() ()	3,168.	3,225.	3,538.
	36"	54"	1"	RSTTWE36541() ()	3,250.	3,326.	3,712.



Tables

Order Code	Specification Information	Application Notes
Example: RSTRWE361() ()	To order please specify pattern number including:	Column and base are color matched.
R Reff	1. Worksurface finish	Column=smooth
ST Sliding Table	V1, V2, V3 wood only	Base=textured
R Round	2. Leg Textured finish:	Assembly required, ships knock down.
W Wood surface	All core paint colors.	Grommets are not an option for these tables.
E 1" thick		The soft square and soft rectangular worksurfaces have softly curved sides.
42 42" diameter		
1 26 1/2" height leg		
V316 Finish		
111T Leg Finish		

Tables - Sliding


Solid Surface, 1" Thick, Beveled Edges

Reff Profiles Vol. One

description	d	w	th	pattern no.	Solid
Round Table with 26 1/2" height legs	36"		1"	RSTRSE361 ()()	\$8,696.
	42"		1"	RSTRSE421 ()()	9,964.



Soft Square Table with 26 1/2" height legs	36"	36"	1"	RSTSSE361 ()()	7,775.
	42"	42"	1"	RSTSSE421 ()()	9,171.



Soft Rectangle Table with 26 1/2" height legs	30"	48"	1"	RSTTSE30481 ()()	9,582.
	36"	54"	1"	RSTTSE36541 ()()	10,625.



Order Code	Specification Information	Application Notes
Example: RSTRSE361 ()()	To order please specify pattern number including: 1. Worksurface finish: AW=Artic White, only 2. Leg finish Textured: All core paint colors.	Assembly required. Ships knocked down. Grommets are <u>not</u> an option for these tables. Artic White finish available for solid tops. Column and base are color matched. Column=smooth Base=textured
R Reff		
ST Sliding Table		
R Round		
S Solid		
E 1" thick		
42 42" diameter		
1 26 1/2" height leg		
AW Worksurface finish		
111T Leg Finish		

The soft square and soft rectangular worksurfaces have softly curved sides.


Tables - Height Adjustable & Sliding Laminate Surface, 1" Thick, Beveled Edges

Reff Profiles Vol. One

description	d	w	th	pattern no.	L
Round Sliding Table with height adjustable base	36"		1"	RSTRLE363()()	\$4,226.
	42"		1"	RSTRLE423()()	4,288.



Soft Square Sliding Table with height adjustable base	36"	36"	1"	RSTSLE363()()	4,198.
	42"	42"	1"	RSTSLE423()()	4,265.



Soft Rectangle Sliding Table with height adjustable base	30"	48"	1"	RSTTLE30483()()	4,019.
	36"	54"	1"	RSTTLE36543()()	4,097.



Tables

Order Code	Specification Information	Application Notes
Example: RSTRLE363()()	<i>To order please specify pattern number including:</i>	Column and base are color matched.
R Reff	1. Worksurface finish: Laminate	Column = smooth
ST Sliding Table	2. Base textured finish:	Base = textured
R Round, S=Square,T=Rectangle	All core paint colors.	Assembly required, ships knock down.
L Laminate surface	The table tops on this page will accept wood grain laminate.	All tops have groove for fingerpull when sliding.
E 1" thick		Grommets are not an option for these tables.
30 30" deep, 36"=36" deep		Height range is from 27" - 42" to the underside of worksurface.
48 48" wide, 54"= 54" wide		
3 Height Adjustable Base		
114 Work surface finish		
118T Base Finish		


Tables - Height Adjustable & Sliding Wood Surface, 1" Thick, Beveled Edges

Reff Profiles Vol. One

description	d	w	th	pattern no.	V1	V2	V3
Round Sliding Table with height adjustable base	36"		1"	RSTRWE363()()	\$4,497.	\$4,549.	\$4,816.
	42"		1"	RSTRWE423()()	4,565.	4,635.	4,966.



Soft Square Sliding Table with height adjustable base	36"	36"	1"	RSTSWE363()()	4,468.	4,521.	4,810.
	42"	42"	1"	RSTSWE423()()	4,540.	4,608.	4,966.



Soft Rectangle Sliding Table with height adjustable base	30"	48"	1"	RSTTWE30483()()	4,273.	4,330.	4,644.
	36"	54"	1"	RSTTWE36543()()	4,357.	4,431.	4,817.



Order Code	Specification Information	Application Notes
Example: RSTRWE363()()	<i>To order please specify pattern number including:</i>	Column and base are color matched.
R Reff	1. Worksurface finish: V1, V2, V3	Column = smooth Base = textured
ST Sliding Table	2. Base textured finish: All core paint colors.	Assembly required, ships knock down.
R Round, S=Square,T=Rectangle		All tops have groove for fingerpull when sliding.
W Wood surface		Grommets are not an option for these tables.
E 1" thick		Height range is from 27" - 42" to the underside of worksurface.
30 30" deep, 36"=36" deep		
48 48" wide, 54"= 54" wide		
3 Height Adjustable Base		
V316 Maple work surface finish		
111T Base Finish		

Load capacity Height Adjustable tables, is 200 lbs., functional load.

The soft square and soft rectangular worksurfaces have softly curved sides.


Tables - Height Adjustable & Sliding Solid Surface, 1" Thick, Beveled Edges

Reff Profiles Vol. One

description	d	w	th	pattern no.	Solid
Round Sliding Table with height adjustable base	36"		1"	RSTRSE363()()	\$9,736.
	42"		1"	RSTRSE423()()	11,004.



Soft Square Sliding Table with height adjustable base	36"	36"	1"	RSTSSE363()()	8,815.
	42"	42"	1"	RSTSSE423()()	10,211.



Soft Rectangle Sliding Table with height adjustable base	30"	48"	1"	RSTTSE30483()()	10,622.
	36"	54"	1"	RSTTSE36543()()	11,665.



Tables

Order Code	Specification Information	Application Notes
Example: RSTRSE363()()	<i>To order please specify pattern number including:</i>	Column and base are color matched.
R Reff		Column = smooth
ST Sliding Table	1. Worksurface finish: Solid Finish only	Base = textured
R Round, S=Square,T=Rectangle	AW = Artic White	Assembly required, ships knock down.
S Solid surface	2. Base textured finish:	All tops have groove for fingerpull when sliding.
E 1" thick	All core paint colors.	Grommets are not an option for these tables.
30 30" deep, 36"=36" deep		Height range is from 27" - 42" to the underside of worksurface.
48 48" wide, 54"= 54" wide		
3 Height Adjustable Base		
AW Solid Table finish		
118T Base Finish		

Tables - Fixed Height with Column Base Leg


Laminate Surface, 1" Thick, Square Edges

Reff Profiles Vol. One


description	d	w	th	pattern no.	L
Round Column Base Table with 26 1/2" height leg	36"		1"	RCTRLE361() ()	\$2,402.
	42"		1"	RCTRLE421() ()	2,462.



Square Column Base Table with 26 1/2" height leg	36"	36"	1"	RCTSLE361() ()	2,552.
	42"	42"	1"	RCTSLE421() ()	2,617.



Rectangle Column Base Table with 26 1/2" height leg	30"	48"	1"	RCTTLE30481() ()	2,484.
	36"	54"	1"	RCTTLE36541() ()	2,534.



Order Code	Specification Information
Example: RCTRLE361 () ()	
R Reff	<i>To order please specify pattern number including:</i>
CT Column Table	1. Worksurface finish: Laminate
S Square	2. Leg finish:
L Laminate surface	All core paint colors.
E 1" thick	Column and base are color matched.
42 42" square	Column = smooth
1 26 1/2" height leg	Base = textured
114 Work surface finish	
111T Leg Finish	

It is not advisable to mix 28 3/8" h desk height product with 26 1/2" h standard height products.

Table height = 26 1/2" h to the underside of worksurface.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Assembly required, ships knock down.

Grommets are NOT optional for these tables.

The tops have the standard square edge.

There are no grooves for finger pull, underside of table tops. The square and Rectangular worksurfaces, have straight edges.

Tables - Fixed Height with Column Base Leg


Wood Surface, 1" Thick, Square Edges

Reff Profiles Vol. One


description	d	w	th	pattern no.	V1	V2	V3
Round Column Base Table with 26 1/2" height legs	36"		1"	RCTRWE361 () ()	\$2,710.	\$2,738.	\$2,890.
	42"		1"	RCTRWE421 () ()	2,755.	2,790.	3,001.



Square Column Base Table with 26 1/2" height legs	36"	36"	1"	RCTSWE361 () ()	2,671.	2,715.	2,894.
	42"	42"	1"	RCTSWE421 () ()	2,743.	2,798.	3,063.



Rectangle Column Base Table with 26 1/2" height legs	30"	48"	1"	RCTTWE30481 () ()	2,610.	2,657.	2,870.
	36"	54"	1"	RCTTWE36541 () ()	2,701.	2,761.	3,065.





Tables

Order Code	Specification Information
Example: RCTRWE361 () ()	
R Reff	<i>To order please specify pattern number including:</i>
CT Column Table	1. Worksurface finish: V1, V2, V3
S Square	2. Leg finish:
W Wood surface	All core paint colors.
E 1" thick	Column and base are color matched.
42 42" square	Column = smooth
1 26 1/2" height leg	Base = textured
V316 Work surface finish	It is not advisable to mix 28 3/8" h desk height product with 26 1/2" h standard height products.
111T Leg Finish	Table height = 26 1/2" h to the underside of worksurface.
	Product on this page will accept woodgrain laminate where laminate is currently an option.
	Assembly required, ships knock down.
	Grommets are <u>NOT</u> optional for these tables.
	The tops have the standard square edge.
	There are no grooves for finger pull, underside of table tops.
	The square and Rectangular worksurfaces, have straight edges.

Tables - Height Adjustable

Laminate Surface, 1" Thick, Square Edges

Reff Profiles Vol. One



description	d	w	th	pattern no.	L
 Round Table with height adjustable base	36"		1"	RCTRLE363()()	\$3,257.
	42"		1"	RCTRLE423()()	3,304.
 Square Table with height adjustable base	36"	36"	1"	RCTSLE363()()	3,347.
	42"	42"	1"	RCTSLE423()()	3,394.
 Rectangle Table with height adjustable base	30"	48"	1"	RCTTLE30483()()	3,296.
	36"	54"	1"	RCTTLE36543()()	3,331.

Order Code	Specification Information	Application Notes
Example: RCTRLE363()()	<i>To order please specify pattern number including:</i>	It is not advisable to mix 28 ^{3/8} "h desk height product with 26 ^{1/2} "h standard height products.
R Reff	1. Worksurface finish: Laminate	Height range is from 27" - 42" to the underside of worksurface.
CT Column Table	2. Base textured finish: All core paint colors.	Product on this page will accept woodgrain laminate where laminate is currently an option.
R Round, S=Square,T=Rectangle		Assembly required, ships knock down.
L Laminate surface		Grommets are <u>NOT</u> optional for these tables.
E 1" thick		Load capacity for Height Adjustable tables is 200 lbs, functional load.
30 30" deep		Column and base are color matched. Column = smooth Base = textured
48 48" wide		The tops have the standard square edge.
3 Height Adjustable Base		There are no grooves for finger pull, underside of table tops.
114 Work surface finish		The square and Rectangular worksurfaces, have straight edges.
118T Base Finish		

Tables - Height Adjustable

Wood Surface, 1" Thick, Square Edges

Reff Profiles Vol. One

description	d	w	pattern no.	V1	V2	V3
 Round Table with height adjustable base	36"		RCTRWE363()()	\$3,516.	\$3,558.	\$3,742.
	42"		RCTRWE423()()	3,559.	3,614.	3,849.
 Square Table with height adjustable base	36"	36"	RCTSWE363()()	3,509.	3,552.	3,735.
	42"	42"	RCTSWE423()()	3,560.	3,615.	3,850.
 Rectangle Table with height adjustable base	30"	48"	RCTTWE30483()()	3,499.	3,545.	3,746.
	36"	54"	RCTTWE36543()()	3,537.	3,597.	3,852.

Tables


Order Code	Specification Information	Application Notes
Example: RSTRWE363()()	<i>To order please specify pattern number including:</i>	It is not advisable to mix 28 ^{3/8} "h desk height product with 26 ^{1/2} "h standard height products.
R Reff	1. Worksurface finish: V1, V2, V3	Height range is from 27" - 42" to the underside of worksurface.
ST Sliding Table	2. Base textured finish: All core paint colors.	Assembly required, ships knock down.
R Round, S=Square,T=Rectangle		Grommets are <u>NOT</u> optional for these tables.
W Wood surface		Load capacity for Height Adjustable tables is 200 lbs, functional load.
E 1" thick		Column and base are color matched. Column = smooth Base = textured
30 30" deep		The tops have the standard square edge.
48 48" wide		There are no grooves for finger pull, underside of table tops.
3 Height Adjustable Base		The square and Rectangular worksurfaces, have straight edges.
V316 Maple work surface finish		
111T Base Finish		

Top support components

Bracketry


Reff Profiles Vol. One

description	d	pattern no.	P1 & black only	P2	P3
Cantilever bracket, panel hung	18"	RBC18 (L/R)	\$94.	\$103.	\$108.
	24"	RBC24 (L/R)	102.	112.	118.




Specify paint finish
 18" for 20" and 24"d tops
 24" for 30" and 36"d tops
 Ships with wood screws for fastening to underside of worksurface into pilot hole location.

Cantilever bracket, panel hung for cascade edge worksurface	18"	ASBC18 (L/R) ()	95.	105.	110.
	24"	ASBC24 (L/R) ()	104.	114.	120.



Specify paint finish
 18" for 24"d tops
 24" for 30" d tops
 Ships with wood screws (use with AutoStrada, Dividends Horizon, Morrison and Cascade worksurfaces)

Mid-span cantilever bracket, free standing	17"	RMSCB ()	78.	83.	87.





Order Code	Specification Information	Application Notes	
Example: RMSCB	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.	Cantilever should be specified with top to top brackets.
R Reff	1. Finish - () - Painted Finish	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
MS Mid Span	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.		
CB Cantilever Bracket			
() Finish			
L brackets may be used in off module applications for L bases, T bases and half depth end panels.		Knoll takes no responsibility for the installation or security of tops	

Top support components

Bracketry

Reff Profiles Vol. One

description	d	pattern no.	P1& black only	P2	P3
Corner top corner bracket 		RBCC	\$19.		
	Black only				
Side hung support bracket 		RBCCP (Pair)	42.	46.	48.
	Specify paint finish pair includes one each left and right hand bracket image depicts two left hand brackets				
Panel to pedestal bracket		RBPP (L/R)	8.		
	Black only				
Top to top bracket 	6" x 1"	RBF (Pair)	5.		
	Black only				
Wall hung support bracket 	20"	RSBWH20	44.	48.	50.
	24"	RSBWH24	46.	51.	54.
	30"	RSBWH30	50.	55.	58.
	36"	RSBWH36	56.	62.	65.
	42"	RSBWH42	59.	65.	68.
	48"	RSBWH48	72.	79.	83.
	Specify paint finish				
Z-bracket for bridge applications 		RBZ (A/B) (Pair)	35.		
	Black only				

Support components

Order Code	Specification Information	Application Notes	
Example: RMSCB	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.	Cantilever should be specified with top to top brackets.
R Reff	1. Finish - () - Painted Finish	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
MS Mid Span	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.		
CB Cantilever Bracket			
() Finish			
L brackets may be used in off module applications for L bases, T bases and half depth end panels.		Knoll takes no responsibility for the installation or security of tops	

Top support components

Bracketry


Reff Profiles Vol. One

description	d	pattern no.	P1& black only	P2	P3
Modesty panel offset bracket Required to join modesty panel to end panel of adjacent top assembly - order separately.		RBPR (Pair)	\$7.	\$8.	\$9.
		Specify paint finish			
					
Panel to storage tower bracket Used to attach office tower to panels.		RBPS (L/R)	11.	12.	13.
		Specify paint finish			
Utility bracket		RUTB	11.		
		Black only			
L Bracket for off-module applications		R113B	5.		
		One by one by three bracket			
Worksurface to cabinet bracket for 24" worksurface		RBWC24	57.		
		bracket can be used with 20" and 24" worksurfaces			
Worksurface to cabinet bracket for 30" worksurface		RBWC30	62.		
		bracket can be used with 30" and 36" worksurfaces			


Order Code	Specification Information	Application Notes	
Example: RMSCB	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.	Cantilever should be specified with top to top brackets.
R Reff	1. Finish - () - Painted Finish	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.	Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.
MS Mid Span	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.		
CB Cantilever Bracket			
() Finish			
L brackets may be used in off module applications for L bases, T bases and half depth end panels.		Knoll takes no responsibility for the installation or security of tops	

Top support components
26 1/2 high planning
Modesty panels

description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware. ¹⁵ / ₁₆ " actual thickness	24"	1"	26 1/2"	RB24(M/H)(F/R)-()	\$161.	\$230.	\$263.	\$356.
	30"	1"	26 1/2"	RB30(M/H)(F/R)-()	290.	411.	474.	640.
	36"	1"	26 1/2"	RB36(M/H)(F/R)-()	320.	451.	519.	700.
	42"	1"	26 1/2"	RB42(M/H)(F/R)-()	345.	491.	563.	760.
	48"	1"	26 1/2"	RB48(M/H)(F/R)-()	388.	551.	634.	856.
	54"	1"	26 1/2"	RB54(M/H)(F/R)-()	406.	579.	664.	898.
	60"	1"	26 1/2"	RB60(M/H)(F/R)-()	422.	597.	686.	925.
	66"	1"	26 1/2"	RB66(M/H)(F/R)-()	439.	622.	719.	971.
	72"	1"	26 1/2"	RB72(M/H)(F/R)-()	483.	686.	788.	1,065.
	78"	1"	26 1/2"	RB78(M/H)(F/R)-()	515.	729.	841.	1,138.
	84"	1"	26 1/2"	RB84(M/H)(F/R)-()	544.	774.	888.	1,199.
	90"	1"	26 1/2"	RB90(M/H)(F/R)-()	577.	821.	940.	1,270.
	96"	1"	26 1/2"	RB96(M/H)(F/R)-()	592.	839.	964.	1,300.



Support for corner worksurfaces. All hardware included.



36"	36"	26 1/2"	RB3636-()	1,045.	1,566.	1,802.	2,435.
36"	42"	26 1/2"	RB3642-()	1,069.	1,608.	1,850.	2,497.
36"	48"	26 1/2"	RB3648-()	1,115.	1,669.	1,914.	2,585.
42"	36"	26 1/2"	RB4236-()	1,069.	1,608.	1,850.	2,497.
42"	42"	26 1/2"	RB4242-()	1,097.	1,647.	1,898.	2,562.
42"	48"	26 1/2"	RB4248-()	1,140.	1,706.	1,964.	2,651.
48"	36"	26 1/2"	RB4836-()	1,115.	1,669.	1,914.	2,585.
48"	42"	26 1/2"	RB4842-()	1,140.	1,706.	1,964.	2,651.
48"	48"	26 1/2"	RB4848-()	1,184.	1,769.	2,047.	2,763.


Order Code	Specification Information	Application Notes
Example: RB24MFL		
R Reff	<i>To order please specify pattern number including:</i>	Product on this page will accept wood grain laminate where laminate is currently an option.
B Back panel	1. <i>Modesty type</i>	Modesties over 60" w in wood grain laminate, will have Horizontal grain direction.
24 48" panel dimension	2. <i>Modesty placement</i>	Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
M Full height modesty	3. <i>Finish type</i>	Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.
F Flush modesty placement	4. <i>Finish</i>	
L Laminate	1. <i>Modesty type:</i> M = Standard height (26 1/2"H) H = Half height	
114 Folkstone grey	2. <i>Modesty placement:</i> F = Flush, cantilevered R = Recessed	
	3. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	

Top support components


26 1/2 high planning

End panels

description	d	w	h	pattern no.	L	V1	V2	V3
Endpanels for recessed modesty worksurfaces (sold in pairs). All hardware included.	30"	1"	26 1/2"	RE30-()	\$495.	\$812.	\$935.	\$1,262.
	36"	1"	26 1/2"	RE36-()	523.	851.	978.	1,321.




Panel end panels. All hardware included.	13"	1"	26 1/2"	RSE1(L/R)-()	189.	331.	382.	515.
	16"	1"	26 1/2"	RSE2(L/R)-()	204.	353.	406.	547.
	20"	1"	26 1/2"	RSE3(L/R)-()	219.	371.	425.	573.
	24"	1"	26 1/2"	RSE4(L/R)-()	231.	387.	446.	602.
	30"	1"	26 1/2"	RSE5(L/R)-()	245.	408.	468.	634.
	36"	1"	26 1/2"	RSE6(L/R)-()	260.	425.	491.	662.



left hand shown

Endpanels, for use in building flush or cantilevered worksurfaces. All hardware included. 1 1/16" actual thickness	12"	1"	26 1/2"	RE12F-() Half depth end panel	189.	331.	382.	515.
	15"	1"	26 1/2"	RE15F-() Half depth end panel	204.	353.	406.	547.
	19"	1"	26 1/2"	RE19F-()	219.	371.	425.	573.
	23"	1"	26 1/2"	RE23F-()	231.	387.	446.	602.
	29"	1"	26 1/2"	RE29F-()	245.	408.	468.	634.




Order Code	Specification Information	Application Notes	
Example: RSE1(L)114	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.	Modesty panel lengths are nominal - length changes on option selected.
R Reff			
SE End panel	<i>1. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.	Glides ship with all supports on this page except the recessed modesty panel.
1 13" deep			
L Left hand			
L Laminate			
114 Folkstone grey	<i>2. Finish</i>	Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.	Please see Planning Guide for freestanding planning instruction.

Top support components

Painted or Plated Legs 26 1/2" high planning

Reff Profiles Vol. One

description	dia.	w	h	d	pattern no.	P1	P2	P3	P4
Column leg, Interaction style (rectangular plate)	4"	–	26 1/2"	–	RSC()	\$278.	\$300.	\$315.	NA
	Ships with wood screws for fasening to underside of worksurface into pilot hole location. Painted finish only.								
Set of four column legs (4" dia.), Interaction style (triangular plate)	4"	–	26 1/2"	–	RSC4-()	1,077.	1,185.	1,244.	NA
	Painted finishes only.								
T-leg, Interaction style	–		26 1/2"	24"	RIB24T()	395.	434.	456.	NA
	Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted options only								
T-Leg, plain tube style	–		26 1/2"	20"	RCB20T-()	427.	470.	493.	577.
	–		26 1/2"	24"	RCB24T-()	436.	480.	504.	586.
	–		26 1/2"	30"	RCB30T-()	480.	528.	554.	630.
	–		26 1/2"	40"	RCB40T-()	508.	559.	587.	658.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and PD and PU plated finish options.									
Set of four column legs (3" dia.) with casters with triangular plates	3"		26 1/2"	–	RSCC4()	1,459.	1,605.	1,685.	2,066.
	Painted, PD and PU plated finish options.								
Set of 4 Column legs	4"		26 1/2"		RSC404	1,159.	1,275.	1,339.	1,946.
									
Set of 4 Column legs	2"		26 1/2"		RSC254	937.	1,031.	1,082.	1,689.
	3"		26 1/2"		RSC304	1,002.	1,102.	1,157.	1,764.

Order Code	Specification Information	Application Notes
Example: RSC	<i>To order please specify pattern number including:</i>	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.
R Reff	1. Finish type, where applicable	
S Support	2. Finish	
C Cylinder	<i>Finish type options:</i>	Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes.
	P = Paint (P1, P2, P3)	All bases include 1 1/2" leveller.
The base matrix for T-Leg (tube style) is;	For all other Top to Base matrix, please refer to page 140 and 141 in the Reff planning guide.	Only the plain cylinder and tube legs can be ordered in plated and painted finishes.
20" T-Leg is used with 24"d top		Interaction style legs are only available in painted finishes.
24" T-Leg is used with 30"d top		Castors are black, swivel type. Ships with 2 locking and 2 non-locking type.
30" T-Leg is used with 36"d top		
40" and 42" T-Leg is used with 48"d top		

Top support components

Painted or Anodized Legs 26 1/2" high planning


Reff Profiles Vol. One

description	h	pattern no.	P1	P2	P3	P4
L-Leg 	26 1/2"	RPL1()	\$491.	\$540.	\$567.	\$691.
Reverse L-Leg 	26 1/2"	RPRL1()	491.	540.	567.	691.
Soft Rectangular Leg 	26 1/2"	RPS1()	557.	613.	644.	757.

Order Code	Specification Information	Application Notes
Example: RPL1 ()	<i>To order please specify pattern number including:</i>	Legs are sold in pairs. These legs include 1" leveller.
RP Reff Profiles	1. Finish: Painted or Anodized (AA, AP, AU)	Products on this page are 26 1/2"h. Products should not be mixed with 28 3/8"h components.
L Leg		For "L", "Reverse L" and "Soft Rectangular" Legs, same criteria applies as the column legs, when referencing the planning guide; pages 140 and 141.
1 26 1/2"h		
AN Leg finish		
RL = Reverse Leg S = Soft Rectangular Leg		

Top support components
Open Frame Legs 26 1/2 high planning
Painted or Plated

Reff Profiles Vol. One

description	d	w	h	pattern no.	P1	P2	P3	P4
Open Frame Legs, Set of one For Tables 	20"	60"	26 1/2"	RPOFL260201()	\$1,142.	\$1,256.	\$1,319.	\$1,842.
	20"	66"	26 1/2"	RPOFL266201()	1,165.	1,281.	1,346.	1,865.
	20"	72"	26 1/2"	RPOFL272201()	1,167.	1,284.	1,348.	1,867.
	20"	78"	26 1/2"	RPOFL278201()	1,179.	1,297.	1,362.	1,879.
	20"	84"	26 1/2"	RPOFL284201()	1,182.	1,300.	1,365.	1,882.
	24"	60"	26 1/2"	RPOFL260241()	1,153.	1,268.	1,332.	1,853.
	24"	66"	26 1/2"	RPOFL266241()	1,176.	1,294.	1,358.	1,876.
	24"	72"	26 1/2"	RPOFL272241()	1,178.	1,296.	1,361.	1,878.
	24"	78"	26 1/2"	RPOFL278241()	1,190.	1,309.	1,375.	1,890.
	24"	84"	26 1/2"	RPOFL284241()	1,193.	1,312.	1,378.	1,893.
	30"	60"	26 1/2"	RPOFL260301()	1,172.	1,289.	1,353.	2,072.
	30"	66"	26 1/2"	RPOFL266301()	1,194.	1,314.	1,380.	2,094.
	30"	72"	26 1/2"	RPOFL272301()	1,197.	1,316.	1,382.	2,097.
	30"	78"	26 1/2"	RPOFL278301()	1,209.	1,329.	1,396.	2,109.
	30"	84"	26 1/2"	RPOFL284301()	1,211.	1,333.	1,399.	2,111.
	36"	60"	26 1/2"	RPOFL260361()	1,172.	1,289.	1,353.	2,072.
	36"	66"	26 1/2"	RPOFL266361()	1,194.	1,314.	1,380.	2,094.
	36"	72"	26 1/2"	RPOFL272361()	1,197.	1,316.	1,382.	2,097.
	36"	78"	26 1/2"	RPOFL278361()	1,209.	1,329.	1,396.	2,109.
	36"	84"	26 1/2"	RPOFL284361()	1,211.	1,333.	1,399.	2,111.

Ships with two stiffeners and threaded metal inserts with machine screws, for fastening to underside of worksurface.

Painted and Anodized finishes only.

Order Code	Specification Information	Application Notes
Example: RPOFL1202 ()	<i>To order please specify pattern number including:</i>	It is NOT advisable to mix 28 3/8" h desk height products with 26 1/2" h standard height product.
RP Reff Profiles	1. Leg Finish: Painted or Anodized	Open Frame legs include glides with 1 1/4" height adjustability. Open Frame legs are not intended or able to be used adjacent to full height - 26 1/2" h desk height storage. Note: These legs are intended to be used with Knoll worksurfaces, only.
OFL Open Frame Leg	P1 = All core painted options	For Tables : Stiffeners must be installed in a specific location relative to the leg top plates and may not be arbitrarily located. Stiffeners are finished black.
2 Set of 2(for Tables)	P2 = All core metallic painted options, plus AA	To order infills for the Open Frame legs, please refer to page 188.
20 depth	P3 = 613 Silver	
1 26 1/2" h	P4 = Anodized finishes; AP & AU	Installation instruction sheets available on Knoll.Exchange. For Tables; refer to part number 6TP00441.
AU = Leg Finish		

Top support components

Painted or Plated Bases 26 1/2" high planning

Reff Profiles Vol. One

description	dia.	w	h	d	pattern no.	P1	P2	P3	P4
 X-base		–	26 1/2"	28"	RIB28X-() ()	\$653.	\$718.	\$754.	NA
		–	26 1/2"	32"	RIB32X-() ()	886.	975.	1,024.	NA
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.									
 Spider base, plain tube style		–	26 1/2"	24"	RCB24X-() ()	669.	736.	775.	819.
		–	26 1/2"	28"	RCB28X-() ()	699.	769.	807.	849.
		–	26 1/2"	36"	RCB36X-() ()	759.	835.	877.	909.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and PD, PT and PZ plated finishes.									
 Drum base	14"		26 1/2"	–	RSD1427-() ()	1,312.	1,443.	1,515.	NA
	18"		26 1/2"	–	RSD1827-() ()	1,426.	1,560.	1,638.	NA
	20"		26 1/2"	–	RSD2027-() ()	1,468.	1,615.	1,696.	NA
	24"		26 1/2"	–	RSD2427-() ()	1,761.	1,937.	2,034.	NA
	30"		26 1/2"	–	RSD3027-() ()	1,966.	2,163.	2,271.	NA
Painted finishes only.									

Order Code	Specification Information	Application Notes
Example: RIB28X	<i>To order please specify pattern number including:</i>	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.
R Reff	1. Finish type, where applicable	Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes.
I Interaction	2. Finish	All bases include 1 1/2" leveller.
B Base	<i>Finish type options:</i>	
28 Diameter	P = Paint (P1, P2, P3)	
X X-base	For all other Top to Base matrix, please refer to pages 140 and 141 in the Reff planning guide.	
The base matrix for T-Leg (tube style) is; 20" T-leg is used with 24"d top 24" T-leg is used with 30"d top 30" T-leg is used with 36"d top 40" and 42" T-leg is used with 48"d top		

Top support components
Laminate or Wood Bases 26 1/2" high planning

Reff Profiles Vol. One




description	dia.	w	h	d	pattern no.	L	V1	V2	V3
 Drum base	14"		26 1/2"	–	RSD1427-() ()	n/a	\$1,403.	\$1,615.	\$2,181.
	18"		26 1/2"	–	RSD1827-() ()	n/a	1,525.	1,754.	2,370.
	20"		26 1/2"	–	RSD2027-() ()	n/a	1,575.	1,810.	2,443.
	24"		26 1/2"	–	RSD2427-() ()	n/a	1,887.	2,170.	2,930.
	30"		26 1/2"	–	RSD3027-() ()	n/a	2,108.	2,421.	3,269.
	36"		26 1/2"	–	RSD3627-() ()	n/a	2,329.	2,675.	3,612.
 Drum base with hinged Access door	20"		26 1/2"	–	RSDH2027-() ()	n/a	2,514.	2,740.	3,349.
	24"		26 1/2"	–	RSDH2427-() ()	n/a	2,814.	3,087.	3,817.
	30"		26 1/2"	–	RSDH3027-() ()	n/a	3,027.	3,328.	4,143.
	36"		26 1/2"	–	RSDH3627-() ()	n/a	3,345.	3,677.	4,578.
 T-base (hardware included)*	20"		26 1/2"	12"	RST1-()	444.	509.	594.	804.
	24"		26 1/2"	12"	RST2-()	475.	547.	628.	850.
	30"		26 1/2"	12"	RST3-()	560.	634.	734.	992.
	36"		26 1/2"	12"	RST4-()	635.	728.	835.	1,128.
	42"		26 1/2"	12"	RST5-()	705.	810.	934.	1,263.
	48"		26 1/2"	12"	RST6-()	786.	894.	1,033.	1,394.
 L-base (hardware included), non-handed*	12"		26 1/2"	12"	RSL12-()	444.	509.	594.	804.
	15"		26 1/2"	12"	RSL15-()	454.	520.	600.	809.
	20"		26 1/2"	12"	RSL20-()	475.	538.	621.	838.
	24"		26 1/2"	12"	RSL24-()	484.	547.	628.	850.
	30"		26 1/2"	12"	RSL30-()	560.	634.	734.	992.
	36"		26 1/2"	12"	RSL36-()	635.	728.	835.	1,128.
	42"		26 1/2"	12"	RSL42-()	705.	810.	934.	1,263.
	48"		26 1/2"	12"	RSL48-()	786.	894.	1,033.	1,394.

Order Code	Specification Information	Application Notes
Example: RSD1427	<i>To order please specify pattern number including:</i>	Refer to Planning Guide for top-base matrix, pages 140 and 141.
R Reff	1. Finish type	T and L bases are not recommended for supporting conference tops.
S Support	2. Finish	All bases include 1 1/2" leveller.
D Drum base, HA = Hinged with Access door	<i>Finish type options:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
14 Diameter	L = Laminate	
27 Height	1 = V1	
2 Finish type	2 = V2	
R319 V2- Med. Cherry	3 = V3	

Top support components

Fixed Height and Height Adjustable C-Leg Bases

Reff Profiles Vol. One


description	type	w*	w	d	pattern no.	Fixed (F)	Pin-Set (P)	Handcrank (H)	Electric (E)	Advanced Electric (A)	
	24" Deep C-Leg Bases	For use with 36"W, 24"D Reff Profiles C-Leg Top	36"	34"	23"	RSBC3423 () () ()	\$955.	\$1,273.	\$1,909.	\$3,316.	\$3,491.
		For use with 42"W, 24"D Reff Profiles C-Leg Top	42"	40"	23"	RSBC4023 () () ()	955.	1,273.	1,909.	3,316.	3,491.
		For use with 48"W, 24"D Reff Profiles C-Leg Top	48"	46"	23"	RSBC4623 () () ()	955.	1,273.	1,909.	3,316.	3,491.
		For use with 54"W, 24"D Reff Profiles C-Leg Top	54"	52"	23"	RSBC5223 () () ()	955.	1,273.	1,909.	3,316.	3,491.
		For use with 60"W, 24"D Reff Profiles C-Leg Top	60"	58"	23"	RSBC5823 () () ()	955.	1,273.	1,909.	3,316.	3,491.
		For use with 66"W, 24"D Reff Profiles C-Leg Top	66"	64"	23"	RSBC6423 () () ()	977.	1,295.	1,932.	3,338.	3,514.
		For use with 72"W, 24"D Reff Profiles C-Leg Top	72"	70"	23"	RSBC7023 () () ()	977.	1,295.	1,932.	3,338.	3,514.
<i>Fixed Shown</i>											
	30" Deep C-Leg Bases	For use with 36"W, 30"D Reff Profiles C-Leg Top	36"	34"	29"	RSBC3429 () () ()	1,000.	1,318.	1,955.	3,360.	3,536.
		For use with 42"W, 30"D Reff Profiles C-Leg Top	42"	40"	29"	RSBC4029 () () ()	1,000.	1,318.	1,955.	3,360.	3,536.
		For use with 48"W, 30"D Reff Profiles C-Leg Top	48"	46"	29"	RSBC4629 () () ()	1,000.	1,318.	1,955.	3,360.	3,536.
		For use with 54"W, 30"D Reff Profiles C-Leg Top	54"	52"	29"	RSBC5229 () () ()	1,000.	1,318.	1,955.	3,360.	3,536.
		For use with 60"W, 30"D Reff Profiles C-Leg Top	60"	58"	29"	RSBC5829 () () ()	1,000.	1,318.	1,955.	3,360.	3,536.
		For use with 66"W, 30"D Reff Profiles C-Leg Top	66"	64"	29"	RSBC6429 () () ()	1,023.	1,341.	1,977.	3,381.	3,559.
		For use with 72"W, 30"D Reff Profiles C-Leg Top	72"	70"	29"	RSBC7029 () () ()	1,023.	1,341.	1,977.	3,381.	3,559.
<i>Fixed Shown</i>											
	C-Leg Corner Base	For use with Reff Profiles Corner C-Leg Top	48"	46"	16"	RSBK464616 () () ()	1,545.	2,023.	n/a	5,087.	5,355.
<i>Fixed Shown</i>											


Order Code	Specification Information	Application Notes
Example: RSBC3423 ()()()	1. <i>Base Type:</i>	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.
RSB Universal Base	(F) = Fixed (27" High)	
C C-Leg	(P) = Pin-Set (22" - 35" High)	
34 Width	(H) = Handcrank (22" - 35" High)	
23 Depth	(E) = Electric (27" - 46 1/2" High)	
H Handcrank Base Type	(A) = Advanced Electric (21" - 47 1/2" High)	
S Shroud Option	Base height ranges shown do not include worksurface thickness.	Base comes with worksurface mounting hardware and leveling glides with 1/4" of height adjustability.
9005 Black Base Finish		23"D C-Leg bases support rectangular tops up to 24"D. 29"D C-Leg bases support rectangular tops up to 30"D. 29"D T-Leg bases support rectangular tops up to 36"D centered over feet. 16"D Corner bases support 48"x48" curvilinear corner tops up to 30"D. 29"D T-leg Corner bases support 42"x42"x24" or 48"x48"x24"/30" curvilinear corner top.
613 Shroud/Feet Paint Finish		36"W C-Leg bases (except for Pin-set) support tops up to 60"W centered over feet (max 12" overhang on each side). 36"W Pin-Set C-Leg bases cannot support tops wider than the base. 42"W C-Leg bases support tops up to 66"W centered over feet (max 12" overhang on each side).
w* = nominal width	2. <i>Shroud Options:</i>	48", 54", 60" and 66"W C-Leg and T-Leg bases support tops up to 30" wider than the base centered over feet (max 15" overhang on each side). 72"W C-Leg and T-Leg bases support tops up to 96"W centered over feet (max 12" overhang on each side).
	(N) = Leg without a metal shroud	Bases available in Black paint finish (9005), Silver finish (613), or Bright White finish (118). Painted lower leg shroud and feet can be specified in Knoll Core paint finishes (for Black base only).
	(S) = Painted metal shroud to surround lower leg with matching foot. Add \$100 to the list price.	Fixed and Pin-Set bases support up to 440lbs. Handcrank bases support up to 260lbs. Electric bases support up to 300lbs.
	3. <i>Base Finish:</i>	Pin-Set base adjusts on 1" increments.
	(9005) Black paint	
	(613) Silver paint	
	(118) Bright White paint	
	4. <i>Shroud/Feet Paint Finish, when applicable</i>	Crank handle is located on the right side of the base. Five turns of the handle adjust worksurface 1".

Top support components

Fixed Height and Height Adjustable T-Leg Bases

Reff Profiles Vol. One

description	type	w*	w	d	pattern no.	Fixed (F)	Pin-Set (P)	Handcrank (H)	Electric (E)	Advanced Electric (A)
 Pin-Set Shown	30" Deep T-Leg Bases									
	For use with 48"W, 30" or 36"D Reff Profiles T-Leg Top	48"	46"	29"	RSBT4629 () () ()	\$1,000.	\$1,318.	\$1,955.	\$3,360.	\$3,536.
	For use with 54"W, 30" or 36"D Reff Profiles T-Leg Top	54"	52"	29"	RSBT5229 () () ()	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 60"W, 30" or 36"D Reff Profiles T-Leg Top	60"	58"	29"	RSBT5829 () () ()	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 66"W, 30" or 36"D Reff Profiles T-Leg Top	66"	60"	29"	RSBT6429 () () ()	1,023.	1,341.	1,977.	3,381.	3,559.
	For use with 72"W, 30" or 36"D Reff Profiles T-Leg Top	72"	70"	29"	RSBT7029 () () ()	1,023.	1,341.	1,977.	3,381.	3,559.

 Fixed Shown	T-Leg Corner Base									
	For use with 42" Corner T-Leg Top	32"	30"	29"	RSBT3029 () () ()	1,000.	1,318.	1,955.	3,360.	3,536.
	For use with 48" Corner C-Leg/T-Leg Top	36"	34"	29"	RSBT3429 () () ()	1,000.	1,318.	1,955.	3,360.	3,536.


Order Code	Specification Information	Application Notes
Example: RSBT4629 () () ()	1. <i>Base Type:</i>	Bases are designed for use with corresponding worksurfaces to create freestanding tables. Worksurfaces must be specified separately.
RSB Universal Base	(F) = Fixed (27" High)	Base comes with worksurface mounting hardware and leveling glides with 1/4" of height adjustability.
T T-Leg	(P) = Pin-Set (22" - 35" High)	23"D C-Leg bases support rectangular tops up to 24"D. 29"D C-Leg bases support rectangular tops up to 30"D. 29"D T-Leg bases support rectangular tops up to 36"D centered over feet. 16"D Corner bases support 48"x48" curvilinear corner tops up to 30"D. 29"D T-Leg Corner bases support 42"x42"x24" or 48"x48"x24/30" curvilinear corner tops.
46 Width	(H) = Handcrank (22" - 35" High)	36"W C-Leg bases (except for Pin-set) support tops up to 60" centered over feet (max 12" overhang on each side). 36"W Pin-Set C-Leg bases cannot support tops wider than the base. 42"W C-Leg bases support tops up to 66" centered over feet (max 12" overhang on each side).
29 Depth	(E) = Electric (27" - 46 1/2" High)	48", 54", 60" and 66"W C-Leg and T-Leg bases support tops up to 30" wider than the base centered over feet (max 15" overhang on each side). 72"W C-Leg and T-Leg bases support tops up to 96"W centered over feet (max 12" overhang on each side).
F Fixed Base Type	(A) = Advanced Electric (21" - 47 1/2" High)	Bases available in Black paint finish (9005), Silver finish (613), or Bright White finish (118). Painted lower leg shroud and feet can be specified in Knoll Core paint finishes (for Black base only).
S Shroud Option	Base height ranges shown do not include worksurface thickness.	Fixed and Pin-Set bases support up to 440lbs. Handcrank bases support up to 260lbs. Electric bases support up to 300lbs.
9005 Black Base Finish	2. <i>Shroud Options:</i>	Pin-Set base adjusts on 1" increments.
613 Shroud/Feet Paint Finish	(N) = Leg without a metal shroud	Crank handle is located on the right side of the base. Five turns of the handle adjust worksurface 1".
	(S) = Painted metal shroud to surround lower leg with matching foot. Add \$104 to the list price.	
	3. <i>Base Finish:</i>	
	(9005) Black paint	
	(613) Silver paint	
	(118) Bright White paint	
	4. <i>Shroud/Feet Paint Finish</i> , when applicable	

w* = nominal width


Top support components

Fixed Height and Height Adjustable T-Leg Bases


Reff Profiles Vol. One

description	w	d	h	pattern no.	list
Electric Table Memory Switch 	6.5"	1.75"	1"	SISDPS	\$205.
Locking Casters, Set of 4 	2"	2"	1.5"	SISLC4	50.
Insert Kit, Antenna Privacy Screen				SISAWDSIK	25.

Order Code	Application Notes
Example: SISDDPS	
SIS Universal Base	Locking casters replace standard glides to facilitate reconfiguration. Locking casters raise top height 1 1/2".
DDPS Electric Table Memory Switch with Digital Display	Electric table memory switch with digital display offers three programmable memory settings with digital read out display. Mounting options include a 90° bracket and a 45° bracket. (Both are supplied) This memory switch will replace the standard up/down control.
	Insert kit is required when attaching Antenna Workspaces privacy screens to C-leg and T-leg worksurfaces.

description	type	width	depth	height	pattern number	list
Stiffener for worksurface, full depths 	36"	20"	1 1/2"	1"	AWM1 S36	\$57.
	42"	26"	1 1/2"	1"	AWM1 S42	60.
	48"	32"	1 1/2"	1"	AWM1 S48	62.
	60"	44"	1 1/2"	1"	AWM1 S60	64.
	66"	50"	1 1/2"	1"	AWM1 S66	68.
	72"	56"	1 1/2"	1"	AWM1 S72	70.
	78"	62"	1 1/2"	1"	AWM1 S78	73.
	84"	68"	1 1/2"	1"	AWM1 S84	75.



Order Code	Specification Information	Application Notes
Example: AWM1 S36 AWM1 Stiffener S Straight 36 Application	Stiffeners are black painted finish.	AutoStrada worksurfaces require stiffeners when the span between structural supports exceeds 60". Stiffener also serves as horizontal cable manager. Stiffener corresponds in width to straight or corner worksurface back edge. Specify 12" less wide stiffener to mount adjacent to floor standing pedestal. For 90" application span, use AWM1-S84 stiffener.

description	w	d	h	pattern no.	metal interiors				metal interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Pedestal with box box file configuration 	16"	19"	26 1/2"	RP211J-() () L	\$1,224.	\$1,310.	\$1,354.	\$1,397.	\$1,440.	\$1,621.	\$2,180.
	16"	23"	26 1/2"	RP212J-() () L	1,277.	1,369.	1,415.	1,461.	1,507.	1,697.	2,282.
	16"	29"	26 1/2"	RP213J-() () L	1,332.	1,427.	1,474.	1,522.	1,569.	1,766.	2,377.

*Pencil tray not included

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).

*3 Counter weights required per pedestal.

Pedestal with file file configuration  	16"	19"	26 1/2"	RP211K-() () L	1,121.	1,202.	1,242.	1,283.	1,323.	1,490.	2,014.
	16"	23"	26 1/2"	RP212K-() () L	1,201.	1,287.	1,331.	1,374.	1,417.	1,597.	2,156.
	16"	29"	26 1/2"	RP213K-() () L	1,278.	1,369.	1,415.	1,460.	1,506.	1,700.	2,293.
	30"	19"	26 1/2"	RP231K-() () L	1,281.	1,374.	1,421.	1,467.	1,514.	1,706.	2,304.
	30"	23"	26 1/2"	RP232K-() () L	1,350.	1,448.	1,497.	1,546.	1,595.	1,796.	2,423.
	36"	19"	26 1/2"	RP261K-() () L	1,367.	1,466.	1,515.	1,565.	1,614.	1,819.	2,455.
	36"	23"	26 1/2"	RP262K-() () L	1,433.	1,536.	1,588.	1,639.	1,691.	1,906.	2,574.

*Pencil tray not included

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).

*3 Counter weights required per pedestal.

Order Code	Specification Information	Application Notes
Example: RP211J () () L () ()	<i>To order please specify pattern number including:</i>	
R Reff		
P Pedestal		
2 26 1/2"H	<i>1. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
1 16" wide		
1 19" deep		
J Box box file config.	<i>2. Interior options:</i> M = Metal interior	
L Laminate finish type		
S Lock Finish	<i>3. Pull options:</i> B = No pull, No drilling, Customer's Own Pull C = Nickel C-pull (nickel finish only) D = D-pull (Painted, PT, PZ only) F = Bar Pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-pull (stainless steel finish only) T = Tab pull	
M Metal interior option		
D Metal D-pull		
L Lock option files		
114 Cabinet Finish, Folkstone Grey		
612 Pull Finish, Folkstone Grey		

Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option.

4. Lock options:
L = Drilled to accept lock

5. Lock Finish:
B = Black
S = Matte Silver

6. Cabinet Finish

7. Pull Finish
Painted or Plated

Keying instructions must accompany all orders, refer to page 365. Pedestals do not come with locks included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal counts as one lock.

Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 0.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

26 1/2" high planning (Standard Height) should not be mixed with 28 3/8" high (Desk Height) components.
26 1/2" high components with 1 1/4" thick tops, achieves overall desk height of 27 1/32"h.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Each pedestal may require 3 counterweights when used in unsecured fashion (ie. Freestanding).

1 counterweight = 10 lbs.


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.



Pedestals, 26 1/2" planning

Reff Profiles Vol. One

BBF/FF

Metal interiors and wood backs


description	w	d	h	pattern no.	metal interiors				metal interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
 Pedestal with box box file configuration	16"	20"	26 1/2"	RPB211J()()L	\$1,361.	\$1,457.	\$1,506.	\$1,554.	\$1,602.	\$1,811.	\$2,434.
	16"	24"	26 1/2"	RPB212J()()L	1,414.	1,516.	1,568.	1,619.	1,670.	1,880.	2,530.
	16"	30"	26 1/2"	RPB213J()()L	1,471.	1,576.	1,629.	1,681.	1,734.	1,953.	2,631.
*Pencil Tray not included *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). *3 counterweights per pedestal.											


  Pedestal with file file configuration	16"	20"	26 1/2"	RPB211K()()L	1,259.	1,349.	1,395.	1,440.	1,485.	1,678.	2,266.
	16"	24"	26 1/2"	RPB212K()()L	1,340.	1,436.	1,484.	1,532.	1,580.	1,787.	2,410.
	16"	30"	26 1/2"	RPB213K()()L	1,420.	1,521.	1,571.	1,622.	1,672.	1,886.	2,546.
	30"	20"	26 1/2"	RPB231K()()L	1,558.	1,670.	1,727.	1,783.	1,839.	2,070.	2,797.
	30"	24"	26 1/2"	RPB232K()()L	1,627.	1,744.	1,803.	1,861.	1,920.	2,161.	2,915.
	36"	20"	26 1/2"	RPB261K()()L	1,692.	1,816.	1,877.	1,939.	2,001.	2,254.	3,043.
	36"	24"	26 1/2"	RPB262K()()L	1,763.	1,889.	1,952.	2,015.	2,078.	2,342.	3,161.
	*Pencil Tray not included *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). *3 counterweights per pedestal.										

Order Code	Specification Information	Application Notes
Example: RPB211JLMDL R Reff P Pedestal with back 2 26 1/2"H 1 16" wide 1 20" deep J Box box file config. L Laminate finish type S Lock Finish M Metal interior option D Metal D-pull L Lock option files 114 Cabinet Finish, Folkstone Grey 612 Pull Finish, Folkstone Grey	<i>To order please specify pattern number including:</i> 1. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3 2. Interior options: M = Metal interior 3. Pull options: B = No Pull, No Drilling, Customer's Own Pull C = C-Pull, (Nickel finish only) D = D-Pull (Painted, PT, PZ only) F = Bar pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-Pull, (stainless steel finish only) T = Tab Pull	4. Lock options: L = Drilled to accept lock 5. Lock Finish: B = Black S = Matte Silver 6. Cabinet Finish Keying instructions must accompany all orders, refer to page 365. Pedestals do not come with locks included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal counts as one lock. Pencil trays not included in pedestals with metal interiors. Pencil tray to be ordered separately; see page 0. Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
Product on this page Excluding J-pull option and any vertical surface over 48", will accept wood grain laminate, where laminate is currently an option.		26 1/2" high planning (Standard Height) should not be mixed with 28 3/8" high (Desk Height) components. 26 1/2" high components with 1 1/4" thick tops, achieves overall desk height of 27 1/32"h. File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading. Each pedestal may require 3 counterweights when used in unsecured fashion (ie. Freestanding). 1 counterweight = 10 lbs. Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 26 1/2" planning
BBF/FF
Metal interiors legal width

Reff Profiles Vol. One

description	w	d	h	pattern no.	metal interiors	L/V1	L/V2	L/V3	metal interiors	metal interiors	metal interiors
					L				V1	V2	V3
 Pedestal with box box file configuration	19"	19"	26 1/2"	RP221J () () ()	\$1,283.	\$1,375.	\$1,420.	\$1,466.	\$1,512.	\$1,701.	\$2,289.
	19"	23"	26 1/2"	RP222J () () ()	1,341.	1,437.	1,486.	1,534.	1,582.	1,780.	2,395.
	19"	29"	26 1/2"	RP223J () () ()	1,397.	1,496.	1,546.	1,595.	1,645.	1,854.	2,519.
*Pencil tray not included *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). *3 counterweights per pedestal											

 Pedestal with file file configuration	19"	19"	26 1/2"	RP221K () () ()	1,177.	1,261.	1,304.	1,346.	1,388.	1,565.	2,114.
	19"	23"	26 1/2"	RP222K () () ()	1,262.	1,352.	1,397.	1,442.	1,487.	1,678.	2,265.
	19"	29"	26 1/2"	RP223K () () ()	1,343.	1,439.	1,486.	1,534.	1,582.	1,786.	2,408.
*Pencil tray not included *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). *3 counterweights per pedestal											

Order Code	Specification Information	Application Notes
Example: RP221JLMDL	<i>To order please specify pattern number including:</i>	<i>4. Lock options:</i>
R Reff		L = Drilled to accept lock
P Pedestal	<i>1. Finish type:</i>	<i>5. Lock Finish:</i>
2 26 1/2"H	L = Laminate	B = Black
2 19" wide	1 = V1	S = Matte Silver
1 19" deep	2 = V2	
J Box box file config.	3 = V3	<i>6. Cabinet Finish</i>
L Laminate finish type	<i>2. Interior options:</i>	7. Pull Finish
M Metal interior option	M = Metal interior	Painted or Plated
D Metal D-pull	<i>3. Pull options:</i>	Keying instructions must accompany all orders, refer to page 365. Pedestals do not come with locks included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal counts as one lock.
L Lock option	B = No Pull, No Drilling, Customer's Own Pull	Pencil trays not included in pedestals with metal interiors.
S Lock Finish	C = C-Pull, (Nickel finish only)	Pencil tray to be ordered separately; see page 0.
114 Cabinet Finish, Folkstone grey	D = D-Pull (Painted, PT, PZ only)	Pedestals must be ordered with back panel to achieve full depth without a modesty panel. 1 1/2" high planning (Standard Height) should not be mixed with 28 3/8" high (Desk Height) components.
612 Pull Finish, Med. grey	F = Bar pull	26 1/2" high components with 1 1/4" thick tops, achieves overall desk height of 27 21/32"h.
	H = Outline Pull	Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
	J = J (Routed) Pull	File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
	R = Cylinder Pull	Each pedestal may require 3 counterweights when used in unsecure fashion. (ie. Freestanding)
	S = S-Pull, (stainless steel finish only)	1 counterweight = 10 lbs.
	T = Tab Pull	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


Pedestals, 26 1/2" planning

Reff Profiles Vol. One

BBF/FF


Wood interior

description	w	d	h	pattern no.	wood	L/V1	L/V2	L/V3	wood	wood	wood
					interiors				interiors	interiors	interiors
					L				V1	V2	V3
Pedestal with box box file configuration	16"	19"	26 1/2"	RP211J-() () L	\$1,297.	\$1,389.	\$1,434.	\$1,480.	\$1,526.	\$1,720.	\$2,312.
	16"	23"	26 1/2"	RP212J-() () L	1,441.	1,544.	1,596.	1,647.	1,699.	1,912.	2,573.
	16"	29"	26 1/2"	RP213J-() () L	1,567.	1,680.	1,736.	1,793.	1,849.	2,080.	2,800.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
3 counterweights per pedestal.


Pedestal with file file configuration	16"	19"	26 1/2"	RP211K-() () L	1,187.	1,272.	1,315.	1,357.	1,400.	1,577.	2,130.
	16"	23"	26 1/2"	RP212K-() () L	1,400.	1,501.	1,551.	1,602.	1,652.	1,860.	2,508.
	16"	29"	26 1/2"	RP213K-() () L	1,527.	1,637.	1,692.	1,747.	1,802.	2,031.	2,745.
	30"	19"	26 1/2"	RP231K-() () L	1,535.	1,645.	1,701.	1,756.	1,811.	2,040.	2,755.
	30"	23"	26 1/2"	RP232K-() () L	1,804.	1,934.	1,998.	2,063.	2,128.	2,394.	3,232.
	36"	19"	26 1/2"	RP261K-() () L	1,898.	2,034.	2,101.	2,169.	2,237.	2,524.	3,408.
	36"	23"	26 1/2"	RP262K-() () L	2,210.	2,370.	2,449.	2,529.	2,609.	2,943.	3,971.



*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
3 counterweights per pedestal.



Order Code	Specification Information	Application Notes
Example: RP211JLWDL	<i>To order please specify pattern number including:</i>	
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	4. <i>Lock options:</i> L = Drilled to accept lock
P Pedestal	2. <i>Interior options:</i> W = Wood interior	5. <i>Lock Finish:</i> B = Black S = Matte Silver
2 26 1/2"H	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's Own Pull C = C-Pull, (Nickel finish only) D = D-Pull (Painted, PT, PZ only) F = Bar pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-Pull, (stainless steel finish only) T = Tab Pull	6. <i>Cabinet Finish</i>
1 16" wide		7. <i>Pull Finish</i> Painted or Plated
1 19" deep		Keying instructions must accompany all orders, refer to page 365. Pedestals do not come with locks included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal counts as one lock.
J Box box file config.		Pencil trays not included in pedestals with metal interiors.
L Laminate finish		Pencil tray to be ordered separately; see page 0.
W Wood interior		Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
D Metal D-pull		
L Lock hole drilled		
S Lock Finish		
114 Cabinet finish		
612 Pull finish		

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

description	w	d	h	pattern no.	wood interiors				wood interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Pedestal with box box file configuration 	16"	20"	26 1/2"	RPB211J()()L	\$1,439.	\$1,540.	\$1,591.	\$1,641.	\$1,692.	\$1,905.	\$2,566.
	16"	24"	26 1/2"	RPB212J()()L	1,579.	1,693.	1,749.	1,806.	1,863.	2,101.	2,829.
	16"	30"	26 1/2"	RPB213J()()L	1,707.	1,829.	1,889.	1,950.	2,011.	2,264.	3,048.

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).

*3 counterweights per pedestal.

Pedestal with file file configuration  	16"	20"	26 1/2"	RPB211K()()L	1,325.	1,420.	1,468.	1,515.	1,563.	1,763.	2,381.
	16"	24"	26 1/2"	RPB212K()()L	1,538.	1,648.	1,704.	1,759.	1,814.	2,049.	2,765.
	16"	30"	26 1/2"	RPB213K()()L	1,667.	1,787.	1,847.	1,907.	1,967.	2,220.	2,996.
	30"	20"	26 1/2"	RPB231K()()L	1,811.	1,942.	2,007.	2,073.	2,138.	2,409.	3,253.
	30"	24"	26 1/2"	RPB232K()()L	2,018.	2,193.	2,281.	2,368.	2,456.	2,760.	3,727.
	36"	20"	26 1/2"	RPB261K()()L	2,227.	2,386.	2,466.	2,545.	2,625.	2,960.	3,998.
	36"	24"	26 1/2"	RPB262K()()L	2,541.	2,725.	2,817.	2,909.	3,001.	3,380.	4,564.

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).

*3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: RPB211JLWDL	<i>To order please specify pattern number including:</i>	
R Reff		4. Lock options: L = Drilled to accept lock
PB Pedestal with back	1. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	5. Lock Finish: B = Black S = Matte Silver
2 26 1/2"H		6. Cabinet Finish
1 16" wide		
1 20" deep		
J Box box file config.	2. Interior options: W = Wood interiors	7. Pull Finish Painted or Plated
L Laminate finish		
W Wood interior	3. Pull options: B = No Pull, No Drilling, Customer's Own Pull C = C-Pull, (Nickel finish only) D = D-Pull (Painted, PT, PZ only) F = Bar pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-Pull, (stainless steel finish only) T = Tab Pull	Keying instructions must accompany all orders, refer to page 365. Pedestals do not come with locks included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal counts as one lock.
D Metal D-pull		Pencil trays not included in pedestals with metal interiors.
L Lock option		Pencil tray to be ordered separately; see page 0.
114 Cabinet finish		Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
612 Pull finish		

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

26 1/2" high planning (Standard Height) should not be mixed with 28 3/8" high (Desk Height) components.
26 1/2" high components with 1 1/4" thick tops, achieves overall desk height of 27 1/32"h.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.




Each pedestal may require 3 counterweights when used in unsecured fashion (ie. Freestanding).

1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 26 1/2" planning
BBF/FF
Wood interiors legal width

Reff Profiles Vol. One

description	w	d	h	pattern no.	wood interiors				wood interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
 Pedestal with box box file configuration	19"	19"	26 1/2"	RP221J () () ()	\$1,361.	\$1,457.	\$1,504.	\$1,552.	\$1,600.	\$1,803.	\$2,426.
	19"	23"	26 1/2"	RP222J () () ()	1,512.	1,621.	1,675.	1,730.	1,784.	2,006.	2,700.
	19"	29"	26 1/2"	RP223J () () ()	1,645.	1,763.	1,822.	1,881.	1,940.	2,184.	2,939.
*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). *3 counterweights per pedestal.											
  Pedestal with file file configuration	19"	19"	26 1/2"	RP221K () () ()	1,247.	1,336.	1,381.	1,425.	1,470.	1,656.	2,235.
	19"	23"	26 1/2"	RP222K () () ()	1,471.	1,577.	1,629.	1,682.	1,735.	1,951.	2,634.
	19"	29"	26 1/2"	RP223K () () ()	1,603.	1,719.	1,777.	1,835.	1,893.	2,134.	2,881.
*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). *3 counterweights per pedestal.											

Order Code	Specification Information	Application Notes
Example: RP221JLWDL	<i>To order please specify pattern number including:</i>	
R Reff	<i>1. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	<i>4. Lock options:</i> L = Drilled to accept lock
P Pedestal	<i>2. Interior options:</i> W = Wood interior	<i>5. Lock Finish:</i> B = Black S = Matte Silver
2 26 1/2"H	<i>3. Pull options:</i> B = No Pull, No Drilling C = C-Pull, (Nickel finish only) D = D-Pull (PT, PZ only) F = Bar pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-Pull, (stainless steel finish only) T = Tab Pull	<i>6. Cabinet Finish</i>
2 19" wide		<i>7. Pull Finish</i> Painted or Plated
1 19" deep		Keying instructions must accompany all orders, refer to page 365. Pedestals do not come with locks included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal counts as one lock.
J Box box file config.		Pencil trays not included in pedestals with metal interiors.
L Laminate finish		Pencil tray to be ordered separately; see page 0.
W Wood interior		Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
D Metal D-pull		
L Lock option		
S Lock Finish		
114 Cabinet finish, Folkstone grey		
612 Pull finish		


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Pedestals, 26 1/2" planning

Open / Hinge Door

Metal interiors


Reff Profiles Vol. One

description	w	d	h	pattern no.	metal interiors				metal interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	RP211L(L/R)-() () ()	\$983.	\$1,053.	\$1,089.	\$1,124.	\$1,159.	\$1,308.	\$1,764.
	16"	23"	26 1/2"	RP212L(L/R)-() () ()	1,195.	1,280.	1,323.	1,365.	1,408.	1,589.	2,144.
	16"	29"	26 1/2"	RP213L(L/R)-() () ()	1,367.	1,466.	1,515.	1,565.	1,614.	1,819.	2,455.
	30"	19"	26 1/2"	RP231L-() () ()	1,271.	1,362.	1,408.	1,453.	1,499.	1,688.	2,281.
	30"	23"	26 1/2"	RP232L-() () ()	1,484.	1,591.	1,645.	1,698.	1,752.	1,976.	2,668.
	36"	19"	26 1/2"	RP261L-() () ()	1,611.	1,727.	1,784.	1,842.	1,900.	2,143.	2,894.
	36"	23"	26 1/2"	RP262L-() () ()	1,882.	2,018.	2,086.	2,154.	2,222.	2,504.	3,383.

*Pencil tray not included

*Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Metal interior means shelf is metal

Pedestal with open configuration including shelf 	16"	19"	26 1/2"	RP211M-() () ()	749.	803.	830.	857.	884.	995.	1,344.
	16"	23"	26 1/2"	RP212M-() () ()	869.	933.	966.	998.	1,030.	1,161.	1,566.
	16"	29"	26 1/2"	RP213M-() () ()	1,031.	1,105.	1,142.	1,179.	1,216.	1,372.	1,853.
	30"	19"	26 1/2"	RP231M-() () ()	867.	931.	964.	996.	1,028.	1,158.	1,562.
	30"	23"	26 1/2"	RP232M-() () ()	1,057.	1,133.	1,172.	1,210.	1,248.	1,406.	1,899.
	36"	19"	26 1/2"	RP261M-() () ()	1,111.	1,192.	1,233.	1,273.	1,314.	1,481.	1,999.
	36"	23"	26 1/2"	RP262M-() () ()	1,345.	1,442.	1,491.	1,539.	1,588.	1,789.	2,414.

*Pencil tray not included

*Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Metal interior means metal shelf.

Order Code	Specification Information	Application Notes
Example: RP211L (L)() () () () ()	<i>To order please specify pattern number including:</i>	5. Lock options: L = Drilled to accept lock N = No drilling
R Reff	1. Hinge location, where applicable; L = Left hand R = Right hand	6. Lock Finish: B = Black S = Matte Silver
P Pedestal	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	7. Cabinet Finish: Painted or Plated
2 26 1/2"H	3. Interior options: M = Metal interior	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
1 16" wide	Pedestals with metal interior, the shelves come painted. For laminate cases, the shelves are painted to match ie. 114 case = 114 painted shelves. For wood cases, the shelves are painted black ie. V316 case = black shelves.	Keying instruction must accompany all orders, refer to page 365. Pedestals do not come with locks included. Random locks are factory installed. Key-alike are field installed, using the KnollKey order form. Each locking pedestal counts for one lock.
1 19" deep		
L Hinge door config.		
L Laminate finish		
M Metal interior		
D Metal D-pull		
L Lock option		
S Lock Finish		
114 Cabinet Finish		
612 Pull Finish		

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

4. Pull options:
B = No Pull, No Drilling,
Customer's Own Pull
C = C-Pull,
(Nickel finish only)
D = D-Pull (PT, PZ only)
F = Bar pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S-Pull,
(stainless steel finish only)
T = Tab Pull (1 pull per door set)

For Open Pedestals;

1. Finish type
2. Interior Option
3. Cabinet Finish

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals, 26 1/2" planning

Open / Hinge Door

Metal interiors and wood backs


Reff Profiles Vol. One

description	w	d	h	pattern no.	metal interiors				metal interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	RPB211L(L/R)() () ()	\$1,123.	\$1,203.	\$1,242.	\$1,282.	\$1,322.	\$1,496.	\$2,020.
	16"	24"	26 1/2"	RPB212L(L/R)() () ()	1,336.	1,431.	1,478.	1,526.	1,573.	1,775.	2,395.
	16"	30"	26 1/2"	RPB213L(L/R)() () ()	1,506.	1,614.	1,668.	1,722.	1,776.	2,006.	2,710.
	30"	20"	26 1/2"	RPB231L() () ()	1,549.	1,659.	1,715.	1,770.	1,825.	2,055.	2,774.
	30"	24"	26 1/2"	RPB232L() () ()	1,763.	1,889.	1,952.	2,015.	2,078.	2,341.	3,160.
	36"	20"	26 1/2"	RPB261L() () ()	1,936.	2,076.	2,146.	2,216.	2,286.	2,577.	3,479.
	36"	24"	26 1/2"	RPB262L() () ()	2,209.	2,369.	2,448.	2,528.	2,608.	2,942.	3,970.

*Pencil Tray not included

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Metal interior means shelf metal.

Pedestal with open configuration including shelf 	16"	20"	26 1/2"	RPB211M() () ()	888.	950.	980.	1,011.	1,042.	1,181.	1,596.
	16"	24"	26 1/2"	RPB212M() () ()	1,015.	1,086.	1,121.	1,157.	1,192.	1,349.	1,821.
	16"	30"	26 1/2"	RPB213M() () ()	1,168.	1,252.	1,295.	1,337.	1,379.	1,557.	2,102.
	30"	20"	26 1/2"	RPB231M() () ()	1,147.	1,230.	1,271.	1,313.	1,354.	1,525.	2,058.
	30"	24"	26 1/2"	RPB232M() () ()	1,334.	1,430.	1,477.	1,525.	1,573.	1,768.	2,389.
	36"	20"	26 1/2"	RPB261M() () ()	1,442.	1,544.	1,596.	1,647.	1,698.	1,916.	2,585.
	36"	24"	26 1/2"	RPB262M() () ()	1,672.	1,793.	1,854.	1,914.	1,975.	2,225.	3,001.

*Pencil Tray not included

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Metal interior means shelf metal.

Order Code	Specification Information	Application Notes
Example: RPB211LL	<i>To order please specify pattern number including:</i>	
R Reff		
PB Pedestal with back	1. Hinge location:	5. Lock options:
2 26 1/2"H	L = Left hand	Optional hinge door configuration only.
1 16" wide	R = Right hand	L = Drilled to accept lock
1 20" deep		N = No drilling
L Hinge door	2. Finish type:	6. Lock Finish:
L Hinge Left	L = Laminate	B = Black
L Laminate finish	1 = V1	S = Matte Silver
M Metal interior	2 = V2	
D Metal D-pull	3 = V3	7. Cabinet finish
L Lock option	3. Interior options:	8. Pull finish
B Lock Finish	M = Metal interior	
118 Cabinet finish		Keying instruction must accompany all orders, refer to page . Pedestals do not come with locks included. Random locks are factory installed. Key-alike are field installed, using the KnollKey order form. Each locking pedestal counts for one lock.
118 Pull finish		

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

4. Pull options:
B = No Pull, No Drilling, Customer's Own Pull
C = C-Pull, (Nickel finish only)
D = D-Pull (PT, PZ only)
F = Bar pull (1 pull per door set)
H = Outline Pull
J = J (Routed) Pull
R = Cylinder Pull
S = S-Pull, (stainless steel finish only)
T = Tab Pull (1 pull per door set)

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.


For Open Pedestals;

1. Finish type
2. Interior Option
3. Cabinet Finish


Pedestals are supplied with hardware kit including wood screws for attachment to underside of work surface.

Pedestals, 26 1/2" planning
Open / Hinge Door
Wood interior

Reff Profiles Vol. One

description	w	d	h	pattern no.	wood interiors				wood interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	RP211L(L/R)-() () ()	\$1,075.	\$1,152.	\$1,191.	\$1,229.	\$1,268.	\$1,433.	\$1,938.
	16"	23"	26 1/2"	RP212L(L/R)-() () ()	1,292.	1,386.	1,432.	1,479.	1,526.	1,717.	2,319.
	16"	29"	26 1/2"	RP213L(L/R)-() () ()	1,462.	1,567.	1,619.	1,672.	1,724.	1,943.	2,623.
	30"	19"	26 1/2"	RP231L-() () ()	1,363.	1,461.	1,511.	1,560.	1,609.	1,817.	2,452.
	30"	23"	26 1/2"	RP232L-() () ()	1,580.	1,695.	1,753.	1,810.	1,868.	2,106.	2,842.
	36"	19"	26 1/2"	RP261L-() () ()	1,705.	1,827.	1,889.	1,950.	2,011.	2,267.	3,061.
	36"	23"	26 1/2"	RP262L-() () ()	1,978.	2,120.	2,192.	2,263.	2,334.	2,630.	3,550.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position
N=No Lock option

Pedestal with open configuration including shelf 	16"	19"	26 1/2"	RP211M-() () ()	841.	901.	930.	960.	990.	1,118.	1,507.
	16"	23"	26 1/2"	RP212M-() () ()	969.	1,039.	1,074.	1,109.	1,144.	1,292.	1,741.
	16"	29"	26 1/2"	RP213M-() () ()	1,126.	1,206.	1,246.	1,286.	1,326.	1,498.	2,024.
	30"	19"	26 1/2"	RP231M-() () ()	967.	1,036.	1,070.	1,105.	1,139.	1,282.	1,731.
	30"	23"	26 1/2"	RP232M-() () ()	1,150.	1,233.	1,275.	1,316.	1,358.	1,532.	2,065.
	36"	19"	26 1/2"	RP261M-() () ()	1,204.	1,293.	1,337.	1,382.	1,426.	1,609.	2,170.
	36"	23"	26 1/2"	RP262M-() () ()	1,441.	1,543.	1,593.	1,644.	1,695.	1,913.	2,581.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: RP211LLWDL	<i>To order please specify pattern number including:</i>	<i>5. Lock options:</i>
R Reff		Optional hinge door configuration only.
P Pedestal	<i>1. Hinge location, where applicable:</i>	L = Drilled to accept lock
2 26 1/2"H	L = Left hand	N = No drilling
1 16" wide	R = Right hand	
1 19" deep	<i>2. Finish type:</i>	6. Lock Finish:
L Hinge door	L = Laminate	B = Black
L Laminate finish	1 = V1	S = Matte Silver
W Wood interior	2 = V2	
D Metal D-pull	3 = V3	7. Cabinet finish
L Lock hole drilled	<i>3. Interior options:</i>	8. Pull finish
S Lock finish	W = Wood interior	Painted or plated
118 Cabinet finish	<i>4. Pull options:</i>	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
118 Pull finish	B = No Pull, No Drilling, Customer's Own Pull	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
	C = C-Pull, (Nickel finish only)	
	D = D-Pull (PT, PZ only)	
	F = Bar pull (1 pull per door set)	
	H = Outline Pull	
	J = J (Routed) Pull	
	R = Cylinder Pull	
	S = S-Pull, (stainless steel finish only)	
	T = Tab Pull (1 pull per door set)	

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

26 1/2" high planning (Standard Height) should not be mixed with 28 3/8" high (Desk Height) components.
26 1/2" high components with 1 1/4" thick tops, achieves overall desk height of 27 1/32"h.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

For Open Pedestals;

1. Finish type
2. Interior Option
3. Cabinet Finish

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Keying instructions must accompany all orders, refer to page 365. Pedestals do not come with locks included. Random locks are factory installed. Key-alike are field installed, using the KnollKey order form. Each locking pedestal counts for one lock.

Pedestals, 26 1/2" planning


Open / Hinge Door

Wood interiors and wood backs

Reff Profiles Vol. One

description	w	d	h	pattern no.	wood interiors				wood interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	RPB211L(L/R)() () ()	\$1,217.	\$1,304.	\$1,347.	\$1,391.	\$1,434.	\$1,620.	\$2,186.
	16"	24"	26 1/2"	RPB212L(L/R)() () ()	1,430.	1,532.	1,583.	1,634.	1,685.	1,903.	2,569.
	16"	30"	26 1/2"	RPB213L(L/R)() () ()	1,601.	1,715.	1,773.	1,830.	1,887.	2,128.	2,872.
	30"	20"	26 1/2"	RPB231L() () ()	1,639.	1,757.	1,815.	1,874.	1,933.	2,183.	2,948.
	30"	24"	26 1/2"	RPB232L() () ()	1,855.	1,990.	2,057.	2,125.	2,192.	2,468.	3,333.
	36"	20"	26 1/2"	RPB261L() () ()	2,032.	2,178.	2,251.	2,324.	2,397.	2,699.	3,645.
	36"	24"	26 1/2"	RPB262L() () ()	2,307.	2,472.	2,554.	2,637.	2,719.	3,066.	4,139.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Pedestal with open configuration including shelf 	16"	20"	26 1/2"	RPB211M() () ()	981.	1,051.	1,086.	1,121.	1,156.	1,307.	1,763.
	16"	24"	26 1/2"	RPB212M() () ()	1,108.	1,188.	1,227.	1,267.	1,307.	1,476.	1,992.
	16"	30"	26 1/2"	RPB213M() () ()	1,265.	1,354.	1,398.	1,443.	1,487.	1,683.	2,271.
	30"	20"	26 1/2"	RPB231M() () ()	1,241.	1,330.	1,375.	1,419.	1,464.	1,647.	2,226.
	30"	24"	26 1/2"	RPB232M() () ()	1,429.	1,531.	1,581.	1,632.	1,683.	1,895.	2,557.
	36"	20"	26 1/2"	RPB261M() () ()	1,535.	1,646.	1,702.	1,757.	1,813.	2,040.	2,755.
	36"	24"	26 1/2"	RPB262M() () ()	1,767.	1,893.	1,955.	2,018.	2,081.	2,346.	3,166.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes
Example: RPB211LLWDL	<i>To order please specify pattern number including:</i>	<i>5. Lock options:</i>
R Reff		Optional hinge door configuration
PB Pedestal with back	<i>1. Hinge location where applicable;</i>	L = Drilled to accept lock
2 26 1/2"H	L = Left hand	N = No drilling
1 16" wide	R = Right hand	
1 20" deep	<i>2. Finish type:</i>	<i>6. Cabinet finish</i>
L Hinged door	L = Laminate	<i>7. Pull finish</i>
L Laminate finish	1 = V1	Painted or Plated
W Wood interior	2 = V2	
D Metal D-pull	3 = V3	*After specifying product code, provide keying instructions.
L Lock option	<i>3. Interior options:</i>	Pedestals must be ordered with back panels to achieve full depth without a modesty panel.
118 Cabinet finish	W = Wood interior	Keying instruction must accompany all orders, refer to page 365.
118 Pull finish	<i>4. Pull options:</i>	Pedestals do not come with locks included. Random locks are factory installed. Key-alike are field installed, using the KnollKey order form. Each locking pedestal counts for one lock.
	B = No Pull, No Drilling,	
	Customer's Own Pull	
	C = C-Pull,	
	(Nickel finish only)	
	D = D-Pull (PT, PZ only)	
	F = Bar pull (1 pull per door set)	
	H = Outline Pull	
	J = J (Routed) Pull	
	R = Cylinder Pull	
	S = S-Pull,	
	(stainless steel finish only)	
	T = Tab Pull (1 pull per door set)	

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

26 1/2" high planning (Standard Height) should not be mixed with 28 3/8" high (Desk Height) components.
26 1/2" high components with 1 1/4" thick tops, achieves overall desk height of 27 1/32"h.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of work surface.

For Open Pedestals;
1. Finish Type
2. Interior Option
3. Cabinet Finish

*Mobile Pedestal**Metal interiors*

description	w	d	h	pattern no.	metal interiors				metal interiors	metal interiors	metal interiors	list
					L	L/V1	L/V2	L/V3	V1	V2	V3	
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-() () L() ()	\$1,201.	\$1,276.	\$1,314.	\$1,351.	\$1,389.	\$1,597.	\$2,156.	
	16"	23"	21"	RM112J-() () L() ()	1,256.	1,335.	1,374.	1,414.	1,453.	1,673.	2,258.	
	16"	23"	26 1/2"	RM212J-() () L() ()	1,687.	1,793.	1,847.	1,900.	1,953.	2,243.	3,031.	
	16"	23"	26 1/2"	RM212K-() () L() ()	1,687.	1,793.	1,847.	1,900.	1,953.	2,243.	3,031.	



*Pencil tray not included

*Glue and dowel construction

Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT								106.

Order Code	Specification Information	Application Notes	
Example: RM111J	<i>To order please specify pattern number including:</i>	4. Lock options: L = Drilled to accept lock	Mobile pedestals are always equipped with finished backs.
R Reff			
M Mobile Pedestal	1. Finish type: L = Laminate	5. Lock Finish: B = Black S = Matte Silver	File drawers include file bars for side to side filing only. File drawers do not support bottom loading.
1 21"H	1 = V1		
1 16" wide	2 = V2		
1 19" deep	3 = V3	6. Case Finish: Laminate, V1,V2,V3	Mobile pedestals are glue and dowel construction.
J Box box file config.	2. Interior options: M = Metal interior	7. Pull Finish: Painted or Plated	Casters on Mobile Pedestals are non locking.
L Laminate finish		Keying instruction must accompany all orders, refer to page 365.	
M Metal interior	3. Pull options: B = No Pull, No Drilling, Customer's Own Pull	Pedestals do not come with locks included. Random locks are factory installed. Key-alike are field installed, using the KnollKey order form. Each locking pedestal counts for one lock.	
D Metal D-pull	C = C-Pull, (Nickel finish only)		
L Lock option	D = D-Pull (PT, PZ only)		
B Lock Finish	F = Bar pull		
114 Cabinet Finish	H = Outline Pull	Pencil trays not included in mobile pedestals with metal interiors.	
612 Pull Finish	J = J (Routed) Pull	Pencil tray to be ordered separately.	
	R = Cylinder Pull		
	S = S-Pull, (stainless steel finish only)		
	T = Tab Pull		

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option.

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option.

Mobile Pedestal


Wood interiors

description	w	d	h	pattern no.	wood interiors				wood interiors			list
					L	L/V1	L/V2	L/V3	V1	V2	V3	
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-() () L () ()	\$1,422.	\$1,512.	\$1,556.	\$1,601.	\$1,646.	\$1,894.	\$2,556.	
	16"	23"	21"	RM112J-() () L () ()	1,501.	1,595.	1,642.	1,689.	1,736.	1,995.	2,694.	
	16"	23"	26 1/2"	RM212J-() () L () ()	2,030.	2,157.	2,220.	2,284.	2,347.	2,699.	3,645.	
	16"	23"	26 1/2"	RM212K-() () L () ()	2,030.	2,157.	2,220.	2,284.	2,347.	2,699.	3,645.	



Glue and dowel construction

Pedestal backs	16"	1"	26 1/2"	RPAB16-() ()	128.				144.	166.	226.	
	19"	1"	26 1/2"	RPAB19-() ()	134.				151.	176.	238.	
	30"	1"	26 1/2"	RPAB30-() ()	255.				285.	326.	440.	
	36"	1"	26 1/2"	RPAB36-() ()	300.				339.	389.	526.	



pedestal backs for pedestals with metal or wood interiors.


Counter weight (for file/file configuration pedestals when used in freestanding applications)	-	-	-	RCOUNTWT								106.

Order Code	Specification Information	Application Notes
Example: RM111J	<i>To order please specify pattern number including:</i>	4. Lock options: L = Drilled to accept lock
R Reff		
M Mobile Pedestal	1. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	5. Lock Finish: B = Black S = Matte Silver
1 21"H		6. Case Finish: Wood or Laminate
1 16" wide		7. Pull Finish: Painted or Plated
1 19" deep		Keying instruction must accompany all orders, refer to page 365.
J Box box file config.	2. Interior options: M = Metal interior	Pedestals do not come with locks included. Random locks are factory installed. Key-alike are field installed, using the KnollKey order form. Each locking pedestal counts for one lock.
L Laminate finish		
W Wood interior	3. Pull options: B = No Pull, No Drilling, Customer's Own Pull C = C-Pull, (Nickel finish only) D = D-Pull (PT, PZ only) F = Bar pull H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-Pull, (stainless steel finish only) T = Tab Pull	
D Metal D-pull		
L Lock option		
B Lock Finish		
114 Cabinet Finish		
612 Pull Finish		


Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option.

Cabinets, 26 1/2" planning 49" high, metal interior Bookcase and hinge doors

Reff Profiles Vol. One

description	w	d	h	pattern no.	metal interiors				metal interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Open bookcase with two adjustable shelves 	30"	15"	49"	RC431B-() ()	\$1,257.	n/a	n/a	n/a	\$1,712.	\$1,973.	\$2,663.
	30"	20"	49"	RC432B-() ()	1,419.	n/a	n/a	n/a	1,934.	2,222.	3,000.
	30"	24"	49"	RC433B-() ()	1,601.	n/a	n/a	n/a	2,179.	2,507.	3,383.
	36"	15"	49"	RC461B-() ()	1,395.	n/a	n/a	n/a	1,903.	2,187.	2,954.
	36"	20"	49"	RC462B-() ()	1,576.	n/a	n/a	n/a	2,146.	2,468.	3,332.
	36"	24"	49"	RC463B-() ()	1,771.	n/a	n/a	n/a	2,419.	2,779.	3,750.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet) 	16"	20"	49"	RC412C(L/R)-() () () ()	1,266.	1,463.	1,561.	1,660.	1,758.	1,984.	2,678.
	16"	24"	49"	RC413C(L/R)-() () () ()	1,393.	1,609.	1,717.	1,825.	1,933.	2,180.	2,942.
	30"	20"	49"	RC432C-() () () ()	1,853.	2,143.	2,288.	2,433.	2,578.	2,907.	3,924.
	30"	24"	49"	RC433C-() () () ()	2,051.	2,371.	2,530.	2,690.	2,850.	3,215.	4,341.
	36"	20"	49"	RC462C-() () () ()	2,055.	2,376.	2,536.	2,697.	2,857.	3,220.	4,348.
	36"	24"	49"	RC463C-() () () ()	2,265.	2,622.	2,801.	2,979.	3,158.	3,559.	4,803.


Metal interiors mean shelves metal.

Order Code	Specification Information	Application Notes	
Example: RC431B () ()	<i>To order the Open Bookcase, please specify pattern number including:</i>	<i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i>	
R Reff	1. <i>Finish type</i> L=Laminate 1=V1 2=V2 3=V3	1. <i>Hinge location where applicable:</i> L = Left hand R = Right hand	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instruction must accompany all orders, refer to page 365. Cabinets do not come with locks included. Key-alike are field installed, using the KnollKey order form. Each locking pedestal counts for one lock.
C Cabinets	2. <i>Interior option</i> M=Metal interior Cabinets with metal interior, the shelves come painted. For laminate cases, the shelves are painted to match ie. 114 case = 114 painted shelves. For wood cases, the shelves are painted black ie. V316 case = black shelves.	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
4 49" high	3. <i>Cabinet finish</i> Wood or Laminate	3. <i>Interior options:</i> M=Metal Interior	
3 30" wide	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	4. <i>Pull options:</i> B=No pull, No Drilling, Customer's own Pull C= C-Pull (nickel finish only) D = D-Pull (PT or PZ only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	
1 15" deep	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	5. <i>Lock options Doors:</i> L = Lock hole drilled N = No lock drilling	
B Open Bookcase		6. <i>Lock Finish:</i> B = Black S = Matte Black	
2 V2 finish Type		7. <i>Cabinet Finish:</i> Laminate or Wood	
M Metal interior		8. <i>Pull Finish:</i> Painted / Plated	
V316 Cabinet finish: Maple			

Cabinets, 26¹/₂" planning
49" high, metal interior
4 Lateral files

Reff Profiles Vol. One


description	w	d	h	pattern no.	metal interiors				metal interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F- () () L () ()	\$2,160.	\$2,496.	\$2,665.	\$2,833.	\$3,001.	\$3,386.	\$4,573.
	30"	24"	49"	RC433F- () () L () ()	2,384.	2,756.	2,942.	3,128.	3,314.	3,736.	5,044.
	36"	20"	49"	RC462F- () () L () ()	2,739.	3,167.	3,380.	3,594.	3,808.	4,290.	5,793.
	36"	24"	49"	RC463F- () () L () ()	3,024.	3,497.	3,733.	3,970.	4,206.	4,741.	6,401.




Order Code	Specification Information	Application Notes
Example: RC432F () () L () ()	<i>To order please specify pattern number including:</i>	Keying instruction must accompany all orders, refer to page 365.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Cabinets do not come with locks included. Key-alike are field installed, using the KnollKey order form. Each locking pedestal counts for one lock.
C Cabinets	2. <i>Interior options:</i> M = Metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
4 49" high	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own pull. C = Nickel C-pull (nickel finish only) D = Metal D-pull F = Bar pull H = Outline pull J = Routed pull R = Cylinder pull S = S-pull (stainless steel finish only) T = Tab pull	File drawers include file bars for front to back and side to side filing.
3 30" wide	4. <i>Lock options:</i> <i>Drawers are always lock drilled</i> L = Lock hole drilled	File drawers do not support bottom loading.
2 20" deep	5. Lock Finish B = Black S = Matte Silver	
F 4 drawer lateral file	6. Cabinet finish: Wood or Laminate	
2 V2 finish type	7. Pull finish: Painted or Plated	
M Metal interior option		
T Tab pull option		
L Lock option		
B Lock Finish		
V316 Cabinet finish		
118 Pull finish		

Cabinets, 26 1/2" planning 49" high, wood interior Bookcase and hinge doors

Reff Profiles Vol. One

description	w	d	h	pattern no.	wood interiors				wood interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Open bookcase with two adjustable shelves 	30"	15"	49"	RC431B-() ()	\$1,409.	n/a	n/a	n/a	\$1,919.	\$2,206.	\$2,978.
	30"	20"	49"	RC432B-() ()	1,571.	n/a	n/a	n/a	2,141.	2,461.	3,322.
	30"	24"	49"	RC433B-() ()	1,750.	n/a	n/a	n/a	2,384.	2,744.	3,704.
	36"	15"	49"	RC461B-() ()	1,549.	n/a	n/a	n/a	2,110.	2,426.	3,274.
	36"	20"	49"	RC462B-() ()	1,726.	n/a	n/a	n/a	2,356.	2,705.	3,650.
	36"	24"	49"	RC463B-() ()	1,925.	n/a	n/a	n/a	2,625.	3,016.	4,072.

Open cabinets require no keying instructions

Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet) 	16"	20"	49"	RC412C(L/R)-() () () ()	1,416.	1,638.	1,748.	1,859.	1,970.	2,219.	2,995.
	16"	24"	49"	RC413C(L/R)-() () () ()	1,546.	1,786.	1,907.	2,027.	2,147.	2,422.	3,269.
	30"	20"	49"	RC432C-() () () ()	2,004.	2,317.	2,473.	2,630.	2,786.	3,142.	4,240.
	30"	24"	49"	RC433C-() () () ()	2,202.	2,547.	2,719.	2,892.	3,064.	3,451.	4,657.
	36"	20"	49"	RC462C-() () () ()	2,207.	2,551.	2,723.	2,895.	3,067.	3,460.	4,672.
	36"	24"	49"	RC463C-() () () ()	2,421.	2,799.	2,989.	3,178.	3,367.	3,798.	5,128.

Order Code	Specification Information	Application Notes	
Example: RC431B	<i>To order the Open Bookcase, please specify pattern number including:</i>	<i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i>	
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	Keying instruction must accompany all orders, refer to page 365. Cabinets do not come with locks included. Key-alike are field installed, using the KnollKey order form. Each locking pedestal counts for one lock.
C Cabinets	2. <i>Interior options:</i> W = Wood Interior	2. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
4 49" high	3. <i>Cabinet Finish:</i> Laminate or Wood	3. <i>Interior options:</i> W = Wood Interior	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide		4. <i>Pull options:</i> B = No pull C = C-Pull (Nickel Finish Only) D = D-Pull (PT or PZ only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	
1 15" deep		5. <i>Lock Options Doors:</i> <i>Drawers are always lock drilled</i> L = Lock hole drilled	
B Open Bookcase		6. <i>Lock Finish:</i> B = Black S = Matte Silver	
2 Finish Type: V2		7. <i>Cabinet finish:</i> Laminate or Wood	
W Wood interior		8. <i>Pull finish:</i> Painted or Plated	
V316 Cabinet Finish: Maple			


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.


Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Cabinets, 26 1/2" planning
49" high, wood interior
Wardrobe cabinet

description	w	d	height	pattern number	wood	L	L/V1	L/V2	L/V3	wood	wood	wood
					interiors					interiors	interiors	interiors
 Wardrobe for coat rod and boot tray* (Requires one lock core per cabinet)	30"	20"	49"	RC432D-()W() () ()	\$1,829.	\$2,114.	\$2,256.	\$2,399.	\$2,541.	\$2,865.	\$3,870.	
	30"	24"	49"	RC433D-()W() () ()	1,997.	2,310.	2,467.	2,623.	2,780.	3,136.	4,232.	
	36"	20"	49"	RC462D-()W() () ()	2,010.	2,325.	2,482.	2,640.	2,797.	3,152.	4,257.	
	36"	24"	49"	RC463D-()W() () ()	2,199.	2,543.	2,714.	2,886.	3,058.	3,448.	4,654.	




Available with wood interior only.
Coat rod included.

Order Code	Specification Information	Application Notes
Example: RC432D	<i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	1. <i>Finish Type:</i> L = Laminate	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
C Cabinets	1 = V1	
4 49" high	2 = V2	After specifying product code, provide keying instructions. Refer to page 365 for keying instructions.
3 30" wide	3 = V3	Note: Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 325.
2 20" deep, 3-24" deep	2. <i>Interior options:</i> W = Wood Interior	20" deep wardrobe cabinets provide only 18" of clear storage space.
D Wardrobe Cabinet	3. <i>Pull options:</i> B = No pull	
2 Finish Type: V2	C = C-Pull (Nickel Finish Only)	
W Wood interior	D = D-Pull (PZ and PT only)	
D Pull option	F = Bar Pull (1 pull per door set)	
L Lock option doors	H = Outline Pull	
B Lock Finish	J = J (Routed) Pull	
V316 Cabinet Finish: Maple	R = Cylinder Pull	
PZ Pull Finish	S = S-pull (Stainless Steel Finish only)	
	T = Tab Pull (1 pull per door set)	
	4. <i>Lock Options Doors:</i> L = Lock hole drilled	
	N = No lock drilling	
	5. <i>Cabinet finish:</i> Wood or Laminate	
	6. <i>Pull finish:</i> Painted or Plated	

Cabinets, 26¹/₂" planning
49" high, wood interior
4 Lateral files

Reff Profiles Vol. One


description	w	d	h	pattern no.	wood interiors	L/V1	L/V2	L/V3	wood interiors	wood interiors	wood interiors
					L				V1	V2	V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F- () () L () ()	\$2,311.	\$2,672.	\$2,852.	\$3,033.	\$3,213.	\$3,623.	\$4,890.
	30"	24"	49"	RC433F- () () L () ()	2,538.	2,936.	3,134.	3,333.	3,532.	3,975.	5,366.
	36"	20"	49"	RC462F- () () L () ()	2,891.	3,341.	3,565.	3,790.	4,015.	4,526.	6,112.
	36"	24"	49"	RC463F- () () L () ()	3,175.	3,670.	3,917.	4,165.	4,412.	4,975.	6,717.




Order Code	Specification Information	Application Notes
Example: RC432F () () L () ()	<i>To order please specify pattern number including:</i>	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
R Reff	1. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
C Cabinets	2. <i>Interior Option</i> W = Wood Interior	File drawers are always drilled for lock.
4 49" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull (Nickel Finish Only) D = D-Pull (PT or PZ only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S-pull (Stainless Steel Finish Only) T = Tab Pull (1 pull per door set)	File drawers include file bars for front to back and side to side filing.
3 30" wide		File drawers do not support bottom loading.
2 20" deep		
F Cabinet w/ 4 File Open bookcase		
2 Finish Type: V2		
W Wood Interior		
D D-pull Option		
L Drilled for Lock (Not Optional)		
B Lock Finish		
V316 Cabinet finish: Maple		
PT Pull finish		
	4. Lock option doors L = Drilled for Lock Drawers are always drilled for locks	
	5. Lock Finish: B = Black S = Matte Silver	
	6. Cabinet Finish: Laminate or Wood	
	7. Pull Finish: Painted / Plated	

Cabinets, 26 1/2" planning
64" high, metal interior
Bookcase and hinge doors

Reff Profiles Vol. One

description	w	d	h	pattern no.	metal interiors	LV1	LV2	LV3	metal interiors	metal interiors	metal interiors
					L				V1	V2	V3
Cabinet with three adjustable shelves 	30"	15"	64"	RC631B-() () ()	\$1,613.	n/a	n/a	n/a	\$2,202.	\$2,533.	\$3,420.
	30"	20"	64"	RC632B-() () ()	1,816.	n/a	n/a	n/a	2,475.	2,846.	3,842.
	30"	24"	64"	RC633B-() () ()	2,019.	n/a	n/a	n/a	2,753.	3,169.	4,275.
	36"	15"	64"	RC661B-() () ()	1,852.	n/a	n/a	n/a	2,523.	2,903.	3,917.
	36"	20"	64"	RC662B-() () ()	2,060.	n/a	n/a	n/a	2,803.	3,228.	4,354.
	36"	24"	64"	RC663B-() () ()	2,269.	n/a	n/a	n/a	3,092.	3,555.	4,800.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.


Cabinet with two open adjustable shelves, two hinged 22 1/2" doors 	30"	20"	64"	RC632H-() () () () ()	2,232.	2,581.	2,756.	2,930.	3,105.	3,500.	4,725.
	30"	24"	64"	RC633H-() () () () ()	2,467.	2,851.	3,042.	3,234.	3,426.	3,866.	5,219.
	36"	20"	64"	RC662H-() () () () ()	2,467.	2,851.	3,042.	3,234.	3,426.	3,866.	5,219.
	36"	24"	64"	RC663H-() () () () ()	2,702.	3,124.	3,334.	3,545.	3,756.	4,234.	5,716.

Requires one lock core per cabinet
Shelves painted metal


Order Code	Specification Information	Application Notes
Example: RC631B	<i>To order the Open Bookcase, specify pattern number including:</i>	<i>To order the Cabinet with Hinge Doors, specify pattern number including:</i>
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
C Cabinets	2. <i>Interior options:</i> M = Metal Interior Pedestals and cabinets with metal interior, the shelves come painted. If case is laminate, the shelves are painted to match ie. 114 case = 114 painted shelves. If case is wood, the shelves are painted black ie. V316 case = black shelves.	2. <i>Interior options:</i> M = Metal Interior
6 64" high	3. <i>Cabinet finish:</i> Wood or Laminate	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)
3 30" wide	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling
1 15" deep	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	5. <i>Lock Finish:</i> B = Black S = Matte Silver
B Open Bookcase		6. <i>Cabinet finish:</i> Wood or Laminate
2 V2 finish type		7. <i>Pull finish:</i> Painted or Plated
M Metal interior option		
V316 Cabinet finish		

Cabinets, 26 1/2" planning 64" high, metal interior Hinge doors and file drawers


Reff Profiles Vol. One

description	w	d	h	pattern no.	metal interiors				metal interiors	metal interiors	metal interiors
					L	LV1	L/V2	L/V3	V1	V2	V3
 Cabinet with 4 files and (2) 15" doors at top	30"	20"	64"	RC632F-() () () () ()	\$3,000.	\$3,469.	\$3,704.	\$3,938.	\$4,173.	\$4,703.	\$6,351.
	30"	24"	64"	RC633F-() () () () ()	3,317.	3,833.	4,091.	4,349.	4,607.	5,197.	7,013.
	36"	20"	64"	RC662F-() () () () ()	3,317.	3,833.	4,091.	4,349.	4,607.	5,197.	7,013.
	36"	24"	64"	RC663F-() () () () ()	3,663.	4,233.	4,519.	4,804.	5,089.	5,737.	7,746.

Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"

 Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers	16"	20"	64"	RC612G(L/R)-() () () () ()	2,278.	2,631.	2,808.	2,984.	3,161.	3,565.	4,812.
	16"	24"	64"	RC613G(L/R)-() () () () ()	2,515.	2,907.	3,103.	3,299.	3,495.	3,937.	5,316.
	30"	20"	64"	RC632G-() () () () ()	2,883.	3,333.	3,558.	3,783.	4,008.	4,517.	6,099.
	30"	24"	64"	RC633G-() () () () ()	3,209.	3,708.	3,957.	4,207.	4,456.	5,024.	6,784.
	36"	20"	64"	RC662G-() () () () ()	3,186.	3,682.	3,930.	4,178.	4,426.	4,991.	6,738.
	36"	24"	64"	RC663G-() () () () ()	3,543.	4,096.	4,372.	4,649.	4,925.	5,550.	7,491.

Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal


 Cabinet with BBF below and hinged doors above	16"	20"	64"	RC612P(L/R)-() () () () ()	2,346.	2,712.	2,894.	3,077.	3,260.	3,675.	4,962.
	16"	24"	64"	RC613P(L/R)-() () () () ()	2,605.	3,013.	3,216.	3,420.	3,624.	4,080.	5,508.
	30"	20"	64"	RC632P-() () () () ()	2,763.	3,193.	3,409.	3,624.	3,839.	4,328.	5,845.
	30"	24"	64"	RC633P-() () () () ()	3,049.	3,525.	3,763.	4,001.	4,239.	4,778.	6,450.
	36"	20"	64"	RC662P-() () () () ()	3,057.	3,533.	3,771.	4,009.	4,247.	4,789.	6,466.
	36"	24"	64"	RC663P-() () () () ()	3,370.	3,894.	4,156.	4,418.	4,680.	5,282.	7,131.

Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal


Order Code	Specification Information	Application Notes
Example: RC632F () () () () ()	<i>To order, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	4. <i>Lock options Files:</i> L = Lock hole drilled Drawers are always drilled for locks	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
C Cabinets	5. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	After specifying product code, provide keying instructions. Refer to page 365 for keying instructions.
6 64" high	6. <i>Cabinet Finish:</i> Wood or Laminate	File drawers include file bars for front to back and side to side filing.
3 30" wide	7. <i>Pull Finish:</i> Painted or Plated	File drawers do not support bottom loading.
2 20" deep		
F Hinge door with 4 file drawers		
L Finish Type: Laminate		
M Metal interior		
T Tab pull option		
L Lock option, files		
N Lock Optino, Doors		
118 Cabinet finish		
111 Pull finish		
F = Hinge door cabinet with 4 File drawers	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
G = Hinge door cabinet with FF	2. <i>Interior options:</i> M = Metal Pedestals and cabinets with metal interior, the shelves come painted. If case is laminate, the shelves are painted to match ie. 114 case = 114 painted shelves. If case is wood, the shelves are painted black ie. V316 case = black shelves.	
P = Hinge door cabinet with BBF	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull (Nickel finish only) D = D-Pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.

Cabinets, 26 1/2" planning 64" high, metal interior Hinge doors and wardrobe

Reff Profiles Vol. One

description	w	d	h	pattern no.	metal interiors				metal interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet with hinged doors three adjustable shelves 	16"	20"	64"	RC612C(L/R)-() () () ()	\$1,890.	\$2,183.	\$2,329.	\$2,476.	\$2,622.	\$2,958.	\$3,994.
	16"	24"	64"	RC613C(L/R)-() () () ()	2,106.	2,435.	2,600.	2,764.	2,929.	3,301.	4,457.
	30"	20"	64"	RC632C-() () () ()	2,505.	2,896.	3,091.	3,287.	3,482.	3,927.	5,301.
	30"	24"	64"	RC633C-() () () ()	2,767.	3,200.	3,416.	3,633.	3,849.	4,334.	5,851.
	36"	20"	64"	RC662C-() () () ()	2,739.	3,167.	3,380.	3,594.	3,808.	4,290.	5,793.
	36"	24"	64"	RC663C-() () () ()	3,000.	3,469.	3,704.	3,938.	4,173.	4,703.	6,351.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

Cabinet with full height doors half wardrobe and half shelves 	30"	20"	64"	RC632E(L/R)-() () () ()	2,911.	3,365.	3,591.	3,818.	4,045.	4,558.	6,155.
	30"	24"	64"	RC633E(L/R)-() () () ()	3,229.	3,732.	3,983.	4,235.	4,486.	5,060.	6,830.
	36"	20"	64"	RC662E(L/R)-() () () ()	3,217.	3,718.	3,969.	4,219.	4,470.	5,044.	6,808.
	36"	24"	64"	RC663E(L/R)-() () () ()	3,567.	4,124.	4,402.	4,681.	4,959.	5,589.	7,544.


Requires one lock core per cabinet
Shelves painted metal.
Coat rod included.

Left hand shown


Order Code	Specification Information	Application Notes
Example: RC612C(L/R)	<i>To order, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	5. <i>Lock options Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
C Cabinets	6. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	7. <i>Cabinet Finish:</i> Wood or Laminate	
1 15" wide	8. <i>Pull Finish:</i> Painted or Plated	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
2 20" deep	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	
C Hinge Door Cab. w/ adjustable shelves		*Note: Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 325.
L Finish Type: Laminate		
M Metal Interior		20" deep Wardrobe Cabinets provide only 18" of clear storage space.
D Pull option; D		
N Lock option; No		
118 Cabinet Finish		
PZ Pull finish		
C = Hinge door cabinet with full height doors and 3 adjustable shelves		
E = Hinge door cabinet with full height doors, half wardrobe and half shelves		

Cabinets, 26 1/2" planning
64" high, wood interior
Bookcase and hinge doors

Reff Profiles Vol. One

description	w	d	h	pattern no.	wood interiors				wood interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet with three adjustable shelves 	30"	15"	64"	RC631B-() ()	\$1,766.	n/a	n/a	n/a	\$2,404.	\$2,768.	\$3,738.
	30"	20"	64"	RC632B-() ()	1,969.	n/a	n/a	n/a	2,683.	3,086.	4,167.
	30"	24"	64"	RC633B-() ()	2,172.	n/a	n/a	n/a	2,958.	3,403.	4,594.
	36"	15"	64"	RC661B-() ()	2,003.	n/a	n/a	n/a	2,729.	3,141.	4,237.
	36"	20"	64"	RC662B-() ()	2,209.	n/a	n/a	n/a	3,010.	3,464.	4,677.
	36"	24"	64"	RC663B-() ()	2,419.	n/a	n/a	n/a	3,298.	3,791.	5,118.

Open cabinets require no keying instructions

Cabinet with two open adjustable shelves, two hinged 22 1/2" doors 	30"	20"	64"	RC632H-() () () ()	2,385.	2,758.	2,945.	3,131.	3,318.	3,740.	5,049.
	30"	24"	64"	RC633H-() () () ()	2,619.	3,027.	3,230.	3,434.	3,638.	4,104.	5,541.
	36"	20"	64"	RC662H-() () () ()	2,619.	3,027.	3,230.	3,434.	3,638.	4,104.	5,541.
	36"	24"	64"	RC663H-() () () ()	2,851.	3,297.	3,520.	3,743.	3,966.	4,468.	6,031.

Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC631 B	<i>To order Open Bookcase, please specify pattern number including:</i>	<i>To order the Cabinet with Hinge Doors, please specify pattern number including:</i>
R Reff	1. <i>Finish type:</i>	1. <i>Finish type:</i>
C Cabinets	L = Laminate	L = Laminate
6 64" high	1 = V1	1 = V1
3 30" wide	2 = V2	2 = V2
1 15" deep	3 = V3	3 = V3
B Open Bookcase	2. <i>Interior option:</i>	2. <i>Interior option:</i>
2 Finish Type: V2	W = Wood Interior	W = Wood
W Wood Interior	3. <i>Cabinet Finish:</i>	3. <i>Pull options:</i>
W316 Cabinet finish: Maple	Wood or Laminate	B = No Pull, No Drilling, Customer's own Pull
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	C = C-Pull, (Nickel finish only)
	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	D = D-pull (PZ or PT only)
		F = Bar Pull (1 pull per door set)
		H = Outline Pull
		J = J (Routed) Pull
		R = Cylinder Pull
		S = S Pull (Stainless Steel Finish only)
		T = Tab Pull (1 pull per door set)
		4. <i>Lock Option Doors:</i>
		L = Lock hole drilled
		N = No lock drilling
		5. <i>Cabinet Finish:</i>
		Wood or Laminate
		6. <i>Pull Finish:</i>
		Painted or Plated


Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.


After specifying product code, provide keying instructions. Refer to page 365 for keying instructions.

Cabinets, 26 1/2" planning 64" high, wood interior Hinge doors and file drawers


Reff Profiles Vol. One

description	w	d	h	pattern no.	wood interiors				wood interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
 Cabinet with 4 files and (2) 15" doors at top	30"	20"	64"	RC632F -(X)(X)(X)(X)(X)	\$3,152.	\$3,644.	\$3,891.	\$4,137.	\$4,383.	\$4,941.	\$6,670.
	30"	24"	64"	RC633F -(X)(X)(X)(X)(X)	3,466.	4,006.	4,276.	4,546.	4,816.	5,431.	7,331.
	36"	20"	64"	RC662F -(X)(X)(X)(X)(X)	3,466.	4,006.	4,276.	4,546.	4,816.	5,431.	7,331.
	36"	24"	64"	RC663F -(X)(X)(X)(X)(X)	3,814.	4,410.	4,707.	5,005.	5,303.	5,976.	8,067.

Requires two lock cores per cabinet
Interior height clearance top drawer 10", all others 10 3/4"

 Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers	16"	20"	64"	RC612G(L/R) -(X)(X)(X)(X)(X)	2,425.	2,803.	2,993.	3,182.	3,371.	3,801.	5,132.
	16"	24"	64"	RC613G(L/R) -(X)(X)(X)(X)(X)	2,667.	3,082.	3,289.	3,497.	3,704.	4,178.	5,639.
	30"	20"	64"	RC632G -(X)(X)(X)(X)(X)	3,035.	3,508.	3,744.	3,981.	4,217.	4,754.	6,417.
	30"	24"	64"	RC633G -(X)(X)(X)(X)(X)	3,357.	3,880.	4,142.	4,403.	4,665.	5,261.	7,103.
	36"	20"	64"	RC662G -(X)(X)(X)(X)(X)	3,338.	3,858.	4,117.	4,377.	4,637.	5,228.	7,060.
	36"	24"	64"	RC663G -(X)(X)(X)(X)(X)	3,693.	4,269.	4,557.	4,845.	5,133.	5,789.	7,818.

Requires two lock cores per cabinet

 Cabinet with BBF below and hinged doors above	16"	20"	64"	RC612P(L/R) -(X)(X)(X)(X)(X)	2,499.	2,888.	3,082.	3,277.	3,471.	3,911.	5,282.
	16"	24"	64"	RC613P(L/R) -(X)(X)(X)(X)(X)	2,756.	3,186.	3,400.	3,615.	3,830.	4,320.	5,833.
	30"	20"	64"	RC632P -(X)(X)(X)(X)(X)	2,916.	3,370.	3,598.	3,825.	4,052.	4,570.	6,168.
	30"	24"	64"	RC633P -(X)(X)(X)(X)(X)	3,202.	3,701.	3,951.	4,200.	4,450.	5,015.	6,769.
	36"	20"	64"	RC662P -(X)(X)(X)(X)(X)	3,210.	3,709.	3,958.	4,208.	4,457.	5,026.	6,787.
	36"	24"	64"	RC663P -(X)(X)(X)(X)(X)	3,519.	4,070.	4,346.	4,621.	4,897.	5,518.	7,448.

Requires two lock cores per cabinet

Order Code	
Example: RC632F (X)(X)(X)(X)(X)	
R	Reff
C	Cabinets
6	64" high
3	30" wide
2	20" deep
F	Hinge door with 4 file drawers
L	Finish Type: Laminate
W	Wood Interior
T	Tab pull option
L	Lock option, files
N	Lock option, doors
118	Cabinet finish
118	Pull finish
F	= Hinge door cabinet with 4 File drawers
G	= Hinge door cabinet with FF
P	= Hinge door cabinet with BBF


Specification Information	
To order the Cabinet with Hinge Doors and File Drawers, please specify pattern number including:	
1. Hinge location where applicable:	
2. Finish type:	
L = Laminate	
1 = V1	
2 = V2	
3 = V3	
3. Interior option:	
W = Wood Interior	
4. Pull options:	
B = No Pull, No Drilling, Customer's own Pull	
C = C-Pull, (Nickel finish only)	
D = D-pull (PZ or PT only)	
F = Bar Pull (1 pull per door set)	
H = Outline Pull	
J = J (Routed) Pull	
R = Cylinder Pull	
S = S Pull (Stainless Steel Finish only)	
T = Tab Pull (1 pull per door set)	


- Lock Option Files:
L = Lock hole drilled
Drawers are always drilled for locks
 - Lock Option Doors:
L = Lock hole drilled
N = No lock drilling
 - Cabinet Finish:
Wood or Laminate
 - Pull Finish:
Painted or Plated
- Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Application Notes
Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
File drawers are always drilled for locks.
After specifying product code, provide keying instructions. Refer to page 365 for keying instructions.
File drawers include file bars for front to back and side to side filing.
File drawers do not support bottom loading.

Cabinets, 26 1/2" planning
64" high, wood interior
Hinge door with shelves and wardrobe

Reff Profiles Vol. One

description	w	d	h	pattern no.	wood interiors				wood interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet with hinged doors three adjustable shelves 	16"	20"	64"	RC612C(L/R)-() () () ()	\$2,039.	\$2,357.	\$2,517.	\$2,676.	\$2,835.	\$3,196.	\$4,315.
	16"	24"	64"	RC613C(L/R)-() () () ()	2,261.	2,612.	2,788.	2,963.	3,139.	3,537.	4,775.
	30"	20"	64"	RC632C-() () () ()	2,656.	3,070.	3,278.	3,485.	3,692.	4,164.	5,619.
	30"	24"	64"	RC633C-() () () ()	2,919.	3,375.	3,603.	3,831.	4,059.	4,574.	6,176.
	36"	20"	64"	RC662C-() () () ()	2,891.	3,341.	3,565.	3,790.	4,015.	4,526.	6,112.
	36"	24"	64"	RC663C-() () () ()	3,152.	3,644.	3,891.	4,137.	4,383.	4,941.	6,670.

Cabinet with full height doors half wardrobe and half shelves 	30"	20"	64"	RC632E(L/R)-() () () ()	3,063.	3,540.	3,778.	4,017.	4,255.	4,798.	6,477.
	30"	24"	64"	RC633E(L/R)-() () () ()	3,379.	3,907.	4,170.	4,434.	4,698.	5,295.	7,148.
	36"	20"	64"	RC662E(L/R)-() () () ()	3,368.	3,892.	4,154.	4,416.	4,678.	5,281.	7,128.
	36"	24"	64"	RC663E(L/R)-() () () ()	3,716.	4,297.	4,588.	4,878.	5,169.	5,827.	7,868.

Requires one lock core per cabinet.
Coat rod included.


Left hand shown

Order Code	Specification Information	Application Notes
Example: RC612C(L/R)	<i>To order, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
C Cabinets	6. <i>Cabinet Finish:</i> Wood or Laminate	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	7. <i>Pull Finish:</i> Painted or Plated	
1 15" wide	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
2 20" deep		
C Hinge Door Cab. w/ adjustable shelves		*Note: Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 325.
L Finish Type: Laminate		
W Wood Interior		20" deep Wardrobe Cabinets provide only 18" of clear storage space.
D Pull option; D		
N Lock option; No		
118 Cabinet Finish		
PZ Pull finish		
C = Hinge door cabinet with full height doors and 3 adjustable shelves	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
E = Hinge door cabinet with full height doors, half wardrobe and half shelves	2. <i>Finish Type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
D = Hinge door cabinet with full height wardrobe.	3. <i>Interior Option:</i> W = Wood Interior	
Available only with wood interior.	4. <i>Pull Options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	

Cabinets, 26 1/2" planning
64" high, wood interior
Hinge door with shelves and wardrobe

Reff Profiles Vol. One

description	w	d	h	pattern no.	wood interiors				wood interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet with hinged doors for coat rod and boot tray*	16"	20"	64"	RC612D(L/R)-() () () ()	\$1,787.	\$2,065.	\$2,203.	\$2,342.	\$2,481.	\$2,796.	\$3,775.
	16"	24"	64"	RC613D(L/R)-() () () ()	1,956.	2,261.	2,414.	2,566.	2,719.	3,066.	4,137.
	30"	20"	64"	RC632D-() () () ()	2,181.	2,520.	2,690.	2,859.	3,029.	3,420.	4,616.
	30"	24"	64"	RC633D-() () () ()	2,246.	2,598.	2,775.	2,951.	3,127.	3,522.	4,756.
	36"	20"	64"	RC662D-() () () ()	2,415.	2,793.	2,981.	3,170.	3,359.	3,787.	5,111.
	36"	24"	64"	RC663D-() () () ()	2,467.	2,861.	3,059.	3,256.	3,453.	3,891.	5,251.




Requires one lock core per cabinet
Wood interior only.
Coat rod included.

Cabinets, 26 1/2" planning
64" high, wood interior
Audio Visual Cabinet

Reff Profiles Vol. One

description	w	d	h	pattern no.	wood interiors				wood interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet with two sets of hinged doors, two pull-out shelves and ventilation Audio visual cabinet	30"	20"	64"	RC632I-() () () () ()	\$3,344.	\$3,864.	\$4,123.	\$4,383.	\$4,643.	\$5,237.	\$7,070.
	30"	24"	64"	RC633I-() () () () ()	3,678.	4,252.	4,539.	4,826.	5,113.	5,768.	7,784.
	36"	20"	64"	RC662I-() () () () ()	3,574.	4,132.	4,412.	4,691.	4,970.	5,604.	7,564.
	36"	24"	64"	RC663I-() () () () ()	3,911.	4,522.	4,828.	5,133.	5,439.	6,129.	8,275.

Requires two lock cores per cabinet




Order Code	Specification Information	Application Notes	Application Notes
Example: RC632I () () () () ()	<i>To order, please specify pattern number including:</i>	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3		Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
C Cabinets	2. <i>Interior option:</i> W = Wood Interior		* Audio Visual cabinets require two lock cores per cabinet.
6 64" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)		
3 30" wide	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling		
2 20" deep	5. <i>Cabinet Finish:</i> Wood or Laminate		
I Audio Visual Cabinet	6. <i>Pull Finish:</i> Painted or Plated		
2 Finish Type: V2			
W Wood Interior			
D Pull option; D			
N Lock option; No			
N Lock option, doors			
V316 Cabinet finish			
PZ Pull finish			

Cabinets, 26 1/2" planning 72" high, metal interiors Bookcase and hinge doors


Reff Profiles Vol. One

description	width	depth	height	pattern number	metal interiors			metal interiors			metal interiors	metal interiors
					L	L/V1	L/V2	L/V3	V1	V2		
Cabinet with open shelving	30"	20"	71 3/8"	RC732B -() () () ()	\$2,018.	n/a	n/a	n/a	\$2,752.	\$3,165.	\$4,274.	
	30"	24"	71 3/8"	RC733B -() () () ()	2,237.	n/a	n/a	n/a	3,047.	3,508.	4,735.	
	36"	20"	71 3/8"	RC762B -() () () ()	2,284.	n/a	n/a	n/a	3,113.	3,579.	4,832.	
	36"	24"	71 3/8"	RC763B -() () () ()	2,503.	n/a	n/a	n/a	3,409.	3,923.	5,297.	



Open cabinets require no keying instructions

Cabinet with hinged doors below and open shelf above.	30"	20"	71 3/8"	RC732H -() () () () ()	2,667.	3,081.	3,289.	3,496.	3,703.	4,176.	5,637.	
	30"	24"	71 3/8"	RC733H -() () () () ()	2,948.	3,406.	3,634.	3,863.	4,092.	4,613.	6,230.	
	36"	20"	71 3/8"	RC762H -() () () () ()	2,930.	3,386.	3,613.	3,841.	4,069.	4,585.	6,192.	
	36"	24"	71 3/8"	RC763H -() () () () ()	3,214.	2,712.	3,960.	4,209.	4,458.	5,027.	6,788.	



Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC732B () () () ()	<i>To order the Open Bookcase, please specify pattern number including:</i>	<i>To order the Cabinet with Hnge Doors, specify pattern number including:</i>
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
C Cabinets	2. <i>Interior options:</i> M = Metal Pedestals and cabinets with metal interior, the shelves come painted. If case is laminate, the shelves are painted to match ie. 114 case = 114 painted shelves. If case is wood, the shelves are painted black ie. V316 case = black shelves.	2. <i>Interior options:</i> M = Metal Interior
7 71.4" high	3. <i>Cabinet Finish:</i> Wood or Laminate	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)
3 30" wide	4. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling
2 20" deep, 3 = 24" deep	5. <i>Right hand drill:</i> Same as above	5. <i>Cabinet finish:</i> Wood or Laminate
B Open Bookcase		6. <i>Pull finish:</i> Painted or Plated
2 Finish Type: V2		7. <i>Left hand drill:</i>
M Metal Interior		8. <i>Right hand drill:</i>
V316 Cabinet Finish: Maple		
N Left hand drill		
N Right hand drill		

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

After specifying product code, provide keying instructions. Refer to page 365 for keying instructions.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


Cabinetry

Cabinets, 26 1/2" planning 72" high, metal interiors Hinge doors and file drawers

Reff Profiles Vol. One

description	w	d	h	pattern no.	metal interiors				metal interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3


Cabinet with four files and hinged doors above.



30"	20"	71 3/8"	RC732F-() () () () () ()	\$3,317.	\$3,833.	\$4,091.	\$4,349.	\$4,607.	\$5,197.	\$7,013.
30"	24"	71 3/8"	RC733F-() () () () () ()	3,684.	4,258.	4,544.	4,831.	5,118.	5,771.	7,791.
36"	20"	71 3/8"	RC762F-() () () () () ()	3,663.	4,233.	4,519.	4,804.	5,089.	5,737.	7,746.
36"	24"	71 3/8"	RC763F-() () () () () ()	4,065.	4,700.	5,018.	5,335.	5,653.	6,371.	8,600.

Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"

Cabinet with two files and hinged doors above



16"	20"	71 3/8"	RC712G(L/R)-() () () () () ()	2,410.	2,784.	2,971.	3,158.	3,345.	3,775.	5,095.
16"	24"	71 3/8"	RC713G(L/R)-() () () () () ()	2,640.	3,069.	3,284.	3,498.	3,713.	4,187.	5,650.
30"	20"	71 3/8"	RC732G-() () () () () ()	3,058.	3,535.	3,774.	4,012.	4,251.	4,791.	6,470.
30"	24"	71 3/8"	RC733G-() () () () () ()	3,362.	3,886.	4,149.	4,411.	4,673.	5,266.	7,112.
36"	20"	71 3/8"	RC762G-() () () () () ()	3,322.	3,839.	4,097.	4,356.	4,614.	5,205.	7,026.
36"	24"	71 3/8"	RC763G-() () () () () ()	3,628.	4,193.	4,476.	4,758.	5,041.	5,684.	7,672.

Requires two lock cores per cabinet


Order Code	Specification Information	Application Notes
Example: RC732F () () () () () ()	<i>To order, please specify pattern number including:</i>	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	After specifying product code, provide keying instructions. Refer to page 365 for keying instructions.
C Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
7 71 3/8" high	3. <i>Interior options:</i> M = Metal Interior Cabinets with metal interior, the shelves come painted. If case is laminate, the shelves are painted to match ie. 114 case = 114 painted shelves. If case is wood, the shelves are painted black ie. V316 case = black shelves.	File drawers include file bars for front to back and side to side filing.
3 30" wide		File drawers do not support bottom loading.
2 20" deep		Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
F Hinge Door with 4 file drawers		
L Finish Type: Laminate		
M Metal Interior		
T Tab Pull option		
L Lock option, files		
N Lock option, doors		
118 Cabinet Finish		
118 Pull Finish		
N Left hand drill		
N Right hand drill		


F = Hinge door cabinet with 4 File drawers
G = Hinge door cabinet with FF
P = Hinge door cabinet with BBF

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Cabinets, 26 1/2" planning 72" high, metal interiors Hinge doors and file drawers

Reff Profiles Vol. One

description	w	d	h	pattern no.	metal interiors				metal interiors	metal interiors	metal interiors
					L	L/V1	L/V2	L/V3	V1	V2	V3
 Cabinet with BBF below and hinged doors above	16"	20"	71 3/8"	RC712P(L/R)-() () () () () () ()	\$2,501.	\$2,890.	\$3,084.	\$3,279.	\$3,473.	\$3,916.	\$5,288.
	16"	24"	71 3/8"	RC713P(L/R)-() () () () () () ()	2,756.	3,186.	3,400.	3,615.	3,830.	4,320.	5,833.
	30"	20"	71 3/8"	RC732P-() () () () () () ()	2,952.	3,411.	3,641.	3,870.	4,100.	4,625.	6,245.
	30"	24"	71 3/8"	RC733P-() () () () () () ()	3,255.	3,763.	4,018.	4,272.	4,526.	5,102.	6,887.
	36"	20"	71 3/8"	RC762P-() () () () () () ()	3,261.	3,769.	4,024.	4,278.	4,532.	5,107.	6,896.
	36"	24"	71 3/8"	RC763P-() () () () () () ()	3,598.	4,157.	4,437.	4,716.	4,996.	5,635.	7,608.




Order Code	Specification Information	Application Notes
Example: RC732F () () () () () () ()	<i>To order, please specify pattern number including:</i>	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	After specifying product code, provide keying instructions. Refer to page 365 for keying instructions.
C Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
7 71 3/8" high	3. <i>Interior options:</i> M = Metal Interior Cabinets with metal interior, the shelves come painted. If case is laminate, the shelves are painted to match ie. 114 case = 114 painted shelves. If case is wood, the shelves are painted black ie. V316 case = black shelves.	File drawers include file bars for front to back and side to side filing.
3 30" wide		File drawers do not support bottom loading.
2 20" deep		Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
F Hinge Door with 4 file drawers		
L Finish Type: Laminate		
M Metal Interior		
T Tab Pull option		
L Lock option, files		
N Lock option, doors		
118 Cabinet Finish		
118 Pull Finish		
N Left hand drill		
N Right hand drill		


F = Hinge door cabinet with 4 File drawers
G = Hinge door cabinet with FF
P = Hinge door cabinet with BBF

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Cabinets, 26 1/2" planning 72" high, metal interiors Hinge doors and wardrobe

Reff Profiles Vol. One

description	w	d	h	pattern no.	metal interiors				metal interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet with hinged doors and shelves 	16"	20"	71 3/8"	RC712C(L/R)-() () () () () ()	\$2,127.	\$2,458.	\$2,624.	\$2,789.	\$2,955.	\$3,334.	\$4,501.
	16"	24"	71 3/8"	RC713C(L/R)-() () () () () ()	2,361.	2,729.	2,914.	3,098.	3,282.	3,700.	4,994.
	30"	20"	71 3/8"	RC732C-() () () () () ()	2,776.	3,210.	3,428.	3,645.	3,862.	4,352.	5,878.
	30"	24"	71 3/8"	RC733C-() () () () () ()	3,080.	3,560.	3,800.	4,040.	4,280.	4,828.	6,517.
	36"	20"	71 3/8"	RC762C-() () () () () ()	3,069.	3,549.	3,790.	4,030.	4,270.	4,811.	6,495.
	36"	24"	71 3/8"	RC763C-() () () () () ()	3,406.	3,936.	4,200.	4,465.	4,730.	5,335.	7,204.
Requires one lock core per cabinet Shelves painted metal											

Cabinet with full height doors, half wardrobe, and half shelves 	30"	20"	71 3/8"	RC732E(L/R)-() () () () () ()	3,266.	3,774.	4,028.	4,282.	4,536.	5,118.	6,908.
	30"	24"	71 3/8"	RC733E(L/R)-() () () () () ()	3,651.	4,220.	4,504.	4,789.	5,073.	5,723.	7,725.
	36"	20"	71 3/8"	RC762E(L/R)-() () () () () ()	3,579.	4,137.	4,416.	4,695.	4,974.	5,608.	7,568.
	36"	24"	71 3/8"	RC763E(L/R)-() () () () () ()	3,995.	4,621.	4,933.	5,246.	5,559.	6,262.	8,455.
Requires one lock core per cabinet Shelves painted metal. Coat rod included.											


Left hand shown

Order Code	Specification Information	Application Notes
Example: RC712C(L/R)	<i>To order, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	5. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
C Cabinets	6. <i>Cabinet finish:</i> Wood or Laminate	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
7 71 3/8" high	7. <i>Pull finish:</i> Painted or Plated	<i>*Note:</i> Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 325.
1 15" wide	8. <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	20" deep Wardrobe Cabinets provide only 18" of clear storage space.
2 20" deep	9. <i>Right hand drill:</i> Same as above	
C Hinge Door Cab. w/ adjustable shelves	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	
L Finish Type: Laminate		
M Metal Interior		
D Pull option; D		
N Lock option; No		
118 Cabinet Finish		
PZ Pull finish		
N Left hand drill		
N Right hand drill		
C = Hinge door cabinet with full height doors and 3 adjustable shelves	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	
E = Hinge door cabinet with full height doors, half wardrobe and half shelves	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> M = Metal Interior Cabinets with metal interior, the shelves come painted. If case is laminate, the shelves are painted to match ie. 114 case = 114 painted shelves. If case is wood, the shelves are painted black ie. V316 case = black shelves.	
	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	

Cabinets, 26 1/2" planning 72" high, wood interiors Bookcase and hinge doors


Reff Profiles Vol. One

description	w	d	h	pattern no.	wood interiors				wood interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet with open shelving	30"	20"	71 3/8"	RC732B- () () () ()	\$2,169.	n/a	n/a	n/a	\$2,957.	\$3,401.	\$4,588.
	30"	24"	71 3/8"	RC733B- () () () ()	2,388.	n/a	n/a	n/a	3,256.	3,742.	5,052.
	36"	20"	71 3/8"	RC762B- () () () ()	2,437.	n/a	n/a	n/a	3,320.	3,817.	5,151.
	36"	24"	71 3/8"	RC763B- () () () ()	2,654.	n/a	n/a	n/a	3,617.	4,158.	5,615.



Open cabinets require no keying instructions

Cabinet with hinged doors below and open shelf above.	30"	20"	71 3/8"	RC732H- () () () () () ()	2,812.	3,251.	3,471.	3,690.	3,910.	4,411.	5,953.
	30"	24"	71 3/8"	RC733H- () () () () () ()	3,092.	3,575.	3,817.	4,058.	4,300.	4,848.	6,547.
	36"	20"	71 3/8"	RC762H- () () () () () ()	3,077.	3,556.	3,796.	4,035.	4,275.	4,821.	6,508.
	36"	24"	71 3/8"	RC763H- () () () () () ()	3,357.	3,880.	4,142.	4,403.	4,665.	5,261.	7,103.





Requires one lock core per cabinet


Order Code	Specification Information	Application Notes
Example: RC732B () () () ()	<i>To order the Open Bookcase, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	1. <i>Finish type:</i>	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
C Cabinets	L = Laminate	After specifying product code, provide keying instructions. Refer to page 365 for keying instructions.
7 71 3/8" high	1 = V1	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
3 30" wide	2 = V2	
2 20" deep, 3 = 24" deep	3 = V3	
B Open Bookcase	2. <i>Interior options:</i>	
2 Finish Type: V2	W = Wood	
W Wood Interior	3. <i>Cabinet Finish:</i>	
V316 Cabinet Finish: Maple	Wood or Laminate	
N Left hand drilled	4. <i>Left hand drill:</i>	
N Right hand drilled	N = No drilling	
	SO = Drilling 19h / 15d workwall	
	S1 = Drilling 19h / 20d workwall	
	TO = Drilling 23h / 15d workwall	
	T1 = Drilling 23h / 20d workwall	
	5. <i>Right hand drill:</i>	
	Same as above	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	
	<i>To order the Cabinet with Hinge Doors, specify pattern number including:</i>	
	1. <i>Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	2. <i>Interior options:</i>	
	W = Wood Interior	
	3. <i>Pull options:</i>	
	B = No pull, No Drilling, Customer's own Pull	
	C = C-Pull, (Nickel finish only)	
	D = Metal D-pull (PZ or PT only)	
	F = Bar Pull (1 pull per door set)	
	H = Outline Pull	
	J = J (Routed) Pull	
	R = Cylinder Pull	
	S = S Pull (Stainless Steel Finish only)	
	T = Tab pull (1 pull per door set)	
	4. <i>Lock Option Doors:</i>	
	L = Lock hole drilled	
	N = No lock drilling	
	5. <i>Cabinet finish:</i>	
	Wood or Laminate	
	6. <i>Pull finish:</i>	
	Painted or Plated	
	7. <i>Left hand drill:</i>	
	8. <i>Right hand drill:</i>	

Cabinets, 26 1/2" planning 72" high, wood interiors Hinge doors and file drawers

Reff Profiles Vol. One

description	w	d	pattern no.	wood interiors				wood interiors		
				L	L/V1	L/V2	L/V3	V1	V2	V3
 Cabinet with four files and hinged doors above.	30"	20"	RC732F -() () () () () () ()	\$3,466.	\$4,006.	\$4,276.	\$4,546.	\$4,816.	\$5,431.	\$7,331.
	30"	24"	RC733F -() () () () () () ()	3,836.	4,433.	4,731.	5,030.	5,328.	6,006.	8,108.
	36"	20"	RC762F -() () () () () () ()	3,814.	4,410.	4,707.	5,005.	5,303.	5,991.	8,088.
	36"	24"	RC763F -() () () () () () ()	4,215.	4,873.	5,202.	5,531.	5,860.	6,610.	8,925.
Requires two lock cores per cabinet interior height clearance top drawer 10", all others 10 3/4"										


 Cabinet with two files and hinged doors above	16"	20"	RC712G(L/R) -() () () () () () ()	2,560.	2,960.	3,159.	3,359.	3,559.	4,012.	5,414.
	16"	24"	RC713G(L/R) -() () () () () () ()	2,823.	3,263.	3,483.	3,703.	3,923.	4,421.	5,969.
	30"	20"	RC732G -() () () () () () ()	3,212.	3,710.	3,960.	4,209.	4,458.	5,027.	6,788.
	30"	24"	RC733G -() () () () () () ()	3,512.	4,061.	4,335.	4,610.	4,884.	5,504.	7,431.
	36"	20"	RC762G -() () () () () () ()	3,473.	4,015.	4,285.	4,556.	4,827.	5,441.	7,346.
	36"	24"	RC763G -() () () () () () ()	3,780.	4,369.	4,664.	4,958.	5,253.	5,922.	7,993.
Requires two lock cores per cabinet										

 Cabinet with BBF below and hinged doors above	16"	20"	RC712P(L/R) -() () () () () () ()	2,651.	3,064.	3,270.	3,477.	3,683.	4,154.	5,610.
	16"	24"	RC713P(L/R) -() () () () () () ()	2,909.	3,363.	3,589.	3,816.	4,043.	4,557.	6,154.
	30"	20"	RC732P -() () () () () () ()	3,105.	3,589.	3,832.	4,074.	4,316.	4,864.	6,567.
	30"	24"	RC733P -() () () () () () ()	3,408.	3,939.	4,205.	4,470.	4,736.	5,336.	7,206.
	36"	20"	RC762P -() () () () () () ()	3,412.	3,944.	4,210.	4,476.	4,742.	5,347.	7,219.
	36"	24"	RC763P -() () () () () () ()	3,749.	4,333.	4,624.	4,916.	5,208.	5,873.	7,930.
Requires two lock cores per cabinet										


Order Code	Specification Information	Application Notes
Example: RC732F () () () () () () ()	<i>To order, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	1. <i>Hinge Location where applicable:</i> L = Left hand R = Right hand	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. After specifying product code, provide keying instructions. Refer to page 365 for keying instructions.
C Cabinets	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
7 71 3/8" high	3. <i>Interior options:</i> W = Wood Interior	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.
3 30" wide	4. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	F = Hinge door cabinet with 4 file drawers G = Hinge door cabinet with FF P = Hinge door cabinet with BBF
2 20" deep		
F Hinge Door with 4 file drawers		
L Finish Type: Laminate		
W Wood Interior		
T Tab Pull option		
L Lock option, files		
N Lock option, doors		
118 Cabinet Finish		
111 Pull Finish		
N Left hand drill		
N Right hand drill		
	5. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	
	6. <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling	
	7. <i>Cabinet finish:</i> Wood or Laminate	
	8. <i>Pull finish:</i> Painted or Plated	
	9. <i>Left hand drill:</i> N = No drilling S0 = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall T0 = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall	
	10. <i>Right hand drill:</i> Same as above	
	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	

Cabinets, 26 1/2" planning 72" high, wood interiors Hinge doors and wardrobe

Reff Profiles Vol. One


description	w	d	pattern no.	wood interiors				wood interiors		
				L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet with hinged doors and shelves 	16"	20"	RC712C(L/R)-() () () () () ()	\$2,281.	\$2,635.	\$2,812.	\$2,989.	\$3,166.	\$3,569.	\$4,820.
	16"	24"	RC713C(L/R)-() () () () () ()	2,513.	2,905.	3,102.	3,298.	3,494.	3,936.	5,313.
	30"	20"	RC732C-() () () () () ()	2,929.	3,385.	3,613.	3,841.	4,069.	4,585.	6,192.
	30"	24"	RC733C-() () () () () ()	3,233.	3,737.	3,990.	4,242.	4,494.	5,067.	6,839.
	36"	20"	RC762C-() () () () () ()	3,220.	3,723.	3,974.	4,226.	4,477.	5,048.	6,814.
	36"	24"	RC763C-() () () () () ()	3,559.	4,113.	4,390.	4,667.	4,944.	5,573.	7,525.

Requires one lock core per cabinet

Cabinet with full height doors, half wardrobe, and half shelves 	30"	20"	RC732E(L/R)-() () () () () ()	3,415.	3,948.	4,214.	4,481.	4,747.	5,352.	7,225.
	30"	24"	RC733E(L/R)-() () () () () ()	3,801.	4,395.	4,691.	4,988.	5,285.	5,959.	8,043.
	36"	20"	RC762E(L/R)-() () () () () ()	3,730.	4,312.	4,602.	4,893.	5,184.	5,846.	7,893.
	36"	24"	RC763E(L/R)-() () () () () ()	4,150.	4,796.	5,120.	5,443.	5,766.	6,502.	8,778.

Requires one lock core per cabinet.
Coat rod included.

Left hand shown

Wardrobe cabinet 	16"	20"	RC712D(L/R)-() () ()	1,915.	2,215.	2,364.	2,514.	2,664.	3,004.	4,054.
	16"	24"	RC713D(L/R)-() () ()	2,108.	2,437.	2,602.	2,766.	2,931.	3,302.	4,458.
	30"	20"	RC732D-() () ()	2,413.	2,789.	2,978.	3,166.	3,354.	3,778.	5,101.
	30"	24"	RC733D-() () ()	2,651.	3,064.	3,270.	3,477.	3,683.	4,154.	5,610.
	36"	20"	RC762D-() () ()	2,652.	3,066.	3,273.	3,480.	3,687.	4,157.	5,614.
	36"	24"	RC763D-() () ()	2,916.	3,370.	3,598.	3,825.	4,052.	4,570.	6,168.

Requires one lock core per cabinet.
Coat rod included.


Wood interior only

Order Code	Specification Information	Application Notes
Example: RC712C(L/R) () () () () () ()	<i>To order, please specify pattern number including:</i>	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height. <i>*Note:</i> Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 325. 20" deep Wardrobe Cabinets provide only 18" of clear storage space. C = Hinge door cabinet with full height doors and 3 adjustable shelves. E = Hinge door cabinet with full height doors, half wardrobe and half shelves. D = Hinge door cabinet with full height wardrobe. Available only with wood interior. Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
R Reff C Cabinets 7 71 3/8" high 1 15" wide 2 20" deep C Hinge Door Cab. w/ adjustable shelves L Finish Type: Laminate W Wood Interior D Pull option; D N Lock option; No 118 Cabinet Finish PZ Pull finish N Left hand drill N Right hand drill	<i>Hinge Location where applicable:</i> L = Left hand R = Right hand <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 <i>Interior options:</i> W = Wood Interior <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set) <i>Lock Options Doors:</i> L = Lock hole drilled N = No lock drilling <i>Cabinet finish:</i> Wood or Laminate <i>Pull finish:</i> Painted or Plated <i>Left hand drill:</i> N = No drilling SO = Drilling 19h / 15d workwall S1 = Drilling 19h / 20d workwall TO = Drilling 23h / 15d workwall T1 = Drilling 23h / 20d workwall <i>Right hand drill:</i> Same as above Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders. Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.	

Cabinets, 26 1/2" planning
72" high, wood interiors
Audio Visual Cabinet

Reff Profiles Vol. One

description	w	d	h	pattern no.	wood interiors				wood interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Audio visual cabinet with two sets of hinged doors, two pull out shelves and ventilation	30"	20"	71 3/8"	RC732I -() () () () () ()	\$3,704.	\$4,281.	\$4,570.	\$4,858.	\$5,147.	\$5,802.	\$7,833.
	30"	24"	71 3/8"	RC733I -() () () () () ()	4,087.	4,725.	5,044.	5,363.	5,682.	6,408.	8,651.
	36"	20"	71 3/8"	RC762I -() () () () () ()	4,018.	4,645.	4,959.	5,272.	5,586.	6,298.	8,503.
	36"	24"	71 3/8"	RC763I -() () () () () ()	4,436.	5,129.	5,475.	5,822.	6,168.	6,953.	9,387.



Requires two lock cores per cabinet
Hinge opening 110°
Wood interior only

Order Code	Specification Information	Application Notes
Example: RC732I () () () () () ()	<i>To order, please specify pattern number including:</i>	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. <i>Interior option:</i> W = Wood Interior	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
7 71 3/8" high	3. <i>Pull options:</i> B = No Pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)	* Audio Visual cabinets require two lock cores per cabinet.
3 30" wide	4. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	
2 20" deep	5. <i>Cabinet Finish:</i> Wood or Laminate	
I Audio Visual Cabinet	6. <i>Pull Finish:</i> Painted or Plated	
2 Finish Type: V2		
W Wood Interior		
D Pull option; D		
N Lock option; No		
V316 Cabinet finish		
PZ Pull finish		
N Left hand drill		
N Right hand drill		


Cabinets, 26 1/2" planning

49", 64" and 72" high metal interior


Freestanding Multifunction Cabinets

Reff Profiles Vol. One


description	type	w	d	pattern no.	metal interiors				metal interiors		
					L	L/V1	L/V2	L/V3	V1	V2	V3
Freestanding multifunctional cabinet, 49"h	File/File	24"	24"	RC423M(L/R)	\$2,945.	\$3,501.	\$3,778.	\$4,056.	\$4,334.	\$4,922.	\$5,909.
	Box/Box/File	24"	24"	RC423N(L/R)	3,151.	3,716.	3,998.	4,281.	4,563.	5,177.	6,212.



Freestanding multifunctional cabinet, 64"h	File/File	24"	24"	RC623M(L/R)	3,172.	3,788.	4,096.	4,404.	4,712.	5,481.	6,577.
	Box/Box/File	24"	24"	RC623N(L/R)	3,381.	4,005.	4,317.	4,629.	4,941.	5,702.	6,843.



Freestanding multifunctional cabinet, 72"h	File/File	24"	24"	RC723M(L/R)	3,333.	3,980.	4,303.	4,627.	4,950.	5,797.	6,957.
	Box/Box/File	24"	24"	RC723N(L/R)	3,541.	4,197.	4,525.	4,853.	5,181.	6,027.	7,231.



Order Code	Specification Information	Application Notes
Example: RC423ML () () () () ()	<i>To order, please specify pattern number including:</i>	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
C Cabinets	2. <i>Interior options:</i> M = Metal Interior	Refer to page 365 for keying instructions.
4 49" high	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab pull (1 pull per door set)	Drawers are always drilled for locks.
2 24" wide	4. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	File drawers include file bars for front to back and side to side filing.
3 24" deep	5. <i>Lock Option Doors:</i> L = Lock hole drilled N = No lock drilling	File drawers do not support bottom loading.
M Multifunction Cabinet	6. <i>Lock finish:</i> B = Black S = Matte Silver	Wardrobe cabinets do not come equipped with boot tray.
L/R Left or Right hand	7. <i>Cabinet finish:</i> Wood or Laminate	Coat rod is included.
L Finish Type: Laminate	8. <i>Pull Finish:</i> Painted or Plated	
M Metal Interior		
D Pull option: D		
L Lock option files		
N Lock options Doors		
B Lock Finish		
118 Cabinet Finish: Maple		
PT Pull Finish		

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.


Cabinets, 26 1/2" planning

49", 64" and 72" high wood interior


Freestanding Multifunction Cabinet

Reff Profiles Vol. One


description	type	w	d	pattern no.	wood interiors			MIX V3	wood interiors V1	wood interiors V2	wood interiors V3
					L	L/V1	L/V2				
Freestanding multifunctional cabinet, 49"h	File/File	24"	24"	RC423M(L/R)	\$3,388.	\$3,956.	\$4,239.	\$4,523.	\$4,807.	\$5,387.	\$6,464.
	Box/Box/File	24"	24"	RC423N(L/R)	3,800.	4,381.	4,671.	4,962.	5,252.	5,851.	7,020.



Freestanding multifunctional cabinet, 64"h	File/File	24"	24"	RC623M(L/R)	3,617.	4,244.	4,557.	4,871.	5,184.	5,945.	7,133.
	Box/Box/File	24"	24"	RC623N(L/R)	4,028.	4,668.	4,988.	5,308.	5,628.	6,377.	7,651.



Freestanding multifunctional cabinet, 72"h	File/File	24"	24"	RC723M(L/R)	3,778.	4,436.	4,764.	5,093.	5,422.	6,259.	7,510.
	Box/Box/File	24"	24"	RC723N(L/R)	4,189.	4,860.	5,196.	5,531.	5,867.	6,701.	8,039.




Order Code	Specification Information	Application Notes	
Example: RC423ML () () () () ()	<i>To order, please specify pattern number including:</i>		
R Reff	1. <i>Finish type:</i> L = Laminate	4. <i>Lock Option Files:</i> L = Lock hole drilled Drawers are always drilled for locks	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	1 = V1	5. <i>Lock Option Doors:</i> L = Lock hole drilled	
4 49" high	2 = V2	N = No lock drilling	
2 24" wide	3 = V3	6. <i>Cabinet finish:</i> Wood or Laminate	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 24" deep	2. <i>Interior options:</i> W = Wood Interior	7. <i>Pull Finish:</i> Painted or Plated	Refer to page 365 for keying instructions.
M Multifunction Cabinet	3. <i>Pull options:</i> B = No pull, No Drilling, Customer's own Pull	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	Drawers are always drilled for locks.
L/R Left or Right hand	C = C-Pull, (Nickel finish only) D = Metal D-pull (PZ or PT only) F = Bar Pull (1 pull per door set) H = Outline Pull		File drawers include file bars for front to back and side to side filing.
L Finish Type: Laminate	J = J (Routed) Pull R = Cylinder Pull S = S Pull (Stainless Steel Finish only)		File drawers do not support bottom loading.
W Wood Interior	T = Tab pull (1 pull per door set)		Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 325.
D Pull option: D			Coat rod is included .
L Lock option files			
N Lock options Doors			
118 Cabinet Finish: Maple			
PT Pull Finish			

Overhead, 26 1/2 planning


Wall hung, Single high

Reff Profiles Vol. One

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet (open) with back	30"	15"	19"			ROMO30S0()-()()	\$1,853.	\$1,957.	\$2,248.	\$3,034.
	36"	15"	19"			ROMO36S0()-()()	1,901.	2,007.	2,306.	3,113.
	42"	15"	19"			ROMO42S0()-()()	1,950.	2,059.	2,366.	3,194.
	48"	15"	19"			ROMO48S0()-()()	2,004.	2,109.	2,432.	3,281.
	60"	15"	19"			ROMO60S0()-()()	2,212.	2,331.	2,683.	3,620.
	72"	15"	19"			ROMO72S0()-()()	2,335.	2,468.	2,835.	3,826.



Wall-hung overhead cabinet (hinged door) with back	30"	15"	19"	1	2	ROMH30S0()-()()	2,695.	2,841.	3,264.	4,406.
	36"	15"	19"	1	2	ROMH36S0()-()()	2,868.	3,027.	3,481.	4,699.
	60"	15"	19"	2	4	ROMH60S0()-()()	3,222.	3,396.	3,907.	5,275.
	72"	15"	19"	2	4	ROMH72S0()-()()	3,409.	3,595.	4,136.	5,582.



Wall-hung overhead cabinet flip door) with back	30"	15"	19"	1	1	ROMF30S0()-()()	1,974.	2,082.	2,393.	3,232.
	36"	15"	19"	1	1	ROMF36S0()-()()	2,102.	2,217.	2,550.	3,443.
	42"	15"	19"	1	1	ROMF42S0()-()()	2,225.	2,351.	2,703.	3,649.
	48"	15"	19"	1	1	ROMF48S0()-()()	2,356.	2,484.	2,856.	3,856.
	60"	15"	19"	2	2	ROMF60S0()-()()	2,597.	2,740.	3,149.	4,254.
	72"	15"	19"	2	2	ROMF72S0()-()()	2,748.	2,898.	3,333.	4,500.

Order Code	Specification Information	Application Notes	
Example: ROMO30S0	<i>To order please specify pattern number including:</i>	5. Lock option L = Lock hole drilled N = No lockdrilling	Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.
R Reff	1. Configuration option (<i>embedded in pattern no.</i>) <i>H = Hinged door</i> <i>O = Open</i> <i>F = Flip door</i>	6. Lock Finish	Open cabinets require no locks.
O Overhead	2. Storage option (<i>embedded in pattern no.</i>) <i>S0 = 19"h x 14"d open/15"d hinged door</i> <i>T0 = 23"h x 14"d open/15"d hinged door</i>	7. Finish, case	Tasklights are not included.
M Wall hung	3. Finish type L = Laminate 1 = V1 2 = V2 3 = V3	8. Pull Finish	Hardware included for overhead cabinets.
O Open	4. Pull option applicable hinged doors only D = Metal D-pull for hinged door only J = Routed pull C = Nickel finish C-pull for hinged door only (nickel finish only) S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	9. Keying instructions	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 345.
30 30" wide		Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	*Keying instructions must accompany all cabinet orders.
S Standard height, 19"h		Overheads with flip doors, come with J-pull option only.	Random keys are factory installed.
0 15" deep		Woodgrain Laminate is not available on any flip door units.	Order overheads with a KnollKey order form.
Dimensions are nominal.			



Dimensions are nominal.

Overhead storage

Overhead, 26 1/2 planning

Panel hung, Single high

Reff Profiles Vol. One

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead cabinet (open) no back 	30"	14"	19"			ROPO30S0(-)(-)(-)	\$1,329.	\$1,399.	\$1,609.	\$2,174.
	36"	14"	19"			ROPO36S0(-)(-)(-)	1,627.	1,714.	1,972.	2,662.
	42"	14"	19"			ROPO42S0(-)(-)(-)	1,787.	1,886.	2,169.	2,928.
	48"	14"	19"			ROPO48S0(-)(-)(-)	1,853.	1,952.	2,246.	3,032.
	60"	14"	19"			ROPO60S0(-)(-)(-)	1,893.	1,998.	2,299.	3,105.
	60"	14"	23"			ROPO60T0(-)(-)(-)	2,023.	2,135.	2,454.	3,312.
	72"	14"	19"			ROPO72S0(-)(-)(-)	2,321.	2,445.	2,813.	3,797.
	72"	14"	23"			ROPO72T0(-)(-)(-)	2,758.	2,912.	3,347.	4,520.
	90"	14"	19"			ROPO90S0(-)(-)(-)	2,554.	2,692.	3,094.	4,179.
	90"	14"	23"			ROPO90T0(-)(-)(-)	3,131.	3,299.	3,795.	5,125.
	96"	14"	19"			ROPO96S0(-)(-)(-)	2,647.	2,791.	3,207.	4,332.
	96"	14"	23"			ROPO96T0(-)(-)(-)	3,245.	3,422.	3,935.	5,313.
Panel-hung overhead cabinet (hinged door) no back 	30"	14"	19"	1	2	ROPH30S0(-)(-)(-)	1,476.	1,553.	1,785.	2,409.
	36"	14"	19"	1	2	ROPH36S0(-)(-)(-)	1,802.	1,902.	2,190.	2,957.
	60"	14"	19"	2	4	ROPH60S0(-)(-)(-)	2,104.	2,218.	2,551.	3,446.
	60"	14"	23"	2	4	ROPH60T0(-)(-)(-)	2,252.	2,373.	2,730.	3,688.
	72"	14"	19"	2	4	ROPH72S0(-)(-)(-)	2,578.	2,721.	3,128.	4,224.
	72"	14"	23"	2	4	ROPH72T0(-)(-)(-)	3,065.	3,234.	3,717.	5,019.
	90"	14"	19"	3	6	ROPH90S0(-)(-)(-)	2,839.	2,990.	3,439.	4,642.
	90"	14"	23"	3	6	ROPH90T0(-)(-)(-)	3,476.	3,667.	4,212.	5,687.
	96"	14"	19"	3	6	ROPH96S0(-)(-)(-)	2,939.	3,097.	3,566.	4,814.
	96"	14"	23"	3	6	ROPH96T0(-)(-)(-)	3,607.	3,801.	4,370.	5,901.

Order Code

Example:	ROPH60S0DLL
R	Reff
O	Overhead
P	Panel hung
H	Hinge door
60	60" wide
S	Standard height, 19"h
0	15" deep
D	D-pull
L	Lock hole drilled
L	Laminate finish

Dimensions are nominal.

Specification Information

- To order please specify pattern number including:*
- Configuration option (*embedded in pattern no.*)
H = Hinged door
O = Open
F = Flip door
 - Storage option (*embedded in pattern no.*)
S0 = 19"h x 14"d open/15"d hinged door
T0 = 23"h x 14"d open/15"d hinged door
 - Finish type
L = Laminate
1 = V1
2 = V2
3 = V3
 - Pull option
D = Metal D-pull for hinged door only
J = Routed pull
C = Nickel finish C-pull for hinged door only (nickel finish only)
S = Stainless steel finish
S-pull for hinged door only (stainless steel finish only)
 - Lock option
L = Lock hole drilled
N = No lockdrilling
 - Finish, case

Woodgrain Laminate is not available on any flip door units.

Overheads with flip doors, come with J-pull option only.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Panel hung overheads come with no backs.

Application Notes

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

Hardware included for overhead cabinets.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 345.

***Keying instructions must accompany all cabinet orders.**

Refer to page 365 for keying instructions.



Random keys are factory installed.

Order overheads with a KnollKey order form.

Overhead, 26 1/2 planning

Panel hung, Single high

Reff Profiles Vol. One

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead flip door cabinet (no back) 	30"	14"	18"	1	1	ROPF30S0J-() ()	\$1,109.	\$1,485.	\$1,706.	\$2,303.
	36"	14"	18"	1	1	ROPF36S0J-() ()	1,127.	1,510.	1,740.	2,347.
	42"	14"	18"	1	1	ROPF42S0J-() ()	1,206.	1,620.	1,864.	2,517.
	48"	14"	18"	1	1	ROPF48S0J-() ()	1,251.	1,685.	1,936.	2,615.
	60"	14"	18"	2	2	ROPF60S0J-() ()	1,453.	1,948.	2,242.	3,027.
	72"	14"	18"	2	2	ROPF72S0J-() ()	1,717.	2,305.	2,649.	3,574.
	84"	14"	18"	2	2	ROPF84S0J-() ()	1,919.	2,575.	2,960.	3,997.
	96"	14"	18"	2	2	ROPF96S0J-() ()	2,046.	2,747.	3,162.	4,265.
Panel-hung shelves 	30"	13"	9"			ROPS30S0NN-()	297.	626.	720.	971.
	36"	13"	9"			ROPS36S0NN-()	321.	650.	748.	1,009.
	42"	13"	9"			ROPS42S0NN-()	348.	672.	775.	1,046.
	48"	13"	9"			ROPS48S0NN-()	371.	696.	798.	1,077.
	54"	13"	9"			ROPS54S0NN-()	397.	748.	858.	1,159.
	60"	13"	9"			ROPS60S0NN-()	424.	804.	924.	1,248.
	66"	13"	9"			ROPS66S0NN-()	449.	855.	984.	1,327.
	72"	13"	9"			ROPS72S0NN-()	474.	911.	1,045.	1,409.
	78"	13"	9"			ROPS78S0NN-()	500.	987.	1,134.	1,530.
	84"	13"	9"			ROPS84S0NN-()	524.	1,062.	1,223.	1,650.
	90"	13"	9"			ROPS90S0NN-()	550.	1,139.	1,309.	1,768.
	96"	13"	9"			ROPS96S0NN-()	558.	1,198.	1,380.	1,863.


Order Code	Specification Information	Application Notes
Example: ROPF60S0DLL	<i>To order please specify pattern number including:</i>	Woodgrain Laminate is not available on any flip door units.
R Reff	1. Configuration option (<i>embedded in pattern no.</i>) <i>H = Hinged door</i> <i>O = Open</i> <i>F = Flip door</i>	Overheads with flip doors, come with J-pull option only.
O Overhead	2. Storage option (<i>embedded in pattern no.</i>) <i>S0 = 19"h x 14"d open/15"d hinged door</i> <i>T0 = 23"h x 14"d open/15"d hinged door</i>	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
P Panel hung	3. Finish type <i>L = Laminate</i> <i>1 = V1</i> <i>2 = V2</i> <i>3 = V3</i>	Panel hung overheads come with no backs.
H Hinge door	4. Pull option <i>D = Metal D-pull for hinged door only</i> <i>J = Routed pull</i> <i>C = Nickel finish C-pull for hinged door only (nickel finish only)</i> <i>S = Stainless steel finish</i> <i>S-pull for hinged door only (stainless steel finish only)</i>	Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled. Open cabinets require no locks. Tasklights are not included. Hardware included for overhead cabinets. Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 345.
60 60" wide	5. Lock option <i>L = Lock hole drilled</i> <i>N = No lockdrilling</i>	*Keying instructions must accompany all cabinet orders. Refer to page 365 for keying instructions. Random keys are factory installed.
S Standard height, 19"h	6. Finish, case	Order overheads with a KnollKey order form.
0 15" deep		
D D-pull		
L Lock hole drilled		
L Laminate finish		

Dimensions are nominal.


Overhead, 26 1/2 planning Workwalls

Reff Profiles Vol. One

description	w	d	h	dr	y	pattern no.	L	V1	V2	V3
72" h workwall overhead cabinet (open)	60"	15"	19"	4	1.8	ROWO60S0(-)(X)(X)	\$2,114.	\$2,252.	\$2,640.	\$3,565.
	60"	15"	23"	4	1.8	ROWO60T0(-)(X)(X)	2,296.	2,445.	2,867.	3,871.
	60"	20"	19"	4	1.8	ROWO60S1(-)(X)(X)	2,273.	2,421.	2,838.	3,829.
	60"	20"	23"	4	1.8	ROWO60T1(-)(X)(X)	2,456.	2,614.	3,062.	4,131.
	72"	15"	19"		2.1	ROWO72S0(-)(X)(X)	2,718.	2,896.	3,386.	4,570.
	72"	15"	23"		2.1	ROWO72T0(-)(X)(X)	3,086.	3,283.	3,834.	5,177.
	72"	20"	19"		2.1	ROWO72S1(-)(X)(X)	2,919.	3,105.	3,629.	4,899.
	72"	20"	23"		2.1	ROWO72T1(-)(X)(X)	3,401.	3,616.	4,217.	5,691.
	90"	15"	19"		2.6	ROWO90S0(-)(X)(X)	2,995.	3,195.	3,760.	5,074.
	90"	15"	23"		2.6	ROWO90T0(-)(X)(X)	3,461.	3,690.	4,323.	5,836.
	90"	20"	19"		2.6	ROWO90S1(-)(X)(X)	3,327.	3,548.	4,166.	5,623.
	90"	20"	23"		2.6	ROWO90T1(-)(X)(X)	3,677.	3,920.	4,590.	6,195.
	96"	15"	19"		2.8	ROWO96S0(-)(X)(X)	3,067.	3,279.	3,860.	5,211.
	96"	15"	23"		2.8	ROWO96T0(-)(X)(X)	3,533.	3,770.	4,425.	5,976.
	96"	20"	19"		2.8	ROWO96S1(-)(X)(X)	3,404.	3,632.	4,267.	5,764.
	96"	20"	23"		2.8	ROWO96T1(-)(X)(X)	3,754.	3,999.	4,689.	6,330.



72" h workwall overhead cabinet (hinged door)	60"	15"	19"	4	1.8	ROWH60S0(-)(X)(X)	2,728.	2,901.	3,387.	4,572.
	60"	15"	23"	4	1.8	ROWH60T0(-)(X)(X)	2,958.	3,143.	3,669.	4,952.
	60"	20"	19"	4	1.8	ROWH60S1(-)(X)(X)	2,929.	3,112.	3,632.	4,904.
	60"	20"	23"	4	1.8	ROWH60T1(-)(X)(X)	3,161.	3,356.	3,910.	5,280.
	72"	15"	19"	4	2.1	ROWH72S0(-)(X)(X)	3,496.	3,712.	4,330.	5,844.
	72"	15"	23"	4	2.1	ROWH72T0(-)(X)(X)	3,958.	4,201.	4,887.	6,599.
	72"	20"	19"	4	2.1	ROWH72S1(-)(X)(X)	3,747.	3,978.	4,631.	6,252.
	72"	20"	23"	4	2.1	ROWH72T1(-)(X)(X)	4,351.	4,616.	5,364.	7,244.
	90"	15"	19"	6	2.6	ROWH90S0(-)(X)(X)	3,881.	4,136.	4,839.	6,531.
	90"	15"	23"	6	2.6	ROWH90T0(-)(X)(X)	4,466.	4,748.	5,545.	7,485.
	90"	20"	19"	6	2.6	ROWH90S1(-)(X)(X)	4,301.	4,577.	5,345.	7,216.
	90"	20"	23"	6	2.6	ROWH90T1(-)(X)(X)	4,740.	5,037.	5,875.	7,933.
	96"	15"	19"	6	2.8	ROWH96S0(-)(X)(X)	3,989.	4,249.	4,981.	6,723.
	96"	15"	23"	6	2.8	ROWH96T0(-)(X)(X)	4,572.	4,865.	5,686.	7,676.
	96"	20"	19"	6	2.8	ROWH96S1(-)(X)(X)	4,409.	4,690.	5,487.	7,408.
	96"	20"	23"	6	2.8	ROWH96T1(-)(X)(X)	4,844.	5,150.	6,015.	8,121.



60" w and 72" w units have four hinged doors, two lock cores required.
90" w and 96" w have six hinged doors, three lock cores required.

Order Code	Specification Information	Application Notes	
Example: ROWO60S0L	To order please specify pattern number including:	3. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Shipped knocked-down.
R Reff	1. Configuration option	4. Pull Options: D = Metal D-pull for hinged door only J = Routed pull C = Nickel C-pull for hinged door only (nickel finish only) S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	Open cabinets require no locks.
O Overhead	2. Storage option (embedded in pattern no.) S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	5. Lock options: L = Lockhole drilled N = No lock drilling	Tasklights not included.
W Workwall	3. Finish type	Keying instructions * See Planning Guide for keying examples.	Tackboard included, fabric railroaded.
O Open	4. Pull option for hinged door only.		Locks are not factory installed.
60 60" wide	5. Lock option		If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
S Standard height	6. Finish		Product on this page excluding J-pull and any vertical surface over 48", option and any vertical surface over 48", will accept woodgrain laminate where laminate is currently an option.
O 15" deep	7. Pull finish when applicable		
L Laminate finish	8. Fabric for tackboard		
(W250) Fabric finish Regency			
Y = Yardage required			
*After specifying product code, provide keying instructions. 1. Configuration options: O = Open H = Hinged door			

Y = Yardage required

*After specifying product code, provide keying instructions. 1. Configuration options:
O = Open
H = Hinged door

Overhead, 26 1/2 planning Shoulders

Reff Profiles Vol. One

description	w	d	h	pattern no.	L	V1	V2	V3
Workwall support endpanels for 72"H x 20"D workwall cabinets	–	15"	19"	RWEA7220(L/R)-()	\$394.	\$414.	\$475.	\$642.
	–	15"	23"	RWEB7220(L/R)-()	394.	414.	475.	642.
	–	20"	19"	RWEC7220(L/R)-()	394.	414.	475.	642.
	–	20"	23"	RWED7220(L/R)-()	394.	414.	475.	642.



Workwall support endpanels for 72"H x 24"D workwall cabinets	–	15"	19"	RWEA7224(L/R)-()	428.	453.	520.	702.
	–	15"	23"	RWEB7224(L/R)-()	428.	453.	520.	702.
	–	20"	19"	RWEC7224(L/R)-()	428.	453.	520.	702.
	–	20"	23"	RWED7224(L/R)-()	428.	453.	520.	702.



Order Code	Specification Information	Application Notes
Example: ROWO60S0L	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	1. Configuration option	Open cabinets require no locks.
O Overhead	2. Storage option (<i>embedded in pattern no.</i>)	Tasklights not included.
W Workwall	<i>S0 = 19"h x 15"d</i>	Tackboard included, fabric railroded.
O Open	<i>S1 = 19"h x 20"d</i>	Locks are not factory installed.
60 60" wide	<i>T0 = 23"h x 15"d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
S Standard height	<i>T1 = 23"h x 20"d</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
0 15" deep	3. Finish type	
L Laminate finish	4. Pull option for hinged door only.	
(W250) Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	*After specifying product code, provide keying instructions. 1.	
	<i>Configuration options:</i>	
	O = Open	
	H = Hinged door	
	3. <i>Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	4. <i>Pull Options:</i>	
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. <i>Lock options:</i>	
	L = Lockhole drilled	
	N = No lock drilling	
	<i>Keying instructions *</i>	
	See Planning Guide for keying examples.	

Overhead, 26 1/2 planning


Reff Profiles Vol. One

Overdesk Unit


Use with 1 1/4" worksurfaces

Hinge door, Open and Flip door


description	w	d	h	y	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 1/4" worksurfaces (hinged door)	60"	15"	44 1/4"	1.7	2	4	ROAH60T0()-() ()	\$2,670.	\$3,417.	\$3,994.	\$5,392.
	60"	20"	44 1/4"	1.7	2	4	ROAH60T1()-() ()	2,825.	3,614.	4,214.	5,688.
	72"	15"	44 1/4"	2.0	2	4	ROAH72T0()-() ()	3,383.	4,323.	5,042.	6,808.
	72"	20"	44 1/4"	2.0	2	4	ROAH72T1()-() ()	3,571.	4,562.	5,316.	7,177.
	90"	15"	44 1/4"	2.5	3	6	ROAH90T0()-() ()	3,762.	4,811.	5,635.	7,607.
	90"	20"	44 1/4"	2.5	3	6	ROAH90T1()-() ()	3,979.	5,091.	5,953.	8,039.
	96"	15"	44 1/4"	2.7	3	6	ROAH96T0()-() ()	3,918.	5,019.	5,883.	7,941.
	96"	20"	44 1/4"	2.7	3	6	ROAH96T1()-() ()	4,148.	5,310.	6,215.	8,391.



For 1 1/4" worksurfaces (open)	60"	15"	44 1/4"	1.7			ROAO60T0()-() ()	1,765.	2,266.	2,671.	3,606.
	60"	20"	44 1/4"	1.7			ROAO60T1()-() ()	1,876.	2,403.	2,827.	3,818.
	72"	15"	44 1/4"	2.0			ROAO72T0()-() ()	2,253.	2,885.	3,390.	4,577.
	72"	20"	44 1/4"	2.0			ROAO72T1()-() ()	2,385.	3,056.	3,584.	4,839.
	90"	15"	44 1/4"	2.5			ROAO90T0()-() ()	2,465.	3,170.	3,749.	5,061.
	90"	20"	44 1/4"	2.5			ROAO90T1()-() ()	2,616.	3,364.	3,964.	5,353.
	96"	15"	44 1/4"	2.7			ROAO96T0()-() ()	2,558.	3,294.	3,897.	5,259.
	96"	20"	44 1/4"	2.7			ROAO96T1()-() ()	2,716.	3,499.	4,129.	5,573.



For 1 1/4" worksurfaces (flip door)	60"	15"	44 1/4"	1.7	2	2	ROAF60S0()-() ()	2,285.	3,175.	3,712.	5,013.
	60"	20"	44 1/4"	1.7	2	2	ROAF60S1()-() ()	2,419.	3,361.	3,927.	5,303.
	72"	15"	44 1/4"	2.0	2	2	ROAF72S0()-() ()	2,713.	4,024.	4,698.	6,342.
	72"	20"	44 1/4"	2.0	2	2	ROAF72S1()-() ()	2,866.	4,249.	4,957.	6,692.
	84"	15"	44 1/4"	2.5	2	2	ROAF84S0()-() ()	3,515.	4,586.	5,363.	7,240.
	84"	20"	44 1/4"	2.5	2	2	ROAF84S1()-() ()	3,717.	4,851.	5,669.	7,651.
	96"	15"	44 1/4"	2.7	2	2	ROAF96S0()-() ()	3,600.	4,711.	5,528.	7,462.
	96"	20"	44 1/4"	2.7	2	2	ROAF96S1()-() ()	3,813.	4,990.	5,848.	7,894.



Order Code	Specification Information	Application Notes
Example: ROAF60S0LJLBF118()	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	1. <i>Configuration option</i>	Open cabinets require no locks.
O Overhead	O = Open	Tasklights not included.
A For 1 1/4" top mounting	H = Hinged door	Tackboard included, fabric railroaded.
F Flip door	F = Flip door	All flip door cabinets on this page are nominal 19"H not 23"H.
60 60" wide	2. <i>Width</i>	Overhead cabinets with flip doors, come with J-pull option only.
S Standard height	3. <i>Storage option</i>	Open/hinge doors are nominal 23"H, actual 22 3/8".
0 15" deep	S0 = 19"h x 15"d	Locks are not factory installed.
L Finish type, laminate	S1 = 19"h x 20"d	
J J-pull	T0 = 23"h x 15"d	
L Locks included	T1 = 23"h x 20"d	
BF Cord escape, back feed	4. <i>Finish type</i>	
118 Finish, Bright White	L = Laminate	
(W250) Fabric	1 = V1	
	2 = V2	
	3 = V3	
	5. <i>Pull option for hinged door only</i>	
	D = Metal D-pull (for hinged doors only)	
	J = Routed pull	
	C = Nickel C-pull (nickel finish only, for hinged doors only)	
	S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	

Y = Yardage required

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

6. *Lock option*
L = Lockhole drilled
N = No lock drilling
7. Cord escape option
8. Finish
9. Pull finish where applicable
10. Fabric for tackboard

Woodgrain Laminate is not available on any flip door units.

***After specifying product code, provide keying instructions.**

Overdesk unit will achieve 72" nominal height when used with correct top.

The clearance under the overhead to the top of the worksurface is approximately 21 1/4".

Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."

Wire manager is included and mounts adjacent to tackboard. Specify color.

*Overdesk Unit**Use with 1 1/4" worksurfaces**Modesty Panels for L and U Configuration*

description	w	h	th	pattern no.	L	V1	V2	V3
Half Height Modesty, 26 1/2"h 	36"	17"	1"	RBR36H()	\$297.	\$430.	\$497.	\$680.
	42"	17"	1"	RBR42H()	322.	469.	542.	742.
	48"	17"	1"	RBR48H()	365.	530.	615.	838.
	54"	17"	1"	RBR54H()	384.	558.	644.	880.
	60"	17"	1"	RBR60H()	400.	576.	667.	907.
	66"	17"	1"	RBR66H()	417.	601.	699.	955.
	72"	17"	1"	RBR72H()	461.	667.	770.	1,049.
Full Height Modesty, 26 1/2"h 	36"	26"	1"	RBR36M()	323.	457.	524.	706.
	42"	26"	1"	RBR42M()	348.	495.	569.	768.
	48"	26"	1"	RBR48M()	392.	557.	641.	864.
	54"	26"	1"	RBR54M()	410.	584.	671.	906.
	60"	26"	1"	RBR60M()	426.	602.	693.	934.
	66"	26"	1"	RBR66M()	443.	628.	726.	982.
	72"	26"	1"	RBR72M()	488.	693.	796.	1,075.

Order Code

Example: RBR36	
R	Reff
B	Bridge
R	Return
36	36" wide
M	Full Height Modesty Placement for 28 3/8"
()	Finish

Ordering Information

To order please specify pattern number including:


1. Modesty Finish:
L, V1, V2, V3

Products on this page **Excluding any vertical surface, ie; modesty panels over 48"** will accept wood grain laminate, where laminate is currently an option.


Application Notes

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.



L-shaped / Double: Spanning 2 worksurfaces



U-shaped / Triple: Spanning 3 worksurfaces



*Workwall units**Rectilinear worksurfaces - 1 1/4" thick*


description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	RSWWA601()	\$616.	\$648.	\$743.	\$1,005.
	60"	24"	RSWWA602()	662.	696.	802.	1,082.
	72"	20"	RSWWA721()	670.	705.	810.	1,093.
	72"	24"	RSWWA722()	716.	756.	865.	1,169.
	90"	20"	RSWWA901()	776.	817.	941.	1,270.
	90"	24"	RSWWA902()	823.	865.	998.	1,347.
	96"	20"	RSWWA961()	881.	927.	1,066.	1,440.
	96"	24"	RSWWA962()	929.	979.	1,124.	1,518.
Straight workwall 1 1/4" Rectangular tops with front edge profile 	60"	20"	RSWWA(A/B/C/D/E/F/G)601()	0.	743.	858.	1,159.
	60"	24"	RSWWA(A/B/C/D/E/F/G)602()	0.	801.	922.	1,247.
	72"	20"	RSWWA(A/B/C/D/E/F/G)721()	0.	810.	933.	1,259.
	72"	24"	RSWWA(A/B/C/D/E/F/G)722()	0.	866.	998.	1,347.
	90"	20"	RSWWA(A/B/C/D/E/F/G)901()	0.	941.	1,082.	1,461.
	90"	24"	RSWWA(A/B/C/D/E/F/G)902()	0.	997.	1,148.	1,549.
	96"	20"	RSWWA(A/B/C/D/E/F/G)961()	0.	1,066.	1,228.	1,658.
	96"	24"	RSWWA(A/B/C/D/E/F/G)962()	0.	1,124.	1,294.	1,746.

Order Code	Specification Information	Application Notes	
Example: RSWWA60100L	<i>To order please specify pattern number including:</i>	20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.	Hardware included.
R Reff	1. Top thickness		
S Straight top	2. Top finish type		
WW Workwall top	3. Top finish		
A 1 1/4" thick	1. Thickness options:		
60 60" wide	A = 1 1/4"		
1 20" deep	2. Finish type:	No grommets available.	
(L) Laminate finish	L = Laminate		
	M = Wood/laminate mixed		
	1 = V1		
	2 = V2		
	3 = V3		
	3. Specify edge detail where applicable.		
	Product on this page will accept woodgrain laminate where laminate is currently an option.		


Reuter overhead cabinet
Morrison panel mounted
Designed by Robert Reuter

Reff Profiles Vol. One


description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, with lock (Morrison panel brackets) - One door		24"	14 1/4"	14 3/4"	RO3-M24() ()L		\$800.	\$800.	\$839.	\$1,202.
		30"	14 1/4"	14 3/4"	RO3-M30() ()L		895.	895.	936.	1,294.
		36"	14 1/4"	14 3/4"	RO3-M36() ()L		1,031.	1,031.	1,081.	1,448.
		42"	14 1/4"	14 3/4"	RO3-M42() ()L		1,191.	1,191.	1,249.	1,607.
		48"	14 1/4"	14 3/4"	RO3-M48() ()L		1,325.	1,325.	1,392.	1,760.



Enclosed cabinet, with lock (Morrison panel brackets) - Two doors		60"	14 1/4"	14 3/4"	RO3-M60() ()L		1,681.	1,681.	1,761.	2,421.
		66"	14 1/4"	14 3/4"	RO3-M66() ()L		1,829.	1,829.	1,924.	2,593.
		72"	14 1/4"	14 3/4"	RO3-M72() ()L		1,959.	1,959.	2,056.	2,736.



Enclosed cabinet, no lock (Morrison panel brackets) - One door		24"	14 1/4"	14 3/4"	RO3-M24() ()N		724.	724.	759.	
		30"	14 1/4"	14 3/4"	RO3-M30() ()N		819.	819.	860.	
		36"	14 1/4"	14 3/4"	RO3-M36() ()N		956.	956.	1,001.	
		42"	14 1/4"	14 3/4"	RO3-M42() ()N		1,114.	1,114.	1,168.	
		48"	14 1/4"	14 3/4"	RO3-M48() ()N		1,248.	1,248.	1,310.	




Order Code	Specification Information	Application Notes	
Example: RO3-M48-612-M-L			
RO3	Reuter overhead cabinet	Reuter storage is a universal product applicable on Morrison or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.	
M	Morrison panel mounted		
48	Width		
612	Case finish		
M	Front finish		
L	With lock		Ganging bracket (page 270) joins adjacent overheads or shelves for additional stiffness and alignment.
	First suffix is for case, second is door finish.		Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.
	<i>Specify finish for case and door:</i> Interior partitions are black painted steel finish.	Reuter overheads may be mounted on other Knoll systems, cantilevered above 42" or 56" Morrison panels, or wall-mounted.	Reuter overhead doors without locks include black, Knoll-logo insert, in the same position.
		Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting five horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.	Insert may be removed to retrofit a lock later.

Reuter overhead cabinet
Morrison panel mounted
Designed by Robert Reuter

Reff Profiles Vol. One

description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, no lock (Morrison panel brackets) - Two doors		60"	14 1/4"	14 3/4"	RO3-M60() ()N		\$1,524.	\$1,524.	\$1,599.	n/a
		66"	14 1/4"	14 3/4"	RO3-M66() ()N		1,678.	1,678.	1,757.	n/a
		72"	14 1/4"	14 3/4"	RO3-M72() ()N		1,800.	1,800.	1,892.	n/a



Interior partitions	Horizontal, set of 10	6"	11"	—	RO1-HP6	154.
	Horizontal, set of 10	9"	11"	—	RO1-HP9	193.
	Horizontal, set of 10	12"	11"	—	RO1-HP12	230.
	Horizontal, set of 10	15"	11"	—	RO1-HP15	268.
	Vertical, set of 5	—	11"	12"	RO3-VP	99.




Order Code	Specification Information	Application Notes	
Example: RO3-M48-612-M-L	First suffix is for case, second is door finish.	Reuter storage is a universal product applicable on Morrison or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.	Ganging bracket (page 270) joins adjacent overheads or shelves for additional stiffness and alignment.
RO3	Reuter overhead cabinet	Reuter overheads may be mounted on other Knoll systems, cantilevered above 42" or 56" Morrison panels, or wall-mounted.	Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.
M	Morrison panel mounted		
48	Width		
612	Case finish		
M	Front finish	Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting five horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.	Reuter overhead doors without locks include black, Knoll-logo insert, in the same position.
L	With lock		


Reuter overhead cabinet
desk, wall, or other Knoll system mounted
Designed by Robert Reuter

Reff Profiles Vol. One


description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, with lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	RO3-N24() ()L		\$785.	\$785.	\$823.	\$1,182.
		30"	14 1/4"	14 3/4"	RO3-N30() ()L		873.	873.	920.	1,275.
		36"	14 1/4"	14 3/4"	RO3-N36() ()L		1,010.	1,010.	1,062.	1,429.
		42"	14 1/4"	14 3/4"	RO3-N42() ()L		1,172.	1,172.	1,233.	1,589.
		48"	14 1/4"	14 3/4"	RO3-N48() ()L		1,310.	1,310.	1,373.	1,745.




Enclosed cabinet, with lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	RO3-N60() ()L		1,657.	1,657.	1,743.	2,405.
		66"	14 1/4"	14 3/4"	RO3-N66() ()L		1,815.	1,815.	1,901.	2,578.
		72"	14 1/4"	14 3/4"	RO3-N72() ()L		1,938.	1,938.	2,035.	2,720.



Enclosed cabinet, no lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	RO3-N24() ()N		705.	705.	739.	n/a
		30"	14 1/4"	14 3/4"	RO3-N30() ()N		799.	799.	838.	n/a
		36"	14 1/4"	14 3/4"	RO3-N36() ()N		934.	934.	981.	n/a
		42"	14 1/4"	14 3/4"	RO3-N42() ()N		1,097.	1,097.	1,151.	n/a
		48"	14 1/4"	14 3/4"	RO3-N48() ()N		1,231.	1,231.	1,294.	n/a



Enclosed cabinet, no lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	RO3-N60() ()N		1,503.	1,503.	1,579.	n/a
		66"	14 1/4"	14 3/4"	RO3-N66() ()N		1,656.	1,656.	1,740.	n/a
		72"	14 1/4"	14 3/4"	RO3-N72() ()N		1,787.	1,787.	1,876.	n/a



Order Code	Specification Information	Application Notes
Example: RO3-N48-613-613-L	<i>Specify finish for case and door.</i>	Reuter storage is a universal product applicable on Knoll systems.
RO3 Reuter overhead cabinet		Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2" increments on either or both sides.
N No brackets		Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.
48 Width		Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.
613 Case finish		Reuter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.
613 Front finish		
L With lock		

Reuter overhead cabinet
desk, wall, or other Knoll system mounted
Designed by Robert Reuter

Reff Profiles Vol. One



description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
 Interior partitions	Vertical, set of 5	—	11"	12"	RO3-VP	\$99.				
	Horizontal, set of 10	6"	11"	—	RO1-HP6	154.				
	Horizontal, set of 10	9"	11"	—	RO1-HP9	193.				
	Horizontal, set of 10	12"	11"	—	RO1-HP12	230.				
	Horizontal, set of 10	15"	11"	—	RO1-HP15	268.				

Order Code	Specification Information	Application Notes
Example: RO3-N48-613-613-L	<i>Specify finish for case and door.</i>	
RO3 Reuter overhead cabinet		Reuter storage is a universal product applicable on Knoll systems.
N No brackets		
48 Width		Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2" increments on either or both sides.
613 Case finish		Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.
613 Front finish		Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.
L With lock		Reuter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.

Reuter open shelf

Designed by Robert Reuter

Reff Profiles Vol. One

description	type	w	d	h	pattern no.	black	P1	P2	P3
 Open shelf Morrison panel brackets		24"	13"	8"	RS1-M24()		\$355.	\$355.	\$374.
		30"	13"	8"	RS1-M30()		389.	389.	409.
		36"	13"	8"	RS1-M36()		439.	439.	462.
		42"	13"	8"	RS1-M42()		475.	475.	498.
		48"	13"	8"	RS1-M48()		509.	509.	534.
		60"	13"	8"	RS1-M60()		594.	594.	625.
 Open shelf no mounting hardware		24"	13"	8"	RS1-N24()		339.	339.	355.
		30"	13"	8"	RS1-N30()		375.	375.	392.
		36"	13"	8"	RS1-N36()		425.	425.	445.
		42"	13"	8"	RS1-N42()		458.	458.	480.
		48"	13"	8"	RS1-N48()		493.	493.	517.
		60"	13"	8"	RS1-N60()		577.	577.	607.
 Interior partitions	Vertical, set of 5	–	12"	6"	RS1-VP	93.			
	Horizontal, set of 10	6"	12"	–	RO1-HP6	154.			
		9"	12"	–	RO1-HP9	193.			
		12"	12"	–	RO1-HP12	230.			
		15"	12"	–	RO1-HP15	268.			

Order Code

Example:	RS1-N48-612
RS1	Reuter shelf
N	No mounting hardware
48	Width
612	Finish

Specification Information

Specify paint finishes for shelf.

Application Notes

Interior partitions are black painted steel finish.

Reuter storage is a universal product applicable on Morrison or other Knoll systems.



Open shelves may be mounted on any combination of vertical panels the same width. Reuter open shelves may be Morrison Network desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify Reuter shelves with no mounting hardware, and brackets separately.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.

Reuter open overhead

Designed by Robert Reuter

Reff Profiles Vol. One

description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
	Open overhead Morrison panel brackets	30"	13"	14 3/4"	RO3-OM30()		\$577.	\$577.	\$607.	
		36"	13"	14 3/4"	RO3-OM36()		662.	662.	693.	
		42"	13"	14 3/4"	RO3-OM42()		747.	747.	785.	
		48"	13"	14 3/4"	RO3-OM48()		829.	829.	872.	
		60"	13"	14 3/4"	RO3-OM60()		967.	967.	1,014.	
		72"	13"	14 3/4"	RO3-OM72()		1,137.	1,137.	1,194.	
	Open overhead no mounting hardware	30"	13"	14 3/4"	RO3-ON30()		561.	561.	588.	
		36"	13"	14 3/4"	RO3-ON36()		643.	643.	676.	
		42"	13"	14 3/4"	RO3-ON42()		730.	730.	767.	
		48"	13"	14 3/4"	RO3-ON48()		816.	816.	855.	
		60"	13"	14 3/4"	RO3-ON60()		948.	948.	998.	
		72"	13"	14 3/4"	RO3-ON72()		1,118.	1,118.	1,173.	
	Interior partitions	Vertical, set of 5		–	11"	12"	RO3-VP	99.		
		Horizontal, set of 10		6"	11"	–	RO1-HP6	154.		
				9"	11"	–	RO1-HP9	193.		
				12"	11"	–	RO1-HP12	230.		
				15"	11"	–	RO1-HP15	268.		
Door retrofit kit, with lock	For open overhead	30"			RO3-RD30()L		392.	392.	414.	758.
		36"			RO3-RD36()L		425.	425.	445.	823.
		42"			RO3-RD42()L		496.	496.	519.	893.
		48"			RO3-RD48()L		543.	543.	568.	958.
		60"			RO3-RD60()L		828.	828.	870.	1,539.
		72"			RO3-RD72()L		931.	931.	977.	1,678.
Door retrofit kit, no lock	For open overhead	30"			RO3-RD30()N		300.	300.	315.	n/a
		36"			RO3-RD36()N		347.	347.	364.	n/a
		42"			RO3-RD42()N		420.	420.	439.	n/a
		48"			RO3-RD48()N		464.	464.	487.	n/a
		60"			RO3-RD60()N		674.	674.	710.	n/a
		72"			RO3-RD72()N		778.	778.	819.	n/a

Order Code	Specification Information	Application Notes
Example: RO3-ON30-612	<i>Specify finish for case and door.</i>	Interior partitions are black painted steel finish. Door retrofit kits convert an open overhead to an enclosed cabinet and include Reuter overhead door, left and right arm mechanisms, and lock or lock plug. Reuter storage is a universal product applicable on Morrison or other Knoll systems. Open overheads may be mounted on any combination of vertical panels the same width or up to 12" less than shelf width. Reuter open overheads may be desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify open overhead with no mounting hardware and brackets separately. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.
RO3-O Reuter open overhead		
N No mounting hardware		
30 Width		
612 Finish		

Reuter overhead storage
desk and panel mounting options
Designed by Robert Reuter


Reff Profiles Vol. One

description	type	w	d	h	pattern no.	black	paint
Stanchions for Network desk mount, pair	1 1/4" worksurface	5"	5"	20 1/2"	RO2-NS21()		\$532.
	1 3/4" worksurface	5"	5"	20"	RO2-NS20()		532.
Stanchion outlets cover	1 1/4" worksurface	7"	1/2"	15 1/2"	MN2SO21()	48.	
	1 3/4" worksurface	7"	1/2"	15"	MN2SO20()	48.	
Panel mount brackets, pair, overhead cabinet	For Dividends panels				RO1-DPB	63.	
	For Equity panels				RO1-EPB	51.	
	For Morrison panels				RO1-MPB	51.	
	For Reff System panels				RO1-RPB	51.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Panel mount brackets, pair, open shelf	For Dividends panels				RS1-DPB	63.	
	For Equity panels				RS1-EPB	43.	
	For Morrison panels				RS1-MPB	43.	
	For Reff / AutoStrada panels				RS1-RPB	43.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Upmount brackets 	For Equity panels				RO1-ECB()		110.
	For Morrison panels	1/2"	10"	10"	RO1-CB()		110.
	For Reff / AutoStrada panels				RO1-RCB()		110.

Order Code	Specification Information	Application Notes
Example: RO2-NS21-612	<i>Specify paint finish for stanchions and upmount brackets.</i>	Reuter overhead cabinets and shelves may be mounted on Network desks or other Knoll systems, upmounted, or wall-mounted. Use bracket kits on this page with Reuter storage without mounting hardware.
RO2 Reuter overhead	Panel mount brackets are painted black finish.	Specify stanchion outlets cover when planning PDC modules and/or power module in overhead support. See page for information on desktop power module.
NS Network stanchions		Upmount brackets support bottom of Reuter storage 1" or 2" above, or flush with top of corresponding width Morrison, Equity or Reff panel.
21 Height		Overhead storage may be centered on, or mount to either side of Equity post. Note that full 6" modular width Reuter storage is wider than Equity centerline-width panel surrounds.
612 Paint finish		For Morrison Network desk mount applications, overhead cabinet or shelf width must correspond to desk support width and worksurface with grommet. Stanchions bolt to desk support corner leg. Top of cabinet on stanchions aligns with adjacent 64"H vertical panels or vertical storage.
		Specify 22"H privacy screens (to 49"H) to enclose space between overhead and desk.


Reuter overhead storage
wall-mounting options and ADA pull
Designed by Robert Reuter

Reff Profiles Vol. One

description	type	w	d	h	pattern no.	black
	24" or 30"W overheads	23"	1/2"	13"	RO1-WMF2	\$96.
	36" or 42"W overheads	35"	1/2"	13"	RO1-WMF3	105.
	48" or 60"W overheads	47"	1/2"	13"	RO1-WMF4	110.


Wall mount frames, shelf	24"W shelf	23"	1 1/2"	6"	RS1-WMF24	96.
	30"W shelf	29"	1 1/2"	6"	RS1-WMF30	101.
	36"W shelf	35"	1 1/2"	6"	RS1-WMF36	105.
	42"W shelf	41"	1 1/2"	6"	RS1-WMF42	108.
	48"W shelf	47"	1 1/2"	6"	RS1-WMF48	110.
	60"W shelf	59"	1 1/2"	6"	RS1-WMF60	117.

Wall mount wire manager, set of 10					MWM-J	175.





Ganging bracket					RO1-GB	14.

ADA pull					RO1-PULL	56.



Order Code	Specification Information	Application Notes
Example: RO1-GB	Wall mount frames are painted black finish.	Wall mount frames secure Reuter overhead cabinet or shelf to wall (frame/wall mounting hardware is not included). Frame is concealed behind storage. Use two RO1-WMF2 to wall-mount 66"- and 72"-wide Reuter overheads.
RO1 Reuter overhead	ADA pull is stainless steel.	Reuter open shelves 66" and 72"W are for stanchion support only.
GB Ganging bracket		Wall mount wire manager is two-part wire concealment kit, 22"H (medium grey only).
		Ganging bracket joins adjacent Reuter overheads or shelves for additional stiffness and alignment when storage is planned on only one side of a panel run.
		ADA pull mounts to Reuter painted front overhead door to allow seated users to close door easily. Specify one for each cabinet 24" - 48", two for cabinets 60" - 72".
		ADA pull cannot be mounted on wood front Reuter doors.


description	type	w	d	h	pattern no.	list
	Use with 24" and wider overhead	19"	4"	1 1/2"	RTAT5E19S	\$241.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25S	259.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37S	280.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49S	303.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61S	322.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25A	447.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37A	470.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49A	489.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61A	509.
	Use with 24" and wider overhead (24 LED's)	17"	2"	1/2"	ML4L17	495.
	Use with 36" and wider overhead (48 LED's)	31"	2"	1/2"	ML4L31	825.
	Use with 48" and wider overhead (72 LED's)	44"	2"	1/2"	ML4L44	1,075.
	Use with 66" and wider overhead (96 LED's)	58"	2"	1/2"	ML4L58	1,350.

Order Code	Specification Information	Application Notes
T5 Standard Task Light	T5 Task Lights: 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.	T5 Task Lights: Specify suffix -CH and add \$45 list for City of Chicago installations. Example: DL3T5E25S-CH Cordset is center exit. On smaller units cord exit is off-center, but still not handed.
Example: RTAT5E25S		
RTA Task Light		
T5 T5 lamp		
E Electronic ballast		
25 Width		
S Standard		
LED Task Light	LED Task Lights: Includes LED's, power supply with 9-12' cord and mounting hardware. Housings are clear anodized aluminum with white color end-caps.	T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content.
Example: ML4L17		
ML4 Task Light		
L LED		
17 Width		
		Notes: All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width. All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.

Transaction tops for use with 42" H panel heights

Reff Profiles Vol. One

description	w	d	t	pattern no.	L	M	V1	V2	V3
Transaction tops 1 1/4" Thick	24"	15"	1 1/4"	RTTA24()-()	\$346.	\$365.	\$365.	\$420.	\$568.
	30"	15"	1 1/4"	RTTA30()-()	379.	396.	396.	460.	620.
	36"	15"	1 1/4"	RTTA36()-()	412.	435.	435.	498.	676.
	42"	15"	1 1/4"	RTTA42()-()	445.	468.	468.	538.	725.
	48"	15"	1 1/4"	RTTA48()-()	474.	504.	504.	578.	780.
	54"	15"	1 1/4"	RTTA54()-()	508.	537.	537.	616.	831.
	60"	15"	1 1/4"	RTTA60()-()	541.	570.	570.	657.	888.
	66"	15"	1 1/4"	RTTA66()-()	574.	603.	603.	694.	937.
	72"	15"	1 1/4"	RTTA72()-()	604.	639.	639.	734.	991.



Left side



Right side



Straight



Order Code	Specification Information	Application Notes	
Example: RTTA24 () ()	<i>To order please specify pattern number including:</i>	Transaction tops are for mounting to 42”h panel or overall panel height achieved from 34”h base panel plus 8”h stacking module. Transaction tops ship with necessary bracketry included.	Transaction tops will not fit between panel Hi-Lo conditions without notching the underside of the tops. This can be done in the field or through Custom Product Development.
R	Reff		
TT	Trasaction top		
24	24” wide		
L	Type, left side Mitre		
2	V2 finish	No grommets included.	Product on this page will accept wood grain laminate, where laminate is currently an option.
V316	Light Maple finish	Tops may be used to span more than one consecutive panel.	

Transaction tops Brackets for Alternative Material

Reff Profiles Vol. One

description	w	h	pattern no.	list
Attachment Bracketry			RAMTB	\$62.
	* Each panel need 2 brackets * Available in all core paints			
Foam Tape			RAMTT	24.
Transaction Top Bracket			RAMTC24()()	46.
Cover			RAMTC30()()	49.
			RAMTC36()()	52.
			RAMTC42()()	56.
			RAMTC48()()	59.
			RAMTC54()()	62.
			RAMTC60()()	66.
			RAMTC66()()	70.
			RAMTC72()()	72.
Transaction Top Bracket			RAMTCH24()()	62.
Cover Hilo			RAMTCH30()()	66.
			RAMTCH36()()	70.
			RAMTCH42()()	73.
			RAMTCH48()()	76.
			RAMTCH54()()	80.
			RAMTCH60()()	83.
			RAMTCH66()()	86.
			RAMTCH72()()	88.

Order Code	Specification Information	Application Notes
Example: RAMTC	<i>To order please specify pattern number including:</i>	Spline piece included in the right “R” hand pattern number.
R Reff	1. End treatment option	Installation instructions available on Knoll Exchange.
A Alternative	2. Finish type: Core paint finishes	
M Material		
T Transaction Top		
C Cover		
24 Width		
L/R/M Left/Right/Mitered		

When a solid material is installed the “RAMTB” is required.


When a translucent material is installed ie. glass the “RAMTB” is also required in addition to the covers. The covers are intended to conceal the bracketry.

Gallery desk surrounds

1 1/4" worksurface


Reff Profiles Vol. One

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly surround (drilled to accept shelf)	62"	25"	42"	RGAF622-()	\$1,424.	\$1,730.	\$1,730.	\$1,901.	\$1,992.	\$2,568.	\$2,688.
	68"	25"	42"	RGAF682-()	1,473.	1,792.	1,792.	1,969.	2,063.	2,656.	2,785.
	74"	25"	42"	RGAF742-()	1,528.	1,861.	1,861.	2,044.	2,138.	2,759.	2,884.
	80"	25"	42"	RGAF802-()	1,583.	1,921.	1,921.	2,108.	2,213.	2,846.	2,986.
	86"	25"	42"	RGAF862-()	1,632.	1,987.	1,987.	2,177.	2,286.	2,938.	3,086.
	92"	25"	42"	RGAF922-()	1,686.	2,053.	2,053.	2,246.	2,361.	3,032.	3,183.
	98"	25"	42"	RGAF982-()	1,740.	2,116.	2,116.	2,319.	2,437.	3,129.	3,288.
	62"	31"	42"	RGAF623-()	1,513.	1,841.	1,841.	2,017.	2,117.	2,723.	2,858.
	68"	31"	42"	RGAF683-()	1,571.	1,915.	1,915.	2,098.	2,202.	2,831.	2,973.
	74"	31"	42"	RGAF743-()	1,631.	1,986.	1,986.	2,177.	2,284.	2,938.	3,083.
	80"	31"	42"	RGAF803-()	1,690.	2,053.	2,053.	2,253.	2,365.	3,042.	3,192.
	86"	31"	42"	RGAF863-()	1,751.	2,129.	2,129.	2,333.	2,449.	3,149.	3,308.
	92"	31"	42"	RGAF923-()	1,810.	2,203.	2,203.	2,409.	2,532.	3,252.	3,417.
	98"	31"	42"	RGAF983-()	1,869.	2,273.	2,273.	2,492.	2,612.	3,364.	3,528.




If shelf is not ordered and no drillings are required, you must order through specials.

Shelf for above (uses keyhole) attachment hardware	60"	12"	1"	RGS60-()	344.		418.		484.		653.
	66"	12"	1"	RGS66-()	357.		434.		498.		676.
	72"	12"	1"	RGS72-()	368.		448.		515.		695.
	78"	12"	1"	RGS78-()	380.		462.		532.		718.
	84"	12"	1"	RGS84-()	388.		476.		546.		737.
	90"	12"	1"	RGS90-()	401.		487.		561.		756.
	96"	12"	1"	RGS96-()	412.		499.		575.		778.



Bridge top assembly	42"	21"	42"	RGAB421-()	812.	986.	986.	1,064.	1,133.	1,437.	1,529.
	48"	21"	42"	RGAB481-()	869.	1,055.	1,055.	1,136.	1,213.	1,534.	1,636.
	54"	21"	42"	RGAB541-()	926.	1,123.	1,123.	1,215.	1,292.	1,639.	1,745.
	60"	21"	42"	RGAB601-()	981.	1,192.	1,192.	1,292.	1,376.	1,745.	1,855.
	66"	21"	42"	RGAB661-()	1,039.	1,264.	1,264.	1,364.	1,453.	1,843.	1,960.
	72"	21"	42"	RGAB721-()	1,094.	1,330.	1,330.	1,441.	1,529.	1,946.	2,064.
	78"	21"	42"	RGAB781-()	1,147.	1,398.	1,398.	1,518.	1,608.	2,050.	2,172.
	84"	21"	42"	RGAB841-()	1,204.	1,463.	1,463.	1,585.	1,684.	2,138.	2,273.
	90"	21"	42"	RGAB901-()	1,257.	1,530.	1,530.	1,661.	1,760.	2,241.	2,377.
	96"	21"	42"	RGAB961-()	1,309.	1,593.	1,593.	1,728.	1,835.	2,334.	2,476.



Order Code	Specification Information	Application Notes	
Example: RGAF622NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, components: (surround components)</i>	All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	L = Laminate	
G Gallery surround	2. Finish type, top	1 = V1	
A 1 1/4" top thickness	3. Finish type, components	2 = V2	All freestanding top assemblies are drilled to accept shelf.
F Freestanding	4. Finish, top	3 = V3	
62 62" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>	M (mixed finish) includes laminate worksurface with wood edge and wood gallery surround.
2 25" deep	<i>1. Grommet options:</i>		
N No grommet	N = No grommets	Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option.	
L Finish type top, laminate	F = Flush front grommet		Specify only 26 1/2" h pedestals and support components as required when using with gallery desk surround products on this page.
L Finish type components	<i>2. Finish type, top:</i>		
114 Folkstone grey (top)	L = Laminate		
114 Folkstone grey (components)	M = Mixed (laminate top w/wood edge)	1 1/4" tops require support at midpoint to reduce spans to 48" or less.	
	1 = V1		
	2 = V2		
	3 = V3	Hardware included.	

Gallery desk surrounds

right hand end assembly, 1 1/4" worksurface

Reff Profiles Vol. One

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for right hand application	21"	43"	42"	RGAR431-() ()	\$993.	\$1,208.	\$1,208.	\$1,318.	\$1,386.	\$1,779.	\$1,871.
		49"	42"	RGAR491-() ()	1,042.	1,270.	1,270.	1,386.	1,461.	1,871.	1,972.
		55"	42"	RGAR551-() ()	1,096.	1,331.	1,331.	1,455.	1,530.	1,965.	2,065.
		61"	42"	RGAR611-() ()	1,145.	1,392.	1,392.	1,520.	1,605.	2,052.	2,165.
		67"	42"	RGAR671-() ()	1,197.	1,459.	1,459.	1,591.	1,678.	2,146.	2,263.
		73"	42"	RGAR731-() ()	1,248.	1,518.	1,518.	1,659.	1,744.	2,237.	2,355.
		79"	42"	RGAR791-() ()	1,298.	1,578.	1,578.	1,727.	1,820.	2,332.	2,459.
		85"	42"	RGAR851-() ()	1,350.	1,642.	1,642.	1,791.	1,890.	2,417.	2,549.
		91"	42"	RGAR911-() ()	1,402.	1,707.	1,707.	1,862.	1,972.	2,515.	2,662.
		97"	42"	RGAR971-() ()	1,457.	1,769.	1,769.	1,928.	2,031.	2,602.	2,744.
	25"	43"	42"	RGAR432-() ()	1,090.	1,324.	1,324.	1,449.	1,523.	1,955.	2,056.
		49"	42"	RGAR492-() ()	1,138.	1,385.	1,385.	1,515.	1,592.	2,045.	2,149.
		55"	42"	RGAR552-() ()	1,190.	1,447.	1,447.	1,578.	1,666.	2,133.	2,250.
		61"	42"	RGAR612-() ()	1,243.	1,510.	1,510.	1,644.	1,736.	2,220.	2,340.
		67"	42"	RGAR672-() ()	1,293.	1,572.	1,572.	1,716.	1,806.	2,317.	2,440.
		73"	42"	RGAR732-() ()	1,345.	1,634.	1,634.	1,785.	1,880.	2,409.	2,541.
		79"	42"	RGAR792-() ()	1,393.	1,692.	1,692.	1,847.	1,951.	2,492.	2,633.
		85"	42"	RGAR852-() ()	1,444.	1,760.	1,760.	1,917.	2,024.	2,588.	2,730.
		91"	42"	RGAR912-() ()	1,499.	1,823.	1,823.	1,982.	2,097.	2,677.	2,829.
		97"	42"	RGAR972-() ()	1,552.	1,887.	1,887.	2,053.	2,169.	2,771.	2,928.
	31"	43"	42"	RGAR433-() ()	1,158.	1,408.	1,408.	1,535.	1,618.	2,071.	2,184.
		49"	42"	RGAR493-() ()	1,207.	1,466.	1,466.	1,603.	1,688.	2,163.	2,280.
		55"	42"	RGAR553-() ()	1,257.	1,530.	1,530.	1,664.	1,760.	2,246.	2,377.
		61"	42"	RGAR613-() ()	1,306.	1,591.	1,591.	1,728.	1,832.	2,334.	2,473.
		67"	42"	RGAR673-() ()	1,356.	1,654.	1,654.	1,796.	1,901.	2,425.	2,568.
		73"	42"	RGAR733-() ()	1,408.	1,715.	1,715.	1,863.	1,969.	2,516.	2,656.
		79"	42"	RGAR793-() ()	1,460.	1,773.	1,773.	1,928.	2,043.	2,602.	2,758.
		85"	42"	RGAR853-() ()	1,509.	1,837.	1,837.	1,998.	2,112.	2,696.	2,852.
		91"	42"	RGAR913-() ()	1,561.	1,899.	1,899.	2,062.	2,179.	2,782.	2,942.
		97"	42"	RGAR973-() ()	1,611.	1,957.	1,957.	2,129.	2,253.	2,875.	3,042.

Order Code	Specification Information	Application Notes
Example: RGAR431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
A 1 1/4" top thickness	3. Finish type components	2 = V2
R Right hand return	4. Finish, top	3 = V3
43 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
1 21" deep	<i>1. Grommet options:</i>	Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option.
N No grommet	N = No grommets	1 1/4" tops require support at mid point to reduce spans to 48" or less.
L Finish type, top	F = Flush front grommet	Hardware included.
L Finish type, components	<i>2. Finish type top:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	

All requests for special grommet locations must be approved through custom product development.

M (mixed finish) includes laminate worksurface, wood edge and wood surround.

Specify only 26 1/2" pedestals and support components as required when using gallery desk surround products on this page.

Gallery desk surrounds

left hand end assembly, 1 1/4" worksurface

Reff Profiles Vol. One

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for left hand application	21"	43"	42"	RGAL431-() ()	\$993.	\$1,208.	\$1,208.	\$1,318.	\$1,386.	\$1,779.	\$1,871.
		49"	42"	RGAL491-() ()	1,042.	1,270.	1,270.	1,386.	1,461.	1,871.	1,972.
		55"	42"	RGAL551-() ()	1,096.	1,331.	1,331.	1,455.	1,530.	1,965.	2,065.
		61"	42"	RGAL611-() ()	1,145.	1,392.	1,392.	1,520.	1,605.	2,052.	2,165.
		67"	42"	RGAL671-() ()	1,197.	1,459.	1,459.	1,591.	1,678.	2,146.	2,263.
		73"	42"	RGAL731-() ()	1,248.	1,518.	1,518.	1,659.	1,744.	2,237.	2,355.
		79"	42"	RGAL791-() ()	1,298.	1,578.	1,578.	1,727.	1,820.	2,332.	2,459.
		85"	42"	RGAL851-() ()	1,350.	1,642.	1,642.	1,791.	1,890.	2,417.	2,549.
		91"	42"	RGAL911-() ()	1,402.	1,707.	1,707.	1,862.	1,972.	2,515.	2,662.
		97"	42"	RGAL971-() ()	1,457.	1,769.	1,769.	1,928.	2,031.	2,602.	2,744.
	25"	43"	42"	RGAL432-() ()	1,090.	1,324.	1,324.	1,449.	1,523.	1,955.	2,056.
		49"	42"	RGAL492-() ()	1,138.	1,385.	1,385.	1,515.	1,592.	2,045.	2,149.
		55"	42"	RGAL552-() ()	1,190.	1,447.	1,447.	1,578.	1,666.	2,133.	2,250.
		61"	42"	RGAL612-() ()	1,243.	1,510.	1,510.	1,644.	1,736.	2,220.	2,340.
		67"	42"	RGAL672-() ()	1,293.	1,572.	1,572.	1,716.	1,806.	2,317.	2,440.
		73"	42"	RGAL732-() ()	1,345.	1,634.	1,634.	1,785.	1,880.	2,409.	2,541.
		79"	42"	RGAL792-() ()	1,393.	1,692.	1,692.	1,847.	1,951.	2,492.	2,633.
		85"	42"	RGAL852-() ()	1,444.	1,760.	1,760.	1,917.	2,024.	2,588.	2,730.
		91"	42"	RGAL912-() ()	1,499.	1,823.	1,823.	1,982.	2,097.	2,677.	2,829.
		97"	42"	RGAL972-() ()	1,552.	1,887.	1,887.	2,053.	2,169.	2,771.	2,928.
	31"	43"	42"	RGAL433-() ()	1,158.	1,408.	1,408.	1,535.	1,618.	2,071.	2,184.
		49"	42"	RGAL493-() ()	1,207.	1,466.	1,466.	1,603.	1,688.	2,163.	2,280.
		55"	42"	RGAL553-() ()	1,257.	1,530.	1,530.	1,664.	1,760.	2,246.	2,377.
		61"	42"	RGAL613-() ()	1,306.	1,591.	1,591.	1,728.	1,832.	2,334.	2,473.
		67"	42"	RGAL673-() ()	1,356.	1,654.	1,654.	1,796.	1,901.	2,425.	2,568.
		73"	42"	RGAL733-() ()	1,408.	1,715.	1,715.	1,863.	1,969.	2,516.	2,656.
		79"	42"	RGAL793-() ()	1,460.	1,773.	1,773.	1,928.	2,043.	2,602.	2,758.
		85"	42"	RGAL853-() ()	1,509.	1,837.	1,837.	1,998.	2,112.	2,696.	2,852.
		91"	42"	RGAL913-() ()	1,561.	1,899.	1,899.	2,062.	2,179.	2,782.	2,942.
		97"	42"	RGAL973-() ()	1,611.	1,957.	1,957.	2,129.	2,253.	2,875.	3,042.

Order Code	Specification Information	Application Notes
Example: RGAL431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
A 1 1/4" top thickness	3. Finish type components	2 = V2
L Left hand return	4. Finish, top	3 = V3
43 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
1 21" deep	<i>1. Grommet options:</i>	Product on this page Excluding any vertical surface over 48" , will accept woodgrain laminate where laminate is currently an option.
N No grommet	N = No grommets	1 1/4" tops require support at mid point to reduce spans to 48" or less.
L Finish type, top	F = Flush front grommet	Hardware included.
L Finish type, components	<i>2. Finish type top:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	

All requests for special grommet locations must be approved through custom product development.

M (mixed finish) includes laminate worksurface, wood edge and wood surround.


Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.

Gallery desk surrounds

gallery towers

Reff Profiles Vol. One

description	d	w	h	pattern no.	L	V1	V2	V3
Gallery Tower, left hand	32"	12"	46"	RGTL4636 ()()()	\$2,673.	\$3,401.	\$3,831.	\$5,174.



Actual depth of Gallery Tower is 32".

Gallery Tower, right hand	32"	12"	46"	RGTR4636 ()()()	2,673.	3,401.	3,831.	5,174.

Actual depth of Gallery Tower is 32".


Must be used with panels only.

Order Code	Specification Information	Application Notes
Example: RGTL46362V319CL	<i>To order please specify pattern number including:</i>	
R Reff		
GT Gallery Tower		
L Left hand		
46 46" h		
36 36" d		
2 V2 finish type		
V319 Medium Cherry		
C C-pull		
L Lock		
	1. Finish type 2. Finish 3. Pull option 4. Pull finish (if applicable) 5. Lock option	3. Pull options: D = Metal D-pull J = Routed J-pull C = Nickel finish C-pull (nickel finish only) S = Stainless steel finish S-pull (stainless steel finish only)
	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	Products on this page are engineered to align with 1-1/4" thick worksurfaces and 26-1/2" support components only. Gallery tower shelf will not align with 28 3/8" h desk height products.
	Product on this page will accept woodgrain laminate where laminate is currently an option.	Gallery Tower ships with hookstrip to attach to 42" h Reff panel and angle bracket for 30" deep worksurface attachment at tower. . Interior lower storage clearance: nominal 10.5" w x 22.5" h x 28.75" d Overall depth includes top overhang, accommodates 30" d worksurfaces. Gallery towers are to be used with panel applications.

Classic Desks

With Full Recessed Modesty

Reff Profiles Vol. One

description	d	w	h	pattern no.	L	V1	V2	V3
 Classic Desk Full Modesty Recessed 26 1/2"	30"	60"	26 1/2"	RCDFMR60301 () ()	\$1,681.	\$2,829.	\$3,253.	\$4,230.
	30"	72"	26 1/2"	RCDFMR72301 () ()	1,764.	2,969.	3,414.	4,439.
	30"	84"	26 1/2"	RCDFMR84301 () ()	1,842.	3,099.	3,564.	4,634.
	30"	96"	26 1/2"	RCDFMR96301 () ()	1,914.	3,221.	3,704.	4,815.
	36"	60"	26 1/2"	RCDFMR60361 () ()	1,779.	2,994.	3,443.	4,476.
	36"	72"	26 1/2"	RCDFMR72361 () ()	1,867.	3,142.	3,614.	4,699.
	36"	84"	26 1/2"	RCDFMR84361 () ()	1,950.	3,282.	3,774.	4,908.
	36"	96"	26 1/2"	RCDFMR96361 () ()	2,029.	3,413.	3,926.	5,103.

Order Code	Specification Information
Example: RCDFMR60301	<i>To order please specify pattern number including:</i>
R Reff	1. Grommet Option
CD Classic Desk	F=Flush or Standard Corner location
FMR Full Modesty Recessed	N=No Grommet
60 Width	R=Recessed Grommet
30 Depth	2. Grommet Finish:
1 26 1/2" high, 2 = 28 3/8" high	Painted or Plated
() Grommet Option	3. Finish: L,V1,V2,V3
() Grommet Finish	
() Finish	

Classic Desks ship knocked down, with all hardware.

Worksurface is 1 1/2" thick.
End panels are 2" thick.

Grommets are located 20" in from the sides and 3.5" in from the back.

Grommets ship separately in a kit.

Lower storage sold separately.

26 1/2" high desk will only work with 26 1/2" high lower storage.

28 3/8" high desk will only work with 28 3/8" high lower storage.

30" deep desk with recessed modesty will accept 19" and 23" deep pedestals.

36" deep desk with recessed modesty will accept 19", 23" and 29" deep pedestals.


Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Product on this page **Excluding any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Classic Desks

With Half Recessed Modesty

Reff Profiles Vol. One

description	d	w	h	y	pattern number	L	V1	V2	V3
 Classic Desk Half Modesty Recessed 26 1/2"	30"	60"	26 1/2"	1.8	RCDHMR60301()	\$1,630.	\$2,744.	\$3,153.	\$4,100.
	30"	72"	26 1/2"	2.1	RCDHMR72301()	1,699.	2,860.	3,288.	4,275.
	30"	84"	26 1/2"	2.6	RCDHMR84301()	1,768.	2,974.	3,422.	4,447.
	30"	96"	26 1/2"	2.8	RCDHMR96301()	1,826.	3,073.	3,535.	4,595.
	36"	60"	26 1/2"	1.8	RCDHMR60361()	1,727.	2,908.	3,344.	4,347.
	36"	72"	26 1/2"	2.1	RCDHMR72361()	1,802.	3,033.	3,488.	4,535.
	36"	84"	26 1/2"	2.6	RCDHMR84361()	1,876.	3,157.	3,631.	4,721.
	36"	96"	26 1/2"	2.8	RCDHMR96361()	1,941.	3,267.	3,756.	4,883.

Classic Desks

Order Code	Specification Information	Application Notes
Example: RCDHMR60301	<i>To order please specify pattern number including:</i>	Classic Desks ship knocked down, with all hardward.
R Reff	1. Grommet Option	Worksurface is 1 1/2" thick.
CD Classic Desk	F=Flush or Standard Corner location	End panels are 2" thick.
HMR Half Modesty Recessed	N=No Grommet	Grommets are located 20" in from the sides and 3.5" in from the back.
60 Width	R=Recessed Grommet	Grommets ship separately in a kit.
30 Depth	2. Grommet Finish:	Lower storage sold separately.
1 26 1/2" high, 2 = 28 3/8" high	Painted or Plated	26 1/2" high desk will only work with 26 1/2" high lower storage.
() Grommet Option	3. Finish: L,V1,V2,V3	28 3/8" high desk will only work with 28 3/8" high lower storage.
() Grommet Finish		Classic desks with half recessed modesty, accepts <u>NO</u> lower storage.
() Finish		


Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Product on this page **Excluding any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Classic Desks

With Quarter Recessed Modesty

Reff Profiles Vol. One

description	d	w	h	pattern no.	L	V1	V2	V3
 Classic Desk Quarter Modesty Recessed 26 1/2"	30"	60"	26 1/2"	RCDQMR60301 () ()	\$1,557.	\$2,620.	\$3,014.	\$3,918.
	30"	72"	26 1/2"	RCDQMR72301 () ()	1,616.	2,721.	3,128.	4,067.
	30"	84"	26 1/2"	RCDQMR84301 () ()	1,672.	2,815.	3,238.	4,208.
	30"	96"	26 1/2"	RCDQMR96301 () ()	1,721.	2,897.	3,332.	4,332.
	36"	60"	26 1/2"	RCDQMR60361 () ()	1,655.	2,786.	3,203.	4,164.
	36"	72"	26 1/2"	RCDQMR72361 () ()	1,720.	2,894.	3,329.	4,327.
	36"	84"	26 1/2"	RCDQMR84361 () ()	1,780.	2,998.	3,447.	4,480.
	36"	96"	26 1/2"	RCDQMR96361 () ()	1,837.	3,090.	3,554.	4,620.

Order Code	Specification Information	Application Notes
Example: RCDQMR60301	<i>To order please specify pattern number including:</i>	Classic Desks ship knocked down, with all hardware.
R Reff	1. Grommet Option	Worksurface is 1 1/2" thick.
CD Classic Desk	F=Flush or Standard Corner location	End panels are 2" thick.
QMR Quarter Modesty Recessed	N=No Grommet	Grommets are located 20" in from the sides and 3.5" in from the back.
60 Width	R=Recessed Grommet	Grommets ship separately in a kit.
30 Depth	2. Grommet Finish:	Lower storage sold separately.
1 26 1/2" high, 2 = 28 3/8" high	Painted or Plated	26 1/2" high desk will only work with 26 1/2" high lower storage.
() Grommet Option	3. Finish: L,V1,V2,V3	28 3/8" high desk will only work with 28 3/8" high lower storage.
() Grommet Finish		Classic desks with quarter recessed modesty accepts <u>NO</u> lower storage.
() Finish		


Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Product on this page **Excluding any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

Classic Desks

With Full Flush Modesty

Reff Profiles Vol. One

description	d	w	h	pattern no.	L	V1	V2	V3
 Classic Desk Full Modesty Flush 26 1/2"	30"	60"	26 1/2"	RCDFMF60301 ()()	\$1,681.	\$2,829.	\$3,253.	\$4,230.
	30"	72"	26 1/2"	RCDFMF72301 ()()	1,764.	2,969.	3,414.	4,439.
	30"	84"	26 1/2"	RCDFMF84301 ()()	1,842.	3,099.	3,564.	4,634.
	30"	96"	26 1/2"	RCDFMF96301 ()()	1,914.	3,221.	3,704.	4,815.
	36"	60"	26 1/2"	RCDFMF60361 ()()	1,681.	2,829.	3,253.	4,230.
	36"	72"	26 1/2"	RCDFMF72361 ()()	1,764.	2,969.	3,414.	4,439.
	36"	84"	26 1/2"	RCDFMF84361 ()()	1,842.	3,099.	3,564.	4,634.
	36"	96"	26 1/2"	RCDFMF96361 ()()	1,914.	3,221.	3,704.	4,815.

Classic Desks

Order Code	Specification Information	Application Notes
Example: RCDFMF60301	<i>To order please specify pattern number including:</i>	Classic Desks ship knocked down, with all hardware.
R Reff	1. Grommet Option	Worksurface is 1 1/2" thick.
CD Classic Desk	F=Flush or Standard Corner location	End panels are 2" thick.
FMF Full Modesty Flush	N=No Grommet	Grommets are located 20" in from the sides and 3.5" in from the back.
60 Width	R=Recessed Grommet	Grommets ship separately in a kit.
30 Depth	2. Grommet Finish:	Lower storage sold separately.
1 26 1/2" high, 2 = 28 3/8" high	Painted or Plated	26 1/2" high desk will only work with 26 1/2" high lower storage.
() Grommet Option	3. Finish: L,V1,V2,V3	28 3/8" high desk will only work with 28 3/8" high lower storage.
() Grommet Finish		30" deep desk with flush modesty can accept up to 29" deep pedestals.
() Finish		36" deep desk with flush modesty can accept up to 29" deep pedestals.


Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Product on this page **Excluding any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.


Single pedestal desks
27³/₄" high overall
V1 finish options

Reff Profiles Vol. One


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
Single pedestal bow front desk with short modesty and false pedestal	60"	30"	RBSP6030J(A,B)()1()()()()	\$3,676.	\$3,937.	\$5,246.	\$3,905.	\$4,168.	\$5,474.
	72"	30"	RBSP7230J(A,B)()1()()()()	3,802.	4,091.	5,537.	4,033.	4,321.	5,766.
	84"	30"	RBSP8430J(A,B)()1()()()()	4,001.	4,317.	5,912.	4,230.	4,548.	6,143.
	96"	30"	RBSP9630J(A,B)()1()()()()	4,184.	4,539.	6,309.	4,412.	4,768.	6,538.



Single pedestal cantilevered desk, 30"d	60"	30"	RDSP6030J(A,B)()1()()()()	2,809.	3,215.	3,808.	2,969.	3,375.	3,966.
	72"	30"	RDSP7230J(A,B)()1()()()()	2,920.	3,379.	3,966.	3,080.	3,537.	4,126.
	84"	30"	RDSP8430J(A,B)()1()()()()	3,064.	3,568.	4,202.	3,224.	3,726.	4,361.
	96"	30"	RDSP9630J(A,B)()1()()()()	3,189.	3,737.	4,420.	3,347.	3,896.	4,579.



Single pedestal cantilevered desk, 36"d	60"	36"	RDSP6036J(A,B)()1()()()()	2,980.	3,409.	4,132.	3,212.	3,638.	4,362.
	72"	36"	RDSP7236J(A,B)()1()()()()	3,117.	3,619.	4,347.	3,347.	3,850.	4,577.
	84"	36"	RDSP8436J(A,B)()1()()()()	3,255.	3,843.	4,570.	3,486.	4,072.	4,799.
	96"	36"	RDSP9636J(A,B)()1()()()()	3,381.	4,062.	4,784.	3,609.	4,290.	5,015.




Order Code	Specification Information	Application Notes
Example: RDSP6030J (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4"	30"D rectilinear desk pedestals are 24"D including modesty panel.
SP Single pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	36"D rectilinear desk pedestals are 30"D including modesty panel.
60 60" wide	3. Finish type: I = V1	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
30 30" deep	4. Interior option: M = Metal W = Wood	Bowed front desk pedestals are 30"D with finished backs.
J Box/box/file	5. Pull option: B = No Pull, No Drilling Customer's Own Pull C = C-pull (Nickel finish only) D = D-pull (PT, PZ only) F = Bar pull (1 pull per door set) H = Outline Pull J = J (routed) pull R = Cylinder Pull S = S-pull (Stainless steel finish only) T = Tab Pull (1 pull per door set)	All desks are non-handed.
A 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	All hardware included.
R Recessed grommet option	7. Veneer finish	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
1 Finish type	8. Pull Finish: Painted or plated	
W Wood interior option	9. Grommet finish: Painted or plated	
J Pull option	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 365 for keying instructions.	
L Lock option	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.	
Y316 Finish		
111 Pull Finish		
111 Grommet Finish		


Single pedestal desks
27³/₄" high overall
V2 finish options

Reff Profiles Vol. One


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
Single pedestal bow front desk with short modesty and false pedestal	60"	30"	RBSP6030J(A,B)()2() () () () ()	\$4,041.	\$4,331.	\$5,768.	\$4,294.	\$4,582.	\$6,018.
	72"	30"	RBSP7230J(A,B)()2() () () () ()	4,181.	4,500.	6,089.	4,435.	4,751.	6,341.
	84"	30"	RBSP8430J(A,B)()2() () () () ()	4,399.	4,746.	6,504.	4,652.	4,999.	6,754.
	96"	30"	RBSP9630J(A,B)()2() () () () ()	4,599.	4,989.	6,937.	4,851.	5,244.	7,190.



Single pedestal cantilevered desk, 30"D	60"	30"	RDSP6030J(A,B)()2() () () () ()	3,088.	3,534.	4,187.	3,265.	3,709.	4,360.
	72"	30"	RDSP7230J(A,B)()2() () () () ()	3,212.	3,714.	4,360.	3,386.	3,889.	4,538.
	84"	30"	RDSP8430J(A,B)()2() () () () ()	3,366.	3,923.	4,621.	3,543.	4,096.	4,794.
	96"	30"	RDSP9630J(A,B)()2() () () () ()	3,504.	4,108.	4,861.	3,678.	4,284.	5,035.



Single pedestal cantilevered desk, 36"D	60"	36"	RDSP6036J(A,B)()2() () () () ()	3,276.	3,748.	4,544.	3,530.	4,000.	4,795.
	72"	36"	RDSP7236J(A,B)()2() () () () ()	3,427.	3,979.	4,780.	3,678.	4,232.	5,033.
	84"	36"	RDSP8436J(A,B)()2() () () () ()	3,579.	4,226.	5,026.	3,831.	4,476.	5,278.
	96"	36"	RDSP9636J(A,B)()2() () () () ()	3,716.	4,466.	5,259.	3,969.	4,717.	5,513.




Preconfigured Reff
Desking

Order Code	Specification Information	Application Notes
Example: RDSP6030J (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	6. Lock option: L = Locks are always drilled for lock	30"D rectilinear desk pedestals are 24"D including modesty panel.
SP Single pedestal	7. Veneer finish	36"D rectilinear desk pedestals are 30"D including modesty panel.
60 60" wide	8. Pull Finish: Painted or plated	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
30 30" deep	9. Grommet finish: Painted or plated	Bowed front desk pedestals are 30"D with finished backs.
J Box/box/file	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 365 for keying instructions.	All desks are non-handed.
A 1 1/4" regular edge top	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.	All hardware included.
R Recessed grommets		These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
2 Finish type		Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
W Wood interiors		
J Routed pulls		
L Lock		
V316 Finish		
111 Pull Finish		
111 Grommet Finish		


Single pedestal desks
27³/₄" high overall
V3 finish options

Reff Profiles Vol. One


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
Single pedestal bow front desk with short modesty and false pedestal	60"	30"	RBSP6030J(A,B)()3() () () () ()	\$5,047.	\$5,407.	\$7,205.	\$5,361.	\$5,723.	\$7,519.
	72"	30"	RBSP7230J(A,B)()3() () () () ()	5,220.	5,618.	7,606.	5,536.	5,934.	7,920.
	84"	30"	RBSP8430J(A,B)()3() () () () ()	5,494.	5,929.	8,123.	5,808.	6,244.	8,440.
	96"	30"	RBSP9630J(A,B)()3() () () () ()	5,743.	6,231.	8,666.	6,059.	6,549.	8,982.



Single pedestal cantilevered desk, 30"d	60"	30"	RDSP6030J(A,B)()3() () () () ()	3,854.	4,411.	5,229.	4,074.	4,630.	5,444.
	72"	30"	RDSP7230J(A,B)()3() () () () ()	4,008.	4,636.	5,444.	4,228.	4,855.	5,665.
	84"	30"	RDSP8430J(A,B)()3() () () () ()	4,204.	4,897.	5,770.	4,422.	5,115.	5,987.
	96"	30"	RDSP9630J(A,B)()3() () () () ()	4,376.	5,129.	6,070.	4,594.	5,350.	6,289.



Single pedestal cantilevered desk, 36"d	60"	36"	RDSP6036J(A,B)()3() () () () ()	4,089.	4,679.	5,673.	4,406.	4,994.	5,988.
	72"	36"	RDSP7236J(A,B)()3() () () () ()	4,278.	4,968.	5,970.	4,594.	5,285.	6,286.
	84"	36"	RDSP8436J(A,B)()3() () () () ()	4,469.	5,276.	6,276.	4,784.	5,589.	6,590.
	96"	36"	RDSP9636J(A,B)()3() () () () ()	4,638.	5,576.	6,570.	4,955.	5,892.	7,359.



Order Code	Specification Information	Application Notes
Example: RDSP6030J (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4"	30"D rectilinear desk pedestals are 24"D including modesty panel.
SP Single pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	36"D rectilinear desk pedestals are 30"D including modesty panel.
60 60" wide	3. Finish type: 3 = V3	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
30 30" deep	4. Interior option: M = Metal W = Wood	Bowed front desk pedestals are 30"D with finished backs.
J Box/box/file	5. Pull option: B = No Pull, No Drilling Customer's Own Pull C = C-pull (Nickel finish only) D = D-pull (PT, PZ only) F = Bar pull (1 pull per door set) H = Outline Pull J = J (routed) pull R = Cylinder Pull S = S-pull (Stainless steel finish only) T = Tab Pull (1 pull per door set)	All desks are non-handed.
A 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	All hardware included.
R Recessed grommet option	7. Veneer finish	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
3 Finish type	8. Pull Finish: Painted or plated	
W Wood interior option	9. Grommet finish: Painted or plated	
J Pull option	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 365 for keying instructions.	
L Lock option	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.	
V512 Finish		
111 Pull Finish		
111 Grommet Finish		


Double pedestal desks

27³/₄" high overall


V1 finish options

Reff Profiles Vol. One


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W
Double bowed front desk with short modesty panel	60"	30"	RBDP6030JK(A,B) ()1()()()()	\$4,290.	\$4,553.	\$5,857.	\$4,764.	\$5,025.	\$6,332.
	72"	30"	RBDP7230JK(A,B) ()1()()()()	4,416.	4,706.	6,152.	4,888.	5,178.	6,622.
	84"	30"	RBDP8430JK(A,B) ()1()()()()	4,616.	4,931.	6,527.	5,087.	5,404.	6,999.
	96"	30"	RBDP9630JK(A,B) ()1()()()()	4,796.	5,151.	6,922.	5,270.	5,623.	7,393.



Double pedestal cantilevered desk, 30"d	60"	30"	RDDP6030JK(A,B) ()1()()()()	3,625.	4,031.	4,624.	3,976.	4,380.	4,975.
	72"	30"	RDDP7230JK(A,B) ()1()()()()	3,740.	4,194.	4,783.	4,088.	4,546.	5,133.
	84"	30"	RDDP8430JK(A,B) ()1()()()()	3,880.	4,384.	5,018.	4,230.	4,732.	5,366.
	96"	30"	RDDP9630JK(A,B) ()1()()()()	4,005.	4,554.	5,236.	4,354.	4,904.	5,585.



Double pedestal cantilevered desk, 36"d	60"	36"	RDDP6036JK(A,B) ()1()()()()	3,854.	4,283.	5,002.	3,854.	4,755.	5,477.
	72"	36"	RDDP7236JK(A,B) ()1()()()()	3,990.	4,493.	5,219.	4,463.	4,965.	5,692.
	84"	36"	RDDP8436JK(A,B) ()1()()()()	4,128.	4,714.	5,441.	4,601.	5,188.	5,912.
	96"	36"	RDDP9636JK(A,B) ()1()()()()	4,252.	4,933.	5,656.	4,726.	5,406.	6,129.



Preconfigured Ref
Desking

Order Code	Specification Information	Application Notes
Example: RDDP6030JK (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4"	30"D rectilinear desk pedestals are 24"D including modesty panel.
DP Double pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	36"D rectilinear desk pedestals are 30"D including modesty panel.
60 60" wide	3. Finish type: I = V1	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
30 30" deep	4. Interior option: M = Metal W = Wood	Bowed front desk pedestals are 30"D with finished backs.
J Box/box/file	5. Pull option: B = No Pull, No Drilling Customer's Own Pull C = C-pull (Nickel finish only) D = D-pull (PT, PZ only) F = Bar pull (1 pull per door set) H = Outline Pull J = J (routed) pull R = Cylinder Pull S = S-pull (Stainless steel finish only) T = Tab Pull (1 pull per door set)	All desks are non-handed.
A 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	All hardware included.
R Recessed grommet option	7. Veneer finish	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
1 Finish type	8. Pull Finish: Painted or plated	
W Wood interior option	9. Grommet finish: Painted or plated	
J Pull option	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 365 for keying instructions.	
L Lock option	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.	
Y319 Finish		
111 Pull Finish		
111 Grommet Finish		


Double pedestal desks

27³/₄" high overall


V2 finish options

Reff Profiles Vol. One


description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
Double bowed front desk with short modesty panel	60"	30"	RBDP6030JK(A,B)()2()()()()	\$4,717.	\$5,006.	\$6,442.	\$5,238.	\$5,524.	\$6,962.
	72"	30"	RBDP7230JK(A,B)()2()()()()	4,856.	5,174.	6,765.	5,374.	5,693.	7,282.
	84"	30"	RBDP8430JK(A,B)()2()()()()	5,074.	5,422.	7,177.	5,593.	5,942.	7,697.
	96"	30"	RBDP9630JK(A,B)()2()()()()	5,274.	5,666.	7,612.	5,794.	6,184.	8,130.



Double pedestal cantilevered desk, 30"d	60"	30"	RDDP6030JK(A,B)()2()()()()	3,985.	4,432.	5,085.	4,370.	4,816.	5,469.
	72"	30"	RDDP7230JK(A,B)()2()()()()	4,111.	4,612.	5,258.	4,495.	4,997.	5,643.
	84"	30"	RDDP8430JK(A,B)()2()()()()	4,266.	4,819.	5,518.	4,652.	5,203.	5,902.
	96"	30"	RDDP9630JK(A,B)()2()()()()	4,403.	5,007.	5,758.	4,787.	5,392.	6,143.



Double pedestal cantilevered desk, 36"d	60"	36"	RDDP6036JK(A,B)()2()()()()	4,238.	4,708.	5,502.	4,757.	5,228.	6,023.
	72"	36"	RDDP7236JK(A,B)()2()()()()	4,388.	4,940.	5,739.	4,907.	5,460.	6,260.
	84"	36"	RDDP8436JK(A,B)()2()()()()	4,541.	5,183.	5,983.	5,059.	5,705.	6,504.
	96"	36"	RDDP9636JK(A,B)()2()()()()	4,675.	5,424.	6,219.	5,196.	5,944.	6,739.



Order Code	Specification Information	Application Notes
Example: RDDP6030JK (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4"	30"D rectilinear desk pedestals are 24"D including modesty panel.
DP Double pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	36"D rectilinear desk pedestals are 30"D including modesty panel.
60 60" wide	3. Finish type: 2 = V2	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
30 30" deep	4. Interior option: M = Metal W = Wood	Bowed front desk pedestals are 30"D with finished backs.
J Box/box/file	5. Pull option: B = No Pull, No Drilling Customer's Own Pull C = C-pull (Nickel finish only) D = D-pull (PT, PZ only) F = Bar pull (1 pull per door set) H = Outline Pull J = J (routed) pull R = Cylinder Pull S = S-pull (Stainless steel finish only) T = Tab Pull (1 pull per door set)	All desks are non-handed.
A 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	All hardware included.
R Recessed grommet option	7. Veneer finish	
2 Finish type	8. Pull Finish: Painted or plated	
W Wood interior option	9. Grommet finish: Painted or plated	
J Pull option	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 365 for keying instructions.	
L Lock option	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.	
V316 Finish		
111 Pull Finish		
111 Grommet Finish		


Double pedestal desks

27³/₄" high overall


V3 finish options

Reff Profiles Vol. One


description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
Double bowed front desk with short modesty panel	60"	30"	RBDP6030JK(A,B)()3()()()()	\$5,892.	\$6,254.	\$8,048.	\$6,544.	\$6,899.	\$8,698.
	72"	30"	RBDP7230JK(A,B)()3()()()()	6,065.	6,462.	8,450.	6,712.	7,113.	9,098.
	84"	30"	RBDP8430JK(A,B)()3()()()()	6,339.	6,772.	8,966.	6,986.	7,422.	9,617.
	96"	30"	RBDP9630JK(A,B)()3()()()()	6,586.	7,075.	9,509.	7,237.	7,724.	10,159.



Double pedestal cantilevered desk, 30"d	60"	30"	RDDP6030JK(A,B)()3()()()()	4,978.	5,533.	6,349.	5,459.	6,014.	6,832.
	72"	30"	RDDP7230JK(A,B)()3()()()()	5,133.	5,761.	6,569.	5,613.	6,241.	7,050.
	84"	30"	RDDP8430JK(A,B)()3()()()()	5,327.	6,018.	6,891.	5,808.	6,499.	7,372.
	96"	30"	RDDP9630JK(A,B)()3()()()()	5,498.	6,255.	7,193.	5,980.	6,735.	7,673.



Double pedestal cantilevered desk, 36"d	60"	36"	RDDP6036JK(A,B)()3()()()()	5,292.	5,879.	6,872.	5,939.	6,528.	7,524.
	72"	36"	RDDP7236JK(A,B)()3()()()()	5,479.	6,169.	7,168.	6,128.	6,819.	7,820.
	84"	36"	RDDP8436JK(A,B)()3()()()()	5,669.	6,475.	7,473.	6,317.	7,125.	8,123.
	96"	36"	RDDP9636JK(A,B)()3()()()()	5,839.	6,775.	7,768.	6,489.	7,426.	8,419.



Preconfigured Reff
Desking




Order Code	Specification Information	Application Notes
Example: RDDP6030JK (A,B,W)	<i>To order, please specify pattern number including:</i>	
RD Reff desk	1. Top thickness option: A = 1 1/4" B = 1 3/4"	30"D rectilinear desk pedestals are 24"D including modesty panel.
DP Double pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	36"D rectilinear desk pedestals are 30"D including modesty panel.
60 60" wide	3. Finish type: 3 = V3	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
30 30" deep	4. Interior option: M = Metal W = Wood	Bowed front desk pedestals are 30"D with finished backs.
J Box/box/file	5. Pull option: B = No Pull, No Drilling Customer's Own Pull C = C-pull (Nickel finish only) D = D-pull (PT, PZ only) F = Bar pull (1 pull per door set) H = Outline Pull J = J (routed) pull R = Cylinder Pull S = S-pull (Stainless steel finish only) T = Tab Pull (1 pull per door set)	All desks are non-handed.
A 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	All hardware included.
R Recessed grommet option	7. Veneer finish	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
3 Finish type	8. Pull Finish: Painted or plated	
W Wood interior option	9. Grommet finish: Painted or plated	
J Pull option	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 365 for keying instructions.	
L Lock option	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.	
V512 Finish		
111 Pull Finish		
111 Grommet Finish		

Desk returns

Reff Profiles Vol. One

27³/₄" high overall




V1 finish options

description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
	36"	24"	RREP3624(A,B)()1() ()				\$1,249.	\$1,571.	\$2,200.
	42"	24"	RREP4224(A,B)()1() ()				1,302.	1,665.	2,281.
	48"	24"	RREP4824(A,B)()1() ()				1,389.	1,780.	2,442.
	54"	24"	RREP5424(A,B)()1() ()				1,451.	1,846.	2,573.
	60"	24"	RREP6024(A,B)()1() ()				1,507.	1,904.	2,708.
	36"	30"	RREP3630(A,B)()1() ()				1,326.	1,684.	2,392.
	42"	30"	RREP4230(A,B)()1() ()				1,383.	1,768.	2,492.
	48"	30"	RREP4830(A,B)()1() ()				1,477.	1,869.	2,661.
	54"	30"	RREP5430(A,B)()1() ()				1,545.	1,932.	2,829.
	60"	30"	RREP6030(A,B)()1() ()				1,589.	1,992.	2,917.
	36"	24"	RRSP3624K(A,B)()1() () () () ()	2,065.	2,389.	3,016.	2,257.	2,579.	3,206.
	42"	24"	RRSP4224K(A,B)()1() () () () ()	2,117.	2,482.	3,095.	2,309.	2,672.	3,286.
	48"	24"	RRSP4824K(A,B)()1() () () () ()	2,207.	2,598.	3,258.	2,396.	2,788.	3,450.
	54"	24"	RRSP5424K(A,B)()1() () () () ()	2,266.	2,661.	3,388.	2,456.	2,852.	3,579.
	60"	24"	RRSP6024K(A,B)()1() () () () ()	2,323.	2,721.	3,525.	2,514.	2,912.	3,717.
	36"	30"	RRSP3630K(A,B)()1() () () () ()	2,196.	2,556.	3,266.	2,441.	2,799.	3,506.
	42"	30"	RRSP4230K(A,B)()1() () () () ()	2,257.	2,642.	3,363.	2,498.	2,882.	3,608.
	48"	30"	RRSP4830K(A,B)()1() () () () ()	2,350.	2,741.	3,534.	2,592.	2,985.	3,777.
	54"	30"	RRSP5430K(A,B)()1() () () () ()	2,419.	2,807.	3,701.	2,660.	3,048.	3,942.
	60"	30"	RRSP6030K(A,B)()1() () () () ()	2,462.	2,864.	3,788.	2,704.	3,108.	4,033.

Order Code	Specification Information	Application Notes
Example: RRSP3624K (A,B,W) RR Reff Pedestal Return SP Single Pedestal 36 36" wide 24 24" deep K File/file A 1 1/4" regular edge top R Recessed grommet option 1 Finish type W Wood interior option J Pull option L Lock option Y319 Finish 111 Pull Finish 111 Grommet Finish	<i>To order, please specify pattern number including:</i> 1. Top thickness option: A = 1 1/4" B = 1 3/4" 2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed 3. Finish type: 1 = V1 4. Interior option: M = Metal W = Wood 5. Pull option: B = No Pull, No Drilling Customer's Own Pull C = C-pull (Nickel finish only) D = D-pull (PT, PZ only) F = Bar pull (1 pull per door set) H = Outline Pull J = J (routed) pull R = Cylinder Pull S = S-pull (Stainless steel finish only) T = Tab Pull (1 pull per door set) 6. Lock option: L = Locks are always drilled for lock 7. Veneer finish 8. Pull Finish: Painted or plated 9. Grommet finish: Painted or plated	<i>For end panel returns, please specify pattern number including:</i> 1. Top thickness option: A = 1 1/4" B = 1 3/4" 2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed 3. Finish type: 1 = V1 4. Grommet finish: Painted or plated Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 365 for keying instructions. Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.
		30"D rectilinear desk pedestals are 24"D including modesty panel. Pedestals are 16"W when calculating knee space subtract 16" per pedestal. All desks are non-handed. All hardware included. Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.

Desk returns
27³/₄" high overall
V2 finish options

Reff Profiles Vol. One

description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
 End panel return	36"	24"	RREP3624(A,B)()2() ()				\$1,375.	\$1,728.	\$2,420.
	42"	24"	RREP4224(A,B)()2() ()				1,431.	1,832.	2,508.
	48"	24"	RREP4824(A,B)()2() ()				1,529.	1,957.	2,687.
	54"	24"	RREP5424(A,B)()2() ()				1,595.	2,030.	2,829.
	60"	24"	RREP6024(A,B)()2() ()				1,658.	2,096.	2,980.
	36"	30"	RREP3630(A,B)()2() ()				1,460.	1,852.	2,631.
	42"	30"	RREP4230(A,B)()2() ()				1,523.	1,945.	2,741.
	48"	30"	RREP4830(A,B)()2() ()				1,626.	2,056.	2,928.
	54"	30"	RREP5430(A,B)()2() ()				1,701.	2,126.	3,112.
	60"	30"	RREP6030(A,B)()2() ()				1,746.	2,190.	3,207.
 Single pedestal return, 24" d	36"	24"	RRSP3624K(A,B)()2() () () ()	2,271.	2,628.	3,318.	2,482.	2,838.	3,529.
	42"	24"	RRSP4224K(A,B)()2() () () ()	2,330.	2,730.	3,406.	2,541.	2,939.	3,615.
	48"	24"	RRSP4824K(A,B)()2() () () ()	2,428.	2,857.	3,585.	2,636.	3,066.	3,795.
	54"	24"	RRSP5424K(A,B)()2() () () ()	2,492.	2,928.	3,727.	2,703.	3,138.	3,936.
	60"	24"	RRSP6024K(A,B)()2() () () ()	2,554.	2,992.	3,877.	2,765.	3,203.	4,088.
 Single pedestal return, 30" d	36"	30"	RRSP3630K(A,B)()2() () () ()	2,417.	2,813.	3,593.	2,685.	3,079.	3,857.
	42"	30"	RRSP4230K(A,B)()2() () () ()	2,482.	2,906.	3,701.	2,747.	3,171.	3,969.
	48"	30"	RRSP4830K(A,B)()2() () () ()	2,584.	3,016.	3,886.	2,851.	3,283.	4,155.
	54"	30"	RRSP5430K(A,B)()2() () () ()	2,661.	3,087.	4,071.	2,927.	3,354.	4,337.
	60"	30"	RRSP6030K(A,B)()2() () () ()	2,707.	3,149.	4,167.	2,974.	3,417.	4,437.

Preconfigured Ref
Deskings




Order Code	Specification Information	Application Notes
Example: RRSP3624K (A,B,W) RR Reff Pedestal Return SP Single Pedestal 36 36" wide 24 24" deep K File/file A 1 1/4" regular edge top R Recessed grommet option 2 Finish type W Wood interior option J Pull option L Lock option V316 Finish 111 Pull Finish 111 Grommet Finish	<i>To order, please specify pattern number including:</i> - Top thickness option: A = 1 1/4" B = 1 3/4" - Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed - Finish type: 2 = V2 - Interior option: M = Metal W = Wood - Pull option: B = No Pull, No Drilling Customer's Own Pull C = C-pull (Nickel finish only) D = D-pull (PT, PZ only) F = Bar pull (1 pull per door set) H = Outline Pull J = J (routed) pull R = Cylinder Pull S = S-pull (Stainless steel finish only) T = Tab Pull (1 pull per door set) - Lock option: L = Locks are always drilled for lock - Veneer finish - Pull Finish: Painted or plated - Grommet finish: Painted or plated	<i>For end panel returns, please specify pattern number including:</i> - Top thickness option: A = 1 1/4" B = 1 3/4" - Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed - Finish type: 2 = V2 - Grommet finish: Painted or plated Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 365 for keying instructions. Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.
		30"D rectilinear desk pedestals are 24"D including modesty panel. Pedestals are 16"W when calculating knee space subtract 16" per pedestal. All desks are non-handed. All hardware included. Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.

Desk returns

Reff Profiles Vol. One

27³/₄" high overall

V3 finish options

description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
	36"	24"	RREP3624(A,B)()3() ()				\$1,717.	\$2,161.	\$3,026.
	42"	24"	RREP4224(A,B)()3() ()				1,789.	2,289.	3,136.
	48"	24"	RREP4824(A,B)()3() ()				1,913.	2,446.	3,358.
	54"	24"	RREP5424(A,B)()3() ()				1,995.	2,539.	3,536.
	60"	24"	RREP6024(A,B)()3() ()				2,072.	2,619.	3,723.
	36"	30"	RREP3630(A,B)()3() ()				1,824.	2,316.	3,288.
	42"	30"	RREP4230(A,B)()3() ()				1,902.	2,432.	3,427.
	48"	30"	RREP4830(A,B)()3() ()				2,031.	2,571.	3,661.
	54"	30"	RREP5430(A,B)()3() ()				2,126.	2,658.	3,889.
	60"	30"	RREP6030(A,B)()3() ()				2,184.	2,738.	4,011.
	36"	24"	RRSP3624K(A,B)()3() () () () ()	2,840.	3,284.	4,148.	3,101.	3,546.	4,411.
	42"	24"	RRSP4224K(A,B)()3() () () () ()	2,912.	3,413.	4,257.	3,175.	3,675.	4,520.
	48"	24"	RRSP4824K(A,B)()3() () () () ()	3,034.	3,572.	4,480.	3,297.	3,831.	4,742.
	54"	24"	RRSP5424K(A,B)()3() () () () ()	4,156.	3,661.	4,660.	3,380.	3,923.	4,922.
	60"	24"	RRSP6024K(A,B)()3() () () () ()	3,194.	3,742.	4,847.	3,457.	4,006.	5,111.
	36"	30"	RRSP3630K(A,B)()3() () () () ()	3,021.	3,517.	4,491.	3,356.	3,849.	4,821.
	42"	30"	RRSP4230K(A,B)()3() () () () ()	3,101.	3,632.	4,626.	3,434.	3,963.	4,962.
	48"	30"	RRSP4830K(A,B)()3() () () () ()	3,231.	3,770.	4,859.	3,563.	4,104.	5,196.
	54"	30"	RRSP5430K(A,B)()3() () () () ()	3,328.	3,858.	5,089.	3,659.	4,193.	5,420.
	60"	30"	RRSP6030K(A,B)()3() () () () ()	3,385.	3,937.	5,208.	3,717.	4,273.	5,545.


Order Code	Specification Information	Application Notes
Example: RRSP3624K (A,B,W)	<i>To order, please specify pattern number including:</i>	<i>For end panel returns, please specify pattern number including:</i>
RR Reff Pedestal Return	1. Top thickness option: A = 1 1/4" B = 1 3/4"	1. Top thickness option: A = 1 1/4" B = 1 3/4"
SP Single Pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed
36 36" wide	3. Finish type: 3 = V3	3. Finish type: 3 = V3
24 24" deep	4. Interior option: M = Metal W = Wood	4. Grommet finish: Painted or plated
K File/file	5. Pull option: B = No Pull, No Drilling Customer's Own Pull C = C-pull (Nickel finish only) D = D-pull (PT, PZ only) F = Bar pull (1 pull per door set) H = Outline Pull J = J (routed) pull R = Cylinder Pull S = S-pull (Stainless steel finish only) T = Tab Pull (1 pull per door set)	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 365 for keying instructions.
A 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.
R Recessed grommet option	7. Veneer finish	
3 Finish type	8. Pull Finish: Painted or plated	
W Wood interior option	9. Grommet finish: Painted or plated	
J Pull option		
L Lock option		
V512 Finish		
111 Pull Finish		
111 Grommet Finish		

Single pedestal credenzas
27³/₄" high overall
V1 finish options

Reff Profiles Vol. One


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W

Single pedestal credenza




60" 24"	RCSP6024K(A,B)	()1() () () () ()	\$2,669.	\$3,068.	\$3,272.	\$2,862.	\$3,258.	\$3,461.
72" 24"	RCSP7224K(A,B)	()1() () () () ()	2,802.	3,233.	3,451.	2,992.	3,424.	3,642.
84" 24"	RCSP8424K(A,B)	()1() () () () ()	2,938.	3,422.	3,643.	3,129.	3,613.	3,833.
96" 24"	RCSP9624K(A,B)	()1() () () () ()	3,061.	3,593.	3,829.	3,250.	3,785.	4,019.

Single lateral file credenza (30" wide lateral file)



60" 24"	RCS3L6024K(A,B)	()1() () () () ()	2,815.	3,214.	3,415.	3,252.	3,650.	3,854.
72" 24"	RCS3L7224K(A,B)	()1() () () () ()	2,947.	3,379.	3,596.	3,384.	3,817.	4,035.
84" 24"	RCS3L8424K(A,B)	()1() () () () ()	3,084.	3,568.	3,788.	3,520.	4,005.	4,227.
96" 24"	RCS3L9624K(A,B)	()1() () () () ()	3,204.	3,738.	3,976.	3,642.	4,176.	4,413.

Single lateral file credenza (36" wide lateral file)



60" 24"	RCS6L6024K(A,B)	()1() () () () ()	2,896.	3,295.	3,496.	3,654.	4,051.	4,255.
72" 24"	RCS6L7224K(A,B)	()1() () () () ()	3,027.	3,459.	3,678.	3,786.	4,219.	4,436.
84" 24"	RCS6L8424K(A,B)	()1() () () () ()	3,165.	3,649.	3,869.	3,923.	4,406.	4,628.
96" 24"	RCS6L9624K(A,B)	()1() () () () ()	3,284.	3,820.	4,054.	4,045.	4,577.	4,813.

Preconfigured Ref
Desking

Order Code	Specification Information	Application Notes
Example: RCSP6024K (A,B,W)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza	6. Lock option: L = Locks are always drilled for lock	Credenzas with lateral files or pedestals are non handed.
SP Single pedestal	7. Veneer finish	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	8. Pull Finish: Painted or plated	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
24 24" deep	9. Grommet finish: Painted or plated	
K File/file	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 365 for keying instructions.	
A 1 1/4" regular edge top	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	
R Recessed grommet option		
1 Finish type		
W Wood interior option		
J Pull option		
L Lock option		
Y319 Finish		
111 Pull Finish		
111 Grommet Finish		


S3L = Single 30"w lateral file
S6L = Single 36"w lateral file

Single pedestal credenzas
27³/₄" high overall
V2 finish options

Reff Profiles Vol. One


description	w	d	pattern no.	metal	metal	metal	wood	wood	wood
				interiors	interiors	interiors	interiors	interiors	interiors
				A	B	W	A	B	W

Single pedestal credenza




60" 24" RCSP6024K(A,B) ()2() () () ()	\$2,937.	\$3,375.	\$3,598.	\$3,146.	\$3,585.	\$3,807.
72" 24" RCSP7224K(A,B) ()2() () () ()	3,083.	3,557.	3,796.	3,292.	3,766.	4,007.
84" 24" RCSP8424K(A,B) ()2() () () ()	3,232.	3,764.	4,008.	3,443.	3,975.	4,219.
96" 24" RCSP9624K(A,B) ()2() () () ()	3,365.	3,953.	4,212.	3,574.	4,162.	4,420.

Single lateral file credenza (30" wide lateral file)



60" 24" RCS3L6024K(A,B) ()2() () () ()	3,096.	3,534.	3,758.	3,578.	4,015.	4,238.
72" 24" RCS3L7224K(A,B) ()2() () () ()	3,242.	3,716.	3,956.	3,721.	4,197.	4,439.
84" 24" RCS3L8424K(A,B) ()2() () () ()	3,391.	3,925.	4,167.	3,872.	4,404.	4,649.
96" 24" RCS3L9624K(A,B) ()2() () () ()	3,525.	4,112.	4,372.	4,007.	4,593.	4,855.

Single lateral file credenza (36" wide lateral file)



60" 24" RCS6L6024K(A,B) ()2() () () ()	3,183.	3,624.	3,847.	4,019.	4,456.	4,681.
72" 24" RCS6L7224K(A,B) ()2() () () ()	3,330.	3,804.	4,046.	4,165.	4,638.	4,879.
84" 24" RCS6L8424K(A,B) ()2() () () ()	3,481.	4,013.	4,256.	4,314.	4,846.	5,091.
96" 24" RCS6L9624K(A,B) ()2() () () ()	3,613.	4,201.	4,460.	4,449.	5,035.	5,294.

Order Code

Specification Information

Application Notes

Example: RCSP6024K (A,B,W)	
RC	Reff Credenza
SP	Single pedestal
60	60" wide
24	24" deep
K	File/file
A	1 1/4" regular edge top
R	Recessed grommet option
2	Finish type
W	Wood interior option
J	Pull option
L	Lock option
V316	Finish
111	Pull Finish
111	Grommet Finish

To order, please specify pattern number including:

- Top thickness option:
A = 1 1/4"
B = 1 3/4"
- Grommet options:
F = Flush or standard corner location
N = No Grommet
R = Recessed
- Finish type:
2 = V2
- Interior option:
M = Metal
W = Wood
- Pull option:
B = No Pull, No Drilling
Customer's Own Pull
C = C-pull (Nickel finish only)
D = D-pull (PT, PZ only)
F = Bar pull (1 pull per door set)
H = Outline Pull
J = J (routed) pull
R = Cylinder Pull
S = S-pull (Stainless steel finish only)
T = Tab Pull (1 pull per door set)

- Lock option:
L = Locks are always drilled for lock
- Veneer finish
- Pull Finish: Painted or plated
- Grommet finish: Painted or plated

Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 365 for keying instructions.

Product on this page **Excluding J-pull option and any vertical surface over 48"**, will accept wood grain laminate, where laminate is currently an option.

30"D rectilinear desk pedestals are 24"D including modesty panel.

Credenzas with lateral files or pedestals are non handed.

Pedestals are 16"W when calculating knee space subtract 16" per pedestal.


Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.

S3L = Single 30"w lateral file
S6L = Single 36"w lateral file


Single pedestal credenzas
27³/₄" high overall
V3 finish options

Reff Profiles Vol. One


description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
Single pedestal credenza	60"	24"	RCSP6024K(A,B) ()3() () () () ()	\$3,671.	\$4,219.	\$4,497.	\$3,933.	\$4,480.	\$4,760.
	72"	24"	RCSP7224K(A,B) ()3() () () () ()	3,853.	4,446.	4,744.	4,116.	4,708.	5,009.
	84"	24"	RCSP8424K(A,B) ()3() () () () ()	4,040.	4,706.	5,010.	4,304.	4,968.	5,273.
	96"	24"	RCSP9624K(A,B) ()3() () () () ()	4,208.	4,940.	5,266.	4,469.	5,203.	5,527.



Single lateral file credenza (30" wide lateral file)	60"	24"	RCS3L6024K(A,B) ()3() () () () ()	3,871.	4,417.	4,697.	4,473.	5,020.	5,298.
	72"	24"	RCS3L7224K(A,B) ()3() () () () ()	4,051.	4,646.	4,944.	4,653.	5,248.	5,548.
	84"	24"	RCS3L8424K(A,B) ()3() () () () ()	4,239.	4,907.	5,208.	4,840.	5,506.	5,812.
	96"	24"	RCS3L9624K(A,B) ()3() () () () ()	4,406.	5,140.	5,466.	5,009.	5,742.	6,068.



Single lateral file credenza (36" wide lateral file)	60"	24"	RCS6L6024K(A,B) ()3() () () () ()	3,980.	4,529.	4,808.	5,024.	5,572.	5,851.
	72"	24"	RCS6L7224K(A,B) ()3() () () () ()	4,162.	4,757.	5,059.	5,206.	5,799.	6,098.
	84"	24"	RCS6L8424K(A,B) ()3() () () () ()	4,349.	5,017.	5,320.	5,394.	6,057.	6,364.
	96"	24"	RCS6L9624K(A,B) ()3() () () () ()	4,518.	5,252.	5,574.	5,562.	6,294.	6,619.




Preconfigured Reff
Desking

Order Code	Specification Information	Application Notes
Example: RCSP6024K (A,B,W)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza	1. Top thickness option: A = 1 1/4" B = 1 3/4"	Credenzas with lateral files or pedestals are non handed.
SP Single pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	3. Finish type: 3 = V3	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
24 24" deep	4. Interior option: M = Metal W = Wood	
K File/file	5. Pull option: B = No Pull, No Drilling Customer's Own Pull C = C-pull (Nickel finish only) D = D-pull (PT, PZ only) F = Bar pull (1 pull per door set) H = Outline Pull J = J (routed) pull R = Cylinder Pull S = S-pull (Stainless steel finish only) T = Tab Pull (1 pull per door set)	
A 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	
R Recessed grommet option	7. Veneer finish	
3 Finish type	8. Pull Finish: Painted or plated	
W Wood interior option	9. Grommet finish: Painted or plated	
J Pull option	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 365 for keying instructions.	
L Lock option	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	
V512 Finish		
111 Pull Finish		
111 Grommet Finish		

S3L = Single 30"w lateral file
S6L = Single 36"w lateral file

Bridge assemblies
 27³/₄" high overall
 V1 finish options


description	w	d	pattern no.	A	B	W
Bridge assembly 	36"	24"	RBR3624(A,B,W)()1() ()	\$894.	\$1,217.	\$1,847.
	42"	24"	RBR4224(A,B,W)()1() ()	947.	1,311.	1,927.
	48"	24"	RBR4824(A,B,W)()1() ()	1,036.	1,426.	2,087.
	36"	30"	RBR3630(A,B,W)()1() ()	953.	1,311.	2,020.
	42"	30"	RBR4230(A,B,W)()1() ()	1,009.	1,394.	2,120.
	48"	30"	RBR4830(A,B,W)()1() ()	1,103.	1,497.	2,291.

Order Code	Specification Information	Application Notes
Example: RBR3624 (A,B,W)	<i>To order, please specify pattern number including:</i>	Bridge assemblies are non-handed.
RBR Reff Bridge Assembly	1. Top thickness option: A = 1 ¹ / ₄ " B = 1 ³ / ₄ "	All hardware included.
48 48" wide	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	Shipped with full height modesty.
30 30" deep	3. Finish type: 1 = V1	
B 1 ¹ / ₄ " rectangular edge	4. Finish: V1	
A 1 ¹ / ₄ " regular edge top	5. Grommet finish: Painted or plated	
F Flush grommet option		
1 Finish type		
Y319 Finish		
111 Grommet Finish		

S3L = Single 30"w lateral file
 S6L = Single 36"w lateral file

Bridge assemblies
27³/₄" high overall
V2 finish options

Reff Profiles Vol. One

description	w	d	pattern no.	A	B	W
 Bridge assembly	36"	24"	RBR3624(A,B,W)()2() ()	\$984.	\$1,338.	\$2,031.
	42"	24"	RBR4224(A,B,W)()2() ()	1,042.	1,442.	2,120.
	48"	24"	RBR4824(A,B,W)()2() ()	1,139.	1,568.	2,296.
	36"	30"	RBR3630(A,B,W)()2() ()	1,049.	1,442.	2,221.
	42"	30"	RBR4230(A,B,W)()2() ()	1,110.	1,534.	2,332.
	48"	30"	RBR4830(A,B,W)()2() ()	1,214.	1,646.	2,520.

Preconfigured Reff
Desking


Order Code	Specification Information	Application Notes
Example: RBR3624 (A,B,W)	<i>To order, please specify pattern number including:</i>	Bridge assemblies are non-handed.
RBR Reff Bridge Assembly	1. Top thickness option: A = 1 1/4" B = 1 3/4"	All hardware included.
48 48" wide	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	Shipped with full height modesty.
30 30" deep	3. Finish type: 2 = V2	
A 1 1/4" rectangular edge	4. Finish: V2	
A 1 1/4" regular edge top	5. Grommet finish: Painted or plated	
F Flush grommet option		
2 Finish type		
V316 Finish		
111 Grommet Finish		

S3L = Single 30"w lateral file
S6L = Single 36"w lateral file

Product on this page will accept wood grain laminate, where laminate is currently an option.

Bridge assemblies
27³/₄" high overall
V3 finish options

Reff Profiles Vol. One

description	w	d	pattern no.	A	B	W
 Bridge assembly	36"	24"	RBR3624(A,B,W)()3()()	\$1,229.	\$1,674.	\$2,540.
	42"	24"	RBR4224(A,B,W)()3()()	1,303.	1,804.	2,651.
	48"	24"	RBR4824(A,B,W)()3()()	1,425.	1,959.	2,870.
	36"	30"	RBR3630(A,B,W)()3()()	1,310.	1,804.	2,776.
	42"	30"	RBR4230(A,B,W)()3()()	1,387.	1,918.	2,915.
	48"	30"	RBR4830(A,B,W)()3()()	1,518.	2,059.	3,148.

Order Code	Specification Information	Application Notes
Example: RBR3624 (A,B,W)	<i>To order, please specify pattern number including:</i>	Bridge assemblies are non-handed.
RBR Reff Bridge Assembly	1. Top thickness option: A = 1 1/4" B = 1 3/4"	All hardware included.
48 48" wide	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	Shipped with full height modesty.
30 30" deep	3. Finish type: 3 = V3	
A 1 1/4" rectangular edge	4. Finish: V3	
A 1 1/4" regular edge top	5. Grommet finish: Painted or plated	
F Flush grommet option		
3 Finish type		
V512 Finish		
111 Grommet Finish		

S3L = Single 30"w lateral file
S6L = Single 36"w lateral file


Double pedestal credenzas

27³/₄" high overall


V1 finish options

Reff Profiles Vol. One

description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
Double pedestal credenza (16" wide FF peds)	60"	24"	RCDP6024K(A,B)()1()()()()	\$3,489.	\$3,883.	\$4,087.	\$3,868.	\$4,265.	\$4,470.
	72"	24"	RCDP7224K(A,B)()1()()()()	3,616.	4,049.	4,266.	3,590.	4,434.	4,651.
	84"	24"	RCDP8424K(A,B)()1()()()()	3,755.	4,239.	4,460.	4,137.	4,620.	4,842.
	96"	24"	RCDP9624K(A,B)()1()()()()	3,876.	4,409.	4,647.	4,259.	4,790.	5,026.




Double lateral credenza (30" wide laterals)	60"	24"	RCD3L6024K(A,B)()1()()()()	3,776.	4,175.	4,377.	4,652.	5,049.	5,252.
	84"	24"	RCD3L8424K(A,B)()1()()()()	4,046.	4,529.	4,751.	4,919.	5,403.	5,623.
	96"	24"	RCD3L9624K(A,B)()1()()()()	4,168.	4,698.	4,936.	5,041.	5,573.	5,813.



96" w shown; 60" w has no knee space

Double lateral credenza (36" wide laterals)	72"	24"	RCD6L7224K(A,B)()1()()()()	4,071.	4,502.	4,720.	5,586.	6,016.	6,235.
	96"	24"	RCD6L9624K(A,B)()1()()()()	4,328.	4,860.	5,097.	5,844.	6,375.	6,614.



96" w shown; 72" w has no knee space

Order Code	Specification Information	Application Notes
Example: RCDP6024K (A,B,W)	<i>To order, please specify pattern number including:</i>	
RC Reff Credenza	1. Top thickness option: A = 1 1/4" B = 1 3/4"	30"D rectilinear desk pedestals are 24"D including modesty panel.
DP Double Pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	Credenzas with lateral files or pedestals are non handed.
60 60" wide	3. Finish type: 1 = V1	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
24 24" deep	4. Interior option: M = Metal W = Wood	Double pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
K File/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
A 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	
R Recessed grommet option	7. Finish: V1	
1 Finish type	8. Pull Finish: Painted or plated	
W Wood interior option	9. Grommet finish: Painted or plated	
J Pull option	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 365 for keying instructions.	
L Lock option	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	
Y319 Finish		
111 Pull Finish		
111 Grommet Finish		

S3L = Single 30" w lateral file
S6L = Single 36" w lateral file


Double pedestal credenzas

27³/₄" high overall


V2 finish options

Reff Profiles Vol. One

description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
Double pedestal credenza (16" wide FF peds)	60"	24"	RCDP6024K(A,B)()2() () () ()	\$3,837.	\$4,272.	\$4,496.	\$4,255.	\$4,692.	\$4,917.
	72"	24"	RCDP7224K(A,B)()2() () () ()	3,979.	4,454.	4,695.	4,399.	4,876.	5,114.
	84"	24"	RCDP8424K(A,B)()2() () () ()	4,130.	4,663.	4,907.	4,550.	5,082.	5,325.
	96"	24"	RCDP9624K(A,B)()2() () () ()	4,263.	4,848.	5,111.	4,685.	5,269.	5,530.




Double lateral credenza (30" wide laterals)	60"	24"	RCD3L6024K(A,B)()2() () () ()	4,154.	4,592.	4,816.	5,116.	5,556.	5,777.
	84"	24"	RCD3L8424K(A,B)()2() () () ()	4,450.	4,984.	5,226.	5,412.	5,944.	6,187.
	96"	24"	RCD3L9624K(A,B)()2() () () ()	4,584.	5,168.	5,429.	5,546.	6,131.	6,394.



96" w shown; 60" w has no knee space

Double lateral credenza (36" wide laterals)	72"	24"	RCD6L7224K(A,B)()2() () () ()	4,476.	4,951.	5,193.	6,146.	6,620.	6,858.
	96"	24"	RCD6L9624K(A,B)()2() () () ()	4,761.	5,347.	5,608.	6,427.	7,014.	7,275.



96" w shown; 72" w has no knee space

Order Code	Specification Information	Application Notes
Example: RCDP6024K (A,B,W)	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza	1. Top thickness option: A = 1 1/4" B = 1 3/4"	Credenzas with lateral files or pedestals are non handed.
DP Double Pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	3. Finish type: 2 = V2	Double pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
24 24" deep	4. Interior option: M = Metal W = Wood	
K File/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
A 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	
R Recessed grommet option	7. Finish: V1	
2 Finish type	8. Pull Finish: Painted or plated	
W Wood interior option	9. Grommet finish: Painted or plated	
J Pull option	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 365 for keying instructions.	
L Lock option	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	
V316 Finish		
111 Pull Finish		
111 Grommet Finish		

S3L = Single 30"w lateral file
S6L = Single 36"w lateral file


Double pedestal credenzas

27³/₄" high overall


V3 finish options

Reff Profiles Vol. One

description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
Double pedestal credenza (16" wide FF peds)	60"	24"	RCDP6024K(A,B) ()3() () () ()	\$4,796.	\$5,340.	\$5,619.	\$5,318.	\$5,867.	\$6,147.
	72"	24"	RCDP7224K(A,B) ()3() () () ()	4,974.	5,568.	5,868.	5,500.	6,094.	6,394.
	84"	24"	RCDP8424K(A,B) ()3() () () ()	5,163.	5,829.	6,132.	5,687.	6,352.	6,659.
	96"	24"	RCDP9624K(A,B) ()3() () () ()	5,329.	6,061.	6,388.	5,856.	6,586.	6,912.




Double lateral credenza (30" wide laterals)	60"	24"	RCD3L6024K(A,B) ()3() () () ()	5,194.	5,740.	6,021.	6,397.	6,944.	7,221.
	84"	24"	RCD3L8424K(A,B) ()3() () () ()	5,563.	6,229.	6,532.	6,765.	7,430.	7,733.
	96"	24"	RCD3L9624K(A,B) ()3() () () ()	5,730.	6,459.	6,786.	6,933.	7,663.	7,991.



96" w shown; 60" w has no knee space

Double lateral credenza (36" wide laterals)	72"	24"	RCD6L7224K(A,B) ()3() () () ()	5,596.	6,189.	6,489.	7,682.	8,274.	8,573.
	96"	24"	RCD6L9624K(A,B) ()3() () () ()	5,949.	6,684.	7,009.	8,036.	8,766.	9,094.



96" w shown; 72" w has no knee space

Order Code	Specification Information	Application Notes
Example: RCDP6024K (A,B,W)	To order, please specify pattern number including:	30"D rectilinear desk pedestals are 24"D including modesty panel.
RC Reff Credenza	1. Top thickness option: A = 1 1/4" B = 1 3/4"	Credenzas with lateral files or pedestals are non handed.
DP Double Pedestal	2. Grommet options: F = Flush or standard corner location N = No Grommet R = Recessed	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	3. Finish type: 3 = V3	Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.
24 24" deep	4. Interior option: M = Metal W = Wood	
K File/file	5. Pull option: C = C-pull (Nickel finish only) D = D-pull (PT and PZ finish only) J = J-routed pull S = S-pull (Stainless steel finish only)	
A 1 1/4" regular edge top	6. Lock option: L = Locks are always drilled for lock	
R Recessed grommet option	7. Finish: V3	
3 Finish type	8. Pull Finish: Painted or plated	
W Wood interior option	9. Grommet finish: Painted or plated	
J Pull option	Random locks are factory installed. Keyalike are field installed with the KnollKey order form. Refer to page 365 for keying instructions.	
L Lock option	Product on this page Excluding J-pull option and any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.	
V512 Finish		
111 Pull Finish		
111 Grommet Finish		

S3L = Single 30" w lateral file
S6L = Single 36" w lateral file

J-Wire Troughs are available in two types, Wall Mount & Under Mount. Wall mount J-wire troughs may be attached to both architectural walls and fixed modesty panels. Under mount J-wire troughs may be attached directly under worksurfaces.

Both types are available in 6" increments, in lengths ranging from 24" to 72". Troughs are 3" high by 3" deep. They are constructed of 18-gauge cold rolled steel. Wall mount is available in black. Under mount is available in all Reff Profiles core paint finishes.

Application notes:

Wires may run along the length of the trough and may exit at the trough ends or over the open front of the trough at any point. Under mount troughs also have a 1 1/2" diameter, U-shaped mouse hole for wire entry/exit.

Wall mount J-wire troughs are attached to a vertical surface such as a full modesty panel, suspended modesty panel, or architectural wall. Refer to Figure 1 and 2.

Fasteners are not included with wall mount J-wire troughs. Attachment fasteners should be selected with consideration given to the vertical surface's material type and thickness. Care should be taken so that screws will not protrude through or damage the visitor side of a modesty panel.







Figure 1: Partial Height Modesty Applications

Figure 2: Wire Trough Wall Mounted Applications

Under mount J-wire troughs have two tabs at the top that allow them to be attached to the underside of a worksurface. Wood screws are included with under mount J-wire troughs.

Under mount J-wire troughs are designed to work with worksurfaces specified with flush, recessed, edge or no grommets. When edge grommets are specified, the trough is attached

with the opening towards the wall which will enable the ability to run wires anywhere along the opening in the worksurface while still allowing the ability to run wires through the grommet of the wire manager. Refer to Figure 5.

Under mount J-wire troughs may be specified when a desk screen (i.e. Antenna) is to be used as a modesty panel. Refer to Figure 6.

The width of the J-wire trough should be specified so that the trough spans and falls beneath grommet locations, but does not interfere with leg or pedestal positions. (i.e: A 72" w double letter-wide pedestal desk with flush grommets would be get a 36" trough.) Refer to Figure 3 and 4.

Wire troughs may not be used to stiffen a worksurface.




Figure 3: Peninsula




Figure 4: Top with Desktop Grommet




Figure 5: Top with Edge Grommet




Figure 6: Desk Screen

The wire manager for credenza may be specified for use with a 1" or 1 ½" thick credenza top with edge grommet. Wires, transformers, or personal accessory chargers may then be pushed off the worksurface, but will not drop all the way to the floor.


The wire manager for credenza top is 24" wide, 1" high and 1 ¼" deep, and will fit any standard width credenza top with edge grommet. It is constructed of 24-gauge cold rolled steel and is available in black.

Application notes:


The wire manager for credenza is intended to be mounted to the inside edge of the edge grommet. Wires may run along the length of the trough, exiting at the trough ends between the trough and the un-notched portion of the worksurface top.

Note: There will be a visible black lip (approx. ⅛" wide) at the edge of the worksurface where the wire manager is mounted.


For installation, wood screws and double sided tape are included with the wire manager.



Application of Wire Manager for Credenza Top



Wire Manager Dimensions



Wire Manager

Power and Data Outlets

Power and Data Outlets are available in a variety of configurations for use with worksurfaces, peninsulas and tables.

The electrical accessories make power and data taps more accessible to the end user.

All Power and Data Accessories are ordered separately from the furniture elements which they support.

These accessories are offered in a variety of configurations consisting of simplex receptacles, double USB charging ports and blank spaces which may be used to field install data outlets. The Power and Data Outlets are available in either 4 position wide or 6 position wide configurations. See **Figure 1** and **Figure 2** for available configurations.

Power and Data Accessories come in the following forms:

- Electrical component for Table - Drop-in
- Electrical Component for Tables - Under Mounted

See **Figure 4** for available configuration options for each of these Power and Data Accessories.

General Notes

Simplex outlets and USB charging ports are wired together and on the same circuit. All units have a 15 Amp overall rating.

The double USB charging ports share a total of 2 Amps. All units are available with choice of 72" or 120" long cordset or 72" long hardwire cord. The 72" or 120" long cordsets have a standard 3 prong plug on units with 3 or fewer simplex receptacles.

Units configured with more than 3 simplex receptacles come with a Circuit Breaker cordset. See **Figure 3** for dimensions. This applies to the following configurations:

- 4P
- 4P+2D
- 4P+1U+1D
- 6P

A 72" long hardwire cord is a 3/4" flexible metal conduit with pigtails for direct connection to building power.

Connection option selected must comply with local and/or national electrical code.

Power and data outlets are UL certified.

All power and data outlets are available in either white or black color options. The finish color refers to the face and bezel of the units only. The cord sets are always black. The body of the units is clear anodized aluminum. Bands of clear anodized aluminum appear on the face of the outlets just above and below the receptacles.

Data jacks are not available through Knoll and must be coordinated and provided by a communications equipment supplier. Jack adapters are provided with the Power and Data Outlets to accept various types of connections. Refer to the page 'Jack Adapter Options' in this section.

2P + 2D



2P + 1U + 1D



3P + 1U



3P + 1D



4P



Figure 1: 4 position units

3P + 3D



3P + 1U + 2D



4P + 2D



4P + 1U + 1D



6P




Figure 2: 6 position units



P = Power (simplex receptacle)



D = Data (blank opening)



U = USB (2 USB openings for charging)




Figure 3: Circuit Breaker Cordset

Electrical Components for:	4 Position Units					6 Position Units				
	2P+2D	2P+1U+1D	3P+1U	3P+1D	4P	3P+3D	3P+1U+1D	4P+2P	4P+1U+1D	6P
Clamp-on	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Tables - Drop-in	✓	✓	✓		✓	✓	✓	✓	✓	✓
Tables - Under Mounted	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Figure 4: Application Options

Clamp-on Electrical Component

The Clamp-on Electrical Outlet brings electrical and data receptacles to worksurface height without needing to field install grommets. See

Figure 5. The Clamp-on Electrical Outlet is available in 4 position units and 6 position units. Refer to **Figure 4** for configurations.

This component may be utilized on any worksurface, up to 1 ½" thick where power and data access is desired. See **Figure 6.**




Figure 5: Clamp on Electrical Component (3P+1U+2D shown)




Figure 6: Clamp on Electrical Component Side

Electrical Components for Tables - Drop-in

The Drop-in Electrical Outlet for Tables works in conjunction with Tables with 4x4 Legs and Tables with 2x4 Legs to bring electrical receptacles and data outlets directly to the worksurface and flush to the worksurface.

This Drop-in Electrical Outlet is offered with 10 possible configurations. Refer to **Figure 4** for configurations.

The cut-out is provided when specified with a Table with 2 x 4 legs or a Table with 4 x 4 legs. **Figure 8.**

The grommet hole is 2 1/8" wide x 6 13/16" long for 4 position outlets and 2 1/8" wide x 9 13/16" long for 6 position outlets.

To use this product in other applications, special tops must be ordered with the required cut-out to suit.

This component may be utilized on worksurfaces up to 1 1/2" thick.

Refer to Drop-In Electrical for Tables installation instruction 6TP00388.




Figure 7: Drop-in Electrical Components for Tables (3P+3D shown)




Figure 8: Electrical Component for Tables - Drop-in

Electrical Component for Tables - Under Mounted

The Under Mounted Outlet for Tables works in conjunction with Tables with 4x4 Legs and Tables with 2x4 Legs to bring electrical receptacles and data outlets to the table but out of site, mounted under the table surface. **Figure 9.**




Figure 9: Under Mounted Component (2P+2D shown)

Under Mounted units may be used near the edge of any worksurface to provide convenient access to power and data outlets. **Figure 10.** The Under Mount Outlet can also be used on Tables with a Power Center Grommet. **Figure 11.**

Refer to **Figure 4** for available configurations of this unit.

The Under-Mounted Outlet for Tables is retained to the worksurface by two brackets and wood screws which are supplied with the unit. Refer to Under Mount Electrical Unit for Tables installation instruction 6TP00439.




Figure 10: Under Mounted Component near edge of any worksurface




Figure 11: Under Mounted Component used with Power Center Grommet

Voice/Data Jack Adapter Options

Jack Adapters are required when the blank data port option is selected for the electrical outlet. One data jack adapter kit, shown in **Figure 1**, is included with each Electrical Outlet Unit.

The Jack Adapter kits are available separately in either white or black. The Voice/Data Jack Adapter kit has snap-off adapters for the jacks listed in **Figure 2**. (Example: Uniprise jack would use AA adapter).

Jacks are not included. UL Listed (DUXR) or Recognized (DUXR2) jacks required.
Give a copy of this page to your local Tele/Data contractor and /or Tele/Data installer.

Notes
Snap jack into adapter following the instructions provided with the jack.

Once assembled, snap adapter into the notched, square holes in electrical accessory data opening the orientation shown.

Verify fit of jack in adapter before ordering large quantities as manufacturer designs may change without notice.




Figure 1: Voice/Data Jack Adapter Kit

Adapter	Manufacturer	Website
AA	Uniprise	www.UnipriseSolutions.com
BB	Tyco SL, and 110 Connect Series Modular Jacks	www.Ampconnect.com
BB	Siemon Keystone Style	www.Siemon.com
BB	Allen Tel Versa Tap Series	www.Allentel.com
BB	Leviton Quick Port	www.Leviton.com
BB	Nordx Keystone Style	www.Nordx.com
CC	Tyco SL Coupler Series	www.Ampconnect.com
CC	Krone 6000 Series	www.Adc.com
CC	Hubbell Xcelerator Keystone Series	www.Hubbell.com
DD	Blank (no coupler/jack)	
EE	Ortronics TracJack Series	www.Ortronics.com
FF	Panduit Mini-Com Series	www.Panduit.com
GG	Microphone jack/3-pin XLR, solder type only	
HH	Video Monitor jack/DB-15, panel mount solder style	

Figure 2: Jack Adapter Options




Figure 3: Jack Adapter Installation

HDMI Connector Cable

The HDMI Connector Cable provides a convenient HDMI plug-in to connect between any Desktop Electrical Outlet and a remote display.

The HDMI connector cable is an 18" long female-female HDMI cable which fits into an available blank data opening in any Desktop Electrical Outlet. A standard male-male HDMI cable (supplied by others) is required to complete the connection between the HDMI Connector Cable and the output device. An HDMI patch cable (supplied by others) is required to connect between the input device (typically a computer) and the Desktop Electrical Outlet.

The HDMI cable is black. The coupler face is available in black or white options and is included with the cable kit. See **Figures 1 and 2**.



Figure 1: Black option



Figure 2: White option

The HDMI coupler face fits into the CC Jack Adapter provided with the Voice-Data Adapter kit included with the Desktop Electrical Outlet. When installed, the coupler face is oriented vertically. See **figure 3**.

Refer to installation instruction 6TP00471 available on Knoll Exchange.

Stereo Connector Cable

The Stereo Connector Cable provides a convenient audio plug-in to connect between a Desktop Electrical Outlet and an output device (typically a video monitor).

The Stereo connector cable is a 120" long, male-female cable with 3.5mm mini audio jack and coupler. It comes with its own face plate to fit into an available blank data opening in a Desktop Electrical Outlet. A patch cord (supplied by others) is required to connect between the input device and the Desktop Electrical Outlet.

The cable is black. The face plate is available in black or white options. See **Figure 4**.



Figure 3: Coupler orientation




Figure 4: Stereo Connector Cable

VGA Connector Cable

The VGA Connector Cable provides a convenient plug-in to a Desktop Electrical Outlet to connect between a VGA enabled device and a remote display.

The VGA connector cable is a 120" long male-female 15-pin VGA cable which fits into an available blank data opening in any Desktop Electrical Outlet. See **Figure 5**. A VGA patch cord (supplied by others) is required to connect between the input device and the Desktop Electrical Outlet.

The VGA connector cable attaches to the HH Jack Adapter provided with the Voice-Data Adapter kit included with the Desktop Electrical Outlet. When installed, the VGA plug-in is oriented diagonally. See **Figure 6**.

Refer to installation instruction 6TP00472 available on Knoll Exchange.



Figure 5: VGA Connector Cable



Figure 6: VGA coupler orientation

Power Center Grommet

The Power Center Grommet trims the opening in the table top that allows access into the stand-off for power center. It includes an attached, hinged lid. Refer to figure 15.

Power Center Grommets are 8" wide x 5" deep and are available in all core painted and plated finishes for 28 ³/₈" high planning.

The Power Center Grommet is included when specified with a table with 4x4 legs or a table with 2x4 legs.

To utilize the Power Center Grommet, special tops must be ordered with the required cut out pre-drilled to suit.

Grommets

Desktop Grommets are included with certain worksurfaces when specified. Desktop grommets may be ordered separately, if desired, for field installation.

To use this product in non-standard applications, special tops must be ordered with the required cut-out pre-drilled to suit.

The Desktop Grommet includes a grommet sleeve and lid. The grommet sleeve is 2" deep x 3" wide with a ¹/₈" flange all round which sits ¹/₁₆" above the finished worksurface. The outside to outside dimension of the flange is 2 ¹/₄" deep and 3 ¹/₄" wide. The grommet lid sits inside the sleeve and is flush with the top of the sleeve. Refer to figure 16.

Desktop Grommets are available in all core painted and plated finishes for 28 ³/₈" high planning.

Application notes:

Desktop Grommets are available for use in 1", 1 ¹/₄" and 1 ¹/₂" thick worksurfaces. Care should be taken to specify the grommet appropriate for the worksurface's thickness.




Figure 15: Power Center Grommet





Figure 16: Grommet

Accessories

Grommet

description	type	w	d	h	pattern no.	list
Power Center Grommet (Electrical component not included)		8"	5"	1 1/2"	RPCG()	\$162.



Desktop Grommet	For 1 1/2" thick top			1 1/2"	RDTGA()	35.
	For 1 1/4" thick top			1 1/4"	RDTGB()	35.
	For 1" thick top			1"	RDTGC()	35.



Order Code	Specification Information	Application Notes
Example: RPCG	<i>To order please specify pattern number including;</i> For Grommets; 1. Grommet Finish: Painted or plated options	
R Reff		
PC Power Center		
G Grommet		
() Finish		

*Power and Data**Electrical components for Tables - Drop in*

description	type	w	d	h	pattern no.	list
Electrical component for Table - 4 Unit wide Drop-In - 2 power / 2 data	72" cord				RDTE2272(B/W)	\$451.
	120" cord				RDTE22120(B/W)	469.
	72" hardwire				RDTE22H(B/W)	532.



Electrical component for Table - 4 Unit wide Drop-In - 2 power / 1 double USB / 1 data	72" cord				RDTE2U72(B/W)	593.
	120" cord				RDTE2U120(B/W)	611.
	72" hardwire				RDTE2UH(B/W)	674.



Electrical component for Table - 4 Unit wide Drop-In - 3 power / 1 double USB	72" cord				RDTE31U72(B/W)	615.
	120" cord				RDTE31U120(B/W)	633.
	72" hardwire				RDTE31UH(B/W)	696.



Electrical component for Table - 4 Unit wide Drop-In - 4 power	72" cord				RDTE4072(B/W)	596.
	120" cord				RDTE40120(B/W)	614.
	72" hardwire				RDTE40H(B/W)	677.



Order Code	Specification Information	Application Notes
Example: RDTE2272 (B/W)	<i>To order please specify pattern number including:</i>	Installation instruction sheet available on Knoll Exchange.
R Reff		
DT Desktop Outlet		
DE Drop in Electrical		For Electrical components for Table Drop-in, refer to part number 6TP00388.
2 Power outlets, 3 = 3 Power outlets, 4 = 4 Power outlets, 6 = 6 Power outlets	1. Color: B=Black Unit with black bezel has clear anodized extruded body W = White Units with white bezel has clear anodized extruded body. White is complimentary, not an exact match3	Refer to planning guide pages for complete description.
2 Blank/Data, 0 = 0 Blank/Data, 1 = 1 Blank/Data, 3 = 3 Blank/Data, U = 1 double USB		USB outlet is for recharging purposes only. No data transfer. All Desktop outlets are UL listed.
72 72" cord, 120 = 120" cord, H = Hardwire		Simplexes and USB charging ports are wired together and on the same circuit.
B Black, W = White		

*Power and Data**Electrical components for Tables - Drop in*

description	type	w	d	h	pattern no.	list
Electrical component for Table - 6 Unit wide Drop-In - 3 power / 3 data	72" cord				RDTDE3372(B/W)	\$577.
	120" cord				RDTDE33120(B/W)	594.
	72" hardwire				RDTDE33H(B/W)	658.



Electrical component for Table - 6 Unit wide Drop-In - 3 power / 1 double USB / 2 data	72" cord				RDTDE3U72(B/W)	718.
	120" cord				RDTDE3U120(B/W)	736.
	72" hardwire				RDTDE3UH(B/W)	799.



Electrical component for Table - 6 Unit wide Drop-In - 4 power / 2 data	72" cord				RDTDE4272(B/W)	689.
	120" cord				RDTDE42120(B/W)	707.
	72" hardwire				RDTDE42H(B/W)	770.



Electrical component for Table - 6 Unit wide Drop-In - 4 power / 1 double USB / 1 data	72" cord				RDTDE4U72(B/W)	831.
	120" cord				RDTDE4U120(B/W)	849.
	72" hardwire				RDTDE4UH(B/W)	912.




Electrical component for Table - 6 Unit wide Drop-In - 6 power	72" cord				RDTDE6072(B/W)	771.
	120" cord				RDTDE60120(B/W)	789.
	72" hardwire				RDTDE60H(B/W)	852.




Order Code	Specification Information	Application Notes
Example: RDTDE2272 (B/W)	<i>To order please specify pattern number including:</i>	Installation instruction sheet available on Knoll Exchange.
R Reff		
DT Desktop Outlet		
DE Drop in Electrical		For Electrical components for Table Drop-in, refer to part number 6TP00388.
2 Power outlets, 3 = 3 Power outlets, 4 = 4 Power outlets, 6 = 6 Power outlets	1. Color: B=Black Unit with black bezel has clear anodized extruded body W = White Units with white bezel has clear anodized extruded body. White is complimentary, not an exact match3	Refer to planning guide pages for complete description.
2 Blank/Data, 0 = 0 Blank/Data, 1 = 1 Blank/Data, 3 = 3 Blank/Data, U = 1 double USB		USB outlet is for recharging purposes only. No data transfer. All Desktop outlets are UL listed.
72 72" cord, 120 = 120" cord, H = Hardwire		Simplexes and USB charging ports are wired together and on the same circuit.
B Black, W = White		

*Power and Data**Electrical components for Table - Undermounted*


description	type	w	d	h	pattern no.	list
Desktop Outlets for Table - 4 Unit wide	72" cord				RDTUME2272(B/W)	\$435.
Undermounted - 2 power / 2 data	120" cord				RDTUME22120(B/W)	474.
	72" hardwire				RDTUME22H(B/W)	544.




Desktop Outlets for Table - 4 Unit wide	72" cord				RDTUME2U72(B/W)	605.
Undermounted - 2 power / 1 double USB / 1 data	120" cord				RDTUME2U120(B/W)	622.
	72" hardwire				RDTUME2UH(B/W)	685.




Desktop Outlets for Table - 4 Unit wide	72" cord				RDTUME3172(B/W)	485.
Undermounted - 3 power / 1 data	120" cord				RDTUME31120(B/W)	503.
	72" hardwire				RDTUME31H(B/W)	566.



Desktop Outlets for Table - 4 Unit wide	72" cord				RDTUME31U72(B/W)	627.
Undermounted - 3 power / 1 double USB	120" cord				RDTUME31U120(B/W)	645.
	72" hardwire				RDTUME31UH(B/W)	708.



Desktop Outlets for Table - 4 Unit wide	72" cord				RDTUME4072(B/W)	608.
Undermounted - 4 powers	120" cord				RDTUME40120(B/W)	625.
	72" hardwire				RDTUME40H(B/W)	689.




Order Code	Specification Information	Application Notes
Example: RDTUM2272 (B/W)	<i>To order please specify pattern number including:</i>	Installation instruction sheet available on Knoll Exchange.
R Reff		
DT Desktop Outlet		
UME Undermounted Electrical		
2 Power outlets, 3 = 3 Power outlets, 4 = 4 Power outlets, 6 = 6 Power outlets	1. Color: B=Black Unit with black bezel has clear anodized extruded body W = White Units with white bezel has clear anodized extruded body. White is complimentary, not an exact match.	For Desktop Outlet for Tables - Undermounted, refer to part number 6TP00439.
2 Blank/Data, 0 = 0 Blank/Data, 1 = 1 Blank/Data, 3 = 3 Blank/Data, U = 1 double USB		Refer to planning guide pages for complete description. USB outlet is for recharging purposes only. No data transfer. All Desktop outlets are UL listed.
72 72" cord, 120 = 120" cord, H = Hardwire		Simplexes and USB charging ports are wired together and on the same circuit.
B Black, W = White		


Power and Data

Electrical components for Table - Undermounted


description	type	w	d	h	pattern no.	list
Desktop Outlets for Table - 6 Unit wide	72" cord				RDTUME3372(B/W)	\$582.
Undermounted - 3 power / 3 data	120" cord				RDTUME33120(B/W)	599.
	72" hardwire				RDTUME33H(B/W)	662.




Desktop Outlets for Table - 6 Unit wide	72" cord				RDTUME3U72(B/W)	723.
Undermounted - 3 power / 1 double USB / 2 data	120" cord				RDTUME3U120(B/W)	741.
	72" hardwire				RDTUME3UH(B/W)	804.




Desktop Outlets for Table - 6 Unit wide	72" cord				RDTUME4272(B/W)	694.
Undermounted - 4 power / 2 data	120" cord				RDTUME42120(B/W)	712.
	72" hardwire				RDTUME42H(B/W)	775.



Desktop Outlets for Table - 6 Unit wide	72" cord				RDTUME4U72(B/W)	836.
Undermounted - 4 power / 1 double USB / 1 data	120" cord				RDTUME4U120(B/W)	854.
	72" hardwire				RDTUME4UH(B/W)	917.



Desktop Outlets for Table - 6 Unit wide	72" cord				RDTUME6072(B/W)	776.
Undermounted - 6 powers	120" cord				RDTUME60120(B/W)	794.
	72" hardwire				RDTUME60H(B/W)	794.



Order Code	Specification Information	Application Notes
Example: RDTUM2272 (B/W)	<i>To order please specify pattern number including:</i>	Installation instruction sheet available on Knoll Exchange.
R Reff		
DT Desktop Outlet		
UME Undermounted Electrical		
2 Power outlets, 3 = 3 Power outlets, 4 = 4 Power outlets, 6 = 6 Power outlets	1. Color: B=Black Unit with black bezel has clear anodized extruded body W = White Units with white bezel has clear anodized extruded body. White is complimentary, not an exact match.	For Desktop Outlet for Tables - Undermounted, refer to part number 6TP00439.
2 Blank/Data, 0 = 0 Blank/Data, 1 = 1 Blank/Data, 3 = 3 Blank/Data, U = 1 double USB		Refer to planning guide pages for complete description. USB outlet is for recharging purposes only. No data transfer. All Desktop outlets are UL listed.
72 72" cord, 120 = 120" cord, H = Hardwire		Simplex and USB charging ports are wired together and on the same circuit.
B Black, W = White		

*Power and Data**Electrical components - Clamp on*

description	type	w	d	h	pattern no.	list
 Electrical component with 4 Units wide Clamp on - 2 power / 2 data	72" cord				RDTC2272(B/W)	\$451.
	120" cord				RDTC22120(B/W)	469.
	72" hardwire				RDTC22H(B/W)	532.

 Electrical component with 4 Units wide Clamp on - 2 power / 1 double USB / 1 data	72" cord				RDTC2U72(B/W)	577.
	120" cord				RDTC2U120(B/W)	594.
	72" hardwire				RDTC2UH(B/W)	658.

 Electrical component with 4 Units wide Clamp on - 3 power / 1 data	72" cord				RDTC3172(B/W)	474.
	120" cord				RDTC31120(B/W)	491.
	72" hardwire				RDTC31H(B/W)	555.

 Electrical component with 4 Units wide Clamp on - 3 power / 1 double USB	72" cord				RDTC31U72(B/W)	615.
	120" cord				RDTC31U120(B/W)	633.
	72" hardwire				RDTC31UH(B/W)	696.

 Electrical component with 4 Units wide Clamp on - 4 power	72" cord				RDTC4072(B/W)	596.
	120" cord				RDTC40120(B/W)	614.
	72" hardwire				RDTC40H(B/W)	677.

Order Code	Specification Information	Application Notes
Example: RDTC2272 (B/W)	<i>To order please specify pattern number including:</i>	Installation instruction sheet available on Knoll Exchange.
R Reff		
DT Desktop Outlet		Refer to planning guide pages for complete description.
CE Clamp on Electrical		
2 2 Power outlets, 3 = 3 Power outlets 4=4 Power outlets, 6 = 6 Power outlets	1. Color: B=Black Unit with black bezel has clear anodized extruded body W = White Units with white bezel has clear anodized extruded body. White is complimentary, not an exact match	USB outlet is for recharging purposes only. No data transfer. All Desktop outlets are UL listed.
2 Blank/Data, 0=0 Blank/Data,1=1 Blank/Data, 3=3 Blank/Data,U=1 double USB		Simlexes and USB charging ports are wired together and on the same circuit.
72 72" cord, 120 = 120" cord, H = 72" Hardwire		
B Black, W = White		


Accessories

Power and Data

Electrical components - Clamp on


Reff Profiles Vol. One

description	type	w	d	h	pattern no.	list
Electrical component with 6 Units wide	72" cord				RDTCE3372(B/W)	\$593.
Clamp on - 3 power / 3 data	120" cord				RDTCE33120(B/W)	611.
	72" hardwire				RDTCE33H(B/W)	674.




3 + 3 shown

Electrical component with 6 Units wide	72" cord				RDTCE3U72(B/W)	718.
Clamp on - 3 power / 1 double USB / 2 data	120" cord				RDTCE3U120(B/W)	736.
	72" hardwire				RDTCE3UH(B/W)	799.




3 + USB + 2 Blank Shown


Electrical component with 6 Units wide	72" cord				RDTCE4272(B/W)	688.
Clamp on - 3 power / 2 data	120" cord				RDTCE42120(B/W)	706.
	72" hardwire				RDTCE42H(B/W)	769.



Electrical component with 6 Units wide	72" cord				RDTCE4U72(B/W)	831.
Clamp on - 4 power / 1 double USB / 1 data	120" cord				RDTCE4U120(B/W)	849.
	72" hardwire				RDTCE4UH(B/W)	911.



Electrical component with 6 Units wide	72" cord				RDTCE6072(B/W)	771.
Clamp on - 6 power	120" cord				RDTCE60120(B/W)	789.
	72" hardwire				RDTCE60H(B/W)	852.



Order Code	Specification Information	Application Notes
Example: RDTCE2272 (B/W)	<i>To order please specify pattern number including:</i>	Installation instruction sheet available on Knoll Exchange.
R Ref		
DT Desktop Outlet		Refer to planning guide pages for complete description.
CE Clamp on Electrical		USB outlet is for recharging purposes only. No data transfer. All Desktop outlets are UL listed.
2 2 Power outlets, 3 = 3 Power outlets 4=4 Power outlets, 6 = 6 Power outlets	1. Color: B=Black Unit with black bezel has clear anodized extruded body W = White Units with white bezel has clear anodized extruded body. White is complimentary, not an exact match	Simlexes and USB charging ports are wired together and on the same circuit.
2 Blank/Data, 0=0 Blank/Data,1=1 Blank/Data, 3=3 Blank/Data,U=1 double USB		
72 72" cord, 120 = 120" cord, H = 72" Hardwire		
B Black, W = White		


Accessories

Power and Data

Desktop Outlet Accessories

Reff Profiles Vol. One

description	pattern no.	list
Voice Data Adapter kit	RDADB	\$23.
Includes 2 units per pack	RDADW	23.



HDMI connector cable, 18", black	RDAH	126.
Includes one unit per pack		



Stereo connector cable, 120", black	RDAS	48.
Includes one unit per pack		



VGA connector cable, 120", black	RDAV	152.
Includes one unit per pack		



Order Code	Specification Information	Application Notes
Example: RDAD		
R Reff	HDMI whip requires a standard HDMI cable to connect from the whip to the Monitor.	Installation instruction sheets available on Knoll Exchange.
D Desktop Outlet		For HDMI Connector Cable, refer to reference number 6TP00471.
A Electrical	VGA whip is 120" long, female-to-male cable to connect directly to a display. Device cable is not included.	For VGA Connector Cable, refer to reference number 6TP00472.
D Voice Data Adapter kit, (H-HDMI whip; 5 = Stereo whip; V = VGA whip)	Stereo whip is a 3.5mm audio jack with a 120" long black cable. This is a female-to-male connector.	
B Black, W = White	Voice Data Adapter kit is included with all Desktop Electrical Outlets.	
	Voice Dada Adapter kit provides a sheet of adapters which snap-off for use with a variety of manufacturers jacks & couplers.	

Accessories

wire management

Reff Profiles Vol. One

description	w	d	h	pattern no.	list price
	24"	4 1/2"	5 3/4"	RWMWT24	\$45.
	30"	4 1/2"	5 3/4"	RWMWT30	51.
	36"	4 1/2"	5 3/4"	RWMWT36	56.
	Available black only				
	24"	1"	3/8"	RWMV24 ()	36.
	Ships with overdesk unit. Specify paint finish.				
	24"	2 1/2"	1 1/4"	RWMMP24	40.
	30"	2 1/2"	1 1/4"	RWMMP30	45.
	36"	2 1/2"	1 1/4"	RWMMP36	46.
	Available black only				
	24"	—	—	RWMVP24	36.
	not available in finish codes: 112,116,117,611, 612, 613				
	24"	1 1/2"	3/4"	RWMVH24	43.
	30"	1 1/2"	3/4"	RWMVH30	47.
	36"	1 1/2"	3/4"	RWMVH36	51.
	Available black only				
				RWMPB	155.
Replacement hardware	Top to endpanel disk			RBDD	5.
	Top to workwall endpanel disk			RBDW	5.
	Panel to endpanel bracket			RBPE(L/R)()	21.
	Specify paint finish for RBPE(L/R) RBDD and RBDW available black only				

Order Code	Specification Information	Application Notes
Example: RWMWT24	<i>To order please specify:</i> 1. Pattern number 2. Finish: painted finishes, where applicable	Specify color for hinged vertical wire management only from paint finish list. Flexible Vertical wire manager is intended to be under mounted to a worksurface; using self tapping wood screws.
R Reff		
WM Wire Manager		
W Wall and Modesty mount		
T Top Mount		
24 Width		

Accessories

wire management

Reff Profiles Vol. One

description	w	d	h	pattern no.	list price

Flexible Vertical Wire Manager with Functional height range; for 26 1/2" and 28 3/8"H



*translucent with metallic silver base (613)

RWMVF

\$135.

* Tree wire manager package of 10
2 shipped per panel


2"

RBWM

11.

used in Beltway

J-Wire Trough
Wall Mount



24"

RJBW24()

67.

30"

RJBW30()

69.

36"

RJBW36()

75.

42"

RJBW42()

88.

48"

RJBW48()

94.

54"

RJBW54()

96.

60"

RJBW60()

97.

66"

RJBW66()

109.


72"

RJBW72()

110.

*Installation Instruction Sheet: 6TP00078

J-Wire Trough
Under Mount



24"

RJBU24()

81.

30"

RJBU30()

83.

36"

RJBU36()

90.

42"

RJBU42()

104.

48"

RJBU48()

111.

54"

RJBU54()

113.

60"

RJBU60()

115.

66"

RJBU66()

128.

72"

RJBU72()

130.

*Installation Instruction Sheet: 6TP00079




*Available in painted colors.

Order Code	Specification Information	Application Notes
Example: RWMWT24	<i>To order please specify:</i>	Specify color for hinged vertical wire managment only from paint finish list.
R Reff	1. Pattern number	
WM Wire Manager	2. Finish: painted finishes, where applicable	
W Wall and Modesty mount		Flexible Vertical wire manager is intended to be under mounted to a worksurface; using self tapping wood screws.
T Top Mount		
24 Width		

Accessories

wire management

Reff Profiles Vol. One

description	w	d	h	pattern no.	list price
Wire manager for credenza top 	24"			RWMCT24	\$133.
Cable Basket Kits Under Mounted 	15"	12"	1"	RWMT1512U	54.
	27"	12"	1"	RWMT2712U	96.
	39"	12"	1"	RWMT3912U	116.
	*All hardware included *Baskets and hardware are painted med. grey (115)				
Cable Basket Kits Rail Mounted 	15"	12"	1"	RWMT1512R	269.
	27"	12"	1"	RWMT2712R	320.
	39"	12"	1"	RWMT3912R	493.
	*All hardware included *Baskets and hardware are painted med. grey (115)				
Cable clip for column legs 		3"		RCC30()	23.
		4"		RCC40()	26.
	*2 clips per kit				


Accessories and Client
Samples

Order Code	Specification Information	Application Notes
Example: RWMWT24	<i>To order please specify:</i>	Specify color for hinged vertical wire managment only from paint finish list.
R Reff	1. Pattern number	
WM Wire Manager	2. Finish: painted finishes, where applicable	Flexible Vertical wire manager is intended to be under mounted to a worksurface; using self tapping wood screws.
W Wall and Modesty mount		
T Top Mount		
24 Width		

Accessories

Panel Hung and Wall Hung Components


Reff Profiles Vol. One

description	y	type	w	h	pattern no.	list price
Panel-hung coat hook (hookstrip)					RPCHHH	\$36.
Panel-hung coat hook (panel top)					RPCHHT	36.
Not intended to work with (AA) Aluminum top trim						
Panel-hung tackboard	0.9		30"	24"	RPHTB3024	304.
Note: Fabric railroaded	1.3		42"	24"	RPHTB4224	373.
All standard grades of fabric						
						
Panel-hung, Magnetic whiteboard with Pencil tray			30"	24"	RPHWBM3024	780.
			42"	24"	RPHWBM4224	1,158.
Wall-hung tackboard	0.9		30"	24"	RWHTB3024	336.
Note: Fabric railroaded Velcro supplied	1.1		36"	24"	RWHTB3624	373.
	1.3		42"	24"	RWHTB4224	410.
	1.5		48"	24"	RWHTB4824	445.
for use with 26 1/2" h support planning module						
						
Wall-hung tackboard for desk height (28 3/8" h) planning	0.9		30"	26"	RWHDHTB3026	355.
Note: Fabric railroaded Velcro supplied	1.1		36"	26"	RWHDHTB3626	391.
	1.3		42"	26"	RWHDHTB4226	432.
	1.5		48"	26"	RWHDHTB4826	468.
for use with 28 3/8" h support planning module						
						
Task Panel flat tray			14"		RTSF14	173.
			28"		RTSF28	206.
						

Order Code	Specification Information	Application Notes
Example: RWHTB3024	<i>To order please specify pattern number including:</i>	See Reff Planning Guide for more information.
R Reff	1. Finish: Fabric	Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.
WH Wall Hung		Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.
TB Tack Board		
30 Width		
24 Height		

Accessories
Panel Hung and Wall Hung Components



description	y	type	w	h	pattern no.	list price
Task Panel shelf			14"		RTST14	\$173.



Order Code	Specification Information	Application Notes
Example: RWHTB3024	<i>To order please specify pattern number including:</i>	See Reff Planning Guide for more information.
R Reff	1. Finish: Fabric	Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.
WH Wall Hung		Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.
TB Tack Board		
30 Width		
24 Height		

Accessories for Pedestals


Reff Profiles Vol. One

description	type	w	h	pattern no.	list
Pencil tray, wood (ordered separately)		12"	–	RPAPT	\$99.
Pencil tray, plastic	black	13 1/4"	–	RPETRAY3N	38.
	clear	12"	–	RPETRAY3C	45.
					
Pencil tray adapter				RPETAD	85.
					
Pencil tray for Mobile Pedestals				RPMTRAY	26.
Box drawer dividers, wood box drawers (Acrylic)		16"	–	RPADSS	53.
File bars, wood file drawers (replacement)		16"	–	RPAHFB16	30.
		30"	–	RPAHFB30	57.
		36"	–	RPAHFB36	88.
File bars, metal file drawers (replacement)		16"	–	RPAHFM162 *	21.
		30"	–	RPAHFM30	30.
		36"	–	RPAHFM36	30.
Sold as individuals					
Counter weight (for file/file configuration pedestals when used in freestanding applications)		–	–	RCOUNTWT	106.
Pencil drawer used under worktop		16"	1"	RPAD-()	
					
Reff Profiles Spacer kit for Pencil drawer				RPADKIT	34.

Order Code	Specification Information	Application Notes
Example: RDHMBD		
R Reff		The dividers come in black paint only.
DH Desk height		
M Metal		Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.
B Box		
D Divider		

Accessories for cabinets

Reff Profiles Vol. One

description	w	d	h	pattern no.	Metal	L	V1	V2	V3	list price
Cabinet boot tray 	14"	17"		RCABT1417						\$77.
	29"	17"		RCABT2917						129.
Cabinet coat rod 	Half of 30" cabinets			RCACR30H						75.
	Half of 36" cabinets			RCACR36H						82.
	16" cabinets			RCACR16						77.
	30" cabinets			RCACR30						103.
	36" cabinets			RCACR36						115.
CRT turntable 	31" diameter			RKT31						567.
Wall rails (paint options only) 	—	—	8 ⁷ / ₈ "	RWHRA-()						40.
	—	—	17 ⁵ / ₈ "	RWHRB-()						43.
	—	—	18 ¹ / ₄ "	RWHRC-()						43.
	—	—	21 ¹ / ₁₆ "	RWHRD-()						45.
	—	—	22"	RWHRE-()						45.
	—	—	59 ¹ / ₂ "	RWHRF-()						101.
	—	—	67"	RWHRG-()						101.
Striplight (black only) for transaction tops 	26"	2"	2"	RCASL						359.
Plate divider 				RPD11						23.
				RPD14						23.
				RPD11 to be used with 15" D open cabinet/bookcase with metal shelves. RPD14 to be used with 20"/24"D open cabinet/bookcase with metal shelves.						
Metal lateral file drawer divider, for desk height products 				RDHMLD						23.
			for 20" and 24" deep metal lateral drawers Also works with AutoStrada for use in pedestals with metal interior							

Order Code	Specification Information	Application Notes
Example: RCABT1417	<i>To order please specify pattern number including:</i>	See Reff Planning Guide for more information.
R Reff	1. Finish, where applicable	Pencil drawer includes slides.
CA Cabinet		Note: The spacer kit (RPADKIT) is required to mount pencil drawer (RPAD) to a table with an open frame leg.
BT Boot tray		
14 Width		
17 Depth		

Accessories for cabinets

Reff Profiles Vol. One

description	w	d	h	pattern no.	Metal	L	V1	V2	V3	list price
Utility Hook				RAUH						\$20.



Order Code	Specification Information	Application Notes
Example: RCABT1417	<i>To order please specify pattern number including:</i>	See Reff Planning Guide for more information.
R Reff	1. Finish, where applicable	Pencil drawer includes slides.
CA Cabinet		Note: The spacer kit (RPADKIT) is required to mount pencil drawer (RPAD) to a table with an open frame leg.
BT Boot tray		
14 Width		
17 Depth		

Accessories

Fascias for Hutches

Metal


Reff Profiles Vol. One

description	w	pattern no.	P1	P2	P3
 Metal Fascia	60"	ROHMTF160 ()	\$158.	\$174.	\$182.
	66"	ROHMTF166 ()	167.	184.	193.
	72"	ROHMTF172 ()	170.	187.	196.
	78"	ROHMTF178 ()	172.	189.	199.
	84"	ROHMTF184 ()	174.	191.	201.
	90"	ROHMTF190 ()	176.	194.	203.
	96"	ROHMTF196 ()	178.	196.	206.

Order Code	Specification Information	Application Notes
Example: ROHMTF160	<i>To order please specify pattern number including:</i>	For single and double high Hutches.
R Reff	1. Fascia Finish: Anodized and painted options	Wood or Metal options.
O Overhead		
H Hutch		
M Metal		
T Task light		
F Fascia		
1 Letter depth		
60 60"		
() Fascia finish		

Accessories
Fascias for Hutches
Wood

Reff Profiles Vol. One

description	w	pattern no.	V1	V2	V3
Wood Fascia	60"	ROHWTF160 ()	\$401.	\$424.	\$530.
	66"	ROHWTF166 ()	404.	427.	535.
	72"	ROHWTF172 ()	406.	431.	539.
	78"	ROHWTF178 ()	408.	434.	543.
	84"	ROHWTF184 ()	410.	437.	547.
	90"	ROHWTF190 ()	413.	440.	551.
	96"	ROHWTF196 ()	564.	587.	734.

Order Code	Specification Information	Application Notes
Example: ROHWTF160	<i>To order please specify pattern number including:</i>	For single and double high Hutches.
R Reff	1. Trim Finish: Wood or Laminate	Wood or Metal options.
O Overhead		
H Hutch		
W Wood		
T Task light		
F Fascia		
1 Letter depth		
60 60"		
() Trim Finish		

Accessories

presentation samples

Worksurfaces






description	w	d	h	pattern no.	L	M/V1	V2	V3	list price
Presentation wood sample, 16" x 16"	16"	16"	–	RSAMP1616-()()	\$139.	\$199.	\$256.	\$296.	
Optional edge details available									
Presentation stackable/tiled mini panel (for demonstrations)	24"	–	34"	R3SMP ()()					1,144.
Specify trim profile, base height, base type and applicable finishes									
Presentation monolithic mini panel	4"H base			RR3MP4 ()					626.
	6"H base			RR3MP6 ()					670.
Specify trim profile and applicable finishes									
Presentation worksurface cutaway sample	12"	12"	1 1/4"	RTOP2 ()	114.	175.	233.	275.	
	12"	12"	1 3/4"	RTOP1 ()	114.	175.	233.	275.	
Sample, cascade edge worksurface 	12"	12"		RCE1R1212G	130.				
Rangeboard	27"	12"	1 1/4"	RRBRD2712 ()					314.
These Rangeboards are available in the following finishes only; V316, V440, V515, V518									

Order Code	Specification Information	Specification Information	Specification Information
Example: RWHRA()	<i>To order please specify pattern number including:</i>	See Reff Planning Guide for more information.	Specify edge detail if applicable for presentation wood samples.
R Reff	1. Finish, where applicable	Metal D-pull sample board represents the following standard Reff finishes (PT, 111, 118, 611, 612, 613)	Product on this page will accept woodgrain laminate where laminate is currently an option. The wall rails will accept <u>two sets</u> of brackets for panel hung components.
WH Wall Hung			
R Rails			
A Height			
() Paint options only		Specify board finish in laminate, techwood, conventional or laminate with a wood edge.	

Accessories

presentation pull samples

Reff Profiles Vol. One

description	type	w	d	pattern no.	V1	V2	V3
Presentation drawer front with pull samples	Grommet pull	8"	8"	RPULLSMPG()	\$191.	\$207.	\$239.
							
	Bar pull	8"	8"	RPULLSMPF()	191.	207.	239.
							
	Outline pull	8"	8"	RPULLSMPH()	191.	207.	239.
							
	Cylinder pull	8"	8"	RPULLSMPR()	191.	207.	239.
							
	Tab pull	8"	8"	RPULLSMPT()	191.	207.	239.
							

Order Code

Example:	RPULLSMPG()
R	Reff Profiles
PULL	Pull
SM	Sample
PG	Pull Grommet

Specification Information

To order please specify pattern number including:





1. Drawer Front finish:
Wood or Laminate
2. Pull Finish:
Painted or plated

Product on this page will accept wood grain laminate, where laminate is currently an option.

Accessories

presentation pull samples

Reff Profiles Vol. One

description	type	w	d	pattern no.	V1	V2	V3
Presentation drawer front with pull samples	J-pull	8"	8"	RPULLSMPJ()	\$191.	\$207.	\$239.
							
	C-pull	8"	8"	RPULLSMPC()	191.	207.	239.
							
	S-pull	8"	8"	RPULLSMPS()	191.	207.	239.
							
	D-pull	8"	8"	RPULLSMPD()	191.	207.	239.
							




Accessories and Client
Samples

Order Code	Specification Information
Example: RPULLSMPG()	
R Reff Profiles	<i>To order please specify pattern number including:</i>
PULL Pull	1. Drawer Front finish: Wood or Laminate
SM Sample	2. Pull Finish: Painted or plated
PG Pull Grommet	Product on this page will accept wood grain laminate, where laminate is currently an option.

Accessories

Sliding Rails

Reff Profiles Vol. One

description	width	pattern no.	list price
Sliding rail for open shelves 	30"	RSDR30	\$56.
	36"	RSDR36	56.
	42"	RSDR42	56.
	48"	RSDR48	56.
	54"	RSDR54	56.
	60"	RSDR60	88.
	66"	RSDR66	88.
	72"	RSDR72	88.
	78"	RSDR78	88.
	84"	RSDR84	99.
	90"	RSDR90	99.
	96"	RSDR96	99.
Sliding rail for open or hinged door overhead cabinets 	30"	ROHDR30	56.
	36"	ROHDR36	56.
	42"	ROHDR42	56.
	48"	ROHDR48	56.
	60"	ROHDR60	99.
	72"	ROHDR72	99.
	90"	ROHDR90	134.
	96"	ROHDR96	134.
Sliding rail for flip door overhead cabinets 	30"	RFDR30	56.
	36"	RFDR36	56.
	42"	RFDR42	56.
	48"	RFDR48	56.
	60"	RFDR60	99.
	72"	RFDR72	99.
	84"	RFDR84	99.
	96"	RFDR96	99.
Sliding rail divider 	R5ZNN (3 dividers)		23.

Order Code	Specification Information	Application Notes
Example: RSDR30	<i>To order please specify pattern number.</i>	Match cabinet width to rail width.
R Reff		Parts come in black only.
SDR Sliding rail for open shelves		These rails allow the use of metal "D"-ring divider to locate and separate binders and standing materials in Reff overhead cabinets.
30 For 30" shelf		The rail which attaches to the inside back section of the cabinet is sold according to cabinet size door configuration.

*Task Light**Reff*

description	type	w	d	h	pattern no.	list
	Use with 24" and wider overhead	19"	4"	1 1/2"	RTL75E19S	\$286.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTL75E25S	293.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTL75E37S	298.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTL75E49S	304.
	Use with 72" and wider overhead	61"	4"	1 1/2"	RTL75E61S	321.
	Use with 84" and wider overhead	73"	4"	1 1/2"	RTL75E73S	350.
	Use with 96" and wider overhead	85"	4"	1 1/2"	RTL75E85S	437.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTL75E25A	420.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTL75E37A	442.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTL75E49A	461.
	Use with 72" and wider overhead	61"	4"	1 1/2"	RTL75E61A	478.
	Use with 84" and wider overhead	73"	4"	1 1/2"	RTL75E73A	495.
	Use with 96" and wider overhead	85"	4"	1 1/2"	RTL75E85A	514.

Order Code

Example:	RTL75E19S
RTL	Task Light
T5	T5 lamp
E	Electronic ballast
19	Width
S	Standard

Specification Information

T5 Task Lights:
120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.

Application Notes

T5 Task Lights:
Specify suffix -CH and add \$46 list for City of Chicago installations.
Example: DL3T5E25S-CH

Cordset is center exit. On smaller units cord exit is off-center, but still not handed.

T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content.

Notes:

All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width.

All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.

Tackboards
H1 23 1/8" high
Wall hung, fabric

Reff Profiles Vol. One

description	w	y	pattern no.	grade								
				10	15	20	30	35	40	45	50	55
Tackboard, wall hung 	30"	1.0	RWHDHTB30H1()	\$278.	\$305.	\$333.	\$361.	\$366.	\$371.	\$376.	\$413.	\$448.
	36"	1.1	RWHDHTB36H1()	296.	327.	357.	387.	393.	399.	406.	444.	484.
	42"	1.3	RWHDHTB42H1()	326.	362.	396.	433.	440.	446.	454.	500.	546.
	48"	1.5	RWHDHTB48H1()	355.	395.	436.	477.	486.	494.	502.	555.	608.
	54"	1.6	RWHDHTB54H1()	373.	417.	462.	505.	514.	523.	532.	589.	644.
	60"	1.8	RWHDHTB60H1()	402.	451.	501.	550.	561.	571.	580.	644.	706.
	66"	1.9	RWHDHTB66H1()	422.	474.	525.	578.	589.	598.	610.	676.	742.
	72"	2.1	RWHDHTB72H1()	451.	510.	567.	624.	635.	647.	658.	732.	805.
	78"	2.3	RWHDHTB78H1()	479.	543.	605.	669.	682.	694.	706.	787.	866.
	84"	2.5	RWHDHTB84H1()	510.	578.	646.	714.	729.	742.	756.	843.	930.
	90"	2.6	RWHDHTB90H1()	527.	598.	670.	740.	755.	771.	785.	876.	964.
	96"	2.8	RWHDHTB96H1()	557.	633.	711.	788.	803.	817.	834.	931.	1,026.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H1()	To order please specify pattern number including: 1. Finish: Fabric	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface. All fabric to be applied rail rooded as current tackboards.
R Reff		
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H1 23 1/8" high		
W281 Fabric selection		

Y = Yardage required

Tackboards
H2 29³/₄" high
Wall hung, fabric

Reff Profiles Vol. One

description	w	y	pattern no.	grade								
				10	15	20	30	35	40	45	50	55
Tackboard , wall hung 	30"	1.0	RWHDHTB30H2()	\$294.	\$320.	\$347.	\$372.	\$378.	\$384.	\$389.	\$425.	\$462.
	36"	1.1	RWHDHTB36H2()	316.	345.	373.	404.	410.	415.	422.	462.	499.
	42"	1.3	RWHDHTB42H2()	348.	383.	416.	451.	459.	466.	472.	519.	565.
	48"	1.5	RWHDHTB48H2()	380.	420.	460.	498.	508.	515.	523.	576.	629.
	54"	1.6	RWHDHTB54H2()	402.	444.	486.	529.	538.	546.	554.	612.	668.
	60"	1.8	RWHDHTB60H2()	434.	482.	529.	577.	587.	596.	606.	670.	732.
	66"	1.9	RWHDHTB66H2()	457.	506.	555.	606.	618.	627.	639.	704.	770.
	72"	2.1	RWHDHTB72H2()	488.	544.	598.	654.	667.	678.	690.	762.	835.
	78"	2.3	RWHDHTB78H2()	520.	581.	642.	702.	717.	728.	740.	820.	900.
	84"	2.5	RWHDHTB84H2()	551.	619.	684.	751.	764.	778.	792.	879.	964.
	90"	2.6	RWHDHTB90H2()	575.	644.	711.	780.	795.	809.	825.	913.	1,003.
	96"	2.8	RWHDHTB96H2()	606.	681.	754.	829.	843.	860.	876.	971.	1,067.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H2()	To order please specify pattern number including;	H2 Height = Underside of overhead to top of 1" thick credenza top for 3/4 height cabinets.
R Reff	1. Finish: Fabric	
WH Wall hung		
DH Desk height planning		All fabric to be applied rail roaded as current tackboards.
TB Tackboard		
30 Width		
H2 29 ³ / ₄ " high		
W281 Fabric selection		

Y = Yardage required

Tackboards
H3 37⁷/₈" high
Wall hung, fabric

Reff Profiles Vol. One

description	w	y	pattern no.	grade								
				10	15	20	30	35	40	45	50	55
Tackboard , wall hung 	30"	1.0	RWHDHTB30H3()	\$309.	\$335.	\$363.	\$389.	\$394.	\$400.	\$406.	\$441.	\$476.
	36"	1.1	RWHDHTB36H3()	334.	364.	392.	422.	428.	434.	440.	479.	518.
	42"	1.3	RWHDHTB42H3()	369.	404.	438.	472.	479.	486.	494.	540.	586.
	48"	1.5	RWHDHTB48H3()	406.	444.	484.	523.	532.	540.	548.	601.	653.
	54"	1.6	RWHDHTB54H3()	430.	472.	514.	555.	566.	575.	583.	640.	695.
	60"	1.8	RWHDHTB60H3()	466.	513.	561.	607.	618.	628.	639.	701.	762.
	66"	1.9	RWHDHTB66H3()	489.	540.	590.	641.	651.	660.	672.	737.	803.
	72"	2.1	RWHDHTB72H3()	525.	581.	635.	672.	683.	694.	705.	799.	870.
	78"	2.3	RWHDHTB78H3()	561.	622.	682.	743.	756.	768.	781.	860.	939.
	84"	2.5	RWHDHTB84H3()	596.	661.	729.	795.	808.	823.	836.	921.	1,008.
	90"	2.6	RWHDHTB90H3()	621.	690.	757.	827.	840.	855.	869.	959.	1,048.
	96"	2.8	RWHDHTB96H3()	656.	730.	804.	878.	893.	909.	924.	1,020.	1,116.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H3()	To order please specify pattern number including: 1. Finish: Fabric	H3 Height = Top of U-shelf or L-shelf overhead to top of 1 1/2" thick desk height worksurface. All fabric to be applied rail rooded as current tackboards.
R Reff		
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H3 37 ⁷ / ₈ " high		
W281 Fabric selection		

Y = Yardage required

Tackboards
H4 44¹/₂" high
Wall hung, fabric

Reff Profiles Vol. One

description	w	y	pattern no.	grade								
				10	15	20	30	35	40	45	50	55
Tackboard , wall hung 	30"	1.0	RWHDHTB30H4()	\$322.	\$349.	\$375.	\$402.	\$408.	\$413.	\$418.	\$454.	\$490.
	36"	1.1	RWHDHTB36H4()	350.	379.	408.	437.	443.	448.	457.	494.	532.
	42"	1.3	RWHDHTB42H4()	388.	422.	458.	490.	498.	505.	513.	558.	603.
	48"	1.5	RWHDHTB48H4()	425.	465.	505.	544.	552.	561.	570.	622.	674.
	54"	1.6	RWHDHTB54H4()	453.	496.	538.	580.	589.	597.	606.	661.	718.
	60"	1.8	RWHDHTB60H4()	490.	538.	586.	632.	643.	653.	664.	726.	787.
	66"	1.9	RWHDHTB66H4()	518.	569.	619.	669.	680.	690.	700.	765.	832.
	72"	2.1	RWHDHTB72H4()	555.	613.	667.	723.	734.	745.	757.	830.	901.
	78"	2.3	RWHDHTB78H4()	594.	654.	717.	776.	789.	802.	814.	893.	971.
	84"	2.5	RWHDHTB84H4()	631.	697.	763.	830.	843.	857.	870.	957.	1,042.
	90"	2.6	RWHDHTB90H4()	658.	728.	797.	865.	880.	895.	909.	998.	1,086.
	96"	2.8	RWHDHTB96H4()	696.	771.	843.	917.	934.	950.	964.	1,060.	1,155.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H4 ()	To order please specify pattern number including: 1. Finish: Fabric	H4 Height = Top of U-shelf or L-shelf overhead to top of 1" thick credenza top for ³ / ₄ " height cabinet. All fabric to be applied rail rooded as current tackboards.
R Reff		
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H4 44 ¹ / ₂ " high		
W281 Fabric selection		

Y = Yardage required

Tackboards
H5 42⁵/₈" high
Wall hung, fabric

Reff Profiles Vol. One

description	w	y	pattern no.	grade								
				10	15	20	30	35	40	45	50	55
Tackboard , wall hung 	30"	1.0	RWHDHTB30H5()	\$319.	\$345.	\$371.	\$398.	\$404.	\$410.	\$415.	\$451.	\$486.
	36"	1.1	RWHDHTB36H5()	347.	374.	405.	433.	439.	444.	451.	490.	529.
	42"	1.3	RWHDHTB42H5()	383.	416.	451.	485.	493.	499.	508.	552.	598.
	48"	1.5	RWHDHTB48H5()	420.	460.	499.	539.	547.	554.	564.	617.	669.
	54"	1.6	RWHDHTB54H5()	446.	489.	531.	574.	582.	591.	599.	655.	710.
	60"	1.8	RWHDHTB60H5()	483.	531.	578.	626.	635.	646.	655.	719.	780.
	66"	1.9	RWHDHTB66H5()	511.	561.	610.	659.	671.	682.	693.	758.	824.
	72"	2.1	RWHDHTB72H5()	547.	603.	657.	713.	726.	736.	749.	821.	893.
	78"	2.3	RWHDHTB78H5()	584.	645.	705.	765.	779.	791.	804.	884.	962.
	84"	2.5	RWHDHTB84H5()	622.	687.	754.	820.	834.	847.	861.	946.	1,032.
	90"	2.6	RWHDHTB90H5()	648.	718.	786.	854.	868.	883.	898.	987.	1,074.
	96"	2.8	RWHDHTB96H5()	686.	759.	834.	907.	921.	939.	954.	1,049.	1,145.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H5()	To order please specify pattern number including: 1. Finish: Fabric	H5 Height = Top of Single high overhead to top of 1 1/2" thick desk height worksurface. All fabric to be applied rail rooded as current tackboards.
R Reff		
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H5 42 ⁵ / ₈ " high		
W281 Fabric selection		

Y = Yardage required

Reff Screens

Reff screens provide partial enclosure for workspaces to a nominal horizon of 42"—seated visual access—or 49"—seated visual privacy. Screens are available in a variety of surface finishes for aesthetics, performance and price point.

Desk Mounted Screens

Desk mounted screens provide enclosure both above and below the top, starting from either 9 3/8" or 21 7/8" above the floor for 26 1/2" high planning and from either 11 1/4" or 23 3/4" above the floor for 28 3/8" high planning. Desk mounted screens attach directly to the back of a desk top with two brackets that also define a 1 1/4" offset for wire management and clamp-on accessories. Bracket centers are located 3 1/4" from each end of screens 24"-30" wide and 12" from each end of screens 36" and wider.

Screens are available in the following widths 24", 27", 30", and 36"-72" wide in 6" increments. In most applications screens can be mounted to matching width or wider tops.

Two types of screens are available:

- Frameless laminate, marker surface or veneer screens are 3/4" thick with matching edge and crisp, eased corners.
- Fabric screens are 1 1/4" thick, with painted perimeter frame capturing a wood structural core and tackable, fabric wrapped inserts on each face.

Specification Options

For frameless screens surface type: laminate (L) or veneer (V); specify finish, any core laminate or dry-erase marker surface (M), or any core Techwood or natural veneer. Also specify bracket color, in any Reff Profiles core paint finish.

For fabric screens specify fabric, perimeter frame and brackets painted finishes. Fabric is oriented railroad style for screens wider than 60".



Bracket and frame paint finish codes with suffix "T" indicate textured.

Construction


Frameless screens are 3/4" MDF construction, with threaded inserts at bracket locations.

Fabric screens have a 1/2" MDF core, with 3/8" thick tackable PET material inserts on each side wrapped in fabric, and aluminum perimeter frame with seamless corners. Fabric screens have threaded metal inserts at bracket locations.

Laminate screens are edged with color matching ABS edgeband. Marker surface screens are edged with White ABS edgeband. Veneer screens are edged with matching veneer.





For applications with work surface 26 1/2" off the floor



For applications with work surface 28 3/8" off the floor

Desk Screens
Fabric
For 42" High Horizon

Reff Profiles Vol. One

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 42" High Horizon 	24"	1 1/4"	20"	YPSB2024F	\$604.	\$634.	\$666.	\$696.	\$725.
	27"	1 1/4"	20"	YPSB2027F	622.	652.	683.	714.	745.
	30"	1 1/4"	20"	YPSB2030F	638.	671.	702.	735.	766.
	36"	1 1/4"	20"	YPSB2036F	711.	746.	782.	818.	853.
	42"	1 1/4"	20"	YPSB2042F	739.	776.	812.	850.	887.
	48"	1 1/4"	20"	YPSB2048F	761.	799.	837.	875.	913.
	54"	1 1/4"	20"	YPSB2054F	818.	859.	898.	940.	980.
	60"	1 1/4"	20"	YPSB2060F	867.	911.	955.	998.	1,041.
	66"	1 1/4"	20"	YPSB2066FRR	907.	953.	998.	1,043.	1,088.
	72"	1 1/4"	20"	YPSB2072FRR	935.	981.	1,029.	1,074.	1,122.
Fabric Screens with Half Modesty For Desks, 42" High Horizon 	24"	1 1/4"	32"	YPSB3224F	700.	735.	770.	805.	840.
	27"	1 1/4"	32"	YPSB3227F	750.	788.	825.	863.	899.
	30"	1 1/4"	32"	YPSB3230F	773.	811.	850.	889.	927.
	36"	1 1/4"	32"	YPSB3236F	873.	917.	960.	1,004.	1,047.
	42"	1 1/4"	32"	YPSB3242F	924.	970.	1,016.	1,062.	1,108.
	48"	1 1/4"	32"	YPSB3248F	929.	976.	1,022.	1,069.	1,115.
	54"	1 1/4"	32"	YPSB3254F	1,007.	1,058.	1,108.	1,158.	1,209.
	60"	1 1/4"	32"	YPSB3260F	1,091.	1,147.	1,201.	1,255.	1,309.
	66"	1 1/4"	32"	YPSB3266FRR	1,242.	1,305.	1,367.	1,429.	1,491.
	72"	1 1/4"	32"	YPSB3272FRR	1,309.	1,376.	1,441.	1,506.	1,571.

Ordering Information	Order Code	Included With	Options
Desk Screens 1. Pattern Number 2. Inside Fabric Finish 3. Outside Fabric Finish 4. Frame Paint Finish 5. Bracket Paint Finish	Desk Screens <i>Example:</i> YPSB2048F, W351, 118T, 118T YPSB Desk Screen 20 Height 48 Width F Fabric W351 Foundation W351 Foundation 118T Bright White Paint 118T Bright White Paint	Desk Screens Brackets Hardware	Desk Screens The price of screens specified with a combination of fabrics is the higher of the two fabric grades. (RR) Fabric is applied railroaded



Desk Screens

Fabric

For 49" High Horizon

Reff Profiles Vol. One

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 49" High Horizon	24"	1 1/4"	26"	YPSB2624F	\$660.	\$694.	\$726.	\$760.	\$792.
	27"	1 1/4"	26"	YPSB2627F	688.	722.	758.	791.	826.
	30"	1 1/4"	26"	YPSB2630F	705.	741.	776.	811.	847.
	36"	1 1/4"	26"	YPSB2636F	789.	828.	868.	908.	947.
	42"	1 1/4"	26"	YPSB2642F	828.	869.	911.	953.	995.
	48"	1 1/4"	26"	YPSB2648F	890.	935.	979.	1,023.	1,068.
	54"	1 1/4"	26"	YPSB2654F	952.	1,000.	1,046.	1,094.	1,143.
	60"	1 1/4"	26"	YPSB2660F	992.	1,040.	1,090.	1,140.	1,189.
	66"	1 1/4"	26"	YPSB2666FRR	1,036.	1,087.	1,140.	1,191.	1,242.
	72"	1 1/4"	26"	YPSB2672FRR	1,081.	1,133.	1,189.	1,242.	1,297.
Fabric Screens with Half Modesty For Desks, 49" High Horizon	24"	1 1/4"	38"	YPSB3824F	756.	794.	831.	868.	907.
	27"	1 1/4"	38"	YPSB3827F	811.	852.	893.	934.	974.
	30"	1 1/4"	38"	YPSB3830F	833.	875.	918.	959.	1,001.
	36"	1 1/4"	38"	YPSB3836F	952.	1,000.	1,046.	1,094.	1,143.
	42"	1 1/4"	38"	YPSB3842F	1,007.	1,058.	1,108.	1,158.	1,209.
	48"	1 1/4"	38"	YPSB3848F	1,086.	1,142.	1,194.	1,248.	1,303.
	54"	1 1/4"	38"	YPSB3854F	1,143.	1,199.	1,256.	1,312.	1,370.
	60"	1 1/4"	38"	YPSB3860F	1,203.	1,264.	1,324.	1,384.	1,444.
	66"	1 1/4"	38"	YPSB3866FRR	1,349.	1,416.	1,484.	1,551.	1,618.
	72"	1 1/4"	38"	YPSB3872FRR	1,421.	1,494.	1,564.	1,635.	1,707.



Ordering Information	Order Code	Included With	Options
Desk Screens	Desk Screens	Desk Screens	Desk Screens
1. Pattern Number	<i>Example:</i> YPSB2648F, W351,	Brackets	The price of screens specified with a
2. Inside Fabric Finish	W351, 118T, 118T	Hardware	combination of fabrics is the higher
3. Outside Fabric Finish	YPSB Desk Screen		of the two fabric grades.
4. Frame Paint Finish	26 Height		(RR) Fabric is applied railroaded
5. Bracket Paint Finish	48 Width		
	F Fabric		
	W351 Foundation		
	W351 Foundation		
	118T Bright White Paint		
	118T Bright White Paint		

Desk Screens

Laminate, Markerboard or Veneer

For 42" High Horizon

Reff Profiles Vol. One

description	w	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty For Desks, 42" High Horizon	24"	3/4"	20"	YPSB2024()	\$247.	\$427.	\$474.	\$545.	\$709.
	27"	3/4"	20"	YPSB2027()	252.	432.	483.	557.	723.
	30"	3/4"	20"	YPSB2030()	254.	434.	495.	569.	740.
	36"	3/4"	20"	YPSB2036()	285.	548.	516.	593.	773.
	42"	3/4"	20"	YPSB2042()	291.	553.	555.	637.	828.
	48"	3/4"	20"	YPSB2048()	376.	886.	580.	667.	865.
	54"	3/4"	20"	YPSB2054()	383.	892.	601.	692.	898.
	60"	3/4"	20"	YPSB2060()	388.	897.	650.	747.	973.
	66"	3/4"	20"	YPSB2066()	395.	904.	679.	781.	1,015.
	72"	3/4"	20"	YPSB2072()	401.	910.	701.	806.	1,046.
Screens with Half Modesty For Desks, 42" High Horizon	24"	3/4"	32"	YPSB3224()	277.	656.	551.	633.	824.
	27"	3/4"	32"	YPSB3227()	283.	660.	574.	661.	861.
	30"	3/4"	32"	YPSB3230()	322.	666.	592.	681.	886.
	36"	3/4"	32"	YPSB3236()	379.	889.	627.	720.	937.
	42"	3/4"	32"	YPSB3242()	388.	897.	687.	790.	1,028.
	48"	3/4"	32"	YPSB3248()	409.	1,556.	720.	828.	1,078.
	54"	3/4"	32"	YPSB3254()	417.	1,564.	761.	875.	1,139.
	60"	3/4"	32"	YPSB3260()	569.	1,570.	840.	965.	1,255.
	66"	3/4"	32"	YPSB3266()	580.	1,579.	881.	1,012.	1,315.
	72"	3/4"	32"	YPSB3272()	588.	1,590.	913.	1,049.	1,366.

Ordering Information	Order Code	Included With	Options
Desk Screens	Desk Screens	Desk Screens	Desk Screens
1. Pattern Number	<i>Example:</i> YPSB2048V, V316,	Brackets	Finish Options:
2. Surface Finish	118T	Hardware	(L)= Laminate
3. Bracket Paint Finish	YPSB Desk Screen		(LM)= Markerboard
	20 Height		(V)= Veneer
	48 Width		
	V Veneer		
	V316 Maple		
	118T Bright White Paint		

Desk Screens

Laminate, Markerboard or Veneer

For 49" High Horizon

Reff Profiles Vol. One

description	w	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty For Desks, 49" High Horizon	24"	3/4"	26"	YPSB2624()	\$270.	\$649.	\$526.	\$605.	\$787.
	27"	3/4"	26"	YPSB2627()	274.	654.	539.	621.	807.
	30"	3/4"	26"	YPSB2630()	278.	657.	562.	647.	841.
	36"	3/4"	26"	YPSB2636()	286.	666.	590.	678.	883.
	42"	3/4"	26"	YPSB2642()	328.	673.	639.	735.	955.
	48"	3/4"	26"	YPSB2648()	359.	1,543.	674.	776.	1,008.
	54"	3/4"	26"	YPSB2654()	366.	1,551.	702.	806.	1,048.
	60"	3/4"	26"	YPSB2660()	386.	1,557.	781.	898.	1,167.
	66"	3/4"	26"	YPSB2666()	394.	1,566.	809.	930.	1,210.
	72"	3/4"	26"	YPSB2672()	505.	1,571.	837.	963.	1,252.
Screens with Half Modesty For Desks, 49" High Horizon	24"	3/4"	38"	YPSB3824()	321.	666.	588.	676.	879.
	27"	3/4"	38"	YPSB3827()	326.	670.	608.	700.	909.
	30"	3/4"	38"	YPSB3830()	330.	675.	628.	721.	938.
	36"	3/4"	38"	YPSB3836()	390.	898.	676.	777.	1,011.
	42"	3/4"	38"	YPSB3842()	403.	910.	743.	855.	1,112.
	48"	3/4"	38"	YPSB3848()	500.	1,567.	783.	900.	1,171.
	54"	3/4"	38"	YPSB3854()	512.	1,578.	830.	955.	1,241.
	60"	3/4"	38"	YPSB3860()	588.	1,590.	937.	1,077.	1,400.
	66"	3/4"	38"	YPSB3866()	598.	1,601.	983.	1,131.	1,471.
	72"	3/4"	38"	YPSB3872()	609.	1,611.	1,024.	1,178.	1,531.

Ordering Information	Order Code	Included With	Options
Desk Screens	Desk Screens	Desk Screens	Desk Screens
1. Pattern Number	<i>Example:</i> YPSB2648V, V316,	Brackets	Finish Options:
2. Surface Finish	118T	Hardware	(L)= Laminate
3. Bracket Paint Finish	YPSB Desk Screen		(LM)= Markerboard
	26 Height		(V)= Veneer
	48 Width		
	V Veneer		
	V316 Maple		
	118T Bright White Paint		


description	w	d	pattern no.	L	V1	V2	V3
Desk Top Cubbies	30"	10"	RDTC3010()	\$888.	\$1,110.	\$1,276.	\$1,658.
30" and 36"	36"	10"	RDTC3610()	1,003.	1,119.	1,288.	1,673.



Desk Top Cubbies	60"	10"	RDTC6010()	1,090.	1,362.	1,566.	2,036.
60" and 72"	72"	10"	RDTC7210()	1,112.	1,390.	1,598.	2,078.



Desk Top Cubbies	60"	10"	RDTCO6010()	1,204.	1,506.	1,731.	2,251.
Open	72"	10"	RDTCO7210()	1,221.	1,526.	1,754.	2,281.



Wall Mounted Cubbies	30"	10"	RRMC3010()	973.	1,217.	1,399.	1,819.
30" and 36"	36"	10"	RRMC3610()	983.	1,227.	1,412.	1,835.




Wall Mounted Cubbies	60"	10"	RRMC6010()	1,120.	1,399.	1,611.	2,095.
60" and 72"	72"	10"	RRMC7210()	1,143.	1,429.	1,643.	2,137.



Under Mounted Cubbies	30"	10"	RUMC3010()	941.	1,177.	1,354.	1,760.
30" and 36"	36"	10"	RUMC3610()	953.	1,191.	1,370.	1,780.



Under Mounted Cubbies	60"	10"	RUMC6010()	1,069.	1,335.	1,536.	1,998.
60" and 72"	72"	10"	RUMC7210()	1,096.	1,369.	1,575.	2,047.



Order Code	Specification Information	Application Notes
Example: RDTC3010() ()	<i>To order please specify pattern number including:</i>	Installation instruction sheets available on Knoll Exchange.
R Reff	1. Finish:	Product on this page Excluding any vertical surface over 48" , will accept wood grain laminate, where laminate is currently an option.
DT Desk Top	Laminate or wood	For Wall Mounted cubbies, please refer to reference number 6TP00086.
C Cubby		For Under Mounted cubbies, please refer to reference number 6TP00087.
30 Width		
10 Depth		
Finish		

Wall Mounting Suggestions

The following information is provided only as a guide, and represents minimum recommendations only. Knoll does not accept responsibility for the attachment of any Knoll product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Knoll products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Knoll products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each useable shelf length

NOTE: A cabinet's top is considered a "useable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Knoll supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

		EXISTING CONSTRUCTION				
	NEW CONSTRUCTION	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
Stud Specification	Wood studs, grade #2 or better, 3 1/2" minimum width, OR Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/ floor structure above	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum	N/A	Wood studs must be spaced at 16" c/c maximum	Wood studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/ floor structure above			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above		Metal studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof / floor structure above
Mounting the Knoll Supplied Cleat, Bracket, Frame, etc*	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet, and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the Danback™ as directed by the manufacturer) Fasten the Knoll supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Knoll supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6", and fasten the lower horizontal element to the wall every 16" Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.
*Graham Wall Hung Shelf	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	Fasten the Knoll supplied wall mounting brackets directly to the masonry wall, using the holes provided in each bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above
Fasten the Knoll supplied wall cleat with...	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	3/16" x 3 1/2" Tapcon Masonry Screws or equiv. @ 6" c/c with 1-1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking

Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ASBC18 (L/R)	206	R2ALPK64	80	R2DLS7936	118	R2T79C(F/T)-(4/6)	114
ASBC24 (L/R)	206	R2ALPK79	80	R2DLS7942	118	R2X42C	114
AWM1 S36	219	R2APT3418	79	R2DRS7936	118	R2X49C	114
AWM1 S42	219	R2APT3420	79	R2DRS7942	118	R2X64C	114
AWM1 S48	219	R2APT3424	79	R2ES34(A/B/C/E)(4/6)(E/N)	111	R2X79C	114
AWM1 S60	219	R2APT3430	79	R2ES42(A/B/C/E)(4/6)(E/N)	111	R3120Y34	110
AWM1 S66	219	R2APT3436	79	R2ES49(A/B/C/E)(4/6)(E/N)	111	R3120Y42	110
AWM1 S72	219	R2APT3442	79	R2ES64(A/B/C/E)(4/6)(E/N)	111	R3120Y49	110
AWM1 S78	219	R2APT3448	79	R2ES79(A/B/C/E)(4/6)(E/N)	111	R3120Y64	110
AWM1 S84	219	R2APT4218	79	R2HK0008	113	R3120Y79	110
ML4L17	271	R2APT4220	79	R2HK0015	113	R3135V34F	109
ML4L31	271	R2APT4224	79	R2HK0034	113	R3135V34T	109
ML4L44	271	R2APT4230	79	R2HK0042	113	R3135V42F	109
ML4L58	271	R2APT4236	79	R2HK0049	113	R3135V42T	109
MN2SO20	269	R2APT4242	79	R2HK0064	113	R3135V49F	109
MN2SO21	269	R2APT4248	79	R2HK0079	113	R3135V49T	109
MWM-J	270	R2APT4918	79	R2HKB042	113	R3135V64F	109
R113B	208	R2APT4920	79	R2HKB049	113	R3135V64T	109
R234PKIT	119	R2APT4924	79	R2HKB064	113	R3135V79F	109
R2AETK34	80	R2APT4930	79	R2HKB079	113	R3135V79T	109
R2AETK42	80	R2APT4936	79	R2HL3442ES(A/B/C/E)	111	R334PKIT	119
R2AETK49	80	R2APT4942	79	R2HL3442(F)CS	112	R3AK	119
R2AETK64	80	R2APT4948	79	R2HL3449ES(A/B/C/E)	111	R3AUAC10	105
R2AETK79	80	R2APT6418	79	R2HL3449(F)CS	112	R3B0PAA42 18	18
R2AHBW18	81	R2APT6420	79	R2HL3464ES(A/B/C/E)	111	R3B0PAA42 20	18
R2AHBW20	81	R2APT6424	79	R2HL3464(F/T)CS	112	R3B0PAA42 24	18
R2AHBW24	81	R2APT6430	79	R2HL3479ES(A/B/C/E)	111	R3B0PAA42 30	18
R2AHBW30	81	R2APT6436	79	R2HL3479(F/T)CS	112	R3B0PAA42 36	18
R2AHBW36	81	R2APT6442	79	R2HL4249ES(A/B/C/E)	111	R3B0PAA42 42	18
R2AHBW42	81	R2APT6448	79	R2HL4249ETS(A/B/C/E)	112	R3B0PAA42 48	18
R2AHBW48	81	R2APT7918	80	R2HL4249(F)CS	112	R3B0PAA42 60	18
R2AHCRC34	80	R2APT7920	80	R2HL4264ES(A/B/C/E)	111	R3B0PAA42 66	18
R2AHCRC42	80	R2APT7924	80	R2HL4264ETS(A/B/C/E)	112	R3B0PAA42 72	18
R2AHCRC49	80	R2APT7930	80	R2HL4264(F/T)CS	112	R3B0PAA49 18	25
R2AHCRC64	80	R2APT7936	80	R2HL4279ES(A/B/C/E)	111	R3B0PAA49 20	25
R2AHCRC79	80	R2APT7942	80	R2HL4279ETS(A/B/C/E)	112	R3B0PAA49 24	25
R2AHSR18	81	R2APT7948	80	R2HL4279(F/T)CS	112	R3B0PAA49 30	25
R2AHSR20	81	R2ATPK34	80	R2HL4964ES(A/B/C/E)	111	R3B0PAA49 36	25
R2AHSR24	81	R2ATPK42	80	R2HL4964(F)CS	112	R3B0PAA49 42	25
R2AHSR30	81	R2ATPK49	80	R2HL4979ES(A/B/C/E)	111	R3B0PAA49 48	25
R2AHSR36	81	R2ATPK64	80	R2HL4979(F/T)CS	112	R3B0PAA49 60	25
R2AHSR42	81	R2ATPK79	80	R2HL6479ES(A/B/C/E)	111	R3B0PAA49 66	25
R2AHSR48	81	R2B0TWA34 18	47	R2HL6479(F)CS	112	R3B0PAA49 72	25
R2AHTR18	81	R2B0TWA34 20	47	R2L42C(F/T)(F/T)-(4/6)	114	R3B0PAA64 18	32
R2AHTR20	81	R2B0TWA34 24	47	R2L49C(F/T)(F/T)-(4/6)	114	R3B0PAA64 20	32
R2AHTR24	81	R2B0TWA34 30	47	R2L64C(F/T)(F/T)-(4/6)	114	R3B0PAA64 24	32
R2AHTR30	81	R2B0TWA34 36	47	R2L79C(F/T)(F/T)-(4/6)	114	R3B0PAA64 30	32
R2AHTR36	81	R2B0TWA34 42	47	R2S42C(F/T)(F/T)-(4/6)	115	R3B0PAA64 36	32
R2AHTR42	81	R2B0TWA34 48	47	R2S49C(F/T)(F/T)-(4/6)	115	R3B0PAA64 42	32
R2AHTR48	81	R2B0TWB34 30	47	R2S64C(F/T)(F/T)-(4/6)	115	R3B0PAA64 48	32
R2AHWR18	81	R2B0TWB34 36	47	R2S79C(F/T)(F/T)-(4/6)	115	R3B0PAA64 60	32
R2AHWR20	81	R2B0TWB34 42	47	R2SWS0008	116	R3B0PAA64 66	32
R2AHWR24	81	R2B0TWB34 48	47	R2SWS0015	116	R3B0PAA64 72	32
R2AHWR30	81	R2B0TWC34 18	47	R2SWS0034	116	R3B0PAA79 18	39
R2AHWR36	81	R2B0TWC34 20	47	R2SWS0042	116	R3B0PAA79 20	39
R2AHWR42	81	R2B0TWC34 24	47	R2SWS0049	116	R3B0PAA79 24	39
R2AHWR48	81	R2B0TWC34 30	47	R2SWS0064	116	R3B0PAA79 30	39
R2AK	119	R2B0TWC34 36	47	R2SWS0079	116	R3B0PAA79 36	39
R2ALPK34	80	R2B0TWC34 42	47	R2T42C(F/T)-(4/6)	114	R3B0PAA79 42	39
R2ALPK42	80	R2B0TWC34 48	47	R2T49C(F/T)-(4/6)	114	R3B0PAA79 48	39
R2ALPK49	80	R2CCG	119	R2T64C(F/T)-(4/6)	114	R3B0PAA79 60	39

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B0PAA79 66	39	R3B0PF242 72	22	R3B0PF364 60	37	R3B0PFL3442	13
R3B0PAA79 72	39	R3B0PF249 18	29	R3B0PF364 66	37	R3B0PFL3448	13
R3B0PF13418	14	R3B0PF249 20	29	R3B0PF364 72	37	R3B0PFL42 18	20
R3B0PF13420	14	R3B0PF249 24	29	R3B0PF379 18	44	R3B0PFL42 20	20
R3B0PF13424	14	R3B0PF249 30	29	R3B0PF379 20	44	R3B0PFL42 24	20
R3B0PF13430	14	R3B0PF249 36	29	R3B0PF379 24	44	R3B0PFL42 30	20
R3B0PF13436	14	R3B0PF249 42	29	R3B0PF379 30	44	R3B0PFL42 36	20
R3B0PF13442	14	R3B0PF249 48	29	R3B0PF379 36	44	R3B0PFL42 42	20
R3B0PF13448	14	R3B0PF249 60	29	R3B0PF379 42	44	R3B0PFL42 48	20
R3B0PF142 18	21	R3B0PF249 66	29	R3B0PF379 48	44	R3B0PFL42 60	20
R3B0PF142 20	21	R3B0PF249 72	29	R3B0PF379 60	44	R3B0PFL42 66	20
R3B0PF142 24	21	R3B0PF264 18	36	R3B0PF379 66	44	R3B0PFL42 72	20
R3B0PF142 30	21	R3B0PF264 20	36	R3B0PF379 72	44	R3B0PFL49 18	27
R3B0PF142 36	21	R3B0PF264 24	36	R3B0PFF3418	12	R3B0PFL49 20	27
R3B0PF142 42	21	R3B0PF264 30	36	R3B0PFF3420	12	R3B0PFL49 24	27
R3B0PF142 48	21	R3B0PF264 36	36	R3B0PFF3424	12	R3B0PFL49 30	27
R3B0PF142 60	21	R3B0PF264 42	36	R3B0PFF3430	12	R3B0PFL49 36	27
R3B0PF142 66	21	R3B0PF264 48	36	R3B0PFF3436	12	R3B0PFL49 42	27
R3B0PF142 72	21	R3B0PF264 60	36	R3B0PFF3442	12	R3B0PFL49 48	27
R3B0PF149 18	28	R3B0PF264 66	36	R3B0PFF3448	12	R3B0PFL49 60	27
R3B0PF149 20	28	R3B0PF264 72	36	R3B0PFF42 18	18	R3B0PFL49 66	27
R3B0PF149 24	28	R3B0PF279 18	43	R3B0PFF42 20	18	R3B0PFL49 72	27
R3B0PF149 30	28	R3B0PF279 20	43	R3B0PFF42 24	18	R3B0PFL64 18	34
R3B0PF149 36	28	R3B0PF279 24	43	R3B0PFF42 30	18	R3B0PFL64 20	34
R3B0PF149 42	28	R3B0PF279 30	43	R3B0PFF42 36	18	R3B0PFL64 24	34
R3B0PF149 48	28	R3B0PF279 36	43	R3B0PFF42 42	18	R3B0PFL64 30	34
R3B0PF149 60	28	R3B0PF279 42	43	R3B0PFF42 48	18	R3B0PFL64 36	34
R3B0PF149 66	28	R3B0PF279 48	43	R3B0PFF42 60	18	R3B0PFL64 42	34
R3B0PF149 72	28	R3B0PF279 60	43	R3B0PFF42 66	18	R3B0PFL64 48	34
R3B0PF164 18	35	R3B0PF279 66	43	R3B0PFF42 72	18	R3B0PFL64 60	34
R3B0PF164 20	35	R3B0PF279 72	43	R3B0PFF49 18	25	R3B0PFL64 66	34
R3B0PF164 24	35	R3B0PF334 18	16	R3B0PFF49 20	25	R3B0PFL64 72	34
R3B0PF164 30	35	R3B0PF334 20	16	R3B0PFF49 24	25	R3B0PFL79 18	41
R3B0PF164 36	35	R3B0PF334 24	16	R3B0PFF49 30	25	R3B0PFL79 20	41
R3B0PF164 42	35	R3B0PF334 30	16	R3B0PFF49 36	25	R3B0PFL79 24	41
R3B0PF164 48	35	R3B0PF334 36	16	R3B0PFF49 42	25	R3B0PFL79 30	41
R3B0PF164 60	35	R3B0PF334 42	16	R3B0PFF49 48	25	R3B0PFL79 36	41
R3B0PF164 66	35	R3B0PF334 48	16	R3B0PFF49 60	25	R3B0PFL79 42	41
R3B0PF164 72	35	R3B0PF342 18	23	R3B0PFF49 66	25	R3B0PFL79 48	41
R3B0PF179 18	42	R3B0PF342 20	23	R3B0PFF49 72	25	R3B0PFL79 60	41
R3B0PF179 20	42	R3B0PF342 24	23	R3B0PFF64 18	32	R3B0PFL79 66	41
R3B0PF179 24	42	R3B0PF342 30	23	R3B0PFF64 20	32	R3B0PFL79 72	41
R3B0PF179 30	42	R3B0PF342 36	23	R3B0PFF64 24	32	R3B0PLL3418	17
R3B0PF179 36	42	R3B0PF342 42	23	R3B0PFF64 30	32	R3B0PLL3420	17
R3B0PF179 42	42	R3B0PF342 48	23	R3B0PFF64 36	32	R3B0PLL3424	17
R3B0PF179 48	42	R3B0PF342 60	23	R3B0PFF64 42	32	R3B0PLL3430	17
R3B0PF179 60	42	R3B0PF342 66	23	R3B0PFF64 48	32	R3B0PLL3436	17
R3B0PF179 66	42	R3B0PF342 72	23	R3B0PFF64 60	32	R3B0PLL3442	17
R3B0PF179 72	42	R3B0PF349 18	30	R3B0PFF64 66	32	R3B0PLL3448	17
R3B0PF234 18	15	R3B0PF349 20	30	R3B0PFF64 72	32	R3B0PLA4218	24
R3B0PF234 20	15	R3B0PF349 24	30	R3B0PFF79 18	39	R3B0PLA4220	24
R3B0PF234 24	15	R3B0PF349 30	30	R3B0PFF79 20	39	R3B0PLA4224	24
R3B0PF234 30	15	R3B0PF349 36	30	R3B0PFF79 24	39	R3B0PLA4230	24
R3B0PF234 36	15	R3B0PF349 42	30	R3B0PFF79 30	39	R3B0PLA4236	24
R3B0PF234 42	15	R3B0PF349 48	30	R3B0PFF79 36	39	R3B0PLA4242	24
R3B0PF234 48	15	R3B0PF349 60	30	R3B0PFF79 42	39	R3B0PLA4248	24
R3B0PF242 18	22	R3B0PF349 66	30	R3B0PFF79 48	39	R3B0PLA4260	24
R3B0PF242 20	22	R3B0PF349 72	30	R3B0PFF79 60	39	R3B0PLA4266	24
R3B0PF242 24	22	R3B0PF364 18	37	R3B0PFF79 66	39	R3B0PLA4272	24
R3B0PF242 30	22	R3B0PF364 20	37	R3B0PFF79 72	39	R3B0PLA4918	31
R3B0PF242 36	22	R3B0PF364 24	37	R3B0PFL3418	13	R3B0PLA4920	31
R3B0PF242 42	22	R3B0PF364 30	37	R3B0PFL3420	13	R3B0PLA4924	31
R3B0PF242 48	22	R3B0PF364 36	37	R3B0PFL3424	13	R3B0PLA4930	31
R3B0PF242 60	22	R3B0PF364 42	37	R3B0PFL3430	13	R3B0PLA4936	31
R3B0PF242 66	22	R3B0PF364 48	37	R3B0PFL3436	13	R3B0PLA4942	31

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B0PLL4948	31	R3B0TF142 48	54	R3B0TF342 20	56	R3B0TFL34 30	48
R3B0PLL4960	31	R3B0TF149 18	61	R3B0TF342 24	56	R3B0TFL34 36	48
R3B0PLL4966	31	R3B0TF149 20	61	R3B0TF342 30	56	R3B0TFL34 42	48
R3B0PLL4972	31	R3B0TF149 24	61	R3B0TF342 36	56	R3B0TFL34 48	48
R3B0PLL6418	38	R3B0TF149 30	61	R3B0TF342 42	56	R3B0TFL42 18	53
R3B0PLL6420	38	R3B0TF149 36	61	R3B0TF342 48	56	R3B0TFL42 20	53
R3B0PLL6424	38	R3B0TF149 42	61	R3B0TF349 18	63	R3B0TFL42 24	53
R3B0PLL6430	38	R3B0TF149 48	61	R3B0TF349 20	63	R3B0TFL42 30	53
R3B0PLL6436	38	R3B0TF164 18	68	R3B0TF349 24	63	R3B0TFL42 36	53
R3B0PLL6442	38	R3B0TF164 20	68	R3B0TF349 30	63	R3B0TFL42 42	53
R3B0PLL6448	38	R3B0TF164 24	68	R3B0TF349 36	63	R3B0TFL42 48	53
R3B0PLL6460	38	R3B0TF164 30	68	R3B0TF349 42	63	R3B0TFL49 18	60
R3B0PLL6466	38	R3B0TF164 36	68	R3B0TF349 48	63	R3B0TFL49 20	60
R3B0PLL6472	38	R3B0TF164 42	68	R3B0TF364 18	70	R3B0TFL49 24	60
R3B0PLL7918	45	R3B0TF164 48	68	R3B0TF364 20	70	R3B0TFL49 30	60
R3B0PLL7920	45	R3B0TF179 18	75	R3B0TF364 24	70	R3B0TFL49 36	60
R3B0PLL7924	45	R3B0TF179 20	75	R3B0TF364 30	70	R3B0TFL49 42	60
R3B0PLL7930	45	R3B0TF179 24	75	R3B0TF364 36	70	R3B0TFL49 48	60
R3B0PLL7936	45	R3B0TF179 30	75	R3B0TF364 42	70	R3B0TFL64 18	67
R3B0PLL7942	45	R3B0TF179 36	75	R3B0TF364 48	70	R3B0TFL64 20	67
R3B0PLL7948	45	R3B0TF179 42	75	R3B0TF379 18	77	R3B0TFL64 24	67
R3B0PLL7960	45	R3B0TF179 48	75	R3B0TF379 20	77	R3B0TFL64 30	67
R3B0PLL7966	45	R3B0TF234 18	49	R3B0TF379 24	77	R3B0TFL64 36	67
R3B0PLL7972	45	R3B0TF234 20	49	R3B0TF379 30	77	R3B0TFL64 42	67
R3B0TAA42 18	51	R3B0TF234 24	49	R3B0TF379 36	77	R3B0TFL64 48	67
R3B0TAA42 20	51	R3B0TF234 30	49	R3B0TF379 42	77	R3B0TFL79 18	74
R3B0TAA42 24	51	R3B0TF234 36	49	R3B0TF379 48	77	R3B0TFL79 20	74
R3B0TAA42 30	51	R3B0TF234 42	49	R3B0TFF34 18	46	R3B0TFL79 24	74
R3B0TAA42 36	51	R3B0TF234 48	49	R3B0TFF34 20	46	R3B0TFL79 30	74
R3B0TAA42 42	51	R3B0TF242 18	55	R3B0TFF34 24	46	R3B0TFL79 36	74
R3B0TAA42 48	51	R3B0TF242 20	55	R3B0TFF34 30	46	R3B0TFL79 42	74
R3B0TAA49 18	58	R3B0TF242 24	55	R3B0TFF34 36	46	R3B0TFL79 48	74
R3B0TAA49 20	58	R3B0TF242 30	55	R3B0TFF34 42	46	R3B0TLL3418	50
R3B0TAA49 24	58	R3B0TF242 36	55	R3B0TFF34 48	46	R3B0TLL3420	50
R3B0TAA49 30	58	R3B0TF242 42	55	R3B0TFF42 18	51	R3B0TLL3424	50
R3B0TAA49 36	58	R3B0TF242 48	55	R3B0TFF42 20	51	R3B0TLL3430	50
R3B0TAA49 42	58	R3B0TF249 18	62	R3B0TFF42 24	51	R3B0TLL3436	50
R3B0TAA49 48	58	R3B0TF249 20	62	R3B0TFF42 30	51	R3B0TLL3442	50
R3B0TAA64 18	65	R3B0TF249 24	62	R3B0TFF42 36	51	R3B0TLL3448	50
R3B0TAA64 20	65	R3B0TF249 30	62	R3B0TFF42 42	51	R3B0TLL4218	57
R3B0TAA64 24	65	R3B0TF249 36	62	R3B0TFF42 48	51	R3B0TLL4220	57
R3B0TAA64 30	65	R3B0TF249 42	62	R3B0TFF49 18	58	R3B0TLL4224	57
R3B0TAA64 36	65	R3B0TF249 48	62	R3B0TFF49 20	58	R3B0TLL4230	57
R3B0TAA64 42	65	R3B0TF264 18	69	R3B0TFF49 24	58	R3B0TLL4236	57
R3B0TAA64 48	65	R3B0TF264 20	69	R3B0TFF49 30	58	R3B0TLL4242	57
R3B0TAA79 18	72	R3B0TF264 24	69	R3B0TFF49 36	58	R3B0TLL4248	57
R3B0TAA79 20	72	R3B0TF264 30	69	R3B0TFF49 42	58	R3B0TLL4918	64
R3B0TAA79 24	72	R3B0TF264 36	69	R3B0TFF49 48	58	R3B0TLL4920	64
R3B0TAA79 30	72	R3B0TF264 42	69	R3B0TFF64 18	65	R3B0TLL4924	64
R3B0TAA79 36	72	R3B0TF264 48	69	R3B0TFF64 20	65	R3B0TLL4930	64
R3B0TAA79 42	72	R3B0TF279 18	76	R3B0TFF64 24	65	R3B0TLL4936	64
R3B0TAA79 48	72	R3B0TF279 20	76	R3B0TFF64 30	65	R3B0TLL4942	64
R3B0TF134 18	48	R3B0TF279 24	76	R3B0TFF64 36	65	R3B0TLL4948	64
R3B0TF134 20	48	R3B0TF279 30	76	R3B0TFF64 42	65	R3B0TLL6418	71
R3B0TF134 24	48	R3B0TF279 36	76	R3B0TFF64 48	65	R3B0TLL6420	71
R3B0TF134 30	48	R3B0TF279 42	76	R3B0TFF79 18	72	R3B0TLL6424	71
R3B0TF134 36	48	R3B0TF279 48	76	R3B0TFF79 20	72	R3B0TLL6430	71
R3B0TF134 42	48	R3B0TF334 18	49	R3B0TFF79 24	72	R3B0TLL6436	71
R3B0TF134 48	48	R3B0TF334 20	49	R3B0TFF79 30	72	R3B0TLL6442	71
R3B0TF142 18	54	R3B0TF334 24	49	R3B0TFF79 36	72	R3B0TLL6448	71
R3B0TF142 20	54	R3B0TF334 30	49	R3B0TFF79 42	72	R3B0TLL7918	78
R3B0TF142 24	54	R3B0TF334 36	49	R3B0TFF79 48	72	R3B0TLL7920	78
R3B0TF142 30	54	R3B0TF334 42	49	R3B0TFL34 18	48	R3B0TLL7924	78
R3B0TF142 36	54	R3B0TF334 48	49	R3B0TFL34 20	48	R3B0TLL7930	78
R3B0TF142 42	54	R3B0TF342 18	56	R3B0TFL34 24	48	R3B0TLL7936	78

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B0TLL7942	78	R3B1PF279 30	43	R3B1PFF49 36	26	R3B1PFLB49 42	87
R3B0TLL7948	78	R3B1PF279 36	43	R3B1PFF49 42	26	R3B1PFLB49 48	87
R3B1PF142 18	21	R3B1PF279 42	43	R3B1PFF49 48	26	R3B1TF142 18	54
R3B1PF142 20	21	R3B1PF279 48	43	R3B1PFF64 18	33	R3B1TF142 20	54
R3B1PF142 24	21	R3B1PF2A49 18	93	R3B1PFF64 20	33	R3B1TF142 24	54
R3B1PF142 30	21	R3B1PF2A49 20	93	R3B1PFF64 24	33	R3B1TF142 30	54
R3B1PF142 36	21	R3B1PF2A49 24	93	R3B1PFF64 30	33	R3B1TF142 36	54
R3B1PF142 42	21	R3B1PF2A49 30	93	R3B1PFF64 36	33	R3B1TF142 42	54
R3B1PF142 48	21	R3B1PF2A49 36	93	R3B1PFF64 42	33	R3B1TF142 48	54
R3B1PF149 18	28	R3B1PF2A49 42	93	R3B1PFF64 48	33	R3B1TF149 18	61
R3B1PF149 20	28	R3B1PF2A49 48	93	R3B1PFF79 18	40	R3B1TF149 20	61
R3B1PF149 24	28	R3B1PF2B49 30	93	R3B1PFF79 20	40	R3B1TF149 24	61
R3B1PF149 30	28	R3B1PF2B49 36	93	R3B1PFF79 24	40	R3B1TF149 30	61
R3B1PF149 36	28	R3B1PF2B49 42	93	R3B1PFF79 30	40	R3B1TF149 36	61
R3B1PF149 42	28	R3B1PF2B49 48	93	R3B1PFF79 36	40	R3B1TF149 42	61
R3B1PF149 48	28	R3B1PF342 18	23	R3B1PFF79 42	40	R3B1TF149 48	61
R3B1PF164 18	35	R3B1PF342 20	23	R3B1PFF79 48	40	R3B1TF164 18	68
R3B1PF164 20	35	R3B1PF342 24	23	R3B1PFFA49 18	84	R3B1TF164 20	68
R3B1PF164 24	35	R3B1PF342 30	23	R3B1PFFA49 20	84	R3B1TF164 24	68
R3B1PF164 30	35	R3B1PF342 36	23	R3B1PFFA49 24	84	R3B1TF164 30	68
R3B1PF164 36	35	R3B1PF342 42	23	R3B1PFFA49 30	84	R3B1TF164 36	68
R3B1PF164 42	35	R3B1PF342 48	23	R3B1PFFA49 36	84	R3B1TF164 42	68
R3B1PF164 48	35	R3B1PF349 18	30	R3B1PFFA49 42	84	R3B1TF164 48	68
R3B1PF179 18	42	R3B1PF349 20	30	R3B1PFFA49 48	84	R3B1TF179 18	75
R3B1PF179 20	42	R3B1PF349 24	30	R3B1PFFB49 30	84	R3B1TF179 20	75
R3B1PF179 24	42	R3B1PF349 30	30	R3B1PFFB49 36	84	R3B1TF179 24	75
R3B1PF179 30	42	R3B1PF349 36	30	R3B1PFFB49 42	84	R3B1TF179 30	75
R3B1PF179 36	42	R3B1PF349 42	30	R3B1PFFB49 48	84	R3B1TF179 36	75
R3B1PF179 42	42	R3B1PF349 48	30	R3B1PFL42 18	20	R3B1TF179 42	75
R3B1PF179 48	42	R3B1PF364 18	37	R3B1PFL42 20	20	R3B1TF179 48	75
R3B1PFLA49 18	90	R3B1PF364 20	37	R3B1PFL42 24	20	R3B1TF1A49 18	88
R3B1PFLA49 20	90	R3B1PF364 24	37	R3B1PFL42 30	20	R3B1TF1A49 20	88
R3B1PFLA49 24	90	R3B1PF364 30	37	R3B1PFL42 36	20	R3B1TF1A49 24	88
R3B1PFLA49 30	90	R3B1PF364 36	37	R3B1PFL42 42	20	R3B1TF1A49 30	88
R3B1PFLA49 36	90	R3B1PF364 42	37	R3B1PFL42 48	20	R3B1TF1A49 36	88
R3B1PFLA49 42	90	R3B1PF364 48	37	R3B1PFL49 18	27	R3B1TF1A49 42	88
R3B1PFLA49 48	90	R3B1PF379 18	44	R3B1PFL49 20	27	R3B1TF1A49 48	88
R3B1PFLB49 30	90	R3B1PF379 20	44	R3B1PFL49 24	27	R3B1TF1B49 30	89
R3B1PFLB49 36	90	R3B1PF379 24	44	R3B1PFL49 30	27	R3B1TF1B49 36	89
R3B1PFLB49 42	90	R3B1PF379 30	44	R3B1PFL49 36	27	R3B1TF1B49 42	89
R3B1PFLB49 48	90	R3B1PF379 36	44	R3B1PFL49 42	27	R3B1TF1B49 48	89
R3B1PF242 18	22	R3B1PF379 42	44	R3B1PFL49 48	27	R3B1TF242 18	55
R3B1PF242 20	22	R3B1PF379 48	44	R3B1PFL64 18	34	R3B1TF242 20	55
R3B1PF242 24	22	R3B1PF3A49 18	95	R3B1PFL64 20	34	R3B1TF242 24	55
R3B1PF242 30	22	R3B1PF3A49 20	95	R3B1PFL64 24	34	R3B1TF242 30	55
R3B1PF242 36	22	R3B1PF3A49 24	95	R3B1PFL64 30	34	R3B1TF242 36	55
R3B1PF242 42	22	R3B1PF3A49 30	95	R3B1PFL64 36	34	R3B1TF242 42	55
R3B1PF242 48	22	R3B1PF3A49 36	95	R3B1PFL64 42	34	R3B1TF242 48	55
R3B1PF249 18	29	R3B1PF3A49 42	95	R3B1PFL64 48	34	R3B1TF249 18	62
R3B1PF249 20	29	R3B1PF3A49 48	95	R3B1PFL79 18	41	R3B1TF249 20	62
R3B1PF249 24	29	R3B1PF3B49 30	95	R3B1PFL79 20	41	R3B1TF249 24	62
R3B1PF249 30	29	R3B1PF3B49 36	95	R3B1PFL79 24	41	R3B1TF249 30	62
R3B1PF249 36	29	R3B1PF3B49 42	95	R3B1PFL79 30	41	R3B1TF249 36	62
R3B1PF249 42	29	R3B1PF3B49 48	95	R3B1PFL79 36	41	R3B1TF249 42	62
R3B1PFF249 48	29	R3B1PFF42 18	19	R3B1PFL79 42	41	R3B1TF249 48	62
R3B1PF264 18	36	R3B1PFF42 20	19	R3B1PFL79 48	41	R3B1TF264 18	69
R3B1PF264 20	36	R3B1PFF42 24	19	R3B1PFLA49 18	87	R3B1TF264 20	69
R3B1PF264 24	36	R3B1PFF42 30	19	R3B1PFLA49 20	87	R3B1TF264 24	69
R3B1PF264 30	36	R3B1PFF42 36	19	R3B1PFLA49 24	87	R3B1TF264 30	69
R3B1PF264 36	36	R3B1PFF42 42	19	R3B1PFLA49 30	87	R3B1TF264 36	69
R3B1PF264 42	36	R3B1PFF42 48	19	R3B1PFLA49 36	87	R3B1TF264 42	69
R3B1PF264 48	36	R3B1PFF49 18	26	R3B1PFLA49 42	87	R3B1TF264 48	69
R3B1PFF279 18	43	R3B1PFF49 20	26	R3B1PFLA49 48	87	R3B1TF279 18	76
R3B1PFF279 20	43	R3B1PFF49 24	26	R3B1PFLB49 30	87	R3B1TF279 20	76
R3B1PFF279 24	43	R3B1PFF49 30	26	R3B1PFLB49 36	87	R3B1TF279 24	76

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B1TF279 30	76	R3B1TFF49 36	59	R3B1TFLB49 42	86	R3B2TFF79 30	73
R3B1TF279 36	76	R3B1TFF49 42	59	R3B1TFLB49 48	86	R3B2TFF79 36	73
R3B1TF279 42	76	R3B1TFF49 48	59	R3B2PFF42 18	19	R3B2TFF79 42	73
R3B1TF279 48	76	R3B1TFF64 18	66	R3B2PFF42 20	19	R3B2TFF79 48	73
R3B1TF2A49 18	91	R3B1TFF64 20	66	R3B2PFF42 24	19	R3B2TFFA49 18	96
R3B1TF2A49 20	91	R3B1TFF64 24	66	R3B2PFF42 30	19	R3B2TFFA49 20	96
R3B1TF2A49 24	91	R3B1TFF64 30	66	R3B2PFF42 36	19	R3B2TFFA49 24	96
R3B1TF2A49 30	91	R3B1TFF64 36	66	R3B2PFF42 42	19	R3B2TFFA49 30	96
R3B1TF2A49 36	91	R3B1TFF64 42	66	R3B2PFF42 48	19	R3B2TFFA49 36	96
R3B1TF2A49 42	91	R3B1TFF64 48	66	R3B2PFF49 18	26	R3B2TFFA49 42	96
R3B1TF2A49 48	91	R3B1TFF79 18	73	R3B2PFF49 20	26	R3B2TFFA49 48	96
R3B1TF2B49 30	92	R3B1TFF79 20	73	R3B2PFF49 24	26	R3B2TFFB49 30	96
R3B1TF2B49 36	92	R3B1TFF79 24	73	R3B2PFF49 30	26	R3B2TFFB49 36	96
R3B1TF2B49 42	92	R3B1TFF79 30	73	R3B2PFF49 36	26	R3B2TFFB49 42	96
R3B1TF2B49 48	92	R3B1TFF79 36	73	R3B2PFF49 42	26	R3B2TFFB49 48	96
R3B1TF342 18	56	R3B1TFF79 42	73	R3B2PFF49 48	26	R3CRTT60	100
R3B1TF342 20	56	R3B1TFF79 48	73	R3B2PFF64 18	33	R3CRTT72	100
R3B1TF342 24	56	R3B1TFFA49 18	82	R3B2PFF64 20	33	R3CRTT84	100
R3B1TF342 30	56	R3B1TFFA49 20	82	R3B2PFF64 24	33	R3CRTT96	100
R3B1TF342 36	56	R3B1TFFA49 24	82	R3B2PFF64 30	33	R3FTCE104(F/T)(F/T)(F/T)	127
R3B1TF342 42	56	R3B1TFFA49 30	82	R3B2PFF64 36	33	R3FTCE108(F/T)(F/T)(F/T)	127
R3B1TF342 48	56	R3B1TFFA49 36	82	R3B2PFF64 42	33	R3FTCE120(F/T)(F/T)(F/T)	127
R3B1TF349 18	63	R3B1TFFA49 42	82	R3B2PFF64 48	33	R3FTCE21	127
R3B1TF349 20	63	R3B1TFFA49 48	82	R3B2PFF79 18	40	R3FTCE25	127
R3B1TF349 24	63	R3B1TFFB49 30	83	R3B2PFF79 20	40	R3FTCE37	127
R3B1TF349 30	63	R3B1TFFB49 36	83	R3B2PFF79 24	40	R3FTCF12118	123
R3B1TF349 36	63	R3B1TFFB49 42	83	R3B2PFF79 30	40	R3FTCF12120	123
R3B1TF349 42	63	R3B1TFFB49 48	83	R3B2PFF79 36	40	R3FTCF12124	123
R3B1TF349 48	63	R3B1TFL42 18	53	R3B2PFF79 42	40	R3FTCF12130	123
R3B1TF364 18	70	R3B1TFL42 20	53	R3B2PFF79 48	40	R3FTCF12136	123
R3B1TF364 20	70	R3B1TFL42 24	53	R3B2PFFA49 18	97	R3FTCF12142	123
R3B1TF364 24	70	R3B1TFL42 30	53	R3B2PFFA49 20	97	R3FTCF12148	123
R3B1TF364 30	70	R3B1TFL42 36	53	R3B2PFFA49 24	97	R3FTCF12518	124
R3B1TF364 36	70	R3B1TFL42 42	53	R3B2PFFA49 30	97	R3FTCF12520	124
R3B1TF364 42	70	R3B1TFL42 48	53	R3B2PFFA49 36	97	R3FTCF12524	124
R3B1TF364 48	70	R3B1TFL49 18	60	R3B2PFFA49 42	97	R3FTCF12530	124
R3B1TF379 18	77	R3B1TFL49 20	60	R3B2PFFA49 48	97	R3FTCF12536	124
R3B1TF379 20	77	R3B1TFL49 24	60	R3B2PFFB49 30	97	R3FTCF12542	124
R3B1TF379 24	77	R3B1TFL49 30	60	R3B2PFFB49 36	97	R3FTCF12548	124
R3B1TF379 30	77	R3B1TFL49 36	60	R3B2PFFB49 42	97	R3FTCF13718	126
R3B1TF379 36	77	R3B1TFL49 42	60	R3B2PFFB49 48	97	R3FTCF13720	126
R3B1TF379 42	77	R3B1TFL49 48	60	R3B2TFF42 18	52	R3FTCF13724	126
R3B1TF379 48	77	R3B1TFL64 18	67	R3B2TFF42 20	52	R3FTCF13730	126
R3B1TF3A49 18	94	R3B1TFL64 20	67	R3B2TFF42 24	52	R3FTCF13736	126
R3B1TF3A49 20	94	R3B1TFL64 24	67	R3B2TFF42 30	52	R3FTCF13742	126
R3B1TF3A49 24	94	R3B1TFL64 30	67	R3B2TFF42 36	52	R3FTCF13748	126
R3B1TF3A49 30	94	R3B1TFL64 36	67	R3B2TFF42 42	52	R3FTCF22118	123
R3B1TF3A49 36	94	R3B1TFL64 42	67	R3B2TFF42 48	52	R3FTCF22120	123
R3B1TF3A49 42	94	R3B1TFL64 48	67	R3B2TFF49 18	59	R3FTCF22124	123
R3B1TF3A49 48	94	R3B1TFL79 18	74	R3B2TFF49 20	59	R3FTCF22130	123
R3B1TF3B49 30	94	R3B1TFL79 20	74	R3B2TFF49 24	59	R3FTCF22136	123
R3B1TF3B49 36	94	R3B1TFL79 24	74	R3B2TFF49 30	59	R3FTCF22142	123
R3B1TF3B49 42	94	R3B1TFL79 30	74	R3B2TFF49 36	59	R3FTCF22148	123
R3B1TF3B49 48	94	R3B1TFL79 36	74	R3B2TFF49 42	59	R3FTCF22518	125
R3B1TFF42 18	52	R3B1TFL79 42	74	R3B2TFF49 48	59	R3FTCF22520	125
R3B1TFF42 20	52	R3B1TFL79 48	74	R3B2TFF64 18	66	R3FTCF22524	125
R3B1TFF42 24	52	R3B1TFLA49 18	85	R3B2TFF64 20	66	R3FTCF22530	125
R3B1TFF42 30	52	R3B1TFLA49 20	85	R3B2TFF64 24	66	R3FTCF22536	125
R3B1TFF42 36	52	R3B1TFLA49 24	85	R3B2TFF64 30	66	R3FTCF22542	125
R3B1TFF42 42	52	R3B1TFLA49 30	85	R3B2TFF64 36	66	R3FTCF22548	125
R3B1TFF42 48	52	R3B1TFLA49 36	85	R3B2TFF64 42	66	R3FTCF23718	126
R3B1TFF49 18	59	R3B1TFLA49 42	85	R3B2TFF64 48	66	R3FTCF23720	126
R3B1TFF49 20	59	R3B1TFLA49 48	85	R3B2TFF79 18	73	R3FTCF23724	126
R3B1TFF49 24	59	R3B1TFLB49 30	86	R3B2TFF79 20	73	R3FTCF23730	126
R3B1TFF49 30	59	R3B1TFLB49 36	86	R3B2TFF79 24	73	R3FTCF23736	126

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3FTCF23742	126	R3FTCL104(F/T)(F/T)	127	R3S49(B)(F/T)(F/T)	108	R3SFL0848	101
R3FTCF23748	126	R3FTCL108(F/T)(F/T)	127	R3S64(B)(F/T)(F/T)	108	R3SFL1518	102
R3FTCF321 18	124	R3FTCL120(F/T)(F/T)	127	R3S79(B)(F/T)(F/T)	108	R3SFL1520	102
R3FTCF321 20	124	R3FTCL21	127	R3SF10818	101	R3SFL1524	102
R3FTCF321 24	124	R3FTCL25	127	R3SF10820	101	R3SFL1530	102
R3FTCF321 30	124	R3FTCL37	127	R3SF10824	101	R3SFL1536	102
R3FTCF321 36	124	R3FTCS104(F/T)(F/T)	127	R3SF10830	101	R3SFL1542	102
R3FTCF321 42	124	R3FTCS108(F/T)(F/T)	127	R3SF10836	101	R3SFL1548	102
R3FTCF321 48	124	R3FTCS120(F/T)(F/T)	127	R3SF10842	101	R3SKIT	105
R3FTCF325 18	125	R3FTCS21	127	R3SF10848	101	R3SLL0818	102
R3FTCF325 20	125	R3FTCS25	127	R3SF11518	102	R3SLL0820	102
R3FTCF325 24	125	R3FTCS37	127	R3SF11520	102	R3SLL0824	102
R3FTCF325 30	125	R3FTCSM (Pair) for G3 only	128	R3SF11524	102	R3SLL0830	102
R3FTCF325 36	125	R3FTCT104(F/T)	127	R3SF11530	102	R3SLL0836	102
R3FTCF325 42	125	R3FTCT108(F/T)	127	R3SF11536	102	R3SLL0842	102
R3FTCF325 48	125	R3FTCT120(F/T)	127	R3SF11542	102	R3SLL0848	102
R3FTCF337 18	126	R3FTCT21	127	R3SF11548	102	R3SLL1518	103
R3FTCF337 20	126	R3FTCT25	127	R3SF20818	101	R3SLL1520	103
R3FTCF337 24	126	R3FTCT37	127	R3SF20820	101	R3SLL1524	103
R3FTCF337 30	126	R3FTCX104	127	R3SF20824	101	R3SLL1530	103
R3FTCF337 36	126	R3FTCX108	127	R3SF20830	101	R3SLL1536	103
R3FTCF337 42	126	R3FTCX120	127	R3SF20836	101	R3SLL1542	103
R3FTCF337 48	126	R3FTCX21	127	R3SF20842	101	R3SLL1548	103
R3FTCFF2118	120	R3FTCX25	127	R3SF20848	101	R3SMP	329
R3FTCFF2120	120	R3FTCX37	127	R3SF21518	102	R3SPABPT	116
R3FTCFF2124	120	R3GAU0818	104	R3SF21520	102	R3SPABTD	116
R3FTCFF2130	120	R3GAU0820	104	R3SF21524	102	R3SPABTT	116
R3FTCFF2136	120	R3GAU0824	104	R3SF21530	102	R3SPABTW	116
R3FTCFF2142	120	R3GAU0830	104	R3SF21536	102	R3T08T	106
R3FTCFF2148	120	R3GAU0836	104	R3SF21542	102	R3T15T	106
R3FTCFF2518	121	R3GAU0842	104	R3SF21548	102	R3T34(F/T)	106
R3FTCFF2520	121	R3GAU0848	104	R3SF30818	101	R3T42(B)(F/T)	106
R3FTCFF2524	121	R3GAU1518	104	R3SF30820	101	R3T49(B)(F/T)	106
R3FTCFF2530	121	R3GAU1520	104	R3SF30824	101	R3T64(B)(F/T)	106
R3FTCFF2536	121	R3GAU1524	104	R3SF30830	101	R3T79(B)(F/T)	106
R3FTCFF2542	121	R3GAU1530	104	R3SF30836	101	R3X08	108
R3FTCFF2548	121	R3GAU1536	104	R3SF30842	101	R3X15	108
R3FTCFF3718	122	R3GAU1542	104	R3SF30848	101	R3X34	108
R3FTCFF3720	122	R3GAU1548	104	R3SF315 18	103	R3X42(B)	108
R3FTCFF3724	122	R3GAUHL0818	104	R3SF315 20	103	R3X49(B)	108
R3FTCFF3730	122	R3GAUHL0820	104	R3SF315 24	103	R3X64(B)	108
R3FTCFF3736	122	R3GAUHL0824	104	R3SF315 30	103	R3X79(B)	108
R3FTCFF3742	122	R3GAUHL0830	104	R3SF315 36	103	R5ZNNE (3 dividers)	332
R3FTCFF3748	122	R3GAUHL0836	104	R3SF315 42	103	RAMTB	273
R3FTCFL2118	123	R3GAUHL0842	104	R3SF315 48	103	RAMTC24	273
R3FTCFL2120	123	R3GAUHL0848	104	R3SFF08 18	98	RAMTC30	273
R3FTCFL2124	123	R3GAUHL1518	104	R3SFF08 20	98	RAMTC36	273
R3FTCFL2130	123	R3GAUHL1520	104	R3SFF08 24	98	RAMTC42	273
R3FTCFL2136	123	R3GAUHL1524	104	R3SFF08 30	98	RAMTC48	273
R3FTCFL2142	123	R3GAUHL1530	104	R3SFF08 36	98	RAMTC54	273
R3FTCFL2148	123	R3GAUHL1536	104	R3SFF08 42	98	RAMTC60	273
R3FTCFL2518	124	R3GAUHL1542	104	R3SFF08 48	98	RAMTC66	273
R3FTCFL2520	124	R3GAUHL1548	104	R3SFF15 18	98	RAMTC72	273
R3FTCFL2524	124	R3L08TT	106	R3SFF15 20	98	RAMTCH24	273
R3FTCFL2530	124	R3L15TT	106	R3SFF15 24	98	RAMTCH30	273
R3FTCFL2536	124	R3L34(F/T)(F/T)	106	R3SFF15 30	98	RAMTCH36	273
R3FTCFL2542	124	R3L42(B)(F/T)(F/T)	106	R3SFF15 36	98	RAMTCH42	273
R3FTCFL2548	124	R3L49(B)(F/T)(F/T)	106	R3SFF15 42	98	RAMTCH48	273
R3FTCFL3718	126	R3L64(B)(F/T)(F/T)	106	R3SFF15 48	98	RAMTCH54	273
R3FTCFL3720	126	R3L79(B)(F/T)(F/T)	106	R3SFL0818	101	RAMTCH60	273
R3FTCFL3724	126	R3R2SLV	107, 108, 119	R3SFL0820	101	RAMTCH66	273
R3FTCFL3730	126	R3S08TT	108	R3SFL0824	101	RAMTCH72	273
R3FTCFL3736	126	R3S15TT	108	R3SFL0830	101	RAMTT	273
R3FTCFL3742	126	R3S34(F/T)(F/T)	108	R3SFL0836	101	RAUH	326
R3FTCFL3748	126	R3S42(B)(F/T)(F/T)	108	R3SFL0842	101	RB24(M/H)(F/R)	209

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RB30(M/H)(F/R)	209	RBWM	320	RC663D	243	RCA404023N	155
RB3636	209	RBZ (A/B) (Pair)	207	RC663E(L/R)	239, 242	RCA423611	151
RB3642	209	RC412C(L/R)	232, 234	RC663F	238, 241	RCA423612	152
RB3648	209	RC413C(L/R)	232, 234	RC663G	238, 241	RCA423621	151
RB36(M/H)(F/R)	209	RC423M(L/R)	253, 254	RC663H	237, 240	RCA423622	152
RB40MR	175	RC423N(L/R)	253, 254	RC663I	244	RCA424211	151
RB4236	209	RC431B	232, 234	RC663P	238, 241	RCA424212	152
RB4242	209	RC432B	232, 234	RC712C(L/R)	248, 251	RCA424221	151
RB4248	209	RC432C	232, 234	RC712D(L/R)	251	RCA424222	152
RB42(M/H)(F/R)	209	RC432D	235	RC712G(L/R)	246, 250	RCA424811	151
RB4836	209	RC432F	233, 236	RC712P(L/R)	247, 250	RCA424812	152
RB4842	209	RC433B	232, 234	RC713C(L/R)	248, 251	RCA424821	151
RB4848	209	RC433C	232, 234	RC713D(L/R)	251	RCA424822	152
RB48(M/H)(F/R)	209	RC433D	235	RC713G(L/R)	246, 250	RCA464623N	155
RB52MR	175	RC433F	233, 236	RC713P(L/R)	247, 250	RCA464629N	155
RB54(M/H)(F/R)	209	RC461B	232, 234	RC723M(L/R)	253, 254	RCA483611	151
RB60(M/H)(F/R)	209	RC462B	232, 234	RC723N(L/R)	253, 254	RCA483612	152
RB64MR	175	RC462C	232, 234	RC732B	245, 249	RCA483621	151
RB66(M/H)(F/R)	209	RC462D	235	RC732C	248, 251	RCA483622	152
RB72(M/H)(F/R)	209	RC462F	233, 236	RC732D	251	RCA484211	151
RB78(M/H)(F/R)	209	RC463B	232, 234	RC732E(L/R)	248, 251	RCA484212	152
RB84(M/H)(F/R)	209	RC463C	232, 234	RC732F	246, 250	RCA484221	151
RB90(M/H)(F/R)	209	RC463D	235	RC732G	246, 250	RCA484222	152
RB96(M/H)(F/R)	209	RC463F	233, 236	RC732H	245, 249	RCA484811	151
RBC18 (L/R)	206	RC612C(L/R)	239, 242	RC732I	252	RCA484812	152
RBC24 (L/R)	206	RC612D(L/R)	243	RC732P	247, 250	RCA484821	151
RBCC	207	RC612G(L/R)	238, 241	RC733B	245, 249	RCA484822	152
RBCCP (Pair)	207	RC612P(L/R)	238, 241	RC733C	248, 251	RCA(A/B/C/D/E/F/G)F363611	169
RBDD	319	RC613C(L/R)	239, 242	RC733D	251	RCA(A/B/C/D/E/F/G)F363612	169
RBDP6030JK(A,B)	285, 286, 287	RC613D(L/R)	243	RC733E(L/R)	248, 251	RCA(A/B/C/D/E/F/G)F363621	170
RBDP7230JK(A,B)	285, 286, 287	RC613G(L/R)	238, 241	RC733F	246, 250	RCA(A/B/C/D/E/F/G)F363622	170
RBDP8430JK(A,B)	285, 286, 287	RC613P(L/R)	238, 241	RC733G	246, 250	RCA(A/B/C/D/E/F/G)F364211	169
RBDP9630JK(A,B)	285, 286, 287	RC623M(L/R)	253, 254	RC733H	245, 249	RCA(A/B/C/D/E/F/G)F364212	169
RBDW	319	RC623N(L/R)	253, 254	RC733I	252	RCA(A/B/C/D/E/F/G)F364221	170
RBF (Pair)	207	RC631B	237, 240	RC733P	247, 250	RCA(A/B/C/D/E/F/G)F364222	170
RBPE(L/R)	319	RC632B	237, 240	RC762B	245, 249	RCA(A/B/C/D/E/F/G)F364811	169
RBPP (L/R)	207	RC632C	239, 242	RC762C	248, 251	RCA(A/B/C/D/E/F/G)F364812	169
RBPR (Pair)	208	RC632D	243	RC762D	251	RCA(A/B/C/D/E/F/G)F364821	170
RBPS (L/R)	208	RC632E(L/R)	239, 242	RC762E(L/R)	248, 251	RCA(A/B/C/D/E/F/G)F364822	170
RBR3624(A,B,W)	294, 295, 296	RC632F	238, 241	RC762F	246, 250	RCA(A/B/C/D/E/F/G)F423611	169
RBR3630(A,B,W)	294, 295, 296	RC632G	238, 241	RC762G	246, 250	RCA(A/B/C/D/E/F/G)F423612	169
RBR36H	261	RC632H	237, 240	RC762H	245, 249	RCA(A/B/C/D/E/F/G)F423621	170
RBR36M	261	RC632I	244	RC762I	252	RCA(A/B/C/D/E/F/G)F423622	170
RBR4224(A,B,W)	294, 295, 296	RC632P	238, 241	RC762P	247, 250	RCA(A/B/C/D/E/F/G)F424211	169
RBR4230(A,B,W)	294, 295, 296	RC633B	237, 240	RC763B	245, 249	RCA(A/B/C/D/E/F/G)F424212	169
RBR42H	261	RC633C	239, 242	RC763C	248, 251	RCA(A/B/C/D/E/F/G)F424221	170
RBR42M	261	RC633D	243	RC763D	251	RCA(A/B/C/D/E/F/G)F424222	170
RBR4824(A,B,W)	294, 295, 296	RC633E(L/R)	239, 242	RC763E(L/R)	248, 251	RCA(A/B/C/D/E/F/G)F424811	169
RBR4830(A,B,W)	294, 295, 296	RC633F	238, 241	RC763F	246, 250	RCA(A/B/C/D/E/F/G)F424812	169
RBR48H	261	RC633G	238, 241	RC763G	246, 250	RCA(A/B/C/D/E/F/G)F424821	170
RBR48M	261	RC633H	237, 240	RC763H	245, 249	RCA(A/B/C/D/E/F/G)F424822	170
RBR54H	261	RC633I	244	RC763I	252	RCA(A/B/C/D/E/F/G)F483611	169
RBR54M	261	RC633P	238, 241	RC763P	247, 250	RCA(A/B/C/D/E/F/G)F483612	169
RBR60H	261	RC661B	237, 240	RCA363611	151	RCA(A/B/C/D/E/F/G)F483621	170
RBR60M	261	RC662B	237, 240	RCA363612	152	RCA(A/B/C/D/E/F/G)F483622	170
RBR66H	261	RC662C	239, 242	RCA363621	151	RCA(A/B/C/D/E/F/G)F484211	169
RBR66M	261	RC662D	243	RCA363622	152	RCA(A/B/C/D/E/F/G)F484212	169
RBR72H	261	RC662E(L/R)	239, 242	RCA364211	151	RCA(A/B/C/D/E/F/G)F484221	170
RBR72M	261	RC662F	238, 241	RCA364212	152	RCA(A/B/C/D/E/F/G)F484222	170
RBSP6030J(A,B)	282, 283, 284	RC662G	238, 241	RCA364221	151	RCA(A/B/C/D/E/F/G)F484811	169
RBSP7230J(A,B)	282, 283, 284	RC662H	237, 240	RCA364222	152	RCA(A/B/C/D/E/F/G)F484812	169
RBSP8430J(A,B)	282, 283, 284	RC662I	244	RCA364811	151	RCA(A/B/C/D/E/F/G)F484821	170
RBSP9630J(A,B)	282, 283, 284	RC662P	238, 241	RCA364812	152	RCA(A/B/C/D/E/F/G)F484822	170
RBWC24	208	RC663B	237, 240	RCA364821	151	RCABT1417	325
RBWC30	208	RC663C	239, 242	RCA364822	152	RCABT2917	325

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCACR16	325	RCDFMR72361	278	RCE1L4878SSN	181	RCE842	184
RCACR30	325	RCDFMR84301	278	RCE1L4884SSN	181	RCE901	184
RCACR30H	325	RCDFMR84361	278	RCE1L6042SSN	181	RCE902	184
RCACR36	325	RCDFMR96301	278	RCE1L6048DSN	181	RCE961	184
RCACR36H	325	RCDFMR96361	278	RCE1L6048SDN	181	RCE962	184
RCASL	325	RCDHMR60301	279	RCE1L6048SSN	181	RCEAL223660	154
RCB20T	211	RCDHMR60361	279	RCE1L6642SSN	181	RCEAL223672	154
RCB24T	211	RCDHMR72301	279	RCE1L6648DSN	181	RCEAL224260	154
RCB24X	214	RCDHMR72361	279	RCE1L6648SDN	181	RCEAL224272	154
RCB28X	214	RCDHMR84301	279	RCE1L6648SSN	181	RCEAL224872	154
RCB30T	211	RCDHMR84361	279	RCE1L7242SSN	181	RCEAL224884	154
RCB36X	214	RCDHMR96301	279	RCE1L7248DSN	181	RCEAL224896	154
RCB40T	211	RCDHMR96361	279	RCE1L7248SDN	181	RCEAR223660	154
RCC30	321	RCDP6024K(A,B)	297, 298, 299	RCE1L7248SSN	181	RCEAR223672	154
RCC40	321	RCDP7224K(A,B)	297, 298, 299	RCE1L7842SSN	181	RCEAR224260	154
RCCDLA23672	153	RCDP8424K(A,B)	297, 298, 299	RCE1L7848SSN	181	RCEAR224272	154
RCCDLA23678	153	RCDP9624K(A,B)	297, 298, 299	RCE1L8448SSN	181	RCEAR224872	154
RCCDLA23684	153	RCDQMR60301	280	RCE1R1212G	329	RCEAR224884	154
RCCDLA23696	153	RCDQMR60361	280	RCE1R2424N	178	RCEAR224896	154
RCCDLA33672	153	RCDQMR72301	280	RCE1R2430N	178	RCEEG1021	185
RCCDLA33678	153	RCDQMR72361	280	RCE1R3024N	178	RCEEG1022	185
RCCDLA33684	153	RCDQMR84301	280	RCE1R3030N	178	RCEEG1081	185
RCCDLA33696	153	RCDQMR84361	280	RCE1R3624N	178	RCEEG1082	185
RCCDRA23672	153	RCDQMR96301	280	RCE1R3630N	178	RCEEG601	185
RCCDRA23678	153	RCDQMR96361	280	RCE1R4224N	178	RCEEG602	185
RCCDRA23684	153	RCE1021	184	RCE1R4230N	178	RCEEG661	185
RCCDRA23696	153	RCE1022	184	RCE1R4824N	178	RCEEG662	185
RCCDRA33672	153	RCE1081	184	RCE1R4830N	178	RCEEG721	185
RCCDRA33678	153	RCE1082	184	RCE1R5424N	178	RCEEG722	185
RCCDRA33684	153	RCE1BD6648D(L/R)	179	RCE1R5430N	178	RCEEG781	185
RCCDRA33696	153	RCE1BD6648S(L/R)	179	RCE1R6024N	178	RCEEG782	185
RCD1021	186	RCE1BD7248D(L/R)	179	RCE1R6030N	178	RCEEG841	185
RCD1022	186	RCE1BD7248S(L/R)	179	RCE1R6624N	178	RCEEG842	185
RCD1081	186	RCE1BD7848D(L/R)	179	RCE1R6630N	178	RCEEG901	185
RCD1082	186	RCE1BD7848S(L/R)	179	RCE1R7224N	178	RCEEG902	185
RCD3L6024K(A,B)	297, 298, 299	RCE1BD8448D(L/R)	179	RCE1R7230N	178	RCEEG961	185
RCD3L8424K(A,B)	297, 298, 299	RCE1BD8448S(L/R)	179	RCE1R7824N	178	RCEEG962	185
RCD3L9624K(A,B)	297, 298, 299	RCE1CR24L	182	RCE1R7830N	178	RCOUNTWT	230, 231, 324
RCD601	186	RCE1CR24N	182	RCE1R8424N	178	RCP41-(F/L/1/2/3)*	115
RCD602	186	RCE1CR24R	182	RCE1R8430N	178	RCP56-(F/L/1/2/3)*	115
RCD661	186	RCE1H4818	182	RCE1R9024N	178	RCP71-(F/L/1/2/3)*	115
RCD662	186	RCE1H4818P	182	RCE1R9030N	178	RCP78-(F/L/1/2/3)*	115
RCD6L7224K(A,B)	297, 298, 299	RCE1H6024	182	RCE1R9624N	178	RCS3L6024K(A,B)	291, 292, 293
RCD6L9624K(A,B)	297, 298, 299	RCE1H6024P	182	RCE1R9630N	178	RCS3L7224K(A,B)	291, 292, 293
RCD721	186	RCE1L3636SSN	180	RCE1W362430N	183	RCS3L8424K(A,B)	291, 292, 293
RCD722	186	RCE1L4242DSN	180	RCE1W363024N	183	RCS3L9624K(A,B)	291, 292, 293
RCD781	186	RCE1L4242SDN	180	RCE1W422430N	183	RCS6L6024K(A,B)	291, 292, 293
RCD782	186	RCE1L4242SSN	180	RCE1W423024N	183	RCS6L7224K(A,B)	291, 292, 293
RCD841	186	RCE1L4260SSN	181	RCE1W482430N	183	RCS6L8424K(A,B)	291, 292, 293
RCD842	186	RCE1L4266SSN	181	RCE1W483024N	183	RCS6L9624K(A,B)	291, 292, 293
RCD901	186	RCE1L4272SSN	181	RCE1W722430N	183	RCS6L9624K(A,B)	291, 292, 293
RCD902	186	RCE1L4278SSN	181	RCE1W723024N	183	RCS6L9624K(A,B)	291, 292, 293
RCD961	186	RCE1L4848DDN	180	RCE301	184	RCS6L9624K(A,B)	291, 292, 293
RCD962	186	RCE1L4848DSN	180	RCE302	184	RCS6L9624K(A,B)	291, 292, 293
RCDFMF60301	281	RCE1L4848SDN	180	RCE361	184	RCS6L9624K(A,B)	291, 292, 293
RCDFMF60361	281	RCE1L4848SSN	180	RCE362	184	RCTRLE361	202
RCDFMF72301	281	RCE1L4860DSN	181	RCE601	184	RCTRLE363	204
RCDFMF72361	281	RCE1L4860SDN	181	RCE602	184	RCTRLE421	202
RCDFMF84301	281	RCE1L4860SSN	181	RCE661	184	RCTRLE423	204
RCDFMF84361	281	RCE1L4866DSN	181	RCE662	184	RCTRWE361	203
RCDFMF96301	281	RCE1L4866SDN	181	RCE721	184	RCTRWE363	205
RCDFMF96361	281	RCE1L4866SSN	181	RCE722	184	RCTRWE421	203
RCDFMR60301	278	RCE1L4872DSN	181	RCE781	184	RCTRWE423	205
RCDFMR60361	278	RCE1L4872SDN	181	RCE782	184	RCTSLE361	202
RCDFMR72301	278	RCE1L4872SSN	181	RCE841	184	RCTSLE363	204
						RCTSLE421	202

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCTSLE423	204	RDTC60120(B/W)	317	RE12F	210	RFTCWT (Pair)	128
RCTSWE361	203	RDTC6072(B/W)	317	RE15F	210	RGAB421	274
RCTSWE363	205	RDTC60H(B/W)	317	RE19F	210	RGAB481	274
RCTSWE421	203	RDTCO6010	344	RE23F	210	RGAB541	274
RCTSWE423	205	RDTCO7210	344	RE29F	210	RGAB601	274
RCTTLE30481	202	RDTD22120(B/W)	312	RE30	210	RGAB661	274
RCTTLE30483	204	RDTD2272(B/W)	312	RE36	210	RGAB721	274
RCTTLE36541	202	RDTD22H(B/W)	312	REBA6030	158	RGAB781	274
RCTTLE36543	204	RDTD2U120(B/W)	312	REBA7242	158	RGAB841	274
RCTTWE30481	203	RDTD2U72(B/W)	312	REBA7848	158	RGAB901	274
RCTTWE30483	205	RDTD2UH(B/W)	312	REBA(A/B/C/D/E/F/G)A6030	175	RGAB961	274
RCTTWE36541	203	RDTD31U120(B/W)	312	REBA(A/B/C/D/E/F/G)A7242	175	RGAF622	274
RCTTWE36543	205	RDTD31U72(B/W)	312	REBA(A/B/C/D/E/F/G)A7848	175	RGAF623	274
RDADB	318	RDTD31UH(B/W)	312	REBH24	175	RGAF682	274
RDAH	318	RDTD33120(B/W)	313	REBH30	175	RGAF683	274
RDAS	318	RDTD3372(B/W)	313	RFDR30	332	RGAF742	274
RDAV	318	RDTD33H(B/W)	313	RFDR36	332	RGAF743	274
RDDP6030JK(A,B)	285, 286, 287	RDTD3U120(B/W)	313	RFDR42	332	RGAF802	274
RDDP6036JK(A,B)	285, 286, 287	RDTD3U72(B/W)	313	RFDR48	332	RGAF803	274
RDDP7230JK(A,B)	285, 286, 287	RDTD3UH(B/W)	313	RFDR60	332	RGAF862	274
RDDP7236JK(A,B)	285, 286, 287	RDTD40120(B/W)	312	RFDR72	332	RGAF863	274
RDDP8430JK(A,B)	285, 286, 287	RDTD4072(B/W)	312	RFDR84	332	RGAF922	274
RDDP8436JK(A,B)	285, 286, 287	RDTD40H(B/W)	312	RFDR96	332	RGAF923	274
RDDP9630JK(A,B)	285, 286, 287	RDTD42120(B/W)	313	RFTCC108	128	RGAF982	274
RDDP9636JK(A,B)	285, 286, 287	RDTD4272(B/W)	313	RFTCCCLIPS	128	RGAF983	274
RDHMLD	325	RDTD42H(B/W)	313	RFTCDR (Pair)	128	RGAL431	276
RDSP6030J(A,B)	282, 283, 284	RDTD4U120(B/W)	313	RFTCG1 (Pair)	128	RGAL432	276
RDSP6036J(A,B)	282, 283, 284	RDTD4U72(B/W)	313	RFTCSM (Pair) for G2 only	128	RGAL433	276
RDSP7230J(A,B)	282, 283, 284	RDTD4UH(B/W)	313	RFTCSPACE	128	RGAL491	276
RDSP7236J(A,B)	282, 283, 284	RDTD60120(B/W)	313	RFTCWA2118	120	RGAL492	276
RDSP8430J(A,B)	282, 283, 284	RDTD6072(B/W)	313	RFTCWA2120	120	RGAL493	276
RDSP8436J(A,B)	282, 283, 284	RDTD60H(B/W)	313	RFTCWA2124	120	RGAL551	276
RDSP9630J(A,B)	282, 283, 284	RDTGA	311	RFTCWA2130	120	RGAL552	276
RDSP9636J(A,B)	282, 283, 284	RDTGB	311	RFTCWA2136	120	RGAL553	276
RDTC3010	344	RDTGC	311	RFTCWA2142	120	RGAL611	276
RDTC3610	344	RDTIME22120(B/W)	314	RFTCWA2148	120	RGAL612	276
RDTC6010	344	RDTIME2272(B/W)	314	RFTCWA2518	121	RGAL613	276
RDTC7210	344	RDTIME22H(B/W)	314	RFTCWA2520	121	RGAL671	276
RDTC22120(B/W)	316	RDTIME2U120(B/W)	314	RFTCWA2524	121	RGAL672	276
RDTC2272(B/W)	316	RDTIME2U72(B/W)	314	RFTCWA2530	121	RGAL673	276
RDTC22H(B/W)	316	RDTIME2UH(B/W)	314	RFTCWA2536	121	RGAL731	276
RDTC2U120(B/W)	316	RDTIME31120(B/W)	314	RFTCWA2542	121	RGAL732	276
RDTC2U72(B/W)	316	RDTIME3172(B/W)	314	RFTCWA2548	121	RGAL733	276
RDTC2UH(B/W)	316	RDTIME31H(B/W)	314	RFTCWA3718	122	RGAL791	276
RDTC31120(B/W)	316	RDTIME31U120(B/W)	314	RFTCWA3720	122	RGAL792	276
RDTC3172(B/W)	316	RDTIME31U72(B/W)	314	RFTCWA3724	122	RGAL793	276
RDTC31H(B/W)	316	RDTIME31UH(B/W)	314	RFTCWA3730	122	RGAL851	276
RDTC31U120(B/W)	316	RDTIME33120(B/W)	315	RFTCWA3736	122	RGAL852	276
RDTC31U72(B/W)	316	RDTIME3372(B/W)	315	RFTCWA3742	122	RGAL853	276
RDTC31UH(B/W)	316	RDTIME33H(B/W)	315	RFTCWA3748	122	RGAL911	276
RDTC33120(B/W)	317	RDTIME3U120(B/W)	315	RFTCWB2130	120	RGAL912	276
RDTC3372(B/W)	317	RDTIME3U72(B/W)	315	RFTCWB2136	120	RGAL913	276
RDTC33H(B/W)	317	RDTIME3UH(B/W)	315	RFTCWB2142	120	RGAL971	276
RDTC3U120(B/W)	317	RDTIME40120(B/W)	314	RFTCWB2148	120	RGAL972	276
RDTC3U72(B/W)	317	RDTIME4072(B/W)	314	RFTCWB2530	121	RGAL973	276
RDTC3UH(B/W)	317	RDTIME40H(B/W)	314	RFTCWB2536	121	RGAR431	275
RDTC40120(B/W)	316	RDTIME42120(B/W)	315	RFTCWB2542	121	RGAR432	275
RDTC4072(B/W)	316	RDTIME4272(B/W)	315	RFTCWB2548	121	RGAR433	275
RDTC40H(B/W)	316	RDTIME42H(B/W)	315	RFTCWB3730	122	RGAR491	275
RDTC42120(B/W)	317	RDTIME4U120(B/W)	315	RFTCWB3736	122	RGAR492	275
RDTC4272(B/W)	317	RDTIME4U72(B/W)	315	RFTCWB3742	122	RGAR493	275
RDTC42H(B/W)	317	RDTIME4UH(B/W)	315	RFTCWB3748	122	RGAR551	275
RDTC4U120(B/W)	317	RDTIME60120(B/W)	315	RFTCWS21S	128	RGAR552	275
RDTC4U72(B/W)	317	RDTIME6072(B/W)	315	RFTCWS25S	128	RGAR553	275
RDTC4UH(B/W)	317	RDTIME60H(B/W)	315	RFTCWS37S	128	RGAR611	275

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCAR612	275	RJBW60	320	RMDA4230	156	RO1-WMF2	270
RCAR613	275	RJBW66	320	RMDA4236	156	RO1-WMF3	270
RCAR671	275	RJBW72	320	RMDA4830	156	RO1-WMF4	270
RCAR672	275	RKA 363611	147	RMDA4836	156	RO2-NS20	269
RCAR673	275	RKA 363612	148	RMDA5025	156	RO2-NS21	269
RCAR731	275	RKA 363621	148	RMDA5430	156	RO3-M24	263
RCAR732	275	RKA 363622	147	RMDA5436	156	RO3-M30	263
RCAR733	275	RKA 364211	147	RMDA6030	156	RO3-M36	263
RCAR791	275	RKA 364212	148	RMDA6036	156	RO3-M42	263
RCAR792	275	RKA 364221	148	RMDA6630	156	RO3-M48	263
RCAR793	275	RKA 364222	147	RMDA6636	156	RO3-M60	263, 264
RCAR851	275	RKA 364811	147	RMDA7230	156	RO3-M66	263, 264
RCAR852	275	RKA 364812	148	RMDA7236	156	RO3-M72	263, 264
RCAR853	275	RKA 364821	148	RMDA7830	156	RO3-N24	265
RCAR911	275	RKA 364822	147	RMDA7836	156	RO3-N30	265
RCAR912	275	RKA 423611	147	RMDA8430	156	RO3-N36	265
RCAR913	275	RKA 423612	148	RMDA8436	156	RO3-N42	265
RCAR971	275	RKA 423621	148	RMDA9030	156	RO3-N48	265
RCAR972	275	RKA 423622	147	RMDA9036	156	RO3-N60	265
RCAR973	275	RKA 424211	147	RMDA9630	156	RO3-N66	265
RCMD6	136	RKA 424212	148	RMDA9636	156	RO3-N72	265
RCMD8	136	RKA 424221	148	RMDA(A/B/C/D/E/F/G)F4221	173	RO3-OM30	268
RCMDE	136	RKA 424222	147	RMDA(A/B/C/D/E/F/G)F4230	173	RO3-OM36	268
RGS60	274	RKA 424811	147	RMDA(A/B/C/D/E/F/G)F4236	173	RO3-OM42	268
RGS66	274	RKA 424812	148	RMDA(A/B/C/D/E/F/G)F4830	173	RO3-OM48	268
RGS72	274	RKA 424821	148	RMDA(A/B/C/D/E/F/G)F4836	173	RO3-OM60	268
RGS78	274	RKA 424822	147	RMDA(A/B/C/D/E/F/G)F5025	173	RO3-OM72	268
RGS84	274	RKA 483611	147	RMDA(A/B/C/D/E/F/G)F5430	173	RO3-ON30	268
RGS90	274	RKA 483612	148	RMDA(A/B/C/D/E/F/G)F5436	173	RO3-ON36	268
RGS96	274	RKA 483621	148	RMDA(A/B/C/D/E/F/G)F6030	173	RO3-ON42	268
RCTL4636	277	RKA 483622	147	RMDA(A/B/C/D/E/F/G)F6036	173	RO3-ON48	268
RGTR4636	277	RKA 484211	147	RMDA(A/B/C/D/E/F/G)F6630	173	RO3-ON60	268
RHSC15	119	RKA 484212	148	RMDA(A/B/C/D/E/F/G)F6636	173	RO3-ON72	268
RHSC250	119	RKA 484221	148	RMDA(A/B/C/D/E/F/G)F7230	173	RO3-RD30	268
RHSC70	119	RKA 484222	147	RMDA(A/B/C/D/E/F/G)F7236	173	RO3-RD36	268
RIB24T	211	RKA 484811	147	RMDA(A/B/C/D/E/F/G)F7830	173	RO3-RD42	268
RIB28X	214	RKA 484812	148	RMDA(A/B/C/D/E/F/G)F7836	173	RO3-RD48	268
RIB32X	214	RKA 484821	148	RMDA(A/B/C/D/E/F/G)F8430	173	RO3-RD60	268
RIP1201	188	RKA 484822	147	RMDA(A/B/C/D/E/F/G)F8436	173	RO3-RD72	268
RIP1241	188	RKT31	325	RMDA(A/B/C/D/E/F/G)F9030	173	RO3-VP	264, 266, 268
RIP1301	188	RM111J	230, 231	RMDA(A/B/C/D/E/F/G)F9036	173	ROAF60S0()	260
RIP1361	188	RM112J	230, 231	RMDA(A/B/C/D/E/F/G)F9630	173	ROAF60S1()	260
RIP0201	188	RM212J	230, 231	RMDA(A/B/C/D/E/F/G)F9636	173	ROAF72S0()	260
RIP0241	188	RM212K	230, 231	RMPA4230	157	ROAF72S1()	260
RIP0301	188	RM9A4230	157	RMPA4836	157	ROAF84S0()	260
RIP0361	188	RM9A4836	157	RMPA8430	158	ROAF84S1()	260
RIP0C201	188	RM9A8430	157	RMPA9630	158	ROAF96S0()	260
RIP0C241	188	RM9A9630	157	RMPA(A/B/C/D/E/F/G)F4230	174	ROAF96S1()	260
RIP0C301	188	RM9A(A/B/C/D/E/F/G)F4230	174	RMPA(A/B/C/D/E/F/G)F4836	174	ROAH60T0()	260
RIP0C361	188	RM9A(A/B/C/D/E/F/G)F4836	174	RMPA(A/B/C/D/E/F/G)F8430	174	ROAH60T1()	260
RJBU24	320	RM9A(A/B/C/D/E/F/G)F8430	174	RMPA(A/B/C/D/E/F/G)F9630	174	ROAH72T0()	260
RJBU30	320	RM9A(A/B/C/D/E/F/G)F9630	174	RMSCB	206	ROAH72T1()	260
RJBU36	320	RMB(A)7230	159	RO1-CB	269	ROAH90T0()	260
RJBU42	320	RMB(A)7236	159	RO1-DPB	269	ROAH90T1()	260
RJBU48	320	RMB(A)8430	159	RO1-ECB	269	ROAH96T0()	260
RJBU54	320	RMB(A)8436	159	RO1-EPB	269	ROAH96T1()	260
RJBU60	320	RMB(A)9630	159	RO1-GB	270	ROAO60T0()	260
RJBU66	320	RMB(A)9636	159	RO1-HP12	264, 266, 267, 268	ROAO60T1()	260
RJBU72	320	RMBA(A/B/C/D/E/F/G)A7230	175	RO1-HP15	264, 266, 267, 268	ROAO72T0()	260
RJBW24	320	RMBA(A/B/C/D/E/F/G)A7236	175	RO1-HP6	264, 266, 267, 268	ROAO72T1()	260
RJBW30	320	RMBA(A/B/C/D/E/F/G)A8430	175	RO1-HP9	264, 266, 267, 268	ROAO90T0()	260
RJBW36	320	RMBA(A/B/C/D/E/F/G)A8436	175	RO1-MPB	269	ROAO90T1()	260
RJBW42	320	RMBA(A/B/C/D/E/F/G)A9630	175	RO1-PULL	270	ROAO96T0()	260
RJBW48	320	RMBA(A/B/C/D/E/F/G)A9636	175	RO1-RCB	269	ROAO96T1()	260
RJBW54	320	RMDA4221	156	RO1-RPB	269	ROHDR30	332

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROHDR36	332	ROPO96S0()	256	RP231L	226, 228	RPHLA279(F/T)	116
ROHDR42	332	ROPO96T0()	256	RP231M	226, 228	RPHLA279S	116
ROHDR48	332	ROPS30S0NN	257	RP232K	220, 223	RPHLA964(F/T)	116
ROHDR60	332	ROPS36S0NN	257	RP232L	226, 228	RPHLA964S	116
ROHDR72	332	ROPS42S0NN	257	RP232M	226, 228	RPHLA979(F/T)	116
ROHDR90	332	ROPS48S0NN	257	RP261K	220, 223	RPHLA979S	116
ROHDR96	332	ROPS54S0NN	257	RP261L	226, 228	RPHL6479(F/T)	116
ROHMTF160	327	ROPS60S0NN	257	RP261M	226, 228	RPHL6479S	116
ROHMTF166	327	ROPS66S0NN	257	RP262K	220, 223	RPHTB3024	322
ROHMTF172	327	ROPS72S0NN	257	RP262L	226, 228	RPHTB4224	322
ROHMTF178	327	ROPS78S0NN	257	RP262M	226, 228	RPHWBM3024	322
ROHMTF184	327	ROPS84S0NN	257	RPAB16	231	RPHWBM4224	322
ROHMTF190	327	ROPS90S0NN	257	RPAB19	231	RPL1	212
ROHMTF196	327	ROPS96S0NN	257	RPAB30	231	RPMTRAY	324
ROHMTF160	328	ROWH60S0()	258	RPAB36	231	RPOFL260201	213
ROHMTF166	328	ROWH60S1()	258	RPAD	324	RPOFL260241	213
ROHMTF172	328	ROWH60T0()	258	RPADKIT	324	RPOFL260301	213
ROHMTF178	328	ROWH60T1()	258	RPADSS	324	RPOFL260361	213
ROHMTF184	328	ROWH72S0()	258	RPAHFB16	324	RPOFL266201	213
ROHMTF190	328	ROWH72S1()	258	RPAHFB30	324	RPOFL266241	213
ROHMTF196	328	ROWH72T0()	258	RPAHFB36	324	RPOFL266301	213
ROMF30S0()	255	ROWH72T1()	258	RPAHFM162	324	RPOFL266361	213
ROMF36S0()	255	ROWH90S0()	258	RPAHFM30	324	RPOFL272201	213
ROMF42S0()	255	ROWH90S1()	258	RPAHFM36	324	RPOFL272241	213
ROMF48S0()	255	ROWH90T0()	258	RPAPT	324	RPOFL272301	213
ROMF60S0()	255	ROWH90T1()	258	RPB211J	221, 224	RPOFL272361	213
ROMF72S0()	255	ROWH96S0()	258	RPB211K	221, 224	RPOFL278201	213
ROMH30S0()	255	ROWH96S1()	258	RPB211L(L/R)	227, 229	RPOFL278241	213
ROMH36S0()	255	ROWH96T0()	258	RPB211M	227, 229	RPOFL278301	213
ROMH60S0()	255	ROWH96T1()	258	RPB212J	221, 224	RPOFL278361	213
ROMH72S0()	255	ROWO60S0()	258	RPB212K	221, 224	RPOFL284201	213
ROMO30S0()	255	ROWO60S1()	258	RPB212L(L/R)	227, 229	RPOFL284241	213
ROMO36S0()	255	ROWO60T0()	258	RPB212M	227, 229	RPOFL284301	213
ROMO42S0()	255	ROWO60T1()	258	RPB213J	221, 224	RPOFL284361	213
ROMO48S0()	255	ROWO72S0()	258	RPB213K	221, 224	RPRL1	212
ROMO60S0()	255	ROWO72S1()	258	RPB213L(L/R)	227, 229	RPS1	212
ROMO72S0()	255	ROWO72T0()	258	RPB213M	227, 229	RPULLSMP	331
ROPF30S0J	257	ROWO72T1()	258	RPB231K	221, 224	RPULLSMPD	331
ROPF36S0J	257	ROWO90S0()	258	RPB231L	227, 229	RPULLSMPF	330
ROPF42S0J	257	ROWO90S1()	258	RPB231M	227, 229	RPULLSMPG	330
ROPF48S0J	257	ROWO90T0()	258	RPB232K	221, 224	RPULLSMPH	330
ROPF60S0J	257	ROWO90T1()	258	RPB232L	227, 229	RPULLSMPJ	331
ROPF72S0J	257	ROWO96S0()	258	RPB232M	227, 229	RPULLSMPR	330
ROPF84S0J	257	ROWO96S1()	258	RPB261K	221, 224	RPULLSMPS	331
ROPF96S0J	257	ROWO96T0()	258	RPB261L	227, 229	RPULLSMPT	330
ROPH30S0()	256	ROWO96T1()	258	RPB261M	227, 229	RR3-2PF	136
ROPH36S0()	256	RP211J	220, 223	RPB262K	221, 224	RR3-3PF	136
ROPH60S0()	256	RP211K	220, 223	RPB262L	227, 229	RR3-BNC	136
ROPH60T0()	256	RP211L(L/R)	226, 228	RPB262M	227, 229	RR3-C3C	136
ROPH72S0()	256	RP211M	226, 228	RPCG	311	RR3-C5C	136
ROPH72T0()	256	RP212J	220, 223	RPD11	325	RR3-C5C4A	136
ROPH90S0()	256	RP212K	220, 223	RPD14	325	RR3-C5C4B	136
ROPH90T0()	256	RP212L(L/R)	226, 228	RPETAD	324	RR3-C6C	136
ROPH96S0()	256	RP212M	226, 228	RPETRAY3C	324	RR3CHI241	133
ROPH96T0()	256	RP213J	220, 223	RPETRAY3N	324	RR3CHI242	133
ROPO30S0()	256	RP213K	220, 223	RPHCHH	322	RR3CHI301	133
ROPO36S0()	256	RP213L(L/R)	226, 228	RPHCHT	322	RR3CHI302	133
ROPO42S0()	256	RP213M	226, 228	RPHL3442(F/T)	116	RR3CHI361	133
ROPO48S0()	256	RP221J	222, 225	RPHL3449(F/T)	116	RR3CHI362	133
ROPO60S0()	256	RP221K	222, 225	RPHL3464(F/T)	116	RR3CHI421	133
ROPO60T0()	256	RP222J	222, 225	RPHL3479(F/T)	116	RR3CHI422	133
ROPO72S0()	256	RP222K	222, 225	RPHLA249(F/T)	116	RR3CHI481	133
ROPO72T0()	256	RP223J	222, 225	RPHLA249S	116	RR3CHI482	133
ROPO90S0()	256	RP223K	222, 225	RPHLA264(F/T)	116	RR3-DA	129, 131
ROPO90T0()	256	RP231K	220, 223	RPHLA264S	116	RR3-DATSHD	129, 131

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RR3-DB	129, 131	RR3-EPVR	115, 130	RR3TJ72P	135	RR(A/B/C/D/E/F/G)7230-(1/2/3)	177
RR3-DC	131	RR3EVJ	139	RR3-TJ78P	132	RR(A/B/C/D/E/F/G)7236-(1/2/3)	177
RR3-DICON	136	RR3EVJ110	139	RR3-TJ84P	132	RR(A/B/C/D/E/F/G)7272-(1/2/3)	177
RR3-DX	129, 131	RR3EVJ82	139	RR3-TJ90P	132	RR(A/B/C/D/E/F/G)8430-(1/2/3)	177
RR3-DXO	129, 131	RR3EVJ96	139	RR3-TJ96P	132	RR(A/B/C/D/E/F/G)8436-(1/2/3)	177
RR3-DY	129, 131	RR3-FB	136	RR3-TPC24	131	RR(A/B/C/D/E/F/G)8442-(1/2/3)	177
RR3-DYO	129, 131	RR3FDP	138	RR3-TPCM	131	RR(A/B/C/D/E/F/G)9630-(1/2/3)	177
RR3-DZ	131	RR3-FE	136	RR3-TPCP24	131	RR(A/B/C/D/E/F/G)9636-(1/2/3)	177
RR3-DZO	131	RR3-FOSC	136	RR3-TPCPM	131	RR(A/B/C/D/E/F/G)9642-(1/2/3)	177
RR3-E24	129	RR3-FOST	136	RR3-TPCPS	131	RRBRD2712	329
RR3-E24S	134	RR3-FV	136	RR3-TPCS	131	RRD3FTCPPL(L/R)7936	118
RR3-E30NS	129	RR3-LTPC	135	RR3-TPI	132	RRD3FTCPPL(L/R)7942	118
RR3-E30S	134	RR3-LTPC24	135	RR3-TPNY1	132	RRD3PPL(L/R)7936	118
RR3-E36NS	129	RR3-LTPCP	135	RR3-TPNY2	132	RRD3PPL(L/R)7942	118
RR3-E36S	134	RR3-MICON	136	RR3-TPVR	115, 132	RRDPPL(L/R)6436	118
RR3-E42NS	129	RR3MP4	329	RR3TVJ	139	RRDPPL(L/R)6442	118
RR3-E42S	134	RR3MP6	329	RR3TVJ110	139	RRDTH	118
RR3-E48NS	129	RR3PICON	136	RR3TVJ82	139	RRDTH(L/R)	118
RR3-E48S	134	RR3-REPI	130	RR3TVJ96	139	RREP3624(A,B)	288, 289, 290
RR3-E60-4	129	RR3-RTPI	132	RR3VDA	138	RREP3630(A,B)	288, 289, 290
RR3-E66-4	129	RR3-SP-(A, B, C, X, Y, Z)	132	RR3VDB	138	RREP4224(A,B)	288, 289, 290
RR3-E72-4	129	RR3-SP-(A,B,X,Y)	130	RR3VDC	138	RREP4230(A,B)	288, 289, 290
RR3-EBBCL	135	RR3-ST	136	RR3VDX	138	RREP4824(A,B)	288, 289, 290
RR3-EBBCS	135	RR3-T24	131	RR3VDXO	138	RREP4830(A,B)	288, 289, 290
RR3EBVC50	138	RR3-T24S	134	RR3VDY	138	RREP5424(A,B)	288, 289, 290
RR3EBVC62	138	RR3-T30NS	131	RR3VDYO	138	RREP5430(A,B)	288, 289, 290
RR3EBVC64	138	RR3-T30S	134	RR3VDZ	138	RREP6024(A,B)	288, 289, 290
RR3EBVC76	138	RR3-T36NS	131	RR3VDZO	138	RREP6030(A,B)	288, 289, 290
RR3EBVC78	138	RR3-T36S	134	RR3VPBK	138	RRMC3010	344
RR3EBVC90	138	RR3-T42NS	131	RR3VDB	138	RRMC3610	344
RR3-EJ18	130	RR3-T42S	134	RR3VDB	138	RRMC6010	344
RR3-EJ18P	130	RR3-T48NS	131	RR3VDB	138	RRMC7210	344
RR3-EJ20	130	RR3-T48S	134	RR3VDB	138	RRSP3624K(A,B)	288, 289, 290
RR3-EJ20P	130	RR3-T60-4	131	RR3VDB	138	RRSP3630K(A,B)	288, 289, 290
RR3-EJ24	130	RR3-T66-4	131	RR3VDB	138	RRSP4224K(A,B)	288, 289, 290
RR3-EJ24P	130	RR3-T72-4	131	RR3VDB	138	RRSP4230K(A,B)	288, 289, 290
RR3-EJ30	130	RR3-TBBCL	135	RR3VDB	138	RRSP4824K(A,B)	288, 289, 290
RR3-EJ30P	130	RR3-TBBCS	135	RR3VDB	138	RRSP4830K(A,B)	288, 289, 290
RR3-EJ36	130	RR3TBVC50	138	RR3VDB	138	RRSP5424K(A,B)	288, 289, 290
RR3-EJ36P	130	RR3TBVC62	138	RR3VDB	138	RRSP5430K(A,B)	288, 289, 290
RR3-EJ42	130	RR3TBVC64	138	RR3VDB	138	RRSP6024K(A,B)	288, 289, 290
RR3-EJ42P	130	RR3TBVC76	138	RR3VDB	138	RRSP6030K(A,B)	288, 289, 290
RR3-EJ48	130	RR3TBVC78	138	RR3VDB	138	RS1-DPB	269
RR3EJ48	135	RR3TBVC90	138	RR3VDB	138	RS1-EPB	269
RR3-EJ48P	130	RR3-TJ18	132	RR3VDB	138	RS1-M24	267
RR3-EJ54P	130	RR3-TJ18P	132	RR3VDB	138	RS1-M30	267
RR3-EJ60P	130	RR3-TJ20	132	RR3VDB	138	RS1-M36	267
RR3EJ60P	135	RR3-TJ20P	132	RR3VDB	138	RS1-M42	267
RR3-EJ66P	130	RR3-TJ24	132	RR3VDB	138	RS1-M48	267
RR3EJ66P	135	RR3-TJ24P	132	RR3VDB	138	RS1-M60	267
RR3-EJ72P	130	RR3-TJ30	132	RR3VDB	138	RS1-MPB	269
RR3EJ72P	135	RR3-TJ30P	132	RR3VDB	138	RS1-N24	267
RR3-EJ78P	130	RR3-TJ36	132	RR3VDB	138	RS1-N30	267
RR3-EJ84P	130	RR3-TJ36P	132	RR3VDB	138	RS1-N36	267
RR3-EJ90P	130	RR3-TJ42	132	RR3VDB	138	RS1-N42	267
RR3-EJ96P	130	RR3-TJ42P	132	RR3VDB	138	RS1-N48	267
RR3-EPC24M	129	RR3-TJ48	132	RR3VDB	138	RS1-N60	267
RR3-EPCM	129	RR3TJ48	135	RR3VDB	138	RS1-RPB	269
RR3-EPCP24M	129	RR3-TJ48P	132	RR3VDB	138	RS1-VP	267
RR3-EPCPM	129	RR3-TJ54P	132	RR3VDB	138	RS1-WMF24	270
RR3-EPCPSM	129	RR3-TJ60P	132	RR3VDB	138	RS1-WMF30	270
RR3-EPCSM	129	RR3TJ60P	135	RR3VDB	138	RS1-WMF36	270
RR3-EPI	130	RR3-TJ66P	132	RR3VDB	138	RS1-WMF42	270
RR3-EPNY1	130	RR3TJ66P	135	RR3VDB	138	RS1-WMF48	270
RR3-EPNY2	130	RR3-TJ72P	132	RR3VDB	138	RS1-WMF60	270

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSA241	144	RSA(A/B/C/D/E/F/G)A302	165	RSA(A/B/C/D/E/F/G)F543	164	RSBC4629	216
RSA242	144	RSA(A/B/C/D/E/F/G)A303	166	RSA(A/B/C/D/E/F/G)F601	163	RSBC5223	216
RSA243	145	RSA(A/B/C/D/E/F/G)A361	165	RSA(A/B/C/D/E/F/G)F602	163	RSBC5229	216
RSA301	144	RSA(A/B/C/D/E/F/G)A362	165	RSA(A/B/C/D/E/F/G)F603	164	RSBC5823	216
RSA302	144	RSA(A/B/C/D/E/F/G)A363	166	RSA(A/B/C/D/E/F/G)F604	164	RSBC5829	216
RSA303	145	RSA(A/B/C/D/E/F/G)A421	165	RSA(A/B/C/D/E/F/G)F661	163	RSBC6423	216
RSA3423N	155	RSA(A/B/C/D/E/F/G)A422	165	RSA(A/B/C/D/E/F/G)F662	163	RSBC6429	216
RSA3429N	155	RSA(A/B/C/D/E/F/G)A423	166	RSA(A/B/C/D/E/F/G)F663	164	RSBC7023	216
RSA361	144	RSA(A/B/C/D/E/F/G)A481	165	RSA(A/B/C/D/E/F/G)F664	164	RSBC7029	216
RSA362	144	RSA(A/B/C/D/E/F/G)A482	165	RSA(A/B/C/D/E/F/G)F721	163	RSBK464616	216
RSA363	145	RSA(A/B/C/D/E/F/G)A483	166	RSA(A/B/C/D/E/F/G)F722	163	RSBT3029	217
RSA4023N	155	RSA(A/B/C/D/E/F/G)A541	165	RSA(A/B/C/D/E/F/G)F723	164	RSBT3429	217
RSA4029N	155	RSA(A/B/C/D/E/F/G)A542	165	RSA(A/B/C/D/E/F/G)F724	164	RSBT4629	217
RSA421	144	RSA(A/B/C/D/E/F/G)A543	166	RSA(A/B/C/D/E/F/G)F781	163	RSBT5229	217
RSA422	144	RSA(A/B/C/D/E/F/G)A601	165	RSA(A/B/C/D/E/F/G)F782	163	RSBT5829	217
RSA423	145	RSA(A/B/C/D/E/F/G)A602	165	RSA(A/B/C/D/E/F/G)F783	164	RSBT6429	217
RSA4623N	155	RSA(A/B/C/D/E/F/G)A603	166	RSA(A/B/C/D/E/F/G)F841	163	RSBT7029	217
RSA4629N	155	RSA(A/B/C/D/E/F/G)A604	166	RSA(A/B/C/D/E/F/G)F842	163	RSBWH20	207
RSA4635N	155	RSA(A/B/C/D/E/F/G)A661	165	RSA(A/B/C/D/E/F/G)F843	164	RSBWH24	207
RSA481	144	RSA(A/B/C/D/E/F/G)A662	165	RSA(A/B/C/D/E/F/G)F901	163	RSBWH30	207
RSA482	144	RSA(A/B/C/D/E/F/G)A663	166	RSA(A/B/C/D/E/F/G)F902	163	RSBWH36	207
RSA483	145	RSA(A/B/C/D/E/F/G)A664	166	RSA(A/B/C/D/E/F/G)F903	164	RSBWH42	207
RSA5223N	155	RSA(A/B/C/D/E/F/G)A721	165	RSA(A/B/C/D/E/F/G)F961	163	RSBWH48	207
RSA5229N	155	RSA(A/B/C/D/E/F/G)A722	165	RSA(A/B/C/D/E/F/G)F962	163	RSC	211
RSA5235N	155	RSA(A/B/C/D/E/F/G)A723	166	RSA(A/B/C/D/E/F/G)F963	164	RSC254	211
RSA541	144	RSA(A/B/C/D/E/F/G)A724	166	RSA(A/B/C/D/E/F/G)J241	167	RSC304	211
RSA542	144	RSA(A/B/C/D/E/F/G)A781	165	RSA(A/B/C/D/E/F/G)J242	167	RSC4	211
RSA543	145	RSA(A/B/C/D/E/F/G)A782	165	RSA(A/B/C/D/E/F/G)J301	167	RSC404	211
RSA5823N	155	RSA(A/B/C/D/E/F/G)A783	166	RSA(A/B/C/D/E/F/G)J302	167	RSCC4	211
RSA5829N	155	RSA(A/B/C/D/E/F/G)A841	165	RSA(A/B/C/D/E/F/G)J361	167	RSD1427	214, 215
RSA5835N	155	RSA(A/B/C/D/E/F/G)A842	165	RSA(A/B/C/D/E/F/G)J362	167	RSD1827	214, 215
RSA601	144	RSA(A/B/C/D/E/F/G)A843	166	RSA(A/B/C/D/E/F/G)J421	167	RSD2027	214, 215
RSA602	144	RSA(A/B/C/D/E/F/G)A901	165	RSA(A/B/C/D/E/F/G)J422	167	RSD2427	214, 215
RSA603	145	RSA(A/B/C/D/E/F/G)A902	165	RSA(A/B/C/D/E/F/G)J481	167	RSD3027	214, 215
RSA604	145	RSA(A/B/C/D/E/F/G)A903	166	RSA(A/B/C/D/E/F/G)J482	167	RSD3627	215
RSA6423N	155	RSA(A/B/C/D/E/F/G)A961	165	RSA(A/B/C/D/E/F/G)R241	168	RSDH2027	215
RSA6429N	155	RSA(A/B/C/D/E/F/G)A962	165	RSA(A/B/C/D/E/F/G)R242	168	RSDH2427	215
RSA6435N	155	RSA(A/B/C/D/E/F/G)A963	166	RSA(A/B/C/D/E/F/G)R301	168	RSDH3027	215
RSA661	144	RSA(A/B/C/D/E/F/G)B241	167	RSA(A/B/C/D/E/F/G)R302	168	RSDH3627	215
RSA662	144	RSA(A/B/C/D/E/F/G)B242	167	RSA(A/B/C/D/E/F/G)R361	168	RSDR30	332
RSA663	145	RSA(A/B/C/D/E/F/G)B301	167	RSA(A/B/C/D/E/F/G)R362	168	RSDR36	332
RSA664	145	RSA(A/B/C/D/E/F/G)B302	167	RSA(A/B/C/D/E/F/G)R421	168	RSDR42	332
RSA7023N	155	RSA(A/B/C/D/E/F/G)B361	167	RSA(A/B/C/D/E/F/G)R422	168	RSDR48	332
RSA7029N	155	RSA(A/B/C/D/E/F/G)B362	167	RSA(A/B/C/D/E/F/G)R481	168	RSDR54	332
RSA7035N	155	RSA(A/B/C/D/E/F/G)B421	167	RSA(A/B/C/D/E/F/G)R482	168	RSDR60	332
RSA721	144	RSA(A/B/C/D/E/F/G)B422	167	RSAMP1616	329	RSDR66	332
RSA722	144	RSA(A/B/C/D/E/F/G)B481	167	RSAR361(H/V)	146	RSDR72	332
RSA723	145	RSA(A/B/C/D/E/F/G)B482	167	RSAR362(H/V)	146	RSDR78	332
RSA724	145	RSA(A/B/C/D/E/F/G)F241	163	RSAR421(H/V)	146	RSDR84	332
RSA781	144	RSA(A/B/C/D/E/F/G)F242	163	RSAR422(H/V)	146	RSDR90	332
RSA782	144	RSA(A/B/C/D/E/F/G)F243	164	RSAR481(H/V)	146	RSDR96	332
RSA783	145	RSA(A/B/C/D/E/F/G)F301	163	RSAR482(H/V)	146	RSE1(L/R)	210
RSA841	144	RSA(A/B/C/D/E/F/G)F302	163	RSAR541(H/V)	146	RSE2(L/R)	210
RSA842	144	RSA(A/B/C/D/E/F/G)F303	164	RSAR542(H/V)	146	RSE3(L/R)	210
RSA843	145	RSA(A/B/C/D/E/F/G)F361	163	RSAR601(H/V)	146	RSE4(L/R)	210
RSA901	144	RSA(A/B/C/D/E/F/G)F362	163	RSAR602(H/V)	146	RSE5(L/R)	210
RSA902	144	RSA(A/B/C/D/E/F/G)F363	164	RSAR661(H/V)	146	RSE6(L/R)	210
RSA903	145	RSA(A/B/C/D/E/F/G)F421	163	RSAR662(H/V)	146	RSL12	215
RSA961	144	RSA(A/B/C/D/E/F/G)F422	163	RSAR721(H/V)	146	RSL15	215
RSA962	144	RSA(A/B/C/D/E/F/G)F423	164	RSAR722(H/V)	146	RSL20	215
RSA963	145	RSA(A/B/C/D/E/F/G)F481	163	RSBC3423	216	RSL24	215
RSA(A/B/C/D/E/F/G)A241	165	RSA(A/B/C/D/E/F/G)F482	163	RSBC3429	216	RSL30	215
RSA(A/B/C/D/E/F/G)A242	165	RSA(A/B/C/D/E/F/G)F483	164	RSBC4023	216	RSL36	215
RSA(A/B/C/D/E/F/G)A243	166	RSA(A/B/C/D/E/F/G)F541	163	RSBC4029	216	RSL42	215
RSA(A/B/C/D/E/F/G)A301	165	RSA(A/B/C/D/E/F/G)F542	163	RSBC4623	216	RSL48	215

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSNTT18(A/B/C/E)	111	RSWA15 48	99	RTA(A/B/C/D/E/F/G)16848-(1/2/3)	176	RTM496361	193
RSNTT20(A/B/C/E)	111	RSWAD1560	100	RTA(A/B/C/D/E/F/G)19242-(1/2/3)	176	RTM496421	193
RSNTT24(A/B/C/E)	111	RSWAD1572	100	RTA(A/B/C/D/E/F/G)19248-(1/2/3)	176	RTM496481	193
RSNTT30(A/B/C/E)	111	RSWAD1584	100	RTA(A/B/C/D/E/F/G)3636-(1/2/3)	176	RTNDC363	195
RSNTT33(A/B/C/E) (66" wide panels one only)	111	RSWAD1596	100	RTA(A/B/C/D/E/F/G)4242-(1/2/3)	176	RTNDC421	194
RSNTT36(A/B/C/E)	111	RSWAD2260	100	RTA(A/B/C/D/E/F/G)4848-(1/2/3)	176	RTNDC423	195
RSNTT42(A/B/C/E)	111	RSWAD2272	100	RTA(A/B/C/D/E/F/G)6060-(1/2/3)	176	RTNDC481	194
RSNTT48(A/B/C/E)	111	RSWAD2284	100	RTA(A/B/C/D/E/F/G)7230-(1/2/3)	176	RTNDC483	195
RSPABPD	116	RSWAD2296	100	RTA(A/B/C/D/E/F/G)7236-(1/2/3)	176	RTOP1	329
RSPABPP	116	RSWB15 30	99	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	176	RTOP2	329
RSPABPT	116	RSWB15 36	99	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	176	RTRDC48303	195
RSPABPW	116	RSWB15 42	99	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	176	RTRDC60303	195
RSPABTD	116	RSWB15 48	99	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	176	RTRDC72303	195
RSPABTT	117	RSWC30 18	99	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	176	RTRDC72361	194
RSPABTW	117	RSWC30 20	99	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	176	RTRDC72363	195
RSPABWD	117	RSWC30 24	99	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	176	RTRDC84421	194
RSPABWW	117	RSWC30 30	99	RTAT5E19S	271	RTRDC96481	194
RST1	215	RSWC30 36	99	RTAT5E25A	271	RTRDL48301	189
RST2	215	RSWC30 42	99	RTAT5E25S	271	RTRDL60301	189
RST3	215	RSWC30 48	99	RTAT5E37A	271	RTRDL72301	189
RST4	215	RSWWA601	262	RTAT5E37S	271	RTRDL72361	189
RST5	215	RSWWA602	262	RTAT5E49A	271	RTRDOF60241	187
RST6	215	RSWWA721	262	RTAT5E49S	271	RTRDOF60301	187
RSTRLE361	196	RSWWA722	262	RTAT5E61A	271	RTRDOF60361	187
RSTRLE363	199	RSWWA901	262	RTAT5E61S	271	RTRDOF66241	187
RSTRLE421	196	RSWWA902	262	RTL5E19S	333	RTRDOF66301	187
RSTRLE423	199	RSWWA961	262	RTL5E25A	333	RTRDOF66361	187
RSTRSE361	198	RSWWA962	262	RTL5E25S	333	RTRDOF72241	187
RSTRSE363	201	RSWWA(A/B/C/D/E/F/G)601	262	RTL5E37A	333	RTRDOF72301	187
RSTRSE421	198	RSWWA(A/B/C/D/E/F/G)602	262	RTL5E37S	333	RTRDOF72361	187
RSTRSE423	201	RSWWA(A/B/C/D/E/F/G)721	262	RTL5E49A	333	RTRDOF78241	187
RSTRWE361	197	RSWWA(A/B/C/D/E/F/G)722	262	RTL5E49S	333	RTRDOF78301	187
RSTRWE363	200	RSWWA(A/B/C/D/E/F/G)901	262	RTL5E61A	333	RTRDOF78361	187
RSTRWE421	197	RSWWA(A/B/C/D/E/F/G)902	262	RTL5E61S	333	RTRDOF84241	187
RSTRWE423	200	RSWWA(A/B/C/D/E/F/G)961	262	RTL5E73A	333	RTRDOF84301	187
RSTSLE361	196	RSWWA(A/B/C/D/E/F/G)962	262	RTL5E73S	333	RTRDOF84361	187
RSTSLE363	199	RTA12036	161	RTL5E85A	333	RTRDRL48301	190
RSTSLE421	196	RTA12042	161	RTL5E85S	333	RTRDRL60301	190
RSTSLE423	199	RTA12048	161	RTM272361	192	RTRDRL72301	190
RSTSSE361	198	RTA14442	161	RTM272421	192	RTRDRL72361	190
RSTSSE363	201	RTA14448	161	RTM272481	192	RTRDS48301	191
RSTSSE421	198	RTA16842	161	RTM278361	192	RTRDS60301	191
RSTSSE423	201	RTA16848	161	RTM278421	192	RTRDS72301	191
RSTSWE361	197	RTA19242	161	RTM278481	192	RTRDS72361	191
RSTSWE363	200	RTA19248	161	RTM284361	192	RTSDC361	194
RSTSWE421	197	RTA3636	161	RTM284421	192	RTSDC421	194
RSTSWE423	200	RTA4242	161	RTM284481	192	RTSDC42423	195
RSTTLE30481	196	RTA4848	161	RTM290361	192	RTSDC481	194
RSTTLE30483	199	RTA6060	161	RTM290421	192	RTSDC48483	195
RSTTLE36541	196	RTA7230	161	RTM290481	192	RTSDL42421	189
RSTTLE36543	199	RTA7236	161	RTM296361	192	RTSDL48481	189
RSTTSE30481	198	RTA7272	161	RTM296421	192	RTSDRL42421	190
RSTTSE30483	201	RTA8430	161	RTM296481	192	RTSDRL48481	190
RSTTSE36541	198	RTA8436	161	RTM472361	193	RTSDS42421	191
RSTTSE36543	201	RTA8442	161	RTM472421	193	RTSDS48481	191
RSTTWE30481	197	RTA9630	161	RTM472481	193	RTSF14	322
RSTTWE30483	200	RTA9636	161	RTM478361	193	RTSF28	322
RSTTWE36541	197	RTA9642	161	RTM478421	193	RTST14	323
RSTTWE36543	200	RTA9648	161	RTM478481	193	RTTA24()	272
RSWA15 18	99	RTA(A/B/C/D/E/F/G)12036-(1/2/3)	176	RTM484361	193	RTTA30()	272
RSWA15 20	99	RTA(A/B/C/D/E/F/G)12042-(1/2/3)	176	RTM484421	193	RTTA36()	272
RSWA15 24	99	RTA(A/B/C/D/E/F/G)12048-(1/2/3)	176	RTM484481	193	RTTA42()	272
RSWA15 30	99	RTA(A/B/C/D/E/F/G)14442-(1/2/3)	176	RTM490361	193	RTTA48()	272
RSWA15 36	99	RTA(A/B/C/D/E/F/G)14448-(1/2/3)	176	RTM490421	193	RTTA54()	272
RSWA15 42	99	RTA(A/B/C/D/E/F/G)16842-(1/2/3)	176	RTM490481	193	RTTA60()	272

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RTTA66()	272	RWEA4226	150	RWHDHTB66H5	338	YPSB2030F	340
RTTA72()	272	RWEA4231	150	RWHDHTB72H1	334	YPSB2036	342
RTTDC72361	194	RWEA4262	150	RWHDHTB72H2	335	YPSB2036F	340
RTTDC84421	194	RWEA4813	150	RWHDHTB72H3	336	YPSB2042	342
RTTDC96481	194	RWEA4826	150	RWHDHTB72H4	337	YPSB2042F	340
RUMC3010	344	RWEA4831	150	RWHDHTB72H5	338	YPSB2048	342
RUMC3610	344	RWEA4862	150	RWHDHTB78H1	334	YPSB2048F	340
RUMC6010	344	RWEA7220(L/R)	259	RWHDHTB78H2	335	YPSB2054	342
RUMC7210	344	RWEA7224(L/R)	259	RWHDHTB78H3	336	YPSB2054F	340
RUTB	208	RWEA(A/B/C/D/E/F/G)F3613	172	RWHDHTB78H4	337	YPSB2060	342
RWA3623	149	RWEA(A/B/C/D/E/F/G)F3626	172	RWHDHTB78H5	338	YPSB2060F	340
RWA3632	149	RWEA(A/B/C/D/E/F/G)F3631	171	RWHDHTB84H1	334	YPSB2066	342
RWA4212	149	RWEA(A/B/C/D/E/F/G)F3662	172	RWHDHTB84H2	335	YPSB2066FRR	340
RWA4221	149	RWEA(A/B/C/D/E/F/G)F4213	172	RWHDHTB84H3	336	YPSB2072	342
RWA4223	149	RWEA(A/B/C/D/E/F/G)F4226	172	RWHDHTB84H4	337	YPSB2072FRR	340
RWA4232	149	RWEA(A/B/C/D/E/F/G)F4231	171	RWHDHTB84H5	338	YPSB2624	343
RWA4812	149	RWEA(A/B/C/D/E/F/G)F4262	172	RWHDHTB90H1	334	YPSB2624F	341
RWA4821	149	RWEA(A/B/C/D/E/F/G)F4813	172	RWHDHTB90H2	335	YPSB2627	343
RWA4823	149	RWEA(A/B/C/D/E/F/G)F4826	172	RWHDHTB90H3	336	YPSB2627F	341
RWA4832	149	RWEA(A/B/C/D/E/F/G)F4831	171	RWHDHTB90H4	337	YPSB2630	343
RWA5412	149	RWEA(A/B/C/D/E/F/G)F4862	172	RWHDHTB90H5	338	YPSB2630F	341
RWA5421	149	RWEB7220(L/R)	259	RWHDHTB96H1	334	YPSB2636	343
RWA5423	149	RWEB7224(L/R)	259	RWHDHTB96H2	335	YPSB2636F	341
RWA5432	149	RWEC7220(L/R)	259	RWHDHTB96H3	336	YPSB2642	343
RWA6012	149	RWEC7224(L/R)	259	RWHDHTB96H4	337	YPSB2642F	341
RWA6021	149	RWED7220(L/R)	259	RWHDHTB96H5	338	YPSB2648	343
RWA6023	149	RWED7224(L/R)	259	RWHRA	325	YPSB2648F	341
RWA6032	149	RWHDHTB3026	322	RWHRB	325	YPSB2654	343
RWA6612	149	RWHDHTB30H1	334	RWHRC	325	YPSB2654F	341
RWA6621	149	RWHDHTB30H2	335	RWHRD	325	YPSB2660	343
RWA6623	149	RWHDHTB30H3	336	RWHRE	325	YPSB2660F	341
RWA6632	149	RWHDHTB30H4	337	RWHRF	325	YPSB2666	343
RWA7212	149	RWHDHTB30H5	338	RWHRG	325	YPSB2666FRR	341
RWA7221	149	RWHDHTB3626	322	RWHTB3024	322	YPSB2672	343
RWA7223	149	RWHDHTB36H1	334	RWHTB3624	322	YPSB2672FRR	341
RWA7232	149	RWHDHTB36H2	335	RWHTB4224	322	YPSB3224	342
RWA(A/B/C/D/E/F/G)F4212	171	RWHDHTB36H3	336	RWHTB4824	322	YPSB3224F	340
RWA(A/B/C/D/E/F/G)F4221	171	RWHDHTB36H4	337	RWMCT24	321	YPSB3227	342
RWA(A/B/C/D/E/F/G)F4223	171	RWHDHTB36H5	338	RWMMP24	319	YPSB3227F	340
RWA(A/B/C/D/E/F/G)F4232	171	RWHDHTB4226	322	RWMMP30	319	YPSB3230	342
RWA(A/B/C/D/E/F/G)F4812	171	RWHDHTB42H1	334	RWMMP36	319	YPSB3230F	340
RWA(A/B/C/D/E/F/G)F4821	171	RWHDHTB42H2	335	RWMPB	319	YPSB3236	342
RWA(A/B/C/D/E/F/G)F4823	171	RWHDHTB42H3	336	RWMT1512R	321	YPSB3236F	340
RWA(A/B/C/D/E/F/G)F4832	171	RWHDHTB42H4	337	RWMT1512U	321	YPSB3242	342
RWA(A/B/C/D/E/F/G)F5412	171	RWHDHTB42H5	338	RWMT2712R	321	YPSB3242F	340
RWA(A/B/C/D/E/F/G)F5421	171	RWHDHTB4826	322	RWMT2712U	321	YPSB3248	342
RWA(A/B/C/D/E/F/G)F5423	171	RWHDHTB48H1	334	RWMT3912R	321	YPSB3248F	340
RWA(A/B/C/D/E/F/G)F5432	171	RWHDHTB48H2	335	RWMT3912U	321	YPSB3254	342
RWA(A/B/C/D/E/F/G)F6012	171	RWHDHTB48H3	336	RWMV24	319	YPSB3254F	340
RWA(A/B/C/D/E/F/G)F6021	171	RWHDHTB48H4	337	RWMVF	320	YPSB3260	342
RWA(A/B/C/D/E/F/G)F6023	171	RWHDHTB48H5	338	RWMVH24	319	YPSB3260F	340
RWA(A/B/C/D/E/F/G)F6032	171	RWHDHTB54H1	334	RWMVH30	319	YPSB3266	342
RWA(A/B/C/D/E/F/G)F6612	171	RWHDHTB54H2	335	RWMVH36	319	YPSB3266FRR	340
RWA(A/B/C/D/E/F/G)F6621	171	RWHDHTB54H3	336	RWMVP24	319	YPSB3272	342
RWA(A/B/C/D/E/F/G)F6623	171	RWHDHTB54H4	337	RWMWT24	319	YPSB3272FRR	340
RWA(A/B/C/D/E/F/G)F6632	171	RWHDHTB54H5	338	RWMWT30	319	YPSB3824	343
RWA(A/B/C/D/E/F/G)F7212	171	RWHDHTB60H1	334	RWMWT36	319	YPSB3824F	341
RWA(A/B/C/D/E/F/G)F7221	171	RWHDHTB60H2	335	SISAWDSIK	218	YPSB3827	343
RWA(A/B/C/D/E/F/G)F7223	171	RWHDHTB60H3	336	SISDPS	218	YPSB3827F	341
RWA(A/B/C/D/E/F/G)F7232	171	RWHDHTB60H4	337	SISLC4	218	YPSB3830	343
RWEA3613	150	RWHDHTB60H5	338	YPSB2024	342	YPSB3830F	341
RWEA3626	150	RWHDHTB66H1	334	YPSB2024F	340	YPSB3836	343
RWEA3631	150	RWHDHTB66H2	335	YPSB2027	342	YPSB3836F	341
RWEA3662	150	RWHDHTB66H3	336	YPSB2027F	340	YPSB3842	343
RWEA4213	150	RWHDHTB66H4	337	YPSB2030	342	YPSB3842F	341

<i>pattern no.</i>	<i>page</i>
YPSB3343	343
YPSB3348F	341
YPSB3354	343
YPSB3354F	341
YPSB3360	343
YPSB3360F	341
YPSB3366	343
YPSB3366FRR	341
YPSB3372	343
YPSB3372FRR	341

Selling Policy

This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.	
Terms & Conditions of Sales	Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.
Ordering Information	All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.
Order Confirmation	A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.
Pricing Policies	List prices are subject to change without notice. List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.
Taxes	All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.
Terms of Payment	Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice. KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment. If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance. Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.
Changes and Cancellation	Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.
Freight Prepaid	Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.
Delivery/Freight Charges	Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin. For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination. Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing. Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery. Partial shipments may be made and invoiced by Seller.
Claims	All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.
Seller's Security Interest	Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.
Returns	The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.
Held Orders/Storage	If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.

Selling Policy

Customer's Own Material	A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.
Warranty	Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below. Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair). Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts. <i>Product and Period of Warranty</i> <i>Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Equity, Morrison, Reff Profiles laminate, Series 2 Storage, Template and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, special or custom products, see below)</i> <i>12 Years: Chadwick, Essentials Work Chairs, Generation by Knoll, Life, Moment, MultiGeneration by Knoll, ReGeneration by Knoll, RPM, Sapper and Toboggan seating (except seating upholstery, textiles, leathers and finishes, see below).</i> <i>10 Years: Anchor Storage except digital keypad lock, Antenna Workspaces, AutoStrada, Crinion Open Table, Dividends Horizon, Reff Profiles, Template wood components, Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods (The Graham Collection) (except wood casegoods upholstered surfaces, see below), Interaction tables (except height adjustment mechanisms for Counterforce, crank-adjustable, and split-top tables and worksurfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, see below), Smokador collection (except leathers, see below), and Orchestra Universal Systems Accessories, k. lounge structural components.</i> <i>5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products, Currents handcrank, Interaction Counterforce, Interaction crank-adjustable, and split-top mechanisms, KnollStudio, Spark Series seating structural elements, structural elements of all KnollStudio outdoor products including all Richard Schultz designed products, KnollExtra CPU storage and all universal storage drawers and Power Collection, Tone Tables.</i> <i>3 Years: Seating upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers.</i> <i>2 Years: Anchor Storage digital keypad lock, all other KnollExtra product</i> <i>1 Year: Light ballasts, bulbs and power supply, seating upholstered arm pads and soft arm pads, wood casegoods upholstered surfaces. KnollStudio, outdoor product finishes, k. lounge upholstery and k. lounge fabric.</i> This warranty does not apply to: • Damage caused by a carrier other than the Seller. • Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products). • COM or other third party materials applied to Products. • Products not installed by or under the auspices of a Knoll Dealer. • Dramatic temperature variations or exposure to unusual conditions. • Changes in surface finishes, including colorfastness due to aging or exposure to light. • Except as specifically noted above, textiles and upholstery supplied by <i>KnollTextiles</i> (consult current <i>KnollTextiles</i> price list for applicable warranty). Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces. THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE. The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.
Delay/Force Majeure	Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.
Compliance with Law	PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.
Patents	Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended. The foregoing indemnity does not apply to the following: • Products supplied according to a design other than that of Seller, and which is required by the Purchaser. • Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer. • Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT. Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.

KnollKey Lock Program

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$10
KBLANK	Shrouded Key Blank	\$10
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$22
KCHANGE	Change Key	\$10
HLKRKMASTER*	Master Key	\$10

*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.
1235 Water Street
P.O. Box 157
East Greenville, PA 18041
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."