

Introduction	Knoll and Sustainable Design	3
	General Specifications	4
	Reff Profiles finish options	5
	Reff Profiles Master Features	7
Panels	Monolithic panels 34" H	10
	Monolithic panels 42" H	16
	Monolithic panels 49" H	23
	Monolithic panels 64" H	30
	Monolithic panels 79" H	37
	Tiled panels 34" H	44
	Tiled panels 42" H	49
	Tiled panels 49" H	56
	Tiled panels 64" H	63
	Tiled panels 79" H	70
	Aluminum Reveal kits	77
	Beltway one side, window panel 49" H	84
	Beltway two sides, window panel 49" H	98
	Stacking modules	100
	Panel connection posts	105
	Panel trims and post covers	110
	Ceiling cable entry posts, poles and cable infeed	112
	Ceiling cable entry post covers	114
	Rolling door and hinged door	116
	Attachment kits	117
	Floor to ceiling modules	118
	Required components	125
	Power distribution components	126
	Beltway electrical components	131
	Data and Communications	133
	Reff Ported Panel Components	134
Worksurfaces	Worksurface 1 1/4"	137
	Conference 1 1/4"	151
	Optional edge details 1 1/4"	153
	Optional edge 1 1/4"	154
	Waterfall Edge 1 1/4"	169
	Cascade Edge 1 1/4"	188
	Worksurface 1 1/2"	194
	Worksurface Credenza	197
	Peninsula 1 1/2"	200
	Tables, 1 1/2"	227
	Tables, 1"	238
Support components	Top support components	241
	Modesty	255
Cabinetry	Pedestals, 26 1/2" planning	261
	Pedestals, 28 3/8" planning	273
	Pedestals, Mobile	286
	Credenzas, 28 3/8" planning	287
	Cabinets, 26 1/2" planning	292
	Cabinets, 28 3/8" planning	317
	Cabinets Progressive	339
Desktop towers	Desktop Towers	351

Overhead storage	Overhead, 26 1/2" planning	358
	Overhead, 28 3/8" planning	367
	Reuter overhead cabinet	396
	Reuter open shelf	399
	Reuter open overhead	400
	Reuter overhead storage	401
	Task Lights for Reuter Overhead Storage	403
	Progressive Overheads	404
Transaction tops, regular and waterfall edge	Transaction tops	413
Gallery desk surrounds	Gallery desk surrounds	415
Preconfigured Reff Desking	Single pedestal desks	419
	Double pedestal desks	420
	Desk returns	421
	Single pedestal credenzas	422
	Bridge assemblies	423
	Double pedestal credenzas	424
Accessories and Client Samples	Accessories	425
	Task Panels	441
	Tackboards	485
	Desk Screens	490
	Cubbies	495
Administrative / Reception	Single Wide Desk	497
	Double Wide Desk	499
	Bridge	501
	Return	503
	Shared Return One Sided	505
	Shared Return Two Sided	507
	Technology Island Peninsula	509
	Infill Panel	511
	Transaction Tops	515
	Accent Tops	519
	Cabinets	521
	Supports	525
	Accessories	526
Reff Original finish options	Reff Original finish options	528
Wall Mounting of Knoll Products		529
Horizons Planning	Horizons - 28 3/8" Planning	532
Alpha-Numeric Index		535
Selling Policy		558
KnollKey Lock Program		560
General Ordering Information		561

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC®); Rainforest Alliance; GREENGUARD® Environmental Institute; and The Business and Institutional Furniture Manufacturer's Association (BIFMA) level™ certification from Scientific Certification Systems (SCS).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

Life Cycle Assessment (LCA) Tool

- Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.
- Knoll has partnered with The Green Standard.org to develop an affordable, universal ISO-compliant computer-based LCA tool that can be used by the entire contract furniture industry and is partnering on the development of an Environmental Product Declaration System (EPDs) for Knoll products. EPDs are verified documents containing LCA results and additional environmental performance information about a product.

Setting Industry Standards

- Knoll partners with MTS (The Institute for Market Transformation to Sustainability) to develop the SMaRT® Consensus Sustainable Products Standards, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of SMaRT®, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll also partners with BIFMA (Business and Institutional Furniture Manufacturers Association) to promote level™ sustainability standards for the contract furniture industry.
- Knoll has established FSC® (Forest Stewardship Council) certified wood as the standard for general office open plan office systems, casegoods and tables.
- Knoll has launched Full Circle, a resource recovery program developed with ANEW, to help customers extend the life cycle of surplus furniture, fixtures and equipment (FF&E) in an economically, socially and environmentally responsible manner.
- Our goal is to encourage all manufacturers in the contract furniture industry and related industries to adopt standards that will lead to sustainable products and practices.

For more information about Knoll and sustainable design, visit knoll.com/environment.

Panels and Parts

All panels have a concealed perimeter frame 1 1/2" x 2". Panels 42" wide and wider, other than window panels, have additional interior bracing.

Panel bases are 3 3/8" or 6 3/16" high with levellers at both ends. Snap-in panel side plates are provided with at least two lift-outs on each side of panels 30" to 48" wide; one lift-out on each side of panels 24" wide, unless no knockout option is requested (see Planning Guide for details). Acoustical panels can be specified with fabric on either side or fabric on one side and wood or laminate on the other. A laminated board septum is covered on both sides with acoustical fiberglass for fabric/fabric panels providing an NRC of .80 and STC of 22.

Window panels utilize tempered 4mm thick glass. Panel-to-panel connection is accomplished with a steel connector bar, which engages locking points on panel perimeter frames and is drawn tight by means of a screw mechanism located at the top of the bar. Each panel is supplied with one connector, which also serves as an anchor point for panel-hung support brackets. Panel-to-wall connection is accomplished with a PVC extrusion which connects two aluminum extrusions - one screwed to the wall, the other attached to the panel perimeter frame. Stacking panels are provided with a fastener feature which allows individual 15" and 30"H sections to be added or removed without disturbing the panel run. In all cases a leveller adjustable panel must first be specified with additional sections added on to provide height adjustment. A post is required at panel intersections, when a panel run changes direction or as in the case of the straight line post when it is required to make up an extra 2 1/2" to match another panel run. Top trim utilizes a PVC extrusion for a press fit into the panel perimeter frame. End trim is screwed to a steel connector bar which locks it to the panel perimeter frame.

All tiled panels are constructed using the same frame as monolithic panels and also use the same internal components. However, the insert structure has been altered to allow tiles 15"H to be independently applied to the panel, thus creating a tiled appearance. Tiled panels can be stacked on.

Reff panels can be joined to existing System 6, Classic System 6, and Segmented panels with a conversion kit.

Beltway electrical panel is a Reff panel altered to provide access to electrical and communication ports at a desk height level.

Note:

Line drawings in this price list are purely for quick product identification without any form of detail. One must not use the price list line drawings to satisfy production dimensions, shape or support options. Refer to Planning Guide for detailed product information.

Wood and Laminate Components

Tops are 1 3/4" or 1 1/4" thick. Undersides are pre-drilled with inserts and routed to accept pedestals and connecting hardware.

Flush and cantilever top assemblies have 1 1/16" thick endpanels, and 15/16" thick backpanels. Recessed top assemblies have 1 1/16" thick endpanels and a 15/16" thick backpanel.

Pedestals are supplied with metal channels on the top to attach the pedestal to the underside of a worksurface.

Drawer boxes can be specified in both metal or wood with dovetailed joinery. Hinge doors use concealed, adjustable hinges.

All components are veneered and finished on all sides unless otherwise specified. Edges are banded with 1/8" PVC or 3/32" solid wood. 1 3/4" laminate tops are postformed front and back. 2" Deep solid waterfall edge optional.

Locks

All pedestals and cabinets with drawers are supplied with a ganglock mechanism in place. In addition, cabinets with drawers have a drawer interlock anti-tip device designed to prevent the opening of a second drawer when one is already open. Drawer fronts and door fronts are routed to receive the lock itself. Locks for drawers in pedestals and cabinets can be retro-fitted. Door locks are identical in shape to drawer locks, but these components are not pre-routed and therefore, locks cannot be retro-fitted.

Reff lockcores must be specified separately. Reff lock mechanisms are black and feature a removable core for easy replacement.

Levellers

All endpanels, backpanels (except recessed), floor pedestals and cabinets have 1 1/2" high levellers.

Lighting

Shelves and overhead cabinets have a bottom recess to house the task light. The task light can be easily retro-fitted.

Power is conveyed to the task light fixture by a 9' long cable. The lower end of the cable can be plugged into a panel base receptacle.

Grommets

Grommets are optional (except where noted). Tops up to 48" wide have one grommet. Tops wider than 48" include two grommets. See Planning Guide for locations.

All dimensions in this price list are for representative purposes only. For accurate build dimensions or factory drawings, please call Customer Services.

The Reff electrical is listed for use in the Reff panel system under UL1286.

Reff "Floor to Ceiling" is a modular, panel-based system. The ceiling channel should not be used as a support for the panel (see *support* section of specification guide).

Because local building and electrical codes vary and may have special requirements for modular walls that touch, approach or are attached to the ceiling, customers and installers should have the specifications reviewed and approved by building inspectors and a qualified electrical contractor. To the extent local codes and practices dictate, Knoll is available to help with customized solutions.

Orders with 50 or fewer locks required with no specific keying requests will be sent randomly keyed by the factory without warning.

Finishing

All Reff natural wood veneer and Techwood components are stained and sealed using a state of the art polyurethane finishing process. PolyurTM provides superior resistance to solvents, stains, abrasion and heat. Each component is coated and cured with ultraviolet light for a durable, lasting wood surface.

Natural veneers are all hand selected to best showcase the beauty of natural grain and to Knoll's meticulous color and grain standards.

Every effort is made to ensure that Knoll Reff veneers are the best that can be sourced in quality of color, consistency and size. Natural variations of wood are held in high regard and are not considered to be defects. Natural variations are not subject to warranty. The natural process of color change in real wood products is part of the unique character and beauty of this material. Knoll expects wood to patina over time and does not warranty color change.

Techwood is a genuine real wood product, enhanced by technology to provide color and grain consistency. Techwood finishes are available in open and closed pore options. Open pore techwood finishes are not available on waterfall edge tops. Waterfall edge tops can be specified with closed pore V1 and V2 finishes only.

FSC (Forest Stewardship Council) certified materials available upon request.

Wood Finishes:
V1 Techwood Closed Pore

Y316	Maple
Y319	Cherry
Y323	Medium Walnut
Y326	Dark Mahogany
Y327	Light Oak
Y329	Medium Oak
Y341	Wenge *
Y342	Medium Teak *
Y343	Dark Grey Oak *
Y344	Espresso
Y851	Black Oak
Y811	Natural
Y821	Blond Maple
Y831	Light Cherry

*Not available on Reff optional Edges and Waterfall Edge.

V1 - Techwood Closed Pore
Surface with matching synthetic edge:

Options applicable for 1 1/4" thick worksurfaces with standard flat edge only.

S319	Cherry
S316	Maple
S323	Medium Walnut

V2 Natural Veneers/Premium Techwood Veneers Closed Pore

V312	Bronze Cherry
V316	Maple
V411	Light Walnut
V415	Peacock Green Walnut
V417	Old English Walnut
V418	Smoked Walnut
V433	Light Fawn Cherry
V436	Medium Brown Cherry
V440	Natural Hemlock (QC)
Y871	Iced Sycamore (Open pore)
Y841	Ebony (Open pore)
Y861	Grigio (Open pore)

(all above V2's are flat cut)

V421	Chalk Oak
V423	Light Oak
V425	Amber Oak
V427	Brown Oak

(all V2 Oak's are rift cut)

V439	Straight Anigre
------	-----------------

V2 Natural Veneer with synthetic edge

Options applicable for 1 1/4" thick worksurfaces with standard flat edge only.

Flat Cut:

R319	Medium Cherry
R315	Light Cherry
R316	Light Maple
R323	Medium Walnut
R415	Peacock Green Walnut
R417	Old English Walnut
R421	Chalk Oak
R427	Brown Oak
R312	Bronze Cherry

V3 Exotic Veneer

V512	Figured Anigre
V514	Makore
V515	Figured Sycamore
V517	Natural Sapele
V518	Natural Chestnut

(all above are quarter cut)

Glass Options:

TEMP	Clear Tempered (G1)
------	---------------------

Architectural Glass Options: (G2)

GL13	Powder
GL8	Wafer
GL6	Block Matrix

Back Painted Glass (G3)

GL11	Back Painted Black
GL15	Back Painted Medium Grey
GL18	Back Painted White

Colored Glass (G3)

GL35	Grey
GL85	Star Clear

Locks

Black and Silver

Laminate

Matching edge band unless noted otherwise

111	Jet Black
114	Folkstone Grey
115	Medium Grey
117	Soft Grey
118	Bright White
119	Pumice
121	Micro Grey with 114 Folkstone grey edge band
122	Brushed Sand with 119 Pumice edge band
123	Brushed Grey with 128 Fog edge band
124	Medium Cherry
125	Natural Maple
126	Natural Cherry
127	Walnut
128	Fog
129	Micro Sand with 119 Pumice edge band

Paint Classifications:

Upcharge as applicable for paint class noted on applicable product pages

P1

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey

P2

611	Beige Mist Metallic
612	Medium Metallic Grey

P3

118	Bright White
613	Silver
PD	Polish Chrome
PT	Brushed Pewter
PN	Black Nickel
PU	Satin Nickel
AN	Anodized Black
AP	Anodized Polished
AU	Anodized Satin
AA	Anodized Aluminum

See matrix next page for finishes applicable by component

Forbo

851	Biscuit
852	Sky Blue
853	Stone
854	Cinnamon
855	Heather Blue

Mixed Finishes: (where applicable for work surfaces only)

To order mixed finishes, enter four digit finish code as follows:

Use 2 digit prefix to indicate surface finish (laminate)

11	Jet Black
14	Folkstone Grey
17	Soft Grey
18	Bright White
19	Pumice
21	Micro Grey
22	Brushed Sand
23	Brushed Grey
28	Fog
29	Micro Sand

Use 2 digit suffix to indicate edge finish (wood)

12	for V312
16	for V316, Y316
Y9	for Y319
Y3	for Y323
26	for Y326
27	for Y327
29	for Y329
43	for V433
45	for V415
46	for V436
47	for V417
48	for V418
49	for V449
52	for V512
54	for V514
55	for V515
57	for V517
61	for V411
71	for V421
73	for V423
75	for V425
77	for V427
85	for Y851
Y1	for Y341
62	for Y342
44	for Y344

Example:

For a Micro Grey laminate surface with Bronzed Cherry edge, enter finish code 2112

For a Jet Black laminate surface with Light Maple edge, enter finish code 1116

Fabric Options

Grade 10

Bailey II (W359) ø
Broadcloth (W288)
Foundation (W351)
Growth Spurt (W692)
Newbury (W812) ø
Solid Crepe (W257) ø
Symbolic Detail (W693)
Tailor Made (W133)
Versatility (W432)

Grade 15

Regency (W210)

Grade 20

Banyan (W443)
Bauhaus Block (W296A)
Circle Line (W1146)
Clarity (W281)
Criss Cross (W305)
Devon (W809) ø
Labyrinth (W352)
Melbourne (W228)
Outback (W229)
Reflect (W884) ø
Resolution (W280)
Walkabout (W230)
Weave Three (W298)

Grade 30

Basket Draft (W249)
Flow (W565)
Harmony (W232)
Interknit (W1090)
Match Point (W1145)
Micro (W465)*
Progression (W403)
Raku Cloth (W566) ø
Relay (W1020) ▲

Grade 40

Clarkson (W1218)
Ornament (W1078)
Palladium (W1030)
Sennit (W337)
Spinoff Nuance (W319)

Grade 45

Casual Elegance (W920)
Dristi (K872)* ø

**with backing only*

▲ Monolithic panels and tackboards only

ø May not be available in all colors.

The following textiles are approved for use on Reff panels. Consult Knoll representative for pricing:

Grade 50

Knoll Hopsack (K1206)
Ricochet (W498)

Grade 55

Knoll Felt (K1207)
Transition (W816)

Customers Own Material

Prices for panels that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing.

COM fabrics are subject to a testing charge prior to acceptance for use on Reff panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.

When specifying panel/fabrics use the following format to denote location on a tiled panel.

Side 1		Side 2
1E	Top of Panel	2E
1D		2D
1C		2C
1B		2B
1A	Bottom of Panel	2A

(Side 1 is always the inside of the workstation.)

Panels with beltway one side: assume the beltway is on SIDE 1 of the panel.

Non-Wood Finishes

26 1/2" h planning Finishes


	Panel Tiles, Worksurfaces & Components	Panel Top Trims Window Frames	Panel Base Side Plates	Panel Beltway Side Plates*	Leg and Bases	Interaction Style Legs	Pulls	Grommets
Jet Black	111	111	111	111	111	111	111	111
Dark grey	n/a	113	113	113	113	113	n/a	113
Medium grey	115	115	115	115	115	115	115	115
Soft grey	117	117	117	117	117	117	n/a	117
Folkstone grey	114	114	114	114	114	114	n/a	114
Pumice	119	119	119	119	119	119	n/a	119
Sandstone	n/a	116	116	116	116	116	n/a	116
Brown	n/a	112	112	112	112	112	112	112
Medium metallic grey	n/a	612	612	612	612	612	612	612
Silver	n/a	613	613	613	613	613	613	613
Bright White	118	118	118	118	118	118	118	118
Beige metallic mist	n/a	611	611	611	611	611	611	611
Micro Grey *	121	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brushed Sand *	122	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brushed Grey *	123	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Fog	128	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Micro Sand *	129	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Plated Finishes								
Satin brass	n/a	n/a	PZ	n/a	PZ	n/a	PZ●	PZ
Brushed pewter	n/a	n/a	PT	n/a	PT	n/a	PT●	PT
Polished chrome	n/a	n/a	PD	n/a	PD	n/a	n/a	PD

n/a = not available


* = matching edge band not available, also not optional for panel tiles or components, worksurfaces only

● PZ and PT Pulls only for 'D' Pulls.


Panel Trim Profiles




Flat (Option A)



Square (Option B)



Bullnose (Option C)




Extruded Aluminum (Option E)

Worksurface Profiles



1 1/2" and 1 1/4" Thick Standard




1 1/4" Thick Waterfall




1 1/4" Thick Cascade

NOTE: See page 153 for 7 Optional Edges which are also available.


Pull Options




Integral Wood J-Pull




C-Pull (Nickle Plated Finish Only)
7³/₈"W x 1⁵/₃₂"D



S-Pull (Stainless Steel Finish Only)
6⁵/₃₂"W x 1¹/₁₆"D



D-Pull (Painted and Plated Finishes)
7³/₄"W x 1¹³/₃₂"D



R-Cylinder

1" diameter

Protrudes 1" from the drawer front


Available in painted and plated finishes

1 pull per 16" & 19" wide pedestal drawer

Position: center position for 16" & 19" drawers

2 pulls per 30" & 36" lateral drawers

Position: 6" in from end, 1 1/2" down from top of drawers



H-Out Line

4" wide x 1" deep

Protrudes 1" from the drawer front


Available in painted and plated finishes

1 pull per 16" & 19" wide pedestal drawer

Position: center, 1 1/2" down from the top of drawer

2 pulls per 30" & 36" lateral drawers

Position: 6" in from left/right, 1 1/2" down from top of drawers



T-Tab


short Tab: 2" wide x 1 3/4" deep

Long Tab: 10" wide x 1 3/4" deep

Protrudes 3/4" from drawer front

Available in painted or plated finishes

Position: Center line position on drawers



G-Grommet Pull

1 5/32" diameter

Flush with the drawer front


Available in painted and plated finishes

1 pull per 60" & 72" sliding doors

Position: 1.656" from left or right, center line vertical

2 pulls per 90" & 108" sliding doors

Position: 1.656" from left and right, center line vertical



F-Bar Pull

Short bar pull: 3 3/8" wide x .3" thick

Long bar pull: 10 1/2" wide x .3" thick


Protrudes 1" from drawer front

Available in painted and plated finishes

Position: Center line position on drawers

Monolithic panels 34" H *fabric both sides*

Reff Profiles


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics 	18"	34"	R3B0PFF3418-() ()	\$606.	\$622.	\$664.	\$750.	\$802.	\$880.	\$934.
	20"	34"	R3B0PFF3420-() ()	606.	622.	664.	750.	802.	882.	934.
	24"	34"	R3B0PFF3424-() ()	654.	670.	712.	798.	850.	928.	982.
	30"	34"	R3B0PFF3430-() ()	698.	714.	756.	842.	894.	972.	1,026.
	36"	34"	R3B0PFF3436-() ()	742.	758.	800.	886.	938.	1,016.	1,070.
	42"	34"	R3B0PFF3442-() ()	852.	868.	910.	996.	1,048.	1,126.	1,180.
	48"	34"	R3B0PFF3448-() ()	884.	900.	942.	1,028.	1,080.	1,180.	1,212.

Order Code	Specification Information	Application Notes	
Example: R3B0PFF3418-A4K	<i>To order please specify pattern number including:</i>	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum	All panels on this page accept stacking modules.
R3 Reff Generation 3	1. Top trim profile	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	6" Raceway option increases panel height by 2 3/4".
B0 No Beltway	2. Base height		
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Applicable finishes are listed on page 5 and 6.	All panels on this page have no high acoustical option or Beltway option.
FF Fabric on both sides	4. Panel side 1 finish(s) inside		
34 34" high	5. Panel side 2 finish(s) outside		Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.
18 18" wide	6. Top trim finish		
(A) Flat style top trim profile	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
(4) 4" base height	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver		
(K) Include knockouts in base	7. Base finish		Ported panel components to be installed below worksurface if panel 36"h.
W281 Fabric Side 1	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable		
W281 Fabric Side 2			
V316 Maple (top trim finish)			
111 Jet Black (base finish)			
M Milled for ported components			

Monolithic panels 34" H *fabric one side, laminate other side*

Reff Profiles

Panels


description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	34"	R3B0PFL3418-() ()	\$580.	\$588.	\$607.	\$645.	\$669.	\$702.	\$726.
	20"	34"	R3B0PFL3420-() ()	580.	588.	607.	645.	669.	702.	726.
	24"	34"	R3B0PFL3424-() ()	617.	625.	644.	682.	706.	739.	763.
	30"	34"	R3B0PFL3430-() ()	658.	666.	685.	723.	747.	780.	804.
	36"	34"	R3B0PFL3436-() ()	694.	702.	721.	759.	783.	816.	840.
	42"	34"	R3B0PFL3442-() ()	790.	798.	817.	855.	879.	912.	936.
	48"	34"	R3B0PFL3448-() ()	814.	822.	840.	879.	903.	936.	960.

Order Code	Specification Information	Application Notes
<p>Example: R3B0PFL3418-A4K</p> <p>R3 Reff Generation 3</p> <p>B0 No Beltway</p> <p>P Monolithic panel</p> <p>FL Fabric one side</p> <p>34 34" high</p> <p>18 18" wide</p> <p>A Flat style top trim profile</p> <p>4 4" base height</p> <p>K Include knockouts in base</p> <p>W281 Fabric Side 1</p> <p>114 Folkstone grey - side 2</p> <p>V316 Maple (top trim finish)</p> <p>111 Jet Black (base finish)</p> <p>M Milled for ported components</p>	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Top trim profile Base height Knockout option (K = with knockouts, N = without knockouts) Panel side 1 finish(s) inside Panel side 2 finish(s) outside Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver Base finish <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable 	<p><i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p><i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option).</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.</p> <p>All panels on this page accept stacking modules.</p> <p>6" Raceway option increases panel height by 2 3/4".</p> <p>All panels on this page have no high acoustical option or Beltway option.</p> <p>Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.</p> <p>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</p> <p>Ported panel components to be installed below worksurface if panel 36"h.</p>

Monolithic panels 34" H

fabric one side, techwood other side

Reff Profiles

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	34"	R3B0PF13418-() ()	\$681.	\$688.	\$710.	\$753.	\$780.	\$819.	\$848.
	20"	34"	R3B0PF13420-() ()	684.	691.	713.	756.	783.	822.	851.
	24"	34"	R3B0PF13424-() ()	728.	735.	757.	800.	827.	866.	895.
	30"	34"	R3B0PF13430-() ()	774.	781.	803.	846.	873.	912.	941.
	36"	34"	R3B0PF13436-() ()	821.	828.	850.	893.	920.	959.	988.
	42"	34"	R3B0PF13442-() ()	931.	938.	960.	1,003.	1,030.	1,069.	1,098.
	48"	34"	R3B0PF13448-() ()	962.	969.	991.	1,034.	1,061.	1,100.	1,129.

Order Code	Specification Information	Application Notes
Example: R3B0PF13418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F1 Fabric one side, V1 other side	4. Panel side 1 finish(s) inside	E = Extruded Aluminum
34 34" high	5. Panel side 2 finish(s) outside	<i>2. Base height:</i>
18 18" wide	6. Top trim finish	4 = 4" base height
A Flat style top trim profile	i) Top trim profile A,B or C options:	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
W281 Fabric Side 1	7. Base finish	
Y328 Mahogany - side 2	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

All panels on this page accept stacking modules.

6" Raceway option increases panel height by 2³/₄".

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Ported panel components to be installed below worksurface if panel 34"h.


Monolithic panels 34" H

fabric one side, conventional veneer other side

Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	34"	R3B0PF234 18-() ()	\$694.	\$701.	\$723.	\$766.	\$793.	\$832.	\$861.
Regular acoustics	20"	34"	R3B0PF234 20-() ()	697.	704.	726.	769.	796.	835.	864.
	24"	34"	R3B0PF234 24-() ()	740.	747.	769.	812.	839.	878.	907.
	30"	34"	R3B0PF234 30-() ()	790.	797.	819.	862.	889.	928.	957.
	36"	34"	R3B0PF234 36-() ()	835.	842.	864.	907.	934.	973.	1,002.
	42"	34"	R3B0PF234 42-() ()	952.	959.	981.	1,024.	1,051.	1,090.	1,119.
	48"	34"	R3B0PF234 48-() ()	980.	987.	1,009.	1,052.	1,079.	1,118.	1,147.




Order Code	Specification Information	Application Notes	
Example: R3B0PF23418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded aluminum	All panels on this page accept stacking modules.
R3	Reff Generation 3		
B0	No Beltway		6" Raceway option increases panel height by 2¾".
P	Monolithic panel		
F2	Fabric one side,V2 other side	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	All panels on this page have no high acoustical option or Beltway option.
34	34" high		
18	18" wide		
A	Flat style top trim profile		
4	4" base height	Applicable finishes are listed on page 5 and 6.	
K	Include knockouts in base		
W281	Fabric Side 1		
V316	Maple surface - side 2		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
V316	Maple (top trim finish)		
111	Jet Black (base finish)		
M	Optional milled frame		Ported panel components to be installed below worksurface if panel 34"h.

Monolithic panels 34" H

fabric one side, exotic veneer other side

Reff Profiles

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	34"	R3B0PF334 18-() ()	\$923.	\$930.	\$952.	\$995.	\$1,022.	\$1,061.	\$1,090.
	20"	34"	R3B0PF334 20-() ()	927.	934.	956.	999.	1,026.	1,065.	1,094.
	24"	34"	R3B0PF334 24-() ()	986.	993.	1,015.	1,058.	1,085.	1,124.	1,153.
	30"	34"	R3B0PF334 30-() ()	1,054.	1,061.	1,083.	1,126.	1,153.	1,192.	1,221.
	36"	34"	R3B0PF334 36-() ()	1,113.	1,120.	1,142.	1,185.	1,212.	1,251.	1,280.
	42"	34"	R3B0PF334 42-() ()	1,270.	1,277.	1,299.	1,342.	1,369.	1,408.	1,437.
	48"	34"	R3B0PF334 48-() ()	1,308.	1,315.	1,337.	1,380.	1,407.	1,446.	1,475.

Order Code	Specification Information	Application Notes	
Example: R3B0PF33418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded aluminum	All panels on this page accept stacking modules.
R3	Reff Generation 3		
B0	No Beltway		6" Raceway option increases panel height by 2¾".
P	Monolithic panel		
F3	Fabric one side, V3 one side		All panels on this page have no high acoustical option or Beltway option.
34	34" high		
18	18" wide		
A	Flat style top trim profile		
4	4" base height		
K	Include knockouts in base		
W281	Fabric Side 1		
V512	Figured Anigre surface - side 2		
V512	Figured Anigre (top trim finish)		
111	Jet Black (base finish)		
M	Optional milled frame		

	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded aluminum	All panels on this page accept stacking modules.
	1. Top trim profile		
	2. Base height		
	3. Knockout option (K = with knockouts, N = without knockouts)		6" Raceway option increases panel height by 2¾".
	4. Panel side 1 finish(s) inside		
	5. Panel side 2 finish(s) outside		
	6. Top trim finish i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	All panels on this page have no high acoustical option or Beltway option.
	7. Base finish	Applicable finishes are listed on page 5 and 6.	Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34"H panels to Beltway posts over 34"H, order appropriate attachment kit from page 117.
	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
			Ported panel components to be installed below worksurface if panel 34"h.


Monolithic panels 34" H

Laminate/Laminate

Reff Profiles

Panels

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18"	34"	R3B0PLL3418 ()()	\$595.
	20"	34"	R3B0PLL3420 ()()	595.
	24"	34"	R3B0PLL3424 ()()	649.
	30"	34"	R3B0PLL3430 ()()	727.
	36"	34"	R3B0PLL3436 ()()	786.
	42"	34"	R3B0PLL3442 ()()	810.
	48"	34"	R3B0PLL3448 ()()	848.




Order Code	Specification Information	Application Notes
Example: R3B0PLL3418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded aluminum
B0 No Beltway	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	6" Raceway option increases panel height by 2 3/4".
LL Laminate both sides	4. Panel side 1 laminate inside	
34 34" high	5. Panel side 2 laminate outside	
18 18" wide	6. Top trim finish	2. Base height: 4 = 4" base height
A Flat style top trim profile	i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
4 4" base height	ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page will accept wood grain laminate where laminate is currently an option.
K Include knockouts in base	7. Base finish	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
118 Laminate - side 1	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
118 Laminate - side 2		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		


Monolithic panels 42" H fabric both sides

Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics	18"	42"	R3B0PFF42 18-() ()	\$552.	\$570.	\$614.	\$706.	\$776.	\$856.	\$912.
	20"	42"	R3B0PFF42 20-() ()	552.	570.	614.	706.	776.	856.	912.
	24"	42"	R3B0PFF42 24-() ()	589.	607.	651.	743.	813.	893.	949.
	30"	42"	R3B0PFF42 30-() ()	642.	660.	704.	796.	886.	946.	1,002.
	36"	42"	R3B0PFF42 36-() ()	691.	709.	753.	845.	915.	995.	1,051.
	42"	42"	R3B0PFF42 42-() ()	742.	760.	804.	896.	966.	1,046.	1,102.
	48"	42"	R3B0PFF42 48-() ()	797.	815.	859.	951.	1,021.	1,101.	1,157.
	60"	42"	R3B0PFF42 60-() () *	901.	949.	1,041.	1,217.	1,347.	1,515.	1,619.
	66"	42"	R3B0PFF42 66-() () *	933.	981.	1,073.	1,249.	1,379.	1,547.	1,651.
	72"	42"	R3B0PFF42 72-() () *	963.	1,011.	1,103.	1,279.	1,409.	1,577.	1,681.



Monolithic, fabric both sides High acoustics	18"	42"	R3B0PAA42 18-() ()	606.	624.	668.	760.	830.	910.	966.
	20"	42"	R3B0PAA42 20-() ()	606.	624.	668.	760.	830.	910.	966.
	24"	42"	R3B0PAA42 24-() ()	645.	663.	707.	799.	869.	949.	1,005.
	30"	42"	R3B0PAA42 30-() ()	700.	718.	762.	854.	924.	1,004.	1,060.
	36"	42"	R3B0PAA42 36-() ()	757.	775.	819.	911.	981.	1,061.	1,117.
	42"	42"	R3B0PAA42 42-() ()	816.	834.	878.	970.	1,040.	1,120.	1,176.
	48"	42"	R3B0PAA42 48-() ()	875.	893.	937.	1,029.	1,099.	1,179.	1,235.
	60"	42"	R3B0PAA42 60-() () *	984.	1,032.	1,124.	1,300.	1,430.	1,598.	1,702.
	66"	42"	R3B0PAA42 66-() () *	1,017.	1,065.	1,157.	1,333.	1,463.	1,631.	1,735.
	72"	42"	R3B0PAA42 72-() () *	1,050.	1,098.	1,190.	1,366.	1,496.	1,664.	1,768.



Order Code	Specification Information	Application Notes
Example: R3B0PFF4218-A4K	<i>To order please specify pattern number including:</i>	The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 413).
R3 Reff Generation 3	1. Top trim profile	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
B0 No Beltway	2. Base height	
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Applicable finishes are listed on page 5 and 6.
FF Fabric on both sides	4. Panel side 1 finish(s) inside	6" Raceway option increases panel height by 2 3/4".
42 42" high	5. Panel side 2 finish(s) outside	Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 117.
18 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Remember to specify Beltway paint finish when applicable.
(A) Flat style top trim profile	7. Base finish	*These panel widths do not accept stacking modules.
(4) 4" base height	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	*Fabric inserts of these panels are two pieces, split vertically.
(K) Include knockouts in base		
W281 Fabric - Side 1		
W281 Fabric - Side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		


Monolithic panels 42" H with Beltway

Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	42"	R3B2PFF42 18-() ()	\$1,088.	\$1,114.	\$1,176.	\$1,292.	\$1,362.	\$1,460.	\$1,528.
Beltway two sides, regular acoustics	20"	42"	R3B2PFF42 20-() ()	1,088.	1,114.	1,176.	1,292.	1,362.	1,460.	1,528.
	24"	42"	R3B2PFF42 24-() ()	1,111.	1,137.	1,199.	1,315.	1,385.	1,483.	1,551.
	30"	42"	R3B2PFF42 30-() ()	1,165.	1,191.	1,253.	1,369.	1,439.	1,537.	1,605.
	36"	42"	R3B2PFF42 36-() ()	1,363.	1,389.	1,451.	1,567.	1,637.	1,735.	1,803.
	42"	42"	R3B2PFF42 42-() ()	1,466.	1,492.	1,554.	1,670.	1,740.	1,838.	1,906.
	48"	42"	R3B2PFF42 48-() ()	1,519.	1,545.	1,607.	1,723.	1,793.	1,891.	1,959.

Monolithic, fabric both sides	18"	42"	R3B1PFF42 18-() ()	1,072.	1,094.	1,147.	1,251.	1,321.	1,410.	1,472.
Beltway one side	20"	42"	R3B1PFF42 20-() ()	1,072.	1,094.	1,147.	1,251.	1,321.	1,410.	1,472.
	24"	42"	R3B1PFF42 24-() ()	1,090.	1,112.	1,165.	1,269.	1,339.	1,428.	1,490.
	30"	42"	R3B1PFF42 30-() ()	1,145.	1,167.	1,220.	1,324.	1,394.	1,483.	1,545.
	36"	42"	R3B1PFF42 36-() ()	1,338.	1,360.	1,413.	1,517.	1,587.	1,676.	1,738.
	42"	42"	R3B1PFF42 42-() ()	1,439.	1,461.	1,514.	1,618.	1,688.	1,777.	1,839.
	48"	42"	R3B1PFF42 48-() ()	1,485.	1,507.	1,560.	1,664.	1,734.	1,823.	1,885.



Order Code	Specification Information	Application Notes
Example: R3B2PFF4218	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Panel side 1 finish(s) inside below belt	<i>2. Base height:</i>
18 18" wide	5. Panel side 1 finish(s) inside above belt	4 = 4" base height
(A) Flat style top trim profile	6. Panel side 2 finish(s) outside below belt	6 = 6" base height (add \$47 per panel for this option)
(4) 4" base height	7. Panel side 2 finish(s) outside above belt	<i>3. Beltway:</i>
(K) Include knockouts in base	8. Top trim finish	B1 = Beltway 1 side
W281 Fabric - Side 1 below belt	i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	B2 = Beltway 2 sides
W281 Fabric - Side 1 above belt	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
W281 Fabric - Side 2 below belt	9. Base finish	
W281 Fabric - Side 2 above belt	10. Beltway finish	
V316 Maple (top trim finish)	11. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
111 Jet Black (base finish)		
111 Jet Black Beltway finish		

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 413).

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

*Fabric inserts of these panels are two pieces, split vertically.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Applicable finishes are listed on page 5 and 6.

Monolithic panels 42" H

fabric one side, laminate other side

Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	42"	R3B0PFL42 18-() ()	\$475.	\$483.	\$504.	\$542.	\$574.	\$609.	\$635.
Regular acoustics	20"	42"	R3B0PFL42 20-() ()	475.	483.	504.	542.	574.	609.	635.
	24"	42"	R3B0PFL42 24-() ()	481.	489.	510.	548.	580.	615.	641.
	30"	42"	R3B0PFL42 30-() ()	577.	585.	606.	644.	676.	711.	737.
	36"	42"	R3B0PFL42 36-() ()	624.	632.	653.	691.	723.	758.	784.
	42"	42"	R3B0PFL42 42-() ()	701.	709.	730.	768.	800.	835.	861.
	48"	42"	R3B0PFL42 48-() ()	763.	771.	792.	830.	862.	897.	923.
	60"	42"	R3B0PFL42 60-() ()	829.	850.	889.	968.	1,026.	1,101.	1,146.
	66"	42"	R3B0PFL42 66-() ()	859.	880.	919.	998.	1,056.	1,131.	1,176.
	72"	42"	R3B0PFL42 72-() ()	891.	912.	951.	1,030.	1,088.	1,163.	1,208.
Monolithic, fabric one side	18"	42"	R3B1PFL42 18-() ()	934.	946.	973.	1,024.	1,054.	1,097.	1,129.
Beltway one side (fabric side)	20"	42"	R3B1PFL42 20-() ()	934.	946.	973.	1,024.	1,054.	1,097.	1,129.
	24"	42"	R3B1PFL42 24-() ()	958.	970.	997.	1,048.	1,078.	1,121.	1,153.
	30"	42"	R3B1PFL42 30-() ()	1,030.	1,042.	1,069.	1,120.	1,150.	1,193.	1,225.
	36"	42"	R3B1PFL42 36-() ()	1,202.	1,214.	1,241.	1,292.	1,322.	1,365.	1,397.
	42"	42"	R3B1PFL42 42-() ()	1,230.	1,242.	1,269.	1,320.	1,350.	1,393.	1,425.
	48"	42"	R3B1PFL42 48-() ()	1,383.	1,395.	1,422.	1,473.	1,503.	1,546.	1,578.

Order Code	Specification Information	Application Notes
Example: R3B0PFL4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	BO=No Beltway	A = Flat
B0 No Beltway	B1=Beltway one side	B = Square
P Monolithic panel		C = Bullnose
FL Fabric one side, laminate other		E = Extruded Aluminum
42 42" high	1. Top trim profile	<i>2. Base height:</i>
18 18" wide	2. Base height	4 = 4" base height
A Flat style top trim profile	3. Knockout option (K = with knockouts, N = without knockouts)	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	4. Panel side 1 finish(s) inside (for panel with beltway specify: Side 1-below belt Side 2-above belt	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	B1 = Beltway 1 side
114 Folkstone grey - side 2	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	7. Base finish	Product on this page will accept wood grain laminate where laminate is currently an option.
111 Jet Black (base finish)	8. Beltway finish-only for panel with beltway option	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
M Optional milled frame	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page.)

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

fabric one side, techwood other side

Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	42"	R3B0PF142 18-() ()	\$558.	\$568.	\$590.	\$637.	\$673.	\$713.	\$742.
Regular acoustics	20"	42"	R3B0PF142 20-() ()	558.	568.	590.	637.	673.	713.	742.
	24"	42"	R3B0PF142 24-() ()	563.	573.	595.	642.	678.	718.	747.
	30"	42"	R3B0PF142 30-() ()	678.	688.	710.	757.	793.	833.	862.
	36"	42"	R3B0PF142 36-() ()	734.	744.	766.	813.	849.	889.	918.
	42"	42"	R3B0PF142 42-() ()	827.	837.	859.	906.	942.	982.	1,011.
	48"	42"	R3B0PF142 48-() ()	898.	908.	930.	977.	1,013.	1,053.	1,082.
	60"	42"	R3B0PF142 60-() ()*	977.	1,000.	1,047.	1,138.	1,203.	1,292.	1,344.
	66"	42"	R3B0PF142 66-() ()*	1,015.	1,038.	1,085.	1,176.	1,241.	1,330.	1,382.
	72"	42"	R3B0PF142 72-() ()*	1,050.	1,073.	1,120.	1,211.	1,276.	1,365.	1,417.
Monolithic, fabric one side	18"	42"	R3B1PF142 18-() ()	1,095.	1,108.	1,139.	1,199.	1,232.	1,283.	1,319.
Beltway one side (fabric side)	20"	42"	R3B1PF142 20-() ()	1,095.	1,108.	1,139.	1,199.	1,232.	1,283.	1,319.
	24"	42"	R3B1PF142 24-() ()	1,127.	1,140.	1,171.	1,231.	1,264.	1,315.	1,351.
	30"	42"	R3B1PF142 30-() ()	1,211.	1,224.	1,255.	1,315.	1,348.	1,399.	1,435.
	36"	42"	R3B1PF142 36-() ()	1,409.	1,422.	1,453.	1,513.	1,546.	1,597.	1,633.
	42"	42"	R3B1PF142 42-() ()	1,447.	1,460.	1,490.	1,551.	1,584.	1,635.	1,671.
	48"	42"	R3B1PF142 48-() ()	1,628.	1,641.	1,672.	1,732.	1,765.	1,816.	1,852.

Order Code	Specification Information	Application Notes
Example: R3B0PF14218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway specify:	4 = 4" base height
A Flat style top trim profile	Side 1, Below belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 2, Above belt	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
Y328 Mahogany - side 2	i)Top trim profile A,B or C options:	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii)Top trim profile E options:	
	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish (only for panels with Beltway)	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.



79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

fabric one side, conventional veneer other side

Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	42"	R3B0PF242 18-() ()	\$566.	\$576.	\$598.	\$645.	\$681.	\$721.	\$750.
	20"	42"	R3B0PF242 20-() ()	566.	576.	598.	645.	681.	721.	750.
	24"	42"	R3B0PF242 24-() ()	575.	585.	607.	654.	690.	730.	759.
	30"	42"	R3B0PF242 30-() ()	691.	701.	723.	770.	806.	846.	875.
	36"	42"	R3B0PF242 36-() ()	746.	756.	778.	825.	861.	901.	930.
	42"	42"	R3B0PF242 42-() ()	841.	851.	873.	920.	956.	996.	1,025.
	48"	42"	R3B0PF242 48-() ()	916.	926.	948.	995.	1,031.	1,071.	1,100.
	60"	42"	R3B0PF242 60-() ()*	990.	1,013.	1,060.	1,151.	1,216.	1,305.	1,357.
	66"	42"	R3B0PF242 66-() ()*	1,031.	1,054.	1,101.	1,192.	1,257.	1,346.	1,398.
	72"	42"	R3B0PF242 72-() ()*	1,065.	1,088.	1,135.	1,226.	1,291.	1,380.	1,432.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	42"	R3B1PF242 18-() ()	1,120.	1,133.	1,164.	1,224.	1,257.	1,308.	1,344.
	20"	42"	R3B1PF242 20-() ()	1,120.	1,133.	1,164.	1,224.	1,257.	1,308.	1,344.
	24"	42"	R3B1PF242 24-() ()	1,144.	1,157.	1,188.	1,248.	1,281.	1,332.	1,368.
	30"	42"	R3B1PF242 30-() ()	1,236.	1,249.	1,280.	1,340.	1,373.	1,424.	1,460.
	36"	42"	R3B1PF242 36-() ()	1,437.	1,450.	1,481.	1,541.	1,574.	1,625.	1,661.
	42"	42"	R3B1PF242 42-() ()	1,475.	1,488.	1,519.	1,579.	1,612.	1,663.	1,699.
	48"	42"	R3B1PF242 48-() ()	1,656.	1,669.	1,700.	1,760.	1,793.	1,844.	1,880.

Order Code	Specification Information	Application Notes
Example: R3B0PF24218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panel with Beltway option specify:	4 = 4" base height
A Flat style top trim profile	Side 1- Below Beltway	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 2- Above Beltway	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
V316 Maple surface - side 2	i) Top trim profile A, B or C options:	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish - (only for panels with Beltway option)	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 42" H

fabric one side, exotic veneer other side

Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18"	42"	R3B0PF342 18-() ()	\$749.	\$759.	\$781.	\$828.	\$864.	\$904.	\$933.
	20"	42"	R3B0PF342 20-() ()	749.	759.	781.	828.	864.	904.	933.
	24"	42"	R3B0PF342 24-() ()	761.	771.	793.	840.	876.	916.	945.
	30"	42"	R3B0PF342 30-() ()	916.	926.	948.	995.	1,031.	1,071.	1,100.
	36"	42"	R3B0PF342 36-() ()	992.	1,002.	1,024.	1,071.	1,107.	1,147.	1,176.
	42"	42"	R3B0PF342 42-() ()	1,119.	1,129.	1,151.	1,198.	1,234.	1,274.	1,303.
	48"	42"	R3B0PF342 48-() ()	1,221.	1,231.	1,253.	1,300.	1,336.	1,376.	1,405.
	60"	42"	R3B0PF342 60-() ()*	1,306.	1,329.	1,376.	1,467.	1,532.	1,621.	1,673.
	66"	42"	R3B0PF342 66-() ()*	1,361.	1,384.	1,431.	1,522.	1,587.	1,676.	1,728.
	72"	42"	R3B0PF342 72-() ()*	1,408.	1,431.	1,478.	1,569.	1,634.	1,723.	1,775.
Monolithic, fabric one side Beltway fabric side	18"	42"	R3B1PF342 18-() ()	1,496.	1,509.	1,540.	1,600.	1,633.	1,684.	1,720.
	20"	42"	R3B1PF342 20-() ()	1,496.	1,509.	1,540.	1,600.	1,633.	1,684.	1,720.
	24"	42"	R3B1PF342 24-() ()	1,528.	1,541.	1,572.	1,633.	1,665.	1,716.	1,752.
	30"	42"	R3B1PF342 30-() ()	1,652.	1,665.	1,696.	1,756.	1,789.	1,840.	1,876.
	36"	42"	R3B1PF342 36-() ()	1,925.	1,938.	1,969.	2,029.	2,062.	2,113.	2,149.
	42"	42"	R3B1PF342 42-() ()	1,975.	1,988.	2,019.	2,079.	2,112.	2,163.	2,199.
	48"	42"	R3B1PF342 48-() ()	2,221.	2,234.	2,265.	2,325.	2,359.	2,409.	2,445.

Order Code

Example:	R3B0PF34218-A4K
R3	Reff Generation 3
B0	No Beltway, B1=Beltway, one side
P	Monolithic panel
F3	Fabric one side, V3 other
42	42" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
W281	Fabric - Side 1
V512	Figured Anigre surface - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts,
N = without knockouts)
4. Panel side 1 finish(s) inside
For panel with Beltway option
specify:
Side 1=Below Beltway
Side 2=Above Beltway
5. Panel side 2 finish(s) outside
6. Top trim finish
i) Top trim profile A,B or C
options:
V1, V2, V3, P1, P2, P3 finishes
ii) Top trim profile E options:
AA-anodized aluminum or P1,
P2, P3 finish listed on page
5 excluding silver
7. Base finish
8. Beltway finish (only for panels
with Beltway option)
9. *Optional non-beltway panels:*
specify (M) for panel frame to be
milled for ported components,
\$14 list upcharge applicable

Application Notes

1. *Top trim profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 per
panel for this option)

3. *Beltway:*
B0 = No Beltway
B1 = Beltway 1 side

Applicable finishes are listed on
page 5 and 6.

The Reff System does not support
the stacking of modules onto 42"H
panels. These panels can be used to
achieve transaction top height (see
transaction tops page).

6" Raceway option increases panel
height by 2 3/4".

Product on this page can be
attached to posts 42", 49", 64", and
79"H as well as panels 42", 49", 64"
and 79"H. Panels on this page will
not attach to panels made before
April 1997 without an attachment
kit from page 117.

Remember to specify Beltway paint
finish when applicable.


79"H hookstrip reveal strips are
ordered separately from page 117 at
no charge.

Fabric and veneer covers of 60", 66"
and 72" wide panels are two pieces,
split vertically.

Monolithic panels 42" H

Laminate/Laminate

Reff Profiles

description	w	h	pattern no.	L
 Monolithic, laminate both sides with raceway both sides	18"	42"	R3B0PLL4218() ()	\$630.
	20"	42"	R3B0PLL4220() ()	630.
	24"	42"	R3B0PLL4224() ()	687.
	30"	42"	R3B0PLL4230() ()	769.
	36"	42"	R3B0PLL4236() ()	831.
	42"	42"	R3B0PLL4242() ()	914.
	48"	42"	R3B0PLL4248() ()	1,023.
	60"	42"	R3B0PLL4260() ()*	1,105.
	66"	42"	R3B0PLL4266() ()*	1,139.
	72"	42"	R3B0PLL4272() ()*	1,172.

Order Code	Specification Information	Application Notes
Example: R3B0PLL4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
R3 Reff Generation 3	1. Top trim profile	<i>2. Base height:</i> 4 = 4" base height
B0 No Beltway	2. Base height	<i>3. Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Applicable finishes are listed on page 5 and 6.
LL Laminate both sides	4. Panel side 1 inside	Product on this page will accept wood grain laminate where laminate is currently an option.
42 42" high	5. Panel side 2 outside	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
18 18" wide	6. Top trim finish <i>i</i>) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
A Flat style top trim profile	7. Base finish	
4 4" base height	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
K Include knockouts in base		
118 Laminate - side 1		The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).
118 Laminate - side 2		6" Raceway option increases panel height by 2 3/4".
V512 Figured Anigre (top trim finish)		Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
111 Jet Black (base finish)		Remember to specify Beltway paint finish when applicable.
M Optional milled frame		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Monolithic panels 49" H fabric both sides


Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	49"	R3B0PFF49 18-() ()	\$619.	\$647.	\$699.	\$809.	\$881.	\$979.	\$1,041.
Regular acoustics	20"	49"	R3B0PFF49 20-() ()	619.	647.	699.	809.	881.	979.	1,041.
	24"	49"	R3B0PFF49 24-() ()	660.	688.	740.	850.	922.	1,020.	1,082.
	30"	49"	R3B0PFF49 30-() ()	717.	745.	797.	907.	979.	1,077.	1,139.
	36"	49"	R3B0PFF49 36-() ()	750.	778.	830.	940.	1,012.	1,110.	1,172.
	42"	49"	R3B0PFF49 42-() ()	809.	837.	889.	999.	1,071.	1,169.	1,231.
	48"	49"	R3B0PFF49 48-() ()	888.	916.	968.	1,078.	1,150.	1,248.	1,310.
	60"	49"	R3B0PFF49 60-() () *	1,026.	1,072.	1,176.	1,396.	1,546.	1,740.	1,860.
	66"	49"	R3B0PFF49 66-() () *	1,059.	1,105.	1,209.	1,429.	1,579.	1,773.	1,893.
	72"	49"	R3B0PFF49 72-() () *	1,090.	1,136.	1,240.	1,460.	1,610.	1,804.	1,924.




Monolithic, fabric both sides	18"	49"	R3B0PAA49 18-() ()	675.	703.	755.	865.	937.	1,035.	1,097.
High acoustics	20"	49"	R3B0PAA49 20-() ()	675.	703.	755.	865.	937.	1,035.	1,097.
	24"	49"	R3B0PAA49 24-() ()	722.	750.	802.	912.	984.	1,082.	1,144.
	30"	49"	R3B0PAA49 30-() ()	782.	811.	863.	973.	1,045.	1,143.	1,205.
	36"	49"	R3B0PAA49 36-() ()	821.	849.	901.	1,011.	1,083.	1,181.	1,243.
	42"	49"	R3B0PAA49 42-() ()	887.	915.	967.	1,077.	1,149.	1,247.	1,309.
	48"	49"	R3B0PAA49 48-() ()	974.	1,002.	1,054.	1,164.	1,236.	1,334.	1,396.
	60"	49"	R3B0PAA49 60-() () *	1,114.	1,160.	1,264.	1,484.	1,634.	1,828.	1,948.
	66"	49"	R3B0PAA49 66-() () *	1,153.	1,199.	1,303.	1,523.	1,673.	1,867.	1,987.
	72"	49"	R3B0PAA49 72-() () *	1,192.	1,237.	1,342.	1,562.	1,712.	1,906.	2,026.



Order Code	Specification Information	Application Notes
Example: R3B0PFF4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim profile	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) Top trim profile A,B or C options:	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 1	ii) Top trim profile E options:	*Fabric inserts of these panels are two pieces, split vertically.
W281 Fabric - Side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Remember to specify Beltway paint finish when applicable.
V316 Maple (top trim finish)	7. Base finish	*These panel widths do not accept stacking modules.
111 Jet Black (base finish)	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
M Optional milled frame		

Monolithic panels 49" H with Beltway

Reff Profiles

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
 Monolithic, fabric both sides Beltway two sides, regular acoustics	18"	49"	R3B2PFF49 18-() ()	\$1,118.	\$1,154.	\$1,226.	\$1,344.	\$1,428.	\$1,550.	\$1,626.
	20"	49"	R3B2PFF49 20-() ()	1,118.	1,154.	1,226.	1,344.	1,428.	1,550.	1,626.
	24"	49"	R3B2PFF49 24-() ()	1,141.	1,177.	1,249.	1,367.	1,451.	1,573.	1,649.
	30"	49"	R3B2PFF49 30-() ()	1,199.	1,235.	1,307.	1,425.	1,509.	1,631.	1,707.
	36"	49"	R3B2PFF49 36-() ()	1,415.	1,451.	1,523.	1,641.	1,725.	1,847.	1,923.
	42"	49"	R3B2PFF49 42-() ()	1,523.	1,559.	1,631.	1,749.	1,833.	1,955.	2,031.
	48"	49"	R3B2PFF49 48-() ()	1,577.	1,613.	1,685.	1,803.	1,887.	2,009.	2,085.
Monolithic, fabric both sides Beltway one side	18"	49"	R3B1PFF49 18-() ()	1,098.	1,130.	1,192.	1,306.	1,384.	1,494.	1,563.
	20"	49"	R3B1PFF49 20-() ()	1,098.	1,130.	1,192.	1,306.	1,384.	1,494.	1,563.
	24"	49"	R3B1PFF49 24-() ()	1,120.	1,152.	1,214.	1,328.	1,406.	1,516.	1,585.
	30"	49"	R3B1PFF49 30-() ()	1,174.	1,206.	1,268.	1,382.	1,460.	1,570.	1,639.
	36"	49"	R3B1PFF49 36-() ()	1,388.	1,420.	1,482.	1,596.	1,674.	1,784.	1,853.
	42"	49"	R3B1PFF49 42-() ()	1,491.	1,523.	1,585.	1,699.	1,777.	1,887.	1,956.
	48"	49"	R3B1PFF49 48-() ()	1,544.	1,576.	1,638.	1,752.	1,830.	1,940.	2,009.

Order Code	Specification Information	Application Notes
Example: R3B2PFF4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway, both sides	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Panel 1 finish(s) Below Belt	<i>2. Base height:</i>
18 18" wide	5. Panel 2 finish(s) Above Belt	4 = 4" base height
A Flat style top trim profile	6. Panel 2 finish(s) Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	7. Panel 2 finish(s) Above Belt	<i>3. Beltway:</i>
K Include knockouts in base	8. Top trim finish	B0 = No Beltway
W281 Side 1 - Below Belt	i) Top trim profile A, B or C options:	B1 = Beltway 1 side
W281 Side 1 - Above Belt	V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
W281 Side 2 - Below Belt	ii) Top trim profile E options:	Applicable finishes are listed on page 5 and 6.
W281 Side 2 - Above Belt	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	*Fabric inserts of these panels are two pieces, split vertically.
V316 Maple (top trim finish)	9. Base finish	
111 Jet Black (base finish)	10. Beltway finish	
M Optional milled frame		
111 Beltway finish		

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Monolithic panels 49" H

fabric one side, laminate other side


Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	49"	R3B0PFL49 18-() ()	\$525.	\$540.	\$561.	\$611.	\$643.	\$686.	\$713.
Regular acoustics	20"	49"	R3B0PFL49 20-() ()	525.	540.	561.	611.	643.	686.	713.
	24"	49"	R3B0PFL49 24-() ()	574.	589.	610.	660.	692.	735.	762.
	30"	49"	R3B0PFL49 30-() ()	651.	666.	687.	737.	769.	812.	839.
	36"	49"	R3B0PFL49 36-() ()	702.	717.	738.	788.	820.	863.	890.
	42"	49"	R3B0PFL49 42-() ()	775.	790.	811.	861.	893.	936.	963.
	48"	49"	R3B0PFL49 48-() ()	872.	887.	908.	958.	990.	1,033.	1,060.
	60"	49"	R3B0PFL49 60-() () *	951.	971.	1,019.	1,114.	1,180.	1,268.	1,319.
	66"	49"	R3B0PFL49 66-() () *	978.	998.	1,046.	1,141.	1,207.	1,295.	1,346.
	72"	49"	R3B0PFL49 72-() () *	1,012.	1,032.	1,080.	1,175.	1,241.	1,329.	1,380.



Monolithic, fabric one side	18"	49"	R3B1PFL49 18-() ()	950.	966.	996.	1,050.	1,086.	1,138.	1,175.
Beltway one side (fabric side)	20"	49"	R3B1PFL49 20-() ()	950.	966.	996.	1,050.	1,086.	1,138.	1,175.
	24"	49"	R3B1PFL49 24-() ()	989.	1,005.	1,035.	1,089.	1,125.	1,177.	1,214.
	30"	49"	R3B1PFL49 30-() ()	1,063.	1,079.	1,109.	1,163.	1,199.	1,251.	1,288.
	36"	49"	R3B1PFL49 36-() ()	1,277.	1,293.	1,323.	1,377.	1,413.	1,465.	1,502.
	42"	49"	R3B1PFL49 42-() ()	1,394.	1,410.	1,440.	1,494.	1,530.	1,582.	1,619.
	48"	49"	R3B1PFL49 48-() ()	1,470.	1,486.	1,516.	1,570.	1,606.	1,658.	1,695.



Order Code	Specification Information	Application Notes
Example: R3B0PFL4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panel with Beltway option, please specify,	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Beltway	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above Beltway	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
114 Folkstone grey - side 2	i) Top trim profile A, B or C options:	<i>6" Raceway option increases panel height by 2 3/4".</i>
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
111 Jet Black (base finish)	ii) Top trim profile E options:	Product on this page will accept wood grain laminate where laminate is currently an option.
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
	7. Base finish	
	8. Beltway finish - only for panels with beltway option	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.


*These panel widths do not accept stacking modules.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 49" H

fabric one side, techwood other side

Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
 Monolithic, fabric one side Regular acoustics	18"	49"	R3B0PF149 18-() ()	\$619.	\$635.	\$660.	\$716.	\$755.	\$802.	\$836.
	20"	49"	R3B0PF149 20-() ()	619.	635.	660.	716.	755.	802.	836.
	24"	49"	R3B0PF149 24-() ()	676.	692.	717.	772.	812.	859.	893.
	30"	49"	R3B0PF149 30-() ()	770.	786.	811.	867.	906.	953.	987.
	36"	49"	R3B0PF149 36-() ()	825.	841.	866.	922.	961.	1,008.	1,042.
	42"	49"	R3B0PF149 42-() ()	913.	929.	954.	1,010.	1,049.	1,096.	1,130.
	48"	49"	R3B0PF149 48-() ()	1,026.	1,042.	1,067.	1,123.	1,162.	1,209.	1,243.
	60"	49"	R3B0PF149 60-() () *	1,116.	1,141.	1,196.	1,307.	1,383.	1,481.	1,543.
	66"	49"	R3B0PF149 66-() () *	1,148.	1,173.	1,228.	1,339.	1,415.	1,513.	1,575.
	72"	49"	R3B0PF149 72-() () *	1,188.	1,213.	1,268.	1,379.	1,455.	1,553.	1,615.

 Monolithic, fabric one side Beltway one side (fabric side)	18"	49"	R3B1PF149 18-() ()	1,121.	1,138.	1,176.	1,236.	1,277.	1,339.	1,379.
	20"	49"	R3B1PF149 20-() ()	1,121.	1,138.	1,176.	1,236.	1,277.	1,339.	1,379.
	24"	49"	R3B1PF149 24-() ()	1,161.	1,178.	1,216.	1,276.	1,317.	1,379.	1,419.
	30"	49"	R3B1PF149 30-() ()	1,248.	1,265.	1,303.	1,363.	1,404.	1,466.	1,506.
	36"	49"	R3B1PF149 36-() ()	1,500.	1,517.	1,555.	1,615.	1,656.	1,718.	1,758.
	42"	49"	R3B1PF149 42-() ()	1,641.	1,658.	1,696.	1,756.	1,797.	1,859.	1,899.
	48"	49"	R3B1PF149 48-() ()	1,726.	1,743.	1,781.	1,841.	1,882.	1,944.	1,984.

Order Code	Specification Information	Application Notes
Example: R3B0PF14918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top rim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panel with Beltway, please specify:	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above Belt	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
Y328 Mahogany - side 2	i) Top trim profile A, B or C options:	6" Raceway option increases panel height by 2 3/4".
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.



79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 49" H

fabric one side, conventional veneer other side

Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF249 18-() ()	\$629.	\$645.	\$670.	\$726.	\$765.	\$812.	\$846.
	20"	49"	R3B0PF249 20-() ()	629.	645.	670.	726.	765.	812.	846.
	24"	49"	R3B0PF249 24-() ()	689.	705.	730.	786.	825.	872.	906.
	30"	49"	R3B0PF249 30-() ()	781.	797.	822.	878.	917.	964.	998.
	36"	49"	R3B0PF249 36-() ()	840.	856.	881.	937.	976.	1,023.	1,057.
	42"	49"	R3B0PF249 42-() ()	929.	945.	970.	1,026.	1,065.	1,112.	1,146.
	48"	49"	R3B0PF249 48-() ()	1,048.	1,064.	1,089.	1,145.	1,184.	1,231.	1,265.
	60"	49"	R3B0PF249 60-() () *	1,136.	1,161.	1,216.	1,327.	1,403.	1,501.	1,563.
	66"	49"	R3B0PF249 66-() () *	1,173.	1,198.	1,253.	1,364.	1,440.	1,538.	1,600.
	72"	49"	R3B0PF249 72-() () *	1,209.	1,234.	1,289.	1,400.	1,476.	1,574.	1,636.
Monolithic, fabric one side Beltway one side (fabric side) 	18"	49"	R3B1PF249 18-() ()	1,141.	1,158.	1,196.	1,256.	1,297.	1,359.	1,399.
	20"	49"	R3B1PF249 20-() ()	1,141.	1,158.	1,196.	1,256.	1,297.	1,359.	1,399.
	24"	49"	R3B1PF249 24-() ()	1,182.	1,199.	1,237.	1,297.	1,338.	1,400.	1,440.
	30"	49"	R3B1PF249 30-() ()	1,275.	1,292.	1,330.	1,390.	1,431.	1,493.	1,533.
	36"	49"	R3B1PF249 36-() ()	1,531.	1,548.	1,586.	1,646.	1,687.	1,749.	1,789.
	42"	49"	R3B1PF249 42-() ()	1,669.	1,686.	1,724.	1,784.	1,825.	1,887.	1,927.
	48"	49"	R3B1PF249 48-() ()	1,755.	1,772.	1,810.	1,870.	1,911.	1,973.	2,013.

Order Code	Specification Information	Application Notes
Example: R3B0PF24918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify:	4 = 4" base height
A Flat style top trim option	Side 1 - Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above Belt	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
V316 Maple surface - side 2	i) Top trim profile A, B or C options:	<i>6" Raceway option increases panel height by 2 3/4".</i>
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.


*These panel widths do not accept stacking modules.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 49" H

fabric one side, exotic veneer other side

Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18"	49"	R3B0PF349 18-()()	\$831.	\$847.	\$872.	\$928.	\$967.	\$1,014.	\$1,048.
	20"	49"	R3B0PF349 20-()()	831.	847.	872.	928.	967.	1,014.	1,048.
	24"	49"	R3B0PF349 24-()()	911.	927.	952.	1,008.	1,047.	1,094.	1,128.
	30"	49"	R3B0PF349 30-()()	1,037.	1,053.	1,078.	1,134.	1,173.	1,220.	1,254.
	36"	49"	R3B0PF349 36-()()	1,117.	1,133.	1,158.	1,214.	1,253.	1,300.	1,334.
	42"	49"	R3B0PF349 42-()()	1,235.	1,251.	1,276.	1,332.	1,371.	1,418.	1,452.
	48"	49"	R3B0PF349 48-()()	1,395.	1,411.	1,436.	1,492.	1,531.	1,578.	1,612.
	60"	49"	R3B0PF349 60-()() *	1,497.	1,522.	1,577.	1,688.	1,764.	1,862.	1,924.
	66"	49"	R3B0PF349 66-()() *	1,546.	1,571.	1,626.	1,737.	1,813.	1,911.	1,973.
	72"	49"	R3B0PF349 72-()() *	1,593.	1,618.	1,673.	1,784.	1,860.	1,958.	2,020.

Monolithic, fabric one side Beltway fabric side 	18"	49"	R3B1PF349 18-()()	1,520.	1,537.	1,575.	1,635.	1,676.	1,738.	1,778.
	20"	49"	R3B1PF349 20-()()	1,520.	1,537.	1,575.	1,635.	1,676.	1,738.	1,778.
	24"	49"	R3B1PF349 24-()()	1,578.	1,595.	1,633.	1,693.	1,734.	1,796.	1,836.
	30"	49"	R3B1PF349 30-()()	1,701.	1,718.	1,756.	1,816.	1,857.	1,919.	1,959.
	36"	49"	R3B1PF349 36-()()	2,049.	2,066.	2,104.	2,164.	2,205.	2,267.	2,307.
	42"	49"	R3B1PF349 42-()()	2,235.	2,252.	2,290.	2,350.	2,391.	2,453.	2,493.
	48"	49"	R3B1PF349 48-()()	2,352.	2,369.	2,407.	2,467.	2,508.	2,570.	2,610.

Order Code	Specification Information	Application Notes	
Example: R3B0PF34918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>	The panels on this page will accept stacking modules to increase their height on 18” to 48”W panels only. The 60” to 72”W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60”, 66” and 72” wide panels are two pieces, split vertically
R3	Reff Generation 3	A = Flat	
B0	No Beltway	B = Square	
P	Monolithic panel	C = Bullnose	
F3	Fabric one side, V3 other	E = Extruded Aluminum	
49	49” high	<i>2. Base height:</i>	
18	18” wide	4 = 4” base height	
A	Flat style top trim option	6 = 6” base height (add \$47 per panel for this option)	
4	4” base height	<i>3. Beltway:</i>	
K	Include knockouts in base	B0 = No Beltway	
W281	Fabric - Side 1	B1 = Beltway 1 side	
V512	Figured Anigre surface - side 2	6” Raceway option increases panel height by 2¾”.	
V512	Figured Anigre (top trim finish)	Applicable finishes are listed on page 5 and 6.	
111	Jet Black (base finish)		
M	Optional milled frame		
	1. Top trim profile		
	2. Base height		
	3. Knockout option (K = with knockouts, N = without knockouts)		
	4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1 - Below belt Side 1 - Above belt		
	5. Panel side 2 finish(s) outside		
	6. Top trim finish i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver		
	7. Base finish		
	8. Beltway finish - only for panels with Beltway		
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable		
			Product on this page can be attached to posts 49”, 64”, and 79”H as well as panels 42”, 49”, 64” and 79”H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
			Remember to specify Beltway paint finish when applicable.
			*These panel widths do not accept stacking modules.
			79”H hookstrip reveal strips are ordered separately from page 117 at no charge.


Monolithic panels 49" H

Laminate/Laminate

Reff Profiles

Panels

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18"	49"	R3B0PLL4918() ()	\$748.
	20"	49"	R3B0PLL4920() ()	748.
	24"	49"	R3B0PLL4924() ()	816.
	30"	49"	R3B0PLL4930() ()	914.
	36"	49"	R3B0PLL4936() ()	987.
	42"	49"	R3B0PLL4942() ()	1,085.
	48"	49"	R3B0PLL4948() ()	1,215.
	60"	49"	R3B0PLL4960() ()*	1,312.
	66"	49"	R3B0PLL4966() ()*	1,351.
	72"	49"	R3B0PLL4972() ()*	1,392.



Order Code	Specification Information	Application Notes
Example: R3B0PLL4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
LL Laminate both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Panel side 1 inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 outside	4 = 4" base height
A Flat style top trim profile	6. Top trim finish	Applicable finishes are listed on page 5 and 6.
4 4" base height	i) Top trim profile A,B or C options:	Product on this page will accept wood grain laminate where laminate is currently an option.
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
118 Laminate - side 1	ii) Top trim profile E options:	
118 Laminate - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V512 Figured Anigre (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
M Optional milled frame		

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.


*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 64" H fabric both sides

Reff Profiles

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics	18"	64"	R3B0PFF64 18-() ()	\$713.	\$745.	\$815.	\$953.	\$1,051.	\$1,179.	\$1,261.
	20"	64"	R3B0PFF64 20-() ()	713.	745.	815.	953.	1,051.	1,179.	1,261.
	24"	64"	R3B0PFF64 24-() ()	756.	788.	858.	996.	1,094.	1,222.	1,304.
	30"	64"	R3B0PFF64 30-() ()	812.	844.	914.	1,052.	1,150.	1,278.	1,360.
	36"	64"	R3B0PFF64 36-() ()	833.	865.	935.	1,073.	1,171.	1,299.	1,381.
	42"	64"	R3B0PFF64 42-() ()	969.	1,001.	1,071.	1,209.	1,307.	1,435.	1,517.
	48"	64"	R3B0PFF64 48-() ()	1,026.	1,058.	1,128.	1,266.	1,364.	1,492.	1,574.
	60"	64"	R3B0PFF64 60-() () *	1,189.	1,265.	1,395.	1,687.	1,889.	2,141.	2,307.
	66"	64"	R3B0PFF64 66-() () *	1,227.	1,303.	1,433.	1,725.	1,927.	2,179.	2,345.
	72"	64"	R3B0PFF64 72-() () *	1,267.	1,343.	1,473.	1,765.	1,967.	2,219.	2,385.



Monolithic, fabric both sides High acoustics	18"	64"	R3B0PAA64 18-() ()	776.	808.	878.	1,016.	1,114.	1,242.	1,324.
	20"	64"	R3B0PAA64 20-() ()	776.	808.	878.	1,016.	1,114.	1,242.	1,324.
	24"	64"	R3B0PAA64 24-() ()	828.	860.	930.	1,068.	1,166.	1,294.	1,376.
	30"	64"	R3B0PAA64 30-() ()	888.	920.	990.	1,128.	1,226.	1,354.	1,436.
	36"	64"	R3B0PAA64 36-() ()	910.	942.	1,012.	1,150.	1,248.	1,376.	1,458.
	42"	64"	R3B0PAA64 42-() ()	1,064.	1,096.	1,166.	1,304.	1,402.	1,530.	1,612.
	48"	64"	R3B0PAA64 48-() ()	1,126.	1,158.	1,228.	1,366.	1,464.	1,592.	1,674.
	60"	64"	R3B0PAA64 60-() () *	1,291.	1,367.	1,497.	1,789.	1,991.	2,243.	2,409.
	66"	64"	R3B0PAA64 66-() () *	1,334.	1,410.	1,540.	1,832.	2,034.	2,286.	2,452.
	72"	64"	R3B0PAA64 72-() () *	1,377.	1,453.	1,583.	1,875.	2,077.	2,329.	2,495.



Order Code	Specification Information	Application Notes
Example: R3B0PFF6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts,	E = Extruded Aluminum
64 64" high	N = without knockouts)	
18 18" wide	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
A Flat style top trim profile	5. Panel side 2 finish(s) outside	4 = 4" base height
4 4" base height	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
K Include knockouts in base	i) Top trim profile A,B or C options:	6" Raceway option increases panel height by 2 3/4".
W281 Fabric - Side 1	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 2	ii) Top trim profile E options:	
V316 Maple (top trim finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Jet Black (base finish)	7. Base finish	
M Optional milled frame	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 64" H fabric both sides, with Beltway

Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	64"	R3B2PFF64 18-() ()	\$1,221.	\$1,257.	\$1,341.	\$1,511.	\$1,619.	\$1,775.	\$1,879.
Beltway two sides, regular acoustics	20"	64"	R3B2PFF64 20-() ()	1,221.	1,257.	1,341.	1,511.	1,619.	1,775.	1,879.
	24"	64"	R3B2PFF64 24-() ()	1,281.	1,317.	1,401.	1,571.	1,679.	1,835.	1,939.
	30"	64"	R3B2PFF64 30-() ()	1,311.	1,347.	1,431.	1,601.	1,709.	1,865.	1,969.
	36"	64"	R3B2PFF64 36-() ()	1,586.	1,622.	1,706.	1,876.	1,984.	2,140.	2,244.
	42"	64"	R3B2PFF64 42-() ()	1,697.	1,733.	1,817.	1,987.	2,095.	2,251.	2,355.
	48"	64"	R3B2PFF64 48-() ()	1,754.	1,790.	1,874.	2,044.	2,152.	2,308.	2,412.



Monolithic, fabric both sides	18"	64"	R3B1PFF64 18-() ()	1,196.	1,230.	1,307.	1,461.	1,564.	1,706.	1,799.
Beltway one side	20"	64"	R3B1PFF64 20-() ()	1,196.	1,230.	1,307.	1,461.	1,564.	1,706.	1,799.
	24"	64"	R3B1PFF64 24-() ()	1,250.	1,284.	1,361.	1,515.	1,618.	1,760.	1,853.
	30"	64"	R3B1PFF64 30-() ()	1,279.	1,313.	1,390.	1,544.	1,647.	1,789.	1,882.
	36"	64"	R3B1PFF64 36-() ()	1,553.	1,587.	1,664.	1,818.	1,921.	2,063.	2,156.
	42"	64"	R3B1PFF64 42-() ()	1,660.	1,694.	1,771.	1,925.	2,028.	2,170.	2,263.
	48"	64"	R3B1PFF64 48-() ()	1,712.	1,746.	1,823.	1,977.	2,080.	2,222.	2,315.

Order Code	Specification Information	Application Notes		
Example: R3B2PFF6418-A4K	<i>To order please specify pattern number including:</i> 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 finish(s) Below Belt 5. Panel side 1 finish(s) Above Belt 6. Panel side 2 finish(s) Below Belt 7. Panel side 2 finish(s) Above Belt 8. Base finish 9. Beltway finish 10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum <i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option) Beltways; B1 = Beltway 1 side B2 = Beltway 2 side 6" Raceway option increases panel height by 2 ³ / ₄ ". Applicable finishes are listed on page 5 and 6.	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.	
R3				Reff Generation 3
B2				Beltway both sides, B1=Beltway, one side
P				Monolithic panel
FF				Fabric on both sides
64				64" high
18				18" wide
A				Flat style top trim profile
4				4" base height
K				Include knockouts in base
W281	Fabric - Side 1 Below belt			
W281	Fabric - Side 1 Above belt			
W281	Fabric - Side 2 Below belt			
W281	Fabric - Side 2 Above belt			
V316	Maple (top trim finish)			
111	Jet Black (base finish)			
111	Beltway finish			

Monolithic panels 64" H


fabric one side, laminate other side

Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	64"	R3B0PFL64 18-() ()	\$625.	\$640.	\$669.	\$732.	\$774.	\$831.	\$868.
Regular acoustics	20"	64"	R3B0PFL64 20-() ()	625.	640.	669.	732.	774.	831.	868.
	24"	64"	R3B0PFL64 24-() ()	687.	702.	731.	794.	836.	893.	930.
	30"	64"	R3B0PFL64 30-() ()	776.	791.	820.	883.	925.	982.	1,019.
	36"	64"	R3B0PFL64 36-() ()	836.	851.	880.	943.	985.	1,042.	1,079.
	42"	64"	R3B0PFL64 42-() ()	927.	942.	971.	1,034.	1,076.	1,133.	1,170.
	48"	64"	R3B0PFL64 48-() ()	1,043.	1,058.	1,087.	1,150.	1,192.	1,249.	1,286.
	60"	64"	R3B0PFL64 60-() () *	1,129.	1,163.	1,221.	1,351.	1,438.	1,551.	1,624.
	66"	64"	R3B0PFL64 66-() () *	1,168.	1,201.	1,260.	1,390.	1,477.	1,590.	1,663.
	72"	64"	R3B0PFL64 72-() () *	1,206.	1,239.	1,298.	1,428.	1,515.	1,628.	1,701.



Monolithic fabric one side	18"	64"	R3B1PFL64 18-() ()	1,059.	1,076.	1,113.	1,189.	1,236.	1,303.	1,351.
Beltway one side (fabric side)	20"	64"	R3B1PFL64 20-() ()	1,059.	1,076.	1,113.	1,189.	1,236.	1,303.	1,351.
	24"	64"	R3B1PFL64 24-() ()	1,131.	1,148.	1,185.	1,261.	1,308.	1,375.	1,423.
	30"	64"	R3B1PFL64 30-() ()	1,198.	1,215.	1,252.	1,328.	1,375.	1,442.	1,490.
	36"	64"	R3B1PFL64 36-() ()	1,489.	1,506.	1,543.	1,619.	1,666.	1,733.	1,781.
	42"	64"	R3B1PFL64 42-() ()	1,546.	1,563.	1,600.	1,676.	1,723.	1,790.	1,838.
	48"	64"	R3B1PFL64 48-() ()	1,672.	1,689.	1,726.	1,802.	1,849.	1,916.	1,964.



Order Code	Specification Information	Application Notes
Example: R3B0PFL6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
R3 Reff Generation 3	1. Top trim profile	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
B0 No Beltway	2. Base height	<i>3. Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	<i>6" Raceway option increases panel height by 2 3/4".</i>
FL Fabric one side, laminate other	4. Panel side 1 finish(s) inside For panels with Beltway, please specify: Side 1-Below belt Side 1-Above belt	Applicable finishes are listed on page 5 and 6.
64 64" high	5. Panel side 2 finish(s) outside	Product on this page will accept wood grain laminate where laminate is currently an option.
18 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
A Flat style top trim profile	7. Base finish	
4 4" base height	8. Beltway finish - only for panels with Beltway	
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1		
114 Folkstone grey - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 64" H

fabric one side, techwood other side


Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	64"	R3B0PF164 18-()	\$734.	\$750.	\$787.	\$858.	\$906.	\$972.	\$1,015.
Regular acoustics	20"	64"	R3B0PF164 20-()	734.	750.	787.	858.	906.	972.	1,015.
	24"	64"	R3B0PF164 24-()	805.	821.	858.	929.	977.	1,043.	1,086.
	30"	64"	R3B0PF164 30-()	912.	928.	965.	1,036.	1,084.	1,150.	1,193.
	36"	64"	R3B0PF164 36-()	985.	1,001.	1,038.	1,109.	1,157.	1,223.	1,266.
	42"	64"	R3B0PF164 42-()	1,090.	1,106.	1,143.	1,214.	1,262.	1,328.	1,371.
	48"	64"	R3B0PF164 48-()	1,228.	1,244.	1,281.	1,352.	1,400.	1,466.	1,509.
	60"	64"	R3B0PF164 60-() *	1,328.	1,367.	1,434.	1,583.	1,684.	1,815.	1,900.
	66"	64"	R3B0PF164 66-() *	1,374.	1,413.	1,480.	1,629.	1,730.	1,861.	1,946.
	72"	64"	R3B0PF164 72-() *	1,419.	1,458.	1,525.	1,674.	1,775.	1,906.	1,991.



Monolithic fabric one side	18"	64"	R3B1PF164 18-()	1,246.	1,262.	1,306.	1,392.	1,446.	1,525.	1,581.
Beltway one side (fabric side)	20"	64"	R3B1PF164 20-()	1,246.	1,262.	1,306.	1,392.	1,446.	1,525.	1,581.
	24"	64"	R3B1PF164 24-()	1,327.	1,343.	1,387.	1,473.	1,527.	1,606.	1,662.
	30"	64"	R3B1PF164 30-()	1,409.	1,425.	1,469.	1,555.	1,609.	1,688.	1,744.
	36"	64"	R3B1PF164 36-()	1,750.	1,766.	1,810.	1,896.	1,950.	2,029.	2,085.
	42"	64"	R3B1PF164 42-()	1,820.	1,836.	1,880.	1,966.	2,020.	2,099.	2,155.
	48"	64"	R3B1PF164 48-()	1,966.	1,982.	2,026.	2,112.	2,166.	2,245.	2,301.



Order Code	Specification Information	Application Notes
Example: R3B0PF16418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
R3 Reff Generation 3	1. Top trim profile	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
B0 No Beltway	2. Base height	<i>3. Beltway:</i> B0 = No Beltway B1 = Beltway 1 side
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	<i>6" Raceway option increases panel height by 2 3/4".</i>
F1 Fabric one side, V1 other	4. Panel side 1 finish(s) inside For panels with Beltway, please specify; Side 1 - Below Belt Side 1 - Above Belt	Applicable finishes are listed on page 5 and 6.
64 64" high	5. Panel side 2 finish(s) outside	
18 18" wide	6. Top trim finish i) Top trim profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
A Flat style top trim profile	7. Base finish	
4 4" base height	8. Beltway finish - only for panels with Beltway	
K Include knockouts in base	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1		
Y328 Mahogany - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Monolithic panels 64" H


fabric one side, conventional veneer other side

Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	64"	R3B0PF264 18-()	\$749.	\$765.	\$802.	\$873.	\$921.	\$987.	\$1,030.
Regular acoustics	20"	64"	R3B0PF264 20-()	749.	765.	802.	873.	921.	987.	1,030.
	24"	64"	R3B0PF264 24-()	820.	836.	873.	944.	992.	1,058.	1,101.
	30"	64"	R3B0PF264 30-()	928.	944.	981.	1,052.	1,100.	1,166.	1,209.
	36"	64"	R3B0PF264 36-()	1,000.	1,016.	1,053.	1,124.	1,172.	1,238.	1,281.
	42"	64"	R3B0PF264 42-()	1,108.	1,124.	1,161.	1,232.	1,280.	1,346.	1,389.
	48"	64"	R3B0PF264 48-()	1,251.	1,267.	1,304.	1,375.	1,423.	1,489.	1,532.
	60"	64"	R3B0PF264 60-() *	1,348.	1,387.	1,454.	1,603.	1,704.	1,835.	1,920.
	66"	64"	R3B0PF264 66-() *	1,396.	1,435.	1,502.	1,651.	1,752.	1,883.	1,968.
	72"	64"	R3B0PF264 72-() *	1,445.	1,484.	1,551.	1,700.	1,801.	1,932.	2,017.



Monolithic fabric one side	18"	64"	R3B1PF264 18-()	1,268.	1,284.	1,328.	1,414.	1,468.	1,547.	1,603.
Beltway one side (fabric side)	20"	64"	R3B1PF264 20-()	1,268.	1,284.	1,328.	1,414.	1,468.	1,547.	1,603.
	24"	64"	R3B1PF264 24-()	1,353.	1,369.	1,413.	1,499.	1,553.	1,632.	1,688.
	30"	64"	R3B1PF264 30-()	1,435.	1,451.	1,495.	1,581.	1,635.	1,714.	1,770.
	36"	64"	R3B1PF264 36-()	1,779.	1,795.	1,839.	1,925.	1,979.	2,058.	2,114.
	42"	64"	R3B1PF264 42-()	1,853.	1,869.	1,913.	1,999.	2,053.	2,132.	2,188.
	48"	64"	R3B1PF264 48-()	2,002.	2,018.	2,062.	2,148.	2,202.	2,281.	2,337.



Order Code	Specification Information	Application Notes
Example: R3B0PF26418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
64 64" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above Belt	<i>3. Beltway:</i>
K Include knockouts in base	5. Panel side 2 finish(s) outside	B0 = No Beltway
W281 Fabric - Side 1	6. Top trim finish	B1 = Beltway 1 side
V316 Maple surface - side 2	i) Top trim profile A, B or C	6" Raceway option increases panel height by 2 3/4".
V316 Maple (top trim finish)	options:	Applicable finishes are listed on page 5 and 6.
111 Jet Black (base finish)	V1, V2, V3, P1, P2, P3 finishes	
M Optional milled frame	ii) Top trim profile E options:	
	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 64" H

fabric one side, exotic veneer other side


Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	64"	R3B0PF364 18-() ()	\$988.	\$1,004.	\$1,041.	\$1,112.	\$1,160.	\$1,226.	\$1,269.
Regular acoustics	20"	64"	R3B0PF364 20-() ()	988.	1,004.	1,041.	1,112.	1,160.	1,226.	1,269.
	24"	64"	R3B0PF364 24-() ()	1,084.	1,100.	1,137.	1,208.	1,256.	1,322.	1,365.
	30"	64"	R3B0PF364 30-() ()	1,227.	1,243.	1,280.	1,351.	1,399.	1,465.	1,508.
	36"	64"	R3B0PF364 36-() ()	1,326.	1,342.	1,379.	1,450.	1,498.	1,564.	1,607.
	42"	64"	R3B0PF364 42-() ()	1,473.	1,489.	1,526.	1,597.	1,645.	1,711.	1,754.
	48"	64"	R3B0PF364 48-() ()	1,664.	1,680.	1,717.	1,788.	1,836.	1,902.	1,945.
	60"	64"	R3B0PF364 60-() ()*	1,773.	1,812.	1,879.	2,028.	2,129.	2,260.	2,345.
	66"	64"	R3B0PF364 66-() ()*	1,838.	1,877.	1,944.	2,093.	2,194.	2,325.	2,410.
	72"	64"	R3B0PF364 72-() ()*	1,903.	1,942.	2,009.	2,158.	2,259.	2,390.	2,475.



Monolithic, fabric one side	18"	64"	R3B1PF364 18-() ()	1,685.	1,701.	1,745.	1,831.	1,885.	1,964.	2,020.
Beltway fabric side	20"	64"	R3B1PF364 20-() ()	1,685.	1,701.	1,745.	1,831.	1,885.	1,964.	2,020.
	24"	64"	R3B1PF364 24-() ()	1,799.	1,815.	1,859.	1,945.	1,999.	2,078.	2,134.
	30"	64"	R3B1PF364 30-() ()	1,910.	1,926.	1,970.	2,056.	2,110.	2,189.	2,245.
	36"	64"	R3B1PF364 36-() ()	2,376.	2,392.	2,436.	2,522.	2,576.	2,655.	2,711.
	42"	64"	R3B1PF364 42-() ()	2,474.	2,490.	2,534.	2,620.	2,674.	2,753.	2,809.
	48"	64"	R3B1PF364 48-() ()	2,677.	2,693.	2,737.	2,823.	2,877.	2,956.	3,012.



Order Code	Specification Information	Application Notes
Example: R3B0PF36418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
F3 Fabric one side, V3 other	4. Panel side 1 finish(s) inside	E = Extruded Aluminum
64 64" high	For panels with beltway, please specify;	<i>2. Base height:</i>
18 18" wide	Side 1 - Below belt	4 = 4" base height
A Flat style top trim profile	Side 1 - Above belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	5. Panel side 2 finish(s) outside	<i>3. Beltway:</i>
K Include knockouts in base	6. Top trim finish	B0 = No Beltway
W281 Fabric - Side 1	i) Top trim profile A, B or C options:	B1 = Beltway 1 side
V512 Figured Anigre surface - side 2	V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
V512 Figured Anigre (top trim finish)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
111 Jet Black (base finish)	7. Base finish	
M Optional milled frame	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.


*These panel widths do not accept stacking modules.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 64" H

Laminate/Laminate

Reff Profiles

description	w	h	pattern no.	L
 Monolithic, laminate both sides with raceway both sides	18"	64"	R3B0PLL6418() ()	\$833.
	20"	64"	R3B0PLL6420() ()	833.
	24"	64"	R3B0PLL6424() ()	908.
	30"	64"	R3B0PLL6430() ()	1,017.
	36"	64"	R3B0PLL6436() ()	1,098.
	42"	64"	R3B0PLL6442() ()	1,207.
	48"	64"	R3B0PLL6448() ()	1,352.
	60"	64"	R3B0PLL6460() ()*	1,461.
	66"	64"	R3B0PLL6466() ()*	1,505.
	72"	64"	R3B0PLL6472() ()*	1,550.



Order Code	Specification Information	Application Notes
Example: R3B0PLL6418-A4K R3 Reff Generation 3 B0 No Beltway P Monolithic panel LL Laminate both sides 64 64" high 18 18" wide A Flat style top trim profile 4 4" base height K Include knockouts in base 118 Laminate - side 1 118 Laminate - side 2 V512 Figured Anigre (top trim finish) 111 Jet Black (base finish) M Optional milled frame	<i>To order please specify pattern number including:</i> 1. Top trim profile 2. Base height 3. Knockout option (K = with knockouts, N = without knockouts) 4. Panel side 1 inside 5. Panel side 2 outside 6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver 7. Base finish 8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum 2. <i>Base height:</i> 4 = 4" base height Applicable finishes are listed on page 5 and 6. Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table. The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically. Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117. Remember to specify Beltway paint finish when applicable. *These panel widths do not accept stacking modules. 79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 79" H

fabric both sides

Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	79"	R3B0PFF79 18-() ()	\$889.	\$937.	\$1,019.	\$1,193.	\$1,311.	\$1,471.	\$1,565.
Regular acoustics	20"	79"	R3B0PFF79 20-() ()	889.	937.	1,019.	1,193.	1,311.	1,471.	1,565.
	24"	79"	R3B0PFF79 24-() ()	946.	994.	1,076.	1,250.	1,368.	1,528.	1,622.
	30"	79"	R3B0PFF79 30-() ()	1,021.	1,069.	1,151.	1,325.	1,443.	1,603.	1,697.
	36"	79"	R3B0PFF79 36-() ()	1,047.	1,095.	1,177.	1,351.	1,469.	1,629.	1,723.
	42"	79"	R3B0PFF79 42-() ()	1,125.	1,173.	1,255.	1,429.	1,547.	1,707.	1,801.
	48"	79"	R3B0PFF79 48-() ()	1,247.	1,295.	1,377.	1,551.	1,669.	1,829.	1,923.
	60"	79"	R3B0PFF79 60-() ()	1,442.	1,536.	1,700.	2,048.	2,294.	2,608.	2,800.
	66"	79"	R3B0PFF79 66-() ()	1,476.	1,570.	173.	2,082.	2,328.	2,642.	2,834.
	72"	79"	R3B0PFF79 72-() ()	1,509.	1,603.	1,767.	2,115.	2,361.	2,675.	2,867.
Monolithic, fabric both sides	18"	79"	R3B0PAA79 18-() ()	970.	1,018.	1,100.	1,274.	1,392.	1,552.	1,646.
High acoustics	20"	79"	R3B0PAA79 20-() ()	970.	1,018.	1,100.	1,274.	1,392.	1,552.	1,646.
	24"	79"	R3B0PAA79 24-() ()	1,032.	1,080.	1,162.	1,336.	1,454.	1,614.	1,708.
	30"	79"	R3B0PAA79 30-() ()	1,116.	1,164.	1,246.	1,420.	1,538.	1,698.	1,792.
	36"	79"	R3B0PAA79 36-() ()	1,150.	1,198.	1,280.	1,454.	1,572.	1,732.	1,826.
	42"	79"	R3B0PAA79 42-() ()	1,233.	1,281.	1,363.	1,537.	1,655.	1,815.	1,909.
	48"	79"	R3B0PAA79 48-() ()	1,371.	1,419.	1,501.	1,675.	1,793.	1,953.	2,047.
	60"	79"	R3B0PAA79 60-() ()	1,570.	1,664.	1,828.	2,176.	2,422.	2,736.	2,928.
	66"	79"	R3B0PAA79 66-() ()	1,606.	1,700.	1,864.	2,212.	2,458.	2,772.	2,964.
	72"	79"	R3B0PAA79 72-() ()	1,640.	1,734.	1,898.	2,246.	2,492.	2,806.	2,998.

Order Code	Specification Information	Application Notes
Example: R3B0PFF7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 finish(s) outside	4 = 4" base height
A Flat style top trim profile	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	i) Top trim profile A,B or C options:	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric - Side 1	ii) Top trim profile E options:	
W281 Fabric - Side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	
M Optional milled profile		

The panels on this page are not designed to be stacked upon.

Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2³/₄".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 79" H


fabric both sides with Beltway

Reff Profiles

description	w	h	pattern n	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides	18"	79"	R3B1PFF79 18-()()	\$1,280.	\$1,329.	\$1,421.	\$1,616.	\$1,742.	\$1,921.	\$2,033.
Beltway one side	20"	79"	R3B1PFF79 20-()()	1,280.	1,329.	1,421.	1,616.	1,742.	1,921.	2,033.
	24"	79"	R3B1PFF79 24-()()	1,339.	1,388.	1,480.	1,675.	1,801.	1,980.	2,092.
	30"	79"	R3B1PFF79 30-()()	1,366.	1,415.	1,507.	1,702.	1,828.	2,007.	2,119.
	36"	79"	R3B1PFF79 36-()()	1,639.	1,688.	1,780.	1,975.	2,101.	2,280.	2,392.
	42"	79"	R3B1PFF79 42-()()	1,746.	1,795.	1,887.	2,082.	2,208.	2,387.	2,499.
	48"	79"	R3B1PFF79 48-()()	1,798.	1,847.	1,939.	2,134.	2,260.	2,439.	2,551.



Monolithic, fabric both sides	18"	79"	R3B2PFF79 18-()()	1,347.	1,397.	1,499.	1,715.	1,849.	2,047.	2,177.
Beltway two sides	20"	79"	R3B2PFF79 20-()()	1,347.	1,397.	1,499.	1,715.	1,849.	2,047.	2,177.
	24"	79"	R3B2PFF79 24-()()	1,405.	1,455.	1,557.	1,773.	1,907.	2,105.	2,235.
	30"	79"	R3B2PFF79 30-()()	1,433.	1,483.	1,585.	1,801.	1,935.	2,133.	2,263.
	36"	79"	R3B2PFF79 36-()()	1,710.	1,760.	1,862.	2,078.	2,212.	2,410.	2,540.
	42"	79"	R3B2PFF79 42-()()	1,820.	1,870.	1,972.	2,188.	2,322.	2,520.	2,650.
	48"	79"	R3B2PFF79 48-()()	1,876.	1,926.	2,028.	2,244.	2,378.	2,576.	2,706.



Order Code	Specification Information	Application Notes
Example: R3B1PFF7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 below belt	<i>2. Base height:</i>
18 18" wide	5. Panel side 1 above belt	4 = 4" base height
A Flat style top trim	6. Panel side 2 below belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	7. Panel side 2 above belt	<i>3. Beltway:</i>
K Include knockouts in base	8. Top trim finish	B1 = Beltway 1 side
W281 Fabric - Side 1 below belt	i) Top trim profile A, B or C options:	B2 = Beltway 2 sides
W281 Fabric - Side 1 above belt	V1, V2, V3, P1, P2, P3 finishes	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 2 below belt	ii) Top trim profile E options:	
W281 Fabric - Side 2 above belt	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	9. Base finish	
111 Jet Black (base finish)	10. Beltway finish	
111 Beltway finish	11. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable	

The panels on this page are not designed to be stacked upon.

Fabric covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 79" H

fabric one side, laminate other side


Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	79"	R3B0PFL79 18-() ()	\$789.	\$810.	\$846.	\$923.	\$975.	\$1,046.	\$1,088.
Regular acoustics	20"	79"	R3B0PFL79 20-() ()	789.	810.	846.	923.	975.	1,046.	1,088.
	24"	79"	R3B0PFL79 24-() ()	864.	885.	921.	998.	1,050.	1,121.	1,163.
	30"	79"	R3B0PFL79 30-() ()	972.	993.	1,029.	1,106.	1,158.	1,229.	1,271.
	36"	79"	R3B0PFL79 36-() ()	1,060.	1,081.	1,117.	1,194.	1,246.	1,317.	1,359.
	42"	79"	R3B0PFL79 42-() ()	1,173.	1,194.	1,230.	1,307.	1,359.	1,430.	1,472.
	48"	79"	R3B0PFL79 48-() ()	1,311.	1,332.	1,368.	1,445.	1,497.	1,568.	1,610.
	60"	79"	R3B0PFL79 60-() ()	1,412.	1,454.	1,526.	1,679.	1,788.	1,927.	2,011.
	66"	79"	R3B0PFL79 66-() ()	1,440.	1,482.	1,554.	1,707.	1,816.	1,955.	2,039.
	72"	79"	R3B0PFL79 72-() ()	1,469.	1,511.	1,583.	1,736.	1,845.	1,984.	2,068.



Monolithic, fabric one side	18"	79"	R3B1PFL79 18-() ()	1,139.	1,163.	1,208.	1,303.	1,362.	1,450.	1,508.
Beltway one side (fabric side)	20"	79"	R3B1PFL79 20-() ()	1,139.	1,163.	1,208.	1,303.	1,363.	1,450.	1,508.
	24"	79"	R3B1PFL79 24-() ()	1,218.	1,242.	1,287.	1,382.	1,441.	1,529.	1,587.
	30"	79"	R3B1PFL79 30-() ()	1,290.	1,314.	1,359.	1,454.	1,513.	1,601.	1,659.
	36"	79"	R3B1PFL79 36-() ()	1,599.	1,623.	1,668.	1,763.	1,822.	1,910.	1,968.
	42"	79"	R3B1PFL79 42-() ()	1,745.	1,769.	1,814.	1,909.	1,968.	2,056.	2,114.
	48"	79"	R3B1PFL79 48-() ()	1,825.	1,849.	1,894.	1,989.	2,048.	2,136.	2,194.



Order Code	Specification Information	Application Notes
Example: R3B0PFL7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 - Below belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above belt	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	5. Panel side 2 finish(s) outside	Product on this page will accept wood grain laminate where laminate is currently an option.
W281 Fabric - Side 1	6. Top trim finish	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
114 Folkstone grey - side 2	i) Top trim profile A, B or C options:	
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page are not designed to be stacked upon.

Fabric and laminate covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 79" H

fabric one side, techwood other side

Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	79"	R3B0PF179 18-()()	\$926.	\$950.	\$992.	\$1,081.	\$1,142.	\$1,222.	\$1,273.
Regular acoustics	20"	79"	R3B0PF179 20-()()	926.	950.	992.	1,081.	1,142.	1,222.	1,273.
	24"	79"	R3B0PF179 24-()()	1,012.	1,036.	1,078.	1,167.	1,228.	1,308.	1,359.
	30"	79"	R3B0PF179 30-()()	1,145.	1,169.	1,211.	1,300.	1,361.	1,441.	1,492.
	36"	79"	R3B0PF179 36-()()	1,247.	1,271.	1,313.	1,402.	1,463.	1,543.	1,594.
	42"	79"	R3B0PF179 42-()()	1,377.	1,401.	1,443.	1,532.	1,593.	1,673.	1,724.
	48"	79"	R3B0PF179 48-()()	1,543.	1,567.	1,609.	1,698.	1,759.	1,839.	1,890.
	60"	79"	R3B0PF179 60-()()	1,658.	1,706.	1,790.	1,967.	2,094.	2,252.	2,350.
	66"	79"	R3B0PF179 66-()()	1,694.	1,742.	1,826.	2,003.	2,130.	2,288.	2,386.
	72"	79"	R3B0PF179 72-()()	1,722.	1,770.	1,854.	2,031.	2,158.	2,316.	2,414.
Monolithic, fabric one side	18"	79"	R3B1PF179 18-()()	1,338.	1,363.	1,415.	1,526.	1,594.	1,695.	1,763.
Beltway one side (fabric side)	20"	79"	R3B1PF179 20-()()	1,338.	1,363.	1,415.	1,526.	1,594.	1,695.	1,763.
	24"	79"	R3B1PF179 24-()()	1,430.	1,455.	1,507.	1,618.	1,686.	1,787.	1,855.
	30"	79"	R3B1PF179 30-()()	1,519.	1,544.	1,596.	1,707.	1,775.	1,876.	1,944.
	36"	79"	R3B1PF179 36-()()	1,882.	1,907.	1,959.	2,070.	2,138.	2,239.	2,307.
	42"	79"	R3B1PF179 42-()()	2,050.	2,075.	2,127.	2,238.	2,306.	2,407.	2,475.
	48"	79"	R3B1PF179 48-()()	2,143.	2,168.	2,220.	2,331.	2,399.	2,500.	2,568.

Order Code	Specification Information	Application Notes
Example: R3B0PF17918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 2	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above Belt	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	5. Panel side 2 finish(s) outside	
W281 Fabric - Side 1	6. Top trim finish	
Y328 Mahogany - side 2	i) Top trim profile A, B or C options:	
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page are not designed to be stacked upon.

Fabric and techwood covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 79" H

fabric one side, conventional veneer other side


Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	79"	R3B0PF279 18-() ()	\$942.	\$966.	\$1,008.	\$1,097.	\$1,158.	\$1,238.	\$1,289.
Regular acoustics	20"	79"	R3B0PF279 20-() ()	942.	966.	1,008.	1,097.	1,158.	1,238.	1,289.
	24"	79"	R3B0PF279 24-() ()	1,032.	1,056.	1,098.	1,187.	1,248.	1,328.	1,379.
	30"	79"	R3B0PF279 30-() ()	1,165.	1,189.	1,231.	1,320.	1,381.	1,461.	1,512.
	36"	79"	R3B0PF279 36-() ()	1,269.	1,293.	1,335.	1,424.	1,485.	1,565.	1,616.
	42"	79"	R3B0PF279 42-() ()	1,403.	1,427.	1,469.	1,558.	1,619.	1,699.	1,750.
	48"	79"	R3B0PF279 48-() ()	1,570.	1,594.	1,636.	1,725.	1,786.	1,866.	1,917.
	60"	79"	R3B0PF279 60-() ()	1,689.	1,737.	1,821.	1,998.	2,125.	2,283.	2,381.
	66"	79"	R3B0PF279 66-() ()	1,721.	1,769.	1,853.	2,030.	2,157.	2,315.	2,413.
	72"	79"	R3B0PF279 72-() ()	1,757.	1,805.	1,889.	2,066.	2,193.	2,351.	2,449.



Monolithic, fabric one side	18"	79"	R3B1PF279 18-() ()	1,362.	1,387.	1,439.	1,550.	1,618.	1,719.	1,787.
Beltway one side (fabric side)	20"	79"	R3B1PF279 20-() ()	1,362.	1,387.	1,439.	1,550.	1,618.	1,719.	1,787.
	24"	79"	R3B1PF279 24-() ()	1,456.	1,481.	1,533.	1,644.	1,712.	1,813.	1,881.
	30"	79"	R3B1PF279 30-() ()	1,544.	1,569.	1,621.	1,732.	1,800.	1,901.	1,969.
	36"	79"	R3B1PF279 36-() ()	1,913.	1,938.	1,990.	2,101.	2,169.	2,270.	2,338.
	42"	79"	R3B1PF279 42-() ()	2,087.	2,112.	2,164.	2,275.	2,343.	2,444.	2,512.
	48"	79"	R3B1PF279 48-() ()	2,182.	2,207.	2,259.	2,370.	2,438.	2,539.	2,607.



Order Code	Specification Information	Application Notes
Example: R3B0PF27918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 = Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 = Above Belt	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	5. Panel side 2 finish(s) outside	
W281 Fabric - Side 1	6. Top trim finish	
V316 Maple surface - side 2	i) Top trim profile A, B or C options:	
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page are not designed to be stacked upon.

Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 79" H


fabric one side, exotic veneer other side

Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side	18"	79"	R3B0PF379 18-()()	\$1,241.	\$1,265.	\$1,307.	\$1,396.	\$1,457.	\$1,537.	\$1,588.
Regular acoustics	20"	79"	R3B0PF379 20-()()	1,241.	1,265.	1,307.	1,396.	1,457.	1,537.	1,587.
	24"	79"	R3B0PF379 24-()()	1,365.	1,389.	1,431.	1,520.	1,581.	1,661.	1,712.
	30"	79"	R3B0PF379 30-()()	1,543.	1,567.	1,609.	1,698.	1,759.	1,839.	1,890.
	36"	79"	R3B0PF379 36-()()	1,686.	1,710.	1,752.	1,841.	1,901.	1,982.	2,033.
	42"	79"	R3B0PF379 42-()()	1,866.	1,890.	1,932.	2,021.	2,082.	2,162.	2,213.
	48"	79"	R3B0PF379 48-()()	2,094.	2,118.	2,160.	2,249.	2,310.	2,390.	2,441.
	60"	79"	R3B0PF379 60-()() *	2,221.	2,269.	2,353.	2,530.	2,657.	2,815.	2,913.
	66"	79"	R3B0PF379 66-()() *	2,266.	2,314.	2,398.	2,575.	2,702.	2,860.	2,958.
	72"	79"	R3B0PF379 72-()() *	2,315.	2,363.	2,447.	2,624.	2,751.	2,909.	3,007.



Monolithic, fabric one side	18"	79"	R3B1PF379 18-()()	1,795.	1,820.	1,872.	1,983.	2,051.	2,152.	2,220.
Beltway fabric side	20"	79"	R3B1PF379 20-()()	1,795.	1,820.	1,872.	1,983.	2,051.	2,152.	2,220.
	24"	79"	R3B1PF379 24-()()	1,921.	1,946.	1,998.	2,109.	2,177.	2,278.	2,346.
	30"	79"	R3B1PF379 30-()()	2,040.	2,065.	2,117.	2,228.	2,296.	2,397.	2,465.
	36"	79"	R3B1PF379 36-()()	2,537.	2,562.	2,614.	2,725.	2,793.	2,894.	2,962.
	42"	79"	R3B1PF379 42-()()	2,771.	2,796.	2,848.	2,959.	3,027.	3,128.	3,196.
	48"	79"	R3B1PF379 48-()()	2,902.	2,927.	2,979.	3,090.	3,158.	3,259.	3,327.



Order Code	Specification Information	Application Notes
Example: R3B0PF37918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F3 Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 finish(s) inside	<i>2. Base height:</i>
18 18" wide	For panels with Beltway, please specify;	4 = 4" base height
A Flat style top trim profile	Side 1 - Below Belt	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	Side 1 - Above Belt	Applicable finishes are listed on page 5 and 6.
K Include knockouts in base	5. Panel side 2 finish(s) outside	
W281 Fabric - Side 1	6. Top trim finish	
V512 Figured Anigre surface - side 2	i)Top trim profile A,B or C options:	
V512 Figured Anigre (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii)Top trim profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish - only for panels with Beltway	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page are not designed to be stacked upon.

Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Monolithic panels 79" H

Laminate/Laminate

Reff Profiles

Panels


description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18"	79"	R3B0PLL7918() ()	\$909.
	20"	79"	R3B0PLL7920() ()	909.
	24"	79"	R3B0PLL7924() ()	991.
	30"	79"	R3B0PLL7930() ()	1,109.
	36"	79"	R3B0PLL7936() ()	1,199.
	42"	79"	R3B0PLL7942() ()	1,318.
	48"	79"	R3B0PLL7948() ()	1,477.
	60"	79"	R3B0PLL7960() ()*	1,594.
	66"	79"	R3B0PLL7966() ()*	1,642.
	72"	79"	R3B0PLL7972() ()*	1,691.

Order Code	Specification Information	Application Notes
Example: R3B0PLL7918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
LL Laminate both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
79 79" high	4. Panel side 1 inside	<i>2. Base height:</i>
18 18" wide	5. Panel side 2 outside	4 = 4" base height
A Flat style top trim profile	6. Top trim finish	Applicable finishes are listed on page 5 and 6.
4 4" base height	i) Top trim profile A,B or C options:	Product on this page will accept wood grain laminate where laminate is currently an option.
K Include knockouts in base	V1, V2, V3, P1, P2, P3 finishes	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
118 Laminate - side 1	ii) Top trim profile E options:	
118 Laminate - side 2	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V512 Figured Anigre (top trim finish)	7. Base finish	
111 Jet Black (base finish)	8. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	The panels on this page are not designed to be stacked upon.
M Optional milled frame		Fabric and veneer covers of 60", 66" and 72" wide panels are two pieces, split vertically.
		6" Raceway option increases panel height by 2 3/4".
		Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 34" H fabric

Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides	18"	34"	R3B0TFF34 18-() ()	\$592.	\$624.	\$684.	\$752.	\$808.	\$896.	\$948.
Regular acoustics	20"	34"	R3B0TFF34 20-() ()	592.	624.	684.	752.	808.	896.	948.
	24"	34"	R3B0TFF34 24-() ()	640.	672.	732.	800.	856.	944.	996.
	30"	34"	R3B0TFF34 30-() ()	684.	716.	776.	844.	900.	988.	1,040.
	36"	34"	R3B0TFF34 36-() ()	728.	760.	820.	888.	944.	1,032.	1,084.
	42"	34"	R3B0TFF34 42-() ()	838.	870.	930.	998.	1,054.	1,142.	1,194.
	48"	34"	R3B0TFF34 48-() ()	870.	902.	962.	1,030.	1,086.	1,174.	1,226.



Order Code	Specification Information	Application Notes
Example: R3B0TFF3418-A4K	<i>To order please specify pattern number including:</i>	
R3	Reff Generation 3	
B0	No Beltway	
T	Tiled panel	
FF	Fabric on both sides	
34	34" high	
18	18" wide	
A	Flat style top trim profile	
4	4" base height	
K	Include knockouts in base	
W281	Fabric - Side 1A	
W281	Fabric - Side 1B	
W281	Fabric - Side 2A	
W281	Fabric - Side 2B	
V316	Maple (top trim finish)	
111	Jet Black (base finish)	
M	Optional milled frame	
	<div>1. Top trim profile</div> <div>A = Flat</div> <div>B = Square</div> <div>C = Bullnose</div> <div>E = Extruded Aluminum</div>	<div>2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel)</div> <div>All panels on this page accept stacking modules.</div> <div>6" Raceway option increases panel height by 2¾".</div> <div>Applicable finishes are listed on page 5 and 6.</div> <div>All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 117.</div> <div>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.</div> <div>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</div> <div>Ported panel components to be installed below worksurface if panel 34"h.</div>

Tiled panels 34" H glass

Reff Profiles

Panels


description	w	h	pattern no.	clear tempered glass	architectural tempered glass	add for P2 finish	add for P3 finish	add for AA finish
Tiled, two 15" high glass sections without center mullion (type A)	18"	34"	R2B0TWA34 18-() ()	\$930.	\$1,106.	\$37.	\$74.	\$93.
	20"	34"	R2B0TWA34 20-() ()	930.	1,106.	37.	74.	93.
	24"	34"	R2B0TWA34 24-() ()	973.	1,183.	37.	74.	98.
	30"	34"	R2B0TWA34 30-() ()	1,129.	1,389.	37.	74.	112.
	36"	34"	R2B0TWA34 36-() ()	1,171.	1,483.	37.	74.	114.
	42"	34"	R2B0TWA34 42-() ()	1,229.	1,600.	37.	74.	121.
	48"	34"	R2B0TWA34 48-() ()	1,273.	1,695.	37.	74.	126.



Tiled, two 15" high glass sections with center mullion (type B)	30"	34"	R2B0TWB34 30-() ()	1,351.	1,614.	37.	74.	135.
	36"	34"	R2B0TWB34 36-() ()	1,407.	1,723.	37.	74.	139.
	42"	34"	R2B0TWB34 42-() ()	1,474.	1,840.	37.	74.	144.
	48"	34"	R2B0TWB34 48-() ()	1,529.	1,956.	37.	74.	150.



Tiled, one 30" high glass section without center mullion on sizes 18, 20 and 24 but with center mullion on sizes 30, 36, 42, and 48 Type C	18"	34"	R2B0TWC34 18-() ()	733.	956.	29.	60.	112.
	20"	34"	R2B0TWC34 20-() ()	733.	956.	29.	60.	112.
	24"	34"	R2B0TWC34 24-() ()	773.	1,007.	29.	60.	121.
	30"	34"	R2B0TWC34 30-() ()	954.	1,240.	37.	74.	152.
	36"	34"	R2B0TWC34 36-() ()	1,062.	1,378.	37.	74.	171.
	42"	34"	R2B0TWC34 42-() ()	1,123.	1,458.	37.	74.	186.
	48"	34"	R2B0TWC34 48-() ()	1,177.	1,534.	37.	74.	195.



Order Code	Specification Information	Application Notes
Example: R2B0TWA3418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R2 Reff Generation 2	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
WA Window, type A	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
34 34" high	4. Divider option	<i>2. Base height:</i>
18 18" wide	(applicable R2B0TWA and R2B0TWB)	4 = 4" base height
A Flat style top trim profile	B = black steel divider or specify	6 = 6" base height (add \$47 per panel)
4 4" base height	AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (black reveal interior side, upcharge applicable for extruded aluminum)	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	5. Top trim finish	Add for:
111 Tile Divider	i) Top trim profile A, B or C options:	\$14 for 18w and 20w
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	\$15 for 24w and 30w
111 Jet Black (base finish)	ii) Top trim profile E options:	\$16 for 36w and 42w
111 Jet Black (window frame finish)	AA-anodized aluminum or P1, P2, P3 painted finish from page 5 excluding silver	\$22 for 48w
GL13 Glass option	6. Base finish	<i>8. Glass type</i>
	7. Window frame finish (Painted or Anodized aluminum finishes)	Temp = Cleared tempered glass
	<i>If AA finish (anodized) upcharge applicable as noted in AA price column</i>	<i>Architectural options:</i>
	8. Glass type	GL13 = Powder glass
		GL6 = Block matrix glass
		GL8 = Wafer glass
		All panels on this page accept stacking modules.
		6" Raceway option increases panel height by 2 3/4".
		Applicable finishes are listed on page 5 and 6.

All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34"H, other 34", 42", 49", 64", and 79" panels without beltway. To attach 34" high panels to Beltway posts, order appropriate attachment kits from page 117.

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.



Panel glass is mounted flush to one side of the window panel. All window panels incorporate tempered glass 3/16" thick. 30" High window panels that are 30" or wider incorporate a center mullion.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 34" H

fabric one side, laminate or techwood opposite side

Reff Profiles

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side laminate other; Regular acoustics 	18"	34"	R3B0TFL34 18-() ()	\$646.	\$662.	\$690.	\$724.	\$752.	\$792.	\$818.
	20"	34"	R3B0TFL34 20-() ()	646.	662.	690.	724.	752.	792.	818.
	24"	34"	R3B0TFL34 24-() ()	687.	703.	731.	765.	793.	833.	859.
	30"	34"	R3B0TFL34 30-() ()	731.	747.	775.	809.	837.	877.	903.
	36"	34"	R3B0TFL34 36-() ()	774.	790.	818.	852.	880.	920.	946.
	42"	34"	R3B0TFL34 42-() ()	881.	897.	925.	959.	987.	1,027.	1,053.
	48"	34"	R3B0TFL34 48-() ()	911.	927.	955.	989.	1,017.	1,057.	1,083.
Tiled, fabric one side techwood other; Regular acoustics 	18"	34"	R3B0TF134 18-() ()	693.	709.	741.	775.	803.	847.	873.
	20"	34"	R3B0TF134 20-() ()	693.	709.	741.	775.	803.	847.	873.
	24"	34"	R3B0TF134 24-() ()	740.	756.	788.	822.	850.	894.	920.
	30"	34"	R3B0TF134 30-() ()	788.	804.	836.	870.	898.	942.	968.
	36"	34"	R3B0TF134 36-() ()	831.	847.	879.	913.	941.	985.	1,011.
	42"	34"	R3B0TF134 42-() ()	950.	966.	998.	1,032.	1,060.	1,104.	1,130.
	48"	34"	R3B0TF134 48-() ()	980.	995.	1,028.	1,062.	1,090.	1,134.	1,160.

Order Code	Specification Information	Application Notes
Example: R3B0TFL3418-A4K	<i>To order please specify pattern number including:</i>	All panels on this page accept stacking modules.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 ³ / ₄ ".
B0 No Beltway	2. Base height	All panels on this page have no high acoustical option or Beltway option.
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 117.
FL Fabric one side, laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
34 34" high	5. Fabric side, finish (specify selection per insert)	Ported panel components to be installed below worksurface if panel 34" h.
18 18" wide	<i>i</i>) tile 1A bottom	
A Flat style top trim profile	<i>ii</i>) tile 1B top	
4 4" base height	6. Hard side, finish	
K Include knockouts in base	If laminate:	
B Tile divider, black	<i>i</i>) tile 2A bottom	
W281 Fabric - Side 1A	<i>ii</i>) tile 2B top	
W281 Fabric - Side 1B	If V1, V2 or V3 specify wood finish, one finish per side (not per insert)	
114 Folkstone grey - side 2A	7. Top trim finish	
114 Folkstone grey - side 2B	<i>i</i>) Profile A, B or C options:	
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	<i>ii</i>) Profile E options:	
M Optional milled frame	AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	
	8. Base finish	Applicable finishes are listed on page 5 and 6.
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	
	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel)	
	<i>4. Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 34"h add per panel: \$14 for 18w and 20w \$15 for 24w and 30w \$16 for 36w and 42w \$22 for 48w	

Tiled panels 34" H

fabric one side, conventional or exotic opposite side

Reff Profiles

Panels


description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side conventional other; Regular acoustics	18"	34"	R3B0TF234 18-() ()	\$707.	\$723.	\$755.	\$789.	\$817.	\$861.	\$887.
	20"	34"	R3B0TF234 20-() ()	707.	723.	755.	789.	817.	861.	887.
	24"	34"	R3B0TF234 24-() ()	753.	769.	801.	835.	863.	907.	933.
	30"	34"	R3B0TF234 30-() ()	801.	817.	849.	883.	911.	955.	981.
	36"	34"	R3B0TF234 36-() ()	846.	862.	894.	928.	956.	1,000.	1,026.
	42"	34"	R3B0TF234 42-() ()	964.	980.	1,012.	1,046.	1,074.	1,118.	1,144.
	48"	34"	R3B0TF234 48-() ()	998.	1,014.	1,046.	1,080.	1,108.	1,152.	1,178.
Tiled, fabric one side, exotic other Regular acoustics	18"	34"	R3B0TF334 18-() ()	945.	961.	993.	1,027.	1,055.	1,099.	1,125.
	20"	34"	R3B0TF334 20-() ()	945.	961.	993.	1,027.	1,055.	1,099.	1,125.
	24"	34"	R3B0TF334 24-() ()	1,006.	1,022.	1,054.	1,088.	1,116.	1,160.	1,186.
	30"	34"	R3B0TF334 30-() ()	1,070.	1,086.	1,118.	1,152.	1,180.	1,224.	1,250.
	36"	34"	R3B0TF334 36-() ()	1,131.	1,147.	1,179.	1,213.	1,241.	1,285.	1,311.
	42"	34"	R3B0TF334 42-() ()	1,292.	1,308.	1,340.	1,374.	1,402.	1,446.	1,472.
	48"	34"	R3B0TF334 48-() ()	1,336.	1,352.	1,384.	1,418.	1,446.	1,490.	1,516.

Order Code	Specification Information	Application Notes
Example: R3B0TF23418-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	8. Base finish
B0 No Beltway	2. Base height	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	
F2 Fabric one side, conventional other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	1. <i>Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
34 34" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B top	2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel)
18 18" wide	6. Hard side, finish If laminate: i) tile 2A bottom ii) tile 2B top If V1, V2 or V3 specify wood finish, one finish per side (not per insert)	4. <i>Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 34"h add per panel: \$14 for 18w and 20w \$15 for 24w and 30w \$16 for 36w and 42w \$22 for 48w
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
4 4" base height		Product on this page will accept wood grain laminate where laminate is currently an option.
K Include knockouts in base		Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
B Tile divider, black		
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
114 Folkstone grey - side 2A		
114 Folkstone grey - side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 34" H

Laminate/Laminate

Reff Profiles

description	w	h	pattern no.	L
 Tiled, laminate both sides with raceway both sides	18"	34"	R3B0TLL3418() ()	\$731.
	20"	34"	R3B0TLL3420() ()	731.
	24"	34"	R3B0TLL3424() ()	796.
	30"	34"	R3B0TLL3430() ()	892.
	36"	34"	R3B0TLL3436() ()	964.
	42"	34"	R3B0TLL3442() ()	993.
	48"	34"	R3B0TLL3448() ()	1,023.

Example:	R3B0TLL3418-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
34	34" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 2A
118	Laminate - side 2B
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Laminate, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B top
6. Hard side, finish
If laminate:
i) tile 2A bottom
ii) tile 2B top
If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
7. Top trim finish
i) Profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options:
AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver

8. Base finish
9. *Optional non-beltway panels:*
specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:

4 = 4" base height

4. Extruded aluminum tile divider:

Optional for non fabric side only
(fabric side always black)
34"h add per panel:
\$14 for 18w and 20w
\$15 for 24w and 30w
\$16 for 36w and 42w
\$22 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option.
Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

All panels on this page accept stacking modules.

All panels on this page have no high acoustical option or Beltway option.


Product on this page can be attached to posts 34"H and higher as well as 34", 42", 49", 64", and 79" panels. To attach 34" Beltway panels to posts order appropriate attachment kit from page 117.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Ported panel components to be installed below worksurface if panel 34" h.

Tiled panels 42" H fabric both sides

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides	18"	42"	R3B0TFF42 18-() ()	\$662.	\$700.	\$780.	\$880.	\$950.	\$1,058.	\$1,128.
Regular acoustics	20"	42"	R3B0TFF42 20-() ()	662.	700.	780.	880.	950.	1,058.	1,128.
	24"	42"	R3B0TFF42 24-() ()	711.	749.	829.	929.	999.	1,107.	1,177.
	30"	42"	R3B0TFF42 30-() ()	762.	800.	880.	980.	1,050.	1,158.	1,228.
	36"	42"	R3B0TFF42 36-() ()	811.	849.	929.	1,029.	1,099.	1,207.	1,277.
	42"	42"	R3B0TFF42 42-() ()	917.	955.	1,035.	1,135.	1,205.	1,313.	1,383.
	48"	42"	R3B0TFF42 48-() ()	964.	1,002.	1,082.	1,182.	1,252.	1,360.	1,430.



Tiled, fabric both sides	18"	42"	R3B0TAA42 18-() ()	725.	763.	843.	943.	1,013.	1,121.	1,191.
High acoustics	20"	42"	R3B0TAA42 20-() ()	725.	763.	843.	943.	1,013.	1,121.	1,191.
	24"	42"	R3B0TAA42 24-() ()	780.	818.	898.	998.	1,068.	1,176.	1,246.
	30"	42"	R3B0TAA42 30-() ()	839.	877.	957.	1,057.	1,127.	1,235.	1,305.
	36"	42"	R3B0TAA42 36-() ()	894.	932.	1,012.	1,112.	1,182.	1,290.	1,360.
	42"	42"	R3B0TAA42 42-() ()	1,012.	1,050.	1,130.	1,230.	1,300.	1,408.	1,478.
	48"	42"	R3B0TAA42 48-() ()	1,066.	1,104.	1,184.	1,284.	1,354.	1,462.	1,532.



Order Code	Specification Information	Application Notes
Example: R3B0TFF4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C top	Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 1A	i) tile 2A bottom	
W281 Fabric - Side 1B	ii) tile 2B middle	
W281 Fabric - Side 1C	iii) tile 2C top	
W281 Fabric - Side 2A	6. Top trim finish	
W281 Fabric - Side 2B	i) Top trim profile A,B or C options:	
W281 Fabric - Side 2C	V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Top trim profile E options:	
111 Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
M Optional milled frame	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 42" H


fabric both sides with Beltway

Reff Profiles

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Beltway one side	18"	42"	R3B1TFF42 18-() ()	\$1,191.	\$1,229.	\$1,306.	\$1,409.	\$1,479.	\$1,587.	\$1,657.
	20"	42"	R3B1TFF42 20-() ()	1,191.	1,229.	1,306.	1,409.	1,479.	1,587.	1,657.
	24"	42"	R3B1TFF42 24-() ()	1,218.	1,256.	1,333.	1,436.	1,506.	1,614.	1,684.
	30"	42"	R3B1TFF42 30-() ()	1,282.	1,320.	1,397.	1,500.	1,570.	1,678.	1,748.
	36"	42"	R3B1TFF42 36-() ()	1,514.	1,552.	1,629.	1,732.	1,802.	1,910.	1,980.
	42"	42"	R3B1TFF42 42-() ()	1,635.	1,673.	1,750.	1,853.	1,923.	2,031.	2,101.
	48"	42"	R3B1TFF42 48-() ()	1,692.	1,730.	1,807.	1,910.	1,980.	2,088.	2,158.



Tiled, fabric both sides Beltway two sides	18"	42"	R3B2TFF42 18-() ()	1,214.	1,252.	1,326.	1,432.	1,502.	1,610.	1,680.
	20"	42"	R3B2TFF42 20-() ()	1,214.	1,252.	1,326.	1,432.	1,502.	1,610.	1,680.
	24"	42"	R3B2TFF42 24-() ()	1,189.	1,227.	1,301.	1,407.	1,477.	1,585.	1,655.
	30"	42"	R3B2TFF42 30-() ()	1,307.	1,345.	1,419.	1,525.	1,595.	1,703.	1,773.
	36"	42"	R3B2TFF42 36-() ()	1,540.	1,578.	1,652.	1,758.	1,828.	1,936.	2,006.
	42"	42"	R3B2TFF42 42-() ()	1,666.	1,704.	1,778.	1,884.	1,954.	2,062.	2,132.
	48"	42"	R3B2TFF42 48-() ()	1,726.	1,764.	1,838.	1,944.	2,014.	2,122.	2,192.



Order Code	Specification Information	Application Notes
Example: R3B2TFF4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Fabric side, finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C top	Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 1A	i) tile 2A bottom	
W281 Fabric - Side 1B	ii) tile 2B middle	
W281 Fabric - Side 1C	iii) tile 2C top	
W281 Fabric - Side 2A	6. Top trim finish	
W281 Fabric - Side 2B	i) Top trim profile A,B or C	
W281 Fabric - Side 2C	options:	
V316 Maple (top trim finish)	V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Top trim profile E options:	
111 Beltway finish	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Tiled panels 42" H

fabric one side, laminate other side


Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TFL42 18-() ()	\$722.	\$742.	\$779.	\$828.	\$862.	\$913.	\$947.
Regular acoustics	20"	42"	R3B0TFL42 20-() ()	722.	742.	779.	828.	862.	913.	947.
	24"	42"	R3B0TFL42 24-() ()	769.	789.	826.	875.	909.	960.	994.
	30"	42"	R3B0TFL42 30-() ()	820.	840.	877.	926.	960.	1,011.	1,045.
	36"	42"	R3B0TFL42 36-() ()	867.	887.	924.	973.	1,007.	1,058.	1,092.
	42"	42"	R3B0TFL42 42-() ()	966.	986.	1,023.	1,072.	1,106.	1,157.	1,191.
	48"	42"	R3B0TFL42 48-() ()	1,016.	1,036.	1,073.	1,122.	1,156.	1,207.	1,241.



Tiled, fabric one side	18"	42"	R3B1TFL42 18-() ()	1,233.	1,253.	1,289.	1,339.	1,373.	1,424.	1,458.
Beltway one side (fabric side)	20"	42"	R3B1TFL42 20-() ()	1,233.	1,253.	1,289.	1,339.	1,373.	1,424.	1,458.
	24"	42"	R3B1TFL42 24-() ()	1,259.	1,279.	1,315.	1,365.	1,399.	1,450.	1,484.
	30"	42"	R3B1TFL42 30-() ()	1,321.	1,341.	1,377.	1,427.	1,461.	1,512.	1,546.
	36"	42"	R3B1TFL42 36-() ()	1,546.	1,566.	1,602.	1,652.	1,686.	1,737.	1,771.
	42"	42"	R3B1TFL42 42-() ()	1,662.	1,682.	1,718.	1,768.	1,802.	1,853.	1,887.
	48"	42"	R3B1TFL42 48-() ()	1,716.	1,736.	1,772.	1,822.	1,856.	1,907.	1,941.



Order Code	Specification Information	Application Notes
Example: R3B0TFL4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FL Fabric one side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	painted option excluding silver	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	from page 5 for extruded	Optional for non fabric side only
B Tile divider, black reveal	aluminum divider (upcharge	(fabric side always black)
W281 Fabric - Side 1A	applicable for extruded	42"h add per panel:
W281 Fabric - Side 1B	aluminum divider)	\$25 for 18w and 20w
W281 Fabric - Side 1C	5. Fabric side, finish (specify	\$28 for 24w and 30w
114 Folkstone grey - side 2A	selection per insert)	\$34 for 36w and 42w
114 Folkstone grey - side 2B	i) tile 1A bottom	\$42 for 48w
114 Folkstone grey - side 2C	ii) tile 1B middle	
V316 Maple (top trim finish)	iii) tile 1C top	<i>6" Raceway option increases panel height by 2 3/4".</i>
111 Jet Black (base finish)	6. Laminate side, finish (specify	Applicable finishes are listed on
M Optional milled frame	selection per insert)	page 5 and 6.
	i) tile 2A bottom	Product on this page excluding
	ii) tile 2B middle	Beltway panels will accept wood
	iii) tile 2C top	grain laminate where laminate is
	7. Top trim finish	currently an option.
	i) Profile A, B or C options:	Panel product is subject to a 10%
	V1, V2, V3, P1, P2, P3 finishes	upcharge on the base panel price.
	ii) Profile E options:	Refer to panel product upcharge
	AA-anodized aluminum or	table.
	painted finish from page	
	5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to	
	be milled for ported	
	components, \$14 list upcharge	
	applicable	

Tiled panels 42" H


fabric one side, techwood other side

Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF142 18-() ()	\$775.	\$795.	\$836.	\$887.	\$921.	\$976.	\$1,011.
Regular acoustics	20"	42"	R3B0TF142 20-() ()	775.	795.	836.	887.	921.	976.	1,011.
	24"	42"	R3B0TF142 24-() ()	827.	847.	888.	939.	973.	1,028.	1,063.
	30"	42"	R3B0TF142 30-() ()	882.	902.	943.	994.	1,028.	1,083.	1,118.
	36"	42"	R3B0TF142 36-() ()	932.	952.	993.	1,044.	1,078.	1,133.	1,168.
	42"	42"	R3B0TF142 42-() ()	1,042.	1,062.	1,103.	1,154.	1,188.	1,243.	1,278.
	48"	42"	R3B0TF142 48-() ()	1,090.	1,110.	1,151.	1,202.	1,236.	1,291.	1,326.



Tiled, fabric one side	18"	42"	R3B1TF142 18-() ()	1,327.	1,347.	1,388.	1,439.	1,473.	1,528.	1,563.
Beltway one side (fabric side)	20"	42"	R3B1TF142 20-() ()	1,327.	1,347.	1,388.	1,439.	1,473.	1,528.	1,563.
	24"	42"	R3B1TF142 24-() ()	1,353.	1,373.	1,414.	1,465.	1,499.	1,554.	1,589.
	30"	42"	R3B1TF142 30-() ()	1,418.	1,438.	1,479.	1,530.	1,564.	1,619.	1,654.
	36"	42"	R3B1TF142 36-() ()	1,657.	1,677.	1,718.	1,769.	1,803.	1,858.	1,893.
	42"	42"	R3B1TF142 42-() ()	1,786.	1,806.	1,847.	1,898.	1,932.	1,987.	2,022.
	48"	42"	R3B1TF142 48-() ()	1,847.	1,867.	1,908.	1,958.	1,993.	2,048.	2,083.



Order Code	Specification Information	Application Notes
Example: R3B0TF14218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. Top trim profile:
B0 No Beltway	2. Base height	A = Flat
T Tiled panel	3. Knockout option	B = Square
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	C = Bullnose
42 42" high	4. Tile divider	E = Extruded Aluminum
18 18" wide	B = black steel divider or specify	2. Base height:
A Flat style top trim profile	AA-anodized aluminum or	4 = 4" base height
4 4" base height	painted option excluding silver	6 = 6" base height (add \$47 per panel for this option)
K Include knockouts in base	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	4. Extruded aluminum tile divider: (fabric side always black)
B Tile divider, black reveal	5. Fabric side, finish (specify selection per insert)	Optional for non fabric side only
W281 Fabric - Side 1A	i) tile 1A bottom	42" h add per panel:
W281 Fabric - Side 1B	ii) tile 1B middle	\$25 for 18w and 20w
W281 Fabric - Side 1C	iii) tile 1C top	\$28 for 24w and 30w
Y328 Mahogany - side 2 tiled	6. Techwood side, finish (specify one V1 finish for side)	\$34 for 36w and 42w
V316 Maple (top trim finish)	7. Top trim finish	\$42 for 48w
111 Jet Black (base finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
M Optional milled frame	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
	8. Base finish	
	9. Beltway finish	
	10. Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 413).

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Tiled panels 42" H

fabric one side, conventional veneer other side


Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF242 18-() ()	\$789.	\$809.	\$850.	\$901.	\$935.	\$990.	\$1,025.
Regular acoustics	20"	42"	R3B0TF242 20-() ()	789.	809.	850.	901.	935.	990.	1,025.
	24"	42"	R3B0TF242 24-() ()	841.	861.	902.	953.	987.	1,042.	1,077.
	30"	42"	R3B0TF242 30-() ()	897.	917.	958.	1,009.	1,043.	1,098.	1,133.
	36"	42"	R3B0TF242 36-() ()	953.	973.	1,014.	1,065.	1,099.	1,154.	1,189.
	42"	42"	R3B0TF242 42-() ()	1,060.	1,080.	1,121.	1,172.	1,206.	1,261.	1,296.
	48"	42"	R3B0TF242 48-() ()	1,112.	1,132.	1,173.	1,224.	1,258.	1,313.	1,348.



Tiled, fabric one side	18"	42"	R3B1TF242 18-() ()	1,351.	1,371.	1,412.	1,463.	1,497.	1,552.	1,587.
Beltway one side (fabric side)	20"	42"	R3B1TF242 20-() ()	1,351.	1,371.	1,412.	1,463.	1,497.	1,552.	1,587.
	24"	42"	R3B1TF242 24-() ()	1,376.	1,396.	1,437.	1,488.	1,522.	1,577.	1,612.
	30"	42"	R3B1TF242 30-() ()	1,445.	1,465.	1,506.	1,557.	1,591.	1,646.	1,681.
	36"	42"	R3B1TF242 36-() ()	1,691.	1,711.	1,752.	1,803.	1,837.	1,892.	1,927.
	42"	42"	R3B1TF242 42-() ()	1,819.	1,839.	1,880.	1,931.	1,965.	2,020.	2,055.
	48"	42"	R3B1TF242 48-() ()	1,881.	1,901.	1,942.	1,993.	2,027.	2,082.	2,117.



Order Code	Specification Information	Application Notes
Example: R3B0TF24218-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0 No Beltway	2. Base height	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black) 42"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
F2 Fabric one side, V2 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6" Raceway option increases panel height by 2 3/4".
42 42" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	Applicable finishes are listed on page 5 and 6.
18 18" wide	6. Conventional veneer, finish (specify one V2 finish for side)	
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
V316 Maple surface - side 2 tiled		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 413).

Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.


Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 42" H

fabric one side, exotic veneer other side

Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	42"	R3B0TF342 18-()()	\$1,052.	\$1,072.	\$1,113.	\$1,164.	\$1,198.	\$1,253.	\$1,288.
Regular acoustics	20"	42"	R3B0TF342 20-()()	1,052.	1,072.	1,113.	1,164.	1,198.	1,253.	1,288.
	24"	42"	R3B0TF342 24-()()	1,120.	1,140.	1,181.	1,232.	1,266.	1,321.	1,356.
	30"	42"	R3B0TF342 30-()()	1,197.	1,217.	1,258.	1,309.	1,343.	1,398.	1,433.
	36"	42"	R3B0TF342 36-()()	1,271.	1,291.	1,332.	1,383.	1,417.	1,472.	1,507.
	42"	42"	R3B0TF342 42-()()	1,416.	1,436.	1,477.	1,528.	1,562.	1,617.	1,652.
	48"	42"	R3B0TF342 48-()()	1,487.	1,507.	1,548.	1,599.	1,633.	1,688.	1,723.

Tiled, fabric one side	18"	42"	R3B1TF342 18-()()	1,811.	1,831.	1,872.	1,923.	1,957.	2,012.	2,047.
Beltway fabric side	20"	42"	R3B1TF342 20-()()	1,811.	1,831.	1,872.	1,923.	1,957.	2,012.	2,047.
	24"	42"	R3B1TF342 24-()()	1,845.	1,865.	1,906.	1,957.	1,991.	2,046.	2,081.
	30"	42"	R3B1TF342 30-()()	1,935.	1,955.	1,996.	2,047.	2,081.	2,136.	2,171.
	36"	42"	R3B1TF342 36-()()	2,269.	2,289.	2,330.	2,381.	2,415.	2,470.	2,505.
	42"	42"	R3B1TF342 42-()()	2,440.	2,460.	2,501.	2,552.	2,586.	2,641.	2,676.
	48"	42"	R3B1TF342 48-()()	2,524.	2,544.	2,585.	2,636.	2,670.	2,725.	2,760.

Order Code	Specification Information	Application Notes
Example: R3B0TF34218-A4K	<i>To order please specify pattern number including:</i>	
R3	Reff Generation 3	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
B0	No Beltway	
T	Tiled panel	
F3	Fabric one side, V3 other	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
42	42" high	
18	18" wide	
A	Flat style top trim profile	<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 42" h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w
4	4" base height	
K	Include knockouts in base	
B	Tile divider, black reveal	6" Raceway option increases panel height by 2 3/4". Applicable finishes are listed on page 5 and 6.
W281	Fabric - Side 1A	
W281	Fabric - Side 1B	
W281	Fabric - Side 1C	
V512	Figured Anigre surface - side 2 tiled	
V512	Figured Anigre (top trim finish)	
111	Jet Black (base finish)	
M	Optional milled frame	
	1. Top trim profile (K = with knockouts, N = without knockouts)	
	2. Base height	
	3. Knockout option	
	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C top	
	6. Exotic veneer, finish (specify one V3 finish for side)	
	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
		The Reff System does not support the stacking of modules onto 42"H panels. These panels can be used to achieve transaction top height (see page 413).
		Product on this page can be attached to posts 42", 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
		Remember to specify Beltway paint finish when applicable.
		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Tiled panels 42" H

Laminate/Laminate

Reff Profiles

Panels

description	w	h	pattern no.	L
Tiled, laminate both sides	18"	42"	R3B0TLL4218() ()	\$881.
with raceway both sides	20"	42"	R3B0TLL4220() ()	881.
	24"	42"	R3B0TLL4224() ()	961.
	30"	42"	R3B0TLL4230() ()	1,075.
	36"	42"	R3B0TLL4236() ()	1,161.
	42"	42"	R3B0TLL4242() ()	1,197.
	48"	42"	R3B0TLL4248() ()	1,232.




Order Code	Specification Information	Application Notes
Example: R3B0TLL4218-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
LL Laminate both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
42 42" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or	<i>4. Extruded aluminum tile divider:</i>
4 4" base height	painted option excluding silver	Optional for non fabric side only
K Include knockouts in base	from page 5 for extruded	(fabric side always black)
B Tile divider, black reveal	aluminum divider (upcharge	42" h add per panel:
118 Laminate - side 1A	applicable for extruded	\$25 for 18w and 20w
118 Laminate - side 1B	aluminum divider)	\$28 for 24w and 30w
118 Laminate - side 1C	5. Laminate side, finish (specify	\$34 for 36w and 42w
118 Laminate - side 2A	selection per insert)	\$42 for 48w
118 Laminate - side 2B	i) tile 1A bottom	Applicable finishes are listed on
118 Laminate - side 2C	ii) tile 1B middle	page 5 and 6.
V512 Figured Anigre (top trim	iii) tile 1C top	Product on this page will accept
finish)	6. Laminate, finish	wood grain laminate where laminate
111 Jet Black (base finish)	7. Top trim finish	is currently an option.
M Optional milled frame	i) Profile A, B or C options:	Panel product is subject to a 10%
	V1, V2, V3, P1, P2, P3 finishes	upcharge on the base panel price.
	ii) Profile E options:	Refer to panel product upcharge
	AA-anodized aluminum or	table.
	painted finish from page	
	5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to	
	be milled for ported	
	components, \$14 list upcharge	
	applicable	


Tiled panels 49" H fabric both sides

Reff Profiles

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides Regular acoustics	18"	49"	R3B0TFF49 18-() ()	\$742.	\$790.	\$880.	\$982.	\$1,066.	\$1,198.	\$1,276.
	20"	49"	R3B0TFF49 20-() ()	742.	790.	880.	982.	1,066.	1,198.	1,276.
	24"	49"	R3B0TFF49 24-() ()	793.	841.	931.	1,033.	1,117.	1,249.	1,327.
	30"	49"	R3B0TFF49 30-() ()	853.	901.	991.	1,093.	1,177.	1,309.	1,387.
	36"	49"	R3B0TFF49 36-() ()	909.	957.	1,047.	1,149.	1,233.	1,365.	1,443.
	42"	49"	R3B0TFF49 42-() ()	1,026.	1,074.	1,164.	1,266.	1,350.	1,482.	1,560.
	48"	49"	R3B0TFF49 48-() ()	1,083.	1,131.	1,221.	1,323.	1,407.	1,539.	1,617.



Tiled, fabric both sides High acoustics	18"	49"	R3B0TAA49 18-() ()	813.	861.	951.	1,053.	1,137.	1,269.	1,347.
	20"	49"	R3B0TAA49 20-() ()	813.	861.	951.	1,053.	1,137.	1,269.	1,347.
	24"	49"	R3B0TAA49 24-() ()	869.	917.	1,007.	1,109.	1,193.	1,325.	1,403.
	30"	49"	R3B0TAA49 30-() ()	938.	986.	1,076.	1,178.	1,262.	1,394.	1,472.
	36"	49"	R3B0TAA49 36-() ()	998.	1,046.	1,136.	1,238.	1,322.	1,454.	1,532.
	42"	49"	R3B0TAA49 42-() ()	1,125.	1,173.	1,263.	1,365.	1,449.	1,581.	1,659.
	48"	49"	R3B0TAA49 48-() ()	1,191.	1,239.	1,329.	1,431.	1,515.	1,647.	1,725.



Order Code	Specification Information	Application Notes
Example: R3B0TFF4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Fabric side finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C top	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric - Side 1A	i) tile 2A bottom	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 1B	ii) tile 2B middle	
W281 Fabric - Side 1C	iii) tile 2C top	
W281 Fabric - Side 2A	6. Top trim finish	
W281 Fabric - Side 2B	i) Top trim profile A,B or C options:	
W281 Fabric - Side 2C	V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Top trim profile E options:	
111 Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
M Optional milled frame	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 49" H

fabric both sides with Beltway

Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides	18"	49"	R3B1TFF49 18-() ()	\$1,224.	\$1,272.	\$1,359.	\$1,464.	\$1,548.	\$1,680.	\$1,758.
Beltway one side	20"	49"	R3B1TFF49 20-() ()	1,224.	1,272.	1,359.	1,464.	1,548.	1,680.	1,758.
	24"	49"	R3B1TFF49 24-() ()	1,249.	1,297.	1,384.	1,489.	1,573.	1,705.	1,783.
	30"	49"	R3B1TFF49 30-() ()	1,316.	1,364.	1,451.	1,556.	1,640.	1,772.	1,850.
	36"	49"	R3B1TFF49 36-() ()	1,575.	1,623.	1,710.	1,815.	1,899.	2,031.	2,109.
	42"	49"	R3B1TFF49 42-() ()	1,701.	1,749.	1,836.	1,941.	2,025.	2,157.	2,235.
	48"	49"	R3B1TFF49 48-() ()	1,761.	1,809.	1,896.	2,001.	2,085.	2,217.	2,295.



Tiled, fabric both sides	18"	49"	R3B2TFF49 18-() ()	1,242.	1,290.	1,374.	1,482.	1,566.	1,698.	1,776.
Beltway two sides	20"	49"	R3B2TFF49 20-() ()	1,242.	1,290.	1,374.	1,482.	1,566.	1,698.	1,776.
	24"	49"	R3B2TFF49 24-() ()	1,270.	1,318.	1,402.	1,510.	1,594.	1,726.	1,804.
	30"	49"	R3B2TFF49 30-() ()	1,340.	1,388.	1,472.	1,580.	1,664.	1,796.	1,874.
	36"	49"	R3B2TFF49 36-() ()	1,603.	1,651.	1,735.	1,843.	1,927.	2,059.	2,137.
	42"	49"	R3B2TFF49 42-() ()	1,730.	1,778.	1,862.	1,970.	2,054.	2,186.	2,264.
	48"	49"	R3B2TFF49 48-() ()	1,796.	1,844.	1,928.	2,036.	2,120.	2,252.	2,330.



Order Code	Specification Information	Application Notes
Example: R3B2TFF4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 with Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Fabric side finish (specify selection per insert)	<i>2. Base height:</i>
18 18" wide	i) tile 1A bottom	4 = 4" base height
A Flat style top trim profile	ii) tile 1B middle	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	iii) tile 1C top	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric - Side 1A	i) tile 2A bottom	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 1B	ii) tile 2B middle	
W281 Fabric - Side 1C	iii) tile 2C top	
W281 Fabric - Side 2A	6. Top trim finish	
W281 Fabric - Side 2B	i) Top trim profile A,B or C options:	
W281 Fabric - Side 2C	V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Top trim profile E options:	
111 Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Beltway finish	7. Base finish	
	8. Beltway finish	
	9. <i>Optional non-beltway panels:</i>	
	specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 49" H

fabric one side, laminate opposite side

Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TFL49 18-() ()	\$810.	\$834.	\$876.	\$927.	\$969.	\$1,029.	\$1,068.
Regular acoustics	20"	49"	R3B0TFL49 20-() ()	810.	834.	876.	927.	969.	1,029.	1,068.
	24"	49"	R3B0TFL49 24-() ()	857.	881.	923.	974.	1,016.	1,076.	1,115.
	30"	49"	R3B0TFL49 30-() ()	917.	941.	983.	1,034.	1,076.	1,136.	1,175.
	36"	49"	R3B0TFL49 36-() ()	968.	992.	1,034.	1,085.	1,127.	1,187.	1,226.
	42"	49"	R3B0TFL49 42-() ()	1,079.	1,103.	1,145.	1,196.	1,238.	1,298.	1,337.
	48"	49"	R3B0TFL49 48-() ()	1,137.	1,161.	1,203.	1,254.	1,296.	1,356.	1,395.



Tiled, fabric one side	18"	49"	R3B1TFL49 18-() ()	1,273.	1,297.	1,338.	1,390.	1,432.	1,492.	1,531.
Beltway one side (fabric side)	20"	49"	R3B1TFL49 20-() ()	1,273.	1,297.	1,338.	1,390.	1,432.	1,492.	1,531.
	24"	49"	R3B1TFL49 24-() ()	1,299.	1,323.	1,364.	1,416.	1,458.	1,518.	1,557.
	30"	49"	R3B1TFL49 30-() ()	1,364.	1,388.	1,429.	1,481.	1,523.	1,583.	1,622.
	36"	49"	R3B1TFL49 36-() ()	1,612.	1,636.	1,677.	1,729.	1,771.	1,831.	1,870.
	42"	49"	R3B1TFL49 42-() ()	1,730.	1,754.	1,795.	1,847.	1,889.	1,949.	1,988.
	48"	49"	R3B1TFL49 48-() ()	1,795.	1,819.	1,860.	1,912.	1,954.	2,014.	2,053.



Order Code	Specification Information	Application Notes
Example: R3B0TFL4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
FL Fabric one side. laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	5. Fabric side, finish (specify selection per insert)	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)</i>
K Include knockouts in base	i) tile 1A bottom	49"h add per panel:
B Tile divider, black reveal	ii) tile 1B middle	\$25 for 18w and 20w
W281 Fabric - Side 1A	iii) tile 1C top	\$28 for 24w and 30w
W281 Fabric - Side 1B	6. Laminate side finish (specify selection per insert)	\$34 for 36w and 42w
W281 Fabric - Side 1C	i) tile 2A bottom	\$42 for 48w
114 Folkstone grey - side 2A	ii) tile 2B middle	
114 Folkstone grey - side 2B	iii) tile 2C top	<i>6" Raceway option increases panel height by 2 3/4".</i>
114 Folkstone grey - side 2C	7. Top trim finish	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option.
111 Jet Black (base finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
M Optional milled frame	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	


Tiled panels 49" H

fabric one side, techwood other side


Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF149 18-() ()	\$867.	\$891.	\$939.	\$990.	\$1,032.	\$1,098.	\$1,137.
Regular acoustics	20"	49"	R3B0TF149 20-() ()	867.	891.	939.	990.	1,032.	1,098.	1,137.
	24"	49"	R3B0TF149 24-() ()	921.	945.	993.	1,044.	1,086.	1,152.	1,191.
	30"	49"	R3B0TF149 30-() ()	983.	1,007.	1,055.	1,106.	1,148.	1,214.	1,253.
	36"	49"	R3B0TF149 36-() ()	1,042.	1,066.	1,114.	1,165.	1,207.	1,273.	1,312.
	42"	49"	R3B0TF149 42-() ()	1,166.	1,190.	1,238.	1,289.	1,331.	1,397.	1,436.
	48"	49"	R3B0TF149 48-() ()	1,221.	1,245.	1,293.	1,344.	1,386.	1,452.	1,491.



Tiled, fabric one side	18"	49"	R3B1TF149 18-() ()	1,367.	1,391.	1,439.	1,490.	1,532.	1,598.	1,637.
Beltway one side (fabric side)	20"	49"	R3B1TF149 20-() ()	1,367.	1,391.	1,439.	1,490.	1,532.	1,598.	1,637.
	24"	49"	R3B1TF149 24-() ()	1,398.	1,422.	1,470.	1,521.	1,563.	1,629.	1,668.
	30"	49"	R3B1TF149 30-() ()	1,466.	1,490.	15,338.	1,589.	1,631.	1,697.	1,736.
	36"	49"	R3B1TF149 36-() ()	1,735.	1,759.	1,807.	1,858.	1,900.	1,966.	2,005.
	42"	49"	R3B1TF149 42-() ()	1,864.	1,888.	1,936.	1,987.	2,029.	2,095.	2,134.
	48"	49"	R3B1TF149 48-() ()	1,928.	1,952.	2,000.	2,051.	2,093.	2,159.	2,198.



Order Code	Specification Information	Application Notes
Example: R3B0TF14918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or painted option excluding silver	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Optional for non fabric side only (fabric side always black)
B Tile divider, black reveal	i) tile 1A bottom	49"h add per panel:
W281 Fabric - Side 1A	ii) tile 1B middle	\$25 for 18w and 20w
W281 Fabric - Side 1B	iii) tile 1C top	\$28 for 24w and 30w
W281 Fabric - Side 1C	6. Techwood side, finish (specify one V1 finish for side)	\$34 for 36w and 42w
Y328 Mahogany - side 2 tiled	7. Top trim finish	\$42 for 48w
V316 Maple (top trim finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
111 Jet Black (base finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
M Optional milled frame	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 49" H

fabric one side, conventional veneer other side

Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF249 18-() ()	\$885.	\$909.	\$957.	\$1,008.	\$1,050.	\$1,116.	\$1,155.
Regular acoustics	20"	49"	R3B0TF249 20-() ()	885.	909.	957.	1,008.	1,050.	1,116.	1,155.
	24"	49"	R3B0TF249 24-() ()	938.	962.	1,010.	1,061.	1,103.	1,169.	1,208.
	30"	49"	R3B0TF249 30-() ()	1,007.	1,031.	1,079.	1,130.	1,172.	1,238.	1,277.
	36"	49"	R3B0TF249 36-() ()	1,062.	1,086.	1,134.	1,185.	1,227.	1,293.	1,332.
	42"	49"	R3B0TF249 42-() ()	1,182.	1,206.	1,254.	1,305.	1,347.	1,413.	1,452.
	48"	49"	R3B0TF249 48-() ()	1,244.	1,268.	1,316.	1,367.	1,409.	1,475.	1,514.



Tiled, fabric one side	18"	49"	R3B1TF249 18-() ()	1,394.	1,418.	1,466.	1,517.	1,559.	1,625.	1,664.
Beltway one side (fabric side)	20"	49"	R3B1TF249 20-() ()	1,394.	1,418.	1,466.	1,517.	1,559.	1,625.	1,664.
	24"	49"	R3B1TF249 24-() ()	1,423.	1,447.	1,495.	1,546.	1,588.	1,654.	1,693.
	30"	49"	R3B1TF249 30-() ()	1,492.	1,516.	1,564.	1,615.	1,657.	1,723.	1,762.
	36"	49"	R3B1TF249 36-() ()	1,764.	1,788.	1,836.	1,887.	1,929.	1,995.	2,034.
	42"	49"	R3B1TF249 42-() ()	1,896.	1,920.	1,968.	2,019.	2,061.	2,127.	2,166.
	48"	49"	R3B1TF249 48-() ()	1,964.	1,988.	2,036.	2,087.	2,129.	2,195.	2,234.



Order Code	Specification Information	Application Notes
Example: R3B0TF24918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify	4 = 4" base height
A Flat style top trim profile	AA-anodized aluminum or painted option excluding silver	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	<i>4. Extruded aluminum tile divider:</i>
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	Optional for non fabric side only (fabric side always black)
B Tile divider, black reveal	i) tile 1A bottom	49"H add per panel:
W281 Fabric - Side 1A	ii) tile 1B middle	\$25 for 18w and 20w
W281 Fabric - Side 1B	iii) tile 1C top	\$28 for 24w and 30w
W281 Fabric - Side 1C	6. Conventional veneer, finish (specify one V2 finish for side)	\$34 for 36w and 42w
V316 Maple surface - side 2 tiled	7. Top trim finish	\$42 for 48w
V316 Maple (top trim finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
111 Jet Black (base finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
M Optional milled frame	8. Base finish	
	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Tiled panels 49" H

fabric one side, exotic veneer other side


Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	49"	R3B0TF349 18-()()	\$1,177.	\$1,201.	\$1,249.	\$1,300.	\$1,342.	\$1,408.	\$1,447.
Regular acoustics	20"	49"	R3B0TF349 20-()()	1,177.	1,201.	1,249.	1,300.	1,342.	1,408.	1,447.
	24"	49"	R3B0TF349 24-()()	1,249.	1,273.	1,321.	1,372.	1,414.	1,480.	1,519.
	30"	49"	R3B0TF349 30-()()	1,342.	1,366.	1,414.	1,465.	1,507.	1,573.	1,612.
	36"	49"	R3B0TF349 36-()()	1,417.	1,441.	1,489.	1,540.	1,582.	1,648.	1,687.
	42"	49"	R3B0TF349 42-()()	1,579.	1,603.	1,651.	1,702.	1,744.	1,810.	1,849.
	48"	49"	R3B0TF349 48-()()	1,661.	1,685.	1,733.	1,784.	1,826.	1,892.	1,931.



Tiled, fabric one side	18"	49"	R3B1TF349 18-()()	1,865.	1,889.	1,937.	1,988.	2,030.	2,096.	2,135.
Beltway fabric side	20"	49"	R3B1TF349 20-()()	1,865.	1,889.	1,937.	1,988.	2,030.	2,096.	2,135.
	24"	49"	R3B1TF349 24-()()	1,905.	1,929.	1,977.	2,028.	2,070.	2,136.	2,175.
	30"	49"	R3B1TF349 30-()()	1,997.	2,021.	2,069.	2,120.	2,162.	2,228.	2,267.
	36"	49"	R3B1TF349 36-()()	2,366.	2,390.	2,438.	2,489.	2,531.	2,597.	2,636.
	42"	49"	R3B1TF349 42-()()	2,544.	2,568.	2,616.	2,667.	2,709.	2,775.	2,814.
	48"	49"	R3B1TF349 48-()()	2,636.	2,660.	2,708.	2,759.	2,801.	2,867.	2,906.



Order Code	Specification Information	Application Notes
Example: R3B0TF34918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B0 No Beltway	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F3 Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
49 49" high	4. Tile divider	<i>2. Base height:</i>
18 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver	4 = 4" base height
A Flat style top trim profile	from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	6 = 6" base height (add \$47 per panel for this option)
4 4" base height	5. Fabric side, finish (specify selection per insert)	<i>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black)</i>
K Include knockouts in base	i) tile 1A bottom	49"h add per panel:
B Tile divider, black reveal	ii) tile 1B middle	\$25 for 18w and 20w
W281 Fabric - Side 1A	iii) tile 1C top	\$28 for 24w and 30w
W281 Fabric - Side 1B	6. Exotic veneer, finish (specify one V3 finish for side)	\$34 for 36w and 42w
W281 Fabric - Side 1C	7. Top trim finish	\$42 for 48w
V512 Figured Anigre surface - side 2 tiled	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	<i>6" Raceway option increases panel height by 2 3/4".</i>
V512 Figured Anigre (top trim finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
111 Jet Black (base finish)	8. Base finish	
M Optional milled frame	9. Beltway finish, for panels with Beltway	
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	

The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.


79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Tiled panels 49" H

Laminate/Laminate

Reff Profiles

description	w	h	pattern no.	L
Tiled, laminate both sides	18"	49"	R3B0TLL4918() ()	\$921.
with raceway both sides	20"	49"	R3B0TLL4920() ()	921.
	24"	49"	R3B0TLL4924() ()	1,003.
	30"	49"	R3B0TLL4930() ()	1,124.
	36"	49"	R3B0TLL4936() ()	1,214.
	42"	49"	R3B0TLL4942() ()	1,250.
	48"	49"	R3B0TLL4948() ()	1,288.




Order Code	Specification Information	Application Notes
<p>Example: R3B0TLL4918-A4K</p> <p>R3 Reff Generation 3</p> <p>B0 No Beltway</p> <p>T Tiled panel</p> <p>LL Laminate both sides</p> <p>49 49" high</p> <p>18 18" wide</p> <p>A Flat style top trim profile</p> <p>4 4" base height</p> <p>K Include knockouts in base</p> <p>B Tile divider, black reveal</p> <p>118 Laminate - side 1A</p> <p>118 Laminate - side 1B</p> <p>118 Laminate - side 1C</p> <p>118 Laminate - side 2A</p> <p>118 Laminate - side 2B</p> <p>118 Laminate - side 2C</p> <p>V512 Figured Anigre (top trim finish)</p> <p>111 Jet Black (base finish)</p> <p>M Optional milled frame</p>	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Top trim profile Base height Knockout option (K = with knockouts, N = without knockouts) Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider) Laminate side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C top Laminate, finish Top trim finish <i>i</i>) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver Base finish <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable 	<p><i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum</p> <p><i>2. Base height:</i> 4 = 4" base height</p> <p><i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 49"h add per panel: \$25 for 18w and 20w \$28 for 24w and 30w \$34 for 36w and 42w \$42 for 48w</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.</p> <p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.</p> <p>Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</p>

Tiled panels 64" H fabric both sides


Reff Profiles

Panels

description	w	h	pattern no.	grade	10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	R3B0TFF64 18-() ()		\$849.	\$913.	\$1,033.	\$1,169.	\$1,281.	\$1,457.	\$1,561.
Regular acoustics	20"	64"	R3B0TFF64 20-() ()		849.	913.	1,033.	1,169.	1,281.	1,457.	1,561.
	24"	64"	R3B0TFF64 24-() ()		610.	974.	1,094.	1,230.	1,342.	1,518.	1,622.
	30"	64"	R3B0TFF64 30-() ()		97.	1,041.	1,161.	1,297.	1,409.	1,585.	1,689.
	36"	64"	R3B0TFF64 36-() ()		1,034.	1,098.	1,218.	1,354.	1,466.	1,642.	1,746.
	42"	64"	R3B0TFF64 42-() ()		1,183.	1,247.	1,367.	1,503.	1,615.	1,791.	1,895.
	48"	64"	R3B0TFF64 48-() ()		1,242.	1,306.	1,426.	1,562.	1,674.	1,850.	1,954.



Tiled, fabric both sides	18"	64"	R3B0TAA64 18-() ()		929.	993.	1,113.	1,249.	1,361.	1,537.	1,641.
High acoustics	20"	64"	R3B0TAA64 20-() ()		929.	993.	1,113.	1,249.	1,361.	1,537.	1,641.
	24"	64"	R3B0TAA64 24-() ()		996.	1,060.	1,180.	1,316.	1,428.	1,604.	1,708.
	30"	64"	R3B0TAA64 30-() ()		1,071.	1,135.	1,255.	1,391.	1,503.	1,679.	1,783.
	36"	64"	R3B0TAA64 36-() ()		1,142.	1,206.	1,326.	1,462.	1,574.	1,750.	1,854.
	42"	64"	R3B0TAA64 42-() ()		1,300.	1,364.	1,484.	1,620.	1,732.	1,908.	2,012.
	48"	64"	R3B0TAA64 48-() ()		1,370.	1,434.	1,554.	1,690.	1,802.	1,978.	2,082.




Order Code	Specification Information	Application Notes	
Example: R3B0TFF6418-A4K	<i>To order please specify pattern number including:</i>	<p>The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.</p> <p>Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.</p> <p>Remember to specify Beltway paint finish when applicable.</p> <p>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</p>	
R3 Reff Generation 3	1. Top trim profile		<p><i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum</p>
B0 No Beltway	2. Base height		<p><i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)</p>
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)		<p>6" Raceway option increases panel height by 2 3/4".</p> <p>Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.</p> <p>Applicable finishes are listed on page 5 and 6.</p>
FF Fabric on both sides	4. Fabric side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C middle <i>iv</i>) tile 1D top		
64 64" high	5. Fabric side, finish (specify selection per insert) <i>i</i>) tile 2A bottom <i>ii</i>) tile 2B middle <i>iii</i>) tile 2C middle <i>iv</i>) tile 2D top		
18 18" wide	6. Top trim finish <i>i</i>)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver		
A Flat style top trim profile	7. Base finish		
4 4" base height	8. <i>Optional:</i> specify (M) for panel frame to be milled for ported components. \$14 list upcharge applicable		
K Include knockouts in base			
W281 Fabric - Side 1A			
W281 Fabric - Side 1B			
W281 Fabric - Side 1C			
W281 Fabric - Side 2A			
W281 Fabric - Side 2B			
W281 Fabric - Side 2C			
V316 Maple (top trim finish)			
111 Jet Black (base finish)			
M Optional milled frame			


Tiled panels 64" H fabric both sides, with Beltway

Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides	18"	64"	R3B1TFF64 18-() ()	\$1,326.	\$1,390.	\$1,507.	\$1,646.	\$1,758.	\$1,934.	\$2,038.
Beltway one side	20"	64"	R3B1TFF64 20-() ()	1,326.	1,390.	1,507.	1,646.	1,758.	1,934.	2,038.
	24"	64"	R3B1TFF64 24-() ()	1,394.	1,458.	1,575.	1,714.	1,826.	2,002.	2,106.
	30"	64"	R3B1TFF64 30-() ()	1,428.	1,492.	1,609.	1,748.	1,860.	2,036.	2,140.
	36"	64"	R3B1TFF64 36-() ()	1,754.	1,818.	1,935.	2,074.	2,186.	2,362.	2,466.
	42"	64"	R3B1TFF64 42-() ()	1,884.	1,948.	2,065.	2,204.	2,316.	2,492.	2,596.
	48"	64"	R3B1TFF64 48-() ()	1,951.	2,015.	2,132.	2,271.	2,383.	2,559.	2,663.



Tiled, fabric both sides	18"	64"	R3B2TFF64 18-() ()	1,347.	1,411.	1,525.	1,667.	1,779.	1,955.	2,059.
Beltway two sides	20"	64"	R3B2TFF64 20-() ()	1,347.	1,411.	1,525.	1,667.	1,779.	1,955.	2,059.
	24"	64"	R3B2TFF64 24-() ()	1,416.	1,480.	1,594.	1,736.	1,848.	2,024.	2,128.
	30"	64"	R3B2TFF64 30-() ()	1,451.	1,515.	1,629.	1,771.	1,883.	2,059.	2,163.
	36"	64"	R3B2TFF64 36-() ()	1,785.	1,849.	1,963.	2,105.	2,217.	2,393.	2,497.
	42"	64"	R3B2TFF64 42-() ()	1,913.	1,977.	2,091.	2,233.	2,345.	2,521.	2,625.
	48"	64"	R3B2TFF64 48-() ()	1,985.	2,049.	2,163.	2,305.	2,417.	2,593.	2,697.



Order Code	Specification Information	Application Notes
Example: R3B1TFF7918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	6. Top trim finish
B1 Beltway one side	2. Base height	i) Top trim profile A, B or C
T Tiled panel	3. Knockout option	options:
FF Fabric on both sides	(K = with knockouts,	V1, V2, V3, P1, P2, P3 finishes
79 79" high	N = without knockouts)	ii) Top trim profile E options:
18 18" wide	4. Fabric side, finish (specify selection per insert)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
A Flat style top trim profile	i) tile 1A bottom	7. Base finish
4 4" base height	ii) tile 1B middle	8. Beltway finish
K Include knockouts in base	iii) tile 1C middle	1. Top trim profile:
W281 Fabric - Side 1A	iv) tile 1D middle	A = Flat
W281 Fabric - Side 1B	5. Fabric side, finish (specify selection per insert)	B = Square
W281 Fabric - Side 1C	i) tile 2A bottom	C = Bullnose
W281 Fabric - Side 1D	ii) tile 2B middle	E = Extruded Aluminum
W281 Fabric - Side 2A	iii) tile 2C middle	
W281 Fabric - Side 2B	iv) tile 2D middle	2. Base height:
W281 Fabric - Side 2C		4 = 4" base height
W281 Fabric - Side 2D		6 = 6" base height (add \$47 per panel for this option)
V316 Maple (top trim finish)		Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
111 Jet Black (base finish)		Applicable finishes are listed on page 5 and 6.
111 Beltway finish		

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by $2\frac{3}{4}"$.

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Tiled panels 64" H

fabric one side, laminate other side


Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TFL64 18-() ()	\$943.	\$975.	\$1,031.	\$1,099.	\$1,155.	\$1,235.	\$1,287.
Regular acoustics	20"	64"	R3B0TFL64 20-() ()	943.	975.	1,031.	1,099.	1,155.	1,235.	1,287.
	24"	64"	R3B0TFL64 24-() ()	999.	1,031.	1,087.	1,155.	1,211.	1,291.	1,343.
	30"	64"	R3B0TFL64 30-() ()	1,066.	1,098.	1,154.	1,222.	1,278.	1,358.	1,410.
	36"	64"	R3B0TFL64 36-() ()	1,126.	1,158.	1,214.	1,282.	1,338.	1,418.	1,470.
	42"	64"	R3B0TFL64 42-() ()	1,266.	1,298.	1,354.	1,422.	1,478.	1,558.	1,610.
	48"	64"	R3B0TFL64 48-() ()	1,326.	1,358.	1,414.	1,482.	1,538.	1,618.	1,670.



Tiled, fabric one side	18"	64"	R3B1TFL64 18-() ()	1,402.	1,434.	1,489.	1,558.	1,614.	1,694.	1,746.
Beltway one side (fabric side)	20"	64"	R3B1TFL64 20-() ()	1,402.	1,434.	1,489.	1,558.	1,614.	1,692.	1,746.
	24"	64"	R3B1TFL64 24-() ()	1,470.	1,502.	1,557.	1,626.	1,682.	1,762.	1,814.
	30"	64"	R3B1TFL64 30-() ()	1,501.	1,533.	1,588.	1,567.	1,713.	1,793.	1,845.
	36"	64"	R3B1TFL64 36-() ()	1,821.	1,853.	1,908.	1,977.	2,033.	2,113.	2,165.
	42"	64"	R3B1TFL64 42-() ()	1,942.	1,974.	2,029.	2,098.	2,154.	2,234.	2,286.
	48"	64"	R3B1TFL64 48-() ()	2,007.	2,039.	2,094.	2,163.	2,219.	2,299.	2,351.




Order Code	Specification Information	Application Notes
Example: R3B0TFL6418-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
R3 Reff Generation 3	8. Base finish	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B0 No Beltway	9. Beltway finish, for panels with Beltway	Remember to specify Beltway paint finish when applicable.
T Tiled panel	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
FL Fabric one side, laminate other		
64 64" high	4. Tile divider	
18 18" wide	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert)	
4 4" base height	i) tile 1A bottom	
K Include knockouts in base	ii) tile 1B middle	
B Tile divider, black reveal	iii) tile 1C middle	
W281 Fabric - Side 1A	iv) tile 1D top	
W281 Fabric - Side 1B	6. Laminate side, finish (specify selection per insert)	
W281 Fabric - Side 1C	i) tile 2A bottom	
114 Folkstone grey - side 2A	ii) tile 2B middle	
114 Folkstone grey - side 2B	iii) tile 2C middle	
114 Folkstone grey - side 2C	iv) tile 2D top	
V316 Maple (top trim finish)	7. Top trim finish	
111 Jet Black (base finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
M Optional milled frame	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	

Tiled panels 64" H


fabric one side, techwood other side

Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF164 18-()()	\$1,013.	\$1,045.	\$1,109.	\$1,177.	\$1,233.	\$1,321.	\$1,373.
Regular acoustics	20"	64"	R3B0TF164 20-()()	1,013.	1,045.	1,109.	1,177.	1,233.	1,321.	1,373.
	24"	64"	R3B0TF164 24-()()	1,074.	1,106.	1,170.	1,238.	1,294.	1,382.	1,434.
	30"	64"	R3B0TF164 30-()()	1,146.	1,178.	1,242.	1,310.	1,366.	1,454.	1,506.
	36"	64"	R3B0TF164 36-()()	1,208.	1,240.	1,304.	1,372.	1,428.	1,516.	1,568.
	42"	64"	R3B0TF164 42-()()	1,361.	1,393.	1,457.	1,525.	1,581.	1,669.	1,721.
	48"	64"	R3B0TF164 48-()()	1,424.	1,456.	1,520.	1,588.	1,644.	1,732.	1,784.



Tiled, fabric one side	18"	64"	R3B1TF164 18-()()	1,506.	1,538.	1,602.	1,670.	1,726.	1,814.	1,866.
Beltway one side (fabric side)	20"	64"	R3B1TF164 20-()()	1,506.	1,538.	1,602.	1,670.	1,726.	1,814.	1,866.
	24"	64"	R3B1TF164 24-()()	1,579.	1,611.	1,675.	1,743.	1,799.	1,887.	1,939.
	30"	64"	R3B1TF164 30-()()	1,613.	1,645.	1,709.	1,777.	1,833.	1,921.	1,973.
	36"	64"	R3B1TF164 36-()()	1,955.	1,987.	2,051.	2,119.	2,175.	2,263.	2,315.
	42"	64"	R3B1TF164 42-()()	2,086.	2,118.	2,182.	2,250.	2,306.	2,294.	2,446.
	48"	64"	R3B1TF164 48-()()	2,161.	2,193.	2,257.	2,325.	2,381.	2,469.	2,521.



Order Code	Specification Information	Application Notes	
Example: R3B0TF16418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
R3	Reff Generation 3	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B0	No Beltway	<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 64"h add per panel: \$39 for 18w and 20w \$43 for 24w and 30w \$48 for 36w and 42w \$64 for 48w	Remember to specify Beltway paint finish when applicable.
T	Tiled panel	<i>6" Raceway option increases panel height by 2 3/4".</i>	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
F1	Fabric one side, V1 other	Applicable finishes are listed on page 5 and 6.	
64	64" high		
18	18" wide		
A	Flat style top trim profile		
4	4" base height		
K	Include knockouts in base		
B	Tile divider, black reveal		
W281	Fabric - Side 1A		
W281	Fabric - Side 1B		
W281	Fabric - Side 1C		
Y328	Mahogany - side 2 tiled		
V316	Maple (top trim finish)		
111	Jet Black (base finish)		
M	Optional milled frame		
	1. Top trim profile (K = with knockouts, N = without knockouts)		
	2. Base height		
	3. Knockout option		
	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)		
	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D top		
	6. Techwood side, finish (specify one V1 finish for side)		
	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver		
	8. Base finish		
	9. Beltway finish, for panels with Beltway		
	10. Optional non-beltway panels: specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable		


Tiled panels 64" H

fabric one side, conventional veneer other side


Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF264 18-()()	\$1,032.	\$1,064.	\$1,128.	\$1,196.	\$1,252.	\$1,340.	\$1,392.
Regular acoustics	20"	64"	R3B0TF264 20-()()	1,032.	1,064.	1,128.	1,196.	1,252.	1,340.	1,392.
	24"	64"	R3B0TF264 24-()()	1,092.	1,124.	1,188.	1,256.	1,312.	1,400.	1,452.
	30"	64"	R3B0TF264 30-()()	1,163.	1,195.	1,259.	1,327.	1,383.	1,471.	1,523.
	36"	64"	R3B0TF264 36-()()	1,230.	1,262.	1,326.	1,394.	1,450.	1,538.	1,590.
	42"	64"	R3B0TF264 42-()()	1,384.	1,416.	1,480.	1,548.	1,604.	1,692.	1,744.
	48"	64"	R3B0TF264 48-()()	1,449.	1,481.	1,545.	1,613.	1,669.	1,757.	1,809.



Tiled, fabric one side	18"	64"	R3B1TF264 18-()()	1,534.	1,566.	1,630.	1,696.	1,754.	1,842.	1,894.
Beltway one side (fabric side)	20"	64"	R3B1TF264 20-()()	1,534.	1,566.	1,630.	1,698.	1,754.	1,842.	1,894.
	24"	64"	R3B1TF264 24-()()	1,608.	1,640.	1,704.	1,772.	1,828.	1,916.	1,968.
	30"	64"	R3B1TF264 30-()()	1,642.	1,674.	1,738.	1,806.	1,862.	1,950.	2,002.
	36"	64"	R3B1TF264 36-()()	1,993.	2,025.	2,089.	2,157.	2,213.	2,301.	2,353.
	42"	64"	R3B1TF264 42-()()	2,126.	2,158.	2,222.	2,290.	2,346.	2,434.	2,486.
	48"	64"	R3B1TF264 48-()()	2,193.	2,225.	2,289.	2,357.	2,413.	2,501.	2,553.




Order Code	Specification Information	Application Notes
Example: R3B0TF26418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
R3 Reff Generation 3	1. Top trim profile	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
B0 No Beltway	2. Base height	6" raceway option increases panel height by 2 3/4".
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	<i>4. Extruded aluminum tile divider:</i> Optional for non fabric side only (fabric side always black) 64"h add per panel: \$39 for 18w and 20w \$43 for 24w and 30w \$48 for 36w and 42w \$64 for 48w
F2 Fabric one side, V2 other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
64 64" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D top	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
18 18" wide	6. Conventional veneer, finish (specify one V2 finish for side)	Remember to specify Beltway paint finish when applicable.
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
4 4" base height	8. Base finish	
K Include knockouts in base	9. Beltway finish, for panels with Beltway	
B Tile divider, black reveal	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
W281 Fabric - Side 1D		
V316 Maple surface - side 2 tiled		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 64" H


fabric one side, exotic veneer other side

Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	64"	R3B0TF364 18-()()	\$1,371.	\$1,403.	\$1,467.	\$1,535.	\$1,591.	\$1,679.	\$1,731.
Regular acoustics	20"	64"	R3B0TF364 20-()()	1,371.	1,403.	1,467.	1,535.	1,591.	1,679.	1,731.
	24"	64"	R3B0TF364 24-()()	1,451.	1,483.	1,547.	1,615.	1,671.	1,759.	1,811.
	30"	64"	R3B0TF364 30-()()	1,547.	1,579.	1,643.	1,711.	1,767.	1,855.	1,907.
	36"	64"	R3B0TF364 36-()()	1,639.	1,671.	1,735.	1,803.	1,859.	1,947.	1,999.
	42"	64"	R3B0TF364 42-()()	1,847.	1,879.	1,943.	2,011.	2,067.	2,155.	2,207.
	48"	64"	R3B0TF364 48-()()	1,933.	1,965.	2,029.	2,097.	2,153.	2,241.	2,293.



Tiled, fabric one side	18"	64"	R3B1TF364 18-()()	2,049.	2,081.	2,145.	2,213.	2,269.	2,357.	2,409.
Beltway fabric side	20"	64"	R3B1TF364 20-()()	2,049.	2,081.	2,145.	2,213.	2,269.	2,357.	2,409.
	24"	64"	R3B1TF364 24-()()	2,151.	2,183.	2,247.	2,313.	2,371.	2,459.	2,511.
	30"	64"	R3B1TF364 30-()()	2,193.	2,225.	2,289.	2,357.	2,413.	2,501.	2,553.
	36"	64"	R3B1TF364 36-()()	2,668.	2,700.	2,764.	2,832.	2,888.	2,976.	3,028.
	42"	64"	R3B1TF364 42-()()	2,847.	2,879.	2,943.	3,011.	3,067.	3,155.	3,207.
	48"	64"	R3B1TF364 48-()()	2,941.	2,973.	3,037.	3,105.	3,161.	3,249.	3,301.



Order Code	Specification Information	Application Notes	
Example: R3B0TF36418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
R3	Reff Generation 3	<i>2. Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B0	No Beltway	6" raceway option increases panel height by 2¾".	Remember to specify Beltway paint finish when applicable.
T	Tiled panel	<i>4. Extruded aluminum tile divider: Optional for non fabric side only</i> (fabric side always black) 64"h add per panel: \$39 for 18w and 20w \$43 for 24w and 30w \$48 for 36w and 42w \$64 for 48w	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
F3	Fabric one side, V3 other		
64	64" high		
18	18" wide		
A	Flat style top trim profile		
4	4" base height		
K	Include knockouts in base		
B	Tile divider, black reveal		
W281	Fabric - Side 1A		
W281	Fabric - Side 1B		
W281	Fabric - Side 1C		
W281	Fabric - Side 1D		
V512	Figured Anigre surface - side 2 tiled		
V512	Figured Anigre (top trim finish)		
111	Jet Black (base finish)		
M	Optional milled frame		
	1. Top trim profile		
	2. Base height		
	3. Knockout option (K = with knockouts, N = without knockouts)		
	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)		
	5. Fabric side, finish (specify selection per insert) <i>i</i>) tile 1A bottom <i>ii</i>) tile 1B middle <i>iii</i>) tile 1C middle <i>iv</i>) tile 1D top		
	6. Exotic veneer, finish (specify one V3 finish for side)		
	7. Top trim finish <i>i</i>) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes <i>ii</i>) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver		
	8. Base finish		
	9. Beltway finish, for panels with Beltway		
	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	Applicable finishes are listed on page 5 and 6.	


Tiled panels 64" H

Laminate/Laminate

Reff Profiles

Panels

description	w	h	pattern no.	L
Tiled, laminate both sides	18"	64"	R3B0TLL6418()()	\$1,145.
with raceway both sides	20"	64"	R3B0TLL6420()()	1,145.
	24"	64"	R3B0TLL6424()()	1,248.
	30"	64"	R3B0TLL6430()()	1,399.
	36"	64"	R3B0TLL6436()()	1,510.
	42"	64"	R3B0TLL6442()()	1,555.
	48"	64"	R3B0TLL6448()()	1,618.




Order Code	Specification Information	Application Notes
Example: R3B0TLL6418-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum
R3 Reff Generation 3	1. Top trim profile	<i>2. Base height:</i> 4 = 4" base height
B0 No Beltway	2. Base height	<i>4. Extruded aluminum tile divider:</i> (fabric side always black) 64"h add per panel: \$39 for 18w and 20w \$43 for 24w and 30w \$48 for 36w and 42w \$64 for 48w
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Optional for non fabric side only
LL Laminate both sides	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only. The 60" to 72"W panels will not accept stacking modules on top of themselves.
64 64" high	5. Laminate side, finish (specify selection per insert)	Product on this page can be attached to posts 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
18 18" wide	i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D top	Remember to specify Beltway paint finish when applicable.
A Flat style top trim profile	6. Laminate, finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
4 4" base height	7. Top trim finish	
K Include knockouts in base	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
B Tile divider, black reveal	8. Base finish	
118 Laminate - side 1A	9. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	
118 Laminate - side 1B		
118 Laminate - side 1C		
118 Laminate - side 1D		
118 Laminate - side 2A		
118 Laminate - side 2B		
118 Laminate - side 2C		
118 Laminate - side 2D		
V512 Figured Anigre (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

Tiled panels 79" H


fabric both sides

Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	R3B0TFF79 18-() ()	\$1,056.	\$1,136.	\$1,286.	\$1,456.	\$1,596.	\$1,816.	\$1,946.
Regular acoustics	20"	79"	R3B0TFF79 20-() ()	1,056.	1,136.	1,286.	1,456.	1,596.	1,816.	1,946.
	24"	79"	R3B0TFF79 24-() ()	1,123.	1,203.	1,353.	1,523.	1,663.	1,883.	2,013.
	30"	79"	R3B0TFF79 30-() ()	1,188.	1,268.	1,418.	1,588.	1,728.	1,948.	2,078.
	36"	79"	R3B0TFF79 36-() ()	1,256.	1,336.	1,486.	1,656.	1,796.	2,016.	2,146.
	42"	79"	R3B0TFF79 42-() ()	1,427.	1,507.	1,657.	1,827.	1,967.	2,187.	2,317.
	48"	79"	R3B0TFF79 48-() ()	1,499.	1,579.	1,729.	1,899.	2,039.	2,259.	2,389.



Tiled, fabric both sides	18"	79"	R3B0TAA79 18-() ()	1,155.	1,235.	1,385.	1,555.	1,695.	1,915.	2,045.
High acoustics	20"	79"	R3B0TAA79 20-() ()	1,155.	1,235.	1,385.	1,555.	1,695.	1,915.	2,045.
	24"	79"	R3B0TAA79 24-() ()	1,232.	1,312.	1,462.	1,632.	1,772.	1,992.	2,122.
	30"	79"	R3B0TAA79 30-() ()	1,303.	1,383.	1,533.	1,703.	1,843.	2,063.	2,193.
	36"	79"	R3B0TAA79 36-() ()	1,377.	1,457.	1,607.	1,777.	1,917.	2,137.	2,267.
	42"	79"	R3B0TAA79 42-() ()	1,567.	1,647.	1,797.	1,967.	2,107.	2,327.	2,457.
	48"	79"	R3B0TAA79 48-() ()	1,649.	1,729.	1,879.	2,049.	2,189.	2,409.	2,539.



Order Code	Specification Information	Application Notes
Example: R3B0TFF7918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	6. Top trim finish
B0 No Beltway	2. Base height	i) Top trim profile A, B or C options:
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	V1, V2, V3, P1, P2, P3 finishes
FF Fabric on both sides	4. Fabric side, finish (specify selection per insert)	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
79 79" high	i) tile 1A bottom	7. Base finish
18 18" wide	ii) tile 1B middle	1. Top trim profile:
A Flat style top trim profile	iii) tile 1C middle	A = Flat
4 4" base height	iv) tile 1D middle	B = Square
K Include knockouts in base	v) tile 1E top	C = Bullnose
W281 Fabric - Side 1A	5. Fabric side, finish (specify selection per insert)	E = Extruded Aluminum
W281 Fabric - Side 1B	i) tile 2A bottom	2. Base height:
W281 Fabric - Side 1C	ii) tile 2B middle	4 = 4" base height
W281 Fabric - Side 1D	iii) tile 2C middle	6 = 6" base height (add \$47 per panel for this option)
W281 Fabric - Side 2A	iv) tile 2D middle	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
W281 Fabric - Side 2B	v) tile 2E top	Applicable finishes are listed on page 5 and 6.
W281 Fabric - Side 2C		
W281 Fabric - Side 2D		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		

The panels on this page will not accept stacking modules.

6" Raceway option increases panel height by 2 3/4".

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.


Tiled panels 79" H

fabric both sides, with Beltway


Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides	18"	79"	R3B1TFF79 18-() ()	\$1,376.	\$1,456.	\$1,603.	\$1,776.	\$1,916.	\$2,136.	\$2,266.
Beltway one side	20"	79"	R3B1TFF79 20-() ()	1,376.	1,456.	1,603.	1,776.	1,916.	2,136.	2,266.
	24"	79"	R3B1TFF79 24-() ()	1,444.	1,524.	1,671.	1,844.	1,984.	2,204.	2,334.
	30"	79"	R3B1TFF79 30-() ()	1,477.	1,557.	1,704.	1,877.	2,017.	2,237.	2,367.
	36"	79"	R3B1TFF79 36-() ()	1,804.	1,884.	2,031.	2,204.	2,344.	2,564.	2,694.
	42"	79"	R3B1TFF79 42-() ()	1,936.	2,016.	2,163.	2,336.	2,476.	2,696.	2,826.
	48"	79"	R3B1TFF79 48-() ()	2,000.	2,080.	2,227.	2,400.	2,540.	2,760.	2,890.



Tiled, fabric both sides	18"	79"	R3B2TFF79 18-() ()	1,395.	1,475.	1,619.	1,795.	1,935.	2,155.	2,285.
Beltway two sides	20"	79"	R3B2TFF79 20-() ()	1,395.	1,475.	1,619.	1,795.	1,935.	2,155.	2,285.
	24"	79"	R3B2TFF79 24-() ()	1,467.	1,547.	1,691.	1,867.	2,007.	2,227.	2,357.
	30"	79"	R3B2TFF79 30-() ()	1,498.	1,578.	1,722.	1,898.	2,038.	2,258.	2,388.
	36"	79"	R3B2TFF79 36-() ()	1,831.	1,911.	2,055.	2,231.	2,371.	2,591.	2,721.
	42"	79"	R3B2TFF79 42-() ()	1,965.	2,045.	2,189.	2,365.	2,505.	2,725.	2,855.
	48"	79"	R3B2TFF79 48-() ()	2,037.	2,117.	2,261.	2,437.	2,577.	2,797.	2,927.




Order Code	Specification Information	Application Notes
Example: R3B1TFF7918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will not accept stacking modules.
R3	1. Top trim profile	
B1	2. Base height	6" Raceway option increases panel height by 2 3/4".
T	3. Knockout option (K = with knockouts, N = without knockouts)	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
FF	4. Fabric side, finish (specify selection per insert)	Remember to specify Beltway paint finish when applicable.
79	i) tile 1A bottom	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
18	ii) tile 1B middle	
A	iii) tile 1C middle	
4	iv) tile 1D middle	
K	v) tile 1E top	
W281	5. Fabric side, finish (specify selection per insert)	
W281	i) tile 2A bottom	
W281	ii) tile 2B middle	
W281	iii) tile 2C middle	
W281	iv) tile 2D middle	
W281	v) tile 2E top	
W281	6. Top trim finish	
W281	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	
W281	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
W281	7. Base finish	
W281	8. Beltway finish	
W281	1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum	
W281	2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)	
W281	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.	
W281	Applicable finishes are listed on page 5 and 6.	
V316	Maple (top trim finish)	
111	Jet Black (base finish)	
111	Beltway finish	

Tiled panels 79" H


fabric one side, laminate other side

Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TFL79 18-() ()	\$1,171.	\$1,211.	\$1,281.	\$1,366.	\$1,436.	\$1,536.	\$1,601.
Regular acoustics	20"	79"	R3B0TFL79 20-() ()	1,171.	1,211.	1,281.	1,366.	1,436.	1,536.	1,601.
	24"	79"	R3B0TFL79 24-() ()	1,242.	1,282.	1,352.	1,437.	1,507.	1,607.	1,672.
	30"	79"	R3B0TFL79 30-() ()	1,302.	1,342.	1,412.	1,497.	1,567.	1,667.	1,732.
	36"	79"	R3B0TFL79 36-() ()	1,367.	1,407.	1,477.	1,562.	1,632.	1,732.	1,797.
	42"	79"	R3B0TFL79 42-() ()	1,531.	1,571.	1,641.	1,726.	1,796.	1,896.	1,961.
	48"	79"	R3B0TFL79 48-() ()	1,602.	1,642.	1,712.	1,797.	1,867.	1,967.	2,032.



Tiled, fabric one side	18"	79"	R3B1TFL79 18-() ()	1,481.	1,521.	1,590.	1,676.	1,746.	1,846.	1,911.
Beltway one side (fabric side)	20"	79"	R3B1TFL79 20-() ()	1,481.	1,521.	1,590.	1,676.	1,746.	1,846.	1,911.
	24"	79"	R3B1TFL79 24-() ()	1,548.	1,588.	1,657.	1,743.	1,813.	1,913.	1,978.
	30"	79"	R3B1TFL79 30-() ()	1,582.	1,622.	1,691.	1,777.	1,847.	1,947.	2,012.
	36"	79"	R3B1TFL79 36-() ()	1,899.	1,939.	2,008.	2,094.	2,164.	2,264.	2,329.
	42"	79"	R3B1TFL79 42-() ()	2,022.	2,062.	2,131.	2,217.	2,287.	2,387.	2,452.
	48"	79"	R3B1TFL79 48-() ()	2,086.	2,126.	2,195.	2,281.	2,351.	2,451.	2,516.



Order Code	Specification Information	Application Notes
Example: R3B0TFL7918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	1. Top trim profile	8. Base finish
B0 No Beltway	2. Base height	9. Beltway finish, for panels with Beltway
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable
FL Fabric one side, laminate other	4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	The panels on this page will not accept stacking modules.
79 79" high	5. Fabric side, finish (specify selection per insert) i) tile 1A bottom ii) tile 1B middle iii) tile 1C middle iv) tile 1D middle v) tile 1E top	6" Raceway option increases panel height by 2 3/4".
18 18" wide	6. Lanimate side, finish (specify selection per insert) i) tile 2A bottom ii) tile 2B middle iii) tile 2C middle iv) tile 2D middle v) tile 2E top	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
A Flat style top trim profile	7. Top trim finish i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	Remember to specify Beltway paint finish when applicable.
4 4" base height		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
K Include knockouts in base		
B Tile divider, black reveal		
W281 Fabric - Side 1A		
W281 Fabric - Side 1B		
W281 Fabric - Side 1C		
W281 Fabric - Side 1D		
W281 Fabric - Side 1E		
114 Folkstone grey - side 2A		
114 Folkstone grey - side 2B		
114 Folkstone grey - side 2C		
114 Folkstone grey - side 2D		
114 Folkstone grey - side 2E		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optional milled frame		


Tiled panels 79" H

fabric one side, techwood other side


Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF179 18-() ()	\$1,259.	\$1,299.	\$1,379.	\$1,464.	\$1,534.	\$1,644.	\$1,709.
Regular acoustics	20"	79"	R3B0TF179 20-() ()	1,259.	1,299.	1,379.	1,464.	1,534.	1,644.	1,709.
	24"	79"	R3B0TF179 24-() ()	1,331.	1,371.	1,451.	1,536.	1,606.	1,716.	1,781.
	30"	79"	R3B0TF179 30-() ()	1,399.	1,439.	1,519.	1,604.	1,674.	1,784.	1,849.
	36"	79"	R3B0TF179 36-() ()	1,468.	1,508.	1,588.	1,673.	1,743.	1,853.	1,918.
	42"	79"	R3B0TF179 42-() ()	1,648.	1,688.	1,768.	1,853.	1,923.	2,033.	2,098.
	48"	79"	R3B0TF179 48-() ()	1,724.	1,764.	1,844.	1,929.	1,999.	2,109.	2,174.



Tiled, fabric one side	18"	79"	R3B1TF179 18-() ()	1,592.	1,632.	1,712.	1,797.	1,867.	1,977.	2,042.
Beltway one side (fabric side)	20"	79"	R3B1TF179 20-() ()	1,592.	1,632.	1,712.	1,797.	1,867.	1,977.	2,042.
	24"	79"	R3B1TF179 24-() ()	1,664.	1,704.	1,784.	1,869.	1,939.	2,049.	2,114.
	30"	79"	R3B1TF179 30-() ()	1,695.	1,735.	1,815.	1,900.	1,970.	2,080.	2,145.
	36"	79"	R3B1TF179 36-() ()	2,040.	2,080.	2,160.	2,245.	2,315.	2,425.	2,490.
	42"	79"	R3B1TF179 42-() ()	2,173.	2,213.	2,293.	2,378.	2,448.	2,558.	2,623.
	48"	79"	R3B1TF179 48-() ()	2,241.	2,281.	2,361.	2,446.	2,516.	2,626.	2,691.




Order Code	Specification Information	Application Notes
Example: R3B0TF17918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	8. Base finish	The panels on this page will not accept stacking modules.
B0 No Beltway	9. Beltway finish, for panels with beltway	
T Tiled panel	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	6" Raceway option increases panel height by 2 3/4".
F1 Fabric one side, V1 other	1. Top trim profile	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
79 79" high	2. Base height	
18 18" wide	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish when applicable.
A Flat style top trim profile	4. Tile divider	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
4 4" base height	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	
B Tile divider, black reveal	i) tile 1A bottom	
W281 Fabric - Side 1A	ii) tile 1B middle	
W281 Fabric - Side 1B	iii) tile 1C middle	
W281 Fabric - Side 1C	iv) tile 1D middle	
W281 Fabric - Side 1D	v) tile 1E top	
W281 Fabric - Side 1E	6. Techwood side, finish (specify one V1 finish for side)	
Y328 Mahogany - side 2A	7. Top trim finish	
Y328 Mahogany - side 2B	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
Y328 Mahogany - side 2C	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
Y328 Mahogany - side 2D		
Y328 Mahogany - side 2E		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
M Optimal milled frame		

Tiled panels 79" H


fabric one side, conventional veneer other side

Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF279 18-() ()	\$1,281.	\$1,321.	\$1,401.	\$1,486.	\$1,556.	\$1,666.	\$1,731.
Regular acoustics	20"	79"	R3B0TF279 20-() ()	1,281.	1,321.	1,401.	1,486.	1,556.	1,666.	1,731.
	24"	79"	R3B0TF279 24-() ()	1,355.	1,395.	1,475.	1,560.	1,630.	1,740.	1,805.
	30"	79"	R3B0TF279 30-() ()	1,422.	1,462.	1,542.	1,627.	1,697.	1,807.	1,872.
	36"	79"	R3B0TF279 36-() ()	1,494.	1,534.	1,614.	1,699.	1,769.	1,879.	1,944.
	42"	79"	R3B0TF279 42-() ()	1,674.	1,714.	1,794.	1,879.	1,949.	2,059.	2,124.
	48"	79"	R3B0TF279 48-() ()	1,753.	1,793.	1,873.	1,958.	2,028.	2,138.	2,203.



Tiled, fabric one side	18"	79"	R3B1TF279 18-() ()	1,620.	1,660.	1,740.	1,825.	1,895.	2,005.	2,070.
Beltway one side (fabric side)	20"	79"	R3B1TF279 20-() ()	1,620.	1,660.	1,740.	1,825.	1,895.	2,005.	2,070.
	24"	79"	R3B1TF279 24-() ()	1,693.	1,733.	1,813.	1,898.	1,968.	2,078.	2,143.
	30"	79"	R3B1TF279 30-() ()	1,729.	1,769.	1,849.	1,934.	2,004.	2,114.	2,179.
	36"	79"	R3B1TF279 36-() ()	2,078.	2,118.	2,198.	2,283.	2,353.	2,463.	2,528.
	42"	79"	R3B1TF279 42-() ()	2,209.	2,249.	2,329.	2,414.	2,484.	2,594.	2,659.
	48"	79"	R3B1TF279 48-() ()	2,281.	2,321.	2,401.	2,486.	2,556.	2,666.	2,731.



Order Code	Specification Information	Application Notes
Example: R3B0TF17918-A4K	<i>To order please specify pattern number including:</i>	
R3 Reff Generation 3	8. Base finish	The panels on this page will not accept stacking modules.
B0 No Beltway	9. Beltway finish, for panels with Beltway	
T Tiled panel	10. <i>Optional non-beltway panels:</i> specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable	6" Raceway option increases panel height by 2 3/4".
F1 Fabric one side, V1 other	1. Top trim profile	Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
79 79" high	2. Base height	
18 18" wide	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish when applicable.
A Flat style top trim profile	4. Tile divider	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
4 4" base height	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)	
K Include knockouts in base	5. Fabric side, finish (specify selection per insert)	
B Tile divider, black reveal	i) tile 1A bottom	
W281 Fabric - Side 1A	ii) tile 1B middle	
W281 Fabric - Side 1B	iii) tile 1C middle	
W281 Fabric - Side 1C	iv) tile 1D middle	
W281 Fabric - Side 1D	v) tile 1E top	
W281 Fabric - Side 1E	6. Techwood side, finish (specify one V1 finish for side)	
Y328 Mahogany - side 2 Tiled	7. Top trim finish	
V316 Maple (top trim finish)	i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes	
111 Jet Black (base finish)	ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver	
M Optional milled frame		


Tiled panels 79" H

fabric one side, exotic veneer other side


Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side	18"	79"	R3B0TF379 18-()()	\$1,700.	\$1,740.	\$1,820.	\$1,905.	\$1,975.	\$2,085.	\$2,150.
Regular acoustics	20"	79"	R3B0TF379 20-()()	1,700.	1,740.	1,820.	1,905.	1,975.	2,085.	2,150.
	24"	79"	R3B0TF379 24-()()	1,801.	1,841.	1,921.	2,006.	2,076.	2,186.	2,251.
	30"	79"	R3B0TF379 30-()()	1,894.	1,934.	2,014.	2,099.	2,169.	2,279.	2,344.
	36"	79"	R3B0TF379 36-()()	1,991.	2,031.	2,111.	2,196.	2,266.	2,376.	2,441.
	42"	79"	R3B0TF379 42-()()	2,234.	2,274.	2,354.	2,439.	2,509.	2,619.	2,684.
	48"	79"	R3B0TF379 48-()()	2,339.	2,379.	2,459.	2,544.	2,614.	2,724.	2,789.



Tiled, fabric one side	18"	79"	R3B1TF379 18-()()	2,161.	2,201.	2,281.	2,366.	2,436.	2,546.	2,611.
Beltway fabric side	20"	79"	R3B1TF379 20-()()	2,161.	2,201.	2,281.	2,366.	2,436.	2,546.	2,611.
	24"	79"	R3B1TF379 24-()()	2,258.	2,298.	2,378.	2,463.	2,533.	2,643.	2,708.
	30"	79"	R3B1TF379 30-()()	2,307.	2,347.	2,427.	2,512.	2,582.	2,692.	2,757.
	36"	79"	R3B1TF379 36-()()	2,778.	2,818.	2,898.	2,983.	3,053.	3,163.	3,228.
	42"	79"	R3B1TF379 42-()()	2,957.	2,997.	3,077.	3,162.	3,232.	3,342.	3,407.
	48"	79"	R3B1TF379 48-()()	3,054.	3,094.	3,174.	3,259.	3,329.	3,439.	3,504.




Order Code	Specification Information	Application Notes
Example: R3B0TF37918-A4K	<i>To order please specify pattern number including:</i>	
R3	Reff Generation 3	
B0	No Beltway	
T	Tiled panel	
F3	Fabric one side, V3 other	
79	79" high	
18	18" wide	
A	Flat style top trim profile	
4	4" base height	
K	Include knockouts in base	
B	Tile divider, black reveal	
W281	Fabric - Side 1A	
W281	Fabric - Side 1B	
W281	Fabric - Side 1C	
W281	Fabric - Side 1D	
W281	Fabric - Side 1E	
V512	Figured Anigre surface - side 2 tiled	
V512	Figured Anigre (top trim finish)	
111	Jet Black (base finish)	
M	Optional milled frame	
	<div><div>1. Top trim profile: A = Flat B = Square C = Bullnose E = Extruded Aluminum</div><div>2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)</div><div>4. Extruded aluminum tile divider: Optional for non fabric side only (fabric side always black) 79"h add per panel: \$52 for 18w and 20w \$60 for 24w and 30w \$64 for 36w and 42w \$86 for 48w</div><div>Applicable finishes are listed on page 5 and 6.</div></div>	<div>The panels on this page will not accept stacking modules.</div> <div>6" Raceway option increases panel height by $2\frac{3}{4}$".</div> <div>Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.</div> <div>Remember to specify Beltway paint finish when applicable.</div> <div>79"H hookstrip reveal strips are ordered separately from page 117 at no charge.</div>

Tiled panels 79" H

Laminate/Laminate

Reff Profiles

description	w	h	pattern no.	L
Tiled, laminate both sides	18"	79"	R3B0TLL7918() ()	\$1,337.
with raceway both sides	20"	79"	R3B0TLL7920() ()	1,337.
	24"	79"	R3B0TLL7924() ()	1,457.
	30"	79"	R3B0TLL7930() ()	1,633.
	36"	79"	R3B0TLL7936() ()	1,763.
	42"	79"	R3B0TLL7942() ()	1,816.
	48"	79"	R3B0TLL7948() ()	1,908.



Example:	R3B0TLL7918-A4K
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
79	79" high
18	18" wide
A	Flat style top trim profile
4	4" base height
K	Include knockouts in base
B	Tile divider, black reveal
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 1C
118	Laminate - side 1D
118	Laminate - side 1E
118	Laminate - side 2A
118	Laminate - side 2B
118	Laminate - side 2C
118	Laminate - side 2D
118	Laminate - side 2E
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
(K = with knockouts, N = without knockouts)
4. Tile divider
B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Laminate side, finish (specify selection per insert)
i) tile 1A bottom
ii) tile 1B middle
iii) tile 1C middle
iv) tile 1D middle
v) tile 1E top
6. Laminate, finish
7. Top trim finish
i) Profile A, B or C options:
V1, V2, V3, P1, P2, P3 finishes
ii) Profile E options:
AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. *Optional non-beltway panels:*
specify (M) for panel frame to be milled for ported components, \$14 list upcharge applicable

1. Top trim profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:

4 = 4" base height

4. Extruded aluminum tile divider:

Optional for non fabric side only
(fabric side always black)
79"h add per panel:
\$52 for 18w and 20w
\$60 for 24w and 30w
\$64 for 36w and 42w
\$86 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

The panels on this page will not accept stacking modules.

Product on this page can be attached to posts 79"H as well as panels 42", 49", 64" and 79"H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.

Remember to specify Beltway paint finish when applicable.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 34"h tiled with 4" or 6"h base raceway	18"	34"	R2APT3418 ()	\$102.	
	20"	34"	R2APT3420 ()	102.	
	24"	34"	R2APT3424 ()	105.	
	30"	34"	R2APT3430 ()	107.	
	36"	34"	R2APT3436 ()	112.	
	42"	34"	R2APT3442 ()	114.	
	48"	34"	R2APT3448 ()	119.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 42"h tiled with 4" or 6"h base raceway	18"	42"	R2APT4218 ()	157.	
	20"	42"	R2APT4220 ()	157.	
	24"	42"	R2APT4224 ()	162.	
	30"	42"	R2APT4230 ()	164.	
	36"	42"	R2APT4236 ()	173.	
	42"	42"	R2APT4242 ()	178.	
	48"	42"	R2APT4248 ()	186.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA		
R2 Reff Generation 2	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.
A Aluminum	1. Specify reveal finish	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)
PT Panel trim	AA-anodized aluminum or painted option from page 5 excluding silver	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.
34 for 34"h	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.
18 for 18"w		R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.
AA Anodized aluminum	34"h 1:1 42"h 1:2 49"h 1:2 64"h 1:3 79"h 1:4	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.
	Aluminum reveal kits and hookstrip covers best suited for hard side (lamine, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 49"h tiled with 4" or 6"h base raceway	18"	49"	R2APT4918 ()	\$168.	
	20"	49"	R2APT4920 ()	168.	
	24"	49"	R2APT4924 ()	174.	
	30"	49"	R2APT4930 ()	176.	
	36"	49"	R2APT4936 ()	185.	
	42"	49"	R2APT4942 ()	193.	
	48"	49"	R2APT4948 ()	199.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for 64"h tiled with 4" or 6"h base raceway	18"	64"	R2APT6418 ()	237.	
	20"	64"	R2APT6420 ()	237.	
	24"	64"	R2APT6424 ()	246.	
	30"	64"	R2APT6430 ()	251.	
	36"	64"	R2APT6436 ()	263.	
	42"	64"	R2APT6442 ()	273.	
	48"	64"	R2APT6448 ()	283.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA		
R2 Reff Generation 2	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.
A Aluminum	1. Specify reveal finish	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)
PT Panel trim	AA-anodized aluminum or painted option from page 5 excluding silver	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.
34 for 34"h	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.
18 for 18"w		R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.
AA Anodized aluminum	34"h 1:1 42"h 1:2 49"h 1:2 64"h 1:3 79"h 1:4	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.
	Aluminum reveal kits and hookstrip covers best suited for hard side (laminated, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 79"h tiled with 4" or 6"h base raceway	18"	79"	R2APT7918 ()	\$307.	
	20"	79"	R2APT7920 ()	307.	
	24"	79"	R2APT7924 ()	317.	
	30"	79"	R2APT7930 ()	323.	
	36"	79"	R2APT7936 ()	341.	
	42"	79"	R2APT7942 ()	352.	
	48"	79"	R2APT7948 ()	370.	

Retrofit kit for Reff panels purchased under pattern numbers prefixed "R2".
Kit includes vertical hookstrip cover and tile dividers

Aluminum reveal kit for T post with 4" or 6"h raceway	34"	R2ATPK34 ()	68.
	42"	R2ATPK42 ()	85.
	49"	R2ATPK49 ()	97.
	64"	R2ATPK64 ()	134.
	79"	R2ATPK79 ()	168.

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA	<i>To order specify pattern number including height and width as applicable.</i>	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.
R2 Reff Generation 2		
A Aluminum		
PT Panel trim		
34 for 34"h	1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver	R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.
18 for 18"w		
AA Anodized aluminum	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height. 34"h 1:1 42"h 1:2 49"h 1:2 64"h 1:3 79"h 1:4	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.
	Aluminum reveal kits and hookstrip covers best suited for hard side (lamine, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	when aluminum vertical hookstrip cover installed, forfeit panel hung capability. When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.) Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for L post with 4" or 6"h raceway		34"	R2ALPK34 ()		\$67.
		42"	R2ALPK42 ()		93.
		49"	R2ALPK49 ()		102.
		64"	R2ALPK64 ()		141.
		79"	R2ALPK79 ()		178.
Alum vertical reveal for end trim with 4" or 6"h raceway		34"	R2AETK34 ()		66.
		42"	R2AETK42 ()		80.
		49"	R2AETK49 ()		94.
		64"	R2AETK64 ()		125.
		79"	R2AETK79 ()		158.

for use with generation 2 or 3 installations

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA		
R2 Reff Generation 2	<i>To order specify pattern number including height and width as applicable.</i>	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.
A Aluminum		
PT Panel trim	1. Specify reveal finish	R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.
34 for 34"h	AA-anodized aluminum or painted option from page 5 excluding silver	
18 for 18"w		
AA Anodized aluminum	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.
	34"h 1:1 42"h 1:2 49"h 1:2 64"h 1:3 79"h 1:4	
	Aluminum reveal kits and hookstrip covers best suited for hard side (lamine, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	
	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.	
	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)	
	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.	

description	width	height	pattern no.	AA or paint finish	list
Aluminum hookstrip cover condition including stacking modules with 4" or 6"h base raceway		30"	R2AHCR34 ()	\$66.	
		38"	R2AHCR42 ()	80.	
		45"	R2AHCR49 ()	94.	
		60"	R2AHCR64 ()	125.	
		75"	R2AHCR79 ()	158.	
for use with generation 2 or 3 installations					
Alum horizontal reveal/tile divider for between laminate or wood inserts	18"		R2AHTR18 ()	45.	
	20"		R2AHTR20 ()	45.	
	24"		R2AHTR24 ()	47.	
	30"		R2AHTR30 ()	52.	
	36"		R2AHTR36 ()	56.	
	42"		R2AHTR42 ()	58.	
	48"		R2AHTR48 ()	65.	
horizontal reveal only					

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA		
R2 Reff Generation 2	<i>To order specify pattern number including height and width as applicable.</i>	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.
A Aluminum	1. Specify reveal finish	
PT Panel trim	AA-anodized aluminum or painted option from page 5 excluding silver	R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.
34 for 34"h	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.
18 for 18"w	34"h 1:1	
AA Anodized aluminum	42"h 1:2	
	49"h 1:2	
	64"h 1:3	
	79"h 1:4	
	Aluminum reveal kits and hookstrip covers best suited for hard side (laminate, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	
	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.	
	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)	
	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.	

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking window module or stacking and window modules or between two stacking modules	18"		R2AHWR18 ()	\$39.	
	20"		R2AHWR20 ()	39.	
	24"		R2AHWR24 ()	41.	
	30"		R2AHWR30 ()	42.	
	36"		R2AHWR36 ()	46.	
	42"		R2AHWR42 ()	48.	
	48"		R2AHWR48 ()	54.	
horizontal reveal only					
Alum horizontal reveal for between two stacking window modules	18"		R2AHBW18 ()	39.	
	20"		R2AHBW20 ()	39.	
	24"		R2AHBW24 ()	41.	
	30"		R2AHBW30 ()	42.	
	36"		R2AHBW36 ()	46.	
	42"		R2AHBW42 ()	48.	
	48"		R2AHBW48 ()	54.	
horizontal reveal only					

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA		
R2 Reff Generation 2	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.
A Aluminum	1. Specify reveal finish	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)
PT Panel trim	AA-anodized aluminum or painted option from page 5 excluding silver	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.
34 for 34"h	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.
18 for 18"w	34"h 1:1 42"h 1:2 49"h 1:2 64"h 1:3 79"h 1:4	R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.
AA Anodized aluminum	Aluminum reveal kits and hookstrip covers best suited for hard side (lamine, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking module (FL/F1/F2)	18"		R2AHSR18 ()		\$39.
	20"		R2AHSR20 ()		39.
	24"		R2AHSR24 ()		41.
	30"		R2AHSR30 ()		42.
	36"		R2AHSR36 ()		46.
	42"		R2AHSR42 ()		48.
	48"		R2AHSR48 ()		54.
horizontal reveal only					

Order Code	Specification Information	Application Notes
Example: R2APT3418 AA		
R2 Reff Generation 2	<i>To order specify pattern number including height and width as applicable.</i>	when aluminum vertical hookstrip cover installed, forfeit panel hung capability.
A Aluminum	1. Specify reveal finish	When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)
PT Panel trim	AA-anodized aluminum or painted option from page 5 excluding silver	Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.
34 for 34"h	Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.	R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.
18 for 18"w	34"h 1:1	R2APT products for Reff generation 2 panels for panel side with exposed 4"h or 6"h base raceway.
AA Anodized aluminum	42"h 1:2	Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.
	49"h 1:2	
	64"h 1:3	
	79"h 1:4	
	Aluminum reveal kits and hookstrip covers best suited for hard side (lamine, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and	

Beltway one side, window panel 49" H tiled panel with glass type "A" at top

Reff Profiles

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway one side	18"	49"	R3B1TFFA49 18-()()	\$1,279.	\$1,311.	\$1,368.	\$1,439.	\$1,495.	\$1,583.	\$1,635.
	20"	49"	R3B1TFFA49 20-()()	1,279.	1,311.	1,368.	1,439.	1,495.	1,583.	1,635.
	24"	49"	R3B1TFFA49 24-()()	1,323.	1,355.	1,412.	1,483.	1,539.	1,627.	1,679.
	30"	49"	R3B1TFFA49 30-()()	1,414.	1,446.	1,503.	1,574.	1,630.	1,718.	1,770.
	36"	49"	R3B1TFFA49 36-()()	1,702.	1,734.	1,791.	1,862.	1,918.	2,006.	2,058.
	42"	49"	R3B1TFFA49 42-()()	1,854.	1,886.	1,943.	2,014.	2,070.	2,158.	2,210.
	48"	49"	R3B1TFFA49 48-()()	1,940.	1,972.	2,029.	2,100.	2,156.	2,244.	2,296.




Order Code	Specification Information	Application Notes
Example: R3B1TFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B1 Beltway 1 side	2. Base height	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
A Type A window	5. Panel side 2 finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
49 49" high	6. Top trim finish	Applicable finishes are listed on page 5 and 6.
18 18" wide	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	
A Flat style top trim profile	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
4 4" base height	7. Base finish	
K Include knockouts in base	8. Beltway finish	
W281 Fabric selection - side 1A	9. Glass window frame finish	
W281 Fabric selection - side 1B	10. Glass type Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
W281 Fabric selection - side 2A		
W281 Fabric selection - side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H tiled panel with glass type "B" at top

Reff Profiles

Panels



description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway one side	30"	49"	R3B1TFFB49 30-() ()	\$1,525.	\$1,557.	\$1,614.	\$1,685.	\$1,741.	\$1,829.	\$1,881.
	36"	49"	R3B1TFFB49 36-() ()	1,822.	1,854.	1,911.	1,982.	2,038.	2,126.	2,178.
	42"	49"	R3B1TFFB49 42-() ()	1,974.	2,006.	2,063.	2,134.	2,190.	2,278.	2,330.
	48"	49"	R3B1TFFB49 48-() ()	2,069.	2,101.	2,158.	2,229.	2,285.	2,373.	2,425.



Order Code	Specification Information	Application Notes
Example: R3B1TFFB4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side		B = Square
T Tiled panel		C = Bullnose
FF Fabric both sides		E = Extruded Aluminum
B Type B window		2. Base height:
49 49" high		4 = 4" base height
30 30" wide		6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height		6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal		Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
W281 Fabric selection - side 1B		Applicable finishes are listed on page 5 and 6.
W281 Fabric selection - side 2A		
W281 Fabric selection - side 2B		
Y328 Mahogany - side 2 tiled		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H monolithic with glass at top


Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
 Monolithic, fabric both sides, Type A window on top, Beltway one side	18"	49"	R3B1PFFA49 18-()()	\$1,156.	\$1,174.	\$1,216.	\$1,301.	\$1,355.	\$1,433.	\$1,512.
	20"	49"	R3B1PFFA49 20-()()	1,156.	1,174.	1,216.	1,301.	1,355.	1,433.	1,512.
	24"	49"	R3B1PFFA49 24-()()	1,197.	1,215.	1,257.	1,342.	1,396.	1,474.	1,553.
	30"	49"	R3B1PFFA49 30-()()	1,275.	1,293.	1,335.	1,420.	1,474.	1,552.	1,631.
	36"	49"	R3B1PFFA49 36-()()	1,518.	1,536.	1,578.	1,663.	1,717.	1,795.	1,874.
	42"	49"	R3B1PFFA49 42-()()	1,647.	1,665.	1,707.	1,792.	1,846.	1,924.	2,003.
	48"	49"	R3B1PFFA49 48-()()	1,726.	1,744.	1,786.	1,871.	1,925.	2,003.	2,082.
 Monolithic, fabric both sides, Type B window on top, Beltway one side	30"	49"	R3B1PFFB49 30-()()	1,386.	1,404.	1,446.	1,531.	1,585.	1,663.	1,742.
	36"	49"	R3B1PFFB49 36-()()	1,638.	1,656.	1,698.	1,783.	1,837.	1,915.	1,994.
	42"	49"	R3B1PFFB49 42-()()	1,767.	1,785.	1,827.	1,912.	1,966.	2,044.	2,123.
	48"	49"	R3B1PFFB49 48-()()	1,855.	1,873.	1,915.	2,000.	2,054.	2,132.	2,211.

Order Code	Specification Information	Application Notes
Example: R3B1PFFA4918-A4K	<i>To order please specify pattern number including:</i>	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
R3 Reff Generation 3	1. Top trim profile	6" Raceway option increases panel height by 2 3/4".
B1 Beltway 1 side	2. Base height	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
P Monolithic panel	3. Knockout option (K = with knockouts, N = without knockouts)	Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.
FF Fabric on both sides	4. Panel side 1 finish (specify selection per insert)	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
A Type A window	5. Panel side 2 finish (specify selection per insert)	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
49 49" high	6. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Applicable finishes are listed on page 5 and 6.
18 18" wide	7. Base finish	
A Flat style top trim profile	8. Beltway finish	
4 4" base height	9. Glass window frame finish	
K Include knockouts in base	10. Glass type Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
W281 Fabric selection - side 1		
W281 Fabric selection - side 2		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H
 tiled with glass type "A" at top,
 fabric one side, laminate other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TFLA49 18-() ()	\$1,417.	\$1,433.	\$1,465.	\$1,499.	\$1,527.	\$1,571.	\$1,610.
	20"	49"	R3B1TFLA49 20-() ()	1,417.	1,432.	1,465.	1,499.	1,527.	1,571.	1,610.
	24"	49"	R3B1TFLA49 24-() ()	1,462.	1,478.	1,510.	1,544.	1,572.	1,616.	1,655.
	30"	49"	R3B1TFLA49 30-() ()	1,555.	1,571.	1,603.	1,637.	1,665.	1,709.	1,748.
	36"	49"	R3B1TFLA49 36-() ()	1,847.	1,863.	1,895.	1,929.	1,957.	2,001.	2,040.
	42"	49"	R3B1TFLA49 42-() ()	2,000.	2,016.	2,048.	2,082.	2,110.	2,154.	2,193.
	48"	49"	R3B1TFLA49 48-() ()	2,091.	2,107.	2,139.	2,173.	2,201.	2,245.	2,284.



Order Code	Specification Information	Application Notes
Example: R3B1TFLA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3		A = Flat
B1 Beltway one side		B = Square
T Tiled panel		C = Bullnose
FL Fabric BW side, laminate other		E = Extruded Aluminum
A Type A window		2. Base height:
49 49" high		4 = 4" base height
18 18" wide		6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile		The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height		6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base		Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal		Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A		79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
W281 Fabric selection - side 1B		Applicable finishes are listed on page 5 and 6.
114 Folkstone grey - side 2A		
114 Folkstone grey - side 2B		
V316 Maple (top trim finish)		
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		
	1. Top trim profile	Width Add
	2. Base height	18" \$86
	3. Knockout option	20" \$86
	(K = with knockouts, N = without knockouts)	24" \$101
	4. Tile divider (where optional)	30" \$121
	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	36" \$145
	5. Fabric side, finish (specify selection per insert; bottom up.)	42" \$173
	6. Laminate side finish (specify selection per insert; bottom up.)	48" \$198
	7. Top trim finish	
	i) Top trim profile A,B or C options:	
	V1, V2, V3, P1, P2, P3 finishes	
	ii) Top trim profile E options:	
	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
	8. Base finish	
	9. Beltway finish	
	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway one side, window panel 49" H
 tiled with glass type "B" at top,
 fabric one side, laminate other side

Reff Profiles

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TFLB49 30-()()	\$1,670.	\$1,686.	\$1,718.	\$1,752.	\$1,780.	\$1,824.	\$1,863.
	36"	49"	R3B1TFLB49 36-()()	1,967.	1,983.	2,015.	2,049.	2,077.	2,121.	2,160.
	42"	49"	R3B1TFLB49 42-()()	2,120.	2,136.	2,168.	2,202.	2,230.	2,274.	2,313.
	48"	49"	R3B1TFLB49 48-()()	2,222.	2,238.	2,270.	2,304.	2,332.	2,376.	2,415.




Order Code	Specification Information	Application Notes
Example: R3B1TFLB4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option (K = with knockouts, N = without knockouts)	C = Bullnose
FL Fabric BW side, laminate other	4. Tile divider (where optional) B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	E = Extruded Aluminum2. Base height: 4 = 4" base height 6 = 6" base height (add \$47 per panel for this option)
B Type B window	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
49 49" high	6. Laminate side finish (specify selection per insert; bottom up.)	6" Raceway option increases panel height by 2 3/4".
18 18" wide	7. Top trim finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
A Flat style top trim profile	8. Base finish	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
4 4" base height	9. Beltway finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
K Include knockouts in base	10. Window frame finish	Applicable finishes are listed on page 5 and 6.
B Tile divider, black reveal	11. Glass option Temp = Clear temp <i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	Add upcharge for architectural glass: (as applicable by width)
W281 Fabric selection - side 1A		Width Add 18" \$86 20" \$86 24" \$101 30" \$121 36" \$145 42" \$173 48" \$198
W281 Fabric selection - side 1B		Frame finish: Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.
114 Folkstone grey - side 2A		Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width) Optional non fabric tiled side only, fabric side always black
114 Folkstone grey - side 2B		Width Add 18" \$14 20" \$14 24" \$15 30" \$15 36" \$16 42" \$16 48" \$21
V316 Maple (top trim finish)		Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.
111 Jet Black (base finish)		
111 Jet Black (beltway finish)		
111 Jet Black (window frame finish)		
TEMP Glass option		

Beltway one side, window panel 49" H
monolithic with glass at top,
fabric one side, laminate other side


Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1PFLA49 18-() ()	\$1,171.	\$1,181.	\$1,203.	\$1,246.	\$1,273.	\$1,313.	\$1,340.
	20"	49"	R3B1PFLA49 20-() ()	1,172.	1,181.	1,203.	1,246.	1,273.	1,313.	1,340.
	24"	49"	R3B1PFLA49 24-() ()	1,232.	1,241.	1,263.	1,306.	1,333.	1,373.	1,400.
	30"	49"	R3B1PFLA49 30-() ()	1,342.	1,351.	1,373.	1,416.	1,443.	1,483.	1,510.
	36"	49"	R3B1PFLA49 36-() ()	1,620.	1,629.	1,651.	1,694.	1,721.	1,761.	1,788.
	42"	49"	R3B1PFLA49 42-() ()	1,781.	1,790.	1,812.	1,855.	1,882.	1,922.	1,949.
	48"	49"	R3B1PFLA49 48-() ()	1,894.	1,903.	1,925.	1,968.	1,995.	2,035.	2,062.



Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1PFLB49 30-() ()	1,457.	1,466.	1,488.	1,531.	1,558.	1,598.	1,625.
	36"	49"	R3B1PFLB49 36-() ()	1,740.	1,749.	1,771.	1,814.	1,841.	1,881.	1,908.
	42"	49"	R3B1PFLB49 42-() ()	1,901.	1,910.	1,932.	1,975.	2,002.	2,042.	2,069.
	48"	49"	R3B1PFLB49 48-() ()	2,025.	2,034.	2,056.	2,099.	2,126.	2,166.	2,193.



Order Code	Specification Information	Application Notes
Example: R3B1PFLA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FL Fabric BW side, laminate other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver	4 = 4" base height
18 18" wide	from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	6. Laminate side finish (specify selection per insert; bottom up.)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
114 Folkstone grey - side 2	8. Base finish	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	9. Beltway finish	
111 Jet Black (base finish)	10. Window frame finish	
111 Jet Black (beltway finish)	11. Glass option	
111 Jet Black (window frame finish)	Temp = Clear temp	
TEMP Glass option	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:
Add to all products on this page:
upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
Optional non fabric tiled side only, fabric side always black


Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Product on this page will accept wood grain laminate where laminate is currently an option.
Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Beltway one side, window panel 49" H
 tiled with type "A" glass at top,
 fabric one side, techwood other side

Reff Profiles

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF1A49 18-()()	\$1,440.	\$1,456.	\$1,488.	\$1,522.	\$1,550.	\$1,594.	\$1,633.
	20"	49"	R3B1TF1A49 20-()()	1,440.	1,456.	1,488.	1,522.	1,550.	1,594.	1,633.
	24"	49"	R3B1TF1A49 24-()()	1,489.	1,505.	1,537.	1,571.	1,599.	1,643.	1,682.
	30"	49"	R3B1TF1A49 30-()()	1,582.	1,598.	1,630.	1,664.	1,692.	1,736.	1,775.
	36"	49"	R3B1TF1A49 36-()()	1,881.	1,897.	1,929.	1,963.	1,991.	2,035.	2,074.
	42"	49"	R3B1TF1A49 42-()()	2,038.	2,054.	2,086.	2,120.	2,148.	2,192.	2,231.
	48"	49"	R3B1TF1A49 48-()()	2,127.	2,143.	2,175.	2,209.	2,237.	2,281.	2,320.




Order Code	Specification Information	Application Notes
Example: R3B1TF1A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify	4 = 4" base height
18 18" wide	AA-anodized aluminum or	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	painted option excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	aluminum divider (upcharge applicable, optional "tiled" style products only)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal	6. Techwood side, finish (specify one V1 finish for side)	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	7. Top trim finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
W281 Fabric selection - side 1B	i) Top trim profile A,B or C options:	Applicable finishes are listed on page 5 and 6.
Y328 Mahogany - side 2 tiled	V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Top trim profile E options:	
111 Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page	
111 Jet Black (beltway finish)	5 excluding silver	
111 Jet Black (window frame finish)	8. Base finish	
TEMP Glass option	9. Beltway finish	
	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Beltway one side, window panel 49" H
 tiled with type "B" glass at top,
 fabric one side, techwood other side

Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF1B49 30-() ()	\$1,697.	\$1,713.	\$1,745.	\$1,779.	\$1,807.	\$1,851.	\$1,890.
	36"	49"	R3B1TF1B49 36-() ()	2,001.	2,017.	2,049.	2,083.	2,111.	2,155.	2,194.
	42"	49"	R3B1TF1B49 42-() ()	2,158.	2,174.	2,206.	2,240.	2,268.	2,312.	2,351.
	48"	49"	R3B1TF1B49 48-() ()	2,258.	2,274.	2,306.	2,340.	2,368.	2,412.	2,451.




Order Code	Specification Information	Application Notes
Example: R3B1TF1B4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
B Type B window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver	4 = 4" base height
30 30" wide	from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	6. Techwood side, finish (specify one V1 finish for side)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
W281 Fabric selection - side 1B	8. Base finish	Applicable finishes are listed on page 5 and 6.
Y328 Mahogany - side 2 tiled	9. Beltway finish	
V316 Maple (top trim finish)	10. Window frame finish	
111 Jet Black (base finish)	11. Glass option	
111 Jet Black (beltway finish)	Temp = Clear temp	
111 Jet Black (window frame finish)	Architectural options:	
TEMP Glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)
Width Add
18" \$86
20" \$86
24" \$101
30" \$121
36" \$145
42" \$173
48" \$198
Frame finish:
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.
Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
Optional non fabric tiled side only, fabric side always black
Width Add
18" \$14
20" \$14
24" \$15
30" \$15
36" \$16
42" \$16
48" \$21


Beltway one side, window panel 49" H
monolithic with glass at top,
fabric one side, techwood other side

Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1PF1A49 18-()	\$1,194.	\$1,203.	\$1,225.	\$1,268.	\$1,295.	\$1,335.	\$1,362.
	20"	49"	R3B1PF1A49 20-()	1,194.	1,203.	1,225.	1,268.	1,295.	1,335.	1,362.
	24"	49"	R3B1PF1A49 24-()	1,252.	1,261.	1,283.	1,326.	1,353.	1,393.	1,420.
	30"	49"	R3B1PF1A49 30-()	1,364.	1,373.	1,395.	1,438.	1,465.	1,505.	1,532.
	36"	49"	R3B1PF1A49 36-()	1,646.	1,655.	1,677.	1,720.	1,747.	1,787.	1,814.
	42"	49"	R3B1PF1A49 42-()	1,815.	1,824.	1,846.	1,889.	1,916.	1,956.	1,983.
	48"	49"	R3B1PF1A49 48-()	1,925.	1,934.	1,956.	1,999.	2,026.	2,066.	2,093.



Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1PF1B49 30-()	1,479.	1,488.	1,510.	1,553.	1,580.	1,620.	1,647.
	36"	49"	R3B1PF1B49 36-()	1,766.	1,775.	1,797.	1,840.	1,867.	1,907.	1,934.
	42"	49"	R3B1PF1B49 42-()	1,935.	1,944.	1,966.	2,009.	2,036.	2,076.	2,103.
	48"	49"	R3B1PF1B49 48-()	2,056.	2,065.	2,087.	2,130.	2,157.	2,197.	2,224.




Order Code	Specification Information	Application Notes
Example: R3B1PF1B4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F1 Fabric one side, V1 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
B Type B window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver	4 = 4" base height
30 30" wide	from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	6. Techwood side, finish (specify one V1 finish for side)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal	i) Top trim profile A,B or C options:	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	V1, V2, V3, P1, P2, P3 finishes	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
Y328 Mahogany - side 2	ii) Top trim profile E options:	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Jet Black (base finish)	8. Base finish	
111 Jet Black (beltway finish)	9. Beltway finish	
111 Jet Black (window frame finish)	10. Window frame finish	
TEMP Glass option	11. Glass option	
	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by width)	
Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198
Frame finish:	
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.	
Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)	
Optional non fabric tiled side only, fabric side always black	
Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway one side, window panel 49" H
 tiled with type "A" glass at top,
 fabric one side, conventional veneer other side

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1TF2A49 18-() ()	\$1,467.	\$1,483.	\$1,515.	\$1,549.	\$1,577.	\$1,621.	\$1,660.
	20"	49"	R3B1TF2A49 20-() ()	1,467.	1,483.	1,515.	1,549.	1,577.	1,621.	1,660.
	24"	49"	R3B1TF2A49 24-() ()	1,514.	1,530.	1,562.	1,596.	1,624.	1,668.	1,707.
	30"	49"	R3B1TF2A49 30-() ()	1,608.	1,624.	1,656.	1,690.	1,718.	1,762.	1,801.
	36"	49"	R3B1TF2A49 36-() ()	1,910.	1,926.	1,958.	1,992.	2,020.	2,064.	2,103.
	42"	49"	R3B1TF2A49 42-() ()	2,070.	2,086.	2,118.	2,152.	2,180.	2,224.	2,263.
	48"	49"	R3B1TF2A49 48-() ()	2,163.	2,179.	2,211.	2,245.	2,273.	2,317.	2,356.



Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify	4 = 4" base height
18 18" wide	AA-anodized aluminum or	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	painted option excluding silver	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	aluminum divider (upcharge applicable, optional "tiled" style products only)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	5. Fabric side, finish (specify selection per insert; bottom up.)	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal	6. Conventional veneer side, finish (specify one V2 finish for side)	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	7. Top trim finish	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
W281 Fabric selection - side 1B	i) Top trim profile A,B or C options:	Applicable finishes are listed on page 5 and 6.
V316 Maple surface - side 2 tiled	V1, V2, V3, P1, P2, P3 finishes	
V316 Maple (top trim finish)	ii) Top trim profile E options:	
111 Jet Black (base finish)	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
111 Jet Black (beltway finish)	8. Base finish	
111 Jet Black (window frame finish)	9. Beltway finish	
TEMP Glass option	10. Window frame finish	
	11. Glass option	
	Temp = Clear temp	
	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by widths)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:
 Add to all products on this page:
 upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.


Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
 Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway one side, window panel 49" H
 tiled with type "B" glass at top,
 fabric one side, conventional veneer other side

Reff Profiles

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1TF2B49 30-() ()	\$1,723.	\$1,739.	\$1,771.	\$1,805.	\$1,833.	\$1,877.	\$1,916.
	36"	49"	R3B1TF2B49 36-() ()	2,030.	2,046.	2,078.	2,112.	2,140.	2,184.	2,223.
	42"	49"	R3B1TF2B49 42-() ()	2,190.	2,206.	2,238.	2,272.	2,300.	2,344.	2,383.
	48"	49"	R3B1TF2B49 48-() ()	2,294.	2,310.	2,342.	2,376.	2,404.	2,448.	2,487.



Order Code	Specification Information	Application Notes
Example: R3B1TF2B4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
B Type B window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver	4 = 4" base height
30 30" wide	from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	6. Conventional veneer side, finish (specify one V2 finish for side)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal	i) Top trim profile A,B or C options:	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	V1, V2, V3, P1, P2, P3 finishes	
W281 Fabric selection - side 1B	ii) Top trim profile E options:	
V316 Maple surface - side 2 tiled	AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	
V316 Maple (top trim finish)	8. Base finish	
111 Jet Black (base finish)	9. Beltway finish	
111 Jet Black (beltway finish)	10. Window frame finish	
111 Jet Black (window frame finish)	11. Glass option	
TEMP Glass option	Temp = Clear temp	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
	Architectural options:	Applicable finishes are listed on page 5 and 6.
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	


Add upcharge for architectural glass: (as applicable by widths)	
Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198
Frame finish:	
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.	
Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)	
Optional non fabric tiled side only, fabric side always black	
Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21

Beltway one side, window panel 49" H
monolithic with glass at top,
fabric one side, conventional veneer other side


Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side)	18"	49"	R3B1PF2A49 18-() ()	\$1,214.	\$1,223.	\$1,245.	\$1,288.	\$1,315.	\$1,355.	\$1,382.
	20"	49"	R3B1PF2A49 20-() ()	1,214.	1,223.	1,245.	1,288.	1,315.	1,355.	1,382.
	24"	49"	R3B1PF2A49 24-() ()	1,273.	1,282.	1,304.	1,347.	1,374.	1,414.	1,441.
	30"	49"	R3B1PF2A49 30-() ()	1,391.	1,400.	1,422.	1,465.	1,492.	1,532.	1,559.
	36"	49"	R3B1PF2A49 36-() ()	1,677.	1,686.	1,708.	1,751.	1,778.	1,818.	1,845.
	42"	49"	R3B1PF2A49 42-() ()	1,843.	1,852.	1,874.	1,917.	1,944.	1,984.	2,011.
	48"	49"	R3B1PF2A49 48-() ()	1,954.	1,963.	1,985.	2,028.	2,055.	2,095.	2,122.



Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side)	30"	49"	R3B1PF2B49 30-() ()	1,506.	1,515.	1,537.	1,580.	1,607.	1,647.	1,674.
	36"	49"	R3B1PF2B49 36-() ()	1,797.	1,806.	1,828.	1,871.	1,898.	1,938.	1,965.
	42"	49"	R3B1PF2B49 42-() ()	1,963.	1,972.	1,994.	2,037.	2,064.	2,104.	2,131.
	48"	49"	R3B1PF2B49 48-() ()	2,085.	2,094.	2,116.	2,159.	2,186.	2,226.	2,253.



Order Code	Specification Information	Application Notes
Example: R3B1TF2A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F2 Fabric one side, V2 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver	4 = 4" base height
18 18" wide	from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	6. Conventional veneer side, finish (specify one V2 finish for side)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
V316 Maple surface - side 2	8. Base finish	Applicable finishes are listed on page 5 and 6.
V316 Maple (top trim finish)	9. Beltway finish	
111 Jet Black (base finish)	10. Window frame finish	
111 Jet Black (beltway finish)	11. Glass option	
111 Jet Black (window frame finish)	Temp = Clear temp	
TEMP Glass option	<i>Architectural options:</i>	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by widths)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:
Add to all products on this page:
upcharge of \$35 per panel for P2
paint class options or \$63 per panel
for P3 paint class options.


Add upcharge for
extruded aluminum reveal/tile
divider: (as applicable by width)
Optional non fabric tiled side only,
fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21


Beltway one side, window panel 49" H tiled with glass at top, fabric one side, exotic veneer other side

Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side, Beltway fabric side	18"	49"	R3B1TF3A49 18-() ()	\$1,938.	\$1,954.	\$1,986.	\$2,020.	\$2,048.	\$2,092.	\$2,131.
Type A window on top, Regular acoustics	20"	49"	R3B1TF3A49 20-() ()	1,938.	1,954.	1,986.	2,020.	2,048.	2,092.	2,131.
	24"	49"	R3B1TF3A49 24-() ()	1,996.	2,012.	2,044.	2,078.	2,106.	2,150.	2,189.
	30"	49"	R3B1TF3A49 30-() ()	2,113.	2,129.	2,161.	2,195.	2,223.	2,267.	2,306.
	36"	49"	R3B1TF3A49 36-() ()	2,512.	2,528.	2,560.	2,594.	2,622.	2,666.	2,705.
	42"	49"	R3B1TF3A49 42-() ()	2,718.	2,734.	2,766.	2,800.	2,828.	2,872.	2,911.
	48"	49"	R3B1TF3A49 48-() ()	2,835.	2,851.	2,883.	2,917.	2,945.	2,989.	3,028.



Tiled, fabric one side, Beltway fabric side	30"	49"	R3B1TF3B49 30-() ()	2,228.	2,244.	2,276.	2,310.	2,338.	2,382.	2,421.
Type B window on top, Regular acoustics	36"	49"	R3B1TF3B49 36-() ()	2,632.	2,648.	2,680.	2,714.	2,742.	2,786.	2,825.
	42"	49"	R3B1TF3B49 42-() ()	2,838.	2,854.	2,886.	2,920.	2,948.	2,992.	3,031.
	48"	49"	R3B1TF3B49 48-() ()	2,966.	2,982.	3,014.	3,048.	3,076.	3,120.	3,159.



Order Code	Specification Information	Application Notes
Example: R3B1TF3A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
T Tiled panel	3. Knockout option	C = Bullnose
F3 Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver	4 = 4" base height
18 18" wide	from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	6. Exotic veneer side, finish (specify one V3 finish for side)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1A	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
W281 Fabric selection - side 1B	8. Base finish	Applicable finishes are listed on page 5 and 6.
V512 Figured Anigre surface - side 2 tiled	9. Beltway finish	
V512 Figured Anigre (top trim finish)	10. Window frame finish	
111 Jet Black (base finish)	11. Glass option	
111 Jet Black (beltway finish)	Temp = Clear temp	
111 Jet Black (window frame finish)	Architectural options:	
TEMP Glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	


Beltway one side, window panel 49" H

monolithic with glass at top, fabric one side, exotic veneer other side


Reff Profiles

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side, Beltway fabric side Type A window on top, Regular acoustics	18"	49"	R3B1PF3A49 18-() ()	\$1,593.	\$1,602.	\$1,624.	\$1,667.	\$1,694.	\$1,734.	\$1,761.
	20"	49"	R3B1PF3A49 20-() ()	1,593.	1,602.	1,624.	1,667.	1,694.	1,734.	1,761.
	24"	49"	R3B1PF3A49 24-() ()	1,669.	1,678.	1,700.	1,743.	1,770.	1,810.	1,837.
	30"	49"	R3B1PF3A49 30-() ()	1,817.	1,826.	1,848.	1,891.	1,918.	1,958.	1,985.
	36"	49"	R3B1PF3A49 36-() ()	2,195.	2,204.	2,226.	2,269.	2,296.	2,336.	2,363.
	42"	49"	R3B1PF3A49 42-() ()	2,409.	2,418.	2,440.	2,483.	2,510.	2,550.	2,577.
	48"	49"	R3B1PF3A49 48-() ()	2,551.	2,560.	2,582.	2,625.	2,652.	2,692.	2,719.



Monolithic, fabric one side, Beltway fabric side Type B window on top, Regular acoustics	30"	49"	R3B1PF3B49 30-() ()	1,932.	1,941.	1,963.	2,006.	2,033.	2,073.	2,100.
	36"	49"	R3B1PF3B49 36-() ()	2,315.	2,324.	2,346.	2,389.	2,416.	2,456.	2,483.
	42"	49"	R3B1PF3B49 42-() ()	2,529.	2,538.	2,560.	2,603.	2,630.	2,670.	2,697.
	48"	49"	R3B1PF3B49 48-() ()	2,682.	2,691.	2,713.	2,756.	2,783.	2,823.	2,850.



Order Code	Specification Information	Application Notes
Example: R3B1PF3A4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B1 Beltway one side	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
F3 Fabric one side, V3 other	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
A Type A window	4. Tile divider (where optional)	2. Base height:
49 49" high	B = black steel divider or specify AA-anodized aluminum or painted option excluding silver	4 = 4" base height
18 18" wide	from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	5. Fabric side, finish (specify selection per insert; bottom up.)	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	6. Exotic veneer side, finish (specify one V3 finish for side)	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	7. Top trim finish	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
B Tile divider, black reveal	i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes	Remember to specify Beltway paint finish, glass type and window frame finish from the paint selection at the front of the price list.
W281 Fabric selection - side 1	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	79"H hookstrip reveal strips are ordered separately from page 117 at no charge.
V512 Figured Anigre surface - side 2	8. Base finish	Applicable finishes are listed on page 5 and 6.
V512 Figured Anigre (top trim finish)	9. Beltway finish	
111 Jet Black (base finish)	10. Window frame finish	
111 Jet Black (beltway finish)	11. Glass option	
111 Jet Black (window frame finish)	Temp = Clear temp	
TEMP Glass option	Architectural options:	
	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Add upcharge for architectural glass: (as applicable by widths)

Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:
Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.


Add upcharge for extruded aluminum reveal/tile divider: (as applicable by width)
Optional non fabric tiled side only, fabric side always black

Width	Add
18"	\$14
20"	\$14
24"	\$15
30"	\$15
36"	\$16
42"	\$16
48"	\$21


Beltway two sides, window panel 49" H tiled with glass at top

Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway two sides	18"	49"	R3B2TFFA49 18-() ()	\$1,297.	\$1,329.	\$1,383.	\$1,457.	\$1,513.	\$1,601.	\$1,653.
	20"	49"	R3B2TFFA49 20-() ()	1,297.	1,329.	1,383.	1,457.	1,513.	1,601.	1,653.
	24"	49"	R3B2TFFA49 24-() ()	1,344.	1,376.	1,430.	1,504.	1,560.	1,648.	1,700.
	30"	49"	R3B2TFFA49 30-() ()	1,438.	1,470.	1,524.	1,598.	1,654.	1,742.	1,794.
	36"	49"	R3B2TFFA49 36-() ()	1,730.	1,752.	1,816.	1,890.	1,946.	2,034.	2,086.
	42"	49"	R3B2TFFA49 42-() ()	1,883.	1,915.	1,969.	2,043.	2,099.	2,187.	2,239.
	48"	49"	R3B2TFFA49 48-() ()	1,975.	2,007.	2,061.	2,135.	2,191.	2,279.	2,331.



Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway two sides	30"	49"	R3B2TFFB49 30-() ()	1,549.	1,581.	1,635.	1,709.	1,765.	1,853.	1,905.
	36"	49"	R3B2TFFB49 36-() ()	1,850.	1,882.	1,936.	2,010.	2,066.	2,154.	2,206.
	42"	49"	R3B2TFFB49 42-() ()	2,003.	2,035.	2,089.	2,163.	2,219.	2,307.	2,359.
	48"	49"	R3B2TFFB49 48-() ()	2,104.	2,136.	2,190.	2,264.	2,320.	2,408.	2,460.





Order Code	Specification Information	Application Notes	
Example: R3B2TFFA4918-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>	Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.
R3	Reff Generation 3	A = Flat	
B2	Beltway two sides	B = Square	
T	Tiled panel	C = Bullnose	
FF	Fabric on both sides	E = Extruded Aluminum	Applicable finishes are listed on page 5 and 6.
A	Type A window	<i>2. Base height:</i>	Add upcharge for architectural glass: <i>(as applicable by width)</i>
49	49" high	4 = 4" base height	Width Add
18	18" wide	6 = 6" base height (add \$47 per panel for this option)	18" \$86
A	Flat style top trim profile	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.	20" \$86
4	4" base height	6" Raceway option increases panel height by 2¾".	24" \$101
K	Include knockouts in base	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.	30" \$121
W281	Fabric selection - side 1A		36" \$145
W281	Fabric selection - side 1B		42" \$173
W281	Fabric selection - side 2A		48" \$198
W281	Fabric selection - side 2B		
V316	Maple (top trim finish)		Frame finish:
111	Jet Black (base finish)		Add to all products on this page: upcharge of \$35 per panel for P2 paint class options or \$63 per panel for P3 paint class options.
111	Jet Black (beltway finish)		
111	Jet Black (window frame finish)		
TEMP	Glass option		

Beltway two sides, window panel 49" H monolithic with glass at top

Reff Profiles

Panels

description	w	h	pattern no.	grade						
				10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway two sides 	18"	49"	R3B2PFFA49 18-() ()	\$1,173.	\$1,193.	\$1,235.	\$1,319.	\$1,375.	\$1,453.	\$1,503.
	20"	49"	R3B2PFFA49 20-() ()	1,173.	1,193.	1,235.	1,319.	1,375.	1,453.	1,503.
	24"	49"	R3B2PFFA49 24-() ()	1,215.	1,235.	1,277.	1,361.	1,417.	1,495.	1,545.
	30"	49"	R3B2PFFA49 30-() ()	1,297.	1,317.	1,359.	1,443.	1,499.	1,577.	1,627.
	36"	49"	R3B2PFFA49 36-() ()	1,542.	1,562.	1,604.	1,688.	1,744.	1,822.	1,872.
	42"	49"	R3B2PFFA49 42-() ()	1,676.	1,696.	1,738.	1,822.	1,878.	1,956.	2,006.
	48"	49"	R3B2PFFA49 48-() ()	1,756.	1,776.	1,818.	1,902.	1,958.	2,036.	2,086.
Monolithic, fabric both sides, Type B window on top, Beltway two sides 	30"	49"	R3B2PFFB49 30-() ()	1,408.	1,428.	1,470.	1,554.	1,610.	1,688.	1,738.
	36"	49"	R3B2PFFB49 36-() ()	1,662.	1,682.	1,724.	1,808.	1,864.	1,942.	1,992.
	42"	49"	R3B2PFFB49 42-() ()	1,796.	1,816.	1,858.	1,942.	1,998.	2,076.	2,126.
	48"	49"	R3B2PFFB49 48-() ()	1,885.	1,905.	1,947.	2,031.	2,087.	2,165.	2,215.

Order Code	Specification Information	Application Notes
Example: R3B2PFFB4930-A4K	<i>To order please specify pattern number including:</i>	<i>1. Top trim profile:</i>
R3 Reff Generation 3	1. Top trim profile	A = Flat
B2 Beltway two sides	2. Base height	B = Square
P Monolithic panel	3. Knockout option	C = Bullnose
FF Fabric on both sides	(K = with knockouts, N = without knockouts)	E = Extruded Aluminum
B Type B window	4. Panel side 1 finish (specify selection per insert)	<i>2. Base height:</i>
49 49" high	5. Panel side 2 finish (specify selection per insert)	4 = 4" base height
30 30" wide	6. Top trim finish	6 = 6" base height (add \$47 per panel for this option)
A Flat style top trim profile	i) Top trim profile A,B or C options:	The panels on this page will accept stacking modules to increase their height on 18" to 48"W panels only.
4 4" base height	V1, V2, V3, P1, P2, P3 finishes	6" Raceway option increases panel height by 2 3/4".
K Include knockouts in base	ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver	Product on this page can be attached to posts 49", 64", and 79"H as well as panels 42", 49", 64" and 79"H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 117.
W281 Fabric selection - side 1	7. Base finish	Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.
W281 Fabric selection - side 2	8. Beltway finish	
V316 Maple (top trim finish)	9. Window frame finish	
111 Jet Black (base finish)	10. Glass option	
111 Jet Black (beltway finish)	Temp = clear temp	
111 Jet Black (window frame finish)	<i>Architectural options:</i>	
TEMP Glass option	GL13 = Powder glass	
	GL6 = Block matrix glass	
	GL8 = Wafer glass	

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: *(as applicable by width)*



Width	Add
18"	\$86
20"	\$86
24"	\$101
30"	\$121
36"	\$145
42"	\$173
48"	\$198

Frame finish:
Add to all products on this page:
upcharge of \$35 per panel for P2 paint calss options or \$63 per panel for P3 paint class options.

79"H hookstrip reveal strips are ordered separately from page 117 at no charge.

Stacking modules *fabric*

Reff Profiles

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Stacking modules *,**	18"	8"	R3SFF08 18	\$210.	\$216.	\$236.	\$268.	\$280.	\$302.	\$316.
Fabric both sides	20"	8"	R3SFF08 20	210.	216.	236.	268.	280.	302.	316.
	24"	8"	R3SFF08 24	220.	226.	246.	278.	290.	312.	326.
	30"	8"	R3SFF08 30	245.	251.	271.	303.	315.	337.	351.
	36"	8"	R3SFF08 36	267.	273.	293.	325.	337.	358.	373.
	42"	8"	R3SFF08 42	291.	297.	317.	349.	361.	383.	397.
	48"	8"	R3SFF08 48	313.	319.	339.	371.	383.	405.	419.
Stacking modules*	18"	15"	R3SFF15 18	283.	299.	329.	363.	391.	435.	459.
Fabric both sides	20"	15"	R3SFF15 20	283.	299.	329.	363.	391.	435.	459.
	24"	15"	R3SFF15 24	299.	315.	345.	379.	407.	451.	475.
	30"	15"	R3SFF15 30	329.	345.	375.	409.	437.	481.	505.
	36"	15"	R3SFF15 36	363.	379.	409.	443.	471.	515.	539.
	42"	15"	R3SFF15 42	391.	407.	437.	471.	499.	543.	567.
	48"	15"	R3SFF15 48	423.	439.	469.	503.	531.	575.	599.





Order Code	Specification Information	Application Notes
Example: R3SFF0818	<i>To order please specify:</i>	* Not for use on 79"H panels.
R3 Reff Generation 3	1. Pattern number	* * Suitable only for top of any
S Stacking module	<i>including height and width</i>	panel. Cannot be stacked upon.
FF Fabric/fabric	2. Panel side 1 finish	8"h module will not accept
08 8" high	<i>fabric only</i>	additional modules on top.
18 18" wide	3. Panel side 2 finish	Use of 8" module on panel heights
W281 Fabric selection - side 1	<i>fabric only</i>	other than 34"h will require custom
W281 Fabric selection - side 2		end trims and Hi-Lo parts.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Stacking modules window

Reff Profiles

Panels


description	w	h	pattern no.	clear glass	arch glass	add for P2 finish	add for P3 finish	AA frame upcharge
Stacking window module* Single glass, type "A"	18"	15"	RSWA15 18	\$462.	\$555.	\$15.	\$29.	\$47.
	20"	15"	RSWA15 20	462.	555.	15.	29.	47.
	24"	15"	RSWA15 24	487.	592.	15.	29.	50.
	30"	15"	RSWA15 30	564.	660.	15.	29.	56.
	36"	15"	RSWA15 36	585.	744.	15.	29.	57.
	42"	15"	RSWA15 42	616.	797.	15.	29.	60.
	48"	15"	RSWA15 48	638.	849.	15.	29.	63.
Stacking window module* Center mullion, type "B"	30"	15"	RSWB15 30	675.	808.	15.	29.	67.
	36"	15"	RSWB15 36	707.	862.	15.	29.	70.
	42"	15"	RSWB15 42	736.	919.	15.	29.	73.
	48"	15"	RSWB15 48	765.	974.	15.	29.	75.
Stacking window module*	18"	30"	RSWC30 18	557.	646.	24.	37.	56.
	20"	30"	RSWC30 20	557.	646.	24.	37.	56.
18" - 24"	24"	30"	RSWC30 24	594.	703.	24.	37.	60.
	30"	30"	RSWC30 30	774.	905.	24.	37.	77.
30" - 48"	36"	30"	RSWC30 36	881.	1,041.	24.	37.	85.
	42"	30"	RSWC30 42	945.	1,129.	24.	37.	93.
	48"	30"	RSWC30 48	1,000.	1,214.	24.	37.	97.

Order Code	Specification Information	Application Notes
Example: RSWA1518 111 TEMP	<i>To order please specify:</i>	* Not for use on 79"H panels.
R Reff	1. Pattern number	Panel glass is mounted flush to one side of window module.
SW Stacking window module	2. Frame finish (Painted or Anodized aluminum finishes)	All window modules incorporate tempered glass (3/16" thick).
A Type A	<i>If P2 or P3 paint finish upcharge applicable</i>	30"H window panels that are 30" or wider incorporate a center mullion.
15 15" high	<i>If AA finish (anodized) upcharge applicable as noted in AA price column</i>	For window panels specify the finish for frames from paint selection on page 5.
18 18" wide	3. Glass type Temp = Clear tempered glass	
111 Jet Black, window frame finish	<i>Architectural options:</i> GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	
TEMP Clear tempered glass option		

Stacking modules

Double Window

Reff Profiles

description	h	w	pattern no.	G1 clear glass	G2 architectural glass	L	V1	V2	V3	AA
Stacking window module* Single glass, type "A" 	15"	60"	RSWAD1560 () ()	\$723.	\$827.					
		72"	RSWAD1572 () ()	805.	965.					
		84"	RSWAD1584 () ()	815.	1,006.					
		96"	RSWAD1596 () ()	829.	1,050.					
	22"	60"	RSWAD2260 () ()	902.	1,103.					
		72"	RSWAD2272 () ()	1,015.	1,256.					
		84"	RSWAD2284 () ()	1,034.	1,315.					
		96"	RSWAD2296 () ()	1,055.	1,377.					
Top trim for double wide stacking window modules		60"	R3CRTT60 () ()			78.	160.	177.	229.	131.
		72"	R3CRTT72 ()			83.	171.	187.	241.	177.
		84"	R3CRTT84 ()			101.	193.	210.	267.	194.
		96"	R3CRTT96 ()			106.	203.	221.	281.	199.

Order Code	Specification Information	Application Notes
<i>Example:</i> RSWAD1560	<i>To order please specify:</i>	Panel glass is mounted flush to one side of the window module.
R Reff	1. Pattern number	All window modules incorporate tempered glass 4mm thick.
SW Stacking window	2. Frame finish (Painted or Anodized aluminum finishes)	Stabilizing kit is included with the window and is required with all double wide window installation.
A Type A	<i>If P2 or P3 paint finish upcharge add \$25</i>	
D Double wide	<i>If AA finish (anodized) upcharge applicable as noted in AA price add \$45</i>	
15 15" high	3. Glass type	Full length top trim is optional and can be ordered separately.
60 60" wide	Temp = Clear tempered glass	Not for use on 79" h panels.
111 Jet Black, windowframe finish	<i>Architectural options:</i>	Applicable finishes are listed on page 5
TEMP Clear tempered glass option	GL13 = Powder glass GL6 = Block matrix glass GL8 = Wafer glass	

Stacking modules

Reff Profiles

*fabric one side/laminate, techwood, conventional or exotic veneer
other side and laminate both sides*

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45	Lam.
Stacking modules *,** Fabric and laminate	18"	8"	R3SFL0818	\$239.	\$244.	\$262.	\$295.	\$310.	\$330.	\$349.	
	20"	8"	R3SFL0820	239.	244.	262.	295.	310.	330.	349.	
	24"	8"	R3SFL0824	259.	264.	282.	315.	330.	350.	369.	
	30"	8"	R3SFL0830	291.	296.	314.	347.	362.	382.	401.	
	36"	8"	R3SFL0836	319.	324.	342.	375.	390.	410.	429.	
	42"	8"	R3SFL0842	345.	350.	368.	401.	416.	436.	455.	
	48"	8"	R3SFL0848	375.	380.	398.	431.	446.	466.	485.	
Stacking modules *,** Fabric and techwood	18"	8"	R3SF10818	246.	251.	269.	302.	317.	337.	356.	
	20"	8"	R3SF10820	246.	251.	269.	302.	317.	337.	356.	
	24"	8"	R3SF10824	263.	268.	286.	319.	334.	354.	373.	
	30"	8"	R3SF10830	295.	300.	318.	351.	366.	386.	405.	
	36"	8"	R3SF10836	323.	328.	346.	379.	394.	414.	433.	
	42"	8"	R3SF10842	353.	359.	377.	410.	424.	445.	464.	
	48"	8"	R3SF10848	380.	385.	403.	436.	451.	471.	490.	
Stacking modules*,** Fabric and conventional veneer	18"	8"	R3SF20818	249.	254.	272.	305.	320.	340.	359.	
	20"	8"	R3SF20820	249.	254.	272.	305.	320.	340.	359.	
	24"	8"	R3SF20824	269.	274.	292.	325.	340.	360.	379.	
	30"	8"	R3SF20830	300.	305.	323.	356.	371.	391.	410.	
	36"	8"	R3SF20836	330.	335.	353.	386.	401.	421.	440.	
	42"	8"	R3SF20842	360.	365.	383.	416.	431.	451.	470.	
	48"	8"	R3SF20848	386.	391.	409.	442.	456.	477.	496.	
Stacking modules*,** Fabric and exotic veneer	18"	8"	R3SF30818	327.	332.	350.	383.	398.	418.	437.	
	20"	8"	R3SF30820	327.	332.	350.	383.	398.	418.	437.	
	24"	8"	R3SF30824	357.	362.	380.	413.	428.	448.	467.	
	30"	8"	R3SF30830	396.	401.	419.	452.	467.	487.	506.	
	36"	8"	R3SF30836	438.	443.	461.	494.	509.	529.	548.	
	42"	8"	R3SF30842	478.	483.	501.	534.	549.	569.	588.	
	48"	8"	R3SF30848	514.	519.	538.	570.	585.	605.	624.	
Stacking modules*,** Laminate both sides	18"	8"	R3SLL0818								231.
	20"	8"	R3SLL0820								231.
	24"	8"	R3SLL0824								251.
	30"	8"	R3SLL0830								281.
	36"	8"	R3SLL0836								304.
	42"	8"	R3SLL0842								313.
	48"	8"	R3SLL0848								323.

Order Code	Specification Information	Application Notes
Example: R3SFL0818	<i>To order please specify:</i>	* Not for use on 79"H panels.
R3 Reff Generation 3	1. Pattern number	Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.
S Stacking module	2. Panel side 1 finish(s)	
FL Fabric/Laminate	3. Panel side 2 finish(s)	8" module will not accept additional modules.
08 8" high	Product on this page will accept wood grain laminate where laminate is currently an option.	15" module will accept additional module.
18 18" wide	Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.	
W281 Fabric selection - side 1		
114 Folkstone Grey - side 2		

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Applicable finishes are listed on page 5 and 6.

Frameless glass add-ups cannot be installed on these modules.

Stacking modules

Reff Profiles

*fabric one side/laminate, techwood, conventional or exotic veneer
other side and laminate both sides*

description	w	h	pattern no.	grade 10	15	20	30	35	40	45	Lam.
Stacking modules* Fabric and laminate	18"	15"	R3SFL1518	\$342.	\$357.	\$387.	\$422.	\$454.	\$498.	\$523.	
	20"	15"	R3SFL1520	342.	357.	387.	422.	454.	498.	523.	
	24"	15"	R3SFL1524	356.	371.	401.	436.	468.	512.	537.	
	30"	15"	R3SFL1530	390.	405.	435.	470.	502.	546.	571.	
	36"	15"	R3SFL1536	423.	438.	468.	503.	535.	579.	604.	
	42"	15"	R3SFL1542	456.	471.	501.	539.	568.	612.	637.	
	48"	15"	R3SFL1548	488.	503.	533.	568.	600.	644.	669.	
Stacking modules* Fabric and techwood	18"	15"	R3SF11518	350.	365.	395.	430.	462.	506.	531.	
	20"	15"	R3SF11520	350.	365.	395.	430.	462.	506.	531.	
	24"	15"	R3SF11524	365.	380.	410.	445.	477.	521.	546.	
	30"	15"	R3SF11530	396.	411.	441.	476.	508.	552.	577.	
	36"	15"	R3SF11536	431.	446.	476.	511.	543.	587.	612.	
	42"	15"	R3SF11542	464.	479.	509.	544.	576.	620.	645.	
	48"	15"	R3SF11548	495.	511.	541.	576.	608.	652.	677.	
Stacking modules* Fabric and conventional veneer	18"	15"	R3SF21518	354.	369.	399.	434.	466.	510.	535.	
	20"	15"	R3SF21520	354.	369.	399.	434.	466.	510.	535.	
	24"	15"	R3SF21524	371.	386.	416.	451.	483.	527.	552.	
	30"	15"	R3SF21530	406.	421.	451.	486.	518.	562.	587.	
	36"	15"	R3SF21536	440.	455.	485.	520.	552.	596.	621.	
	42"	15"	R3SF21542	474.	489.	519.	554.	586.	630.	655.	
	48"	15"	R3SF21548	503.	518.	548.	583.	615.	659.	684.	
Stacking modules* Fabric and exotic veneer	18"	15"	R3SF315 18	467.	482.	512.	547.	579.	623.	648.	
	20"	15"	R3SF315 20	467.	482.	512.	547.	579.	623.	648.	
	24"	15"	R3SF315 24	489.	504.	534.	569.	601.	645.	670.	
	30"	15"	R3SF315 30	536.	551.	581.	616.	648.	692.	717.	
	36"	15"	R3SF315 36	583.	598.	628.	663.	695.	739.	764.	
	42"	15"	R3SF315 42	627.	642.	672.	707.	739.	786.	808.	
	48"	15"	R3SF315 48	670.	685.	715.	750.	782.	826.	851.	
Stacking modules* Laminate both sides	18"	15	R3SLL1518								327.
	20"	15	R3SLL1520								327.
	24"	15	R3SLL1524								355.
	30"	15	R3SLL1530								399.
	36"	15	R3SLL1536								431.
	42"	15	R3SLL1542								443.
	48"	15	R3SLL1548								445.

Order Code

Example:	R3SFL0818
R3	Reff Generation 3
S	Stacking module
FL	Fabric/Laminate
08	8" high
18	18" wide
W281	Fabric selection - side 1
114	Folkstone Grey - side 2

Specification Information

To order please specify:

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

Product on this page will accept wood grain laminate where laminate is currently an option. Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

* Not for use on 79"H panels.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.

8" module will not accept additional modules.

15" module will accept additional module.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.



Applicable finishes are listed on page 5 and 6.

Frameless glass add-ups cannot be installed on these modules.

Panel connection posts Generation 3

Reff Profiles

Panels

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 L-Post	8"	stacking module post	R3L08TT	\$65.	n/a
	15"	stacking module post	R3L15TT	127.	n/a
	34"		R3L34(F/T)(F/T)-() () ()	162.	n/a
	42"		R3L42(B)(F/T)(F/T)-() () ()	244.	281.
	49"		R3L49(B)(F/T)(F/T)-() () ()	271.	311.
	64"		R3L64(B)(F/T)(F/T)-() () ()	300.	343.
	79"		R3L79(B)(F/T)(F/T)-() () ()	335.	384.
 T-Post	8"	stacking module post	R3T08T	81.	n/a
	15"	stacking module post	R3T15T	150.	n/a
	34"		R3T34(F/T)-() () ()	197.	n/a
	42"		R3T42(B)(F/T)-() () ()	215.	246.
	49"		R3T49(B)(F/T)-() () ()	244.	281.
	64"		R3T64(B)(F/T)-() () ()	271.	311.
	79"		R3T79(B)(F/T)-() () ()	301.	346.

Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 425.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (*fabric, V1, V2, V3 or painted to match laminate*)
9. Top cap finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. *Face type:*
(F) = Full height (monolithic look)
(T) = Tiled

2. *Top profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. *Top cap configuration:*
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)
4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)
5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)

5. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. *Electrical infeed post:*
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 117. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).



Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3

Reff Profiles

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
 X-Post	8"	stacking module post	R3X08	\$72.	n/a
	15"	stacking module post	R3X15	138.	n/a
	34"		R3X34-() ()	183.	n/a
	42"		R3X42(B)-() ()	199.	230.
	49"		R3X49(B)-() ()	215.	246.
	64"		R3X64(B)-() ()	244.	281.
	79"		R3X79(B)-() ()	278.	316.
 Straight post	8"	stacking module post	R3S08TT	65.	n/a
	15"	stacking module post	R3S15TT	127.	n/a
	34"		R3S34(F/T)(F/T)-() () ()	162.	n/a
	42"		R3S42(B)(F/T)(F/T)-() () ()	244.	281.
	49"		R3S49(B)(F/T)(F/T)-() () ()	271.	311.
	64"		R3S64(B)(F/T)(F/T)-() () ()	300.	343.
	79"		R3S79(B)(F/T)(F/T)-() () ()	335.	384.

Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 425.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers (*fabric, V1, V2, V3 or painted to match laminate*)
9. Top cap finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. *Face type:*
(F) = Full height (monolithic look)
(T) = Tiled

2. *Top profile:*
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. *Top cap configuration:*
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)
4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)
5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)

5. *Base height:*
4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. *Electrical infeed post:*
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. *Tile divider, optional if face type "tiled" and face finish "non-fabric"*
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 117. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3

Reff Profiles

Panels

description	h	pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
*R3/R2 stacking post sleeve		adapter kit for stacking posts only	R3R2SLV	n/c



Order Code

Example:	R3L64(B)TT-A16NB
R3	Reff Generation 3
L64	90° post; 64" h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6" base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 425.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
 - 1 = one piece (same finish both sides)
 - 2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers
(*fabric, V1, V2, V3 or painted to match laminate*)
9. Top cap finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. Face type:
(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)

3. Top cap configuration:
1 = Regular L or cap finish 2 adjacent sides (*applicable for L, T or X posts only*)
2 = Regular T or cap finish 1 side (*applicable for T or X posts only*)
3 = Regular X cap unfinished all 4 sides (*applicable for X posts only*)
4 = Cap finished 3 sides/high-low (*applicable for L, T, X or straight posts*)
5 = Cap finished 2 opposite sides/high-low (*applicable for X or straight posts only*)

5. Base height:
4 = 4" base height
6 = 6" base height (add \$47 list for this option)

6. Electrical infeed post:
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34"H panels to Beltway posts requires the use of the attachment kit on page 117. All posts on this page will accept the 15" stacking modular Post but only to achieve a finished height of 49", 64", or 79". The 8"H Post module is primarily for transitioning a 34"H post into a 42"H post and to meet transaction height 8"H post or panel module cannot have a module mounted

above itself), however, the 8"H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34"H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).



Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts

Generation 3 135°

Reff Profiles

description	h	pattern no.	Reg. post list (A/B/C profile)
 135° Tiled Post	34"	R3135V34T () () () () () ()	\$544.
	42"	R3135V42T () () () () () ()	681.
	49"	R3135V49T () () () () () ()	689.
	64"	R3135V64T () () () () () ()	844.
	79"	R3135V79T () () () () () ()	995.
 135° Mono Post	34"	R3135V34F () () () () () ()	544.
	42"	R3135V42F () () () () () ()	681.
	49"	R3135V49F () () () () () ()	689.
	64"	R3135V64F () () () () () ()	844.
	79"	R3135V79F () () () () () ()	995.

Order Code	Specification Information		
Example: R3135V34T	<i>To order please specify pattern number including:</i>		
R3 Reff Generation 3	1. Top cap profile	1. <i>Face type:</i> (F) = Full height (monolithic look) (T) = Tiled	6. <i>Tile divider, optional if face type "tiled" and face finish "non-fabric"</i> B = Black steel reveal or Specify AA for anodized aluminum look or painted option from page 5excluding silver.
135V 135° post	2. Top cap configuration	2. <i>Top profile:</i> A = Flat B = Square C = Bullnose E = Extruded Aluminum (Add \$25 list for this option)3. <i>Top cap configuration:</i> 1 = Regular L or cap finish 2 adjacent sides (<i>applicable for L, T or X posts only</i>) 2 = Regular T or cap finish 1 side (<i>applicable for T or X posts only</i>) 3 = Regular X cap unfinished all 4 sides (<i>applicable for X posts only</i>) 4 = Cap finished 3 sides/high-low (<i>applicable for L, T, X or straight posts</i>) 5 = Cap finished 2 opposite sides/high-low (<i>applicable for X or straight posts only</i>)	Specify AA-anodized aluminum or painted options excluding silver from page 5.
34 Height	3. If L post, cover configuration 1 = one piece		
T Tiled	4. Base height option		
(A) Flat top profile	5. Base infeed knock-out (optional)		
(1) Regular L top cap	6. Tile divider option/finish, if face type T		
(6) 6" base height	7. Finish, face covers (<i>fabric, V1, V2, V3 or painted to match laminate</i>)		
(N) No base infeed raceway knock-out	8. Top cap finish i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5excluding silver		
(B) Tile divider, black reveal	9. Base finish		
W808 Face side 1, fabric selection			
W808 Face side 2, fabric selection			
V316 Top cap finish, Maple			
111 Base finish, Jet black			
<p>*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.</p> <p>Note: New top caps are required in these two applications. Refer to page 425.</p>			

Panel connection posts

Generation 3 120°

Reff Profiles

Panels

description	h	pattern number	Re. post list (A/B/C profile)
120° Post	34"	R3120Y34 ()()()	\$379.
	42"	R3120Y42 ()()()	399.
	49"	R3120Y49 ()()()	411.
	64"	R3120Y64 ()()()	451.
	79"	R3120Y79 ()()()	492.

Order Code

Example: R3120Y34	
R3	Reff Generation 3
120V	120° post
34	Height
T	Tiled
(A)	Top profile
(4)	Base height
V316	Top cap finish, Maple
111	Base finish, Jet black

Specification Information

To order please specify pattern number including:

1. Top cap profile
2. Base height option
3. Top cap finish
 - i) Top trim profile A,B or C options:
V1, V2, V3, P1, P2, P3 finishes
 - ii) Top trim profile E options:
AA-anodized aluminum or P1, P2, P3 finish listed on page 5excluding silver
4. Base finish

1. Top profile:

A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add \$25 list for this option)


2. Base height:


4 = 4" base height
6 = 6" base height (add \$47 list for this option)

Specify AA for anodized aluminum look or painted option from page 5excluding silver.


Panel trims and post covers for all applications

Reff Profiles

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim with hookstrip	—	34"		R2ES34(A/B/C/E)(4/6)(E/N)	\$222.	\$134.
	—	42"		R2ES42(A/B/C/E)(4/6)(E/N)	248.	157.
	—	49"		R2ES49(A/B/C/E)(4/6)(E/N)	275.	179.
	—	64"		R2ES64(A/B/C/E)(4/6)(E/N)	291.	202.
	—	79"		R2ES79(A/B/C/E)(4/6)(E/N)	357.	229.

End trim for Hi-Lo condition with hookstrip. Must order top trim below	34"	42"		R2HL3442ES(A/B/C/E)	116.	118.
	34"	49"		R2HL3449ES(A/B/C/E)	162.	121.
	34"	64"		R2HL3464ES(A/B/C/E)	207.	124.
	34"	79"		R2HL3479ES(A/B/C/E)	222.	136.
	42"	49"		R2HL4249ES(A/B/C/E)	116.	118.
	42"	64"		R2HL4264ES(A/B/C/E)	280.	121.
	42"	79"		R2HL4279ES(A/B/C/E)	321.	136.
	49"	64"		R2HL4964ES(A/B/C/E)	162.	124.
	49"	79"		R2HL4979ES(A/B/C/E)	207.	136.
	64"	79"		R2HL6479ES(A/B/C/E)	162.	121.

Application: for height changes that DO NOT involve a post

Top trim for Hi-Lo conditions (Notched one side)	—		18"	RSNTT18(A/B/C/E)	82.	23.
	—	—	20"	RSNTT20(A/B/C/E)	82.	25.
	—	—	24"	RSNTT24(A/B/C/E)	92.	28.
	—	—	30"	RSNTT30(A/B/C/E)	102.	33.
	—	—	33"	RSNTT33(A/B/C/E) (66" wide panels one only)	106.	44.
	—	—	36"	RSNTT36(A/B/C/E)	113.	44.
	—	—	42"	RSNTT42(A/B/C/E)	129.	45.
	—	—	48"	RSNTT48(A/B/C/E)	139.	63.

Order Code	Specification Information
Example: R2ES34A6N	To order please specify pattern number including:
R2 Reff Generation 2	End trim:
ES End trim	1. Trim profile
34 34" high	A = flat
A Flat profile	B = square
6 6" base height	C = bullnose
N Non electrical base	E = extruded aluminum
V311 Beech	2. Base height option
111 Jet Black (base finish)	4 = 4"
	6 = 6"
	3. Base type
	E = electrical entry
	N = standard base
	4. Finish, end trim
	If profile A, B or C specify V1, V2, V3 or painted to match laminate
	If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver
	5. Finish, end trim base
	painted or plated finish
	Applicable finishes are listed on page 5 and 6.
	Post cover trim:
	1. Specify full or tiled face type
	F = full (monolithic)
	T = tiled
	2. Finish, post cover
	fabric, V1, V2, V3 or painted to match laminate
	3. If tiled cover set, specify reveal finish
	B = black reveal
	or select P1, P2, P3 painted finish from pg. 5
	Select paint or plated finish from page 5.
	Add \$24 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.
	Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.
	Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.
	Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.
	*Notched transaction top must be ordered through Custom Product.
	E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

Panel trims and post covers for all applications

Reff Profiles

Panels

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim Hi-Lo with hookstrip* for transaction top (1 1/4" shorter than above trim)	42"	49"		R2HL4249ETS(A/B/C/E)	\$116.	\$118.
	42"	64"		R2HL4264ETS(A/B/C/E)	280.	121.
	42"	79"		R2HL4279ETS(A/B/C/E)	321.	136.



Post cover trim for tiled and monolithic posts	34"	42"		R2HL3442(F)CS ()	33.	
Hi-Lo applications	34"	49"		R2HL3449(F)CS ()	48.	
	34"	64"		R2HL3464(F/T)CS ()()	96.	
	34"	79"		R2HL3479(F/T)CS ()()	142.	
	42"	49"		R2HL4249(F)CS ()	33.	
	42"	64"		R2HL4264(F/T)CS ()()	79.	
	42"	79"		R2HL4279(F/T)CS ()()	129.	
	49"	64"		R2HL4964(F)CS ()	48.	
	49"	79"		R2HL4979(F/T)CS ()()	96.	
	64"	79"		R2HL6479(F)CS ()	48.	



Application: for height changes involving a post

Order Code	Specification Information
Example: R2ES34A6N	To order please specify pattern number including:
R2 Reff Generation 2	End trim:
ES End trim	1. Trim profile
34 34" high	A = flat
A Flat profile	B = square
6 6" base height	C = bullnose
N Non electrical base	E = extruded aluminum
V311 Beech	2. Base height option
111 Jet Black (base finish)	4 = 4"
	6 = 6"
	3. Base type
	E = electrical entry
	N = standard base
	4. Finish, end trim
	If profile A, B or C specify V1, V2, V3 or painted to match laminate
	If profile E specify AA-anodized aluminum or painted finish from page 5 excluding silver
	5. Finish, end trim base
	painted or plated finish
	Applicable finishes are listed on page 5 and 6.
	Post cover trim:
	1. Specify full or tiled face type
	F = full (monolithic)
	T = tiled
	2. Finish, post cover
	fabric, V1, V2, V3 or painted to match laminate
	3. If tiled cover set, specify reveal finish
	B = black reveal
	or select P1, P2, P3 painted finish from pg. 5
	Select paint or plated finish from page 5.
	Add \$24 list for each end trim with 6"H base option. Does not apply to hi-lo end trims as they have no base.
	Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.
	Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.
	Monolithic post covers are one piece. Tiled post covers will come in 8" and 15" pieces.
	*Notched transaction top must be ordered through Custom Product.
	E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

description	type	h	pattern no.	list price
Ceiling entry L-post.		42"	R2L42C(F/T)(F/T)-(4/6)	\$244.
		49"	R2L49C(F/T)(F/T)-(4/6)	261.
		64"	R2L64C(F/T)(F/T)-(4/6)	277.
		79"	R2L79C(F/T)(F/T)-(4/6)	329.




Cable not included

Ceiling entry T-post.		42"	R2T42C(F/T)-(4/6)	215.
		49"	R2T49C(F/T)-(4/6)	244.
		64"	R2T64C(F/T)-(4/6)	261.
		79"	R2T79C(F/T)-(4/6)	304.



Cable not included

Ceiling entry X-post.		42"	R2X42C	199.
		49"	R2X49C	215.
		64"	R2X64C	244.
		79"	R2X79C	288.



Cable not included

Ceiling entry straight line post.		42"	R2S42C(F/T)(F/T)-(4/6)	244.
		49"	R2S49C(F/T)(F/T)-(4/6)	261.
		64"	R2S64C(F/T)(F/T)-(4/6)	277.
		79"	R2S79C(F/T)(F/T)-(4/6)	329.



Cable not included

Order Code	Specification Information	Application Notes
Example: R2L42CTT4	<i>To order please specify pattern number including:</i>	Data cable application requires the post and the pole only.
R2 Reff Generation 2	1. Post face option	*Must order post, pole and cable for electrical application.
L L-post	2. Base height option	
42 42" high	3. Finish type, where applicable	The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
C Ceiling power entry	4. Finish, where applicable	To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
T Tiled style face	5. Base finish	
T Tiled style face	6. Canopy finish (ceiling entry pole only)	6"H base raceway option increase entire post height by 2 3/4". (Please add \$47 list per post for this option). Price does not apply to X-post.
4 Base height	1. Face type:	
W230 Fabric selection	F = Full height	
111 Jet Black (base finish)	T = Tiled	
	2. Base height:	
	4 = 4" base height	
	6 = 6" base height	
	3. Finish type:	
	F = Fabric	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).

Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.

Hi-lo ceiling post covers must be ordered in hi-lo applications from 114.

description	type	h	pattern no.	list price
Ceiling entry pole. Includes junction box and ceiling grommet		41"	RCP41-(F/L/1/2/3)*	\$487.
		56"	RCP56-(F/L/1/2/3)*	506.
		71"	RCP71-(F/L/1/2/3)*	568.
		78"	RCP78-(F/L/1/2/3)*	586.



Cable not included

Power infeeds	Ceiling power cable infeed. Eight-wire	RR3-EPVR	284.
	Ceiling power cable infeed. Ten-wire	RR3-TPVR	344.
	One size fits all post sizes (13' of cable) For use with Ceiling entry Pole and Pole combinations		



Order Code	Specification Information	Application Notes
Example: R2L42CTT4	<i>To order please specify pattern number including:</i>	Data cable application requires the post and the pole only.
R2 Reff Generation 2	1. Post face option	*Must order post, pole and cable for electrical application.
L L-post	2. Base height option	
42 42" high	3. Finish type, where applicable	The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the ceiling entry power pole.
C Ceiling power entry	4. Finish, where applicable	To determine pole height required, deduct panel height from ceiling height and add approximately 6". Ceiling entry pole to be used with posts shown.
T Tiled style face	5. Base finish	
T Tiled style face	6. Canopy finish (ceiling entry pole only)	
4 Base height	1. <i>Face type:</i>	
W230 Fabric selection	F = Full height	
111 Jet Black (base finish)	T = Tiled	
	2. <i>Base height:</i>	
	4 = 4" base height	
	6 = 6" base height	
	3. <i>Finish type:</i>	
	F = Fabric	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).

Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.



Hi-lo ceiling post covers must be ordered in hi-lo applications from 114.

6"H base raceway option increase entire post height by 2 3/4". (Please add \$47 list per post for this option). Price does not apply to X-post.

Ceiling cable entry post covers

Alignment kits and wall starters

Reff Profiles

description	panel h	post h	w	h	pattern no.	list price
Ceiling entry post cover for Hi-Lo for monolithic or tiled applications 	34"	42"			RPHL3442(F/T)	\$33.
	34"	49"			RPHL3449(F/T)	48.
	34"	64"			RPHL3464(F/T)	96.
	34"	79"			RPHL3479(F/T)	142.
	42"	49"			RPHL4249(F/T)	66.
	42"	64"			RPHL4264(F/T)	92.
	42"	79"			RPHL4279(F/T)	100.
	49"	64"			RPHL4964(F/T)	92.
	49"	79"			RPHL4979(F/T)	100.
	64"	79"			RPHL6479(F/T)	72.
Ceiling entry post cover for Hi-Lo for stackable applications 	42"	49"			RPHL4249S	33.
	42"	64"			RPHL4264S	79.
	42"	79"			RPHL4279S	129.
	49"	64"			RPHL4964S	48.
	49"	79"			RPHL4979S	96.
	64"	79"			RPHL6479S	48.
Wall starter			7/8"	15"	R2SWS0015 () ()	61.
			7/8"	34"	R2SWS0034 () () ()	121.
			7/8"	42"	R2SWS0042 () () ()	147.
			7/8"	49"	R2SWS0049 () () ()	172.
			7/8"	64"	R2SWS0064 () () ()	226.
			7/8"	79"	R2SWS0079 () () ()	278.
			7/8"	8"	R2SWS0008 () ()	46.

*Wall starters come with extended top trim from adjoining panel.

Order Code	Specification Information	Application Notes
Example: RPHL4249T	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
R Reff		
P Power post		
HL Hi lo cover	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
42 42" low panel	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
49 49" high panel	2. Select finish fabric, laminate or veneer	
T Tiled face type	1. <i>Face type options:</i> F = Full T = Tiled	
	Wall starter:	
	1. Pattern number including height	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	2. Adjoining panel width	Wall starters come with extended top trim from adjoining panel.
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 5 and 6.	

Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.

RSPA-BPD, BPP, BPW, BWD and BWV for use with generation 2 or 3 panels.

RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.


R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.

Ceiling cable entry post covers

Alignment kits and wall starters

Reff Profiles

Panels

description	panel h	post h	w	h	pattern no.	list price
Panel alignment kits 					R3SPABPT	\$7.
					R3SPABTD	7.
					R3SPABTT	7.
					R3SPABTW	7.
					RSPABPD	7.
					RSPABPP	7.
					RSPABPT	7.
					RSPABPW	7.
					RSPABTD	7.
					RSPABTT	7.
					RSPABTW	7.
					RSPABWD	7.
					RSPABWW	7.

Suffix: BPT = for stacking module to panel, BTD = stacking module to door, BTT = stacking module to stacking module, BTW = stacking window to stacking module, BPD = panel to door, BPP = panel to panel

Order Code	Specification Information	Application Notes
Example: RPHL4249T	<i>To order please specify pattern number including:</i>	These cover trims are for ceiling entry posts only.
R Reff	Ceiling entry post cover:	Wall starter is designed to attach panel run to interior walls and is available as a modular unit.
P Power post	1. Face type	Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.
HL Hi lo cover	2. Select finish fabric, laminate or veneer	
42 42" low panel	<i>1. Face type options:</i>	
49 49" high panel	F = Full	
T Tiled face type	T = Tiled	
	Wall starter:	
	1. Pattern number including height	Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.
	2. Adjoining panel width	Wall starters come with extended top trim from adjoining panel.
	3. Adjoining panel top trim profile (A, B, C or E)	
	4. Base height (4=4" or 6=6")	
	5. Top trim finish	
	Applicable finishes are listed on page 5 and 6.	
		Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.
		RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.
		RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.
		R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.

description	depth	w	h	pattern no.	list price	polycarbonate	clear glass	architectural
Rolling door		36"	64'	RRDPPL(L/R)6436()		\$2,967.	\$3,072.	\$4,108.
		36"	79"	RRD3PPL(L/R)7936()()		3,236.	3,352.	4,525.
		42"	64"	RRDPPL(L/R)6442()		3,024.	3,128.	4,159.
		42"	79"	RRD3PPL(L/R)7942()()		3,286.	3,401.	4,574.
Floor to ceiling rolling door		36"	79"	RRD3FTCPPL(L/R)7936()		3,236.	3,352.	4,525.
		42"	79"	RRD3FTCPPL(L/R)7942()		3,286.	3,401.	4,574.
Partial width threshold (full width threshold)		3"	50"	RRDTH()		343.		
		3"	96"	RRDTH(L/R)()		441.		
*Panel door right	(30" opening)	1 1/2"	36"	79"	R2DRS7936()()		3,865.	
	(36" opening)	1 1/2"	42"	79"	R2DRS7942()()		4,492.	
*Panel door left	(30" opening)	1 1/2"	36"	79"	R2DLS7936()()		3,865.	
	(36" opening)	1 1/2"	42"	79"	R2DLS7942()()		4,492.	

Woodgrain Laminate not available on Panel Door



Order Code

Example:	RRDPPL(L)6436(A)(4)
RRD	Reff rolling door
PPL	Monolithic frame
L	Left hand
64	64" high
36	36" wide
A	Flat style top trim
4"	4" base height

Specification Information

Hinged Door

To order hinged doors please specify:

1. Top trim profile
2. Base height
3. Lock option
4. Door finish
5. Top trim finish
6. Base finish

1. Top trim profile:

A = Flat
B = Square
C = Bullnose

2. Base height:

4 = 4" base
6 = 6" base (add \$47 for this option)

3. Lock option:

N = Not drilled
D = Drilled *
L = Drilled lock set included
D = *Customer supplies own handle.

Reff doors are 1 1/2" thick, which must be considered when custom handle and lock sets are used.

Rolling Door

To order please specify the pattern number including:

1. Door hand left or right
2. Top trim profile
3. Base height
4. Trim finish
5. Base finish
6. Handle finish
7. Frame/Capture finish
8. Insert finish
9. Threshold (optional) and finish

Frame Insert Finish

Temp = Cleared tempered glass

Architectural options:

GL13 = Powdered glass
GL6 = Block matrix
GL8 = Wafer glass
P5 = Polycarbonate

Application Notes

Applicable finishes are listed on page 5 and 6.

Hinged Door

- Hinged door frame matches door finish.
- Panel alignment kits required for door applications (see page 114).
- 6" base increases door height 2 3/4".
- Hinged door lock set is an ADA lever style handle in polished chrome.

Rolling Door

To meet ADA pull rating of 5 lbs., a partial or full width threshold must be specified.

The 42" wide door meets ADA width requirements. This door can be installed on all Reff Generation 2 panels. Rolling door base is not available in plated finishes. The frame, door handle, threshold, and base are all the same finish.

When specifying 79" h rolling doors, must specify panel top trim profiles A, B or C. Do not use with applications with panel top trim profile E, extruded aluminum.

For 64" h rolling door, one of the following support conditions must be existent:

1. Full height cabinet attached to the supporting post and panel
2. Worksurface and end panel OR worksurface and pedestal attached to the supporting post and panel

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

No lock, no plated finishes available. Doors are handed. All attachment hardware comes shipped with the door including the capture and the stabilizer.

Threshold optional. Order separately. Threshold is available partial and full length. 29" opening on 36" wide door. 36" opening on 42" wide door.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post. Refer to Planning Guide for details.

Master key requests must be processed as a special request through Custom Product Development.

description	w	h	pattern no.	list price	
34"H panels to Generation 2 Beltway posts			R234PKIT	\$111.	
Generation 1 34"H panels to Generation 3 Beltway posts			R334PKIT	111.	
Generation 1 panel 42", 49", 64", 79" high to Generation 2 panels			R2AK	n/c	
Generation 1 panels to Generation 3 posts			R3AK	n/c	
R3/R2 stacking post sleeve			R3R2SLV	n/c	
Hookstrip cover reveal strip. (order separately for all panels)	10 Rolls	3/8"	79"	RHSCN70	n/c
	2 Rolls	3/8"	79"	RHSCN15	n/c
	30 Rolls	3/8"	79"	RHSCN250	n/c
	Carpet gripper(Pack of 10)			R2CG	20.

Order Code

Example:	R234PKIT
R2	Reff, generation 2
34	34" h panel to
P	Beltway post
KIT	Attachment kit

Application Notes

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post.

Refer to Planning Guide for details.

Floor to ceiling modules
*21" high, for 104" ceiling height and 79" high panels
 fabric and glass*

description	w	h	pattern no.	clear glass	arch. glass	grade 10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides	18"	21"	R3FTCFF2118			\$353.	\$359.	\$373.	\$437.	\$461.	\$525.	\$589.
	20"	21"	R3FTCFF2120			353.	359.	373.	437.	461.	525.	589.
	24"	21"	R3FTCFF2124			372.	378.	392.	456.	480.	544.	608.
	30"	21"	R3FTCFF2130			411.	417.	431.	495.	519.	583.	647.
	36"	21"	R3FTCFF2136			441.	447.	461.	525.	549.	613.	677.
	42"	21"	R3FTCFF2142			481.	487.	501.	565.	589.	653.	717.
	48"	21"	R3FTCFF2148			516.	522.	536.	600.	624.	688.	752.
Stack-on floor to ceiling window module. Single glass type "A"	18"	21"	RFTCWA2118	495.	584.							
	20"	21"	RFTCWA2120	495.	584.							
	24"	21"	RFTCWA2124	520.	629.							
	30"	21"	RFTCWA2130	606.	737.							
	36"	21"	RFTCWA2136	633.	787.							
	42"	21"	RFTCWA2142	666.	852.							
	48"	21"	RFTCWA2148	698.	903.							
Stack-on floor to ceiling window module. Center mullion, type "B"	30"	21"	RFTCWB2130	707.	836.							
	36"	21"	RFTCWB2136	766.	922.							
	42"	21"	RFTCWB2142	810.	989.							
	48"	21"	RFTCWB2148	847.	1,057.							

Order Code	Specification Information	Application Notes
Example: R3FTCFF2118	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).
R3 Reff Generation 3	1. Pattern number	Specify the finish for frames from paint selection on page 5.
FTC Floor to ceiling	2. Panel side 1 finish	Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options.
FF Fabric/fabric	3. Panel side 2 finish	Provide elevation drawing for mixed fabrics or veneers.
21 21" high	4. Soffit finish (paint)	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
18 18" wide		
W281 Fabric selection - side 1	<i>For window panel:</i>	
W281 Fabric selection - side 2	1. Pattern number	
111 Jet Black soffit	2. Frame finish	
	3. Glass type	

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.




Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

No additional acoustic rating occurs on FTC installations.

Floor to ceiling modules

25" high, for 108" ceiling height and 79" high panels
fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade 10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides 	18"	25"	R3FTCFF2518			\$394.	\$400.	\$412.	\$498.	\$516.	\$600.	\$672.
	20"	25"	R3FTCFF2520			394.	400.	412.	498.	516.	600.	672.
	24"	25"	R3FTCFF2524			417.	423.	435.	521.	539.	623.	695.
	30"	25"	R3FTCFF2530			453.	459.	471.	557.	575.	659.	731.
	36"	25"	R3FTCFF2536			494.	501.	513.	599.	617.	701.	773.
	42"	25"	R3FTCFF2542			534.	540.	552.	638.	656.	740.	812.
	48"	25"	R3FTCFF2548			573.	579.	591.	677.	695.	779.	851.
Stack-on floor to ceiling window module. Single glass type "A" 	18"	25"	RFTCWA2518	517.	607.							
	20"	25"	RFTCWA2520	517.	607.							
	24"	25"	RFTCWA2524	553.	658.							
	30"	25"	RFTCWA2530	639.	770.							
	36"	25"	RFTCWA2536	670.	824.							
	42"	25"	RFTCWA2542	713.	892.							
	48"	25"	RFTCWA2548	743.	949.							
Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	25"	RFTCWB2530	734.	862.							
	36"	25"	RFTCWB2536	813.	969.							
	42"	25"	RFTCWB2542	863.	1,044.							
	48"	25"	RFTCWB2548	912.	1,120.							

Order Code	Specification Information	Application Notes
Example: R3FTCFF2518	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered clear glass (4mm thick).
R3 Reff Generation 3	1. Pattern number	Specify the finish for frames from paint selection on page 5.
FTC Floor to ceiling	2. Panel side 1 finish	Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options.
FF Fabric/fabric	3. Panel side 2 finish	Provide elevation drawing for mixed fabrics or veneers.
25 25" high	4. Soffit finish (paint)	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
18 18" wide		Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1	<i>For window panel:</i>	
W281 Fabric selection - side 2	1. Pattern number	
111 Jet Black soffit	2. Frame finish	
	3. Glass type	

Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.


Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


No additional acoustic rating occurs on FTC installations.

Floor to ceiling modules

37" high, for 120" ceiling height and 79" high panels
fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade						
						10	15	20	30	35	40	45
Stack-on floor to ceiling module	18"	37"	R3FTCFF3718			\$517.	\$521.	\$531.	\$659.	\$681.	\$807.	\$925.
Fabric both sides	20"	37"	R3FTCFF3720			517.	521.	531.	659.	681.	807.	925.
	24"	37"	R3FTCFF3724			547.	551.	561.	689.	711.	837.	955.
	30"	37"	R3FTCFF3730			594.	598.	608.	736.	758.	884.	1,002.
	36"	37"	R3FTCFF3736			645.	649.	659.	787.	809.	935.	1,053.
	42"	37"	R3FTCFF3742			694.	698.	709.	836.	858.	984.	1,102.
	48"	37"	R3FTCFF3748			741.	745.	755.	883.	905.	1,031.	1,149.

Stack-on floor to ceiling window module. Single glass type "A" 	18"	37"	RFTCWA3718	592.	680.
	20"	37"	RFTCWA3720	592.	680.
	24"	37"	RFTCWA3724	638.	742.
	30"	37"	RFTCWA3730	752.	867.
	36"	37"	RFTCWA3736	783.	936.
	42"	37"	RFTCWA3742	834.	1,014.
	48"	37"	RFTCWA3748	878.	1,090.

Stack-on floor to ceiling window module. Center mullion, type "B" 	30"	37"	RFTCWB3730	811.	942.
	36"	37"	RFTCWB3736	956.	1,110.
	42"	37"	RFTCWB3742	1,030.	1,210.
	48"	37"	RFTCWB3748	1,096.	1,306.

Order Code	Specification Information	Application Notes
Example: R3FTCFF3718	<i>To order please specify pattern number including:</i>	Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).
R3 Reff Generation 3	1. Pattern number	Specify the finish for frames from paint selection on page 5.
FTC Floor to ceiling	2. Panel side 1 finish	Add to all ceiling window modules on this page an upcharge of \$34 per module for P2 paint class options or \$64 per module per P3 paint class options.
FF Fabric/fabric	3. Panel side 2 finish	Provide elevation drawing for mixed fabrics or veneers.
37 37" high	4. Soffit finish (paint)	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
18 18" wide		Ceiling height includes 4" allowance for trim.
W281 Fabric selection - side 1	<i>For window panel:</i>	
W281 Fabric selection - side 2	1. Pattern number	
111 Jet Black soffit	2. Frame finish	
	3. Glass type	

Metal top side plates allow for 2" adjustment downwards to allow for uneven floors.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff FTC modules must be approved by local building authorities.


Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules


Reff Profiles


21" and 25" high modules, fabric one side,
laminate, techwood, conventional or exotic veneer other side

Panels

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Stack-on floor to ceiling module	18"	21"	R3FTCFL2118	\$403.	\$405.	\$410.	\$445.	\$457.	\$490.	\$525.
Fabric one side, laminate other side, 21"	20"	21"	R3FTCFL2120	403.	405.	410.	445.	456.	490.	525.
	24"	21"	R3FTCFL2124	417.	419.	424.	459.	471.	504.	539.
	30"	21"	R3FTCFL2130	468.	470.	475.	510.	522.	555.	590.
	36"	21"	R3FTCFL2136	508.	510.	515.	550.	562.	595.	630.
	42"	21"	R3FTCFL2142	553.	555.	560.	595.	607.	640.	675.
	48"	21"	R3FTCFL2148	595.	597.	602.	637.	649.	682.	717.

Stack-on floor to ceiling module	18"	21"	R3FTCF12118	410.	412.	417.	452.	464.	497.	532.
Fabric one side, techwood other side, 21"	20"	21"	R3FTCF12120	410.	412.	417.	452.	464.	497.	532.
	24"	21"	R3FTCF12124	426.	428.	433.	468.	480.	513.	548.
	30"	21"	R3FTCF12130	475.	477.	482.	517.	529.	562.	597.
	36"	21"	R3FTCF12136	516.	518.	523.	558.	570.	603.	638.
	42"	21"	R3FTCF12142	558.	560.	565.	600.	612.	645.	680.
	48"	21"	R3FTCF12148	608.	610.	615.	650.	662.	695.	730.

Stack-on floor to ceiling module	18"	21"	R3FTCF22118	418.	420.	425.	460.	472.	505.	540.
Fabric one side, conventional veneer other side, 21"	20"	21"	R3FTCF22120	418.	420.	425.	460.	472.	505.	540.
	24"	21"	R3FTCF22124	431.	433.	438.	473.	485.	518.	553.
	30"	21"	R3FTCF22130	485.	487.	492.	527.	539.	572.	607.
	36"	21"	R3FTCF22136	524.	526.	531.	566.	578.	611.	646.
	42"	21"	R3FTCF22142	570.	572.	577.	612.	624.	657.	692.
	48"	21"	R3FTCF22148	616.	618.	623.	658.	670.	703.	738.


Stack-on floor to ceiling module	18"	21"	R3FTCF321 18	551.	553.	558.	593.	605.	638.	673.
Fabric one side, exotic veneer other side 21"	20"	21"	R3FTCF321 20	551.	553.	558.	593.	605.	638.	673.
	24"	21"	R3FTCF321 24	569.	571.	576.	611.	623.	656.	691.
	30"	21"	R3FTCF321 30	642.	644.	649.	684.	695.	729.	764.
	36"	21"	R3FTCF321 36	694.	696.	701.	736.	748.	781.	816.
	42"	21"	R3FTCF321 42	756.	758.	763.	798.	810.	843.	878.
	48"	21"	R3FTCF321 48	816.	818.	823.	858.	870.	903.	938.

Order Code	Specification Information	Application Notes
Example: R3FTCFL2118	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
R3 Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
FTC Floor to ceiling	2. Panel side 1 finish	Ceiling height includes 4" allowance for trim.
FL Fabric/laminate	3. Panel side 2 finish	Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
21 21" high	4. Soffit finish (paint)	Modules on this page will not support the hanging of panel mount product.
18 18" wide	Applicable finishes are listed on page 5 and 6.	
W281 Fabric selection - side 1		Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.
114 Folkstone grey - side 2		Use of Reff FTC modules must be approved by local building authorities.
111 Jet Black soffit		Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules
*21" and 25" high modules, fabric one side,
 laminate, techwood, conventional or exotic veneer other side*

Reff Profiles


description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Stack-on floor to ceiling module	18"	25"	R3FTCFL2518	\$432.	\$435.	\$443.	\$488.	\$497.	\$540.	\$579.
Fabric one side, laminate other side, 25"	20"	25"	R3FTCFL2520	433.	435.	443.	488.	497.	540.	579.
	24"	25"	R3FTCFL2524	448.	451.	459.	504.	513.	556.	595.
	30"	25"	R3FTCFL2530	509.	512.	520.	565.	574.	617.	656.
	36"	25"	R3FTCFL2536	552.	555.	563.	608.	617.	660.	699.
	42"	25"	R3FTCFL2542	605.	608.	616.	661.	670.	713.	752.
	48"	25"	R3FTCFL2548	654.	657.	665.	710.	719.	762.	801.




Stack-on floor to ceiling module	18"	25"	R3FTCF12518	438.	441.	449.	494.	503.	546.	585.
Fabric one side, techwood other side, 25"	20"	25"	R3FTCF12520	438.	441.	449.	494.	503.	546.	585.
	24"	25"	R3FTCF12524	453.	456.	464.	509.	518.	561.	600.
	30"	25"	R3FTCF12530	519.	522.	530.	575.	584.	627.	666.
	36"	25"	R3FTCF12536	559.	562.	570.	615.	624.	667.	706.
	42"	25"	R3FTCF12542	616.	619.	627.	672.	681.	724.	763.
	48"	25"	R3FTCF12548	664.	667.	675.	720.	729.	772.	811.



Stack-on floor to ceiling module	18"	25"	R3FTCF22518	448.	451.	459.	504.	513.	556.	595.
Fabric one side, conventional veneer other side, 25"	20"	25"	R3FTCF22520	448.	451.	459.	504.	513.	556.	595.
	24"	25"	R3FTCF22524	461.	464.	472.	517.	526.	569.	608.
	30"	25"	R3FTCF22530	527.	530.	538.	583.	592.	635.	674.
	36"	25"	R3FTCF22536	571.	574.	582.	627.	636.	679.	718.
	42"	25"	R3FTCF22542	626.	629.	637.	682.	691.	734.	773.
	48"	25"	R3FTCF22548	676.	679.	687.	732.	741.	784.	823.



Stack-on floor to ceiling module	18"	25"	R3FTCF325 18	586.	589.	597.	642.	651.	694.	733.
Fabric one side, exotic veneer other side 25"	20"	25"	R3FTCF325 20	586.	589.	597.	642.	651.	694.	733.
	24"	25"	R3FTCF325 24	608.	611.	619.	664.	673.	716.	755.
	30"	25"	R3FTCF325 30	694.	697.	705.	750.	759.	802.	841.
	36"	25"	R3FTCF325 36	756.	759.	767.	812.	821.	864.	903.
	42"	25"	R3FTCF325 42	829.	832.	840.	885.	894.	937.	976.
	48"	25"	R3FTCF325 48	897.	900.	908.	953.	962.	1,005.	1,044.



Order Code	Specification Information	Application Notes
Example: R3FTCFL2118	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
R3 Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
FTC Floor to ceiling	2. Panel side 1 finish	
FL Fabric/laminate	3. Panel side 2 finish	
21 21" high	4. Soffit finish (paint)	
18 18" wide		
W281 Fabric selection - side 1	Applicable finishes are listed on page 5 and 6.	Ceiling height includes 4" allowance for trim.
114 Folkstone grey - side 2		Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
111 Jet Black soffit		Modules on this page will not support the hanging of panel mount product.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.


Floor to ceiling modules

Reff Profiles


37" high modules, fabric one side,
laminate, techwood, conventional or exotic veneer other side

Panels


description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Stack-on floor to ceiling module	18"	37"	R3FTCFL3718	\$527.	\$529.	\$535.	\$601.	\$612.	\$678.	\$739.
Fabric one side, laminate other side	20"	37"	R3FTCFL3720	527.	529.	535.	601.	612.	678.	739.
	24"	37"	R3FTCFL3724	537.	539.	545.	611.	622.	688.	749.
	30"	37"	R3FTCFL3730	638.	640.	646.	712.	723.	789.	850.
	36"	37"	R3FTCFL3736	690.	692.	698.	764.	775.	841.	902.
	42"	37"	R3FTCFL3742	770.	772.	778.	844.	855.	921.	982.
	48"	37"	R3FTCFL3748	840.	842.	848.	914.	925.	991.	1,052.




Stack-on floor to ceiling module	18"	37"	R3FTCF13718	536.	538.	544.	610.	621.	687.	748.
Fabric one side, techwood other side	20"	37"	R3FTCF13720	536.	538.	544.	610.	621.	687.	748.
	24"	37"	R3FTCF13724	545.	547.	553.	619.	630.	696.	757.
	30"	37"	R3FTCF13730	648.	650.	656.	722.	733.	799.	860.
	36"	37"	R3FTCF13736	704.	706.	712.	778.	789.	855.	916.
	42"	37"	R3FTCF13742	787.	789.	795.	861.	872.	938.	999.
	48"	37"	R3FTCF13748	856.	858.	864.	930.	941.	1,007.	1,068.



Stack-on floor to ceiling module	18"	37"	R3FTCF23718	544.	546.	552.	618.	629.	695.	756.
Fabric one side, conventional veneer other side	20"	37"	R3FTCF23720	544.	546.	552.	618.	629.	695.	756.
	24"	37"	R3FTCF23724	556.	558.	564.	630.	641.	707.	768.
	30"	37"	R3FTCF23730	658.	660.	666.	732.	743.	809.	870.
	36"	37"	R3FTCF23736	713.	715.	721.	787.	798.	864.	925.
	42"	37"	R3FTCF23742	798.	800.	806.	872.	883.	949.	1,010.
	48"	37"	R3FTCF23748	872.	874.	880.	946.	957.	1,023.	1,084.








Stack-on floor to ceiling module	18"	37"	R3FTCF337 18	710.	712.	718.	784.	795.	861.	922.
Fabric one side, exotic veneer other side	20"	37"	R3FTCF337 20	710.	712.	718.	784.	795.	861.	922.
37"	24"	37"	R3FTCF337 24	728.	730.	736.	802.	813.	879.	940.
	30"	37"	R3FTCF337 30	865.	867.	873.	939.	950.	1,016.	1,077.
	36"	37"	R3FTCF337 36	939.	941.	948.	1,013.	1,024.	1,090.	1,151.
	42"	37"	R3FTCF337 42	1,055.	1,057.	1,063.	1,129.	1,140.	1,206.	1,267.
	48"	37"	R3FTCF337 48	1,154.	1,156.	1,162.	1,228.	1,239.	1,305.	1,366.



Order Code	Specification Information	Application Notes
Example: R3FTCFL3718	<i>To order please specify pattern number including:</i>	Provide elevation drawing for mixed fabrics or veneers.
R3 Reff Generation 3	1. Pattern number	Alternative sizes from 21" to 37" in 1/2" increments are available through Custom Product Development.
FTC Floor to ceiling	2. Panel side 1 finish	Ceiling height includes 4" allowance for trim.
FL Fabric/laminate	3. Panel side 2 finish	Metal top side plates allow for 2" (approx.) adjustment downwards to allow for uneven floors.
37 37" high	4. Soffit finish (paint)	Modules on this page will not support the hanging of panel mount product.
18 18" wide	Applicable finishes are listed on page 5 and 6.	
W281 Fabric selection - side 1		Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.
114 Folkstone grey - side 2		Use of Reff FTC modules must be approved by local building authorities.
111 Jet Black soffit		Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules
Panel connection posts
for floor to ceiling applications

Reff Profiles

description		h	pattern no.	list price
 L-Post	add on	21"	R3FTCL21	\$185.
	add on	25"	R3FTCL25	206.
	add on	37"	R3FTCL37	266.
	full height	104"	R3FTCL104(F/T)(F/T)-() ()	420.
	full height	108"	R3FTCL108(F/T)(F/T)-() ()	420.
	full height	120"	R3FTCL120(F/T)(F/T)-() ()	420.
 T-Post	add on	21"	R3FTCT21	201.
	add on	25"	R3FTCT25	219.
	add on	37"	R3FTCT37	281.
	full height	104"	R3FTCT104(F/T)-() ()	378.
	full height	108"	R3FTCT108(F/T)-() ()	378.
	full height	120"	R3FTCT120(F/T)-() ()	378.
 X-Post	add on	21"	R3FTCX21	183.
	add on	25"	R3FTCX25	203.
	add on	37"	R3FTCX37	265.
	full height	104"	R3FTCX104	347.
	full height	108"	R3FTCX108	347.
	full height	120"	R3FTCX120	347.
 Straight post	add on	21"	R3FTCS21	185.
	add on	25"	R3FTCS25	206.
	add on	37"	R3FTCS37	266.
	full height	104"	R3FTCS104(F/T)(F/T)-() ()	420.
	full height	108"	R3FTCS108(F/T)(F/T)-() ()	420.
	full height	120"	R3FTCS120(F/T)(F/T)-() ()	420.
 End post	add on	21"	R3FTCE21	201.
	add on	25"	R3FTCE25	219.
	add on	37"	R3FTCE37	281.
	full height	104"	R3FTCE104(F/T)(F/T)(F/T)-() ()	378.
	full height	108"	R3FTCE108(F/T)(F/T)(F/T)-() ()	378.
	full height	120"	R3FTCE120(F/T)(F/T)(F/T)-() ()	378.

Order Code	Specification Information	Application Notes
Example: R3FTCL104TT-6N R3FTC Reff Gen 3 Floor to ceiling L Corner post 104 104" high (one piece) TT Tiled appearance 6 6" base height N No base infeed raceway knock-out W808 Fabric selection 111 Jet Black (base finish)	<i>To order please specify pattern number including:</i> <ol style="list-style-type: none"> Post face option Base height option Base infeed raceway knock-out, (optional) Fabric selection Base color <p>1. <i>Face type:</i> F = Full height (monolithic look) T = Tiled</p> <p>2. <i>Base height:</i> 4 = 4" base height 6 = 6" base height (add \$47 list for this option)</p> <p>3. <i>Electrical infeed post:</i> L = Base infeed left face M = Base infeed middle face R = Base infeed right face N = None</p>	<p>The posts on this page do not support the hanging of panel mount product above the 79"H panels.</p> <p>The posts on this page will not carry data or electrical cables from the ceiling. Contact custom product development for custom ceiling electrical requirements.</p> <p>If required, specify the mouse hole location (specification action 4) to create access for electrical infeeds.</p> <p>Left and Right hand locations are determined by facing the post in question from the outside of the station.</p> <p>Hookstrip cover reveal strips are no charge but must be ordered separately from page 117.</p> <p>Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.</p>

Required components for floor to ceiling applications

Reff Profiles




Panels

description	h	pattern no.	list price
FTC wall starter	21"	RFTCWS21S	\$60.
	25"	RFTCWS25S	76.
	37"	RFTCWS37S	92.
Ceiling channel 108* and stabilizer beam	108"	RFTCC108	219.
Caddy clips (box of 100)		RFTCCLIPS	317.
Caddy clip spacers (box of 100) (Required in addition to Caddy Clips, where ceiling tiles hang below T-Bar level.)		RFTCSPACE	100.
Floor to ceiling stabilizer bracket for A or C window only, G2 tiled or mono panels (B window requires two pairs)		RFTCWT (Pair)	7.
Floor to ceiling beam bracket for top of a stacking module		RFTCSM (Pair) for G2 only	7.
		R3FTCSM (Pair) for G3 only	7.
Floor to ceiling beam bracket for top of a G1 panel		RFTCG1 (Pair)	7.
Floor to ceiling beam bracket for top of a door panel		RFTCDR (Pair)	7.

*These brackets are to be used with hinge doors only.




Order Code	Specification Information	Application Notes
Example: RFTCWS21S	<i>To order please specify pattern number including:</i> 1. Fabric/laminate/wood options 2. Paint option for metal soffit All floor to ceiling posts mimic the panel system post application.	*Ceiling channel must be field cut to the panel run length, or joined if forming extended runs. Ceiling channel comes with panel stabilizer beam. Ceiling stabilizer beam must be attached to the top of the 79"H portion of your wall before the ceiling modules can be attached. Please see the Planning Guide (pages 51-55) for detailed instructions on specifying and installing FTC components. Use of Reff FTC components must be approved by local building authorities. Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.
R Reff		
FTC Floor to ceiling		
WS Wall starter		
21 21" high		Floor to ceiling stabilizer brackets ship with bolts to connect the stabilizer beam, brackets and FTC module to the 79"H panel.

Power distribution components
2+2 Base Raceway
four circuit, eight-wire raceway for panels
power rails and connector

description	type	w	d	h	pattern no.	list price
	24" panel	6"	2"	2"	RR3-E24	\$142.
	30" panel	12"	2"	2"	RR3-E30NS	157.
	36" panel	18"	2"	2"	RR3-E36NS	172.
	42" panel	24"	2"	2"	RR3-E42NS	179.
	48" panel	30"	2"	2"	RR3-E48NS	187.
	60" panel	42"	2"	2"	RR3-E60-4	284.
	66" panel	48"	2"	2"	RR3-E66-4	300.
	72" panel	54"	2"	2"	RR3-E72-4	321.
	Straight	16 1/2"	2"	2"	RR3-EPC24	82.
		18 1/2"	2"	2"	RR3-EPCS	82.
		20 1/4"	2"	2"	RR3-EPC	82.
		Use RR3-EPC24 for straight 24" to 24" wide panel. Use RR3-EPCS for straight 24" to any other width panel and for 30" to 30" wide panels. Use RR3-EPC for all other straight power connection configurations.				
	Through post	19"	2"	2"	RR3-EPCP24	82.
		21"	2"	2"	RR3-EPCPS	82.
		22 3/4"	2"	2"	RR3-EPCP	82.
		Use RR3-EPCP24 for through post 24" to 24" wide panels. Use RR3-EPCPS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-EPCP for all other through post power connection configurations.				
	Duplex outlets, black	Circuit A			RR3-DA	39.
		Circuit B			RR3-DB	39.
		Circuit X			RR3-DX	39.
		Circuit Y			RR3-DY	39.
	Duplex outlets, orange	Circuit X			RR3-DXO	44.
		Circuit Y			RR3-DYO	44.
Data Shield	1 pair				RR3-DATSHD	27.





Order Code	Specification Information	Application Notes
Example: RR3-E-24		
RR3 Reff raceway	Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting.	Power rails are the primary power distribution component of the Reff 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.
E Eight wire 2+2		
24 for 24" panel		
	Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.	Rail for 24" wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30" to 48" panels accept two outlets (or one outlet and one infeed) on each side. 60", 66" and 72"W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.
		Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection. Power connectors are enclosed in steel flexible conduit. *Power connectors must be specified according to the panel widths in the specified orientation. If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components
2+2 Base Raceway
four circuit, eight-wire raceway for panels
jumpers and infeed

description	type	w	d	h	pattern no.	list price
 <p>Jumper</p>	18" panel	38"	2"	2"	RR3-EJ18	\$103.
	20" panel	40"	2"	2"	RR3-EJ20	103.
	24" panel	44"	2"	2"	RR3-EJ24	111.
	30" panel	50"	2"	2"	RR3-EJ30	119.
	36" panel	56"	2"	2"	RR3-EJ36	129.
	42" panel	62"	2"	2"	RR3-EJ42	135.
	48" panel	68"	2"	2"	RR3-EJ48	142.
	54" panel run	76 1/2"	2"	2"	RR3-EJ54P	149.
	60" panel run	82 1/2"	2"	2"	RR3-EJ60P	157.
	66" panel run	88 1/2"	2"	2"	RR3-EJ66P	165.
	72" panel run	94 1/2"	2"	2"	RR3-EJ72P	172.
	78" panel run	100 1/2"	2"	2"	RR3-EJ78P	179.
	84" panel run	106 1/2"	2"	2"	RR3-EJ84P	187.
	90" panel run	112 1/2"	2"	2"	RR3-EJ90P	196.
	96" panel run	118 1/2"	2"	2"	RR3-EJ96P	203.
 <p>Extended jumper (through one post)</p>	18" + post	40 1/2"	2"	2"	RR3-EJ18P	103.
	20" + post	42 1/2"	2"	2"	RR3-EJ20P	103.
	24" + post	46 1/2"	2"	2"	RR3-EJ24P	111.
	30" + post	52 1/2"	2"	2"	RR3-EJ30P	119.
	36" + post	58 1/2"	2"	2"	RR3-EJ36P	129.
	42" + post	64 1/2"	2"	2"	RR3-EJ42P	135.
	48" + post	70 1/2"	2"	2"	RR3-EJ48P	142.
 <p>Power infeeds</p>	Ceiling power cable infeed. Eight-wire				RR3-EPVR	284.
	Hardwire infeed (NYC) one direction				RR3-EPNY1	208.
	Hardwire infeed (NYC) two directions				RR3-EPNY2	312.
	Panel base end feed				RR3-REPI	247.
	Panel base side infeed				RR3-EPI	247.
	Surge suppressors				RR3-SP-(A,B,X,Y)	179.




Order Code	Specification Information	Application Notes
Example: RR3-EPVR		
RR3 Reff raceway	Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two 20-amp circuits (X and Y) with separate neutral and ground.	Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.
E Eight wire 2+2	For use in Canada, all circuits are CGA rated 15 amp capacity.	into panel base through power pole adjacent to panel with power rail. Power pole and post must be ordered separately.
P power infeed	<i>Note:</i> For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H.	Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length.
VR for vertical raceway	Beltway panels can use jumpers at the panel base in a straight run or around a corner.	RR3-EPNY2 includes two power connectors to power panels on both sides of infeed panel; RR3-EPNY1 includes only one power connector.
		Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.
		Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection

Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels
power rails and connectors

description	type	w	d	h	pattern no.	list price
	24" panel	6"	2"	2"	RR3-T24	\$165.
	30" panel	12"	2"	2"	RR3-T30NS	179.
	36" panel	18"	2"	2"	RR3-T36NS	196.
	42" panel	24"	2"	2"	RR3-T42NS	208.
	48" panel	30"	2"	2"	RR3-T48NS	216.
	60" panel	42"	2"	2"	RR3-T60-4	337.
	66" panel	48"	2"	2"	RR3-T66-4	351.
	72" panel	54"	2"	2"	RR3-T72-4	375.
	Straight	16 1/2"	2"	2"	RR3-TPC24	103.
		18 1/2"	2"	2"	RR3-TPCS	103.
		20 1/4"	2"	2"	RR3-TPC	103.
	Use RR3-TPC24 for through post 24" to 24" wide panels. Use RR3-TPCS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-TPC for all other through post power connection configurations.					
	Through post	19"	2"	2"	RR3-TPCP24	103.
		21"	2"	2"	RR3-TPCPS	103.
		22 3/4"	2"	2"	RR3-TPCP	103.
	Use RR3-TPCP24 for through post 24" to 24" wide panels. Use RR3-TPCPS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-TPCP for all other through post power connection configurations.					
	Circuit A				RR3-DA	39.
	Circuit B				RR3-DB	39.
	Circuit C				RR3-DC	39.
	Circuit X				RR3-DX	39.
	Circuit Y				RR3-DY	39.
	Circuit Z				RR3-DZ	39.
	Circuit X				RR3-DXO	44.
	Circuit Y				RR3-DYO	44.
	Circuit Z				RR3-DZO	44.
Data Shield	1 pair				RR3-DATSHD	27.

Order Code	Specification Information	Application Notes
Example: RR3-T-24		
RR3 Reff raceway		
T Ten wire 3+3		
24 for 24" panel		
	<p>Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.</p> <p>A, B, X, Y outlets are identical to eight wire, 2+2 components.</p> <p>Duplex outlet circuits are designated by white letters on black background.</p> <p>In Canada, circuits carry a 15 amp load rating.</p> <p><i>Note:</i> Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.</p>	<p>Power rails are the primary power distribution component of the Reff 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.</p> <p>Rail for 24"W panel accepts one duplex outlet or power infeed one either side. Rails for 30" to 48" panels accept two outlets each side, 60", 66" and 72" rails accept four duplex outlets per side.</p> <p>*Power connectors must be specified according to the panel widths in the specified orientation.</p> <p>Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection.</p> <p>Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black.</p> <p>If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.</p>

Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels
jumpers and infeed

description	type	w	d	h	pattern no.	list price
 Jumper	18" panel	38"	2"	2"	RR3-TJ18	\$119.
	20" panel	40"	2"	2"	RR3-TJ20	119.
	24" panel	44"	2"	2"	RR3-TJ24	129.
	30" panel	50"	2"	2"	RR3-TJ30	135.
	36" panel	56"	2"	2"	RR3-TJ36	142.
	42" panel	62"	2"	2"	RR3-TJ42	157.
	48" panel	68"	2"	2"	RR3-TJ48	172.
	54" panel run	76 1/2"	2"	2"	RR3-TJ54P	179.
	60" panel	82 1/2"	2"	2"	RR3-TJ60P	187.
	66" panel run	86 1/2"	2"	2"	RR3-TJ66P	196.
	72" panel run	94 1/2"	2"	2"	RR3-TJ72P	203.
	78" panel run	100 1/2"	2"	2"	RR3-TJ78P	208.
	84" panel run	106 1/2"	2"	2"	RR3-TJ84P	227.
	90" panel run	112 1/2"	2"	2"	RR3-TJ90P	232.
	96" panel run	118 1/2"	2"	2"	RR3-TJ96P	238.
 Extended jumper	18" + post	40 1/2"	2"	2"	RR3-TJ18P	119.
	20" + post	46 1/2"	2"	2"	RR3-TJ20P	119.
	24" + post	46 1/2"	2"	2"	RR3-TJ24P	129.
	30" + post	52 1/2"	2"	2"	RR3-TJ30P	135.
	36" + post	58 1/2"	2"	2"	RR3-TJ36P	142.
	42" + post	64 1/2"	2"	2"	RR3-TJ42P	157.
	48" + post	70 1/2"	2"	2"	RR3-TJ48P	172.
 Power infeeds	Ceiling power cable infeed. Ten-wire				RR3-TPVR	344.
	Hardwire infeed (NYC) one direction **				RR3-TPNY1	238.
	Hardwire infeed (NYC) two directions **				RR3-TPNY2	344.
	Panel base end feed				RR3-RTPI	284.
	Panel base side infeed				RR3-TPI	284.
	Surge suppressors *				RR3-SP-(A, B, C, X, Y, Z)	179.

* Select which circuit needs protecting and order the specified surge processor.

** For RR3-TPNY1 and RR3-TPNY2 specify base height of panel for NYC.

Order Code	Specification Information	Application Notes
Example: RR3-TPVR		
RR3 Reff raceway	Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A, B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground. In Canada, circuits carry a 15 amp load rating. Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection into panel base through standard power pole. Power pole and post must be ordered separately.	Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post. Cable sizes are nominal. Use the "type" column to specify the required cable for your panel. Beltway panels can use jumpers at the panel base in a straight run or around a corner.
T Ten wire 3+3		
P power infeed		
VR for vertical raceway		



Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. **RR3-TPNY2** includes two power connectors to power panels on both sides of infeed panel; **RR3-TPNY1** includes only one power connector.

Note:
 For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H.

Power distribution components


Hardwire box

Reff Profiles


description	type	pattern no.	list
Chicago Hardwire Box 1 Sided 	24" panel	RR3CHI241	\$222.
	30" panel	RR3CHI301	258.
	36" panel	RR3CHI361	278.
	42" panel	RR3CHI421	281.
	48" panel	RR3CHI481	301.
Chicago Hardwire Box 2 Sided 	24" panel	RR3CHI242	230.
	30" panel	RR3CHI302	275.
	36" panel	RR3CHI362	282.
	42" panel	RR3CHI422	286.
	48" panel	RR3CHI482	320.

Order Code	Specification Information	Application Notes
Example: RR3CHI24	Hardwire box is dedicated for panels with raceway either one or two sided, be sure to match to panel specification.	Certified electrician to install. Reff Hardwire Box Installation instruction sheet available. Part number 6TR45715.
RR3 Reff/AutoStrada raceway G3		
CHI Chicago Hardwire Box		
24 For 24" wide panel		
1 One sided raceway		

description	type	w	pattern no.	list price
One sided power rail for use with one sided Beltway Panel. Eight wire only. 2 sided beltway panels use standard base power rail.	24" panel		RR3-E24S	\$149.
	30" panel		RR3-E30S	172.
	36" panel		RR3-E36S	187.
	42" panel		RR3-E42S	203.
	48" panel		RR3-E48S	208.



One sided power rail for use with one sided Beltway panel. Ten wire only	24" panel		RR3-T24S	179.
	30" panel		RR3-T30S	196.
	36" panel		RR3-T36S	208.
	42" panel		RR3-T42S	227.
	48" panel		RR3-T48S	232.




Beltway ribbon connector For eight or ten wire*	Beltway post	16 1/2"	RR3-LTPC24	103.
	Beltway post	19 1/2"	RR3-LTPC	103.
	Beltway post	21 1/2"	RR3-LTPCP	103.








Only necessary for post applications where cable will turn 90°ree.
A standard power connector will go through a post in a straight run.

Vertical Jumper for linking base raceway and Beltway power rails in the same panel	For 30" wide Beltway panels (10 Wire)		RR3-TBBCS	149.
	For 30" wide Beltway panels (8 Wire)		RR3-EBBCS	141.
	For 36" to 48" wide Beltway panels (10 Wire)		RR3-TBBCCL	158.
	For 36" to 48" wide Beltway panels (8 Wire)		RR3-EBBCL	149.


Order Code	Specification Information	Application Notes
Example: RR3-T42S		
RR3 Reff raceway		
T Ten wire 3+3		
42 For 42" panel		
S Single sided power		
*Power connectors must be specified according to the panel widths in the specified orientation.	<p>Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.</p> <p>Two side beltway panels use power rail for base.</p> <p>Single side beltway panel use one sided power rail for base.</p> <p><i>Note:</i> When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.</p>	<p>Vertical Adjacent Jumper * *Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.</p> <p>Vertical Jumper When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.</p> <p>Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.</p>

description	type	w	pattern no.	list price
Vertical Adjacent Jumper** For linking power to beltway from an adjacent panel 	24" wide Eight Wire		RR3EJ48	\$142.
	24" wide Ten Wire		RR3TJ48	172.
	30" wide Eight Wire		RR3EJ60P	157.
	30" wide Ten Wire		RR3TJ60P	187.
	36" wide Eight Wire		RR3EJ60P	157.
	36" wide Ten Wire		RR3TJ60P	187.
	42" wide Eight Wire		RR3EJ66P	165.
	42" wide Ten Wire		RR3TJ66P	196.
	48" wide Eight Wire		RR3EJ72P	172.
	48" wide Ten Wire		RR3TJ72P	203.

Order Code	Specification Information	Application Notes
Example: RR3-T42S RR3 Reff raceway T Ten wire 3+3 42 For 42" panel S Single sided power	<p>Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.</p> <p>Two side beltway panels use power rail for base.</p> <p>Single side beltway panel use one sided power rail for base.</p> <p><i>Note:</i> When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.</p>	<p>Vertical Adjacent Jumper * *Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.</p> <p>Vertical Jumper When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.</p> <p>Power cannot be transferred from base raceway to beltway raceway in 18", 20", and 24"W Reff beltway panels.</p>

description	type	pattern no.	list price
Face plates	Cover, data jack (set of 10)	RR3-FB	\$14.
	Faceplate extender, black	RR3-FE	34.
	Three port faceplate, black	RR3-3PF	10.
	Two port faceplate, black	RR3-2PF	10.
 Snap in module (must be used with faceplate)	BNC coupler, black	RR3-BNC	21.
	Cat 3 RJ11/14/25, black	RR3-C3C	13.
	CAT 5 RJ45 universal	RR3-C5C	21.
	CAT 6 universal	RR3-C6C	35.
	F series video coupler, black	RR3-FV	21.
	ST style coupler, black	RR3-ST	35.
 Icons (sets of 10)	Data icons, 16 piece black	RR3-DICON	14.
	Mixed icons, 16 piece black	RR3-MICON	14.
	Phone icons, 16 piece black	RR3PICON	14.
 Plate and module kits	4 Cat 5 RJ45-T568A extended face, black	RR3-C5C4A	139.
	4 Cat 5 RJ45-T568B extended face, black	RR3-C5C4B	139.
 Fiber optics	Sc style dual fiber optic side mount	RR3-FOSC	176.
	ST style dual fiber optic side mount	RR3-FOST	100.
 Desktop duplex monument	2-RJ11 (telephone)	RGMD6	106.
	2-RJ45's (phone and intercom)	RGMD8	118.
	Duplex outlet (electrical)	RGMDE	128.

Order Code	Specification Information	Application Notes
Example: RR3-2PF		
RR3 Reff raceway	All face plates and snap in modules are black.	Faceplate Extender is a 1/2" spacer which provides more depth for the faceplate to reside in, thereby increasing the space inside the Raceway.
2PF Two port face	Icons can be ordered to distinguish intended use.	
Example: RR3-C5CA		
RR3 Reff raceway	*The RR3-C5C universal CAT 5 RJ45 module will accept EIA-T568A and EIA-T568B wiring methods.	Faceplates are ordered separately from snap in modules and can be configured on sight.
C5CA Cat5 RJ45s		
	Face plates and plate kits snap into raceway openings on Reff Base Raceway and Reff Beltway.	See Planning Guide for drawings depicting the detail of the data modules.





Ported Panel Components

Reff ported panel components offer a cost effective alternative to using beltway panels which will provide users convenient access to data or power outlets at any user defined height on a Reff panel. Ports are one sided and may be installed below a worksurface, at desk height or even within a panel hung overhead storage unit.

Select option "Milled for ported components" when specifying panels. Ports may be added as technology needs change. Ports are field installed on the left or right hand side of a panel's vertical frame in either wood or fabric inserts. Installation instructions will be shipped with each kit, including a template for port placement along the vertical frame.

Panel jumpers are used to connect standard base electrical to the ported panel kit. Jumpers can be specified to connect a port within the same panel or to adjacent panels. Panel jumpers always pass through base raceway. If one port is installed, an additional port may be added within the same panel with an internal power jumper between the two ports. Ports can also be daisy-chained together in adjacent panels. Ported panel components are not available for stackable modules.

The kit includes a bracket set and cover plate and is ordered separately from the modular power components. Specify electrical components as you would for base raceway power then add the ported panel bracket kit, applicable duplexes and power jumpers.



Vertical power port bracket kit and duplex.


Reff Ported Panel Components

port, vertical duplex and panel jumpers


Reff Profiles

Panels


description	type	pattern no.	list price
Port	Floating data port	RR3FDP	\$56.
	Vertical Power Port Bracket Kit (includes bracket, cover plate & installation instructions)	RR3VPBK	87.



Vertical Duplex	Vertical Duplex A (8/10 wire applications)	RR3VDA	29.
	Vertical Duplex B (8/10 wire applications)	RR3VDB	29.
	Vertical Duplex C (10 wire applications)	RR3VDC	29.
	Vertical Duplex X (8/10 wire applications)	RR3VDX	29.
	Vertical Duplex X Iso (8/10 wire applications)	RR3VDXO	29.
	Vertical Duplex Y (8/10 wire applications)	RR3VDY	29.
	Vertical Duplex Y Iso (8/10 wire applications)	RR3VDYO	29.
	Vertical Duplex Z (10 wire applications)	RR3VDZ	29.
	Vertical Duplex Z Iso (10 wire applications)	RR3VDZO	29.



Same Panel Jumper, 8w	30" same Panel Jumper 50" 8w	RR3EBVC50	149.
	30" same Panel Jumper 64" 8w	RR3EBVC64	162.
	30" same Panel Jumper 78" 8w	RR3EBVC78	176.
	36" + same Panel Jumper 62" 8w	RR3EBVC62	161.
	36" + same Panel Jumper 76" 8w	RR3EBVC76	175.
	36" + same Panel Jumper 90" 8w	RR3EBVC90	191.



Same Panel Jumper, 10w	30" same Panel Jumper 50" 10w	RR3TBVC50	171.
	30" same Panel Jumper 64" 10w	RR3TBVC64	187.
	30" same Panel Jumper 78" 10w	RR3TBVC78	205.
	36" + same Panel Jumper 62" 10w	RR3TBVC62	183.
	36" + same Panel Jumper 76" 10w	RR3TBVC76	201.
	36" + same Panel Jumper 90" 10w	RR3TBVC90	216.


Order Code	Specification Information	Application Note
Example: RR3VPBK	For data and communications specify product listed on page 133.	30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port. 50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h
RR3 Reff		
VP Vertical port	36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port. 62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h	If harness is in base of 24" panel you can not jump vertically, must remove harness. A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness.
BK Bracket kit		
		Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application. Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high All covers plates and snap in modules are black.

Reff Ported Panel Components

port, vertical duplex and panel jumpers


Reff Profiles

description	type	pattern no.	list price
Adjacent Panel Jumper, 10w	Adjacent Panel Jumper 110" 10w	RR3TVJ110	\$234.
	Adjacent Panel Jumper 82" 10w	RR3TVJ82	202.
	Adjacent Panel Jumper 96" 10w	RR3TVJ96	219.



Adjacent Panel Jumper, 8w	Adjacent Panel Jumper 110" 8w	RR3EVJ110	206.
	Adjacent Panel Jumper 82" 8w	RR3EVJ82	179.
	Adjacent Panel Jumper 96" 8w	RR3EVJ96	195.


Internal Panel Jumper	Internal Panel Jumper 10 w	RR3TVJ	150.
	Internal Panel Jumper 8 w	RR3EVJ	139.



Order Code	Specification Information	Application Note
Example: RR3VPBK	For data and communications specify product listed on page 133.	30" same panel jumper only used if there is a harness in base of 30" panel . Length of panel jumper required driven by intended location of port. 50" will support port location in extreme top corner of 49"h 64" will support port location in extreme top corner of 64"h 78" will support port location in extreme top corner of 79"h 36"+ same panel jumper only used if there is a harness in the base of 36", 42" or 48" panels. Length of panel jumper required driven by intended location of port. 62" will support port location in extreme top corner of 49"h 76" will support port location in extreme top corner of 64"h 90" will support port location in extreme top corner of 79"h
RR3 Reff		
VP Vertical port		
BK Bracket kit		
		If harness is in base of 24" panel you can not jump vertically, must remove harness. A harness for Reff 30" wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness. Internal panel jumper to be used within a panel, between two ports approximate span 48". Both duplex units must be the same circuit for this application. Adjacent Panel Jumpers: 82" is max for 49" high panel 96" is max if panel is 64" high 110" is max if panel is 79" high All covers plates and snap in modules are black.

Worksurface 1 1/4"
rectilinear
20" and 24" deep

Reff Profiles


description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	RSA241- () ()	\$318.	\$348.	\$401.	\$539.
		30"	RSA301- () ()	349.	382.	438.	591.
		36"	RSA361- () ()	369.	403.	462.	625.
		42"	RSA421- () ()	383.	422.	484.	654.
		48"	RSA481- () ()	403.	437.	503.	678.
		54"	RSA541- () ()	418.	454.	525.	711.
		60"	RSA601- () ()	452.	491.	565.	765.
		66"	RSA661- () ()	462.	507.	584.	788.
		72"	RSA721- () ()	489.	534.	612.	826.
		78"	RSA781- () ()	495.	539.	621.	839.
		84"	RSA841- () ()	525.	577.	661.	892.
		90"	RSA901- () ()	550.	598.	687.	929.
		96"	RSA961- () ()	570.	621.	714.	963.
	24"	24"	RSA242- () ()	335.	365.	422.	569.
		30"	RSA302- () ()	379.	412.	477.	642.
		36"	RSA362- () ()	391.	432.	493.	666.
		42"	RSA422- () ()	408.	443.	510.	687.
		48"	RSA482- () ()	433.	477.	547.	737.
		54"	RSA542- () ()	462.	507.	584.	788.
		60"	RSA602- () ()	500.	545.	624.	844.
		66"	RSA662- () ()	512.	561.	647.	872.
		72"	RSA722- () ()	538.	586.	676.	914.
		78"	RSA782- () ()	561.	614.	710.	956.
		84"	RSA842- () ()	585.	640.	735.	993.
		90"	RSA902- () ()	614.	667.	767.	1,034.
		96"	RSA962- () ()	636.	693.	798.	1,077.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSA241RL	<i>To order please specify pattern number including:</i>	
R Reff	1. Top thickness	4. Top finish
S Straight top	2. Grommet option	5. Grommet finish: Painted or Plated
A 1 1/4" thick	3. Top finish type	Applicable finishes are listed on page 5 and 6.
24 24" wide	4. Top finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
1 20" deep	5. Grommet finish	List price for woodgrain laminate options will be current published laminate list price plus 10%.
R Recessed grommet option	1. Thickness options: A = 1 1/4"	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
L Laminate finish	2. Grommet options: N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops)	1 3/4" thick laminate option is double post formed front and back, all others are edgebanded. Products on this page are shipped without hardware which must be ordered separately from the support components section. Mixed finish 1 3/4" tops are not post-formed. Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
114 Folkstone grey	3. Finish type: L = Laminate M = Wood/laminate mixed	These worksurfaces are predrilled with pilot holes for use with wood screws.
111 Jet Black (grommet)	1 = V1 2 = V2 3 = V3	

Worksurface 1 1/4"
rectilinear
30" and 36" deep




Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	RSA243-()	\$366.	\$398.	\$455.	\$615.
		30"	RSA303-()	411.	448.	515.	696.
		36"	RSA363-()	441.	483.	554.	747.
		42"	RSA423-()	459.	502.	578.	781.
		48"	RSA483-()	491.	536.	615.	831.
		54"	RSA543-()	531.	580.	664.	896.
		60"	RSA603-()	551.	599.	689.	931.
		66"	RSA663-()	560.	613.	709.	955.
		72"	RSA723-()	577.	628.	722.	974.
		78"	RSA783-()	603.	658.	757.	1,021.
		84"	RSA843-()	625.	684.	787.	1,063.
		90"	RSA903-()	656.	715.	824.	1,113.
		96"	RSA963-()	679.	742.	853.	1,152.
	36"	60"	RSA604-()	634.	692.	794.	1,072.
		66"	RSA664-()	656.	716.	825.	1,114.
		72"	RSA724-()	678.	741.	852.	1,151.

Order Code	Specification Information	Application Notes
Example: RSA243RL	<i>To order please specify pattern number including:</i>	1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.
R Reff	1. Top thickness	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	2. Grommet option	Mixed finish 1 3/4" tops are not post-formed.
A 1 1/4" thick	3. Top finish type	Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
24 24" wide	4. Top finish	These worksurfaces are predrilled with pilot holes for use with wood screws.
3 30" deep	5. Grommet finish	
R Recessed grommet option	<i>1. Thickness options:</i> A = 1 1/4"	
L Laminate finish	<i>2. Grommet options:</i> N = No grommets F = Flush front grommet location R = Recessed front (not recommended for 20"D and 24"D tops) A = Alternate location (for 36"D tops only)	
114 Folkstone grey	<i>3. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
111 Jet Black (grommet)	<i>4. Top finish</i> <i>5. Grommet finish:</i> Painted or Plated Applicable finishes are listed on page 5 and 6. Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development. Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.	

Worksurface 1 1/4" rectilinear corner tops

Reff Profiles


description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20" Corner worktops, straight front corners 	20"	20"	36"	36"	RKA 363611-() ()	\$655.	\$736.	\$847.	\$1,144.
	20"	20"	36"	42"	RKA 364211-() ()	692.	782.	895.	1,208.
	20"	20"	36"	48"	RKA 364811-() ()	735.	827.	953.	1,286.
	20"	20"	42"	36"	RKA 423611-() ()	692.	782.	895.	1,208.
	20"	20"	42"	42"	RKA 424211-() ()	735.	827.	953.	1,286.
	20"	20"	42"	48"	RKA 424811-() ()	801.	903.	1,040.	1,403.
	20"	20"	48"	36"	RKA 483611-() ()	735.	827.	953.	1,286.
	20"	20"	48"	42"	RKA 484211-() ()	801.	903.	1,040.	1,403.
	20"	20"	48"	48"	RKA 484811-() ()	845.	953.	1,094.	1,477.
24" Corner worktops, straight front corners 	24"	24"	36"	36"	RKA 363622-() ()	744.	834.	960.	1,296.
	24"	24"	36"	42"	RKA 364222-() ()	782.	880.	1,011.	1,365.
	24"	24"	36"	48"	RKA 364822-() ()	823.	927.	1,064.	1,436.
	24"	24"	42"	36"	RKA 423622-() ()	782.	880.	1,011.	1,365.
	24"	24"	42"	42"	RKA 424222-() ()	823.	927.	1,064.	1,436.
	24"	24"	42"	48"	RKA 424822-() ()	889.	1,003.	1,155.	1,557.
	24"	24"	48"	36"	RKA 483622-() ()	823.	927.	1,064.	1,436.
	24"	24"	48"	42"	RKA 484222-() ()	889.	1,003.	1,155.	1,557.
	24"	24"	48"	48"	RKA 484822-() ()	934.	1,052.	1,207.	1,628.
20"/24" Corner worktops, straight front corners 	20"	24"	36"	36"	RKA 363612-() ()	682.	767.	885.	1,193.
	20"	24"	36"	42"	RKA 364212-() ()	721.	813.	932.	1,259.
	20"	24"	36"	48"	RKA 364812-() ()	765.	860.	990.	1,335.
	20"	24"	42"	36"	RKA 423612-() ()	721.	813.	932.	1,259.
	20"	24"	42"	42"	RKA 424212-() ()	765.	860.	990.	1,335.
	20"	24"	42"	48"	RKA 424812-() ()	834.	935.	1,078.	1,457.
	20"	24"	48"	36"	RKA 483612-() ()	765.	860.	990.	1,335.
	20"	24"	48"	42"	RKA 484212-() ()	834.	935.	1,078.	1,457.
	20"	24"	48"	48"	RKA 484812-() ()	874.	986.	1,132.	1,529.

Order Code	Specification Information	Application Notes
Example: RKA363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff	1. Top thickness	Actual widths are 1/16" less all around on corner worksurfaces.
K Straight front corner	2. Left hand width	
A 1 1/4" top thickness	3. Right hand width	Applicable finishes are listed on page 5 and 6.
36 36" wide on left back	4. Return left hand depth	
36 36" wide on right back	5. Return right hand depth	Knoll accepts no responsibility for special grommet locations which interfere with support hardware.
1 20" deep on left side	6. Grommet option	
1 20" deep on right side	7. Finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
N No grommet	8. Top finish	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
1 V1 finish	9. Grommet finish	
Y324 Ash	1. <i>Top thickness:</i> A = 1 1/4"	Mixed finish 1 3/4" tops are not post-formed.
	2. <i>Grommet options:</i> N = No grommets F = Standard corner location or Flush	These worksurfaces are predrilled with pilot holes for use with wood screws.
	3. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
	4. <i>Top finish</i>	
	5. <i>Grommet finish:</i> Painted or Plated	

Worksurface 1 1/4" rectilinear corner tops

Reff Profiles






description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
24"/20" Corner worktops, straight front corners	24"	20"	36"	36"	RKA 363621-()	\$682.	\$767.	\$885.	\$1,193.
	24"	20"	36"	42"	RKA 364221-()	721.	813.	932.	1,259.
	24"	20"	36"	48"	RKA 364821-()	765.	860.	990.	1,335.
	24"	20"	42"	36"	RKA 423621-()	721.	813.	932.	1,259.
	24"	20"	42"	42"	RKA 424221-()	765.	860.	990.	1,335.
	24"	20"	42"	48"	RKA 424821-()	834.	935.	1,078.	1,457.
	24"	20"	48"	36"	RKA 483621-()	765.	860.	990.	1,335.
	24"	20"	48"	42"	RKA 484221-()	834.	935.	1,078.	1,457.
	24"	20"	48"	48"	RKA 484821-()	874.	986.	1,132.	1,529.



Order Code	Specification Information	Application Notes
Example: RKA363611N1	<i>To order please specify pattern number including:</i>	Please call Custom Product Development for special grommet locations.
R Reff	1. Top thickness	Knoll accepts no responsibility for special grommet locations which interfere with support hardware.
K Straight front corner	2. Left hand width	
A 1 1/4" top thickness	3. Right hand width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
36 36" wide on left back	4. Return left hand depth	
36 36" wide on right back	5. Return right hand depth	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
1 20" deep on left side	6. Grommet option	
1 20" deep on right side	7. Finish type	Mixed finish 1 3/4" tops are not post-formed.
N No grommet	8. Top finish	
1 V1 finish	9. Grommet finish	These worksurfaces are predrilled with pilot holes for use with wood screws.
Y324 Ash		
	<i>1. Top thickness:</i> A = 1 1/4"	
	<i>2. Grommet options:</i> N = No grommets F = Standard corner location or Flush	
	<i>3. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
	<i>4. Top finish</i>	
	<i>5. Grommet finish:</i> Painted or Plated	

Worksurface 1 1/4" transition wave tops

Reff Profiles

description	d	w	d	pattern no.	L	M/V1	V2	V3
Wave top transition (right 20") 	24"	42"	20"	RWA4221-() ()	\$392.	\$445.	\$512.	\$692.
	24"	48"	20"	RWA4821-() ()	415.	467.	537.	724.
	24"	54"	20"	RWA5421-() ()	446.	500.	577.	779.
	24"	60"	20"	RWA6021-() ()	475.	535.	614.	829.
	24"	66"	20"	RWA6621-() ()	490.	552.	633.	854.
	24"	72"	20"	RWA7221-() ()	511.	578.	662.	894.
Wave top transition (left 24") 	24"	36"	30"	RWA3623-() ()	409.	461.	531.	716.
	24"	42"	30"	RWA4223-() ()	426.	481.	552.	743.
	24"	48"	30"	RWA4823-() ()	445.	497.	573.	774.
	24"	54"	30"	RWA5423-() ()	477.	537.	618.	834.
	24"	60"	30"	RWA6023-() ()	510.	577.	661.	892.
	24"	66"	30"	RWA6623-() ()	529.	595.	685.	927.
Wave top transition (left 20") 	20"	42"	24"	RWA4212-() ()	392.	445.	512.	692.
	20"	48"	24"	RWA4812-() ()	415.	467.	537.	724.
	20"	54"	24"	RWA5412-() ()	446.	500.	577.	779.
	20"	60"	24"	RWA6012-() ()	475.	535.	614.	829.
	20"	66"	24"	RWA6612-() ()	490.	552.	633.	854.
	20"	72"	24"	RWA7212-() ()	511.	578.	662.	894.
Wave top transition (right 24") 	30"	36"	24"	RWA3632-() ()	409.	461.	531.	716.
	30"	42"	24"	RWA4232-() ()	426.	481.	552.	743.
	30"	48"	24"	RWA4832-() ()	445.	497.	573.	774.
	30"	54"	24"	RWA5432-() ()	477.	537.	618.	834.
	30"	60"	24"	RWA6032-() ()	510.	577.	661.	892.
	30"	66"	24"	RWA6632-() ()	529.	595.	685.	927.
Wave top transition (right 24") 	30"	72"	24"	RWA7232-() ()	556.	625.	719.	969.

Order Code	Specification Information	Application Notes
Example: RWA4221FL	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Left hand depth	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Right hand depth	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Grommet option	These worksurfaces are predrilled with pilot holes for use with wood screws.
42 42" wide	4. Top finish type	Curvilinear worksurfaces only available in 1 1/4" thick.
2 24" deep on left side	5. Top finish	See Planning Guide for grommet locations.
1 20" deep on right side	6. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
F Flush grommet option	3. <i>Grommet options:</i>	
L Laminate finish	N = No grommet	
114 Folkstone grey	F = Flush front grommet location	
111 Jet Black (grommet)	4. <i>Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	5. <i>Top finish</i>	
	6. <i>Grommet finish:</i>	
	Painted or Plated	

Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Slope section of top remains 21 3/4" on all tops. The straight section grows with length of top.





Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Worksurface 1 1/4" transition wave top ends

Reff Profiles

description	depth	w	d	pattern no.	L	M/V1	V2	V3
Wave top end, (right 20") 	20"	36"	32"	RWEA3631-() ()	\$523.	\$589.	\$679.	\$916.
	20"	42"	32"	RWEA4231-() ()	545.	613.	709.	955.
	20"	48"	32"	RWEA4831-() ()	574.	648.	743.	1,003.
Wave top end, (right 24") 	24"	36"	36"	RWEA3662-() ()	542.	611.	701.	947.
	24"	42"	36"	RWEA4262-() ()	559.	629.	724.	977.
	24"	48"	36"	RWEA4862-() ()	594.	666.	766.	1,033.
Wave top end, (left 20") 	32"	36"	20"	RWEA3613-() ()	523.	589.	679.	916.
	32"	42"	20"	RWEA4213-() ()	545.	613.	709.	955.
	32"	48"	20"	RWEA4813-() ()	574.	648.	743.	1,003.
Wave top end, (left 24") 	36"	36"	24"	RWEA3626-() ()	542.	611.	701.	947.
	36"	42"	24"	RWEA4226-() ()	559.	629.	724.	977.
	36"	48"	24"	RWEA4826-() ()	594.	666.	766.	1,033.

Order Code	Specification Information	Application Notes
Example: RWEA3631FL	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Left hand depth	36"D wave end top requires 24"D end panel for support.
E Wave top ends	2. Right hand depth	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Grommet option	These worksurfaces are predrilled with pilot holes for use with wood screws.
36 36" wide	4. Top finish type	Curvilinear worksurfaces only available in 1 1/4" thick.
3 32" deep on left side	5. Top finish	See Planning Guide for grommet locations.
1 20" deep on right side	6. Grommet finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
F Flush grommet option	3. <i>Grommet options:</i>	
L Laminate finish	N = No grommet	
114 Folkstone grey	F = Flush front grommet location	
111 Jet Black (grommet)	4. <i>Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	5. <i>Top finish</i>	
	6. <i>Grommet finish:</i>	
	Painted or Plated	
	Applicable finishes are listed on page 5 and 6.	
	Product on this page will accept woodgrain laminate where laminate is currently an option.	
	List price for woodgrain laminate options will be current published laminate list price plus 10%.	

Please call Custom Product Development for special grommet locations.


Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Slope section of top remains 21 3/4" on all tops. The straight section grows with length of top.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.

Worksurface 1 1/4" curvilinear corner tops - 20" Deep

Reff Profiles

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 20") 	20"	20"	36"	36"	RCA363611-()	\$655.	\$736.	\$847.	\$1,144.
	20"	20"	36"	42"	RCA364211-()	692.	782.	895.	1,208.
	20"	20"	36"	48"	RCA364811-()	735.	827.	953.	1,286.
	20"	20"	42"	36"	RCA423611-()	692.	782.	895.	1,208.
	20"	20"	42"	42"	RCA424211-()	735.	827.	953.	1,286.
	20"	20"	42"	48"	RCA424811-()	801.	903.	1,040.	1,403.
	20"	20"	48"	36"	RCA483611-()	735.	827.	953.	1,286.
	20"	20"	48"	42"	RCA484211-()	801.	903.	1,040.	1,403.
	20"	20"	48"	48"	RCA484811-()	845.	953.	1,094.	1,477.
Corner worktops, Curved front corner (Left return 24", Right return 20")	24"	20"	36"	36"	RCA363621-()	682.	767.	885.	1,193.
	24"	20"	36"	42"	RCA364221-()	721.	813.	932.	1,259.
	24"	20"	36"	48"	RCA364821-()	765.	860.	990.	1,335.
	24"	20"	42"	36"	RCA423621-()	721.	813.	932.	1,259.
	24"	20"	42"	42"	RCA424221-()	765.	860.	990.	1,335.
	24"	20"	42"	48"	RCA424821-()	834.	935.	1,078.	1,457.
	24"	20"	48"	36"	RCA483621-()	765.	860.	990.	1,335.
	24"	20"	48"	42"	RCA484221-()	834.	935.	1,078.	1,457.
	24"	20"	48"	48"	RCA484821-()	874.	986.	1,132.	1,529.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCA363611N1	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
R Reff	1. Left hand width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
C Curved front corner	2. Right hand width	Product on this page will accept woodgrain laminate where laminate is currently an option.
A 1 1/4" thick	3. Return left hand depth	List price for woodgrain laminate options will be current published laminate list price plus 10%.
36 36" wide on left back	4. Return right hand depth	These worksurfaces are predrilled with pilot holes for use with wood screws.
36 36" wide on right back	5. Grommet option	Curvilinear worksurfaces only available in 1 1/4" thick.
1 20" deep on left side	6. Top finish type	See Planning Guide for grommet locations.
1 20" deep on right side	7. Top finish	
N No grommet	8. Grommet finish	
1 V1 finish	5. <i>Grommet options:</i>	
Y324 Ash	N = No grommets	
	F = Standard corner location	
	6. <i>Finish type:</i>	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	
	7. <i>Top finish</i>	
	8. <i>Grommet finish:</i>	
	Painted or Plated	

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Please call Custom Product Development for special grommet locations.

Applicable finishes are listed on page 5 and 6.

Worksurface 1 1/4" curvilinear corner tops - 24" Deep

Reff Profiles

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20", Right return 24")	20"	24"	36"	36"	RCA363612-() ()	\$682.	\$767.	\$885.	\$1,193.
	20"	24"	36"	42"	RCA364212-() ()	721.	813.	932.	1,259.
	20"	24"	36"	48"	RCA364812-() ()	765.	860.	990.	1,335.
	20"	24"	42"	36"	RCA423612-() ()	721.	813.	932.	1,259.
	20"	24"	42"	42"	RCA424212-() ()	765.	860.	990.	1,335.
	20"	24"	42"	48"	RCA424812-() ()	834.	935.	1,078.	1,457.
	20"	24"	48"	36"	RCA483612-() ()	765.	860.	990.	1,335.
	20"	24"	48"	42"	RCA484212-() ()	834.	935.	1,078.	1,457.
	20"	24"	48"	48"	RCA484812-() ()	874.	986.	1,132.	1,529.
Corner worktops, Curved front corner (Left return 24", Right return 24")	24"	24"	36"	36"	RCA363622-() ()	744.	834.	960.	1,296.
	24"	24"	36"	42"	RCA364222-() ()	782.	880.	1,011.	1,365.
	24"	24"	36"	48"	RCA364822-() ()	823.	927.	1,064.	1,436.
	24"	24"	42"	36"	RCA423622-() ()	782.	880.	1,011.	1,365.
	24"	24"	42"	42"	RCA424222-() ()	823.	927.	1,064.	1,436.
	24"	24"	42"	48"	RCA424822-() ()	889.	1,003.	1,155.	1,557.
	24"	24"	48"	36"	RCA483622-() ()	823.	927.	1,064.	1,436.
	24"	24"	48"	42"	RCA484222-() ()	889.	1,003.	1,155.	1,557.
	24"	24"	48"	48"	RCA484822-() ()	934.	1,052.	1,207.	1,628.

Order Code	Specification Information	Application Notes
Example: RCA363612	<i>To order please specify pattern number including:</i>	Radius of curved front changes with overall top size. See Planning Guide.
R Reff	1. Left hand width	Products on this page are shipped without hardware which must be ordered separately from the support components section.
C Curved front corner	2. Right hand width	Product on this page will accept woodgrain laminate where laminate is currently an option.
A 1 1/4" thick	3. Return left hand depth	List price for woodgrain laminate options will be current published laminate list price plus 10%.
36 36" wide on left back	4. Return right hand depth	These worksurfaces are predrilled with pilot holes for use with wood screws.
36 36" wide on right back	5. Grommet option	Curvilinear worksurfaces only available in 1 1/4" thick.
1 20" deep on left side	6. Top finish type	See Planning Guide for grommet locations.
2 24" deep on right side	7. Top finish	
N No grommet	8. Grommet finish	
1 V1 finish	5. <i>Grommet options:</i> N = No grommets F = Standard corner location	
Y324 Ash	6. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
	7. <i>Top finish</i>	
	8. <i>Grommet finish:</i> Painted or Plated	

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.



Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Please call Custom Product Development for special grommet locations.

Applicable finishes are listed on page 5 and 6.

Worksurface 1 1/4" extended curvilinear corner tops

Reff Profiles

description	w	d	pattern no.	L	M/V1	V2	V3
Extended corner worktop, LH curved front corner (return 24") 	36"	72"	RCCDLA23672 () () ()	\$1,809.	\$2,400.	\$3,388.	\$4,571.
	36"	78"	RCCDLA23678 () () ()	1,881.	2,496.	3,521.	4,753.
	36"	84"	RCCDLA23684 () () ()	1,956.	2,597.	3,662.	4,943.
	36"	96"	RCCDLA23696 () () ()	2,035.	2,700.	3,809.	5,143.
Extended corner worktop, LH curved front corner (return 30")	36"	72"	RCCDLA33672 () () ()	1,811.	2,406.	3,396.	4,585.
	36"	78"	RCCDLA33678 () () ()	1,883.	2,503.	3,534.	4,771.
	36"	84"	RCCDLA33684 () () ()	1,959.	2,604.	3,674.	4,959.
	36"	96"	RCCDLA33696 () () ()	2,037.	2,707.	3,822.	5,158.
Extended corner worktop, RH curved front corner (return 24") 	36"	72"	RCCDRA23672 () () ()	1,809.	2,400.	3,388.	4,571.
	36"	78"	RCCDRA23678 () () ()	1,881.	2,496.	3,521.	4,753.
	36"	84"	RCCDRA23684 () () ()	1,956.	2,597.	3,662.	4,943.
	36"	96"	RCCDRA23696 () () ()	2,035.	2,700.	3,809.	5,143.
Extended corner worktop, RH curved front corner (return 30")	36"	72"	RCCDRA33672 () () ()	1,811.	2,406.	3,396.	4,585.
	36"	78"	RCCDRA33678 () () ()	1,883.	2,503.	3,534.	4,771.
	36"	84"	RCCDRA33684 () () ()	1,959.	2,604.	3,674.	4,959.
	36"	96"	RCCDRA33696 () () ()	2,037.	2,707.	3,822.	5,158.


Order Code	Specification Information
Example: RCCDLA23672N2	<i>To order please specify pattern number including:</i>
R Reff	1. Depth
CC Curved corner	2. Grommet option
D D top	3. Finish type
L Left Hand	4. Finish
A 1 1/4" thick	5. Grommet finish
2 24" return	2. Grommet options:
36 36" d at straight edge of corner, 30" across "D"	N = No grommets
72 72" wide	F = Flush front grommet location
N No grommet	3. Finish type:
2 V2 finish	L = Laminate
V319 Medium Cherry	M = Mixed (laminated surface with wood edge)
	1 = V1
	2 = V2
	3 = V3
	Applicable finishes are listed on page 5 and 6.
	Product on this page will accept woodgrain laminate where laminate is currently an option.
	List price for woodgrain laminate options will be current published laminate list price plus 10%.
	These worksurfaces are predrilled with pilot holes for use with wood screws.
	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Worksurface 1 1/4"


extended straight corner tops

Reff Profiles

description	d	w	d, return	pattern no.	L	M/V1	V2	V3
Extended straight corner top, LH curved front corner (returns 24")	36"	60"	24"	RCEAL223660 ()()()	\$670.	\$989.	\$1,338.	\$1,810.
	36"	72"	24"	RCEAL223672 ()()()	802.	1,199.	1,619.	2,187.
	42"	60"	24"	RCEAL224260 ()()()	736.	1,092.	1,479.	1,996.
	42"	72"	24"	RCEAL224272 ()()()	870.	1,304.	1,762.	2,378.
	48"	72"	24"	RCEAL224872 ()()()	938.	1,409.	1,901.	2,567.
	48"	84"	24"	RCEAL224884 ()()()	1,071.	1,619.	2,183.	2,947.
	48"	96"	24"	RCEAL224896 ()()()	1,231.	1,866.	2,511.	3,391.



Extended straight corner top, RH curved front corner (returns 24")	36"	60"	24"	RCEAR223660 ()()()	670.	989.	1,338.	1,810.
	36"	72"	24"	RCEAR223672 ()()()	802.	1,199.	1,619.	2,187.
	42"	60"	24"	RCEAR224260 ()()()	736.	1,092.	1,479.	1,996.
	42"	72"	24"	RCEAR224272 ()()()	870.	1,304.	1,762.	2,378.
	48"	72"	24"	RCEAR224872 ()()()	938.	1,409.	1,901.	2,567.
	48"	84"	24"	RCEAR224884 ()()()	1,071.	1,619.	2,183.	2,947.
	48"	96"	24"	RCEAR224896 ()()()	1,231.	1,866.	2,511.	3,391.



Order Code

Example:	RCEAL223660N2
R	Reff
C	Corner
E	Extended
A	1 1/4" thick
L	Left Hand
22	24" returns
36	36" d at corner straight edge
60	60" wide
N	No grommet
2	V2 finish
V319	Medium Cherry

Specification Information

To order please specify pattern number including:

1. Return left hand depth
2. Return right hand depth
3. Width
4. Depth
5. Grommet option
6. Finish type
7. Finish
8. Grommet finish

5. Grommet options:

- N = No grommets
- F = Flush front grommet location

6. Finish type:

- L = Laminate
- M = Mixed (laminate surface with wood edge)
- 1 = V1
- 2 = V2
- 3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.



These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Worksurface 1 1/4"

Meeting tops 'D'

Reff Profiles

description	type	w	d	pattern no.	L	M/V1	V2	V3
 <p>Grommet choices are centered (as shown) or none</p>	30" deep	42"	30"	RMDA4230-()()	\$579.	\$627.	\$721.	\$973.
		48"	30"	RMDA4830-()()	622.	678.	781.	1,054.
		54"	30"	RMDA5430-()()	666.	726.	834.	1,127.
		60"	30"	RMDA6030-()()	714.	778.	890.	1,203.
		66"	30"	RMDA6630-()()	760.	826.	952.	1,285.
		72"	30"	RMDA7230-()()	809.	879.	1,010.	1,364.
		78"	30"	RMDA7830-()()	914.	992.	1,142.	1,540.
		84"	30"	RMDA8430-()()	1,018.	1,106.	1,274.	1,719.
		90"	30"	RMDA9030-()()	1,136.	1,236.	1,422.	1,918.
		96"	30"	RMDA9630-()()	1,255.	1,365.	1,569.	2,118.
	36" deep	42"	36"	RMDA4236-()()	636.	691.	793.	1,071.
		48"	36"	RMDA4836-()()	696.	756.	868.	1,171.
		54"	36"	RMDA5436-()()	793.	864.	995.	1,342.
		60"	36"	RMDA6036-()()	891.	967.	1,114.	1,505.
		66"	36"	RMDA6636-()()	909.	987.	1,134.	1,533.
		72"	36"	RMDA7236-()()	921.	1,003.	1,155.	1,557.
		78"	36"	RMDA7836-()()	1,039.	1,129.	1,299.	1,754.
		84"	36"	RMDA8436-()()	1,155.	1,257.	1,445.	1,949.
		90"	36"	RMDA9036-()()	1,217.	1,323.	1,522.	2,055.
		96"	36"	RMDA9636-()()	1,335.	1,449.	1,667.	2,251.
 <p>No Grommets</p>	(20" panels)	42 1/2"	21 1/4"	RMDA4221-()()	744.	809.	928.	1,252.
	(24" panels)	50 1/2"	25 1/4"	RMDA5025-()()	813.	885.	1,017.	1,374.

Please specify mating trim profile

Order Code	Specification Information	Application Notes
Example: RMDA4230N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Reff	1. Top thickness	Additional spec option required for wrap around panel tops; specify mating trim profile.
MD Meeting D-top	2. Width	
A 1 1/4" thick	3. Depth	8. Trim profile
42 42" wide	4. Grommet option	A = Flat
30 30" deep	5. Top finish type	B = Square
N No grommet	6. Top finish	C = Bullnose
1 V1	7. Grommet finish	E = Extruded Aluminum
Y311 Beech	8. Trim profile	
	<i>1. Thickness options:</i> A = 1 1/4"	Applicable finishes are listed on page 5 and 6.
	<i>4. Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
	<i>5. Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
		Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
		Refer to Planning Guide for modesty panel size requirements and all other support options.
		1 3/4" laminate tops on this page are edge banded to match post-formed contours.
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		These worksurfaces are predrilled with pilot holes for use with wood screws.
		*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48'w.

Worksurface 1 1/4"

Meeting tops P and 9

Reff Profiles

description	type	w	d	pattern no.	L	M/V1	V2	V3
Meeting 9-top		42"	30"	RM9A4230-() ()	\$792.	\$862.	\$991.	\$1,336.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RM9A4836-() ()	881.	957.	1,102.	1,489.



No Grommets 42" diameter

Meeting P-top		42"	30"	RMPA4230-() ()	792.	862.	991.	1,336.
Adjoining top must use 12" end panel and modesty panel to support		48"	36"	RMPA4836-() ()	881.	957.	1,102.	1,489.



No Grommets 42" diameter

Worksurface 9-top		84"	30"	RM9A8430-() ()	1,613.	1,753.	2,017.	2,724.
		96"	30"	RM9A9630-() ()	1,680.	1,829.	2,100.	2,836.



42" diameter

Order Code	Specification Information	Application Notes
Example: RM9A4230N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Reff	1. Top thickness	Applicable finishes are listed on page 5 and 6.
M9 Meeting 9-top	2. Width	Product on this page will accept woodgrain laminate where laminate is currently an option.
A 1 1/4" thick	3. Depth	List price for woodgrain laminate options will be current published laminate list price plus 10%.
42 42" wide	4. Grommet option	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
30 30" deep	5. Top finish type	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
N No grommet	6. Top finish	Refer to Planning Guide for modesty panel size requirements and all other support options.
1 V1	7. Grommet finish	
Y311 Beech	1. <i>Thickness options:</i> A = 1 1/4"	
	4. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)	1 3/4" laminate tops on this page are edge banded to match post-formed contours. Products on this page are shipped without hardware which must be ordered separately from the support components section. These worksurfaces are predrilled with pilot holes for use with wood screws. *Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
	5. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
	7. <i>Grommet finish:</i> Painted or Plated	

Worksurface 1 1/4"

Meeting tops

Reff Profiles


description	type	w	d	pattern no.	L	M/V1	V2	V3
Worksurface P-top		84"	30"	RMPA8430-() ()	\$1,613.	\$1,753.	\$2,017.	\$2,724.
		96"	30"	RMPA9630-() ()	1,680.	1,829.	2,100.	2,836.



84" top uses a 42" modesty, 96 top uses a 54" modesty

42" diameter

Elliptical tops		60"	30"	REBA6030-() *	1,109.	1,229.	1,410.	1,906.
		72"	42"	REBA7242-() *	1,580.	1,747.	2,011.	2,713.
		78"	48"	REBA7848-() *	1,730.	1,917.	2,204.	2,976.





Worksurfaces

Order Code	Specification Information	Application Notes
Example: RMDA4230N1	<i>To order please specify pattern number including:</i>	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
R Reff	1. Top thickness	Applicable finishes are listed on page 5 and 6.
MD Meeting D-top	2. Width	Product on this page will accept woodgrain laminate where laminate is currently an option.
A 1 1/4" thick	3. Depth	List price for woodgrain laminate options will be current published laminate list price plus 10%.
42 42" wide	4. Grommet option	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
30 30" deep	5. Top finish type	
N No grommet	6. Top finish	
1 V1	7. Grommet finish	
Y311 Beech	8. Trim profile	
	1. <i>Thickness options:</i> A = 1 1/4"	
	4. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed grommet location C = Centered (only on D-tops)	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. Refer to Planning Guide for modesty panel size requirements and all other support options. 1 3/4" laminate tops on this page are edge banded to match post-formed contours. Products on this page are shipped without hardware which must be ordered separately from the support components section. These worksurfaces are predrilled with pilot holes for use with wood screws.
	5. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.
	7. <i>Grommet finish:</i> Painted or Plated	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.

Worksurface 1 1/4"

Bow front and support

Reff Profiles

description	w	d	h	pattern no.	L	M/V1	V2	V3
Bow shaped top 	72"	30"		RMB(A)7230-() ()	\$926.	\$1,045.	\$1,203.	\$1,623.
	84"	30"		RMB(A)8430-() ()	1,020.	1,154.	1,325.	1,788.
	96"	30"		RMB(A)9630-() ()	1,133.	1,278.	1,467.	1,983.
	Use 29" deep pedestals or end panels. Do not use 23" deep pedestals if using recessed modesty.							
Bow shaped top - 36"D 	72"	36"		RMB(A)7236-() ()	985.	1,109.	1,277.	1,723.
	84"	36"		RMB(A)8436-() ()	1,079.	1,218.	1,401.	1,890.
	96"	36"		RMB(A)9636-() ()	1,196.	1,350.	1,550.	2,093.
	Use with 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance). Can also be used with 36" deep end panel and recessed modesty.							

Order Code	Specification Information	Application Notes
Example: RMB A7230 R2	<i>To order please specify pattern number including:</i>	<i>5. Finish type:</i>
R Reff	1. Top thickness	L = Laminate
MB Bowed front	2. Width	M = Wood/laminate mixed
A 1 1/4" thick	3. Depth	1 = V1
72 72" wide	4. Grommet option	2 = V2
30 30" wide	5. Top finish type	3 = V3
R Recessed grommet option	6. Top finish	Applicable finishes are listed on page 5 and 6.
2 V2 finish	7. Grommet finish	
V319 Medium cherry	<i>1. Thickness options:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
111 Jet Black (grommet)	A = 1 1/4"	
	<i>4. Grommet options:</i>	List price for woodgrain laminate options will be current published laminate list price plus 10%.
	N = No grommet	
	F = Flush front grommet	These worksurfaces are predrilled with pilot holes for use with wood screws.
	R = Recessed grommet	
	A = Alternate location (only for 36" deep bow front tops)	See Planning Guide for grommet locations.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

*Bulkhead takes the place of a pedestal in applications using the short modesty panel, but not requiring a double pedestal application.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.






Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Shipped with hardware. Refer to page 119 of Planning Guide for application details.

Conference 1 1/4"

Square and rectangular

Reff Profiles

description	w	d	pattern no.	L	M/V1	V2	V3
Rectangular top 1 piece 	72"	30"	RR A7230-()	\$597.	\$650.	\$747.	\$1,008.
	72"	36"	RR A7236-()	649.	707.	812.	1,096.
	84"	30"	RR A8430-()	661.	717.	826.	1,115.
	84"	36"	RR A8436-()	711.	771.	886.	1,197.
	84"	42"	RR A8442-()	1,050.	1,142.	1,310.	1,769.
	96"	30"	RR A9630-()	742.	808.	927.	1,251.
	96"	36"	RR A9636-()	818.	889.	1,024.	1,382.
	96"	42"	RR A9642-()	1,205.	1,308.	1,505.	2,032.
	96"	48"	RR A9648-()	1,281.	1,394.	1,602.	2,163.
Rectangular top 2 piece 	120"	36"	RR A12036-()	1,313.	1,427.	1,642.	2,217.
	120"	42"	RR A12042-()	1,811.	1,969.	2,265.	3,058.
	120"	48"	RR A12048-()	1,968.	2,141.	2,461.	3,323.
	144"	42"	RR A14442-()	2,035.	2,212.	2,544.	3,434.
	144"	48"	RR A14448-()	2,179.	2,372.	2,727.	3,681.
Rectangular top 3 piece 	168"	42"	RR A16842-()	2,667.	2,899.	3,337.	4,505.
	168"	48"	RR A16848-()	2,898.	3,151.	3,624.	4,890.
	192"	42"	RR A19242-()	2,892.	3,144.	3,613.	4,878.
	192"	48"	RR A19248-()	3,114.	3,383.	3,888.	5,248.
Square tops  	*	60"	RR A6060-()	1,224.	1,329.	1,532.	2,066.
	*	72"	RR A7272-()	1,442.	1,569.	1,804.	2,436.
	—	36"	RR A3636-()	460.	502.	578.	781.
	—	42"	RR A4242-()	597.	650.	747.	1,008.
	—	48"	RR A4848-()	786.	852.	981.	1,323.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RRAG72302	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
R Reff	1. Top thickness	List price for woodgrain laminate options will be current published laminate list price plus 10%.
R Rectangular	2. Width	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.
A 1 1/4" thick	3. Depth	Top to top brackets included.
72 72" wide	4. Finish type	Tops have no radius on edges that adjoin.
30 30" deep	5. Finish	See table base matrix in Planning Guide, pages 140 and 141.
2 V2 finish	1. Thickness options: A = 1 1/4"	
V319 Medium cherry	4. Finish type: L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	
	*Square tops in two pieces.	

1 3/4" tops require support at mid point to reduce spans to 66" or less.

Mixed finish 1 3/4" tops are not post-formed.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.






Applicable finishes are listed on page 5 and 6.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Conference 1 1/4"

Round and racetrack

Reff Profiles

description	w	d	pattern no.	L, Option A	M/V!	V2	V3
Racetrack top 1 piece	72"	30"	RTA7230-()	\$1,131.	\$1,229.	\$1,410.	\$1,906.
	84"	30"	RTA8430-()	1,258.	1,368.	1,573.	2,122.
	96"	30"	RTA9630-()	1,398.	1,522.	1,751.	2,363.
	72"	36"	RTA7236-()	1,290.	1,401.	1,610.	2,173.
	84"	36"	RTA8436-()	1,448.	1,576.	1,811.	2,443.
	96"	36"	RTA9636-()	1,607.	1,747.	2,011.	2,713.
	84"	42"	RTA8442-()	1,761.	1,917.	2,204.	2,976.
	96"	42"	RTA9642-()	1,975.	2,147.	2,467.	3,331.
	96"	48"	RTA9648-()	2,166.	2,351.	2,705.	3,650.
Racetrack top 2 piece	120"	36"	RTA12036-()	2,074.	2,257.	2,597.	3,504.
	120"	42"	RTA12042-()	2,240.	2,432.	2,800.	3,779.
	144"	42"	RTA14442-()	2,470.	2,683.	3,086.	4,164.
	120"	48"	RTA12048-()	2,380.	2,587.	2,976.	4,017.
	144"	48"	RTA14448-()	2,531.	2,753.	3,163.	4,269.
Racetrack top 3 piece	168"	42"	RTA16842-()	3,096.	3,364.	3,870.	5,224.
	192"	42"	RTA19242-()	3,325.	3,614.	4,159.	5,615.
	168"	48"	RTA16848-()	3,314.	3,599.	4,138.	5,588.
	192"	48"	RTA19248-()	3,462.	3,765.	4,327.	5,842.
Round tops	—	36"	RTA3636-()	636.	691.	793.	1,071.
	—	42"	RTA4242-()	739.	799.	920.	1,241.
	—	48"	RTA4848-()	1,215.	1,319.	1,516.	2,047.
	*	60"	RTA6060-()	1,902.	2,068.	2,378.	3,211.
	*	72"	RTA7272-()	2,353.	2,557.	2,945.	3,976.

Order Code	Specification Information	Application Notes
Example: RTA72302	<i>To order please specify pattern number including:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
R Reff	1. Top thickness	List price for woodgrain laminate options will be current published laminate list price plus 10%.
R Round	2. Width	Top to top brackets included.
A 1 1/4" thick	3. Depth	See table base matrix in Planning Guide pages 140 and 141.
72 72" wide	4. Finish type	Tops have no radius on edges that adjoin.
30 30" deep	5. Finish	
2 V2 finish	1. Thickness options:	
V319 Medium cherry	A = 1 1/4"	
	4. Finish type:	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	

*Round tops in two pieces.

Reff Profiles System incorporates optional worksurface edge details. Wood edges are crafted from select hardwoods and are finished with Knoll's industry leading polyurethane Reff Profiles Finish. Optional for worksurface tops listed on pages 0 through 0.

It is not necessary to plan separately for edges that "mate"; this feature is engineered into appropriate products when used as intended.

Edge detail to be specified by one of the following codes:
A - Alpha
B - Beta
C - Chi
D - Delta
E - Epsilon
F - Phi
G - Gamma



Alpha



Beta



Chi



Delta



Epsilon




Phi



Gamma

Optional edge 1 1/4"
front only, 20" and 24" deep


Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Profile edge front only 	20"	24"	RSA(A/B/C/D/E/F/G)F241-()(1/2/3)	\$401.	\$457.	\$618.
		30"	RSA(A/B/C/D/E/F/G)F301-()(1/2/3)	439.	505.	681.
		36"	RSA(A/B/C/D/E/F/G)F361-()(1/2/3)	462.	533.	719.
		42"	RSA(A/B/C/D/E/F/G)F421-()(1/2/3)	484.	556.	751.
		48"	RSA(A/B/C/D/E/F/G)F481-()(1/2/3)	504.	578.	781.
		54"	RSA(A/B/C/D/E/F/G)F541-()(1/2/3)	522.	606.	817.
		60"	RSA(A/B/C/D/E/F/G)F601-()(1/2/3)	565.	651.	879.
		66"	RSA(A/B/C/D/E/F/G)F661-()(1/2/3)	582.	671.	904.
		72"	RSA(A/B/C/D/E/F/G)F721-()(1/2/3)	613.	706.	951.
		78"	RSA(A/B/C/D/E/F/G)F781-()(1/2/3)	621.	714.	963.
		84"	RSA(A/B/C/D/E/F/G)F841-()(1/2/3)	661.	759.	1,025.
		90"	RSA(A/B/C/D/E/F/G)F901-()(1/2/3)	687.	791.	1,068.
		96"	RSA(A/B/C/D/E/F/G)F961-()(1/2/3)	714.	822.	1,109.
		24"	RSA(A/B/C/D/E/F/G)F242-()(1/2/3)	422.	484.	654.
		30"	RSA(A/B/C/D/E/F/G)F302-()(1/2/3)	477.	548.	739.
		36"	RSA(A/B/C/D/E/F/G)F362-()(1/2/3)	494.	569.	769.
		42"	RSA(A/B/C/D/E/F/G)F422-()(1/2/3)	510.	585.	789.
		48"	RSA(A/B/C/D/E/F/G)F482-()(1/2/3)	548.	627.	846.
		54"	RSA(A/B/C/D/E/F/G)F542-()(1/2/3)	582.	671.	904.
		60"	RSA(A/B/C/D/E/F/G)F602-()(1/2/3)	624.	717.	968.
		66"	RSA(A/B/C/D/E/F/G)F662-()(1/2/3)	648.	742.	1,002.
		72"	RSA(A/B/C/D/E/F/G)F722-()(1/2/3)	675.	779.	1,050.
		78"	RSA(A/B/C/D/E/F/G)F782-()(1/2/3)	709.	815.	1,100.
		84"	RSA(A/B/C/D/E/F/G)F842-()(1/2/3)	735.	845.	1,142.
		90"	RSA(A/B/C/D/E/F/G)F902-()(1/2/3)	767.	885.	1,193.
		96"	RSA(A/B/C/D/E/F/G)F962-()(1/2/3)	797.	920.	1,241.

Order Code	Specification Information	Application Notes	
Example: RSAGF241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.	
R Reff	1. Edge profile		5. <i>Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)
S Straight top	2. F = Front edge with profile only		6. <i>Finish type:</i> M = Mixed (laminate surface / wood edge) 1 = V1 2 = V2 3 = V3
A 1 1/4" thick	3. Width	Products on this page are shipped without hardware which must be ordered separately from the support components section.	
G Gamma	4. Depth		Applicable finishes are listed on page 5 and 6.
F Edge front only	5. Grommet option		Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
24 24" wide	6. Top finish type	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
1 20" deep	7. Top finish		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
F Flush grommet	8. Grommet finish		
2 V2 finish	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma		
V319 Medium cherry			
111 Jet black (grommet)			

Optional edge 1 1/4"
front only, 30" and 36" deep

Reff Profiles


description	d	width	pattern no.	M/V1	V2	V3
Straight rectangular work tops Profile edge front only 	30"	24"	RSA(A/B/C/D/E/F/G)F243-()(1/2/3)	\$455.	\$525.	\$711.
		30"	RSA(A/B/C/D/E/F/G)F303-()(1/2/3)	515.	591.	797.
		36"	RSA(A/B/C/D/E/F/G)F363-()(1/2/3)	555.	636.	858.
		42"	RSA(A/B/C/D/E/F/G)F423-()(1/2/3)	577.	662.	894.
		48"	RSA(A/B/C/D/E/F/G)F483-()(1/2/3)	615.	711.	959.
		54"	RSA(A/B/C/D/E/F/G)F543-()(1/2/3)	666.	765.	1,031.
		60"	RSA(A/B/C/D/E/F/G)F603-()(1/2/3)	689.	792.	1,069.
		66"	RSA(A/B/C/D/E/F/G)F663-()(1/2/3)	707.	813.	1,097.
		72"	RSA(A/B/C/D/E/F/G)F723-()(1/2/3)	723.	829.	1,121.
		78"	RSA(A/B/C/D/E/F/G)F783-()(1/2/3)	757.	873.	1,178.
		84"	RSA(A/B/C/D/E/F/G)F843-()(1/2/3)	787.	906.	1,225.
		90"	RSA(A/B/C/D/E/F/G)F903-()(1/2/3)	823.	949.	1,281.
		96"	RSA(A/B/C/D/E/F/G)F963-()(1/2/3)	853.	983.	1,326.
	36"	60"	RSA(A/B/C/D/E/F/G)F604-()(1/2/3)	796.	916.	1,235.
		66"	RSA(A/B/C/D/E/F/G)F664-()(1/2/3)	824.	951.	1,284.
		72"	RSA(A/B/C/D/E/F/G)F724-()(1/2/3)	852.	982.	1,324.

Worksurfaces

Order Code	Specification Information	Application Notes	
Example: RSAGF243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.	
R Reff	1. Edge profile		5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)
S Straight top	2. F = Front edge with profile only		6. Finish type: M = Mixed (laminate surface / wood edge) 1 = V1 2 = V2 3 = V3
A 1 1/4" thick	3. Width	Products on this page are shipped without hardware which must be ordered separately from the support components section.	
G Gamma	4. Depth		
F Edge front only	5. Grommet option		
24 24" wide	6. Top finish type	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
3 30" deep	7. Top finish		
F Flush grommet	8. Grommet finish		
2 V2 finish	<i>1. Edge profile options:</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48' w.	
V319 Medium cherry	A = Alpha		
111 Jet Black (grommet)	B = Beta		
	C = Chi		
	D = Delta		
	E = Epsilon		
	F = Phi		
	G = Gamma		

Optional edge 1 1/4"
front and back edge, 20" and 24" deep


Reff Profiles

description	d	w	pattern no.	M/V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	20"	24"	RSA(A/B/C/D/E/F/G)A241-()(1/2/3)	\$401.	\$457.	\$618.
		30"	RSA(A/B/C/D/E/F/G)A301-()(1/2/3)	439.	505.	681.
		36"	RSA(A/B/C/D/E/F/G)A361-()(1/2/3)	462.	533.	719.
		42"	RSA(A/B/C/D/E/F/G)A421-()(1/2/3)	484.	556.	751.
		48"	RSA(A/B/C/D/E/F/G)A481-()(1/2/3)	504.	578.	781.
		54"	RSA(A/B/C/D/E/F/G)A541-()(1/2/3)	522.	606.	817.
		60"	RSA(A/B/C/D/E/F/G)A601-()(1/2/3)	565.	651.	879.
		66"	RSA(A/B/C/D/E/F/G)A661-()(1/2/3)	582.	671.	904.
		72"	RSA(A/B/C/D/E/F/G)A721-()(1/2/3)	613.	706.	951.
		78"	RSA(A/B/C/D/E/F/G)A781-()(1/2/3)	621.	714.	963.
		84"	RSA(A/B/C/D/E/F/G)A841-()(1/2/3)	661.	759.	1,025.
		90"	RSA(A/B/C/D/E/F/G)A901-()(1/2/3)	687.	791.	1,068.
		96"	RSA(A/B/C/D/E/F/G)A961-()(1/2/3)	714.	822.	1,109.
	24"	24"	RSA(A/B/C/D/E/F/G)A242-()(1/2/3)	422.	484.	654.
		30"	RSA(A/B/C/D/E/F/G)A302-()(1/2/3)	477.	548.	739.
		36"	RSA(A/B/C/D/E/F/G)A362-()(1/2/3)	494.	569.	769.
		42"	RSA(A/B/C/D/E/F/G)A422-()(1/2/3)	510.	585.	789.
		48"	RSA(A/B/C/D/E/F/G)A482-()(1/2/3)	548.	627.	846.
		54"	RSA(A/B/C/D/E/F/G)A542-()(1/2/3)	582.	671.	904.
		60"	RSA(A/B/C/D/E/F/G)A602-()(1/2/3)	624.	717.	968.
		66"	RSA(A/B/C/D/E/F/G)A662-()(1/2/3)	648.	742.	1,002.
		72"	RSA(A/B/C/D/E/F/G)A722-()(1/2/3)	675.	779.	1,050.
		78"	RSA(A/B/C/D/E/F/G)A782-()(1/2/3)	709.	815.	1,100.
		84"	RSA(A/B/C/D/E/F/G)A842-()(1/2/3)	735.	845.	1,142.
		90"	RSA(A/B/C/D/E/F/G)A902-()(1/2/3)	767.	885.	1,193.
		96"	RSA(A/B/C/D/E/F/G)A962-()(1/2/3)	797.	920.	1,241.

Order Code	Specification Information	Application Notes
Example: RSAGA241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	6. Finish type: M = Mixed (laminate surface / wood edge) 1 = V1 2 = V2 3 = V3	Product on this page will accept woodgrain laminate where laminate is currently an option.
A 1 1/4" thick	1. Edge profile	List price for woodgrain laminate options will be current published laminate list price plus 10%.
G Gamma	2. 5th position A = Edge front and back	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
A Edge front and back	3. Width	
24 24" wide	4. Depth	
1 20" deep	5. Grommet option	
F Flush grommet	6. Top finish type	
2 V2 finish	7. Top finish	
V319 Medium cherry	8. Grommet finish	
111 Jet Black (grommet)	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	

Optional edge 1 1/4"
front and back edge, 30" and 36" deep

Reff Profiles



description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	30"	24"	RSA(A/B/C/D/E/F/G)A243-()(1/2/3)	\$455.	\$525.	\$711.
		30"	RSA(A/B/C/D/E/F/G)A303-()(1/2/3)	515.	591.	797.
		36"	RSA(A/B/C/D/E/F/G)A363-()(1/2/3)	555.	636.	858.
		42"	RSA(A/B/C/D/E/F/G)A423-()(1/2/3)	577.	662.	894.
		48"	RSA(A/B/C/D/E/F/G)A483-()(1/2/3)	615.	711.	959.
		54"	RSA(A/B/C/D/E/F/G)A543-()(1/2/3)	666.	765.	1,031.
		60"	RSA(A/B/C/D/E/F/G)A603-()(1/2/3)	689.	792.	1,069.
		66"	RSA(A/B/C/D/E/F/G)A663-()(1/2/3)	707.	813.	1,097.
		72"	RSA(A/B/C/D/E/F/G)A723-()(1/2/3)	723.	829.	1,121.
		78"	RSA(A/B/C/D/E/F/G)A783-()(1/2/3)	757.	873.	1,178.
		84"	RSA(A/B/C/D/E/F/G)A843-()(1/2/3)	787.	906.	1,225.
		90"	RSA(A/B/C/D/E/F/G)A903-()(1/2/3)	823.	949.	1,281.
		96"	RSA(A/B/C/D/E/F/G)A963-()(1/2/3)	853.	983.	1,326.
		36"	RSA(A/B/C/D/E/F/G)A604-()(1/2/3)	796.	916.	1,235.
			RSA(A/B/C/D/E/F/G)A664-()(1/2/3)	824.	951.	1,284.
			RSA(A/B/C/D/E/F/G)A724-()(1/2/3)	852.	982.	1,324.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAGA243F2	<i>>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	5. Grommet options: N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	6. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3	Product on this page will accept woodgrain laminate where laminate is currently an option.
A 1 1/4" thick	Applicable finishes are listed on page 5 and 6.	List price for woodgrain laminate options will be current published laminate list price plus 10%.
G Gamma	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
A Edge front and back		
24 24" wide		
3 30" deep		
F Flush grommet		
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		

Optional edge 1 1/4"
front and attaching edge profiled


Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Bridge work tops, Profile edge front only, Accepts Same Edge on attaching sides 	20"	24"	RSA(A/B/C/D/E/F/G)B241-()(1/2/3)	\$401.	\$457.	\$618.
		30"	RSA(A/B/C/D/E/F/G)B301-()(1/2/3)	439.	505.	681.
		36"	RSA(A/B/C/D/E/F/G)B361-()(1/2/3)	462.	533.	719.
		42"	RSA(A/B/C/D/E/F/G)B421-()(1/2/3)	484.	556.	751.
		48"	RSA(A/B/C/D/E/F/G)B481-()(1/2/3)	504.	578.	781.
	24"	24"	RSA(A/B/C/D/E/F/G)B242-()(1/2/3)	422.	484.	654.
		30"	RSA(A/B/C/D/E/F/G)B302-()(1/2/3)	477.	548.	739.
		36"	RSA(A/B/C/D/E/F/G)B362-()(1/2/3)	494.	569.	769.
		42"	RSA(A/B/C/D/E/F/G)B422-()(1/2/3)	510.	585.	789.
		48"	RSA(A/B/C/D/E/F/G)B482-()(1/2/3)	548.	627.	846.
Left-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)L241-()(1/2/3)	401.	457.	618.
		30"	RSA(A/B/C/D/E/F/G)L301-()(1/2/3)	439.	505.	681.
		36"	RSA(A/B/C/D/E/F/G)L361-()(1/2/3)	462.	533.	719.
		42"	RSA(A/B/C/D/E/F/G)L421-()(1/2/3)	484.	556.	751.
		48"	RSA(A/B/C/D/E/F/G)L481-()(1/2/3)	504.	578.	781.
	24"	24"	RSA(A/B/C/D/E/F/G)L242-()(1/2/3)	422.	484.	654.
		30"	RSA(A/B/C/D/E/F/G)L302-()(1/2/3)	477.	548.	739.
		36"	RSA(A/B/C/D/E/F/G)L362-()(1/2/3)	494.	569.	769.
		42"	RSA(A/B/C/D/E/F/G)L422-()(1/2/3)	510.	585.	789.
		48"	RSA(A/B/C/D/E/F/G)L482-()(1/2/3)	548.	627.	846.

Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	2. 5th position indicates how and which edges profiled	Product on this page will accept woodgrain laminate where laminate is currently an option.
A 1 1/4" thick	3. Width	List price for woodgrain laminate options will be current published laminate list price plus 10%.
G Gamma	4. Depth	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
B Both ends accept edge	5. Grommet option	Applicable finishes are listed on page 5 and 6.
24 24" wide	6. Top finish type	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
1 20" deep	7. Top finish	Return/mating edges indicated above and are the reverse profile of the primary edge profile selected.
F Flush grommet	8. Grommet finish	Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.
2 V2 finish	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
V319 Medium cherry	<i>2. 5th position options:</i> B = Front edge primary profile and both sides reverse profile for mating (bridge) L = Left hand return, front edge primary profile, right edge reverse profile for mating R = Right hand return, front edge primary profile, left edge reverse profile for mating <i>5. Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops) <i>6. Finish type:</i> M = Mixed (laminate surface / wood edge) 1 = V1 2 = V2 3 = V3	
111 Jet Black (grommet)		

Optional edge 1 1/4"
front and attaching edge profiled

Reff Profiles


description	d	w	pattern no.	V1	V2	V3
Right-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20"	24"	RSA(A/B/C/D/E/F/G)R241-()(1/2/3)	\$401.	\$457.	\$618.
		30"	RSA(A/B/C/D/E/F/G)R301-()(1/2/3)	439.	505.	681.
		36"	RSA(A/B/C/D/E/F/G)R361-()(1/2/3)	462.	533.	719.
		42"	RSA(A/B/C/D/E/F/G)R421-()(1/2/3)	484.	556.	751.
		48"	RSA(A/B/C/D/E/F/G)R481-()(1/2/3)	504.	578.	781.
	24"	24"	RSA(A/B/C/D/E/F/G)R242-()(1/2/3)	422.	484.	654.
		30"	RSA(A/B/C/D/E/F/G)R302-()(1/2/3)	477.	548.	739.
		36"	RSA(A/B/C/D/E/F/G)R362-()(1/2/3)	494.	569.	769.
		42"	RSA(A/B/C/D/E/F/G)R422-()(1/2/3)	510.	585.	789.
		48"	RSA(A/B/C/D/E/F/G)R482-()(1/2/3)	548.	627.	846.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAGB241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	2. 5th position indicates how and which edges profiled	Product on this page will accept woodgrain laminate where laminate is currently an option.
A 1 1/4" thick	3. Width	List price for woodgrain laminate options will be current published laminate list price plus 10%.
G Gamma	4. Depth	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
B Both ends accept edge	5. Grommet option	Applicable finishes are listed on page 5 and 6.
24 24" wide	6. Top finish type	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
1 20" deep	7. Top finish	Return/mating edges indicated above and are the reverse profile of the primary edge profile selected.
F Flush grommet	8. Grommet finish	Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.
2 V2 finish	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
V319 Medium cherry	<i>2. 5th position options:</i> B = Front edge primary profile and both sides reverse profile for mating (bridge) L = Left hand return, front edge primary profile, right edge reverse profile for mating R = Right hand return, front edge primary profile, left edge reverse profile for mating	
111 Jet Black (grommet)	<i>5. Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front (not recommended on 20"D and 24"D tops)	
	<i>6. Finish type:</i> M = Mixed (laminate surface / wood edge) 1 = V1 2 = V2 3 = V3	

Optional edge 1 1/4" curvilinear corner front edge only

Reff Profiles

description	widthl	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 20" 	36"	36"	RCA(A/B/C/D/E/F/G)F363611-()(1/2/3)	\$847.	\$973.	\$1,314.
	36"	42"	RCA(A/B/C/D/E/F/G)F423611-()(1/2/3)	895.	1,030.	1,391.
	36"	48"	RCA(A/B/C/D/E/F/G)F483611-()(1/2/3)	953.	1,094.	1,477.
	42"	36"	RCA(A/B/C/D/E/F/G)F364211-()(1/2/3)	895.	1,030.	1,391.
	42"	42"	RCA(A/B/C/D/E/F/G)F424211-()(1/2/3)	953.	1,094.	1,477.
	42"	48"	RCA(A/B/C/D/E/F/G)F484211-()(1/2/3)	1,040.	1,195.	1,613.
	48"	36"	RCA(A/B/C/D/E/F/G)F364811-()(1/2/3)	953.	1,094.	1,477.
	48"	42"	RCA(A/B/C/D/E/F/G)F424811-()(1/2/3)	1,040.	1,195.	1,613.
	48"	48"	RCA(A/B/C/D/E/F/G)F484811-()(1/2/3)	1,094.	1,259.	1,698.
<i>Radii of front edge varies with top dimensions</i>						
Curved corner work tops with Profile edge on front only, left return depth 20", right return depth 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363612-()(1/2/3)	885.	1,017.	1,374.
	36"	42"	RCA(A/B/C/D/E/F/G)F423612-()(1/2/3)	932.	1,072.	1,448.
	36"	48"	RCA(A/B/C/D/E/F/G)F483612-()(1/2/3)	991.	1,136.	1,536.
	42"	36"	RCA(A/B/C/D/E/F/G)F364212-()(1/2/3)	932.	1,072.	1,448.
	42"	42"	RCA(A/B/C/D/E/F/G)F424212-()(1/2/3)	991.	1,136.	1,536.
	42"	48"	RCA(A/B/C/D/E/F/G)F484212-()(1/2/3)	1,078.	1,238.	1,673.
	48"	36"	RCA(A/B/C/D/E/F/G)F364812-()(1/2/3)	991.	1,136.	1,536.
	48"	42"	RCA(A/B/C/D/E/F/G)F424812-()(1/2/3)	1,078.	1,238.	1,673.
	48"	48"	RCA(A/B/C/D/E/F/G)F484812-()(1/2/3)	1,132.	1,303.	1,759.
Curved corner work tops with Profile edge on front only, left return 24", right return 20"	36"	36"	RCA(A/B/C/D/E/F/G)F363621-()(1/2/3)	885.	1,017.	1,374.
	36"	42"	RCA(A/B/C/D/E/F/G)F423621-()(1/2/3)	932.	1,072.	1,448.
	36"	48"	RCA(A/B/C/D/E/F/G)F483621-()(1/2/3)	991.	1,136.	1,536.
	42"	36"	RCA(A/B/C/D/E/F/G)F364221-()(1/2/3)	932.	1,072.	1,448.
	42"	42"	RCA(A/B/C/D/E/F/G)F424221-()(1/2/3)	991.	1,136.	1,536.
	42"	48"	RCA(A/B/C/D/E/F/G)F484221-()(1/2/3)	1,078.	1,238.	1,673.
	48"	36"	RCA(A/B/C/D/E/F/G)F364821-()(1/2/3)	991.	1,136.	1,536.
	48"	42"	RCA(A/B/C/D/E/F/G)F424821-()(1/2/3)	1,078.	1,238.	1,673.
	48"	48"	RCA(A/B/C/D/E/F/G)F484821-()(1/2/3)	1,132.	1,303.	1,759.
Curved corner work tops with Profile edge on front only, return depth left and right 24"	36"	36"	RCA(A/B/C/D/E/F/G)F363622-()(1/2/3)	960.	1,104.	1,491.
	36"	42"	RCA(A/B/C/D/E/F/G)F423622-()(1/2/3)	1,011.	1,160.	1,566.
	36"	48"	RCA(A/B/C/D/E/F/G)F483622-()(1/2/3)	1,065.	1,224.	1,653.
	42"	36"	RCA(A/B/C/D/E/F/G)F364222-()(1/2/3)	1,011.	1,160.	1,566.
	42"	42"	RCA(A/B/C/D/E/F/G)F424222-()(1/2/3)	1,065.	1,224.	1,653.

Order Code	Specification Information	Application Notes
Example: RCAGF363611	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	6. Grommet options: N = No grommet F = Flush front grommet location	Products on this page are shipped without hardware which must be ordered separately from the support components section.
C Corner top	7. Finish type: M = Mixed (laminare surface / wood edge) 1 = V1 2 = V2 3 = V3	
A 1 1/4" thick		
G Gamma	Applicable finishes are listed on page 5 and 6.	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
F Edge Front only	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	
36 36" wide		
36 36" wide		Worksurface stiffeners recommended to provide additional support for open spans greater than 48" w.
1 20" deep		
1 20" deep		
F Flush grommet	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	
2 V2 finish		
V319 Medium cherry		
111 Jet Black (grommet)		

Optional edge 1 1/4"
curvilinear corner front edge only

Reff Profiles

description	widthl	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 24"	42"	48"	RCA(A/B/C/D/E/F/G)F484222-()(1/2/3)	\$1,155.	\$1,328.	\$1,792.
	48"	36"	RCA(A/B/C/D/E/F/G)F364822-()(1/2/3)	1,065.	1,224.	1,653.
	48"	42"	RCA(A/B/C/D/E/F/G)F424822-()(1/2/3)	1,155.	1,328.	1,792.
	48"	48"	RCA(A/B/C/D/E/F/G)F484822-()(1/2/3)	1,209.	1,388.	1,875.






Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCAGF363611	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	6. Grommet options: N = No grommet F = Flush front grommet location
C Corner top	2. Left hand width	7. Finish type: M = Mixed (laminare surface / wood edge)
A 1 1/4" thick	3. Right hand width	1 = V1
G Gamma	4. Return left hand depth	2 = V2
F Edge Front only	5. Return right hand depth	3 = V3
36 36" wide	6. Grommet option	Applicable finishes are listed on page 5 and 6.
36 36" wide	7. Top finish type	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
1 20" deep	8. Top finish	
1 20" deep	9. Grommet finish	
F Flush grommet	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
2 V2 finish		Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
V319 Medium cherry		
111 Jet Black (grommet)		

Optional edge 1 1/4"

wave end tops front edge only

Reff Profiles

description	depth1	d right	w	pattern no.	M/V1	V2	V3
Wave transition top with profile edge front only (left 24", right 20") 	20"	24"	42"	RWA(A/B/C/D/E/F/G)F4221-() (1/2/3)	\$511.	\$588.	\$793.
	20"	24"	48"	RWA(A/B/C/D/E/F/G)F4821-() (1/2/3)	537.	618.	834.
	20"	24"	54"	RWA(A/B/C/D/E/F/G)F5421-() (1/2/3)	574.	661.	892.
	20"	24"	60"	RWA(A/B/C/D/E/F/G)F6021-() (1/2/3)	614.	709.	955.
	20"	24"	66"	RWA(A/B/C/D/E/F/G)F6621-() (1/2/3)	633.	727.	985.
	20"	24"	72"	RWA(A/B/C/D/E/F/G)F7221-() (1/2/3)	662.	763.	1,029.
Wave transition top with profile edge front only (left 30", right 24") 	24"	30"	42"	RWA(A/B/C/D/E/F/G)F4232-() (1/2/3)	553.	633.	854.
	24"	30"	48"	RWA(A/B/C/D/E/F/G)F4832-() (1/2/3)	573.	658.	888.
	24"	30"	54"	RWA(A/B/C/D/E/F/G)F5432-() (1/2/3)	618.	712.	960.
	24"	30"	60"	RWA(A/B/C/D/E/F/G)F6032-() (1/2/3)	661.	759.	1,025.
	24"	30"	66"	RWA(A/B/C/D/E/F/G)F6632-() (1/2/3)	684.	788.	1,064.
	24"	30"	72"	RWA(A/B/C/D/E/F/G)F7232-() (1/2/3)	721.	827.	1,118.
Wave transition top with profile edge front only (left 20", right 24") 	24"	20"	42"	RWA(A/B/C/D/E/F/G)F4212-() (1/2/3)	511.	588.	793.
	24"	20"	48"	RWA(A/B/C/D/E/F/G)F4812-() (1/2/3)	537.	618.	834.
	24"	20"	54"	RWA(A/B/C/D/E/F/G)F5412-() (1/2/3)	574.	661.	892.
	24"	20"	60"	RWA(A/B/C/D/E/F/G)F6012-() (1/2/3)	614.	709.	955.
	24"	20"	66"	RWA(A/B/C/D/E/F/G)F6612-() (1/2/3)	633.	727.	985.
	24"	20"	72"	RWA(A/B/C/D/E/F/G)F7212-() (1/2/3)	662.	763.	1,029.
Wave transition top with profile edge front only (left 24", right 30") 	30"	24"	42"	RWA(A/B/C/D/E/F/G)F4223-() (1/2/3)	553.	633.	854.
	30"	24"	48"	RWA(A/B/C/D/E/F/G)F4823-() (1/2/3)	573.	658.	888.
	30"	24"	54"	RWA(A/B/C/D/E/F/G)F5423-() (1/2/3)	618.	712.	960.
	30"	24"	60"	RWA(A/B/C/D/E/F/G)F6023-() (1/2/3)	661.	759.	1,025.
	30"	24"	66"	RWA(A/B/C/D/E/F/G)F6623-() (1/2/3)	684.	788.	1,064.
	30"	24"	72"	RWA(A/B/C/D/E/F/G)F7223-() (1/2/3)	721.	827.	1,118.
Wave end top with profile edge front only (20" right) 	20"	32"	36"	RWEA(A/B/C/D/E/F/G)F3631-() (1/2/3)	679.	782.	1,055.
	20"	32"	42"	RWEA(A/B/C/D/E/F/G)F4231-() (1/2/3)	707.	813.	1,097.
	20"	32"	48"	RWEA(A/B/C/D/E/F/G)F4831-() (1/2/3)	743.	854.	1,155.




Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	6. Grommet options: N = No grommet F = Flush front grommet location
W Wave transition top	2. 5th position F = front edge with profile only	7. Finish type: M = Mixed (laminate surface / wood edge) 1 = V1 2 = V2 3 = V3
A 1 1/4" thick	3. Width	Applicable finishes are listed on page 5 and 6.
G Gamma	4. Left hand depth	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
F Edge front only	5. Right hand depth	
42 42" wide	6. Grommet option	
2 20" deep	7. Top finish type	
1 20" deep	8. Top finish	
F Flush grommet	9. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i> A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	Products on this page are shipped without hardware which must be ordered separately from the support components section.
V319 Medium cherry		Product on this page will accept woodgrain laminate where laminate is currently an option.
111 Jet Black (grommet)		List price for woodgrain laminate options will be current published laminate list price plus 10%.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.

Optional edge 1 1/4"

*wave end tops
front edge only*

Reff Profiles

description	depthl	d right	w	pattern no.	M/V1	V2	V3
Wave end top with profile edge front only (24" right)	24"	36"	36"	RWEA(A/B/C/D/E/F/G)F3662-()(1/2/3)	\$703.	\$809.	\$1,091.
	24"	36"	42"	RWEA(A/B/C/D/E/F/G)F4262-()(1/2/3)	724.	832.	1,124.
	24"	36"	48"	RWEA(A/B/C/D/E/F/G)F4862-()(1/2/3)	766.	884.	1,192.
Wave end top with profile edge front only (20" left)	32"	20"	36"	RWEA(A/B/C/D/E/F/G)F3613-()(1/2/3)	679.	782.	1,055.
	32"	20"	42"	RWEA(A/B/C/D/E/F/G)F4213-()(1/2/3)	707.	813.	1,097.
	32"	20"	48"	RWEA(A/B/C/D/E/F/G)F4813-()(1/2/3)	743.	854.	1,155.
Wave end top with profile edge front only (24" left)	36"	24"	36"	RWEA(A/B/C/D/E/F/G)F3626-()(1/2/3)	703.	809.	1,091.
	36"	24"	42"	RWEA(A/B/C/D/E/F/G)F4226-()(1/2/3)	724.	832.	1,124.
	36"	24"	48"	RWEA(A/B/C/D/E/F/G)F4826-()(1/2/3)	766.	884.	1,192.





Worksurfaces

Order Code	Specification Information	Application Notes
Example: RWAGF422-1F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
W Wave transition top	2. 5th position F = front edge with profile only	Product on this page will accept woodgrain laminate where laminate is currently an option.
A 1 1/4" thick	3. Width	List price for woodgrain laminate options will be current published laminate list price plus 10%.
G Gamma	4. Left hand depth	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
F Edge front only	5. Right hand depth	
42 42" wide	6. Grommet option	
2 20" deep	7. Top finish type	
1 20" deep	8. Top finish	
F Flush grommet	9. Grommet finish	
2 V2 finish	<i>1. Edge profile options:</i>	
V319 Medium cherry	A = Alpha	
111 Jet Black (grommet)	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>6. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	<i>7. Finish type:</i>	
	M = Mixed (laminate surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Optional edge 1 1/4" meeting tops





Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Profile edge on all except flat side. Grommet choices are centered (as shown) or none 	30"	42"	RMDA(A/B/C/D/E/F/G)F4230-() (1/2/3)	\$722.	\$828.	\$1,119.
	30"	48"	RMDA(A/B/C/D/E/F/G)F4830-() (1/2/3)	781.	894.	1,207.
	30"	54"	RMDA(A/B/C/D/E/F/G)F5430-() (1/2/3)	834.	960.	1,296.
	30"	60"	RMDA(A/B/C/D/E/F/G)F6030-() (1/2/3)	892.	1,025.	1,383.
	30"	66"	RMDA(A/B/C/D/E/F/G)F6630-() (1/2/3)	952.	1,093.	1,476.
	30"	72"	RMDA(A/B/C/D/E/F/G)F7230-() (1/2/3)	1,010.	1,159.	1,565.
	30"	78"	RMDA(A/B/C/D/E/F/G)F7830-() (1/2/3)	1,141.	1,311.	1,771.
	30"	84"	RMDA(A/B/C/D/E/F/G)F8430-() (1/2/3)	1,274.	1,464.	1,977.
	30"	90"	RMDA(A/B/C/D/E/F/G)F9030-() (1/2/3)	1,423.	1,636.	2,207.
	30"	96"	RMDA(A/B/C/D/E/F/G)F9630-() (1/2/3)	1,569.	1,804.	2,436.
	36"	42"	RMDA(A/B/C/D/E/F/G)F4236-() (1/2/3)	794.	914.	1,233.
	36"	48"	RMDA(A/B/C/D/E/F/G)F4836-() (1/2/3)	868.	999.	1,349.
	36"	54"	RMDA(A/B/C/D/E/F/G)F5436-() (1/2/3)	993.	1,144.	1,543.
	36"	60"	RMDA(A/B/C/D/E/F/G)F6036-() (1/2/3)	1,114.	1,282.	1,731.
	36"	66"	RMDA(A/B/C/D/E/F/G)F6636-() (1/2/3)	1,134.	1,306.	1,763.
	36"	72"	RMDA(A/B/C/D/E/F/G)F7236-() (1/2/3)	1,155.	1,328.	1,792.
	36"	78"	RMDA(A/B/C/D/E/F/G)F7836-() (1/2/3)	1,299.	1,492.	2,015.
	36"	84"	RMDA(A/B/C/D/E/F/G)F8436-() (1/2/3)	1,445.	1,663.	2,245.
	36"	90"	RMDA(A/B/C/D/E/F/G)F9036-() (1/2/3)	1,522.	1,751.	2,363.
	36"	96"	RMDA(A/B/C/D/E/F/G)F9636-() (1/2/3)	1,668.	1,915.	2,586.
Wrap-around panel top	21 1/4"	42 1/2"	RMDA(A/B/C/D/E/F/G)F4221-() (1/2/3)()	928.	1,067.	1,439.
*No Grommet option	25 1/4"	50 1/2"	RMDA(A/B/C/D/E/F/G)F5025-() (1/2/3)()	1,017.	1,170.	1,579.
 Please specify mating end trim profile option.						

Order Code	Specification Information	Application Notes
Example: RMDAGF4230F2 R Reff MD Peninsula D-shaped top A 1 1/4" thick G Gamma F Edge front only 42 42" wide 30 30" deep C Centered grommet 2 V2 finish V319 Medium cherry 111 Jet Black (grommet)	To order please specify pattern number including: 1. Edge profile 2. Width 3. Depth 4. Grommet option 5. Top finish type 6. Top finish 7. Grommet finish 8. Applicable "wrap around panel tops" only specify mating panel end trim profile 1. Edge profile options: A = Alpha B = Beta C = Chi D = Delta E = Epsilon F = Phi G = Gamma	4. Grommet options: N = No grommet C = Centered grommet (applicable RMDA product only) F = Flush front grommet location (for worksurfaces 9 or P tops) R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops) 5. Finish type: M = Mixed (laminated surface / wood edge) 1 = V1 2 = V2 3 = V3 8. Additional specification option required for wrap around panel tops only, specify mating trim profile A = Flat B = Square C = Bullnose E = Extruded Aluminum Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development. Products on this page are shipped without hardware which must be ordered separately from the support components section. Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%. Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.		

Optional edge 1 1/4" meeting tops P and 9

Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Worksurface P-top	30"	84"	RMPA(A/B/C/D/E/F/G)F8430-()(1/2/3)	\$2,016.	\$2,322.	\$3,133.
	30"	96"	RMPA(A/B/C/D/E/F/G)F9630-()(1/2/3)	2,102.	2,417.	3,263.
Worksurface 9-top	30"	84"	RM9A(A/B/C/D/E/F/G)F8430-()(1/2/3)	2,016.	2,322.	3,133.
	30"	96"	RM9A(A/B/C/D/E/F/G)F9630-()(1/2/3)	2,102.	2,417.	3,263.
Meeting P-top (adjoining top must use 12 end panel and modesty panel to support)	30"	42"	RM9A(A/B/C/D/E/F/G)F4230-()(1/2/3)	992.	1,140.	1,537.
*No Grommet option	36"	48"	RM9A(A/B/C/D/E/F/G)F4836-()(1/2/3)	1,102.	1,267.	1,712.
						
Meeting 9-top (adjoining top must use 12 end panel and modesty panel to support)	30"	42"	RMPA(A/B/C/D/E/F/G)F4230-()(1/2/3)	992.	1,140.	1,537.
*No Grommet option	36"	48"	RMPA(A/B/C/D/E/F/G)F4836-()(1/2/3)	1,102.	1,267.	1,712.
						




Worksurfaces

Order Code	Specification Information	Application Notes
Example: RMPAGF4230F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
MP Peninsula P-shaped top	2. Width	Product on this page will accept woodgrain laminate where laminate is currently an option.
A 1 1/4" thick	3. Depth	List price for woodgrain laminate options will be current published laminate list price plus 10%.
G Gamma	4. Grommet option	Worksurface stiffeners recommended to provide additional support for open spans greater than 48"w.
F Edge front only	5. Top finish type	
42 42" wide	6. Top finish	
30 30" deep	7. Grommet finish	
C Centered grommet	8. Applicable "wrap around panel tops" only specify mating panel end trim profile	
2 V2 finish		
V319 Medium cherry	<i>1. Edge profile options:</i>	
111 Jet Black (grommet)	A = Alpha	
	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>4. Grommet options:</i>	
	N = No grommet	
	C = Centered grommet (applicable RMDA product only)	
	F = Flush front grommet location (for worksurfaces 9 or P tops)	
	R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20"D and 24"D tops)	
	<i>5. Finish type:</i>	
	M = Mixed (laminate surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Optional edge 1 1/4"

Bow front tops

Reff Profiles






description	w	d	pattern no.	V1	V2	V3
Profile edge on front and back (30"d)	72"	30"	RMBA(A/B/C/D/E/F/G)A7230-()(1/2/3)	\$1,203.	\$1,381.	\$1,866.
	84"	30"	RMBA(A/B/C/D/E/F/G)A8430-()(1/2/3)	1,325.	1,524.	2,058.
	96"	30"	RMBA(A/B/C/D/E/F/G)A9630-()(1/2/3)	1,468.	1,686.	2,277.
Profile edge on front and back (36"d)	72"	36"	RMBA(A/B/C/D/E/F/G)A7236-()(1/2/3)	1,277.	1,467.	1,983.
	84"	36"	RMBA(A/B/C/D/E/F/G)A8436-()(1/2/3)	1,400.	1,611.	2,175.
	96"	36"	RMBA(A/B/C/D/E/F/G)A9636-()(1/2/3)	1,551.	1,785.	2,408.
Profile elliptical tops	60"	30"	REBA(A/B/C/D/E/F/G)A6030	1,411.	1,623.	2,191.
	72"	42"	REBA(A/B/C/D/E/F/G)A7242	2,012.	2,310.	3,119.
	78"	48"	REBA(A/B/C/D/E/F/G)A7848	2,204.	2,535.	3,422.

grommet options for elliptical tops, N or R

Order Code	Specification Information	Application Notes
Example: RMBAGA7230F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
MB Bow front top	2. Width	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
A 1 1/4" thick	3. Depth	
G Gamma	4. Grommet option	
A Edge front and back	5. Top finish type	
72 72" wide	6. Top finish	
30 30" deep	7. Grommet finish	
F Flush grommet	<i>1. Edge profile options:</i>	
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
111 Jet Black (grommet)	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	<i>4. Grommet options:</i>	
	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front	
	A = Alternate location (only for 36" deep bow front tops)	
	<i>5. Finish type:</i>	
	M = Mixed (laminated surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Optional edge 1 1/4" round and racetrack conference tops





Reff Profiles

description	w	d	pattern no.	V1	V2	V3
Racetrack top - 1 piece	72"	30"	RTA(A/B/C/D/E/F/G)7230-(1/2/3)	\$1,411.	\$1,623.	\$2,191.
	72"	36"	RTA(A/B/C/D/E/F/G)7236-(1/2/3)	1,611.	1,849.	2,497.
	84"	30"	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	1,571.	1,810.	2,442.
	84"	36"	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	1,813.	2,079.	2,809.
	84"	42"	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	2,204.	2,535.	3,422.
	96"	30"	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	1,751.	2,014.	2,717.
	96"	36"	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	2,012.	2,310.	3,119.
	96"	42"	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	2,467.	2,837.	3,830.
Racetrack top - 2 piece Profile edge on all sides except on parting lines	120"	36"	RTA(A/B/C/D/E/F/G)12036-(1/2/3)	2,597.	2,985.	4,029.
	120"	42"	RTA(A/B/C/D/E/F/G)12042-(1/2/3)	2,800.	3,218.	4,345.
	120"	48"	RTA(A/B/C/D/E/F/G)12048-(1/2/3)	2,976.	3,421.	4,617.
	144"	42"	RTA(A/B/C/D/E/F/G)14442-(1/2/3)	3,085.	3,549.	4,790.
	144"	48"	RTA(A/B/C/D/E/F/G)14448-(1/2/3)	3,164.	3,636.	4,910.
Racetrack top - 3 piece Profile edge on all sides except on parting lines	168"	42"	RTA(A/B/C/D/E/F/G)16842-(1/2/3)	3,869.	4,450.	6,007.
	168"	48"	RTA(A/B/C/D/E/F/G)16848-(1/2/3)	4,138.	4,759.	6,423.
	192"	42"	RTA(A/B/C/D/E/F/G)19242-(1/2/3)	4,159.	4,781.	6,455.
	192"	48"	RTA(A/B/C/D/E/F/G)19248-(1/2/3)	4,327.	4,977.	6,717.
Round tops Profile edge on all sides except on parting lines.	*	60"	RTA(A/B/C/D/E/F/G)6060-(1/2/3)	2,378.	2,735.	3,690.
	*	72"	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	2,943.	3,385.	4,570.
	-	36"	RTA(A/B/C/D/E/F/G)3636-(1/2/3)	794.	914.	1,233.
	-	42"	RTA(A/B/C/D/E/F/G)4242-(1/2/3)	921.	1,058.	1,430.
	-	48"	RTA(A/B/C/D/E/F/G)4848-(1/2/3)	1,516.	1,743.	2,353.

Order Code	Specification Information	Application Notes
Example: RTAG72302	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge profile	Products on this page are shipped without hardware which must be ordered separately from the support components section.
T Racetrack top	2. Width	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
A 1 1/4" thick	3. Depth	
G Gamma	4. Finish type	
72 22" wide	5. Finish	
30 30" deep	<i>1. Edge profile options:</i>	
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	4. Finish type:	
	M = Mixed (lamine surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	*Round tops in two pieces.	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Optional edge 1 1/4"
square and rectangular conference tops


Reff Profiles

description	w	d	pattern no.	V1	V2	V3
Rectangular top - 1 piece	72"	30"	RRR(A/B/C/D/E/F/G)7230-(1/2/3)	\$747.	\$858.	\$1,159.
	72"	36"	RRR(A/B/C/D/E/F/G)7236-(1/2/3)	812.	931.	1,258.
	84"	30"	RRR(A/B/C/D/E/F/G)8430-(1/2/3)	825.	952.	1,285.
	84"	36"	RRR(A/B/C/D/E/F/G)8436-(1/2/3)	886.	1,018.	1,375.
	84"	42"	RRR(A/B/C/D/E/F/G)8442-(1/2/3)	1,311.	1,507.	2,034.
	96"	30"	RRR(A/B/C/D/E/F/G)9630-(1/2/3)	927.	1,065.	1,438.
	96"	36"	RRR(A/B/C/D/E/F/G)9636-(1/2/3)	1,024.	1,177.	1,591.
	96"	42"	RRR(A/B/C/D/E/F/G)9642-(1/2/3)	1,505.	1,729.	2,334.
Rectangular top - 2 piece Profile edge on all sides except on parting lines	120"	36"	RRR(A/B/C/D/E/F/G)12036-(1/2/3)	1,642.	1,888.	2,549.
	120"	42"	RRR(A/B/C/D/E/F/G)12042-(1/2/3)	2,265.	2,604.	3,512.
	120"	48"	RRR(A/B/C/D/E/F/G)12048-(1/2/3)	2,461.	2,830.	3,822.
	144"	42"	RRR(A/B/C/D/E/F/G)14442-(1/2/3)	2,542.	2,928.	3,953.
	144"	48"	RRR(A/B/C/D/E/F/G)14448-(1/2/3)	2,727.	3,134.	4,232.
Rectangular top - 3 piece Profile edge on all sides except on parting lines	168"	42"	RRR(A/B/C/D/E/F/G)16842-(1/2/3)	3,336.	3,837.	5,179.
	168"	48"	RRR(A/B/C/D/E/F/G)16848-(1/2/3)	3,623.	4,169.	5,629.
	192"	42"	RRR(A/B/C/D/E/F/G)19242-(1/2/3)	3,613.	4,158.	5,612.
	192"	48"	RRR(A/B/C/D/E/F/G)19248-(1/2/3)	3,890.	4,474.	6,038.
Square top Profile edge on all sides except on parting lines	*	60"	RRR(A/B/C/D/E/F/G)6060-(1/2/3)	1,530.	1,759.	2,376.
	*	72"	RRR(A/B/C/D/E/F/G)7272-(1/2/3)	1,804.	2,074.	2,801.
	—	36"	RRR(A/B/C/D/E/F/G)3636-(1/2/3)	577.	662.	894.
	—	42"	RRR(A/B/C/D/E/F/G)4242-(1/2/3)	747.	858.	1,159.
	—	48"	RRR(A/B/C/D/E/F/G)4848-(1/2/3)	982.	1,127.	1,521.

Order Code	Specification Information	Application Notes
Example: RRAG72302	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Edge option	Products on this page are shipped without hardware which must be ordered separately from the support components section.
R Conference Room top	2. Width	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
A 1 1/4" thick	3. Depth	
G Gamma	4. Finish type	
72 72" wide	5. Finish	
30 30" deep	<i>1. Edge profile options:</i>	
2 V2 finish	A = Alpha	
V319 Medium cherry	B = Beta	
	C = Chi	
	D = Delta	
	E = Epsilon	
	F = Phi	
	G = Gamma	
	4. Finish type:	
	M = Mixed (laminate surface / wood edge)	
	1 = V1	
	2 = V2	
	3 = V3	
	* Square tops in two pieces.	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes:	
	Y341 Wenge	
	Y342 Medium Teak	
	Y343 Dark Grey Oak	

Waterfall Edge 1 1/4"
with 2" Waterfall edge front only
20" and 24" deep

Reff Profiles


description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front only 	20"	24"	RSAWF241-() (1/2/3)	\$758.	\$873.	\$1,178.
		30"	RSAWF301-() (1/2/3)	834.	961.	1,299.
		36"	RSAWF361-() (1/2/3)	883.	1,012.	1,366.
		42"	RSAWF421-() (1/2/3)	921.	1,056.	1,426.
		48"	RSAWF481-() (1/2/3)	957.	1,101.	1,486.
		54"	RSAWF541-() (1/2/3)	999.	1,151.	1,553.
		60"	RSAWF601-() (1/2/3)	1,076.	1,236.	1,670.
		66"	RSAWF661-() (1/2/3)	1,109.	1,277.	1,723.
		72"	RSAWF721-() (1/2/3)	1,164.	1,338.	1,810.
		78"	RSAWF781-() (1/2/3)	1,183.	1,359.	1,833.
		84"	RSAWF841-() (1/2/3)	1,259.	1,447.	1,953.
		90"	RSAWF901-() (1/2/3)	1,308.	1,505.	2,032.
		96"	RSAWF961-() (1/2/3)	1,359.	1,559.	2,105.
	24"	24"	RSAWF242-() (1/2/3)	798.	921.	1,243.
		30"	RSAWF302-() (1/2/3)	903.	1,040.	1,403.
		36"	RSAWF362-() (1/2/3)	940.	1,078.	1,457.
		42"	RSAWF422-() (1/2/3)	968.	1,112.	1,502.
		48"	RSAWF482-() (1/2/3)	1,040.	1,195.	1,613.
		54"	RSAWF542-() (1/2/3)	1,109.	1,277.	1,723.
		60"	RSAWF602-() (1/2/3)	1,188.	1,365.	1,842.
		66"	RSAWF662-() (1/2/3)	1,229.	1,410.	1,906.
		72"	RSAWF722-() (1/2/3)	1,284.	1,477.	1,992.
		78"	RSAWF782-() (1/2/3)	1,346.	1,547.	2,089.
		84"	RSAWF842-() (1/2/3)	1,398.	1,607.	2,169.
		90"	RSAWF902-() (1/2/3)	1,464.	1,683.	2,273.
		96"	RSAWF962-() (1/2/3)	1,521.	1,748.	2,362.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWF241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 5 and 6.
WF Waterfall front	4. Grommet finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front	
V319 Medium cherry	(not recommended on 20"D and 24"D tops)	
111 Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Waterfall Edge 1 1/4"
with 2" Waterfall edge front only
30" and 36" deep


Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front only 	30"	24"	RSAWF243-() (1/2/3)	\$869.	\$1,002.	\$1,353.
		30"	RSAWF303-() (1/2/3)	976.	1,125.	1,518.
		36"	RSAWF363-() (1/2/3)	1,054.	1,210.	1,635.
		42"	RSAWF423-() (1/2/3)	1,098.	1,261.	1,703.
		48"	RSAWF483-() (1/2/3)	1,171.	1,349.	1,821.
		54"	RSAWF543-() (1/2/3)	1,266.	1,458.	1,968.
		60"	RSAWF603-() (1/2/3)	1,314.	1,510.	2,039.
		66"	RSAWF663-() (1/2/3)	1,343.	1,543.	2,086.
		72"	RSAWF723-() (1/2/3)	1,376.	1,581.	2,133.
		78"	RSAWF783-() (1/2/3)	1,440.	1,655.	2,233.
		84"	RSAWF843-() (1/2/3)	1,497.	1,723.	2,326.
		90"	RSAWF903-() (1/2/3)	1,568.	1,798.	2,428.
		96"	RSAWF963-() (1/2/3)	1,624.	1,867.	2,520.
		60"	RSAWF604-() (1/2/3)	1,517.	1,741.	2,349.
		66"	RSAWF664-() (1/2/3)	1,570.	1,804.	2,436.
		72"	RSAWF724-() (1/2/3)	1,621.	1,863.	2,514.

Order Code	Specification Information	Application Notes
Example: RSAWF243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
S Straight top	2. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 5 and 6.
WF Waterfall front	4. Grommet finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
24 24" wide	<i>1. Grommet options:</i>	
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front	
V319 Medium cherry	(not recommended on 20"D and 24"D tops)	
111 Jet black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and back
20" and 24" deep

Reff Profiles


description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and back only 	20"	24"	RSAWA241-() (1/2/3)	\$948.	\$1,094.	\$1,477.
		30"	RSAWA301-() (1/2/3)	1,045.	1,201.	1,619.
		36"	RSAWA361-() (1/2/3)	1,102.	1,264.	1,709.
		42"	RSAWA421-() (1/2/3)	1,152.	1,323.	1,786.
		48"	RSAWA481-() (1/2/3)	1,195.	1,376.	1,857.
		54"	RSAWA541-() (1/2/3)	1,248.	1,437.	1,941.
		60"	RSAWA601-() (1/2/3)	1,347.	1,545.	2,087.
		66"	RSAWA661-() (1/2/3)	1,387.	1,595.	2,155.
		72"	RSAWA721-() (1/2/3)	1,458.	1,678.	2,265.
		78"	RSAWA781-() (1/2/3)	1,480.	1,696.	2,292.
		84"	RSAWA841-() (1/2/3)	1,573.	1,809.	2,441.
		90"	RSAWA901-() (1/2/3)	1,638.	1,883.	2,540.
		96"	RSAWA961-() (1/2/3)	1,696.	1,953.	2,636.
		24"	RSAWA242-() (1/2/3)	999.	1,152.	1,554.
		30"	RSAWA302-() (1/2/3)	1,129.	1,300.	1,755.
		36"	RSAWA362-() (1/2/3)	1,175.	1,352.	1,825.
		42"	RSAWA422-() (1/2/3)	1,210.	1,391.	1,880.
		48"	RSAWA482-() (1/2/3)	1,300.	1,496.	2,018.
		54"	RSAWA542-() (1/2/3)	1,387.	1,595.	2,155.
		60"	RSAWA602-() (1/2/3)	1,486.	1,710.	2,307.
		66"	RSAWA662-() (1/2/3)	1,537.	1,764.	2,381.
		72"	RSAWA722-() (1/2/3)	1,604.	1,845.	2,493.
		78"	RSAWA782-() (1/2/3)	1,683.	1,937.	2,613.
		84"	RSAWA842-() (1/2/3)	1,748.	2,013.	2,715.
		90"	RSAWA902-() (1/2/3)	1,831.	2,104.	2,841.
		96"	RSAWA962-() (1/2/3)	1,900.	2,184.	2,948.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWA241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
S Straight top	2. Top finish type	
A 1 1/4" thick	3. Top finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
WA Waterfall front/back	4. Grommet finish	
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front	
V319 Medium cherry	(not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
111 Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
	2 = V2	
	3 = V3	

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and back
30" and 36" deep


Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and back only 	30"	24"	RSAWA243-() (1/2/3)	\$1,090.	\$1,252.	\$1,690.
		30"	RSAWA303-() (1/2/3)	1,223.	1,408.	1,901.
		36"	RSAWA363-() (1/2/3)	1,318.	1,516.	2,047.
		42"	RSAWA423-() (1/2/3)	1,374.	1,578.	2,129.
		48"	RSAWA483-() (1/2/3)	1,465.	1,685.	2,275.
		54"	RSAWA543-() (1/2/3)	1,584.	1,822.	2,460.
		60"	RSAWA603-() (1/2/3)	1,642.	1,889.	2,551.
		66"	RSAWA663-() (1/2/3)	1,680.	1,932.	2,608.
		72"	RSAWA723-() (1/2/3)	1,720.	1,977.	2,669.
		78"	RSAWA783-() (1/2/3)	1,798.	2,071.	2,794.
		84"	RSAWA843-() (1/2/3)	1,872.	2,155.	2,909.
		90"	RSAWA903-() (1/2/3)	1,957.	2,251.	3,040.
		96"	RSAWA963-() (1/2/3)	2,028.	2,333.	3,150.
	36"	60"	RSAWA604-() (1/2/3)	1,896.	2,176.	2,939.
		66"	RSAWA664-() (1/2/3)	1,961.	2,257.	3,046.
		72"	RSAWA724-() (1/2/3)	2,025.	2,329.	3,144.

Order Code	Specification Information	Application Notes	
Example: RSAWA243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
R Reff	1. Grommet option	Waterfall tops cannot be specified with open pore finish.	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
S Straight top	2. Top finish type		
A 1 1/4" thick	3. Top finish		
WA Waterfall front/back	4. Grommet finish		
24 24" wide	<i>1. Grommet options:</i>	Products on this page are shipped without hardware which must be ordered separately from the support components section.	Applicable finishes are listed on page 5 and 6.
3 30" deep	N = No grommet		
F Flush grommet	F = Flush front grommet location		
2 V2 finish	R = Recessed front		
V319 Medium cherry	(not recommended on 20"D and 24"D tops)	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
111 Jet Black (grommet)	<i>2. Finish type:</i>		
	1 = V1		
	2 = V2		
	3 = V3		

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and two sides
20" and 24" deep

Reff Profiles


description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and two sides 	20"	24"	RSAWB241-()(1/2/3)	\$1,142.	\$1,310.	\$1,769.
		30"	RSAWB301-()(1/2/3)	1,252.	1,438.	1,942.
		36"	RSAWB361-()(1/2/3)	1,320.	1,518.	2,050.
		42"	RSAWB421-()(1/2/3)	1,380.	1,585.	2,140.
		48"	RSAWB481-()(1/2/3)	1,434.	1,651.	2,228.
		54"	RSAWB541-()(1/2/3)	1,498.	1,724.	2,329.
		60"	RSAWB601-()(1/2/3)	1,618.	1,858.	2,508.
		66"	RSAWB661-()(1/2/3)	1,666.	1,914.	2,585.
		72"	RSAWB721-()(1/2/3)	1,748.	2,012.	2,714.
		78"	RSAWB781-()(1/2/3)	1,770.	2,036.	2,749.
		84"	RSAWB841-()(1/2/3)	1,886.	2,171.	2,930.
		90"	RSAWB901-()(1/2/3)	1,965.	2,259.	3,049.
		96"	RSAWB961-()(1/2/3)	2,036.	2,343.	3,163.
	24"	24"	RSAWB242-()(1/2/3)	1,200.	1,380.	1,863.
		30"	RSAWB302-()(1/2/3)	1,357.	1,555.	2,101.
		36"	RSAWB362-()(1/2/3)	1,409.	1,621.	2,190.
		42"	RSAWB422-()(1/2/3)	1,453.	1,672.	2,259.
		48"	RSAWB482-()(1/2/3)	1,555.	1,793.	2,422.
		54"	RSAWB542-()(1/2/3)	1,666.	1,914.	2,585.
		60"	RSAWB602-()(1/2/3)	1,785.	2,049.	2,767.
		66"	RSAWB662-()(1/2/3)	1,842.	2,118.	2,858.
		72"	RSAWB722-()(1/2/3)	1,925.	2,217.	2,990.
		78"	RSAWB782-()(1/2/3)	2,018.	2,324.	3,136.
		84"	RSAWB842-()(1/2/3)	2,098.	2,410.	3,256.
		90"	RSAWB902-()(1/2/3)	2,195.	2,525.	3,407.
		96"	RSAWB962-()(1/2/3)	2,277.	2,623.	3,542.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWB241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
S Straight top	2. Top finish type	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
A 1 1/4" thick	3. Top finish	Applicable finishes are listed on page 5 and 6.
WB Waterfall front and 2 sides	4. Grommet finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front (not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
V319 Medium cherry	<i>2. Finish type:</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
111 Jet Black (grommet)	1 = V1 2 = V2 3 = V3	

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and two sides
30" and 36" deep


Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and two sides 	30"	24"	RSAWB243-() (1/2/3)	\$1,306.	\$1,503.	\$2,028.
		30"	RSAWB303-() (1/2/3)	1,468.	1,689.	2,279.
		36"	RSAWB363-() (1/2/3)	1,581.	1,818.	2,454.
		42"	RSAWB423-() (1/2/3)	1,647.	1,891.	2,553.
		48"	RSAWB483-() (1/2/3)	1,759.	2,021.	2,730.
		54"	RSAWB543-() (1/2/3)	1,901.	2,184.	2,948.
		60"	RSAWB603-() (1/2/3)	1,969.	2,265.	3,058.
		66"	RSAWB663-() (1/2/3)	2,015.	2,318.	3,127.
		72"	RSAWB723-() (1/2/3)	2,062.	2,372.	3,201.
		78"	RSAWB783-() (1/2/3)	2,162.	2,487.	3,357.
		84"	RSAWB843-() (1/2/3)	2,243.	2,582.	3,486.
		90"	RSAWB903-() (1/2/3)	2,347.	2,702.	3,648.
		96"	RSAWB963-() (1/2/3)	2,437.	2,800.	3,779.
		60"	RSAWB604-() (1/2/3)	2,273.	2,613.	3,529.
		66"	RSAWB664-() (1/2/3)	2,350.	2,706.	3,652.
		72"	RSAWB724-() (1/2/3)	2,434.	2,794.	3,774.

Order Code	Specification Information	Application Notes
Example: RSAWB243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Waterfall tops cannot be specified with semi-open pore finish.
S Straight top	2. Top finish type	
A 1 1/4" thick	3. Top finish	Products on this page are shipped without hardware which must be ordered separately from the support components section.
WB Waterfall front and 2 sides	4. Grommet finish	
24 24" wide	<i>1. Grommet options:</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
3 30" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
2 V2 finish	R = Recessed front	
V319 Medium cherry	(not recommended on 20"D and 24"D tops)	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
111 Jet Black (grommet)	<i>2. Finish type:</i>	Applicable finishes are listed on page 5 and 6.
	1 = V1	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
	2 = V2	
	3 = V3	

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and left side
20" and 24" deep

Reff Profiles


description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	20"	24"	RSAWL241-() (1/2/3)	\$1,045.	\$1,202.	\$1,620.
		30"	RSAWL301-() (1/2/3)	1,149.	1,319.	1,782.
		36"	RSAWL361-() (1/2/3)	1,210.	1,391.	1,880.
		42"	RSAWL421-() (1/2/3)	1,264.	1,453.	1,962.
		48"	RSAWL481-() (1/2/3)	1,315.	1,512.	2,042.
		54"	RSAWL541-() (1/2/3)	1,375.	1,580.	2,132.
		60"	RSAWL601-() (1/2/3)	1,482.	1,703.	2,299.
		66"	RSAWL661-() (1/2/3)	1,525.	1,757.	2,373.
		72"	RSAWL721-() (1/2/3)	1,602.	1,842.	2,487.
		78"	RSAWL781-() (1/2/3)	1,626.	1,868.	2,521.
		84"	RSAWL841-() (1/2/3)	1,730.	1,989.	2,685.
		90"	RSAWL901-() (1/2/3)	1,798.	2,071.	2,794.
		96"	RSAWL961-() (1/2/3)	1,868.	2,149.	2,899.
		24"	RSAWL242-() (1/2/3)	1,099.	1,264.	1,709.
		30"	RSAWL302-() (1/2/3)	1,243.	1,430.	1,928.
		36"	RSAWL362-() (1/2/3)	1,293.	1,486.	2,005.
		42"	RSAWL422-() (1/2/3)	1,332.	1,532.	2,066.
		48"	RSAWL482-() (1/2/3)	1,430.	1,643.	2,219.
		54"	RSAWL542-() (1/2/3)	1,525.	1,757.	2,373.
		60"	RSAWL602-() (1/2/3)	1,635.	1,876.	2,534.
		66"	RSAWL662-() (1/2/3)	1,687.	1,942.	2,621.
		72"	RSAWL722-() (1/2/3)	1,764.	2,028.	2,738.
		78"	RSAWL782-() (1/2/3)	1,847.	2,128.	2,874.
		84"	RSAWL842-() (1/2/3)	1,919.	2,212.	2,986.
		90"	RSAWL902-() (1/2/3)	2,014.	2,315.	3,123.
		96"	RSAWL962-() (1/2/3)	2,089.	2,404.	3,246.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWL241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	
S Straight top	2. Top finish type	
A 1 1/4" thick	3. Top finish	
WL Waterfall front and left	4. Grommet finish	
24 24" wide	<i>1. Grommet options:</i>	
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	
2 V2 finish	R = Recessed front	
V319 Medium cherry	(not recommended on 20"D and 24"D tops)	
111 Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	
		Waterfall tops cannot be specified with semi-open pore finish.
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
		Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
		Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
		Applicable finishes are listed on page 5 and 6.
		Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and left side
30" and 36" deep


Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	30"	24"	RSAWL243-() () (1/2/3)	\$1,200.	\$1,378.	\$1,860.
		30"	RSAWL303-() () (1/2/3)	1,346.	1,547.	2,089.
		36"	RSAWL363-() () (1/2/3)	1,449.	1,667.	2,251.
		42"	RSAWL423-() () (1/2/3)	1,508.	1,735.	2,340.
		48"	RSAWL483-() () (1/2/3)	1,612.	1,857.	2,507.
		54"	RSAWL543-() () (1/2/3)	1,741.	2,005.	2,708.
		60"	RSAWL603-() () (1/2/3)	1,807.	2,075.	2,803.
		66"	RSAWL663-() () (1/2/3)	1,844.	2,125.	2,870.
		72"	RSAWL723-() () (1/2/3)	1,891.	2,173.	2,933.
		78"	RSAWL783-() () (1/2/3)	1,980.	2,277.	3,075.
		84"	RSAWL843-() () (1/2/3)	2,058.	2,369.	3,198.
		90"	RSAWL903-() () (1/2/3)	2,155.	2,478.	3,345.
		96"	RSAWL963-() () (1/2/3)	2,232.	2,565.	3,464.
	36"	60"	RSAWL604-() () (1/2/3)	2,085.	2,396.	3,235.
		66"	RSAWL664-() () (1/2/3)	2,158.	2,480.	3,348.
		72"	RSAWL724-() () (1/2/3)	2,229.	2,562.	3,459.

Order Code	Specification Information	Application Notes	
Example: RSAWL243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
R Reff	1. Grommet option	Waterfall tops cannot be specified with semi-open pore finish.	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
S Straight top	2. Top finish type		
A 1 1/4" thick	3. Top finish		
WL Waterfall front and left	4. Grommet finish	Products on this page are shipped without hardware which must be ordered separately from the support components section.	Applicable finishes are listed on page 5 and 6.
24 24" wide	<i>1. Grommet options:</i>		
3 30" deep	N = No grommet		
F Flush grommet	F = Flush front grommet location	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front		
V319 Medium cherry	(not recommended on 20"D and 24"D tops)		
111 Jet Black (grommet)	<i>2. Finish type:</i>		
	1 = V1		
	2 = V2		
	3 = V3		

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and right side
20" and 24" deep

Reff Profiles


description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and right side 	20"	24"	RSAWR241-() () (1/2/3)	\$1,045.	\$1,202.	\$1,620.
		30"	RSAWR301-() () (1/2/3)	1,149.	1,319.	1,782.
		36"	RSAWR361-() () (1/2/3)	1,210.	1,391.	1,880.
		42"	RSAWR421-() () (1/2/3)	1,264.	1,453.	1,962.
		48"	RSAWR481-() () (1/2/3)	1,315.	1,512.	2,042.
		54"	RSAWR541-() () (1/2/3)	1,375.	1,580.	2,132.
		60"	RSAWR601-() () (1/2/3)	1,482.	1,703.	2,299.
		66"	RSAWR661-() () (1/2/3)	1,525.	1,757.	2,373.
		72"	RSAWR721-() () (1/2/3)	1,602.	1,842.	2,487.
		78"	RSAWR781-() () (1/2/3)	1,626.	1,868.	2,521.
		84"	RSAWR841-() () (1/2/3)	1,730.	1,989.	2,685.
		90"	RSAWR901-() () (1/2/3)	1,798.	2,071.	2,794.
		96"	RSAWR961-() () (1/2/3)	1,868.	2,149.	2,899.
	24"	24"	RSAWR242-() () (1/2/3)	1,099.	1,264.	1,709.
		30"	RSAWR302-() () (1/2/3)	1,243.	1,430.	1,928.
		36"	RSAWR362-() () (1/2/3)	1,293.	1,486.	2,005.
		42"	RSAWR422-() () (1/2/3)	1,332.	1,532.	2,066.
		48"	RSAWR482-() () (1/2/3)	1,430.	1,643.	2,219.
		54"	RSAWR542-() () (1/2/3)	1,525.	1,757.	2,373.
		60"	RSAWR602-() () (1/2/3)	1,635.	1,876.	2,534.
		66"	RSAWR662-() () (1/2/3)	1,687.	1,942.	2,621.
		72"	RSAWR722-() () (1/2/3)	1,764.	2,028.	2,738.
		78"	RSAWR782-() () (1/2/3)	1,847.	2,128.	2,874.
		84"	RSAWR842-() () (1/2/3)	1,919.	2,212.	2,986.
		90"	RSAWR902-() () (1/2/3)	2,014.	2,315.	3,123.
		96"	RSAWR962-() () (1/2/3)	2,089.	2,404.	3,246.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSAWR241F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
R Reff	1. Grommet option	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
S Straight top	2. Top finish type	
A 1 1/4" thick	3. Top finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
WR Waterfall front and right	4. Grommet finish	
24 24" wide	<i>1. Grommet options:</i>	Applicable finishes are listed on page 5 and 6.
1 20" deep	N = No grommet	
F Flush grommet	F = Flush front grommet location	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
2 V2 finish	R = Recessed front	
V319 Medium cherry	(not recommended on 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
111 Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
	2 = V2	
	3 = V3	

Waterfall Edge 1 1/4"
with 2" Waterfall edge front and right side
30" and 36" deep

Reff Profiles






description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and right side 	30"	24"	RSAWR243-() () (1/2/3)	\$1,200.	\$1,378.	\$1,860.
		30"	RSAWR303-() () (1/2/3)	1,346.	1,547.	2,089.
		36"	RSAWR363-() () (1/2/3)	1,449.	1,667.	2,251.
		42"	RSAWR423-() () (1/2/3)	1,508.	1,735.	2,340.
		48"	RSAWR483-() () (1/2/3)	1,612.	1,857.	2,507.
		54"	RSAWR543-() () (1/2/3)	1,741.	2,005.	2,708.
		60"	RSAWR603-() () (1/2/3)	1,807.	2,075.	2,803.
		66"	RSAWR663-() () (1/2/3)	1,844.	2,125.	2,870.
		72"	RSAWR723-() () (1/2/3)	1,891.	2,173.	2,933.
		78"	RSAWR783-() () (1/2/3)	1,980.	2,277.	3,075.
		84"	RSAWR843-() () (1/2/3)	2,058.	2,369.	3,198.
		90"	RSAWR903-() () (1/2/3)	2,155.	2,478.	3,345.
		96"	RSAWR963-() () (1/2/3)	2,232.	2,565.	3,464.
	36"	60"	RSAWR604-() () (1/2/3)	2,085.	2,396.	3,235.
		66"	RSAWR664-() () (1/2/3)	2,158.	2,480.	3,348.
		72"	RSAWR724-() () (1/2/3)	2,229.	2,562.	3,459.

Order Code	Specification Information	Application Notes	
Example: RSAWR243F2	<i>To order please specify pattern number including:</i>	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
R Reff	1. Grommet option		Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
S Straight top	2. Top finish type		Applicable finishes are listed on page 5 and 6.
A 1 1/4" thick	3. Top finish		
WR Waterfall front and right	4. Grommet finish		
24 24" wide	<i>1. Grommet options:</i>		
3 30" deep	N = No grommet	Products on this page are shipped without hardware which must be ordered separately from the support components section.	
F Flush grommet	F = Flush front grommet location		
2 V2 finish	R = Recessed front		
V319 Medium cherry	(not recommended on 20"D and 24"D tops)	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.	
111 Jet Black (grommet)	<i>2. Finish type:</i>		
	1 = V1		
	2 = V2		
	3 = V3		

Waterfall Edge 1 1/4"

Reff Profiles

2" Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
Wave transition top with waterfall edge front only (left 24", right 30") 	24"	42"	30"	RWAWF4223-()(1/2/3)	\$1,101.	\$1,264.	\$1,709.
	24"	48"	30"	RWAWF4823-()(1/2/3)	1,146.	1,317.	1,778.
	24"	54"	30"	RWAWF5423-()(1/2/3)	1,234.	1,423.	1,920.
	24"	60"	30"	RWAWF6023-()(1/2/3)	1,320.	1,522.	2,055.
	24"	66"	30"	RWAWF6623-()(1/2/3)	1,370.	1,575.	2,125.
	24"	72"	30"	RWAWF7223-()(1/2/3)	1,437.	1,654.	2,232.
Wave transition top with waterfall edge front only (left 30", right 24") 	30"	42"	24"	RWAWF4232-()(1/2/3)	1,101.	1,264.	1,709.
	30"	48"	24"	RWAWF4832-()(1/2/3)	1,146.	1,317.	1,778.
	30"	54"	24"	RWAWF5432-()(1/2/3)	1,234.	1,423.	1,920.
	30"	60"	24"	RWAWF6032-()(1/2/3)	1,320.	1,522.	2,055.
	30"	66"	24"	RWAWF6632-()(1/2/3)	1,370.	1,575.	2,125.
	30"	72"	24"	RWAWF7232-()(1/2/3)	1,437.	1,654.	2,232.
Wave transition top with waterfall edge front only (left 20", right 24") 	20"	42"	24"	RWAWF4212-()(1/2/3)	1,020.	1,175.	1,587.
	20"	48"	24"	RWAWF4812-()(1/2/3)	1,073.	1,234.	1,667.
	20"	54"	24"	RWAWF5412-()(1/2/3)	1,149.	1,320.	1,783.
	20"	60"	24"	RWAWF6012-()(1/2/3)	1,228.	1,411.	1,908.
	20"	66"	24"	RWAWF6612-()(1/2/3)	1,264.	1,453.	1,962.
	20"	72"	24"	RWAWF7212-()(1/2/3)	1,325.	1,524.	2,058.
Wave transition top with waterfall edge front only (left 24", right 20") 	24"	42"	20"	RWAWF4221-()(1/2/3)	1,020.	1,175.	1,587.
	24"	48"	20"	RWAWF4821-()(1/2/3)	1,073.	1,234.	1,667.
	24"	54"	20"	RWAWF5421-()(1/2/3)	1,149.	1,320.	1,783.
	24"	60"	20"	RWAWF6021-()(1/2/3)	1,228.	1,411.	1,908.
	24"	66"	20"	RWAWF6621-()(1/2/3)	1,264.	1,453.	1,962.
	24"	72"	20"	RWAWF7221-()(1/2/3)	1,325.	1,524.	2,058.
Wave end top with waterfall edge front (right 20") 	32"	36"	20"	RWEAWF3631-()(1/2/3)	1,357.	1,555.	2,101.
	32"	42"	20"	RWEAWF4231-()(1/2/3)	1,409.	1,623.	2,191.
	32"	48"	20"	RWEAWF4831-()(1/2/3)	1,486.	1,711.	2,308.

Order Code	Specification Information	Application Notes
Example: RWAWF4221F2	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Top finish	Curvilinear worksurfaces only available in 1 1/4" thick.
WF Waterfall front	4. Grommet finish	See Planning Guide for grommet locations.
42 42" wide	1. <i>Grommet options:</i>	Waterfall tops cannot be specified with semi-open pore finish.
2 24" deep on left side	N = No grommet	
1 20" deep on left side	F = Flush front grommet location	
F Flush grommet location	2. <i>Finish type:</i>	
2 V2 finish	1 = V1	
V319 Medium cherry	2 = V2	
111 Jet Black (grommet)	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.




Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall Edge 1 1/4"

Reff Profiles

2" Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
 Wave end top with waterfall edge front (right 24")	36"	36"	24"	RWEAWF3662-()(1/2/3)	\$1,401.	\$1,611.	\$2,175.
	36"	42"	24"	RWEAWF4262-()(1/2/3)	1,446.	1,664.	2,246.
	36"	48"	24"	RWEAWF4862-()(1/2/3)	1,536.	1,764.	2,381.
 Wave end top with waterfall edge front (left 20")	20"	36"	32"	RWEAWF3613-()(1/2/3)	1,357.	1,555.	2,101.
	20"	42"	32"	RWEAWF4213-()(1/2/3)	1,409.	1,623.	2,191.
	20"	48"	32"	RWEAWF4813-()(1/2/3)	1,486.	1,711.	2,308.
 Wave end top with waterfall edge front (left 24")	24"	36"	36"	RWEAWF3626-()(1/2/3)	1,401.	1,611.	2,175.
	24"	42"	36"	RWEAWF4226-()(1/2/3)	1,446.	1,664.	2,246.
	24"	48"	36"	RWEAWF4826-()(1/2/3)	1,536.	1,764.	2,381.

Order Code	Specification Information	Application Notes
Example: RWAWF4221F2	<i>To order please specify pattern number including:</i>	32"D wave end top requires 20"D end panel for freestanding support.
R Reff	1. Grommet option	36"D wave end top requires 24"D end panel for support.
W Wave top transition	2. Top finish type	Products on this page are shipped without hardware which must be ordered separately from the support components section.
A 1 1/4" thick	3. Top finish	Curvilinear worksurfaces only available in 1 1/4" thick.
WF Waterfall front	4. Grommet finish	See Planning Guide for grommet locations.
42 42" wide	<i>1. Grommet options:</i>	Waterfall tops cannot be specified with semi-open pore finish.
2 24" deep on left side	N = No grommet	
1 20" deep on left side	F = Flush front grommet location	
F Flush grommet location		
2 V2 finish	<i>2. Finish type:</i>	
V319 Medium cherry	1 = V1	
111 Jet Black (grommet)	2 = V2	
	3 = V3	
	Applicable finishes are listed on page 5 and 6.	
	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.


Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall Edge 1 1/4"

Reff Profiles

2" Waterfall edge front only curvilinear corner tops



description	Back w	w	pattern no.	V1	V2	V3
Curved corner work top, with waterfall edge front only (both returns 20") 	36"	36"	RCAWF363611-()(1/2/3)	\$1,611.	\$1,855.	\$2,503.
	36"	42"	RCAWF364211-()(1/2/3)	1,706.	1,961.	2,649.
	36"	48"	RCAWF364811-()(1/2/3)	1,810.	2,082.	2,812.
	42"	36"	RCAWF423611-()(1/2/3)	1,706.	1,961.	2,649.
	42"	42"	RCAWF424211-()(1/2/3)	1,810.	2,082.	2,812.
	42"	48"	RCAWF424811-()(1/2/3)	1,977.	2,274.	3,070.
	48"	36"	RCAWF483611-()(1/2/3)	1,810.	2,082.	2,812.
	48"	42"	RCAWF484211-()(1/2/3)	1,977.	2,274.	3,070.
<i>Radii of front edge varies with top dimensions</i>						
Curved corner work top, with waterfall edge front only (both returns 24")	36"	36"	RCAWF363622-()(1/2/3)	1,825.	2,103.	2,840.
	36"	42"	RCAWF364222-()(1/2/3)	1,919.	2,212.	2,986.
	36"	48"	RCAWF364822-()(1/2/3)	2,025.	2,331.	3,147.
	42"	36"	RCAWF423622-()(1/2/3)	1,919.	2,212.	2,986.
	42"	42"	RCAWF424222-()(1/2/3)	2,025.	2,331.	3,147.
	42"	48"	RCAWF424822-()(1/2/3)	2,193.	2,525.	3,407.
	48"	36"	RCAWF483622-()(1/2/3)	2,025.	2,331.	3,147.
	48"	42"	RCAWF484222-()(1/2/3)	2,193.	2,525.	3,407.
Curved corner work top, with waterfall edge front only (left return 20", right return 24")	36"	36"	RCAWF363612-()(1/2/3)	1,683.	1,935.	2,612.
	36"	42"	RCAWF364212-()(1/2/3)	1,781.	2,045.	2,760.
	36"	48"	RCAWF364812-()(1/2/3)	1,883.	2,165.	2,923.
	42"	36"	RCAWF423612-()(1/2/3)	1,781.	2,045.	2,760.
	42"	42"	RCAWF424212-()(1/2/3)	1,883.	2,165.	2,923.
	42"	48"	RCAWF424812-()(1/2/3)	2,050.	2,356.	3,180.
	48"	36"	RCAWF483612-()(1/2/3)	1,883.	2,165.	2,923.
	48"	42"	RCAWF484212-()(1/2/3)	2,050.	2,356.	3,180.
Curved corner work top, with waterfall edge front only (left return 24", right return 20")	36"	36"	RCAWF363621-()(1/2/3)	1,683.	1,935.	2,612.
	36"	42"	RCAWF364221-()(1/2/3)	1,781.	2,045.	2,760.
	36"	48"	RCAWF364821-()(1/2/3)	1,883.	2,165.	2,923.
	42"	36"	RCAWF423621-()(1/2/3)	1,781.	2,045.	2,760.
	42"	42"	RCAWF424221-()(1/2/3)	1,883.	2,165.	2,923.
	42"	48"	RCAWF424821-()(1/2/3)	2,050.	2,356.	3,180.
	48"	36"	RCAWF483621-()(1/2/3)	1,883.	2,165.	2,923.
	48"	42"	RCAWF484221-()(1/2/3)	2,050.	2,356.	3,180.

Order Code	Specification Information	Application Notes
Example: RCAWF363611F2 R Reff C Curved front corner A 1 1/4" thick WF Waterfall front 36 36" wide on left back 36 36" wide on right back 1 20" deep on left side 1 20" deep on right side F Standard grommet 2 V2 finish V319 Medium cherry 111 Jet Black (grommet)	<i>To order please specify pattern number including:</i> 1. Grommet option 2. Top finish type 3. Top finish 4. Grommet finish <i>1. Grommet options:</i> N = No grommet F = Standard corner location or Flush <i>2. Finish type:</i> 1 = V1 2 = V2 3 = V3 Applicable finishes are listed on page 5 and 6. Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	Radius of curved front changes with overall top size. See Planning Guide. Products on this page are shipped without hardware which must be ordered separately from the support components section. Curvilinear worksurfaces only available in 1 1/4" thick. See Planning Guide for grommet locations. Waterfall tops cannot be specified with semi-open pore finish. Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces. Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Waterfall Edge 1 1/4"

2" Waterfall edge meeting tops

Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Waterfall edge on all except flat side 	30"	42"	RMDAWF4230-() (1/2/3)	\$2,058.	\$2,368.	\$3,195.
		48"	RMDAWF4830-() (1/2/3)	2,220.	2,552.	3,445.
		54"	RMDAWF5430-() (1/2/3)	2,382.	2,740.	3,700.
		60"	RMDAWF6030-() (1/2/3)	2,546.	2,927.	3,950.
		66"	RMDAWF6630-() (1/2/3)	2,711.	3,119.	4,211.
		72"	RMDAWF7230-() (1/2/3)	2,878.	3,311.	4,469.
		78"	RMDAWF7830-() (1/2/3)	3,259.	3,742.	5,054.
		84"	RMDAWF8430-() (1/2/3)	3,636.	4,180.	5,643.
		90"	RMDAWF9030-() (1/2/3)	4,058.	4,667.	6,301.
		96"	RMDAWF9630-() (1/2/3)	4,481.	5,151.	6,954.
	36"	42"	RMDAWF4236-() (1/2/3)	2,270.	2,608.	3,520.
		48"	RMDAWF4836-() (1/2/3)	2,480.	2,852.	3,851.
		54"	RMDAWF5436-() (1/2/3)	2,834.	3,263.	4,404.
		60"	RMDAWF6036-() (1/2/3)	3,181.	3,658.	4,939.
		66"	RMDAWF6636-() (1/2/3)	3,236.	3,723.	5,026.
		72"	RMDAWF7236-() (1/2/3)	3,290.	3,784.	5,109.
		78"	RMDAWF7836-() (1/2/3)	3,703.	4,259.	5,746.
		84"	RMDAWF8436-() (1/2/3)	4,121.	4,738.	6,396.
		90"	RMDAWF9036-() (1/2/3)	4,341.	4,998.	6,744.
		96"	RMDAWF9636-() (1/2/3)	4,759.	5,469.	7,385.
Wrap around panel top 	21 1/2"	42 1/2"	RMDAWF4221-() (1/2/3) ()	2,649.	3,044.	4,109.
	25 1/2"	50 1/2"	RMDAWF5025-() (1/2/3) ()	2,903.	3,338.	4,506.

*specify mating end trim profile

Order Code	Specification Information	Application Notes
Example: RMDAWF4230N2	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
R Reff	1. Top thickness	
MD Meeting D-shaped top	2. Grommet option	
A 1 1/4" thick	3. Top finish type	
WF Waterfall all except flat side	4. Top finish	
42 42" wide	5. Grommet finish	
30 30" deep	1. <i>Thickness option:</i>	
N No grommet	A = 1 1/4"	
2 V2 finish	2. <i>Grommet options:</i>	
V319 Medium cherry	N = No grommet	
	F = Flush front grommet location	
	R = Recessed front	
	C = Centered (only on D-tops)	
	3. <i>Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	
	Note wrap around panel tops only, require specification of mating trim profile.	
	A = Flat	
	B = Square	
	C = Bullnose	
	E = Extruded Aluminum	
		Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
		Refer to Planning Guide for modesty panel size requirements and all other support options.
		Waterfall tops cannot be specified with semi-open pore finish.
		Peninsula D-shaped top has grommet choice centered (as shown) or none. No grommet option on P or 9 tops.
		Products on this page are shipped without hardware which must be ordered separately from the support components section.
		Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
		Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
		Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
		Applicable finishes are listed on page 5 and 6.
		Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak

Waterfall Edge 1 1/4"

2" Waterfall edge meeting tops P and 9

Reff Profiles

description	d	w	pattern no.	V1	V2	V3
Meeting P-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	RMPAWF4230-()(1/2/3)	\$2,829.	\$3,252.	\$4,390.




Meeting 9-top (adjoining top must use 12" end panel and modesty panel to support)	30"	42"	RM9AWF4230-()(1/2/3)	2,829.	3,252.	4,390.
---	-----	-----	------------------------------	--------	--------	--------



Worksurface 9-top	30"	84"	RM9AWF8430-()(1/2/3)	5,756.	6,620.	8,936.
	30"	96"	RM9AWF9630-()(1/2/3)	5,998.	6,893.	9,306.



Worksurface P-top	30"	84"	RMPAWF8430-()(1/2/3)	5,756.	6,620.	8,936.
	30"	96"	RMPAWF9630-()(1/2/3)	5,998.	6,893.	9,306.




Worksurfaces

Order Code	Specification Information	Application Notes
Example: RM9AWF8430N2	<i>To order please specify pattern number including:</i>	See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.
R Reff	1. Top thickness	Products on this page are shipped without hardware which must be ordered separately from the support components section.
M9 Meeting 9-shaped top	2. Grommet option	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
A 1 1/4" thick	3. Top finish type	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
WF Waterfall all except flat side	4. Top finish	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
84 84" wide	5. Grommet finish	Applicable finishes are listed on page 5 and 6.
30 30" deep	<i>1. Thickness option:</i> A = 1 1/4"	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak
N No grommet	<i>2. Grommet options:</i> N = No grommet F = Flush front grommet location R = Recessed front C = Centered (only on D-tops)	
2 V2 finish	<i>3. Finish type:</i> 1 = V1 2 = V2 3 = V3	
V319 Medium cherry	Note wrap around panel tops only, require specification of mating trim profile.	


Waterfall Edge 1 1/4"

2" Waterfall edge bow front tops


Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
 Waterfall edge on front and back 30"D	72"	30"		RMBAWA7230-() (1/2/3)		\$2,854.	\$3,287.	\$4,437.
	84"	30"		RMBAWA8430-() (1/2/3)		3,151.	3,625.	4,891.
	96"	30"		RMBAWA9630-() (1/2/3)		3,496.	4,019.	5,427.

Use 29" deep pedestals or end panels.
Do not use 23" deep pedestals if using recessed modesty.

 Waterfall edge on front and back - 36"D	72"	36"		RMBAWA7236-() (1/2/3)		3,036.	3,492.	4,712.
	84"	36"		RMBAWA8436-() (1/2/3)		3,332.	3,832.	5,172.
	96"	36"		RMBAWA9636-() (1/2/3)		3,696.	4,245.	5,731.

Use 29" deep end panels or 29" deep pedestals (this will provide a cantilevered appearance).
 Can also be used with 36" deep end panel and recessed modesty.

 Short modesty panel	40"	1"	26 1/2"	RB40MR-()	332.	427.	489.	661.
	52"	1"	26 1/2"	RB52MR-()	390.	503.	578.	781.
	64"	1"	26 1/2"	RB64MR-()	422.	541.	625.	845.

Use of short modesty panel

Pedestals must be ordered separately with individual back panels.
 Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.
 Order:
 40" modesty for 72" bow top
 52" modesty for 84" bow top
 64" modesty for 96" bow top
 When ordering bow top 30"D for use with short modesty, specify recessed grommet location.
 When ordering bow top 36"D for use with short modesty, specify alternate grommet location.

Order Code	Specification Information	Application Notes
Example: RMBAWA7230(F)2	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
R Reff	1. Grommet option	*Grommet options for elliptical tops are Recessed (R) or None (N).
MB Bow front with Waterfall edge	2. Top finish type	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
A 1 1/4" thick	3. Top finish	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
WA Waterfall front/back	4. Grommet finish	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
72 72" wide	<i>1. Grommet options:</i>	Shipped with hardware. Refer to page 0 of planning guide for application details.
30 30" deep	N = No grommet	Waterfall tops cannot be specified with semi-open pore finish.
F Flush front grommet position	F = Flush front grommet location	Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36"D bowed top.
2 V2 finish	R = Recessed front	Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.
V319 Medium cherry	A = Alternate location (for 36"D tops only)	Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.
111 Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	



Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Waterfall Edge 1 1/4"

Waterfall elliptical tops and bulkhead

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
 Waterfall elliptical tops	60"	30"		REBAWA6030()		\$4,033.	\$4,636.	\$6,260.
	72"	42"		REBAWA7242()		5,733.	6,597.	8,906.
	78"	48"		REBAWA7848()		6,291.	7,237.	9,771.
 Bulkhead (false pedestal)*	16"	24"	26 1/2"	REBH24	468.	707.	819.	1,105.
	16"	30"	26 1/2"	REBH30	484.	720.	839.	1,132.

Worksurfaces






Order Code	Specification Information	Application Notes
Example: REBAWA6030	<i>To order please specify pattern number including:</i>	See Planning Guide for grommet locations.
R Reff	1. Grommet option	
EB Elliptical Waterfall	2. Top finish type	*Grommet options for elliptical tops are Recessed (R) or None (N).
A 1 1/4" thick	3. Top finish	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
WA Waterfall front/back	4. Grommet finish	Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.
60 60" wide	<i>1. Grommet options:</i>	*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.
30 30" deep	N = No grommet	
F Flush front grommet position	F = Flush front grommet location	
2 V2 finish	R = Recessed front	
V319 Medium cherry	A = Alternate location (for 36"D tops only)	
111 Jet Black (grommet)	<i>2. Finish type:</i>	
	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
 Y341 Wenge
 Y342 Medium Teak
 Y343 Dark Grey Oak

Waterfall Edge 1 1/4"
2" Waterfall edge conference room tops
round and racetrack

Reff Profiles

description	w	d	pattern no.	V1	V2	V3
Racetrack top - one piece	72"	30"	RTAW7230-(1/2/3)	\$4,033.	\$4,636.	\$6,260.
	72"	36"	RTAW7236-(1/2/3)	4,597.	5,284.	7,133.
	84"	30"	RTAW8430-(1/2/3)	4,489.	5,162.	6,970.
	84"	36"	RTAW8436-(1/2/3)	5,168.	5,943.	8,021.
	84"	42"	RTAW8442-(1/2/3)	6,291.	7,237.	9,771.
	96"	30"	RTAW9630-(1/2/3)	4,998.	5,745.	7,758.
	96"	36"	RTAW9636-(1/2/3)	5,733.	6,597.	8,906.
	96"	42"	RTAW9642-(1/2/3)	7,044.	8,099.	10,932.
Racetrack top - two piece, Waterfall edge on all sides except on parting lines	120"	36"	RTAW12036-(1/2/3)	7,407.	8,515.	11,497.
	120"	42"	RTAW12042-(1/2/3)	7,987.	9,182.	12,398.
	144"	42"	RTAW14442-(1/2/3)	8,807.	10,127.	13,672.
Racetrack top - three piece, Waterfall edge on all sides except on parting lines	168"	42"	RTAW16842-(1/2/3)	11,043.	12,701.	17,146.
	192"	42"	RTAW19242-(1/2/3)	11,864.	13,645.	18,423.
	RTAW16842-(1/2) comes with 2-60" pieces/1-48" center RTAW19242-(1/2) comes with 2-72" pieces/1-48" center					
Round tops, Waterfall edge on all sides except on parting lines	*	60"	RTAW6060-(1/2/3)	6,788.	7,801.	10,533.
	*	72"	RTAW7272-(1/2/3)	8,401.	9,659.	13,040.
	—	36"	RTAW3636-(1/2/3)	2,270.	3,043.	4,108.
	—	42"	RTAW4242-(1/2/3)	2,628.	3,526.	4,761.

Order Code	Specification Information	Application Notes
Example: RTAW72302	<i>To order please specify pattern number including:</i>	Top to top brackets included.
R Reff	1. Top thickness	See table base matrix in Planning Guide for base supports recommended.
T Rounded top	2. Finish type	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
A 1 1/4" thick	3. Finish	Tops have no radius on edges that adjoin.
W Waterfall all sides	1. <i>Thickness option:</i> A = 1 1/4"	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.
72 72" wide	2. <i>Finish type:</i> 1 = V1	Waterfall tops cannot be specified with semi-open pore finish.
30 30" deep	2 = V2	
2 V2 finish	3 = V3	
V319 Medium cherry	*Round tops in two pieces.	

Actual widths of worksurface are 1/16" less than nominal dimension. Actual depth is 1/8" less than nominal dimension.

Applicable finishes are listed on page 5 and 6.






Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Waterfall Edge 1 1/4"

2" Waterfall edge conference room tops

square and rectangular

Reff Profiles



description	w	d	pattern no.	V1	V2	V3
Rectangular top - one piece	72"	30"	RRAW7230-(1/2/3)	\$2,129.	\$2,451.	\$3,310.
	72"	36"	RRAW7236-(1/2/3)	2,314.	2,662.	3,593.
	84"	30"	RRAW8430-(1/2/3)	2,356.	2,711.	3,660.
	84"	36"	RRAW8436-(1/2/3)	2,532.	2,908.	3,926.
	84"	42"	RRAW8442-(1/2/3)	3,742.	4,301.	5,808.
	96"	30"	RRAW9630-(1/2/3)	2,643.	3,041.	4,105.
	96"	36"	RRAW9636-(1/2/3)	2,923.	3,359.	4,535.
	96"	42"	RRAW9642-(1/2/3)	4,291.	4,935.	6,662.
Rectangular top - two piece, Waterfall edge on all sides except on parting lines	120"	36"	RRAW12036-(1/2/3)	4,681.	5,389.	7,275.
	120"	42"	RRAW12042-(1/2/3)	6,462.	7,432.	10,034.
	144"	42"	RRAW14442-(1/2/3)	7,259.	8,349.	11,270.
Rectangular top - three piece, Waterfall edge on all sides except on parting lines	168"	42"	RRAW16842-(1/2/3)	9,518.	10,949.	14,784.
	192"	42"	RRAW19242-(1/2/3)	10,314.	11,859.	16,011.
	RRAW16842-(1/2) comes with 2-60" pieces/1-48" center RRAW19242-(1/2) comes with 2-72" pieces/1-48" center					
Square top - one piece	—	36"	RRAW3636-(1/2/3)	1,647.	2,206.	2,981.
	—	42"	RRAW4242-(1/2/3)	2,129.	2,857.	3,857.
Square top - two piece, Waterfall edge not on parting lines	—	60"	RRAW6060-(1/2/3)	4,362.	5,014.	6,769.
	—	72"	RRAW7272-(1/2/3)	5,151.	5,925.	7,997.

Order Code	Specification Information	Application Notes
Example: RRAW72302	<i>To order please specify pattern number including:</i>	All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.
R Reff	1. Top thickness	Top to top brackets included.
R Rectangular	2. Finish type	Tops have no radius on edges that adjoin.
A 1 1/4" thick	3. Finish	See table base matrix in Planning Guide for base supports recommended.
W Waterfall all sides	1. Thickness option: A = 1 1/4"	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
72 72" wide	2. Finish type: 1 = V1 2 = V2 3 = V3	Waterfall tops cannot be specified with semi-open pore finish.
30 30" deep	Applicable finishes are listed on page 5 and 6.	
2 V2 finish	Products on this page do not accept the following finishes: Y341 Wenge Y342 Medium Teak Y343 Dark Grey Oak	
V319 Medium cherry		

Cascade Edge 1 1/4"

Rectilinear 24" and 30" deep

Reff Profiles


description	d	w	pattern no.	Woodgrain	Solid
24"D Rectangular  shown with grommet	24"	24"	RCE1R2424N	\$245.	\$213.
	24"	30"	RCE1R3024N	282.	245.
	24"	36"	RCE1R3624N	312.	270.
	24"	42"	RCE1R4224N	359.	312.
	24"	48"	RCE1R4824N	403.	350.
	24"	54"	RCE1R5424N	432.	376.
	24"	60"	RCE1R6024N	469.	408.
	24"	66"	RCE1R6624N	506.	441.
	24"	72"	RCE1R7224N	530.	461.
	24"	78"	RCE1R7824N	568.	495.
	24"	84"	RCE1R8424N	601.	523.
	24"	90"	RCE1R9024N	677.	590.
	24"	96"	RCE1R9624N	740.	644.
30"D Rectangular  shown with grommet	30"	24"	RCE1R2430N	313.	271.
	30"	30"	RCE1R3030N	350.	305.
	30"	36"	RCE1R3630N	390.	339.
	30"	42"	RCE1R4230N	422.	368.
	30"	48"	RCE1R4830N	469.	408.
	30"	54"	RCE1R5430N	531.	462.
	30"	60"	RCE1R6030N	583.	508.
	30"	66"	RCE1R6630N	651.	566.
	30"	72"	RCE1R7230N	677.	590.
	30"	78"	RCE1R7830N	723.	629.
	30"	84"	RCE1R8430N	769.	669.
	30"	90"	RCE1R9030N	827.	719.
	30"	96"	RCE1R9630N	884.	769.

Order Code	Specification Information	Application Notes
Example: RCE1R3024N 118	<i>To order please specify pattern number including finish:</i>	Center-located edge grommet.
R Reff	<i>Available finishes:</i>	To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.
CE1 Cascade edge	<i>Solid:</i>	All support hardware ordered separately.
R Rectangular	114 Folkstone Grey	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
30 Width	117 Soft Grey	Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.
24 Depth	118 Bright White	Cascade edge worksurfaces are not recommended for free-standing applications.
N No grommet	119 Pumice	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
118 Finish	Woodgrain:	
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade Edge 1 1/4" Blended "D"

Reff Profiles

description	A	B	C	pattern no.	Woodgrain	Solid
 <p>right hand shown</p>	48"	24"	66"	RCE1BD6648S(L/R)	\$992.	\$863.
	48"	24"	72"	RCE1BD7248S(L/R)	1,016.	882.
	48"	24"	78"	RCE1BD7848S(L/R)	1,172.	1,019.
	48"	24"	84"	RCE1BD8448S(L/R)	1,204.	1,047.
	48"	30"	66"	RCE1BD6648D(L/R)	1,044.	907.
	48"	30"	72"	RCE1BD7248D(L/R)	1,082.	940.
	48"	30"	78"	RCE1BD7848D(L/R)	1,211.	1,054.
	48"	30"	84"	RCE1BD8448D(L/R)	1,279.	1,113.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RCE1BD6648SR 118	<i>To order please specify pattern number including:</i>	All support hardware ordered separately.
R Reff		
CE1 Cascade edge	1. Return depth (dimension C on line art, hard coded in pattern number)	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
BD Blended "D"	S = 24" return	Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.
66 Width	D = 30" return	
48 Depth		
S 24" return	2. Hand (left or right)	
R right hand		
118 Finish	3. Finish	
	<i>Solid:</i>	
	114 Folkstone Grey	
	117 Soft Grey	
	118 Bright White	
	119 Pumice	
	Woodgrain:	
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	
		Cascade edge worksurfaces are not recommended for free-standing applications.
		Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
		Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade Edge 1 1/4"

Curvilinear corner

Reff Profiles

description	A	B	C	pattern no.	Woodgrain	Solid
Curvilinear corner	24"	24"	36"	RCE1L3636SSN	\$614.	\$533.
	24"	24"	42"	RCE1L4242SSN	740.	644.
	24"	24"	48"	RCE1L4848SSN	832.	723.
	24"	30"	42"	RCE1L4242DSN	878.	765.
	24"	30"	48"	RCE1L4848DSN	996.	866.
	30"	24"	42"	RCE1L4242SDN	878.	765.
	30"	24"	48"	RCE1L4848SDN	996.	866.
	30"	30"	48"	RCE1L4848DDN	894.	777.



shown with grommets


Order Code	Specification Information	Application Notes
Example: RCE1L3636SSN 114	<i>To order please specify pattern number including:</i>	Center-located edge grommets, located on center of sides marked A.
RCE1 Reff Cascade Edge worksurface	1. Return depths (hard coded in pattern number)	All support hardware ordered separately.
L Curvilinear Corner top	SS = 24"d left and right SD = 24"d left, 30"d right DS = 30"d left, 24"d right DD = 30"d left and right	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
36 Width	2. Grommets (hard coded in pattern number)	Specify cantilever bracket (ASBC18 (L/R) or ASBC24 (L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.
36 Depth	N= no grommets G= grommets	Cascade edge worksurfaces are not recommended for free-standing applications.
S 24"d, left side	3. Finish	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
S 24"d, right side	<i>Solid:</i>	
N No grommet	114 Folkstone Grey 117 Soft Grey 118 Bright White 119 Pumice	
114 Folkstone Grey finish	Woodgrain:	
Grain Direction	124 Medium Cherry 125 Natural Maple 126 Natural Cherry 127 Walnut	
	Graing Direction:	
	D = Diagonal L = Left hand N = Not required R = Right hand	

Note: When wood grain or brushed finishes are specified on Cascade corner worksurfaces with two "A" sides of equal length that do not exceed 42" you must select one of three grain direction options. Insert the desired grain direction "L"= Left hand, "R"= Right hand or "D"= Diagonal after the worksurface finish code to indicate the appropriate grain direction. When the "D" option is selected please add \$25.00 to the worksurface list price. 48" Cascade corners are not available with a diagonal grain option.

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade Edge 1 1/4" Blended "L"

Reff Profiles

description	B	C	A	D	pattern no.	Woodgrain	Solid
 <p>shown with grommets</p>	42"	60"	24"	24"	RCE1L4260SSN	\$1,017.	\$884.
	42"	66"	24"	24"	RCE1L4266SSN	1,044.	907.
	42"	72"	24"	24"	RCE1L4272SSN	1,084.	941.
	42"	78"	24"	24"	RCE1L4278SSN	1,094.	953.
	48"	60"	24"	24"	RCE1L4860SSN	1,029.	896.
	48"	60"	24"	30"	RCE1L4860SDN	1,012.	878.
	48"	60"	30"	24"	RCE1L4860DSN	1,012.	878.
	48"	66"	24"	24"	RCE1L4866SSN	1,066.	928.
	48"	66"	24"	30"	RCE1L4866SDN	1,063.	924.
	48"	66"	30"	24"	RCE1L4866DSN	1,063.	924.
	48"	72"	24"	24"	RCE1L4872SSN	1,106.	962.
	48"	72"	24"	30"	RCE1L4872SDN	1,113.	967.
	48"	72"	30"	24"	RCE1L4872DSN	1,113.	967.
	48"	78"	24"	24"	RCE1L4878SSN	1,219.	1,060.
	48"	84"	24"	24"	RCE1L4884SSN	1,371.	1,191.
	60"	42"	24"	24"	RCE1L6042SSN	1,017.	884.
	60"	48"	24"	24"	RCE1L6048SSN	1,029.	896.
	60"	48"	24"	30"	RCE1L6048SDN	1,012.	878.
	60"	48"	30"	24"	RCE1L6048DSN	1,012.	878.
	66"	42"	24"	24"	RCE1L6642SSN	1,044.	907.
	66"	48"	24"	24"	RCE1L6648SSN	1,066.	928.
	66"	48"	24"	30"	RCE1L6648SDN	1,063.	924.
	66"	48"	30"	24"	RCE1L6648DSN	1,063.	924.
	72"	42"	24"	24"	RCE1L7242SSN	1,084.	941.
	72"	48"	24"	24"	RCE1L7248SSN	1,106.	962.
	72"	48"	24"	30"	RCE1L7248SDN	1,113.	967.
	72"	48"	30"	24"	RCE1L7248DSN	1,113.	967.
	78"	42"	24"	24"	RCE1L7842SSN	1,094.	953.
	78"	48"	24"	24"	RCE1L7848SSN	1,219.	1,060.
	84"	48"	24"	24"	RCE1L8448SSN	1,371.	1,191.





Worksurfaces

Order Code		Specification Information	Application Notes	
Example: RCE1L4260SSG 114		<i>To order please specify pattern number including:</i>	Center-located edge grommets, located on center of sides marked B and C.	Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
RCE1	Cascade edge worksurface	1. Return depths (hard coded in pattern number):	All support hardware ordered separately.	
L	Blended “L” top	SS = 24”d left and right	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48”w.	
42	Width	SD = 24”d left, 30”d right		
60	Depth	DS = 30”d left, 24”d right		
S	24”d, left side	2. Grommets (hard coded in pattern number):	Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.	
S	24”d, right side	N= no grommets	Cascade edge worksurfaces are not recommended for free-standing applications.	
G	Grommets	G= grommets		
114	Top finish	3. Finishes:		
		<i>Solid:</i>		
		114 Folkstone Grey		
		117 Soft Grey		
		118 Bright White		
		119 Pumice		
		Woodgrain:		
		124 Medium Cherry		
		125 Natural Maple		
		126 Natural Cherry		
		127 Walnut		

Cascade Edge 1 1/4"

Half round and corner round

Reff Profiles

description	w	d	pattern no.	Woodgrain	Solid
 Half Round	48"	18"	RCE1H4818	\$530.	\$461.
	50 1/2"	18"	RCE1H4818P	530.	461.
	60"	24"	RCE1H6024	731.	634.
	62 1/2"	24"	RCE1H6024P	731.	634.
 LH Corner Round	24"	24"	RCE1CR24L	282.	245.
 RH Corner Round	24"	24"	RCE1CR24R	282.	245.
 Notched Corner Round	24"	24"	RCE1CR24N	282.	245.



Order Code	Specification Information	Application Notes
Example: RCE1H4818P 118	<i>To order please specify pattern number including finish:</i>	All support hardware ordered separately.
R Reff	<i>Available finishes:</i>	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48"w.
CE1 Cascade edge	<i>Solid:</i>	Specify cantilever bracket from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.
H Half round	114 Folkstone Grey	Half round tops with suffix P, notched for panel end trim profile B square only.
48 Width	117 Soft Grey	Cascade edge worksurfaces are not recommended for free-standing applications.
18 Depth	118 Bright White	Actual width 1/16" less nominal.
P Notch for panel trim	119 Pumice	Actual depth 3/8" less nominal.
118 Finish	<i>Woodgrain:</i>	
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade Edge 1 1/4"

Wave end

Reff Profiles


description	1	2	3	A	B	pattern no.	Woodgrain	Solid
Wave End, LH 	36"	24"	30"	3"	15"	RCE1W363024N	\$659.	\$573.
	42"	24"	30"	9"	15"	RCE1W423024N	693.	602.
	48"	24"	30"	15"	15"	RCE1W483024N	742.	645.
	72"	24"	30"	30 1/2"	23 1/2"	RCE1W723024N	942.	821.
<i>shown with grommet</i>								
Wave End, RH 	36"	30"	24"	15"	3"	RCE1W362430N	659.	573.
	42"	30"	24"	15"	9"	RCE1W422430N	693.	602.
	48"	30"	24"	15"	15"	RCE1W482430N	742.	645.
	72"	30"	24"	23 1/2"	30 1/2"	RCE1W722430N	942.	821.
<i>shown with grommet</i>								

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCE1W483024N 118	<i>To order please specify pattern number including finish:</i>	Center-located edge grommet.
RCE1 Cascade edge worksurface	Available finishes:	To specify grommet, replace the "N" suffix in pattern number with "G". Add \$20.
W Wave end	<i>Solid:</i>	All support hardware ordered separately.
48 Width	114 Folkstone Grey	Worksurface stiffeners are recommended to provide additional support for open spans greater than 48" w.
30 Depth, left side	117 Soft Grey	Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 0-109 as required to support Cascade edge worksurfaces for Reff panel hung applications.
24 Depth, right side	118 Bright White	Cascade edge worksurfaces are not recommended for free-standing applications.
N No grommet	119 Pumice	Actual width 1/16" less nominal. Actual depth 3/8" less nominal for cord drop.
118 Top finish	<i>Woodgrain:</i>	Please Note: Cascade Edge worksurfaces are wrapped with a 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.
	124 Medium Cherry	
	125 Natural Maple	
	126 Natural Cherry	
	127 Walnut	

Worksurface 1 1/2"
rectilinear
20" and 24" deep

Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	20"	24"	RSD241-() () ()	\$346.	\$377.	\$434.	\$584.
		30"	RSD301-() () ()	378.	414.	475.	642.
		36"	RSD361-() () ()	401.	437.	502.	679.
		42"	RSD421-() () ()	415.	457.	525.	709.
		48"	RSD481-() () ()	437.	474.	545.	734.
		54"	RSD541-() () ()	454.	492.	570.	770.
		60"	RSD601-() () ()	513.	534.	614.	830.
		66"	RSD661-() () ()	502.	549.	633.	854.
		72"	RSD721-() () ()	530.	579.	663.	896.
		78"	RSD781-() () ()	538.	584.	674.	911.
		84"	RSD841-() () ()	570.	625.	717.	967.
		90"	RSD901-() () ()	596.	650.	745.	1,008.
		96"	RSD961-() () ()	618.	674.	774.	1,044.
		102"	RSD1021-() () ()	680.	742.	852.	1,148.
		108"	RSD1081-() () ()	748.	816.	936.	1,263.
	24"	24"	RSD242-() () ()	364.	396.	457.	617.
		30"	RSD302-() () ()	411.	447.	517.	696.
		36"	RSD362-() () ()	424.	468.	536.	723.
		42"	RSD422-() () ()	442.	481.	553.	745.
		48"	RSD482-() () ()	469.	517.	593.	799.
		54"	RSD542-() () ()	502.	549.	633.	854.
		60"	RSD602-() () ()	541.	591.	678.	915.
		66"	RSD662-() () ()	555.	619.	701.	947.
		72"	RSD722-() () ()	583.	636.	733.	991.
		78"	RSD782-() () ()	612.	665.	769.	1,037.
		84"	RSD842-() () ()	634.	693.	797.	1,076.
		90"	RSD902-() () ()	665.	724.	832.	1,122.
		96"	RSD962-() () ()	689.	752.	866.	1,169.
		102"	RSD1022-() () ()	758.	827.	953.	1,285.
		108"	RSD1082-() () ()	833.	909.	1,048.	1,414.


Order Code	Specification Information	Application Notes
Example: RSD241RL	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. Grommet option: F=Flush front grommet location N=No grommet R=Recessed front (not recommended for 20"D and 24"D tops)	Products on this page are shipped without hardware which must be ordered separately from the support components section.
S Straight top	2. Grommet finish: Painted, Plated	These worksurfaces are predrilled with pilot holes for use with wood screws.
D 1 1/2" thick	3. Top finish: L, V1, V2, V3	Worksurfaces stiffeners recommended to provide additional support for open spans greater than 54"w.
24 24" wide		
1 20" deep		
R Recessed grommet location		
111 Jet Black (grommet)		
V316 Top finish		

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.

Worksurface 1 1/2"
rectilinear
30" and 36" deep

Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops 	30"	24"	RSD243-() ()	\$397.	\$431.	\$493.	\$666.
		30"	RSD303-() ()	446.	485.	558.	755.
		36"	RSD363-() ()	478.	524.	600.	810.
		42"	RSD423-() ()	499.	544.	626.	847.
		48"	RSD483-() ()	534.	581.	666.	901.
		54"	RSD543-() ()	576.	628.	720.	972.
		60"	RSD603-() ()	597.	651.	747.	1,010.
		66"	RSD663-() ()	608.	664.	768.	1,036.
		72"	RSD723-() ()	625.	681.	783.	1,057.
		78"	RSD783-() ()	653.	714.	821.	1,107.
		84"	RSD843-() ()	679.	742.	853.	1,153.
		90"	RSD903-() ()	711.	776.	894.	1,207.
		96"	RSD963-() ()	735.	804.	925.	1,248.
		102"	RSD1023-() ()	810.	885.	1,018.	1,374.
		108"	RSD1083-() ()	890.	973.	1,120.	1,511.
	36"	60"	RSD604-() ()	688.	751.	861.	1,153.
		66"	RSD664-() ()	711.	777.	895.	1,208.
		72"	RSD724-() ()	734.	803.	924.	1,247.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RSD243RL	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. Grommet options: N = No grommets	Product on this page will accept woodgrain laminate where laminate is currently an option.
S Straight top	F = Flush front grommet location	List price for woodgrain laminate options will be current published laminate list price plus 10%.
D 1 1/2" thick	R = Recessed front (not recommended for 20"D and 24"D tops)	Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.
36 36" wide	A = Alternate location (for 36"D tops only)	Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less.
3 30" deep	2. Grommet finish: Painted, Plated	
R Recessed grommet location	3. Finish: L, V1, V2, V3	
111 Jet Black (grommet)		
V316 Top finish		

Products on this page are shipped without hardware which must be ordered separately from the support components section.


These worksurfaces are predrilled with pilot holes for use with wood screws.

Worksurfaces stiffeners recommended to provide additional support for open spans greater than 54"w.

Worksurface 1 1/2"

Bridge rectilinear

Reff Profiles


description	d	w	pattern no.	L	V1	V2	V3
Worksurface, bridge rectilinear 	20"	36"	RBD361H () () ()	\$401.	\$437.	\$502.	\$679.
		36"	RBD361V () () ()	401.	437.	502.	679.
		42"	RBD421H () () ()	415.	457.	525.	709.
		42"	RBD421V () () ()	415.	457.	525.	709.
		48"	RBD481H () () ()	437.	474.	545.	734.
		48"	RBD481V () () ()	437.	474.	545.	734.
		54"	RBD541V () () ()	454.	492.	570.	770.
		54"	RBD541H () () ()	454.	492.	570.	770.
	24"	36"	RBD362H () () ()	424.	468.	536.	723.
		36"	RBD362V () () ()	424.	468.	536.	723.
		42"	RBD422H () () ()	442.	481.	553.	745.
		42"	RBD422V () () ()	442.	481.	553.	745.
		48"	RBD482H () () ()	469.	517.	593.	799.
		48"	RBD482V () () ()	469.	517.	593.	799.
		54"	RBD542V () () ()	502.	549.	633.	854.
		54"	RBD542H () () ()	502.	549.	633.	854.

Order Code	Specification Information	Application Notes
Example: RBD361H	<i>To order please specify pattern number including:</i>	Modesty sold separately
R Reff	1. Options for grain direction	Stiffener sold separately
B Bridge	H=Horizontal grain direction	Assembly required.
D 1 1/2"	V=Vertical grain direction	Worksurface stiffeners recommended to provide additional support for open spans greater than 54" w.
36 36" wide	2. Grommet type:	Hardware not included.
H/V	N=No grommet	
F Grommet type	F=Flush front grommet locaton	
115 Grommet finish	3. Grommet finish:	
114 Laminate	Painted, Plated	
	4. Finish	
	L, V1, V2, V3	

Worksurface Credenza

1" No grommet

Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops 	20"	60"	RCE601()	\$472.	\$472.	\$543.	\$734.
		66"	RCE661()	486.	486.	560.	756.
		72"	RCE721()	512.	512.	587.	793.
		78"	RCE781()	517.	517.	596.	805.
		84"	RCE841()	553.	553.	634.	856.
		90"	RCE901()	575.	575.	659.	892.
		96"	RCE961()	596.	596.	685.	924.
		102"	RCE1021()	656.	656.	754.	1,017.
		108"	RCE1081()	722.	722.	829.	1,118.
	24"	60"	RCE602()	523.	523.	599.	810.
		66"	RCE662()	539.	539.	621.	837.
		72"	RCE722()	562.	562.	649.	877.
		78"	RCE782()	589.	589.	681.	918.
		84"	RCE842()	614.	614.	706.	953.
		90"	RCE902()	641.	641.	736.	993.
		96"	RCE962()	665.	665.	766.	1,034.
		102"	RCE1022()	732.	732.	843.	1,137.
		108"	RCE1082()	805.	805.	927.	1,251.


Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCE601	<i>To order please specify pattern number including:</i> 1. Finish L, V1, V2, V3	No grommet options Credenza tops are drilled to accept pedestals and end panels. Credenza tops are predrilled with pilot holes for use with wood screws. 1" Credenza tops are recommended to work with the Task Panel application. Credenza tops are intended to be supported by full lower storage.
R Reff		
C Credenza Top		
E 1"		
60 width		
1 20"		
V316 Finish		

Worksurface Credenza

1" with edge grommet

Reff Profiles


description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops with grommet 	20"	60"	RCEEG601()	\$660.	\$660.	\$760.	\$1,028.
		66"	RCEEG661()	681.	681.	785.	1,059.
		72"	RCEEG721()	717.	717.	822.	1,110.
		78"	RCEEG781()	724.	724.	835.	1,128.
		84"	RCEEG841()	775.	775.	888.	1,198.
		90"	RCEEG901()	804.	804.	923.	1,248.
		96"	RCEEG961()	835.	835.	959.	1,294.
		102"	RCEEG1021()	919.	919.	1,055.	1,422.
		108"	RCEEG1081()	1,010.	1,010.	1,161.	1,566.
	24"	60"	RCEEG602()	732.	732.	839.	1,133.
		66"	RCEEG662()	754.	754.	869.	1,172.
		72"	RCEEG722()	787.	787.	908.	1,227.
		78"	RCEEG782()	825.	825.	953.	1,284.
		84"	RCEEG842()	859.	859.	988.	1,334.
		90"	RCEEG902()	897.	897.	1,031.	1,391.
		96"	RCEEG962()	931.	931.	1,073.	1,448.
		102"	RCEEG1022()	1,025.	1,025.	1,180.	1,592.
		108"	RCEEG1082()	1,127.	1,127.	1,298.	1,752.

Order Code	Specification Information	Application Notes
Example: RCEEG601	<i>To order please specify pattern number including:</i> 1. Top finish L,V1,V2,V3	These tops will always come with a cut out (notch) at the back of top. No grommet option.
R Reff		
C Credenza Top		
E 1"		
EG Edge Grommet		
60 Width		
1 20"		
V316 Finish		Credenza tops are drilled to accept pedestals. Credenza tops are predrilled with pilot holes for use with wood screws. 1" Credenza tops are recommended to work with the Task Panel application. Credenza tops are intended to be supported by full lower storage. Edge grommet: 35mm deep, 6" in from back corner.

Worksurface Credenza

1 1/2" with edge grommet

Reff Profiles

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops 	20"	60"	RCD601()	\$726.	\$726.	\$836.	\$1,131.
		66"	RCD661()	749.	749.	863.	1,164.
		72"	RCD721()	788.	579.	904.	1,222.
		78"	RCD781()	796.	796.	919.	1,240.
		84"	RCD841()	852.	852.	977.	1,318.
		90"	RCD901()	885.	885.	1,016.	1,374.
		96"	RCD961()	919.	919.	1,055.	1,422.
		102"	RCD1021()	1,010.	1,010.	1,161.	1,566.
		108"	RCD1081()	1,111.	1,111.	1,276.	1,721.
	24"	60"	RCD602()	805.	805.	923.	1,246.
		66"	RCD662()	829.	829.	957.	1,290.
		72"	RCD722()	866.	866.	999.	1,350.
		78"	RCD782()	907.	907.	1,049.	1,413.
		84"	RCD842()	946.	946.	1,087.	1,468.
		90"	RCD902()	987.	987.	1,134.	1,530.
		96"	RCD962()	1,025.	1,025.	1,180.	1,592.
		102"	RCD1022()	1,127.	1,127.	1,298.	1,752.
		108"	RCD1082()	1,240.	1,240.	1,428.	1,927.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RCEEG601	<i>To order please specify pattern number including:</i> 1. Finish L,V1,V2,V3	These tops will always come with a cut out (notch) at the back of top. No grommet option.
R Reff		
C Credenza		
D 1 1/2" top		
60 Width		
1 20"		
V316 Finish		Credenza tops are drilled to accept pedestals. Credenza tops are predrilled with pilot holes for use with wood screws. 1" Credenza tops are recommended to work with the Task Panel application. Credenza tops are intended to be supported by full lower storage. Edge grommet: 35mm deep, 6" in from back corner.

Peninsula 1 1/2"


Planning Guidelines and Specifications

Peninsulas

Peninsulas for Reff Profiles are a central element in private office planning. Peninsulas are available in two styles; flush mounted and over-sailing. The flush mounted style is intended to connect tops which use full height pedestals for support, creating a flush transition

between the peninsula and the adjoining top. The over-sailing style of peninsula is designed to overlap low storage made up of 3/4 height cabinets with 1" credenza tops or Progressive low credenzas by using a stand-off to support the peninsula top and create a space between the top and the low storage element.

See diagrams below and page following for descriptions. Peninsulas are offered as complete assemblies including worksurface, leg(s), credenza support, and grommet options.



Peninsula 1 1/2"

Planning Guidelines and Specifications

Reff Profiles

Specification Options

Peninsulas are available with a variety of worksurface shapes including rectilinear, asymmetrical and symmetrical bullet, P, 9 and D shapes.

Peninsula tops are available in any Reff Profiles core laminate or veneer finish; see Reff Profiles finish options pages for further information.

Laminate tops are offered with color-matched edges or wood veneer edges as a mixed finish option. Edge material for veneer tops is wood.

Flush mounted peninsulas, previous page below right, come with Flush Mounting kit including two flush plates and connection hardware.


Over-sailing peninsulas are offered with two stand-off options; Power Center, previous page middle, and Simple stand-off, previous page left.

The Power Center kit is supplied with power center grommet, stand-off, round cable grommet and connection hardware. When specified with a Power Center, the peninsula


top is pre-drilled to accept the Power Center grommet. The Power Center stand-off is field installed to the peninsula top and lower storage. Refer to PN #6TP00081 for Power Center Stand-Off installation instructions.

In the recommended mounting location, the peninsula top will be 2 1/2" from the wall or the back edge of the 1" credenza top (over 3/4 height pedestals). Refer to elevation diagrams below for details.


Worksurfaces



Over-Sailing Style
Peninsula with Power Center



Flush Mounted Style
Peninsula with Flush Mount



Over-Sailing Style
Peninsula with Simple Stand-Off

Peninsula 1 1/2"

Planning Guidelines and Specifications

Reff Profiles

The Simple Stand-Off kit is supplied with a simple stand-off, stand-off mount, round cable grommet and connection hardware. When specified, the peninsula top is pre-drilled to accept the 2 x 3 grommet. The Simple Stand-Off is field installed to the peninsula top and lower storage. Refer to PN #6TP00081 for Power Center Stand-Off installation instructions.

Power center and 2 x 3 grommets are offered in three plated finishes; Black Nickel (PN), Polished Chrome (PD) and Satin Nickel (PU) and all core paint finishes.

Stand-Off's are offered in all Reff Profiles core paint finishes.

Rectilinear Tops Right Hand Shown

Simple Stand-Off	Power Center	Flush Mount

Peninsula 1 1/2"

Planning Guidelines and Specifications

Reff Profiles

Leg options for Peninsulas include L-leg, reverse L-leg, soft rectangular leg, open frame leg and cylindrical column leg. L, reverse L, soft rectangular and open frame legs are offered with anodized finishes: Black (AN), Polished (AP) and Satin (AU).

Cylindrical column leg is offered with plated finishes: Black Nickel (PN), Polished Chrome (PD) and Satin Nickel (PU).

All legs are available in all Reff Profiles core paint finishes.

Rectilinear peninsula tops are offered with L, reverse L, soft rectangular, and open frame leg options. All other peninsula tops are offered with cylindrical column leg.

Refer to figures on previous page and following for grommet locations and order codes.

Asymmetric Bullet Tops Right Hand Shown

Simple Stand-Off	Power Center	Flush Mount
<p>Simple Stand-Off</p> <p>Leg</p> <p>N</p>		<p>Flush Plates</p> <p>Leg</p> <p>N</p>
<p>Grommet</p> <p>Depth / 2</p> <p>9 1/2"</p> <p>Depth</p> <p>S</p>	<p>Power Center</p> <p>Leg</p> <p>P</p>	
<p>20 1/2"</p> <p>9 1/2"</p> <p>E</p>		<p>20 1/2"</p> <p>9 1/2"</p> <p>E</p>
<p>Depth / 2</p> <p>9 1/2"</p> <p>Depth</p> <p>SE</p>		

Peninsula 1 1/2"

Planning Guidelines and Specifications

Reff Profiles

Construction

Reff Profiles peninsula tops are nominal 1 1/2" thick, consisting of 1 7/16" thick substrate with a laminate or veneer surface finish.

Laminate tops have a laminate top surface with an FSC-certified particle board core and a paper backer sheet for balanced construction. Edges can match the top or are available in a selection

of veneers. Matching edges are in 2.0mm ABS with 2.0mm radius top and bottom edges. End edges overlap the front and back edges with the outside corners minimally radiused.

Edges on veneer tops are 2.4mm thick wood with 2.4mm radius top and bottom edges. Ends overlap front and back edges

with 2.4mm radius on outside corners.

All tops are supplied with pilot holes for hardware inserts for attachment of specified leg options.

Legs are shipped separately, fully assembled with connection hardware included.

Symmetric Bullet Tops Right Hand Shown

Simple Stand-Off	Power Center	Flush Mount
<p>N</p>		<p>N</p>
<p>S</p>	<p>P</p>	
<p>E</p>		<p>E</p>
<p>SE</p>		

Peninsula 1 1/2"

Planning Guidelines and Specifications

Reff Profiles

Worksurfaces

Planning Notes

1. Partial height modesty is available, sold separately and field installed.
2. J-wire manager is available, sold separately and field installed.
3. Peninsula tops require additional stiffening for spans greater than 54".
4. Peninsula top is right handed when the leg is on the right hand side (from the users perspective) and vice versa.
5. Power center electrical components are not included with the Peninsula and are ordered separately.

P and 9 Tops

Flush Mount Options:

P-Shaped

9-Shaped









No Grommet		
Single Grommet		
Double Grommet		

Peninsula 1 1/2"

Planning Guidelines and Specifications


Reff Profiles

D Tops Right Hand Shown

Simple Stand-Off	Power Center	Flush Mount
<p>Simple Stand-Off</p>  <p>N</p>		<p>Flush Plates</p>  <p>N</p>
<p>9 1/2"</p> <p>Depth / 2</p>  <p>Grommet</p> <p>S</p>	<p>Power Center</p>  <p>Leg</p> <p>P</p>	
<p>Straight / 2</p> <p>9 1/2"</p>  <p>Straight</p> <p>M</p>		<p>Straight / 2</p> <p>9 1/2"</p>  <p>Straight</p> <p>M</p>
<p>9 1/2"</p> <p>Depth / 2</p>  <p>Straight</p> <p>SM</p>	<p>Straight / 2</p> <p>9 1/2"</p>  <p>Straight</p> <p>PM</p>	

Peninsula 1 1/2"
 Worksurface with L-leg
 Stand-Off with Power Center, Rectilinear top

Reff Profiles

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Left hand shown	20"	60"	1 1/2"	RPTDLPC(L/R)6020()()()	\$1,464.	\$1,507.	\$1,587.	\$1,804.
		66"	1 1/2"	RPTDLPC(L/R)6620()()()	1,475.	1,522.	1,607.	1,827.
		72"	1 1/2"	RPTDLPC(L/R)7220()()()	1,504.	1,552.	1,637.	1,869.
		78"	1 1/2"	RPTDLPC(L/R)7820()()()	1,511.	1,557.	1,647.	1,884.
		84"	1 1/2"	RPTDLPC(L/R)8420()()()	1,543.	1,599.	1,690.	1,941.
	24"	60"	1 1/2"	RPTDLPC(L/R)6024()()()	1,514.	1,565.	1,651.	1,888.
		66"	1 1/2"	RPTDLPC(L/R)6624()()()	1,529.	1,582.	1,675.	1,920.
		72"	1 1/2"	RPTDLPC(L/R)7224()()()	1,556.	1,609.	1,707.	1,964.
		78"	1 1/2"	RPTDLPC(L/R)7824()()()	1,582.	1,639.	1,743.	2,011.
		84"	1 1/2"	RPTDLPC(L/R)8424()()()	1,608.	1,667.	1,771.	2,050.
	30"	60"	1 1/2"	RPTDLPC(L/R)6030()()()	1,571.	1,624.	1,720.	1,984.
		66"	1 1/2"	RPTDLPC(L/R)6630()()()	1,581.	1,638.	1,742.	2,010.
		72"	1 1/2"	RPTDLPC(L/R)7230()()()	1,599.	1,654.	1,756.	2,030.
		78"	1 1/2"	RPTDLPC(L/R)7830()()()	1,626.	1,687.	1,794.	2,081.
		84"	1 1/2"	RPTDLPC(L/R)8430()()()	1,652.	1,715.	1,826.	2,126.
	36"	60"	1 1/2"	RPTDLPC(L/R)6036()()()	1,661.	1,724.	1,834.	2,126.
		66"	1 1/2"	RPTDLPC(L/R)6636()()()	1,684.	1,750.	1,868.	2,182.
		72"	1 1/2"	RPTDLPC(L/R)7236()()()	1,708.	1,777.	1,897.	2,221.
		78"	1 1/2"	RPTDLPC(L/R)7836()()()	1,731.	1,799.	1,926.	2,262.
		84"	1 1/2"	RPTDLPC(L/R)8436()()()	1,754.	1,823.	1,956.	2,302.


Worksurfaces

Order Code	Specification Information	Application Notes
Example: RPTDLPC(L/R)6030()()()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option P=Power Center, PE= Power center grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
D 1 1/2"	3. Grommet option Painted or plated	Refer to grommet page for location option.
L L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Leg finish Painted or Anodized	
L Left hand/ Right hand	6. Stand-off finish Painted	
60 Width		
30 Depth		
P Grommet option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		

Peninsula worksurfaces with power center do not come with Electrical Components.
 For electrical components please refer to page 430.
 Products on this page work with 28 3/8" height planning.

Peninsula 1 1/2"
 Worksurface with L-leg
 Simple Stand-Off, Rectilinear top


Reff Profiles

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDLST(L/R)6020()()()	\$1,392.	\$1,435.	\$1,515.	\$1,731.
		66"	1 1/2"	RPTDLST(L/R)6620()()()	1,403.	1,450.	1,535.	1,755.
		72"	1 1/2"	RPTDLST(L/R)7220()()()	1,432.	1,480.	1,565.	1,797.
		78"	1 1/2"	RPTDLST(L/R)7820()()()	1,439.	1,485.	1,575.	1,812.
		84"	1 1/2"	RPTDLST(L/R)8420()()()	1,471.	1,526.	1,618.	1,868.
	24"	60"	1 1/2"	RPTDLST(L/R)6024()()()	1,442.	1,492.	1,579.	1,816.
		66"	1 1/2"	RPTDLST(L/R)6624()()()	1,456.	1,510.	1,603.	1,848.
		72"	1 1/2"	RPTDLST(L/R)7224()()()	1,484.	1,537.	1,635.	1,892.
		78"	1 1/2"	RPTDLST(L/R)7824()()()	1,510.	1,567.	1,671.	1,938.
		84"	1 1/2"	RPTDLST(L/R)8424()()()	1,536.	1,594.	1,698.	1,978.
	30"	60"	1 1/2"	RPTDLST(L/R)6030()()()	1,499.	1,552.	1,648.	1,912.
		66"	1 1/2"	RPTDLST(L/R)6630()()()	1,509.	1,566.	1,670.	1,937.
		72"	1 1/2"	RPTDLST(L/R)7230()()()	1,526.	1,582.	1,684.	1,958.
		78"	1 1/2"	RPTDLST(L/R)7830()()()	1,554.	1,615.	1,722.	2,009.
		84"	1 1/2"	RPTDLST(L/R)8430()()()	1,580.	1,643.	1,754.	2,054.
	36"	60"	1 1/2"	RPTDLST(L/R)6036()()()	1,589.	1,652.	1,762.	2,054.
		66"	1 1/2"	RPTDLST(L/R)6636()()()	1,612.	1,678.	1,796.	2,109.
		72"	1 1/2"	RPTDLST(L/R)7236()()()	1,636.	1,705.	1,825.	2,149.
		78"	1 1/2"	RPTDLST(L/R)7836()()()	1,659.	1,727.	1,854.	2,190.
		84"	1 1/2"	RPTDLST(L/R)8436()()()	1,682.	1,751.	1,884.	2,230.

Order Code	Specification Information	Application Notes
Example: RPTDLST(L/R)6030()()()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	S=Stand-off	Refer to grommet page for location option.
L L-Leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand-Off	E=End grommet	
L Left hand/ Right hand	SE=Stand-off grommet with end grommet	
60 Width	SD=Stand-off with drop in box	
30 Depth	SDR=Right hand stand-off with drop in box	
E Grommet Type	SDL=Left hand stand-off with drop in box	
115 Grommet Finish	3. Grommet option	
114 Worksurface Finish	Painted or plated	
115 Leg Finish	4. Worksurface finish	
115 Stand-Off Finish	L, V1, V2, V3	
	5. Leg finish	
	Painted or Anodized	
	6. Stand-off finish	
	Painted	

Peninsula 1 1/2"
 Worksurface with L-leg
 Flush Mount Attachment, Rectilinear top

Reff Profiles

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Left hand shown	20"	48"	1 1/2"	RPTDLFM(L/R)4820() () () ()	\$1,173.	\$1,210.	\$1,281.	\$1,471.
		54"	1 1/2"	RPTDLFM(L/R)5420() () () ()	1,191.	1,229.	1,306.	1,507.
		60"	1 1/2"	RPTDLFM(L/R)6020() () () ()	1,227.	1,270.	1,350.	1,567.
		66"	1 1/2"	RPTDLFM(L/R)6620() () () ()	1,238.	1,285.	1,370.	1,590.
		72"	1 1/2"	RPTDLFM(L/R)7220() () () ()	1,267.	1,315.	1,400.	1,633.
		78"	1 1/2"	RPTDLFM(L/R)7820() () () ()	1,274.	1,320.	1,410.	1,647.
		84"	1 1/2"	RPTDLFM(L/R)8420() () () ()	1,306.	1,362.	1,453.	1,704.
	24"	48"	1 1/2"	RPTDLFM(L/R)4824() () () ()	1,205.	1,254.	1,330.	1,536.
		54"	1 1/2"	RPTDLFM(L/R)5424() () () ()	1,238.	1,285.	1,370.	1,590.
		60"	1 1/2"	RPTDLFM(L/R)6024() () () ()	1,277.	1,328.	1,414.	1,651.
		66"	1 1/2"	RPTDLFM(L/R)6624() () () ()	1,292.	1,345.	1,438.	1,683.
		72"	1 1/2"	RPTDLFM(L/R)7224() () () ()	1,319.	1,372.	1,470.	1,727.
		78"	1 1/2"	RPTDLFM(L/R)7824() () () ()	1,345.	1,402.	1,506.	1,774.
		84"	1 1/2"	RPTDLFM(L/R)8424() () () ()	1,371.	1,430.	1,534.	1,813.
	36"	48"	1 1/2"	RPTDLFM(L/R)4836() () () ()	1,378.	1,441.	1,540.	1,808.
		54"	1 1/2"	RPTDLFM(L/R)5436() () () ()	1,401.	1,464.	1,569.	1,848.
		60"	1 1/2"	RPTDLFM(L/R)6036() () () ()	1,424.	1,487.	1,598.	1,889.
		66"	1 1/2"	RPTDLFM(L/R)6636() () () ()	1,447.	1,513.	1,632.	1,945.
		72"	1 1/2"	RPTDLFM(L/R)7236() () () ()	1,471.	1,540.	1,660.	1,984.
		78"	1 1/2"	RPTDLFM(L/R)7836() () () ()	1,495.	1,563.	1,689.	2,025.
		84"	1 1/2"	RPTDLFM(L/R)8436() () () ()	1,517.	1,586.	1,719.	2,065.
	30"	48"	1 1/2"	RPTDLFM(L/R)4830() () () ()	1,286.	1,340.	1,426.	1,666.
		54"	1 1/2"	RPTDLFM(L/R)5430() () () ()	1,310.	1,364.	1,454.	1,706.
		60"	1 1/2"	RPTDLFM(L/R)6030() () () ()	1,334.	1,387.	1,483.	1,747.
		66"	1 1/2"	RPTDLFM(L/R)6630() () () ()	1,344.	1,401.	1,505.	1,773.
		72"	1 1/2"	RPTDLFM(L/R)7230() () () ()	1,362.	1,417.	1,519.	1,793.
		78"	1 1/2"	RPTDLFM(L/R)7830() () () ()	1,389.	1,450.	1,557.	1,844.
		84"	1 1/2"	RPTDLFM(L/R)8430() () () ()	1,415.	1,478.	1,589.	1,889.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RPTDLFM(L/R)4830() () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End, N=No grommet, M=Middle grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
IL L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		
48 Width		
30 Depth		
M Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Peninsula 1 1/2"

Reff Profiles

Worksurface with Reverse L-leg


Stand Off with Power Center, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDRPC(L/R)6020() () () ()	\$1,464.	\$1,507.	\$1,587.	\$1,804.
		66"	1 1/2"	RPTDRPC(L/R)6620() () () ()	1,475.	1,522.	1,607.	1,827.
		72"	1 1/2"	RPTDRPC(L/R)7220() () () ()	1,504.	1,552.	1,637.	1,869.
		78"	1 1/2"	RPTDRPC(L/R)7820() () () ()	1,511.	1,557.	1,647.	1,884.
		84"	1 1/2"	RPTDRPC(L/R)8420() () () ()	1,543.	1,599.	1,690.	1,941.
	24"	60"	1 1/2"	RPTDRPC(L/R)6024() () () ()	1,514.	1,565.	1,651.	1,888.
		66"	1 1/2"	RPTDRPC(L/R)6624() () () ()	1,529.	1,582.	1,675.	1,920.
		72"	1 1/2"	RPTDRPC(L/R)7224() () () ()	1,556.	1,609.	1,707.	1,964.
		78"	1 1/2"	RPTDRPC(L/R)7824() () () ()	1,582.	1,639.	1,743.	2,011.
		84"	1 1/2"	RPTDRPC(L/R)8424() () () ()	1,608.	1,667.	1,771.	2,050.
	30"	60"	1 1/2"	RPTDRPC(L/R)6030() () () ()	1,571.	1,624.	1,720.	1,984.
		66"	1 1/2"	RPTDRPC(L/R)6630() () () ()	1,581.	1,638.	1,742.	2,010.
		72"	1 1/2"	RPTDRPC(L/R)7230() () () ()	1,599.	1,654.	1,756.	2,030.
		78"	1 1/2"	RPTDRPC(L/R)7830() () () ()	1,626.	1,687.	1,794.	2,081.
		84"	1 1/2"	RPTDRPC(L/R)8430() () () ()	1,652.	1,715.	1,826.	2,126.
	36"	60"	1 1/2"	RPTDRPC(L/R)6036() () () ()	1,661.	1,724.	1,834.	2,126.
		66"	1 1/2"	RPTDRPC(L/R)6636() () () ()	1,684.	1,750.	1,868.	2,182.
		72"	1 1/2"	RPTDRPC(L/R)7236() () () ()	1,708.	1,777.	1,897.	2,221.
		78"	1 1/2"	RPTDRPC(L/R)7836() () () ()	1,731.	1,799.	1,926.	2,262.
		84"	1 1/2"	RPTDRPC(L/R)8436() () () ()	1,754.	1,823.	1,956.	2,302.

Order Code	Specification Information	Application Notes
Example: RPTDRPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option P=Power Center, PE=Power center plus end grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
R Reverse L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Leg finish Painted or Anodized	
L Left hand/ Right hand	6. Stand-off finish Painted	
30 Depth		
40 Width		
P Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-off finish		

Peninsula 1 1/2"
Worksurface with Reverse L-leg
Simple Stand Off, Rectilinear top

Reff Profiles

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Left hand shown	20"	60"	1 1/2"	RPTDRST(L/R)6020()()()	\$1,392.	\$1,435.	\$1,515.	\$1,731.
		66"	1 1/2"	RPTDRST(L/R)6620()()()	1,403.	1,450.	1,535.	1,755.
		72"	1 1/2"	RPTDRST(L/R)7220()()()	1,432.	1,480.	1,565.	1,797.
		78"	1 1/2"	RPTDRST(L/R)7820()()()	1,439.	1,485.	1,575.	1,812.
		84"	1 1/2"	RPTDRST(L/R)8420()()()	1,471.	1,526.	1,618.	1,868.
	24"	60"	1 1/2"	RPTDRST(L/R)6024()()()	1,442.	1,492.	1,579.	1,816.
		66"	1 1/2"	RPTDRST(L/R)6624()()()	1,456.	1,510.	1,603.	1,848.
		72"	1 1/2"	RPTDRST(L/R)7224()()()	1,484.	1,537.	1,635.	1,892.
		78"	1 1/2"	RPTDRST(L/R)7824()()()	1,510.	1,567.	1,671.	1,938.
		84"	1 1/2"	RPTDRST(L/R)8424()()()	1,536.	1,594.	1,698.	1,978.
	30"	60"	1 1/2"	RPTDRST(L/R)6030()()()	1,499.	1,552.	1,648.	1,912.
		66"	1 1/2"	RPTDRST(L/R)6630()()()	1,509.	1,566.	1,670.	1,937.
		72"	1 1/2"	RPTDRST(L/R)7230()()()	1,526.	1,582.	1,684.	1,958.
		78"	1 1/2"	RPTDRST(L/R)7830()()()	1,554.	1,615.	1,722.	2,009.
		84"	1 1/2"	RPTDRST(L/R)8430()()()	1,580.	1,643.	1,105.	2,054.
	36"	60"	1 1/2"	RPTDRST(L/R)6036()()()	1,589.	1,652.	1,762.	2,054.
		66"	1 1/2"	RPTDRST(L/R)6636()()()	1,612.	1,678.	1,796.	2,109.
		72"	1 1/2"	RPTDRST(L/R)7236()()()	1,636.	1,705.	1,825.	2,149.
		78"	1 1/2"	RPTDRST(L/R)7836()()()	1,659.	1,727.	1,854.	2,190.
		84"	1 1/2"	RPTDRST(L/R)8436()()()	1,682.	1,751.	1,884.	2,230.


Worksurfaces

Order Code	Specification Information	Application Notes
Example: RPTDRST(L/R)6030()()()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
D 1 1/2"	S=Stand-off	Refer to grommet page for location option.
R Reverse L-leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand off	E=End grommet	
L Left hand/ Right hand	SE=Stand-off and end grommet	
60 Width	SD=Stand-off with drop in box	
30 Depth	SDR=Right hand stand-off with drop in box	
SE Grommet Option	SDL=Left hand stand-off with drop in box	
115 Grommet Finish	3. Grommet finish	
114 Worksurface Finish	Painted or plated	
115 Leg Finish	4. Worksurface finish	
115 Stand-Off Finish	L, V1, V2, V3	
	5. Leg finish	
	Painted or Anodized	
	6. Stand-off finish	
	Painted	

Peninsula 1 1/2"

Reff Profiles

Worksurface with Reverse L-leg Flush Mount Attachment, Rectilinear top


description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	48"	1 1/2"	RPTDRFM(L/R)4820()()()	\$1,173.	\$1,210.	\$1,281.	\$1,471.
		54"	1 1/2"	RPTDRFM(L/R)5420()()()	1,191.	1,229.	1,306.	1,507.
		60"	1 1/2"	RPTDRFM(L/R)6020()()()	1,227.	1,270.	1,350.	1,567.
		66"	1 1/2"	RPTDRFM(L/R)6620()()()	1,238.	1,285.	1,370.	1,590.
		72"	1 1/2"	RPTDRFM(L/R)7220()()()	1,267.	1,315.	1,400.	1,633.
		78"	1 1/2"	RPTDRFM(L/R)7820()()()	1,274.	1,320.	1,410.	1,647.
		84"	1 1/2"	RPTDRFM(L/R)8420()()()	1,306.	1,362.	1,453.	1,704.
	24"	48"	1 1/2"	RPTDRFM(L/R)4824()()()	1,205.	1,254.	1,330.	1,536.
		54"	1 1/2"	RPTDRFM(L/R)5424()()()	1,238.	1,285.	1,370.	1,590.
		60"	1 1/2"	RPTDRFM(L/R)6024()()()	1,277.	1,328.	1,414.	1,651.
		66"	1 1/2"	RPTDRFM(L/R)6624()()()	1,292.	1,345.	1,438.	1,683.
		72"	1 1/2"	RPTDRFM(L/R)7224()()()	1,319.	1,372.	1,470.	1,727.
		78"	1 1/2"	RPTDRFM(L/R)7824()()()	1,345.	1,402.	1,506.	1,774.
		84"	1 1/2"	RPTDRFM(L/R)8424()()()	1,371.	1,430.	1,534.	1,813.
	30"	48"	1 1/2"	RPTDRFM(L/R)4830()()()	1,286.	1,340.	1,426.	1,666.
		54"	1 1/2"	RPTDRFM(L/R)5430()()()	1,310.	1,364.	1,454.	1,706.
		60"	1 1/2"	RPTDRFM(L/R)6030()()()	1,334.	1,387.	1,483.	1,747.
		66"	1 1/2"	RPTDRFM(L/R)6630()()()	1,344.	1,401.	1,505.	1,773.
		72"	1 1/2"	RPTDRFM(L/R)7230()()()	1,362.	1,417.	1,519.	1,793.
		78"	1 1/2"	RPTDRFM(L/R)7830()()()	1,389.	1,450.	1,557.	1,844.
		84"	1 1/2"	RPTDRFM(L/R)8430()()()	1,415.	1,478.	1,589.	1,889.
	36"	48"	1 1/2"	RPTDRFM(L/R)4836()()()	1,378.	1,441.	1,540.	1,808.
		54"	1 1/2"	RPTDRFM(L/R)5436()()()	1,401.	1,464.	1,569.	1,848.
		60"	1 1/2"	RPTDRFM(L/R)6036()()()	1,424.	1,487.	1,598.	1,889.
		66"	1 1/2"	RPTDRFM(L/R)6636()()()	1,447.	1,513.	1,632.	1,945.
		72"	1 1/2"	RPTDRFM(L/R)7236()()()	1,471.	1,540.	1,660.	1,984.
		78"	1 1/2"	RPTDRFM(L/R)7836()()()	1,495.	1,563.	1,689.	2,025.
		84"	1 1/2"	RPTDRFM(L/R)8436()()()	1,517.	1,586.	1,719.	2,065.

Order Code	Specification Information	Application Notes
Example: RPTDRFM(L/R)4830()()()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End, N=No grommet, M=Mid. grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
R Reverse L-leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Leg	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		
48 Width		
30 Depth		
M Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Peninsula 1 1/2"

Reff Profiles

Worksurface with Soft Rectangular Leg Stand Off with Power Center, Rectilinear top


description	d	w	th	pattern number	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDSPC(L/R)6020() () () ()	\$1,510.	\$1,553.	\$1,634.	\$1,850.
		66"	1 1/2"	RPTDSPC(L/R)6620() () () ()	1,521.	1,569.	1,653.	1,874.
		72"	1 1/2"	RPTDSPC(L/R)7220() () () ()	1,550.	1,599.	1,683.	1,916.
		78"	1 1/2"	RPTDSPC(L/R)7820() () () ()	1,557.	1,604.	1,693.	1,930.
		84"	1 1/2"	RPTDSPC(L/R)8420() () () ()	1,589.	1,645.	1,737.	1,987.
	24"	60"	1 1/2"	RPTDSPC(L/R)6024() () () ()	1,560.	1,611.	1,697.	1,934.
		66"	1 1/2"	RPTDSPC(L/R)6624() () () ()	1,575.	1,628.	1,721.	1,966.
		72"	1 1/2"	RPTDSPC(L/R)7224() () () ()	1,603.	1,655.	1,753.	2,011.
		78"	1 1/2"	RPTDSPC(L/R)7824() () () ()	1,628.	1,685.	1,789.	2,057.
		84"	1 1/2"	RPTDSPC(L/R)8424() () () ()	1,654.	1,713.	1,817.	2,096.
	30"	60"	1 1/2"	RPTDSPC(L/R)6030() () () ()	1,617.	1,671.	1,766.	2,030.
		66"	1 1/2"	RPTDSPC(L/R)6630() () () ()	1,627.	1,684.	1,788.	2,056.
		72"	1 1/2"	RPTDSPC(L/R)7230() () () ()	1,645.	1,701.	1,803.	2,076.
		78"	1 1/2"	RPTDSPC(L/R)7830() () () ()	1,673.	1,733.	1,841.	2,127.
		84"	1 1/2"	RPTDSPC(L/R)8430() () () ()	1,698.	1,761.	1,873.	2,172.
	36"	60"	1 1/2"	RPTDSPC(L/R)6036() () () ()	1,708.	1,771.	1,881.	2,172.
		66"	1 1/2"	RPTDSPC(L/R)6636() () () ()	1,730.	1,796.	1,915.	2,228.
		72"	1 1/2"	RPTDSPC(L/R)7236() () () ()	1,754.	1,823.	1,944.	2,267.
		78"	1 1/2"	RPTDSPC(L/R)7836() () () ()	1,778.	1,846.	1,972.	2,308.
		84"	1 1/2"	RPTDSPC(L/R)8436() () () ()	1,800.	1,869.	2,002.	2,348.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RPTDSPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	P=Power Center	Refer to grommet page for location option.
S Soft Rectangular Leg	PE=Power center and end grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	3. Grommet finish	
L Left hand/ Right hand	Painted or plated	
60 Width	4. Worksurface finish	
30 Depth	L, V1, V2, V3	
P Grommet Option	5. Leg finish	
115 Grommet Finish	Painted or Anodized	
114 Worksurface Finish	6. Stand-off finish	
115 Leg Finish	Painted	
115 Stand-Off Finish		

Peninsula 1 1/2"
Worksurface with Soft Rectangular Leg
Simple Stand Off, Rectilinear top

Reff Profiles


description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	60"	1 1/2"	RPTDSST(L/R)6020()()()	\$1,438.	\$1,481.	\$1,561.	\$1,778.
		66"	1 1/2"	RPTDSST(L/R)6620()()()	1,449.	1,497.	1,581.	1,801.
		72"	1 1/2"	RPTDSST(L/R)7220()()()	1,478.	1,526.	1,611.	1,844.
		78"	1 1/2"	RPTDSST(L/R)7820()()()	1,485.	1,532.	1,621.	1,858.
		84"	1 1/2"	RPTDSST(L/R)8420()()()	1,517.	1,573.	1,664.	1,915.
	24"	60"	1 1/2"	RPTDSST(L/R)6024()()()	1,488.	1,539.	1,625.	1,862.
		66"	1 1/2"	RPTDSST(L/R)6624()()()	1,503.	1,556.	1,649.	1,894.
		72"	1 1/2"	RPTDSST(L/R)7224()()()	1,531.	1,583.	1,681.	1,938.
		78"	1 1/2"	RPTDSST(L/R)7824()()()	1,556.	1,613.	1,717.	1,985.
		84"	1 1/2"	RPTDSST(L/R)8424()()()	1,582.	1,641.	1,745.	2,024.
	30"	60"	1 1/2"	RPTDSST(L/R)6030()()()	1,545.	1,599.	1,694.	1,958.
		66"	1 1/2"	RPTDSST(L/R)6630()()()	1,555.	1,612.	1,716.	1,984.
		72"	1 1/2"	RPTDSST(L/R)7230()()()	1,573.	1,628.	1,730.	2,004.
		78"	1 1/2"	RPTDSST(L/R)7830()()()	1,601.	1,661.	1,769.	2,055.
		84"	1 1/2"	RPTDSST(L/R)8430()()()	1,626.	1,689.	1,800.	2,100.
	36"	60"	1 1/2"	RPTDSST(L/R)6036()()()	1,636.	1,698.	1,809.	2,100.
		66"	1 1/2"	RPTDSST(L/R)6636()()()	1,658.	1,724.	1,843.	2,156.
		72"	1 1/2"	RPTDSST(L/R)7236()()()	1,682.	1,751.	1,872.	2,195.
		78"	1 1/2"	RPTDSST(L/R)7836()()()	1,706.	1,774.	1,900.	2,236.
		84"	1 1/2"	RPTDSST(L/R)8436()()()	1,728.	1,797.	1,930.	2,276.

Order Code	Specification Information	Application Notes
Example: RPTDSST(L/R)6030()()()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	S=Stand-off	Refer to grommet page for location option.
S Soft Rectangular Leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand Off	E=End grommet	
L Left hand/ Right hand	SE=Stand-off and end grommet	
60 Width	SD=Stand-off with drop in box	
30 Depth	SDR=Right hand stand-off with drop in box	
E Grommet Option	SDL=Left hand stand-off with drop in box	
115 Grommet Finish	3. Grommet finish	
114 Worksurface Finish	Painted or plated	
115 Leg Finish	4. Worksurface finish	
115 Stand-Off Finish	L, V1, V2, V3	
	5. Leg finish	
	Painted or Anodized	
	6. Stand-off finish	
	Painted	

Peninsula 1 1/2"

Reff Profiles

Worksurface with Soft Rectangular Leg Flush Mount Attachment, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	20"	48"	1 1/2"	RPTDSFM(L/R)4820() () () ()	\$1,220.	\$1,257.	\$1,328.	\$1,517.
		54"	1 1/2"	RPTDSFM(L/R)5420() () () ()	1,237.	1,275.	1,352.	1,553.
		60"	1 1/2"	RPTDSFM(L/R)6020() () () ()	1,273.	1,316.	1,397.	1,613.
		66"	1 1/2"	RPTDSFM(L/R)6620() () () ()	1,284.	1,332.	1,416.	1,637.
		72"	1 1/2"	RPTDSFM(L/R)7220() () () ()	1,313.	1,362.	1,446.	1,679.
		78"	1 1/2"	RPTDSFM(L/R)7820() () () ()	1,320.	1,367.	1,456.	1,693.
		84"	1 1/2"	RPTDSFM(L/R)8420() () () ()	1,352.	1,408.	1,500.	1,750.
	24"	48"	1 1/2"	RPTDSFM(L/R)4824() () () ()	1,251.	1,300.	1,376.	1,582.
		54"	1 1/2"	RPTDSFM(L/R)5424() () () ()	1,284.	1,332.	1,416.	1,637.
		60"	1 1/2"	RPTDSFM(L/R)6024() () () ()	1,324.	1,374.	1,461.	1,697.
		66"	1 1/2"	RPTDSFM(L/R)6624() () () ()	1,338.	1,392.	1,484.	1,729.
		72"	1 1/2"	RPTDSFM(L/R)7224() () () ()	1,366.	1,418.	1,516.	1,774.
		78"	1 1/2"	RPTDSFM(L/R)7824() () () ()	1,392.	1,448.	1,552.	1,820.
		84"	1 1/2"	RPTDSFM(L/R)8424() () () ()	1,417.	1,476.	1,580.	1,859.
	30"	48"	1 1/2"	RPTDSFM(L/R)4830() () () ()	1,333.	1,386.	1,472.	1,712.
		54"	1 1/2"	RPTDSFM(L/R)5430() () () ()	1,357.	1,410.	1,501.	1,752.
		60"	1 1/2"	RPTDSFM(L/R)6030() () () ()	1,380.	1,434.	1,530.	1,793.
		66"	1 1/2"	RPTDSFM(L/R)6630() () () ()	1,391.	1,447.	1,551.	1,819.
		72"	1 1/2"	RPTDSFM(L/R)7230() () () ()	1,408.	1,464.	1,566.	1,840.
		78"	1 1/2"	RPTDSFM(L/R)7830() () () ()	1,436.	1,497.	1,604.	1,890.
		84"	1 1/2"	RPTDSFM(L/R)8430() () () ()	1,462.	1,524.	1,636.	1,935.
	36"	48"	1 1/2"	RPTDSFM(L/R)4836() () () ()	1,424.	1,487.	1,586.	1,854.
		54"	1 1/2"	RPTDSFM(L/R)5436() () () ()	1,447.	1,510.	1,615.	1,894.
		60"	1 1/2"	RPTDSFM(L/R)6036() () () ()	1,471.	1,534.	1,644.	1,935.
		66"	1 1/2"	RPTDSFM(L/R)6636() () () ()	1,494.	1,559.	1,678.	1,991.
		72"	1 1/2"	RPTDSFM(L/R)7236() () () ()	1,517.	1,586.	1,707.	2,030.
		78"	1 1/2"	RPTDSFM(L/R)7836() () () ()	1,541.	1,609.	1,736.	2,071.
		84"	1 1/2"	RPTDSFM(L/R)8436() () () ()	1,564.	1,633.	1,765.	2,112.

Worksurfaces


Order Code	Specification Information	Application Notes
Example: RPTDSFM(L/R)4830() () ()	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End N=No grommet M=Mid. grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
S Soft Rectangular Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Platef	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		
48 Width		
30 Depth		
E Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Peninsula 1 1/2"

Reff Profiles

Worksurface with Open Frame Leg


Stand-Off with Power Center, Rectilinear top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Left hand shown	20"	60"	1 1/2"	RPTDOPC(L/R)6020() () () ()	\$1,536.	\$1,579.	\$1,659.	\$1,876.
		66"	1 1/2"	RPTDOPC(L/R)6620() () () ()	1,547.	1,594.	1,679.	1,899.
		72"	1 1/2"	RPTDOPC(L/R)7220() () () ()	1,576.	1,624.	1,709.	1,942.
		78"	1 1/2"	RPTDOPC(L/R)7820() () () ()	1,583.	1,629.	1,719.	1,956.
		84"	1 1/2"	RPTDOPC(L/R)8420() () () ()	1,615.	1,671.	1,762.	2,013.
	24"	60"	1 1/2"	RPTDOPC(L/R)6024() () () ()	1,586.	1,637.	1,723.	1,960.
		66"	1 1/2"	RPTDOPC(L/R)6624() () () ()	1,601.	1,654.	1,747.	1,992.
		72"	1 1/2"	RPTDOPC(L/R)7224() () () ()	1,628.	1,681.	1,779.	2,036.
		78"	1 1/2"	RPTDOPC(L/R)7824() () () ()	1,654.	1,711.	1,815.	2,083.
		84"	1 1/2"	RPTDOPC(L/R)8424() () () ()	1,680.	1,739.	1,843.	2,122.
	30"	60"	1 1/2"	RPTDOPC(L/R)6030() () () ()	1,643.	1,696.	1,792.	2,056.
		66"	1 1/2"	RPTDOPC(L/R)6630() () () ()	1,653.	1,710.	1,814.	2,082.
		72"	1 1/2"	RPTDOPC(L/R)7230() () () ()	1,671.	1,726.	1,828.	2,102.
		78"	1 1/2"	RPTDOPC(L/R)7830() () () ()	1,698.	1,759.	1,866.	2,153.
		84"	1 1/2"	RPTDOPC(L/R)8430() () () ()	1,724.	1,787.	1,898.	2,198.
	36"	60"	1 1/2"	RPTDOPC(L/R)6036() () () ()	1,733.	1,796.	1,907.	2,198.
		66"	1 1/2"	RPTDOPC(L/R)6636() () () ()	1,756.	1,822.	1,941.	2,254.
		72"	1 1/2"	RPTDOPC(L/R)7236() () () ()	1,780.	1,849.	1,969.	2,293.
		78"	1 1/2"	RPTDOPC(L/R)7836() () () ()	1,804.	1,872.	1,998.	2,334.
		84"	1 1/2"	RPTDOPC(L/R)8436() () () ()	1,826.	1,895.	2,028.	2,374.

Order Code	Specification Information	Application Notes
Example: RPTDOPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	P=Power Center PE=Power center and end grommet	Refer to grommet page for location option.
O Open Frame Leg	3. Grommet finish	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	Painted or plated	
L Left hand/ Right hand	4. Worksurface finish	
60 Width	L, V1, V2, V3	
30 Depth	5. Leg finish	
P Grommet Option	Painted or Anodized	
115 Grommet Finish	6. Stand-off finish	
114 Worksurface Finish	Painted	
115 Leg Finish		
115 Stand-Off Finish		

Peninsula 1 1/2"
 Worksurface with Open Frame Leg
 Simple Stand-Off, Rectilinear top

Reff Profiles


description	d	w	th	pattern no.	L	M/V1	V2	V3
 Left hand shown	20"	60"	1 1/2"	RPTDOST(L/R)6020() () () ()	\$1,464.	\$1,507.	\$1,587.	\$1,804.
		66"	1 1/2"	RPTDOST(L/R)6620() () () ()	1,475.	1,522.	1,607.	1,827.
		72"	1 1/2"	RPTDOST(L/R)7220() () () ()	1,504.	1,552.	1,637.	1,869.
		78"	1 1/2"	RPTDOST(L/R)7820() () () ()	1,511.	1,557.	1,647.	1,884.
		84"	1 1/2"	RPTDOST(L/R)8420() () () ()	1,543.	1,599.	1,690.	1,941.
	24"	60"	1 1/2"	RPTDOST(L/R)6024() () () ()	1,514.	1,565.	1,651.	1,888.
		66"	1 1/2"	RPTDOST(L/R)6624() () () ()	1,529.	1,582.	1,675.	1,920.
		72"	1 1/2"	RPTDOST(L/R)7224() () () ()	1,556.	1,609.	1,707.	1,964.
		78"	1 1/2"	RPTDOST(L/R)7824() () () ()	1,582.	1,639.	1,743.	2,011.
		84"	1 1/2"	RPTDOST(L/R)8424() () () ()	1,608.	1,667.	1,771.	2,050.
	30"	60"	1 1/2"	RPTDOST(L/R)6030() () () ()	1,571.	1,624.	1,720.	1,984.
		66"	1 1/2"	RPTDOST(L/R)6630() () () ()	1,581.	1,638.	1,742.	2,010.
		72"	1 1/2"	RPTDOST(L/R)7230() () () ()	1,599.	1,654.	1,756.	2,030.
		78"	1 1/2"	RPTDOST(L/R)7830() () () ()	1,626.	1,687.	1,794.	2,081.
		84"	1 1/2"	RPTDOST(L/R)8430() () () ()	1,652.	1,715.	1,826.	2,126.
	36"	60"	1 1/2"	RPTDOST(L/R)6036() () () ()	1,661.	1,724.	1,834.	2,126.
		66"	1 1/2"	RPTDOST(L/R)6636() () () ()	1,684.	1,750.	1,868.	2,182.
		72"	1 1/2"	RPTDOST(L/R)7236() () () ()	1,708.	1,777.	1,897.	2,221.
		78"	1 1/2"	RPTDOST(L/R)7836() () () ()	1,731.	1,799.	1,926.	2,262.
		84"	1 1/2"	RPTDOST(L/R)8436() () () ()	1,754.	1,823.	1,956.	2,302.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RPTDOST(L/R)6030() () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	M=Mid. grommet	Refer to grommet page for location option.
O Open Frame Leg	N=No grommet	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand-Off	S=Stand-off	
L Left hand/ Right hand	SE=Stand-off and end location	
60 Width	SD=Stand-off with drop in box	
30 Depth	SDR=Right hand stand-off with drop in box	
S Grommet Option	SDL=Left hand stand-off with drop in box	
115 Grommet Finish	3. Grommet finish	
114 Worksurface Finish	Painted or plated	
115 Leg Finish	4. Worksurface finish	
115 Stand-Off Finish	L, V1, V2, V3	
	5. Leg finish	
	Painted or Anodized	
	6. Stand-off finish	
	Painted	

Peninsula 1 1/2"
Worksurface with Open Frame Leg
Flush Mount Attachment, Rectilinear top

Reff Profiles




description	d	w	th	pattern no.	L	M/V1	V2	V3
 Left hand shown	20"	48"	1 1/2"	RPTDOFM(L/R)4820()()()	\$1,245.	\$1,282.	\$1,353.	\$1,543.
		54"	1 1/2"	RPTDOFM(L/R)5420()()()	1,263.	1,301.	1,378.	1,579.
		60"	1 1/2"	RPTDOFM(L/R)6020()()()	1,299.	1,342.	1,422.	1,639.
		66"	1 1/2"	RPTDOFM(L/R)6620()()()	1,310.	1,358.	1,442.	1,662.
		72"	1 1/2"	RPTDOFM(L/R)7220()()()	1,339.	1,387.	1,472.	1,705.
		78"	1 1/2"	RPTDOFM(L/R)7820()()()	1,346.	1,393.	1,482.	1,719.
		84"	1 1/2"	RPTDOFM(L/R)8420()()()	1,378.	1,434.	1,525.	1,776.
	24"	48"	1 1/2"	RPTDOFM(L/R)4824()()()	1,277.	1,326.	1,402.	1,608.
		54"	1 1/2"	RPTDOFM(L/R)5424()()()	1,310.	1,358.	1,442.	1,662.
		60"	1 1/2"	RPTDOFM(L/R)6024()()()	1,349.	1,400.	1,486.	1,723.
		66"	1 1/2"	RPTDOFM(L/R)6624()()()	1,364.	1,417.	1,510.	1,755.
		72"	1 1/2"	RPTDOFM(L/R)7224()()()	1,392.	1,444.	1,542.	1,799.
		78"	1 1/2"	RPTDOFM(L/R)7824()()()	1,417.	1,474.	1,578.	1,846.
		84"	1 1/2"	RPTDOFM(L/R)8424()()()	1,443.	1,502.	1,606.	1,885.
	30"	48"	1 1/2"	RPTDOFM(L/R)4830()()()	1,359.	1,412.	1,498.	1,738.
		54"	1 1/2"	RPTDOFM(L/R)5430()()()	1,382.	1,436.	1,526.	1,778.
		60"	1 1/2"	RPTDOFM(L/R)6030()()()	1,406.	1,460.	1,555.	1,819.
		66"	1 1/2"	RPTDOFM(L/R)6630()()()	1,416.	1,473.	1,577.	1,845.
		72"	1 1/2"	RPTDOFM(L/R)7230()()()	1,434.	1,489.	1,591.	1,865.
		78"	1 1/2"	RPTDOFM(L/R)7830()()()	1,462.	1,522.	1,629.	1,916.
		84"	1 1/2"	RPTDOFM(L/R)8430()()()	1,487.	1,550.	1,661.	1,961.
	36"	48"	1 1/2"	RPTDOFM(L/R)4836()()()	1,450.	1,513.	1,612.	1,880.
		54"	1 1/2"	RPTDOFM(L/R)5436()()()	1,473.	1,536.	1,641.	1,920.
		60"	1 1/2"	RPTDOFM(L/R)6036()()()	1,507.	1,559.	1,670.	1,961.
		66"	1 1/2"	RPTDOFM(L/R)6636()()()	1,519.	1,585.	1,704.	2,017.
		72"	1 1/2"	RPTDOFM(L/R)7236()()()	1,543.	1,612.	1,732.	2,056.
		78"	1 1/2"	RPTDOFM(L/R)7836()()()	1,567.	1,635.	1,761.	2,097.
		84"	1 1/2"	RPTDOFM(L/R)8436()()()	1,589.	1,658.	1,791.	2,137.

Order Code	Specification Information	Application Notes
Example: RPTDOFM(L/R)4830()()()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Left or Right hand	Wire chase sold separately.
PT Peninsula	2. Grommet option E=End M=Mid. grommet N=No grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Grommet finish Painted or plated	Refer to grommet page for location option.
O Open Frame Leg	4. Worksurface finish L, V1, V2, V3	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	5. Leg finish Painted or Anodized	
L Left hand/ Right hand		
48 Width		
30 Depth		
E Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Peninsula 1 1/2"

Open Frame Leg Infill Options

Reff Profiles

description	th	w	h	pattern no.	L	V1	V2	V3	glass
 Inside Infill Options for Open Frame Legs	1"	20"	28 3/8"	RIPPEI202()	\$296.	\$376.	\$433.	\$563.	
	1"	24"	28 3/8"	RIPPEI242()	304.	386.	444.	578.	
	1"	30"	28 3/8"	RIPPEI302()	320.	406.	467.	608.	
	1"	36"	28 3/8"	RIPPEI362()	339.	431.	495.	644.	
 Outside Infill Options for Open Frame Legs	1"	20"	28 3/8"	RIPPEO202()	297.	378.	434.	565.	
	1"	24"	28 3/8"	RIPPEO242()	305.	388.	446.	579.	
	1"	30"	28 3/8"	RIPPEO302()	322.	409.	470.	611.	
	1"	36"	28 3/8"	RIPPEO362()	340.	432.	497.	646.	
 Outside Glass Infill Options for Open Frame Legs	1"	20"	28 3/8"	RIPPEOG202()					750.
	1"	24"	28 3/8"	RIPPEOG242()					846.
	1"	30"	28 3/8"	RIPPEOG302()					995.
	1"	36"	28 3/8"	RIPPEOG362()					1,148.

Worksurfaces



Order Code	Specification Information	Application Notes
Example: RIPPEI202	<i>To order please specify pattern number including:</i>	Both Inside and Outside infill must be ordered separately.
R Reff Profiles	1. Finish: L, V1,V2,V3,Glass	Infills; fill entire opening of open frame legs.
IP Infill Panel	I=Inside	Infills connect to each other. Can be removed without any damage to the frame legs.
PE Peninsula End	O=Outside	Glass Option is only available for outside infill.
I Inside	OG=Outside Glass	Black inside infill recommended when Glass option is used.
20 Width	Glass options:	
2 28 3/8"h: Desk Height	GL11, GL15, GL18	
() Finish		

Peninsula 1 1/2"

Reff Profiles

Worksurface with Column Leg

Stand-Off with Power Center, Asymmetrical and Symmetrical Bullet top

description	d	w	th	pattern no.	L	V1	V2	V3
 Peninsula, Asymmetrical Bullet Top <i>Left handed peninsula shown</i>	30"	60"	1 1/2"	RATDCPC(L/R)6030() () () ()	\$1,690.	\$1,781.	\$1,863.	\$2,186.
		66"	1 1/2"	RATDCPC(L/R)6630() () () ()	1,711.	1,803.	1,891.	2,240.
		66"	1 1/2"	RATDCPC(L/R)7230() () () ()	1,739.	1,831.	1,927.	2,304.
		78"	1 1/2"	RATDCPC(L/R)7830() () () ()	1,758.	1,853.	1,956.	2,361.
		84"	1 1/2"	RATDCPC(L/R)8430() () () ()	1,785.	1,881.	1,991.	2,424.
	36"	60"	1 1/2"	RATDCPC(L/R)6036() () () ()	1,737.	1,827.	1,923.	2,292.
		66"	1 1/2"	RATDCPC(L/R)6636() () () ()	1,760.	1,852.	1,956.	2,358.
		72"	1 1/2"	RATDCPC(L/R)7236() () () ()	1,791.	1,884.	1,996.	2,429.
		78"	1 1/2"	RATDCPC(L/R)7836() () () ()	1,814.	1,909.	2,030.	2,495.
		84"	1 1/2"	RATDCPC(L/R)8436() () () ()	1,838.	1,933.	2,062.	2,557.
 Peninsula, Symmetrical Bullet Top <i>Left hand shown</i>	30"	60"	1 1/2"	RSTDCPC(L/R)6030() () () ()	1,907.	2,028.	2,109.	2,432.
		66"	1 1/2"	RSTDCPC(L/R)6630() () () ()	1,932.	2,056.	2,145.	2,495.
		72"	1 1/2"	RSTDCPC(L/R)7230() () () ()	1,953.	2,078.	2,173.	2,551.
		78"	1 1/2"	RSTDCPC(L/R)7830() () () ()	1,973.	2,099.	2,202.	2,607.
		84"	1 1/2"	RSTDCPC(L/R)8430() () () ()	2,000.	2,128.	2,237.	2,670.
	36"	60"	1 1/2"	RSTDCPC(L/R)6036() () () ()	1,949.	2,073.	2,169.	2,538.
		66"	1 1/2"	RSTDCPC(L/R)6636() () () ()	1,973.	2,099.	2,203.	2,604.
		72"	1 1/2"	RSTDCPC(L/R)7236() () () ()	2,003.	2,131.	2,243.	2,675.
		78"	1 1/2"	RSTDCPC(L/R)7836() () () ()	2,026.	2,156.	2,276.	2,741.
		84"	1 1/2"	RSTDCPC(L/R)8436() () () ()	2,050.	2,181.	2,309.	2,805.



Order Code	Specification Information	Application Notes
Example: RATDCPC(L/R)6030() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet finish: Painted or Plated	Wire chase sold separately.
AT Asymmetrical Top	2. Top finish: L, V1, V2, V3	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Leg finish: Painted or Plated	Refer to grommet page for location option.
C Column Leg	4. Stand-off finish: Painted	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	Grommet type: P only	
L Left hand/ Right hand		
60 Width		
30 Depth		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		
115 Stand-off Finish		

Peninsula 1 1/2"

Reff Profiles

Worksurface with Column Leg

Simple Stand-Off, Asymmetrical and Symmetrical Bullet top

description	d	w	th	pattern no.	L	M/V1	V2	V3
 Peninsula, Asymmetrical Bullet Top <i>Left handed peninsula shown</i>	30"	60"	1 1/2"	RATDCST(L/R)6030 () () () ()	\$1,499.	\$1,589.	\$1,672.	\$1,994.
		66"	1 1/2"	RATDCST(L/R)6630 () () () ()	1,519.	1,611.	1,700.	2,049.
		72"	1 1/2"	RATDCST(L/R)7230 () () () ()	1,547.	1,640.	1,736.	2,113.
		78"	1 1/2"	RATDCST(L/R)7830 () () () ()	1,567.	1,661.	1,764.	2,169.
		84"	1 1/2"	RATDCST(L/R)8430 () () () ()	1,593.	1,689.	1,799.	2,232.
	36"	60"	1 1/2"	RATDCST(L/R)6036 () () () ()	1,545.	1,636.	1,731.	2,100.
		66"	1 1/2"	RATDCST(L/R)6636 () () () ()	1,569.	1,660.	1,764.	2,166.
		72"	1 1/2"	RATDCST(L/R)7236 () () () ()	1,600.	1,692.	1,805.	2,237.
		78"	1 1/2"	RATDCST(L/R)7836 () () () ()	1,622.	1,717.	1,839.	2,303.
		84"	1 1/2"	RATDCST(L/R)8436 () () () ()	1,646.	1,742.	1,870.	2,366.
 Peninsula, Symmetrical Bullet Top <i>Left hand shown</i>	30"	60"	1 1/2"	RSTDCST(L/R)6030 () () () ()	1,781.	1,894.	1,977.	2,298.
		66"	1 1/2"	RSTDCST(L/R)6630 () () () ()	1,799.	1,915.	2,004.	2,354.
		72"	1 1/2"	RSTDCST(L/R)7230 () () () ()	1,827.	1,944.	2,040.	2,417.
		78"	1 1/2"	RSTDCST(L/R)7830 () () () ()	1,848.	1,966.	2,069.	2,474.
		84"	1 1/2"	RSTDCST(L/R)8430 () () () ()	1,875.	1,994.	2,104.	2,537.
	36"	60"	1 1/2"	RSTDCST(L/R)6036 () () () ()	1,824.	1,941.	2,035.	2,405.
		66"	1 1/2"	RSTDCST(L/R)6636 () () () ()	1,848.	1,965.	2,069.	2,471.
		72"	1 1/2"	RSTDCST(L/R)7236 () () () ()	1,878.	1,997.	2,109.	2,541.
		78"	1 1/2"	RSTDCST(L/R)7836 () () () ()	1,900.	1,994.	2,142.	2,608.
		84"	1 1/2"	RSTDCST(L/R)8436 () () () ()	1,924.	2,047.	2,175.	2,671.



Order Code	Specification Information	Application Notes
Example: RATDCST (L/R)6030	To order please specify pattern number including:	Modesty sold separately and can be field installed.
R Reff	1. Grommet option: N=No grommet E=End grommet S=Grommet over Stand-Off SE=Grommet over Stand-off plus end grommet SD=Stand-off with drop in box SDR=Right hand stand-off with drop in box SDL=Left hand stand-off with drop in box	Finish: L,V1,V2,V3
AT Asymmetrical Top	2. Grommet finish: Painted or Plated	Leg Finish: Painted or plated
D 1 1/2"	3. Top finish: L, V1, V2, V3	Stand-off Finish: Painted
C Column Leg	4. Leg finish: Painted or Plated	Wire chase sold separately.
ST Stand-Off	5. Stand-off finish: Painted	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
L/R Left/Right Hand		Refer to grommet page for location option.
60 Width		From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
30 Depth		Peninsula worksurfaces with power center do not come with Electrical Components.
N Grommet Option		For electrical components please refer to page 430.
115 Grommet Finish		Products on this page work with 28 3/8" height planning.
V316 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		

Peninsula 1 1/2"

Reff Profiles

Worksurface with Column Leg

Flush Mount Attachment, Asymmetrical and Symmetrical Bullet top


description	d	w	th	pattern no.	L	V1	V2	V3
 <p>Left handed peninsula shown</p>	30"	48"	1 1/2"	RATDCFM(L/R)4830() () ()	\$1,341.	\$1,427.	\$1,495.	\$1,761.
		54"	1 1/2"	RATDCFM(L/R)5430() () ()	1,361.	1,447.	1,522.	1,817.
		60"	1 1/2"	RATDCFM(L/R)6030() () ()	1,412.	1,503.	1,585.	1,908.
		66"	1 1/2"	RATDCFM(L/R)6630() () ()	1,433.	1,524.	1,613.	1,962.
		72"	1 1/2"	RATDCFM(L/R)7230() () ()	1,461.	1,553.	1,649.	2,026.
		78"	1 1/2"	RATDCFM(L/R)7830() () ()	1,480.	1,575.	1,678.	2,083.
		84"	1 1/2"	RATDCFM(L/R)8430() () ()	1,507.	1,603.	1,713.	2,145.
	36"	48"	1 1/2"	RATDCFM(L/R)4836() () ()	1,378.	1,466.	1,544.	1,850.
		54"	1 1/2"	RATDCFM(L/R)5436() () ()	1,401.	1,490.	1,578.	1,916.
		60"	1 1/2"	RATDCFM(L/R)6036() () ()	1,456.	1,549.	1,645.	2,014.
		66"	1 1/2"	RATDCFM(L/R)6636() () ()	1,479.	1,574.	1,678.	2,080.
		72"	1 1/2"	RATDCFM(L/R)7236() () ()	1,509.	1,606.	1,718.	2,151.
		78"	1 1/2"	RATDCFM(L/R)7836() () ()	1,533.	1,630.	1,752.	2,217.
		84"	1 1/2"	RATDCFM(L/R)8436() () ()	1,556.	1,655.	1,784.	2,280.
 <p>Left hand shown</p>	30"	48"	1 1/2"	RSTDCFM(L/R)4830() () ()	1,593.	1,695.	1,763.	2,030.
		54"	1 1/2"	RSTDCFM(L/R)5430() () ()	1,613.	1,716.	1,791.	2,085.
		60"	1 1/2"	RSTDCFM(L/R)6030() () ()	1,666.	1,772.	1,854.	2,175.
		66"	1 1/2"	RSTDCFM(L/R)6630() () ()	1,685.	1,792.	1,881.	2,231.
		72"	1 1/2"	RSTDCFM(L/R)7230() () ()	1,712.	1,821.	1,918.	2,295.
		78"	1 1/2"	RSTDCFM(L/R)7830() () ()	1,732.	1,843.	1,946.	2,350.
		84"	1 1/2"	RSTDCFM(L/R)8430() () ()	1,759.	1,872.	1,982.	2,413.
	36"	48"	1 1/2"	RSTDCFM(L/R)4836() () ()	1,629.	1,733.	1,813.	2,119.
		54"	1 1/2"	RSTDCFM(L/R)5436() () ()	1,654.	1,759.	1,847.	2,185.
		60"	1 1/2"	RSTDCFM(L/R)6036() () ()	1,708.	1,817.	1,913.	2,281.
		66"	1 1/2"	RSTDCFM(L/R)6636() () ()	1,732.	1,843.	1,947.	2,347.
		72"	1 1/2"	RSTDCFM(L/R)7236() () ()	1,762.	1,875.	1,987.	2,418.
		78"	1 1/2"	RSTDCFM(L/R)7836() () ()	1,785.	1,899.	2,020.	2,484.
		84"	1 1/2"	RSTDCFM(L/R)8436() () ()	1,809.	1,924.	2,053.	2,548.

Order Code	Specification Information	Application Notes
Example: RATDCFM (L/R)4830	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet option: E=End grommet N=No grommet	Wire chase sold separately.
AT Asymmetrical Top	2. Grommet finish: Painted or Plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Top finish: L, V1, V2, V3	Refer to grommet page for location option.
C Column Leg	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Plate		Peninsula worksurfaces with power center do not come with Electrical Components.
L/R Left/Right Hand		For electrical components please refer to page 430.
48 Width		Products on this page work with 28 3/8" height planning.
30 Depth		
N Grommet Option		
115 Grommet Finish		
V316 Worksurface Finish		
115 Leg Finish		


Peninsula 1 1/2"
Worksurface with Column Leg
Flush Mount Attachment, P and 9 tops

Reff Profiles

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula, P Shaped Top	30"	84"	1 1/2"	RPTDCFM8430 ()()()	\$2,026.	\$2,177.	\$2,464.	\$3,231.
	30"	96"	1 1/2"	RPTDCFM9630 ()()()	2,098.	2,261.	2,554.	3,352.



Peninsula, 9 Shaped Top	30"	84"	1 1/2"	R9TDCFM8430 ()()()	2,026.	2,177.	2,464.	3,231.
	30"	96"	1 1/2"	R9TDCFM9630 ()()()	2,098.	2,261.	2,554.	3,352.




Worksurfaces

Order Code	Specification Information	Application Notes
Example: RPTDCFM8430 ()()()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet option: F=Flush	Wire chase sold separately.
PT P-Shaped top	M=Mid. Grommet	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
D 1 1/2"	N=No grommet	Refer to grommet page for location option.
C Column Leg	2. Grommet finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate	3. Top finish: L, V1, V2, V3	
84 Width	4. Leg finish: Painted or Plated	
30 Depth		
N Grommet Option		
115 Grommet Finish		
114 Worksurface Finish		
115 Leg Finish		

Peninsula worksurfaces with power center do not come with Electrical Components.
 For electrical components please refer to page 430.
 Products on this page work with 28 3/8" height planning.

Peninsula 1 1/2"
Worksurface with Column Leg
Stand-Off with Power Center, D top

Reff Profiles

description	d	w	th	pattern no.	L	M/V1	V2	V3
 <i>Left hand shown</i>	30"	66"	1 1/2"	RDTCPC(L/R)6630() () () ()	\$1,688.	\$1,876.	\$1,958.	\$2,282.
		72"	1 1/2"	RDTCPC(L/R)7230() () () ()	1,712.	1,902.	1,992.	2,342.
		78"	1 1/2"	RDTCPC(L/R)7830() () () ()	1,730.	1,923.	2,019.	2,395.
		84"	1 1/2"	RDTCPC(L/R)8430() () () ()	1,754.	1,949.	2,051.	2,453.
		90"	1 1/2"	RDTCPC(L/R)9030() () () ()	1,773.	1,969.	2,078.	2,505.
		96"	1 1/2"	RDTCPC(L/R)9630() () () ()	1,789.	1,988.	2,102.	2,554.
	36"	66"	1 1/2"	RDTCPC(L/R)6636() () () ()	1,729.	1,922.	2,019.	2,392.
		72"	1 1/2"	RDTCPC(L/R)7236() () () ()	1,757.	1,952.	2,056.	2,458.
		78"	1 1/2"	RDTCPC(L/R)7836() () () ()	1,777.	1,975.	2,087.	2,519.
		84"	1 1/2"	RDTCPC(L/R)8436() () () ()	1,797.	1,997.	2,118.	2,578.
		90"	1 1/2"	RDTCPC(L/R)9036() () () ()	1,819.	2,021.	2,149.	2,638.
		96"	1 1/2"	RDTCPC(L/R)9636() () () ()	1,841.	2,045.	2,179.	2,699.

Order Code	Specification Information	Application Notes
Example: RDTCPC(L/R)6630() () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet option: P=Power center PM=Power center and middle grommet	Wire chase sold separately.
DT P-Shaped top	2. Grommet finish: Painted or Plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
D 1 1/2"	3. Top finish: L, V1, V2, V3	Refer to grommet page for location option.
C Column Leg	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
PC Power Center	5. Stand-off finish: Painted	
L		
66 Width		
30 Depth		
P Grommet option		
115 Grommet finish		
V316 Top finish		
115 Leg Finish		
115 Stand-Off Finish		


Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 430.

Products on this page work with 28 3/8" height planning.

Peninsula 1 1/2"
Worksurface with Column Leg
Stand-Off, D top

Reff Profiles


description	d	w	th	pattern no.	L	M/V1	V2	V3
 <p>Left hand shown</p>	30"	66"	1 1/2"	RDTDCST(L/R)6630() () ()	\$1,544.	\$1,715.	\$1,797.	\$2,122.
		72"	1 1/2"	RDTDCST(L/R)7230() () ()	1,568.	1,742.	1,831.	2,182.
		78"	1 1/2"	RDTDCST(L/R)7830() () ()	1,586.	1,762.	1,858.	2,234.
		84"	1 1/2"	RDTDCST(L/R)8430() () ()	1,609.	1,788.	1,890.	2,293.
		90"	1 1/2"	RDTDCST(L/R)9030() () ()	1,627.	1,809.	1,917.	2,344.
		96"	1 1/2"	RDTDCST(L/R)9630() () ()	1,645.	1,827.	1,942.	2,394.
	36"	66"	1 1/2"	RDTDCST(L/R)6636() () ()	1,585.	1,761.	1,858.	2,231.
		72"	1 1/2"	RDTDCST(L/R)7236() () ()	1,612.	1,791.	1,895.	2,297.
		78"	1 1/2"	RDTDCST(L/R)7836() () ()	1,633.	1,814.	1,926.	2,359.
		84"	1 1/2"	RDTDCST(L/R)8436() () ()	1,653.	1,836.	1,957.	2,417.
		90"	1 1/2"	RDTDCST(L/R)9036() () ()	1,674.	1,860.	1,988.	2,477.
		96"	1 1/2"	RDTDCST(L/R)9636() () ()	1,695.	1,884.	2,019.	2,538.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RDTDCST6630() () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet option: S=Stand-off SM=Stand-off plus grommet M=Mid. Grommet N=No grommet	Wire chase sold separately.
DT D-Shaped top	2. Grommet finish: Painted or Plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
D 1 1/2"	3. Top finish: L, V1, V2, V3	Refer to grommet page for location option.
C Column Leg	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
ST Stand-Off	5. Stand-off finish: Painted	
66 Width		Peninsula worksurfaces with power center do not come with Electrical Components.
30 Depth		For electrical components please refer to page 430.
N Grommet Option		Products on this page work with 28 3/8" height planning.
115 Grommet Finish		
V316 Worksurface Finish		
115 Leg Finish		
115 Stand-Off Finish		

Peninsula 1 1/2"
Worksurface with Column Leg
Flush Mount Attachment, D top

Reff Profiles

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula, D-Shaped Top  <i>Left hand shown</i>	30"	54"	1 1/2"	RDTDCFM(L/R)5430() () () ()	\$1,369.	\$1,521.	\$1,591.	\$1,864.
		60"	1 1/2"	RDTDCFM(L/R)6030() () () ()	1,423.	1,581.	1,657.	1,957.
		66"	1 1/2"	RDTDCFM(L/R)6630() () () ()	1,441.	1,601.	1,683.	2,009.
		72"	1 1/2"	RDTDCFM(L/R)7230() () () ()	1,465.	1,627.	1,717.	2,067.
		78"	1 1/2"	RDTDCFM(L/R)7830() () () ()	1,483.	1,648.	1,744.	2,120.
		84"	1 1/2"	RDTDCFM(L/R)8430() () () ()	1,507.	1,674.	1,777.	2,178.
	36"	54"	1 1/2"	RDTDCFM(L/R)5436() () () ()	1,405.	1,561.	1,643.	1,957.
		60"	1 1/2"	RDTDCFM(L/R)6036() () () ()	1,462.	1,624.	1,713.	2,056.
		66"	1 1/2"	RDTDCFM(L/R)6636() () () ()	1,482.	1,647.	1,744.	2,117.
		72"	1 1/2"	RDTDCFM(L/R)7236() () () ()	1,509.	1,677.	1,781.	2,183.
		78"	1 1/2"	RDTDCFM(L/R)7836() () () ()	1,531.	1,701.	1,813.	2,244.
		84"	1 1/2"	RDTDCFM(L/R)8436() () () ()	1,551.	1,723.	1,843.	2,303.

Order Code	Specification Information	Application Notes
Example: RDTDCFM5430 () () ()	<i>To order please specify pattern number including:</i>	Modesty sold separately and can be field installed.
R Reff	1. Grommet option: N=None M=Middle	Wire chase sold separately.
DT P-Shapped top	2. Grommet finish: Painted or Plated	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.
D 1 1/2"	3. Worksurface finish: L, V1, V2, V3	Refer to grommet page for location option.
C Column Leg	4. Leg finish: Painted or Plated	From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.
FM Flush Mount Attachment Plate		Peninsula worksurfaces with power center do not come with Electrical Components.
54 Width		For electrical components please refer to page 430.
30 Depth		Products on this page work with 28 3/8" height planning.
M Grommet Option		
115 Grommet Finish		
V316 Worksurface Finish		
115 Leg Finish		

Tables, 1 1/2"
Rectangle with Open Frame Leg
24", 30" and 36" deep - 26 1/2" High

Reff Profiles

description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Rectangle 24" Deep with 26 1/2" height leg	1 1/2"	24"	60"	RTRDOF60241() ()	\$2,641.	\$2,785.	\$2,853.	\$3,099.
	1 1/2"	24"	66"	RTRDOF66241() ()	2,652.	2,805.	2,878.	3,145.
	1 1/2"	24"	72"	RTRDOF72241() ()	2,666.	2,818.	2,900.	3,163.
	1 1/2"	24"	78"	RTRDOF78241() ()	2,684.	2,861.	2,945.	3,254.
	1 1/2"	24"	84"	RTRDOF84241() ()	2,696.	2,898.	2,987.	3,316.




Table Top Rectangle 30" Deep with 26 1/2" height leg	1 1/2"	30"	60"	RTRDOF60301() ()	2,900.	3,019.	3,100.	3,387.
	1 1/2"	30"	66"	RTRDOF66301() ()	2,914.	3,042.	3,129.	3,440.
	1 1/2"	30"	72"	RTRDOF72301() ()	2,930.	3,058.	3,171.	3,506.
	1 1/2"	30"	78"	RTRDOF78301() ()	2,951.	3,107.	3,208.	3,567.
	1 1/2"	30"	84"	RTRDOF84301() ()	2,965.	3,157.	3,265.	3,647.





Table Top Rectangle 36" Deep with 26 1/2" height leg	1 1/2"	36"	60"	RTRDOF60361() ()	2,927.	3,070.	3,164.	3,491.
	1 1/2"	36"	66"	RTRDOF66361() ()	2,943.	3,097.	3,200.	3,554.
	1 1/2"	36"	72"	RTRDOF72361() ()	2,962.	3,135.	3,245.	3,626.
	1 1/2"	36"	78"	RTRDOF78361() ()	2,985.	3,169.	3,287.	3,696.
	1 1/2"	36"	84"	RTRDOF84361() ()	3,001.	3,214.	3,340.	3,775.



Worksurfaces

Order Code	Specification Information	Application Notes
Example: RTSDRL42421() () ()	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
R Reff	1. Worksurface finish	Modesty sold separately.
TR Table Rectangular	L, V1, V2, V3	1 1/2" top will come with appropriate stiffener support.
D 1 1/2"	2. Open Frame Leg finish	Grommets are NOT optional for these tables.
OF Open Frame Leg	Painted / Anodized	
60 Width		
30 Depth		
1 26 1/2" height leg		
V316 Finish		
111 Leg Finish		

Tables, 1 1/2"
Rectangle with Open Frame Leg
 24", 30" and 36" deep - 28 3/8" High

Reff Profiles

description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Rectangle 24" Deep with 28 3/8" height leg	1 1/2"	24"	60"	RTRDOF60242()()	\$2,641.	\$2,785.	\$2,853.	\$3,099.
	1 1/2"	24"	66"	RTRDOF66242()()	2,652.	2,805.	2,878.	3,145.
	1 1/2"	24"	72"	RTRDOF72242()()	2,666.	2,818.	2,900.	3,163.
	1 1/2"	24"	78"	RTRDOF78242()()	2,684.	2,861.	2,945.	3,254.
	1 1/2"	24"	84"	RTRDOF84242()()	2,696.	2,898.	2,987.	3,316.




Table Top Rectangle 30" Deep with 28 3/8" height leg	1 1/2"	30"	60"	RTRDOF60302()()	2,900.	3,019.	3,100.	3,387.
	1 1/2"	30"	66"	RTRDOF66302()()	2,914.	3,042.	3,129.	3,440.
	1 1/2"	30"	72"	RTRDOF72302()()	2,930.	3,058.	3,171.	3,506.
	1 1/2"	30"	78"	RTRDOF84302()()	2,951.	3,107.	3,208.	3,567.








Table Top Rectangle 36" Deep with 28 3/8" height leg	1 1/2"	36"	60"	RTRDOF60362()()	2,927.	3,070.	3,164.	3,491.
	1 1/2"	36"	66"	RTRDOF66362()()	2,943.	3,097.	3,200.	3,554.
	1 1/2"	36"	72"	RTRDOF72362()()	2,962.	3,135.	3,245.	3,626.
	1 1/2"	36"	78"	RTRDOF78362()()	2,985.	3,169.	3,287.	3,696.
	1 1/2"	36"	84"	RTRDOF84362()()	3,001.	3,214.	3,340.	3,775.






Order Code	Specification Information	Application Notes
Example: RTSDRL42421()()()	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
R Reff	1. Worksurface finish	Modesty sold separately.
TR Table Rectangular	L, V1, V2, V3	1 1/2" top will come with appropriate stiffener support.
D 1 1/2"	2. Open Frame Leg finish	Grommets are NOT optional for these tables.
OF Open Frame Leg	Painted / Anodized	
60 Width		
30 Depth		
2 28 3/8" height leg		
V316 Finish		
111 Leg Finish		

Open Frame Leg Infill Options - 26 1/2" High

description	h	d	pattern no.	L	V1	V2	V3	glass
 Inside Infill Options for Open Frame Legs	26"	20"	RIPI201()	\$296.	\$376.	\$433.	\$563.	
	26"	24"	RIPI241()	304.	386.	444.	578.	
	26"	30"	RIPI301()	320.	406.	467.	608.	
	26"	36"	RIPI361()	339.	431.	495.	644.	
 Outside Infill Options for Open Frame Legs	27"	20"	RIPO201()	297.	378.	434.	565.	
	27"	24"	RIPO241()	305.	388.	446.	579.	
	27"	30"	RIPO301()	322.	409.	470.	611.	
	27"	36"	RIPO361()	340.	432.	497.	646.	
 Outside Glass Infill Options for Open Frame Legs	27"	20"	RIPOG201()					750.
	27"	24"	RIPOG241()					846.
	27"	30"	RIPOG301()					995.
	27"	36"	RIPOG361()					1,148.

Order Code	Specification Information	Application Notes
Example: RIPPEI202	<i>To order please specify pattern number including:</i>	Both Inside and Outside infill must be ordered separately.
R Reff Profiles	1. Finish: L, V1,V2,V3, Glass	Infills; fill entire opening of open frame legs.
IP Infill Panel	I=Inside	Infills connect to each other. Can be removed without any damage to the frame legs.
PE Peninsula End	O=Outside	Glass Option is only available for outside infill.
I Inside	OG=Outside Glass	Black inside infill recommended when Glass option is used.
20 Width	Glass options:	
2 28 3/8" h: Desk Height	GL11, GL15, GL18	
() Finish		

Open Frame Leg Infill Options - 28³/₈" High

description	h	d	pattern no.	L	V1	V2	V3	glass
 Inside Infill Options for Open Frame Legs	26"	20"	RIPI202()	\$296.	\$376.	\$433.	\$563.	
	26"	24"	RIPI242()	304.	386.	444.	578.	
	26"	30"	RIPI302()	320.	406.	467.	608.	
	26"	36"	RIPI362()	339.	431.	495.	644.	
 Outside Infill Options for Open Frame Legs	27"	20"	RIPO202()	297.	378.	434.	565.	
	27"	24"	RIPO242()	305.	388.	446.	579.	
	27"	30"	RIPO302()	322.	409.	470.	611.	
	27"	36"	RIPO362()	340.	432.	497.	646.	
 Outside Glass Infill Options for Open Frame Legs	27"	20"	RIPOG202()					750.
	27"	24"	RIPOG242()					846.
	27"	30"	RIPOG302()					995.
	27"	36"	RIPOG362()					1,148.

Order Code	Specification Information	Application Notes
Example: RIPPEI202	<i>To order please specify pattern number including:</i>	Both Inside and Outside infill must be ordered separately.
R Reff Profiles	1. Finish: L, V1,V2,V3,Glass	Infills; fill entire opening of open frame legs.
IP Infill Panel	I=Inside	Infills connect to each other. Can be removed without any damage to the frame legs.
PE Peninsula End	O=Outside	Glass Option is only available for outside infill.
I Inside	OG=Outside Glass	Black inside infill recommended when Glass option is used.
20 Width	Glass options:	
2 28 ³ / ₈ "h: Desk Height	GL11, GL15, GL18	
() Finish		

Tables, 1 1/2"
Rectangle with L-Leg
30" and 36" deep

Reff Profiles

description	d	w	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDL48301() ()	\$1,484.	\$1,575.	\$1,643.	\$1,910.
	30"	60"	1 1/2"	RTRDL60301() ()	1,556.	1,652.	1,733.	2,056.
	30"	72"	1 1/2"	RTRDL72301() ()	1,603.	1,702.	1,798.	2,174.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDL72361() ()	1,652.	1,754.	1,866.	2,299.
---	-----	-----	--------	--------------------------	--------	--------	--------	--------




Table Top Rectangle 30" Deep with 28 3/8" height leg	30"	48"	1 1/2"	RTRDL48302() ()	1,484.	1,575.	1,643.	1,910.
	30"	60"	1 1/2"	RTRDL60302() ()	1,556.	1,652.	1,733.	2,056.
	30"	72"	1 1/2"	RTRDL72302() ()	1,603.	1,702.	1,798.	2,174.





Table Top Rectangle 36" Deep with 28 3/8" height leg	36"	72"	1 1/2"	RTRDL72362() ()	1,652.	1,754.	1,866.	2,299.
---	-----	-----	--------	--------------------------	--------	--------	--------	--------



Worksurfaces

Order Code	Specification Information	Application Notes
Example: RTRDL48301 () ()	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
R Reff	1. Worksurface finish	Modesty sold separately.
TR Table Rectangular	L, V1, V2, V3	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
D 1 1/2"	2. Leg finish	Grommets are NOT optional for these tables.
L L-Leg	Painted / Anodized	
48 Width		
30 Depth		
1 26 1/2" height leg		
V316 Finish		
111 Leg Finish		

Tables, 1 1/2"
Rectangle with Reverse L-Leg
 30" and 36" deep

Reff Profiles

description	d	w	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDRL48301 ()()()	\$1,484.	\$1,575.	\$1,643.	\$1,910.
	30"	60"	1 1/2"	RTRDRL60301 ()()()	1,556.	1,652.	1,733.	2,056.
	30"	72"	1 1/2"	RTRDRL72301 ()()()	1,603.	1,702.	1,797.	2,174.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDRL72361 ()()()	1,652.	1,754.	1,866.	2,299.
---	-----	-----	--------	------------------------------	--------	--------	--------	--------




Table Top Rectangle 30" Deep with 28 3/8" height leg	30"	48"	1 1/2"	RTRDRL48302 ()()()	1,484.	1,575.	1,643.	1,910.
	30"	60"	1 1/2"	RTRDRL60302 ()()()	1,556.	1,652.	1,733.	2,056.
	30"	72"	1 1/2"	RTRDRL72302 ()()()	1,603.	1,702.	1,797.	2,174.





Table Top Rectangle 36" Deep with 28 3/8" height leg	36"	72"	1 1/2"	RTRDRL72362 ()()()	1,652.	1,754.	1,866.	2,299.
---	-----	-----	--------	------------------------------	--------	--------	--------	--------



Order Code	Specification Information	Application Notes
Example: RTRDRL48301 ()()()	To order please specify pattern number including:	Assembly required, ships knock down.
R Reff	1. Worksurface finish	Modesty sold separately.
TR Table Rectangular	L, V1, V2, V3	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
D 1 1/2"	2. Leg finish	Grommets are NOT optional for these tables.
RL Reverse L-Leg	Painted / Anodized	
48 Width		
30 Depth		
1 26 1/2" height leg		
V316 Finish		
111 Leg Finish		

Tables, 1 1/2"
Rectangle with Soft Rectangular Leg
 30" and 36" deep

description	depth	width	thickness	pattern number	L	M/V1	V2	V3
Table Top Rectangle 30" Deep with 26 1/2" height leg	30"	48"	1 1/2"	RTRDS48301 () () ()	\$1,377.	\$1,462.	\$1,530.	\$1,796.
	30"	60"	1 1/2"	RTRDS60301 () () ()	1,450.	1,539.	1,620.	1,943.
	30"	72"	1 1/2"	RTRDS72301 () () ()	1,497.	1,588.	1,684.	2,062.




Table Top Rectangle 36" Deep with 26 1/2" height leg	36"	72"	1 1/2"	RTRDS72361 () () ()	1,546.	1,641.	1,753.	2,186.
---	-----	-----	--------	-------------------------------	--------	--------	--------	--------




Table Top Rectangle 30" Deep with 28 3/8" height leg	30"	48"	1 1/2"	RTRDS48302 () () ()	1,377.	1,462.	1,530.	1,796.
	30"	60"	1 1/2"	RTRDS60302 () () ()	1,450.	1,539.	1,620.	1,943.
	30"	72"	1 1/2"	RTRDS72302 () () ()	1,497.	1,588.	1,684.	2,062.





Table Top Rectangle 36" Deep with 28 3/8" height leg	36"	72"	1 1/2"	RTRDS72362 () () ()	1,546.	1,641.	1,753.	2,186.
---	-----	-----	--------	-------------------------------	--------	--------	--------	--------



Order Code	Specification Information	Application Notes
Example: RTRDS48301 () () ()	To order please specify pattern number including:	Assembly required, ships knock down.
R Reff	1. Worksurface finish	Modesty sold separately.
TR Table Rectangular	L, V1, V2, V3	Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.
D 1 1/2"	2. Leg finish	Grommets are NOT optional for these tables.
S Soft Rectangular Leg	Painted / Anodized	
48 Width		
30 Depth		
1 26 1/2" height leg		
V316 Finish		
111 Leg Finish		

Tables, 1 1/2"
Square with L-Leg
42" and 48" deep

Reff Profiles

description	w	d	th	pattern no.	L	V1	V2	V3
Table Square with 26 1/2" height legs	42"	42"	1 1/2"	RTSDL42421 ()()()	\$1,520.	\$1,617.	\$1,697.	\$2,009.
	48"	48"	1 1/2"	RTSDL48481 ()()()	1,584.	1,685.	1,787.	2,173.





Table Top Square with 28 3/8" height legs	42"	42"	1 1/2"	RTSDL42422 ()()()	1,520.	1,617.	1,697.	2,009.
	48"	48"	1 1/2"	RTSDL48482 ()()()	1,584.	1,685.	1,787.	2,173.



Order Code	Specification Information	Application Notes
Example: RTSDL42421 ()()()	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
R Reff	1. Worksurface finish	Modesty sold separately.
TS Table Square	L, V1, V2, V3	Grommets are NOT optional for these tables.
D 1 1/2"	2. Leg finish	
L L-Leg	Painted / Anodized	
42 Width		
42 Depth		
1 26 1/2" height leg		
V316 Finish		
111 Leg Finish		

Tables, 1 1/2"
Square with Reverse L-Leg
 42" and 48" deep

Reff Profiles

description	th	d	w	pattern no.	L	V1	V2	V3
Table Square with 26 1/2" height legs	1 1/2"	42"	42"	RTSDRL42421 () () ()	\$1,520.	\$1,617.	\$1,697.	\$2,009.
	1 1/2"	48"	48"	RTSDRL48481 () () ()	1,584.	1,685.	1,787.	2,173.





Table Top Square with 28 3/8" height legs	1 1/2"	42"	42"	RTSDRL42422 () () ()	1,520.	1,617.	1,697.	2,009.
	1 1/2"	48"	48"	RTSDRL48482 () () ()	1,584.	1,685.	1,787.	2,173.



Worksurfaces

Order Code	Specification Information	Application Notes
Example: RTSDRL42421 () () ()	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
R Reff	1. Worksurface finish	Modesty sold separately.
TS Table Square	L, V1, V2, V3	Grommets are NOT optional for these tables.
D 1 1/2"	2. Leg finish	
RL Reverse L-Leg	Painted / Anodized	
42 Width		
42 Depth		
1 26 1/2" height leg		
V316 Finish		
111 Leg Finish		

Tables, 1 1/2"
Square with Soft Rectangular Leg
42" and 48" deep

Reff Profiles

description	th	d	w	pattern no.	L	V1	V2	V3
Table Square with 26 1/2" height legs	1 1/2"	42"	42"	RTSDS42421 ()()()	\$1,557.	\$1,657.	\$1,738.	\$2,048.
	1 1/2"	48"	48"	RTSDS48481 ()()()	1,622.	1,725.	1,826.	2,213.






Table Top Square with 28 3/8" height legs	1 1/2"	42"	42"	RTSDS42422 ()()()	1,557.	1,657.	1,738.	2,048.
	1 1/2"	48"	48"	RTSDS48482 ()()()	1,622.	1,725.	1,826.	2,213.




Order Code	Specification Information	Application Notes
Example: RTSDS42421 ()()()	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
R Reff	1. Worksurface finish	Modesty sold separately.
TS Table Square	L, V1, V2, V3	Grommets are NOT optional for these tables.
D 1 1/2"	2. Leg finish	
S Soft Rectangular-Leg	Painted / Anodized	
42 Width		
42 Depth		
1 26 1/2" height leg		
V316 Finish		
111 Leg Finish		

Tables, 1 1/2"
Round with Column Leg
36", 42" and 48" diameter

Reff Profiles

description	th	dia.	pattern no.	L	V1	V2	V3
 Table Top Round with 26 1/2" height legs	1 1/2"	36"	RTNDC361 () () ()	\$2,498.	\$2,657.	\$2,718.	\$2,937.
	1 1/2"	42"	RTNDC421 () () ()	2,560.	2,723.	2,803.	3,084.
	1 1/2"	48"	RTNDC481 () () ()	2,622.	2,789.	2,889.	3,242.

 Table Top Round with 28 3/8" height legs	1 1/2"	36"	RTNDC362 () () ()	2,498.	2,657.	2,718.	2,937.
	1 1/2"	42"	RTNDC422 () () ()	2,560.	2,723.	2,803.	3,084.
	1 1/2"	48"	RTNDC482 () () ()	2,622.	2,789.	2,889.	3,242.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: RTNDC361 () () ()	<i>To order please specify pattern number including:</i>	Assembly required, ships knock down.
R Reff	1. Worksurface finish	Modesty sold separately.
TN Table Round	L, V1, V2, V3	Grommets are NOT optional for these tables.
D 1 1/2"	2. Leg finish	
C Column Leg	Painted / Plated	
36 Diameter		
1 26 1/2" height leg		
V316 Finish		
111 Leg Finish		

Tables, 1" Laminate

Reff Profiles


description	d	w	th	pattern no.	L
Round Table with 26 1/2" height legs	36"		1"	RSTRLE361() ()	\$3,063.
	42"		1"	RSTRLE421() ()	3,123.




Round Table with 28 3/8" height legs	36"		1"	RSTRLE362() ()	3,063.
	42"		1"	RSTRLE422() ()	3,123.




Soft Square Table with 26 1/2" height legs	36"		1"	RSTSLE361() ()	3,037.
	42"		1"	RSTSLE421() ()	3,101.



Soft Square Table with 28 3/8" height legs	36"		1"	RSTSLE362() ()	3,037.
	42"		1"	RSTSLE422() ()	3,101.



Soft Rectangle Table with 26 1/2" height legs	30"	48"	1"	RSTTLE30481() ()	2,864.
	36"	54"	1"	RSTTLE36541() ()	2,939.









Soft Rectangle Table with 28 3/8" height legs	30"	48"	1"	RSTTLE30482() ()	2,864.
	36"	54"	1"	RSTTLE36542() ()	2,939.



Order Code	Specification Information	Application Notes
Example: RSTRLE361 () ()	To order please specify pattern number including:	Assembly required.
R Reff	1. Worksurface finish:	Ships knocked down.
ST Slider Table	Laminate only	Grommets are <u>not</u> an option for these tables.
R Round	2. Leg Textured finish:	Column and base are color matched
L Laminate surface	111T, 115T, 118T	Column = smooth
E 1" thick		Base = textured
42 42" diameter		
1 26 1/2" height leg		
114 Finish		
118T Leg Finish		

Tables, 1" Wood

Reff Profiles

description	d	w	th	pattern no.	V1	V2	V3
 Round Table with 26 1/2" height legs	36"		1"	RSTRWE361()()	\$3,259.	\$3,308.	\$3,560.
	42"		1"	RSTRWE421()()	3,323.	3,389.	3,701.
 Round Table with 28 3/8" height legs	36"		1"	RSTRWE362()()	3,259.	3,308.	3,560.
	42"		1"	RSTRWE422()()	3,323.	3,389.	3,701.
 Soft Square Table with 26 1/2" height legs	36"		1"	RSTSWE361()()	3,231.	3,281.	3,554.
	42"		1"	RSTSWE421()()	3,299.	3,364.	3,701.
 Soft Square Table with 28 3/8" height legs	36"		1"	RSTSWE362()()	3,231.	3,281.	3,554.
	42"		1"	RSTSWE422()()	3,299.	3,364.	3,701.
 Soft Rectangle Table with 26 1/2" height legs	30"	48"	1"	RSTTWE30481()()	3,048.	3,101.	3,397.
	36"	54"	1"	RSTTWE36541()()	3,126.	3,197.	3,561.
 Soft Rectangle Table with 28 3/8" height legs	30"	48"	1"	RSTTWE30482()()	3,048.	3,101.	3,397.
	36"	54"	1"	RSTTWE36542()()	3,126.	3,197.	3,561.

Order Code	Specification Information	Application Notes
Example: RSTRWE361()()	To order please specify pattern number including:	Column and base are color matched.
R Reff	1. Worksurface finish	Column=smooth
ST Slider Table	V1, V2, V3 wood only	Base=textured
R Round	2. Leg Textured finish:	Assembly required, ships knock down.
W Wood surface	111T, 115T, 118T	Grommets are not an option for these tables.
E 1" thick		
42 42" diameter		
1 26 1/2" height leg		
V316 Finish		
111T Leg Finish		

Tables, 1" Solid

Reff Profiles


description	d	w	th	pattern no.	Solid
Round Table with 26 1/2" height legs	36"		1"	RSTRSE361 () ()	\$8,198.
	42"		1"	RSTRSE421 () ()	9,393.




Round Table with 28 3/8" height legs	36"		1"	RSTRSE362 () ()	8,198.
	42"		1"	RSTRSE422 () ()	9,393.



Soft Square Table with 26 1/2" height legs	36"		1"	RSTSSE361 () ()	7,329.
	42"		1"	RSTSSE421 () ()	8,645.



Soft Square Table with 28 3/8" height legs	36"		1"	RSTSSE362 () ()	7,329.
	36"		1"	RSTSSE362 () ()	7,329.



Soft Rectangle Table with 26 1/2" height legs	30"	48"	1"	RSTTSE30481 () ()	9,032.
	36"	54"	1"	RSTTSE36541 () ()	10,016.




Soft Rectangle Table with 28 3/8" height legs	30"	48"	1"	RSTTSE30482 () ()	9,032.
	36"	54"	1"	RSTTSE36542 () ()	10,016.




Order Code	Specification Information	Application Notes
Example: RSTRSE361 () ()	To order please specify pattern number including:	Assembly required.
R Reff	1. Worksurface finish:	Ships knocked down.
ST Slider Table	AW=Artic White, only	Grommets are <u>not</u> an option for these tables.
R Round	2. Leg finish Textured:	Artic White finish available for solid tops.
S Solid	111T, 115T, 118T	Column and base are color matched.
E 1" thick		Column=smooth
42 42" diameter		Base=textured
1 26 1/2" height leg		
AW Worksurface finish		
111T Leg Finish		

description	d	pattern no.	P1& black only	P2	P3
Cantilever bracket, panel hung	18"	RBC18 (L/R)	\$93.	\$97.	\$101.
	24"	RBC24 (L/R)	101.	107.	113.




Specify paint finish
18" for 20" and 24"d tops
24" for 30" and 36"d tops
Ships with wood screws for fastening to underside of worksurface into pilot hole location.

Cantilever bracket, panel hung for cascade edge worksurface	18"	ASBC18 (L/R) ()	93.	98.	102.
	24"	ASBC24 (L/R) ()	102.	110.	115.



Specify paint finish
18" for 24" d tops
24" for 30" d tops
Ships with wood screws (use with AutoStrada, Dividends Horizon, Morrison and Cascade worksurfaces)

Mid-span cantilever bracket, free standing	17"	RMSCB ()	74.	79.	83.
--	-----	------------------	-----	-----	-----








Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	
B Bracket	2. Top thickness, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
C Cantilever	3. Finish type	
18 18" deep	4. Finish, where applicable	
L Left hand	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Knoll takes no responsibility for the installation or security of tops to the wall.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	Refer to page 428 for replacement hardware. Cantilever should be specified with top to top brackets. Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

Top support components

Bracketry

Reff Profiles




description	d	pattern no.	P1& black only	P2	P3
Corner top corner bracket 		RBCC	\$19.		
	Black only				
Side hung support bracket 		RBCCP (Pair)	40.	42.	43.
	Specify paint finish pair includes one each left and right hand bracket image depicts two left hand brackets				
Panel to pedestal bracket		RBPP (L/R)	8.		
	Black only				
Top to top bracket 	6" x 1"	RBF (Pair)	5.		
	Black only				
Wall hung support bracket 	20"	RSBWH20	42.	44.	46.
	24"	RSBWH24	44.	48.	50.
	30"	RSBWH30	48.	50.	53.
	36"	RSBWH36	53.	56.	59.
	42"	RSBWH42	56.	59.	62.
	48"	RSBWH48	68.	71.	74.
	Specify paint finish				
Z-bracket for bridge applications 		RBZ (A/B) (Pair)	35.		
	Black only				

Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
B Bracket	2. Top thickness, where applicable.	
C Cantilever	3. Finish type	
18 18" deep	4. Finish, where applicable	
L Left hand		
	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Knoll takes no responsibility for the installation or security of tops to the wall.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	Refer to page 428 for replacement hardware. Cantilever should be specified with top to top brackets. Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

Top support components

Bracketry

Reff Profiles

description	d	pattern no.	P1& black only	P2	P3
Modesty panel offset bracket Required to join modesty panel to end panel of adjacent top assembly - order separately.		RBPR (Pair)	\$7.	\$7.	\$8.
		Specify paint finish			
					
Panel to storage tower bracket Used to attach office tower to panels.		RBPS (L/R)	11.	13.	13.
		Specify paint finish			
Utility bracket		RUTB	11.		
		Black only			
L Bracket for off-module applications		R113B	5.		
		One by one by three bracket			
Worksurface to cabinet bracket for 24" worksurface		RBWC24	54.	0.	0.
		bracket can be used with 20" and 24" worksurfaces			
Worksurface to cabinet bracket for 30" worksurface		RBWC30	59.	0.	0.
		bracket can be used with 30" and 36" worksurfaces			



Support components

Order Code	Specification Information	Application Notes
Example: RBC18L	<i>To order please specify pattern number including:</i>	For wood tops black bracketry is recommended.
R Reff	1. Left or right-hand, where applicable.	Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.
B Bracket	2. Top thickness, where applicable.	
C Cantilever	3. Finish type	
18 18" deep	4. Finish, where applicable	
L Left hand		
	2. <i>Top thickness option:</i> A = 1 1/4" thick B = 1 3/4" thick	Knoll takes no responsibility for the installation or security of tops to the wall.
L brackets may be used in off module applications for L bases, T bases and half depth end panels.	When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.	Refer to page 428 for replacement hardware. Cantilever should be specified with top to top brackets. Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

Top support components
26 1/2" high planning
Modesty panels

Reff Profiles

description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware. ¹⁵ / ₁₆ " actual thickness	24"	1"	26 1/2"	RB24(M/H)(F/R)-()	\$155.	\$219.	\$250.	\$339.
	30"	1"	26 1/2"	RB30(M/H)(F/R)-()	279.	391.	451.	609.
	36"	1"	26 1/2"	RB36(M/H)(F/R)-()	308.	430.	494.	666.
	42"	1"	26 1/2"	RB42(M/H)(F/R)-()	332.	467.	536.	724.
	48"	1"	26 1/2"	RB48(M/H)(F/R)-()	373.	525.	604.	815.
	54"	1"	26 1/2"	RB54(M/H)(F/R)-()	390.	551.	632.	854.
	60"	1"	26 1/2"	RB60(M/H)(F/R)-()	406.	568.	653.	880.
	66"	1"	26 1/2"	RB66(M/H)(F/R)-()	422.	592.	684.	925.
	72"	1"	26 1/2"	RB72(M/H)(F/R)-()	464.	653.	750.	1,014.
	78"	1"	26 1/2"	RB78(M/H)(F/R)-()	495.	694.	801.	1,083.
	84"	1"	26 1/2"	RB84(M/H)(F/R)-()	523.	737.	846.	1,142.
	90"	1"	26 1/2"	RB90(M/H)(F/R)-()	555.	781.	895.	1,209.
	96"	1"	26 1/2"	RB96(M/H)(F/R)-()	569.	799.	918.	1,238.
Support for corner worksurfaces. All hardware included.	36"	36"	26 1/2"	RB3636-()	1,005.	1,491.	1,716.	2,318.
	36"	42"	26 1/2"	RB3642-()	1,028.	1,531.	1,761.	2,377.
	36"	48"	26 1/2"	RB3648-()	1,072.	1,589.	1,822.	2,461.
	42"	36"	26 1/2"	RB4236-()	1,028.	1,531.	1,761.	2,377.
	42"	42"	26 1/2"	RB4242-()	1,055.	1,568.	1,807.	2,439.
	42"	48"	26 1/2"	RB4248-()	1,096.	1,624.	1,869.	2,524.
	48"	36"	26 1/2"	RB4836-()	1,072.	1,589.	1,822.	2,461.
	48"	42"	26 1/2"	RB4842-()	1,096.	1,624.	1,869.	2,524.
	48"	48"	26 1/2"	RB4848-()	1,138.	1,684.	1,949.	2,631.




Order Code	Specification Information	Application Notes
Example: RB24MFL		
R Reff	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
B Back panel	1. <i>Modesty type</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
24 48" panel dimension	2. <i>Modesty placement</i>	List price for woodgrain laminate options will be current published laminate list price plus 10%.
M Full height modesty	3. <i>Finish type</i>	Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
F Flush modesty placement	4. <i>Finish</i>	Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.
L Laminate	1. <i>Modesty type:</i> M = Standard height (26 1/2"H) H = Half height	
114 Folkstone grey	2. <i>Modesty placement:</i> F = Flush, cantilevered R = Recessed	
	3. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	


Top support components
26 1/2" high planning
End panels

Reff Profiles

description	d	w	h	pattern no.	L	V1	V2	V3
Endpanels for recessed modesty worksurfaces (sold in pairs). All hardware included.	30"	1"	26 1/2"	RE30-()	\$476.	\$773.	\$890.	\$1,201.
	36"	1"	26 1/2"	RE36-()	503.	810.	931.	1,257.




Panel end panels. All hardware included.	13"	1"	26 1/2"	RSE1(L/R)-()	182.	315.	363.	490.
	16"	1"	26 1/2"	RSE2(L/R)-()	196.	336.	386.	521.
	20"	1"	26 1/2"	RSE3(L/R)-()	211.	353.	405.	546.
	24"	1"	26 1/2"	RSE4(L/R)-()	222.	368.	425.	573.
	30"	1"	26 1/2"	RSE5(L/R)-()	236.	388.	446.	604.
	36"	1"	26 1/2"	RSE6(L/R)-()	250.	405.	467.	631.



left hand shown

Endpanels, for use in building flush or cantilevered worksurfaces. All hardware included. 1 1/16" actual thickness	12"	1"	26 1/2"	RE12F-() Half depth end panel	182.	315.	363.	490.
	15"	1"	26 1/2"	RE15F-() Half depth end panel	196.	336.	386.	521.
	19"	1"	26 1/2"	RE19F-()	211.	353.	405.	546.
	23"	1"	26 1/2"	RE23F-()	222.	368.	425.	573.
	29"	1"	26 1/2"	RE29F-()	236.	388.	446.	604.





Support components

Order Code	Specification Information	Application Notes
Example: RSE1(L)114	<p>To order please specify pattern number including:</p> <p>1. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3</p> <p>2. Finish</p>	<p>Applicable finishes are listed on page 5 and 6.</p> <p>Product on this page will accept woodgrain laminate where laminate is currently an option.</p> <p>List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.</p> <p>Modesty support for corner worksurface includes end panels 12"D to support in free standing applications.</p>
R Reff		
SE End panel		
1 13" deep		
L Left hand		
L Laminate		
114 Folkstone grey		
		<p>Modesty panel lengths are nominal - length changes on option selected.</p> <p>Glides ship with all supports on this page except the recessed modesty panel.</p> <p>Please see Planning Guide for freestanding planning instruction.</p>

Top support components
28³/₈" high planning
Modesty

Reff Profiles

description	d	w	h	pattern no.	L	V1	V2	V3
 <p>Modesty panels with hardware (desk height)</p>	1"	24"	28 ³ / ₈ "	RBDH24M(F/R) ()()	\$162.	\$231.	\$263.	\$354.
	1"	30"	28 ³ / ₈ "	RBDH30M(F/R) ()()	291.	413.	475.	640.
	1"	36"	28 ³ / ₈ "	RBDH36M(F/R) ()()	324.	451.	517.	698.
	1"	42"	28 ³ / ₈ "	RBDH42M(F/R) ()()	348.	489.	564.	761.
	1"	48"	28 ³ / ₈ "	RBDH48M(F/R) ()()	391.	551.	633.	855.
	1"	54"	28 ³ / ₈ "	RBDH54M(F/R) ()()	410.	578.	662.	894.
	1"	60"	28 ³ / ₈ "	RBDH60M(F/R) ()()	426.	593.	684.	925.
	1"	66"	28 ³ / ₈ "	RBDH66M(F/R) ()()	441.	622.	719.	970.
	1"	72"	28 ³ / ₈ "	RBDH72M(F/R) ()()	487.	684.	787.	1,062.
	1"	78"	28 ³ / ₈ "	RBDH78M(F/R) ()()	520.	727.	843.	1,138.
	1"	84"	28 ³ / ₈ "	RBDH84M(F/R) ()()	551.	773.	888.	1,199.
	1"	90"	28 ³ / ₈ "	RBDH90M(F/R) ()()	583.	818.	941.	1,270.
	1"	96"	28 ³ / ₈ "	RBDH96M(F/R) ()()	594.	840.	963.	1,301.
 <p>Desk height corner worksurface support</p>	36"	36"	28 ³ / ₈ "	RBDH3636 ()()	1,056.	1,567.	1,805.	2,435.
	36"	42"	28 ³ / ₈ "	RBDH3642 ()()	1,079.	1,608.	1,849.	2,497.
	36"	48"	28 ³ / ₈ "	RBDH3648 ()()	1,125.	1,668.	1,915.	2,586.
	42"	36"	28 ³ / ₈ "	RBDH4236 ()()	1,079.	1,608.	1,849.	2,497.
	42"	42"	28 ³ / ₈ "	RBDH4242 ()()	1,106.	1,646.	1,894.	2,557.
	42"	48"	28 ³ / ₈ "	RBDH4248 ()()	1,151.	1,704.	1,965.	2,654.
	48"	36"	28 ³ / ₈ "	RBDH4836 ()()	1,125.	1,668.	1,915.	2,586.
	48"	42"	28 ³ / ₈ "	RBDH4842 ()()	1,151.	1,704.	1,965.	2,654.
	48"	48"	28 ³ / ₈ "	RBDH4848 ()()	1,194.	1,769.	2,048.	2,765.


depth = left return, width = right return

Order Code	Specification Information	Application Notes	
Example: RBDH24MFL114	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h “desk height” products should not be mixed with 26 1/2"h components. 28 ³ / ₈ "h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" “desk height” products may be specified for freestanding or panel based applications.	Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.
R Reff	1. <i>Modesty placement</i> F = Flush, cantilevered R = Recessed		Modesty panel lengths are nominal, length changes on option selected.
B Back panel/modesty	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3		* Half depth end panels
DH Desk height (28 ³ / ₈ ")	3. <i>Finish</i>		Glides ship with all supports on this page except the recessed modesty panel.
24 24"	Applicable finishes are listed on page 5 and 6.	Modesty panels and end panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered separately.	Please see Reff Planning Guide for freestanding planning instructions.
M Full height modesty	Product on this page will accept woodgrain laminate where laminate is currently an option.		
F Modesty placement, flush	List price for woodgrain laminate options will be current published laminate list price plus 10%.		
L Finish type, laminate			
114 Finish, Folkstone grey			


Top support components
28³/₈" high planning
End panels

Reff Profiles

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height end panels with hardware for recessed modesty worksurfaces (sold in pairs)	1"	30"	28 ³ / ₈ "	REDH30 ()()	\$500.	\$813.	\$934.	\$1,261.
	1"	36"	28 ³ / ₈ "	REDH36 ()()	527.	851.	976.	1,319.




Desk height end panel for panel (hardware included)	1"	13"	28 ³ / ₈ "	RSEDH1(L/R) ()()	190.	335.	381.	515.
	1"	16"	28 ³ / ₈ "	RSEDH2(L/R) ()()	205.	352.	408.	551.
	1"	20"	28 ³ / ₈ "	RSEDH3(L/R) ()()	221.	369.	425.	573.
	1"	24"	28 ³ / ₈ "	RSEDH4(L/R) ()()	234.	386.	446.	604.
	1"	30"	28 ³ / ₈ "	RSEDH5(L/R) ()()	248.	410.	468.	632.
	1"	36"	28 ³ / ₈ "	RSEDH6(L/R) ()()	264.	425.	489.	661.



left hand shown

Desk height end panels with hardware for building flush or cantilevered worksurfaces	1"	12"	28 ³ / ₈ "	REDH12F ()() *	190.	335.	381.	515.
	1"	15"	28 ³ / ₈ "	REDH15F ()() *	205.	352.	408.	551.
	1"	19"	28 ³ / ₈ "	REDH19F ()()	221.	369.	425.	573.
	1"	23"	28 ³ / ₈ "	REDH23F ()()	234.	386.	446.	604.
	1"	29"	28 ³ / ₈ "	REDH29F ()()	248.	410.	468.	632.



Support components


Order Code	Specification Information	Application Notes	
Example: REDH30	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h “desk height” products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" “desk height” products may be specified for freestanding or panel based applications.	Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.
R Reff	1. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3		Modesty panel lengths are nominal, length changes on option selected.
E End panel	2. <i>Finish</i>		* Half depth end panels
DH Desk height (28 ³ / ₈ ")	Applicable finishes are listed on page 5 and 6.		Glides ship with all supports on this page except the recessed modesty panel.
30 30"	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	Modesty panels and end panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered separately.	Please see Reff Planning Guide for freestanding planning instructions.
L Left hand			
L Finish type, laminate			
114 Finish, Folkstone grey			

Top support components

28³/₈" high planning

Modesty and Bulkhead

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height bow top front, short modesty (pedestals ordered separately)	1"	40"	28 ³ / ₈ "	RBDH40MR () ()	\$348.	\$489.	\$564.	\$761.
	1"	52"	28 ³ / ₈ "	RBDH52MR () ()	410.	578.	662.	894.
	1"	64"	28 ³ / ₈ "	RBDH64MR () ()	441.	622.	719.	970.



Use of short modesty panel

Pedestals and finished back for pedestal must each be ordered separately

Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.

Order:

40" modesty for 72" bow top


52" modesty for 84" bow top

64" modesty for 96" bow top

When ordering 30"d bow top for use with short modesty, specify **recessed** grommet location

When ordering 36"d bow top for use with short modesty, specify **alternate** grommet location

Desk height bulkhead (false pedestal)	24"	16"	28 ³ / ₈ "	REDHBH124 () ()	491.	811.	941.	1,270.
	30"	16"	28 ³ / ₈ "	REDHBH130 () ()	509.	827.	963.	1,301.








Bulkhead takes the place of a pedestal in applications using the short modesty panel but not requiring a double pedestal application

Order Code	Specification Information	Application Notes	
Example: RBDH24MFL114	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.	Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.
R Reff	1. <i>Modesty placement</i> F = Flush, cantilevered R = Recessed		Modesty panel lengths are nominal, length changes on option selected.
B Back panel/modesty	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3		* Half depth end panels
DH Desk height (28 ³ / ₈ ")	3. <i>Finish</i>		Glides ship with all supports on this page except the recessed modesty panel.
24 24"	Applicable finishes are listed on page 5 and 6.	Modesty panels and end panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered separately.	Please see Reff Planning Guide for freestanding planning instructions.
M Full height modesty	Product on this page will accept woodgrain laminate where laminate is currently an option.		
F Modesty placement, flush	List price for woodgrain laminate options will be current published laminate list price plus 10%.		
L Finish type, laminate			
114 Finish, Folkstone grey			

Top support components

Painted or Plated Legs 26 1/2" high planning

Reff Profiles

description	dia.	w	h	d	pattern no.	P1	P2	P3
Column leg, Interaction style (rectangular plate)	4"	–	26 1/2"	–	RSC	\$250.	\$264.	\$277.
	Ships with wood screws for fasening to underside of worksurface into pilot hole location. Painted finish only.							
4" Plain Cylinder (26 1/2" high)	4"	–	26 1/2"	–	RCB	263.	276.	288.
	Painted and plated finishes.							
Set of four column legs (4" dia.), Interaction style (triangular plate)	4"	–	26 1/2"	–	RSC4-()	976.	1,024.	1,077.
	Painted finishes only.							
T-leg, Interaction style	–		26 1/2"	24"	RIB24T	358.	376.	396.
	Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted options only							
T-Leg, plain tube style	–		26 1/2"	20"	RCB20T-()	387.	407.	426.
	-		26 1/2"	24"	RCB24T-()	393.	416.	436.
	-		26 1/2"	30"	RCB30T-()	436.	456.	481.
	-		26 1/2"	40"	RCB40T-()	458.	483.	508.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and plated finish options.								




Support components

Order Code	Specification Information	Application Notes
Example: RSC	<i>To order please specify pattern number including:</i>	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.
R Reff	1. Finish type, where applicable	Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes.
S Support	2. Finish	Refer to Planning Guide for top-base matrix, pages 140 and 141.
C Cylinder	<i>Finish type options:</i> P = Paint (P1, P2, P3)	All bases include 1 1/2" leveller.
		Only the plain cylinder and tube legs can be ordered in plated and painted finishes.
		Interaction style legs are only available in painted finishes.
		Applicable finishes are listed on page 5 and 6.

Top support components

Painted or Plated Bases 26 1/2" high planning

Reff Profiles




description	h	dia.	pattern no.	P1	P2	P3
 X-base	26 1/2"	28"	RIB28X-()	\$591.	\$622.	\$654.
	26 1/2"	32"	RIB32X-()	801.	844.	886.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.						
 Spider base, plain tube style	26 1/2"	24"	RCB24X	606.	637.	667.
	26 1/2"	28"	RCB28X	634.	665.	698.
	26 1/2"	36"	RCB36X	687.	723.	758.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and plated finishes.						
 Drum base	26 1/2"	—	RSD1427-()	1,143.	1,201.	1,260.
	26 1/2"	—	RSD1827-()	1,242.	1,305.	1,369.
	26 1/2"	—	RSD2027-()	1,281.	1,345.	1,411.
	26 1/2"	—	RSD2427-()	1,534.	1,612.	1,691.
	26 1/2"	—	RSD3027-()	1,715.	1,799.	1,889.
Painted finishes only.						

Order Code	Specification Information	Application Notes	
Example: RIB28X	<i>To order please specify pattern number including:</i>	Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.	Only the plain cylinder and tube legs can be ordered in plated and painted finishes.
R	Reff		
I	Interaction		
B	Base	Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes.	Interaction style legs are only available in painted finishes.
28	Diameter	Refer to Planning Guide for top-base matrix, pages 140 and 141.	Applicable finishes are listed on page 5 and 6.
X	X-base	All bases include 1 1/2" leveller.	

Top support components

Laminate or Wood Bases 26¹/₂" high planning

Reff Profiles

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
 Drum base	14"		26 ¹ / ₂ "	–	RSD1427-()	n/a	\$1,336.	\$1,538.	\$2,076.
	18"		26 ¹ / ₂ "	–	RSD1827-()	n/a	1,451.	1,670.	2,256.
	20"		26 ¹ / ₂ "	–	RSD2027-()	n/a	1,499.	1,723.	2,326.
	24"		26 ¹ / ₂ "	–	RSD2427-()	n/a	1,796.	2,066.	2,789.
	30"		26 ¹ / ₂ "	–	RSD3027-()	n/a	2,007.	2,305.	3,112.
 T-base (hardware included)*	20"		26 ¹ / ₂ "	12"	RST1-()	427.	484.	565.	765.
	24"		26 ¹ / ₂ "	12"	RST2-()	457.	521.	598.	809.
	30"		26 ¹ / ₂ "	12"	RST3-()	538.	604.	699.	945.
	36"		26 ¹ / ₂ "	12"	RST4-()	611.	693.	795.	1,074.
	42"		26 ¹ / ₂ "	12"	RST5-()	678.	771.	889.	1,202.
	48"		26 ¹ / ₂ "	12"	RST6-()	756.	851.	983.	1,327.
 L-base (hardware included), non-handed*	12"		26 ¹ / ₂ "	12"	RSL12-()	427.	484.	565.	765.
	15"		26 ¹ / ₂ "	12"	RSL15-()	437.	495.	571.	770.
	20"		26 ¹ / ₂ "	12"	RSL20-()	457.	512.	591.	798.
	24"		26 ¹ / ₂ "	12"	RSL24-()	465.	521.	598.	809.
	30"		26 ¹ / ₂ "	12"	RSL30-()	538.	604.	699.	945.
	36"		26 ¹ / ₂ "	12"	RSL36-()	611.	693.	795.	1,074.
	42"		26 ¹ / ₂ "	12"	RSL42-()	678.	771.	889.	1,202.
	48"		26 ¹ / ₂ "	12"	RSL48-()	756.	851.	983.	1,327.

Support components

Order Code	Specification Information	Application Notes
Example: RSD1427	<i>To order please specify pattern number including:</i>	Refer to Planning Guide for top-base matrix, pages 140 and 141.
R Reff	1. Finish type	All bases include 1 ¹ / ₂ " leveller.
S Support	2. Finish	Product on this page will accept woodgrain laminate where laminate is currently an option.
D Drum base	<i>Finish type options:</i>	List price for woodgrain laminate options will be current published laminate list price plus 10%.
14 Diameter	L = Laminate	
27 Height	1 = V1	
2 Finish type	2 = V2	
R319 V2- Med. Cherry	3 = V3	






T and L bases are not recommended for supporting conference tops.

Applicable finishes are listed on page 5 and 6.

Top support components

Painted or Plated Legs 28³/₈" high planning

Reff Profiles

description	dia.	w	he	d	pattern no.	P1	P2	P3
Column Leg, Interaction style w/ rectangular plate (desk height) 	4" dia	–	28 ³ / ₈ "		RSDHC () ()	\$264.	\$277.	\$289.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.								
4" Plain Cylinder (desk height) 	4" dia	–	28 ³ / ₈ "		RCDHB () ()	276.	288.	304.
Painted and plated finishes.								
Set of 4 Column legs, Interaction style w/triangular plate (desk height) 	4" dia	–	28 ³ / ₈ "		RSDHC4 () ()	1,026.	1,076.	1,131.
Painted finishes only.								
T-Leg, plain tube style (desk height) 	–	–	28 ³ / ₈ "	20"	RCDHB20T () ()	407.	427.	448.
	–	–	28 ³ / ₈ "	24"	RCDHB24T () ()	415.	436.	457.
	–	–	28 ³ / ₈ "	30"	RCDHB30T () ()	457.	481.	505.
	–	–	28 ³ / ₈ "	40"	RCDHB40T () ()	483.	508.	533.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and plated finishes.								
T-Leg, Interaction style (desk height) 	–	–	28 ³ / ₈ "	24"	RIBDH24T () ()	376.	396.	416.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.								

Order Code	Specification Information	Application Notes
Example: RSDHCP111	<i>To order please specify pattern number including:</i>	Cylinder/column leg bases, T-Legs, X-bases are Knoll Interaction style. Trim ring will be black.
R Reff	1. <i>Finish Type, where applicable</i> P = Paint (P1, P2, P3)	
S Support	2. <i>Finish</i> see matrix on page 5	Interaction style legs and bases are not available in plated finishes. Only the plain cylinder and the tube legs can be ordered in plated and painted finishes.
DH Desk Height	Applicable finishes are listed on page 5 and 6.	All bases include 1 1/2" leveller.
C Column Leg		
P Finish type, paint		
111 Finish, Jet Black		





Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26 1/2"h components. 28³/₈"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Top support components

Painted or Plated Bases 28³/₈" high planning

Reff Profiles

description	dia.	w	h	d	pattern no.	P1	P2	P3
 X-base (desk height)		–	28 ³ / ₈ "	28"	RIBDH28X () ()	\$622.	\$653.	\$686.
		–	28 ³ / ₈ "	32"	RIBDH32X () ()	844.	885.	928.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted finishes only.								
 Spider base, plain tube style (desk height)		–	28 ³ / ₈ "	24"	RCBDH24X () ()	637.	667.	700.
		–	28 ³ / ₈ "	28"	RCBDH28X () ()	665.	698.	734.
		–	28 ³ / ₈ "	36"	RCBDH36X () ()	723.	759.	795.
Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and plated finishes.								
 Drum Base (desk height)	14"	–	28 ³ / ₈ "	–	RSDHD1428 () ()	1,201.	1,260.	1,325.
	18"	–	28 ³ / ₈ "	–	RSDHD1828 () ()	1,305.	1,369.	1,437.
	20"	–	28 ³ / ₈ "	–	RSDHD2028 () ()	1,345.	1,411.	1,481.
	24"	–	28 ³ / ₈ "	–	RSDHD2428 () ()	1,612.	1,691.	1,777.
	30"	–	28 ³ / ₈ "	–	RSDHD3028 () ()	1,799.	1,890.	1,984.
Painted finishes only.								
 Base Support Column, 3" dia.			28 ³ / ₈ "		RSDHC3 () ()	319.	319.	447.
Painted and plated finishes.								




Support components

Order Code	Specification Information	Application Notes
Example: RCBDH24X	<i>To order please specify pattern number including:</i>	Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.
R Reff	1. <i>Finish Type, where applicable</i> P = Paint (P1, P2, P3)	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
I Interaction	2. <i>Finish</i> see matrix on page 5	
B Base	Applicable finishes are listed on page 5 and 6.	
DH Desk height		
28 Diameter		
X X-base		Interaction style legs and bases are only available in painted finishes. Only plain cylinder and tube style legs can be ordered in plated and painted finishes.
P Finish type, paint		
111 Finish, Jet Black		

Top support components

Laminate or Wood Bases 2/8³/₈" high planning

Reff Profiles

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
 Drum Base (desk height)	14"	–	28 ³ / ₈ "	–	RSDHD1428 ()()	N/A	\$1,404.	\$1,614.	\$2,178.
	18"	–	28 ³ / ₈ "	–	RSDHD1828 ()()	N/A	1,525.	1,753.	2,368.
	20"	–	28 ³ / ₈ "	–	RSDHD2028 ()()	N/A	1,573.	1,808.	2,442.
	24"	–	28 ³ / ₈ "	–	RSDHD2428 ()()	N/A	1,885.	2,170.	2,930.
	30"	–	28 ³ / ₈ "	–	RSDHD3028 ()()	N/A	2,107.	2,421.	3,268.
 T-base, desk height (hardware included)	20"	28 ³ / ₈ "	12"		RSDHT1 ()()	449.	510.	592.	801.
	24"	28 ³ / ₈ "	12"		RSDHT2 ()()	482.	547.	629.	849.
	30"	28 ³ / ₈ "	12"		RSDHT3 ()()	564.	637.	734.	992.
	36"	28 ³ / ₈ "	12"		RSDHT4 ()()	642.	729.	836.	1,128.
	42"	28 ³ / ₈ "	12"		RSDHT5 ()()	712.	810.	934.	1,261.
	48"	28 ³ / ₈ "	12"		RSDHT6 ()()	793.	895.	1,032.	1,395.
 L-base, desk height (hardware included, non-handed)	12"	28 ³ / ₈ "	12"		RSDHL12 ()()	449.	510.	592.	801.
	15"	28 ³ / ₈ "	12"		RSDHL15 ()()	458.	517.	598.	809.
	20"	28 ³ / ₈ "	12"		RSDHL20 ()()	482.	537.	623.	842.
	24"	28 ³ / ₈ "	12"		RSDHL24 ()()	488.	547.	629.	849.
	30"	28 ³ / ₈ "	12"		RSDHL30 ()()	564.	637.	734.	992.
	36"	28 ³ / ₈ "	12"		RSDHL36 ()()	642.	729.	836.	1,128.
	42"	28 ³ / ₈ "	12"		RSDHL42 ()()	712.	810.	934.	1,261.
	48"	28 ³ / ₈ "	12"		RSDHL48 ()()	793.	895.	1,032.	1,395.


Order Code	Specification Information	Application Notes
Example: RSDHD1428	<i>To order please specify pattern number including:</i>	odT and L bases are not recommended for supporting conference tops.
R Reff	1. <i>Finish Type, where applicable</i>	All bases include 1 1/2" leveller.
S Support	L = Laminate	
DH Desk Height	1 = V1	
D Drum base	2 = V2	
14 Diameter	3 = V3	
28 Height	2. <i>Finish</i>	
2 Finish type, V2	see matrix on page 5	
V316 Finish, Maple	Applicable finishes are listed on page 5 and 6.	

Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

Products on this page are 28-3/8" high. 28³/₈"h "desk height" products should not be mixed with 26 1/2"h components. 28³/₈"h components when used with 1 1/4" worksurfaces achieve overall desk height of 29³/₈"h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.

Modesty Removable 28³/₈" planning

Reff Profiles

description	application	th	w	h	pattern no.	L	V1	V2	V3
 Removable Modesty for End panel and Storage Unit	72" wide assembly - 36" storage	1"	72"	25"	RDHMR7240	\$320.	\$401.	\$460.	\$599.
	72" wide assembly - 30" storage	1"	72"	25"	RDHMR7230	332.	414.	476.	619.
	72" wide assembly - 19" storage	1"	72"	25"	RDHMR7220	356.	445.	512.	665.
	72" wide assembly - 16" storage	1"	72"	25"	RDHMR7210	362.	452.	520.	676.
	78" wide assembly - 36" storage	1"	78"	25"	RDHMR7840	332.	414.	476.	619.
	78" wide assembly - 30" storage	1"	78"	25"	RDHMR7830	342.	427.	491.	639.
	78" wide assembly - 19" storage	1"	78"	25"	RDHMR7820	367.	458.	526.	685.
	78" wide assembly - 16" storage	1"	78"	25"	RDHMR7810	372.	465.	535.	694.
	84" wide assembly - 36" storage	1"	84"	25"	RDHMR8440	342.	427.	491.	639.
	84" wide assembly - 30" storage	1"	84"	25"	RDHMR8430	357.	446.	513.	667.
	84" wide assembly - 19" storage	1"	84"	25"	RDHMR8420	377.	472.	542.	705.
	84" wide assembly - 16" storage	1"	84"	25"	RDHMR8410	387.	484.	557.	724.
	90" wide assembly - 36" storage	1"	90"	25"	RDHMR9040	357.	446.	513.	667.
	90" wide assembly - 30" storage	1"	90"	25"	RDHMR9030	368.	459.	528.	687.
	90" wide assembly - 19" storage	1"	90"	25"	RDHMR9020	392.	490.	563.	733.
	90" wide assembly - 16" storage	1"	90"	25"	RDHMR9010	398.	497.	572.	744.
	96" wide assembly - 36" storage	1"	96"	25"	RDHMR9640	368.	459.	528.	687.
	96" wide assembly - 30" storage	1"	96"	25"	RDHMR9630	378.	473.	544.	707.
	96" wide assembly - 19" storage	1"	96"	25"	RDHMR9620	403.	504.	579.	753.
	96" wide assembly - 16" storage	1"	96"	25"	RDHMR9610	413.	516.	594.	773.
	102" wide assembly - 36" storage	1"	102"	25"	RDHMR10240	393.	485.	554.	713.
	102" wide assembly - 30" storage	1"	102"	25"	RDHMR10230	404.	499.	570.	732.
	102" wide assembly - 19" storage	1"	102"	25"	RDHMR10220	428.	529.	605.	779.
	102" wide assembly - 16" storage	1"	102"	25"	RDHMR10210	439.	542.	620.	798.
	108" wide assembly - 36" storage	1"	108"	25"	RDHMR10840	419.	511.	580.	739.
	108" wide assembly - 30" storage	1"	108"	25"	RDHMR10830	430.	524.	595.	758.
	108" wide assembly - 19" storage	1"	108"	25"	RDHMR10820	454.	555.	630.	804.
	108" wide assembly - 16" storage	1"	108"	25"	RDHMR10810	465.	568.	646.	824.

Support components

Order Code	Specification Information	Application Notes
Example: RDHMR720	To order please specify pattern number including:	Applicable finishes are listed on page 5 and 6.
R Reff		
DH Desk height	1. Finish Type L, V1, V2, V3 2. Finish V316	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
M Modesty		
R Removable	Installation instruction sheets available on line.	Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
72 Width		
10 16" storage	For removable modesty refer to part number 6TP00084.	Modesty panel lengths are nominal - length changes on option selected.
V2 Finish type		
V316 Light Maple		

Please see Planning Guide for freestanding planning instruction.

Modesty End panel and storage unit.


10= 16" storage
20= 19" storage
30= 30" storage
40= 36" storage

Modesty between two storage units.

11= 16"/16" storage
12= 16"/16" storage
13= 16"/36" storage
14= 16"/30" storage
22= 19"/19" storage
23= 19"/30" storage
24= 19"/36" storage
33= 30"/30" storage

Modesty Removable 28³/₈" planning

Reff Profiles

description	application	th	w	h	pattern no.	L	V1	V2	V3
Removable Modesty for Between Two Storage Elements 	72" wide assembly - 16"/19" storage	1"	72"	25"	RDHMR7212	\$320.	\$410.	\$460.	\$599.
	72" wide assembly - 19"/19" storage	1"	72"	25"	RDHMR7222	325.	407.	468.	609.
	72" wide assembly - 16"/16" storage	1"	72"	25"	RDHMR7211	331.	414.	476.	619.
	78" wide assembly - 19"/19" storage	1"	78"	25"	RDHMR7822	331.	414.	476.	619.
	78" wide assembly - 16"/19" storage	1"	78"	25"	RDHMR7812	336.	420.	483.	628.
	78" wide assembly - 16"/16" storage	1"	78"	25"	RDHMR7811	341.	426.	490.	638.
	84" wide assembly - 19"/30" storage	1"	84"	25"	RDHMR8423	321.	402.	462.	600.
	84" wide assembly - 16"/30" storage	1"	84"	25"	RDHMR8414	328.	409.	471.	612.
	84" wide assembly - 19"/19" storage	1"	84"	25"	RDHMR8422	341.	426.	490.	638.
	84" wide assembly - 16"/19" storage	1"	84"	25"	RDHMR8412	347.	434.	499.	648.
	84" wide assembly - 16"/16" storage	1"	84"	25"	RDHMR8411	356.	446.	513.	666.
	90" wide assembly - 19"/36" storage	1"	90"	25"	RDHMR9024	321.	402.	462.	600.
	90" wide assembly - 16"/36" storage	1"	90"	25"	RDHMR9013	328.	409.	471.	612.
	90" wide assembly - 19"/30" storage	1"	90"	25"	RDHMR9023	332.	415.	478.	621.
	90" wide assembly - 16"/30" storage	1"	90"	25"	RDHMR9014	337.	421.	484.	629.
	90" wide assembly - 19"/19" storage	1"	90"	25"	RDHMR9022	356.	446.	513.	666.
	90" wide assembly - 16"/19" storage	1"	90"	25"	RDHMR9012	363.	453.	521.	678.
	90" wide assembly - 16"/16" storage	1"	90"	25"	RDHMR9011	368.	459.	528.	687.
	96" wide assembly - 30"/30" storage	1"	96"	25"	RDHMR9633	322.	403.	464.	603.
	96" wide assembly - 19"/36" storage	1"	96"	25"	RDHMR9624	332.	415.	478.	621.
	96" wide assembly - 16"/36" storage	1"	96"	25"	RDHMR9613	337.	421.	484.	629.
	96" wide assembly - 19"/30" storage	1"	96"	25"	RDHMR9623	343.	428.	493.	641.
	96" wide assembly - 16"/30" storage	1"	96"	25"	RDHMR9614	353.	441.	508.	659.
	96" wide assembly - 19"/19" storage	1"	96"	25"	RDHMR9622	368.	459.	528.	687.
	96" wide assembly - 16"/19" storage	1"	96"	25"	RDHMR9612	372.	466.	536.	696.
	96" wide assembly - 16"/16" storage	1"	96"	25"	RDHMR9611	378.	473.	544.	707.
	102" wide assembly - 30"/30" storage	1"	102"	25"	RDHMR10233	348.	428.	489.	628.
	102" wide assembly - 19"/36" storage	1"	102"	25"	RDHMR10224	357.	441.	504.	647.
	102" wide assembly - 16"/36" storage	1"	102"	25"	RDHMR10213	363.	447.	510.	655.
	102" wide assembly - 19"/30" storage	1"	102"	25"	RDHMR10223	369.	454.	519.	666.
	102" wide assembly - 16"/30" storage	1"	102"	25"	RDHMR10214	379.	467.	534.	685.
	102" wide assembly - 19"/19" storage	1"	102"	25"	RDHMR10222	393.	485.	554.	713.
	102" wide assembly - 16"/19" storage	1"	102"	25"	RDHMR10212	398.	491.	561.	722.
	102" wide assembly - 16"/16" storage	1"	102"	25"	RDHMR10211	404.	499.	570.	732.
	108" wide assembly - 30"/30" storage	1"	108"	25"	RDHMR10833	374.	454.	515.	654.

Order Code	Specification Information	Application Notes
Example: RDHMR720	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. <i>Finish Type</i> L, V1, V2, V3	Product on this page will accept woodgrain laminate where laminate is currently an option.
DH Desk height	2. <i>Finish</i> V316	List price for woodgrain laminate options will be current published laminate list price plus 10%.
M Modesty	Installation instruction sheets available on line.	Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
R Removable	For removable modesty refer to part number 6TP00084.	Modesty panel lengths are nominal - length changes on option selected.
72 Width		
10 16" storage		
V2 Finish type		
V316 Light Maple		

Please see Planning Guide for freestanding planning instruction.

Modesty End panel and storage unit.


10= 16" storage
20= 19" storage
30= 30" storage
40= 36" storage

Modesty between two storage units.

11= 16"/16" storage
12= 16"/16" storage
13= 16"/36" storage
14= 16"/30" storage
22= 19"/19" storage
23= 19"/30" storage
24= 19"/36" storage
33= 30"/30" storage

Modesty
Removable
28³/₈" planning

Reff Profiles


description	application	th	w	h	pattern no.	L	V1	V2	V3
Removable Modesty for Between Two Storage Elements 	108" wide assembly - 19"/36" storage	1"	108"	25"	RDHMR10824	\$383.	\$467.	\$529.	\$673.
	108" wide assembly - 16"/36" storage	1"	108"	25"	RDHMR10813	388.	473.	536.	681.
	108" wide assembly - 19"/30" storage	1"	108"	25"	RDHMR10823	394.	480.	545.	692.
	108" wide assembly - 16"/30" storage	1"	108"	25"	RDHMR10814	405.	492.	559.	711.
	108" wide assembly - 19"/19" storage	1"	108"	25"	RDHMR10822	419.	511.	580.	739.
	108" wide assembly - 16"/19" storage	1"	108"	25"	RDHMR10812	423.	517.	587.	748.
	108" wide assembly - 16"/16" storage	1"	108"	25"	RDHMR10811	430.	524.	595.	758.


Support components

Order Code	Specification Information	Application Notes
Example: RDHMR720	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
R Reff	1. <i>Finish Type</i> L, V1, V2, V3	Product on this page will accept woodgrain laminate where laminate is currently an option.
DH Desk height	2. <i>Finish</i> V316	List price for woodgrain laminate options will be current published laminate list price plus 10%.
M Modesty	Installation instruction sheets available on line.	Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.
R Removable	For removable modesty refer to part number 6TP00084.	Modesty panel lengths are nominal - length changes on option selected.
72 Width		11= 16"/16" storage 12= 16"/16" storage 13= 16"/36" storage 14= 16"/30" storage 22= 19"/19" storage 23= 19"/30" storage 24= 19"/36" storage 33= 30"/30" storage
10 16" storage		Please see Planning Guide for freestanding planning instruction.
V2 Finish type		Modesty End panel and storage unit. 10= 16" storage 20= 19" storage 30= 30" storage 40= 36" storage Modesty between two storage units.
V316 Light Maple		

Modesty Hinged 28³/₈" planning

Reff Profiles

description	application	th	w	h	pattern no.	L	V1	V2	V3
Hinged Modesty for Between Two Storage Elements 	72" wide assembly - 16"/16" storage	1"	72"	25"	RDHMH7211	\$629.	\$801.	\$844.	\$1,012.
	72" wide assembly - 16"/19" storage	1"	72"	25"	RDHMH7222	619.	791.	828.	994.
	72" wide assembly - 19"/19" storage	1"	72"	25"	RDHMH7212	623.	796.	835.	1,002.
	78" wide assembly - 16"/16" storage	1"	78"	25"	RDHMH7811	641.	817.	859.	1,031.
	78" wide assembly - 16"/19" storage	1"	78"	25"	RDHMH7812	634.	812.	852.	1,022.
	78" wide assembly - 16"/30" storage	1"	78"	25"	RDHMH7813	614.	787.	817.	981.
	78" wide assembly - 19"/19" storage	1"	78"	25"	RDHMH7822	629.	801.	844.	1,012.
	78" wide assembly - 19"/30" storage	1"	78"	25"	RDHMH7823	609.	782.	804.	965.
	84" wide assembly - 16"/16" storage	1"	84"	25"	RDHMH8411	784.	960.	1,007.	1,209.
	84" wide assembly - 16"/19" storage	1"	84"	25"	RDHMH8412	778.	955.	999.	1,199.
	84" wide assembly - 16"/30" storage	1"	84"	25"	RDHMH8414	614.	787.	817.	981.
	84" wide assembly - 16"/36" storage	1"	84"	25"	RDHMH8413	625.	797.	837.	1,005.
	84" wide assembly - 19"/19" storage	1"	84"	25"	RDHMH8422	641.	817.	859.	1,031.
	84" wide assembly - 19"/30" storage	1"	84"	25"	RDHMH8423	619.	791.	830.	996.
	84" wide assembly - 19"/36" storage	1"	84"	25"	RDHMH8424	609.	782.	804.	965.
	90" wide assembly - 16"/16" storage	1"	90"	25"	RDHMH9011	795.	970.	1,022.	1,226.
	90" wide assembly - 16"/19" storage	1"	90"	25"	RDHMH9012	789.	965.	1,015.	1,217.
	90" wide assembly - 16"/30" storage	1"	90"	25"	RDHMH9014	625.	797.	837.	1,005.
	90" wide assembly - 16"/36" storage	1"	90"	25"	RDHMH9013	636.	813.	853.	1,024.
	90" wide assembly - 19"/19" storage	1"	90"	25"	RDHMH9022	784.	960.	1,007.	1,209.
	90" wide assembly - 19"/30" storage	1"	90"	25"	RDHMH9023	630.	802.	845.	1,014.
	90" wide assembly - 19"/36" storage	1"	90"	25"	RDHMH9024	619.	791.	830.	996.
	90" wide assembly - 30"/30" storage	1"	90"	25"	RDHMH9033	610.	783.	806.	968.
	96" wide assembly - 16"/16" storage	1"	96"	25"	RDHMH9611	810.	980.	1,043.	1,252.
	96" wide assembly - 16"/19" storage	1"	96"	25"	RDHMH9612	804.	975.	1,030.	1,236.
	96" wide assembly - 16"/30" storage	1"	96"	25"	RDHMH9614	636.	813.	853.	1,024.
	96" wide assembly - 16"/36" storage	1"	96"	25"	RDHMH9613	780.	956.	1,000.	1,200.
	96" wide assembly - 19"/19" storage	1"	96"	25"	RDHMH9622	795.	970.	1,022.	1,226.
	96" wide assembly - 19"/30" storage	1"	96"	25"	RDHMH9623	682.	818.	860.	1,032.
	96" wide assembly - 19"/36" storage	1"	96"	25"	RDHMH9624	641.	802.	845.	1,014.
	96" wide assembly - 30"/30" storage	1"	96"	25"	RDHMH9633	621.	793.	831.	997.


Hinged Modesty for End panel and Storage Unit 	72" wide assembly - 16" storage	1"	72"	25"	RDHMH7210	789.	964.	1,014.	1,216.
	72" wide assembly - 19" storage	1"	72"	25"	RDHMH7220	783.	960.	1,006.	1,207.
	72" wide assembly - 30" storage	1"	72"	25"	RDHMH7230	629.	801.	845.	1,014.
	72" wide assembly - 36" storage	1"	72"	25"	RDHMH7240	619.	791.	828.	994.
	78" wide assembly - 16" storage	1"	78"	25"	RDHMH7810	803.	974.	1,029.	1,235.
	78" wide assembly - 19" storage	1"	78"	25"	RDHMH7820	793.	969.	1,021.	1,225.
	78" wide assembly - 30" storage	1"	78"	25"	RDHMH7830	641.	817.	859.	1,031.
	78" wide assembly - 36" storage	1"	78"	25"	RDHMH7840	629.	801.	845.	1,014.

Order Code	Specification Information	Application Notes
Example: RDHMH7222	<i>To order please specify pattern number including:</i>	Modesty may prohibit the adjacent drawer from opening.
R Reff		
DH Desk height	1. <i>Finish Type</i> L, V1, V2, V3	Recommended that when using a modesty the adjacent ped is an open configuration.
M Modesty	2. <i>Finish</i> V316	
H Hinged		Hardware shipped with modesty to attach to worksurface.
72 Width		
22 19"/19" storage		J-Extrusion Wire Trough sold separately.
V2 Finish type		
V316 Light Maple		

Modesty End panel and storage unit.	
10=	16" storage
20=	19" storage
30=	30" storage
40=	36" storage
Modesty between two storage units.	
11=	16"/16" storage
12=	16"/19" storage
13=	16"/36" storage
14=	16"/30" storage
22=	19"/19" storage
23=	19"/30" storage
24=	19"/36" storage
33=	30"/30" storage

Modesty
Hinged
28³/₈" planning

Reff Profiles


description	application	th	w	h	pattern no.	L	V1	V2	V3
 Hinged Modesty for End panel and Storage Unit	84" wide assembly - 16" storage	1"	84"	25"	RDHMH8410	\$818.	\$992.	\$1,050.	\$1,260.
	84" wide assembly - 19" storage	1"	84"	25"	RDHMH8420	809.	979.	1,042.	1,250.
	84" wide assembly - 30" storage	1"	84"	25"	RDHMH8430	784.	960.	1,007.	1,209.
	84" wide assembly - 36" storage	1"	84"	25"	RDHMH8440	641.	817.	859.	1,031.
	90" wide assembly - 16" storage	1"	90"	25"	RDHMH9010	828.	1,001.	1,065.	1,278.
	90" wide assembly - 19" storage	1"	90"	25"	RDHMH9020	822.	996.	1,058.	1,269.
	90" wide assembly - 30" storage	1"	90"	25"	RDHMH9030	795.	970.	1,022.	1,226.
	90" wide assembly - 36" storage	1"	90"	25"	RDHMH9040	784.	960.	1,007.	1,209.
	96" wide assembly - 16" storage	1"	96"	25"	RDHMH9610	839.	1,011.	1,080.	1,297.
	96" wide assembly - 19" storage	1"	96"	25"	RDHMH9620	833.	1,006.	1,072.	1,286.
	96" wide assembly - 30" storage	1"	96"	25"	RDHMH9630	810.	981.	1,044.	1,254.
	96" wide assembly - 36" storage	1"	96"	25"	RDHMH9640	795.	970.	1,022.	1,226.

Support components

Order Code	Specification Information	Application Notes
Example: RDHMH7222	<i>To order please specify pattern number including:</i>	Modesty may prohibit the adjacent drawer from opening.
R Reff	1. <i>Finish Type</i> L, V1, V2, V3	Recommended that when using a modesty the adjacent ped is an open configuration.
DH Desk height	2. <i>Finish</i> V316	Hardware shipped with modesty to attach to worksurface.
M Modesty		J-Extrusion Wire Trough sold separately.
H Hinged		Modesty End panel and storage unit.
72 Width		10= 16" storage
22 19"/19" storage		20= 19" storage
V2 Finish type		30= 30" storage
V316 Light Maple		40= 36" storage
		Modesty between two storage units.
		11= 16"/16" storage
		12= 16"/19" storage
		13= 16"/36" storage
		14= 16"/30" storage
		22= 19"/19" storage
		23= 19"/30" storage
		24= 19"/36" storage
		33= 30"/30" storage

Modesty
Partial
28³/₈" planning

Reff Profiles

description	th	w	h	pattern no.	L	V1	V2	V3
Partial / Half Height Modesty	1"	26"	12"	RDHPM26 ()	\$288.	\$403.	\$464.	\$603.
	1"	32"	12"	RDHPM32 ()	298.	416.	479.	622.
	1"	38"	12"	RDHPM38 ()	313.	439.	505.	655.
	1"	44"	12"	RDHPM44 ()	330.	461.	530.	690.
	1"	50"	12"	RDHPM50 ()	353.	494.	569.	740.
	1"	56"	12"	RDHPM56 ()	363.	508.	584.	760.
	1"	62"	12"	RDHPM62 ()	389.	545.	627.	815.
	1"	68"	12"	RDHPM68 ()	411.	576.	662.	860.
	1"	74"	12"	RDHPM74 ()	420.	589.	677.	880.

Order Code

Example:	RDHPM26()
R	Reff
DH	Desk height
PM	Partial Modesty
26	Width
V316	Light Maple

Specification Information

To order please specify pattern number including:
1. Finish
L, V1, V2, V3

Application Notes

Modesty may prohibit the adjacent drawer from opening.


Recommended that when using a modesty the adjacent ped is an open configuration.



Hardware shipped with modesty to attach to worksurface.

J-Extrusion Wire Trough sold separately.

Pedestals, 26 1/2" planning
BBF/FF
Metal interiors

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal with box box file configuration	16"	19"	26 1/2"	RP211J-() () L	\$1,165.	\$1,246.	\$1,430.	\$1,923.
	16"	23"	26 1/2"	RP212J-() () L	1,216.	1,303.	1,497.	2,013.
	16"	29"	26 1/2"	RP213J-() () L	1,268.	1,357.	1,558.	2,097.
*Pencil tray not included *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). *3 Counter weights required per pedestal.								

  Pedestal with file file configuration	16"	19"	26 1/2"	RP211K-() () L	1,067.	1,144.	1,315.	1,777.
	16"	23"	26 1/2"	RP212K-() () L	1,144.	1,226.	1,409.	1,902.
	16"	29"	26 1/2"	RP213K-() () L	1,217.	1,302.	1,500.	2,023.
	30"	19"	26 1/2"	RP231K-() () L	1,220.	1,309.	1,505.	2,032.
	30"	23"	26 1/2"	RP232K-() () L	1,285.	1,380.	1,584.	2,138.
	36"	19"	26 1/2"	RP261K-() () L	1,301.	1,395.	1,605.	2,166.
	36"	23"	26 1/2"	RP262K-() () L	1,364.	1,462.	1,682.	2,271.
*Pencil tray not included *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). *3 Counter weights required per pedestal.								


Order Code	Specification Information	Application Notes
Example: RP211JLMDL R Reff P Pedestal 2 26 1/2"H 1 16" wide 1 19" deep J Box box file config. L Laminate finish M Metal interior D Metal D-pull L Lock option files 114 Cabinet Finish, Folkstone Grey 612 Pull Finish, Folkstone Grey	To order please specify pattern number including: 1. Finish type 2. Interior option 3. Pull option 4. Lock option, Files 5. Cabinet Finish 6. Pull Finish Painted or Plated *After specifying product code, provide keying instructions. 1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3 2. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	3. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only) F = Bar pull H = Outline pull T = Tab pull R = Cylinder pull 4. <i>Lock options:</i> L = Drilled to accept lock Lock default is Black 5. Refer to page 560 for keying instructions. Pencil trays not included in pedestals with metal interiors. Pencil tray to be ordered separately; see page 432. Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders. Mobile pedestals are always equipped with finished backs. File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading. Random locks are factory installed. Keyalike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core. Each pedestal may require 3 counterweights when used in unsecured fashion (ie. Freestanding) 1 counterweight = 10 lbs. Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.		



Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals, 26 1/2" planning
BBF/FF
Metal interiors and wood backs

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with box box file configuration 	16"	20"	26 1/2"	RPB211J() () L	\$1,296.	\$1,386.	\$1,597.	\$2,147.
	16"	24"	26 1/2"	RPB212J() () L	1,347.	1,444.	1,659.	2,232.
	16"	30"	26 1/2"	RPB213J() () L	1,400.	1,500.	1,723.	2,321.
*Pencil Tray not included *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). *3 counterweights per pedestal.								



Pedestal with file file configuration  	16"	20"	26 1/2"	RPB211K() () L	1,199.	1,284.	1,480.	1,999.
	16"	24"	26 1/2"	RPB212K() () L	1,275.	1,366.	1,576.	2,126.
	16"	30"	26 1/2"	RPB213K() () L	1,351.	1,446.	1,663.	2,246.
	30"	20"	26 1/2"	RPB231K() () L	1,483.	1,591.	1,826.	2,467.
	30"	24"	26 1/2"	RPB232K() () L	1,549.	1,661.	1,906.	2,572.
	36"	20"	26 1/2"	RPB261K() () L	1,611.	1,731.	1,988.	2,684.
	36"	24"	26 1/2"	RPB262K() () L	1,678.	1,797.	2,066.	2,788.
	*Pencil Tray not included *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). *3 counterweights per pedestal.							

Order Code	Specification Information	Application Notes
Example: RPB211JLMDL	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
PB Pedestal with back	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 20" deep	5. Lock option, files	F = Bar pull
J Box box file config.	6. Cabinet finish	H = Outline pull
L Laminate finish	7. Pull Finish	R = Cylinder pull
M Metal interior	Painted or Plated	T = Tab pull
D Metal D-pull	*After specifying product code, provide keying instructions.	
L Lock hole drilled	<i>1. Finish type:</i>	<i>4. Lock options:</i>
114 Cabint finish	L = Laminate	Pedestals with drawers always lock drilled.
612 Pull finish	1 = V1	L = Drilled to accept lock
	2 = V2	Lock default is Black
	3 = V3	
	<i>2. Interior options:</i>	<i>5. Refer to page 560 for keying instructions.</i>
	M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	Pencil trays not included in pedestals with metal interiors.
		Pencil tray to be ordered separately; see page 432.
		Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
		Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
		File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
		Random locks are factory installed.
		Keyalike are field installed using the KnollKey order form.
		Each locking pedestal on this page counts for one lock core.
		Pedestals must be ordered with back-panel to achieve full depth, without a modesty panel.
		1 counterweight = 10 lbs.
		Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Applicable finishes are listed on page 5 and 6.

Pedestals, 26 1/2" planning
BBF/FF
Metal interiors legal width

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Pedestal with box box file configuration	19"	19"	26 1/2"	RP221J () () ()	\$1,222.	\$1,307.	\$1,501.	\$2,019.
	19"	23"	26 1/2"	RP222J () () ()	1,276.	1,368.	1,571.	2,113.
	19"	29"	26 1/2"	RP223J () () ()	1,330.	1,423.	1,636.	2,222.
	*Pencil tray not included *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). *3 counterweights per pedestal							
 Pedestal with file file configuration	19"	19"	26 1/2"	RP221K () () ()	1,121.	1,201.	1,381.	1,865.
	19"	23"	26 1/2"	RP222K () () ()	1,201.	1,286.	1,480.	1,998.
	19"	29"	26 1/2"	RP223K () () ()	1,278.	1,368.	1,575.	2,124.
	*Pencil tray not included *Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). *3 counterweights per pedestal							

Order Code	Specification Information	Application Notes
Example: RP221JLMDL R Reff P Pedestal 2 26 1/2"H 2 19" wide 1 19" deep J Box box file config. L Laminate finish M Metal interior D Metal D-pull L Lock option 114 Cabinet Finish, Folkstone grey 612 Pull Finish, Med. grey	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> 1. Finish type 2. Interior option 3. Pull option 4. Lock option, Files 5. Cabinet finish 6. Pull Finish Painted or Plated <p>*After specifying product code, provide keying instructions.</p> <p><i>1. Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3</p> <p><i>2. Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)</p>	<p><i>3. Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only) F = Bar pull H = Outline pull R = Cylinder pull T = Tab pull</p> <p><i>4. Lock options:</i> L = Drilled to accept lock Lock default is Black</p> <p><i>5. Cabinet Finish</i></p> <p><i>6. Pull Finish</i></p> <p><i>7. Refer to page 560 for keying instructions.</i></p> <p>Pencil trays not included in pedestals with metal interiors.</p> <p>Pencil tray to be ordered separately; see page 432.</p> <p>Pedestals must be ordered with back panel to achieve full depth without a modesty panel.</p> <p>Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.</p> <p>File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.</p> <p>Random locks are factory installed.</p> <p>Keyalike are field installed using the KnollKey order form.</p> <p>Each locking pedestal on this page counts for one lock core.</p> <p>Each pedestal may require 3 counterweights when used in unsecure fashion. (ie. Freestanding)</p> <p>1 counterweight = 10 lbs.</p> <p>Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.</p>

Applicable finishes are listed on page 5 and 6.


Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals, 26 1/2" planning


Reff Profiles

BBF/FF

Wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with box box file configuration 	16"	19"	26 1/2"	RP211J-() () L	\$1,235.	\$1,319.	\$1,517.	\$2,039.
	16"	23"	26 1/2"	RP212J-() () L	1,372.	1,470.	1,686.	2,270.
	16"	29"	26 1/2"	RP213J-() () L	1,492.	1,599.	1,835.	2,470.

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
3 counterweights per pedestal.

Pedestal with file file configuration 	16"	19"	26 1/2"	RP211K-() () L	1,130.	1,211.	1,391.	1,879.
	16"	23"	26 1/2"	RP212K-() () L	1,333.	1,429.	1,640.	2,213.
	16"	29"	26 1/2"	RP213K-() () L	1,453.	1,559.	1,792.	2,421.
	30"	19"	26 1/2"	RP231K-() () L	1,461.	1,566.	1,800.	2,430.
	30"	23"	26 1/2"	RP232K-() () L	1,718.	1,840.	2,112.	2,851.
	36"	19"	26 1/2"	RP261K-() () L	1,807.	1,935.	2,227.	3,006.
	36"	23"	26 1/2"	RP262K-() () L	2,104.	2,257.	2,596.	3,503.

*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
3 counterweights per pedestal.

Order Code	Specification Information	Application Notes
Example: RP211JLWDL	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	D = Metal D-pull
P Pedestal	2. Interior option	J = Routed pull
2 26 1/2"H	3. Pull option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Lock option, file	S = S-pull (stainless steel finish only)
1 19" deep	5. Cabinet finish	H = Outline pull
J Box box file config.	6. Pull finish	T = Tab pull
L Laminate finish	*After specifying product code, provide keying instructions.	R = Cylinder pull
W Wood interior		F = Bar pull
D Metal D-pull	<i>1. Finish type:</i>	<i>4. Lock options:</i>
L Lock hole drilled	L = Laminate	Pedestals with drawers always lock drilled.
114 Cabinet finish	1 = V1	Lock default is Black
612 Pull finish	2 = V2	L = Drilled to accept lock
	3 = V3	

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

2. Interior options:
W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)

5. Refer to page 560 for keying instructions.

Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.


Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.



Pedestals, 26 1/2" planning

BBF/FF

Wood interiors and wood backs

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with box box file configuration 	16"	20"	26 1/2"	RPB211J()()L	\$1,370.	\$1,463.	\$1,681.	\$2,263.
	16"	24"	26 1/2"	RPB212J()()L	1,503.	1,611.	1,853.	2,495.
	16"	30"	26 1/2"	RPB213J()()L	1,625.	1,739.	1,997.	2,689.
*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). *3 counterweights per pedestal.								

Pedestal with file file configuration  	16"	20"	26 1/2"	RPB211K()()L	1,261.	1,351.	1,555.	2,100.
	16"	24"	26 1/2"	RPB212K()()L	1,464.	1,569.	1,807.	2,439.
	16"	30"	26 1/2"	RPB213K()()L	1,587.	1,701.	1,959.	2,643.
	30"	20"	26 1/2"	RPB231K()()L	1,724.	1,849.	2,125.	2,870.
	30"	24"	26 1/2"	RPB232K()()L	1,921.	2,124.	2,435.	3,288.
	36"	20"	26 1/2"	RPB261K()()L	2,120.	2,271.	2,611.	3,527.
	36"	24"	26 1/2"	RPB262K()()L	2,419.	2,595.	2,982.	4,026.
*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). *3 counterweights per pedestal.								

Order Code	Specification Information	Application Notes
Example: RPB211JLWDL	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	D = Metal D-pull
PB Pedestal with back	2. Interior option	J = Routed pull
2 26 1/2"H	3. Pull option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Lock option, applicable hinged doors only	S = S-pull (stainless steel finish only)
1 20" deep	5. Cabinet finish	F = Bar pull
J Box box file config.	6. Pull finish	H = Outline pull
L Laminate finish	Painted or Plated	R = Cylinder pull
W Wood interior	*After specifying product code, provide keying instructions.	<i>4. Lock options:</i>
D Metal D-pull	1. <i>Finish type:</i>	Pedestals with drawers always lock drilled
L Lock option	L = Laminate	L = Drilled to accept lock
114 Cabinet finish	1 = V1	Lock default is Black
612 Pull finish	2 = V2	5. Refer to page 560 for keying instructions.
	3 = V3	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.
	2. <i>Interior options:</i>	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
	W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	

Applicable finishes are listed on page 5 and 6.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.



Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 26 1/2" planning
BBF/FF
Wood interiors legal width

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
	19"	19"	26 1/2"	RP221J () () ()	\$1,296.	\$1,384.	\$1,591.	\$2,140.
	19"	23"	26 1/2"	RP222J () () ()	1,440.	1,543.	1,770.	2,382.
	19"	29"	26 1/2"	RP223J () () ()	1,566.	1,678.	1,927.	2,593.
*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). *3 counterweights per pedestal.								
	19"	19"	26 1/2"	RP221K () () ()	1,187.	1,272.	1,461.	1,972.
	19"	23"	26 1/2"	RP222K () () ()	1,400.	1,501.	1,721.	2,324.
	19"	29"	26 1/2"	RP223K () () ()	1,526.	1,638.	1,883.	2,541.
*Pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). *3 counterweights per pedestal.								

Order Code	Specification Information	Application Notes
Example: RP221JLWDL	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	D = Metal D-pull
P Pedestal	2. Interior option	J = Routed pull
2 26 1/2"H	3. Pull option	C = Nickel C-pull (nickel finish only)
2 19" wide	4. Lock option, files	S = S-pull (stainless steel finish only)
1 19" deep	5. Keying instructions	F = Bar pull
J Box box file config.	6. Cabinet finish	H = Outline pull
L Laminate finish	7. Pull finish	R = Cylinder pull
W Wood interior	Painted or Plated	T = Tab pull
D Metal D-pull	*After specifying product code, provide keying instructions.	
L Lock option	<i>1. Finish type:</i>	<i>4. Lock options:</i>
114 Cabinet finish, Folkstone grey	L = Laminate	Pedestals with drawers always lock drilled.
612 Pull finish	1 = V1	L = Drilled to accept lock
	2 = V2	Lock default is Black
	3 = V3	
	<i>2. Interior options:</i>	<i>5. Cabinet finish</i>
	W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)	<i>6. Pull finish</i>
		<i>7. Refer to page 560 for keying instructions.</i>

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.


Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals, 26 1/2" planning

Open / Hinge Door

Metal interiors


Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	RP211L(L/R)-() () ()	\$936.	\$1,002.	\$1,154.	\$1,556.
	16"	23"	26 1/2"	RP212L(L/R)-() () ()	1,138.	1,217.	1,402.	1,892.
	16"	29"	26 1/2"	RP213L(L/R)-() () ()	1,301.	1,395.	1,605.	2,166.
	30"	19"	26 1/2"	RP231L-() () ()	1,210.	1,296.	1,489.	2,012.
	30"	23"	26 1/2"	RP232L-() () ()	1,413.	1,516.	1,743.	2,353.
	36"	19"	26 1/2"	RP261L-() () ()	1,534.	1,643.	1,891.	2,553.
	36"	23"	26 1/2"	RP262L-() () ()	1,792.	1,921.	2,209.	2,984.

*Pencil tray not included

*Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Metal interior means shelf is metal

Pedestal with open configuration including shelf 	16"	19"	26 1/2"	RP211M-() ()	713.	765.	878.	1,185.
	16"	23"	26 1/2"	RP212M-() ()	828.	891.	1,024.	1,382.
	16"	29"	26 1/2"	RP213M-() ()	981.	1,051.	1,210.	1,635.
	30"	19"	26 1/2"	RP231M-() ()	826.	889.	1,021.	1,378.
	30"	23"	26 1/2"	RP232M-() ()	1,006.	1,080.	1,240.	1,675.
	36"	19"	26 1/2"	RP261M-() ()	1,057.	1,136.	1,306.	1,763.
	36"	23"	26 1/2"	RP262M-() ()	1,280.	1,373.	1,578.	2,129.

*Pencil tray not included

*Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Metal interior means metal shelf.

Order Code	Specification Information	Application Notes
Example: RP211LLMDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
P Pedestal	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 19" deep	5. Lock option, applicable hinged doors only	F = Bar pull
L Hinge door config.	6. Cabinet finish	H = Outline pull
L Laminate finish	7. Pull Finish	R = Cylinder pull
M Metal interior	Painted or Plated	T = Tab pull
D Metal D-pull		
L Lock option		
114 Cabinet Finish		
612 Pull Finish		

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

*After specifying product code, provide keying instructions.

1. Hinge location:

L = Left hand
R = Right hand

2. Finish type:

L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:

M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

5. Lock options:

L = Drilled to accept lock
N = No drilling
Lock default is Black

6. Refer to page 560 for keying instructions.

Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 432.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.


For Open Pedestals;

1. Finish type
2. Interior Option
3. Cabinet Finish

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 26 1/2" planning
Open / Hinge Door
Metal interiors and wood backs


Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	RPB211L(L/R)() () ()	\$1,069.	\$1,143.	\$1,319.	\$1,782.
	16"	24"	26 1/2"	RPB212L(L/R)() () ()	1,272.	1,361.	1,566.	2,113.
	16"	30"	26 1/2"	RPB213L(L/R)() () ()	1,434.	1,536.	1,770.	2,391.
	30"	20"	26 1/2"	RPB231L() () ()	1,474.	1,578.	1,813.	2,447.
	30"	24"	26 1/2"	RPB232L() () ()	1,678.	1,797.	2,065.	2,787.
	36"	20"	26 1/2"	RPB261L() () ()	1,844.	1,977.	2,273.	3,069.
	36"	24"	26 1/2"	RPB262L() () ()	2,103.	2,256.	2,595.	3,502.

*Pencil Tray not included

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Metal interior means shelf metal.

Pedestal with open configuration including shelf 	16"	20"	26 1/2"	RPB211M() ()	846.	902.	1,042.	1,408.
	16"	24"	26 1/2"	RPB212M() ()	966.	1,031.	1,190.	1,606.
	16"	30"	26 1/2"	RPB213M() ()	1,112.	1,193.	1,373.	1,854.
	30"	20"	26 1/2"	RPB231M() ()	1,092.	1,171.	1,345.	1,816.
	30"	24"	26 1/2"	RPB232M() ()	1,270.	1,361.	1,560.	2,107.
	36"	20"	26 1/2"	RPB261M() ()	1,373.	1,469.	1,690.	2,281.
	36"	24"	26 1/2"	RPB262M() ()	1,592.	1,708.	1,962.	2,648.

*Pencil Tray not included

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Metal interior means shelf metal.

Order Code	Specification Information	Application Notes
Example: RPB211LL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>
R Reff	1. Hinge location, where applicable	D = Metal D-pull
PB Pedestal with back	2. Finish type	J = Routed pull
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)
1 20" deep	5. Lock option, applicable hinged doors only	F = Bar pull
L Hinge door	6. Cabinet finish	H = Outline pull
L Hinge Left	7. Pull finish	R = Cylinder pull
L Laminate finish		T = Tab pull
M Metal interior	*After specifying product code, provide keying instructions.	<i>5. Lock options:</i>
D Metal D-pull	1. <i>Hinge location:</i>	Optional hinge door configuration only.
L Lock option	L = Left hand	L = Drilled to accept lock
118 Cabinet finish	R = Right hand	N = No drilling
118 Pull finish	2. <i>Finish type:</i>	Lock default is Black
	L = Laminate	6. Refer to page 560 for keying instructions.
	1 = V1	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.
	2 = V2	Pencil trays not included in pedestals with metal interiors.
	3 = V3	Pencil tray to be ordered separately; see page 432.
	3. <i>Interior options:</i>	
	M = Metal (If laminate case finish-shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

For Open Pedestals;

1. Finish type
2. Interior Option
3. Cabinet Finish

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.


Applicable finishes are listed on page 5 and 6.

Pedestals, 26 1/2" planning


Open / Hinge Door

Wood interior

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	19"	26 1/2"	RP211L(L/R)-() () ()	\$1,024.	\$1,096.	\$1,264.	\$1,709.
	16"	23"	26 1/2"	RP212L(L/R)-() () ()	1,230.	1,319.	1,515.	2,046.
	16"	29"	26 1/2"	RP213L(L/R)-() () ()	1,392.	1,491.	1,714.	2,314.
	30"	19"	26 1/2"	RP231L-() () ()	1,298.	1,391.	1,603.	2,163.
	30"	23"	26 1/2"	RP232L-() () ()	1,504.	1,616.	1,858.	2,507.
	36"	19"	26 1/2"	RP261L-() () ()	1,623.	1,739.	2,000.	2,700.
	36"	23"	26 1/2"	RP262L-() () ()	1,883.	2,018.	2,320.	3,131.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position
N=No Lock option

Pedestal with open configuration including shelf 	16"	19"	26 1/2"	RP211M-() () ()	801.	857.	986.	1,329.
	16"	23"	26 1/2"	RP212M-() () ()	923.	990.	1,139.	1,536.
	16"	29"	26 1/2"	RP213M-() () ()	1,072.	1,147.	1,321.	1,785.
	30"	19"	26 1/2"	RP231M-() () ()	921.	985.	1,131.	1,527.
	30"	23"	26 1/2"	RP232M-() () ()	1,095.	1,174.	1,351.	1,822.
	36"	19"	26 1/2"	RP261M-() () ()	1,147.	1,233.	1,419.	1,915.
	36"	23"	26 1/2"	RP262M-() () ()	1,372.	1,466.	1,687.	2,277.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.


Order Code	Specification Information	Application Notes
Example: RP211LLWDL	<i>To order please specify pattern number including:</i>	Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.
R Reff	1. Hinge location, where applicable	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
P Pedestal	2. Finish type	Random locks are factory installed.
2 26 1/2"H	3. Interior option	Keyalike are field installed using the KnollKey order form.
1 16" wide	4. Pull option	Each locking pedestal on this page counts for one lock core.
1 19" deep	5. Lock option, applicable hinged doors only	For Open Pedestals;
L Hinge door	6. Cabinet finish	1. Finish type
L Laminate finish	7. Pull finish	2. Interior Option
W Wood interior	*After specifying product code, provide keying instructions.	3. Cabinet Finish
D Metal D-pull	1. <i>Hinge location:</i>	Pedestals are supplied with hardware kit including wood screws for attachment to underside of work surface.
L Lock hole drilled	L = Left hand	
118 Cabinet finish	R = Right hand	
118 Pull finish	2. <i>Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	3. <i>Interior options:</i>	
	W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. <i>Pull options:</i>	
	D = Metal D-pull	
	J = Routed pull	
	C = Nickel C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	
	F = Bar pull	
	H = Outline pull	
	T = Tab pull	
	R = Cylinder pull	
	5. <i>Lock options:</i>	
	Optional hinge door configuration only.	
	L = Drilled to accept lock	
	N = No drilling	
	Lock default is Black	
	6. Refer to page 560 for keying instructions.	
	Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.	
	Pedestals must be ordered with back panel to achieve full depth without a modesty panel.	

Applicable finishes are listed on page 5 and 6.


Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Pedestals, 26 1/2" planning
Open / Hinge Door
Wood interiors and wood backs

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with hinge door configuration, includes one shelf 	16"	20"	26 1/2"	RPB211L(L/R)() () ()	\$1,158.	\$1,240.	\$1,429.	\$1,928.
	16"	24"	26 1/2"	RPB212L(L/R)() () ()	1,361.	1,457.	1,679.	2,266.
	16"	30"	26 1/2"	RPB213L(L/R)() () ()	1,524.	1,632.	1,877.	2,534.
	30"	20"	26 1/2"	RPB231L() () ()	1,560.	1,672.	1,926.	2,601.
	30"	24"	26 1/2"	RPB232L() () ()	1,766.	1,895.	2,177.	2,940.
	36"	20"	26 1/2"	RPB261L() () ()	1,935.	2,073.	2,381.	3,216.
	36"	24"	26 1/2"	RPB262L() () ()	2,196.	2,351.	2,705.	3,651.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Pedestal with open configuration including shelf 	16"	20"	26 1/2"	RPB211M() ()	934.	999.	1,153.	1,555.
	16"	24"	26 1/2"	RPB212M() ()	1,054.	1,130.	1,302.	1,757.
	16"	30"	26 1/2"	RPB213M() ()	1,204.	1,286.	1,484.	2,004.
	30"	20"	26 1/2"	RPB231M() ()	1,181.	1,266.	1,453.	1,963.
	30"	24"	26 1/2"	RPB232M() ()	1,360.	1,456.	1,672.	2,256.
	36"	20"	26 1/2"	RPB261M() ()	1,461.	1,568.	1,800.	2,430.
	36"	24"	26 1/2"	RPB262M() ()	1,682.	1,800.	2,070.	2,793.

Inside height clearance top shelf 10", bottom shelf 10.5" when shelf located in center position.

Order Code	Specification Information	Application Notes	
Example: RPB211LLWDL	<i>To order please specify pattern number including:</i>	<i>4. Pull options:</i>	Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders. Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Random locks are factory installed. Keyalike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core. Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
R Reff	1. Hinge location, where applicable	D = Metal D-pull	
PB Pedestal with back	2. Finish type	J = Routed pull	
2 26 1/2"H	3. Interior option	C = Nickel C-pull (nickel finish only)	
1 16" wide	4. Pull option	S = S-pull (stainless steel finish only)	
1 20" deep	5. Lock option, applicable hinged doors only	F = Bar pull	
L Hinged door	6. Cabinet finish	H = Outline pull	
L Laminate finish	7. Pull finish	T = Tab pull	
W Wood interior	Painted or Plated	R = Cylinder pull	
D Metal D-pull	*After specifying product code, provide keying instructions.	<i>5. Lock options:</i>	
L Lock option	<i>1. Hinge location:</i>	Optional hinge door configuration	
118 Cabinet finish	L = Left hand	L = Drilled to accept lock	
118 Pull finish	R = Right hand	N = No drilling	
		Lock default is Black	
	<i>2. Finish type:</i>	6. Refer to page 560 for keying instructions.	
	L = Laminate		
	1 = V1		
	2 = V2		
	3 = V3		
	<i>3. Interior options:</i>		
	W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)		
Applicable finishes are listed on page 5 and 6.		Pedestals must be ordered with back panels to achieve full depth without a modesty panel.	

Applicable finishes are listed on page 5 and 6.

Mobile Pedestal


Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-() () L	\$1,144.	\$1,226.	\$1,409.	\$1,902.	
	16"	23"	21"	RM112J-() () L	1,196.	1,282.	1,476.	1,992.	
	16"	23"	26 1/2"	RM212J-() () L	1,606.	1,723.	1,979.	2,673.	
	16"	23"	26 1/2"	RM212K-() () L	1,606.	1,723.	1,979.	2,673.	



*Pencil tray not included
*Glue and dowel construction

Pedestal backs	16"	1"	26 1/2"	RPAB16-()	123.	127.	147.	199.	
	19"	1"	26 1/2"	RPAB19-()	129.	133.	155.	210.	
	30"	1"	26 1/2"	RPAB30-()	245.	251.	287.	388.	
	36"	1"	26 1/2"	RPAB36-()	288.	299.	343.	464.	



*Pencil tray not included
*Pedestal backs for pedestals with metal or wood interiors.

Counter weight (for file/file configuration pedestals when used in freestanding applications)	—	—	—	RCOUNTWT					100.
---	---	---	---	-----------------	--	--	--	--	------

Order Code	Specification Information	Application Notes
Example: RM111J	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	D = Metal D-pull
M Mobile Pedestal	2. Interior option	J = Routed pull
1 21"H	3. Pull option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Lock option, files	S = S-pull (stainless steel finish only)
1 19" deep	5. Cabinet Finish	F = Bar pull
J Box box file config.	6. Pull Finish	H = Outline pull
L Laminate finish	Painted or Plated	R = Cylinder pull
M Metal interior	*After specifying product code, provide keying instructions.	T = Tab pull
D Metal D-pull	<i>1. Finish type:</i>	<i>4. Lock options:</i>
L Lock option	L = Laminate	L = Drilled to accept lock
114 Cabinet Finish	1 = V1	5. Refer to page 560 for keying instructions.
612 Pull Finish	2 = V2	Pencil trays not included in mobile pedestals with metal interiors.
	3 = V3	Pencil tray to be ordered separately; see page 432.

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

2. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keylike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Mobile pedestals are glue and dowel construction.

Pedestals, 26 1/2" planning

Reff Profiles

Mobile Pedestal


Wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3	list
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels)	16"	19"	21"	RM111J-() () L	\$1,353.	\$1,452.	\$1,671.	\$2,255.	
	16"	23"	21"	RM112J-() () L	1,429.	1,531.	1,760.	2,376.	
	16"	23"	26 1/2"	RM212K-() () L	1,933.	2,071.	2,381.	3,216.	
	16"	23"	26 1/2"	RM212J-() () L	1,933.	2,071.	2,381.	3,216.	



Glue and dowel construction

Pedestal backs	16"	1"	26 1/2"	RPAB16-()	123.	127.	147.	199.	
	19"	1"	26 1/2"	RPAB19-()	129.	133.	155.	210.	
	30"	1"	26 1/2"	RPAB30-()	245.	251.	287.	388.	
	36"	1"	26 1/2"	RPAB36-()	288.	299.	343.	464.	



pedestal backs for pedestals with metal or wood interiors.

Counter weight (for file/file configuration pedestals when used in freestanding applications)	—	—	—	RCOUNTWT					100.
--	---	---	---	-----------------	--	--	--	--	------

Order Code	Specification Information	Application Notes
Example: RM111J	<i>To order please specify pattern number including:</i>	<i>3. Pull options:</i>
R Reff	1. Finish type	D = Metal D-pull
M Mobile Pedestal	2. Interior option	J = Routed pull
1 21"H	3. Pull option	C = Nickel C-pull (nickel finish only)
1 16" wide	4. Lock option, files	S = S-pull (stainless steel finish only)
1 19" deep	5. Cabinet Finish	F = Bar pull
J Box box file config.	6. Pull Finish	H = Outline pull
L Laminate finish	Painted or Plated	R = Cylinder pull
W Wood interior		T = Tab pull
D Metal D-pull		
L Lock option		
114 Cabinet Finish		
612 Pull Finish		

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

After specifying product code, provide keying instructions.

1. Finish type:

L = Laminate

1 = V1

2 = V2

3 = V3

2. Interior options:

M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

4. Lock options:

L = Drilled to accept lock

5. Refer to page 560 for keying instructions.

Box file configuration in mobile pedestals with wood interior includes one pencil tray and 2 tray dividers.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.


Mobile pedestals are glue and dowel construction.


Pedestals, 28³/₈" planning

Reff Profiles

BBF/FF

Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height) box/box/file configuration 	16"	19"	28 ³ / ₈ "	RP161J () () L ()	\$1,220.	\$1,305.	\$1,501.	\$2,020.
	16"	23"	28 ³ / ₈ "	RP162J () () L ()	1,276.	1,368.	1,572.	2,115.
	16"	29"	28 ³ / ₈ "	RP163J () () L ()	1,330.	1,424.	1,638.	2,203.
*Pencil Tray not included Pedestals may require counterweights when used in unsecured fashion (ie freestanding) *3 counterweights per pedestal								

Pedestal, (desk height) file/file configuration 	16"	19"	28 ³ / ₈ "	RP161K () () L ()	1,120.	1,201.	1,381.	1,866.
	16"	23"	28 ³ / ₈ "	RP162K () () L ()	1,199.	1,284.	1,480.	1,999.
	16"	29"	28 ³ / ₈ "	RP163K () () L ()	1,279.	1,368.	1,576.	2,126.
	30"	19"	28 ³ / ₈ "	RP301K () () L ()	1,281.	1,375.	1,579.	2,130.
	30"	23"	28 ³ / ₈ "	RP302K () () L ()	1,351.	1,448.	1,663.	2,246.
	36"	19"	28 ³ / ₈ "	RP361K () () L ()	1,364.	1,466.	1,685.	2,276.
	36"	23"	28 ³ / ₈ "	RP362K () () L ()	1,434.	1,535.	1,766.	2,385.
*Pencil Tray not included Pedestals may require counterweights when used in unsecured fashion (ie freestanding) *3 counterweights per pedestal								

Order Code	Specification Information	Application Notes
Example: RP161J(L)(M)(J)L(118)	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
R Reff	5. <i>Lock option</i> Lock default is black. Pedestals with drawers always lock drilled L = drilled to accept lock	File drawers include file bars for front to back and side to side filing.
P Pedestal	6. <i>Cabinet finish</i> Painted or Plated	File drawers support bottom loading.
16 16" wide (<i>nominal</i>)	7. <i>Pull finish</i> Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	Applicable finishes are listed on page 5 and 6.
1 19" deep (<i>nominal</i>)	8. <i>Keying instructions must accompany all orders, refer to page 560 . Pedestals do not come with lock included.</i> Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.	Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)
J Box/Box/File config.	9. <i>Pencil trays not included in pedestals with metal interiors.</i>	1 counterweight = 10 lbs.
L Finish type, laminate	10. <i>Pencil tray to be ordered separately; see page 432.</i>	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
M Interior option, metal	11. <i>Finished back must be ordered separately to achieve full depth without a modesty. (page 278)</i>	
J Pull option, J		
L Lock option		
118 Cabinet finish		
118 Pull finish		


Pedestals, 28³/₈" planning

Reff Profiles

BBF/FF

Metal interior legal width

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height)	19"	19"	28 ³ / ₈ "	RP191J () () ()	\$1,279.	\$1,370.	\$1,575.	\$2,120.
box/box/file configuration	19"	23"	28 ³ / ₈ "	RP192J () () ()	1,340.	1,401.	1,649.	2,220.
	19"	29"	28 ³ / ₈ "	RP193J () () ()	1,396.	1,495.	1,718.	2,313.




Pencil tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

*3 counterweights per pedestal

Pedestal, (desk height)	19"	19"	28 ³ / ₈ "	RP191K () () ()	1,175.	1,261.	1,450.	1,960.
file/file configuration	19"	23"	28 ³ / ₈ "	RP192K () () ()	1,259.	1,349.	1,554.	2,099.
	19"	29"	28 ³ / ₈ "	RP193K () () ()	1,344.	1,436.	1,654.	2,232.



Pencil tray not included


Pedestals may require counterweights when used in unsecured fashion (ie freestanding)


*3 counterweights per pedestal

Order Code	Specification Information	Application Notes
Example: RP191J(L)(M)(J)L(118)	<i>To order please specify pattern number including:</i>	
R Reff		
P Pedestal		
19 19" wide (<i>nominal</i>)	1. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
1 19" deep (<i>nominal</i>)	2. <i>Interior option</i> M = metal (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
J Box/Box/File configuration	3. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) F = Bar pull H = Outline pull R = Cylinder pull T = Tab pull	
L Finish type, laminate	4. <i>Lock option</i> Lock default is Black Pedestals with drawers always lock drilled L = drilled to accept lock	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
M Interior option, metal	5. <i>Cabinet finish</i> 6. <i>Pull finish</i> Painted or Plated	File drawers include file bars for front to back and side to side filing.
J Pull option, J	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	File drawers support bottom loading.
L Lock option	List price for woodgrain laminate options will be current published laminate list price plus 10%.	Applicable finishes are listed on page 5 and 6.
118 Cabinet finish	Keying instructions must accompany all orders, refer to page 560 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.	Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)
118 Pull finish	Pencil trays not included in pedestals with metal interiors. Pencil tray to be ordered separately; see page 432. Finished back must be ordered separately to achieve full depth without a modesty. (page285)	1 counterweight = 10 lbs. Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28³/₈" planning
BBF/FF
Wood interior

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height) box/box/file configuration 	16"	19"	28 ³ / ₈ "	RP161J () () L ()	\$1,296.	\$1,384.	\$1,589.	\$2,138.
	16"	23"	28 ³ / ₈ "	RP162J () () L ()	1,438.	1,543.	1,772.	2,383.
	16"	29"	28 ³ / ₈ "	RP163J () () L ()	1,565.	1,679.	1,925.	2,590.
Pedestals may require counterweights when used in unsecured fashion (ie freestanding) *3 counterweights per pedestal								

Pedestal, (desk height) file/file configuration 	16"	19"	28 ³ / ₈ "	RP161K () () L ()	1,188.	1,272.	1,462.	1,973.
	16"	23"	28 ³ / ₈ "	RP162K () () L ()	1,399.	1,500.	1,723.	2,326.
	16"	29"	28 ³ / ₈ "	RP163K () () L ()	1,525.	1,638.	1,883.	2,541.
	30"	19"	28 ³ / ₈ "	RP301K () () L ()	1,535.	1,644.	1,892.	2,554.
	30"	23"	28 ³ / ₈ "	RP302K () () L ()	1,803.	1,933.	2,218.	2,993.
	36"	19"	28 ³ / ₈ "	RP361K () () L ()	1,895.	2,030.	2,339.	3,158.
	36"	23"	28 ³ / ₈ "	RP362K () () L ()	2,209.	2,372.	2,726.	3,679.
Pedestals may require counterweights when used in unsecured fashion (ie freestanding) *3 counterweights per pedestal								

Order Code	Specification Information	Application Notes
Example: RP161J(L)(W)(J)L(118)	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
R Reff	5. <i>Cabinet finish</i>	File drawers include file bars for front to back and side to side filing.
P Pedestal	6. <i>Pull finish</i> Painted or Plated	File drawers support bottom loading.
16 16" wide (<i>nominal</i>)	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	Applicable finishes are listed on page 5 and 6.
1 19" deep (<i>nominal</i>)	List price for woodgrain laminate options will be current published laminate list price plus 10%.	Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)
J Box/Box/File configuration	Keying instructions must accompany all orders, refer to page 560 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.	1 counterweight = 10 lbs.
L Finish type, laminate	1. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
W Interior option, wood	2. <i>Interior option</i> W = wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)	
D Pull option	3. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) F = Bar pull H = Outline pull T = Tab pull R = Cylinder pull	
L Lock option	4. <i>Lock option</i> Pedestals with drawers always lock drilled Lock default is Black L = drilled for lock	
118 Cabinet finish		
118 Pull finish		


Pedestals, 28³/₈" planning

Reff Profiles

BBF/FF


Wood interior legal width

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height)	19"	19"	28 ³ / ₈ "	RP191J ()()()	\$1,359.	\$1,453.	\$1,668.	\$2,244.
box/box/file configuration	19"	23"	28 ³ / ₈ "	RP192J ()()()	1,509.	1,619.	1,859.	2,502.
	19"	29"	28 ³ / ₈ "	RP193J ()()()	1,642.	1,761.	2,020.	2,719.



Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal

Pedestal, (desk height)	19"	19"	28 ³ / ₈ "	RP191K ()()()	1,319.	1,335.	1,535.	2,072.
file/file configuration	19"	23"	28 ³ / ₈ "	RP192K ()()()	1,468.	1,575.	1,810.	2,442.
	19"	29"	28 ³ / ₈ "	RP193K ()()()	1,602.	1,719.	1,977.	2,668.



Pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal

Order Code	Specification Information	Application Notes
Example: RP191J(L)(W)(J)L(118)	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 ¹ / ₂ "h components. 28 ³ / ₈ "h components when used with 1 ¹ / ₄ " worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
R Reff		File drawers include file bars for front to back and side to side filing.
P Pedestal		File drawers support bottom loading.
19 19" wide (<i>nominal</i>)	1. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Applicable finishes are listed on page 5 and 6.
1 19" deep (<i>nominal</i>)	2. <i>Interior option</i> W = wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)	Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)
J Box/Box/File configuration	3. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) F = Bar pull H = Outline pull R = Cylinder pull T = Tab pull	1 counterweight = 10 lbs.
L Finish type, laminate	4. <i>Lock option</i> Pedestals with drawers always lock drilled Lock default is Black L = drilled to accept lock N = no drilling	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
W Interior option, wood		
J Pull option, J		
L Lock option		
118 Cabinet finish		
118 Pull finish		


Pedestals, 28³/₈" planning

Open / Hinge Door

Metal interiors


Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height) hinge door configuration adjustable shelf	16"	19"	28 ³ / ₈ "	RP161L(L/R) () () () ()	\$983.	\$1,052.	\$1,211.	\$1,636.
	16"	23"	28 ³ / ₈ "	RP162L(L/R) () () () ()	1,194.	1,280.	1,471.	1,986.
	16"	29"	28 ³ / ₈ "	RP163L(L/R) () () () ()	1,364.	1,466.	1,685.	2,276.
	30"	19"	28 ³ / ₈ "	RP301L () () () ()	1,270.	1,361.	1,565.	2,112.
	30"	23"	28 ³ / ₈ "	RP302L () () () ()	1,483.	1,592.	1,828.	2,469.
	36"	19"	28 ³ / ₈ "	RP361L () () () ()	1,609.	1,724.	1,985.	2,680.
	36"	23"	28 ³ / ₈ "	RP362L () () () ()	1,881.	2,018.	2,321.	3,133.



Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.
Metal interior means shelf metal.

Pedestal, (desk height) open shelf configuration adjustable shelf	16"	19"	28 ³ / ₈ "	RP161M () () ()	746.	803.	922.	1,244.
	16"	23"	28 ³ / ₈ "	RP162M () () ()	872.	935.	1,075.	1,451.
	16"	29"	28 ³ / ₈ "	RP163M () () ()	1,028.	1,103.	1,270.	1,715.
	30"	19"	28 ³ / ₈ "	RP301M () () ()	869.	932.	1,072.	1,447.
	30"	23"	28 ³ / ₈ "	RP302M () () ()	1,056.	1,132.	1,302.	1,757.
	36"	19"	28 ³ / ₈ "	RP361M () () ()	1,110.	1,194.	1,370.	1,848.
	36"	23"	28 ³ / ₈ "	RP362M () () ()	1,345.	1,442.	1,658.	2,238.



Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.
Metal interior means shelf metal.
N=No lock option

Order Code	Specification Information	Application Notes
Example: RP161LL(L)(M)(J)L(118)	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 1/2"h components. 28 ³ / ₈ "h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
R Reff	1. <i>Hinge location, were applicable</i> L = left hand R = right hand	Applicable finishes are listed on page 5 and 6.
P Pedestal	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Finished back must be ordered separately to achieve full depth without a modesty. (page 278)
16 16" wide (nominal)	3. <i>Interior option</i> M = metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	For Open pedestals; 1. Finish type 2. Interior option 3. Cabinet finish
1 19" deep (nominal)	4. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
L Hinge door config.		
L Left hand hinge location		
L Finish type, laminate		
M Interior option, metal		
J Pull option, J		
L Lock option		
118 Cabinet finish		
118 Pull finish		

- Lock option**
Optional hinged door configurations only
Pedestals with drawers always lock drilled
L = drilled to accept lock
N = no drilling
 - Cabinet finish**
 - Pull finish**
Painted or Plated
- Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Keying instructions must accompany all orders, refer to page 560 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.


Pedestals, 28³/₈" planning

Open / Hinge Door

Wood interiors


Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height) hinge door configuration adjustable shelf	16"	19"	28 ³ / ₈ "	RP161L(L/R) () () () ()	\$1,075.	\$1,153.	\$1,326.	\$1,790.
	16"	23"	28 ³ / ₈ "	RP162L(L/R) () () () ()	1,292.	1,382.	1,591.	2,149.
	16"	29"	28 ³ / ₈ "	RP163L(L/R) () () () ()	1,462.	1,566.	1,798.	2,428.
	30"	19"	28 ³ / ₈ "	RP301L () () () ()	1,361.	1,462.	1,682.	2,271.
	30"	23"	28 ³ / ₈ "	RP302L () () () ()	1,579.	1,695.	1,948.	2,630.
	36"	19"	28 ³ / ₈ "	RP361L () () () ()	1,706.	1,825.	2,098.	2,833.
	36"	23"	28 ³ / ₈ "	RP362L () () () ()	1,977.	2,119.	2,434.	3,286.



Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.


Pedestal, (desk height) open shelf configuration adjustable shelf	16"	19"	28 ³ / ₈ "	RP161M () () ()	845.	899.	1,037.	1,400.
	16"	23"	28 ³ / ₈ "	RP162M () () ()	968.	1,040.	1,197.	1,616.
	16"	29"	28 ³ / ₈ "	RP163M () () ()	1,125.	1,203.	1,388.	1,875.
	30"	19"	28 ³ / ₈ "	RP301M () () ()	966.	1,034.	1,188.	1,604.
	30"	23"	28 ³ / ₈ "	RP302M () () ()	1,151.	1,234.	1,421.	1,916.
	36"	19"	28 ³ / ₈ "	RP361M () () ()	1,204.	1,296.	1,487.	2,011.
	36"	23"	28 ³ / ₈ "	RP362M () () ()	1,439.	1,538.	1,771.	2,392.



Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.

N=No Lock option

Pedestal, (desk height) finished back	16"	1"	28 ³ / ₈ "	RPDHB16 () ()	130.	132.	153.	207.
	19"	1"	28 ³ / ₈ "	RPDHB19 () ()	136.	138.	161.	218.
	30"	1"	28 ³ / ₈ "	RPDHB30 () ()	256.	265.	303.	409.
	36"	1"	28 ³ / ₈ "	RPDHB36 () ()	305.	314.	361.	487.



pedestal backs for pedestals with metal or wood interiors

Order Code	Specification Information	Application Notes
Example: RP161LL(L)(W)(J)L(118)	<i>To order please specify pattern number including:</i>	Products on this page are 28-3/8" high. 28 ³ / ₈ "h "desk height" products should not be mixed with 26 1/2"h components. 28 ³ / ₈ "h components when used with 1 1/4" worksurfaces achieve overall desk height of 29 ³ / ₈ "h. 28-3/8" "desk height" products may be specified for freestanding or panel based applications.
R Reff	1. <i>Hinge location, were applicable</i> L = left hand R = right hand	Applicable finishes are listed on page 5 and 6.
P Pedestal	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	For Open pedestals; 1. Finish type 2. Interior option 3. Cabinet finish
16 16" wide (<i>nominal</i>)	3. <i>Interior option</i> W = wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)	Finished back must be ordered separately to achieve full depth without a modesty.(page278)
1 19" deep (<i>nominal</i>)	4. <i>Pull option</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) F = Bar pull H = Outline pull T = Tab pull R = Cylinder pull	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
L Hinge door config.	5. <i>Lock option</i> Optional hinged door configurations only Lock default is Black L = drilled to accept lock N = no drilling	
L Left hand hinge location	6. <i>Cabinet finish</i>	
L Finish type, laminate	7. <i>Pull finish</i> Painted or Plated	
W Interior option, wood	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	
J Pull option, J	Keying instructions must accompany all orders, refer to page 560 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.	
L Lock option		
118 Cabinet finish		
118 Pull finish		

Pedestals, 28³/₈" planning
Hinge Door
Wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height) hinge door configuration	30"	19"	28 ³ / ₈ "	RPDHH301A () () () ()	\$1,541.	\$1,722.	\$2,134.	\$2,957.
Access with removable back	30"	23"	28 ³ / ₈ "	RPDHH302A () () () ()	1,579.	1,997.	2,452.	3,383.
	36"	19"	28 ³ / ₈ "	RPDHH361A () () () ()	1,587.	2,082.	2,550.	3,517.
	36"	23"	28 ³ / ₈ "	RPDHH362A () () () ()	1,624.	2,418.	2,938.	4,041.






Order Code	Specification Information	Application Notes
Example: RPDHH301A	<i>To order please specify pattern number including:</i>	Hinge doors only
R Reff		One adjustable shelf
P Pedestal	1. <i>Lock Option:</i> L/N	Wood shelf only
DH Desk Height	2. <i>Lock Finish:</i> B = Black	No metal interior
H Hinge doors	S = Matte Silver	Removable back is above adjustable shelf
30 30" wide (<i>nominal</i>)	3. <i>Pull option:</i> B = no pull, no drilling	Key hole construction
1 19" deep (<i>nominal</i>)	D = metal D-pull	30" and 36" wide x 19" deep
A Access	J = routed J-pull	Always comes with applied pull
L Lock option	C = nickel finish C-pull	No touch latch option
L Lock finish	S = S-pull	Works the same way as the 3/4" access ped
B Pull option, B	F = Bar pull	Inside height clearance top shelf = 10.9"
() Pull finish	H = Outline pull	Inside height clearance bottom shelf = 11.6"
118 Cabinet finish	T = Tab pull	Use with 28 ³ / ₈ " high planning
	R = Cylinder pull	

Pedestals, 28³/₈" planning

Metal accessories for pedestals


Reff Profiles

description	w	d	h	pattern no.	list
Metal box divider, for desk height products				RDHMBD	\$29.
				for 16" w desk height metal box drawer	
Metal file drawer divider, for desk height products				RDHMF	29.
				for 16" w desk height metal file drawer	
Metal lateral drawer divider, for desk height products				RDHMLD	23.
				for 20" and 24" deep metal lateral drawers	
Counter weight (for file/file configuration pedestals when used in freestanding applications)	—	—	—	RCOUNTWT	100.

Order Code	Specification Information	Application Notes
Example: RDHMBD		
R	Reff	
DH	Desk height	
M	Metal	
B	Box	
D	Divider	

Pedestals, 28³/₈" planning
22³/₈" high
Metal interiors


Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height planning) box/file configuration 	16"	19"	22 ³ / ₈ "	RP161R () () L () ()	\$1,119.	\$1,197.	\$1,373.	\$1,847.
	16"	23"	22 ³ / ₈ "	RP162R () () L () ()	1,168.	1,251.	1,437.	1,932.
	19"	19"	22 ³ / ₈ "	RP191R () () L () ()	1,173.	1,256.	1,441.	1,938.
	19"	23"	22 ³ / ₈ "	RP192R () () L () ()	1,226.	1,313.	1,508.	2,028.
	30"	19"	22 ³ / ₈ "	RP301R () () L () ()	1,191.	1,277.	1,465.	1,970.
	30"	23"	22 ³ / ₈ "	RP302R () () L () ()	1,255.	1,345.	1,541.	2,072.
	36"	19"	22 ³ / ₈ "	RP361R () () L () ()	1,269.	1,359.	1,560.	2,099.
	36"	23"	22 ³ / ₈ "	RP362R () () L () ()	1,330.	1,423.	1,635.	2,200.


Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

*3 counterweights per pedestal

Pencil tray not included.

Pedestal, (desk height planning) open bookcase configuration, with adjustable shelf 	30"	19"	22 ³ / ₈ "	RP301S () ()	793.	853.	980.	1,323.
	30"	23"	22 ³ / ₈ "	RP302S () ()	966.	1,037.	1,190.	1,607.
	36"	19"	22 ³ / ₈ "	RP361S () ()	1,015.	1,091.	1,254.	1,692.
	36"	23"	22 ³ / ₈ "	RP362S () ()	1,229.	1,317.	1,514.	2,044.


Supplied with hardware kit includes wood screws for attachment to underside of worksurface

Pedestal, (desk height planning) open file configuration 	30"	19"	22 ³ / ₈ "	RP301T () () L () ()	853.	913.	1,039.	1,382.
	30"	23"	22 ³ / ₈ "	RP302T () () L () ()	1,026.	1,097.	1,249.	1,667.
	36"	19"	22 ³ / ₈ "	RP361T () () L () ()	1,074.	1,151.	1,313.	1,752.
	36"	23"	22 ³ / ₈ "	RP362T () () L () ()	1,289.	1,377.	1,574.	2,103.

Order Code	Specification Information	Application Notes
Example: RP161R () () L () ()	<i>To order please specify pattern number including:</i>	Use 28 ³ / ₈ " desk height planning.
R Reff		
P Pedestal		Applied back ordered separately for finished back.
16 16" wide (<i>nominal</i>)	1. <i>Finish type</i> L = Laminate	File drawer support bottom loading
1 19" deep (<i>nominal</i>)	1 = V1	File drawers include bars for front to back and side to side filing.
R Box/File configuration	2 = V2	Pencil trays not included in pedestals with metal interiors.
2 Finish type	3 = V3	Pencil tray to be ordered separately; see page 432.
M Interior option	2. Interior option: M= Metal	Open book case:
H Finish Pull option	3. <i>Pull option</i> B = No pull	1. <i>Finish type</i> L = Laminate
L Lock option	C = Metal C-pull	1 = V1
B Lock finish	D = Metal D-pull	2 = V2
V316 Cabinet finish	J = Routed J-pull	3 = V3
PU Satin Nickel	S = Metal S-pull	2. Interior option
	R = Cylinder	3. Cabinet finish
	T = Tab	
	F = Bar	Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.
	H = Outline	
	4. <i>Lock option</i> Pedestals with drawers always lock drilled L = drilled to accept lock	
	5. <i>Lock finish</i> B = Black S = Matt silver	
	6. <i>Cabinet finish:</i> L, V1, V2, V3	
	7. <i>Pull finish</i> Painted or Plated	


Pedestals, 28³/₈" planning
22³/₈" high
Wood interiors

Reff Profiles


description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height planning) box/file configuration 	16"	19"	22 ³ / ₈ "	RP161R () () L () ()	\$1,186.	\$1,267.	\$1,456.	\$1,958.
	16"	23"	22 ³ / ₈ "	RP162R () () L () ()	1,317.	1,411.	1,619.	2,179.
	19"	19"	22 ³ / ₈ "	RP191R () () L () ()	1,244.	1,330.	1,529.	2,055.
	19"	23"	22 ³ / ₈ "	RP192R () () L () ()	1,382.	1,481.	1,700.	2,288.
	30"	19"	22 ³ / ₈ "	RP301R () () L () ()	1,422.	1,523.	1,749.	2,353.
	30"	23"	22 ³ / ₈ "	RP302R () () L () ()	1,670.	1,786.	2,047.	2,756.
	36"	19"	22 ³ / ₈ "	RP361R () () L () ()	1,754.	1,878.	2,158.	2,905.
	36"	23"	22 ³ / ₈ "	RP362R () () L () ()	2,040.	2,187.	2,508.	3,383.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

*3 counterweights per pedestal

Pedestal, (desk height planning) open bookcase configuration, with adjustable shelf 	30"	19"	22 ³ / ₈ "	RP301S () ()	884.	945.	1,086.	1,466.
	30"	23"	22 ³ / ₈ "	RP302S () ()	1,051.	1,127.	1,297.	1,749.
	36"	19"	22 ³ / ₈ "	RP361S () ()	1,101.	1,183.	1,362.	1,838.
	36"	23"	22 ³ / ₈ "	RP362S () ()	1,316.	1,407.	1,619.	2,186.

Pedestals are supplied with hardware kit including wood screws for attachments to underside of worksurface.

Pedestal, (desk height planning) open file configuration 	30"	19"	22 ³ / ₈ "	RP301T () () L () ()	943.	1,004.	1,145.	1,525.
	30"	23"	22 ³ / ₈ "	RP302T () () L () ()	1,110.	1,187.	1,357.	1,809.
	36"	19"	22 ³ / ₈ "	RP361T () () L () ()	1,161.	1,243.	1,421.	1,897.
	36"	23"	22 ³ / ₈ "	RP362T () () L () ()	1,376.	1,467.	1,679.	2,245.

Order Code	Specification Information	Application Notes
Example: RP301A	<i>To order please specify pattern number including:</i>	Bookcase
R Reff		1. Finish type
P Pedestal	1. <i>Finish type</i>	2. Cabinet finish
30 30" wide	L = Laminate	Always open configuration.
1 19" deep (nominal)	1 = V1	One adjustable Shelf.
2 Finish type	2 = V2	Bottom shelf fixed.
V316 Cabinet finish	3 = V3	Removable back.
	2. <i>Cabinet finish</i>	

Use 28³/₈" desk height planning.

Applied back ordered separately for finished back.

File drawer support bottom loading

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28³/₈" planning
22³/₈" high
Wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height planning)	30"	19"	22 ³ / ₈ "	RP301A () ()	\$986.	\$1,053.	\$1,211.	\$1,635.
cabinet access bookcase	30"	23"	22 ³ / ₈ "	RP302A () ()	1,172.	1,257.	1,446.	1,950.
* with removable back	36"	19"	22 ³ / ₈ "	RP361A () ()	1,228.	1,320.	1,519.	2,049.
	36"	23"	22 ³ / ₈ "	RP362A () ()	1,468.	1,569.	1,806.	2,438.



*available in wood interior only.

Order Code	Specification Information	Application Notes
Example: RP301A	<i>To order please specify pattern number including:</i>	Bookcase
R Reff	1. <i>Finish type</i>	1. Finish type
P Pedestal	L = Laminate	2. Cabinet finish
30 30" wide	1 = V1	Always open configuration.
1 19" deep (nominal)	2 = V2	One adjustable Shelf.
2 Finish type	3 = V3	Bottom shelf fixed.
V316 Cabinet finish	2. <i>Cabinet finish</i>	Removable back.
		Use 28 ³ / ₈ " desk height planning.
		Applied back ordered separately for finished back.
		File drawer support bottom loading
		Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals, 28³/₈" planning
22³/₈" high
Equipment Pedestals

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height planning)	30"	19"	22 ³ / ₈ "	RP301E(L/R) () () () () () ()	\$1,865.	\$2,454.	\$2,713.	\$3,237.
equipment configuration	30"	23"	22 ³ / ₈ "	RP302E(L/R) () () () () () ()	1,899.	2,499.	2,757.	3,338.
(wood interior only)	36"	19"	22 ³ / ₈ "	RP361E(L/R) () () () () () ()	1,911.	2,505.	2,770.	3,332.
	36"	23"	22 ³ / ₈ "	RP362E(L/R) () () () () () ()	1,943.	2,543.	2,827.	3,433.



Left hand shown

Order Code	Specification Information	Application Notes
Example: RP301E(L/R)	<i>To order please specify pattern number including:</i>	Lock default is black
R Reff		Use 28 ³ / ₈ " desk height planning.
P Pedestal	1. <i>Finish type:</i> L = laminate 1 = V1 2 = V2 3 = V3	Applied back ordered separately for finish back.
30 30" wide	2. <i>Interior option: W (wood)</i>	From the viewer's perspective, the drawer location determines the pedestal Right/Left orientation.
1 19" deep (<i>nominal</i>)	3. <i>Pull option</i> B = No pull F = Bar pull H = Outline pull R = Cylinder pull T = Tab pull	
E Equipment Ped.	4. Case finish	
L Left hand	5. Pull finish: Painted or Plated	
V2 Case finish type	6. <i>Lock option</i> L = Lock hole drilled N = No lock drilling	
V2 Front finish type	7. Lock finish: B = Black S = Silver	
W Interior option, wood		
H Pull option		
V316 Case finish		
V316 Front finish		
111 Pull finish		
L Lock option		
B Lock finish		

Equipment Pedestal's Clearance:

Enclosed Area:




For 30" w X 19" d 22.5" w X 16.5" d
X 14.25" h
For 30" w X 23" d 22.5" w X 20.5" d
X 14.25" h
For 36" w X 19" d 26.5" w X 16.5" d
X 14.25" h
For 36" w X 23" d 26.5" w X 20.5" d
X 14.25" h

Open Area:

For 30" w X 19" d 8" w X 17" d X
17.5" h
For 30" w X 23" d 8" w X 21" d X
17.5" h
For 36" w X 19" d 8" w X 17" d X
17.5" h
For 36" w X 23" d 8" w X 21" d X
17.5" h

Pedestals, 28³/₈" planning
22³/₈" high
Pedestal back, filler and flush modesty

Reff Profiles

description	w	th	h	pattern no.	L	V1	V2	V3
 Pedestal Back	16"		22 ³ / ₈ "	RPCB16 () ()	\$236.	\$283.	\$325.	\$423.
	19"		22 ³ / ₈ "	RPCB19 () ()	241.	289.	333.	433.
	30"		22 ³ / ₈ "	RPCB30 () ()	265.	317.	365.	475.
	36"		22 ³ / ₈ "	RPCB36 () ()	278.	333.	383.	499.
 Pedestal Filler	6"		22 ³ / ₈ "	RPFC6 ()	165.	198.	216.	258.
	6"		28 ³ / ₈ "	RPDHB6 () ()	199.	233.	252.	296.
 Flush Modesty Panel	42"	1"	22 ³ / ₈ "	RPDHC42MF () () ()	342.	410.	472.	613.
	48"	1"	22 ³ / ₈ "	RPDHC48MF () () ()	357.	428.	493.	642.
	54"	1"	22 ³ / ₈ "	RPDHC54MF () () ()	373.	447.	515.	668.
	60"	1"	22 ³ / ₈ "	RPDHC60MF () () ()	411.	493.	568.	737.
	66"	1"	22 ³ / ₈ "	RPDHC66MF () () ()	426.	511.	588.	764.
	72"	1"	22 ³ / ₈ "	RPDHC72MF () () ()	441.	529.	609.	792.
	78"	1"	22 ³ / ₈ "	RPDHC78MF () () ()	462.	554.	638.	829.
	84"	1"	22 ³ / ₈ "	RPDHC84MF () () ()	478.	573.	659.	857.
	90"	1"	22 ³ / ₈ "	RPDHC90MF () () ()	513.	615.	708.	920.
	96"	1"	22 ³ / ₈ "	RPDHC96MF () () ()	527.	632.	727.	946.

Order Code	Specification Information	Application Notes
Example: RPCB16 ()	1. <i>Finish type</i> L = Laminate 1 = V1 2 = V2 3 = V3	Lock default is black. Use 28 ³ / ₈ " desk height planning.
R Reff	2. <i>Finish</i>	Applied back ordered separately for finished back.
P Pedestal		
C For use with 22 ³ / ₈ " pedestal		
B Back		
16 Width		
2 Finish type		
V316 Finish		

For Modesty panel specify:

- Modesty position:
F = Flush, cantilevered
R = Recessed
- Finish type
- Finish

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	L	V1	V2	V3
Mobile Pedestal	16"	19"	23"	RMPU () () () () ()	\$2,251.	\$2,297.	\$2,354.	\$2,197.	\$2,346.	\$2,685.	\$3,458.




Order Code	Specification Information	Application Notes
Example: RMPU () () () () ()	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
R Reff		
M Mobile		Always comes with lock.
P Pedestal		Always comes with finished back
U Cubby above with drawer/box/file		Grommet pull only.
L Lock Option		Actual width = 15.94"
B Lock Finish		Actual depth = 19.06"
G Pull Finish		Actual total height = 23.37"
V316 Case Finish		
V316 Front Drawer Finish		
111 Pencil Tray Finish		

Credenzas, 28³/₈" planning

23³/₈" high, file drawer


Reff Profiles

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3	list
Low credenza, file drawer left and right and cubby	90"	20"	23 ³ / ₈ "	RRLCFDC2090	\$3,436.	\$3,780.	\$3,952.	\$4,124.	\$5,154.	\$5,928.	\$7,706.	
	108"	20"	23 ³ / ₈ "	RRLCFDC20108	3,592.	3,951.	4,130.	4,311.	5,388.	6,196.	8,055.	




*90" and 108"w credenzas with file drawer require 4 counter weights

Low credenza, file drawer center with cubby	90"	20"	23 ³ / ₈ "	RRLCFDCC2090	3,062.	3,368.	3,522.	3,674.	4,593.	5,282.	6,866.	
	108"	20"	23 ³ / ₈ "	RRLCFDCC20108	3,228.	3,551.	3,712.	3,874.	4,938.	5,569.	7,240.	



*90" and 108"w credenzas with file drawer require 4 counter weights


Low credenza, left	60"	20"	23 ³ / ₈ "	RRLCFDCL2060	2,374.	2,611.	2,731.	2,849.	3,561.	4,095.	5,324.	
	72"	20"	23 ³ / ₈ "	RRLCFDCL2072	2,471.	2,718.	2,841.	2,964.	3,706.	4,262.	5,540.	



*60" and 72"w credenzas with file drawer require 3 counter weights
*Left hand credenza; File drawer is on left.

Left hand credenza shown

Low credenza, right	60"	20"	23 ³ / ₈ "	RRLCFDCR2060	2,374.	2,611.	2,731.	2,849.	3,561.	4,095.	5,324.	
	72"	20"	23 ³ / ₈ "	RRLCFDCR2072	2,471.	2,718.	2,841.	2,964.	3,706.	4,262.	5,540.	



*60" and 72"w credenzas with file drawer require 3 counter weights
*Right hand credenza; File drawer is on right.

Right hand credenza shown


Counter weight (for file/file configuration pedestals when used in freestanding applications)	—	—	—	RCOUNTWT								100.
---	---	---	---	-----------------	--	--	--	--	--	--	--	------

Order Code	Specification Information	Application Notes
Example: RRLCFDC2090	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
RR Reff		Nominal depth 20"
LC Low Credenza		Actual depth 19"
FDC File Drawer with cubby		All credenzas with file drawers may require counter weights when used in an unsecured fashion (ie. free-standing).
20 20" deep		If file drawer on right side, credenza is right handed.
90 90" wide		
L Lock option	1. Lock option: Drawers are always lock drilled. L=drilled to accept lock	Grommet Pull option for these products.
S Lock finish	2. Lock finish: B=Black S=Matte Silver	Locks on wood and Laminate doors. No locks on glass doors.
G Pull option	3. Pull option Grommet pull, only	Legs shipped with credenza.
115 Pull finish	4. Pull finish Painted / Plated	Legs available in painted finish.
115 Leg finish	5. Leg finish Painted / Plated	Shelves are fixed.
V316 Case option	6. Case finish: V316	Glass top and cushion sold separately.
V316 Case finish	7. Front finish: V316	

Credenzas, 28³/₈" planning

23³/₈" high, open

Reff Profiles


description	w	d	h	pattern no.	L	V1	V2	V3
 Low credenza, open with cubby	60"	20"	23 ³ / ₈ "	RRLCO2060 ()()	\$2,105.	\$2,989.	\$3,438.	\$4,470.
	72"	20"	23 ³ / ₈ "	RRLCO2072 ()()	2,109.	3,122.	3,591.	4,668.
	90"	20"	23 ³ / ₈ "	RRLCO2090 ()()	2,574.	3,886.	4,469.	5,809.
	108"	20"	23 ³ / ₈ "	RRLCO20108 ()()	2,734.	4,128.	4,747.	6,172.

Order Code	Specification Information	Application Notes
Example: RRLCO2060 ()()	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
RR Reffresh	1. Leg finish Painted / Plated	Legs shipped with credenza.
LC Low Credenza	2. Case finish type: L = Laminate	Legs available in painted and plated finish.
O Open	1 = V1	Shelves are fixed.
20 20" deep	2 = V2	Glass top and cushion sold separately.
60 60" wide	3 = V3	
115 Leg finish	3. Case finish: V316	
2 Finish type		
V316 Case finish		


Credenzas, 28³/₈" planning
23³/₈" high sliding door
Glass door

Reff Profiles

description	w	d	h	pattern no.	L/GL	V1/GL	V2/GL	V3/GL
Low credenza, sliding glass door	90"	20"	23 ³ / ₈ "	RRLCSGD2090 ()()()()	\$4,709.	\$5,652.	\$6,499.	\$8,449.
	108"	20"	23 ³ / ₈ "	RRLCSGD20108 ()()()()	5,244.	6,292.	7,236.	9,407.




Low credenza, sliding glass door left	60"	20"	23 ³ / ₈ "	RRLCSGDL2060 ()()()()	3,140.	3,769.	4,334.	5,634.
	72"	20"	23 ³ / ₈ "	RRLCSGDL2072 ()()()()	3,315.	3,978.	4,574.	5,947.



Left hand shown

Low credenza, sliding glass door right	60"	20"	23 ³ / ₈ "	RRLCSGDR2060 ()()()()	3,140.	3,769.	4,334.	5,634.
	72"	20"	23 ³ / ₈ "	RRLCSGDR2072 ()()()()	3,315.	3,978.	4,574.	5,947.



right hand shown

Order Code	Specification Information	Application Notes
Example: RRLCSGD2090 ()()()()	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
RR Reff	1. Pull option	Nominal depth 20"
LC Low Credenza	Grommet pull	Actual depth 19"
SGD Sliding Glass Door	2. Pull finish	Grommet Pull option for these products.
20 20" deep	Painted / Plated	No locks on glass doors.
90 90" wide	3. Leg finish	Legs shipped with credenza.
G Pull tpye	Painted / Plated	Shelves are fixed.
PN Pull finish	4. Case finish	Glass top and cushion sold separately.
115 Leg finish	L, V1, V2, V3	All sliding doors including wood, laminate and glass are non-locking.
V316 Case finish	5. Glass frame finish:	
AN Glass frame finish, Anodized black	Anodized or Painted	
GL11 Door / front glass finish	6. Glass finish:	
	GL11, GL15, GL18	


Credenzas, 28³/₈" planning

23³/₈" high sliding door


Wood / Laminate door

Reff Profiles

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Low credenza, sliding wood/ laminate door	90"	20"	23 ³ / ₈ "	RRLCSWD2090 () () () ()	\$3,660.	\$4,026.	\$4,209.	\$4,392.	\$5,307.	\$6,103.	\$7,934.
	108"	20"	23 ³ / ₈ "	RRLCSWD20108 () () () ()	4,044.	4,449.	4,650.	4,852.	5,864.	6,743.	8,766.




Low credenza, sliding wood/ laminate door left	60"	20"	23 ³ / ₈ "	RRLCSWDL2060 () () () ()	2,544.	2,799.	2,926.	3,053.	3,689.	4,243.	5,516.
	72"	20"	23 ³ / ₈ "	RRLCSWDL2072 () () () ()	2,662.	2,927.	3,060.	3,193.	3,858.	4,437.	5,769.



Left hand shown

Low credenza, sliding wood/ laminate door right	60"	20"	23 ³ / ₈ "	RRLCSWDR2060 () () () ()	2,544.	2,799.	2,926.	3,053.	3,689.	4,243.	5,516.
	72"	20"	23 ³ / ₈ "	RRLCSWDR2072 () () () ()	2,662.	2,927.	3,060.	3,193.	3,858.	4,437.	5,769.



right hand shown


Order Code	Specification Information	Application Notes
Example: RRLCSWD2090 () () () ()	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
RR Reff	1. Pull option	Grommet Pull option for these products.
LC Low Credenza	Grommet	Legs shipped with credenza.
SWD Sliding Wood Door	2. Pull finish	Legs available in painted finishes.
20 20" deep	Painted / Plated	Shelves are fixed.
90 90" wide	3. Leg finish	Glass top and cushion sold separately.
G Pull option	Painted / Plated	All sliding doors including wood, laminate and glass are non-locking.
115 Pull finish	4. Case finish	
115 Leg finish	L, V1, V2, V3	
V316 Case finish	5. Door finish	
V316 Door / front glass finish	L, V1, V2, V3	

Credenzas, 28³/₈" planning

Glass top

Reff Profiles

description	d	w	pattern no.	list
Lower Credenza Glass Top	20"	30"	RLCGT301()	\$397.
	20"	36"	RLCGT361()	474.
	20"	60"	RLCGT601()	762.
	20"	72"	RLCGT721()	901.




Order Code	Specification Information	Application Notes
<i>Example:</i> RLCGT301()	<i>To order please specify pattern number including:</i>	Grommet not an option.
R Reff	1. Glass finish	
LC Lower Credenza	GL35 Grey	
GT Glass Top	GL85 Star Clear	
30 Width		
1 20" deep		
GL35 Glass finish		


Cabinets, 26¹/₂" planning 49" high, metal interior

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16"	20"	49"	RC412C(L/R)-() () ()	\$1,205.	\$1,579.	\$1,817.	\$2,452.
	16"	24"	49"	RC413C(L/R)-() () ()	1,326.	1,735.	1,996.	2,694.
	30"	20"	49"	RC432C-() () ()	1,764.	2,314.	2,662.	3,593.
	30"	24"	49"	RC433C-() () ()	1,952.	2,559.	2,944.	3,975.
	36"	20"	49"	RC462C-() () ()	1,956.	2,565.	2,949.	3,982.
	36"	24"	49"	RC463C-() () ()	2,156.	2,835.	3,259.	4,398.
	Metal interiors mean shelves metal.							



4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F-() () L	2,056.	2,694.	3,101.	4,188.
	30"	24"	49"	RC433F-() () L	2,269.	2,975.	3,421.	4,619.
	36"	20"	49"	RC462F-() () L	2,608.	3,418.	3,929.	5,305.
	36"	24"	49"	RC463F-() () L	2,879.	3,776.	4,342.	5,862.




interior height clearance top drawer 10", all others 10³/₄"

Order Code	Specification Information	Application Notes
Example: RC412C	<i>To order please specify pattern number including:</i>	Specify finish of metal shelves to match laminate.
R Reff	1. Finish type	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Interior option	
4 49" high	3. Pull option	
1 16" wide	4. Lock option, where applicable	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
2 20" deep	5. Cabinet finish: V316	*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426.
C Cabinet with hinge doors	6. Pull finish	File drawers include file bars for front to back and side to side filing.
L Left hand hinge location	*After specifying product code, provide keying instructions.	File drawers do not support bottom loading.
L Laminate finish type		Applicable finishes are listed on page 5 and 6.
M Metal interior option		
T Tab pull	1. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
V316 Cabinet finish	2. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
111 Pull finish	3. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only) V316	
	4. <i>Lock options:</i> L = Lock hole drilled N = No drilling	
	5. Cabinet finish: V316	
	6. Full finish: Painted or Plated	
	8. Refer to page 560 for keying instructions.	
	Key alike are field installed using the KnollKey order form. Random locks are factory installed.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Cabinets, 26 1/2" planning 49" high, metal interior

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Open bookcase with two adjustable shelves	30"	15"	49"	RC431B-()	\$1,197.	\$1,568.	\$1,807.	\$2,439.
	30"	20"	49"	RC432B-()	1,350.	1,771.	2,035.	2,748.
	30"	24"	49"	RC433B-()	1,524.	1,995.	2,296.	3,098.
	36"	15"	49"	RC461B-()	1,328.	1,743.	2,003.	2,705.
	36"	20"	49"	RC462B-()	1,500.	1,965.	2,260.	3,051.
	36"	24"	49"	RC463B-()	1,686.	2,215.	2,545.	3,434.


Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

Cabinetry


Order Code	Specification Information	Application Notes
Example: RC412C	<i>To order please specify pattern number including:</i>	Specify finish of metal shelves to match laminate.
R Reff	1. Finish type	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
4 49" high	3. Pull option	*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426.
1 16" wide	4. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Cabinet finish: V316	File drawers do not support bottom loading.
C Cabinet with hinge doors	6. Pull finish	Applicable finishes are listed on page 5 and 6.
L Left hand hinge location	*After specifying product code, provide keying instructions.	
L Laminate finish type	1. <i>Finish type:</i> L = Laminate	
M Metal interior option	1 = V1	
T Tab pull	2 = V2	
V316 Cabinet finish	3 = V3	
111 Pull finish	2. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
	3. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only) V316	
	4. <i>Lock options:</i> L = Lock hole drilled N = No drilling	
	5. Cabinet finish: V316	
	6. Full finish: Painted or Plated	
	8. Refer to page 560 for keying instructions.	
	Key alike are field installed using the KnollKey order form. Random locks are factory installed.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	


Cabinets, 26 1/2" planning 49" high, wood interior

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Open bookcase with two adjustable shelves 	30"	15"	49"	RC431B-() ()	\$1,342.	\$1,757.	\$2,020.	\$2,727.
	30"	20"	49"	RC432B-() ()	1,496.	1,961.	2,253.	3,042.
	30"	24"	49"	RC433B-() ()	1,666.	2,183.	2,512.	3,392.
	36"	15"	49"	RC461B-() ()	1,474.	1,932.	2,222.	2,998.
	36"	20"	49"	RC462B-() ()	1,644.	2,157.	2,477.	3,343.
	36"	24"	49"	RC463B-() ()	1,833.	2,404.	2,762.	3,729.

Open cabinets require no keying instructions

Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet) 	16"	20"	49"	RC412C(L/R)-() () ()	1,349.	1,769.	2,032.	2,743.
	16"	24"	49"	RC413C(L/R)-() () ()	1,472.	1,928.	2,218.	2,993.
	30"	20"	49"	RC432C-() () ()	1,908.	2,501.	2,877.	3,883.
	30"	24"	49"	RC433C-() () ()	2,096.	2,750.	3,160.	4,265.
	36"	20"	49"	RC462C-() () ()	2,101.	2,753.	3,169.	4,278.
	36"	24"	49"	RC463C-() () ()	2,305.	3,023.	3,478.	4,696.


Wardrobe for coat rod and boot tray* (Requires one lock core per cabinet) 	30"	20"	49"	RC432D-()W() ()	1,742.	2,281.	2,624.	3,544.
	30"	24"	49"	RC433D-()W() ()	1,901.	2,495.	2,871.	3,875.
	36"	20"	49"	RC462D-()W() ()	1,914.	2,511.	2,887.	3,898.
	36"	24"	49"	RC463D-()W() ()	2,093.	2,746.	3,157.	4,262.

Order Code	Specification Information	Application Notes
Example: RC412CLLWDL	<i>To order please specify pattern number including:</i>	Specify finish of metal shelves to match laminate.
R Reff	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	5. Lock options: L = Lock hole drilled N = No drilling	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
4 49" high	8. Refer to page 560 for keying instructions.	*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426.
1 16" wide	Key alike are field installed using the KnollKey order form. Random locks are factory installed.	File drawers include file bars for front to back and side to side filing.
2 20" deep	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	File drawers do not support bottom loading.
C Cabinet with hinge doors		Applicable finishes are listed on page 5 and 6.
L Left hand hinge location		
L Laminate finish type		
W Wood interior option		
D Metal D-pull		
L Lock hole drilled		

Cabinets, 26 1/2" planning 49" high, wood interior

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30"	20"	49"	RC432F-()()L	\$2,200.	\$2,885.	\$3,318.	\$4,478.
	30"	24"	49"	RC433F-()()L	2,416.	3,171.	3,640.	4,914.
	36"	20"	49"	RC462F-()()L	2,752.	3,605.	4,145.	5,597.
	36"	24"	49"	RC463F-()()L	3,023.	3,961.	4,556.	6,151.




Cabinetry


Order Code	Specification Information	Application Notes
Example: RC412CLLWDL	<i>To order please specify pattern number including:</i>	Specify finish of metal shelves to match laminate.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
4 49" high	3. Interior option	*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426.
1 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
C Cabinet with hinge doors	6. Finish, cabinet	Applicable finishes are listed on page 5 and 6.
L Left hand hinge location	7. Finish, pull when applicable	
L Laminate finish type	8. Keying instructions	
W Wood interior option	*After specifying product code, provide keying instructions.	
D Metal D-pull	1. <i>Hinge location:</i> L = Left hand R = Right hand	
L Lock hole drilled	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No drilling	
	8. Refer to page 560 for keying instructions.	
	Key alike are field installed using the KnollKey order form. Random locks are factory installed.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Cabinets, 26 1/2" planning 64" high, metal interior


Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
	30"	15"	64"	RC631B-() () N	\$1,536.	\$2,016.	\$2,320.	\$3,131.
	30"	20"	64"	RC632B-() () N	1,729.	2,267.	2,607.	3,518.
	30"	24"	64"	RC633B-() () N	1,922.	2,521.	2,902.	3,915.
	36"	15"	64"	RC661B-() () N	1,763.	2,310.	2,658.	3,587.
	36"	20"	64"	RC662B-() () N	1,961.	2,567.	2,956.	3,988.
	36"	24"	64"	RC663B-() () N	2,160.	2,831.	3,255.	4,395.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

	16"	20"	64"	RC612C(L/R)-() () ()	1,799.	2,354.	2,709.	3,657.
	16"	24"	64"	RC613C(L/R)-() () ()	2,005.	2,630.	3,023.	4,082.
	30"	20"	64"	RC632C-() () ()	2,385.	3,127.	3,596.	4,854.
	30"	24"	64"	RC633C-() () ()	2,635.	3,456.	3,969.	5,358.
	36"	20"	64"	RC662C-() () ()	2,608.	3,418.	3,929.	5,305.
	36"	24"	64"	RC663C-() () ()	2,856.	3,747.	4,307.	5,816.

Metal interiors mean shelves metal.

	30"	20"	64"	RC632F-() () ()	2,856.	3,747.	4,307.	5,816.
	30"	24"	64"	RC633F-() () ()	3,157.	4,136.	4,759.	6,422.
	36"	20"	64"	RC662F-() () ()	3,157.	4,136.	4,759.	6,422.
	36"	24"	64"	RC663F-() () ()	3,487.	4,569.	5,253.	7,093.


Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"

Order Code	Specification Information	Application Notes
Example: RC612LLMJN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426.
1 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
L Left hand hinge location	6. Finish, cabinet	Applicable finishes are listed on page 5 and 6.
L Laminate finish type	7. Finish, pull when applicable	
M Metal interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
N No lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 560 for keying instructions.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Cabinets, 26 1/2" planning 64" high, metal interior

Reff Profiles


description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with full height doors half wardrobe and half shelves	30"	20"	64"	RC632E(L/R)-() () ()	\$2,771.	\$3,631.	\$4,174.	\$5,636.
	30"	24"	64"	RC633E(L/R)-() () ()	3,074.	4,028.	4,633.	6,254.
	36"	20"	64"	RC662E(L/R)-() () ()	3,062.	4,012.	4,619.	6,234.
	36"	24"	64"	RC663E(L/R)-() () ()	3,396.	4,452.	5,118.	6,909.



Left hand shown


Requires one lock core per cabinet
Shelves painted metal

Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	RC632H-() () ()	2,125.	2,788.	3,205.	4,327.
	30"	24"	64"	RC633H-() () ()	2,349.	3,076.	3,540.	4,779.
	36"	20"	64"	RC662H-() () ()	2,349.	3,076.	3,540.	4,779.
	36"	24"	64"	RC663H-() () ()	2,572.	3,371.	3,877.	5,234.



Requires one lock core per cabinet
Shelves painted metal

Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers	16"	20"	64"	RC612G(L/R)-() () ()	2,168.	2,838.	3,265.	4,407.
	16"	24"	64"	RC613G(L/R)-() () ()	2,394.	3,137.	3,606.	4,869.
	30"	20"	64"	RC632G-() () ()	2,745.	3,598.	4,136.	5,585.
	30"	24"	64"	RC633G-() () ()	3,055.	4,001.	4,601.	6,212.
	36"	20"	64"	RC662G-() () ()	3,033.	3,973.	4,570.	6,170.
	36"	24"	64"	RC663G-() () ()	3,373.	4,421.	5,083.	6,860.




Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: RC612LLMJN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426.
1 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
L Left hand hinge location	6. Finish, cabinet	Applicable finishes are listed on page 5 and 6.
L Laminate finish type	7. Finish, pull when applicable	
M Metal interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
N No lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 560 for keying instructions.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Cabinets, 26 1/2" planning 64" high, metal interior

Reff Profiles


description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Cabinet with BBF below and hinged doors above	16"	20"	64"	RC612P(L/R)-() () ()	\$2,234.	\$2,927.	\$3,366.	\$4,544.
	16"	24"	64"	RC613P(L/R)-() () ()	2,480.	3,253.	3,736.	5,044.
	30"	20"	64"	RC632P-() () ()	2,631.	3,447.	3,964.	5,352.
	30"	24"	64"	RC633P-() () ()	2,903.	3,806.	4,375.	5,907.
	36"	20"	64"	RC662P-() () ()	2,910.	3,813.	4,386.	5,921.
	36"	24"	64"	RC663P-() () ()	3,208.	4,202.	4,837.	6,530.

Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal


Order Code	Specification Information	Application Notes
Example: RC612LLMJN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426.
1 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
L Left hand hinge location	6. Finish, cabinet	Applicable finishes are listed on page 5 and 6.
L Laminate finish type	7. Finish, pull when applicable	
M Metal interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
N No lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 560 for keying instructions.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	


Cabinets, 26 1/2" planning 64" high, wood interior

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with three adjustable shelves 	30"	15"	64"	RC631B-() () N	\$1,681.	\$2,202.	\$2,535.	\$3,423.
	30"	20"	64"	RC632B-() () N	1,874.	2,457.	2,826.	3,816.
	30"	24"	64"	RC633B-() () N	2,067.	2,709.	3,116.	4,207.
	36"	15"	64"	RC661B-() () N	1,907.	2,499.	2,876.	3,880.
	36"	20"	64"	RC662B-() () N	2,103.	2,756.	3,172.	4,283.
	36"	24"	64"	RC663B-() () N	2,303.	3,020.	3,471.	4,687.

Open cabinets require no keying instructions

Cabinet with hinged doors three adjustable shelves 	16"	20"	64"	RC612C(L/R)-() () ()	1,942.	2,545.	2,927.	3,951.
	16"	24"	64"	RC613C(L/R)-() () ()	2,152.	2,818.	3,239.	4,372.
	30"	20"	64"	RC632C-() () ()	2,529.	3,315.	3,813.	5,146.
	30"	24"	64"	RC633C-() () ()	2,779.	3,644.	4,189.	5,655.
	36"	20"	64"	RC662C-() () ()	2,752.	3,605.	4,145.	5,597.
	36"	24"	64"	RC663C-() () ()	3,001.	3,935.	4,525.	6,108.

Cabinet with hinged doors for coat rod and boot tray* 	16"	20"	64"	RC612D(L/R)-() () ()	1,701.	2,227.	2,560.	3,457.
	16"	24"	64"	RC613D(L/R)-() () ()	1,862.	2,441.	2,808.	3,789.
	30"	20"	64"	RC632D-() () ()	2,076.	2,720.	3,131.	4,227.
	30"	24"	64"	RC633D-() () ()	2,139.	2,808.	3,226.	4,355.
	36"	20"	64"	RC662D-() () ()	2,299.	3,015.	3,468.	4,680.
	36"	24"	64"	RC663D-() () ()	2,349.	3,100.	3,563.	4,809.


Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC612LLWJN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	
6 64" high	3. Interior option	
1 16" wide	4. Pull option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
2 20" deep	5. Lock option, where applicable	
L Left hand hinge location	6. Finish, cabinet	
L Laminate finish type	7. Finish, pull when applicable	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426.
W Wood interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
N No lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Applicable finishes are listed on page 5 and 6.
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 560 for keying instructions.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Cabinets, 26 1/2" planning 64" high, wood interior


Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with 4 files and (2) 15" doors at top	30"	20"	64"	RC632F-() () ()	\$3,001.	\$3,935.	\$4,525.	\$6,108.
	30"	24"	64"	RC633F-() () ()	3,300.	4,324.	4,973.	6,713.
	36"	20"	64"	RC662F-() () ()	3,300.	4,324.	4,973.	6,713.
	36"	24"	64"	RC663F-() () ()	3,631.	4,761.	5,472.	7,388.



Requires two lock cores per cabinet
Interior height clearance top drawer 10", all others 10 3/4"


Cabinet with full height doors half wardrobe and half shelves	30"	20"	64"	RC632E(L/R)-() () ()	2,916.	3,821.	4,393.	5,931.
	30"	24"	64"	RC633E(L/R)-() () ()	3,217.	4,218.	4,849.	6,546.
	36"	20"	64"	RC662E(L/R)-() () ()	3,206.	4,200.	4,836.	6,528.
	36"	24"	64"	RC663E(L/R)-() () ()	3,538.	4,641.	5,336.	7,205.



Left hand shown

Requires one lock core per cabinet

Cabinet with two open adjustable shelves, two hinged 22 1/2" doors	30"	20"	64"	RC632H-() () ()	2,270.	2,979.	3,425.	4,624.
	30"	24"	64"	RC633H-() () ()	2,493.	3,267.	3,758.	5,074.
	36"	20"	64"	RC662H-() () ()	2,493.	3,267.	3,758.	5,074.
	36"	24"	64"	RC663H-() () ()	2,714.	3,560.	4,091.	5,523.




Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC612LLWJN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	3. Interior option	<i>*Note:</i> Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426.
1 16" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
L Left hand hinge location	6. Finish, cabinet	Applicable finishes are listed on page 5 and 6.
L Laminate finish type	7. Finish, pull when applicable	
W Wood interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
N No lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 560 for keying instructions.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Cabinets, 26 1/2" planning 64" high, wood interior


Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with hinged 37 1/2"H doors, two adjustable shelves, two file drawers	16"	20"	64"	RC612G(L/R)-() () ()	\$2,309.	\$3,027.	\$3,481.	\$4,700.
	16"	24"	64"	RC613G(L/R)-() () ()	2,539.	3,325.	3,826.	5,164.
	30"	20"	64"	RC632G-() () ()	2,889.	3,786.	4,353.	5,876.
	30"	24"	64"	RC633G-() () ()	3,196.	4,189.	4,818.	6,505.
	36"	20"	64"	RC662G-() () ()	3,178.	4,163.	4,788.	6,465.
	36"	24"	64"	RC663G-() () ()	3,516.	4,608.	5,301.	7,159.




Requires two lock cores per cabinet

Cabinet with two sets of hinged doors, two pull-out shelves and ventilation Audio visual cabinet	30"	20"	64"	RC632I-() () ()	3,183.	4,169.	4,796.	6,474.
	30"	24"	64"	RC633I-() () ()	3,502.	4,590.	5,282.	7,129.
	36"	20"	64"	RC662I-() () ()	3,403.	4,463.	5,131.	6,927.
	36"	24"	64"	RC663I-() () ()	3,724.	4,883.	5,612.	7,578.



Requires two lock cores per cabinet

Cabinet with BBF below and hinged doors above	16"	20"	64"	RC612P(L/R)-() () ()	2,379.	3,116.	3,582.	4,837.
	16"	24"	64"	RC613P(L/R)-() () ()	2,624.	3,439.	3,956.	5,342.
	30"	20"	64"	RC632P-() () ()	2,776.	3,638.	4,185.	5,649.
	30"	24"	64"	RC633P-() () ()	3,049.	3,995.	4,592.	6,199.
	36"	20"	64"	RC662P-() () ()	3,056.	4,002.	4,603.	6,215.
	36"	24"	64"	RC663P-() () ()	3,350.	4,396.	5,053.	6,821.




Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: RC612LLWJN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
6 64" high	3. Interior option	<i>*Note:</i>
1 16" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
L Left hand hinge location	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish type	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
W Wood interior	8. Keying instructions	
J Routed pull	*After specifying product code, provide keying instructions.	
N No lock drilling	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	8. Refer to page 560 for keying instructions.	
	Specify shelf paint finish on open cabinets with metal interiors.	
	Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.	

Cabinets, 26 1/2" planning 72" high, metal interiors


Reff Profiles

description	width	depth	height	pattern number	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with open shelving	30"	20"	72"	RC732B-()()	\$1,921.	\$2,520.	\$2,898.	\$3,914.
	30"	24"	72"	RC733B-()()	2,130.	2,790.	3,212.	4,336.
	36"	20"	72"	RC762B-()()	2,174.	2,850.	3,277.	4,425.
	36"	24"	72"	RC763B-()()	2,383.	3,122.	3,592.	4,850.



Open cabinets require no keying instructions
Shelves painted metal

Cabinet with hinged doors and shelves	16"	20"	72"	RC712C(L/R)-()()()	2,025.	2,653.	3,053.	4,122.
	16"	24"	72"	RC713C(L/R)-()()()	2,248.	2,947.	3,389.	4,573.
	30"	20"	72"	RC732C-()()()	2,643.	3,467.	3,986.	5,383.
	30"	24"	72"	RC733C-()()()	2,933.	3,843.	4,421.	5,968.
	36"	20"	72"	RC762C-()()()	2,922.	3,833.	4,406.	5,948.
	36"	24"	72"	RC763C-()()()	3,243.	4,247.	4,886.	6,597.



Requires one lock core per cabinet
Shelves painted metal


Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	
C Cabinets	2. Finish type	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
7 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
B Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish	7. Finish, pull when applicable	For wall hung overhead compatibility, please refer page 358.
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	Applicable finishes are listed on page 5 and 6.
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions *After specifying product code, provide keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning 72" high, metal interiors

Reff Profiles

description	width	depth	height	pattern number	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	RC732E(L/R)-() () ()	\$3,109.	\$4,072.	\$4,687.	\$6,326.
	30"	24"	72"	RC733E(L/R)-() () ()	3,476.	4,555.	5,241.	7,074.
	36"	20"	72"	RC762E(L/R)-() () ()	3,407.	4,465.	5,135.	6,930.
	36"	24"	72"	RC763E(L/R)-() () ()	3,803.	4,990.	5,734.	7,743.



Left hand shown

Requires one lock core per cabinet
Shelves painted metal


Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	1. Hinge location: L = Left hand R = Right hand
C Cabinets	2. Finish type	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3
7 72" high	3. Interior option	3. Interior options: M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
3 30" wide	4. Pull option	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
2 20" deep	5. Lock option, where applicable	5. Lock options: L = Lock hole drilled N = No lock drilling
B Full bookcase	6. Finish, cabinet	10. Refer to page 560 for keying instructions.
L Laminate finish	7. Finish, pull when applicable	
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	Key alike are field installed using the KnollKey order form. Random locks are factory installed. Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders. Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426. File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading. For wall hung overhead compatibility, please refer page 358. Applicable finishes are listed on page 5 and 6.
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions *After specifying product code, provide keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning 72" high, metal interiors

Reff Profiles

description	width	depth	height	pattern number	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with four files and hinged doors above.	30"	20"	72"	RC732F-() () ()	\$3,157.	\$4,136.	\$4,759.	\$6,422.
	30"	24"	72"	RC733F-() () ()	3,507.	4,595.	5,285.	7,134.
	36"	20"	72"	RC762F-() () ()	3,487.	4,569.	5,253.	7,093.
	36"	24"	72"	RC763F-() () ()	3,870.	5,075.	5,834.	7,875.



Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10 3/4"
Shelves painted metal


Order Code	Specification Information	Application Notes	
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>		
R Reff	1. Hinge location, where applicable	1. <i>Hinge location:</i> L = Left hand R = Right hand	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
C Cabinets	2. Finish type	2. <i>Finish type:</i> L = Laminate	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
7 72" high	3. Interior option	1 = V1	
3 30" wide	4. Pull option	2 = V2	
2 20" deep	5. Lock option, where applicable	3 = V3	
B Full bookcase	6. Finish, cabinet		
L Laminate finish	7. Finish, pull when applicable		
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling	3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
N No drilling	Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426.
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	File drawers include file bars for front to back and side to side filing.
	10. Keying instructions	10. Refer to page 560 for keying instructions.	File drawers do not support bottom loading.
	*After specifying product code, provide keying instructions.		For wall hung overhead compatibility, please refer page 358.
			Applicable finishes are listed on page 5 and 6.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning 72" high, metal interiors

Reff Profiles

description	width	depth	height	pattern number	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with two files and hinged doors above 	16"	20"	72"	RC712G(L/R)-() () ()	\$2,294.	\$3,003.	\$3,457.	\$4,666.
	16"	24"	72"	RC713G(L/R)-() () ()	2,513.	3,333.	3,834.	5,174.
	30"	20"	72"	RC732G-() () ()	2,911.	3,817.	4,388.	5,925.
	30"	24"	72"	RC733G-() () ()	3,201.	4,195.	4,822.	6,512.
	36"	20"	72"	RC762G-() () ()	3,162.	4,143.	4,767.	6,434.
	36"	24"	72"	RC763G-() () ()	3,453.	4,526.	5,205.	7,026.

Requires two lock cores per cabinet
Shelves painted metal


Cabinetry


Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	
C Cabinets	2. Finish type	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
7 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
B Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish	7. Finish, pull when applicable	For wall hung overhead compatibility, please refer page 358.
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	Applicable finishes are listed on page 5 and 6.
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions *After specifying product code, provide keying instructions.	
	1. Hinge location: L = Left hand R = Right hand	
	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	
	3. Interior options: M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. Lock options: L = Lock hole drilled N = No lock drilling	
	10. Refer to page 560 for keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning 72" high, metal interiors

Reff Profiles

description	width	depth	height	pattern number	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with hinged doors below and open shelf above. 	30"	20"	72"	RC732H-() () ()	\$2,539.	\$3,324.	\$3,824.	\$5,162.
	30"	24"	72"	RC733H-() () ()	2,807.	3,674.	4,225.	5,705.
	36"	20"	72"	RC762H-() () ()	2,789.	3,653.	4,199.	5,670.
	36"	24"	72"	RC763H-() () ()	3,059.	4,003.	4,604.	6,216.
Requires one lock core per cabinet Shelves painted metal								


Cabinet with BBF below and hinged doors above. 	16"	20"	72"	RC712P(L/R)-() () ()	2,381.	3,118.	3,586.	4,843.
	16"	24"	72"	RC713P(L/R)-() () ()	2,624.	3,439.	3,956.	5,342.
	30"	20"	72"	RC732P-() () ()	2,810.	3,681.	4,235.	5,719.
	30"	24"	72"	RC733P-() () ()	3,099.	4,063.	4,672.	6,307.
	36"	20"	72"	RC762P-() () ()	3,105.	4,069.	4,677.	6,315.
	36"	24"	72"	RC763P-() () ()	3,426.	4,486.	5,160.	6,967.
Requires two lock cores per cabinet Shelves and drawer interiors metal								

Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
C Cabinets	2. Finish type	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
7 72" high	3. Interior option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426.
3 30" wide	4. Pull option	File drawers include file bars for front to back and side to side filing.
2 20" deep	5. Lock option, where applicable	File drawers do not support bottom loading.
B Full bookcase	6. Finish, cabinet	For wall hung overhead compatibility, please refer page 358.
L Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions *After specifying product code, provide keying instructions.	
Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.		
		1. <i>Hinge location:</i> L = Left hand R = Right hand
		2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
		3. <i>Interior options:</i> M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
		4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
		5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling
		10. Refer to page 560 for keying instructions.

Cabinets, 26 1/2" planning 72" high, wood interiors


Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with open shelving	30"	20"	72"	RC732B-() ()	\$2,065.	\$2,708.	\$3,114.	\$4,202.
	30"	24"	72"	RC733B-() ()	2,273.	2,982.	3,427.	4,627.
	36"	20"	72"	RC762B-() ()	2,320.	3,040.	3,495.	4,717.
	36"	24"	72"	RC763B-() ()	2,527.	3,312.	3,808.	5,142.



Open cabinets require no keying instructions

Cabinet with hinged doors and shelves	16"	20"	72"	RC712C(L/R)-() () ()	2,171.	2,843.	3,269.	4,414.
	16"	24"	72"	RC713C(L/R)-() () ()	2,392.	3,136.	3,605.	4,866.
	30"	20"	72"	RC732C-() () ()	2,788.	3,653.	4,199.	5,670.
	30"	24"	72"	RC733C-() () ()	3,078.	4,035.	4,640.	6,263.
	36"	20"	72"	RC762C-() () ()	3,065.	4,019.	4,623.	6,240.
	36"	24"	72"	RC763C-() () ()	3,388.	4,439.	5,104.	6,891.



Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	
C Cabinets	2. Finish type	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
7 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
B Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions *After specifying product code, provide keying instructions.	
	1. Hinge location: L = Left hand R = Right hand	
	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	
	3. Interior options: W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)	
	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. Lock options: L = Lock hole drilled N = No lock drilling	
	10. Refer to page 560 for keying instructions.	


Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26¹/₂" planning 72" high, wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with full height doors, half wardrobe, and half shelves	30"	20"	72"	RC732E(L/R)-() () ()	\$3,251.	\$4,262.	\$4,901.	\$6,616.
	30"	24"	72"	RC733E(L/R)-() () ()	3,619.	4,745.	5,457.	7,366.
	36"	20"	72"	RC762E(L/R)-() () ()	3,551.	4,654.	5,353.	7,228.
	36"	24"	72"	RC763E(L/R)-() () ()	3,950.	5,177.	5,954.	8,038.

Requires one lock core per cabinet



Left hand shown


Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	
C Cabinets	2. Finish type	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
7 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
B Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling	
N No drilling	Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
	10. Keying instructions	
	*After specifying product code, provide keying instructions.	
	1. Hinge location: L = Left hand R = Right hand	
	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	
	3. Interior options: W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. Lock options: L = Lock hole drilled N = No lock drilling	
	10. Refer to page 560 for keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26¹/₂" planning 72" high, wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with four files and hinged doors above.	30"	20"	72"	RC732F-() () ()	\$3,300.	\$4,324.	\$4,973.	\$6,713.
	30"	24"	72"	RC733F-() () ()	3,651.	4,784.	5,500.	7,425.
	36"	20"	72"	RC762F-() () ()	3,631.	4,761.	5,487.	7,407.
	36"	24"	72"	RC763F-() () ()	4,013.	5,261.	6,053.	8,173.




Requires two lock cores per cabinet
interior height clearance top drawer 10", all others 10³/₄"

Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	
C Cabinets	2. Finish type	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
7 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
B Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling	
N No drilling	Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
	10. Keying instructions	
	*After specifying product code, provide keying instructions.	
	1. <i>Hinge location:</i> L = Left hand R = Right hand	
	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3	
	3. <i>Interior options:</i> W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling	
	10. Refer to page 560 for keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning 72" high, wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Cabinet with two files and hinged doors above	16"	20"	72"	RC712G(L/R)-() () ()	\$2,438.	\$3,195.	\$3,674.	\$4,958.
	16"	24"	72"	RC713G(L/R)-() () ()	2,687.	3,522.	4,049.	5,466.
	30"	20"	72"	RC732G-() () ()	3,057.	4,003.	4,604.	6,216.
	30"	24"	72"	RC733G-() () ()	3,344.	4,385.	5,040.	6,805.
	36"	20"	72"	RC762G-() () ()	3,306.	4,333.	4,983.	6,727.
	36"	24"	72"	RC763G-() () ()	3,599.	4,716.	5,423.	7,320.

Requires two lock cores per cabinet


Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	1. <i>Hinge location:</i> L = Left hand R = Right hand
C Cabinets	2. Finish type	2. <i>Finish type:</i> L = Laminate 1 = V1 2 = V2 3 = V3
7 72" high	3. Interior option	3. <i>Interior options:</i> W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)
3 30" wide	4. Pull option	4. <i>Pull options:</i> D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
2 20" deep	5. Lock option, where applicable	5. <i>Lock options:</i> L = Lock hole drilled N = No lock drilling
B Full bookcase	6. Finish, cabinet	10. Refer to page 560 for keying instructions.
L Laminate finish	7. Finish, pull when applicable	
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions *After specifying product code, provide keying instructions.	
Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.		
		Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
		Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
		Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426.
		File drawers include file bars for front to back and side to side filing.
		File drawers do not support bottom loading.
		Applicable finishes are listed on page 5 and 6.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning 72" high, wood interiors


Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with hinged doors below and open shelf above.	30"	20"	72"	RC732H-() () ()	\$2,677.	\$3,510.	\$4,039.	\$5,451.
	30"	24"	72"	RC733H-() () ()	2,944.	3,861.	4,440.	5,995.
	36"	20"	72"	RC762H-() () ()	2,930.	3,838.	4,415.	5,960.
	36"	24"	72"	RC763H-() () ()	3,196.	4,189.	4,818.	6,505.



Requires one lock core per cabinet

Wardrobe cabinet	16"	20"	72"	RC712D(L/R)-() () ()	1,823.	2,392.	2,750.	3,712.
	16"	24"	72"	RC713D(L/R)-() () ()	2,007.	2,631.	3,024.	4,083.
	30"	20"	72"	RC732D-() () ()	2,297.	3,011.	3,460.	4,671.
	30"	24"	72"	RC733D-() () ()	2,524.	3,307.	3,804.	5,137.
	36"	20"	72"	RC762D-() () ()	2,525.	3,310.	3,807.	5,141.
	36"	24"	72"	RC763D-() () ()	2,776.	3,638.	4,185.	5,649.



Requires one lock core per cabinet.
Order coat rod and boot tray from accessories


Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	
C Cabinets	2. Finish type	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
7 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
B Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions *After specifying product code, provide keying instructions.	
	1. Hinge location: L = Left hand R = Right hand	
	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	
	3. Interior options: W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. Lock options: L = Lock hole drilled N = No lock drilling	
	10. Refer to page 560 for keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 26 1/2" planning 72" high, wood interiors


Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Audio visual cabinet with two sets of hinged doors, two pull out shelves and ventilation	30"	20"	72"	RC732I-() () ()	\$3,527.	\$4,621.	\$5,313.	\$7,173.
	30"	24"	72"	RC733I-() () ()	3,891.	5,102.	5,869.	7,922.
	36"	20"	72"	RC762I-() () ()	3,825.	5,014.	5,768.	7,787.
	36"	24"	72"	RC763I-() () ()	4,223.	5,537.	6,368.	8,596.



Requires two lock cores per cabinet
Hinge opening 110°

Cabinet with BBF below and hinged doors above	16"	20"	72"	RC712P(L/R)-() () ()	2,524.	3,307.	3,804.	5,137.
	16"	24"	72"	RC713P(L/R)-() () ()	2,769.	3,630.	4,173.	5,635.
	30"	20"	72"	RC732P-() () ()	2,956.	3,874.	4,454.	6,013.
	30"	24"	72"	RC733P-() () ()	3,245.	4,251.	4,887.	6,599.
	36"	20"	72"	RC762P-() () ()	3,249.	4,257.	4,896.	6,610.
	36"	24"	72"	RC763P-() () ()	3,569.	4,676.	5,378.	7,262.



Requires two lock cores per cabinet

Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	
C Cabinets	2. Finish type	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
7 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
B Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions *After specifying product code, provide keying instructions.	
	1. Hinge location: L = Left hand R = Right hand	
	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	
	3. Interior options: W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. Lock options: L = Lock hole drilled N = No lock drilling	
	10. Refer to page 560 for keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.


Cabinets, 26 1/2" planning

Freestanding Multifunction Cabinets


49", 64" and 72" high metal interiors

Reff Profiles

description	type	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Freestanding multifunctional cabinet, 49"h	Box/Box/File	24"	24"	49"	RC423N () () ()	\$3,000.	\$4,097.	\$4,741.	\$5,689.
	File/File	24"	24"	49"	RC423M () () ()	2,804.	3,891.	4,508.	5,411.



Freestanding multifunctional cabinet, 64"h	Box/Box/File	24"	24"	64"	RC623N () () ()	3,219.	4,436.	5,222.	6,267.
	File/File	24"	24"	64"	RC623M () () ()	3,020.	4,230.	5,019.	6,023.



Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	1. Hinge location: L = Left hand R = Right hand
C Cabinets	2. Finish type	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3
7 72" high	3. Interior option	3. Interior options: M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
3 30" wide	4. Pull option	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
2 20" deep	5. Lock option, where applicable	5. Lock options: L = Lock hole drilled N = No lock drilling
B Full bookcase	6. Finish, cabinet	10. Refer to page 560 for keying instructions.
L Laminate finish	7. Finish, pull when applicable	
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	Key alike are field installed using the KnollKey order form. Random locks are factory installed. Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders. Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426. File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading. Applicable finishes are listed on page 5 and 6.
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions *After specifying product code, provide keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.


Cabinets, 26 1/2" planning

Freestanding Multifunction Cabinets

49", 64" and 72" high metal interiors

Reff Profiles

description	type	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Freestanding multifunctional cabinet, 72"h	Box/Box/File	24"	24"	72"	RC723N () () ()	\$3,371.	\$4,651.	\$5,519.	\$6,622.
	File/File	24"	24"	72"	RC723M () () ()	3,173.	4,444.	5,309.	6,370.



Order Code	Specification Information	Application Notes
Example: RC732BLMNN	<i>To order please specify pattern number including:</i>	
R Reff	1. Hinge location, where applicable	1. Hinge location: L = Left hand R = Right hand
C Cabinets	2. Finish type	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3
7 72" high	3. Interior option	3. Interior options: M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
3 30" wide	4. Pull option	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)
2 20" deep	5. Lock option, where applicable	5. Lock options: L = Lock hole drilled N = No lock drilling
B Full bookcase	6. Finish, cabinet	10. Refer to page 560 for keying instructions.
L Laminate finish	7. Finish, pull when applicable	
M Metal interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	Key alike are field installed using the KnollKey order form. Random locks are factory installed. Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders. Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426. File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading. Applicable finishes are listed on page 5 and 6.
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions *After specifying product code, provide keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.


Cabinets, 26 1/2" planning

Freestanding Multifunction Cabinets


49", 64" and 72" high wood interiors

Reff Profiles

description	type	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Freestanding multifunctional cabinet, 49"h	Box/Box/File	24"	24"	49"	RC423N () () ()	\$3,618.	\$4,715.	\$5,358.	\$6,429.
	File/File	24"	24"	49"	RC423M () () ()	3,226.	4,316.	4,933.	5,919.



Freestanding multifunctional cabinet, 64"h	Box/Box/File	24"	24"	64"	RC623N () () ()	3,835.	5,053.	5,840.	7,007.
	File/File	24"	24"	64"	RC623M () () ()	3,444.	4,654.	5,444.	6,532.



Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	
C Cabinets	2. Finish type	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
7 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
B Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions *After specifying product code, provide keying instructions.	
	1. Hinge location: L = Left hand R = Right hand	
	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	
	3. Interior options: W = Wood (shelves match case finish: L, V1, V2 or V3; drawer interiors cherry veneer)	
	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. Lock options: L = Lock hole drilled N = No lock drilling	
	10. Refer to page 560 for keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.


Cabinets, 26 1/2" planning

Freestanding Multifunction Cabinets

49", 64" and 72" high wood interiors

Reff Profiles

description	type	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Freestanding multifunctional cabinet, 72"h	Box/Box/File	24"	24"	72"	RC723N() () ()	\$3,988.	\$5,268.	\$6,136.	\$7,362.
	File/File	24"	24"	72"	RC723M() () ()	3,597.	4,869.	5,731.	6,877.




Order Code	Specification Information	Application Notes
Example: RC732BLWNN	<i>To order please specify pattern number including:</i>	Key alike are field installed using the KnollKey order form. Random locks are factory installed.
R Reff	1. Hinge location, where applicable	
C Cabinets	2. Finish type	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.
7 72" high	3. Interior option	Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.
3 30" wide	4. Pull option	Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 426.
2 20" deep	5. Lock option, where applicable	File drawers include file bars for front to back and side to side filing.
B Full bookcase	6. Finish, cabinet	File drawers do not support bottom loading.
L Laminate finish	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
W Wood interior	8. Left hand side of cabinet drilling: N = No drilling Size to drill for each workwall: S0 = 19"H x 15"D S1 = 19"H x 20"D T0 = 23"H x 15"D T1 = 23"H x 20"D	
N No drilling	9. Right hand side of cabinet drilling: same as #8 above.	
N No drilling	10. Keying instructions *After specifying product code, provide keying instructions.	
	1. Hinge location: L = Left hand R = Right hand	
	2. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	
	3. Interior options: W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)	
	4. Pull options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
	5. Lock options: L = Lock hole drilled N = No lock drilling	
	10. Refer to page 560 for keying instructions.	

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

Cabinets, 28³/₈" planning 53" high, metal interiors


Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/2 adjustable shelves (for desk height planning)	30"	15"	53"	RC531DHB () () ()	\$1,206.	\$1,580.	\$1,819.	\$2,456.
	30"	20"	53"	RC532DHB () () ()	1,361.	1,785.	2,052.	2,771.
	30"	24"	53"	RC533DHB () () ()	1,535.	2,010.	2,311.	3,121.
	36"	15"	53"	RC561DHB () () ()	1,339.	1,754.	2,020.	2,726.
	36"	20"	53"	RC562DHB () () ()	1,510.	1,980.	2,278.	3,076.
	36"	24"	53"	RC563DHB () () ()	1,700.	2,231.	2,565.	3,462.



Interior shelves painted metal

4 drawer lateral file (for desk height planning)	30"	20"	53"	RC532DHF () () () L ()	2,073.	2,718.	3,125.	4,219.
	30"	24"	53"	RC533DHF () () () L ()	2,288.	2,996.	3,446.	4,655.
	36"	20"	53"	RC562DHF () () () L ()	2,629.	3,443.	3,961.	5,348.
	36"	24"	53"	RC563DHF () () () L ()	2,902.	3,805.	4,375.	5,908.




Drawer interiors painted metal

Order Code	Specification Information	Application Notes
Example: RC531DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	
R Reff		
C Cabinet		
5 53" h (nominal)	1. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
3 30" w (nominal)	2. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
1 15" d (nominal)	3. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	
DH Desk height	4. <i>Lock option (where applicable)</i> Drawers always lock drilled L = drilled to accept lock	
B Open bookcase	5. <i>Cabinet finish</i>	
2 Finish type, V2	6. <i>Optional pull finish (where applicable)</i>	
M Interior option, metal	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 560. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
V316 Finish, light maple	Applicable finishes are listed on page 5 and 6.	53" nominal height - actual height 52.625" Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing. File drawers include file bars for front to back and side to side filing. File drawers support bottom loading.


Cabinets, 28³/₈" planning 53" high, wood interiors

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Open bookcase w/2 adjustable shelves (for desk height planning)	30"	15"	53"	RC531DHB () () ()	\$1,352.	\$1,774.	\$2,034.	\$2,745.
	30"	20"	53"	RC532DHB () () ()	1,505.	1,975.	2,271.	3,065.
	30"	24"	53"	RC533DHB () () ()	1,679.	2,202.	2,531.	3,417.
	36"	15"	53"	RC561DHB () () ()	1,485.	1,946.	2,239.	3,022.
	36"	20"	53"	RC562DHB () () ()	1,656.	2,172.	2,498.	3,371.
	36"	24"	53"	RC563DHB () () ()	1,846.	2,421.	2,784.	3,757.





4 drawer lateral file (for desk height planning)	30"	20"	53"	RC532DHF () () () L ()	2,217.	2,907.	3,342.	4,512.
	30"	24"	53"	RC533DHF () () () L ()	2,435.	3,193.	3,667.	4,950.
	36"	20"	53"	RC562DHF () () () L ()	2,772.	3,633.	4,178.	5,639.
	36"	24"	53"	RC563DHF () () () L ()	3,047.	3,991.	4,592.	6,199.



Order Code	Specification Information	Application Notes
Example: RC531DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 ½"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff	1. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	4. <i>Lock option (where applicable)</i> Drawers always lock drilled L = drilled to accept lock
C Cabinet	2. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	5. <i>Cabinet finish</i>
5 53" h (<i>nominal</i>)	3. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	6. <i>Optional pull finish (where applicable)</i> Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 560. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
3 30" w (<i>nominal</i>)		Applicable finishes are listed on page 5 and 6.
1 15" d (<i>nominal</i>)		
DH Desk height		
B Open bookcase		
2 Finish type, V2		
W Interior option, wood		
V316 Finish, light maple		

Cabinets, 28³/₈" planning 72" high, metal interiors

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
 Open bookcase (for desk height planning)	30"	20"	72"	RC7232DHB () ()	\$1,844.	\$2,418.	\$2,782.	\$3,756.
	30"	24"	72"	RC7233DHB () ()	2,045.	2,678.	3,082.	4,161.
	36"	20"	72"	RC7262DHB () ()	2,087.	2,735.	3,146.	4,247.
	36"	24"	72"	RC7263DHB () ()	2,288.	2,996.	3,446.	4,655.
 Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	72"	RC7232DHFH () () () ()	3,029.	3,970.	4,567.	6,164.
	30"	24"	72"	RC7233DHFH () () () ()	3,366.	4,345.	5,072.	6,846.
	36"	20"	72"	RC7262DHFH () () () ()	3,346.	4,385.	5,041.	6,806.
	36"	24"	72"	RC7263DHFH () () () ()	3,714.	4,870.	5,627.	7,558.


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316) R Reff C Cabinet 72 72" h (nominal) 3 30" w (nominal) 2 20" d (nominal) DH Desk height B Open bookcase 2 Finish type, V2 M Interior option, metal V316 Finish, light maple	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> <i>Hinge location (where applicable)</i> L = left hand R = right hand <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3 <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal) <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling <i>Cabinet finish</i> <i>Optional pull finish where applicable</i> <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 560. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p>	<p>Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.</p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 426.</p>

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 72" high, metal interiors

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Storage w/upper hinged doors&2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	72"	RC7212DHGH(L/R) () () ()	\$2,201.	\$2,882.	\$3,318.	\$4,477.
	16"	24"	72"	RC7213DHGH(L/R) () () ()	2,412.	3,199.	3,679.	4,966.
	30"	20"	72"	RC7232DHGH () () ()	2,793.	3,664.	4,211.	5,686.
	30"	24"	72"	RC7233DHGH () () ()	3,072.	4,026.	4,628.	6,249.
	36"	20"	72"	RC7262DHGH () () ()	3,034.	3,976.	4,574.	6,175.
	36"	24"	72"	RC7263DHGH () () ()	3,314.	4,344.	4,994.	6,742.




Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	
R Reff		
C Cabinet	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	
72 72" h (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
3 30" w (nominal)	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1, V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
2 20" d (nominal)	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	
DH Desk height	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
B Open bookcase	6. <i>Cabinet finish</i>	
2 Finish type, V2	7. <i>Optional pull finish where applicable</i>	
M Interior option, metal	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 560. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
V316 Finish, light maple	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing. File drawers include file bars for front to back and side to side filing. File drawers support bottom loading. Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 426.

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 72" high, metal interiors

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	72"	RC7232DHEH(L/R) () () ()	\$2,983.	\$3,908.	\$4,498.	\$6,071.
	30"	24"	72"	RC7233DHEH(L/R) () () ()	3,336.	4,371.	5,029.	6,789.
	36"	20"	72"	RC7262DHEH(L/R) () () ()	3,270.	4,285.	4,928.	6,651.
	36"	24"	72"	RC7263DHEH(L/R) () () ()	3,649.	4,790.	5,503.	7,430.



Left hand shown

Requires one lock core per cabinet
Shelves painted metal


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	
R Reff	6. <i>Cabinet finish</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
C Cabinet	7. <i>Optional pull finish where applicable</i>	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
72 72" h (nominal)	1. <i>Hinge location (where applicable)</i>	File drawers include file bars for front to back and side to side filing.
3 30" w (nominal)	L = left hand	File drawers support bottom loading.
2 20" d (nominal)	R = right hand	Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 426.
DH Desk height	2. <i>Finish type</i>	
B Open bookcase	L = laminate	
2 Finish type, V2	1 = V1	
M Interior option, metal	2 = V2	
V316 Finish, light maple	3 = V3	
	3. <i>Interior Option</i>	
	M = metal (metal shelves or metal drawers)	
	(If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
	4. <i>Pull Option (where applicable)</i>	
	D = metal D-pull (finish optional)	
	J = routed J-pull (finish matches case)	
	C = nickel finish C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	
	R = Cylinder	
	T = Tab	
	F = Bar	
	H = Out Line	
	5. <i>Lock option (where applicable)</i>	
	Optional hinged door configurations only	
	Drawers always lock drilled	
	L = drilled to accept lock	
	N = no drilling	

Applicable finishes are listed on page 5 and 6.


Cabinets, 28³/₈" planning 72" high, wood interiors

Reff Profiles


description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Open bookcase (for desk height planning)	30"	20"	72"	RC7232DHB () ()	\$1,982.	\$2,599.	\$2,988.	\$4,033.
	30"	24"	72"	RC7233DHB () ()	2,182.	2,861.	3,289.	4,440.
	36"	20"	72"	RC7262DHB () ()	2,226.	2,917.	3,354.	4,527.
	36"	24"	72"	RC7263DHB () ()	2,425.	3,179.	3,654.	4,935.



Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	72"	RC7232DHFH () () () ()	3,167.	4,150.	4,772.	6,442.
	30"	24"	72"	RC7233DHFH () () () ()	3,504.	4,592.	5,279.	7,126.
	36"	20"	72"	RC7262DHFH () () () ()	3,484.	4,569.	5,265.	7,108.
	36"	24"	72"	RC7263DHFH () () () ()	3,851.	5,049.	5,809.	7,843.



Storage w/upper hinged doors&2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	72"	RC7212DHGH(L/R) () () ()	2,340.	3,066.	3,526.	4,759.
	16"	24"	72"	RC7213DHGH(L/R) () () ()	2,579.	3,379.	3,886.	5,246.
	30"	20"	72"	RC7232DHGH () () ()	2,933.	3,841.	4,419.	5,966.
	30"	24"	72"	RC7233DHGH () () ()	3,209.	4,208.	4,837.	6,531.
	36"	20"	72"	RC7262DHGH () () ()	3,173.	4,158.	4,782.	6,456.
	36"	24"	72"	RC7263DHGH () () ()	3,454.	4,526.	5,205.	7,026.




Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	6. <i>Cabinet finish</i>	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
C Cabinet	7. <i>Optional pull finish where applicable</i>	File drawers include file bars for front to back and side to side filing.
72 72" h (nominal)	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	File drawers support bottom loading.
3 30" w (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 426.
2 20" d (nominal)	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	
DH Desk height	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	
B Open bookcase	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
2 Finish type, V2		
W Interior option, wood		
V316 Finish, light maple		

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 72" high, wood interiors

Reff Profiles


description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	24"	72"	RC7233DHEH(L/R) () () ()	\$3,473.	\$4,554.	\$5,237.	\$7,069.
	36"	20"	72"	RC7262DHEH(L/R) () () ()	3,408.	4,466.	5,138.	6,936.
	36"	24"	72"	RC7263DHEH(L/R) () () ()	3,790.	4,968.	5,714.	7,714.



Left hand shown

Requires one lock core per cabinet.
Shelves painted metal

Wardrobe cabinet (for desk height planning)	16"	20"	72"	RC7212DHDH(L/R) () () ()	1,750.	2,295.	2,639.	3,563.
	16"	24"	72"	RC7213DHDH(L/R) () () ()	1,926.	2,525.	2,903.	3,918.
	19" **	20"	72"	RC7222DHDH(L/R) () () ()	2,123.	3,184.	3,662.	4,761.
	19" **	24"	72"	RC7223DHDH(L/R) () () ()	2,193.	3,290.	3,783.	4,917.
	30"	20"	72"	RC7232DHDH () () ()	2,204.	2,889.	3,321.	4,483.
	30"	24"	72"	RC7233DHDH () () ()	2,422.	3,174.	3,650.	4,930.
	36"	20"	72"	RC7262DHDH () () ()	2,423.	3,177.	3,653.	4,934.
	36"	24"	72"	RC7263DHDH () () ()	2,664.	3,492.	4,016.	5,421.



Requires one lock core per cabinet.
Order coat rod and boot tray from accessories
** 19"W wardrobe cabinets includes coat rod


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	To order please specify pattern number including:	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff	6. Cabinet finish	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
C Cabinet	7. Optional pull finish where applicable	File drawers include file bars for front to back and side to side filing.
72 72" h (nominal)	1. Hinge location (where applicable) L = left hand R = right hand	File drawers support bottom loading.
3 30" w (nominal)	2. Finish type L = laminate 1 = V1 2 = V2 3 = V3	Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 426.
2 20" d (nominal)	3. Interior Option W = wood (shelves match case finish and drawer interiors cherry veneer)	
DH Desk height	4. Pull Option (where applicable) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	
B Open bookcase	5. Lock option (where applicable) Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
2 Finish type, V2		
W Interior option, wood		
V316 Finish, light maple		

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 75" high, metal interiors


Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Open bookcase (for desk height planning)	30"	20"	75"	RC732DHB () () () ()	\$2,019.	\$2,644.	\$3,042.	\$4,108.
	30"	24"	75"	RC733DHB () () () ()	2,237.	2,930.	3,370.	4,551.
	36"	20"	75"	RC762DHB () () () ()	2,284.	2,992.	3,441.	4,645.
	36"	24"	75"	RC763DHB () () () ()	2,502.	3,281.	3,772.	5,091.



Shelves painted metal

Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	75"	RC732DHE(L/R) () () () () ()	3,264.	4,272.	4,920.	6,640.
	30"	24"	75"	RC733DHE(L/R) () () () () ()	3,648.	4,782.	5,503.	7,429.
	36"	20"	75"	RC762DHE(L/R) () () () () ()	3,578.	4,691.	5,391.	7,278.
	36"	24"	75"	RC763DHE(L/R) () () () () ()	3,991.	5,240.	6,020.	8,127.



Requires one lock core per cabinet
Shelves painted metal

Left hand shown


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff		
C Cabinet		
7 75" h (nominal)	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	
3 30" w (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
2 20" d (nominal)	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	75" nominal height - actual height 75.125"
DH Desk height	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) *J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
B Open bookcase	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	File drawers include file bars for front to back and side to side filing.
2 Finish type, V2	6. <i>Cabinet finish</i> 7. <i>Optional pull finish where applicable</i> 8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	File drawers support bottom loading.
M Interior option, metal	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above	Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 426.
V316 Finish, light maple	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 560. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. *Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	These 75" cabinets are intended to be used with the overdesk units only.

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 75" high, metal interiors

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	75"	RC712DHG(L/R) () () (L) () () ()	\$2,408.	\$3,155.	\$3,630.	\$4,901.
	16"	24"	75"	RC713DHG(L/R) () () (L) () () ()	2,639.	3,498.	4,023.	5,433.
	30"	20"	75"	RC732DHG () () (L) () () ()	3,058.	4,008.	4,606.	6,219.
	30"	24"	75"	RC733DHG () () (L) () () ()	3,363.	4,404.	5,067.	6,839.
	36"	20"	75"	RC762DHG () () (L) () () ()	3,319.	4,350.	5,005.	6,757.
	36"	24"	75"	RC763DHG () () (L) () () ()	3,626.	4,751.	5,465.	7,379.



Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	75" nominal height - actual height 75.125"
C Cabinet	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
7 75" h (nominal)	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	File drawers include file bars for front to back and side to side filing.
3 30" w (nominal)	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) *J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	File drawers support bottom loading.
2 20" d (nominal)	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 426.
DH Desk height	6. <i>Cabinet finish</i> 7. <i>Optional pull finish where applicable</i> 8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	These 75" cabinets are intended to be used with the overdesk units only.
B Open bookcase	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above	
2 Finish type, V2	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 560. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
M Interior option, metal	*Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
V316 Finish, light maple	List price for woodgrain laminate options will be current published laminate list price plus 10%.	

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 75" high, metal interiors

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	75"	RC732DHK () () L () ()	\$2,961.	\$3,886.	\$4,486.	\$6,054.
	30"	24"	75"	RC733DHK () () L () ()	3,266.	4,282.	4,943.	6,673.
	36"	20"	75"	RC762DHK () () L () ()	3,222.	4,227.	4,883.	6,592.
	36"	24"	75"	RC763DHK () () L () ()	3,529.	4,630.	5,344.	7,213.



Requires one lock core per cabinet
Shelves painted metal, drawer interiors painted black metal


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff		
C Cabinet		
7 75" h (nominal)	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	
3 30" w (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
2 20" d (nominal)	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	75" nominal height - actual height 75.125"
DH Desk height	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) *J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
B Open bookcase	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	File drawers include file bars for front to back and side to side filing.
2 Finish type, V2		File drawers support bottom loading.
M Interior option, metal		Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 426.
V316 Finish, light maple		These 75" cabinets are intended to be used with the overdesk units only.
	6. <i>Cabinet finish</i>	
	7. <i>Optional pull finish where applicable</i>	
	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	
	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above	
	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 560. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
	*Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 75" high, metal interiors

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	75"	RC732DHF () () L () () ()	\$3,315.	\$4,342.	\$4,997.	\$6,744.
	30"	24"	75"	RC733DHF () () L () () ()	3,681.	4,823.	5,549.	7,491.
	36"	20"	75"	RC762DHF () () L () () ()	3,661.	4,799.	5,518.	7,450.
	36"	24"	75"	RC763DHF () () L () () ()	4,065.	5,326.	6,126.	8,271.



Requires two lock cores per cabinet
Drawer interiors painted black metal

Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff		
C Cabinet		
7 75" h (nominal)	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	
3 30" w (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
2 20" d (nominal)	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	75" nominal height - actual height 75.125"
DH Desk height	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) *J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
B Open bookcase	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	File drawers include file bars for front to back and side to side filing.
2 Finish type, V2		File drawers support bottom loading.
M Interior option, metal		Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 426.
V316 Finish, light maple		These 75" cabinets are intended to be used with the overdesk units only.

Applicable finishes are listed on page 5 and 6.



6. *Cabinet finish*
7. *Optional pull finish where applicable*
8. *Optional drilling to support workwall, left side*
N = no drilling
S0 = 19"h x 15"d
S1 = 19"h x 20"d
T0 = 23"h x 15"d
T1 = 23"h x 20"d
9. *Optional drilling to support workwall, right side*
*drilling options same as #8 above

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 560.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

*Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Cabinets, 28³/₈" planning 75" high, wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
 Open bookcase (for desk height planning)	30"	20"	75"	RC732DHB () () () ()	\$2,169.	\$2,841.	\$3,268.	\$4,413.
	30"	24"	75"	RC733DHB () () () ()	2,388.	3,129.	3,599.	4,856.
	36"	20"	75"	RC762DHB () () () ()	2,436.	3,192.	3,671.	4,954.
	36"	24"	75"	RC763DHB () () () ()	2,653.	3,479.	4,001.	5,400.
 Wardrobe/bookcase combo w/full height doors (for desk height planning)	30"	20"	75"	RC732DHE(L/R) () () () () ()	3,414.	4,473.	5,145.	6,946.
	30"	24"	75"	RC733DHE(L/R) () () () () ()	3,801.	4,983.	5,730.	7,736.
	36"	20"	75"	RC762DHE(L/R) () () () () ()	3,730.	4,886.	5,621.	7,588.
	36"	24"	75"	RC763DHE(L/R) () () () () ()	4,147.	5,438.	6,252.	8,440.

Requires one lock core per cabinet

Left hand shown


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff	6. <i>Cabinet finish</i>	
C Cabinet	7. <i>Optional pull finish where applicable</i>	
7 75" h (nominal)	8. <i>Optional drilling to support workwall, left side</i>	
3 30" w (nominal)	N = no drilling	
2 20" d (nominal)	S0 = 19"h x 15"d	
DH Desk height	S1 = 19"h x 20"d	
B Open bookcase	T0 = 23"h x 15"d	
2 Finish type, V2	T1 = 23"h x 20"d	
W Interior option, wood	9. <i>Optional drilling to support workwall, right side</i>	
V316 Finish, light maple	*drilling options same as #8 above	
	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 560.	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
	1. <i>Hinge location (where applicable)</i>	File drawers include file bars for front to back and side to side filing.
	L = left hand	
	R = right hand	
	2. <i>Finish type</i>	File drawers support bottom loading.
	L = laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	3. <i>Interior Option</i>	Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 426.
	W = wood (shelves match case finish and drawer interiors cherry veneer)	
	4. <i>Pull Option (where applicable)</i>	These 75" cabinets are intended to be used with the overdesk units only.
	D = metal D-pull (finish optional)	
	*J = routed J-pull (finish matches case)	
	C = nickel finish C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	
	5. <i>Lock option (where applicable)</i>	
	Optional hinged door configurations only	
	Drawers always lock drilled	
	L = drilled to accept lock	
	N = no drilling	
	6. <i>Cabinet finish</i>	
	7. <i>Optional pull finish where applicable</i>	
	8. <i>Optional drilling to support workwall, left side</i>	
	N = no drilling	
	S0 = 19"h x 15"d	
	S1 = 19"h x 20"d	
	T0 = 23"h x 15"d	
	T1 = 23"h x 20"d	
	9. <i>Optional drilling to support workwall, right side</i>	
	*drilling options same as #8 above	
	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 560.	
	Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
	*Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
	List price for woodgrain laminate options will be current published laminate list price plus 10%.	

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 75" high, wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16"	20"	75"	RC712DHG(L/R) () () L () () ()	\$2,560.	\$3,353.	\$3,856.	\$5,207.
	16"	24"	75"	RC713DHG(L/R) () () L () () ()	2,822.	3,697.	4,252.	5,741.
	30"	20"	75"	RC732DHG () () L () () ()	3,209.	4,201.	4,835.	6,526.
	30"	24"	75"	RC733DHG () () L () () ()	3,512.	4,603.	5,293.	7,145.
	36"	20"	75"	RC762DHG () () L () () ()	3,471.	4,550.	5,231.	7,062.
	36"	24"	75"	RC763DHG () () L () () ()	3,777.	4,951.	5,694.	7,688.



Requires two lock cores per cabinet


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff	6. <i>Cabinet finish</i>	75" nominal height - actual height 75.125"
C Cabinet	7. <i>Optional pull finish where applicable</i>	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
7 75" h (nominal)	8. <i>Optional drilling to support workwall, left side</i>	File drawers include file bars for front to back and side to side filing.
3 30" w (nominal)	N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	File drawers support bottom loading.
2 20" d (nominal)	9. <i>Optional drilling to support workwall, right side</i>	Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 426.
DH Desk height	*drilling options same as #8 above	These 75" cabinets are intended to be used with the overdesk units only.
B Open bookcase		
2 Finish type, V2		
W Interior option, wood		
V316 Finish, light maple		

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 75" high, wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30"	20"	75"	RC732DHK () () L () ()	\$3,113.	\$4,081.	\$4,711.	\$6,360.
	30"	24"	75"	RC733DHK () () L () ()	3,417.	4,479.	5,172.	6,981.
	36"	20"	75"	RC762DHK () () L () ()	3,374.	4,427.	5,111.	6,901.
	36"	24"	75"	RC763DHK () () L () ()	3,680.	4,829.	5,571.	7,521.



Requires one lock core per cabinet

Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	6. <i>Cabinet finish</i>
C Cabinet	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	7. <i>Optional pull finish where applicable</i>
7 75" h (nominal)	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d
3 30" w (nominal)	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) *J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above
2 20" d (nominal)	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 560. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. *Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
DH Desk height		75" nominal height - actual height 75.125"
B Open bookcase		Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
2 Finish type, V2		File drawers include file bars for front to back and side to side filing.
W Interior option, wood		File drawers support bottom loading.
V316 Finish, light maple		Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 426.
		These 75" cabinets are intended to be used with the overdesk units only.


Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 75" high, wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30"	20"	75"	RC732DHF () () L () () ()	\$3,467.	\$4,540.	\$5,223.	\$7,051.
	30"	24"	75"	RC733DHF () () L () () ()	3,835.	5,025.	5,777.	7,798.
	36"	20"	75"	RC762DHF () () L () () ()	3,813.	4,998.	5,764.	7,782.
	36"	24"	75"	RC763DHF () () L () () ()	4,215.	5,522.	6,357.	8,582.

Requires two lock cores per cabinet




Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	6. <i>Cabinet finish</i>
C Cabinet	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	7. <i>Optional pull finish where applicable</i>
7 75" h (nominal)	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	8. <i>Optional drilling to support workwall, left side</i> N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d
3 30" w (nominal)	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) *J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	9. <i>Optional drilling to support workwall, right side</i> *drilling options same as #8 above
2 20" d (nominal)	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 560. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. *Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
DH Desk height		75" nominal height - actual height 75.125"
B Open bookcase		Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
2 Finish type, V2		File drawers include file bars for front to back and side to side filing.
W Interior option, wood		File drawers support bottom loading.
V316 Finish, light maple		Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 426.
		These 75" cabinets are intended to be used with the overdesk units only.

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 75" high, wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with hinged doors for coat rod and boot tray	30"	20"	75"	RC732DHD () W () () ()	\$2,411.	\$3,161.	\$3,633.	\$4,905.
	30"	24"	75"	RC733DHD () W () () ()	2,650.	3,473.	3,993.	5,393.
	36"	20"	75"	RC762DHD () W () () ()	2,651.	3,475.	3,996.	5,398.
	36"	24"	75"	RC763DHD () W () () ()	2,914.	3,821.	4,394.	5,931.



Requires one lock core per cabinet


Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff	6. <i>Cabinet finish</i>	75" nominal height - actual height 75.125"
C Cabinet	7. <i>Optional pull finish where applicable</i>	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
7 75" h (nominal)	8. <i>Optional drilling to support workwall, left side</i>	File drawers include file bars for front to back and side to side filing.
3 30" w (nominal)	N = no drilling S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	File drawers support bottom loading.
2 20" d (nominal)	9. <i>Optional drilling to support workwall, right side</i>	Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 426.
DH Desk height	*drilling options same as #8 above	These 75" cabinets are intended to be used with the overdesk units only.
B Open bookcase		
2 Finish type, V2		
W Interior option, wood		
V316 Finish, light maple		

Applicable finishes are listed on page 5 and 6.


Cabinets, 28³/₈" planning 86" high, metal interiors

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet, hinged doors/ shelves 4 file drawers	30"	20"	86"	RC832DHF ()()()()()	\$3,646.	\$4,777.	\$5,496.	\$7,418.
	30"	24"	86"	RC833DHF ()()()()()	4,049.	5,306.	6,104.	8,240.
	36"	20"	86"	RC862DHF ()()()()()	4,027.	5,279.	6,070.	8,195.



Cabinet, hinged doors/ shelves 2 file drawers	30"	20"	86"	RC832DHG ()()	3,364.	4,407.	5,067.	6,842.
	30"	24"	86"	RC833DHG ()()	3,699.	4,845.	5,573.	7,522.
	36"	20"	86"	RC862DHG ()()	3,650.	4,784.	5,504.	7,434.
	36"	24"	86"	RC863DHG ()()	3,988.	5,227.	6,011.	8,117.



Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ " pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	6. <i>Cabinet finish</i>	86" nominal height - actual height 85.500"
C Cabinet	7. <i>Optional pull finish where applicable</i>	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
8 86" h (nominal)	1. <i>Hinge location (where applicable)</i>	File drawers include file bars for front to back and side to side filing.
3 30" w (nominal)	L = left hand R = right hand	File drawers support bottom loading.
2 20" d (nominal)	2. <i>Finish type</i>	Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 426.
DH Desk height	L = laminate 1 = V1 2 = V2 3 = V3	
2 Finish type, V2	3. <i>Interior Option</i>	
M Interior option, metal	M = metal (metal shelves or metal drawers)	
V316 Finish, light maple	(If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
	4. <i>Pull Option (where applicable)</i>	
	D = metal D-pull (finish optional)	
	J = routed J-pull (finish matches case)	
	C = nickel finish C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	
	R = Cylinder	
	T = Tab	
	F = Bar	
	H = Out Line	
	5. <i>Lock option (where applicable)</i>	
	Optional hinged door configurations only	
	Drawers always lock drilled	
	L = drilled to accept lock	
	N = no drilling	


Applicable finishes are listed on page 5 and 6.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 560.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.


Cabinets, 28³/₈" planning 86" high, metal interiors

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	86"	RC832DHK() ()	\$3,257.	\$4,275.	\$4,934.	\$6,660.
	30"	24"	86"	RC833DHK() ()	3,593.	4,709.	5,438.	7,341.
	36"	20"	86"	RC862DHK() ()	3,544.	4,650.	5,371.	7,251.
	36"	24"	86"	RC863DHK() ()	3,882.	5,092.	5,878.	7,935.



Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	86"	RC832DHO() ()	3,469.	4,600.	5,319.	7,241.
	30"	24"	86"	RC833DHO() ()	3,873.	5,128.	5,927.	8,064.
	36"	20"	86"	RC862DHO() ()	3,850.	5,102.	5,893.	8,018.
	36"	24"	86"	RC863DHO() ()	4,295.	5,681.	6,562.	8,921.




Order Code	Specification Information	Application Notes
<p>Example: RC732DHB(2)(M)(V316)</p> <p>R Reff</p> <p>C Cabinet</p> <p>8 86" h (nominal)</p> <p>3 30" w (nominal)</p> <p>2 20" d (nominal)</p> <p>DH Desk height</p> <p>2 Finish type, V2</p> <p>M Interior option, metal</p> <p>V316 Finish, light maple</p>	<p>To order please specify pattern number including:</p> <ol style="list-style-type: none"> Hinge location (where applicable) L = left hand R = right hand Finish type L = laminate 1 = V1 2 = V2 3 = V3 Interior Option M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal) Pull Option (where applicable) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line Lock option (where applicable) Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling 	<p>6. Cabinet finish</p> <p>7. Optional pull finish where applicable</p> <p>Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 560. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.</p> <p>Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.</p> <p>Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.</p> <p>86" nominal height - actual height 85.500"</p> <p>Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.</p> <p>File drawers include file bars for front to back and side to side filing.</p> <p>File drawers support bottom loading.</p> <p>Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 426.</p>

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 86" high, metal interiors

Reff Profiles

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet, wardrobe/ bookcase combo full height doors	30"	20"	86"	RC832DHEH(L/R)() () () ()	\$3,394.	\$4,452.	\$5,114.	\$6,905.
	30"	24"	86"	RC833DHEH(L/R)() () () ()	3,762.	4,935.	5,670.	7,656.
	36"	20"	86"	RC862DHEH(L/R)() () () ()	3,695.	4,844.	5,567.	7,517.
	36"	24"	86"	RC863DHEH(L/R)() () () ()	4,092.	5,366.	6,168.	8,328.



Left hand shown

Order Code	Specification Information	Application Notes
Example: RC732DHB(2)(M)(V316)	<i>To order please specify pattern number including:</i>	
R Reff		
C Cabinet	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	
8 86" h (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
3 30" w (nominal)	3. <i>Interior Option</i> M = metal (metal shelves or metal drawers) (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)	
2 20" d (nominal)	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	
DH Desk height	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	
2 Finish type, V2	6. <i>Cabinet finish</i>	
M Interior option, metal	7. <i>Optional pull finish where applicable</i>	
V316 Finish, light maple		

Applicable finishes are listed on page 5 and 6.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 560.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Cabinets on this page are engineered to align with front sets of 28³/₈"h pedestals and are intended for "desk height" planning applications. **Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.**

86" nominal height - actual height 85.500"

Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.


File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 426.


Cabinets, 28³/₈" planning 86" high, wood interiors

Reff Profiles

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet, hinged doors/ shelves 4 file drawers	30"	20"	86"	RC832DHF ()()()()	\$3,813.	\$4,993.	\$5,746.	\$7,757.
	30"	24"	86"	RC833DHF ()()()()	4,218.	5,527.	6,355.	8,579.
	36"	20"	86"	RC862DHF ()()()()	4,194.	5,497.	6,340.	8,559.



Cabinet, hinged doors/ shelves 2 file drawers	30"	20"	86"	RC832DHG ()()	3,530.	4,623.	5,319.	7,179.
	30"	24"	86"	RC833DHG ()()	3,864.	5,063.	5,823.	7,860.
	36"	20"	86"	RC862DHG ()()	3,817.	5,005.	5,754.	7,768.
	36"	24"	86"	RC863DHG ()()	4,155.	5,446.	6,263.	8,456.




Order Code	Specification Information	Application Notes
Example: RC832DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	
R Reff		
C Cabinet		
8 86" h (nominal)	1. <i>Hinge location (where applicable)</i> L = left hand R = right hand	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
3 30" w (nominal)	2. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
2 20" d (nominal)	3. <i>Interior Option</i> W = wood (shelves match case finish and drawer interiors cherry veneer)	
DH Desk height	4. <i>Pull Option (where applicable)</i> D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only) R = Cylinder T = Tab F = Bar H = Out Line	
2 Finish type, V2	5. <i>Lock option (where applicable)</i> Optional hinged door configurations only Drawers always lock drilled L = drilled to accept lock N = no drilling	86" nominal height - actual height 85.500" Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing. File drawers include file bars for front to back and side to side filing. File drawers support bottom loading. Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 426.
W Interior option, wood		
V316 Finish, light maple		

Applicable finishes are listed on page 5 and 6.


Cabinets, 28³/₈" planning 86" high, wood interiors

Reff Profiles


description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30"	20"	86"	RC832DHK()()	\$3,424.	\$4,489.	\$5,183.	\$6,997.
	30"	24"	86"	RC833DHK()()	3,757.	4,928.	5,690.	7,681.
	36"	20"	86"	RC862DHK()()	3,711.	4,871.	5,622.	7,591.
	36"	24"	86"	RC863DHK()()	4,048.	5,312.	6,129.	8,274.



Cabinet, double high with 4 files below, top open with one adjustable shelf	30"	20"	86"	RC832DHO()()	3,652.	4,833.	5,586.	7,595.
	30"	24"	86"	RC833DHO()()	4,057.	5,366.	6,193.	8,417.
	36"	20"	86"	RC862DHO()()	4,033.	5,336.	6,179.	8,399.
	36"	24"	86"	RC863DHO()()	4,475.	5,913.	6,831.	9,279.



Cabinet, with shelving	30"	20"	86"	RC832DHB()()	2,373.	3,125.	3,596.	5,294.
	30"	24"	86"	RC833DHB()()	2,628.	3,443.	3,958.	5,828.
	36"	20"	86"	RC862DHB()()	2,680.	3,510.	4,038.	5,945.
	36"	24"	86"	RC863DHB()()	2,918.	3,827.	4,400.	6,481.




Order Code	Specification Information	Application Notes
Example: RC832DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	6. <i>Cabinet finish</i>	86" nominal height - actual height 85.500"
C Cabinet	7. <i>Optional pull finish where applicable</i>	Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.
8 86" h (nominal)	1. <i>Hinge location (where applicable)</i>	File drawers include file bars for front to back and side to side filing.
3 30" w (nominal)	L = left hand	File drawers support bottom loading.
2 20" d (nominal)	R = right hand	Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 426.
DH Desk height	2. <i>Finish type</i>	
2 Finish type, V2	L = laminate	
W Interior option, wood	1 = V1	
V316 Finish, light maple	2 = V2	
	3 = V3	
	3. <i>Interior Option</i>	
	W = wood (shelves match case finish and drawer interiors cherry veneer)	
	4. <i>Pull Option (where applicable)</i>	
	D = metal D-pull (finish optional)	
	J = routed J-pull (finish matches case)	
	C = nickel finish C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	
	R = Cylinder	
	T = Tab	
	F = Bar	
	H = Out Line	
	5. <i>Lock option (where applicable)</i>	
	Optional hinged door configurations only	
	Drawers always lock drilled	
	L = drilled to accept lock	
	N = no drilling	

Applicable finishes are listed on page 5 and 6.

Cabinets, 28³/₈" planning 86" high, wood interiors

Reff Profiles


description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet, wardrobe/ bookcase combo full height doors	30"	20"	86"	RC832DHEH(L/R)() () () ()	\$3,576.	\$4,688.	\$5,391.	\$7,277.
	30"	24"	86"	RC833DHEH(L/R)() () () ()	3,981.	5,219.	6,002.	8,102.
	36"	20"	86"	RC862DHEH(L/R)() () () ()	3,907.	5,119.	5,889.	7,950.
	36"	24"	86"	RC863DHEH(L/R)() () () ()	4,345.	5,694.	6,550.	8,842.



Left hand shown

Requires one lock core per cabinet
Shelves painted metal

Cabinet, wardrobe (for desk height planning)	16"	20"	86"	RC812DHDH(L/R)() () () ()	2,361.	3,541.	4,073.	5,294.
	16"	24"	86"	RC813DHDH(L/R)() () () ()	2,447.	3,671.	4,221.	5,488.
	19"	20"	86"	RC822DHDH(L/R)() () () ()	2,453.	3,681.	4,233.	5,503.
	19"	24"	86"	RC823DHDH(L/R)() () () ()	2,542.	3,813.	4,385.	5,700.
	30"	20"	86"	RC832DHDH() () () ()	2,804.	4,205.	4,837.	6,288.
	30"	24"	86"	RC833DHDH() () () ()	2,900.	4,350.	5,003.	6,503.
	36"	20"	86"	RC862DHDH() () () ()	3,023.	4,534.	5,214.	6,778.
	36"	24"	86"	RC863DHDH() () () ()	3,127.	4,692.	5,395.	7,013.



Requires one lock core per cabinet.
Coat rod included. Order boot tray from accessories

Order Code	Specification Information	Application Notes
Example: RC832DHB(2)(W)(V316)	<i>To order please specify pattern number including:</i>	Cabinets on this page are engineered to align with front sets of 28 ³ / ₈ "h pedestals and are intended for "desk height" planning applications. Do not mix products from 26 1/2"h (standard height) planning model with 28 3/8"h (desk height) planning model in any one configuration.
R Reff	6. <i>Cabinet finish</i>	
C Cabinet	7. <i>Optional pull finish where applicable</i>	
8 86" h (<i>nominal</i>)	1. <i>Hinge location (where applicable)</i>	
3 30" w (<i>nominal</i>)	L = left hand	
2 20" d (<i>nominal</i>)	R = right hand	
DH Desk height	2. <i>Finish type</i>	
2 Finish type, V2	L = laminate	
W Interior option, wood	1 = V1	
V316 Finish, light maple	2 = V2	
	3 = V3	
	3. <i>Interior Option</i>	
	W = wood (shelves match case finish and drawer interiors cherry veneer)	
	4. <i>Pull Option (where applicable)</i>	
	D = metal D-pull (finish optional)	
	J = routed J-pull (finish matches case)	
	C = nickel finish C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	
	R = Cylinder	
	T = Tab	
	F = Bar	
	H = Out Line	
	5. <i>Lock option (where applicable)</i>	
	Optional hinged door configurations only	
	Drawers always lock drilled	
	L = drilled to accept lock	
	N = no drilling	

Applicable finishes are listed on page 5 and 6.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 560.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

86" nominal height - actual height 85.500"

Shelf adjustability is 2.5" up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 426.


Cabinets Progressive

49" high, metal interior


28³/₈" high planning

Reff Profiles


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	20"	18"	49"	RCFS4912C(L/R)M () () () () ()	\$1,790.	\$1,968.	\$2,058.	\$2,148.	\$2,719.	\$3,127.	\$4,064.
	24"	18"	49"	RCFS4913C(L/R)M () () () () ()	1,844.	2,028.	2,120.	2,212.	2,812.	3,234.	4,204.




Cabinets, hinge door with shelves&File/File	20"	18"	49"	RCFS4912Y(L/R)M () () () () ()	2,306.	2,537.	2,651.	2,767.	3,459.	3,978.	5,171.
	24"	18"	49"	RCFS4913Y(L/R)M () () () () ()	2,379.	2,617.	2,737.	2,855.	3,569.	4,105.	5,336.



Cabinets, hinge door with shelves&Box/File/File	20"	18"	49"	RCFS4912Z(L/R)M () () () () ()	2,382.	2,620.	2,740.	2,859.	3,574.	4,110.	5,343.
	24"	18"	49"	RCFS4913Z(L/R)M () () () () ()	2,460.	2,706.	2,829.	2,952.	3,690.	4,336.	5,517.



Cabinets, hinge door with shelves&wardrobe	20"	24"	49"	RCFS4932V(L/R)M () () () () ()	2,141.	2,356.	2,463.	2,570.	3,324.	3,822.	4,970.
	24"	24"	49"	RCFS4933V(L/R)M () () () () ()	2,208.	2,429.	2,539.	2,650.	3,449.	3,968.	5,117.



Cabinetry

Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18"w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18"w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18"w
49 Height	2. Lock finish	V = all shelves for 24"w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24"w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24"w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	4. Pull finish	
N Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1,V2, V3	
115 Door finish		

Applicable finishes are listed on page 5 and 6.


Cabinets Progressive

49" high, metal interior


28³/₈" high planning

Reff Profiles

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves,	20"	24"	49"	RCFS4932W(L/R)M () () () () ()	\$2,475.	\$2,722.	\$2,846.	\$2,969.	\$3,834.	\$4,409.	\$5,732.
File/File&wardrobe	24"	24"	49"	RCFS4933W(L/R)M () () () () ()	2,547.	2,802.	2,929.	3,057.	3,969.	4,564.	5,933.



Cabinets, hinge door with shelves,	20"	24"	49"	RCFS4932X(L/R)M () () () () ()	2,631.	2,894.	3,025.	3,157.	3,998.	4,598.	5,977.
Box/Box/File&wardrobe	24"	24"	49"	RCFS4933X(L/R)M () () () () ()	2,709.	2,980.	3,115.	3,251.	4,139.	4,759.	6,186.



Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock L=Drill for lock N=No lock	C = all shelves for 18"w cabinets
C Cabinet	2. Lock finish S=Silver B=Black	Y = hinge door with shelves and FF -18"w
FS Free Standing	3. Pull options Grommet	Z = hinge door with shelves BB for 18"w
49 Height	4. Pull finish Paint / Plated	V = all shelves for 24"w cabinets
1 18" Wide	5. Case finish L, V1, V2, V3	W = hinge door with shelves and FF and wardrobe for 24"w
2 20" d (nominal)	6. Door finish L, V1,V2, V3	X = hinge door with shelves and BB and wardrobe for 24"w
C Hinge door with shelves		The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge		From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior		
N Lock		
S Lock finish		
G Pull option		
115 Pull finish option		
114 Case finish		
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive

64" high, metal interior
28^{3/8}" high planning

Reff Profiles


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	20"	18"	64"	RCFS6412C(L/R)M () () () () ()	\$1,944.	\$2,137.	\$2,235.	\$2,332.	\$2,976.	\$3,423.	\$4,449.
	24"	18"	64"	RCFS6413C(L/R)M () () () () ()	2,011.	2,211.	2,312.	2,412.	3,108.	3,574.	4,646.



Cabinets, hinge door with shelves&File/File	20"	18"	64"	RCFS6412Y(L/R)M () () () () ()	2,483.	2,732.	2,856.	2,980.	3,726.	4,284.	5,569.
	24"	18"	64"	RCFS6413Y(L/R)M () () () () ()	2,621.	2,884.	3,015.	3,147.	3,933.	4,523.	5,879.



Cabinets, hinge door with shelves&Box/File/File	20"	18"	64"	RCFS6412Z(L/R)M () () () () ()	2,561.	2,817.	2,945.	3,072.	3,841.	4,417.	5,742.
	24"	18"	64"	RCFS6413Z(L/R)M () () () () ()	2,703.	2,973.	3,108.	3,243.	4,054.	4,662.	6,061.



Cabinetry

Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18"w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18"w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18"w
64 Height	2. Lock finish	V = all shelves for 24"w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24"w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24"w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	4. Pull finish	
N Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1,V2, V3	
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive


64" high, metal interior
28^{3/8}" high planning

Reff Profiles


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	64"	RCFS6432V(L/R)M () () () () ()	\$2,312.	\$2,544.	\$2,659.	\$2,776.	\$3,648.	\$4,196.	\$5,455.
	24"	24"	64"	RCFS6433V(L/R)M () () () () ()	2,396.	2,636.	2,755.	2,875.	3,826.	4,401.	5,721.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	64"	RCFS6432W(L/R)M () () () () ()	2,646.	2,911.	3,043.	3,175.	4,158.	4,782.	6,217.
	24"	24"	64"	RCFS6433W(L/R)M () () () () ()	2,806.	3,086.	3,227.	3,367.	4,411.	5,074.	6,596.



Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	64"	RCFS6432X(L/R)M () () () () ()	2,803.	3,083.	3,223.	3,363.	4,323.	4,971.	6,462.
	24"	24"	64"	RCFS6433X(L/R)M () () () () ()	2,967.	3,264.	3,412.	3,561.	4,581.	5,268.	6,848.



Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock L=Drill for lock N=No lock	C = all shelves for 18"w cabinets
C Cabinet	2. Lock finish S=Silver B=Black	Y = hinge door with shelves and FF -18"w
FS Free Standing	3. Pull options Grommet	Z = hinge door with shelves BB for 18"w
64 Height	4. Pull finish Paint / Plated	V = all shelves for 24"w cabinets
1 18" Wide	5. Case finish L, V1, V2, V3	W = hinge door with shelves and FF and wardrobe for 24"w
2 20" d (nominal)	6. Door finish L, V1,V2, V3	X = hinge door with shelves and BB and wardrobe for 24"w
C Hinge door with shelves		The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge		From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior		
N Lock		
S Lock finish		
G Pull option		
115 Pull finish option		
114 Case finish		
115 Door finish		

These products are Glue and Dowel Construction

Grommet pulls only

Shelves and file front will default to the case finish

No wardrobe option in the 18"w cabinets.

64"h cabinets are compatible with panel heights.

When case finish is Laminate, shelves are painted to match.

When case finish is wood, shelves are painted black.

Drawer interiors always painted black.

Cabinets with wardrobe come with a coat rod.


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive

68" high, metal interior
28^{3/8}" high planning

Reff Profiles

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	20"	18"	68"	RCFS6812C(L/R)M () () () () ()	\$1,965.	\$2,162.	\$2,261.	\$2,359.	\$3,046.	\$3,503.	\$4,554.
	24"	18"	68"	RCFS6813C(L/R)M () () () () ()	2,034.	2,238.	2,340.	2,441.	3,170.	3,646.	4,740.



Cabinets, hinge door with shelves&File/File	20"	18"	68"	RCFS6812Y(L/R)M () () () () ()	2,536.	2,790.	2,917.	3,044.	3,805.	4,375.	5,688.
	24"	18"	68"	RCFS6813Y(L/R)M () () () () ()	2,670.	2,938.	3,070.	3,204.	4,005.	4,606.	5,987.



Cabinets, hinge door with shelves&Box/File/File	20"	18"	68"	RCFS6812Z(L/R)M () () () () ()	2,613.	2,875.	3,006.	3,136.	3,920.	4,508.	5,861.
	24"	18"	68"	RCFS6813Z(L/R)M () () () () ()	2,751.	3,026.	3,163.	3,301.	4,126.	4,745.	6,169.



Cabinetry

Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18"w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18"w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18"w
68 Height	2. Lock finish	V = all shelves for 24"w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24"w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24"w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior	4. Pull finish	
L Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1,V2, V3	
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive


68" high, metal interior
28³/₈" high planning

Reff Profiles


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	68"	RCFS6832V(L/R)M () () () () ()	\$2,342.	\$2,576.	\$2,693.	\$2,810.	\$3,739.	\$4,300.	\$5,590.
	24"	24"	68"	RCFS6833V(L/R)M () () () () ()	2,427.	2,670.	2,791.	2,912.	3,914.	4,501.	5,851.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	68"	RCFS6832W(L/R)M () () () () ()	2,685.	2,954.	3,088.	3,222.	4,275.	4,916.	6,391.
	24"	24"	68"	RCFS6833W(L/R)M () () () () ()	2,847.	3,131.	3,274.	3,417.	4,508.	5,185.	6,740.



Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	68"	RCFS6832X(L/R)M () () () () ()	2,841.	3,125.	3,267.	3,409.	4,423.	5,086.	6,612.
	24"	24"	68"	RCFS6833X(L/R)M () () () () ()	3,009.	3,309.	3,460.	3,610.	4,678.	5,380.	6,994.



Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)M () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock L=Drill for lock N=No lock	C = all shelves for 18"w cabinets
C Cabinet	2. Lock finish S=Silver B=Black	Y = hinge door with shelves and FF -18"w
FS Free Standing	3. Pull options Grommet	Z = hinge door with shelves BB for 18"w
68 Height	4. Pull finish Paint / Plated	V = all shelves for 24"w cabinets
1 18" Wide	5. Case finish L, V1, V2, V3	W = hinge door with shelves and FF and wardrobe for 24"w
2 20" d (nominal)	6. Door finish L, V1,V2, V3	X = hinge door with shelves and BB and wardrobe for 24"w
C Hinge door with shelves		The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge		From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
M Metal interior		
L Lock		
S Lock finish		
G Pull option		
115 Pull finish option		
114 Case finish		
115 Door finish		

These products are Glue and Dowel Construction

Grommet pulls only.

Shelves and files front will default to the case finish.

68"h Cabinets are for the private offices application to align with a single high overhead, and are compatible with panel height.

No wardrobe options for 18"w cabinets.

When case finish is Laminate, shelves are painted to match.

When case finish is wood, shelves are painted black.

Drawer interiors always painted black.

Cabinets with wardrobe come with coat rod.

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive

49" high, wood interior

28³/₈" high planning

Reff Profiles


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	20"	18"	49"	RCFS4912C(L/R)W (X)(X)(X)(X)(X)	\$1,927.	\$2,120.	\$2,216.	\$2,312.	\$3,213.	\$3,695.	\$4,804.
	24"	18"	49"	RCFS4913C(L/R)W (X)(X)(X)(X)(X)	1,971.	2,168.	2,267.	2,365.	3,314.	3,811.	4,954.




Cabinets, hinge door with shelves&File/File	20"	18"	49"	RCFS4912Y(L/R)W (X)(X)(X)(X)(X)	2,765.	3,042.	3,180.	3,318.	4,147.	4,769.	6,200.
	24"	18"	49"	RCFS4913Y(L/R)W (X)(X)(X)(X)(X)	2,806.	3,086.	3,226.	3,366.	4,208.	4,839.	6,291.



Cabinets, hinge door with shelves&Box/File/File	20"	18"	49"	RCFS4912Z(L/R)W (X)(X)(X)(X)(X)	3,205.	3,526.	3,686.	3,846.	4,488.	5,160.	6,708.
	24"	18"	49"	RCFS4913Z(L/R)W (X)(X)(X)(X)(X)	3,277.	3,605.	3,769.	3,933.	4,588.	5,276.	6,859.



Cabinets, hinge door with shelves&wardrobe	20"	24"	49"	RCFS4932V(L/R)W (X)(X)(X)(X)(X)	2,272.	2,500.	2,613.	2,726.	3,803.	4,372.	5,685.
	24"	24"	49"	RCFS4933V(L/R)W (X)(X)(X)(X)(X)	2,331.	2,564.	2,680.	2,796.	3,936.	4,527.	5,840.



Cabinetry


Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)W (X)(X)(X)(X)(X)	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18"w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18"w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18"w
49 Height	2. Lock finish	V = all shelves for 24"w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24"w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24"w
C Hinge door with shelves	3. Pull options	The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge	Grommet	From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior	4. Pull finish	
L Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1,V2, V3	
115 Door finish		

Applicable finishes are listed on page 5 and 6.


Cabinets Progressive
49" high, wood interior
28³/₈" high planning

Reff Profiles

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves,	20"	24"	49"	RCFS4932W(L/R)W() () () () ()	\$3,079.	\$3,387.	\$3,540.	\$3,695.	\$4,518.	\$5,195.	\$6,754.
File/File&wardrobe	24"	24"	49"	RCFS4933W(L/R)W() () () () ()	3,086.	3,394.	3,548.	3,703.	4,596.	5,285.	6,871.



Cabinets, hinge door with shelves,	20"	24"	49"	RCFS4932X(L/R)W() () () () ()	3,476.	3,823.	3,997.	4,170.	4,908.	5,643.	7,337.
Box/Box/File&wardrobe	24"	24"	49"	RCFS4933X(L/R)W() () () () ()	3,524.	3,876.	4,052.	4,228.	5,024.	5,778.	7,512.



Order Code	Specification Information	Application Notes
Example: RCFS4912C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock L=Drill for lock N=No lock	C = all shelves for 18"w cabinets
C Cabinet	2. Lock finish S=Silver B=Black	Y = hinge door with shelves and FF -18"w
FS Free Standing	3. Pull options Grommet	Z = hinge door with shelves BB for 18"w
49 Height	4. Pull finish Paint / Plated	V = all shelves for 24"w cabinets
1 18" Wide	5. Case finish L, V1, V2, V3	W = hinge door with shelves and FF and wardrobe for 24"w
2 20" d (nominal)	6. Door finish L, V1,V2, V3	X = hinge door with shelves and BB and wardrobe for 24"w
C Hinge door with shelves		The images on this page are shown as a right hand cabinets.
L/R Left/Right hinge		From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.
W Wood interior		
L Lock		
S Lock finish		
G Pull option		
115 Pull finish option		
114 Case finish		
115 Door finish		


Applicable finishes are listed on page 5 and 6.

Cabinets Progressive


64" high, wood interior
28^{3/8}" high planning

Reff Profiles


description	d	w	h	pattern no.	L/L	LV1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	20"	18"	64"	RCFS6412C(L/R)W(X)(X)(X)(X)(X)	\$2,126.	\$2,338.	\$2,445.	\$2,551.	\$3,635.	\$4,180.	\$5,434.
	24"	18"	64"	RCFS6413C(L/R)W(X)(X)(X)(X)(X)	2,181.	2,399.	2,508.	2,617.	3,776.	4,342.	5,645.



Cabinets, hinge door with shelves&File/File	20"	18"	64"	RCFS6412Y(L/R)W(X)(X)(X)(X)(X)	3,052.	3,357.	3,509.	3,662.	4,577.	5,264.	6,843.
	24"	18"	64"	RCFS6413Y(L/R)W(X)(X)(X)(X)(X)	3,163.	3,479.	3,638.	3,796.	4,745.	5,457.	7,094.



Cabinets, hinge door with shelves&Box/File/File	20"	18"	64"	RCFS6412Z(L/R)W(X)(X)(X)(X)(X)	3,513.	3,865.	4,041.	4,216.	4,918.	5,657.	7,353.
	24"	18"	64"	RCFS6413Z(L/R)W(X)(X)(X)(X)(X)	3,661.	4,026.	4,210.	4,393.	5,125.	5,894.	7,662.



Cabinetry


Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)W(X)(X)(X)(X)(X)	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18" w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF -18" w
FS Free Standing	N=No lock	Z = hinge door with shelves BB for 18" w
64 Height	2. Lock finish	V = all shelves for 24" w cabinets
1 18" Wide	S=Silver	W = hinge door with shelves and FF and wardrobe for 24" w
2 20" d (nominal)	B=Black	X = hinge door with shelves and BB and wardrobe for 24" w
C Hinge door with shelves	3. Pull options	
L/R Left/Right hinge	Grommet	
W Wood interior	4. Pull finish	
L Lock	Paint / Plated	
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	
115 Pull finish option	6. Door finish	
114 Case finish	L, V1, V2, V3	
115 Door finish		

Applicable finishes are listed on page 5 and 6.


Cabinets Progressive
64" high, wood interior
28³/₈" high planning

Reff Profiles


description	d	w	h	pattern no.	L/L	LV1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	64"	RCFS6432V(L/R)W () () () () ()	\$2,487.	\$2,736.	\$2,860.	\$2,985.	\$4,287.	\$4,930.	\$6,409.
	24"	24"	64"	RCFS6433V(L/R)W () () () () ()	2,559.	2,815.	2,943.	3,070.	4,475.	5,146.	6,690.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	64"	RCFS6432W(L/R)W () () () () ()	3,294.	3,623.	3,787.	3,952.	5,002.	5,752.	7,478.
	24"	24"	64"	RCFS6433W(L/R)W () () () () ()	3,385.	3,723.	3,892.	4,061.	5,202.	5,981.	7,775.



Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	64"	RCFS6432X(L/R)W () () () () ()	3,690.	4,060.	4,245.	4,429.	5,392.	6,201.	8,061.
	24"	24"	64"	RCFS6433X(L/R)W () () () () ()	3,823.	4,205.	4,396.	4,588.	5,630.	6,475.	8,416.



Order Code	Specification Information	Application Notes
Example: RCFS6412C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18"w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF
FS Free Standing	N=No lock	-18"w
64 Height	2. Lock finish	Z = hinge door with shelves BB for
1 18" Wide	S=Silver	18"w
2 20" d (nominal)	B=Black	V = all shelves for 24"w cabinets
C Hinge door with shelves	3. Pull options	W = hinge door with shelves and FF
L/R Left/Right hinge	Grommet	and wardrobe for 24"w
W Wood interior	4. Pull finish	X = hinge door with shelves and BB
L Lock	Paint / Plated	and wardrobe for 24"w
S Lock finish	5. Case finish	
G Pull option	L, V1, V2, V3	The images on this page are shown
115 Pull finish option	6. Door finish	as a right hand cabinets.
114 Case finish	L, V1,V2, V3	From the users perspective, if the
115 Door finish		hinges are on the right side, the
		cabinet is classified as "right hand"
		cabinet.

Applicable finishes are listed on
page 5 and 6.


Cabinets Progressive

68" high wood interior

28³/₈" high planning

Reff Profiles

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	20"	18"	68"	RCFS6812C(L/R)W (X)(X)(X)(X)(X)	\$2,149.	\$2,363.	\$2,471.	\$2,578.	\$3,705.	\$4,260.	\$5,538.
	24"	18"	68"	RCFS6813C(L/R)W (X)(X)(X)(X)(X)	2,205.	2,426.	2,536.	2,646.	3,839.	4,415.	5,739.



Cabinets, hinge door with shelves&File/File	20"	18"	68"	RCFS6812Y(L/R)W (X)(X)(X)(X)(X)	3,104.	3,414.	3,570.	3,726.	4,657.	5,355.	6,962.
	24"	18"	68"	RCFS6813Y(L/R)W (X)(X)(X)(X)(X)	3,212.	3,533.	3,694.	3,854.	4,817.	5,540.	7,202.



Cabinets, hinge door with shelves&Box/File/File	20"	18"	68"	RCFS6812Z(L/R)W (X)(X)(X)(X)(X)	3,570.	3,927.	4,106.	4,284.	4,998.	5,747.	7,472.
	24"	18"	68"	RCFS6813Z(L/R)W (X)(X)(X)(X)(X)	3,712.	4,084.	4,269.	4,455.	5,197.	5,977.	7,770.



Cabinetry

Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)W (X)(X)(X)(X)(X)	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18"w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF
FS Free Standing	N=No lock	-18"w
68 Height	2. Lock finish	Z = hinge door with shelves BB for
1 18" Wide	S=Silver	18"w
2 20" d (nominal)	B=Black	V = all shelves for 24"w cabinets
C Hinge door with shelves	3. Pull options	W = hinge door with shelves and FF
L/R Left/Right hinge	Grommet	and wardrobe for 24"w
W Wood interior	4. Pull finish	X = hinge door with shelves and BB
L Lock	Paint / Plated	and wardrobe for 24"w
S Lock finish	5. Case finish	The images on this page are shown
G Pull option	L, V1, V2, V3	as a right hand cabinets.
115 Pull finish option	6. Door finish	From the users perspective, if the
114 Case finish	L, V1,V2, V3	hinges are on the right side, the
115 Door finish		cabinet is classified as "right hand"
		cabinet.

These products are Glue and Dowel Construction

Grommet pulls only.

Shelves and files front will default to the case finish.

68"h Cabinets are for the private offices application to align with a single high overhead, and are compatible with panel height.

No wardrobe option in the 18"w cabinets.


Cabinets with wardrobe come with a coat rod.

Applicable finishes are listed on page 5 and 6.


Cabinets Progressive
68" high wood interior
28³/₈" high planning

Reff Profiles


description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20"	24"	68"	RCFS6832V(L/R)W() () () () () ()	\$2,516.	\$2,768.	\$2,893.	\$3,019.	\$4,376.	\$5,034.	\$6,544.
	24"	24"	68"	RCFS6833V(L/R)W() () () () () ()	2,589.	2,849.	2,979.	3,108.	4,562.	5,247.	6,821.



Cabinets, hinge door with shelves, File/File&wardrobe	20"	24"	68"	RCFS6832W(L/R)W() () () () () ()	3,333.	3,666.	3,833.	3,999.	5,102.	5,867.	7,627.
	24"	24"	68"	RCFS6833W(L/R)W() () () () () ()	3,426.	3,769.	3,940.	4,111.	5,297.	6,092.	7,921.



Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20"	24"	68"	RCFS6832X(L/R)W() () () () () ()	3,730.	4,102.	4,289.	4,475.	5,492.	6,315.	8,210.
	24"	24"	68"	RCFS6833X(L/R)W() () () () () ()	3,865.	4,251.	4,443.	4,637.	5,727.	6,586.	8,561.



Order Code	Specification Information	Application Notes
Example: RCFS6812C(L/R)W () () () () ()	<i>To order please specify pattern number including:</i>	Configurations;
R Reff	1. Lock	C = all shelves for 18"w cabinets
C Cabinet	L=Drill for lock	Y = hinge door with shelves and FF
FS Free Standing	N=No lock	-18"w
68 Height	2. Lock finish	Z = hinge door with shelves BB for
1 18" Wide	S=Silver	18"w
2 20" d (nominal)	B=Black	V = all shelves for 24"w cabinets
C Hinge door with shelves	3. Pull options	W = hinge door with shelves and FF
L/R Left/Right hinge	Grommet	and wardrobe for 24"w
W Wood interior	4. Pull finish	X = hinge door with shelves and BB
L Lock	Paint / Plated	and wardrobe for 24"w
S Lock finish	5. Case finish	The images on this page are shown
G Pull option	L, V1, V2, V3	as a right hand cabinets.
115 Pull finish option	6. Door finish	From the users perspective, if the
114 Case finish	L, V1,V2, V3	hinges are on the right side, the
115 Door finish		cabinet is classified as "right hand"
		cabinet.

These products are Glue and Dowel Construction

Grommet pulls only.

Shelves and files front will default to the case finish.

68"h Cabinets are for the private offices application to align with a single high overhead, and are compatible with panel height.

No wardrobe option in the 18"w cabinets.

Cabinets with wardrobe come with a coat rod.

Applicable finishes are listed on page 5 and 6.

Desktop Towers


28³/₈" high planning

Single Wide, 42" and 56" High Bookcase

description	w	d	h	pattern no.	L	V1	V2	V3
42"h Desk top tower, single width bookcase open wood shelves	16"	15"	42"	RDTSBWT142() ()	\$1,190.	\$2,040.	\$2,346.	\$3,050.
	19"	15"	42"	RDTSBWG142() ()	1,221.	2,092.	2,405.	3,127.



56"h Desk top tower, single width bookcase open wood shelves	16"	15"	56"	RDTSBWT156() ()	1,376.	2,360.	2,714.	3,528.
	19"	15"	56"	RDTSBWG156() ()	1,411.	2,418.	2,781.	3,615.



Order Code	Specification Information	Application Notes
Example: RDTSBWT142() ()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 1/2" worksurface.
R Reff	Left or right hand as applicable and embedded in the pattern number.	
DT Reff Desktop Tower		
S Single width		Shelves to match case finish.
B Bookcase	1. Case finish type	Shelves on single height available with 2 adjustable shelves.
W Wood Shelves	L = Laminate	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
T Letter width 16" nominal	1 = V1	
1 Letter depth 15" nominal	2 = V2	
42 42" high nominal	3 = V3	
V2 Case finish type	2. Case finish	
V316 Case finish		
AU Door frame finish		
GL11 Door glass finish		

42"h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56"h desk top tower for use with double tier overhead bridges and floor standing cabinet.

Hinge doors feature no pulls only touch latch.

These products are Glue and Dowel Construction

Desktop Towers

28³/₈" high planning

Single Wide, 42" and 56" High

Wood Hinge Door

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
42"h Desk top tower, single width	16"	15"	42"	RDTSHTW142(L/R) () () () () ()	\$1,548.	\$1,703.	\$1,780.	\$1,935.	\$2,653.	\$3,052.	\$3,968.
wood shelves behind wood hinge door	19"	15"	42"	RDTSHTWG142(L/R) () () () () ()	1,591.	1,751.	1,830.	1,990.	2,728.	3,138.	4,079.



56"h Desk top tower, single width	16"	15"	56"	RDTSHTW156(L/R) () () () () ()	1,764.	1,941.	2,135.	2,348.	3,025.	3,478.	4,523.
wood shelves behind wood hinge door	19"	15"	56"	RDTSHTWG156(L/R) () () () () ()	1,814.	1,995.	2,194.	2,413.	3,109.	3,575.	4,647.



Order Code	Specification Information	Application Notes
Example: RDTSHTW142 () ()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 1/2" worksurface.
R Reff	Left or right hand as applicable and embedded in the pattern number.	Shelves to match case finish.
DT Reff Desktop Tower	1. Case finish type	Shelves on single wide available with 2 adjustable shelves.
S Single width	L = Laminate	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
H Hinge Door	1 = V1	
W Wood Shelves	2 = V2	
T Letter width 16" nominal	3 = V3	
1 Letter depth 15" nominal	2. Front finish type	
42 42" high nominal	L = Laminate	
2 Finish type	1 = V1	
T Pull option	2 = V2	
L Lock option	3 = V3	
B Lock finish	3. Pull option=Painted and plated	
V316 Case finish	B=Blank (no drilling)	
V316 Front finish	F=Bar pull	
111 Pull finish	H=Outline pull	
	N=No pull, touch latch	
	R=Cylinder pull	
	T=Tab pull	
	4. Lock option L or N	
	5. Lock finish	
	B=Black	
	S=Matte Silver	
	6. Case finish= *V316	
	7. Front finish=V316	
	8. Pull finish=111	

Desktop Towers
 28^{3/8}" high planning
 Single Wide, 42" and 56" High
 Glass hinge door

description	w	d	h	pattern no.	L	V1	V2	V3
42"h Desk top tower, single width bookcase open wood shelves	16"	15"	42"	RDTSJWT142(L/R)() () ()	\$2,211.	\$2,875.	\$3,306.	\$4,298.
	19"	15"	42"	RDTSJWT142(L/R)() () ()	2,304.	2,995.	3,444.	4,516.



56"h Desk top tower, single width bookcase open wood shelves	16"	15"	56"	RDTSJWT156(L/R)() () ()	2,560.	3,327.	3,826.	4,975.
	19"	15"	56"	RDTSJWT156(L/R)() () ()	2,673.	3,474.	3,995.	5,194.




Order Code	Specification Information	Application Notes
Example: RDTSJWT142 () () ()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ^{3/8} " desk height planning and 1 1/2" worksurface.
R Reff	Left or right hand as applicable and embedded in the pattern number.	
DT Reff Desktop Tower		
S Single width		Shelves to match case finish.
G Hinge glass door	1. Case finish type	Shelves on single height available with 2 adjustable shelves.
W Wood Shelves	L = Laminate	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
T Letter width 16" nominal	1 = V1	
1 Letter depth 15" nominal	2 = V2	
42 42" high nominal	3 = V3	
L Left / Right hand	2. Case finish V316	
2 Case finish type	3. Door frame ypte=Anodized / Painted	
V316 Case finish	4. Door glass finish = G111/18/15.	
AU Door frame finish		
GL11 Door glass finish		

Desktop Towers
28³/₈" high planning
Double Wide, 42" and 56" High
Bookcase

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
42"h Desk top tower, double width bookcase / open shelves	30"	15"	42"	RDTDBW3142()	\$1,810.	\$2,895.	\$3,329.	\$4,328.
	36"	15"	42"	RDTDBW6142()	1,861.	2,979.	3,425.	4,453.



56"h Desk top tower, double width bookcase / open shelves	30"	15"	56"	RDTDBW3156()	2,160.	3,455.	3,974.	5,165.
	36"	15"	56"	RDTDBW6156()	2,219.	3,549.	4,082.	5,307.

Order Code	Specification Information	Application Notes
Example: RDTDBW3142()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 1/2" worksurface.
R Reff	Left or right hand as applicable and embedded in the pattern number.	
DT Reff Desktop Tower		
D Double width	1. Case finish type	Shelves to match case finish.
B Bookcase	L = Laminate	
W Wood Shelves	1 = V1	Shelves with door option on single height available with 2 adjustable shelves.
3 30" wide	2 = V2	
1 Letter depth 15" nominal	3 = V3	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
42 42" high nominal	2. Case finish V316	
2 Case finish type	3. Pull option Plated / Painted	
V316 Case finish	4. Lock option L, N	
	5. Lock finish	
	S=Matte Silver	
	B=Black	
	6. Case finish V316	
	7. Front finish V313	
	8. Pull finish 111	

42"h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56"h desk top tower for use with double tier overhead bridges and floor standing cabinet.


Hinge doors feature no pulls only touch latch.

These products are Glue and Dowel Construction


Desktop Towers
28³/₈" high planning
Double Wide, 42" and 56" High
Wood shelves behind doors

Reff Profiles

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
42"h Desk top tower, double width	30"	15"	42"	RDTDHW3142 () () () () ()	\$2,125.	\$2,444.	\$2,550.	\$2,763.	\$3,400.	\$3,910.	\$5,083.
wood shelves behind wood hinge door	36"	15"	42"	RDTDHW6142 () () () () ()	2,206.	2,537.	2,647.	2,869.	3,530.	4,059.	5,278.



56"h Desk top tower, double width	30"	15"	56"	RDTDHW3156 () () () () ()	2,458.	2,704.	2,975.	3,271.	3,933.	4,523.	5,879.
wood shelves behind wood hinge door	36"	15"	56"	RDTDHW6156 () () () () ()	2,571.	2,827.	3,111.	3,422.	4,113.	4,730.	6,149.



Order Code	Specification Information	Application Notes
Example: RDTDHW3142 () ()	<i>To order please specify pattern number including:</i>	Heights to work with 28 ³ / ₈ " desk height planning and 1 1/2" worksurface.
RDT Reff Desktop Tower	Left or right hand as applicable and embedded in the pattern number.	
D Double width		Shelves to match case finish.
H Hinge door wood	1. Case finish type	56"h desk top tower for use with double tier overhead bridges and floor standing cabinet.
W Wood Shelves	L = Laminate	
3 30" wide	1 = V1	
1 Letter depth 15" nominal	2 = V2	
42 42" high nominal	3 = V3	
L Left/ Right hand option	2. Case finish V316	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
V2 Case finish type	3. Pull option:	
V2 Font finish type	B=No pull	
F Pull option	F=Bar pull	
L Lock option doors	H=Outline pull	
B Lock finish	R=Cylinder pull	
V316 Case finish	T=Tab pull	
V316 Front finish	4. Lock option L, N	
111 Pull finish	5. Lock finish	
	S=Matte Silver	
	B=Black	
	6. Case finish V316	
	7. Front finish V313	
	8. Pull finish 111	

42"h desk top towers for use with single tier overhead bridges and floorstanding cabinet.


56"h desk top tower for use with double tier overhead bridges and floor standing cabinet.

Hinge doors feature no pulls only touch latch.

These products are Glue and Dowel Construction


Desktop Towers
 28^{3/8}" high planning
 Double Wide, 42" and 56" High
 Asymmetrical, with Glass door

description	w	d	h	pattern no.	L	V1	V2	V3
Desk top tower, double width -Asymmetrical	30"	15"	42"	RDTAGW3142(L/R)() () ()	\$2,951.	\$3,836.	\$4,411.	\$5,735.
Split glass hinged door / open shelves all wood	30"	15"	56"	RDTAGW3156(L/R)() () ()	3,501.	4,552.	5,234.	6,805.
	36"	15"	42"	RDTAGW6142(L/R)() () ()	3,144.	4,086.	4,699.	6,109.
	36"	15"	56"	RDTAGW6156(L/R)() () ()	3,750.	4,875.	5,606.	7,288.




Left hand Desktop Tower shown. Hinged off
 of the center gable.

Desk top tower, double width -Asymmetrical	30"	15"	42"	RDTAGG3142(L/R)() () ()	2,829.	3,678.	4,230.	5,499.
Split glass hinged door / open shelves all glass	30"	15"	56"	RDTAGG3156(L/R)() () ()	3,320.	4,316.	4,964.	6,452.
	36"	15"	42"	RDTAGG6142(L/R)() () ()	3,022.	3,928.	4,519.	5,873.
	36"	15"	56"	RDTAGG6156(L/R)() () ()	3,569.	4,639.	5,335.	6,936.



Left hand Desktop Tower shown. Hinged off
 of the center gable.

Desk top tower, double width	30"	15"	42"	RDTDGW3142() () () () ()	3,712.	4,455.	5,123.	6,660.
wood shelves behind glass hinge door	30"	15"	56"	RDTDGW3156() () () () ()	4,282.	5,138.	5,908.	7,681.
	36"	15"	42"	RDTDGW6142() () () () ()	3,873.	4,647.	5,345.	6,948.
	36"	15"	56"	RDTDGW6156() () () () ()	4,560.	5,471.	6,292.	8,180.



Order Code	Specification Information	Application Notes
Example: RDTAGW3142	<i>To order please specify pattern number including:</i>	Heights to work with 28 ^{3/8} " desk height planning and 1 1/2" worksurface.
RDT Reff Desktop Tower	Left or right hand as applicable and embedded in the pattern number.	Shelves to match case finish.
A Asymmetrical split		Shelves on single height available with 2 adjustable shelves.
G Hinge door glass	1. Case finish type	Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.
W Wood Shelves	L = Laminat	
3 30" wide nominal	1 = V1	
1 Letter depth 15" nominal	2 = V2	
42 42" high nominal	3 = V3	
(L) Left / Right hand option	2. Case finish V316	
V2 Case finish type	3. Door finish type, Plated / Painted	
V316 Case finish	4. Door glass finish = GL11/18/15.	
AU Door frame finish	For desk top with open shelves, all glass	
GL11 Door glass finish	5. Shelf, glass finish:	
	GL35 - Grey	
	GL85 - Star clear	

42"h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56"h desk top tower for use with double tier overhead bridges and floor standing cabinet.

Hinge glass doors feature no pulls only touch latch.


Desk top tower backs.

These products are Glue and Dowel Construction.

From users perspective, the open shelves' location determines handedness.
 ie. Right hand - open shelves on right hand


Desktop Towers
 28^{3/8}" high planning
 Double Wide, 42" and 56" High
 Asymmetrical with mix casing

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Desk top tower, double width -Asymmetrical	30"	15"	42"	RDTAHW3142(L/R) () () () () ()	\$2,254.	\$2,478.	\$2,591.	\$2,704.	\$3,447.	\$3,964.	\$5,154.
Split hinged door / open shelves all wood	30"	15"	56"	RDTAHW3156(L/R) () () () () ()	2,631.	2,893.	3,025.	3,157.	4,024.	4,628.	6,017.
	36"	15"	42"	RDTAHW6142(L/R) () () () () ()	2,341.	2,575.	2,691.	2,809.	3,581.	4,118.	5,354.
	36"	15"	56"	RDTAHW6156(L/R) () () () () ()	2,748.	3,023.	3,161.	3,298.	4,205.	4,836.	6,287.



Left hand Desktop Tower shown. Hinged off of the center gable.

Desk top tower, double width -Asymmetrical	30"	15"	42"	RDTAHG3142(L/R) () () () () ()	2,439.	2,664.	2,777.	2,889.	3,633.	4,150.	5,340.
Split hinged door / open shelves all glass	30"	15"	56"	RDTAHG3156(L/R) () () () () ()	2,909.	3,171.	3,303.	3,435.	4,302.	4,906.	6,295.
	36"	15"	42"	RDTAHG6142(L/R) () () () () ()	2,527.	2,760.	2,877.	2,994.	3,767.	4,303.	5,539.
	36"	15"	56"	RDTAHG6156(L/R) () () () () ()	3,026.	3,301.	3,439.	3,576.	4,484.	5,114.	6,565.



Left hand Desktop Tower shown. Hinged off of the center gable.


Order Code	Specification Information	Application Notes
Example: RDTAHW3142(L/R) () () () () ()	<i>To order please specify pattern number including:</i> Left or right hand as applicable and embedded in the pattern number.	Heights to work with 28 ^{3/8} " desk height planning and 1 ^{1/2} " worksurface.
RDT Reff Desktop Tower		Shelves to match case finish.
A Asymmetrical split	1. Case finish type: L, V1, V2, V3	56"h desk top tower for use with double tier overhead bridges and floor standing cabinet.
H Hinge door wood	2. Front finish type: L, V1, V2, V3	
W Wood Shelves	3. Pull option: B=No pull F=Bar pull H=Outline pull N=No pull, touch latch R=Cylinder pull T=Tab pull	Hinge doors feature <u>no</u> pulls only touch latch.
3 30" wide nominal	4. Lock option: L, N	These products are Glue and Dowel Construction.
1 Letter depth 15" nominal	5. Lock finish: B=Black S=Matte Silver	From users perspective, the open shelves' location determines handedness. ie. Right hand - open shelves on right hand
42 42" high nominal	6. Case finish: V316	
L Left / Right hand option	7. Front finish: V316	
V2 Case finish type	8. Pull finish: Painted or Plated	
V2 Front finish type		
F Pull option		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		
111 Pull finish		

Overhead, 26 1/2" planning


Wall hung, Single high

Reff Profiles

description	h	w	d	locks req'd	doors	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet (open) with back	19"	30"	15"			ROMO30S0 (-)()	\$1,782.	\$1,845.	\$2,120.	\$2,860.
	19"	36"	15"			ROMO36S0 (-)()	1,828.	1,892.	2,174.	2,934.
	19"	42"	15"			ROMO42S0 (-)()	1,875.	1,941.	2,230.	3,011.
	19"	48"	15"			ROMO48S0 (-)()	1,927.	1,988.	2,292.	3,093.
	19"	60"	15"			ROMO60S0 (-)()	2,127.	2,197.	2,529.	3,413.
	19"	72"	15"			ROMO72S0 (-)()	2,245.	2,326.	2,673.	3,607.



Wall-hung overhead cabinet (hinged door) with back	19"	30"	15"	1	2	ROMH30S0 (-)()	2,591.	2,678.	3,076.	4,154.
	19"	36"	15"	1	2	ROMH36S0 (-)()	2,758.	2,854.	3,281.	4,429.
	19"	60"	15"	2	4	ROMH60S0 (-)()	3,098.	3,201.	3,683.	4,973.
	19"	72"	15"	2	4	ROMH72S0 (-)()	3,278.	3,389.	3,899.	5,262.



Wall-hung overhead cabinet flip door) with back	19"	30"	15"	1	1	ROMF30S0 (-)()	1,898.	1,963.	2,256.	3,047.
	19"	36"	15"	1	1	ROMF36S0 (-)()	2,021.	2,090.	2,404.	3,246.
	19"	42"	15"	1	1	ROMF42S0 (-)()	2,139.	2,217.	2,548.	3,440.
	19"	48"	15"	1	1	ROMF48S0 (-)()	2,265.	2,341.	2,692.	3,635.
	19"	60"	15"	2	2	ROMF60S0 (-)()	2,497.	2,583.	2,969.	4,010.
	19"	72"	15"	2	2	ROMF72S0 (-)()	2,642.	2,732.	3,142.	4,242.

Order Code	Specification Information	Application Notes
Example: ROMO30S0	<i>To order please specify pattern number including:</i>	
R Reff	1. Configuration option (<i>embedded in pattern no.</i>)	4. Pull Options:
O Overhead	<i>H = Hinged door</i>	D = Metal D-pull for hinged door only
M Wall hung	<i>O = Open</i>	J = Routed pull
O Open	<i>F = Flip door</i>	C = Nickel finish C-pull for hinged door only (nickel finish only)
30 30" wide	2. Storage option (<i>embedded in pattern no.</i>)	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)
S Standard height, 19"h	<i>S0 = 19"h x 14"d open/15"d hinged door</i>	5. Lock options:
0 15" deep	3. Finish type	L = Lock hole drilled
	4. Pull option <i>applicable hinged doors only</i>	N = No lockdrilling
	5. Lock option	
	6. Finish, case	8. Refer to page 560 for keying instructions.
	7. Finish, pull when applicable	Applicable finishes are listed on page 5 and 6.
	8. Keying instructions	Sliding rails order separately on page 0.
	*After specifying product code, provide keying instructions.	
	Dimensions are nominal.	
	Product not available where prices do not appear.	
	3. <i>Finish type options:</i>	
	L = Laminare	
	1 = V1 techwood	
	2 = V2 conventional veneer	
	3 = V3 exotic veneer	

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

D-Pulls are not available for flip door units.

Hardware included for overhead cabinets.

The manufacturer does not take responsibility for the installation or the security of cabinets to the wall.

***Keying instructions must accompany all cabinet orders.**

Panel-hung overheads come with no backs.



Random keys are factory installed.

Order overheads with a KnollKey order form.

Overhead, 26 1/2" planning

Panel hung, Single high

Reff Profiles

description	h	w	d	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead cabinet (open) no back 	19"	30"	14"			ROPO30S0(-)(-)(-)	\$1,278.	\$1,319.	\$1,517.	\$2,049.
	19"	36"	14"			ROPO36S0(-)(-)(-)	1,564.	1,616.	1,859.	2,510.
	19"	42"	14"			ROPO42S0(-)(-)(-)	1,718.	1,777.	2,045.	2,760.
	19"	48"	14"			ROPO48S0(-)(-)(-)	1,782.	1,840.	2,118.	2,858.
	19"	60"	14"			ROPO60S0(-)(-)(-)	1,820.	1,883.	2,168.	2,927.
	19"	72"	14"			ROPO72S0(-)(-)(-)	2,232.	2,305.	2,652.	3,579.
	19"	90"	14"			ROPO90S0(-)(-)(-)	2,456.	2,537.	2,917.	3,939.
	19"	96"	14"			ROPO96S0(-)(-)(-)	2,545.	2,631.	3,024.	4,083.
	23"	60"	14"			ROPO60T0(-)(-)(-)	1,945.	2,013.	2,314.	3,123.
	23"	72"	14"			ROPO72T0(-)(-)(-)	2,652.	2,745.	3,155.	4,261.
	23"	90"	14"			ROPO90T0(-)(-)(-)	3,011.	3,110.	3,577.	4,831.
	23"	96"	14"			ROPO96T0(-)(-)(-)	3,120.	3,225.	3,710.	5,009.
Panel-hung overhead cabinet (hinged door) no back 	19"	30"	14"	1	2	ROPH30S0(-)(-)(-)	1,419.	1,464.	1,682.	2,271.
	19"	36"	14"	1	2	ROPH36S0(-)(-)(-)	1,733.	1,793.	2,065.	2,787.
	19"	60"	14"	2	4	ROPH60S0(-)(-)(-)	2,023.	2,091.	2,405.	3,248.
	19"	72"	14"	2	4	ROPH72S0(-)(-)(-)	2,479.	2,565.	2,949.	3,982.
	19"	90"	14"	3	6	ROPH90S0(-)(-)(-)	2,730.	2,819.	3,242.	4,375.
	19"	96"	14"	3	6	ROPH96S0(-)(-)(-)	2,826.	2,920.	3,362.	4,538.
	23"	60"	14"	2	4	ROPH60T0(-)(-)(-)	2,165.	2,237.	2,574.	3,476.
	23"	72"	14"	2	4	ROPH72T0(-)(-)(-)	2,947.	3,049.	3,504.	4,731.
	23"	90"	14"	3	6	ROPH90T0(-)(-)(-)	3,342.	3,457.	3,971.	5,361.
	23"	96"	14"	3	6	ROPH96T0(-)(-)(-)	3,468.	3,583.	4,120.	5,563.

Order Code	Specification Information	Application Notes
Example: ROPH60S0DLL	<i>To order please specify pattern number including:</i>	Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.
R Reff	1. Configuration option (<i>embedded in pattern no.</i>) <i>H = Hinged door</i> <i>O = Open</i> <i>F = Flip door</i>	Open cabinets require no locks.
O Overhead	2. Storage option (<i>embedded in pattern no.</i>) <i>S0 = 19"h x 14"d open/15"d hinged door</i> <i>T0 = 23"h x 14"d open/15"d hinged door</i>	Tasklights are not included.
P Panel hung	3. Finish type	D-Pulls are not available for flip door units.
H Hinge door	4. Pull option <i>applicable hinged doors only</i>	Hardware included for overhead cabinets.
60 60" wide	5. Lock option	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
S Standard height, 19"h	6. Finish, case	A certified building contractor should be consulted.
0 15" deep	7. Finish, pull when applicable	Please refer to wall mounting information on page 529.
D D-pull	8. Keying instructions	*Keying instructions must accompany all cabinet orders.
L Lock hole drilled	*After specifying product code, provide keying instructions.	Panel-hung overheads come with no backs.
L Laminate finish	Dimensions are nominal.	Random keys are factory installed.
	Product not available where prices do not appear.	Order overheads with a KnollKey order form.
	3. <i>Finish type options:</i> L = Laminate 1 = V1 techwood 2 = V2 conventional veneer 3 = V3 exotic veneer	

4. Pull Options:

D = Metal D-pull for hinged door only
J = Routed pull
C = Nickel finish C-pull for hinged door only (nickel finish only)
S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. Lock options:

L = Lock hole drilled
N = No lockdrilling

8. Refer to page 560 for keying instructions.

Woodgrain Laminate is not available on any flip door units.



Applicable finishes are listed on page 5 and 6.

Sliding rails order separately on page 0.

Overhead, 26 1/2" planning

Panel hung, Single high

Reff Profiles


description	h	w	d	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead flip door cabinet (no back) 	18"	30"	14"	1	1	ROPF30S0J-() ()	\$1,066.	\$1,400.	\$1,608.	\$2,171.
	18"	36"	14"	1	1	ROPF36S0J-() ()	1,084.	1,424.	1,640.	2,213.
	18"	42"	14"	1	1	ROPF42S0J-() ()	1,160.	1,527.	1,757.	2,373.
	18"	48"	14"	1	1	ROPF48S0J-() ()	1,203.	1,588.	1,825.	2,465.
	18"	60"	14"	2	2	ROPF60S0J-() ()	1,397.	1,836.	2,114.	2,854.
	18"	72"	14"	2	2	ROPF72S0J-() ()	1,651.	2,173.	2,497.	3,370.
	18"	84"	14"	2	2	ROPF84S0J-() ()	1,845.	2,427.	2,790.	3,768.
	18"	96"	14"	2	2	ROPF96S0J-() ()	1,967.	2,589.	2,980.	4,021.
Panel-hung shelves 	9"	30"	13"			ROPS30S0NN-()	286.	590.	678.	916.
	9"	36"	13"			ROPS36S0NN-()	309.	613.	705.	951.
	9"	42"	13"			ROPS42S0NN-()	335.	633.	730.	986.
	9"	48"	13"			ROPS48S0NN-()	357.	656.	752.	1,016.
	9"	54"	13"			ROPS54S0NN-()	382.	705.	809.	1,092.
	9"	60"	13"			ROPS60S0NN-()	408.	758.	871.	1,176.
	9"	66"	13"			ROPS66S0NN-()	432.	806.	927.	1,251.
	9"	72"	13"			ROPS72S0NN-()	456.	859.	985.	1,328.
	9"	78"	13"			ROPS78S0NN-()	481.	930.	1,069.	1,442.
	9"	84"	13"			ROPS84S0NN-()	504.	1,001.	1,153.	1,556.
	9"	90"	13"			ROPS90S0NN-()	529.	1,074.	1,234.	1,667.
	9"	96"	13"			ROPS96S0NN-()	537.	1,129.	1,301.	1,756.

Order Code	Specification Information	Application Notes
Example: ROPH60S0DLL R Reff O Overhead P Panel hung H Hinged door 60 60" wide S Standard height, 19"h 0 15" deep D D-pull L Lock hole drilled L Laminate finish	<p><i>To order please specify pattern number including:</i></p> <ol style="list-style-type: none"> Configuration option (<i>embedded in pattern no.</i>) <i>H = Hinged door</i> <i>O = Open</i> <i>F = Flip door</i> Storage option (<i>embedded in pattern no.</i>) <i>S0 = 19"h x 14"d open/15"d hinged door</i> <i>T0 = 23"h x 14"d open/15"d hinged door</i> Finish type Pull option <i>applicable hinged doors only</i> Lock option Finish, case Finish, pull when applicable Keying instructions <p>*After specifying product code, provide keying instructions.</p> <p>Dimensions are nominal.</p> <p>Product not available where prices do not appear.</p> <p>3. <i>Finish type options:</i> L = Laminate 1 = V1 techwood 2 = V2 conventional veneer 3 = V3 exotic veneer</p>	<p>4. <i>Pull Options:</i> D = Metal D-pull for hinged door only J = Routed pull C = Nickel finish C-pull for hinged door only (nickel finish only) S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)</p> <p>5. <i>Lock options:</i> L = Lock hole drilled N = No lockdrilling</p> <p>8. Refer to page 560 for keying instructions.</p> <p>Woodgrain Laminate is not available on any flip door units.</p> <p>Applicable finishes are listed on page 5 and 6.</p> <p>Sliding rails order separately on page 0.</p> <p>Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.</p> <p>Open cabinets require no locks.</p> <p>Tasklights are not included.</p> <p>D-Pulls are not available for flip door units.</p> <p>Hardware included for overhead cabinets.</p> <p>Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 529.</p> <p>*Keying instructions must accompany all cabinet orders.</p> <p>Panel-hung overheads come with no backs.</p> <p>Random keys are factory installed.</p> <p>Order overheads with a KnollKey order form.</p>


Overhead, 26 1/2" planning Workwalls

Reff Profiles

description	d	h	w	pattern no.	L	V1	V2	V3
72"h workwall overhead cabinet (open)	15"	19"	60"	ROWO60S0(-)(-)(-)	\$2,033.	\$2,123.	\$2,488.	\$3,361.
	15"	19"	72"	ROWO72S0(-)(-)(-)	2,613.	2,730.	3,192.	4,308.
	15"	19"	90"	ROWO90S0(-)(-)(-)	2,880.	3,012.	3,544.	4,783.
	15"	19"	96"	ROWO96S0(-)(-)(-)	2,949.	3,091.	3,639.	4,913.
	15"	23"	60"	ROWO60T0(-)(-)(-)	2,208.	2,305.	2,703.	3,649.
	15"	23"	72"	ROWO72T0(-)(-)(-)	2,967.	3,095.	3,615.	4,880.
	15"	23"	90"	ROWO90T0(-)(-)(-)	3,328.	3,478.	4,075.	5,502.
	15"	23"	96"	ROWO96T0(-)(-)(-)	3,397.	3,554.	4,172.	5,633.
	20"	19"	60"	ROWO60S1(-)(-)(-)	2,186.	2,282.	2,675.	3,610.
	20"	19"	72"	ROWO72S1(-)(-)(-)	2,807.	2,927.	3,421.	4,619.
	20"	19"	90"	ROWO90S1(-)(-)(-)	3,199.	3,345.	3,927.	5,301.
	20"	19"	96"	ROWO96S1(-)(-)(-)	3,273.	3,424.	4,023.	5,433.
	20"	23"	60"	ROWO60T1(-)(-)(-)	2,362.	2,464.	2,886.	3,894.
	20"	23"	72"	ROWO72T1(-)(-)(-)	3,270.	3,409.	3,975.	5,365.
	20"	23"	90"	ROWO90T1(-)(-)(-)	3,536.	3,695.	4,326.	5,840.
	20"	23"	96"	ROWO96T1(-)(-)(-)	3,610.	3,770.	4,421.	5,968.



72"h workwall overhead cabinet (hinged door)	15"	19"	60"	ROWH60S0(-)(-)(-)	2,623.	2,734.	3,193.	4,310.
	15"	19"	72"	ROWH72S0(-)(-)(-)	3,362.	3,499.	4,081.	5,509.
	15"	19"	90"	ROWH90S0(-)(-)(-)	3,732.	3,899.	4,562.	6,157.
	15"	19"	96"	ROWH96S0(-)(-)(-)	3,836.	4,006.	4,695.	6,337.
	15"	23"	60"	ROWH60T0(-)(-)(-)	2,844.	2,963.	3,459.	4,669.
	15"	23"	72"	ROWH72T0(-)(-)(-)	3,806.	3,960.	4,607.	6,221.
	15"	23"	90"	ROWH90T0(-)(-)(-)	4,294.	4,475.	5,227.	7,056.
	15"	23"	96"	ROWH96T0(-)(-)(-)	4,396.	4,586.	5,360.	7,236.
	20"	19"	60"	ROWH60S1(-)(-)(-)	2,816.	2,933.	3,424.	4,623.
	20"	19"	72"	ROWH72S1(-)(-)(-)	3,603.	3,750.	4,366.	5,894.
	20"	19"	90"	ROWH90S1(-)(-)(-)	4,136.	4,315.	5,038.	6,802.
	20"	19"	96"	ROWH96S1(-)(-)(-)	4,239.	4,422.	5,173.	6,983.
	20"	23"	60"	ROWH60T1(-)(-)(-)	3,039.	3,164.	3,686.	4,977.
	20"	23"	72"	ROWH72T1(-)(-)(-)	4,184.	4,351.	5,057.	6,828.
	20"	23"	90"	ROWH90T1(-)(-)(-)	4,558.	4,748.	5,538.	7,478.
	20"	23"	96"	ROWH96T1(-)(-)(-)	4,658.	4,855.	5,671.	7,656.



60"w and 72"w units have four hinged doors, two lock cores required.
90"w and 96"w have six hinged doors, three lock cores required.

Order Code	Specification Information	Application Notes
Example: ROWO60S0L	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	1. Configuration option	Open cabinets require no locks.
O Overhead	2. Storage option (<i>embedded in pattern no.</i>)	Tasklights not included.
W Workwall	<i>S0 = 19"h x 15"d</i>	Tackboard included, fabric railroaded.
O Open	<i>S1 = 19"h x 20"d</i>	Locks are not factory installed.
60 60" wide	<i>T0 = 23"h x 15"d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
S Standard height	<i>T1 = 23"h x 20"d</i>	Applicable finishes are listed on page 5 and 6.
O 15" deep	3. Finish type	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
L Laminate finish	4. Pull option for hinged door only.	List price for woodgrain laminate options will be current published laminate list price plus 10%.
(W250) Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	*After specifying product code, provide keying instructions.1.	
	<i>Configuration options:</i>	
	O = Open	
	H = Hinged door	
	3. <i>Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	4. <i>Pull Options:</i>	
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. <i>Lock options:</i>	
	L = Lockhole drilled	
	N = No lock drilling	
	<i>Keying instructions *</i>	
	See Planning Guide for keying examples.	


Overhead, 26 1/2" planning Shoulders

Reff Profiles

description	d	h	w	pattern no.	L	V1	V2	V3
Workwall support endpanels for 72"H x 20"D workwall cabinets	15"	19"	–	RWEA7220(L/R)-()	\$379.	\$390.	\$448.	\$605.
	15"	23"	–	RWEB7220(L/R)-()	379.	390.	448.	605.
	20"	19"	–	RWEC7220(L/R)-()	379.	390.	448.	605.
	20"	23"	–	RWED7220(L/R)-()	379.	390.	448.	605.



Workwall support endpanels for 72"H x 24"D workwall cabinets	15"	19"	–	RWEA7224(L/R)-()	412.	427.	490.	662.
	15"	23"	–	RWEB7224(L/R)-()	412.	427.	490.	662.
	20"	19"	–	RWEC7224(L/R)-()	412.	427.	490.	662.
	20"	23"	–	RWED7224(L/R)-()	412.	427.	490.	662.




Order Code	Specification Information	Application Notes
Example: ROWO60S0L	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	1. Configuration option	Open cabinets require no locks.
O Overhead	2. Storage option (<i>embedded in pattern no.</i>)	Tasklights not included.
W Workwall	<i>S0 = 19"h x 15"d</i>	Tackboard included, fabric railroaded.
O Open	<i>S1 = 19"h x 20"d</i>	Locks are not factory installed.
60 60" wide	<i>T0 = 23"h x 15"d</i>	If attaching workwall to 72" high cabinets for support, please provide drawing of layout.
S Standard height	<i>T1 = 23"h x 20"d</i>	Applicable finishes are listed on page 5 and 6.
0 15" deep	3. Finish type	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
L Laminate finish	4. Pull option for hinged door only.	List price for woodgrain laminate options will be current published laminate list price plus 10%.
(W250) Fabric finish Regency	5. Lock option	
	6. Finish	
	7. Pull finish when applicable	
	8. Fabric for tackboard	
	*After specifying product code, provide keying instructions.1.	
	<i>Configuration options:</i>	
	O = Open	
	H = Hinged door	
	3. <i>Finish type:</i>	
	L = Laminate	
	1 = V1	
	2 = V2	
	3 = V3	
	4. <i>Pull Options:</i>	
	D = Metal D-pull for hinged door only	
	J = Routed pull	
	C = Nickel C-pull for hinged door only (nickel finish only)	
	S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)	
	5. <i>Lock options:</i>	
	L = Lockhole drilled	
	N = No lock drilling	
	<i>Keying instructions *</i>	
	See Planning Guide for keying examples.	

Overhead, 26 1/2" planning Use with 1 1/4" worksurfaces overdesk unit


Reff Profiles

description	d	w	h	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 1/4" worksurfaces (hinged door)	15"	60"	44 1/4"	2	4	ROAH60T0()-() ()	\$2,567.	\$3,222.	\$3,765.	\$5,083.
	15"	72"	44 1/4"	2	4	ROAH72T0()-() ()	3,253.	4,075.	4,753.	6,418.
	15"	90"	44 1/4"	3	6	ROAH90T0()-() ()	3,617.	4,535.	5,312.	7,171.
	15"	96"	44 1/4"	3	6	ROAH96T0()-() ()	3,767.	4,731.	5,546.	7,486.
	20"	60"	44 1/4"	2	4	ROAH60T1()-() ()	2,716.	3,407.	3,973.	5,362.
	20"	72"	44 1/4"	2	4	ROAH72T1()-() ()	3,434.	4,301.	5,012.	6,766.
	20"	90"	44 1/4"	3	6	ROAH90T1()-() ()	3,826.	4,799.	5,612.	7,578.
	20"	96"	44 1/4"	3	6	ROAH96T1()-() ()	3,988.	5,006.	5,859.	7,910.



For 1 1/4" worksurfaces (open)	15"	60"	44 1/4"			ROAO60T0()-() ()	1,697.	2,136.	2,518.	3,399.
	15"	72"	44 1/4"			ROAO72T0()-() ()	2,166.	2,720.	3,196.	4,315.
	15"	90"	44 1/4"			ROAO90T0()-() ()	2,370.	2,988.	3,534.	4,771.
	15"	96"	44 1/4"			ROAO96T0()-() ()	2,460.	3,105.	3,674.	4,958.
	20"	60"	44 1/4"			ROAO60T1()-() ()	1,804.	2,266.	2,665.	3,599.
	20"	72"	44 1/4"			ROAO72T1()-() ()	2,293.	2,880.	3,378.	4,562.
	20"	90"	44 1/4"			ROAO90T1()-() ()	2,515.	3,172.	3,737.	5,046.
	20"	96"	44 1/4"			ROAO96T1()-() ()	2,612.	3,298.	3,892.	5,254.

For 1 1/4" worksurfaces (flip door)	15"	60"	44 1/4"	2	2	ROAF60S0()-() ()	2,197.	2,993.	3,499.	4,725.
	15"	72"	44 1/4"	2	2	ROAF72S0()-() ()	2,609.	3,793.	4,428.	5,978.
	15"	84"	44 1/4"	2	2	ROAF84S0()-() ()	3,380.	4,324.	5,056.	6,825.
	15"	96"	44 1/4"	2	2	ROAF96S0()-() ()	3,462.	4,441.	5,211.	7,034.
	20"	60"	44 1/4"	2	2	ROAF60S1()-() ()	2,326.	3,169.	3,702.	4,999.
	20"	72"	44 1/4"	2	2	ROAF72S1()-() ()	2,756.	4,006.	4,673.	6,309.
	20"	84"	44 1/4"	2	2	ROAF84S1()-() ()	3,574.	4,573.	5,344.	7,213.
	20"	96"	44 1/4"	2	2	ROAF96S1()-() ()	3,666.	4,704.	5,513.	7,441.




Order Code	Specification Information	Application Notes
Example: ROAF60S0LJLBF118()	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	1. <i>Configuration option</i>	Open cabinets require no locks.
O Overhead	O = Open	Tasklights not included.
A For 1 1/4" top mounting	H = Hinged door	Tackboard included, fabric railroaded.
F Flip door	F = Flip door	C, D and S pulls are not available for flip door units.
60 60" wide	2. <i>Width</i>	All flip door cabinets on this page are nominal 19"H not 23"H.
S Standard height	3. <i>Storage option</i>	Open/hinge doors are nominal 23"H, actual 22 3/8".
0 15" deep	S0 = 19"h x 15"d	Locks are not factory installed.
L Finish type, laminate	S1 = 19"h x 20"d	Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
J J-pull	T0 = 23"h x 15"d	Wire manager is included and mounts adjacent to tackboard. Specify color.
L Locks included	T1 = 23"h x 20"d	
BF Cord escape, back feed	4. <i>Finish type</i>	
118 Finish, Bright White	L = Laminate	
(W250) Fabric	1 = V1	
	2 = V2	
	3 = V3	
	5. <i>Pull option for hinged door only</i>	
	D = Metal D-pull (for hinged doors only)	
	J = Routed pull	
	C = Nickel C-pull (nickel finish only, for hinged doors only)	
	S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	
	6. <i>Lock option</i>	
	L = Lockhole drilled	
	N = No lock drilling	
	7. Cord escape option	
	8. Finish	
	9. Pull finish where applicable	
	10. Fabric for tackboard	
	Woodgrain Laminate is not available on any flip door units.	
	*After specifying product code, provide keying instructions.	
	Overdesk unit will achieve 72" nominal height when used with correct top.	
	The clearance under the overhead to the top of the worksurface is approximately 21 1/4".	
	Applicable finishes are listed on page 5 and 6.	

Overhead, 26¹/₂" planning
Use with 1³/₄" worksurfaces
overdesk unit


Reff Profiles

description	d	w	he	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 ³ / ₄ " worksurfaces (hinged door)	15"	60"	43 ³ / ₄ "	2	4	ROBH60T0()-() ()	\$2,597.	\$3,256.	\$3,804.	\$5,137.
	15"	72"	43 ³ / ₄ "	2	4	ROBH72T0()-() ()	3,291.	4,120.	4,806.	6,489.
	15"	90"	43 ³ / ₄ "	3	6	ROBH90T0()-() ()	3,657.	4,589.	5,370.	7,250.
	15"	96"	43 ³ / ₄ "	3	6	ROBH96T0()-() ()	3,813.	4,785.	5,607.	7,571.
	20"	60"	43 ³ / ₄ "	2	4	ROBH60T1()-() ()	2,749.	3,441.	4,019.	5,427.
	20"	72"	43 ³ / ₄ "	2	4	ROBH72T1()-() ()	3,474.	4,350.	5,069.	6,842.
	20"	90"	43 ³ / ₄ "	3	6	ROBH90T1()-() ()	3,869.	4,855.	5,674.	7,660.
	20"	96"	43 ³ / ₄ "	3	6	ROBH96T1()-() ()	4,033.	5,062.	5,928.	8,001.



For 1 ³ / ₄ " worksurfaces (open)	15"	60"	43 ³ / ₄ "			ROBO60T0()-() ()	1,716.	2,165.	2,545.	3,434.
	15"	72"	43 ³ / ₄ "			ROBO72T0()-() ()	2,175.	2,753.	3,233.	4,363.
	15"	90"	43 ³ / ₄ "			ROBO90T0()-() ()	2,397.	3,024.	3,574.	4,825.
	15"	96"	43 ³ / ₄ "			ROBO96T0()-() ()	2,487.	3,143.	3,716.	5,017.
	20"	60"	43 ³ / ₄ "			ROBO60T1()-() ()	1,821.	2,295.	2,694.	3,638.
	20"	72"	43 ³ / ₄ "			ROBO72T1()-() ()	2,320.	2,913.	3,415.	4,609.
	20"	90"	43 ³ / ₄ "			ROBO90T1()-() ()	2,491.	3,146.	3,723.	5,026.
	20"	96"	43 ³ / ₄ "			ROBO96T1()-() ()	2,549.	3,212.	3,786.	5,111.




For 1 ³ / ₄ " worksurfaces (flip door)	15"	60"	43 ³ / ₄ "	2	2	ROBF60S0()-() ()	2,222.	3,029.	3,541.	4,780.
	15"	72"	43 ³ / ₄ "	2	2	ROBF72S0()-() ()	2,639.	3,837.	4,478.	6,046.
	15"	84"	43 ³ / ₄ "	2	2	ROBF84S0()-() ()	3,420.	4,369.	5,111.	6,901.
	15"	96"	43 ³ / ₄ "	2	2	ROBF96S0()-() ()	3,503.	4,496.	5,272.	7,117.
	20"	60"	43 ³ / ₄ "	2	2	ROBF60S1()-() ()	2,354.	3,201.	3,742.	5,052.
	20"	72"	43 ³ / ₄ "	2	2	ROBF72S1()-() ()	2,788.	4,051.	4,726.	6,380.
	20"	84"	43 ³ / ₄ "	2	2	ROBF84S1()-() ()	3,618.	4,628.	5,409.	7,303.
	20"	96"	43 ³ / ₄ "	2	2	ROBF96S1()-() ()	3,710.	4,758.	5,571.	7,521.



Order Code	Specification Information	Application Notes
Example: ROBF60S0LJLBF118()	<i>To order please specify pattern number including:</i>	Shipped knocked-down.
R Reff	1. <i>Configuration option</i>	Open cabinets require no locks.
O Overhead	O = Open	Tasklights not included.
B For 1 ³ / ₄ " top mounting	H = Hinged door	Tackboard included, fabric railroaded.
F Flip door	F = Flip door	C, D and S pulls are not available for flip door units.
60 60" wide	2. <i>Width</i>	All flip door cabinets on this page are nominal 19"H not 23"H.
S Standard height	3. <i>Storage option</i>	Open/hinge doors are nominal 23"H, actual 22 ³ / ₈ ".
0 15" deep	S0 = 19"h x 15"d	Locks are not factory installed.
L Finish type, laminate	S1 = 19"h x 20"d	Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."
J J-pull	T0 = 23"h x 15"d	Wire manager is included and mounts adjacent to tackboard. Specify color.
L Locks included	T1 = 23"h x 20"d	
BF Cord escape, back feed	4. <i>Finish type</i>	
118 Finish, Bright White	L = Laminate	
(W250) Fabric	1 = V1	
	2 = V2	
	3 = V3	
	5. <i>Pull option for hinged door only</i>	
	D = Metal D-pull (for hinged doors only)	
	J = Routed pull	
	C = Nickel C-pull (nickel finish only, for hinged doors only)	
	S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)	
	6. <i>Lock option</i>	
	L = Lockhole drilled	
	N = No lock drilling	
	7. <i>Cord escape option</i>	
	8. <i>Finish</i>	
	9. <i>Pull finish where applicable</i>	
	10. <i>Fabric for tackboard</i>	
	*After specifying product code, provide keying instructions.	
	Overdesk unit will achieve 72" nominal height when used with correct top.	
	The clearance under the overhead to the top of the worksurface is approximately 20 ³ / ₄ ".	
	Applicable finishes are listed on page 5 and 6.	
	Woodgrain Laminate is not available on any flip door units.	

Overhead, 26 1/2" planning
rectilinear worksurfaces for workwall units
1 1/4" thick


Reff Profiles

description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	RSWWA601()	\$592.	\$611.	\$700.	\$947.
	60"	24"	RSWWA602()	637.	656.	756.	1,020.
	72"	20"	RSWWA721()	644.	665.	764.	1,030.
	72"	24"	RSWWA722()	688.	713.	816.	1,102.
	90"	20"	RSWWA901()	746.	771.	887.	1,197.
	90"	24"	RSWWA902()	791.	816.	941.	1,270.
	96"	20"	RSWWA961()	847.	874.	1,005.	1,358.
	96"	24"	RSWWA962()	893.	923.	1,060.	1,431.
Waterfall edge workwall tops 	60"	20"	RSWWAWF601()	n/a	1,834.	2,110.	2,848.
	60"	24"	RSWWAWF602()	n/a	1,969.	2,266.	3,059.
	72"	20"	RSWWAWF721()	n/a	1,994.	2,294.	3,095.
	72"	24"	RSWWAWF722()	n/a	2,132.	2,454.	3,315.
	90"	20"	RSWWAWF901()	n/a	2,315.	2,663.	3,596.
	90"	24"	RSWWAWF902()	n/a	2,454.	2,824.	3,811.
	96"	20"	RSWWAWF961()	n/a	2,699.	3,017.	4,073.
	96"	24"	RSWWAWF962()	n/a	2,767.	3,183.	4,295.
Straight workwall 1 1/4" Rectangular tops with front edge profile 	60"	20"	RSWWA(A/B/C/D/E/F/G)601()	n/a	700.	809.	1,092.
	60"	24"	RSWWA(A/B/C/D/E/F/G)602()	n/a	755.	870.	1,175.
	72"	20"	RSWWA(A/B/C/D/E/F/G)721()	n/a	764.	879.	1,187.
	72"	24"	RSWWA(A/B/C/D/E/F/G)722()	n/a	817.	941.	1,270.
	90"	20"	RSWWA(A/B/C/D/E/F/G)901()	n/a	887.	1,020.	1,377.
	90"	24"	RSWWA(A/B/C/D/E/F/G)902()	n/a	940.	1,082.	1,460.
	96"	20"	RSWWA(A/B/C/D/E/F/G)961()	n/a	1,005.	1,158.	1,563.
	96"	24"	RSWWA(A/B/C/D/E/F/G)962()	n/a	1,060.	1,220.	1,646.

Order Code	Specification Information	Application Notes	
Example: RSWWA60100L	<i>To order please specify pattern number including:</i>	20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.	Applicable finishes are listed on page 5 and 6. Hardware included.
R Reff	1. Top thickness	No grommets available.	
S Straight top	2. Top finish type		
WW Workwall top	3. Top finish		
A 1 ¼" thick	1. <i>Thickness options:</i> A = 1 ¼"		
60 60" wide	2. <i>Finish type:</i> L = Laminate M = Wood/laminate mixed 1 = V1 2 = V2 3 = V3	1 ¾" thick laminate option is double post formed front and back, all others are edgebanded.	
1 20" deep			
(L) Laminate finish			
	3. Specify edge detail where applicable, for RSWWA(.). See page0 for available profiles.		
	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.		

Overhead, 26¹/₂" planning
rectilinear worksurfaces for workwall units
1³/₄" thick

Reff Profiles


description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60"	20"	RSWWB601()	\$740.	\$768.	\$881.	\$1,190.
	60"	24"	RSWWB602()	793.	825.	949.	1,281.
	72"	20"	RSWWB721()	805.	837.	963.	1,300.
	72"	24"	RSWWB722()	859.	894.	1,028.	1,388.
	90"	20"	RSWWB901()	931.	969.	1,114.	1,506.
	90"	24"	RSWWB902()	991.	1,029.	1,182.	1,597.
	96"	20"	RSWWB961()	1,057.	1,098.	1,261.	1,703.
	96"	24"	RSWWB962()	1,115.	1,159.	1,332.	1,798.

Order Code	Specification Information	Application Notes	
Example: RSWWB60100L	<i>To order please specify pattern number including:</i>	20" and 24" depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.	Applicable finishes are listed on page 5 and 6.
R	Reff		Hardware included.
S	Straight top		
WW	Workwall top		
B	1 3/4" thick		
60	60" wide		
1	20" deep		
(L)	Laminate finish		
		No grommets available.	
		1 3/4" thick laminate option is double post formed front and back, all others are edgebanded.	

Overhead, 28³/₈" planning Workwalls

Reff Profiles

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 19"h storage (open)	15"	19"	60"	75"	ROWO60S0DH () () () ()	\$2,133.	\$2,229.	\$2,613.	\$3,530.
	15"	19"	72"	75"	ROWO72S0DH () () () ()	2,745.	2,865.	3,352.	4,525.
	15"	19"	90"	75"	ROWO90S0DH () () () ()	3,026.	3,163.	3,719.	5,020.
	15"	19"	96"	75"	ROWO96S0DH () () () ()	3,098.	3,247.	3,821.	5,158.
	20"	19"	60"	75"	ROWO60S1DH () () () ()	2,296.	2,396.	2,808.	3,789.
	20"	19"	72"	75"	ROWO72S1DH () () () ()	2,947.	3,071.	3,589.	4,847.
	20"	19"	90"	75"	ROWO90S1DH () () () ()	3,359.	3,512.	4,124.	5,568.
	20"	19"	96"	75"	ROWO96S1DH () () () ()	3,439.	3,596.	4,225.	5,705.



Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118()	<i>To order please specify pattern number including:</i>	Products on this page are engineered to align with 75"h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ "h products on page 0 ; do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff	1. <i>Configuration option (embedded in pattern number)</i>	75" nominal height - actual height 75.125"
O Overhead	0 = Open	If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.
W Workwall	H = Hinged doors	Tackboard included with workwall; fabric applied railroaded.
O Open	2. <i>Storage option (embedded in pattern number)</i>	Tasklights to be ordered separately
60 60" wide	S0 = 19"h x 15"d	
S 19" storage height	S1 = 19"h x 20"d	
0 15" storage depth	T0 = 23"h x 15"d	
DH desk height, 75" height overall	T1 = 23"h x 20"d	
L Finish type, laminate	3. <i>Finish type</i>	
118 Finish, Bright White	L = laminate	
() Fabric selection	1 = V1	
	2 = V2	
	3 = V3	
	4. <i>Pull option</i>	
	(Optional hinged door configurations only)	
	D = metal D-pull (finish optional)	
	J = routed J-pull (finish matches case)	
	C = nickel finish C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	
	5. <i>Lock option</i>	
	(Optional hinged door configurations only)	
	L = drilled to accept lock	
	N = no drilling	
	6. <i>Finish</i>	
	7. <i>Optional pull finish, where applicable</i>	
	8. <i>Fabric for tackboard</i>	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 560. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
	Products on this page, shipped knocked-down.	
	Applicable finishes are listed on page 5 and 6.	


dimensions noted nominal

Overhead storage

Overhead, 28³/₈" planning Workwalls

Reff Profiles

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 23"h storage (open)	15"	23"	60"	75"	ROWO60T0DH () () () ()	\$2,321.	\$2,422.	\$2,839.	\$3,833.
	15"	23"	72"	75"	ROWO72T0DH () () () ()	3,118.	3,250.	3,797.	5,125.
	15"	23"	90"	75"	ROWO90T0DH () () () ()	3,495.	3,652.	4,280.	5,778.
	15"	23"	96"	75"	ROWO96T0DH () () () ()	3,568.	3,732.	4,382.	5,914.
	20"	23"	60"	75"	ROWO60T1DH () () () ()	2,481.	2,587.	3,031.	4,090.
	20"	23"	72"	75"	ROWO72T1DH () () () ()	3,434.	3,580.	4,172.	5,633.
	20"	23"	90"	75"	ROWO90T1DH () () () ()	3,712.	3,879.	4,544.	6,134.
	20"	23"	96"	75"	ROWO96T1DH () () () ()	3,789.	3,957.	4,642.	6,265.




Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118 ()	<i>To order please specify pattern number including:</i>	Products on this page are engineered to align with 75"h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ "h products on page 0 ; do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff	1. <i>Configuration option (embedded in pattern number)</i>	75" nominal height - actual height 75.125"
O Overhead	0 = Open	If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.
W Workwall	H = Hinged doors	Tackboard included with workwall; fabric applied railroaded.
O Open	2. <i>Storage option (embedded in pattern number)</i>	Tasklights to be ordered separately
60 60" wide	S0 = 19"h x 15"d	
S 19" storage height	S1 = 19"h x 20"d	
0 15" storage depth	T0 = 23"h x 15"d	
DH desk height, 75" height overall	T1 = 23"h x 20"d	
L Finish type, laminate	3. <i>Finish type</i>	
118 Finish, Bright White	L = laminate	
() Fabric selection	1 = V1	
	2 = V2	
	3 = V3	
	4. <i>Pull option</i>	
	(Optional hinged door configurations only)	
	D = metal D-pull (finish optional)	
	J = routed J-pull (finish matches case)	
	C = nickel finish C-pull (nickel finish only)	
	S = S-pull (stainless steel finish only)	
	5. <i>Lock option</i>	
	(Optional hinged door configurations only)	
	L = drilled to accept lock	
	N = no drilling	
	6. <i>Finish</i>	
	7. <i>Optional pull finish, where applicable</i>	
	8. <i>Fabric for tackboard</i>	
	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.	
	List price for woodgrain laminate options will be current published laminate list price plus 10%.	
	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 560. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.	
	Products on this page, shipped knocked-down.	
	Applicable finishes are listed on page 5 and 6.	

dimensions noted nominal

Overhead, 28³/₈" planning Workwalls

Reff Profiles

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 19"h storage (hinged door)	15"	19"	60"	75"	ROWH60S0DH () () () ()	\$2,754.	\$2,871.	\$3,353.	\$4,527.
	15"	19"	72"	75"	ROWH72S0DH () () () ()	3,530.	3,676.	4,286.	5,786.
	15"	19"	90"	75"	ROWH90S0DH () () () ()	3,919.	4,092.	4,788.	6,465.
	15"	19"	96"	75"	ROWH96S0DH () () () ()	4,028.	4,207.	4,930.	6,655.
	20"	19"	60"	75"	ROWH60S1DH () () () ()	2,958.	3,082.	3,596.	4,854.
	20"	19"	72"	75"	ROWH72S1DH () () () ()	3,782.	3,938.	4,585.	6,189.
	20"	19"	90"	75"	ROWH90S1DH () () () ()	4,344.	4,529.	5,290.	7,141.
	20"	19"	96"	75"	ROWH96S1DH () () () ()	4,451.	4,643.	5,431.	7,332.



60"w and 72"w units have four hinged doors, two lock cores required
90"w and 96"w units have 6 hinged doors, three lock cores required

Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118()	<i>To order please specify pattern number including:</i>	Products on this page are engineered to align with 75"h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ "h products on page 0 ; do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	6. <i>Finish</i> 7. <i>Optional pull finish, where applicable</i> 8. <i>Fabric for tackboard</i>
W Workwall	3. <i>Finish type</i> L = laminate I = V1 2 = V2 3 = V3	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 560. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Products on this page, shipped knocked-down. Applicable finishes are listed on page 5 and 6.
60 60" wide		75" nominal height - actual height 75.125"
S 19" storage height		If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.
0 15" storage depth		Tackboard included with workwall; fabric applied railroaded.
DH desk height, 75" height overall		Tasklights to be ordered separately
L Finish type, laminate		
118 Finish, Bright White		
() Fabric selection		


dimensions noted nominal

Overhead storage

Overhead, 28³/₈" planning Workwalls

Reff Profiles

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 23"h storage (hinged door)	15"	23"	60"	75"	ROWH60T0DH () () () ()	\$2,987.	\$3,111.	\$3,633.	\$4,905.
	15"	23"	72"	75"	ROWH72T0DH () () () ()	3,995.	4,157.	4,838.	6,532.
	15"	23"	90"	75"	ROWH90T0DH () () () ()	4,508.	4,699.	5,487.	7,407.
	15"	23"	96"	75"	ROWH96T0DH () () () ()	4,616.	4,815.	5,627.	7,598.
	20"	23"	60"	75"	ROWH60T1DH () () () ()	3,192.	3,323.	3,870.	5,225.
	20"	23"	72"	75"	ROWH72T1DH () () () ()	4,392.	4,570.	5,311.	7,170.
	20"	23"	90"	75"	ROWH90T1DH () () () ()	4,786.	4,985.	5,816.	7,852.
	20"	23"	96"	75"	ROWH96T1DH () () () ()	4,890.	5,099.	5,954.	8,038.



60"w and 72"w units have four hinged doors, two lock cores required
90"w and 96"w units have 6 hinged doors, three lock cores required

Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118()	<i>To order please specify pattern number including:</i>	Products on this page are engineered to align with 75"h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ "h products on page 0 ; do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	6. <i>Finish</i> 7. <i>Optional pull finish, where applicable</i> 8. <i>Fabric for tackboard</i>
W Workwall	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 560. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Products on this page, shipped knocked-down.
60 60" wide		Applicable finishes are listed on page 5 and 6.
S 19" storage height		
0 15" storage depth		
DH desk height, 75" height overall		
L Finish type, laminate		
118 Finish, Bright White		
() Fabric selection		

dimensions noted nominal

75" nominal height - actual height 75.125"

If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.

Tackboard included with workwall; fabric applied railroaded.

Tasklights to be ordered separately

Overhead, 28³/₈" planning Shoulders

Reff Profiles

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall support end panels for 75"h x 20"d workwall cabinets	15"	19"		75"	RWEA7520(L/R) () ()	\$398.	\$411.	\$470.	\$637.
	15"	23"		75"	RWEB7520(L/R) () ()	398.	411.	470.	637.
	20"	19"		75"	RWEC7520(L/R) () ()	398.	411.	470.	637.
	20"	23"		75"	RWED7520(L/R) () ()	398.	411.	470.	637.



depth and width indicate drilled to support workwall with corresponding storage dimensions

Workwall support end panels for 75"h x 24"d workwall cabinets	15"	19"		75"	RWEA7524(L/R) () ()	432.	449.	515.	695.
	15"	23"		75"	RWEB7524(L/R) () ()	432.	449.	515.	695.
	20"	19"		75"	RWEC7524(L/R) () ()	432.	449.	515.	695.
	20"	23"		75"	RWED7524(L/R) () ()	432.	449.	515.	695.



depth and width indicate drilled to support workwall with corresponding storage dimensions

Overhead shoulder	15"	68"	2"	68"	ROSSH681 () ()	379.	390.	448.	605.
	15"	82"	2"	82"	ROSDH821 () ()	412.	427.	490.	662.



*To be used with Progressive overheads

Order Code	Specification Information	Application Notes
Example: ROWO60S0DHL118 ()	<i>To order please specify pattern number including:</i>	Products on this page are engineered to align with 75"h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ "h products on page 0 ; do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	6. <i>Finish</i> 7. <i>Optional pull finish, where applicable</i> 8. <i>Fabric for tackboard</i>
W Workwall	3. <i>Finish type</i> L = laminate I = V1 2 = V2 3 = V3	Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 560. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Products on this page, shipped knocked-down. Applicable finishes are listed on page 5 and 6.
60 60" wide		
S 19" storage height		
0 15" storage depth		
DH desk height, 75" height overall		
L Finish type, laminate		
118 Finish, Bright White		
() Fabric selection		

dimensions noted nominal

75" nominal height - actual height 75.125"

If attaching workwall to 75" cabinet(s) for support, please provide drawing of layout with order.

Tackboard included with workwall; fabric applied railroaded.

Tasklights to be ordered separately

Overhead storage

Overhead, 28³/₈" planning
Use with 1¹/₄" worksurfaces
Overdesk unit

Reff Profiles

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit (for 1 ¹ / ₄ " worksurface at "desk height") O=Open	15"	60"	45 ¹ / ₂ "	ROAO60T0DH () () () ()	\$1,784.	\$2,243.	\$2,643.	\$3,570.
	15"	72"	45 ¹ / ₂ "	ROAO72T0DH () () () ()	2,273.	2,858.	3,354.	4,528.
	15"	90"	45 ¹ / ₂ "	ROAO90T0DH () () () ()	2,486.	3,138.	3,710.	5,009.
	15"	96"	45 ¹ / ₂ "	ROAO96T0DH () () () ()	2,583.	3,260.	3,856.	5,207.
	20"	60"	45 ¹ / ₂ "	ROAO60T1DH () () () ()	1,893.	2,379.	2,800.	3,778.
	20"	72"	45 ¹ / ₂ "	ROAO72T1DH () () () ()	2,408.	3,026.	3,548.	4,788.
	20"	90"	45 ¹ / ₂ "	ROAO90T1DH () () () ()	2,640.	3,330.	3,926.	5,299.
	20"	96"	45 ¹ / ₂ "	ROAO96T1DH () () () ()	2,744.	3,462.	4,087.	5,518.
Overdesk unit (for 1 ¹ / ₄ " worksurface at "desk height") H=Hinged Door	15"	60"	45 ¹ / ₂ "	ROAH60T0DH () () () ()	2,693.	3,384.	3,951.	5,334.
	15"	72"	45 ¹ / ₂ "	ROAH72T0DH () () () ()	3,417.	4,280.	4,992.	6,740.
	15"	90"	45 ¹ / ₂ "	ROAH90T0DH () () () ()	3,798.	4,763.	5,578.	7,531.
	15"	96"	45 ¹ / ₂ "	ROAH96T0DH () () () ()	3,956.	4,967.	5,822.	7,859.
	20"	60"	45 ¹ / ₂ "	ROAH60T1DH () () () ()	2,853.	3,577.	4,173.	5,635.
	20"	72"	45 ¹ / ₂ "	ROAH72T1DH () () () ()	3,607.	4,518.	5,263.	7,106.
	20"	90"	45 ¹ / ₂ "	ROAH90T1DH () () () ()	4,015.	5,038.	5,893.	7,956.
	20"	96"	45 ¹ / ₂ "	ROAH96T1DH () () () ()	4,188.	5,254.	6,154.	8,306.

60"w and 72"w hinged door units have four hinged doors, two lock cores required
90"w and 96"w hinged door units have six hinged doors, three lock cores required

Order Code	Specification Information	Application Notes
Example: ROAO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	Products on this page are engineered to align with 75"h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ "h products on page 0 ; do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 560. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
A For mounting on 1 ¹ / ₄ " thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Products on this page shipped knocked-down. Tasklights not included. Tackboard included, fabric orientation applied railroaded. Wire manager included and mounts adjacent to tackboard. Specify color.
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	
T 23"h storage		Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top. Clearance below overhead storage to top of worksurface is approximately 23 ³ / ₈ "h. Applicable finishes are listed on page 5 and 6.
0 15"d storage		
DH desk height, 75" height overall		
L Finish type, laminate		
BF Cord escape, back feed		
118 Finish, Bright White		
() Fabric selection		

dimensions noted nominal

Overhead, 28³/₈" planning
Use with 1¹/₄" worksurfaces
Overdesk unit

Reff Profiles

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit	15"	60"	45 1/2"	ROAF60S0DH () () () ()	\$2,306.	\$3,143.	\$3,676.	\$4,962.
(for 1 1/4" worksurface	15"	72"	45 1/2"	ROAF72S0DH () () () ()	2,739.	3,984.	4,650.	6,278.
at "desk height")	15"	84"	45 1/2"	ROAF84S0DH () () () ()	3,549.	4,540.	5,311.	7,170.
F=Flip door	15"	96"	45 1/2"	ROAF96S0DH () () () ()	3,636.	4,663.	5,471.	7,387.
	20"	60"	45 1/2"	ROAF60S1DH () () () ()	2,444.	3,325.	3,887.	5,247.
	20"	72"	45 1/2"	ROAF72S1DH () () () ()	2,895.	4,205.	4,907.	6,623.
	20"	84"	45 1/2"	ROAF84S1DH () () () ()	3,752.	4,802.	5,608.	7,572.
	20"	96"	45 1/2"	ROAF96S1DH () () () ()	3,850.	4,940.	5,789.	7,815.

all flip door units have two flip doors, two lock cores required
J-pull only, C, D and S pulls are not optional for flip door units

Order Code	Specification Information	Application Notes
Example: ROAO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ " h products on page 0 ; do not mix products from 26 1/2" h (standard height) planning model with 28 3/8" h (desk height) planning model in any one configuration.
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	7. <i>Finish</i> 8. <i>Optional pull finish, where applicable</i> 9. <i>Fabric for tackboard</i>
A For mounting on 1 1/4" thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Woodgrain Laminate is not available on any flip door units. Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 560. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Overdesk unit will achieve 75" nominal height - actual height 75.125", when used with correct thickness of top.
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Clearance below overhead storage to top of worksurface is approximately 23 1/8" h.
T 23" h storage		Applicable finishes are listed on page 5 and 6.
0 15" d storage		
DH desk height, 75" height overall		
L Finish type, laminate		
BF Cord escape, back feed		
118 Finish, Bright White		
() Fabric selection		

dimensions noted nominal


Overhead, 28³/₈" planning

Use with 1³/₄" worksurfaces

Overdesk unit

Reff Profiles

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit	15"	60"	45"	ROBH60T0DH () () () ()	\$2,730.	\$3,420.	\$3,995.	\$5,393.
(for 1 ³ / ₄ " worksurface	15"	72"	45"	ROBH72T0DH () () () ()	3,456.	4,329.	5,049.	6,816.
at "desk height")	15"	90"	45"	ROBH90T0DH () () () ()	3,841.	4,818.	5,639.	7,612.
H=Hinged Door	15"	96"	45"	ROBH96T0DH () () () ()	4,004.	5,027.	5,889.	7,950.
	20"	60"	45"	ROBH60T1DH () () () ()	2,886.	3,612.	4,218.	5,695.
	20"	72"	45"	ROBH72T1DH () () () ()	3,647.	4,567.	5,321.	7,183.
	20"	90"	45"	ROBH90T1DH () () () ()	4,063.	5,094.	5,960.	8,046.
	20"	96"	45"	ROBH96T1DH () () () ()	4,234.	5,316.	6,224.	8,402.



60"w and 72"w hinged door units have four hinged doors, two lock cores required
90"w and 96"w hinged door units have six hinged doors, three lock cores required

Overdesk unit	15"	60"	45"	ROBO60T0DH () () () ()	1,803.	2,272.	2,673.	3,607.
(for 1 ³ / ₄ " worksurface	15"	72"	45"	ROBO72T0DH () () () ()	2,284.	2,892.	3,394.	4,581.
at "desk height")	15"	90"	45"	ROBO90T0DH () () () ()	2,518.	3,174.	3,752.	5,066.
O=Open	15"	96"	45"	ROBO96T0DH () () () ()	2,612.	3,299.	3,905.	5,271.
	20"	60"	45"	ROBO60T1DH () () () ()	1,913.	2,407.	2,833.	3,823.
	20"	72"	45"	ROBO72T1DH () () () ()	2,434.	3,057.	3,586.	4,843.
	20"	90"	45"	ROBO90T1DH () () () ()	2,617.	3,302.	3,908.	5,276.
	20"	96"	45"	ROBO96T1DH () () () ()	2,677.	3,370.	3,975.	5,365.

Order Code	Specification Information	Application Notes
Example: ROBO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	Products on this page are engineered to align with 75"h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ "h products on page 0 ; do not mix products from 26¹/₂"h (standard height) planning model with 28³/₈"h (desk height) planning model in any one configuration.
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19"h x 15"d S1 = 19"h x 20"d T0 = 23"h x 15"d T1 = 23"h x 20"d	7. <i>Finish</i> 8. <i>Optional pull finish, where applicable</i> 9. <i>Fabric for tackboard</i>
B For mounting on 1 ³ / ₄ " thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 560. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Products on this page shipped knocked-down. Tasklights not included. Tackboard included, fabric orientation applied railroaded. Wire manager included and mounts adjacent to tackboard. Specify color.
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet". Woodgrain Laminate is not available on any flip door units.
T 23"h storage		
0 15"d storage		
DH desk height, 75" height overall		
L Finish type, laminate		
BF Cord escape, back feed		
118 Finish, Bright White		
() Fabric selection		

dimensions noted nominal


Overhead, 28³/₈" planning

Use with 1³/₄" worksurfaces

Overdesk unit

Reff Profiles

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit (for 1 ³ / ₄ " worksurface at "desk height") F=Flip door	15"	60"	45"	ROBF60S0DH () () () ()	\$2,333.	\$3,181.	\$3,717.	\$5,019.
	15"	72"	45"	ROBF72S0DH () () () ()	2,770.	4,029.	4,702.	6,348.
	15"	84"	45"	ROBF84S0DH () () () ()	3,587.	4,588.	5,366.	7,245.
	15"	96"	45"	ROBF96S0DH () () () ()	3,678.	4,720.	5,537.	7,477.
	20"	60"	45"	ROBF60S1DH () () () ()	2,471.	3,363.	3,929.	5,305.
	20"	72"	45"	ROBF72S1DH () () () ()	2,929.	4,256.	4,960.	6,697.
	20"	84"	45"	ROBF84S1DH () () () ()	3,799.	4,860.	5,676.	7,664.
	20"	96"	45"	ROBF96S1DH () () () ()	3,898.	4,993.	5,849.	7,895.



all flip door units have two flip doors, two lock cores required
J-pull only; C, D and S pulls are not optional for flip door units

Order Code	Specification Information	Application Notes
Example: ROBO60T0DHLBF118()	<i>To order please specify pattern number including:</i>	Products on this page are engineered to align with 75" h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 ³ / ₈ " h products on page 0 ; do not mix products from 26¹/₂" h (standard height) planning model with 28³/₈" h (desk height) planning model in any one configuration.
R Reff	1. <i>Configuration option (embedded in pattern number)</i> O = Open H = Hinged doors F = Flip doors	6. <i>Tasklight cord escape</i> BF = back feed FF = front feed
O Overhead	2. <i>Storage option (embedded in pattern number)</i> S0 = 19" h x 15" d S1 = 19" h x 20" d T0 = 23" h x 15" d T1 = 23" h x 20" d	7. <i>Finish</i> 8. <i>Optional pull finish, where applicable</i> 9. <i>Fabric for tackboard</i>
B For mounting on 1 ³ / ₄ " thick top	3. <i>Finish type</i> L = laminate 1 = V1 2 = V2 3 = V3	Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 560. Random locks are factory installed. Key-alike are field installed using the KnollKey order form.
O Open	4. <i>Pull option</i> (Optional hinged door configurations only) D = metal D-pull (finish optional) J = routed J-pull (finish matches case) C = nickel finish C-pull (nickel finish only) S = S-pull (stainless steel finish only)	Products on this page shipped knocked-down.
60 60" wide	5. <i>Lock option</i> (Optional hinged door configurations only) L = drilled to accept lock N = no drilling	Tasklights not included.
T 23" h storage		Tackboard included, fabric orientation applied railroaded.
0 15" d storage		Wire manager included and mounts adjacent to tackboard. Specify color.
DH desk height, 75" height overall		Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify "no grommet".
L Finish type, laminate		Woodgrain Laminate is not available on any flip door units.
BF Cord escape, back feed		
118 Finish, Bright White		
() Fabric selection		

dimensions noted nominal

Overhead storage


Overhead, 28³/₈" planning

Reff Profiles


Single high

Wall hung with and without Center Gables

description	w	d	h	cubby divider	interior gable	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet open /cubby with center gable	30"	15"	20"	1		ROMCGSHP301 () ()	\$1,213.	\$1,698.	\$1,953.	\$2,539.
	36"	15"	20"	1		ROMCGSHP361 () ()	1,251.	1,752.	2,015.	2,619.
	42"	15"	20"	2		ROMCGSHP421 () ()	1,360.	1,903.	2,190.	2,846.
	48"	15"	20"	2		ROMCGSHP481 () ()	1,414.	1,980.	2,276.	2,959.
	54"	15"	20"	2		ROMCGSHP541 () ()	1,658.	2,322.	2,671.	3,471.
	60"	15"	20"	2	1	ROMCGSHP601 () ()	1,924.	2,694.	3,098.	4,027.
	66"	15"	20"	2	1	ROMCGSHP661 () ()	1,960.	2,744.	3,155.	4,102.
	72"	15"	20"	2	1	ROMCGSHP721 () ()	1,998.	2,797.	3,218.	4,183.
	78"	15"	20"	2	1	ROMCGSHP781 () ()	2,098.	2,938.	3,378.	4,392.
	84"	15"	20"	3	2	ROMCGSHP841 () ()	2,440.	3,417.	3,928.	5,107.
	90"	15"	20"	3	2	ROMCGSHP901 () ()	2,481.	3,474.	3,995.	5,193.
	96"	15"	20"	3	2	ROMCGSHP961 () ()	2,520.	3,529.	4,058.	5,276.



Wall-hung overhead cabinet open /cubby without center gable	30"	15"	20"			ROMCSHP301 () ()	1,092.	1,529.	1,757.	2,286.
	36"	15"	20"			ROMCSHP361 () ()	1,127.	1,577.	1,813.	2,358.
	42"	15"	20"	1		ROMCSHP421 () ()	1,224.	1,713.	1,970.	2,562.
	48"	15"	20"	1		ROMCSHP481 () ()	1,273.	1,782.	2,049.	2,664.
	54"	15"	20"	1		ROMCSHP541 () ()	1,492.	2,090.	2,404.	3,124.
	60"	15"	20"		1	ROMCSHP601 () ()	1,731.	2,425.	2,788.	3,625.
	66"	15"	20"		1	ROMCSHP661 () ()	1,764.	2,470.	2,840.	3,693.
	72"	15"	20"		1	ROMCSHP721 () ()	1,798.	2,517.	2,896.	3,765.
	78"	15"	20"		1	ROMCSHP781 () ()	1,888.	2,644.	3,041.	3,953.
	84"	15"	20"		2	ROMCSHP841 () ()	2,196.	3,075.	3,536.	4,596.
	90"	15"	20"		2	ROMCSHP901 () ()	2,233.	3,127.	3,596.	4,674.
	96"	15"	20"		2	ROMCSHP961 () ()	2,268.	3,175.	3,652.	4,748.



Without center gable

Order Code	Specification Information	Application Notes
Example: ROMCGSHP301	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Finish type:	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
O Overhead	L = Laminated	A certified building contractor should be consulted.
M Wall mount	1 = V1	Please refer to wall mounting information on page 529.
CG Center Gable	2 = V2	
SH Single high	3 = V3	
P Planning	2. Case finish	Cabby Dividers: 3"h x 12"d
30 30" width		Interior Gable: 18"h x 13"d.
1 Letter depth		
2 Case finish type		
V316 V2 finish		Unfinished back

dimensions noted nominal

Single high

Wall hung with doors

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall-hung overhead cabinet hinge door, cubby concealed	30"	15"	20"	ROMHSHP301 (X)(X)(X)(X)(X)(X)	\$1,872.	\$2,058.	\$2,152.	\$2,245.	\$2,619.	\$3,013.	\$3,916.
	36"	15"	20"	ROMHSHP361 (X)(X)(X)(X)(X)(X)	1,920.	2,112.	2,207.	2,303.	2,687.	3,090.	4,018.
	42"	15"	20"	ROMHSHP421 (X)(X)(X)(X)(X)(X)	2,464.	2,710.	2,834.	2,956.	3,449.	3,967.	5,156.
	48"	15"	20"	ROMHSHP481 (X)(X)(X)(X)(X)(X)	2,529.	2,782.	2,909.	3,034.	3,541.	4,072.	5,293.
	54"	15"	20"	ROMHSHP541 (X)(X)(X)(X)(X)(X)	2,687.	2,956.	3,090.	3,224.	3,762.	4,326.	5,624.
	60"	15"	20"	ROMHSHP601 (X)(X)(X)(X)(X)(X)	3,033.	3,337.	3,489.	3,641.	4,248.	4,884.	6,350.
	66"	15"	20"	ROMHSHP661 (X)(X)(X)(X)(X)(X)	3,084.	3,392.	3,546.	3,701.	4,317.	4,965.	6,454.
	72"	15"	20"	ROMHSHP721 (X)(X)(X)(X)(X)(X)	3,135.	3,449.	3,606.	3,763.	4,390.	5,049.	6,563.
	78"	15"	20"	ROMHSHP781 (X)(X)(X)(X)(X)(X)	3,249.	3,574.	3,736.	3,899.	4,548.	5,230.	6,800.
	84"	15"	20"	ROMHSHP841 (X)(X)(X)(X)(X)(X)	4,091.	4,500.	4,704.	4,909.	5,727.	6,586.	8,561.
Wall-hung overhead cabinet hinge door, cubby exposed	90"	15"	20"	ROMHSHP901 (X)(X)(X)(X)(X)(X)	4,141.	4,555.	4,762.	4,969.	5,797.	6,667.	8,666.
	96"	15"	20"	ROMHSHP961 (X)(X)(X)(X)(X)(X)	4,195.	4,614.	4,825.	5,035.	5,873.	6,755.	8,781.
Wall-hung overhead cabinet hinge door, cubby exposed	30"	15"	20"	ROMHCSHP301 (X)(X)(X)(X)(X)(X)	1,775.	1,953.	2,041.	2,130.	2,485.	2,858.	3,715.
	36"	15"	20"	ROMHCSHP361 (X)(X)(X)(X)(X)(X)	1,822.	2,004.	2,096.	2,187.	2,551.	2,934.	3,814.
	42"	15"	20"	ROMHCSHP421 (X)(X)(X)(X)(X)(X)	2,405.	2,645.	2,766.	2,886.	3,367.	3,872.	5,033.
	48"	15"	20"	ROMHCSHP481 (X)(X)(X)(X)(X)(X)	2,500.	2,750.	2,876.	3,000.	3,500.	4,025.	5,233.
	54"	15"	20"	ROMHCSHP541 (X)(X)(X)(X)(X)(X)	2,555.	2,811.	2,939.	3,066.	3,577.	4,114.	5,348.
	60"	15"	20"	ROMHCSHP601 (X)(X)(X)(X)(X)(X)	2,837.	3,121.	3,262.	3,404.	3,972.	4,567.	5,937.
	66"	15"	20"	ROMHCSHP661 (X)(X)(X)(X)(X)(X)	2,881.	3,169.	3,312.	3,457.	4,033.	4,638.	6,030.
	72"	15"	20"	ROMHCSHP721 (X)(X)(X)(X)(X)(X)	2,931.	3,224.	3,370.	3,517.	4,104.	4,718.	6,135.
	78"	15"	20"	ROMHCSHP781 (X)(X)(X)(X)(X)(X)	2,994.	3,294.	3,443.	3,593.	4,192.	4,820.	6,267.
	84"	15"	20"	ROMHCSHP841 (X)(X)(X)(X)(X)(X)	3,781.	4,159.	4,349.	4,537.	5,293.	6,087.	7,913.
	90"	15"	20"	ROMHCSHP901 (X)(X)(X)(X)(X)(X)	3,846.	4,230.	4,423.	4,614.	5,384.	6,191.	8,049.
	96"	15"	20"	ROMHCSHP961 (X)(X)(X)(X)(X)(X)	3,895.	4,285.	4,479.	4,674.	5,454.	6,272.	8,152.


Order Code	Specification Information	Application Notes
Example: ROMHSHP301 (X)(X)(X)(X)(X)(X)	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. Front finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Fascias ordered separately
M Wall mount	3. Pull option: B=Blank, no drilling, no touch latch R=Cylinder T=Tab F=Bar H= Outline	Tasklights not included
H Hinge door	4. Lock option: N=no drilling L=locking	Tack/Task panel order separately
SH Single High	5. Lock finish: B=Black S=Matte silver	Unfinished backs
P Planning	6. Case finish: V316	Wall hung cabinets come with wall hung cleats
30 Width	7. Front finish: V316	
1 Depth (letter)	8. Pull finish: Painted or plated	
2 Case finish type		
2 Front finish type		
H Pull option		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		
PU Pull finish		

dimensions noted nominal

Overhead, 28³/₈" planning
Single high
Wall hung with glass doors

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet	30"	15"	20"	ROMGHCSHP301 () () ()	\$2,544.	\$2,773.	\$3,189.	\$4,146.
glass hinge door, cubby exposed	36"	15"	20"	ROMGHCSHP361 () () ()	2,662.	2,902.	3,336.	4,337.
	42"	15"	20"	ROMGHCSHP421 () () ()	3,413.	3,721.	4,280.	5,563.
	48"	15"	20"	ROMGHCSHP481 () () ()	3,529.	3,847.	4,424.	5,750.
	54"	15"	20"	ROMGHCSHP541 () () ()	3,780.	4,120.	4,738.	6,159.
	60"	15"	20"	ROMGHCSHP601 () () ()	4,201.	4,579.	5,266.	6,846.
	66"	15"	20"	ROMGHCSHP661 () () ()	4,328.	4,717.	5,425.	7,052.
	72"	15"	20"	ROMGHCSHP721 () () ()	4,436.	4,835.	5,560.	7,229.
	78"	15"	20"	ROMGHCSHP781 () () ()	4,622.	5,038.	5,794.	7,531.
	84"	15"	20"	ROMGHCSHP841 () () ()	5,696.	6,208.	7,139.	9,281.
	90"	15"	20"	ROMGHCSHP901 () () ()	5,765.	6,283.	7,225.	9,394.
	96"	15"	20"	ROMGHCSHP961 () () ()	5,892.	6,422.	7,386.	9,602.




Order Code	Specification Information	Application Notes
Example: ROMGHCSHP301 () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. Door frame finish: Anodized or painted	Fascias ordered separately
M Wall mount	3. Glass door finish: GL11 GL15 GL18	Tasklights not included
GHC Glass hinge door/ cubby		Tack/Task panel order separately
SH Single High		Unfinished backs
P Planning		Wall hung cabinets come with wall hung cleats
30 Width		
1 Depth (letter)		
2 Case finish type		
V316 Case finish		
AU Door frame finish		
GL11 Door glass finish		

dimensions noted nominal

Overhead, 28³/₈" planning
Single high
Wall hung with doors, open

Reff Profiles

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung overhead cabinet	60"	15"	20"	ROMHOC SHP601 () () () ()	\$2,560.	\$2,816.	\$2,944.	\$3,071.	\$3,712.	\$4,268.	\$5,549.
hinge door / open /	66"	15"	20"	ROMHOC SHP661 () () () ()	2,598.	2,857.	2,988.	3,118.	3,767.	4,332.	5,632.
cubby exposed	72"	15"	20"	ROMHOC SHP721 () () () ()	2,640.	2,905.	3,036.	3,168.	3,829.	4,402.	5,724.
	78"	15"	20"	ROMHOC SHP781 () () () ()	2,706.	2,977.	3,113.	3,248.	3,924.	4,512.	5,867.
	84"	15"	20"	ROMHOC SHP841 () () () ()	3,145.	3,459.	3,615.	3,773.	4,559.	5,243.	6,816.
	90"	15"	20"	ROMHOC SHP901 () () () ()	3,193.	3,512.	3,672.	3,832.	4,630.	5,324.	6,921.
	96"	15"	20"	ROMHOC SHP961 () () () ()	3,233.	3,557.	3,718.	3,880.	4,689.	5,391.	7,009.




Order Code	Specification Information	Application Notes
Example: ROMHOC SHP601 () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
M Wall mount	2 = V2	Tasklights not included
HOC Hinge door/Open/Cubby	3 = V3	Tack/Task panel order separately
SH Single high	2. Front finish type: L = Laminate	Unfinished backs
P Planning	1 = V1	Wall hung cabinets come with wall hung cleats
60 Width	2 = V2	Doors project below shelf for openings
1 Letter depth	3 = V3	No pull options
2 Case finish type	3. Lock option: N = no lock drilling	
2 Front finish type	L = locking	
L Locked	4. Lock finish: B=Black	
B Black lock	S=Matte silver	
V316 Case finish	5. Case finish	
V316 Front finish	6. Front finish	

dimensions noted nominal

Overhead, 28³/₈" planning
Single high
Wall hung with glass doors, open
Cubby exposed

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung overhead cabinet	60"	15"	20"	ROMGHOC SHP601 () () () () ()	\$3,142.	\$3,927.	\$4,516.	\$5,871.
glass hinge door / open /	66"	15"	20"	ROMGHOC SHP661 () () () () ()	3,216.	4,020.	4,623.	6,010.
cubby exposed	72"	15"	20"	ROMGHOC SHP721 () () () () ()	3,283.	4,104.	4,718.	6,135.
	78"	15"	20"	ROMGHOC SHP781 () () () () ()	3,374.	4,218.	4,851.	6,307.
	84"	15"	20"	ROMGHOC SHP841 () () () () ()	4,135.	4,963.	5,706.	7,419.
	90"	15"	20"	ROMGHOC SHP901 () () () () ()	4,186.	5,023.	5,777.	7,510.
	96"	15"	20"	ROMGHOC SHP961 () () () () ()	4,273.	5,127.	5,897.	7,666.



Order Code	Specification Information	Application Notes
Example: ROMGHOC SHP601 () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
M Wall mount	2 = V2	Tasklights not included
GHOC Glass hinge door/Open/Cubby	3 = V3	Tack/Task panel order separately
SH Single high	2. Front finish type: L = Laminate	Unfinished backs
P Planning	1 = V1	Wall hung cabinets come with wall hung cleats
60 Width	2 = V2	Doors project below shelf for openings
	3 = V3	No pull options
	3. Lock option: N = no lock drilling	
	L = locking	
	4. Lock finish: B=Black	
	S=Matte silver	
	5. Case finish	
	6. Front finish	

dimensions noted nominal


Overhead, 28³/₈" planning

Reff Profiles


Single high

Cabinet hung with and without Center Gables

description	w	d	h	cubby divider	interior gable	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet open /cubby with center gable	30"	15"	20"	1		ROCCGSH301()()	\$1,286.	\$1,801.	\$2,071.	\$2,692.
	36"	15"	20"	1		ROCCGSH361()()	1,323.	1,852.	2,129.	2,769.
	42"	15"	20"	2		ROCCGSH421()()	1,430.	2,002.	2,302.	2,993.
	48"	15"	20"	2		ROCCGSH481()()	1,470.	2,057.	2,366.	3,076.
	54"	15"	20"	2		ROCCGSH541()()	1,712.	2,397.	2,756.	3,583.
	60"	15"	20"	2	1	ROCCGSH601()()	1,977.	2,768.	3,183.	4,138.
	66"	15"	20"	2	1	ROCCGSH661()()	2,011.	2,814.	3,236.	4,208.
	72"	15"	20"	2	1	ROCCGSH721()()	2,050.	2,870.	3,299.	4,289.
	78"	15"	20"	2	1	ROCCGSH781()()	2,133.	2,986.	3,434.	4,464.
	84"	15"	20"	3	2	ROCCGSH841()()	2,472.	3,462.	3,981.	5,175.
	90"	15"	20"	3	2	ROCCGSH901()()	2,512.	3,516.	4,044.	5,257.
	96"	15"	20"	3	2	ROCCGSH961()()	2,550.	3,570.	4,106.	5,337.



Cabinet-hung overhead cabinet open /cubby without center gable	30"	15"	20"			ROCOSH301()()	1,158.	1,621.	1,864.	2,424.
	36"	15"	20"			ROCOSH361()()	1,191.	1,667.	1,916.	2,492.
	42"	15"	20"	1		ROCOSH421()()	1,286.	1,803.	2,072.	2,693.
	48"	15"	20"	1		ROCOSH481()()	1,323.	1,851.	2,129.	2,768.
	54"	15"	20"	1		ROCOSH541()()	1,541.	2,157.	2,480.	3,225.
	60"	15"	20"		1	ROCOSH601()()	1,779.	2,491.	2,864.	3,723.
	66"	15"	20"		1	ROCOSH661()()	1,810.	2,533.	2,913.	3,787.
	72"	15"	20"		1	ROCOSH721()()	1,845.	2,582.	2,969.	3,860.
	78"	15"	20"		1	ROCOSH781()()	1,920.	2,687.	3,091.	4,018.
	84"	15"	20"		2	ROCOSH841()()	2,225.	3,116.	3,583.	4,658.
	90"	15"	20"		2	ROCOSH901()()	2,261.	3,165.	3,639.	4,732.
	96"	15"	20"		2	ROCOSH961()()	2,295.	3,213.	3,695.	4,804.



Without center gable

Order Code	Specification Information	Application Notes
Example: ROCCGSH301S0 () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish type:	Letter depth is 15" nominal.
O Overhead	L = Laminate	Place holder for legal depth if required (20").
C Cabinet hung	1 = V1	Fascias ordered separately
CG Center Gable	2 = V2	Tasklights ordered separately
SH Single high	3 = V3	Tack/Task panel order separately
30 30" width	2. Case finish: V316	Unfinished back
P Planning		Installation instruction sheets available on line.
1 Depth (letter)		For Cabinet hung overheads, refer to part number 6TP00080.
2 Case finish		
V316 Case finish		

dimensions noted nominal


Overhead, 28³/₈" planning

Single high


Cabinet hung with doors

Reff Profiles

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet-hung overhead cabinet hinge door, cubby concealed	30"	15"	20"	ROCHSHP301 () () () () () ()	\$1,933.	\$2,126.	\$2,223.	\$2,320.	\$2,706.	\$3,112.	\$4,046.
	36"	15"	20"	ROCHSHP361 () () () () () ()	1,979.	2,177.	2,276.	2,375.	2,771.	3,187.	4,143.
	42"	15"	20"	ROCHSHP421 () () () () () ()	2,522.	2,774.	2,900.	3,026.	3,531.	4,060.	5,279.
	48"	15"	20"	ROCHSHP481 () () () () () ()	2,573.	2,830.	2,959.	3,088.	3,602.	4,143.	5,385.
	54"	15"	20"	ROCHSHP541 () () () () () ()	2,728.	3,001.	3,138.	3,274.	3,820.	4,393.	5,711.
	60"	15"	20"	ROCHSHP601 () () () () () ()	3,075.	3,381.	3,536.	3,689.	4,304.	4,950.	6,434.
	66"	15"	20"	ROCHSHP661 () () () () () ()	3,122.	3,434.	3,591.	3,747.	4,371.	5,026.	6,535.
	72"	15"	20"	ROCHSHP721 () () () () () ()	3,173.	3,491.	3,649.	3,808.	4,442.	5,109.	6,641.
	78"	15"	20"	ROCHSHP781 () () () () () ()	3,271.	3,599.	3,763.	3,926.	4,580.	5,267.	6,641.
	84"	15"	20"	ROCHSHP841 () () () () () ()	4,113.	4,524.	4,729.	4,935.	5,758.	6,621.	8,607.
	90"	15"	20"	ROCHSHP901 () () () () () ()	4,160.	4,576.	4,784.	4,992.	5,825.	6,698.	8,708.
	96"	15"	20"	ROCHSHP961 () () () () () ()	4,213.	4,634.	4,845.	5,055.	5,898.	6,783.	8,817.



Cabinet-hung overhead cabinet hinge door, cubby exposed	30"	15"	20"	ROCHCSHP301 () () () () () ()	1,836.	2,021.	2,113.	2,204.	2,572.	2,957.	3,844.
	36"	15"	20"	ROCHCSHP361 () () () () () ()	1,882.	2,070.	2,164.	2,259.	2,635.	3,030.	3,939.
	42"	15"	20"	ROCHCSHP421 () () () () () ()	2,463.	2,710.	2,833.	2,956.	3,448.	3,966.	5,155.
	48"	15"	20"	ROCHCSHP481 () () () () () ()	2,544.	2,799.	2,925.	3,053.	3,562.	4,096.	5,325.
	54"	15"	20"	ROCHCSHP541 () () () () () ()	2,597.	2,856.	2,986.	3,116.	3,636.	4,181.	5,435.
	60"	15"	20"	ROCHCSHP601 () () () () () ()	2,878.	3,165.	3,309.	3,453.	4,028.	4,633.	6,022.
	66"	15"	20"	ROCHCSHP661 () () () () () ()	2,919.	3,212.	3,357.	3,503.	4,087.	4,700.	6,110.
	72"	15"	20"	ROCHCSHP721 () () () () () ()	2,968.	3,265.	3,413.	3,562.	4,156.	4,779.	6,213.
	78"	15"	20"	ROCHCSHP781 () () () () () ()	3,017.	3,319.	3,469.	3,620.	4,224.	4,857.	6,315.
	84"	15"	20"	ROCHCSHP841 () () () () () ()	3,803.	4,183.	4,373.	4,563.	5,324.	6,122.	7,959.
	90"	15"	20"	ROCHCSHP901 () () () () () ()	3,866.	4,252.	4,445.	4,638.	5,412.	6,223.	8,090.
	96"	15"	20"	ROCHCSHP961 () () () () () ()	3,913.	4,304.	4,500.	4,696.	5,478.	6,299.	8,190.




Order Code	Specification Information	Application Notes
Example: ROCHSHP30 () () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
C Cabinet mount	2 = V2	Tasklights not included
H Hinge door	3 = V3	Tack/Task panel order separately
SH Single High	2. Front Finish: L = Laminate	Unfinished backs
P Planning	1 = V1	Installation instruction sheets available on line.
30 Width	2 = V2	For Cabinet hung overheads, refer to part number 6TP00080.
1 Depth (letter)	3 = V3	
2 Case finish type	3. Pull option: B=Blank, R=Cylinder, T=Tab, F=Bar, H=Outline	
2 Front finish type	4. Lock option: N=no drilling, L=locking (wood or laminate doors only)	
H Pull option	5. Lock finish: B=Black, S=Matte silver	
L Lock option	6. Pull option: Grommet pull only	
B Lock finish	7. Pull finish: Painted, PN= Black Nickel, PD=Polished chrome, PU=Satin Nickel	
PU Pull finish		

dimensions noted nominal

Overhead, 28³/₈" planning
Single high
Cabinet hung with glass doors

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet glass hinge door, cubby exposed	30"	15"	20"	ROCGHCSHP301 ()()	\$2,622.	\$2,858.	\$3,288.	\$4,273.
	36"	15"	20"	ROCGHCSHP361 ()()	2,738.	2,984.	3,432.	4,461.
	42"	15"	20"	ROCGHCSHP421 ()()	3,489.	3,803.	4,372.	5,685.
	48"	15"	20"	ROCGHCSHP481 ()()	3,585.	3,908.	4,494.	5,842.
	54"	15"	20"	ROCGHCSHP541 ()()	3,834.	4,179.	4,805.	6,247.
	60"	15"	20"	ROCGHCSHP601 ()()	4,253.	4,636.	5,331.	6,931.
	66"	15"	20"	ROCGHCSHP661 ()()	4,378.	4,771.	5,487.	7,133.
	72"	15"	20"	ROCGHCSHP721 ()()	4,484.	4,887.	5,621.	7,307.
	78"	15"	20"	ROCGHCSHP781 ()()	4,651.	5,070.	5,830.	7,579.
	84"	15"	20"	ROCGHCSHP841 ()()	5,723.	6,238.	7,174.	9,326.
	90"	15"	20"	ROCGHCSHP901 ()()	5,790.	6,311.	7,257.	9,434.
	96"	15"	20"	ROCGHCSHP961 ()()	5,914.	6,447.	7,414.	9,638.




Order Code	Specification Information	Application Notes
Example: ROCGHCSHP301 ()()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. Case Finish: V316	Fascias ordered separately
C Cabinet mount	3. Door frame finish: Anodized or Painted	Tasklights not included
GHC Glas hinge door/ cubby	4. Glass door finish: GL11, GL15, GL18	Tack/Task panel order separately
SH Single High		Unfinished backs
P Planning		No pull option for glass doors. Doors project below shelf for opening.
30 Width		Installation instruction sheets available on line.
1 Depth (letter)		For Cabinet hung overheads, refer to part number 6TP00080.
2 Case finish type		
V316 Case finish		
AU Door frame finish		
GL11 Door glass finish		

dimensions noted nominal

Overhead, 28³/₈" planning
Single high
Cabinet hung with doors, open

Reff Profiles

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung overhead cabinet	60"	15"	20"	ROCHOCSHHP601 () () () () () ()	\$2,539.	\$2,793.	\$2,920.	\$3,047.	\$3,682.	\$4,234.	\$5,504.
hinge door / open /	66"	15"	20"	ROCHOCSHHP661 () () () () () ()	2,575.	2,834.	2,962.	3,091.	3,735.	4,295.	5,583.
cubby exposed	72"	15"	20"	ROCHOCSHHP721 () () () () () ()	2,617.	2,879.	3,010.	3,140.	3,795.	4,364.	5,673.
	78"	15"	20"	ROCHOCSHHP781 () () () () () ()	2,669.	2,936.	3,069.	3,202.	3,870.	4,451.	5,786.
	84"	15"	20"	ROCHOCSHHP841 () () () () () ()	3,105.	3,417.	3,572.	3,727.	4,503.	5,179.	6,733.
	90"	15"	20"	ROCHOCSHHP901 () () () () () ()	3,153.	3,468.	3,626.	3,783.	4,571.	5,257.	6,834.
	96"	15"	20"	ROCHOCSHHP961 () () () () () ()	3,191.	3,510.	3,670.	3,830.	4,627.	5,321.	6,917.



Order Code	Specification Information	Application Notes
Example: ROCHOCSHHP601 () () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. Front finish type: L = Laminate 1 = V1 2 = V2 3 = V3	Fascias ordered separately
C Cabinet mount	3. Lock option: N=no drilling, L=locking (wood or laminate doors only)	Tasklights not included
HOC Hinge door / Open / Cubby	4. Lock finish: B=Black, S=Matte silver	Tack/Task panel order separately
SH Single High	5. Case finish	Unfinished backs
P Planning	6. Front finish	Doors project below shelf for opening
60 Width		No pull options
1 Depth (letter)		Installation instruction sheets available on line.
2 Case finish type		For Cabinet hung overheads, refer to part number 6TP00080.
2 Front finish type		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		

dimensions noted nominal

Overhead, 28³/₈" planning


Reff Profiles

Single high

Cabinet hung with glass doors, open

Cubby exposed

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet Hung overhead cabinet	60"	15"	20"	ROCGHOC SHP601 () () () () ()	\$3,118.	\$3,898.	\$4,482.	\$5,827.
glass hinge door / open /	66"	15"	20"	ROCGHOC SHP661 () () () () ()	3,190.	3,987.	4,586.	5,962.
cubby exposed	72"	15"	20"	ROCGHOC SHP721 () () () () ()	3,256.	4,070.	4,680.	6,084.
	78"	15"	20"	ROCGHOC SHP781 () () () () ()	3,331.	4,164.	4,788.	6,225.
	84"	15"	20"	ROCGHOC SHP841 () () () () ()	4,089.	4,907.	5,642.	7,336.
	90"	15"	20"	ROCGHOC SHP901 () () () () ()	4,138.	4,965.	5,710.	7,423.
	96"	15"	20"	ROCGHOC SHP961 () () () () ()	4,222.	5,067.	5,827.	7,575.



Order Code	Specification Information	Application Notes
Example: ROCGHOC SHP601 () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
C Cabinet mount	2 = V2	Tasklights not included
GHOC Glass hinge door / Open / Cubby	3 = V3	Tack/Task panel order separately
SH Single High	2. Front finish type: L = Laminate	Unfinished backs
P Planning	1 = V1	Doors project below shelf for opening
60 Width	2 = V2	No pull options
1 Depth (letter)	3 = V3	Installation instruction sheets available on line.
	3. Lock option: N=no drilling, L=locking (wood or laminate doors only)	For Cabinet hung overheads, refer to part number 6TP00080.
	4. Lock finish: B=Black, S=Matte silver	
	5. Case finish	
	6. Front finish	

dimensions noted nominal

Overhead, 28³/₈" planning

Reff Profiles

Double high

Wall hung

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall-hung overhead cabinet hinge door, cubby concealed	30"	15"	33"	ROMHDHP301 (X)(X)(X)(X)(X)	\$2,197.	\$2,416.	\$2,527.	\$2,637.	\$3,076.	\$3,537.	\$4,598.
	36"	15"	33"	ROMHDHP361 (X)(X)(X)(X)(X)	2,271.	2,499.	2,612.	2,725.	3,180.	3,657.	4,753.
	42"	15"	33"	ROMHDHP421 (X)(X)(X)(X)(X)	3,043.	3,346.	3,499.	3,651.	4,260.	4,899.	6,368.
	48"	15"	33"	ROMHDHP481 (X)(X)(X)(X)(X)	3,131.	3,443.	3,600.	3,756.	4,383.	5,041.	6,553.
	54"	15"	33"	ROMHDHP541 (X)(X)(X)(X)(X)	3,321.	3,653.	3,819.	3,985.	4,649.	5,347.	6,951.
	60"	15"	33"	ROMHDHP601 (X)(X)(X)(X)(X)	3,657.	4,022.	4,204.	4,387.	5,118.	5,886.	7,652.
	66"	15"	33"	ROMHDHP661 (X)(X)(X)(X)(X)	3,772.	4,149.	4,338.	4,527.	5,281.	6,073.	7,895.
	72"	15"	33"	ROMHDHP721 (X)(X)(X)(X)(X)	3,849.	4,234.	4,427.	4,620.	5,389.	6,198.	8,057.
	78"	15"	33"	ROMHDHP781 (X)(X)(X)(X)(X)	3,977.	4,374.	4,573.	4,772.	5,567.	6,401.	8,322.
	84"	15"	33"	ROMHDHP841 (X)(X)(X)(X)(X)	5,024.	5,527.	5,778.	6,030.	7,034.	8,090.	10,516.
	90"	15"	33"	ROMHDHP901 (X)(X)(X)(X)(X)	5,114.	5,626.	5,881.	6,137.	7,160.	8,234.	10,704.
	96"	15"	33"	ROMHDHP961 (X)(X)(X)(X)(X)	5,181.	5,699.	5,959.	6,217.	7,253.	8,342.	10,844.
Wall-hung overhead cabinet hinge door, cubby exposed	30"	15"	33"	ROMHCDHP301 (X)(X)(X)(X)(X)	2,103.	2,313.	2,418.	3,554.	2,944.	3,386.	4,401.
	36"	15"	33"	ROMHCDHP361 (X)(X)(X)(X)(X)	2,173.	2,391.	2,499.	2,608.	3,043.	3,499.	4,548.
	42"	15"	33"	ROMHCDHP421 (X)(X)(X)(X)(X)	2,952.	3,248.	3,395.	3,543.	4,133.	4,753.	6,179.
	48"	15"	33"	ROMHCDHP481 (X)(X)(X)(X)(X)	3,063.	3,370.	3,523.	3,676.	4,289.	4,932.	6,412.
	54"	15"	33"	ROMHCDHP541 (X)(X)(X)(X)(X)	3,150.	3,465.	3,623.	3,780.	4,409.	5,071.	6,592.
	60"	15"	33"	ROMHCDHP601 (X)(X)(X)(X)(X)	3,458.	3,803.	3,976.	4,149.	4,840.	5,566.	7,237.
	66"	15"	33"	ROMHCDHP661 (X)(X)(X)(X)(X)	3,569.	3,926.	4,105.	4,283.	6,027.	5,746.	7,471.
	72"	15"	33"	ROMHCDHP721 (X)(X)(X)(X)(X)	3,643.	4,008.	4,189.	4,371.	5,101.	5,865.	7,625.
	78"	15"	33"	ROMHCDHP781 (X)(X)(X)(X)(X)	3,722.	4,095.	4,281.	4,467.	5,212.	5,994.	7,792.
	84"	15"	33"	ROMHCDHP841 (X)(X)(X)(X)(X)	4,729.	5,202.	5,438.	5,675.	6,621.	7,614.	9,897.
	90"	15"	33"	ROMHCDHP901 (X)(X)(X)(X)(X)	4,816.	5,298.	5,539.	5,780.	6,743.	7,755.	10,082.
	96"	15"	33"	ROMHCDHP961 (X)(X)(X)(X)(X)	4,881.	5,369.	5,612.	5,857.	6,833.	7,858.	10,216.


Order Code	Specification Information	Application Notes
Example: ROMHDHP30 (X)(X)(X)(X)(X)	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
M Wall mount	2 = V2	Tasklights not included
H Hinge door	3 = V3	Tack/Task panel order separately
DH Double High	2. Front Finish: L = Laminate	Unfinished backs
P Planning	1 = V1	
30 Width	2 = V2	
1 Depth (letter)	3 = V3	
2 Case finish type	3. Pull option: B=Blank, R=Cylinder, T=Tab, F=Bar, H=Outline	
2 Front finish type	4. Lock option: N=no drilling, L=locking	
H Pull option	(wood or laminate doors only)	
L Lock option	5. Lock finish: B=Black, S=Matte silver	
B Lock finish	6. Pull option: Grommet pull only	
PU Pull finish	7. Pull finish: Painted, PN= Black Nickel, PD=Polished chrome, PU=Satin Nickel	

dimensions noted nominal

Overhead, 28³/₈" planning
Double high
Wall hung with glass door

Reff Profiles

description	w	d	h	pattern n	L	V1	V2	V3
Wall-hung overhead cabinet	30"	15"	33"	ROMGHCDHP301 () () ()	\$3,158.	\$3,473.	\$3,994.	\$5,193.
glass hinge door, cubby exposed	36"	15"	33"	ROMGHCDHP361 () () ()	3,328.	3,661.	4,210.	5,472.
	42"	15"	33"	ROMGHCDHP421 () () ()	4,372.	4,809.	5,530.	7,189.
	48"	15"	33"	ROMGHCDHP481 () () ()	4,529.	4,981.	5,729.	7,447.
	54"	15"	33"	ROMGHCDHP541 () () ()	4,842.	5,326.	6,125.	7,963.
	60"	15"	33"	ROMGHCDHP601 () () ()	5,408.	5,948.	6,840.	8,893.
	66"	15"	33"	ROMGHCDHP661 () () ()	5,639.	6,204.	7,134.	9,274.
	72"	15"	33"	ROMGHCDHP721 () () ()	5,794.	6,373.	7,328.	9,526.
	78"	15"	33"	ROMGHCDHP781 () () ()	6,034.	6,637.	7,633.	9,923.
	84"	15"	33"	ROMGHCDHP841 () () ()	7,488.	8,237.	9,473.	12,315.
	90"	15"	33"	ROMGHCDHP901 () () ()	7,608.	8,369.	9,623.	12,510.
	96"	15"	33"	ROMGHCDHP961 () () ()	7,778.	8,556.	9,839.	12,791.



Order Code	Specification Information	Application Notes
Example: ROMGHCDHP301 () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type: L, V1, V2, V3	Letter depth is 15" nominal.
O Overhead	2. Case finish: V316	No glass shelves
M Wall mount	3. Door frame finish: Anodized / Painted	Fascias ordered separately
GHC Glass hinge door / cubby	4. Door glass finish: GL11 GL15 GL18	Tasklights not included
DH Double High		Tack/Task panel order separately
P Planning		Unfinished backs
30 Width		No pull option for glass doors. Doors project below shelf for opening.
1 Depth (letter)		
2 Case finish type		
V316 Case finish		
AN Door frame finish		
GL11 Door glass finish		

dimensions noted nominal

Overhead, 28³/₈" planning

Reff Profiles

Double high

Wall hung with and without center gable

description	w	h	d	cubby divider	interior gable	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet open /cubby with center gable	30"	33"	15"		1	ROMCGDHP301 () ()	\$1,830.	\$2,562.	\$2,946.	\$3,831.
	36"	33"	15"		1	ROMCGDHP361 () ()	1,879.	2,630.	3,024.	3,932.
	42"	33"	15"		2	ROMCGDHP421 () ()	2,309.	3,233.	3,718.	4,834.
	48"	33"	15"		2	ROMCGDHP481 () ()	2,369.	3,316.	3,813.	4,957.
	54"	33"	15"		2	ROMCGDHP541 () ()	2,629.	3,680.	4,232.	5,502.
	60"	33"	15"		3	ROMCGDHP601 () ()	3,122.	4,371.	5,027.	6,535.
	66"	33"	15"		3	ROMCGDHP661 () ()	3,217.	4,504.	5,180.	6,733.
	72"	33"	15"		3	ROMCGDHP721 () ()	3,266.	4,573.	5,259.	6,837.
	78"	33"	15"		3	ROMCGDHP781 () ()	3,380.	4,732.	5,443.	7,075.
	84"	33"	15"		5	ROMCGDHP841 () ()	4,259.	5,963.	6,857.	8,914.
Wall-hung overhead cabinet open /cubby without center gable	90"	33"	15"		5	ROMCGDHP901 () ()	4,312.	6,036.	6,941.	9,024.
	96"	33"	15"		5	ROMCGDHP961 () ()	4,358.	6,101.	7,016.	9,121.
	30"	33"	15"			ROMOCDHP301 () ()	1,647.	2,305.	2,651.	3,447.
	36"	33"	15"			ROMOCDHP361 () ()	1,691.	2,367.	2,721.	3,538.
	42"	33"	15"	1		ROMOCDHP421 () ()	2,079.	2,910.	3,346.	4,351.
	48"	33"	15"	1		ROMOCDHP481 () ()	2,132.	2,984.	3,432.	4,462.
	54"	33"	15"	1		ROMOCDHP541 () ()	2,366.	3,312.	3,809.	4,952.
	60"	33"	15"	1		ROMOCDHP601 () ()	2,810.	3,935.	4,525.	5,882.
	66"	33"	15"	1		ROMOCDHP661 () ()	2,895.	4,054.	4,662.	6,059.
	72"	33"	15"	1		ROMOCDHP721 () ()	2,940.	4,116.	4,733.	6,153.
	78"	33"	15"	1		ROMOCDHP781 () ()	3,043.	4,259.	4,899.	6,367.
	84"	33"	15"	2		ROMOCDHP841 () ()	3,834.	5,366.	6,171.	8,023.
	90"	33"	15"	2		ROMOCDHP901 () ()	3,880.	5,432.	6,247.	8,122.
	96"	33"	15"	2		ROMOCDHP961 () ()	3,922.	5,491.	6,315.	8,209.

Without center gable

Order Code	Specification Information	Application Notes
Example: ROMCGDHP301 () () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type:	Letter depth is 15" nominal.
O Overhead	L = Laminate	Place holder for legal depth if required.
M Wall mount	1 = V1	Fascias ordered separately
CG Center Gable	2 = V2	Tasklights not included
DH Double High	3 = V3	Tack/Task panel order separately
P Planning	2. Case finish: V316	Unfinished backs
30 Width		
1 Depth (letter)		
2 Case finish type		
V316 Case finish		

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
A certified building contractor should be consulted.
Please refer to wall mounting information on page 529.


Cabby Dividers: 3"h x 12"d
Interior Gable: 30"h x 13"d.

dimensions noted nominal

Overhead, 28³/₈" planning
Double high
Wall hung with doors, open

Reff Profiles

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung overhead cabinet	60"	15"	33"	ROMHOCDHP601 () () () () () ()	\$3,269.	\$3,597.	\$3,760.	\$3,923.	\$4,740.	\$5,452.	\$7,087.
hinge door/ open /	66"	15"	33"	ROMHOCDHP661 () () () () () ()	3,324.	3,657.	3,822.	3,988.	4,819.	5,542.	7,205.
cubby exposed	72"	15"	33"	ROMHOCDHP721 () () () () () ()	3,387.	3,726.	3,894.	4,064.	4,911.	5,647.	7,342.
	78"	15"	33"	ROMHOCDHP781 () () () () () ()	3,453.	3,798.	3,971.	4,144.	5,007.	5,758.	7,485.
	84"	15"	33"	ROMHOCDHP841 () () () () () ()	3,977.	4,374.	4,573.	4,772.	5,766.	6,631.	8,621.
	90"	15"	33"	ROMHOCDHP901 () () () () () ()	4,044.	4,448.	4,650.	4,852.	5,863.	6,742.	8,765.
	96"	15"	33"	ROMHOCDHP961 () () () () () ()	4,102.	4,512.	4,717.	4,923.	5,948.	6,841.	8,893.



Order Code	Specification Information	Application Notes
Example: ROMHOCDHP601 () () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. Front Finish: L = Laminate 1 = V1 2 = V2 3 = V3	Fascias ordered separately
M Wall mount	3. Lock Option: N=no drilling, L=locking (wood or laminate doors only)	Tasklights not included
HOC Hinge door / open / cubby	4. Lock finish: B=Black, S=Matte silver	Tack/Task panel order separately
DH Double High	5. Case Finish	Unfinished backs
P Planning	6. Front Finish	Doors project below shelf for opening
60 Width		No pull option
1 Depth (letter)		
2 Case finish type		
2 Front finish type		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		


dimensions noted nominal

Overhead, 28³/₈" planning

Reff Profiles

*Double high**Wall hung with glass doors, open**Cubby exposed*

description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung overhead cabinet	60"	15"	33"	ROMGHOCDHP601 () () () () ()	\$4,156.	\$5,194.	\$5,974.	\$7,766.
glass hinge door / open /	66"	15"	33"	ROMGHOCDHP661 () () () () ()	4,264.	5,331.	6,131.	7,969.
cubby exposed	72"	15"	33"	ROMGHOCDHP721 () () () () ()	4,363.	5,454.	6,272.	8,152.
	78"	15"	33"	ROMGHOCDHP781 () () () () ()	4,495.	5,595.	6,434.	8,365.
	84"	15"	33"	ROMGHOCDHP841 () () () () ()	5,397.	6,638.	7,634.	9,924.
	90"	15"	33"	ROMGHOCDHP901 () () () () ()	5,481.	6,741.	7,753.	10,079.
	96"	15"	33"	ROMGHOCDHP961 () () () () ()	5,602.	6,891.	7,924.	10,301.



Order Code	Specification Information	Application Notes
Example: ROMGHOCDHP601 () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
M Wall mount	2 = V2	Tasklights not included
GHOC Glass hinge door / open / cubby	3 = V3	Tack/Task panel order separately
DH Double High	2. Front Finish: L = Laminate	Unfinished backs
P Planning	1 = V1	Doors project below shelf for opening
60 Width	2 = V2	No pull option
1 Depth (letter)	3 = V3	
	3. Lock Option: N=no drilling, L=locking (wood or laminate doors only)	
	4. Lock finish: B=Black, S=Matte silver	
	5. Case Finish	
	6. Front Finish	


dimensions noted nominal

Overhead, 28³/₈" planning


Reff Profiles

Double high
Cabinet hung

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet-hung overhead cabinet hinge door, cubby concealed	30"	15"	33"	ROCHDHP301 () () () () () ()	\$2,270.	\$2,498.	\$2,611.	\$2,724.	\$3,179.	\$3,655.	\$4,751.
	36"	15"	33"	ROCHDHP361 () () () () () ()	2,342.	2,577.	2,693.	2,811.	3,280.	3,772.	4,903.
	42"	15"	33"	ROCHDHP421 () () () () () ()	3,113.	3,424.	3,579.	3,736.	4,358.	5,012.	6,515.
	48"	15"	33"	ROCHDHP481 () () () () () ()	3,186.	3,505.	3,664.	3,823.	4,461.	5,129.	6,668.
	54"	15"	33"	ROCHDHP541 () () () () () ()	3,374.	3,712.	3,881.	4,049.	4,725.	5,433.	7,063.
	60"	15"	33"	ROCHDHP601 () () () () () ()	3,708.	4,079.	4,264.	4,450.	5,192.	5,971.	7,762.
	66"	15"	33"	ROCHDHP661 () () () () () ()	3,822.	4,204.	4,396.	4,587.	5,351.	6,154.	8,000.
	72"	15"	33"	ROCHDHP721 () () () () () ()	3,901.	4,290.	4,486.	4,680.	5,460.	6,280.	8,164.
	78"	15"	33"	ROCHDHP781 () () () () () ()	4,011.	4,411.	4,612.	4,813.	5,616.	6,457.	8,395.
	84"	15"	33"	ROCHDHP841 () () () () () ()	5,057.	5,563.	5,815.	6,069.	7,079.	8,141.	10,584.
	90"	15"	33"	ROCHDHP901 () () () () () ()	5,145.	5,659.	5,916.	6,174.	7,203.	8,282.	10,768.
	96"	15"	33"	ROCHDHP961 () () () () () ()	5,211.	5,731.	5,992.	6,252.	7,294.	8,388.	10,906.



Cabinet-hung overhead cabinet hinge door, cubby exposed	30"	15"	33"	ROCHCDHP301 () () () () () ()	2,175.	2,393.	2,501.	2,610.	3,045.	3,502.	4,552.
	36"	15"	33"	ROCHCDHP361 () () () () () ()	2,243.	2,468.	2,579.	2,691.	3,140.	3,611.	4,695.
	42"	15"	33"	ROCHCDHP421 () () () () () ()	3,044.	3,349.	3,500.	3,652.	4,261.	4,901.	6,371.
	48"	15"	33"	ROCHCDHP481 () () () () () ()	3,117.	3,429.	3,584.	3,741.	4,364.	5,019.	6,524.
	54"	15"	33"	ROCHCDHP541 () () () () () ()	3,201.	3,522.	3,681.	3,842.	4,483.	5,154.	6,701.
	60"	15"	33"	ROCHCDHP601 () () () () () ()	3,507.	3,857.	4,033.	4,209.	4,910.	5,646.	7,340.
	66"	15"	33"	ROCHCDHP661 () () () () () ()	3,616.	3,979.	4,159.	4,340.	5,063.	5,823.	7,569.
	72"	15"	33"	ROCHCDHP721 () () () () () ()	3,692.	4,060.	4,245.	4,429.	5,168.	5,943.	7,725.
	78"	15"	33"	ROCHCDHP781 () () () () () ()	3,754.	4,129.	4,318.	4,505.	5,256.	6,044.	7,858.
	84"	15"	33"	ROCHCDHP841 () () () () () ()	4,758.	5,233.	5,471.	5,709.	6,660.	7,659.	9,957.
	90"	15"	33"	ROCHCDHP901 () () () () () ()	4,843.	5,327.	5,569.	5,811.	6,780.	7,797.	10,136.
	96"	15"	33"	ROCHCDHP961 () () () () () ()	4,906.	5,396.	5,641.	5,887.	6,868.	7,898.	10,268.




Order Code	Specification Information	Application Notes
Example: ROCHDHP301 () () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
C Cabinet Hung	2 = V2	Tasklights not included
H Hinge door	3 = V3	Tack/Task panel order separately
DH Double High	2. Front Finish: L = Laminate	Unfinished backs
P Planning	1 = V1	Installation instruction sheets available on line.
30 Width	2 = V2	For Cabinet hung overheads, refer to part number 6TP00080.
1 Depth (letter)	3 = V3	
2 Case finish type	3. Pull option: B=Blank, R=Cylinder, T=Tab, F=Bar, H=Outline	
2 Front finish type	4. Lock option: N=no drilling, L=locking	
H Pull option	(wood or laminate doors only)	
L Lock option	5. Lock finish: B=Black, S=Matte silver	
B Lock finish	6. Case finish: V316	
V316 Case finish	7. Front finish: V316	
V316 Front finish	8. Pull finish: Painted, PN= Black	
PN Pull finish	Nickel, PD=Polished chrome, PU=Satin Nickel	

dimensions noted nominal

Overhead, 28³/₈" planning
Double high
Cabinet hung with glass door

Reff Profiles

description	w	d	h	pattern n	L	V1	V2	V3
 Cabinet-hung overhead cabinet glass hinge door, cubby exposed	30"	15"	33"	ROCGHCDHP301 ()()	\$3,201.	\$3,489.	\$4,012.	\$5,216.
	36"	15"	33"	ROCGHCDHP361 ()()	3,370.	3,673.	4,224.	5,492.
	42"	15"	33"	ROCGHCDHP421 ()()	4,422.	4,820.	5,543.	7,206.
	48"	15"	33"	ROCGHCDHP481 ()()	4,562.	4,972.	5,718.	7,432.
	54"	15"	33"	ROCGHCDHP541 ()()	4,875.	5,314.	6,111.	7,944.
	60"	15"	33"	ROCGHCDHP601 ()()	5,235.	5,707.	6,563.	8,533.
	66"	15"	33"	ROCGHCDHP661 ()()	5,459.	5,950.	6,843.	8,896.
	72"	15"	33"	ROCGHCDHP721 ()()	5,635.	6,143.	7,064.	9,183.
	78"	15"	33"	ROCGHCDHP781 ()()	5,860.	6,387.	7,345.	9,548.
	84"	15"	33"	ROCGHCDHP841 ()()	7,132.	7,773.	8,939.	11,621.
	90"	15"	33"	ROCGHCDHP901 ()()	7,249.	7,902.	9,088.	11,813.
	96"	15"	33"	ROCGHCDHP961 ()()	7,419.	8,087.	9,299.	12,089.

Order Code	Specification Information	Application Notes
Example: ROCGHCDHP301 ()()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish Type: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal.
O Overhead	2. Case Finish: V316	No glass shelves
C Cabinet Hung	3. Door frame finish: Anotized or Painted	Fascias ordered separately
GHC Glass hinge door / cubby	4. Door Glass finish: GL11, GL15, GL18	Tasklights not included
DH Double High		Tack/Task panel order separately
P Planning		Unfinished backs
30 Width		No pull option for glass doors. Doors project below shelf for opening.
1 Depth (letter)		Installation instruction sheets available on line.
2 Case finish type		For Cabinet hung overheads, refer to part number 6TP00080.
2 Case finish		
AN Door frame finish		
GL11 Door glass finish		

dimensions noted nominal

Overhead, 28³/₈" planning

Reff Profiles

Double high

Cabinet hung with and without center gable

description	w	d	h	interior gable	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet open /cubby with center gable	30"	15"	33"	1	ROCCGDHP301 () ()	\$1,904.	\$2,666.	\$3,065.	\$3,985.
	36"	15"	33"	1	ROCCGDHP361 () ()	1,951.	2,731.	3,140.	4,082.
	42"	15"	33"	2	ROCCGDHP421 () ()	2,380.	3,332.	3,833.	4,982.
	48"	15"	33"	2	ROCCGDHP481 () ()	2,425.	3,394.	3,904.	5,075.
	54"	15"	33"	2	ROCCGDHP541 () ()	2,683.	3,755.	4,319.	5,615.
	60"	15"	33"	3	ROCCGDHP601 () ()	3,175.	4,445.	5,112.	6,646.
	66"	15"	33"	3	ROCCGDHP661 () ()	3,268.	4,575.	5,261.	6,839.
	72"	15"	33"	3	ROCCGDHP721 () ()	3,318.	4,645.	5,342.	6,944.
	78"	15"	33"	3	ROCCGDHP781 () ()	3,415.	4,781.	5,498.	7,147.
	84"	15"	33"	5	ROCCGDHP841 () ()	4,291.	6,008.	6,909.	8,982.
	90"	15"	33"	5	ROCCGDHP901 () ()	4,341.	6,078.	6,991.	9,088.
	96"	15"	33"	5	ROCCGDHP961 () ()	4,388.	6,142.	7,064.	9,182.
Cabinet-hung overhead cabinet open /cubby without center gable	30"	15"	33"		ROCOCDHP301 () ()	1,714.	2,399.	2,758.	3,586.
	36"	15"	33"		ROCOCDHP361 () ()	1,756.	2,458.	2,826.	3,674.
	42"	15"	33"	1	ROCOCDHP421 () ()	2,142.	2,999.	3,449.	4,484.
	48"	15"	33"	1	ROCOCDHP481 () ()	2,183.	3,055.	3,513.	4,567.
	54"	15"	33"	1	ROCOCDHP541 () ()	2,415.	3,379.	3,887.	5,053.
	60"	15"	33"	1	ROCOCDHP601 () ()	2,858.	4,001.	4,601.	5,981.
	66"	15"	33"	1	ROCOCDHP661 () ()	2,942.	4,118.	4,735.	6,155.
	72"	15"	33"	1	ROCOCDHP721 () ()	2,986.	4,181.	4,807.	6,250.
	78"	15"	33"	1	ROCOCDHP781 () ()	3,074.	4,303.	4,948.	6,432.
	84"	15"	33"	2	ROCOCDHP841 () ()	3,861.	5,408.	6,218.	8,083.
	90"	15"	33"	2	ROCOCDHP901 () ()	3,908.	5,470.	6,291.	8,179.
	96"	15"	33"	2	ROCOCDHP961 () ()	3,949.	5,528.	6,357.	8,265.
Without center gable									


Order Code	Specification Information	Application Notes
Example: ROCCGDHP301 () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case finish type:	Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
O Overhead	L = Laminate	A certified building contractor should be consulted.
C Cabinet hung	1 = V1	Please refer to wall mounting information on page 529.
CG Center gable	2 = V2	
DH Double High	3 = V3	
P Planning	2. Case finish: V316	Fascias ordered separately
30 Width		Tasklights not included
1 Depth (letter)		Tack/Task panel order separately
2 Case finish type		Unfinished backs
V316 Case finish		Installation instruction sheets available on line.
		For Cabinet hung overheads, refer to part number 6TP00080.

dimensions noted nominal

Overhead, 28³/₈" planning
Double high
Cabinet hung with doors, open

Reff Profiles

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung overhead cabinet	60"	15"	33"	ROCHOCDHP601 () () () () () ()	\$3,260.	\$3,585.	\$3,748.	\$3,912.	\$4,727.	\$5,435.	\$7,066.
hinge door / open /	66"	15"	33"	ROCHOCDHP661 () () () () () ()	3,312.	3,643.	3,809.	3,975.	4,803.	5,523.	7,180.
cubby exposed	72"	15"	33"	ROCHOCDHP721 () () () () () ()	3,374.	3,711.	3,880.	4,049.	4,893.	5,627.	7,314.
	78"	15"	33"	ROCHOCDHP781 () () () () () ()	3,426.	3,769.	3,940.	4,111.	4,968.	5,712.	7,426.
	84"	15"	33"	ROCHOCDHP841 () () () () () ()	3,949.	4,344.	4,541.	4,739.	5,726.	5,555.	8,560.
	90"	15"	33"	ROCHOCDHP901 () () () () () ()	4,014.	4,415.	4,615.	4,816.	5,820.	6,693.	8,700.
	96"	15"	33"	ROCHOCDHP961 () () () () () ()	4,071.	4,477.	4,681.	4,884.	5,902.	6,788.	8,824.




Order Code	Specification Information	Application Notes
Example: ROCHOCDHP601 () () () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish: L = Laminate 1 = V1 2 = V2 3 = V3	Letter depth is 15" nominal. Fascias ordered separately
O Overhead	2. Front Finish: L = Laminate 1 = V1 2 = V2 3 = V3	Tasklights not included Tack/Task panel order separately
C Cabinet Hung	3. Lock option: N=no drilling, L=locking (wood or laminate doors only)	Unfinished backs Doors project below shelf for opening
HOC Hinge door / open / cubby	4. Lock finish: B=Black, S=Matte silver	No pull options
DH Double High	5. Case finish: V316	Installation instruction sheets available on line.
P Planning	6. Front finish: V316	For Cabinet hung overheads, refer to part number 6TP00080.
30 Width		
1 Depth (letter)		
2 Case finish type		
2 Front finish type		
L Lock option		
B Lock finish		
V316 Case finish		
V316 Front finish		

dimensions noted nominal

*Double high**Cabinet hung with glass doors, open**Cubby exposed*

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet Hung overhead cabinet	60"	15"	33"	ROCGHOC DHP601() () () ()	\$4,145.	\$5,181.	\$5,958.	\$7,746.
glass hinge door / open /	66"	15"	33"	ROCGHOC DHP661() () () ()	4,251.	5,314.	6,111.	7,944.
cubby exposed	72"	15"	33"	ROCGHOC DHP721() () () ()	4,348.	5,435.	6,250.	8,126.
	78"	15"	33"	ROCGHOC DHP781() () () ()	4,445.	5,559.	6,390.	8,307.
	84"	15"	33"	ROCGHOC DHP841() () () ()	5,364.	6,598.	7,587.	9,863.
	90"	15"	33"	ROCGHOC DHP901() () () ()	5,446.	6,698.	7,702.	10,014.
	96"	15"	33"	ROCGHOC DHP961() () () ()	5,564.	6,844.	7,871.	10,232.




Order Code	Specification Information	Application Notes
Example: ROCGHOC DHP601 () () () ()	<i>To order please specify:</i>	These products are Glue and Dowel Construction
R Reff	1. Case Finish: L = Laminate	Letter depth is 15" nominal.
O Overhead	1 = V1	Fascias ordered separately
C Cabinet Hung	2 = V2	Tasklights not included
GHOC Glass hinge door / open / cubby	3 = V3	Tack/Task panel order separately
DH Double High	2. Front Finish: L = Laminate	Unfinished backs
P Planning	1 = V1	Doors project below shelf for opening
60 Width	2 = V2	No pull options
1 Depth (letter)	3 = V3	Installation instruction sheets available on line.
	3. Lock option: N=no drilling, L=locking (wood or laminate doors only)	For Cabinet hung overheads, refer to part number 6TP00080.
	4. Lock finish: B=Black, S=Matte silver	
	5. Case finish: V316	
	6. Front finish: V316	

dimensions noted nominal


Reuter overhead cabinet
Morrison panel mounted
Designed by Robert Reuter

Reff Profiles


description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, with lock (Morrison panel brackets) - One door		24"	14 1/4"	14 3/4"	RO3-M24() ()L		\$699.	\$699.	\$733.	\$1,050.
		30"	14 1/4"	14 3/4"	RO3-M30() ()L		782.	782.	818.	1,130.
		36"	14 1/4"	14 3/4"	RO3-M36() ()L		901.	901.	945.	1,265.
		42"	14 1/4"	14 3/4"	RO3-M42() ()L		1,041.	1,041.	1,091.	1,404.
		48"	14 1/4"	14 3/4"	RO3-M48() ()L		1,158.	1,158.	1,216.	1,538.



Enclosed cabinet, with lock (Morrison panel brackets) - Two doors		60"	14 1/4"	14 3/4"	RO3-M60() ()L		1,469.	1,469.	1,539.	2,115.
		66"	14 1/4"	14 3/4"	RO3-M66() ()L		1,598.	1,598.	1,681.	2,266.
		72"	14 1/4"	14 3/4"	RO3-M72() ()L		1,711.	1,711.	1,796.	2,390.



Enclosed cabinet, no lock (Morrison panel brackets) - One door		24"	14 1/4"	14 3/4"	RO3-M24() ()N		632.	632.	663.	
		30"	14 1/4"	14 3/4"	RO3-M30() ()N		715.	715.	751.	
		36"	14 1/4"	14 3/4"	RO3-M36() ()N		835.	835.	874.	
		42"	14 1/4"	14 3/4"	RO3-M42() ()N		973.	973.	1,021.	
		48"	14 1/4"	14 3/4"	RO3-M48() ()N		1,090.	1,090.	1,145.	




Order Code	Specification Information	Application Notes	
Example: RO3-M48-612-M-L			
RO3	Reuter overhead cabinet	Reuter storage is a universal product applicable on Morrison or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.	
M	Morrison panel mounted		
48	Width		
612	Case finish		
M	Front finish		
L	With lock		Reuter overheads may be mounted on other Knoll systems, cantilevered above 42" or 56" Morrison panels, or wall-mounted.
			Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting five horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.
			Reuter overhead doors without locks include black, Knoll-logo insert, in the same position.
			Insert may be removed to retrofit a lock later.
			Ganging bracket (page 402) joins adjacent overheads or shelves for additional stiffness and alignment.
			Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.

Reuter overhead cabinet
Morrison panel mounted
Designed by Robert Reuter

Reff Profiles

description	type	w	d	h	pattern no.	black	P1	P2	P3	V1
Enclosed cabinet, no lock (Morrison panel brackets) - Two doors		60"	14 1/4"	14 3/4"	RO3-M60() ()N		\$1,331.	\$1,331.	\$1,397.	n/a
		66"	14 1/4"	14 3/4"	RO3-M66() ()N		1,466.	1,466.	1,535.	n/a
		72"	14 1/4"	14 3/4"	RO3-M72() ()N		1,572.	1,572.	1,653.	n/a



Interior partitions	Horizontal, set of 10	6"	11"	—	RO1-HP6	134.
	Horizontal, set of 10	9"	11"	—	RO1-HP9	169.
	Horizontal, set of 10	12"	11"	—	RO1-HP12	201.
	Horizontal, set of 10	15"	11"	—	RO1-HP15	234.
	Vertical, set of 5	—	11"	12"	RO3-VP	87.




Order Code	Specification Information	Application Notes
Example: RO3-M48-612-M-L	First suffix is for case, second is door finish.	Reuter storage is a universal product applicable on Morrison or other Knoll systems. Overhead cabinets may be mounted on any combination of vertical panels the same width or up to 12" less than cabinet width. Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two door cabinets have center divider and four pneumatic cylinders.
RO3 Reuter overhead cabinet	<i>Specify finish for case and door:</i> Interior partitions are black painted steel finish.	Ganging bracket (page 402) joins adjacent overheads or shelves for additional stiffness and alignment.
M Morrison panel mounted		Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.
48 Width		Reuter overhead doors without locks include black, Knoll-logo insert, in the same position.
612 Case finish		Insert may be removed to retrofit a lock later.
M Front finish		
L With lock		
		Reuter overheads may be mounted on other Knoll systems, cantilevered above 42" or 56" Morrison panels, or wall-mounted.
		Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting five horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.


Reuter overhead cabinet
desk, wall, or other Knoll system mounted
Designed by Robert Reuter

Reff Profiles


description	type	w	d	h	pattern no.	P1	P2	P3	V1
Enclosed cabinet, with lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	RO3-N24() ()L	\$686.	\$686.	\$719.	\$1,032.
		30"	14 1/4"	14 3/4"	RO3-N30() ()L	763.	763.	804.	1,114.
		36"	14 1/4"	14 3/4"	RO3-N36() ()L	883.	883.	928.	1,249.
		42"	14 1/4"	14 3/4"	RO3-N42() ()L	1,024.	1,024.	1,077.	1,389.
		48"	14 1/4"	14 3/4"	RO3-N48() ()L	1,145.	1,145.	1,200.	1,525.




Enclosed cabinet, with lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	RO3-N60() ()L	1,448.	1,448.	1,523.	2,101.
		66"	14 1/4"	14 3/4"	RO3-N66() ()L	1,586.	1,586.	1,661.	2,252.
		72"	14 1/4"	14 3/4"	RO3-N72() ()L	1,693.	1,693.	1,778.	2,376.



Enclosed cabinet, no lock (no mounting hardware) - One door		24"	14 1/4"	14 3/4"	RO3-N24() ()N	616.	616.	646.	n/a
		30"	14 1/4"	14 3/4"	RO3-N30() ()N	698.	698.	732.	n/a
		36"	14 1/4"	14 3/4"	RO3-N36() ()N	816.	816.	857.	n/a
		42"	14 1/4"	14 3/4"	RO3-N42() ()N	958.	958.	1,006.	n/a
		48"	14 1/4"	14 3/4"	RO3-N48() ()N	1,075.	1,075.	1,130.	n/a



Enclosed cabinet, no lock (no mounting hardware) - Two doors		60"	14 1/4"	14 3/4"	RO3-N60() ()N	1,313.	1,313.	1,380.	n/a
		66"	14 1/4"	14 3/4"	RO3-N66() ()N	1,447.	1,447.	1,520.	n/a
		72"	14 1/4"	14 3/4"	RO3-N72() ()N	1,561.	1,561.	1,639.	n/a





Order Code	Specification Information	Application Notes
Example: RO3-N48-613-613-L	<i>Specify finish for case and door.</i>	Reuter storage is a universal product applicable on Knoll systems.
RO3 Reuter overhead cabinet		Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2" increments on either or both sides.
N No brackets		Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.
48 Width		Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.
613 Case finish		Reuter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.
613 Front finish		
L With lock		

Reuter open shelf

Designed by Robert Reuter

Reff Profiles

description	type	w	d	h	pattern no.	black	P1	P2	P3
 Open shelf no mounting hardware		30"	13"	8"	RS1-N30()		\$328.	\$328.	\$343.
		36"	13"	8"	RS1-N36()		371.	371.	389.
		42"	13"	8"	RS1-N42()		400.	400.	419.
		48"	13"	8"	RS1-N48()		430.	430.	451.
		60"	13"	8"	RS1-N60()		504.	504.	530.
 Interior partitions	Vertical, set of 5	–	12"	6"	RS1-VP	81.			
	Horizontal, set of 10	6"	12"	–	RO1-HP6	134.			
		9"	12"	–	RO1-HP9	169.			
		12"	12"	–	RO1-HP12	201.			
		15"	12"	–	RO1-HP15	234.			

Order Code

Example:	RS1-N48-612
RS1	Reuter shelf
N	No mounting hardware
48	Width
612	Finish

Specification Information

Specify paint finishes for shelf.

Application Notes

Interior partitions are black painted steel finish.

Reuter storage is a universal product applicable on Morrison or other Knoll systems.



Open shelves may be mounted on any combination of vertical panels the same width. Reuter open shelves may be Morrison Network desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify Reuter shelves with no mounting hardware, and brackets separately.

Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.

Reuter open overhead

Designed by Robert Reuter

Reff Profiles

description	type	w	d	h	pattern no.	black	P1	P2	P3
	Open overhead no mounting hardware	30"	13"	14 ³ / ₄ "	RO3-ON30()		\$490.	\$490.	\$513.
		36"	13"	14 ³ / ₄ "	RO3-ON36()		562.	562.	590.
		42"	13"	14 ³ / ₄ "	RO3-ON42()		638.	638.	670.
		48"	13"	14 ³ / ₄ "	RO3-ON48()		713.	713.	747.
		60"	13"	14 ³ / ₄ "	RO3-ON60()		829.	829.	872.
		72"	13"	14 ³ / ₄ "	RO3-ON72()		977.	977.	1,025.
	Vertical, set of 5	—	11"	12"	RO3-VP	87.			
	Horizontal, set of 10	6"	11"	—	RO1-HP6	134.			
		9"	11"	—	RO1-HP9	169.			
		12"	11"	—	RO1-HP12	201.			
		15"	11"	—	RO1-HP15	234.			

Order Code	Specification Information	Application Notes
Example: RO3-ON30-612	<i>Specify finish for case and door.</i>	
RO3-O Reuter open overhead		Interior partitions are black painted steel finish.
N No mounting hardware		Door retrofit kits convert an open overhead to an enclosed cabinet and include Reuter overhead door, left and right arm mechanisms, and lock or lock plug.
30 Width		Reuter storage is a universal product applicable on Morrison or other Knoll systems. Open overheads may be mounted on any combination of vertical panels the same width or up to 12" less than shelf width.
612 Finish		Reuter open overheads may be desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify open overhead with no mounting hardware and brackets separately. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2" increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than shelf width. Available in sets of 10; 6", 9", 12", 15" widths.

Reuter overhead storage

desk and panel mounting options

Designed by Robert Reuter

Reff Profiles

description	type	w	d	h	pattern no.	black	paint
Panel mount brackets, pair, overhead cabinet	For Reff System panels				RO1-RPB	\$45.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Panel mount brackets, pair, open shelf	For Reff / AutoStrada panels				RS1-RPB	37.	
<i>Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.</i>							
Upmount brackets	For Reff / AutoStrada panels				RO1-RCB()		96.




Order Code	Specification Information	Application Notes
Example: RO2-NS21-612	<i>Specify paint finish for stanchions and upmount brackets.</i>	Reuter overhead cabinets and shelves may be mounted on Network desks or other Knoll systems, upmounted, or wall-mounted. Use bracket kits on this page with Reuter storage without mounting hardware.
RO2 Reuter overhead	Panel mount brackets are painted black finish.	Specify stanchion outlets cover when planning PDC modules and/or power module in overhead support. See page for information on desktop power module.
NS Network stanchions		Upmount brackets support bottom of Reuter storage 1" or 2" above, or flush with top of corresponding width Morrison, Equity or Reff panel.
21 Height		Overhead storage may be centered on, or mount to either side of Equity post. Note that full 6" modular width Reuter storage is wider than Equity centerline-width panel surrounds.
612 Paint finish		Specify 22"H privacy screens (to 49"H) to enclose space between overhead and desk.

Overhead storage


Reuter overhead storage
wall-mounting options and ADA pull
Designed by Robert Reuter

Reff Profiles

description	type	w	d	h	pattern no.	black
	24" or 30"W overheads	23"	1/2"	13"	RO1-WMF2	\$84.
	36" or 42"W overheads	35"	1/2"	13"	RO1-WMF3	91.
	48" or 60"W overheads	47"	1/2"	13"	RO1-WMF4	96.


Wall mount frames, shelf	24"W shelf	23"	1 1/2"	6"	RS1-WMF24	84.
	30"W shelf	29"	1 1/2"	6"	RS1-WMF30	89.
	36"W shelf	35"	1 1/2"	6"	RS1-WMF36	91.
	42"W shelf	41"	1 1/2"	6"	RS1-WMF42	94.
	48"W shelf	47"	1 1/2"	6"	RS1-WMF48	96.
	60"W shelf	59"	1 1/2"	6"	RS1-WMF60	102.

Wall mount wire manager, set of 10					MWM-J	150.
------------------------------------	--	--	--	--	--------------	------






Ganging bracket					RO1-GB	12.
-----------------	--	--	--	--	---------------	-----

ADA pull					RO1-PULL	49.
----------	--	--	--	--	-----------------	-----



Order Code	Specification Information	Application Notes
Example: RO1-GB	Wall mount frames are painted black finish.	Wall mount frames secure Reuter overhead cabinet or shelf to wall (frame/wall mounting hardware is not included). Frame is concealed behind storage. Use two RO1-WMF2 to wall-mount 66"- and 72"-wide Reuter overheads.
RO1 Reuter overhead	ADA pull is stainless steel.	Reuter open shelves 66" and 72"W are for stanchion support only.
GB Ganging bracket		Wall mount wire manager is two-part wire concealment kit, 22"H (medium grey only).
		Ganging bracket joins adjacent Reuter overheads or shelves for additional stiffness and alignment when storage is planned on only one side of a panel run.
		ADA pull mounts to Reuter painted front overhead door to allow seated users to close door easily. Specify one for each cabinet 24" - 48", two for cabinets 60" - 72".
		ADA pull cannot be mounted on wood front Reuter doors.


description	type	w	d	h	pattern no.	list
	Use with 24" and wider overhead	19"	4"	1 1/2"	RTAT5E19S	\$225.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25S	242.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37S	261.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49S	283.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61S	301.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25A	417.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37A	439.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49A	456.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61A	475.
	Use with 24" and wider overhead (3 LED's)	19"	2"	5/8"	ML3L193M	301.
	Use with 24" and wider overhead (6 LED's)	19"	2"	5/8"	ML3L196M	380.
	Use with 24" and wider overhead (9 LED's)	19"	2"	5/8"	ML3L199M	517.
	Use with 42" and wider overhead (6 LED's)	37"	2"	5/8"	ML3L376M	607.
	Use with 42" and wider overhead (12 LED's)	37"	2"	5/8"	ML3L3712M	686.
	Use with 42" and wider overhead (18 LED's)	37"	2"	5/8"	ML3L3718M	850.

Order Code	Specification Information	Application Notes
T5 Standard Task Light Example: RTAT5E25S RTA Task Light T5 T5 lamp E Electronic ballast 25 Width S Standard	T5 Task Lights: 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black. LED Task Lights: Includes LED's, power supply with 12' cord and mounting hardware. Housings are clear anodized aluminum with grey color end-caps.	T5 Task Lights: Specify suffix -CH and add \$45 list for City of Chicago installations. Example: DL3T5E25S-CH Cordset is center exit. On smaller units cord exit is off-center, but still not handed. T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content. LED Task Lights: Power cord is able to attach to either end of fixture. Notes: All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width. All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.


Progressive Overheads
28^{3/8}" planning
Cabinet Hung with glass door

Reff Profiles


description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet Hung Shelf	90"	15"	14 ^{3/4} "	RROCGSD90GB()()	\$3,023.	\$3,628.	\$4,172.	\$5,424.
Glass Sliding Doors Closed Ends	108"	15"	14 ^{3/4} "	RROCGSD108GB()()	3,307.	3,969.	4,564.	5,933.



Cabinet Hung Shelf with Glass Sliding Door Right Hand	60"	15"	14 ^{3/4} "	RROCGSDR60GB()()	2,567.	2,952.	3,395.	4,413.
	72"	15"	14 ^{3/4} "	RROCGSDR72GB()()	2,754.	3,167.	3,643.	4,736.



Cabinet Hung Shelf with Glass Sliding Door Left Hand	60"	15"	14 ^{3/4} "	RROCGSDL60GB()()	2,567.	2,952.	3,395.	4,413.
	72"	15"	14 ^{3/4} "	RROCGSDL72GB()()	2,754.	3,167.	3,643.	4,736.




Order Code	Specification Information	Application Notes
Example: RROCGSD90GB()()	<i>To order please specify:</i>	These products are Glue and Dowel Construction.
RR Reffresh	1. Pull option=G Grommet pull	Above sizes are nominal.
O Overhead	2. Pull finish = Painted/plated	All sliding doors including wood, laminate and glass are non-locking.
C Cabinet Hung	3. Case finish = V316	Installation instruction sheets available on line.
GSD Glass Sliding Door	4. Door frame finish = Anodized / painted	For Cabinet hung overheads, refer to part number 6TP00080.
90 90" wide	5. Door Glass finish	For overhead with sliding doors, refer to part number 6TP00088.
GB Gable Both	GL11 = Black	
G Pull option	GL15 = Med. Grey	
111 Pull finish	GL18 = White	
V316 Case finish		
AN Door frame finish		
GL11 Glass finish		


Progressive Overheads
28³/₈" planning
Cabinet Hung with wood door

Reff Profiles


description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung Shelf with	60"	15"	14 ³ / ₄ "	RROCWSDR60GB () () () () () ()	\$2,187.	\$2,405.	\$2,514.	\$2,624.	\$2,734.	\$3,144.	\$4,086.
Wood/Laminate Sliding Door	72"	15"	14 ³ / ₄ "	RROCWSDR72GB () () () () () ()	2,314.	2,546.	2,662.	2,759.	2,893.	3,327.	4,325.
Right Hand											



Cabinet Hung Shelf with	60"	15"	14 ³ / ₄ "	RROCWSDL60GB () () () () () ()	2,187.	2,405.	2,514.	2,624.	2,734.	3,144.	4,086.
Wood/Laminate Sliding Door	72"	15"	14 ³ / ₄ "	RROCWSDL72GB () () () () () ()	2,314.	2,546.	2,662.	2,759.	2,893.	3,327.	4,325.
Left Hand											



Cabinet Hung Shelf	90"	15"	14 ³ / ₄ "	RROCWSD90GB () () () () () ()	2,597.	2,857.	2,987.	3,117.	3,376.	3,882.	5,047.
Sliding Doors Closed Ends	108"	15"	14 ³ / ₄ "	RROCWSD108GB () () () () () ()	2,816.	3,097.	3,238.	3,379.	3,661.	4,210.	5,472.



Order Code	Specification Information	Application Notes
Example: RROCWSDR60GB	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet pull only	Above sizes are nominal.
O Overhead	2. Pull finish: Painted or Plated	All sliding doors including wood, laminate and glass are non-locking.
C Cabinet Hung	3. Case finish: L, V1, V2, V3	Installation instruction sheets available on line.
WSDR Wood/Lam. Sliding Door	4. Front finish: L, V1, V2, V3	For Cabinet hung overheads, refer to part number 6TP00080.
60 60" wide		For overhead with sliding doors, refer to part number 6TP00088.
GB Gable Both		
G Pull Option		
115 Pull Finish		
V316 Case Finish		
V316 Front Finish		

All sliding doors including wood, laminate and glass are non-locking.


Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.

Please refer to wall mounting information on page 529.

Progressive Overheads
28³/₈" planning
Cabinet Hung with open shelf

Reff Profiles


description	w	d	h	pattern no.	L	V1	V2	V3
 Cabinet Hung Open Shelf Closed Ends	60"	15"	14 ³ / ₄ "	RROCOS60GB()()	\$1,568.	\$2,037.	\$2,343.	\$3,046.
	72"	15"	14 ³ / ₄ "	RROCOS72GB()()	1,671.	2,172.	2,498.	3,248.
	90"	15"	14 ³ / ₄ "	RROCOS90GB()()	1,821.	2,368.	2,723.	3,540.
	108"	15"	14 ³ / ₄ "	RROCOS108GB()()	2,071.	2,693.	3,097.	4,026.

Order Code	Specification Information	Application Notes
Example: RROCOS60GB()()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Finish type:	Above sizes are nominal.
O Overhead	L = Laminate	Installation instruction sheets available on line.
C Cabinet Hung	1 = V1	For Cabinet hung overheads, refer to part number 6TP00080.
OS Open shelf	2 = V2	
60 60" wide	3 = V3	
2 Finish type	2. Finish	
V316 Case Finish		


Progressive Overheads
 28³/₈" planning
 Wall Hung with glass door

Reff Profiles


description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung Shelf with Glass Sliding Door	90"	15"	14 ³ / ₄ "	RROMGSD90GN () () () () ()	\$2,861.	\$3,434.	\$3,949.	\$5,134.
	108"	15"	14 ³ / ₄ "	RROMGSD108GN () () () () ()	3,246.	3,894.	4,479.	5,823.



Wall Hung Shelf with Glass Sliding Door Gable Right	60"	15"	14 ³ / ₄ "	RROMGSD60GR () () () () ()	2,475.	2,969.	3,415.	4,440.
	72"	15"	14 ³ / ₄ "	RROMGSD72GR () () () () ()	2,726.	3,271.	3,763.	4,890.



Wall Hung Shelf with Glass Sliding Door Gable Left	60"	15"	14 ³ / ₄ "	RROMGSD60GL () () () () ()	2,475.	2,969.	3,415.	4,440.
	72"	15"	14 ³ / ₄ "	RROMGSD72GL () () () () ()	2,726.	3,271.	3,763.	4,890.




Order Code	Specification Information	Application Notes
Example: RROMGSD90GN ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet	Above sizes are nominal.
O Overhead	2. Pull finish: 115	Task lights and Fascias sold separately.
M Wall hung	3. Case finish: V319	All sliding doors including wood, laminate and glass are non-locking.
GSD Glass sliding door	4. Door frame: Anodized / painted	Installation instruction sheets available on line.
90 90" wide	5. Glass finish:	For overheads with sliding doors, refer to part number 6TP00088.
GN No gable	GL11 = Black	
G Pull Option	GL15 = Med. Grey	
115 Pull Finish	GL18 = White	
V319 Case Finish		
AP Door Frame Finish		
GL11 Glass Finish		

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 529.


28^{3/8"} planning

Wall Hung with glass door closed ends


description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung Shelf with Glass Sliding Door	90"	15"	14 ^{3/4"}	RROMGSD90GB() ()	\$3,203.	\$3,684.	\$4,236.	\$5,507.
	108"	15"	14 ^{3/4"}	RROMGSD108GB() ()	3,598.	4,138.	4,758.	6,185.



Wall Hung Shelf with Glass Sliding Door Right Hand	60"	15"	14 ^{3/4"}	RROMGSDR60GB() ()	2,613.	3,005.	3,456.	4,492.
	72"	15"	14 ^{3/4"}	RROMGSDR72GB() ()	2,834.	3,259.	3,747.	4,872.



Wall Hung Shelf with Glass Sliding Door Left Hand	60"	15"	14 ^{3/4"}	RROMGSDL60GB() ()	2,613.	3,005.	3,456.	4,492.
	72"	15"	14 ^{3/4"}	RROMGSDL72GB() ()	2,834.	3,259.	3,747.	4,872.




Order Code	Specification Information	Application Notes
Example: RROMGSD90GN ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet	Above sizes are nominal.
O Overhead	2. Pull finish: 115	
M Wall hung	3. Case finish: V319	Task lights and Fascias sold separately.
GSD Glass sliding door	4. Door frame: Anodized / painted	
90 90" wide	5. Glass finish:	All sliding doors including wood, laminate and glass are non-locking.
GN No gable	GL11 = Black	
G Pull Option	GL15 = Med. Grey	
115 Pull Finish	GL18 = White	Installation instruction sheets available on line.
V319 Case Finish		For overheads with sliding doors, refer to part number 6TP00088.
AP Door Frame Finish		
GL11 Glass Finish		


Progressive Overheads
28³/₈" planning
Wall Hung with wood door

Reff Profiles


description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung Shelf with	90"	15"	14 ³ / ₄ "	RROMWSD90GN () () () () ()	\$2,651.	\$2,917.	\$3,050.	\$3,182.	\$3,182.	\$3,660.	\$4,758.
Wood / Laminate Sliding Door	108"	15"	14 ³ / ₄ "	RROMWSD108GN () () () () ()	2,989.	3,288.	3,437.	3,586.	3,586.	4,126.	5,362.




Wall Hung Shelf with	60"	15"	14 ³ / ₄ "	RROMWSD60GR () () () () ()	2,277.	2,505.	2,619.	2,734.	2,734.	3,144.	4,086.
Wood/Laminate Sliding Door	72"	15"	14 ³ / ₄ "	RROMWSD72GR () () () () ()	2,481.	2,730.	2,854.	2,978.	2,978.	3,425.	4,452.
Gable Right											



Wall Hung Shelf with	60"	15"	14 ³ / ₄ "	RROMWSD60GL () () () () ()	2,277.	2,505.	2,619.	2,734.	2,734.	3,144.	4,086.
Wood/Laminate Sliding Door	72"	15"	14 ³ / ₄ "	RROMWSD72GL () () () () ()	2,481.	2,730.	2,854.	2,978.	2,978.	3,425.	4,452.
Gable Left											



Wall Hung Shelf with	90"	15"	14 ³ / ₄ "	RROMWSD90GB () () () () ()	2,746.	3,021.	3,158.	3,295.	3,433.	3,947.	5,131.
Wood/Laminate Sliding Door	108"	15"	14 ³ / ₄ "	RROMWSD108GB () () () () ()	3,063.	3,370.	3,523.	3,676.	3,830.	4,403.	5,725.
Closed Ends											




Order Code	Specification Information	Application Notes
Example: RROMWSD90GB () () () () ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet only	Above sizes are nominal.
O Overhead	2. Pull finish: Painted and Plated	Task lights and Fascias sold separately.
M Wall mount	3. Case finish: L, V1, V2, V3	No lock option at this time.
WSD Wood/Lam. Sliding Door	4. Door finish: L, V1, V2, V3	All sliding doors including wood, laminate and glass are non-locking.
90 90" wide		Installation instruction sheets available on line.
GB Gable both		For overheads with sliding doors, refer to part number 6TP00088.
G Pull Option		
115 Pull Finish		
V319 Case Finish		
V319 Door Finish		


Progressive Overheads
28³/₈" planning
Wall Hung with wood door

Reff Profiles

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung Shelf with	60"	15"	14 ³ / ₄ "	RROMWSDR60GB () () () () () ()	\$2,213.	\$2,435.	\$2,546.	\$2,656.	\$2,767.	\$3,182.	\$4,136.
Wood/Laminate Sliding Door right	72"	15"	14 ³ / ₄ "	RROMWSDR72GB () () () () () ()	2,372.	2,609.	2,728.	2,847.	2,965.	3,410.	4,433.
Closed Ends											



Wall Hung Shelf with	60"	15"	14 ³ / ₄ "	RROMWSDL60GB () () () () () ()	2,213.	2,435.	2,546.	2,656.	2,767.	3,182.	4,136.
Wood/Laminate Sliding Door left	72"	15"	14 ³ / ₄ "	RROMWSDL72GB () () () () () ()	2,372.	2,609.	2,728.	2,847.	2,965.	3,410.	4,433.
Closed Ends											




Order Code	Specification Information	Application Notes
Example: RROMWSD90GB () () () () () ()	To order please specify	These products are Glue and Dowel Construction.
RR Reff	1. Pull option: Grommet only	Above sizes are nominal.
O Overhead	2. Pull finish: Painted and Plated	Task lights and Fascias sold separately.
M Wall mount	3. Case finish: L, V1, V2, V3	No lock option at this time.
WSD Wood/Lam. Sliding Door	4. Door finish: L, V1, V2, V3	All sliding doors including wood, laminate and glass are non-locking.
90 90" wide		Installation instruction sheets available on line.
GB Gable both		For overheads with sliding doors, refer to part number 6TP00088.
G Pull Option		
115 Pull Finish		
V319 Case Finish		
V319 Door Finish		

Progressive Overheads
 28³/₈" planning
 Wall Hung L-Shelf

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
L-Shelf	60"	15"	14 ³ / ₄ "	RRML60()()	\$850.	\$1,020.	\$1,173.	\$1,525.
	72"	15"	14 ³ / ₄ "	RRML72()()	945.	1,143.	1,303.	1,694.
	90"	15"	14 ³ / ₄ "	RRML90()()	1,068.	1,282.	1,474.	1,917.
	108"	15"	14 ³ / ₄ "	RRML108()()	1,223.	1,468.	1,688.	2,194.




Order Code	Specification Information	Application Notes
Example: RRML60()()	<i>To order please specify pattern number including:</i>	These products are Glue and Dowel Construction
RR Reff Refresh	1. Finish type: L, V1, V2, V3	Shipped knocked down.
M Wall Hung	2. Finish = 114	Hardware kit included.
L L-Shelf		Fascia sold separately.
60 60" Wide		Task light sold separately.
L Finish Type		Installation instruction sheets available on line.
114 Finish		Installation instruction sheet, refer to part number 6TP00083

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.
 A certified building contractor should be consulted.
 Please refer to wall mounting information on page 529.
 The woodgrain on the L-Shelves, run perpendicular to the length.


Progressive Overheads
28³/₈" planning
Wall Hung Open Shelf

Reff Profiles


description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung Open Shelf	60"	15"	14 ³ / ₄ "	RROMOS60GL()	\$1,689.	\$1,943.	\$2,234.	\$2,904.
Left Gable	72"	15"	14 ³ / ₄ "	RROMOS72GL()	1,879.	2,161.	2,485.	3,231.




Wall Hung Open Shelf	60"	15"	14 ³ / ₄ "	RROMOS60GR()	1,689.	1,943.	2,234.	2,904.
Right Gable	72"	15"	14 ³ / ₄ "	RROMOS72GR()	1,879.	2,161.	2,485.	3,231.



Wall Hung Open Shelf Closed Ends	60"	15"	14 ³ / ₄ "	RROMOS60GB()()	1,609.	2,091.	2,405.	3,126.
Left&Right Gable	72"	15"	14 ³ / ₄ "	RROMOS72GB()()	1,748.	2,273.	2,614.	3,398.
	90"	15"	14 ³ / ₄ "	RROMOS90GB()()	2,058.	2,675.	3,077.	3,999.
	108"	15"	14 ³ / ₄ "	RROMOS108GB()()	2,212.	2,876.	3,307.	4,299.



Wall Hung Open Shelf	90"	15"	14 ³ / ₄ "	RROMOS90GN()	2,138.	2,459.	2,827.	3,676.
No Gable	108"	15"	14 ³ / ₄ "	RROMOS108GN()	2,364.	2,718.	3,126.	4,063.



Example:	RROMOS60GL()()
RR	Reff
O	Overhead
M	Wall Hung
OS	Open shelf
60	60" wide
GL	Gable Left
V316	Case Finish

To order please specify *pattern number including:*

1. Case finish;

These products are Glue and Dowel Construction.

Above sizes are nominal.



Sliding door is non-locking.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 529.


Transaction tops for use with 42" H panel heights

Reff Profiles

description	w	d	t	pattern no.	L	M	V1	V2	V3
Transaction tops 1 1/4" Thick	24"	15"	1 1/4"	RTTA24()-()	\$333.	\$344.	\$344.	\$396.	\$535.
	30"	15"	1 1/4"	RTTA30()-()	364.	374.	374.	433.	584.
	36"	15"	1 1/4"	RTTA36()-()	396.	410.	410.	470.	637.
	42"	15"	1 1/4"	RTTA42()-()	428.	441.	441.	507.	683.
	48"	15"	1 1/4"	RTTA48()-()	456.	475.	475.	545.	735.
	54"	15"	1 1/4"	RTTA54()-()	488.	506.	506.	580.	783.
	60"	15"	1 1/4"	RTTA60()-()	520.	537.	537.	620.	837.
	66"	15"	1 1/4"	RTTA66()-()	552.	569.	569.	654.	883.
	72"	15"	1 1/4"	RTTA72()-()	581.	602.	602.	692.	934.



Transaction tops with 2" waterfall edge outside edge only, 1 1/4" Thick



24"	15"	1 1/4"	RTTAWF24()-()	687.	790.	1,067.
30"	15"	1 1/4"	RTTAWF30()-()	753.	867.	1,171.
36"	15"	1 1/4"	RTTAWF36()-()	816.	941.	1,270.
42"	15"	1 1/4"	RTTAWF42()-()	880.	1,012.	1,366.
48"	15"	1 1/4"	RTTAWF48()-()	948.	1,090.	1,471.
54"	15"	1 1/4"	RTTAWF54()-()	1,010.	1,160.	1,566.
60"	15"	1 1/4"	RTTAWF60()-()	1,076.	1,237.	1,671.
66"	15"	1 1/4"	RTTAWF66()-()	1,138.	1,310.	1,769.
72"	15"	1 1/4"	RTTAWF72()-()	1,204.	1,383.	1,867.

Not available in laminate or mixed finishes

Order Code	Specification Information	Application Notes
Example: RTTA24S1	<i>To order please specify pattern number including:</i>	Transaction tops are for mounting to 42"h panel or overall panel height achieved from 34"h base panel plus 8"h stacking module. Transaction tops ship with necessary bracketry included.
R Reff	1. End treatment type	Tops may be used to span more than one consecutive panel.
TT Transaction top	2. Finish type	Transaction tops will not fit between panel Hi-Lo conditions without notching the underside of the top. This can be done in the field or through Custom Product Development.
A 1 1/4" thick	3. Finish	
24 24" wide	1. End treatment options:	
S Straight end treatment	S = Straight	
1 V1 finish	L = Left side mitre	
Y311 Beech	R = Right side mitre	
	2. Finish type:	
	L = Laminate	
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	

Tops with waterfall edge cannot be specified with open pore finish. Available in V1 and V2 finishes only.

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.

Transaction tops, regular and waterfall edge

Transaction tops

Brackets for Alternative Material

Reff Profiles

description	w	h	pattern no.	list
Attachment Bracketry			RAMTB	\$59.
* Each panel need 2 brackets				
Foam Tape			RAMTT	23.
Transaction Top Bracket			RAMTC24()()	43.
Cover			RAMTC30()()	46.
			RAMTC36()()	49.
			RAMTC42()()	53.
			RAMTC48()()	56.
			RAMTC54()()	59.
			RAMTC60()()	62.
			RAMTC66()()	66.
			RAMTC72()()	68.
Transaction Top Bracket			RAMTCH24()()	59.
Cover Hilo			RAMTCH30()()	62.
			RAMTCH36()()	66.
			RAMTCH42()()	69.
			RAMTCH48()()	72.
			RAMTCH54()()	75.
			RAMTCH60()()	78.
			RAMTCH66()()	81.
			RAMTCH72()()	83.

Order Code	Specification Information	Application Notes
Example: RAMTC	<i>To order please specify pattern number including:</i>	Spline piece included in the right "R" hand pattern number.
R Reff		When a solid material is installed the "RAMTB" is required.
A Alternative	1. End treatment option	
M Material	2. Finish type: Core paint finishes	When a translucent material is installed ie. glass the "RAMTB" is also required in addition to the covers. The covers are intended to conceal the bracketry.
T Transaction Top		
C Cover		
24 Width		
L/R/M Left/Right/Mitered		


Gallery desk surrounds

1 1/4" worksurface

Reff Profiles

Gallery desk surrounds

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly surround (drilled to accept shelf)	62"	25"	42"	RGAF622-()	\$1,369.	\$1,630.	\$1,630.	\$1,792.	\$1,877.	\$2,421.	\$2,534.
	68"	25"	42"	RGAF682-()	1,416.	1,689.	1,689.	1,856.	1,945.	2,504.	2,625.
	74"	25"	42"	RGAF742-()	1,469.	1,754.	1,754.	1,926.	2,016.	2,601.	2,719.
	80"	25"	42"	RGAF802-()	1,522.	1,811.	1,811.	1,987.	2,086.	2,683.	2,815.
	86"	25"	42"	RGAF862-()	1,569.	1,874.	1,874.	2,052.	2,155.	2,770.	2,909.
	92"	25"	42"	RGAF922-()	1,621.	1,935.	1,935.	2,118.	2,225.	2,858.	3,001.
	98"	25"	42"	RGAF982-()	1,673.	1,995.	1,995.	2,186.	2,297.	2,950.	3,100.
	62"	31"	42"	RGAF623-()	1,455.	1,735.	1,735.	1,901.	1,996.	2,567.	2,694.
	68"	31"	42"	RGAF683-()	1,511.	1,805.	1,805.	1,977.	2,075.	2,669.	2,803.
	74"	31"	42"	RGAF743-()	1,568.	1,873.	1,873.	2,052.	2,153.	2,770.	2,906.
	80"	31"	42"	RGAF803-()	1,625.	1,935.	1,935.	2,124.	2,229.	2,868.	3,009.
	86"	31"	42"	RGAF863-()	1,684.	2,007.	2,007.	2,199.	2,309.	2,969.	3,119.
	92"	31"	42"	RGAF923-()	1,740.	2,076.	2,076.	2,271.	2,387.	3,066.	3,222.
	98"	31"	42"	RGAF983-()	1,797.	2,143.	2,143.	2,349.	2,463.	3,172.	3,325.




If shelf is not ordered and no drillings are required, you must order through specials.

Shelf for above (uses keyhole) attachment hardware	60"	12"	1"	RGS60-()	331.	n/a	394.	n/a	456.	n/a	616.
	66"	12"	1"	RGS66-()	343.	n/a	409.	n/a	470.	n/a	637.
	72"	12"	1"	RGS72-()	354.	n/a	423.	n/a	485.	n/a	655.
	78"	12"	1"	RGS78-()	365.	n/a	435.	n/a	502.	n/a	676.
	84"	12"	1"	RGS84-()	373.	n/a	449.	n/a	515.	n/a	695.
	90"	12"	1"	RGS90-()	386.	n/a	459.	n/a	528.	n/a	713.
	96"	12"	1"	RGS96-()	396.	n/a	471.	n/a	542.	n/a	733.



Bridge top assembly	42"	21"	42"	RGAB421-()	781.	929.	929.	1,003.	1,068.	1,355.	1,441.
	48"	21"	42"	RGAB481-()	836.	994.	994.	1,071.	1,143.	1,446.	1,542.
	54"	21"	42"	RGAB541-()	890.	1,059.	1,059.	1,145.	1,218.	1,545.	1,645.
	60"	21"	42"	RGAB601-()	943.	1,124.	1,124.	1,218.	1,297.	1,645.	1,749.
	66"	21"	42"	RGAB661-()	999.	1,191.	1,191.	1,286.	1,370.	1,737.	1,848.
	72"	21"	42"	RGAB721-()	1,052.	1,254.	1,254.	1,359.	1,441.	1,834.	1,946.
	78"	21"	42"	RGAB781-()	1,103.	1,318.	1,318.	1,431.	1,516.	1,932.	2,047.
	84"	21"	42"	RGAB841-()	1,158.	1,379.	1,379.	1,494.	1,587.	2,016.	2,143.
	90"	21"	42"	RGAB901-()	1,209.	1,442.	1,442.	1,566.	1,659.	2,113.	2,241.
	96"	21"	42"	RGAB961-()	1,259.	1,502.	1,502.	1,629.	1,729.	2,200.	2,334.



Order Code	Specification Information	Application Notes	
Example: RGAF622NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, components: (surround components)</i>	Gallery desk surrounds are available with waterfall edge as a standard special.
R Reff	1. Grommet option	L = Laminate	All requests for special grommet locations must be approved through custom product development.
G Gallery surround	2. Finish type, top	1 = V1	
A 1 1/4" top thickness	3. Finish type, components	2 = V2	
F Freestanding	4. Finish, top	3 = V3	
62 62" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>	All freestanding top assemblies are drilled to accept shelf.
2 25" deep	<i>1. Grommet options:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option. List price for woodgrain laminate options will be current published laminate list price plus 10%.	M (mixed finish) includes laminate worksurface with wood edge and wood gallery surround.
N No grommet	N = No grommets		
L Finish type top, laminate	F = Flush front grommet		
L Finish type components			
114 Folkstone grey (top)	<i>2. Finish type, top:</i>	1 1/4" tops require support at midpoint to reduce spans to 48" or less. Hardware included. Shipped knocked-down.	Specify only 26 1/2" h pedestals and support components as required when using with gallery desk surround products on this page.
114 Folkstone grey (components)	L = Laminate		
	M = Mixed (laminate top w/wood edge)		
	1 = V1		
	2 = V2		Applicable finishes are listed on page 5 and 6.
	3 = V3		

Specify only 26 1/2" h pedestals and support components as required when using with gallery desk surround products on this page.

Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

right hand end assembly, 1 1/4" worksurface

Reff Profiles

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for right hand application	21"	43"	42"	RGAR431-() ()	\$955.	\$1,139.	\$1,139.	\$1,242.	\$1,307.	\$1,677.	\$1,764.
		49"	42"	RGAR491-() ()	1,002.	1,197.	1,197.	1,307.	1,377.	1,764.	1,859.
		55"	42"	RGAR551-() ()	1,054.	1,255.	1,255.	1,372.	1,442.	1,852.	1,947.
		61"	42"	RGAR611-() ()	1,101.	1,312.	1,312.	1,433.	1,513.	1,934.	2,041.
		67"	42"	RGAR671-() ()	1,151.	1,375.	1,375.	1,500.	1,581.	2,023.	2,133.
		73"	42"	RGAR731-() ()	1,200.	1,431.	1,431.	1,564.	1,644.	2,109.	2,220.
		79"	42"	RGAR791-() ()	1,248.	1,487.	1,487.	1,628.	1,716.	2,198.	2,318.
		85"	42"	RGAR851-() ()	1,298.	1,548.	1,548.	1,688.	1,781.	2,278.	2,403.
		91"	42"	RGAR911-() ()	1,348.	1,609.	1,609.	1,755.	1,859.	2,371.	2,510.
		97"	42"	RGAR971-() ()	1,401.	1,668.	1,668.	1,818.	1,915.	2,453.	2,586.
	25"	43"	42"	RGAR432-() ()	1,048.	1,248.	1,248.	1,366.	1,435.	1,843.	1,938.
		49"	42"	RGAR492-() ()	1,094.	1,306.	1,306.	1,428.	1,501.	1,927.	2,025.
		55"	42"	RGAR552-() ()	1,144.	1,364.	1,364.	1,487.	1,571.	2,011.	2,121.
		61"	42"	RGAR612-() ()	1,195.	1,424.	1,424.	1,550.	1,636.	2,093.	2,206.
		67"	42"	RGAR672-() ()	1,243.	1,482.	1,482.	1,618.	1,703.	2,184.	2,300.
		73"	42"	RGAR732-() ()	1,293.	1,540.	1,540.	1,682.	1,773.	2,271.	2,395.
		79"	42"	RGAR792-() ()	1,339.	1,595.	1,595.	1,741.	1,839.	2,349.	2,482.
		85"	42"	RGAR852-() ()	1,388.	1,659.	1,659.	1,807.	1,908.	2,439.	2,574.
		91"	42"	RGAR912-() ()	1,441.	1,719.	1,719.	1,869.	1,976.	2,524.	2,667.
		97"	42"	RGAR972-() ()	1,492.	1,778.	1,778.	1,935.	2,045.	2,612.	2,760.
	31"	43"	42"	RGAR433-() ()	1,113.	1,327.	1,327.	1,447.	1,525.	1,952.	2,059.
		49"	42"	RGAR493-() ()	1,161.	1,382.	1,382.	1,511.	1,591.	2,039.	2,149.
		55"	42"	RGAR553-() ()	1,209.	1,442.	1,442.	1,569.	1,659.	2,118.	2,241.
		61"	42"	RGAR613-() ()	1,256.	1,500.	1,500.	1,629.	1,727.	2,200.	2,331.
		67"	42"	RGAR673-() ()	1,304.	1,559.	1,559.	1,693.	1,792.	2,286.	2,421.
		73"	42"	RGAR733-() ()	1,354.	1,617.	1,617.	1,756.	1,856.	2,372.	2,504.
		79"	42"	RGAR793-() ()	1,404.	1,672.	1,672.	1,818.	1,925.	2,453.	2,600.
		85"	42"	RGAR853-() ()	1,451.	1,731.	1,731.	1,883.	1,991.	2,541.	2,688.
		91"	42"	RGAR913-() ()	1,501.	1,790.	1,790.	1,944.	2,054.	2,623.	2,774.
		97"	42"	RGAR973-() ()	1,549.	1,845.	1,845.	2,007.	2,124.	2,710.	2,868.

Order Code	Specification Information	Application Notes
Example: RGAR431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
A 1 1/4" top thickness	3. Finish type components	2 = V2
R Right hand return	4. Finish, top	3 = V3
43 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.</i>
1 21" deep	<i>1. Grommet options:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
N No grommet	N = No grommets	List price for woodgrain laminate options will be current published laminate list price plus 10%.
L Finish type, top	F = Flush front grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
L Finish type, components	<i>2. Finish type top:</i>	Hardware included.
	L = Laminate	Gallery desk surrounds are available with waterfall edge as a standard special.
	M = Wood/laminate mixed	
	1 = V1	
	2 = V2	
	3 = V3	

All requests for special grommet locations must be approved through custom product development.

M (mixed finish) includes laminate worksurface, wood edge and wood surround.

Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.

Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

left hand end assembly, 1 1/4" worksurface

Reff Profiles

Gallery desk surrounds

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for left hand application	21"	43"	42"	RGAL431-() ()	\$955.	\$1,139.	\$1,139.	\$1,242.	\$1,307.	\$1,677.	\$1,764.
		49"	42"	RGAL491-() ()	1,002.	1,197.	1,197.	1,307.	1,377.	1,764.	1,859.
		55"	42"	RGAL551-() ()	1,054.	1,255.	1,255.	1,372.	1,442.	1,852.	1,947.
		61"	42"	RGAL611-() ()	1,101.	1,312.	1,312.	1,433.	1,513.	1,934.	2,041.
		67"	42"	RGAL671-() ()	1,151.	1,375.	1,375.	1,500.	1,581.	2,023.	2,133.
		73"	42"	RGAL731-() ()	1,200.	1,431.	1,431.	1,564.	1,644.	2,109.	2,220.
		79"	42"	RGAL791-() ()	1,248.	1,487.	1,487.	1,628.	1,716.	2,198.	2,318.
		85"	42"	RGAL851-() ()	1,298.	1,548.	1,548.	1,688.	1,781.	2,278.	2,403.
		91"	42"	RGAL911-() ()	1,348.	1,609.	1,609.	1,755.	1,859.	2,371.	2,510.
		97"	42"	RGAL971-() ()	1,401.	1,668.	1,668.	1,818.	1,915.	2,453.	2,586.
	25"	43"	42"	RGAL432-() ()	1,048.	1,248.	1,248.	1,366.	1,435.	1,843.	1,938.
		49"	42"	RGAL492-() ()	1,094.	1,306.	1,306.	1,428.	1,501.	1,927.	2,025.
		55"	42"	RGAL552-() ()	1,144.	1,364.	1,364.	1,487.	1,571.	2,011.	2,121.
		61"	42"	RGAL612-() ()	1,195.	1,424.	1,424.	1,550.	1,636.	2,093.	2,206.
		67"	42"	RGAL672-() ()	1,243.	1,482.	1,482.	1,618.	1,703.	2,184.	2,300.
		73"	42"	RGAL732-() ()	1,293.	1,540.	1,540.	1,682.	1,773.	2,271.	2,395.
		79"	42"	RGAL792-() ()	1,339.	1,595.	1,595.	1,741.	1,839.	2,349.	2,482.
		85"	42"	RGAL852-() ()	1,388.	1,659.	1,659.	1,807.	1,908.	2,439.	2,574.
		91"	42"	RGAL912-() ()	1,441.	1,719.	1,719.	1,869.	1,976.	2,524.	2,667.
		97"	42"	RGAL972-() ()	1,492.	1,778.	1,778.	1,935.	2,045.	2,612.	2,760.
	31"	43"	42"	RGAL433-() ()	1,113.	1,327.	1,327.	1,447.	1,525.	1,952.	2,059.
		49"	42"	RGAL493-() ()	1,161.	1,382.	1,382.	1,511.	1,591.	2,039.	2,149.
		55"	42"	RGAL553-() ()	1,209.	1,442.	1,442.	1,569.	1,659.	2,118.	2,241.
		61"	42"	RGAL613-() ()	1,256.	1,500.	1,500.	1,629.	1,727.	2,200.	2,331.
		67"	42"	RGAL673-() ()	1,304.	1,559.	1,559.	1,693.	1,792.	2,286.	2,421.
		73"	42"	RGAL733-() ()	1,354.	1,617.	1,617.	1,756.	1,856.	2,372.	2,504.
		79"	42"	RGAL793-() ()	1,404.	1,672.	1,672.	1,818.	1,925.	2,453.	2,600.
		85"	42"	RGAL853-() ()	1,451.	1,731.	1,731.	1,883.	1,991.	2,541.	2,688.
		91"	42"	RGAL913-() ()	1,501.	1,790.	1,790.	1,944.	2,054.	2,623.	2,774.
		97"	42"	RGAL973-() ()	1,549.	1,845.	1,845.	2,007.	2,124.	2,710.	2,868.

Order Code	Specification Information	Application Notes
Example: RGAL431NLL	<i>To order please specify pattern number including:</i>	<i>3. Finish type, surround:</i>
R Reff	1. Grommet option	L = Laminate
G Gallery surround	2. Finish type top	1 = V1
A 1 1/4" top thickness	3. Finish type components	2 = V2
L Left hand return	4. Finish, top	3 = V3
43 43" wide	5. Finish, components	<i>If mixed top finish type, components must be type 1, 2 or 3; otherwise top and surround must be same finish.</i>
1 21" deep	<i>1. Grommet options:</i>	Product on this page will accept woodgrain laminate where laminate is currently an option.
N No grommet	N = No grommets	List price for woodgrain laminate options will be current published laminate list price plus 10%.
L Finish type, top	F = Flush front grommet	1 1/4" tops require support at mid point to reduce spans to 48" or less.
L Finish type, components		Hardware included.

Gallery desk surrounds are available with waterfall edge as a standard special.

All requests for special grommet locations must be approved through custom product development.

M (mixed finish) includes laminate worksurface, wood edge and wood surround.

Specify only 26 1/2" h pedestals and support components as required when using gallery desk surround products on this page.


Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds

gallery towers

Reff Profiles

description	d	w	h	pattern no.	L	V1	V2	V3
Gallery Tower, left hand	32"	12"	46"	RGTL4636() () () ()	\$2,545.	\$3,143.	\$3,612.	\$4,877.



Actual depth of Gallery Tower is 32"

Gallery Tower, right hand	32"	12"	46"	RGTR4636() () () ()	2,545.	3,143.	3,612.	4,877.
---------------------------	-----	-----	-----	--------------------------------	--------	--------	--------	--------

Actual depth of Gallery Tower is 32"

Order Code	Specification Information	Application Notes
Example: RGTL46362V319CL	<i>To order please specify pattern number including:</i>	
R Reff	1. Finish type	3. Pull options:
GT Gallery Tower	2. Finish	D = Metal D-pull
L Left hand	3. Pull option	J = Routed J-pull
46 46" h	4. Pull finish (if applicable)	C = Nickel finish C-pull (nickel finish only)
36 36" d	5. Lock option	S = Stainless steel finish S-pull (stainless steel finish only)
2 V2 finish type		
V319 Medium Cherry	1. <i>Finish type:</i>	
C C-pull	L = Laminate	
L Lock	1 = V1	
	2 = V2	
	3 = V3	

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Products on this page are engineered to align with 1-1/4" thick worksurfaces and 26-1/2" support components only. Gallery tower shelf will not align with 1-3/4" worksurfaces or 28 3/8" h desk height products.

Gallery Tower ships with hookstrip to attach to 42"h Reff panel and angle bracket for 30" deep worksurface attachment at tower. .

Interior lower storage clearance: nominal 10.5"w x 22.5"h x 28.75"d


Overall depth includes top overhang, accommodates 30"d worksurfaces.

Gallery towers are to be used with panel applications.


Single pedestal desks
27³/₄" high overall
available V2 finish options only

Reff Profiles


description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
Single pedestal cantilevered desk, 30"d	60"	30"	RDSP6030J(A,B,W)() () 2	\$2,911.	\$3,331.	\$3,947.	\$3,077.	\$3,496.	\$4,110.
	72"	30"	RDSP7230J(A,B,W)() () 2	3,027.	3,501.	4,110.	3,192.	3,666.	4,277.
	84"	30"	RDSP8430J(A,B,W)() () 2	3,174.	3,698.	4,356.	3,340.	3,861.	4,520.
	96"	30"	RDSP9630J(A,B,W)() () 2	3,303.	3,873.	4,582.	3,468.	4,038.	4,746.



Single pedestal cantilevered desk, 36"d	60"	36"	RDSP6036J(A,B,W)() () 2	3,088.	3,533.	4,283.	3,327.	3,771.	4,521.
	72"	36"	RDSP7236J(A,B,W)() () 2	3,230.	3,751.	4,506.	3,468.	3,989.	4,744.
	84"	36"	RDSP8436J(A,B,W)() () 2	3,374.	3,983.	4,738.	3,612.	4,220.	4,975.
	96"	36"	RDSP9636J(A,B,W)() () 2	3,503.	4,210.	4,958.	3,741.	4,447.	5,197.



Single pedestal bow front desk with short modesty and false pedestal	60"	30"	RBSP6030J(A,B,W)() () 2	3,810.	4,082.	5,437.	4,048.	4,320.	5,674.
	72"	30"	RBSP7230J(A,B,W)() () 2	3,941.	4,242.	5,740.	4,180.	4,478.	5,977.
	84"	30"	RBSP8430J(A,B,W)() () 2	4,147.	4,474.	6,131.	4,385.	4,713.	6,367.
	96"	30"	RBSP9630J(A,B,W)() () 2	4,335.	4,703.	6,539.	4,573.	4,943.	6,777.




Order Code	Specification Information	Application Notes
Example: RDSP6030JAR2WJL	<i>To order, please specify pattern number including:</i>	30"D rectilinear desk pedestals are 24"D including modesty panel.
RD Reff desk	1. Width	36"D rectilinear desk pedestals are 30"D including modesty panel.
SP Single pedestal	2. Depth	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
60 60" wide	3. File option <i>J default = BBF</i>	Bowed front desk pedestals are 30"D with finished backs.
30 30" deep	4. Top thickness	All desks are non-handed.
J Box/box/file	5. Grommet option	All hardware included.
A 1 1/4" regular edge top	6. Finish type	All waterfall desks have waterfall detail on front and back.
R Recessed grommets	7. Interior option	All components on this page available in V2 only.
2 Finish type	8. Pull option	These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.
W Wood interiors	9. Locking <i>L default</i>	
J Routed pulls	10. Veneer finish	
L Lock	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	
	5. Grommet Options: R = Recessed grommets N = No grommets	
	6. 2 = V2 Veneer Finish	
	7. Interior Options: M = Metal W = Wood	
	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull	
	Applicable finishes are listed on page 5 and 6.	
	Random locks are factory installed. Keylike are field installed with the KnollKey order form.	


Double pedestal desks
27³/₄" high overall
available V2 finish options only

Reff Profiles


description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
Double pedestal cantilevered desk, 30"d	60"	30"	RDDP6030JK(A,B,W)() () 2	\$3,757.	\$4,178.	\$4,793.	\$4,120.	\$4,540.	\$5,156.
	72"	30"	RDDP7230JK(A,B,W)() () 2	3,875.	4,348.	4,957.	4,237.	4,711.	5,320.
	84"	30"	RDDP8430JK(A,B,W)() () 2	4,022.	4,543.	5,202.	4,385.	4,905.	5,564.
	96"	30"	RDDP9630JK(A,B,W)() () 2	4,151.	4,720.	5,428.	4,513.	5,083.	5,791.



Double pedestal cantilevered desk, 36"d	60"	36"	RDDP6036JK(A,B,W)() () 2	3,995.	4,438.	5,186.	4,484.	4,928.	5,677.
	72"	36"	RDDP7236JK(A,B,W)() () 2	4,136.	4,657.	5,410.	4,625.	5,147.	5,901.
	84"	36"	RDDP8436JK(A,B,W)() () 2	4,280.	4,886.	5,640.	4,769.	5,378.	6,131.
	96"	36"	RDDP9636JK(A,B,W)() () 2	4,407.	5,113.	5,863.	4,898.	5,603.	6,353.







Double bowed front desk with short modesty panel	60"	30"	RBDP6030JK(A,B,W)() () 2	4,447.	4,719.	6,073.	4,938.	5,208.	6,563.
	72"	30"	RBDP7230JK(A,B,W)() () 2	4,577.	4,877.	6,377.	5,066.	5,367.	6,865.
	84"	30"	RBDP8430JK(A,B,W)() () 2	4,783.	5,111.	6,766.	5,273.	5,601.	7,256.
	96"	30"	RBDP9630JK(A,B,W)() () 2	4,972.	5,341.	7,175.	5,462.	5,829.	7,664.



Order Code	Specification Information	Application Notes
Example: RDDP7236JKAR2WJL		
RD Reff desk	<i>To order, please specify pattern number including:</i>	5. Grommet Options: R = Recessed grommets N = No grommets
DP Double pedestal	1. Width	6. 2 = V2 Veneer Finish
72 72" wide	2. Depth	7. Interior Options: M = Metal W = Wood
36 36" deep	3. File option <i>JK default = BBF and FF</i>	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull
J Box/box/file pedestal	4. Top thickness	Applicable finishes are listed on page 5 and 6.
K File/file	5. Grommet option	Random locks are factory installed. Keylike are field installed with the KnollKey order form.
A 1 1/4" Thick worksurface	6. Finish type	
R Recessed grommets	7. Interior option	
2 Finish type, V2	8. Pull option	
W Wood interiors	9. Locking <i>L default</i>	
J Routed pull	10. Veneer finish	
L Lock	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	
		30"D rectilinear desk pedestals are 24"D including modesty panel. 36"D rectilinear desk pedestals are 30"D including modesty panel. Pedestals are 16"W when calculating knee space subtract 16" per pedestal. Bowed front desk pedestals are 30"D with finished backs. Bow front modesty sits in between the pedestals and is recessed in 6". All hardware included. All waterfall desks have waterfall detail on front and back. All components on this page available in V2 only. These desk assemblies are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Desk returns
27³/₄" high overall
available V2 finish options only

Reff Profiles

description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
 Single pedestal return, 24"d	36"	24"	RRSP3624K(A,B,W)() () J2	\$2,141.	\$2,477.	\$3,127.	\$2,340.	\$2,675.	\$3,326.
	42"	24"	RRSP4224K(A,B,W)() () J2	2,196.	2,574.	3,211.	2,395.	2,771.	3,408.
	48"	24"	RRSP4824K(A,B,W)() () J2	2,289.	2,693.	3,379.	2,485.	2,890.	3,577.
	54"	24"	RRSP5424K(A,B,W)() () J2	2,349.	2,760.	3,514.	2,548.	2,958.	3,711.
	60"	24"	RRSP6024K(A,B,W)() () J2	2,408.	2,821.	3,655.	2,607.	3,020.	3,854.
 Single pedestal return, 30"d	36"	30"	RRSP3630K(A,B,W)() () J2	2,278.	2,652.	3,387.	2,531.	2,903.	3,636.
	42"	30"	RRSP4230K(A,B,W)() () J2	2,340.	2,739.	3,489.	2,589.	2,989.	3,741.
	48"	30"	RRSP4830K(A,B,W)() () J2	2,436.	2,843.	3,664.	2,687.	3,095.	3,917.
	54"	30"	RRSP5430K(A,B,W)() () J2	2,509.	2,910.	3,837.	2,759.	3,162.	4,088.
	60"	30"	RRSP6030K(A,B,W)() () J2	2,552.	2,969.	3,928.	2,804.	3,222.	4,182.
 End panel return	36"	24"	RREP3624(A,B,W)(F,N)2				1,296.	1,629.	2,281.
	42"	24"	RREP4224(A,B,W)(F,N)2				1,349.	1,727.	2,365.
	48"	24"	RREP4824(A,B,W)(F,N)2				1,441.	1,845.	2,533.
	54"	24"	RREP5424(A,B,W)(F,N)2				1,504.	1,914.	2,667.
	60"	24"	RREP6024(A,B,W)(F,N)2				1,563.	1,975.	2,809.
 End panel return	36"	30"	RREP3630(A,B,W)(F,N)2				1,376.	1,746.	2,480.
	42"	30"	RREP4230(A,B,W)(F,N)2				1,435.	1,833.	2,584.
	48"	30"	RREP4830(A,B,W)(F,N)2				1,532.	1,938.	2,760.
	54"	30"	RREP5430(A,B,W)(F,N)2				1,604.	2,004.	2,933.
	60"	30"	RREP6030(A,B,W)(F,N)2				1,646.	2,065.	3,024.

Preconfigured Reff
Deskings


Order Code	Specification Information	Application Notes
Example: RREP4830AF2	To order, please specify pattern number including:	Pedestals are 16"W when calculating knee space subtract 16" per pedestal.
RREP Reff desk return	1. Width	All desks are non-handed.
48 48" wide	2. Depth	All hardware included.
30 30" deep	3. File option where applicable K default = FF	Desk returns with waterfall have waterfall edge 3 sides.
A 1 1/4" thick worksurface	4. Top thickness	All components on this page available in V2 only.
F Flush grommets	5. Grommet option	Random locks are factory installed. Keyalike are field installed with the KnollKey order form.
2 Finish type, V2	6. Finish type	Single pedestal returns are supplied with hardware kit including wood screws for attachment to underside of worksurface.
	7. Interior option where applicable	
	8. Pull option where applicable	
	9. Locking where applicable L default	
	10. Veneer finish	
	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 1/4" B = 1 3/4" W = 1 1/4" waterfall	

5. Grommet Options:
F = Flush grommets
N = No grommets
6. 2 = V2 Veneer Finish
7. Interior Options:
M = Metal
W = Wood
8. Pull Options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = Stainless steel finish S-pull
- Applicable finishes are listed on page 5 and 6.

Single pedestal credenzas
 27³/₄" high overall
 available V2 finish options only


description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
-------------	---	---	-------------	-------------------------	-------------------------	-------------------------	------------------------	------------------------	------------------------

Single pedestal credenza




60"	24"	RCSP6024K(A,B,W)() () 2	\$2,769.	\$3,181.	\$3,392.	\$2,966.	\$3,379.	\$3,589.
72"	24"	RCSP7224K(A,B,W)() () 2	2,906.	3,353.	3,578.	3,103.	3,550.	3,777.
84"	24"	RCSP8424K(A,B,W)() () 2	3,047.	3,548.	3,778.	3,246.	3,747.	3,977.
96"	24"	RCSP9624K(A,B,W)() () 2	3,173.	3,726.	3,971.	3,370.	3,924.	4,167.

Single lateral file credenza (30" wide lateral file)



60"	24"	RCS3L6024K(A,B,W)() () 2	2,919.	3,331.	3,542.	3,373.	3,785.	3,995.
72"	24"	RCS3L7224K(A,B,W)() () 2	3,056.	3,503.	3,729.	3,508.	3,957.	4,184.
84"	24"	RCS3L8424K(A,B,W)() () 2	3,197.	3,700.	3,928.	3,650.	4,152.	4,382.
96"	24"	RCS3L9624K(A,B,W)() () 2	3,323.	3,876.	4,122.	3,777.	4,329.	4,576.

Single lateral file credenza (36" wide lateral file)



60"	24"	RCS6L6024K(A,B,W)() () 2	3,001.	3,417.	3,626.	3,788.	4,201.	4,413.
72"	24"	RCS6L7224K(A,B,W)() () 2	3,139.	3,586.	3,814.	3,926.	4,373.	4,599.
84"	24"	RCS6L8424K(A,B,W)() () 2	3,281.	3,783.	4,012.	4,067.	4,569.	4,799.
96"	24"	RCS6L9624K(A,B,W)() () 2	3,406.	3,960.	4,204.	4,194.	4,746.	4,990.

Order Code

Example: **RCS6L9624KAF2MDL****RC** Reff credenza**S6L** Single 36" w lateral file**96** 96" wide**24** 24" wide**K** File/file**A** 1 1/4" thick worksurface**F** Flush grommets**2** Finish type**M** metal interiors**D** D-metal pull**L** Lock

Specification Information

To order, please specify pattern number including:

- Width
- Depth
- File option
K default = FF
- Top thickness
- Grommet option
- Finish type
- Interior option
- Pull option
- Locking
L default
- Veneer finish
- Pull finish, when applicable
- Grommet finish, when applicable

4. Thickness options:

A = 1 1/4"

B = 1 3/4"

W = 1 1/4" waterfall

5. Grommet Options:

F = Flush grommets

N = No grommets

6. 2 = V2 Veneer Finish

7. Interior Options:

M = Metal

W = Wood

8. Pull Options:

D = Metal D-pull

J = Routed pull

C = Nickel C-pull

(nickel finish only)

S = Stainless steel finish S-pull

Applicable finishes are listed on page 5 and 6.

Random locks are factory installed.
Keyalike are field installed with the KnollKey order form.

Application Notes

Pedestals are 16"W when calculating knee space subtract 16" per pedestal.

Credenzas with lateral files or pedestals are non-handed.

All hardware included.


All waterfall credenzas have waterfall detail on front only.

All components on this page available in V2 only.

Single pedestal credenzas are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Bridge assemblies
 27³/₄" high overall
 available V2 finish options only

Reff Profiles

description	w	d	pattern no.	A	B	W
Bridge assembly 	36"	24"	RBR3624(A,B,W)(F,N)2	\$927.	\$1,262.	\$1,915.
	42"	24"	RBR4224(A,B,W)(F,N)2	982.	1,360.	1,998.
	48"	24"	RBR4824(A,B,W)(F,N)2	1,074.	1,478.	2,165.
	36"	30"	RBR3630(A,B,W)(F,N)2	989.	1,360.	2,094.
	42"	30"	RBR4230(A,B,W)(F,N)2	1,046.	1,446.	2,198.
	48"	30"	RBR4830(A,B,W)(F,N)2	1,144.	1,552.	2,375.


Preconfigured Reff
 Desking

Order Code	Specification Information	Application Notes
Example: RBR4830WF2	<i>To order, please specify pattern number including:</i>	Bridge assemblies are non-handed.
RBR Reff bridge assembly	4. Grommet Color	All hardware included.
48 48" wide	1. Top thickness	Waterfall option on all 3 sides.
30 30" deep	2. Grommet option	Available in conventional veneer only.
W Waterfall edge 1 1/4"	3. Finish type	All components on this page are available in V2 only.
F Flush grommets	4. Veneer finish	Shipped with full height modesty.
2 Conventional veneer	5. Grommet color	
	1. Thickness options: A = 1 1/4" straight edge B = 1 3/4" straight edge W = 1 1/4" waterfall edge 2. Grommet Options: F = Flush grommets N = No grommets 3. 2 = V2 Veneer Finish	


Double pedestal credenzas
27³/₄" high overall
available V2 finish options only

Reff Profiles

description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
Double pedestal credenza (16" wide FF peds)	60"	24"	RCDP6024K(A,B,W)() () 2	\$3,617.	\$4,027.	\$4,238.	\$4,011.	\$4,424.	\$4,635.
	72"	24"	RCDP7224K(A,B,W)() () 2	3,751.	4,199.	4,425.	4,147.	4,596.	4,821.
	84"	24"	RCDP8424K(A,B,W)() () 2	3,893.	4,396.	4,625.	4,289.	4,791.	5,020.
	96"	24"	RCDP9624K(A,B,W)() () 2	4,019.	4,571.	4,818.	4,417.	4,967.	5,213.




Double lateral credenza (30" wide laterals)	60"	24"	RCD3L6024K(A,B,W)() () 2	3,916.	4,328.	4,540.	4,823.	5,237.	5,446.
	84"	24"	RCD3L8424K(A,B,W)() () 2	4,195.	4,698.	4,926.	5,102.	5,603.	5,832.
	96"	24"	RCD3L9624K(A,B,W)() () 2	4,322.	4,872.	5,118.	5,228.	5,779.	6,027.



96" w shown; 60" w has no knee space

Double lateral credenza (36" wide laterals)	72"	24"	RCD6L7224K(A,B,W)() () 2	4,220.	4,668.	4,895.	5,794.	6,240.	6,465.
	96"	24"	RCD6L9624K(A,B,W)() () 2	4,488.	5,040.	5,286.	6,059.	6,612.	6,858.



96" w shown; 72" w has no knee space

Order Code	Specification Information	Application Notes
Example: RCD6L9624KBF2WDL	To order, please specify pattern number including:	5. Grommet Options: F = Flush grommets N = No grommets
RC Reff credenza	1. Width	6. 2 = V2 Veneer Finish
D6L Double 36" w lateral file	2. Depth	7. Interior Options: M = Metal W = Wood
96 96" wide	3. File option K default = FF	8. Pull Options: D = Metal D-pull J = Routed pull C = Nickel C-pull (nickel finish only) S = Stainless steel finish S-pull
24 24" wide	4. Top thickness	Applicable finishes are listed on page 5 and 6.
K File file	5. Grommet option	Random locks are factory installed. Keyalike are field installed with the KnollKey order form.
B 1 ³ / ₄ " thick worksurface	6. Finish type	
F Flush grommets	7. Interior option	
2 Finish type	8. Pull option	
W wood drawer interior	9. Locking L default	
D D-metal pull	10. Veneer finish	
L Lock	11. Pull finish, when applicable	
	12. Grommet finish, when applicable	
	4. Thickness options: A = 1 ¹ / ₄ " B = 1 ³ / ₄ " W = 1 ¹ / ₄ " waterfall	

Accessories

hookstrips and top caps

Reff Profiles

description	w	pattern no.	list price
Panel hookstrips	8"	R2HK0008	\$43.
	15"	R2HK0015	70.
	34"	R2HK0034	95.
	42"	R2HK0042	101.
	49"	R2HK0049	109.
	64"	R2HK0064	118.
	79"	R2HK0079	124.
Beltway hookstrips	42"	R2HKB042	109.
	49"	R2HKB049	118.
	64"	R2HKB064	124.
	79"	R2HKB079	130.
Generation 2 top caps		KRR2CAPL() ()	62.
		KRR2CAPT() ()	62.
		KRR2CAPX() ()	62.
		KRR2CAPEND() ()	62.
		KRR2CAPSTRAIGHT() ()	62.
Generation 3 top caps		KRR3CAPL() ()	62.
		KRR3CAPT() ()	62.
		KRR3CAPX() ()	62.
		KRR3CAPSTRAIGHT() ()	62.
		KRR3CAPEND() ()	62.

Accessories and Client
Samples








Order Code	Specification Information	Application Notes
Example: KRR3CAPL-2A	<i>To order please specify pattern number including:</i>	Applicable finishes are listed on page 5 and 6.
KRR3 Reff generation 3		
CAP Top cap	1. L = Laminate paint finish	An additional 34", 42", 49", or 64" high hookstrip will be required for applications of high low high panel-to-panel connections not involving a post.
L Finished 2 adjacent sides	2. 1 = V1 Techwood	
	3. 2 = V2 Conventional veneer	
2 Conventional veneer	<i>Top cap profile:</i>	
A Flat profile	A = Flat	
V319 Medium cherry	B = Square	Panel hookstrips and Beltway hookstrips are presented here to help prevent shortages for installations.
	C = Bullnose	

New top caps may be required for furniture reconfigurations. G2 and G3 top caps are required when the R3R2 SLV is specified.

Accessories

cabinet extras and undermount accessories

Reff Profiles

description	w	d	h	pattern no.	Metal	L	V1	V2	V3	list price
Cabinet boot tray	14"	17"		RCABT1417						\$73.
	29"	17"		RCABT2917						122.
Cabinet coat rod	Half of 30" cabinets			RCACR30H						71.
	Half of 36" cabinets			RCACR36H						77.
	16" cabinets			RCACR16						73.
	30" cabinets			RCACR30						97.
	36" cabinets			RCACR36						109.
Articulated keyboard arm	10" x 22 1/4" keyboard tray			RKBA1022()						865.
	10" x 20" keyboard tray			RKBA1020()						865.
	Available in laminate, techwood (V1), or veneer (V2)									
CRT turntable	31" diameter			RKT31						534.
										
Pencil drawer used under worktop	16"	17"	1"	RPAD-()		296.	526.	526.	682.	
	Specify wood or laminate finish									
Cabinet shelves, (replacement)	16"	20"		RCAS1620-()	74.	139.	148.	171.	230.	
	16"	24"		RCAS1624-()	82.	156.	168.	195.	262.	
Wood shelf	30"	15"		RCAS3015-()	91.	182.	196.	224.	302.	
	30"	20"		RCAS3020-()	88.	156.	168.	195.	262.	
	30"	24"		RCAS3024-()	98.	182.	196.	224.	302.	
	36"	15"		RCAS3615-()	100.	194.	205.	232.	313.	
	36"	20"		RCAS3620-()	100.	167.	178.	205.	277.	
Metal shelf	36"	24"		RCAS3624-()	105.	196.	209.	239.	323.	

Order Code

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:

L = laminate

1 = V1

2 = V2

M = Metal

Specification Information

Pencil drawer includes slides.

Applicable finishes are listed on page 5 and 6.




Application Notes

See Reff Planning Guide for more information.

Accessories

presentation samples

Reff Profiles

description	w	d	h	pattern no.	L	M/V1	V2	V3	list price
Wall rails (paint options only)	–	–	8 ⁷ / ₈ "	RWHRA-()					\$37.
	–	–	17 ⁵ / ₈ "	RWHRB-()					40.
	–	–	18 ¹ / ₄ "	RWHRC-()					40.
	–	–	21 ¹ / ₁₆ "	RWHRD-()					42.
	–	–	22"	RWHRE-()					42.
	–	–	59 ¹ / ₂ "	RWHRF-()					95.
	–	–	67"	RWHRG-()					95.
Striplight (black only) for transaction tops	26"	2"	2"	RCASL					338.
									
Presentation wood sample, 16" x 16"	16"	16"	–	RSAMP1616-()()	134.	187.	241.	279.	
	Optional edge details available								
Presentation stackable/tiled mini panel (for demonstrations)	24"	–	34"	R3SMP ()()					1,078.
	Specify trim profile, base height, base type and applicable finishes								
Presentation monolithic mini panel	4"H base			RR3MP4 ()					590.
	6"H base			RR3MP6 ()					631.
	Specify trim profile and applicable finishes								
Presentation metal D-pull sample board Includes 6 different color handles Optional veneer for board				R917762 ()					432.
Presentation worksurface cutaway sample	12"	12"	1 ¹ / ₄ "	RTOP2 ()	110.	165.	220.	259.	
	12"	12"	1 ³ / ₄ "	RTOP1 ()	110.	165.	220.	259.	
Presentation waterfall edge sample	11"	8 ¹ / ₂ "		R921655 ()					328.
Sample, cascade edge worksurface	12"	12"		RCE1R1212G	127.				
									
Rangeboard	27"	12"	1 ¹ / ₄ "	RRBRD2712 ()					296.
	Recommended for natural veneer with clear coat (V311, V316) and Light finishes (such as V312, V315)								

Order Code

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:

L = Laminate

1 = V1

2 = V2

Specification Information

See Reff Planning Guide for more information.

Metal D-pull sample board represents the following standard Reff finishes (PT, 111, 118, 611, 612, 613)

Specify board finish in laminate, techwood, conventional or laminate with a wood edge.

Specify edge detail if applicable for presentation wood samples.

Applicable finishes are listed on page 5 and 6.







Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Accessories

wire management

Reff Profiles

description	w	d	h	pattern no.	list price
	24"	4 1/2"	5 3/4"	RWMWT24	\$42.
	30"	4 1/2"	5 3/4"	RWMWT30	48.
	36"	4 1/2"	5 3/4"	RWMWT36	53.
	Available black only				
	24"	1"	3/8"	RWMV24 ()	34.
	Ships with overdesk unit. Specify paint finish.				
	24"	2 1/2"	1 1/4"	RWMMP24	37.
	30"	2 1/2"	1 1/4"	RWMMP30	42.
	36"	2 1/2"	1 1/4"	RWMMP36	43.
	Available black only				
	24"	—	—	RWMVP24	34.
	not available in finish codes: 112,116,117,611, 612, 613				
	24"	1 1/2"	3/4"	RWMVH24	40.
	30"	1 1/2"	3/4"	RWMVH30	44.
	36"	1 1/2"	3/4"	RWMVH36	48.
	Available black only				
				RWMPB	146.
Replacement hardware	Top to endpanel disk			RBDD	5.
	Top to workwall endpanel disk			RBDW	5.
	Panel to endpanel bracket			RBPE(L/R)()	20.
	Specify paint finish for RBPE(L/R) RBDD and RBDW available black only				

Order Code	Specification Information	Application Notes	Application Notes
Example: RJBW24	<i>To order please specify:</i> 1. Pattern number 2. Color if applicable	Specify color for hinged vertical wire management only from paint finish list on page 5. *Available in Black only.	*Installation instruction sheets available on line.
R Reff			
JB J-Bracket			
W Wall and Modesty mount			
24			

Accessories

wire management

Reff Profiles







description	w	d	h	pattern no.	list price
Tree wire manager 2 shipped with panel	2"			RBWM	\$11.
used in Beltway					
J-Wire Trough				RJBW24	63.
Wall Mount				RJBW30	65.
				RJBW36	71.
				RJBW42	83.
				RJBW48	88.
				RJBW54	90.
				RJBW60	91.
				RJBW66	103.
				RJBW72	104.
*Installation Instruction Sheet: 6TP00078					
J-Wire Trough				RJBU24	76.
Under Mount				RJBU30	78.
				RJBU36	85.
				RJBU42	98.
				RJBU48	105.
				RJBU54	107.
				RJBU60	109.
				RJBU66	121.
				RJBU72	123.
*Installation Instruction Sheet: 6TP00079					
Wire manager for credenza top				RWMCT24	125.

Order Code	Specification Information	Application Notes	Application Notes
Example: RJBW24	<i>To order please specify:</i>	Specify color for hinged vertical wire management only from paint finish list on page 5.	*Installation instruction sheets available on line.
R Reff	1. Pattern number		
JB J-Bracket	2. Color if applicable		
W Wall and Modesty mount		*Available in Black only.	
24			

Accessories

Power and Data

Reff Profiles

description	type	w	d	h	pattern no.	list
Simple Stand Off					RST	\$105.
						
Stand Off for Power Center (Electrical component not included)					RPCST()	134.
						
Power Center Grommet (Electrical component not included)					RPCG	153.
						
Desktop Grommet	For 1 1/2" thick top			1 1/2"	RD TGA	33.
	For 1 1/4" thick top			1 1/4"	RD TGB	33.
	For 1" thick top			1"	RD TGC	33.
Desktop Outlet - Power Center stand off					RDTE2272	321.
					RDTE22120	345.
					RDTE22H	353.
Electrical component for Simple Stand-Off	2 x 2				RD TCE2272	400.
Clamp on	2 x 2				RD TCE22120	416.
	2 x 2				RD TCE22H	475.
	3 x 3				RD TCE3372	510.
	3 x 3				RD TCE33120	526.
	3 x 3				RD TCE33H	585.
3 x 3 shown						


Order Code	Specification Information	Application Notes
Example: RDTE2272		H = Hard wire
R Reff		Installation instruction sheet available on line.
DT Desktop Outlet		
E Electrical component		For Power Center stand off, refer to part number 6TP00081.
2 2 Electrical		
2 2 Data		
72 72" cord		

Accessories

Power and Data

Reff Profiles

description	type	w	d	h	pattern no.	list
Electrical component for Simple Stand-Off Drop-In	3 x 3				RDTSTE3372	\$679.
	3 x 3				RDTSTE33120	695.
	3 x 3				RDTSTE33H	754.






Accessories and Client
Samples

Order Code	Specification Information	Application Notes
Example: RDTE2272		
R	Reff	H = Hard wire
DT	Desktop Outlet	Installation instruction sheet available on line.
E	Electrical component	
2	2 Electrical	For Power Center stand off, refer to part number 6TP00081.
2	2 Data	
72	72" cord	

Accessories

interior components

Reff Profiles

description	type	w	h	pattern no.	list price
Panel-hung coat hook (hookstrip)				RPHCHH	\$34.
	Not intended to work with (AA) Aluminum top trim				
Panel-hung coat hook (panel top)				RPHCHT	34.
Panel-hung tackboard		30"	24"	RPHTB3024	286.
Note: Fabric railroaded		42"	24"	RPHTB4224	352.
	All standard grades of fabric				
Panel-hung whiteboard		30"	24"	RPHWB3024	444.
		42"	24"	RPHWB4224	543.
Wall-hung tackboard		30"	24"	RWHTB3024	317.
Note: Fabric railroaded Velcro supplied		36"	24"	RWHTB3624	352.
		42"	24"	RWHTB4224	386.
		48"	24"	RWHTB4824	420.
	for use with 26 1/2"h support planning module				
Wall-hung tackboard for desk height (28 3/8"h)		30"	26"	RWHDHTB3026	334.
planning		36"	26"	RWHDHTB3626	369.
Note: Fabric railroaded Velcro supplied		42"	26"	RWHDHTB4226	407.
		48"	26"	RWHDHTB4826	441.
	for use with 28 3/8"h support planning module				
Box drawer dividers, wood box drawers (Acrylic)		16"	–	RPADSS	50.
File bars, wood file drawers (replacement)		16"	–	RPAHFB16	28.
		30"	–	RPAHFB30	54.
		36"	–	RPAHFB36	83.

Order Code

To order please specify:

1. Pattern number
2. Fabric (Tackboards)

Application Notes

See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement pencil trays for pedestals shipped July 2001 and prior should order KR5914265. Replacement pencil trays for all mobile pedestals, should order KR5914265.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

Accessories

interior components

Reff Profiles


description	type	w	h	pattern no.	list price
File bars, metal file drawers (replacement)		16"	—	RPAHFM162 *	\$20.
		30"	—	RPAHFM30	28.
		36"	—	RPAHFM36	28.

Sold as individuals

Plate divider 				RPD11	22.
				RPD14	22.

RPD11 to be used with 15" D open cabinet/bookcase with metal shelves.
RPD14 to be used with 20"/24"D open cabinet/bookcase with metal shelves.


Pencil tray, wood (ordered separately)		12"	—	RPAPT	97.
--	--	-----	---	--------------	-----

Pencil tray, plastic 	black	12"	—	RPETRAY3N	37.
	clear	12"	—	RPETRAY3C	44.

Recommended for use with metal drawer interiors on 16"w peds.
Letter width pedestal.

Pencil tray adapter 				RPETAD	80.
---	--	--	--	---------------	-----

Includes metal adapter pencil tray and plastic pencil tray to be used with 19" wide (Legal width) pedestals.
Available in painted and anodized finishes.

Task Panel shelf 		14"		RTST14	163.
---	--	-----	--	---------------	------

Order Code

To order please specify:

1. Pattern number
2. Fabric (Tackboards)

Application Notes

See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement pencil trays for pedestals shipped July 2001 and prior should order KR5914265. Replacement pencil trays for all mobile pedestals, should order KR5914265.


Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

Accessories

interior components

Reff Profiles

description	type	w	h	pattern no.	list price
Task Panel flat tray		14"		RTSF14	\$163.
		28"		RTSF28	194.



Order Code

To order please specify:

1. Pattern number
2. Fabric (Tackboards)

Application Notes

See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1" nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement pencil trays for pedestals shipped July 2001 and prior should order KR5914265. Replacement pencil trays for all mobile pedestals, should order KR5914265.




Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

Accessories

Fascias

Metal


Reff Profiles

description	w	pattern no.	P1/P2	P3
 Metal Fascia - Both left and right recess	30"	ROMDHMTF130RB	\$141.	\$169.
	36"	ROMDHMTF136RB	144.	173.
	42"	ROMDHMTF142RB	145.	174.
	48"	ROMDHMTF148RB	147.	177.
	54"	ROMDHMTF154RB	150.	180.
	60"	ROMDHMTF160RB	152.	183.
	66"	ROMDHMTF166RB	161.	193.
	72"	ROMDHMTF172RB	163.	196.
	78"	ROMDHMTF178RB	165.	198.
	84"	ROMDHMTF184RB	167.	200.
	90"	ROMDHMTF190RB	169.	203.
	96"	ROMDHMTF196RB	171.	205.
 Metal Fascia - Left recess	30"	ROMDHMTF130RL	141.	169.
	36"	ROMDHMTF136RL	144.	173.
	42"	ROMDHMTF142RL	145.	174.
	48"	ROMDHMTF148RL	147.	177.
	54"	ROMDHMTF154RL	150.	180.
	60"	ROMDHMTF160RL	152.	183.
	66"	ROMDHMTF166RL	161.	193.
	72"	ROMDHMTF172RL	163.	196.
	78"	ROMDHMTF178RL	165.	198.
	84"	ROMDHMTF184RL	167.	200.
	90"	ROMDHMTF190RL	169.	203.
	96"	ROMDHMTF196RL	171.	205.
 Metal Fascia - No recess	30"	ROMDHMTF130RN	141.	169.
	36"	ROMDHMTF136RN	144.	173.
	42"	ROMDHMTF142RN	145.	174.
	48"	ROMDHMTF148RN	147.	177.
	54"	ROMDHMTF154RN	150.	180.
	60"	ROMDHMTF160RN	152.	183.
	66"	ROMDHMTF166RN	161.	193.
	72"	ROMDHMTF172RN	163.	196.
	78"	ROMDHMTF178RN	165.	198.
	84"	ROMDHMTF184RN	167.	200.
	90"	ROMDHMTF190RN	169.	203.
	96"	ROMDHMTF196RN	171.	205.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: ROMDHMTF130RB	<i>To order please specify pattern number including:</i>	For single and double high overheads.
R Reff	1. Finish	For Anodized Finishes, Please add \$55 to P3 List Price.
O Overhead	Anodized and Core paint finishes.	Wood and metal options.
M Wall hung		Letter depth only.
DH Desk height		
M Metal		
T Task light		
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
118 Finish		

*Fascias**Metal*

description	w	pattern no.	P1/P2	P3
Metal Fascia - Right recess 	30"	ROMDHMTF130RR	\$141.	\$169.
	36"	ROMDHMTF136RR	144.	173.
	42"	ROMDHMTF142RR	145.	174.
	48"	ROMDHMTF148RR	147.	177.
	54"	ROMDHMTF154RR	150.	180.
	60"	ROMDHMTF160RR	152.	183.
	66"	ROMDHMTF166RR	161.	193.
	72"	ROMDHMTF172RR	163.	196.
	78"	ROMDHMTF178RR	165.	198.
	84"	ROMDHMTF184RR	167.	200.
	90"	ROMDHMTF190RR	169.	203.
	96"	ROMDHMTF196RR	171.	205.




Order Code	Specification Information	Application Notes
Example: ROMDHMTF130RB	<i>To order please specify pattern number including:</i> 1. Finish Anodized and Core paint finishes.	For single and double high overheads. Wood and metal options. Letter depth only. For Anodized Finishes, Please add \$55 to P3 List Price.
R Recess		
O Overhead		
M Wall hung		
DH Desk height		
M Metal		
T Task light		
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
118 Finish		

Accessories

Fascias

Wood


Reff Profiles

description	w	pattern no.	V1	V2	V3
Wood Fascia - Both left and right recess 	30"	ROMDHWTF130RB	\$260.	\$281.	\$351.
	36"	ROMDHWTF136RB	262.	284.	355.
	42"	ROMDHWTF142RB	264.	287.	359.
	48"	ROMDHWTF148RB	266.	290.	364.
	54"	ROMDHWTF154RB	268.	294.	368.
	60"	ROMDHWTF160RB	386.	408.	510.
	66"	ROMDHWTF166RB	388.	411.	514.
	72"	ROMDHWTF172RB	390.	414.	518.
	78"	ROMDHWTF178RB	392.	417.	522.
	84"	ROMDHWTF184RB	394.	420.	526.
	90"	ROMDHWTF190RB	397.	423.	530.
	96"	ROMDHWTF196RB	542.	564.	706.
Wood Fascia - Left recess 	30"	ROMDHWTF130RL	260.	281.	351.
	36"	ROMDHWTF136RL	262.	284.	355.
	42"	ROMDHWTF142RL	264.	287.	359.
	48"	ROMDHWTF148RL	266.	290.	364.
	54"	ROMDHWTF154RL	268.	294.	368.
	60"	ROMDHWTF160RL	386.	408.	510.
	66"	ROMDHWTF166RL	388.	411.	514.
	72"	ROMDHWTF172RL	390.	414.	518.
	78"	ROMDHWTF178RL	392.	417.	522.
	84"	ROMDHWTF184RL	394.	420.	526.
	90"	ROMDHWTF190RL	397.	423.	530.
	96"	ROMDHWTF196RL	542.	564.	706.
Wood Fascia - No recess 	30"	ROMDHWTF130RN	260.	281.	351.
	36"	ROMDHWTF136RN	262.	284.	355.
	42"	ROMDHWTF142RN	264.	287.	359.
	48"	ROMDHWTF148RN	266.	290.	364.
	54"	ROMDHWTF154RN	268.	294.	368.
	60"	ROMDHWTF160RN	386.	408.	510.
	66"	ROMDHWTF166RN	388.	411.	514.
	72"	ROMDHWTF172RN	390.	414.	518.
	78"	ROMDHWTF178RN	392.	417.	522.
	84"	ROMDHWTF184RN	394.	420.	526.
	90"	ROMDHWTF190RN	397.	423.	530.
	96"	ROMDHWTF196RN	542.	564.	706.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: ROMDHWTF130RB	To order please specify pattern number including: 1. Finish L, V1, V2,V3	For single and double high overheads.
R Recess		Wood and metal options.
O Overhead		Letter depth only.
M Wall hung		
DH Desk height		
W Wood		
T Task light		
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
V316 Finish		

*Fascias**Wood*





description	w	pattern no.	V1	V2	V3
Wood Fascia - Right recess 	30"	ROMDHWTF130RR	\$260.	\$281.	\$351.
	36"	ROMDHWTF136RR	262.	284.	355.
	42"	ROMDHWTF142RR	264.	287.	359.
	48"	ROMDHWTF148RR	266.	290.	364.
	54"	ROMDHWTF154RR	268.	294.	368.
	60"	ROMDHWTF160RR	386.	408.	510.
	66"	ROMDHWTF166RR	388.	411.	514.
	72"	ROMDHWTF172RR	390.	414.	518.
	78"	ROMDHWTF178RR	392.	417.	522.
	84"	ROMDHWTF184RR	394.	420.	526.
	90"	ROMDHWTF190RR	397.	423.	530.
	96"	ROMDHWTF196RR	542.	564.	706.

Order Code	Specification Information	Application Notes
Example: ROMDHWTF130RB	<i>To order please specify pattern number including:</i> 1. Finish L, V1, V2,V3	For single and double high overheads.
R Recess		Wood and metal options.
O Overhead		Letter depth only.
M Wall hung		
DH Desk height		
W Wood		
T Task light		
F Fascia		
1 Letter depth		
30 30"		
R Recess		
B Recess location		
V316 Finish		

Accessories

Sliding Rails




Reff Profiles

description	width	pattern no.	list price
Sliding rail for open shelves 	30"	RSDR30	\$53.
	36"	RSDR36	53.
	42"	RSDR42	53.
	48"	RSDR48	53.
	54"	RSDR54	53.
	60"	RSDR60	83.
	66"	RSDR66	83.
	72"	RSDR72	83.
	78"	RSDR78	83.
	84"	RSDR84	93.
	90"	RSDR90	93.
	96"	RSDR96	93.
Sliding rail for open or hinged door overhead cabinets 	30"	ROHDR30	53.
	36"	ROHDR36	53.
	42"	ROHDR42	53.
	48"	ROHDR48	53.
	60"	ROHDR60	93.
	72"	ROHDR72	93.
	90"	ROHDR90	126.
	96"	ROHDR96	126.
Sliding rail for flip door overhead cabinets 	30"	RFDR30	53.
	36"	RFDR36	53.
	42"	RFDR42	53.
	48"	RFDR48	53.
	60"	RFDR60	93.
	72"	RFDR72	93.
	84"	RFDR84	93.
	96"	RFDR96	93.
Sliding rail divider 	R5ZNN (3 dividers)		22.

Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RSDR30	<i>To order please specify pattern number.</i>	Match cabinet width to rail width.
R Reff		Parts come in black only.
SDR Sliding rail for open shelves		These rails allow the use of metal "D"-ring divider to locate and separate binders and standing materials in Reff overhead cabinets.
30 For 30" shelf		The rail which attaches to the inside back section of the cabinet is sold according to cabinet size door configuration.

*Task Light**Reff*

description	type	w	d	h	pattern no.	list
	Use with 24" and wider overhead	19"	4"	1 1/2"	RTLT5E19S	\$270.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTLT5E25S	276.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTLT5E37S	281.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTLT5E49S	286.
	Use with 72" and wider overhead	61"	4"	1 1/2"	RTLT5E61S	303.
	Use with 84" and wider overhead	73"	4"	1 1/2"	RTLT5E73S	330.
	Use with 96" and wider overhead	85"	4"	1 1/2"	RTLT5E85S	412.
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTLT5E25A	396.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTLT5E37A	417.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTLT5E49A	434.
	Use with 72" and wider overhead	61"	4"	1 1/2"	RTLT5E61A	451.
	Use with 84" and wider overhead	73"	4"	1 1/2"	RTLT5E73A	467.
	Use with 96" and wider overhead	85"	4"	1 1/2"	RTLT5E85A	484.
	Use with 24" and wider overhead (3 LED's)	19"	2"	9/16"	RTLL193W	306.
	Use with 24" and wider overhead (6 LED's)	19"	2"	9/16"	RTLL196W	386.
	Use with 24" and wider overhead (9 LED's)	19"	2"	9/16"	RTLL199W	526.
	Use with 42" and wider overhead (6 LED's)	37"	2"	9/16"	RTLL376W	617.
	Use with 42" and wider overhead (12 LED's)	37"	2"	9/16"	RTLL3712W	697.
	Use with 42" and wider overhead (18 LED's)	37"	2"	9/16"	RTLL3718W	864.

Order Code	Specification Information	Application Notes
T5 Standard Task Light	T5 Task Lights:	T5 Task Lights:
Example: RTLT5E19S	120v and includes T5 cool white (4100K) fluorescent lamp,	Specify suffix -CH and add \$45 list for City of Chicago installations.
RTL Task Light	electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware.	Example: DL3T5E25S-CH
T5 T5 lamp	Housings are black.	Cordset is center exit. On smaller units cord exit is off-center, but still not handed.
E Electronic ballast		
19 Width		
S Standard		
LED Task Light	LED Task Lights:	T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content.
Example: RTLL193W	Includes LED's, power supply with 12' cord and mounting hardware.	
RTL Task Light	Housings are clear anodized aluminum with grey color end-caps.	LED Task Lights:
L LED		Power cord is able to attach to either end of fixture.
19 Width		
3 # of LED's		
W Wood Overhead Attachment		

Notes:
All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width.

All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.

Task Panels

Planning Guidelines and Specifications

Reff Profiles

Task Panels

The high performance Task Panel is designed to augment the utility of the zone immediately above the credenza in a Private Office setting, by offering tool rail capability and cable management features in addition to tackable and decorative inserts. All Task Panels have a cable curtain along the full length of the bottom edge which, when used in conjunction with notched back credenza tops, provides access to in-wall power sources and for cable concealment. See figure on following page for cable management details. The optional tool rail is designed to accept slatwall accessories and the Reff Profiles Task Panel Shelf. Slatwall accessories are available from KnollExtra. Insert panels may be conveniently removed, exposing a $\frac{7}{8}$ " wire clearance space which allows cable drops at any point along the entire width of the Task Panel. Check local electrical codes for suitability.

Task Panels are configured in eight heights (H1 – H8) to correspond to their application. See application diagrams on the following pages. H1 and H2 are designed for focused work applications whereas H3 through H8 are designed for collaborative or team work applications.


Construction

The Task Panel consists of a framework and optional tool rail, with decorative trims and a variety of functional and decorative inserts. See figures below for breakdown of components. Bottom right; The frame assembly consists of two vertical members, a bottom and top frame member and an optional tool rail. These are connected together and supported by mounting brackets. Edges have decorative trims; a top cover and two end covers.

Connected to the bottom frame member is a nylon brush which forms the cable curtain. Frames are clad with either one or two inserts depending upon the use of the tool rail. Bottom left (upper); single monolithic insert with spacers. Bottom left (lower); top segmented insert and bottom segmented insert and spacers.

Task Panels are shipped with frame and trim components, cable curtain and hardware in one container and inserts and spacers in a separate container.

The unit is field-assembled; fastened together using brackets and screws in pre-punched holes. See part #6TP00085 for assembly and installations instructions.



Task Panels

Planning Guidelines and Specifications

Specification Options

Task Panels are offered in widths from 30" to 96" in 6" increments; and in eight application heights, H1 to H8. Overall thickness of the Task Panel is 1 1/2".

Task Panels are available in two basic configurations; monolithic (with a single insert) and segmented (with two inserts divided by the horizontal tool rail). See diagrams, previous page, for description.


The Task Panel cover trims and optional tool rail are offered in three anodized metallic finishes; Black (AN), Polished (AP) and Satin (AU) as well as all core paint colors. Refer to Reff Profiles finish options page for more information.

Task Panel inserts are available in a variety of finishes including fabric (tackable), Forbo™ (tackable linoleum), laminate, veneer, glass and marker board.

Note that segmented Task Panels with fabric lower inserts are available up to 72" wide.

Planning Notes



1. H1, H3, H5 and H7 Task Panels are intended for use with 1 1/2" thick credenza tops. H2, H4, H6 and H8 Task Panels are intended for use with 1" credenza tops.
2. Fabric is applied to inserts railroad style only
3. Forbo™ is available on lower segmented inserts only
4. Grain direction for veneer inserts is vertical
5. Glass is not available for lower segmented inserts.



Task Panels

Planning Guidelines and Specifications

Reff Profiles





Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H1 Task Panel is intended for use with 1 1/2" thick tops.
- H2 Task Panel is intended for use with 1" thick credenza tops.

Task Panels

Planning Guidelines and Specifications

Reff Profiles





Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left and right of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H3 Task Panel is intended for use with 1 1/2" thick tops.
- H4 Task Panel is intended for use with 1" thick credenza tops.

Task Panels

Planning Guidelines and Specifications

Reff Profiles





Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left and right of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H5 Task Panel is intended for use with 1 1/2" thick tops.
- H6 Task Panel is intended for use with 1" thick credenza tops.

Task Panels

Planning Guidelines and Specifications

Reff Profiles




Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left and right of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H7 Task Panel is intended for use with 1 1/2" thick tops.
- H8 Task Panel is intended for use with 1" thick credenza tops.

Task Panels
H1 23 1/8" high
Monolithic, Without Tool rail
Fabric

Reff Profiles

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	23 1/8"	30"	RTPNM30H1()()	\$727.	\$742.	\$757.	\$771.	\$794.	\$809.	\$827.
Without tool rail	1 1/2"	23 1/8"	36"	RTPNM36H1()()	781.	799.	818.	836.	861.	877.	896.
	1 1/2"	23 1/8"	42"	RTPNM42H1()()	1,024.	1,045.	1,067.	1,089.	1,122.	1,141.	1,167.
	1 1/2"	23 1/8"	48"	RTPNM48H1()()	1,036.	1,060.	1,084.	1,107.	1,140.	1,160.	1,187.
	1 1/2"	23 1/8"	54"	RTPNM54H1()()	1,054.	1,080.	1,107.	1,134.	1,168.	1,189.	1,215.
	1 1/2"	23 1/8"	60"	RTPNM60H1()()	1,117.	1,146.	1,176.	1,206.	1,242.	1,264.	1,293.
	1 1/2"	23 1/8"	66"	RTPNM66H1()()	1,351.	1,383.	1,414.	1,446.	1,489.	1,515.	1,550.
	1 1/2"	23 1/8"	72"	RTPNM72H1()()	1,371.	1,406.	1,441.	1,476.	1,520.	1,547.	1,582.
	1 1/2"	23 1/8"	78"	RTPNM78H1()()	1,541.	1,579.	1,617.	1,655.	1,705.	1,735.	1,774.
	1 1/2"	23 1/8"	84"	RTPNM84H1()()	1,550.	1,590.	1,630.	1,671.	1,721.	1,751.	1,791.
	1 1/2"	23 1/8"	90"	RTPNM90H1()()	1,613.	1,656.	1,701.	1,744.	1,796.	1,827.	1,869.
	1 1/2"	23 1/8"	96"	RTPNM96H1()()	1,632.	1,679.	1,725.	1,773.	1,826.	1,857.	1,900.

Accessories and Client
Samples

Order Code	Specification Information	Application Notes
Example: RTPNM30H1()()	To order please specify pattern number including;	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including all trim pieces.
H1 23 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroaded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

Reff Profiles

H1 23 1/8" high

Monolithic, Without Tool rail

Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	23 1/8"	30"	RTPNM30H1()	\$972.	\$781.	\$774.	\$873.	\$935.	\$1,077.
Without tool rail	1 1/2"	23 1/8"	36"	RTPNM36H1()	1,088.	828.	819.	921.	991.	1,159.
	1 1/2"	23 1/8"	42"	RTPNM42H1()	1,327.	1,018.	1,006.	1,111.	1,186.	1,380.
	1 1/2"	23 1/8"	48"	RTPNM48H1()	1,421.	1,030.	1,018.	1,125.	1,207.	1,430.
	1 1/2"	23 1/8"	54"	RTPNM54H1()	1,500.	1,039.	1,026.	1,134.	1,226.	1,476.
	1 1/2"	23 1/8"	60"	RTPNM60H1()	1,623.	1,094.	1,079.	1,189.	1,291.	1,568.
	1 1/2"	23 1/8"	66"	RTPNM66H1()	1,927.	1,360.	1,343.	1,455.	1,571.	1,876.
	1 1/2"	23 1/8"	72"	RTPNM72H1()	2,007.	1,371.	1,353.	1,468.	1,597.	1,936.
	1 1/2"	23 1/8"	78"	RTPNM78H1()	2,239.	1,534.	1,514.	1,630.	1,762.	2,122.
	1 1/2"	23 1/8"	84"	RTPNM84H1()	2,319.	1,550.	1,529.	1,652.	1,788.	2,174.
	1 1/2"	23 1/8"	90"	RTPNM90H1()	2,442.	1,604.	1,581.	1,700.	1,852.	2,266.
	1 1/2"	23 1/8"	96"	RTPNM96H1()	2,522.	1,622.	1,599.	1,721.	1,876.	2,316.

Order Code	Specification Information	Application Notes
Example: RTPNM30H1()	To order please specify pattern number including;	H1 Height: Underside of overhead to top 1 1/2" thick desk height
R Reff	1. Trim Finish: Painted or Anodized	worksurface.
TP Task Panel	2. Insert Finish: Veneer	Always supplied including cable curtain.
N No tool rail		Always supplied including all trim pieces.
M Monolithic		LH & RH side full height trims. (no hi-lo trims)
30 Width		All trims supplied with the same finish specification.
H1 23 1/8" high		Tool rails are not supplied to this Task Panel.
111 Trim finish		All Fabric to be applied railroded as current tackboard
V319 Veneer selection		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels


Reff Profiles

H1 23 1/8" high

Segmented With Tool rail

Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	23 1/8"	30"	RTPRS30H1() ()	\$1,128.	\$1,158.	\$1,189.	\$1,218.	\$1,247.	\$1,277.	\$1,306.
With tool rail	1 1/2"	23 1/8"	36"	RTPRS36H1() ()	1,214.	1,251.	1,288.	1,325.	1,357.	1,388.	1,419.
	1 1/2"	23 1/8"	42"	RTPRS42H1() ()	1,466.	1,509.	1,552.	1,595.	1,634.	1,672.	1,710.
	1 1/2"	23 1/8"	48"	RTPRS48H1() ()	1,486.	1,533.	1,580.	1,626.	1,666.	1,705.	1,743.
	1 1/2"	23 1/8"	54"	RTPRS54H1() ()	1,517.	1,571.	1,624.	1,678.	1,718.	1,758.	1,798.
	1 1/2"	23 1/8"	60"	RTPRS60H1() ()	1,548.	1,608.	1,669.	1,728.	1,770.	1,811.	1,853.
	1 1/2"	23 1/8"	66"	RTPRS66H1() ()	1,894.	1,958.	2,021.	2,085.	2,134.	2,185.	2,234.
	1 1/2"	23 1/8"	72"	RTPRS72H1() ()	1,927.	1,997.	2,068.	2,138.	2,190.	2,240.	2,292.



Order Code	Specification Information	Application Notes
Example: RTPRS30H1() ()	To order please specify pattern number including:	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmented		
30 Width		Always supplied including all trim pieces.
H1 23 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection bottom		When ordering 54" or wider Task Panel, please check width of fabric specified.


Task Panels

Reff Profiles

H1 23 1/8" high

Segmented With Tool rail

Marker board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	23 1/8"	30"	RTPRS30H1() () ()	\$1,189.	\$1,204.	\$1,218.	\$1,234.	\$1,271.	\$1,293.	\$1,323.
With tool rail	1 1/2"	23 1/8"	36"	RTPRS36H1() () ()	1,266.	1,284.	1,302.	1,320.	1,360.	1,383.	1,415.
	1 1/2"	23 1/8"	42"	RTPRS42H1() () ()	1,450.	1,472.	1,494.	1,515.	1,560.	1,587.	1,624.
	1 1/2"	23 1/8"	48"	RTPRS48H1() () ()	1,468.	1,491.	1,514.	1,538.	1,584.	1,612.	1,648.
	1 1/2"	23 1/8"	54"	RTPRS54H1() () ()	1,495.	1,521.	1,548.	1,575.	1,622.	1,650.	1,688.
	1 1/2"	23 1/8"	60"	RTPRS60H1() () ()	1,519.	1,549.	1,579.	1,609.	1,657.	1,686.	1,724.
	1 1/2"	23 1/8"	66"	RTPRS66H1() () ()	1,888.	1,920.	1,952.	1,984.	2,044.	2,079.	2,126.
	1 1/2"	23 1/8"	72"	RTPRS72H1() () ()	1,913.	1,948.	1,984.	2,019.	2,080.	2,116.	2,164.

Order Code	Specification Information	Application Notes
Example: RTPRS30H1() () ()	To order please specify pattern number including:	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	Installation instruction sheets available on line.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085.
R Tool rail	3. Bottom insert finish: Fabric	
S Segmentated		
30 Width		Always supplied including all trim pieces.
H1 23 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

Reff Profiles

H1 23 1/8" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	23 1/8"	30"	RTPRS30H1 () ()	\$1,262.	\$1,134.	\$1,227.	\$1,271.	\$1,286.	\$1,319.
With tool rail	1 1/2"	23 1/8"	36"	RTPRS36H1 () ()	1,387.	1,272.	1,354.	1,354.	1,372.	1,412.
	1 1/2"	23 1/8"	42"	RTPRS42H1 () ()	1,620.	1,426.	1,503.	1,547.	1,567.	1,614.
	1 1/2"	23 1/8"	48"	RTPRS48H1 () ()	1,694.	1,454.	1,521.	1,604.	1,624.	1,678.
	1 1/2"	23 1/8"	54"	RTPRS54H1 () ()	1,765.	1,490.	1,550.	1,633.	1,654.	1,713.
	1 1/2"	23 1/8"	60"	RTPRS60H1 () ()	1,835.	1,527.	1,579.	1,661.	1,685.	1,750.
	1 1/2"	23 1/8"	66"	RTPRS66H1 () ()	2,236.	1,883.	1,959.	2,041.	2,068.	2,139.
	1 1/2"	23 1/8"	72"	RTPRS72H1 () ()	2,309.	1,922.	1,990.	2,073.	2,101.	2,179.
	1 1/2"	23 1/8"	78"	RTPRS78H1 () ()	2,487.	2,067.	2,126.	2,210.	2,240.	2,325.
	1 1/2"	23 1/8"	84"	RTPRS84H1 () ()	2,557.	2,092.	2,143.	2,228.	2,260.	2,351.
	1 1/2"	23 1/8"	90"	RTPRS90H1 () ()	2,629.	2,129.	2,172.	2,257.	2,291.	2,390.
	1 1/2"	23 1/8"	96"	RTPRS96H1 () ()	2,702.	2,167.	2,202.	2,288.	2,324.	2,429.




Accessories and Client Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H1 () ()	To order please specify pattern number including:	H1 Height: Underside of overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H1 23 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top insert		All Fabric to be applied railroded as current tackboard
V319 Veneer selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H2 29³/₄" high
Monolithic, Without Tool Rail
Fabric

Reff Profiles

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	29 3/4"	30"	RTPNM30H2()()	\$801.	\$817.	\$831.	\$847.	\$872.	\$887.	\$907.
Without tool rail	1 1/2"	29 3/4"	36"	RTPNM36H2()()	857.	876.	894.	913.	940.	956.	979.
	1 1/2"	29 3/4"	42"	RTPNM42H2()()	1,048.	1,069.	1,092.	1,113.	1,146.	1,167.	1,194.
	1 1/2"	29 3/4"	48"	RTPNM48H2()()	1,062.	1,086.	1,108.	1,132.	1,166.	1,187.	1,213.
	1 1/2"	29 3/4"	54"	RTPNM54H2()()	1,080.	1,107.	1,133.	1,160.	1,195.	1,215.	1,243.
	1 1/2"	29 3/4"	60"	RTPNM60H2()()	1,143.	1,173.	1,204.	1,234.	1,271.	1,293.	1,323.
	1 1/2"	29 3/4"	66"	RTPNM66H2()()	1,379.	1,411.	1,443.	1,475.	1,519.	1,546.	1,581.
	1 1/2"	29 3/4"	72"	RTPNM72H2()()	1,400.	1,435.	1,470.	1,505.	1,550.	1,577.	1,613.
	1 1/2"	29 3/4"	78"	RTPNM78H2()()	1,571.	1,609.	1,648.	1,686.	1,737.	1,766.	1,808.
	1 1/2"	29 3/4"	84"	RTPNM84H2()()	1,582.	1,622.	1,662.	1,703.	1,753.	1,784.	1,825.
	1 1/2"	29 3/4"	90"	RTPNM90H2()()	1,645.	1,688.	1,732.	1,776.	1,829.	1,861.	1,903.
	1 1/2"	29 3/4"	96"	RTPNM96H2()()	1,666.	1,712.	1,759.	1,806.	1,859.	1,892.	1,935.

Order Code	Specification Information	Application Notes
Example: RTPNM30H2()()	To order please specify pattern number including;	H2 Height: Underside of overhead to top 1 7/8" thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail	3. Insert Finish: Fabric	
M Monolithic		
30 Width		Always supplied including cable curtain.
H2 29 3/4" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection		All trims supplied with the same finish specification.
		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroaded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

Reff Profiles

*H2 29³/₄" high**Monolithic, Without Tool Rail**Wood, Laminate, Marker board or Glass Inserts*

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	29 3/4"	30"	RTPNM30H2()	\$1,121.	\$817.	\$806.	\$911.	\$981.	\$1,163.
Without tool rail	1 1/2"	29 3/4"	36"	RTPNM36H2()	1,263.	870.	858.	964.	1,045.	1,263.
	1 1/2"	29 3/4"	42"	RTPNM42H2()	1,540.	1,054.	1,040.	1,149.	1,243.	1,497.
	1 1/2"	29 3/4"	48"	RTPNM48H2()	1,648.	1,076.	1,061.	1,172.	1,282.	1,571.
	1 1/2"	29 3/4"	54"	RTPNM54H2()	1,753.	1,088.	1,070.	1,185.	1,306.	1,630.
	1 1/2"	29 3/4"	60"	RTPNM60H2()	1,903.	1,145.	1,127.	1,242.	1,376.	1,737.
	1 1/2"	29 3/4"	66"	RTPNM66H2()	2,233.	1,414.	1,393.	1,512.	1,657.	2,053.
	1 1/2"	29 3/4"	72"	RTPNM72H2()	2,340.	1,429.	1,406.	1,526.	1,683.	2,114.
	1 1/2"	29 3/4"	78"	RTPNM78H2()	2,598.	1,600.	1,575.	1,698.	1,862.	2,328.
	1 1/2"	29 3/4"	84"	RTPNM84H2()	2,703.	1,612.	1,585.	1,712.	1,887.	2,389.
	1 1/2"	29 3/4"	90"	RTPNM90H2()	2,852.	1,676.	1,647.	1,805.	1,968.	2,505.
	1 1/2"	29 3/4"	96"	RTPNM96H2()	2,959.	1,690.	1,660.	1,791.	1,994.	2,566.

Order Code	Specification Information	Application Notes
Example: RTPNM30H2()	To order please specify pattern number including;	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail	3. Bottom Insert Finish: G, LW, L, V1, V2, V3	
M Monolithic		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H2 29 3/4" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
V319 Veneer selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.


Task Panels

Reff Profiles

H2 29³/₄" high

Segmented With Tool Rail

Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	29 3/4"	30"	RTPRS30H2 ()()	\$1,260.	\$1,270.	\$1,281.	\$1,570.	\$1,331.	\$1,353.	\$1,384.
With tool rail	1 1/2"	29 3/4"	36"	RTPRS36H2 ()()	1,292.	1,329.	1,365.	1,402.	1,444.	1,469.	1,503.
	1 1/2"	29 3/4"	42"	RTPRS42H2 ()()	1,485.	1,529.	1,573.	1,616.	1,664.	1,693.	1,732.
	1 1/2"	29 3/4"	48"	RTPRS48H2 ()()	1,508.	1,554.	1,602.	1,648.	1,697.	1,727.	1,766.
	1 1/2"	29 3/4"	54"	RTPRS54H2 ()()	1,539.	1,592.	1,646.	1,700.	1,750.	1,781.	1,822.
	1 1/2"	29 3/4"	60"	RTPRS60H2 ()()	1,571.	1,630.	1,691.	1,751.	1,804.	1,834.	1,877.
	1 1/2"	29 3/4"	66"	RTPRS66H2 ()()	1,919.	1,982.	2,046.	2,108.	2,171.	2,209.	2,260.
	1 1/2"	29 3/4"	72"	RTPRS72H2 ()()	2,019.	2,069.	2,120.	2,170.	2,235.	2,274.	2,326.


Order Code	Specification Information	Application Notes
Example: RTPRS30H2 ()()	To order please specify pattern number including:	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	Installation instruction sheets available on line.
TP Task Panel	2. Top Insert Finish: Fabric	For Task Panels refer to part number 6TP00085.
R Tool rail	3. Bottom Insert Finish: Fabric	
S Segmented		
30 Width		Always supplied including cable curtain.
H2 29 ³ / ₄ " high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection top insert		All trims supplied with the same finish specification.
W281 Fabric selection bottom insert		All Fabric to be applied railroaded as current tackboard.

When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

Reff Profiles

*H2 29³/₄" high**Segmented With Tool Rail**Marker board Insert Above / Fabric Insert Below*

description	th	h	w	pattern no.	grade						
					LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented With tool rail 	1 1/2"	29 3/4"	30"	RTPRS30H2 ()()	\$1,207.	\$1,223.	\$1,237.	\$1,252.	\$1,290.	\$1,312.	\$1,342.
	1 1/2"	29 3/4"	36"	RTPRS36H2 ()()	1,289.	1,307.	1,326.	1,344.	1,384.	1,409.	1,441.
	1 1/2"	29 3/4"	42"	RTPRS42H2 ()()	1,474.	1,496.	1,518.	1,540.	1,586.	1,614.	1,650.
	1 1/2"	29 3/4"	48"	RTPRS48H2 ()()	1,494.	1,517.	1,540.	1,564.	1,610.	1,639.	1,676.
	1 1/2"	29 3/4"	54"	RTPRS54H2 ()()	1,520.	1,547.	1,574.	1,601.	1,649.	1,677.	1,716.
	1 1/2"	29 3/4"	60"	RTPRS60H2 ()()	1,546.	1,576.	1,607.	1,637.	1,686.	1,715.	1,754.
	1 1/2"	29 3/4"	66"	RTPRS66H2 ()()	1,917.	1,949.	1,980.	2,012.	2,071.	2,108.	2,156.
	1 1/2"	29 3/4"	72"	RTPRS72H2 ()()	1,744.	1,848.	1,951.	2,055.	2,117.	2,154.	2,202.

Order Code	Specification Information	Application Notes
Example: RTPRS30H2 ()()	To order please specify pattern number including: 1. Trim Finish: Painted or Anodized 2. Top Insert Finish: Marker board 3. Bottom Insert Finish: Fabric	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
R Reff		
TP Task Panel		Always supplied including cable curtain.
R Tool rail		
S Segmented		Always supplied including all trim pieces.
30 Width		
H2 29 ³ / ₄ " high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		
LW Marker board top insert		All trims supplied with the same finish specification.
W281 Fabric selectin bottom insert		
		All Fabric to be applied railroaded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.


*Installation instruction sheets available on-line.

For Task Panels refer to part number 6TP00085

Task Panels

Reff Profiles


*H2 29³/₄" high**Segmented With Tool Rail**Glass or Fabric Insert Above / Forbo, Laminate or Wood Below*

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	29 3/4"	30"	RTPRS30H2()()	\$1,369.	\$1,155.	\$1,236.	\$1,304.	\$1,343.	\$1,418.
With tool rail	1 1/2"	29 3/4"	36"	RTPRS36H2()()	1,517.	1,355.	1,326.	1,394.	1,439.	1,529.
	1 1/2"	29 3/4"	42"	RTPRS42H2()()	1,769.	1,573.	1,523.	1,592.	1,642.	1,746.
	1 1/2"	29 3/4"	48"	RTPRS48H2()()	1,861.	1,621.	1,545.	1,645.	1,698.	1,819.
	1 1/2"	29 3/4"	54"	RTPRS54H2()()	1,951.	1,676.	1,576.	1,676.	1,735.	1,868.
	1 1/2"	29 3/4"	60"	RTPRS60H2()()	2,039.	1,732.	1,607.	1,708.	1,771.	1,919.
	1 1/2"	29 3/4"	66"	RTPRS66H2()()	2,459.	2,105.	1,980.	2,083.	2,150.	2,313.
	1 1/2"	29 3/4"	72"	RTPRS72H2()()	2,557.	2,254.	2,024.	2,129.	2,196.	2,373.
	1 1/2"	29 3/4"	78"	RTPRS78H2()()	2,748.	2,327.	2,156.	2,261.	2,332.	2,524.
	1 1/2"	29 3/4"	84"	RTPRS84H2()()	2,837.	2,370.	2,177.	2,284.	2,360.	2,568.
	1 1/2"	29 3/4"	90"	RTPRS90H2()()	2,926.	2,426.	2,208.	2,315.	2,397.	2,618.
	1 1/2"	29 3/4"	96"	RTPRS96H2()()	3,017.	2,483.	2,240.	2,349.	2,434.	2,670.

Order Code	Specification Information	Application Notes
Example: RTPRS30H2()()	To order please specify pattern number including:	H2 Height: Underside of overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top Insert Finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Forbo, L, V1, V2, V3	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H2 29 3/4" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selectin top insert		All Fabric to be applied railroded as current tackboard.
V319 Veneer selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H3 37⁷/₈" high
Monolithic, Without Tool rail
Fabric

Reff Profiles

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	37 ⁷ / ₈ "	30"	RTPNM30H3()()	\$839.	\$854.	\$869.	\$884.	\$911.	\$926.	\$948.
Without tool rail	1 1/2"	37 ⁷ / ₈ "	36"	RTPNM36H3()()	896.	915.	932.	951.	980.	996.	1,019.
	1 1/2"	37 ⁷ / ₈ "	42"	RTPNM42H3()()	1,088.	1,109.	1,131.	1,153.	1,188.	1,208.	1,236.
	1 1/2"	37 ⁷ / ₈ "	48"	RTPNM48H3()()	1,103.	1,127.	1,149.	1,173.	1,208.	1,230.	1,258.
	1 1/2"	37 ⁷ / ₈ "	54"	RTPNM54H3()()	1,123.	1,149.	1,176.	1,203.	1,239.	1,261.	1,290.
	1 1/2"	37 ⁷ / ₈ "	60"	RTPNM60H3()()	1,187.	1,216.	1,247.	1,277.	1,315.	1,339.	1,369.
	1 1/2"	37 ⁷ / ₈ "	66"	RTPNM66H3()()	1,424.	1,456.	1,487.	1,519.	1,565.	1,592.	1,628.
	1 1/2"	37 ⁷ / ₈ "	72"	RTPNM72H3()()	1,445.	1,480.	1,516.	1,551.	1,598.	1,625.	1,662.
	1 1/2"	37 ⁷ / ₈ "	78"	RTPNM78H3()()	1,618.	1,656.	1,695.	1,733.	1,785.	1,817.	1,858.
	1 1/2"	37 ⁷ / ₈ "	84"	RTPNM84H3()()	1,630.	1,671.	1,711.	1,751.	1,804.	1,835.	1,877.
	1 1/2"	37 ⁷ / ₈ "	90"	RTPNM90H3()()	1,695.	1,739.	1,782.	1,825.	1,880.	1,913.	1,957.
	1 1/2"	37 ⁷ / ₈ "	96"	RTPNM96H3()()	1,716.	1,762.	1,810.	1,856.	1,912.	1,945.	1,990.

Accessories and Client
Samples

Order Code	Specification Information	Application Notes
Example: RTPNM30H3()()	To order please specify pattern number including;	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including all trim pieces.
H3 37 ⁷ / ₈ " high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroaded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.


Task Panels

Reff Profiles

H3 37⁷/₈" high

Monolithic, Without Tool rail

Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	37 ⁷ / ₈ "	30"	RTPNM30H3() ()	\$1,299.	\$867.	\$854.	\$962.	\$1,049.	\$1,284.
Without tool rail	1 1/2"	37 ⁷ / ₈ "	36"	RTPNM36H3() ()	1,471.	920.	904.	1,015.	1,118.	1,399.
	1 1/2"	37 ⁷ / ₈ "	42"	RTPNM42H3() ()	1,756.	1,114.	1,097.	1,210.	1,333.	1,659.
	1 1/2"	37 ⁷ / ₈ "	48"	RTPNM48H3() ()	1,916.	1,139.	1,120.	1,237.	1,374.	1,747.
	1 1/2"	37 ⁷ / ₈ "	54"	RTPNM54H3() ()	2,051.	1,155.	1,133.	1,252.	1,405.	1,823.
	1 1/2"	37 ⁷ / ₈ "	60"	RTPNM60H3() ()	2,231.	1,223.	1,198.	1,321.	1,484.	1,949.
	1 1/2"	37 ⁷ / ₈ "	66"	RTPNM66H3() ()	2,590.	1,487.	1,461.	1,587.	1,765.	2,275.
	1 1/2"	37 ⁷ / ₈ "	72"	RTPNM72H3() ()	2,727.	1,697.	1,482.	1,612.	1,811.	2,366.
	1 1/2"	37 ⁷ / ₈ "	78"	RTPNM78H3() ()	3,016.	1,680.	1,649.	1,781.	1,995.	2,596.
	1 1/2"	37 ⁷ / ₈ "	84"	RTPNM84H3() ()	3,150.	1,695.	1,661.	1,797.	2,026.	2,673.
	1 1/2"	37 ⁷ / ₈ "	90"	RTPNM90H3() ()	3,330.	1,756.	1,720.	1,859.	2,108.	2,811.
	1 1/2"	37 ⁷ / ₈ "	96"	RTPNM96H3() ()	3,467.	1,774.	1,735.	1,878.	2,135.	2,873.

Order Code	Specification Information	Application Notes
Example: RTPNM30H3() ()	To order please specify pattern number including;	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including all trim pieces.
H3 37 ⁷ / ₈ " high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
V319 Veneer selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

Reff Profiles

*H3 37⁷/₈" high**Segmented With Tool rail**Fabric Insert Above / Fabric Insert Below*

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	37 7/8"	30"	RTPRS30H3 () ()	\$1,242.	\$1,272.	\$1,303.	\$1,333.	\$1,373.	\$1,397.	\$1,429.
With tool rail	1 1/2"	37 7/8"	36"	RTPRS36H3 () ()	1,330.	1,367.	1,403.	1,440.	1,483.	1,509.	1,543.
	1 1/2"	37 7/8"	42"	RTPRS42H3 () ()	1,525.	1,569.	1,613.	1,656.	1,706.	1,736.	1,776.
	1 1/2"	37 7/8"	48"	RTPRS48H3 () ()	1,548.	1,594.	1,642.	1,688.	1,739.	1,770.	1,810.
	1 1/2"	37 7/8"	54"	RTPRS54H3 () ()	1,581.	1,635.	1,688.	1,742.	1,794.	1,825.	1,867.
	1 1/2"	37 7/8"	60"	RTPRS60H3 () ()	1,614.	1,675.	1,735.	1,795.	1,849.	1,881.	1,924.
	1 1/2"	37 7/8"	66"	RTPRS66H3 () ()	1,963.	2,027.	2,090.	2,154.	2,219.	2,257.	2,308.
	1 1/2"	37 7/8"	72"	RTPRS72H3 () ()	1,999.	2,069.	2,139.	2,209.	2,275.	2,315.	2,368.



Order Code	Specification Information	Application Notes
Example: RTPRS30H3 () ()	To order please specify pattern number including:	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	
S Segmented		
30 Width		Always supplied including all trim pieces.
H3 37 7/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.


Task Panels

Reff Profiles

H3 37⁷/₈" high

Segmented With Tool rail

Marker Board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	37 7/8"	30"	RTPRS30H3 () ()	\$1,275.	\$1,290.	\$1,305.	\$1,319.	\$1,359.	\$1,382.	\$1,414.
With tool rail	1 1/2"	37 7/8"	36"	RTPRS36H3 () ()	1,358.	1,376.	1,395.	1,413.	1,455.	1,481.	1,515.
	1 1/2"	37 7/8"	42"	RTPRS42H3 () ()	1,554.	1,576.	1,599.	1,620.	1,669.	1,697.	1,737.
	1 1/2"	37 7/8"	48"	RTPRS48H3 () ()	1,578.	1,602.	1,625.	1,649.	1,698.	1,728.	1,767.
	1 1/2"	37 7/8"	54"	RTPRS54H3 () ()	1,613.	1,640.	1,667.	1,693.	1,744.	1,775.	1,815.
	1 1/2"	37 7/8"	60"	RTPRS60H3 () ()	1,641.	1,671.	1,702.	1,731.	1,783.	1,815.	1,856.
	1 1/2"	37 7/8"	66"	RTPRS66H3 () ()	2,017.	2,049.	2,080.	2,112.	2,174.	2,212.	2,263.
	1 1/2"	37 7/8"	72"	RTPRS72H3 () ()	2,053.	2,088.	2,123.	2,158.	2,223.	2,261.	2,313.

Order Code	Specification Information	Application Notes
Example: RTPRS30H3 () ()	To order please specify pattern number including:	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top Insert Finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	
S Segmented		
30 Width		Always supplied including all trim pieces.
H3 37 7/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

Reff Profiles

H3 37⁷/₈" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	37 7/8"	30"	RTPRS30H3()()	\$1,589.	\$1,194.	\$1,286.	\$1,331.	\$1,345.	\$1,379.
With tool rail	1 1/2"	37 7/8"	36"	RTPRS36H3()()	1,771.	1,288.	1,372.	1,416.	1,434.	1,474.
	1 1/2"	37 7/8"	42"	RTPRS42H3()()	2,059.	1,489.	1,567.	1,612.	1,630.	1,678.
	1 1/2"	37 7/8"	48"	RTPRS48H3()()	2,190.	1,520.	1,588.	1,670.	1,690.	1,744.
	1 1/2"	37 7/8"	54"	RTPRS54H3()()	2,316.	1,559.	1,618.	1,701.	1,722.	1,781.
	1 1/2"	37 7/8"	60"	RTPRS60H3()()	2,443.	1,599.	1,649.	1,731.	1,756.	1,821.
	1 1/2"	37 7/8"	66"	RTPRS66H3()()	2,899.	1,955.	2,032.	2,115.	2,140.	2,212.
	1 1/2"	37 7/8"	72"	RTPRS72H3()()	3,029.	1,997.	2,065.	2,149.	2,176.	2,255.
	1 1/2"	37 7/8"	78"	RTPRS78H3()()	3,263.	2,144.	2,203.	2,288.	2,318.	2,403.
	1 1/2"	37 7/8"	84"	RTPRS84H3()()	3,390.	2,068.	2,223.	2,308.	2,339.	2,431.
	1 1/2"	37 7/8"	90"	RTPRS90H3()()	3,516.	2,210.	2,254.	2,339.	2,373.	2,471.
	1 1/2"	37 7/8"	96"	RTPRS96H3()()	3,645.	2,252.	2,287.	2,372.	2,408.	2,512.



Accessories and Client
Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H3()()	To order please specify pattern number including:	H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top Insert Finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Forbo, L, V1, V2, V3	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H3 37 7/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top		All Fabric to be applied railroded as current tackboard.
V319 Veneer selection bottom		When ordering 54" or wider Task Panel, please check width of fabric specified.


Task Panels

Reff Profiles

H4 44 1/2" high

Monolithic, Without Tool rail

Fabric

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Task Panel, mono without tool rail 	1 1/2"	44 1/2"	30"	RTPNM30H4()()	\$907.	\$922.	\$937.	\$952.	\$981.	\$997.	\$1,021.
	1 1/2"	44 1/2"	36"	RTPNM36H4()()	965.	984.	1,001.	1,020.	1,051.	1,069.	1,093.
	1 1/2"	44 1/2"	42"	RTPNM42H4()()	1,158.	1,179.	1,201.	1,223.	1,260.	1,281.	1,310.
	1 1/2"	44 1/2"	48"	RTPNM48H4()()	1,174.	1,198.	1,221.	1,244.	1,281.	1,304.	1,334.
	1 1/2"	44 1/2"	54"	RTPNM54H4()()	1,195.	1,222.	1,248.	1,275.	1,313.	1,336.	1,367.
	1 1/2"	44 1/2"	60"	RTPNM60H4()()	1,260.	1,290.	1,320.	1,350.	1,391.	1,415.	1,447.
	1 1/2"	44 1/2"	66"	RTPNM66H4()()	1,499.	1,531.	1,561.	1,593.	1,641.	1,670.	1,708.
	1 1/2"	44 1/2"	72"	RTPNM72H4()()	1,521.	1,556.	1,591.	1,626.	1,675.	1,705.	1,744.
	1 1/2"	44 1/2"	78"	RTPNM78H4()()	1,694.	1,671.	1,646.	1,622.	1,671.	1,701.	1,739.
	1 1/2"	44 1/2"	84"	RTPNM84H4()()	1,708.	1,748.	1,788.	1,828.	1,883.	1,916.	1,960.
	1 1/2"	44 1/2"	90"	RTPNM90H4()()	1,773.	1,816.	1,860.	1,903.	1,960.	1,995.	2,040.
	1 1/2"	44 1/2"	96"	RTPNM96H4()()	1,795.	1,842.	1,889.	1,935.	1,993.	2,028.	2,074.

Order Code	Specification Information	Application Notes
Example: RTPNM30H4()()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including cable curtain.
H4 44 1/2" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection		All trims supplied with the same finish specification.
		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroaded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.


Task Panels

Reff Profiles

H4 44 1/2" high

Monolithic, Without Tool rail

Wood, Laminate, Marker board or Glass Inserts

description	th	h	wi	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono without tool rail 	1 1/2"	44 1/2"	30"	RTPNM30H4() ()	\$1,474.	\$945.	\$929.	\$1,039.	\$1,141.	\$1,419.
	1 1/2"	44 1/2"	36"	RTPNM36H4() ()	1,669.	1,006.	989.	1,102.	1,227.	1,419.
	1 1/2"	44 1/2"	42"	RTPNM42H4() ()	1,972.	1,205.	1,185.	1,301.	1,444.	1,829.
	1 1/2"	44 1/2"	48"	RTPNM48H4() ()	2,159.	1,225.	1,202.	1,324.	1,483.	1,922.
	1 1/2"	44 1/2"	54"	RTPNM54H4() ()	2,316.	1,250.	1,225.	1,349.	1,522.	2,016.
	1 1/2"	44 1/2"	60"	RTPNM60H4() ()	2,519.	1,313.	1,284.	1,413.	1,604.	2,150.
	1 1/2"	44 1/2"	66"	RTPNM66H4() ()	2,902.	1,588.	1,556.	1,689.	1,902.	2,503.
	1 1/2"	44 1/2"	72"	RTPNM72H4() ()	3,060.	1,609.	1,574.	1,710.	1,942.	2,597.
	1 1/2"	44 1/2"	78"	RTPNM78H4() ()	3,371.	1,779.	1,742.	1,882.	2,131.	2,839.
	1 1/2"	44 1/2"	84"	RTPNM84H4() ()	3,528.	1,797.	1,757.	1,901.	2,168.	2,930.
	1 1/2"	44 1/2"	90"	RTPNM90H4() ()	3,731.	1,860.	1,818.	1,965.	2,250.	3,065.
	1 1/2"	44 1/2"	96"	RTPNM96H4() ()	3,889.	1,880.	1,834.	1,987.	2,289.	3,159.


Accessories and Client
Samples

Order Code	Specification Information	Application Notes
Example: RTPNM30H4() ()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H4 44 1/2" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
V319 Veneer selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroaded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

Reff Profiles

*H4 44 1/2" high**Segmented With Tool rail**Fabric Insert Above / Fabric Insert Below*

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	44 1/2"	30"	RTPRS30H4() ()	\$1,310.	\$1,340.	\$1,371.	\$1,401.	\$1,443.	\$1,468.	\$1,502.
With tool rail	1 1/2"	44 1/2"	36"	RTPRS36H4() ()	1,400.	1,437.	1,473.	1,510.	1,555.	1,582.	1,618.
	1 1/2"	44 1/2"	42"	RTPRS42H4() ()	1,595.	1,639.	1,683.	1,726.	1,778.	1,809.	1,850.
	1 1/2"	44 1/2"	48"	RTPRS48H4() ()	1,619.	1,667.	1,713.	1,760.	1,813.	1,845.	1,887.
	1 1/2"	44 1/2"	54"	RTPRS54H4() ()	1,653.	1,707.	1,760.	1,814.	1,868.	1,900.	1,945.
	1 1/2"	44 1/2"	60"	RTPRS60H4() ()	1,687.	1,748.	1,808.	1,868.	1,924.	1,958.	2,002.
	1 1/2"	44 1/2"	66"	RTPRS66H4() ()	2,037.	2,101.	2,164.	2,228.	2,295.	2,335.	2,388.
	1 1/2"	44 1/2"	72"	RTPRS72H4() ()	2,073.	2,143.	2,215.	2,285.	2,353.	2,394.	2,448.

Order Code	Specification Information	Application Notes
Example: RTPRS30H4() ()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	Always supplied including cable curtain.
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H4 44 1/2" high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroded as current tackboard.
W281 Fabric selection top		When ordering 54" or wider Task Panel, please check width of fabric specified.
W281 Fabric selection bottom		

Task Panels

Reff Profiles

H4 44 1/2" high

Segmented With Tool rail

Marker Board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	44 1/2"	30"	RTPRS30H4() ()	\$1,343.	\$1,359.	\$1,373.	\$1,388.	\$1,430.	\$1,455.	\$1,488.
With tool rail	1 1/2"	44 1/2"	36"	RTPRS36H4() ()	1,427.	1,445.	1,464.	1,482.	1,526.	1,553.	1,588.
	1 1/2"	44 1/2"	42"	RTPRS42H4() ()	1,625.	1,647.	1,669.	1,690.	1,741.	1,772.	1,812.
	1 1/2"	44 1/2"	48"	RTPRS48H4() ()	1,650.	1,674.	1,696.	1,720.	1,772.	1,803.	1,844.
	1 1/2"	44 1/2"	54"	RTPRS54H4() ()	1,685.	1,712.	1,739.	1,765.	1,818.	1,850.	1,892.
	1 1/2"	44 1/2"	60"	RTPRS60H4() ()	1,714.	1,744.	1,775.	1,805.	1,858.	1,891.	1,934.
	1 1/2"	44 1/2"	66"	RTPRS66H4() ()	2,091.	2,123.	2,154.	2,186.	2,252.	2,291.	2,342.
	1 1/2"	44 1/2"	72"	RTPRS72H4() ()	2,128.	2,163.	2,198.	2,233.	2,300.	2,340.	2,394.



Accessories and Client
Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H4() ()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top Insert Finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Fabric	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H4 44 1/2" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker Board top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

Reff Profiles

H4 44 1/2" high

Segmented With Tool rail


Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	44 1/2"	30"	RTPRS30H4()()	\$1,746.	\$1,350.	\$1,346.	\$1,413.	\$1,452.	\$1,527.
With tool rail	1 1/2"	44 1/2"	36"	RTPRS36H4()()	1,946.	1,463.	1,434.	1,502.	1,546.	1,637.
	1 1/2"	44 1/2"	42"	RTPRS42H4()()	2,254.	1,683.	1,634.	1,703.	1,752.	1,856.
	1 1/2"	44 1/2"	48"	RTPRS48H4()()	2,403.	1,732.	1,657.	1,757.	1,811.	1,930.
	1 1/2"	44 1/2"	54"	RTPRS54H4()()	2,548.	1,791.	1,690.	1,791.	1,849.	1,984.
	1 1/2"	44 1/2"	60"	RTPRS60H4()()	2,693.	1,849.	1,723.	1,825.	1,888.	2,035.
	1 1/2"	44 1/2"	66"	RTPRS66H4()()	3,168.	2,224.	2,098.	2,196.	2,269.	2,433.
	1 1/2"	44 1/2"	72"	RTPRS72H4()()	3,317.	2,285.	2,133.	2,238.	2,309.	2,487.
	1 1/2"	44 1/2"	78"	RTPRS78H4()()	3,569.	2,450.	2,279.	2,384.	2,456.	2,647.
	1 1/2"	44 1/2"	84"	RTPRS84H4()()	3,715.	2,496.	2,303.	2,409.	2,485.	2,693.
	1 1/2"	44 1/2"	90"	RTPRS90H4()()	3,860.	2,554.	2,336.	2,443.	2,525.	2,746.
	1 1/2"	44 1/2"	96"	RTPRS96H4()()	4,008.	2,614.	2,370.	2,479.	2,565.	2,800.

Order Code	Specification Information	Application Notes
Example: RTPRS30H4()()	To order please specify pattern number including;	H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top Insert Finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom Insert Finish: Forbo, L, V1, V2, V3	Always supplied including cable curtain.
S Segmented		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H4 44 1/2" high		All trims supplied with the same finish specification.
111 Trim finish		All Fabric to be applied railroded as current tackboard.
W281 Fabric selection top insert		When ordering 54" or wider Task Panel, please check width of fabric specified.
V319 Veneer selection bottom insert		

Task Panels
H5 42⁵/₈" high
Monolithic, Without Tool rail
Fabric

Reff Profiles

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Task Panel, mono without tool rail 	1 1/2"	42 5/8"	30"	RTPNM30H5()()	\$897.	\$913.	\$927.	\$942.	\$970.	\$988.	\$1,010.
	1 1/2"	42 5/8"	36"	RTPNM36H5()()	955.	973.	992.	1,010.	1,040.	1,059.	1,084.
	1 1/2"	42 5/8"	42"	RTPNM42H5()()	1,147.	1,169.	1,191.	1,212.	1,248.	1,270.	1,300.
	1 1/2"	42 5/8"	48"	RTPNM48H5()()	1,164.	1,188.	1,210.	1,234.	1,271.	1,294.	1,323.
	1 1/2"	42 5/8"	54"	RTPNM54H5()()	1,183.	1,210.	1,237.	1,264.	1,302.	1,325.	1,354.
	1 1/2"	42 5/8"	60"	RTPNM60H5()()	1,248.	1,278.	1,309.	1,339.	1,379.	1,403.	1,436.
	1 1/2"	42 5/8"	66"	RTPNM66H5()()	1,487.	1,519.	1,550.	1,582.	1,629.	1,658.	1,696.
	1 1/2"	42 5/8"	72"	RTPNM72H5()()	1,509.	1,544.	1,579.	1,614.	1,662.	1,691.	1,730.
	1 1/2"	42 5/8"	78"	RTPNM78H5()()	1,682.	1,720.	1,759.	1,797.	1,851.	1,884.	1,927.
	1 1/2"	42 5/8"	84"	RTPNM84H5()()	1,695.	1,736.	1,776.	1,816.	1,870.	1,903.	1,947.
	1 1/2"	42 5/8"	90"	RTPNM90H5()()	1,760.	1,804.	1,848.	1,891.	1,948.	1,982.	2,027.
	1 1/2"	42 5/8"	96"	RTPNM96H5()()	1,783.	1,828.	1,875.	1,920.	1,978.	2,012.	2,058.

Accessories and Client
Samples

Order Code	Specification Information	Application Notes
Example: RTPNM30H5()()	To order please specify pattern number including;	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	Always supplied including cable curtain.
TP Task Panel	2. Insert Finish: Fabric	Always supplied including all trim pieces.
N No tool rail		LH & RH side full height trims. (no hi-lo trims)
M Monolithic		All trims supplied with the same finish specification.
30 Width		Tool rails are not supplied to this Task Panel.
H5 42 5/8" high		All Fabric to be applied railroaded as current tackboard.
111 Trim finish		When ordering 54" or wider Task Panel, please check width of fabric specified.
W281 Fabric selection		

*Installation instruction sheets available on-line.

For Task Panels refer to part number 6TP00085


Task Panels

Reff Profiles

H5 42⁵/₈" high

Monolithic, Without Tool rail


Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono without tool rail 	1 1/2"	42 5/8"	30"	RTPNM30H5() ()	\$1,447.	\$932.	\$918.	\$1,027.	\$1,125.	\$1,391.
	1 1/2"	42 5/8"	36"	RTPNM36H5() ()	1,638.	993.	976.	1,090.	1,209.	1,526.
	1 1/2"	42 5/8"	42"	RTPNM42H5() ()	1,938.	1,191.	1,170.	1,288.	1,423.	1,793.
	1 1/2"	42 5/8"	48"	RTPNM48H5() ()	2,121.	1,210.	1,189.	1,308.	1,463.	1,883.
	1 1/2"	42 5/8"	54"	RTPNM54H5() ()	2,274.	1,235.	1,210.	1,334.	1,500.	1,971.
	1 1/2"	42 5/8"	60"	RTPNM60H5() ()	2,473.	1,298.	1,270.	1,397.	1,580.	2,103.
	1 1/2"	42 5/8"	66"	RTPNM66H5() ()	2,852.	1,572.	1,541.	1,672.	1,878.	2,454.
	1 1/2"	42 5/8"	72"	RTPNM72H5() ()	3,008.	1,591.	1,558.	1,692.	1,915.	2,543.
	1 1/2"	42 5/8"	78"	RTPNM78H5() ()	3,314.	1,761.	1,725.	1,863.	2,103.	2,782.
	1 1/2"	42 5/8"	84"	RTPNM84H5() ()	3,467.	1,779.	1,741.	1,882.	2,138.	2,870.
	1 1/2"	42 5/8"	90"	RTPNM90H5() ()	3,666.	1,841.	1,799.	1,945.	2,219.	3,000.
	1 1/2"	42 5/8"	96"	RTPNM96H5() ()	3,821.	1,859.	1,816.	1,965.	2,256.	3,109.

Order Code	Specification Information	Application Notes
Example: RTPNM30H5() ()	To order please specify pattern number including;	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including all trim pieces.
H5 42 5/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
V319 Veneer selection		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroded as current tackboard
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H5 42⁵/₈" high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

Reff Profiles

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	42 5/8"	30"	RTPRS30H5()()	\$1,301.	\$1,331.	\$1,361.	\$1,391.	\$1,432.	\$1,457.	\$1,490.
With tool rail	1 1/2"	42 5/8"	36"	RTPRS36H5()()	1,389.	1,427.	1,463.	1,500.	1,545.	1,572.	1,608.
	1 1/2"	42 5/8"	42"	RTPRS42H5()()	1,585.	1,628.	1,673.	1,716.	1,767.	1,798.	1,840.
	1 1/2"	42 5/8"	48"	RTPRS48H5()()	1,609.	1,655.	1,703.	1,749.	1,801.	1,832.	1,875.
	1 1/2"	42 5/8"	54"	RTPRS54H5()()	1,643.	1,696.	1,750.	1,804.	1,857.	1,890.	1,933.
	1 1/2"	42 5/8"	60"	RTPRS60H5()()	1,676.	1,737.	1,796.	1,857.	1,913.	1,946.	1,991.
	1 1/2"	42 5/8"	66"	RTPRS66H5()()	2,026.	2,090.	2,153.	2,217.	2,282.	2,323.	2,376.
	1 1/2"	42 5/8"	72"	RTPRS72H5()()	2,063.	2,133.	2,203.	2,273.	2,341.	2,382.	2,437.

Order Code	Specification Information	Application Notes
Example: RTPRS30H5()()	To order please specify pattern number including:	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmented		
30 Width		Always supplied including cable curtain.
H5 42 5/8" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection top insert		All trims supplied with the same finish specification.
W281 Fabric selection bottom insert		All Fabric to be applied railroaded as current tackboard

When ordering 54" or wider Task Panel, please check width of fabric specified.


Task Panels

Reff Profiles

H5 42⁵/₈" high

Segmented With Tool rail

Marker board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	42 5/8"	30"	RTPRS30H5() () ()	\$1,340.	\$1,355.	\$1,370.	\$1,385.	\$1,427.	\$1,451.	\$1,485.
With tool rail	1 1/2"	42 5/8"	36"	RTPRS36H5() () ()	1,424.	1,443.	1,462.	1,480.	1,524.	1,551.	1,586.
	1 1/2"	42 5/8"	42"	RTPRS42H5() () ()	1,623.	1,645.	1,667.	1,688.	1,739.	1,770.	1,810.
	1 1/2"	42 5/8"	48"	RTPRS48H5() () ()	1,656.	1,680.	1,703.	1,726.	1,778.	1,809.	1,850.
	1 1/2"	42 5/8"	54"	RTPRS54H5() () ()	1,686.	1,713.	1,740.	1,766.	1,819.	1,851.	1,893.
	1 1/2"	42 5/8"	60"	RTPRS60H5() () ()	1,723.	1,753.	1,783.	1,813.	1,867.	1,899.	1,943.
	1 1/2"	42 5/8"	66"	RTPRS66H5() () ()	2,099.	2,131.	2,163.	2,195.	2,261.	2,300.	2,353.
	1 1/2"	42 5/8"	72"	RTPRS72H5() () ()	2,139.	2,174.	2,209.	2,244.	2,311.	2,351.	2,406.

Order Code	Specification Information	Application Notes
Example: RTPRS30H5() () ()	To order please specify pattern number including:	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmentated		
30 Width		Always supplied including all trim pieces.
H5 42 ⁵ / ₈ " high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

Reff Profiles

H5 42⁵/₈" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	FAB/L	G/FORB	FAB/FORB	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	42 5/8"	30"	RTPRS30H5()()	\$1,345.	\$1,738.	\$1,252.	\$1,389.	\$1,404.	\$1,438.
With tool rail	1 1/2"	42 5/8"	36"	RTPRS36H5()()	1,431.	1,937.	1,347.	1,476.	1,492.	1,534.
	1 1/2"	42 5/8"	42"	RTPRS42H5()()	1,626.	2,245.	1,549.	1,672.	1,691.	1,738.
	1 1/2"	42 5/8"	48"	RTPRS48H5()()	1,649.	2,395.	1,581.	1,730.	1,751.	1,619.
	1 1/2"	42 5/8"	54"	RTPRS54H5()()	1,680.	2,540.	1,621.	1,762.	1,784.	1,843.
	1 1/2"	42 5/8"	60"	RTPRS60H5()()	1,711.	2,685.	1,660.	1,793.	1,818.	1,883.
	1 1/2"	42 5/8"	66"	RTPRS66H5()()	2,095.	3,160.	2,018.	2,177.	2,204.	2,275.
	1 1/2"	42 5/8"	72"	RTPRS72H5()()	2,129.	3,308.	2,061.	2,212.	2,240.	2,319.
	1 1/2"	42 5/8"	78"	RTPRS78H5()()	2,267.	2,532.	2,208.	2,351.	2,381.	2,467.
	1 1/2"	42 5/8"	84"	RTPRS84H5()()	2,288.	3,707.	2,236.	2,373.	2,405.	2,497.
	1 1/2"	42 5/8"	90"	RTPRS90H5()()	2,320.	3,852.	2,276.	2,405.	2,438.	2,537.
	1 1/2"	42 5/8"	96"	RTPRS96H5()()	2,353.	3,999.	2,319.	2,439.	2,474.	2,579.




Accessories and Client
Samples

Order Code	Specification Information	Application Notes
Example: RTPRS30H5()()	To order please specify pattern number including:	H5 Height: Top of single high overhead to top of 1 1/2" thick desk height work worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	
S Segmented		
30 Width		Always supplied including all trim pieces.
H5 42 5/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top insert		All Fabric to be applied railroded as current tackboard
V319 Veneer selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels
H6 49 1/4" high
Monolithic, Without Tool rail
Fabric

Reff Profiles

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Task Panel, mono	1 1/2"	49 1/4"	30"	RTPNM30H6()	\$945.	\$959.	\$974.	\$989.	\$1,019.	\$1,036.	\$1,060.
Without tool rail	1 1/2"	49 1/4"	36"	RTPNM36H6()	1,003.	1,022.	1,039.	1,058.	1,090.	1,108.	1,134.
	1 1/2"	49 1/4"	42"	RTPNM42H6()	1,196.	1,217.	1,240.	1,262.	1,300.	1,323.	1,352.
	1 1/2"	49 1/4"	48"	RTPNM48H6()	1,213.	1,237.	1,260.	1,283.	1,321.	1,345.	1,376.
	1 1/2"	49 1/4"	54"	RTPNM54H6()	1,234.	1,261.	1,288.	1,314.	1,353.	1,377.	1,409.
	1 1/2"	49 1/4"	60"	RTPNM60H6()	1,301.	1,331.	1,362.	1,392.	1,434.	1,458.	1,491.
	1 1/2"	49 1/4"	66"	RTPNM66H6()	1,540.	1,572.	1,603.	1,635.	1,684.	1,713.	1,752.
	1 1/2"	49 1/4"	72"	RTPNM72H6()	1,563.	1,598.	1,633.	1,668.	1,718.	1,748.	1,788.
	1 1/2"	49 1/4"	78"	RTPNM78H6()	1,737.	1,775.	1,814.	1,852.	1,908.	1,941.	1,985.
	1 1/2"	49 1/4"	84"	RTPNM84H6()	1,751.	1,791.	1,831.	1,872.	1,928.	1,961.	2,006.
	1 1/2"	49 1/4"	90"	RTPNM90H6()	1,817.	1,860.	1,904.	1,948.	2,006.	2,041.	2,088.
	1 1/2"	49 1/4"	96"	RTPNM96H6()	1,841.	1,887.	1,934.	1,981.	2,040.	2,075.	2,123.

Order Code	Specification Information	Application Notes
Example: RTPNM30H6()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including cable curtain.
H6 49 1/4" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection		All trims supplied with the same finish specification.
		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

Reff Profiles

*H6 49 1/4" high**Monolithic, Without Tool rail**Wood, Laminate, Marker board or Glass Inserts*

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	49 1/4"	30"	RTPNM30H6 () ()	\$1,602.	\$995.	\$979.	\$1,091.	\$1,207.	\$1,516.
Without tool rail	1 1/2"	49 1/4"	36"	RTPNM36H6 () ()	1,815.	1,060.	1,039.	1,156.	1,293.	1,660.
	1 1/2"	49 1/4"	42"	RTPNM42H6 () ()	2,134.	1,229.	1,251.	1,349.	1,506.	1,934.
	1 1/2"	49 1/4"	48"	RTPNM48H6 () ()	2,342.	1,281.	1,256.	1,380.	1,551.	2,038.




Order Code	Specification Information	Application Notes
Example: RTPNM30H6 () ()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
N No tool rail		Always supplied including cable curtain.
M Monolithic		Always supplied including all trim pieces.
30 Width		LH & RH side full height trims. (no hi-lo trims)
H6 49 1/4" high		All trims supplied with the same finish specification.
111 Trim finish		Tool rails are not supplied to this Task Panel.
V319 Veneer selection		All Fabric to be applied railroaded as current tackboard.
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

Reff Profiles

*H6 49 1/4" high**Segmented With Tool rail**Fabric Insert Above / Fabric Insert Below*


description	th	h	w	pattern no.	10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	49 1/4"	30"	RTPRS30H6 () ()	\$1,348.	\$1,378.	\$1,408.	\$1,438.	\$1,472.	\$1,507.	\$1,541.
With tool rail	1 1/2"	49 1/4"	36"	RTPRS36H6 () ()	1,437.	1,474.	1,510.	1,547.	1,584.	1,621.	1,658.
	1 1/2"	49 1/4"	42"	RTPRS42H6 () ()	1,635.	1,678.	1,721.	1,764.	1,807.	1,849.	1,891.
	1 1/2"	49 1/4"	48"	RTPRS48H6 () ()	1,659.	1,706.	1,753.	1,799.	1,935.	1,886.	1,929.
	1 1/2"	49 1/4"	54"	RTPRS54H6 () ()	1,693.	1,747.	1,800.	1,854.	1,898.	1,943.	1,987.
	1 1/2"	49 1/4"	60"	RTPRS60H6 () ()	1,728.	1,788.	1,849.	1,909.	1,954.	2,000.	2,046.
	1 1/2"	49 1/4"	66"	RTPRS66H6 () ()	2,079.	2,142.	2,205.	2,269.	2,324.	2,378.	2,432.
	1 1/2"	49 1/4"	72"	RTPRS72H6 () ()	2,116.	2,186.	2,257.	2,327.	2,397.	2,438.	2,494.
	1 1/2"	49 1/4"	72"	RTPRS72H6 () ()	2,116.	2,186.	2,257.	2,327.	2,397.	2,438.	2,494.

Order Code	Specification Information	Application Notes
Example: RTPRS30H6 () ()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail	3. Bottom insert finish: Fabric	
S Segmented		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H6 49 1/4" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

Reff Profiles

*H6 49 1/4" high**Segmented With Tool rail**Marker board Insert Above / Fabric Insert Below*

description	th	h	w	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	49 1/4"	30"	RTPRS30H6 ()()	\$1,387.	\$1,402.	\$1,417.	\$1,432.	\$1,475.	\$1,501.	\$1,535.
With tool rail	1 1/2"	49 1/4"	36"	RTPRS36H6 ()()	1,473.	1,491.	1,509.	1,527.	1,573.	1,601.	1,638.
	1 1/2"	49 1/4"	42"	RTPRS42H6 ()()	1,672.	1,693.	1,715.	1,737.	1,788.	1,820.	1,861.
	1 1/2"	49 1/4"	48"	RTPRS48H6 ()()	1,707.	1,730.	1,753.	1,777.	1,830.	1,862.	1,904.
	1 1/2"	49 1/4"	54"	RTPRS54H6 ()()	1,737.	1,763.	1,790.	1,817.	1,872.	1,904.	1,948.
	1 1/2"	49 1/4"	60"	RTPRS60H6 ()()	1,775.	1,805.	1,835.	1,865.	1,921.	1,955.	1,999.
	1 1/2"	49 1/4"	66"	RTPRS66H6 ()()	2,152.	2,184.	2,216.	2,247.	2,314.	2,356.	2,409.

Order Code	Specification Information	Application Notes
Example: RTPRS30H6 ()()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmentated		Always supplied including cable curtain.
30 Width		Always supplied including all trim pieces.
H6 49 1/4" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroaded as current tackboard.
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.


Task Panels

Reff Profiles

H6 49 1/4" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	49 1/4"	30"	RTPRS30H6 () ()	\$1,873.	\$1,387.	\$1,383.	\$1,450.	\$1,489.	\$1,565.
With tool rail	1 1/2"	49 1/4"	36"	RTPRS36H6 () ()	2,092.	1,501.	1,471.	1,539.	1,584.	1,675.
	1 1/2"	49 1/4"	42"	RTPRS42H6 () ()	2,418.	1,722.	1,672.	1,742.	1,790.	1,894.
	1 1/2"	49 1/4"	48"	RTPRS48H6 () ()	2,585.	1,772.	1,696.	1,796.	1,850.	1,970.
	1 1/2"	49 1/4"	54"	RTPRS54H6 () ()	2,750.	1,830.	1,730.	1,830.	1,889.	2,023.
	1 1/2"	49 1/4"	60"	RTPRS60H6 () ()	2,914.	1,889.	1,763.	1,865.	1,928.	2,075.
	1 1/2"	49 1/4"	66"	RTPRS66H6 () ()	3,407.	2,265.	2,140.	2,242.	2,310.	2,474.
	1 1/2"	49 1/4"	72"	RTPRS72H6 () ()	3,574.	2,327.	2,175.	2,280.	2,351.	2,530.
	1 1/2"	49 1/4"	78"	RTPRS78H6 () ()	3,846.	2,493.	2,322.	2,427.	2,498.	2,689.
	1 1/2"	49 1/4"	84"	RTPRS84H6 () ()	4,010.	2,540.	2,346.	2,452.	2,530.	2,737.
	1 1/2"	49 1/4"	90"	RTPRS90H6 () ()	4,175.	2,598.	2,380.	2,487.	2,568.	2,789.
	1 1/2"	49 1/4"	96"	RTPRS96H6 () ()	4,340.	2,658.	2,415.	2,525.	2,609.	2,845.

Order Code	Specification Information	Application Notes
Example: RTPRS30H6 () ()	To order please specify pattern number including;	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.
R Reff	1. Trim Finish: Painted or Anodized	Always supplied including cable curtain.
TP Task Panel	2. Top insert finish: Glass or Fabric	Always supplied including all trim pieces.
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	LH & RH side full height trims. (no hi-lo trims)
S Segmentated		All trims supplied with the same finish specification.
30 Width		All Fabric to be applied railroded as current tackboard.
H6 49 1/4" high		When ordering 54" or wider Task Panel, please check width of fabric specified.
111 Trim finish		
W281 Fabric selection top insert		
V319 Veneer selection bottom insert		

*Installation instruction sheets available on-line.

For Task Panels refer to part number 6TP00085

Task Panels

Reff Profiles

H7 56 1/8" high

Monolithic, Without Tool rail

Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern n	glass	LW10	L	V1	V2	V3
Task Panel, mono	1 1/2"	56 1/8"	30"	RTPNM30H7()()	\$1,733.	\$1,011.	\$993.	\$1,099.	\$1,239.	\$1,604.
Without tool rail	1 1/2"	56 1/8"	36"	RTPNM36H7()()	1,973.	1,078.	1,056.	1,176.	1,330.	1,762.
	1 1/2"	56 1/8"	42"	RTPNM42H7()()	2,314.	1,281.	1,256.	1,380.	1,564.	2,066.
	1 1/2"	56 1/8"	48"	RTPNM48H7()()	2,553.	1,313.	1,284.	1,414.	1,613.	2,186.



Accessories and Client
Samples

Order Code	Specification Information	Application Notes
Example: RTPNM30H7()()	To order please specify pattern number including;	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: Veneer	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including cable curtain.
H7 56 1/8" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
V319 Veneer selection		All trims supplied with the same finish specification.
		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroaded as current tackboard
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels


Reff Profiles

H7 56 1/8" high

Segmented With Tool rail

Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	56 1/8"	30"	RTPRS30H7 () ()	\$1,354.	\$1,384.	\$1,414.	\$1,444.	\$1,479.	\$1,513.	\$1,548.
With tool rail	1 1/2"	56 1/8"	36"	RTPRS36H7 () ()	1,445.	1,482.	1,518.	1,555.	1,592.	1,629.	1,668.
	1 1/2"	56 1/8"	42"	RTPRS42H7 () ()	1,643.	1,686.	1,730.	1,774.	1,816.	1,859.	1,901.
	1 1/2"	56 1/8"	48"	RTPRS48H7 () ()	1,669.	1,715.	1,762.	1,809.	1,852.	1,895.	1,938.
	1 1/2"	56 1/8"	54"	RTPRS54H7 () ()	1,705.	1,758.	1,811.	1,864.	1,909.	1,954.	1,998.
	1 1/2"	56 1/8"	60"	RTPRS60H7 () ()	1,740.	1,799.	1,860.	1,920.	1,966.	2,012.	2,058.



Order Code	Specification Information	Application Notes
Example: RTPRS30H7 () ()	To order please specify pattern number including:	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmented		
30 Width		Always supplied including all trim pieces.
H7 56 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top		All Fabric to be applied railroded as current tackboard
W281 Fabric selection bottom		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

Reff Profiles

H7 56 1/8" high

Segmented With Tool rail

Marker board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	56 1/8"	30"	RTPRS30H7() () ()	\$1,419.	\$1,435.	\$1,449.	\$1,465.	\$1,500.	\$1,535.	\$1,570.
With tool rail	1 1/2"	56 1/8"	36"	RTPRS36H7() () ()	1,516.	1,535.	1,552.	1,571.	1,609.	1,646.	1,684.
	1 1/2"	56 1/8"	42"	RTPRS42H7() () ()	1,720.	1,742.	1,764.	1,786.	1,829.	1,872.	1,915.
	1 1/2"	56 1/8"	48"	RTPRS48H7() () ()	1,752.	1,776.	1,798.	1,822.	1,865.	1,910.	1,953.



Order Code	Specification Information	Application Notes
Example: RTPRS30H7() () ()	To order please specify pattern number including:	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmentated		
30 Width		Always supplied including all trim pieces.
H7 56 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

Reff Profiles

H7 56 1/8" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	56 1/8"	30"	RTPRS30H7() ()	\$2,024.	\$1,305.	\$1,398.	\$1,442.	\$1,457.	\$1,491.
With tool rail	1 1/2"	56 1/8"	36"	RTPRS36H7() ()	2,273.	1,402.	1,486.	1,531.	1,548.	1,588.
	1 1/2"	56 1/8"	42"	RTPRS42H7() ()	2,630.	1,607.	1,746.	1,729.	1,748.	1,795.
	1 1/2"	56 1/8"	48"	RTPRS48H7() ()	2,827.	1,640.	1,708.	1,790.	1,811.	1,864.
	1 1/2"	56 1/8"	54"	RTPRS54H7() ()	n/a	n/a	1,742.	1,823.	1,846.	1,904.
	1 1/2"	56 1/8"	60"	RTPRS60H7() ()	n/a	n/a	1,775.	1,857.	1,881.	1,947.



Order Code	Specification Information	Application Notes
Example: RTPRS30H7() ()	To order please specify pattern number including:	H7 Height: Top of double high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	
S Segmentated		
30 Width		Always supplied including all trim pieces.
H7 56 1/8" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top insert		All Fabric to be applied railroded as current tackboard
V319 Veneer selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

Reff Profiles

H8 62³/₄" high

Monolithic, Without Tool rail

Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	62 3/4"	30"	RTPNM30H8()()	\$2,028.	\$1,220.	\$1,199.	\$1,317.	\$1,463.	\$1,858.
Without tool rail	1 1/2"	62 3/4"	36"	RTPNM36H8()()	2,294.	1,291.	1,266.	1,388.	1,554.	2,025.
	1 1/2"	62 3/4"	42"	RTPNM42H8()()	2,656.	1,496.	1,467.	1,595.	1,791.	2,338.
	1 1/2"	62 3/4"	48"	RTPNM48H8()()	2,926.	1,523.	1,490.	1,625.	1,847.	2,471.



Order Code	Specification Information	Application Notes
Example: RTPNM30H8()()	To order please specify pattern number including;	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Insert Finish: G, LW, L, V1, V2, V3	For Task Panels refer to part number 6TP00085
N No tool rail		
M Monolithic		
30 Width		Always supplied including cable curtain.
H8 62 3/4" high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
V319 Veneer selection		All trims supplied with the same finish specification.
		Tool rails are not supplied to this Task Panel.
		All Fabric to be applied railroded as current tackboard
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

Reff Profiles

*H8 62³/₄" high**Segmented With Tool rail**Fabric Insert Above / Fabric Insert Below*

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Task Panel, segmented	1 1/2"	62 3/4"	30"	RTPRS30H8 ()()	\$1,522.	\$1,552.	\$1,583.	\$1,613.	\$1,661.	\$1,690.	\$1,729.
With tool rail	1 1/2"	62 3/4"	36"	RTPRS36H8 ()()	1,614.	1,651.	1,687.	1,724.	1,776.	1,807.	1,849.
	1 1/2"	62 3/4"	42"	RTPRS42H8 ()()	1,813.	1,856.	1,900.	1,944.	2,002.	2,037.	2,084.
	1 1/2"	62 3/4"	48"	RTPRS48H8 ()()	1,840.	1,886.	1,933.	1,980.	2,039.	2,074.	2,122.
	1 1/2"	62 3/4"	54"	RTPRS54H8 ()()	1,877.	1,930.	1,983.	2,036.	2,097.	2,134.	2,183.
	1 1/2"	62 3/4"	60"	RTPRS60H8 ()()	1,913.	1,972.	2,033.	2,093.	2,156.	2,194.	2,243.
	1 1/2"	62 3/4"	66"	RTPRS66H8 ()()	2,266.	2,330.	2,393.	2,457.	2,531.	2,574.	2,634.
	1 1/2"	62 3/4"	72"	RTPRS72H8 ()()	2,307.	3,298.	2,434.	2,498.	2,573.	2,617.	2,678.



Order Code	Specification Information	Application Notes
Example: RTPRS30H8 ()()	To order please specify pattern number including:	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Fabric	For Task Panels refer to part number 6TP00085
N No tool rail	3. Bottom insert finish: Fabric	
M Monolithic		
30 Width		Always supplied including cable curtain.
H8 62 ³ / ₄ " high		Always supplied including all trim pieces.
111 Trim finish		LH & RH side full height trims. (no hi-lo trims)
W281 Fabric selection top		All trims supplied with the same finish specification.
W281 Fabric selection bottom		All Fabric to be applied railroded as current tackboard
		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

Reff Profiles

H8 62³/₄" high

Segmented With Tool rail

Marker board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Task Panel, segmented	1 1/2"	62 3/4"	30"	RTPRS30H8 () ()	\$1,587.	\$1,603.	\$1,617.	\$1,633.	\$1,672.	\$1,711.	\$1,750.
With tool rail	1 1/2"	62 3/4"	36"	RTPRS36H8 () ()	1,685.	1,704.	1,721.	1,740.	1,782.	1,823.	1,865.
	1 1/2"	62 3/4"	42"	RTPRS42H8 () ()	1,891.	1,913.	1,934.	1,956.	2,003.	2,050.	2,097.
	1 1/2"	62 3/4"	48"	RTPRS48H8 () ()	1,923.	1,947.	1,969.	1,993.	2,040.	2,089.	2,136.



Order Code	Specification Information	Application Notes
Example: RTPRS30H8 () ()	To order please specify pattern number including:	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Marker board	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Fabric	
S Segmentated		
30 Width		Always supplied including all trim pieces.
H8 62 3/4" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
LW Marker board top insert		All Fabric to be applied railroaded as current tackboard
W281 Fabric selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Task Panels

Reff Profiles

H8 62³/₄" high

Segmented With Tool rail

Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	62 3/4"	30"	RTPRS30H8()()	\$2,280.	\$1,563.	\$1,557.	\$1,625.	\$1,664.	\$1,739.
With tool rail	1 1/2"	62 3/4"	36"	RTPRS36H8()()	2,548.	1,677.	1,648.	1,716.	1,760.	1,851.
	1 1/2"	62 3/4"	42"	RTPRS42H8()()	2,923.	1,900.	1,851.	1,920.	1,968.	2,073.
	1 1/2"	62 3/4"	48"	RTPRS48H8()()	3,139.	1,953.	1,878.	1,977.	2,031.	2,151.
	1 1/2"	62 3/4"	54"	RTPRS54H8()()	3,353.	2,014.	1,942.	2,014.	2,072.	2,206.
	1 1/2"	62 3/4"	60"	RTPRS60H8()()	3,565.	2,073.	1,949.	2,050.	2,113.	2,261.



Order Code	Specification Information	Application Notes
Example: RTPRS30H8()()	To order please specify pattern number including:	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
R Reff	1. Trim Finish: Painted or Anodized	*Installation instruction sheets available on-line.
TP Task Panel	2. Top insert finish: Glass or Fabric	For Task Panels refer to part number 6TP00085
R Tool rail	3. Bottom insert finish: Forbo, L, V1, V2, V3	
S Segmentated		
30 Width		Always supplied including all trim pieces.
H8 62 3/4" high		LH & RH side full height trims. (no hi-lo trims)
111 Trim finish		All trims supplied with the same finish specification.
W281 Fabric selection top insert		All Fabric to be applied railroded as current tackboard
V319 Veneer selection bottom insert		When ordering 54" or wider Task Panel, please check width of fabric specified.

Tackboards
H1 23 1/8" high
Wall hung, fabric

Reff Profiles

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Tackboard, wall hung	1"	23 1/8"	30"	RWHDHTB30H1()	\$262.	\$287.	\$314.	\$340.	\$345.	\$350.	\$355.
	1"	23 1/8"	36"	RWHDHTB36H1()	279.	308.	336.	365.	371.	376.	382.
	1"	23 1/8"	42"	RWHDHTB42H1()	307.	341.	374.	408.	415.	421.	428.
	1"	23 1/8"	48"	RWHDHTB48H1()	334.	373.	411.	450.	458.	466.	474.
	1"	23 1/8"	54"	RWHDHTB54H1()	352.	393.	435.	476.	484.	493.	502.
	1"	23 1/8"	60"	RWHDHTB60H1()	379.	425.	473.	519.	528.	538.	547.
	1"	23 1/8"	66"	RWHDHTB66H1()	398.	447.	495.	545.	555.	564.	575.
	1"	23 1/8"	72"	RWHDHTB72H1()	425.	480.	534.	588.	599.	610.	621.
	1"	23 1/8"	78"	RWHDHTB78H1()	452.	512.	571.	630.	643.	654.	666.
	1"	23 1/8"	84"	RWHDHTB84H1()	480.	545.	609.	674.	687.	699.	713.
	1"	23 1/8"	90"	RWHDHTB90H1()	497.	564.	631.	698.	712.	726.	740.
	1"	23 1/8"	96"	RWHDHTB96H1()	525.	597.	671.	743.	757.	771.	786.

Accessories and Client
Samples

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H1()	To order please specify pattern number including;	H1 Height: Underside of overhead
R Reff	1. Finish: Fabric	to top 1 1/2" thick desk height
WH Wall hung		worksurface.
DH Desk height planning		
TB Tackboard		
30 Width		
H1 23 1/8" high		
W281 Fabric selection		

Tackboards
H2 29³/₄" high
Wall hung, fabric

Reff Profiles

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Tackboard , wall hung	1"	29 ³ / ₄ "	30"	RWHDHTB30H2()	\$277.	\$302.	\$327.	\$351.	\$356.	\$362.	\$367.
	1"	29 ³ / ₄ "	36"	RWHDHTB36H2()	298.	325.	352.	380.	386.	391.	398.
	1"	29 ³ / ₄ "	42"	RWHDHTB42H2()	328.	361.	392.	425.	432.	439.	445.
	1"	29 ³ / ₄ "	48"	RWHDHTB48H2()	358.	396.	433.	470.	478.	485.	493.
	1"	29 ³ / ₄ "	54"	RWHDHTB54H2()	379.	419.	458.	499.	507.	515.	523.
	1"	29 ³ / ₄ "	60"	RWHDHTB60H2()	409.	454.	499.	544.	553.	562.	572.
	1"	29 ³ / ₄ "	66"	RWHDHTB66H2()	430.	477.	524.	572.	582.	591.	602.
	1"	29 ³ / ₄ "	72"	RWHDHTB72H2()	460.	513.	564.	617.	628.	639.	650.
	1"	29 ³ / ₄ "	78"	RWHDHTB78H2()	490.	548.	605.	662.	675.	686.	698.
	1"	29 ³ / ₄ "	84"	RWHDHTB84H2()	520.	583.	645.	708.	721.	733.	747.
	1"	29 ³ / ₄ "	90"	RWHDHTB90H2()	542.	607.	671.	735.	749.	763.	777.
	1"	29 ³ / ₄ "	96"	RWHDHTB96H2()	572.	642.	711.	781.	795.	811.	825.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H2 ()	To order please specify pattern number including;	H2 Height = Underside of overhead to top of 1" thick credenza top for 3/4 height cabinets.
R Reff	1. Finish: Fabric	
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H2 29 ³ / ₄ " high		
W281 Fabric selection		

Tackboards
H3 37⁷/₈" high
Wall hung, fabric

Reff Profiles


description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Tackboard , wall hung	1"	37 ⁷ / ₈ "	30"	RWHDHTB30H3()	\$291.	\$316.	\$342.	\$367.	\$372.	\$377.	\$382.
	1"	37 ⁷ / ₈ "	36"	RWHDHTB36H3()	315.	343.	370.	398.	404.	409.	415.
	1"	37 ⁷ / ₈ "	42"	RWHDHTB42H3()	348.	380.	413.	445.	452.	458.	466.
	1"	37 ⁷ / ₈ "	48"	RWHDHTB48H3()	382.	419.	456.	493.	502.	509.	517.
	1"	37 ⁷ / ₈ "	54"	RWHDHTB54H3()	405.	445.	484.	524.	533.	542.	550.
	1"	37 ⁷ / ₈ "	60"	RWHDHTB60H3()	439.	483.	528.	573.	582.	592.	602.
	1"	37 ⁷ / ₈ "	66"	RWHDHTB66H3()	461.	509.	556.	604.	614.	623.	633.
	1"	37 ⁷ / ₈ "	72"	RWHDHTB72H3()	495.	548.	599.	652.	663.	674.	685.
	1"	37 ⁷ / ₈ "	78"	RWHDHTB78H3()	528.	586.	643.	700.	713.	724.	736.
	1"	37 ⁷ / ₈ "	84"	RWHDHTB84H3()	562.	624.	687.	749.	762.	775.	788.
	1"	37 ⁷ / ₈ "	90"	RWHDHTB90H3()	585.	650.	714.	779.	792.	806.	820.
	1"	37 ⁷ / ₈ "	96"	RWHDHTB96H3()	619.	688.	758.	827.	842.	857.	871.

Accessories and Client
Samples

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H3()	To order please specify pattern number including;	H3 Height = Top of U-shelf or L-shelf overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Finish: Fabric	
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H3 37 ⁷ / ₈ " high		
W281 Fabric selection		

Tackboards
H4 44 1/2" high
Wall hung, fabric

Reff Profiles

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Tackboard , wall hung	1"	44 1/2"	30"	RWHDHTB30H4()	\$304.	\$329.	\$354.	\$379.	\$384.	\$389.	\$394.
	1"	44 1/2"	36"	RWHDHTB36H4()	330.	357.	384.	412.	418.	423.	430.
	1"	44 1/2"	42"	RWHDHTB42H4()	366.	398.	431.	462.	470.	476.	483.
	1"	44 1/2"	48"	RWHDHTB48H4()	401.	438.	476.	513.	521.	528.	537.
	1"	44 1/2"	54"	RWHDHTB54H4()	427.	468.	507.	547.	555.	563.	572.
	1"	44 1/2"	60"	RWHDHTB60H4()	462.	507.	552.	596.	606.	616.	625.
	1"	44 1/2"	66"	RWHDHTB66H4()	488.	536.	583.	630.	641.	650.	660.
	1"	44 1/2"	72"	RWHDHTB72H4()	524.	577.	628.	681.	692.	702.	714.
	1"	44 1/2"	78"	RWHDHTB78H4()	560.	617.	675.	731.	744.	756.	768.
	1"	44 1/2"	84"	RWHDHTB84H4()	595.	657.	720.	782.	795.	808.	821.
	1"	44 1/2"	90"	RWHDHTB90H4()	621.	686.	751.	816.	829.	844.	857.
	1 1/2"	44 1/2"	96"	RWHDHTB96H4()	656.	726.	795.	865.	880.	895.	909.

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H4()	To order please specify pattern number including; 1. Finish: Fabric	H4 Height = Top of U-shelf or L-shelf overhead to top of 1" thick credenza top for 3/4" height cabinet.
R Reff		
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H4 44 1/2" high		
W281 Fabric selection		

Tackboards
H5 42⁵/₈" high
Wall hung, fabric

Reff Profiles

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Tackboard , wall hung	1"	42 ⁵ / ₈ "	30"	RWHDHTB30H5()	\$301.	\$325.	\$350.	\$375.	\$380.	\$386.	\$391.
	1"	42 ⁵ / ₈ "	36"	RWHDHTB36H5()	327.	353.	381.	408.	414.	419.	425.
	1"	42 ⁵ / ₈ "	42"	RWHDHTB42H5()	361.	392.	425.	457.	465.	471.	478.
	1"	42 ⁵ / ₈ "	48"	RWHDHTB48H5()	396.	433.	471.	508.	516.	523.	531.
	1"	42 ⁵ / ₈ "	54"	RWHDHTB54H5()	421.	461.	501.	541.	549.	557.	565.
	1"	42 ⁵ / ₈ "	60"	RWHDHTB60H5()	455.	501.	545.	590.	599.	609.	618.
	1"	42 ⁵ / ₈ "	66"	RWHDHTB66H5()	481.	528.	575.	622.	632.	643.	653.
	1"	42 ⁵ / ₈ "	72"	RWHDHTB72H5()	516.	569.	620.	673.	684.	694.	706.
	1"	42 ⁵ / ₈ "	78"	RWHDHTB78H5()	551.	608.	665.	722.	734.	746.	758.
	1"	42 ⁵ / ₈ "	84"	RWHDHTB84H5()	586.	658.	711.	773.	786.	798.	812.
	1"	42 ⁵ / ₈ "	90"	RWHDHTB90H5()	611.	676.	741.	805.	819.	832.	846.
	1"	42 ⁵ / ₈ "	96"	RWHDHTB96H5()	647.	716.	786.	855.	869.	885.	899.

Accessories and Client
Samples

Order Code	Specification Information	Application Notes
Example: RWHDHTB30H5()	To order please specify pattern number including;	H5 Height = Top of Single high overhead to top of 1 1/2" thick desk height worksurface.
R Reff	1. Finish: Fabric	
WH Wall hung		
DH Desk height planning		
TB Tackboard		
30 Width		
H5 42 ⁵ / ₈ " high		
W281 Fabric selection		

Desk Screens

Planning Guidelines and Specifications

Reff Screens

Reff screens provide partial enclosure for workspaces to a nominal horizon of 42"—seated visual access—or 49"—seated visual privacy. Screens are available in a variety of surface finishes for aesthetics, performance and price point.

Desk Mounted Screens

Desk mounted screens provide enclosure both above and below the top, starting from either 9 3/8" or 21 7/8" above the floor for 26 1/2" high planning and from either 11 1/4" or 23 3/4" above the floor for 28 3/8" high planning. Desk mounted screens attach directly to the back of a desk top with two brackets that also define a 1 1/4" offset for wire management and clamp-on accessories. Bracket centers are located 3 1/4" from each end of screens 24"-30" wide and 12" from each end of screens 36" and wider.

Screens are available in the following widths 24", 27", 30", and 36"-72" wide in 6" increments. In most applications screens can be mounted to matching width or wider tops.

Two types of screens are available:

- Frameless laminate, marker surface or veneer screens are 3/4" thick with matching edge and crisp, eased corners.
- Fabric screens are 1 1/4" thick, with painted perimeter frame capturing a wood structural core and tackable, fabric wrapped inserts on each face.

Specification Options

For frameless screens surface type: laminate (L) or veneer (V); specify finish, any core laminate or dry-erase marker surface (M), or any core Techwood or natural veneer. Also specify bracket color, in any Reff Profiles core paint finish.

For fabric screens specify fabric, perimeter frame and brackets painted finishes. Fabric is oriented railroad style for screens wider than 60".

Bracket and frame paint finish codes with suffix "T" indicate textured.


Construction

Frameless screens are 3/4" MDF construction, with threaded inserts at bracket locations.


Fabric screens have a 1/2" MDF core, with 3/8" thick tackable PET material inserts on each side wrapped in fabric, and aluminum perimeter frame with seamless corners. Fabric screens have threaded metal inserts at bracket locations.

Laminate screens are edged with color matching ABS edgeband. Marker surface screens are edged with White ABS edgeband. Veneer screens are edged with matching veneer.


Built-in 1 1/4" wire drop



Screen always at back



For applications with work surface 26 1/2" off the floor





For applications with work surface 28 3/8" off the floor

Desk Screens

Fabric

For 42" High Horizon

Reff Profiles

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 42" High Horizon 	24"	1 1/4"	20"	YPSB2024F	\$556.	\$584.	\$612.	\$640.	\$667.
	27"	1 1/4"	20"	YPSB2027F	572.	600.	629.	657.	686.
	30"	1 1/4"	20"	YPSB2030F	587.	617.	646.	676.	705.
	36"	1 1/4"	20"	YPSB2036F	654.	687.	720.	752.	785.
	42"	1 1/4"	20"	YPSB2042F	680.	714.	748.	782.	816.
	48"	1 1/4"	20"	YPSB2048F	700.	735.	770.	805.	840.
	54"	1 1/4"	20"	YPSB2054F	752.	790.	827.	865.	902.
	60"	1 1/4"	20"	YPSB2060F	798.	838.	879.	918.	958.
	66"	1 1/4"	20"	YPSB2066FRR	834.	877.	918.	960.	1,001.
	72"	1 1/4"	20"	YPSB2072FRR	860.	903.	947.	989.	1,032.
Fabric Screens with Half Modesty For Desks, 42" High Horizon 	24"	1 1/4"	32"	YPSB3224F	644.	676.	709.	741.	773.
	27"	1 1/4"	32"	YPSB3227F	690.	725.	759.	794.	828.
	30"	1 1/4"	32"	YPSB3230F	711.	747.	782.	818.	853.
	36"	1 1/4"	32"	YPSB3236F	803.	844.	884.	924.	964.
	42"	1 1/4"	32"	YPSB3242F	850.	892.	935.	977.	1,020.
	48"	1 1/4"	32"	YPSB3248F	855.	898.	940.	984.	1,026.
	54"	1 1/4"	32"	YPSB3254F	927.	973.	1,020.	1,066.	1,112.
	60"	1 1/4"	32"	YPSB3260F	1,004.	1,055.	1,105.	1,155.	1,205.
	66"	1 1/4"	32"	YPSB3266FRR	1,143.	1,201.	1,258.	1,315.	1,372.
	72"	1 1/4"	32"	YPSB3272FRR	1,205.	1,266.	1,326.	1,386.	1,446.

Accessories and Client Samples

Ordering Information	Order Code	Included With	Options
Desk Screens 1. Pattern Number 2. Inside Fabric Finish 3. Outside Fabric Finish 4. Frame Paint Finish 5. Bracket Paint Finish	Desk Screens <i>Example:</i> YPSB2048F, W351, 118T, 118T YPSB Desk Screen 20 Height 48 Width F Fabric W351 Foundation W351 Foundation 118T Bright White Paint 118T Bright White Paint	Desk Screens Brackets Hardware	Desk Screens The price of screens specified with a combination of fabrics is the higher of the two fabric grades.

Desk Screens

Fabric

For 49" High Horizon

Reff Profiles

description	w	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty For Desks, 49" High Horizon	24"	1 1/4"	26"	YPSB2624F	\$608.	\$639.	\$668.	\$699.	\$729.
	27"	1 1/4"	26"	YPSB2627F	633.	665.	697.	728.	760.
	30"	1 1/4"	26"	YPSB2630F	649.	682.	714.	747.	779.
	36"	1 1/4"	26"	YPSB2636F	726.	762.	799.	835.	871.
	42"	1 1/4"	26"	YPSB2642F	762.	800.	838.	877.	915.
	48"	1 1/4"	26"	YPSB2648F	819.	860.	901.	941.	983.
	54"	1 1/4"	26"	YPSB2654F	876.	920.	963.	1,007.	1,051.
	60"	1 1/4"	26"	YPSB2660F	912.	957.	1,003.	1,049.	1,094.
	66"	1 1/4"	26"	YPSB2666FRR	953.	1,000.	1,049.	1,096.	1,143.
	72"	1 1/4"	26"	YPSB2672FRR	994.	1,043.	1,094.	1,143.	1,193.
Fabric Screens with Half Modesty For Desks, 49" High Horizon	24"	1 1/4"	38"	YPSB3824F	695.	730.	765.	799.	834.
	27"	1 1/4"	38"	YPSB3827F	747.	784.	822.	859.	896.
	30"	1 1/4"	38"	YPSB3830F	767.	805.	845.	883.	921.
	36"	1 1/4"	38"	YPSB3836F	876.	920.	963.	1,007.	1,051.
	42"	1 1/4"	38"	YPSB3842F	927.	973.	1,020.	1,066.	1,112.
	48"	1 1/4"	38"	YPSB3848F	999.	1,050.	1,099.	1,149.	1,199.
	54"	1 1/4"	38"	YPSB3854F	1,051.	1,103.	1,156.	1,208.	1,261.
	60"	1 1/4"	38"	YPSB3860F	1,107.	1,163.	1,218.	1,273.	1,329.
	66"	1 1/4"	38"	YPSB3866FRR	1,241.	1,303.	1,366.	1,428.	1,489.
	72"	1 1/4"	38"	YPSB3872FRR	1,308.	1,374.	1,439.	1,505.	1,570.

Ordering Information

Desk Screens

1. Pattern Number
2. Inside Fabric Finish
3. Outside Fabric Finish
4. Frame Paint Finish
5. Bracket Paint Finish

Order Code

Desk Screens

Example: **YPSB2648F, W351, W351, 118T, 118T**

YPSB	Desk Screen
26	Height
48	Width
F	Fabric
W351	Foundation
W351	Foundation
118T	Bright White Paint
118T	Bright White Paint

Included With

Desk Screens

Brackets
Hardware

Options

Desk Screens

The price of screens specified with a combination of fabrics is the higher of the two fabric grades.

Desk Screens

Laminate, Markerboard or Veneer

For 42" High Horizon

Reff Profiles

description	w	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty For Desks, 42" High Horizon	24"	3/4"	20"	YPSB2024()	\$228.	\$393.	\$436.	\$502.	\$652.
	27"	3/4"	20"	YPSB2027()	231.	397.	445.	512.	666.
	30"	3/4"	20"	YPSB2030()	233.	399.	455.	524.	681.
	36"	3/4"	20"	YPSB2036()	262.	504.	475.	546.	711.
	42"	3/4"	20"	YPSB2042()	268.	509.	510.	586.	762.
	48"	3/4"	20"	YPSB2048()	346.	815.	533.	613.	796.
	54"	3/4"	20"	YPSB2054()	352.	821.	553.	637.	827.
	60"	3/4"	20"	YPSB2060()	357.	826.	598.	688.	895.
	66"	3/4"	20"	YPSB2066()	364.	831.	625.	719.	934.
	72"	3/4"	20"	YPSB2072()	369.	837.	645.	742.	963.
Screens with Half Modesty For Desks, 42" High Horizon	24"	3/4"	32"	YPSB3224()	255.	604.	507.	583.	758.
	27"	3/4"	32"	YPSB3227()	260.	608.	529.	609.	792.
	30"	3/4"	32"	YPSB3230()	296.	612.	545.	627.	815.
	36"	3/4"	32"	YPSB3236V	349.	818.	577.	663.	862.
	42"	3/4"	32"	YPSB3242()	357.	826.	632.	727.	946.
	48"	3/4"	32"	YPSB3248()	376.	1,431.	663.	762.	992.
	54"	3/4"	32"	YPSB3254()	384.	1,439.	700.	805.	1,048.
	60"	3/4"	32"	YPSB3260()	524.	1,445.	773.	888.	1,155.
	66"	3/4"	32"	YPSB3266()	533.	1,453.	810.	931.	1,210.
	72"	3/4"	32"	YPSB3272()	541.	1,463.	840.	966.	1,257.

Accessories and Client
Samples

Ordering Information	Order Code	Included With	Options
Desk Screens	Desk Screens	Desk Screens	Desk Screens
1. Pattern Number	<i>Example:</i> YPSB2048V, V316,	Brackets	Finish Options:
2. Surface Finish	118T	Hardware	(L)= Laminate
3. Bracket Paint Finish	YPSB Desk Screen		(LM)= Markerboard
	20 Height		(V)= Veneer
	48 Width		
	V Veneer		
	V316 Maple		
	118T Bright White Paint		

Desk Screens

Laminate, Markerboard or Veneer

For 49" High Horizon

Reff Profiles

description	w	d	h	pattern no.	L	LM	V1	V2	V3
Screens with Partial Modesty For Desks, 49" High Horizon	24"	3/4"	26"	YPSB2624()	\$249.	\$597.	\$484.	\$557.	\$724.
	27"	3/4"	26"	YPSB2627()	252.	602.	496.	571.	743.
	30"	3/4"	26"	YPSB2630()	256.	605.	517.	595.	774.
	36"	3/4"	26"	YPSB2636()	263.	612.	543.	624.	812.
	42"	3/4"	26"	YPSB2642()	302.	619.	588.	676.	879.
	48"	3/4"	26"	YPSB2648()	330.	1,420.	620.	714.	928.
	54"	3/4"	26"	YPSB2654()	337.	1,428.	646.	742.	965.
	60"	3/4"	26"	YPSB2660()	355.	1,432.	719.	827.	1,074.
	66"	3/4"	26"	YPSB2666()	363.	1,441.	745.	856.	1,113.
	72"	3/4"	26"	YPSB2672()	465.	1,446.	770.	886.	1,152.
Screens with Half Modesty For Desks, 49" High Horizon	24"	3/4"	38"	YPSB3824()	295.	612.	541.	622.	809.
	27"	3/4"	38"	YPSB3827()	300.	616.	559.	644.	836.
	30"	3/4"	38"	YPSB3830()	304.	621.	578.	664.	863.
	36"	3/4"	38"	YPSB3836()	359.	827.	622.	715.	930.
	42"	3/4"	38"	YPSB3842()	370.	837.	684.	787.	1,023.
	48"	3/4"	38"	YPSB3848()	460.	1,442.	721.	829.	1,077.
	54"	3/4"	38"	YPSB3854()	471.	1,452.	764.	879.	1,142.
	60"	3/4"	38"	YPSB3860()	541.	1,463.	862.	991.	1,289.
	66"	3/4"	38"	YPSB3866()	550.	1,473.	905.	1,041.	1,353.
	72"	3/4"	38"	YPSB3872()	560.	1,483.	942.	1,084.	1,409.

Ordering Information	Order Code	Included With	Options
Desk Screens	Desk Screens	Desk Screens	Desk Screens
1. Pattern Number	<i>Example:</i> YPSB2648V, V316,	Brackets	Finish Options:
2. Surface Finish	118T	Hardware	(L)= Laminate
3. Bracket Paint Finish	YPSB Desk Screen		(LM)= Markerboard
	26 Height		(V)= Veneer
	48 Width		
	V Veneer		
	V316 Maple		
	118T Bright White Paint		


description	w	d	pattern no.	L	V1	V2	V3
Desk Top Cubbies	30"	10"	RDTC3010()	\$854.	\$1,067.	\$1,227.	\$1,594.
30" and 36"	36"	10"	RDTC3610()	864.	1,076.	1,238.	1,609.



Desk Top Cubbies	60"	10"	RDTC6010()	1,048.	1,310.	1,506.	1,958.
60" and 72"	72"	10"	RDTC7210()	1,069.	1,337.	1,537.	1,998.



Desk Top Cubbies	60"	10"	RDTCO6010()	1,158.	1,448.	1,664.	2,164.
Open	72"	10"	RDTCO7210()	1,174.	1,467.	1,687.	2,193.



Wall Mounted Cubbies	30"	10"	RRMC3010()	936.	1,170.	1,345.	1,749.
30" and 36"	36"	10"	RRMC3610()	945.	1,180.	1,358.	1,764.



Wall Mounted Cubbies	60"	10"	RRMC6010()	1,077.	1,345.	1,549.	2,014.
60" and 72"	72"	10"	RRMC7210()	1,099.	1,374.	1,580.	2,055.




Under Mounted Cubbies	30"	10"	RUMC3010()	905.	1,132.	1,302.	1,692.
30" and 36"	36"	10"	RUMC3610()	916.	1,145.	1,317.	1,712.



Order Code	Specification Information	Application Notes
Example: RDTC3010() ()		Installation instruction sheets available on line.
R	Reff	
DT	Desk Top	For Wall Mounted cubbies, please refer to part number 6TP00086.
C	Cubby	
30	Width	For Under Mounted cubbies, please refer to part number 6TP00087.
10	Depth	
	Finish	

description	w	d	pattern no.	L	V1	V2	V3
Under Mounted Cubbies 60" and 72"	60"	10"	RUMC6010()	\$1,028.	\$1,284.	\$1,477.	\$1,921.
	72"	10"	RUMC7210()	1,054.	1,316.	1,514.	1,968.




Order Code	Specification Information	Application Notes
Example: RDTC3010()()		Installation instruction sheets available on line.
R	Reff	
DT	Desk Top	For Wall Mounted cubbies, please refer to part number 6TP00086.
C	Cubby	
30	Width	For Under Mounted cubbies, please refer to part number 6TP00087.
10	Depth	
	Finish	

Single Wide Desk

Single Finishes

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Single Wide Desk 	66"	30"	42"	RASW6630()()	\$1,201.	\$1,381.	\$1,588.	\$2,065.
	72"	30"	42"	RASW7230()()	1,254.	1,442.	1,658.	2,156.
	78"	30"	42"	RASW7830()()	1,293.	1,487.	1,710.	2,223.
	84"	30"	42"	RASW8430()()	1,366.	1,571.	1,807.	2,349.
	90"	30"	42"	RASW9030()()	1,405.	1,616.	1,859.	2,416.
	96"	30"	42"	RASW9630()()	1,450.	1,668.	1,918.	2,494.


Administrative / Reception

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	42" height is Nominal.
RA Reff Administrative		66" to 96" wide Nominal.
SW Single Wide with worksurface	1. Modesty Finish: Wood or Laminate	No Drilling Options.
66 66" wide, Nominal	2. Worksurface Finish: Wood or Laminate	No Grommet Options.
30 30" deep, Nominal		Top comes with full length wire access and pencil lip.
() Modesty finish	Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.	To be used with end support, return, or bridge.
() Worksurface finish	Mid-span cantilever bracket (RMSCB) or a return must be ordered for additional support for units greater than 54" wide.	Includes front modesty and worksurface.
	Note: All installation instructions are available on the WEB.	Stations up to 96" wide (8 feet).
		Pencil Lip will be assembled to the top.
		Pencil Lip dimension: 1/4"H above worksurface.
		Pencil Lip is located along the back edge.
		Pencil Lip is available in black only.
		Worksurface includes 2" gap along the back edge.
		Comes with hardware kit, including attachment kit.
		<i>Nominal vs Actual sizes</i> N=66/A=62 N=72/A=68 N=78/A=74 N=84/A=80 N=90/A=86 N=96/A=92 above dimension allow for 2 end supports
		Products on this page are manufactured finished on the user's side (inside), and paper finished on the approach side (outside).
		The approach side needs to be completed with infill panel.
		Products on this page will accept all Laminates except "wood grain laminates".
		Products on this page are engineered to work with 28 3/8" planning.
		All worksurfaces are 1 1/2" thick.

Single Wide Desk

Mixed Finishes

Reff Profiles

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
Single Wide Desk 	66"	30"	42"	RASW6630() ()	\$1,292.	\$1,363.	\$1,623.	\$1,344.	\$1,458.	\$1,687.
	72"	30"	42"	RASW7230() ()	1,337.	1,414.	1,696.	1,382.	1,505.	1,756.
	78"	30"	42"	RASW7830() ()	1,373.	1,456.	1,759.	1,410.	1,542.	1,815.
	84"	30"	42"	RASW8430() ()	1,454.	1,543.	1,867.	1,457.	1,598.	1,893.
	90"	30"	42"	RASW9030() ()	1,490.	1,585.	1,930.	1,486.	1,636.	1,953.
	96"	30"	42"	RASW9630() ()	1,534.	1,634.	2,001.	1,514.	1,673.	2,012.

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	42" height is Nominal.
RA Reff Administrative		66" to 96" wide Nominal.
SW Single Wide with worksurface	1. Modesty Finish: Wood or Laminate	No Drilling Options.
66 66" wide, Nominal	2. Worksurface Finish: Wood or Laminate	No Grommet Options .
30 30" deep, Nominal		Top comes with full length wire access and pencil lip.
() Modesty finish	Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.	To be used with end support, return, or bridge.
() Worksurface finish	Mid-span cantilever bracket (RMSCB) or a return must be ordered for additional support for units greater than 54" wide.	Includes front modesty and worksurface.
	Note: All Installation instructions are available on the WEB.	Stations up to 96" wide (8 feet).
		Pencil Lip will be assembled to the top.
		Pencil Lip dimension: 1/4"H above worksurface.
		Pencil Lip is located along the back edge.
		Pencil Lip is available in black only.
		Worksurface includes 2" gap along the back edge.
		Top comes with full length wire access and Pencil Lip.
		Comes with hardware kit, including attachment kit.

Nominal vs Actual sizes
N=66/A=62
N=72/A=68
N=78/A=74
N=84/A= 80
N=90/A=86
N=96/A=92
above dimension allow for 2 end supports

Products on this page are manufactured finished on the user's side (inside), and paper finished on the approach side (outside).

The approach side needs to be completed with infill panel.

Products on this page will accept all Laminates except "wood grain laminates".

Products on this page are engineered to work with 28 3/8" planning.


All worksurfaces are 1 1/2" thick.

Double Wide Desk

Single Finishes

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Double Wide Desk	51"	30"	42"	RADW(L/R)5130() ()	\$1,162.	\$1,336.	\$1,536.	\$1,997.
	54"	30"	42"	RADW(L/R)5430() ()	1,188.	1,366.	1,571.	2,042.
	57"	30"	42"	RADW(L/R)5730() ()	1,214.	1,396.	1,605.	2,087.
	60"	30"	42"	RADW(L/R)6030() ()	1,295.	1,489.	1,713.	2,227.
	63"	30"	42"	RADW(L/R)6330() ()	1,316.	1,514.	1,741.	2,263.
	66"	30"	42"	RADW(L/R)6630() ()	1,345.	1,547.	1,779.	2,313.
	69"	30"	42"	RADW(L/R)6930() ()	1,371.	1,576.	1,813.	2,356.
	72"	30"	42"	RADW(L/R)7230() ()	1,391.	1,600.	1,840.	2,392.
	75"	30"	42"	RADW(L/R)7530() ()	1,410.	1,621.	1,864.	2,424.
	78"	30"	42"	RADW(L/R)7830() ()	1,429.	1,644.	1,890.	2,458.
	81"	30"	42"	RADW(L/R)8130() ()	1,455.	1,673.	1,924.	2,501.
	84"	30"	42"	RADW(L/R)8430() ()	1,504.	1,729.	1,989.	2,586.
	87"	30"	42"	RADW(L/R)8730() ()	1,522.	1,750.	2,013.	2,617.
	90"	30"	42"	RADW(L/R)9030() ()	1,542.	1,774.	2,040.	2,651.
	93"	30"	42"	RADW(L/R)9330() ()	1,568.	1,803.	2,074.	2,696.
	96"	30"	42"	RADW(L/R)9630() ()	1,587.	1,825.	2,099.	2,729.



Left hand shown

Order Code

Example:	
RA	Reff Administrative
DW	Double Wide with worksurface
L	Left hand
51	51" wide, Nominal
30	30" deep (only) worksurface
()	Modesty finish
()	Worksurface finish

Specification Information


To order please specify pattern number including:

1. Modesty Finish: Wood or Laminate
2. Worksurface Finish: Wood or Laminate

Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.

Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for units greater than 54" wide.

Note: All Installation instructions are available on the WEB.



Application Notes

42" height, Nominal only.
51" to 96" wide, Nominal only.
30" deep worksurface, Nominal only.
No Drilling Options.
No Grommet Options.

Left hand unit includes 2 kits;
Kit #1: Joinery hardware to connect 2 units together.
Kit #2: Multi clips.

Products on this page do not include infill panels, returns and supports, need to order separately.

Worksurfaces include 2" gap along the back edge.

Top comes with full length wire access and Pencil Lip.
Pencil lip will be assembled to the top.
Pencil Lip dimensions: 1/4"H above worksurface.
Pencil Lip is available in black only.

Left hand and Right hand units are sold separately (not as set), therefore the veneer side will not match.

To complete your Double Wide Unit you must order a Left Hand unit and a Right hand Unit. See below:

Actual is 2" less than Nominal.
N=51 - 51" L/R = 102" Dbl Wide
N=54 - 54" L/R = 108" Dbl Wide
N=57 - 57" L/R = 114" Dbl Wide
N=60 - 60" L/R = 120" Dbl Wide
N=63 - 63" L/R = 126" Dbl Wide
N=66 - 66" L/R = 132" Dbl Wide
N=69 - 69" L/R = 138" Dbl Wide
N=72 - 72" L/R = 144" Dbl Wide
N=75 - 75" L/R = 150" Dbl Wide
N=78 - 78" L/R = 156" Dbl Wide
N=81 - 81" L/R = 162" Dbl Wide
N=84 - 84" L/R = 168" Dbl Wide
N=87 - 87" L/R = 174" Dbl Wide
N=90 - 90" L/R = 180" Dbl Wide
N=93 - 93" L/R = 186" Dbl Wide
N=96 - 96" L/R = 192" Dbl Wide

Products on this page are manufactured finished on the user's side (inside), and paper finished on the approach side (outside).

The approach side needs to be completed with infill panel.

Products on this page will accept all Laminates except "wood grain laminates".


Products on this page are engineered to work with 28 3/8" planning.

All worksurfaces are 1 1/2" thick.

Double Wide Desk

Mixed Finishes

Reff Profiles

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
 right hand shown	51"	30"	42"	RADW(L/R)5130() ()	\$1,240.	\$1,299.	\$1,514.	\$1,351.	\$1,445.	\$1,653.
	54"	30"	42"	RADW(L/R)5430() ()	1,266.	1,328.	1,553.	1,366.	1,464.	1,683.
	57"	30"	42"	RADW(L/R)5730() ()	1,283.	1,348.	1,585.	1,389.	1,491.	1,721.
	60"	30"	42"	RADW(L/R)6030() ()	1,383.	1,451.	1,698.	1,443.	1,550.	1,791.
	63"	30"	42"	RADW(L/R)6330() ()	1,403.	1,474.	1,732.	1,472.	1,583.	1,835.
	66"	30"	42"	RADW(L/R)6630() ()	1,424.	1,498.	1,766.	1,499.	1,615.	1,878.
	69"	30"	42"	RADW(L/R)6930() ()	1,450.	1,526.	1,805.	1,513.	1,634.	1,907.
	72"	30"	42"	RADW(L/R)7230() ()	1,470.	1,549.	1,838.	1,528.	1,653.	1,938.
	75"	30"	42"	RADW(L/R)7530() ()	1,487.	1,568.	1,868.	1,570.	1,699.	1,994.
	78"	30"	42"	RADW(L/R)7830() ()	1,504.	1,589.	1,900.	1,584.	1,718.	2,025.
	81"	30"	42"	RADW(L/R)8130() ()	1,531.	1,618.	1,939.	1,598.	1,737.	2,054.
	84"	30"	42"	RADW(L/R)8430() ()	1,587.	1,677.	2,010.	1,632.	1,775.	2,103.
	87"	30"	42"	RADW(L/R)8730() ()	1,604.	1,697.	2,039.	1,646.	1,793.	2,132.
	90"	30"	42"	RADW(L/R)9030() ()	1,622.	1,718.	2,072.	1,660.	1,812.	2,163.
	93"	30"	42"	RADW(L/R)9330() ()	1,649.	1,748.	2,112.	1,674.	1,830.	2,191.
	96"	30"	42"	RADW(L/R)9630() ()	1,666.	1,767.	2,141.	1,688.	1,849.	2,222.

Order Code

Example:	
RA	Reff Administrative
DW	Double Wide with worksurface
L	Left hand
51	51" wide, Nominal
30	30" deep (only) worksurface
()	Modesty finish
()	Worksurface finish

Specification Information

To order please specify pattern number including:


1. Modesty Finish: Wood or Laminate
2. Worksurface Finish: Wood or Laminate

Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.

Product on this page do not include infill panels, returns or supports. Supports need to be ordered separately.

Mid-span cantilever bracket (**RMSCB**) or a **return** must be ordered for additional support for units greater than 54" wide.

Note: All Installation instructions are available on the WEB.



Application Notes

42" height, Nominal only.
51" to 96" wide, Nominal only.
30" deep worksurface, Nominal only.
No Drilling Options.
No Grommet Options.

Left hand unit includes 2 kits;
Kit #1: Joinery hardware to connect 2 units together.
Kit #2: Multi clips.

Right hand unit includes 1 hardware kit; the multi clips kit.

Pencil Lip will be assembled to the top.

Pencil Lip dimensions:
1/4"h above worksurface.
Located along the back edge.
Pencil Lip is available in black only.

Worksurface includes 2" gap along the back edge.

Top comes with full length wire access and Pencil Lip.
Left hand and Right hand units are sold separately (not as a set), therefore the veneer side won't match.

To complete your Double Wide Unit you must order a Left Hand unit and a Right hand Unit. See below:

Actual is 2" less than Nominal.
N=51 - 51" L/R = 102" Dbl Wide
N=54 - 54" L/R = 108" Dbl Wide
N=57 - 57" L/R = 114" Dbl Wide
N=60 - 60" L/R = 120" Dbl Wide
N=63 - 63" L/R = 126" Dbl Wide
N=66 - 66" L/R = 132" Dbl Wide
N=69 - 69" L/R = 138" Dbl Wide
N=72 - 72" L/R = 144" Dbl Wide
N=75 - 75" L/R = 150" Dbl Wide
N=78 - 78" L/R = 156" Dbl Wide
N=81 - 81" L/R = 162" Dbl Wide
N=84 - 84" L/R = 168" Dbl Wide
N=87 - 87" L/R = 174" Dbl Wide
N=90 - 90" L/R = 180" Dbl Wide
N=93 - 93" L/R = 186" Dbl Wide
N=96 - 96" L/R = 192" Dbl Wide

Products on this page are manufactured finished on the user's side (inside), and paper finished on the approach side (outside).

The approach side needs to be completed with infill panel.

Products on this page will accept all Laminates except "wood grain laminates".

Products on this page are engineered to work with 28 3/8" planning.


All worksurfaces are 1 1/2" thick.

Bridge

Single Finishes

Reff Profiles


description	w	d	h	pattern no.	L	V1	V2	V3
Bridge Return Panel	72"	20"	42"	RABR(L/R)7220() () ()	\$1,090.	\$1,744.	\$2,006.	\$2,608.
	78"	20"	42"	RABR(L/R)7820() () ()	1,183.	1,892.	2,176.	2,829.
	84"	20"	42"	RABR(L/R)8420() () ()	1,236.	1,977.	2,274.	2,956.
	90"	20"	42"	RABR(L/R)9020() () ()	1,286.	2,058.	2,366.	3,076.
	96"	20"	42"	RABR(L/R)9620() () ()	1,336.	2,137.	2,458.	3,195.



Left hand shown

Administrative / Reception

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Includes 20" work surface. Includes thick modesty panel. Use in conjunction with end cabinets. Bridge + Cabinet + End Panel = Nominals.
RA Reff Administrative	1. Grommet Option: F = Flush N = No Grommet	Cabinet to be ordered separately.
BR Bridge Return	2. Grommet Finish: Painted or Plated	Note: All installation instructions are available on the WEB.
R Right hand	3. Modesty Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.
72 72" wide	4. Worksurface Finish: Wood or Laminate	Products on this page will accept all Laminates except "wood grain laminates".
20 20" deep		Products on this page are engineered to work with 28 3/8" planning.
() Grommet option		All worksurfaces are 1 1/2" thick.
() Grommet finish		
() Modesty finish		
() Worksurface finish		




left hand / right hand
Nominal vs Actual sizes
N=72/A=54.5 - top 24.5
N=78/A=60.5 - top 30.5
N=84/A=66.5 - top 36.5
N=90/A=72.5 - top 42.5
N=96/A=78.5 - top 48.5

Bridge


Mixed Finishes

Reff Profiles

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
	72"	20"	42"	RABR(L/R)7220() () ()	\$1,198.	\$1,231.	\$1,338.	\$1,603.	\$1,834.	\$2,228.
	78"	20"	42"	RABR(L/R)7820() () ()	1,320.	1,357.	1,482.	1,749.	2,001.	2,438.
	84"	20"	42"	RABR(L/R)8420() () ()	1,378.	1,420.	1,563.	1,808.	2,081.	2,562.
	90"	20"	42"	RABR(L/R)9020() () ()	1,431.	1,477.	1,638.	1,870.	2,163.	2,690.
	96"	20"	42"	RABR(L/R)9620() () ()	1,479.	1,528.	1,707.	1,927.	2,241.	2,811.

Left hand shown


Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Includes 20" work surface. Includes thick modesty panel. Use in conjunction with end cabinets. Bridge + Cabinet + End Panel = Nominals.
RA Reff Administrative	1. Grommet Option: F = Flush N = No Grommet	Cabinet to be ordered separately.
BR Bridge Return	2. Grommet Finish: Painted or Plated	Note: All installation instructions are available on the WEB.
R Right hand	3. Modesty Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.
72 72" wide	4. Worksurface Finish: Wood or Laminate	Products on this page will accept all Laminates except "wood grain laminates".
20 20" deep		Products on this page are engineered to work with 28 3/8" planning.
() Grommet option		All worksurfaces are 1 1/2" thick.
() Grommet finish		
() Modesty finish		
() Worksurface finish		



Assumptions
Nominal vs Actual sizes
 N=66/A=62
 N=72/A=68
 N=78/A=74
 N=84/A=80
 N=90/A=86
 N=96/A=92


Return Single Finishes

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
 Left hand shown	54"	20"	42"	RAFR(L/R)5420() () () ()	\$1,201.	\$1,825.	\$2,099.	\$2,728.
	60"	20"	42"	RAFR(L/R)6020() () () ()	1,250.	1,900.	2,186.	2,841.
	66"	20"	42"	RAFR(L/R)6620() () () ()	1,351.	2,054.	2,362.	3,070.
	72"	20"	42"	RAFR(L/R)7220() () () ()	1,402.	2,131.	2,451.	3,186.
	78"	20"	42"	RAFR(L/R)7820() () () ()	1,461.	2,221.	2,554.	3,321.
	84"	20"	42"	RAFR(L/R)8420() () () ()	1,529.	2,325.	2,673.	3,475.
	90"	20"	42"	RAFR(L/R)9020() () () ()	1,591.	2,418.	2,780.	3,614.
	96"	20"	42"	RAFR(L/R)9620() () () ()	1,657.	2,518.	2,896.	3,764.

Administrative / Reception


Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Includes 20" worksurface. Includes thick modesty.
RA Reff Administrative	1. Grommet Option: F = Flush N = No Grommet	<i>Nominal vs Actual sizes</i> N=54/A=52 N=60/A=58 N=66/A=64 N=72/A=70 N=78/A=76 N=84/A=82 N=90/A=88 N=96/A=94
FR Full Return	2. Grommet Finish: Painted or Plated	
L Left hand	3. Modesty Finish: Laminate or Wood	
54 54" wide, Nominal	4. Worksurface Finish: Laminate or Wood	
20 20" deep, Nominal	5. Drilling Options: E = End Support drilling 28 3/8" G = Gable Support drilling 42"	Note: All installation instructions available on the WEB.
() Grommet option		
() Grommet finish		
() Modesty finish		
() Worksurface finish		
G Drilling options		
	Return with "end support"	Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.
	Return with Gable support	Products on this page will accept all Laminates except "wood grain laminates". Products on this page are engineered to work with 28 3/8" planning. All worksurfaces are 1 1/2" thick.




Return

Mixed Finishes

Reff Profiles


description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
 Left hand shown	54"	20"	42"	RAFR(L/R)5420() () ()	\$1,308.	\$1,339.	\$1,438.	\$1,729.	\$1,952.	\$2,328.
	60"	20"	42"	RAFR(L/R)6020() () ()	1,355.	1,390.	1,509.	1,788.	2,031.	2,451.
	66"	20"	42"	RAFR(L/R)6620() () ()	1,484.	1,523.	1,658.	1,935.	2,199.	2,663.
	72"	20"	42"	RAFR(L/R)7220() () ()	1,534.	1,578.	1,732.	1,996.	2,280.	2,788.
	78"	20"	42"	RAFR(L/R)7820() () ()	1,599.	1,646.	1,819.	2,061.	2,366.	2,917.
	84"	20"	42"	RAFR(L/R)8420() () ()	1,678.	1,730.	1,920.	2,119.	2,445.	3,041.
	90"	20"	42"	RAFR(L/R)9020() () ()	1,745.	1,802.	2,011.	2,195.	2,542.	3,181.
	96"	20"	42"	RAFR(L/R)9620() () ()	1,822.	1,883.	2,109.	2,268.	2,636.	3,319.

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Includes 20" worksurface. Includes thick modesty.
RA Reff Administrative	1. Grommet Option: F = Flush N = No Grommet	<i>Nominal vs Actual sizes</i> N=54/A=52 N=60/A=58 N=66/A=64 N=72/A=70 N=78/A=76 N=84/A=82 N=90/A=88 N=96/A=94
FR Full Return	2. Grommet Finish: Painted or Plated	
L Left hand	3. Modesty Finish: Laminate or Wood	
54 54" wide, Nominal	4. Worksurface Finish: Laminate or Wood	
20 20" deep, Nominal	5. Drilling Options: E = End Support drilling 28 3/8" G = Gable Support drilling 42"	End Support to be ordered separately.
() Grommet option		
() Grommet finish		
() Modesty finish		
() Worksurface finish		
G Drilling options		
	Return with "end support"	Note: All installation instructions available on the WEB.
	Return with Gable support	Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.
		Products on this page will accept all Laminates except "wood grain laminates".
		Products on this page are engineered to work with 28 3/8" planning.
		All worksurfaces are 1 1/2" thick.




Shared Return One Sided Single Finishes

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
 Left hand shown	66"	20"	42"	RASRS(L/R)6620() () () ()	\$954.	\$1,527.	\$1,756.	\$2,282.
	72"	20"	42"	RASRS(L/R)7220() () () ()	1,024.	1,638.	1,884.	2,449.
	78"	20"	42"	RASRS(L/R)7820() () () ()	1,076.	1,722.	1,980.	2,574.
	84"	20"	42"	RASRS(L/R)8420() () () ()	1,159.	1,855.	2,133.	2,773.
	90"	20"	42"	RASRS(L/R)9020() () () ()	1,206.	1,930.	2,219.	2,885.
	96"	20"	42"	RASRS(L/R)9620() () () ()	1,313.	2,101.	2,416.	3,141.

Administrative / Reception

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Must be used with end support. Always comes with drilling to accept 28 3/8"H, only, end support. End support to be ordered separately.
RA Reff Administrative	1. Grommet Option: F = Flush N = No Grommet	42" high Cable support not intended to be used in this application.
SR Shared Return	2. Grommet Finish: Painted or Plated	Hardware for attachment included.
S Single	3. Modesty Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.
R Right hand	4. Worksurface Finish: Wood or Laminate	Products on this page will accept all Laminates except "wood grain laminates".
66 66" wide		Products on this page are engineered to work with 28 3/8" planning.
() Grommet option		All worksurfaces are 1 1/2" thick.
() Grommet finish		
() Modesty finish		
() Worksurface finish		



Nominal vs Actual sizes
 N=66/A=64
 N=72/A=70
 N=78/A=76
 N=84/A=82
 N=90/A=88
 N=96/A=94


Note: All installation instructions are available on the WEB.

Shared Return One Sided

Mixed Finishes

Reff Profiles

description	w	d	h	pattern no.	L/V1 *	L/V2	L/V3	V1/L	V2/L	V3/L
Shared Return One Side	66"	20"	42"	RASRS(L/R)6620() () ()	\$1,078.	\$1,117.	\$1,253.	\$1,413.	\$1,574.	\$1,819.
	72"	20"	42"	RASRS(L/R)7220() () ()	1,158.	1,201.	1,356.	1,510.	1,691.	1,980.
	78"	20"	42"	RASRS(L/R)7820() () ()	1,215.	1,263.	1,435.	1,564.	1,766.	2,099.
	84"	20"	42"	RASRS(L/R)8420() () ()	1,318.	1,370.	1,560.	1,688.	1,911.	2,288.
	90"	20"	42"	RASRS(L/R)9020() () ()	1,366.	1,423.	1,631.	1,742.	1,985.	2,407.
	96"	20"	42"	RASRS(L/R)9620() () ()	1,515.	1,576.	1,802.	1,901.	2,166.	2,631.




Left hand shown

Order Code	Specification Information	Application Notes	
Example:	To order please specify pattern number including:	Must be used with end support. Always comes with drilling to accept 28 3/8"H, only, end support. End support to be ordered separately. 42" hight Gable support not intended to be used in this application. Hardware for attachment included.	Nominal vs Actual sizes N=66/A=64 N=72/A=70 N=78/A=76 N=84/A=82 N=90/A=88 N=96/A=94
RA	Reff Administrative		
SR	Shared Return		
S	Single		
R	Right hand		
66	66" wide		
()	Grommet option	Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.	Note: All installation instructions are available on the WEB.
()	Grommet finish		
()	Modesty finish		
()	Worksurface finish		

Products on this page will accept all Laminates except "wood grain laminates".

Products on this page are engineered to work with 28 3/8" planning.


All worksurfaces are 1 1/2" thick.



Shared Return Two Sided


Single Finishes

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
 Shared Return Two Sided	66"	20"	42"	RASRD6620 () () () ()	\$1,269.	\$1,967.	\$2,262.	\$2,940.
	72"	20"	42"	RASRD7220 () () () ()	1,353.	2,097.	2,411.	3,135.
	78"	20"	42"	RASRD7820 () () () ()	1,424.	2,207.	2,538.	3,299.
	84"	20"	42"	RASRD8420 () () () ()	1,516.	2,350.	2,703.	3,514.
	90"	20"	42"	RASRD9020 () () () ()	1,577.	2,444.	2,811.	3,654.
	96"	20"	42"	RASRD9620 () () () ()	1,709.	2,650.	3,047.	3,961.

Administrative / Reception

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Must be used with end support.
RA Reff Administrative		Always comes with drilling to accept 28 ³ / ₈ "H, only, end suport.
SR Shared Return	1. Grommet Option: F = Flush N = No Grommet	End support to be ordered separately.
D Double	2. Grommet Finish: Painted or Plated	42" hight Cable support not intended to be used in this application.
66 66" wide	3. Modesty Finish: Wood or Laminate	Hardware for attachment included.
() Grommet option	4. Worksurface Finish: Wood or Laminate	Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.
() Grommet finish		Products on this page will accept all Laminates except "wood grain laminates".
() Modesty finish		Products on this page are engineered to work with 28 ³ / ₈ " planning.
() Worksurface finish		All worksurfaces are 1 1/2" thick.





Nominal vs Actual sizes
 N=66/A=64
 N=72/A=70
 N=78/A=76
 N=84/A=82
 N=90/A=88
 N=96/A=94
 Note: All installation instructions are available on the WEB.

Shared Return Two Sided

Mixed Finishes

Reff Profiles

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
Shared Return Two Sided 	66"	20"	42"	RASRD6620 () () () ()	\$1,545.	\$1,623.	\$1,895.	\$1,738.	\$1,898.	\$2,144.
	72"	20"	42"	RASRD7220 () () () ()	1,641.	1,729.	2,038.	1,844.	2,025.	2,314.
	78"	20"	42"	RASRD7820 () () () ()	1,725.	1,821.	2,165.	1,907.	2,109.	2,442.
	84"	20"	42"	RASRD8420 () () () ()	1,837.	1,941.	2,320.	2,036.	2,259.	2,636.
	90"	20"	42"	RASRD9020 () () () ()	1,900.	2,014.	2,431.	2,099.	2,343.	2,764.
	96"	20"	42"	RASRD9620 () () () ()	2,085.	2,206.	2,659.	2,281.	2,546.	3,011.

Order Code	Specification Information	Application Notes		
Example:	To order please specify pattern number including:	Must be used with end support. Always comes with drilling to accept 28 3/8"H, only, end suport. End support to be ordered separately. 42" hight Gable support not intended to be used in this application. Hardware for attachment included.	<i>Nominal vs Actual sizes</i> N=66/A=64 N=72/A=70 N=78/A=76 N=84/A=82 N=90/A=88 N=96/A=94	
RA	Reff Administrative		 Note: All installation instructions are available on the WEB.	
SR	Shared Return	1. Grommet Option: F = Flush N = No Grommet		
R	Right hand	2. Grommet Finish: Painted or Plated		
S	Single	3. Modesty Finish: Wood or Laminate		
66	66" wide	4. Worksurface Finish: Wood or Laminate		
20	20" deep			
()	Grommet option			
()	Grommet finish			
()	Modesty finish			
()	Worksurface finish			

Products on this page will accept all Laminates except "wood grain laminates".

Products on this page are engineered to work with 28 3/8" planning.


All worksurfaces are 1 1/2" thick.

Technology Island Peninsula

Single Finish


Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Peninsula	62"	40"	22 ³ / ₈ "	RAIE6240 ()()	\$1,106.	\$1,603.	\$1,844.	\$2,397.
	68"	40"	22 ³ / ₈ "	RAIE6840 ()()	1,128.	1,636.	1,882.	2,446.
	74"	40"	22 ³ / ₈ "	RAIE7440 ()()	1,146.	1,661.	1,910.	2,483.
	62"	48"	22 ³ / ₈ "	RAIE6248 ()()	1,193.	1,729.	1,989.	2,585.
	68"	48"	22 ³ / ₈ "	RAIE6848 ()()	1,212.	1,758.	2,022.	2,628.
	74"	48"	22 ³ / ₈ "	RAIE7448 ()()	1,233.	1,788.	2,056.	2,673.



Administrative / Reception

Order Code	Specification Information	Application Notes
Example:	<i>To order please specify pattern number including:</i>	Always comes with Standard grommet. 12" inset from back edge, center or depth.
RA Reff Administrative	1. Grommet Finish:	
I Island Peninsula	Painted or plated	
E 1" thick top	2. Worksurface finish:	Drilled to accept 30" and 36" wide x 22 ³ / ₈ " high storage units.
62 Width	Wood or Laminate	
40 Depth	3. End panel finish:	Intended to have full storage under tops.
() Grommet Finish		(30 x 30, 30 x 36, 36 x 36)
() Top Finish		Lower storage to be used with this product is 22 ³ / ₈ "H.
() End Panel Finish		Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.
		Products on this page will accept all Laminates except "wood grain laminates".
		Products on this page are engineered to work with 28 ³ / ₈ " planning.
		All worksurfaces are 1 1/2" thick.




Note: All installation instructions are available on the WEB.


Technology Island Peninsula

Mixed Finishes

Reff Profiles

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
 Peninsula	62"	40"	22 ³ / ₈ "	RAIE6240 ()()	\$1,194.	\$1,295.	\$1,642.	\$1,532.	\$1,647.	\$1,800.
	68"	40"	22 ³ / ₈ "	RAIE6840 ()()	1,223.	1,333.	1,708.	1,552.	1,688.	1,820.
	74"	40"	22 ³ / ₈ "	RAIE7440 ()()	1,243.	1,361.	1,764.	1,573.	1,689.	1,841.
	62"	48"	22 ³ / ₈ "	RAIE6248 ()()	1,283.	1,402.	1,803.	1,686.	1,818.	2,001.
	68"	48"	22 ³ / ₈ "	RAIE6848 ()()	1,306.	1,435.	1,868.	1,711.	1,843.	2,025.
	74"	48"	22 ³ / ₈ "	RAIE7448 ()()	1,330.	1,470.	1,936.	1,735.	1,867.	2,050.

Order Code	Specification Information	Application Notes
Example:	<i>To order please specify pattern number including:</i>	Always comes with Standard grommet. 12" inset from back edge, center or depth.
RA Reff Administrative	1. Grommet Finish;	Drilled to accept 30" and 36" wide x 22 ³ / ₈ " high storage units.
I Island Peninsula	2. Painted or plated	Intended to have full storage under tops.
E 1" thick top	3. Worksurface finish:	(30 x 30, 30 x 36, 36 x 36)
62 Width	Wood or Laminate	Lower storage to be used with this product is 22 ³ / ₈ "H.
40 Depth	3. End panel finish:	Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.
() Grommet Finish		Products on this page will accept all Laminates except "wood grain laminates".
() Top Finish		Products on this page are engineered to work with 28 ³ / ₈ " planning.
() End Panel Finish		All worksurfaces are 1 1/2" thick.





Note: All installation instructions are available on the WEB.

Infill Panel

Flush Single / Double

Type A

Reff Profiles

description	w	h	th	pattern no.	L	V1	V2	V3
Flush Infill Panel, 1 piece 	66"	39"	2 1/2"	RAIPFAWS66()	\$834.	\$959.	\$1,103.	\$1,434.
	72"	39"	2 1/2"	RAIPFAWS72()	869.	999.	1,149.	1,494.
	78"	39"	2 1/2"	RAIPFAWS78()	941.	1,082.	1,244.	1,617.
	84"	39"	2 1/2"	RAIPFAWS84()	968.	1,113.	1,280.	1,664.
	90"	39"	2 1/2"	RAIPFAWS90()	1,007.	1,158.	1,332.	1,732.
	96"	39"	2 1/2"	RAIPFAWS96()	1,035.	1,190.	1,369.	1,779.
Flush Infill Panel, 2 pieces 	102"	39"	2 1/2"	RAIPFAWD102()	1,670.	1,921.	2,209.	2,872.
	108"	39"	2 1/2"	RAIPFAWD108()	1,706.	1,962.	2,257.	2,934.
	114"	39"	2 1/2"	RAIPFAWD114()	1,756.	2,020.	2,323.	3,019.
	120"	39"	2 1/2"	RAIPFAWD120()	1,792.	2,061.	2,370.	3,081.
	126"	39"	2 1/2"	RAIPFAWD126()	1,902.	2,187.	2,515.	3,270.
	132"	39"	2 1/2"	RAIPFAWD132()	1,937.	2,228.	2,562.	3,331.
	138"	39"	2 1/2"	RAIPFAWD138()	1,987.	2,285.	2,628.	3,417.
	144"	39"	2 1/2"	RAIPFAWD144()	2,111.	2,427.	2,791.	3,629.
	150"	39"	2 1/2"	RAIPFAWD150()	2,147.	2,469.	2,840.	3,692.
	156"	39"	2 1/2"	RAIPFAWD156()	2,183.	2,510.	2,887.	3,753.
	162"	39"	2 1/2"	RAIPFAWD162()	2,219.	2,551.	2,934.	3,814.
	168"	39"	2 1/2"	RAIPFAWD168()	2,254.	2,593.	2,981.	3,876.
	174"	39"	2 1/2"	RAIPFAWD174()	2,311.	2,658.	3,056.	3,973.
	180"	39"	2 1/2"	RAIPFAWD180()	2,346.	2,698.	3,103.	4,034.
	186"	39"	2 1/2"	RAIPFAWD186()	2,382.	2,740.	3,151.	4,096.
	192"	39"	2 1/2"	RAIPFAWD192()	2,418.	2,781.	3,158.	4,157.

Administrative / Reception



Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Type A = recessed on top only.
RA Reff Administrative		Note: All installation instructions are available on the WEB.
IP Infill Panel	1. Infill Finish:	Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.
FA Flush Type A	Wood or Laminate	
WS Wood, single (1pc)		Products on this page will accept all Laminates except "wood grain laminates".
66 Width		Products on this page are engineered to work with 28 3/8" planning.
() Finish		All worksurfaces are 1 1/2" thick.

Infill Panel

Flush Single / Double

Type B

Reff Profiles

description	w	h	th	pattern no.	L	V1	V2	V3
Flush Infill Panel, 1 piece 	66"	39"	2 1/2"	RAIPFBWS66()	\$918.	\$1,056.	\$1,215.	\$1,579.
	72"	39"	2 1/2"	RAIPFBWS72()	947.	1,088.	1,252.	1,627.
	78"	39"	2 1/2"	RAIPFBWS78()	1,026.	1,180.	1,357.	1,764.
	84"	39"	2 1/2"	RAIPFBWS84()	1,053.	1,211.	1,393.	1,811.
	90"	39"	2 1/2"	RAIPFBWS90()	1,093.	1,257.	1,446.	1,880.
	96"	39"	2 1/2"	RAIPFBWS96()	1,121.	1,290.	1,483.	1,928.
Flush Infill Panel, 2 pieces 	102"	39"	2 1/2"	RAIPFBWD102()	1,843.	2,119.	2,437.	3,169.
	108"	39"	2 1/2"	RAIPFBWD114()	1,880.	2,162.	2,487.	3,233.
	114"	39"	2 1/2"	RAIPFBWD114()	1,933.	2,223.	2,557.	3,324.
	120"	39"	2 1/2"	RAIPFBWD120()	1,968.	2,263.	2,603.	3,384.
	126"	39"	2 1/2"	RAIPFBWD126()	2,080.	2,392.	2,751.	3,576.
	132"	39"	2 1/2"	RAIPFBWD132()	2,115.	2,432.	2,797.	3,637.
	138"	39"	2 1/2"	RAIPFBWD138()	2,167.	2,493.	2,865.	3,725.
	144"	39"	2 1/2"	RAIPFBWD144()	2,289.	2,632.	3,027.	3,935.
	150"	39"	2 1/2"	RAIPFBWD150()	2,328.	2,677.	3,079.	4,002.
	156"	39"	2 1/2"	RAIPFBWD156()	2,362.	2,716.	3,123.	4,060.
	162"	39"	2 1/2"	RAIPFBWD162()	2,399.	2,759.	3,173.	4,125.
	168"	39"	2 1/2"	RAIPFBWD168()	2,436.	2,801.	3,221.	4,187.
	174"	39"	2 1/2"	RAIPFBWD174()	2,491.	2,865.	3,295.	4,283.
	180"	39"	2 1/2"	RAIPFBWD180()	2,525.	2,904.	3,340.	4,341.
	186"	39"	2 1/2"	RAIPFBWD186()	2,564.	2,949.	3,391.	4,408.
	192"	39"	2 1/2"	RAIPFBWD192()	2,599.	2,989.	3,437.	4,468.



Order Code	Specification Information	Application Notes
Example:	<i>To order please specify pattern number including:</i>	Type B = recessed on top and bottom.
RA Reff Administrative	1. Infill Finish:	Note: All installation instructions are available on the WEB.
IP Infill Panel	Wood or Laminate	Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.
FB Flush Type B		Products on this page will accept all Laminates except "wood grain laminates".
WS Wood		Products on this page are engineered to work with 28 3/8" planning.
66 Width		All worksurfaces are 1 1/2" thick.
() Finish		

Infill Panel

Recessed Single / Double

Wood

Reff Profiles

description	w	h	th	pattern no.	L	V1	V2	V3
 Recessed Infill Panel, 1 piece	66"	39"	1"	RAIPRWS66()	\$621.	\$714.	\$821.	\$1,067.
	72"	39"	1"	RAIPRWS72()	648.	745.	857.	1,114.
	78"	39"	1"	RAIPRWS78()	705.	811.	933.	1,212.
	84"	39"	1"	RAIPRWS84()	725.	833.	958.	1,246.
	90"	39"	1"	RAIPRWS90()	759.	872.	1,003.	1,304.
	96"	39"	1"	RAIPRWS96()	778.	895.	1,029.	1,338.
 Recessed Infill Panel, 2 pieces	102"	39"	1"	RAIPRWD102()	1,302.	1,497.	1,721.	2,238.
	108"	39"	1"	RAIPRWD108()	1,328.	1,527.	1,756.	2,282.
	114"	39"	1"	RAIPRWD114()	1,371.	1,576.	1,813.	2,356.
	120"	39"	1"	RAIPRWD120()	1,396.	1,606.	1,847.	2,401.
	126"	39"	1"	RAIPRWD126()	1,470.	1,690.	1,944.	2,527.
	132"	39"	1"	RAIPRWD132()	1,510.	1,736.	1,996.	2,595.
	138"	39"	1"	RAIPRWD138()	1,539.	1,769.	2,035.	2,645.
	144"	39"	1"	RAIPRWD144()	1,639.	1,885.	2,168.	2,818.
	150"	39"	1"	RAIPRWD150()	1,665.	1,915.	2,202.	2,863.
	156"	39"	1"	RAIPRWD156()	1,694.	1,948.	2,240.	2,913.
	162"	39"	1"	RAIPRWD162()	1,720.	1,978.	2,275.	2,957.
	168"	39"	1"	RAIPRWD168()	1,748.	2,010.	2,312.	3,006.
	174"	39"	1"	RAIPRWD174()	1,802.	2,072.	2,383.	3,098.
	180"	39"	1"	RAIPRWD180()	1,831.	2,106.	2,422.	3,148.
	186"	39"	1"	RAIPRWD186()	1,857.	2,136.	2,456.	3,193.
	192"	39"	1"	RAIPRWD192()	1,885.	2,168.	2,493.	3,241.



Administrative / Reception

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative IP Infill Panel R Recessed W Wood S Single (1 pc) 66 Width () Finish	To order please specify pattern number including: 1. Finish: Wood or Laminate	Double wide = Two equal width pieces Natural Veneer finishes come matched. left hand / right hand <i>Nominal vs Actual sizes</i> N=72/A=54.5 - top 24.5 N=78/A=60.5 - top 30.5 N=84/A=66.5 - top 36.5 N=90/A=72.5 - top 42.5 N=96/A=78.5 - top 48.5 Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately. Products on this page will accept all Laminates except "wood grain laminates". Products on this page are engineered to work with 28 3/8" planning. All worksurfaces are 1 1/2" thick.
		<i>Nominal double vs Actual sizes</i> N=102 / A=98 N=108 / A=104 N=114 / A=110 N=120 / A=116 N=126 / A=122 N=132 / A=128 N=138 / A=134 N=144 / A=140 N=150 / A=146 N=156 / A=152 N=162 / A=158 N=168 / A=164 N=174 / A=170 N=180 / A=176 N=186 / A=182 N=192 / A=188 Note: All installation instructions are available on the WEB.

Infill Panel

Recessed Single / Double Glass

Reff Profiles

description	w	h	th	pattern no.	glass
 Recessed Infill Panel, 1 piece	66"	39"	1"	RAIPRGS66()	\$2,577.
	72"	39"	1"	RAIPRGS72()	2,761.
	78"	39"	1"	RAIPRGS78()	3,048.
	84"	39"	1"	RAIPRGS84()	3,234.
	90"	39"	1"	RAIPRGS90()	3,400.
	96"	39"	1"	RAIPRGS96()	3,565.
	132"	39"	1"	RAIPRGD66()	2,632.
 Recessed Infill Panel, 2 pieces	102"	39"	1"	RAIPRGD51()	2,219.
	108"	39"	1"	RAIPRGD54()	2,301.
	114"	39"	1"	RAIPRGD57()	2,385.
	120"	39"	1"	RAIPRGD60()	2,467.
	126"	39"	1"	RAIPRGD63()	2,549.
	138"	39"	1"	RAIPRGD69()	2,733.
	144"	39"	1"	RAIPRGD72()	2,937.
	150"	39"	1"	RAIPRGD75()	3,020.
	156"	39"	1"	RAIPRGD78()	3,102.
	162"	39"	1"	RAIPRGD81()	3,206.
	168"	39"	1"	RAIPRGD84()	3,289.
	174"	39"	1"	RAIPRGD87()	3,372.
	180"	39"	1"	RAIPRGD90()	3,454.
	186"	39"	1"	RAIPRGD93()	3,537.
	192"	39"	1"	RAIPRGD96()	3,619.

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	When ordering a double unit, 2 pieces must be ordered.
RA Reff Administrative	1. Frame Finish:	Glass Infill thickness, including frame = $\frac{15}{16}$ " overall.
IP Infill Panel	Painted and Anodized	
R Recessed	2. Glass Finish:	Same hardware as the wood infill.
G Glass	GL11, GL14, GL15, GL18	Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.
S Single		Products on this page will accept all Laminates except "wood grain laminates".
66 Width		Products on this page are engineered to work with $28\frac{3}{8}$ " planning.
() Frame Finish		All worksurfaces are $1\frac{1}{2}$ " thick.
() Glass Finish		

Nominal double vs Actual sizes


N=102/ A=98 (2x49)
 N=108/ A=104 (2x52)
 N=114/ A=110 (2x55)
 N=120/ A=116 (2x58)
 N=126/ A=122 (2x61)
 N=132/ A=128 (2x64)
 N=138/ A=134 (2x67)
 N=144/ A=140 (2x70)
 N=150/ A=146 (2x73)
 N=156/ A=152 (2x76)
 N=162/ A=158 (2x79)
 N=168/ A=164 (2x82)
 N=174/ A=170 (2x85)
 N=180/ A=176 (2x88)
 N=186/ A=182 (2x91)
 N=192/ A=188 (2x94)

Note: All installation instructions are available on the WEB.

Transaction Tops Bridge

Reff Profiles

description	w	d	th	pattern no.	L	V1	V2	V3
Return Bridge	72"	8"	1 1/2"	RATTBR72()	\$385.	\$398.	\$458.	\$596.
	78"	8"	1 1/2"	RATTBR78()	403.	414.	476.	618.
	84"	8"	1 1/2"	RATTBR84()	414.	425.	489.	635.
	90"	8"	1 1/2"	RATTBR90()	433.	462.	531.	690.
	96"	8"	1 1/2"	RATTBR96()	444.	473.	544.	707.



Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Between front shelf and end support.
RA Reff Administrative	1. Transaction Top Finish: Wood and Laminate	Used on full Return Units Only.
TT Transaction Tops		This unit is not intended to be used on its own.
BR Bridge Return		Retro fit kit included to attach to the accompanying unit.
72 72" wide		Hardware kit included.
() Finish		Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.
		Products on this page will accept all Laminates except "wood grain laminates".
		Products on this page are engineered to work with 28 3/8" planning.
		All worksurfaces are 1 1/2" thick.
		All transaction tops are manufactured to fit within the end supports.

Nominal double vs Actual sizes

N=72/A = 44.5

N=78/A = 50.5

N=84/A = 56.5

N=90/A = 62.5

N=96/A = 68.5


Note: All installation instructions are available on the WEB.

Transaction Tops

Return

Reff Profiles

description	w	d	th	pattern no.	L	V1	V2	V3
Full Return	54"	8"	1 1/2"	RATTFR54()	\$381.	\$394.	\$453.	\$589.
	60"	8"	1 1/2"	RATTFR60()	398.	408.	469.	609.
	66"	8"	1 1/2"	RATTFR66()	409.	420.	483.	628.
	72"	8"	1 1/2"	RATTFR72()	425.	458.	526.	684.
	78"	8"	1 1/2"	RATTFR78()	440.	469.	539.	701.
	84"	8"	1 1/2"	RATTFR84()	460.	479.	551.	716.
	90"	8"	1 1/2"	RATTFR90()	470.	494.	568.	739.
	96"	8"	1 1/2"	RATTFR96()	481.	521.	599.	779.





Order Code	Specification Information	Application Notes
Example:	<i>To order please specify pattern number including:</i>	Between front shelf and end support Used on full Return Units Only
RA Reff Administrative	1. Transaction Top Finish: Wood or Laminate	This unit is not intended to be used on its own Retro fit kit included to attach to the accompanying unit Hardware kit included
TT Transaction Tops		Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.
FR Full Return		Products on this page will accept all Laminates except "wood grain laminates".
54 54" wide, Nominal		Products on this page are engineered to work with 28 3/8" planning.
() Finish		All worksurfaces are 1 1/2" thick.
		All transaction tops are manufactured to fit within the end supports.

Transaction Tops

Single and Double

Wood / Laminate

Reff Profiles

description	w	d	th	pattern no.	L	V1	V2	V3
Front Single 	66"	10"	1 1/2"	RATTDS66()	\$475.	\$493.	\$567.	\$737.
	72"	10"	1 1/2"	RATTDS72()	482.	506.	582.	757.
	78"	10"	1 1/2"	RATTDS78()	489.	520.	597.	777.
	84"	10"	1 1/2"	RATTDS84()	496.	542.	623.	810.
	90"	10"	1 1/2"	RATTDS90()	503.	571.	657.	854.
	96"	10"	1 1/2"	RATTDS96()	509.	584.	672.	874.
Front Double 	102"	10"	1 1/2"	RATTDD102()	832.	933.	1,072.	1,394.
	108"	10"	1 1/2"	RATTDD108()	839.	950.	1,092.	1,420.
	114"	10"	1 1/2"	RATTDD114()	846.	968.	1,113.	1,447.
	120"	10"	1 1/2"	RATTDD120()	853.	986.	1,134.	1,475.
	126"	10"	1 1/2"	RATTDD126()	893.	1,056.	1,215.	1,579.
	132"	10"	1 1/2"	RATTDD132()	900.	1,074.	1,235.	1,605.
	138"	10"	1 1/2"	RATTDD138()	907.	1,092.	1,256.	1,632.
	144"	10"	1 1/2"	RATTDD144()	914.	1,110.	1,277.	1,660.
	150"	10"	1 1/2"	RATTDD150()	927.	1,128.	1,298.	1,687.
	156"	10"	1 1/2"	RATTDD156()	934.	1,154.	1,327.	1,725.
	162"	10"	1 1/2"	RATTDD162()	941.	1,182.	1,360.	1,767.
	168"	10"	1 1/2"	RATTDD168()	948.	1,200.	1,381.	1,795.
	174"	10"	1 1/2"	RATTDD174()	955.	1,251.	1,439.	1,870.
	180"	10"	1 1/2"	RATTDD180()	962.	1,266.	1,456.	1,893.
	186"	10"	1 1/2"	RATTDD186()	968.	1,285.	1,477.	1,921.
	192"	10"	1 1/2"	RATTDD192()	975.	1,305.	1,500.	1,951.

Administrative / Reception



Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	No grommet options.
RA Reff Administrative	1. Transaction Top Finish: Wood and Laminate	Double comes in two pieces, Veneer matched.
TT Transaction Tops		Hardware kit included for each unit.
DS Desk Single		Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.
66 66" wide		Products on this page will accept all Laminates except "wood grain laminates".
() Finish		Products on this page are engineered to work with 28 3/8" planning.
		All worksurfaces are 1 1/2" thick.
		All transaction tops are manufactured to fit within the end supports.
		<i>Nominal double (two pieces) vs Actual sizes</i> 102 = N=51/A=49 108 = N=54/A=52 114 = N=57/A=55 120 = N=60/A=58 126 = N=63/A=61 132 = N=66/A=64 138 = N=69/A=67 144 = N=72/A=70 150 = N=75/A=73 156 = N=78/A=76 162 = N=81/A=79 168 = N=84/A=82 174 = N=87/A=85 180 = N=90/A=88 186 = N=93/A=91 192 = N=96/A=94 Note: All installation instructions are available on the WEB.

Transaction Tops

Single and Double

Black Sub Top




Reff Profiles

description	w	d	th	pattern no.	list
Sub Transaction Tops front single 	66"	9"	3/4"	RASTTDS66	\$296.
	72"	9"	3/4"	RASTTDS72	299.
	78"	9"	3/4"	RASTTDS78	303.
	84"	9"	3/4"	RASTTDS84	307.
	90"	9"	3/4"	RASTTDS90	329.
	96"	9"	3/4"	RASTTDS96	333.
Sub Transaction Tops front double 	102"	9"	3/4"	RASTTDD102	389.
	108"	9"	3/4"	RASTTDD108	393.
	114"	9"	3/4"	RASTTDD114	397.
	120"	9"	3/4"	RASTTDD120	401.
	126"	9"	3/4"	RASTTDD126	445.
	132"	9"	3/4"	RASTTDD132	448.
	138"	9"	3/4"	RASTTDD138	451.
	144"	9"	3/4"	RASTTDD144	454.
	150"	9"	3/4"	RASTTDD150	458.
	156"	9"	3/4"	RASTTDD156	462.
	162"	9"	3/4"	RASTTDD162	466.
	168"	9"	3/4"	RASTTDD168	470.
	174"	9"	3/4"	RASTTDD174	493.
	180"	9"	3/4"	RASTTDD180	497.
	186"	9"	3/4"	RASTTDD186	501.
	192"	9"	3/4"	RASTTDD192	503.

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	No drilling.
RA Reff Administrative		No grommets.
SST Sub Transaction Tops	No options. Always comes in black laminate finish.	No finish options only in black laminate.
DS Desk Single = 1 pc		Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.
66 Width		Products on this page will accept all Laminates except "wood grain laminates".
		Products on this page are engineered to work with 28 3/8" planning.
		All worksurfaces are 1 1/2" thick.
		All transaction tops are manufactured to fit within the end supports.
		<i>Nominal double (two pieces) vs Actual sizes</i> 102 = N=51/A=49 108 = N=54/A=52 114 = N=57/A=55 120 = N=60/A=58 126 = N=63/A=61 132 = N=66/A=64 138 = N=69/A=67 144 = N=72/A=70 150 = N=75/A=73 156 = N=78/A=76 162 = N=81/A=79 168 = N=84/A=82 174 = N=87/A=85 180 = N=90/A=88 186 = N=93/A=91 192 = N=96/A=94 Note: All installation instructions are available on the WEB.

Accent Tops Glass Finish

Reff Profiles

description	w	d	th	pattern no.	glass
Accent top for Desk 	51"	10"	1/2"	RAATDG51()	\$452.
	54"	10"	1/2"	RAATDG54()	477.
	57"	10"	1/2"	RAATDG57()	501.
	60"	10"	1/2"	RAATDG60()	526.
	63"	10"	1/2"	RAATDG63()	551.
	66"	10"	1/2"	RAATDG66()	576.
	69"	10"	1/2"	RAATDG69()	601.
	72"	10"	1/2"	RAATDG72()	625.
	75"	10"	1/2"	RAATDG75()	650.
	78"	10"	1/2"	RAATDG78()	675.
	81"	10"	1/2"	RAATDG81()	699.
	84"	10"	1/2"	RAATDG84()	724.
	87"	10"	1/2"	RAATDG87()	749.
	90"	10"	1/2"	RAATDG90()	773.
	93"	10"	1/2"	RAATDG93()	797.
	96"	10"	1/2"	RAATDG96()	822.
Accent top for Return Full 	54"	10"	1/2"	RAATFRG54()	395.
	60"	10"	1/2"	RAATFRG60()	444.
	66"	10"	1/2"	RAATFRG66()	493.
	72"	10"	1/2"	RAATFRG72()	543.
	78"	10"	1/2"	RAATFRG78()	592.
	84"	10"	1/2"	RAATFRG84()	641.
	90"	10"	1/2"	RAATFRG90()	691.
	96"	10"	1/2"	RAATFRG96()	740.
Accent top for Bridge Return 	72"	10"	1/2"	RAATBRG72()	403.
	78"	10"	1/2"	RAATBRG78()	452.
	84"	10"	1/2"	RAATBRG84()	501.
	90"	10"	1/2"	RAATBRG90()	551.
	96"	10"	1/2"	RAATBRG96()	601.




Administrative / Reception

Order Code	Specification Information	Application Notes
Example: RA Reff Administrative AT Accent for Transaction Tops D Desk G Glass 51 Width () Glass finish	To order please specify pattern number including: 1. Glass Finish: GL35, GL85 D=Desk RF=Return Full BR=Bridge Return	Comes with anti-skid bottoms; 1/4" thick. Glass is "Polished and beveled" (chamfered) edge, 1/2" thick. Overall thickness = 3/4" thick. Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately. Products on this page will accept all Laminates except "wood grain laminates". Products on this page are engineered to work with 28 3/8" planning. All worksurfaces are 1 1/2" thick. All accent tops are manufactured to fit over the end supports.

Accent Tops

Solid Finish

Reff Profiles

description	w	d	th	pattern no.	Solid
Accent top for Desk	51"	10"	1/2"	RAATDS51()	\$2,018.
	54"	10"	1/2"	RAATDS54()	2,075.
	57"	10"	1/2"	RAATDS57()	2,246.
	60"	10"	1/2"	RAATDS60()	2,304.
	63"	10"	1/2"	RAATDS63()	2,476.
	66"	10"	1/2"	RAATDS66()	2,533.
	69"	10"	1/2"	RAATDS69()	2,704.
	72"	10"	1/2"	RAATDS72()	2,762.
	75"	10"	1/2"	RAATDS75()	3,137.
	78"	10"	1/2"	RAATDS78()	3,198.
	81"	10"	1/2"	RAATDS81()	3,321.
	84"	10"	1/2"	RAATDS84()	3,383.
	87"	10"	1/2"	RAATDS87()	3,506.
	90"	10"	1/2"	RAATDS90()	3,567.
	93"	10"	1/2"	RAATDS93()	3,629.
	96"	10"	1/2"	RAATDS96()	3,690.
Accent top for Return Full	54"	10"	1/2"	RAATFRS54()	1,563.
	60"	10"	1/2"	RAATFRS60()	1,904.
	66"	10"	1/2"	RAATFRS66()	2,132.
	72"	10"	1/2"	RAATFRS72()	2,362.
	78"	10"	1/2"	RAATFRS78()	2,590.
	84"	10"	1/2"	RAATFRS84()	3,075.
	90"	10"	1/2"	RAATFRS90()	3,260.
	96"	10"	1/2"	RAATFRS96()	3,444.
Accent top for Bridge Return	72"	10"	1/2"	RAATBRS72()	1,610.
	78"	10"	1/2"	RAATBRS78()	1,961.
	84"	10"	1/2"	RAATBRS84()	2,189.
	90"	10"	1/2"	RAATBRS90()	2,419.
	96"	10"	1/2"	RAATBRS96()	2,647.

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	D=Desk RF=Return Full BR=Bridge Return
RA Reff Administrative	1. Transaction Top Finish: Solid Option: AW = Artic White	Note: All installation instructions are available on the WEB.
AT Accent Transaction Tops		Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.
D Desk		Products on this page will accept all Laminates except "wood grain laminates".
S Solid Formica		Products on this page are engineered to work with 28 3/8" planning.
51 Width		All worksurfaces are 1 1/2" thick.
		All accent tops are manufactured to fit over the end supports.

Cabinets

16" Wide, Hinge Door - Both Sides

Single Finishes

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
-------------	---	---	---	-------------	---	----	----	----

Transaction Cabinet with Trays	16"	18"	42"	RAC(L/R)HT4212() () () () ()	\$2,651.	\$3,770.	\$4,639.	\$6,031.
--------------------------------	-----	-----	-----	--	----------	----------	----------	----------



Left hand shown

Transaction Cabinet with Cubby	16"	18"	42"	RAC(L/R)HC4212() () () () ()	2,651.	3,770.	4,639.	6,031.
--------------------------------	-----	-----	-----	--	--------	--------	--------	--------



Left hand shown

Gable for Cabinet	2"	22"	42"	RACG4220()	617.	853.	1,080.	1,403.
-------------------	----	-----	-----	--------------------	------	------	--------	--------



Administrative / Reception

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Wood interior only, no metal shelves.
RA Reff Administrative	1. Lock option:	When choose lock, it will lock both hinge doors.
C Cabinet	2. Lock finish:	Adjustable shelves above.
R Right Hand	3. Pull option:	Fixed shelves below Hinged doors.
HT Hinge Door with Trays	F = Bar Pull	HT = Hinge Door with Trays
42 Height, Nominal	H = Outline Pull	HC = Hinge door with Cubby
1 16" wide, Nominal	R = Cylinder Pull	
2 18" deep, Nominal	T = Tab Pull	
() Lock option	D = D Pull (Metal Finishes only)	On the approach side, the doors only have the Touch Latch option.
() Lock finish	S = S Pull (Stainless Steel finish only)	Base board only on the user's side.
() Pull option	C = C Pull (Nickel finish only)	On the User's side, the door has lock and pull options.
() Pull finish	N = Touch Latch, No pull	
() Case finish	B = Blank, No drilling	
() Top finish	4. Pull Finish: Core Paint Finishes and Plated	
() Drilling options	5. Case Finish: Wood or Laminate	
	6. Top Finish: Wood or Laminate	
	7. Drilling Options:	
	N = None, Stand alone unit	
	T = Drilled to accept worksurface	
	TT = Drill to accept worksurface on both sides	
	TG = Worksurface and Gable drilling.	
	Gable ordered separately	

From users perspective, the hinge determines handedness. ie; If hinge is on left, the unit is left handed.

Note: All Installation instructions are available on the WEB.

Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.

Products on this page will accept all Laminates except "wood grain laminates".

Products on this page are engineered to work with 28 3/8" planning.

All worksurfaces are 1 1/2" thick.


Cabinets

16" Wide, Hinge Door - Both Sides

Mixed Finishes

Reff Profiles

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
Transaction Cabinet with Trays	16"	18"	42"	RAC(L/R)HT4212() () () () ()	\$2,830.	\$2,783.	\$2,897.	\$4,041.	\$4,472.	\$5,187.



right hand shown

Transaction Cabinet with Cubby	16"	18"	42"	RAC(L/R)HC4212() () () () ()	2,830.	2,783.	2,897.	4,041.	4,472.	5,187.
--------------------------------	-----	-----	-----	--	--------	--------	--------	--------	--------	--------



right hand shown

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Wood interior only, no metal shelves.
RA Reff Administrative	1. Lock option:	When choose lock, it will lock both hinge doors.
C Cabinet	2. Lock finish:	
R Right Hand	3. Pull option:	Adjustable shelves above.
HT Hinge Door with Trays	F = Bar Pull	Fixed shelves below Hinge doors.
42 Height, Nominal	H = Outline Pull	
1 16" wide, Nominal	R = Cylinder Pull	Mixed Finishes:
2 18" deep, Nominal	T = Tab Pull	Case = wood, Top = laminate
() Lock option	D = D Pull (Metal Finishes only)	Case = laminate, Top = wood
() Lock finish	S = S Pull (Stainless Steel finish only)	
() Pull option	C = C Pull (Nickel finish only)	HT = Hinge Door with Trays
() Pull finish	N = Touch Latch, No pull	HC = Hinge door with Cubby
() Case finish	B = Blank, No drilling	
() Top finish	4. Pull Finish: Core Paint	On the approach side, the doors only have the Touch Latch option.
() Drilling options	Finishes and Plated	
	5. Case Finish: Wood or Laminate	Base board only on the user's side.
	6. Top Finish: Wood or Laminate	
	7. Drilling Options:	On the User's side, the door has lock and pull options.
	N = None, Stand alone unit	
	T = Drilled to accept worksurface	"T" Drilling option:
	TT = Drill to accept worksurface on both sides	Left hand units are drilled on the right hand side, and right hand units are drilled on left side for worksurface.
	TG = Work surface and Gable drilling.	
	Gable ordered separately	

From users perspective, the hinge determines handedness. ie; If hinge is on left, the unit is left handed

Note: All Installtion instructions are available on the WEB.

Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.

Products on this page will accept all Laminates except "wood grain laminates".


Products on this page are engineered to work with 28³/₈" planning.

All worksurfaces are 1 1/2" thick.


Cabinets

Shelves and Coat Rod

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
	24"	20"	72"	RAC7242DH(L/R)H() ()	\$2,599.	\$4,158.	\$4,781.	\$6,216.
	24"	24"	72"	RAC7243DH(L/R)H() ()	2,704.	4,326.	4,975.	6,467.
	33"	20"	72"	RAC7232DH(L/R)H() ()	2,839.	4,542.	5,223.	6,790.
	33"	24"	72"	RAC7233DH(L/R)H() ()	2,969.	4,751.	5,463.	7,102.

Left hand shown

	24"	20"	86"	RAC8642DH(L/R)H() ()	2,868.	4,589.	6,277.	6,860.
	24"	24"	86"	RAC8643DH(L/R)H() ()	2,992.	4,788.	5,506.	7,157.
	33"	20"	86"	RAC8632DH(L/R)H() ()	3,150.	5,040.	5,796.	7,535.
	33"	24"	86"	RAC8633DH(L/R)H() ()	3,300.	5,280.	6,072.	7,894.

Left hand shown

Administrative / Reception


Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Inset doors.
RA Reff Administrative		Inset face - same as 42" cabinet.
C Cabinet	1. Lock option:	Hinge door only with touch latch.
72 Height nominal	L=Lock hold drill	No pulls.
4 Width nominal	N=No drilling	No visible base board.
2 Depth nominal	2. Lock finish:	Left/right hand.
DH Desk Height	B=Black	Comes with coat rod and hat rack (shelf) 72" h Cabinet comes with 3 adjustable shelves.
R Right handed	S=Silver	86" h Cabinet comes with 4 adjustable shelves.
H Hinged door	3. Cabinet Finish:	No mixed finishes.
() Lock Option	Laminate or Wood	Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.
() Lock Finish		Products on this page will accept all Laminates except "wood grain laminates".
() Cabinet Finish		Products on this page are engineered to work with 28 3/8" planning.
		All worksurfaces are 1 1/2" thick.
		Available in Wood interior only.

Cabinets

Coat Rod Only


Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
Storage Cabinet 72"h Without shelves	24"	20"	72"	RAC7242WDH(L/R)H() ()	\$2,030.	\$3,247.	\$3,735.	\$4,855.
	24"	24"	72"	RAC7243WDH(L/R)H() ()	2,135.	3,415.	3,928.	5,106.
	33"	20"	72"	RAC7232WDH(L/R)H() ()	2,270.	3,631.	4,176.	5,429.
	33"	24"	72"	RAC7233WDH(L/R)H() ()	2,400.	3,840.	4,416.	5,741.



Left hand shown

Storage Cabinet 86"h Without shelves	24"	20"	86"	RAC8642WDH(L/R)H() ()	2,474.	3,958.	4,552.	5,918.
	24"	24"	86"	RAC8643WDH(L/R)H() ()	2,608.	4,172.	4,798.	6,238.
	33"	20"	86"	RAC8632WDH(L/R)H() ()	2,778.	4,444.	5,111.	6,644.
	33"	24"	86"	RAC8633WDH(L/R)H() ()	2,939.	4,703.	5,408.	7,030.



Left hand shown

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Inset doors.
RA Reff Administrative		Inset face - same as 42" cabinet.
C Cabinet	1. Lock option: L=Lock hold drill N=No drilling	Hinge door only with touch latch.
72 Height nominal	2. Lock finish: B=Black S=Silver	No pulls.
4 Width nominal	3. Cabinet Finish: Laminate or Wood	No visible base board.
2 Depth nominal		Left/right hand.
W Wardrobe		72"H cabinet comes with coat road.
DH Desk Height		86"h Cabinet comes with a hat rack (shelf).
R Right handed		No mixed finishes.
H Hinged door		Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.
() Lock Option		Products on this page will accept all Laminates except "wood grain laminates".
() Lock Finish		Products on this page are engineered to work with 28 3/8" planning.
() Cabinet Finish		All worksurfaces are 1 1/2" thick.

Note: All installation instructions are available on the WEB.

Available in Wood interior only.

Supports

Gables / End Panels

Reff Profiles

description	w	d	h	pattern no.	L	V1	V2	V3
-------------	---	---	---	-------------	---	----	----	----

End Support for Return	2"	20"	42"	RAGS(L/R)20()	\$524.	\$891.	\$1,024.	\$1,332.
------------------------	----	-----	-----	-----------------------	--------	--------	----------	----------



Left hand shown

End Support for Desks	2"	30"	42"	RAGS(L/R)30()	579.	985.	1,132.	1,472.
-----------------------	----	-----	-----	-----------------------	------	------	--------	--------



Left hand shown

Desk height End Support	2"	20	28 ³ / ₈ "	RAESDH(L/R)20()	461.	784.	901.	1,171.
-------------------------	----	----	----------------------------------	-------------------------	------	------	------	--------



Left hand shown






Administrative / Reception

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	Solid Finishes only: L, V1, V2, V3
RA Reff Administrative		Always drilled to attach to returns or desks.
GS Bagle Support	1. Finish: Wood or Laminate	20" = for Returns
R Right hand		30" = for Desks
20 20" deep		Hardware kit includes brackets.
() Finish		Note: All noted width dimensions are an "out to out" foot print, including all additional components which are ordered separately.
		Products on this page will accept all Laminates except "wood grain laminates".
		Products on this page are engineered to work with 28 ³ / ₈ " planning.
		All worksurfaces are 1 1/2" thick.

Accessories

Electrical

Reff Profiles




description	type	d	h	pattern no.	list
Electrical Duplex Kit - Cir 1				RPEDK1	\$92.
					
Electrical Duplex Kit - Cir 2				RPEDK2	92.
					
Electrical "H" Connector				RPEHC	45.
					
Electrical Power Entry	10 Feet			RPEPE10	211.
	5 Feet			RPEPE5	156.
					
Electrical Jumper	12"			RPEJ12	87.
	24"			RPEJ24	97.
	36"			RPEJ36	106.
	48"			RPEJ48	120.
	60"			RPEJ60	132.
	72"			RPEJ72	143.
	84"			RPEJ84	154.
	96"			RPEJ96	165.
					

Order Code	Specification Information	Application Notes	
Example:	To order please specify pattern number including:	No finish options for the Utility hook.	Note: All installation instructions are available on the WEB.
RP		Reff Profiles	
E		Electrical	
DK		Duplex Kit Cir 1	

Accessories

Electrical

Reff Profiles

description	type	d	h	pattern no.	list
Electrical, Rec - 2 and Rec Connector				RPER2RC	\$36.
					
Electrical Cable clips, 10 per pack				RPECC10	27.
					
Utility Hook				RAUH	19.
					

Administrative / Reception

Order Code	Specification Information	Application Notes
Example:	To order please specify pattern number including:	No finish options for the Utility hook.
RP Reff Profiles		Note: All installation instructions are available on the WEB.
E Electrical		Features 4 wire, 2 circuit, 20 amps each.
DK Duplex Kit Cir 1		UL listed as a manufactured wiring system.

Non-Wood Finishes								
Finishes	<i>Panel Tiles, Tops & Components</i>	<i>Panel Top Trims Window Frames</i>	<i>Panel Base Side Plates</i>	<i>Panel Beltway Side Plates*</i>	<i>Leg and Bases</i>	<i>Interaction Style Legs</i>	<i>Handles</i>	<i>Grommets</i>
Black	LG	LG	LG	LG	LG	LG	LG	LG
Dark grey	n/a	DG	DG	DG	DG	DG	n/a	DG
Medium grey	n/a	OI	OI	OI	OI	OI	n/a	OI
Charcoal grey	LD	LD	LD	LD	LD	LD	n/a	LD
Folkstone grey	LA	LA	LA	LA	LA	LA	n/a	LA
Oyster grey	LC	LC	LC	LC	LC	LC	n/a	LC
Pumice	LB	LB	LB	LB	LB	LB	n/a	LB
Willow grey	LE	LE	LE	LE	LE	LE	n/a	LE
Dark grey (metallic)	n/a	n/a	n/a	n/a	n/a	n/a	V	n/a
Medium grey (metallic)	n/a	n/a	n/a	n/a	n/a	n/a	J	n/a
Silver (metallic)	n/a	HPF	HPF	HPF	HPF	HPF	HPF	HPF
White	LH	LH	LH	LH	LH	LH	LH	LH
Plated Finishes								
Satin brass	n/a	n/a	PZ	n/a	PZ	n/a	PZ	PZ
Brushed pewter	n/a	n/a	PT	n/a	PT	n/a	PT	PT
Polished chrome	n/a	n/a	PD	n/a	PD	n/a	n/a	PD
Currents Finishes								
White	n/a	B	B	B	B	B	B	B
Metallic flint	n/a	2	2	2	2	2	2	2
Light metallic grey	n/a	U	U	U	U	U	U	U
Medium metallic grey	n/a	J	J	J	J	J	J	J
Dark metallic grey	n/a	V	V	V	V	V	V	V
Metallic beige	n/a	H	H	H	H	H	H	H
Light metallic tan	n/a	W	W	W	W	W	W	W
Soft grey	n/a	E	E	E	E	E	E	E
Medium Grey	n/a	Y2	Y2	Y2	Y2	Y2	Y2	Y2

n/a = not applicable

*Beltway side plates not available in Satin brass, Brushed pewter or Polished chrome.

Wall Mounting Suggestions

The following information is provided only as a guide, and represents minimum recommendations only. Knoll does not accept responsibility for the attachment of any Knoll product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Knoll products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Knoll products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each useable shelf length

NOTE: A cabinet's top is considered a "useable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Knoll supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.


		EXISTING CONSTRUCTION				
	NEW CONSTRUCTION	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
Stud Specification	Wood studs, grade #2 or better, 3 1/2" minimum width, OR Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/ floor structure above	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum	N/A	Wood studs must be spaced at 16" c/c maximum	Wood studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/ floor structure above			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above		Metal studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof / floor structure above
Mounting the Knoll Supplied Cleat, Bracket, Frame, etc*	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet, and beyond to the next stud. Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the Danback™ as directed by the manufacturer) Fasten the Knoll supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Knoll supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6", and fasten the lower horizontal element to the wall every 16" Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud. Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.
*Graham Wall Hung Shelf	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	Fasten the Knoll supplied wall mounting brackets directly to the masonry wall, using the holes provided in each bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above
Fasten the Knoll supplied wall cleat with...	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	3/16" x 3 1/2" Tapcon Masonry Screws or equiv. @ 6" c/c with 1-1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking

Horizons - 28³/₈" Planning


Planning Guidelines and Specifications

Reff Profiles

Nominal
Planning Horizons



Nominal
Planning Horizons



Notes


- Planning horizons are nominal. Dimensions are actual.
- Images displayed are examples only and do not represent the complete scope of products available.

Horizons - 28³/₈" Planning


Planning Guidelines and Specifications

Reff Profiles

Nominal
Planning Horizons




Nominal
Planning Horizons



Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed are examples only and do not represent the complete scope of products available.



Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed are examples only and do not represent the complete scope of products available.

Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ASBC18 (L/R)	241	R2ALPK42	80	R2B0TWC34 48	45	R2T49C(F/T)-(4/6)	112
ASBC24 (L/R)	241	R2ALPK49	80	R2CG	117	R2T64C(F/T)-(4/6)	112
KRR2CAPEND	425	R2ALPK64	80	R2DLS7936	116	R2T79C(F/T)-(4/6)	112
KRR2CAPL	425	R2ALPK79	80	R2DLS7942	116	R2X42C	112
KRR2CAPSTRAIGHT	425	R2APT3418	77	R2DRS7936	116	R2X49C	112
KRR2CAPT	425	R2APT3420	77	R2DRS7942	116	R2X64C	112
KRR2CAPX	425	R2APT3424	77	R2ES34(A/B/C/E)(4/6)(E/N)	110	R2X79C	112
KRR3CAPEND	425	R2APT3430	77	R2ES42(A/B/C/E)(4/6)(E/N)	110	R3120Y34	109
KRR3CAPL	425	R2APT3436	77	R2ES49(A/B/C/E)(4/6)(E/N)	110	R3120Y42	109
KRR3CAPSTRAIGHT	425	R2APT3442	77	R2ES64(A/B/C/E)(4/6)(E/N)	110	R3120Y49	109
KRR3CAPT	425	R2APT3448	77	R2ES79(A/B/C/E)(4/6)(E/N)	110	R3120Y64	109
KRR3CAPX	425	R2APT4218	77	R2HK0008	425	R3120Y79	109
ML3L193M	403	R2APT4220	77	R2HK0015	425	R3135V34F	108
ML3L196M	403	R2APT4224	77	R2HK0034	425	R3135V34T	108
ML3L199M	403	R2APT4230	77	R2HK0042	425	R3135V42F	108
ML3L3712M	403	R2APT4236	77	R2HK0049	425	R3135V42T	108
ML3L3718M	403	R2APT4242	77	R2HK0064	425	R3135V49F	108
ML3L376M	403	R2APT4248	77	R2HK0079	425	R3135V49T	108
MWM-J	402	R2APT4918	78	R2HKB042	425	R3135V64F	108
R113B	243	R2APT4920	78	R2HKB049	425	R3135V64T	108
R234PKIT	117	R2APT4924	78	R2HKB064	425	R3135V79F	108
R2AETK34	80	R2APT4930	78	R2HKB079	425	R3135V79T	108
R2AETK42	80	R2APT4936	78	R2HL3442ES(A/B/C/E)	110	R334PKIT	117
R2AETK49	80	R2APT4942	78	R2HL3442(F)CS	111	R3AK	117
R2AETK64	80	R2APT4948	78	R2HL3449ES(A/B/C/E)	110	R3B0PAA42 18	16
R2AETK79	80	R2APT6418	78	R2HL3449(F)CS	111	R3B0PAA42 20	16
R2AHBW18	82	R2APT6420	78	R2HL3464ES(A/B/C/E)	110	R3B0PAA42 24	16
R2AHBW20	82	R2APT6424	78	R2HL3464(F/T)CS	111	R3B0PAA42 30	16
R2AHBW24	82	R2APT6430	78	R2HL3479ES(A/B/C/E)	110	R3B0PAA42 36	16
R2AHBW30	82	R2APT6436	78	R2HL3479(F/T)CS	111	R3B0PAA42 42	16
R2AHBW36	82	R2APT6442	78	R2HL4249ES(A/B/C/E)	110	R3B0PAA42 48	16
R2AHBW42	82	R2APT6448	78	R2HL4249ETS(A/B/C/E)	111	R3B0PAA42 60	16
R2AHBW48	82	R2APT7918	79	R2HL4249(F)CS	111	R3B0PAA42 66	16
R2AHCRC34	81	R2APT7920	79	R2HL4264ES(A/B/C/E)	110	R3B0PAA42 72	16
R2AHCRC42	81	R2APT7924	79	R2HL4264ETS(A/B/C/E)	111	R3B0PAA49 18	23
R2AHCRC49	81	R2APT7930	79	R2HL4264(F/T)CS	111	R3B0PAA49 20	23
R2AHCRC64	81	R2APT7936	79	R2HL4279ES(A/B/C/E)	110	R3B0PAA49 24	23
R2AHCRC79	81	R2APT7942	79	R2HL4279ETS(A/B/C/E)	111	R3B0PAA49 30	23
R2AHSR18	83	R2APT7948	79	R2HL4279(F/T)CS	111	R3B0PAA49 36	23
R2AHSR20	83	R2ATPK34	79	R2HL4964ES(A/B/C/E)	110	R3B0PAA49 42	23
R2AHSR24	83	R2ATPK42	79	R2HL4964(F)CS	111	R3B0PAA49 48	23
R2AHSR30	83	R2ATPK49	79	R2HL4979ES(A/B/C/E)	110	R3B0PAA49 60	23
R2AHSR36	83	R2ATPK64	79	R2HL4979(F/T)CS	111	R3B0PAA49 66	23
R2AHSR42	83	R2ATPK79	79	R2HL6479ES(A/B/C/E)	110	R3B0PAA49 72	23
R2AHSR48	83	R2B0TWA34 18	45	R2HL6479(F)CS	111	R3B0PAA64 18	30
R2AHTR18	81	R2B0TWA34 20	45	R2L42C(F/T)(F/T)-(4/6)	112	R3B0PAA64 20	30
R2AHTR20	81	R2B0TWA34 24	45	R2L49C(F/T)(F/T)-(4/6)	112	R3B0PAA64 24	30
R2AHTR24	81	R2B0TWA34 30	45	R2L64C(F/T)(F/T)-(4/6)	112	R3B0PAA64 30	30
R2AHTR30	81	R2B0TWA34 36	45	R2L79C(F/T)(F/T)-(4/6)	112	R3B0PAA64 36	30
R2AHTR36	81	R2B0TWA34 42	45	R2S42C(F/T)(F/T)-(4/6)	112	R3B0PAA64 42	30
R2AHTR42	81	R2B0TWA34 48	45	R2S49C(F/T)(F/T)-(4/6)	112	R3B0PAA64 48	30
R2AHTR48	81	R2B0TWB34 30	45	R2S64C(F/T)(F/T)-(4/6)	112	R3B0PAA64 60	30
R2AHWR18	82	R2B0TWB34 36	45	R2S79C(F/T)(F/T)-(4/6)	112	R3B0PAA64 66	30
R2AHWR20	82	R2B0TWB34 42	45	R2SWS0008	114	R3B0PAA64 72	30
R2AHWR24	82	R2B0TWB34 48	45	R2SWS0015	114	R3B0PAA79 18	37
R2AHWR30	82	R2B0TWC34 18	45	R2SWS0034	114	R3B0PAA79 20	37
R2AHWR36	82	R2B0TWC34 20	45	R2SWS0042	114	R3B0PAA79 24	37
R2AHWR42	82	R2B0TWC34 24	45	R2SWS0049	114	R3B0PAA79 30	37
R2AHWR48	82	R2B0TWC34 30	45	R2SWS0064	114	R3B0PAA79 36	37
R2AK	117	R2B0TWC34 36	45	R2SWS0079	114	R3B0PAA79 42	37
R2ALPK34	80	R2B0TWC34 42	45	R2T42C(F/T)-(4/6)	112	R3B0PAA79 48	37

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B0PAA79 60	37	R3B0PF242 66	20	R3B0PF364 48	35	R3B0PFL3436	11
R3B0PAA79 66	37	R3B0PF242 72	20	R3B0PF364 60	35	R3B0PFL3442	11
R3B0PAA79 72	37	R3B0PF249 18	27	R3B0PF364 66	35	R3B0PFL3448	11
R3B0PFI3418	12	R3B0PF249 20	27	R3B0PF364 72	35	R3B0PFL42 18	18
R3B0PFI3420	12	R3B0PF249 24	27	R3B0PF379 18	42	R3B0PFL42 20	18
R3B0PFI3424	12	R3B0PF249 30	27	R3B0PF379 20	42	R3B0PFL42 24	18
R3B0PFI3430	12	R3B0PF249 36	27	R3B0PF379 24	42	R3B0PFL42 30	18
R3B0PFI3436	12	R3B0PF249 42	27	R3B0PF379 30	42	R3B0PFL42 36	18
R3B0PFI3442	12	R3B0PF249 48	27	R3B0PF379 36	42	R3B0PFL42 42	18
R3B0PFI3448	12	R3B0PF249 60	27	R3B0PF379 42	42	R3B0PFL42 48	18
R3B0PFI42 18	19	R3B0PF249 66	27	R3B0PF379 48	42	R3B0PFL42 60	18
R3B0PFI42 20	19	R3B0PF249 72	27	R3B0PF379 60	42	R3B0PFL42 66	18
R3B0PFI42 24	19	R3B0PF264 18	34	R3B0PF379 66	42	R3B0PFL42 72	18
R3B0PFI42 30	19	R3B0PF264 20	34	R3B0PF379 72	42	R3B0PFL49 18	25
R3B0PFI42 36	19	R3B0PF264 24	34	R3B0PFF3418	10	R3B0PFL49 20	25
R3B0PFI42 42	19	R3B0PF264 30	34	R3B0PFF3420	10	R3B0PFL49 24	25
R3B0PFI42 48	19	R3B0PF264 36	34	R3B0PFF3424	10	R3B0PFL49 30	25
R3B0PFI42 60	19	R3B0PF264 42	34	R3B0PFF3430	10	R3B0PFL49 36	25
R3B0PFI42 66	19	R3B0PF264 48	34	R3B0PFF3436	10	R3B0PFL49 42	25
R3B0PFI42 72	19	R3B0PF264 60	34	R3B0PFF3442	10	R3B0PFL49 48	25
R3B0PFI49 18	26	R3B0PF264 66	34	R3B0PFF3448	10	R3B0PFL49 60	25
R3B0PFI49 20	26	R3B0PF264 72	34	R3B0PFF42 18	16	R3B0PFL49 66	25
R3B0PFI49 24	26	R3B0PF279 18	41	R3B0PFF42 20	16	R3B0PFL49 72	25
R3B0PFI49 30	26	R3B0PF279 20	41	R3B0PFF42 24	16	R3B0PFL64 18	32
R3B0PFI49 36	26	R3B0PF279 24	41	R3B0PFF42 30	16	R3B0PFL64 20	32
R3B0PFI49 42	26	R3B0PF279 30	41	R3B0PFF42 36	16	R3B0PFL64 24	32
R3B0PFI49 48	26	R3B0PF279 36	41	R3B0PFF42 42	16	R3B0PFL64 30	32
R3B0PFI49 60	26	R3B0PF279 42	41	R3B0PFF42 48	16	R3B0PFL64 36	32
R3B0PFI49 66	26	R3B0PF279 48	41	R3B0PFF42 60	16	R3B0PFL64 42	32
R3B0PFI49 72	26	R3B0PF279 60	41	R3B0PFF42 66	16	R3B0PFL64 48	32
R3B0PFI64 18	33	R3B0PF279 66	41	R3B0PFF42 72	16	R3B0PFL64 60	32
R3B0PFI64 20	33	R3B0PF279 72	41	R3B0PFF49 18	23	R3B0PFL64 66	32
R3B0PFI64 24	33	R3B0PF334 18	14	R3B0PFF49 20	23	R3B0PFL64 72	32
R3B0PFI64 30	33	R3B0PF334 20	14	R3B0PFF49 24	23	R3B0PFL79 18	39
R3B0PFI64 36	33	R3B0PF334 24	14	R3B0PFF49 30	23	R3B0PFL79 20	39
R3B0PFI64 42	33	R3B0PF334 30	14	R3B0PFF49 36	23	R3B0PFL79 24	39
R3B0PFI64 48	33	R3B0PF334 36	14	R3B0PFF49 42	23	R3B0PFL79 30	39
R3B0PFI64 60	33	R3B0PF334 42	14	R3B0PFF49 48	23	R3B0PFL79 36	39
R3B0PFI64 66	33	R3B0PF334 48	14	R3B0PFF49 60	23	R3B0PFL79 42	39
R3B0PFI64 72	33	R3B0PF342 18	21	R3B0PFF49 66	23	R3B0PFL79 48	39
R3B0PFI79 18	40	R3B0PF342 20	21	R3B0PFF49 72	23	R3B0PFL79 60	39
R3B0PFI79 20	40	R3B0PF342 24	21	R3B0PFF64 18	30	R3B0PFL79 66	39
R3B0PFI79 24	40	R3B0PF342 30	21	R3B0PFF64 20	30	R3B0PFL79 72	39
R3B0PFI79 30	40	R3B0PF342 36	21	R3B0PFF64 24	30	R3B0PLI3418	15
R3B0PFI79 36	40	R3B0PF342 42	21	R3B0PFF64 30	30	R3B0PLI3420	15
R3B0PFI79 42	40	R3B0PF342 48	21	R3B0PFF64 36	30	R3B0PLI3424	15
R3B0PFI79 48	40	R3B0PF342 60	21	R3B0PFF64 42	30	R3B0PLI3430	15
R3B0PFI79 60	40	R3B0PF342 66	21	R3B0PFF64 48	30	R3B0PLI3436	15
R3B0PFI79 66	40	R3B0PF342 72	21	R3B0PFF64 60	30	R3B0PLI3442	15
R3B0PFI79 72	40	R3B0PF349 18	28	R3B0PFF64 66	30	R3B0PLI3448	15
R3B0PF234 18	13	R3B0PF349 20	28	R3B0PFF64 72	30	R3B0PLI4218	22
R3B0PF234 20	13	R3B0PF349 24	28	R3B0PFF79 18	37	R3B0PLI4220	22
R3B0PF234 24	13	R3B0PF349 30	28	R3B0PFF79 20	37	R3B0PLI4224	22
R3B0PF234 30	13	R3B0PF349 36	28	R3B0PFF79 24	37	R3B0PLI4230	22
R3B0PF234 36	13	R3B0PF349 42	28	R3B0PFF79 30	37	R3B0PLI4236	22
R3B0PF234 42	13	R3B0PF349 48	28	R3B0PFF79 36	37	R3B0PLI4242	22
R3B0PF234 48	13	R3B0PF349 60	28	R3B0PFF79 42	37	R3B0PLI4248	22
R3B0PF242 18	20	R3B0PF349 66	28	R3B0PFF79 48	37	R3B0PLI4260	22
R3B0PF242 20	20	R3B0PF349 72	28	R3B0PFF79 60	37	R3B0PLI4266	22
R3B0PF242 24	20	R3B0PF364 18	35	R3B0PFF79 66	37	R3B0PLI4272	22
R3B0PF242 30	20	R3B0PF364 20	35	R3B0PFF79 72	37	R3B0PLI4918	29
R3B0PF242 36	20	R3B0PF364 24	35	R3B0PFL3418	11	R3B0PLI4920	29
R3B0PF242 42	20	R3B0PF364 30	35	R3B0PFL3420	11	R3B0PLI4924	29
R3B0PF242 48	20	R3B0PF364 36	35	R3B0PFL3424	11	R3B0PLI4930	29
R3B0PF242 60	20	R3B0PF364 42	35	R3B0PFL3430	11	R3B0PLI4936	29

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B0PLL4942	29	R3B0TF142 42	52	R3B0TF342 18	54	R3B0TFL34 24	46
R3B0PLL4948	29	R3B0TF142 48	52	R3B0TF342 20	54	R3B0TFL34 30	46
R3B0PLL4960	29	R3B0TF149 18	59	R3B0TF342 24	54	R3B0TFL34 36	46
R3B0PLL4966	29	R3B0TF149 20	59	R3B0TF342 30	54	R3B0TFL34 42	46
R3B0PLL4972	29	R3B0TF149 24	59	R3B0TF342 36	54	R3B0TFL34 48	46
R3B0PLL6418	36	R3B0TF149 30	59	R3B0TF342 42	54	R3B0TFL42 18	51
R3B0PLL6420	36	R3B0TF149 36	59	R3B0TF342 48	54	R3B0TFL42 20	51
R3B0PLL6424	36	R3B0TF149 42	59	R3B0TF349 18	61	R3B0TFL42 24	51
R3B0PLL6430	36	R3B0TF149 48	59	R3B0TF349 20	61	R3B0TFL42 30	51
R3B0PLL6436	36	R3B0TF164 18	66	R3B0TF349 24	61	R3B0TFL42 36	51
R3B0PLL6442	36	R3B0TF164 20	66	R3B0TF349 30	61	R3B0TFL42 42	51
R3B0PLL6448	36	R3B0TF164 24	66	R3B0TF349 36	61	R3B0TFL42 48	51
R3B0PLL6460	36	R3B0TF164 30	66	R3B0TF349 42	61	R3B0TFL49 18	58
R3B0PLL6466	36	R3B0TF164 36	66	R3B0TF349 48	61	R3B0TFL49 20	58
R3B0PLL6472	36	R3B0TF164 42	66	R3B0TF364 18	68	R3B0TFL49 24	58
R3B0PLL7918	43	R3B0TF164 48	66	R3B0TF364 20	68	R3B0TFL49 30	58
R3B0PLL7920	43	R3B0TF179 18	73	R3B0TF364 24	68	R3B0TFL49 36	58
R3B0PLL7924	43	R3B0TF179 20	73	R3B0TF364 30	68	R3B0TFL49 42	58
R3B0PLL7930	43	R3B0TF179 24	73	R3B0TF364 36	68	R3B0TFL49 48	58
R3B0PLL7936	43	R3B0TF179 30	73	R3B0TF364 42	68	R3B0TFL64 18	65
R3B0PLL7942	43	R3B0TF179 36	73	R3B0TF364 48	68	R3B0TFL64 20	65
R3B0PLL7948	43	R3B0TF179 42	73	R3B0TF379 18	75	R3B0TFL64 24	65
R3B0PLL7960	43	R3B0TF179 48	73	R3B0TF379 20	75	R3B0TFL64 30	65
R3B0PLL7966	43	R3B0TF234 18	47	R3B0TF379 24	75	R3B0TFL64 36	65
R3B0PLL7972	43	R3B0TF234 20	47	R3B0TF379 30	75	R3B0TFL64 42	65
R3B0TAA42 18	49	R3B0TF234 24	47	R3B0TF379 36	75	R3B0TFL64 48	65
R3B0TAA42 20	49	R3B0TF234 30	47	R3B0TF379 42	75	R3B0TFL79 18	72
R3B0TAA42 24	49	R3B0TF234 36	47	R3B0TF379 48	75	R3B0TFL79 20	72
R3B0TAA42 30	49	R3B0TF234 42	47	R3B0TFF34 18	44	R3B0TFL79 24	72
R3B0TAA42 36	49	R3B0TF234 48	47	R3B0TFF34 20	44	R3B0TFL79 30	72
R3B0TAA42 42	49	R3B0TF242 18	53	R3B0TFF34 24	44	R3B0TFL79 36	72
R3B0TAA42 48	49	R3B0TF242 20	53	R3B0TFF34 30	44	R3B0TFL79 42	72
R3B0TAA49 18	56	R3B0TF242 24	53	R3B0TFF34 36	44	R3B0TFL79 48	72
R3B0TAA49 20	56	R3B0TF242 30	53	R3B0TFF34 42	44	R3B0TLL3418	48
R3B0TAA49 24	56	R3B0TF242 36	53	R3B0TFF34 48	44	R3B0TLL3420	48
R3B0TAA49 30	56	R3B0TF242 42	53	R3B0TFF42 18	49	R3B0TLL3424	48
R3B0TAA49 36	56	R3B0TF242 48	53	R3B0TFF42 20	49	R3B0TLL3430	48
R3B0TAA49 42	56	R3B0TF249 18	60	R3B0TFF42 24	49	R3B0TLL3436	48
R3B0TAA49 48	56	R3B0TF249 20	60	R3B0TFF42 30	49	R3B0TLL3442	48
R3B0TAA64 18	63	R3B0TF249 24	60	R3B0TFF42 36	49	R3B0TLL3448	48
R3B0TAA64 20	63	R3B0TF249 30	60	R3B0TFF42 42	49	R3B0TLL4218	55
R3B0TAA64 24	63	R3B0TF249 36	60	R3B0TFF42 48	49	R3B0TLL4220	55
R3B0TAA64 30	63	R3B0TF249 42	60	R3B0TFF49 18	56	R3B0TLL4224	55
R3B0TAA64 36	63	R3B0TF249 48	60	R3B0TFF49 20	56	R3B0TLL4230	55
R3B0TAA64 42	63	R3B0TF264 18	67	R3B0TFF49 24	56	R3B0TLL4236	55
R3B0TAA64 48	63	R3B0TF264 20	67	R3B0TFF49 30	56	R3B0TLL4242	55
R3B0TAA79 18	70	R3B0TF264 24	67	R3B0TFF49 36	56	R3B0TLL4248	55
R3B0TAA79 20	70	R3B0TF264 30	67	R3B0TFF49 42	56	R3B0TLL4918	62
R3B0TAA79 24	70	R3B0TF264 36	67	R3B0TFF49 48	56	R3B0TLL4920	62
R3B0TAA79 30	70	R3B0TF264 42	67	R3B0TFF64 18	63	R3B0TLL4924	62
R3B0TAA79 36	70	R3B0TF264 48	67	R3B0TFF64 20	63	R3B0TLL4930	62
R3B0TAA79 42	70	R3B0TF279 18	74	R3B0TFF64 24	63	R3B0TLL4936	62
R3B0TAA79 48	70	R3B0TF279 20	74	R3B0TFF64 30	63	R3B0TLL4942	62
R3B0TF134 18	46	R3B0TF279 24	74	R3B0TFF64 36	63	R3B0TLL4948	62
R3B0TF134 20	46	R3B0TF279 30	74	R3B0TFF64 42	63	R3B0TLL6418	69
R3B0TF134 24	46	R3B0TF279 36	74	R3B0TFF64 48	63	R3B0TLL6420	69
R3B0TF134 30	46	R3B0TF279 42	74	R3B0TFF79 18	70	R3B0TLL6424	69
R3B0TF134 36	46	R3B0TF279 48	74	R3B0TFF79 20	70	R3B0TLL6430	69
R3B0TF134 42	46	R3B0TF334 18	47	R3B0TFF79 24	70	R3B0TLL6436	69
R3B0TF134 48	46	R3B0TF334 20	47	R3B0TFF79 30	70	R3B0TLL6442	69
R3B0TF142 18	52	R3B0TF334 24	47	R3B0TFF79 36	70	R3B0TLL6448	69
R3B0TF142 20	52	R3B0TF334 30	47	R3B0TFF79 42	70	R3B0TLL7918	76
R3B0TF142 24	52	R3B0TF334 36	47	R3B0TFF79 48	70	R3B0TLL7920	76
R3B0TF142 30	52	R3B0TF334 42	47	R3B0TFL34 18	46	R3B0TLL7924	76
R3B0TF142 36	52	R3B0TF334 48	47	R3B0TFL34 20	46	R3B0TLL7930	76

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B0TLL7936	76	R3B1PF279 24	41	R3B1PFF49 30	24	R3B1PFLB49 36	89
R3B0TLL7942	76	R3B1PF279 30	41	R3B1PFF49 36	24	R3B1PFLB49 42	89
R3B0TLL7948	76	R3B1PF279 36	41	R3B1PFF49 42	24	R3B1PFLB49 48	89
R3B1PF142 18	19	R3B1PF279 42	41	R3B1PFF49 48	24	R3B1TF142 18	52
R3B1PF142 20	19	R3B1PF279 48	41	R3B1PFF64 18	31	R3B1TF142 20	52
R3B1PF142 24	19	R3B1PF2A49 18	95	R3B1PFF64 20	31	R3B1TF142 24	52
R3B1PF142 30	19	R3B1PF2A49 20	95	R3B1PFF64 24	31	R3B1TF142 30	52
R3B1PF142 36	19	R3B1PF2A49 24	95	R3B1PFF64 30	31	R3B1TF142 36	52
R3B1PF142 42	19	R3B1PF2A49 30	95	R3B1PFF64 36	31	R3B1TF142 42	52
R3B1PF142 48	19	R3B1PF2A49 36	95	R3B1PFF64 42	31	R3B1TF142 48	52
R3B1PF149 18	26	R3B1PF2A49 42	95	R3B1PFF64 48	31	R3B1TF149 18	59
R3B1PF149 20	26	R3B1PF2A49 48	95	R3B1PFF79 18	38	R3B1TF149 20	59
R3B1PF149 24	26	R3B1PF2B49 30	95	R3B1PFF79 20	38	R3B1TF149 24	59
R3B1PF149 30	26	R3B1PF2B49 36	95	R3B1PFF79 24	38	R3B1TF149 30	59
R3B1PF149 36	26	R3B1PF2B49 42	95	R3B1PFF79 30	38	R3B1TF149 36	59
R3B1PF149 42	26	R3B1PF2B49 48	95	R3B1PFF79 36	38	R3B1TF149 42	59
R3B1PF149 48	26	R3B1PF342 18	21	R3B1PFF79 42	38	R3B1TF149 48	59
R3B1PF164 18	33	R3B1PF342 20	21	R3B1PFF79 48	38	R3B1TF164 18	66
R3B1PF164 20	33	R3B1PF342 24	21	R3B1PFFA49 18	86	R3B1TF164 20	66
R3B1PF164 24	33	R3B1PF342 30	21	R3B1PFFA49 20	86	R3B1TF164 24	66
R3B1PF164 30	33	R3B1PF342 36	21	R3B1PFFA49 24	86	R3B1TF164 30	66
R3B1PF164 36	33	R3B1PF342 42	21	R3B1PFFA49 30	86	R3B1TF164 36	66
R3B1PF164 42	33	R3B1PF342 48	21	R3B1PFFA49 36	86	R3B1TF164 42	66
R3B1PF164 48	33	R3B1PF349 18	28	R3B1PFFA49 42	86	R3B1TF164 48	66
R3B1PF179 18	40	R3B1PF349 20	28	R3B1PFFA49 48	86	R3B1TF179 18	73
R3B1PF179 20	40	R3B1PF349 24	28	R3B1PFFB49 30	86	R3B1TF179 20	73
R3B1PF179 24	40	R3B1PF349 30	28	R3B1PFFB49 36	86	R3B1TF179 24	73
R3B1PF179 30	40	R3B1PF349 36	28	R3B1PFFB49 42	86	R3B1TF179 30	73
R3B1PF179 36	40	R3B1PF349 42	28	R3B1PFFB49 48	86	R3B1TF179 36	73
R3B1PF179 42	40	R3B1PF349 48	28	R3B1PFL42 18	18	R3B1TF179 42	73
R3B1PF179 48	40	R3B1PF364 18	35	R3B1PFL42 20	18	R3B1TF179 48	73
R3B1PFLA49 18	92	R3B1PF364 20	35	R3B1PFL42 24	18	R3B1TF1A49 18	90
R3B1PFLA49 20	92	R3B1PF364 24	35	R3B1PFL42 30	18	R3B1TF1A49 20	90
R3B1PFLA49 24	92	R3B1PF364 30	35	R3B1PFL42 36	18	R3B1TF1A49 24	90
R3B1PFLA49 30	92	R3B1PF364 36	35	R3B1PFL42 42	18	R3B1TF1A49 30	90
R3B1PFLA49 36	92	R3B1PF364 42	35	R3B1PFL42 48	18	R3B1TF1A49 36	90
R3B1PFLA49 42	92	R3B1PF364 48	35	R3B1PFL49 18	25	R3B1TF1A49 42	90
R3B1PFLA49 48	92	R3B1PF379 18	42	R3B1PFL49 20	25	R3B1TF1A49 48	90
R3B1PFLB49 30	92	R3B1PF379 20	42	R3B1PFL49 24	25	R3B1TF1B49 30	91
R3B1PFLB49 36	92	R3B1PF379 24	42	R3B1PFL49 30	25	R3B1TF1B49 36	91
R3B1PFLB49 42	92	R3B1PF379 30	42	R3B1PFL49 36	25	R3B1TF1B49 42	91
R3B1PFLB49 48	92	R3B1PF379 36	42	R3B1PFL49 42	25	R3B1TF1B49 48	91
R3B1PF242 18	20	R3B1PF379 42	42	R3B1PFL49 48	25	R3B1TF242 18	53
R3B1PF242 20	20	R3B1PF379 48	42	R3B1PFL64 18	32	R3B1TF242 20	53
R3B1PF242 24	20	R3B1PF3A49 18	97	R3B1PFL64 20	32	R3B1TF242 24	53
R3B1PF242 30	20	R3B1PF3A49 20	97	R3B1PFL64 24	32	R3B1TF242 30	53
R3B1PF242 36	20	R3B1PF3A49 24	97	R3B1PFL64 30	32	R3B1TF242 36	53
R3B1PF242 42	20	R3B1PF3A49 30	97	R3B1PFL64 36	32	R3B1TF242 42	53
R3B1PF242 48	20	R3B1PF3A49 36	97	R3B1PFL64 42	32	R3B1TF242 48	53
R3B1PF249 18	27	R3B1PF3A49 42	97	R3B1PFL64 48	32	R3B1TF249 18	60
R3B1PF249 20	27	R3B1PF3A49 48	97	R3B1PFL79 18	39	R3B1TF249 20	60
R3B1PF249 24	27	R3B1PF3B49 30	97	R3B1PFL79 20	39	R3B1TF249 24	60
R3B1PF249 30	27	R3B1PF3B49 36	97	R3B1PFL79 24	39	R3B1TF249 30	60
R3B1PF249 36	27	R3B1PF3B49 42	97	R3B1PFL79 30	39	R3B1TF249 36	60
R3B1PF249 42	27	R3B1PF3B49 48	97	R3B1PFL79 36	39	R3B1TF249 42	60
R3B1PF249 48	27	R3B1PFF42 18	17	R3B1PFL79 42	39	R3B1TF249 48	60
R3B1PF264 18	34	R3B1PFF42 20	17	R3B1PFL79 48	39	R3B1TF264 18	67
R3B1PF264 20	34	R3B1PFF42 24	17	R3B1PFLA49 18	89	R3B1TF264 20	67
R3B1PF264 24	34	R3B1PFF42 30	17	R3B1PFLA49 20	89	R3B1TF264 24	67
R3B1PF264 30	34	R3B1PFF42 36	17	R3B1PFLA49 24	89	R3B1TF264 30	67
R3B1PF264 36	34	R3B1PFF42 42	17	R3B1PFLA49 30	89	R3B1TF264 36	67
R3B1PF264 42	34	R3B1PFF42 48	17	R3B1PFLA49 36	89	R3B1TF264 42	67
R3B1PF264 48	34	R3B1PFF49 18	24	R3B1PFLA49 42	89	R3B1TF264 48	67
R3B1PF279 18	41	R3B1PFF49 20	24	R3B1PFLA49 48	89	R3B1TF279 18	74
R3B1PF279 20	41	R3B1PFF49 24	24	R3B1PFLB49 30	89	R3B1TF279 20	74

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3B1TF279 24	74	R3B1TFF49 30	57	R3B1TFLB49 36	88	R3B2TFF79 24	71
R3B1TF279 30	74	R3B1TFF49 36	57	R3B1TFLB49 42	88	R3B2TFF79 30	71
R3B1TF279 36	74	R3B1TFF49 42	57	R3B1TFLB49 48	88	R3B2TFF79 36	71
R3B1TF279 42	74	R3B1TFF49 48	57	R3B2PFF42 18	17	R3B2TFF79 42	71
R3B1TF279 48	74	R3B1TFF64 18	64	R3B2PFF42 20	17	R3B2TFF79 48	71
R3B1TF2A49 18	93	R3B1TFF64 20	64	R3B2PFF42 24	17	R3B2TFFA49 18	98
R3B1TF2A49 20	93	R3B1TFF64 24	64	R3B2PFF42 30	17	R3B2TFFA49 20	98
R3B1TF2A49 24	93	R3B1TFF64 30	64	R3B2PFF42 36	17	R3B2TFFA49 24	98
R3B1TF2A49 30	93	R3B1TFF64 36	64	R3B2PFF42 42	17	R3B2TFFA49 30	98
R3B1TF2A49 36	93	R3B1TFF64 42	64	R3B2PFF42 48	17	R3B2TFFA49 36	98
R3B1TF2A49 42	93	R3B1TFF64 48	64	R3B2PFF49 18	24	R3B2TFFA49 42	98
R3B1TF2A49 48	93	R3B1TFF79 18	71	R3B2PFF49 20	24	R3B2TFFA49 48	98
R3B1TF2B49 30	94	R3B1TFF79 20	71	R3B2PFF49 24	24	R3B2TFFB49 30	98
R3B1TF2B49 36	94	R3B1TFF79 24	71	R3B2PFF49 30	24	R3B2TFFB49 36	98
R3B1TF2B49 42	94	R3B1TFF79 30	71	R3B2PFF49 36	24	R3B2TFFB49 42	98
R3B1TF2B49 48	94	R3B1TFF79 36	71	R3B2PFF49 42	24	R3B2TFFB49 48	98
R3B1TF342 18	54	R3B1TFF79 42	71	R3B2PFF49 48	24	R3CRTT60	102
R3B1TF342 20	54	R3B1TFF79 48	71	R3B2PFF64 18	31	R3CRTT72	102
R3B1TF342 24	54	R3B1TFFA49 18	84	R3B2PFF64 20	31	R3CRTT84	102
R3B1TF342 30	54	R3B1TFFA49 20	84	R3B2PFF64 24	31	R3CRTT96	102
R3B1TF342 36	54	R3B1TFFA49 24	84	R3B2PFF64 30	31	R3FTCE104(F/T)(F/T)(F/T)	124
R3B1TF342 42	54	R3B1TFFA49 30	84	R3B2PFF64 36	31	R3FTCE108(F/T)(F/T)(F/T)	124
R3B1TF342 48	54	R3B1TFFA49 36	84	R3B2PFF64 42	31	R3FTCE120(F/T)(F/T)(F/T)	124
R3B1TF349 18	61	R3B1TFFA49 42	84	R3B2PFF64 48	31	R3FTCE21	124
R3B1TF349 20	61	R3B1TFFA49 48	84	R3B2PFF79 18	38	R3FTCE25	124
R3B1TF349 24	61	R3B1TFFB49 30	85	R3B2PFF79 20	38	R3FTCE37	124
R3B1TF349 30	61	R3B1TFFB49 36	85	R3B2PFF79 24	38	R3FTCF12118	121
R3B1TF349 36	61	R3B1TFFB49 42	85	R3B2PFF79 30	38	R3FTCF12120	121
R3B1TF349 42	61	R3B1TFFB49 48	85	R3B2PFF79 36	38	R3FTCF12124	121
R3B1TF349 48	61	R3B1TFL42 18	51	R3B2PFF79 42	38	R3FTCF12130	121
R3B1TF364 18	68	R3B1TFL42 20	51	R3B2PFF79 48	38	R3FTCF12136	121
R3B1TF364 20	68	R3B1TFL42 24	51	R3B2PFFA49 18	99	R3FTCF12142	121
R3B1TF364 24	68	R3B1TFL42 30	51	R3B2PFFA49 20	99	R3FTCF12148	121
R3B1TF364 30	68	R3B1TFL42 36	51	R3B2PFFA49 24	99	R3FTCF12518	122
R3B1TF364 36	68	R3B1TFL42 42	51	R3B2PFFA49 30	99	R3FTCF12520	122
R3B1TF364 42	68	R3B1TFL42 48	51	R3B2PFFA49 36	99	R3FTCF12524	122
R3B1TF364 48	68	R3B1TFL49 18	58	R3B2PFFA49 42	99	R3FTCF12530	122
R3B1TF379 18	75	R3B1TFL49 20	58	R3B2PFFA49 48	99	R3FTCF12536	122
R3B1TF379 20	75	R3B1TFL49 24	58	R3B2PFFB49 30	99	R3FTCF12542	122
R3B1TF379 24	75	R3B1TFL49 30	58	R3B2PFFB49 36	99	R3FTCF12548	122
R3B1TF379 30	75	R3B1TFL49 36	58	R3B2PFFB49 42	99	R3FTCF13718	123
R3B1TF379 36	75	R3B1TFL49 42	58	R3B2PFFB49 48	99	R3FTCF13720	123
R3B1TF379 42	75	R3B1TFL49 48	58	R3B2TFF42 18	50	R3FTCF13724	123
R3B1TF379 48	75	R3B1TFL64 18	65	R3B2TFF42 20	50	R3FTCF13730	123
R3B1TF3A49 18	96	R3B1TFL64 20	65	R3B2TFF42 24	50	R3FTCF13736	123
R3B1TF3A49 20	96	R3B1TFL64 24	65	R3B2TFF42 30	50	R3FTCF13742	123
R3B1TF3A49 24	96	R3B1TFL64 30	65	R3B2TFF42 36	50	R3FTCF13748	123
R3B1TF3A49 30	96	R3B1TFL64 36	65	R3B2TFF42 42	50	R3FTCF22118	121
R3B1TF3A49 36	96	R3B1TFL64 42	65	R3B2TFF42 48	50	R3FTCF22120	121
R3B1TF3A49 42	96	R3B1TFL64 48	65	R3B2TFF49 18	57	R3FTCF22124	121
R3B1TF3A49 48	96	R3B1TFL79 18	72	R3B2TFF49 20	57	R3FTCF22130	121
R3B1TF3B49 30	96	R3B1TFL79 20	72	R3B2TFF49 24	57	R3FTCF22136	121
R3B1TF3B49 36	96	R3B1TFL79 24	72	R3B2TFF49 30	57	R3FTCF22142	121
R3B1TF3B49 42	96	R3B1TFL79 30	72	R3B2TFF49 36	57	R3FTCF22148	121
R3B1TF3B49 48	96	R3B1TFL79 36	72	R3B2TFF49 42	57	R3FTCF22518	122
R3B1TFF42 18	50	R3B1TFL79 42	72	R3B2TFF49 48	57	R3FTCF22520	122
R3B1TFF42 20	50	R3B1TFL79 48	72	R3B2TFF64 18	64	R3FTCF22524	122
R3B1TFF42 24	50	R3B1TFLA49 18	87	R3B2TFF64 20	64	R3FTCF22530	122
R3B1TFF42 30	50	R3B1TFLA49 20	87	R3B2TFF64 24	64	R3FTCF22536	122
R3B1TFF42 36	50	R3B1TFLA49 24	87	R3B2TFF64 30	64	R3FTCF22542	122
R3B1TFF42 42	50	R3B1TFLA49 30	87	R3B2TFF64 36	64	R3FTCF22548	122
R3B1TFF42 48	50	R3B1TFLA49 36	87	R3B2TFF64 42	64	R3FTCF23718	123
R3B1TFF49 18	57	R3B1TFLA49 42	87	R3B2TFF64 48	64	R3FTCF23720	123
R3B1TFF49 20	57	R3B1TFLA49 48	87	R3B2TFF79 18	71	R3FTCF23724	123
R3B1TFF49 24	57	R3B1TFLB49 30	88	R3B2TFF79 20	71	R3FTCF23730	123

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3FTCF23736	123	R3FTCFL3748	123	R3SF21530	104	R3T08T	105
R3FTCF23742	123	R3FTCL104(F/T)(F/T)	124	R3SF21536	104	R3T15T	105
R3FTCF23748	123	R3FTCL108(F/T)(F/T)	124	R3SF21542	104	R3T34(F/T)	105
R3FTCF321 18	121	R3FTCL120(F/T)(F/T)	124	R3SF21548	104	R3T42(B)(F/T)	105
R3FTCF321 20	121	R3FTCL21	124	R3SF30818	103	R3T49(B)(F/T)	105
R3FTCF321 24	121	R3FTCL25	124	R3SF30820	103	R3T64(B)(F/T)	105
R3FTCF321 30	121	R3FTCL37	124	R3SF30824	103	R3T79(B)(F/T)	105
R3FTCF321 36	121	R3FTCS104(F/T)(F/T)	124	R3SF30830	103	R3X08	106
R3FTCF321 42	121	R3FTCS108(F/T)(F/T)	124	R3SF30836	103	R3X15	106
R3FTCF321 48	121	R3FTCS120(F/T)(F/T)	124	R3SF30842	103	R3X34	106
R3FTCF325 18	122	R3FTCS21	124	R3SF30848	103	R3X42(B)	106
R3FTCF325 20	122	R3FTCS25	124	R3SF315 18	104	R3X49(B)	106
R3FTCF325 24	122	R3FTCS37	124	R3SF315 20	104	R3X64(B)	106
R3FTCF325 30	122	R3FTCSM (Pair) for G3 only	125	R3SF315 24	104	R3X79(B)	106
R3FTCF325 36	122	R3FTCT104(F/T)	124	R3SF315 30	104	R5ZNNE (3 dividers)	439
R3FTCF325 42	122	R3FTCT108(F/T)	124	R3SF315 36	104	R917762	427
R3FTCF325 48	122	R3FTCT120(F/T)	124	R3SF315 42	104	R921655	427
R3FTCF337 18	123	R3FTCT21	124	R3SF315 48	104	R9TDCFM8430	223
R3FTCF337 20	123	R3FTCT25	124	R3SFF08 18	100	R9TDCFM9630	223
R3FTCF337 24	123	R3FTCT37	124	R3SFF08 20	100	RAATBRC72	519
R3FTCF337 30	123	R3FTCX104	124	R3SFF08 24	100	RAATBRC78	519
R3FTCF337 36	123	R3FTCX108	124	R3SFF08 30	100	RAATBRC84	519
R3FTCF337 42	123	R3FTCX120	124	R3SFF08 36	100	RAATBRC90	519
R3FTCF337 48	123	R3FTCX21	124	R3SFF08 42	100	RAATBRC96	519
R3FTCFF2118	118	R3FTCX25	124	R3SFF08 48	100	RAATBRS72	520
R3FTCFF2120	118	R3FTCX37	124	R3SFF15 18	100	RAATBRS78	520
R3FTCFF2124	118	R3L08TT	105	R3SFF15 20	100	RAATBRS84	520
R3FTCFF2130	118	R3L15TT	105	R3SFF15 24	100	RAATBRS90	520
R3FTCFF2136	118	R3L34(F/T)(F/T)	105	R3SFF15 30	100	RAATBRS96	520
R3FTCFF2142	118	R3L42(B)(F/T)(F/T)	105	R3SFF15 36	100	RAATDG51	519
R3FTCFF2148	118	R3L49(B)(F/T)(F/T)	105	R3SFF15 42	100	RAATDG54	519
R3FTCFF2518	119	R3L64(B)(F/T)(F/T)	105	R3SFF15 48	100	RAATDG57	519
R3FTCFF2520	119	R3L79(B)(F/T)(F/T)	105	R3SFL0818	103	RAATDG60	519
R3FTCFF2524	119	R3R2SLV	107, 117	R3SFL0820	103	RAATDG63	519
R3FTCFF2530	119	R3S08TT	106	R3SFL0824	103	RAATDG66	519
R3FTCFF2536	119	R3S15TT	106	R3SFL0830	103	RAATDG69	519
R3FTCFF2542	119	R3S34(F/T)(F/T)	106	R3SFL0836	103	RAATDG72	519
R3FTCFF2548	119	R3S42(B)(F/T)(F/T)	106	R3SFL0842	103	RAATDG75	519
R3FTCFF3718	120	R3S49(B)(F/T)(F/T)	106	R3SFL0848	103	RAATDG78	519
R3FTCFF3720	120	R3S64(B)(F/T)(F/T)	106	R3SFL1518	104	RAATDG81	519
R3FTCFF3724	120	R3S79(B)(F/T)(F/T)	106	R3SFL1520	104	RAATDG84	519
R3FTCFF3730	120	R3SF10818	103	R3SFL1524	104	RAATDG87	519
R3FTCFF3736	120	R3SF10820	103	R3SFL1530	104	RAATDG90	519
R3FTCFF3742	120	R3SF10824	103	R3SFL1536	104	RAATDG93	519
R3FTCFF3748	120	R3SF10830	103	R3SFL1542	104	RAATDG96	519
R3FTCFL2118	121	R3SF10836	103	R3SFL1548	104	RAATDS51	520
R3FTCFL2120	121	R3SF10842	103	R3SLL0818	103	RAATDS54	520
R3FTCFL2124	121	R3SF10848	103	R3SLL0820	103	RAATDS57	520
R3FTCFL2130	121	R3SF11518	104	R3SLL0824	103	RAATDS60	520
R3FTCFL2136	121	R3SF11520	104	R3SLL0830	103	RAATDS63	520
R3FTCFL2142	121	R3SF11524	104	R3SLL0836	103	RAATDS66	520
R3FTCFL2148	121	R3SF11530	104	R3SLL0842	103	RAATDS69	520
R3FTCFL2518	122	R3SF11536	104	R3SLL0848	103	RAATDS72	520
R3FTCFL2520	122	R3SF11542	104	R3SLL1518	104	RAATDS75	520
R3FTCFL2524	122	R3SF11548	104	R3SLL1520	104	RAATDS78	520
R3FTCFL2530	122	R3SF20818	103	R3SLL1524	104	RAATDS81	520
R3FTCFL2536	122	R3SF20820	103	R3SLL1530	104	RAATDS84	520
R3FTCFL2542	122	R3SF20824	103	R3SLL1536	104	RAATDS87	520
R3FTCFL2548	122	R3SF20830	103	R3SLL1542	104	RAATDS90	520
R3FTCFL3718	123	R3SF20836	103	R3SLL1548	104	RAATDS93	520
R3FTCFL3720	123	R3SF20842	103	R3SMP	427	RAATDS96	520
R3FTCFL3724	123	R3SF20848	103	R3SPABPT	115	RAATFRG54	519
R3FTCFL3730	123	R3SF21518	104	R3SPABTD	115	RAATFRG60	519
R3FTCFL3736	123	R3SF21520	104	R3SPABTT	115	RAATFRG66	519
R3FTCFL3742	123	R3SF21524	104	R3SPABTW	115	RAATFRG72	519

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RAATFRG78	519	RAIE6840	509, 510	RAIPRGS78	514	RASTTDD144	518
RAATFRG84	519	RAIE6848	509, 510	RAIPRGS84	514	RASTTDD150	518
RAATFRG90	519	RAIE7440	509, 510	RAIPRGS90	514	RASTTDD156	518
RAATFRG96	519	RAIE7448	509, 510	RAIPRGS96	514	RASTTDD162	518
RAATFRS54	520	RAIPFAWD102	511	RAIPRWD102	513	RASTTDD168	518
RAATFRS60	520	RAIPFAWD108	511	RAIPRWD108	513	RASTTDD174	518
RAATFRS66	520	RAIPFAWD114	511	RAIPRWD114	513	RASTTDD180	518
RAATFRS72	520	RAIPFAWD120	511	RAIPRWD120	513	RASTTDD186	518
RAATFRS78	520	RAIPFAWD126	511	RAIPRWD126	513	RASTTDD192	518
RAATFRS84	520	RAIPFAWD132	511	RAIPRWD132	513	RASTTDS66	518
RAATFRS90	520	RAIPFAWD138	511	RAIPRWD138	513	RASTTDS72	518
RAATFRS96	520	RAIPFAWD144	511	RAIPRWD144	513	RASTTDS78	518
RABR(L/R)7220	501, 502	RAIPFAWD150	511	RAIPRWD150	513	RASTTDS84	518
RABR(L/R)7820	501, 502	RAIPFAWD156	511	RAIPRWD156	513	RASTTDS90	518
RABR(L/R)8420	501, 502	RAIPFAWD162	511	RAIPRWD162	513	RASTTDS96	518
RABR(L/R)9020	501, 502	RAIPFAWD168	511	RAIPRWD168	513	RASW6630	497, 498
RABR(L/R)9620	501, 502	RAIPFAWD174	511	RAIPRWD174	513	RASW7230	497, 498
RAC7232DH(L/R)H	523	RAIPFAWD180	511	RAIPRWD180	513	RASW7830	497, 498
RAC7232WDH(L/R)H	524	RAIPFAWD186	511	RAIPRWD186	513	RASW8430	497, 498
RAC7233DH(L/R)H	523	RAIPFAWD192	511	RAIPRWD192	513	RASW9030	497, 498
RAC7233WDH(L/R)H	524	RAIPFAWS66	511	RAIPRWS66	513	RASW9630	497, 498
RAC7242DH(L/R)H	523	RAIPFAWS72	511	RAIPRWS72	513	RATDCFM(L/R)4830	222
RAC7242WDH(L/R)H	524	RAIPFAWS78	511	RAIPRWS78	513	RATDCFM(L/R)4836	222
RAC7243DH(L/R)H	523	RAIPFAWS84	511	RAIPRWS84	513	RATDCFM(L/R)5430	222
RAC7243WDH(L/R)H	524	RAIPFAWS90	511	RAIPRWS90	513	RATDCFM(L/R)5436	222
RAC8632DH(L/R)H	523	RAIPFAWS96	511	RAIPRWS96	513	RATDCFM(L/R)6030	222
RAC8632WDH(L/R)H	524	RAIPFBWD102	512	RAMTB	414	RATDCFM(L/R)6036	222
RAC8633DH(L/R)H	523	RAIPFBWD114	512	RAMTC24	414	RATDCFM(L/R)6630	222
RAC8633WDH(L/R)H	524	RAIPFBWD120	512	RAMTC30	414	RATDCFM(L/R)6636	222
RAC8642DH(L/R)H	523	RAIPFBWD126	512	RAMTC36	414	RATDCFM(L/R)7230	222
RAC8642WDH(L/R)H	524	RAIPFBWD132	512	RAMTC42	414	RATDCFM(L/R)7236	222
RAC8643DH(L/R)H	523	RAIPFBWD138	512	RAMTC48	414	RATDCFM(L/R)7830	222
RAC8643WDH(L/R)H	524	RAIPFBWD144	512	RAMTC54	414	RATDCFM(L/R)7836	222
RACG4220	521	RAIPFBWD150	512	RAMTC60	414	RATDCFM(L/R)8430	222
RAC(L/R)HC4212	521, 522	RAIPFBWD156	512	RAMTC66	414	RATDCFM(L/R)8436	222
RAC(L/R)HT4212	521, 522	RAIPFBWD162	512	RAMTC72	414	RATDCPC(L/R)6030	220
RADW(L/R)5130	499, 500	RAIPFBWD168	512	RAMTCH24	414	RATDCPC(L/R)6036	220
RADW(L/R)5430	499, 500	RAIPFBWD174	512	RAMTCH30	414	RATDCPC(L/R)6630	220
RADW(L/R)5730	499, 500	RAIPFBWD180	512	RAMTCH36	414	RATDCPC(L/R)6636	220
RADW(L/R)6030	499, 500	RAIPFBWD186	512	RAMTCH42	414	RATDCPC(L/R)7230	220
RADW(L/R)6330	499, 500	RAIPFBWD192	512	RAMTCH48	414	RATDCPC(L/R)7236	220
RADW(L/R)6630	499, 500	RAIPFBWS66	512	RAMTCH54	414	RATDCPC(L/R)7830	220
RADW(L/R)6930	499, 500	RAIPFBWS72	512	RAMTCH60	414	RATDCPC(L/R)7836	220
RADW(L/R)7230	499, 500	RAIPFBWS78	512	RAMTCH66	414	RATDCPC(L/R)8430	220
RADW(L/R)7530	499, 500	RAIPFBWS84	512	RAMTCH72	414	RATDCPC(L/R)8436	220
RADW(L/R)7830	499, 500	RAIPFBWS90	512	RAMTT	414	RATDCST(L/R)6030	221
RADW(L/R)8130	499, 500	RAIPFBWS96	512	RASRD6620	507, 508	RATDCST(L/R)6036	221
RADW(L/R)8430	499, 500	RAIPRGD51	514	RASRD7220	507, 508	RATDCST(L/R)6630	221
RADW(L/R)8730	499, 500	RAIPRGD54	514	RASRD7820	507, 508	RATDCST(L/R)6636	221
RADW(L/R)9030	499, 500	RAIPRGD57	514	RASRD8420	507, 508	RATDCST(L/R)7230	221
RADW(L/R)9330	499, 500	RAIPRGD60	514	RASRD9020	507, 508	RATDCST(L/R)7236	221
RADW(L/R)9630	499, 500	RAIPRGD63	514	RASRD9620	507, 508	RATDCST(L/R)7830	221
RAESDH(L/R)20	525	RAIPRGD66	514	RASRS(L/R)6620	505, 506	RATDCST(L/R)7836	221
RAFR(L/R)5420	503, 504	RAIPRGD69	514	RASRS(L/R)7220	505, 506	RATDCST(L/R)8430	221
RAFR(L/R)6020	503, 504	RAIPRGD72	514	RASRS(L/R)7820	505, 506	RATDCST(L/R)8436	221
RAFR(L/R)6620	503, 504	RAIPRGD75	514	RASRS(L/R)8420	505, 506	RATTBR72	515
RAFR(L/R)7220	503, 504	RAIPRGD78	514	RASRS(L/R)9020	505, 506	RATTBR78	515
RAFR(L/R)7820	503, 504	RAIPRGD81	514	RASRS(L/R)9620	505, 506	RATTBR84	515
RAFR(L/R)8420	503, 504	RAIPRGD84	514	RASTTDD102	518	RATTBR90	515
RAFR(L/R)9020	503, 504	RAIPRGD87	514	RASTTDD108	518	RATTBR96	515
RAFR(L/R)9620	503, 504	RAIPRGD90	514	RASTTDD114	518	RATTDD102	517
RAGS(L/R)20	525	RAIPRGD93	514	RASTTDD120	518	RATTDD108	517
RAGS(L/R)30	525	RAIPRGD96	514	RASTTDD126	518	RATTDD114	517
RAIE6240	509, 510	RAIPRGS66	514	RASTTDD132	518	RATTDD120	517
RAIE6248	509, 510	RAIPRGS72	514	RASTTDD138	518	RATTDD126	517

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RATTTDD132	517	RBD482H	196	RC433B	293, 294	RC663E(L/R)	297, 300
RATTTDD138	517	RBD482V	196	RC433C	292, 294	RC663F	296, 300
RATTTDD144	517	RBD541H	196	RC433D	294	RC663G	297, 301
RATTTDD150	517	RBD541V	196	RC433F	292, 295	RC663H	297, 300
RATTTDD156	517	RBD542H	196	RC461B	293, 294	RC663I	301
RATTTDD162	517	RBD542V	196	RC462B	293, 294	RC663P	298, 301
RATTTDD168	517	RBD	428	RC462C	292, 294	RC712C(L/R)	302, 307
RATTTDD174	517	RBDH24M(F/R)	246	RC462D	294	RC712DHG(L/R)	325, 329
RATTTDD180	517	RBDH30M(F/R)	246	RC462F	292, 295	RC712D(L/R)	311
RATTTDD186	517	RBDH3636	246	RC463B	293, 294	RC712G(L/R)	305, 310
RATTTDD192	517	RBDH3642	246	RC463C	292, 294	RC712P(L/R)	306, 312
RATTTDS66	517	RBDH3648	246	RC463D	294	RC713C(L/R)	302, 307
RATTTDS72	517	RBDH36M(F/R)	246	RC463F	292, 295	RC713DHG(L/R)	325, 329
RATTTDS78	517	RBDH40MR	248	RC531DHB	317, 318	RC713D(L/R)	311
RATTTDS84	517	RBDH4236	246	RC532DHB	317, 318	RC713G(L/R)	305, 310
RATTTDS90	517	RBDH4242	246	RC532DHF	317, 318	RC713P(L/R)	306, 312
RATTTDS96	517	RBDH4248	246	RC533DHB	317, 318	RC7212DHDH(L/R)	323
RATTTFR54	516	RBDH42M(F/R)	246	RC533DHF	317, 318	RC7212DHGH(L/R)	320, 322
RATTTFR60	516	RBDH4836	246	RC561DHB	317, 318	RC7213DHDH(L/R)	323
RATTTFR66	516	RBDH4842	246	RC562DHB	317, 318	RC7213DHGH(L/R)	320, 322
RATTTFR72	516	RBDH4848	246	RC562DHF	317, 318	RC7222DHDH(L/R)	323
RATTTFR78	516	RBDH48M(F/R)	246	RC563DHB	317, 318	RC7223DHDH(L/R)	323
RATTTFR84	516	RBDH52MR	248	RC563DHF	317, 318	RC7232DHB	319, 322
RATTTFR90	516	RBDH54M(F/R)	246	RC612C(L/R)	296, 299	RC7232DHDH	323
RATTTFR96	516	RBDH60M(F/R)	246	RC612D(L/R)	299	RC7232DHEH(L/R)	321
RAUH	527	RBDH64MR	248	RC612G(L/R)	297, 301	RC7232DHFH	319, 322
RB24(M/H)(F/R)	244	RBDH66M(F/R)	246	RC612P(L/R)	298, 301	RC7232DHGH	320, 322
RB30(M/H)(F/R)	244	RBDH72M(F/R)	246	RC613C(L/R)	296, 299	RC7233DHB	319, 322
RB3636	244	RBDH78M(F/R)	246	RC613D(L/R)	299	RC7233DHDH	323
RB3642	244	RBDH84M(F/R)	246	RC613G(L/R)	297, 301	RC7233DHEH(L/R)	321, 323
RB3648	244	RBDH90M(F/R)	246	RC613P(L/R)	298, 301	RC7233DHFH	319, 322
RB36(M/H)(F/R)	244	RBDH96M(F/R)	246	RC623M	313, 315	RC7233DHGH	320, 322
RB40MR	184	RBDP6030JK(A,B,W)	420	RC623N	313, 315	RC723M	314, 316
RB4236	244	RBDP7230JK(A,B,W)	420	RC631B	296, 299	RC723N	314, 316
RB4242	244	RBDP8430JK(A,B,W)	420	RC632B	296, 299	RC7262DHB	319, 322
RB4248	244	RBDP9630JK(A,B,W)	420	RC632C	296, 299	RC7262DHDH	323
RB42(M/H)(F/R)	244	RBDW	428	RC632D	299	RC7262DHEH(L/R)	321, 323
RB4836	244	RBF (Pair)	242	RC632E(L/R)	297, 300	RC7262DHFH	319, 322
RB4842	244	RBPE(L/R)	428	RC632F	296, 300	RC7262DHGH	320, 322
RB4848	244	RBPP (L/R)	242	RC632G	297, 301	RC7263DHB	319, 322
RB48(M/H)(F/R)	244	RBPR (Pair)	243	RC632H	297, 300	RC7263DHDH	323
RB52MR	184	RBPS (L/R)	243	RC632I	301	RC7263DHEH(L/R)	321, 323
RB54(M/H)(F/R)	244	RBR3624(A,B,W)(F,N)2	423	RC632P	298, 301	RC7263DHFH	319, 322
RB60(M/H)(F/R)	244	RBR3630(A,B,W)(F,N)2	423	RC633B	296, 299	RC7263DHGH	320, 322
RB64MR	184	RBR4224(A,B,W)(F,N)2	423	RC633C	296, 299	RC732B	302, 307
RB66(M/H)(F/R)	244	RBR4230(A,B,W)(F,N)2	423	RC633D	299	RC732C	302, 307
RB72(M/H)(F/R)	244	RBR4824(A,B,W)(F,N)2	423	RC633E(L/R)	297, 300	RC732D	311
RB78(M/H)(F/R)	244	RBR4830(A,B,W)(F,N)2	423	RC633F	296, 300	RC732DHB	324, 328
RB84(M/H)(F/R)	244	RBSP6030J(A,B,W)	419	RC633G	297, 301	RC732DHD	332
RB90(M/H)(F/R)	244	RBSP7230J(A,B,W)	419	RC633H	297, 300	RC732DHE(L/R)	324, 328
RB96(M/H)(F/R)	244	RBSP8430J(A,B,W)	419	RC633I	301	RC732DHF	327, 331
RBC18 (L/R)	241	RBSP9630J(A,B,W)	419	RC633P	298, 301	RC732DHG	325, 329
RBC24 (L/R)	241	RBWC24	243	RC661B	296, 299	RC732DHK	326, 330
RBCC	242	RBWC30	243	RC662B	296, 299	RC732E(L/R)	303, 308
RBCCP (Pair)	242	RBWM	429	RC662C	296, 299	RC732F	304, 309
RBD361H	196	RBZ (A/B) (Pair)	242	RC662D	299	RC732G	305, 310
RBD361V	196	RC412C(L/R)	292, 294	RC662E(L/R)	297, 300	RC732H	306, 311
RBD362H	196	RC413C(L/R)	292, 294	RC662F	296, 300	RC732I	312
RBD362V	196	RC423M	313, 315	RC662G	297, 301	RC732P	306, 312
RBD421H	196	RC423N	313, 315	RC662H	297, 300	RC733B	302, 307
RBD421V	196	RC431B	293, 294	RC662I	301	RC733C	302, 307
RBD422H	196	RC432B	293, 294	RC662P	298, 301	RC733D	311
RBD422V	196	RC432C	292, 294	RC663B	296, 299	RC733DHB	324, 328
RBD481H	196	RC432D	294	RC663C	296, 299	RC733DHD	332
RBD481V	196	RC432F	292, 295	RC663D	299	RC733DHE(L/R)	324, 328

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RC733DHF	327, 331	RC863DHDH	338	RCA(A/B/C/D/E/F/G)F483611	160	RCB30T	249
RC733DHG	325, 329	RC863DHEH(L/R)	335, 338	RCA(A/B/C/D/E/F/G)F483612	160	RCB36X	250
RC733DHK	326, 330	RC863DHG	333, 336	RCA(A/B/C/D/E/F/G)F483621	160	RCB40T	249
RC733E(L/R)	303, 308	RC863DHK	334, 337	RCA(A/B/C/D/E/F/G)F483622	160	RCCBDH24X	253
RC733F	304, 309	RC863DHO	334, 337	RCA(A/B/C/D/E/F/G)F484211	160	RCCBDH28X	253
RC733G	305, 310	RCA363611	143	RCA(A/B/C/D/E/F/G)F484212	160	RCCBDH36X	253
RC733H	306, 311	RCA363612	144	RCA(A/B/C/D/E/F/G)F484221	160	RCCDLA23672	145
RC733I	312	RCA363621	143	RCA(A/B/C/D/E/F/G)F484222	161	RCCDLA23678	145
RC733P	306, 312	RCA363622	144	RCA(A/B/C/D/E/F/G)F484811	160	RCCDLA23684	145
RC762B	302, 307	RCA364211	143	RCA(A/B/C/D/E/F/G)F484812	160	RCCDLA23696	145
RC762C	302, 307	RCA364212	144	RCA(A/B/C/D/E/F/G)F484821	160	RCCDLA33672	145
RC762D	311	RCA364221	143	RCA(A/B/C/D/E/F/G)F484822	161	RCCDLA33678	145
RC762DHB	324, 328	RCA364222	144	RCABT1417	426	RCCDLA33684	145
RC762DHD	332	RCA364811	143	RCABT2917	426	RCCDLA33696	145
RC762DHE(L/R)	324, 328	RCA364812	144	RCACR16	426	RCCDLA23672	145
RC762DHF	327, 331	RCA364821	143	RCACR30	426	RCCDLA23678	145
RC762DHG	325, 329	RCA364822	144	RCACR30H	426	RCCDLA23684	145
RC762DHK	326, 330	RCA423611	143	RCACR36	426	RCCDLA23696	145
RC762E(L/R)	303, 308	RCA423612	144	RCACR36H	426	RCCDLA33672	145
RC762F	304, 309	RCA423621	143	RCASI620	426	RCCDLA33678	145
RC762G	305, 310	RCA423622	144	RCASI624	426	RCCDLA33684	145
RC762H	306, 311	RCA424211	143	RCAS3015	426	RCCDLA33696	145
RC762I	312	RCA424212	144	RCAS3020	426	RCD1021	199
RC762P	306, 312	RCA424221	143	RCAS3024	426	RCD1022	199
RC763B	302, 307	RCA424222	144	RCAS3615	426	RCD1081	199
RC763C	302, 307	RCA424811	143	RCAS3620	426	RCD1082	199
RC763D	311	RCA424812	144	RCAS3624	426	RCD3L6024K(A,B,W)	424
RC763DHB	324, 328	RCA424821	143	RCASL	427	RCD3L8424K(A,B,W)	424
RC763DHD	332	RCA424822	144	RCAWF363611	181	RCD3L9624K(A,B,W)	424
RC763DHE(L/R)	324, 328	RCA483611	143	RCAWF363612	181	RCD601	199
RC763DHF	327, 331	RCA483612	144	RCAWF363621	181	RCD602	199
RC763DHG	325, 329	RCA483621	143	RCAWF363622	181	RCD661	199
RC763DHK	326, 330	RCA483622	144	RCAWF364211	181	RCD662	199
RC763E(L/R)	303, 308	RCA484211	143	RCAWF364212	181	RCD6L7224K(A,B,W)	424
RC763F	304, 309	RCA484212	144	RCAWF364221	181	RCD6L9624K(A,B,W)	424
RC763G	305, 310	RCA484221	143	RCAWF364222	181	RCD721	199
RC763H	306, 311	RCA484222	144	RCAWF364811	181	RCD722	199
RC763I	312	RCA484811	143	RCAWF364812	181	RCD781	199
RC763P	306, 312	RCA484812	144	RCAWF364821	181	RCD782	199
RC812DHDH(L/R)	338	RCA484821	143	RCAWF364822	181	RCD841	199
RC813DHDH(L/R)	338	RCA484822	144	RCAWF423611	181	RCD842	199
RC822DHDH(L/R)	338	RCA(A/B/C/D/E/F/G)F363611	160	RCAWF423612	181	RCD901	199
RC823DHDH(L/R)	338	RCA(A/B/C/D/E/F/G)F363612	160	RCAWF423621	181	RCD902	199
RC832DHB	337	RCA(A/B/C/D/E/F/G)F363621	160	RCAWF423622	181	RCD961	199
RC832DHDH	338	RCA(A/B/C/D/E/F/G)F363622	160	RCAWF424211	181	RCD962	199
RC832DHEH(L/R)	335, 338	RCA(A/B/C/D/E/F/G)F364211	160	RCAWF424212	181	RCDH8B	252
RC832DHF	333, 336	RCA(A/B/C/D/E/F/G)F364212	160	RCAWF424221	181	RCDH8B20T	252
RC832DHG	333, 336	RCA(A/B/C/D/E/F/G)F364221	160	RCAWF424222	181	RCDH8B24T	252
RC832DHK	334, 337	RCA(A/B/C/D/E/F/G)F364222	160	RCAWF424811	181	RCDH8B30T	252
RC832DHO	334, 337	RCA(A/B/C/D/E/F/G)F364811	160	RCAWF424812	181	RCDH8B40T	252
RC833DHB	337	RCA(A/B/C/D/E/F/G)F364812	160	RCAWF424821	181	RCDP6024K(A,B,W)	424
RC833DHDH	338	RCA(A/B/C/D/E/F/G)F364821	160	RCAWF424822	181	RCDP7224K(A,B,W)	424
RC833DHEH(L/R)	335, 338	RCA(A/B/C/D/E/F/G)F364822	161	RCAWF483611	181	RCDP8424K(A,B,W)	424
RC833DHF	333, 336	RCA(A/B/C/D/E/F/G)F423611	160	RCAWF483612	181	RCDP9624K(A,B,W)	424
RC833DHG	333, 336	RCA(A/B/C/D/E/F/G)F423612	160	RCAWF483621	181	RCE1021	197
RC833DHK	334, 337	RCA(A/B/C/D/E/F/G)F423621	160	RCAWF483622	181	RCE1022	197
RC833DHO	334, 337	RCA(A/B/C/D/E/F/G)F423622	160	RCAWF484211	181	RCE1081	197
RC862DHB	337	RCA(A/B/C/D/E/F/G)F424211	160	RCAWF484212	181	RCE1082	197
RC862DHDH	338	RCA(A/B/C/D/E/F/G)F424212	160	RCAWF484221	181	RCE1BD6648D(L/R)	189
RC862DHEH(L/R)	335, 338	RCA(A/B/C/D/E/F/G)F424221	160	RCAWF484222	181	RCE1BD6648S(L/R)	189
RC862DHF	333, 336	RCA(A/B/C/D/E/F/G)F424222	160	RCB	249	RCE1BD7248D(L/R)	189
RC862DHG	333, 336	RCA(A/B/C/D/E/F/G)F424811	160	RCB20T	249	RCE1BD7248S(L/R)	189
RC862DHK	334, 337	RCA(A/B/C/D/E/F/G)F424812	160	RCB24T	249	RCE1BD7848D(L/R)	189
RC862DHO	334, 337	RCA(A/B/C/D/E/F/G)F424821	160	RCB24X	250	RCE1BD7848S(L/R)	189
RC863DHB	337	RCA(A/B/C/D/E/F/G)F424822	161	RCB28X	250	RCE1BD8448D(L/R)	189

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RCE1BD8448S(L/R)	189	RCE1R7824N	188	RCFS4912Y(L/R)W	345	RCFS6833W(L/R)M	344
RCE1CR24L	192	RCE1R7830N	188	RCFS4912Z(L/R)M	339	RCFS6833W(L/R)W	350
RCE1CR24N	192	RCE1R8424N	188	RCFS4912Z(L/R)W	345	RCFS6833X(L/R)M	344
RCE1CR24R	192	RCE1R8430N	188	RCFS4913C(L/R)M	339	RCFS6833X(L/R)W	350
RCE1H4818	192	RCE1R9024N	188	RCFS4913C(L/R)W	345	RCOUNTWT	271, 272, 280, 287
RCE1H4818P	192	RCE1R9030N	188	RCFS4913Y(L/R)M	339	RCP41-(F/L/1/2/3)*	113
RCE1H6024	192	RCE1R9624N	188	RCFS4913Y(L/R)W	345	RCP56-(F/L/1/2/3)*	113
RCE1H6024P	192	RCE1R9630N	188	RCFS4913Z(L/R)M	339	RCP71-(F/L/1/2/3)*	113
RCE1L3636SSN	190	RCE1W362430N	193	RCFS4913Z(L/R)W	345	RCP78-(F/L/1/2/3)*	113
RCE1L4242DSN	190	RCE1W363024N	193	RCFS4932V(L/R)M	339	RCS3L6024K(A,B,W)	422
RCE1L4242SDN	190	RCE1W422430N	193	RCFS4932V(L/R)W	345	RCS3L7224K(A,B,W)	422
RCE1L4242SSN	190	RCE1W423024N	193	RCFS4932W(L/R)M	340	RCS3L8424K(A,B,W)	422
RCE1L4260SSN	191	RCE1W482430N	193	RCFS4932W(L/R)W	346	RCS3L9624K(A,B,W)	422
RCE1L4266SSN	191	RCE1W483024N	193	RCFS4932X(L/R)M	340	RCS6L6024K(A,B,W)	422
RCE1L4272SSN	191	RCE1W722430N	193	RCFS4932X(L/R)W	346	RCS6L7224K(A,B,W)	422
RCE1L4278SSN	191	RCE1W723024N	193	RCFS4933V(L/R)M	339	RCS6L8424K(A,B,W)	422
RCE1L4848DDN	190	RCE601	197	RCFS4933V(L/R)W	345	RCS6L9624K(A,B,W)	422
RCE1L4848DSN	190	RCE602	197	RCFS4933W(L/R)M	340	RCP6024K(A,B,W)	422
RCE1L4848SDN	190	RCE661	197	RCFS4933W(L/R)W	346	RCP7224K(A,B,W)	422
RCE1L4848SSN	190	RCE662	197	RCFS4933X(L/R)M	340	RCP8424K(A,B,W)	422
RCE1L4860DSN	191	RCE721	197	RCFS4933X(L/R)W	346	RCP9624K(A,B,W)	422
RCE1L4860SDN	191	RCE722	197	RCFS6412C(L/R)M	341	RDDP6030JK(A,B,W)	420
RCE1L4860SSN	191	RCE781	197	RCFS6412C(L/R)W	347	RDDP6036JK(A,B,W)	420
RCE1L4866DSN	191	RCE782	197	RCFS6412Y(L/R)M	341	RDDP7230JK(A,B,W)	420
RCE1L4866SDN	191	RCE841	197	RCFS6412Y(L/R)W	347	RDDP7236JK(A,B,W)	420
RCE1L4866SSN	191	RCE842	197	RCFS6412Z(L/R)M	341	RDDP8430JK(A,B,W)	420
RCE1L4872DSN	191	RCE901	197	RCFS6412Z(L/R)W	347	RDDP8436JK(A,B,W)	420
RCE1L4872SDN	191	RCE902	197	RCFS6413C(L/R)M	341	RDDP9630JK(A,B,W)	420
RCE1L4872SSN	191	RCE961	197	RCFS6413C(L/R)W	347	RDDP9636JK(A,B,W)	420
RCE1L4878SSN	191	RCE962	197	RCFS6413Y(L/R)M	341	RDHMBD	280
RCE1L4884SSN	191	RCEAL223660	146	RCFS6413Y(L/R)W	347	RDHMF	280
RCE1L6042SSN	191	RCEAL223672	146	RCFS6413Z(L/R)M	341	RDHMH7210	258
RCE1L6048DSN	191	RCEAL224260	146	RCFS6413Z(L/R)W	347	RDHMH7211	258
RCE1L6048SDN	191	RCEAL224272	146	RCFS6432V(L/R)M	342	RDHMH7212	258
RCE1L6048SSN	191	RCEAL224872	146	RCFS6432V(L/R)W	348	RDHMH7220	258
RCE1L6642SSN	191	RCEAL224884	146	RCFS6432W(L/R)M	342	RDHMH7222	258
RCE1L6648DSN	191	RCEAL224896	146	RCFS6432W(L/R)W	348	RDHMH7230	258
RCE1L6648SDN	191	RCEAR223660	146	RCFS6432X(L/R)M	342	RDHMH7240	258
RCE1L6648SSN	191	RCEAR223672	146	RCFS6432X(L/R)W	348	RDHMH7810	258
RCE1L7242SSN	191	RCEAR224260	146	RCFS6433V(L/R)M	342	RDHMH7811	258
RCE1L7248DSN	191	RCEAR224272	146	RCFS6433V(L/R)W	348	RDHMH7812	258
RCE1L7248SDN	191	RCEAR224872	146	RCFS6433W(L/R)M	342	RDHMH7813	258
RCE1L7248SSN	191	RCEAR224884	146	RCFS6433W(L/R)W	348	RDHMH7820	258
RCE1L7842SSN	191	RCEAR224896	146	RCFS6433X(L/R)M	342	RDHMH7822	258
RCE1L7848SSN	191	RCEEG1021	198	RCFS6433X(L/R)W	348	RDHMH7823	258
RCE1L8448SSN	191	RCEEG1022	198	RCFS6812C(L/R)M	343	RDHMH7830	258
RCE1R1212C	427	RCEEG1081	198	RCFS6812C(L/R)W	349	RDHMH7840	258
RCE1R2424N	188	RCEEG1082	198	RCFS6812Y(L/R)M	343	RDHMH8410	259
RCE1R2430N	188	RCEEG601	198	RCFS6812Y(L/R)W	349	RDHMH8411	258
RCE1R3024N	188	RCEEG602	198	RCFS6812Z(L/R)M	343	RDHMH8412	258
RCE1R3030N	188	RCEEG661	198	RCFS6812Z(L/R)W	349	RDHMH8413	258
RCE1R3624N	188	RCEEG662	198	RCFS6813C(L/R)M	343	RDHMH8414	258
RCE1R3630N	188	RCEEG721	198	RCFS6813C(L/R)W	349	RDHMH8420	259
RCE1R4224N	188	RCEEG722	198	RCFS6813Y(L/R)M	343	RDHMH8422	258
RCE1R4230N	188	RCEEG781	198	RCFS6813Y(L/R)W	349	RDHMH8423	258
RCE1R4824N	188	RCEEG782	198	RCFS6813Z(L/R)M	343	RDHMH8424	258
RCE1R4830N	188	RCEEG841	198	RCFS6813Z(L/R)W	349	RDHMH8430	259
RCE1R5424N	188	RCEEG842	198	RCFS6832V(L/R)M	344	RDHMH8440	259
RCE1R5430N	188	RCEEG901	198	RCFS6832V(L/R)W	350	RDHMH9010	259
RCE1R6024N	188	RCEEG902	198	RCFS6832W(L/R)M	344	RDHMH9011	258
RCE1R6030N	188	RCEEG961	198	RCFS6832W(L/R)W	350	RDHMH9012	258
RCE1R6624N	188	RCEEG962	198	RCFS6832X(L/R)M	344	RDHMH9013	258
RCE1R6630N	188	RCFS4912C(L/R)M	339	RCFS6832X(L/R)W	350	RDHMH9014	258
RCE1R7224N	188	RCFS4912C(L/R)W	345	RCFS6833V(L/R)M	344	RDHMH9020	259
RCE1R7230N	188	RCFS4912Y(L/R)M	339	RCFS6833V(L/R)W	350	RDHMH9022	258

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RDHMH9023	258	RDHMR9010	255	RDTCE33H	430	RDTSHWG142(L/R)	352
RDHMH9024	258	RDHMR9011	256	RDTCO6010	495	RDTSHWG156(L/R)	352
RDHMH9030	259	RDHMR9012	256	RDTCO7210	495	RDTSHWT142(L/R)	352
RDHMH9033	258	RDHMR9013	256	RDTDBW3142	354	RDTSHWT156(L/R)	352
RDHMH9040	259	RDHMR9014	256	RDTDBW3156	354	RDTSTE33120	431
RDHMH9610	259	RDHMR9020	255	RDTDBW6142	354	RDTSTE3372	431
RDHMH9611	258	RDHMR9022	256	RDTDBW6156	354	RDTSTE33H	431
RDHMH9612	258	RDHMR9023	256	RDTDCFM(L/R)5430	226	RE12F	245
RDHMH9613	258	RDHMR9024	256	RDTDCFM(L/R)5436	226	RE15F	245
RDHMH9614	258	RDHMR9030	255	RDTDCFM(L/R)6030	226	RE19F	245
RDHMH9620	259	RDHMR9040	255	RDTDCFM(L/R)6036	226	RE23F	245
RDHMH9622	258	RDHMR9610	255	RDTDCFM(L/R)6630	226	RE29F	245
RDHMH9623	258	RDHMR9611	256	RDTDCFM(L/R)6636	226	RE30	245
RDHMH9624	258	RDHMR9612	256	RDTDCFM(L/R)7230	226	RE36	245
RDHMH9630	259	RDHMR9613	256	RDTDCFM(L/R)7236	226	REBA6030	149
RDHMH9633	258	RDHMR9614	256	RDTDCFM(L/R)7830	226	REBA7242	149
RDHMH9640	259	RDHMR9620	255	RDTDCFM(L/R)7836	226	REBA7848	149
RDHMLD	280	RDHMR9622	256	RDTDCFM(L/R)8430	226	REBA(A/B/C/D/E/F/G)A6030	166
RDHMR10210	255	RDHMR9623	256	RDTDCFM(L/R)8436	226	REBA(A/B/C/D/E/F/G)A7242	166
RDHMR10211	256	RDHMR9624	256	RDTDCPC(L/R)6630	224	REBA(A/B/C/D/E/F/G)A7848	166
RDHMR10212	256	RDHMR9630	255	RDTDCPC(L/R)6636	224	REBAWA6030	185
RDHMR10213	256	RDHMR9633	256	RDTDCPC(L/R)7230	224	REBAWA7242	185
RDHMR10214	256	RDHMR9640	255	RDTDCPC(L/R)7236	224	REBAWA7848	185
RDHMR10220	255	RDHPM26	260	RDTDCPC(L/R)7830	224	REBH24	185
RDHMR10222	256	RDHPM32	260	RDTDCPC(L/R)7836	224	REBH30	185
RDHMR10223	256	RDHPM38	260	RDTDCPC(L/R)8430	224	REDH12F	247
RDHMR10224	256	RDHPM44	260	RDTDCPC(L/R)8436	224	REDH15F	247
RDHMR10230	255	RDHPM50	260	RDTDCPC(L/R)9030	224	REDH19F	247
RDHMR10233	256	RDHPM56	260	RDTDCPC(L/R)9036	224	REDH23F	247
RDHMR10240	255	RDHPM62	260	RDTDCPC(L/R)9630	224	REDH29F	247
RDHMR10810	255	RDHPM68	260	RDTDCPC(L/R)9636	224	REDH30	247
RDHMR10811	257	RDHPM74	260	RDTDCST(L/R)6630	225	REDH36	247
RDHMR10812	257	RDSP6030J(A,B,W)	419	RDTDCST(L/R)6636	225	REDHBH124	248
RDHMR10813	257	RDSP6036J(A,B,W)	419	RDTDCST(L/R)7230	225	REDHBH130	248
RDHMR10814	257	RDSP7230J(A,B,W)	419	RDTDCST(L/R)7236	225	RFDR30	439
RDHMR10820	255	RDSP7236J(A,B,W)	419	RDTDCST(L/R)7830	225	RFDR36	439
RDHMR10822	257	RDSP8430J(A,B,W)	419	RDTDCST(L/R)7836	225	RFDR42	439
RDHMR10823	257	RDSP8436J(A,B,W)	419	RDTDCST(L/R)8430	225	RFDR48	439
RDHMR10824	257	RDSP9630J(A,B,W)	419	RDTDCST(L/R)8436	225	RFDR60	439
RDHMR10830	255	RDSP9636J(A,B,W)	419	RDTDCST(L/R)9030	225	RFDR72	439
RDHMR10833	256	RDTAGG3142(L/R)	356	RDTDCST(L/R)9036	225	RFDR84	439
RDHMR10840	255	RDTAGG3156(L/R)	356	RDTDCST(L/R)9630	225	RFDR96	439
RDHMR7210	255	RDTAGG6142(L/R)	356	RDTDCST(L/R)9636	225	RFTCC108	125
RDHMR7211	256	RDTAGG6156(L/R)	356	RDTDCW3142	356	RFTCCLIPS	125
RDHMR7212	256	RDTAGW3142(L/R)	356	RDTDCW3156	356	RFTCDR (Pair)	125
RDHMR7220	255	RDTAGW3156(L/R)	356	RDTDCW6142	356	RFTCG1 (Pair)	125
RDHMR7222	256	RDTAGW6142(L/R)	356	RDTDCW6156	356	RFTCSM (Pair) for G2 only	125
RDHMR7230	255	RDTAGW6156(L/R)	356	RDTDHW3142	355	RFTCSPACE	125
RDHMR7240	255	RDTAHC3142(L/R)	357	RDTDHW3156	355	RFTCWA2118	118
RDHMR7810	255	RDTAHC3156(L/R)	357	RDTDHW6142	355	RFTCWA2120	118
RDHMR7811	256	RDTAHC6142(L/R)	357	RDTDHW6156	355	RFTCWA2124	118
RDHMR7812	256	RDTAHC6156(L/R)	357	RDTE22120	430	RFTCWA2130	118
RDHMR7820	255	RDTAHW3142(L/R)	357	RDTE2272	430	RFTCWA2136	118
RDHMR7822	256	RDTAHW3156(L/R)	357	RDTE22H	430	RFTCWA2142	118
RDHMR7830	255	RDTAHW6142(L/R)	357	RDTGA	430	RFTCWA2148	118
RDHMR7840	255	RDTAHW6156(L/R)	357	RDTGB	430	RFTCWA2518	119
RDHMR8410	255	RDTC3010	495	RDTGC	430	RFTCWA2520	119
RDHMR8411	256	RDTC3610	495	RDTSBWG142	351	RFTCWA2524	119
RDHMR8412	256	RDTC6010	495	RDTSBWG156	351	RFTCWA2530	119
RDHMR8414	256	RDTC7210	495	RDTSBWT142	351	RFTCWA2536	119
RDHMR8420	255	RDTC22120	430	RDTSBWT156	351	RFTCWA2542	119
RDHMR8422	256	RDTC2272	430	RDTSGWG142(L/R)	353	RFTCWA2548	119
RDHMR8423	256	RDTC22H	430	RDTSGWG156(L/R)	353	RFTCWA3718	120
RDHMR8430	255	RDTC23120	430	RDTSGWT142(L/R)	353	RFTCWA3720	120
RDHMR8440	255	RDTC2372	430	RDTSGWT156(L/R)	353	RFTCWA3724	120

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RFTCWA3730	120	RGAL851	417	RIP1302	230	RKA 424211	139
RFTCWA3736	120	RGAL852	417	RIP1361	229	RKA 424212	139
RFTCWA3742	120	RGAL853	417	RIP1362	230	RKA 424221	140
RFTCWA3748	120	RGAL911	417	RIPO201	229	RKA 424222	139
RFTCWB2130	118	RGAL912	417	RIPO202	230	RKA 424811	139
RFTCWB2136	118	RGAL913	417	RIPO241	229	RKA 424812	139
RFTCWB2142	118	RGAL971	417	RIPO242	230	RKA 424821	140
RFTCWB2148	118	RGAL972	417	RIPO301	229	RKA 424822	139
RFTCWB2530	119	RGAL973	417	RIPO302	230	RKA 483611	139
RFTCWB2536	119	RGAR431	416	RIPO361	229	RKA 483612	139
RFTCWB2542	119	RGAR432	416	RIPO362	230	RKA 483621	140
RFTCWB2548	119	RGAR433	416	RIPOG201	229	RKA 483622	139
RFTCWB3730	120	RGAR491	416	RIPOG202	230	RKA 484211	139
RFTCWB3736	120	RGAR492	416	RIPOG241	229	RKA 484212	139
RFTCWB3742	120	RGAR493	416	RIPOG242	230	RKA 484221	140
RFTCWB3748	120	RGAR551	416	RIPOG301	229	RKA 484222	139
RFTCWS21S	125	RGAR552	416	RIPOG302	230	RKA 484811	139
RFTCWS25S	125	RGAR553	416	RIPOG361	229	RKA 484812	139
RFTCWS37S	125	RGAR611	416	RIPOG362	230	RKA 484821	140
RFTCWT (Pair)	125	RGAR612	416	RIPPEI202	219	RKA 484822	139
RGAB421	415	RGAR613	416	RIPPEI242	219	RKBA1020	426
RGAB481	415	RGAR671	416	RIPPEI302	219	RKBA1022	426
RGAB541	415	RGAR672	416	RIPPEI362	219	RKT31	426
RGAB601	415	RGAR673	416	RIPPEO202	219	RLCCT301	291
RGAB661	415	RGAR731	416	RIPPEO242	219	RLCCT361	291
RGAB721	415	RGAR732	416	RIPPEO302	219	RLCCT601	291
RGAB781	415	RGAR733	416	RIPPEO362	219	RLCCT721	291
RGAB841	415	RGAR791	416	RIPPEOG202	219	RM111J	271, 272
RGAB901	415	RGAR792	416	RIPPEOG242	219	RM112J	271, 272
RGAB961	415	RGAR793	416	RIPPEOG302	219	RM212J	271, 272
RGAF622	415	RGAR851	416	RIPPEOG362	219	RM212K	271, 272
RGAF623	415	RGAR852	416	RJBU24	429	RM9A4230	148
RGAF682	415	RGAR853	416	RJBU30	429	RM9A4836	148
RGAF683	415	RGAR911	416	RJBU36	429	RM9A8430	148
RGAF742	415	RGAR912	416	RJBU42	429	RM9A9630	148
RGAF743	415	RGAR913	416	RJBU48	429	RM9A(A/B/C/D/E/F/G)F4230	165
RGAF802	415	RGAR971	416	RJBU54	429	RM9A(A/B/C/D/E/F/G)F4836	165
RGAF803	415	RGAR972	416	RJBU60	429	RM9A(A/B/C/D/E/F/G)F8430	165
RGAF862	415	RGAR973	416	RJBU66	429	RM9A(A/B/C/D/E/F/G)F9630	165
RGAF863	415	RGMD6	133	RJBU72	429	RM9AWF4230	183
RGAF922	415	RGMD8	133	RJBW24	429	RM9AWF8430	183
RGAF923	415	RGMDE	133	RJBW30	429	RM9AWF9630	183
RGAF982	415	RGS60	415	RJBW36	429	RMB(A)7230	150
RGAF983	415	RGS66	415	RJBW42	429	RMB(A)7236	150
RGAL431	417	RGS72	415	RJBW48	429	RMB(A)8430	150
RGAL432	417	RGS78	415	RJBW54	429	RMB(A)8436	150
RGAL433	417	RGS84	415	RJBW60	429	RMB(A)9630	150
RGAL491	417	RGS90	415	RJBW66	429	RMB(A)9636	150
RGAL492	417	RGS96	415	RJBW72	429	RMBA(A/B/C/D/E/F/G)A7230	166
RGAL493	417	RCTL4636	418	RKA 363611	139	RMBA(A/B/C/D/E/F/G)A7236	166
RGAL551	417	RCTR4636	418	RKA 363612	139	RMBA(A/B/C/D/E/F/G)A8430	166
RGAL552	417	RHSCN15	117	RKA 363621	140	RMBA(A/B/C/D/E/F/G)A8436	166
RGAL553	417	RHSCN250	117	RKA 363622	139	RMBA(A/B/C/D/E/F/G)A9630	166
RGAL611	417	RHSCN70	117	RKA 364211	139	RMBA(A/B/C/D/E/F/G)A9636	166
RGAL612	417	RIB24T	249	RKA 364212	139	RMBAWA7230	184
RGAL613	417	RIB28X	250	RKA 364221	140	RMBAWA7236	184
RGAL671	417	RIB32X	250	RKA 364222	139	RMBAWA8430	184
RGAL672	417	RIBDH24T	252	RKA 364811	139	RMBAWA8436	184
RGAL673	417	RIBDH28X	253	RKA 364812	139	RMBAWA9630	184
RGAL731	417	RIBDH32X	253	RKA 364821	140	RMBAWA9636	184
RGAL732	417	RIP1201	229	RKA 364822	139	RMDA4221	147
RGAL733	417	RIP1202	230	RKA 423611	139	RMDA4230	147
RGAL791	417	RIP1241	229	RKA 423612	139	RMDA4236	147
RGAL792	417	RIP1242	230	RKA 423621	140	RMDA4830	147
RGAL793	417	RIP1301	229	RKA 423622	139	RMDA4836	147

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RMDA5025	147	RMPA(A/B/C/D/E/F/G)F4230	165	ROAH72T1DH	372	ROBO72T1()	364
RMDA5430	147	RMPA(A/B/C/D/E/F/G)F4836	165	ROAH72T1()	363	ROBO90T0DH	374
RMDA5436	147	RMPA(A/B/C/D/E/F/G)F8430	165	ROAH90T0DH	372	ROBO90T0()	364
RMDA6030	147	RMPA(A/B/C/D/E/F/G)F9630	165	ROAH90T0()	363	ROBO90T1DH	374
RMDA6036	147	RMPAWF4230	183	ROAH90T1DH	372	ROBO90T1()	364
RMDA6630	147	RMPAWF8430	183	ROAH90T1()	363	ROBO96T0DH	374
RMDA6636	147	RMPAWF9630	183	ROAH96T0DH	372	ROBO96T0()	364
RMDA7230	147	RMPU	286	ROAH96T0()	363	ROBO96T1DH	374
RMDA7236	147	RMSCB	241	ROAH96T1DH	372	ROBO96T1()	364
RMDA7830	147	RO1-GB	402	ROAH96T1()	363	ROCCGDHP301	393
RMDA7836	147	RO1-HP12	397, 399, 400	ROAO60T0DH	372	ROCCGDHP361	393
RMDA8430	147	RO1-HP15	397, 399, 400	ROAO60T0()	363	ROCCGDHP421	393
RMDA8436	147	RO1-HP6	397, 399, 400	ROAO60T1DH	372	ROCCGDHP481	393
RMDA9030	147	RO1-HP9	397, 399, 400	ROAO60T1()	363	ROCCGDHP541	393
RMDA9036	147	RO1-PULL	402	ROAO72T0DH	372	ROCCGDHP601	393
RMDA9630	147	RO1-RCB	401	ROAO72T0()	363	ROCCGDHP661	393
RMDA9636	147	RO1-RPB	401	ROAO72T1DH	372	ROCCGDHP721	393
RMDA(A/B/C/D/E/F/G)F4221	164	RO1-WMF2	402	ROAO72T1()	363	ROCCGDHP781	393
RMDA(A/B/C/D/E/F/G)F4230	164	RO1-WMF3	402	ROAO90T0DH	372	ROCCGDHP841	393
RMDA(A/B/C/D/E/F/G)F4236	164	RO1-WMF4	402	ROAO90T0()	363	ROCCGDHP901	393
RMDA(A/B/C/D/E/F/G)F4830	164	RO3-M24	396	ROAO90T1DH	372	ROCCGDHP961	393
RMDA(A/B/C/D/E/F/G)F4836	164	RO3-M30	396	ROAO90T1()	363	ROCCGSHP301	381
RMDA(A/B/C/D/E/F/G)F5025	164	RO3-M36	396	ROAO96T0DH	372	ROCCGSHP361	381
RMDA(A/B/C/D/E/F/G)F5430	164	RO3-M42	396	ROAO96T0()	363	ROCCGSHP421	381
RMDA(A/B/C/D/E/F/G)F5436	164	RO3-M48	396	ROAO96T1DH	372	ROCCGSHP481	381
RMDA(A/B/C/D/E/F/G)F6030	164	RO3-M60	396, 397	ROAO96T1()	363	ROCCGSHP541	381
RMDA(A/B/C/D/E/F/G)F6036	164	RO3-M66	396, 397	ROBF60S0DH	375	ROCCGSHP601	381
RMDA(A/B/C/D/E/F/G)F6630	164	RO3-M72	396, 397	ROBF60S0()	364	ROCCGSHP661	381
RMDA(A/B/C/D/E/F/G)F6636	164	RO3-N24	398	ROBF60S1DH	375	ROCCGSHP721	381
RMDA(A/B/C/D/E/F/G)F7230	164	RO3-N30	398	ROBF60S1()	364	ROCCGSHP781	381
RMDA(A/B/C/D/E/F/G)F7236	164	RO3-N36	398	ROBF72S0DH	375	ROCCGSHP841	381
RMDA(A/B/C/D/E/F/G)F7830	164	RO3-N42	398	ROBF72S0()	364	ROCCGSHP901	381
RMDA(A/B/C/D/E/F/G)F7836	164	RO3-N48	398	ROBF72S1DH	375	ROCCGSHP961	381
RMDA(A/B/C/D/E/F/G)F8430	164	RO3-N60	398	ROBF72S1()	364	ROCGHCDHP301	392
RMDA(A/B/C/D/E/F/G)F8436	164	RO3-N66	398	ROBF84S0DH	375	ROCGHCDHP361	392
RMDA(A/B/C/D/E/F/G)F9030	164	RO3-N72	398	ROBF84S0()	364	ROCGHCDHP421	392
RMDA(A/B/C/D/E/F/G)F9036	164	RO3-ON30	400	ROBF84S1DH	375	ROCGHCDHP481	392
RMDA(A/B/C/D/E/F/G)F9630	164	RO3-ON36	400	ROBF84S1()	364	ROCGHCDHP541	392
RMDA(A/B/C/D/E/F/G)F9636	164	RO3-ON42	400	ROBF96S0DH	375	ROCGHCDHP601	392
RMDAWF4221	182	RO3-ON48	400	ROBF96S0()	364	ROCGHCDHP661	392
RMDAWF4230	182	RO3-ON60	400	ROBF96S1DH	375	ROCGHCDHP721	392
RMDAWF4236	182	RO3-ON72	400	ROBF96S1()	364	ROCGHCDHP781	392
RMDAWF4830	182	RO3-VP	397, 400	ROBH60T0DH	374	ROCGHCDHP841	392
RMDAWF4836	182	ROAF60S0DH	373	ROBH60T0()	364	ROCGHCDHP901	392
RMDAWF5025	182	ROAF60S0()	363	ROBH60T1DH	374	ROCGHCDHP961	392
RMDAWF5430	182	ROAF60S1DH	373	ROBH60T1()	364	ROCGHCSHP301	383
RMDAWF5436	182	ROAF60S1()	363	ROBH72T0DH	374	ROCGHCSHP361	383
RMDAWF6030	182	ROAF72S0DH	373	ROBH72T0()	364	ROCGHCSHP421	383
RMDAWF6036	182	ROAF72S0()	363	ROBH72T1DH	374	ROCGHCSHP481	383
RMDAWF6630	182	ROAF72S1DH	373	ROBH72T1()	364	ROCGHCSHP541	383
RMDAWF6636	182	ROAF72S1()	363	ROBH90T0DH	374	ROCGHCSHP601	383
RMDAWF7230	182	ROAF84S0DH	373	ROBH90T0()	364	ROCGHCSHP661	383
RMDAWF7236	182	ROAF84S0()	363	ROBH90T1DH	374	ROCGHCSHP721	383
RMDAWF7830	182	ROAF84S1DH	373	ROBH90T1()	364	ROCGHCSHP781	383
RMDAWF7836	182	ROAF84S1()	363	ROBH96T0DH	374	ROCGHCSHP841	383
RMDAWF8430	182	ROAF96S0DH	373	ROBH96T0()	364	ROCGHCSHP901	383
RMDAWF8436	182	ROAF96S0()	363	ROBH96T1DH	374	ROCGHCSHP961	383
RMDAWF9030	182	ROAF96S1DH	373	ROBH96T1()	364	ROCGHOCDHP601	395
RMDAWF9036	182	ROAF96S1()	363	ROBO60T0DH	374	ROCGHOCDHP661	395
RMDAWF9630	182	ROAH60T0DH	372	ROBO60T0()	364	ROCGHOCDHP721	395
RMDAWF9636	182	ROAH60T0()	363	ROBO60T1DH	374	ROCGHOCDHP781	395
RMPA4230	148	ROAH60T1DH	372	ROBO60T1()	364	ROCGHOCDHP841	395
RMPA4836	148	ROAH60T1()	363	ROBO72T0DH	374	ROCGHOCDHP901	395
RMPA8430	149	ROAH72T0DH	372	ROBO72T0()	364	ROCGHOCDHP961	395
RMPA9630	149	ROAH72T0()	363	ROBO72T1DH	374	ROCGHOCSDHP601	385

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROCGHOC SHP661	385	ROCHSHP841	382	ROMDHMTF136RN	435	ROMDHWTF160RR	438
ROCGHOC SHP721	385	ROCHSHP901	382	ROMDHMTF136RR	436	ROMDHWTF166RB	437
ROCGHOC SHP781	385	ROCHSHP961	382	ROMDHMTF142RB	435	ROMDHWTF166RL	437
ROCGHOC SHP841	385	ROCOC DHP301	393	ROMDHMTF142RL	435	ROMDHWTF166RN	437
ROCGHOC SHP901	385	ROCOC DHP361	393	ROMDHMTF142RN	435	ROMDHWTF166RR	438
ROCGHOC SHP961	385	ROCOC DHP421	393	ROMDHMTF142RR	436	ROMDHWTF172RB	437
ROCHCDHP301	391	ROCOC DHP481	393	ROMDHMTF148RB	435	ROMDHWTF172RL	437
ROCHCDHP361	391	ROCOC DHP541	393	ROMDHMTF148RL	435	ROMDHWTF172RN	437
ROCHCDHP421	391	ROCOC DHP601	393	ROMDHMTF148RN	435	ROMDHWTF172RR	438
ROCHCDHP481	391	ROCOC DHP661	393	ROMDHMTF148RR	436	ROMDHWTF178RB	437
ROCHCDHP541	391	ROCOC DHP721	393	ROMDHMTF154RB	435	ROMDHWTF178RL	437
ROCHCDHP601	391	ROCOC DHP781	393	ROMDHMTF154RL	435	ROMDHWTF178RN	437
ROCHCDHP661	391	ROCOC DHP841	393	ROMDHMTF154RN	435	ROMDHWTF178RR	438
ROCHCDHP721	391	ROCOC DHP901	393	ROMDHMTF154RR	436	ROMDHWTF184RB	437
ROCHCDHP781	391	ROCOC DHP961	393	ROMDHMTF160RB	435	ROMDHWTF184RL	437
ROCHCDHP841	391	ROCOC SHP301	381	ROMDHMTF160RL	435	ROMDHWTF184RN	437
ROCHCDHP901	391	ROCOC SHP361	381	ROMDHMTF160RN	435	ROMDHWTF184RR	438
ROCHCDHP961	391	ROCOC SHP421	381	ROMDHMTF160RR	436	ROMDHWTF190RB	437
ROCHCSHP301	382	ROCOC SHP481	381	ROMDHMTF166RB	435	ROMDHWTF190RL	437
ROCHCSHP361	382	ROCOC SHP541	381	ROMDHMTF166RL	435	ROMDHWTF190RN	437
ROCHCSHP421	382	ROCOC SHP601	381	ROMDHMTF166RN	435	ROMDHWTF190RR	438
ROCHCSHP481	382	ROCOC SHP661	381	ROMDHMTF166RR	436	ROMDHWTF196RB	437
ROCHCSHP541	382	ROCOC SHP721	381	ROMDHMTF172RB	435	ROMDHWTF196RL	437
ROCHCSHP601	382	ROCOC SHP781	381	ROMDHMTF172RL	435	ROMDHWTF196RN	437
ROCHCSHP661	382	ROCOC SHP841	381	ROMDHMTF172RN	435	ROMDHWTF196RR	438
ROCHCSHP721	382	ROCOC SHP901	381	ROMDHMTF172RR	436	ROMF30S0()	358
ROCHCSHP781	382	ROCOC SHP961	381	ROMDHMTF178RB	435	ROMF36S0()	358
ROCHCSHP841	382	ROHDR30	439	ROMDHMTF178RL	435	ROMF42S0()	358
ROCHCSHP901	382	ROHDR36	439	ROMDHMTF178RN	435	ROMF48S0()	358
ROCHCSHP961	382	ROHDR42	439	ROMDHMTF178RR	436	ROMF60S0()	358
ROCHDHP301	391	ROHDR48	439	ROMDHMTF184RB	435	ROMF72S0()	358
ROCHDHP361	391	ROHDR60	439	ROMDHMTF184RL	435	ROMGCHDHP301	387
ROCHDHP421	391	ROHDR72	439	ROMDHMTF184RN	435	ROMGCHDHP361	387
ROCHDHP481	391	ROHDR90	439	ROMDHMTF184RR	436	ROMGCHDHP421	387
ROCHDHP541	391	ROHDR96	439	ROMDHMTF190RB	435	ROMGCHDHP481	387
ROCHDHP601	391	ROMCCDHP301	388	ROMDHMTF190RL	435	ROMGCHDHP541	387
ROCHDHP661	391	ROMCCDHP361	388	ROMDHMTF190RN	435	ROMGCHDHP601	387
ROCHDHP721	391	ROMCCDHP421	388	ROMDHMTF190RR	436	ROMGCHDHP661	387
ROCHDHP781	391	ROMCCDHP481	388	ROMDHMTF196RB	435	ROMGCHDHP721	387
ROCHDHP841	391	ROMCCDHP541	388	ROMDHMTF196RL	435	ROMGCHDHP781	387
ROCHDHP901	391	ROMCCDHP601	388	ROMDHMTF196RN	435	ROMGCHDHP841	387
ROCHDHP961	391	ROMCCDHP661	388	ROMDHMTF196RR	436	ROMGCHDHP901	387
ROCHOC DHP601	394	ROMCCDHP721	388	ROMDHWTF130RB	437	ROMGCHDHP961	387
ROCHOC DHP661	394	ROMCCDHP781	388	ROMDHWTF130RL	437	ROMGCHCSHP301	378
ROCHOC DHP721	394	ROMCCDHP841	388	ROMDHWTF130RN	437	ROMGCHCSHP361	378
ROCHOC DHP781	394	ROMCCDHP901	388	ROMDHWTF130RR	438	ROMGCHCSHP421	378
ROCHOC DHP841	394	ROMCCDHP961	388	ROMDHWTF136RB	437	ROMGCHCSHP481	378
ROCHOC DHP901	394	ROMCCSHP301	376	ROMDHWTF136RL	437	ROMGCHCSHP541	378
ROCHOC DHP961	394	ROMCCSHP361	376	ROMDHWTF136RN	437	ROMGCHCSHP601	378
ROCHOC SHP601	384	ROMCCSHP421	376	ROMDHWTF136RR	438	ROMGCHCSHP661	378
ROCHOC SHP661	384	ROMCCSHP481	376	ROMDHWTF142RB	437	ROMGCHCSHP721	378
ROCHOC SHP721	384	ROMCCSHP541	376	ROMDHWTF142RL	437	ROMGCHCSHP781	378
ROCHOC SHP781	384	ROMCCSHP601	376	ROMDHWTF142RN	437	ROMGCHCSHP841	378
ROCHOC SHP841	384	ROMCCSHP661	376	ROMDHWTF142RR	438	ROMGCHCSHP901	378
ROCHOC SHP901	384	ROMCCSHP721	376	ROMDHWTF148RB	437	ROMGCHCSHP961	378
ROCHOC SHP961	384	ROMCCSHP781	376	ROMDHWTF148RL	437	ROMGHOC DHP601	390
ROCHSHP301	382	ROMCCSHP841	376	ROMDHWTF148RN	437	ROMGHOC DHP661	390
ROCHSHP361	382	ROMCCSHP901	376	ROMDHWTF148RR	438	ROMGHOC DHP721	390
ROCHSHP421	382	ROMCCSHP961	376	ROMDHWTF154RB	437	ROMGHOC DHP781	390
ROCHSHP481	382	ROMDHMTF130RB	435	ROMDHWTF154RL	437	ROMGHOC DHP841	390
ROCHSHP541	382	ROMDHMTF130RL	435	ROMDHWTF154RN	437	ROMGHOC DHP901	390
ROCHSHP601	382	ROMDHMTF130RN	435	ROMDHWTF154RR	438	ROMGHOC DHP961	390
ROCHSHP661	382	ROMDHMTF130RR	436	ROMDHWTF160RB	437	ROMGHOC SHP601	380
ROCHSHP721	382	ROMDHMTF136RB	435	ROMDHWTF160RL	437	ROMGHOC SHP661	380
ROCHSHP781	382	ROMDHMTF136RL	435	ROMDHWTF160RN	437	ROMGHOC SHP721	380

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ROMGHOCSHP781	380	ROMHSHP721	377	ROPS30S0NN	360	ROWO90S1()	361
ROMGHOCSHP841	380	ROMHSHP781	377	ROPS36S0NN	360	ROWO90T0DH	368
ROMGHOCSHP901	380	ROMHSHP841	377	ROPS42S0NN	360	ROWO90T0()	361
ROMGHOCSHP961	380	ROMHSHP901	377	ROPS48S0NN	360	ROWO90T1DH	368
ROMH30S0()	358	ROMHSHP961	377	ROPS54S0NN	360	ROWO90T1()	361
ROMH36S0()	358	ROMO30S0()	358	ROPS60S0NN	360	ROWO96S0DH	367
ROMH60S0()	358	ROMO36S0()	358	ROPS66S0NN	360	ROWO96S0()	361
ROMH72S0()	358	ROMO42S0()	358	ROPS72S0NN	360	ROWO96S1DH	367
ROMHCDHP301	386	ROMO48S0()	358	ROPS78S0NN	360	ROWO96S1()	361
ROMHCDHP361	386	ROMO60S0()	358	ROPS84S0NN	360	ROWO96T0DH	368
ROMHCDHP421	386	ROMO72S0()	358	ROPS90S0NN	360	ROWO96T0()	361
ROMHCDHP481	386	ROMOCDHP301	388	ROPS96S0NN	360	ROWO96T1DH	368
ROMHCDHP541	386	ROMOCDHP361	388	ROSDH821	371	ROWO96T1()	361
ROMHCDHP601	386	ROMOCDHP421	388	ROSSH681	371	RP161J	273, 275
ROMHCDHP661	386	ROMOCDHP481	388	ROWH60S0DH	369	RP161K	273, 275
ROMHCDHP721	386	ROMOCDHP541	388	ROWH60S0()	361	RP161L(L/R)	277, 278
ROMHCDHP781	386	ROMOCDHP601	388	ROWH60S1DH	369	RP161M	277, 278
ROMHCDHP841	386	ROMOCDHP661	388	ROWH60S1()	361	RP161R	281, 282
ROMHCDHP901	386	ROMOCDHP721	388	ROWH60T0DH	370	RP162J	273, 275
ROMHCDHP961	386	ROMOCDHP781	388	ROWH60T0()	361	RP162K	273, 275
ROMHCSHP301	377	ROMOCDHP841	388	ROWH60T1DH	370	RP162L(L/R)	277, 278
ROMHCSHP361	377	ROMOCDHP901	388	ROWH60T1()	361	RP162M	277, 278
ROMHCSHP421	377	ROMOCDHP961	388	ROWH72S0DH	369	RP162R	281, 282
ROMHCSHP481	377	ROMOCSHP301	376	ROWH72S0()	361	RP163J	273, 275
ROMHCSHP541	377	ROMOCSHP361	376	ROWH72S1DH	369	RP163K	273, 275
ROMHCSHP601	377	ROMOCSHP421	376	ROWH72S1()	361	RP163L(L/R)	277, 278
ROMHCSHP661	377	ROMOCSHP481	376	ROWH72T0DH	370	RP163M	277, 278
ROMHCSHP721	377	ROMOCSHP541	376	ROWH72T0()	361	RP191J	274, 276
ROMHCSHP781	377	ROMOCSHP601	376	ROWH72T1DH	370	RP191K	274, 276
ROMHCSHP841	377	ROMOCSHP661	376	ROWH72T1()	361	RP191R	281, 282
ROMHCSHP901	377	ROMOCSHP721	376	ROWH90S0DH	369	RP192J	274, 276
ROMHCSHP961	377	ROMOCSHP781	376	ROWH90S0()	361	RP192K	274, 276
ROMHDHP301	386	ROMOCSHP841	376	ROWH90S1DH	369	RP192R	281, 282
ROMHDHP361	386	ROMOCSHP901	376	ROWH90S1()	361	RP193J	274, 276
ROMHDHP421	386	ROMOCSHP961	376	ROWH90T0DH	370	RP193K	274, 276
ROMHDHP481	386	ROPF30S0J	360	ROWH90T0()	361	RP211J	261, 264
ROMHDHP541	386	ROPF36S0J	360	ROWH90T1DH	370	RP211K	261, 264
ROMHDHP601	386	ROPF42S0J	360	ROWH90T1()	361	RP211L(L/R)	267, 269
ROMHDHP661	386	ROPF48S0J	360	ROWH96S0DH	369	RP211M	267, 269
ROMHDHP721	386	ROPF60S0J	360	ROWH96S0()	361	RP212J	261, 264
ROMHDHP781	386	ROPF72S0J	360	ROWH96S1DH	369	RP212K	261, 264
ROMHDHP841	386	ROPF84S0J	360	ROWH96S1()	361	RP212L(L/R)	267, 269
ROMHDHP901	386	ROPF96S0J	360	ROWH96T0DH	370	RP212M	267, 269
ROMHDHP961	386	ROPH30S0()	359	ROWH96T0()	361	RP213J	261, 264
ROMHOCDHP601	389	ROPH36S0()	359	ROWH96T1DH	370	RP213K	261, 264
ROMHOCDHP661	389	ROPH60S0()	359	ROWH96T1()	361	RP213L(L/R)	267, 269
ROMHOCDHP721	389	ROPH60T0()	359	ROWO60S0DH	367	RP213M	267, 269
ROMHOCDHP781	389	ROPH72S0()	359	ROWO60S0()	361	RP221J	263, 266
ROMHOCDHP841	389	ROPH72T0()	359	ROWO60S1DH	367	RP221K	263, 266
ROMHOCDHP901	389	ROPH90S0()	359	ROWO60S1()	361	RP222J	263, 266
ROMHOCDHP961	389	ROPH90T0()	359	ROWO60T0DH	368	RP222K	263, 266
ROMHOCSHP601	379	ROPH96S0()	359	ROWO60T0()	361	RP223J	263, 266
ROMHOCSHP661	379	ROPH96T0()	359	ROWO60T1DH	368	RP223K	263, 266
ROMHOCSHP721	379	ROPO30S0()	359	ROWO60T1()	361	RP231K	261, 264
ROMHOCSHP781	379	ROPO36S0()	359	ROWO72S0DH	367	RP231L	267, 269
ROMHOCSHP841	379	ROPO42S0()	359	ROWO72S0()	361	RP231M	267, 269
ROMHOCSHP901	379	ROPO48S0()	359	ROWO72S1DH	367	RP232K	261, 264
ROMHOCSHP961	379	ROPO60S0()	359	ROWO72S1()	361	RP232L	267, 269
ROMHSHP301	377	ROPO60T0()	359	ROWO72T0DH	368	RP232M	267, 269
ROMHSHP361	377	ROPO72S0()	359	ROWO72T0()	361	RP261K	261, 264
ROMHSHP421	377	ROPO72T0()	359	ROWO72T1DH	368	RP261L	267, 269
ROMHSHP481	377	ROPO90S0()	359	ROWO72T1()	361	RP261M	267, 269
ROMHSHP541	377	ROPO90T0()	359	ROWO90S0DH	367	RP262K	261, 264
ROMHSHP601	377	ROPO96S0()	359	ROWO90S0()	361	RP262L	267, 269
ROMHSHP661	377	ROPO96T0()	359	ROWO90S1DH	367	RP262M	267, 269

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RP301A	283	RPB261M	268, 270	RPHL4979S	114	RPTDLST(L/R)7220	208
RP301E(L/R)	284	RPB262K	262, 265	RPHL6479(F/T)	114	RPTDLST(L/R)7224	208
RP301K	273, 275	RPB262L	268, 270	RPHL6479S	114	RPTDLST(L/R)7230	208
RP301L	277, 278	RPB262M	268, 270	RPTH83024	432	RPTDLST(L/R)7236	208
RP301M	277, 278	RPCB16	285	RPTH84224	432	RPTDLST(L/R)7820	208
RP301R	281, 282	RPCB19	285	RPHWB3024	432	RPTDLST(L/R)7824	208
RP301S	281, 282	RPCB30	285	RPHWB4224	432	RPTDLST(L/R)7830	208
RP301T	281, 282	RPCB36	285	RPTDCFM8430	223	RPTDLST(L/R)7836	208
RP302A	283	RPCG	430	RPTDCFM9630	223	RPTDLST(L/R)8420	208
RP302E(L/R)	284	RPCST	430	RPTDLFM(L/R)4820	209	RPTDLST(L/R)8424	208
RP302K	273, 275	RPD11	433	RPTDLFM(L/R)4824	209	RPTDLST(L/R)8430	208
RP302L	277, 278	RPD14	433	RPTDLFM(L/R)4830	209	RPTDLST(L/R)8436	208
RP302M	277, 278	RPDHB16	278	RPTDLFM(L/R)4836	209	RPTDOFM(L/R)4820	218
RP302R	281, 282	RPDHB19	278	RPTDLFM(L/R)5420	209	RPTDOFM(L/R)4824	218
RP302S	281, 282	RPDHB30	278	RPTDLFM(L/R)5424	209	RPTDOFM(L/R)4830	218
RP302T	281, 282	RPDHB36	278	RPTDLFM(L/R)5430	209	RPTDOFM(L/R)4836	218
RP361A	283	RPDHB6	285	RPTDLFM(L/R)5436	209	RPTDOFM(L/R)5420	218
RP361E(L/R)	284	RPDHC42MF	285	RPTDLFM(L/R)6020	209	RPTDOFM(L/R)5424	218
RP361K	273, 275	RPDHC48MF	285	RPTDLFM(L/R)6024	209	RPTDOFM(L/R)5430	218
RP361L	277, 278	RPDHC54MF	285	RPTDLFM(L/R)6030	209	RPTDOFM(L/R)5436	218
RP361M	277, 278	RPDHC60MF	285	RPTDLFM(L/R)6036	209	RPTDOFM(L/R)6020	218
RP361R	281, 282	RPDHC66MF	285	RPTDLFM(L/R)6620	209	RPTDOFM(L/R)6024	218
RP361S	281, 282	RPDHC72MF	285	RPTDLFM(L/R)6624	209	RPTDOFM(L/R)6030	218
RP361T	281, 282	RPDHC78MF	285	RPTDLFM(L/R)6630	209	RPTDOFM(L/R)6036	218
RP362A	283	RPDHC84MF	285	RPTDLFM(L/R)6636	209	RPTDOFM(L/R)6620	218
RP362E(L/R)	284	RPDHC90MF	285	RPTDLFM(L/R)7220	209	RPTDOFM(L/R)6624	218
RP362K	273, 275	RPDHC96MF	285	RPTDLFM(L/R)7224	209	RPTDOFM(L/R)6630	218
RP362L	277, 278	RPDHH301A	279	RPTDLFM(L/R)7230	209	RPTDOFM(L/R)6636	218
RP362M	277, 278	RPDHH302A	279	RPTDLFM(L/R)7236	209	RPTDOFM(L/R)7220	218
RP362R	281, 282	RPDHH361A	279	RPTDLFM(L/R)7820	209	RPTDOFM(L/R)7224	218
RP362S	281, 282	RPDHH362A	279	RPTDLFM(L/R)7824	209	RPTDOFM(L/R)7230	218
RP362T	281, 282	RPECC10	527	RPTDLFM(L/R)7830	209	RPTDOFM(L/R)7236	218
RPAB16	271, 272	RPEDK1	526	RPTDLFM(L/R)7836	209	RPTDOFM(L/R)7820	218
RPAB19	271, 272	RPEDK2	526	RPTDLFM(L/R)8420	209	RPTDOFM(L/R)7824	218
RPAB30	271, 272	RPEHC	526	RPTDLFM(L/R)8424	209	RPTDOFM(L/R)7830	218
RPAB36	271, 272	RPEJ12	526	RPTDLFM(L/R)8430	209	RPTDOFM(L/R)7836	218
RPAD	426	RPEJ24	526	RPTDLFM(L/R)8436	209	RPTDOFM(L/R)8420	218
RPADSS	432	RPEJ36	526	RPTDLPC(L/R)6020	207	RPTDOFM(L/R)8424	218
RPAHFB16	432	RPEJ48	526	RPTDLPC(L/R)6024	207	RPTDOFM(L/R)8430	218
RPAHFB30	432	RPEJ60	526	RPTDLPC(L/R)6030	207	RPTDOFM(L/R)8436	218
RPAHFB36	432	RPEJ72	526	RPTDLPC(L/R)6036	207	RPTDOPC(L/R)6020	216
RPAHFM162	433	RPEJ84	526	RPTDLPC(L/R)6620	207	RPTDOPC(L/R)6024	216
RPAHFM30	433	RPEJ96	526	RPTDLPC(L/R)6624	207	RPTDOPC(L/R)6030	216
RPAHFM36	433	RPEPE10	526	RPTDLPC(L/R)6630	207	RPTDOPC(L/R)6036	216
RPAPT	433	RPEPE5	526	RPTDLPC(L/R)6636	207	RPTDOPC(L/R)6620	216
RPB211J	262, 265	RPER2RC	527	RPTDLPC(L/R)7220	207	RPTDOPC(L/R)6624	216
RPB211K	262, 265	RPETAD	433	RPTDLPC(L/R)7224	207	RPTDOPC(L/R)6630	216
RPB211L(L/R)	268, 270	RPETRAY3C	433	RPTDLPC(L/R)7230	207	RPTDOPC(L/R)6636	216
RPB211M	268, 270	RPETRAY3N	433	RPTDLPC(L/R)7236	207	RPTDOPC(L/R)7220	216
RPB212J	262, 265	RPFC6	285	RPTDLPC(L/R)7820	207	RPTDOPC(L/R)7224	216
RPB212K	262, 265	RPHCHH	432	RPTDLPC(L/R)7824	207	RPTDOPC(L/R)7230	216
RPB212L(L/R)	268, 270	RPHCHT	432	RPTDLPC(L/R)7830	207	RPTDOPC(L/R)7236	216
RPB212M	268, 270	RPHL3442(F/T)	114	RPTDLPC(L/R)7836	207	RPTDOPC(L/R)7820	216
RPB213J	262, 265	RPHL3449(F/T)	114	RPTDLPC(L/R)8420	207	RPTDOPC(L/R)7824	216
RPB213K	262, 265	RPHL3464(F/T)	114	RPTDLPC(L/R)8424	207	RPTDOPC(L/R)7830	216
RPB213L(L/R)	268, 270	RPHL3479(F/T)	114	RPTDLPC(L/R)8430	207	RPTDOPC(L/R)7836	216
RPB213M	268, 270	RPHL4249(F/T)	114	RPTDLPC(L/R)8436	207	RPTDOPC(L/R)8420	216
RPB231K	262, 265	RPHL4249S	114	RPTDLST(L/R)6020	208	RPTDOPC(L/R)8424	216
RPB231L	268, 270	RPHL4264(F/T)	114	RPTDLST(L/R)6024	208	RPTDOPC(L/R)8430	216
RPB231M	268, 270	RPHL4264S	114	RPTDLST(L/R)6030	208	RPTDOPC(L/R)8436	216
RPB232K	262, 265	RPHL4279(F/T)	114	RPTDLST(L/R)6036	208	RPTDOST(L/R)6020	217
RPB232L	268, 270	RPHL4279S	114	RPTDLST(L/R)6620	208	RPTDOST(L/R)6024	217
RPB232M	268, 270	RPHL4964(F/T)	114	RPTDLST(L/R)6624	208	RPTDOST(L/R)6030	217
RPB261K	262, 265	RPHL4964S	114	RPTDLST(L/R)6630	208	RPTDOST(L/R)6036	217
RPB261L	268, 270	RPHL4979(F/T)	114	RPTDLST(L/R)6636	208	RPTDOST(L/R)6620	217

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RPTDOST(L/R)6624	217	RPTDRST(L/R)6030	211	RPTDSPC(L/R)8436	213	RR3EBVC50	135
RPTDOST(L/R)6630	217	RPTDRST(L/R)6036	211	RPTDSST(L/R)6020	214	RR3EBVC62	135
RPTDOST(L/R)6636	217	RPTDRST(L/R)6620	211	RPTDSST(L/R)6024	214	RR3EBVC64	135
RPTDOST(L/R)7220	217	RPTDRST(L/R)6624	211	RPTDSST(L/R)6030	214	RR3EBVC76	135
RPTDOST(L/R)7224	217	RPTDRST(L/R)6630	211	RPTDSST(L/R)6036	214	RR3EBVC78	135
RPTDOST(L/R)7230	217	RPTDRST(L/R)6636	211	RPTDSST(L/R)6620	214	RR3EBVC90	135
RPTDOST(L/R)7236	217	RPTDRST(L/R)7220	211	RPTDSST(L/R)6624	214	RR3-EJ18	127
RPTDOST(L/R)7820	217	RPTDRST(L/R)7224	211	RPTDSST(L/R)6630	214	RR3-EJ18P	127
RPTDOST(L/R)7824	217	RPTDRST(L/R)7230	211	RPTDSST(L/R)6636	214	RR3-EJ20	127
RPTDOST(L/R)7830	217	RPTDRST(L/R)7236	211	RPTDSST(L/R)7220	214	RR3-EJ20P	127
RPTDOST(L/R)7836	217	RPTDRST(L/R)7820	211	RPTDSST(L/R)7224	214	RR3-EJ24	127
RPTDOST(L/R)8420	217	RPTDRST(L/R)7824	211	RPTDSST(L/R)7230	214	RR3-EJ24P	127
RPTDOST(L/R)8424	217	RPTDRST(L/R)7830	211	RPTDSST(L/R)7236	214	RR3-EJ30	127
RPTDOST(L/R)8430	217	RPTDRST(L/R)7836	211	RPTDSST(L/R)7820	214	RR3-EJ30P	127
RPTDOST(L/R)8436	217	RPTDRST(L/R)8420	211	RPTDSST(L/R)7824	214	RR3-EJ36	127
RPTDRFM(L/R)4820	212	RPTDRST(L/R)8424	211	RPTDSST(L/R)7830	214	RR3-EJ36P	127
RPTDRFM(L/R)4824	212	RPTDRST(L/R)8430	211	RPTDSST(L/R)7836	214	RR3-EJ42	127
RPTDRFM(L/R)4830	212	RPTDRST(L/R)8436	211	RPTDSST(L/R)8420	214	RR3-EJ42P	127
RPTDRFM(L/R)4836	212	RPTDSFM(L/R)4820	215	RPTDSST(L/R)8424	214	RR3-EJ48	127
RPTDRFM(L/R)5420	212	RPTDSFM(L/R)4824	215	RPTDSST(L/R)8430	214	RR3EJ48	132
RPTDRFM(L/R)5424	212	RPTDSFM(L/R)4830	215	RPTDSST(L/R)8436	214	RR3-EJ48P	127
RPTDRFM(L/R)5430	212	RPTDSFM(L/R)4836	215	RR3-2PF	133	RR3-EJ54P	127
RPTDRFM(L/R)5436	212	RPTDSFM(L/R)5420	215	RR3-3PF	133	RR3-EJ60P	127
RPTDRFM(L/R)6020	212	RPTDSFM(L/R)5424	215	RR3-BNC	133	RR3EJ60P	132
RPTDRFM(L/R)6024	212	RPTDSFM(L/R)5430	215	RR3-C3C	133	RR3-EJ66P	127
RPTDRFM(L/R)6030	212	RPTDSFM(L/R)5436	215	RR3-C5C	133	RR3EJ66P	132
RPTDRFM(L/R)6036	212	RPTDSFM(L/R)6020	215	RR3-C5C4A	133	RR3-EJ72P	127
RPTDRFM(L/R)6620	212	RPTDSFM(L/R)6024	215	RR3-C5C4B	133	RR3EJ72P	132
RPTDRFM(L/R)6624	212	RPTDSFM(L/R)6030	215	RR3-C6C	133	RR3-EJ78P	127
RPTDRFM(L/R)6630	212	RPTDSFM(L/R)6036	215	RR3CHI241	130	RR3-EJ84P	127
RPTDRFM(L/R)6636	212	RPTDSFM(L/R)6620	215	RR3CHI242	130	RR3-EJ90P	127
RPTDRFM(L/R)7220	212	RPTDSFM(L/R)6624	215	RR3CHI301	130	RR3-EJ96P	127
RPTDRFM(L/R)7224	212	RPTDSFM(L/R)6630	215	RR3CHI302	130	RR3-EPC	126
RPTDRFM(L/R)7230	212	RPTDSFM(L/R)6636	215	RR3CHI361	130	RR3-EPC24	126
RPTDRFM(L/R)7236	212	RPTDSFM(L/R)7220	215	RR3CHI362	130	RR3-EPCP	126
RPTDRFM(L/R)7820	212	RPTDSFM(L/R)7224	215	RR3CHI421	130	RR3-EPCP24	126
RPTDRFM(L/R)7824	212	RPTDSFM(L/R)7230	215	RR3CHI422	130	RR3-EPCPS	126
RPTDRFM(L/R)7830	212	RPTDSFM(L/R)7236	215	RR3CHI481	130	RR3-EPCS	126
RPTDRFM(L/R)7836	212	RPTDSFM(L/R)7820	215	RR3CHI482	130	RR3-EPI	127
RPTDRFM(L/R)8420	212	RPTDSFM(L/R)7824	215	RR3-DA	126, 128	RR3-EPNY1	127
RPTDRFM(L/R)8424	212	RPTDSFM(L/R)7830	215	RR3-DATSHD	126, 128	RR3-EPNY2	127
RPTDRFM(L/R)8430	212	RPTDSFM(L/R)7836	215	RR3-DB	126, 128	RR3-EPVR	113, 127
RPTDRFM(L/R)8436	212	RPTDSFM(L/R)8420	215	RR3-DC	128	RR3EVJ	136
RPTDRPC(L/R)6020	210	RPTDSFM(L/R)8424	215	RR3-DICON	133	RR3EVJ110	136
RPTDRPC(L/R)6024	210	RPTDSFM(L/R)8430	215	RR3-DX	126, 128	RR3EVJ82	136
RPTDRPC(L/R)6030	210	RPTDSFM(L/R)8436	215	RR3-DXO	126, 128	RR3EVJ96	136
RPTDRPC(L/R)6036	210	RPTDSPC(L/R)6020	213	RR3-DY	126, 128	RR3-FB	133
RPTDRPC(L/R)6620	210	RPTDSPC(L/R)6024	213	RR3-DYO	126, 128	RR3FDP	135
RPTDRPC(L/R)6624	210	RPTDSPC(L/R)6030	213	RR3-DZ	128	RR3-FE	133
RPTDRPC(L/R)6630	210	RPTDSPC(L/R)6036	213	RR3-DZO	128	RR3-FOSC	133
RPTDRPC(L/R)6636	210	RPTDSPC(L/R)6620	213	RR3-E24	126	RR3-FOST	133
RPTDRPC(L/R)7220	210	RPTDSPC(L/R)6624	213	RR3-E24S	131	RR3-FV	133
RPTDRPC(L/R)7224	210	RPTDSPC(L/R)6630	213	RR3-E30NS	126	RR3-LTPC	131
RPTDRPC(L/R)7230	210	RPTDSPC(L/R)6636	213	RR3-E30S	131	RR3-LTPC24	131
RPTDRPC(L/R)7236	210	RPTDSPC(L/R)7220	213	RR3-E36NS	126	RR3-LTPCP	131
RPTDRPC(L/R)7820	210	RPTDSPC(L/R)7224	213	RR3-E36S	131	RR3-MICON	133
RPTDRPC(L/R)7824	210	RPTDSPC(L/R)7230	213	RR3-E42NS	126	RR3MP4	427
RPTDRPC(L/R)7830	210	RPTDSPC(L/R)7236	213	RR3-E42S	131	RR3MP6	427
RPTDRPC(L/R)7836	210	RPTDSPC(L/R)7820	213	RR3-E48NS	126	RR3PICON	133
RPTDRPC(L/R)8420	210	RPTDSPC(L/R)7824	213	RR3-E48S	131	RR3-REPI	127
RPTDRPC(L/R)8424	210	RPTDSPC(L/R)7830	213	RR3-E60-4	126	RR3-RTPI	129
RPTDRPC(L/R)8430	210	RPTDSPC(L/R)7836	213	RR3-E66-4	126	RR3-SP-(A, B, C, X, Y, Z)	129
RPTDRPC(L/R)8436	210	RPTDSPC(L/R)8420	213	RR3-E72-4	126	RR3-SP-(A,B,X,Y)	127
RPTDRST(L/R)6020	211	RPTDSPC(L/R)8424	213	RR3-EBBCL	131	RR3-ST	133
RPTDRST(L/R)6024	211	RPTDSPC(L/R)8430	213	RR3-EBBCS	131	RR3-T24	128

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RR3-T24S	131	RR3VDY	135	RRAW9636-(1/2/3)	187	RROCWSDL60GB	405
RR3-T30NS	128	RR3VDYO	135	RRAW9642-(1/2/3)	187	RROCWSDL72GB	405
RR3-T30S	131	RR3VDZ	135	RRBRD2712	427	RROCWSDR60GB	405
RR3-T36NS	128	RR3VDZO	135	RRD3FTCPPL(L/R)7936	116	RROCWSDR72GB	405
RR3-T36S	131	RR3VPBK	135	RRD3FTCPPL(L/R)7942	116	RROMCSD108GB	408
RR3-T42NS	128	RRA12036	151	RRD3PP(L/L/R)7936	116	RROMCSD108GN	407
RR3-T42S	131	RRA12042	151	RRD3PPL(L/R)7942	116	RROMGSD60GL	407
RR3-T48NS	128	RRA12048	151	RRDPPL(L/R)6436	116	RROMGSD60GR	407
RR3-T48S	131	RRA14442	151	RRDPPL(L/R)6442	116	RROMCSD72GL	407
RR3-T60-4	128	RRA14448	151	RRDTH	116	RROMCSD72GR	407
RR3-T66-4	128	RRA16842	151	RRDTH(L/R)	116	RROMGSD90GB	408
RR3-T72-4	128	RRA16848	151	RREP3624(A,B,W)(F,N)2	421	RROMGSD90GN	407
RR3-TBBCL	131	RRA19242	151	RREP3630(A,B,W)(F,N)2	421	RROMCSDL60GB	408
RR3-TBBCS	131	RRA19248	151	RREP4224(A,B,W)(F,N)2	421	RROMCSDL72GB	408
RR3TBVC50	135	RRA3636	151	RREP4230(A,B,W)(F,N)2	421	RROMGSDR60GB	408
RR3TBVC62	135	RRA4242	151	RREP4824(A,B,W)(F,N)2	421	RROMGSDR72GB	408
RR3TBVC64	135	RRA4848	151	RREP4830(A,B,W)(F,N)2	421	RROMOS108GB	412
RR3TBVC76	135	RRA6060	151	RREP5424(A,B,W)(F,N)2	421	RROMOS108GN	412
RR3TBVC78	135	RRA7230	151	RREP5430(A,B,W)(F,N)2	421	RROMOS60GB	412
RR3TBVC90	135	RRA7236	151	RREP6024(A,B,W)(F,N)2	421	RROMOS60GL	412
RR3-TJ18	129	RRA7272	151	RREP6030(A,B,W)(F,N)2	421	RROMOS60GR	412
RR3-TJ18P	129	RRA8430	151	RRLCFDC20108	287	RROMOS72GB	412
RR3-TJ20	129	RRA8436	151	RRLCFDC2090	287	RROMOS72GL	412
RR3-TJ20P	129	RRA8442	151	RRLCFDC20108	287	RROMOS72GR	412
RR3-TJ24	129	RRA9630	151	RRLCFDCC2090	287	RROMOS90GB	412
RR3-TJ24P	129	RRA9636	151	RRLCFDCL2060	287	RROMOS90GN	412
RR3-TJ30	129	RRA9642	151	RRLCFDCL2072	287	RROMWSD108GB	409
RR3-TJ30P	129	RRA9648	151	RRLCFDCR2060	287	RROMWSD108GN	409
RR3-TJ36	129	RRA(A/B/C/D/E/F/G)12036-(1/2/3)	168	RRLCFDCR2072	287	RROMWSD60GL	409
RR3-TJ36P	129	RRA(A/B/C/D/E/F/G)12042-(1/2/3)	168	RRLCO20108	288	RROMWSD60GR	409
RR3-TJ42	129	RRA(A/B/C/D/E/F/G)12048-(1/2/3)	168	RRLCO2060	288	RROMWSD72GL	409
RR3-TJ42P	129	RRA(A/B/C/D/E/F/G)14442-(1/2/3)	168	RRLCO2072	288	RROMWSD72GR	409
RR3-TJ48	129	RRA(A/B/C/D/E/F/G)14448-(1/2/3)	168	RRLCO2090	288	RROMWSD90GB	409
RR3TJ48	132	RRA(A/B/C/D/E/F/G)16842-(1/2/3)	168	RRLCSGD20108	289	RROMWSD90GN	409
RR3-TJ48P	129	RRA(A/B/C/D/E/F/G)16848-(1/2/3)	168	RRLCSGD2090	289	RROMWSDL60GB	410
RR3-TJ54P	129	RRA(A/B/C/D/E/F/G)19242-(1/2/3)	168	RRLCSGDL2060	289	RROMWSDL72GB	410
RR3-TJ60P	129	RRA(A/B/C/D/E/F/G)19248-(1/2/3)	168	RRLCSGDL2072	289	RROMWSDR60GB	410
RR3-TJ60P	132	RRA(A/B/C/D/E/F/G)3636-(1/2/3)	168	RRLCSGDR2060	289	RROMWSDR72GB	410
RR3-TJ66P	129	RRA(A/B/C/D/E/F/G)4242-(1/2/3)	168	RRLCSGDR2072	289	RRSP3624K(A,B,W)	421
RR3TJ66P	132	RRA(A/B/C/D/E/F/G)4848-(1/2/3)	168	RRLCSWD20108	290	RRSP3630K(A,B,W)	421
RR3-TJ72P	129	RRA(A/B/C/D/E/F/G)6060-(1/2/3)	168	RRLCSWD2090	290	RRSP4224K(A,B,W)	421
RR3TJ72P	132	RRA(A/B/C/D/E/F/G)7230-(1/2/3)	168	RRLCSWDL2060	290	RRSP4230K(A,B,W)	421
RR3-TJ78P	129	RRA(A/B/C/D/E/F/G)7236-(1/2/3)	168	RRLCSWDL2072	290	RRSP4824K(A,B,W)	421
RR3-TJ84P	129	RRA(A/B/C/D/E/F/G)7272-(1/2/3)	168	RRLCSWDR2060	290	RRSP4830K(A,B,W)	421
RR3-TJ90P	129	RRA(A/B/C/D/E/F/G)8430-(1/2/3)	168	RRLCSWDR2072	290	RRSP5424K(A,B,W)	421
RR3-TJ96P	129	RRA(A/B/C/D/E/F/G)8436-(1/2/3)	168	RRMC3010	495	RRSP5430K(A,B,W)	421
RR3-TPC	128	RRA(A/B/C/D/E/F/G)8442-(1/2/3)	168	RRMC3610	495	RRSP6024K(A,B,W)	421
RR3-TPC24	128	RRA(A/B/C/D/E/F/G)9630-(1/2/3)	168	RRMC6010	495	RRSP6030K(A,B,W)	421
RR3-TPCP	128	RRA(A/B/C/D/E/F/G)9636-(1/2/3)	168	RRMC7210	495	RS1-N30	399
RR3-TPCP24	128	RRA(A/B/C/D/E/F/G)9642-(1/2/3)	168	RRML108	411	RS1-N36	399
RR3-TPCPS	128	RRAW12036-(1/2/3)	187	RRML60	411	RS1-N42	399
RR3-TPCS	128	RRAW12042-(1/2/3)	187	RRML72	411	RS1-N48	399
RR3-TPI	129	RRAW14442-(1/2/3)	187	RRML90	411	RS1-N60	399
RR3-TPNY1	129	RRAW16842-(1/2/3)	187	RROCGL108GB	404	RS1-RPB	401
RR3-TPNY2	129	RRAW19242-(1/2/3)	187	RROCGL90GB	404	RS1-VP	399
RR3-TPVR	113, 129	RRAW3636-(1/2/3)	187	RROCGL60GB	404	RS1-WMF24	402
RR3TVJ	136	RRAW4242-(1/2/3)	187	RROCGL72GB	404	RS1-WMF30	402
RR3TVJ110	136	RRAW6060-(1/2/3)	187	RROCGLR60GB	404	RS1-WMF36	402
RR3TVJ82	136	RRAW7230-(1/2/3)	187	RROCGLR72GB	404	RS1-WMF42	402
RR3TVJ96	136	RRAW7236-(1/2/3)	187	RROCOS108GB	406	RS1-WMF48	402
RR3VDA	135	RRAW7272-(1/2/3)	187	RROCOS60GB	406	RS1-WMF60	402
RR3VDB	135	RRAW8430-(1/2/3)	187	RROCOS72GB	406	RSA241	137
RR3VDC	135	RRAW8436-(1/2/3)	187	RROCOS90GB	406	RSA242	137
RR3VDX	135	RRAW8442-(1/2/3)	187	RROCWSD108GB	405	RSA243	138
RR3VDXO	135	RRAW9630-(1/2/3)	187	RROCWSD90GB	405	RSA301	137

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSA302	137	RSA(A/B/C/D/E/F/G)A722	156	RSA(A/B/C/D/E/F/G)F962	154	RSABW241	173
RSA303	138	RSA(A/B/C/D/E/F/G)A723	157	RSA(A/B/C/D/E/F/G)F963	155	RSABW242	173
RSA361	137	RSA(A/B/C/D/E/F/G)A724	157	RSA(A/B/C/D/E/F/G)J241	158	RSABW243	174
RSA362	137	RSA(A/B/C/D/E/F/G)A781	156	RSA(A/B/C/D/E/F/G)J242	158	RSABW301	173
RSA363	138	RSA(A/B/C/D/E/F/G)A782	156	RSA(A/B/C/D/E/F/G)J301	158	RSABW302	173
RSA421	137	RSA(A/B/C/D/E/F/G)A783	157	RSA(A/B/C/D/E/F/G)J302	158	RSABW303	174
RSA422	137	RSA(A/B/C/D/E/F/G)A841	156	RSA(A/B/C/D/E/F/G)J361	158	RSABW361	173
RSA423	138	RSA(A/B/C/D/E/F/G)A842	156	RSA(A/B/C/D/E/F/G)J362	158	RSABW362	173
RSA481	137	RSA(A/B/C/D/E/F/G)A843	157	RSA(A/B/C/D/E/F/G)J421	158	RSABW363	174
RSA482	137	RSA(A/B/C/D/E/F/G)A901	156	RSA(A/B/C/D/E/F/G)J422	158	RSABW421	173
RSA483	138	RSA(A/B/C/D/E/F/G)A902	156	RSA(A/B/C/D/E/F/G)J481	158	RSABW422	173
RSA541	137	RSA(A/B/C/D/E/F/G)A903	157	RSA(A/B/C/D/E/F/G)J482	158	RSABW423	174
RSA542	137	RSA(A/B/C/D/E/F/G)A961	156	RSA(A/B/C/D/E/F/G)R241	159	RSABW481	173
RSA543	138	RSA(A/B/C/D/E/F/G)A962	156	RSA(A/B/C/D/E/F/G)R242	159	RSABW482	173
RSA601	137	RSA(A/B/C/D/E/F/G)A963	157	RSA(A/B/C/D/E/F/G)R301	159	RSABW483	174
RSA602	137	RSA(A/B/C/D/E/F/G)B241	158	RSA(A/B/C/D/E/F/G)R302	159	RSABW541	173
RSA603	138	RSA(A/B/C/D/E/F/G)B242	158	RSA(A/B/C/D/E/F/G)R361	159	RSABW542	173
RSA604	138	RSA(A/B/C/D/E/F/G)B301	158	RSA(A/B/C/D/E/F/G)R362	159	RSABW543	174
RSA661	137	RSA(A/B/C/D/E/F/G)B302	158	RSA(A/B/C/D/E/F/G)R421	159	RSABW601	173
RSA662	137	RSA(A/B/C/D/E/F/G)B361	158	RSA(A/B/C/D/E/F/G)R422	159	RSABW602	173
RSA663	138	RSA(A/B/C/D/E/F/G)B362	158	RSA(A/B/C/D/E/F/G)R481	159	RSABW603	174
RSA664	138	RSA(A/B/C/D/E/F/G)B421	158	RSA(A/B/C/D/E/F/G)R482	159	RSABW604	174
RSA721	137	RSA(A/B/C/D/E/F/G)B422	158	RSAMP1616	427	RSABW661	173
RSA722	137	RSA(A/B/C/D/E/F/G)B481	158	RSABA241	171	RSABW662	173
RSA723	138	RSA(A/B/C/D/E/F/G)B482	158	RSABA242	171	RSABW663	174
RSA724	138	RSA(A/B/C/D/E/F/G)F241	154	RSABA243	172	RSABW664	174
RSA781	137	RSA(A/B/C/D/E/F/G)F242	154	RSABA301	171	RSABW721	173
RSA782	137	RSA(A/B/C/D/E/F/G)F243	155	RSABA302	171	RSABW722	173
RSA783	138	RSA(A/B/C/D/E/F/G)F301	154	RSABA303	172	RSABW723	174
RSA841	137	RSA(A/B/C/D/E/F/G)F302	154	RSABA361	171	RSABW724	174
RSA842	137	RSA(A/B/C/D/E/F/G)F303	155	RSABA362	171	RSABW781	173
RSA843	138	RSA(A/B/C/D/E/F/G)F361	154	RSABA363	172	RSABW782	173
RSA901	137	RSA(A/B/C/D/E/F/G)F362	154	RSABA421	171	RSABW783	174
RSA902	137	RSA(A/B/C/D/E/F/G)F363	155	RSABA422	171	RSABW841	173
RSA903	138	RSA(A/B/C/D/E/F/G)F421	154	RSABA423	172	RSABW842	173
RSA961	137	RSA(A/B/C/D/E/F/G)F422	154	RSABA481	171	RSABW843	174
RSA962	137	RSA(A/B/C/D/E/F/G)F423	155	RSABA482	171	RSABW901	173
RSA963	138	RSA(A/B/C/D/E/F/G)F481	154	RSABA483	172	RSABW902	173
RSA(A/B/C/D/E/F/G)A241	156	RSA(A/B/C/D/E/F/G)F482	154	RSABA541	171	RSABW903	174
RSA(A/B/C/D/E/F/G)A242	156	RSA(A/B/C/D/E/F/G)F483	155	RSABA542	171	RSABW961	173
RSA(A/B/C/D/E/F/G)A243	157	RSA(A/B/C/D/E/F/G)F541	154	RSABA543	172	RSABW962	173
RSA(A/B/C/D/E/F/G)A301	156	RSA(A/B/C/D/E/F/G)F542	154	RSABA601	171	RSABW963	174
RSA(A/B/C/D/E/F/G)A302	156	RSA(A/B/C/D/E/F/G)F543	155	RSABA602	171	RSAWF241	169
RSA(A/B/C/D/E/F/G)A303	157	RSA(A/B/C/D/E/F/G)F601	154	RSABA603	172	RSAWF242	169
RSA(A/B/C/D/E/F/G)A361	156	RSA(A/B/C/D/E/F/G)F602	154	RSABA604	172	RSAWF243	170
RSA(A/B/C/D/E/F/G)A362	156	RSA(A/B/C/D/E/F/G)F603	155	RSABA661	171	RSAWF301	169
RSA(A/B/C/D/E/F/G)A363	157	RSA(A/B/C/D/E/F/G)F604	155	RSABA662	171	RSAWF302	169
RSA(A/B/C/D/E/F/G)A421	156	RSA(A/B/C/D/E/F/G)F661	154	RSABA663	172	RSAWF303	170
RSA(A/B/C/D/E/F/G)A422	156	RSA(A/B/C/D/E/F/G)F662	154	RSABA664	172	RSAWF361	169
RSA(A/B/C/D/E/F/G)A423	157	RSA(A/B/C/D/E/F/G)F663	155	RSABA721	171	RSAWF362	169
RSA(A/B/C/D/E/F/G)A481	156	RSA(A/B/C/D/E/F/G)F664	155	RSABA722	171	RSAWF363	170
RSA(A/B/C/D/E/F/G)A482	156	RSA(A/B/C/D/E/F/G)F721	154	RSABA723	172	RSAWF421	169
RSA(A/B/C/D/E/F/G)A483	157	RSA(A/B/C/D/E/F/G)F722	154	RSABA724	172	RSAWF422	169
RSA(A/B/C/D/E/F/G)A541	156	RSA(A/B/C/D/E/F/G)F723	155	RSABA781	171	RSAWF423	170
RSA(A/B/C/D/E/F/G)A542	156	RSA(A/B/C/D/E/F/G)F724	155	RSABA782	171	RSAWF481	169
RSA(A/B/C/D/E/F/G)A543	157	RSA(A/B/C/D/E/F/G)F781	154	RSABA783	172	RSAWF482	169
RSA(A/B/C/D/E/F/G)A601	156	RSA(A/B/C/D/E/F/G)F782	154	RSABA841	171	RSAWF483	170
RSA(A/B/C/D/E/F/G)A602	156	RSA(A/B/C/D/E/F/G)F783	155	RSABA842	171	RSAWF541	169
RSA(A/B/C/D/E/F/G)A603	157	RSA(A/B/C/D/E/F/G)F841	154	RSABA843	172	RSAWF542	169
RSA(A/B/C/D/E/F/G)A604	157	RSA(A/B/C/D/E/F/G)F842	154	RSABA901	171	RSAWF543	170
RSA(A/B/C/D/E/F/G)A661	156	RSA(A/B/C/D/E/F/G)F843	155	RSABA902	171	RSAWF601	169
RSA(A/B/C/D/E/F/G)A662	156	RSA(A/B/C/D/E/F/G)F901	154	RSABA903	172	RSAWF602	169
RSA(A/B/C/D/E/F/G)A663	157	RSA(A/B/C/D/E/F/G)F902	154	RSABA961	171	RSAWF603	170
RSA(A/B/C/D/E/F/G)A664	157	RSA(A/B/C/D/E/F/G)F903	155	RSABA962	171	RSAWF604	170
RSA(A/B/C/D/E/F/G)A721	156	RSA(A/B/C/D/E/F/G)F961	154	RSABA963	172	RSAWF661	169

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSAWF662	169	RSAWR302	177	RSD363	195	RSDR84	439
RSAWF663	170	RSAWR303	178	RSD421	194	RSDR90	439
RSAWF664	170	RSAWR361	177	RSD422	194	RSDR96	439
RSAWF721	169	RSAWR362	177	RSD423	195	RSE1(L/R)	245
RSAWF722	169	RSAWR363	178	RSD481	194	RSE2(L/R)	245
RSAWF723	170	RSAWR421	177	RSD482	194	RSE3(L/R)	245
RSAWF724	170	RSAWR422	177	RSD483	195	RSE4(L/R)	245
RSAWF781	169	RSAWR423	178	RSD541	194	RSE5(L/R)	245
RSAWF782	169	RSAWR481	177	RSD542	194	RSE6(L/R)	245
RSAWF783	170	RSAWR482	177	RSD543	195	RSEDH1(L/R)	247
RSAWF841	169	RSAWR483	178	RSD601	194	RSEDH2(L/R)	247
RSAWF842	169	RSAWR541	177	RSD602	194	RSEDH3(L/R)	247
RSAWF843	170	RSAWR542	177	RSD603	195	RSEDH4(L/R)	247
RSAWF901	169	RSAWR543	178	RSD604	195	RSEDH5(L/R)	247
RSAWF902	169	RSAWR601	177	RSD661	194	RSEDH6(L/R)	247
RSAWF903	170	RSAWR602	177	RSD662	194	RSL12	251
RSAWF961	169	RSAWR603	178	RSD663	195	RSL15	251
RSAWF962	169	RSAWR604	178	RSD664	195	RSL20	251
RSAWF963	170	RSAWR661	177	RSD721	194	RSL24	251
RSAWL241	175	RSAWR662	177	RSD722	194	RSL30	251
RSAWL242	175	RSAWR663	178	RSD723	195	RSL36	251
RSAWL243	176	RSAWR664	178	RSD724	195	RSL42	251
RSAWL301	175	RSAWR721	177	RSD781	194	RSL48	251
RSAWL302	175	RSAWR722	177	RSD782	194	RSNTT18(A/B/C/E)	110
RSAWL303	176	RSAWR723	178	RSD783	195	RSNTT20(A/B/C/E)	110
RSAWL361	175	RSAWR724	178	RSD841	194	RSNTT24(A/B/C/E)	110
RSAWL362	175	RSAWR781	177	RSD842	194	RSNTT30(A/B/C/E)	110
RSAWL363	176	RSAWR782	177	RSD843	195	RSNTT33(A/B/C/E) (66" wide panels one only)	110
RSAWL421	175	RSAWR783	178	RSD901	194	RSNTT36(A/B/C/E)	110
RSAWL422	175	RSAWR841	177	RSD902	194	RSNTT42(A/B/C/E)	110
RSAWL423	176	RSAWR842	177	RSD903	195	RSNTT48(A/B/C/E)	110
RSAWL481	175	RSAWR843	178	RSD961	194	RSPABPD	115
RSAWL482	175	RSAWR901	177	RSD962	194	RSPABPP	115
RSAWL483	176	RSAWR902	177	RSD963	195	RSPABPT	115
RSAWL541	175	RSAWR903	178	RSDHC	252	RSPABPW	115
RSAWL542	175	RSAWR961	177	RSDHC3	253	RSPABTD	115
RSAWL543	176	RSAWR962	177	RSDHC4	252	RSPABTT	115
RSAWL601	175	RSAWR963	178	RSDHD1428	253, 254	RSPABTW	115
RSAWL602	175	RSBWH20	242	RSDHD1828	253, 254	RSPABWD	115
RSAWL603	176	RSBWH24	242	RSDHD2028	253, 254	RSPABWW	115
RSAWL604	176	RSBWH30	242	RSDHD2428	253, 254	RST	430
RSAWL661	175	RSBWH36	242	RSDHD3028	253, 254	RST1	251
RSAWL662	175	RSBWH42	242	RSDHL12	254	RST2	251
RSAWL663	176	RSBWH48	242	RSDHL15	254	RST3	251
RSAWL664	176	RSC	249	RSDHL20	254	RST4	251
RSAWL721	175	RSC4	249	RSDHL24	254	RST5	251
RSAWL722	175	RSD1021	194	RSDHL30	254	RST6	251
RSAWL723	176	RSD1022	194	RSDHL36	254	RSTD CFM(L/R)4830	222
RSAWL724	176	RSD1023	195	RSDHL42	254	RSTD CFM(L/R)4836	222
RSAWL781	175	RSD1081	194	RSDHL48	254	RSTD CFM(L/R)5430	222
RSAWL782	175	RSD1082	194	RSDHT1	254	RSTD CFM(L/R)5436	222
RSAWL783	176	RSD1083	195	RSDHT2	254	RSTD CFM(L/R)6030	222
RSAWL841	175	RSD1427	250, 251	RSDHT3	254	RSTD CFM(L/R)6036	222
RSAWL842	175	RSD1827	250, 251	RSDHT4	254	RSTD CFM(L/R)6630	222
RSAWL843	176	RSD2027	250, 251	RSDHT5	254	RSTD CFM(L/R)6636	222
RSAWL901	175	RSD241	194	RSDHT6	254	RSTD CFM(L/R)7230	222
RSAWL902	175	RSD242	194	RSDR30	439	RSTD CFM(L/R)7236	222
RSAWL903	176	RSD2427	250, 251	RSDR36	439	RSTD CFM(L/R)7830	222
RSAWL961	175	RSD243	195	RSDR42	439	RSTD CFM(L/R)7836	222
RSAWL962	175	RSD301	194	RSDR48	439	RSTD CFM(L/R)8430	222
RSAWL963	176	RSD302	194	RSDR54	439	RSTD CFM(L/R)8436	222
RSAWR241	177	RSD3027	250, 251	RSDR60	439	RSTDCPC(L/R)6030	220
RSAWR242	177	RSD303	195	RSDR66	439	RSTDCPC(L/R)6036	220
RSAWR243	178	RSD361	194	RSDR72	439	RSTDCPC(L/R)6630	220
RSAWR301	177	RSD362	194	RSDR78	439	RSTDCPC(L/R)6636	220

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RSTDCPC(L/R)7230	220	RSWAD2296	102	RTA9642	152	RTLT5E73A	440
RSTDCPC(L/R)7236	220	RSWB15 30	101	RTA9648	152	RTLT5E73S	440
RSTDCPC(L/R)7830	220	RSWB15 36	101	RTA(A/B/C/D/E/F/G)12036-(1/2/3)	167	RTLT5E83A	440
RSTDCPC(L/R)7836	220	RSWB15 42	101	RTA(A/B/C/D/E/F/G)12042-(1/2/3)	167	RTLT5E83S	440
RSTDCPC(L/R)8430	220	RSWB15 48	101	RTA(A/B/C/D/E/F/G)12048-(1/2/3)	167	RTNDC361	237
RSTDCPC(L/R)8436	220	RSWC30 18	101	RTA(A/B/C/D/E/F/G)14442-(1/2/3)	167	RTNDC362	237
RSTDCST(L/R)6030	221	RSWC30 20	101	RTA(A/B/C/D/E/F/G)14448-(1/2/3)	167	RTNDC421	237
RSTDCST(L/R)6036	221	RSWC30 24	101	RTA(A/B/C/D/E/F/G)16842-(1/2/3)	167	RTNDC422	237
RSTDCST(L/R)6630	221	RSWC30 30	101	RTA(A/B/C/D/E/F/G)16848-(1/2/3)	167	RTNDC481	237
RSTDCST(L/R)6636	221	RSWC30 36	101	RTA(A/B/C/D/E/F/G)19242-(1/2/3)	167	RTNDC482	237
RSTDCST(L/R)7230	221	RSWC30 42	101	RTA(A/B/C/D/E/F/G)19248-(1/2/3)	167	RTOP1	427
RSTDCST(L/R)7236	221	RSWC30 48	101	RTA(A/B/C/D/E/F/G)3636-(1/2/3)	167	RTOP2	427
RSTDCST(L/R)7830	221	RSWWA601	365	RTA(A/B/C/D/E/F/G)4242-(1/2/3)	167	RTPNM30H1	447, 448
RSTDCST(L/R)7836	221	RSWWA602	365	RTA(A/B/C/D/E/F/G)4848-(1/2/3)	167	RTPNM30H2	452, 453
RSTDCST(L/R)8430	221	RSWWA721	365	RTA(A/B/C/D/E/F/G)6060-(1/2/3)	167	RTPNM30H3	457, 458
RSTDCST(L/R)8436	221	RSWWA722	365	RTA(A/B/C/D/E/F/G)7230-(1/2/3)	167	RTPNM30H4	462, 463
RSTRLE361	238	RSWWA901	365	RTA(A/B/C/D/E/F/G)7236-(1/2/3)	167	RTPNM30H5	467, 468
RSTRLE362	238	RSWWA902	365	RTA(A/B/C/D/E/F/G)7272-(1/2/3)	167	RTPNM30H6	472, 473
RSTRLE421	238	RSWWA961	365	RTA(A/B/C/D/E/F/G)8430-(1/2/3)	167	RTPNM30H7	477
RSTRLE422	238	RSWWA962	365	RTA(A/B/C/D/E/F/G)8436-(1/2/3)	167	RTPNM30H8	481
RSTRSE361	240	RSWWA(A/B/C/D/E/F/G)601	365	RTA(A/B/C/D/E/F/G)8442-(1/2/3)	167	RTPNM36H1	447, 448
RSTRSE362	240	RSWWA(A/B/C/D/E/F/G)602	365	RTA(A/B/C/D/E/F/G)9630-(1/2/3)	167	RTPNM36H2	452, 453
RSTRSE421	240	RSWWA(A/B/C/D/E/F/G)721	365	RTA(A/B/C/D/E/F/G)9636-(1/2/3)	167	RTPNM36H3	457, 458
RSTRSE422	240	RSWWA(A/B/C/D/E/F/G)722	365	RTA(A/B/C/D/E/F/G)9642-(1/2/3)	167	RTPNM36H4	462, 463
RSTRWE361	239	RSWWA(A/B/C/D/E/F/G)901	365	RTAT5E19S	403	RTPNM36H5	467, 468
RSTRWE362	239	RSWWA(A/B/C/D/E/F/G)902	365	RTAT5E25A	403	RTPNM36H6	472, 473
RSTRWE421	239	RSWWA(A/B/C/D/E/F/G)961	365	RTAT5E25S	403	RTPNM36H7	477
RSTRWE422	239	RSWWA(A/B/C/D/E/F/G)962	365	RTAT5E37A	403	RTPNM36H8	481
RSTSLE361	238	RSWWAWF601	365	RTAT5E37S	403	RTPNM42H1	447, 448
RSTSLE362	238	RSWWAWF602	365	RTAT5E49A	403	RTPNM42H2	452, 453
RSTSLE421	238	RSWWAWF721	365	RTAT5E49S	403	RTPNM42H3	457, 458
RSTSLE422	238	RSWWAWF722	365	RTAT5E61A	403	RTPNM42H4	462, 463
RSTSSE361	240	RSWWAWF901	365	RTAT5E61S	403	RTPNM42H5	467, 468
RSTSSE362	240	RSWWAWF902	365	RTAW12036-(1/2/3)	186	RTPNM42H6	472, 473
RSTSSE421	240	RSWWAWF961	365	RTAW12042-(1/2/3)	186	RTPNM42H7	477
RSTSWE361	239	RSWWAWF962	365	RTAW14442-(1/2/3)	186	RTPNM42H8	481
RSTSWE362	239	RSWWB601	366	RTAW16842-(1/2/3)	186	RTPNM48H1	447, 448
RSTSWE421	239	RSWWB602	366	RTAW19242-(1/2/3)	186	RTPNM48H2	452, 453
RSTSWE422	239	RSWWB721	366	RTAW3636-(1/2/3)	186	RTPNM48H3	457, 458
RSTTLE30481	238	RSWWB722	366	RTAW4242-(1/2/3)	186	RTPNM48H4	462, 463
RSTTLE30482	238	RSWWB901	366	RTAW6060-(1/2/3)	186	RTPNM48H5	467, 468
RSTTLE36541	238	RSWWB902	366	RTAW7230-(1/2/3)	186	RTPNM48H6	472, 473
RSTTLE36542	238	RSWWB961	366	RTAW7236-(1/2/3)	186	RTPNM48H7	477
RSTTSE30481	240	RSWWB962	366	RTAW7272-(1/2/3)	186	RTPNM48H8	481
RSTTSE30482	240	RTA12036	152	RTAW8430-(1/2/3)	186	RTPNM54H1	447, 448
RSTTSE36541	240	RTA12042	152	RTAW8436-(1/2/3)	186	RTPNM54H2	452, 453
RSTTSE36542	240	RTA12048	152	RTAW8442-(1/2/3)	186	RTPNM54H3	457, 458
RSTTWE30481	239	RTA14442	152	RTAW9630-(1/2/3)	186	RTPNM54H4	462, 463
RSTTWE30482	239	RTA14448	152	RTAW9636-(1/2/3)	186	RTPNM54H5	467, 468
RSTTWE36541	239	RTA16842	152	RTAW9642-(1/2/3)	186	RTPNM54H6	472
RSTTWE36542	239	RTA16848	152	RTLL193W	440	RTPNM60H1	447, 448
RSWA15 18	101	RTA19242	152	RTLL196W	440	RTPNM60H2	452, 453
RSWA15 20	101	RTA19248	152	RTLL199W	440	RTPNM60H3	457, 458
RSWA15 24	101	RTA3636	152	RTLL3712W	440	RTPNM60H4	462, 463
RSWA15 30	101	RTA4242	152	RTLL3718W	440	RTPNM60H5	467, 468
RSWA15 36	101	RTA4848	152	RTLL376W	440	RTPNM60H6	472
RSWA15 42	101	RTA6060	152	RTLT5E19S	440	RTPNM66H1	447, 448
RSWA15 48	101	RTA7230	152	RTLT5E25A	440	RTPNM66H2	452, 453
RSWAD1560	102	RTA7236	152	RTLT5E25S	440	RTPNM66H3	457, 458
RSWAD1572	102	RTA7272	152	RTLT5E37A	440	RTPNM66H4	462, 463
RSWAD1584	102	RTA8430	152	RTLT5E37S	440	RTPNM66H5	467, 468
RSWAD1596	102	RTA8436	152	RTLT5E49A	440	RTPNM66H6	472
RSWAD2260	102	RTA8442	152	RTLT5E49S	440	RTPNM72H1	447, 448
RSWAD2272	102	RTA9630	152	RTLT5E61A	440	RTPNM72H2	452, 453
RSWAD2284	102	RTA9636	152	RTLT5E61S	440	RTPNM72H3	457, 458

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RTPNM72H4	462, 463	RTPRS54H7	478, 480	RTRDOF66302	228	RTTAWF54()	413
RTPNM72H5	467, 468	RTPRS54H8	482, 484	RTRDOF66361	227	RTTAWF60()	413
RTPNM72H6	472	RTPRS60H1	449, 450, 451	RTRDOF66362	228	RTTAWF66()	413
RTPNM78H1	447, 448	RTPRS60H2	454, 455, 456	RTRDOF72241	227	RTTAWF72()	413
RTPNM78H2	452, 453	RTPRS60H3	459, 460, 461	RTRDOF72242	228	RUMC3010	495
RTPNM78H3	457, 458	RTPRS60H4	464, 465, 466	RTRDOF72301	227	RUMC3610	495
RTPNM78H4	462, 463	RTPRS60H5	469, 470, 471	RTRDOF72302	228	RUMC6010	496
RTPNM78H5	467, 468	RTPRS60H6	474, 475, 476	RTRDOF72361	227	RUMC7210	496
RTPNM78H6	472	RTPRS60H7	478, 480	RTRDOF72362	228	RUTB	243
RTPNM84H1	447, 448	RTPRS60H8	482, 484	RTRDOF78241	227	RWA3623	141
RTPNM84H2	452, 453	RTPRS66H1	449, 450, 451	RTRDOF78242	228	RWA3632	141
RTPNM84H3	457, 458	RTPRS66H2	454, 455, 456	RTRDOF78301	227	RWA4212	141
RTPNM84H4	462, 463	RTPRS66H3	459, 460, 461	RTRDOF78361	227	RWA4221	141
RTPNM84H5	467, 468	RTPRS66H4	464, 465, 466	RTRDOF78362	228	RWA4223	141
RTPNM84H6	472	RTPRS66H5	469, 470, 471	RTRDOF84241	227	RWA4232	141
RTPNM90H1	447, 448	RTPRS66H6	474, 475, 476	RTRDOF84242	228	RWA4812	141
RTPNM90H2	452, 453	RTPRS66H8	482	RTRDOF84301	227	RWA4821	141
RTPNM90H3	457, 458	RTPRS72H1	449, 450, 451	RTRDOF84302	228	RWA4823	141
RTPNM90H4	462, 463	RTPRS72H2	454, 455, 456	RTRDOF84361	227	RWA4832	141
RTPNM90H5	467, 468	RTPRS72H3	459, 460, 461	RTRDOF84362	228	RWA5412	141
RTPNM90H6	472	RTPRS72H4	464, 465, 466	RTRDRL48301	232	RWA5421	141
RTPNM96H1	447, 448	RTPRS72H5	469, 470, 471	RTRDRL48302	232	RWA5423	141
RTPNM96H2	452, 453	RTPRS72H6	474, 476	RTRDRL60301	232	RWA5432	141
RTPNM96H3	457, 458	RTPRS72H8	482	RTRDRL60302	232	RWA6012	141
RTPNM96H4	462, 463	RTPRS78H1	451	RTRDRL72301	232	RWA6021	141
RTPNM96H5	467, 468	RTPRS78H2	456	RTRDRL72302	232	RWA6023	141
RTPNM96H6	472	RTPRS78H3	461	RTRDRL72361	232	RWA6032	141
RTPRS30H1	449, 450, 451	RTPRS78H4	466	RTRDRL72362	232	RWA6612	141
RTPRS30H2	454, 455, 456	RTPRS78H5	471	RTRDS48301	233	RWA6621	141
RTPRS30H3	459, 460, 461	RTPRS78H6	476	RTRDS48302	233	RWA6623	141
RTPRS30H4	464, 465, 466	RTPRS84H1	451	RTRDS60301	233	RWA6632	141
RTPRS30H5	469, 470, 471	RTPRS84H2	456	RTRDS60302	233	RWA7212	141
RTPRS30H6	474, 475, 476	RTPRS84H3	461	RTRDS72301	233	RWA7221	141
RTPRS30H7	478, 479, 480	RTPRS84H4	466	RTRDS72302	233	RWA7223	141
RTPRS30H8	482, 483, 484	RTPRS84H5	471	RTRDS72361	233	RWA7232	141
RTPRS36H1	449, 450, 451	RTPRS84H6	476	RTRDS72362	233	RWA(A/B/C/D/E/F/G)F4212	162
RTPRS36H2	454, 455, 456	RTPRS90H1	451	RTSDLA2421	234	RWA(A/B/C/D/E/F/G)F4221	162
RTPRS36H3	459, 460, 461	RTPRS90H2	456	RTSDLA2422	234	RWA(A/B/C/D/E/F/G)F4223	162
RTPRS36H4	464, 465, 466	RTPRS90H3	461	RTSDLA48481	234	RWA(A/B/C/D/E/F/G)F4232	162
RTPRS36H5	469, 470, 471	RTPRS90H4	466	RTSDLA48482	234	RWA(A/B/C/D/E/F/G)F4812	162
RTPRS36H6	474, 475, 476	RTPRS90H5	471	RTSDRL42421	235	RWA(A/B/C/D/E/F/G)F4821	162
RTPRS36H7	478, 479, 480	RTPRS90H6	476	RTSDRL42422	235	RWA(A/B/C/D/E/F/G)F4823	162
RTPRS36H8	482, 483, 484	RTPRS96H1	451	RTSDRL48481	235	RWA(A/B/C/D/E/F/G)F4832	162
RTPRS42H1	449, 450, 451	RTPRS96H2	456	RTSDRL48482	235	RWA(A/B/C/D/E/F/G)F5412	162
RTPRS42H2	454, 455, 456	RTPRS96H3	461	RTSDS42421	236	RWA(A/B/C/D/E/F/G)F5421	162
RTPRS42H3	459, 460, 461	RTPRS96H4	466	RTSDS42422	236	RWA(A/B/C/D/E/F/G)F5423	162
RTPRS42H4	464, 465, 466	RTPRS96H5	471	RTSDS48481	236	RWA(A/B/C/D/E/F/G)F5432	162
RTPRS42H5	469, 470, 471	RTPRS96H6	476	RTSDS48482	236	RWA(A/B/C/D/E/F/G)F6012	162
RTPRS42H6	474, 475, 476	RTRDL48301	231	RTSF14	434	RWA(A/B/C/D/E/F/G)F6021	162
RTPRS42H7	478, 479, 480	RTRDL48302	231	RTSF28	434	RWA(A/B/C/D/E/F/G)F6023	162
RTPRS42H8	482, 483, 484	RTRDL60301	231	RTST14	433	RWA(A/B/C/D/E/F/G)F6032	162
RTPRS48H1	449, 450, 451	RTRDL60302	231	RTTA24()	413	RWA(A/B/C/D/E/F/G)F6612	162
RTPRS48H2	454, 455, 456	RTRDL72301	231	RTTA30()	413	RWA(A/B/C/D/E/F/G)F6621	162
RTPRS48H3	459, 460, 461	RTRDL72302	231	RTTA36()	413	RWA(A/B/C/D/E/F/G)F6623	162
RTPRS48H4	464, 465, 466	RTRDL72361	231	RTTA42()	413	RWA(A/B/C/D/E/F/G)F6632	162
RTPRS48H5	469, 470, 471	RTRDL72362	231	RTTA48()	413	RWA(A/B/C/D/E/F/G)F7212	162
RTPRS48H6	474, 475, 476	RTRDOF60241	227	RTTA54()	413	RWA(A/B/C/D/E/F/G)F7221	162
RTPRS48H7	478, 479, 480	RTRDOF60242	228	RTTA60()	413	RWA(A/B/C/D/E/F/G)F7223	162
RTPRS48H8	482, 483, 484	RTRDOF60301	227	RTTA66()	413	RWA(A/B/C/D/E/F/G)F7232	162
RTPRS54H1	449, 450, 451	RTRDOF60302	228	RTTA72()	413	RWAWF4212	179
RTPRS54H2	454, 455, 456	RTRDOF60361	227	RTTAWF24()	413	RWAWF4221	179
RTPRS54H3	459, 460, 461	RTRDOF60362	228	RTTAWF30()	413	RWAWF4223	179
RTPRS54H4	464, 465, 466	RTRDOF66241	227	RTTAWF36()	413	RWAWF4232	179
RTPRS54H5	469, 470, 471	RTRDOF66242	228	RTTAWF42()	413	RWAWF4812	179
RTPRS54H6	474, 475, 476	RTRDOF66301	227	RTTAWF48()	413	RWAWF4821	179

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
RWAWF4823	179	RWEC7524(L/R)	371	RWHDHTB96H2	486	YPSB2666FRR	492
RWAWF4832	179	RWED7220(L/R)	362	RWHDHTB96H3	487	YPSB2672	494
RWAWF5412	179	RWED7224(L/R)	362	RWHDHTB96H4	488	YPSB2672FRR	492
RWAWF5421	179	RWED7520(L/R)	371	RWHDHTB96H5	489	YPSB3224	493
RWAWF5423	179	RWED7524(L/R)	371	RWHRA	427	YPSB3224F	491
RWAWF5432	179	RWHDHTB3026	432	RWHRB	427	YPSB3227	493
RWAWF6012	179	RWHDHTB30H1	485	RWHRC	427	YPSB3227F	491
RWAWF6021	179	RWHDHTB30H2	486	RWHRD	427	YPSB3230	493
RWAWF6023	179	RWHDHTB30H3	487	RWHRE	427	YPSB3230F	491
RWAWF6032	179	RWHDHTB30H4	488	RWHRF	427	YPSB3236F	491
RWAWF6612	179	RWHDHTB30H5	489	RWHRC	427	YPSB3236V	493
RWAWF6621	179	RWHDHTB3626	432	RWHTB3024	432	YPSB3242	493
RWAWF6623	179	RWHDHTB36H1	485	RWHTB3624	432	YPSB3242F	491
RWAWF6632	179	RWHDHTB36H2	486	RWHTB4224	432	YPSB3248	493
RWAWF7212	179	RWHDHTB36H3	487	RWHTB4824	432	YPSB3248F	491
RWAWF7221	179	RWHDHTB36H4	488	RWMCT24	429	YPSB3254	493
RWAWF7223	179	RWHDHTB36H5	489	RWMMP24	428	YPSB3254F	491
RWAWF7232	179	RWHDHTB4226	432	RWMMP30	428	YPSB3260	493
RWEA3613	142	RWHDHTB42H1	485	RWMMP36	428	YPSB3260F	491
RWEA3626	142	RWHDHTB42H2	486	RWMPB	428	YPSB3266	493
RWEA3631	142	RWHDHTB42H3	487	RWMV24	428	YPSB3266FRR	491
RWEA3662	142	RWHDHTB42H4	488	RWMVH24	428	YPSB3272	493
RWEA4213	142	RWHDHTB42H5	489	RWMVH30	428	YPSB3272FRR	491
RWEA4226	142	RWHDHTB4826	432	RWMVH36	428	YPSB3824	494
RWEA4231	142	RWHDHTB48H1	485	RWMVP24	428	YPSB3824F	492
RWEA4262	142	RWHDHTB48H2	486	RWMWT24	428	YPSB3827	494
RWEA4813	142	RWHDHTB48H3	487	RWMWT30	428	YPSB3827F	492
RWEA4826	142	RWHDHTB48H4	488	RWMWT36	428	YPSB3830	494
RWEA4831	142	RWHDHTB48H5	489	YPSB2024	493	YPSB3830F	492
RWEA4862	142	RWHDHTB54H1	485	YPSB2024F	491	YPSB3836	494
RWEA7220(L/R)	362	RWHDHTB54H2	486	YPSB2027	493	YPSB3836F	492
RWEA7224(L/R)	362	RWHDHTB54H3	487	YPSB2027F	491	YPSB3842	494
RWEA7520(L/R)	371	RWHDHTB54H4	488	YPSB2030	493	YPSB3842F	492
RWEA7524(L/R)	371	RWHDHTB54H5	489	YPSB2030F	491	YPSB3848	494
RWEA(A/B/C/D/E/F/G)F3613	163	RWHDHTB60H1	485	YPSB2036	493	YPSB3848F	492
RWEA(A/B/C/D/E/F/G)F3626	163	RWHDHTB60H2	486	YPSB2036F	491	YPSB3854	494
RWEA(A/B/C/D/E/F/G)F3631	162	RWHDHTB60H3	487	YPSB2042	493	YPSB3854F	492
RWEA(A/B/C/D/E/F/G)F3662	163	RWHDHTB60H4	488	YPSB2042F	491	YPSB3860	494
RWEA(A/B/C/D/E/F/G)F4213	163	RWHDHTB60H5	489	YPSB2048	493	YPSB3860F	492
RWEA(A/B/C/D/E/F/G)F4226	163	RWHDHTB66H1	485	YPSB2048F	491	YPSB3866	494
RWEA(A/B/C/D/E/F/G)F4231	162	RWHDHTB66H2	486	YPSB2054	493	YPSB3866FRR	492
RWEA(A/B/C/D/E/F/G)F4262	163	RWHDHTB66H3	487	YPSB2054F	491	YPSB3872	494
RWEA(A/B/C/D/E/F/G)F4813	163	RWHDHTB66H4	488	YPSB2060	493	YPSB3872FRR	492
RWEA(A/B/C/D/E/F/G)F4826	163	RWHDHTB66H5	489	YPSB2060F	491		
RWEA(A/B/C/D/E/F/G)F4831	162	RWHDHTB72H1	485	YPSB2066	493		
RWEA(A/B/C/D/E/F/G)F4862	163	RWHDHTB72H2	486	YPSB2066FRR	491		
RWEAWF3613	180	RWHDHTB72H3	487	YPSB2072	493		
RWEAWF3626	180	RWHDHTB72H4	488	YPSB2072FRR	491		
RWEAWF3631	179	RWHDHTB72H5	489	YPSB2624	494		
RWEAWF3662	180	RWHDHTB78H1	485	YPSB2624F	492		
RWEAWF4213	180	RWHDHTB78H2	486	YPSB2627	494		
RWEAWF4226	180	RWHDHTB78H3	487	YPSB2627F	492		
RWEAWF4231	179	RWHDHTB78H4	488	YPSB2630	494		
RWEAWF4262	180	RWHDHTB78H5	489	YPSB2630F	492		
RWEAWF4813	180	RWHDHTB84H1	485	YPSB2636	494		
RWEAWF4826	180	RWHDHTB84H2	486	YPSB2636F	492		
RWEAWF4831	179	RWHDHTB84H3	487	YPSB2642	494		
RWEAWF4862	180	RWHDHTB84H4	488	YPSB2642F	492		
RWEB7220(L/R)	362	RWHDHTB84H5	489	YPSB2648	494		
RWEB7224(L/R)	362	RWHDHTB90H1	485	YPSB2648F	492		
RWEB7520(L/R)	371	RWHDHTB90H2	486	YPSB2654	494		
RWEB7524(L/R)	371	RWHDHTB90H3	487	YPSB2654F	492		
RWEC7220(L/R)	362	RWHDHTB90H4	488	YPSB2660	494		
RWEC7224(L/R)	362	RWHDHTB90H5	489	YPSB2660F	492		
RWEC7520(L/R)	371	RWHDHTB96H1	485	YPSB2666	494		

Selling Policy

This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.	
Terms & Conditions of Sales	Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.
Ordering Information	All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.
Order Confirmation	A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.
Pricing Policies	List prices are subject to change without notice. List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.
Taxes	All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.
Terms of Payment	Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice. KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment. If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance. Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.
Changes and Cancellation	Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.
Freight Prepaid	Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from conditions over which the Seller has no control. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. All shipments shall be tailgate deliveries. Freight for all KnollTextiles orders is prepaid and added to the invoice.
Delivery/Freight Charges	Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin. For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination. Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing. Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery. Partial shipments may be made and invoiced by Seller.
Claims	All shipments for all Knoll Products within the contiguous United States and Canada are F.O.B. Origin. Risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to make a claim against carrier or notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. Seller will agree to repair or replace Product damaged in shipment if Purchaser has notified Seller of freight damage within ten (10) working days after receipt and assigns its rights against the carrier.
Seller's Security Interest	Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.
Returns	The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.
Held Orders/Storage	If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.

Selling Policy

Customer's Own Material	<p>A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.</p>
Warranty	<p>Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.</p> <p>Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair).</p> <p>Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.</p> <p><i>Product and Period of Warranty</i></p> <p><i>Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Equity, Morrison, Reff Profiles laminate, Series 2 Storage, Template, Antenna Workspaces and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, special or custom products, see below)</i></p> <p><i>12 Years: Chadwick, Essentials Work Chairs, Generation by Knoll, Life, Moment, MultiGeneration by Knoll, RPM and Sapper seating (except seating upholstery, textiles, leathers and finishes, see below).</i></p> <p><i>10 Years: Antenna Workspaces, AutoStrada, Crinion Open Table, Reff Profiles wood components, Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods (Magnusson, The Graham Collection) (except wood casegoods upholstered surfaces, see below), Interaction tables (except height adjustment mechanisms for Counterforce, crank-adjustable, and split-top tables and worksurfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, see below), Smokador collection (except leathers, see below), and Orchestra Universal Systems Accessories.</i></p> <p><i>5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products, Currents handcrank, Interaction Counterforce, Interaction crank-adjustable, and split-top mechanisms, KnollStudio, CPU storage and all universal storage drawers.</i></p> <p><i>3 Years: Seating upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers.</i></p> <p><i>2 Years: All other KnollExtra product</i></p> <p><i>1 Year: Light ballasts, bulbs and power supply, seating upholstered armpads and soft armpads, wood casegoods upholstered surfaces.</i></p> <p>This warranty does not apply to:</p> <ul style="list-style-type: none">• Damage caused by a carrier other than the Seller.• Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products).• COM or other third party materials applied to Products.• Products not installed by or under the auspices of a Knoll Dealer.• Dramatic temperature variations or exposure to unusual conditions.• Changes in surface finishes, including colorfastness due to aging or exposure to light.• Except as specifically noted above, textiles and upholstery supplied by <i>KnollTextiles</i> (consult current <i>KnollTextiles</i> price list for applicable warranty). <p>Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces.</p> <p>THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.</p> <p>The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.</p>
Delay/Force Majeure	<p>Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.</p>
Compliance with Law	<p>PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.</p>
Patents	<p>Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.</p> <p>The foregoing indemnity does not apply to the following:</p> <ul style="list-style-type: none">• Products supplied according to a design other than that of Seller, and which is required by the Purchaser.• Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.• Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	<p>SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.</p> <p>Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.</p>

KnollKey Lock Program

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$5
KBLANK	Shrouded Key Blank	\$5
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$22
KCHANGE	Change Key	\$5
HLKRKMASTER*	Master Key	\$7

*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.
1235 Water Street
P.O. Box 157
East Greenville, PA 18041
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."