

# Table of Contents

Introduction	Knoll and Sustainable Design	S
Introduction	General Specifications	
	Reff Profiles finish options	
	Reff Profiles Master Features	
	Introduction - Planning Guidelines	12
Horizons Planning	Horizons - 283/8" Planning	13
Tiorizons i familing	Side Elevations - 283/8" Planning	16
Worksurfaces & Peninsulas	Worksurfaces - Planning Guidelines and Specifications	18
worksurfaces & Tellinsuras	Worksurface 1 1/2"	21
	Worksurface Credenza	25
	Peninsula 1½" - Planning Guidelines and Specifications	28
	Peninsula 1½"	35
Tables	Tables - Planning Guidelines and Specifications	62
Tables	Tables with Open Frame Leg	74
	Open Frames legs Infill Options	75
	Tables with L-Legs	76
	Tables with Reverse L-Legs	77
	Tables with Soft Rectangular Legs	78
	Tables with Column Legs	79
	Tables - Mobile	80
	Tables with 2 x 4 Legs - 28 <sup>3</sup> / <sub>8</sub> "h	
	Tables with 4 x 4 Legs - 26 % h Tables with 4 x 4 Legs - 28 % h	81
	Meeting Tables - Planning Guidelines and Specifications	
	Meeting Tables Electrical - Planning Guidelines and Specifications	95
	Meeting Tables with 4 x 4 Legs - Single Depth - 283/8"h	98
		98
	Meeting Tables with 4 x 4 Legs - Double Depth - 283/8"h	100
	Meeting Tables with 4 x 4 Legs - Single Depth - 34 \%"h	
	Meeting Tables - Center Support Covers	101
	Meeting Tables - Power	103
	Media Enclave Tables with 4 x 4 Leg	106
	Center Column Tables - Planning Guidelines and Specifications	108
	Center Column Tables - Sliding	111
	Center Column Tables - Fixed Height with Column Base Leg	114
	Center Column Tables - Height Adjustable Sliding	116
c	Center Column Tables - Height Adjustable	119
Support components	Top support components	121
	Stiffeners	13]
0.1:	Modesty	132
Cabinetry	Pedestals, 28 <sup>3</sup> / <sub>8</sub> " planning	139
	Pedestals, 343/8" high	158
	Pedestals	159
	Progressive Credenzas, 283/8" planning	160
	Credenza Cushions	165
	Wall Storage Units - Planning Guidelines & Specifications	166
	Wall Storage Units, 283/8" planning	174
	Cabinets, 28 1/8" planning	195
	Cabinets Progressive, 28 3/8 planning	227
Desktop towers	Desktop Towers, 283/8" planning	243
Overhead storage	Overhead, 283/8" planning	250
	Hutches, 283/8" planning	278
	Progressive Overheads, 283/8" Planning	289
	Cubbies	298
Classic Desks	Classic Desks, 283/8" planning	299
Classic Credenza	Classic Credenza, 283%" h	301
	Classic Credenza, 343/8" h	313
	Glass Accent Tops	333

Task panels	Task Panels - Planning Guidelines and Specifications	334
	Task Panels	340
	Tackboards	378
	Desk Screens	383
Accessories	Accessories - Planning Guidelines and Specification	388
	Accessories	399
Administrative / Reception	Single Wide Desk	430
	Double Wide Desk	432
	Bridge	434
	Return	436
	Shared Return One Sided	438
	Shared Return Two Sided	440
	Technology Island Peninsula	442
	Infill Panel	444
	Transaction Tops	449
	Accent Tops	452
	Cabinets	454
	Supports	458
	Accessories	459
Wall Mounting of Knoll Products		463
Alpha-Numeric Index		465
Selling Policy		480
KnollKey Lock Program		482
General Ordering Information		483

### Knoll and Sustainable Design

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC®); Rainforest Alliance; GREENGUARD® Environmental Institute; and The Business and Institutional Furniture Manufacturer's Association (BIFMA) level® certification from Scientific Certification Systems (SCS).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

#### **Global Climate Change**

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

#### Life Cycle Assessment (LCA) Tool

- Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw
  materials sourcing through manufacture, shipping, use and re-use or end-of-life. LCA enables cradle-to-cradle implementation of
  sustainable practices.
- Knoll has partnered with The Green Standard.org to develop an affordable, universal ISO-compliant computer-based LCA tool that
  can be used by the entire contract furniture industry and is partnering on the development of an Environmental Product Declaration
  System (EPDs) for Knoll products. EPDs are verified documents containing LCA results and additional environmental performance
  information about a product.

#### **Setting Industry Standards**

- Knoll partners with MTS (The Institute for Market Transformation to Sustainability) to develop the SMaRT<sup>©</sup> Consensus Sustainable Products Standards, a set of consensus-based sustainable product standards based on the LEED<sup>®</sup> model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of SMaRT<sup>©</sup>, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll also partners with BIFMA (Business and Institutional Furniture Manufacturers Association) to promote level® sustainability standards for the contract furniture industry.
- Knoll has established FSC® (Forest Stewardship Council) certified wood as the standard for general office open plan office systems, casegoods and tables.
- Knoll has launched Full Circle, a resource recovery program developed with ANEW, to help customers extend the life cycle of surplus furniture, fixtures and equipment (FF&E) in an economically, socially and environmentally responsible manner.
- Our goal is to encourage all manufacturers in the contract furniture industry and related industries to adopt standards that will lead to sustainable products and practices.

For more information about Knoll and sustainable design, visit knoll.com/environment.

#### Note:

Line drawings in this price list are purely for quick product identification without any form of detail. One must not use the price list line drawings to satisfy production dimensions, shape or support options. Refer to Planning Guide for detailed product information.

# Wood and Laminate Components

Tops are 1 1/2" or 1 1/4" thick.

Flush and cantilever top assemblies have 1  $^{1}/_{16}$ " or 2  $^{1}/_{16}$ " thick endpanels, and  $^{15}/_{16}$ " thick backpanels. Recessed top assemblies have 1  $^{1}/_{16}$ " or 2  $^{1}/_{16}$ " thick endpanels and a  $^{15}/_{16}$ " thick backpanel.

Pedestals are supplied with metal channels on the top to attach the pedestal to the underside of a worksurface.

Drawer boxes can be specified in either metal or wood with dovetailed joinery. Hinge doors use concealed, adjustable hinges.

Components are finished on all sides unless otherwise specified. Edges are banded with treated paper on hidden surfaces and .6 or 2.0 mm ABS or wood on visible surfaces.

#### Locks

All pedestals and cabinets with drawers are supplied with a ganglock mechanism in place. In addition, cabinets with drawers have a drawer interlock anti-tip device designed to prevent the opening of a second drawer when one is already open. Locks for drawers in pedestals and cabinets can be retro-fitted. Door locks are not pre-routed and therefore, locks cannot be retro-fitted.

Reff lockcores must be specified separately. Reff lock mechanisms are optionally black or silver and feature a removable core for easy replacement.

Orders with 50 or fewer locks required with no specific keying requests will be sent randomly keyed by the factory without warning.

#### Levellers

All endpanels, backpanels (except recessed), floor pedestals and cabinets are equipped with levellers.

#### Lighting

Task lights are available as fluorescent or LED solutions.

#### Task Lights

Task lights are TCLP compliant and meet requirements of California Title 20 and Title 24. T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements. All task lights are approved for New York City installations.

#### **T5 Task Lights**

All T5 task lights include mounting hardware for attachment to overhead cabinets, shelves, up mounted cabinets and freestanding overdesks.

Specify task lights one size or less than the overall cabinet or overdesk width. T5 task lights have adjustable mounting brackets that lock into integral channels in the underside of the cabinet's lower shelf. The spring steel adjustable mounting brackets flex to install without requiring tools and allow the light to be positioned at any position side-to-side and front-to-back.

#### **LED Task Lights**

LED task lights mount into the recess in the underside of overhead cabinets and shelves at least 5" wider than the task light width.

#### Grommets

Grommets are optional (except where noted). Tops up to 48 wide have one grommet. Tops wider than 48 include two grommets. See Planning Guide for locations.

All dimensions in this price list are for representative purposes only. For accurate build dimensions or factory drawings, please call Customer Services.

#### Finishing

All Reff natural wood veneer and Techwood components are stained and sealed using a state of the art custom blended polyurethane finishing process.

This finish provides superior resistance to solvents, stains, abrasion and heat.

Each component is coated and then cured with ultraviolet light for a durable, lasting wood surface.

Natural veneers are all hand selected to best showcase the beauty of natural grain and to Knoll's meticulous color and grain standards.

Every effort is made to ensure that Knoll Reff Profiles veneers are the best that can be sourced in quality of color, consistency and size. Natural variations of wood are held in high regard and are not considered to be defects. Natural variations are not subject to warranty. The natural process of color change in real wood products is part of the unique character and beauty of this material.

Knoll expects wood to patina over time and does not warranty color change.

Techwood is real wood, enhanced by technology to provide added color and grain consistency.

#### **Wood Finishes**

V1 Techwood	V2 Natural Vene Techwood	ers / Premium		ural Venee ood <i>(cont.</i>	ers / Premium .)	V3 Prei	mium Ven	eer
Natural         Synthetic         Finish           Edge         Y316         S316         Maple           Y319         S319         Cherry           Y323         S323         Medium Walnut           Y326         S326         Dark Mahogany           Y329         S329         Medium Oak           Y342         S342         Medium Teak *           Y344         S344         Espresso           Y811         S811         Natural           Y821         S821         Blond Maple           Y831         S831         Light Cherry           Y851         S851         Black Oak           Y881         S881         Light Walnut           Y882         S882         Dove Grey *           Y883         S883         Pangar Wenge	Natural         Synthetic           Edge         Edge           V312         R312           V316         R316           V319         R319           V411         R411           V412         R413           V413         R413           V414         R414           V415         R415           V417         R417           V421         R421           V423         R423           V439         R439	Bronze Cherry Maple Medium Cherry Light Walnut Natural Cherry Sand Oak (Open pore) Natural Oak Peacock Green Walnut Old English Walnut Chalk Oak Light Oak Light Fawn Cherry Medium Brown Cherry Straight Anigre	*Note: - Fi: - Al	l finishes s aterial.	Finish  Natural Hemlock (QC) Ebony (Open pore)* Grigio (Open pore)* White Pine (Open pore)*  h * are NOT available shift in color over time	Edge V512 V514 V515 V517 V518	ural aging	process varies by

#### Laminates

#### Core Laminate Surface / Edge

111	Jet Black
114	Folkstone Grey
115	Medium Grey
117	Soft Grey
118	Bright White
119	Pumice
121	Micro Grey *
122	Brushed Sand *
123	Brushed Grey*

128 Fog 129 Micro Sand \* \*121 122 123 120 1

\*121, 122, 123, 129 Not available with matching edge option, and only available on worksurfaces.

\*121, 122, 123, 129 Not available for Panel post covers, post caps, top trims, end trims.

LW Marker Board - Available for panels, Task panels and sliding display boards.

Note: All core Laminate worksurfaces are available with optional edge finish. (unless otherwise noted)

ie; A worksurface in 118, can have 139 edge finish.

#### Wood Grain Laminates Surface / Edge

124	Medium Chery
125	Natural Maple
126	Natural Cherry
127	Walnut
139	Light Ash
140	Warm Ash
141	Whitened Ash
142	Grey Ash
143	Classic Oak
144	Graphite Pear
145	Zebra

Wood Grain Laminates are NOT available on the following components:

- •Storage with J Pull option
- Administrative and Reception products
- Worksurfaces with optional edge profiles
- Panel post covers, post caps, top trims, end trims and panels with beltway options

#### Impact Resistant Laminate

#### Core & Wood Grain Laminates Surface / Edge

911 Jet Black 914 Folkstone Grey 917 Soft Grev 918 Bright White 919 Pumice 924 Medium Cherry 925 Natural Maple 926 Natural Cherry 927 Walnut 928 Fog


Note: The Rules of Core and Wood grain Laminates, applies to the Impact Resistant Laminates.


\*25% Upcharge applies to the laminate pricing for the Impact Resistant Laminates.

#### **Important Note:**

Laminate wood grain direction depends on the width of the product.

For any vertical surface, ie; modesty panels, overheads and hutches, **up to 60**" wide, the laminate wood grain direction will be **vertical**. For any vertical surface **greater than 60**" wide, the laminate wood grain direction is **horizontal**.





Note: Pedestals and Cabinets with metal interior, when specified in "Wood Grain Laminate" or "Veneer", the shelves are painted black.

Mixed Finishes: For <u>Laminate worksurfaces</u> with Laminate or Veneer Edge Options, specify mixed finish worksurfaces using separate top finish & edge finish.

For Example:

Top finish: 114 Folkstone Grey Laminate

Edge finish: 115 Medium Grey Laminate, or Y882 Dove Grey Techwood

Forbo  851 Biscuit  852 Sky Blue  853 Stone  854 Cinnamon  855 Heather Blue  Solid Surface  AW Artic White	Glass G1 TEMP Clear Tempered G2 Architectural Glass Options GL13 Powder GL8 Wafer GL6 Block Matrix G3 Back Painted Glass 5mm GL11 Back Painted Black GL14 Folkstone Grey GL15 Back Painted Medium Grey GL17 Back Painted Soft Grey GL18 Back Painted White Colored Glass GL25 Bronze GL35 Grey GL35 Star Clear Note: All Glass options are Tempered.	Paint P1 111 Jet Black 112 Brown 113 Dark Grey 114 Folkstone Grey 115 Medium Grey 116 Sandstone 117 Soft Grey 118 Bright White  P2 611 Beige Mist Metallic 612 Medium Metallic Grey AA Anodized Aluminum  P3 613 Silver  P4 PD Polish Chrome PU Satin Nickel PT Brushed Pewter AP Anodized Polished

Plate	ed	Anod	ized	Lock	s
PD	Polish Chrome	AP	Anodized Polished	В	Black
PU	Satin Nickel	AU	Anodized Satin	S	Mattte Silver
PT	Brushed Pewter	AA	Anodized Aluminum		

#### **Complementary Colors:**

 $\begin{array}{ll} {\rm AP\ (anodized\ polished)} & {\rm compliments\ ................PD\ (polished\ chrome)} \\ {\rm AU\ (anodized\ satin)} & {\rm compliments\ ......................PU\ (satin\ nickel)} \\ \end{array}$ 

#### **Fabric Options For Panels**

Grade 10 Broadcloth II (W1619) Circuit (W1754) Element (W1077) Foundation (W351) Growth Spurt (W692) Pivot (W1926) Skylark (W1718) Symbolic Detail (W693) Tailor Made II (W1610/6) Twister (W1923) Versatility (W432)

Grade 20 Bauhaus Block (W296A) Circle Line (W1146) Criss Cross (W305) Delite (K2026) Logic (W1318) Nematic II (W1620) Photon II (W1620) Reflect (W884) Ø Resolution (W280) Weave Three (W298)

 $Grade\ 30$ Basket Draft (W249) Flow (W565) Harmony (W232) Match Point (W1145) Micro (W465)\* Relay (W1020) ▲

Grade 40 Ornament (W1078) Palladium (W1030)

Grade 45 Monarch (K1149)

\*with backing only

▲ Monolithic panels and tackboards

Ø May not be available in all colors.

★Non-merchandized available for purchase but samples not available.

The following textiles are approved for use on Reff panels. Consult Knoll representative for pricing:

Grade 50 Versa (K1698)

Grade 55 Knoll Felt (K1207) Knoll Hopsack (K1206) Ransom (K1298) Transition (W816)

#### **Customers Own Material**

Prices for panels and tackboards that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing.

COM fabrics are subject to a testing charge prior to acceptance for use on Reff panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.

When specifying panel/fabrics use the following format to denote location on a tiled panel.

Side 1		Side 2
1E	Top of Panel	2E
1D		2D
1C		2C
1B		2B
1A	Bottom of Panel	2A

(Side 1 is always the inside of the workstation.)

Panels with beltway one side: assume the beltway is on SIDE 1 of the panel.

#### **Fabric Options For Cushions**

Alignment (K349) ♣ Basket Draft (W249) Beacon (W1597) Bocce (K1255) **≜** Cats Cradle (K1290) ≱ Chance (K1552) Common Ground (K448) **≜** Delite (K2026) Distri (K872) Hourglass (K1523) Mariner (K642) Monarch (K1149) & Prep (K1076) ≰ Presto (K1000) ≱ Reflect (W884) Soliloquy (K1458) Sonnet (K1460) **2** Stacks (K528) Trophy (K1709) **≜** 

Abacus (K715) 

≜ Argyle (K1938) Bank Shot (K134) & Belize (K1165) Boundary (K1828) Cameo (K1443) Chroma (K345) & Chronicle (K1525) ≱ Close Knit (K201)

B cont. Dovetail (K1150) ♠ Ferry (K1697) Framework (K1447) & Keaton (K1596) Gala II (K1520) **≜** Grande (K180) Grandview (K1463) Holbrook (K1928) Journey (K1806) **≜** Knoll Felt (K1207) ≰ Knoll Hopsack (K1206) **≜** Ludlow (K1998) Lyric (K698) Mini Stitch (K1130) ₫ Night Life (K181) Nonchalant CR (HC198) Paradigm (K1101) Pogo (K1100) **≜** Prairie (K1925) Prim (K1884) Radiance (K1921) Ransom (K1298) **≜** Ricochet (K498) \$\\ \delta\$ Roam (K1657) Rush Hour (K1824) Spark (K1075) \$\\ \delta\$ Spotlight (K772) Spree (K1600)

Sutton (K1750) \$\\ \delta\$

B cont. Utmost (K1325) Venue (K1558) Westwood (K1949) Wide Angle (K244) ≰ Zipline (K1448) &

Atlas (K1236) Baxter (K1557) Biota (K1297) & Cairo (K2034) Charm (K1049) Circa (K1054) Dahlia CR (HC1660) Durand (K1885) Earthwork (K1238) & Empire Stripe (K1025) Entourage (K1389) Fable CR (HC1122) Fibra (K1105) Fox Trot CR (HC777) Greenwich (K1753) Hudson (K1765) Hula Hoop (K753) Kora CR (HC1010) Lagos (K2038) Legend CR (W432)

Lore CR (HC1123)

Magnolia (K1999)

C cont. Metro (K1018) Milestone (K1886) Moto CR (HC1002) Noble (K1556) Palisade (K2030) Panache CR (HC1047) Pony Up (K1323) **≜** Ouark (K781) Regard CR (HC1063) Roundtrip (K1430) ₫ Sahara (HC1269) Sandpiper CR (HC1258) Sequin CR (HC1009) Sinclair (K1555) Smart (K1268) Soiree (K1616) Spectator (K1391) & Spot On (K1324) Star Struck (K1048) Stepping Stones (K346) Swing (K479) Tight Rope (K1798) Tilden (K1779) Tower Grid (K1887) Treble CR (HC1062) Vibe (K1029) Zari CR (HC1008)

Cavalier (K217) Compass CR (HC1183) Eclat Weave (K1104) Harrison (K1084) Hologram (K500) Masquerade (K806) Menagerie (K1322) Zoom (K113) Highland (K2010)

Cross Stitch (K1026) & Kampala (K2032) Katazome (K1459) Kimono (K1174) Mamba (K549) Marquee (K1608) Meroe (K2043) Sherman (K1789) Tryst (K1522) Whip (K1386)

Atelier (K1607) Biscayne (K1771) Century (K1051) Coco (K1024) Cornaro (K1320) Glider (K1717) Groove Line (K488) **≜** = Cal 133 Pre-approved

cont. Icon (K1028) Intrigue (K1551) Jubilee (K1445) Liberty (K1888) Mod Plaid (K1630) Rivington (K1080) Soon (K1787) Topography (K1052) Totem (K1561) Tweed Frieze (K754)

Djenne (K2029) Gibson (K1086) Haze (K109) Kinabalu (K1800) Kingston (K1826) Melange (K1882) Serendipity (K1528) Striae Stripe (K1827) Ultrasuede®(K1021) ♠ Utrillo (K1807)

Arno (K128) **≜** Haiku (K1479)

Aswan (K2046) Dynamic (K1617)

Workst	ırtace	Profi	ıes
a			

**\** 


 $1^{1}/2^{\prime\prime}$ ,  $1^{1}/4^{\prime\prime}$  and  $1^{\prime\prime}$  Thick Standard



11/4" Thick Cascade




1" Thick Sliding Table



Integral Wood J-Pull

Does not protrude


Matches the case finish



C-Pull


S-Pull

(Nickle Plated Finish Only)  $7\ ^3/8$ " wide x  $1\ ^5/32$ " deep Protrudes 1" from the drawer front Available in Nickle Plated Finish only 1 pull per drawer front Position: center,  $^1/2$ " down from the top of drawer



D-Pull

 $7^{3/4}$ " wide x  $1^{13/32}$ " deep Protrudes  $1^{13/32}$ " from the drawer front Available in all core paint finishes, Brushed Pewter (PT) and Satin Brass (PZ) 1 pull per drawer front Position: Assembled to plate, center line, 1/2" down from the top of drawer




(Stainless Steel Finish Only)

6 5/32" wide x 1 1/16" deep


Protrudes 1 3/64" from the drawer front

Available in Stainless Steel only
1 pull per drawer front


Position: Center, 1/2" down from the top of drawer




R-Cylinder
1" diameter
Protrudes 1" from the drawer front
Available in painted and plated finishes
1 pull per 16" & 19" wide pedestal drawer
Position: center position for 16" & 19" drawers
2 pulls per 30" & 36" lateral drawers
Position: 6" in from end, 1½" down from top of drawers




H-Out Line
4" wide x 1" deep
Protrudes 1" from the drawer front
Available in painted and plated finishes
1 pull per 16" & 19" wide pedestal drawer
Position: center, 1 ½" down from the top of drawer
2 pulls per 30" & 36" lateral drawers
Position: 6" in from left/right, 1 ½" down from top of drawers




T-Tab Short Tab: 2" wide x  $1^3$ /4" deep Long Tab:  $10^n$  wide x  $1^3$ /4" deep Protrudes  $^3$ /4" from drawer front Available in painted or plated finishes Position: Center line position on drawers




 $F-Bar\ Pull$  Short bar pull:  $3^3/8''$  wide x .3" thick Long bar pull:  $10^1/2''$  wide x .3" thick Protrudes 1" from drawer front Available in painted and plated finishes




G-Grommet Pull
15/32" diameter
Flush with the drawer front
Available in painted and plated finishes
1 pull per 60" & 72" sliding doors
Position: 1.656" from left or right, center line vertical
2 pulls per 90" & 108" sliding doors
Position: 1.656" from left and right, center line vertical
Position: Center line position on drawers







#### Legs and End Supports




 $\label{eq:Leg:Bounds} $\text{Leg: 3" x 3"}$ $\text{Top plates: 5 $\frac{1}{2}$" x 5 $\frac{1}{2}$"}$ $\text{Flush with worksurface edges}$ $\text{Finishes: painted or anodized}$ $\text{Available on rectilinear peninsulas; square and rectangular 1 $\frac{1}{2}$" tables}$ $\text{Available in pairs}$$ 




Soft Rectangular Leg
Leg:  $2" \times 3"$ Top plates:  $5 \frac{1}{2}" \times 5 \frac{1}{2}"$ Flush with worksurface edges
Finishes: painted or anodized
Available on rectilinear peninsulas;
square and rectangular  $1 \frac{1}{2}"$  tables
Available in pairs




Open Frame Leg
Leg: 2 ¼" thick
Top plates (2): 6" x 6"
Flush with worksurface edges
Finishes: painted or anodized
Available on rectilinear peninsulas;
rectangular 1 ½" tables
Available with laminate or wood
veneer infill panels



Reverse L-leg
Leg:  $3" \times 3"$ Top plates:  $5 \frac{1}{2}" \times 5 \frac{1}{2}"$ Flush with worksurface edges
Finishes: painted or anodized
Available on rectilinear peninsulas;
square and rectangular  $1 \frac{1}{2}"$  tables
Available in pairs



Column Leg
Leg: 3" diameter
Top plate: 10" x 10" (peninsulas)
Top plate: 7 <sup>5</sup>/<sub>8</sub>" x 7 <sup>5</sup>/<sub>8</sub>"
triangular (tables)
Flush with worksurface edges
Finishes: painted or plated
Available on bullet, D, P and 9
peninsulas; 2 ½" and 4" diameter
available on 1 ½" tables



Thick End Panel Leg:  $2^{1}/_{16}$ " thick Top bracket: extends  $1^{5}/_{8}$ " inboard x  $2^{5}/_{16}$ " from front and back edges Flush with worksurface edges Finishes: laminate or wood veneer Veneer direction is vertical Available on rectilinear peninsulas Not sold separately

# Introduction - Planning Guidelines and Specification Introduction

#### What is Reff Profiles?

Reff Profiles is finely detailed office furniture that combines versatility with image by providing unparalleled attention to quality from dovetailed joinery to a patented finishing process. Users can choose from a broad range of natural woods, fine veneers and durable laminates to create private offices, freestanding work areas and panel-based environments that fit the individual's requirements. A variety of stacking panel styles, including monolithic, tiled and floor-to-ceiling, will support any design criteria.

Worksurfaces are available in traditional rectilinear or innovative curvilinear shapes for a choice of aesthetic approaches and ergonomic solutions. Cabinetry can be specified in numerous sizes and configurations with either wood or metal interiors with a choice of hardware options to support any storage requirement. Innovative deskheight storage, cabinets and office towers combine aesthetics with functionality.

The result is a comprehensive product offering that will satisfy a wide spectrum of users. Let your imagination take hold.

For private offices consider a variety of desking options including flush, cantilevered, recessed or bow fronts and storage solutions including innovative workwalls.

In freestanding furniture, Reff Profiles offers a full selection of components to support any requirement from managerial to administrative. Options include numerous worksurfaces and meeting tops with a variety of freestanding supports. Administrative and Gallery desk surrounds, stationary and mobile storage components and storage towers provide exceptional planning alternatives.

Panel systems provide high-density power, data and communications capacity along with acoustic control and design flexibility. Panels can be specified with smooth monolithic surfaces, tiled faces or stacking modules. Additionally, panel surfaces are available with fabric on both sides or with fabric on one side and wood on the other.

#### Who should consider Reff Profiles?

Reff Profiles is well suited to organizations who want to project a high image while supporting any work environment from private offices to panel-based workstations. Companies will appreciate the fine quality and breathtaking aesthetics of Reff Profiles and, for those rapidly changing firms who require interchangeable components to support long term use, Reff Profiles is truly the design choice for inspired offices.

#### Desk Height Planning vs. Standard Height Planning

Reff Profiles offers two support height planning models: "standard" height  $(26 \ 1/2")$  and "desk" height  $(28 \ 3/8")$ .

"Standard height" support components provide an underdesk clearance of 26 ½". This yields a worksurface height of 27 ¾" with 1 ¼" thick worksurfaces and 28" with 1 ½" worksurfaces.

Standard height planning (26 ½") may be utilized in panel-based open planning, freestanding open planning (including Reff ProfilesGallery), and in private office planning.

"Desk height" support components provide an underdesk clearance of 28 <sup>3</sup>/<sub>8</sub>". This yields a worksurface height of 29 <sup>5</sup>/<sub>8</sub>" with 1 ½" thick worksurfaces and 29 <sup>7</sup>/<sub>8</sub>" with 1 ½" thick worksurfaces.

"Low Credenza" and "¾ high" storage options may be incorporated into desk height planning models. Progressive Low Credenza storage incorporates a 1 ¹/¹6" top shelf for a finished height of 23 ³/8". ¾ high storage is 22 ³/8"h and requires a 1" thick applied worksurface top which yields a low worksurface height of 23 ³/8".

Desk height planning (28 3/8") may be utilized in freestanding open planning (including Administrative and Reception desk units) and in private office planning.

#### Storage Relationships

Care should be taken to make sure storage cabinets are specified in the type that corresponds to the planning height model being used.

Classic Cabinets, Overheads, Workwalls, and Overdesk Units are available for both standard and desk height planning and must be specified accordingly.

Progressive Cabinets, Progressive Overheads, and Desktop Towers are only available for desk height planning.


Task panels are intended to be used with desk height planning. They are not recommended for use with standard height planning.


#### **Price List / Planning Guide Organization**

The Reff Profiles price list is divided into two volumes. Volume 1 contains pricing related to panels and "standard" height (26 ½") planning. Planning guidelines for 26 ½" height planning are available in the Reff Planning Guide, on Exchange. The Reff Profiles price list Volume 2 contains pricing and planning information for "desk" height (28 3/8") elements.

It is not advised to mix 28  $^{3}/_{8}$ "h desk height products with 26  $^{1}/_{2}$ " components.

# Horizons - 283/8" Planning Planning Guidelines and Specifications







#### Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed are examples only and do not represent the complete scope of products available.

# Horizons - 283/8" Planning Planning Guidelines and Specifications






#### Notes


- Planning horizons are nominal. Dimensions are actual.
- Images displayed are examples only and do not represent the complete scope of products available.

# Horizons - 283/8" Planning Planning Guidelines and Specifications




#### Notes

- Planning horizons are nominal. Dimensions are actual.
- Images displayed are examples only and do not represent the complete scope of products available.



Note: Planning Side Elevations are nominal. Dimensions are actual.



Note: Planning Side Elevations are nominal. Dimensions are actual.

### Worksurfaces - Planning Guidelines and Specifications Planning Guidelines and Specifications

#### Worksurfaces

The selection of worksurface sizes and their relationship to each other are primary considerations when planning a Reff Profiles office. Refer to the illustrations in the Introduction to Desk Height Planning to see how the various heights of storage and worksurface supports relate to the choice of worksurface thickness. Reff worksurfaces are available in three thicknesses: 1", 1 1/4" and

1 ½". Construction details specific to the 1 ½" thick surfaces, including Cascade and Edge Detail surfaces, can be found in the Reff Planning Guide on Exchange.

When selecting top sizes consider whether storage components can be used to support the surfaces and what other worksurface supports will be required.

**NOTE**: Additional support is required when using 1" thick credenza tops for unsupported spans over 36". 1 ½" thick worksurfaces require additional support for an unsupported span of more than 48". When using 1 ½" thick worksurfaces the maximum unsupported span is 54".

**NOTE**: All dimensions shown in these descriptions and on the Worksurface price pages are nominal dimensions. Actual widths are 1/16" less than nominal. Actual depths are 1/8" less than nominal.

#### Construction

All worksurfaces feature 3-ply construction (see figure below) and can be specified in laminate, veneer or laminate tops with veneer edges. Laminate tops have a laminate top surface with an FSC-certified, 45-pound density particle board core and neutral tone backer sheet for balanced construction. Edges match the top in 2.0mm ABS with 2.0mm radius top and bottom edges. Ends overlap the front and back edges (see figure below).

Techwood and natural veneer tops have a veneer top surface, an FSC-certified, 45-pound density particle board core and a neutral tone backer sheet for balanced construction. Veneer tops have matching finish 2.0mm thick solid veneer edges on all sides. Edges have a 2.0mm radius on the top and bottom.

All worksurfaces except Bridge Rectilinear worksurfaces are pre-drilled with pilot holes for use with wood screws.

#### **Application Notes**

1 1/4" Straight Rectilinear worksurfaces are available in 20", 24", 30" and 36" depths for regular worksurface applications. Widths available range from 24" to 96" in 6" increments.


1 ½" Straight Rectilinear worksurfaces are available in 20", 24", 30" and 36" depths for regular worksurface applications. Widths available range from 24" to 108" in 6" increments.

Bridge Rectilinear worksurfaces are 1 ½" thick and available from 36"W to 54" wide in 6 inch increments in either 20" or 24" depths. They can be ordered with the grain specified to run either vertically (across the depth of the surface) or horizontally (along the length of the surface) when specified in wood grain laminate or veneer finish.

Credenza Tops are available in both 1" and in 1 ½" thicknesses and in widths from 60" to 108" in 6" increments.

Rectilinear worksurfaces can be specified in non-standard dimensions. For information, contact Knoll Custom Product Development

End






End

Front Edge

**Back Edge** 

# Worksurfaces - Planning Guidelines and Specifications Planning Guidelines and Specifications



## Worksurfaces - Planning Guidelines and Specifications Planning Guidelines and Specifications

#### Grommets

Grommets are optional and must be specified by adding the appropriate designation to the pattern number. Designations are:

N = No grommet

F = Flush grommet location

R = Recessed grommet location

Rectilinear worksurfaces 24" to 48" wide receive one grommet centered on the back edge of the worksurface. Rectilinear worksurfaces over 48" wide receive two grommets along the back edge.

- 1 ½" and 1 ½" thick rectilinear tops are available with no grommet, flush grommet or recessed grommets locations.
- 1 ½" thick tops are available with additional grommet options; Classic type and Profile type.

Classic type grommets sit even with top of the worksurface.

Profiles type grommets have a 1/16" thick flange which rests above the worksurface.

These 2 types of grommets, provides additional grommet options for 1 1/4" thick tops (only);

CF = Classic grommet in flush location

PF = Profiles grommet in flush location

CR = Classic grommet in Recessed location

PR = Profiles grommet in Recessed location

CA = Classic grommet in Alternative location

PA = Profiles grommet in Alternative location

- \* CA & PA are available on 36" deep tops only.
- 1 ½" thick credenza tops come standard with a 1 3/8" deep edge grommet which runs along the rear of the worksurface to within 6" of each end (see figure below).

The 1" credenza tops are available with or without an edge grommet.

Refer to the Reff Planning Guide, posted on Exchange, for 2" x 3" grommet locations.

For non-standard grommet locations contact Knoll Custom Product Development.


#### **Planning for Worksurface Thicknesses**

Critical to the correct specification of Reff Profiles is an understanding of worksurface thicknesses, support component heights and their relationship to each other. Worksurfaces and support components can be combined to create the following overall finish heights:

 $23 \ ^3/_8$ " – Intended as a credenza height in  $28 \ ^3/_8$ "H planning scenarios; this height is achieved using 1" thick worksurfaces with  $22 \ ^3/_8$ "H (¾ height) storage components.

27 ¾" – Intended as the overall worksurface height in a panel supported workstation scenario; this height is achieved by combining "Standard height" 26 ½" storage or support components with 1 ¼" thick worksurfaces.

 $29\ ^{7}/_{8}"$  – Intended as the overall worksurface height in freestanding office scenarios; this height is achieved by combining "Desk height"  $28\ ^{3}/_{8}"$  storage or support components with 1 12" thick worksurfaces.



### Worksurface 11/2" rectilinear 20" and 24" deep

description	d	W	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops	20"	24"	RSD241-( )( )( )	\$369.	\$410.	\$473.	\$636.
	20"	30"	RSD301-( )( )( )	403.	450.	517.	698.
	20"	36"	RSD361-( )( )( )	427.	476.	545.	739.
	20"	42"	RSD421-( )( )( )	443.	497.	571.	771.
	20"	48"	RSD481-( )( )( )	465.	515.	592.	798.
	20"	54"	RSD541-( )( )( )	484.	535.	619.	836.
<b>*</b>	20"	60"	RSD601-( )( )( )	547.	581.	667.	903.
	20"	66"	RSD661-( )( )( )	535.	597.	689.	929.
	20"	72"	RSD721-( )( )( )	565.	630.	721.	975.
	20"	78"	RSD781-( )( )( )	574.	636.	732.	990.
	20"	84"	RSD841-( )( )( )	608.	681.	779.	1,051.
	20"	90"	RSD901-( )( )( )	636.	707.	810.	1,096.
	20"	96"	RSD961-( )( )( )	659.	732.	842.	1,136.
	20"	102"	RSD1021-( )( )( )	725.	807.	927.	1,248.
	20"	108"	RSD1081-( )( )( )	797.	887.	1,018.	1,374.
	24"	24"	RSD242-( )( )( )	388.	431.	497.	670.
	24"	30"	RSD302-( )( )( )	438.	486.	562.	756.
	24"	36"	RSD362-( )( )( )	452.	508.	583.	785.
	24"	42"	RSD422-( )( )( )	472.	524.	602.	810.
	24"	48"	RSD482-( )( )( )	500.	562.	645.	869.
	24"	54"	RSD542-( )( )( )	535.	597.	689.	929.
	24"	60"	RSD602-( )( )( )	577.	643.	738.	994.
	24"	66"	RSD662-( )( )( )	591.	672.	763.	1,030.
	24"	72"	RSD722-( )( )( )	621.	692.	797.	1,077.
	24"	78"	RSD782-( )( )( )	652.	723.	835.	1,128.
	24"	84"	RSD842-( )( )( )	675.	753.	867.	1,171.
	24"	90"	RSD902-()()()	709.	787.	905.	1,220.
	24"	96"	RSD962-( )( )( )	735.	818.	941.	1,271.
	24"	102"	RSD1022-( )( )( )	808.	900.	1,036.	1,397.
	2.111	3.00#		000	000	7.740	7 500

RSD1082-( )( )( )

Order	Cada
Order	Code

Example:	RSD241RL
R	Reff
S	Straight top
D	1 1/2" thick
24	24" wide
1	20" deep
R	Recessed grommet
	location
111	Jet Black (grommet)
V316	Top finish
()	Edge finish

#### **Specification Information**

24"

 ${\it To~order~please~specify~pattern}$ number including:

108"

- 1. Grommet option: F=Flush front grommet location N=No grommet R=Recessed front (not recommended for  $20^{\prime\prime} D$  and  $24^{\prime\prime} D$ tops)
- 2. Grommet finish:
- Painted, Plated Top finish: L, V1, V2, V3
- 4. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

888.

988.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Worksurfaces stiffeners recommended to provide additional support for open spans greater than 54"w.

#### **Application Notes**

Products on this page are shipped without hardware which must be ordered separately from the support components section.

1,140.

1,538.

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is  $\ensuremath{\mbox{\sc l}}\xspace^{\prime\prime}$ 

These worksurfaces are predrilled with pilot holes for use with wood screws.

### Worksurface 1½" rectilinear 30" and 36" deep

description	d	W	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops	30"	24"	RSD243-( )( )( )	\$423.	\$469.	\$536.	\$724.
	30"	30"	RSD303-( )( )( )	476.	528.	607.	821.
	30"	36"	RSD363-( )( )( )	509.	569.	652.	880.
	30"	42"	RSD423-( )( )( )	532.	591.	682.	921.
	30"	48"	RSD483-( )( )( )	569.	632.	724.	980.
	30"	54"	RSD543-( )( )( )	614.	684.	782.	1,057.
*	30"	60"	RSD603-( )( )( )	637.	708.	812.	1,098.
	30"	66"	RSD663-( )( )( )	648.	722.	834.	1,126.
	30"	72"	RSD723-( )( )( )	666.	741.	852.	1,149.
	30"	78"	RSD783-( )( )( )	696.	776.	892.	1,203.
	30"	84"	RSD843-( )( )( )	724.	807.	928.	1,254.
	30"	90"	RSD903-( )( )( )	757.	845.	972.	1,312.
	30"	96"	RSD963-( )( )( )	783.	874.	1,007.	1,357.
	30"	102"	RSD1023-( )( )( )	863.	962.	1,107.	1,493.
	30"	108"	RSD1083-( )( )( )	949.	1,058.	1,218.	1,643.
	36"	60"	RSD604-( )( )( )	734.	817.	936.	1,254.
	36"	66"	RSD664-( )( )( )	757.	846.	974.	1,313.
	36"	72"	RSD724-( )( )( )	782.	873.	1,005.	1,356.

#### **Order Code**

#### Example: RSD243RL R Reff Straight top s D 11/2" thick 24 24" wide 3 30" deep R Recessed grommet location 111 Jet Black (grommet) V316 Top finish () Edge finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Grommet options:
  - $$\begin{split} N &= \text{No grommets} \\ F &= \text{Flush front grommet location} \\ R &= \text{Recessed front (not} \\ \text{recommended for 20"D and 24"D} \\ \text{tops)} \end{split}$$
  - A = Alternate location (for 36"D tops only)
- 2. Grommet finish: Painted, Plated
- 3. Finish: L, V1, V2, V3
- 4. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)

# Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Worksurfaces stiffeners recommended to provide additional support for open spans greater than  $54''_{10}$ 

#### **Application Notes**

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Actual widths of worksurfaces are 1/16" less than nominal dimension. Actual depth is 1/8" less

These worksurfaces are predrilled with pilot holes for use with wood screws.

# Worksurface 11/2" Bridge rectilinear Horizontal or vertical grain direction

description	d	w	pattern no.	L	M/V1	V2	V3
Worksurface, bridge rectilinear	20"	36"	RBD361H ( )( )( )( )	\$427.	\$476.	\$545.	\$739.
		36"	RBD361V ( )( )( )( )	427.	476.	545.	739.
		42"	RBD421H ( )( )( )( )	443.	497.	571.	771.
		42"	RBD421V ( )( )( )( )	443.	497.	571.	771.
		48"	RBD481H ( )( )( )( )	465.	515.	592.	798.
		48"	RBD481V ( )( )( )( )	465.	515.	592.	798.
	*	54"	RBD541H ( )( )( )( )	484.	535.	619.	836.
		54"	RBD541V ( )( )( )( )	484.	535.	619.	836.
		36"	DBD363H ( V V V V	452.	508.	583.	785.
	24	36"	RBD362H ( )( )( )( )	452.	508.	583.	785.
		42"	RBD362V ( )( )( )( ) RBD422H ( )( )( )( )	472.	524.	602.	810.
		42"	RBD422V ( )( )( )( )	472.	524.	602.	810.
		48"	RBD482H ( )( )( )( )	500.	562.	645.	869.
		48"	RBD482V ( )( )( )( )	500.	562.	645.	869.
	*	54"	RBD542H ( )( )( )( )	535.	597.	689.	929.
		54"	RBD542V ( )( )( )( )	535.	597.	689.	929.

Example:	RBD361H
R	Reff
В	Bridge
D	1 1/2"
36	36" wide
H/V	Horizontal or Vertical
	grain
F	Grommet type
115	Grommet finish
114	Laminate
()	Edge finish

**Order Code** 

#### **Specification Information**

To order please specify pattern number including:

- 1. Options for grain direction H = Horizontal grain direction V = Vertical grain direction
- 2. Grommet type: N = No grommetF = Flush front grommet location
- 3. Grommet finish:
- Painted or Plated
  4. Worksurface finish:  $L,\,V1,\,V2,\,V3$
- 5. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)

#### **Application Notes**

Product on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners recommended to porvide additional support for open spans greater than 54"w.

Stiffener sold separately.

J=Bracket sold separately.

Modesty sold separately

Actual widths of worksurfaces are 1/16" less than nominal dimensions. Actual depth is 1/8" less.

Products on this page are shipped including bridge hardware only.

Assembly required.

Note: For "L" and "U" configurations, please refer to page

## Worksurface 11/2" Return and Bridge rectilinear Horizontal or vertical grain direction

description	d	W	pattern no.	L	M/V1	V2	V3
Return / Bridge 1 1/2" thick	20"	36"	RSDR361(H/V)()()()	\$427.	\$476.	\$545.	\$739.
	20"	42"	RSDR421(H/V) ( )( )( )	443.	497.	571.	771.
/ /	20"	48"	RSDR481(H/V) ( )( )( )	465.	515.	592.	798.
	20"	54"	RSDR541(H/V) ( )( )( )	484.	535.	619.	836.
	20"	60"	RSDR601(H/V)()()()	547.	581.	667.	903.
	20"	66"	RSDR661(H/V)()()()	535.	597.	689.	929.
	20"	72"	RSDR721(H/V) ( )( )( )	565.	630.	721.	975.
	24"	36"	RSDR362(H/V) ( )( )( )	452.	508.	583.	785.
	24"	42"	RSDR422(H/V) ( )( )( )	472.	524.	602.	810.
	24"	48"	RSDR482(H/V) ( )( )( )	500.	562.	645.	869.
	24"	54"	RSDR542(H/V) ( )( )( )	535.	597.	689.	929.
	24"	60"	RSDR602(H/V) ( )( )( )	577.	643.	738.	994.
	24"	66"	RSDR662(H/V) ( )( )( )	591.	672.	763.	1,030.
	24"	72"	RSDR722(H/V) ( )( )( )	621.	692.	797.	1,077.

#### **Order Code**

#### Example: RSDR361(H/V)()()() R Reff s Straight top 1 1/2" top D R Return 36 36" wide 20" deep H/V Horizontal or Vertical grain Grommet type () Grommet finish () Worksurface finish Edge finish ()

#### **Specification Information**

To order please specify pattern number including:

- 1. Grommet type: F = FlushN = No Grommet
- 2. Grommet finish: Painted or Plated
- 3. Worksurface finish:
  L, V1, V2, V3
  4. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)

Product on this page will accept woodgrain laminate where laminate is currently an option.

Products on this page are shipped including bridge hardware only.


#### **Application Notes**

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces



U-shaped / Triple: Spanning 3 worksurfaces



# Worksurface Credenza I'' No grommet

description	d	W	pattern no.	L	M/V1	V2	V3
Credenza tops	20"	30"	RCE301()	\$383.	\$414.	\$428.	\$555.
	20"	36"	RCE361()	404.	427.	446.	591.
	20"	60"	RCE601()	503.	513.	590.	798.
	20"	66"	RCE661()	518.	529.	609.	822.
	20"	72"	RCE721()	545.	557.	639.	862.
	20"	78"	RCE781()	551.	562.	648.	875.
	20"	84"	RCE841()	589.	602.	690.	931.
	20"	90"	RCE901()	613.	625.	716.	970.
	20"	96"	RCE961()	636.	648.	745.	1,005.
	20"	102"	RCE1021()	699.	713.	820.	1,105.
	20"	108"	RCE1081()	770.	784.	902.	1,216.
	24"	30"	RCE302()	402.	434.	451.	595.
	24"	36"	RCE362()	419.	455.	476.	641.
	24"	60"	RCE602()	558.	568.	651.	880.
	24"	66"	RCE662()	575.	586.	674.	910.
	24"	72"	RCE722()	599.	611.	705.	954.
	24"	78"	RCE782()	628.	641.	741.	997.
_	24"	84"	RCE842()	655.	667.	768.	1,036.
	24"	90"	RCE902()	684.	697.	801.	1,080.
	24"	96"	RCE962()	709.	723.	832.	1,124.
	24"	102"	RCE1022()	780.	796.	916.	1,236.
	24"	108"	RCE1082()	858.	875.	1.009.	1.360.

Order Code				
Example:	RCE601			
R	Reff			
С	Credenza Top			
E	1"			
60	width			
1	20"			
V316	Finish			
()	Edge finish			

#### **Specification Information**

To order please specify pattern number including:

- 1. Finish
- L,V1,V2,V3

  2. Edge finish: L, V1, V2, V3
  (Edge options are available on laminate tops only.)

#### **Application Notes**

No grommet options

Product on this page will accept woodgrain laminate where laminate is currently an option.

Hardware are NOT included.

Credenza tops are drilled to accept pedestals and end panels.

Credenza tops are predrilled with pilot holes for use with wood screws.

 $1^{\prime\prime}$  Credenza tops are recommended to work with the Task Panel application.

Credenza tops are intended to be supported by full lower storage.

# Worksurface Credenza 1" and 11/4" with edge grommet

description	d	W	pattern no.	L	M/V1	V2	V3
Credenza tops, 1" thick	20"	60"	RCEEG601()	\$703.	\$718.	\$826.	\$1,118.
with grommet		66"	RCEEG661()	726.	741.	854.	1,151.
		72"	RCEEG721()	765.	779.	894.	1,206.
		78"	RCEEG781()	772.	787.	908.	1,227.
		84"	RCEEG841()	826.	844.	966.	1,303.
<b>~</b>		90"	RCEEG901()	857.	874.	1,003.	1,357.
		96"	RCEEG961()	890.	908.	1,042.	1,407.
		102"	RCEEG1021()	980.	998.	1,147.	1,546.
		108"	RCEEG1081()	1,076.	1,098.	1,262.	1,703.
	24''	60"	RCEEG602()	780.	796.	912.	1,232.
		66"	RCEEG662()	804.	820.	944.	1,274.
		72"	RCEEG722()	838.	856.	987.	1,335.
		78"	RCEEG782()	879.	898.	1,036.	1,396.
		84"	RCEEG842()	915.	934.	1,074.	1,450.
		90"	RCEEG902()	956.	976.	1,121.	1,513.
		96"	RCEEG962()	992.	1,013.	1,166.	1,574.
		102"	RCEEG1022()	1,093.	1,115.	1,283.	1,731.
		108"	RCEEG1082()	1,201.	1,226.	1,411.	1,904.
Credenza tops, 1 1/4" thick	20"	60"	RCA601()	736.	750.	863.	1,169.
Credenza tops, 174 thick	20	66"	• • • • • • • • • • • • • • • • • • • •	759.	774.		
		72"	RCA661()	798.	815.	891. 934.	1,202. 1,262.
		78"	RCA721()	806.	822.	934.	1,281.
		84"	RCA781() RCA841()	862.	880.	1,010.	1,361.
		90"	RCA901()	897.	914.	1,010.	1,419.
		96"	RCA961()	931.	949.	1,049.	1,469.
		102"	RCA1021()	1,023.	1,043.	1,199.	1,617.
		108"	RCA1081()	1,124.	1,147.	1,318.	1,777.
		100	HOATOOT()	1,121.	1,111.	1,910.	1,111.
	24"	60"	RCA602()	816.	831.	953.	1,286.
		66"	RCA662()	841.	857.	988.	1,333.
		72"	RCA722()	877.	895.	1,032.	1,394.
		78"	RCA782()	918.	937.	1,084.	1,460.
		84"	RCA842()	958.	978.	1,123.	1,516.
		90"	RCA902()	1,000.	1,020.	1,172.	1,581.
		96"	RCA962()	1,038.	1,060.	1,220.	1,645.
		102"	RCA1022()	1,142.	1,165.	1,341.	1,810.
		108"	RCA1082()	1,256.	1,281.	1,475.	1,992.

Order (	Code
---------	------

Example:	RCEEG601
R	Reff
С	Credenza Top
E	1"
	$A = 1^{1}/4'' \text{ top}$
EG	Edge Grommet
60	Width
1	20" deep
	$2 = 24'' \operatorname{deep}$
V316	Finish
()	Edge finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Top finish L,V1,V2,V3
- 2. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)

#### **Application Notes**

These tops will always come with a cut out (notch) at the back of top.

Edge grommet: 35mm deep,  $6^{\prime\prime}$  in from back corner.

No other grommet option.

Product on this page will accept woodgrain laminate where laminate is currently an option.

1" Credenza tops are recommended to work with the Task Panel application.

The 1 1/4" thick tops are recommended to be used with Hutches.

These tops are recommended to be used with Hutches.

Credenza tops are intended to be supported by full lower storage.

Credenza tops are drilled to accept pedestals.

Credenza tops are predrilled with pilot holes for use with wood screws.

# Worksurface Credenza $1^{1/2}$ " with edge grommet

description	d	W	pattern no.	L	M/V1	V2	V3
Credenza tops, 1 ½" thick	20"	60"	RCD601()	\$774.	\$790.	\$909.	\$1,230.
	20"	66"	RCD661()	798.	815.	938.	1,265.
	20"	72"	RCD721()	841.	855.	983.	1,328.
	20"	78"	RCD781()	849.	865.	998.	1,349.
	20"	84"	RCD841()	908.	927.	1,063.	1,433.
	20"	90"	RCD901()	943.	962.	1,104.	1,493.
	20"	96"	RCD961()	980.	998.	1,147.	1,546.
	20"	102"	RCD1021()	1,076.	1,098.	1,262.	1,703.
	20"	108"	RCD1081()	1,184.	1,207.	1,388.	1,871.
	24"	60"	RCD602()	858.	875.	1,003.	1,355.
	24"	66"	RCD662()	884.	902.	1,040.	1,403.
	24"	72"	RCD722()	924.	941.	1,087.	1,468.
	24"	78"	RCD782()	967.	986.	1,141.	1,536.
-	24"	84"	RCD842()	1,009.	1,029.	1,182.	1,596.
	24"	90"	RCD902()	1,052.	1,073.	1,233.	1,664.
	24"	96"	RCD962()	1,093.	1,115.	1,283.	1,731.
	24"	102"	RCD1022()	1,201.	1,226.	1,411.	1,904.
	24"	108"	RCD1082()	1,322.	1,349.	1,553.	2,096.

Order Code				
RCD601				
Reff				
Credenza				
1 ½" top				
Width				
20"				
2 = 24'' deep				
Finish				
Edge finish				

#### **Specification Information**

To order please specify pattern number including:

- 1. Finish L,V1,V2,V3
- 2. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)

#### **Application Notes**

These tops will always come with a cut out (notch) at the back of top.

Edge grommet: 35mm deep, 6'' in from back corner.

No other grommet options.

Product on this page will accept woodgrain laminate where laminate is currently an option.

# These tops are recommended to be used with Hutches.

Credenza tops are intended to be supported by full lower storage.

Credenza tops are drilled to accept pedestals.


Credenza tops are predrilled with pilot holes for use with wood screws.

#### **Peninsulas**

Peninsulas for Reff Profiles are a central element in private office planning. Peninsulas are available in two styles; flush mounted and over-sailing. The flush mounted style is intended to connect tops which use full height pedestals for support, creating a flush transition

between the peninsula and the adjoining top. The over-sailing style of peninsula is designed to overlap low storage made up of ¾ height cabinets with 1" credenza tops or Progressive low credenzas by using a stand-off to support the peninsula top and create a space between the top and the low storage element.

See diagrams below and page following for descriptions. Peninsulas are offered as complete assemblies including worksurface, leg(s), credenza support, and grommet options.



#### **Specification Options**

Peninsulas are available with a variety of worksurface shapes including rectilinear, asymmetrical and symmetrical bullet, P, 9 and D shapes.

Peninsula tops are available in any Reff Profiles core laminate or veneer finish; see Reff Profiles finish options pages for further information.

Laminate tops are offered with color-matched edges or wood veneer edges as a mixed finish option. Edge material for veneer tops is wood. Flush mounted peninsulas, previous page below right, come with Flush Mounting kit including two flush plates and connection hardware.


Over-sailing peninsulas are offered with two stand-off options; Power Center, previous page middle, and Simple stand-off, previous page left.


Electrical components are not supplied with peninsulas but are orderable separately. Refer to Planning Guidelines for Accessories.

The Power Center kit is supplied with power center grommet, stand-off, round cable grommet and connection hardware.

When specified with a Power Center, the peninsula top is pre-drilled to accept the Power Center grommet. The Power Center stand-off is field installed to the peninsula top and lower storage. Refer to PN #6TP00081 for Power Center Stand-Off installation instructions.

In the recommended mounting location, the peninsula top will be 2 ½" from the wall or the back edge of the 1" credenza top (over ¾ height pedestals). Refer to elevation diagrams below for details.






Peninsula with Simple Stand-Off

The Simple Stand-Off kit is supplied with a simple stand-off, stand-off mount, round cable grommet and connection hardware. When specified, the peninsula top is pre-drilled to accept the 2 x 3 grommet or drop-in electrical components. Refer to Planning Guideline for Accessories. The Simple Stand-Off is field installed to the peninsula top and lower storage. Refer to PN #6TP00081 for Power Center Stand-Off installation instructions.

Power center and 2  $\times$  3 grommets are offered in two plated finishes; Polished Chrome (PD) and Satin Nickel (PU) and all core paint finishes.

Stand-Off's are offered in all Reff Profiles core paint finishes.

#### Rectilinear Tops Right Hand Shown



Leg options for Peninsulas include L-leg, reverse L-leg, soft rectangular leg, open frame leg and cylindrical column leg. L, reverse L, soft rectangular and open frame legs are offered with anodized finishes: Polished (AP) and Satin (AU).

Cylindrical column leg is offered with plated finishes: Polished Chrome (PD) and Satin Nickel (PU).

All legs are available in all Reff Profiles core paint finishes. Rectilinear peninsula tops are offered with L, reverse L, soft rectangular, and open frame leg options. All other peninsula tops are offered with cylindrical column leg.

Refer to figures on previous page and following for grommet locations and order codes.

# Asymmetrical Bullet Tops Right Hand Shown

Simple Stand-Off Power Center Flush Mount Flush Plates Simple Stand-Off 0 Ν Ν Power Center Grommet 0 0 0 Leg s SD 91/2" 0 Ε Е 91/2" SD (L/R) SE

#### Construction

Reff Profiles peninsula tops are nominal  $1\ ^{1}/_{2}$ " thick, consisting of  $1\ ^{7}/_{16}$ " thick substrate with a laminate or veneer surface finish.

Laminate tops have a laminate top surface with an FSC-certified particle board core and a neutral tone backer sheet for balanced construction. Edges can match the top or are available in a selection

of veneers. Matching edges are in 2.0mm ABS with 2.0mm radius top and bottom edges. End edges overlap the front and back edges with the outside corners minimally radiused.

Edges on veneer tops are 2.4mm thick wood with 2.4mm radius top and bottom edges. Ends overlap front and back edges

with 2.4mm radius on outside corners.

All tops are supplied with pilot holes for hardware inserts for attachment of specified leg options.

Legs are shipped separately, fully assembled with connection hardware included.


#### Symmetrical Bullet Tops Right Hand Shown

Simple Stand-Off Power Center Flush Mount Flush Plates Simple Stand-Off 0 0 Ν Ν Power Center 0  $\circ$ 0 Grommet Leg Р s SD 0 Ε Е 0  $\circ$ SE SD (L/R)


#### **Planning Notes**

- 1. Partial height modesty is available, sold separately and field installed.
- 2. J-wire manager is available, sold separately and field installed.
- 3. Peninsula tops require additional stiffening for spans greater than 54".
- 4. Peninsula top is right handed when the leg is on the right hand side (from the users perspective) and vice versa.
- 5. Power center electrical components are not included with the Peninsula and are ordered separately.

#### P and 9 Tops



**D-Tops**Right Hand Shown



V3

V2

M/V1

L

# Peninsula 1½" Worksurface with L-leg Stand-Off with Power Center, Rectilinear top, Square Edge

pattern no.

#### Peninsula Rectilinear Top

d

th

W



description

Left hand shown

#### RPTDLPC(L/R)6020( )( )( )( )( )( 20" 60" 11/2" \$1,270. \$1,434 \$1,612. \$1,892. RPTDLPC(L/R)6620( )( )( )( )( ) 20' 66" 11/2" 1,281 1,940. 1,453. 1,636. 20' 72' 11/2" RPTDLPC(L/R)7220()()()()()() 1,293 1,484 1,671. 2,000. 20' 11/2" 78 RPTDLPC(L/R)7820()()()()()() 1,304 1,503 1,694. 2,048. 20' 84" 11/2" RPTDLPC(L/R)8420()()()()()() 1,316. 1,523 1,718. 2,093. 24' 60" 11/2" RPTDLPC(L/R)6024()()()()() 1,286 1,452 1,636. 1,953. 1 1/2" 24 66' 1,300 1,509 1,702. 2,045. RPTDLPC(L/R)6624()()()()()() 72' 11/2" 1,344. 1,530. 1,728. 24'RPTDLPC(L/R)7224()()()()() 2,099. 24' 78" 11/2" 1,357 1,563 1,767. RPTDLPC(L/R)7824()()()()() 2,167. RPTDLPC(L/R)8424( )( )( )( )( ) 24'84" 11/2" 1,369. 1,586. 1,794. 2.220. 30' 60' 11/2" 1,411 1,545 1,747. RPTDLPC(L/R)6030()()()()()() 2,120. 2,184. 30' 66' 11/2" RPTDLPC(L/R)6630()()()()()() 1,428 1,571 1,779. 30' 72" 11/2" RPTDLPC(L/R)7230()()()()() 1,443. 1,608. 1,825. 2,262. RPTDLPC(L/R)7830( )( )( )( )( )( 30" 78" 11/2" 1,480 1,636 1,858. 2,327. 1 1/2" 30' 84" RPTDLPC(L/R)8430()()()()()() 1,497 1,672 1,901 2,403. 1 1/2" 36" 60" RPTDLPC(L/R)6036()()()()()() 1,393 1,603. 1,818. 2,247. 36' 1 1/2" 1,460 1,858. 66" RPTDLPC(L/R)6636()()()()()() 1,635. 2,325. 36' 72" 11/2" RPTDLPC(L/R)7236()()()()() 1,478 1,676. 1,908. 2,410. 36' 78′ 11/2" 1,497 1,708 1,873. 2,391. RPTDLPC(L/R)7836()()()()()() 36" 84" 11/2" 1,516 RPTDLPC(L/R)8436()()()()() 1,738 1,985. 2,561.

#### Example: RPTDLPC(L/R) 6030()()()()() R Reff PT Peninsula D 11/2" Thick Square Edge ı L-leg PC Power Center Left hand/ Right hand L 60 Width 30 Depth P Grommet option 115 Grommet Finish 114 Worksurface Finish Edge finish () 115 Leg Finish 115 Stand-Off Finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Left or Right hand
- 2. Grommet option P=Power Center, PE= Power center grommet
- 3. Grommet option Painted or plated
- 4. Worksurface finish L, V1, V2, V3
- 5. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- 6. Leg finish

Painted

Painted or Anodized 7. Stand-off finish

Upcharges apply to legs with P2, P3 and P4 finishes.

Additional upcharges;

Leg Finish Add P2 \$50 P3 \$80 P4 \$200

#### **Application Notes**

It is not advisable to mix 28 \(^3/8''\)h desk height product with 26 \(^1/2''\)h standard height products.

Products on this page work with 283/8" height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"u:

Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.

### Peninsula 11/2" Worksurface with L-leg Simple Stand-Off, Rectilinear top, Square Edge



description

Left hand shown

d	w	th	pattern no.	L	M/V1	V2	V3
20"	60"	1 1/2"	RPTDLST(L/R)6020()()()()()	\$1,130.	\$1,253.	\$1,411.	\$1,691.
20"	66"	1 1/2"	RPTDLST(L/R)6620( )( )( )( )( )	1,141.	1,271.	1,435.	1,739.
20"	72"	1 1/2"	RPTDLST(L/R)7220( )( )( )( )( )	1,152.	1,302.	1,472.	1,800.
20"	78"	1 1/2"	RPTDLST(L/R)7820( )( )( )( )( )	1,163.	1,321.	1,495.	1,848.
20"	84"	1 1/2"	RPTDLST(L/R)8420( )( )( )( )( )	1,175.	1,341.	1,519.	1,894.
24"	60"	1 1/2"	RPTDLST(L/R)6024( )( )( )( )( )	1,147.	1,304.	1,473.	1,790.
24"	66"	1 1/2"	RPTDLST(L/R)6624( )( )( )( )( )	1,159.	1,326.	1,501.	1,846.
24"	72"	1 1/2"	RPTDLST(L/R)7224( )( )( )( )( )	1,204.	1,349.	1,528.	1,898.
24"	78"	$1^{1}/_{2}''$	RPTDLST(L/R)7824( )( )( )( )( )	1,217.	1,382.	1,566.	1,966.
24"	84"	1 1/2"	RPTDLST(L/R)8424( )( )( )( )( )	1,230.	1,403.	1,594.	2,019.
30"	60"	1 1/2"	RPTDLST(L/R)6030( )( )( )( )( )	1,272.	1,363.	1,546.	1,919.
30"	66"	1 1/2"	RPTDLST(L/R)6630( )( )( )( )( )	1,287.	1,389.	1,579.	1,984.
30"	72"	1 1/2"	RPTDLST(L/R)7230( )( )( )( )( )	1,303.	1,427.	1,624.	2,061.
30"	78"	1 1/2"	RPTDLST(L/R)7830( )( )( )( )( )	1,341.	1,454.	1,657.	2,128.
30"	84"	1 1/2"	RPTDLST(L/R)8430( )( )( )( )( )	1,356.	1,490.	1,702.	2,203.
36"	60"	1 1/2"	RPTDLST(L/R)6036( )( )( )( )( )	1,254.	1,422.	1,620.	2,047.
36"	66"	1 1/2"	RPTDLST(L/R)6636( )( )( )( )( )	1,320.	1,453.	1,658.	2,124.
36"	72"	1 1/2"	RPTDLST(L/R)7236( )( )( )( )( )	1,339.	1,493.	1,709.	2,210.
36"	78"	1 1/2"	RPTDLST(L/R)7836( )( )( )( )( )	1,357.	1,525.	1,748.	2,287.
36"	84"	1 1/2"	RPTDLST(L/R)8436( )( )( )( )( )	1,376.	1,556.	1,786.	2,363.

#### **Order Code**

#### Example: RPTDLST(L/R) 6030()()()()() R Reff PT Peninsula 1 1/2" Thick Square Edge D L L-Leg ST Stand-Off Left hand/ Right hand 60 Width 30 Depth E Grommet Type 115 Grommet Finish 114 Worksurface Finish Edge finish () Leg Finish 115 115 Stand-Off Finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Left or Right hand Grommet option N=No grommet E=End location grommet S=Stand-off location grommet SE=Stand-off grommet with end ŠD=Drop in electrical cut outno grommet SDR=Drop in electrical cutout-end grommet RH SDL=Drop in electrical cutout-end grommet LH Note: Please order electrical for the following options; SD, SDR
- and SDL. Grommet Finish: Painted or plated where applicable, N & SD have no finish option.
- 4. Worksurface finish L, V1, V2, V3
- 5. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- Leg finish Painted or Anodized
- Stand-off finish Painted

#### **Application Notes**

It is not advisable to mix 283/8"h desk height product with 261/2"h standard height products.

Products on this page work with 283/8" height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than

Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges;

Leg Finish Add P2 \$50 Р3 \$80 \$200 Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

Refer to Peninsula Planning Guidelines for location option.

## Peninsula 1½" Worksurface with L-leg Flush Mount Attachment, Rectilinear top, Square Edge

### Peninsula Rectilinear Top



description

Left hand shown

d	W	th	pattern no.	L	M/V1	V2	V3
20"	36"	1 1/2"	RPTDLFM(L/R)3620( )( )( )( )( )	\$852.	\$947.	\$1,068.	\$1,251.
20"	42"	1 1/2"	RPTDLFM(L/R)4220( )( )( )( )( )	867.	973.	1,098.	1,298.
20"	48"	1 1/2"	RPTDLFM(L/R)4820( )( )( )( )( )	927.	1,008.	1,139.	1,371.
20"	54"	1 1/2"	RPTDLFM(L/R)5420( )( )( )( )( )	974.	1,027.	1,162.	1,420.
20"	60"	1 1/2"	RPTDLFM(L/R)6020( )( )( )( )( )	1,021.	1,122.	1,270.	1,549.
20"	66"	1 1/2"	RPTDLFM(L/R)6620( )( )( )( )( )	1,032.	1,142.	1,294.	1,597.
20"	72"	1 1/2"	RPTDLFM(L/R)7220( )( )( )( )( )	1,043.	1,172.	1,328.	1,657.
20"	78"	1 1/2"	RPTDLFM(L/R)7820( )( )( )( )( )	1,055.	1,191.	1,352.	1,705.
20"	84"	1 1/2"	RPTDLFM(L/R)8420( )( )( )( )( )	1,066.	1,212.	1,376.	1,751.
24''	36"	1 1/2"	RPTDLFM(L/R)3624( )( )( )( )( )	866.	983.	1,108.	1,317.
24"	42"	1 1/2"	RPTDLFM(L/R)4224( )( )( )( )( )	890.	1,010.	1,141.	1,376.
24"	48"	1 1/2"	RPTDLFM(L/R)4824( )( )( )( )( )	955.	1,042.	1,180.	1,441.
24"	54"	1 1/2"	RPTDLFM(L/R)5424( )( )( )( )( )	982.	1,066.	1,208.	1,499.
24''	60"	1 1/2"	RPTDLFM(L/R)6024( )( )( )( )( )	1,038.	1,174.	1,330.	1,646.
24"	66"	1 1/2"	RPTDLFM(L/R)6624( )( )( )( )( )	1,051.	1,197.	1,357.	1,703.
24"	72"	1 1/2"	RPTDLFM(L/R)7224( )( )( )( )( )	1,095.	1,219.	1,385.	1,757.
24"	78"	1 1/2"	RPTDLFM(L/R)7824( )( )( )( )( )	1,108.	1,252.	1,424.	1,823.
24"	84"	1 1/2"	RPTDLFM(L/R)8424( )( )( )( )( )	1,121.	1,274.	1,451.	1,878.

#### **Order Code**

#### Example: RPTDLFM(L/R) 3620()()()()() R Reff PT Peninsula 11/2" Thick Square Edge D IL L-leg FM Flush Mount Attachment Plate Left hand/ Right hand 36 Width 20 Depth M Grommet Option 115 Grommet Finish 114 Worksurface Finish Edge finish () Leg Finish 115

#### **Specification Information**

To order please specify pattern number including:

- 1. Left or Right hand
  2. Grommet option
- 2. Grommet option E=End, N=No grommet, M=Middle grommet
- Grommet finish Painted or plated
- 4. Worksurface finish
- L, V1, V2, V3
  Ldge finish: L, V1, V2, V3
  (Edge options are available on laminate tops only.)
- 6. Leg finish Painted or Anodized

Upcharges apply to legs with P2, P3 and P4 finishes.
Additional upcharges;

Leg Finish Add \$50 P3 \$80 P4 \$200

#### **Application Notes**

It is not advisable to mix 28 \(^3/8''\)h desk height product with 26 \(^1/2''\)h standard height products.

Products on this page work with 28<sup>3</sup>/8" height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w. Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

Refer to grommet page for location option.

## Peninsula 1½" Worksurface with L-leg Flush Mount Attachment, Rectilinear top, Square Edge

Peninsula	Rectilinear Top



description

Left hand shown

d	w	th	pattern no.	L	M/V1	V2	V3
30"	36"	1 1/2"	RPTDLFM(L/R)3630( )( )( )( )( )	\$907.	\$1,019.	\$1,152.	\$1,397.
30"	42"	1 1/2"	RPTDLFM(L/R)4230( )( )( )( )( )	924.	1,047.	1,186.	1,464.
30"	48"	1 1/2"	RPTDLFM(L/R)4830( )( )( )( )( )	987.	1,136.	1,288.	1,598.
30"	54"	1 1/2"	RPTDLFM(L/R)5430( )( )( )( )( )	1,030.	1,162.	1,321.	1,664.
30"	60"	1 1/2"	RPTDLFM(L/R)6030( )( )( )( )( )	1,163.	1,233.	1,404.	1,777.
30"	66"	1 1/2"	RPTDLFM(L/R)6630( )( )( )( )( )	1,179.	1,260.	1,436.	1,841.
30"	72"	1 1/2"	RPTDLFM(L/R)7230( )( )( )( )( )	1,194.	1,297.	1,480.	1,918.
30"	78"	1 1/2"	RPTDLFM(L/R)7830( )( )( )( )( )	1,232.	1,324.	1,515.	1,984.
30"	84"	1 1/2"	RPTDLFM(L/R)8430( )( )( )( )( )	1,247.	1,360.	1,558.	2,060.
36"	36"	1 1/2"	RPTDLFM(L/R)3636( )( )( )( )( )	945.	1,050.	1,191.	1,472.
36"	42"	1 1/2"	RPTDLFM(L/R)4236( )( )( )( )( )	966.	1,093.	1,242.	1,562.
36"	48"	1 1/2"	RPTDLFM(L/R)4836( )( )( )( )( )	1,027.	1,186.	1,350.	1,704.
36"	54"	1 1/2"	RPTDLFM(L/R)5436( )( )( )( )( )	1,069.	1,217.	1,389.	1,781.
36"	60"	1 1/2"	RPTDLFM(L/R)6036( )( )( )( )( )	1,145.	1,292.	1,476.	1,904.
36"	66"	1 1/2"	RPTDLFM(L/R)6636( )( )( )( )( )	1,212.	1,323.	1,515.	1,981.
36"	72"	1 1/2"	RPTDLFM(L/R)7236( )( )( )( )( )	1,230.	1,364.	1,565.	2,066.
36"	78"	1 1/2"	RPTDLFM(L/R)7836( )( )( )( )( )	1,248.	1,396.	1,604.	2,144.
36"	84"	1 1/2"	RPTDLFM(L/R)8436( )( )( )( )( )	1,267.	1,427.	1,643.	2,219.

#### **Order Code**

#### Example: RPTDLFM(L/R) 3620()()()()() R Reff PT Peninsula 11/2" Thick Square Edge D IL L-leg FM Flush Mount Attachment Plate Left hand/ Right hand 36 Width 20 Depth M Grommet Option 115 Grommet Finish 114 Worksurface Finish Edge finish () 115 Leg Finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Left or Right hand
- 2. Grommet option E=End, N=No grommet, M=Middle grommet
- Grommet finish Painted or plated
- 4. Worksurface finish
- L, V1, V2, V3 5. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- 6. Leg finish Painted or Anodized

Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges;

Leg Finish Add P2 \$50 P3 \$80 P4 \$200

#### **Application Notes**

It is not advisable to mix 28 \(^3/8''\)h desk height product with 26 \(^1/2''\)h standard height products.

Products on this page work with 28<sup>3</sup>/8" height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.

Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

Refer to grommet page for location option.

## Peninsula 1½" Worksurface with Reverse L-leg Stand Off with Power Center, Rectilinear top, Square Edge

#### Peninsula Rectilinear Top



description

Left hand shown

	d	W	th	pattern no.	L	M/V1	V2	V3
	20"	60"	1 1/2"	RPTDRPC(L/R)6020( )( )( )( )( )	\$1,270.	\$1,434.	\$1,612.	\$1,892.
	20"	66"	1 1/2"	RPTDRPC(L/R)6620( )( )( )( )( )	1,281.	1,453.	1,636.	1,940.
	20"	72"	1 1/2"	RPTDRPC(L/R)7220( )( )( )( )( )	1,293.	1,484.	1,671.	2,000.
	20"	78"	1 1/2"	RPTDRPC(L/R)7820( )( )( )( )( )	1,304.	1,503.	1,694.	2,048.
	20"	84"	1 1/2"	RPTDRPC(L/R)8420( )( )( )( )( )	1,316.	1,523.	1,718.	2,093.
	24"	60"	1 1/2"	RPTDRPC(L/R)6024( )( )( )( )( )	1,286.	1,452.	1,636.	1,953.
	24"	66"	1 1/2"	RPTDRPC(L/R)6624( )( )( )( )( )	1,300.	1,509.	1,702.	2,045.
	24"	72"	1 1/2"	RPTDRPC(L/R)7224( )( )( )( )( )	1,344.	1,530.	1,728.	2,099.
	24"	78"	1 1/2"	RPTDRPC(L/R)7824( )( )( )( )( )	1,357.	1,563.	1,767.	2,167.
	24"	84"	1 1/2"	RPTDRPC(L/R)8424( )( )( )( )( )	1,369.	1,586.	1,794.	2,220.
	30"	60"	1 1/2"	RPTDRPC(L/R)6030( )( )( )( )( )	1,411.	1,545.	1,747.	2,120.
	30"	66"	1 1/2"	RPTDRPC(L/R)6630( )( )( )( )( )	1,428.	1,571.	1,779.	2,184.
	30"	72"	1 1/2"	RPTDRPC(L/R)7230( )( )( )( )( )	1,443.	1,608.	1,825.	2,262.
	30"	78"	1 1/2"	RPTDRPC(L/R)7830( )( )( )( )( )	1,480.	1,636.	1,858.	2,327.
	30"	84"	1 1/2"	RPTDRPC(L/R)8430( )( )( )( )( )	1,497.	1,672.	1,901.	2,403.
	36"	60"	1 1/2"	RPTDRPC(L/R)6036( )( )( )( )( )	1,393.	1,603.	1,818.	2,247.
	36"	66"	1 1/2"	RPTDRPC(L/R)6636( )( )( )( )( )	1,460.	1,635.	1,858.	2,325.
	36"	72"	1 1/2"	RPTDRPC(L/R)7236( )( )( )( )( )	1,478.	1,676.	1,908.	2,410.
	36"	78"	1 1/2"	RPTDRPC(L/R)7836( )( )( )( )( )	1,497.	1,708.	1,873.	2,391.
_	36"	84"	1 1/2"	RPTDRPC(L/R)8436( )( )( )( )( )	1,516.	1,738.	1,985.	2,561.

#### **Order Code**

#### Example: RPTDRPC(L/R) 6030()()()()() R Reff PT Peninsula D 11/2" Thick Square Edge R Reverse L-leg PC Power Center L Left hand/ Right hand 30 Depth 40 Width P Grommet Option 115 Grommet Finish 114 Worksurface Finish () Edge finish 115 Leg Finish 115 Stand-off finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Left or Right hand
- 2. Grommet option P=Power Center, PE=Power center plus end grommet
- 3. Grommet finish Painted or plated
- 4. Worksurface finish L, V1, V2, V3
- 5. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- 6. Leg finish
- Painted or Anodized
  7. Stand-off finish
  Painted

Upcharges apply to legs with P2, P3 and P4 finishes.

Additional upcharges;

 Leg Finish
 Add

 P2
 \$50

 P3
 \$80

 P4
 \$200

#### **Application Notes**

It is not advisable to mix 28 3/8"h desk height product with 26 1/2"h standard height products.

Products on this page work with 283/8" height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 49"u-

Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

Refer to grommet page for location option.

### Peninsula 11/2" Worksurface with Reverse L-leg Simple Stand Off, Rectilinear top, Square Edge

description	d	W	th	pattern no.	L	M/V1	V2	V3
Peninsula Rectilinear Top	20"	60"	1 1/2"	RPTDRST(L/R)6020( )( )( )( )( )	\$1,130.	\$1,253.	\$1,411.	\$1,691.
·	20"	66"	1 1/2"	RPTDRST(L/R)6620( )( )( )( )( )	1,141.	1,271.	1,435.	1,739.
	20"	72"	1 1/2"	RPTDRST(L/R)7220( )( )( )( )( )	1,152.	1,302.	1,472.	1,800.
	20"	78"	1 1/2"	RPTDRST(L/R)7820( )( )( )( )( )	1,163.	1,321.	1,495.	1,848.
	20"	84"	1 1/2"	RPTDRST(L/R)8420( )( )( )( )( )	1,175.	1,341.	1,519.	1,894.
Ų	24"	60"	1 1/2"	RPTDRST(L/R)6024( )( )( )( )( )	1,147.	1,304.	1,473.	1,790.
Left hand shown	24"	66"	$1^{1/2}''$	RPTDRST(L/R)6624( )( )( )( )( )	1,159.	1,326.	1,501.	1,846.
Left nana snown	24"	72"	$1^{1/2}''$	RPTDRST(L/R)7224( )( )( )( )( )	1,204.	1,349.	1,528.	1,898.
	24"	78"	$1^{1/2}''$	RPTDRST(L/R)7824( )( )( )( )( )	1,217.	1,382.	1,566.	1,966.
	24"	84"	$1^{1/2}''$	RPTDRST(L/R)8424( )( )( )( )( )	1,230.	1,403.	1,594.	2,019.
	30"	60"	$1^{1/2}''$	RPTDRST(L/R)6030( )( )( )( )( )	1,272.	1,363.	1,546.	1,919.
	30"	66"	$1^{1/2}''$	RPTDRST(L/R)6630( )( )( )( )( )	1,287.	1,389.	1,579.	1,984.
	30"	72"	$1^{1/2}''$	RPTDRST(L/R)7230( )( )( )( )( )	1,303.	1,427.	1,624.	2,061.
	30"	78"	$1^{1/2}''$	RPTDRST(L/R)7830( )( )( )( )( )	1,341.	1,454.	1,657.	2,128.
	30"	84"	1 1/2"	RPTDRST(L/R)8430( )( )( )( )( )	1,356.	1,490.	1,702.	2,203.
	36"	60"	1 1/2"	RPTDRST(L/R)6036( )( )( )( )( )	1,254.	1,422.	1,620.	2,047.
	36"	66"	1 1/2"	RPTDRST(L/R)6636( )( )( )( )( )	1,339.	1,493.	1,709.	2,210.

RPTDRST(L/R)7236()()()()()

RPTDRST(L/R)7836()()()()()()

RPTDRST(L/R)8436()()()()()

#### Example: RPTDRST(L/R) 6030()()()()() R Reff PT Peninsula D 1 1/2" Thick Square Edge R Reverse L-leg ST Stand off L Left hand/ Right hand 60 Width 30 Depth SE Grommet Option 115 Grommet Finish 114 Worksurface Finish Edge Finish () 115 Leg Finish 115 Stand-Off Finish

#### **Specification Information**

To order please specify pattern number including:

1. Left or Right hand

36" 36"

36'

36"

72"

78"

84"

1 1/2"

1 1/2"

11/2"

- Grommet option N=No grommet E=End location grommet SE=Stand-off and  $\bar{d}$  end grommet S=Stand-off location grommet SD=Drop in electrical cut out & no grommet SDR=Drop in electrical cutout & end grommet, RH SDL=Drop in electrical cutout & end grommet, LH
  - Note: Please order electrical for the following options; SD, SDR and SDL.
- Grommet finish Painted or plated where applicable,
- N & SD have no finish option Worksurface finish
- L, V1, V2, V3 5. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- Leg finish Painted or Anodized
- Stand-off finish Painted

#### **Application Notes**

It is not advisable to mix 283/8"h desk height product with 261/2"h standard height products.

1,357.

1,376.

1,376.

1,525.

1,556.

1,556.

Products on this page work with 283/8" height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than

Upcharges apply to legs with P2, P3 and P4 finishes.

Additional upcharges;

Leg Finish	Add
P2	\$50
P3	\$80
P4	\$200

Peninsula worksurfaces with power center do not come with Electrical Components.

1,748.

1,786.

1,786.

2,287.

2,363.

2,363.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

Refer to Peninsula planning guidelines for location option.

V2

M/V1

## Peninsula 1½" Worksurface with Reverse L-leg Flush Mount Attachment, Rectilinear top, Square Edge

pattern no.

th

Daningula	Rectilinear Tor	
remnsura	necumear 101	)

d



description

Left hand shown

			1				
20"	36"	1 1/2"	RPTDRFM(L/R)3620( )( )( )( )( )	\$852.	\$947.	\$1,068.	\$1,251.
20"	42"	1 1/2"	RPTDRFM(L/R)4220( )( )( )( )( )	867.	973.	1,098.	1,298.
20"	48"	1 1/2"	RPTDRFM(L/R)4820( )( )( )( )( )	927.	1,008.	1,139.	1,371.
20"	54"	1 1/2"	RPTDRFM(L/R)5420( )( )( )( )( )	974.	1,027.	1,162.	1,420.
20"	60"	1 1/2"	RPTDRFM(L/R)6020( )( )( )( )( )	1,021.	1,122.	1,270.	1,549.
20"	66"	1 1/2"	RPTDRFM(L/R)6620( )( )( )( )( )	1,032.	1,142.	1,294.	1,597.
20"	72"	1 1/2"	RPTDRFM(L/R)7220( )( )( )( )( )	1,043.	1,172.	1,328.	1,657.
20"	78"	1 1/2"	RPTDRFM(L/R)7820( )( )( )( )( )	1,055.	1,191.	1,352.	1,705.
20"	84"	1 1/2"	RPTDRFM(L/R)8420( )( )( )( )( )	1,066.	1,212.	1,376.	1,751.
24"	36"	1 1/2"	RPTDRFM(L/R)3624( )( )( )( )( )	866.	983.	1,108.	1,317.
24"	42"	1 1/2"	RPTDRFM(L/R)4224( )( )( )( )( )	890.	1,010.	1,141.	1,376.
24"	48"	1 1/2"	RPTDRFM(L/R)4824( )( )( )( )( )	955.	1,042.	1,180.	1,441.
24"	54"	1 1/2"	RPTDRFM(L/R)5424( )( )( )( )( )	982.	1,066.	1,208.	1,499.
24"	60"	1 1/2"	RPTDRFM(L/R)6024( )( )( )( )( )	1,038.	1,174.	1,330.	1,646.
24"	66"	1 1/2"	RPTDRFM(L/R)6624( )( )( )( )( )	1,051.	1,197.	1,357.	1,703.
24"	72"	1 1/2"	RPTDRFM(L/R)7224( )( )( )( )( )	1,095.	1,219.	1,385.	1,757.
24"	78"	1 1/2"	RPTDRFM(L/R)7824( )( )( )( )( )	1,108.	1,252.	1,424.	1,823.
24"	84"	1 1/2"	RPTDRFM(L/R)8424( )( )( )( )( )	1,121.	1,274.	1,451.	1,878.

#### **Order Code**

#### Example: RPTDRFM(L/R) 3620()()()()() R Reff PT Peninsula 11/2" Thick Square Edge D R Reverse L-leg FM Flush Mount Attachment Leg Left hand/ Right hand 36 Width 20 Depth M Grommet Option 115 Grommet Finish 114 Worksurface Finish Edge finish () Leg Finish 115

#### **Specification Information**

To order please specify pattern number including:

- 1. Left or Right hand
- 2. Grommet option E=End, N=No grommet, M=Mid. grommet
- 3. Grommet finish Painted or plated
- 4. Worksurface finish
- L, V1, V2, V3

  5. Edge finish: L, V1, V2, V3
  (Edge options are available on laminate tops only.)
- 6. Leg finish Painted or Anodized

Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges;

Leg Finish Add P2 \$50 P3 \$80 P4 \$200

#### **Application Notes**

It is not advisable to mix 28 \(^3/8''\)h desk height product with 26 \(^1/2''\)h standard height products.

Products on this page work with 28<sup>3</sup>/8" height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.

Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

Refer to grommet page for location option.

V2

## Peninsula 1½" Worksurface with Reverse L-leg Flush Mount Attachment, Rectilinear top, Square Edge

pattern no.

Peninsula	Rectilinear	Тор
~		

d

th



description

Left hand shown

30"	36"	1 1/2"	RPTDRFM(L/R)3630( )( )( )( )( )	\$907.	\$1,019.	\$1,152.	\$1,397.
30"	42"	1 1/2"	RPTDRFM(L/R)4230( )( )( )( )( )	924.	1,047.	1,186.	1,464.
30"	48"	1 1/2"	RPTDRFM(L/R)4830( )( )( )( )( )	987.	1,136.	1,288.	1,598.
30"	54"	1 1/2"	RPTDRFM(L/R)5430( )( )( )( )( )	1,030.	1,162.	1,321.	1,664.
30"	60"	1 1/2"	RPTDRFM(L/R)6030( )( )( )( )( )	1,163.	1,233.	1,404.	1,777.
30"	66"	1 1/2"	RPTDRFM(L/R)6630( )( )( )( )( )	1,179.	1,260.	1,436.	1,841.
30"	72"	1 1/2"	RPTDRFM(L/R)7230( )( )( )( )( )	1,194.	1,297.	1,480.	1,918.
30"	78"	1 1/2"	RPTDRFM(L/R)7830( )( )( )( )( )	1,232.	1,324.	1,515.	1,984.
30"	84"	1 1/2"	RPTDRFM(L/R)8430( )( )( )( )( )	1,247.	1,360.	1,558.	2,060.
36"	36"	1 1/2"	RPTDRFM(L/R)3636( )( )( )( )( )	945.	1,050.	1,191.	1,472.
36"	42"	1 1/2"	RPTDRFM(L/R)4236( )( )( )( )( )	966.	1,093.	1,242.	1,562.
36"	48"	1 1/2"	RPTDRFM(L/R)4836( )( )( )( )( )	1,027.	1,186.	1,350.	1,704.
36"	54"	1 1/2"	RPTDRFM(L/R)5436( )( )( )( )( )	1,069.	1,217.	1,389.	1,781.
36"	54"	1 1/2"	RPTDRFM(L/R)6036( )( )( )( )( )	1,145.	1,292.	1,476.	1,904.
36"	66"	1 1/2"	RPTDRFM(L/R)6636( )( )( )( )( )	1,212.	1,323.	1,515.	1,981.
36"	72"	1 1/2"	RPTDRFM(L/R)7236( )( )( )( )( )	1,230.	1,364.	1,565.	2,066.
36"	78"	1 1/2"	RPTDRFM(L/R)7836( )( )( )( )( )	1,248.	1,396.	1,604.	2,144.
36"	84"	1 1/2"	RPTDRFM(L/R)8436( )( )( )( )( )	1,267.	1,427.	1,643.	2,219.

L

M/V1

#### **Order Code**

#### Example: RPTDRFM(L/R) 3620()()()()() R Reff PT Peninsula 11/2" Thick Square Edge D R Reverse L-leg FM Flush Mount Attachment Leg Left hand/ Right hand 36 Width 20 Depth M Grommet Option 115 Grommet Finish 114 Worksurface Finish Edge finish () Leg Finish 115

#### **Specification Information**

To order please specify pattern number including:

- Left or Right hand
   Grommet option
- E=End, N=No grommet, M=Mid. grommet
- 3. Grommet finish Painted or plated
- 4. Worksurface finish
- L, V1, V2, V3

  Edge finish: L, V1, V2, V3

  (Edge options are available on laminate tops only.)
- 6. Leg finish Painted or Anodized

Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges;

Leg Finish Add P2 \$50 P3 \$80 P4 \$200

#### **Application Notes**

It is not advisable to mix 28 3/8"h desk height product with 26 1/2"h standard height products.

Products on this page work with 28<sup>3</sup>/8" height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than

Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

Refer to grommet page for location option.

V2

## Peninsula 1½" Worksurface with Soft Rectangular Leg Stand Off with Power Center, Rectilinear top, Square Edge

pattern number

#### Peninsula Rectilinear Top

d

th



description

Left hand shown

	••	***	P ************************************			. –	
20"	60"	1 1/2"	RPTDSPC(L/R)6020( )( )( )( )( )	\$1,390.	\$1,554.	\$1,745.	\$2,024.
20"	66"	1 1/2"	RPTDSPC(L/R)6620( )( )( )( )( )	1,401.	1,573.	1,767.	2,072.
20"	72"	1 1/2"	RPTDSPC(L/R)7220( )( )( )( )( )	1,411.	1,603.	1,803.	2,132.
20"	78"	1 1/2"	RPTDSPC(L/R)7820( )( )( )( )( )	1,423.	1,623.	1,827.	2,179.
20"	84"	1 1/2"	RPTDSPC(L/R)8420( )( )( )( )( )	1,434.	1,643.	1,850.	2,225.
24"	60"	1 1/2"	RPTDSPC(L/R)6024( )( )( )( )( )	1,406.	1,572.	1,768.	2,084.
24"	66"	1 1/2"	RPTDSPC(L/R)6624( )( )( )( )( )	1,420.	1,629.	1,833.	2,177.
24"	72"	1 1/2"	RPTDSPC(L/R)7224( )( )( )( )( )	1,464.	1,650.	1,859.	2,231.
24"	78"	1 1/2"	RPTDSPC(L/R)7824( )( )( )( )( )	1,477.	1,683.	1,898.	2,298.
24"	84"	1 1/2"	RPTDSPC(L/R)8424( )( )( )( )( )	1,489.	1,706.	1,926.	2,352.
30"	60"	1 1/2"	RPTDSPC(L/R)6030( )( )( )( )( )	1,560.	1,693.	1,910.	2,428.
30"	66"	1 1/2"	RPTDSPC(L/R)6630( )( )( )( )( )	1,576.	1,720.	1,942.	2,347.
30"	72"	1 1/2"	RPTDSPC(L/R)7230( )( )( )( )( )	1,592.	1,757.	1,986.	2,424.
30"	78"	1 1/2"	RPTDSPC(L/R)7830( )( )( )( )( )	1,629.	1,785.	2,021.	2,491.
30"	84"	1 1/2"	RPTDSPC(L/R)8430( )( )( )( )( )	1,645.	1,820.	2,064.	2,567.
36"	60"	1 1/2"	RPTDSPC(L/R)6036()()()()()()	1,513.	1,723.	1,951.	2,379.
36"	66"	1 1/2"	RPTDSPC(L/R)6636( )( )( )( )( )	1,580.	1,755.	1,991.	2,456.
36"	72"	1 1/2"	RPTDSPC(L/R)7236( )( )( )( )( )	1,598.	1,796.	2,040.	2,541.
36"	78"	1 1/2"	RPTDSPC(L/R)7836( )( )( )( )( )	1,616.	1,828.	2,079.	2,619.
36"	84"	1 1/2"	RPTDSPC(L/R)8436( )( )( )( )( )	1,635.	1,858.	2,118.	2,694.

L

M/V1

#### Order Code

#### Example: RPTDSPC(L/R) 6030()()()()() R Reff PT Peninsula D 11/2" Thick Square Edge S Soft Rectangular Leg PC Power Center L Left hand/ Right hand 60 Width 30 Depth P Grommet Option 115 Grommet Finish 114 Worksurface Finish () Edge finish 115 Leg Finish 115 Stand-Off Finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Left or Right hand
- 2. Grommet option
  P=Power Center
  PE=Power center and end
- 3. Grommet finish Painted or plated
- 4. Worksurface finish L, V1, V2, V3
- 5. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- 6. Leg finish Painted or Anodized
- 7. Stand-off finish Painted

Upcharges apply to legs with P2, P3 and P4 finishes.

and P4 finishes. Additional upcharges;

Leg Finish	Add
P2	\$50
P3	\$80
P4	\$200

#### **Application Notes**

It is not advisable to mix 28 \%2"h desk height product with 26 \%2"h standard height products.

Products on this page work with 283/8" height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w

Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

Refer to grommet page for location option.

## Peninsula 1½" Worksurface with Soft Rectangular Leg Simple Stand Off, Rectilinear top, Square Edge



description

Left hand shown

d	W	th	pattern no.	L	M/V1	V2	V3
20"	60"	1 1/2"	RPTDSST(L/R)6020( )( )( )( )( )	\$1,278.	\$1,400.	\$1,575.	\$1,855.
20"	66"	1 1/2"	RPTDSST(L/R)6620( )( )( )( )( )	1,289.	1,420.	1,599.	1,903.
20"	72"	1 1/2"	RPTDSST(L/R)7220( )( )( )( )( )	1,301.	1,450.	1,634.	1,963.
20"	78"	1 1/2"	RPTDSST(L/R)7820( )( )( )( )( )	1,312.	1,470.	1,657.	2,011.
20"	84"	1 1/2"	RPTDSST(L/R)8420( )( )( )( )( )	1,323.	1,489.	1,681.	2,058.
24"	60"	1 1/2"	RPTDSST(L/R)6024( )( )( )( )( )	1,295.	1,452.	1,636.	1,952.
24"	66"	1 1/2"	RPTDSST(L/R)6624( )( )( )( )( )	1,308.	1,475.	1,665.	2,009.
24"	72"	1 1/2"	RPTDSST(L/R)7224( )( )( )( )( )	1,352.	1,498.	1,691.	2,062.
24"	78"	1 1/2"	RPTDSST(L/R)7824( )( )( )( )( )	1,365.	1,530.	1,729.	2,130.
24"	84"	1 1/2"	RPTDSST(L/R)8424( )( )( )( )( )	1,379.	1,552.	1,757.	2,183.
30"	60"	1 1/2"	RPTDSST(L/R)6030( )( )( )( )( )	1,421.	1,511.	1,710.	2,083.
30"	66"	1 1/2"	RPTDSST(L/R)6630( )( )( )( )( )	1,436.	1,538.	1,743.	2,148.
30"	72"	1 1/2"	RPTDSST(L/R)7230( )( )( )( )( )	1,451.	1,574.	1,788.	2,224.
30"	78"	1 1/2"	RPTDSST(L/R)7830( )( )( )( )( )	1,489.	1,602.	1,821.	2,291.
30"	84"	1 1/2"	RPTDSST(L/R)8430( )( )( )( )( )	1,505.	1,639.	1,864.	2,367.
36"	60"	1 1/2"	RPTDSST(L/R)6036( )( )( )( )( )	1,401.	1,569.	1,781.	2,210.
36"	66"	1 1/2"	RPTDSST(L/R)6636( )( )( )( )( )	1,468.	1,601.	1,822.	2,282.
36"	72"	1 1/2"	RPTDSST(L/R)7236( )( )( )( )( )	1,487.	1,642.	1,871.	2,374.
36"	78"	1 1/2"	RPTDSST(L/R)7836( )( )( )( )( )	1,506.	1,674.	1,910.	2,450.
36"	84"	1 1/2"	RPTDSST(L/R)8436( )( )( )( )( )	1,524.	1,705.	1,950.	2,525.

#### Order Code

Example:	RPTDSST(L/R) 6030( )( )( )( )( )
R	Reff
PT	Peninsula
D	11/2" Thick Square Edge
S	Soft Rectangular Leg
ST	Stand Off
L	Left hand/ Right hand
60	Width
30	Depth
E	Grommet Option
115	Grommet Finish
114	Worksurface Finish
()	Edge finish
115	Leg Finish
115	Stand-Off Finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Left or Right hand
- 2. Grommet option
  N=No grommet
  E=End location grommet
  SE=Stand-off and end grommet
  S-Stand-off location grommet
  SD=Drop in electrical cutout & no grommet
  SDR=Drop in electrical cutout & end grommet, RH
  SDL=Drop in electrical cutout & end grommet, LH
  - Note: Please order electrical for the following options; SD, SDR and SDL.
- 3. Grommet finish
  Painted or plated where
  applicable.
- N & SD have no finish option.
  4. Worksurface finish
- L, V1, V2, V3
  5. Edge finish: L, V1, V2, V3
  (Edge options are available on laminate tops only.)
- 6. Leg finish Painted or Anodized
- 7. Stand-off finish Painted

#### **Application Notes**

It is not advisable to mix 28 \(^3/8''\)h desk height product with 26 \(^1/2''\)h standard height products.

Products on this page work with 283/8" height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.

Upcharges apply to legs with P2, P3 and P4 finishes.

Additional upcharges;

Leg Finish	Add
P2	\$50
P3	\$80
P4	\$200

Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

Refer to Peninsula planning Guidelines for location option.

### Peninsula 11/2" Worksurface with Soft Rectangular Leg Flush Mount Attachment, Rectilinear top, Square Edge

description	d	W	th	pattern no.	L	M/V1	V2	V3
Peninsula Rectilinear Top	20"	36"	1 1/2"	RPTDSFM(L/R)3620( )( )( )( )( )	\$1,000.	\$1,095.	\$1,231.	\$1,413.
	20"	42"	1 1/2"	RPTDSFM(L/R)4220( )( )( )( )( )	1,016.	1,121.	1,262.	1,469.
	20"	48"	1 1/2"	RPTDSFM(L/R)4820( )( )( )( )( )	1,075.	1,156.	1,303.	1,534.
	20"	54"	1 1/2"	RPTDSFM(L/R)5420( )( )( )( )( )	1,122.	1,176.	1,326.	1,583.
$\mathbb{I}  \mathbb{I}$	20"	60"	1 1/2"	RPTDSFM(L/R)6020( )( )( )( )( )	1,170.	1,271.	1,433.	1,712.
$\Downarrow$	20"	66"	1 1/2"	RPTDSFM(L/R)6620( )( )( )( )( )	1,181.	1,290.	1,456.	1,760.
Left hand shown	20"	72"	1 1/2"	RPTDSFM(L/R)7220( )( )( )( )( )	1,192.	1,320.	1,491.	1,819.
Leji nana snown	20"	78"	1 1/2"	RPTDSFM(L/R)7820( )( )( )( )( )	1,203.	1,340.	1,515.	1,869.
	20"	84"	1 1/2"	RPTDSFM(L/R)8420( )( )( )( )( )	1,215.	1,359.	1,540.	1,915.
	24"	36"	$1^{1/2}''$	RPTDSFM(L/R)3624( )( )( )( )( )	1,015.	1,131.	1,272.	1,480.
	24"	42"	$1^{1/2}''$	RPTDSFM(L/R)4224( )( )( )( )( )	1,038.	1,158.	1,305.	1,540.
	24"	48"	$1^{1/2}''$	RPTDSFM(L/R)4824( )( )( )( )( )	1,104.	1,191.	1,343.	1,604.
	24"	54"	$1^{1/2}''$	RPTDSFM(L/R)5424( )( )( )( )( )	1,131.	1,215.	1,372.	1,662.
	24"	60"	1 1/2"	RPTDSFM(L/R)6024( )( )( )( )( )	1,186.	1,322.	1,492.	1,810.
	24"	66"	1 1/2"	RPTDSFM(L/R)6624( )( )( )( )( )	1,199.	1,345.	1,521.	1,867.
	24"	72"	1 1/2"	RPTDSFM(L/R)7224( )( )( )( )( )	1,243.	1,367.	1,548.	1,919.
	24"	78"	1 1/2"	RPTDSFM(L/R)7824( )( )( )( )( )	1,257.	1,400.	1,588.	1,986.
	24"	84"	1 1/2"	RPTDSFM(L/R)8424( )( )( )( )( )	1,270.	1,423.	1,614.	2,041.

Order	Code
-------	------

Example:	RPTDSFM(L/R) 4830( )( )( )( )( )
R	Reff
PT	Peninsula
D	11/2" Thick Square Edge
S	Soft Rectangular Leg
FM	Flush Mount Attachment
	Platef
L	Left hand/ Right hand
48	Width
30	Depth
E	Grommet Option
115	Grommet Finish
114	Worksurface Finish
()	Edge finish
115	Leg Finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Left or Right hand
- 2. Grommet option E=End N=No grommet M=Mid. grommet
- 3. Grommet finish Painted or plated
- Worksurface finish L, V1, V2, V3
- 5. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- 6. Leg finish Painted or Anodized

#### **Application Notes**

It is not advisable to mix 283/8"h desk height product with 261/2"h standard height products.

Products on this page work with 283/8" height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.

Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges;

Leg Finish Add Р3 \$80 P4 \$200 Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

Refer to grommet page for location

## Peninsula 1½" Worksurface with Soft Rectangular Leg Flush Mount Attachment, Rectilinear top, Square Edge

description	d	W	th	pattern no.	L	M/V1	V2	V3
Peninsula Rectilinear Top	30"	36"	1 1/2"	RPTDSFM(L/R)3630( )( )( )( )( )	\$1,055.	\$1,166.	\$1,316.	\$1,560.
	30"	42"	1 1/2"	RPTDSFM(L/R)4230( )( )( )( )( )	1,072.	1,194.	1,350.	1,626.
	30"	48"	1 1/2"	RPTDSFM(L/R)4830( )( )( )( )( )	1,135.	1,284.	1,452.	1,761.
	30"	54"	1 1/2"	RPTDSFM(L/R)5430( )( )( )( )( )	1,178.	1,311.	1,485.	1,826.
$\mathbb{I}  \mathbb{I}$	30"	60"	1 1/2"	RPTDSFM(L/R)6030( )( )( )( )( )	1,311.	1,382.	1,566.	1,939.
$\Downarrow$	30"	66"	1 1/2"	RPTDSFM(L/R)6630( )( )( )( )( )	1,327.	1,407.	1,599.	2,005.
Left hand shown	30"	72"	$1^{1/2}''$	RPTDSFM(L/R)7230( )( )( )( )( )	1,343.	1,445.	1,644.	2,082.
Left nana snown	30"	78"	$1^{1/2}''$	RPTDSFM(L/R)7830( )( )( )( )( )	1,380.	1,473.	1,678.	2,148.
	30"	84"	$1^{1/2}''$	RPTDSFM(L/R)8430( )( )( )( )( )	1,396.	1,509.	1,722.	2,223.
	36"	36"	$1^{1/2}''$	RPTDSFM(L/R)3636( )( )( )( )( )	1,094.	1,198.	1,354.	1,635.
	36"	42"	$1^{1/2}''$	RPTDSFM(L/R)4236( )( )( )( )( )	1,114.	1,240.	1,421.	1,724.
	36"	48"	1 1/2"	RPTDSFM(L/R)4836( )( )( )( )( )	1,176.	1,334.	1,513.	1,868.
	36"	54"	$1^{1/2}''$	RPTDSFM(L/R)5436( )( )( )( )( )	1,218.	1,365.	1,553.	1,945.
	36"	60"	$1^{1/2}''$	RPTDSFM(L/R)6036( )( )( )( )( )	1,293.	1,440.	1,639.	2,066.
	36"	66"	$1^{1/2}''$	RPTDSFM(L/R)6636( )( )( )( )( )	1,359.	1,472.	1,679.	2,144.
	36"	72"	1 1/2"	RPTDSFM(L/R)7236( )( )( )( )( )	1,378.	1,513.	1,728.	2,230.
	36"	78"	1 1/2"	RPTDSFM(L/R)7836( )( )( )( )( )	1,396.	1,544.	1,768.	2,308.

RPTDSFM(L/R)8436()()()()()

1,416.

1,575.

1,806.

2,382.

#### Order Code

Example:	RPTDSFM(L/R) 4830( )( )( )( )( )
R	Reff
PT	Peninsula
D	11/2" Thick Square Edge
S	Soft Rectangular Leg
FM	Flush Mount Attachment
	Platef
L	Left hand/ Right hand
48	Width
30	Depth
E	Grommet Option
115	Grommet Finish
114	Worksurface Finish
()	Edge finish
115	Leg Finish

#### Specification Information

To order please specify pattern number including:

- 1. Left or Right hand
- 2. Grommet option E=End N=No grommet M=Mid. grommet

36"

84"

11/2"

- 3. Grommet finish Painted or plated
- 4. Worksurface finish L, V1, V2, V3
- 5. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- 6. Leg finish Painted or Anodized

#### **Application Notes**

It is not advisable to mix 28% "h desk height product with 26%2"h standard height products.

Products on this page work with 283/8" height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.

Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges;

Leg Finish Add P2 \$50 P3 \$80 P4 \$200 Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

Refer to grommet page for location option.  $\,$ 

V2

M/V1

L

## Peninsula 1½" Worksurface with Open Frame Leg Stand-Off with Power Center, Rectilinear top, Square Edge

pattern no.

#### Peninsula, Rectilinear Top

d

th



description

Left hand shown

#### RPTDOPC(L/R)6020( )( )( )( )( )( 20" 11/2" \$1,751 60" \$1,438. \$1,560. \$2,031. RPTDOPC(L/R)6620( )( )( )( )( )( 20' 66" 11/2" 1,449. 1,580. 2,078. 1,774. RPTDOPC(L/R)7220( )( )( )( )( )( 20" 72" $1^{1/2}$ 2,139. 1,461 1,609 1,810. RPTDOPC(L/R)7820()()()()() 20" 78" $1^{1/2}$ 1,471. 1,629. 1,834. 2,186. 20" 84" 11/2" RPTDOPC(L/R)8420()()()()()() 1,482. 1,649. 1,857 2,233. 11/2" 24''60" RPTDOPC(L/R)6024()()()()() 1,454. 1,611. 1,812. 2,128. 11/2" 24' 66" RPTDOPC(L/R)6624()()()()() 1,468. 1,635. 1,839. 2,184. 24" 72'11/2 1,512. 2,239. RPTDOPC(L/R)7224()()()()() 1,656. 1,867. 24" 78" 11/2" 1,525. 1,689. 1,881. 2,304. RPTDOPC(L/R)7824()()()()() RPTDOPC(L/R)8424()()()()()() 24' 84" 11/2" 1,538. 1,712. 1,932 2,359. $1^{1/2}$ 2,299. 30" 60' 1,586 1,709. 1,926 RPTDOPC(L/R)6030()()()()()() 11/2 30" 66" RPTDOPC(L/R)6630()()()()()() 1,601 1,734. 1,959. 2,359. RPTDOPC(L/R)7230( )( )( )( )( ) 30" 72" 11/2" 1,632. 1,772. 2,004 2,442. RPTDOPC(L/R)7830( )( )( )( )( ) 30" 78" 11/2" 1,654. 1,800. 2,038. 2,507. 84" 11/2" RPTDOPC(L/R)8430()()()()()() 2,082. 30' 1,670. 1,836. 2,583. 11/2" 36" 60" RPTDOPC(L/R)6036()()()()()() 1,576. 1,776. 2,009. 2,437. RPTDOPC(L/R)6636( )( )( )( )( ) 36" 11/2 2,049. 66" 1,644. 1,808. 2,515. 36" 72" 11/2 RPTDOPC(L/R)7236()()()()() 1,663 1,849. 2,098. 2,600. 36' 78' 1 1/2 1,681 1,881 2,138. 2,678. RPTDOPC(L/R)7836()()()()()() 36" 84" 11/2" RPTDOPC(L/R)8436()()()()()() 1,699 1,912. 2,176. 2,752.

#### **Order Code**

#### Example: RPTDOPC(L/R) 6030()()()()() R Reff PT Peninsula D 11/2" Thick Square Edge 0 Open Frame Leg PC Power Center L Left hand/ Right hand 60 Width 30 Depth P Grommet Option 115 Grommet Finish 114 Worksurface Finish Edge finish () 115 Leg Finish 115 Stand-Off Finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Left or Right hand
- 2. Grommet option
  P=Power Center
  PE=Power center and end
- Grommet finish Painted or plated
- 4. Worksurface finish L, V1, V2, V3
- 5. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- 6. Leg finish Painted or Anodized
- 7. Stand-off finish Painted

#### **Application Notes**

It is not advisable to mix 28 \(^3/8''\)h desk height product with 26 \(^1/2''\)h standard height products.

Products on this page work with 28<sup>3</sup>/8" height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w

Upcharges apply to legs with P2, P3 and P4 finishes.

444

Additional upcharges;

Legrinish	Auu
P2	\$60
P3	\$90
P4 - for 20" & 24"d legs;	\$350
- for 30" & 36"d legs:	\$450

Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

For infill options please refer to page 75.

Refer to grommet page for location option.

V2

M/V1

L

### Peninsula 1½" Worksurface with Open Frame Leg Simple Stand-Off, Rectilinear top, Square Edge

pattern no.

th

#### Peninsula, Rectilinear Top

d

W



description

Left hand shown

#### RPTDOST(L/R)6020()()()()()() 20" 60" 1 1/2" \$1,298. \$1,420. \$1,597. \$1,876. RPTDOST(L/R)6620( )( )( )( )( ) 1,925. 20" 66" 1 1/2" 1,309. 1,439. 1,621. 20" 72" 11/2 RPTDOST(L/R)7220()()()()()() 1,320 1,470. 1,656. 1,984. 20" $1^{1/2}$ 1,679. 78 RPTDOST(L/R)7820()()()()()() 1,331. 1,489. 2,033. 20" 84" 1 1/2" RPTDOST(L/R)8420()()()()()() 1,343. 1,509. 1,703. 2,079. 24" 60" 1 1/2" RPTDOST(L/R)6024()()()()() 1,314. 1,472. 1,655. 1,973. 1 1/2" 24' 66" 1,327 1,494. 1,686. 2,031. RPTDOST(L/R)6624()()()()() 72" 1 1/2" 1,371. 24'RPTDOST(L/R)7224()()()()() 1,550. 1,756. 2,123. 24" 78" 1 1/2" 1,385. 1,550. 1,751. 2,151. RPTDOST(L/R)7824()()()()() RPTDOST(L/R)8424( )( )( )( )( ) 24' 84" 1 1/2" 1.398. 1,571. 1,778. 2.205. 11/2 30" 60" 1,536. 1,737. RPTDOST(L/R)6030()()()()()() 1,445. 2,110. 30" 66" 1 1/2" RPTDOST(L/R)6630()()()()()() 1,462. 1,563. 1,770. 2,175. RPTDOST(L/R)7230()()()()() 30" 72" 1 1/2" 1,477. 1,600. 1,812. 2,244. RPTDOST(L/R)7830( )( )( )( )( ) 30" 78" 1 1/2" 1,514. 1,628. 1,849. 2,319. 84" 1 1/2" 30" RPTDOST(L/R)8430()()()()() 1,550. 1,664. 1,892. 2,393. 1 1/2" 36" 60" RPTDOST(L/R)6036()()()()() 1,445. 1,536. 1,737. 2,110. 1 1/2" 1,504. 36" 66" RPTDOST(L/R)6636()()()()()() 1,636. 1,860. 2,326. 36" 72" 1 1/2" RPTDOST(L/R)7236()()()()() 1,522 1,678. 1,910. 2,412. 36' 78′ 11/2 1,541 1,709. 1,950. 2,490. RPTDOST(L/R)7836()()()()()() 36" 84" 1 1/2" 1,559. 1,987 RPTDOST(L/R)8436()()()()() 1,740. 2,564.

#### Order Code

Example:	RPTDOST(L/R) 6030( )( )( )( )( )
R	Reff
PT	Peninsula
D	11/2" Thick Square Edge
0	Open Frame Leg
ST	Stand-Off
L	Left hand/ Right hand
60	Width
30	Depth
S	Grommet Option
115	Grommet Finish
114	Worksurface Finish
()	Edge finish
115	Leg Finish
115	Stand-Off Finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Left or Right hand
- 2. Grommet option
  N=No grommet
  E=End location grommet
  SE=Stand-off and end grommet
  SD=Drop in electrical cutout & no grommet
  SDR=Drop in electrical cutout & end grommet, RH
  SDL=Drop in electrical cutout & end grommet, LH
  - **Note:** Please order electric for the following options; SD, SDR and SDL.
- and SDL.

  3. Grommet finish
  Painted or plated where
  applicable.
  N & SD have no finish option.
- 4. Worksurface finish L, V1, V2, V3
- 5. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- 6. Leg finish Painted or Anodized
- 7. Stand-off finish Painted

#### **Application Notes**

It is not advisable to mix 28 \(^3/8''\)h desk height product with 26 \(^1/2''\)h standard height products.

Products on this page work with 283/8" height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.

Upcharges apply to legs with P2, P3 and P4 finishes.

Additional upcharges;

LegFinish	$\operatorname{Add}$
P2	\$60
P3	\$90
P4 -for 20" & 24"d legs;	\$350
-for 30" & 36"d legs;	\$450

Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

For infill options please refer to page 75.

Refer Peninsula Planning Guidelines for location option.

## Peninsula 1½" Worksurface with Open Frame Leg Flush Mount Attachment, Rectilinear top, Square Edge

#### Peninsula, Rectilinear Top



description

Left hand shown

20" 42" 1½" RPTDOFM(L/R)4220()()()()() 1,035. 1,141. 1,283. 1,4 20" 48" 1½" RPTDOFM(L/R)4820()()()()() 1,095. 1,176. 1,323. 1,5 20" 54" 1½" RPTDOFM(L/R)5420()()()()() 1,142. 1,195. 1,348. 1,6 20" 60" 1½" RPTDOFM(L/R)6020()()()()() 1,189. 1,280. 1,442. 1,7 20" 66" 1½" RPTDOFM(L/R)6620()()()()() 1,200. 1,299. 1,466. 1,7 20" 72" 1½" RPTDOFM(L/R)7220()()()()() 1,212. 1,329. 1,502. 1,8 20" 78" 1½" RPTDOFM(L/R)7820()()()()() 1,223. 1,349. 1,524. 1,8 20" 84" 1½" RPTDOFM(L/R)8420()()()()() 1,234. 1,368. 1,549. 1,9 24" 36" 1½" RPTDOFM(L/R)3624()()()()() 1,034. 1,150. 1,294. 1,5 24" 42" 1½" RPTDOFM(L/R)4224()()()()() 1,058. 1,178. 1,326. 1,5 24" 48" 1½" RPTDOFM(L/R)4224()()()()() 1,123. 1,211. 1,364. 1,6 24" 54" 1½" RPTDOFM(L/R)4824()()()()() 1,150. 1,234. 1,394. 1,6 24" 54" 1½" RPTDOFM(L/R)5424()()()()() 1,150. 1,234. 1,394. 1,6 24" 60" 1½" RPTDOFM(L/R)5424()()()()() 1,150. 1,234. 1,394. 1,6 24" 60" 1½" RPTDOFM(L/R)6024()()()()() 1,205. 1,331. 1,503. 1,8 24" 66" 1½" RPTDOFM(L/R)6624()()()()() 1,219. 1,354. 1,531. 1,8	d	w	th	pattern no.	L	M/V1	V2	V3
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20"	36"	1 1/2"	RPTDOFM(L/R)3620( )( )( )( )( )	\$1,020.	\$1,114.	\$1,253.	\$1,435.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20"	42"	1 1/2"	RPTDOFM(L/R)4220( )( )( )( )( )	1,035.	1,141.	1,283.	1,490.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20"	48"	1 1/2"	RPTDOFM(L/R)4820( )( )( )( )( )	1,095.	1,176.	1,323.	1,556.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20"	54"	1 1/2"	RPTDOFM(L/R)5420( )( )( )( )( )	1,142.	1,195.	1,348.	1,604.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20"	60"	1 1/2"	RPTDOFM(L/R)6020( )( )( )( )( )	1,189.	1,280.	1,442.	1,722.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20"	66"	1 1/2"	RPTDOFM(L/R)6620( )( )( )( )( )	1,200.	1,299.	1,466.	1,770.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20"	72"	1 1/2"	RPTDOFM(L/R)7220( )( )( )( )( )	1,212.	1,329.	1,502.	1,830.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20"	78"	1 1/2"	RPTDOFM(L/R)7820( )( )( )( )( )	1,223.	1,349.	1,524.	1,879.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	20"	84"	1 1/2"	RPTDOFM(L/R)8420( )( )( )( )( )	1,234.	1,368.	1,549.	1,925.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	24''	36"	1 1/2"	RPTDOFM(L/R)3624( )( )( )( )( )	1,034.	1,150.	1,294.	1,502.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	24"	42"	1 1/2"	RPTDOFM(L/R)4224( )( )( )( )( )	1,058.	1,178.	1,326.	1,560.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	24''	48"	1 1/2"	RPTDOFM(L/R)4824( )( )( )( )( )	1,123.	1,211.	1,364.	1,626.
24" 66" 1 <sup>1</sup> / <sub>2</sub> " <b>RPTDOFM(L/R)6624()()()()()</b> 1,219. 1,354. 1,531. 1,8	24''	54"	1 1/2"	RPTDOFM(L/R)5424( )( )( )( )( )	1,150.	1,234.	1,394.	1,683.
	24"	60"	1 1/2"	RPTDOFM(L/R)6024( )( )( )( )( )	1,205.	1,331.	1,503.	1,819.
24" 72" 1½" <b>RPTDOFM(L/R)7224()()()()</b> 1.263. 1.377. 1.558. 1.9	24''	66"	1 1/2"	RPTDOFM(L/R)6624( )( )( )( )( )	1,219.	1,354.	1,531.	1,876.
, , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	24"	72"	1 1/2"	RPTDOFM(L/R)7224( )( )( )( )( )	1,263.	1,377.	1,558.	1,929.
24" 78" 1½" <b>RPTDOFM(L/R)7824( )( )( )( )</b> 1,276. 1,409. 1,597. 1,9	24"	78"	1 1/2"	RPTDOFM(L/R)7824( )( )( )( )( )	1,276.	1,409.	1,597.	1,997.
24" 84" 1 <sup>1</sup> / <sub>2</sub> " <b>RPTDOFM(L/R)8424( )( )( )( )( )</b> 1,289. 1,431. 1,624. 2,0	24"	84"	1 1/2"	RPTDOFM(L/R)8424( )( )( )( )( )	1,289.	1,431.	1,624.	2,050.

#### **Order Code**

#### Example: RPTDOFM(L/R) 3620()()()()() R Reff PT Peninsula D 11/2" Thick Square Edge o Open Frame Leg FΜ Flush Mount Attachment Plate Left hand/ Right hand 36 Width 20 Depth Ε Grommet Option 115 Grommet Finish 114 Worksurface Finish () Edge finish Leg Finish 115

#### **Specification Information**

To order please specify pattern number including:

- 1. Left or Right hand
- 2. Grommet option E=End M=Mid. grommet N=No grommet
- 3. Grommet finish
- Painted or plated
  4. Worksurface finish
- L, V1, V2, V3 5. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- 6. Leg finish Painted or Anodized

#### **Application Notes**

It is not advisable to mix  $28\,\%$  l'h desk height product with  $26\,\%$  l'h standard height products.

Products on this page work with 283/8" height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.

Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges;

LegFinish Add P2 \$60 P3 \$90 P4 - for 20" & 24"d legs; \$350 - for 30" & 36"d legs; \$450 Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

For infill options please refer to page 75.

Refer to grommet page for location option.

## Peninsula 1½" Worksurface with Open Frame Leg Flush Mount Attachment, Rectilinear top, Square Edge

#### Peninsula, Rectilinear Top



description

Left hand shown

d	W	th	pattern no.	L	M/V1	V2	V3
30"	36"	1 1/2"	RPTDOFM(L/R)3630( )( )( )( )( )	\$1,080.	\$1,192.	\$1,310.	\$1,589.
30"	42"	1 1/2"	RPTDOFM(L/R)4230( )( )( )( )( )	1,097.	1,220.	1,378.	1,654.
30"	48"	1 1/2"	RPTDOFM(L/R)4830( )( )( )( )( )	1,160.	1,299.	1,469.	1,777.
30"	54"	1 1/2"	RPTDOFM(L/R)5430( )( )( )( )( )	1,203.	1,325.	1,502.	1,842.
30"	60"	1 1/2"	RPTDOFM(L/R)6030( )( )( )( )( )	1,337.	1,396.	1,583.	1,957.
30"	66"	1 1/2"	RPTDOFM(L/R)6630( )( )( )( )( )	1,353.	1,423.	1,615.	2,020.
30"	72"	1 1/2"	RPTDOFM(L/R)7230( )( )( )( )( )	1,368.	1,460.	1,657.	2,089.
30"	78"	1 1/2"	RPTDOFM(L/R)7830( )( )( )( )( )	1,405.	1,487.	1,694.	2,164.
30"	84"	1 1/2"	RPTDOFM(L/R)8430( )( )( )( )( )	1,422.	1,524.	1,737.	2,241.
36"	36"	1 1/2"	RPTDOFM(L/R)3636( )( )( )( )( )	1,129.	1,233.	1,394.	1,673.
36"	42"	1 1/2"	RPTDOFM(L/R)4236( )( )( )( )( )	1,149.	1,276.	1,444.	1,758.
36"	48"	1 1/2"	RPTDOFM(L/R)4836( )( )( )( )( )	1,212.	1,359.	1,541.	1,894.
36"	54"	1 1/2"	RPTDOFM(L/R)5436( )( )( )( )( )	1,254.	1,390.	1,580.	1,972.
36"	60"	1 1/2"	RPTDOFM(L/R)6036( )( )( )( )( )	1,328.	1,465.	1,667.	2,095.
36"	66"	1 1/2"	RPTDOFM(L/R)6636( )( )( )( )( )	1,395.	1,496.	1,706.	2,172.
36"	72"	1 1/2"	RPTDOFM(L/R)7236( )( )( )( )( )	1,413.	1,538.	1,756.	2,257.
36"	78"	1 1/2"	RPTDOFM(L/R)7836( )( )( )( )( )	1,432.	1,569.	1,795.	2,335.
36"	84"	1 1/2"	RPTDOFM(L/R)8436( )( )( )( )( )	1,450.	1,600.	1,834.	2,410.

#### **Order Code**

#### RPTDOFM(L/R) Example: 3620()()()()() R Reff PT Peninsula D 1 1/2" Thick Square Edge o Open Frame Leg FΜ Flush Mount Attachment Plate Left hand/ Right hand 36 Width 20 Depth E Grommet Option 115 Grommet Finish 114 Worksurface Finish () Edge finish Leg Finish 115

#### **Specification Information**

To order please specify pattern number including:

- 1. Left or Right hand
- 2. Grommet option E=End M=Mid. grommet N=No grommet
- 3. Grommet finish Painted or plated
- 4. Worksurface finish
- L, V1, V2, V3

  5. Edge finish: L, V1, V2, V3
  (Edge options are available on laminate tops only.)
- 6. Leg finish Painted or Anodized

#### **Application Notes**

It is not advisable to mix  $28\,\%$  l'h desk height product with  $26\,\%$  l'h standard height products.

Products on this page work with  $28^3/8''$  height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.

Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges;

LegFinish	Add
P2	\$60
P3	\$90
P4 - for 20" & 24"d legs;	\$350
- for 30" & 36"d legs;	\$450

Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

For infill options please refer to page 75.

Refer to grommet page for location option.

L/V3

## Peninsula 1½" Worksurface with Thick End Panel Stand-Off with Power Center, Rectilinear top, Square Edge

#### Peninsula, Rectilinear Top

th

pattern no.



description

Left hand shown

				r			,				
р	20"	60"	1 1/2"	RPTDEPC(L/R)6020( )( )( )( )( )	\$1,460.	\$1,963.	\$2,258.	\$2,934.	\$2,395.	\$2,488.	\$2,595.
	20"	66"	1 1/2"	RPTDEPC(L/R)6620( )( )( )( )( )	1,470.	1,981.	2,280.	2,963.	2,411.	2,504.	2,612.
	20"	72"	1 1/2"	RPTDEPC(L/R)7220( )( )( )( )( )	1,481.	2,011.	2,314.	3,007.	2,440.	2,533.	2,639.
	20"	78"	1 1/2"	RPTDEPC(L/R)7820( )( )( )( )( )	1,492.	2,031.	2,336.	3,037.	2,455.	2,548.	2,656.
	20"	84"	1 1/2"	RPTDEPC(L/R)8420( )( )( )( )( )	1,503.	2,069.	2,380.	3,093.	2,494.	2,587.	2,695.
	24"	60"	1 1/2"	RPTDEPC(L/R)6024( )( )( )( )( )	1,495.	2,013.	2,315.	3,009.	2,440.	2,532.	2,639.
	24"	66"	1 1/2"	RPTDEPC(L/R)6624( )( )( )( )( )	1,509.	2,036.	2,342.	3,044.	2,458.	2,551.	2,659.
	24"	72"	1 1/2"	RPTDEPC(L/R)7224( )( )( )( )( )	1,551.	2,059.	2,369.	3,079.	2,477.	2,570.	2,676.
	24"	78"	1 1/2"	RPTDEPC(L/R)7824( )( )( )( )( )	1,564.	2,091.	2,405.	3,127.	2,506.	2,600.	2,707.
	24"	84"	1 1/2"	RPTDEPC(L/R)8424( )( )( )( )( )	1,576.	2,132.	2,452.	3,189.	2,547.	2,640.	2,747.
	30"	60"	1 1/2"	RPTDEPC(L/R)6030( )( )( )( )( )	1,673.	2,075.	2,386.	3,101.	2,491.	2,585.	2,693.
	30"	66"	1 1/2"	RPTDEPC(L/R)6630( )( )( )( )( )	1,686.	2,102.	2,417.	3,143.	2,513.	2,607.	2,714.
	30"	72"	1 1/2"	RPTDEPC(L/R)7230( )( )( )( )( )	1,703.	2,138.	2,460.	3,198.	2,548.	2,641.	2,748.
	30"	78"	1 1/2"	RPTDEPC(L/R)7830( )( )( )( )( )	1,717.	2,168.	2,494.	3,242.	2,571.	2,665.	2,772.
	30"	84"	1 1/2"	RPTDEPC(L/R)8430( )( )( )( )( )	1,732.	2,222.	2,555.	3,323.	2,624.	2,718.	2,826.
	36"	60"	1 1/2"	RPTDEPC(L/R)6036( )( )( )( )( )	1,741.	2,135.	2,455.	3,193.	2,544.	2,637.	2,744.
	36"	66"	1 1/2"	RPTDEPC(L/R)6636( )( )( )( )( )	1,759.	2,168.	2,494.	3,243.	2,571.	2,664.	2,772.
	36"	72"	1 1/2"	RPTDEPC(L/R)7236( )( )( )( )( )	1,777.	2,210.	2,541.	3,304.	2,609.	2,701.	2,809.
	36"	78"	1 1/2"	RPTDEPC(L/R)7836( )( )( )( )( )	1,797.	2,243.	2,579.	3,354.	2,635.	2,728.	2,835.
	36"	84"	1 1/2"	RPTDEPC(L/R)8436( )( )( )( )( )	1,813.	2,293.	2,638.	3,430.	2,683.	2,776.	2,883.

L/L

V1/V1

V2/V2

V3/V3

L/V1

#### **Order Code**

#### Example: RPTDEPC(L/R) 6030()()()()() R Reff PT Peninsula D 11/2" Thick Square Edge Ε Thick End Panel Leg PC Power Center Left hand/ Right hand L 60 Width 20 Depth P Grommet Option 115 Grommet Finish V316 Worksurface Finish () Edge finish V316 Leg Finish 115 Stand-Off Finish

#### Specification Information

To order please specify pattern number including:

- 1. Left or Right hand
- 2. Grommet option:
  P=Power Center
  PE=Power center and end
  grommet
- 3. *Grommet finish:* Painted or plated
- 4. Worksurface finish: L, V1, V2, V3
- 5. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- 6. Leg finish:
  Wood or Laminate
- 7. Stand-off finish: Painted

### **Application Notes**

It is not advisable to mix  $28\,\mbox{\%}''h$  desk height product with  $26\,\mbox{\%}''h$  standard height products.

Products on this page work with  $28^3/8''$  height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.

Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

Refer to grommet page for location option.

L/V3

## Peninsula 11/2" Worksurface with Thick End Panel Simple Stand-Off, Rectilinear top, Square Edge

th

pattern no.

#### Peninsula, Rectilinear Top



description

Left hand shown

				•							
)	20"	60"	1 1/2"	RPTDEST(L/R)6020( )( )( )( )( )	\$1,294.	\$1,804.	\$2,075.	\$2,697.	\$2,213.	\$2,304.	\$2,413.
	20"	66"	1 1/2"	RPTDEST(L/R)6620( )( )( )( )( )	1,304.	1,823.	2,097.	2,725.	2,229.	2,322.	2,429.
	20"	72"	1 1/2"	RPTDEST(L/R)7220( )( )( )( )( )	1,314.	1,853.	2,131.	2,770.	2,257.	2,349.	2,456.
	20"	78"	1 1/2"	RPTDEST(L/R)7820( )( )( )( )( )	1,325.	1,872.	2,154.	2,800.	2,272.	2,366.	2,472.
	20"	84"	1 1/2"	RPTDEST(L/R)8420( )( )( )( )( )	1,336.	1,912.	2,198.	2,858.	2,311.	2,404.	2,511.
	24"	60"	1 1/2"	RPTDEST(L/R)6024( )( )( )( )( )	1,329.	1,854.	2,132.	2,772.	2,257.	2,348.	2,456.
	24"	66"	1 1/2"	RPTDEST(L/R)6624( )( )( )( )( )	1,342.	1,878.	2,160.	2,807.	2,276.	2,369.	2,476.
	24"	72"	1 1/2"	RPTDEST(L/R)7224( )( )( )( )( )	1,385.	1,900.	2,185.	2,841.	2,294.	2,388.	2,495.
	24"	78"	1 1/2"	RPTDEST(L/R)7824( )( )( )( )( )	1,397.	1,934.	2,222.	2,888.	2,324.	2,417.	2,524.
	24"	84"	1 1/2"	RPTDEST(L/R)8424( )( )( )( )( )	1,410.	1,973.	2,269.	2,951.	2,364.	2,457.	2,564.
	30"	60"	1 1/2"	RPTDEST(L/R)6030( )( )( )( )( )	1,505.	1,916.	2,204.	2,864.	2,308.	2,402.	2,509.
	30"	66"	1 1/2"	RPTDEST(L/R)6630( )( )( )( )( )	1,520.	1,943.	2,235.	2,905.	2,331.	2,424.	2,532.
	30"	72"	1 1/2"	RPTDEST(L/R)7230( )( )( )( )( )	1,536.	1,979.	2,278.	2,960.	2,366.	2,458.	2,565.
	30"	78"	1 1/2"	RPTDEST(L/R)7830( )( )( )( )( )	1,551.	2,009.	2,311.	2,992.	2,389.	2,483.	2,589.
	30"	84"	1 1/2"	RPTDEST(L/R)8430( )( )( )( )( )	1,566.	2,063.	2,373.	3,085.	2,443.	2,536.	2,643.
	36"	60"	1 1/2"	RPTDEST(L/R)6036( )( )( )( )( )	1,574.	1,976.	2,272.	2,954.	2,362.	2,454.	2,561.
	36"	66"	1 1/2"	RPTDEST(L/R)6636( )( )( )( )( )	1,593.	2,009.	2,311.	3,004.	2,389.	2,807.	2,589.
	36"	72"	1 1/2"	RPTDEST(L/R)7236( )( )( )( )( )	1,610.	2,051.	2,358.	3,066.	2,426.	2,517.	2,626.
	36"	78"	1 1/2"	RPTDEST(L/R)7836( )( )( )( )( )	1,630.	2,084.	2,396.	3,116.	2,453.	2,546.	2,654.
	36"	84"	1 1/2"	RPTDEST(L/R)8436( )( )( )( )( )	1,646.	2,134.	2,455.	3,192.	2,501.	2,593.	2,701.

L/L

V1/V1

V2/V2

V3/V3

L/V1

#### **Order Code**

#### Example: RPTDEST(L/R) 6030()()()()() R Reff PT Peninsula D 1 1/2" Thick Square Edge Ε Thick End Panel Leg ST Stand-Off L Left hand/ Right hand 60 Width 20 Depth s Grommet Option 115 Grommet Finish V316 Worksurface Finish Edge finish () V316 Leg Finish 115 Stand-Off Finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Left or Right hand
- 2. Grommet option:
  - N=No grommet E = End location grommet SE=Stand-off and end grommet
  - S = Stand-off location grommet SD = Drop in electrical cutout & no grommet
  - SDR = Drop in electrical cutout & end grommet, RH SDL = Drop in electrical cutout & end grommet, LH
  - **Note:** Please order electric for the following options; SD, SDR and SDL.
- Grommet finish:
   Painted or plated where applicable.
   N & SD have not finish options.
- 4. Worksurface finish: L, V1, V2, V3
- Edge finish: L, V1, V2, V3Edge options are available on laminate tops only.)
- 6. Leg finish: Wood or Laminate
- 7. Stand-off finish: Painted

#### **Application Notes**

It is not advisable to mix 28 \(^3/8''\)h desk height product with 26 \(^1/2''\)h standard height products.

Products on this page work with 283/8" height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w. Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

Refer to Peninsula Planning Guidelines for location option.

L/V3

### Peninsula 11/2" Worksurface with Thick End Panel Flush Mount Attachment, Rectilinear top, Square Edge

Peninsula, Rectilinear Top

th

pattern no.



description

Left hand shown

	ч	"	tii	pattern no.	14/15	1 1/ 1 1	12/12	10/10	13/11	13 12	14 10
р	20"	36"	1 1/2"	RPTDEFM(L/R)3620( )( )( )( )( )	\$1,054.	\$1,499.	\$1,724.	\$2,240.	\$1,886.	\$1,978.	\$2,086.
	20"	42"	1 1/2"	RPTDEFM(L/R)4220( )( )( )( )( )	1,068.	1,524.	1,754.	2,280.	1,911.	2,003.	2,110.
	20"	48"	1 1/2"	RPTDEFM(L/R)4820( )( )( )( )( )	1,093.	1,550.	1,781.	2,317.	1,931.	2,024.	2,131.
	20"	54"	1 1/2"	RPTDEFM(L/R)5420( )( )( )( )( )	1,096.	1,569.	1,804.	2,345.	1,948.	2,041.	2,148.
	20"	60"	1 1/2"	RPTDEFM(L/R)6020( )( )( )( )( )	1,156.	1,673.	1,922.	2,500.	2,060.	2,155.	2,262.
	20"	66"	1 1/2"	RPTDEFM(L/R)6620( )( )( )( )( )	1,169.	1,691.	1,945.	2,530.	2,077.	2,170.	2,277.
	20"	72"	1 1/2"	RPTDEFM(L/R)7220( )( )( )( )( )	1,179.	1,722.	1,978.	2,573.	2,105.	2,197.	2,304.
	20"	78"	1 1/2"	RPTDEFM(L/R)7820( )( )( )( )( )	1,190.	1,740.	2,002.	2,602.	2,122.	2,214.	2,322.
	20"	84"	1 1/2"	RPTDEFM(L/R)8420( )( )( )( )( )	1,200.	1,779.	2,046.	2,660.	2,160.	2,253.	2,360.
	24"	36"	1 1/2"	RPTDEFM(L/R)3624( )( )( )( )( )	1,088.	1,533.	1,763.	2,292.	1,915.	2,008.	2,115.
	24"	42"	1 1/2"	RPTDEFM(L/R)4224( )( )( )( )( )	1,111.	1,561.	1,794.	2,333.	1,940.	2,032.	2,139.
	24''	48"	1 1/2"	RPTDEFM(L/R)4824( )( )( )( )( )	1,135.	1,583.	1,819.	2,367.	1,958.	2,052.	2,159.
	24''	54''	1 1/2"	RPTDEFM(L/R)5424( )( )( )( )( )	1,147.	1,607.	1,848.	2,403.	1,978.	2,073.	2,180.
	24''	60"	1 1/2"	RPTDEFM(L/R)6024( )( )( )( )( )	1,194.	1,723.	1,980.	2,575.	2,105.	2,197.	2,304.
	24''	66"	1 1/2"	RPTDEFM(L/R)6624( )( )( )( )( )	1,206.	1,747.	2,008.	2,611.	2,124.	2,217.	2,324.
	24''	72"	1 1/2"	RPTDEFM(L/R)7224( )( )( )( )( )	1,249.	1,769.	2,034.	2,645.	2,142.	2,237.	2,343.
	24"	78"	1 1/2"	RPTDEFM(L/R)7824( )( )( )( )( )	1,261.	1,801.	2,072.	2,693.	2,173.	2,265.	2,373.
	24"	84"	1 1/2"	RPTDEFM(L/R)8424( )( )( )( )( )	1,274.	1,842.	2,118.	2,754.	2,213.	2,306.	2,413.

V1/V1

V2/V2

V3/V3

L/V1

#### **Order Code**

Example:	RPTDEFM(L/R) 4830( )( )( )( )( )
R	Reff
PT	Peninsula
D	11/2" Thick Square Edge
E	Thick End Panel Leg
FM	Flush Mount Attachment
	Plate
L	Left hand/ Right hand
60	Width
20	Depth
E	Grommet Option
115	Grommet Finish
V316	Worksurface Finish
()	Edge finish
V316	Leg Finish
115	Stand-Off Finish

#### **Specification Information**

 ${\it To~order~please~specify~pattern}$ number including:

- 1. Left or Right hand:
- 2. Grommet option: E = EndM = Mid. grommet N = No grommet

- 3. Grommet finish:
  Painted or plated
  4. Worksurface finish:
  L, V1, V2, V3
  5. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- 6. Leg finish: Wood or Laminate
- Stand Off finish: Painted

#### **Application Notes**

It is not advisable to mix  $28^3/8$ "h desk height product with 261/2"h standard height products.

Products on this page work with 283/8" height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48″w.

Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

Refer to grommet page for location

L/V3

### Peninsula 11/2" Worksurface with Thick End Panel Flush Mount Attachment, Rectilinear top, Square Edge

Peninsula, Rectilinear Top
----------------------------

th

pattern no.



description

Left hand shown

	ч	"	tii	pattern no.	14/15	7 17 7 1	12/12	10/10	13/ 11	13/ 12	17.10
р	30"	36"	1 1/2"	RPTDEFM(L/R)3630( )( )( )( )( )	\$1,173.	\$1,570.	\$1,806.	\$2,347.	\$1,948.	\$2,041.	\$2,148.
	30"	42"	1 1/2"	RPTDEFM(L/R)4230( )( )( )( )( )	1,188.	1,598.	1,839.	2,390.	1,971.	2,063.	2,171.
	30"	48"	1 1/2"	RPTDEFM(L/R)4830( )( )( )( )( )	1,221.	1,635.	1,882.	2,446.	2,005.	2,098.	2,206.
	30"	54"	1 1/2"	RPTDEFM(L/R)5430( )( )( )( )( )	1,235.	1,664.	1,913.	2,487.	2,026.	2,121.	2,228.
	30"	60"	1 1/2"	RPTDEFM(L/R)6030( )( )( )( )( )	1,368.	1,785.	2,052.	2,667.	2,158.	2,250.	2,356.
	30"	66"	1 1/2"	RPTDEFM(L/R)6630( )( )( )( )( )	1,385.	1,811.	2,083.	2,709.	2,180.	2,272.	2,380.
	30"	72"	1 1/2"	RPTDEFM(L/R)7230( )( )( )( )( )	1,400.	1,848.	2,126.	2,764.	2,214.	2,306.	2,414.
	30"	78"	1 1/2"	RPTDEFM(L/R)7830( )( )( )( )( )	1,415.	1,877.	2,159.	2,806.	2,238.	2,330.	2,437.
	30"	84"	1 1/2"	RPTDEFM(L/R)8430( )( )( )( )( )	1,431.	1,933.	2,221.	2,887.	2,291.	2,384.	2,491.
	36"	36"	1 1/2"	RPTDEFM(L/R)3636( )( )( )( )( )	1,247.	1,604.	1,845.	2,399.	1,975.	2,069.	2,176.
	36"	42"	1 1/2"	RPTDEFM(L/R)4236( )( )( )( )( )	1,283.	1,645.	1,892.	2,459.	2,013.	2,106.	2,213.
	36"	48"	1 1/2"	RPTDEFM(L/R)4836( )( )( )( )( )	1,285.	1,686.	1,940.	2,522.	2,050.	2,142.	2,249.
	36"	54"	1 1/2"	RPTDEFM(L/R)5436( )( )( )( )( )	1,303.	1,721.	1,977.	2,571.	2,077.	2,170.	2,277.
	36"	60"	1 1/2"	RPTDEFM(L/R)6036( )( )( )( )( )	1,439.	1,844.	2,122.	2,757.	2,211.	2,302.	2,410.
	36"	66"	1 1/2"	RPTDEFM(L/R)6636( )( )( )( )( )	1,458.	1,878.	2,160.	2,807.	2,237.	2,330.	2,437.
	36"	72"	1 1/2"	RPTDEFM(L/R)7236( )( )( )( )( )	1,474.	1,919.	2,208.	2,870.	2,274.	2,368.	2,475.
	36"	78"	1 1/2"	RPTDEFM(L/R)7836( )( )( )( )( )	1,494.	1,953.	2,245.	2,919.	2,300.	2,394.	2,502.
	36"	84"	1 1/2"	RPTDEFM(L/R)8436( )( )( )( )( )	1,511.	2,003.	2,303.	2,994.	2,349.	2,443.	2,550.

V1/V1

V2/V2

V3/V3

L/V1

#### **Order Code**

Example:	RPTDEFM(L/R) 4830( )( )( )( )( )
R	Reff
PT	Peninsula
D	11/2" Thick Square Edge
E	Thick End Panel Leg
FM	Flush Mount Attachment
	Plate
L	Left hand/ Right hand
60	Width
20	Depth
E	Grommet Option
115	Grommet Finish
V316	Worksurface Finish
()	Edge finish
V316	Leg Finish
115	Stand-Off Finish

#### **Specification Information**

 ${\it To~order~please~specify~pattern}$ number including:

- 1. Left or Right hand:
- 2. Grommet option: E = EndM = Mid. grommet N = No grommet

- 3. Grommet finish:
  Painted or plated
  4. Worksurface finish:
  L, V1, V2, V3
  5. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- Leg finish: Wood or Laminate
- Stand Off finish: Painted

#### **Application Notes**

It is not advisable to mix  $28^3/8$ "h desk height product with 261/2"h standard height products.

Products on this page work with 283/8" height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48″w.

Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

Refer to grommet page for location

# Peninsula 11/2" Worksurface with Column Leg Stand-Off with Power Center, Asymmetrical and Symmetrical Bullet top, Square Edge

description	d	W	th	pattern no.	L	M/V1	V2	V3
Peninsula, Asymmetrical Bullet Top	30"	60"	1 1/2"	RATDCPC(L/R)6030( )( )( )( )( )	\$1,581.	\$1,862.	\$2,096.	\$2,523.
	30"	66"	1 1/2"	RATDCPC(L/R)6630( )( )( )( )( )	1,599.	1,889.	2,129.	2,534.
	30"	66"	1 1/2"	RATDCPC(L/R)7230( )( )( )( )( )	1,615.	1,926.	2,174.	2,612.
	30"	78"	1 1/2"	RATDCPC(L/R)7830( )( )( )( )( )	1,633.	1,954.	2,208.	2,678.
	30"	84"	1 1/2"	RATDCPC(L/R)8430( )( )( )( )( )	1,650.	1,991.	2,251.	2,753.
Ü	36"	60"	1 1/2"	RATDCPC(L/R)6036( )( )( )( )( )	1,613.	1,915.	2,168.	2,596.
Left handed peninsula shown	36"	66"	1 1/2"	RATDCPC(L/R)6636( )( )( )( )( )	1,634.	1,953.	2,208.	2,674.
	36"	72"	1 1/2"	RATDCPC(L/R)7236( )( )( )( )( )	1,654.	1,994.	2,257.	2,759.
	36"	78"	1 1/2"	RATDCPC(L/R)7836( )( )( )( )( )	1,675.	2,025.	2,297.	2,837.
	36"	84"	1 1/2"	RATDCPC(L/R)8436( )( )( )( )( )	1,695.	2,056.	2,336.	2,911.
Peninsula, Symmetrical Bullet Top	30"	60"	1 1/2"	RSTDCPC(L/R)6030( )( )( )( )( )	1,724.	2,190.	2,457.	2,830.
	30"	66"	1 1/2"	RSTDCPC(L/R)6630( )( )( )( )( )	1,742.	2,227.	2,501.	2,901.
	30"	72"	1 1/2"	RSTDCPC(L/R)7230( )( )( )( )( )	1,761.	2,255.	2,535.	2,973.
	30"	78"	1 1/2"	RSTDCPC(L/R)7830( )( )( )( )( )	1,781.	2,282.	2,569.	3,039.
	30"	84"	1 1/2"	RSTDCPC(L/R)8430( )( )( )( )( )	1,797.	2,319.	2,613.	3,114.
U	36"	60"	1 1/2"	RSTDCPC(L/R)6036( )( )( )( )( )	1,759.	2,250.	2,529.	2,957.
Left hand shown	36"	66"	1 1/2"	RSTDCPC(L/R)6636( )( )( )( )( )	1,782.	2,281.	2,570.	3,035.
	36"	72"	1 1/2"	RSTDCPC(L/R)7236( )( )( )( )( )	1,804.	2,322.	2,618.	3,121.
	36"	78"	1 1/2"	RSTDCPC(L/R)7836( )( )( )( )( )	1,827.	2,353.	2,659.	3,198.
	36"	84"	1 1/2"	RSTDCPC(L/R)8436( )( )( )( )( )	1,849.	2,384.	2,697.	3,272.

#### Order Code

#### Example: RATDCPC(L/R) 6030()()()()() R Asymmetrical Top AT D 11/2" Thick Square Edge C Column Leg PC Power Center ī Left hand/ Right hand 60 Width 30 Depth 115 Grommet Finish 114 Worksurface Finish Edge finish () 115 Leg Finish 115 Stand-off Finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Grommet finish: Painted or Plated
- 2. Top finish: L, V1, V2, V3
- 3. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- 4. Leg finish: Painted or Plated
- 5. Stand-off finish: Painted

Grommet type: P only

#### **Application Notes**

It is not advisable to mix  $28\,^3\!/\mathrm{s}''\mathrm{h}$  desk height product with  $26\,^1\!/\mathrm{s}''\mathrm{h}$  standard height products.

Products on this page work with  $28^3/8''$  height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.

Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges;

Leg Finish Add P2 \$35 P3 \$50 P4 \$150 Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

Refer to grommet page for location option.

### Peninsula 11/2" Worksurface with Column Leg Simple Stand-Off, Asymmetrical and Symmetrical Bullet top, Square Edge

description	d	W	th	pattern no.	L	M/V1	V2	V3
Peninsula, Asymmetrical Bullet Top	30"	60"	1 1/2"	RATDCST(L/R)6030( )( )( )( )( )	\$1,428.	\$1,644.	\$1,856.	\$2,228.
<u>`</u>	30"	66"	1 1/2"	RATDCST(L/R)6630( )( )( )( )( )	1,444.	1,671.	1,889.	2,293.
	30"	72"	1 1/2"	RATDCST(L/R)7230( )( )( )( )( )	1,463.	1,708.	1,932.	2,370.
	30"	78"	1 1/2"	RATDCST(L/R)7830( )( )( )( )( )	1,479.	1,735.	1,966.	2,436.
	30"	84"	1 1/2"	RATDCST(L/R)8430( )( )( )( )( )	1,497.	1,771.	2,010.	2,512.
Ü	36"	60"	1 1/2"	RATDCST(L/R)6036( )( )( )( )( )	1,461.	1,703.	1,928.	2,356.
${\it Left\ handed\ peninsula\ shown}$	36"	66"	1 1/2"	RATDCST(L/R)6636( )( )( )( )( )	1,480.	1,734.	1,968.	2,433.
	36"	72"	1 1/2"	RATDCST(L/R)7236( )( )( )( )( )	1,501.	1,775.	2,017.	2,518.
	36"	78"	1 1/2"	RATDCST(L/R)7836( )( )( )( )( )	1,521.	1,806.	2,056.	2,596.
	36"	84"	1 1/2"	RATDCST(L/R)8436( )( )( )( )( )	1,542.	1,838.	2,095.	2,671.
Peninsula, Symmetrical Bullet Top	30"	60"	1 1/2"	RSTDCST(L/R)6030( )( )( )( )( )	1,556.	1,994.	2,240.	2,613.
	30"	66"	1 1/2"	RSTDCST(L/R)6630( )( )( )( )( )	1,574.	2,019.	2,272.	2,678.
	30"	72"	1 1/2"	RSTDCST(L/R)7230( )( )( )( )( )	1,594.	2,057.	2,318.	2,754.
. >	30"	78"	1 1/2"	RSTDCST(L/R)7830( )( )( )( )( )	1,612.	2,084.	2,351.	2,821.
	30"	84"	1 1/2"	RSTDCST(L/R)8430( )( )( )( )( )	1,630.	2,121.	2,394.	2,897.
U	36"	60"	1 1/2"	RSTDCST(L/R)6036( )( )( )( )( )	1,592.	2,052.	2,312.	2,740.
Left hand shown	36"	66"	1 1/2"	RSTDCST(L/R)6636( )( )( )( )( )	1,613.	2,083.	2,352.	2,818.
	36"	72"	1 1/2"	RSTDCST(L/R)7236( )( )( )( )( )	1,636.	2,124.	2,401.	2,904.
	36"	78"	1 1/2"	RSTDCST(L/R)7836( )( )( )( )( )	1,658.	2,156.	2,442.	2,980.
	36"	84"	1 1/2"	RSTDCST(L/R)8436( )( )( )( )( )	1,680.	2,186.	2,479.	3,056.

#### **Order Code**

#### Example: RATDCST (L/R)6030 Reff R ΑT Asymmetrical Top $\overline{\mathsf{D}}$ 11/2" Thick Square Edge C Column Leg ST Stand-Off L/R Left/Right Hand 60 Width 30 Depth Ν Grommet Option 115 Grommet Finish V316 Worksurface Finish () Edge finish 115 Leg Finish 115 Stand-Off Finish

#### **Specification Information**

 ${\it To~order~please~specify~pattern}$ 

number including: Grommet option: N=No grommet E=End location grommet SE=Stand-off and end grommet S=Stand-off location grommet SD=Drop in electrical cutout & no grommet SDR=Drop in electrical cutout & end grommet, RH SDL=Drop in electrical cutout & end grommet, LH Note: Please order electric for the following options; SD, SDR and SDL. Grommet finish: Painted or Plated where

- applicable. N & SD have no finish option.
- Top finish: L, V1, V2, V3
- 4. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- Leg finish: Painted or Plated
- Stand-off finish: Painted

#### It is not advisable to mix 283/8"h desk height product with 261/2"h

standard height products.

Products on this page work with 283/8" height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than

Upcharges apply to legs with P2, P3 and P4 finishes Additional upcharges;

Leg Finish \$35 Р3 \$50 P4 \$150

#### **Application Notes**

Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

Refer to Peninsula Planning Guidelines for location option.

### Peninsula 11/2" Worksurface with Column Leg Flush Mount Attachment, Asymmetrical and Symmetrical Bullet top, Square Edge

Peninsula, Asymmetrical Bullet Top	lescription	d	W	th	pattern no.	L	M/V1	V2	V3
Continue	Peninsula, Asymmetrical Bullet Top	30"	48"	1 1/2"	RATDCFM(L/R)4830( )( )( )( )	\$1,138.	\$1,438.	\$1,622.	\$1,930.
			54"	1 1/2"	RATDCFM(L/R)5430( )( )( )( )	1,228.	1,465.	1,654.	1,995.
1/2"   1/2"   RATDCFM(L/R)030()()()   1,353.   1,501.   1,405.			60"	1 1/2"	RATDCFM(L/R)6030( )( )( )( )	1,308.	1,535.	1,735.	2,108.
78"   1½"   RATDCFM(L/R)7830()()()   1,376   1,627   1,847   1,847   1,847   1,847   1,847   1,847   1,847   1,847   1,847   1,646   1,663   1,891   1,847   1,447   1,466   1,663   1,891   1,487   1,662   1,447   1,447   1,466   1,648   1,447   1,447   1,648   1,447			66"	1 1/2"	RATDCFM(L/R)6630( )( )( )( )	1,325.	1,561.	1,768.	2,174.
RATDCFM(L/R)8430()()()   1,406.   1,663.   1,891.			72"	1 1/2"	RATDCFM(L/R)7230( )( )( )( )	1,353.	1,599.	1,813.	2,251.
36"   48"   1½"   RATDCFM(L/R)4836()()()   1,182   1,487   1,682   54"   1½"   RATDCFM(L/R)5436()()()   1,258   1,519   1,722   60"   1½"   RATDCFM(L/R)6036()()()   1,341   1,594   1,808   66"   1½"   RATDCFM(L/R)6036()()()   1,361   1,626   1,848   72"   1½"   RATDCFM(L/R)7236()()()   1,382   1,667   1,897   78"   1½"   RATDCFM(L/R)7336()()()   1,401   1,697   1,937   84"   1½"   RATDCFM(L/R)8436()()()   1,422   1,729   1,975   1,975   1,927   1,9	5		78"	1 1/2"	RATDCFM(L/R)7830( )( )( )( )	1,376.	1,627.	1,847.	2,318.
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Left handed peninsula shown		84"	1 1/2"	RATDCFM(L/R)8430( )( )( )( )	1,406.	1,663.	1,891.	2,392.
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		36"	48"	1 1/2"	RATDCFM(L/R)4836( )( )( )( )	1,182.	1,487.	1,682.	2,037.
RATDCFM(L/R)6636()()()()   1,361.   1,626.   1,848.			54"	1 1/2"	RATDCFM(L/R)5436( )( )( )( )	1,258.	1,519.	1,722.	2,115.
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			60"	1 1/2"	RATDCFM(L/R)6036( )( )( )( )	1,341.	1,594.	1,808.	2,236.
Peninsula, Symmetrical Bullet Top			66"	1 1/2"	RATDCFM(L/R)6636( )( )( )( )	1,361.	1,626.	1,848.	2,313.
RATDCFM(L/R)8436()()()()   1,422.   1,729.   1,975.			72"	1 1/2"	RATDCFM(L/R)7236( )( )( )( )	1,382.	1,667.	1,897.	2,400.
Peninsula, Symmetrical Bullet Top  30"  48"  1½"  RSTDCFM(L/R)4830()()()()  1,240.  1,788.  2,006.  54"  1½"  RSTDCFM(L/R)5430()()()()  1,266.  1,813.  2,039.  60"  1½"  RSTDCFM(L/R)6030()()()()  1,426.  1,884.  2,120.  66"  1½"  RSTDCFM(L/R)6630()()()()  1,444.  1,911.  2,153.  72"  1½"  RSTDCFM(L/R)7230()()()()  1,482.  1,975.  2,231.  84"  1½"  RSTDCFM(L/R)8430()()()()  1,500.  2,012.  2,274.  36"  48"  1½"  RSTDCFM(L/R)4836()()()()  1,289.  1,837.  2,066.  54"  1½"  RSTDCFM(L/R)5436()()()()  1,314.  1,369.  2,106.  60"  1½"  RSTDCFM(L/R)6636()()()()  1,483.  1,974.  2,231.  72"  1½"  RSTDCFM(L/R)6636()()()()  1,483.  1,974.  2,231.  72"  1½"  RSTDCFM(L/R)7236()()()()  1,506.  2,015.  2,281.			78"	1 1/2"	RATDCFM(L/R)7836( )( )( )( )	1,401.	1,697.	1,937.	2,477.
S4"   1½"   RSTDCFM(L/R)5430()()()   1,266.   1,813.   2,039.			84"	1 1/2"	RATDCFM(L/R)8436( )( )( )( )	1,422.	1,729.	1,975.	2,551.
S4"   1½"   RSTDCFM(L/R)5430()()()   1,266.   1,813.   2,039.	Peninsula, Symmetrical Bullet Top	30"	48"	1 1/2"	RSTDCFM(L/R)4830( )( )( )( )	1,240.	1,788.	2,006.	2,313.
60"   1½"   RSTDCFM(L/R)6030()()()   1,426.   1,884.   2,120.			54"	1 1/2"		1,266.	1,813.	2,039.	2,379.
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			60"	1 1/2"		1,426.	1,884.	2,120.	2,493.
T8"   1½"   RSTDCFM(L/R)7830()()()   1,482   1,975   2,231     84"   1½"   RSTDCFM(L/R)8430()()()   1,500   2,012   2,274     36"   48"   1½"   RSTDCFM(L/R)4836()()()   1,289   1,837   2,066     54"   1½"   RSTDCFM(L/R)5436()()()   1,314   1,869   2,106     60"   1½"   RSTDCFM(L/R)6036()()()   1,462   1,942   2,191     66"   1½"   RSTDCFM(L/R)6636()()()   1,483   1,974   2,231     72"   1½"   RSTDCFM(L/R)7236()()()   1,506   2,015   2,281	•		66"	1 1/2"	RSTDCFM(L/R)6630( )( )( )( )	1,444.	1,911.	2,153.	2,557.
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			72"	1 1/2"	RSTDCFM(L/R)7230( )( )( )( )	1,464.	1,948.	2,198.	2,635.
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	U		78"	1 1/2"	RSTDCFM(L/R)7830( )( )( )( )	1,482.	1,975.	2,231.	2,702.
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Left hand shown		84"	1 1/2"	RSTDCFM(L/R)8430( )( )( )( )	1,500.	2,012.	2,274.	2,777.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	-	36"	48"	1 1/2"	RSTDCFM(L/R)4836( )( )( )( )	1.289.	1.837.	2.066.	2,421.
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			54"				,		2,499.
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$									2,620.
72" $1\frac{1}{2}$ " RSTDCFM(L/R)7236( )( )( )( ) 1,506. 2,015. 2,281.							<u> </u>		2,698.
									2,784.
									2,861.
84" 1½" <b>RSTDCFM(L/R)8436( )( )( )</b> 1,550. 2,078. 2,360.					( ) ()()()				2,935.

Order	Code
-------	------

R

ΑT

D

C

FM

L/R

48

30

N

115

()

115

V316

### **Specification Information**

#### To order please specify pattern number including:

#### 1. Grommet option: E=End grommet N=No grommet

Grommet finish: Painted or Plated

Top finish: L, V1, V2, V3

4. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)

5. Leg finish: Painted or Plated

#### **Application Notes**

It is not advisable to mix 283/8"h desk height product with 26 1/2"h standard height products.

Products on this page work with 283/8" height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.

Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges;

Leg Finish P2 Add \$35 Р3 \$50 \$150 Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.

Edge finish

Leg Finish

Example: RATDCFM (L/R)4830

Column Leg

Width

Depth

Asymmetrical Top

Flush Mount Plate

Left/Right Hand

Grommet Option

Grommet Finish

Worksurface Finish

11/2" Thick Square Edge

Reff

# Peninsula 1½" Worksurface with Column Leg Flush Mount Attachment, P and 9 tops, Square Edge

description	d	W	th	pattern no.	L	M/V1	V2	V3
Peninsula, P Shaped Top	30"	84"	1 1/2"	RPTDCFM8430( )( )( )( )( )	\$2,246.	\$2,407.	\$2,733.	\$3,385.
	30"	96"	1 1/2"	RPTDCFM9630( )( )( )( )( )	2,326.	2,477.	2,822.	3,555.
Peninsula, 9 Shaped Top	30"	84"	1 1/2"	R9TDCFM8430( )( )( )( )( )	2,246.	2,407.	2,733.	3,385.
	30"	96"	1 1/2"	R9TDCFM9630( )( )( )( )( )	2,326.	2,477.	2,822.	3,555.

reninsula, 9 Shaped

Order Cod	de	Specification Information	Application Notes	
	RPTDCFM8430 ()()()()() Reff P-Shaped top 1 ½" Thick Square Edge Column Leg Flush Mount Attachment Plate Width Depth Grommet Option Grommet Finish Worksurface Finish Edge finish Leg Finish	To order please specify pattern number including:  1. Grommet option: F=Flush M=Mid. Grommet N=No grommet 2. Grommet finish: Painted or Plated 3. Top finish: L, V1, V2, V3 4. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.) 5. Leg finish: Painted or Plated	It is not advisable to mix 28 %"h desk height product with 26 ½"h standard height products.  Products on this page work with 28 %" height planning.  Products on this page will accept woodgrain laminate where laminate is currently an option.  Worksurface stiffeners, recommended to provide additional support for open spans greater than 48" w.  Upcharges apply to legs with P2, P3 and P4 finishes.  Additional upcharges;  Leg Finish Add P2 \$35 P3 \$50 P4 \$150	For electrical components please refer to page 399.  Modesty sold separately and can be field installed.  Wire chase sold separately.  Refer to grommet page for location option.  From users perspective, if the leg is on the right side, the peninsula is classified a "Right Hand" peninsula.

### Peninsula 11/2" Worksurface with Column Leg Stand-Off with Power Center, D top, Square Edge

description	d	W	th	pattern no.	L	M/V1	V2	V3
Peninsula, D-Shaped Top	30"	66"	1 1/2"	RDTDCPC(L/R)6630( )( )( )( )( )	\$1,800.	\$2,041.	\$2,129.	\$2,482.
	30"	72"	1 1/2"	RDTDCPC(L/R)7230( )( )( )( )( )	1,825.	2,068.	2,166.	2,547.
	30"	78"	1 1/2"	RDTDCPC(L/R)7830( )( )( )( )( )	1,844.	2,090.	2,195.	2,605.
	30"	84"	1 1/2"	RDTDCPC(L/R)8430( )( )( )( )( )	1,870.	2,120.	2,230.	2,667.
	30"	90"	1 1/2"	RDTDCPC(L/R)9030( )( )( )( )( )	1,890.	2,140.	2,260.	2,723.
S	30"	96"	1 1/2"	RDTDCPC(L/R)9630( )( )( )( )( )	1,908.	2,162.	2,286.	2,777.
Left hand shown	36"	66"	1 1/2"	RDTDCPC(L/R)6636( )( )( )( )( )	1,843.	2,089.	2,195.	2,601.
	36"	72"	1 1/2"	RDTDCPC(L/R)7236( )( )( )( )( )	1,873.	2,123.	2,236.	2,672.
	36"	78"	1 1/2"	RDTDCPC(L/R)7836( )( )( )( )( )	1,894.	2,148.	2,269.	2,739.
	36"	84"	1 1/2"	RDTDCPC(L/R)8436( )( )( )( )( )	1,916.	2,171.	2,302.	2,803.
	36"	90"	1 1/2"	RDTDCPC(L/R)9036( )( )( )( )( )	1,939.	2,197.	2,337.	2,869.
	36"	96"	1 1/2"	RDTDCPC(L/R)9636( )( )( )( )( )	1,963.	2,223.	2,370.	2,935.

#### **Order Code**

	-
Example:	RDTDCPCL6630
	()()()()
R	Reff
DT	P-Shaped top
D	11/2" Thick Square Edge
С	Column Leg
PC	Power Center
L	
66	Width
30	Depth
Р	Grommet option
115	Grommet finish
V316	Top finish
()	Edge finish
115	Leg Finish
115	Stand-Off Finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Grommet option: P=Power center PM=Power center and middle grommet
- 2. Grommet finish:
- Painted or Plated
- 3. Top finish: L, V1, V2, V3 4. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- 5. Leg finish: Painted or Plated
- Stand-off finish: Painted

#### **Application Notes**

It is not advisable to mix 283/8"h desk height product with 26  $^1\!/\!_2{''}h$ standard height products.

Products on this page work with 283/8" height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.

Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges;

Leg Finish Add Р3 \$50 P4 \$150 Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

Refer to grommet page for location

### Peninsula 11/2" Worksurface with Column Leg Simple Stand-Off, D top, Square Edge

description	d	W	th	pattern no.	L	M/V1	V2	V3
Peninsula, D-Shaped Top	30"	66"	1 1/2"	RDTDCST(L/R)6630( )( )( )( )( )	\$1,646.	\$1,864.	\$1,954.	\$2,307.
<u></u>	30"	72"	1 1/2"	RDTDCST(L/R)7230( )( )( )( )( )	1,672.	1,894.	1,992.	2,373.
	30"	78"	1 1/2"	RDTDCST(L/R)7830( )( )( )( )( )	1,690.	1,916.	2,020.	2,429.
	30"	84"	1 1/2"	RDTDCST(L/R)8430( )( )( )( )( )	1,715.	1,944.	2,055.	2,494.
	30"	90"	1 1/2"	RDTDCST(L/R)9030( )( )( )( )( )	1,734.	1,967.	2,084.	2,549.
S	30"	96"	1 1/2"	RDTDCST(L/R)9630( )( )( )( )( )	1,754.	1,987.	2,112.	2,604.
Left hand shown	36"	66"	1 1/2"	RDTDCST(L/R)6636( )( )( )( )( )	1,689.	1,915.	2,020.	2,426.
	36"	72"	1 1/2"	RDTDCST(L/R)7236( )( )( )( )( )	1,718.	1,948.	2,060.	2,498.
	36"	78"	1 1/2"	RDTDCST(L/R)7836( )( )( )( )( )	1,740.	1,972.	2,095.	2,565.
	36"	84"	1 1/2"	RDTDCST(L/R)8436( )( )( )( )( )	1,762.	1,997.	2,128.	2,628.
	36"	90"	1 1/2"	RDTDCST(L/R)9036( )( )( )( )( )	1,785.	2,022.	2,162.	2,694.
	36"	96"	1 1/2"	RDTDCST(L/R)9636( )( )( )( )( )	1,807.	2,049.	2,195.	2,760.

0	rd	er	C	od	ما

#### Example: RDTDCST6630 ()()()() DT D-Shaped top D 11/2" Thick Square Edge c Column Leg ST Stand-Off 66 Width 30 Depth N Grommet Option 115 Grommet Finish V316 Worksurface Finish () Edge finish 115 Leg Finish 115 Stand-Off Finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Left or Right hand Grommet option: M=Mid. grommet location N=No grommet S=Stand-off location SM=Stand-off plus grommet SD=Drop in electrical cutout & SDR=Drop in electrical cutout & end grommet, RH SDL=Drop in electrical cutout & end grommet, LH Note: Please order electric for the following options; SD, SDR and SDL.
- 3. Grommet finish: Painted or Plated where applicable. N & SD have no finish option.
- 4. Top finish: L, V1, V2, V3
- 5. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- Leg finish: Painted or Plated
- Stand-off finish: Painted

#### **Application Notes**

It is not advisable to mix 283/8"h desk height product with 261/2"h standard height products.

Products on this page work with 283/8" height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.

Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges;

Leg Finish	Add
P2	\$35
P3	\$50
P4	\$150

Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

Refer to Peninsula Planning Guidelines for location option.

### Peninsula 1½" Worksurface with Column Leg Flush Mount Attachment, D top, Square Edge

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula, D-Shaped Top	30"	54"	1 1/2"	RDTDCFM(L/R)5430( )( )( )( )( )	\$1,460.	\$1,653.	\$1,730.	\$2,026.
	30"	60"	1 1/2"	RDTDCFM(L/R)6030( )( )( )( )( )	1,517.	1,720.	1,802.	2,128.
	30"	66"	1 1/2"	RDTDCFM(L/R)6630( )( )( )( )( )	1,536.	1,740.	1,831.	2,184.
	30"	72"	1 1/2"	RDTDCFM(L/R)7230( )( )( )( )( )	1,562.	1,769.	1,867.	2,247.
	30"	78"	1 1/2"	RDTDCFM(L/R)7830( )( )( )( )( )	1,581.	1,792.	1,896.	2,304.
	30"	84"	1 1/2"	RDTDCFM(L/R)8430( )( )( )( )( )	1,606.	1,819.	1,933.	2,369.
Left hand shown	36"	54"	1 1/2"	RDTDCFM(L/R)5436( )( )( )( )( )	1,498.	1,697.	1,787.	2,128.
	36"	60"	1 1/2"	RDTDCFM(L/R)6036( )( )( )( )( )	1,558.	1,765.	1,862.	2,236.
-	36"	66"	1 1/2"	RDTDCFM(L/R)6636( )( )( )( )( )	1,580.	1,791.	1,896.	2,301.
	36"	72"	1 1/2"	RDTDCFM(L/R)7236( )( )( )( )( )	1,608.	1,823.	1,937.	2,374.
	36"	78"	1 1/2"	RDTDCFM(L/R)7836( )( )( )( )( )	1,632.	1,849.	1,971.	2,441.
	36"	84"	1 1/2"	RDTDCFM(L/R)8436( )( )( )( )( )	1,653.	1,873.	2,004.	2,504.

Order Code				
Example:	RDTDCFM5430			
	()()()()			
R	Reff			
DT	P-Shapped top			
D	11/2" Thick Square Edge			
С	Column Leg			
FM	Flush Mount Attachment			
	Plate			
54	Width			
30	Depth			
M	Grommet Option			
115	Grommet Finish			
V316	Worksurface Finish			
()	Edge finish			
115	Leg Finish			

#### **Specification Information**

To order please specify pattern number including:

- 1. Grommet option: N=None M=Middle
- 2. Grommet finish: Painted or Plated
- 3. Worksurface finish: L, V1, V2, V3
- 4. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- 5. Leg finish: Painted or Plated

#### **Application Notes**

It is not advisable to mix  $28 \, ^3\!/ {\rm s''} h$  desk height product with  $26 \, ^4\!/ {\rm s''} h$  standard height products.

Products on this page work with 283/8" height planning.

Products on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48"w.

Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges;

Leg Finish Add P2 \$35 P3 \$50 P4 \$150 Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 399.

Modesty sold separately and can be field installed.

Wire chase sold separately.

Refer to grommet page for location option.  $\,$ 

Reff Profiles Tables are freestanding worksurface solutions for private and open office planning as well as meeting and activity spaces. Reff Profiles offers a variety of types of tables which have differing aesthetics and functionality. All of the tables in this section plan with desk height products and all are 28  $^{3}/_{8}$ " high measured to the underside of the worksurface.

Due to interference conditions, desk height storage which is 28  $^{3}/_{8}$ " high may not be placed under any tables.

Except where otherwise noted, worksurface stiffeners are required for support of 1 ½" thick table tops with spans greater than 54". The recommended stiffener is AWM1S.

Tables are divided into two basic types; four legged versions and center column versions.

#### The four legged versions are:

- Tables with Open Frame Legs\*
- · Tables with L-Legs
- Tables with Reverse L-Legs
- Tables with Soft Rectangular Legs
- Tables with Column Legs
- Mobile Tables
- Tables with 2x4 Legs
- Tables with 4x4 Legs

\*Two open frame legs are used per table but are connected to the underside of worksurfaces in each of the four corners.

#### The center column versions are:

- Sliding Tables
- Height Adjustable Sliding Tables
- Column Base Tables
- · Height Adjustable Column Base Tables

### General Construction features – Four Legged Tables

All four legged tables have 1 ½" thick tops and square profile edges. Refer to Worksurface planning guide pages for tops construction details.

Hardware is supplied with the legs for field assembly to the worksurfaces. Unless otherwise indicated, legs are attached to the tops using wood screws. Tops and legs are shipped in separate packages.

#### **Tables with Open Frame Legs**

These tables are available in Rectangular top shapes.

#### Scope of nominal sizes:

Depths: 24", 30", 36" Widths: 60", 66", 72", 78", 84"

#### **Construction Details**

Tables with open frame legs have two open frame supports which are positioned flush to the edge at both ends of the table. See **Figure 1**. Tables are supplied with required stiffener beams which connect with the top plates of the legs. Worksurfaces are supplied with pilot holes pre-drilled for threaded metal inserts. Legs are attached to the table top using machine screws supplied. Grommets are not available for these tables. Refer to installation instruction 6TP00441 available on Knoll Exchange.

The legs consist of four extruded aluminum frame members with mitered corners connected to two top plates of cast zinc alloy. See **Figure 2**. The frame members have a "T" shape which enables infill panels to be inserted flush to the face of the frame. Infill panels are

The required stiffener beams are steel "hat" shapes which attach at each end to the top plates of the open frame legs and are also affixed to the under-side of the table top at regular intervals along the length of each stiffener.

available separately and installed in pairs.

#### **Finish Details**

Worksurface tops are available in all core laminates, wood grain laminates, mixed finish (laminate top with wood edges), and all core veneer finishes including synthetic edge options.

Open frame legs are available in all core paint finishes and anodized finishes. Leg top plates are painted to match the leg finish when core paint is selected. Leg top plates are plated to compliment the leg finish when anodized is selected.




Figure 1: Open Frame Leg table




Figure 2: Detail of table corner with top plate

### Tables with L-legs, Reverse L-legs and Soft Rectangular legs

These tables are available in Rectangular and Square top shapes.

#### **Scope of Nominal Sizes**

#### Rectangular sizes:

30"D x 48"W

30"D x 60"W

30"D x 72"W

36"D x 72"W

#### Square sizes:

42"D x 48"W

48"D x 48"W

#### **Grommet Options**

These tables are offered with four grommet options for use with three types of electrical power and data outlets.

#### Grommet types are:

NG - No grommet

**PE** – Power center; cast grommet sleeve and hinged lid included with the table; suitable for use with under-mounted electrical outlets\*

**2E** – Table drop-in electrical unit; a cutout is provided for a 4 position table drop-in electrical outlet\*

**3E** – Table drop-in electrical unit; a cutout is provided for a 6 position table drop-in electrical outlet\*

\*All electrical outlets are offered separately. Refer to the Accessories – Power & Data section for available options.

Ex. 2E = Cutout for 4 position table drop-in electrical outlet located at one end of the table


**Power Center** 

613/16"

Drop-in - 4 position

Drop-in - 6 position

Figure 2: Cut-out Sizes



**Figure 1: Grommet Locations** 

### Tables with L-legs, Reverse L-legs and Soft Rectangular legs, cont'd.

#### **Construction Details**

Tables with L, Reverse-L and Soft Rectangular legs have four legs which are positioned flush to the edge of the four corners of the table. See **Figure 2**. L and Reverse-L legs are not handed. The Soft Rectangular legs are handed; 2-LH and 2-RH. Worksurfaces are supplied with pilot holes pre-drilled to help center the legs in their design positions. Legs are attached to the table top using wood screws supplied.

Each leg consists of an extruded aluminum vertical support, factory connected to a cast zinc alloy top plate assembly. See **Figure 3**. The L-leg and Reverse-L leg are 3" x 3" x  $^{7}$ /<sub>8</sub>" thick. The Soft rectangular leg is 2" x 3". The top plate assembly is 5  $^{12}$ " x 5  $^{12}$ " x  $^{3}$ /<sub>16</sub>" thick.

Each leg is supplied with a black 1 1/8" diameter glide which provides 34" of height adjustability.

#### **Finish Details**

Worksurface tops are available in all core laminates, wood grain laminates, mixed finish (laminate top with wood edges), and all core veneer finishes including synthetic edge options.

L, Reverse-L and Soft Rectangular legs are available in all core paint finishes and anodized finishes. Leg top plates are painted to match the leg finish when core paint is selected. Leg top plates are plated to compliment the leg finish when anodized is selected.








Figure 2: Table Styles








Figure 3: Detail of Table Corners with Top Plate

#### **Tables with Column Legs**

These tables are available in Round, Square, Rectangular and Racetrack top shapes. See **Figure 1**.

#### Scope of nominal sizes

#### Round sizes:

42" Diameter

48" Diameter

#### Square sizes:


36"D x 36"W 42"D x 48"W 48"D x 48"W

#### Rectangular sizes:

36"D x 72"W 42"D x 84"W 48"D x 96"W

#### Racetrack sizes:

36"D x 72"W 42"D x 84"W 48"D x 96"W








Figure 2: Column Leg glide detail

#### Tables with Column Legs, cont'd.

#### **Construction Details**

Tables with Column legs have four legs which are positioned inset from the edges of the table. See **Figure 3**. Column legs are not handed. Grommets are not available for these tables. Contact Custom Product Development if grommets are required.

Worksurfaces are supplied with pilot holes pre-drilled to help center the legs in their design positions. Legs are attached to the table top using wood screws supplied.

Each leg consists of round steel vertical support, factory connected to a steel top plate assembly. The diameter of the leg is dependent upon the top size selected:

- 36" diameter and 36" deep tops come with 2 ½" diameter legs.
- 42" diameter and 42" deep tops come with 3" diameter legs.
- 48" diameter and 48" deep tops come with 4" diameter legs.

The top plate assembly is  $7 \frac{1}{2}$ " x  $7 \frac{1}{2}$ " x  $\frac{3}{16}$ " thick.

Each leg is supplied with a cast glide that is the same diameter as the leg. See **Figure 2** (previous page). The glide provides 2 ¼" of height adjustability.

#### **Finish Details**

Worksurface tops are available in all core laminates, wood grain laminates, mixed finish (laminate top with wood edges), and all core veneer finishes including synthetic edge options.

Column legs are available in all core paint finishes and plated finishes. Leg top plates are painted black. The leg glides are finished the same color as the leg.




Figure 3: Leg Locations for Column Leg Tables

#### **Mobile Tables**

These tables are available in Round, Square, and Rectangular top shapes. **See Figure 1**.

#### Scope of nominal sizes:

#### Round sizes:

36" Diameter

42" Diameter

48" Diameter

#### Square sizes:

42"D x 48"W

48"D x 48"W

#### Rectangular sizes:

30"D x 48"W

30"D x 60"W

30"D x 72"W

36"D x 72"W




Figure 1: Mobile Tables

#### Mobile Tables, cont'd.

#### **Construction Details**

Mobile Tables have four round Column legs with casters, which are positioned inset from the edges of the table. See **Figure 2**. The castors are swivel type; two are provided with wheel brakes. Grommets are not available for these tables. Contact Custom Product Development if grommets are required. Worksurfaces are supplied with pilot holes pre-drilled to help center the legs in their design positions. Legs are attached to the table top using wood screws supplied.

Each leg consists of a round steel vertical support, factory connected to a steel top plate assembly. The legs are 3" diameter. The top plate assembly is 7  $\frac{1}{2}$ " x 7  $\frac{1}{2}$ " x  $\frac{3}{16}$ " thick.

Castors have polyurethane wheels with thread guards. Each castor is rated for 120 lbs.

The table height is  $28\,^{3}/_{8}$ " to the underside of the 1 ½" thick top. There is no height adjustability on Mobile Tables.

#### **Finish Details**

Worksurface tops are available in all core laminates, wood grain laminates, mixed finish (laminate top with wood edges), and all core veneer finishes including synthetic edge options.

Column legs are available in all core paint finishes and plated finishes. Leg top plates are painted black. The castors are black.




Figure 2: Leg Locations

#### Tables with 2x4 Legs

Tables with 2x4 Legs are versatile meeting tables offering a vast selection of power and communications functionality and aesthetic diversity. Options for power and communications include several configurations; power center grommets which elegantly conceal the outlets below the table surface or drop-in table outlets which provide outlets flush with the table top. All electrical outlets and cable management accessories are ordered separately. Table tops and legs may be specified in different finishes creating nearly unlimited aesthetic possibilities.

These tables are available with Rectangular top shapes.

#### Scope of nominal sizes:

Depths: 36", 42", 48"

Widths: 72", 78", 84", 90", 96"

#### **Grommet Options**

Tables with 2x4 Legs are offered with four grommet types in three location configurations. Grommet option code is made up of the combination of the grommet type and the grommet location.

#### Grommet types are:

NG - No grommet

**P** – Power center; cast grommet sleeve and hinged lid included with the table; suitable for use with under-mounted electrical outlets\*

- 2 Table drop-in electrical unit; a cutout is provided for a 4 position table drop-in electrical outlet\*
- **3** Table drop-in electrical unit; a cutout is provided for a 6 position table drop-in electrical outlet\*

\*All electrical outlets are offered separately. Refer to the Accessories – Power & Data section for available options.


#### **Grommet locations are:**

**B** - Both ends

C - Centered

**E** – One end

Ex. 2E = Cutout for 4 position table drop-in electrical outlet located at one end of the table, see **Figure 1**. Refer to Tables with L-legs, **Figure 2**, for cut-out sizes.



**Figure 1: Grommet Options Matrix** 

#### Tables with 2x4 Legs, cont'd.

#### **Construction Details**

Tables with 2 x 4 legs have four legs which are positioned flush to the edges at the corners of the table. The legs are connected to a substructure which is integral to the table. The substructure consists of four peripheral rails which form the table skirt. The legs are field connected to the table skirt with a cast top plate at each corner. Triangular corner brackets provide further reinforcement and a connection point for the substructure to the table top.

L-brackets provide further connection points between the substructure and the table top. See **Figure 2**. No auxiliary stiffeners are required to reinforce the worksurface. Worksurfaces are supplied with pilot holes pre-drilled to locate the wood screws used to attach the worksurface to the substructure. Refer to installation instruction 6TP00385 available on Knoll Exchange.

The table skirt is an extruded aluminum profile; inset 2" from the long edge and 3" from the short edge. The skirt rails are 2" high x 1" deep.

The legs are constructed of a 2" x 4 ½" extruded aluminum profile, factory connected to top plates of cast zinc alloy. The leg top plate creates a 1/8" thick reveal between the top of the leg and the bottom of the worksurface. A glide at the base of each leg provides 1 ½" of height adjustability.

Corner brackets and L-brackets are formed steel.

#### **Finish Details**


Worksurface tops are available in all core laminates, wood grain laminates, mixed finish (laminate top with wood edges), and all core veneer finishes including synthetic edge options.

Legs may be specified in all core paint finishes or in wood veneer finishes. When specified with a wood veneer finish, the leg finish must match the worksurface finish. Contact Custom Product Development if the wood veneer finish of the legs is desired to be a different wood veneer finish than the top.

The skirt finish defaults to the leg finish.

The leg reveal may be any core paint finish.

Corner brackets and L-brackets are supplied black.








Figure 3: Table Corner

#### Tables with 4x4 Legs

Tables with 4x4 Legs are versatile meeting tables offering a vast selection of power and communications functionality and aesthetic diversity. Options for power and communications include several configurations; power center grommets which elegantly conceal the outlets below the table surface or drop-in table outlets which provide outlets flush with the table top. All electrical outlets and cable management accessories are ordered separately. Table tops and legs may be specified in different finishes creating nearly unlimited aesthetic possibilities.

These tables are available with Rectangular top shapes.

#### Scope of nominal sizes:

Depths: 36", 42", 48"

Widths: 72", 78", 84", 90", 96"

#### **Grommet Options**

Tables with 4x4 Legs are offered with four grommet types in three location configurations. Grommet option code is made up of the combination of the grommet type and the grommet location.

#### Grommet types are:

NG - No grommet

- **P** Power center; cast grommet sleeve and hinged lid included with the table; suitable for use with under-mounted electrical outlets\*
- 2 Table drop-in electrical unit; a cutout is provided for a 4 position table drop-in electrical outlet\*
- **3** Table drop-in electrical unit; a cutout is provided for a 6 position table drop-in electrical outlet\*

\*All electrical outlets are offered separately. Refer to the Accessories – Power & Data section for available options.

#### **Grommet locations are:**

**B** – Both ends

C - Centered

**E** – One end

Ex. 2E = Cutout for 4 position table drop-in electrical outlet located at one end of the table.

See **Figure 1**, Tables with 2x4 Legs, for grommet options matrix.

See **Figure 2**, Tables with L-legs, for grommet cut-out sizes.

#### Tables with 4x4 Legs, cont'd.

#### **Construction Details**

Tables with 4 x 4 legs have four legs which are positioned flush to the edges at the corners of the table. The legs are connected to a substructure which is integral to the table. The substructure consists of four diagonal rails which join four interior rails using cast Y-connectors. See **Figure 2**. The legs are field connected to the table substructure with a cast top plate at each corner. No auxiliary stiffeners are required to reinforce the worksurface. Worksurfaces are supplied with pilot holes pre-drilled to locate the wood screws used to attach the worksurface to the substructure. Refer to installation instruction 6TP00384 available on Knoll Exchange.

The table substructure rails are an extruded aluminum profile; 2" high x 1" deep. There is a 1/8" gap between the top of the rails and the underside of the worksurface.

The legs are constructed of a 4" x 4" extruded aluminum profile, factory connected to top plates of cast zinc alloy. The leg top plate creates a 1/8" thick reveal between the top of the leg and the bottom of the worksurface. A glide at the base of each leg provides 1 ½" of height adjustability.

#### **Finish Details**

Worksurface tops are available in all core laminates, wood grain laminates, mixed finish (laminate top with wood edges), and all core veneer finishes including synthetic edge options.

Legs may be specified in all core paint finishes or in wood veneer finishes. When specified with a wood veneer finish, the leg finish must match the worksurface finish. Contact Custom Product Development if the wood veneer finish of the legs is desired to be a different wood veneer finish than the top.

The substructure is painted and defaults to the leg reveal color.

The leg reveal may be any core paint finish.




Figure 2: Table Elements




Figure 3: Table Corner

## Tables with Open Frame Leg Rectangular, $1^{1/2''}$ thick

description
Table Top Rectangle 24" Deep with 283%" height leg



d	W	th	pattern no.	L	M/ V 1	V2	V 3
24"	60"	1 1/2"	RTRDOF60242( )( )	\$1,731.	\$1,842.	\$2,064.	\$2,380.
24"	66"	1 1/2"	RTRDOF66242()()	1,716.	1,889.	2,120.	2,464.
24"	72"	1 1/2"	RTRDOF72242()()	1,786.	1,902.	1,805.	2,492.
24"	78"	1 1/2"	RTRDOF78242( )( )	1,812.	1,959.	2,202.	2,601.
24"	84"	1 1/2"	RTRDOF84242( )( )	1,829.	2,005.	2,255.	2,681.

Table Top Rectangle 30" Deep with 283/8" height leg



30"	60"	1 1/2"	RTRDOF60302()()	1,823.	1,921.	2,160.	2,533.
30"	66"	1 1/2"	RTRDOF66302()()	1,864.	1,971.	2,219.	2,625.
30"	72"	1 1/2"	RTRDOF72302()()	1,884.	1,986.	2,266.	2,704.
30"	78"	1 1/2"	RTRDOF78302( )( )	1,913.	2,051.	2,314.	2,784.
30"	84"	1 1/2"	RTRDOF84302( )( )	1.932.	2.112.	2.385.	2,886.

Table Top Rectangle 36" Deep with 283%" height leg



36"	60"	1 1/2"	RTRDOF60362()()	1,854.	1,979.	2,232.	2,660.
36"	66"	1 1/2"	RTRDOF66362()()	1,897.	2,035.	2,299.	2,764.
36"	72"	1 1/2"	RTRDOF72362()()	1,920.	2,079.	2,351.	2,853.
36"	78"	1 1/2"	RTRDOF78362()()	1,952.	2,123.	2,404.	2,944.
36"	84"	1 1/2"	RTRDOF84362()()	1,974.	2,177.	2,469.	3,044.

#### **Order Code**

Example:	RTRDOF60242
R	Reff
TR	Table Rectangular
D	1 1/2"
OF	Open Frame Leg
60	Width
24	Depth
2	28³/8" height leg
V316	Finish
()	Edge finish
111	Leg Finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Worksurface finish L, V1, V2, V3
- 2. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- 3. Open Frame Leg finish Painted and Anodized

Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges;

LegFinish	Add
22	\$120
23	\$180
P4 for 20" & 24"d legs;	\$700
for 30" & 36"d legs:	\$900

#### **Application Notes**

It is not advisable to mix 28 3/8"h desk height product with 26 1/2"h standard height products.

Table height =  $28\frac{3}{8}$ "h to the underside of worksurface.

Product on this page will accept woodgrain laminate where laminate is currently an option. Grommets are NOT optional for these tables.

The tables on this page, will come with appropriate stiffener support.

Modesty sold separately.

For infill options please refer to page 75.

Assembly required, ships knock down.

## Open Frames legs Infill Options for Tables and Peninsulas, 283/8" High

description	h	d	pattern no.	L	V1	V2	V3	glass
*Inside Infill Options for Open Frame Legs	26"	20"	RIPI202()	\$316.	\$409.	\$472.	\$612.	
For Tables and Peninsulas, 283/8" h	26"	24"	RIPI242( )	324.	420.	483.	629.	
	26"	30"	RIPI302()	341.	442.	507.	661.	
	26"	36"	RIPI362( )	362.	469.	538.	700.	
*Outside Infill Options for Open Frame Legs	27"	20"	RIPO202()	317.	411.	473.	614.	
For Tables and Peninsulas, 283/8" h	27"	24"	RIPO242()	325.	422.	485.	630.	
	27"	30"	RIPO302()	343.	445.	510.	664.	
	27"	36"	RIPO362( )	363.	470.	540.	702.	
*Outside Glass Infill Options for Open Frame	27"	20"	RIPOG202()					816.
Legs	27"	24"	RIPOG242()					920.
For Tables and Peninsulas, 283/8" h	27"	30"	RIPOG302()					1,082.
	27"	36"	RIPOG362()					1,248.

Order	Code
Oluci	Couc

# Example: RIP1242 () R Reff Profiles IP Infill Panel I Inside Infill 24 Width 2 28 %"h: Desk Height () Finish

#### **Specification Information**

To order please specify pattern number including:

1. Finish: L, V1,V2,V3, Glass I=Inside O=Outside OG=Outside Glass

Glass options: GL11, GL14, GL15, GL17, GL18

#### **Application Notes**

It is not advisable to mix  $28\,\%$  height product with  $26\,\%$  h standard height products.

Product on this page will accept woodgrain laminate where laminate is currently an option.

All noted dimensions are nominal.

### Both Inside and Outside infill panels are required and must be ordered separately.

Installation instruction sheets available on Knoll Exchange. Reference number 6TP00307.

\* Note: the infills for the open frame leg Peninsula and Tables are interchangeable, as of July 17, 2012

For replacement infills, prior July 17th, contact your account manager.

Infills; fill entire opening of open frame legs.

Infills connect to each other. Can be removed without any damage to the frame legs.

Glass Option is only available for outside infill.

Inside infill options are wood or laminate.

### Tables with L-Legs Rectangular and Square

description	d	W	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30" Deep	30"	48"	1 1/2"	RTRDL48302()()()()	\$1,449.	\$1,695.	\$1,904.	\$1,964.
with 28 <sup>3</sup> /8" height leg	30"	60"	1 1/2"	RTRDL60302()()()()	1,514.	1,792.	2,018.	2,082.
	30"	72"	1 1/2"	RTRDL72302( )( )( )( )	1,580.	1,855.	2,096.	2,218.



Table Top Rectangle 36" Deep 36" 72" 1½" RTRDL72362()()()() 1,654. 1,923. 2,179. 2,364. with 28¾" height leg



Table Top Square with  $28^3/8''$  height legs



	42"	42"	1 1/2"	RTSDL42422( )( )( )( )	1,507.	1,749.	1,971.	2,025.
-	48"	48"	1 1/2"	RTSDL48482( )( )( )( )	1,602.	1.835.	2.210.	2.527.

#### Order Code

#### Example: **RTRDL48301()()** R Reff Table Rectangular TR TS = Table SquareD 1 1/2" L-Leg L Width 48 30 Depth 2 283/8" height PE Grommet option 111 Grommet finish V316 Finish Edge finish () 111 Leg Finish

#### Specification Information

To order please specify pattern number including:

- Grommet option:
   PE = Power center plus end grommet
   2E = 2 + 2 Drop in electrical unit end
   3E = 3 + 3 Drop in electrical
- unit end
  2. Grommet finish:
  PE = Painted or plated
  2E, 3E = Drilled location only,
  finish not applicable
- 3. Worksurface finish L, V1, V2, V3
- 4. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- 5. Leg finish Painted / Anodized

It is not advisable to mix 28 \(^3/8''\)h desk height product with 26 \(^1/2''\)h standard height products.

Table height = 283/8"h to the underside of worksurface.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Assembly required, ships knock down.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48''w

Upcharges apply to legs with P2, P3 and P4 finishes.
Additional upcharges;

 Leg Finish
 Add

 P2
 \$100

 P3
 \$160

 P4
 \$400

#### **Application Notes**

When ordering: Power center grommets (PE), upcharges apply for;

- lids and sleeves = \$144.
- undermount wire basket kit = \$93

Grommet options; 2E and 3E are drilled options only.

Products on this page do not include electrical components. For electrical components, see page 403.

Modesty sold separately.

Installation instruction sheets available on Knoll Exchange. Refer to reference number 6TP00388, for drop in electrical.

### Tables with Reverse L-Legs Rectangular and Square

description	d	W	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30" Deep	30"	48"	1 1/2"	RTRDRL48302( )( )( )( )	\$1,449.	\$1,695.	\$1,904.	\$1,964.
with 283/8" height leg	30"	60"	1 1/2"	RTRDRL60302( )( )( )( )	1,514.	1,792.	2,018.	2,082.
	30"	72"	1 1/2"	RTRDRL72302( )( )( )( )	1,580.	1,855.	2,096.	2,218.



RTRDRL72362()()()() Table Top Rectangle 36" Deep 36" 72"  $1^{1/2''}$ 1,654. 1,923. 2,179. 2,364. with 283/8" height leg



Table Top Square with 283/8" height legs

42"	42"	1 1/2"	RTSDRL42422( )( )( )( )	1,507.	1,749.	1,971.	2,025.
48"	48"	1 1/2"	RTSDRL48482( )( )( )( )	1,602.	1,835.	2,210.	2,527.



#### **Order Code**

#### Example: RTRDRL48301 ()()()() R Reff TR Table Rectangular TS = Table SquareD 11/2" Reverse L-Leg RL 48 Width 30 Depth 2 283/8" height PE Grommet option 111 Grommet finish V316 Finish Edge finish () 111 Leg Finish

#### **Specification Information**

 ${\it To~order~please~specify~pattern}$ number including:

- 1. Grommet option: PE = Power center plus end  $\tilde{2}E = 2 + 2$  Drop in electrical unit end 3E = 3 + 3 Drop in electrical
- unit end Grommet finish: PE = Painted or plated 2E, 3E = Drilled location only, finish not applicable
- 3. Worksurface finish L, V1, V2, V3
- Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- 5. Leg finish Painted / Anodized

It is not advisable to mix 283/8"h desk height product with 261/2"h standard height products.

Table height = 28 % h to the underside of worksurface.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Assembly required, ships knock down.

Worksurface stiffeners, recommended to provide additional support for open spans greater than

Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges;

Leg Finish Add Р3 \$160 P4 \$400

#### **Application Notes**

When ordering: Power center grommets (PE), upcharges apply for; - lids and sleeves = \$144.

- undermount wire basket kit = \$93

Grommet options; 2E and 3E are drilled options only.

Products on this page do not include electrical components. For electrical components, see page

Modesty sold separately.

Installation instruction sheets available on Knoll Exchange. Refer to reference number 6TP00388, for drop in electrical.

### Tables with Soft Rectangular Legs Rectangular and Square

description	d	W	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30" Deep	30"	48"	1 1/2"	RTRDS48302( )( )( )( )	\$1,567.	\$1,813.	\$2,076.	\$2,343.
with 283/8" height leg	30"	60"	1 1/2"	RTRDS60302()()()()	1,633.	1,910.	2,148.	2,522.
	30"	72"	1 1/2"	RTRDS72302( )( )( )( )	1,697.	1,974.	2,225.	2,663.



Table Top Rectangle 36" Deep 36"  $1^{1/2''}$ RTRDS72362()()()() 1,572. 1,835. 2.083. 2,584. with 283/8" height leg



Table Top Square with 283/8" height legs

42"	42"	1 1/2"	RTSDS42422( )( )( )( )	1,625.	1,867.	2,100.	2,460.
48"	48"	1 1/2"	RTSDS48482( )( )( )( )	1,729.	1,954.	2,208.	2,657.



#### **Order Code**

#### Example: RTRDS48301 ()()()() Reff Table Rectangular TR TS = Table SquareD s Soft Rectangular Leg 48 Width 30 Depth 2 283/8" height PE Grommet option 111 Grommet finish V316 Finish Edge finish () 111 Leg Finish

#### **Specification Information**

 ${\it To~order~please~specify~pattern}$ number including:

- 1. Grommet option: PE = Power center plus end  $\tilde{2}E = 2 + 2$  Drop in electrical unit end 3E = 3 + 3 Drop in electrical
- unit end Grommet finish: PE = Painted or plated 2E, 3E = Drilled location only, finish not applicable
- 3. Worksurface finish L, V1, V2, V3
- Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- Leg finish Painted / Anodized

It is not advisable to mix 283/8"h desk height product with 261/2"h standard height products.

Table height = 28 % h to the underside of worksurface.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Assembly required, ships knock down.

Worksurface stiffeners, recommended to provide additional support for open spans greater than

Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges;

Leg Finish Add Р3 \$160 P4 \$400

#### **Application Notes**

When ordering: Power center grommets (PE), upcharges apply for; - lids and sleeves = \$144.

- undermount wire basket kit = \$93

Grommet options; 2E and 3E are drilled options only.

Products on this page do not include electrical components. For electrical components, see page

Modesty sold separately.

Installation instruction sheets available on Knoll Exchange. Refer to reference number 6TP00388, for drop in electrical.

## Tables with Column Legs Round, Square, Rectangular and Racetrack

description	d	w	th	pattern no.	L	M/V1	V2	V3
Table Top Round with 28 1/8" height legs	42"		1 1/2"	RTNDC422( )( )( )( )	\$1,610.	\$2,335.	\$2,569.	\$3,339.
	48"		1 1/2"	RTNDC482( )( )( )( )	1,774.	2,573.	2,830.	3,679.
Table Top Square with 283/8" height legs	36"	36"	1 1/2"	RTSDC362( )( )	1,306.	1,502.	1,652.	2,148.
	42"	42"	1 1/2"	RTSDC422( )( )	1,429.	1,643.	1,807.	2,349.
	48"	48"	1 1/2"	RTSDC482()()	1,653.	1,901.	2,091.	2,718.
Table Top Rectangular with 28 1/8" height legs	36"	72"	1 1/2"	RTRDC72362( )( )	1,543.	1,774.	1,952.	2,538.
· · · · · · · · · · · · · · · · · · ·	42"	84"	1 1/2"	RTRDC84422( )( )	1,746.	2,007.	2,208.	2,870.
	48"	96"	1 1/2"	RTRDC96482( )( )	2,031.	2,335.	2,569.	3,339.
Table Top Racetrack with 283/8" height legs	36"	72"	1 1/2"	RTTDC72362( )( )	1,714.	2,486.	2,735.	3,555.
	42"	84"	1 1/2"	RTTDC84422()()	1,873.	2,715.	2,987.	3,883.
	48"	96"	1 1/2"	RTTDC96482()()	2,096.	3,039.	3,344.	4,346.

0	rd	or	0	do

#### Example: RTNDC361 ()()()() Reff R TN Table Round D 11/2" C Column Leg 36 Diameter 2 28³/8" height leg V316 Finish Edge finish Leg Finish 111

#### Specification Information

To order please specify pattern number including:

- 1. Worksurface finish L, V1, V2, V3
- 2. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- 3. Leg finish Painted / Plated

Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges;

Leg Finish	Add
P2	\$140
P3	\$200
P4	\$607

#### **Application Notes**

It is not advisable to mix 28 3/8"h desk height product with 26 1/2"h standard height products.

Table height = 283/8"h to the underside of worksurface.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Assembly required, ships knock down.

Grommets are NOT optional for these tables.

Modesty sold separately.

 $36^{\prime\prime}d$  tops come with  $2^{1}\!/\!2^{\prime\prime}$  dia. legs.  $42^{\prime\prime}d$  tops come with  $3^{\prime\prime}$  dia. legs.  $48^{\prime\prime}d$  tops come with  $4^{\prime\prime}$  dia. legs.

### Tables - Mobile Rectangular, Square and Round

description	d	w	th	pattern no.	L	M/V1	V2	V3
Table Top Round with 283/8"h	36"		1 1/2"	RTNDC364( )( )( )( )	\$2,153.	\$2,366.	\$2,430.	\$2,627.
Column legs with casters	42"		1 1/2"	RTNDC424( )( )( )( )	2,212.	2,457.	2,523.	2,778.
	48"		1 1/2"	RTNDC484( )( )( )( )	2,290.	2,535.	2,620.	2,939.

Table Top Square, 42" and 48" Deep, with 283/8"h Column legs with casters

42"	42"	1 1/2"	RTSDC42424( )( )( )( )	1,743.	1,881.	1,968.	2,307.
48"	48"	1 1/2"	RTSDC48484( )( )( )( )	1,811.	1,955.	2,066.	2,485.




Table Top Rectangle, 30'' Deep, with  $28^3$ %"h Column legs with casters



30"	48"	1 1/2"	RTRDC48304( )( )( )( )	1,705.	1,836.	1,910.	2,200.
30"	60"	1 1/2"	RTRDC60304( )( )( )( )	1,781.	1,919.	2,007.	2,358.
30"	72"	1 1/2"	RTRDC72304( )( )( )( )	1.832	1.973.	2.077	2.486.

Table Top Rectangle, 36" Deep, with 28%" h Column legs with casters





#### Order Code

#### Example: RTRDC48304()() R Reff TR Table Rectangular TS = Table Square TN = Table Round D $1^{1/2}$ C Column Leg 48 width 30 depth 4 283/8" height leg with castor V316 Worksurface Finish Edge finish () 111 Leg Finish

#### Specification Information

To order please specify pattern number including:

- 1. Worksurface Finish: L, V1, V2, V3
- 2. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- 6. Leg Finish: Painted and plated finishes

Upcharges apply to legs with P2, P3 and P4 finishes. Additional upcharges;

	0
Leg Finish	Add
P2	\$140
P3	\$200
P4	\$607

#### **Application Notes**

It is not advisable to mix 28 3/8″h desk height product with 26 1/2″h standard height products.

Table height = 28 \(^3\)/8"h to the underside of worksurface.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 54"w.

All column legs for the products on this page are  $3^{\prime\prime}$  diameters.

Castors are black, swivel type. Ships with 2 locking and 2 non-locking type.

Grommets and drilling are not an option for these tables.

Assembly required, ships knock down.

 $\mathbf{V}_{2}$ 

W9

M/VI

### Tables with $2 \times 4 \text{ Legs} - 283/8"h$ Rectangular


Table Top Rectangle, 36" Deep
with 283/8" height legs
with 20 70 height legs



description

a	W	tri	pattern no.	L	IVI/ V 1	V Z	v ə
36"	72"	1 1/2"	RTM272362( )( )( )( )( )	\$2,218.	\$2,330.	\$2,423.	\$2,811.
36"	78"	1 1/2"	RTM278362( )( )( )( )( )	2,237.	2,360.	2,460.	2,878.
36"	84"	1 1/2"	RTM284362( )( )( )( )( )	2,277.	2,415.	2,523.	2,967.
36"	90"	1 1/2"	RTM290362( )( )( )( )( )	2,303.	2,446.	2,559.	3,033.
36"	96"	1 1/2"	RTM296362( )( )( )( )( )	2,322.	2,474.	2,596.	3,099.

Table Top Rectangle, 42" Deep with 283/8" height legs



42"	72"	1 1/2"	RTM272422( )( )( )( )( )	2,253.	2,388.	2,497.	2,936.
42"	78"	1 1/2"	RTM278422( )( )( )( )( )	2,272.	2,422.	2,539.	3,010.
42"	84"	1 1/2"	RTM284422( )( )( )( )( )	2,325.	2,516.	2,641.	3,143.
42"	90"	1 1/2"	RTM290422()()()()()	2,338.	2,550.	2,683.	3,216.
42"	96"	1 1/2"	RTM296422( )( )( )( )( )	2,367.	2,584.	2,725.	3,290.

#### **Order Code**

#### Example: **RTM272362()()()()()** R Reff Table TM 2 $2 \times 4 \log$ 72 Width 36 Depth 28³/8" h leg 2 PC Grommet option: PU Grommet finish V316 Worksurface Finish Edge finish () V316 Leg finish 111 Leg reveal finish

#### **Specification Information**

To order please specify pattern

number including: 1. Grommet Drilling Options: NG = no grommet PB = power center grommet both ends PC = power center grommetPE = power center grommet end\* 2B = 2 + 2 Drop in electrical

unit both ends 2C = 2 + 2 Drop in electrical unit center 2E = 2 + 2 Drop in electrical

unit end 3B = 3 + 3 Drop in electrical

unit both ends 3C = 3 + 3 Drop in electrical unit center

3E = 3 + 3 Drop in electrical unit end

Grommet Finish: NG = Finish not required PC, PE, PB = Painted and plated finishes 3C, 3E, 3B, 2C, 2E, 2B = Drilling location only, finish not

applicable. Worksurface finish: L, V1, V2, V3

- 4. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- 5. Leg finish: All core paint or veneer to match top, where applicable.
- 6. Leg reveal finish: All core paint options.

#### **Application Notes**

The tables on this page, come complete with structural frame. No additional stiffeners are required.

Table's frame ships knockdown. Assembly required.

For laminate tops (including wood grain laminate) leg finish options are: all core paint finishes only.

The product on this page will accept wood grain laminate where laminate is currently an option.

For veneer tops, leg finish options are: all core paint finishes or same wood veneer as the top. The prices indicated above, are for painted legs and no grommet.

Upcharges apply to legs with V1, V2 or V3 finishes. Additional upcharges;

Leg Finish Add \$2,529 \$2,658 V3\$3,229

The apron finish always matches the leg finish.

Table height =  $2/\sqrt[3]{8}$  h to the underside of worksurface. Additional upcharges;

\* Upcharges apply for the following power center grommets.

Add
\$288
\$144
\$144

Power center grommets (lids and sleeves) are included when PB, PC and PE are selected.

Products on this page do not include electrical components. For electrical components refer to page

Installation instruction sheets available on Knoll Exchange. Refer to reference number 6TP00385.

### Tables with $2 \times 4 \text{ Legs} - 283/8"h$ Rectangular

description	d	W	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle, 48" Deep	48"	72"	1 1/2"	RTM272482( )( )( )( )( )	\$2,318.	\$2,511.	\$2,635.	\$3,123.
with 283/8" height legs	48"	78"	1 1/2"	RTM278482( )( )( )( )( )	2,341.	2,551.	2,684.	3,208.
	48"	84"	1 1/2"	RTM284482( )( )( )( )( )	2,387.	2,611.	2,753.	3,313.
	48"	90"	1 1/2"	RTM290482( )( )( )( )( )	2,410.	2,661.	2,813.	3,407.
	48"	96"	1 1/9"	RTM296482( )( )( )( )( )( )	2.433	2.698	2.860	3 491



#### **Order Code**

Example:	RTM272362 ( )( )( )( )( )
R	Reff
TM	Table
2	2 x 4 leg
72	Width
36	Depth
2	28³/8″ h leg
PC	Grommet option:
PU	Grommet finish
V316	Worksurface Finish
()	Edge finish
V316	Leg finish
111	Leg reveal finish

#### **Specification Information**

To order please specify pattern number including:

1. Grommet Drilling Options: NG = no grommet PB = power center grommet both ends PC = power center grommetcenter \* PE = power center grommetend\*

2B = 2 + 2 Drop in electrical unit both ends 2C = 2 + 2 Drop in electrical

unit center 2E = 2 + 2 Drop in electrical

unit end 3B = 3 + 3 Drop in electrical unit both ends

3C = 3 + 3 Drop in electrical unit center

3E = 3 + 3 Drop in electrical unit end

2. Grommet Finish: NG = Finish not required PC, PE, PB = Painted and platedfinishes 3C, 3E, 3B, 2C, 2E, 2B = Drilling location only, finish not

- applicable. Worksurface finish: L, V1, V2, V3
- 4. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- 5. Leg finish: All core paint or veneer to match top, where applicable.
- 6. Leg reveal finish: All core paint options.

#### **Application Notes**

The tables on this page, come complete with structural frame. No additional stiffeners are required.

Table's frame ships knockdown. Assembly required.

For laminate tops (including wood grain laminate) leg finish options are: all core paint finishes only.

The product on this page will accept wood grain laminate where laminate is currently an option.

For veneer tops, leg finish options are: all core paint finishes or same wood veneer as the top. The prices indicated above, are for painted legs and no grommet.

Upcharges apply to legs with V1, V2 or V3 finishes. Additional upcharges;

Leg Finish Add \$2,529 V1\$2,658 V3\$3,229

The apron finish always matches the leg finish.

Table height =  $2/\sqrt[3]{8}$  h to the underside of worksurface. Additional upcharges;

\* Upcharges apply for the following power center grommets.

Grommet	Add
PB	\$288
PC	\$144
PE	\$144

Power center grommets (lids and sleeves) are included when PB, PC and PE are selected.

Products on this page do not include electrical components. For electrical components refer to page

Installation instruction sheets available on Knoll Exchange. Refer to reference number 6TP00385.

 $\mathbf{V}_{2}$ 

W9

M/M1

### Tables with $4 \times 4 \text{ Legs} - 28^3/8''h$ Rectangular

m 11 m p 1 96" p
Table Top Rectangle, 36" Deep
1 0 1
with 283/8" height legs
0 0



description

a	W	tri	pattern no.	L	IVI/ V 1	V Z	v ə
36"	72"	1 1/2"	RTM472362( )( )( )( )( )	\$2,506.	\$2,618.	\$2,712.	\$3,100.
36"	78"	1 1/2"	RTM478362( )( )( )( )( )	2,539.	2,663.	2,764.	3,181.
36"	84"	1 1/2"	RTM484362( )( )( )( )( )	2,653.	2,790.	2,899.	3,343.
36"	90"	1 1/2"	RTM490362( )( )( )( )( )	2,680.	2,821.	2,936.	3,408.
36"	96"	1 1/2"	RTM496362( )( )( )( )( )	2,719.	2,872.	2,994.	3,495.

Table Top Rectangle, 42" Deep with 283/8" height legs



42"	72"	1 1/2"	RTM472422( )( )( )( )( )	2,555.	2,691.	2,799.	3,237.
42"	78"	1 1/2"	RTM478422( )( )( )( )( )	2,576.	2,724.	2,842.	3,312.
42"	84"	1 1/2"	RTM484422( )( )( )( )( )	2,620.	2,811.	2,937.	3,438.
42"	90"	1 1/2"	RTM490422( )( )( )( )( )	2,727.	2,939.	3,072.	3,606.
42"	96"	1 1/2"	RTM496422( )( )( )( )( )	2,756.	2,974.	3,115.	3,681.

#### **Order Code**

Example:	RTM472362 ( )( )( )( )( )
R	Reff
TM	Table
4	4 x 4 leg
72	Width
36	Depth
2	28³/8" h leg
PC	Grommet option:
PU	Grommet finish
V316	Worksurface Finish
()	Edge finish
V316	Leg finish
111	Leg reveal finish

#### **Specification Information**

To order please specify pattern

number including: 1. Grommet Drilling Options: NG = no grommet PB = power center grommet both ends PC = power center grommetcenter \* PE = power center grommetend\* 2B = 2 + 2 Drop in electrical unit both ends 2C = 2 + 2 Drop in electrical

unit center 2E = 2 + 2 Drop in electrical unit end 3B = 3 + 3 Drop in electrical

unit both ends 3C = 3 + 3 Drop in electrical unit center

3E = 3 + 3 Drop in electrical unit end

2. Grommet Finish: NG = Finish not required PC, PE, PB = Painted and platedfinishes 3C, 3E, 3B, 2C, 2E, 2B =Drilling location only, finish not applicable.

- Worksurface finish: L, V1, V2, V3
- 4. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only)
- 5. Leg finish: All core paint or veneer to match top, where applicable.
- 6. Leg reveal finish: All core paint options.

#### **Application Notes**

The tables on this page, come complete with structural frame. No additional stiffeners are required.

Table's frame ships knockdown. Assembly required.

For laminate tops (including wood grain laminate) leg finish options are: all core paint finishes only.

The product on this page accept wood grain laminate where laminate is currently an option.

For veneer tops, leg finish options are: all core paint finishes or same wood veneer as the top. The prices indicated above, are for painted legs and no grommet.

Upcharges apply to legs with V1, V2 or V3 finishes.

Additional upcharges;

Leg Finish Add \$1,430 V1\$1,494 \$1,731

Table height =  $28^{3}/8''$ h to the underside of worksurface.

\* Upcharges apply for the following power center grommets.

Add
\$288
\$144
\$144

Power center grommets (lids and sleeves) are included when PB, PC and PE are selected.

Product on this page do not include electrical components for electrical components, see page 403.

Installation instruction sheets available on Knoll Exchange. Refer to reference number 6TP00384.

### Tables with $4 \times 4 \text{ Legs} - 283/8"h$ Rectangular

description	d	W	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle, 48" Deep	48"	72"	1 1/2"	RTM472482( )( )( )( )( )	\$2,574.	\$2,768.	\$2,891.	\$3,379.
with 283/8" height legs	48"	78"	1 1/2"	RTM478482( )( )( )( )( )	2,629.	2,837.	2,970.	3,495.
	48"	84"	1 1/2"	RTM484482( )( )( )( )( )	2,653.	2,876.	3,019.	3,577.
	48"	90"	1 1/2"	RTM490482( )( )( )( )( )	2,691.	2,940.	3,092.	3,686.
	48"	96"	1 1/2"	RTM496482( )( )( )( )( )	2.800	3.073	3 235	3.865



#### **Order Code**

Example:	RTM472362 ( )( )( )( )( )
R	Reff
TM	Table
4	4 x 4 leg
72	Width
36	Depth
2	28³/8" h leg
PC	Grommet option:
PU	Grommet finish
V316	Worksurface Finish
()	Edge finish
V316	Leg finish
111	Leg reveal finish

#### **Specification Information**

To order please specify pattern number including:

1. Grommet Drilling Options: NG = no grommet PB = power center grommet both ends PC = power center grommetcenter \* PE = power center grommetend\* 2B = 2 + 2 Drop in electrical unit both ends 2C = 2 + 2 Drop in electrical unit center

2E = 2 + 2 Drop in electrical unit end 3B = 3 + 3 Drop in electrical unit both ends

3C = 3 + 3 Drop in electrical unit center

3E = 3 + 3 Drop in electrical unit end

Grommet Finish: NG = Finish not required PC, PE, PB = Painted and platedfinishes 3C, 3E, 3B, 2C, 2E, 2B =Drilling location only, finish not applicable.

- Worksurface finish: L, V1, V2, V3
- 4. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only)
- 5. Leg finish: All core paint or veneer to match top, where applicable.
- 6. Leg reveal finish: All core paint options.

#### **Application Notes**

The tables on this page, come complete with structural frame. No additional stiffeners are required.

Table's frame ships knockdown. Assembly required.

For laminate tops (including wood grain laminate) leg finish options are: all core paint finishes only.

The product on this page accept wood grain laminate where laminate is currently an option.

For veneer tops, leg finish options are: all core paint finishes or same wood veneer as the top. The prices indicated above, are for painted legs and no grommet.

Upcharges apply to legs with V1, V2 or V3 finishes.

Additional upcharges;

Leg Finish Add \$1,430 V1\$1,494 \$1,731

Table height =  $28^{3}/8''$ h to the underside of worksurface.

\* Upcharges apply for the following power center grommets.

Add
\$288
\$144
\$144

Power center grommets (lids and sleeves) are included when PB, PC and PE are selected.

Product on this page do not include electrical components for electrical components, see page 403.

Installation instruction sheets available on Knoll Exchange. Refer to reference number  $6TP0\breve{0}384.$ 

#### **Meeting Tables**

Meeting Tables are based upon the Tables with 4 x 4 Legs and are offered in larger sizes suited to a variety of larger meeting spaces and small conference rooms.

Meeting Tables are available in a variety of configurations. Tables 30" to 48" deep are one worksurface deep by either two or three pieces wide of equal size. Tables 60" x 72" deep are two worksurfaces deep by either one, two or three pieces wide of equal size. Meeting Tables are available in two heights: desk height - which is 28  $^3/_8$ " high to the underside of the worksurface and service height – which is 34  $^3/_8$ " high to the underside of the worksurface. See Figure 1 for scope of table sizes and number of worksurface pieces per Meeting Table.

Meeting Tables offer a vast selection of power and communications functionality. Options for power and communications include several configurations; power center grommets which elegantly conceal the outlets below the table surface; or drop-in table outlets which provide outlets flush with the table top. See Figures 2, 3 and 4 for grommet options and locations. Meeting Tables are UL listed for use with all power and communications options. All electrical and cable management accessories are ordered separately.

Table tops and legs may be specified in different finishes creating a variety of aesthetic possibilities.

#### **Seating Capacity**

Seating capacity is based upon two module widths; 30" wide for Meeting Spaces and 36" wide for more generous Conference Spaces.

Seating capacity includes side seating and end seating. For tables 30" to 48" deep, end seating includes one place at each end. For tables 60" and 72" deep, end seating includes two places at each end. See Figure 1 for Seating Capacity.

### **Power and Communications Management**Generally power is supplied to the Meeting

Table by means of a floor monument outlet centered inside the Center Support footprint.

Refer to Grommet Details for a description of the available power and communications outlets ordered separately.

For cable management, Meeting Tables will accept Undermounted Wire Baskets (RWMT...) which may be used to contain electrical outlet cables and conceal electrical equipment transformer blocks which may be plugged in to power outlets. For tables without a center support, a Flexible Vertical Wire Manager (RWMVF) may be specified separately.

Figure 1: Scope of Meeting Table Sizes & Seating Capacity

Depth	Width	Height	Number of Work-surfaces	Number of Center Supports	Seating Capacity 30" Module	Seating Capacity 36" Module
30"	108" 120" 132" 144" 156 180" 216"	34 3/8"	2 2 2 2 2 2 2 3	1 1 1 1 1 1 1 2	8 10 10 10 12 14 16	8 8 10 10 12 14
36"	108" 120" 132" 144" 156 180" 216"	34 <sup>3</sup> / <sub>8</sub> " 28 <sup>3</sup> / <sub>8</sub> "	2 2 2 2 2 2 2 2 3	1 1 1 1 1 1 1 2	8 10 10 10 12 14 16	8 8 8 10 10 12 14
42" 48"	108" 120" 132" 144" 156 180" 216"	28 3/8"	2 2 2 2 2 2 2 2 3	1 1 1 1 1 1 1 2	8 10 10 10 12 14 16	8 8 8 10 10 12 14
60" 72"	60" 72" 84" 108" 120" 144" 156 180" 216"	28 3/8"	2 2 2 4 4 4 4 4 4 6	0 0 0 1 1 1 1 1 1 2	8 8 10 12 12 14 16 18	- 8 8 10 10 12 12 12 14

#### **Grommet Details**

Meeting Tables are designed to accept a variety of power and communications outlets to suit every need. All electrical outlets are ordered separately.

Edge mounted electrical outlets are mounted under the meeting table close to the edge of the table and provide direct access to power and communications while partially concealing the outlet for a more refined aesthetic. Tables should be specified with the "no grommet" (NG) option when edge mounted option is chosen.

Power Centers have a hinged flip lid neatly framed by a grommet body and conceals the electrical and communications outlets mounted below the worksurface. Meeting Tables specified with this option come with the cut-outs pre-drilled in the worksurface and includes all grommet body and lid assemblies.

Drop-in electrical outlets provide power and communications outlets flush mounted to the worksurface for direct access. Tables specified with this option are supplied with the appropriate sized cut-out pre-drilled to suit the desired Drop-in outlet.

Refer to Power and Data Accessories Planning Guide pages for further details of electrical outlets.

See Figures 2 and 3 for definitions of grommet options and associated power and communications outlets. See Figure 4 for grommet locations.

See Finish Details for power center grommet finish options.

Figure 2: Grommet Options for Meeting Tables in sizes 30" to 48" deep

Code	Purpose	Description	Power and Data Outlet Options
NG	No Grommet	For use with Desktop Outlet for Table Edge or if no power outlets are desired	RDTUME
PB	Power Center, Both Ends	Has one power center grommet at each end of the table. Use Desktop Outlet for Table Power Center – Undermounted	RDTUMP
P4	Power Center, Four Locations	Has four power center grommets spaced evenly along the length of the table. Use Desktop Outlet for Table Power Center – Undermounted	RDTUMP
2B	4-Position Drop-in Outlet, Both Ends	Has cut-outs for one 4-position drop-in outlet at each end of the table. Use Electrical Component for Table Drop-in.	RDTDE22 RDTDE2U RDTDE31U RDTDE40
24	4-Position Drop-in Outlet, Four Locations	Has cut-outs for four 4-position drop-in outlets spaced evenly along the length of the table. Use Electrical Component for Table Drop-in.	RDTDE22 RDTDE2U RDTDE31U RDTDE40
3B	6-Position Drop-in Outlet, Both Ends	Has cut-outs for one 6-position drop-in outlet at each end of the table. Use Electrical Component for Table Drop-in.	RDTDE33 RDTDE3U RDTDE42 RDTDE4U RDTDE60
34	6-Position Drop-in Outlet, Four Locations	Has cut-outs for four 6-position drop-in outlets spaced evenly along the length of the table. Use Electrical Component for Table Drop-in.	RDTDE33 RDTDE3U RDTDE42 RDTDE4U RDTDE60

Figure 3: Grommet Options for Meeting Tables in sizes 60" and 72" deep

Code	Purpose	Description	Power and Data Outlet Options
24	No Grommet	For use with Desktop Outlet for Table Edge or if no power outlets are desired	RDTUME
3B	Power Center	On widths 108" to 144", 4 power center grommets are provided; On widths 156" to 216", 8 power center grommets are provided; Use Desktop Outlet for Table Power	RDTUMP
34	4-Position Drop-in Outlets	On widths 108" to 144", four cut-outs for 4-position drop-in outlets are provided; On widths 156" to 216", eight cut-outs for 4-position drop-in outlets are provided; Use Electrical Component for Table Drop-in.	RDTDE22 RDTDE2U RDTDE31U RDTDE40
2B	6-Position Drop-in Outlets	On widths 108" to 144", four cut-outs for 6-position drop-in outlets are provided; On widths 156" to 216", eight cut-outs for 6-position drop-in outlets are provided; Use Electrical Component for Table Drop-in.	RDTDE33 RDTDE3U RDTDE42 RDTDE4U RDTDE60








Figure 4A: Grommet Locations for Meeting Tables

Locations for Power Center grommets and Drop-in outlet cut-out options – Meeting Tables 60" to 72" deep, 60" to 96" wide.














Locations for Power Center grommet and Drop-in outlet cut-out options – Meeting Tables 60" and 72" deep, 108" and wider.














Figure 4B: Grommet Locations for Meeting Tables

#### **Construction Details**

Meeting Table tops are in multiple pieces. Tables 30" to 48" deep are one worksurface deep by either two or three pieces wide of equal size. Tables 60" x 72" deep are two worksurfaces deep by either two or three pieces wide of equal size. See Figure 1 for number of worksurface pieces per Meeting Table size. See Figure 4 for worksurface configurations. See Figure 5 for Grommet Cut-out sizes.

Meeting table support consists of four 4 x 4 legs positioned flush to the edges of the corners of the table and a center support positioned at each of the longitudinal divisions of the worksurfaces.

#### **Center Support Details**

The center support provides both support and cable management for the table. Tables which are two worksurfaces wide have one center support while tables which are three worksurfaces wide have two center supports. See Figure 1 for the quantity of center supports for each table size. The legs and center support(s) are connected to an integral substructure.

The center support is required to have two covers which are ordered separately. See following section for Center Support Covers. Center supports come in two depths, 9" and 24"; and two heights, 28  $^{3}/_{8}$ " for desk height tables and 34  $^{3}/_{8}$ " for service height tables. Tables 30" to 48" deep come with 9" deep center supports. All other tables come with 24" deep center supports. See Figure 12 for Center Support sizes.





Figure 6: Construction 30" to 48" deep x 108" to 216" wide



#### **Finish Details**

Power Center Grommet is offered in Polished Chrome (PD) or Satin Nickel (PU) and any core paint finish.

Worksurface tops are available in all core laminates, wood grain laminates, mixed finish (laminate tops with wood edges), and all core wood veneer finishes including synthetic edge options. Grain direction for wood veneer and wood grain laminate worksurfaces is along the width of the table. See figures 6, 7 and 8 for grain direction.

Grain pattern for wood veneer and wood grain laminate will not be continuous on adjacent worksurfaces. To enhance the beauty of the wood veneer, Meeting Tables with domestic flat cut veneers (V2) are layed up using reverse slip matching, with sequential cathedrals arranged in opposite directions. See Figure 9 for arrangement of veneer for reverse slip match.

Legs may be specified in all core paint finishes or in wood veneer finishes. When specified with wood veneer finish, the leg finish must match the worksurface veneer finish. Contact Custom Product Development if the wood veneer finish of the legs is desired to be a different veneer finish than the top.

Leg reveals may be any core paint finish.

The table substructure is painted and defaults to the leg reveal color.

The center support covers are available in laminate, wood veneer or metal finishes.




Figure 9: Reverse Slip Match




Figure 10: Leg Reveal

#### **Center Support Covers**

Center support covers are required to enclose the center support of the Meeting Tables. Each center support requires two covers; one for each side of the support.

There are two types of center support cover; flat and offset. The Flat cover sits flush to the center support.

The Offset cover is 1 ½" thick, adding an extra 3" of interior depth to the center support (when two are ordered) which helps to conceal an electrical floor monument.

The center support covers are available in laminate, wood veneer or metal finishes.




Figure 11: Center Support and Covers

Table Depth	Table/Center Support Height	Center Support Depth
30"	34 3/8"	9"
36"	34 3/8"	9"
42"	28 3/8"	9"
48"	28 3/8"	9"
60"	28 3/8"	24"
72"	28 3/8"	24"

Figure 12: Center Support Sizes

### Meeting Tables Electrical - Planning Guidelines and Specifications

#### Electrical Components for Reff Profiles Meeting Table

Reff Profiles Meeting Table can be powered by a modular distribution system featuring standard Knoll 2+2 and 3+3 eight- and ten-wire power systems. From a single point of connection to the building power supply, Reff Profiles raceway can distribute four or six 20-amp circuits. Depending on national and local electric codes, and anticipated load of a particular application, each circuit may support as much as 10 or more duplex outlets.

The central component is the power harness, which can be mounted under the table rails, anywhere along the length of the table rail.

The harness is suspended from a power harness mounting bracket attached to either or both center table rails.

The power harness accepts snap-in duplex outlets on each face, and is enclosed by steel raceway covers, specified separately. Each end of the harness has ports for two jumper cables, or a power infeed and a jumper cable. The power infeed connects power from a building junction box, and jumpers connect power from one harness to another, in either direction.

Power harnesses are available in two sizes: 12" wide, with two duplex outlet locations on each face, and 24" wide, with four outlet locations on each face. Duplex outlets must be specified separately to access one of the four or six circuits. Outlets for circuits can be specified in black with white letters identifying circuits. Outlets for circuits X, Y, Z, are also available in orange with black letters, or black with orange triangles and letters to designate protected circuits.




Figure 1. Reff Profiles Meeting Table with Electrical Components

### Meeting Tables Electrical - Planning Guidelines and Specifications

Corresponding raceway covers for 12" harness are 18" wide; covers for 24" harness are 30" wide. Raceway covers can be ordered in pairs that include two covers with openings or one cover without openings.

Jumper cables are available in various lengths up to 72" to link power between harnesses.

Jumper cables should be managed by cable clips for desk rails (RCMC10, set of 10).

Two types of infeeds are available to connect the power harness from the building power supply.

- The power harness infeed has a modular connector with a six foot pigtail to connect from a junction box in the floor or wall to a power harness. See Figure 1.
- 2) A hardwired infeed box, required in New York City, mounts inside the meeting table center support and includes a connector with six foot pigtail to connect to the closest power harness. See Figure 2.

Refer to Installation Instructions 6TP00481 available on Knoll Exchange.

Outlet fillers are a kit of ten plastic filler plates that flex to snap securely into any unused outlet opening in Reff Profiles raceway covers. Installed covers are designed to closely mimic the appearance of adjacent power outlets. Fillers are black injection molded plastic.




Figure 2. NYC Infeed

### Meeting Tables Electrical - Planning Guidelines and Specifications

#### 2+2

Four 20-amp circuits, 8 wire configuration with four hots (12 gauge), two neutrals (10 gauge, 35A rated), two grounds.

Power harness and outlet modules: steel enclosure between molded polypropylene distribution blocks, 8-wire.

**Jumper cables:** flexible steel conduit with strain relief, 8-wire

**Outlets:** molded polycarbonate duplex preconfigured as circuit A, B (black), X, Y (black, orange or black with orange triangle)

**Infeed:** watertight conduit with 6' whip or hardwire box mounted to desk rail, center beam or fence frame, 8-wire

Load should be balanced evenly among power circuits. In accordance with NEC2011 Article 210, the permissible load should not exceed 80% of the circuit ampere rating (which is 16 amps on each 20 amp branch circuit).

#### 3+3

Six 20-amp circuits, 10 wire configuration with six hots (12 gauge), two neutrals (10 gauge, 35A rated), two grounds.

Power harness and outlet modules: steel enclosure between molded polypropylene distribution blocks, 10-wire.

**Jumper cables:** flexible steel conduit with strain relief, 10-wire

**Outlets:** molded polycarbonate duplex preconfigured as circuit A, B, C (black), X, Y, Z (black, orange or black with orange triangle)

**Infeed:** watertight conduit with 6' whip or hardwire box mounted to desk rail, center beam or fence frame, 10-wire

Load should be balanced evenly among power circuits. In accordance with NEC2011 Article 210, the permissible load should not exceed 80% of the circuit ampere rating (which is 16 amps on each 20 amp branch circuit).

Reff Profiles Meeting Tables are a listed product with U.L. in the QAWZ office furnishings category.


- File E76704 Volume 7, Section 3 (Furniture)
- File E76704 Volume 3, Section 2 (Electrical Accessories)

#### Wiring Diagram (2+2) Wiring Diagram (3+3) Circuits Circuits В В С Χ Ζ Χ Black Tan Α Black Ζ Orange Red В Tan Red В Pink Χ Blue С White/ White/ N1 N2 White/ Red White/ N1 N2 Black Red Green/ Green/ Green G1 G2 Green G2 Yellow

## Meeting Tables with 4 x 4 Legs - Single Depth - 283/8"h Double Width, Rectangular

description	d	W	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle,	36"	108"	1 1/2"	RTM4108362( )( )( )( )( )( )( )	\$4,819.	\$4,957.	\$5,167.	\$5,910.
Double Width, with 283/8" height legs	36"	120"	1 1/2"	RTM4120362( )( )( )( )( )( )( )	4,911.	5,046.	5,281.	6,092.
	36"	144"	1 1/2"	RTM4144362( )( )( )( )( )( )( )	5,360.	5,460.	5,731.	6,683.
	36"	156"	1 1/2"	RTM4156362( )( )( )( )( )( )( )	5,462.	5,719.	6,003.	7,027.
	36"	180"	1 1/2"	RTM4180362( )( )( )( )( )( )( )	5,632.	5,825.	6,145.	7,310.

Table Top Rectangle,



42"	108"	1 1/2"	RTM4108422( )( )( )( )( )( )( )	4,894.	5,021.	5,257.	6,083.
42"	120"	1 1/2"	RTM4120422( )( )( )( )( )( )( )	5,078.	5,189.	5,445.	6,349.
42"	144"	1 1/2"	RTM4144422( )( )( )( )( )( )( )	5,280.	5,504.	5,794.	6,855.
42"	156"	1 1/2"	RTM4156422( )( )( )( )( )( )( )	5,379.	5,565.	5,875.	7,013.
42"	180"	1 1/2"	RTM4180422( )( )( )( )( )( )( )	5,852.	5,961.	6,311.	7,606.

#### **Order Code**

#### Example: RTM4108362 ()()()()() R TM Table, Meeting 4 4 x 4 leg (2=2x2 legs) 108 Width 36 Depth 2 283/8" h leg PB Grommet Option PD Grommet finish V316 Worksurface Finish Edge finish () Leg finish V316 111 Leg reveal finish 111 Center support finish

#### **Specification Information**

To order please specify pattern number including:

Grommet Options: NG = no grommet PB = Power center grommet both (Grommet and lid included)  $\dot{P}4$  = Four power center grommets, (Grommet and lid included) 2B = Cut out for 4 Positions, Drop in electrical unit both ends 24 = Cut out for 4 positions,Drop in electrical units 3B = Cut out for 6 positions, Drop in electrical units both 34 = Cut out for 6 position, Drop in electrical units \*Electrical components are not included with tables & need to be ordered separately.

2. Grommet Finish:
if NG then not applicable
if PB & P4 then all core paint,
PU, PD
if 2B, 24, 3B, 34 then not
applicable

3. Worksurface finish ()

 worksufface fiffish ()
 Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only)

5. Leg finish (all core paint, V1, V2, V3)

6. Leg reveal finish (all core paint)

7. Center support finish (all core paint) (sold separately)

#### **Application Notes**

Table height = 28 3/8/"h to the underside of worksurface. The tables on this page, come complete with structural frame. No additional stiffeners are required. Table's frame ships knockdown. Assembly required. For laminate tops (including wood grain laminate) leg finish options are: all core paint finishes only. The product on this page accept wood grain laminate where laminate is currently an option. The veneers are not intended to

The veneers are not intended to align with one another from top to top.

For veneer tops, leg finish options are: all core paint finishes or same wood veneer as the top. The prices indicated above, are for painted legs without center grommet.

\*Upcharges apply to legs with V1, V2 or V3 finishes.

Additional upcharges; Leg Finish Add

Leg Finish Add V1 \$1,430 V2 \$1,494 V3 \$1,731 Product on this page do not include electrical components

\*Upcharges apply for each Power Center Grommets;

Grommet Add
PB \$288
P4 \$576
PB Grommet option includes 2
power center grommets.
P4 Grommet option, includes 4
power center grommets.

Center Support Details;

Tables on this page require Center Support Covers which are sold separately.

All tables on this page, come with 2 piece tops and one center support. 36", 42" & 48" deep tables have 9" deep center support. Each center support requires two Center Support Covers, which are sold separately. For Center Support Covers, see pages 101 &102.

For electrical components, see page 374 to 378.


Installation instruction sheets available on Knoll Exchange. Refer to reference number 6TP00462 for Table assembly instructions, and 6TP00465 for Support installation instructions.

## Meeting Tables with 4 x 4 Legs - Single Depth - 283/8"h *Multi Width, Rectangular*

description	d	W	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle,	48"	108"	1 1/2"	RTM4108482( )( )( )( )( )( )( )	\$5,048.	\$5,181.	\$5,437.	\$6,347.
Double width, with 283/8" height legs	48"	120"	1 1/2"	RTM4120482( )( )( )( )( )( )( )	5,208.	5,453.	5,724.	6,719.
	48"	144''	1 1/2"	RTM4144482( )( )( )( )( )( )( )	5,464.	5,622.	5,936.	7,102.
	48"	156"	1 1/2"	RTM4156482( )( )( )( )( )( )( )	5,807.	5,921.	6,258.	7,511.
	48"	180"	1 1/2"	RTM4180482( )( )( )( )( )( )( )	6,075.	6,101.	6,482.	7,906.

Table Top Rectangle,

36"	216"	1 1/2"	RTM4216362( )( )( )( )( )( )( )	7,716.	7,814.	8,207.	9,605.
42"	216"	1 1/2"	RTM4216422( )( )( )( )( )( )( )	8,246.	8,324.	8,648.	10,203.
48"	216"	1 1/2"	RTM4216482( )( )( )( )( )( )( )	8,592.	8,690.	8,849.	10,557.



#### **Order Code**

Example:	RTM4108362 ( )( )( )( )( )
R	Reff
TM	Table, Meeting
4	4 x 4 leg (2=2x2 legs)
108	Width
36	Depth
2	28³/8" h leg
PB	Grommet Option
PD	Grommet finish
V316	Worksurface Finish
()	Edge finish
V316	Leg finish
111	Leg reveal finish
111	Center support finish

#### Specification Information

To order please specify pattern number including:

1. Grommet Options: NG = no grommet PB = Power center grommet both (Grommet and lid included) P4 = Four power center grommets, (Grommet and lid included) 2B = Cut out for 4 Positions, Drop in electrical unit both ends 24 = Cut out for 4 positions,Drop in electrical units 3B = Cut out for 6 positions, Drop in electrical units both 34 = Cut out for 6 position, Drop in electrical units \* \*Electrical components are not included with tables & need

- to be ordered separately.
  2. Grommet Finish:
  if NG then not applicable
  if PB & P4 then all core paint,
  PU, PD
  if 2B, 24, 3B, 34 then not
  applicable
- 3. Worksurface finish (
- 4. Edge finish: L, V1, V2, V3
  (Edge options are available on laminate tops only)
- 5. Leg finish (all core paint, V1, V2, V3)
- 6. Leg reveal finish (all core paint)
- 7. Center support finish (all core paint) (sold separately)

#### **Application Notes**

Table height = 283%"h to the underside of worksurface. The tables on this page, come complete with structural frame. No additional stiffeners are required. Table's frame ships knockdown. Assembly required. For laminate tops (including wood grain laminate) leg finish options are: all core paint finishes only. The product on this page accept wood grain laminate where laminate is currently an option.

The veneers are not intended to align with one another from top to top.

For veneer tops, leg finish options are: all core paint finishes or same wood veneer as the top. The prices indicated above, are for painted legs without center grommet.

\*Upcharges apply to legs with V1, V2 or V3 finishes. Additional upcharges;

\$1,731

Leg Finish Add V1 \$1,430 V2 \$1,494 Product on this page do not include electrical components

\*Upcharges apply for each Power Center Grommets;

Grommet Add
PB \$288
P4 \$576
PB Grommet option includes 2
power center grommets.
P4 Grommet option, includes 4
power center grommets.

Center Support Details;

Tables on this page require Center Support Covers which are sold separately.

All tables on this page, come with 2 piece tops and one center support. 36", 42" & 48" deep tables have 9" deep center support. Each center support requires two Center Support Covers, which are sold separately. For Center Support Covers, see pages 101 &102.

For electrical components, see page 374 to 378.


Installation instruction sheets available on Knoll Exchange. Refer to reference number 6TP00462 for Table assembly instructions, and 6TP00465 for Support installation instructions.

## Meeting Tables with 4 x 4 Legs - Double Depth - 283/8"h Single Width, Rectangular

description	d	W	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle, 60" Deep	60"	60"	1 1/2"	RTM460602( )( )( )( )( )( )	\$3,679.	\$3,992.	\$4,180.	\$4,854.
with 283/8" height legs	60"	72"	1 1/2"	RTM472602( )( )( )( )( )( )	3,833.	4,122.	4,335.	5,115.
	60"	84"	1 1/2"	RTM484602( )( )( )( )( )( )	4,159.	4,460.	4,704.	5,590.
	60"	96"	1 1/2"	RTM496602( )( )( )( )( )( )	4,348.	4,585.	4,854.	5,846.



Table Top Rectangle, 72" Deep with 283/8" height legs



72"	72"	1 1/2"	RTM472722( )( )( )( )( )( )	4,386.	4,640.	4,887.	5,782.
72"	84"	1 1/2"	RTM484722( )( )( )( )( )( )	4,556.	4,770.	5,046.	6,062.
72"	96"	1 1/2"	RTM496722( )( )( )( )( )( )	4,957.	5,103.	5,407.	6,545.

#### **Order Code**

#### Example: RTM460602 ()()()()()()()R Reff TM Table, Meeting 4 $4 \times 4 legs$ Width 60 60 Depth 283/8" h leg PC Grommet Option PD Grommet finish V316 Worksurface Finish () Edge finish V316 Leg finish 111 Leg reveal finish

#### Specification Information

To order please specify pattern number including:

- 1. Grommet Drilling Options:

  NG = no grommet

  PC = Power center grommet,

  (Grommet and lid included)

  2C = Cutout for 4 unit Drop in

  electrical outlet

  3C = Cutout for 6 unit Drop in

  electrical outlet

  Note: Electrical components are

  not included with tables & need

  to be ordered separately.
- 2. Grommet Finish:

  NG = Finish not required
  PC = all core paint, PU, PD
  2C,3C = not applicable.
- 3. Worksurface finish: L, V1, V2,
- 4. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- 5. Leg finish: All core paint, V1, V2, V3
- 6. Leg reveal finish: All core paint

#### **Application Notes**

Table height = 28<sup>3</sup>/8"h to the underside of worksurface.

The tables on this page, come complete with structural frame. No additional stiffeners are required.

Table's frame ships knockdown. Assembly required.

Products on this page will accept wood grain laminate where laminate is currently an option.

For laminate tops (including wood grain laminate) leg finish options are: all core paint finishes only. The veneers are not intended to align with one another from top to top.

For veneer tops, leg finish options are: all core paint finishes or same wood veneer as the top. The prices indicated above, are for painted legs without power center grommet.

Upcharges apply to legs with V1, V2 or V3 finishes. Additional upcharges;

Leg Finish Add V1 \$1,430 V2 \$1,494 V3 \$1.731 Product on this page do **not** include electrical components.

Note: Upcharges apply for Power Center Grommets;

 $\frac{Grommet}{PC} \ \, \frac{Add}{\$288}$ 

PC Grommet option includes 2 power center grommets.

All tables on this page, come with 2 piece tops.

For electrical components, see page 374 & 378.

Installation instruction sheets available on Knoll Exchange. Refer to reference number 6TP00459.

### Meeting Tables with 4 x 4 Legs - Double Depth - 283/8"h Multi Width, Rectangular

description	d	W	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle,	60"	108"	1 1/2"	RTM4108602( )( )( )( )( )( )( )	\$7,502.	\$7,756.	\$8,065.	\$9,203.
Double width, with 28 1/8" height legs	60"	120"	1 1/2"	RTM4120602( )( )( )( )( )( )( )	7,656.	7,876.	8,210.	9,454.
	60"	144"	1 1/2"	RTM4144602( )( )( )( )( )( )( )	8,492.	8,673.	9,057.	10,513.
	60"	156"	1 1/2"	RTM4156602( )( )( )( )( )( )( )	8,646.	8,814.	9,223.	10,786.
	60"	180"	1 1/2"	RTM4180602( )( )( )( )( )( )( )	9,046.	9,150.	9,610.	11,385.
	72"	108"	1 1/2"	RTM4108722( )( )( )( )( )( )( )	7,652.	7,852.	8,201.	9,506.
	72"	120"	1 1/2"	RTM4120722( )( )( )( )( )( )( )	7,989.	8,171.	8,549.	9,979.
$\Downarrow$	72"	144''	1 1/2"	RTM4144722( )( )( )( )( )( )( )	8,420.	8,536.	8,982.	10,655.
	72"	156"	1 1/2"	RTM4156722( )( )( )( )( )( )( )	11,287.	11,788.	12,257.	14,049.
	72"	180"	1 1/2"	RTM4180722( )( )( )( )( )( )( )	11,715.	12,083.	12,608.	14,643.
Table Top Rectangle,	60"	216"	1 1/2"	RTM4216602( )( )( )( )( )( )( )	13,117.	13,396.	13,952.	16,087.
Triple width, with 28 3/8" height legs	72"	216"	1 1/2"	RTM4216722( )( )( )( )( )( )( )	13,222.	13,403.	14,048.	16,500.



#### Order Code

Example:	RTM4108602 ( )( )( )( )( )
R	Reff
TM	Table, Meeting
4	4 x 4 legs
108	Width
60	Depth
2	28³/8" h leg
PC	Grommet Option
PD	Grommet finish
V316	Worksurface Finish
()	Edge finish
V316	Leg finish
111	Leg reveal finish
111	Center support finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Grommet Options: NG = no grommet PC = Power center grommet \* (Grommet and lid included) 2C = Cut out for 4 position wide drop in electrical outlet 3C = Cut out for 6 position wide drop in electrical outlet Note: Electrical components are not included with tables & need to be ordered separately.
- Grommet Finish: if NG then not applicable if PC then all core paint, PU, PD if 2C, or 3C then not applicable
- Worksurface finish () Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only)
- 5. Leg finish (all core paint, V1, V2, V3)
- 6. Leg reveal finish (all core paint) 7. Center support finish (all core paint)

#### **Application Notes**

Table height =  $28^{3}/8''$ h to the underside of worksurface. The tables on this page, come complete with structural frame. No additional stiffeners are required. Table's frame ships knockdown. Assembly required.

The product on this page accept wood grain laminate where laminate is currently an option.

For laminate tops (including wood grain laminate) leg finish options are: all core paint finishes only. The veneers are not intended to align with one another from top to

For veneer tops, leg finish options are: all core paint finishes or same wood veneer as the top. The prices indicated above, are for painted legs without center grommet. Upcharges apply to legs with V1,

V2 or V3 finishes. Additional upcharges;

Leg Finish Add \$1,430 \$1,494 V3\$1,731

Product on this page do not include electrical components Note: Upcharges apply for Power Center Grommet options;

Table Width 108",120",144" \$576. (includes 4 Power center grommets)  $\frac{\text{Add}}{\$1,152}.$ Table Width 156",180",216"

(includes 8 Power center grommets) **Center Support Details:** 

Tables on this page require Center Support Covers which are sold separately.

216" w tables come with 3 piece tops, and require two center supports.

All other tables on this page, come with 2 piece tops, and require only one center support.

Tables on this page have 24" deep center support. Each center support requires two Center Support Covers, which are sold separately.

For Center Support covers, see page 101 & 102.

For electrical components, see page 374 and 378.Installation instruction sheets available on Knoll Exchange. Refer to reference number 6TP00462 for Table assembly instructions, and 6TP00465 for Support installation instructions.

### Meeting Tables with 4 x 4 Legs - Single Depth - 343/8"h *Multi Width, Rectangular*

description	d	W	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle,	30"	108"	1 1/2"	RTM4108303( )( )( )( )( )( )( )	\$4,774.	\$4,936.	\$5,128.	\$5,786.
Double Width, with 34 1/8" height legs	30"	120"	1 1/2"	RTM4120303( )( )( )( )( )( )( )	4,852.	5,012.	5,219.	5,941.
	30"	132"	1 1/2"	RTM4132303( )( )( )( )( )( )( )	4,962.	5,094.	5,318.	6,102.
	30"	144"	1 1/2"	RTM4144303( )( )( )( )( )( )( )	5,272.	5,415.	5,661.	6,508.
	30"	156"	1 1/2"	RTM4156303( )( )( )( )( )( )( )	5,350.	5,500.	5,763.	6,672.
**	30"	180"	1 1/2"	RTM4180303( )( )( )( )( )( )( )	5,551.	5,638.	5,933.	5,968.
	36"	108"	1 1/2"	RTM4108363( )( )( )( )( )( )( )	4,964.	5,102.	5,312.	6,055.
	36"	120"	1 1/2"	RTM4120363( )( )( )( )( )( )( )	5,056.	5,191.	5,426.	6,237.
	36"	132"	1 1/2"	RTM4132363( )( )( )( )( )( )( )	5,413.	5,516.	5,769.	6,652.
	36"	144"	1 1/2"	RTM4144363( )( )( )( )( )( )( )	5,505.	5,605.	5,876.	6,828.
	36"	156"	1 1/2"	RTM4156363( )( )( )( )( )( )( )	5,805.	5,864.	6,148.	7,172.
	36"	180"	1 1/2"	RTM4180363( )( )( )( )( )( )( )	5,976.	6,060.	6,290.	7,256.
Table Top Rectangle,	30"	216"	1 1/2"	RTM4216303( )( )( )( )( )( )( )	7,314.	7,530.	7,886.	9,130.
Triple Width, with 343/8" height legs	36"	216"	1 1/2"	RTM4216363( )( )( )( )( )( )( )	7,636.	7,775.	8,168.	9,566.



#### **Order Code**

#### Example: **RTM4108303** ()()()()()()()R TM Table, Meeting 4 $4 \times 4 \text{ legs}$ 108 Width 30 Depth 343/8" h leg 3 РВ Grommet Option PD Grommet finish V316 Worksurface Finish () Edge finish V316 Leg finish 111 Leg reveal finish 111 Center support finish

#### Specification Information

To order please specify pattern number including:

Grommet Drilling Options:

NG = no grommetPB = power center grommet both (Grommet and lid included) P4 = Four power center grommets (Grommet and lid included) 2B = Cutout for 4 position Drop in electrical units, both ends 24 = Cutout for 4 position Drop in electrical units, 4 locations 3B = Cutout for 6 position Drop in electrical units, both ends 34 = Cutout for 6 position Dropin electrical units, 4 locations Note: Electrical components are not included with tables & need to be ordered separately.

2. Grommet Finish:

NG = Finish not required

PB & P4 = all core paint, PU, PD

2B,24,3B,34 = not applicable.

- 3. Worksurface finish: L, V1, V2,
- 4. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
- 5. Leg finish: All core paint, V1, V2, V3
- 6. Leg reveal finish: All core paint7. Center support finish ( all core paint)

#### **Application Notes**

Table height = 343/8" to the underside of worksurface.

The tables on this page, come complete with structural frame. No additional stiffeners are required.

Table's frame ships knockdown. Assembly required.

Products on this page will accept wood grain laminate where laminate is currently an option.

For laminate tops (including wood grain laminate) leg finish options are: all core paint finishes only. The veneers are not intended to align with one another from top to top.

For veneer tops, leg finish options are: all core paint finishes or same wood veneer as the top. The prices indicated above, are for painted legs and no grommet.

Upcharges apply to legs with V1, V2 or V3 finishes. Additional upcharges;

Leg Finish	Add
V1	\$1,619
V2	\$1,76
$V_3$	\$2.04

Product on this page do  ${\color{blue} not}$  include electrical components.

Note: Upcharges apply for Power Center Grommets.

Grommet	Add
PB	\$288
P4	\$576
PB Gromn	net option includes 2
power cen	ter grommets.
P4 Gromn	net option includes 4
power cen	ter grommets.

#### Center Support Details;

Tables on this page require Center Support Covers which are ordered separately.

216"w tables come with 3 piece tops, and require two center supports.

All other tables on this page come with 2 piece top and require only one center support.

Tables on this page have 9" deep center support. Each center support requires two Center Support Covers.

For Center Support covers, see page 101 &102.

For electrical components, see page 374 & 378.

Installation instruction sheets available on Knoll Exchange. Refer to reference number 6TP00462 for Table assembly instructions, and 6TP00465 for Support installation instruction.

## Meeting Tables - Center Support Covers Metal, 28 $^3\!/\!8''h$ and 34 $^3\!/\!8''h$

description	h	d	pattern no.	P1	P2	Р3	P4
Center Support Covers - Flat	283/8"	9"	ROTAF12(M)()	\$122.	\$122.	\$122.	n/a
	283/8"	24"	ROTAF22(M)()	147.	147.	147.	n/a
	343/8"	9"	ROTAF13(M)()	128.	128.	128.	n/a
	343/8"	24"	ROTAF23(M)()	153.	153.	153.	n/a
Center Support Covers - Offset	283/8"	9"	ROTAO12(M)( )	124.	124.	124.	n/a
// Content Support Govers Offset	283/8"	24"	ROTAO22(M)( )	149.	149.	149.	n/a
	343/8"	9"	ROTAO13(M)( )	130.	130.	130.	n/a
	343/8"	24"	ROTAO23(M)( )	155.	155.	155.	n/a

Order Co	de	Specification Information	Application Notes
Example: R OT A F 1 2 M	ROTAF12(M)( ) Reff Profiles Open Table Center Support Flat (0 = Offset) 9" deep ( 2 = 24" deep) 283%" h leg ( 3 = 343%"h leg) Metal Center Support Cover Center Support Cover Finish	To order please specify pattern number including:  1. Center support finish: All core painted finishes	All connection hardware are included with the center support covers.

## Meeting Tables - Center Support Covers Wood, $28^3/8''h$ and $34^3/8''h$

description	h	d	pattern no.	L	M/V1	V2	V3
Center Support Covers	283/8"	9"	ROTAF12(W)()	\$235.	\$315.	\$323.	\$345.
	283/8"	24"	ROTAF22(W)()	250.	357.	384.	446.
	343/8"	9"	ROTAF13(W)()	236.	317.	326.	351.
	343/8"	24"	ROTAF23(W)()	257.	365.	396.	473.

		Application Notes
Example: ROTAF12(W)()   R   Reff Profiles   OT   Open Table     A   Center Support     F   Flat (0 = Offset)     1   9" deep (2 = 24" deep)     2   283/8" h leg (3 = 343/8"h leg)     W   Wood Center Support Cover     V316   Center Support Cover     Finish	To order please specify pattern number including:  1. Center support finish: L, V1, V2, V3	All connection hardware are included with the center support covers.  Wood center supports, are available in "Flat" style only.  Products on this page will accept woodgrain laminate where laminate is currently an option.

## Meeting Tables - Power Power Distribution components Power Rail Components for Meeting and Open Tables

description	type	W	d	h	pattern no.	list price
Power rail	2 + 2, (2) Duplex Outlets per side	12"	2"	2"	ROTRE12	\$179.
	2 + 2, (4) Duplex Outlets per side	24"	2"	2"	ROTRE24	325.
	3 + 3, (2) Duplex Outlets per side	24"	2"	2"	ROTRT12	204.
	3 + 3, (4) Duplex Outlets per side	24"	2"	2"	ROTRT24	391.
lin.						
Power Rail Mounting Brackets (set of 1 pair)					ROTRM	93.



Duplex Receptacles, Black	Circuit A	$4^{1}/2''$	1"	1 1/2"	RR3-DA	43.
	Circuit B	41/2"	1"	1 1/2"	RR3-DB	43.
	Circuit C	41/2"	1"	1 1/2"	RR3-DC	43.
SEL .	Circuit X	41/2"	1"	1 1/2"	RR3-DX	43.
	Circuit Y	41/2"	1"	1 1/2"	RR3-DY	43.
	Circuit Z	41/2"	1"	1 1/2"	RR3-DZ	43.
Duplex Receptacles, Orange	Circuit X	41/2"	1"	1 1/2"	RR3-DXO	48.
	Circuit Y	41/2"	1"	1 1/2"	RR3-DYO	48.
	Circuit Z	41/2"	1"	1 1/2"	RR3-DZO	48.
Duplex Receptacles, Orange triangle	Circuit X	41/2"	1"	1 1/2"	RR3-DXT	43.
	Circuit Y	41/2"	1"	1 1/2"	RR3-DYT	43.
	Circuit Z	$4^{1}/2''$	1"	1 1/2"	RR3-DZT	43.
Outlet Fillers	Pack of 10	11/4"	1/4"	2 1/2"	ROTRCF	35.



#### Order Code Specification Information Application Notes

Example:	ROTRE12
R	Reff Profiles
OT	Open Tables
R	Power Rail
E	Eight Wire (T=Ten Wire)
12	Width

Power Rails are suspended from a Power Rail Mounting Bracket attached to the Meeting Table rail sub-structure. Power Rails accept snap-in Duplex Outlets on each face and are enclosed by steel Raceway Covers, specified separately. Each end of a Power Rail has ports for two-jumper cables or a Power Infeed and a Jumper Cable. The Power Infeed connects power from the building supply and Jumpers connect power from one Power Rail to another, in either direction. Power Rails are available in Knoll Standard 2+2 (eight wire) or 3+3  $\,$ (ten wire) power systems. Each power rail requires 1 set of Mounting Brackets (ordered separately); ROTRM - Mounting Brackets are black and supplied with mounting hardware. Outlet Fillers snap into Raceway Covers to cover un-used outlet openings. Outlet Fillers are supplied in black finish only.

## Meeting Tables - Power Power Distribution components Power Rail Components for Meeting and Open Tables

description	type	w	d	h	pattern no.	list price
Raceway Covers	For 12" wide power rail, outlets both sides	18"	3"	3"	ROTRC18D()	\$97.
	For 12" wide power rail, outlets one sides	18"	3"	3"	ROTRC18S()	97.
	For 24" wide power rail, outlets both sides	30"	3"	3"	ROTRC30D()	115.
	For 24" wide power rail, outlets one sides	30"	3"	3"	ROTRC30S()	115.
Raceway End Cap	Pack of 2				ROTRCE	17.
Covers for Exposed End of Power Rail					ROTRP	183.
Power Infeed	2 + 2 Modular Base Infeed	85"	2 1/8"	23/8"	ROTRIE	198.
	2 + 2 Modular Base Infeed for NYC	85"	21/8"	23/8"	ROTRIENY	616.
The state of the s	3 + 3 Modular Base Infeed	85"	21/8"	23/8"	ROTRIT	229.
<b>■</b>	3 + 3 Modular Base Infeed for NYC	85"	2 1/8"	23/8"	ROTRITNY	645.

Order Cod	de	Specification Information	Application Notes	
R	ROTRC18D() Reff Profiles		Raceway End Caps finish the open end of two Raceway Covers. Cover for exposed end of Power Rail	
RC	Open Tables Power Rail Raceway Cover		cover for exposed end of Fower Rail covers the end of the Power Rail that has no Jumper connected. Power Infeeds connect the Power	
18 D	Width Outlets both sides (S=Outlet single side)		Rail to the building power. They include a 6 foot liquid-tight conduit and pigtail for connection to a floor monument or wall electrical box.	
(118T)	· · · · · · · · · · · · · · · · · · ·	A hardwire Power Infeed, required in New York City, includes all required mounting brackets and hardware to mount vertically inside the Meeting Table Center Support; and includes a 6 foot connector with pigtails to connect to the building power.		

## Meeting Tables - Power Power Distribution components Power Rail Components for Meeting and Open Tables

description	type	W	d	h	pattern no.	list price
Jumper Cables 2 + 2	For 24" between power rails	24"	1"	1"	ROTRJE24	\$119.
	For 30" between power rails	30"	1"	1"	ROTRJE30	127.
	For 36" between power rails	36"	1"	1"	ROTRJE36	134.
	For 42" between power rails	42"	1"	1"	ROTRJE42	149.
	For 48" between power rails	48"	1"	1"	ROTRJE48	155.
	For 54" between power rails	54"	1"	1"	ROTRJE54	161.
	For 60" between power rails	60"	1"	1"	ROTRJE60	171.
	For 66" between power rails	66"	1"	1"	ROTRJE66	179.
	For 72" between power rails	72"	1"	1"	ROTRJE72	187.
Jumper Cables 3 + 3	For 24" between power rails	24"	1"	1"	ROTRJT24	155.
A CO	For 30" between power rails	30"	1"	1"	ROTRJT30	164.
	For 36" between power rails	36"	1"	1"	ROTRJT36	175.
	For 42" between power rails	42"	1"	1"	ROTRJT42	193.
	For 48" between power rails	48"	1"	1"	ROTRJT48	202.
	For 54" between power rails	54"	1"	1"	ROTRJT54	209.
	For 60" between power rails	60"	1"	1"	ROTRJT60	222.
	For 66" between power rails	66"	1"	1"	ROTRJT66	233.
	For 72" between power rails	72"	1"	1"	ROTRJT72	243.

#### Order Code

Example:	ROTRC18D()
R	Reff Profiles
ОТ	Open Tables
RJ	Power Rail Jumper
E	Eight Wire (T=Ten Wire)
18	Width

## Media Enclave Tables with $4 \times 4$ Leg Wall mounted Rectangular - $28^3/8''h$

description	d	W	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle, 48" Deep	48"	60"	1 1/2"	RMEW60482( )( )( )( )( )	\$1,822.	\$2,049.	\$2,118.	\$2,593.
Wall mounted, 1 piece top with 28 1/8" height leg	48"	72"	1 1/2"	RMEW72482( )( )( )( )( )	1,990.	2,197.	2,277.	2,831.
	48"	90"	1 1/2"	RMEW90482( )( )( )( )( )	2,246.	2,443.	2,540.	3,211.
	48"	96"	1 1/2"	RMEW96482( )( )( )( )( )	2,287.	2,474.	2,578.	3,289.

Table Top Rectangle, 60" Deep Wall mounted, 2 piece tops with 283%" height leg



60"	60"	1 1/2"	RMEW60602( )( )( )( )( )	2,403.	2,905.	3,005.	3,655.
60"	72"	1 1/2"	RMEW72602( )( )( )( )( )	2,652.	3,150.	3,267.	4,022.
60"	90"	1 1/2"	RMEW90602( )( )( )( )( )	3,036.	3,556.	3,695.	4,610.
60"	96"	1 1/2"	RMEW96602( )( )( )( )( )	3,092.	3,600.	3,746.	4,715.

Table Top Rectangle, 72" Deep Wall mounted, 2 piece tops with 283/8" height leg



72"	72"	1 1/2"	RMEW72722( )( )( )( )( )	2,757.	3,225.	3,360.	4,231.
72"	90"	1 1/2"	RMEW90722( )( )( )( )( )	3,290.	3,767.	3,931.	4,987.
72"	96"	1 1/5"	BMFW96722( )( )( )( )( )( )	3 357	3.817.	3 989	5 105

#### **Order Code**

#### Example: RMEW60482 ()()()()() R Reff ME Media Enclave Table W Wall mounted 60 Width Depth 48 2 283/8" h leg DG Grommet option PD Grommet finish V316 Worksurface finish Edge finish () Leg finish 111 Leg reveal finish 111

#### **Specification Information**

To order please specify pattern number including:

- 1. Grommet Options:
  - DG = Desk top grommet(s) only PC = power center grommet(s) centered
  - \*Upcharge of \$144 applies for each PC grommet 2C = Drilling for 4 unit wide outlet
  - 3C = Drilling for 6 unit wide outlet
- 2. Grommet Finish: All core paint, PD, PU
- 3. Worksurface finish: L, V1, V2,
- 4. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only)
- Leg finish: All core paint or veneer to match top, where applicable.
- 6. Leg reveal finish: All core paint options.

#### **Application Notes**

Table height = 28 %"h to the underside of worksurface. The tables on this page, come complete with structural frame. No additional stiffeners are required. Table's frame ships knockdown. Assembly required. For laminate tops (including wood grain laminate) leg finish options are all core paint finishes only

grain laminate) leg finish options are: all core paint finishes only. The product on this page accept wood grain laminate where laminate is currently an option.

For veneer tops, leg finish options are: all core paint finishes or same wood veneer as the top. The prices indicated above, are for painted legs without center grommet.

\*Upcharges apply to legs with V1, V2 or V3 finishes.

Additional upcharges;

Leg Finish	Add
V1	\$715
V2	\$747
V3	\$866

Product on this page do not include electrical components

\*Upcharge of \$144 applies for each Power Center grommet Power center grommets (lids and sleeves) are included when PC is selected.

Note:

For 48" deep tables:

PC Option requires one PC electrical unit

2C Option requires one 4 unit wide Table drop in electrical unit 3C Options requires one 6 unit wide Table drop in electrical unit

For 60" deep tables:
PC Option requires two PC

electrical unit 2C Option requires two 4 unit wide Table drop in electrical unit 3C Option requires two 6 unit wide Table drop in electrical unit

For electrical components, see page 345 to 347.

Installation instruction sheets available on Knoll Exchange. Refer to reference number 6TP00457.

## Media Enclave Tables with $4 \times 4$ Leg Freestanding Rectangular - $28^3/8''h$

description	d	W	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle, 48" Deep	48"	60"	1 1/2"	RMEF60482()()()()()	\$2,566.	\$2,858.	\$2,926.	\$3,402.
Freestanding, 1 piece top with 283/8" height leg	48"	72"	1 1/2"	RMEF72482()()()()()()	2,666.	2,939.	3,020.	3,574.
	48"	90"	1 1/2"	RMEF90482()()()()()	2,842.	3,098.	3,196.	3,867.
	48"	96"	1 1/2"	RMEF96482()()()()()	3,063.	3,310.	3,413.	4,126.




Table Top Rectangle, 60" Deep Freestanding, 2 piece top with 283%" height leg



60"	60"	1 1/2"	RMEF60602()()()()()	3,227.	3,726.	3,825.	4,475.
60"	72"	1 1/2"	RMEF72602()()()()()	3,430.	3,924.	4,040.	4,795.
60"	90"	1 1/2"	RMEF90602()()()()()	3,735.	4,253.	4,392.	5,307.
60"	96"	1 1/2"	RMEF96602()()()()()	3,971.	4,475.	4,623.	5,590.

Table Top Rectangle, 72" Deep Freestanding, 2 piece top with 283/8" height leg



72"	72"	1 1/2"	RMEF72722( )( )( )( )( )	3,654.	4,137.	4,272.	5,143.
72"	90"	1 1/2"	RMEF90722()()()()()	3,945.	4,418.	4,581.	5,637.
72"	96"	1 1/2"	RMEF96722()()()()()	4.148.	4.603.	4,775.	5.892.

#### Order Code

#### Example: **RMEF60482()()()()()** R Reff ME Media Enclave Table Freestanding 60 Width Depth 48 2 283/8" h leg DG Grommet option PD Grommet finish V316 Worksurface finish Edge finish () Leg finish 111 111 Leg reveal finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Grommet Options:
  - DG = Desk top grommet(s) only PC = power center grommet(s) centered
  - \*Upcharge of \$144 applies for each PC grommet 2C = Drilling for 4 unit wide
  - 3C = Drilling for 6 unit wide outlet
- 2. Grommet Finish:
- All core paint, PD, PU
- 3. Worksurface finish: L, V1, V2, V3
- 4. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only)
- Leg finish: All core paint or veneer to match top, where applicable.
- 6. Leg reveal finish: All core paint options.

#### **Application Notes**

Table height = 28%"/h to the underside of worksurface. The tables on this page, come complete with structural frame. No additional stiffeners are required. Table's frame ships knockdown. Assembly required. For laminate tops (including wood grain laminate) leg finish options are: all core paint finishes only.

are: all core paint finishes only. The product on this page accept wood grain laminate where laminate is currently an option.

For veneer tops, leg finish options are: all core paint finishes or same wood veneer as the top. The prices indicated above, are for painted legs without center grommet.

\*Upcharges apply to legs with V1, V2 or V3 finishes.

Additional upcharges; Leg Finish Add

Leg Finish	Add
V1	\$1430
V2	\$1494
V3	\$1731

Product on this page do not include electrical components

\*Upcharge of \$144 applies for each Power Center grommet Power center grommets (lids and sleeves) are included when PC is selected.

Note:

#### For 48" deep tables:

PC Option requires one PC electrical unit

2C Option requires one 4 unit wide Table drop in electrical unit 3C Options requires one 6 unit wide Table drop in electrical unit

### For 60" deep tables: PC Option requires two PC

PC Option requires two PC electrical unit 2C Option requires two 4 unit wide

Table drop in electrical unit 3C Option requires two 6 unit wide Table drop in electrical unit

For electrical components, see page 345 to 347.

Installation instruction sheets available on Knoll Exchange. Refer to reference number 6TP00458.

### **Center Column Tables**

Center column tables have a single column support centered upon a base plate. See **Figure 1**.

### **Scope of Nominal Sizes**

### Round

36", 42"


### Soft Square / Square:

36", 42"


### Soft Rectangular / Rectangular

30"x48", 36"x54"


### **Sliding Tables**



### **Height Adjustable Sliding Tables**



### **Fixed Height Column Base Tables**



### Height Adjustable Column Base Tables




Figure 1: Table Types

### Center Column Tables - Planning Guidelines and Specifications

### Center Column Tables, cont'd

### **Construction Features Worksurface Tops**

All center column tables have 1" thick tops. Grommets are not available for these tables. Sliding Tables, both fixed height and height adjustable are available in three organically shaped tops; round, soft square and soft rectangular. Column Base Tables are available in geometric shapes; round, square and rectangular. See **Figure 2** for shapes and sizes. Worksurfaces are supplied with pilot holes pre-drilled to help center the leg in its design position. The worksurface top is field attached to the column base using wood screws supplied.

Center column tables have two styles of edge profile. Sliding Tables have a beveled edge with a half round under-cut to improve finger grip and ease the sliding of the table from one location to another. See **Figure 3**. The fixed height and height adjustable Column Base Tables have a square edge profile and no finger grip. See **Figure 4**. Refer to Worksurface planning guide pages for tops construction details.

Tops, vertical column supports and base plates are shipped in separate packages.

### Column Base

Column bases consist of a vertical support column with a factory connected steel top plate which is field connected to a steel base plate using three hex bolts. The base plate is shaped to match the worksurface top shape. See **Figure 5**.

Fixed Height - The fixed height vertical support consists of a steel 3" diameter column, factory connected to a 10" square top plate.

Height Adjustable - The vertical support consists of a pneumatically activated adjustable height column, factory connected to an 11 ¾" square top plate. The upper column diameter is 3 ½". The lower column diameter is 3 ½".

Four 3 3/4" diameter nylon leveling glides are supplied with the table. Glides have a Teflon base to aide with movement over carpet. Glides have 3/8" height adjustment. With the glides in their fully closed position, the top of the base plate is 1 9/16" above the floor level.

### **Finish Details**


All worksurface tops are available in all core laminates, wood grain laminates, mixed finish (laminate top with wood edges) and all core veneer finishes. Sliding Table worksurface tops are also available with Solid Surface material option in Arctic White.

For Sliding Tables with beveled edge, depending upon the top finish selected, the beveled surface will have the following finish:

Top Finish	Bevel Finish
Laminate	Clear Coat
V1, V2, V3	Veneer - to match top
Solid Surface	Solid Surface - to match top

The Column Base is available in all core paint finishes. The vertical column has a smooth finish while the base plate has a textured finish in the same color as the column. The column top plate is painted black. The glides are black.

### Sliding Tables - Fixed height and Height Adjustable



### Column Base Tables - Fixed height and Height Adjustable




Figure 2: Worksurface Tops




Figure 3: Sliding Table edge detail



Figure 4: Column Base Tables edge detail

### Sliding Tables - Fixed height and Height Adjustable

### 29<sup>5</sup>/8 275/8" Round Soft Square





Column Base Tables - Fixed height and Height Adjustable

Round Square

0 375/8"

Rectangular

Figure 5: Base Plate

### Center Column Tables - Sliding Laminate Surface, 1" Thick, Beveled Edges

description	d	W	th	pattern no.	L
Round Table with 283/8" height legs	36"		1"	RSTRLE362( )( )	\$3,266.
	42"		1"	RSTRLE422( )( )	3,329.
Soft Square Table with 28 1/8" height legs	36"		1"	RSTSLE362( )( )	3,237.
Soft equate Table with 20% height rege	42"		1"	RSTSLE422( )( )	3,306.
Soft Rectangle Table with 283/8" height legs	30"	48"	1"	RSTTLE30482( )( )	3,053.
	36"	54"	1"	RSTTLE36542( )( )	3,133.

Order Code						
Example:	RSTRLE361 ( )( )					
R	Reff					
ST	Sliding Table					
R	Round					
L	Laminate surface					
E	1" thick					
42	42" diameter					
2	28³/8" height					
114	Finish					
()	Edge finish					
118T	Leg Finish					

### **Specification Information**

To order please specify pattern number including:

- 1. Worksurface finish:
- Laminate only
  2. Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
  3. Leg Textured finish:
- All core paint colors.

### **Application Notes**

It is not advisable to mix 283/8"h desk height product with 261/2"h standard height products.

Table height =  $28\frac{3}{8}$ "h to the underside of worksurface.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Assembly required, ships knocked down.

Grommets are NOT an option for these tables.

Column and base are color matched.

Column = smooth

 ${\bf Base} = {\bf textured}$ 

The underside of sliding table tops are routed with a finger pull groove for easy movement.

The soft square and soft rectangular worksurfaces have softly curved sides.

### Center Column Tables - Sliding Wood Surface, 1" Thick, Beveled Edges

description	d	W	th	pattern no.	V1	V2	V3
Round Table with 283/8" height legs	36"		1"	RSTRWE362( )( )	\$3,543.	\$3,597.	\$3,870.
	42"		1"	RSTRWE422( )( )	3,613.	3,685.	4,024.
Soft Square Table with 28 3/8" height legs	36"		1"	RSTSWE362( )( )	3,514.	3,568.	3,864.
	42"		1"	RSTSWE422( )( )	3,587.	3,657.	4,024.
Soft Rectangle Table with 283/8" height legs	30"	48"	1"	RSTTWE30482()()	3,314.	3,372.	3,694.
	36"	54"	1"	RSTTWE36542( )( )	3,400.	3,476.	3,871.

Order Co	de	Specification Information	Application Notes	
Example: R ST R W E 42 2 V316	RSTRWE361 ()() Reff Sliding Table Round Wood surface 1" thick 42" diameter 283%" height Finish Leg Finish	To order please specify pattern number including:  1. Worksurface finish V1, V2, V3 wood only 2. Leg Textured finish: All core paint colors.	It is not advisable to mix 28 1/8"h desk height product with 26 1/2"h standard height products.  Table height = 28 3/8"h to the underside of worksurface.  Assembly required, ships knock down.	Grommets are NOT optional for these tables.  Column and base are color matched.  Column = smooth  Base = textured  The underside of sliding table tops are routed with a finger pull groove for easy movement.  The soft square and soft rectangular worksurfaces have softly curved sides.

### Center Column Tables - Sliding Solid Surface, I'' Thick, Beveled Edges

d	W	th	pattern no.	Solid
36"		1"	RSTRSE362( )( )	\$8,913.
42"		1"	RSTRSE422( )( )	10,213.
36"		1"	RSTSSE362( )( )	7,969.
42"		1"	RSTSSE422( )( )	9,400.
30"	48"	1"	RSTTSE30482( )( )	9,822.
36"	54"	1"	RSTTSE36542( )( )	10,891.
	36" 42" 36" 42"	36" 42" 36" 42" 30" 48"	36" 1" 42" 1"  36" 1" 42" 1"  36" 1"  42" 1"	36" 1" RSTRSE362()() 42" 1" RSTRSE422()()  36" 1" RSTSSE362()() 42" 1" RSTSSE362()()  30" 48" 1" RSTSSE422()()

Order Co	de	Specification Information	Application Notes	
Example: R ST R S E 42 2 AW 111T	RSTRSE361 ()() Reff Sliding Table Round Solid I" thick 42" diameter 283%" height Worksurface finish Leg Finish	To order please specify pattern number including:  1. Worksurface finish: AW=Artic White, only 2. Leg finish Textured: All core paint colors.	It is not advisable to mix 283/8"h desk height product with 261/2"h standard height products.  Table height = 283/8"h to the underside of worksurface.  Assembly required.ships knocked down.	Grom these Colur Colur Base The u are re for ea The s works sides.

### Center Column Tables - Fixed Height with Column Base Leg<sup>Reff Profiles Vol. Two</sup> Laminate Surface, 1" Thick, Square Edges

description	d	W	th	pattern no.	L
Round Column Base Table with 283/8" height legs	36"		1"	RCTRLE362( )( )	\$2,462.
	42"		1"	RCTRLE422( )( )	2,524.
Square Column Base Table with 283%" height legs	36"	36"	1"	RCTSLE362( )( )	2,616.
Square Column Base Table with 28% height legs	42"	42"	1"	RCTSLE422()()	2,682.
Rectangle Column Base Table with 283/8" height	30"	48"	1"	RCTTLE30482( )( )	2,546.
legs	36"	54"	1"	RCTTLE36542( )( )	2,597.



### **Order Code**

#### Example: RCTRLE362()() СТ Column Table s Square L Laminate surface E 1" thick 42 42" deep 2 283/8" height leg 114 Work surface finish () Edge finish 118T Base Finish

### Specification Information

To order please specify pattern number including:

- Worksurface finish: Laminate
   Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only)
- laminate tops only.)
  3. Leg finish: All core paint colors.

Column and base are color matched. Column = smooth Base = textured

### **Application Notes**

It is not advisable to mix 28% height product with 26% h standard height products.

Table height = 283/8"h to the underside of worksurface.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Assembly required, ships knocked down.

Grommets are  $\underline{\text{NOT}}$  an option for these tables.

There are no grooves for finger pull, underside of the table tops.

The square and Rectangular worksurfaces have straight edges.

### Center Column Tables - Fixed Height with Column Base LegReff Profiles Vol. Two Wood Surface, 1" Thick, Square Edges

description	d	W	th	pattern no.	V1	V2	V3
Round Column Base Table with 28 1/8" height legs	36"		1"	RCTRWE362()()	\$2,778.	\$2,806.	\$2,962.
	42"		1"	RCTRWE422( )( )	2,824.	2,860.	3,076.
Square Column Base Table with 283/8" height legs	36"	36"	1"	RCTSWE362( )( )	2,738.	2,783.	2,966.
	42"	42"	1"	RCTSWE422( )( )	2,812.	2,868.	3,140.
Retangle Column Base Table with 283/8" height	30"	48"	1"	RCTTWE30482( )( )	2,675.	2,723.	2,942.
legs	36"	54"	1"	RCTTWE36542()()	2,769.	2,830.	3,142.



Example:	RCTRWE362 ( )( )
R	Reff
CT	Column Table
S	Square
W	Wood surface
E	1" thick
42	42" deep
2	283/8" height leg

**Order Code** 

118T

V316 Work surface finish

Base Finish

### **Specification Information**

 $\label{thm:conder} \textit{To order please specify pattern} \\ \textit{number including:}$ 

1. Worksurface finish: V1, V2, V3 2. Leg finish: All core paint colors.

Column and base are color matched. Column = smooth Base = textured

### **Application Notes**

It is not advisable to mix 283/8"h desk height product with 261/2"h standard height products.

Table height =  $28 \frac{3}{8}$  h to the underside of worksurface.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Assembly required, ships knocked down.

Grommets are NOT an option for these tables.

There are no grooves for finger pull, underside of the table tops.

The square and Rectangular worksurfaces have straight edges.

### Center Column Tables - Height Adjustable Sliding Laminate Surface, 1" Thick, Beveled Edges

description	d	W	th	pattern no.	L
Round Sliding Table with height adjustable base	36"		1"	RSTRLE363()()	\$4,332.
	42"		1"	RSTRLE423( )( )	4,395.
(h)					
Soft Square Sliding Table with height adjustable	36"	36"	1"	RSTSLE363( )( )	4,303.
base Stiding Table with height adjustable	42"	42"	1"	RSTSLE423( )( )	
	42	42	1	HS15LE423( )( )	4,372.
		#	- "		
Soft Rectangle Sliding Table with height	30"	48"	1"	RSTTLE30483()()	4,119.
adjustable base	36"	54"	1"	RSTTLE36543()()	4,199.



### **Order Code**

#### Example: RSTRLE363()() Reff ST Sliding Table R Round, S=Square,T=Rectangle L Laminate surface E 1" thick 30 30" deep 48 48" wide 3 Height Adjustable Base 114 Work surface finish () Edge finish 118T Base Finish

### **Specification Information**

To order please specify pattern number including:

- Worksurface finish: Laminate
   Edge finish: L, V1, V2, V3
   (Edge options are available on laminate tops only.)
- 3. Base textured finish: All core paint colors.

### **Application Notes**

It is not advisable to mix 28%''h desk height product with 26%''h standard height products.

### Height range is from 27" - 42" to the underside of worksurface.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Assembly required, ships knock down.

Grommets are  $\underline{\text{NOT}}$  optional for these tables.

Load capacity for Height Adjustable tables is 200 lbs, functional load.

Column and base are color matched. Column = smooth Base = textured

The underside of table tops are routed with a finger pull groove for easy movement.

The soft square and soft rectangular worksurfaces have softly curved sides.

### Center Column Tables - Height Adjustable Sliding Wood Surface, I'' Thick, Beveled Edges

description	d	W	th	pattern no.	V1	V2	V3
Round Sliding Table with height adjustable base	36"		1"	RSTRWE363()()	\$4,609.	\$4,663.	\$4,936.
	42"		1"	RSTRWE423( )( )	4,679.	4,751.	5,090.
T							
Soft Square Sliding Table with height adjustable	36"	36"	1"	RSTSWE363( )( )	4,580.	4,634.	4,930.
base	42"	42"	1"	RSTSWE423( )( )	4,654.	4,723.	5,090.
Soft Rectangle Sliding Table with height	30"	48"	1"	RSTTWE30483( )( )	4,380.	4,438.	4,760.
adjustable base	36"	54"	1"	RSTTWE36543()()	4,466.	4,542.	4,937.

Order Code		Specification Information	Application Notes		
Example: R ST R	RSTRWE363 ()() Reff Sliding Table Round, S=Square,T=Rectangle Wood surface 1" thick	<ul> <li>To order please specify pattern number including:</li> <li>1. Worksurface finish:     V1, V2, V3</li> <li>2. Base textured finish:     All core paint colors.</li> </ul>	It is not advisable to mix 28 3/8"h desk height product with 26 1/2"h standard height products.  Height range is from 27" - 42" to the underside of worksurface.  Assembly required, ships knock down.	Grommets are <u>NOT</u> optional for these tables.  Load capacity for Height Adjustable tables, is 200 lbs, functional load.  Column and base are color matched.  Column = smooth  Base = textured	
30 48 3 V316	30" deep 48" wide Height Adjustable Base Maple work surface finish Base Finish			The underside of sliding table tops are routed with a finger pull groove for easy movement.  The soft square and soft rectangular worksurfaces have softly curved sides.	

### Center Column Tables - Height Adjustable Sliding Solid Surface, 1" Thick, Beveled Edges

description	d	W	th	pattern no.	Solid
Round Sliding Table with height adjustable base	36"		1"	RSTRSE363( )( )	\$9,979.
	42"		1"	RSTRSE423( )( )	11,279.
Soft Square Sliding Table with height adjustable	36"	36"	1"	RSTSSE363( )( )	9,035.
base	42"	42"	1"	RSTSSE423( )( )	10,466.
Soft Rectangle Sliding Table with height	30"	48"	1"	RSTTSE30483( )( )	10,888.
adjustable base	36"	54"	1"	RSTTSE36543( )( )	11,957.

<	

Example:	RSTRSE363 ( )( )
R	Reff
ST	Sliding Table
R	Round,
	S=Square,T=Rectangle
S	Solid surface
E	1" thick
30	30" deep
48	48" wide

**Order Code** 

### 3 Height Adjustable Base AW Solid Table finish 118T Base Finish

### **Specification Information**

 ${\it To~order~please~specify~pattern}$ number including:

- 1. Worksurface finish: Solid Finish only  $\overrightarrow{AW} = Artic White$
- 2. Base textured finish: All core paint colors.

### **Application Notes**

It is not advisable to mix 283/8"h desk height product with  $26^{1}/2''h$ standard height products.

Height range is from 27" - 42" to the underside of worksurface.

Assembly required, ships knock

Grommets are  $\underline{\mathrm{NOT}}$  optional for these tables.

Load capacity for Height Adjustable tables, is 200 lbs, functional load.

Column and base are color matched. Column = smoothBase = textured

The underside of sliding table tops are routed with a finger pull groove for easy movement.

The soft square and soft rectangular worksurfaces have softly curved

Artic White finish available for Solid Tops.

### Center Column Tables - Height Adjustable Laminate Surface, 1" Thick, Square Edges

description	d	W	th	pattern no.	L
Round Table with height adjustable base	36"		1"	RCTRLE363()()	\$3,338.
	42"		1"	RCTRLE423()()	3,387.
Square Table with height adjustable base	36"	36"	1"	RCTSLE363( )( )	3,431.
	42"	42"	1"	RCTSLE423( )( )	3,479.
Rectangle Table with height adjustable base	30"	48"	1"	RCTTLE30483( )( )	3,378.
	36"	54"	1"	RCTTLE36543( )( )	3,414.

Order Code					
Example:	RCTRLE363 ( )( )				
R	Reff				
СТ	Column Table				
R	Round, S=Square,				
	T=Rectangle				
L	Laminate surface				
E	1" thick				
30	30" deep				
48	48" wide				
3	Height Adjustable Base				
114	Work surface finish				
()	Edge finish				
118T	Base Finish				

### **Specification Information**

To order please specify pattern number including:

- Worksurface finish: Laminate
   Edge finish: L, V1, V2, V3 (Edge options are available on
- laminate tops only.)
  3. Base Textured finish:
  All core paint colors.

### **Application Notes**

It is not advisable to mix 28 % % desk height product with 26 % 2% standard height products.

### Height range is from 27"-42" to the underside of worksurface.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Assembly required, ships knocked down.

Grommets are  $\underline{\mathrm{NOT}}$  an option for these tables.

Load capacity for Height Adjustable tables is 200 lbs, functional load.

Column and base are color matched. Column = smooth Base = textured

The tops have the standard square edge.

There are no grooves for finger pull, underside of the table tops.

The square and Rectangular worksurfaces have straight edges.


### Center Column Tables - Height Adjustable Wood Surface, 1" Thick, Square Edges

description	d	W	th	pattern no.	V1	V2	V3
Round Table with height adjustable base	36"		1"	RCTRWE363()()	\$3,604.	\$3,647.	\$3,836.
	42"		1"	RCTRWE423()()	3,648.	3,704.	3,945.
Square Table with height adjustable base	36"	36"	1"	RCTSWE363()()	3,597.	3,641.	3,828.
	42"	42"	1"	RCTSWE423( )( )	3,649.	3,705.	3,946.
Rectangle Table with height adjustable base	30"	48"	1"	RCTTWE30483()()	3,586.	3,634.	3,840.
	36"	54"	1"	RCTTWE36543()()	3,625.	3,687.	3,948.

R Reff ST Sliding Table R Round, S=Square, T=Rectangle W Wood surface E 1" thick 30 30" deep 48 48" wide 3 Height Adjustable Base  number including:  1. Worksurface finish: V1, V2, V3 2. Base Textured finish: All core paint colors.  Assembly required, ships knocked down.  desk height product with 26 ½"h standard height products. Load capace tables is 20 underside of worksurface.  Assembly required, ships knocked down.  The tops have dege.  There are not the standard height product with 26 ½"h standard height products.  Load capace tables is 20 underside of worksurface.  Column and down.  The tops have dege.  There are not the standard height product with 26 ½"h standard height products.  Load capace tables is 20 underside of worksurface.  Tolumn and down.  The tops have dege.	on Notes
vode M l l f	s are NOT an option for es.  acity for Height Adjustable 200 lbs, functional load.  and base are color matched. smooth stured  have the standard square  no grooves for finger pull,
full.	of the table tops.
Ine square	e and Rectangular ces have straight edges.

### Top support components Bracketry

description	d	pattern no.	P1& black only	P2	Р3
Panel to pedestal bracket		RBPP (L/R)	\$8.		
	Black only				
Top to top bracket	6" x 1"	RBF (Pair)	5.		
(6265) (6865)	Black only				
Wall hung support bracket	20"	RSBWH20	45.	49.	51.
	24"	RSBWH24	47.	52.	55.
(000	30"	RSBWH30	51.	56.	59.
	36"	RSBWH36	57.	64.	67.
	42"	RSBWH42	60.	67.	70.
Treater.	48"	RSBWH48	74.	81.	85.
	Specify paint fi	nish			
Z-bracket for bridge applications		RBZ (A/B) (Pair)	36.		
	Black only				
Mid-span cantilever bracket, free standing	17"	RMSCB()	80.	93.	98.



### Order Code

Example:	RMSCB
R	Reff
MS	Mid Span
СВ	Cantilever Bracket
()	Finish

 $\boldsymbol{L}$  brackets may be used in off module applications for  $\boldsymbol{L}$  bases,  $\boldsymbol{T}$  bases and half depth end panels.

### **Specification Information**

To order please specify pattern number including:

1. Finish - () - Painted Finish

When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.

### **Application Notes**

For wood tops black bracketry is recommended.

Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.

Knoll takes no responsibility for the installation or security of tops to the wall.

Cantilever should be specified with top to top brackets.

Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

### Top support components Bracketry

description	d	pattern no.	P1& black only	P2	Р3
Modesty panel offset bracket Required to join		RBPR (Pair)	\$7.	\$8.	\$9.
modesty panel to end panel of adjacent top assembly - order separately.	Specify pai	nt finish			
Panel to storage tower bracket Used to attach		RBPS (L/R)	11.	12.	13.
office tower to panels.	Specify pai			12.	10.
Utility bracket		RUTB	11.		
	Black only				
L Bracket for off-module applications		R113B	5.		
0 0 0 0 0	One by one	by three bracket			
Worksurface to cabinet bracket		RBWC24	58.	0.	0.
for 24" worksurface	bracket car	n be used with 20" and 24" w	orksurface		
Worksurface to cabinet bracket		RBWC30	64.	0.	0.
for 30" worksurface	bracket car	n be used with 30" and 36" w	orksurface		

### **Order Code**

# Example: RMSCB R Reff MS Mid Span CB Cantilever Bracket () Finish

L brackets may be used in off module applications for L bases, T bases and half depth end panels.

### **Specification Information**

To order please specify pattern number including:

1. Finish - ( ) - Painted Finish

When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.

### **Application Notes**

For wood tops black bracketry is recommended.

Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.

Knoll takes no responsibility for the installation or security of tops to the wall.

Cantilever should be specified with top to top brackets.

Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

# Top support components 28<sup>3</sup>/8" high planning Modesty

description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware (desk height)	1"	24"	283/8"	RBDH24M(F/R) ( )( )	\$172.	\$248.	\$284.	\$381.
	1"	30"	283/8"	RBDH30M(F/R) ( )( )	311.	445.	511.	689.
Flush/cantilevered (no glides)	1"	36"	283/8"	RBDH36M(F/R) ( )( )	345.	486.	557.	751.
(in grand)	1"	42"	283/8"	RBDH42M(F/R) ( )( )	371.	527.	608.	820.
	1"	48"	283/8"	RBDH48M(F/R) ( )( )	417.	593.	682.	921.
, //	1"	54"	283/8"	RBDH54M(F/R) ( )( )	437.	622.	713.	962.
	1"	60"	283/8"	RBDH60M(F/R)()()	454.	639.	737.	995.
	1"	66"	283/8"	RBDH66M(F/R)()()	470.	669.	774.	1,044.
	1"	72"	283/8"	RBDH72M(F/R) ( )( )	519.	737.	848.	1,144.
	1"	78"	283/8"	RBDH78M(F/R)()()	555.	782.	907.	1,225.
recessed (no glides)	1"	84"	283/8"	RBDH84M(F/R) ( )( )	587.	832.	956.	1,290.
(no glides)	1"	90"	283/8"	RBDH90M(F/R)()()	621.	880.	1,013.	1,367.
•	1"	96"	283/8"	RBDH96M(F/R) ( )( )	633.	904.	1,037.	1,401.
Desk height corner worksurface support	36"	36"	283/8"	RBDH3636 ( )( )	1,125.	1,687.	1,943.	2,621.
	36"	42"	283/8"	RBDH3642 ( )( )	1,150.	1,731.	1,991.	2,689.
	36"	48"	283/8"	RBDH3648 ( )( )	1,199.	1,796.	2,061.	2,784.
	42"	36"	283/8"	RBDH4236 ( )( )	1,150.	1,731.	1,991.	2,689.
	42"	42"	283/8"	RBDH4242 ( )( )	1,179.	1,771.	2,040.	2,753.
	42"	48"	283/8"	RBDH4248 ( )( )	1,227.	1,835.	2,116.	2,858.
	48"	36"	283/8"	RBDH4836 ( )( )	1,199.	1,796.	2,061.	2,784.
	48"	42"	283/8"	RBDH4842 ( )( )	1,227.	1,835.	2,116.	2,858.
ships with glides	48"	48"	283/8"	RBDH4848 ( )( )	1,273.	1,904.	2,205.	2,978.

depth = left return, width = right return

### Order Code

### Example: RBDH24MFL114 Reff R В Back panel/modesty DH Desk height (283/8") 24 M Full height modesty F Modesty placement, flush Finish type, laminate Finish, Folkstone grey 114

### Specification Information

To order please specify pattern number including:

- 1. Modesty placement
  F = Flush, cantilevered
  R = Recessed
- 2. Finish type
  L = laminate
  - 1 = V12 = V2
  - 2 = V23 = V3
- 3. Finish

### **Application Notes**

### It is not advisable to mix 28 \%"h desk height product with 26 \%''h standard height products.

Product on this page will accept wood grain laminate where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5. Modesty panels and end panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered separately.

Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.

Modesty panel lengths are nominal, length changes on option selected.

\* Half depth end panels

Please see Reff Planning Guide for freestanding planning instructions.

# Top support components 28<sup>3</sup>/8" high planning End panels

description	d	W	h	pattern no.	L	V1	V2	V3
Desk height end panels with hardware for	1"	30"	283/8"	REDH30 ( )( )	\$533.	\$875.	\$1,006.	\$1,358.
recessed modesty worksurfaces (sold in pairs)	1"	36"	283/8"	REDH36 ( )( )	562.	916.	1,051.	1,420.



Desk height end panel for panel (hardware included)



1"	13"	$28^{3}/8''$	RSEDH1(L/R) ( )( )	203.	361.	410.	555.
1"	16"	283/8"	RSEDH2(L/R)()()	218.	379.	439.	593.
1"	20"	283/8"	RSEDH3(L/R)()()	236.	398.	457.	617.
1"	24"	283/8"	RSEDH4(L/R)()()	249.	416.	480.	650.
1"	30"	283/8"	RSEDH5(L/R)()()	264.	442.	504.	681.
1"	36"	283/8"	RSEDH6(L/R) ( )( )	282.	457.	527.	712.

left hand shown

Desk height end panels with hardware for building flush or cantilevered worksurfaces



1"	12"	283/8"	REDH12F()()*	203.	361.	410.	555.
1"	15"	283/8"	REDH15F()()*	218.	379.	439.	593.
1"	19"	283/8"	REDH19F()()	236.	398.	457.	617.
1"	23"	283/8"	REDH23F ( )( )	249.	416.	480.	650.
1"	29"	283/8"	REDH29F ( )( )	264.	442.	504.	681.

### **Order Code**

# Example: REDH30 R Reff E End panel DH Desk height (28³/8") 30 30" L Left hand L Finish type, laminate 114 Finish, Folkstone grey

### **Specification Information**

To order please specify pattern number including:

- 1. Finish type
  L = laminate
  1 = V1
  2 = V2
- 3 = V3 2. *Finish*

### **Application Notes**

### It is not advisable to mix 28 \%"h desk height product with 26 \%''h standard height products.

Product on this page will accept wood grain laminate where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.Modesty panels and end panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered separately.

Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.

\* Half depth end panels

Please see Reff Planning Guide for freestanding planning instructions.

# Top support components 28<sup>3</sup>/8" high planning Modesty and Bulkhead

h V1V2V3description pattern no. L RBDH40MR()() \$371. Desk height bow top front, short modesty 40" 283/8" \$527. \$608. \$820. (pedestals ordered separately) 1" 962. 52" 283/8" 437. 622. 713. RBDH52MR()() 283/8" 64" RBDH64MR()() 470. 669. 774. 1,044.



### Use of short modesty panel

Pedestals and finished back for pedestal must each be ordered separately

Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.

Order

40" modesty for 72" bow top

52" modesty for 84" bow top

64" modesty for 96" bow top

When ordering 30"d bow top for use with short modesty, specify **recessed** grommet location

When ordering 36"d bow top for use with short modesty, specify **alternate** grommet location

Desk height bulkhead (false pedestal)



24"	16"	283/8"	REDHBH124 ( )( )	524.	873.	1,013.	1,367.
30"	16"	283/8"	REDHBH130 ()()	542.	890.	1,037.	1,401.

Bulkhead takes the place of a pedestal in applications using the short modesty panel but not requiring a double pedestal application

### **Order Code**

Example:	RBDH40MR
R	Reff
В	Back panel/modesty
DH	Desk height (28 <sup>3</sup> /8")
40	Width
M	Full height modesty
R	Modesty placement,
	recessed
L	Finish type, laminate
114	Finish, Folkstone grey

### **Specification Information**

To order please specify pattern number including:

- Modesty placement
   F = Flush, cantilevered
   R = Recessed
- 2. Finish type
  L = laminate
  1 = V1
  2 = V2
- 3 = V3 3. *Finish*

### **Application Notes**

It is not advisable to mix 28 \%"h desk height product with 26 \%"h standard height products.

Modesty panels and end panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered separately.

Product on this page will accept wood grain laminate where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5. Modesty support for corner worksurface includes 12" deep end panels to support in freestanding applications.

Modesty panel lengths are nominal.

Glides ship with all supports on this page except the recessed modesty panel.

Please see Reff Planning Guide for freestanding planning instructions.

### Top support components Legs, Painted or Plated, 283/8" high planning

description	dia.	d	W	h	pattern no.	P1	P2	Р3	P4
T-Leg, plain tube style (desk height)		20"	-	283/8"	RCDHB20T ( )( )	\$438.	\$482.	\$505.	\$591.
$\Diamond$		24"	-	283/8"	RCDHB24T()()	447.	492.	517.	601.
$\prod$		30"	_	283/8"	RCDHB30T()()	492.	541.	568.	646.
		40"	_	283/8"	RCDHB40T()()	521.	573.	602.	674.
<b>⋄</b>									

Ships with wood screws for fastening to underside of worksurface into pilot hole location. Painted and PD, PT and PZ plated finishes.

Set of four column legs (3" dia.) with casters with triangular plates (desk height)

3" – **RSDHCC4()** 1,495. 1,645. 1,727. 2,118.

Painted, PD and PU plated finishes.



Set of 4 Column legs	2 1/2"	_	283/8"	RSDHC254()	960.	1,057.	1,109.	1,731.
PPPP	3"	-	283/8"	RSDHC304()	1,027.	1,130.	1,186.	1,808.
	4"	-	283/8"	RSDHC404()	1,188.	1,307.	1,372.	1,995.
Support Column, 3" dia.			283/8"	RSDHC3 ( )( )	343.	377.	396.	497.



Painted and PD and PU plated finishes.

### **Order Code**

# Example: RSDHCP111 R Reff S Support DH Desk Height C Column Leg P Finish type, paint 111 Finish, Jet Black

### **Specification Information**

To order please specify pattern number including:

- 1. Finish Type, where applicable P = Paint (P1, P2, P3)
- 2. Finish: Core paint finishes

### **Application Notes**

It is <u>NOT</u> advisable to mix 28 %"h desk height product with 26 %"h standard height product.

The base matrix for T-leg (tube style) is; 20" T-leg is used with 24"d top 24" T-leg is used with 30"d top 30" T-leg is used with 36"d top 40" and 42" T-leg is used with 48"d top

For all other Top to Base matrix, please refer to pages 140 and 141 in the Reff planning guide.

The plain cylinder and the tube legs can be ordered in plated and painted finishes.

All legs include  $1\frac{1}{2}$ " leveller, allowing  $1\frac{1}{4}$ " adjustability.

Casters are black, swivel type. Ships with 2 locking and 2 non-locking type.

### Top support components Open Frame legs, 28<sup>3</sup>/8" high planning Painted or Plated

description	d	W	h	pattern no.	P1	P2	Р3	P4
Open Frame Legs, Set of one	20"		283/8"	RPOFL1202()	\$561.	\$617.	\$648.	\$919.
For Peninsulas	24"		283/8"	RPOFL1242()	567.	623.	655.	926.
	30"		283/8"	RPOFL1302()	576.	633.	665.	1,037.
	36"		283/8"	RPOFL1362()	576.	633.	665.	1,037.

Ships with wood screws for fastening to underside of worksurface. Painted and Anodized finishes only.

Open Frame Legs, Set of two For Tables



20"	60"	283/8"	RPOFL260202()	1,171.	1,287.	1,352.	1,888.
20"	66"	283/8"	RPOFL266202()	1,194.	1,313.	1,380.	1,912.
20"	72"	283/8"	RPOFL272202()	1,196.	1,316.	1,382.	1,914.
20"	78"	283/8"	RPOFL278202()	1,208.	1,329.	1,396.	1,926.
20"	84"	283/8"	RPOFL284202()	1,212.	1,332.	1,399.	1,929.
24"	60"	283/8"	RPOFL260242()	1,182.	1,300.	1,365.	1,899.
24"	66"	283/8"	RPOFL266242()	1,205.	1,326.	1,392.	1,923.
24"	72"	283/8"	RPOFL272242()	1,207.	1,328.	1,395.	1,925.
24"	78"	283/8"	RPOFL278242()	1,220.	1,342.	1,409.	1,937.
24"	84"	283/8"	RPOFL284242()	1,223.	1,345.	1,412.	1,940.
30"	60"	283/8"	RPOFL260302()	1,201.	1,321.	1,387.	2,124.
30"	66"	283/8"	RPOFL266302()	1,224.	1,347.	1,415.	2,146.
30"	72"	283/8"	RPOFL272302()	1,227.	1,349.	1,417.	2,149.
30"	78"	283/8"	RPOFL278302()	1,239.	1,362.	1,431.	2,162.
30"	84"	283/8"	RPOFL284302()	1,241.	1,366.	1,434.	2,164.
36"	60"	283/8"	RPOFL260362()	1,201.	1,321.	1,387.	2,124.
36"	66"	283/8"	RPOFL266362()	1,224.	1,347.	1,415.	2,146.
36"	72"	283/8"	RPOFL272362()	1,227.	1,349.	1,417.	2,149.
36"	78"	283/8"	RPOFL278362()	1,239.	1,362.	1,431.	2,162.
36"	84"	283/8"	RPOFL284362()	1,241.	1,366.	1,434.	2,164.

Ships with two stiffeners and threaded metal insets with machine screws, for fastening to underside of worksurface.

Painted and Anodized finishes only.

### **Order Code**

Example:	RPOFL1202()
RP	Reff Profiles
OFL	Open Frame Leg
1	Set of 1(for Peninsula) 2 = Set of 2 (for Tables)
20	depth
2	28³/8″h
AU	Leg Finish

### **Specification Information**

To order please specify pattern number including:

1. Leg Finish:
Painted or Anodized
P1 = All core painted options
P2 = All core metallic painted
options, plus AA
P3 = 613 Silver
P4 = Anodized finishes AP &

### **Application Notes**

It is <u>NOT</u> advisable to mix 28 \%"h desk height products with 26 \%"h standard height product.

For **Peninsulas:** Stiffeners are required for  $1\frac{1}{2}$ " thick tops with a span greater than 54". The end of the worksurface, opposite the open frame legs muse be anchored securely.

For **Tables:** Stiffeners must be installed in a specific location relative to the leg top plates and may not be arbitrarily located. Stiffeners are finished black.

Open Frame legs include glides with 1" height adjustability.
Open Frame legs are not intended or able to be used adjacent to full height - 28%" h desk height storage. Note: These legs are intended to be used with Knoll worksurfaces, only.

Installation instruction sheets available on Knoll.Exchange. For Peninsulas, refer to part number 6TP00440. For Tables; refer to part number 6TP00441.

### Top support components Legs, Painted or Anodized, 283/8" high planning

description	h	pattern no.	P1	P2	Р3	P4
L-Leg (Pair)	283/8"	RPL2()	\$503.	\$554.	\$581.	\$708.
Reverse L-Leg (Pair)	283/8"	RPRL2()	503.	554.	581.	708.
Soft Rectangular Leg (Pair)	283/8"	RPS2()	571.	628.	660.	776.
1						
Wide Flange Leg (Single) 283/8"h	283/8"	RPWFL28()	550.	610.	650.	996.



### **Order Code**

# Example: RPL2() RP Reff Profiles L Leg 2 283/8"h AU Leg finish

RL = Reverse LegS = Soft Rectangular Leg

### Specification Information

To order please specify pattern number including:

1. Finish: Painted or Anodized (AA, AP, AU)

### **Application Notes**

It is  $\underline{NOT}$  advisable to mix 28 % "h desk height product with 26 % "h standard height product.

For "L", "Reverse L" and "Soft Rectangular" Legs, same criteria applies as the column legs, when referencing the planning guide; pages 140 and 141 All legs, excluding "Wide Flange Legs" are sold in pairs. These legs (excluding the Wide flange legs) include 1" leveller allowing <sup>3</sup>/<sub>4</sub>" adjustability.

Wide Flange legs have 2" leg height adjustability at the top of the leg to the worksurface connection. Wide Flange legs are for use with Peninsula applications only.

### Top support components Bases, Painted or Plated, 283/8" high planning

description	dia.	W	h	d	pattern no.	P1	P2	P3	P4
Spider base, plain tube style (desk height)		_	283/8"	24"	RCBDH24X ( )( )	\$686.	\$754.	\$794.	\$839.
		_	283/8"	28"	RCBDH28X ( )( )	716.	788.	827.	870.
		_	283/8"	36"	RCBDH36X ( )( )	778.	856.	899.	932.
			), PT and PZ	0	to underside of worksurfac nishes.	e into pilot no	ic location.		
Drum Base (desk height)	14"	_	283/8"	_	RSDHD1428 ( )( )	1,345.	1,479.	1,553.	n/a
	18"	_	283/8"	-	RSDHD1828 ( )( )	1,462.	1,599.	1,679.	n/a
	20"	-	283/8"	-	RSDHD2028 ( )( )	1,505.	1,655.	1,738.	n/a
	24"	_	283/8"	_	DCDHD3439 ( \/ )	1,805.	1,985.	2,085.	
	24·		2078		RSDHD2428 ( )( )	1,005.	1,700.	2,005.	n/a

Painted finishes only.

Order Code							
Example:	RCBDH28X						
R	Reff						
С	Support Spider						
В	Base						
DH	Desk height						
28	Diameter						
X	X-base						
Р	Finish type, paint						
111	Finish, Jet Black						

### **Specification Information**

To order please specify pattern number including:

- Finish Type, where applicable
  P = Paint (P1, P2, P3)
   Finish: Core paint finish

### **Application Notes**

It is NOT advisable to mix 28 %"h desk height product with 26  $\frac{1}{2}$ "h standard height product.

Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

The Plain cylinder and tube style legs can be ordered in plated and painted finishes.

The legs on this page include a  $1\,^{1\!/}\!2''$  leveller allowing  $1\,^{1\!/}\!4''$  adjustability.

### Top support components Bases, Laminate or Wood, 283/8" high planning

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
Drum Base (desk height)	14"	_	283/8"	_	RSDHD1428 ( )( )	n/a	\$1,512.	\$1,737.	\$2,345.
	18"	_	283/8"	_	RSDHD1828 ( )( )	n/a	1,642.	1,888.	2,550.
	20"	_	283/8"	_	RSDHD2028 ( )( )	n/a	1,694.	1,946.	2,629.
	24"	-	283/8"	-	RSDHD2428 ( )( )	n/a	2,030.	2,337.	3,154.
	30"	-	283/8"	-	RSDHD3028 ( )( )	n/a	2,268.	2,607.	3,519.
	36"	_	283/8"	_	RSDHD3628 ( )( )	n/a	2,608.	2,996.	4,044.
Drum Base with hinged Access door	20"	_	283/8"	_	RSDHHA2028 ( )( )	n/a	2,719.	2,971.	3,654.
	24"	_	283/8"	_	RSDHHA2428 ( )( )	n/a	3,293.	3,632.	4,544.
	30"	_	283/8"	_	RSDHHA3028 ( )( )	n/a	3,385.	3,736.	4,684.
	36"	-	283/8"	_	RSDHHA3628 ( )( )	n/a	3,740.	4,129.	5,176.
T-base, desk height (hardware included)		20"	283/8"	12"	RSDHT1 ( )( )	479.	549.	638.	862.
		24"	283/8"	12"	RSDHT2()()	514.	588.	676.	913.
- F   ]		30"	283/8"	12"	RSDHT3 ( )( )	602.	686.	790.	1,068.
		36"	283/8"	12"	RSDHT4()()	685.	784.	900.	1,215.
		42"	283/8"	12"	RSDHT5 ( )( )	759.	872.	1,006.	1,358.
		48"	283/8"	12"	RSDHT6()()	846.	964.	1,111.	1,502.
L-base, desk height (hardware included,		12"	283/8"	12"	RSDHL12 ( )( )	479.	549.	638.	862.
non-handed)		15"	283/8"	12"	RSDHL15 ( )( )	488.	557.	644.	871.
		20"	283/8"	12"	RSDHL20 ( )( )	514.	578.	670.	906.
		24"	283/8"	12"	RSDHL24 ( )( )	521.	588.	677.	913.
		30"	283/8"	12"	RSDHL30 ( )( )	602.	686.	790.	1,068.
7		36"	283/8"	12"	RSDHL36 ( )( )	685.	784.	900.	1,215.
		42"	283/8"	12"	RSDHL42 ( )( )	759.	872.	1,006.	1,358.
		48"	283/8"	12"	RSDHL48 ( )( )	846.	964.	1,111.	1,502.

Order Code							
Example:	RSDHD1428						
R	Reff						
S	Support						
DH	Desk Height						
D	Drum base, HA = Hinged with Access door						
14	Diameter						
28	Height						
2	Finish type, V2						
V316	Finish, Maple						

### **Specification Information**

To order please specify pattern number including:

- 1. Finish Type, where applicable L = Laminate
  - 1 = V1 2 = V2 3 = V3
- 2. Finish: Core paint finishes

### **Application Notes**

It is NOT advisable to mix 28 %"h desk height product with 26 ½"h standard height product.

Product on this page will accept wood grain laminate where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.

Wood T and L bases are not recommended for supporting conference tops.

Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

All bases include 11/2" leveler, allowing 11/4" adjustability.

Stiffeners Reff Profiles Vol. Two

description	type	width	depth	height	pattern number	list
Stiffener for worksurface, full depths	36"	20"	1 1/2"	1"	AWM1 S36	\$60.
	42"	26"	1 1/2"	1"	AWM1 S42	64.
*	48"	32"	1 1/2"	1"	AWM1 S48	66.
	60"	44"	1 1/2"	1"	AWM1 S60	68.
	66"	50"	1 1/2"	1"	AWM1 S66	72.
	72"	56"	1 1/2"	1"	AWM1 S72	74.
	78"	62"	1 1/2"	1"	AWM1 S78	77.
	84"	68"	1 1/2"	1"	AWM1 S84	79.

### Order Code

## Example: AWM1 S36 AWM1 Stiffener S Straight 36 Application

### **Specification Information**

Stiffeners are black painted finish.

### **Application Notes**

AutoStrada worksurfaces require stiffeners when the span between structural supports exceeds 60". Stiffener also serves as horizontal cable manager.

Stiffener corresponds in width to straight or corner worksurface back edge. Specify 12" less wide stiffener to mount adjacent to floor standing pedestal.

For 90" application span, use AWM1-S84 stiffener.

### Modesty Removable Application for Between End panel and Storage Unit 283/8" planning

description	end panel	storage	modesty width	h	pattern no.	L	V1	V2	V3
72" Removable Modesty	1"	16"	55"	25"	RDHMR7210	\$385.	\$487.	\$560.	\$728.
	1"	19"	52"	25"	RDHMR7220	379.	479.	551.	716.
	1"	30"	41"	25"	RDHMR7230	354.	446.	513.	666.
	1"	36"	35"	25"	RDHMR7240	341.	432.	496.	645.
78" Removable Modesty	1"	16"	61"	25"	RDHMR7810	397.	501.	576.	747.
	1"	19"	58"	25"	RDHMR7820	392.	494.	566.	738.
	1"	30"	47"	25"	RDHMR7830	365.	459.	529.	688.
	1"	36"	41"	25"	RDHMR7840	354.	446.	513.	666.
84" Removable Modesty	1"	16"	67"	25"	RDHMR8410	412.	522.	601.	779.
	1"	19"	64"	25"	RDHMR8420	402.	508.	583.	759.
	1"	30"	53"	25"	RDHMR8430	380.	480.	552.	719.
	1"	36"	47"	25"	RDHMR8440	365.	459.	529.	688.
	- "		"						
90" Removable Modesty	1"	16"	73"	25"	RDHMR9010	424.	535.	616.	801.
	1"	19"	70"	25"	RDHMR9020	418.	528.	607.	789.
	1"	30"	59"	25"	RDHMR9030	393.	495.	568.	740.
	1"	36"	53"	25"	RDHMR9040	380.	480.	552.	719.
96" Removable Modesty	1"	16"	79"	25"	RDHMR9610	441.	556.	640.	832.
70 Removable Modesty	1"	19"	76"	25"	RDHMR9620	429.	542.	623.	811.
	1"	30"	65"	25"	RDHMR9630	403.	509.	585.	762.
	1"	36"	59"	25"	RDHMR9640	393.	495.	568.	740.
102" Removable Modesty	1"	16"	85"	25"	RDHMR10210	468.	583.	667.	859.
	1"	19"	82"	25"	RDHMR10220	456.	569.	651.	838.
	1"	30"	71"	25"	RDHMR10230	431.	537.	614.	788.
	1"	36"	65"	25"	RDHMR10240	419.	523.	597.	768.
108" Removable Modesty	1"	16"	91"	25"	RDHMR10810	496.	612.	695.	887.
	1"	19"	88"	25"	RDHMR10820	484.	598.	678.	865.
	1"	30"	77"	25"	RDHMR10830	458.	564.	641.	817.
$\vee$	1"	36"	71"	25"	RDHMR10840	447.	550.	624.	795.

Example:	RDHMR7810
R	Reff
DH	Desk height
M	Modesty
R	Removable
78	Width
10	16" storage
V2	Finish type

Light Maple

**Order Code** 

V316

### **Specification Information**

To order please specify pattern number including:

- 1. Finish Type L, V1, V2, V3
- 2. Finish V316

Installation instruction sheets available on Knoll Exchange.Refer to reference number 6TP00084.

### **Application Notes**

Products on this page will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60" wide, the grain direction is horizontal.

All noted dimensions are nominal.

Please see Planning Guide for freestanding planning instruction.

These removable modesty's backs are finished in veneer / laminate on inside (user side) and paper finished on the outside (approach side).

Modesty End panel and storage

unit.

10 =16'' storage 19'' storage 30'' storage 20 =

36'' storage 40=

Modesty between two storage units.

16"/16" storage 16"/19" storage 16"/30" storage 16"/36" storage 19"/19" storage 19"/30" storage 19"/36" storage 30"/30" storage 11= 12= 13=

14= 22=

23 =24=

### Modesty Removable Application for Between two Storage Elements 283/8" planning

description	storage 1	storage 2	modesty width	th	h	pattern no.	L	V1	V2	V3
72" Removable Modesty	16"	16"	41"	1"	25"	RDHMR7211	\$353.	\$446.	\$513.	\$666.
	16"	19"	38"	1"	25"	RDHMR7212	341.	442.	496.	645.
	19"	19"	35"	1"	25"	RDHMR7222	346.	438.	504.	656.
70"7	3.68	7.64	.="	7.11	2 = "		264	450	<b>#20</b>	
78" Removable Modesty	16"	16"	47"	1"	25"	RDHMR7811	364.	458.	528.	687.
	16"	19"	44"	1"	25"	RDHMR7812	358.	452.	521.	675.
	19"	19"	41"	1"	25"	RDHMR7822	353.	446.	513.	666.
84" Removable Modesty	16"	16"	53"	1"	25"	RDHMR8411	379.	480.	552.	718.
	16"	19"	50"	1"	25"	RDHMR8412	370.	467.	537.	697.
	16"	30"	38"	1"	25"	RDHMR8413	350.	441.	507.	659.
	19"	19"	47"	1"	25"	RDHMR8422	364.	458.	528.	687.
	19"	30"	35"	1"	25"	RDHMR8423	342.	433.	498.	646.
90" Removable Modesty	16"	16"	59"	1"	25"	RDHMR9011	393.	495.	568.	740.
	16"	19"	56"	1"	25"	RDHMR9012	387.	488.	561.	730.
	16"	30"	44"	1"	25"	RDHMR9013	359.	453.	522.	677.
	16"	36"	38"	1"	25"	RDHMR9014	350.	441.	507.	659.
	19"	19"	53"	1"	25"	RDHMR9022	379.	480.	552.	718.
	19"	30"	41"	1"	25"	RDHMR9023	354.	447.	515.	668.
	19"	36"	35"	1"	25"	RDHMR9024	342.	433.	498.	646.
96" Removable Modesty	16"	16"	65"	1"	25"	RDHMR9611	403.	509.	585.	762.
	16"	19"	62"	1"	25"	RDHMR9612	397.	502.	577.	749.
	16"	30"	50"	1"	25"	RDHMR9613	376.	475.	547.	710.
	16"	36"	44"	1"	25"	RDHMR9614	359.	453.	522.	677.
	19"	19"	59"	1"	25"	RDHMR9622	393.	495.	568.	740.
	19"	30"	47"	1"	25"	RDHMR9623	366.	460.	531.	690.
	19"	36"	41"	1"	25"	RDHMR9624	354.	447.	515.	668.
	30"	30"	36"	1"	25"	RDHMR9633	343.	434.	500.	649.

Order Code							
Example:	RDHMR7211						
R	Reff						
DH	Desk height						
М	Modesty						
R	Removable						
72	Width						
11	16"/16" storage						
V2	Finish type						
V316	Light Maple						

### **Specification Information**

To order please specify pattern number including:

- $\begin{array}{ccc} 1. & \textit{Finish Type} \\ & \text{L, V1, V2, V3} \end{array}$
- 2. Finish V316

Installation instruction sheets available on Knoll Exchange. Refer to reference number 6TP00084.

### **Application Notes**

Products on this page will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60" wide, the grain direction is horizontal.

All noted dimensions are nominal.

Please see Planning Guide for freestanding planning instruction.

These removable modesty's backs are finished in veneer / laminate on inside (user side) and paper finished on the outside (approach side).

Modesty End panel and storage unit.

10 =

16" storage 19" storage 30" storage 20 =

36'' storage 40=

Modesty between two storage units.

11=

12=

16"/16" storage 16"/19" storage 16"/30" storage 16"/36" storage 19"/19" storage 19"/30" storage 19"/36" storage 30"/30" storage 13= 14 =

22= 23 =

24=

# Modesty Removable Application for Between two Storage Elements $28^3/8''$ planning

description	storage 1	storage 2	modesty width	th	h	pattern no.	L	V1	V2	V3
102" Removable Modesty	16"	16"	71"	1"	25"	RDHMR10211	\$431.	\$537.	\$614.	\$788.
	16"	19"	68"	1"	25"	RDHMR10212	424.	529.	605.	777.
	16"	30"	56"	1"	25"	RDHMR10213	404.	503.	575.	738.
	16"	36"	50"	1"	25"	RDHMR10214	387.	481.	549.	705.
	19"	19"	65"	1"	25"	RDHMR10222	419.	523.	597.	768.
	19"	30"	53"	1"	25"	RDHMR10223	394.	489.	559.	718.
	19"	36"	47"	1"	25"	RDHMR10224	380.	475.	542.	696.
	30"	30"	42"	1"	25"	RDHMR10233	371.	460.	527.	675.
108" Removable Modesty	16"	16"	77"	1"	25"	RDHMR10811	458.	564.	641.	817.
	16"	19"	74"	1"	25"	RDHMR10812	451.	557.	632.	805.
	16"	30"	62"	1"	25"	RDHMR10813	432.	530.	603.	766.
	16"	36"	56"	1"	25"	RDHMR10814	414.	509.	577.	734.
	19"	19"	71"	1"	25"	RDHMR10822	447.	550.	624.	795.
	19"	30"	59"	1"	25"	RDHMR10823	420.	517.	586.	745.
	19"	36"	53"	1"	25"	RDHMR10824	408.	503.	569.	725.
	30"	30"	48"	1"	25"	RDHMR10833	399.	489.	555.	704.

Order Co	de	Specification Information	Application Notes					
Example:	RDHMR7212	To order please specify pattern	Products on this page will accept	Modesty End panel and storage				
R	Reff	number including:	wood grain laminate, where	unit.				
DH	Desk height	1. Finish Type	laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.	10= 16" storage				
M	Modesty	— L, V1, V2, V3 2. Finish		20= 19" storage 30= 30" storage				
R	Removable	V316		40= 36" storage				
72	Width	Installation instruction sheets	All noted dimensions are nominal.	Modesty between two storage units.				
12	16"/19" storage	available on Knoll Exchange. Refer	Please see Planning Guide for freestanding planning instruction.	11= 16"/16" storage				
V2	Finish type	to reference number 6TP00084.		12= 16"/19" storage 13= 16"/30" storage				
V316	316 Light Maple	<del></del>	These removable modesty's backs	14= 16"/36" storage				
			are finished in veneer / laminate on	22= 19"/19" storage				
			inside (user side) and paper finished on the outside (approach side).	23= 19"/30" storage 24= 19"/36" storage 33= 30"/30" storage				

### Modesty Hinged Application for Between End Panel and Storage Unit 283/8" planning

description	End panel	storage 1	modesty width	h	pattern no.	L	V1	V2	V3
72" Hinged Modesty	1"	16"	56"	25"	RDHMH7210	\$842.	\$1,038.	\$1,092.	\$1,309.
. 🐧	1"	19"	53"	25"	RDHMH7220	834.	1,034.	1,083.	1,300.
	1"	30"	41"	25"	RDHMH7230	670.	862.	909.	1,092.
	1"	36"	35"	25"	RDHMH7240	660.	852.	891.	1,070.
Back side shown									
		"		"					
78" Hinged Modesty	1"	16"	62"	25"	RDHMH7810	856.	1,049.	1,108.	1,329.
	1"	19"	59"	25"	RDHMH7820	846.	1,043.	1,099.	1,318.
	1"	30"	47"	25"	RDHMH7830	684.	879.	926.	1,110.
	1"	36"	41"	25"	RDHMH7840	670.	862.	909.	1,092.
Back side shown									
84" Hinged Modesty	1"	16"	68"	25"	RDHMH8410	872.	1,068.	1,131.	1,357.
	1"	19"	65"	25"	RDHMH8420	862.	1,055.	1,121.	1,347.
	1"	30"	53"	25"	RDHMH8430	835.	1,034.	1,084.	1,302.
	1"	36"	47"	25"	RDHMH8440	684.	879.	926.	1,110.
Back side shown									
90" Hinged Modesty	1"	16"	74"	25"	RDHMH9010	883.	1,077.	1,147.	1,377.
. 1	1"	19"	71"	25"	RDHMH9020	876.	1,072.	1,140.	1,366.
	1"	30"	59"	25"	RDHMH9030	848.	1,044.	1,100.	1,320.
	1"	36"	53"	25"	RDHMH9040	835.	1,034.	1,084.	1,302.
Back side shown									
96" Hinged Modesty	1"	16"	80"	25"	RDHMH9610	895.	1,089.	1,163.	1,396.
	1"	19"	77"	25"	RDHMH9620	888.	1,083.	1,154.	1,385.
	1"	30"	65"	25"	RDHMH9630	863.	1,057.	1,123.	1,351.
	1"	36"	59"	25"	RDHMH9640	848.	1,044.	1,100.	1,320.

Back side shown

### **Order Code**

#### Example: RDHMH7210 R Reff DH Desk height M Modesty Н Hinged 72 Width 10 16" storage V2 Finish type V316 Light Maple

### **Specification Information**

To order please specify pattern number including:

- 1. Finish Type L, V1, V2, V3
- 2. Finish V316

Installation instruction sheets available on Knoll Exchange.

### **Application Notes**

Products on this page will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.

Hardware shipped with modesty to attach to worksurface.

J-Extrusion Wire Trough sold separately.

These removable modesty's backs are finished in veneer / laminate on inside (user side) and paper finished on the outside (approach side).

Modesty End panel and storage

unit.

10= 16'' storage 19'' storage 30'' storage 20 =

30= 36" storage 40=

Modesty between two storage units.

16"/16" storage 16"/19" storage 16"/30" storage 16"/36" storage 19"/19" storage 19"/30" storage 19"/36" storage 30"/30" storage 11= 12= 13= 14=

22= 23=

24=

### Modesty Hinged Application for Between Two Storage Elements 28<sup>3</sup>/8" planning

description	storage 1	storage 2	th	h	modesty width	pattern no.	L	V1	V2	V3
72" Hinged Modesty	16"	16"	1"	25"	41"	RDHMH7211	\$670.	\$862.	\$908.	\$1,090.
<b>\</b>	16"	19"	1"	25"	35"	RDHMH7222	660.	852.	891.	1,070.
	19"	19"	1"	25"	38"	RDHMH7212	664.	857.	899.	1,078.
Back side shown										
78" Hinged Modesty	16"	16"	1"	25"	47"	RDHMH7811	684.	879.	926.	1,110.
<b>\</b>	16"	19"	1"	25"	44"	RDHMH7812	675.	874.	917.	1,100.
	16"	30"	1"	25"	33"	RDHMH7813	655.	848.	879.	1,057.
	19"	19"	1"	25"	41"	RDHMH7822	670.	862.	908.	1,090.
V	19"	30"	1"	25"	30"	RDHMH7823	649.	843.	865.	1,039.
Back side shown										
84" Hinged Modesty	16"	16"	1"	25"	53"	RDHMH8411	835.	1,034.	1,084.	1,302.
	16"	19"	1"	25"	50"	RDHMH8412	829.	1,029.	1,075.	1,290.
	16"	30"	1"	25"	39"	RDHMH8413	666.	858.	901.	1,082.
	16"	36"	1"	25"	32"	RDHMH8414	655.	848.	879.	1,057.
V	19"	19"	1"	25"	47"	RDHMH8422	684.	879.	926.	1,110.
Back side shown	19"	30"	1"	25"	36"	RDHMH8423	660.	852.	894.	1,072.
Daen state thiotin	19"	36"	1"	25"	30"	RDHMH8424	649.	843.	865.	1,039.
90" Hinged Modesty	16"	16"	1"	25"	59"	RDHMH9011	848.	1,044.	1,100.	1,320.
	16"	19"	1"	25"	56"	RDHMH9012	842.	1,039.	1,093.	1,310.
	16"	30"	1"	25"	45"	RDHMH9013	678.	875.	918.	1,102.
	16"	36"	1"	25"	39"	RDHMH9014	666.	858.	901.	1,082.
Ч	19"	19"	1"	25"	53"	RDHMH9022	835.	1,034.	1,084.	1,302.
Back side shown	19"	30"	1"	25"	42"	RDHMH9023	671.	863.	909.	1,092.
	19"	36"	1"	25"	36"	RDHMH9024	660.	852.	894.	1,072.
	30"	30"	1"	25"	30"	RDHMH9033	650.	844.	868.	1,042.
96" Hinged Modesty	16"	16"	1"	25"	65"	RDHMH9611	863.	1,056.	1,122.	1,349.
<u></u>	16"	19"	1"	25"	62"	RDHMH9612	857.	1,050.	1,109.	1,330.
	16"	30"	1"	25"	51"	RDHMH9613	831.	1,030.	1,076.	1,292.
	16"	36"	1"	25"	45"	RDHMH9614	678.	875.	918.	1,102.
$\bigvee$	19"	19"	1"	25"	59"	RDHMH9622	848.	1,044.	1,100.	1,320.
Back side shown	19"	30"	1"	25"	48"	RDHMH9623	684.	880.	927.	1,111.
<b>даск stae snown</b>	19"	36"	1"	25"	42"	RDHMH9624	671.	863.	909.	1,092.
	30"	30"	1"	25"	36"	RDHMH9633	662.	854.	895.	1,073.

O	rde	ır (	വ	ч	c

V2

V316

#### Example: RDHMH7211 R Reff DH Desk height M Modesty Н Hinged 72 Width 11 16"/16" storage

Finish type

Light Maple

### **Specification Information**

To order please specify pattern number including:

- 1. Finish Type L, V1, V2, V3
- 2. Finish V316

Installation instruction sheets available on Knoll Exchange.

### **Application Notes**

Products on this page will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.

Hardware shipped with modesty to attach to worksurface.

J-Extrusion Wire Trough sold separately.

These removable modesty's backs are finished in veneer / laminate on inside (user side) and paper finished on the outside (approach side).

Modesty End panel and storage unit.

10=

16" storage 19" storage 30" storage 20 =

30=

36" storage 40=

Modesty between two storage units.

16"/16" storage 16"/19" storage 16"/30" storage 16"/36" storage 19"/19" storage 19"/30" storage 19"/36" storage 30"/30" storage 11=

12= 13=

14=

22=

23= 24=

# Modesty Hinged Application for Wall Mounted Media Enclave Tables 283/8" planning

description	W	d	h	pattern no.	L	V1	V2	V3
48" Hinged Modesty	48"		28"	RDHMH48200()	\$920.	\$1,193.	\$1,270.	\$1,414.
60" Hinged Modesty	60"		28"	RDHMH60200()	1,018.	1,316.	1,401.	1,580.
72" Hinged Modesty	72"		28"	RDHMH72200()	1,056.	1,350.	1,441.	1,655.

Q.	

### Order Code

#### Example: **RDHMH48200()** R Reff DH Desk height M Modesty Н Hinged 48 Width 2 28³/8"h 00 No storage V316 Finish

### **Specification Information**

To order please specify pattern number including:

1. Finish: Laminate or Veneer

### **Application Notes**

Products on this page will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60″, the grain direction is horizontal.

Hardware shipped with modesty to attach to worksurface.

J-Extrusion Wire Trough sold separately.

These removable modesty's backs are finished in veneer / laminate on inside (user side) and paper finished on the outside (approach side). Exterior of gables shall have same finish as door.

# Modesty Partial / Suspended 283/8" planning

description	th	W	h	pattern no.	L	V1	V2	V3
Partial / Half Height Modesty	1"	26"	12"	RDHPM26()	\$308.	\$434.	\$500.	\$649.
	1"	32"	12"	RDHPM32()	318.	448.	516.	669.
	1"	38"	12"	RDHPM38()	334.	473.	543.	705.
	1"	44"	12"	RDHPM44()	352.	497.	570.	743.
	1"	50"	12"	RDHPM50()	376.	532.	613.	796.
	1"	56"	12"	RDHPM56()	387.	547.	629.	819.
	1"	62"	12"	RDHPM62()	415.	586.	674.	877.
	1"	68"	12"	RDHPM68()	438.	620.	713.	927.
	1"	74"	12"	RDHPM74()	448.	634.	729.	948.

### **Order Code**

# Example: RDHPM26() R Reff DH Desk height PM Partial Modesty 26 Width V316 Light Maple

These partial modesty's backs are finished in veneer on inside (user side) and veneer on the outside (approach side).

### Specification Information

To order please specify pattern number including:

1. Finish L, V1, V2, V3 Products on this page will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.

Installation instruction sheets available on Knoll Exchange. For Suspended modesties, refer to reference number 6TP00089. Hardware shipped with modesty to attach to worksurface.

J-Extrusion Wire Trough sold separately.

## Pedestals, 28<sup>3</sup>/8" planning 22<sup>3</sup>/8" high Metal interiors

description	W	d	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Pedestal, 223/8" high	16"	19"	RP161R ( )( )( )L( )( )( )	\$1,204.	\$1,290.	\$1,333.	\$1,376.	\$1,419.	\$1,596.	\$2,146.
box/file configuration	16"	23"	RP162R ( )( )( )L( )( )( )	1,258.	1,348.	1,393.	1,438.	1,483.	1,670.	2,245.
	19"	19"	RP191R ( )( )( )L( )( )( )	1,263.	1,353.	1,398.	1,443.	1,488.	1,675.	2,251.
	19"	23"	RP192R ( )( )( )L( )( )( )	1,320.	1,415.	1,462.	1,509.	1,556.	1,753.	2,356.
	30"	19"	RP301R ( )( )( )L( )( )( )	1,282.	1,375.	1,422.	1,468.	1,514.	1,703.	2,289.
	30"	23"	RP302R ( )( )( )L( )( )( )	1,352.	1,449.	1,498.	1,547.	1,595.	1,791.	2,407.
	36"	19"	RP361R ( )( )( )L( )( )( )	1,366.	1,464.	1,513.	1,561.	1,610.	1,812.	2,440.
	36"	23"	RP362R ( )( )( )L( )( )( )	1,432.	1,533.	1,585.	1,635.	1,686.	1,899.	2,556.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

Pedestal, 223/8" high box/box/box configuration



30"	19"	RP301G ( )( )M( )( )L( )	1,608.	1,696.	1,741.	1,786.	1,830.	2,048.	2,743.
30"	23"	RP302G ( )( )M( )( )L( )	1,688.	1,778.	1,822.	1,868.	1,913.	2,137.	2,862.
36"	19"	RP361G ( )( )M( )( )L( )	1,712.	1,803.	1,849.	1,894.	1,940.	2,178.	2,925.
36"	23"	RP362G ( )( )M( )( )L( )	1,786.	1,879.	1,925.	1,972.	2,018.	2,266.	3,043.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

### **Order Code**

#### Example: RP161R()()()()L()()() R Reff P Pedestal 16 16" wide (nominal) 1 19" deep (nominal) R Box/File configuration, G = BBB2 Case Finish type 2 Front Finish type M Interior option Н Pull option Lock option В Lock finish V316 Case finish V316 Front finish PU Pull finish

### **Specification Information**

To order please specify pattern number including:

- 1. Case Finish type
  - L = Laminate
  - 1 = V1
  - 2 = V23 = V3
- 2. Front Finish type
- L = Laminate
- 1 = V1
- 2 = V2
- 3 = V3
- 3. Interior option: M= Metal interior
- 4. Pull option
  - B = No pull, No drilling
- Customer's own pull
- C = Metal C-pull D = Metal D-pull
- F = Bar (1 pull / Door set)
- H = Outline
- J = Routed J-pull
- S = Metal S-pull
- R = Cylinder
- T = Tab (1 pull / Door set)

### 5. Lock option

- Pedestals with drawers always lock drilled
- L = drilled to accept lock
- 6. Lock finish
  - B = Black
  - S = Matte silver
- 7. Case finish:
- L, V1, V2,V3
- 8. Front finish:
- L,V1,V2,V3
- 9. Pull finish
- Painted or Plated
- \*If case is Laminate, the front can be laminate or wood.
- \*If case is wood, the front can only be wood.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 482 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

These pedestals are key hole construction.

### **Application Notes**

It is NOT advisable to mix 28 %"h desk height products with 26 %"h standard height products. These pedestals to be used in conjunction with 28 %" planning.

Applied back ordered separately for finished back.

File drawer do not support bottom loading

File drawers include bars for front to back and side to side filing.

Pencil trays can be ordered separately for 16" and 19" wide pedestals with metal interior. See page 415.

<sup>\*3</sup> counterweights per pedestal

<sup>\*</sup> Pencil tray not included.

<sup>\*3</sup> counterweights per pedestal

<sup>\*</sup> Pencil tray not included.

### Pedestals, 28<sup>3</sup>/8" planning 22<sup>3</sup>/8" high Metal interiors


description	W	d	h	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Pedestal, 223/8" high	30"	19"	223/8"	RP301T ( )( )( )L( )( )( )	\$918.	\$984.	\$1,017.	\$1,050.	\$1,082.	\$1,207.	\$1,605.
open file configuration	30"	23"	223/8"	RP302T ( )( )( )L( )( )( )	1,104.	1,183.	1,222.	1,262.	1,301.	1,450.	1,937.
	36"	19"	223/8"	RP361T ( )( )( )L( )( )( )	1,156.	1,239.	1,281.	1,322.	1,364.	1,525.	2,036.
	36"	23"	223/8"	RP362T ( )( )( )L( )( )( )	1,388.	1,485.	1,534.	1,583.	1,632.	1,830.	2,444.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

\*3 counterweights per pedestal

Supplied with hardware kit including wood screws for attachment to underside of worksurface

Pedestal, 223/8" high open bookcase configuration, with adjustable shelf



30"	19"	$22^{3}/8''$	RP301S()()()	854.	n/a	n/a	n/a	1,011.	1,139.	1,538.
30"	23"	223/8"	RP302S()()()	1,040.	n/a	n/a	n/a	1,229.	1,383.	1,868.
36"	19"	223/8"	RP361S()()()	1,093.	n/a	n/a	n/a	1,294.	1,458.	1,966.
36"	23"	223/8"	RP362S ( )( )( )	1,323.	n/a	n/a	n/a	1,561.	1,759.	2,375.

Supplied with hardware kit including wood screws for attachment to underside of worksurface

### **Order Code**

#### RP301T()()()()L()()() Example: R Reff P Pedestal 30 30" wide (nominal) 1 19" deep (nominal) T Open/File configuration, S = Open configuration2 Case Finish type 2 Front Finish type M Interior option Н Pull option Lock option В Lock finish V316 Case finish W316 Front finish PU Pull finish

### Open book case:

- 1. Finish type
  - L = Laminate1 = V1
  - 2 = V2
  - 3 = V3
- 2. Interior option
- 3. Cabinet finish

### **Specification Information**

To order please specify pattern number including:

- 1. Case Finish type
  - L = Laminate
  - 1 = V1
  - 2 = V23 = V3
- Front Finish type
- L = Laminate
- 1 = V1
- 2 = V2
- 3 = V3
- Interior option: M= Metal interior
- 4. Pull option
  - B = No pull, No drilling Customer's own pull
  - C = Metal C-pull
  - D = Metal D-pull
  - F = Bar (1 pull / Door set)
  - H = Outline
  - J = Routed J-pull
  - S = Metal S-pull
  - R = Cylinder
  - T = Tab (1 pull / Door set)

- 5. Lock option
  - Pedestals with drawers always lock drilled
  - L = drilled to accept lock
- 6. Lock finish
  - B = Black
  - S = Matte silver
- 7. Case finish:
- L, V1, V2, V3
- 8. Front finish:
- L, V1, V2, V3
- 9. Pull finish
- Painted or Plated
- \* If case is Laminate, the front can be laminate or wood.
- \* If case if wood, the front can only be wood.

Product on this page Excluding J-pull option will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 482 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock

These pedestals are key hole construction.

### **Application Notes**

It is NOT advisable to mix 28 1/8"h desk height products with 26 1/2"h standard height products. These pedestals to be used in conjunction with 28 %" planning.

Applied back ordered separately for finished back.

File drawer do not support bottom loading

File drawers include bars for front to back and side to side filing.

Pencil trays can be ordered separately for 16'' and 19'' wide pedestals with metal interior. See page 415.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

### Pedestals, 283/8" planning 22<sup>3</sup>/8" high Wood interiors

description	W	d	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Pedestal, 223/8" high	16"	19"	RP161R ( )( )( )L( )( )( )	\$1,277.	\$1,367.	\$1,411.	\$1,457.	\$1,502.	\$1,691.	\$2,274.
box/file configuration	16"	23"	RP162R ( )( )( )L( )( )( )	1,418.	1,520.	1,570.	1,622.	1,673.	1,882.	2,532.
	19"	19"	RP191R ( )( )( )L( )( )( )	1,339.	1,434.	1,481.	1,529.	1,576.	1,777.	2,388.
	19"	23"	RP192R ( )( )( )L( )( )( )	1,488.	1,595.	1,649.	1,703.	1,756.	1,975.	2,659.
	30"	19"	RP301R ( )( )( )L( )( )( )	1,530.	1,640.	1,695.	1,750.	1,805.	2,032.	2,735.
	30"	23"	RP302R ( )( )( )L( )( )( )	1,798.	2,013.	2,121.	2,228.	2,336.	2,378.	3,202.
	36"	19"	RP361R ( )( )( )L( )( )( )	1,889.	2,024.	2,091.	2,159.	2,226.	2,507.	3,375.
	36"	23"	RP362R ( )( )( )L( )( )( )	2,196.	2,354.	2,433.	2,513.	2,592.	2,914.	3,930.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

Pedestal, 223/8" high box/box/box configuration



30"	19"	RP301G ( )( )W( )( )L( )	2,005.	2,116.	2,171.	2,226.	2,282.	2,552.	3,411.
30"	23"	RP302G ( )( )W( )( )L( )	2,377.	2,502.	2,564.	2,626.	2,689.	3,001.	4,008.
36"	19"	RP361G ( )( )W( )( )L( )	2,471.	2,605.	2,672.	2,739.	2,805.	3,147.	4,212.
36"	23"	RP362G ( )( )W( )( )L( )	2,899.	3,052.	3,130.	3,207.	3,284.	3,675.	4,921.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

### **Order Code**

#### Example: RP161R()()()()L()()() R Reff P Pedestal 16 16" wide (nominal) 1 19" deep (nominal) R Box/File configuration G = BBB configuration 2 Case Finish type 2 Front Finish type w Interior option Н Pull option Lock option В Lock finish V316 Case finish V316 Front finish PU Pull finish

### **Specification Information**

To order please specify pattern number including:

- 1. Case Finish type
- L = Laminate
- 1 = V1
- 2 = V23 = V3
- Front Finish type
- L = Laminate
- 1 = V12 = V2
- 3 = V3
- Interior option: W = Woodinterior
- 4. Pull option
  - B = No pull, No drilling
  - Customer's own pull
  - C = Metal C-pull
  - D = Metal D-pull F = Bar (1 pull / Door set)
  - H = Outline
  - J = Routed J-pull
  - S = Metal S-pull
  - R = Cylinder
  - T = Tab (1 pull / Door set)

### 5. Lock option

- Pedestals with drawers always lock drilled
- L = drilled to accept lock
- 6. Lock finish
  - B = Black
  - S = Matte silver
- 7. Case finish:
- L, V1, V2, V3
- 8. Front finish:
- L, V1, V2, V3
- 9. Pull finish
- Painted or Plated
- \*If case is Laminate, the front can be laminate or wood.
- \*If case is Wood, the front can only be wood.

Product on this page Excluding J-pull option will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 482. Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock

These pedestals are key hole construction.

### **Application Notes**

It is NOT advisable to mix 28 1/8"h desk height products with 26 1/2"h standard height products. These pedestals to be used in conjunction with 28 %" planning.

Applied back ordered separately for finished back.

File drawer do not support bottom loading

File drawers include bars for front to back and side to side filing.

Pencil trays included in pedestals 16" and 19" wide with wood interior;

<sup>\*3</sup> counterweights per pedestal

<sup>\*</sup> Pencil trays available in 16" and 19"w box drawers only.

<sup>\*3</sup> counterweights per pedestal

<sup>\*</sup> Pencil trays available in 16" and 19"w box drawers only.

# Pedestals, 28<sup>3</sup>/8" planning 22<sup>3</sup>/8" high Wood interiors

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Pedestal, 223/8" high	30"	19"	RP301T ( )( )( )L( )( )( )	\$1,015.	\$1,084.	\$1,120.	\$1,155.	\$1,190.	\$1,330.	\$1,771.
open file configuration	30"	23"	RP302T ( )( )( )L( )( )( )	1,195.	1,280.	1,322.	1,365.	1,407.	1,576.	2,102.
	36"	19"	RP361T ( )( )( )L( )( )( )	1,251.	1,340.	1,384.	1,429.	1,473.	1,651.	2,205.
	36"	23"	RP362T ( )( )( )L( )( )( )	1,482.	1,585.	1,636.	1,687.	1,738.	1,951.	2,609.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

Supplied with hardware kit including wood screws for attachment to underside of worksurface

\*3 counterweights per pedestal

Pedestal, 223/8" high open bookcase configuration, with adjustable shelf

with	adjustable	S

30"	19"	RP301S ( )( )( )	952.	n/a	n/a	n/a	1,119.	1,262.	1,704.
30"	23"	RP302S ( )( )( )	1,132.	n/a	n/a	n/a	1,336.	1,508.	2,032.
36"	19"	RP361S()()()	1,185.	n/a	n/a	n/a	1,402.	1,583.	2,135.
36"	23"	RP362S ( )( )( )	1,417.	n/a	n/a	n/a	1,668.	1,882.	2,540.

Supplied with hardware kit includeds wood screws for attachment to underside of worksurface

### Order Code

#### RP301T()()()()L()()() Example: R Reff P Pedestal 30 30" wide (nominal) 1 19" deep (nominal) T Open/File configuration S = Open configuration2 Finish type W Interior option н Pull option L Lock option В Lock finish V316 Case finish PU Pull finish

### Open book case:

- 1. Finish type L = Laminate
  - 1 = V12 = V2
  - 3 = V3
- 2. Interior option
- 3. Cabinet finish

### **Specification Information**

To order please specify pattern number including:

- 1. Case Finish type
- L = Laminate
- 1 = V1
- 2 = V2
- 3 = V3
- Front Finish type
  - L = Laminate
  - 1 = V12 = V2
  - 3 = V3
- 3. Interior option: W = Wood interior
- 4. Pull option
  - B = No pull, No drilling
  - Customer's own pull C = Metal C-pull
  - D = Metal D-pull
  - F = Bar (1 pull / Door set)
  - H = Outline
  - J = Routed J-pull
  - S = Metal S-pull
  - R = Cylinder
  - T = Tab (1 pull / Door set)

- 5. Lock option
  - Pedestals with drawers always lock drilled
  - L = drilled to accept lock
- 6. Lock finish
  - B = Black
  - S = Matte silver
- 7. Case finish:
- L, V1, V2,V3
- 8. Front finish:
- L, V1,V2,V3
- 9. Pull finish
- Painted or Plated
- \*If case is Laminate, the front can be laminate or wood.
- \*If case is Wood, the front can only be wood.

Product on this page **Excluding J-pull option**will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 482. Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

These pedestals are key hole construction.

### **Application Notes**

It is NOT advisable to mix 28 %"h desk height products with 26 %"h standard height products. These pedestals to be used in conjunction with 28 %" planning.

Applied back ordered separately for finished back.

File drawer do not support bottom loading

File drawers include bars for front to back and side to side filing.

Pencil trays included in pedestals 16" and 19" wide with wood interior; only.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

### Pedestals, 283/8" planning 223/8" high, Box File with Single Front Metal interiors

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Pedestal, 223/8" high	30"	19"	RP301H ( )( )( )( )L( )	\$1,335.	\$1,445.	\$1,500.	\$1,555.	\$1,610.	\$1,806.	\$2,413.
box/file configuration with single common front	30"	23"	RP302H ( )( )( )( )L( )	1,404.	1,519.	1,575.	1,633.	1,690.	1,894.	2,531.
	36"	19"	RP361H ( )( )( )( )L( )	1,419.	1,534.	1,592.	1,650.	1,708.	1,916.	2,563.
	36"	23"	RP362H ( )( )( )( )L( )	1,484.	1,604.	1,664.	1,724.	1,784.	2,003.	2,680.



Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

Supplied with hardware kit including wood screws for attachment to underside of worksurface

### **Order Code**

### Example: RP301H()()()()()L() R Reff P Pedestal 30 30" wide, 36=36" wide 19'' deep, 2 = 23'' deepН Box/File config. with single front V316 Case Finish V316 Front Finish Metal Interior option Т Tab Pull option 111 Pull finish Lock option В Lock finish

### **Specification Information**

To order please specify pattern number including:

- Case Finish: L, V1, V2, V3
- 2. Front Finish: L, V1, V2, V3
- 3. Interior option: M= Metal interior
- Pull option

B = No pull, No drilling

Customer's own pull
C = C-pull (Nickel finish only)
D = D-pull (Painted, PZ or PT finishes only)

F = Bar (1 pull / Drawer)
H = Outline (2 pull / Drawer)
J = Routed J-pull

R = Cylinder (2 pull / Drawer)S = S-pull (Stainless steel only)

T = Tab (1 pull / Drawer)5. Pull finish:

Painted or plated (except as noted)

6. Lock option Pedestals with drawers always lock drilled L = drilled to accept lock

7. Lock finish B = Black S = Matte silver

\*If case is Laminate, the front can be laminate or wood.

\*If case is Wood, the front can only be wood.

### **Application Notes**

It is NOT advisable to mix 28 %"h desk height products with 26 1/2"h standard height products. These pedestals to be used in conjunction with 28 %" planning.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock core.

Applied back ordered separately for finished back. File drawers do Not support bottom loading. File drawers include bars for front to back and side to side filing.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals are key hole construction.

The single front is attached to the file drawer.

Box drawer is hidden behind the single front, and gets the same front finish as the case. Box drawer gets no applied pulls. Finger space is provided for access.

Pedestals are key hole construction.

Pencil trays are not included.

<sup>\*3</sup> counterweights per pedestal

#### Pedestals, 28<sup>3</sup>/8" planning 22<sup>3</sup>/8" high, Box File with Single Front Wood interiors

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Pedestal, 223/8" high	30"	19"	RP301H ( )( )( )( )L( )	\$1,583.	\$1,710.	\$1,774.	\$1,838.	\$1,901.	\$2,135.	\$2,791.
box/file configuration with	30"	23"	RP302H ( )( )( )( )L( )	1,850.	1,996.	2,067.	2,140.	2,213.	2,482.	3,326.
single common front	36"	19"	RP361H ( )( )( )( )L( )	1,941.	2,093.	2,170.	2,246.	2,322.	2,611.	3,498.
	36"	23"	RP362H ( )( )( )( )L( )	2,248.	2,424.	2,512.	2,600.	2,689.	3,018.	4,054.



Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

Supplied with hardware kit including wood screws for attachment to underside of worksurface

#### **Order Code**

#### Example: RP301H()()()()()L() R Reff P Pedestal 30 30" wide, 36=36" wide 19'' deep, 2 = 23'' deep Н Box/File config. with single front V316 Case Finish V316 Front Finish w Wood Interior option Т Tab Pull option 111 Pull finish Lock option В Lock finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Case Finish: L, V1, V2, V3
- 2. Front Finish: L, V1, V2, V3
- 3. Interior option: W= Wood interior option
- 4. Pull option

  B = No pull, No drilling
  Customer's own pull
  C = C-pull (Nickel finish only)
  D = D-pull (Painted, PZ or PT
  - finishes only)
    F = Bar (1 pull / Drawer)
    H = Outline (2 pull / Drawer)
  - J = Routed J-pull R = Cylinder (2 pull / Drawer) S = S-pull (Stainless steel only) T = Tab (1 pull / Drawer)
- 5. Pull finish:
  Painted or plated
  - b. Lock option
    Pedestals with drawers always lock drilled
- L = drilled to accept lock
  7. Lock finish
- B = BlackS = Matte silver
- \*If case is Laminate, the front can be laminate or wood.
- \*If case is Wood, the front can only be wood.

#### **Application Notes**

It is NOT advisable to mix 28 %"h desk height products with 26 ½"h standard height products. These pedestals to be used in conjunction with 28 %" planning.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock core.

Applied back ordered separately for finished back. File drawers do Not support bottom loading. File drawers include bars for front to back and side to side filing.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Pedestals are key hole construction.

The single front is attached to the file drawer.

Box drawer is hidden behind the single front, and gets the same front finish as the case. Box drawer gets no applied pulls. Finger space is provided for access.

Pencil trays are not included.

<sup>\*3</sup> counterweights per pedestal

#### Pedestals, 283/8" planning Removable Back with access, 223/8" high Wood interiors

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Desk Height, 22 3/8"	30"	19"	RPH301A( )( )( )( )( )	\$1,576.	\$1,721.	\$1,794.	\$1,866.	\$1,938.	\$2,354.	\$3,264.
Access Pedestal, Hinge doors	30"	23"	RPH302A( )( )( )( )( )	1,615.	1,869.	1,996.	2,122.	2,249.	2,707.	3,734.
	36"	19"	RPH361A( )( )( )( )( )	1,624.	1,912.	2,056.	2,200.	2,344.	2,816.	3,883.
	36"	23"	RPH362A( )( )( )( )( )	1,661.	2,085.	2,298.	2,510.	2,722.	3,243.	4,461.

Pedestal, 223/8" high cabinet access bookcase \* with removable back



30"	19"	RP301A()()	1,062.	n/a	n/a	n/a	1,248.	1,407.	1,899.
30"	23"	RP302A()()	1,262.	n/a	n/a	n/a	1,490.	1,680.	2,266.
36"	19"	RP361A()()	1,322.	n/a	n/a	n/a	1,565.	1,765.	2,380.
36"	23"	RP362A()()	1,581.	n/a	n/a	n/a	1,859.	2,099.	2,832.

#### **Order Code**

Example:	RPH301A ( )( )( )( )( )
R	Reff
P	Pedestal
Н	Hinge doors
30	30" wide
1	19" deep
A	Access
L	Lock option
В	Lock finish
В	Pull option
111	Pull finish
118	Case Finish
V613	Front finish

To order the bookcase, please specify pattern number including:

- 1. Finish type
  - L = Laminate
  - 1 = V12 = V2
  - 3 = V3
- 2. Cabinet finish: Laminate, V1, V2, V3

#### **Specification Information**

To order please specify pattern number including:

- 1. Lock option L = Drilled for lock
- N = No lock drilling 2. Lock finish:
- B= Black
- S = Matte Silver
- 3. Pull option B = No pull, No drilling
  - Customer's own pull
    C = Metal C-pull
  - D = Metal D-pull
  - F = Bar (1 pull / Door set)
  - H = Outline
  - $J = {\rm Routed} \; J\text{-pull}$
  - S = Metal S-pull
  - R = Cylinder
- T = Tab (1 pull / Door set)
- 4. Pull finish:
- Painted or Plated
- Case Finish: Wood or Laminate
- 6. FrontFinish: Wood or Laminate
- \*If case is Laminate, the front can be laminate or wood.
- \*If case is Wood, the front can only be wood.

#### **Application Notes**

It is NOT advisable to mix 28 %"h desk height products with 26 1/2"h standard height products. These pedestals to be used in conjunction with 28 %" planning.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

Pedestals are supplied with hardware kit including wood screws for attachment to underside of worksurface.

Keyhole construction.

Comes with one adjustable, wood shelf.

Wood shelf only, no metal interior.

Open access is above adjustable

Pedestal backs and Fillers, are NOT intended for products on this page.

Inside height clearanceof the open bookcase; Top shelf = 4.9''Bottom shelf = 11.6"

#### Pedestals, 283/8" planning Equipment Pedestal, 223/8" high Wood interiors

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Pedestal, 223/8" high	30"	19"	RP301E(L/R) ( )( )( )( )( )( )( )	\$2,008.	\$2,369.	\$2,548.	\$2,729.	\$2,909.	\$3,152.	\$3,761.
equipment configuration	30"	23"	RP302E(L/R) ( )( )( )( )( )( )( )	2,045.	2,412.	2,595.	2,779.	2,962.	3,203.	3,879.
(wood interior only)	36"	19"	RP361E(L/R) ( )( )( )( )( )( )( )	2,057.	2,422.	2,604.	2,786.	2,968.	3,219.	3,871.
	36"	23"	RP362E(L/R) ( )( )( )( )( )( )( )	2,091.	2,460.	2,646.	2,830.	3,015.	3,284.	3,989.



Left hand shown

#### **Order Code**

Example:	RP301E(L/R)
R	Reff
P	Pedestal
30	30" wide
1	19" deep (nominal)
E	Equipment Ped.
L	Left hand
V2	Case finish type
V2	Front finish type
W	Interior option, wood
Н	Pull option
V316	Case finish
V316	Front Finish
111	Pull finish
L	Lock option
В	Lock finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Case type:
  - L = laminate 1 = V1
  - 2 = V2
  - $\bar{3} = V3$
- 2. Front Finish type:
  - L = Laminate
  - 1 = V1
  - 2 = V2
  - 3 = V3
- 3. Interior option: W (wood)
- 4. Pull option
  - B = No pull, No drilling Customer's own pull C = nickel finish C-pull (nickel finish only)
  - $\hat{D} = \text{metal D-pull}$

  - F = Bar pull
    H = Outline pull R = Cylinder pull
  - S = S-pull
  - (stainless steel finish only)
- $\hat{T} = \text{Tab pull}$
- 5. Case finish
- 6. Front finish
- Pull finish: Painted or Plated
- 8. Lock option
- L = Lock hole drilled
- N = No lock drilling
- 9. Lock finish:
  - B = Black
  - S = Silver

#### \*If case is Laminate, the front can be laminate or wood. \*If case is Wood, the front can only be wood.

#### **Application Notes**

It is NOT advisable to mix 28 %"h desk height products with 26 1/2"h standard height products. These pedestals to be used in conjunction with 28 %" planning.

Product on this page Excluding **J-pull option** will accept wood grain laminate, where laminate is currently an option.

From the viewer's perspective, the drawer location determines the pedestal Right/Left orientation.

Applied back can be ordered separately, but  $\underline{NOT}$  recommended for it restricts ventilation.

Not advised to use in a stand alone application.

Equipment Pedestal's Clearance:

#### **Enclosed Area:**

For 30"w X 19"d 191/2"w X 161/2"d X 13 1/4"h For 30"w X 23"d 191/2"w X 201/2"d X 131/4"h For 36"w X 19"d 25 1/2"w X 16 1/2"d X 13 1/4"h For 36"w X 23"d 251/2"w X 201/2"d X 131/4"h

#### Open Area:

For 30"w X 19"d 8"w X 17"d X For 30"w X 23"d 8"w X 21"d X 17<sup>1</sup>/<sub>2</sub>"h For 36"w X 19"d 8"w X 17"d X For 36"w X 23"d 8"w X 21"d X 171/2"h

#### Pedestals, 28<sup>3</sup>/8" planning Mobile Pedestal, 23" high Wood interiors

description	W	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1	V2	V3
Mobile Pedestal	16"	19"	23"	RMPU()()()()()()()	\$2,366.	\$2,616.	\$2,669.	\$2,736.	\$2,725.	\$3,120.	\$4,018.



Order Cod	de	Specification Information	Application Notes	
Example: R M P	RMPU()()()()()()() Reff Mobile Pedestal	To order please specify pattern number including:  1. Lock option Pedestals with drawers always lock drilled. 2. Lock finish B = Black S = Matte silver	It is NOT advisable to mix 28 %"h desk height products with 26 %"h standard height products. These pedestals to be used in conjunction with 28 %" planning.	These products are Glue and Dowel Construction Always comes with lock. Always comes with finished back
U	Cubby above with drawer/box/file  Lock Option		Product on this page will accept woodgrain laminate where laminate is currently an option.	Grommet pull only.  Actual width = 15 15/16"
B G	Lock Finish Pull Finish	<ul><li>3. Pull option</li><li>G = Grommet pull only</li><li>4. Pull finish: Painted or Plated</li></ul>	is currently an option.	Actual depth = 191/16"
V316 V316 111	Case Finish Front Drawer Finish Pencil Tray Finish	<ul><li>5. Case finish</li><li>6. Front finish</li><li>7. Pencil tray finish</li><li>Painted / Anodized</li></ul>		Actual total height = 23 \(^3\/8''\)

#### Pedestals, 28<sup>3</sup>/8" planning BBF/FF/BBBB Metal interiors

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Pedestal, 283/8" high,	16"	19"	RP161J ( )( )( )L( )( )	\$1,313.	\$1,406.	\$1,453.	\$1,500.	\$1,547.	\$1,744.	\$2,347.
box/box/file configuration	16"	23"	RP162J ( )( )( )L( )( )	1,375.	1,473.	1,523.	1,572.	1,622.	1,827.	2,457.
	16"	29"	RP163J ( )( )( )L( )( )	1,432.	1,534.	1,585.	1,636.	1,687.	1,902.	2,559.
	30"	19"	RP301J ( )( )( )L( )( )	1,725.	1,850.	1,913.	1,975.	2,038.	2,293.	3,094.
	30"	23"	RP302J ( )( )( )L( )( )	1,818.	1,950.	2,014.	2,080.	2,145.	2,416.	3,262.
* *	36"	19"	RP361J ( )( )( )L( )( )	1,837.	1,971.	2,039.	2,105.	2,173.	2,448.	3,306.
	36"	23"	RP362.L( )( )( )L( )( )	1 929	2.067	2 136	2 206	2 274	2 565	3 465

\*Pencil Tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

\*3 counterweights per pedestal

Pedestal, 283/8" high, file/file configuration





16"	19"	RP161K ( )( )( )L( )( )	1,205.	1,293.	1,336.	1,380.	1,423.	1,604.	2,168.
16"	23"	RP162K ( )( )( )L( )( )	1,290.	1,383.	1,430.	1,476.	1,522.	1,720.	2,323.
16"	29"	RP163K ( )( )( )L( )( )	1,378.	1,475.	1,524.	1,572.	1,622.	1,832.	2,470.
30"	19"	RP301K ( )( )( )L( )( )	1,380.	1,480.	1,529.	1,580.	1,630.	1,835.	2,475.
30"	23"	RP302K ( )( )( )L( )( )	1,455.	1,560.	1,611.	1,664.	1,716.	1,933.	2,610.
36"	19"	RP361K ( )( )( )L( )( )	1,469.	1,576.	1,630.	1,684.	1,737.	1,958.	2,645.
36"	23"	RP362K ( )( )( )L( )( )	1,544.	1,654.	1,709.	1,764.	1,819.	2,052.	2,772.

<sup>\*</sup>Pencil Tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

\*3 counterweights per pedestal

#### **Order Code**

#### Example: RP161J(L)(M)(J)L(118) R Reff P Pedestal 16 16" wide (nominal) 1 19" deep (nominal) Box/Box/File config. J Case finish type, L laminate 2 Front finish type, V2 M Interior option, metal J Pull option, J L Lock option 118 Case finish V319 Front finish 118 Pull finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Case Finish type L = laminate
- 1 = V1
- 2 = V23 = V3
- 2. Front Finish type
  - L = laminate 1 = V1
  - 2 = V23 = V3
- 3. Interior option
- Pull option
  - B = No pull, No drilling Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull
  - (finish optional)
- F = BarH = Out Line
- J = routed J-pull(finish matches case)
- R = CylinderS = S-pull
- (stainless steel finish only)T = Tab
- 5. Lock option Pedestals with drawers always lock drilled L = drilled to accept lock
- Lock finish: B = BlackS = Matte Silver

#### 7. Cabinet finish

- 8. Front finish
- 9. Pull finish Painted or Plated
- \*If case is Laminate, the front can be laminate or wood.
- \*If case is Wood, the front can only be wood.

Product on this page **Excluding** J-pull option will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 482. Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock

Pencil travs not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 415.

Finished back must be ordered separately to achieve full depth without a modesty. (page 159)

#### **Application Notes**

It is NOT advisable to mix 28 %"h desk height products with 26 1/2"h standard height products. These pedestals to be used in conjunction with 28 %" planning.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

#### Pedestals, 283/8" planning BBF/FF/BBBB Metal interiors

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Pedestal, 283/8" high	30"	19"	RP301N ( )( )( )( )( )L( )	\$1,827.	\$1,953.	\$2,015.	\$2,079.	\$2,141.	\$2,394.	\$3,196.
4 Box configuration	30"	23"	RP302N ( )( )( )( )( )L( )	1,895.	2,026.	2,093.	2,159.	2,224.	2,493.	3,338.
	36"	19"	RP361N ( )( )( )( )( )L( )	1,940.	2,076.	2,143.	2,211.	2,279.	2,551.	3,409.
	36"	23"	RP362N ( )( )( )( )( )L( )	2,008.	2,146.	2,216.	2,285.	2,354.	2,643.	3,543.



#### **Order Code**

Example:	RP161J(L)(M)(J)L(118)
R	Reff
Р	Pedestal
16	16" wide (nominal)
1	19" deep (nominal)
J	Box/Box/File config.
L	Case finish type,
	laminate
2	Front finish type, V2
М	Interior option, metal
J	Pull option, J
L	Lock option
118	Case finish
V319	Front finish
118	Pull finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Case Finish type L = laminate
  - 1 = V12 = V2
  - 3 = V3
- 2. Front Finish type L = laminate
  - 1 = V1
  - 2 = V23 = V3
- 3. Interior option
- 4. Pull option
- B = No pull, No drilling Customer's own pull C = nickel finish C-pull (nickel finish only)  $\dot{D} = \text{metal D-pull}$ (finish optional)
- F = BarH = Out Line
- J = routed J-pull(finish matches case)
- R = CylinderS = S-pull (stainless steel finish only)T = Tab
- 5. Lock option Pedestals with drawers always lock drilled L = drilled to accept lock
- 6. Lock finish: B = BlackS =Matte Silver

- 7. Cabinet finish
- 8. Front finish
- 9. Pull finish Painted or Plated
- \*If case is Laminate, the front can be laminate or wood.
- \*If case is Wood, the front can only be wood.

Product on this page **Excluding** J-pull option will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 482 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock

Pencil travs not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 415.

Finished back must be ordered separately to achieve full depth without a modesty. (page 159)

#### **Application Notes**

It is NOT advisable to mix 28 %"h desk height products with 26 1/2"h standard height products. These pedestals to be used in conjunction with 28 %" planning.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

#### Pedestals, 28<sup>3</sup>/8" planning BBF/FF/BBBB Metal interior legal width

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Pedestal, 283/8" high	19"	19"	RP191J()()()L()()	\$1,378.	\$1,476.	\$1,525.	\$1,574.	\$1,624.	\$1,831.	\$2,463.
box/box/file configuration	19"	23"	RP192J()()()()L()()	1,442.	1,529.	1,573.	1,616.	1,661.	1,916.	2,580.
	19"	29"	RP193J( )( )( )L( )( )	1,503.	1,610.	1,665.	1,718.	1,772.	1,997.	2,688.



Pencil tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

\*3 counterweights per pedestal

Pedestal, 283/8" high
file/file configuration

M	

19"	19"	RP191K( )( )( )L( )( )	1,265.	1,357.	1,402.	1,448.	1,494.	1,685.	2,277.
19"	23"	RP192K( )( )( )L( )( )	1,356.	1,453.	1,502.	1,551.	1,599.	1,806.	2,440.
19"	29"	RP193K( )( )( )L( )( )	1,446.	1,549.	1,600.	1,651.	1,703.	1,922.	2,593.

Pencil tray not included

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

\*3 counterweights per pedestal

#### **Order Code**

#### Example: **RP191J(L)(M)(J)L(118)** R Reff P Pedestal 19 19" wide (nominal) 19" deep (nominal) 1 J Box/Box/File configuration Case finish type, L laminate 2 Front finish type, V2 M Interior option, metal J Pull option, J Lock option 118 Case finish V316 Front finish 118 Pull finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Case Finish type L = laminate
  - $1=\mathrm{V}1$
  - 2 = V2
  - 3 = V3
- 2. Front Finish type L = laminate
  - 1 = V1
  - 2 = V2
  - 3 = V3
- 3. Interior option
- M = metal interior
- Pull option B = No pull, No drilling Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional)  $\dot{\mathbf{F}} = \mathbf{Bar}$ H = Out Line

J = routed J-pull(finish matches case)

 $\hat{R} = Cylinder$ S = S-pull

(stainless steel finish only) T = Tab

5. Lock option

Pedestals with drawers always lock drilled

L = drilled to accept lock

- 6. Lock finish
  - B = Black
  - S = Matte Silver
- 7. Case finish
- 8. Front finish:
- 9. Pull finish Painted or Plated
- \*If case is Laminate, the front can be laminate or wood.
- \*If case is Wood, the front can only be wood.

Product on this page **Excluding** J-pull option will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 482 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Pencil trays not included in pedestals with metal interiors.

Pencil tray to be ordered separately; see page 415.

Finished back must be ordered separately to achieve full depth without a modesty. (page 159)

#### **Application Notes**

It is NOT advisable to mix 28 %"h desk height products with 26 1/2"h standard height products. These pedestals to be used in conjunction with 28 %" planning.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Each pedestal may require 3 counterweights when used in unsecured fashion.(ie. Freestanding)

1 counterweight = 10 lbs.

#### Pedestals, 28<sup>3</sup>/8" planning BBF/FF/BBBB Wood interior

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Pedestal, 283/8" high,	16"	19"	RP161J ( )( )( )L( )( )	\$1,395.	\$1,493.	\$1,542.	\$1,591.	\$1,640.	\$1,846.	\$2,484.
box/box/file configuration	16"	23"	RP162J ( )( )( )L( )( )	1,548.	1,661.	1,716.	1,772.	1,829.	2,058.	2,769.
	16"	29"	RP163J ( )( )( )L( )( )	1,685.	1,807.	1,868.	1,929.	1,990.	2,237.	3,009.
	30"	19"	RP301J ( )( )( )L( )( )	1,982.	2,125.	2,196.	2,267.	2,338.	2,637.	3,562.
	30"	23"	RP302J ( )( )( )L( )( )	2,329.	2,497.	2,581.	2,665.	2,749.	3,093.	4,173.
* *	36"	19"	RP361J ( )( )( )L( )( )	2,449.	2,624.	2,712.	2,799.	2,887.	3,262.	4,402.
	36"	23"	RP362J ( )( )( )L( )( )	2,854.	3.062.	3,165.	3.270.	3.373.	3,801.	5.129.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

Pedestal, 283/8" high, file/file configuration





16"	19"	RP161K ( )( )( )L( )( )	1,279.	1,370.	1,416.	1,462.	1,507.	1,699.	2,293.
16"	23"	RP162K ( )( )( )L( )( )	1,507.	1,615.	1,669.	1,723.	1,777.	2,002.	2,702.
16"	29"	RP163K ( )( )( )L( )( )	1,642.	1,761.	1,821.	1,881.	1,940.	2,187.	2,953.
30"	19"	RP301K ( )( )( )L( )( )	1,652.	1,771.	1,830.	1,889.	1,949.	2,198.	2,967.
30"	23"	RP302K ( )( )( )L( )( )	1,941.	2,081.	2,151.	2,221.	2,291.	2,578.	3,477.
36"	19"	RP361K ( )( )( )L( )( )	2,041.	2,187.	2,260.	2,334.	2,407.	2,718.	3,670.
36"	23"	RP362K ( )( )( )L( )( )	2,378.	2,551.	2,637.	2,724.	2,811.	3,167.	4,274.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

Pedestal, 283/8" high 4 Box configuration



30"	19"	RP301N ( )( )( )( )( )L( )	2,047.	2,189.	2,260.	2,332.	2,403.	2,701.	3,625.
30"	23"	RP302N ( )( )( )( )( )L( )	2,393.	2,561.	2,647.	2,731.	2,815.	3,157.	4,236.
36"	19"	RP361N ( )( )( )( )( )L( )	2,517.	2,694.	2,783.	2,871.	2,959.	3,331.	4,472.
36"	23"	RP362N ( )( )( )( )( )L( )	2,921.	3,129.	3,234.	3,337.	3,442.	3,867.	5,197.

#### **Order Code**

#### Example: RP161J(L)(W)(J)L(118) R Reff P Pedestal 16 16" wide (nominal) 1 19" deep (nominal) J Box/Box/File configuration Case Finish type, L laminate 2 Front Finish type, V2 w Interior option, wood D Pull option L Lock option 118 Case finish V316 Front Finish 118 Pull finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Case Finish type L = laminate
  - 1 = V1
  - 2 = V2
  - 3 = V3
- 2. Front Finish type
  - L = laminate
  - 1 = V1
  - 2 = V23 = V3
- 3. Interior option
- W = wood interior
- Pull option B = No pull, No drilling Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull (finish optional)
- $\dot{\mathbf{F}} = \mathbf{Bar}$ H = Out Line
- J = routed J-pull(finish matches case)
- R = Cylinder
- S = S-pull
- (stainless steel finish only) T = Tab
- 5. Lock option
- Pedestals with drawers always lock drilled L = drilled for lock

- 6. Lock Finish
  - B = Black
  - S = Matte Silver
- 7. Case finish
- 8. Front finish: Pull finish
- Painted or Plated
- \*If case is Laminate, the front can be laminate or wood.
- \*If case is Wood, the front can only be wood.

Product on this page **Excluding** J-pull option will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 482 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock

Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer.

Finished back must be ordered separately to achieve full depth without a modesty. (page 159)

#### **Application Notes**

It is NOT advisable to mix 28 1/8"h desk height products with 26 1/2"h standard height products. These pedestals to be used in conjunction with 28%" planning.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

<sup>\*3</sup> counterweights per pedestal

<sup>\*3</sup> counterweights per pedestal

#### Pedestals, 28<sup>3</sup>/8" planning BBF/FF/BBBB

#### Wood interior legal width

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Pedestal, 283/8" high	19"	19"	RP191J()()()L()()	\$1,464.	\$1,567.	\$1,618.	\$1,671.	\$1,722.	\$1,938.	\$2,608.
box/box/file configuration	19"	23"	RP192J( )( )( )L( )( )	1,625.	1,743.	1,802.	1,860.	1,920.	2,160.	2,907.
	19"	29"	RP193J( )( )( )L( )( )	1,767.	1,895.	1,959.	2,023.	2,087.	2,347.	3,160.
1 × ////										

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

\*3 counterweights per pedestal

Pedestal, 283/8" high file/file configuration



19" 19" 1,420. 1,484. 1,517. 1,549 1,582 1,784. 2,407. RP191K()()()L()() 19" 23" 1,581 1,753. 1,810. 1,868. 2,103. 2,837. RP192K()()()()L()() 1,695. 19" 29" RP193K()()()L()() 1,725. 1,850. 1,913. 1,975. 2,038 2,297. 3,100.

Pedestals may require counterweights when used in unsecured fashion (ie freestanding)

\*3 counterweights per pedestal

#### **Order Code**

#### Example: RP191J(L)(W)(J)L(118) R Reff P Pedestal 19 19" wide (nominal) 1 19" deep (nominal) J Box/Box/File configuration L Case Finish type, laminate 2 Front Finish Type, V2 w Interior option, wood J Pull option, J L Lock option 118 Case finish V316 Front finish 118 Pull finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Finish type
  - L = laminate
  - 1 = V1
  - 2 = V23 = V3
- 2. Front Finish type L = laminate
  - 1 = V1

  - 2 = V23 = V3
- 3. Interior option
- W = wood interior
- Pull option B = No pull, No drilling Customer's own pull C = nickel finish C-pull (nickel finish only) D = metal D-pull
- (finish optional)
- $\dot{\mathbf{F}} = \mathbf{Bar}$ H = Out Line
- J = routed J-pull
- (finish matches case) R = Cylinder
- S = S-pull
- (stainless steel finish only)
- T = Tab
- 5. Lock option
  - Pedestals with drawers always lock drilled
  - L = drilled to accept lock

- 6. Lock Finish
  - B = BlackS = Matte Silver
- 7. Case finish
- 8. Front finish: Pull finish
- Painted or Plated
- \*If case is Laminate, the front can be laminate or wood.
- \*If case is Wood, the front can only be wood.

Product on this page **Excluding** J-pull option will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 482 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock

Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer.

Finished back must be ordered separately to achieve full depth without a modesty. (page 159)

#### **Application Notes**

It is NOT advisable to mix 28 1/8"h desk height products with 26 1/2"h standard height products. These pedestals to be used in conjunction with 28 %" planning.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Each pedestal may require 3 counterweights when used in unsecured fashion.(ie.Freestanding)

1 counterweight = 10 lbs.

V2

V3

#### Pedestals, 283/8" planning Open / Hinge Door Metal interiors

pattern no.

d

Pedestal, 283/8" high hinge door configuration adjustable shelf



description



		•							
16"	19"	RP161L(L/R) ( )( )( )( )( )( )	\$1,059.	\$1,135.	\$1,172.	\$1,210.	\$1,247.	\$1,407.	\$1,900.
16"	23"	RP162L(L/R) ( )( )( )( )( )( )	1,285.	1,378.	1,425.	1,471.	1,517.	1,709.	2,308.
16"	29"	RP163L(L/R) ( )( )( )( )( )( )	1,469.	1,526.	1,555.	1,584.	1,612.	1,958.	2,645.
30"	19"	RP301L()()()()()()	1,367.	1,515.	1,590.	1,664.	1,737.	1,818.	2,454.
30"	23"	RP302L ( )( )( )( )( )( )	1,597.	1,713.	1,770.	1,829.	1,886.	2,125.	2,869.
36"	19"	RP361L()()()()()()	1,732.	1,856.	1,919.	1,980.	2,043.	2,307.	3,114.
36"	23"	RP362L ( )( )( )( )( )( )	2,025.	2,172.	2,246.	2,319.	2,392.	2,697.	3,641.

L/V1

L/V2

L/V3

V1

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position. Metal interior means shelf metal.

Pedestal, 283/8" high open shelf configuration adjustable shelf





16"	19"	RP161M ( )( )( )	803.	n/a	n/a	n/a	933.	1,071.	1,445.
16"	23"	RP162M ( )( )( )	939.	n/a	n/a	n/a	1,087.	1,249.	1,686.
16"	29"	RP163M ( )( )( )	1,107.	n/a	n/a	n/a	1,281.	1,475.	1,993.
30"	19"	RP301M ( )( )( )	936.	n/a	n/a	n/a	1,083.	1,245.	1,681.
30"	23"	RP302M ( )( )( )	1,138.	n/a	n/a	n/a	1,315.	1,513.	2,042.
36"	19"	RP361M ( )( )( )	1,195.	n/a	n/a	n/a	1,387.	1,592.	2,147.
36"	23"	RP362M ( )( )( )	1,447.	n/a	n/a	n/a	1,676.	1,926.	2,600.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position. Metal interior means shelf metal.

#### **Order Code**

#### Example: **RP161LL(L)(M)(J)L(118)** R Reff Pedestal 16 16" wide (nominal) 19" deep (nominal) Hinge door config. Left hand hinge location L Case Finish type, laminate 2 Front Finish type M Interior option, metal J Pull option, J Lock option ī 118 Case finish V319 Front finish Pull finish 118

#### For Open pedestals;

- 1. Finish type
- 2. Interior option
- 3. Cabinet finish

#### **Specification Information**

To order please specify pattern number including:

- $1. \ \textit{Hinge location, where applicable}$ L = left hand
  - R = right hand
- 2. Finish type
  - L = laminate
  - 1 = V12 = V2
  - 3 = V3
- $3. \ \textit{Front finish type};$ 
  - L = Laminate
  - 1 = V2
  - 2 = V2
  - 3 = V3
- 4. Interior option M = metal interior
  - Pedestals with metal interior, the shelves come painted. For laminate cases, the shelves are painted to match ie. 114 case = 114 painted shelves
  - For wood cases, the shelves are painted black ie. V316 case = black shelves.
- 5. Pull option
  - B = No pull, No drilling Customer's own pull
  - C = nickel finish C-pull (nickel finish only) D = metal D-pull
  - (finish optional)  $\hat{F} = \text{Bar} (1 \text{ pull per door set})$
  - H = Out Line
  - J = routed J-pull
  - (finish matches case)
  - R = CylinderS = S-pull

  - (stainless steel finish only)
  - T = Tab (1 pull per door set)

#### 6. Lock option

- Optional for hinged door configurations only
  - L = drilled to accept lock
  - N = no drilling 7. Lock Finish:

  - B = Black
  - S = Matte Silver
  - 8. Case finish 9. Front finish
  - 10. Pull finish
  - Painted or Plated
  - \*If case is Laminate, the front can be laminate or wood.
  - \*If case is Wood, the front can only be wood.

Product on this page **Excluding** J-pull option will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 482 . Pedestals do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

#### **Application Notes**

It is NOT advisable to mix 28 %"h desk height products with 26 1/2"h standard height products. These pedestals to be used in conjunction with 28 %" planning.

Note: Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Finished back must be ordered separately to achieve full depth without a modesty. (page 159)

#### Pedestals, 283/8" planning Open / Hinge Door Wood interiors

L L/V1 L/V2 L/V3 V1V2V3description d pattern no. Pedestal, 283/8" high hinge door 16" 19" \$1,157 \$1,241. \$1,282 \$1,324 \$1,366. \$1,541. \$2,080. RP161L(L/R) ( )( )( )( )( )( ) configuration adjustable shelf 2,497. 16" 23'RP162L(L/R)()()()()()()() 1,391 1,489. 1,539 1,588. 1,848. 1,637. 29'RP163L(L/R) ( )( )( )( )( )( )( 16' 1,574 1,638 1,670. 1,702. 1,733. 2,089. 2,822. 30" 19' 1,622 RP301L()()()()()() 1,466. 1,700. 1,778. 1,856. 1,954. 2,638. 30" 23" 1,700. 1,823. 1,886. 1,948. 2,009. 2,263. 3,057. RP302L()()()()()()() 36" 19" RP361L()()()()()()() 1,837. 1,967 2,033. 2,097. 2,163. 2,437. 3,292. 36" 23" 2,129. RP362L()()()()()()() 2,282 2,359. 2,434. 2,511 2,828. 3,818.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.

Pedestal, 283/8" high open shelf configuration adjustable shelf





16"	19"	RP161M()()()	909.	n/a	n/a	n/a	1,044.	1,204.	1,627.
16"	23"	RP162M ( )( )( )	1,042.	n/a	n/a	n/a	1,208.	1,391.	1,877.
16"	29"	RP163M ( )( )( )	1,211.	n/a	n/a	n/a	1,397.	1,613.	2,179.
30"	19"	RP301M ( )( )( )	1,040.	n/a	n/a	n/a	1,201.	1,381.	1,863.
30"	23"	RP302M ( )( )( )	1,240.	n/a	n/a	n/a	1,434.	1,651.	2,226.
36"	19"	RP361M ( )( )( )	1,297.	n/a	n/a	n/a	1,507.	1,728.	2,337.
36"	23"	RP362M ( )( )( )	1,549.	n/a	n/a	n/a	1,787.	2,057.	2,779.

Inside height clearance top shelf 11", bottom shelf 11.5" when shelf located in center position.

#### **Order Code**

#### Example: RP161LL(L)(W)(J)L(118) R Reff P Pedestal 16 16" wide (nominal) 1 19'' deep (nominal)L Hinge door config. ī Left hand hinge location L Case Finish type, laminate 2 Front Finish type W Interior option, wood J Pull option, J Lock option 118 Case finish V319 Front finish 118 Pull finish

#### For Open pedestals:

- 1. Finish type
- 2. Interior option
- 3. Cabinet finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Hinge location, were applicable L = left hand
- R = right hand
- Case type
- L = laminate
- 1 = V1
- 2 = V2
- 3 = V3
- 3. Front finish type;
  - L = Laminate
  - 1 = V1
  - 2 = V23 = V3
- Interior option
- W = wood interior
- Pull option
- B = No pull, No drilling
- Customer's own pull
- C = nickel finish C-pull
- D = metal D-pullF = Bar (1 pull per door set)
- H = Out Line
- J = routed J-pull
- R = Cylinder
- S = S-pull
- T = Tab (1 pull per door set)

#### 6. Lock option

- Optional for hinged door configurations only Lock default is Black
- L = drilled to accept lock
- N = no drilling
- 7. Lock Finish:
  - B = Black
  - S = Matte Silver
- 8. Case finish
- 9. Front finish 10. Pull finish
  - Painted or Plated
- \*If case is Laminate, the front can
- be laminate or wood. \*If case is Wood, the front can only be wood.

Product on this page **Excluding** J-pull option will accept wood grain laminate, where laminate is currently an option.

#### **Application Notes**

It is NOT advisable to mix 28 3/8"h desk height products with 261/2"h standard height products. These pedestals to be used in conjunction with 28 %" planning.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Finished back must be ordered separately to achieve full depth without a modesty.(page159)

#### Pedestals, 283/8" planning Removable Back Wood interiors

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Pedestal, 283/8" high hinge door configuration	30"	19"	RPDHH301A( )( )( )( )( )	\$1,658.	\$1,811.	\$1,888.	\$1,964.	\$2,041.	\$2,479.	\$3,436.
Access with removable back	30"	23"	RPDHH302A( )( )( )( )( )	1,700.	1,967.	2,100.	2,233.	2,367.	2,850.	3,930.
(wood interior only)	36"	19"	RPDHH361A( )( )( )( )( )	1,709.	2,012.	2,164.	2,315.	2,467.	2,963.	4,087.
	36"	23"	RPDHH362A( )( )( )( )( )	1,749.	2,196.	2,419.	2,642.	2,866.	3,413.	4,696.

Pedestal, 283/8" high open book case

Access with removable back

	30"	20"	RPDH301A()()	1,274.	n/a	n/a	n/a	1,499.	1,688.	2,281.
_	30"	24''	RPDH302A()()	1,514.	n/a	n/a	n/a	1,788.	2,016.	2,719.
_	36"	20"	RPDH361A()()	1,588.	n/a	n/a	n/a	1,878.	2,118.	2,857.
_	36"	24"	RPDH362A()()	1,897.	n/a	n/a	n/a	2,231.	2,517.	3,400.



#### **Order Code**

#### Example: RPDHH301A R Reff Pedestal DH Desk Height Н Hinge doors 30 30" wide 19" deep 1 Α Access Lock option В Lock finish В Pull option, B () Pull finish 118 Case finish V319 Front finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Lock Option: L = Drilled to accept lock N = no drilling
- 2. Lock Finish: B = Black
- S = Matte Silver
- 3. Pull option: B = no pull, no drilling Customer's own pull C = nickel finish C-pull
  - D = metal D-pull
  - F = Bar pull (1 pull per door set) H = Outline pull

  - J = routed J-pull R = Cylinder pull S = S-pull
  - T = Tab pull (1 pull per door set)

- 4. Pull Finish: Painted Plated
- 5. Case Finish: L,V1,V2,V3
- 6. Front finish: L, V1, V2, V3
- \*If case is Laminate, the front can be laminate or wood.
- \*If case is Wood, the front can only

It is NOT advisable to mix 28 %"h desk height products with 26 1/2"h standard height products. These pedestals to be used in conjunction with 28 %" planning.

Product on this page **Excluding** J-pull option will accept wood grain laminate, where laminate is currently an option.

#### **Application Notes**

The pedestals on this page come with one adjustable shelf

Wood shelf only

Not available in metal interior

Removable back is above adjustable shelf

Works the same way as the 3/4" access ped

Inside height clearence: Top shelf = 10.9''Bottom shelf = 11.6''

#### Pedestals, 283/8" planning 24" Wide Pedestals Multiple Configurations

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Hinge Door pedestal, 283/8" high 24" width	24"	19"	RP241L(L/R)( )( )( )( )( )	\$1,184.	\$1,279.	\$1,327.	\$1,375.	\$1,423.	\$1,606.	\$2,170.
	24"	23"	RP242L(L/R)( )( )( )( )( )	1,308.	1,439.	1,504.	1,569.	1,635.	1,885.	2,548.

1,975. 2,246. Waste - Recycle Basket Pedestals with drawer 24' 19" 1,823. 1,924 2,025. 2,076. 2,810. RP241W()()() fronts 283/8" high 24" 23" 1,948. 2,084 2,151. 2.220. 2,288. 2,525. RP242W()()() 3,188.



#### **Order Code**

#### RP241L(L/R) ( )( )( )( )( ) Example: R Reff P Pedestal 24 24" wide 19" deep (2=23" deep) 1 Hinge door config. L W = Waste - recycle drawer config. Left (R = right)V319 Cabinet Case Finish V319 Front finish F Pull option PD Pull finish L Lock option В Lock finish

Interior clearance dimensions; For 19" deep pedestals:

Depth: Height: Width:

For 23"deep pedestals:

20.5" Depth: Height: Width:

#### **Specification Information**

 ${\it To~order~please~specify~pattern}$ number including:

- 1. Hinge location, where applicable, L = left hand R = right hand
- Case Finish:
- Front finish
- Pull option B = No pull, No drilling Customer's own pull C = nickel finish only

D = metal D-pull (painted, PZ,

PT only) F = Bar

H = Outline pull (1 pull/door) J = routed J-pull

R = Cylinder pull (1 pull/door) S = S-pull (stainless steel only) T = Tab (1 pull per door) (Note: F,H,R and T Pulls are

centered on the door 5. Pull finish: Painted or plated

- 6. Lock option, where applicable: L = Lock
  - N = No lock
- 7. Lock Finish, where applicable: B = BlackS = Matte Silver

\*If case is Laminate, the front can be laminate or wood.

\*If case is Wood, the front can only be wood.

#### It is NOT advisable to mix 28 %"h desk height products with 26 1/2"h standard height products. These pedestals to be used in conjunction with 28 1/8" planning.

Keying instructions must accompany all orders, refer to page 482 . Pedestals do not come with lock included. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock

Product on this page **Excluding** J-pull option will accept wood grain laminate, where laminate is currently an option.

The waste - recycle units come fully assembled, include 2 bins for recycling and waste.

Waste recycle pedestals do not have a lock option.

The drawer body which holds the bins, come in black only. Bins are grey and have 35 (US) quarts capacity.

#### **Application Notes**

The intent of the hinged door pedestals, is to be customized to your preference, and are to be used in conjunction with interior options, such as; shelves (which can be ordered separately) or empty for use with a mini refrigerator.

To order shelf kits for these pedestals, refer to page 416.

The shelf drillings in these units are continuously 2.5" apart from top to bottom.

Suitable tops for these units are; 1½" thick rectilinear tops (with desk top grommet) or 11/2" thick Credenza tops (with edge grommet).

6" filler is optional and can be ordered separately to achieve full depth.

Finished back not recommended for use with a refrigerator as it restricts ventilation.

#### Pedestals, 283/8" planning Equipment Pedestal, 283/8" high Wood interior

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Pedestal, 283/8" high	30"	19"	RPDH301E(L/R )( )( )( )( )( )( )( )(	\$2,409.	\$2,841.	\$3,058.	\$3,274.	\$3,490.	\$3,783.	\$4,513.
Equipment configuration	30"	23"	RPDH302E(L/R)()()()()()()()	2,454.	2,895.	3,114.	3,334.	3,555.	3,844.	4,724.
(wood interior only)	36"	19"	RPDH361E(L/R)()()()()()()()	2,469.	2,907.	3,125.	3,345.	3,563.	3,862.	4,645.
	36"	23"	RPDH362E(L/R)()()()()()()()	2,510.	2,953.	3,174.	3,396.	3,617.	3,941.	4,788.



#### **Order Code**

Example:	RPDH301E(L/R)
R	Reff
Р	Pedestal
DH	Desk height
30	30" wide
1	19" deep (nominal)
E	Equipment Ped.
E L 2	Left hand
2	V2 Case finish type
2	V2 Front Finish type
W	Interior option, wood
Н	Pull option
V316	Case finish
V316	Front finish
111	Pull finish
L	Lock option
В	Lock finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Case Finish type:
  - L = Laminate 1 = V1
  - 2 = V2
  - $\overline{3} = V3$
- 2. Front Finish type:
  - L = Laminate
  - 1 = V1
  - 2 = V2
  - 3 = V3
- 3. Interior option: W (wood)
- Pull option
  - B = No pull, No drilling
- Customer's own pull C = Nickel finish C-pull
- D = Metal D-pull
- F = Bar pull H = Outline pull
- J = Rounted J-pull
- R = Cylinder pull
- S = S-pull
- (Stainless Steel Finish only)
- T = Tab pull
- 5. Cabinet finish
- 6. Front finish
- Pull finish:
- Painted or Plated 8. Lock option
  - L = Lock hole drilled
- N = No lock drilling
- 9. Lock finish:
  - B = Black
  - S = Matte Silver

#### \*If case is Laminate, the front can be laminate or wood.

#### **Application Notes**

It is NOT advisable to mix 28 %"h desk height products with 26 1/2"h standard height products. These pedestals to be used in conjunction with 28 %" planning.

Product on this page Excluding **J-pull option** will accept wood grain laminate, where laminate is currently an option.

From the viewer's perspective, the drawer location determines the pedestal Right/Left orientation.

Applied back can be ordered separately but <u>NOT</u> recommended, for it restricts ventilation.

Not advised to use in a stand alone application.

Equipment Pedestal's interior clearance:

#### **Enclosed Area:**

For 30"w X 19"d; 22.5"w X 16.5"d X 13.25"h

For 30"w X 23"d; 22.5"w X 20.5"d X 13.25"h

For 36"w X 19"d; 26.5"w X 16.5"d

X 13.25"h

For 36"w X 23"d; 26.5"w X 20.5"d X 13.25"h

For 30"w X 19"d; 8"w X 16"d X 23.7''hFor 30"w X 23"d; 8"w X 20"d X

23.7"h

For 36"w X 19"d; 8"w X 16"d X 23.7"h

For 36"w X 23"d; 8"w X 20"d X 23.7''h

<sup>\*</sup>If case is Wood, the front can only be wood.

#### Pedestals, 343/8" high 24" Wide Pedestals, Service Height Multiple Configurations

description	w	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Hinge Door pedestal 343/8" high	24"	19"	RPSH241L(L/R)( )( )( )( )( )	\$1,230.	\$1,329.	\$1,379.	\$1,429.	\$1,478.	\$1,669.	\$2,254.
	24"	23"	RPSH242L(L/R)( )( )( )( )( )	1,358.	1,493.	1,562.	1,630.	1,697.	1,957.	2,646.
Waste - Recycle Basket Pedestals with drawer	24"	19"	RPSH241W( )( )( )	1,881.	1,985.	2,038.	2,090.	2,142.	2,320.	2,905.
fronts 34 <sup>3</sup> /8" high	24"	23"	RPSH242W( )( )( )	2,009.	2,150.	2,220.	2,291.	2,362.	2,608.	3,296.



#### Order Code

#### Example: RPSH241L(L/R) ()()()()() Reff P Pedestal SH Service Height, 343/8"H 24 19" deep (2=23" deep) Hinge door config. W = Waste - recycle drawer config. Left (R = right)V319 Case Finish V319 Front Finish F Pull option PD Pull finish Lock option В Lock finish

Interior clearance dimensions; For 19" deep pedestals:

Depth: 16.5" Height: 29.7" Width: 21"

For 23'' deep pedestals:

Depth: 20.5" Height: 29.7" Width: 21"

#### Specification Information

To order please specify pattern number including:

- Hinge location, where applicable,
   L = left hand
   R = right hand
- 2. Case Finish:
- Wood or Laminate
- 3. Front Finish
- 4. Pull option

  B = No pull, No drilling
  Customer's own pull
  C = nickel finish only
  D = metal D-pull (painted, PZ,
  PT only)
  F = Bar

H = Outline pull (1 pull/door ) J = routed J-pull

- R = Cylinder pull (1 pull/door) S = S-pull (stainless steel only) T = Tab (1 pull per door) (Note: F,H,R and T Pulls are centered on the door
- 5. Pull finish:
  Painted or plated
- 6. Lock option, where applicable: L = Lock
- N = No lock
  Lock Finish, where applicable:
  B = Black
  S = Matte Silver

\*If case is Laminate, the front can be laminate or wood.

\*If case is Wood, the front can only be wood.

## It is NOT advisable to mix 28 %"h desk height products with 26 ½"h standard height products. These pedestals to be used in conjunction with 28 %" planning.

Keying instructions must accompany all orders, refer to page 482 . Pedestals do not come with lock included. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

The waste - recycle units come fully assembled, include 2 bins for recycling and waste.

Waste recycle pedestals do not have a lock option.

The drawer body which holds the bins, come in black only. Bins are grey and have 35 (US) quarts capacity.

#### Application Notes

The intent of the hinged door pedestals, is to be customized to your preference, and are to be used in conjunction with interior options, such as; shelves (which can be ordered separately) or empty for use with a mini refrigerator.

To order shelf kits for these pedestals, refer to page 416.

The shelf drillings in these units are continuously 2.5" apart from top to bottom.

Suitable tops for these units are; 1½" thick rectilinear tops (with desk top grommet) or 1½" thick Credenza tops (with edge grommet).

6" filler is optional and can be ordered separately to achieve full depth.

Finished back not recommended for use with a refrigerator as it restricts ventilation.

#### Pedestals 223/8", 283/8" and 343/8" high Pedestal back, filler and flush modesty 283/8" planning

description	W	th	h	pattern no.	L	V1	V2	V3
Pedestal Back 22³/8″h	16"		223/8"	RPCB16 ( )( )	\$171.	\$221.	\$267.	\$371.
	19"		223/8"	RPCB19 ( )( )	177.	229.	275.	381.
	30"		223/8"	RPCB30 ( )( )	203.	258.	310.	426.
	36"		223/8"	RPCB36 ( )( )	216.	275.	328.	452.
Pedestal back, (desk height)	16"		283/8"	RPDHB16 ( )( )	251.	301.	346.	451.
	19"		283/8"	RPDHB19 ( )( )	257.	309.	355.	461.
	24"		283/8"	RPDHB24 ( )( )	272.	325.	374.	486.
	30"		283/8"	RPDHB30 ( )( )	283.	338.	390.	506.
	36"		283/8"	RPDHB36 ( )( )	296.	355.	408.	532.
	pedestal	back for p	edestals with m	etal or wood interiors				
Pedestal Back, (service height)	24"		343/8"	RPSHB24 ( )( )	328.	393.	453.	588.
Credenza Back, Service Height	78" 84"	1" 1"	34 <sup>3</sup> /8" 34 <sup>3</sup> /8"	RPSHC78MF()() RPSHC84MF()()	578. 596.	822. 846.	953. 986.	1,584. 1,666.
Pedestal Filler	6" 6" 6"		22 <sup>3</sup> /8" 28 <sup>3</sup> /8" 34 <sup>3</sup> /8"	RPFC6()() RPDHBF6()() RPSHBF6()()	178. 214. 241.	215. 254. 281.	235. 274. 301.	281. 322. 350.
Flush Modesty Panel, 223/8"h	42"	1"	223/8"	RPDHC42MF()()	368.	446.	513.	666.
<b>1</b>	48"	1"	223/8"	RPDHC48MF()()	384.	465.	536.	698.
	54"	1"	223/8"	RPDHC54MF()()	402.	486.	560.	726.
	60"	1"	223/8"	RPDHC60MF()()	443.	536.	617.	802.
	66"	1"	223/8"	RPDHC66MF()()	458.	556.	640.	830.
	72"	1"	223/8"	RPDHC72MF()()	475.	576.	662.	861.
	78"	1"	223/8"	RPDHC78MF()()	498.	603.	694.	902.
	84"	1"	223/8"	RPDHC84MF()()	515.	622.	716.	932.
	90"	1"	223/8"	RPDHC90MF()()	552.	668.	770.	1,000.
	96"	1"	223/8"	RPDHC96MF()()	567.	688.	791.	1,029.

Example:	RPCB16()()
R	Reff
Р	Pedestal
С	For use with 22 3/8"
	pedestal
В	Back
16	Width

Finish type

Finish

**Order Code** 

V316

#### **Specification Information**

#### 1. Finish type

L = Laminate 1 = V1 2 = V2 3 = V3

2. Finish: Laminate or V1, V2, V3

#### **Application Notes**

It is NOT advisable to mix 28 %"h desk height products with 26 1/2"h standard height products. These pedestals to be used in conjunction with 28 1/8" planning.

Products on this page will accept wood grain laminate, where laminate is currently an option.

## Progressive Credenzas, 283/8" planning 233/8" high, file drawer Wood or Laminate door

description	W	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Low credenza, file drawer left and right and	90"	20"	23 3/8"	RRLCFDC2090	\$3,662.	\$4,029.	\$4,213.	\$4,396.	\$5,494.	\$6,319.	\$8,214.
cubby	108"	20"	233/8"	RRLCFDC20108	3,829.	4,212.	4,402.	4,595.	5,744.	6,605.	8,586.
^											



\*90" and 108"w credenzas with file drawer require 4 counter weights

Low credenza, file drawer center with cubby

7	90"	20"	$23^{3}/8''$	RRLCFDCC2090	3,264.	3,591.	3,755.	3,917.	4,896.	5,630.	7,320.
	108"	20"	233/8"	RRLCFDCC20108	3,441.	3,785.	3,956.	4,130.	5,264.	5,937.	7,718.

\*90" and 108"w credenzas with file drawer require 4 counter weights

Low credenza, left



Left hand credenza shown

60"	20"	233/8"	RRLCFDCL2060	2,531.	2,783.	2,911.	3,037.	3,796.	4,365.	5,675.
72"	20"	233/8"	RRLCFDCL2072	2.634.	2.898.	3.029.	3.160.	3,950.	4,543.	5,906.

\*60" and 72" w credenzas with file drawer require 3 counter weights

\*Left hand credenza; File drawer is on left.

Low credenza, right



Right hand credenza shown

60"	20"	$23^{3}/8''$	RRLCFDCR2060	2,531.	2,783.	2,911.	3,037.	3,796.	4,365.	5,675.
72"	20"	233/8"	RRLCFDCR2072	2,634.	2,898.	3,029.	3,160.	3,950.	4,543.	5,906.

 $<sup>*60^{\</sup>prime\prime}$  and  $72^{\prime\prime}\mathrm{w}$  credenzas with file drawer require 3 counter weights

#### **Order Code**

Example:	RRLCFDC2090
RR	Reff
LC	Low Credenza
FDC	File Drawer with cubby
20	20" deep
90	90" wide
L	Lock option
S	Lock finish
G	Pull option
115	Pull finish
115	Leg finish
V316	Case finish
V316	Front finish

#### **Specification Information**

To order please specify pattern number including:

- Lock option:
   Drawers are always lock drilled.
   L=drilled to accept lock
- 2. Lock finish: B=Black S=Matte Silver
- S=Matte Silver
  3. Pull option
- Grommet pull, only
  4. Pull finish
  Painted / Plated
- Painted / Plated 5. Leg finish
- Painted only
  6. Case finish:
- Wood or Laminate 7. Front finish:

Wood or Laminate

- \* If case is Laminate, the front can be laminate or wood.
- \* If case is Wood, the front can only be wood.

#### **Application Notes**

It is NOT advisable to mix 28 %"h desk height products with 26 %"h standard height products. These pedestals to be used in conjunction with 28 %" planning.

Product on this page will accept woodgrain laminate where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.

All credenzas with file drawers may require counter weights when used in an unsecured fashion (ie. free-standing). To order counter weights, refer to page 416.

If file drawer on right side, credenza is right handed.

These products are Glue and Dowel Construction

Grommet Pull option for these products.

Legs shipped with credenza.

Legs available in painted finish only.

Shelves are fixed.

Glass top and cushion sold separately.

Nominal depth 20"

Actual depth 19"

<sup>\*</sup>Right hand credenza; File drawer is on right.

### Progressive Credenzas, 283/8" planning 23<sup>3</sup>/8" high, open Open with cubby

description	W	d	h	pattern no.	L	V1	V2	V3
Low credenza, open with cubby	60"	20"	233/8"	RRLCO2060()()()	\$2,244.	\$3,187.	\$3,665.	\$4,765.
	72"	20"	233/8"	RRLCO2072( )( )( )	2,248.	3,328.	3,828.	4,976.
	90"	20"	233/8"	RRLCO2090( )( )( )	2,744.	4,142.	4,764.	6,192.
	108"	20"	233/8"	BBLCO20108( )( )( )	2.914.	4.400.	5.060.	6.579.

_	/ >
	~ >
	- Aller
	Marie 1

RRReff Profilesnumber including:desk height products with $26 \frac{1}{2}$ "hLCLow Credenza1. Leg finish Painted onlystandard height products. These pedestals to be used in conjunction with $28\frac{3}{6}$ " planning.20 $20$ " deepL = LaminateProduct on this page will accept60 $60$ " wide1 = V1 2 = V2woodgrain laminate where laminate115Leg finish3 = V3is currently an option. For more information on grain direction on vertical surfaces, please see page 5.	Order Co		
Total Case Innon	Example: RR LC O 20 60 115 2 V316	These products are Glue and I Construction.  Legs shipped with credenza.  Legs available in painted finis only.  Shelves are fixed in these credenzas.  Glass top and cushion sold separately.  Nominal depth 20"	

# Progressive Credenzas, 28<sup>3</sup>/8" planning 23<sup>3</sup>/8" high sliding door Glass door

description	W	d	h	pattern no.	L/GL	V1/GL	V2/GL	V3/GL
Low credenza, sliding glass door	90"	20"	233/8"	RRLCSGD2090( )( )( )( )( )( )( )	\$5,019.	\$6,025.	\$6,928.	\$9,007.
	108"	20"	23 3/8"	RRLCSGD20108( )( )( )( )( )( )( )	5,590.	6,708.	7,713.	10,028.
Low credenza, sliding glass door left	60"	20"	233/8"	RRLCSGDL2060( )( )( )( )( )( )	3,348.	4,018.	4,620.	6,005.
	72"	20"	233/8"	RRLCSGDL2072( )( )( )( )( )( )	3,534.	4,240.	4,876.	6,340.

Left hand shown

Low credenza, sliding glass door right

60"	20"	233/8"	RRLCSGDR2060( )( )( )( )( )( )( )	3,348.	4,018.	4,620.	6,005.
72"	20"	233/8"	RRLCSGDR2072( )( )( )( )( )( )( )	3,534.	4,240.	4,876.	6,340.

 $right\ hand\ shown$ 

Order Cod	de	Specification Information		Application Notes
	RRLCSGD2090 ()()()()()()	To order please specify pattern number including:	It is NOT advisable to mix 28 1/6"h desk height products with 26 1/2"h standard height products. These	These products are Glue and Dowel Construction
RR LC	Reff Low Credenza	1. Lock option: - L = Lock - N = No lock	pedestals to be used in conjunction with 28 <sup>3</sup> /8" planning.	Grommet Pull option for these products.
SGD	Sliding Glass Door	_ 2. Lock finish: B = Black	Product on this page will accept	Legs shipped with credenza.
90	20" deep 90" wide	S = Matte silver S - 3. Pull option	woodgrain laminate where laminate is currently an option. For more	Legs available in Painted finishes only.
L S	Lock option  Lock finish	Grommet pull 4. Pull finish	information on grain direction on vertical surfaces, please see page 5.	Shelves are fixed.
G PN	Pull type Pull finish	Painted / Plated - 5. Leg finish		Glass top and cushion sold separately.
115	Leg finish	Painted only 6. Case finish L, V1, V2, V3		All sliding doors including wood, laminate and glass are non-locking.
V316 AU	Case finish Glass frame finish,	7. Glass frame finish: Anodized or Painted		Nominal depth 20"
GL11	Anodized satin 8. Glass finish:			Actual depth 19"

## Progressive Credenzas, 28<sup>3</sup>/8" planning 23<sup>3</sup>/8" high sliding door Wood / Laminate door

description	W	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Low credenza, sliding wood/ laminate door	90"	20"	23 3/8"	RRLCSWD2090( )( )( )( )( )( )	\$3,901.	\$4,292.	\$4,486.	\$4,682.	\$5,657.	\$6,506.	\$8,457.
	108"	20"	233/8"	RRLCSWD20108( )( )( )( )( )	4,311.	4,743.	4,957.	5,172.	6,251.	7,188.	9,345.

Low credenza, sliding wood/ laminate door left

RRLCSWDL2060()()()()() 2,712 2,984. 3,119. 3,254. 3,933. 4,523. 5,880. 3,120. 20" 233/8" RRLCSWDL2072()()()()() 2,837. 3,262. 3,404. 4,112. 4,729. 6,150.

Left hand shown

RRLCSWDR2060( )( )( )( )( ) Low credenza, sliding wood/ laminate door right 60" 20" 233/8" 2,712. 2,984. 3,119. 3,254. 3,933. 4,523. 5,880. 20" 233/8" RRLCSWDR2072( )( )( )( )( )( 2,837 3,120. 3,262 3,404. 4,112. 4,729. 6,150.



right hand shown

#### **Order Code Specification Information Application Notes** Example: RRLCSWD2090 To order please specify pattern It is NOT advisable to mix 28 %"h These products are Glue and Dowel desk height products with 26 1/2"h ()()()()() number including: Construction standard height products. These RR 1. Lock option: Reff Grommet Pull option for these pedestals to be used in conjunction L = LockLC Low Credenza products. with 283/8" planning. N = No lockSWD Sliding Wood Door 2. Lock finish: Legs shipped with credenza. Product on this page will accept 20 20" deep B = Blackwoodgrain laminate where laminate Legs available in Painted finishes S = Matte silver90 90" wide is currently an option. For more 3. Pull option only. information on grain direction on L Lock option Grommet vertical surfaces, please see page 5. Shelves are fixed. S Lock finish Pull finish Painted / Plated \* If case is Laminate, the front can Glass top and cushion sold G Pull option Leg finish be laminate or wood. separately. 115 Pull finish Painted only \* If case is Wood, the front can only Nominal depth 20" 115 Leg finish Case finish be wood. L, V1, V2, V3 V316 Case finish Actual depth 19" Door finish V316 Door / front glass finish L, V1, V2, V3

### Progressive Credenzas, $28^3/8''$ planning Glass top

description	d	W	pattern no.	list
Lower Credenza Glass Top	20"	30"	RLCGT301()	\$423.
	20"	36"	RLCGT361()	505.
	20"	60"	RLCGT601()	812.
	20"	72"	RLCGT721()	960.

Example:	RLCGT301()
R	Reff
LC	Lower Credenza
GT	Glass Top
30	Width
1	20" deep
GL35	Glass finish

**Order Code** 

#### **Specification Information**

To order please specify pattern number including:

1. Glass finish GL35 Grey GL85 Star Clear

#### **Application Notes**

It is NOT advisable to mix 28 %"h desk height products with 26 ½"h standard height products. These pedestals to be used in conjunction with 28 %" planning.

Grommet not an option.

description	w	d	th	pattern no.	A	В	С	D	E	F	G	Н	I
Lower Credenza Cushion Top	30"	18"	1 1/4"	RLCCT3018()	\$400.	\$434.	\$458.	\$498.	\$508.	\$557.	\$586.	\$637.	\$719.
	30"	22"	1 1/4"	RLCCT3022()	407.	442.	465.	505.	516.	564.	593.	644.	725.
	36"	18"	1 1/4"	RLCCT3618()	419.	453.	479.	517.	528.	576.	607.	657.	738.
	36"	22"	1 1/4"	RLCCT3622()	428.	462.	487.	527.	537.	585.	615.	665.	747.

Order Cod	de	Specification Information	Application Notes			
Example:	RLCCT3018 Reff	To order please specify pattern number including:	These Cushions are for use on lower credenzas only.	There is a \$77 upcharge on CAL133 backing on the cushions.		
LC CT	Lower Credenza 1. Fabric : See mat Cushion Top		18" deep cushions recommended to be used on 20" credenzas			
30	Width	_	22" deep cushions recommended to			
18	18" deep Fabric		be used on 24" credenzas tops Suitable only for the lower credenza			

#### **Wall Storage Units Overview**

Wall Storage Units expand the private office and meeting spaces storage options in the Reff Profiles line and are designed to enhance the performance of the office with improved cable management and storage options.

These units include a cable drop area behind each shelf allowing corded articles to be easily stored and used. Units must be attached to a wall or back-to-back. Adjacent units need to be attached to each other for alignment.

Reveals are installed between Bookcase, Stack-on and Shoulder Units.

Climbing or stepping upon the shelves will exceed the design load and may cause the shelf to collapse, resulting in personal injury and product damage. Do not climb or step upon the Bookcase.

#### Bookcases:

Wall Storage includes a series of Bookcases available in 14" and 11"depth, 86", 72", 53", 41" and 28" height; 36" and 30" width.

All dimensions are nominal.

Actual dimensions are:

#### Depth

11" = 10 ¾"

 $14" = 13^{13}/_{16}"$ 

Width (without vertical reveals)

 $30" = 29 \frac{15}{16}"$ 

 $36" = 35^{15}/_{16}"$ 

#### Height

86" = 86"

72" = 72 ½"

53" = 52 <sup>5</sup>/<sub>8</sub>"

41" = 41 1/2"

 $28" = 28 ^{3}/_{8}"$ 

Actual Bookcase heights are with levelers at lowest extension (shortest height).

Wall Storage Units are offered in Discrete and Ganged types.

All Bookcases are available with or without a center gable.

#### Stack-on Units:

Stack-on Units are used to increase the number of shelves for storage to take greater advantage of available ceiling height.

Stack-on Units include a series of 11" and 14" deep units which are 32" high by 30" and 36" wide offered in Discrete and Ganged types. All Stack-on Units are available with or without a center gable.

When used with a 72" high Bookcase, the overall height is 72"H + 32"H = 104" high, suitable for a 9' high ceiling.

When used with an 86" high Bookcase, the overall height is 86"H + 32"H = 118" high, suitable for 10' high ceiling.


**Discrete** units have finished laminate or veneer on the outside of the exterior vertical gables. **See Figure 1.** Reveals are ordered separately.

**Ganged** units have a neutral tone material on both exterior vertical gables.

**See Figure 1.** They ship with vertical Reveals and a Ganging Kit.

Bookcases and Stack-on Units are shipped assembled with wood or laminate shelves installed. Glass shelves are packed together and shipped separately.

#### Ganged Bookcases and Stack-on



#### **Construction Details**

#### **Bookcase and Stack-on Units:**

Certain surfaces are generally not exposed and are therefore finished with a neutral tone material.

These surfaces include:

- 1. Tops of 86"H, 72"H and Stack-on units.
- 2. Backs of all units
- 3. Exterior of gables on all ganged units.

Gables are 3/4" thick. Shelf thickness for veneer and laminate adjustable shelves is 1". Fixed shelf is 1", and adjustable glass shelves are ½" thick. The second shelf from the bottom is always fixed. The top of the fixed shelf is nominally 28 ¾" above ground level.

Shelves are adjustable on 2 ½" spacing to within 5" of the top and bottom shelves and the fixed shelf. Bottom shelf has four access holes for cabinet leveling with translucent removable caps.

Stack-on Unit bottom shelf is counterbored in four locations for attachment screws and translucent caps provided.

There is a ½" space between shelf and cabinet back for cord drop. Each fixed shelf has a 1 ¼" diameter half round opening to allow plug head pass-through.

The wood grain on veneer and wood grain laminate shelves is side to side.

The wood grain on veneer and wood grain laminate gables, inside backs and baseboards is vertical.

Bookcase glides have 2" of adjustment for leveling. Allow  $^3/_8$ " clearance between the wall and the back of the cabinet for wall attachment bracket. Cabinet back is inset flush with the back edge of the gables.

Actual depth on 11" Units = 10 ¾" Interior depth = 10" Shelf depth = 9 ½"

Actual depth on 14" Units = 13  $^{13}/_{16}$ " Interior depth = 13" Shelf depth = 12"

Included with the Bookcase are wall attachment brackets with mounting hardware for attachment to the cabinet.

Fasteners for attachment of the bracket to the wall are not included.

#### **Shoulder Units:**

Shoulder Units are ordered separately to finish and complete a run of Ganged units. Shoulder Units create a full height uniform veneer grain and finish to cover the seam between a Bookcase and a Stack-on Unit.

Shoulder units are available in single depths and double depths. Double depth units are used to finish a run of Ganged units which are installed back to back.

Shoulder heights are 28"H, 41"H, 53"H, 72"H and 86"H for use with Ganged Bookcases, 104"H for use with 72"H Bookcases with 32"H Stack-on Units and 118"H for use with 86"H Bookcases with 32"H Stack-on Units.

#### Single Depths:

11" deep nominal = 10 3/4" 14" deep nominal = 13 13/16"

#### Double Depths:

22" deep nominal = 21  $\frac{1}{2}$ " 28" deep nominal = 27  $\frac{5}{8}$ "

Shoulder thickness = 3/4"

Shoulder Units have veneer or laminate on the outside, neutral tone material on the inside.

Included with Shoulder Units are two black Reveals with double sided tape (field installation required) and attachment hardware kit. Attachment hardware kit includes eight (8) flat head wood screws.




Figure 2

#### **Finish Options**

Wall Storage Units are available in several different finish approaches.

#### Figure 1 All Veneer (V1/V1, V2/V2, V3/V3)

The case is veneer and the shelves are also veneer. In this instance, the shelf finish must match the case finish.

**Note**: Veneer direction on shelves runs side to side.

### Figure 2 Veneer case with laminate shelves (V1/L, V2/L, V3/L)

Laminate shelf options include all Reff Profiles core solid color laminates but do not include the use of impact resistant core laminate or wood grain laminates. The fixed shelf will match the adjustable shelves.

### Figure 3 Laminate case with laminate shelves (L/L)

These shelves can be any core laminate including wood grain laminate. Fixed shelf will match adjustable shelves.

**Note**: Veneer shelves are not available with laminate case

# Figure 4 Veneer case with center gable (V1/V1, V2/V2, V3/V3) (V1/L, V2/L, V3/L) (V1/G, V2/G, V3/G)

This option allows for veneer, laminate or glass shelves. Fixed shelf will match case veneer.

Center gable will match the case finish.

**Note**: Glass shelves are only available on units with a center gable.

### Figure 5 Laminate case with center gable (L/L, L/G)

This option allows for laminate or glass shelves.

With glass shelves, the fixed shelf will match the case.

With laminate shelves, the fixed shelf will match the case.

Center gable will match the case finish.

**Note**: Glass shelves are only available on units with a center gable.

Glass shelves are available in:

GL35 – Grey GL85 – Star Clear

#### Neutral tone material (N)




Figure 1: All Veneer




Figure 3: Laminate Case with Laminate Shelves




Figure 5: Laminate Case with Glass or Laminate Shelves




Figure 2: Veneer Case with Laminate Shelves




Figure 4: Veneer Case with Glass, Laminate or Veneer Shelves

### Wall Storage Units - Planning Guidelines & Specifications $\,$ Reff Profiles Vol. Two $Finish\ Options$

#### **Finish Options**

Wall Storage Units are available in several different finish approaches.

Case Finish / Shelf Finish	Fixed Shelf Matches Case	Fixed Shelf Matches Adjustable Shelf
V1 / V1	<b>✓</b>	<b>✓</b>
V2 / V2	V	<b>✓</b>
V3 / V3	V	<b>✓</b>
L1 / L1	V	<b>✓</b>
L1 / L2		<b>✓</b>
Wood Grain L1 / Wood Grain L2		<b>✓</b>
L / Glass	V	
V1 / Glass	V	
V2 / Glass	~	
V3 / Glass	V	

#### Shelf Kit

When a Shelf Kit is needed it can be ordered 11" and 14" deep and 30" and 36" wide. For Bookcases with center gables, 15" wide Shelf Kits are available for 30" wide Bookcases and 18" Shelf Kits are available for 36" wide Bookcases. Core laminate and veneer can be applied on all size Shelf Kits. Glass shelves are available 15" and 18" wide. Included with each Shelf Kit is (1) Shelf and (1) Hardware Kit.

#### **Periodical Display Shelf Kit**

Periodical Display Shelf Kits are intended for angular display. See Figure 1. These units fit into Bookcases using the existing shelf adjustment holes. No additional drilling is required. When installed, Display Shelf hinges down from the top. **See Figure 2**.

The Periodical Shelf Kit can be adjusted up or down on the bookcase every 2 ½".

Periodical Display Shelf may be specified in laminate or veneer. Retention lip may be specified in all Reff Profiles core paint finishes.

The Periodical Display Shelf is %" thick. The lip at the base of the Periodical Display Shelf is  $^3/_8$ " high.

The shelf and lip are shipped assembled. Included with the Periodical Display Shelf is a hardware kit with (2) hinge mounting brackets and (4) attachment screws; (2) shoulder screws for hinge point and (2) threaded support pins.

Periodical Display Shelf Installation Instruction 6TP00437 is available on Knoll Exchange.

#### **Baseboard Kit**

Bookcases are constructed with a flush kick plate. A Baseboard Kit may be ordered and field installed over the flush kick plate for a classic Reff Profiles aesthetic. Baseboards have a vertical grain direction. Baseboards are 1" thick and 3 3/8" high.

Baseboard Kits are available in all Reff Profiles core laminates or veneers. The back of the baseboard is black backer material.

Included with the Baseboard Kit is (1) roll of double sided tape for field installation.

#### Reveals

Reveals provide a clean seam between each unit with consistent spacing.

Reveal dimensions are 1" wide  $x^3/_{32}$ " thick. Reveal material is ABS plastic and the color is black. Reveals are available in kit quantities of 1, 10 or 50. Included in each kit are (2) Reveal Strips with double sided tape.

Reveal Installation Instruction 6TP00436 is available on Knoll Exchange.

#### **Vertical Reveals**

The length of the Reveal equals the height of the Bookcase. (Some field trimming may be required). Reveals are included with Ganged Bookcases and Shoulder Units. The Reveals are packed flat with the Bookcases and Shoulder Units for field installation. **See Figure 3.** 

For Discrete type Bookcases and Stack-on Units they are ordered separately (shipped flat).

#### **Horizontal Reveals**

The width of the Reveal is equal to the width of the Bookcase. (Some field trimming may be required).

All Stack-on Units are supplied with Horizontal Reveals installed. Horizontal Reveals go between the top of a Bookcase and the bottom of the Stack-on Unit. **See Figure 3.** 




Figure 1: Periodical Display Shelf




Figure 2




Figure 3

#### **Ganging Kit**

Ganging Kits are used to attach adjacent Bookcases and Stack-on Units to one another.

These ship with each Ganged Bookcase and Stack-On Unit. One extra Ganging Kit is needed when the ends of a run are Discrete Bookcases and Discrete Stack-on Units. **See Figure 4 and Figure 5.** 

Included with the Ganging Kit are (4) Barrel Bolts and Drill Template. Ganging Kits are available in quantities of 1, 10 or 50.

Quantity (1) has (1) drill template. Quantity (10) has (2) drill templates. Quantity (50) has (10) drill templates.

Ganging Kit Installation Instruction 6TP00436 is available on Knoll Exchange.

#### **Bookcase Grommet**

The Bookcase Grommet is intended to trim a field drilled 3 ½" hole to align with and for access to a wall power receptacle. **See Figure 6.** 

Grommet color is black. Access may be limited for larger transformer plugs.

Included with Bookcase Grommet is (1) 3 ½" D grommet sleeve.

Bookcase Grommet Installation Instruction 6TP00389 is available on Knoll Exchange.




Figure 6

#### **Planning Guidelines**

Wall Storage Units are offered in two types.

**Discrete (D)** units have finished Laminate or Veneer on the outside of the exterior vertical gables. They ship assembled and reveals are ordered separately.

**Ganged (G)** units have a neutral tone material on both exterior vertical gables. They ship assembled and include Vertical Reveals and a Ganging Kit.

Wall Storage Units can be planned in a variety of configurations providing a wide range of storage solutions.

### Planning Sample 1 Discrete Bookcase 72" high

Discrete Bookcases have a finished exterior vertical gable. This is finished in any core laminate or veneer.

#### Planning Sample 2 Two Discrete Bookcases ganged side by side.

Order (1) Reveal Kit each time two Discrete Bookcases meet. In addition, order (1) Ganging Kit each time two Discrete Bookcases meet.


### Planning Sample 3 Discrete and Ganged units joined adjacent to each other.

Since Ganged Units ship with Ganging Kits and Reveal Kits, order (1) additional of each for this application.

### Planning Sample 4 Stack-on Units (S)- Discrete and Ganging used.


Since Ganged Units ship with Ganging Kits and Reveal Kits, order (1) additional of each is needed for ordering.

On veneer units, the wood grain on the exterior of the gables of the Stack-on Unit and the Bookcase, will not match. Specify a full height shoulder to cover both the Bookcase and Stack-on Unit for veneer and wood grain laminate.




#### Planning Sample 1: Discrete Bookcase, 72" high

- Secured to a wall
- 3/8" gap along back for wall cleat



#### Planning Sample 3: Discrete and Ganged Units Joined Adjacent to each other

- Secured to a wall
- 3/8" gap along back for wall cleat
- Bookcases adjacent to each other are ganged together
- Each ganged unit includes (1) Reveal Kit and (1) Ganging Kit
- Order (1) Reveal Kit
- Order (1) Ganging Kit



#### Planning Sample 2: Two Discrete Bookcases Ganged Side to Side

- Secured to a wall
- 3/8" gap along back for wall cleat
- Order (1) Reveal Kit
- Order (1) Ganging Kit

#### Planning Sample 4: Stack-on Units - Discrete and Ganged used

- Secured to a wall
- 3/8" gap along back for wall cleat
- Horizontal Reveal Kits included with each Stack-on Unit
- A seam between gables of the Bookcase and the Stack-on Unit is visible.
- Order (1) full height Reveal Kit
- Order (2) Ganging Kits (one for Bookcase and one for Stack-on Unit)

#### Planning Sample 5 Using all Ganged Bookcases (G) and Ganged Stack-on (GS) Units

The outside of these units are finished with a neutral tone backer sheet.

Order a full height Shoulder Unit (S) to finish the exterior vertical gables with core laminate or veneer.

### Planning Sample 6 Discrete or Ganged Units attached back-to-back

Back-to-back attachment is required for stability.

Order (1) Ganging Kit for attaching (2) Bookcases back to back.


#### See Example A.

In **Example B** below, (1) additional Ganging Kit should be ordered to attach the Stack-on Units back to back.

Order (2) Ganging Kits Total for Example B.


Ganging Kit includes (4) barrel bolts and (1) drill template.

Refer to Bookcase Ganging Kit Installation Instructions, 6TP00436 available on Knoll Exchange



#### Planning Sample 5 Example A


(4) Ganged Bookcases and Stack-on Units joined together



#### Planning Sample 6 Example A

(2) Discrete Bookcases


(**D**) 72" high



#### Planning Sample 5 Example B

(4) Ganged Bookcases and Stack-on Units joined together With Shoulders (**S**) added

- Secured to a wall
- 3/8" gap along back for wall cleat.
- Horizontal Reveal Kits are included with each Stack-on Unit.
- Vertical Reveals are included with each Ganged Bookcase and Stack-on Unit.
- Ganging Kits are included with each Ganged Bookcase and Stack-on Unit.



#### Planning Sample 6 Example B

(2) Discrete Bookcases (**D**) 72" high and (2) Discrete Stack-on Units (**DS**)

#### Wall Storage Units, 283/8" planning Bookcase, Discrete, 11" deep Wood and Laminate Shelves 28" and 41" high

description	W	d	h	pattern no.	Case/Shelf L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Open bookcase, discrete 28"h	30"	11"	28"	RC230DHBDG ( )( )	\$1,575.	\$2,225.	\$2,468.	\$3,143.	\$2,818.	\$3,203.	\$4,040.
$\wedge$	30"	11"	28"	RC230DHBDO ( )( )	1,246.	1,739.	1,918.	2,434.	2,044.	2,302.	2,979.
	36"	11"	28"	RC260DHBDG ( )( )	1,598.	2,237.	2,472.	3,159.	2,831.	3,215.	4,113.
	36"	11"	28"	RC260DHBDO ()()	1,286.	1,796.	1,985.	2,551.	2,117.	2,394.	3,171.
Open bookcase, discrete 41"h	30"	11"	41"	RC430DHBDG ()()	1,786.	2,435.	2,678.	3,353.	3,043.	3,456.	4,371.
	30"	11"	41''	RC430DHBDO ()()	1,457.	1,950.	2,128.	2,645.	2,269.	2,555.	3,310.
	36"	11"	41''	RC460DHBDG ()()	1,813.	2,452.	2,688.	3,374.	3,066.	3,478.	4,456.
	36"	11"	41"	RC460DHBDO ( )( )	1,502.	2,011.	2,201.	2,766.	2,351.	2,657.	3,514.

#### **Order Code**

#### Example: RC230DHBDO()() Reff R C Cabinets 2 28'' high, 4 = 41'' high3 30'' wide, 6 = 36'' wide 11" deep 0 DH Desk height BD Bookcase discrete 0 Open, G = Center gableV316 Case finish 111 Shelf finish

28" nominal height = 28 \(^3\)/8" actual height.

height. 41" nominal height =  $41 \frac{1}{2}$ " actual height

Glides add 2" of height adjustment. To prevent tipping, the back of each bookcase **must** be attached to a wall or to the back of another bookcase using the wall attachment hardware provided.

#### Specification Information

To order, please specify pattern number including:

- 1. Case Finish: Laminate / Wood
- 2. Shelf Finish: Laminate / Wood veneer

### It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page will accept woodgrain laminate where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.

Installation instruction sheets available on Knoll Exchange. For grommet location refer to reference number 6TP00389.

Cabinet is key hole construction. Cabinet back is inset.

#### **Application Notes**

Second  $\underline{shelf}$  from the bottom is fixed. The top of the fixed shelf is nominally 28<sup>3</sup>/<sub>4</sub>" above ground level. All other shelves are adjustable on 2.5" centers within 5" from the top and bottom of cabinet and away from the fixed middle shelf. All adjustable shelves are supported on field installed threaded pins. Shelves are flush with the front edge of the gables and have a nominal 10" inside depth. The back of each shelf has a 1/2" space for cable management. Centered at the back of the fixed shelf is an additional  $1^{1}/4^{\prime\prime}$  diameter half round hole for plug head pass-through. 3 1/2"diameter grommet is available for field installation over wall electrical outlet.

The shelves on cabinets with center gable, are adjustable on both sides (2.5" intervals within 5" from the top and bottom of cabinet) Center gable is fixed.

In mix finish options, the fix shelf is the same finish as the adjustable shelves Overall depth of units =  $10^3/4''$  (not including wall attachment hardware).

Base kick plate is flush with front edge of gable. For Classic esthetic an additional kick plate is available in Accessories for wall storage units. See page 190.

Outer surface of exterior gable Exterior of back is finished with neutral tone backer sheet. Interior of back has the same finish as the case (gables).

# Wall Storage Units, 283/8" planning Bookcase, Discrete, 11" deep Wood and Laminate Shelves 72", 86" high and Stack-on Units

description	w	d	h	pattern no.	Case/Shelf L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Open bookcase, discrete 72"h	30"	11"	72"	RC7230DHBDG ( )( )	\$2,614.	\$3,321.	\$3,712.	\$4,654.	\$3,461.	\$3,890.	\$5,175.
	30"	11"	72"	RC7230DHBDO ( )( )	1,913.	2,523.	2,837.	3,693.	2,574.	2,893.	3,847.
	36"	11"	72"	RC7260DHBDG ( )( )	2,894.	3,675.	4,108.	5,150.	3,879.	4,349.	5,694.
	36"	11"	72"	RC7260DHBDO ()()	2,165.	2,861.	3,212.	4,140.	2,912.	3,267.	4,275.
Open bookcase, discrete 86"h	30"	11"	86"	RC830DHBDG ( )( )	3,132.	3,410.	3,836.	5,119.	4,374.	4,870.	6,936.
	30"	11"	86"	RC830DHBDO ( )( )	2,323.	2,634.	2,946.	3,790.	3,206.	3,570.	5,086.
	36"	11"	86"	RC860DHBDG ( )( )	3,479.	3,827.	4,295.	5,637.	4,897.	5,437.	7,580.
	36"	11"	86"	RC860DHBDO ( )( )	2,643.	2,946.	3,294.	4,219.	3,626.	4,026.	5,614.
Stack-on units, discrete 32"h	30"	11"	32"	RC330DHSDG ( )( )	1,517.	2,093.	2,350.	2,835.	2,274.	2,593.	3,164.
	30"	11"	32"	RC330DHSDO ( )( )	1,297.	1,751.	1,944.	2,346.	1,854.	2,095.	2,577.
	36"	11"	32"	RC360DHSDG ( )( )	1,545.	2,131.	2,394.	2,887.	2,317.	2,641.	3,248.
	36"	11"	32"	RC360DHSDO ( )( )	1,330.	1,796.	1,997.	2,408.	1,902.	2,150.	2,666.
Ar Ar											

#### **Order Code**

#### Example: RC7230DHBDO()() R Reff С Cabinets 72 72" high 3 30'' wide, 6 = 36''W 11" deep 0 DH Desk height BD Bookcase discrete, SD = Stack-on discrete 0 Open, G = Center gableV316 Case finish 111 Shelf finish

32" nominal height = 32" actual height.

72'' nominal height =  $72\sqrt{2}''$  actual height

86" nominal height = 86" actual height

Glides add 2" of height adjustment. To prevent tipping, the back of each bookcase **must** be attached to a wall or to the back of another bookcase using the wall attachment hardware provided.

#### Specification Information

To order, please specify pattern number including:

- 1. Case Finish: Laminate / Wood veneer
- 2. Shelf Finish: Laminate / Wood veneer

### It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page will accept woodgrain laminate where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.

Installation instruction sheets available on Knoll Exchange. For grommet location refer to reference number 6TP00389.

Cabinet is key hole construction. Cabinet back is inset.

#### **Application Notes**

Second shelf from the bottom is fixed. The top of the fixed shelf is nominally 28<sup>3</sup>/<sub>4</sub>" above ground level. All other shelves are adjustable on 2.5" centers within 5" from the top and bottom of cabinet and away from the fixed middle shelf. All adjustable shelves are supported on field installed threaded pins. Shelves are flush with the front edge of the gables and have a nominal 10" inside depth. The back of each shelf has a 1/2" space for cable management. Centered at the back of the fixed shelf is an additional 11/4" diameter half round hole for plug head pass-through. 3 1/2"diameter grommet is available for field installation over wall electrical outlet.

The shelves on cabinets with center gable, are adjustable on both sides (2.5" intervals within 5" from the top and bottom of cabinet) Center gable is fixed.

In mix finish options, the fix shelf is the same finish as the adjustable shelves Overall depth of units =  $10^3/4''$  (not including wall attachment hardware).

Base kick plate is flush with front edge of gable. For Classic esthetic an additional kick plate is available in Accessories for wall storage units. See page 190. Exterior of back is finished with neutral tone backer sheet. Interior of back has the same finish as the case (gables).

Adjacent bookcases are intended to be field attached to one another using ganging kits.

Ganging kits and Reveals are not included, and can be ordered separately. See Accessories for Wall Storage Units, page 190.

# Wall Storage Units, 283/8" planning Bookcase, Discrete, 11" deep Glass Shelves 28" and 41" high

description	W	d	h	pattern no.	Case/Shelf L/G	V1/G	V2/G	V3/G
Open bookcase, discrete 28"h	30"	11"	28"	RC230DHBDG ( )( )	\$2,038.	\$3,023.	\$3,381.	\$4,282.
	36"	11"	28"	RC260DHBDG()()	2,124.	3,098.	3,449.	4,382.
Open bookcase, discrete 41"h	30"	11"	41"	RC430DHBDG ( )( )	2,468.	3,453.	3,812.	4,713.
	36"	11"	41"	RC460DHBDG()()	2,606.	3,579.	3,931.	4,864.

#### **Order Code**

Example:	RC230DHBDG()()
R	Reff
С	Cabinets
2	28" high, 4 = 41"high
3	30'' wide, $6 = 36''$ W
0	11" deep
DH	Desk height
BD	Bookcase discrete
G	G = Center gable
V316	Case finish
GL35	Shelf finish

28'' nominal height =  $28^{3}$ /8'' actual height

height 41" nominal height = 41 ½" actual height

Glides add 2" of height adjustment. To prevent tipping, the back of each bookcase **must** be attached to a wall or to the back of another bookcase using the wall attachment hardware provided.

#### **Specification Information**

To order, please specify pattern number including:

- 1. Case Finish: Laminate / Wood
- 2. Shelf Finish: Glass Finish; GL35 or GL85

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page will accept woodgrain laminate where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.

Installation instruction sheets available on Knoll Exchange. For grommet location refer to reference number 6TP00389.

Cabinet is key hole construction. Cabinet back is inset.

#### **Application Notes**

Glass shelves are available in GL35 and GL85 only. Bookcase units with glass shelves are available with Center Gable only. Center gable is fixed. Second shelf from the bottom is fixed. The top of the fixed shelf is nominally 28<sup>3</sup>/4" above ground level. All other shelves are adjustable on 2.5" centers within 5" from the top and bottom of cabinet and away from the fixed middle shelf. All adjustable shelves are supported on field installed threaded pins. Shelves are flush with the front edge of the gables and have a nominal 10" inside depth. The back of each shelf has a 1/2" space for cable management. Centered at the back of the fixed shelf is an additional 11/4" diameter half round hole for plug head pass-through. 3½"diameter grommet is available for field installation over wall electrical outlet.

The shelves on cabinets with center gable, are adjustable on both sides (2.5" intervals within 5" from the top and bottom of cabinet) Center gable is fixed.

The fixed shelf is the same finish as the case

Overall depth of units =  $10^3/4''$  (not including wall attachment hardware)

Base kick plate is flush with front edge of gable. For Classic esthetic an additional kick plate is available in Accessories for wall storage units. See page 190. Cabinet is key hole construction. Cabinet back is inset. Exterior of back is finished with neutral tone backer sheet. Interior of back has the same finish as the case (gables).

Adjacent bookcases are intended to be field attached to one another using ganging kits.

Ganging kits and Reveals are not included, and can be ordered separately. See Accessories for Wall Storage Units, page 190.

# Wall Storage Units, 283/8" planning Bookcase, Discrete, 11" deep Glass Shelves 72", 86" high and Stack-on Units

description	W	d	h	pattern no.	Case/Shelf L/G	V1/G	V2/G	V3/G
Open bookcase, discrete 72"h	30"	11"	72"	RC7230DHBDG ( )( )	\$3,246.	\$4,024.	\$4,629.	\$6,017.
	36"	11"	72"	RC7260DHBDG()()	3,468.	4,265.	4,905.	6,376.
Open bookcase, discrete 86"h	30"	11"	86"	RC830DHBDG ( )( )	3,687.	4,498.	5,172.	6,724.
	36"	11"	86"	RC860DHBDG()()	3,986.	4,783.	5,500.	7,150.
Stack-on units, discrete 32"h	30"	11"	32"	RC330DHSDG ( )( )	1,690.	2,248.	2,496.	2,994.
	36"	11"	32"	RC360DHSDG ()()	1,750.	2,326.	2,582.	3,099.

#### **Order Code**

#### Example: RC7230DHBDG()() R Reff C Cabinets 72 72'' high, 8 = 86'', 3 =32"high (stack-on) 3 30'' wide, 6 = 36''W 0 11" deep DH Desk height Bookcase discrete, SD = BD Stack-on discrete G G = Center gableV316 Case finish GL35 Shelf finish

32" nominal height = 32" actual height

72" nominal height = 72 ½" actual height

86" nominal height = 86" actual height

Glides add 2" of height adjustment. To prevent tipping, the back of each bookcase **must** be attached to a wall or to the back of another bookcase using the wall attachment hardware provided.

#### **Specification Information**

To order, please specify pattern number including:

- 1. Case Finish: Laminate / Wood
- 2. Shelf Finish: Glass Finish; GL35 or GL85

It is Not advisable to mix 28 \%"h desk height products with 26 \/2" standard height products.

Product on this page will accept woodgrain laminate where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.

Installation instruction sheets available on Knoll Exchange. For grommet location refer to reference number 6TP00389.

Cabinet is key hole construction. Cabinet back is inset.

#### **Application Notes**

Glass shelves are available in GL35 and GL85 only. Bookcase units with glass shelves are available with Center Gable only. Center gable is fixed. Second shelf from the bottom is fixed. The top of the fixed shelf is nominally 28<sup>3</sup>/4" above ground level. All other shelves are adjustable on 2.5" centers within 5" from the top and bottom of cabinet and away from the fixed middle shelf. All adjustable shelves are supported on field installed threaded pins. Shelves are flush with the front edge of the gables and have a nominal 10" inside depth. The back of each shelf has a 1/2" space for cable management. Centered at the back of the fixed shelf is an additional 11/4" diameter half round hole for plug head pass-through. 3½"diameter grommet is available for field installation over wall electrical outlet.

The shelves on cabinets with center gable, are adjustable on both sides (2.5" intervals within 5" from the top and bottom of cabinet) Center gable is fixed.

The fixed shelf is the same finish as the case

Overall depth of units =  $10^3/4''$  (not including wall attachment hardware).

Base kick plate is flush with front edge of gable. For Classic esthetic an additional kick plate is available in Accessories for wall storage units. See page 190. Cabinet is key hole construction. Cabinet back is inset. Exterior of back is finished with neutral tone backer sheet. Interior of back has the same finish as the case (gables).

Adjacent bookcases are intended to be field attached to one another using ganging kits.

Ganging kits and Reveals are not included, and can be ordered separately. See Accessories for Wall Storage Units, page 190.

#### Wall Storage Units, 283/8" planning Bookcase, Ganged, 11" deep Wood and Laminate Shelves 28" and 41" high

description	W	d	h	pattern number	Case/Shelf L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Open bookcase, ganged 28"h	30"	11"	28"	RC230DHBGG()()	\$1,560.	\$2,211.	\$2,418.	\$2,945.	\$2,803.	\$3,153.	\$3,841.
	30"	11"	28"	RC230DHBGO ( )( )	1,231.	1,726.	1,868.	2,237.	2,028.	2,252.	2,782.
	36"	11"	28"	RC260DHBGG ( )( )	1,583.	2,221.	2,422.	2,961.	2,816.	3,166.	3,916.
	36"	11"	28"	RC260DHBGO ( )( )	1,271.	1,780.	1,935.	2,354.	2,101.	2,344.	2,974.
Open bookcase, ganged 41"h	30"	11"	41''	RC430DHBGG ()()	1,770.	2,421.	2,628.	3,155.	3,029.	3,406.	4,172.
	30"	11"	41"	RC430DHBGO ()()	1,441.	1,936.	2,078.	2,447.	2,254.	2,505.	3,113.
	36"	11"	41"	RC460DHBGG ( )( )	1,798.	2,436.	2,637.	3,176.	3,050.	3,429.	4,258.
	36"	11"	41"	RC460DHBGO ( )( )	1,486.	1,996.	2,150.	2,570.	2,336.	2,607.	3,316.

#### **Order Code**

#### Example: RC230DHBGO()() R Reff C Cabinets 2 28'' high, 4 = 41'' high30'' wide, 6 = 36''W 3 0 11" deep DH Desk height Bookcase Ganged BG 0 Open, G = Center gableV316 Case finish Shelf finish 111

28" nominal height = 28  $\frac{3}{8}$ " actual height.

41" nominal height = 41 ½" actual

Glides add 2" of height adjustment. To prevent tipping, the back of each bookcase **must** be attached to a wall or to the back of another bookcase using the wall attachment hardware provided.

#### **Specification Information**

To order, please specify pattern number including:

- 1. Case Finish: Laminate / Wood veneer
- 2. Shelf Finish: Laminate / Wood

### It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page will accept woodgrain laminate where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.

Installation instruction sheets available on Knoll Exchange. For grommet location refer to reference number 6TP00389.

For ganging instructions, refer to reference number 6TP00436.

Cabinet is key hole construction. Cabinet back is inset.

#### **Application Notes**

Second shelf from the bottom is fixed and the top of the fixed shelf is nominally 283/4" above ground level. All other shelves are adjustable on 2.5'' centers within 5'' from the top and bottom of cabinet and away from the fixed middle shelf. All adjustable shelves are supported on field installed threaded pins. Shelves are flush with the front edge of the gables and have a nominal 10" inside depth. The back of each shelf has a ½" space for cable management. Centered at the back of the fixed shelf is an additional 11/4" diameter half round hole for plug head pass-through. 3 ½"diameter grommet is available for field installation over wall electrical outlet. Overall depth of units =  $10^{3}/4''$  (not including wall attachment hardware).

The shelves on cabinets with center gable, are adjustable on both sides (2.5" intervals within 5" from the top and bottom of cabinet) Center gable is fixed.

In mix finish options, the fixed shelf is the same finish as the adjustable shelves. Overall depth of units = 10<sup>3</sup>/<sub>4</sub>" (not including wall attachment hardware).

Base kick plate is flush with front edge of gable. For Classic esthetic an additional kick plate is available in Accessories for wall storage units. See page 190.

Outer surface of exterior gable in <u>"Ganged" units</u> are finished with neutral tone backer sheet. Interior of back has the same finish as the case (gables).

Ganged bookcase are intended to be place adjacent to one another and attached to each other. Black vertical reveals are included to go between adjacent units.

Additional shoulder units are available and ordered separately to finish the ends. Alternatively, "Discrete" bookcases may be used to finish the ends of a run. Ganged units include a ganging kit consisting of hardware and drilling template to field attach adjacent units together.

#### Wall Storage Units, 283/8" planning Bookcase, Ganged, 11" deep Wood and Laminate Shelves 72", 86" high and Stack-on Units

description	w	d	h	pattern no.	Case/Shelf L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Open bookcase, Ganged, 72"h	30"	11"	72"	RC7230DHBGG ( )( )	\$2,600.	\$3,214.	\$3,520.	\$4,397.	\$3,400.	\$3,820.	\$5,083.
	30"	11"	72"	RC7230DHBGO ( )( )	1,898.	2,416.	2,646.	3,437.	2,511.	2,822.	3,754.
	36"	11"	72"	RC7260DHBGG ( )( )	2,879.	3,568.	3,917.	4,894.	3,811.	4,274.	5,594.
	36"	11"	72"	RC7260DHBGO ( )( )	2,151.	2,754.	3,020.	3,885.	2,845.	3,191.	4,177.
Open bookcase, Ganged, 86"h	30"	11"	86"	RC830DHBGG()()	3,118.	3,304.	3,644.	4,863.	4,290.	4,775.	6,803.
	30"	11"	86"	RC830DHBGO ( )( )	2,311.	2,528.	2,753.	3,535.	3,123.	3,477.	4,953.
	36"	11"	86"	RC860DHBGG ( )( )	3,565.	3,721.	4,103.	5,381.	4,805.	5,336.	7,439.
	36"	11"	86"	RC860DHBGO ( )( )	2,630.	2,839.	3,102.	3,964.	3,536.	3,926.	5,474.
Stack-on units, Ganged, 32"h	30"	11"	32"	RC330DHSGG()()	1,517.	2,093.	2,296.	2,700.	2,274.	2,559.	3,046.
	30"	11"	32"	RC330DHSGO()()	1,297.	1,751.	1,930.	2,226.	1,854.	2,061.	2,453.

#### **Order Code**

#### Example: RC7230DHBDO()() R Reff C Cabinets 72" high 72 30'' wide, 6 = 36''W 3 0 11" deep DH Desk height Bookcase Ganged, SG = BG Stack-on Ganged 0 Open, G = Center gable V316 Case finish 111 Shelf finish

32" nominal height = 32" actual

height. 72" nominal height = 72 ½" actual height

86" nominal height = 86" actual height

Glides add 2" of height adjustment. To prevent tipping, the back of each bookcase **must** be attached to a wall or to the back of another bookcase using the wall attachment hardware provided.

#### **Specification Information**

To order, please specify pattern number including:

- 1. Case Finish: Laminate / Wood veneer
- 2. Shelf Finish: Laminate / Wood veneer

### It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page will accept woodgrain laminate where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.

Installation instruction sheets available on Knoll Exchange. For grommet location refer to reference number 6TP00389.

For ganging instructions, refer to reference number 6TP00436.

Cabinet is key hole construction. Cabinet back is inset.

#### **Application Notes**

Second shelf from the bottom is fixed and the top of the fixed shelf is nominally 283/4" above ground level. All other shelves are adjustable on 2.5'' centers within 5'' from the top and bottom of cabinet and away from the fixed middle shelf. All adjustable shelves are supported on field installed threaded pins. Shelves are flush with the front edge of the gables and have a nominal 10" inside depth. The back of each shelf has a ½" space for cable management. Centered at the back of the fixed shelf is an additional 11/4" diameter half round hole for plug head pass-through. 3 ½"diameter grommet is available for field installation over wall electrical outlet. Overall depth of units =  $10^{3}/4''$  (not including wall attachment hardware).

The shelves on cabinets with center gable, are adjustable on both sides (2.5" intervals within 5" from the top and bottom of cabinet) Center gable is fixed.

In mix finish options, the fixed shelf is the same finish as the adjustable shelves. Overall depth of units = 10<sup>3</sup>/<sub>4</sub>" (not including wall attachment hardware).

Base kick plate is flush with front edge of gable. For Classic esthetic an additional kick plate is available in Accessories for wall storage units. See page 190.

Outer surface of exterior gable in "Ganged" units are finished with neutral tone backer sheet. Interior of back has the same finish as the case (gables).

Ganged bookcase are intended to be place adjacent to one another and attached to each other. Black vertical reveals are included to go between adjacent units.

Additional shoulder units are available and ordered separately to finish the ends. Alternatively, "Discrete" bookcases may be used to finish the ends of a run. Ganged units include a ganging kit consisting of hardware and drilling template to field attach adjacent units together.

# Wall Storage Units, 283/8" planning Bookcase, Ganged, 11" deep Glass Shelves 28" and 41" high

description	W	d	h	pattern no.	Case/Shelf L/G	V1/G	V2/G	V3/G
Open bookcase, ganged 28"h	30"	11"	28"	RC230DHBGG ( )( )	\$2,155.	\$3,025.	\$3,325.	\$4,054.
	36"	11"	28"	RC260DHBGG ()()	2,242.	3,100.	3,393.	4,153.
Open bookcase, ganged 41"h	30"	11"	41"	RC430DHBGG ( )( )	2,585.	3,455.	3,756.	4,484.
	36"	11"	41"	RC460DHBGG()()	2,723.	3,581.	3,875.	4,635.

# **Order Code**

### Example: RC230DHBGG()() R C Cabinets 2 28'' high, 4 = 41'' high3 30'' wide, 6 = 36'' wide 0 11" deep DH Desk height Bookcase Ganged BG GL35 Shelf finish

28" nominal height = 283/8" actual height.

height. 41" nominal height = 41 ½" actual height

Glides add 2" of height adjustment. To prevent tipping, the back of each bookcase **must** be attached to a wall or to the back of another bookcase using the wall attachment hardware provided.

# **Specification Information**

To order, please specify pattern number including:

- 1. Case Finish: Laminate / Wood
- 2. Shelf Finish: Glass Finish; GL35 or GL85

# It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page will accept woodgrain laminate where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.

Installation instruction sheets available on Knoll Exchange. For grommet location refer to reference number 6TP00389.

For ganging instructions, refer to reference number 6TP00436.

Cabinet is key hole construction.

Cabinet back is inset.

# **Application Notes**

Glass shelves are available in GL35 and GL85 only. Bookcase units with glass shelves are available with Center Gable only. Center gable is fixed. Second shelf from the bottom is fixed and is in the same finish as the case. The top of the fixed shelf is nominally 283/4" above ground level. All other shelves are adjustable on 2.5" centers within 5" from the top and bottom of cabinet and away from the fixed middle shelf. All adjustable shelves are supported on field installed threaded pins. Shelves are flush with the front edge of the gables and have a nominal 10" inside depth. The back of each shelf has a ½" space for cable management. Centered at the back of the fixed shelf is an additional 11/4" diameter half round hole for plug head pass-through. 31/2"diameter grommet is available for field installation over wall electrical outlet. Overall depth of units =  $10^{3}/4''$  (not including wall attachment hardware).

The shelves on cabinets with center gable, are adjustable on both sides (2.5" intervals within 5" from the top and bottom of cabinet) Center gable is fixed.

The fixed shelf is the same finish as the case.

Overall depth of units =  $10^3$ /4" (not including wall attachment hardware).

Base kick plate is flush with front edge of gable. For Classic esthetic an additional kick plate is available in Accessories for wall storage units. See page 190. Exterior of back is finished with neutral tone backer sheet. Interior of back has the same finish as the case (gables).

Outer surface of exterior gable in "Ganged" units are finished with neutral tone backer sheet. Interior of back has the same finish as the case (gables).


Ganged bookcase are intended to be place adjacent to one another and attached to each other. Black vertical reveals are included to go between adjacent units.

# Wall Storage Units, 283/8" planning Bookcase, Ganged, 11" deep Glass Shelves 72", 86" high and Stack-on Units

description	w	d	h	pattern no.	L/G	V1/G	V2/G	V3/G
Open bookcase, Ganged, 72"h	30"	11"	72"	RC7230DHBGG ( )( )	\$3,232.	\$3,949.	\$4,542.	\$5,905.
	36"	11"	72"	RC7260DHBGG ( )( )	3,454.	4,189.	4,819.	6,263.



30"	11"	86"	RC830DHBGG ()()	3,674.	4,405.	5,067.	6,588.
36"	11"	86"	RC860DHBGG()()	3,865.	4,691.	5,395.	7,013.



Stack-on units, Ganged, 32"h

30"	11"	32"	RC330DHSGG ()()	1,690.	2,248.	2,462.	2,856.
36"	11"	32"	RC360DHSGG ()()	1,750.	2,326.	2,549.	2,956.



# **Order Code**

### Example: RC7230DHBG ()() R C Cabinets 72 72" high, 8 = 86", 3 = 32"high (stack-on) 3 30'' wide, 6 = 36''W 0 11" deep DH Desk height Bookcase Ganged, SG = BG Stack-on Ganged G G = Center gableV316 Case finish GL35 Shelf finish

32" nominal height = 32" actual height.

72'' nominal height =  $72\sqrt[1]{2}''$  actual height

86" nominal height = 86" actual height

Glides add 2" of height adjustment. To prevent tipping, the back of each bookcase **must** be attached to a wall or to the back of another bookcase using the wall attachment hardware provided.

# **Specification Information**

To order, please specify pattern number including:

- 1. Case Finish: Laminate / Wood
- 2. Shelf Finish: Glass Finish; GL35 or GL85

# It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page will accept woodgrain laminate where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.

Installation instruction sheets available on Knoll Exchange. For grommet location refer to reference number 6TP00389.

For ganging instructions, refer to reference number 6TP00436.

Cabinet is key hole construction.

Cabinet back is inset.

# **Application Notes**

Glass shelves are available in GL35 and GL85 only. Bookcase units with glass shelves are available with Center Gable only. Center gable is fixed. Second shelf from the bottom is fixed and is in the same finish as the case. The top of the fixed shelf is nominally 283/4" above ground level. All other shelves are adjustable on 2.5" centers within 5" from the top and bottom of cabinet and away from the fixed middle shelf. All adjustable shelves are supported on field installed threaded pins. Shelves are flush with the front edge of the gables and have a nominal 10" inside depth. The back of each shelf has a ½" space for cable management. Centered at the back of the fixed shelf is an additional  $1^{1}/4''$  diameter half round hole for plug head pass-through. 3 1/2"diameter grommet is available for field installation over wall electrical outlet. Overall depth of units =  $10^3/4''$  (not including wall attachment hardware).

The shelves on cabinets with center gable, are adjustable on both sides (2.5" intervals within 5" from the top and bottom of cabinet) Center gable is fixed.

The fixed shelf is the same finish as the case.

Overall depth of units =  $10^3/4''$  (not including wall attachment hardware).

Base kick plate is flush with front edge of gable. For Classic esthetic an additional kick plate is available in Accessories for wall storage units. See page 190. Cabinet is key hole construction. Cabinet back is inset. Exterior of back is finished with neutral tone backer sheet. Interior of back has the same finish as the case (gables).

Outer surface of exterior gable in "Ganged" units are finished with neutral tone backer sheet. Interior of back has the same finish as the case (gables).

Ganged bookcase are intended to be place adjacent to one another and attached to each other. Black vertical reveals are included to go between adjacent units.

# Wall Storage Units, 283/8" planning Bookcase, Discrete, 14" deep Wood and Laminate Shelves 28" and 41" high

description	w	d	h	pattern no.	Case/Shelf L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Open bookcase, discrete, 28"h	30"	14"	28"	RC234DHBDG ( )( )	\$1,603.	\$2,263.	\$2,524.	\$3,321.	\$2,865.	\$3,274.	\$4,271.
	30"	14"	28"	RC234DHBDO ( )( )	1,269.	1,769.	1,962.	2,575.	2,079.	2,354.	3,155.
	36"	14"	28"	RC264DHBDG()()	1,626.	2,274.	2,528.	3,338.	2,878.	3,287.	4,349.
	36"	14"	28"	RC264DHBDO ( )( )	1,310.	1,827.	2,031.	2,699.	2,153.	2,449.	3,358.
Open bookcase, discrete, 41"h	30"	14"	41"	RC434DHBDG()()	1,813.	2,473.	2,734.	3,531.	3,090.	3,527.	4,602.
	30"	14"	41"	RC434DHBDO ( )( )	1,479.	1,979.	2,172.	2,225.	2,304.	2,608.	3,486.
	36"	14"	41"	RC464DHBDG()()	1,841.	2,490.	2,743.	3,554.	3,113.	3,550.	4,691.
	36"	14"	41"	RC464DHBDO ( )( )	1,525.	2,042.	2,246.	2,914.	2,387.	2,711.	3,700.

# **Order Code**

### Example: RC234DHBDO()() Reff R C Cabinets 2 28'' high, 4 = 41'' high3 30'' wide, 6 = 36''W 14" deep 4 DH Desk height BD Bookcase discrete 0 Open, G = Center gableV316 Case finish 111 Shelf finish

28" nominal height = 283/8" actual

height. 41" nominal height = 41 ½" actual height

Glides add 2" of height adjustment. To prevent tipping, the back of each bookcase must be attached to a wall or to the back of another bookcase using the wall attachment hardware provided.

# **Specification Information**

To order, please specify pattern number including:

- 1. Case Finish: Laminate / Wood
- 2. Shelf Finish: Laminate / Wood

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page will accept woodgrain laminate where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.

Installation instruction sheets available on Knoll Exchange. For grommet location refer to reference number 6TP00389.

For ganging instructions, refer to reference number 6TP00436.

The cabinet is key hole construction. Cabinet back is inset.

# **Application Notes**

Second shelf from the bottom is fixed. The top of the fixed shelf is nominally 28<sup>3</sup>/<sub>4</sub>" above ground level. All other shelves are adjustable on 2.5" centers within 5" from the top and bottom of cabinet and away from the fixed middle shelf. All adjustable shelves are supported on field installed threaded pins. Shelves are flush with the front edge of the gables and have a nominal 13" inside depth. The back of each shelf has a 1/2" space for cable management. Centered at the back of the fixed shelf is an additional 11/4" diameter half round hole for plug head pass-through. 3 1/2"diameter grommet is available for field installation over wall electrical outlet.

The shelves on cabinets with center gable, are adjustable on both sides (2.5" intervals within 5" from the top and bottom of cabinet) Center gable is fixed.

In mix finish options, the fix shelf is the same finish as the adjustable shelves.

Overall depth of units = 14" (not including wall attachment hardware).

Base kick plate is flush with front edge of gable. For Classic esthetic an additional kick plate is available in Accessories for wall storage units. See page 190. Exterior of back is finished with neutral tone backer sheet. Interior of back has the same finish as the case (gables).

Adjacent bookcases are intended to be field attached to one another using ganging kits.

Ganging kits and Reveals are not included, and can be ordered separately. See Accessories for Wall Storage Units, page 190.

# Wall Storage Units, 283/8" planning Bookcase, Discrete, 14" deep Wood and Laminate Shelves 53", 72" & 86" high and Stack-on Units

description	w	d	h	pattern no.	Case/Shelf L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Open bookcase, discrete, 53"h	30"	14"	53"	RC534DHBDG ()()	\$1,918.	\$2,605.	\$2,875.	\$3,704.	\$3,246.	\$3,700.	\$4,819.
	30"	14"	53"	RC534DHBDO ( )( )	1,570.	2,090.	2,291.	2,928.	2,428.	2,744.	3,657.
	36"	14"	53"	RC564DHBDG ()()	1,930.	2,606.	2,831.	3,512.	3,253.	3,672.	4,695.
	36"	14"	53"	RC564DHBDO ( )( )	1,618.	2,156.	2,368.	3,063.	2,514.	2,852.	3,881.
Open bookcase, discrete, 72"h	30"	14"	72"	RC7234DHBDG ( )( )	2,653.	3,459.	3,873.	5,195.	3,813.	4,399.	5,740.
	30"	14"	72"	RC7234DHBDO ( )( )	2,071.	2,624.	3,021.	4,077.	2,822.	3,244.	4,379.
	36"	14"	72"	RC7264DHBDG ( )( )	2,907.	3,854.	4,328.	5,713.	4,213.	4,862.	6,328.
	36"	14"	72"	RC7264DHBDO ( )( )	2,325.	2,969.	3,416.	4,611.	3,166.	3,642.	4,915.
Open bookcase, discrete, 86"h	30"	14"	86"	RC834DHBDG ( )( )	3,150.	4,020.	4,630.	6,851.	4,658.	5,374.	7,610.
	30"	14"	86"	RC834DHBDO ( )( )	2,478.	3,197.	3,680.	5,440.	3,393.	3,903.	5,748.
	36"	14"	86"	RC864DHBDG ( )( )	3,540.	4,510.	5,192.	7,663.	5,144.	5,934.	8,376.
	36"	14"	86"	RC864DHBDO ( )( )	2,799.	3,616.	4,160.	6,148.	3,811.	4,385.	6,454.
Stack-on units, discrete, 32"h	30"	14"	32"	RC334DHSDG ( )( )	1,769.	2,330.	2,530.	3,118.	2,578.	2,847.	3,545.
	30"	14"	32"	RC334DHSDO ( )( )	1,601.	2,022.	2,177.	2,665.	2,154.	2,350.	2,947.
	36"	14"	32"	RC364DHSDG ( )( )	1,833.	2,378.	2,586.	3,223.	2,629.	2,910.	3,678.
	36"	14"	32"	RC364DHSDO()()	1,636.	2,072.	2,235.	2,771.	2,210.	2,421.	3,086.

# Order Code

### Example: RC534DHBDO()() R Reff С Cabinets 5 53" high 3 30'' wide, 6 = 36''W 4 14" deep DH Desk height BD Bookcase discrete, SD = Stack-on discreteo Open, G = Center gable V316 Case finish 111 Shelf finish

32" nominal height = 32" actual height.

53" nominal height = 52.6" actual

72" nominal height = 72 ½" actual

86" nominal height = 86" actual height

Glides add 2" of height adjustment.

To prevent tipping, the back of each bookcase must be attached to a wall or to the back of another bookcase using the wall attachment hardware provided.

# **Specification Information**

 ${\it To~order,~please~specify~pattern}$ number including:

- 1. Case Finish: Laminate / Wood
- 2. Shelf Finish: Laminate / Wood

# It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page will accept woodgrain laminate where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.

Installation instruction sheets available on Knoll Exchange. For grommet location refer to reference number 6TP00389.

For ganging instructions, refer to reference number 6TP00436.

The cabinet is key hole construction. Cabinet back is inset.

# **Application Notes**

Second shelf from the bottom is fixed. The top of the fixed shelf is nominally 28<sup>3</sup>/<sub>4</sub>" above ground level. All other shelves are adjustable on 2.5" centers within 5" from the top and bottom of cabinet and away from the fixed middle shelf. All adjustable shelves are supported on field installed threaded pins. Shelves are flush with the front edge of the gables and have a nominal 13" inside depth. The back of each shelf has a ½" space for cable management. Centered at the back of the fixed shelf is an additional 11/4" diameter half round hole for plug head pass-through. 3 1/2" diameter grommet is available for field installation over wall electrical outlet.

The shelves on cabinets with center gable, are adjustable on both sides (2.5" intervals within 5" from the top and bottom of cabinet) Center gable

In mix finish options, the fix shelf is the same finish as the adjustable  $% \left\{ \mathbf{r}_{i}^{\mathbf{r}_{i}}\right\} =\mathbf{r}_{i}^{\mathbf{r}_{i}}$ shelves.

Overall depth of units = 14" (not including wall attachment hardware).

Base kick plate is flush with front edge of gable. For Classic esthetic an additional kick plate is available in Accessories for wall storage units. See page 190. Exterior of back is finished with neutral tone backer sheet. Interior of back has the same finish as the case (gables).

Adjacent bookcases are intended to be field attached to one another using ganging kits.

Ganging kits and Reveals are not included, and can be ordered separately. See Accessories for Wall Storage Units, page 190.

# Wall Storage Units, 283/8" planning Bookcase, Discrete, 14" deep Glass Shelves 28" and 41" high

description	W	d	h	pattern no.	Case/Shelf L/G	V1/G	V2/G	V3/G
Open bookcase, discrete, 28"h	30"	14"	28"	RC234DHBDG ( )( )	\$2,005.	\$3,007.	\$3,377.	\$4,410.
	36"	14"	28"	RC264DHBDG ( )( )	2,082.	3,072.	3,435.	4,502.
Open bookcase, discrete, 41"h	30"	14"	41"	RC434DHBDG ( )( )	2,558.	3,561.	3,931.	4,963.
	36"	14"	41"	RC464DHBDG ( )( )	2,701.	3,691.	4,054.	5,121.

# **Order Code**

Example:	RC234DHBDG()()
R	Reff
С	Cabinets
2	28" high, 4 = 41"high
3	30'' wide, $6 = 36''$ W
4	14" deep
DH	Desk height
BD	Bookcase discrete
G	G = Center gable
V316	Case finish
GL35	Shelf finish

28" nominal height = 28" actual height.

height. 41" nominal height = 41" actual height

Glides add 2" of height adjustment. To prevent tipping, the back of each bookcase **must** be attached to a wall or to the back of another bookcase using the wall attachment hardware provided.

# **Specification Information**

To order, please specify pattern number including:

- 1. Case Finish: Laminate / Wood
- 2. Shelf Finish: Glass Finish; GL35 or GL85

It is Not advisable to mix 28 %"h desk height product with 26 ½" standard height products.

Product on this page will accept woodgrain laminate where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.

Installation instruction sheets available on Knoll Exchange. For grommet location refer to reference number 6TP00389.

For ganging instructions, refer to reference number 6TP00436.

The cabinet is key hole construction. Cabinet back is inset.

# **Application Notes**

Glass shelves are available in GL35 and GL85 only. Bookcase units with glass shelves are available with Center Gable only. Center gable is fixed. Second shelf from the bottom is fixed. The top of the fixed shelf is nominally 28<sup>3</sup>/4" above ground level. All other shelves are adjustable on 2.5" centers within 5" from the top and bottom of cabinet and away from the fixed middle shelf. All adjustable shelves are supported on field installed threaded pins. Shelves are flush with the front edge of the gables and have a nominal 13" inside depth. The back of each shelf has a 1/2" space for cable management. Centered at the back of the fixed shelf is an additional 11/4" diameter half round hole for plug head pass-through. 3½"diameter grommet is available for field installation over wall electrical outlet.

The shelves on cabinets with center gable, are adjustable on both sides (2.5" intervals within 5" from the top and bottom of cabinet) Center gable is fixed.

The fixed shelf is the same finish as the case.

Overall depth of units = 14" (not including wall attachment hardware).

Base kick plate is flush with front edge of gable. For Classic esthetic an additional kick plate is available in Accessories for wall storage units. See page 190. Exterior of back is finished with neutral tone backer sheet. Interior of back has the same finish as the case (gables).

Adjacent bookcases are intended to be field attached to one another using ganging kits.

Ganging kits and Reveals are not included, and can be ordered separately. See Accessories for Wall Storage Units, page 190.

# Wall Storage Units, 283/8" planning Bookcase, Discrete, 14" deep Glass Shelves 53", 72" & 86" high and Stack-on Units

description	w	d	h	pattern no.	Case/Shelf L/G	V1/G	V2/G	V3/G
Open bookcase, discrete, 53"h	30"	14"	53"	RC534DHBDG ( )( )	\$2,693.	\$3,735.	\$4,121.	\$5,194.
	36"	14"	53"	RC564DHBDG()()	2,841.	3,870.	4,248.	5,358.
Open bookcase, discrete, 72″h	30"	14"	72"	RC7234DHBDG ( )( )	3,279.	4,365.	4,782.	6,095.
	36"	14"	72"	RC7264DHBDG ( )( )	3,514.	4,621.	5,057.	6,470.
Open bookcase, discrete, 86"h	30"	14"	86"	RC834DHBDG ( )( )	3,802.	4,924.	5,379.	6,886.
	36"	14"	86"	RC864DHBDG()()	4,103.	5,239.	5,713.	7,333.
Stack-on units, discrete, 32"h	30"	14"	32"	RC334DHSDG ( )( )	2,007.	2,569.	2,769.	3,357.
	36"	14"	32"	RC364DHSDG()()	2,127.	2,673.	2,881.	3,517.

# **Order Code**

### Example: RC534DHBDG()() R Reff С Cabinets 5 53" high 3 30'' wide, 6 = 36''W 4 14" deep DH Desk height BD Bookcase discrete, SD = Stack-on discrete G G = Center gableV316 Case finish **GL35** Shelf finish

32" nominal height = 32" actual

53" nominal height = 52.6 actual

height 72'' nominal height =  $72\sqrt{2}''$  actual height

86" nominal height = 86" actual height

Glides add 2" of height adjustment. To prevent tipping, the back of each bookcase **must** be attached to a wall or to the back of another bookcase using the wall attachment hardware provided.

# **Specification Information**

To order, please specify pattern number including:

- 1. Case Finish: Laminate / Wood
- 2. Shelf Finish: Glass Finish; GL35 or GL85

It is Not advisable to mix 28 %"h desk height product with 26 ½" standard height products.

Product on this page will accept woodgrain laminate where laminate is currently an option.

Installation instruction sheets available on Knoll Exchange. For grommet location refer to reference number 6TP00389.

For ganging instructions, refer to reference number 6TP00436.

The cabinet is key hole construction. Cabinet back is inset.

# **Application Notes**

Glass shelves are available in GL35 and GL85 only. Bookcase units with glass shelves are available with Center Gable only. Center gable is fixed. Second shelf from the bottom is fixed. The top of the fixed shelf is nominally 28<sup>3</sup>/4" above ground level. All other shelves are adjustable on 2.5" centers within 5" from the top and bottom of cabinet and away from the fixed middle shelf. All adjustable shelves are supported on field installed threaded pins. Shelves are flush with the front edge of the gables and have a nominal 13" inside depth. The back of each shelf has a 1/2" space for cable management. Centered at the back of the fixed shelf is an additional 11/4" diameter half round hole for plug head pass-through. 3½"diameter grommet is available for field installation over wall electrical outlet.

The shelves on cabinets with center gable, are adjustable on both sides (2.5" intervals within 5" from the top and bottom of cabinet) Center gable is fixed.

The fixed shelf is the same finish as the case.

Overall depth of units = 14" (not including wall attachment hardware).

Base kick plate is flush with front edge of gable. For Classic esthetic an additional kick plate is available in Accessories for wall storage units. See page 190. Exterior of back is finished with neutral tone backer sheet. Interior of back has the same finish as the case (gables).

Adjacent bookcases are intended to be field attached to one another using ganging kits.

Ganging kits and Reveals are not included, and can be ordered separately. See Accessories for Wall Storage Units, page 190.

# Wall Storage Units, 283/8" planning Bookcase, Ganged, 14" deep Wood and Laminate Shelves 28" and 41" high

description	W	d	h	pattern no.	Case/Shelf L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
description	-"-	· ·	11	pattern no.	Ц/ Ц	11/12	12/1	10/11	11/11	12,12	10/10
Open bookcase, ganged, 28"h	30"	14"	28"	RC234DHBGG ()()	\$1,588.	\$2,248.	\$2,472.	\$3,113.	\$2,850.	\$3,223.	\$4,062.
	30"	14"	28"	RC234DHBGO ()()	1,254.	1,756.	1,911.	2,367.	2,063.	2,303.	2,947.
	36"	14"	28"	RC264DHBGG ()()	1,610.	2,259.	2,476.	3,130.	2,863.	3,237.	4,141.
	36"	14"	28"	RC264DHBGO ()()	1,295.	1,811.	1,979.	2,491.	2,137.	2,397.	3,150.
Open bookcase, ganged, 41"h	30"	14"	41"	RC434DHBGG()()	1,798.	2,458.	2,682.	3,323.	3,075.	3,476.	4,393.
	30"	14"	41''	RC434DHBGO ()()	1,464.	1,966.	2,121.	2,577.	2,289.	2,556.	3,278.
	36"	14"	41"	RC464DHBGG ()()	1,826.	2,474.	2,692.	3,346.	3,098.	3,499.	4,483.
	36"	14"	41''	RC464DHBGO ()()	1,510.	2,026.	2,195.	2,706.	2,372.	2,660.	3,492.

# **Order Code**

### Example: RC234DHBDO()() R Reff C Cabinets 2 28'' high, 4 = 41'' high3 30'' wide, 6 = 36'' wide 14" deep 4 DH Desk height BG Bookcase Ganged 0 Open, G = Center gableV316 Case finish 111 Shelf finish

28" nominal height = 28 \(^3\)/8" actual height.

height. 41" nominal height =  $41 \frac{1}{2}$ " actual height

Glides add 2" of height adjustment. To prevent tipping, the back of each bookcase must be attached to a wall or to the back of another bookcase using the wall attachment hardware provided.

# **Specification Information**

To order, please specify pattern number including:

- 1. Case Finish: Laminate / Wood
- 2. Shelf Finish: Laminate / Wood veneer

# It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page will accept woodgrain laminate where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.

Installation instruction sheets available on Knoll Exchange. For grommet location refer to reference number 6TP00389.

For ganging instructions, refer to reference number 6TP00436.

Cabinet is key hole construction. Cabinet back is inset.

# **Application Notes**

Second shelf from the bottom is fixed and the top of the fixed shelf is nominally 283/4" above ground level. All other shelves are adjustable on 2.5" centers within 5" from the top and bottom of cabinet and away from the fixed middle shelf. All adjustable shelves are supported on field installed threaded pins. Shelves are flush with the front edge of the gables and have a nominal 13" inside depth. The back of each shelf has a ½" space for cable management. Centered at the back of the fixed shelf is an additional  $1^{1}\!/\!4''$  diameter half round hole for plug head pass-through. 3 1/2"diameter grommet is available for field installation over wall electrical outlet.

Overall depth of units = 14" (not including wall attachment hardware).

The shelves on cabinets with center gable, are adjustable on both sides (2.5" intervals within 5" from the top and bottom of cabinet) Center gable is fixed.

In mix finish options, the fixed shelf is the same finish as the adjustable shelves. Overall depth of units = 14" (not included wall attachment hardware).

Base kick plate is flush with front edge of gable. For Classic esthetic an additional kick plate is available in Accessories for wall storage units. See page 190.

Outer surface of exterior gable in "Ganged" units are finished with neutral tone backer sheet. Interior of back has the same finish as the case (gables).

Ganged bookcase are intended to be place adjacent to one another and attached to each other. Black vertical reveals are included to go between adjacent units.

# Wall Storage Units, 28<sup>3</sup>/8" planning Bookcase, Ganged, 14" deep Wood and Laminate Shelves 53", 72" & 86" high and Stack-on Units

description	w	d	h	pattern no.	Case/Shelf L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Open bookcase, ganged, 53"h	30"	14"	53"	RC534DHBGG ()()	\$1,901.	\$2,588.	\$2,822.	\$3,488.	\$3,230.	\$3,647.	\$4,601.
	30"	14"	53"	RC534DHBGO ( )( )	1,554.	2,077.	2,238.	2,712.	2,413.	2,691.	3,441.
	36"	14"	53"	RC564DHBGG ( )( )	1,930.	2,606.	2,831.	3,512.	3,253.	3,672.	4,695.
	36"	14"	53"	RC564DHBGO ( )( )	1,602.	2,139.	2,314.	2,846.	2,499.	2,798.	3,663.
Open bookcase, ganged, 72"h	30"	14"	72"	RC7234DHBGG ( )( )	2,553.	3,346.	3,686.	4,912.	3,797.	4,324.	5,442.
	30"	14"	72"	RC7234DHBGO ( )( )	2,054.	2,609.	2,936.	3,721.	2,805.	3,169.	4,151.
	36"	14"	72"	RC7264DHBGG ( )( )	2,845.	3,780.	4,140.	5,472.	4,196.	4,782.	6,014.
	36"	14"	72"	RC7264DHBGO ( )( )	2,309.	2,954.	3,324.	4,226.	3,161.	3,562.	4,600.
Open bookcase, ganged, 86"h	30"	14"	86"	RC834DHBGG ()()	3,092.	4,004.	4,520.	6,339.	4,641.	5,281.	7,200.
	30"	14"	86"	RC834DHBGO ( )( )	2,462.	3,181.	3,569.	4,927.	3,377.	3,811.	5,338.
	36"	14"	86"	RC864DHBGG ()()	3,462.	4,495.	5,071.	7,109.	5,128.	5,833.	7,945.
	_36"	14"	86"	RC864DHBGO ()()	2,783.	3,600.	4,040.	5,594.	3,795.	4,285.	6,022.
Stack-on units, Ganged, 32"h	30"	14"	32"	RC334DHSGG ( )( )	1,769.	2,330.	2,530.	3,118.	2,578.	2,847.	3,545.
	30"	14"	32"	RC334DHSGO ( )( )	1,601.	2,022.	2,177.	2,665.	2,154.	2,350.	2,947.
	36"	14"	32"	RC364DHSGG()()	1,833.	2,378.	2,586.	3,223.	2,629.	2,910.	3,678.
	36"	14"	32"	RC364DHSGO ( )( )	1,636.	2,072.	2,235.	2,771.	2,210.	2,421.	3,086.
. *											

# **Order Code**

### Example: RC534DHBDO()() R Reff C Cabinets 5 53" high 3 30'' wide, 6 = 36''W 14" deep 4 DH Desk height BG Bookcase Ganged, SG = Stack-on Ganged o Open, G = Center gable V316 Case finish 111 Shelf finish

32" nominal height = 32" actual

53" nominal height = 52.6 actual

height 72'' nominal height =  $72\sqrt{2}''$  actual height

86" nominal height = 86" actual height

Glides add 2" of height adjustment. To prevent tipping, the back of each bookcase must be attached to a wall or to the back of another bookcase using the wall attachment hardware provided.

# **Specification Information**

To order, please specify pattern number including:

- 1. Case Finish: Laminate / Wood veneer
- 2. Shelf Finish: Laminate / Wood veneer

# It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page will accept woodgrain laminate where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.

Installation instruction sheets available on Knoll Exchange. For grommet location refer to reference number 6TP00389.

For ganging instructions, refer to reference number 6TP00436.

Cabinet is key hole construction. Cabinet back is inset.

# **Application Notes**

Second shelf from the bottom is fixed and the top of the fixed shelf is nominally 283/4" above ground level. All other shelves are adjustable on 2.5" centers within 5" from the top and bottom of cabinet and away from the fixed middle shelf. All adjustable shelves are supported on field installed threaded pins. Shelves are flush with the front edge of the gables and have a nominal 13" inside depth. The back of each shelf has a ½" space for cable management. Centered at the back of the fixed shelf is an additional  $1^{1}\!/\!4''$  diameter half round hole for plug head pass-through. 3 1/2"diameter grommet is available for field installation over wall electrical outlet.

Overall depth of units = 14" (not including wall attachment hardware).

The shelves on cabinets with center gable, are adjustable on both sides (2.5" intervals within 5" from the top and bottom of cabinet) Center gable is fixed.

In mix finish options, the fixed shelf is the same finish as the adjustable shelves. Overall depth of units = 14" (not included wall attachment hardware).

Base kick plate is flush with front edge of gable. For Classic esthetic an additional kick plate is available in Accessories for wall storage units. See page 190.

Outer surface of exterior gable in "Ganged" units are finished with neutral tone backer sheet. Interior of back has the same finish as the case (gables).

Ganged bookcase are intended to be place adjacent to one another and attached to each other. Black vertical reveals are included to go between adjacent units.

# Wall Storage Units, 283/8" planning Bookcase, Ganged, 14" deep Glass Shelves 28" and 41" high

description	W	d	h	pattern no.	Case/Shelf L/G	V1/G	V2/G	V3/G
Open bookcase, ganged, 28"h	30"	14"	28"	RC234DHBGG ( )( )	\$2,127.	\$2,456.	\$3,319.	\$4,169.
	36"	14"	28"	RC264DHBGG ( )( )	2,204.	3,074.	3,376.	4,262.
Open bookcase, ganged, 41"h	30"	14"	41"	RC434DHBGG()()	2,680.	3,563.	3,872.	4,722.
	36"	14"	41"	RC464DHBGG ( )( )	2,823.	3,693.	3,995.	4,881.

Order Code	٥

### Example: RC234DHBGG()() R Reff C Cabinets 2 28'' high, 4 = 41'' high3 30'' wide, 6 = 36'' wide 14" deep 4 DH Desk height BG Bookcase Ganged G G = Center gableV316 Case finish GL35 Shelf finish

28'' nominal height =  $28^3$ /8'' actual height

41" nominal height = 41 1/2" actual height

Glides add 2" of height adjustment. To prevent tipping, the back of each bookcase **must** be attached to a wall or to the back of another bookcase using the wall attachment hardware provided.

# **Specification Information**

To order, please specify pattern number including:

- 1. Case Finish: Laminate / Wood
- 2. Shelf Finish: Glass Finish; GL35 or GL85

# It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page will accept woodgrain laminate where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.

Installation instruction sheets available on Knoll Exchange. For grommet location refer to reference number 6TP00389.

For ganging instructions, refer to reference number 6TP00436.

The cabinet is key hole construction. Cabinet back is inset.

# **Application Notes**

Glass shelves are available in

GL35 and GL85 only. Bookcase units with glass shelves are available with Center Gable only. Center gable is fixed. Second  $\underline{\operatorname{shelf}}$  from the bottom is fixed and is in the same finish as the case. The top of the fixed shelf is nominally 283/4" above ground level. All other shelves are adjustable on 2.5" centers within 5" from the top and bottom of cabinet and away from the fixed middle shelf. All adjustable shelves are supported on field installed threaded pins. Shelves are flush with the front edge of the gables and have a nominal 13" inside depth. The back of each shelf has a 1/2" space for cable management. Centered at the back of the fixed shelf is an additional 11/4" diameter half round hole for plug head pass-through. 3 1/2" diameter grommet is available for field installation over wall

The fixed shelf is the same finish as the case.

electrical outlet.

The shelves on cabinets with center gable, are adjustable on both sides (2.5" intervals within 5" from the top and bottom of cabinet) Center gable is fixed.

Overall depth of units = 14" (not included wall attachment hardware).

Base kick plate is flush with front edge of gable. For Classic esthetic an additional kick plate is available in Accessories for wall storage units. See page 190.

Outer surface of exterior gable in "Ganged" units are finished with neutral tone backer sheet. Interior of back has the same finish as the case (gables).

Ganged bookcase are intended to be place adjacent to one another and attached to each other. Black vertical reveals are included to go between adjacent units.

# Wall Storage Units, 283/8" planning Bookcase, Ganged, 14" deep Glass Shelves 53", 72" & 86" high and Stack-on Units

description	W	d	h	pattern no.	Case/Shelf L/G	V1/G	V2/G	V3/G
Open bookcase, ganged, 53"h	30"	14"	53"	RC534DHBGG ( )( )	\$2,820.	\$3,737.	\$4,059.	\$4,943.
	36"	14"	53"	RC564DHBGG()()	2,967.	3,872.	4,187.	5,109.
Open bookcase, ganged, 72"h	30"	14"	72"	RC7234DHBGG ( )( )	3,416.	4,358.	4,698.	5,748.
	36"	14"	72"	RC7264DHBGG()()	3,650.	4,614.	4,973.	6,123.
Open bookcase, ganged, 86"h	30"	14"	86"	RC834DHBGG ( )( )	3,947.	4,913.	5,280.	6,475.
	36"	14"	86"	RC864DHBGG()()	4,249.	5,228.	5,616.	6,921.
Stack-on units, Ganged, 32"h	30"	14"	32"	RC334DHSGG ( )( )	2,007.	2,569.	2,769.	3,357.
	36"	14"	32"	RC364DHSGG()()	2,127.	2,673.	2,881.	3,517.

# **Order Code**

### Example: RC534DHBGG()() R Reff C Cabinets 5 53" high 3 30'' wide, 6 = 36''W 14" deep 4 DH Desk height BG Bookcase Ganged, SG = Stack-on Ganged G G = Center gableV316 Case finish GL35 Shelf finish

32" nominal height = 32" actual height

53" nominal height = 52.6" actual height

72" nominal height = 72 ½" actual height

86" nominal height = 86" actual height

Glides add 2" of height adjustment. To prevent tipping, the back of each bookcase **must** be attached to a wall or to the back of another bookcase using the wall attachment hardware provided.

# **Specification Information**

To order, please specify pattern number including:

- 1. Case Finish: Laminate / Wood veneer
- 2. Shelf Finish: Glass Finish; GL35 or GL85

# It is Not advisable to mix 28 \%"h desk height products with 26 \/2" standard height products.

Product on this page will accept woodgrain laminate where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.

Installation instruction sheets available on Knoll Exchange. For grommet location refer to reference number 6TP00389.

For ganging instructions, refer to reference number 6TP00436.

The cabinet is key hole construction. Cabinet back is inset.

# **Application Notes**

Glass shelves are available in GL35 and GL85 only. Bookcase units with glass shelves are available with Center Gable only. Center gable is fixed.

Second shelf from the bottom is

fixed and is in the same finish as the case. The top of the fixed shelf is nominally 28<sup>3</sup>/4" above ground level. All other shelves are adjustable on 2.5" centers within 5" from the top and bottom of cabinet and away from the fixed middle shelf. All adjustable shelves are supported on field installed threaded pins. Shelves are flush with the front edge of the gables and have a nominal 13" inside depth. The back of each shelf has a 1/2" space for cable management. Centered at the back of the fixed shelf is an additional 11/4" diameter half round hole for plug head pass-through. 3 1/2" diameter grommet is available for field installation over wall electrical outlet.

The fixed shelf is the same finish as the case.

The shelves on cabinets with center gable, are adjustable on both sides (2.5" intervals within 5" from the top and bottom of cabinet) Center gable is fixed.

Overall depth of units = 14" (not including wall attachment hardware).

Base kick plate is flush with front edge of gable. For Classic esthetic an additional kick plate is available in Accessories for wall storage units. See page 190. Exterior of back is finished with neutral tone backer sheet. Interior of back has the same finish as the case (gables).

Ganged bookcase are intended to be place adjacent to one another and attached to each other. Black vertical reveals are included to go between adjacent units.

Adjacent bookcases are intended to be field attached to one another using ganging kits.

# Wall Storage Units, 28<sup>3</sup>/8" planning Accessories Shoulder units

description	d	h	th	pattern no.	L	V1	V2	V3
Shoulder Units, 11" deep	11"	28"	3/4"	RCS1280()	\$172.	\$264.	\$282.	\$328.
	11"	42"	3/4"	RCS1420()	186.	289.	300.	367.
	11"	72"	3/4"	RCS1720()	318.	412.	457.	572.
	11"	86"	3/4"	RCS1860()	334.	434.	482.	612.
	11"	104"	3/4"	RCS11040()	353.	470.	531.	691.
	11"	118"	3/4"	RCS11180()	369.	498.	563.	737.
Shoulder Units, 14" deep	14"	28"	3/4"	RCS1284()	176.	270.	289.	345.
	14"	42"	3/4"	RCS1424()	193.	297.	319.	400.
	14"	53"	3/4"	RCS1534()	336.	439.	472.	578.
	14"	72"	3/4"	RCS1724()	368.	479.	518.	661.
	14"	86"	3/4"	RCS1864()	385.	499.	543.	712.
	14"	104"	3/4"	RCS11044()	410.	544.	596.	802.
	14"	118"	3/4"	RCS11184()	425.	575.	630.	861.
Shoulder Units, Double Deep	22"	28"	3/4"	RCSD12800()	238.	342.	365.	449.
For two 11" deep wall storage units	22"	42"	3/4"	RCSD14200()	264.	376.	407.	524.
	22"	72"	3/4"	RCSD17200()	344.	475.	521.	723.
	22"	86"	3/4"	RCSD18600()	367.	511.	565.	805.
	22"	104"	3/4"	RCSD110400()	415.	604.	665.	955.
	22"	118"	3/4"	RCSD111800()	435.	628.	697.	1,022.
Shoulder Units, Double Deep	25"	28"	3/4"	RCSD12804()	243.	349.	375.	468.
For 11" d and 14" d wall storage units	25"	42"	3/4"	RCSD14204()	272.	386.	419.	552.
	25"	72"	3/4"	RCSD17204()	356.	502.	554.	781.
	25"	86"	3/4"	RCSD18604()	380.	541.	600.	869.
	25"	104"	3/4"	RCSD110404()	432.	627.	696.	1,022.
	25"	118"	3/4"	RCSD111804()	454.	655.	731.	1,098.

# **Order Code**

Example:	RCS1720()
R	Reff
С	Cabinets
S	Shoulder
1	Thickness:3/4"
72	Height (86, 104, 118)
0	11"d
V316	Case finish

# **Specification Information**

To order, please specify pattern number including:

1. Finish: Laminate / Wood or Glass (where applicable) Glass shelf options are GL35 or GL85

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page **Excluding any vertical surface over 60**", will accept wood grain laminate, where laminate is currently an option.

Installation instruction sheets available on Knoll Exchange. For ganging instructions, refer to reference number 6TP00436.

For periodical shelf; refer to reference number 6TP00437.

# **Application Notes**

Shoulder units have veneer on outside, paper on inside. (except Laminate)
Shoulder thickness = ¾4″ thick
Shoulder units are ordered separately to finish and complete a run of Ganged units. Shoulders come with black reveals and attachment hardware kit.

104"h and 118"h shoulders are to accommodate 72"h and 86"h bookcases with 32'h mounted stack-on units.

Shoulder units include attachment hardware kit. Black reveal kits are included with the shoulder units. Shelf thickness: Glass =  $\frac{1}{2}$ " thick Wood or Laminate = 1" thick Glass shelves are only available in 15" and 18" width.

Baseboard kits are to create a classic esthetic.

# Wall Storage Units, 283/8" planning Accessories Shoulder units

description	d	h	th	pattern no.	L	V1	V2	V3
Shoulder Units, Double Deep	28"	28"	3/4"	RCSD12844()	\$247.	\$354.	\$382.	\$486.
For two 14" deep wall storage units	28"	42"	3/4"	RCSD14244()	278.	394.	431.	578.
	28"	53"	3/4"	RCSD15344()	299.	431.	475.	661.
	28"	72"	3/4"	RCSD17244()	368.	516.	572.	824.
	28"	86"	3/4"	RCSD18644()	395.	557.	621.	920.
	28"	104"	3/4"	RCSD110444()	449.	649.	726.	1,089.
	28"	118"	3/4"	RCSD111844()	474.	680.	765.	1,174.
Shoulder / Back Unit	30"	28"	3/4"	RCSB1283()	207.	315.	344.	456.
	30"	42"	3/4"	RCSB1423()	234.	351.	390.	548.
	36"	28"	3/4"	RCSB1286()	216.	334.	371.	503.
	36"	42"	3/4"	RCSB1426()	247.	381.	428.	618.
V								

# **Order Code**

Example:	RCS1720()
R	Reff
С	Cabinets
S	Shoulder
1	Thickness:3/4"
72	Height (86, 104, 118)
0	11"d
V316	Case finish

# **Specification Information**

To order, please specify pattern number including:

1. Finish: Laminate / Wood or Glass (where applicable) Glass shelf options are GL35 or GL85

It is Not advisable to mix 28 \(^y\)s"h desk height products with 26 \(^y\)z" standard height products.

Product on this page **Excluding any vertical surface over 60**", will accept wood grain laminate, where laminate is currently an option.

Installation instruction sheets available on Knoll Exchange. For ganging instructions, refer to reference number 6TP00436.

For periodical shelf; refer to reference number 6TP00437.

# **Application Notes**

Shoulder units have veneer on outside, paper on inside. (except Laminate)
Shoulder thickness = ¾4″ thick
Shoulder units are ordered separately to finish and complete a run of Ganged units. Shoulders come with black reveals and attachment hardware kit.

104"h and 118"h shoulders are to accommodate 72"h and 86"h bookcases with 32'h mounted stack-on units.

Shoulder units include attachment hardware kit.
Black reveal kits are included with the shoulder units.

Shelf thickness: Glass =  $\frac{1}{2}$ " thick Wood or Laminate = 1" thick Glass shelves are only available in 15" and 18" width.

Baseboard kits are to create a classic esthetic.

# Wall Storage Units, 283/8" planning Accessories Shelf kits and Baseboard kits

description	w	d	h	pattern no.	L	V1	V2	V3	glass
Shelf Kits, 11" deep	15"	11"		RCAS1511()	\$167.	\$187.	\$207.	\$257.	\$208.
	18"	11"		RCAS1811()	171.	193.	212.	261.	235.
	30"	11"		RCAS3011()	187.	203.	232.	313.	n/a
	36"	11"		RCAS3611 ()	192.	212.	241.	324.	n/a
Shelf Kits, 14" deep	15"	14"		RCAS1514()	182.	221.	248.	290.	272.
	18"	14"		RCAS1814()	186.	224.	254.	303.	305.
	30"	14"		RCAS3014()	204.	242.	275.	356.	n/a
	36"	14"		RCAS3614()	211.	254.	290.	388.	n/a
Periodical Display shelf kits, 11" deep	15"	11"	10"	RCPS1511 ( )( )	249.	327.	345.	372.	n/a
	18"	11"	10"	RCPS1811 ( )( )	255.	332.	352.	383.	n/a
	30"	11"	10"	RCPS3011 ( )( )	275.	354.	376.	428.	n/a
	36"	11"	10"	RCPS3611 ( )( )	285.	369.	394.	457.	n/a
Periodical Display shelf kits, 14" deep	15"	14"	10"	RCPS1514()()	252.	330.	349.	380.	n/a
	18"	14"	10"	RCPS1814()()	258.	338.	358.	396.	n/a
	30"	14"	10"	RCPS3014()()	282.	365.	390.	451.	n/a
	36"	14"	10"	RCPS3614()()	291.	374.	401.	475.	n/a
Baseboard Kits	30"		4"	RCAB30()	98.	208.	215.	241.	n/a
	36"		4"	RCAB36()	101.	211.	218.	270.	n/a

# **Order Code**

Example:	RCS1720()
R	Reff
С	Cabinets
S	Shoulder
1	Thickness: 3/4"
72	Height (86, 104, 118)
0	11"d
V316	Case finish

# **Specification Information**

To order, please specify pattern number including:

1. Finish: Laminate / Wood or Glass (where applicable) Glass shelf options are GL35 or GL85

It is Not advisable to mix 28 \%"h desk height products with 26 \%" standard height products.

Product on this page **Excluding any vertical surface over 60**", will accept wood grain laminate, where laminate is currently an option.

Installation instruction sheets available on Knoll Exchange. For ganging instructions, refer to reference number 6TP00436.

For periodical shelf; refer to reference number 6TP00437.

# **Additional Information**

Shoulder units have veneer on outside, paper on inside. (except Laminate)
Shoulder thickness = ¾4″ thick
Shoulder units are ordered separately to finish and complete a run of Ganged units. Shoulders come with black reveals and attachment hardware kit.

104"h and 118"h shoulders are to accommodate 72"h and 86"h bookcases with 32'h mounted stack-on units.

Shoulder units include attachment hardware kit.
Black reveal kits are included with the shoulder units.

Shelf thickness: Glass =  $\frac{1}{2}$ " thick Wood or Laminate = 1" thick Glass shelves are only available in 15" and 18" width.

Baseboard kits are to create a classic esthetic.

# Wall Storage Units, 283/8" planning Accessories Reveal kits and Ganging kits

description	W	d	h	dia	pattern no.	I Kit	10 Kit	50 Kit	list
Vertical Reveals			28"		RCRV28()	\$89.	\$201.	\$695.	
1			42"		RCRV42()	94.	250.	943.	
	-		53"		RCRV53 ( )	108.	290.	1,103.	
	-		72"		RCRV72()	124.	417.	1,623.	
	-		86"		RCRV86()	134.	479.	1,904.	
	•		104"		RCRV104()	149.	557.	2,266.	
			118"		RCRV118()	156.	595.	2,446.	
Horizontal Reveals	30"				RCRH30()	90.	235.	777.	
	36"				RCRH36()	95.	261.	898.	
Ganging Kits		11"			RCGKIT11()	56.	107.	473.	
		14"			RCGKIT14()	56.	107.	473.	
Bookcase Grommet				3 1/2"	RBGR				36.

Order Cod	de	Specification Information	Application Notes	
		To order, please specify pattern number including:  1. Reveal Kit Set:  1 = 1 kit  2 = 10 kits  3 = 50 kits	It is Not advisable to mix 28%"h desk height products with 26 ½" standard height products.	Each reveal kit set, includes; 2 strips of reveal, cut to length, double sided tape in a roll and installation instructions. Reveals are included with ganged bookcases. Reveals come in Black only. Reveals are 3/32" thick. A pair of reveals is intended to go between each set of adjacent bookcases, stack-on units or shoulders.  Each Ganging kit includes; attachment hardware, drilling template and installation instructions. Intended for use with Discrete units. Ganging kits are included with

# Wall Storage Units, 283/8" planning Accessories Sliding Display Boards

		•	
30"		RCDB7230()()	\$1,427.
30"		RCDB8630( )( )	1,477.
36"		RCDB7236( )( )	1,475.
36"		RCDB8636( )( )	1,523.
	30" 36"	30" 36"	30" RCDB8630()() 36" RCDB7236()()

Order Cod	le	Specification Information	Application Notes			
Example: RCDB7230()()  R Reff		To order, please specify pattern number including:	It is Not advisable to mix 28 1/8"h desk height products with 26 1/2"	The sliding display boards are available only in LW. Marker boar		
C	Cabinets	1. Sliding Door Option: LW (only) 2. Frame / Track Finish:	standard height products.	finish on both sides.		
В	Display Board			Frame / Track finish is only		
72	Height (86, 104, 118)	AA (only)		available in AA.		
0	Width					
.W	Marker Board					
λA	Frame/Track Finish					

# Cabinets, 283/8" planning 53 high, metal interiors Bookcase and Lateral File

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Open bookcase w/2 adjustable shelves, 53" high	30"	15"	RC531DHB ( )( )( )	\$1,299.	n/a	n/a	n/a	\$1,768.	\$2,036.	\$2,749.
(for desk height planning)	30"	20"	RC532DHB ( )( )( )	1,466.	n/a	n/a	n/a	1,998.	2,297.	3,102.
	30"	24"	RC533DHB ( )( )( )	1,652.	n/a	n/a	n/a	2,250.	2,587.	3,493.
	36"	15"	RC561DHB ( )( )( )	1,441.	n/a	n/a	n/a	1,964.	2,261.	3,050.
	36"	20"	RC562DHB ( )( )( )	1,626.	n/a	n/a	n/a	2,216.	2,550.	3,443.
	36"	24"	RC563DHB ( )( )( )	1,831.	n/a	n/a	n/a	2,498.	2,871.	3,875.

Interior shelves painted metal

4 drawer lateral file, 53" high (for desk height planning)



30"	20"	RC532DHF ( )( )( )L( )( )	2,232.	2,581.	2,754.	2,928.	3,103.	3,497.	4,722.
30"	24''	RC533DHF ( )( )( )L( )( )	2,463.	2,846.	3,037.	3,229.	3,420.	3,857.	5,211.
36"	20"	RC562DHF ( )( )( )L( )( )	2,830.	3,271.	3,490.	3,711.	3,931.	4,433.	5,986.
36"	24''	RC563DHF ( )( )( )L( )( )	3,124.	3,612.	3,856.	4,100.	4,344.	4,897.	6,612.

Drawer interiors painted metal

# **Order Code**

### RC531DHB Example: R Reff С Cabinet 5 53" high 3 30" wide 1 15" deep DH Desk height В Open Bookcase 2 Finish Type, V2 M Metal Interior V316 Cabinet Finish: Maple = Open Bookcase

= 4 Drawer Lateral File

# **Specification Information**

To order the Open Bookcase, please specify pattern number including:

1. Finish type: L = Laminate

1 = V1

2 = V2

3 = V3

2. Interior options:

M = Metal

3. Cabinet Finish:

Wood or Laminate

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

To order the cabinet with 4 Lateral files, please specify pattern number including:

1. Case Finish type: L = Laminate

1 = V1

2 = V2

3 = V3

2. Front Finish type:

L = Laminate

1 = V1

2 = V23 = V3

3. Interior options:

M = Metal Interior

Pull options:

B = No pull, No Drilling,

Customer's own Pull

C = C-Pull, (Nickel finish only)

D = Metal D-pull (PZ or PT only)

F = Bar Pull

H = Outline Pull

J = J (Routed) Pull

R = Cylinder Pull

S = S Pull

(Stainless Steel Finish only)

 $\dot{T} = Tab pull$ 

5. Lock Option Files:

L = Lock hole drilled Drawers are always drilled for

locks

6. Lock finish:

B = Black S = Matte Silver

7. Case finish:

Wood or Laminate

Pull Finish:

Painted or Plated

# It is Not advisable to mix 2/3/8"h desk height product with 26 1/2" standard height product.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

Cabinets do not come with lock included. keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 482 for keying instructions.

## 53" nominal height - actual height 52.625"

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

\*If case is Laminate, the front can be laminate or wood.

\*If case is Wood, the front can only be wood.

# Cabinets, 283/8" planning 53" high, wood interiors Bookcase and Lateral File

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Open bookcase w/2 adjustable shelves, 53" high	30"	15"	RC531DHB ( )( )( )	\$1,457.	n/a	n/a	n/a	\$1,986.	\$2,277.	\$3,072.
(for desk height planning)	30"	20"	RC532DHB ( )( )( )	1,621.	n/a	n/a	n/a	2,211.	2,542.	3,431.
	30"	24''	RC533DHB ( )( )( )	1,808.	n/a	n/a	n/a	2,464.	2,833.	3,825.
	36"	15"	RC561DHB ( )( )( )	1,599.	n/a	n/a	n/a	2,178.	2,506.	3,383.
	36"	20"	RC562DHB ( )( )( )	1,784.	n/a	n/a	n/a	2,431.	2,796.	3,774.
	36"	24"	RC563DHB ( )( )( )	1,987.	n/a	n/a	n/a	2,710.	3,116.	4,206.
<b>             </b>										

4 drawer lateral file, 53" high (for desk height planning)



30"	20"	RC532DHF ( )( )( )L( )( )	2,387.	2,759.	2,946.	3,131.	3,318.	3,740.	5,051.
30"	24''	RC533DHF ( )( )( )L( )( )	2,621.	3,031.	3,236.	3,441.	3,646.	4,104.	5,541.
36"	20"	RC562DHF ( )( )( )L( )( )	2,985.	3,450.	3,683.	3,915.	4,148.	4,676.	6,312.
36"	24"	RC563DHF ( )( )( )L( )( )	3,280.	3,790.	4,047.	4,302.	4,557.	5,140.	6,938.

# **Order Code**

### Example: RC531DHB Reff R c Cabinet 5 53" high 3 30" wide 1 15" deep DH Desk height В Open Bookcase 2 Finish Type, V2 w Wood Interior V316 Cabinet Finish: Maple = Open Bookcase

= 4 Drawer Lateral File

# **Specification Information**

To order the Open Bookcase, please specify pattern number including:

- 1. Finish type:
  - L = Laminate
  - 1 = V1
  - 2 = V2
  - 3 = V3
- Interior options: W = Wood
- 3. Cabinet Finish:

Wood or Laminate

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

To order the cabinet with 4 Lateral files, please specify pattern number including:

- 1. Finish type:
  - L = Laminate
  - $1=\mathrm{V}1$
  - 2 = V2
  - 3 = V3
- 2. Interior options:
- W = Wood Interior
- 3. Pull options: B = No pull, No Drilling,
  - Customer's own Pull
  - C = C-Pull, (Nickel finish only)
  - D = Metal D-pull (PZ or PT only)
  - F = Bar Pull
  - H = Outline Pull
  - J = J (Routed) Pull R = Cylinder Pull
  - S = S Pull
  - (Stainless Steel Finish only)
  - $\dot{T} = Tab pull$
- 4. Lock Option Files: L = Lock hole drilled
  - Drawers are always drilled for locks
- 5. Lock Finish: B = Black
  - S = Matte Silver
- 6. Cabinet finish:
- Wood or Laminate 7. Pull Finish: Painted or Plated

# **Application Notes**

# It is Not advisable to mix 28 3/8"h desk height products with 261/2" standard height products.

Product on this page **Excluding** J-pull option will accept wood grain laminate, where laminate is currently an option.

Cabinets do not come with lock included.

Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 482 for keying instructions.

## 53" nominal height - actual height 52.625"

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

# Cabinets, 283/8" planning 53" high, wood interiors Wardrobe

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet, 53" high with hinged doors and coat rod	30"	15"	RC531DHH( )( )( )( )( )	\$1,747.	\$2,019.	\$2,157.	\$2,293.	\$2,429.	\$2,733.	\$3,687.
(wood interior only)	30"	20"	RC532DHH( )( )( )( )( )	1,903.	2,201.	2,348.	2,497.	2,646.	2,986.	4,028.
	30"	24''	RC533DHH( )( )( )( )( )	2,090.	2,416.	2,579.	2,742.	2,905.	3,277.	4,423.
	36"	15"	RC561DHH( )( )( )( )( )	1,919.	2,218.	2,367.	2,516.	2,666.	3,007.	4,058.
	36"	20"	RC562DHH( )( )( )( )( )	2,084.	2,408.	2,569.	2,731.	2,893.	3,254.	4,379.
	36"	24"	RC563DHH( )( )( )( )( )	2,289.	2,645.	2,822.	3,000.	3,178.	3,575.	4,811.

$\sim$	rde	 ١.	46

Example:	RC531DHH
R	Reff
С	Cabinet
5	53" high
3	30" wide
1	15" deep
DH	Desk height
L	Lock option
В	Lock finish
Н	Pull option
111	Pull finish
W	Wood Interior
V316	Case Finish: Maple
V316	Front Finish: Maple

# **Specification Information**

To order the Cabinet with hinge Doors, please specify pattern number including:

- 1. Lock Option:
  - L = Lock hole drilled N = No lock drilled
- 2. Lock Finish: B = Black
  - S = Matte Silver
- 3. Pull options: B = No pull, No Drilling,
  - Customer's own Pull
    C = C-Pull, (Nickel finish only)
    D = Metal D-pull (PZ or PT only)
    F = Bar Pull (1 pull per door set)

  - H = Outline Pull
  - J = J (Routed) Pull
  - R = Cylinder Pull S = S Pull
- (Stainless Steel Finish only) T = Tab pull (1 pull per door set)
- 4. Pull Finish:
  Painted or Plated
- Cabinet finish: Wood or Laminate
- Front Finish: Wood or Laminate

# It is Not advisable to mix 28 %"h desk height product with 261/2" standard height products.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

Cabinets do not come with lock included.

Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 482 for keying instructions.

# 53" nominal height - actual height 52.625"

- \*If case is Laminate, the front can be laminate or wood.
- \*If case is Wood, the front can only be wood.

# **Application Notes**

- $15^{\prime\prime}$  wardrobe cabinets come with 2coat hooks.
- $20^{\prime\prime}$  and  $24^{\prime\prime}$  deep wardrobe cabinet comes with a coat rod.
- 20" deep Wardrobe Cabinets provides only 18" of clear storage space.
- Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 417.

# Cabinets, 283/8" planning 72" high, metal interiors Book case

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Open bookcase 72" high (for desk height	30"	15"	RC7231DHB ( )( )( )	\$1,926.	n/a	n/a	n/a	\$2,624.	\$3,021.	\$4,077.
planning)	30"	20"	RC7232DHB ( )( )( )	2,068.	n/a	n/a	n/a	2,821.	3,244.	4,381.
	30"	24"	RC7233DHB ( )( )( )	2,293.	n/a	n/a	n/a	3,123.	3,596.	4,853.
	36"	15"	RC7261DHB ( )( )( )	2,179.	n/a	n/a	n/a	2,969.	3,416.	4,611.
	36"	20"	RC7262DHB ( )( )( )	2,341.	n/a	n/a	n/a	3,191.	3,668.	4,953.
	36"	24"	RC7263DHB ( )( )( )	2,566.	n/a	n/a	n/a	3,494.	4,021.	5,429.

$\mathbf{c}$	rde	rC	, od	6

### Example: RC731BDHB()()() R Reff С Cabinets 72 72 1/2" high 3 30" wide 15'' deep, 2 = 20'' deep, 1 $3 = 24'' \operatorname{deep}$ DH Desk height Open Bookcase В 2 Finish Type: V2 M Metal Interior V316 Case Finish: Maple

# **Specification Information**

To order the Open Bookcase, please specify pattern number including:

- 1. Finish type:
  - L = Laminate
  - 1 = V1 2 = V2 3 = V3
- Interior options: M = Metal

Cabinets with metal interior, the shelves are in painted metal. For laminate cases, the shelves are painted to match ie. 114 case = 114 painted shelves. For wood cases, the shelves are painted black ie. V316 case = black shelves.

3. Cabinet Finish: Wood or Laminate It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page ExcludingJ-pull option will accept wood grain laminate, where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.

Keying instructions must accompany all cabinet orders. After specifying product code, provide keying instructions. Refer to page 482 for keying instructions.


# **Application Notes**

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

# Cabinets, 283/8" planning 72" high, metal interiors Bookcase and file drawers

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet, 72" high, double high with file/file	30"	20"	RC7232DHK( )( )( )( )( )( )	\$3,427.	\$3,963.	\$4,230.	\$4,499.	\$4,766.	\$5,355.	\$7,175.
below, top open with one adjustable shelf	30"	24''	RC7233DHK( )( )( )( )( )( )	3,787.	4,378.	4,672.	4,967.	5,262.	5,918.	7,938.
	36"	20"	RC7262DHK( )( )( )( )( )( )	3,735.	4,319.	4,610.	4,903.	5,195.	5,844.	7,836.
	36"	24"	RC7263DHK( )( )( )( )( )( )	4,072.	4,723.	5,049.	5,374.	5,700.	6,411.	8,602.
1 / /l										

Cabinet, 72" high, double high with 4 files below, top open with one adjustable shelf



30"	20"	RC7232DHO( )( )( )( )( )( )	3,654.	4,248.	4,544.	4,841.	5,137.	5,785.	7,826.
30"	24''	RC7233DHO()()()()()()()	4,089.	4,749.	5,080.	5,410.	5,740.	6,467.	8,746.
36"	20"	RC7262DHO()()()()()()()	4,065.	4,723.	5,052.	5,381.	5,710.	6,428.	8,694.
36"	24"	RC7263DHO()()()()()()	4,543.	5,275.	5,640.	6,005.	6,371.	7,177.	9,706.

# **Order Code**

### Example: RC7232DHK ()()()()()()()Reff c Cabinet 72 1/2" high 72 3 30" wide 2 20" deep Desk Height DH K Open Shelves with 2 File drawers M Metal Interior L Lock option В Lock Finish T Pull Option 111 Pull Finish V316 Case Finish: Maple V316 Front Finish: Maple

 $\mathbf{K}$  =Open shelves and 2 file drawers **O**= Open shelves and 4 file drawers

# **Specification Information**

To order, please specify pattern number including:

- Interior options: M = Metal
- 2. Lock Option Doors: L = Lock hole drilled N = No lock drilling Drawers are always drilled for lock. Not optional.
- Lock Finish: B = Black
- S = Matte Silver
- Pull Options:
- B = No pull, No Drilling, C = Nickel finish C-pull (nickel finish only) D = Metal D-pull (finish optional)
- F = Bar Pull (1 pull per door set)
- H = Outline Pull JN = Routed J-pull on drawers and touch latch on Hinge doors (finish matches case)
- R = Cylinder PullS = S Pull
- (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)
- 5. Pull Finish:
- Painted and Plated
- Case Finish:
- Wood or Laminate
- Front Finish: Wood or Laminate

# **Application Notes**

It is Not advisable to mix 28 3/8"h desk height products with 26 1/2" standard height products.

Product on this page Excluding J-pull option will accept wood grain laminate, where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.

Cabinets do not come with lock included.

Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page482 for keying instructions.

- \* If case is Laminate, the front can be laminate or wood.
- \* If case is Wood, the front can only be wood.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

# Cabinets, 283/8" planning 72" high, metal interiors Hinge doors and file drawers

description	width	depth	pattern number	L	L/V1	L/V2	L/V3	V1	V2	V3
Storage w/4 file drwrs & hinged doors above	30"	20"	RC7232DHFH ( )( )( )( )( )( )( )( )	\$3,400.	\$3,929.	\$4,193.	\$4,458.	\$4,722.	\$5,327.	\$7,188.
72" high, (for desk height planning)	30"	24"	RC7233DHFH ( )( )( )( )( )( )( )( )	3,776.	4,364.	4,658.	4,952.	5,246.	5,915.	7,986.
	36"	20"	RC7262DHFH ( )( )( )( )( )( )( )( )	3,755.	4,339.	4,632.	4,924.	5,216.	5,880.	7,940.
	36"	24"	BC7263DHFH ( )( )( )( )( )( )( )( )	4 167	4.818	5 143	5 468	5 794	6.530	8.815



## **Order Code**

### Example: RC7232DHFH R Reff C Cabinet 72 72 1/2" high 3 30" wide 2 20" deep DH Desk Height F Storage with Hinge Door with 4 file drawers Н Wood hinge doors Case Finish Type: L Laminate 2 Front finish type, V2 M Metal Interior Т Tab pull option L Lock option, files Ν Lock option, doors В Lock Finish 118 Case Finish V316 Front Finish 111 Pull Finish

**F** = Hinge door cabinet with 4 file

G= Hinge door cabinet with FF

# **Specification Information**

To order, please specify pattern number including:

- 1. Case Finish type:
  - L = Laminate
  - 1 = V1
  - 2 = V2
  - 3 = V3
- 2. Front Finish type:
  - L = Laminate
  - 1 = V2
  - 2 = V2
- 3 = V3Interior options:
- M = Metal
- Pedestals with metal interior, the shelves are in painted metal. For laminate cases, the shelves are painted to match ie. 114 case = 114 painted shelves.
- For wood cases, the shelves are painted black ie. V316 case = black shelves.
- Pull Options:
- B = No pull, No Drilling, Customer's own Pull
- C = Nickel Finish C-Pull
- D = Metal D-pull F = Bar Pull (1 pull per door set)
- H = Outline Pull
- JN = J (Routed) Pull on Drawers and Touch latch on hinge doors
- R = Cylinder Pull
- S = S Pull
- (Stainless Steel Finish only)
- T = Tab Pull (1 pull per door set)
  5. Lock options Files:
- L = Lock hole drilled (not
- optional) 6. Lock Option Doors:
- L = Lock hole drilled N = No lock drilling
- 7. Lock Finish:
  - B = Black
  - S = Matte Silver
- 8. Cabinet Case Finish:
- Wood or Laminate
- Front Finish: Wood or Laminate
- 10. Pull Finish: Painted or Plated

## **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page **Excluding** J-pull option will accept wood grain laminate, where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

Drawers are always drilled for locks.

After specifying product code, provide keying instructions. Refer to page482 for keying instructions.

- \*If case is Laminate, the front can be laminate of wood.
- \*If case is wood, the front can only be wood.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom

V1

V2


V3

# Cabinets, 28<sup>3</sup>/8" planning 72" high, metal interiors Hinge doors and file drawers

description width depth pattern number

Storage w/upper hinged doors & 2 adj shelves, 72" high, bottom 2 file drawers (for desk height planning)

RC7212DHGH(
16" 24" RC7213DHGH(
30" 20" RC7232DHGH



L/V1

L/V2

L/V3



## **Order Code**

### Example: RC7232DHFH R Reff C Cabinet 72 721/2" high 3 30" wide 2 20" deep DH Desk Height F Storage with Hinge Door with 4 file drawers Н Wood hinge doors Case Finish Type: L Laminate 2 Front finish type, V2 M Metal Interior Т Tab pull option L Lock option, files Ν Lock option, doors В Lock Finish 118 Case Finish V316 Front Finish Pull Finish 111

**F** =Hinge door cabinet with 4 file drawers

**G**= Hinge door cabinet with FF

# **Specification Information**

To order, please specify pattern number including:

- 1. Case Finish type:
  - L = Laminate
  - 1 = V1
  - 2 = V2
  - 3 = V3
- 2. Front Finish type:
  - L = Laminate
  - 1 = V22 = V2
  - 2 = V23 = V3
- 3. Interior options:
  - M = Metal
  - Pedestals with metal interior, the shelves are in painted metal. For laminate cases, the shelves are painted to match ie. 114 case = 114 painted shelves.
- For wood cases, the shelves are painted black ie. V316 case = black shelves.
- 4. Pull Options:
  - B = No pull, No Drilling, Customer's own Pull
  - C = Nickel Finish C-Pull
  - D = Metal D-pull
  - F = Bar Pull (1 pull per door set)
  - H = Outline Pull
  - JN = J (Routed) Pull on Drawers and Touch latch on hinge doors
  - R = Cylinder Pull
  - S = S Pull
  - (Stainless Steel Finish only)
- T = Tab Pull (1 pull per door set)
- 5. Lock options Files:
- L = Lock hole drilled (not optional)
- 6. Lock Option Doors: L = Lock hole drilled
- N = No lock drilling 7. *Lock Finish:*
- B = Black
- S = Matte Silver
- 8. Cabinet Case Finish:
- Wood or Laminate
- 9. Front Finish:
- Wood or Laminate
- 10. Pull Finish: Painted or Plated

# Application Notes

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

Drawers are always drilled for locks.

After specifying product code, provide keying instructions. Refer to page 482 for keying instructions.

- \*If case is Laminate, the front can be laminate of wood.
- \*If case is wood, the front can only be wood.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

# Cabinets, 28<sup>3</sup>/8" planning 72" high, metal interiors Hinge doors and Box/Box/File

description L/V1 L/V2 L/V3 V3 d pattern no. RC7212DHPH(L/R) ( )( )( )( )( )( ) Storage, 72" high, w/upper hinged doors & 2 adj 16" 20''\$2,564. \$2,962. \$3,161. \$3,361. \$3,560. \$4,014. \$5,420. shelves, bottom box/box/file (for desk height RC7213DHPH(L/R) ( )( )( )( )( )( ) 2,825. 24''3,266. 3,485. 3,705. 3,926. 4,428. 5,979.



Left hand shown

# **Order Code**

### Example: RC7212DHPH(L/R) R Reff C Cabinet 72 721/2" high 1 16" wide 2 20'' deep, 3 = 24'' deep DH Desk Height Ρ Storage with Hinge Door with Box/Box/File н Wood hinge doors L/R Left or Right hand M Metal Interior L Lock option, door 111 Lock finish T Pull option 111 Pull finish 118 Case finish V316 Front finish

**P** =Hinge door cabinet with Box/Box/File

# **Specification Information**

To order, please specify pattern number including:

- 1. Interior options: M = Metal
- Lock Option Doors:
   L = Lock hole drilled
   N = No lock drilling
   Drawers are always drilled for lock. Not optional.
- 3. Lock Finish: B = Black
- S = Matte Silver
- A. Pull Options:

  B = No pull, No Drilling,
  C = Nickel finish C-pull
  (nickel fnish only)
  D = Metal D-pull
  (finish optional)
  F = Bar Pull (1 pull per door set)
  H = Outline Pull
  JN = Routed J-pull on drawers
  and touch latch on Hinge doors
  (finish matches case)
  R = Cylinder Pull
  S = S Pull
  (Stainless Steel Finish only)
- T = Tab Pull (1 pull per door set)
  5. *Pull Finish:*
- Painted and Plated
- 6. Case Finish:
- Wood or Laminate
  7. Front Finish:
  Wood or Laminate

# **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

Drawers are always drilled for locks.

After specifying product code, provide keying instructions. Refer to page 482 for keying instructions.

- \*If case is Laminate, the front can be laminate of wood.
- \*If case is wood, the front can only be wood.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

# Cabinets, 283/8" planning 72" high, metal interiors Hinge doors and wardrobe

V2V3V1V2V3description d pattern no. RC7232DHEH(L/R) ( )( )( )( )( )( )( ) Wardrobe/bookcase combo 72" high, w/full height 30" 20" \$3,348. \$3,868. \$4,129. \$4,389. \$4,649. \$5,246. \$7,081. doors (for desk height planning) 3,742. 30" 24" 4,326. 4,617. 4,909. 5,200. 7,918. RC7233DHEH(L/R) ( )( )( )( )( )( )( ) 5.866. 36" 20" RC7262DHEH(L/R) ( )( )( )( )( )( )( )( 4,240 3,668 4,526 4,812. 5,098 5,748. 7,757. 36''RC7263DHEH(L/R) ( )( )( )( )( )( )( ) 4,095 4,737. 5,056. 5,377. 5,698. 6,419. 8,666.

> Requires one lock core per cabinet. Coat rod included.

Shelves determine (L/R) hand.

Left hand shown

## **Order Code**

R

С

72

3

2

E

Н

L

2

M

Т

Ν

В

118

111

Е

V316

DH

Example: RC7232DHEH (L/R)

Cabinet

30" wide

20" deep

combo

Laminate

Metal Interior

Lock Finish

Case Finish

Front Finish

Pull Finish

Tab pull option

Lock option, doors

= Hinge door cabinet with

full height doors, half

wardrobe and shelves

Desk Height

Wardrobe / Bookcase

Wood hinge doors

Case finish Type:

Front finish type: V2

72 1/2" high

Reff

# **Specification Information**

# To order, please specify pattern number including:

# Case Finish type:

L = Laminate

1 = V1

2 = V23 = V3

2. Front Finish type:

L = Laminate

1 = V1

2 = V23 = V3

Interior options: M = Metal Interior

Pedestals with metal interior, the shelves are in painted metal. For laminate cases, the shelves are painted to match ie. 114 case

= 114 painted shelves. For wood cases, the shelves are painted black ie. V316 case = black shelves.

Pull Options:

B = No pull, No Drilling, Customer's own Pull

C = Nickel finish C-pull

D = Metal finish C-pull

 $F = Bar \underbrace{Pull} \underbrace{(1 \ pull} \ per \ door \ set)$ 

H = Outline Pull

N = No pulls, touch latch R = Cylinder Pull

S = S Pull

(Stainless Steel Finish only) T = Tab Pull (1 pull per door set)

5. Lock Option Doors

L = Lock hole drilled N = No lock drilling

6. Lock Finish: B = Black

S = Matte Silver

Case Finish:

Wood or Laminate

Front Finish:

Wood or Laminate Pull Finish: Painted or Plated

# It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page **Excluding** J-pull option will accept wood grain laminate, where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 482 for keying instructions.

\*If case is Laminate, the front can be laminate of wood.

\*If case is wood, the front can only be wood.

# **Application Notes**

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

\* Note: 72" high Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 417. 20" deep Wardrobe Cabinets provide only 18" of clear storage

# Cabinets, 28<sup>3</sup>/8" planning 72" high, metal interiors Wardrobe Combo with BBF and FF

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Wardrobe 72" high, with 1/2 height hinged door	30"	20"	RC7232DHPHW(L/R) ( )( )( )( )( )( )	\$3,495.	\$4,236.	\$4,606.	\$4,977.	\$5,347.	\$6,029.	\$8,139.
& box/box/file Cabinet	30"	24''	RC7233DHPHW(L/R) ( )( )( )( )( )( )	3,633.	4,402.	4,788.	5,172.	5,558.	6,267.	8,459.
	36"	20"	RC7262DHPHW(L/R) ( )( )( )( )( )( )	3,613.	4,379.	4,761.	5,144.	5,527.	6,232.	8,413.
	36"	24"	RC7263DHPHW(L/R) ( )( )( )( )( )( )	3,754.	4,549.	4,948.	5,345.	5,743.	6,475.	8,741.
	War	drobe	determines (L/R) hand							

Left hand shown

Wardrobe 72" high, with 1/2 height hinged door & file/file Cabinet



₩.

Left hand shown

 30"	20"	RC7232DHGHW(L/R) ( )( )( )( )( )( )	3,354.	4,065.	4,420.	4,775.	5,131.	5,785.	7,811.
30"	24''	RC7233DHGHW(L/R) ( )( )( )( )( )( )	3,481.	4,219.	4,587.	4,956.	5,325.	6,002.	8,104.
36"	20"	RC7262DHGHW(L/R) ( )( )( )( )( )( )	3,472.	4,208.	4,576.	4,944.	5,312.	5,989.	8,084.
36"	24"	RC7263DHGHW(L/R) ( )( )( )( )( )( )	3,601.	4,363.	4,746.	5,127.	5,508.	6,210.	8,386.

Wardrobe determines (L/R) hand

# **Order Code**

### Example: RC7232DHPHW (L/R) R Reff C Cabinet 72 $72^{1/2}$ ′′ high 3 30" wide 2 20" deep DH Desk Height PHW Box/Box/File Wardrobe combo GHW = FFWardrobe combo L/R Left or Right hand Metal Interior M L Lock option, doors 111 Lock Finish Ŧ Pull option 111 Pull Finish 118 Case Finish V316 Front Finish

# **Specification Information**

To order, please specify pattern number including:

- 1. Interior options: M = Metal Interior
- 2. Lock Options Doors: L = Lock hold drilled N = No lock drilling Drawers are always drilled for
- lock. Not optional
  3. Lock Finish:
  B = Black
  - S = Matte Silver
- 4. Pull Options:

  B = No pull, No Drilling,
  Customer's own Pull
  C = Nickel finish C-pull
  (nickel finish only)
  D = Metal D-pull
  (finish optional)
  F = Bar Pull (1 pull per de
- H = Outline Pull (1 pull per door set)
  H = Outline Pull
  JN = Routed J-pull on drawers
  and touch latch on Hinge doors
- (finish matches case) R = Cylinder Pull S = S Pull
- (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)
- 5. Pull Finish: Painted or Plated
- b. Case Finish:
  Wood or Laminate
- 7. Front Finish: Wood or Laminate

# **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option. For more information on grain direction on vertical surfaces, please see page 5.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

Drawers are always drilled for locks.

After specifying product code, provide keying instructions. Refer to page 482 for keying instructions.

- \*If case is Laminate, the front can be laminate or wood.
- \*If case is Wood, the front can only be wood.

The Wardrobe Cabinets on this page come equipped with a coat rod.

The 1/2 height hinge door comes with **touch latch only** and is non locking. It also comes with 2 adjustable shelves.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

# Cabinets, 28<sup>3</sup>/8" planning 72" high, wood interiors Bookcase

description	w	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Open bookcase 72" high (for desk height	30"	15"	RC7231DHB ( )( )( )	\$2,071.	n/a	n/a	n/a	\$2,822.	\$3,244.	\$4,379.
planning)	30"	20"	RC7232DHB ( )( )( )	2,223.	n/a	n/a	n/a	3,031.	3,486.	4,703.
	30"	24"	RC7233DHB ( )( )( )	2,448.	n/a	n/a	n/a	3,337.	3,836.	5,178.
	36"	15"	RC7261DHB ( )( )( )	2,325.	n/a	n/a	n/a	3,166.	3,642.	4,915.
	36"	20"	RC7262DHB ( )( )( )	2,498.	n/a	n/a	n/a	3,403.	3,912.	5,208.
	36"	24"	RC7263DHB ( )( )( )	2,720.	n/a	n/a	n/a	3,707.	4,262.	5,755.
$\perp \nu_{\lambda}$										

Order Cod	de	Specification Information		Application Notes
Example: R C 72 3 1 DH B 2 W V316	RC7231DHB ()()()()()() Reff Cabinets 72 ½" high 30" wide 15" deep, 2 = 20" deep, 3 = 24" deep Desk Height Open Bookcase Finish Type: V2 Wood Interior Cabinet Finish: Maple	To order the Open Bookcase, please specify pattern number including:  1. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3 2. Interior options: W = Wood Interior 3. Cabinet Finish: Wood or Laminate	It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.  Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.	Anchor brackets are included for 15" deep bookcases.  Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

# Cabinets, 283/8" planning 72" high, wood interiors Bookcase and file drawers

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet, 72" high, double high with 4 files below,	30"	20"	RC7232DHO( )( )( )( )( )( )	\$3,852.	\$4,473.	\$4,783.	\$5,093.	\$5,404.	\$6,084.	\$8,221.
top open with one adjustable shelf	30"	24''	RC7233DHO( )( )( )( )( )( )	4,288.	4,977.	5,322.	5,667.	6,012.	6,764.	9,141.
	36"	20"	RC7262DHO()()()()()()()	4,262.	4,949.	5,291.	5,634.	5,978.	6,748.	9,120.
	36"	24''	RC7263DHO( )( )( )( )( )( )	4,738.	5,497.	5,877.	6,257.	6,637.	7,478.	10,105.

Cabinet, 72" high, double high with file/file below, top open with one adjustable shelf



30"	20"	RC7232DHK( )( )( )( )( )( )	3,605.	4,167.	4,449.	4,729.	5,010.	5,633.	7,551.
30"	24''	RC7233DHK( )( )( )( )( )( )	3,965.	4,584.	4,892.	5,202.	5,511.	6,201.	8,318.
36"	20"	RC7262DHK( )( )( )( )( )( )	3,914.	4,527.	4,834.	5,140.	5,447.	6,125.	8,216.
36"	24"	RC7263DHK( )( )( )( )( )( )	4.278.	4.948.	5.282.	5.617.	5.951.	6.692.	8.981.

# **Order Code**

### Example: RC832DHK()()()()()() c Cabinet 8 86" high 3 30" wide 2 20'' deep, 3 = 24'' deep DH Desk Height K Open Shelves with 2 File drawers 2 Finish Type: 2 w Wood Interior L Lock Option, files В Lock finish Ŧ Pull option 111 Pull finish V316 Case Finish: Maple V316 Front Finish: Maple

C = Open shelves and 2 file drawers

O = Open shelves and 4 file

# **Specification Information**

To order, please specify pattern number including:

- Interior options:
   W = Wood Interior
   Cabinets with wood interior, the shelves come in the same finish as the case.
- 2. Lock options Files:

  L = Lock hole drilled (not optional)
- 3. Lock finish:
  B = Black
- S = Matte silver 4. *Pull Options:*
- B = No pull, No Drilling,
  Customer's own Pull
  C = C-Pull, (Nickel finish only)
  D = D Pull (PZ or PT)
  F = Bar Pull
  H = Outline Pull
  J = J (Routed) Pull
- S = S Pull (Stainless Steel Finish only)
- T = Tab Pull.

  5. Pull finish:
- Painted or Plated

R = Cylinder Pull

- 6. Case Finish: Wood or Laminate
- 7. Front Finish: Wood or Laminate

# It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Cabinets do not come with lock included.

Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 482for keying instructions.

- \* If case is Laminate, the front can be laminate or wood.
- \* If case is Wood, the front can only be wood.

# Application Notes

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

# Cabinets, 28<sup>3</sup>/8" planning 72" high, wood interiors Hinge doors and file drawers

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Storage w/4 file drwrs & hinged doors above	30"	20"	RC7232DHFH ( )( )( )( )( )( )( )( )	\$3,553.	\$4,106.	\$4,383.	\$4,660.	\$4,936.	\$5,567.	\$7,514.
72" high, (for desk height planning)	30"	24''	RC7233DHFH ( )( )( )( )( )( )( )( )	3,932.	4,544.	4,849.	5,156.	5,461.	6,156.	8,311.
	36"	20"	RC7262DHFH ( )( )( )( )( )( )( )( )	3,909.	4,520.	4,825.	5,130.	5,436.	6,141.	8,290.
	36"	24''	RC7263DHFH ( )( )( )( )( )( )( )( )	4,320.	4,995.	5,332.	5,669.	6,007.	6,775.	9,148.



# **Order Code**

### Example: **RC7232DHFH** R Reff c Cabinet 72 $72^{1/2}$ ′′ high 3 30'' wide 2 20" deep DH Desk Height F Storage with Hinge Door with 4 file drawers Н Wood hinge doors Case Finish Type: L Laminate 2 Front Finish type, V2 w Wood Interior Т Tab pull Option ī Lock option, files N Lock option, doors 118 Case Finish V316 Front Finish Pull Finish 111

K = Hinge door cabinet with 4 file drawers

G = Hinge door cabinet with

# **Specification Information**

To order, please specify pattern number including:

- 1. *Case Finish Type:* L = Laminate 1 = V1
  - 2 = V2
  - 3 = V3
- 2. Front Finish Type: L = Laminate 1 = V1 2 = V2 3 = V3
- 3. Interior options: W = Wood interior
- w wood interior

  Pull Options:

  B = No pull, No Drilling,
  Customer's own Pull
  C = Nickel finish C-pull
  (nickel finish only)
  D = Metal D-Pull
  (finish optional)
  F = Bar Pull
  H = Outline Pull
  J = routed J-pull
  (finish matches case)
- R = Cylinder Pull S = S Pull (Stainless Steel Finish only) T = Tab Pull
- 5. Lock Option files:
  L = Lock hole drilled
  Drawers are always drilled for lock. Not optional.
- 6. Lock option Doors: L = Lock hole drilled N = No lock drilling
- 7. Lock Finish: B = Black
- S = Matte Silver
- 8. Cabinet Case Finish: Wood or Laminate
- 9. Front Finish: Wood or Laminate
- 10. Pull Finish:
  Painted and Plated

# It is Not advisable to mix 28 \%"h desk height products with 26 \%" standard height products.

Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drillng which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

Drawers are always drilled for locks.

Cabinets do not come with lock included.

Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 482 for keying instructions.

- \* If case is Laminate, the front can be laminate or wood.
- \* If case is Wood, the front can only be wood.

# **Application Notes**

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

# Cabinets, 283/8" planning 72" high, wood interiors Hinge doors and file drawers

d

36" 24''

Storage w/upper hinged doors & 2 adj shelves, 72" high, bottom 2 file drawers (for desk height pattern no.

L/V1

4,478.

3,875.

L/V2 L/V3

4,781

5,082.

V1

5,384.

V2V3

\$5,549.

6,118.

6,958.

7,617.

7,530.

8,193.

\$4,112.

4,532.

5,153.

5,642.

5,577.

6,070.

RC7212DHGH(L/R) ( )( )( )( )( )( )( )( ) 20" \$2,624. \$3,034. \$3,238. \$3,443. \$3,648. 16" 4,021. 16" 24" 2,894. 3,345. 3,796. RC7213DHGH(L/R) ( )( )( )( )( )( )( )( )( 3,570. planning) 3,803. 30" 20" RC7232DHGH ( )( )( )( )( )( )( )( )( 3,292 4,059 4,314. 4,569 24" RC7233DHGH()()()()()()()()() 3,600. 4,163. 4,443. 4,725. 5,006. RC7262DHGH ( )( )( )( )( )( )( )( ) 20" 3,560. 4,115. 4,392. 4,670. 4,948.

RC7263DHGH()()()()()()()()()



description

# **Order Code**

N

118

111

V316

### Example: RC7232DHFH R Reff Cabinet C 72 1/2" high 72 3 30" wide 2 20" deep DH Desk Height F Storage with Hinge Door with 4 file drawers Н Wood hinge doors L Case Finish Type: Laminate 2 Front Finish type, V2 w Wood Interior Т Tab pull Option L Lock option, files

K = Hinge door cabinet with 4 file drawers

Case Finish

Front Finish

Pull Finish

Lock option, doors

G = Hinge door cabinet with

# **Specification Information**

To order, please specify pattern number including:

1. Case Finish Type: L = Laminate 1 = V1

2 = V2

Front Finish Type: L = Laminate1 = V12 = V2

3 = V3Interior options:

W = Wood interiorPull Options: B = No pull, No Drilling, Customer's own Pull C = Nickel finish C-pull (nickel finish only) D = Metal D-Pull (finish optional) F = Bar Pull H = Outline Pull J = routed J-pull(finish matches case)

R = Cylinder Pull S = S Pull (Stainless Steel Finish only)

T = Tab Pull

Lock Option files: L = Lock hole drilled Drawers are always drilled for lock. Not optional.

Lock option Doors: L = Lock hole drilled N = No lock drilling

7. Lock Finish: B = Black

S = Matte SilverCabinet Case Finish: Wood or Laminate

Front Finish: Wood or Laminate

10. Pull Finish: Painted and Plated

# It is Not advisable to mix 28%"h desk height products with 26 1/2" standard height products.

Product on this page **Excluding** J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drillng which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

Drawers are always drilled for locks.

Cabinets do not come with lock included.

Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 482 for keying instructions.

\* If case is Laminate, the front can be laminate or wood.

\* If case is Wood, the front can only be wood.

# **Application Notes**

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

# Cabinets, 28<sup>3</sup>/8" planning 72" high, wood interiors Hinge doors and Box/Box/File

description L/V1 L/V2 L/V3 V2V3d pattern no. Storage, 72" high, w/upper hinged doors & 2 adj 16" 20" RC7212DHPH(L/R) ()()()()()() \$2,717.\$3,141. \$3,352. \$3,564. \$3,775. \$4,258. \$5,750. shelves, bottom box/box/file (for desk height 24" RC7213DHPH(L/R) ( )( )( )( )( )( ) 3,447. 3,679. 4,671. 2,982. 3,911. 4,144. 6,308.

planning)

Left hand shown

# Order Code

0.40.00	
Example:	RC7212DHPH (L/R)
R	Reff
С	Cabinet
72	72½" high
1	16" wide
2	20" deep
DH	Desk Height
P	Storage with Hinge Door
	with Box/Box/File
Н	Wood hinge doors
W	Wood Interior
Т	Tab pull option
L	Lock option, files
N	Lock option, doors
118	Case Finish
V316	Front Finish
В	Lock Finish
111	Pull Finish

**P** =Hinge door cabinet with Box/Box/File

# **Specification Information**

To order, please specify pattern number including:

- 1. Interior options:
- W = Wood

  2. Lock Option Doors:
  L = Lock hole drilled
  N = No lock drilling
  Drawers are always drilled for lock. Not optional.

  3. Lock Finish:
- 3. *Lock Finish:* B = Black
- S = Matte Silver 4. Pull Options:
- B = No pull, No Drilling,
  Customer's own Pull
  C = Nickel finish C-pull
  (nickel finish only)
  D = Metal D-pull
  (finish optional)
  F = Bar Pull (1 pull per door set)
  H = Outline Pull
  JN = rounted J-pull on drawers
  and Touch latch on Hinge doors
  (finish matches case)
  R = Cylinder Pull
  S = S Pull
  (Stainless Steel Finish only)
  T = Tab Pull (1 pull per door set)
- 5. Pull Finish:
- Painted and Plated
- 6. Case Finish:
- Wood or Laminate
- 7. Front Finish: Wood or Laminate

# **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

Drawers are always drilled for locks.

After specifying product code, provide keying instructions. Refer to page 482 for keying instructions.

- \* If case is Laminate, the front can be laminate or wood.
- \* If case is Wood, the front can only be wood.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

# Cabinets, 28<sup>3</sup>/8" planning 72" high, wood interiors Hinge doors and wardrobe

description w d pattern no. L L/V1 L/V2 L/V3 V1 V2 V3

Wardrobe/bookcase combo 72" high, w/full height doors (for desk height planning)



Left hand shown

ıt	30"	20"	RC7232DHEH(L/R) ( )( )( )( )( )( )( )	\$3,500.	\$4,047.	\$4,319.	\$4,593.	\$4,866.	\$5,486.	\$7,406.
	30"	24''	RC7233DHEH(L/R) ( )( )( )( )( )( )( )	3,896.	4,505.	4,808.	5,113.	5,417.	6,108.	8,244.
	36"	20"	RC7262DHEH(L/R) ( )( )( )( )( )( )( )	3,823.	4,420.	4,717.	5,015.	5,314.	5,992.	8,090.
	36"	24"	BC7263DHEH(L/B) ( )( )( )( )( )( )( )( )	4.254	4.916.	5.248	5.579	5.910.	6.665.	8.997.

Coat rod included. Requires one lock core per cabinet. Shelves painted metal Shelves determine (L/R) hand.

# **Order Code**

### Example: RC7232DHEH (L/R) R Reff С Cabinet 72 72 1/2" high 3 30" wide 2 20" deep DH Desk Height Ε Wardrobe / Bookcase comboН Wood hinge doors ī Left hand L Case Finish Type: Laminate 2 Front Finish type: V2 W Wood Interior Т Tab pull option N Lock option, doors В Lock Finish 118 Case Finish V316 Front Finish Pull Finish 111

**E** = Hinge door cabinet with full height doors, half wardrobe and shelves.

**D** = Wardrobe cabinet

# **Specification Information**

To order, please specify pattern number including:

Hinge Location, where applicable:
 L = Left hand

L = Left handR = Right hand

2. Case Finish type:

L = Laminate 1 = V1

1 = V12 = V2

3 = V3 Front Finish type:

L = Laminate

1 = V1

2 = V2

3 = V3

4. Interior options: W = Wood Interior

5. Pull Options:

B = No pull, No Drilling, Customer's own Pull

C = Nickel finish C-pull

D = Metal D-pull F = Bar Pull (1 pull per door set)

H = Outline Pull

N = No pulls, Touch latch

R = Cylinder Pull

S = S-pull

(Stainless Steel Finish only)

T = Tab Pull (1 pull per door set)

6. Lock Option Doors:

L = Lock hole drilled

N = No lock drilling

7. Lock Finish:

B = Black

S =Matte Silver

8. Cabinet Case Finish:

Wood or Laminate *Front Finish:* 

Wood or Laminate

10. Pull Finish:

Painted or Plated

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 482 for keying instructions.

\* If case is Laminate, the front can be laminate or wood.

\* If case is Wood, the front can only be wood.

# **Application Notes**

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

\* Note: 72" high Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 417. 20" deep Wardrobe Cabinets

provide only 18" of clear storage space.

# Cabinets, 283/8" planning 72" high, wood interiors Hinge doors and wardrobe

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Wardrobe cabinet 72" high (for desk height	12"	20"	RC7202DHDH(L/R)( )( )( )( )( )( )	\$1,731.	\$2,025.	\$2,173.	\$2,320.	\$2,467.	\$2,800.	\$3,835.
planning)	12"	24"	RC7203DHDH(L/R)( )( )( )( )( )( )	1,782.	2,077.	2,224.	2,371.	2,518.	2,852.	3,886.
	16"	20"	RC7212DHDH(L/R)( )( )( )( )( )( )	1,963.	2,270.	2,423.	2,577.	2,731.	3,079.	4,155.
	16"	24''	RC7213DHDH(L/R)( )( )( )( )( )( )	2,161.	2,498.	2,667.	2,835.	3,004.	3,385.	4,569.
	19"	20"	RC7222DHDH(L/R)( )( )( )( )( )	2,201.	2,573.	2,759.	2,945.	3,131.	3,528.	4,927.
	19"	24''	RC7223DHDH(L/R)( )( )( )( )( )	2,231.	2,623.	2,820.	3,016.	3,211.	3,658.	5,089.
	30"	20"	RC7232DHDH( )( )( )( )( )( )	2,473.	2,859.	3,052.	3,245.	3,438.	3,872.	5,229.
	30"	24''	RC7233DHDH( )( )( )( )( )( )	2,717.	3,141.	3,352.	3,564.	3,775.	4,258.	5,750.
Wood interior only	36"	20"	RC7262DHDH( )( )( )( )( )( )	2,718.	3,143.	3,355.	3,567.	3,779.	4,261.	5,754.
nood market ordy	36"	24''	RC7263DHDH( )( )( )( )( )( )	2,989.	3,454.	3,688.	3,921.	4,153.	4,684.	6,322.

Coat rod included. Order boot tray from accessories Requires one lock core per cabinet. Wood interior only

# **Order Code**

### Example: RC7232DHEH (L/R) R Reff С Cabinet 72 72 ½" high 3 30" wide 20" deep 2 DH Desk Height Ε Wardrobe / Bookcase Н Wood hinge doors L Left hand L Case Finish Type: Laminate 2 Front Finish type: V2 W Wood Interior Т Tab pull option N Lock option, doors В Lock Finish 118 Case Finish V316 Front Finish Pull Finish 111

**E** = Hinge door cabinet with full height doors, half wardrobe and shelves.

**D** = Wardrobe cabinet

# **Specification Information**

To order, please specify pattern number including:

- 1. Hinge Location, where  $app ar{l} icable$ :
  - $\vec{L}$  = Left hand R = Right hand
- 2. Case Finish type:
- L = Laminate
  - 1 = V1
  - 2 = V23 = V3
- Front Finish type:
- L = Laminate
- 1 = V1
- 2 = V2
- 3 = V3
- Interior options: W = Wood Interior
- 5. Pull Options:
  - B = No pull, No Drilling,
  - Customer's own Pull C = Nickel finish C-pull
  - D = Metal D-pull
  - F = Bar Pull (1 pull per door set)
  - H = Outline Pull
  - N = No pulls, Touch latch
  - R = Cylinder Pull

  - S = S-pull
  - (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)
- Lock Option Doors:
- L = Lock hole drilled
- N = No lock drilling
- 7. Lock Finish:
  - B = Black
  - S =Matte Silver
- 8. Cabinet Case Finish:
- Wood or Laminate
- Front Finish:
- Wood or Laminate
- 10. Pull Finish:

Painted or Plated

# It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 482 for keying instructions.

- \* If case is Laminate, the front can be laminate or wood.
- \* If case is Wood, the front can only be wood.

# **Application Notes**

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

\* Note: 72" high Wardrobe cabinets do not come equipped with boot tray. Please specify separately. See page 417. 20" deep Wardrobe Cabinets

provide only 18" of clear storage

# Cabinets, 283/8" planning 72" high, wood interiors Wardrobe Combo with BBF and FF

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Wardrobe 72" high, with 1/2 height hinged door	30"	20"	RC7232DHPHW(L/R) ( )( )( )( )( )( )	\$4,188.	\$5,007.	\$5,417.	\$5,826.	\$6,236.	\$7,033.	\$9,493.
& box/box/file Cabinet	30"	24''	RC7233DHPHW(L/R) ( )( )( )( )( )( )	4,342.	5,192.	5,617.	6,041.	6,467.	7,291.	9,842.
	36"	20"	RC7262DHPHW(L/R) ( )( )( )( )( )( )	4,309.	5,153.	5,574.	5,996.	6,418.	7,234.	9,766.
	36"	24"	RC7263DHPHW(L/R) ( )( )( )( )( )( )	4,466.	5,340.	5,777.	6,215.	6,651.	7,498.	10,123.
	War	drobe	determines (L/R) hand							

Left hand shown

Wardrobe 72" high, with 1/2 height hinged door & file/file Cabinet



Left hand shown

r	30"	20"	RC7232DHGHW(L/R) ( )( )( )( )( )( )	3,930.	4,699.	5,084.	5,468.	5,853.	6,600.	8,908.
	30''	24''	RC7233DHGHW(L/R) ( )( )( )( )( )( )	4,076.	4,874.	5,273.	5,671.	6,070.	6,845.	9,240.
	36''	20"	RC7262DHGHW(L/R) ( )( )( )( )( )( )	4,051.	4,844.	5,240.	5,636.	6,033.	6,802.	9,076.
	36"	24"	RC7263DHGHW(L/R) ( )( )( )( )( )( )	4,200.	5,023.	5,434.	5,845.	6,256.	7,053.	9,520.

Wardrobe determines (L/R) hand

# **Order Code**

### Example: RC7232DHPHW (L/R) R Reff С Cabinet 72 $72^{1/2}$ ′′ high 3 30" wide 2 20" deep DH Desk Height PHW Box/Box/File Wardrobe combo GHW = FFWardrobe combo L/R Left or Right hand Wood Interior W L Lock option, doors 111 Lock Finish Ŧ Pull option 111 Pull Finish 118 Cabinet Finish

# **Specification Information**

To order, please specify pattern number including:

- Interior options:
- W = Wood Interior
- 2. Lock Options Doors: L = Lock hold drilled N = No lock drilling Drawers are always drilled for lock. Not optional Lock Finish:
- B = Black
  - S = Matte Silver
- Pull Options: B = No pull, No Drilling, Customer's own Pull C = Nickel finish C-pull (nickel finish only) D = Metal D-pull (finish optional) F = Bar Pull (1 pull per door set)
  H = Outline Pull
  - JN = Routed J-pull on drawersand touch latch on Hinge doors (finish matches case) R = Cylinder Pull  $S = S \dot{P}ull$
- (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)
- Pull Finish:
- Painted or Plated Case Finish:
- Wood or Laminate Front Finish:
- Wood or Laminate

# **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

Drawers are always drilled for locks.

After specifying product code, provide keying instructions. Refer to page 482 for keying instructions.

- \* If case is Laminate, the front can be laminate or wood.
- \* If case is Wood, the front can only be wood.

The Wardrobe Cabinets on this page come equipped with a coat rod.

The 1/2 height hinge door comes with touch latch only and is non locking. It also comes with 2 adjustable shelves.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

# Cabinets, 283/8" planning 86" high, metal interiors Book case

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet, 86" high, with shelving	30"	15"	RC831DHB()()()	\$2,334.	n/a	n/a	n/a	\$3,197.	\$3,680.	\$5,440.
	36"	15"	RC861DHB()()()	2,655.	n/a	n/a	n/a	3,616.	4,160.	6,148.



# **Order Code**

Example:	RC831DHB( )( )( )
R	Reff
С	Cabinet
8	86" high, Actual height
3	30" wide
1	15" deep
DH	Desk Height
В	Open Bookcase
2	Finish Type: V2
М	Metal Interior
V316	Cabinet Finish: Maple

# **Specification Information**

 ${\it To~order,~please~specify~pattern}$ number including:

- 1. Finish Type:
  - L = Laminate 1 = V1 2 = V2 3 = V3
- 2. Interior Options: M = Metal Interior Cabinets with metal interior, the shelves are in painted metal. For laminate cases, the shelves are painted to match ie. 114 case = 114 painted shelves. For wood cases, the shelves are painted black ie. V316 case = black shelves.
- 3. Cabinet Finish: Wood or Laminate

# **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26  $\frac{1}{2}$ standard height products.

Product on this page **Excluding** J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.


Anchor brackets are included for 15" deep bookcases.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

# Cabinets, 283/8" planning 86" high, metal interiors Bookcase and file drawers

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet, 86" high, double high with file/file	30"	20"	RC832DHK( )( )( )( )( )( )	\$3,508.	\$4,057.	\$4,332.	\$4,606.	\$4,881.	\$5,523.	\$7,455.
below, top open with one adjustable shelf	30"	24''	RC833DHK( )( )( )( )( )( )	3,868.	4,471.	4,773.	5,075.	5,376.	6,086.	8,216.
	36"	20"	RC862DHK( )( )( )( )( )( )	3,815.	4,413.	4,712.	5,010.	5,310.	6,013.	8,117.
	36"	24"	RC863DHK( )( )( )( )( )( )	4,180.	4,834.	5,160.	5,487.	5,814.	6,579.	8,882.

Cabinet, 86" high, double high with 4 files below, top open with one adjustable shelf



,	30"	20"	RC832DHO( )( )( )( )( )( )	3,735.	4,342.	4,644.	4,948.	5,251.	5,953.	8,105.
	30"	24''	RC833DHO( )( )( )( )( )( )	4,170.	4,843.	5,180.	5,517.	5,854.	6,634.	9,026.
	36"	20"	RC862DHO( )( )( )( )( )( )	4,146.	4,818.	5,153.	5,489.	5,824.	6,597.	8,975.
	36"	24"	RC863DHO()()()()()()()	4,625.	5,369.	5,742.	6,114.	6,486.	7,345.	9,986.

# **Order Code**

### RC832DHK( )( )( )( )( )( ) Example: R Reff С Cabinet 8 86" high , Actual height 3 30" wide 2 20'' deep, 3 = 24'' deep DH Desk Height K Open Shelves with 2 File drawers 2 Finish Type: 2 M Metal Interior Ŧ Pull Option Lock Option, files V316 Case Finish: Maple V316 Front Finish: Maple 111 Pull Finish

**K** = Open shelves and 2 file drawers

O = Open shelves and 4 file drewers

# **Specification Information**

To order, please specify pattern number including:

- 1. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3
- 2. Interior options:

  M = Metal Interior
  Cabinets with metal interior, the shelves come in painted metal.

  For laminate cases, the shelves are painted to match ie. 114 case = 114 painted shelves.

  For wood cases, the shelves are painted black ie. V316 case = black shelves.
- black shelves.
  3. Pull Options:
  B = No pull, No Drilling,
  Customer's own Pull
  C = C-Pull, (Nickel finish only)
  D = D Pull (PZ or PT)
  F = Bar Pull
  H = Outline Pull
  J = J (Routed) Pull
  R = Cylinder Pull
  S = S Pull
  (Stainless Steel Finish only)
- T = Tab Pull.
  4. Lock options Files:
  L = Lock hole drilled (not
- optional)
  5. Case Finish:
  Wood or Laminate
- 6. Pull Finish: Painted or Plated
- 7. Front Finish: Wood or Laminate

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Drawers are always drilled for lock.

After specifying product code, provide keying instructions. Refer to page 482 for keying instructions.

- \* If case is Laminate, the front can be laminate or wood.
- \* If case is Wood, the front can only be wood.

# **Application Notes**

Cabinets on this page are engineered to align with front sets of 28 %"h pedestals and are intended for "desk height" planning application. Do not mix products from 26 %"h (standard ht.) planning model with 28 %"h (desk height) planning model in any one configuration.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

# Cabinets, 28<sup>3</sup>/8" planning 86" high, metal interiors Hinge doors and file drawers

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet, 86" high, hinged doors/ shelves 4 file	30"	20"	RC832DHF( )( )( )( )(L)( )( )( )	\$3,925.	\$4,537.	\$4,842.	\$5,149.	\$5,454.	\$6,152.	\$8,304.
drawers	30"	24''	RC833DHF( )( )( )( )(L)( )( )( )	4,359.	5,039.	5,378.	5,718.	6,058.	6,832.	9,223.
	36"	20"	RC862DHF( )( )( )( )(L)( )( )( )	4,336.	5,012.	5,352.	5,690.	6,027.	6,795.	9,173.
	36"	24"	RC863DHF( )( )( )( )(L)( )( )( )	4,815.	5,565.	5,940.	6,314.	6,689.	7,543.	10,183.

### **Order Code**

### Example: **RC832DHF()()()()()()()()** R Reff C Cabinet 86" high, Actual height 8 3 30" wide 2 20" deep DH Desk Height Storage with Hinge Door F with 4 file drawers Case Finish Type: L Laminate Front finish type: V2 M Metal Interior Т Tab pull option L Lock option, files N Lock option, doors В Lock Finish 118 Case Finish V316 Front Finish Pull Finish 111

 $\mathbf{F}$  = Hinge door cabinet with 4 file drawers

**G** = Hinge door cabinet with FF **P** = Hinge door cabinet with BBF

# **Specification Information**

To order, please specify pattern number including:

- 1. Case Finish type: L = Laminate
  - 1 = V12 = V2
- 3 = V3 2. Front Finish Type:
  - L = Laminate
  - 1 = V1
  - 2 = V23 = V3
- 3. Interior options:
  - M = Metal Interior Cabinets with metal interior, the shelves come in painted metal. For laminate cases, the shelves are painted to match ie. 114 case = 114 painted shelves. For wood cases, the shelves are
- For wood cases, the shelves are painted black ie. V316 case = black shelves.
- 4. Pull Options:
- B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only)
- D = D Pull (PZ or PT only)
- F = Bar Pull (1 pull per door set) H = Outline Pull
- JN = J (Routed) Pull on drawers, Touch latch on hinge doors R = Cylinder Pull
- S = S Pull
- (Stainless Steel Finish only)
- T = Tab Pull (1 pull per door set)

  5. Lock options Files:
  L = Lock hole drilled (not
- optional)
  6. Lock Option Doors:
- L = Lock hole drilled N = No lock drilling
- 7. Lock Finish: B = Black
  - S = Matte Silver
- 8. Case Finish: Wood or Laminate
- 9. Front Finish: Wood or Laminate
- 10. Pull Finish: Painted or Plated

## **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

Drawers are always drilled for locks.

After specifying product code, provide keying instructions. Refer to page 482 for keying instructions.

- \* If case is Laminate, the front can be laminate or wood.
- \* If case is Wood, the front can only be wood.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

\*Note: 86" high Wardrobe Cabinets do not come equipped with boot tray. Please specify separately. See page417. 20" deep Wardrobe Cabinets

20" deep Wardrobe Cabinets provide only 18" of clear storage space.

# Cabinets, 28<sup>3</sup>/8" planning 86" high, metal interiors Hinge doors and file drawers

description	w	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet, 86" high, hinged doors/ shelves 2 file	16"	20"	RC812DHGH(L/R)( )( )( )( )	\$3,107.	\$3,766.	\$4,096.	\$4,425.	\$4,755.	\$5,320.	\$6,659.
drawers	16"	24''	RC813DHGH(L/R)()()()()	3,187.	3,865.	4,204.	4,543.	4,882.	5,490.	6,991.
	30"	20"	RC832DHG( )( )( )( )(L)( )( )( )	3,622.	4,186.	4,467.	4,749.	5,031.	5,671.	7,658.
	30"	24''	RC833DHG( )( )( )( )(L)( )( )( )	3,982.	4,601.	4,912.	5,221.	5,531.	6,238.	8,419.
	36"	20"	RC862DHG( )( )( )( )(L)( )( )( )	3,930.	4,543.	4,848.	5,155.	5,461.	6,160.	8,321.
	36"	24"	RC863DHG( )( )( )( )(L)( )( )( )	4,294.	4,963.	5,298.	5,632.	5,968.	6,728.	9,086.

Coat rod included.

### **Order Code**

Example:	RC832DHF( )( )( )(L)( )( )
R	Reff
С	Cabinet
8	86" high, Actual height
3	30" wide
2	20" deep
DH	Desk Height
F	Storage with Hinge Door
	with 4 file drawers
L	Case Finish Type:
	Laminate
2	Front finish type : V2
M	Metal Interior
Т	Tab pull option
L	Lock option, files
N	Lock option, doors
В	Lock Finish
118	Case Finish
V316	Front Finish
111	Pull Finish

 $\mathbf{F}$  = Hinge door cabinet with 4 file drawers

**G** = Hinge door cabinet with FF **P** = Hinge door cabinet with BBF

### **Specification Information**

To order, please specify pattern number including:

1. Case Finish type: L = Laminate

1 = V1 2 = V23 = V3

2. Front Finish Type:

L = Laminate

1 = V12 = V2

2 = V23 = V3

3. Interior options:

M = Metal Interior Cabinets with metal interior, the shelves come in painted metal. For laminate cases, the shelves are painted to match ie. 114 case = 114 painted shelves. For wood cases, the shelves are

For wood cases, the shelves are painted black ie. V316 case = black shelves.

4. Pull Options:

B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only)

D = D - Pull (PZ or PT only)
F = Bar Pull (1 pull per door set)

H = Outline Pull
JN = J (Routed) Pull on drawers,

JN = J (Routed) Pull on drawers Touch latch on hinge doors R = Cylinder Pull

S = S Pull

(Stainless Steel Finish only)

T = Tab Pull (1 pull per door set)
5. Lock options Files:
L = Lock hole drilled (not optional)

6. Lock Option Doors: L = Lock hole drilled N = No lock drilling

7. Lock Finish: B = Black

S = Matte Silver 8. *Case Finish:* 

Wood or Laminate
9. Front Finish:

Wood or Laminate
10. Pull Finish:

Painted or Plated

### Application Notes

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

Drawers are always drilled for locks.

After specifying product code, provide keying instructions. Refer to page 482 for keying instructions.

\* If case is Laminate, the front can be laminate or wood.

\* If case is Wood, the front can only be wood.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

\*Note: 86" high Wardrobe Cabinets do not come equipped with boot tray. Please specify separately. See page417. 20" deep Wardrobe Cabinets

provide only 18" of clear storage space.

# Cabinets, 28<sup>3</sup>/8" planning 86" high, metal interiors Hinge doors and Box box file drawers

description	w	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet, 86" high, hinged doors shelve Box box	16"	20"	RC812DHPH(L/R)( )( )( )( )	\$3,276.	\$3,939.	\$4,271.	\$4,602.	\$4,934.	\$5,508.	\$6,870.
file drawers	16"	24"	RC813DHPH(L/R)( )( )( )( )	3,365.	4.048.	4.389.	4,730.	5.072.	5,688.	7.210.

Left hand shown

Coat rod included Hinges determine (L/R) hand

### **Order Code**

#### Example: RC812DHPH(L/R)()()()() R Reff С Cabinet 8 86" high, Actual height 3 30" wide 16" deep DH Desk Height Ρ Hinge door with BBF н Hinge door M Metal Interior Option L Lock option doors В Lock finish Ŧ Pull option 111 Pull finish 118 Case Finish V316 Front Finish

**F** = Hinge door cabinet with 4 file drawers

**G** = Hinge door cabinet with FF **P** = Hinge door cabinet with BBF

### Specification Information

To order, please specify pattern number including:

number including:

1. Interior options:

M = Metal Interior
Cabinets with metal interior, the shelves come in painted metal.

For laminate cases, the shelves are painted to match ie. 114 case = 114 painted shelves.

For wood cases, the shelves are painted black ie. V316 case = black shelves.

2. Lock Option Doors: L = Lock hole drilled N = No lock drilling

3. Lock Finish: B = Black

S = Matte Silver

4. Pull Options:

B = No pull, No Drilling,
Customer's own Pull

C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT only)

F = Bar Pull (1 pull per door set) H = Outline Pull

JN = J (Routed) Pull on drawers, Touch latch on hinge doors

R = Cylinder PullS = S Pull

S = S Pull (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)

5. Pull Finish:

Painted or Plated

6. Case Finish:

Wood or Laminate

7. Front Finish: Wood or Laminate

### Application Notes

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

Drawers are always drilled for locks.

After specifying product code, provide keying instructions. Refer to page 482 for keying instructions.

\* If case is Laminate, the front can be laminate or wood.

\* If case is Wood, the front can only be wood.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

\*Note: 86" high Wardrobe Cabinets do not come equipped with boot tray. Please specify separately. See page417. 20" deep Wardrobe Cabinets

provide only 18" of clear storage

# Cabinets, 283/8" planning 86" high, metal interiors Hinge doors with shelves and wardrobe

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet, 86" high, wardrobe/ bookcase combo full	30"	20"	RC832DHEH(L/R)( )( )( )( )( )( )	\$3,654.	\$4,226.	\$4,511.	\$4,797.	\$5,083.	\$5,725.	\$7,729.
height doors	30"	24"	RC833DHEH(L/R)( )( )( )( )( )( )	4,051.	4,684.	5,001.	5,318.	5,634.	6,347.	8,570.
	36"	20"	RC862DHEH(L/R)( )( )( )( )( )( )	3,978.	4,599.	4,909.	5,219.	5,530.	6,231.	8,414.
	36"	24"	RC863DHEH(L/R)( )( )( )( )( )( )	4,405.	5,093.	5,438.	5,781.	6,125.	6,903.	9,321.
le received										

Shelves determine (L/R) hand

Left hand shown

### **Order Code**

Example:	RC832DHEH (L/R)
R	Reff
С	Cabinet
8	86" high, Actual height
3	30" wide
2	20" deep
DH	Desk Height
E	Wardrobe / Bookcase
	combo
Н	Wood hinge doors
(L/R)	Left hand or Right hand
L	Case Finish Type:
	Laminate
2	Front Finish Type: V2
M	Metal Interior
T	Tab pull option
N	Lock option, doors
В	Lock Finish
118	Case Finish
V316	Front Finish
111	Pull Finish

**E** = Hinge door cabinet with full height doors, half wardrobe and shelves

### **Specification Information**

To order, please specify pattern number including:

- 1. Hinge Location where applicable: L = Left hand
- R = Right hand
- - 2 = V2
- - 1 = V1
- 3 = V3
- 4. Interior options:
  - Cabinets with metal interior, the shelves come in painted metal. For laminate cases, the shelves are painted to match ie. 114 case = 114 painted shelves.
  - black shelves.
  - B = No pull, No Drilling,
  - Customer's own Pull
  - D = D-Pull (PZ or PT only)
  - F = Bar Pull (1 pull per door set)

  - N = No pull, Touch Latch
  - R = Cylinder Pull
- - L = Lock hole drilled
- 7. Lock Finish:
- 8. Case Finish:
- Front Finish:
- 10. Pull Finish:

- 2. Case Finish type: L = Laminate
- - 1 = V1
- 3 = V3
- 3. Front Finish Type:
  - L = Laminate
  - 2 = V2
- - M = Metal Interior
  - For wood cases, the shelves are painted black ie. V316 case =
- 5. Pull Options:

  - C = C-Pull, (Nickel finish only)

  - H = Outline Pull

  - S = S Pull
  - (Stainless Steel Finish only)
  - T = Tab Pull (1 pull per door set)
- 6. Lock Option Doors:
  - N = No lock drilling
- B = Black
- S = Matte Silver
- Wood or Laminate
- Wood or Laminate
- - Painted or Plated

- It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.
- Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.
- Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.
- After specifying product code, provide keying instructions. Refer to page482 for keying instructions.
- \* If case is Laminate, the front can be laminate or wood.
- \* If case is Wood, the front can only be wood.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height

86" high wardrobe cabinets come equiped with a coat rod.

20" deep wardrobe cabinets provide only 18" of clear storage space.

### Cabinets, 28<sup>3</sup>/8" planning 86" high, metal interiors Wardrobe Combo with BBF and FF

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Wardrobe 86" high, with 1/2 height hinged door	30"	20"	RC832DHPHW(L/R) ( )( )( )( )( )( )	\$3,877.	\$4,699.	\$5,109.	\$5,520.	\$5,931.	\$6,687.	\$9,362.
& box/box/file Cabinet	30"	24"	RC833DHPHW(L/R) ( )( )( )( )( )( )	4,048.	4,906.	5,335.	5,764.	6,193.	6,982.	9,775.
	36"	20"	RC862DHPHW(L/R) ( )( )( )( )( )( )	4,031.	4,886.	5,314.	5,741.	6,168.	6,955.	9,735.
	36"	24"	RC863DHPHW(L/R) ( )( )( )( )( )( )	4,207.	5,098.	5,544.	5,990.	6,436.	7,256.	10,159.

RC832DHGHW(L/R) ( )( )( )( )( )( )

RC833DHGHW(L/R) ( )( )( )( )( )( )

RC862DHGHW(L/R) ( )( )( )( )( )( )

RC863DHGHW(L/R) ( )( )( )( )( )( )(

Wardrobe 86" high, with 1/2 height hinged door & file/file Cabinet



Left hand shown

**Order Code** 

R

С

8

3

2

DH

PHW

L/R

M

L

Ŧ

111

111

118

V316

Example: RC822DHPHW (L/R)

Reff

Cabinet

86" high

30" wide

20" deep

Desk Height

Box/Box/File Wardrobe

combo GHW = FF

Wardrobe combo

Left or Right hand

Lock option, doors

Metal Interior

Lock Finish

Pull option

Pull Finish

Case Finish

Front Finish

20"

30"

30" 24''

36" 24''

To order, please specify pattern number including:

**Specification Information** 

- 1. Interior options: M = Metal Interior
- 2. Lock Options Doors: L = Lock hold drilled N = No lock drilling Drawers are always drilled for lock. Not optional Lock Finish:
- B = Black
  - S = Matte Silver
- Pull Options: B = No pull, No Drilling, Customer's own Pull C = Nickel finish C-pull (nickel finish only) D = Metal D-pull (finish optional) F = Bar Pull (1 pull per door set)
  H = Outline Pull JN = Routed J-pull on drawers and touch latch on Hinge doors (finish matches case)
  - R = Cylinder Pull S = S Pull(Stainless Steel Finish only)
- T = Tab Pull (1 pull per door set)Pull Finish:
- Painted or Plated
- Case Finish: Wood or Laminate
- Front Finish: Wood or Laminate

### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

4,527.

4,721

4,715.

4,913.

3,735.

3,895

3,891

4,054

4,923

5,133

5,128.

5,343.

5,320.

5,546.

5,540.

5,773.

5,715

5,959

5,952

6,202

6,444.

6,719.

6,711.

6,993.

9,022.

9,406.

9,396.

9,789.

Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

Drawers are always drilled for locks.

After specifying product code, provide keying instructions. Refer to page 482 for keying instructions.

- \* If case is Laminate, the front can be laminate or wood.
- \* If case is Wood, the front can only be wood.

The Wardrobe Cabinets on this page come equipped with a coat rod and top shelf.

The 1/2 height hinge door comes with touch latch only and is non locking. It also comes with 2 adjustable shelves.

Please note: Shelf adjustability is limited to approximately 2.5'' up or down per shelf from predetermined shelf height.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

# Cabinets, 28<sup>3</sup>/8" planning 86" high, wood interiors Bookcase

description	w	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet, with shelving	30"	20"	RC832DHB( )( )( )	\$2,555.	n/a	n/a	n/a	\$3,497.	\$4,025.	\$5,926.
	30"	24"	RC833DHB()()()	2,829.	n/a	n/a	n/a	3,854.	4,430.	6,523.
	36"	20"	RC862DHB()()()	2,885.	n/a	n/a	n/a	3,929.	4,520.	6,654.
	36"	24"	RC863DHB()()()	3,142.	n/a	n/a	n/a	4,283.	4,925.	7,254.
Cabinet, 86" high, with shelving	30"	15"	RC831DHB()()()	2,478.	n/a	n/a	n/a	3,393.	3,903.	5,748.
	36"	15"	RC861DHB()()()	2,799.	n/a	n/a	n/a	3,811.	4,385.	6,454.

Or	der	Co	de

#### Example: **RC831DHB()()()** R Reff C Cabinet 86" high, Actual height 8 3 30" wide 1 15'' deep, 2 = 20'' deep, 3 = 24'' deepDesk Height DH В Open Bookcase 2 Finish Type: V2 W Wood Interior V316 Cabinet Finish: Maple

### **Specification Information**

To order, please specify pattern number including:

- 1. Finish Type: L = Laminate
  - 1 = V1
  - 2 = V23 = V3
- 2. Interior Options:
  W = Wood Interior

Cabinets with wood interior, the shelves come in the same finish as the case.

3. Cabinet Finish: Wood or Laminate

### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.


Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option. Anchor brackets are included for 15" deep bookcases.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

# Cabinets, 28<sup>3</sup>/8" planning 86" high, wood interiors Bookcase and File drawers

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet, 86" high, double high with file/file	30"	20"	RC832DHK( )( )( )( )( )( )	\$3,686.	\$4,262.	\$4,549.	\$4,837.	\$5,125.	\$5,802.	\$7,832.
below, top open with one adjustable shelf	30"	24''	RC833DHK( )( )( )( )( )( )	4,046.	4,678.	4,994.	5,311.	5,626.	6,369.	8,598.
	36"	20"	RC862DHK( )( )( )( )( )( )	3,995.	4,622.	4,935.	5,248.	5,562.	6,292.	8,497.
	36"	24''	RC863DHK( )( )( )( )( )( )	4,358.	5,041.	5,382.	5,724.	6,065.	6,859.	9,262.

Cabinet, 86" high, double high with 4 files below, top open with one adjustable shelf



٠,	30"	20"	RC832DHO( )( )( )( )( )( )	3,933.	4,567.	4,884.	5,202.	5,519.	6,253.	8,501.
	30"	24''	RC833DHO( )( )( )( )( )( )	4,369.	5,072.	5,422.	5,774.	6,125.	6,932.	9,422.
	36"	20"	RC862DHO( )( )( )( )( )( )	4,342.	5,042.	5,393.	5,742.	6,093.	6,917.	9,401.
	36"	24"	RC863DHO( )( )( )( )( )( )( )	4.819.	5,591.	5.978.	6.364.	6.751.	7.647.	10.386.

### **Order Code**

#### Example: RC832DHK()()()()()() Reff R c Cabinet 8 86" high 3 30" wide 2 20'' deep, 3 = 24'' deepDH Desk Height K Open Shelves with 2 File drawers 2 Finish Type: 2 w Wood Interior T Pull Option Lock Option, files L V316 Case Finish: Maple V316 Front Finish: Maple 111 Pull Finish

**K** = Open shelves and 2 file drawers

O = Open shelves and 4 file drewers

### **Specification Information**

To order, please specify pattern number including:

- 1. Finish type: L = Laminate
  - 1 = V1
  - 2 = V2
  - 3 = V3
- 2. Interior options:
  W = Wood Interior
  Cabinets with wood interior, the shelves come in the same finish
- as the case.
  3. *Pull Options:*B = No pull, No Drilling,
  - Customer's own Pull
  - C = C-Pull, (Nickel finish only) D = D - Pull (PZ or PT)
  - F = Bar Pull H = Outline Pull
  - J = J (Routed) Pull
  - R = Cylinder Pull S = S Pull (Stainless Steel Finish only)
- T = Tab Pull.
  4. Lock options Files:
- L = Lock hole drilled (not optional)

  5. Case Finish:
- 5. Case Finish:
  Wood or Laminate
- 6. Front Finish:
  Wood or Laminate
- 7. Pull Finish: Painted or Plated

# It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Drawers are always drilled for locks.

Cabinets do not come with lock included.

Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page 482 for keying instructions.

- \* If case is Laminate, the front can be laminate or wood.
- \* If case is Wood, the front can only be wood.

### **Application Notes**

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

\* File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

# Cabinets, 283/8" planning 86" high, wood interiors Hinge doors and file drawers

description	w	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet, 86" high, hinged doors/ shelves 4 file	30"	20"	RC832DHF( )( )( )( )(L)( )( )( )	\$4,105.	\$4,744.	\$5,062.	\$5,382.	\$5,701.	\$6,431.	\$8,683.
drawers	30"	24"	RC833DHF( )( )( )( )(L)( )( )( )	4,541.	5,248.	5,603.	5,956.	6,310.	7,114.	9,602.
	36"	20"	RC862DHF( )( )( )( )(L)( )( )( )	4,515.	5,219.	5,572.	5,923.	6,276.	7,096.	9,580.
	36"	24''	RC863DHF( )( )( )( )(L)( )( )( )	4,991.	5,769.	6,158.	6,547.	6,936.	7,828.	10,534.
Cabinet, 86" high, hinged doors/ shelves 2 file	16"	20"	RC812DHGH(L/R)()()()()	3,521.	4,229.	4,584.	4,937.	5,292.	5,882.	7,231.
drawers	16"	24"	RC813DHGH(L/R)( )( )( )( )	3,610.	4,344.	4,712.	5,079.	5,446.	6,085.	7,603.
	30"	20"	RC832DHG( )( )( )( )(L)( )( )( )	3,801.	4,522.	4,882.	5,243.	5,604.	6,309.	8,036.
	30"	24''	RC833DHG( )( )( )( )(L)( )( )( )	4,160.	4,808.	5,133.	5,457.	5,781.	6,518.	8,798.
	36"	20"	RC862DHG( )( )( )( )(L)( )( )( )	4,109.	4,751.	5,072.	5,393.	5,713.	6,441.	8,694.
	36"	24''	RC863DHG( )( )( )( )(L)( )( )( )	4,474.	5,171.	5,521.	5,869.	6,218.	7,010.	9,465.
	Coat	rod ir	ncluded.							

0	rder Coo	de
Е.	1	DOGGODIJE

Example:	RC832DHF( )( )( )(L)( )( )(
R	Reff
С	Cabinet
8	86" high, Actual height
3	30" wide
2	20" deep
DH	Desk Height
F	Storage with Hinge Door with 4 file drawers
Н	Wood hinge doors
L	Case Finish Type:
	Laminate
2	Front Finish Type: V2
W	Wood Interior
T	Tab pull option
L	Lock option, files
N	Lock option, doors
В	Lock Finish
118	Case Finish
W316	Front Finish
111	Pull Finish

 $\mathbf{F}$  = Hinge door cabinet with 4 file

**G** = Hinge door cabinet with FF  $\mathbf{P}$  = Hinge door cabinet with BBF

### **Specification Information**

To order, please specify pattern number including:

- 1. Case Finish type: L = Laminate
  - 1 = V1
  - 2 = V2
  - 3 = V3
- 2. Front Finish type:
  - L = Laminate
  - 1 = V12 = V2
  - 3 = V3
- 3. Interior options:
  - W = Wood Interior
- 4. Pull Options:
  - B = No pull, No Drilling, Customer's own Pull C = C-Pull, (Nickel finish only)
- D = D Pull (PZ or PT only)F = Bar Pull (1 pull per door set)
- H = Outline Pull
- JN = J (Routed) Pull on drawers, Touch latch on Hinge doors
- R = Cylinder Pull
- $S = S \dot{P}ull$
- (Stainless Steel Finish only)
- T = Tab Pull (1 pull per door set)
  5. Lock options Files:
- L = Lock hole drilled (not
- optional) Lock Option Doors:
- L = Lock hole drilled
- N = No lock drilling 7. Lock Finish: B = Black
  - S = Matte Silver
- 8. Case Finish:
- Wood or Laminate
- Front Finish: Wood or Laminate
- 10. Pull Finish: Painted or Plated

### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

Drawers are always drilled for locks.

After specifying product code, provide keying instructions. Refer to page482 for keying instructions.

- \* If case is Laminate, the front can be laminate or wood.
- \* If case is Wood, the front can only be wood.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

\*Note: 86" high Wardrobe Cabinets do not come equipped with boot tray. Please specify separately. See page417. 20" deep Wardrobe Cabinets

provide only 18" of clear storage space.

### Cabinets, 28<sup>3</sup>/8" planning 86" high, wood interiors Hinge doors and Box box file drawers

L/V1 L/V2 L/V3 V1V2V3description d pattern no. L RC812DHPH(L/R)()()()() Cabinet, 86" high, hinged doors shelve Box box 16''20" \$4,257. \$5,021 \$5,404. \$5,786. \$6,168. \$6,804. \$8,269. file drawers 16" 24''RC813DHPH(L/R)()()()() 4,367. 5,160. 5,556. 5,952 6,349 7,036. 8,682.

Left hand shown

Hinges determine (L/R) hand

Coat rod included

### **Order Code**

#### Example: RC812DHPH(L/R)()()()() R Reff С Cabinet 8 86" high, Actual height 3 30" wide 16" deep DH Desk Height Р Hinge door with BBF Н Hinge doors w Wood Interior Option L Lock option doors В Lock finish Pull option Т 111 Pull finish V319 Case Finish V316 Front Finish

**F** = Hinge door cabinet with 4 file drawers

G = Hinge door cabinet with FF

**P** = Hinge door cabinet with BBF

### **Specification Information**

To order, please specify pattern number including:

- 1. Interior options: W = Wood Interior
- 2. Lock Option Doors: L = Lock hole drilled N = No lock drilling
- 3. *Lock Finish:*B = Black
- S = Silver
  4. Pull Options:
  B = No pull, No Drilling,
  Customer's own Pull
  C = C-Pull, (Nickel finish only)
  D = D Pull (PZ or PT only)
  F = Bar Pull (1 pull per door set)
  H = Outline Pull
  JN = J (Routed) Pull on drawers,
  Touch latch on Hinge doors
  R = Cylinder Pull
  S = S Pull
- (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)
- 5. Pull Finish:
  Painted or Plated
- 6. Case Finish: Wood or Laminate
- 7. Front Finish: Wood or Laminate

### **Application Notes**

It is Not advisable to mix 28 \%"h desk height products with 26 \%" standard height products.

Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

Drawers are always drilled for locks.

After specifying product code, provide keying instructions. Refer to page 482 for keying instructions.

- \* If case is Laminate, the front can be laminate or wood.
- \* If case is Wood, the front can only be wood.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

\*Note: 86" high Wardrobe Cabinets do not come equipped with boot tray. Please specify separately. See page417. 20" deep Wardrobe Cabinets provide only 18" of clear storage

223

# Cabinets, 283/8" planning 86" high, wood interiors Hinge doors with shelves and wardrobe

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet, 86" high, wardrobe/ bookcase combo full	30"	20"	RC832DHEH(L/R)( )( )( )( )( )( )	\$3,850.	\$4,451.	\$4,751.	\$5,051.	\$5,352.	\$6,034.	\$8,146.
height doors	30"	24''	RC833DHEH(L/R)( )( )( )( )( )( )	4,287.	4,955.	5,290.	5,624.	5,958.	6,718.	9,068.
	36"	20"	RC862DHEH(L/R)( )( )( )( )( )( )	4,207.	4,862.	5,190.	5,517.	5,845.	6,591.	8,899.
	36"	24"	RC863DHEH(L/R)( )( )( )( )( )( )	4,678.	5,407.	5,772.	6,136.	6,501.	7,332.	9,896.
I Later 1										

Requires one lock core per cabinet. Coat rod included. Order boot tray from accessories

Left hand shown

### **Order Code**

Example:	RC832DHEH (L/R)
R	Reff
С	Cabinet
8	86" high, Actual height
3	30" wide
2	20" deep
DH	Desk Height
E	Wardrobe / Bookcase
	combo
Н	Wood hinge doors
(L/R)	Left hand or Right hand
L	Case Finish Type:
	Laminate
2	Front Finish Type: V2
W	Wood Interior
Т	Tab pull option
N	Lock option, doors
В	Lock Finish
118	Case Finish
V316	Front Finish
111	Pull Finish

= Hinge door cabinet with full height doors, half wardrobe and shelves

D = Wardrobe Cabinet

### **Specification Information**

To order, please specify pattern number including:

1. Hinge Location where applicable: L = Left hand

R = Right hand2. Case Finish type:

L = Laminate

1 = V1

2 = V23 = V3

3. Front Finish type:

L = Laminate

1 = V1

2 = V2

3 = V3

4. Interior options: W = Wood Interior

5. Pull Options:

B = No pull, No Drilling, Customer's own Pull

C = Nickel Finish C-pull

D = Metal D-pull
F = Bar Pull (1 pull per door set)

H = Outline Pull

N = No pull, Touch Latch

R = Cylinder Pull

S = S-pull

(Stainless Steel Finish only)

T = Tab Pull (1 pull per door set)

6. Lock Option Doors:

L = Lock hole drilled N = No lock drilling

7. Lock Finish:

B = Black

S = Matte Silver

8. Case Finish:

Wood or Laminate

Front Finish: Wood or Laminate

10. Pull Finish: Painted or Plated

### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page **Excluding** J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page482 for keying instructions.

\* If case is Laminate, the front can be laminate or wood.

\* If case is Wood, the front can only be wood.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height

\*Note:

86" high wardrobe cabinets come equiped with a coat rod.

20" deep wardrobe cabinets provide only 18" of clear storage space.

Boot trays are not included with these cabinets. To order boot trays, refer to page 417.

In 16" and 19" wide cabinets, the hinges determine (L/R) hand.

# Cabinets, 283/8" planning 86" high, wood interiors Hinge doors with shelves and wardrobe

description	W	d	pattern no.	L	L/V1	L/V2	L/V3	V1	V2	V3
Cabinet, 86" high, wardrobe (for desk height	12"	20"	RC802DHDH(L/R)( )( )( )( )( )( )	\$2,388.	\$2,989.	\$3,289.	\$3,590.	\$3,890.	\$4,405.	\$5,772.
planning)	12"	24''	RC803DHDH(L/R)( )( )( )( )( )( )	2,440.	3,040.	3,340.	3,641.	3,941.	4,457.	5,823.
	16"	20"	RC812DHDH(L/R)( )( )( )( )( )( )	2,542.	3,143.	3,442.	3,742.	4,043.	4,559.	5,926.
	16"	24"	RC813DHDH(L/R)( )( )( )( )( )( )	2,634.	3,257.	3,568.	3,880.	4,191.	4,724.	6,142.
	19"	20"	RC822DHDH(L/R)( )( )( )( )( )( )	2,641.	3,266.	3,578.	3,890.	4,203.	4,739.	6,159.
	19"	24''	RC823DHDH(L/R)( )( )( )( )( )( )	2,737.	3,384.	3,707.	4,030.	4,353.	4,908.	6,380.
	30"	20"	RC832DHDH( )( )( )( )( )( )	3,019.	3,732.	4,088.	4,444.	4,801.	5,414.	7,038.
	30"	24''	RC833DHDH( )( )( )( )( )( )	3,122.	3,860.	4,229.	4,598.	4,967.	5,600.	7,279.
Wood interior only	36"	20"	RC862DHDH( )( )( )( )( )( )	3,254.	4,023.	4,408.	4,792.	5,176.	5,836.	7,587.
nood thecitor only	36"	24''	RC863DHDH( )( )( )( )( )( )	3,366.	4,163.	4,560.	4,959.	5,357.	6,039.	7,850.

Requires one lock core per cabinet.

Coat rod included. Order boot tray from accessories

### **Order Code**

#### Example: RC832DHEH (L/R) R Reff C Cabinet 8 86" high, Actual height 3 30" wide 2 20" deep DH Desk Height E Wardrobe / Bookcase Н Wood hinge doors (L/R) Left hand or Right hand Case Finish Type: L Laminate 2 Front Finish Type: V2 W Wood Interior T Tab pull option N Lock option, doors В Lock Finish 118 Case Finish V316 Front Finish

Ε = Hinge door cabinet with full height doors, half wardrobe and shelves

Pull Finish

111

D = Wardrobe Cabinet

### **Specification Information**

To order, please specify pattern number including:

- 1. Hinge Location where applicable: L = Left hand
- R = Right hand
- Case Finish type: L = Laminate
  - 1 = V1
  - 2 = V23 = V3
- Front Finish type: L = Laminate
- 1 = V1
- $2 = \dot{V}2$
- 3 = V3
- 4. Interior options: W = Wood Interior
- 5. Pull Options:
  - B = No pull, No Drilling, Customer's own Pull
  - C = Nickel Finish C-pull D = Metal D-pull
  - F = Bar Pull (1 pull per door set)H = Outline Pull
  - N = No pull, Touch Latch

  - R = Cylinder Pull
  - S = S-pull
  - (Stainless Steel Finish only)
- T = Tab Pull (1 pull per door set)
- Lock Option Doors: L = Lock hole drilled
- N = No lock drilling
- 7. Lock Finish: B = Black
- S = Matte Silver
- 8. Case Finish:
- Wood or Laminate
- Front Finish: Wood or Laminate
- 10. Pull Finish: Painted or Plated

### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page **Excluding** J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

After specifying product code, provide keying instructions. Refer to page482 for keying instructions.

- \* If case is Laminate, the front can be laminate or wood.
- \* If case is Wood, the front can only be wood.

Please note: Shelf adjustability is limited to approximately 2.5" up or down per shelf from predetermined shelf height

86" high wardrobe cabinets come equiped with a coat rod.

20" deep wardrobe cabinets provide only 18" of clear storage space.

Boot trays are not included with these cabinets. To order boot trays, refer to page 417.


In 16" and 19" wide cabinets, the hinges determine (L/R) hand.

### Cabinets, 283/8" planning 86" high, wood interiors Wardrobe Combo with BBF and FF

description	W	d	pattern no.	L	L/V1	L/V2 *	L/V3	V1	V2	V3
Wardrobe 86" high, with 1/2 height hinged door	30"	20"	RC832DHPHW(L/R) ( )( )( )( )( )( )	\$4,551.	\$5,516.	\$5,997.	\$6,480.	\$6,962.	\$7,849.	\$10,831.
& box/box/file Cabinet	30"	24''	RC833DHPHW(L/R) ( )( )( )( )( )( )	4,734.	5,738.	6,240.	6,741.	7,244.	8,166.	11,270.
	36"	20"	RC862DHPHW(L/R) ( )( )( )( )( )( )	4,706.	5,703.	6,202.	6,700.	7,200.	8,117.	11,200.
	36"	24''	RC863DHPHW(L/R) ( )( )( )( )( )( )	4,893.	5,931.	6,448.	6,967.	7,486.	8,441.	11,648.
	War	drobe	determines (L/R) hand							

Left hand shown

Wardrobe 86" high, with 1/2 height hinged door



Left hand shown

r	30"	20"	RC832DHGHW(L/R) ( )( )( )( )( )( )	4,301.	5,213.	5,668.	6,124.	6,581.	7,419.	10,239.
	30''	24''	RC833DHGHW(L/R) ( )( )( )( )( )( )	4,476.	5,425.	5,899.	6,373.	6,848.	7,721.	10,656.
	36"	20"	RC862DHGHW(L/R) ( )( )( )( )( )( )	4,454.	5,399.	5,870.	6,343.	6,815.	7,683.	10,605.
	36"	24"	RC863DHGHW(L/R) ( )( )( )( )( )( )	4,635.	5,618.	6,109.	6,601.	7,092.	7,995.	11,033.

Wardrobe determines (L/R) hand

### **Order Code**

Example:	RC832DHPHW (L/R)
R	Reff
С	Cabinet
8	86" high
3	30" wide
2	20" deep
DH	Desk Height
PHW	Box/Box/File Wardrobe
	combo GHW = FF
	Wardrobe combo
L/R	Left or Right hand
W	Wood Interior
L	Lock option, doors
111	Lock Finish
Т	Pull option
111	Pull Finish
118	Case Finish
V316	Front Finish

= Hinge door cabinet with full height doors, half wardrobe and shelves

To order, please specify pattern number including:

- 1. Interior options:
- W = Wood Interior 2. Lock Options Doors:
- L = Lock hold drilled N = No lock drilling Drawers are always drilled for lock. Not optional
  3. Lock Finish:
- B = Black
- S = Matte Silver
- 4. Pull Options: B = No pull, No Drilling, Customer's own Pull C = Nickel finish C-pull (nickel finish only)  $\hat{D} = Metal D-pull$ 
  - (finish optional)
  - F = Bar Pull (1 pull per door set)
    H = Outline Pull JN = Routed J-pull on drawers and touch latch on Hinge doors
  - (finish matches case)  $\hat{R}$  = Cylinder Pull S = S Pull
  - (Stainless Steel Finish only) T = Tab Pull (1 pull per door set)
- Pull Finish: Painted or Plated
- Case Finish:
- Wood or Laminate
- Front Finish: Wood or Laminate

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code. Keying instructions must accompany all cabinet orders.

Drawers are always drilled for locks.

After specifying product code, provide keying instructions. Refer to page 482 for keying instructions.

- \* If case is Laminate, the front can be laminate or wood.
- \* If case is Wood, the front can only be wood.

The Wardrobe Cabinets on this page come equipped with a coat rod and top shelf.

The 1/2 height hinge door comes with touch latch only and is non locking. It also comes with 2 adjustable shelves.

Please note: Shelf adjustability is limited to approximately  $2.5^{\prime\prime}$  up or down per shelf from predetermined shelf height.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

# Cabinets Progressive, 28 3/8 planning 42'' high, metal interior

description	W	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	18"	20"	42"	RCFS4212C(L/R)M( )( )( )( )( )( )( )	\$1,871.	\$2,057.	\$2,150.	\$2,245.	\$2,842.	\$3,268.	\$4,248.
	18"	24''	42"	RCFS4213C(L/R)M( )( )( )( )( )( )( )	1,927.	2,120.	2,216.	2,311.	2,939.	3,379.	4,393.
Cabinets, hinge door with shelves & File/File	18"	20"	42"	RCFS4212Y(L/R)M( )( )( )( )( )( )( )	2,410.	2,651.	2,771.	2,893.	3,614.	4,157.	5,405.
	18"	24"	42"	RCFS4213Y(L/R)M( )( )( )( )( )( )( )	2,486.	2,736.	2,860.	2,984.	3,730.	4,290.	5,576.
Cabinets, hinge door with shelves &	18"	20"	42"	RCFS4212Z(L/R)M( )( )( )( )( )( )( )	2,489.	2,739.	2,864.	2,988.	3,735.	4,295.	5,584.
Box/File/File	18"	24''	42''	RCFS4213Z(L/R)M( )( )( )( )( )( )( )	2,600.	2,828.	2,956.	3,085.	3,857.	4,532.	5,766.



Order Cod	de	Specification Information	Application Notes						
Example:	RCFS4212C(L/R)M ()()()()()()()()	To order please specify pattern number including:	Configurations; C = all shelves for 18"w cabinets	These products are Glue and Dowel Construction					
R C FS	Reff Cabinet Free Standing	1. Lock L=Drill for lock N=No lock 2. Lock finish	Y = hinge door with shelves and FF -18"w	Grommet pulls only Shelves and File Front will default					
42	Height 18" Wide	2. Lock linish S=Silver B=Black 3. Pull options	Z = hinge door with shelves BBF for $18''w$ $V = all shelves for  24''w  cabinets$	to the case finish 42"h cabinets are compatible with panel height.					
2 C	20" d (nominal) & 3 = 24" d (nominal) Hinge door with shelves	Grommet 4. Pull finish Paint / Plated	W = hinge door with shelves and FF and wardrobe for 24"w	When case finish is Laminate, shelves are painted to match.					
L/R M	Left/Right hinge Metal interior	5. Case finish L, V1, V2, V3 6. Door finish	X = hinge door with shelves and BBF and wardrobe for 24"w	When case finish is wood, shelves are painted black.  Drawer interiors always painted					
N S G	Lock Lock finish Pull option	L, V1,V2, V3  It is Not advisable to mix 28 %"h desk height products with 26 ½"	The images on this page are shown as a right hand cabinets.  From the users perspective, if the	black.  Cabinets with wardrobe come with a					
115 114 115	Pull finish option Case finish Door finish	standard height products.  Product on this page will accept woodgrain laminate where laminate is currently an option.	hinges are on the right side, the cabinet is classified as "right hand" cabinet.	coat rod.					

# Cabinets Progressive, 28 3/8 planning 42" high, metal interior

description	W	d	h	pattern no.	L/L	L/VI	L/V2	L/V3	V 1/V 1	V2/V2	V3/V3
Cabinets, hinge door with shelves & wardrobe	24"	20"	42"	RCFS4232V(L/R)M( )( )( )( )( )( )( )	\$2,238.	\$2,462.	\$2,575.	\$2,687.	\$3,474.	\$3,994.	\$5,195.
	24"	24''	42"	RCFS4233V(L/R)M( )( )( )( )( )( )( )	2,307.	2,538.	2,654.	2,770.	3,605.	4,147.	5,389.
Cabinets, hinge door with shelves, File/File &	24"	20"	42"	RCFS4233W(L/R)M( )( )( )( )( )( )( )	2,587.	2,844.	2,975.	3,103.	4,007.	4,607.	5,990.
wardrobe	24"	24"	42"	RCFS4232W(L/R)M( )( )( )( )( )( )( )	2,662.	2,928.	3,061.	3,195.	4,148.	4,770.	6,200.
Cabinets, hinge door with shelves, Box/Box/File	24"	20"	42"	RCFS4232X(L/R)M( )( )( )( )( )( )( )	2,749.	3,025.	3,161.	3,299.	4,178.	4,805.	6,246.
& wardrobe	24"	24"	42"	RCFS4233X(L/R)M( )( )( )( )( )( )( )	2,831.	3,114.	3,255.	3,398.	4,327.	4,973.	6,465.



Order Co	de	Specification Information	Application Notes	
Example:	` '	To order please specify pattern	Configurations;	These products are Glue and Dowel
R C FS 42 1 2 C L/R M N S G 115 114 115	Reff Cabinet Free Standing Height 18" Wide 20" d (nominal) Hinge door with shelves Left/Right hinge Metal interior Lock Lock finish Pull option Pull finish option Case finish Door finish	number including:  1. Lock L=Drill for lock N=No lock 2. Lock finish S=Silver B=Black 3. Pull options Grommet 4. Pull finish Paint / Plated 5. Case finish L, V1, V2, V3 6. Door finish L, V1,V2, V3 It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.  Product on this page will accept woodgrain laminate where laminate is currently an option.	C = all shelves for 18"w cabinets Y = hinge door with shelves and FF -18"w Z = hinge door with shelves BBF for 18"w V = all shelves for 24"w cabinets W = hinge door with shelves and FF and wardrobe for 24"w X = hinge door with shelves and BBF and wardrobe for 24"w The images on this page are shown as a right hand cabinets. From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.	Construction Grommet pulls only Shelves and File Front will default to the case finish 42"h cabinets are compatible with panel height. When case finish is Laminate, shelves are painted to match. When case finish is wood, shelves are painted black. Drawer interiors always painted black. Cabinets with wardrobe come with a coat rod.

# Cabinets Progressive, 28 3/8 planning 49" high, metal interior

description	W	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	18"	20"	49"	RCFS4912C(L/R)M()()()()()()()	\$1,909.	\$2,098.	\$2,194.	\$2,290.	\$2,899.	\$3,333.	\$4,333.
	18"	24"	49"	RCFS4913C(L/R)M( )( )( )( )( )( )( )	1,966.	2,162.	2,260.	2,358.	2,997.	3,447.	4,481.
Cabinets, hinge door with shelves & File/File	18"	20"	49"	RCFS4912Y(L/R)M( )( )( )( )( )( )( )	2,458.	2,704.	2,826.	2,950.	3,687.	4,240.	5,512.
	18"	24"	49"	RCFS4913Y(L/R)M( )( )( )( )( )( )( )	2,536.	2,790.	2,917.	3,043.	3,805.	4,376.	5,688.
Cabinets, hinge door with shelves & Box/Box/File	18"	20"	49"	RCFS4912Z(L/R)M( )( )( )( )( )( )( )	2,539.	2,793.	2,921.	3,047.	3,810.	4,381.	5,696.
<b>*</b>	18"	24"	49"	RCFS4913Z(L/R)M( )( )( )( )( )( )( )	2,622.	2,884.	3,016.	3,147.	3,934.	4,622.	5,881.

Order Co	de	Specification Information	Application Notes							
Example:  R C FS 49 1 2 C L/R M N S G 115 114 115	RCFS4912C(L/R)M ()()()()()()()() Reff Cabinet Free Standing Height 18" Wide 20" d (nominal) Hinge door with shelves Left/Right hinge Metal interior Lock Lock finish Pull option Pull finish option Case finish Door finish	To order please specify pattern number including:  1. Lock L=Drill for lock N=No lock 2. Lock finish S=Silver B=Black 3. Pull options Grommet 4. Pull finish Paint / Plated 5. Case finish L, V1, V2, V3 6. Door finish L, V1,V2, V3 It is Not advisable to mix 28 1/8"h desk height products with 26 1/2" standard height products.  Product on this page will accept woodgrain laminate where laminate is currently an option.	Configurations; C = all shelves for 18"w cabinets Y = hinge door with shelves and FF -18"w Z = hinge door with shelves BBF for 18"w V = all shelves for 24"w cabinets W = hinge door with shelves and FF and wardrobe for 24"w X = hinge door with shelves and BBF and wardrobe for 24"w The images on this page are shown as a right hand cabinets. From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.	These products are Glue and Dowel Construction Grommet pulls only Shelves and File Front will default to the case finish 49"h cabinets are compatible with panel height. When case finish is Laminate, shelves are painted to match. When case finish is wood, shelves are painted black. Drawer interiors always painted black. Cabinets with wardrobe come with a coat rod.						

# Cabinets Progressive, 28 3/8 planning 49" high, metal interior

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves & wardrobe	24"	20"	49"	RCFS4932V(L/R)M( )( )( )( )( )( )( )( )	\$2,283.	\$2,511.	\$2,626.	\$2,740.	\$3,543.		\$5,298.
	24"	24"	49"	RCFS4933V(L/R)M()()()()()()()()	2,353.	2,589.	2,707.	2,825.	3,677.	4,230.	5,497.
Cabinets, hinge door with shelves, File/File &	24"	20"	49"	RCFS4932W(L/R)M( )( )( )( )( )( )( )	2,638.	2,902.	3,034.	3,165.	4,087.	4,700.	6,110.
wardrobe	24"	24"	49"	RCFS4933W(L/R)M( )( )( )( )( )( )( )	2,715.	2,987.	3,122.	3,258.	4,231.	4,866.	6,324.
Cabinets, hinge door with shelves, Box/Box/File	24"	20"	49"	RCFS4932X(L/R)M( )( )( )( )( )( )( )	2,804.	3,085.	3,225.	3,365.	4,262.	4,902.	6,371.
& wardrobe	24"	24''	49"	RCFS4933X(L/R)M( )( )( )( )( )( )( )	2,887.	3,176.	3,321.	3,466.	4,413.	5,073.	6,594.



Order Co	de	Specification Information	Application Notes	
Example:	RCFS4912C(L/R)M	To order please specify pattern number including:	Configurations;	These products are Glue and Dowel Construction
R C FS 49 1 2 C L/R M N S G 115 114	Reff Cabinet Free Standing Height 18" Wide 20" d (nominal) Hinge door with shelves Left/Right hinge Metal interior Lock Lock finish Pull option Pull finish option Case finish Door finish	number including:  1. Lock L=Drill for lock N=No lock 2. Lock finish S=Silver B=Black 3. Pull options Grommet 4. Pull finish Paint / Plated 5. Case finish L, V1, V2, V3 6. Door finish L, V1,V2, V3  It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.  Product on this page will accept woodgrain laminate where laminate is currently an option.	C = all shelves for 18"w cabinets Y = hinge door with shelves and FF -18"w Z = hinge door with shelves BBF for 18"w V = all shelves for 24"w cabinets W = hinge door with shelves and FF and wardrobe for 24"w X = hinge door with shelves and BBF and wardrobe for 24"w The images on this page are shown as a right hand cabinets. From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.	Construction Grommet pulls only Shelves and File Front will default to the case finish 49"h cabinets are compatible with panel height. When case finish is Laminate, shelves are painted to match. When case finish is wood, shelves are painted black. Drawer interiors always painted black. Cabinets with wardrobe come with a coat rod.

# Cabinets Progressive, 28 3/8 planning 64" high, metal interior

64''

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	18"	20"		. , , , , , , , , , , , , , , , , , , ,	\$2,073.	\$2,278.	\$2,382.	\$2,486.	\$3,172.	\$3,649.	\$4,743.
	18"	24"	64"	RCFS6413C(L/R)M( )( )( )( )( )( )( )( )	2,143.	2,356.	2,464.	2,571.	3,313.	3,810.	4,953.
Cabinets, hinge door with shelves & File/File	18"	20"	64"	RCFS6412Y(L/R)M( )( )( )( )( )( )( )	2,647.	2,912.	3,044.	3,176.	3,972.	4,566.	5,937.
	18"	24"	64"	RCFS6413Y(L/R)M( )( )( )( )( )( )( )( )(	2,794.	3,074.	3,214.	3,355.	4,192.	4,822.	6,267.

RCFS6412Z(L/R)M()()()()()()()

RCFS6413Z(L/R)M( )( )( )( )( )( )( )

**Application Notes** 

hinges are on the right side, the cabinet is classfied as "right hand"

2,730.

2,881

3,003.

3,169.

3,140.

3,313.

3,275.

3,457.

4,095.

4,321.

4,709.

4,969.

6,121.

6,461.

Order Cod	de
Example:	RCFS6412C(L/R)M
	()()()()()()()
R	Reff
С	Cabinet
FS	Free Standing
64	Height
1	18" Wide
2	20" d (nominal)
С	Hinge door with shelves
L/R	Left/Right hinge
M	Metal interior
N	Lock
S	Lock finish
G	Pull option
115	Pull finish option
114	Case finish
115	Door finish

Cabinets, hinge door with shelves & Box/Box/File 18" 20" 64"

### ${\it To~order~please~specify~pattern}$ number including: 1. Lock L=Drill for lock N=No lock -18''w2. Lock finish S=Silver B=Black 3. Pull options Grommet Pull finish Paint / Plated 5. Case finish L, V1, V2, V3 6. Door finish L, V1, V2, V3 It is Not advisable to mix 28 %"h desk height products with 26 1/2" From the users perspective, if the standard height products.

Product on this page will accept

is currently an option.

woodgrain laminate where laminate

**Specification Information** 

#### These products are Glue and Dowel Configurations; Construction C = all shelves for 18"w cabinets Grommet pulls only Y = hinge door with shelves and FF Shelves and file front will default to the case finish Z = hinge door with shelves BBF for No wardrobe option in the 18"wcabinets. V = all shelves for 24''w cabinets64"h cabinets are compatible with W = hinge door with shelves and FF panel heights. and wardrobe for 24"w When case finish is Laminate, X = hinge door with shelves and shelves are painted to match. BBF and wardrobe for 24"w When case finish is wood, shelves The images on this page are shown are painted black. as a right hand cabinets.

black.

coat rod.

Drawer interiors always painted

Cabinets with wardrobe come with a

cabinet.

# Cabinets Progressive, 28 3/8 planning 64" high, metal interior

description	W	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves & wardrobe	24"	20"	64"	RCFS6432V(L/R)M( )( )( )( )( )( )( )	\$2,464.	\$2,712.	\$2,834.	\$2,959.	\$3,889.	\$4,473.	\$5,815.
	24''	24''	64"	RCFS6433V(L/R)M( )( )( )( )( )( )( )	2,554.	2,810.	2,937.	3,065.	4,078.	4,691.	6,099.

Cabinets, hinge door with shelves, File/File & wardrobe

24" 20" 64" RCFS6432W(L/R)M()()()()()() 2,821. 3,103. 3,244. 3,385. 4,432. 5,097. 6,628. 24" 24" 64" RCFS6433W(L/R)M()()()()()() 2,991. 3,289. 3,440. 3,590. 4,702. 5,409. 7,032.



Cabinets, hinge door with shelves, Box/Box/File 24" 20" 64" RCFS6432X(L/R)M()()()()()()() 2,988. 3,286. 3,436. 3,585. 4,608 5,299. 6,888. 24'' 64'' RCFS6433X(L/R)M( )( )( )( )( )( )( ) 3,163. 3,480. 3,637. 3,796. 4,883. 5,616. 7,300.



Order Cod	de	Specification Information	Application Notes							
Example:    R   C   FS   64   1   2   C   L/R   M   N   S   G   115   114   115     C   C   C   C   C   C   C   C   C	RCFS6412C(L/R)M ()()()()()()() Reff Cabinet Free Standing Height 18" Wide 20" d (nominal) Hinge door with shelves Left/Right hinge Metal interior Lock Lock finish Pull option Pull finish option Case finish Door finish	To order please specify pattern number including:  1. Lock L=Drill for lock N=No lock 2. Lock finish S=Silver B=Black 3. Pull options Grommet 4. Pull finish Paint / Plated 5. Case finish L, V1, V2, V3 6. Door finish L, V1,V2, V3 It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.  Product on this page will accept woodgrain laminate where laminate is currently an option.	Configurations; C = all shelves for 18"w cabinets Y = hinge door with shelves and FF -18"w Z = hinge door with shelves BBF for 18"w V = all shelves for 24"w cabinets W = hinge door with shelves and FF and wardrobe for 24"w X = hinge door with shelves and BBF and wardrobe for 24"w The images on this page are shown as a right hand cabinets. From the users perspective, if the hinges are on the right side, the cabinet is classfied as "right hand" cabinet.	These products are Glue and Dowel Construction Grommet pulls only Shelves and file front will default to the case finish No wardrobe option in the 18"w cabinets. 64"h cabinets are compatible with panel heights. When case finish is Laminate, shelves are painted to match. When case finish is wood, shelves are painted black. Drawer interiors always painted black. Cabinets with wardrobe come with a coat rod.						

# Cabinets Progressive, 28 3/8 planning 68" high, metal interior

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	18"	20"	68"	RCFS6812C(L/R)M( )( )( )( )( )( )( )	\$2,095.	\$2,304.	\$2,410.	\$2,514.	\$3,247.	\$3,734.	\$4,854.
	18"	24"	68"	RCFS6813C(L/R)M( )( )( )( )( )( )( )( )	2,168.	2,386.	2,495.	2,602.	3,379.	3,887.	5,053.
Cabinets, hinge door with shelves & File/File	18"	20"	68"	RCFS6812Y(L/R)M( )( )( )( )( )( )( )	2,703.	2,975.	3,110.	3,245.	4,056.	4,664.	6,064.
	18"	24"	68"	RCFS6813Y(L/R)M()()()()()()()()	2,846.	3,132.	3,273.	3,415.	4,269.	4,910.	6,382.
Cabinets, hinge door with shelves & Box/Box/File	18"	20"	68"	RCFS6812Z(L/R)M( )( )( )( )( )( )( )	2,786.	3,065.	3,204.	3,343.	4,179.	4,805.	6,247.
	18"	24"	68"	RCFS6813Z(L/R)M( )( )( )( )( )( )( )	2,933.	3,226.	3,372.	3,519.	4,398.	5,058.	6,576.

Order Code										
RCFS6812C(L/R)M ()()()()()()()										
Reff										
Cabinet										
Free Standing										
Height										
18" Wide										
20" d (nominal)										
Hinge door with shelves										
Left/Right hinge										
Metal interior										
Lock										
Lock finish										
Pull option										
Pull finish option										
Case finish										
Door finish										

To order please specify pattern number including:
1. Lock L=Drill for lock
N=No lock
2. Lock finish S=Silver
B=Black
3. Pull options
Grommet 4. Pull finish
Paint / Plated 5. Case finish
L, V1, V2, V3
6. Door finish L, V1,V2, V3
It is Not advisable to mix 28 1/8"h desk height products with 26 1/2" standard height products.
Product on this page will accept woodgrain laminate where laminate

is currently an option.

**Ordering Information** 

### **Application Notes**

Configurations; C = all shelves for 18"w cabinets Y = hinge door with shelves and FF Z =hinge door with shelves BBF for V = all shelves for 24"w cabinets

W = hinge door with shelves and FF and wardrobe for 24"w

X = hinge door with shelves and BBF and wardrobe for 24"w

The images on this page are shown as a right hand cabinets.

From the users perspective, if the hinges are on the right side, the cabinet is classfied as "right hand" cabinet.

These products are Glue and Dowel Construction

Grommet pulls only.

Shelves and files front will default to the case finish.

 $68 \mbox{\it ''}h$  Cabinets are for the private offices application to align with a single high overhead, and are compatible with panel height.

cabinets.

When case finish is Laminate, shelves are painted to match.

When case finish is wood, shelves are painted black.

Drawer interiors always painted

Cabinets with wardrobe come with coat rod.

# Cabinets Progressive, 28 3/8 planning 68" high, metal interior

description	W	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves & wardrobe	24"	20"	68"	RCFS6832V(L/R)M( )( )( )( )( )( )( )	\$2,497.	\$2,746.	\$2,871.	\$2,995.	\$3,986.	\$4,584.	\$5,959.
	24"	24''	68"	RCFS6833V(L/R)M( )( )( )( )( )( )( )	2,587.	2,846.	2,976.	3,104.	4,173.	4,798.	6,237.

Cabinets, hinge door with shelves, File/File & wardrobe

RCFS6832W(L/R)M()()()()()()()() 2,862. 3,149. 3,292 3,435. 4,557. 5,241. 6,813. RCFS6833W(L/R)M()()()()()()() 3,035. 3,337. 3,490. 3,643. 4,805. 5,527. 7,185.



Cabinets, hinge door with shelves, Box/Box/File 24" 20" 68" RCFS6832X(L/R)M( )( )( )( )( )( )( )( ) 3,029. 3,331 3,483 3,634. 4,715. 5,421. 7,048. RCFS6833X(L/R)M( )( )( )( )( )( )( )( ) 3,207. 3,527. 3,688 3,848. 4,987 5,735. 7,456.



#### **Order Code Specification Information Ordering Information** Example: RCFS6812C(L/R)M These products are Glue and Dowel To order please specify pattern Configurations; number including: Construction ()()()()()()()()C = all shelves for 18"w cabinets R 1. Lock Reff Grommet pulls only. L=Drill for lock Y = hinge door with shelves and FF c Cabinet Shelves and files front will default to N=No lock FS Free Standing Lock finish the case finish. Z = hinge door with shelves BBF for 68 Height S=Silver 68"h Cabinets are for the private B=Black 18" Wide 1 offices application to align with a 3. Pull options V = all shelves for 24"w cabinets 2 20" d (nominal) single high overhead, and are Grommet compatible with panel height. C Hinge door with shelves Pull finish W = hinge door with shelves and FF Paint / Plated Left/Right hinge and wardrobe for 24"w L/R No wardrobe options for 18"w Case finish cabinets. M Metal interior X = hinge door with shelves and L, V1, V2, V3 BBF and wardrobe for 24"w L Lock 6. Door finish When case finish is Laminate, L, V1, V2, V3 S Lock finish shelves are painted to match. The images on this page are shown G Pull option as a right hand cabinets. It is Not advisable to mix 28 %"h When case finish is wood, shelves desk height products with 26 1/2" 115 Pull finish option are painted black. From the users perspective, if the standard height products. 114 Case finish hinges are on the right side, the Drawer interiors always painted Product on this page will accept cabinet is classfied as "right hand" 115 Door finish woodgrain laminate where laminate cabinet. Cabinets with wardrobe come with is currently an option. coat rod.

# Cabinets Progressive, 28 3/8 planning 42" high, wood interior

description	W	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	18"	20"	42"	RCFS4212C(L/R)W( )( )( )( )( )( )( )	\$2,014.	\$2,216.	\$2,317.	\$2,416.	\$3,358.	\$3,862.	\$5,020.
	18"	24"	42''	RCFS4213C(L/R)W( )( )( )( )( )( )( )	2,060.	2,266.	2,370.	2,472.	3,463.	3,982.	5,177.
Cabinets, hinge door with shelves & File/File	18"	20"	42"	RCFS4212Y(L/R)W( )( )( )( )( )( )( )	2,891.	3,180.	3,323.	3,468.	4,334.	4,985.	6,480.
	18"	24"	42"	RCFS4213Y(L/R)W( )( )( )( )( )( )( )	2,933.	3,225.	3,371.	3,518.	4,397.	5,057.	6,575.
Cabinets, hinge door with shelves &	18"	20"	42"	RCFS4212Z(L/R)W( )( )( )( )( )( )( )	3,350.	3,685.	3,852.	4,020.	4,690.	5,393.	7,010.
Box/File/File	18"	24"	42"	RCFS4213Z(L/R)W( )( )( )( )( )( )( )	3,425.	3,767.	3,939.	4,110.	4,795.	5,513.	7,168.



Order Code		Specification Information	Application Notes							
Example:  R C FS 42 1 2 C L/R W L S G 115 114 115	RCFS4212C(L/R)W ()()()()()()()() Reff Cabinet Free Standing Height 18" Wide 20" d (nominal) Hinge door with shelves Left/Right hinge Wood interior Lock Lock finish Pull option Pull finish option Case finish Door finish	To order please specify pattern number including:  1. Lock L=Drill for lock N=No lock 2. Lock finish S=Silver B=Black 3. Pull options Grommet 4. Pull finish Paint / Plated 5. Case finish L, V1, V2, V3 6. Door finish L, V1,V2, V3  It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.  Product on this page will accept woodgrain laminate where laminate is currently an option.	Configurations;  C = all shelves for 18"w cabinets  Y = hinge door with shelves and FF -18"w  Z = hinge door with shelves BBF for 18"w  V = all shelves for 24"w cabinets  W = hinge door with shelves and FF and wardrobe for 24"w  X = hinge door with shelves and BBF and wardrobe for 24"w  The images on this page are shown as a right hand cabinets.  From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.	These products are Glue and Dowel Construction Grommet pulls only. Shelves and files front will default to the case finish. 42"h Cabinets are compatible with panel height. No wardrobe options in the 18"w cabinet. Cabinets with wardrobe come with a coat rod.						

# Cabinets Progressive, 28 3/8 planning 42'' high, wood interior

description	W	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves & wardrobe	24"	20"	42"	RCFS4232V(L/R)W()()()()()()()()	\$2,375.	\$2,613.	\$2,732.	\$2,848.	\$3,974.	\$4,569.	\$5,941.
		24"	42"	RCFS4233V(L/R)W( )( )( )( )( )( )( )	2,435.	2,680.	2,800.	2,922.	4,113.	4,731.	6,149.
Cabinets, hinge door with shelves, File/File &	24"	20"	42"	RCFS4232W(L/R)W( )( )( )( )( )( )( )( )	3,217.	3,539.	3,700.	3,862.	4,722.	5,429.	7,058.
wardrobe	24"	24"	42"	RCFS4233W(L/R)W( )( )( )( )( )( )( )	3,225.	3,548.	3,708.	3,869.	4,803.	5,523.	7,181.
Cabinets, hinge door with shelves, Box/Box/File	24"	20"	42"	RCFS4232X(L/R)W( )( )( )( )( )( )( )	3,633.	3,995.	4,177.	4,358.	5,129.	5,898.	7,667.
& wardrobe	24"	24"	42"	BCFS4233X(L/R)W( )( )( )( )( )( )( )( )	3.683	4.051	4.234	4.419.	5.251	6.038.	7.850



Order Cod	de	Specification Information	Application Notes								
Example:  R C FS 42 1 2 V  L/R W L S G 115	RCFS4212V(L/R)W ()()()()()()() Reff Cabinet Free Standing Height 18" Wide 20" d (nominal) all shelves for 24" cabinets with wardrobe Left/Right hinge Wood interior Lock Lock finish Pull option Pull finish option	To order please specify pattern number including:  1. Lock L=Drill for lock N=No lock 2. Lock finish S=Silver B=Black 3. Pull options Grommet 4. Pull finish Paint / Plated 5. Case finish L, V1, V2, V3 6. Door finish L, V1,V2, V3 It is Not advisable to mix 28 1/6"h desk height products with 26 1/2" standard height products.	Configurations; C = all shelves for 18"w cabinets Y = hinge door with shelves and FF -18"w Z = hinge door with shelves BBF for 18"w V = all shelves for 24"w cabinets W = hinge door with shelves and FF and wardrobe for 24"w X = hinge door with shelves and BBF and wardrobe for 24"w The images on this page are shown as a right hand cabinets. From the users perspective, if the hinges are on the right side, the	These products are Glue and Dowel Construction Grommet pulls only. Shelves and files front will default to the case finish. 42"h Cabinets are compatible with panel height. No wardrobe options in the 18"w cabinet. Cabinets with wardrobe come with a coat rod.							
114	Case finish Door finish	Product on this page will accept woodgrain laminate where laminate is currently an option.	cabinet is classified as "right hand" cabinet.								

# Cabinets Progressive, 28 3/8 planning 49" high, wood interior

description	W	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	18"	20"	49"	RCFS4912C(L/R)W( )( )( )( )( )( )( )(	\$2,054.	\$2,260.	\$2,363.	\$2,464.	\$3,426.	\$3,939.	\$5,121.
	18"	24"	49"	RCFS4913C(L/R)W( )( )( )( )( )( )( )	2,101.	2,311.	2,417.	2,522.	3,533.	4,062.	5,281.
Cabinets, hinge door with shelves & File/File	18"	20"	49"	RCFS4912Y(L/R)W()()()()()()()()	2,948.	3,243.	3,390.	3,537.	4,421.	5,084.	6,609.
	18"	24"	49"	RCFS4913Y(L/R)W( )( )( )( )( )( )( )	2,991.	3,289.	3,439.	3,589.	4,485.	5,159.	6,707.
Cabinets, hinge door with shelves &	18"	20"	49"	RCFS4912Z(L/R)W( )( )( )( )( )( )( )	3,416.	3,759.	3,929.	4,100.	4,785.	5,500.	7,150.
Box/File/File	18"	24"	49"	RCFS4913Z(L/R)W( )( )( )( )( )( )( )	3,493.	3,843.	4,018.	4,192.	4,891.	5,624.	7,311.



Order Co	de	Specification Information	Application Notes							
Example:  R C FS 49 1 2 C L/R W L S G 115 114 115	RCFS4912C(L/R)W ()()()()()()() Reff Cabinet Free Standing Height 18" Wide 20" d (nominal) Hinge door with shelves Left/Right hinge Wood interior Lock Lock finish Pull option Pull finish option Case finish Door finish	To order please specify pattern number including:  1. Lock L=Drill for lock N=No lock 2. Lock finish S=Silver B=Black 3. Pull options Grommet 4. Pull finish Paint / Plated 5. Case finish L, V1, V2, V3 6. Door finish L, V1,V2, V3 It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.  Product on this page will accept woodgrain laminate where laminate is currently an option.	Configurations;  C = all shelves for 18"w cabinets  Y = hinge door with shelves and FF -18"w  Z = hinge door with shelves BBF for 18"w  V = all shelves for 24"w cabinets  W = hinge door with shelves and FF and wardrobe for 24"w  X = hinge door with shelves and BBF and wardrobe for 24"w  The images on this page are shown as a right hand cabinets.  From the users perspective, if the hinges are on the right side, the cabinet is classified as "right hand" cabinet.	These products are Glue and Dowel Construction Grommet pulls only. Shelves and files front will default the case finish. 49"h Cabinets are compatible with panel height. No wardrobe options in the 18"w cabinet. Cabinets with wardrobe come with a coat rod.						

# Cabinets Progressive, 28 3/8 planning 49" high, wood interior

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves & wardrobe	24"	20"	49"	RCFS4932V(L/R)W()()()()()()()() RCFS4933V(L/R)W()()()()()()()()()	\$2,422. 2,485.	\$2,665. 2,734.	\$2,786. 2,857.	\$2,906. 2,981.	\$4,054. 4,195.	\$4,661. 4,826.	\$6,060. 6,272.
Cabinets, hinge door with shelves, File/File & wardrobe	24"	20"	49"	RCFS4932W(L/R)W()()()()()()()()()()()()()()()()()()(	3,282. 3,289.	3,610. 3,618.	3,774. 3,782.	3,939. 3,947.	4,816. 4,900.	5,538. 5,633.	7,200. 7,325.
Cabinets, hinge door with shelves, Box/Box/File & wardrobe	24"	20"	49"	RCFS4932X(L/R)W()()()()()()()()()()()()()()()()()()(	3,705. 3,757.	4,075. 4,132.	4,261. 4,319.	4,445. 4,507.	5,232. 5,356.	6,016. 6,159.	7,821. 8,007.



Order Cod	de	Ordering Information	Application Notes							
	RCFS4912C(L/R)W ()()()()()()()() Reff Cabinet Free Standing Height 18" Wide 20" d (nominal) Hinge door with shelves Left/Right hinge Wood interior Lock Lock finish Pull option Pull finish option Case finish Door finish	To order please specify pattern number including:  1. Lock L=Drill for lock N=No lock 2. Lock finish S=Silver B=Black 3. Pull options Grommet 4. Pull finish Paint / Plated 5. Case finish L, V1, V2, V3 6. Door finish L, V1,V2, V3 Product on this page will accept woodgrain laminate where laminate is currently an option.	Configurations; C = all shelves for 18"w cabinets Y = hinge door with shelves and FF -18"w  Z = hinge door with shelves BBF for 18"w  V = all shelves for 24"w cabinets W = hinge door with shelves and FF and wardrobe for 24"w  X = hinge door with shelves and BBF and wardrobe for 24"w  The images on this page are shown as a right hand cabinets.  From the users perspective, if the hinges are on the right side, the cabinet is classfied as "right hand" cabinet.	These products are Glue and Dowel Construction Grommet pulls only. Shelves and files front will default the case finish. 49"h Cabinets are compatible with panel height. No wardrobe options in the 18"w cabinet. Cabinets with wardrobe come with a coat rod.						

# Cabinets Progressive, 28 3/8 planning 64" high, wood interior

description	W	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	18"	20"	64"	RCFS6412C(L/R)W( )( )( )( )( )( )( )	\$2,266.	\$2,493.	\$2,607.	\$2,719.	\$3,875.	\$4,456.	\$5,792.
	18"	24"	64"	RCFS6413C(L/R)W( )( )( )( )( )( )( )	2,325.	2,557.	2,673.	2,790.	4,025.	4,629.	6,018.
Cabinets, hinge door with shelves & File/File	18"	20"	64"	RCFS6412Y(L/R)W( )( )( )( )( )( )( )	3,253.	3,578.	3,740.	3,903.	4,879.	5,612.	7,295.
	18"	24''	64"	RCFS6413Y(L/R)W( )( )( )( )( )( )( )	3,372.	3,708.	3,879.	4,047.	5,058.	5,817.	7,562.
Cabinets, hinge door with shelves & Box/Box/File	18"	20"	64"	RCFS6412Z(L/R)W( )( )( )( )( )( )( )	3,745.	4,121.	4,308.	4,495.	5,243.	6,030.	7,838.
<b>△</b>	18"	24"	64"	RCFS6413Z(L/R)W( )( )( )( )( )( )( )( )	3,902.	4.292.	4.487.	4.683.	5,463.	6.283.	8.167.

order Code	Ordering Information	Application Notes	
Example: RCFS6412C ()()()()()()()() R Reff C Cabinet FS Free Standin 64 Height 1 18" Wide 2 20" d (nomin C Hinge door v L/R Left/Right hi W Wood interio L Lock S Lock finish G Pull option 115 Pull finish op 114 Case finish Door finish	To order please specify pattern number including:  1. Lock L=Drill for lock N=No lock 2. Lock finish S=Silver B=Black 3. Pull options Grommet 4. Pull finish Paint / Plated 5. Case finish L, V1, V2, V3 6. Door finish L, V1,V2, V3  It is Not advisable to mix 28 %"h	Configurations; C = all shelves for 18"w cabinets Y = hinge door with shelves and FF -18"w Z = hinge door with shelves BBF for 18"w V = all shelves for 24"w cabinets W = hinge door with shelves and FF and wardrobe for 24"w X = hinge door with shelves and BBF and wardrobe for 24"w The images on this page are shown as a right hand cabinets. From the users perspective, if the hinges are on the right side, the cabinet is classfied as "right hand"	These products are Glue and Dowe Construction Grommet pulls only. Shelves and files front will default the case finish. 64"h Cabinets are compatible with panel height. No wardrobe option for 18"w cabinets. Cabinets with wardrobe come with coat rod.

7,971.

8,288.

8,972.

4,213.

4,329.

4,891.

5,332.

5,545.

6,001.

6,376.

6,902.

4,036.

4,149.

4,686.

# Cabinets Progressive, 28 3/8 planning 64" high, wood interior

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves & wardrobe	24"	20"	64"	RCFS6432V(L/R)W( )( )( )( )( )( )( )	\$2,651.	\$2,916.	\$3,048.	\$3,182.	\$4,569.	\$5,255.	\$6,832.
	24"	24''	64"	RCFS6433V(L/R)W( )( )( )( )( )( )( )( )	2,728.	3,001.	3,138.	3,273.	4,770.	5,486.	7,132.

3,512.

3,608.

4,075.

3,862.

3,969.

4,482.

24" 20" 64" RCFS6432W(L/R)W()()()()()()()

24" 24" 64" RCFS6433W(L/R)W()()()()()()()

24'' 64'' RCFS6433X(L/R)W( )( )( )( )( )( )( )(



Cabinets, hinge door with shelves, File/File &

Cabinets, hinge door with shelves, Box/Box/File 24" 20" 64" RCFS6432X(L/R)W()()()()()()() 3,934. 4,328. 4,525. 4,721. 5,748. 6,610. 8,593.



# Cabinets Progressive, 28 3/8 planning 68" high wood interior

description	W	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	18"	20"	68"	RCFS6812C(L/R)W( )( )( )( )( )( )( )	\$2,291.	\$2,519.	\$2,634.	\$2,748.	\$3,949.	\$4,541.	\$5,904.
	18"	24"	68"	RCFS6813C(L/R)W( )( )( )( )( )( )( )(	2,350.	2,586.	2,703.	2,821.	4,093.	4,707.	6,118.
Cabinets, hinge door with shelves & File/File	18"	20"	68"	RCFS6812Y(L/R)W( )( )( )( )( )( )( )	3,309.	3,640.	3,806.	3,972.	4,964.	5,708.	7,421.
$\triangle$	18"	24''	68"	RCFS6813Y(L/R)W( )( )( )( )( )( )( )	3,424.	3,766.	3,938.	4,108.	5,135.	5,906.	7,677.
Cabinets, hinge door with shelves & Box/Box/File	18"	20"	68"	RCFS6812Z(L/R)W( )( )( )( )( )( )( )	3,806.	4,186.	4,377.	4,566.	5,328.	6,126.	7,965.
$\triangle$	18"	24"	68"	RCFS6813Z(L/R)W( )( )( )( )( )( )( )	3,957.	4,353.	4,551.	4,749.	5,540.	6,371.	8,283.

Order Code						
RCFS6812C(L/R)W						
Reff						
Cabinet						
Free Standing						
Height						
18" Wide						
20" d (nominal)						
Hinge door with shelves						
Left/Right hinge						
Wood interior						
Lock						
Lock finish						
Pull option						
Pull finish option						
Case finish						
Door finish						

To order please specify pattern
number including:
1. Lock
L=Drill for lock
N=No lock
<ol><li>Lock finish</li></ol>
S=Silver
B=Black
3. Pull options
Grommet
4. Pull finish
Paint / Plated
5. Case finish
L, V1, V2, V3
6. Door finish
L, V1,V2, V3
It is Not advisable to mix 28 % desk height products with 26

**Ordering Information** 

⅓″h standard height products.

Product on this page will accept woodgrain laminate where laminate is currently an option.

### **Application Notes**

Configurations; C = all shelves for 18"w cabinets Y = hinge door with shelves and FF -18"w Z = hinge door with shelves BBF for

V = all shelves for 24"w cabinets

W = hinge door with shelves and FF and wardrobe for 24"w

X = hinge door with shelves and BBF and wardrobe for 24"w

The images on this page are shown as a right hand cabinets.

From the users perspective, if the hinges are on the right side, the cabinet is classfied as "right hand" cabinet.

These products are Glue and Dowel Construction

Grommet pulls only.

Shelves and files front will default to the case finish.

68"h Cabinets are for the private offices application to align with a single high overhead, and are compatible with panel height.

No wardrobe option in the 18"wcabinets.

Cabinets with wardrobe come with a coat rod.

# Cabinets Progressive, 28 3/8 planning 68" high wood interior

description	W	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves & wardrobe	24"	20"	68"	RCFS6832V(L/R)W( )( )( )( )( )( )( )	\$2,682.	\$2,951.	\$3,084.	\$3,219.	\$4,665.	\$5,366.	\$6,976.
	24"	24"	68"	RCFS6833V(L/R)W( )( )( )( )( )( )( )	2,760.	3,037.	3,175.	3,313.	4,863.	5,593.	7,271.

Cabinets, hinge door with shelves, File/File &

RCFS6832W(L/R)W()()()()()()()() 3,553. 3,908. 4,086. 4,263. 5,439. 6,255. 8,130. RCFS6833W(L/R)W()()()()()()()() 3,652. 4,018. 4,200. 4,382. 5,647. 6,494. 8,444.



Cabinets, hinge door with shelves, Box/Box/File 24" 20" 68" RCFS6832X(L/R)W()()()()()()()() 3,976. 4,373. 4,573. 4,770. 5,855. 6,732. 8,751. 4,121. 4,532. 4,737. 4,943 6,105. 7,020. 9,126. RCFS6833X(L/R)W()()()()()()()()



#### **Order Code Ordering Information Application Notes** Example: RCFS6812C(L/R)W These products are Glue and Dowel To order please specify pattern Configurations; number including: Construction ()()()()()()()()C = all shelves for 18"w cabinets 1. Lock R Reff Grommet pulls only. L=Drill for lock Y = hinge door with shelves and FF C Cabinet N=No lock Shelves and files front will default to FS Free Standing 2. Lock finish the case finish. Z = hinge door with shelves BBF for 68 Height S=Silver 68"h Cabinets are for the private B=Black 1 18" Wide offices application to align with a Pull options V = all shelves for 24"w cabinets2 20" d (nominal) single high overhead, and are Grommet compatible with panel height. c Hinge door with shelves Pull finish W = hinge door with shelves and FF Paint / Plated and wardrobe for 24"w L/R Left/Right hinge No wardrobe option in the 18"w Case finish $\overline{\mathsf{w}}$ cabinets. Wood interior X = hinge door with shelves and L, V1, V2, V3 BBF and wardrobe for 24"w L Lock Door finish Cabinets with wardrobe come with a L, V1, V2, V3 s coat rod. Lock finish The images on this page are shown G Pull option as a right hand cabinets. It is Not advisable to mix 28 %"h desk height products with 26 1/2" 115 Pull finish option From the users perspective, if the standard height products. 114 Case finish hinges are on the right side, the cabinet is classfied as "right hand" 115 Product on this page will accept Door finish woodgrain laminate where laminate cabinet.

is currently an option.

### Desktop Towers, 283/8" planning Single Wide, 42" and 56" High Book case

description	W	d	h	pattern no.	L	V1	V2	V3
42"h Desk top tower, single width bookcase	16"	15"	42"	RDTSBWT142()()	\$1,269.	\$2,175.	\$2,501.	\$3,251.
open wood shelves	19"	15"	42"	RDTSBWG142()()	1,302.	2,230.	2,564.	3,333.



56"h Desk top tower, single width bookcase	16"	15"	56"	RDTSBWT156( )( )	1,467.	2,515.	2,894.	3,761.
open wood shelves	19"	15"	56"	RDTSBWG156()()	1,504.	2,578.	2,964.	3,854.

### **Order Code**

#### Example: RDTSBWT142()() R Reff DT Reff Desktop Tower S Single width В Bookcase w Wood Shelves Letter width 16" nominal T 1 Letter depth 15" nominal 42 42" high nominal <u>V2</u> Case finish type Case finish V316

### **Specification Information**

 ${\it To~order~please~specify~pattern}$ number including: Left or right hand as applicable and embedded in the pattern number.

- 1. Case finish type: L = Laminate 1 = V1
  - 2 = V2
- 3 = V32. Case finish: Wood or Laminate

### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

 $1^{1}/2^{\prime\prime}$  thick worksurfaces are recommended to be used with these Desktop towers. See page 250.

These products are Glue and Dowel Construction.

42"h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56"h desk top tower for use with double tier overhead bridges and floor standing cabinet.

Shelves to match case finish.

Shelves on single high available with 2 adjustable shelves.

Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable

All adjustable shelves have 21/2", up or down flexibility.

### Desktop Towers, 283/8" planning Single Wide, 42" and 56" High Wood Hinge Door

description	W	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
42"h Desk top tower, single width	16"	15"	42"	RDTSHWT142(L/R)( )( )( )( )( )( )( )	\$1,650.	\$1,815.	\$1,897.	\$2,062.	\$2,828.	\$3,253.	\$4,230.
wood shelves behind wood hinge door	19"	15"	42"	RDTSHWG142(L/R)( )( )( )( )( )( )( )	1,696.	1,867.	1,951.	2,122.	2,908.	3,346.	4,348.
56"h Desk top tower, single width	16"	15"	56"	RDTSHWT156(L/R)( )( )( )( )( )( )( )	1,881.	2,069.	2,276.	2,503.	3,225.	3,707.	4,822.
wood shelves behind wood hinge door	19"	15"	56"	RDTSHWG156(L/R)( )( )( )( )( )( )( )	1,934.	2,127.	2,339.	2,573.	3,314.	3,811.	4,954.
$\Diamond$											



### **Order Code**

#### RDTSHWT142()() Example: R Reff Desktop Tower DT S Single width Н Hinge Door w Wood Shelves Ŧ Letter width 16" nominal 1 Letter depth 15" nominal 42 42" high nominal 2 Finish type T Pull option L Lock option В Lock finish V316 Case finish V316 Front finish 111 Pull finish

### Specification Information

To order please specify pattern number including: Left or right hand as applicable and

embedded in the pattern number.

1. Case finish type

- L = Laminate
  - 1 = V1
  - 2 = V2
- 3 = V3
- 2. Front finish type
  - L = Laminate
  - 1 = V1
  - 2 = V2
  - 3 = V3
- 3. Pull option:
  B=No pull, No drilling
  Customer's own pull.
  F=Bar pull (1 pull per door set)
  H=Outline pull
  N=No pull, touch latch
  R=Cylinder pull
  T=Tab pull (1 pull per door set)
- 4. Lock option L or N
- 4. Lock option 5. Lock finish B=Black
- S=Matte Silver
- 6. Case finish=\*V316 7. Front finish=V316
- 8. Pull finish=111

### Application Notes

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page **Excluding J-pull option** will accept wood grain laminate, where laminate is currently an option.

1½" thick worksurfaces are recommended to be used with these Desktop towers. See page 250.

These products are Glue and Dowel Construction.

42"h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56"h desk top tower for use with double tier overhead bridges and floor standing cabinet

Shelves to match case finish.

Shelves on single high available with 2 adjustable shelves.

Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.

All adjustable shelves have 2 ½", up or down flexibility.

# Desktop Towers, 283/8" planning Single Wide, 42" and 56" High Glass Hinge Door

description	W	d	h	pattern no.	L	V1	V2	V3
42"h Desk top tower, single width bookcase	16"	15"	42"	RDTSGWT142(L/R)( )( )( )( )	\$2,356.	\$3,065.	\$3,524.	\$4,582.
$\Diamond$	19"	15"	42"	RDTSGWG142(L/R)( )( )( )( )	2,456.	3,193.	3,672.	4,814.
56"h Desk top tower, single width bookcase	16"	15"	56"	RDTSGWT156(L/R)( )( )( )( )	2,729.	3,547.	4,078.	5,303.
$\Diamond$	19"	15"	56"	RDTSGWG156(L/R)( )( )( )( )	2,850.	3,703.	4,259.	5,537.

$\sim$	rde	 $\sim$	de

### **Specification Information**

number including:

1. Case finish type:

L = Laminate

1 = V1

2 = V2

3 = V3

2. Case finish:

 ${\it To~order~please~specify~pattern}$ 

Left or right hand as applicable and

embedded in the pattern number.

**Application Notes** 

### It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

### Product on this page **Excluding** J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

 $1\frac{1}{2}$ " thick worksurfaces are recommended to be used with these Desktop towers. See page 250.

These products are Glue and Dowel

42"h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56"h desk top tower for use with double tier overhead bridges and floor standing cabinet.

Hinge glass doors feature no pulls, only touch latch.

Wood interior shelves to match case finish.

Shelves on single high available with 2 adjustable shelves.

Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable

All adjustable shelves have 21/2", up or down flexibility.

Order Code							
Example:	RDTSGWT142 ( )( )( )( )						
R	Reff						
DT	Reff Desktop Tower						
S	Single width						
G	Hinge glass door						
W	Wood Shelves						
T	Letter width 16" nominal						
1	Letter depth 15" nominal						
42	42" high nominal						
L	Left / Right hand						
2	Case finish type						
V316	Case finish						
AU	Door frame finish						
GL11	Door glass finish						
L	Lock						
S	Matte silver						

### Desktop Towers, 28<sup>3</sup>/8" planning Double Wide, 42" and 56" High Bookcase

description	W	d	h	pattern no.	L	V1	V2	V3
42"h Desk top tower, double width bookcase /	30"	15"	42"	RDTDBW3142()()	\$1,929.	\$3,086.	\$3,549.	\$4,614.
open shelves	36"	15"	42"	RDTDBW6142()()	1,983.	3,175.	3,651.	4,747.



56"h Desk top tower, double width book	case/
open shelves	

30"	15"	56"	RDTDBW3156()()	2,302.	3,683.	4,236.	5,506.
36"	15"	56"	RDTDBW6156()()	2,366.	3,783.	4,351.	5,657.



### **Order Code**

Example:	RDTSBWT142()()
R	Reff
DT	Reff Desktop Tower
S	Single width
В	Bookcase
W	Wood Shelves
Т	Letter width 16" nominal
1	Letter depth 15" nominal
42	42" high nominal
V2	Case finish type
V316	Case finish

### **Specification Information**

To order please specify pattern number including: Left or right hand as applicable and embedded in the pattern number.

- 1. Case finish type: L = Laminate 1 = V1
  - 1 = V12 = V23 = V3
- 2. Case finish: Wood or Laminate

### **Application Notes**

It is Not advisable to mix 28 % 'h desk height products with 26 % 'standard height products.

Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

1 ½" thick worksurfaces are recommended to be used with these Desktop towers. See page 250.

These products are Glue and Dowel Construction.

42"h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56"h desk top tower for use with double tier overhead bridges and floor standing cabinet.

Shelves to match case finish.

Shelves on single height available with 2 adjustable shelves.

Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.

All adjustable shelves have  $2^{1/2}$ ", up or down flexibility.

# Desktop Towers, 283/8" planning Double Wide, 42" and 56" High Wood hinged doors

description	W	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
42"h Desk top tower, double width											
wood shelves behind wood hinge door	36"	15"	42"	RDTDHW6142( )( )( )( )( )( )( )	2,351.	2,704.	2,822.	3,059.	3,763.	4,327.	5,626.



56"h Desk top tower, double width	30"	15"	56"	RDTDHW3156( )( )( )( )( )( )( )	2,620.	2,882.	3,171.	3,487.	4,192.	4,822.	6,267.
wood shelves behind wood hinge door	36"	15"	56"	RDTDHW6156( )( )( )( )( )( )( )	2,741.	3,014.	3,316.	3,648.	4,385.	5,042.	6,555.



### **Order Code**

#### RDTDHW3142()() Example: RDT Reff Desktop Tower D Double width Н Hinge door wood W Wood Shelves 3 30" wide 1 Letter depth 15" nominal 42 42" high nominal Left/ Right hand option Case finish type V2 <u>V2</u> Font finish type F Pull option L Lock option doors В Lock finish V316 Case finish V316 Front finish 111 Pull finish

### **Specification Information**

To order please specify pattern number including: Left or right hand as applicable and embedded in the pattern number.

- 1. Case finish type L = Laminate 1 = V1
  - 2 = V23 = V3
- 2. Case finish V316
- B. Pull option:
  B=No pull
  (Customer's own pull)
  F=Bar pull (1 pull per door set)
  H=Outline pull
  R=Cylinder pull
  T=Tab pull (1 pull per door set)
- 4. Lock option L, N
- 4. Lock option L,5. Lock finish S=Matte Silver B=Black
- 6. Case finish V316
- 7. Front finish V313

### 8. Pull finish 111

### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

 $1\frac{1}{2}$ " thick worksurfaces are recommended to be used with these Desktop towers. See page 250.

These products are Glue and Dowel Construction.

42"h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56"h desk top tower for use with double tier overhead bridges and floor standing cabinet.

Shelves to match case finish.

Shelves on single height available with 2 adjustable shelves.

Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable

All adjustable shelves have 21/2", up or down flexibility.

### Desktop Towers, 28<sup>3</sup>/8" planning Double Wide, 42" and 56" High Glass hinged door

description	W	d	h	pattern no.	L	V1	V2	V3
Desk top tower, double width -Asymmetrical	30"	15"	42"	RDTAGW3142(L/R)( )( )( )( )	\$3,146.	\$4,089.	\$4,702.	\$6,113.
Split glass hinged door / open shelves all wood	30"	15"	56"	RDTAGW3156(L/R)( )( )( )( )	3,732.	4,852.	5,579.	7,254.
	36"	15"	42"	RDTAGW6142(L/R)( )( )( )( )	3,352.	4,355.	5,009.	6,512.
	36"	15"	56"	RDTAGW6156(L/R)( )( )( )( )	3,998.	5,197.	5,976.	7,769.

Wood interior & exterior shelves.

Left hand Desktop Tower shown. Hinged off of the center gable.

Desk top tower, double width **-Asymmetrical** Split glass hinged door / open shelves all **glass** 



30"	15"	42"	RDTAGG3142(L/R)( )( )( )( )	3,016.	3,921.	4,509.	5,862.
30"	15"	56"	RDTAGG3156(L/R)( )( )( )( )	3,539.	4,601.	5,292.	6,878.
36"	15"	42"	RDTAGG6142(L/R)( )( )( )( )	3,222.	4,187.	4,818.	6,261.
36"	15"	56"	RDTAGG6156(L/R)( )( )( )( )	3,805.	4,946.	5,687.	7,393.

Wood interior shelves and Glass exterior shelves.

Left hand Desktop Tower shown. Hinged off of the center gable.

Desk top tower, double width wood shelves behind glass hinge door



30"	15"	42"	RDTDGW3142( )( )( )( )	3,957.	4,749.	5,461.	7,099.
30"	15"	56"	RDTDGW3156( )( )( )( )	4,564.	5,478.	6,298.	8,188.
36"	15"	42"	RDTDGW6142( )( )( )( )	4,129.	4,954.	5,698.	7,407.
36"	15"	56"	RDTDGW6156( )( )( )( )	4,861.	5,832.	6,708.	8,720.

### **Order Code**

#### Example: RDTAGW3142 **RDT** Reff Desktop Tower Asymmetrical split G Hinge door glass W Wood Shelves 3 30" wide nominal 1 Letter depth 15" nominal 42 42" high nominal (L) Left / Right hand option **V2** Case finish type V316 Case finish ΑU Door frame finish GL11 Door glass finish Lock s Matte silver

### **Specification Information**

To order please specify pattern number including: Left or right hand as applicable and embedded in the pattern number.

Case finish type:
 L = Laminate
 1 = V1
 2 = V2

3 = V3 2. Case finish: Wood or Laminate

3. Door frame finish: Anodized or Painted

. Door glass finish: GL11, GL14, GL15, GL17, GL18

5. Lock option: L = Lock N = No lock

Lock finish:B = BlackS = Matte Silver

### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

1 ½" thick worksurfaces are recommended to be used with these Desktop towers. See page 250.

These products are Glue and Dowel Construction.

42"h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56"h desk top tower for use with double tier overhead bridges and floor standing cabinet. Hinge glass doors feature  $\underline{no}$  pulls, only touch latch.

Shelves to match case finish.

Shelves on single height available with 2 adjustable shelves.

Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf

All adjustable shelves have  $2^{1/2}$ ", up or down flexibility.

From users perspective, the open shelves' location determines handedness.
ie. Right hand - open shelves on right hand.

# Desktop Towers, 283/8" planning Double Wide, 42" and 56" High Asymmetrical with mix casing

description	W	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Desk top tower, double width -Asymmetrical	30"	15"	42"	RDTAHW3142(L/R)( )( )( )( )( )( )( )	\$2,403.	\$2,641.	\$2,762.	\$2,882.	\$3,675.	\$4,226.	\$5,494.
Split hinged door / open shelves all wood	30"	15"	56"	RDTAHW3156(L/R)( )( )( )( )( )( )( )	2,804.	3,084.	3,225.	3,365.	4,290.	4,933.	6,414.
	36"	15"	42''	RDTAHW6142(L/R)( )( )( )( )( )( )( )	2,496.	2,745.	2,869.	2,994.	3,817.	4,390.	5,707.
	36"	15"	56"	RDTAHW6156(L/R)( )( )( )( )( )( )( )	2,929.	3,223.	3,369.	3,516.	4,482.	5,155.	6,701.

Left hand Desktop Tower shown. Hinged off of the center gable.

Desk top tower, double width -Asymmetrical Split hinged door / open shelves all **glass** 

al	30"	15"	42''	RDTAHG3142(L/R)( )( )( )( )( )( )( )	2,600.	2,840.	2,960.	3,080.	3,872.	4,424.	5,693.
	30"	15"	56"	RDTAHG3156(L/R)( )( )( )( )( )( )( )	3,101.	3,380.	3,521.	3,661.	4,586.	5,230.	6,711.
	36"	15"	42''	RDTAHG6142(L/R)( )( )( )( )( )( )( )	2,694.	2,942.	3,067.	3,192.	4,016.	4,587.	5,905.
	36"	15"	56"	RDTAHG6156(L/R)( )( )( )( )( )( )( )	3,226.	3,519.	3,666.	3,812.	4,780.	5,452.	6,999.

Left hand Desktop Tower shown. Hinged off of the center gable.

### Order Code

#### Example: RDTAHW3142(L/R) ()()()()()()()()**RDT** Reff Desktop Tower Α Asymmetrical split Н Hinge door wood W Wood Shelves 3 30" wide nominal 1 Letter depth 15" nominal 42 42" high nominal L Left / Right hand option **V2** Case finish type <u>V2</u> Front finish type F Pull option L Lock option В Lock finish V316 Case finish V316 Front finsih 111 Pull finish GL35 Glass finish

### Specification Information

To order please specify pattern number including: Left or right hand as applicable and embedded in the pattern number.

- 1. Case finish type: L, V1, V2, V3
- 2. Front finish type: L. V1, V2, V3
- 3. Pull option:
  B=No pull
  (Customer's own pull)
  F=Bar pull (1 pull per door set)
  H=Outline pull
  N=No pull, touch latch
  R=Cylinder pull
  T=Tab pull (1 pull per door set)
- 4. Lock option:
- 5. Lock finish: B=Black S=Matte Silver
- 6. Case finish: V316
- 7. Front finish: V316
- B. Pull finish: Painted or Plated

### **Application Notes**

It is Not advisable to mix  $28\,\%$ "h desk height products with  $26\,\%$  standard height products.

Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

1½" thick worksurfaces are recommended to be used with these Desktop towers. See page 250.

These products are Glue and Dowel Construction.

42"h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56"h desk top tower for use with double tier overhead bridges and floor standing cabinet. Hinge glass doors feature  $\underline{no}$  pulls, only touch latch.

Wood interior shelves to match case finish.

Shelves on single height available with 2 adjustable shelves.

Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf

All adjustable shelves have 2 ½", up or down flexibility.

For Desktop with open shelves, need to specify glass finish Glass options are: GL35 = Grey GL85 = Star Clear

From users perspective, the open shelves' location determines handedness. ie. Right hand - open shelves on right hand.

# Overhead, 28<sup>3</sup>/8" planning Return and Bridges for overdesk units L and U Configurations

description	d	W	pattern no.	L	V1	V2	V3
Return / Bridge 11/2" thick	20"	36"	RSDR361(H/V)( )( )( )	\$427.	\$476.	\$545.	\$739.
	20"	36"	RSDR362(H/V)( )( )( )	452.	508.	583.	785.
/ /	20"	42"	RSDR421(H/V)( )( )( )	443.	497.	571.	771.
	20"	48"	RSDR481(H/V)( )( )( )	465.	515.	592.	798.
	20"	54"	RSDR541(H/V)( )( )( )	484.	535.	619.	836.
	20"	60"	RSDR601(H/V)( )( )( )	547.	581.	667.	903.
	20"	66"	RSDR661(H/V)( )( )( )	535.	597.	689.	929.
	24"	42"	RSDR422(H/V)( )( )( )	472.	524.	602.	810.
	24"	48"	RSDR482(H/V)( )( )( )	500.	562.	645.	869.
	24"	54"	RSDR542(H/V)( )( )( )	535.	597.	689.	929.
	24"	60"	RSDR602(H/V)( )( )( )	577.	643.	738.	994.
	24"	66"	RSDR662(H/V)( )( )( )	591.	672.	763.	1,030.
	24"	72"	RSDR721(H/V)( )( )( )	565.	630.	721.	975.
	24"	72"	RSDR722(H/V)( )( )( )	621.	692.	797.	1,077.

### **Order Code**

Example:	RSDR361(H/V)( )( )( )
R	Reff
S	Straight top
D	1 ½" top
R	Return
36	36" wide
1	20" deep
H/V	Horizontal or Vertical
	grain
()	Grommet type
()	Grommet finish
()	Worksurface finish

### **Specification Information**

 $\begin{tabular}{ll} To order please specify pattern \\ number including: \end{tabular}$ 

- Grommet type:
   F = Flush
   N = No Grommet
- 2. Grommet finish: Painted or Plated
- 3. Worksurface finish: L, V1, V2, V3

### **Application Notes**


It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page will accept wood grain laminate, where laminate is currently an option.


For any vertical surface greater than 60" wide, the grain direction is horizontal.

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces



U-shaped / Triple: Spanning 3 worksurfaces



# Overhead, $28^3/8''$ planning Modesty Panels L and U Configuration

description	W	h	th	pattern no.	L	V1	V2	V3
Full Height Modesty, 283/8"h	36"	28"	1"	RBR36MS()	\$349.	\$490.	\$562.	\$759.
	42"	28"	1"	RBR42MS()	374.	532.	613.	827.
	48"	28"	1"	RBR48MS()	421.	599.	689.	930.
	54"	28"	1"	RBR54MS()	442.	629.	720.	972.
	60"	28"	1"	RBR60MS()	458.	645.	744.	1,007.
	66"	28"	1"	RBR66MS()	475.	675.	781.	1,055.
	72"	28"	1"	RBR72MS()	525.	744.	856.	1,154.

<sup>\*</sup> use with 11/2" thick worksurfaces.

### **Order Code**

# Example: RBR36 R Reff B Bridge R Return 36 36" wide M Full Height Modesty Placement for 283/8" () Finish

### **Specification Information**

To order please specify pattern number including:

1. Modesty Finish: L, V1, V2, V3


### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.


Products on this page will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.

The above pattern codes must be used in any 'L' and 'U' configurations as shown below.

L-shaped / Double: Spanning 2 worksurfaces



U-shaped / Triple: Spanning 3 worksurfaces



# Overhead, 28<sup>3</sup>/8" planning Single high Wall hung, Open

description	W	d	h	cubby divider	interior gable	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet	30"	15"	20"	1		ROMCGSHP301()()	\$1,294.	\$1,846.	\$2,124.	\$2,761.
open /cubby with center gable	36"	15"	20"	1		ROMCGSHP361()()	1,334.	1,904.	2,190.	2,847.
	42"	15"	20"	2		ROMCGSHP421()()	1,449.	2,069.	2,381.	3,094.
	48"	15"	20"	2		ROMCGSHP481()()	1,508.	2,154.	2,475.	3,217.
	54"	15"	20"	2		ROMCGSHP541()()	1,767.	2,525.	2,904.	3,774.
	60"	15"	20"	2	1	ROMCGSHP601()()	2,051.	2,929.	3,368.	4,379.
•	66"	15"	20"	2	1	ROMCGSHP661()()	2,089.	2,984.	3,431.	4,460.
	72"	15"	20"	2	1	ROMCGSHP721()()	2,130.	3,041.	3,498.	4,549.
	78"	15"	20"	2	1	ROMCGSHP781()()	2,237.	3,195.	3,674.	4,775.
	84"	15"	20"	3	2	ROMCGSHP841()()	2,601.	3,715.	4,271.	5,552.
	90"	15"	20"	3	2	ROMCGSHP901()()	2,645.	3,777.	4,344.	5,647.
	96"	15"	20"	3	2	ROMCGSHP961()()	2,687.	3,838.	4,413.	5,737.
Wall-hung overhead cabinet	30"	15"	20"			ROMOCSHP301()()	1,164.	1,663.	1,911.	2,486.
open/cubby without center gable	36"	15"	20"			ROMOCSHP361()()	1,201.	1,715.	1,971.	2,564.
	42"	15"	20"	1		ROMOCSHP421()()	1,305.	1,862.	2,141.	2,786.
	48"	15"	20"	1		ROMOCSHP481()()	1,357.	1,938.	2,228.	2,897.
	54"	15"	20"	1		ROMOCSHP541()()	1,591.	2,272.	2,614.	3,396.
	60"	15"	20"		1	ROMOCSHP601()()	1,845.	2,637.	3,032.	3,942.
	66"	15"	20"		1	ROMOCSHP661()()	1,881.	2,686.	3,088.	4,016.
	72"	15"	20"		1	ROMOCSHP721()()	1,917.	2,737.	3,149.	4,094.
	78"	15"	20"		1	ROMOCSHP781()()	2,013.	2,875.	3,307.	4,298.
	84"	15"	20"		2	ROMOCSHP841()()	2,341.	3,344.	3,845.	4,998.
	90"	15"	20"		2	ROMOCSHP901()()	2,380.	3,401.	3,910.	5,082.
	96"	15"	20"		2	ROMOCSHP961()()	2,418.	3,453.	3,971.	5,163.

 $Without\ center\ gable$ 

#### Order Code

#### Example: ROMCGSHP301 Reff 0 Overhead M Wall mount CG Center Gable SH Single high Planning P 30 30" width 1 Letter depth Case finish type V316 V2 finish

dimensions noted nominal

#### Specification Information

To order please specify:

1. Finish type: L = Laminate 1 = V1 2 = V2

3 = V32. Case finish It is Not advisable to mix 28 \(^y\)s"h desk height products with 26 \(^y\)standard height products.

Product on this page will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 463.

Letter depth is 15" nominal.

Fascias ordered separately

Tasklights ordered separately

Tack/Task panel order separately

Wall hung cabinets come with wall hung cleates

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Interior clearance dimensions: Above opening:  $13\frac{1}{8}$ "h x  $13\frac{1}{2}$ "d Cubby:  $3\frac{1}{2}$ "h x  $13\frac{1}{2}$ "d

# Overhead, 283/8" planning Single high Wall hung, Open with Recessed Gables and open ends

description	h	d	W	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet	20"	15"	60"	ROMACSH601()	\$2,256.	\$3,222.	\$3,705.	\$4,817.
Single high, Open with center gable	20"	15"	66"	ROMACSH661()	2,298.	3,282.	3,774.	4,906.
(Cantilevered open ends)	20"	15"	72"	ROMACSH721()	2,343.	3,345.	3,848.	5,004.
	20"	15"	78"	ROMACSH781()	2,460.	3,514.	4,041.	5,253.
	20"	15"	84"	ROMACSH841()	2,862.	4,086.	4,698.	6,108.
	20"	15"	90"	ROMACSH901()	2,909.	4,155.	4,778.	6,211.
	20"	15"	96"	ROMACSH961()	2,955.	4,221.	4,854.	6,311.

Wall-hung overhead cabinet Single high, Open without center gable (Cantilevered open ends)



20"	15"	60"	ROMASH601()	2,030.	2,901.	3,335.	4,336.
20"	15"	66"	ROMASH661()	2,069.	2,954.	3,397.	4,418.
20"	15"	72"	ROMASH721()	2,108.	3,010.	3,464.	4,503.
20"	15"	78"	ROMASH781()	2,214.	3,163.	3,637.	4,728.
20"	15"	84"	ROMASH841()	2,575.	3,678.	4,229.	5,498.
20"	15"	90"	ROMASH901()	2,618.	3,741.	4,301.	5,590.
20"	15"	96"	ROMASH961()	2,660.	3,799.	4,368.	5,679.

#### **Order Code**

#### Example: ROMACSH601() Reff 0 Overhead M Wall mount Α Open Configuration С Center Gable SH Single high 60 60" width Letter depth V316 V2 finish

dimensions noted nominal

#### **Specification Information**

To order please specify:

1. Finish type: L = Laminate

 $1=\mathrm{V1}$ 

2 = V2

3 = V3

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 463.

Letter depth is 15" nominal.

Fascias ordered separately

Tasklights ordered separately

Tack/Task panel order separately

Wall hung cabinets come with wall hung cleates

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Interior clearance dimensions: Above opening: 13 1/8"h x 13 1/2"d Cubby: 3 1/2"h x 13 1/2"d

Note: The open ended overheads are not intended to be placed adjacent to one another.

# Overhead, 283/8" planning Single high Wall hung with wood doors

Wall-hung overhead cabinet hinge door, cubby concealed   42" 15" 20" 2   ROMHSHP361()()()()()()() 2,047. 2,296. 2,400. 2,504. 2,922. 3,360. 4,369.	description	w	d	h	$\mathrm{d}\mathrm{r}$	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
All-hung overhead cabinet hinge door, cubby exposed   36"   15"   20"   2   ROMHSHP361()()()()()()()   2,047.   2,296.   2,400.   2,504.   2,922.   3,360.   4,369.	Wall-hung overhead cabinet	30"	15"	20"	2	ROMHSHP301( )( )( )( )( )( )( )( )	\$1,996.	\$2,238.	\$2,340.	\$2,442.	\$2,847.	\$3,276.	\$4,258.
## 15" 20" 3 ## ROMHSHP421()()()()()()() 2,627. 2,947. 3,082. 3,214. 3,750. 4,313. 5,606. 48" 15" 20" 4 ## ROMHSHP481()()()()()()()() 2,696. 3,026. 3,163. 3,299. 3,850. 4,427. 5,755. 6,751. 54" 15" 20" 4 ## ROMHSHP641()()()()()()()() 3,233. 3,629. 3,794. 3,960. 4,619. 5,311. 6,904. 66" 15" 20" 4 ## ROMHSHP661()()()()()()()() 3,233. 3,629. 3,794. 3,960. 4,619. 5,311. 6,904. 66" 15" 20" 4 ## ROMHSHP661()()()()()()()() 3,233. 3,629. 3,794. 3,960. 4,619. 5,311. 6,904. 66" 15" 20" 4 ## ROMHSHP661()()()()()()()() 3,342. 3,750. 3,921. 4,092. 4,773. 5,490. 7,136. 78" 15" 20" 4 ## ROMHSHP81()()()()()()()() 3,342. 3,750. 3,921. 4,092. 4,773. 5,490. 7,136. 78" 15" 20" 6 ## ROMHSHP81()()()()()()()() 4,361. 4,893. 5,115. 5,337. 6,228. 7,162. 9,308. 96" 15" 20" 6 ## ROMHSHP901()()()()()()() 4,415. 4,953. 5,177. 5,403. 6,304. 7,249. 9,423. 96" 15" 20" 6 ## ROMHSHP901()()()()()()()() 4,472. 5,016. 5,247. 5,475. 6,386. 7,345. 9,548. 8 ## ROMHSHP901()()()()()()()() 1,942. 2,179. 2,280. 2,378. 2,774. 3,191. 4,147. 8 ## ROMHSHP801()()()()()()()()() 1,942. 2,179. 2,280. 2,378. 2,774. 3,191. 4,147. 8 ## ROMHSHP801()()()()()()()()() 2,665. 2,990. 3,127. 3,262. 3,806. 4,377. 5,691. 54" 15" 20" 3 ## ROMHCSHP301()()()()()()()() 2,665. 2,990. 3,127. 3,262. 3,806. 4,377. 5,691. 54" 15" 20" 4 ## ROMHCSHP301()()()()()()()() 2,665. 2,990. 3,127. 3,262. 3,806. 4,377. 5,691. 54" 15" 20" 3 ## ROMHCSHP301()()()()()()()() 3,024. 3,393. 3,547. 3,701. 4,318. 4,965. 6,455. 66" 15" 20" 4 ## ROMHCSHP301()()()()()()()() 3,024. 3,393. 3,547. 3,701. 4,318. 4,965. 6,455. 66" 15" 20" 4 ## ROMHCSHP301()()()()()()()()() 3,024. 3,393. 3,547. 3,701. 4,318. 4,965. 6,455. 66" 15" 20" 4 ## ROMHCSHP301()()()()()()()()() 3,024. 3,393. 3,547. 3,701. 4,318. 4,965. 6,455. 66" 15" 20" 4 ## ROMHCSHP301()()()()()()()()() 3,024. 3,393. 3,547. 3,701. 4,318. 4,965. 6,455. 66" 15" 20" 4 ## ROMHCSHP301()()()()()()()()() 3,024. 3,393. 3,547. 3,701. 4,318. 4,965. 6,455. 66" 15" 20" 4 ## ROMHCSHP301()()()()()()()()() 3,024. 3,393. 3,547. 3,701. 4,318. 4,965. 6,455. 66" 15" 20" 4	hinge door, cubby concealed	36"	15"	20"	2		2,047.	2,296.	2,400.	2,504.	2,922.	3,360.	4,369.
S4"   15"   20"   4   ROMHSHP541()()()()()()()   2,864.   3,214.   3,360.   3,506.   4,090.   4,705.   6,114.		42"	15"	20"	3		2,627.	2,947.	3,082.	3,214.	3,750.	4,313.	5,606.
60" 15" 20"		48"	15"	20"	3	ROMHSHP481( )( )( )( )( )( )( )( )	2,696.	3,026.	3,163.	3,299.	3,850.	4,427.	5,755.
66"   15"   20"   4   ROMHSHP661()()()()()()()   3,287.   3,688.   3,856.   4,024.   4,693.   5,399.   7,017.     72"   15"   20"   4   ROMHSHP721()()()()()()()   3,342.   3,750.   3,921.   4,092.   4,773.   5,490.   7,136.     78"   15"   20"   4   ROMHSHP781()()()()()()()()   3,463.   3,886.   4,062.   4,239.   4,946.   5,687.   7,393.     84"   15"   20"   6   ROMHSHP841()()()()()()()()   4,415.   4,953.   5,115.   5,337.   6,228.   7,162.   9,308.     90"   15"   20"   6   ROMHSHP961()()()()()()()()   4,472.   5,016.   5,247.   5,475.   6,386.   7,345.   9,548.     Wall-hung overhead cabinet hinge door, cubby exposed   36"   15"   20"   2   ROMHCSHP301()()()()()()()()   1,892.   2,124.   2,219.   2,317.   2,702.   3,108.   4,040.     36"   15"   20"   3   ROMHCSHP361()()()()()()()()   2,564.   2,876.   3,007.   3,139.   3,660.   4,210.   5,472.     48"   15"   20"   3   ROMHCSHP421()()()()()()()()   2,665.   2,990.   3,127.   3,262.   3,806.   4,377.   5,691.     54"   15"   20"   4   ROMHCSHP661()()()()()()()()   3,024.   3,393.   3,547.   3,701.   4,318.   4,965.   6,455.     66"   15"   20"   4   ROMHCSHP661()()()()()()()()   3,124.   3,506.   3,663.   3,823.   4,462.   5,124.   6,814.     72"   15"   20"   4   ROMHCSHP721()()()()()()()()   3,124.   3,506.   3,663.   3,823.   4,462.   5,124.   6,814.     84"   15"   20"   4   ROMHCSHP721()()()()()()()()   3,124.   3,506.   3,663.   3,823.   4,462.   5,124.   6,814.     84"   15"   20"   4   ROMHCSHP721()()()()()()()()()()()()()()()()()()()		54"	15"	20"	4	ROMHSHP541( )( )( )( )( )( )( )( )	2,864.	3,214.	3,360.	3,506.	4,090.	4,705.	6,114.
T2"   15"   20"   4   ROMHSHP721()()()()()()()()   3,342.   3,750.   3,921.   4,092.   4,773.   5,490.   7,136.		60"	15"	20"	4	ROMHSHP601( )( )( )( )( )( )( )( )	3,233.	3,629.	3,794.	3,960.	4,619.	5,311.	6,904.
T8" 15" 20" 4   ROMHSHP781()()()()()()() 3,463. 3,886. 4,062. 4,239. 4,946. 5,687. 7,393.	*	66"	15"	20"	4	ROMHSHP661( )( )( )( )( )( )( )( )	3,287.	3,688.	3,856.	4,024.	4,693.	5,399.	7,017.
Strict   S		72"	15"	20"	4	ROMHSHP721( )( )( )( )( )( )( )( )	3,342.	3,750.	3,921.	4,092.	4,773.	5,490.	7,136.
90" 15" 20" 6 ROMHSHP901()()()()()()() 4,415. 4,953. 5,177. 5,403. 6,304. 7,249. 9,423. 96" 15" 20" 6 ROMHSHP961()()()()()()()() 1,892. 2,124. 2,219. 2,317. 2,702. 3,108. 4,040. 36" 15" 20" 2 ROMHCSHP301()()()()()()()() 1,942. 2,179. 2,280. 2,378. 2,774. 3,191. 4,147. 42" 15" 20" 3 ROMHCSHP301()()()()()()()() 2,564. 2,876. 3,007. 3,139. 3,660. 4,210. 5,472. 48" 15" 20" 3 ROMHCSHP421()()()()()()()() 2,564. 2,876. 3,007. 3,139. 3,660. 4,377. 5,691. 54" 15" 20" 3 ROMHCSHP481()()()()()()()() 2,723. 3,057. 3,196. 3,333. 3,890. 4,473. 5,815. 66" 15" 20" 4 ROMHCSHP601()()()()()()() 3,024. 3,393. 3,547. 3,701. 4,318. 4,965. 6,455. 66" 15" 20" 4 ROMHCSHP601()()()()()()()() 3,024. 3,393. 3,547. 3,701. 4,318. 4,965. 6,455. 66" 15" 20" 4 ROMHCSHP601()()()()()()()() 3,124. 3,506. 3,663. 3,823. 4,462. 5,129. 6,671. 72" 15" 20" 4 ROMHCSHP721()()()()()()()() 3,124. 3,506. 3,663. 3,823. 4,462. 5,129. 6,671. 72" 15" 20" 4 ROMHCSHP781()()()()()()()()() 3,124. 3,506. 3,663. 3,823. 4,462. 5,129. 6,671. 72" 15" 20" 4 ROMHCSHP781()()()()()()()()() 3,124. 3,506. 3,663. 3,823. 4,462. 5,129. 6,671. 72" 15" 20" 4 ROMHCSHP781()()()()()()()()() 3,124. 3,506. 3,663. 3,823. 4,462. 5,129. 6,671. 72" 15" 20" 4 ROMHCSHP781()()()()()()()()() 3,124. 3,506. 3,663. 3,823. 4,462. 5,129. 6,671. 72" 15" 20" 4 ROMHCSHP781()()()()()()()()()() 3,124. 3,506. 3,663. 3,823. 4,462. 5,129. 6,671. 72" 15" 20" 4 ROMHCSHP781()()()()()()()()() 3,124. 3,506. 3,663. 3,823. 4,462. 5,129. 6,671. 72" 15" 20" 4 ROMHCSHP781()()()()()()()()() 3,124. 3,506. 3,663. 3,823. 4,462. 5,129. 6,671. 72" 15" 20" 4 ROMHCSHP781()()()()()()()()()() 3,124. 3,506. 3,663. 3,823. 4,462. 5,129. 6,671. 72" 15" 20" 4 ROMHCSHP781()()()()()()()()()() 3,124. 3,506. 3,663. 3,823. 4,462. 5,129. 6,671. 72" 15" 20" 4 ROMHCSHP781()()()()()()()()()()()() 3,124. 3,506. 3,663. 3,633. 3,823. 4,462. 5,129. 6,671. 72" 15" 20" 4 ROMHCSHP781()()()()()()()()()()()()()()()()()()()		78"	15"	20"	4	ROMHSHP781( )( )( )( )( )( )( )( )	3,463.	3,886.	4,062.	4,239.	4,946.	5,687.	7,393.
Wall-hung overhead cabinet hinge door, cubby exposed      30"   15"   20"   2   ROMHCSHP301()()()()()()()   1,892.   2,124.   2,219.   2,317.   2,702.   3,108.   4,040.     42"   15"   20"   3   ROMHCSHP421()()()()()()()()   2,564.   2,876.   3,007.   3,139.   3,660.   4,210.   5,472.     48"   15"   20"   3   ROMHCSHP481()()()()()()()()   2,564.   2,876.   3,007.   3,139.   3,660.   4,210.   5,472.     48"   15"   20"   3   ROMHCSHP481()()()()()()()()   2,564.   2,876.   3,007.   3,139.   3,660.   4,210.   5,472.     54"   15"   20"   3   ROMHCSHP481()()()()()()()()   2,723.   3,057.   3,196.   3,333.   3,890.   4,473.   5,815.     54"   15"   20"   4   ROMHCSHP601()()()()()()()   3,024.   3,393.   3,547.   3,701.   4,318.   4,965.   6,455.     66"   15"   20"   4   ROMHCSHP661()()()()()()()   3,124.   3,506.   3,663.   3,823.   4,462.   5,129.   6,671.     78"   15"   20"   4   ROMHCSHP781()()()()()()()   3,192.   3,581.   3,743.   3,907.   4,558.   5,241.   6,814.     84"   15"   20"   6   ROMHCSHP841()()()()()()()   4,030.   4,522.   4,728.   4,933.   5,755.   6,618.   8,604.     90"   15"   20"   6   ROMHCSHP901()()()()()()()   4,100.   4,600.   4,808.   5,016.   5,855.   6,732.   8,751.     73"   75"   20"   6   ROMHCSHP901()()()()()()()()   4,100.   4,600.   4,808.   5,016.   5,855.   6,732.   8,751.     73"   75"		84"	15"	20"	6	ROMHSHP841( )( )( )( )( )( )( )( )	4,361.	4,893.	5,115.	5,337.	6,228.	7,162.	9,308.
Wall-hung overhead cabinet hinge door, cubby exposed      30"   15"   20"   2   ROMHCSHP301()()()()()()()   1,892.   2,124.   2,219.   2,317.   2,702.   3,108.   4,040.     42"   15"   20"   3   ROMHCSHP421()()()()()()()()   2,564.   2,876.   3,007.   3,139.   3,660.   4,210.   5,472.     48"   15"   20"   3   ROMHCSHP481()()()()()()()()   2,564.   2,876.   3,007.   3,139.   3,660.   4,210.   5,472.     48"   15"   20"   3   ROMHCSHP481()()()()()()()()   2,564.   2,876.   3,007.   3,139.   3,660.   4,210.   5,472.     54"   15"   20"   3   ROMHCSHP481()()()()()()()()   2,723.   3,057.   3,196.   3,333.   3,890.   4,473.   5,815.     54"   15"   20"   4   ROMHCSHP601()()()()()()()   3,024.   3,393.   3,547.   3,701.   4,318.   4,965.   6,455.     66"   15"   20"   4   ROMHCSHP661()()()()()()()   3,124.   3,506.   3,663.   3,823.   4,462.   5,129.   6,671.     78"   15"   20"   4   ROMHCSHP781()()()()()()()   3,192.   3,581.   3,743.   3,907.   4,558.   5,241.   6,814.     84"   15"   20"   6   ROMHCSHP841()()()()()()()   4,030.   4,522.   4,728.   4,933.   5,755.   6,618.   8,604.     90"   15"   20"   6   ROMHCSHP901()()()()()()()   4,100.   4,600.   4,808.   5,016.   5,855.   6,732.   8,751.     73"   75"   20"   6   ROMHCSHP901()()()()()()()()   4,100.   4,600.   4,808.   5,016.   5,855.   6,732.   8,751.     73"   75"		90"	15"	20"	6	ROMHSHP901( )( )( )( )( )( )( )( )	4,415.	4,953.	5,177.	5,403.	6,304.	7,249.	9,423.
Wall-hung overhead cabinet hinge door, cubby exposed 36" 15" 20" 2 ROMHCSHP301()()()()()()() 1,942. 2,174. 2,219. 2,317. 2,702. 3,108. 4,040.		96"	15"	20"	6		4,472.	5,016.	5,247.	5,475.	6,386.	7,345.	9,548.
hinge door, cubby exposed 36" 15" 20" 2 ROMHCSHP361()()()()()()() 1,942. 2,179. 2,280. 2,378. 2,774. 3,191. 4,147. 42" 15" 20" 3 ROMHCSHP421()()()()()()() 2,564. 2,876. 3,007. 3,139. 3,660. 4,210. 5,472. 48" 15" 20" 3 ROMHCSHP481()()()()()()() 2,565. 2,990. 3,127. 3,262. 3,806. 4,377. 5,691. 54" 15" 20" 3 ROMHCSHP481()()()()()()() 2,723. 3,057. 3,196. 3,333. 3,890. 4,473. 5,815. 60" 15" 20" 4 ROMHCSHP601()()()()()()() 3,024. 3,393. 3,547. 3,701. 4,318. 4,965. 6,455. 66" 15" 20" 4 ROMHCSHP661()()()()()()()() 3,024. 3,393. 3,547. 3,701. 4,318. 4,965. 6,557. 72" 15" 20" 4 ROMHCSHP661()()()()()()()() 3,124. 3,506. 3,663. 3,823. 4,462. 5,129. 6,671. 78" 15" 20" 4 ROMHCSHP781()()()()()()() 3,124. 3,506. 3,663. 3,823. 4,462. 5,129. 6,671. 78" 15" 20" 6 ROMHCSHP781()()()()()()() 4,030. 4,522. 4,728. 4,933. 5,755. 6,618. 8,604. 90" 15" 20" 6 ROMHCSHP901()()()()()()() 4,100. 4,600. 4,808. 5,016. 5,855. 6,732. 8,751.													
42" 15" 20" 3 ROMHCSHP421()()()()()()() 2,564. 2,876. 3,007. 3,139. 3,660. 4,210. 5,472. 48" 15" 20" 3 ROMHCSHP481()()()()()()() 2,665. 2,990. 3,127. 3,262. 3,806. 4,377. 5,691. 54" 15" 20" 3 ROMHCSHP541()()()()()()() 2,723. 3,057. 3,196. 3,333. 3,890. 4,473. 5,815. 60" 15" 20" 4 ROMHCSHP601()()()()()()() 3,024. 3,393. 3,547. 3,701. 4,318. 4,965. 6,455. 66" 15" 20" 4 ROMHCSHP661()()()()()()() 3,024. 3,393. 3,547. 3,701. 4,318. 4,965. 6,557. 72" 15" 20" 4 ROMHCSHP661()()()()()()() 3,124. 3,506. 3,663. 3,823. 4,462. 5,129. 6,671. 78" 15" 20" 4 ROMHCSHP781()()()()()()() 3,124. 3,506. 3,663. 3,823. 4,462. 5,129. 6,671. 78" 15" 20" 6 ROMHCSHP781()()()()()()() 4,030. 4,522. 4,728. 4,933. 5,755. 6,618. 8,604. 90" 15" 20" 6 ROMHCSHP901()()()()()()() 4,100. 4,600. 4,808. 5,016. 5,855. 6,732. 8,751.	Wall-hung overhead cabinet	30"	15"	20"	2	ROMHCSHP301()()()()()()()()()	1,892.	2,124.	2,219.	2,317.	2,702.	3,108.	4,040.
48" 15" 20" 3 ROMHCSHP481()()()()()()() 2,665. 2,990. 3,127. 3,262. 3,806. 4,377. 5,691. 54" 15" 20" 3 ROMHCSHP541()()()()()()() 2,723. 3,057. 3,196. 3,333. 3,890. 4,473. 5,815. 60" 15" 20" 4 ROMHCSHP601()()()()()()() 3,024. 3,393. 3,547. 3,701. 4,318. 4,965. 6,455. 66" 15" 20" 4 ROMHCSHP661()()()()()()() 3,024. 3,393. 3,547. 3,701. 4,318. 4,965. 6,455. 72" 15" 20" 4 ROMHCSHP661()()()()()()() 3,024. 3,506. 3,601. 3,759. 4,386. 5,043. 6,557. 72" 15" 20" 4 ROMHCSHP721()()()()()()() 3,124. 3,506. 3,663. 3,823. 4,462. 5,129. 6,671. 78" 15" 20" 4 ROMHCSHP781()()()()()()() 3,192. 3,581. 3,743. 3,907. 4,558. 5,241. 6,814. 84" 15" 20" 6 ROMHCSHP841()()()()()()() 4,030. 4,522. 4,728. 4,933. 5,755. 6,618. 8,604. 90" 15" 20" 6 ROMHCSHP901()()()()()()() 4,100. 4,600. 4,808. 5,016. 5,855. 6,732. 8,751.	hinge door, cubby exposed	36"	15"	20"	2	ROMHCSHP361()()()()()()()()()	1,942.	2,179.	2,280.	2,378.	2,774.	3,191.	4,147.
48" 15" 20" 3 ROMHCSHP481()()()()()()() 2,665. 2,990. 3,127. 3,262. 3,806. 4,377. 5,691. 54" 15" 20" 3 ROMHCSHP541()()()()()()() 2,723. 3,057. 3,196. 3,333. 3,890. 4,473. 5,815. 60" 15" 20" 4 ROMHCSHP601()()()()()()() 3,024. 3,393. 3,547. 3,701. 4,318. 4,965. 6,455. 72" 15" 20" 4 ROMHCSHP601()()()()()()() 3,071. 3,445. 3,601. 3,759. 4,386. 5,043. 6,557. 72" 15" 20" 4 ROMHCSHP721()()()()()()() 3,124. 3,506. 3,663. 3,823. 4,462. 5,129. 6,671. 78" 15" 20" 4 ROMHCSHP781()()()()()()() 3,124. 3,506. 3,683. 3,743. 3,907. 4,558. 5,241. 6,814. 84" 15" 20" 6 ROMHCSHP841()()()()()()() 4,030. 4,522. 4,728. 4,933. 5,755. 6,618. 8,604. 90" 15" 20" 6 ROMHCSHP901()()()()()()() 4,100. 4,600. 4,808. 5,016. 5,855. 6,732. 8,751.		42"	15"	20"	3	ROMHCSHP421()()()()()()()()()	2,564.	2,876.	3,007.	3,139.	3,660.	4,210.	5,472.
54" 15" 20" 3 ROMHCSHP541()()()()()()() 2,723 3,057 3,196 3,333 3,890 4,473 5,815 60" 15" 20" 4 ROMHCSHP601()()()()()()() 3,024 3,393 3,547 3,701 4,318 4,965 6,455 6,455 66" 15" 20" 4 ROMHCSHP661()()()()()()() 3,071 3,445 3,601 3,759 4,386 5,043 6,557 72" 15" 20" 4 ROMHCSHP721()()()()()()() 3,124 3,506 3,663 3,823 4,462 5,129 6,671 78" 15" 20" 4 ROMHCSHP781()()()()()()() 3,124 3,506 3,683 3,823 4,462 5,129 6,671 6,814 6,81		48"	15"	20"	3		2,665.	2,990.	3,127.	3,262.	3,806.	4,377.	5,691.
66" 15" 20" 4 ROMHCSHP661()()()()()()() 3,071. 3,445. 3,601. 3,759. 4,386. 5,043. 6,557. 72" 15" 20" 4 ROMHCSHP721()()()()()()() 3,124. 3,506. 3,663. 3,823. 4,462. 5,129. 6,671. 78" 15" 20" 4 ROMHCSHP781()()()()()()() 3,192. 3,581. 3,743. 3,907. 4,558. 5,241. 6,814. 78" 15" 20" 6 ROMHCSHP841()()()()()()() 4,030. 4,522. 4,728. 4,933. 5,755. 6,618. 8,604. 79" 15" 20" 6 ROMHCSHP901()()()()()()() 4,100. 4,600. 4,808. 5,016. 5,855. 6,732. 8,751.		54"	15"	20"	3	ROMHCSHP541( )( )( )( )( )( )( )( )( )	2,723.	3,057.	3,196.	3,333.	3,890.	4,473.	5,815.
72"       15"       20"       4       ROMHCSHP721()()()()()()()       3,124.       3,506.       3,636.       3,823.       4,462.       5,129.       6,671.         78"       15"       20"       4       ROMHCSHP781()()()()()()()       3,192.       3,581.       3,743.       3,907.       4,558.       5,241.       6,814.         84"       15"       20"       6       ROMHCSHP841()()()()()()()       4,030.       4,522.       4,728.       4,933.       5,755.       6,618.       8,604.         90"       15"       20"       6       ROMHCSHP901()()()()()()()()       4,100.       4,600.       4,808.       5,016.       5,855.       6,732.       8,751.		60"	15"	20"	4	ROMHCSHP601()()()()()()()()()	3,024.	3,393.	3,547.	3,701.	4,318.	4,965.	6,455.
78" 15" 20" 4 ROMHCSHP781()()()()()()() 3,192. 3,581. 3,743. 3,907. 4,558. 5,241. 6,814. 84" 15" 20" 6 ROMHCSHP841()()()()()()() 4,030. 4,522. 4,728. 4,933. 5,755. 6,618. 8,604. 90" 15" 20" 6 ROMHCSHP901()()()()()()() 4,100. 4,600. 4,808. 5,016. 5,855. 6,732. 8,751.	•	66"	15"	20"	4	ROMHCSHP661()()()()()()()()()	3,071.	3,445.	3,601.	3,759.	4,386.	5,043.	6,557.
84" 15" 20" 6 ROMHCSHP841()()()()()()() 4,030. 4,522. 4,728. 4,933. 5,755. 6,618. 8,604. 90" 15" 20" 6 ROMHCSHP901()()()()()()() 4,100. 4,600. 4,808. 5,016. 5,855. 6,732. 8,751.		72"	15"	20"	4	ROMHCSHP721()()()()()()()()()	3,124.	3,506.	3,663.	3,823.	4,462.	5,129.	6,671.
90" 15" 20" 6 <b>ROMHCSHP901()()()()()()()</b> 4,100. 4,600. 4,808. 5,016. 5,855. 6,732. 8,751.		78"	15"	20"	4	ROMHCSHP781()()()()()()()()()	3,192.	3,581.	3,743.	3,907.	4,558.	5,241.	6,814.
		84"	15"	20"	6		4,030.	4,522.	4,728.	4,933.	5,755.	6,618.	8,604.
		90"	15"	20"	6	ROMHCSHP901()()()()()()()()()	4,100.	4,600.	4,808.	5,016.	5,855.	6,732.	8,751.
96" 15" 20" 6 <b>ROMHCSHP961()()()()()()</b> 4,152. 4,660. 4,871. 5,082. 5,931. 6,819. 8,864.		96"	15"	20"	6	ROMHCSHP961()()()()()()()()()	4,152.	4,660.	4,871.	5,082.	5,931.	6,819.	8,864.

Order	Code

#### Example: ROMHSHP301 ()()()()()()()()()R Reff 0 Overhead M Wall mount Н Hinge door SH Single High Ρ Planning 30 Width 1 Depth (letter) 2 Case finish type 2 Front finish type Н Pull option L Lock option В Lock finish V316 Case finish V316 Front finish PU Pull finish

dimensions noted nominal

#### **Specification Information**

To order please specify:

- 1. Case finish type: L = Laminate
  - $1=\mathrm{V}1$
  - 2 = V2
  - 3 = V3
- 2. Front finish type:
  - L = Laminate
  - 1 = V1
  - 2 = V23 = V3
- 3. Pull option:

B = Blank, no drilling, Customer's own pull C = nickel finish C-pull

(nickel finish only)  $\hat{D} = \text{metal D-pull}$ 

(PZ or PT)  $\dot{F} = Bar (\dot{1} \text{ pull per door set})$ 

H = Outline

R = CylinderS = S-pull

(stainless steel finish only) T = Tab (1 pull per door set)

Lock option: N=no drilling

L=locking 5. Lock finish:

B=Black S=Matte silver

- 6. Case finish: V316
- Front finish: V316
- Pull finish: Painted or plated

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page Excluding J-pull, will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 463.

Letter depth is 15" nominal.

Fascias ordered separately Tasklights not included

Tack/Task panel order separately

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Wall hung cabinets come with wall hung cleats.

Interior clearance dimensions: Above opening: 13 ½"h x 13 ½"d Cubby: 3 ½"h x 13 ½"d

The single door in a 3 door unit, such as 42"w and 48"w units, is hinged on the left hand side.

# Overhead, 283/8" planning Single high Wall hung with wood doors and open ends

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall-hung overhead cabinet Single high,		15"	20"		ROMFSH601()()()()	\$3,556.	\$3,991.	\$4,173.	\$4,356.	\$5,081.	\$5,842.	\$7,595.
Wood doors/Open Cubby concealed (Cantilevered open ends)	66"	15"	20"		ROMFSH661()()()()	3,616.	4,057.	4,242.	4,427.	5,163.	5,939.	7,719.
	72"	15"	20"		ROMFSH721( )( )( )( )	3,676.	4,126.	4,313.	4,501.	5,251.	6,039.	7,850.
	78"	15"	20"		ROMFSH781( )( )( )( )	3,810.	4,274.	4,468.	4,663.	5,440.	6,255.	8,133.
	84"	15"	20"		ROMFSH841( )( )( )( )	4,798.	5,383.	5,626.	5,871.	6,851.	7,878.	10,239.
	90"	15"	20"		ROMFSH901()()()()	4,856.	5,448.	5,695.	5,943.	6,934.	7,974.	10,365.
	96"	15"	20"		ROMFSH961()()()()	4,919.	5,518.	5,772.	6,022.	7,024.	8,080.	10,503.
Wall-hung overhead cabinet Single high,	60"	15"	20"		ROMFCSH601()()()()	3,326.	3,732.	3,901.	4,071.	4,750.	5,462.	7,101.
Wood doors/Open Cubby exposed	66"	15"	20"		ROMFCSH661()()()()	3,378.	3,790.	3,961.	4,135.	4,825.	5,547.	7,213.
(Cantilevered open ends)	72"	15"	20"		ROMFCSH721()()()()	3,437.	3,856.	4,030.	4,206.	4,908.	5,642.	7,338.
- / / 1//	78"	15"	20"		ROMFCSH781()()()()	3,511.	3,939.	4,118.	4,298.	5,014.	5,765.	7,496.
	84"	15"	20"		ROMFCSH841()()()()	4,433.	4,975.	5,201.	5,427.	6,331.	7,280.	9,464.
	90"	15"	20"		ROMFCSH901()()()()	4,510.	5,060.	5,289.	5,518.	6,440.	7,405.	9,627.
	96"	15"	20"		ROMFCSH961()()()()	4,568.	5,126.	5,358.	5,590.	6,524.	7,501.	9,751.

Example:	ROMFSH601
	()()()()()()()()
R	Reff
0	Overhead
M	Wall mount
F	Open/Wood Hinged
	doors
SH	Single High
30	Width
1	Depth (letter)
(V316)	Case finish type

Front finish type

Pull option

Pull finish

Lock option

Lock finish

**Order Code** 

(V316)

T

В

111

dimensions noted nominal

#### **Specification Information**

To order please specify:

1. Case finish: Laminate, V1, V2, V3

2. Front finish: Laminate, V1, V2, V3

3. Pull option:

B = Blank, no drilling,
Customer's own pull
C = nickel finish C-pull
(nickel finish only)
D = metal D-pull
(PZ or PT)

(PZ or PT)
F = Bar (1 pull per door set)
H = Outline
R = Cylinder

S = S-pull (stainless steel finish only) T = Tab (1 pull per door set)

4. Pull finish: Painted or Plated 5. Lock option:

N=no drilling
L=locking

b. Lock finish: B=Black S=Matte silver

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page **Excluding J-pull**, will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.

Please refer to wall mounting information on page 463.

Letter depth is 15" nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Wall hung cabinets come with wall hung cleats.

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Interior clearance dimensions: Above opening:  $13 \frac{1}{2}$  h x  $13 \frac{1}{2}$  d Cubby:  $3 \frac{1}{2}$  h x  $13 \frac{1}{2}$  d

The single door in a 3 door unit, such as 42"w and 48"w units, is hinged on the left hand side.

Note: The open ended overheads are not intended to be placed adjacent to one another.

# Overhead, 283/8" planning Single high Wall hung with glass doors

description	W	d	h	dr	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet	30"	15"	20"	2	ROMGHSHP301()()()()	\$3,055.	\$3,676.	\$4,227.	\$5,494.
glass hinge door, cubby concealed	36"	15"	20"	2	ROMGHSHP361( )( )( )( )	3,203.	3,856.	4,434.	5,765.
	42"	15"	20"	3	ROMGHSHP421( )( )( )( )	4,096.	4,929.	5,668.	7,370.
	48"	15"	20"	3	ROMGHSHP481()()()()	4,219.	5,079.	5,839.	7,593.
	54"	15"	20"	3	ROMGHSHP541()()()()	4,518.	5,438.	6,254.	8,129.
	60"	15"	20"	4	ROMGHSHP601()()()()	4,844.	5,830.	6,706.	8,717.
•	66"	15"	20"	4	ROMGHSHP661()()()()	4,977.	5,991.	6,890.	8,956.
	72"	15"	20"	4	ROMGHSHP721( )( )( )( )	5,119.	6,160.	7,085.	9,211.
	78"	15"	20"	4	ROMGHSHP781()()()()	5,376.	6,471.	7,442.	9,674.
	84"	15"	20"	6	ROMGHSHP841()()()()	6,388.	7,688.	8,842.	11,493.
	90"	15"	20"	6	ROMGHSHP901()()()()	6,536.	7,868.	9,049.	11,762.
	96"	15"	20"	6	ROMGHSHP961( )( )( )( )	6,664.	8,017.	9,224.	11,990.
Wall-hung overhead cabinet	30"	15"	20"	2	ROMGHCSHP301()()()()	2,712.	3,015.	3,468.	4,508.
glass hinge door, cubby exposed	36"	15"	20"	2	ROMGHCSHP361()()()()	2,837.	3,155.	3,627.	4,716.
	42"	15"	20"	3	ROMGHCSHP421()()()()	3,639.	4,046.	4,655.	6,049.
	48"	15"	20"	3	ROMGHCSHP481()()()()	3,762.	4,183.	4,809.	6,253.
	54"	15"	20"	3	ROMGHCSHP541()()()()	4,029.	4,479.	5,152.	6,696.
	60"	15"	20"	4	ROMGHCSHP601()()()()	4,478.	4,979.	5,726.	7,444.
•	66"	15"	20"	4	ROMGHCSHP661( )( )( )( )	4,614.	5,128.	5,899.	7,668.
	72"	15"	20"	4	ROMGHCSHP721( )( )( )( )	4,728.	5,257.	6,045.	7,861.
	78"	15"	20"	4	ROMGHCSHP781()()()()	4,927.	5,479.	6,300.	8,189.
	84"	15"	20"	6	ROMGHCSHP841( )( )( )( )	6,072.	6,750.	7,762.	10,092.
	90"	15"	20"	6	ROMGHCSHP901()()()()	6,146.	6,832.	7,857.	10,214.
	96"	15"	20"	6	ROMGHCSHP961()()()()	6,281.	6,982.	8,031.	10,441.

Order	Code
-------	------

#### Example: ROMGHCSHP301 ()()()()Reff 0 Overhead Wall mount М GHC Glass hinge door/ cubby SH Single High P Planning 30 Width 1 Depth (letter) 2 Case finish type V316 Case finish AU Door frame finish GL11 Door glass finish L Lock option s Lock finish

#### **Specification Information**

To order please specify:

- 1. Case Finish type: L = Laminate 1 = V1 2 = V2
- 3 = V3 2. *Case finish:* Laminate, V1, V2, V3
- 3. Door frame finish:
  Anodized or painted
- 4. Glass door finish: GL11 GL14
- GL15 GL17 GL18
- 5. Lock option: L = Lock N = No lock
  - B = Black S = Matte silver

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 463.

Letter depth is 15" nominal.

Fascias ordered separately

 $Task lights \ not \ included$ 

Tack/Task panel order separately

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Wall hung cabinets come with wall hung cleats.

Interior clearance dimensions: Above opening: 13 ½"h x 13 ½"d Cubby: 3 ½"h x 13 ½"d

The single door in a 3 door unit, such as 42"w and 48"w units, is hinged on the left hand side.

No pull option on Glass doors. Glass doors project below shelf for opening.

dimensions noted nominal

# Overhead, 283/8" planning Single high Wall hung with glass doors and open ends

description	w	d	h	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet Single high, Glass	60"	15"	19"	ROMGSH601()()()()()	\$5,329.	\$6,413.	\$7,376.	\$9,588.
doors/Open Cubby concealed	66"	15"	19"	ROMGSH661()()()()()	5,475.	6,590.	7,579.	9,852.
(Cantilevered open ends)	72"	15"	19"	ROMGSH721()()()()()	5,631.	6,776.	7,793.	10,132.
	78"	15"	19"	ROMGSH781()()()()()	5,914.	7,118.	8,186.	10,641.
	84"	15"	19"	ROMGSH841( )( )( )( )( )	7,027.	8,456.	9,726.	12,643.
	90"	15"	19"	ROMGSH901()()()()()	7,190.	8,655.	9,954.	12,938.
	96"	15"	19"	ROMGSH961()()()()()	7,330.	8,818.	10,146.	13,189.
Wall-hung overhead cabinet Single high, Glass	60"	15"	19"	ROMGCSH601( )( )( )( )( )	4,926.	5,477.	6,298.	8,188.
doors/Open Cubby exposed	66"	15"	19"	ROMGCSH661( )( )( )( )( )	5,075.	5,641.	6,489.	8,435.
(Cantilevered open ends)	72"	15"	19"	ROMGCSH721( )( )( )( )( )	5,201.	5,783.	6,650.	8,647.
	78"	15"	19"	ROMGCSH781( )( )( )( )( )	5,420.	6,026.	6,930.	9,008.
	84"	15"	19"	ROMGCSH841( )( )( )( )( )	6,679.	7,425.	8,539.	11,101.
	90"	15"	19"	ROMGCSH901()()()()()	6,760.	7,515.	8,642.	11,236.
	96"	15"	19"	ROMGCSH961( )( )( )( )( )	6,909.	7,681.	8,834.	11,485.

Order	Code

#### Example: **ROMGCSH601()()()()** Reff R ō Overhead M Wall mount G Open/glass Hinged doorsС Cubby exposed SH Singe High 60 Width Depth (letter) 1 V316 Case finish AA Door frame finish GL11 Door glass finish L Lock option S Lock finish

dimensions noted nominal

#### **Specification Information**

To order please specify:

- 1. Case finish: Laminate, V1, V2, V3
- 2. Door frame finish: Anodized or painted
- 3. Glass door finish: GL11 GL14 GL15 GL17
- 4. Lock option: L = Lock N = No lock

**GL18** 

5. Lock finish:
B = Black
S = Matte silver

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60″, the grain direction is horizontal.

These products are Glue and Dowel Construction.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 463.

Letter depth is 15" nominal. Fascias ordered separately

Tasklights not included

raskrights not included

Tack/Task panel order separately

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Wall hung cabinets come with wall hung cleats.

Interior clearance dimensions: Above opening: 13 ½"h x 13 ½"d Cubby: 3 ½"h x 13 ½"d

The single door in a 3 door unit, such as 42"w and 48"w units, is hinged on the left hand side.

No pull option on Glass doors. Glass doors project below shelf for opening.

Note: The open ended overheads are not intended to be placed adjacent to one another.

# Overhead, 283/8" planning Single high Wall hung with doors, open

description	W	d	h	$d\mathbf{r}$	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung overhead cabinet	60"	15"	20"	2	ROMHOCSHP601()()()()()()()()()	\$2,729.	\$3,062.	\$3,201.	\$3,338.	\$4,035.	\$4,640.	\$6,033.
hinge door / open /	66"	15"	20"	2	ROMHOCSHP661( )( )( )( )( )( )( )( )( )	2,770.	3,107.	3,249.	3,390.	4,096.	4,711.	6,124.
cubby exposed	72"	15"	20"	2	ROMHOCSHP721()()()()()()()()()	2,815.	3,159.	3,302.	3,444.	4,164.	4,787.	6,224.
	78"	15"	20"	2	ROMHOCSHP781( )( )( )( )( )( )( )( )( )	2,884.	3,237.	3,385.	3,532.	4,266.	4,906.	6,379.
	84"	15"	20"	4	ROMHOCSHP841( )( )( )( )( )( )( )( )( )	3,353.	3,761.	3,930.	4,102.	4,957.	5,701.	7,411.
	90"	15"	20"	4	ROMHOCSHP901()()()()()()()()()	3,404.	3,818.	3,992.	4,167.	5,035.	5,788.	7,525.
	96"	15"	20"	4	ROMHOCSHP961()()()()()()()()()	3,446.	3,867.	4,043.	4,219.	5,098.	5,862.	7,621.
Wall Hung overhead cabinet	60"	15"	20"	2	ROMHOSHP601()()()()()()()()()	2,919.	3,276.	3,426.	3,572.	4,318.	4,965.	6,455.
hinge door / open /	66"	15"	20"	2	ROMHOSHP661()()()()()()()()()	2,963.	3,324.	3,477.	3,626.	4,383.	5,041.	6,553.
cubby concealed	72"	15"	20"	2	ROMHOSHP721()()()()()()()()()	3,011.	3,380.	3,532.	3,685.	4,455.	5,122.	6,659.
	78"	15"	20"	2	ROMHOSHP781( )( )( )( )( )( )( )( )	3,086.	3,463.	3,621.	3,779.	4,564.	5,249.	6,825.
	84"	15"	20"	4	ROMHOSHP841()()()()()()()()()	3,588.	4,024.	4,205.	4,389.	5,304.	6,100.	7,929.
	90"	15"	20"	4	ROMHOSHP901()()()()()()()()()	3,642.	4,086.	4,272.	4,459.	5,387.	6,193.	8,051.
	96"	15"	20"	4	ROMHOSHP961( )( )( )( )( )( )( )( )	3,687.	4,138.	4,326.	4,514.	5,455.	6,272.	8,154.

#### **Order Code**

#### Example: ROMHOCSHP601 ()()()()R Reff 0 Overhead M Wall mount HOC Hinge door/Open/Cubby SH Single high Planning P 60 Width 1 Letter depth 2 Case finish type 2 Front finish type ī Lock option В Lock Finish В Black lock V316 Case finish V316 Front finish

dimensions noted nominal

#### **Specification Information**

To order please specify:

1. Case finish type:

L = Laminate

1 = V1

2 = V2

3 = V3

Front finish type:

L = Laminate

1 = V1

2 = V2

 $\frac{1}{3} = V3$ 

 $Pull\ option:$ 

B = Blank, no drilling,

Customer's own pull
C = nickel finish C-pull
(nickel finish only)

D = metal D-pull (PZ or PT)

 $\dot{F} = Bar (1 \text{ pull per door set})$ H = Outline

R = Cylinder

S = S-pull

(stainless steel finish only) T = Tab (1 pull per door set)

4. Lock Option: N = no lock drilling

L = locking

5. Lock finish: B=Black

S=Matte silver 6. Case Finish:

Front Finish:

Pull Finish: Painted or plated

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page Excluding J-pull option, will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 463.

Letter depth is 15" nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Wall hung cabinets come with wall hung cleats.

Interior clearance dimensions: Above opening: 13 1/8"h x 13 1/2"d Cubby: 3 1/2"h x 13 1/2"d

Doors project below shelf for openings.

Letter depth is 15" nominal. Fascias ordered separately Tasklights not included

hung cleats.

opening.

Tack/Task panel order separately
Overhead backs are finished in
Veneer/Laminate on inside and
paper finished on the outside.
Wall hung cabinets come with wall

Interior clearance dimensions: Above opening:  $13\frac{1}{8}$ "h x  $13\frac{1}{2}$ "d Cubby:  $3\frac{1}{2}$ "h x  $13\frac{1}{2}$ "d No pull options on glass doors. Glass doors project below shelf for

# Overhead, 28<sup>3</sup>/8" planning Single high Wall hung with glass doors, open

description	W	d	h	$\mathrm{d}\mathbf{r}$	pattern no.	L	V1	V2	V3
Wall Hung overhead cabinet	60"	15"	20"	2	ROMGHOCSHP601()()()()	\$3,350.	\$4,270.	\$4,910.	\$6,384.
glass hinge door / open /	66"	15"	20"	2	ROMGHOCSHP661()()()()	3,429.	4,371.	5,027.	6,534.
cubby exposed	72"	15"	20"	2	ROMGHOCSHP721( )( )( )( )	3,499.	4,462.	5,129.	6,671.
	78"	15"	20"	2	ROMGHOCSHP781()()()()	3,597.	4,586.	5,275.	6,857.
	84"	15"	20"	4	ROMGHOCSHP841()()()()	4,408.	5,396.	6,204.	8,067.
	90"	15"	20"	4	ROMGHOCSHP901()()()()	4,462.	5,461.	6,282.	8,165.
	96"	15"	20"	4	ROMGHOCSHP961()()()()	4,555.	5,575.	6,412.	8,335.
Wall Hung overhead cabinet	60"	15"	20"	2	ROMGHOSHP601()()()()	4,074.	5,196.	5,974.	7,766.
glass hinge door / open /	66"	15"	20"	2	ROMGHOSHP661()()()()	4,160.	5,304.	6,100.	7,930.
cubby concealed	72"	15"	20"	2	ROMGHOSHP721()()()()	4,265.	5,438.	6,254.	8,129.
	78"	15"	20"	2	ROMGHOSHP781()()()()	4,386.	5,592.	6,430.	8,361.
	84"	15"	20"	4	ROMGHOSHP841()()()()	5,143.	6,559.	7,543.	9,805.
	90"	15"	20"	4	ROMGHOSHP901()()()()	5,253.	6,698.	7,704.	10,014.
	96"	15"	20"	4	ROMGHOSHP961()()()()	5,338.	6,806.	7,828.	10,175.

Example:	ROMGHOCSHP601	To order please specify:	It is Not advisable to mix 28 %"h
•	()()()()()()	1. Case finish type:	desk height products with 26 1/2"
R	Reff	L = Laminate	standard height products.
0	Overhead	1 = V1  2 = V2	Product on this page <b>Excluding</b>
М	Wall mount	3 = V3	<b>J-pull option</b> , will accept wood grain laminate, where laminate is
GHOC	Glass hinge door/Open/Cubby	2. Case finish: Laminate, V1, V2, V3	currently an option. For any vertica surface greater than 60", the grain
SH	Single high	3. Door Frame finish: Painted or Anodized	direction is horizontal.
P	Planning	4. Door Glass finish:	These products are Glue and Dowe
60	Width	GL11, GLĬ4, GL15, GL17,	Construction.
1	Depth, Letter	GL18 5. Lock option:	Knoll does not assume any
2	Case finish type, V2	L = Lock	responsibility for the installation,
V316	Case finish	N = No lock	attachment or the securing of wall hung units to the wall.
AA	Door frame finish	6. Lock finish: B = Black	A certified building contractor
GL11	Back painted glass door finish	S = Matte silver	should be consulted. Please refer to wall mounting
L	Lock option		information on page 463.
S	Lock finish		

**Specification Information** 

**Order Code** 

**Application Notes** 

# Overhead, 283/8" planning Single high Cabinet hung with and wihtout Center Gables

description	w	d	h	cubby divider	interior gable	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet	30"	15"	20"	1		ROCCGSHP301()()	\$1,370.	\$1,958.	\$2,251.	\$2,927.
open /cubby with center gable	36"	15"	20"	1		ROCCGSHP361()()	1,410.	2,014.	2,315.	3,010.
$\rightarrow$	42"	15"	20"	2		ROCCGSHP421()()	1,524.	2,177.	2,503.	3,254.
	48"	15"	20"	2		ROCCGSHP481()()	1,567.	2,237.	2,573.	3,346.
	54"	15"	20"	2		ROCCGSHP541()()	1,825.	2,607.	2,996.	3,896.
	60"	15"	20"	2	1	ROCCGSHP601()()	2,107.	3,009.	3,461.	4,500.
Ť	66"	15"	20"	2	1	ROCCGSHP661()()	2,143.	3,060.	3,519.	4,576.
	72"	15"	20"	2	1	ROCCGSHP721()()	2,185.	3,120.	3,588.	4,664.
	78"	15"	20"	2	1	ROCCGSHP781()()	2,273.	3,247.	3,734.	4,853.
	84"	15"	20"	3	2	ROCCGSHP841()()	2,635.	3,764.	4,329.	5,627.
	90"	15"	20"	3	2	ROCCGSHP901()()	2,677.	3,822.	4,397.	5,715.
	96"	15"	20"	3	2	ROCCGSHP961()()	2,718.	3,882.	4,465.	5,804.
Cabinet-hung overhead cabinet	30"	15"	20"			ROCOCSHP301()()	1,234.	1,762.	2,026.	2,635.
open /cubby without center gable	36"	15"	20"			ROCOCSHP361()()	1,270.	1,812.	2,083.	2,710.
	42"	15"	20"	1		ROCOCSHP421()()	1,370.	1,961.	2,253.	2,928.
	48"	15"	20"	1		ROCOCSHP481()()	1,410.	2,013.	2,315.	3,009.
	54"	15"	20"	1		ROCOCSHP541()()	1,643.	2,345.	2,697.	3,508.
	60"	15"	20"		1	ROCOCSHP601()()	1,896.	2,709.	3,114.	4,048.
	66"	15"	20"		1	ROCOCSHP661()()	1,929.	2,754.	3,167.	4,118.
	72"	15"	20"		1	ROCOCSHP721()()	1,967.	2,807.	3,228.	4,196.
	78"	15"	20"		1	ROCOCSHP781()()	2,047.	2,922.	3,361.	4,369.
	84"	15"	20"		2	ROCOCSHP841()()	2,372.	3,388.	3,896.	5,065.
	90"	15"	20"		2	ROCOCSHP901()()	2,410.	3,441.	3,957.	5,146.
	96"	15"	20"		2	ROCOCSHP961()()	2,447.	3,493.	4,018.	5,223.

Without center gable

Example:	ROCCGSHP301S0 ()()()
R	Reff
0	Overhead
С	Cabinet hung
CG	Center Gable
SH	Single high
	701

**Order Code** 

Planning 30 30" width 1 Depth (letter) Case finish V316 Case finish

#### **Specification Information**

To order please specify:

1. Case Finish type: L = Laminate 1 = V12 = V23 = V3

2. Case finish: Laminate, V1, V2, V3

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26  $\frac{1}{2}$ standard height products.

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction.

Installation instruction sheets available on Knoll Exchange.

Reference number 6TP00080.

Letter depth is 15" nominal.

Place holder for legal depth if required (20").

Fascias ordered separately

Tasklights ordered separately

Tack/Task panel order separately

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Interior clearance dimensions: Above opening: 13 ½"h x 13 ½"d Cubby: 3 ½"h x 13 ½"d

dimensions noted nominal

### Overhead, 283/8" planning Single high Cabinet hung with doors

description	w	d	h	$\mathrm{d}\mathrm{r}$	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet-hung overhead cabinet	30"	15"	20"	2	ROCHSHP301()()()()()()()()	\$2,060.	\$2,312.	\$2,417.	\$2,523.	\$2,942.	\$3,384.	\$4,399.
hinge door, cubby concealed	36"	15"	20"	2	ROCHSHP361()()()()()()()()()	2,109.	2,368.	2,475.	2,583.	3,012.	3,466.	4,505.
	42"	15"	20"	3	ROCHSHP421()()()()()()()()()	2,689.	3,016.	3,153.	3,290.	3,840.	4,415.	5,740.
	48"	15"	20"	3	ROCHSHP481()()()()()()()()()	2,743.	3,077.	3,217.	3,358.	3,917.	4,505.	5,856.
	54"	15"	20"	3	ROCHSHP541()()()()()()()()()	2,908.	3,263.	3,412.	3,560.	4,153.	4,777.	6,209.
	60"	15"	20"	4	ROCHSHP601()()()()()()()()()	3,278.	3,677.	3,845.	4,012.	4,680.	5,382.	6,997.
*	66"	15"	20"	4	ROCHSHP661()()()()()()()()()	3,328.	3,734.	3,905.	4,074.	4,752.	5,465.	7,106.
	72"	15"	20"	4	ROCHSHP721()()()()()()()()()	3,383.	3,796.	3,968.	4,140.	4,830.	5,554.	7,221.
	78"	15"	20"	4	ROCHSHP781()()()()()()()()()	3,487.	3,913.	4,092.	4,269.	4,980.	5,727.	7,445.
	84"	15"	20"	6	ROCHSHP841()()()()()()()()()	4,385.	4,919.	5,142.	5,366.	6,261.	7,199.	9,358.
	90"	15"	20"	6	ROCHSHP901()()()()()()()()()	4,434.	4,976.	5,202.	5,428.	6,335.	7,283.	9,468.
	96"	15"	20"	6	ROCHSHP961()()()()()()()()()	4,492.	5,039.	5,269.	5,496.	6,413.	7,376.	9,587.
Cabinet-hung overhead cabinet	30"	15"	20"	2	ROCHCSHP301()()()()()()()()()	1,957.	2,197.	2,297.	2,396.	2,796.	3,215.	4,180.
hinge door, cubby exposed	36"	15"	20"	2	ROCHCSHP361( )( )( )( )( )( )( )( )( )	2,006.	2,250.	2,352.	2,456.	2,866.	3,295.	4,283.
	42"	15"	20"	3	ROCHCSHP421( )( )( )( )( )( )( )( )( )	2,626.	2,947.	3,081.	3,214.	3,749.	4,312.	5,605.
	48"	15"	20"	3	ROCHCSHP481( )( )( )( )( )( )( )( )( )	2,712.	3,043.	3,181.	3,320.	3,872.	4,454.	5,790.
	54"	15"	20"	3	ROCHCSHP541( )( )( )( )( )( )( )( )( )	2,769.	3,106.	3,247.	3,388.	3,953.	4,547.	5,910.
	60"	15"	20"	4	ROCHCSHP601()()()()()()()()()	3,068.	3,441.	3,598.	3,755.	4,380.	5,038.	6,548.
	66"	15"	20"	4	ROCHCSHP661( )( )( )( )( )( )( )( )( )	3,112.	3,492.	3,650.	3,809.	4,444.	5,111.	6,643.
	72"	15"	20"	4	ROCHCSHP721()()()()()()()()()	3,164.	3,550.	3,711.	3,872.	4,519.	5,197.	6,755.
	78"	15"	20"	4	ROCHCSHP781()()()()()()()()()	3,216.	3,608.	3,772.	3,936.	4,592.	5,281.	6,866.
	84"	15"	20"	6	ROCHCSHP841( )( )( )( )( )( )( )( )( )	4,054.	4,549.	4,754.	4,961.	5,788.	6,656.	8,654.
	90"	15"	20"	6	ROCHCSHP901()()()()()()()()()	4,122.	4,623.	4,833.	5,043.	5,885.	6,766.	8,797.
	96"	15"	20"	6	ROCHCSHP961()()()()()()()()()	4,172.	4,680.	4,893.	5,107.	5,957.	6,849.	8,905.

Order	Code
-------	------

#### Example: ROCHSHP30 ()()()()()()()()()R Reff o Overhead С Cabinet mount Н Hinge door SH Single High P Planning 30 Width 1 Depth (letter) 2 Case finish type 2 Front finish type Н Pull option L Lock option В Lock finish PU Pull finish

dimensions noted nominal

#### **Specification Information**

To order please specify:

- 1. Case Finish type:
- L = Laminate
- 1 = V1
- 2 = V2
- 3 = V3
- Front Finish type:
- L = Laminate
- 1 = V1
- 2 = V2
- 3 = V3
- 3. Pull option:
  - B = Blank, no drilling,
  - Customer's own pull C = nickel finish C-pull (nickel
  - finish only)
  - D = metal D-pull
  - (PZ or PT)
  - F = Bar (1 pull per door set)
  - H = Outline
  - R = Cylinder
  - S = S-pull
  - (stainless steel finish only)
- T = Tab (1 pull per door set)4. Lock option:
  - N = no drilling, L = locking (wood or laminate doors only)
- Lock finish:
  - B=Black, S=Matte silver
- Case finish: Laminate or Wood Front finish: Laminate or Wood
- 8. Pull finish: Painted or Plated

#### **Application Notes**

It is Not advisable to mix 28%"h desk height products with 26 1/2" standard height products.

Product on this page ExcludingJ-pull option, will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction.

Installation instruction sheets available on Knoll Exchange.

Reference number 6TP00080.

Letter depth is 15" nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Interior clearance dimensions: Above opening: 13 1/8"h x 13 1/2"d Cubby: 3 1/2"h x 13 1/2"d

The single door in a 3 door unit, such as 42"w and 48"w units, is hinged on the left hand side.

Doors project below shelf for opening.

# Overhead, 283/8" planning Single high Cabinet hung with glass doors

description	W	d	h	dr	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet	30"	15"	20"	2	ROCGHCSHP301()()()()	\$2,795.	\$3,108.	\$3,575.	\$4,645.
glass hinge door, cubby exposed	36"	15"	20"	2	ROCGHCSHP361()()()()	2,919.	3,245.	3,732.	4,850.
	42"	15"	20"	3	ROCGHCSHP421( )( )( )( )	3,720.	4,135.	4,753.	6,182.
	48"	15"	20"	3	ROCGHCSHP481( )( )( )( )	3,821.	4,249.	4,886.	6,352.
	54"	15"	20"	3	ROCGHCSHP541()()()()	4,087.	4,545.	5,224.	6,793.
	60"	15"	20"	4	ROCGHCSHP601()()()()	4,534.	5,041.	5,797.	7,537.
Ť	66"	15"	20"	4	ROCGHCSHP661()()()()	4,667.	5,188.	5,967.	7,756.
	72"	15"	20"	4	ROCGHCSHP721()()()()	4,780.	5,314.	6,111.	7,945.
	78"	15"	20"	4	ROCGHCSHP781()()()()	4,958.	5,512.	6,340.	8,241.
	84"	15"	20"	6	ROCGHCSHP841()()()()	6,101.	6,783.	7,800.	10,141.
	90"	15"	20"	6	ROCGHCSHP901()()()()	6,173.	6,861.	7,890.	10,258.
	96"	15"	20"	6	ROCGHCSHP961()()()()	6,305.	7,010.	8,061.	10,480.
Cabinet-hung overhead cabinet	30"	15"	20"	2	ROCGHSHP301()()()()	3,020.	3,635.	4,180.	5,434.
glass hinge door, cubby concealed	36"	15"	20"	2	ROCGHSHP361()()()()	3,167.	3,811.	4,383.	5,698.
	42"	15"	20"	3	ROCGHSHP421()()()()	4,056.	4,882.	5,615.	7,299.
	48"	15"	20"	3	ROCGHSHP481()()()()	4,187.	5,040.	5,795.	7,536.
	54''	15"	20"	3	ROCGHSHP541( )( )( )( )	4,455.	5,362.	6,165.	8,016.
	60"	15"	20"	4	ROCGHSHP601()()()()	4,780.	5,753.	6,616.	8,601.
_	66"	15"	20"	4	ROCGHSHP661()()()()	4,910.	5,910.	6,796.	8,836.
	72"	15"	20"	4	ROCGHSHP721()()()()	5,049.	6,078.	6,989.	8,977.
	78"	15"	20"	4	ROCGHSHP781()()()()	5,286.	6,363.	7,317.	9,512.
	84"	15"	20"	6	ROCGHSHP841( )( )( )( )	6,296.	7,577.	8,715.	11,328.
_	90"	15"	20"	6	ROCGHSHP901()()()()	6,438.	7,749.	8,910.	11,584.
	96"	15"	20"	6	ROCGHSHP961( )( )( )( )	6,540.	7,871.	9,053.	11,768.

Example:	ROCGHCSHP
•	()()()()

**Order Code** 

Example:	ROCGHCSHP301
	()()()()
R	Reff
0	Overhead
С	Cabinet mount
GHC	Glas hinge door/ cubby
SH	Single High
P	Planning
30	Width
1	Depth (letter)
2	Case finish type
V316	Case finish
AU	Door frame finish
GL11	Door glass finish
L	Lock option
S	Lock finish

#### **Specification Information**

To order please specify:

- 1. Case Finish type: L = Laminate $1=\mathrm{V}1$ 
  - 2 = V23 = V3
- Case finish: Laminate, V1, V2, V3
- $3. \ \textit{Door frame finish:}$ Anodized or Painted
- Glass door finish: GL11, GL14, GL15, GL17, GL18
- 5. Lock option: L = LockN = No lock
- 6. Lock finish: B = BlackS = Matte silver

#### **Application Notes**

any vertical surface greater than 60", the grain direction is horizontal

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page **Excluding** J-pull option, will accept wood grain laminate, where laminate is currently an option. For .

These products are Glue and Dowel Construction.

Installation instruction sheets available on Knoll Exchange.

Reference number 6TP00080.

Letter depth is 15" nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Interior clearance dimensions: Above opening: 13 1/8"h x 13 1/2"d Cubby: 3 1/2"h x 13 1/2"d

The single door in a 3 door unit, such as 42"w and 48"w units, is hinged on the left hand side.

No pull option on Glass doors. Glass doors project below shelf for opening.

dimensions noted nominal

# Overhead, 283/8" planning Single high Cabinet hung with doors, open

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung overhead cabinet	60"	15"	20"	2	ROCHOCSHP601()()()()()()()()()	\$2,707.	\$3,037.	\$3,174.	\$3,313.	\$4,004.	\$4,604.	\$5,985.
hinge door / open /	66"	15"	20"	2	ROCHOCSHP661()()()()()()()()()	2,745.	3,082.	3,221.	3,361.	4,061.	4,670.	6,071.
cubby exposed	72"	15"	20"	2	ROCHOCSHP721()()()()()()()()()	2,790.	3,130.	3,273.	3,414.	4,127.	4,745.	6,167.
	78"	15"	20"	2	ROCHOCSHP781()()()()()()()()()	2,845.	3,193.	3,336.	3,482.	4,208.	4,840.	6,291.
	84"	15"	20"	4	ROCHOCSHP841( )( )( )( )( )( )( )( )( )	3,310.	3,715.	3,884.	4,053.	4,896.	5,631.	7,322.
	90"	15"	20"	4	ROCHOCSHP901()()()()()()()()()	3,361.	3,770.	3,943.	4,113.	4,969.	5,715.	7,431.
	96"	15"	20"	4	ROCHOCSHP961()()()()()()()()()	3,402.	3,816.	3,990.	4,165.	5,032.	5,785.	7,520.
Cabinet Hung overhead cabinet	60"	15"	20"	2	ROCHOSHP601()()()()()()()()()	2,897.	3,249.	3,397.	3,544.	4,283.	4,926.	6,404.
hinge door / open /	66"	15"	20"	2	ROCHOSHP661()()()()()()()()()	2,937.	3,297.	3,446.	3,597.	4,345.	4,997.	6,496.
cubby concealed	72"	15"	20"	2	ROCHOSHP721()()()()()()()()()	2,986.	3,350.	3,502.	3,653.	4,416.	5,077.	6,599.
	78"	15"	20"	2	ROCHOSHP781()()()()()()()()()	3,044.	3,416.	3,570.	3,726.	4,502.	5,179.	6,732.
	84"	15"	20"	4	ROCHOSHP841( )( )( )( )( )( )( )( )	3,541.	3,975.	4,155.	4,337.	5,239.	6,026.	7,834.
	90"	15"	20"	4	ROCHOSHP901()()()()()()()()()	3,597.	4,033.	4,219.	4,401.	5,317.	6,115.	7,952.
	96"	15"	20"	4	ROCHOSHP961()()()()()()()()()	3,640.	4,084.	4,270.	4,456.	5,384.	6,190.	8,047.

Order	Code

#### Example: ROCHOCSHP601 ()()()()()()()()()R Reff 0 Overhead C Cabinet mount HOC Hinge door / Open / Cubby SH Single High Planning 60 Width 1 Depth (letter) 2 Case finish type 2 Front finish type T Tab pull option L Lock option В Lock finish V316 Case finish V316 Front finish

dimensions noted nominal

#### **Specification Information**

To order please specify:

1. Case finish type:

L = Laminate

1 = V1

2 = V2

3 = V3

Front finish type:

L = Laminate

1 = V1

2 = V2 $\frac{1}{3} = V3$ 

 $Pull\ option:$ B = Blank, no drilling,

Customer's own pull C = nickel finish C-pull (nickel

finish only)
D = metal D-pull

(PZ or PT)

 $\dot{F} = Bar (1 \text{ pull per door set})$ 

H = Outline

R = CylinderS = S-pull

(stainless steel finish only)

T = Tab (1 pull per door set)
4. Lock option: N=no drilling,

L=locking

Lock finish: B=Black, S=Matte silver

Case finish:

Wood or Laminate

Front finish:

Wood or Laminate

Pull finish: Painted or Plated

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page Excluding **J-pull option**, will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.

These products are Glue and Dowel

Installation instruction sheets available on Knoll Exchange.

Reference number 6TP00080.

Letter depth is 15" nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Interior clearance dimensions: Above opening: 13 ½"h x 13 ½"d Cubby: 3 ½"h x 13 ½"d

Doors project below shelf for opening.

# Overhead, 28<sup>3</sup>/8" planning Single high Cabinet hung with glass doors, open

description	W	d	h	dr	pattern no.	L	V1	V2	V3
Cabinet Hung overhead cabinet	60"	15"	20"	2	ROCGHOCSHP601()()()()	\$3,324.	\$4,238.	\$4,874.	\$6,337.
glass hinge door / open /	66"	15"	20"	2	ROCGHOCSHP661()()()()	3,401.	4,336.	4,987.	6,482.
cubby exposed	72"	15"	20"	2	ROCGHOCSHP721()()()()	3,471.	4,425.	5,089.	6,615.
	78"	15"	20"	2	ROCGHOCSHP781()()()()	3,551.	4,527.	5,206.	6,769.
	84"	15"	20"	4	ROCGHOCSHP841()()()()	4,359.	5,335.	6,135.	7,977.
	90"	15"	20"	4	ROCGHOCSHP901()()()()	4,412.	5,399.	6,208.	8,071.
	96"	15"	20"	4	ROCGHOCSHP961()()()()	4,501.	5,509.	6,337.	8,237.

Cabinet Hung overhead cabinet glass hinge door / open / cubby concealed



**Order Code** 

60"	15"	20"	2	ROCGHOSHP601()()()()	4,016.	5,120.	5,888.	7,654.
66"	15"	20"	2	ROCGHOSHP661()()()()	4,099.	5,225.	6,011.	7,813.
72"	15"	20"	2	ROCGHOSHP721()()()()	4,203.	5,358.	6,160.	8,009.
78"	15"	20"	2	ROCGHOSHP781()()()()	4,303.	5,487.	6,310.	8,202.
84"	15"	20"	4	ROCGHOSHP841()()()()	5,059.	6,451.	7,418.	9,644.
90"	15"	20"	4	ROCGHOSHP901()()()()	5,167.	6,588.	7,576.	9,849.
96"	15"	20"	4	ROCGHOSHP961()()()()	5,249.	6,692.	7,697.	10,005.

Example:	ROCGHOCSHP601
	()()()()()()
R	Reff
0	Overhead
С	Cabinet mount
GHOC	Glass hinge door / Open
	/ Cubby
SH	Single High
P	Planning
60	Width
1	Depth (letter)
2	Case finish type; V2
V316	Case finish
AA	Door frame finish
GL11	Back painted glass door
L	Lock option

\_\_\_\_\_\_\_

#### **Specification Information**

To order please specify:

1. Case finish type: L = Laminate

1 = V12 = V2

3 = V32. Case finish:

Laminate, V1, V2, V3
3. Door Frame finish:

3. Door Frame finish:
Painted or Anodized

4. Door Glass finish: GL11, GL14, GL15, GL17, GL18

5. Lock option: L = Lock N = No lock

6. Lock finish:
B = Black
S = Matte silver

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction.

Installation instruction sheets available on Knoll Exchange.

Reference number 6TP00080.

Letter depth is 15" nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Interior clearance dimensions: Above opening:  $13\frac{1}{8}$ "h x  $13\frac{1}{2}$ "d Cubby:  $3\frac{1}{2}$ "h x  $13\frac{1}{2}$ "d

The single door in a 3 door unit, such as 42"w and 48"w units, is hinged on the left hand side.

Doors project below shelf for opening.

s

Lock finish

# Overhead, 28<sup>3</sup>/8" planning Double high Wall hung, Open

description	W	h	d	cubby divider	interior gable	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet	30"	33"	15"		1	ROMCGDHP301()()	\$1,951.	\$2,786.	\$3,203.	\$4,166.
open/cubby <b>with</b> center gable	36"	33"	15"		1	ROMCGDHP361()()	2,003.	2,860.	3,287.	4,275.
$\rightarrow$	42"	33"	15"		2	ROMCGDHP421()()	2,461.	3,516.	4,043.	5,256.
	48"	33"	15"		2	ROMCGDHP481()()	2,526.	3,605.	4,146.	5,389.
	54"	33"	15"		2	ROMCGDHP541()()	2,802.	4,002.	4,602.	5,982.
	60"	33"	15"		3	ROMCGDHP601()()	3,328.	4,752.	5,466.	7,106.
	66"	33"	15"		3	ROMCGDHP661()()	3,430.	4,897.	5,632.	7,322.
	72"	33"	15"		3	ROMCGDHP721()()	3,482.	4,972.	5,718.	7,434.
	78"	33"	15"		3	ROMCGDHP781()()	3,603.	5,146.	5,918.	7,694.
	84"	33"	15"		5	ROMCGDHP841()()	4,540.	6,483.	7,456.	9,692.
	90"	33"	15"		5	ROMCGDHP901()()	4,596.	6,563.	7,547.	9,811.
	96"	33"	15"		5	ROMCGDHP961()()	4,645.	6,634.	7,628.	9,917.
Wall-hung overhead cabinet	30"	33"	15"			ROMOCDHP301()()	1,756.	2,506.	2,882.	3,748.
open/cubby <b>without</b> center gable	36"	33"	15"			ROMOCDHP361()()	1,803.	2,574.	2,958.	3,847.
	42"	33"	15"		1	ROMOCDHP421()()	2,216.	3,164.	3,639.	4,731.
	48"	33"	15"		1	ROMOCDHP481()()	2,272.	3,245.	3,732.	4,851.
	54"	33"	15"		1	ROMOCDHP541()()	2,523.	3,601.	4,141.	5,384.
	60"	33"	15"		1	ROMOCDHP601()()	2,995.	4,279.	4,921.	6,396.
	66"	33"	15"		1	ROMOCDHP661()()	3,086.	4,408.	5,069.	6,588.
	72"	33"	15"		1	ROMOCDHP721()()	3,134.	4,475.	5,147.	6,690.
	78"	33"	15"		1	ROMOCDHP781()()	3,244.	4,631.	5,327.	6,923.
	84"	33"	15"		2	ROMOCDHP841()()	4,087.	5,834.	6,710.	8,723.
	90"	33"	15"		2	ROMOCDHP901()()	4,136.	5,907.	6,793.	8,830.
	96"	33"	15"		2	ROMOCDHP961()()	4,181.	5,971.	6,866.	8,926.

Without center gable

#### Order Code

#### Example: ROMCGDHP301 ()()()()()()()()()R Reff o Overhead M Wall mount CG Center Gable DH Double High Ρ Planning 30 Width 1 Depth (letter) 2 Case finish type V316 Case finish

dimensions noted nominal

#### **Specification Information**

To order please specify:

1. Case finish type: L = Laminate 1 = V1 2 = V2 3 = V3

2. Case finish:
Wood or Laminate

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.

Please refer to wall mounting information on page 463.

Letter depth is 15" nominal.

No glass shelves

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Interior clearance dimensions: Above opening:  $26^{5}$ /s"h x  $13^{1}$ /2"d Cubby:  $3^{1}$ /2"h x  $13^{1}$ /2"d \*(includes one adjustable shelf)

# Overhead, 28<sup>3</sup>/8" planning Double high Wall hung, Open with Recessed Gables and open ends

description	W	d	h	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet	60"	15"	33"	ROMACDH601()	\$3,661.	\$5,227.	\$6,013.	\$7,817.
Double high, Open with center gable	66"	15"	33"	ROMACDH661()	3,773.	5,387.	6,196.	8,054.
(Cantilevered open ends)	72"	15"	33"	ROMACDH721()	3,830.	5,470.	6,290.	8,178.
	78"	15"	33"	ROMACDH781()	3,963.	5,660.	6,510.	8,463.
	84"	15"	33"	ROMACDH841()	4,994.	7,131.	8,201.	10,662.
	90"	15"	33"	ROMACDH901()	5,056.	7,219.	8,302.	10,792.
	96"	15"	33"	ROMACDH961()	5,110.	7,297.	8,391.	10,909.

Wall-hung overhead cabinet Double high, Open without center gable (Cantilevered open ends)



60"	15"	33"	ROMADH601()	3,295.	4,707.	5,413.	7,036.
66"	15"	33"	ROMADH661()	3,395.	4,848.	5,575.	7,246.
72"	15"	33"	ROMADH721()	3,448.	4,923.	5,661.	7,359.
78"	15"	33"	ROMADH781()	3,569.	5,094.	5,860.	7,615.
84"	15"	33"	ROMADH841()	4,495.	6,418.	7,381.	9,595.
90"	15"	33"	ROMADH901()	4,549.	6,498.	7,472.	9,713.
96"	15"	33"	ROMADH961()	4,599.	6,568.	7,553.	9,818.
	66" 72" 78" 84" 90"	66"     15"       72"     15"       78"     15"       84"     15"       90"     15"	66"         15"         33"           72"         15"         33"           78"         15"         33"           84"         15"         33"           90"         15"         33"	66"         15"         33"         ROMADH661()           72"         15"         33"         ROMADH721()           78"         15"         33"         ROMADH781()           84"         15"         33"         ROMADH841()           90"         15"         33"         ROMADH901()	66"         15"         33"         ROMADH661()         3,395.           72"         15"         33"         ROMADH721()         3,448.           78"         15"         33"         ROMADH781()         3,569.           84"         15"         33"         ROMADH841()         4,495.           90"         15"         33"         ROMADH901()         4,549.	66"       15"       33"       ROMADH661()       3,395.       4,848.         72"       15"       33"       ROMADH721()       3,448.       4,923.         78"       15"       33"       ROMADH781()       3,569.       5,094.         84"       15"       33"       ROMADH841()       4,495.       6,418.         90"       15"       33"       ROMADH901()       4,549.       6,498.	66"         15"         33"         ROMADH661()         3,395.         4,848.         5,575.           72"         15"         33"         ROMADH721()         3,448.         4,923.         5,661.           78"         15"         33"         ROMADH781()         3,569.         5,094.         5,860.           84"         15"         33"         ROMADH841()         4,495.         6,418.         7,381.           90"         15"         33"         ROMADH901()         4,549.         6,498.         7,472.

#### Order Code

#### Example: ROMACSH601() Reff 0 Overhead M Wall mount Α Open Configuration С Center Gable DH Double Hung 60 Width Depth (letter) V316 Case finish

dimensions noted nominal

#### **Specification Information**

To order please specify:

1. Case finish: Laminate, V1, V2, V3

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60°, the grain direction is horizontal.

These products are Glue and Dowel Construction.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 463.

Letter depth is 15" nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Wall hung cabinets come with wall hung cleats.

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Interior clearance dimensions: Above opening:  $26^5$ /8"h x  $13^1$ /2"d Cubby:  $3^1$ /2"h x  $13^1$ /2"d

Note: The open ended overheads are not intended to be placed adjacent to one another.

# Overhead, 28<sup>3</sup>/8" planning Double high Wall hung with wood doors

description	w	d	h	$\mathrm{d}\mathbf{r}$	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall-hung overhead cabinet	30"	15"	33"	2	ROMHDHP301( )( )( )( )( )( )( )( )	\$2,342.	\$2,627.	\$2,748.	\$2,868.	\$3,346.	\$3,846.	\$5,000.
hinge door, cubby concealed	36"	15"	33"	2	ROMHDHP361( )( )( )( )( )( )( )( )	2,421.	2,717.	2,840.	2,963.	3,458.	3,976.	5,168.
	42"	15"	33"	3	ROMHDHP421( )( )( )( )( )( )( )( )	3,244.	3,639.	3,805.	3,970.	4,632.	5,327.	6,924.
	48"	15"	33"	3	ROMHDHP481( )( )( )( )( )( )( )( )	3,337.	3,743.	3,914.	4,084.	4,766.	5,482.	7,125.
	54"	15"	33"	3	ROMHDHP541( )( )( )( )( )( )( )( )	3,540.	3,972.	4,152.	4,334.	5,055.	5,814.	7,558.
	60"	15"	33"	4	ROMHDHP601( )( )( )( )( )( )( )( )	3,898.	4,373.	4,572.	4,770.	5,565.	6,400.	8,320.
	66"	15"	33"	4	ROMHDHP661( )( )( )( )( )( )( )( )	4,021.	4,511.	4,717.	4,923.	5,742.	6,603.	8,584.
	72"	15"	33"	4	ROMHDHP721( )( )( )( )( )( )( )( )	4,103.	4,604.	4,814.	5,023.	5,860.	6,739.	8,761.
	78"	15"	33"	4	ROMHDHP781( )( )( )( )( )( )( )( )	4,239.	4,755.	4,972.	5,189.	6,053.	6,960.	9,049.
	84"	15"	33"	6	ROMHDHP841( )( )( )( )( )( )( )( )	5,356.	6,011.	6,283.	6,557.	7,649.	8,797.	11,434.
	90"	15"	33"	6	ROMHDHP901( )( )( )( )( )( )( )( )	5,452.	6,118.	6,395.	6,673.	7,785.	8,953.	11,639.
	96"	15"	33"	6	ROMHDHP961( )( )( )( )( )( )( )( )	5,523.	6,197.	6,479.	6,760.	7,886.	9,070.	11,791.
Wall-hung overhead cabinet	30"	15"	33"	2	ROMHCDHP301()()()()()()()()()	2,242.	2,514.	2,629.	3,864.	3,201.	3,682.	4,786.
hinge door, cubby exposed	36"	15"	33"	2	ROMHCDHP361()()()()()()()()()	2,317.	2,600.	2,717.	2,835.	3,309.	3,805.	4,946.
	42"	15"	33"	3	ROMHCDHP421()()()()()()()()()	3,147.	3,532.	3,692.	3,853.	4,495.	5,168.	6,719.
	48"	15"	33"	3	ROMHCDHP481()()()()()()()()()	3,266.	3,663.	3,830.	3,998.	4,664.	5,363.	6,972.
	54"	15"	33"	3	ROMHCDHP541( )( )( )( )( )( )( )( )	3,358.	3,767.	3,939.	4,110.	4,794.	5,513.	7,168.
	60"	15"	33"	4	ROMHCDHP601()()()()()()()()()	3,686.	4,135.	4,323.	4,511.	5,262.	6,052.	7,869.
	66"	15"	33"	4	ROMHCDHP661()()()()()()()()()	3,805.	4,269.	4,463.	4,658.	5,434.	6,247.	8,123.
	72"	15"	33"	4	ROMHCDHP721()()()()()()()()()	3,884.	4,358.	4,555.	4,752.	5,546.	6,377.	8,291.
	78"	15"	33"	4	ROMHCDHP781()()()()()()()()()	3,968.	4,453.	4,656.	4,856.	5,667.	6,518.	8,473.
	84"	15"	33"	6	ROMHCDHP841( )( )( )( )( )( )( )( )	5,041.	5,656.	5,913.	6,172.	7,199.	8,279.	10,761.
	90"	15"	33"	6	ROMHCDHP901()()()()()()()()()	5,134.	5,761.	6,023.	6,285.	7,332.	8,432.	10,962.
	96"	15"	33"	6	ROMHCDHP961()()()()()()()()()	5,203.	5,837.	6,102.	6,368.	7,430.	8,544.	11,108.

$\Delta u d \Delta u$	2
Order	Code

#### Example: ROMHDHP301 ()()()()()()()()()R Reff ō Overhead M Wall mount Н Hinge door DH Double High P Planning 30 Width 1 Depth (letter) 2 Case finish type 2 Front finish type Н Pull option L Lock option В Lock finish PU Pull finish

dimensions noted nominal

#### **Specification Information**

To order please specify:

1. Case Finish type:

L = Laminate

1 = V1

2 = V2

3 = V3

2. Front Finish type:

L = Laminate

1 = V1

2 = V2

3 = V33. Pull option:

B = Blank, no drilling,

Customer's own pull

C = C-pull

(nickel finish only)

D = metal D-pull (PZ or PT only)

F = Bar (1 pull per door set)

H = OutlineR = Cylinder

S = S-pull

(stainless steel finish only)

T = Tab (1 pull per door set)

4. Lock option: N=no drilling,

L=locking

5. Lock finish: B=Black,

S=Matte silver

6. Case finish:

7. Front finish:

8. Pull finish: Painted or Plated

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.

Please refer to wall mounting information on page 463.

Letter depth is 15" nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

The single door in a 3 door unit, such as 42"w and 48"w units, is hinged on the left hand side.

Doors project below shelf for opening.

# Overhead, 28<sup>3</sup>/8" planning Double high Wall hung with wood Doors and Open ends

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall-hung overhead cabinet, Double high,	60"	15"	33"	ROMFDH601()()()()	\$4,288.	\$4,810.	\$5,029.	\$5,247.	\$6,121.	\$7,040.	\$9,152.
Wood door/Open cubby concealed	66"	15"	33"	ROMFDH661()()()()	4,423.	4,962.	5,189.	5,415.	6,316.	7,263.	9,443.
(Cantilevered open ends)	72"	15"	33"	ROMFDH721()()()()	4,513.	5,065.	5,296.	5,525.	6,446.	7,413.	9,637.
	78"	15"	33"	ROMFDH781()()()()	4,663.	5,230.	5,470.	5,707.	6,658.	7,656.	9,954.
	84"	15"	33"	ROMFDH841()()()()	5,891.	6,612.	6,912.	7,213.	8,413.	9,676.	12,577.
	90"	15"	33"	ROMFDH901()()()()	5,997.	6,730.	7,034.	7,340.	8,563.	9,849.	12,803.
	96"	15"	33"	ROMFDH961()()()()	6,075.	6,817.	7,127.	7,436.	8,675.	9,977.	12,970.

Wall-hung overhead cabinet, Double high, Wood door/Open Cubby exposed (Cantilevered open ends)



h,	60"	15"	33"	ROMFCDH601()()()()	4,054.	4,548.	4,756.	4,962.	5,789.	6,657.	8,656.
	66"	15"	33"	ROMFCDH661()()()()	4,185.	4,696.	4,909.	5,123.	5,977.	6,872.	8,935.
	72"	15"	33"	ROMFCDH721()()()()	4,272.	4,794.	5,011.	5,227.	6,101.	7,014.	9,120.
	78"	15"	33"	ROMFCDH781()()()()	4,365.	4,898.	5,121.	5,342.	6,234.	7,170.	9,320.
	84"	15"	33"	ROMFCDH841()()()()	5,545.	6,222.	6,505.	6,789.	7,918.	9,107.	11,838.
	90"	15"	33"	ROMFCDH901()()()()	5,648.	6,337.	6,625.	6,914.	8,065.	9,275.	12,059.
	96"	15"	33"	ROMFCDH961()()()()	5,723.	6,421.	6,712.	7,005.	8,173.	9,399.	12,219.

#### **Order Code**

#### Example: ROMFCDHSH601 ()()()()()()()()()R Reff 0 Overhead M Wall mount F Open/Wood Hinge door C Cubby exposed Double High DH 60 Width Depth (letter) (V316) Case finish (V316) Front finish Pull option 111 Pull finish L Lock option В Lock finish

#### Specification Information

To order please specify:

- 1. Case Finish: Laminate, V1,V2, V3
- 2. Front Finish: Laminate, V1, V2, V3
- 3. Pull option:

  B = Blank, no drilling,
  Customer's own pull
  C = C-pull
  - (nickel finish only) D = metal D-pull (PZ or PT only) F = Bar (1 pull per door set)
  - H = Outline R = Cylinder S = S-pull
- (stainless steel finish only)
  T = Tab (1 pull per door set)
  Pull finish: Painted or Plated
- 5. Lock option: N=no drilling, L=locking
- 6. Lock finish: B=Black, S=Matte silver

#### **Application Notes**

It is Not advisable to mix 28 \(^y\)s"h desk height products with 26 \(^y\)2" standard height products.

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60″, the grain direction is horizontal.

These products are Glue and Dowel Construction.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 463.

Letter depth is  $15^{\prime\prime}$  nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Interior clearance dimensions: Above opening:  $26^5$ /8"h x  $13^1$ /2"d Cubby:  $3^1$ /2"h x  $13^1$ /2"d

The single door in a 3 door unit, such as 42"w and 48"w units, is hinged on the left hand side.

Note: The open ended overheads are not intended to be placed adjacent to one another.

dimensions noted nominal

# Overhead, 283/8" planning Double high Wall hung with glass door

description	W	d	h	dr	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet	30"	15"	33"	2	ROMGHDHP301( )( )( )( )	\$3,680.	\$4,428.	\$5,093.	\$6,620.
glass hinge door, cubby concealed	36"	15"	33"	2	ROMGHDHP361( )( )( )( )	3,890.	4,682.	5,384.	7,001.
	42"	15"	33"	3	ROMGHDHP421( )( )( )( )	5,116.	6,156.	7,081.	9,203.
	48"	15"	33"	3	ROMGHDHP481( )( )( )( )	5,304.	6,385.	7,341.	9,545.
	54"	15"	33"	3	ROMGHDHP541( )( )( )( )	5,662.	6,815.	7,837.	10,189.
	60"	15"	33"	4	ROMGHDHP601()()()()	6,159.	7,413.	8,526.	11,083.
	66"	15"	33"	4	ROMGHDHP661( )( )( )( )	6,361.	7,656.	8,804.	11,445.
	72"	15"	33"	4	ROMGHDHP721( )( )( )( )	6,558.	7,893.	9,077.	11,800.
	78"	15"	33"	4	ROMGHDHP781()()()()	6,893.	8,296.	9,540.	12,403.
	84"	15"	33"	6	ROMGHDHP841( )( )( )( )	8,266.	9,948.	11,440.	14,873.
	90"	15"	33"	6	ROMGHDHP901()()()()	8,467.	10,189.	11,719.	15,234.
	96"	15"	33"	6	ROMGHDHP961( )( )( )( )	8,629.	10,386.	11,944.	15,529.
Wall-hung overhead cabinet	30"	15"	33"	2	ROMGHCDHP301()()()()	3,366.	3,776.	4,343.	5,647.
glass hinge door, cubby exposed	36"	15"	33"	2	ROMGHCDHP361()()()()	3,548.	3,980.	4,578.	5,949.
$\rightarrow$	42"	15"	33"	3	ROMGHCDHP421( )( )( )( )	4,661.	5,229.	6,014.	7,817.
	48"	15"	33"	3	ROMGHCDHP481( )( )( )( )	4,828.	5,416.	6,230.	8,098.
	54"	15"	33"	3	ROMGHCDHP541()()()()	5,162.	5,791.	6,660.	8,658.
	60"	15"	33"	4	ROMGHCDHP601()()()()	5,765.	6,468.	7,437.	9,670.
	66"	15"	33"	4	ROMGHCDHP661()()()()	6,012.	6,746.	7,757.	10,083.
	72"	15"	33"	4	ROMGHCDHP721()()()()	6,177.	6,929.	7,968.	10,359.
	78"	15"	33"	4	ROMGHCDHP781( )( )( )( )	6,432.	7,217.	8,299.	10,789.
	84"	15"	33"	6	ROMGHCDHP841( )( )( )( )	7,983.	8,956.	10,299.	13,390.
	90"	15"	33"	6	ROMGHCDHP901( )( )( )( )	8,110.	9,099.	10,463.	13,602.
	96"	15"	33"	6	ROMGHCDHP961()()()()	8,291.	9,303.	10,698.	13,908.

#### Order Code

#### Example: ROMGHCDHP301 ()()()() R Reff 0 Overhead M Wall mount GHC Glass hinge door / cubby DH Double High P Planning 30 Width Depth (letter) Case finish type 2 V316 Case finish ΑU Door frame finish GL11 Door glass finish Lock option s Lock finish

#### **Specification Information**

To order please specify:

- 1. Case finish type: L = Laminate 1 = V1
  - 2 = V23 = V3
- 2. Case finish: Laminate or Wood
- 3. Door frame finish: Anodized / Painted
- 4. Door glass finish: GL11 GL14 GL15 GL17
- GL18
  5. *Lock option:*L = Lock
  N = No lock
- 6. Lock finish:
  B = Black
  S = Matte silver

#### **Application Notes**

It is Not advisable to mix 28 \(^y\)s"h desk height products with 26 \(^y\)2" standard height products.

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 463.

Letter depth is 15" nominal.

No glass shelves

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Interior clearance dimensions: Above opening:  $26^{5}$ /s"h x  $13^{1}$ /2"d Cubby:  $3^{1}$ /2"h x  $13^{1}$ /2"d \*(includes one adjustable shelf)

No pull options on glass doors.

Doors project below shelf for opening.

 $dimensions \ noted \ nominal$ 

# Overhead, 283/8" planning Double high Wall hung with glass doors and open ends

description	w	d	h	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet	60"	15"	33"	ROMGDH601()()()()()	\$6,775.	\$8,154.	\$9,379.	\$12,192.
glass hinge door, open, cubby concealed	66"	15"	33"	ROMGDH661( )( )( )( )( )	6,997.	8,421.	9,684.	12,590.
	72"	15"	33"	ROMGDH721()()()()()	7,214.	8,682.	9,985.	12,980.
	78"	15"	33"	ROMGDH781()()()()()	7,582.	9,126.	10,494.	13,643.
	84"	15"	33"	ROMGDH841( )( )( )( )( )	9,092.	10,942.	12,584.	16,370.
	90"	15"	33"	ROMGDH901()()()()()	9,313.	11,207.	12,891.	16,757.
	96"	15"	33"	ROMGDH961()()()()()	9,492.	11,425.	13,139.	17,082.
Wall-hung overhead cabinet	60"	15"	33"	ROMGCDH601( )( )( )( )( )	6,341.	7,115.	8,181.	10,637.
glass hinge door, open, cubby exposed	66"	15"	33"	ROMGCDH661( )( )( )( )( )	6,613.	7,420.	8,533.	11,091.
	72"	15"	33"	ROMGCDH721( )( )( )( )( )	6,794.	7,622.	8,765.	11,395.
	78"	15"	33"	ROMGCDH781()()()()()	7,075.	7,939.	9,129.	11,868.
	84"	15"	33"	ROMGCDH841()()()()()	8,781.	9,852.	11,329.	14,729.
	90"	15"	33"	ROMGCDH901()()()()()	8,921.	10,006.	11,510.	14,962.
	96"	15"	33"	ROMGCDH961()()()()()	9,120.	10,233.	11,768.	15,299.

0	-4	2	$\sim$	_	ᆈ	_
U	u	=1	u	U	u	e

# **Specification Information**

# **Application Notes**

Oraci oo	40
Example:	ROMGCDH601()
R	Reff
0	Overhead
M	Wall mount
G	Open/Glass hinge
	door/Open
С	Cubby exposed
DH	Double High
60	Width
1	Depth (letter)
V316	Case finish
AA	Door frame finish
GL11	Door glass finish
L	Lock option
В	Lock finish

To order please specify:

1. Case finish: Laminate, V1, V2, V3

2. Door frame finish: Anodized / Painted

Door glass finish: GL11

GL14 GL15 GL17

GL18 4. Lock option: L = Lock

N = No lock 5. Lock finish: B = Black

S = Matte silver

It is Not advisable to mix 28 %"h desk height products with 26  $\frac{1}{2}$ standard height products.

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 463.

Letter depth is 15" nominal.

No glass shelves

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Interior clearance dimensions: Above opening: 265/8"h x 131/2"d Cubby: 3 1/2"h x 13 1/2"d \*(includes one adjustable shelf)

No pull options on glass doors.

Doors project below shelf for opening.

Note: The open ended overheads are not intended to be placed adjacent to one another.

dimensions noted nominal

# Overhead, 283/8" planning Double high Wall hung with doors, open

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung overhead cabinet	60"	15"	33"	2	ROMHOCDHP601()()()()()()()()()	\$3,485.	\$3,911.	\$4,088.	\$4,265.	\$5,154.	\$5,928.	\$7,706.
hinge door/ open /	66"	15"	33"	2	ROMHOCDHP661()()()()()()()()()	3,543.	3,976.	4,155.	4,337.	5,240.	6,026.	7,834.
cubby exposed	72"	15"	33"	2	ROMHOCDHP721()()()()()()()()()	3,610.	4,052.	4,234.	4,419.	5,339.	6,140.	7,984.
	78"	15"	33"	2	ROMHOCDHP781( )( )( )( )( )( )( )( )( )	3,681.	4,130.	4,317.	4,506.	5,444.	6,261.	8,139.
	84"	15"	33"	4	ROMHOCDHP841( )( )( )( )( )( )( )( )( )	4,239.	4,755.	4,972.	5,189.	6,269.	7,211.	9,374.
	90"	15"	33"	4	ROMHOCDHP901()()()()()()()()()	4,311.	4,836.	5,056.	5,276.	6,374.	7,331.	9,530.
	96"	15"	33"	4	ROMHOCDHP961( )( )( )( )( )( )( )( )( )	4,373.	4,906.	5,128.	5,353.	6,468.	7,438.	9,670.

Wall Hung overhead cabinet hinge door/ open / cubby concealed



et	60"	15"	33"	2	ROMHODHP601( )( )( )( )( )( )( )( )	3,729.	4,185.	4,374.	4,563.	5,515.	6,343.	8,245.
	66"	15"	33"	2	ROMHODHP661( )( )( )( )( )( )( )( )	3,791.	4,255.	4,446.	4,640.	5,607.	6,448.	8,382.
	72"	15"	33"	2	ROMHODHP721( )( )( )( )( )( )( )( )	3,863.	4,336.	4,531.	4,728.	5,713.	6,569.	8,542.
	78"	15"	33"	2	ROMHODHP781( )( )( )( )( )( )( )( )	3,938.	4,419.	4,620.	4,822.	5,825.	6,699.	8,708.
	84"	15"	33"	4	ROMHODHP841( )( )( )( )( )( )( )( )	4,537.	5,088.	5,321.	5,551.	6,708.	7,715.	10,030.
	90"	15"	33"	4	ROMHODHP901( )( )( )( )( )( )( )( )	4,613.	5,174.	5,410.	5,645.	6,820.	7,844.	10,198.
	96"	15"	33"	4	ROMHODHP961( )( )( )( )( )( )( )( )	4,679.	5,249.	5,487.	5,728.	6,921.	7,959.	10,346.

#### **Order Code**

#### Example: ROMHOCDHP601 ()()()()()()()()()R Reff 0 Overhead M Wall mount HOC Hinge door / open / cubby DH Double High P Planning 60 Width 1 Depth (letter) 2 Case finish type 2 Front finish type L Lock option В Lock finish V316 Case finish V316 Front finish

dimensions noted nominal

#### **Specification Information**

To order please specify:

- 1. Case Finish type:
  - L = Laminate
  - 1 = V1
  - 2 = V2
- 3 = V3
- Front Finish type: L = Laminate
- 1 = V1
- 2 = V23 = V3
- 3. Pull option:
- B = Blank, no drilling,
- Customer's own pull C = nickel finish C-pull (nickel
- finish only) D = metal D-pull (finish
- optional)
- F = Bar (1 pull per door set)
- H = Outline
- R = Cylinder
- S = S-pull (stainless steel finish only) T = Tab (1 pull per door set)
- 4. Lock Option: N=no lock,
- L=locking
  Lock finish: B=Black, S=Matte silver
- 6. Case Finish
- 7. Front Finish
- 8. Pull finish: Painted or Plated

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page Excluding J-pull option, will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 463.

Letter depth is 15" nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Interior clearance dimensions: Above opening: 26 \(^5/8''\)h x 13 \(^1/2''\)d Cubby: 3 1/2"h x 13 1/2"d \*(includes one adjustable shelf)

Doors project below shelf for opening.

# Overhead, 28<sup>3</sup>/8" planning Double high Wall hung with glass doors, open

description	W	d	h	dr	pattern no.	L	V1	V2	V3
Wall Hung overhead cabinet	60"	15"	33"	2	ROMGHODHP601( )( )( )( )	\$5,205.	\$6,637.	\$7,631.	\$9,922.
glass hinge door / open /	66"	15"	33"	2	ROMGHODHP661( )( )( )( )	5,346.	6,816.	7,839.	10,191.
cubby concealed	72"	15"	33"	2	ROMGHODHP721()()()()	5,478.	6,982.	8,031.	10,440.
	78"	15"	33"	2	ROMGHODHP781()()()()	5,646.	7,197.	8,277.	10,760.
	84"	15"	33"	4	ROMGHODHP841( )( )( )( )	6,611.	8,430.	9,694.	12,602.
	90"	15"	33"	4	ROMGHODHP901()()()()	6,755.	8,613.	9,906.	12,877.
	96"	15"	33"	4	ROMGHODHP961()()()()	6,888.	8,784.	10,100.	13,131.

Wall Hung overhead cabinet glass hinge door / open / cubby exposed



60"	15"	33"	2	ROMGHOCDHP601()()()()	4,430.	5,648.	6,495.	8,444.
66"	15"	33"	2	ROMGHOCDHP661()()()()	4,546.	5,797.	6,667.	8,664.
72"	15"	33"	2	ROMGHOCDHP721()()()()	4,651.	5,931.	6,819.	8,864.
78"	15"	33"	2	ROMGHOCDHP781()()()()	4,792.	6,083.	6,997.	9,095.
84"	15"	33"	4	ROMGHOCDHP841()()()()	5,753.	7,218.	8,300.	10,790.
90"	15"	33"	4	ROMGHOCDHP901()()()()	5,843.	7,330.	8,430.	10,959.
96"	15"	33"	4	ROMGHOCDHP961()()()()	5,972.	7,493.	8,615.	11,200.

#### Order Code

#### Example: ROMGHOCDHP601 ()()()()()()()R Reff 0 Overhead M Wall mount GHOC Glass hinge door / open / DH Double High P Planning 60 Width 1 Depth (letter) L Lock option s Lock finish

dimensions noted nominal

#### **Specification Information**

To order please specify:

1. Case Finish type: L = Laminate 1 = V12 = V23 = V3Case finish: Laminate or Wood Door Frame finish: Anodized or Painted Door Glass finish: GL11, GL14, GL15, GL17, GL18 5. Lock option: L = LockN = No lockLock finish: B = Black S = Matte silver

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60°, the grain direction is horizontal.

These products are Glue and Dowel Construction.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.

Please refer to wall mounting information on page 463.

Letter depth is 15" nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Interior clearance dimensions: Above opening: 26<sup>5</sup>/8"h x 13 <sup>1</sup>/2"d Cubby: 3 <sup>1</sup>/2"h x 13 <sup>1</sup>/2"d \*(includes one adjustable shelf)

Doors project below shelf for opening.

No pull option on glass doors.

# Overhead, 28<sup>3</sup>/8" planning Double high Cabinet hung

description	w	d	h	$\mathrm{d}\mathrm{r}$	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet-hung overhead cabinet	30"	15"	33"	2	ROCHDHP301()()()()()()()()	\$2,420.	\$2,716.	\$2,839.	\$2,961.	\$3,457.	\$3,974.	\$5,166.
hinge door, cubby concealed	36"	15"	33"	2	ROCHDHP361()()()()()()()()()	2,497.	2,802.	2,928.	3,057.	3,567.	4,101.	5,331.
	42"	15"	33"	3	ROCHDHP421()()()()()()()()()	3,319.	3,723.	3,892.	4,062.	4,739.	5,449.	7,084.
	48"	15"	33"	3	ROCHDHP481()()()()()()()()()	3,396.	3,811.	3,983.	4,156.	4,850.	5,577.	7,250.
	54"	15"	33"	3	ROCHDHP541()()()()()()()()()	3,597.	4,035.	4,220.	4,402.	5,138.	5,908.	7,679.
	60"	15"	33"	4	ROCHDHP601()()()()()()()()()	3,952.	4,435.	4,636.	4,839.	5,646.	6,492.	8,440.
	66"	15"	33"	4	ROCHDHP661()()()()()()()()()	4,074.	4,572.	4,780.	4,988.	5,818.	6,691.	8,698.
	72"	15"	33"	4	ROCHDHP721()()()()()()()()()	4,158.	4,665.	4,878.	5,089.	5,937.	6,829.	8,877.
	78"	15"	33"	4	ROCHDHP781()()()()()()()()()	4,275.	4,796.	5,014.	5,233.	6,106.	7,020.	9,129.
	84"	15"	33"	6	ROCHDHP841()()()()()()()()()	5,390.	6,049.	6,322.	6,599.	7,698.	8,852.	11,509.
	90"	15"	33"	6	ROCHDHP901()()()()()()()()()	5,485.	6,153.	6,432.	6,713.	7,832.	9,006.	11,708.
	96"	15"	33"	6	ROCHDHP961()()()()()()()()()	5,554.	6,232.	6,515.	6,798.	7,931.	9,120.	11,858.
Cabinet-hung overhead cabinet	30"	15"	33"	2	ROCHCDHP301()()()()()()()()()	2,319.	2,602.	2,719.	2,837.	3,311.	3,808.	4,950.
hinge door, cubby exposed	36"	15"	33"	2	ROCHCDHP361()()()()()()()()()	2,391.	2,683.	2,804.	2,926.	3,414.	3,926.	5,106.
	42"	15"	33"	3	ROCHCDHP421()()()()()()()()()	3,245.	3,642.	3,806.	3,971.	4,633.	5,329.	6,927.
	48"	15"	33"	3	ROCHCDHP481()()()()()()()()()	3,323.	3,729.	3,897.	4,068.	4,745.	5,457.	7,093.
	54"	15"	33"	3	ROCHCDHP541( )( )( )( )( )( )( )( )( )	3,412.	3,829.	4,003.	4,178.	4,875.	5,604.	7,286.
	60"	15"	33"	4	ROCHCDHP601()()()()()()()()()	3,738.	4,193.	4,386.	4,577.	5,338.	6,139.	7,981.
	66"	15"	33"	4	ROCHCDHP661()()()()()()()()()	3,855.	4,327.	4,522.	4,719.	5,505.	6,331.	8,230.
,	72"	15"	33"	4	ROCHCDHP721()()()()()()()()()	3,936.	4,415.	4,616.	4,816.	5,619.	6,462.	8,400.
	78"	15"	33"	4	ROCHCDHP781()()()()()()()()()	4,002.	4,490.	4,695.	4,898.	5,714.	6,572.	8,544.
	84"	15"	33"	6	ROCHCDHP841( )( )( )( )( )( )( )( )( )	5,072.	5,691.	5,948.	6,207.	7,242.	8,327.	10,826.
	90"	15"	33"	6	ROCHCDHP901()()()()()()()()()	5,163.	5,792.	6,055.	6,318.	7,373.	8,478.	11,022.
	96"	15"	33"	6	ROCHCDHP961()()()()()()()()()	5,230.	5,867.	6,134.	6,401.	7,467.	8,587.	11,164.

Order	Code
-------	------

#### Example: ROCH-DHP301()()()()()()()()() R Reff o Overhead С Cabinet Hung Н Hinge door Double High DH P Planning 30 Width 1 Depth (letter) 2 Case finish type 2 Front finish type Н Pull option L Lock option В Lock finish V316 Case finish V316 Front finish PU Pull finish

dimensions noted nominal

#### **Specification Information**

To order please specify:

- 1. Case Finish type:
- L = Laminate
  - 1 = V1
  - 2 = V2
  - 3 = V3
- 2. Front Finish type:
- L = Laminate
- 1 = V1
- 2 = V2
- 3 = V3
- Pull option:B = Blank, no drilling,
- Customer's own pull C = nickel finish C-pull (nickel
- finish only)
  D = metal D-pull (finish
- optional)
- F = Bar (1 pull per door set)
- H = OutlineR = Cylinder
- S = S-pull (stainless steel finish only)
- T = Tab (1 pull per door set)
- 4. Lock option: N=no lock, L=locking
- (wood or laminate doors only)
- 5. Lock finish: B=Black, S=Matte silver
- 6. Case finish: Wood or Laminate
- 7. Front finish: Wood or Laminate
- 8. Pull finish: Painted or Plated

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60°, the grain direction is horizontal.

These products are Glue and Dowel Construction.

Letter depth is 15" nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Interior clearance dimensions: Above opening: 26<sup>5</sup>/s"h x 13 \textsup 2"d Cubby: 3 \textsup 2"h x 13 \textsup 2"d \*(includes one adjustable shelf)

The single door in a 3 door unit, such as 42"w and 48"w units, is hinged on the left hand side.

Doors project below shelf for opening.

Installation instruction sheets available on Knoll Exchange.

For Cabinet hung overheads, refer to reference number 6TP00080.

# Overhead, 28<sup>3</sup>/8" planning Double high Cabinet hung with glass door

description	w	d	h	$\mathrm{d}\mathrm{r}$	pattern n	L	V1	V2	V3
Cabinet-hung overhead cabinet	30"	15"	33"	2	ROCGHCDHP301()()()()	\$3,412.	\$3,794.	\$4,362.	\$5,671.
glass hinge door, cubby exposed	36"	15"	33"	2	ROCGHCDHP361()()()()	3,593.	3,993.	4,592.	5,972.
	42"	15"	33"	3	ROCGHCDHP421()()()()	4,714.	5,241.	6,027.	7,835.
	48"	15"	33"	3	ROCGHCDHP481()()()()	4,863.	5,406.	6,217.	8,081.
	54"	15"	33"	3	ROCGHCDHP541()()()()	5,197.	5,778.	6,644.	8,638.
	60"	15"	33"	4	ROCGHCDHP601()()()()	5,580.	6,205.	7,136.	9,278.
	66"	15"	33"	4	ROCGHCDHP661()()()()	5,819.	6,470.	7,440.	9,673.
	72"	15"	33"	4	ROCGHCDHP721()()()()	6,007.	6,680.	7,680.	9,986.
	78"	15"	33"	4	ROCGHCDHP781()()()()	6,246.	6,945.	7,987.	10,382.
-	84"	15"	33"	6	ROCGHCDHP841( )( )( )( )	7,602.	8,451.	9,720.	12,635.
-	90"	15"	33"	6	ROCGHCDHP901()()()()	7,727.	8,592.	9,882.	12,844.
-	96"	15"	33"	6	ROCGHCDHP961()()()()	7,909.	8,793.	10,111.	13,145.
Cabinet-hung overhead cabinet	30"	15"	33"	2	ROCGHDHP301()()()()	3,663.	4,410.	5,071.	6,592.
glass hinge door, cubby concealed	36"	15"	33"	2	ROCGHDHP361()()()()	3,871.	4,660.	5,359.	6,965.
	42"	15"	33"	3	ROCGHDHP421()()()()	5,094.	6,133.	7,053.	9,168.
	48"	15"	33"	3	ROCGHDHP481()()()()	5,279.	6,353.	7,305.	9,497.
	54"	15"	33"	3	ROCGHDHP541( )( )( )( )	5,618.	6,762.	7,777.	10,109.
	60"	15"	33"	4	ROCGHDHP601()()()()	6,097.	7,338.	8,439.	10,971.
	66"	15"	33"	4	ROCGHDHP661()()()()	6,288.	7,568.	8,703.	11,315.
	72"	15"	33"	4	ROCGHDHP721()()()()	6,507.	7,832.	9,007.	11,708.
-	78"	15"	33"	4	ROCGHDHP781( )( )( )( )	6,820.	8,209.	9,441.	12,274.
-	84"	15"	33"	6	ROCGHDHP841( )( )( )( )	8,192.	9,859.	11,339.	14,741.
-	90"	15"	33"	6	ROCGHDHP901( )( )( )( )	8,390.	10,098.	11,613.	15,096.
	96"	15"	33"	6	ROCGHDHP961()()()()	8,551.	10,290.	11,835.	15,384.

Orc	ler	Code	

#### Example: ROCGHCDHP301 ()()()()R Reff ō Overhead C Cabinet Hung GHC Glass hinge door / cubby DH Double High P Planning 30 Width 1 Depth (letter) 2 Case finish type 2 Caese finish ΑU Door frame finish GL11 Door glass finish

 $dimensions \ noted \ nominal$ 

#### **Specification Information**

To order please specify:

- 1. Case Finish Type: L = Laminate 1 = V1
- 2 = V23 = V3
- 2. Case Finish: V316
- 3. Door frame finish: Anotized or Painted
- A. Door Glass finish: GL11, GL14, GL15, GL17, GL18
- 5. Lock option: L = Lock
- N = No lock 6. *Lock finish:*
- b. Lock finish:
  B = Black
  S = Matte Silver

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction.

Letter depth is 15" nominal.

No glass shelves

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Interior clearance dimensions: Above opening:  $26^5$ /k"h x  $13^1$ /2"d Cubby:  $3^1$ /2"h x  $13^1$ /2"d \*(includes one adjustable shelf)

No pull option for glass doors.

The single door in a 3 door unit, such as 42"w and 48"w units, is hinged on the left hand side.

Doors project below shelf for opening.

Installation instruction sheets available on Knoll Exchange.

For Cabinet hung overheads, refer to reference number 6TP00080.

# Overhead, 28<sup>3</sup>/8" planning Double high Cabinet hung with and witout center gable

description	W	d	h	interior gable	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet	30"	15"	33"	1	ROCCGDHP301()()	\$2,030.	\$2,899.	\$3,332.	\$4,334.
open/cubby <b>with</b> center gable	36"	15"	33"	1	ROCCGDHP361()()	2,080.	2,969.	3,414.	4,439.
	42"	15"	33"	2	ROCCGDHP421()()	2,537.	3,623.	4,168.	5,417.
	48"	15"	33"	2	ROCCGDHP481()()	2,585.	3,690.	4,245.	5,519.
	54"	15"	33"	2	ROCCGDHP541()()	2,860.	4,083.	4,696.	6,105.
	60"	15"	33"	3	ROCCGDHP601()()	3,385.	4,833.	5,559.	7,226.
	66"	15"	33"	3	ROCCGDHP661()()	3,484.	4,975.	5,721.	7,436.
	72"	15"	33"	3	ROCCGDHP721()()	3,537.	5,051.	5,809.	7,550.
	78"	15"	33"	3	ROCCGDHP781()()	3,641.	5,199.	5,978.	7,772.
	84"	15"	33"	5	ROCCGDHP841()()	4,575.	6,532.	7,512.	9,766.
	90"	15"	33"	5	ROCCGDHP901()()	4,628.	6,609.	7,601.	9,882.
	96"	15"	33"	5	ROCCGDHP961()()	4,678.	6,679.	7,680.	9,985.
Cabinet-hung overhead cabinet	30"	15"	33"		ROCOCDHP301()()	1,828.	2,609.	2,999.	3,899.
open /cubby <b>without</b> center gable	36"	15"	33"		ROCOCDHP361()()	1,872.	2,672.	3,073.	3,994.
	42"	15"	33"	1	ROCOCDHP421()()	2,284.	3,261.	3,750.	4,876.
	48"	15"	33"	1	ROCOCDHP481()()	2,327.	3,322.	3,819.	4,965.
	54"	15"	33"	1	ROCOCDHP541()()	2,575.	3,675.	4,227.	5,494.
	60"	15"	33"	1	ROCOCDHP601()()	3,046.	4,350.	5,003.	6,504.
	66"	15"	33"	1	ROCOCDHP661()()	3,137.	4,477.	5,149.	6,692.
	72"	15"	33"	1	ROCOCDHP721()()	3,183.	4,547.	5,226.	6,796.
	78"	15"	33"	1	ROCOCDHP781()()	3,277.	4,679.	5,380.	6,994.
	84"	15"	33"	2	ROCOCDHP841()()	4,115.	5,880.	6,761.	8,789.
	90"	15"	33"	2	ROCOCDHP901()()	4,166.	5,947.	6,841.	8,894.
	96"	15"	33"	2	ROCOCDHP961()()	4,210.	6,012.	6,912.	8,986.

Without center gable

Order C	code
---------	------

#### Example: ROCCGDHP301()() R Reff ō Overhead C Cabinet hung CG Center gable DH Double High P Planning 30 Width 1 Depth (letter) 2 Case finish type V316 Case finish

dimensions noted nominal

#### **Specification Information**

To order please specify:

1. Case finish type: L = Laminate 1 = V1 2 = V2

3 = V3 2. Case finish: Wood or Laminate

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction.

Letter depth is 15" nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Interior clearance dimensions: Above opening:  $26^{5}$ /s"h x  $13^{1}$ /s"d Cubby:  $3^{1}$ /s"h x  $13^{1}$ /s"d \*(includes one adjustable shelf)

Installation instruction sheets available on Knoll Exchange.

For Cabinet hung overheads, refer to reference number 6TP00080.

# Overhead, 283/8" planning Double high Cabinet hung with doors, open

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung overhead cabinet	60"	15"	33"	2	ROCHOCDHP601()()()()()()()()()	\$3,475.	\$3,898.	\$4,075.	\$4,254.	\$5,140.	\$5,910.	\$7,682.
hinge door / open /	66"	15"	33"	2	ROCHOCDHP661()()()()()()()()()	3,530.	3,962.	4,141.	4,322.	5,222.	6,004.	7,807.
cubby exposed	72"	15"	33"	2	ROCHOCDHP721()()()()()()()()()	3,597.	4,034.	4,219.	4,402.	5,321.	6,119.	7,952.
	78"	15"	33"	2	ROCHOCDHP781()()()()()()()()()	3,652.	4,098.	4,285.	4,470.	5,402.	6,210.	8,075.
	84"	15"	33"	4	ROCHOCDHP841( )( )( )( )( )( )( )( )( )	4,210.	4,723.	4,937.	5,153.	6,227.	6,040.	9,307.
	90"	15"	33"	4	ROCHOCDHP901()()()()()()()()()	4,279.	4,800.	5,017.	5,236.	6,327.	7,278.	9,460.
	96"	15"	33"	4	ROCHOCDHP961()()()()()()()()()	4,340.	4,869.	5,090.	5,311.	6,418.	7,381.	9,594.
Cabinet Hung overhead cabinet	60"	15"	33"	2	ROCHODHP601()()()()()()()()()	3,718.	4,171.	4,360.	4,552.	5,500.	6,324.	8,221.
hinge door / open /	66"	15"	33"	2	ROCHODHP661()()()()()()()()()	3,777.	4,239.	4,431.	4,625.	5,588.	6,425.	8,354.
cubby concealed	72"	15"	33"	2	ROCHODHP721()()()()()()()()()	3,849.	4,317.	4,514.	4,711.	5,693.	6,548.	8,509.
	78"	15"	33"	2	ROCHODHP781()()()()()()()()()	3,907.	4,385.	4,585.	4,783.	5,780.	6,645.	8,640.
	84"	15"	33"	2	ROCHODHP841()()()()()()()()()	4,504.	5,054.	5,283.	5,513.	6,663.	6,464.	9,959.
	90"	15"	33"	2	ROCHODHP901()()()()()()()()()	4,579.	5,136.	5,369.	5,603.	6,770.	7,787.	10,122.
	96"	15"	33"	2	ROCHODHP961()()()()()()()()()	4,643.	5,210.	5,447.	5,683.	6,866.	7,898.	10,265.

<b>Order Code</b>	٠
-------------------	---

#### Example: ROCH-OCDHP601()()()()()()()()() R Reff o Overhead C Cabinet Hung HOC Hinge door / open / cubby DH Double High Planning P 30 Width 1 Depth (letter) 2 Case finish type 2 Front finish type L Lock option В Lock finish V316 Case finish V316 Front finish

dimensions noted nominal

#### **Specification Information**

To order please specify:

1. Case Finish type:

L = Laminate

1 = V1

2 = V2

3 = V3

Front Finish type:

L = Laminate

1 = V1

2 = V2

3 = V3Pull option:

B = Blank, no drilling,

Customer's own pull

C = nickel finish C-pull (nickel

finish only)

D = metal D-pull (finish

optional)

 $\vec{F} = \text{Bar} (1 \text{ pull per door set})$ 

H = Outline R = Cylinder

S = S-pull (stainless steel finish only)

T = Tab (1 pull per door set)

4. Lock option: N=no lock,

L=locking (wood or laminate doors only)

Lock finish: B=Black,

S=Matte silver

Case finish: Wood or Laminate

Front finish: Wood or Laminate

8. Pull finish: Painted or Plated

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page **Excluding** J-pull option, will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction.

Letter depth is 15" nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Interior clearance dimensions: Above opening: 265/8"h x 131/2"d Cubby: 3 1/2"h x 13 1/2"d \*(includes one adjustable shelf)

Doors project below shelf for opening.

Installation instruction sheets available on Knoll Exchange.

For Cabinet hung overheads, refer to reference number 6TP00080.

V9

V2

# Overhead, 28<sup>3</sup>/8" planning Double high Cabinet hung with glass doors, open

description
Cabinet Hung overhead cabinet glass hinge door / open /
cubby exposed



W	α	n	ar	pattern no.	L	V I	V Z	V S
60"	15"	33"	2	ROCGHOCDHP601()()()()	\$4,419.	\$5,633.	\$6,478.	\$8,422.
66"	15"	33"	2	ROCGHOCDHP661()()()()	4,532.	5,778.	6,644.	8,638.
72"	15"	33"	2	ROCGHOCDHP721()()()()	4,635.	5,910.	6,796.	8,837.
78"	15"	33"	2	ROCGHOCDHP781()()()()	4,739.	6,044.	6,948.	9,032.
84"	15"	33"	4	ROCGHOCDHP841()()()()	5,718.	7,174.	8,250.	10,724.
90"	15"	33"	4	ROCGHOCDHP901()()()()	5,806.	7,283.	8,374.	10,889.
96"	15"	33"	4	ROCGHOCDHP961()()()()	5,932.	7,442.	8,558.	11,125.

Cabinet Hung overhead cabinet glass hinge door / open / cubby concealed



60"	15"	33"	2	ROCGHODHP601()()()()	5,162.	6,581.	7,568.	9,838.
66"	15"	33"	2	ROCGHODHP661()()()()	5,300.	6,758.	7,772.	10,102.
72"	15"	33"	2	ROCGHODHP721()()()()	5,429.	6,922.	7,960.	10,347.
78"	15"	33"	2	ROCGHODHP781()()()()	5,577.	7,111.	8,177.	10,631.
84"	15"	33"	4	ROCGHODHP841()()()()	6,542.	8,340.	9,592.	12,470.
90"	15"	33"	4	ROCGHODHP901()()()()	6,693.	8,534.	9,814.	12,759.
96"	15"	33"	4	ROCGHODHP961()()()()	6,815.	8,689.	9,993.	12,990.

Overhead shoulder

2"	15"	68"	ROSSH681()()	404.	424.	487.	658.
2"	15"	82"	ROSDH821()()	439.	464.	533.	720.

To be used with Single and Double high overheads

#### Overhead shoulder

#### **Order Code**

#### Example: ROCG-HOCDHP601()()()()()() R Reff 0 Overhead c Cabinet Hung **GHOC** Glass hinge door / open / cubby DH Double High Ρ Planning 60 Width Depth (letter)

dimensions noted nominal

#### **Specification Information**

To order please specify:

1. Case Finish type: L = Laminate

1 = V12 = V2

3 = V3 2. Case finish: Laminate or Wood

3. Door Frame finish: Anodized or Painted

. Door Glass finish: GL11, GL14, GL15, GL17, GL18

5. Lock option: L = Lock

N = No lock 6. Lock finish:

6. Lock finish: B = Black S = Matte Silver

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page **Excluding J-pull option**, will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction

The shoulders are designed to create a 4-5" step between top of overhead and top of shoulder.

Shoulder attaches to worksurface and is drilled to work with  $1^{1}\!/\!2''$  worksurfaces.

Use ROSSH681 for single high profile.
Use ROSSH821 for double high

Letter depth is  $15^{\prime\prime}$  nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Interior clearance dimensions: Above opening:  $26^{5}$ /s"h x  $13^{1}$ /2"d Cubby:  $3^{1}$ /2"h x  $13^{1}$ /2"d \*(includes one adjustable shelf)

Doors project below shelf for opening.

Installation instruction sheets available on Knoll Exchange.

For Cabinet hung overheads, refer to reference number 6TP00080.

profile.

# Hutches, 28<sup>3</sup>/8" planning Single High Surround Open and Hinge

W	d	h	y	pattern no.	L	V1	V2	V3
60"	15"	42"	1.7	ROHOSHS601DH(A/D)(N/F)()()	\$1,180.	\$1,439.	\$1,574.	\$1,887.
65"	15"	42"	1.9	ROHOSHS661DH(A/D)(N/F)()()	1,223.	1,485.	1,624.	1,941.
72"	15"	42"	2.1	ROHOSHS721DH(A/D)(N/F)()()	1,265.	1,533.	1,674.	1,997.
78"	15"	42"	2.2	ROHOSHS781DH(A/D)(N/F)()()	1,322.	1,599.	1,744.	2,079.
84"	15"	42"	2.4	ROHOSHS841DH(A/D)(N/F)()()	1,533.	1,882.	2,064.	2,486.
90"	15"	42"	2.6	ROHOSHS901DH(A/D)(N/F)()()	1,575.	1,928.	2,114.	2,540.
96"	15"	42"	2.7	ROHOSHS961DH(A/D)(N/F)()()	1,620.	1,977.	2,165.	2,596.
60"	15"	42"	1.7	ROHHSHS601DH(A/D)(N/F)()()	1,180.	1,439.	1,574.	1,887.
66"	15"	42"	1.9	ROHHSHS661DH(A/D)(N/F)()()	1,223.	1,485.	1,624.	1,941.
72"	15"	42"	2.1	ROHHSHS721DH(A/D)(N/F)()()	1,265.	1,533.	1,674.	1,997.
78"	15"	42"	2.2	ROHHSHS781DH(A/D)(N/F)()()	1,322.	1,599.	1,744.	2,079.
84"	15"	42"	2.4	ROHHSHS841DH(A/D)(N/F)( )( )	1,533.	1,882.	2,064.	2,486.
90"	15"	42"	2.6	ROHHSHS901DH(A/D)(N/F)()()	1,575.	1,928.	2,114.	2,540.
96"	15"	42"	2.7	ROHHSHS961DH(A/D)(N/F)()()	1,620.	1,977.	2,165.	2,596.
	60" 65" 72" 78" 84" 90" 96" 60" 72" 78" 84" 90"	60" 15" 65" 15" 72" 15" 84" 15" 90" 15" 96" 15" 66" 15" 72" 15" 84" 15" 96" 15" 96" 15" 72" 15" 78" 15" 84" 15"	60"         15"         42"           65"         15"         42"           72"         15"         42"           78"         15"         42"           84"         15"         42"           90"         15"         42"           96"         15"         42"           60"         15"         42"           72"         15"         42"           78"         15"         42"           84"         15"         42"           90"         15"         42"	60"         15"         42"         1.7           65"         15"         42"         1.9           72"         15"         42"         2.1           78"         15"         42"         2.2           84"         15"         42"         2.4           90"         15"         42"         2.6           96"         15"         42"         2.7           60"         15"         42"         1.7           66"         15"         42"         1.9           72"         15"         42"         2.1           78"         15"         42"         2.2           84"         15"         42"         2.4           90"         15"         42"         2.6	60" 15" 42" 1.7 ROHOSHS601DH(A/D)(N/F)()() 65" 15" 42" 1.9 ROHOSHS661DH(A/D)(N/F)()() 72" 15" 42" 2.1 ROHOSHS721DH(A/D)(N/F)()() 78" 15" 42" 2.2 ROHOSHS781DH(A/D)(N/F)()() 84" 15" 42" 2.4 ROHOSHS841DH(A/D)(N/F)()() 90" 15" 42" 2.6 ROHOSHS901DH(A/D)(N/F)()() 96" 15" 42" 2.7 ROHOSHS961DH(A/D)(N/F)()() 60" 15" 42" 1.7 ROHHSHS601DH(A/D)(N/F)()() 66" 15" 42" 1.9 ROHHSHS601DH(A/D)(N/F)()() 72" 15" 42" 2.1 ROHHSHS721DH(A/D)(N/F)()() 78" 15" 42" 2.2 ROHHSHS721DH(A/D)(N/F)()() 84" 15" 42" 2.4 ROHHSHS781DH(A/D)(N/F)()() 84" 15" 42" 2.4 ROHHSHS841DH(A/D)(N/F)()()	60" 15" 42" 1.7 ROHOSHS601DH(A/D)(N/F)()() \$1,180. 65" 15" 42" 1.9 ROHOSHS661DH(A/D)(N/F)()() 1,223. 72" 15" 42" 2.1 ROHOSHS721DH(A/D)(N/F)()() 1,265. 78" 15" 42" 2.2 ROHOSHS781DH(A/D)(N/F)()() 1,322. 84" 15" 42" 2.4 ROHOSHS841DH(A/D)(N/F)()() 1,533. 90" 15" 42" 2.6 ROHOSHS901DH(A/D)(N/F)()() 1,575. 96" 15" 42" 2.7 ROHOSHS961DH(A/D)(N/F)()() 1,620.  60" 15" 42" 1.7 ROHHSHS601DH(A/D)(N/F)()() 1,180. 66" 15" 42" 1.9 ROHHSHS661DH(A/D)(N/F)()() 1,223. 72" 15" 42" 2.1 ROHHSHS661DH(A/D)(N/F)()() 1,265. 78" 15" 42" 2.2 ROHHSHS71DH(A/D)(N/F)()() 1,322. 84" 15" 42" 2.4 ROHHSHS781DH(A/D)(N/F)()() 1,332. 90" 15" 42" 2.4 ROHHSHS841DH(A/D)(N/F)()() 1,533.	60" 15" 42" 1.7 ROHOSHS601DH(A/D)(N/F)()() \$1,180. \$1,439. 65" 15" 42" 1.9 ROHOSHS661DH(A/D)(N/F)()() 1,223. 1,485. 72" 15" 42" 2.1 ROHOSHS721DH(A/D)(N/F)()() 1,265. 1,533. 78" 15" 42" 2.2 ROHOSHS781DH(A/D)(N/F)()() 1,322. 1,599. 84" 15" 42" 2.4 ROHOSHS841DH(A/D)(N/F)()() 1,533. 1,882. 90" 15" 42" 2.6 ROHOSHS901DH(A/D)(N/F)()() 1,575. 1,928. 96" 15" 42" 2.7 ROHOSHS961DH(A/D)(N/F)()() 1,620. 1,977.  60" 15" 42" 1.7 ROHHSHS601DH(A/D)(N/F)()() 1,180. 1,439. 66" 15" 42" 1.9 ROHHSHS661DH(A/D)(N/F)()() 1,223. 1,485. 72" 15" 42" 2.1 ROHHSHS721DH(A/D)(N/F)()() 1,265. 1,533. 78" 15" 42" 2.2 ROHHSHS781DH(A/D)(N/F)()() 1,322. 1,599. 84" 15" 42" 2.4 ROHHSHS781DH(A/D)(N/F)()() 1,533. 1,882. 90" 15" 42" 2.4 ROHHSHS841DH(A/D)(N/F)()() 1,533. 1,882.	60" 15" 42" 1.7 ROHOSHS601DH(A/D)(N/F)()() \$1,180. \$1,439. \$1,574. 65" 15" 42" 1.9 ROHOSHS661DH(A/D)(N/F)()() 1,223. 1,485. 1,624. 72" 15" 42" 2.1 ROHOSHS721DH(A/D)(N/F)()() 1,265. 1,533. 1,674. 78" 15" 42" 2.2 ROHOSHS781DH(A/D)(N/F)()() 1,322. 1,599. 1,744. 84" 15" 42" 2.4 ROHOSHS841DH(A/D)(N/F)()() 1,533. 1,882. 2,064. 90" 15" 42" 2.6 ROHOSHS901DH(A/D)(N/F)()() 1,575. 1,928. 2,114. 96" 15" 42" 2.7 ROHOSHS961DH(A/D)(N/F)()() 1,620. 1,977. 2,165.  60" 15" 42" 1.7 ROHHSHS601DH(A/D)(N/F)()() 1,180. 1,439. 1,574. 66" 15" 42" 1.9 ROHHSHS661DH(A/D)(N/F)()() 1,223. 1,485. 1,624. 72" 15" 42" 2.1 ROHHSHS661DH(A/D)(N/F)()() 1,265. 1,533. 1,674. 78" 15" 42" 2.2 ROHHSHS721DH(A/D)(N/F)()() 1,322. 1,599. 1,744. 84" 15" 42" 2.2 ROHHSHS781DH(A/D)(N/F)()() 1,332. 1,599. 1,744.

Order	Code

#### Example: ROHOSHS601DH (A/D)(N/F)()() Reff R ō Overhead н Hutches ō Open, H = HingeSH Single High s Surround 60 60" Width DH Desk height A 11/4" worksurface N Unfinished V316 Surround Finish W281 Fabric Finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Worksurface thickness:  $A = 1^{1}/4^{n}$  thick top  $D = 1^{1}/2^{n}$  thick top
- 2. Outside back finish:

  N = Unfinished
  F = Finished
- 3. Surround finish: Wood or
- Laminate
  4. Fabric option: See page 7.

Note: Surround with unfinished outside back come with wire management hole.
Surround with finished outside back has no wire management hole.

#### **Application Notes**

It is Not advisable to mix 28 1/8"h desk height products with 26 1/2" standard height products.

Products on this page will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60", the grain direction is horizontal.

Actual height of Single high Surround;

- \*For use with 1 ½" thick top: 42 ½" high
- \*For use with  $1^{1}/4''$  thick top:  $42^{31}/32''$  high.

For worksurfaces, please refer to page 26 .

**Note:** Single high surround is to be ordered in conjunction with single high case.

Shipped knocked down.

Hardware is included.

Tackboard is included with the surrounds.

The Fabric for tackboard is railroaded.

Installation instruction sheets available on Knoll Exchange.

### Hutches, 28<sup>3</sup>/8" planning Double High Surround Open and Hinge

description	w	d	h	y	pattern no.	L	V1	V2	V3
Double high surround, Open	60"	15"	56"	1.7	ROHODHS601DH(A/D)(N/F)()()	\$1,312.	\$1,625.	\$1,788.	\$2,164.
	66"	15"	56"	1.9	ROHODHS661DH(A/D)(N/F)()()	1,368.	1,690.	1,860.	2,248.
	72"	15"	56"	2.1	ROHODHS721DH(A/D)(N/F)()()	1,418.	1,747.	1,919.	2,319.
	78"	15"	56"	2.2	ROHODHS781DH(A/D)(N/F)()()	1,476.	1,815.	1,994.	2,403.
	84"	15"	56"	2.4	ROHODHS841DH(A/D)(N/F)()()	1,732.	2,161.	2,386.	2,903.
	90"	15"	56"	2.6	ROHODHS901DH(A/D)(N/F)()()	1,784.	2,219.	2,449.	2,976.
	96"	15"	56"	2.7	ROHODHS961DH(A/D)(N/F)()()	1,830.	2,271.	2,503.	3,037.
Double high surround, Hinge	60"	15"	56"	1.7	ROHHDHS601DH(A/D)(N/F)()()	1,312.	1,625.	1,788.	2,164.
	66"	15"	56"	1.9	ROHHDHS661DH(A/D)(N/F)()()	1,368.	1,690.	1,860.	2,248.
	72"	15"	56"	2.1	ROHHDHS721DH(A/D)(N/F)()()	1,418.	1,747.	1,919.	2,319.
	78"	15"	56"	2.2	ROHHDHS781DH(A/D)(N/F)()()	1,476.	1,815.	1,994.	2,403.
	84"	15"	56"	2.4	ROHHDHS841DH(A/D)(N/F)()()	1,732.	2,161.	2,386.	2,903.
	90"	15"	56"	2.6	ROHHDHS901DH(A/D)(N/F)()()	1,784.	2,219.	2,449.	2,976.
	96"	15"	56"	2.7	ROHHDHS961DH(A/D)(N/F)()()	1,830.	2,271.	2,503.	3,037.

#### Order Code

#### Example: ROHOSHS601DH (A/D)(N/F)()()R Reff o Overhead Н Hutches 0 Open, H = HingeDH Double High $\overline{\mathsf{s}}$ Surround 60 60" Width Letter depth DH Desk Height A 11/4" thick worksurface N Unfinished V316 Surround Finish W281 Fabric Finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Worksurface thickness:  $A = 1 \frac{1}{4}$ " thick top  $D = 1 \frac{1}{2}$ " thick top
- Outside back finish:
   N = Unfinished
   F = Finished
- 3. Surround finish: Wood or Laminate
- 4. Fabric option: See page 7.

Note: Surround with unfinished outside back come with wire management hole.
Surround with finished outside back has no wire management hole.

#### **Application Notes**

# It is Not advisable to mix 28 \%"h desk height products with 26 \/2" standard height products.

Products on this page will accept wood grain laminate, where laminate is currently an option. For any vertical surface greater than 60″, the grain direction is horizontal.

Actual height of Double high Surround:

\*For use with 1½" thick top: 56½" high

\*For use with 1 1/4" thick top: 56 15/32" high.

For worksurfaces, please refer to page 26.

**Note:** Double high surround is to be ordered in conjunction with double high case.

Shipped knocked down.

Hardware is included.

Tackboard is included with the surrounds.

The Fabric for tackboard is railroaded.

Installation instruction sheets available on Knoll Exchange.

# Hutches, 28<sup>3</sup>/8" planning Case, Single and Double High Open

description	W	d	h	pattern no.	L	V1	V2	V3
Single high Case, Open	60"	15"	20"	ROHOSHC601DH()	\$1,845.	\$2,585.	\$2,973.	\$3,864.
	66"	15"	20"	ROHOSHC661DH()	1,881.	2,633.	3,028.	3,937.
	72"	15"	20"	ROHOSHC721DH()	1,917.	2,683.	3,086.	4,014.
	78"	15"	20"	ROHOSHC781DH()	2,013.	2,819.	3,242.	4,214.
	84"	15"	20"	ROHOSHC841DH()	2,341.	3,278.	3,769.	4,900.
•	90"	15"	20"	ROHOSHC901DH()	2,380.	3,333.	3,834.	4,983.
	96"	15"	20"	ROHOSHC961DH()	2,418.	3,385.	3,893.	5,061.
Double high Case, Open	60"	15"	33"	ROHODHC601DH()	2,995.	4,194.	4,824.	6,270.
	66"	15"	33"	ROHODHC661DH()	3,086.	4,321.	4,969.	6,459.
	72"	15"	33"	ROHODHC721DH()	3,134.	4,388.	5,045.	6,559.
	78"	15"	33"	ROHODHC781DH()	3,244.	4,540.	5,222.	6,788.
	84"	15"	33"	ROHODHC841DH()	4,087.	5,721.	6,578.	8,553.
	90"	15"	33"	ROHODHC901DH()	4,136.	5,790.	6,659.	8,658.
	96"	15"	33"	ROHODHC961DH()	4,181.	5,854.	6,732.	8,750.

#### Example: ROHOSHC601DH() Reff 0 Overhead Н Hutches 0 Open SH Single High С Case 60" Width 60 1 Letter depth DH Desk Height V613 Case Finish

#### Specification Information

To order please specify pattern number including:

1. Case finish: Wood or Laminate

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Products on this page will accept wood grain laminate, where laminate is currently an option.

These products are glue and dowel construction.

Note: Above Cases MUST be accompanied with Surrounds, Hinge. For Single high surrounds, refer to page 278. For Double high surrounds, refer

The case ships assembled.

to page 279.

Letter depth is 15" nominal.

Facias and task lights ordered separately.

The case backs are finished in veneer / laminate on the inside and paper finished on the outside.

Interior clearance dimension; Cubby:  $3\frac{1}{2}$  h x  $13\frac{1}{2}$  d Single high opening:  $13\frac{1}{8}$  h x  $13\frac{1}{2}$  d Double high openings:  $26\frac{1}{8}$  h x  $13\frac{1}{2}$  d, (includes one adjustable shelf)

Installation instructions available on Knoll Exchange.

# Hutches, 283/8" planning Case, Single High Wood Hinge Doors

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Single high Case with long hinge doors,	60"	15"	20"	4	ROHHSHC601DH()()()()()()()	\$3,233.	\$3,557.	\$3,720.	\$3,882.	\$4,528.	\$5,206.	\$6,769.
cubby concealed	66"	15"	20"	4	ROHHSHC661DH( )( )( )( )( )( )	3,288.	3,616.	3,780.	3,945.	4,602.	5,293.	6,880.
	72"	15"	20"	4	ROHHSHC721DH()()()()()()	3,342.	3,677.	3,844.	4,012.	4,680.	5,382.	6,997.
	78"	15"	20"	4	ROHHSHC781DH( )( )( )( )( )( )	3,463.	3,810.	3,982.	4,147.	4,848.	5,575.	7,249.
	84"	15"	20"	6	ROHHSHC841DH( )( )( )( )( )( )	4,361.	4,797.	5,014.	5,233.	6,105.	7,020.	9,126.
	90"	15"	20"	6	ROHHSHC901DH()()()()()()	4,415.	4,855.	5,076.	5,297.	6,180.	7,107.	9,238.
	96"	15"	20"	6	ROHHSHC961DH()()()()()()	4,472.	4,919.	5,143.	5,367.	6,261.	7,201.	9,360.
Single high Case with short hinge doors,	60"	15"	20"	4	ROHHCSHC601DH()()()()()()()	3,024.	3,327.	3,477.	3,629.	4,234.	4,869.	6,328.
cubby exposed	66"	15''	20"	4	ROHHCSHC661DH()()()()()()()	3,071.	3,378.	3,530.	3,685.	4,299.	4,945.	6,428.
	72"	15"	20"	4	ROHHCSHC721DH()()()()()()()	3,124.	3,437.	3,593.	3,749.	4,375.	5,030.	6,540.
	78"	15"	20"	4	ROHHCSHC781DH()()()()()()()	3,192.	3,512.	3,671.	3,830.	4,469.	5,138.	6,681.
	84"	15"	20"	6	ROHHCSHC841DH()()()()()()()	4,030.	4,433.	4,636.	4,836.	5,643.	6,488.	8,436.
	90"	15"	20"	6	ROHHCSHC901DH()()()()()()	4,100.	4,509.	4,715.	4,919.	5,739.	6,600.	8,580.
	96"	15"	20"	6	ROHHCSHC961DH()()()()()()()	4,152.	4,567.	4,774.	4,983.	5,814.	6,686.	8,690.

Order Code	е
------------	---

#### Example: ROHHSHC601DH ()()()()()()()R Reff ō Overhead Н Hutches Н Hinge SH Single High C Case 60" Width 60 Letter depth DH Desk height Lock option L В Lock finish Н Pull option 111 Pull finish V316 Case finish V316 Front finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Lock option: L = Drill for lockN = No lock drilling 2. Lock finish:
- B = BlackS = Silver
- 3. Pull option: B = Blank, no drilling customer's own pull C = C-Pull (Nickel finish only)
  - D = D-Pull (PT or PZ only)
  - F = Bar pull
  - H = Outline pull
  - R = Cylinder pull S = S-pull,(Stainless steel finish only) T = Tab pull
- 4. Pull finish: Painted or plated, unless otherwise indicated.
- Case finish: Wood or Laminate
- 6. Front finish: Wood or Laminate

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Products on this page will accept wood grain laminate, where laminate is currently an option.

These products are glue and dowel construction.

Installation instructions available on Knoll Exchange.

For Hutches, refer to reference number 6TP00321.

Note: Above Cases MUST be accompanied with Surrounds,

For Single high surrounds, refer to page 278 .

Letter depth is 15" nominal.

Facias and task lights ordered separately.

The case backs are finished in veneer / laminate on the inside and paper finished on the outside.

Interior clearance dimension; Cubby: 3 1/2"h x 13 1/2"d Single high opening: 131/8"h x

Doors project below shelf for opening.

# Hutches, 28<sup>3</sup>/8" planning Case, Single High Glass Hinge Door

W	d	h	$\mathrm{d}\mathbf{r}$	pattern no.	L	V1	V2	V3
60"	15"	20"	4	ROHGHSHC601DH()()()	\$4,780.	\$5,641.	\$6,486.	\$8,432.
66"	15"	20"	4	ROHGHSHC661DH()()()	4,910.	5,793.	6,663.	8,661.
72"	15"	20"	4	ROHGHSHC721DH()()()	5,049.	5,959.	6,852.	8,907.
78"	15"	20"	4	ROHGHSHC781DH()()()	5,286.	6,238.	7,173.	9,325.
84"	15"	20"	6	ROHGHSHC841DH()()()	6,296.	7,429.	8,544.	11,107.
90"	15"	20"	6	ROHGHSHC901DH()()()	6,438.	7,596.	8,736.	11,356.
96"	15"	20"	6	ROHGHSHC961DH()()()	6,540.	7,717.	8,874.	11,537.
60"	15"	20"	4	ROHGHCSHC601DH()()()	4,478.	4,881.	5,614.	7,298.
66"	15"	20"	4	ROHGHCSHC661DH()()()	4,614.	5,029.	5,783.	7,517.
72"	15"	20"	4	ROHGHCSHC721DH()()()	4,728.	5,154.	5,927.	7,706.
78"	15"	20"	4	ROHGHCSHC781DH()()()	4,927.	5,371.	6,177.	8,028.
84"	15"	20"	6	ROHGHCSHC841DH()()()	6,072.	6,617.	7,611.	9,893.
90"	15"	20"	6	ROHGHCSHC901DH()()()	6,146.	6,697.	7,702.	10,014.
96"	15"	20"	6	ROHGHCSHC961DH()()()	6,281.	6,846.	7,873.	10,236.
	60" 66" 72" 78" 84" 90" 96"  60" 72" 78" 84" 90"	60" 15" 66" 15" 72" 15" 84" 15" 90" 15" 66" 15" 66" 15" 78" 15" 84" 15" 96" 15" 66" 15" 72" 15" 78" 15" 84" 15"	60"         15"         20"           66"         15"         20"           72"         15"         20"           78"         15"         20"           84"         15"         20"           90"         15"         20"           96"         15"         20"           60"         15"         20"           72"         15"         20"           78"         15"         20"           84"         15"         20"           90"         15"         20"	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	60" 15" 20" 4 ROHGHSHC601DH()()()  72" 15" 20" 4 ROHGHSHC661DH()()()  78" 15" 20" 4 ROHGHSHC721DH()()()  84" 15" 20" 4 ROHGHSHC781DH()()()  90" 15" 20" 6 ROHGHSHC841DH()()()  96" 15" 20" 6 ROHGHSHC901DH()()()  60" 15" 20" 4 ROHGHSHC901DH()()()  60" 15" 20" 4 ROHGHSHC901DH()()()  66" 15" 20" 4 ROHGHCSHC601DH()()()  72" 15" 20" 4 ROHGHCSHC601DH()()()  72" 15" 20" 4 ROHGHCSHC601DH()()()  78" 15" 20" 4 ROHGHCSHC721DH()()()  78" 15" 20" 6 ROHGHCSHC781DH()()()  84" 15" 20" 6 ROHGHCSHC841DH()()()  90" 15" 20" 6 ROHGHCSHC841DH()()()	60" 15" 20" 4 ROHGHSHC601DH()()() \$4,780. 66" 15" 20" 4 ROHGHSHC661DH()()() 4,910. 72" 15" 20" 4 ROHGHSHC721DH()()() 5,049. 78" 15" 20" 4 ROHGHSHC781DH()()() 5,286. 84" 15" 20" 6 ROHGHSHC841DH()()() 6,296. 90" 15" 20" 6 ROHGHSHC901DH()()() 6,438. 96" 15" 20" 6 ROHGHSHC961DH()()() 6,540.  60" 15" 20" 4 ROHGHCSHC601DH()()() 4,478. 66" 15" 20" 4 ROHGHCSHC661DH()()() 4,614. 72" 15" 20" 4 ROHGHCSHC661DH()()() 4,728. 78" 15" 20" 4 ROHGHCSHC721DH()()() 4,728. 78" 15" 20" 6 ROHGHCSHC781DH()()() 4,927. 84" 15" 20" 6 ROHGHCSHC841DH()()() 6,072. 90" 15" 20" 6 ROHGHCSHC841DH()()()() 6,146.	60" 15" 20" 4 ROHGHSHC601DH()()() \$4,780. \$5,641. 66" 15" 20" 4 ROHGHSHC661DH()()() 4,910. 5,793. 72" 15" 20" 4 ROHGHSHC721DH()()() 5,049. 5,959. 78" 15" 20" 4 ROHGHSHC781DH()()() 5,286. 6,238. 84" 15" 20" 6 ROHGHSHC841DH()()() 6,296. 7,429. 90" 15" 20" 6 ROHGHSHC901DH()()() 6,438. 7,596. 96" 15" 20" 6 ROHGHSHC961DH()()() 6,540. 7,717.  60" 15" 20" 4 ROHGHSHC961DH()()() 4,478. 4,881. 66" 15" 20" 4 ROHGHCSHC601DH()()() 4,614. 5,029. 72" 15" 20" 4 ROHGHCSHC661DH()()() 4,728. 5,154. 78" 15" 20" 4 ROHGHCSHC721DH()()() 4,927. 5,371. 84" 15" 20" 6 ROHGHCSHC841DH()()() 6,072. 6,617. 90" 15" 20" 6 ROHGHCSHC841DH()()() 6,146. 6,697.	60" 15" 20" 4 ROHGHSHC601DH()()() \$4,780. \$5,641. \$6,486. 66" 15" 20" 4 ROHGHSHC661DH()()() 4,910. 5,793. 6,663. 72" 15" 20" 4 ROHGHSHC721DH()()() 5,049. 5,959. 6,852. 78" 15" 20" 4 ROHGHSHC781DH()()() 5,286. 6,238. 7,173. 84" 15" 20" 6 ROHGHSHC841DH()()() 6,296. 7,429. 8,544. 90" 15" 20" 6 ROHGHSHC901DH()()() 6,438. 7,596. 8,736. 96" 15" 20" 6 ROHGHSHC901DH()()() 6,540. 7,717. 8,874. 60" 15" 20" 4 ROHGHSHC901DH()()() 4,478. 4,881. 5,614. 66" 15" 20" 4 ROHGHCSHC601DH()()() 4,614. 5,029. 5,783. 72" 15" 20" 4 ROHGHCSHC661DH()()() 4,728. 5,154. 5,927. 78" 15" 20" 4 ROHGHCSHC721DH()()() 4,927. 5,371. 6,177. 84" 15" 20" 6 ROHGHCSHC841DH()()() 6,072. 6,617. 7,611. 90" 15" 20" 6 ROHGHCSHC901DH()()() 6,072. 6,617. 7,702.

#### Order Code

Example:	ROHGHSHC601DH
R	Reff
0	Overhead
Н	Hutches
GH	Glass Hinge Doors
SH	Single High
С	Case
60	60" Width
1	Letter depth
DH	Desk height
V316	Case finish
AU	Front finish
GI14	Glass Door finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Case finish: Wood or Laminate
- 2. Door frame finish: Anodized or Painted
- 3. Glass door finish: GL11, GL14, GL15, GL17, GL18
- 4. *Lock options:* L = Lock
- N = No lock 5. Lock finish:
- B = Black S = Matte Silver

No Glass shelves.

No pull option on glass doors. Glass doors project below shelf for opening.

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Products on this page will accept wood grain laminate, where laminate is currently an option.

These products are glue and dowel construction.

Note: Above Cases MUST be accompanied with Surrounds, Hinge.

For Single high surrounds, refer to page  $278\,.$ 

Letter depth is 15" nominal.

Facias and task lights ordered separately.

The case backs are finished in veneer / laminate on the inside and paper finished on the outside.

Interior clearance dimension; Cubby:  $3\frac{1}{2}$ "h x  $13\frac{1}{2}$ "d Single high opening:  $13\frac{1}{8}$ "h x  $13\frac{1}{8}$ "h x

Installation instructions available on Knoll Exchange.

# Hutches, 283/8" planning Case, Single High Glass Hinge Door / Open / Cubby Concealed or Exposed

description	W	d	h	$d\mathbf{r}$	pattern no.	L	V1	V2	V3
Single high Case with long Glass hinge doors,	60"	15"	20"	2	ROHGHOSHC601DH()()()	\$4,016.	\$5,019.	\$5,773.	\$7,504.
long glass hinge doors/open/cubby concealed	66"	15"	20"	2	ROHGHOSHC661DH()()()	4,099.	5,123.	5,892.	7,659.
	72"	15"	20"	2	ROHGHOSHC721DH()()()	4,203.	5,252.	6,040.	7,853.
	78"	15"	20"	2	ROHGHOSHC781DH()()()	4,303.	5,379.	6,186.	8,041.
	84"	15"	20"	4	ROHGHOSHC841DH()()()	5,059.	6,324.	7,273.	9,456.
	90"	15"	20"	4	ROHGHOSHC901DH()()()	5,167.	6,459.	7,428.	9,656.
·	96"	15"	20"	4	ROHGHOSHC961DH()()()	5,249.	6,561.	7,545.	9,809.
Single high Case with short Glass hinge doors,	60"	15"	20"	2	ROHGHOCSHC601DH()()()	3,324.	4,155.	4,778.	6,212.
short glass hinge doors/open/cubby exposed	66"	15"	20"	2	ROHGHOCSHC661DH()()()	3,401.	4,250.	4,888.	6,355.
	72"	15"	20"	2	ROHGHOCSHC721DH()()()	3,471.	4,339.	4,989.	6,485.
	78"	15"	20"	2	ROHGHOCSHC781DH()()()	3,551.	4,439.	5,105.	6,636.
	84"	15"	20"	4	ROHGHOCSHC841DH()()()	4,359.	5,231.	6,015.	7,820.
	90"	15"	20"	4	ROHGHOCSHC901DH()()()	4,412.	5,293.	6,086.	7,913.
	96"	15"	20"	4	ROHGHOCSHC961DH()()()	4,501.	5,402.	6,212.	8,075.

Order Cod	de	Specification Information	Application Notes			
Example:	ROHGHOSHC601DH	To order please specify pattern number including:	It is Not advisable to mix 28 1/8"h desk height products with 26 1/2"	Note: Above Cases MUST be accompanied with Surrounds, Hinge. For Single high surrounds, refer		
3	Reff	<ol> <li>Case finish: Wood or Laminate</li> <li>Door frame finish: Anodized or Painted</li> <li>Glass door finish: GL11, GL14,</li> </ol>	standard height products.			
)	Overhead		Products on this page will accept	to page 278.		
1	Hutches		wood grain laminate, where laminate is currently an option.	Letter depth is 15" nominal.		
ЭНО	Glass Hinge Door, Open,	GL15, GL17, GL18	familiate is currently an option.	Letter depth is 13 hommar.		
	Cubby Concealed	4. Lock options:	These products are glue and dowel	Facias and task lights ordered		
Н	Single High	L = Lock N = No lock	construction.	separately.		
;	Case	5. Lock finish:	Installation instructions available	The case backs are finished in		
0	60" width	B = Black	on Knoll Exchange.	veneer / laminate on the inside an		
	Letter depth	S = Matte Silver	For Hutches, refer to reference	paper finished on the outside.		
Н	Desk Height		number 6TP00321.	Interior clearance dimension;		
316	Case Finish	No Glass shelves.		Cubby: 3 ½"h x 13 ½"d Single high opening: 13 ½"h x		
U	Door Frame Finish	No pull option on glass doors. Glass		13 ½"d		
GL14	Glass Door Finish	doors project below shelf for				

# Hutches, 283/8" planning Case, Single High Wood Hinge Door / Open / Cubby Concealed or Exposed

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Single high Case with long hinge doors,	60"	15"	20"	4	ROHHOSHC601DH( )( )( )( )( )( )( )	\$2,882.	\$3,171.	\$3,315.	\$3,459.	\$4,180.	\$4,806.	\$6,248.
hinge door/open/cubby concealed	66"	15"	20"	4	ROHHOSHC661DH( )( )( )( )( )( )	2,923.	3,217.	3,363.	3,510.	4,240.	4,876.	6,339.
	72"	15"	20"	4	ROHHOSHC721DH( )( )( )( )( )( )	2,970.	3,269.	3,417.	3,565.	4,309.	4,955.	6,441.
	78"	15"	20"	4	ROHHOSHC781DH( )( )( )( )( )( )	3,030.	3,333.	3,484.	3,635.	4,394.	5,053.	6,568.
	84"	15"	20"	6	ROHHOSHC841DH( )( )( )( )( )( )	3,525.	3,880.	4,055.	4,231.	5,113.	5,880.	7,644.
	90"	15"	20"	6	ROHHOSHC901DH()()()()()()	3,579.	3,937.	4,116.	4,295.	5,190.	5,969.	7,758.
•	96"	15"	20"	6	ROHHOSHC961DH( )( )( )( )( )( )	3,622.	3,985.	4,167.	4,348.	5,253.	6,041.	7,854.
Single high Case with short hinge doors,	60"	15"	20"	4	ROHHOCSHC601DH( )( )( )( )( )( )	2,707.	2,978.	3,113.	3,248.	3,925.	4,513.	5,867.
hinge door/open/cubby exposed	66"	15"	20"	4	ROHHOCSHC661DH( )( )( )( )( )( )	2,745.	3,021.	3,157.	3,295.	3,981.	4,579.	5,951.
	72"	15"	20"	4	ROHHOCSHC721DH( )( )( )( )( )( )	2,790.	3,069.	3,208.	3,348.	4,237.	4,652.	6,048.
	78"	15"	20"	4	ROHHOCSHC781DH( )( )( )( )( )( )	2,845.	3,129.	3,272.	3,413.	4,126.	4,745.	6,167.
	84"	15"	20"	6	ROHHOCSHC841DH( )( )( )( )( )( )	3,310.	3,643.	3,808.	3,973.	4,800.	5,521.	7,177.
	90"	15"	20"	6	ROHHOCSHC901DH()()()()()()()	3,361.	3,697.	3,865.	4,032.	4,873.	5,604.	7,285.
	96"	15"	20"	6	ROHHOCSHC961DH( )( )( )( )( )( )	3,402.	3,741.	3,912.	4,083.	4,932.	5,672.	7,374.

Example:	ROHHSHC601DH ()()()()()()
R	Reff
0	Overhead
Н	Hutches
НО	Hinge / Open
SH	Single High
С	Case
60	60" width
1	Letter depth
DH	Desk height
L	Lock option
В	Lock finish

Pull option

Pull finish

Case finish

Front finish

**Order Code** 

111

V316

V316

#### **Specification Information**

To order please specify pattern number including:

- 1. Lock option: L = Drill for lock N = No lock drilling
- 2. Lock finish: B = BlackS = Silver
- 3. Pull option: B = Blank, no drilling customer's own pull C = C-Pull (Nickel finish only)
  - D = D-Pull (PT or PZ only)
  - F = Bar pull
  - H = Outline pull
  - R = Cylinder pull S = S-pull,(Stainless steel finish only) T = Tab pull
- 4. Pull finish: Painted or plated, unless otherwise indicated.
- Case finish: Wood or Laminate
- 6. Front finish: Wood or Laminate

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Products on this page will accept wood grain laminate, where laminate is currently an option.

These products are glue and dowel construction.

Installation instructions available on Knoll Exchange.

For Hutches, refer to reference number 6TP00321.

Note: Above Cases MUST be accompanied with Surrounds, Hinge.

For Single high surrounds, refer to page 278 .

Letter depth is 15" nominal.

Facias and task lights ordered separately.

The case backs are finished in veneer / laminate on the inside and paper finished on the outside.

Interior clearance dimension; Cubby: 3 1/2"h x 13 1/2"d Single high opening: 131/8"h x

Doors project below shelf for opening.

### Hutches, 283/8" planning Case, Double High Wood Hinge Doors

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Double high Case with long hinge doors,	60"	15"	33"	4	ROHHDHC601DH( )( )( )( )( )( )	\$3,898.	\$4,288.	\$4,481.	\$4,676.	\$5,456.	\$6,274.	\$8,157.
cubby concealed	66"	15"	33"	4	ROHHDHC661DH( )( )( )( )( )( )	4,021.	4,423.	4,625.	4,826.	5,629.	6,474.	8,416.
	72"	15"	33"	4	ROHHDHC721DH( )( )( )( )( )( )	4,103.	4,513.	4,719.	4,925.	5,745.	6,607.	8,608.
	78"	15"	33"	4	ROHHDHC781DH( )( )( )( )( )( )	4,239.	4,663.	4,875.	5,087.	5,935.	6,823.	8,871.
	84"	15"	33"	6	ROHHDHC841DH( )( )( )( )( )( )	5,356.	5,892.	6,159.	6,428.	7,498.	8,624.	11,210.
	90"	15"	33"	6	ROHHDHC901DH( )( )( )( )( )( )	5,452.	5,997.	6,269.	6,542.	7,632.	8,777.	11,410.
	96"	15"	33"	6	ROHHDHC961DH( )( )( )( )( )( )	5,523.	6,075.	6,352.	6,628.	7,732.	8,893.	11,560.
Double high Case with short hinge doors,	60"	15"	33"	4	ROHHCDHC601DH()()()()()()()	3,686.	4,054.	4,238.	4,423.	5,160.	5,934.	7,714.
cubby exposed	66"	15"	33"	4	ROHHCDHC661DH()()()()()()()	3,805.	4,185.	4,376.	4,565.	5,327.	6,125.	7,964.
	72"	15"	33"	4	ROHHCDHC721DH( )( )( )( )( )( )	3,884.	4,272.	4,466.	4,660.	5,438.	6,253.	8,128.
	78"	15"	33"	4	ROHHCDHC781DH( )( )( )( )( )( )	3,968.	4,365.	4,563.	4,762.	5,556.	6,390.	8,307.
	84"	15"	33"	6	ROHHCDHC841DH( )( )( )( )( )( )	5,041.	5,545.	5,797.	6,050.	7,058.	8,117.	10,550.
	90"	15"	33"	6	ROHHCDHC901DH()()()()()()	5,134.	5,648.	5,905.	6,161.	7,188.	8,267.	10,747.
	96"	15"	33"	6	ROHHCDHC961DH()()()()()()()	5,203.	5,724.	5,982.	6,243.	7,284.	8,376.	10,891.

Order Cod	de						
Example:	ROHHDHC601DH ( )( )( )( )( )( )						
R	Reff						
0	Overhead						
Н	Hutches						
Н	Hinge						
DH	Double High						
С	Case						
60	60" width						
1	Letter depth						
DH	Desk Height						
L	Lock Option						
В	Lock Finish						
Н	Pull Finish						
111	Pull Finish						
V316	Case Finish						
V316	Front Finish						

#### **Specification Information**

To order please specify pattern number including:

- 1. Lock option: L = Drill for lock N = No lock drilling
- 2. Lock finish: B = BlackS = Silver
- 3. Pull option:
  - B = Blank, no drilling customer's own pull
  - C = C-Pull (Nickel finish only) D = D-Pull (PT or PZ only)

  - F = Bar pull H = Outline pull
  - R = Cylinder pull
- S = S-pull,(Stainless steel finish only)
  T = Tab pull
  4. Pull finish: Painted or plated,
- unless otherwise indicated.
- Case finish: Wood or Laminate
- 6. Front finish: Wood or Laminate

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Products on this page will accept wood grain laminate, where laminate is currently an option.

These products are glue and dowel construction.

Installation instructions available on Knoll Exchange.

For Hutches, refer to reference number 6TP00321.

Note: Above Cases MUST be accompanied with Surrounds,

For Double high surrounds, refer to page  $279\,\text{.}$ 

Letter depth is 15" nominal.

Facias and task lights ordered separately.

The case backs are finished in veneer / laminate on the inside and paper finished on the outside.

Interior clearance dimension; Cubby: 31/2"h x 131/2"d Double high opening:  $26^{5}/8''h x$ 

(includes one adjustable shelf)

Doors project below shelf for opening.

# Hutches, 28<sup>3</sup>/8" planning Case, Double High Glass Hinge Doors

description	W	d	h	$d\mathbf{r}$	pattern no.	L	V1	V2	V3
Double high Case with long Glass doors,	60"	15"	33"	4	ROHGHDHC601DH()()()	\$6,097.	\$7,194.	\$8,273.	\$10,755.
cubby concealed	66"	15"	33"	4	ROHGHDHC661DH()()()	6,288.	7,419.	8,532.	11,093.
	72"	15"	33"	4	ROHGHDHC721DH()()()	6,507.	7,678.	8,829.	11,479.
	78"	15"	33"	4	ROHGHDHC781DH()()()	6,820.	8,048.	9,256.	12,034.
	84"	15"	33"	6	ROHGHDHC841DH()()()	8,192.	9,667.	11,116.	14,473.
	90"	15"	33"	6	ROHGHDHC901DH()()()	8,390.	9,899.	11,385.	14,800.
	96"	15"	33"	6	ROHGHDHC961DH()()()	8,551.	10,089.	11,602.	15,083.
Double high Case with short Glass doors,	60"	15"	33"	4	ROHGHCDHC601DH()()()	5,580.	6,083.	6,997.	9,096.
cubby exposed	66"	15"	33"	4	ROHGHCDHC661DH()()()	5,819.	6,343.	7,295.	9,483.
	72"	15"	33"	4	ROHGHCDHC721DH()()()	6,007.	6,549.	7,531.	9,789.
	78"	15"	33"	4	ROHGHCDHC781DH()()()	6,246.	6,808.	7,830.	10,178.
	84"	15"	33"	6	ROHGHCDHC841DH()()()	7,602.	8,286.	9,529.	12,388.
	90"	15"	33"	6	ROHGHCDHC901DH()()()	7,727.	8,423.	9,688.	12,593.
	96"	15"	33"	6	ROHGHCDHC961DH()()()	7,909.	8,620.	9,913.	12,887.

Order Co	de	Specification Information	Application Notes					
Example:	ROHGHDHC601DH ()()()	To order please specify pattern number including:	It is Not advisable to mix 28 1/8"h desk height products with 26 1/2"	Note: Above Cases MUST be accompanied with Surrounds,				
R	Reff	1. Case finish: Wood or Laminate	standard height products.	Hinge. For Double high surrounds, refer				
0	Overhead	2. Door frame finish: Anodized or Painted	Products on this page will accept	to page 279.				
Н	Hutches	3. Glass door finish: GL11, GL14,	wood grain laminate, where laminate is currently an option.	Letter depth is 15" nominal.				
GH	Glass Hinge Doors	GL15, GL17, GL18		1				
DH	Double High	4. Lock options: - L = Lock	These products are glue and dowel	Facias and task lights ordered				
С	Case	N = No lock	construction.	separately.				
60	60" width	5. Lock finish:	Installation instructions available	The case backs are finished in				
1	Letter depth	B = Black	on Knoll Exchange.	veneer / laminate on the inside and paper finished on the outside.				
DH	Desk height	S = Matte Silver	For Hutches, refer to reference					
V316	Case finish	No Glass shelves.	number 6TP00321.	Interior clearance dimension; Cubby: 3 ½"h x 13 ½"d				
AU	Door Frame Finish	No pull option on glass doors. Glass		Double high opening: 265/8"h x				
GL14	Glass Door Finish	doors project below shelf for opening.		13½"d (includes one adjustable shelf)				

# Hutches, 28<sup>3</sup>/8" planning Case, Double High Glass Hinge Doors / Open / Cubby Concealed or Exposed

Double high Case with long Glass hinge doors, long glass hinge doors/open/cubby concealed



description

W	d	h	$d\mathbf{r}$	pattern no.	L	V1	V2	V3
60"	15"	33"	2	ROHGHODHC601DH()()()	\$5,162.	\$6,451.	\$7,419.	\$9,645.
66"	15"	33"	2	ROHGHODHC661DH()()()	5,300.	6,626.	7,619.	9,905.
72"	15"	33"	2	ROHGHODHC721DH()()()	5,429.	6,787.	7,804.	10,145.
78"	15"	33"	2	ROHGHODHC781DH()()()	5,577.	6,972.	8,018.	10,422.
84"	15"	33"	4	ROHGHODHC841DH()()()	6,542.	8,177.	9,404.	12,226.
90"	15"	33"	4	ROHGHODHC901DH()()()	6,693.	8,367.	9,622.	12,508.
96"	15"	33"	4	ROHGHODHC961DH()()()	6,815.	8,519.	9,797.	12,736.

Double high Case with short Glass hinge doors, short glass hinge doors/open/cubby exposed



60"	15"	33"	2	ROHGHOCDHC601DH()()()	4,419.	5,523.	6,351.	8,257.
66"	15"	33"	2	ROHGHOCDHC661DH()()()	4,532.	5,665.	6,514.	8,469.
72"	15"	33"	2	ROHGHOCDHC721DH()()()	4,635.	5,793.	6,663.	8,662.
78"	15"	33"	2	ROHGHOCDHC781DH()()()	4,739.	5,926.	6,812.	8,852.
84"	15"	33"	4	ROHGHOCDHC841DH()()()	5,718.	7,034.	8,087.	10,514.
90"	15"	33"	4	ROHGHOCDHC901DH()()()	5,806.	7,140.	8,210.	10,675.
96"	15"	33"	4	ROHGHOCDHC961DH()()()	5,932.	7,296.	8,391.	10,907.

#### Order Code

#### Example: ROHGHODHC601DH ()()() R Reff 0 Overhead Н Hutches GHO Glass Hinge Door, Open, Cubby Concealed DH Double High $\overline{\mathsf{c}}$ Case 60 60" width 1 Letter depth DH Desk Height V316 Case Finish ΑU Door Frame Finish GL14 Glass Door Finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Case finish: Wood or Laminate
- 2. Door frame finish: Anodized or Painted
- 3. Glass door finish: GL11, GL14, GL15, GL17, GL18
- 4. *Lock options:* L = Lock
- N = No lock5. Lock finish: B = Black

S = Matte SilverNo Glass shelves.

No pull option on glass doors. Glass doors project below shelf for opening.

#### **Application Notes**

It is Not advisable to mix 28 \%"h desk height products with 26 \%" standard height products.

Products on this page will accept wood grain laminate, where laminate is currently an option.

Installation instructions available on Knoll Exchange.

For Hutches, refer to reference number 6TP00321.

Note: Above Cases MUST be accompanied with Surrounds, Hinge.

For Double high surrounds, refer to page 279 .

Letter depth is  $15^{\prime\prime}$  nominal.

Facias and task lights ordered separately.

The case backs are finished in veneer / laminate on the inside and paper finished on the outside.

Interior clearance dimension; Cubby: 3½"h x 13½"d Double high opening: 26½"h x 13½"d (includes one adjustable shelf)

#### Hutches, 283/8" planning Case, Double High Wood Hinge Doors / Open / Cubby Concealed or Exposed

description	w	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Double high Case with long hinge doors,	60"	15"	33"	4	ROHHODHC601DH( )( )( )( )( )( )	\$3,940.	\$4,334.	\$4,532.	\$4,728.	\$5,517.	\$6,344.	\$8,246.
hinge door/open/cubby concealed	66"	15"	33"	4	ROHHODHC661DH( )( )( )( )( )( )	4,062.	4,471.	4,673.	4,876.	5,688.	6,542.	8,504.
	72"	15"	33"	4	ROHHODHC721DH( )( )( )( )( )( )	4,148.	4,561.	4,769.	4,976.	5,807.	6,678.	8,680.
	78"	15"	33"	4	ROHHODHC781DH( )( )( )( )( )( )	4,218.	4,639.	4,851.	5,061.	5,906.	6,791.	8,828.
	84"	15"	33"	6	ROHHODHC841DH( )( )( )( )( )( )	5,346.	5,880.	6,147.	6,414.	7,484.	8,606.	11,188.
	90"	15"	33"	6	ROHHODHC901DH( )( )( )( )( )( )	5,442.	5,986.	6,258.	6,529.	7,618.	8,761.	11,388.
	96"	15"	33"	6	ROHHODHC961DH( )( )( )( )( )( )	5,512.	6,062.	6,339.	6,614.	7,717.	8,873.	11,536.
Double high Case with short hinge doors,	60"	15"	33"	4	ROHHOCDHC601DH()()()()()()()	3,475.	3,821.	3,995.	4,170.	5,039.	5,793.	7,533.
hinge door/open/cubby exposed	66"	15"	33"	4	ROHHOCDHC661DH()()()()()()()	3,530.	3,884.	4,060.	4,237.	5,120.	5,888.	7,654.
	72"	15"	33"	4	ROHHOCDHC721DH()()()()()()	3,597.	3,955.	4,136.	4,316.	5,216.	5,998.	7,797.
	78"	15"	33"	4	ROHHOCDHC781DH()()()()()()()	3,652.	4,018.	4,200.	4,382.	5,296.	6,089.	7,916.
	84"	15"	33"	6	ROHHOCDHC841DH( )( )( )( )( )( )	4,210.	4,631.	4,841.	5,052.	6,104.	5,921.	9,125.
	90"	15"	33"	4	ROHHOCDHC901DH()()()()()()	4,279.	4,707.	4,920.	5,134.	6,204.	7,135.	9,274.
	96"	15"	33"	6	ROHHOCDHC961DH( )( )( )( )( )( )	4,340.	4,772.	4,990.	5,206.	6,291.	7,237.	9,406.

Example:	ROHHDHC601DH
	()()()()()()
R	Reff
0	Overhead
Н	Hutches
НО	Hinge / Open
DH	Double High
С	Case
60	60" width
1	Letter depth
DH	Desk height
L	Lock option
В	Lock finish

Pull option

Pull finish

Case finish

Front finish

**Order Code** 

111

V316

V316

#### **Specification Information**

To order please specify pattern number including:

- 1. Lock option: L = Drill for lock N = No lock drilling
- 2. Lock finish: B = BlackS = Silver
- 3. Pull option: B = Blank, no drilling customer's own pull C = C-Pull (Nickel finish only)
  - D = D-Pull (PT or PZ only)
  - F = Bar pull
  - H = Outline pull R = Cylinder pull S = S-pull,(Stainless steel finish
  - only) T = Tab pull
- 4. Pull finish: Painted or plated, unless otherwise indicated.
- Case finish: Wood or Laminate
- 6. Front finish: Wood or Laminate

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Products on this page will accept wood grain laminate, where laminate is currently an option.

These products are glue and dowel construction.

Installation instructions available on Knoll Exchange.

For Hutches, refer to reference number 6TP00321.

Note: Above Cases MUST be accompanied with Surrounds, Hinge.

For Double high surrounds, refer to page 279 .

Letter depth is 15" nominal.

Facias and task lights ordered separately.

The case backs are finished in veneer / laminate on the inside and paper finished on the outside.

Interior clearance dimension; Cubby: 3 1/2"h x 13 1/2"d Double high opening: 265/8"h x (includes one adjustable shelf)

Doors project below shelf for opening.

## Progressive Overheads, 283/8" Planning Cabinet Hung Glass door

description	W	d	h	dr	pattern no.	L	V1	V2	V3
Cabinet Hung Shelf	90"	15"	15"	1	RROCGSD90GB( )( )( )( )( )	\$3,223.	\$3,867.	\$4,447.	\$5,782.
Glass Sliding Doors Closed Ends	108"	15"	15"	1	RROCGSD108GB( )( )( )( )( )	3,525.	4,231.	4,866.	6,324.



Cabinet Hung Shelf with	90"	15"	15"	2	RROC2GSD90( )( )( )( )( )	4,434.	5,011.	5,457.	7,093.
2 Glass Sliding Doors	108"	15"	15"	2	RROC2GSD108( )( )( )( )( )	5.006.	5.657.	6.086.	7.913.



Cabinet Hung Shelf with	60"	15"	15"	1	RROCGSDL60GB( )( )( )( )( )	2,737.	3,147.	3,619.	4,705.
Glass Sliding Door	72"	15"	15"	1	RROCGSDL72GB( )( )( )( )( )	2,936.	3,376.	3,884.	5,048.
Left Hand									



Cabinet Hung Shelf with	60"	15"	15"	1	RROCGSDR60GB( )( )( )( )( )	2,737.	3,147.	3,619.	4,705.
Glass Sliding Door	72"	15"	15"	1	RROCGSDR72GB( )( )( )( )( )	2,936.	3,376.	3,884.	5,048.
Right Hand	-								



#### Order Code

#### Example: RROCGSD90GB()()() RRReff Profiles o Overhead С Cabinet Hung GSD Glass Sliding Door 90" wide 90 GB Gable Both Lock option L s Lock finish G Pull option 111 Pull finish V316 Case finish ΑU Door frame finish **GL11** Glass finish

#### Specification Information

To order please specify:

1. Lock option: L = Lock

N = No lock
Lock finish:
B = Black

B = Black S = Matte silver

3. Pull option G=Grommet pull B=No pull, No drilling

4. Pull finish = Painted/plated

5. Case finish = V316

Door frame finish = Anodized / painted

. Door Glass finish GL11 = Black GL14 = Folkstone Grey GL15 = Med. Grey

GL17 = Soft Grey

GL18 = White

#### **Application Notes**

### It is Not advisable to mix 28%% desk height products with 26%% standard height products.

Product on this page will accept wood grain laminate, where laminate is currently an option.

For vertical surfaces greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction.

Keying instructions must accompany all orders, refer to page 482. These products do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

For progressive overheads, LED light is recommended without fascia.

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Actual dimensions: 14<sup>3</sup>/<sub>4</sub>"h x 14<sup>9</sup>/<sub>16</sub>"d

Interior clearance dimension: 125/8"high x 12" deep

Installation instruction sheets available on Knoll Exchange.

For Cabinet hung overheads, refer to reference number 6TP00080.

For overhead with sliding doors, reference to part number 6TP00088.

## Progressive Overheads, 283/8" Planning Cabinet Hung Wood door

description	W	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung Shelf	90"	15"	15"	1	RROCWSD90GB( )( )( )( )	\$2,769.	\$3,045.	\$3,184.	\$3,323.	\$3,599.	\$4,138.	\$5,380.
Sliding Doors Closed Ends	108"	15"	15"	1	RROCWSD108GB( )( )( )( )	3,002.	3,302.	3,452.	3,602.	3,902.	4,487.	5,833.



Cabinet Hung Shelf with 2	90"	15"	15"	2	RROC2WSD90( )( )( )( )	3,343.	3,678.	3,844.	4,012.	4,346.	4,886.	6,352.
Wood/Laminate Sliding Doors	108"	15"	15"	2	RROC2WSD108( )( )( )( )	3.732	4.105.	4.292	4.478	4.851.	5.386.	7.003



Cabinet Hung Shelf with	60"	15"	15"	1	RROCWSDR60GB( )( )( )( )	2,331.	2,564.	2,680.	2,797.	2,914.	3,352.	4,355.
Wood/Laminate Sliding Door	72"	15"	15"	1	RROCWSDR72GB( )( )( )( )	2,467.	2,714.	2,837.	2,941.	3,084.	3,547.	4,610.
Right Hand												



Cabinet Hung Shelf with	60"				RROCWSDL60GB( )( )( )( )	2,331.	2,564.	2,680.	2,797.	2,914.	3,352.	4,355.
Wood/Laminate Sliding Door	72"	15"	15"	1	RROCWSDL72GB( )( )( )( )	2,467.	2,714.	2,837.	2,941.	3,084.	3,547.	4,610.
Left Hand												



#### Order Code

#### Example: RROCWSDR60GB RR Reff 0 Overhead Cabinet Hung C Wood/Lam. Sliding Door WSDR 60" wide 60 GB Gable Both L Lock option S Lock finish G Pull Option 115 Pull Finish V316 Case Finish V316 Front Finish

#### **Specification Information**

To order please specify

- Lock option:
   L = Lock
   N = No lock
- 2. Lock finish: B = Black
- S = Matte silver 3. Pull option:
- G=Grommet pull
  B=No pull, No drilling
  4. Pull finish:
- Painted or Plated
  5. Case finish:
  L, V1, V2, V3
- 6. Front finish: L, V1,V2, V3

#### **Application Notes**

### It is Not advisable to mix 28 1/8"h desk height products with 26 1/2" standard height products.

Product on this page will accept wood grain laminate, where laminate is currently an option.

For vertical surfaces greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction.

Keying instructions must accompany all orders, refer to page 482. These products do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

For progressive overheads, LED light is recommended without

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Actual dimensions: 14<sup>3</sup>/<sub>4</sub>"h x 14<sup>9</sup>/<sub>16</sub>"d

Interior clearance dimension: 125/8"high x 12" deep

Installation instruction sheets available on Knoll Exchange.

For Cabinet hung overheads, refer to reference number 6TP00080.

For overhead with sliding doors, reference to part number 6TP00088.

### Progressive Overheads, 283/8" Planning Cabinet Hung Open shelf

description	W	d	h	pattern no.	L	V1	V2	V3
Cabinet Hung Open Shelf Closed Ends	60"	15"	15"	RROCOS60GB( )( )( )	\$1,672.	\$2,171.	\$2,498.	\$3,247.
	72"	15"	15"	RROCOS72GB()()()	1,781.	2,315.	2,663.	3,462.
	90"	15"	15"	RROCOS90GB()()()	1,941.	2,525.	2,903.	3,774.
	108"	15"	15"	RROCOS108GB( )( )( )	2,208.	2,871.	3,302.	4,292.

Order Co	de	Specification Information	Application Notes				
Example: RR O C OS 60 2 V316	RROCOS60GB ( )( ) Reff Overhead Cabinet Hung Open shelf 60" wide Finish type Case Finish	To order please specify  1. Finish type: L = Laminate 1 = V1 2 = V2 3 = V3 2. Finish	It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.  Product on this page will accept wood grain laminate, where laminate is currently an option.  For vertical surfaces greater than 60", the grain direction is horizontal.	For progressive overheads, LED light is recommended without fascia.  Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.  Above sizes are nominal.  Actual dimensions: 14 <sup>3</sup> / <sub>4</sub> "h x 14 <sup>3</sup> / <sub>16</sub> "d			
			These products are Glue and Dowel Construction.	Interior clearance dimension: 125%"high x 1213/32" deep Installation instruction sheets available on Knoll Exchange. For Cabinet hung overheads, refetoreference number 6TP00080.			

#### Progressive Overheads, 283/8" Planning Wall Hung Glass door

description	W	d	h	dr	pattern no.	L	V1	V2	V3
Wall Hung Shelf with	90"	15"	15"	1	RROMGSD90GN( )( )( )( )( )( )( )	\$3,049.	\$3,660.	\$4,210.	\$5,472.
Glass Sliding Door	108"	15"	15"	1	RROMGSD108GN( )( )( )( )( )( )( )	3,460.	4,151.	4,774.	6,207.



Wall Hung Shelf with	60"	15"	15"	1	RROMGSD60GR( )( )( )( )( )( )( )	2,638.	3,165.	3,641.	4,733.
Glass Sliding Door	72"	15"	15"	1	RROMGSD72GR( )( )( )( )( )( )( )	2,906.	3,487.	4,012.	5,213.



Wall Hung Shelf with	60"	15"	15"	1	RROMGSD60GL( )( )( )( )( )( )( )	2,638.	3,165.	3,641.	4,733.
Glass Sliding Door	72"	15"	15"	1	RROMGSD72GL( )( )( )( )( )( )( )	2,906.	3,487.	4,012.	5,213.
Gable Left									



#### **Order Code**

#### Example: RROMGSD90GN() Reff RR 0 Overhead M Wall hung GSD Glass sliding door 90 90" wide GN No gable L Lock option s Lock finish G Pull Option 115 Pull Finish V319 Case Finish AP Door Frame Finish GL11 Glass Finish

#### **Specification Information**

To order please specify

- 1. Lock option: L = LockN = No lock
- 2. Lock finish: B = Black
- S = Matte silverPull option:
- G=Grommet pull
  B=No pull, No drilling
  4. Pull finish: 115
- Case finish: V319
- 6. Door frame: Anodized / painted
- Glass finish:
  - GL11 = Black
  - GL14 = Folkstone Grey
  - GL15 = Med. GreyGL17 = Soft Grey
  - GL18 = White

Keying instructions must accompany all orders, refer to page 482. These products do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

#### **Application Notes**

#### It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page will accept wood grain laminate, where laminate is currently an option.

For vertical surfaces greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 463.

For progressive overheads, LED light is recommended without

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Above sizes are nominal.

Actual dimensions: 143/4"h x 14%16"d

Interior clearance dimension: 125/8" high x 12" deep

Installation instruction sheets available on Knoll Exchange.

For overheads with sliding doors, refer to reference number 6TP00088.

#### Progressive Overheads, 283/8" Planning Wall Hung Glass door, closed ends

description	W	d	h	dr	pattern no.	L	V1	V2	V3
Wall Hung Shelf with	90"	15"	15"	1	RROMGSD90GB( )( )( )( )( )	\$3,414.	\$3,927.	\$4,515.	\$5,870.
Glass Sliding Door	108"	15"	15"	1	RROMGSD108GB( )( )( )( )( )	3,836.	4,412.	5,072.	6,593.



Wall Hung Shelf with	90"	15"	15"	2	RROM2GSD90( )( )( )( )( )( )( )	4,744.	5,218.	5,664.	7,363.
2 Glass Sliding Doors	108"	15"	15"	2	RROM2GSD108( )( )( )( )( )( )( )	5.379.	5.916.	6.346.	8,250.



Class Sliding Door 70" 15" 15" 1 PROMORPHOOPLY VYYYY 2 001 2 474 2 004	Wall Hung Shelf with	60"	15"	15"	1	RROMGSDR60GB( )( )( )( )( )	2,786.	3,203.	3,684.	4,789.
Orași Jiling Dou (2 15 15 1 <b>RHOMGSDH/2GB()()()()</b> 3,021. 3,474. 3,994.	Glass Sliding Door	1.7	15"	15"	1	RROMGSDR72GB( )( )( )( )( )		3,474.	3,994.	5,194.



Wall Hung Shelf with	60"	15"	15"	1	RROMGSDL60GB( )( )( )( )( )	2,786.	3,203.	3,684.	4,789.
Glass Sliding Door	72"	15"	15"	1	RROMGSDL72GB( )( )( )( )( )	3,021.	3,474.	3,994.	5,194.
Laft Hand									



#### **Order Code**

#### Example: RROMGSD90GN() RR Reff 0 Overhead M Wall hung GSD Glass sliding door 90 90" wide GN No gable L Lock option s Lock finish G Pull Option 115 Pull Finish V319 Case Finish AP Door Frame Finish GL11 Glass Finish

#### **Specification Information**

To order please specify

- 1. Lock option: L = Lock
- N = No lock2. Lock finish: B = Black
  - S = Matte silver
- Pull option: G=Grommet pull
  B=No pull, No drilling
  4. Pull finish: 115
- Case finish: V319
- 6. Door frame: Anodized / painted
- Glass finish:
  - GL11 = Black
  - GL14 = Folkstone Grey
  - GL15 = Med. GreyGL17 = Soft Grey
  - GL18 = White

Keying instructions must accompany all orders, refer to page 482. These products do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

#### **Application Notes**

#### It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page will accept wood grain laminate, where laminate is currently an option.

For vertical surfaces greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 463.

For progressive overheads, LED light is recommended without

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Above sizes are nominal.

Actual dimensions: 143/4"h x 14%16"d

Interior clearance dimension: 125/8" high x 12" deep

Installation instruction sheets available on Knoll Exchange.

For overheads with sliding doors, refer to reference number 6TP00088.

## Progressive Overheads, 283/8" Planning Wall Hung Wood door

description	W	d	h	dr	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
	90"						\$3,110.	\$3,251.	\$3,392.	\$3,392.	\$3,901.	\$5,072.
Wood / Laminate Sliding Door	108"	15"	15"	1	RROMWSD108GN( )( )( )( )( )( )( )	3,187.	3,506.	3,663.	3,822.	3,822.	4,398.	5,715.




RROMWSD60GR()()()()()()()()() Wall Hung Shelf with 60" 15" 2,427. 2,670. 2,792 2.914 2.914. 3,352. 4,355. Wood/Laminate Sliding Door 72" 15" 15" RROMWSD72GR()()()()()()()()() 2.645. 2.910. 3,042 3,174 3,174. 3,651. 4,746. Gable Right



RROMWSD60GL( )( )( )( )( )( )( )( )( Wall Hung Shelf with 60" 15" 15''2,427. 2,670. 2,792 2,914 2,914. 3,352. 4,355. RROMWSD72GL( )( )( )( )( )( )( )( )( Wood/Laminate Sliding Door 72" 15" 15''2,645. 2,910 3,042 3,174 3,174. 3,651. 4,746. Gable Left



RROMWSD90GB( )( )( )( )( )( )( )( )( Wall Hung Shelf with 15''2,927. 3,221. 3,366. 3,513. 3,659. 4,208. 5,469. 15" Wood/Laminate Sliding Door 108" 15" 15" RROMWSD108GB()()()()()()()()() 3,266. 3,593. 3,756. 3,919 4,083. 4,693. 6,103. Closed Ends



#### **Order Code**

#### Example: RROMWSD90GB ()()()()()()()()RR Reff 0 Overhead M Wall mount WSD Wood/Lam. Sliding Door 90" wide 90 GB Gable both L Lock option s Lock finish G Pull Option 115 Pull Finish V319 Case Finish V319 Door Finish

#### **Specification Information**

To order please specify

1. Lock option: L = Lock

N = No lock

- 2. Lock finish: B = Black S = Matte silver
- 3. Pull option: G=Grommet pull B=No pull, No drilling
- 4. Pull finish: Painted and Plated
- Painted and Plate 5. Case finish:
- 6. Door finish: L, V1, V2, V3

Keying instructions must accompany all orders, refer to page 482. These products do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

#### **Application Notes**

### It is Not advisable to mix 28%"h desk height products with 26% standard height products.

Product on this page will accept wood grain laminate, where laminate is currently an option.

For vertical surfaces greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 463.

For progressive overheads, LED light is recommended without fascia.

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Above sizes are nominal.

Actual dimensions: 14<sup>3</sup>/<sub>4</sub>"h x 14<sup>9</sup>/<sub>16</sub>"d

Interior clearance dimension: 125/8" high x 12" deep

Installation instruction sheets available on Knoll Exchange.

For overheads with sliding doors, refer to reference number 6TP00033.

## Progressive Overheads, 283/8" Planning Wall Hung Wood door, closed ends

description	W	d	h	$d\mathbf{r}$	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
					RROMWSDR60GB( )( )( )( )	\$2,360.	\$2,595.	\$2,714.	\$2,831.	\$2,950.	\$3,392.	\$4,409.
Wood/Laminate Sliding Door right	72"	15"	15"	1	RROMWSDR72GB( )( )( )( )	2,529.	2,781.	2,908.	3,035.	3,161.	3,635.	4,725.
Closed Ends												



Wall Hung Shelf with	60"	15"	15"	1	RROMWSDL60GB( )( )( )( )	2,360.	2,595.	2,714.	2,831.	2,950.	3,392.	4,409.
Wood/Laminate Sliding Door left	72"	15"	15"	1	RROMWSDL72GB( )( )( )( )	2,529.	2,781.	2,908.	3,035.	3,161.	3,635.	4,725.
Closed Ends												



Wall Hung Shelf with 2	90"	15"	15"	2	RROM2WSD90( )( )( )( )( )( )( )( )	3,614.	3,975.	4,155.	4,337.	4,553.	5,093.	6,622.
Wood/Laminate Sliding Doors	108"	15"	15"	2	RROM2WSD108( )( )( )( )( )( )( )( )( )	4.056.	4,462.	4.665.	4.869.	5.112.	5.647.	7.340.



#### **Order Code**

#### Example: RROMWSD90GB ()()()()()()()()RR Reff 0 Overhead M Wall mount WSD Wood/Lam. Sliding Door 90" wide 90 GB Gable both L Lock option s Lock finish G Pull Option 115 Pull Finish V319 Case Finish V319 Door Finish

#### **Specification Information**

To order please specify

- 1. Lock option: L = Lock
- N = No lock
- 2. Lock finish:
  B = Black
  S = Matte silver
- 3. Pull option: G=Grommet pull B=No pull, No drilling
- 4. Pull finish: Painted and Plated
- 5. Case finish: L, V1, V2, V3
- 6. Door finish: L, V1, V2, V3

Keying instructions must accompany all orders, refer to page 482. These products do not come with lock included. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page will accept wood grain laminate, where laminate is currently an option.

For vertical surfaces greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.

Please refer to wall mounting information on page 463.

For progressive overheads, LED light is recommended without fascia.

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Above sizes are nominal.

Actual dimensions: 14³/4″h x 14°/16″d

Interior clearance dimension: 125/8" high x 12" deep

Installation instruction sheets available on Knoll Exchange.

For overheads with sliding doors, refer to reference number 6TP00088.

### Progressive Overheads, 28<sup>3</sup>/8" Planning Wall Hung Open Shelf

description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung Open Shelf	60"	15"	15"	RROMOS60GL()	\$1,801.	\$2,072.	\$2,381.	\$3,096.
Left Gable	72"	15"	15"	RROMOS72GL()	2,003.	2,303.	2,649.	3,444.
Wall Hung Open Shelf	60"	15"	15"	RROMOS60GR()	1,801.	2,072.	2,381.	3,096.
Right Gable	72"	15"	15"	RROMOS72GR()	2,003.	2,303.	2,649.	3,444.
Wall Hung Open Shelf Closed Ends	60"	15"	15"	RROMOS60GB()()	1,715.	2,229.	2,564.	3,332.
Left & Right Gable - 60" & 72" wide	72"	15"	15"	RROMOS72GB()()	1,863.	2,423.	2,787.	3,622.



90"	15"	15"	RROMOS90GB()()	2,194.	2,852.	3,280.	4,263.
108"	15"	15"	RROMOS108GB()()	2.358.	3.066.	3,525.	4.583.



Wall Hung Open Shelf	90"	15"	15"	RROMOS90GN()	2,280.	2,621.	3,014.	3,919.
No Gable	108"	15"	15"	RROMOS108GN()	2,520.	2,898.	3,332.	4,332.



#### Order Code Specification Information

Example:	RROMOS60GL()()()
RR	Reff
0	Overhead
M	Wall Hung
os	Open shelf
60	60" wide
GL	Gable Left
V316	Case Finish

To order please specify *pattern* number including:

1. Case finish:

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page will accept wood grain laminate, where laminate is currently an option.

For vertical surfaces greater than 60", the grain direction is horizontal.

These products are Glue and Dowel Construction.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall. A certified building contractor should be consulted. Please refer to wall mounting information on page 463.

For progressive overheads, LED light is recommended without fascia.

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Above sizes are nominal.

Actual dimensions:  $14\sqrt[3]{4}$ 'h x  $14\sqrt[9]{16}$ 'd

Interior clearance dimension: 125/8" high x 12" deep

## Progressive Overheads, 28<sup>3</sup>/8" Planning Wall Hung L-Shelf

description	W	d	h	pattern no.	L	V1	V2	V3
L-Shelf	60"	15"	15"	RRML60( )( )	\$906.	\$1,088.	\$1,251.	\$1,626.
	72"	15"	15"	RRML72( )( )	1,008.	1,219.	1,389.	1,806.
	90"	15"	15"	RRML90( )( )	1,139.	1,366.	1,571.	2,044.
	108"	15"	15"	RRML108()()	1,304.	1,565.	1,800.	2,339.

Order	Code

# Example: RRML60()() RR Reff Refresh M Wall Hung L L-Shelf 60 60" Wide L Finish Type 114 Finish

#### **Specification Information**

To order please specify pattern number including:

2. Finish: Laminate or wood

1. Finish type:

L = Laminate

1 = V1

2 = V2

3 = V3

#### **Application Notes**

### It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page will accept wood grain laminate, where laminate is currently an option.

For vertical surfaces greater than 60", the grain direction is horizontal.

The woodgrain on the L-Shelves, run perpendicular to the length.

These products are Glue and Dowel Construction.

Knoll does not assume any responsibility for the installation, attachment or the securing of wall hung units to the wall.

A certified building contractor should be consulted.

Please refer to wall mounting information on page 463.

For progressive overheads, LED light is recommended without fascia.

Overhead backs are finished in Veneer/Laminate on inside and paper finished on the outside.

Shipped knocked down. Hardware kit included.

Actual dimensions:  $14\sqrt[3]{4}$  h x  $14\sqrt[9]{16}$  d

Installation instruction sheets available on Knoll Exchange.

For wall hung L shelf, refer to reference number 6TP00083.

Cubbies Reff Profiles Vol. Two

L

V1

V2

V3

description	W	a	pattern no.	L	V 1	V2	V 3
Desk Top Cubbies	30"	10"	RDTC3010()	\$910.	\$1,138.	\$1,308.	\$1,699.
30" and 36"	36"	10"	RDTC3610()	1,028.	1,147.	1,320.	1,715.
Desk Top Cubbies	60"	10"	RDTC6010()	1,117.	1,396.	1,605.	2,087.
60" and 72"	72"	10"	RDTC7210( )	1,140.	1,425.	1,638.	2,130.
			V	,	,	,	,
Desk Top Cubbies	60"	10"	RDTCO6010()	1,234.	1,544.	1,774.	2,307.
Open	72"	10"	RDTCO7210()	1,252.	1,564.	1,798.	2,338.
Till Market State	2011	10"		007	1.045	1,404	1061
Wall Mounted Cubbies 30" and 36"	30"	10"	RRMC3010( )	997.	1,247.	1,434.	1,864.
		10	RRMC3610()	1,008.	1,258.	1,447.	1,881.
Wall Mounted Cubbies	60"	10"	RRMC6010()	1,148.	1,434.	1,651.	2,147.
60" and 72"	72"	10"	RRMC7210()	1,172.	1,465.	1,684.	2,190.
Under Mounted Cubbies	30"	10"	RUMC3010()	965.	1,206.	1,388.	1,804.
30" and 36"	36"	10"	RUMC3610()	977.	1,221.	1,404.	1,825.
Under Mounted Cubbies	60"	10"	RUMC6010()	1,096.	1,368.	1,574.	2,048.
60" and 72"	72"	10"	RUMC7210()	1,123.	1,403.	1,614.	2,098.

#### **Order Code**

description

#### **Specification Information**

d

pattern no.

Example:	RDTC3010()()
R	Reff
DT	Desk Top
С	Cubby
30	Width
10	Depth
	Finish

To order please specify pattern number including:

1. Finish: Laminate or wood Product on this page will accept wood grain laminate, where laminate is currently an option.

Installation instruction sheets available on Knoll Exchange.

For Wall Mounted cubbies, please refer to reference number 6TP00086.

For Under Mounted cubbies, please refer to reference number 6TP00087.

## Classic Desks, 28<sup>3</sup>/8" planning With Recessed Modesty

description	d	W	h	pattern no.	L	V1	V2	V3
Classic Desk Full Modesty Recessed 283/8"	30"	60"	283/8"	RCDFMR60302( )( )( )	\$1,750.	\$2,944.	\$3,386.	\$4,401.
	30"	72"	283/8"	RCDFMR72302( )( )( )	1,837.	3,091.	3,554.	4,621.
	30"	84"	283/8"	RCDFMR84302( )( )( )	1,918.	3,228.	3,712.	4,826.
	30"	96"	283/8"	RCDFMR96302()()()	1,994.	3,356.	3,859.	5,016.
	36"	60"	283/8"	RCDFMR60362()()()	1,853.	3,118.	3,586.	4,662.
	36"	72"	283/8"	RCDFMR72362()()()	1,945.	3,274.	3,769.	4,894.
	36"	84"	283/8"	RCDFMR84362()()()	2,032.	3,419.	3,933.	5,113.
	36"	96"	283/8"	RCDFMR96362()()()	2,114.	3,559.	4,092.	5,321.
Classic Desk Half Modesty Recessed 283/8"	30"	60"	283/8"	RCDHMR60302()()()	1,687.	2,840.	3,266.	4,245.
	30"	72"	283/8"	RCDHMR72302()()()	1,759.	2,959.	3,404.	4,424.
	30"	84"	283/8"	RCDHMR84302()()()	1,829.	3,077.	3,539.	4,601.
	30"	96"	283/8"	RCDHMR96302()()()	1,889.	3,178.	3,655.	4,751.
	36"	60"	283/8"	RCDHMR60362()()()	1,791.	3,012.	3,466.	4,505.
	36"	72"	283/8"	RCDHMR72362()()()	1,867.	3,143.	3,613.	4,697.
	36"	84"	283/8"	RCDHMR84362()()()	1,942.	3,270.	3,760.	4,887.
	36"	96"	283/8"	RCDHMR96362()()()	2,009.	3,380.	3,889.	5,055.
Classic Desk Quarter Modesty Recessed 283/8"	30"	60"	283/8"	RCDQMR60302()()()	1,613.	2,714.	3,121.	4,058.
	30"	72"	283/8"	RCDQMR72302()()()	1,674.	2,818.	3,240.	4,211.
	30"	84"	283/8"	RCDQMR84302()()()	1,731.	2,914.	3,352.	4,355.
	30"	96"	283/8"	RCDQMR96302()()()	1,781.	2,997.	3,447.	4,481.
	36"	60"	283/8"	RCDQMR60362( )( )( )	1,716.	2,887.	3,321.	4,317.
	36"	72"	283/8"	RCDQMR72362( )( )( )	1,782.	3,000.	3,448.	4,483.
7	36"	84"	283/8"	RCDQMR84362( )( )( )	1,845.	3,106.	3,571.	4,642.
	36"	96"	283/8"	RCDQMR96362( )( )( )	1,901.	3,201.	3,681.	4,786.

#### **Order Code**

#### Example: RCDFMR60301 Reff R CD Classic Desk FMR Full Modesty Recessed HMR = Half ModestyRecessed QMR = Quarter Modesty Recessed Width 60 30 Depth 2 28³/8" high () Grommet Option Grommet Finish () () Fnish

#### **Specification Information**

To order please specify pattern number including:

- Grommet Option
   F=Flush or Standard Corner
   location
   N=No Grommet
   R=Recessed Grommet
- 2. Grommet Finish: Painted or Plated
- 3. Finish: L,V1,V2,V3

#### **Application Notes**

### It is Not advisable to mix 28 % "h desk height products with 26 % standard height products.

 $28\,\mbox{\%}''$  high desk will only work with  $28\,\mbox{\%}''$  high lower storage.

Product on this page, excluding any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Grommets are located 20" in form the sides and 3.5" in from the back.

Grommets ship separately in a kit.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Total height = 283/8"h to the underside of worksurface.

Worksurface is  $1\frac{1}{2}$ " thick. End panels are 2" thick.

Lower storage sold separately.

30" deep desk with recessed modesty will accept 19" and 23" deep pedestals.

 $36^{\prime\prime}$  deep desk with recessed modesty will accept  $19^{\prime\prime},23^{\prime\prime}$  and  $29^{\prime\prime}$  deep pedestals.

Classic desks with half recessed and quarter recessed modesty, accepts <u>NO</u> lower storage.

Classic Desks ship knocked down, with all hardware.

## Classic Desks, 28<sup>3</sup>/8" planning With Full Flush Modesty

description	d	W	h	pattern no.	L	V1	V2	V3
Classic Desk Full Modesty Flush 283/8"	30"	60"	283/8"	RCDFMF60302( )( )( )	\$1,750.	\$2,944.	\$3,386.	\$4,401.
	30"	72"	283/8"	RCDFMF72302()()()	1,837.	3,091.	3,554.	4,621.
•	30"	84"	283/8"	RCDFMF84302()()()	1,918.	3,228.	3,712.	4,826.
	30"	96"	283/8"	RCDFMF96302()()()	1,994.	3,356.	3,859.	5,016.
	36"	60"	283/8"	RCDFMF60362()()()	1,750.	2,944.	3,386.	4,401.
	36"	72"	283/8"	RCDFMF72362()()()	1,837.	3,091.	3,554.	4,621.
	36"	84"	283/8"	RCDFMF84362()()()	1,918.	3,228.	3,712.	4,826.
	36"	96"	283/8"	BCDEME96362( )( )( )	1 994	3 356	3 859	5.016

$\cap$	ᄱ	~"	od	_

Example:	RCDFMF60302
R	Reff
CD	Classic Desk
FMF	Full Modesty Flush
60	Width
30	Depth
2	28³/8" high
()	Grommet Option
()	Grommet Finish
()	Fnish

#### **Specification Information**

To order please specify pattern number including:

- Grommet Option
   F=Flush or Standard Corner
   location
   N=No Grommet
   R=Recessed Grommet
- Grommet Finish: Painted or Plated
- 3. Finish: L,V1,V2,V3

#### **Application Notes**

It is Not advisable to mix 28 % "h desk height products with 26 % standard height products.

 $28\,{}^3\!/\!{\rm s''}$  high desk will only work with  $28\,{}^3\!/\!{\rm s''}$  high lower storage.

Product on this page **Excluding any vertical surface over 60**", will accept wood grain laminate, where laminate is currently an option.

Grommets are located 20" in form the sides and 3.5" in from the back.

Grommets ship separately in a kit.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Total height = 28<sup>3</sup>/8"h to the underside of worksurface.

Worksurface is  $1\frac{1}{2}$ " thick. End panels are 2" thick.

Lower storage sold separately.

30" deep desk with flush modesty will accept up to 29" deep pedestals.

36" deep desk with flush modesty will accept up to 29" deep pedestals.

Classic Desks ship knocked down, with all hardware.

## Classic Credenza, 283/8" h Preconfigured, Type A, Box File Center Metal interiors

description	w	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas, Type HAH	78"	20"	283/8"	RCDHHAH11()()M()()()()()()()	\$4,960.	\$5,091.	\$5,151.	\$5,425.	\$5,894.	\$6,625.	\$8,818.
Hinge door / 223/8"h Box File / Hinge door	78"	24''	283/8"	RCDHHAH12()()M()()()()()()	5,158.	5,272.	5,339.	5,650.	6,562.	7,394.	9,671.
Cabinet	84"	20"	283/8"	RCDHHAH21()()M()()()()()()	5,004.	5,141.	5,205.	5,497.	6,105.	6,798.	9,066.
	84"	24"	283/8"	RCDHHAH22()()M()()()()()()	5,211.	5,332.	5,406.	5,736.	6,708.	7,559.	9,783.
/ &											



Hinge door / 223/8"h Box File / Waste Recycle

78"	20"	283/8"	RCDHHAW11()()M()()()()()()	5,384.	5,510.	5,568.	5,831.	6,171.	6,984.	9,094.
78"	24''	283/8"	RCDHHAW12()()M()()()()()()	5,574.	5,684.	5,749.	6,048.	6,801.	7,725.	9,914.
84"	20"	283/8"	RCDHHAW21()()M()()()()()()	5,426.	5,559.	5,620.	5,901.	6,369.	7,151.	9,333.
84"	24"	283/8"	RCDHHAW22( )( )M( )( )( )( )( )( )	5,625.	5,742.	5,813.	6,131.	6,938.	7,883.	10,021.



#### Order Code

#### Example: RCDHHAH11 ()()M ()()()()()()()R Reff С Credenza DH Desk height Н LH position; Hinged door pedestal, 283/8"h W=Waste Recycle pedestal Center position; BF Α pedestal, 223/8"h H RH position; Hinged door pedestal, 283/8"h W = Waste Recyclepedestal 78'' wide, 2 = 84'' wide 20'' deep, 2 = 24'' deep V316 Top finish Edge finish () V316 Cabinet Finish Metal Interior option M G Grommet option 111 Grommet finish Т Pull option 111 Pull finish Lock option L Lock finish В

#### Specification Information

To order please specify pattern number including:

- Top Finish: L, V1, V2, V3
   Edge finish: L, V1, V2, V3
   (Edge options are available on laminate tops only)
- laminate tops only.)
  3. Cabinet Finish: L, V1, V2, V3
  Note: V1/L=Veneer worksurface,
  Laminate case
- 4. Interior Option: M = Metal Interior
- M = Metal Interior
   Grommet Option:
   N = No grommet
   G = Grommet
- 6. Grommet Finish: Painted or Plated
  7. Pull option:

  B = No pull, No drilling customer's own pull
  C = C-Pull (Nickel finish only)
  D = D-Pull (Painted, PT or PZ only)
  F = Bar (1 pull/ Door set)
  H = Outline (1 pull / Door set)
  J = Routed J-pull
  R = Cylinder (1 pull / Door set)
  S = S-pull (Stainless steel only)
  T = Tab (1 pull / Door set)

  8. Pull finish: Painted or plated
- 9. Lock Option Doors: L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled
- 10. Lock finish: B = Black S = Matte silver

#### **Application Notes**

It is Not advisable to mix  $28 \, \% \, \%$  desk height products with  $26 \, \% \, \%$  standard height products.

Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock core.

File drawers do Not support bottom loading.

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 1 ½" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back.

Note: Full pedestal back will restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application Notes:

for Hinge door pedestals, see page 156.

for BF, see page 139. for Waste recycle pedestals, see page 156.

#### Classic Credenza, 283/8" h Preconfigured, Type A, Box File Center Metal interiors

description	w	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas, Type WAH		20"	283/8"	RCDHWAH11()()M()()()()()()()	\$5,384.	\$5,510.	\$5,568.	\$5,831.	\$6,171.	\$6,984.	\$9,094.
	78"	24''	283/8"	RCDHWAH12( )( )M( )( )( )( )( )( )	5,574.	5,684.	5,749.	6,048.	6,801.	7,725.	9,914.
Cabinet	84"	20"	283/8"	RCDHWAH21()()M()()()()()()	5,426.	5,559.	5,620.	5,901.	6,369.	7,151.	9,333.
	84"	24"	283/8"	RCDHWAH22()()M()()()()()()	5,625.	5,742.	5,813.	6,131.	6,938.	7,883.	10,021.

Ord	er	Coc	le
-----	----	-----	----

#### Example: RCDHHAH11 ()()M ()()()()()() R Reff С Credenza DH Desk height Н LH position; Hinged door pedestal, 283/8"h W=Waste Recycle pedestal Center position; BF Α pedestal, 223/8"h H RH position; Hinged door pedestal, 283/8"h W = Waste Recyclepedestal 78'' wide, 2 = 84'' wide 20'' deep, 2 = 24'' deep V316 Top finish Edge finish () V316 Cabinet Finish Metal Interior option M G Grommet option 111 Grommet finish Т Pull option 111 Pull finish Lock option L Lock finish В

#### **Specification Information**

To order please specify pattern number including:

- 1. Top Finish: L, V1, V2, V3 2. Edge finish: Ĺ, V1, V2, V3 (Edge options are available on
- laminate tops only.) Cabinet Finish: L, V1, V2, V3 Note: V1/L=Veneer worksurface, Laminate case
- 4. Interior Option: M = Metal Interior
- Grommet Option: N = No grommet G = Grommet
- 6. Grommet Finish: Painted or Plated Pull option: B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (Painted, PT or PZ F = Bar (1 pull/ Door set)H = Outline (1 pull / Door set) J = Routed J-pullR = Cylinder (1 pull / Door set)S = S-pull (Stainless steel only)
- T = Tab (1 pull / Door set)
  8. Pull finish: Painted or plated
- Lock Option Doors: L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled
- 10. Lock finish: B = BlackS = Matte silver

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page Excluding J-pull option and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom File drawers include bars for front to

back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back. Note: Full pedestal back will restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application

for Hinge door pedestals, see page

for BF, see page 139. for Waste recycle pedestals, see page 156. for replacement waste recycle bins,

#### Classic Credenza, 283/8" h Preconfigured, Type A, Box File Center Wood interiors

description	747	А	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
description	w	d	11	pattern no.	L/L	V 1/L	V 2/ L	V 5/L	V 1/ V 1	V 2/ V 2	V 3/ V 3
Classic Credenzas, Type HAH	78"	20"	283/8"	RCDHHAH11()()W()()()()()()	\$5,285.	\$5,347.	\$5,444.	\$5,702.	\$6,185.	\$6,954.	\$9,264.
Hinge door / 223/8"h Box File / Hinge door	78"	24''	283/8"	RCDHHAH12()()W()()()()()()	5,647.	5,761.	5,829.	6,139.	7,086.	7,983.	10,160.
	84"	20"	283/8"	RCDHHAH21()()W()()()()()()	5,483.	5,621.	5,684.	5,976.	6,720.	7,493.	9,785.
/ /	84"	24"	283/8"	RCDHHAH22( )( )W( )( )( )( )( )( )	5,718.	5,838.	5,912.	6,242.	7,614.	8,359.	10,289.
											-

Classic Credenzas, Type HAW

Hinge door / 223/8"h Box File / Waste Recycle Bir



	78"	20"	283/8"	RCDHHAW11()()W()()()()()()	5,697.	5,756.	5,850.	6,098.	6,445.	7,301.	9,522.
in	78"	24''	283/8"	RCDHHAW12( )( )W( )( )( )( )( )( )	6,044.	6,154.	6,220.	6,518.	7,294.	8,290.	10,384.
	84"	20"	283/8"	RCDHHAW21()()W()()()()()()	5,887.	6,020.	6,080.	6,361.	6,950.	7,820.	10,023.
	84"	24"	283/8"	RCDHHAW22( )( )W( )( )( )( )( )( )	6,113.	6,229.	6,300.	6,617.	7,792.	8,652.	10,508.

#### **Order Code**

#### Example: RCDHHAH11 ()()W ()()()()()()()R Reff С Credenza DH Desk height Н LH position; Hinged door pedestal, 283/8"h W = Waste Recycle pedestal Center position; BF Α pedestal, 223/8"h H RH position; Hinged door pedestal, 283/8"h W = Waste Recyclepedestal 78'' wide, 2 = 84'' wide 20'' deep, 2 = 24'' deepV316 Top finish Edge finish () V316 Cabinet Finish W Wood Interior option G Grommet option 111 Grommet finish Т Pull option 111 Pull finish Lock option L Lock finish В

#### **Specification Information**

To order please specify pattern number including:

- 1. Top Finish: L, V1, V2, V3 2. Edge finish: Ĺ, V1, V2, V3 (Edge options are available on
- laminate tops only.) Cabinet Finish: L, V1, V2, V3 Note: V1/L=Veneer worksurface, Laminate case
- 4. Interior Option: W = Wood Interior
- Grommet Option: N = No grommet G = Grommet
- 6. Grommet Finish: Painted or Plated Pull option: B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (Painted, PT or PZ F = Bar (1 pull/ Door set)H = Outline (1 pull / Door set) J = Routed J-pullR = Cylinder (1 pull / Door set)S = S-pull (Stainless steel only) T = Tab (1 pull / Door set)
  8. Pull finish: Painted or plated
- Lock Option Doors: L = Lock hole drilled

N = No lock drilling Pedestals with drawers always lock drilled

10. Lock finish: B = BlackS = Matte silver

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page excluding J pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back. Note: Full pedestal back will restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application

for Hinge door pedestals, see page

for BF with single front, see page

for Waste recycle pedestals see page

or replacement waste recycle bins, see Accessories, page416.

#### Classic Credenza, 283/8" h Preconfigured, Type A, Box File Center Wood interiors

description	w	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas, Type WAH	78"	20"	283/8"	RCDHWAH11()()W()()()()()()	\$5,697.	\$5,756.	\$5,850.	\$6,098.	\$6,445.	\$7,301.	\$9,522.
Waste Recycle bin / 223/8"h Box File / Hinge door	78"	24"	283/8"	RCDHWAH12( )( )W( )( )( )( )( )( )	6,044.	6,154.	6,220.	6,518.	7,294.	8,290.	10,384.
	84"	20"	283/8"	RCDHWAH21()()W()()()()()()	5,887.	6,020.	6,080.	6,361.	6,950.	7,820.	10,023.
	84"	24"	283/8"	RCDHWAH22()()W()()()()()()	6,113.	6,229.	6,300.	6,617.	7,792.	8,652.	10,508.

#### **Order Code** Example: RCDHHAH11 ()()W ()()()()()()()R Reff С Credenza DH Desk height Н LH position; Hinged door pedestal, 283/8"h W = Waste Recycle pedestal Center position; BF Α pedestal, 223/8"h H RH position; Hinged door pedestal, 283/8"h W = Waste Recyclepedestal 78'' wide, 2 = 84'' wide 20'' deep, 2 = 24'' deepV316 Top finish Edge finish () V316 Cabinet Finish W Wood Interior option G Grommet option 111 Grommet finish Т Pull option 111 Pull finish Lock option L Lock finish В

#### **Specification Information**

To order please specify pattern number including:

- 1. Top Finish: L, V1, V2, V3 2. Edge finish: Ĺ, V1, V2, V3 (Edge options are available on
- laminate tops only.) Cabinet Finish: L, V1, V2, V3 Note: V1/L=Veneer worksurface, Laminate case
- 4. Interior Option: W = Wood Interior
- Grommet Option: N = No grommet G = Grommet
- Plated
- 6. Grommet Finish: Painted or Pull option: B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (Painted, PT or PZ) F = Bar (1 pull/ Door set)H = Outline (1 pull / Door set) J = Routed J-pullR = Cylinder (1 pull / Door set)S = S-pull (Stainless steel only) T = Tab (1 pull / Door set)
  8. Pull finish: Painted or plated
- Lock Option Doors: L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled
- 10. Lock finish: B = BlackS = Matte silver

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page excluding J pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back. Note: Full pedestal back will restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application

for Hinge door pedestals, see page

for BF with single front, see page

for Waste recycle pedestals see page

or replacement waste recycle bins, see Accessories, page416.

#### Classic Credenza, 283/8" h Preconfigured, Type B, Box File with Single front center Metal interiors

description	W	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas, Type HBH	78"	20"	283/8"	RCDHHBH11()()M()()()()()()()	\$4,835.	\$4,966.	\$5,037.	\$5,300.	\$5,990.	\$6,727.	\$8,942.
Hinge door / 223/8"h Box File with single front/	78"	24''	283/8"	RCDHHBH12()()M()()()()()()()	5,011.	5,125.	5,027.	5,300.	5,990.	6,727.	8,942.
Hinge door	84"	20"	283/8"	RCDHHBH21()()M()()()()()()()	4,882.	5,019.	5,083.	5,375.	6,201.	6,901.	9,190.
	84"	24"	283/8"	RCDHHBH22()()M()()()()()()()	5,068.	5,190.	5,262.	5,593.	6,804.	7,663.	9,568.
/ / /											



Classic Credenzas, Type HBW Hinge door / 223/8"h Box File with single front/ Waste Recycle Pedestal

1100	010 1100 9 010 1 0	
	_	
/*		
LΙ		

78"	20"	$28^{3}/8''$	RCDHHBW11()()M()()()()()()	5,264.	5,390.	5,448.	5,711.	6,262.	7,084.	9,213.
78"	24''	283/8"	RCDHHBW12( )( )M( )( )( )( )( )( )	5,434.	5,543.	5,609.	5,907.	6,892.	7,825.	9,701.
84"	20"	283/8"	RCDHHBW21()()M()()()()()()	5,310.	5,442.	5,502.	5,783.	6,461.	7,251.	9,452.
84"	24''	283/8"	RCDHHBW22( )( )M( )( )( )( )( )( )	5,488.	5,605.	5,675.	5,993.	7,029.	7,983.	9,815.

#### Order Code

#### Example: RCDHHAH11 ()()M ()()()()()()()R Reff С Credenza DH Desk height Н LH position; Hinged door pedestal, or W =Waste Recycle pedestal: 28³/8″h Center position; BF with В common front pedestal, Н RH position; Hinged door pedestal, or W =Waste Recycle pedestal 78'' wide, 2 = 84'' wide 20'' deep, 2 = 24'' deepV316 Top finish () Edge finish V316 Cabinet Finish M Metal Interior option G Grommet option 111 Grommet finish т Pull option 111 Pull finish L Lock option В Lock finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Top Finish: L, V1, V2, V3 2. Edge finish: Ĺ, V1, V2, V3 (Edge options are available on
- laminate tops only.) Cabinet Finish: L, V1, V2, V3 Note: V1/L=Veneer worksurface, Laminate case
- 4. Interior Option: M = Metal Interior
- Grommet Option: N = No grommet G = Grommet
- 6. Grommet Finish: Painted or Plated
- Pull option: B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (Painted, PT or PZ F = Bar (1 pull/ Door set)H = Outline (1 pull / Door set) J = Routed J-pullR = Cylinder (1 pull / Door set)S = S-pull (Stainless steel only) T = Tab (1 pull / Door set)
  8. Pull finish: Painted or plated
- Lock Option Doors: L = Lock hole drilled N = No lock drilling

Pedestals with drawers always lock drilled

10. Lock finish: B = BlackS = Matte silver

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page excluding J Pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back. Note: Full pedestal back will restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application

for Hinge door pedestals, see page

for BF with common front, see page

for Waste recycle pedestals, see page 156.

## Classic Credenza, 28<sup>3</sup>/8" h Preconfigured, Type B, Box File with Single front center Metal interiors

description	w	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas, Type WBH		20"	283/8"	RCDHWBH11()()M()()()()()()()	\$5,264.	\$5,390.	\$5,448.	\$5,711.	\$6,262.	\$7,084.	\$9,213.
Waste Recycle pedestal / 223/8"h Box File with	78"	24"	283/8"	RCDHWBH12( )( )M( )( )( )( )( )( )	5,434.	5,543.	5,609.	5,907.	6,892.	7,825.	9,701.
single front/ Hinge door	84"	20"	283/8"	RCDHWBH21( )( )M( )( )( )( )( )( )	5,310.	5,442.	5,502.	5,783.	6,461.	7,251.	9,452.
<i>^</i>	84"	24"	283/8"	RCDHWBH22( )( )M( )( )( )( )( )( )	5,488.	5,605.	5,675.	5,993.	7,029.	7,983.	9,815.



		_	
Ord	er (	Co	de

#### Example: RCDHHAH11 ()()M ()()()()()() R Reff c Credenza DH Desk height Н LH position; Hinged door pedestal, or W =Waste Recycle pedestal: 28³/8″h В Center position; BF with common front pedestal, Н RH position; Hinged door pedestal, or W =Waste Recycle pedestal 78'' wide, 2 = 84'' wide 20'' deep, 2 = 24'' deepV316 Top finish () Edge finish V316 Cabinet Finish M Metal Interior option G Grommet option 111 Grommet finish т Pull option 111 Pull finish L Lock option В Lock finish

#### **Specification Information**

#### To order please specify pattern number including:

- Top Finish: L, V1, V2, V3
   Edge finish: L, V1, V2, V3
   (Edge options are available on laminate tops only)
- laminate tops only.)
  3. Cabinet Finish: L, V1, V2, V3
  Note: V1/L=Veneer worksurface,
  Laminate case
- 4. Interior Option: M = Metal Interior
- 5. Grommet Option: N = No grommet G = Grommet
- 6. Grommet Finish: Painted or Plated
- Plated
  7. Pull option:
  B = No pull, No drilling
  customer's own pull
  C = C-Pull (Nickel finish only)
  D = D-Pull (Painted, PT or PZ
  only)
  F = Bar (1 pull/ Door set)
  H = Outline (1 pull / Door set)
  J = Routed J-pull
  R = Cylinder (1 pull / Door set)
  S = S-pull (Stainless steel only)
  T = Tab (1 pull / Door set)
  8. Pull finish: Painted or plated
- Pull finish: Painted or plated
   Lock Option Doors:
   L = Lock hole drilled

L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled

10. Lock finish: B = Black S = Matte silver

#### **Application Notes**

### It is Not advisable to mix 28 1/8"h desk height products with 26 1/2" standard height products.

Product on this page excluding J Pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock core.

File drawers do Not support bottom loading.

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 1 ½" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back.

Note: Full pedestal back will restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application Notes:

for Hinge door pedestals, see page

for BF with common front, see page

for Waste recycle pedestals, see page 156.

#### Classic Credenza, 283/8" h Preconfigured, Type B, Box File with Single front center Wood interiors

description	w	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas, Type HBH	78"	20"	283/8"	RCDHHBH11()()W()()()()()()	\$5,301.	\$5,400.	\$5,491.	\$5,754.	\$6,281.	\$7,057.	\$9,320.
Hinge door / 22 3/8"h Box File with single front/	78"	24"	283/8"	RCDHHBH12()()W()()()()()()	5,501.	5,616.	5,685.	5,994.	7,181.	8,085.	9,939.
Hinge door	84"	20"	283/8"	RCDHHBH21()()W()()()()()()	5,362.	5,499.	5,563.	5,855.	6,816.	7,596.	9,684.
	84"	24"	283/8"	RCDHHBH22()()W()()()()()()	5,575.	5,697.	5,771.	6,101.	7,639.	8,206.	10,076.
/ &											



Classic Credenzas, Type HBW Hinge door / 223/8"h Box File with single front/

Waste Recycle Pedestal

78"	20"	283/8"	RCDHHBW11()()W()()()()()()	5,712.	5,807.	5,895.	6,148.	6,536.	7,401.	9,577.
78"	24''	283/8"	RCDHHBW12( )( )W( )( )( )( )( )( )	5,905.	6,015.	6,081.	6,379.	7,385.	8,390.	10,172.
84''	20"	283/8"	RCDHHBW21( )( )W( )( )( )( )( )( )	5,771.	5,903.	5,963.	6,244.	7,041.	7,919.	9,927.
84"	24"	283/8"	RCDHHBW22( )( )W( )( )( )( )( )( )	5,976.	6,093.	6,163.	6,481.	7,817.	8,505.	10,303.

#### Order Code

#### Example: RCDHHAH11 ()()W ()()()()()()()R Reff С Credenza DH Desk height Н LH position; Hinged door pedestal, or W= Waste Recycle pedestal; 28³/8″h Center position; BF with В common front pedestal, Н RH position; Hinged door pedestal, or W =Waste Recycle pedestal 78'' wide, 2 = 84'' wide 20'' deep, 2 = 24'' deepV316 Top finish () Edge finish V316 Cabinet Finish w Wood Interior option G Grommet option 111 Grommet finish т Pull option 111 Pull finish L Lock option В Lock finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Top Finish: L, V1, V2, V3 2. Edge finish: Ĺ, V1, V2, V3 (Edge options are available on
- laminate tops only.) Cabinet Finish: L, V1, V2, V3 Note: V1/L=Veneer worksurface, Laminate case
- 4. Interior Option: W = Wood Interior
- Grommet Option: N = No grommet G = Grommet
- 6. Grommet Finish: Painted or
- Plated Pull option: B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (Painted, PT or PZ F = Bar (1 pull/ Door set)H = Outline (1 pull / Door set) J = Routed J-pullR = Cylinder (1 pull / Door set)S = S-pull (Stainless steel only) T = Tab (1 pull / Door set)8. Pull finish: Painted or plated
- Lock Option Doors: L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled
- 10. Lock finish: B = BlackS = Matte silver

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page excluding J Pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom File drawers include bars for front to

back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back. Note: Full pedestal back will restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application

for Hinge door pedestals, see page

for BF with single front, see page

for Waste recycle pedestals see page

or replacement waste recycle bins, see Accessories, page 416.

#### Classic Credenza, 283/8" h Preconfigured, Type B, Box File with Single front center Wood interiors

description	w	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas, Type WBH		20"	283/8"	RCDHWBH11()()W()()()()()()()	\$5,712.	\$5,807.	\$5,895.	\$6,148.	\$6,536.	\$7,401.	\$9,577.
Waste Recycle pedestal / 22 3/8"h Box File with	78"	24''	283/8"	RCDHWBH12( )( )W( )( )( )( )( )( )	5,905.	6,015.	6,081.	6,379.	7,385.	8,390.	10,172.
single front/ Hinge door	84"	20"	283/8"	RCDHWBH21()()W()()()()()()()	5,771.	5,903.	5,963.	6,244.	7,041.	7,919.	9,927.
	84"	24"	283/8"	RCDHWBH22()()W()()()()()()()	5,976.	6,093.	6,163.	6,481.	7,817.	8,505.	10,303.

#### **Order Code**

#### Example: RCDHHAH11 ()()W ()()()()()()()R Reff С Credenza DH Desk height Н LH position; Hinged door pedestal, or W=Waste Recycle pedestal; 28³/8″h Center position; BF with В common front pedestal, Н RH position; Hinged door pedestal, or W =Waste Recycle pedestal 78'' wide, 2 = 84'' wide 20'' deep, 2 = 24'' deepV316 Top finish () Edge finish V316 Cabinet Finish W Wood Interior option G Grommet option 111 Grommet finish т Pull option 111 Pull finish L Lock option В Lock finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Top Finish: L, V1, V2, V3 2. Edge finish: Ĺ, V1, V2, V3 (Edge options are available on
- laminate tops only.) Cabinet Finish: L, V1, V2, V3 Note: V1/L=Veneer worksurface, Laminate case
- 4. Interior Option: W = Wood Interior
- Grommet Option: N = No grommet G = Grommet
- 6. Grommet Finish: Painted or Plated
- Pull option: B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (Painted, PT or PZ F = Bar (1 pull/ Door set)H = Outline (1 pull / Door set) J = Routed J-pullR = Cylinder (1 pull / Door set)S = S-pull (Stainless steel only) T = Tab (1 pull / Door set)
  8. Pull finish: Painted or plated
- Lock Option Doors: L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled
- 10. Lock finish: B = BlackS = Matte silver

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page excluding J Pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom File drawers include bars for front to

back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back. Note: Full pedestal back will restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application

for Hinge door pedestals, see page

for BF with single front, see page

for Waste recycle pedestals see page

or replacement waste recycle bins, see Accessories, page 416.

## Classic Credenza, 28<sup>3</sup>/8" h Preconfigured, Type C, Box Box Box Center Metal interiors

description		w	d	h	pattern no.	Top/Case L/L	V1/L	V3/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Creder	zas, Type HCH	78"	20"	283/8"	RCDHHCH11()()M()()()()()()	\$5,363.	\$5,425.	\$5,522.	\$5,780.	\$6,209.	\$6,970.	\$9,272.
Hinge door / 22	2³/8″h Box Box Box / Hinge door	78"	24"	283/8"	RCDHHCH12()()M()()()()()()	5,787.	5,858.	5,971.	6,263.	6,881.	7,741.	10,324.
<i>^</i>	>	84"	20"	283/8"	RCDHHCH21()()M()()()()()()	5,521.	5,593.	5,693.	5,964.	6,435.	7,164.	9,552.
		84"	24"	283/8"	RCDHHCH22( )( )M( )( )( )( )( )( )	5,925.	6,002.	6,115.	6,420.	7,040.	7,925.	10,594.

Classic Credenzas, Type HCW Hinge door / 223/8"h Box Box Box / Waste Recycle pedestal



78"	20"	283/8"	RCDHHCW11( )( )M( )( )( )( )( )( )	5,772.	5,831.	5,925.	6,173.	6,469.	7,316.	9,530.
78"	24''	283/8"	RCDHHCW12()()M()()()()()()	6,180.	6,247.	6,356.	6,637.	7,101.	8,059.	10,542.
84"	20"	283/8"	RCDHHCW21()()M()()()()()()	5,923.	5,993.	6,089.	6,350.	6,681.	7,503.	9,800.
84"	24"	283/8"	RCDHHCW22( )( )M( )( )( )( )( )( )	6,312.	6,387.	6,495.	6,788.	7,251.	8,236.	10,801.

#### Order Code

#### Example: RCDHHAH11 ()()M ()()()()()()()R Reff С Credenza DH Desk height Н LH position; Hinged door pedestal, 283/8"h W = Waste Recycle pedestal 283/8"h C BBB pedestal, 223/8"h Н RH position; Hinged door pedestal, 283/8"h W = Waste Recycle pedestal 283/8"h 78'' wide, 2 = 84'' wide 1 20'' deep, 2 = 24'' deepV316 Top finish Edge finish () V316 Cabinet Finish M Metal Interior option G Grommet option 111 Grommet finish T Pull option 111 Pull finish Lock option В Lock finish

#### Specification Information

To order please specify pattern number including:

- Top Finish: L, V1, V2, V3
   Edge finish: L, V1, V2, V3
   (Edge options are available on laminate tops only)
- laminate tops only.)
  3. Cabinet Finish: L, V1, V2, V3
  Note: V1/L=Veneer worksurface,
  Laminate case
- 4. Interior Option: M = Metal Interior
- 5. Grommet Option: N = No grommet G = Grommet
- 6. Grommet Finish: Painted or Plated
  7. Pull option:
  B = No pull, No drilling customer's own pull
  C = C-Pull (Nickel finish only)
  D = D-Pull (Painted, PT or PZ only)
  F = Bar (1 pull/ Door set)
  H = Outline (1 pull / Door set)
  J = Routed J-pull
  R = Cylinder (1 pull / Door set)
  S = S-pull (Stainless steel only)
  T = Tab (1 pull / Door set)
  8. Pull finish: Painted or plated
- 9. Lock Option Doors: L = Lock hole drilled N = No lock drilling Pedestals with drawers always
- lock drilled 10. Lock finish: B = Black S = Matte silver

#### **Application Notes**

It is Not advisable to mix  $28 \, \% \, \%$  desk height products with  $26 \, \% \, \%$  standard height products.

Product on this page excluding J Pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock core.

File drawers do Not support bottom loading.

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 1 ½" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back.

Note: Full pedestal back will restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application Notes:

for Hinge door pedestals, see page 156

for BBB, see page 139. for Waste recycle pedestals, see page 156.

#### Classic Credenza, 283/8" h Preconfigured, Type C, Box Box Box Center Metal interiors

description	w	d	h	pattern no.	Top/Case L/L	V1/L	V3/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas, Type WCH	78"	20"	283/8"	RCDHWCH11()()M()()()()()()	\$5,772.	\$5,831.	\$5,925.	\$6,173.	\$6,469.	\$7,316.	\$9,530.
	78"	24''	283/8"	RCDHWCH12()()M()()()()()()	6,180.	6,247.	6,356.	6,637.	7,101.	8,059.	10,542.
Hinge door	84"	20"	283/8"	RCDHWCH21()()M()()()()()()()	5,923.	5,993.	6,089.	6,350.	6,681.	7,503.	9,800.
•	84"	24"	283/8"	RCDHWCH22( )( )M( )( )( )( )( )( )	6,312.	6,387.	6,495.	6,788.	7,251.	8,236.	10,801.
<b>^*</b>	04	24	2678	RCDHWCH22( )( )M( )( )( )( )( )( )( )	0,312.	0,587.	0,495.	0,700.	1,251.	8,250.	10,801.

Ord	er	Coc	le
-----	----	-----	----

#### Example: RCDHHAH11 ()()M ()()()()()() R Reff С Credenza DH Desk height Н LH position; Hinged door pedestal, 283/8"h W = Waste Recycle pedestal 283/8"h C BBB pedestal, 223/8"h Н RH position; Hinged door pedestal, 283/8"h W = Waste Recycle pedestal 283/8"h 78'' wide, 2 = 84'' wide 1 20'' deep, 2 = 24'' deepV316 Top finish Edge finish () V316 Cabinet Finish M Metal Interior option G Grommet option 111 Grommet finish T Pull option 111 Pull finish Lock option В Lock finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Top Finish: L, V1, V2, V3 2. Edge finish: Ĺ, V1, V2, V3 (Edge options are available on
- laminate tops only.) Cabinet Finish: L, V1, V2, V3 Note: V1/L=Veneer worksurface, Laminate case
- 4. Interior Option: M = Metal Interior
- Grommet Option: N = No grommet G = Grommet
- 6. Grommet Finish: Painted or Plated
- Pull option: B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (Painted, PT or PZ F = Bar (1 pull/ Door set)H = Outline (1 pull / Door set) J = Routed J-pullR = Cylinder (1 pull / Door set)S = S-pull (Stainless steel only) T = Tab (1 pull / Door set)
  8. Pull finish: Painted or plated
- Lock Option Doors: L = Lock hole drilled

N = No lock drilling Pedestals with drawers always lock drilled

10. Lock finish: B = BlackS = Matte silver

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page excluding J Pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom loading.

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back. Note: Full pedestal back will restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application

for Hinge door pedestals, see page

for BBB, see page 139. for Waste recycle pedestals, see page 156.

## Classic Credenza, 283/8" h Preconfigured, Type C, Box Box Box Center Wood interiors

description	w	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas, Type HCH		20"	283/8"	RCDHHCH11()()W()()()()()()	\$5,759.	\$5,821.	\$5,918.	\$6,177.	\$6,660.	\$7,473.	\$9,940.
Hinge door / $22$ $^{3}$ /8"h BBB / Hinge door pedestal	78"	24''	283/8"	RCDHHCH12()()W()()()()()()	6,476.	6,547.	6,659.	6,952.	7,657.	8,605.	11,470.
	84"	20"	283/8"	RCDHHCH21()()W()()()()()()	6,280.	6,352.	6,451.	6,723.	7,300.	8,132.	10,839.
	84"	24"	283/8"	RCDHHCH22()()W()()()()()()	7,038.	7,116.	7,228.	7,533.	8,306.	9,334.	12,471.

Classic Credenzas, Type HCW Hinge door / 223/8"h Box Box Box / Waste Recycle pedestal



78"	20"	283/8"	RCDHHCW11()()W()()()()()()	6,153.	6,213.	6,306.	6,554.	6,894.	7,801.	10,173.
78"	24"	283/8"	RCDHHCW12( )( )W( )( )( )( )( )( )	6,842.	6,910.	7,018.	7,299.	7,833.	8,889.	11,644.
84"	20"	283/8"	RCDHHCW21()()W()()()()()()	6,653.	6,723.	6,818.	7,080.	7,496.	8,435.	11,037.
84"	24"	283/8"	RCDHHCW22( )( )W( )( )( )( )( )( )	7.382.	7.457.	7.566.	7.858.	8.444.	9,590.	12.606.

#### Order Code

#### Example: RCDHHAH11 ()()W ()()()()()()()R Reff С Credenza DH Desk height Н LH position; Hinged door pedestal, 283/8"h W = Waste Recycle pedestal 283/8"h BBB pedestal, 223/8"h C Н RH position; Hinged door pedestal, 283/8"h W = Waste Recycle pedestal 283/8"h 78'' wide, 2 = 84'' wide 1 20'' deep, 2 = 24'' deepV316 Top finish Edge finish () V316 Cabinet Finish W Wood Interior option G Grommet option 111 Grommet finish T Pull option 111 Pull finish Lock option В Lock finish

#### **Specification Information**

To order please specify pattern number including:

- Top Finish: L, V1, V2, V3
   Edge finish: L, V1, V2, V3
   (Edge options are available on laminate tops only)
- laminate tops only.)
  3. Cabinet Finish: L, V1, V2, V3
  Note: V1/L=Veneer worksurface,
  Laminate case
- 4. Interior Option: W = Wood Interior
- w = wood interior

  5. Grommet Option:
  N = No grommet
  G = Grommet
- G = Grommet
  G = Grommet Finish: Painted or Plated
  7. Pull option:
  B = No pull, No drilling customer's own pull
  C = C-Pull (Nickel finish only)
  D = D-Pull (Painted, PT or PZ only)
  F = Bar (1 pull/ Door set)
  H = Outline (1 pull / Door set)
  J = Routed J-pull
  R = Cylinder (1 pull / Door set)
  S = S-pull (Stainless steel only)
  T = Tab (1 pull / Door set)
  8. Pull finish: Painted or plated
- 9. Lock Option Doors: L = Lock hole drilled

N = No lock drilling Pedestals with drawers always lock drilled

10. Lock finish: B = Black S = Matte silver

#### **Application Notes**

It is Not advisable to mix  $28 \, \% \, \%$  desk height products with  $26 \, \% \, \%$  standard height products.

Product on this page excluding J pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock core.

File drawers do Not support bottom loading. File drawers include bars for front to

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 1 ½" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back.

Note: Full pedestal back will restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application Notes:

for Hinge door pedestals, see page 156.

for BBB, see page 141. for Waste recycle pedestals see page 103.

or replacement waste recycle bins, see Accessories, page 416.

#### Classic Credenza, 283/8" h Preconfigured, Type C, Box Box Box Center Wood interiors

description	w	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas, Type WCH	78"	20"	283/8"	RCDHWCH11()()W()()()()()()()	\$6,153.	\$6,213.	\$6,306.	\$6,554.	\$6,894.	\$7,801.	\$10,173.
Waste Recycle pedestal / 223/8"h Box Box Box /	78"	24"	283/8"	RCDHWCH12()()W()()()()()()	6,842.	6,910.	7,018.	7,299.	7,833.	8,889.	11,644.
Hinge door	84"	20"	283/8"	RCDHWCH21()()W()()()()()()()	6,653.	6,723.	6,818.	7,080.	7,496.	8,435.	11,037.
<i>^</i>	84"	24"	283/8"	RCDHWCH22()()W()()()()()()	7,382.	7,457.	7,566.	7,858.	8,444.	9,590.	12,606.

Ord	ler	Co	de
-----	-----	----	----

#### Example: RCDHHAH11 ()()W ()()()()()() R Reff С Credenza DH Desk height Н LH position; Hinged door pedestal, 283/8"h W = Waste Recycle pedestal 283/8"h C BBB pedestal, 223/8"h Н RH position; Hinged door pedestal, 283/8"h W = Waste Recycle pedestal 283/8"h 78'' wide, 2 = 84'' wide 1 20'' deep, 2 = 24'' deepV316 Top finish Edge finish () V316 Cabinet Finish w Wood Interior option G Grommet option 111 Grommet finish T Pull option 111 Pull finish Lock option В Lock finish

#### **Specification Information**

To order please specify pattern number including:

- 1. Top Finish: L, V1, V2, V3 2. Edge finish: Ĺ, V1, V2, V3 (Edge options are available on
- laminate tops only.) Cabinet Finish: L, V1, V2, V3 Note: V1/L=Veneer worksurface, Laminate case
- 4. Interior Option: W = Wood Interior
- Grommet Option: N = No grommet G = Grommet
- 6. Grommet Finish: Painted or Plated
- Pull option: B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (Painted, PT or PZ F = Bar (1 pull/ Door set)H = Outline (1 pull / Door set) J = Routed J-pullR = Cylinder (1 pull / Door set)S = S-pull (Stainless steel only) T = Tab (1 pull / Door set)
  8. Pull finish: Painted or plated
- Lock Option Doors:
- L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled
- 10. Lock finish: B = BlackS = Matte silver

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page excluding J pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom loading.

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back. Note: Full pedestal back will restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application

for Hinge door pedestals, see page 156.

for BBB, see page 141. for Waste recycle pedestals see page

or replacement waste recycle bins, see Accessories, page 416.

#### Classic Credenza, 343/8" h Preconfigured Service Height, Type A, Box Box File Center Metal interiors

description	w	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas - Service Height,	78"	20"	343/8"	RCSHHAH11()()M()()()()()()()	\$5,521.	\$6,220.	\$6,671.	\$8,187.	\$6,517.	\$7,260.	\$9,668.
Type HAH; Hinge door / 283/8"h Box Box	78"	24''	343/8"	RCSHHAH12()()M()()()()()()()	5,960.	6,856.	7,456.	9,210.	7,167.	8,077.	10,783.
File/Hinge door	84"	20"	343/8"	RCSHHAH21()()M()()()()()()()	5,681.	6,393.	6,843.	8,372.	6,704.	7,470.	9,965.
/• >	84"	24"	343/8"	RCSHHAH22()()M()()()()()()	6,106.	7,012.	7,609.	9,374.	7,341.	8,274.	11,063.
/ //											

Classic Credenzas, Type HAW Hinge door / 283/8"h Box Box File/Waste Recycle



	78"	20"	$34^{3}/8''$	RCSHHAW11()()M()()()()()()	6,172.	6,660.	6,883.	7,814.	7,181.	7,912.	10,319.
9	78"	24''	$34^{3}/8''$	RCSHHAW12( )( )M( )( )( )( )( )( )	6,611.	7,207.	7,507.	8,573.	7,830.	8,727.	11,434.
	84"	20"	$34^{3}/8''$	RCSHHAW21( )( )M( )( )( )( )( )( )	6,331.	6,835.	7,056.	7,999.	7,369.	8,122.	10,616.
	84"	24"	343/8"	RCSHHAW22( )( )M( )( )( )( )( )( )	6,757.	7,363.	7,660.	8,737.	8,004.	8,924.	11,714.

#### **Order Code**

#### Example: RCSHHAH11 ()()M ()()()()()()R Reff С Credenza SH Service height Н LH position; Hinged

door pedestal, 343/8"h

78'' wide, 2 = 84'' wide

20'' deep, 2 = 24'' deep

W=Waste Recycle

Ā Center position; BFF pedestal, 283/8"h Н RH position; Hinged door pedestal, or W = waste recycle cabinet

pedestal

Top finish
Edge finish
Cabinet Finish
Metal Interior option
Grommet option
Grommet finish

Pull option

Pull finish

Lock option

Lock finish

Т

L

В

111

10. Lock finish: B = BlackS = Matte silver

#### **Specification Information**

To order please specify pattern number including:

- Top Finish: L, V1, V2, V3 Edge finish: L, V1, V2, V3 (Edge options are available on
- laminate tops only.)
  3. Cabinet Finish: L, V1, V2, V3
- Interior Option: M = Metal Interior
- Grommet Option: N = No grommet G = Grommet

Pull option:

- 6. Grommet Finish: Painted or Plated
- B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (Painted, PT or PZ F = Bar (1 pull/ Door set)H = Outline (1 pull / Door set) J = Routed J-pull
- R = Cylinder (1 pull / Door set)S = S-pull (Stainless steel only) T = Tab (1 pull / Door set)
  8. Pull finish: Painted or plated
- Lock Option Doors:
- L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page excluding J pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back. Note: Full pedestal back will restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application

for Hinge door pedestal 343/8"h, see page 158 for Open pedestals; 283/8"h, see page 148.

for Waste recycle pedestals; 343/8"h,

see page 158. for replacement waste recycle bins,

#### Classic Credenza, 343/8" h Preconfigured Service Height, Type A, Box Box File Center Metal interiors

description	w	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas, Type WAH				RCSHWAH11()()M()()()()()()()		\$6,660.	\$6,883.	\$7,814.	\$7,181.	\$7,912.	\$10,319.
Waste Recycle bin / 283/8"h Box Box File/ Hinge	78"	24''	$34^{3}/8''$	RCSHWAH12( )( )M( )( )( )( )( )( )	6,611.	7,207.	7,507.	8,573.	7,830.	8,727.	11,434.
door	84"	20"	343/8"	RCSHWAH21( )( )M( )( )( )( )( )( )	6,331.	6,835.	7,056.	7,999.	7,369.	8,122.	10,616.
<i>→</i>	84"	24"	343/8"	RCSHWAH22()()M()()()()()()	6,757.	7,363.	7,660.	8,737.	8,004.	8,924.	11,714.



Order	Code
-------	------

R

С

Н

Ā

Н

1

()

M

G

Т

L

В

111

111

V316

V316

SH

Example: RCSHHAH11 ()()M

Credenza

pedestal

343/8"h

Top finish

Edge finish

Cabinet Finish

Grommet option

Grommet finish

Pull option

Pull finish

Lock option

Lock finish

Metal Interior option

Reff

()()()()()()

Service height

LH position; Hinged

door pedestal, 343/8"h

Center position; BFF

RH position; Hinged

door pedestal, or W =

waste recycle cabinet

78'' wide, 2 = 84'' wide

20'' deep, 2 = 24'' deep

pedestal, 283/8"h

W=Waste Recycle

#### To order please specify pattern

#### number including:

**Specification Information** 

- Top Finish: L, V1, V2, V3 Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
  3. Cabinet Finish: L, V1, V2, V3
- Interior Option: M = Metal Interior
- Grommet Option: N = No grommet G = Grommet
- 6. Grommet Finish: Painted or Plated
- Pull option: B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (Painted, PT or PZ) F = Bar (1 pull/ Door set)H = Outline (1 pull / Door set) J = Routed J-pullR = Cylinder (1 pull / Door set)
- S = S-pull (Stainless steel only) T = Tab (1 pull / Door set)
  Pull finish: Painted or plated
- Lock Option Doors: L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled
- 10. Lock finish: B = BlackS = Matte silver

#### **Application Notes**

#### It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page excluding J pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back. Note: Full pedestal back will

Pencil trays are not included.

restrict ventilation.

For further details on individual pedestals, refer to Application

for Hinge door pedestal 343/8"h, see page 158 for Open pedestals; 28\%"h, see page 148.

for Waste recycle pedestals; 343/8"h,

see page 158. for replacement waste recycle bins, see page 416.

#### Classic Credenza, 343/8" h Preconfigured Service Height, Type A, Box Box File Center Wood interiors

description	w	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas - Service Height,	78"	20"	343/8"	RCSHHAH11()()W()()()()()()	\$5,769.	\$6,777.	\$7,549.	\$9,953.	\$6,806.	\$7,592.	\$10,117.
Type HAH; Hinge door / 283/8"h Box Box	78"	24''	$34^{3}/8''$	RCSHHAH12()()W()()()()()()	6,452.	7,716.	8,681.	11,474.	7,747.	8,728.	11,659.
File/Hinge door	84"	20"	343/8"	RCSHHAH21()()W()()()()()()	6,269.	7,369.	8,213.	10,839.	7,391.	8,253.	11,020.
	84"	24"	343/8"	RCSHHAH22()()W()()()()()()	6,996.	8,363.	9,407.	12,451.	8,399.	9,462.	12,664.



Classic Credenzas, Type HAW Hinge door / 283/8"h Box Box File/Waste Recycle

Bin	

	78"	20"	$34^{3}/8''$	RCSHHAW11()()W()()()()()()	6,420.	7,217.	7,761.	9,580.	7,470.	8,243.	10,768.
е	78"	24''	$34^{3}/8''$	RCSHHAW12( )( )W( )( )( )( )( )( )	7,102.	8,067.	8,733.	10,837.	8,411.	9,379.	12,310.
	84"	20"	$34^{3}/8''$	RCSHHAW21( )( )W( )( )( )( )( )( )	6,920.	7,808.	8,427.	10,466.	8,055.	8,905.	11,671.
	84"	24"	343/8"	' RCSHHAW22( )( )W( )( )( )( )( )( )	7,645.	8,714.	9,460.	11,814.	9,061.	10,113.	13,315.

#### **Order Code**

#### Example: RCSHHAH11 ()()W ()()()()()()R Reff С Credenza SH Service height Н LH position; Hinged door pedestal, 343/8"h W=Waste Recycle pedestal Ā Center position; BFF pedestal, 283/8"h Н RH position; Hinged door pedestal, or W = waste recycle cabinet 343/8"h 78'' wide, 2 = 84'' wide 1 20'' deep, 2 = 24'' deep V316 Top finish Edge finish () V316 Cabinet Finish w Wood Interior option G Grommet option 111 Grommet finish Т Pull option 111 Pull finish L Lock option В Lock finish

#### **Specification Information**

To order please specify pattern number including:

- Top Finish: L, V1, V2, V3 Edge finish: L, V1, V2, V3
- (Edge options are available on laminate tops only.)
  3. Cabinet Finish: L, V1, V2, V3
- Interior Option: W = Wood Interior
- Grommet Option: N = No grommet G = Grommet

Pull option:

- 6. Grommet Finish: Painted or Plated
- B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (Painted, PT or PZ F = Bar (1 pull/ Door set)H = Outline (1 pull / Door set) J = Routed J-pullR = Cylinder (1 pull / Door set)
- S = S-pull (Stainless steel only) T = Tab (1 pull / Door set)
- Pull finish: Painted or plated Lock Option Doors: L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled
- 10. Lock finish: B = BlackS = Matte silver

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page excluding J pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back. Note: Full pedestal back will

restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application Notes:

for Hinge door pedestal 343/8"h, see page 158 for BBF; 283/8"h, see page 151. for Waste recycle pedestals; 343/8"h, see page 158. for replacement waste recycle bins,

#### Classic Credenza, 343/8" h Preconfigured Service Height, Type A, Box Box File Center Wood interiors

description	w	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas, Type WAH				RCSHWAH11()()W()()()()()()()		\$7,217.	\$7,761.	\$9,580.	\$7,470.	\$8,243.	\$10,768.
Waste Recycle bin / 283/8"h Box Box File/ Hinge	78"	24''	$34^{3}/8''$	RCSHWAH12()()W()()()()()()()	7,102.	8,067.	8,733.	10,837.	8,411.	9,379.	12,310.
door	84"	20"	34 3/8"	RCSHWAH21()()W()()()()()()()	6,920.	7,808.	8,427.	10,466.	8,055.	8,905.	11,671.
	84"	24"	34 3/8"	RCSHWAH22()()W()()()()()()()	7,645.	8,714.	9,460.	11,814.	9,061.	10,113.	13,315.



Order (	Code
---------	------

R

С

Н

Ā

Н

1

()

w

G

Т

L

В

111

111

V316

V316

SH

Example: RCSHHAH11 ()()W

Credenza

pedestal

343/8"h

Top finish

Edge finish

Cabinet Finish

Grommet option

Grommet finish

Pull option

Pull finish

Lock option

Lock finish

Wood Interior option

Reff

()()()()()()

Service height

LH position; Hinged

door pedestal, 343/8"h

Center position; BFF

RH position; Hinged

door pedestal, or W =

waste recycle cabinet

78'' wide, 2 = 84'' wide

20'' deep, 2 = 24'' deep

pedestal, 283/8"h

W=Waste Recycle

#### **Specification Information**

#### To order please specify pattern number including:

- Top Finish: L, V1, V2, V3 Edge finish: L, V1, V2, V3
- (Edge options are available on laminate tops only.)
  3. Cabinet Finish: L, V1, V2, V3
- Interior Option: W = Wood Interior
- Grommet Option: N = No grommet G = Grommet

Pull option:

- 6. Grommet Finish: Painted or Plated
- B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (Painted, PT or PZ) F = Bar (1 pull/ Door set)H = Outline (1 pull / Door set) J = Routed J-pull
- R = Cylinder (1 pull / Door set)S = S-pull (Stainless steel only) T = Tab (1 pull / Door set)
  Pull finish: Painted or plated
- Lock Option Doors: L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled
- 10. Lock finish: B = BlackS = Matte silver

#### **Application Notes**

#### It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page excluding J pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back. Note: Full pedestal back will

restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application Notes:

for Hinge door pedestal 343/8"h, see page 158 for BBF; 28<sup>3</sup>/8"h, see page 151. for Waste recycle pedestals; 343/8"h, see page 158.

#### Classic Credenza, 343/8" h Preconfigured Service Height, Type B, File File Center Metal interiors

description	w	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas - Service Height,	78"	20"	343/8"	RCSHHBH11()()M()()()()()()	\$5,189.	\$5,881.	\$6,339.	\$7,855.	\$6,124.	\$6,819.	\$9,072.
	78"	24''	$34^{3}/8''$	RCSHHBH12()()M()()()()()()	5,611.	6,500.	7,106.	8,860.	6,754.	7,613.	10,156.
Cabinet	84"	20"	343/8"	RCSHHBH21()()M()()()()()()	5,327.	6,032.	6,489.	8,019.	6,285.	7,000.	9,330.
	84"	24"	343/8"	RCSHHBH22()()M()()()()()()	5,735.	6,634.	7,238.	9,003.	6,904.	7,781.	10,397.
/ //											



Classic Credenzas, Type HBW Hinge door / 283/8"h FF/Waste Recycle Cabinet



	78"	20"	$34^{3}/8''$	RCSHHBW11()()M()()()()()()	5,839.	6,322.	6,552.	7,481.	6,790.	7,471.	9,723.
t	78"	24''	$34^{3}/8''$	RCSHHBW12( )( )M( )( )( )( )( )( )	6,262.	6,850.	7,158.	8,224.	7,417.	8,263.	10,807.
	84"	20"	$34^{3}/8''$	RCSHHBW21( )( )M( )( )( )( )( )( )	5,978.	6,474.	6,702.	7,645.	6,951.	7,652.	9,980.
	84"	24"	343/8"	RCSHHBW22( )( )M( )( )( )( )( )( )	6,386.	6,984.	7,289.	8,366.	7,568.	8,431.	11,047.

#### **Order Code**

В

#### Example: RCSHHBH11 ()()M ()()()()()()R Reff С Credenza SH Service height Н LH position; Hinged door pedestal, 343/8"h W=Waste Recycle pedestal В Center position; FF pedestal, 283/8"h Н LH position; Hinged door, or W = waste recycle cabinet 343/8"h 78'' wide, 2 = 84'' wide 20'' deep, 2 = 24'' deepV316 Top finish Edge finish () V316 Cabinet Finish M Metal Interior option G Grommet option 111 Grommet finish Pull option Т 111 Pull finish Lock option

Lock finish

#### **Specification Information**

To order please specify pattern number including:

- Top Finish: L, V1, V2, V3 Edge finish: L, V1, V2, V3
- (Edge options are available on laminate tops only.)
  3. Cabinet Finish: L, V1, V2, V3
- Interior Option:
- M = Metal Interior Grommet Option:
- N = No grommet G = Grommet
- 6. Grommet Finish: Painted or Plated
- Pull option: B = No pull, No drilling
  - customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (Painted, PT or PZ F = Bar (1 pull/ Door set)
  - H = Outline (1 pull / Door set) J = Routed J-pullR = Cylinder (1 pull / Door set)S = S-pull (Stainless steel only)
- T = Tab (1 pull / Door set)
  Pull finish: Painted or plated
- Lock Option Doors: L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled
- 10. Lock finish: B = BlackS = Matte silver

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page excluding J pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back. Note: Full pedestal back will restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application Notes:

for Hinge door pedestal 343/8"h, see page 158 for FF; 283/8"h, see page 148. for Waste recycle pedestals; 343/8"h, see page 158. for replacement waste recycle bins,

#### Classic Credenza, 343/8" h Preconfigured Service Height, Type B, File File Center Metal interiors

description	W	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas, Type WBH	78"	20"	343/8"	RCSHWBH11()()M()()()()()()()	\$5,839.	\$6,322.	\$6,552.	\$7,481.	\$6,790.	\$7,471.	\$9,723.
Waste Recycle bin / 283/8"h FF/ Hinge door	78"	24''	343/8"	RCSHWBH12( )( )M( )( )( )( )( )( )	6,262.	6,850.	7,158.	8,224.	7,417.	8,263.	10,807.
Cabinet	84"	20"	343/8"	RCSHWBH21()()M()()()()()()()	5,978.	6,474.	6,702.	7,645.	6,951.	7,652.	9,980.
	84"	24"	343/8"	RCSHWBH22()()M()()()()()()	6,386.	6,984.	7,289.	8,366.	7,568.	8,431.	11,047.

Order	Code
-------	------

#### Example: RCSHHBH11 ()()M ()()()()()()R Reff C Credenza SH Service height Н LH position; Hinged door pedestal, 343/8"h W=Waste Recycle pedestal В Center position; FF pedestal, 283/8"h LH position; Hinged Н door, or W = waste recycle cabinet 343/8"h 78'' wide, 2 = 84'' wide 20'' deep, 2 = 24'' deepV316 Top finish Edge finish () V316 Cabinet Finish M Metal Interior option G Grommet option 111 Grommet finish Pull option Т 111 Pull finish Lock option В Lock finish

#### **Specification Information**

To order please specify pattern number including:

- Top Finish: L, V1, V2, V3 Edge finish: L, V1, V2, V3
- (Edge options are available on laminate tops only.)
  3. Cabinet Finish: L, V1, V2, V3
- Interior Option: M = Metal Interior
- Grommet Option: N = No grommet G = Grommet
- 6. Grommet Finish: Painted or Plated
- Pull option: B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (Painted, PT or PZ F = Bar (1 pull/ Door set)H = Outline (1 pull / Door set)
- J = Routed J-pullR = Cylinder (1 pull / Door set)S = S-pull (Stainless steel only) T = Tab (1 pull / Door set)
  Pull finish: Painted or plated
- Lock Option Doors: L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled
- 10. Lock finish: B = BlackS = Matte silver

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page excluding J pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back.

Note: Full pedestal back will restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application Notes:

for Hinge door pedestal 343/8"h, see page 158 for FF; 28<sup>3</sup>/<sub>8</sub>"h, see page 148.

for Waste recycle pedestals; 343/8"h, see page 158. for replacement waste recycle bins,

#### Classic Credenza, 343/8" h Preconfigured Service Height, Type B, File File Center Wood interiors

description	w	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas - Service Height,		20"	343/8"	RCSHHBH11()()W()()()()()()	\$5,451.	\$6,149.	\$6,601.	\$8,117.	\$6,431.	\$7,169.	\$9,546.
Type HBH; Hinge door / 283/s"h FF/Hinge door	78"	24''	$34^{3}/8''$	RCSHHBH12()()W()()()()()()	6,078.	6,976.	7,574.	9,328.	7,307.	8,233.	10,990.
Cabinet	84"	20"	343/8"	RCSHHBH21()()W()()()()()()	5,876.	6,593.	7,039.	8,568.	6,929.	7,731.	10,315.
	84"	24"	343/8"	RCSHHBH22()()W()()()()()()	6,537.	7,453.	8,040.	9,805.	7,858.	8,853.	11,842.



Classic Credenzas, Type HBW Hinge door / 283/8"h FF/Waste Recycle Cabinet



	78"	20"	$34^{3}/8''$	RCSHHBW11( )( )W( )( )( )( )( )( )	6,102.	6,590.	6,814.	7,744.	7,096.	7,821.	10,197.
t	78"	24''	$34^{3}/8''$	RCSHHBW12( )( )W( )( )( )( )( )( )	6,729.	7,327.	7,625.	8,691.	7,969.	8,883.	11,641.
	84''	20"	$34^{3}/8''$	RCSHHBW21()()W()()()()()()	6,527.	7,035.	7,252.	8,195.	7,593.	8,382.	10,965.
	84"	24"	343/8"	RCSHHBW22( )( )W( )( )( )( )( )( )	7,188.	7,802.	8,091.	9,169.	8,521.	9,503.	12,493.

#### **Order Code**

В

#### Example: RCSHHBH11 ()()W ()()()()()()R Reff С Credenza SH Service height Н LH position; Hinged door pedestal, 343/8"h W=Waste Recycle pedestal В Center position; FF pedestal, 283/8"h Н LH position; Hinged door, or W = waste recycle cabinet 343/8"h 78'' wide, 2 = 84'' wide 20'' deep, 2 = 24'' deepV316 Top finish Edge finish () V316 Cabinet Finish W Wood Interior option G Grommet option 111 Grommet finish Pull option Т 111 Pull finish Lock option

Lock finish

#### **Specification Information**

To order please specify pattern number including:

- Top Finish: L, V1, V2, V3 Edge finish: L, V1, V2, V3
- (Edge options are available on laminate tops only.)
  3. Cabinet Finish: L, V1, V2, V3
- Interior Option:
- W = Wood Interior
- Grommet Option: N = No grommet G = Grommet
- 6. Grommet Finish: Painted or Plated
- Pull option:
  - B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (Painted, PT or PZ
  - F = Bar (1 pull/ Door set)H = Outline (1 pull / Door set) J = Routed J-pull
  - R = Cylinder (1 pull / Door set)S = S-pull (Stainless steel only) T = Tab (1 pull / Door set)
    Pull finish: Painted or plated
- Lock Option Doors: L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled
- 10. Lock finish: B = BlackS = Matte silver

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page excluding J pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back. Note: Full pedestal back will restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application Notes:

for Hinge door pedestal 343/8"h, see page 158 for FF; 283/8"h, see page 151. for Waste recycle pedestals; 343/8"h, see page 158. for replacement waste recycle bins,

#### Classic Credenza, 343/8" h Preconfigured Service Height, Type B, File File Center Wood interiors

description	w	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas, Type WBH	78"	20"	343/8"	RCSHWBH11()()W()()()()()()()	\$6,102.	\$6,590.	\$6,814.	\$7,744.	\$7,096.	\$7,821.	\$10,197.
Waste Recycle bin / 28 <sup>3</sup> / <sub>8</sub> "h FF/ Hinge door	78"	24''	$34^{3}/8''$	RCSHWBH12( )( )W( )( )( )( )( )( )	6,729.	7,327.	7,625.	8,691.	7,969.	8,883.	11,641.
Cabinet	84"	20"	$34^{3}/8''$	RCSHWBH21()()W()()()()()()()	6,527.	7,035.	7,252.	8,195.	7,593.	8,382.	10,965.
	84"	24"	343/8"	RCSHWBH22()()W()()()()()()()	7,188.	7,802.	8,091.	9,169.	8,521.	9,503.	12,493.

Order	Code

#### **Specification Information**

### **Application Notes**

de
RCSHHBH11 ( )( )W ( )( )( )( )( )
Reff
Credenza
Service height
LH position; Hinged
door pedestal, 34 3/8"h
W=Waste Recycle
pedestal
Center position; FF
pedestal, 28 <sup>3</sup> /8"h
LH position; Hinged
door, or $W = waste$
recycle cabinet 343/8″h
78'' wide, $2 = 84''$ wide
20'' deep, $2 = 24''$ deep
Top finish
Edge finish
Cabinet Finish
Wood Interior option
Grommet option
Grommet finish
Pull option
Pull finish
Lock option
Lock finish

To order please specify pattern number including:

- Top Finish: L, V1, V2, V3
   Edge finish: L, V1, V2, V3
- (Edge options are available on laminate tops only.)
  3. Cabinet Finish: L, V1, V2, V3
- 4. Interior Option: W = Wood Interior
- 5. Grommet Option: N = No grommet G = Grommet
- 6. Grommet Finish: Painted or Plated
- 7. Pull option: B = No pull, No drilling
  - customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (Painted, PT or PZ
  - F = Bar (1 pull/ Door set)H = Outline (1 pull / Door set) J = Routed J-pull
- R = Cylinder (1 pull / Door set)S = S-pull (Stainless steel only)
- T = Tab (1 pull / Door set)

  8. Pull finish: Painted or plated 9. Lock Option Doors:
- L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled
- 10. Lock finish: B = BlackS = Matte silver

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page excluding J pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back. Note: Full pedestal back will

restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application


for Hinge door pedestal 343/8"h, see page 158 for FF; 283/8"h, see page 151.

for Waste recycle pedestals; 343/8"h, see page 158. for replacement waste recycle bins,

#### Classic Credenza, 343/8" h Preconfigured Service Height, Type C, Box Box Box Box Center Metal interiors

description	w	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
		20"	343/8"	RCSHHCH11()()M()()()()()()	\$5,618.	\$6,319.	\$6,768.	\$8,284.	\$6,616.	\$7,357.	\$9,765.
Type HCH; Hinge door / 28 <sup>3</sup> /8"h BBBB/Hinge	78"	24''	$34^{3}/8''$	RCSHHCH12()()M()()()()()()	6,034.	6,932.	7,530.	9,283.	7,243.	8,151.	10,857.
door Cabinet	84"	20"	343/8"	RCSHHCH21()()M()()()()()()	5,780.	6,494.	6,942.	8,472.	6,805.	7,570.	10,064.
	84"	24"	343/8"	RCSHHCH22()()M()()()()()()	6,182.	7,090.	7,684.	9,449.	7,419.	8,350.	11,139.

Classic Credenzas - Service Height, Type HCW; Hinge door / 283/8"h BBBB/Waste recycle Cabinet





#### **Order Code**

#### Example: RCSHHCH11 ()()M ()()()()()()R Reff С Credenza SH Service height LH position; Hinged Н door or, W=Waste Recycle Cabinet C Center position; BBBB Cabinet Н LH position; Hinged door, or W = WasteRecycle Cabinet 78'' wide, 2 = 84'' wide 20'' deep, 2 = 24'' deepTop finish V316 Edge finish () V316 Cabinet Finish M Metal Interior option G Grommet option 111 Grommet finish Pull option Т 111 Pull finish Lock option В Lock finish

#### **Specification Information**

To order please specify pattern number including:

- Top Finish: L, V1, V2, V3 Edge finish: L, V1, V2, V3
- (Edge options are available on laminate tops only.)
  3. Cabinet Finish: L, V1, V2, V3
- Interior Option: M = Metal Interior
- Grommet Option: N = No grommet G = Grommet
- 6. Grommet Finish: Painted or Plated
- Pull option: B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (Painted, PT or PZ) F = Bar (1 pull/ Door set)H = Outline (1 pull / Door set)
- J = Routed J-pullR = Cylinder (1 pull / Door set)S = S-pull (Stainless steel only) T = Tab (1 pull / Door set)
- Pull finish: Painted or plated
- Lock Option Doors: L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled
- 10. Lock finish: B = BlackS = Matte silver

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page excluding J pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back. Note: Full pedestal back will

Pencil trays are not included.

restrict ventilation.

For further details on individual pedestals, refer to Application

for Hinge door pedestal 343/8"h, see

for BBB pedestals; 28<sup>3</sup>/<sub>8</sub>"h, see page

for Waste recycle pedestals; 343/8"h, see page 158.

#### Classic Credenza, 343/8" h Preconfigured Service Height, Type C, Box Box Box Box Center Metal interiors

description	W	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas - Service Height,		20"	343/8"	RCSHWCH11()()M()()()()()()()	\$6,269.	\$6,760.	\$6,981.	\$7,911.	\$7,281.	\$8,009.	\$10,416.
	78"	24"	343/8"	RCSHWCH12( )( )M( )( )( )( )( )( )	6,685.	7,282.	7,581.	8,647.	7,905.	8,801.	11,508.
door Cabinet	84"	20"	343/8"	RCSHWCH21( )( )M( )( )( )( )( )( )	6,431.	6,936.	7,156.	8,099.	7,470.	8,222.	10,715.
*	84"	24"	343/8"	RCSHWCH22( )( )M( )( )( )( )( )( )	6,833.	7,439.	7,736.	8,813.	8,082.	9,000.	11,790.



Order	Code
-------	------

#### Example: RCSHHCH11 ()()M ()()()()()()R Reff С Credenza SH Service height Н LH position; Hinged door or, W=Waste Recycle Cabinet C Center position; BBBB Cabinet LH position; Hinged Н door, or W = Waste Recycle Cabinet 78'' wide, 2 = 84'' wide 20'' deep, 2 = 24'' deepV316 Top finish Edge finish () V316 Cabinet Finish M Metal Interior option G Grommet option 111 Grommet finish Pull option Т 111 Pull finish Lock option В Lock finish

#### **Specification Information**

To order please specify pattern number including:

- Top Finish: L, V1, V2, V3 Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
  3. Cabinet Finish: L, V1, V2, V3
- Interior Option: M = Metal Interior
- Grommet Option: N = No grommet G = Grommet
- 6. Grommet Finish: Painted or Plated
- Pull option:
- B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only)
- D = D-Pull (Painted, PT or PZ
- F = Bar (1 pull/ Door set)H = Outline (1 pull / Door set) J = Routed J-pull
- R = Cylinder (1 pull / Door set)S = S-pull (Stainless steel only)
- T = Tab (1 pull / Door set)
  8. Pull finish: Painted or plated
- Lock Option Doors: L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled
- 10. Lock finish: B = BlackS = Matte silver

#### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page excluding J pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back. Note: Full pedestal back will

restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application

for Hinge door pedestal 343/8"h, see

for BBB pedestals; 28<sup>3</sup>/<sub>8</sub>"h, see page

for Waste recycle pedestals; 343/8"h, see page 158.

#### Classic Credenza, 343/8" h Preconfigured Service Height, Type C, Box Box Box Box Center Wood interiors

description	w	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas - Service Height,		20"	343/8"	RCSHHCH11()()W()()()()()()	\$5,830.	\$6,535.	\$6,980.	\$8,496.	\$6,868.	\$7,653.	\$10,178.
Type HCH; Hinge door / 283/8"h BBBB/Hinge	78"	24"	$34^{3}/8''$	RCSHHCH12()()W()()()()()()	6,513.	7,420.	8,008.	9,762.	7,809.	8,790.	11,720.
door Cabinet	84"	20"	343/8"	RCSHHCH21()()W()()()()()()	6,336.	7,061.	7,498.	9,027.	7,460.	8,320.	11,086.
	84"	24"	343/8"	RCSHHCH22()()W()()()()()()	7,059.	7,985.	8,562.	10,327.	8,464.	9,526.	12,728.
/ //											

Classic Credenzas - Service Height, Type HCW; Hinge door / 283/8"h BBBB/Waste recycle Cabinet

78"	20"	$34^{3}/8''$	RCSHHCW11( )( )W( )( )( )( )( )( )	6,481.	6,976.	7,193.	8,123.	7,533.	8,305.	10,829.
78"	24''	$34^{3}/8''$	RCSHHCW12()()W()()()()()()	7,164.	7,771.	8,060.	9,126.	8,473.	9,440.	12,371.
84"	20"	$34^{3}/8''$	RCSHHCW21()()W()()()()()()	6,986.	7,503.	7,711.	8,654.	8,124.	8,972.	11,737.
84"	24''	$34^{3}/8''$	RCSHHCW22()()W()()()()()()	7,710.	8,334.	8,613.	9,690.	9,128.	10,176.	13,379.

#### **Order Code**

В

#### Example: RCSHHCH11 ()()W ()()()()()()R Reff С Credenza SH Service height Н LH position; Hinged door, or W=Waste Recycle Cabinet C Center position; BBBB Н LH position; Hinged, or W = Waste Recycle Cabinet 78'' wide, 2 = 84'' wide 20'' deep, 2 = 24'' deepV316 Top finish Edge finish () V316 Cabinet Finish W Wood Interior option G Grommet option 111 Grommet finish Pull option Т 111 Pull finish Lock option

Lock finish

#### **Specification Information**

To order please specify pattern number including:

- Top Finish: L, V1, V2, V3 Edge finish: L, V1, V2, V3
- (Edge options are available on laminate tops only.)
  3. Cabinet Finish: L, V1, V2, V3
- Interior Option: W = Wood Interior
- Grommet Option: N = No grommet G = Grommet

Pull option:

- 6. Grommet Finish: Painted or Plated
- B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (Painted, PT or PZ F = Bar (1 pull/ Door set)H = Outline (1 pull / Door set)
- J = Routed J-pullR = Cylinder (1 pull / Door set)S = S-pull (Stainless steel only)
- T = Tab (1 pull / Door set)8. Pull finish: Painted or plated
- Lock Option Doors: L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled
- 10. Lock finish: B = BlackS = Matte silver

#### **Application Notes**

It is Not advisable to mix 28%"h desk height products with 26 1/2" standard height products.

Product on this page excluding J pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back. Note: Full pedestal back will

restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application

for Hinge door pedestal 343/8"h, see

for BBB pedestals; 28<sup>3</sup>/<sub>8</sub>"h, see page

for Waste recycle pedestals; 343/8"h, see page 158.

## Classic Credenza, 343/8" h Preconfigured Service Height, Type C, Box Box Box Box Center Wood interiors

description	w	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas - Service Height, Type WCH; Waste recycle / 283/8"h BBBB/ Hinge door Cabinet		20"	343/8"	RCSHWCH11()()W()()()()()()()	\$6,481.	\$6,976.	\$7,193.	\$8,123.	\$7,533.	\$8,305.	\$10,829.
	78"	24''	$34^{3}/8''$	RCSHWCH12()()W()()()()()()()	7,164.	7,771.	8,060.	9,126.	8,473.	9,440.	12,371.
	84"	20"	343/8"	RCSHWCH21()()W()()()()()()()	6,986.	7,503.	7,711.	8,654.	8,124.	8,972.	11,737.
•	84"	24"	343/8"	RCSHWCH22()()W()()()()()()()	7,710.	8,334.	8,613.	9,690.	9,128.	10,176.	13,379.



Order	Code
-------	------

#### Example: RCSHHCH11 ()()W ()()()()()()R Reff С Credenza SH Service height Н LH position; Hinged door, or W=Waste Recycle Cabinet C Center position; BBBB Н LH position; Hinged, or W = Waste Recycle Cabinet 78'' wide, 2 = 84'' wide 20'' deep, 2 = 24'' deepV316 Top finish Edge finish () V316 Cabinet Finish W Wood Interior option G Grommet option 111 Grommet finish Pull option Т 111 Pull finish Lock option В Lock finish

## **Specification Information**

To order please specify pattern number including:

- Top Finish: L, V1, V2, V3 Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
  3. Cabinet Finish: L, V1, V2, V3
- Interior Option: W = Wood Interior
- Grommet Option: N = No grommet G = Grommet
- 6. Grommet Finish: Painted or Plated
- Pull option:
- B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only)
- D = D-Pull (Painted, PT or PZ
- F = Bar (1 pull/ Door set)H = Outline (1 pull / Door set) J = Routed J-pull
- R = Cylinder (1 pull / Door set)S = S-pull (Stainless steel only)
- T = Tab (1 pull / Door set)
  Pull finish: Painted or plated
- Lock Option Doors: L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled
- 10. Lock finish: B = BlackS = Matte silver

## **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page excluding J pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back. Note: Full pedestal back will

restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application

for Hinge door pedestal 343/8"h, see

for BBB pedestals; 28<sup>3</sup>/<sub>8</sub>"h, see page

for Waste recycle pedestals; 343/8"h, see page 158.

## Classic Credenza, 343/8" h Preconfigured Service Height, Type D, Hinge Door Center Metal interiors

description	W	d	h	pattern no.	Top/Case LM/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas - Service Height,	78"	20"	343/8"	RCSHHDH11()()M()()()()()()	\$5,177.	\$5,869.	\$6,327.	\$7,843.	\$6,108.	\$6,804.	\$9,052.
Type HDH; Hinge door / 283/8"h Hinge	78"	24''	$34^{3}/8''$	RCSHHDH12()()M()()()()()()	5,747.	6,639.	7,243.	8,996.	6,918.	7,797.	10,405.
door/Hinge door Cabinet	84"	20"	343/8"	RCSHHDH21()()M()()()()()()	5,580.	6,290.	6,742.	8,272.	6,579.	7,335.	9,781.
	84"	24"	343/8"	RCSHHDH22()()M()()()()()()	6,198.	7,106.	7,701.	9,466.	7,456.	8,401.	11,232.



Type HDW; Hinge door / 283/8"h Hinge door/

20" 343/8" RCSHHDW11()()M()()()()()() 5,828. 6,311. 6,541. 7,470. 6,773. 9,703. 78" 24''343/8" RCSHHDW12()()M()()()()()() 6,398. 6,989. 7,294. 8,360. 7,581. 8,447. 11,056. 6,956 84" 20" 343/8" RCSHHDW21()()M()()()()()() 6,231. 6,732 7,899 7,245. 7,987. 10,431. 84" 24''343/8" RCSHHDW22()()M()()()()()() 6,849. 7,457. 7,752. 8,829. 8,118. 9,051. 11,883.



## **Order Code**

#### Example: RCSHHDH11 ()()M ()()()()()()R Reff С Credenza SH Service height Н LH position; Hinged door, or W=Waste Recycle pedestal D Center position; Hinge H LH position; Hinged door, or W = waste recycle cabinet 343/8"h 78'' wide, 2 = 84'' wide 20'' deep, 2 = 24'' deepV316 Top finish Edge finish () V316 Cabinet Finish М Metal Interior option G Grommet option 111 Grommet finish Pull option 111 Pull finish Lock option В Lock finish

## **Specification Information**

To order please specify pattern number including:

- Top Finish: L, V1, V2, V3 Edge finish: L, V1, V2, V3
- (Edge options are available on laminate tops only.)
  3. Cabinet Finish: L, V1, V2, V3
- Interior Option: M = Metal Interior
- Grommet Option: N = No grommet G = Grommet

Pull option:

- 6. Grommet Finish: Painted or Plated
- B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (Painted, PT or PZ) F = Bar (1 pull/ Door set)H = Outline (1 pull / Door set) J = Routed J-pullR = Cylinder (1 pull / Door set)S = S-pull (Stainless steel only)
- T = Tab (1 pull / Door set)8. Pull finish: Painted or plated
- Lock Option Doors: L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled
- 10. Lock finish: B = BlackS = Matte silver

## **Application Notes**

It is Not advisable to mix 28%"h desk height products with 26 1/2" standard height products.

Product on this page excluding J pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back. Note: Full pedestal back will

restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application

for Hinge door pedestal 343/8"h, see for HD pedestals; 28\%"h, see page

for Waste recycle pedestals; 343/8"h, see page 158.

## Classic Credenza, 343/8" h Preconfigured Service Height, Type D, Hinge Door Center Metal interiors

description	W	d	h	pattern no.	Top/Case LM/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas - Service Height,		20"	343/8"	RCSHWDH11()()M()()()()()()()	\$5,828.	\$6,311.	\$6,541.	\$7,470.	\$6,773.	\$7,456.	\$9,703.
Type WDH; Waste recycle / 283/8"h Hinge door/ Hinge door Cabinet	78"	24''	$34^{3}/8''$	RCSHWDH12()()M()()()()()()	6,398.	6,989.	7,294.	8,360.	7,581.	8,447.	11,056.
	84"	20"	343/8"	RCSHWDH21()()M()()()()()()	6,231.	6,732.	6,956.	7,899.	7,245.	7,987.	10,431.
•	84"	24"	343/8"	RCSHWDH22()()M()()()()()()	6,849.	7,457.	7,752.	8,829.	8,118.	9,051.	11,883.

/•	$\widehat{}$
/ //	
	2

Order	Code
-------	------

Order Code						
Example:	RCSHHDH11 ( )( )M ( )( )( )( )( )( )					
R	Reff					
С	Credenza					
SH	Service height					
Н	LH position; Hinged					
	door, or W=Waste					
	Recycle pedestal					
D	Center position; Hinge					
	door					
Н	LH position; Hinged					
	door, or $W = waste$					
	recycle cabinet 34³/8″h					
1	78'' wide, $2 = 84''$ wide					
1	20'' deep, $2 = 24''$ deep					
V316	Top finish					
()	Edge finish					
V316	Cabinet Finish					
М	Metal Interior option					
G	Grommet option					
111	Grommet finish					
Т	Pull option					
111	Pull finish					
L	Lock option					
В	Lock finish					

## **Specification Information**

To order please specify pattern number including:

- Top Finish: L, V1, V2, V3
   Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
  3. Cabinet Finish: L, V1, V2, V3
- 4. Interior Option: M = Metal Interior
- 5. Grommet Option: N = No grommet G = Grommet
- 6. Grommet Finish: Painted or Plated
- 7. Pull option:
- B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only)
- D = D-Pull (Painted, PT or PZ
- F = Bar (1 pull/ Door set)H = Outline (1 pull / Door set) J = Routed J-pull
- R = Cylinder (1 pull / Door set)S = S-pull (Stainless steel only) T = Tab (1 pull / Door set)

  8. Pull finish: Painted or plated
- 9. Lock Option Doors: L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled
- 10. Lock finish: B = BlackS = Matte silver

## **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page excluding J pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back. Note: Full pedestal back will

restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application

for Hinge door pedestal 343/8"h, see

for HD pedestals; 28 1/8"h, see page

for Waste recycle pedestals; 343/8"h, see page 158.

## Classic Credenza, 343/8" h Preconfigured Service Height, Type D, Hinge Door Center Wood interiors

description	w	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas - Service Height,	78"	20"	343/8"	RCSHHDH11()()W()()()()()()	\$5,272.	\$5,966.	\$6,422.	\$7,938.	\$6,224.	\$6,934.	\$9,229.
Type HDH; Hinge door / 283/8"h Hinge	78"	24''	$34^{3}/8''$	RCSHHDH12()()W()()()()()()	5,847.	6,740.	7,342.	9,096.	7,037.	7,930.	10,585.
door/Hinge door Cabinet	84"	20"	343/8"	RCSHHDH21()()W()()()()()()	5,681.	6,393.	6,843.	8,372.	6,694.	7,461.	9,952.
	84"	24"	343/8"	RCSHHDH22()()W()()()()()()	6,298.	7,208.	7,800.	9,565.	7,571.	8,527.	11,403.



Type HDW; Hinge door / 283/8"h Hinge door/

78"	20"	$34^{3}/8''$	RCSHHDW11()()W()()()()()()	5,922.	6,407.	6,635.	7,565.	6,889.	7,586.	9,880.
78"	24''	343/8"	RCSHHDW12( )( )W( )( )( )( )( )( )	6,497.	7,091.	7,393.	8,459.	7,699.	8,580.	11,236.
84"	20"	343/8"	RCSHHDW21()()W()()()()()()	6,331.	6,835.	7,056.	7,999.	7,360.	8,113.	10,603.
84"	24"	343/8"	RCSHHDW22( )( )W( )( )( )( )( )( )	6,948.	7,558.	7,852.	8,929.	8,234.	9,177.	12,054.



## **Order Code**

#### Example: RCSHHDH11 ()()W ()()()()()()R Reff С Credenza SH Service height Н LH position; Hinged door, or W=Waste Recycle pedestal D Center position; Hinge Н LH position; Hinged door, or W = waste recycle cabinet 343/8"h 78'' wide, 2 = 84'' wide 20'' deep, 2 = 24'' deepV316 Top finish Edge finish () V316 Cabinet Finish $\overline{\mathsf{w}}$ Wood Interior option G Grommet option 111 Grommet finish Pull option 111 Pull finish Lock option В Lock finish

## **Specification Information**

To order please specify pattern number including:

- Top Finish: L, V1, V2, V3 Edge finish: L, V1, V2, V3
- (Edge options are available on laminate tops only.)
  3. Cabinet Finish: L, V1, V2, V3
- Interior Option:
- W = Wood Interior Grommet Option:
- N = No grommet G = Grommet
- 6. Grommet Finish: Painted or Plated
- Pull option: B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (Painted, PT or PZ)
- F = Bar (1 pull/ Door set)H = Outline (1 pull / Door set) J = Routed J-pullR = Cylinder (1 pull / Door set)
- S = S-pull (Stainless steel only) T = Tab (1 pull / Door set)
  8. Pull finish: Painted or plated
- Lock Option Doors: L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled
- 10. Lock finish: B = BlackS = Matte silver

## **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page excluding J pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back. Note: Full pedestal back will restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application

for Hinge door pedestal 343/8"h, see page 158

for Hinge door pedestals; 283/8"h, see page 154.

for Waste recycle pedestals; 343/8"h, see page 158.

## Classic Credenza, 343/8" h Preconfigured Service Height, Type D, Hinge Door Center Wood interiors

description	w	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas - Service Height,		20"	343/8"	RCSHWDH11()()W()()()()()()	\$5,922.	\$6,407.	\$6,635.	\$7,565.	\$6,889.	\$7,586.	\$9,880.
Type WDH; Waste recycle / 283/8"h Hinge door/ Hinge door Cabinet	78"	24''	$34^{3}/8''$	RCSHWDH12()()W()()()()()()	6,497.	7,091.	7,393.	8,459.	7,699.	8,580.	11,236.
	84"	20"	343/8"	RCSHWDH21()()W()()()()()()	6,331.	6,835.	7,056.	7,999.	7,360.	8,113.	10,603.
<i>^</i>	84"	24"	343/8"	RCSHWDH22()()W()()()()()()	6,948.	7,558.	7,852.	8,929.	8,234.	9,177.	12,054.

	/•	$\geq$
/•		

Order	Code
-------	------

#### Example: RCSHHDH11 ()()W ()()()()()()R Reff С Credenza SH Service height Н LH position; Hinged door, or W=Waste Recycle pedestal D Center position; Hinge Н LH position; Hinged door, or W = waste recycle cabinet 343/8"h 78'' wide, 2 = 84'' wide 20'' deep, 2 = 24'' deepV316 Top finish Edge finish () V316 Cabinet Finish $\overline{\mathsf{w}}$ Wood Interior option G Grommet option 111 Grommet finish Pull option 111 Pull finish Lock option В Lock finish

## **Specification Information**

To order please specify pattern number including:

- Top Finish: L, V1, V2, V3 Edge finish: L, V1, V2, V3
- (Edge options are available on laminate tops only.)
  3. Cabinet Finish: L, V1, V2, V3
- Interior Option: W = Wood Interior
- Grommet Option: N = No grommet G = Grommet
- 6. Grommet Finish: Painted or Plated
- Pull option: B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (Painted, PT or PZ
- F = Bar (1 pull/ Door set)H = Outline (1 pull / Door set) J = Routed J-pullR = Cylinder (1 pull / Door set)
- S = S-pull (Stainless steel only) T = Tab (1 pull / Door set)

  8. Pull finish: Painted or plated
- Lock Option Doors: L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled
- 10. Lock finish: B = BlackS = Matte silver

## **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page excluding J pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back.

Note: Full pedestal back will restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application

for Hinge door pedestal 343/8"h, see page 158

for Hinge door pedestals; 283/8"h, see page 154.

for Waste recycle pedestals; 343/8"h, see page 158.

## Classic Credenza, 343/8" h Preconfigured Service Height, Type E, Open Center Metal interiors

description	W	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas - Service Height,	78"	20"	343/8"	RCSHHEH11()()M()()()()()()	\$4,762.	\$5,446.	\$5,912.	\$7,428.	\$5,620.	\$6,253.	\$8,309.
Type HEH; Hinge door / 283/8"h Open/Hinge door	78"	24''	$34^{3}/8''$	RCSHHEH12()()M()()()()()()	5,305.	6,188.	6,801.	8,555.	6,394.	7,209.	9,609.
Cabinet	84"	20"	343/8"	RCSHHEH21()()M()()()()()()	5,064.	5,764.	6,226.	7,755.	5,975.	6,647.	8,851.
	84"	24"	343/8"	RCSHHEH22()()M()()()()()()	5,643.	6,540.	7,145.	8,910.	6,799.	7,660.	10,232.





78" 20" 343/8"	RCSHHEW11()()M()()()()()()	5,413.	5,888.	6,125.	7,055.	6,284.	6,904.	8,960.
78" 24" 343/8"	RCSHHEW12( )( )M( )( )( )( )( )( )	5,956.	6,538.	6,852.	7,918.	7,057.	7,859.	10,260.
84" 20" 343/8"	RCSHHEW21( )( )M( )( )( )( )( )( )	5,714.	6,205.	6,439.	7,382.	6,640.	7,299.	9,502.
84" 24" 343/8"	RCSHHEW22( )( )M( )( )( )( )( )( )	6,294.	6,890.	7,197.	8,274.	7,462.	8,310.	10,882.

### **Order Code**

#### Example: RCSHHEH11 ()()M ()()()()()()()R Reff C Credenza SH Service height Н LH position: Hinged door, or W=Waste Recycle Cabinet Ε Center position: Open Cabinet н LH position: Hinged door, or W = Waste Recycle Cabinet 78'' wide, 2 = 84'' wide 20'' deep, 2 = 24'' deepV316 Top finish V316 Cabinet Finish M Metal Interior option G Grommet option 111 Grommet finish T Pull option 111 Pull finish Lock option В Lock finish

## **Specification Information**

To order please specify pattern number including:

- Top Finish: L, V1, V2, V3
   Edge Finish: L, V1, V2, V3
- 3. Cabinet Finish: L, V1, V2, V3
- 4. Interior Option: M = Metal Interior
- 5. Grommet Option: N = No grommet G = Grommet

Pull option:

- 6. Grommet Finish: Painted or Plated
- B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (Painted, PT or PZ only) F = Bar (1 pull/ Door set) H = Outline (1 pull/ Door set) J = Routed J-pull B = Cylinder (1 pull/ Door set)
- R = Cylinder (1 pull / Door set) S = S-pull (Stainless steel only) T = Tab (1 pull / Door set)
- 8. Pull finish: Painted or plated
  9. Lock Option Doors:
  L = Lock hole drilled
  N = No lock drilling
  Pedestals with drawers always
- lock drilled 10. Lock finish: B = Black S = Matte silver

## **Application Notes**

It is Not advisable to mix 28 \(^y\)s"h desk height products with 26 \(^y\)2" standard height products.

Product on this page excluding J pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom loading.

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 1 ½" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back.

Note: Full pedestal back will restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application Notes; for Hinge door pedestal 343/8"h, see page 158 for Open pedestals; 283/8"h, see page 153.

for Waste recycle pedestals; 343/8"h, see page 158. for replacement waste recycle bins,

see page 416.

## Classic Credenza, 343/8" h Preconfigured Service Height, Type E, Open Center Metal interiors

description	w	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas - Service Height,	78"	20"	343/8"	RCSHWEH11()()M()()()()()()	\$5,413.	\$5,888.	\$6,125.	\$7,055.	\$6,284.	\$6,904.	\$8,960.
	78"	24"	343/8"	RCSHWEH12( )( )M( )( )( )( )( )( )	5,956.	6,538.	6,852.	7,918.	7,057.	7,859.	10,260.
door Cabinet	84"	20"	343/8"	RCSHWEH21()()M()()()()()()()	5,714.	6,205.	6,439.	7,382.	6,640.	7,299.	9,502.
•	84"	24"	343/8"	RCSHWEH22()()M()()()()()()	6,294.	6,890.	7,197.	8,274.	7,462.	8,310.	10,882.

Order	Code

R

C

Н

Ε

н

V316

V316

M

G

111

111

В

T

SH

Example: RCSHHEH11 ()()M

Credenza

door, or

Cabinet

Cabinet

door, or

Cabinet

Top finish

Cabinet Finish

Grommet option

Grommet finish

Pull option

Pull finish

Lock option

Lock finish

Reff

()()()()()()()

Service height

LH position: Hinged

Center position: Open

LH position: Hinged

W = Waste Recycle

78'' wide, 2 = 84'' wide

 $20'' \operatorname{deep}, 2 = 24'' \operatorname{deep}$ 

Metal Interior option

W=Waste Recycle

## **Specification Information**

## To order please specify pattern number including:

- Top Finish: L, V1, V2, V3
   Edge Finish: L, V1, V2, V3
- 3. Cabinet Finish: L, V1, V2, V3
- 4. Interior Option: M = Metal Interior
- 5. Grommet Option: N = No grommet G = Grommet

Pull option:

- 6. Grommet Finish: Painted or Plated
- B = No pull, No drilling
  customer's own pull
  C = C-Pull (Nickel finish only)
  D = D-Pull (Painted, PT or PZ
  only)
  F = Bar (1 pull/ Door set)
  H = Outline (1 pull / Door set)
  J = Routed J-pull
  R = Cylinder (1 pull / Door set)
  S = S-pull (Stainless steel only)
- T = Tab (1 pull / Door set)
  8. Pull finish: Painted or plated
- 9. Lock Option Doors: L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled
- 10. Lock finish:

  B = Black
  S = Matte silver

## **Application Notes**

## It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page excluding J pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom loading.

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 1 ½" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back.

Note: Full pedestal back will

restrict ventilation.

Pencil trays are not included.


For further details on individual pedestals, refer to Application Notes; for Hinge door pedestal 343/8"h, see page 158 for Open pedestals; 283/8"h, see

page 153. for Waste recycle pedestals; 34 \%"h, see page 158.

## Classic Credenza, 343/8" h Preconfigured Service Height, Type E, Open Center Wood interiors

description	w	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas - Service Height,	78"	20"	343/8"	RCSHHEH11()()W()()()()()()	\$4,863.	\$5,548.	\$6,013.	\$7,529.	\$5,736.	\$6,383.	\$8,484.
Type HEH; Hinge door / 28 <sup>3</sup> /8"h Open/Hinge door	78"	24"	343/8"	RCSHHEH12()()W()()()()()()	5,404.	6,288.	6,899.	8,653.	6,511.	7,342.	9,787.
Cabinet	84"	20"	343/8"	RCSHHEH21()()W()()()()()()	5,161.	5,863.	6,323.	7,853.	6,093.	6,778.	9,033.
	84"	24"	343/8"	RCSHHEH22()()W()()()()()()	5,740.	6,639.	7,243.	9,008.	6,907.	7,786.	10,404.





78"	20"	$34^{3}/8''$	RCSHHEW11()()W()()()()()()	5,513.	5,990.	6,226.	7,156.	6,400.	7,035.	9,135.
78"	24''	343/8"	RCSHHEW12( )( )W( )( )( )( )( )( )	6,055.	6,639.	6,951.	8,017.	7,173.	7,992.	10,438.
84"	20"	343/8"	RCSHHEW21( )( )W( )( )( )( )( )( )	5,812.	6,305.	6,536.	7,479.	6,757.	7,430.	9,684.
84"	24"	343/8"	RCSHHEW22( )( )W( )( )( )( )( )( )	6,391.	6,989.	7,294.	8,371.	7,571.	8,436.	11,055.

## **Order Code**

L

В

#### Example: RCSHHEH11 ()()W ()()()()()()R Reff С Credenza SH Service height Н LH position: Hinged door, or W=Waste Recycle Cabinet E Center position: Open Cabinet Н LH position: Hinged door, or W = Waste RecycleCabinet 78'' wide, 2 = 84'' wide 1 20'' deep, 2 = 24'' deep V316 Top finish Edge finish () V316 Cabinet Finish w Wood Interior option G Grommet option 111 Grommet finish Т Pull option 111 Pull finish

Lock option

Lock finish

## **Specification Information**

To order please specify pattern number including:

- Top Finish: L, V1, V2, V3 Edge finish: L, V1, V2, V3
- (Edge options are available on laminate tops only.)
  3. Cabinet Finish: L, V1, V2, V3
- Interior Option:
- W = Wood Interior Grommet Option:

Pull option:

- N = No grommet G = Grommet
- Grommet Finish: Painted or Plated
- B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only) D = D-Pull (Painted, PT or PZ) F = Bar (1 pull/ Door set)
- H = Outline (1 pull / Door set) J = Routed J-pullR = Cylinder (1 pull / Door set)S = S-pull (Stainless steel only)
- T = Tab (1 pull / Door set)
  Pull finish: Painted or plated
- Lock Option Doors: L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled
- 10. Lock finish: B = BlackS = Matte silver

## **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page excluding J pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back. Note: Full pedestal back will restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application

for Hinge door pedestal 343/8"h, see page 158 for Open pedestals; 283/8"h, see

page 153.

for Waste recycle pedestals; 343/8"h, see page 158.

## Classic Credenza, 343/8" h Preconfigured Service Height, Type E, Open Center Wood interiors

description	w	d	h	pattern no.	Top/Case L/L	V1/L	V2/L	V3/L	V1/V1	V2/V2	V3/V3
Classic Credenzas - Service Height,	78"	20"	343/8"	RCSHWEH11()()W()()()()()()()	\$5,513.	\$5,990.	\$6,226.	\$7,156.	\$6,400.	\$7,035.	\$9,135.
Type WEH; Waste recycle / 283/8"h Open/ Hinge	78"	24''	$34^{3}/8''$	RCSHWEH12()()W()()()()()()()	6,055.	6,639.	6,951.	8,017.	7,173.	7,992.	10,438.
door Cabinet	84"	20"	343/8"	RCSHWEH21()()W()()()()()()	5,812.	6,305.	6,536.	7,479.	6,757.	7,430.	9,684.
	84"	24"	343/8"	RCSHWEH22()()W()()()()()()	6,391.	6,989.	7,294.	8,371.	7,571.	8,436.	11,055.

Order	Code
-------	------

Т

L

В

111

#### R Reff C Credenza SH Service height Н LH position: Hinged door, or W=Waste Recycle Cabinet E Center position: Open Cabinet Н LH position: Hinged door, or W = Waste RecycleCabinet 78'' wide, 2 = 84'' wide 1 20'' deep, 2 = 24'' deep V316 Top finish Edge finish () V316 Cabinet Finish w Wood Interior option G Grommet option 111 Grommet finish

Pull option

Pull finish

Lock option

Lock finish

Example: RCSHHEH11 ()()W

()()()()()()

## **Specification Information**

To order please specify pattern number including:

- Top Finish: L, V1, V2, V3 Edge finish: L, V1, V2, V3 (Edge options are available on laminate tops only.)
  3. Cabinet Finish: L, V1, V2, V3
- Interior Option: W = Wood Interior
- Grommet Option: N = No grommet G = Grommet
- Grommet Finish: Painted or Plated
- Pull option:
- B = No pull, No drilling customer's own pull C = C-Pull (Nickel finish only)
- D = D-Pull (Painted, PT or PZ)
- F = Bar (1 pull/ Door set)H = Outline (1 pull / Door set) J = Routed J-pull
- R = Cylinder (1 pull / Door set)S = S-pull (Stainless steel only)
- T = Tab (1 pull / Door set)
  Pull finish: Painted or plated
- Lock Option Doors: L = Lock hole drilled N = No lock drilling Pedestals with drawers always lock drilled
- 10. Lock finish: B = BlackS = Matte silver

## **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page excluding J pull and any vertical surface over 60", will accept wood grain laminate, where laminate is currently an option.

Keying instructions must accompany all orders, refer to page 325. Pedestals do not come with lock included. Key-alike are field installed using the Knoll Key order form. Each locking pedestal on this page counts for one lock

File drawers do Not support bottom

File drawers include bars for front to back and side to side filing.

These products are key hole construction.

Upper top is 11/2" thick, with standard grommet locations. Lower top (3/4 height pedestal's top) is 1" thick, and comes in the same finish as the pedestal.

The preconfigured credenzas come with two 6" wide pedestal fillers, in the same finish as the cabinets. Applied back ordered separately for finished back.

Note: Full pedestal back will restrict ventilation.

Pencil trays are not included.

For further details on individual pedestals, refer to Application

for Hinge door pedestal 343/8"h, see page 158 for Open pedestals; 283/8"h, see

page 153. for Waste recycle pedestals; 343/8"h,

see page 158.

description	W	d	h	pattern no.	list
Classic Credenza Glass Accent Top	78"	20"	1/2"	RCGT781()	\$1,281.
	78"	24"	1/2"	RCGT782()	1,499.
	84"	20"	1/2"	RCGT841()	1,374.
	84"	24"	1/2"	RCGT842()	1,605.

## Order Code

# Example: RCGT781 () R Reff C Credenza GT Glass Accent Top 78 78" wide, 84 = 84" wide 1 20" deep, 2 = 24" deep GL85 Glass Finish

## **Specification Information**

To order please specify pattern number including:

1. Glass finish: GL35, GL45, or GL85 GL35 = Grey colored glass GL45 = Star back painted White \*(\$903 upcharge applicable for GL45) GL85 = Star Clear colored glass

## **Application Notes**

Grommets and cut outs are not optional for the glass accent tops.

Credenza glass tops on this page are supplied with anti skid bumpers.

#### **Task Panels**

The high performance Task Panel is designed to augment the utility of the zone immediately above the credenza in a Private Office setting, by offering tool rail capability and cable management features in addition to tackable and decorative inserts. All Task Panels have a cable curtain along the full length of the bottom edge which, when used in conjunction with notched back credenza tops, provides access to in-wall power sources and for cable concealment. See figure on following page for cable management details. The optional tool rail is designed to accept slatwall accessories and the Reff Profiles Task Panel Shelf. Slatwall accessories are available from KnollExtra. Insert panels may be conveniently removed, exposing a 7/8" wire clearance space which allows cable drops at any point along the entire width of the Task Panel. Check local electrical codes for suitability.

Task Panels are configured in eight heights (H1 – H8) to correspond to their application. See application diagrams on the following pages. H1 and H2 are designed for focused work applications whereas H3 through H8 are designed for collaborative or team work applications.


### Construction

The Task Panel consists of a framework and optional tool rail, with decorative trims and a variety of functional and decorative inserts. See figures below for breakdown of components. Bottom right; The frame assembly consists of two vertical members, a bottom and top frame member and an optional tool rail. These are connected together and supported by mounting brackets. Edges have decorative trims; a top cover and two end covers.

Connected to the bottom frame member is a nylon brush which forms the cable curtain. Frames are clad with either one or two inserts depending upon the use of the tool rail. Bottom left (upper); single monolithic insert with spacers. Bottom left (lower); top segmented insert and bottom segmented insert and spacers.

Task Panels are shipped with frame and trim components, cable curtain and hardware in one container and inserts and spacers in a separate container.

The unit is field-assembled; fastened together using brackets and screws in pre-punched holes. See part #6TP00085 for assembly and installations instructions.



#### **Specification Options**

Task Panels are offered in widths from 30" to 96" in 6" increments; and in eight application heights, H1 to H8. Overall thickness of the Task Panel is 1 ½".

Task Panels are available in two basic configurations; monolithic (with a single insert) and segmented (with two inserts divided by the horizontal tool rail). See diagrams, previous page, for description.


The Task Panel cover trims and optional tool rail are offered in three anodized metallic finishes; Black (AA), Polished (AP) and Satin (AU) as well as all core paint colors. Refer to Reff Profiles finish options page for more information.


Task Panel inserts are available in a variety of finishes including fabric (tackable), Forbo™ (tackable linoleum), laminate, veneer, glass and marker board.


Note that segmented Task Panels with fabric lower inserts are available up to 72" wide.

## **Planning Notes**


- H1, H3, H5 and H7 Task Panels are intended for use with 1 ½" thick credenza tops. H2, H4, H6 and H8 Task Panels are intended for use with 1" credenza tops.
- 2. Fabric is applied to inserts railroad style only
- Forbo<sup>™</sup> is available on lower segmented inserts only
- 4. Grain direction for veneer inserts is vertical
- 5. Glass is not available for lower segmented inserts.










- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H1 Task Panel is intended for use with 1½" thick tops.
- $\bullet$  H2 Task Panel is intended for use with 1" thick credenza tops.







- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left and right of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H3 Task Panel is intended for use with 1½" thick tops.
- $\bullet$  H4 Task Panel is intended for use with 1" thick credenza tops.





- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left and right of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- H5 Task Panel is intended for use with 11/2" thick tops.
- H6 Task Panel is intended for use with 1" thick credenza tops.





- Planning horizons are nominal. Dimensions are actual.
- Images displayed to the left and right of the Task Panel are examples only and do not represent the complete scope of products available.
- Task Panels available in monolithic and segmented; segmented shown
- $\bullet$  H7 Task Panel is intended for use with 1½" thick tops.
- $\bullet$  H8 Task Panel is intended for use with 1" thick credenza tops.

## Task Panels H1 23½" high Monolithic, Without Tool rail Fabric

description	th	W	у	pattern no.	grade 10	15	20	30	35	40	45	50	55
Task Panel, mono	1 1/2"	30"	0.9	RTPNM30H1	\$791.	\$807.	\$823.	\$837.	\$863.	\$879.	\$900.	\$932.	\$976.
Without tool rail	1 1/2"	36"	1.1	RTPNM36H1	850.	869.	889.	909.	936.	954.	975.	1,005.	1,044.
	1 1/2"	42"	1.3	RTPNM42H1	1,113.	1,137.	1,160.	1,184.	1,220.	1,241.	1,269.	1,284.	1,301.
	1 1/2"	48"	1.4	RTPNM48H1	1,126.	1,152.	1,179.	1,203.	1,240.	1,261.	1,290.	1,307.	1,323.
	1 1/2"	54"	1.6	RTPNM54H1	1,146.	1,175.	1,203.	1,233.	1,270.	1,294.	1,321.	1,337.	1,354.
	1 1/2"	60"	1.8	RTPNM60H1	1,215.	1,246.	1,279.	1,311.	1,351.	1,375.	1,406.	1,520.	1,716.
	1 1/2"	66"	1.9	RTPNM66H1	1,469.	1,504.	1,538.	1,572.	1,620.	1,647.	1,685.	1,713.	1,730.
	1 1/2"	72"	2.1	RTPNM72H1	1,490.	1,528.	1,567.	1,605.	1,652.	1,682.	1,721.	1,759.	1,798.
	1 1/2"	78"	2.3	RTPNM78H1	1,676.	1,717.	1,758.	1,800.	1,854.	1,887.	1,928.	1,956.	1,969.
	1 1/2"	84"	2.4	RTPNM84H1	1,685.	1,729.	1,773.	1,816.	1,871.	1,903.	1,948.	1,982.	2,009.
	1 1/2"	90"	2.6	RTPNM90H1	1,754.	1,801.	1,849.	1,896.	1,953.	1,987.	2,032.	2,075.	2,116.
	1 1/2"	96"	2.8	RTPNM96H1	1,775.	1,827.	1,876.	1,927.	1,986.	2,019.	2,066.	2,120.	2,180.

Order Co	de	Specification Information	Application Notes	
Example:	RTPNM30H1 ( )( )	To order please specify pattern	It is Not advisable to mix 28 %"h	
R	Reff	number including;	desk height products with 26 1/2"	(
TP	Task Panel	1. Trim Finish: Painted or	standard height products.	1
N	No tool rail	<ul> <li>Anodized</li> <li>Insert Finish: Fabric</li> </ul>	All Fabric to be applied railroaded	•
M	Monolithic	2. Insert Finish. Fabric	as current tackboard.	
30	Width	_	*Installation instruction sheets	,
H1	23 1/8" high	_	available on Knoll Exchange.	-
111	Trim finish	_	For Task Panels refer to reference	J
W281	Fabric selection	=	number 6TP00085	

H1 Height: Underside of any overhead to top 1 ½" thick desk height worksurface. See elevation drawings, page 279.

Always supplied including cable curtain.

Always supplied including all trim pieces.  $\,$ 

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no hi-lo trims )

# Task Panels H1 23½" high Monolithic, Without Tool rail Wood, Laminate, Marker board or Glass Inserts

description	th	W	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	30"	RTPNM30H1	\$1,057.	\$850.	\$825.	\$949.	\$1,017.	\$1,172.
Without tool rail	1 1/2"	36"	RTPNM36H1	1,183.	901.	873.	1,001.	1,077.	1,260.
	1 1/2"	42"	RTPNM42H1	1,443.	1,107.	1,072.	1,207.	1,289.	1,501.
	1 1/2"	48"	RTPNM48H1	1,545.	1,120.	1,085.	1,224.	1,312.	1,555.
	1 1/2"	54"	RTPNM54H1	1,631.	1,130.	1,094.	1,233.	1,334.	1,605.
	1 1/2"	60"	RTPNM60H1	1,764.	1,190.	1,150.	1,294.	1,404.	1,705.
	1 1/2"	66"	RTPNM66H1	2,096.	1,478.	1,432.	1,582.	1,708.	2,041.
	1 1/2"	72"	RTPNM72H1	2,182.	1,490.	1,442.	1,596.	1,736.	2,105.
	1 1/2"	78"	RTPNM78H1	2,434.	1,669.	1,614.	1,773.	1,916.	2,307.
	1 1/2"	84"	RTPNM84H1	2,522.	1,685.	1,630.	1,796.	1,944.	2,364.
	1 1/2"	90"	RTPNM90H1	2,656.	1,744.	1,685.	1,848.	2,014.	2,463.
	1 1/2"	96"	RTPNM96H1	2,742.	1,763.	1,705.	1,871.	2,041.	2,517.

### **Order Code**

#### Example: RTPNM30H1()() R Reff TP Task Panel N No tool rail M Monolithic 30 Width H1 23 1/8" high 111 Trim finish V319 Veneer selection

## **Specification Information**

To order please specify pattern number including;

- Trim Finish: Painted or Anodized
- 2. Insert Finish: G, LW, L, V1, V2, V3

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page **Excluding any vertical surface over 60**", will accept woodgrain laminate where laminate is currently an option.

All Fabric to be applied railroaded as current tackboard.

\*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to reference number 6TP00085.

H1 Height: Underside of any overhead to top 1 ½" thick desk height worksurface. See elevation drawings, page 279.

Always supplied including cable curtain.

Always supplied including all trim pieces.

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no hi-lo trims )

Tool rails are not supplied to this Task Panel.

# Task Panels H1 23½" high Segmented With Tool rail Fabric Insert Above / Fabric Insert Below

description	th	w	y	pattern no.	grade 10	15	20	30	35	40	45	50	55
Task Panel, segmented	1 1/2"	30"	0.9	RTPRS30H1	\$1,227.	\$1,259.	\$1,294.	\$1,324.	\$1,356.	\$1,389.	\$1,420.	\$1,459.	\$1,503.
With tool rail	1 1/2"	36"	1.1	RTPRS36H1	1,320.	1,360.	1,401.	1,441.	1,475.	1,510.	1,543.	1,582.	1,627.
	1 1/2"	42"	1.3	RTPRS42H1	1,594.	1,641.	1,687.	1,734.	1,777.	1,817.	1,859.	1,904.	1,955.
	1 1/2"	48"	1.4	RTPRS48H1	1,616.	1,668.	1,718.	1,768.	1,811.	1,854.	1,895.	1,952.	2,024.
	1 1/2"	54"	1.6	RTPRS54H1	1,649.	1,708.	1,765.	1,825.	1,868.	1,912.	1,955.	2,031.	2,138.
	1 1/2"	60"	1.8	RTPRS60H1	1,683.	1,749.	1,814.	1,880.	1,924.	1,969.	2,015.	2,268.	2,731.
	1 1/2"	66"	1.9	RTPRS66H1	2,059.	2,129.	2,197.	2,267.	2,321.	2,376.	2,429.	2,561.	2,773.
	1 1/2"	72"	2.1	RTPRS72H1	2,096.	2,171.	2,248.	2,325.	2,381.	2,435.	2,493.	2,645.	2,895.

## **Order Code**

#### Example: RTPRS30H1()() R Reff TP Task Panel R Tool rail s Segmented 30 Width H1 23 1/8" high 111 Trim finish Fabric selection top W281 insert; 16"H W281 Fabric selection bottom insert; $4^{\prime\prime} H$

## Specification Information

To order please specify pattern number including;

- 1. Trim Finish: Painted or Anodized
- 2. Top insert finish: Fabric
- 3. Bottom insert finish: Fabric

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

All Fabric to be applied railroaded as current tackboard.

**Note:** Need to "double the yardage", for this task panel; Fabric above, Fabric below.

Top insert = 15%16''HBottom insert = 3%16''H

\*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to reference number 6TP00085 H1 Height: Underside of any overhead to top 1 ½" thick desk height worksurface. See elevation drawings, page 279.

Always supplied including cable curtain.

Always supplied including all trim pieces.

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no hi-lo trims )

 $Y = Yardage \ required$ 

## Task Panels H1 23½" high Segmented With Tool rail Marker board Insert Above / Fabric Insert Below

description	th	w	y	pattern no.	grade LW10	LW15	LW20	LW30	LW35	LW40	LW45	LW50	LW55
Task Panel, segmented	1 1/2"	30"	0.9	RTPRS30H1	\$1,294.	\$1,309.	\$1,324.	\$1,342.	\$1,382.	\$1,406.	\$1,438.	\$1,457.	\$1,474.
With tool rail	1 1/2"	36"	1.1	RTPRS36H1	1,377.	1,396.	1,416.	1,435.	1,478.	1,504.	1,539.	1,557.	1,576.
	1 1/2"	42"	1.3	RTPRS42H1	1,576.	1,600.	1,625.	1,647.	1,696.	1,726.	1,765.	1,788.	1,809.
	1 1/2"	48"	1.4	RTPRS48H1	1,596.	1,622.	1,646.	1,673.	1,723.	1,753.	1,792.	1,814.	1,837.
	1 1/2"	54"	1.6	RTPRS54H1	1,626.	1,653.	1,683.	1,713.	1,763.	1,794.	1,836.	1,858.	1,882.
	1 1/2"	60"	1.8	RTPRS60H1	1,651.	1,684.	1,717.	1,750.	1,802.	1,834.	1,874.	2,069.	2,420.
	1 1/2"	66"	1.9	RTPRS66H1	2,053.	2,087.	2,123.	2,158.	2,222.	2,261.	2,312.	2,380.	2,466.
	1 1/2"	72"	2.1	RTPRS72H1	2,080.	2,118.	2,158.	2,195.	2,262.	2,300.	2,352.	2,432.	2,540.

Order Co	de	Specification Information	Application Notes	Application Notes
Example:	RTPRS30H1 ( )( )( )	To order please specify pattern number including;	It is Not advisable to mix 28 %"h desk height products with 26 ½"	H1 Height: Underside of any overhead to top 1 1/2" thick desk
TP	Task Panel	1. Trim Finish: Painted or Anodized	standard height products.	height worksurface. See elevation drawings, page 279.
R	Tool rail	2. Top insert finish: Marker board	All Fabric to be applied railroaded as current tackboard.	Always supplied including cable
S	Segmentated	3. Bottom insert finish: Fabric	as current tackboard.	curtain.
30	Width		Top insert = 15%16"H Bottom insert = 3 15/16"H	
H1	23 1/8" high		Bottom insert = 3 716 H	Always supplied including all trim pieces.
111	Trim finish		*Installation instruction sheets	•
LW	Marker board top insert;		available on Knoll Exchange.	All trims supplied with the same finish specification.
	16"h		For Task Panels refer to reference	mish specification.
W281	Fabric selection bottom insert; 4"h		number 6TP00085	LH & RH side full height trims. ( no hi-lo trims )

## Task Panels H1 23½ high Segmented With Tool rail

## Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	W	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	30"	0.9	RTPRS30H1	\$1,371.	\$1,233.	\$1,335.	\$1,382.	\$1,398.	\$1,434.
With tool rail	1 1/2"	36"	1.1	RTPRS36H1	1,509.	1,383.	1,424.	1,472.	1,491.	1,535.
	1 1/2"	42"	1.3	RTPRS42H1	1,761.	1,551.	1,634.	1,682.	1,704.	1,755.
	1 1/2"	48"	1.4	RTPRS48H1	1,842.	1,581.	1,653.	1,744.	1,765.	1,825.
	1 1/2"	54"	1.6	RTPRS54H1	1,919.	1,621.	1,685.	1,776.	1,798.	1,862.
	1 1/2"	60"	1.8	RTPRS60H1	1,996.	1,661.	1,717.	1,806.	1,833.	1,902.
<del></del>	1 1/2"	66"	1.9	RTPRS66H1	2,431.	2,048.	2,130.	2,219.	2,248.	2,326.
	1 1/2"	72"	2.1	RTPRS72H1	2,510.	2,089.	2,164.	2,254.	2,285.	2,370.
	1 1/2"	78"	2.3	RTPRS78H1	2,704.	2,247.	2,312.	2,403.	2,435.	2,529.
	1 1/2"	84"	2.4	RTPRS84H1	2,780.	2,274.	2,330.	2,423.	2,457.	2,556.
	1 1/2"	90"	2.6	RTPRS90H1	2,859.	2,315.	2,362.	2,454.	2,491.	2,599.
	1 1/2"	96"	2.8	RTPRS96H1	2,938.	2,355.	2,394.	2,488.	2,527.	2,641.

## **Order Code**

#### Example: RTPRS30H1()()() R Reff TP Task Panel R Tool rail s Segmentated 30 Width H1 23 1/8" high 111 Trim finish W281 Fabric selection top insert; 16"h V319 Veneer selection bottom insert; 4''h

## Specification Information

To order please specify pattern number including;

- 1. Trim Finish: Painted or Anodized
- 2. Top insert finish: Glass or Fabric
- 3. Bottom insert finish: Forbo, L, V1, V2, V3

## **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page **Excluding any vertical surface over 60**", will accept woodgrain laminate where laminate is currently an option.

All Fabric to be applied railroaded as current tackboard.

Top insert = 15%16"H Bottom insert = 315/16"H

\*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to reference number 6TP00085.

H1 Height: Underside of any overhead to top 1 ½" thick desk height worksurface. See elevation drawings, page 279.

Always supplied including cable curtain.

Always supplied including all trim pieces.

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no hi-lo trims )

Y = Yardage required

## Task Panels H2 29<sup>3</sup>/4" high Monolithic, Without Tool Rail Fabric

description	th	W	y	pattern no.	grade 10	15	20	30	35	40	45	50	55
Task Panel, mono	1 1/2"	30"	0.9	RTPNM30H2	\$871.	\$888.	\$904.	\$921.	\$948.	\$965.	\$986.	\$1,010.	\$1,034.
Without tool rail	1 1/2"	36"	1.1	RTPNM36H2	932.	953.	972.	992.	1,022.	1,039.	1,065.	1,087.	1,104.
	1 1/2"	42"	1.3	RTPNM42H2	1,140.	1,162.	1,188.	1,210.	1,246.	1,269.	1,299.	1,324.	1,340.
	1 1/2"	48"	1.4	RTPNM48H2	1,154.	1,181.	1,204.	1,231.	1,268.	1,290.	1,318.	1,351.	1,367.
	1 1/2"	54"	1.6	RTPNM54H2	1,175.	1,203.	1,232.	1,261.	1,300.	1,321.	1,352.	1,380.	1,405.
	1 1/2"	60"	1.8	RTPNM60H2	1,243.	1,275.	1,309.	1,342.	1,382.	1,406.	1,438.	1,563.	1,780.
	1 1/2"	66"	1.9	RTPNM66H2	1,500.	1,534.	1,569.	1,604.	1,651.	1,681.	1,720.	1,758.	1,796.
	1 1/2"	72"	2.1	RTPNM72H2	1,522.	1,561.	1,598.	1,636.	1,685.	1,715.	1,754.	1,804.	1,864.
	1 1/2"	78"	2.3	RTPNM78H2	1,708.	1,750.	1,792.	1,834.	1,889.	1,920.	1,966.	2,005.	2,037.
	1 1/2"	84"	2.4	RTPNM84H2	1,721.	1,763.	1,807.	1,851.	1,907.	1,940.	1,984.	2,031.	2,079.
	1 1/2"	90"	2.6	RTPNM90H2	1,789.	1,836.	1,884.	1,931.	1,990.	2,023.	2,069.	2,124.	2,186.
	1 1/2"	96"	2.8	RTPNM96H2	1,811.	1,861.	1,913.	1,964.	2,021.	2,057.	2,104.	2,169.	2,251.

## **Order Code**

#### Example: RTPNM30H2()() R Reff Task Panel TP N No tool rail M Monolithic 30 Width H2 29³/4" high 111 Trim finish W281 Fabric selection

Y = Yardage required

## **Specification Information**

To order please specify pattern number including;

- 1. Trim Finish: Painted or Anodized
- 2. Insert Finish: Fabric

It is Not advisable to mix 28 % height products with 26 % standard height products.

All Fabric to be applied railroaded as current tackboard.

\*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to reference number 6TP00085

H2 Height: Underside of any overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza. See elevation drawings, page 279.

Always supplied including cable curtain.

Always supplied including all trim pieces.

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no hi-lo trims )

# Task Panels H2 29<sup>3</sup>/4" high Monolithic, Without Tool Rail Wood, Laminate, Marker board or Glass Inserts

description	th	W	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	30"	RTPNM30H2	\$1,219.	\$888.	\$859.	\$990.	\$1,067.	\$1,264.
Without tool rail	1 1/2"	36"	RTPNM36H2	1,373.	945.	914.	1,048.	1,137.	1,374.
	1 1/2"	42"	RTPNM42H2	1,675.	1,146.	1,109.	1,249.	1,352.	1,628.
	1 1/2"	48"	RTPNM48H2	1,792.	1,171.	1,131.	1,274.	1,394.	1,708.
	1 1/2"	54"	RTPNM54H2	1,907.	1,183.	1,141.	1,288.	1,420.	1,773.
	1 1/2"	60"	RTPNM60H2	2,069.	1,245.	1,201.	1,351.	1,497.	1,889.
	1 1/2"	66"	RTPNM66H2	2,428.	1,538.	1,485.	1,644.	1,802.	2,232.
	1 1/2"	72"	RTPNM72H2	2,544.	1,554.	1,499.	1,659.	1,831.	2,298.
	1 1/2"	78"	RTPNM78H2	2,825.	1,739.	1,679.	1,846.	2,024.	2,532.
	1 1/2"	84"	RTPNM84H2	2,939.	1,753.	1,689.	1,861.	2,052.	2,597.
	1 1/2"	90"	RTPNM90H2	3,101.	1,822.	1,756.	1,963.	2,139.	2,723.
	1 1/2"	96"	RTPNM96H2	3,217.	1,838.	1,769.	1,948.	2,168.	2,790.

Order Cod	de	Specification Information	Application Notes			
Example:	No tool rail Monolithic	To order please specify pattern number including;	It is Not advisable to mix 28 %"h desk height products with 26 1/2"	H2 Height: Underside of any overhead to top 1" thick credenza		
TP		1. Trim Finish: Painted or	standard height products.	top for 3/4 height cabinets or low credenza. See elevation drawings.		
N		<ul><li>Anodized</li><li>Insert Finish: G, LW, L, V1, V2,</li></ul>	Product on this page Excluding any	page 279.		
M		V3	vertical surface over 60", will accept woodgrain laminate where	Always supplied including cable		
30	Width	_	laminate is currently an option.	curtain.		
H2	29³/4″ high	_	All Fabric to be applied railroaded	Always supplied including all trim		
111	Trim finish		as current tackboard.	pieces.		
V319		_	*Installation instruction sheets available on Knoll Exchange.	All trims supplied with the same finish specification.		
			For Task Panels refer to reference number 6TP00085.	LH & RH side full height trims. (no hi-lo trims)		

## Task Panels H2 29<sup>3</sup>/4" high Segmented With Tool Rail Fabric Insert Above / Fabric Insert Below

description	th	w	y	pattern no.	grade 10	15	20	30	35	40	45	50	55
Task Panel, segmented	1 1/2"	30"	0.9	RTPRS30H2	\$1,369.	\$1,381.	\$1,393.	\$1,405.	\$1,447.	\$1,471.	\$1,505.	\$1,535.	\$1,562.
With tool rail	1 1/2"	36"	1.1	RTPRS36H2	1,405.	1,445.	1,484.	1,524.	1,570.	1,597.	1,634.	1,664.	1,686.
	1 1/2"	42"	1.3	RTPRS42H2	1,615.	1,663.	1,710.	1,757.	1,809.	1,841.	1,884.	1,942.	2,016.
	1 1/2"	48"	1.4	RTPRS48H2	1,640.	1,689.	1,741.	1,792.	1,845.	1,878.	1,920.	1,990.	2,086.
	1 1/2"	54"	1.6	RTPRS54H2	1,674.	1,731.	1,790.	1,848.	1,902.	1,937.	1,980.	2,069.	2,202.
	1 1/2"	60"	1.8	RTPRS60H2	1,708.	1,773.	1,839.	1,903.	1,962.	1,995.	2,042.	2,308.	2,795.
	1 1/2"	66"	1.9	RTPRS66H2	2,086.	2,156.	2,224.	2,292.	2,361.	2,402.	2,457.	2,602.	2,837.
	1 1/2"	72"	2.1	RTPRS72H2	2,195.	2,249.	2,304.	2,360.	2,430.	2,472.	2,530.	2,693.	2,961.

0	rd	e	·C	'n	Ы	Δ

#### Example: RTPRS30H2()()() R Reff TP Task Panel R Tool rail s Segmented 30 Width 293/4" high H2 111 Trim finish Fabric selection top W281 insert, 16"H W281 Fabric selection bottom insert, 11"H

## **Specification Information**

To order please specify pattern number including;

- 1. Trim Finish: Painted or Anodized
- 2. Top Insert Finish: Fabric
- 3. Bottom Insert Finish: Fabric

## **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

All Fabric to be applied railroaded as current tackboard.

**Note:** Need to "double the yardage", for this task panel; Fabric above, Fabric below.

 $\begin{aligned} & \text{Top insert} = 15\,\% \text{16}'' H \\ & \text{Bottom insert} = 10\,\% \text{22}'' H \end{aligned}$ 

\*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to reference number 6TP00085

H2 Height: Underside of any overhead to top 1'' thick credenza top for 3/4 height cabinets or low credenza. See elevation drawings, page 279.

Always supplied including cable

Always supplied including all trim pieces.

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no hi-lo trims )

Y = Yardage required

# Task Panels H2 29<sup>3</sup>/4" high Segmented With Tool Rail Marker board Insert Above / Fabric Insert Below

description	th	W	y	pattern no.	grade LW10	LW15	LW20	LW30	LW35	LW40	LW45	LW50	LW55
Task Panel, segmented	1 1/2"	30"	0.9	RTPRS30H2	\$1,312.	\$1,329.	\$1,345.	\$1,361.	\$1,403.	\$1,427.	\$1,460.	\$1,477.	\$1,495.
With tool rail	1 1/2"	36"	1.1	RTPRS36H2	1,402.	1,421.	1,442.	1,462.	1,505.	1,531.	1,567.	1,587.	1,606.
	1 1/2"	42"	1.3	RTPRS42H2	1,602.	1,627.	1,650.	1,675.	1,725.	1,755.	1,794.	1,816.	1,839.
	1 1/2"	48"	1.4	RTPRS48H2	1,625.	1,649.	1,675.	1,700.	1,751.	1,782.	1,822.	1,845.	1,869.
	1 1/2"	54"	1.6	RTPRS54H2	1,652.	1,682.	1,711.	1,740.	1,793.	1,823.	1,866.	1,902.	1,936.
	1 1/2"	60"	1.8	RTPRS60H2	1,681.	1,714.	1,748.	1,780.	1,834.	1,864.	1,908.	2,114.	2,484.
	1 1/2"	66"	1.9	RTPRS66H2	2,084.	2,120.	2,154.	2,187.	2,251.	2,292.	2,344.	2,424.	2,532.
	1 1/2"	72"	2.1	RTPRS72H2	1,896.	2,009.	2,122.	2,235.	2,301.	2,342.	2,394.	2,483.	2,608.

$\circ$	rd	۵r	Code	

#### Example: RTPRS30H2()() R Reff TP Task Panel R Tool rail s Segmented 30 Width H2 293/4" high 111 Trim finish LW Marker board top insert; W281 Fabric selectin bottom insert; 11"H

## **Specification Information**

To order please specify pattern number including;

- 1. Trim Finish: Painted or Anodized
- 2. Top Insert Finish: Marker board
- 3. Bottom Insert Finish: Fabric

## **Application Notes**

It is Not advisable to mix 28 % "h desk height products with 26 % "tandard height products.

All Fabric to be applied railroaded as current tackboard.

Top insert = 15%16''HBottom insert = 10%32''H

\*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to reference number  $6\mathrm{TP}00085$ 

H2 Height: Underside of any overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza. See elevation drawings, page 279.

Always supplied including cable curtain.

Always supplied including all trim pieces.

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no hi-lo trims )

## Task Panels H2 29<sup>3</sup>/4" high Segmented With Tool Rail

## Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	30"	0.9	RTPRS30H2	\$1,488.	\$1,256.	\$1,344.	\$1,418.	\$1,461.	\$1,542.
With tool rail	1 1/2"	36"	1.1	RTPRS36H2	1,649.	1,473.	1,442.	1,516.	1,565.	1,663.
	1 1/2"	42"	1.3	RTPRS42H2	1,923.	1,710.	1,655.	1,731.	1,786.	1,898.
	1 1/2"	48"	1.4	RTPRS48H2	2,023.	1,762.	1,680.	1,789.	1,846.	1,977.
	1 1/2"	54"	1.6	RTPRS54H2	2,122.	1,822.	1,714.	1,822.	1,887.	2,031.
	1 1/2"	60"	1.8	RTPRS60H2	2,217.	1,884.	1,748.	1,857.	1,925.	2,086.
	1 1/2"	66"	1.9	RTPRS66H2	2,673.	2,289.	2,154.	2,265.	2,338.	2,514.
	1 1/2"	72"	2.1	RTPRS72H2	2,780.	2,451.	2,201.	2,315.	2,388.	2,580.
	1 1/2"	78"	2.3	RTPRS78H2	2,988.	2,531.	2,344.	2,458.	2,536.	2,744.
	1 1/2"	84"	2.4	RTPRS84H2	3,085.	2,577.	2,368.	2,484.	2,566.	2,792.
	1 1/2"	90"	2.6	RTPRS90H2	3,182.	2,638.	2,401.	2,516.	2,607.	2,846.
	1 1/2"	96"	2.8	RTPRS96H2	3,280.	2,700.	2,435.	2,554.	2,647.	2,903.

## **Order Code**

#### Example: RTPRS30H2()()() R Reff TP Task Panel R Tool rail s Segmented 30 Width 29³/4″ high H2 111 Trim finish Fabric selectin top W281 insert; 16"H V319 Veneer selection bottom insert; 11"H

## **Specification Information**

To order please specify pattern number including;

- 1. Trim Finish: Painted or Anodized
- 2. Top Insert Finish: Glass or Fabric
- 3. Bottom Insert Finish: Forbo, L, V1, V2, V3

## **Application Notes**

It is Not advisable to mix 28 % "h desk height products with 26 % "t standard height products.

Product on this page **Excluding any vertical surface over 60"**, will accept woodgrain laminate where laminate is currently an option.

All Fabric to be applied railroaded as current tackboard.

Top insert = 15 %16"H Bottom insert = 10 15/32"H

\*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to reference number 6TP00085.

H2 Height: Underside of any overhead to top 1" thick credenza top for 3/4 height cabinets or low credenza. See elevation drawings, page 279.

Always supplied including cable curtain.

Always supplied including all trim

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no hi-lo trims )

Y = Yardage required

# Task Panels H3 377/8" high Monolithic, Without Tool rail Fabric

description	th	W	y	pattern no.	grade 10	15	20	30	35	40	45	50	55
Task Panel, mono	1 1/2"	30"	0.9	RTPNM30H3	\$912.	\$929.	\$944.	\$961.	\$990.	\$1,008.	\$1,031.	\$1,051.	\$1,067.
Without tool rail	1 1/2"	36"	1.1	RTPNM36H3	975.	994.	1,014.	1,034.	1,066.	1,083.	1,108.	1,130.	1,147.
	1 1/2"	42"	1.3	RTPNM42H3	1,183.	1,205.	1,230.	1,254.	1,292.	1,313.	1,344.	1,370.	1,392.
	1 1/2"	48"	1.4	RTPNM48H3	1,199.	1,226.	1,249.	1,275.	1,313.	1,338.	1,367.	1,395.	1,416.
	1 1/2"	54"	1.6	RTPNM54H3	1,221.	1,249.	1,279.	1,308.	1,348.	1,370.	1,403.	1,431.	1,451.
	1 1/2"	60"	1.8	RTPNM60H3	1,290.	1,322.	1,356.	1,389.	1,430.	1,457.	1,488.	1,572.	1,800.
	1 1/2"	66"	1.9	RTPNM66H3	1,548.	1,583.	1,617.	1,651.	1,702.	1,731.	1,770.	1,763.	1,817.
	1 1/2"	72"	2.1	RTPNM72H3	1,571.	1,609.	1,648.	1,686.	1,737.	1,767.	1,807.	1,810.	1,887.
	1 1/2"	78"	2.3	RTPNM78H3	1,759.	1,801.	1,843.	1,885.	1,941.	1,975.	2,020.	2,007.	2,061.
- - -	1 1/2"	84"	2.4	RTPNM84H3	1,773.	1,816.	1,860.	1,903.	1,962.	1,996.	2,042.	2,035.	2,104.
	1 1/2"	90"	2.6	RTPNM90H3	1,843.	1,891.	1,938.	1,984.	2,045.	2,080.	2,128.	2,129.	2,213.
	1 1/2"	96"	2.8	RTPNM96H3	1,866.	1,916.	1,968.	2,018.	2,079.	2,115.	2,164.	2,175.	2,281.

Order Co	de	Specification Information	Application Notes						
Example:	Reff	To order please specify pattern number including; 1. Trim Finish: Painted or	It is Not advisable to mix 28 \%"h desk height products with 26 \%" standard height products.	H3 Height: Top of U-shelf or L-shelf overhead to top 1 ½" thick desk height worksurface.					
TP N M	Task Panel No tool rail Monolithic	<ul><li>Anodized</li><li>2. Insert Finish: Fabric</li></ul>	All Fabric to be applied railroaded as current tackboard.	Always supplied including cable curtain.					
30 H3	Width	_ _	*Installation instruction sheets available on Knoll Exchange.	Always supplied including all trim pieces.					
111	37½" high Trim finish	_ _	For Task Panels refer to reference number 6TP00085	All trims supplied with the same finish specification.					
	Fabric selection	_	namber 011 00000	LH & RH side full height trims. ( no hi-lo trims )					

# Task Panels H3 377/8" high Monolithic, Without Tool rail Wood, Laminate, Marker board or Glass Inserts

description	th	W	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	30"	RTPNM30H3	\$1,412.	\$942.	\$910.	\$1,046.	\$1,141.	\$1,396.
Without tool rail	1 1/2"	36"	RTPNM36H3	1,599.	1,000.	964.	1,103.	1,216.	1,521.
	1 1/2"	42"	RTPNM42H3	1,910.	1,211.	1,170.	1,315.	1,449.	1,804.
	1 1/2"	48"	RTPNM48H3	2,083.	1,238.	1,194.	1,345.	1,493.	1,899.
	1 1/2"	54"	RTPNM54H3	2,230.	1,256.	1,207.	1,361.	1,527.	1,981.
	1 1/2"	60"	RTPNM60H3	2,426.	1,329.	1,277.	1,436.	1,614.	2,120.
	1 1/2"	66"	RTPNM66H3	2,817.	1,617.	1,557.	1,726.	1,919.	2,474.
	1 1/2"	72"	RTPNM72H3	2,965.	1,644.	1,580.	1,753.	1,969.	2,573.
	1 1/2"	78"	RTPNM78H3	3,279.	1,828.	1,758.	1,937.	2,169.	2,823.
	1 1/2"	84"	RTPNM84H3	3,426.	1,843.	1,770.	1,954.	2,204.	2,906.
	1 1/2"	90"	RTPNM90H3	3,621.	1,910.	1,834.	2,021.	2,292.	3,057.
=	1 1/2"	96"	RTPNM96H3	3,769.	1,928.	1,849.	2,043.	2,322.	3,123.

Order Co	de	Specification Information	Application Notes	Application Notes		
Example:	RTPNM30H3()()	To order please specify pattern	It is Not advisable to mix 28 %"h	H3 Height: Top of U-shelf or L-shelf		
R	Reff	number including;	desk height products with 26 1/2"	overhead to top 1 ½" thick desk height worksurface.		
TP	Task Panel	1. Trim Finish: Painted or	standard height products.			
N	No tool rail	<ul><li>Anodized</li><li>2. Insert Finish: G, LW, L, V1, V2,</li></ul>	Product on this page Excluding any	Always supplied including cable		
M	Monolithic	V3	vertical surface over 60", will accept woodgrain laminate where	curtain.		
30	Width	_	laminate is currently an option.	Always supplied including all trim		
H3	37 1/8" high	_	All Fabric to be applied railroaded	pieces.		
111	Trim finish	_	as current tackboard.	All trims supplied with the same		
V319	Veneer selection		*Installation instruction sheets	finish specification.		
		_	available on Knoll Exchange.	LH & RH side full height trims. ( no hi-lo trims )		
			For Task Panels refer to reference number 6TP00085.	,		

## Task Panels H3 377/8" high Segmented With Tool rail Fabric Insert Above / Fabric Insert Below

description	th	w	y	pattern no.	grade 10	15	20	30	35	40	45	50	55
Task Panel, segmented	1 1/2"	30"	0.9	RTPRS30H3	\$1,351.	\$1,383.	\$1,417.	\$1,449.	\$1,492.	\$1,519.	\$1,554.	\$1,585.	\$1,617.
With tool rail	1 1/2"	36"	1.1	RTPRS36H3	1,446.	1,486.	1,525.	1,566.	1,613.	1,641.	1,678.	1,711.	1,747.
	1 1/2"	42"	1.3	RTPRS42H3	1,658.	1,706.	1,754.	1,801.	1,855.	1,888.	1,931.	1,970.	2,009.
	1 1/2"	48"	1.4	RTPRS48H3	1,683.	1,733.	1,786.	1,836.	1,891.	1,924.	1,968.	1,989.	2,104.
	1 1/2"	54"	1.6	RTPRS54H3	1,720.	1,778.	1,836.	1,894.	1,951.	1,984.	2,030.	2,071.	2,229.
	1 1/2"	60"	1.8	RTPRS60H3	1,755.	1,821.	1,887.	1,952.	2,010.	2,046.	2,091.	2,309.	2,824.
-	1 1/2"	66"	1.9	RTPRS66H3	2,134.	2,205.	2,272.	2,342.	2,413.	2,454.	2,509.	2,596.	2,869.
	1 1/2"	72"	2.1	RTPRS72H3	2,174.	2,249.	2,326.	2,402.	2,474.	2,516.	2,575.	2,681.	2,993.

Order Cod	Order Code									
Example:	RTPRS30H3 ( )( )									
R	Reff									
TP	Task Panel									
R	Tool rail									
S	Segmented									
30	Width									
H3	377/8" high									
111	Trim finish									
W281	Fabric selection top									
	insert, 31"H									
W281	Fabric selection bottom									
	insert, 4"H									

## **Specification Information**

To order please specify pattern number including;

- 1. Trim Finish: Painted or Anodized
- Top Insert Finish: Fabric
   Bottom Insert Finish: Fabric

## **Application Notes**

It is Not advisable to mix 28 1/8"h desk height products with 26 1/2" standard height products.

All Fabric to be applied railroaded as current tackboard.

Note: Need to "double the yardage", for this task panel; Fabric above, Fabric below.

Top insert = 30%16''HBottom insert =  $3^{15}/16''H$ 

\*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to reference number 6TP00085

 ${
m H3}$  Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.

Always supplied including cable

Always supplied including all trim pieces.

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no hi-lo trims)

## Task Panels H3 377/8" high Segmented With Tool rail Marker Board Insert Above / Fabric Insert Below

description	th	w	y	pattern no.	grade LW10	LW15	LW20	LW30	LW35	LW40	LW45	LW50	LW55
Task Panel, segmented	1 1/2"	30"	0.9	RTPRS30H3	\$1,387.	\$1,403.	\$1,419.	\$1,434.	\$1,477.	\$1,503.	\$1,538.	\$1,568.	\$1,599.
With tool rail	1 1/2"	36"	1.1	RTPRS36H3	1,476.	1,497.	1,517.	1,536.	1,582.	1,610.	1,647.	1,680.	1,713.
	1 1/2"	42"	1.3	RTPRS42H3	1,689.	1,714.	1,738.	1,761.	1,814.	1,845.	1,889.	1,926.	1,966.
	1 1/2"	48"	1.4	RTPRS48H3	1,716.	1,741.	1,767.	1,793.	1,846.	1,880.	1,921.	1,960.	1,999.
	1 1/2"	54"	1.6	RTPRS54H3	1,754.	1,784.	1,812.	1,841.	1,896.	1,930.	1,973.	2,013.	2,053.
	1 1/2"	60"	1.8	RTPRS60H3	1,785.	1,816.	1,850.	1,883.	1,939.	1,973.	2,018.	2,174.	2,565.
-	1 1/2"	66"	1.9	RTPRS66H3	2,192.	2,228.	2,262.	2,296.	2,364.	2,405.	2,460.	2,481.	2,618.
	1 1/2"	72"	2.1	RTPRS72H3	2,232.	2,270.	2,308.	2,346.	2,417.	2,458.	2,514.	2,546.	2,706.

Order Co	de	Specification Information	Application Notes						
Example:	RTPRS30H3 ( )( )( )	To order please specify pattern number including;	It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.	H3 Height: Top of U-shelf or L-shelf overhead to top 1 ½" thick desk height worksurface.					
TP	Task Panel	1. Trim Finish: Painted or Anodized	• .	6					
R	Tool rail	2. Top Insert Finish: Marker board	All Fabric to be applied railroaded as current tackboard.	Always supplied including cable					
S	Segmented	3. Bottom Insert Finish: Fabric	as current tackboard.	curtain.					
30	Width		Top insert = $30^{5}/16''H$	Always supplied including all trim					
H3	37 7/8" high		Bottom insert = 3 15/16"H	pieces.					
111	Trim finish		*Installation instruction sheets	All trims supplied with the same					
LW	Marker board top insert;		available on Knoll Exchange.	finish specification.					
	31"H		For Task Panels refer to reference	LH & RH side full height trims. ( no					
W281	Fabric selection bottom insert; 4"H		number 6TP00085	hi-lo trims )					

## Task Panels H3 377/8" high Segmented With Tool rail

## Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	W	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	30"	0.9	RTPRS30H3	\$1,728.	\$1,299.	\$1,398.	\$1,447.	\$1,463.	\$1,500.
With tool rail	1 1/2"	36"	1.1	RTPRS36H3	1,925.	1,401.	1,491.	1,540.	1,560.	1,602.
	1 1/2"	42"	1.3	RTPRS42H3	2,239.	1,620.	1,704.	1,753.	1,773.	1,825.
	1 1/2"	48"	1.4	RTPRS48H3	2,381.	1,652.	1,727.	1,815.	1,838.	1,896.
	1 1/2"	54"	1.6	RTPRS54H3	2,517.	1,695.	1,759.	1,849.	1,872.	1,937.
	1 1/2"	60"	1.8	RTPRS60H3	2,657.	1,738.	1,793.	1,883.	1,910.	1,979.
	1 1/2"	66"	1.9	RTPRS66H3	3,152.	2,126.	2,210.	2,299.	2,327.	2,405.
	1 1/2"	72"	2.1	RTPRS72H3	3,294.	2,171.	2,245.	2,337.	2,367.	2,452.
	1 1/2"	78"	2.3	RTPRS78H3	3,548.	2,331.	2,395.	2,488.	2,520.	2,613.
	1 1/2"	84"	2.4	RTPRS84H3	3,686.	2,248.	2,417.	2,509.	2,543.	2,643.
	1 1/2"	90"	2.6	RTPRS90H3	3,822.	2,403.	2,451.	2,543.	2,580.	2,687.
	1 1/2"	96"	2.8	RTPRS96H3	3,964.	2,449.	2,487.	2,579.	2,618.	2,731.

## **Order Code**

#### Example: RTPRS30H3()()() R Reff TP Task Panel R Tool rail s Segmented 30 Width 377/8" high H3 111 Trim finish W281 Fabric selection top insert; 31"H V319 Veneer selection bottom insert; 4"H

## **Specification Information**

To order please specify pattern number including;

- 1. Trim Finish: Painted or Anodized
- 2. Top Insert Finish: Glass or Fabric
- 3. Bottom Insert Finish: Forbo, L, V1, V2, V3

## **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page **Excluding any vertical surface over 60"**, will accept woodgrain laminate where laminate is currently an option.

All Fabric to be applied railroaded as current tackboard.

Top insert =  $30^{5/16}$ ''H Bottom insert =  $3^{15/16}$ ''H

\*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to reference number 6TP00085.

H3 Height: Top of U-shelf or L-shelf overhead to top 1 1/2" thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no hi-lo trims )

Y = Yardage required

## Task Panels H4 44<sup>1</sup>/2" high Monolithic, Without Tool rail Fabric

description	th	w	у	pattern no.	grade 10	15	20	30	35	40	45	50	55
Task Panel, mono	1 1/2"	30"	0.9	RTPNM30H4	\$986.	\$1,002.	\$1,019.	\$1,035.	\$1,067.	\$1,084.	\$1,110.	\$1,123.	\$1,138.
without tool rail	1 1/2"	36"	1.1	RTPNM36H4	1,049.	1,070.	1,089.	1,109.	1,143.	1,162.	1,189.	1,203.	1,219.
	1 1/2"	42"	1.3	RTPNM42H4	1,259.	1,282.	1,306.	1,329.	1,369.	1,393.	1,424.	1,442.	1,461.
	1 1/2"	48"	1.4	RTPNM48H4	1,276.	1,303.	1,327.	1,353.	1,393.	1,418.	1,450.	1,469.	1,487.
	1 1/2"	54"	1.6	RTPNM54H4	1,300.	1,328.	1,357.	1,387.	1,428.	1,453.	1,486.	1,504.	1,523.
	1 1/2"	60"	1.8	RTPNM60H4	1,369.	1,403.	1,435.	1,468.	1,513.	1,539.	1,573.	1,688.	1,710.
	1 1/2"	66"	1.9	RTPNM66H4	1,630.	1,665.	1,697.	1,732.	1,785.	1,815.	1,857.	1,886.	1,910.
	1 1/2"	72"	2.1	RTPNM72H4	1,653.	1,691.	1,730.	1,768.	1,821.	1,854.	1,896.	1,937.	1,961.
	1 1/2"	78"	2.3	RTPNM78H4	1,842.	1,816.	1,790.	1,763.	1,816.	1,849.	1,891.	1,992.	2,016.
	1 1/2"	84"	2.4	RTPNM84H4	1,857.	1,900.	1,944.	1,989.	2,048.	2,083.	2,131.	2,168.	2,195.
	1 1/2"	90"	2.6	RTPNM90H4	1,927.	1,974.	2,022.	2,069.	2,131.	2,169.	2,218.	2,263.	2,292.
	1 1/2"	96"	2.8	RTPNM96H4	1,952.	2,003.	2,054.	2,104.	2,167.	2,206.	2,255.	2,310.	2,339.

Order (	Code
---------	------

#### Example: RTPNM30H4()() R Reff TP Task Panel N No tool rail M Monolithic 30 Width H4 441/2" high 111 Trim finish W281 Fabric selection

## Y = Yardage required

## **Specification Information**

To order please specify pattern number including;

- 1. Trim Finish: Painted or Anodized
- 2. Insert Finish: Fabric

## **Application Notes**

It is Not advisable to mix 28 \%"h desk height products with 26 \%" standard height products.

All Fabric to be applied railroaded as current tackboard.

\*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to reference number 6TP00085

H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no hi-lo trims )

# Task Panels H4 44½" high Monolithic, Without Tool rail Wood, Laminate, Marker board or Glass Inserts

description	th	W	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	30"	RTPNM30H4	\$1,602.	\$1,028.	\$990.	\$1,130.	\$1,241.	\$1,543.
without tool rail	1 1/2"	36"	RTPNM36H4	1,814.	1,094.	1,055.	1,198.	1,335.	1,694.
	1 1/2"	42"	RTPNM42H4	2,143.	1,310.	1,263.	1,415.	1,570.	1,990.
	1 1/2"	48"	RTPNM48H4	2,347.	1,333.	1,281.	1,439.	1,613.	2,089.
	1 1/2"	54"	RTPNM54H4	2,517.	1,359.	1,306.	1,467.	1,654.	2,191.
	1 1/2"	60"	RTPNM60H4	2,739.	1,428.	1,368.	1,536.	1,744.	2,338.
	1 1/2"	66"	RTPNM66H4	3,155.	1,727.	1,658.	1,837.	2,068.	2,721.
	1 1/2"	72"	RTPNM72H4	3,327.	1,750.	1,678.	1,859.	2,112.	2,824.
	1 1/2"	78"	RTPNM78H4	3,665.	1,935.	1,857.	2,047.	2,318.	3,087.
	1 1/2"	84"	RTPNM84H4	3,837.	1,954.	1,873.	2,067.	2,356.	3,187.
	1 1/2"	90"	RTPNM90H4	4,057.	2,022.	1,938.	2,136.	2,447.	3,332.
	1 1/2"	96"	RTPNM96H4	4,229.	2,045.	1,955.	2,161.	2,489.	3,435.

## Order Code

#### Example: RTPNM30H4()() R Reff TP Task Panel N No tool rail M Monolithic 30 Width H4 441/2" high 111 Trim finish V319 Veneer selection

## **Specification Information**

To order please specify pattern number including;

- 1. Trim Finish: Painted or Anodized
- 2. Insert Finish: Fabric

## **Application Notes**

It is Not advisable to mix 28 \%"h desk height products with 26 \%'z" standard height products.

Product on this page **Excluding any vertical surface over 60**", will accept woodgrain laminate where laminate is currently an option.

All Fabric to be applied railroaded as current tackboard.

\*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to reference number 6TP00085.

H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no hi-lo trims )

## Task Panels H4 44½" high Segmented With Tool rail Fabric Insert Above / Fabric Insert Below

description	th	w	y	pattern no.	grade 10	15	20	30	35	40	45	50	55
Task Panel, segmented	1 1/2"	30"	0.9	RTPRS30H4	\$1,424.	\$1,458.	\$1,490.	\$1,523.	\$1,569.	\$1,596.	\$1,633.	\$1,653.	\$1,674.
With tool rail	1 1/2"	36"	1.1	RTPRS36H4	1,522.	1,563.	1,601.	1,642.	1,690.	1,721.	1,759.	1,780.	1,802.
	1 1/2"	42"	1.3	RTPRS42H4	1,734.	1,782.	1,831.	1,877.	1,934.	1,967.	2,011.	2,060.	2,115.
	1 1/2"	48"	1.4	RTPRS48H4	1,760.	1,812.	1,862.	1,914.	1,971.	2,006.	2,052.	2,113.	2,187.
	1 1/2"	54"	1.6	RTPRS54H4	1,797.	1,856.	1,914.	1,972.	2,031.	2,066.	2,115.	2,197.	2,312.
	1 1/2"	60"	1.8	RTPRS60H4	1,835.	1,900.	1,966.	2,031.	2,091.	2,129.	2,177.	2,436.	2,909.
	1 1/2"	66"	1.9	RTPRS66H4	2,215.	2,285.	2,352.	2,423.	2,496.	2,539.	2,596.	2,736.	2,954.
	1 1/2"	72"	2.1	RTPRS72H4	2,254.	2,330.	2,408.	2,485.	2,558.	2,604.	2,662.	2,821.	3,081.

#### **Application Notes Order Code Specification Information** Example: RTPRS30H4()()() It is Not advisable to mix 28 %"h To order please specify pattern desk height products with 26 1/2" number including; R Reff standard height products. 1. Trim Finish: Painted or TP Task Panel Anodized All Fabric to be applied railroaded R Tool rail Top Insert Finish: Fabric as current tackboard. s Segmented 3. Bottom Insert Finish: Fabric 30 Note: Need to "double the yardage", Width for this task panel; Fabric above, 44 1/2" high H4 Fabric below. pieces. 111 Trim finish Top insert = $30^5/16''H$ Fabric selection top W281 Bottom insert = $10^{15}/32''H$ insert, 31"H \*Installation instruction sheets W281 Fabric selection bottom available on Knoll Exchange. hi-lo trims) insert, 11"H

Y = Yardage required

For Task Panels refer to reference number 6TP00085

H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low credenza

Always supplied including cable curtain.

Always supplied including all trim pieces.

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no

## Task Panels H4 44½" high Segmented With Tool rail Marker Board Insert Above / Fabric Insert Below

description	th	w	y	pattern no.	grade LW10	LW15	LW20	LW30	LW35	LW40	LW45	LW50	LW55
Task Panel, segmented	1 1/2"	30"	0.9	RTPRS30H4	\$1,461.	\$1,477.	\$1,492.	\$1,510.	\$1,555.	\$1,582.	\$1,618.	\$1,638.	\$1,658.
With tool rail	1 1/2"	36"	1.1	RTPRS36H4	1,552.	1,571.	1,592.	1,611.	1,659.	1,688.	1,727.	1,749.	1,769.
	1 1/2"	42"	1.3	RTPRS42H4	1,767.	1,791.	1,814.	1,838.	1,893.	1,926.	1,970.	1,995.	2,019.
	1 1/2"	48"	1.4	RTPRS48H4	1,794.	1,819.	1,844.	1,870.	1,926.	1,961.	2,005.	2,030.	2,055.
	1 1/2"	54"	1.6	RTPRS54H4	1,833.	1,861.	1,891.	1,919.	1,976.	2,011.	2,057.	2,083.	2,108.
	1 1/2"	60"	1.8	RTPRS60H4	1,863.	1,896.	1,930.	1,963.	2,020.	2,056.	2,103.	2,300.	2,649.
	1 1/2"	66"	1.9	RTPRS66H4	2,273.	2,308.	2,342.	2,377.	2,449.	2,491.	2,547.	2,618.	2,704.
	1 1/2"	72"	2.1	RTPRS72H4	2,314.	2,351.	2,390.	2,428.	2,501.	2,544.	2,604.	2,687.	2,793.

$\cap$	rd	er	_	റപ	

#### Example: RTPRS30H4()()() R Reff TP Task Panel R Tool rail s Segmented 30 Width H4 441/2" high 111 Trim finish LW Marker Board top insert; W281 Fabric selection bottom insert; 11"H

## **Specification Information**

To order please specify pattern number including;

- 1. Trim Finish: Painted or Anodized
- 2. Top Insert Finish: Marker board
- 3. Bottom Insert Finish: Fabric

## **Application Notes**

It is Not advisable to mix 28 \%"h desk height products with 26 \/2" standard height products.

All Fabric to be applied railroaded as current tackboard.

 $\begin{array}{l} Top\ insert = 30\, \mbox{5/16"H} \\ Bottom\ insert = 10\, \mbox{15/16"H} \end{array}$ 

\*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to reference number 6TP00085

H4 Height: Top of U-shelf or L-shelf overhead to top 1'' thick credenza top for 3/4 height cabinet or low credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no hi-lo trims )

## Task Panels H4 441/2" high Segmented With Tool rail

## Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	W	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	30"	0.9	RTPRS30H4	\$1,898.	\$1,468.	\$1,464.	\$1,536.	\$1,578.	\$1,661.
With tool rail	1 1/2"	36"	1.1	RTPRS36H4	2,116.	1,591.	1,560.	1,633.	1,681.	1,780.
	1 1/2"	42"	1.3	RTPRS42H4	2,451.	1,831.	1,777.	1,851.	1,904.	2,018.
	1 1/2"	48"	1.4	RTPRS48H4	2,613.	1,884.	1,802.	1,911.	1,969.	2,099.
	1 1/2"	54"	1.6	RTPRS54H4	2,771.	1,948.	1,838.	1,948.	2,010.	2,158.
	1 1/2"	60"	1.8	RTPRS60H4	2,928.	2,010.	1,873.	1,984.	2,053.	2,213.
	1 1/2"	66"	1.9	RTPRS66H4	3,444.	2,418.	2,282.	2,388.	2,467.	2,646.
	1 1/2"	72"	2.1	RTPRS72H4	3,606.	2,485.	2,320.	2,433.	2,510.	2,704.
	1 1/2"	78"	2.3	RTPRS78H4	3,881.	2,664.	2,478.	2,592.	2,670.	2,878.
	1 1/2"	84"	2.4	RTPRS84H4	4,040.	2,714.	2,504.	2,619.	2,702.	2,928.
	1 1/2"	90"	2.6	RTPRS90H4	4,196.	2,777.	2,540.	2,657.	2,746.	2,986.
	1 1/2"	96"	2.8	RTPRS96H4	4,358.	2,842.	2,577.	2,696.	2,789.	3,044.

## **Order Code**

#### Example: RTPRS30H4()() R Reff TP Task Panel R Tool rail s Segmented 30 Width 44 1/2" high H4 111 Trim finish Fabric selection top W281 insert; 31"H V319 Veneer selection bottom insert; 11"H

## **Specification Information**

To order please specify pattern number including;

- 1. Trim Finish: Painted or Anodized
- Top Insert Finish: Glass or Fabric
- Bottom Insert Finish: Forbo, L, V1, V2, V3

## **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Product on this page Excluding any vertical surface over 60", will accept woodgrain laminate where laminate is currently an option.

All Fabric to be applied railroaded as current tackboard.

Top insert =  $30^{5/16}$ "H Bottom insert =  $10^{15}/32''H$ 

\*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to reference number 6TP00085.

H4 Height: Top of U-shelf or L-shelf overhead to top 1" thick credenza top for 3/4 height cabinet or low

Always supplied including cable

Always supplied including all trim pieces.

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no hi-lo trims)

Y = Yardage required

## Task Panels H5 42<sup>5</sup>/8" high Monolithic, Without Tool rail Fabric

description	th	W	y	pattern no.	grade 10	15	20	30	35	40	45	50	55
Task Panel, mono	1 1/2"	30"	0.9	RTPNM30H5	\$976.	\$992.	\$1,009.	\$1,024.	\$1,055.	\$1,074.	\$1,098.	\$1,123.	\$1,149.
without tool rail	1 1/2"	36"	1.1	RTPNM36H5	1,038.	1,058.	1,078.	1,098.	1,131.	1,151.	1,179.	1,205.	1,233.
	1 1/2"	42"	1.3	RTPNM42H5	1,247.	1,271.	1,296.	1,317.	1,357.	1,381.	1,413.	1,445.	1,480.
	1 1/2"	48"	1.4	RTPNM48H5	1,265.	1,292.	1,315.	1,342.	1,382.	1,407.	1,438.	1,471.	1,505.
-	1 1/2"	54"	1.6	RTPNM54H5	1,286.	1,315.	1,345.	1,375.	1,416.	1,441.	1,472.	1,507.	1,541.
	1 1/2"	60"	1.8	RTPNM60H5	1,357.	1,390.	1,423.	1,457.	1,500.	1,525.	1,562.	1,678.	1,873.
	1 1/2"	66"	1.9	RTPNM66H5	1,617.	1,651.	1,685.	1,721.	1,771.	1,803.	1,844.	1,874.	1,891.
	1 1/2"	72"	2.1	RTPNM72H5	1,641.	1,679.	1,717.	1,755.	1,807.	1,839.	1,882.	1,923.	1,963.
	1 1/2"	78"	2.3	RTPNM78H5	1,830.	1,870.	1,913.	1,954.	2,013.	2,049.	2,096.	2,126.	2,137.
	1 1/2"	84"	2.4	RTPNM84H5	1,843.	1,888.	1,931.	1,974.	2,033.	2,069.	2,117.	2,155.	2,181.
	1 1/2"	90"	2.6	RTPNM90H5	1,914.	1,962.	2,009.	2,056.	2,118.	2,156.	2,205.	2,249.	2,291.
	1 1/2"	96"	2.8	RTPNM96H5	1,939.	1,989.	2,040.	2,087.	2,151.	2,187.	2,238.	2,294.	2,358.

Order Co	de	Specification Information	Application Notes						
Example: R TP	RTPNM30H5 ( )( ) Reff Task Panel	To order please specify pattern number including; 1. Trim Finish: Painted or	It is Not advisable to mix 28 3/8"h desk height products with 26 3/2" standard height products.	H5 Height: Top of single high overhead to top of 1 ½" thic desk height worksurface.					
N	No tool rail Monolithic	<ul><li>Anodized</li><li>2. Insert Finish: Fabric</li></ul>	All Fabric to be applied railroaded as current tackboard.	Always supplied including cable curtain.					
M 30	Width	_ _	*Installation instruction sheets available on Knoll Exchange.	Always supplied including all to pieces.					
H5 111	42 <sup>5</sup> /8" high Trim finish	_	For Task Panels refer to reference number 6TP00085	All trims supplied with the same finish specification.					
W281	Fabric selection	_	number 011 00005	LH & RH side full height trims.					

# Task Panels H5 42<sup>5</sup>/8" high Monolithic, Without Tool rail Wood, Laminate, Marker board or Glass Inserts

description	th	W	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	30"	RTPNM30H5	\$1,573.	\$1,014.	\$979.	\$1,117.	\$1,224.	\$1,513.
without tool rail	1 1/2"	36"	RTPNM36H5	1,781.	1,080.	1,040.	1,185.	1,314.	1,659.
	1 1/2"	42"	RTPNM42H5	2,107.	1,296.	1,247.	1,401.	1,547.	1,950.
	1 1/2"	48"	RTPNM48H5	2,306.	1,315.	1,268.	1,422.	1,591.	2,048.
	1 1/2"	54"	RTPNM54H5	2,472.	1,343.	1,289.	1,450.	1,631.	2,142.
	1 1/2"	60"	RTPNM60H5	2,689.	1,411.	1,354.	1,519.	1,718.	2,287.
	1 1/2"	66"	RTPNM66H5	3,101.	1,709.	1,643.	1,817.	2,043.	2,668.
	1 1/2"	72"	RTPNM72H5	3,271.	1,730.	1,661.	1,840.	2,082.	2,765.
	1 1/2"	78"	RTPNM78H5	3,603.	1,915.	1,839.	2,025.	2,287.	3,026.
	1 1/2"	84"	RTPNM84H5	3,769.	1,935.	1,856.	2,047.	2,325.	3,120.
	1 1/2"	90"	RTPNM90H5	3,986.	2,002.	1,918.	2,115.	2,413.	3,262.
	1 1/2"	96"	RTPNM96H5	4,154.	2,021.	1,936.	2,136.	2,453.	3,380.

Order Co	de	Specification Information	Application Notes						
Example: R TP N M 30 H5 111 V319	RTPNM30H5 ( )( ) Reff Task Panel No tool rail Monolithic Width 425/8" high Trim finish Veneer selection	To order please specify pattern number including;  1. Trim Finish: Painted or Anodized 2. Insert Finish: G, LW, L, V1, V2, V3	It is Not advisable to mix 28 %"h desk height products with 26 %" standard height products.  Product on this page Excluding any vertical surface over 60", will accept woodgrain laminate where laminate is currently an option.  *Installation instruction sheets available on Knoll Exchange.  For Task Panels refer to reference number 6TP00085.	H5 Height: Top of single high overhead to top of 1 ½" thick desk height work worksurface.  Always supplied including cable curtain.  Always supplied including all trim pieces.  All trims supplied with the same finish specification.  LH & RH side full height trims. (no hi-lo trims)					

# Task Panels H5 42<sup>5</sup>/8" high Segmented With Tool rail Fabric Insert Above / Fabric Insert Below

description	th	W	y	pattern no.	grade 10	15	20	30	35	40	45	50	55
Task Panel, segmented With tool rail	1 1/2"	30"	0.9	RTPRS30H5	\$1,415.	\$1,447.	\$1,480.	\$1,513.	\$1,557.	\$1,584.	\$1,621.	\$1,633.	\$1,646.
	1 1/2"	36"	1.1	RTPRS36H5	1,511.	1,552.	1,591.	1,631.	1,680.	1,709.	1,749.	1,761.	1,773.
	1 1/2"	42"	1.3	RTPRS42H5	1,724.	1,770.	1,818.	1,866.	1,921.	1,955.	2,001.	2,053.	2,104.
	1 1/2"	48"	1.4	RTPRS48H5	1,750.	1,800.	1,851.	1,901.	1,958.	1,993.	2,040.	2,108.	2,177.
	1 1/2"	54"	1.6	RTPRS54H5	1,787.	1,844.	1,902.	1,962.	2,019.	2,055.	2,102.	2,203.	2,301.
	1 1/2"	60"	1.8	RTPRS60H5	1,822.	1,889.	1,953.	2,019.	2,080.	2,116.	2,165.	2,532.	2,898.
	1 1/2"	66"	1.9	RTPRS66H5	2,204.	2,272.	2,341.	2,410.	2,482.	2,526.	2,584.	2,763.	2,942.
	1 1/2"	72"	2.1	RTPRS72H5	2,243.	2,320.	2,395.	2,471.	2,546.	2,590.	2,650.	2,860.	3,069.

Order	Code
-------	------

#### Example: RTPRS30H5()()() R Reff TP Task Panel R Tool rail s Segmented 30 Width 42 5/8" high H5 111 Trim finish Fabric selection top W281 insert, 36"H W281 Fabric selection bottom insert, 4"H

## Y = Yardage required

## **Specification Information**

To order please specify pattern number including;

- 1. Trim Finish: Painted or Anodized
- 2. Top insert finish: Fabric
- 3. Bottom insert finish: Fabric

## **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

All Fabric to be applied railroaded as current tackboard.

**Note:** Need to "double the yardage", for this task panel; Fabric above, Fabric below.

Top insert =  $35\frac{1}{16}$ "H Bottom insert =  $3\frac{15}{16}$ "H

\*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to reference number 6TP00085

H5 Height: Top of single high overhead to top of 1 ½" thick desk height work worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no hi-lo trims )

## Task Panels H5 425/8" high $Segmented \ With \ Tool \ rail$ Marker board Insert Above / Fabric Insert Below

description	th	w	y	pattern no.	grade LW10	LW15	LW20	LW30	LW35	LW40	LW45	LW50	LW55
Task Panel, segmented With tool rail	1 1/2"	30"	0.9	RTPRS30H5	\$1,458.	\$1,473.	\$1,489.	\$1,507.	\$1,552.	\$1,577.	\$1,615.	\$1,652.	\$1,689.
	1 1/2"	36"	1.1	RTPRS36H5	1,548.	1,569.	1,590.	1,609.	1,656.	1,686.	1,725.	1,764.	1,805.
	1 1/2"	42"	1.3	RTPRS42H5	1,764.	1,789.	1,812.	1,836.	1,891.	1,924.	1,968.	2,013.	2,059.
	1 1/2"	48"	1.4	RTPRS48H5	1,801.	1,828.	1,851.	1,877.	1,934.	1,967.	2,011.	2,057.	2,105.
	1 1/2"	54"	1.6	RTPRS54H5	1,834.	1,862.	1,892.	1,920.	1,977.	2,013.	2,058.	2,105.	2,155.
	1 1/2"	60"	1.8	RTPRS60H5	1,873.	1,907.	1,939.	1,971.	2,030.	2,064.	2,113.	2,311.	2,661.
	1 1/2"	66"	1.9	RTPRS66H5	2,283.	2,318.	2,351.	2,387.	2,458.	2,501.	2,558.	2,630.	2,716.
	1 1/2"	72"	2.1	RTPRS72H5	2,326.	2,364.	2,402.	2,441.	2,512.	2,556.	2,616.	2,700.	2,807.

Ord	er	Co	de

Example:	RTPRS30H5 ( )( )( )
R	Reff
TP	Task Panel
R	Tool rail
S	Segmentated
30	Width
H5	42 <sup>5</sup> /8" high
111	Trim finish
LW	Marker board top insert;
	36"H
W281	Fabric selection bottom
	insert; 4"H

## **Specification Information**

To order please specify pattern number including;

- 1. Trim Finish: Painted or Anodized
  2. Top insert finish: Marker board
- 3. Bottom insert finish: Fabric

### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

All Fabric to be applied railroaded as current tackboard.

Top insert = 351/16"H Bottom insert =  $3^{15}/16''H$ 

\*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to reference  $number\ 6TP00085$ 

H5 Height: Top of single high overhead to top of  $1^{1/2}$ " thick desk height worksurface.

Always supplied including cable

Always supplied including all trim pieces.

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no hi-lo trims)

## Task Panels H5 42<sup>5</sup>/8" high Segmented With Tool rail

## Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	W	y	pattern no.	FAB/L	G/FORB	FAB/FORB	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	30"	0.9	RTPRS30H5	\$1,463.	\$1,890.	\$1,361.	\$1,511.	\$1,526.	\$1,564.
With tool rail	1 1/2"	36"	1.1	RTPRS36H5	1,556.	2,106.	1,465.	1,605.	1,623.	1,669.
	1 1/2"	42"	1.3	RTPRS42H5	1,768.	2,442.	1,684.	1,817.	1,839.	1,890.
	1 1/2"	48"	1.4	RTPRS48H5	1,793.	2,605.	1,720.	1,882.	1,903.	1,760.
	1 1/2"	54"	1.6	RTPRS54H5	1,828.	2,762.	1,762.	1,916.	1,940.	2,004.
	1 1/2"	60"	1.8	RTPRS60H5	1,860.	2,920.	1,805.	1,950.	1,976.	2,048.
	1 1/2"	66"	1.9	RTPRS66H5	2,278.	3,436.	2,194.	2,368.	2,396.	2,474.
	1 1/2"	72"	2.1	RTPRS72H5	2,315.	3,597.	2,241.	2,405.	2,435.	2,522.
	1 1/2"	78"	2.3	RTPRS78H5	2,464.	2,753.	2,401.	2,556.	2,589.	2,682.
	1 1/2"	84"	2.4	RTPRS84H5	2,488.	4,030.	2,431.	2,580.	2,615.	2,715.
	1 1/2"	90"	2.6	RTPRS90H5	2,523.	4,188.	2,475.	2,615.	2,651.	2,759.
	1 1/2"	96"	2.8	RTPRS96H5	2,558.	4,348.	2,522.	2,653.	2,690.	2,804.

### **Order Code**

#### Example: RTPRS30H5()()() R Reff TP Task Panel R Tool rail s Segmentated 30 Width 42 5/8" high H5 111 Trim finish Fabric selection top W281 insert; 36"H V319 Veneer selection bottom insert; 4"H

## Specification Information

To order please specify pattern number including;

- 1. Trim Finish: Painted or Anodized
- 2. Top insert finish: Glass or Fabric
- 3. Bottom insert finish: Forbo, L, V1, V2, V3

### **Application Notes**

It is Not advisable to mix 28 % "h desk height products with 26 % "t standard height products.

Product on this page **Excluding any vertical surface over 60"**, will accept woodgrain laminate where laminate is currently an option.

All Fabric to be applied railroaded as current tackboard.

Top insert =  $35 \frac{1}{16}$ ''H Bottom insert =  $3 \frac{15}{16}$ ''H

\*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to reference number 6TP00085.

H5 Height: Top of single high overhead to top of  $1\frac{1}{2}$  thick desk height work worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no hi-lo trims )

Y = Yardage required

## Task Panels H6 49½" high Monolithic, Without Tool rail Fabric

description	th	W	y	pattern no.	grade 10	15	20	30	35	40	45	50	55
Task Panel, mono	1 1/2"	30"	0.9	RTPNM30H6	\$1,028.	\$1,042.	\$1,059.	\$1,075.	\$1,108.	\$1,126.	\$1,152.	\$1,178.	\$1,203.
Without tool rail	1 1/2"	36"	1.1	RTPNM36H6	1,091.	1,111.	1,130.	1,150.	1,185.	1,204.	1,233.	1,260.	1,287.
	1 1/2"	42"	1.3	RTPNM42H6	1,301.	1,323.	1,349.	1,371.	1,413.	1,438.	1,470.	1,502.	1,535.
	1 1/2"	48"	1.4	RTPNM48H6	1,318.	1,345.	1,369.	1,395.	1,436.	1,463.	1,497.	1,529.	1,563.
	1 1/2"	54"	1.6	RTPNM54H6	1,342.	1,370.	1,401.	1,429.	1,471.	1,498.	1,531.	1,566.	1,600.
	1 1/2"	60"	1.8	RTPNM60H6	1,415.	1,447.	1,481.	1,514.	1,560.	1,585.	1,622.	1,735.	1,928.
	1 1/2"	66"	1.9	RTPNM66H6	1,675.	1,709.	1,743.	1,778.	1,832.	1,862.	1,904.	1,934.	1,948.
	1 1/2"	72"	2.1	RTPNM72H6	1,699.	1,737.	1,776.	1,813.	1,868.	1,900.	1,944.	1,983.	2,020.
	1 1/2"	78"	2.3	RTPNM78H6	1,889.	1,930.	1,972.	2,014.	2,075.	2,110.	2,159.	2,187.	2,196.
	1 1/2"	84	2.4	RTPNM84H6	1,903.	1,948.	1,992.	2,035.	2,097.	2,132.	2,181.	2,217.	2,241.
	1 1/2"	90	2.6	RTPNM90H6	1,975.	2,022.	2,071.	2,118.	2,181.	2,219.	2,270.	2,315.	2,352.
	1 1/2"	96"	2.8	RTPNM96H6	2,002.	2,052.	2,103.	2,155.	2,218.	2,257.	2,308.	2,363.	2,421.

### **Order Code**

#### Example: RTPNM30H6()() R Reff Task Panel TP N No tool rail M Monolithic 30 Width Н6 491/8" high 111 Trim finish W281 Fabric selection

### Y = Yardage required

### **Specification Information**

To order please specify pattern number including;

- 1. Trim Finish: Painted or Anodized
- 2. Insert Finish: Fabric

### **Application Notes**

It is Not advisable to mix 28 \%"h desk height products with 26 \%'z" standard height products.

All Fabric to be applied railroaded as current tackboard.

\*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to reference number 6TP00085

H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no hi-lo trims )

# Task Panels H6 49½" high Monolithic, Without Tool rail Wood, Laminate, Marker board or Glass Inserts

description	th	W	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	30"	RTPNM30H6	\$1,741.	\$1,082.	\$1,043.	\$1,187.	\$1,312.	\$1,648.
Without tool rail	1 1/2"	36"	RTPNM36H6	1,973.	1,152.	1,108.	1,257.	1,406.	1,805.
	1 1/2"	42"	RTPNM42H6	2,321.	1,360.	1,310.	1,467.	1,637.	2,103.
	1 1/2"	48"	RTPNM48H6	2,547.	1,393.	1,339.	1,501.	1,686.	2,216.

Order Co	de	Specification Information	Application Notes	Application Notes		
R	RTPNM30H6 ( )( )	To order please specify pattern number including;	It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.	H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet		
TP N M 30 H6 111 V319	Task Panel No tool rail Monolithic	Anodized 2. Insert Finish: G, LW, L, V1, V2, V3	Product on this page Excluding any vertical surface over 60", will	or lower credenza. Always supplied including cable		
	Width 49 1/8" high		accept woodgrain laminate where laminate is currently an option.  *Installation instruction sheets	curtain.  Always supplied including all trim pieces.		
	Trim finish Veneer selection	_	available on Knoll Exchange.  For Task Panels refer to reference	All trims supplied with the same finish specification.		
			number 6TP00085.	LH & RH side full height trims. ( no hi-lo trims )		

## Task Panels H6 49½" high Segmented With Tool rail Fabric Insert Above / Fabric Insert Below

description	th	W	y	pattern no.	10	15	20	30	35	40	45	50	55
Task Panel, segmented	1 1/2"	30"	0.9	RTPRS30H6	\$1,466.	\$1,499.	\$1,530.	\$1,564.	\$1,600.	\$1,638.	\$1,676.	\$1,685.	\$1,695.
With tool rail	1 1/2"	36"	1.1	RTPRS36H6	1,563.	1,602.	1,642.	1,682.	1,723.	1,762.	1,803.	1,813.	1,822.
	1 1/2"	42''	1.3	RTPRS42H6	1,778.	1,825.	1,871.	1,918.	1,965.	2,010.	2,056.	2,104.	2,156.
	1 1/2"	48"	1.4	RTPRS48H6	1,804.	1,855.	1,907.	1,956.	2,004.	2,051.	2,098.	2,164.	2,229.
	1 1/2"	54"	1.6	RTPRS54H6	1,841.	1,899.	1,957.	2,016.	2,063.	2,113.	2,161.	2,258.	2,354.
	1 1/2"	60"	1.8	RTPRS60H6	1,880.	1,944.	2,010.	2,076.	2,125.	2,175.	2,224.	2,588.	2,952.
	1 1/2"	66"	1.9	RTPRS66H6	2,261.	2,329.	2,397.	2,467.	2,527.	2,586.	2,645.	2,822.	2,999.
	1 1/2"	72"	2.1	RTPRS72H6	2,300.	2,377.	2,454.	2,531.	2,607.	2,651.	2,712.	2,919.	3,125.

Or	der	$\sim$	db

#### Example: RTPRS30H6()()() R Reff TP Task Panel Ν No tool rail s Segmented 30 Width 491/8" high H6 111 Trim finish Fabric selection top W281 insert; 36"H W281 Fabric selection bottom insert; 11"H

## **Specification Information**

To order please specify pattern number including;

- 1. Trim Finish: Painted or Anodized
- 2. Top insert finish: Fabric
- 3. Bottom insert finish: Fabric

## **Application Notes**

## It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

All Fabric to be applied railroaded as current tackboard.

**Note:** Need to "double the yardage", for this task panel; Fabric above, Fabric below.

Top insert =  $35^{1}/16''H$ Bottom insert =  $10^{15}/32''H$ 

\*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to reference number 6TP00085

H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no hi-lo trims )

# Task Panels H6 49½" high Segmented With Tool rail Marker board Insert Above / Fabric Insert Below

description	th	W	y	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45	LW50	LW55
Task Panel, segmented	1 1/2"	30"	0.9	RTPRS30H6	\$1,509.	\$1,524.	\$1,541.	\$1,557.	\$1,604.	\$1,632.	\$1,670.	\$1,706.	\$1,744.
With tool rail	1 1/2"	36"	1.1	RTPRS36H6	1,601.	1,622.	1,641.	1,661.	1,710.	1,740.	1,781.	1,820.	1,860.
	1 1/2"	42''	1.3	RTPRS42H6	1,817.	1,841.	1,864.	1,889.	1,944.	1,978.	2,023.	2,068.	2,113.
	1 1/2"	48"	1.4	RTPRS48H6	1,856.	1,882.	1,907.	1,933.	1,991.	2,024.	2,071.	2,116.	2,162.
	1 1/2"	54"	1.6	RTPRS54H6	1,889.	1,917.	1,946.	1,975.	2,035.	2,071.	2,118.	2,165.	2,212.
	1 1/2"	60"	1.8	RTPRS60H6	1,930.	1,963.	1,996.	2,027.	2,088.	2,126.	2,174.	2,371.	2,716.
	1 1/2"	66"	1.9	RTPRS66H6	2,340.	2,375.	2,409.	2,444.	2,515.	2,561.	2,619.	2,690.	2,773.

$\circ$	rd	۵r	Code	

#### Example: RTPRS30H6()()() R Reff TP Task Panel R Tool rail s Segmentated 30 Width H6 491/8" high 111 Trim finish LW Marker board top insert; W281 Fabric selection bottom insert; 11"H

### **Specification Information**

To order please specify pattern number including;

- 1. Trim Finish: Painted or Anodized
- Anodized
  2. Top insert finish: Marker board
- 3. Bottom insert finish: Fabric

### **Application Notes**

It is Not advisable to mix 28 % "h desk height products with 26 % "tandard height products.

All Fabric to be applied railroaded as current tackboard.

Top insert =  $35\frac{1}{16}$ "H Bottom insert =  $10\frac{15}{32}$ "H

\*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to reference number 6TP00085

H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no hi-lo trims )

## Task Panels H6 49½" high Segmented With Tool rail

## Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	W	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	30"	0.9	RTPRS30H6	\$2,036.	\$1,509.	\$1,504.	\$1,576.	\$1,620.	\$1,702.
With tool rail	1 1/2"	36"	1.1	RTPRS36H6	2,274.	1,632.	1,599.	1,674.	1,723.	1,821.
	1 1/2"	42"	1.3	RTPRS42H6	2,629.	1,872.	1,817.	1,894.	1,946.	2,059.
	1 1/2"	48"	1.4	RTPRS48H6	2,811.	1,926.	1,844.	1,953.	2,011.	2,141.
	1 1/2"	54"	1.6	RTPRS54H6	2,990.	1,991.	1,882.	1,991.	2,054.	2,200.
	1 1/2"	60"	1.8	RTPRS60H6	3,168.	2,054.	1,917.	2,027.	2,097.	2,257.
	1 1/2"	66"	1.9	RTPRS66H6	3,704.	2,462.	2,327.	2,437.	2,511.	2,690.
	1 1/2"	72"	2.1	RTPRS72H6	3,886.	2,531.	2,366.	2,479.	2,556.	2,751.
	1 1/2"	78"	2.3	RTPRS78H6	4,182.	2,711.	2,525.	2,639.	2,716.	2,924.
	1 1/2"	84"	2.4	RTPRS84H6	4,360.	2,762.	2,551.	2,666.	2,751.	2,977.
	1 1/2"	90"	2.6	RTPRS90H6	4,540.	2,825.	2,588.	2,704.	2,792.	3,033.
	1 1/2"	96"	2.8	RTPRS96H6	4,719.	2,889.	2,626.	2,746.	2,836.	3,093.

### Order Code

#### Example: RTPRS30H6()()() R Reff TP Task Panel R Tool rail s Segmentated 30 Width H6 491/8" high 111 Trim finish Fabric selection top W281 insert; 36"H V319 Veneer selection bottom insert; 11"H

### **Specification Information**

To order please specify pattern number including;

- 1. Trim Finish: Painted or Anodized
- 2. Top insert finish: Glass or Fabric
- 3. Bottom insert finish: Forbo, L, V1, V2, V3

## **Application Notes**

It is Not advisable to mix 28 % "h desk height products with 26 % " standard height products.

Product on this page **Excluding any vertical surface over 60**", will accept woodgrain laminate where laminate is currently an option.

All Fabric to be applied railroaded as current tackboard.

Top insert =  $35^{1}/16''H$ Bottom insert =  $10^{15}/32''H$ 

\*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to reference number 6TP00085.

H6 Height: Top of single high overhead to top of 1" thick credenza top for 3/4 height cabinet or lower credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no hi-lo trims )

Y = Yardage required

## Task Panels H7 56½" high Monolithic, Without Tool rail Wood, Laminate, Marker board or Glass Inserts

description	th	W	pattern n	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	30"	RTPNM30H7()()	\$1,885.	\$1,099.	\$1,059.	\$1,195.	\$1,348.	\$1,744.
Without tool rail	1 1/2"	36"	RTPNM36H7()()	2,144.	1,173.	1,125.	1,279.	1,446.	1,916.
	1 1/2"	42"	RTPNM42H7()()	2,515.	1,393.	1,339.	1,501.	1,700.	2,246.
	1 1/2"	48"	RTPNM48H7( )( )	2,776.	1,428.	1,368.	1,538.	1,754.	2,377.

Order Cod	le	Specification Information	Application Notes							
Example: R	RTPNM30H7 ( )( ) Reff Task Panel	To order please specify pattern number including; 1. Trim Finish: Painted or	It is Not advisable to mix 28 1/8"h desk height products with 26 1/2" standard height products.	H7 Height: Top of double high overhead to top of 1 ½" thick desk height worksurface.						
N	No tool rail Monolithic	<ul> <li>Anodized</li> <li>Insert Finish: G, LW, L, V1, V2,</li> <li>V3</li> </ul>	Product on this page Excluding any vertical surface over 60", will	Always supplied including cable curtain.						
30	Width 56 1/8" high		accept woodgrain laminate where laminate is currently an option.	Always supplied including all tripieces.						
111 ′	Trim finish	<del>-</del> -	*Installation instruction sheets available on Knoll Exchange.	All trims supplied with the same finish specification.						
	Veneer selection	_	For Task Panels refer to reference number 6TP00085.	LH & RH side full height trims. (hi-lo trims)						

## Task Panels H7 56½" high Segmented With Tool rail Fabric Insert Above / Fabric Insert Below

description	th	W	y	pattern no.	grade 10	15	20	30	35	40	45	50	55
Task Panel, segmented	1 1/2"	30"	0.9	RTPRS30H7	\$1,472.	\$1,505.	\$1,538.	\$1,570.	\$1,608.	\$1,645.	\$1,683.	\$1,721.	\$1,730.
With tool rail	1 1/2"	36"	1.1	RTPRS36H7	1,571.	1,611.	1,650.	1,690.	1,731.	1,771.	1,813.	1,853.	1,863.
	1 1/2"	42"	1.3	RTPRS42H7	1,787.	1,834.	1,882.	1,928.	1,974.	2,021.	2,067.	2,117.	2,166.
	1 1/2"	48"	1.4	RTPRS48H7	1,814.	1,864.	1,916.	1,967.	2,014.	2,060.	2,107.	2,175.	2,241.

Example:	RTPRS30H7 ( )( )( )
R	Reff
TP	Task Panel
R	Tool rail
S	Segmented
30	Width
H7	561/8" high
111	Trim finish
W281	Fabric selection top
	insert; 49"H

insert; 4"H

Fabric selection bottom

Y = Yardage	${\it required}$
-------------	------------------

W281

**Order Code** 

## **Specification Information**

To order please specify pattern number including;

- 1. Trim Finish: Painted or Anodized
- 2. Top insert finish: Fabric
- 3. Bottom insert finish: Fabric

## **Application Notes**

It is Not advisable to mix 28 % "h desk height products with 26 % "t standard height products.

All Fabric to be applied railroaded as current tackboard.

**Note:** Need to "double the yardage", for this task panel; Fabric above, Fabric below.

Top insert = 49%16''HBottom insert = 3%16''H

\*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to reference number 6TP00085 H7 Height: Top of double high overhead to top of  $1^{1/2}$ " thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no hi-lo trims )

## Task Panels H7 56½" high Segmented With Tool rail Marker board Insert Above / Fabric Insert Below

description	th	w	y	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45	LW50	LW55
Task Panel, segmented	1 1/2"	30"	0.9	RTPRS30H7	\$1,543.	\$1,561.	\$1,575.	\$1,593.	\$1,631.	\$1,670.	\$1,707.	\$1,744.	\$1,782.
With tool rail	1 1/2"	36"	1.1	RTPRS36H7	1,648.	1,670.	1,687.	1,708.	1,750.	1,790.	1,832.	1,872.	1,913.
	1 1/2"	42"	1.3	RTPRS42H7	1,870.	1,894.	1,918.	1,942.	1,990.	2,035.	2,082.	2,128.	2,175.
	1 1/2"	48"	1.4	RTPRS48H7	1,904.	1,931.	1,955.	1,980.	2,027.	2,077.	2,124.	2,170.	2,218.

Order Co	de	Specification Information	Application Notes	
R	RTPRS30H7 ( )( )( )	To order please specify pattern number including; 1. Trim Finish: Painted or	It is Not advisable to mix 28 1/8"h desk height products with 26 1/2" standard height products.	H7 Height: Top of double high overhead to top of 1 ½" thick desk height worksurface.
TP R	Task Panel Tool rail	Anodized 2. Top insert finish: Marker board	All Fabric to be applied railroaded as current tackboard.	Always supplied including cable curtain.
S 30 H7	Segmentated Width 561/8" high	3. Bottom insert finish: Fabric	Top insert = 48 1/16"H Bottom insert = 3 15/16"H	Always supplied including all trim pieces.
111 LW	Trim finish  Marker board top insert;		*Installation instruction sheets available on Knoll Exchange.	All trims supplied with the same finish specification.
W281	49"H  Fabric selection bottom		For Task Panels refer to reference number 6TP00085	LH & RH side full height trims. ( no hi-lo trims )

insert; 4"H

## Task Panels H7 56½" high Segmented With Tool rail

## Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	W	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	30"	0.9	RTPRS30H7	\$2,201.	\$1,419.	\$1,520.	\$1,568.	\$1,584.	\$1,622.
With tool rail	1 1/2"	36"	1.1	RTPRS36H7	2,471.	1,524.	1,616.	1,665.	1,683.	1,727.
	1 1/2"	42"	1.3	RTPRS42H7	2,860.	1,748.	1,898.	1,881.	1,900.	1,952.
	1 1/2"	48"	1.4	RTPRS48H7	3,074.	1,784.	1,857.	1,946.	1,969.	2,026.

$\sim$	rde	20	$\sim$	N	_

#### Example: RTPRS30H7()()() R Reff TP Task Panel R Tool rail s Segmentated 30 Width 56 1/8" high H7 111 Trim finish Fabric selection top W281 insert; 49"H V319 Veneer selection bottom insert; 4"H

### **Specification Information**

To order please specify pattern number including;

- 1. Trim Finish: Painted or Anodized
- 2. Top insert finish: Glass or Fabric
- 3. Bottom insert finish: Forbo, L, V1, V2, V3

### **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page **Excluding any vertical surface over 60**", will accept woodgrain laminate where laminate is currently an option.

All Fabric to be applied railroaded as current tackboard.

Top insert = 48%16''HBottom insert =  $3\frac{15}{16}''H$ 

\*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to reference number 6TP00085.

H7 Height: Top of double high overhead to top of 1 ½" thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no hi-lo trims )

Y = Yardage required

## Task Panels H8 62<sup>3</sup>/4" high Monolithic, Without Tool rail Wood, Laminate, Marker board or Glass Inserts

description	th	W	pattern no.	glass	LW	L	V1	V2	V3
Task Panel, mono	1 1/2"	30"	RTPNM30H8	\$2,206.	\$1,326.	\$1,278.	\$1,432.	\$1,591.	\$2,020.
Without tool rail	1 1/2"	36"	RTPNM36H8	2,495.	1,404.	1,350.	1,510.	1,689.	2,203.
	1 1/2"	42"	RTPNM42H8	2,887.	1,627.	1,564.	1,734.	1,948.	2,542.
	1 1/2"	48"	RTPNM48H8	3,182.	1,655.	1,589.	1,767.	2,008.	2,687.

Order Cod	de	Specification Information	Application Notes	
Example: R TP N M 30 H8 111 V319	RTPNM30H8 ( )( ) Reff Task Panel No tool rail Monolithic Width 62³/4" high Trim finish Veneer selection	To order please specify pattern number including;  1. Trim Finish: Painted or Anodized 2. Insert Finish: G, LW, L, V1, V2, V3	It is Not advisable to mix 28 %"h desk height products with 26 %" standard height products.  Product on this page Excluding any vertical surface over 60", will accept woodgrain laminate where laminate is currently an option.  *Installation instruction sheets available on Knoll Exchange.  For Task Panels refer to reference number 6TP00085.	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.  Always supplied including cable curtain.  Always supplied including all trim pieces.  All trims supplied with the same finish specification.  LH & RH side full height trims. ( no hi-lo trims )

## Task Panels H8 62<sup>3</sup>/4" high Segmented With Tool rail Fabric Insert Above / Fabric Insert Below

description	th	w	y	pattern no.	grade 10	15	20	30	35	40	45	50	55
Task Panel, segmented	1 1/2"	30"	0.9	RTPRS30H8	\$1,654.	\$1,687.	\$1,722.	\$1,754.	\$1,806.	\$1,838.	\$1,881.	\$1,925.	\$1,969.
With tool rail	1 1/2"	36"	1.1	RTPRS36H8	1,755.	1,795.	1,835.	1,874.	1,931.	1,965.	2,010.	2,056.	2,104.
	1 1/2"	42"	1.3	RTPRS42H8	1,971.	2,018.	2,066.	2,114.	2,177.	2,215.	2,266.	2,319.	2,372.
	1 1/2"	48"	1.4	RTPRS48H8	2,001.	2,051.	2,102.	2,154.	2,217.	2,255.	2,307.	2,361.	2,415.

Order Co	de	Specification Information		Application Notes
Example: R	RTPRS30H8 ( )( )( ) Reff Task Panel	To order please specify pattern number including; 1. Trim Finish: Painted or	It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.	H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.
N M	No tool rail Monolithic	Anodized 2. Top insert finish: Fabric	All Fabric to be applied railroaded as current tackboard.	Always supplied including cable curtain.
30 H8	Width 62³/4″ high Trim finish	To order please specify pattern number including; 1. Trim Finish: Painted or Anodized	<b>Note:</b> Need to "double the yardage", for this task panel; Fabric above, Fabric below.	Always supplied including all trim pieces.  All trims supplied with the same
W281	Fabric selection top insert; 49"H		Top insert = 48%/16"H Bottom insert = 1015/32"H	finish specification.  LH & RH side full height trims. ( no
W281	Fabric selection bottom insert; 11"H		*Installation instruction sheets available on Knoll Exchange.	hi-lo trims )
Y = Yarda	age required		For Task Panels refer to reference number 6TP00085	

## Task Panels $H8\ 62^3/4''\ high$ Segmented With Tool rail Marker board Insert Above / Fabric Insert Below

description	th	w	y	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45	LW50	LW55
Task Panel, segmented	1 1/2"	30"	0.9	RTPRS30H8	\$1,726.	\$1,743.	\$1,758.	\$1,776.	\$1,817.	\$1,860.	\$1,902.	\$1,946.	\$1,992.
With tool rail	1 1/2"	36"	1.1	RTPRS36H8	1,833.	1,853.	1,871.	1,892.	1,938.	1,981.	2,027.	2,075.	2,122.
	1 1/2"	42"	1.3	RTPRS42H8	2,056.	2,080.	2,103.	2,127.	2,178.	2,229.	2,281.	2,333.	2,387.
	1 1/2"	48"	1.4	RTPRS48H8	2,090.	2,117.	2,140.	2,167.	2,218.	2,271.	2,323.	2,376.	2,430.

Order Co	de	Specification Information	Application Notes	
Example:	RTPRS30H8 ( )( )( )	To order please specify pattern number including;	It is Not advisable to mix 28 1/8"h desk height products with 26 1/2"	H8 Height: Top of double high overhead to top of 1" thick credenza
R	Reff	Ο,	standard height products.	top for 3/4 height cabinet.
TP	Task Panel	1. Trim Finish: Painted or Anodized	ouniana noight producto.	-
R	Tool rail	2. Top insert finish: Marker board	All Fabric to be applied railroaded as current tackboard.	Always supplied including cable
S	Segmentated	3. Bottom insert finish: Fabric	as current tackboard.	curtain.
30	Width		Top insert = 49%16"H Bottom insert = 1015/32"H	Always supplied including all trim
H8	62³/4″ high		Bottom insert = 10 732 H	pieces.
111	Trim finish		*Installation instruction sheets	All trims supplied with the same
LW	Marker board top insert;		available on Knoll Exchange.	finish specification.
	49"H		For Task Panels refer to reference	LH & RH side full height trims. ( no
W281	Fabric selection bottom insert; 11"H		number 6TP00085	hi-lo trims )

## Task Panels H8 62<sup>3</sup>/4" high Segmented With Tool rail

## Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	w	y	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Task Panel, segmented	1 1/2"	30"	0.9	RTPRS30H8	\$2,479.	\$1,699.	\$1,693.	\$1,767.	\$1,809.	\$1,891.
With tool rail	1 1/2"	36"	1.1	RTPRS36H8	2,771.	1,823.	1,792.	1,866.	1,914.	2,013.
	1 1/2"	42"	1.3	RTPRS42H8	3,178.	2,066.	2,013.	2,087.	2,139.	2,254.
	1 1/2"	48"	1.4	RTPRS48H8	3,413.	2,124.	2,043.	2,150.	2,209.	2,339.

$\circ$	rde	rc	<b>`</b> ^	do

#### Example: RTPRS30H8()()() R Reff TP Task Panel R Tool rail s Segmentated 30 Width 623/4" high H8 111 Trim finish Fabric selection top W281 insert; 49"H V319 Veneer selection bottom insert; 11"H

### Y = Yardage required

## **Specification Information**

To order please specify pattern number including;

- 1. Trim Finish: Painted or Anodized
- 2. Top insert finish: Glass or Fabric
- 3. Bottom insert finish: Forbo, L, V1, V2, V3

## **Application Notes**

It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Product on this page **Excluding any vertical surface over 60**", will accept woodgrain laminate where laminate is currently an option.

All Fabric to be applied railroaded as current tackboard.

Top insert = 48%16''HBottom insert = 10%25''H

\*Installation instruction sheets available on Knoll Exchange.

For Task Panels refer to reference number 6TP00085.

H8 Height: Top of double high overhead to top of 1" thick credenza top for 3/4 height cabinet.

Always supplied including cable curtain.

Always supplied including all trim pieces.

All trims supplied with the same finish specification.

LH & RH side full height trims. ( no hi-lo trims )

## Tackboards H1 23½" high Wall applied, fabric

description	W	y	pattern no.	grade 10	15	20	30	35	40	45	50	55
Tackboard, wall hung	30"	1.0	RWHDHTB30H1()	\$285.	\$313.	\$341.	\$370.	\$375.	\$380.	\$385.	\$423.	\$459.
	36"	1.1	RWHDHTB36H1()	303.	335.	366.	397.	403.	409.	416.	455.	496.
	42"	1.3	RWHDHTB42H1()	334.	371.	406.	444.	451.	457.	465.	513.	560.
	48"	1.5	RWHDHTB48H1()	364.	405.	447.	489.	498.	506.	515.	569.	623.
	54"	1.6	RWHDHTB54H1()	382.	427.	474.	518.	527.	536.	545.	604.	660.
	60"	1.8	RWHDHTB60H1()	412.	462.	514.	564.	575.	585.	595.	660.	724.
	66"	1.9	RWHDHTB66H1()	433.	486.	538.	592.	604.	613.	625.	693.	761.
	72"	2.1	RWHDHTB72H1()	462.	523.	581.	640.	651.	663.	674.	750.	825.
	78"	2.3	RWHDHTB78H1()	491.	557.	620.	686.	699.	711.	724.	807.	888.
	84"	2.5	RWHDHTB84H1()	523.	592.	662.	732.	747.	761.	775.	864.	953.
	90"	2.6	RWHDHTB90H1()	540.	613.	687.	759.	774.	790.	805.	898.	988.
	96"	2.8	RWHDHTB96H1()	571.	649.	729.	808.	823.	837.	855.	954.	1,052.

Order Code		Specification Information	Application Notes						
Example: R	RWHDHTB30H1 ( ) Reff Wall hung	To order please specify pattern number including; 1. Finish: Fabric	It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.	H1 Height: Underside of overhead to top 1 ½" thick desk height worksurface.					
DH	Desk height planning		All Fabric to be applied railroaded as current tackboard.	Always supplied including a U-channel for cord escape.					
TB 30	Tackboard Width		Tackboards are 1" thick.	U-channel is placed in the center of the width of tackboard.					
H1	23 1/8" high			Always supplied including Velcro					
W281	Fabric selection			for attachment.					

## Tackboards H2 29<sup>3</sup>/4" high Wall applied, fabric

description	W	у	pattern no.	grade 10	15	20	30	35	40	45	50	55
Tackboard , wall hung	30"	1.0	RWHDHTB30H2()	\$301.	\$328.	\$356.	\$381.	\$387.	\$394.	\$399.	\$436.	\$474.
	36"	1.1	RWHDHTB36H2()	324.	354.	382.	414.	420.	425.	433.	474.	511.
	42"	1.3	RWHDHTB42H2()	357.	393.	426.	462.	470.	478.	484.	532.	579.
	48"	1.5	RWHDHTB48H2()	390.	431.	472.	510.	521.	528.	536.	590.	645.
	54"	1.6	RWHDHTB54H2()	412.	455.	498.	542.	551.	560.	568.	627.	685.
	60"	1.8	RWHDHTB60H2()	445.	494.	542.	591.	602.	611.	621.	687.	750.
	66"	1.9	RWHDHTB66H2()	468.	519.	569.	621.	633.	643.	655.	722.	789.
	72"	2.1	RWHDHTB72H2()	500.	558.	613.	670.	684.	695.	707.	781.	856.
	78"	2.3	RWHDHTB78H2()	533.	596.	658.	720.	735.	746.	759.	841.	923.
	84"	2.5	RWHDHTB84H2()	565.	634.	701.	770.	783.	797.	812.	901.	988.
	90"	2.6	RWHDHTB90H2()	589.	660.	729.	800.	815.	829.	846.	936.	1,028.
	96"	2.8	RWHDHTB96H2()	621.	698.	773.	850.	864.	882.	898.	995.	1,094.

Order Code									
Example:	RWHDHTB30H2()								
R	Reff								
WH	Wall hung								
DH	Desk height planning								
ТВ	Tackboard								
30	Width								
H2	29³/4" high								
W281	Fabric selection								

Specification Information

To order please specify pattern number including;

1. Finish: Fabric

### **Application Notes**

It is Not advisable to mix 28 % "h desk height products with 26 % "t standard height products.

All Fabric to be applied railroaded as current tackboard.

Tackboards are 1" thick.

H2 Height = Underside of overhead to top of 1" thick credenza top for 3/4 height cabinets.

Always supplied including a U-channel for cord escape. U-channel is placed in the center of the width of tackboard. Always supplied including Velcro for attachment.

## Tackboards H3 377/8" high Wall applied, fabric

escription w y pattern no.		grade 10	15	20	30	35	40	45	50	55		
Tackboard, wall hung	30"	1.0	RWHDHTB30H3()	\$317.	\$343.	\$372.	\$399.	\$404.	\$410.	\$416.	\$452.	\$488.
	36"	1.1	RWHDHTB36H3()	342.	373.	402.	433.	439.	445.	451.	491.	531.
	42"	1.3	RWHDHTB42H3()	378.	414.	449.	484.	491.	498.	506.	554.	601.
	48"	1.5	RWHDHTB48H3()	416.	455.	496.	536.	545.	554.	562.	616.	669.
	54"	1.6	RWHDHTB54H3()	441.	484.	527.	569.	580.	589.	598.	656.	712.
	60"	1.8	RWHDHTB60H3()	478.	526.	575.	622.	633.	644.	655.	719.	781.
	66"	1.9	RWHDHTB66H3()	501.	554.	605.	657.	667.	677.	689.	755.	823.
	72"	2.1	RWHDHTB72H3()	538.	596.	651.	689.	700.	711.	723.	819.	892.
	78"	2.3	RWHDHTB78H3()	575.	638.	699.	762.	775.	787.	801.	882.	962.
	84"	2.5	RWHDHTB84H3()	611.	678.	747.	815.	828.	844.	857.	944.	1,033.
	90"	2.6	RWHDHTB90H3()	637.	707.	776.	848.	861.	876.	891.	983.	1,074.
	96"	2.8	RWHDHTB96H3()	672.	748.	824.	900.	915.	932.	947.	1,046.	1,144.

Order Code		Specification Information	Application Notes					
Example:	RWHDHTB30H3()	To order please specify pattern number including;	It is Not advisable to mix 28 1/8"h desk height products with 26 1/2"	H3 Height = Top of U-shelf or L-shelf overhead to top of 1 1/2" thick				
WH	Wall hung	1. Finish: Fabric	standard height products.	desk height worksurface.				
DH	Desk height planning		All Fabric to be applied railroaded	Always supplied including a				
ТВ	Tackboard		as current tackboard.	U-channel for cord escape. U-channel is placed in the center of				
30	Width		Tackboards are 1" thick.	the width of tackboard.				
H3	37 <sup>7</sup> /8" high			Always supplied including Velcro				
W281	Fabric selection			for attachment.				

## Tackboards H4 44<sup>1</sup>/2" high Wall applied, fabric

description	W	у	pattern no.	grade 10	15	20	30	35	40	45	50	55
Tackboard , wall hung	30"	1.0	RWHDHTB30H4()	\$330.	\$358.	\$384.	\$412.	\$418.	\$423.	\$428.	\$465.	\$502.
	36"	1.1	RWHDHTB36H4()	359.	388.	418.	448.	454.	459.	468.	506.	545.
	42"	1.3	RWHDHTB42H4()	398.	433.	469.	502.	510.	518.	526.	572.	618.
	48"	1.5	RWHDHTB48H4()	436.	477.	518.	558.	566.	575.	584.	638.	691.
	54"	1.6	RWHDHTB54H4()	464.	508.	551.	595.	604.	612.	621.	678.	736.
	60"	1.8	RWHDHTB60H4()	502.	551.	601.	648.	659.	669.	681.	744.	807.
	66"	1.9	RWHDHTB66H4()	531.	583.	634.	686.	697.	707.	718.	784.	853.
	72"	2.1	RWHDHTB72H4()	569.	628.	684.	741.	752.	764.	776.	851.	924.
	78"	2.3	RWHDHTB78H4()	609.	670.	735.	795.	809.	822.	834.	915.	995.
	84"	2.5	RWHDHTB84H4()	647.	714.	782.	851.	864.	878.	892.	981.	1,068.
	90"	2.6	RWHDHTB90H4()	674.	746.	817.	887.	902.	917.	932.	1,023.	1,113.
	96"	2.8	RWHDHTB96H4()	713.	790.	864.	940.	957.	974.	988.	1,087.	1,184.

Order Code										
Example:	RWHDHTB30H4()									
R	Reff									
WH	Wall hung									
DH	Desk height planning									
ТВ	Tackboard									
30	Width									
H4	44 1/2" high									
W281	Fabric selection									

## Specification Information

To order please specify pattern number including;

1. Finish: Fabric

### **Application Notes**

It is Not advisable to mix 28 % "h desk height products with 26 % standard height products.

All Fabric to be applied railroaded as current tackboard.

Tackboards are 1" thick.

H4 Height = Top of U-shelf or L-shelf overhead to top of 1" thick credenza top for 3/4" height cabinet.

Always supplied including a U-channel for cord escape. U-channel is placed in the center of the width of tackboard. Always supplied including Velcro for attachment.

## Tackboards H5 42<sup>5</sup>/8" high Wall applied, fabric

description	W	y	pattern no.	grade 10	15	20	30	35	40	45	50	55
Tackboard , wall hung	30"	1.0	RWHDHTB30H5()	\$327.	\$354.	\$380.	\$408.	\$414.	\$420.	\$425.	\$462.	\$498.
	36"	1.1	RWHDHTB36H5()	356.	383.	415.	444.	450.	455.	462.	502.	542.
	42"	1.3	RWHDHTB42H5()	393.	426.	462.	497.	505.	511.	521.	566.	613.
	48"	1.5	RWHDHTB48H5()	431.	472.	511.	552.	561.	568.	578.	632.	686.
	54"	1.6	RWHDHTB54H5()	457.	501.	544.	588.	597.	606.	614.	671.	728.
	60"	1.8	RWHDHTB60H5()	495.	544.	592.	642.	651.	662.	671.	737.	800.
	66"	1.9	RWHDHTB66H5()	524.	575.	625.	675.	688.	699.	710.	777.	845.
	72"	2.1	RWHDHTB72H5()	561.	618.	673.	731.	744.	754.	768.	842.	915.
	78"	2.3	RWHDHTB78H5()	599.	661.	723.	784.	798.	811.	824.	906.	986.
	84"	2.5	RWHDHTB84H5()	638.	704.	773.	841.	855.	868.	883.	971.	1,058.
	90"	2.6	RWHDHTB90H5()	664.	736.	806.	875.	890.	905.	920.	1,012.	1,101.
	96"	2.8	RWHDHTB96H5()	703.	778.	855.	930.	944.	962.	978.	1,075.	1,174.

Order Code										
Example:	RWHDHTB30H5()									
R	Reff									
WH	Wall hung									
DH	Desk height planning									
ТВ	Tackboard									
30	Width									
H5	42 <sup>5</sup> /8" high									
W281	Fabric selection									

### **Specification Information**

To order please specify pattern number including;

1. Finish: Fabric

### **Application Notes**

It is Not advisable to mix 28 % "h desk height products with 26 % standard height products.

All Fabric to be applied railroaded as current tackboard.

Tackboards are 1" thick.

H5 Height = Top of Single high overhead to top of  $1^1/2^n$  thick desk height worksurface.

Always supplied including a U-channel for cord escape. U-channel is placed in the center of the width of tackboard. Always supplied including Velcro for attachment.

## Desk Screens Planning Guidelines and Specifications

### **Reff Screens**

Reff screens provide partial enclosure for workspaces to a nominal horizon of 42"—seated visual access—or 49"—seated visual privacy. Screens are available in a variety of surface finishes for aesthetics, performance and price point.

### **Desk Mounted Screens**

Desk mounted screens provide enclosure both above and below the top, starting from either 9 3/8" or 21 7/8" above the floor for 26  $\frac{1}{2}$ " high planning and from either 11  $\frac{1}{4}$ " or 23  $\frac{3}{4}$ " above the floor for 28  $\frac{3}{8}$ " high planning. Desk mounted screens attach directly to the back of a desk top with two brackets that also define a 1  $\frac{1}{4}$ " offset for wire management and clamp-on accessories. Bracket centers are located 3  $\frac{1}{4}$ " from each end of screens 24"-30" wide and 12" from each end of screens 36" and wider.

Screens are available in the following widths 24", 27", 30", and 36"-72" wide in 6" increments. In most applications screens can be mounted to matching width or wider tops.

### Two types of screens are available:

- Frameless laminate, marker surface or veneer screens are ¾" thick with matching edge and crisp, eased corners.
- Fabric screens are 1 ¼" thick, with painted perimeter frame capturing a wood structural core and tackable, fabric wrapped inserts on each face.

### **Specification Options**

For frameless screens surface type: laminate (L) or veneer (V); specify finish, any core laminate or dry-erase marker surface (M), or any core Techwood or natural veneer. Also specify bracket color, in any Reff Profiles core paint finish.

For fabric screens specify fabric, perimeter frame and brackets painted finishes. Fabric is oriented railroad style for screens wider than 60".


Bracket and frame paint finish codes with suffix "T" indicate textured.

#### Construction


Frameless screens are ¾" MDF construction, with threaded inserts at bracket locations.

Fabric screens have a ½" MDF core, with 3/8" thick tackable PET material inserts on each side wrapped in fabric, and aluminum perimeter frame with seamless corners. Fabric screens have threaded metal inserts at bracket locations.


Laminate screens are edged with color matching ABS edgeband. Marker surface screens are edged with White ABS edgeband. Veneer screens are edged with matching veneer.



Screen always at back



For applications with work surface 26 1/2" off the floor



For applications with work surface 28 3/8" off the floor

## $\begin{array}{c} \text{Desk Screens} \\ \textit{Fabric} \\ \textit{For 42'' High Horizon} \end{array}$

description	W	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty	24"	1 1/4"	20"	YPSB2024F	\$638.	\$670.	\$703.	\$734.	\$765.
For Desks, 42" High Horizon	27"	1 1/4"	20"	YPSB2027F	657.	688.	721.	754.	787.
	30"	1 1/4"	20"	YPSB2030F	674.	709.	742.	776.	809.
	36"	1 1/4"	20"	YPSB2036F	751.	788.	826.	863.	900.
	42"	1 1/4"	20"	YPSB2042F	780.	819.	857.	897.	936.
	48"	1 1/4"	20"	YPSB2048F	803.	844.	884.	924.	964.
	54"	1 1/4"	20"	YPSB2054F	863.	906.	948.	993.	1,035.
	60"	1 1/4"	20"	YPSB2060F	916.	962.	1,008.	1,054.	1,099.
	66"	1 1/4"	20"	YPSB2066FRR	958.	1,006.	1,054.	1,101.	1,148.
	72"	1 1/4"	20"	YPSB2072FRR	987.	1,036.	1,087.	1,134.	1,185.
Fabric Screens with Half Modesty	24"	1 1/4"	32"	YPSB3224F	740.	776.	813.	850.	887.
For Desks, 42" High Horizon	27"	1 1/4"	32"	YPSB3227F	792.	832.	871.	912.	949.
	30"	1 1/4"	32''	YPSB3230F	816.	856.	897.	938.	979.
	36"	1 1/4"	32"	YPSB3236F	922.	968.	1,014.	1,060.	1,105.
	42"	1 1/4"	32"	YPSB3242F	975.	1,024.	1,072.	1,122.	1,170.
<b>8</b>	48"	1 1/4"	32"	YPSB3248F	981.	1,030.	1,079.	1,129.	1,177.
' /	54"	1 1/4"	32"	YPSB3254F	1,063.	1,117.	1,170.	1,223.	1,276.
	60"	1 1/4"	32"	YPSB3260F	1,152.	1,211.	1,268.	1,325.	1,382.
•	66"	1 1/4"	32"	YPSB3266FRR	1,311.	1,378.	1,443.	1,509.	1,574.
	72"	1 1/4"	32"	YPSB3272FRR	1,382.	1,452.	1,521.	1,590.	1,658.

Ordering Information	Order Co	de	Included With	Options
Desk Screens	Desk Scre	eens	Desk Screens	Desk Screens
Pattern Number     Inside Fabric Finish     Outside Fabric Finish	Example:	YPSB2048F, W351, W351, 118T, 118T	— Brackets Hardware	The price of screens specified with a combination of fabrics is the higher
4. Frame Paint Finish	YPSB	Desk Screen	_	of the two fabric grades.
5. Bracket Paint Finish	20	Height	_	(RR) Fabric is applied railroaded
	48	Width	_	
	F	Fabric	_	
	W351	Foundation	_	
	W351	Foundation	_	
	118T	Bright White Paint	_	
	118T	Bright White Paint	_	

## Desk Screens Fabric For 49" High Horizon

description	W	d	h	pattern no.	10	20	30	40	45
Fabric Screens with Partial Modesty	24"	1 1/4"	26"	YPSB2624F	\$697.	\$732.	\$766.	\$802.	\$836.
For Desks, 49" High Horizon	27"	1 1/4"	26"	YPSB2627F	726.	762.	800.	835.	872.
	30"	1 1/4"	26"	YPSB2630F	745.	783.	819.	856.	894.
	36"	1 1/4"	26"	YPSB2636F	833.	874.	917.	959.	1,000.
	42"	1 1/4"	26"	YPSB2642F	874.	918.	962.	1,006.	1,051.
	48"	1 1/4"	26"	YPSB2648F	939.	987.	1,033.	1,080.	1,128.
	54"	1 1/4"	26"	YPSB2654F	1,005.	1,056.	1,104.	1,155.	1,207.
	60"	1 1/4"	26"	YPSB2660F	1,048.	1,098.	1,151.	1,204.	1,256.
	66"	1 1/4"	26"	YPSB2666FRR	1,094.	1,147.	1,204.	1,258.	1,311.
	72"	1 1/4"	26"	YPSB2672FRR	1,141.	1,196.	1,256.	1,311.	1,369.
Fabric Screens with Half Modesty	24"	1 1/4"	38"	YPSB3824F	798.	838.	878.	917.	958.
For Desks, 49" High Horizon	27"	1 1/4"	38"	YPSB3827F	856.	899.	942.	986.	1,028.
	30"	1 1/4"	38"	YPSB3830F	880.	924.	969.	1,012.	1,057.
	36"	1 1/4"	38"	YPSB3836F	1,005.	1,056.	1,104.	1,155.	1,207.
8	42"	1 1/4"	38"	YPSB3842F	1,063.	1,117.	1,170.	1,223.	1,276.
	48"	1 1/4"	38"	YPSB3848F	1,146.	1,206.	1,261.	1,317.	1,376.
	54"	1 1/4"	38"	YPSB3854F	1,207.	1,266.	1,326.	1,385.	1,446.
	60"	1 1/4"	38"	YPSB3860F	1,270.	1,335.	1,398.	1,462.	1,524.
<b>.</b>	66"	1 1/4"	38"	YPSB3866FRR	1,424.	1,495.	1,567.	1,638.	1,708.
	72"	1 1/4"	38"	YPSB3872FRR	1.501.	1.577.	1.651.	1.726.	1.803.

Ordering Information	Order Co	de	Included With	Options
Desk Screens	Desk Scr	eens	Desk Screens	Desk Screens
<ol> <li>Pattern Number</li> <li>Inside Fabric Finish</li> <li>Outside Fabric Finish</li> <li>Frame Paint Finish</li> </ol>	Example:	Example: YPSB2648F, W351, W351, 118T, 118T  Brackets Hardware		The price of screens specified with a combination of fabrics is the higher
	YPSB	Desk Screen	_	of the two fabric grades.
5. Bracket Paint Finish	26	Height	_	(RR) Fabric is applied railroaded
	48	Width		
	F	Fabric		
	W351	Foundation	_	
	W351	Foundation	_	
	118T	Bright White Paint	_	
	118T	Bright White Paint	_	

## Desk Screens Laminate, Markerboard or Veneer For 42" High Horizon

description	W	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty	24"	3/4"	20"	YPSB2024()	\$261.	\$451.	\$501.	\$576.	\$749.
For Desks, 42" High Horizon	30"	3/4"	20"	YPSB2030()	268.	458.	522.	600.	782.
	36"	3/4"	20"	YPSB2036()	301.	579.	545.	626.	816.
	42"	3/4"	20"	YPSB2042()	307.	584.	586.	673.	874.
	48"	3/4"	20"	YPSB2048()	397.	935.	613.	705.	914.
	54"	3/4"	20"	YPSB2054()	405.	941.	634.	730.	948.
	60"	3/4"	20"	YPSB2060()	410.	947.	686.	789.	1,027.
	66"	3/4"	20"	YPSB2066()	417.	955.	717.	825.	1,071.
	72"	3/4"	20"	YPSB2072()	423.	961.	741.	851.	1,104.
Screens with Half Modesty	24"	3/4"	32"	YPSB3224( )	293.	692.	582.	668.	870.
For Desks, 42" High Horizon	27"	3/4"	32"	YPSB3227()	299.	697.	606.	698.	909.
	30"	3/4"	32"	YPSB3230()	340.	703.	625.	719.	935.
	36"	3/4"	32"	YPSB3236()	400.	938.	662.	760.	989.
<b>A</b>	42"	3/4"	32"	YPSB3242()	410.	947.	725.	834.	1,086.
<b>S</b>	48"	3/4"	32"	YPSB3248()	432.	1,643.	760.	874.	1,138.
	54"	3/4"	32"	YPSB3254()	440.	1,651.	803.	924.	1,202.
	60"	3/4"	32"	YPSB3260()	600.	1,657.	887.	1,019.	1,325.
•	66"	3/4"	32"	YPSB3266()	613.	1,667.	930.	1,068.	1,388.
	72"	3/4"	32"	YPSB3272()	621.	1,679.	964.	1,107.	1,442.

Ordering Information	Order Co	de	Included With	Options
Desk Screens	Desk Scre	eens	Desk Screens	Desk Screens
1. Pattern Number 2. Surface Finish	Example:	YPSB2048V, V316, 118T	Brackets Hardware	Finish Options: (L)= Laminate
3. Bracket Paint Finish	YPSB	Desk Screen	_	(LM)= Markerboard
	20	Height	_	(V)= Veneer
	48	Width	_	
	V	Veneer	_	
	V316	Maple	_	
	118T	Bright White Paint	_	

## Desk Screens Laminate, Markerboard or Veneer For 49" High Horizon

description	w	d	h	pattern no.	Laminate (L)	Markerboard (LM)	V1 (V)	V2 (V)	V3 (V)
Screens with Partial Modesty	24"	3/4"	26"	YPSB2624()	\$285.	\$685.	\$555.	\$639.	\$831.
For Desks, 49" High Horizon	27"	3/4"	26"	YPSB2627()	289.	690.	569.	656.	852.
	30"	3/4"	26"	YPSB2630()	294.	693.	593.	683.	888.
	36"	3/4"	26"	YPSB2636()	302.	703.	623.	716.	932.
	42"	3/4"	26"	YPSB2642()	346.	711.	675.	776.	1,008.
	48"	3/4"	26"	YPSB2648()	379.	1,629.	712.	819.	1,064.
	54"	3/4"	26"	YPSB2654()	386.	1,638.	742.	851.	1,106.
	60"	3/4"	26"	YPSB2660()	408.	1,644.	825.	948.	1,232.
	66"	3/4"	26"	YPSB2666()	416.	1,653.	854.	982.	1,277.
	72"	3/4"	26"	YPSB2672()	534.	1,658.	884.	1,017.	1,321.
Screens with Half Modesty	24"	3/4"	38"	YPSB3824()	339.	703.	621.	714.	928.
For Desks, 49" High Horizon	27"	3/4"	38"	YPSB3827()	344.	708.	642.	740.	960.
	30"	3/4"	38"	YPSB3830()	348.	713.	663.	761.	990.
	36"	3/4"	38"	YPSB3836()	412.	948.	714.	820.	1,067.
<b>№</b>	42"	3/4"	38"	YPSB3842()	425.	961.	785.	902.	1,174.
	48"	3/4"	38"	YPSB3848()	528.	1,654.	827.	951.	1,236.
<b>&gt;</b>	54"	3/4"	38"	YPSB3854()	541.	1,666.	877.	621. 714. 642. 740. 663. 761. 714. 820. 1 785. 902. 1 827. 951. 1 877. 1,008. 1 989. 1,137.	1,310.
	60"	3/4"	38"	YPSB3860()	621.	1,679.	989.	1,137.	1,478.
*	66"	3/4"	38"	YPSB3866()	631.	1,690.	1,038.	1,194.	1,553.
	72"	3/4"	38"	YPSB3872()	643.	1,701.	1,082.	1,243.	1,616.

Ordering Information	Order Co	de	Included With	Options		
Desk Screens	Desk Scre	eens	Brackets Hardware  (L)=	Desk Screens		
Pattern Number     Surface Finish     Bracket Paint Finish	Example:	YPSB2648V, V316, 118T		Finish Options: (L)= Laminate		
	YPSB	Desk Screen		(LM)= Markerboard		
	26	Height	_	(V)= Veneer		
	48	Width	_			
	V	Veneer	_			
	V316	Maple	_			
	118T	Bright White Paint	_			

## Accessories - Planning Guidelines and Specification Wire Management - J-Wire Troughs


J-Wire Troughs are available in two types, Wall Mount & Under Mount. Wall mount J-wire troughs may be attached to both architectural walls and fixed modesty panels. Under mount J-wire troughs may be attached directly under worksurfaces.

Both types are available in 6" increments, in lengths ranging from 24" to 72". Troughs are 3" high by 3" deep. They are constructed of 18-gauge cold rolled steel. Wall mount is available in black. Under mount is available in all Reff Profiles core paint finishes.

### **Application notes:**

Wires may run along the length of the trough and may exit at the trough ends or over the open front of the trough at any point. Under mount troughs also have a 1 ½" diameter, U-shaped mouse hole for wire entry/exit.

Wall mount J-wire troughs are attached to a vertical surface such as a full modesty panel, suspended modesty panel, or architectural wall. Refer to Figure 1 and 2. Fasteners are not included with wall mount J-wire troughs. Attachment fasteners should be selected with consideration given to the vertical surface's material type and thickness. Care should be taken so that screws will not protrude through or damage the visitor side of a modesty panel.






Figure 1: Partial Height Modesty Applications




Figure 2: Wire Trough Wall Mounted Applications

## Accessories - Planning Guidelines and Specification Wire Management - J-Wire Troughs

Under mount J-wire troughs have two tabs at the top that allow them to be attached to the underside of a worksurface. Wood screws are included with under mount J-wire troughs.

Under mount J-wire troughs are designed to work with worksurfaces specified with flush, recessed, edge or no grommets. When edge grommets are specified, the trough is attached with the opening towards the wall which will enable the ability to run wires anywhere along the opening in the worksurface while still allowing the ability to run wires through the grommet of the wire manager. Refer to Figure 5.

Under mount J-wire troughs may be specified when a desk screen (i.e. Antenna) is to be used as a modesty panel. Refer to Figure 6.

The width of the J-wire trough should be specified so that the trough spans and falls beneath grommet locations, but does not interfere with leg or pedestal positions. (i.e: A 72"w double letter-wide pedestal desk with flush grommets would be get a 36" trough.) Refer to Figure 3 and 4.

Wire troughs may not be used to stiffen a worksurface.




Figure 3: Peninsula




Figure 4: Top with Desktop Grommet




Figure 5: Top with Edge Grommet




Figure 6: Desk Screen

## Accessories - Planning Guidelines and Specification Wire Management for Credenzas

The wire manager for credenza may be specified for use with a 1" or 1 ½" thick credenza top with edge grommet. Wires, transformers, or personal accessory chargers may then be pushed off the worksurface, but will not drop all the way to the floor.


The wire manager for credenza top is 24" wide, 1" high and 1 ¼" deep, and will fit any standard width credenza top with edge grommet. It is constructed of 24-gauge cold rolled steel and is available in black.

### Application notes:


The wire manager for credenza is intended to be mounted to the inside edge of the edge grommet. Wires may run along the length of the trough, exiting at the trough ends between the trough and the un-notched portion of the worksurface top.

**Note:** There will be a visible black lip (approx. <sup>1</sup>/<sub>8</sub>" wide) at the edge of the worksurface where the wire manager is mounted.


For installation, wood screws and double sided tape are included with the wire manager.



Application of Wire Manager for Credenza Top



Wire Manager Dimensions



Wire Manager

#### **Power and Data Outlets**

Power and Data Outlets are available in a variety of configurations for use with worksurfaces, peninsulas and tables.

The electrical accessories make power and data taps more accessible to the end user.

All Power and Data Access ories are ordered separately from the furniture elements which they support.

These accessories are offered in a variety of configurations consisting of simplex receptacles, double USB charging ports and blank spaces which may be used to field install data outlets. The Power and Data Outlets are available in either 4 position wide or 6 position wide configurations. See **Figure 1** and **Figure 2** for available configurations.

Power and Data Accessories come in the following forms:

- Electrical component for Peninsula Power Center
- Electrical component for Peninsula Simple Stand-off - Drop-in
- Electrical component Clamp-on
- Electrical component for Tables Drop-in
- Electrical component for Tables - Edge Mounted
- Electrical Component for Tables - Power Center

See **Figure 4** for available configuration options for each of these Power and Data Accessories.

### **General Notes**

Simplex outlets and USB charging ports are wired together and on the same circuit. All units have a 15 Amp overall rating. The double USB charging ports share a total of 2 Amps. All units are available with choice of 72" or 120" long cordset or 72" long hardwire cord. The 72" or 120" long cordsets have a standard 3 prong plug on units with 3 or fewer simplex receptacles.

Units configured with more than 3 simplex receptacles come with a Circuit Breaker cordset. See **Figure 3** for dimensions. This applies to the following configurations:

- 4F
- 4P+2D
- 4P+1U+1D
- 6P

The 72" long hardwire cord is 3/4" diameter flexible metal conduit with pigtails for direct connection to building power.

Connection option selected must comply with local and/or national electrical code.

Power and data outlets are UL certified.

All power and data outlets are available in either white or black color options. The finish color refers to the face and bezel of the units only. The cord sets are always black. The body of the units is clear anodized aluminum. Bands of clear anodized aluminum appear on the face of the outlets just above and below the receptacles.

Data jacks are not available through Knoll and must be coordinated and provided by a communications equipment supplier. Jack adapters are provided with the Power and Data Outlets to accept various types of connections. Refer to the 'Jack Adapter Options' in this section.




Figure 1: 4 position units

Figure 2: 6 position units





Figure 3: Circuit Breaker Cordset



## Accessories - Planning Guidelines and Specification Power and Data - Desktop Outlet

	4 Position Units					41					6	Position Uni	ts	
Electrical Components for:	2P+2D	2P+1U+1D	3P+1U	3P+1D	4P	3P+3D	3P+1U+1D	4P+2P	4P+1U+1D	6P				
Peninsula Power Center	~	~	<b>V</b>	~	~									
Peninsula Simple Stand-off - Drop-in						~	~	~	~	<b>/</b>				
Clamp-on	~	~	~	~	~	/	~	~	~	~				
Tables - Drop-in	~	~	~		~	~	~	~	~	~				
Tables - Edge Mounted	~	~	<b>✓</b>	~	~	~	~	<b>✓</b>	~	<b>✓</b>				
Tables - Power Center	~	~	~	~	~									

Figure 4: Application Options

## Desktop Outlet for Peninsula Power Center Stand-off

The Desktop Outlet for Peninsula Power Center Stand-off works in conjunction with the Power Center Stand-off and the Power Center Grommet to bring electrical receptacles and data outlets to the worksurface. The Power Center Standoff and Power Center are included with a Peninsula top when specified. See **Figure 6**.

Refer to **Figure 4** for available configurations. Note that this electrical unit is only available in 4 position configurations.

The width of a 4 position unit fits within the power center stand off cavity and attaches to the sides of the stand-off with regular screws provided with the unit. Refer to **Figure 5**. Refer to power center standoff Installation instruction 6TP0081 on Knoll Exchange.




Figure 5



Figure 6: Desktop Outlet for Power Center Stand-off (2P+2D shown)

### **Clamp-on Electrical Component**

The Clamp-on Electrical Outlet brings electrical and data receptacles to worksurface height without needing to field install grommets. See **Figure 9**. The Clamp-on Electrical Outlet is available in 4 position units and 6 position units. Refer to **Figure 4** for configurations.

This component may be utilized on any worksurface, up to 1 ½" thick where power and data access is desired. See **Figure 10**.

### **Electrical Component for Tables - Drop-in**

The Drop-in Electrical Outlet for Tables works in conjunction with Tables with 4x4 Legs and Tables with 2x4 Legs to bring electrical receptacles and data outlets directly to the worksurface and flush to the worksurface.

This Drop-in Electrical Outlet is offered with 10 possible configurations. Refer to **Figure 4** for configurations.

The cut-out is provided when specified with a Table with 2 x 4 legs or a Table with 4 x 4 legs. **Figure 12** 

The grommet hole is 2  $^{1}/_{8}$ " wide x 6  $^{13}/_{16}$ " long for 4 position outlets and 2  $^{1}/_{8}$ " wide x 9  $^{13}/_{16}$ " long for 6 position outlets.

To use this product in other applications, special tops must be ordered with the required cut-out to suit.

This component may be utilized on worksurfaces up to 1 ½" thick.

Refer to Drop-In Electrical for Tables installation instruction 6TP00388.




Figure 9: Clamp on Electrical Component (3P+1U+2D shown)




Figure 11: Electrical Component for Tables - Dropin (3P+3D shown)




Figure 10: Clamp on Electrical Component Side




Figure 12: Electrical Component for Tables - Drop-in

## Electrical Component for Tables – Power Center

This electrical component (**Figure 15**) mounts to the underside of a worksurface and is used when a Table with 2x4 Legs or a Table with 4x4 Legs is specified with a power center grommet option. This unit presents the face of the electrical receptacles and data outlet(s) to the user at a convenient 45 degree angle for ease of plug insertion and is available in 4 position wide sizes only.

Refer to **Figure 4** for available configurations for this unit.

The Electrical Component for Tables – Power Center mounts adjacent to the power center cut-out (**Figure 16**) and is retained to the worksurface using a single bracket and associated hardware included with the unit for one power center. When a table is specified with several power centers, the equivalent number of electrical components will be required.

Refer to Electrical Component for Tables – Power Center installation instruction 6TP00473 available on Knoll Exchange.




Figure 15: Electrical Component for Tables – Power Center (3P+1U shown)




Figure 16: Image from below the table showing the electrical unit adjacent the grommet opening

### Accessories - Planning Guidelines and Specification Communication Cables and Adaptors for Desktop Outlets

#### Voice/Data Jack Adapter Options

Jack Adapters are required when the blank data port option is selected for the electrical outlet. One data jack adapter kit, shown in **Figure 1**, is included with each Electrical Outlet Unit.

The Jack Adapter kits are available separately in either white or black. The Voice/Data Jack Adapter kit has snap-off adapters for the jacks listed in **Figure 2**. (Example: Uniprise jack would use AA adapter).

Jacks are not included. UL Listed (DUXR) or Recognized (DUXR2) jacks required.

Give a copy of this page to your local Tele/ Data contractor and /or Tele/Data installer.

#### Notes

Snap jack into adapter following the instructions provided with the jack.

Once assembled, snap adapter into the notched, square holes in electrical accessory data opening the orientation shown.

Verify fit of jack in adapter before ordering large quantities as manufacturer designs may change without notice.




Figure 1: Voice/Data Jack Adapter Kit

Adapter	Manufacturer	Website
AA	Uniprise	www.UnipriseSolutions.com
BB	Tyco SL, and 110 Connect Series Modular Jacks	www.Ampconnect.com
ВВ	Siemon Keystone Style	www.Siemon.com
ВВ	Allen Tel Versa Tap Series	www.Allentel.com
ВВ	Leviton Quick Port	www.Leviton.com
ВВ	Nordx Keystone Style	www.Nordx.com
CC	Tyco SL Coupler Series	www.Ampconnect.com
CC	Krone 6000 Series	www.Adc.com
CC	Hubbell Xcelerator Keystone Series	www.Hubbell.com
DD	Blank (no coupler/jack)	
EE	Ortronics TracJack Series	www.Ortronics.com
FF	Panduit Mini-Com Series	www.Panduit.com
GG	Microphone jack/3-pin XLR, solder type only	
НН	Video Monitor jack/DB-15, panel mount solder style	

Figure 2: Jack Adapter Options




Figure 3: Jack Adapter Installation

### Accessories - Planning Guidelines and Specification Communication Cables and Adaptors for Desktop Outlets

#### **HDMI Connector Cable**

The HDMI Connector Cable provides a convenient HDMI plug-in to connect between any Desktop Electrical Outlet and a remote display.

The HDMI connector cable is an 18" long female-female HDMI cable which fits into an available blank data opening in any Desktop Electrical Outlet. A standard male-male HDMI cable (supplied by others) is required to complete the connection between the HDMI Connector Cable and the output device. An HDMI patch cable (supplied by others) is required to connect between the input device (typically a computer) and the Desktop Electrical Outlet.

The HDMI cable is black. The coupler face is available in black or white options and is included with the cable kit. See **Figures 1 and 2.** 

The HDMI coupler face fits into the CC Jack Adapter provided with the Voice-Data Adapter kit included with the Desktop Electrical Outlet. When installed, the coupler face is oriented vertically. **See figure 3**.

Refer to installation instruction 6TP00471 available on Knoll Exchange.

### **Stereo Connector Cable**

The Stereo Connector Cable provides a convenient audio plug-in to connect between a Desktop Electrical Outlet and an output device (typically a video monitor).

The Stereo connector cable is a 120" long, male-female cable with 3.5mm mini audio jack and coupler. It comes with its own face plate to fit into an available blank data opening in a Desktop Electrical Outlet. A patch cord (supplied by others) is required to connect between the input device and the Desktop Electrical Outlet.

The cable is black. The face plate is available in black or white options. See **Figure 4**.

#### **VGA Connector Cable**

The VGA Connector Cable provides a convenient plug-in to a Desktop Electrical Outlet to connect between a VGA enabled device and a remote display.

The VGA connector cable is a 120" long male-female 15-pin VGA cable which fits into an available blank data opening in any Desktop Electrical Outlet. **See Figure 5**. A VGA patch cord (supplied by others) is required to connect between the input device and the Desktop Electrical Outlet.

The VGA connector cable attaches to the HH Jack Adapter provided with the Voice-Data Adapter kit included with the Desktop Electrical Outlet. When installed, the VGA plug-in is oriented diagnally. See **Figure 6**.

Refer to installation instruction 6TP00472 available on Knoll Exchange.



Figure 1: Black option



Figure 3: Coupler orientation



Figure 5: VGA Connector Cable



Figure 2: White option



Figure 4: Stereo Connector Cable



Figure 5: VGA coupler orientation

### Accessories - Planning Guidelines and Specification Stand-offs and Grommets

### Simple Stand Off

Simple Stand Offs provide support for 1 ½" thick worksurface tops mounted to low credenzas or ¾ height storage cabinets with a 1" top. The simple standoff is included when specified with peninsula tops.

Simple Stand Off assemblies are 2  $\frac{1}{4}$ " deep, 12" wide, and 5  $\frac{1}{32}$ " high. They are constructed of 16 gauge cold rolled steel and are available in all core painted finishes for 28  $\frac{3}{8}$ " high planning.

The Simple Stand Off comes with the stand off weldment, mounting bracket, mounting hardware and round grommet. Refer to figure 13.

### **Application notes:**

The Simple Stand Off must be permanently and securely affixed to the underside of a worksurface and also to whatever support unit it rests upon.

The Simple Stand Off is designed to support a top without additional worksurface supported storage such as hutches or desktop towers for example.

To access the cavity of the Simple Stand Off, a special top must be ordered with the appropriate cut-out for a Drop-In Electrical Component or Desktop Grommet which must be specified separately and field installed.

Refer to 6TP00305 for Installation Instructions




Figure 13: Simple Stand Off




Figure 14: Stand Off for Power Center

#### Stand Off for Power Center

Stand Offs for Power Center provide support for 1 ½" thick worksurface tops mounted to low credenzas or ¾ height storage cabinets with a 1" top while also providing opportunity for wire management and power/data capabilities. The power center standoff is included when specified with peninsula tops.

Power Center Stand Off assemblies are 6  $^{3}/_{8}$ " deep, 9  $^{1}/_{4}$ " wide, and 5  $^{1}/_{32}$ "high. They are constructed of 16-gauge cold rolled steel and are available in all core painted finishes for 28  $^{3}/_{8}$ " high planning.

### **Application notes:**

The Power Center Stand Off is designed to support a top without additional worksurface supported storage mounted upon it, such as hutches or desktop towers for example.

The Power Center Stand Off must be permanently and securely affixed to the underside of a worksurface and also to whatever support unit it rests upon.

To access the cavity of the Stand Off for Power Center, a special top must be ordered with the appropriate cut-out for a Power Center Grommet which must be specified separately and field installed.

When power and data capability is desired for use with this unit, the Desktop Outlet electrical options must be specified separately. Refer to figure 14.

A 1 ¾" round grommet is included for field drilling of cable route from the power center standoff through the lower storage element.

Refer to 6TP00081 for Installation Instructions.

### **Power Center Grommet**

The Power Center Grommet must be specified when utilizing a stand-off for power center. The grommet trims the opening in the peninsula top that allows access into the stand-off for power center. It includes an attached, hinged lid. Refer to figure 15.

Power Center Grommets are 8"wide x 5" deep and are available in all core painted and plated finishes for 28  $^3/_8$ " high planning.

The Power Center Grommet is included when specified with a peninsula top.

To utilize the Power Center Grommet, special tops must be ordered with the required cut out pre-drilled to suit.

#### Grommets

Desktop Grommets are included with certain worksurfaces when specified. Desktop grommets may be ordered separately, if desired, for field installation.

To use this product in non-standard applications, special tops must be ordered with the required cut-out pre-drilled to suit.

The Desktop Grommet includes a grommet sleeve and lid. The grommet sleeve is 2" deep x 3" wide with a  $1/_8$ " flange all round which sits  $1/_{16}$ " above the finished worksurface. The outside to outside dimension of the flange is 2  $1/_4$ " deep and 3  $1/_4$ " wide. The grommet lid sits inside the sleeve and is flush with the top of the sleeve. Refer to figure 16.

Desktop Grommets are available in all core painted and plated finishes for 28  $^{3}/_{8}$ " high planning.

### Application notes:

Desktop Grommets are available for use in 1", 1 ¼" and 1 ½" thick worksurfaces. Care should be taken to specify the grommet appropriate for the worksurface's thickness.




Figure 15: Power Center Grommet



Figure 16: Grommet

## Accessories Power and Data Electrical Components - Peninsula Power Center

description	type	W	d	h	pattern no.	list
Desktop Outlet - 4 Units wide	72" cord				RDTE2272(B/W)	\$383.
Power Center stand off - 2 power / 2 data	120" cord				RDTE22120(B/W)	413.
	72" hardwire				RDTE22H(B/W)	441.
f 						
Desktop Outlet - 4 Units wide	72" cord				RDTE2U72(B/W)	586.
Power Center stand off - 2 power / 2 double USB	120" cord				RDTE2U120(B/W)	605.
a Ballin	72" hardwire				RDTE2UH(B/W)	669.
Desktop Outlet - <b>4 Units wide</b> Power Center stand off - 3 power / 1 data	72" cord 120" cord 72" hardwire				RDTE3172(B/W) RDTE31120(B/W) RDTE31H(B/W)	463. 482. 546.
Desktop Outlet - 4 Units wide	72" cord				RDTE31U72(B/W)	609.
Power Center stand off - 3 power / 1 double USB	120" cord				RDTE31U120(B/W)	627.
* Taxon	72" hardwire				RDTE31UH(B/W)	692.
Desktop Outlet - 4 Units wide	72" cord				RDTE4072(B/W)	589.
Power Center stand off - 4 power	120" cord				RDTE40120(B/W)	608.
	72" hardwire				RDTE40H(B/W)	672.

Order Code		Specification Information	Application Notes		
Example:	RDTDE2272 (B/W)	To order please specify pattern	Installation instruction sheet		
R	Reff	number including:	available on Knoll Exchange.		
DT	Desktop Outlet	1. Color:	For Power Center stand off, refer to		
E	Power Center Electrical	B=Black Unit with black bezel has clear	Installation Instruction #6TP00081.		
2	2 Power outlets, 3 = 3	anodized extruded body			
	Power outlets	W = White			
2	Blank/Data, 1=1	Units with white bezel has clear	Refer to planning guide pages for		
	Blank/Data, U=1 double	anodized extruded body. White is complimentary, not an exact	complete description.		
	USB	match	USB outlet is for recharging		
72	72''  cord, 120 = 120''		purposes only. No data transfer. All		
	cord, $H = 72''$ Hardwire		Desktop outlets are UL listed.		
В	Black, W = White		Simlexes and USB charging ports		
			are wired together and on the same circuit.		


### Accessories Power and Data


### Electrical components for Peninsula Simple stand off - Drop-In

description	type	W	d	h	pattern no.	list
Electrical component for Simple Stand-Off -	72" cord				RDTSTE3372(B/W)	\$621.
<b>6 units wide</b> Drop-In - 3 power / 3 data	120" cord				RDTSTE33120(B/W)	640.
	72" hardwire				RDTSTE33H(B/W)	704.



72" cord	RDTSTE3U72(B/W)	767.
120" cord	RDTSTE3U120(B/W)	784.
72" hardwire	RDTSTE3UH(B/W)	850.







Electrical component for Simple Stand-Off -  $\bf 6$  units wide Drop-In - 4 power / 1 double USB / 1 data

72" cord	RDTSTE4U72(B/W)	882.
120" cord	RDTSTE4U120(B/W)	900.
72" hardwire	RDTSTE4UH(B/W)	965.



Electrical component for Simple Stand-Off - **6 units wide** Drop-In - 6 power



72" cord	RDTSTE6072(B/W)	820.
120" cord	RDTSTE60120(B/W)	838.
72" hardwire	RDTSTE60H(B/W)	903.

### **Order Code**

#### Example: RDTSTE3372 (B/W) R Reff DT Desktop Outlet SET Stand off Electrical 3 Electrical, 4 = 4 Power outlets, 6 = 6 Power outlets 2 Blank/Data, 0 = 0Blank/Data, 1=1 Blank/Data, U=1 double USB 72 72'' cord, H = 72''Hardwire В Black, W = White

### **Specification Information**

To order please specify pattern number including:

1. Color:
B=Black
Unit with black bezel has clear anodized extruded body
W = White
Units with white bezel has clear anodized extruded body. White is complimentary, not an exact match

### **Application Notes**

Installation instruction sheet available on Knoll Exchange.

For Power Center stand off, refer to Installation Instruction #6TP00081.

Refer to planning guide pages for complete description.

USB outlet is for recharging purposes only. No data transfer. All Desktop outlets are UL listed.

Simlexes and USB charging ports are wired together and on the same circuit.

### Accessories Power and Data Electrical components - Clamp on

description	type	W	d	h	pattern no.	list
Electrical component with 4 units wide	72" cord				RDTCE2272(B/W)	\$462.
Clamp on - 2 power / 2 data	120" cord				RDTCE22120(B/W)	481.
	72" hardwire				RDTCE22H(B/W)	545.
Electrical component with 4 units wide	72" cord				RDTCE2U72(B/W)	608.
Clamp on - 2 power / 1 double USB / 1 data	120" cord				RDTCE2U120(B/W)	626.
	72" hardwire				RDTCE2UH(B/W)	691.
Electrical component with 4 units wide	72" cord				RDTCE3172(B/W)	486.
Clamp on - 3 power / 1 data	120" cord				RDTCE31120(B/W)	503.
The state of the s	72" hardwire				RDTCE31H(B/W)	569.
* 8						
Electrical component with 4 units wide	72" cord				RDTCE31U72(B/W)	630.
Clamp on - 3 power / 1 double USB	120" cord	·			RDTCE31U120(B/W)	649.
	72" hardwire				RDTCE31UH(B/W)	713.

Electrical component with 4 units wide	е
Clamp on - 4 power	



**Order Code** 

72" cord	RDTCE4072(B/W)	611.
120" cord	RDTCE40120(B/W)	629.
72" hardwire	RDTCE40H(B/W)	694.

### Example: RDTCE2272 (B/W)

R	Reff
DT	Desktop Outlet
CE	Clamp on Electrical
2	2 Power outlets, 3 = 3
	Power outlets
	4=4 Power outlets, $6=6$
	Power outlets
2	Blank/Data, 0=0
	Blank/Data,1=1
	Blank/Data, 3=3
	Blank/Data,U=1 double
	USB
72	72" cord, 120 = 120"
	cord, H = $72''$ Hardwire
В	Black, W = White

### **Specification Information**

 ${\it To~order~please~specify~pattern}$ number including:

1. Color: B=Black Unit with black bezel has clear anodized extruded body W = WhiteUnits with white bezel has clear anodized extruded body. White is complimentary, not an exact match

### **Application Notes**

Installation instruction sheet available on Knoll Exchange.

Refer to planning guide pages for complete description.

USB outlet is for recharging purposes only. No data transfer. All Desktop outlets are UL listed.

Simlexes and USB charging ports are wired together and on the same

## Accessories Power and Data Electrical components - Clamp on

description	type	W	d	h	pattern no.	list
Electrical component with 6 units wide	72" cord				RDTCE3372(B/W)	\$591.
Clamp on - 3 power / 3 data	120" cord				RDTCE33120(B/W)	609.
TO THE REAL PROPERTY OF THE PARTY OF THE PAR	72" hardwire				RDTCE33H(B/W)	674.

3 + 3 shown

Electrical component with 6 units wide	72" cord	RDTCE3U72(B/W)	736.
Clamp on - 3 power / 1 double USB / 2 data	120" cord	RDTCE3U120(B/W)	754.
	72" hardwire	RDTCE3UH(B/W)	819.

3 + USB + 2 Blank Shown

Electrical component with 6 units wide	72" cord	RDTCE4272(B/W)	705.
Clamp on - power / 2 data	120" cord	RDTCE42120(B/W)	724.
	72" hardwire	RDTCE42H(B/W)	788.

 Electrical component with 6 units wide
 72" cord
 RDTCE4U72(B/W)
 852.

 Clamp on - 4 power / 1 double USB / 1 data
 120" cord
 RDTCE4U120(B/W)
 870.

 72" hardwire
 RDTCE4UH(B/W)
 934.

 Electrical component with 6 units wide
 72" cord
 RDTCE6072(B/W)
 790.

 Clamp on - 6 power
 120" cord
 RDTCE60120(B/W)
 809.

 79" hardwire
 RDTCE60H(R/W)
 873

## 72" hardwire RDTCE60H(B/W) 873.

Order Cod	de	Specification Information	Application Notes
Example:	RDTCE2272 (B/W)	To order please specify pattern number including:	Installation instruction sheet available on Knoll Exchange.
DT CE	Desktop Outlet Clamp on Electrical	1. Color: B=Black Unit with black bezel has clear anodized extruded body W = White Units with white bezel has clear anodized extruded body. White is complimentary, not an exact match	Refer to planning guide pages for complete description.
2	2 Power outlets, 3 = 3 Power outlets 4=4 Power outlets, 6 = 6 Power outlets		USB outlet is for recharging purposes only. No data transfer. All Desktop outlets are UL listed. Simlexes and USB charging ports
2	Blank/Data, 0=0 Blank/Data, 1=1 Blank/Data, 3=3 Blank/Data, U=1 double USB		are wired together and on the same circuit.
72	72" cord, 120 = 120" cord, H = 72" Hardwire		
В	Black, W = White		

## Accessories Power and Data Electrical components for Tables - Drop in

description	type	W	d	h	pattern no.	list
Electrical component for Table - 4 Unit wide	72" cord				RDTDE2272(B/W)	\$462.
Drop-In - 2 power / 2 data	120" cord				RDTDE22120(B/W)	481.
	72" hardwire				RDTDE22H(B/W)	545.
Electrical component for Table - 4 Unit wide	72" cord				RDTDE2U72(B/W)	608.
Drop-In - 2 power / 1 double USB / 1 data	120" cord				RDTDE2U120(B/W)	626.
	72" hardwire				RDTDE2UH(B/W)	691.
Electrical component for Table - <b>4 Unit wide</b> Drop-In - 3 power / 1 double USB	72" cord				RDTDE31U72(B/W) RDTDE31U120(B/W)	630. 649.
Service of the servic	72" hardwire				RDTDE31UH(B/W)	713.
Electrical component for Table - 4 Unit wide Drop-In - 4 powers	72" cord 120" cord				RDTDE4072(B/W) RDTDE40120(B/W)	611. 629.

Order Cod	de	Specification Information	Application Notes
Example: R DT DE 2	RDTDE2272 (B/W) Reff Desktop Outlet Drop in Electrical Power outlets, 3 = 3 Power outlets, 4 = 4 Power outlets, 6 = 6 Power outlets Blank/Data, 0 = 0 Blank/Data, 1 = 1 Blank/Data, 3 = 3 Blank/Data, U = 1 double USB 72" cord, 120 = 120" cord, H = Hardwire	To order please specify pattern number including:  1. Color: B=Black Unit with black bezel has clear anodized extruded body W = White Units with white bezel has clear anodized extruded body. White is complimentary, not an exact match3	Installation instruction sheet available on Knoll Exchange.  For Electrical components for Table Drop-in, refer to Installation Instruction #6TP00388.  Refer to planning guide pages for complete description.  USB outlet is for recharging purposes only. No data transfer. All Desktop outlets are UL listed.  Simplexes and USB charging ports are wired together and on the same circuit.
72 B	,		

819.

RDTDE3UH(B/W)

## Accessories Power and Data Electrical components for Tables - Drop in

72" hardwire

description	type	W	d	h	pattern no.	list
Electrical component for Table - 6 unit wide	72" cord				RDTDE3372(B/W)	\$591.
Drop-In - 3 power / 3 data	120" cord				RDTDE33120(B/W)	609.
	72" hardwire				RDTDE33H(B/W)	674.
Electrical component for Table - <b>6 unit wide</b> Drop-In - 3 power / 1 double USB / 2 data	72" cord				RDTDE3U72(B/W)	736.
	120" cord				RDTDE3U120(B/W)	754.



Electrical component for Table - 6 unit wide
Drop-In - 4 power / 2 data



72" cord	RDTDE4272(B/W)	706.
120" cord	RDTDE42120(B/W)	725.
72" hardwire	RDTDF42H(B/W)	789

Electrical component for Table - **6 unit wide** Drop-In - 4 power / 1 double USB / 1 data



72" cord	RDTDE4U72(B/W)	852.
120" cord	RDTDE4U120(B/W)	870.
72" hardwire	RDTDE4UH(B/W)	935.

Electrical component for Table - **6 unit wide** Drop-In - 6 powers



72" cord	RDTDE6072(B/W)	790.
120" cord	RDTDE60120(B/W)	809.
72" hardwire	RDTDE60H(B/W)	873.

### Order Code

#### Example: RDTDE2272 (B/W) R DT Desktop Outlet DE Drop in Electrical 2 Power outlets, 3 = 3Power outlets, 4 = 4 Power outlets, 6 =6 Power outlets 2 Blank/Data, 0 = 0Blank/Data, 1 = 1Blank/Data, 3 = 3 Blank/Data, U = 1double USB 72 72'' cord, 120 = 120''cord, H = Hardwire В Black, W = White

### **Specification Information**

To order please specify pattern number including:

1. Color:

B=Black

Unit with black bezel has clear anodized extruded body

W = White

Units with white bezel has clear anodized extruded body. White is complimentary, not an exact match3

### **Application Notes**

Installation instruction sheet available on Knoll Exchange.

For Electrical components for Table Drop-in, refer to part number 6TP00388.

Refer to planning guide pages for complete description.

USB outlet is for recharging purposes only. No data transfer. All Desktop outlets are UL listed.

Simplexes and USB charging ports are wired together and on the same circuit.

## Accessories Power and Data Electrical Components for Table Edge - Under Mounted

description	type	W	d	h	pattern no.	list
Desktop Outlets for Table Edge - 4 unit wide	72" cord				RDTUME2272(B/W)	\$446.
Undermounted - 2 power / 2 data	120" cord				RDTUME22120(B/W)	486.
	72" hardwire				RDTUME22H(B/W)	558.
Desktop Outlets for Table Edge - 4 unit wide	72" cord				RDTUME2U72(B/W)	620.
Undermounted - 2 power / 1 double USB / 1 data	120" cord				RDTUME2U120(B/W)	638.
	72" hardwire				RDTUME2UH(B/W)	702.
Desktop Outlets for Table Edge - 4 unit wide	72" cord				RDTUME3172(B/W)	497.
Undermounted - 3 power / 1 data	120" cord				RDTUME31120(B/W)	516.
THE REPORT OF THE PARTY OF THE	72" hardwire				RDTUME31H(B/W)	580.
Desktop Outlets for Table Edge - 4 unit wide	72" cord				RDTUME31U72(B/W)	643.
Undermounted - 3 power / 1 double USB	120" cord				RDTUME31U120(B/W)	661.
	72" hardwire				RDTUME31UH(B/W)	726.
Desktop Outlets for Table Edge - <b>4 unit wide</b> Undermounted - 4 powers	72" cord				RDTUME4072(B/W) RDTUME40120(B/W)	623. 641.
**************************************	72" hardwire				RDTUME40H(B/W)	706.
	12 nardwire					700.

Order	Code

#### Example: RDTUM2272 (B/W) R Reff DT Desktop Outlet UME Undermounted Electrical, Edge 2 Power outlets, 3 = 3Power outlets, 4 = 4 Power outlets, 6 =6 Power outlets 2 Blank/Data, 0 = 0Blank/Data, 1 = 1Blank/Data, 3 = 3 Blank/Data, U = 1 $double\; USB$ 72 72'' cord, 120 = 120''cord, H = Hardwire В Black, W = White

### **Specification Information**

To order please specify pattern number including:

1. Color:

B=Black
Unit with black bezel has clear
anodized extruded body
W = White
Units with white bezel has clear
anodized extruded body. White
is complimentary, not an exact
match.

### **Application Notes**

Installation instruction sheet available on Knoll Exchange.

For Desktop Outlet for Tables -Undermounted, refer to Installation Instruction #6TP00439.

Refer to planning guide pages for complete description.

USB outlet is for recharging purposes only. No data transfer. All Desktop outlets are UL listed.

Simplexes and USB charging ports are wired together and on the same circuit

## Accessories Power and Data Electrical Components for Table Edge - Under Mounted

description	type	W	d	h	pattern no.	list
Desktop Outlets for Table Edge - 6 unit wide	72" cord				RDTUME3372(B/W)	\$597.
Undermounted - 3 power / 3 data	120" cord				RDTUME33120(B/W)	614.
	72" hardwire				RDTUME33H(B/W)	679.
Desktop Outlets for Table Edge - 6 unit wide	72" cord				RDTUME3U72(B/W)	741.
Undermounted - 3 power / 1 double USB / 2 data	120" cord				RDTUME3U120(B/W)	760.
	72" hardwire				RDTUME3UH(B/W)	824.
Desktop Outlets for Table Edge - <b>6 unit wide</b> Undermounted - 4 power / 2 data	72" cord 120" cord				RDTUME4272(B/W) RDTUME42120(B/W)	711. 730.
The state of the s	72" hardwire				RDTUME42H(B/W)	794.
Desktop Outlets for Table Edge - <b>6 unit wide</b>	72" cord				RDTUME4U72(B/W)	857.
Undermounted - 4 power / 1 double USB / 1 data	120" cord				RDTUME4U120(B/W)	875.
	72" hardwire				RDTUME4UH(B/W)	940.
Desktop Outlets for Table Edge - <b>6 unit wide</b>	72" cord				RDTUME6072(B/W)	795.
Undermounted - 6 powers	120" cord				RDTUME60120(B/W)	814.
	72" hardwire				RDTUME60H(B/W)	878.

0	rd	۵r	00	ما

#### Example: RDTUM2272 (B/W) R Reff DT Desktop Outlet UME Undermounted Electrical, Edge 2 Power outlets, 3 = 3Power outlets, 4 = 4 Power outlets, 6 =6 Power outlets 2 Blank/Data, 0 = 0Blank/Data, 1 = 1Blank/Data, 3 = 3 Blank/Data, U = 1 $double\; USB$ 72 72'' cord, 120 = 120''cord, H = Hardwire В Black, W = White

### **Specification Information**

To order please specify pattern number including:

1. Color:

B=Black

Unit with black bezel has clear anodized extruded body

W = White

Units with white bezel has clear anodized extruded body. White is complimentary, not an exact match.

### **Application Notes**

Installation instruction sheet available on Knoll Exchange.

For Desktop Outlet for Tables -Undermounted, refer to Installation Instruction #6TP00439.

Refer to planning guide pages for complete description.

USB outlet is for recharging purposes only. No data transfer. All Desktop outlets are UL listed.

Simplexes and USB charging ports are wired together and on the same circuit

### Accessories Power and Data

### Electrical Components for Table Power Center - Under Mounted

description	type	pattern no.	list
Desktop Outlets for Table Power Center -	72" cord	RDTUMP2272(B/W)	\$446.
4 unit wide	120" cord	RDTUMP22120(B/W)	486.
Undermounted - 2 power / 2 data	72" hardwire	RDTUMP22H(B/W)	558.



Desktop Outlets for Table Power Center -	72" cord	RDTUMP2U72(B/W)	620.
4 unit wide	120" cord	RDTUMP2U120(B/W)	638.
Undermounted - 2 power / 1 double USB / 1 data	72" hardwire	RDTUMP2UH(B/W)	702.



Desktop Outlets for Table Power Center -	72" cord	RDTUMP3172(B/W)	497.
4 unit wide	120" cord	RDTUMP31120(B/W)	516.
Undermounted - 3 power / 1 data	72" hardwire	RDTUMP31H(B/W)	580.



Desktop Outlets for Table Power Center -	72" cord	RDTUMP31U72(B/W)	643.
4 unit wide	120" cord	RDTUMP31U120(B/W)	661.
Undermounted - 3 power / 1 double USB	72" hardwire	RDTUMP31UH(B/W)	726.



Order	Code
-------	------

0.40.00						
Example:	RDTUM2272 (B/W)					
R	Reff					
DT	Desktop Outlet					
UMP	Undermounted					
	Electrical, Power Center					
2	Power outlets, 3 = 3					
	Power outlets,					
	4 = 4 Power outlets, $6 =$					
	6 Power outlets					
2	Blank/Data, 0 = 0					
	Blank/Data, $1 = 1$					
	Blank/Data,					
	3 = 3 Blank/Data, $U = 1$					
	double USB					
72	72" cord, 120 = 120"					
	cord, $H = Hardwire$					
В	Black, W = White					

### **Specification Information**

To order please specify pattern number including:

1. Color:

B=Black
Unit with black bezel has clear
anodized extruded body
W = White
Units with white bezel has clear
anodized extruded body. White
is complimentary, not an exact
match.

### **Application Notes**

Installation instruction sheet available on Knoll Exchange.

For Desktop Outlet for Tables Power Center - Undermounted, refer to Installation Instruction 6TP00473.

Refer to planning guide pages for complete description.

USB outlet is for recharging purposes only. No data transfer. All Desktop outlets are UL listed.

Simplexes and USB charging ports are wired together and on the same circuit.

### Accessories Power and Data

### $Electrical\ Components\ for\ Table\ Power\ Center\ -\ Under\ Mounted$

description	type	pattern no.	list
Desktop Outlets for Table Power Center -	72" cord	RDTUMP4072(B/W)	\$623.
4 unit wide	120" cord	RDTUMP40120(B/W)	641.
Undermounted - 4 powers	72" hardwire	RDTUMP40H(B/W)	706.



Order Co	de	Specification Information	Application Notes
Example:	RDTUM2272 (B/W)	To order please specify pattern number including:	Installation instruction sheet available on Knoll Exchange.
DT UMP	Desktop Outlet Undermounted Electrical, Power Center	1. Color: B=Black Unit with black bezel has clear anodized extruded body W = White Units with white bezel has clear anodized extruded body. White is complimentary, not an exact match.	For Desktop Outlet for Tables Power Center - Undermounted, refer to Installation Instruction 6TP00473.
2	Power outlets, 3 = 3 Power outlets, 4 = 4 Power outlets, 6 = 6 Power outlets		Refer to planning guide pages for complete description.  USB outlet is for recharging purposes only. No data transfer. All
2	Blank/Data, 0 = 0 Blank/Data, 1 = 1 Blank/Data, 3 = 3 Blank/Data, U = 1 double USB		Desktop outlets are UL listed.  Simplexes and USB charging ports are wired together and on the same circuit.
72	72" cord, 120 = 120" cord, H = Hardwire		
В	Black, W = White		

## Accessories Power and Data Desktop Outlet Accessories

description pattern no. list

Voice Data Adapter kit RDAD(B/W) \$24.

Voice Data Adapter kit Includes 2 units per pack



HDMI connector cable, 18", RDAH(B/W) 129. Includes one unit per pack



Stereo connector cable, 120", RDAS(B/W) 49. Includes one unit per pack



VGA connector cable, 120", black RDAV 156.
Includes one unit per pack



### Order Code Specification Information Ap

Example:	RDAD
R	Reff
D	Desktop Outlet
A	Electrical
D	Voice Data Adapter kit, (H-HDMI whip; 5 = Stereo whip; V = VGA whip)
В	Black, W = White

HDMI whip requires a standard HDMI cable to connect from the whip to the Monitor.

VGA whip is 120" long, female-to-male cable to connect directly to a display. Device cable is not included.

Stereo whip is a 3.5mm audio jack with a 120" long black cable. This is a female-to-male connector.

Voice Data Adapter kit is included with all Desktop Electrical Outlets.

Voice Dada Adapter kit provides a sheet of adapters which snap-off for use with a variety of manufacturers jacks & couplers.

### **Application Notes**

Installation instruction sheets available on Knoll Exchange. For HDMI Connector Cable, refer to Installation Instruction #6TP00471. For VGA Connector Cable, refer to reference number 6TP00472.

### Accessories Grommets and Stand-Offs

description	type	W	d	h	pattern no.	list
Power Center Grommet		8"	5"	1 1/2"	RPCG()	\$166.
(Electrical component not included)						



Desktop Grommet	For 1 ½" thick top			1 1/2"	RDTGA()	36.
	For 1 1/4" thick top			1 1/4"	RDTGB()	36.
	For 1" thick top			1"	RDTGC()	36.
Simple Stand Off		12"	21/4"	5"	RST()	114



Stand Off for Power Center 8" 63/8" 5" RPCST() 146. (Electrical component not included)



Order	$C \sim d \sim$
Order	Coue

## Example: RST R Reff ST Stand Off () Finish

### **Specification Information**

To order please specify pattern number including; 1. Stand Off Finish: Painted options

only

For Grommets; 1. Grommet Finish: Painted or plated options

### **Application Notes**

Installation instruction sheet available on Knoll Exchange.

For Power Center stand off, refer to Installation Instruction #6TP00081.

### Accessories Wire management

description	W	d	h	pattern no.	list
Wire manager used under any top in kneespace*	24"	41/2"	53/4"	RWMWT24	\$46.
/// ».	30"	41/2"	53/4"	RWMWT30	52.
	36"	41/2"	5³/4"	RWMWT36	57.
	Available b	olack only			
Hinged vertical wire	24"	1"	3/8″	RWMV24()	37.
	Ships with overdesk unit. Specify paint finish.				
Multi-purpose manager*	24"	21/2"	1 1/4"	RWMMP24	41.
/// /.	30"	2 1/2"	1 1/4"	RWMMP30	46.
	36"	2 1/2"	1 1/4"	RWMMP36	47.
<b>V</b>	Available b	olack only			
Worksurface vertical/horizontal wire manager*	24"	1 1/2"	3/4"	RWMVH24	44.
	30"	1 1/2"	3/4"	RWMVH30	48.
	36"	1 1/2"	3/4"	RWMVH36	52.
<b>4</b>	Available l	olack only			
Power bar, fits into wire manager				RWMPB	159.
i ower par, ms mu wire manager				LAMINIED	139.



Order Co	de	Specification Information	Application Notes			
Example:	RWMWT24	To order please specify:	Specify color for hinged vertical	Flexible Vertical wire manager is		
R	Reff	Pattern number     Finish: painted finishes, where	wire management only from paint	intended to be under mounted to a worksurface; using self tapping wood screws.		
WM	Wire Manager	applicable	finish list on page 5.			
W	Wall and Modesty mount					
T	Top Mount					
24	Width					

### Accessories $Wire\ management$

description	type	W	d	h	pattern no.	list			
Flexible Vertical Wire Manager with Functional					RWMVF	\$138.			
height range; for $26\frac{1}{2}$ " and $28\frac{3}{8}$ "H	*translucent with metalic silver base (613)								
		o man metane say	er sace (018)						
Cille I'm Consideration	3" dia.				RCC30()	94			
Cable clip for column legs	4" dia					24.			
					RCC40()	27.			
	* 2 clips per	r kit							
J-Wire Trough		24"			RJBW24()	69.			
Wall Mount		30"			RJBW30()	71.			
		36"			RJBW36()	77.			
		42"			RJBW42()	90.			
		48"			RJBW48()	96.			
		54"			RJBW54()	98.			
		60"			RJBW60()	99.			
		66"			RJBW66()	112.			
		72"			RJBW72()	113.			
	*Installation	n Instruction Shee	t: 6TP00078						
J-Wire Trough		24"			RJBU24()	83.			
Under Mount		30"			RJBU30()	85.			
		36"			RJBU36()	92.			
		42"			RJBU42()	107.			
		48"			RJBU48()	114.			
		54"			RJBU54()	116.			
		60"			RJBU60()	118.			
		66"			RJBU66()	131.			
		72"			RJBU72( )	133.			

*Installation Instruction Sheet: 6TP00078
---

### **Order Code**

Example:	RWMWT24
R	Reff
WM	Wire Manager
W	Wall and Modesty mount
T	Top Mount
24	Width

### **Specification Information**

To order please specify:
1. Pattern number
2. Finish: painted finishes, where applicable

### **Application Notes**

Specify color for hinged vertical wire management only from paint finish list on page 5.

Installation instruction sheets available on Knoll Exchange. For vertical wire manager, reference number 6TP00435. For J-wire manager; reference number 6TP0078.

Flexible Vertical wire manager is intended to be under mounted to a worksurface; using self tapping wood screws.

### Accessories Wire management

description	W	d	h	pattern no.	list
Wire manager for credenza top	24"			RWMCT24	\$136.



Cable Basket Kits Under Mounted



15"	12"	1"	RWMT1512U	55.
27"	12"	1"	RWMT2712U	98.
39"	12"	1"	RWMT3912U	119.

- \*All hardware included
- \*Baskets and hardware are painted med. grey (115)

Cable Basket Kits Rail Mounted



15"	12"	1"	RWMT1512R	276.
27"	12"	1"	RWMT2712R	328.
39"	12"	1"	RWMT3912R	505.

- \*All hardware included
- \*Baskets and hardware are painted med. grey (115)
- \*Not for use on 30" deep Meeting Tables with 4x4 legs

### Order Code

## Example: RWMWT24 R Reff WM Wire Manager W Wall and Modesty mount T Top Mount 24 Width

### Specification Information

To order please specify:
1. Pattern number

2. Finish: painted finishes, where applicable

### **Application Notes**

Specify color for hinged vertical wire management only from paint finish list on page 5.

Installation instruction sheets available on Knoll Exchange. For cable baskets, under mount, reference number 6TP00435. For cable basket, rail mount; reference number 6TP00433.

Flexible Vertical wire manager is intended to be under mounted to a worksurface; using self tapping wood screws.

### Accessories For Worksurfaces

description	W	d	h	pattern no.	L	V1	V2	V3	list price
CRT turntable	31" diameter			RKT31					\$581.
$\odot$									
Pencil drawer used under worktop	16"	17"	1"	RPAD-()	325.	578.	578.	748.	
	Specify wood or laminate finish								
${\text{Reff Profiles Spacer kit for Pencil drawer}}$				RPADKIT					35.
Replacement hardware	Top to endpanel disk			RBDD					5.
періассінені нагимаге	Top to workwall endpanel disk			RBDW					<u>5.</u>
	Panel to endpanel bracket			RBPE(L/R)()					22.

Specify paint finish for RBPE(L/R) RBDD and RBDW available black only

Order Cod	Order Code				
Example:	RKT31				
R	Reff				
KT	Turntable				
31	31" Diameter				

### Specification Information

To order please specify pattern number including:

1. Finish, where applicable

### **Application Notes**

See Reff Planning Guide for more information.

Pencil drawer includes sides.

**Note:** The spacer kit (RPADKIT) is required to mount pencil drawer (RPAD) to a table with an open frame leg.

Installation instruction sheets available on Knoll Exchange. For Spacer kits, refer to reference number 6TP00311.

89.

### Accessories For Pedestals

description	type	W	h	pattern no.	list
Pencil tray, wood (ordered separately)		12"	_	RPAPT	\$104.
Pencil tray, plastic	black	131/4"	_	RPETRAY3N	40.
	clear	131/4"	-	RPETRAY3C	47.




Recommended for use with metal drawer interiors on  $16\ensuremath{^{\prime\prime}}\xspace$  we peds.

Letter width pedestal.

These pencil trays work with all pedestals with metal interior, including Mobile pedestals.

RPETAD

Pencil tray adapter



Includes metal adapter pencil tray and plastic pencil tray to be used with 19'' wide (Legal width) pedestals.

Available in painted and anodized finishes.

Box drawer dividers, wood box drawers (Acrylic)	16"	_	RPADSS	54.
File bars, wood file drawers (replacement)	16"	_	RPAHFB16	31.
	30"	_	RPAHFB30	58.
	36"	-	RPAHFB36	90.
File bars, metal file drawers (replacement)	16"	-	RPAHFM162 *	22.
	30"	-	RPAHFM30	31.
_	36"	_	RPAHFM36	31.
	Sold as individuals			
Metal box divider, for desk height products			RDHMBD	32.



for  $16^{\prime\prime}$ w desk height metal box drawer for use in pedestals with metal interior

Order Code		Specification Information	Application Notes
Example:	RDHMBD		The dividers come in black paint
R	Reff		only.
DH	Desk height		Replacement file bars for all mobile
M	Metal		pedestals and pedestals shipped
В	Box		July 2001 and prior, should order KR5231078.
D	Divider		1100010101

### Accessories For Pedestals

h	W	d	pattern no.	list	metal	L	V1	V2	V3
			RDHMFD	\$32.					
for 1 for u	16″w desi ise in pe	k height n destals wi	netal box drawer th metal interior						
			RFBDD	275.					
	24"	20"	RCAS2420M()		88.				
	24"	24"	RCAS2424M()		98.				
	24"	20"	RCAS2420W()			159.	171.	199.	268.
	24"	24"	RCAS2424W()			182.	198.	229.	308.
			RCOUNTWT	109.					
l co	ounterwei	ight = 10 l	lbs.						
	for t	for 16"w desifor use in personal design of the second of t	for 16"w desk height n for use in pedestals wi  24" 20" 24" 24"  24" 20" 24" 24"	RDHMFD  for 16"w desk height metal box drawer for use in pedestals with metal interior  RFBDD  RFBDD  24" 20" RCAS2420M() 24" 24" RCAS2424M()	RDHMFD   \$32.	RDHMFD   \$32.	RDHMFD	RDHMFD	RDHMFD \$32.  for 16"w desk height metal box drawer for use in pedestals with metal interior  RFBDD 275.  RFBDD 275.  24" 20" RCAS2420M() 88. 24" 24" RCAS2424M() 98.  24" 20" RCAS2424M() 159. 171. 199. 24" 24" RCAS2424W() 182. 198. 229.

Waste recycle bin

**RWRB** Note: For use with desk height and serving height pedestals.

116.

15''

Order Code		Specification Information
Example:	RDHMBD	
R	Reff	-
DH	Desk height	-
М	Metal	-
В	Box	-
D	Divider	-

**Application Notes** 

The dividers come in black paint only.

Actual shelf dimensions; 24''w =  $22^{23}/64''$ w 20''d =  $13^{11}/32''$ d 24''d =  $17^{11}/32''$ d

The replacement waste recycle bins, are for use with 24"w waste recycle pedestals and are available in grey finish only.

### Accessories For Cabinets

description	d	W	pattern no.	metal	L	V1	V2	V3	list
Cabinet shelves, (replacement)	15"	30"	RCAS3015-()	\$99.	\$194.	\$213.	\$243.	\$328.	
	15"	36"	RCAS3615-()	109.	207.	222.	252.	340.	
	20"	12"	RCAS1220-()	n/a	147.	159.	184.	248.	
	20"	16"	RCAS1620-()	80.	149.	161.	186.	250.	
Wood shelf	20"	19"	RCAS1920-()	84.	151.	163.	189.	254.	
	20"	30"	RCAS3020-()	96.	166.	182.	212.	285.	
	20"	36"	RCAS3620-()	109.	178.	194.	222.	301.	
	24"	12"	RCAS1224-()	n/a	167.	182.	211.	283.	
(i, ':i)	24"	16"	RCAS1624-()	89.	166.	182.	212.	285.	
	24"	19"	RCAS1924-()	94.	171.	187.	216.	290.	
Metal shelf	24"	30"	RCAS3024-()	107.	194.	213.	243.	328.	
	24"	36"	RCAS3624-()	114.	209.	228.	260.	351.	
Cabinet boot tray	17"	14"	RCABT1417						79.
	17"	29"	RCABT2917						132.
		TI 10 000% 1:							
Cabinet coat rod		Half of 30" cabinets	RCACR30H						77.
		Half of 36" cabinets	RCACR36H						84.
		16" cabinets	RCACR16						79.
		30" cabinets	RCACR30						106.
		36" cabinets	RCACR36						118.
Plate divider			RPD11						24.
$\sim$			RPD14						24.
	RPD1	11 to be used with 15" D 14 to be used with 20"/24 shelves.				res.			
Metal lateral file drawer divider, for desk height			RDHMLD						25.
products	for 20	" and 24" deep metal late	eral drawers						
		works with AutoStrada	ciui diawcis						
		e in pedestals with metal	linterior						
Utility Hook			RAUH						21.



### Specification Information

Example:	RCAS2420W()
R	Reff
CA	Cabinet
AS	Add-on shelf
24	Width 24" nominal
20	Depth (20 = 19" deep 24 = 23" deep)
$\overline{\mathbf{W}}$	Wood shelf, M = Metal
V316	Shelf finish

To order cabinet shelf, please specify pattern number including:

1. Finish type:
 M = Metal
 1 = V1
 2 = V2
 3 = V3

3 = V3
2. Shelf finish: L, V1, V2, V3 or Metal
Metal shelves are available in all core paint finishes.

Actual shelf dimensions;  $24''w = 22^{23}/64''w$   $20''d = 13^{11}/32''d$  $24''d = 17^{11}/32''d$ 

## Accessories For Overhead Fascias, Metal

description	W	pattern no.	P1	P2	Р3
Metal Fascia - Both left and right recess	30"	ROMDHMTF130RB	\$154.	\$169.	\$177.
>	36"	ROMDHMTF136RB	157.	172.	181.
	42"	ROMDHMTF142RB	158.	173.	182.
	48"	ROMDHMTF148RB	160.	176.	185.
*	54"	ROMDHMTF154RB	163.	179.	189.
	60"	ROMDHMTF160RB	165.	181.	191.
	66"	ROMDHMTF166RB	175.	193.	203.
	72"	ROMDHMTF172RB	177.	195.	205.
	78"	ROMDHMTF178RB	179.	196.	207.
	84"	ROMDHMTF184RB	181.	200.	209.
	90"	ROMDHMTF190RB	183.	202.	212.
	96"	ROMDHMTF196RB	186.	204.	214.
Metal Fascia - Left recess	30"	ROMDHMTF130RL	154.	169.	177.
	36"	ROMDHMTF136RL	157.	172.	181.
	42"	ROMDHMTF142RL	158.	173.	182.
	48"	ROMDHMTF148RL	160.	176.	185.
	54"	ROMDHMTF154RL	163.	179.	189.
	60"	ROMDHMTF160RL	165.	181.	191.
	66"	ROMDHMTF166RL	175.	193.	203.
	72"	ROMDHMTF172RL	177.	195.	205.
	78"	ROMDHMTF178RL	179.	198.	207.
	84"	ROMDHMTF184RL	181.	200.	209.
	90"	ROMDHMTF190RL	183.	202.	212.
	96"	ROMDHMTF196RL	186.	204.	214.

Example:	ROMDHMTF130RB
R	Reff
0	Overhead
М	Wall hung
DH	Desk height
M	Metal
T	Task light
F	Fascia
1	Letter depth
30	30"
R	Recess
В	Recess location

Finish

**Order Code** 

118

### Specification Information

To order please specify pattern number including:

1. Finish Anodized and Core paint finishes.

### **Application Notes**

For single and double high overheads.

Wood and metal options.

Letter depth only.

For P4 Anodized finishes (AP & AU), please add \$55 to P3 List Price.

### Accessories For Overhead Fascias, Metal

description	W	pattern no.	P1	P2	Р3
Metal Fascia - No recess	30"	ROMDHMTF130RN	\$154.	\$169.	\$177.
	36"	ROMDHMTF136RN	157.	172.	181.
	42"	ROMDHMTF142RN	158.	173.	182.
	48"	ROMDHMTF148RN	160.	176.	185.
	54"	ROMDHMTF154RN	163.	179.	189.
	60"	ROMDHMTF160RN	165.	181.	191.
	66"	ROMDHMTF166RN	175.	193.	203.
	72"	ROMDHMTF172RN	177.	195.	205.
	78"	ROMDHMTF178RN	179.	198.	207.
	84"	ROMDHMTF184RN	181.	200.	209.
	90"	ROMDHMTF190RN	183.	202.	212.
	96"	ROMDHMTF196RN	186.	204.	214.
Metal Fascia - Right recess	30"	ROMDHMTF130RR	154.	169.	177.
>	36"	ROMDHMTF136RR	157.	172.	181.
	42"	ROMDHMTF142RR	158.	173.	182.
	48"	ROMDHMTF148RR	160.	176.	185.
	54"	ROMDHMTF154RR	163.	179.	189.
	60"	ROMDHMTF160RR	165.	181.	191.
	66"	ROMDHMTF166RR	175.	193.	203.
	72"	ROMDHMTF172RR	177.	195.	205.
	78"	ROMDHMTF178RR	179.	198.	207.
	84"	ROMDHMTF184RR	181.	200.	209.
	90"	ROMDHMTF190RR	183.	202.	212.
	96"	ROMDHMTF196RR	186.	204.	214.

Example:	ROMDHMTF130RB
R	Reff
0	Overhead
M	Wall hung
DH	Desk height
М	Metal
Т	Task light
F	Fascia

**Order Code** 

ROMDHWIF130RB
Reff
Overhead
Wall hung
Desk height
Metal
Task light
Fascia
Letter depth
30"
Recess
Recess location
Finish

### **Specification Information**

To order please specify pattern number including:

Anodized and Core paint finishes.

### **Application Notes**

For single and double high overheads.

Wood and metal options. Letter depth only.

For P4 Anodized finishes (AP & AU), please add \$55 to P3 List Price.

### Accessories For Overhead Fascias, Wood

description	W	pattern no.	V1	V2	V3
Wood Fascia - Both left and right recess	30"	ROMDHWTF130RB	\$283.	\$305.	\$381.
>	36"	ROMDHWTF136RB	285.	310.	385.
	42"	ROMDHWTF142RB	287.	313.	391.
	48"	ROMDHWTF148RB	289.	316.	396.
*	54"	ROMDHWTF154RB	291.	320.	400.
	60"	ROMDHWTF160RB	420.	444.	555.
	66"	ROMDHWTF166RB	422.	447.	559.
	72"	ROMDHWTF172RB	424.	450.	563.
	78"	ROMDHWTF178RB	426.	453.	567.
	84"	ROMDHWTF184RB	428.	456.	572.
	90"	ROMDHWTF190RB	432.	459.	577.
	96"	ROMDHWTF196RB	589.	613.	768.
Wood Fascia - Left recess	30"	ROMDHWTF130RL	283.	305.	381.
	36"	ROMDHWTF136RL	285.	310.	385.
	42"	ROMDHWTF142RL	287.	313.	391.
	48"	ROMDHWTF148RL	289.	316.	396.
	54"	ROMDHWTF154RL	291.	320.	400.
	60"	ROMDHWTF160RL	420.	444.	555.
	66"	ROMDHWTF166RL	422.	447.	559.
	72"	ROMDHWTF172RL	424.	450.	563.
	78"	ROMDHWTF178RL	426.	453.	567.
	84"	ROMDHWTF184RL	428.	456.	572.
	90"	ROMDHWTF190RL	432.	459.	577.
	96"	ROMDHWTF196RL	589.	613.	768.

Ouder	2000
Order	Code

Example:	ROMDHWTF130RB	
R	Reff	
0	Overhead	
М	Wall hung	
DH	Desk height	
W	Wood	
Т	Task light	
F	Fascia	
1	Letter depth	
30	30"	
R	Recess	
В	Recess location	
V316	Finish	

### **Specification Information**

To order please specify pattern number including:

- 1. Finish Type: 1 = V1 2 = V2 3 = V3 2. Finish V1, V2,V3

### **Application Notes**

For single and double high overheads.

Wood and metal options.

Letter depth only.

## Accessories For Overhead Fascias, Wood

description	W	pattern no.	V1	V2	V3
Wood Fascia - No recess	30"	ROMDHWTF130RN	\$283.	\$305.	\$381.
	36"	ROMDHWTF136RN	285.	310.	385.
	42"	ROMDHWTF142RN	287.	313.	391.
	48"	ROMDHWTF148RN	289.	316.	396.
	54"	ROMDHWTF154RN	291.	320.	400.
	60"	ROMDHWTF160RN	420.	444.	555.
	66"	ROMDHWTF166RN	422.	447.	559.
	72"	ROMDHWTF172RN	424.	450.	563.
	78"	ROMDHWTF178RN	426.	453.	567.
	84"	ROMDHWTF184RN	428.	456.	572.
	90"	ROMDHWTF190RN	432.	459.	577.
	96"	ROMDHWTF196RN	589.	613.	768.
Wood Fascia - Right recess	30"	ROMDHWTF130RR	283.	305.	381.
<b>&gt;</b>	36"	ROMDHWTF136RR	285.	310.	385.
	42"	ROMDHWTF142RR	287.	313.	391.
	48"	ROMDHWTF148RR	289.	316.	396.
	54"	ROMDHWTF154RR	291.	320.	400.
	60"	ROMDHWTF160RR	420.	444.	555.
	66"	ROMDHWTF166RR	422.	447.	559.
	72"	ROMDHWTF172RR	424.	450.	563.
	78"	ROMDHWTF178RR	426.	453.	567.
	84"	ROMDHWTF184RR	428.	456.	572.
	90"	ROMDHWTF190RR	432.	459.	577.
	96"	ROMDHWTF196RR	589.	613.	768.

Ouder	2000
Order	Code

#### Example: ROMDHWTF130RB R Reff o Overhead M Wall hung DH Desk height Wood W Т Task light F Fascia Letter depth 30 30" R Recess В Recess location V316 Finish

### **Specification Information**

To order please specify pattern number including:

1. Finish Type: 1 = V1 2 = V2 3 = V3 2. Finish V1, V2,V3

### **Application Notes**

For single and double high overheads.

Wood and metal options.

Letter depth only.

## Accessories For Overhead Task Lights and Tackboards

description	type	y	W	d	h	pattern no.	list
T5 Standard Task Light	Use with 24" and wider overhead		19"	4"	1 1/2"	RTLT5E19S	\$300.
	Use with 30" and wider overhead		25"	4"	1 1/2"	RTLT5E25S	308.
	Use with 42" and wider overhead		37"	4"	1 1/2"	RTLT5E37S	313.
	Use with 60" and wider overhead		49"	4"	1 1/2"	RTLT5E49S	320.
	Use with 72" and wider overhead		61"	4"	1 1/2"	RTLT5E61S	337.
<b>4</b> // '	Use with 84" and wider overhead		73"	4"	1 1/2"	RTLT5E73S	368.
	Use with 96" and wider overhead		85"	4"	1 1/2"	RTLT5E85S	459.
T5 Advanced Task Light	Use with 30" and wider overhead		25"	4"	1 1/2"	RTLT5E25A	442.
	Use with 42" and wider overhead		37"	4"	1 1/2"	RTLT5E37A	464.
	Use with 60" and wider overhead		49"	4"	1 1/2"	RTLT5E49A	485.
	Use with 72" and wider overhead		61"	4"	1 1/2"	RTLT5E61A	502.
	Use with 84" and wider overhead		73"	4"	1 1/2"	RTLT5E73A	520.
<b>(</b> // •	Use with 96" and wider overhead		85"	4"	1 1/2"	RTLT5E85A	540.
LED Task Light	Use with 24" and wider overhead (24 LED's)		17"	2"	1/2"	RL4L17	520.
	Use with 36" and wider overhead (48 LED's)		31"	2"	1/2"	RL4L31	867.
	Use with 48" and wider overhead (72 LED's)		44"	2"	1/2"	RL4L44	1,130.
	Use with 66" and wider overhead (96 LED's)		58"	2"	1/2"	RL4L58	1,419.
Wall-hung tackboard for desk height (28 \%"h)		0.9	30"		26"	RWHDHTB3026	364.
planning		1.1	36"		26"	RWHDHTB3626	401.
Note: Fabric railroaded Velcro supplied		1.3	42"		26"	RWHDHTB4226	443.
		1.5	48"		26"	RWHDHTB4826	480.
	for use with 283/8"h support planning module						

Wall rails (paint options only)	-	_	87/8"	RWHRA-()	41.
nt.	_	_	17 5/8"	RWHRB-()	44.
		_	181/4"	RWHRC-()	44.
II.		_	211/16"	RWHRD-()	46.
		_	22"	RWHRE-()	46.
		_	591/2"	RWHRF-()	104.
			67"	DWHDC ()	104

Order Code	Specification Information	Application Notes

Example:	RTLT5E19S
RTL	Task Light
T5	T5 lamp
L	LED
E	Electronic ballast
19	Width
S	Standard

Y = Yardage Required

### T5 Task Lights: 120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware.

Housings are black.

T5 Task Lights:

Specify suffix -CH and add \$46 list for City of Chicago installations. Example: DL3T5E25S-CH

Cordset is center exit. On smaller units cord exit is off-center, but still not handed.

T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content.

### LED Task Lights:

Includes LED's, power supply with 9-12' cord and mounting hardware. Housings are clear anodized aluminum with white color end-caps.

### **LED Task Lights:**

Power cord is able to attach to either end of fixture.

### Notes:

All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6" wider than task light width.

All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.

### Accessories For Overhead Sliding Rails

description	W	pattern no.	list
Sliding rail for open shelves	30"	RSDR30	\$57.
	36"	RSDR36	57.
	42"	RSDR42	57.
	48"	RSDR48	57.
	54"	RSDR54	57.
	60"	RSDR60	90.
	66"	RSDR66	90.
	72"	RSDR72	90.
	78"	RSDR78	90.
	84"	RSDR84	101.
	90"	RSDR90	101.
	96"	RSDR96	101.
Sliding rail for open or hinged door overhead	30"	ROHDR30	57.
cabinets	36"	ROHDR36	57.
<i>M</i>	42"	ROHDR42	57.
	48"	ROHDR48	57.
	60"	ROHDR60	101.
	72"	ROHDR72	101.
	90"	ROHDR90	137.
	96"	ROHDR96	137.
Sliding rail for flip door overhead cabinets	30"	RFDR30	57.
Shaing rail for hip door overhead cabinets	36"	RFDR36	57.
	42"	RFDR42	57.
	48"	RFDR48	57.
	60"	RFDR60	101.
	72"	RFDR72	101.
	84"	RFDR84	101.
	96"	RFDR84	101.
	90	ספחטוח	101.
Sliding rail divider		R5ZNNE (3 dividers)	24.



Order (	Code
---------	------

Example:	RSDR30
R	Reff
SDR	Sliding rail for open
	shelves
30	For 30" shelf

### **Specification Information**

 ${\it To~order~please~specify~pattern~} \\ number.$ 

### **Application Notes**

Match cabinet width to rail width.

Parts come in black only.

These rails allow the use of metal "D"-ring divider to locate and separate binders and standing materials in Reff overhead cabinets. The rail which attaches to the inside back section of the cabinet is sold according to cabinet size door configuration.

## Accessories For Hutches Fascias, Metal

- <u> </u>	
Metal Fascia 60" <b>ROHMTF160 ()</b> \$162. \$1	78. \$187.
66" <b>ROHMTF166()</b> 171.	39. 198.
72" <b>ROHMTF172()</b> 174.	92. 201.
78" <b>ROHMTF178()</b> 176.	94. 204.
84" <b>ROHMTF184()</b> 178.	96. 206.
90" <b>ROHMTF190()</b> 180.	99. 208.
96" <b>ROHMTF196()</b> 182. 2	01. 211.

Order Co	de	Specification Information	Application Notes
Example:  R O H M T F 1 60	ROHMTF160 Reff Overhead Hutch Metal Task light Fascia Letter depth 60"	To order please specify pattern number including:  1. Fascia Finish: Anodized and painted options	For single and double high Hutches. Wood or Metal options.
()	Fascia finish	<u> </u>	

## Accessories For Hutches Fascias, Wood

description	W	pattern no.	V1	V2	V3
Wood Fascia	60"	ROHWTF160()	\$411.	\$435.	\$543.
	66"	ROHWTF166()	414.	438.	548.
	72"	ROHWTF172()	416.	442.	552.
	78"	ROHWTF178()	418.	445.	557.
	84"	ROHWTF184()	420.	448.	561.
	90"	ROHWTF190()	423.	451.	565.
	96"	ROHWTF196()	578.	602.	752.

Order Co	de	Specification Information	Application Notes
Example:	ROHWTF160	To order please specify pattern number including:	For single and double high Hutches.
R	Reff		Wood or Metal options.
0	Overhead	1. Trim Finish: Wood or Laminate	d or Laminate
Н	Hutch	<del></del>	
W	Wood	<del></del>	
T	Task light	<del></del>	
F	Fascia	<del></del>	
1	Letter depth	<del></del>	
60	60"		
()	Trim Finish	<u></u>	

### Accessories For Task panels

description	W	pattern no.	list
Task Panel shelf	14"	RTST14	\$177.



Task Panel flat tray	14"	RTSF14	177.
	28"	RTSF28	211.

rusk runermut ti	и
_	
	$\geqslant$
<b>Y</b>	

Example:	RTST4
R	Reff
TS	Task Panel
Т	Shelf
	F = Tray

Width

**Order Code** 

14

Specification Information

To order please specify pattern number including:

1. Finish where applicable

### **Application Notes**

See Reff Planning Guide for more information.

### Accessories Presentation Samples

description	w	d	h	pattern no.	L	M	V2	V3	list	
Presentation wood sample, 16" x 16"	16"	16"	-	RSAMP1616-( )( )	\$142.	\$204.	\$262.	\$303.		
	Optional ed	lge details	s available							
Presentation stackable/tiled mini panel (for	24"	_	34"	R3SMP()()()					1,173.	
demonstrations)	Specify trir	Specify trim profile, base height, base type and applicable finishes								
Presentation monolithic mini panel	4"H base			RR3MP4()					642.	
	6"H base			RR3MP6()					687.	
	Specify trir	n profile a	nd applica	able finishes						
Presentation worksurface cutaway sample	12"	12"	1 1/4"	RTOP2()	117.	179.	239.	282.		
	12"	12"	1 3/4"	RTOP1()	117.	179.	239.	282.		
Sample, cascade edge worksurface	12"	12"		RCE1R1212G	133.					
Rangeboard	27"	12"	1 1/4"	RRBRD2712()					322.	

Rangeboards are available in the following clear coat finishes; V316, V440, V515 & V518)

Order Cod	de
Example:	RWHRA()
R	Reff
WH	Wall Hung
R	Rails
Α	Height
()	Paint options only

### **Specification Information**

To order please specify pattern number including:

1. Finish, where applicable

### **Specification Information**

See Reff Planning Guide for more information.

Metal D-pull sample board represents the following standard Reff finishes ( PT, 111, 118, 611, 612, 613 )

Specify board finish in laminate, techwood, conventional or laminate with a wood edge.

Specify edge detail if applicable for presentation wood samples.

Product on this page will accept woodgrain laminate where laminate is currently an option. The wall rails will accept two sets of brackets for panel hung components.

### Accessories Presentation Pull Samples

description	type	w	d	pattern no.	L	V1	V2	V3	list
Presentation drawer front with pull samples	Grommet pull	8"	8"	RPULLSMPG()()	\$155.	\$196.	\$212.	\$245.	
	0								
	Bar pull	8"	8"	RPULLSMPF()()	155.	196.	212.	245.	
	Outline pull	8"	8"	RPULLSMPH()()	155.	196.	212.	245.	
	Cylinder pull	8"	8"	RPULLSMPR()()	155.	196.	212.	245.	
	Tab pull	8"	8"	RPULLSMPT()()	155.	196.	212.	245.	

### Order Code

#### Example: RPULLSMPG()() R Reff Profiles PULL Pull SM Sample PG Pull Grommet

### **Specification Information**

To order please specify pattern number including:

- 1. Drawer Front finish:
- Wood or Laminate
  2. Pull Finish:
  Painted or plated

Product on this page will accept wood grain laminate, where laminate is currently an option.

### Accessories Presentation Pull Samples

description	type	W	d	pattern no.	L	V1	V2	V3	list
Presentation drawer front with pull samples	J-Pull	8"	8"	RPULLSMPJ()()	\$155.	\$196.	\$212.	\$245.	
	C-Pull	8"	8"	RPULLSMPC()()	155.	196.	212.	245.	
	S-Pull	8"	8"	RPULLSMPS()()	155.	196.	212.	245.	
	D-Pull	8"	8"	RPULLSMPD()()	155.	196.	212.	245.	

### Order Code

#### Example: RPULLSMPG()() R Reff Profiles PULL Pull SM Sample PG Pull Grommet

### **Specification Information**

To order please specify pattern number including:

- 1. Drawer Front finish:
- Wood or Laminate
  2. Pull Finish:
  Painted or plated

Product on this page will accept wood grain laminate, where laminate is currently an option.

### Single Wide Desk Single Finishes

description	w*	d	h	pattern no.	L	V1	V2	V3
Single Wide Desk	66"	30"	42"	RASW6630()()	\$1,280.	\$1,502.	\$1,727.	\$2,245.
1	72"	30"	42"	RASW7230()()	1,337.	1,568.	1,803.	2,344.
	78"	30"	42"	RASW7830()()	1,379.	1,617.	1,859.	2,417.
	84"	30"	42"	RASW8430()()	1,457.	1,708.	1,965.	2,554.
	90"	30"	42"	RASW9030()()	1,498.	1,757.	2,021.	2,627.
	96"	30"	42"	RASW9630()()	1,546.	1,813.	2,085.	2,712.

W\* = Overall foot print width - Nominal

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

### **Order Code**

# Example: RASW6630 RA Reff Administrative SW Single Wide with worksurface 66 66" wide, Nominal 30 30" overall () Modesty finish () Worksurface finish



### **Specification Information**

To order please specify pattern number including:

- 1. Modesty Finish: Wood or
- 2. Worksurface Finish: Wood or Laminate, (excluding wood grain laminate)

All dimensions are nominal.

Nominal vs Actual widths

110111111111111111111111111111111111111	count man	
Width	Modesty	Top
Nominal	Actual	Actual
66"	61.8"	61.8''
72"	67.8"	67.8''
78"	73.8''	73.8''
84"	79.8"	79.8''
90"	85.8"	85.8''
96"	91.8''	91.8''

Overall Depth: 30" Nominal Worksurface Depth:= 24.5" Actual Height: 42" Nominal = 41.5" Actual

Above dimension allow for 2 end supports.

### It is Not advisable to mix 28 % "h desk height products with 26 % "t standard height products.

Products on this page are engineered to work with 28 3/8" planning.

Products on this page will accept all Laminates except "wood grain laminates".

Products on this page are manufactured to be finished on the user's side (inside), and paper finished on the approach side (outside).

The approach side needs to be completed with an additional infill panel.

Installation instruction sheets available on Knoll Exchange. Reference number 6TP00320.

### **Application Notes**

All worksurfaces are 11/2" thick.

No Drilling Options. No Grommet Options.

Worksurface includes 2" gap along the back edge to accommodate full wire access and Pencil Lip.

Pencil Lip will be assembled to the

Pencil Lip dimension: 1/4"H above worksurface.

Pencil Lip is located along the back edge.

Pencil Lip is available in black only.

Comes with hardware kit, including attachment kit.

Mid-span cantilever bracket (RMSCB) or a return must be ordered for additional support for spans greater than 54" wide.

To be used with end support, return, or bridge.
Includes front modesty and worksurface.

### Single Wide Desk Mixed Finishes

description	w*	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
Single Wide Desk	66"	30"	42"	RASW6630()()	\$1,405.	\$1,482.	\$1,764.	\$1,462.	\$1,585.	\$1,835.
1	72"	30"	42"	RASW7230()()	1,454.	1,538.	1,844.	1,503.	1,636.	1,910.
	78"	30"	42"	RASW7830()()	1,492.	1,583.	1,913.	1,533.	1,677.	1,973.
	84"	30"	42"	RASW8430()()	1,581.	1,678.	2,030.	1,584.	1,737.	2,058.
	90"	30"	42"	RASW9030()()	1,621.	1,724.	2,099.	1,616.	1,779.	2,124.
	96"	30"	42"	RASW9630()()	1,669.	1,777.	2,176.	1,646.	1,818.	2,187.

 $W^* = Overall foot print width - Nominal$ 

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

### **Order Code**

Example:	RASW6630
RA	Reff Administrative
SW	Single Wide with worksurface
66	66" wide, Nominal
30	30" overall
()	Modesty finish
()	Worksurface finish



### **Specification Information**

To order please specify pattern number including:

- 1. Modesty Finish: Wood or
- 2. Worksurface Finish: Wood or Laminate, (excluding wood grain laminate)

All dimensions are nominal.

Nominal vs Actual widths

Width	Modesty	Top
Nominal	Actual	Actual
66"	61.8''	61.8''
72"	67.8''	67.8''
78"	73.8''	73.8''
84"	79.8"	79.8''
90"	85.8"	85.8''
96"	91.8"	91.8"

Overall Depth: 30" Nominal Worksurface Depth: = 24.5" Actual Height: 42" Nominal = 41.5" Actual

Above dimension allow for 2 end supports.

### It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Products on this page are engineered to work with 28 3/8" planning.

Products on this page will accept all Laminates except "wood grain laminates".

Products on this page are manufactured to be finished on the user's side (inside), and paper finished on the approach side (outside).

The approach side needs to be completed with an additional infill panel.

Installation instruction sheets available on Knoll Exchange. Reference number 6TP00320.

### **Application Notes**

All worksurfaces are 11/2" thick.

No Drilling Options. No Grommet Options.

Worksurface includes 2" gap along the back edge to accommodate full wire access and Pencil Lip.

Pencil Lip will be assembled to the

Pencil Lip dimension: 1/4"H above worksurface.

Pencil Lip is located along the back edge.

Pencil Lip is available in black

Comes with hardware kit, including attachment kit.

Mid-span cantilever bracket (RMSCB) or a return must be ordered for additional support for spans greater than 54" wide.

To be used with end support, return, or bridge.
Includes front modesty and worksurface.

### Double Wide Desk Single Finishes


description	w*	d	h	pattern no.	L	V1	V2	V3
Double Wide Desk	51"	30"	42"	RADW(L/R)5130( )( )	\$1,238.	\$1,453.	\$1,671.	\$2,171.
	54"	30"	42"	RADW(L/R)5430( )( )	1,267.	1,485.	1,708.	2,220.
	57"	30"	42"	RADW(L/R)5730( )( )	1,295.	1,518.	1,745.	2,269.
	60"	30"	42"	RADW(L/R)6030( )( )	1,381.	1,620.	1,862.	2,422.
	63"	30"	42"	RADW(L/R)6330( )( )	1,403.	1,646.	1,893.	2,460.
<b>"</b>	66"	30"	42"	RADW(L/R)6630( )( )	1,434.	1,682.	1,935.	2,514.
	69"	30"	42"	RADW(L/R)6930( )( )	1,462.	1,714.	1,971.	2,561.
Left hand shown	72"	30"	42"	RADW(L/R)7230( )( )	1,483.	1,739.	2,001.	2,601.
	75"	30"	42"	RADW(L/R)7530( )( )	1,503.	1,762.	2,026.	2,635.
	78"	30"	42"	RADW(L/R)7830( )( )	1,523.	1,788.	2,055.	2,672.
	81"	30"	42"	RADW(L/R)8130( )( )	1,551.	1,818.	2,091.	2,719.
	84"	30"	42"	RADW(L/R)8430( )( )	1,603.	1,881.	2,163.	2,813.
	87"	30"	42"	RADW(L/R)8730( )( )	1,623.	1,902.	2,188.	2,845.
	90"	30"	42"	RADW(L/R)9030( )( )	1,644.	1,928.	2,218.	2,882.
	93"	30"	42"	RADW(L/R)9330( )( )	1,672.	1,961.	2,255.	2,932.
	96"	30"	42"	RADW(L/R)9630( )( )	1,691.	1,984.	2,283.	2,967.

 $W^* = \text{Overall foot print width} - \text{Nominal}$ 

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

### **Order Code**

# Example: RADW(L/R)5130 RA Reff Administrative DW Double Wide with worksurface L Left hand 51 51" wide, Nominal 30 30" overall () Modesty finish () Worksurface finish



### **Specification Information**

To order please specify pattern number including:

- 1. Modesty Finish: Wood or Laminate
- 2. Worksurface Finish: Wood or Laminate

To complete your double wide unit, you must order 2 pieces.

jour must or	der = precess.
Width	Width
Nominal	Actual
102"	2 x 48.9"
108"	2 x 51.9"
114"	2 x 54.9"
120"	2 x 57.9"
120"	2 x 60.9"
132"	2 x 63.9"
138"	2 x 66.9"
144"	2 x 69.9"
150"	2 x 72.9"
156"	2 x 75.9"
162"	2 x 78.9"
168"	2 x 81.9"
174"	2 x 84.9"
180"	2 x 87.9"
186"	2 x 90.9"
192"	2 x 93.9"

Overall Depth: 30" Nominal Worksurface Depth: 24.5" Actual Height: 42" Nominal = 41.5" Actual

### It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Products on this page are engineered to work with 28 1/8" planning.

Products on this page will accept all Laminates except "wood grain laminates".

Products on this page are manufactured to be finished on the user's side (inside), and paper finish on the approach side (outside).

The approach side needs to be completed with an additional infill panel.

Note: All Installtion instructions are available on the Knoll Exchange. Reference number 6TP00320.

### **Application Notes**

All worksurfaces are 1 1/2" thick.

No Drilling Options. No Grommet Options.

Worksurface includes 2" gap along the back edge to accommodate full wire access and Pencil Lip.

Pencil Lip will be assembled to the

Pencil Lip dimension: 1/4"H above worksurface.

Pencil Lip is located along the back edge.

Pencil Lip is available in black

Products on this page do not include infill panels. Returns and supports need to be ordered separately.

Mid-span cantilever bracket (RMSCB) or a return must be ordered for additional support for spans greater than 54" wide.

Left hand and Right hand units are sold separately (not as set), therefore the veneer sides will not match.

Left hand unit includes 2 kits; Kit #1: Joinery hardware to connect 2 units together. Kit # 2: Multi clip.

# Double Wide Desk Mixed Finishes


description	w*	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
Double Wide Desk	51"	30"	42"	RADW(L/R)5130( )( )	\$1,349.	\$1,412.	\$1,646.	\$1,469.	\$1,571.	\$1,797.
1	54"	30"	42"	RADW(L/R)5430()()	1,377.	1,444.	1,688.	1,485.	1,592.	1,831.
	57"	30"	42"	RADW(L/R)5730()()	1,395.	1,466.	1,724.	1,511.	1,622.	1,871.
	60"	30"	42"	RADW(L/R)6030()()	1,504.	1,577.	1,846.	1,569.	1,685.	1,948.
	63"	30"	42"	RADW(L/R)6330()()	1,525.	1,602.	1,884.	1,600.	1,722.	1,996.
	66"	30"	42"	RADW(L/R)6630()()	1,548.	1,629.	1,920.	1,630.	1,756.	2,043.
	69"	30"	42"	RADW(L/R)6930()()	1,576.	1,659.	1,963.	1,645.	1,777.	2,074.
right hand shown	72"	30"	42"	RADW(L/R)7230()()	1,598.	1,684.	1,999.	1,662.	1,797.	2,107.
	75"	30"	42"	RADW(L/R)7530()()	1,617.	1,705.	2,031.	1,707.	1,847.	2,168.
	78"	30"	42"	RADW(L/R)7830()()	1,635.	1,728.	2,066.	1,723.	1,868.	2,203.
	81"	30"	42"	RADW(L/R)8130()()	1,665.	1,759.	2,108.	1,737.	1,889.	2,233.
	84"	30"	42"	RADW(L/R)8430()()	1,726.	1,823.	2,185.	1,775.	1,930.	2,287.
	87"	30"	42"	RADW(L/R)8730()()	1,744.	1,845.	2,217.	1,790.	1,950.	2,319.
	90"	30"	42"	RADW(L/R)9030()()	1,763.	1,868.	2,253.	1,805.	1,970.	2,351.
	93"	30"	42"	RADW(L/R)9330()()	1,793.	1,900.	2,296.	1,819.	1,991.	2,382.
	96"	30"	42"	RADW(L/R)9630( )( )	1.811.	1.921.	2.328.	1.836.	2.010.	2.416.

W\* = Overall foot print width - Nominal

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

### Order Code

# Example: RADW(L/R)5130 RA Reff Administrative DW Double Wide with worksurface L Left hand 51 51" wide, Nominal 30 30" overall () Modesty finish () Worksurface finish



### **Specification Information**

To order please specify pattern number including:

- 1. Modesty Finish: Wood or Laminate
- 2. Worksurface Finish: Wood or Laminate

To complete your double wide unit, you must order 2 pieces.

•	
Width	Width
Nominal	Actual
102"	2 x 48.9"
108"	2 x 51.9"
114"	2 x 54.9"
120"	2 x 57.9"
120"	2 x 60.9"
132"	2 x 63.9"
138"	2 x 66.9"
144"	2 x 69.9"
150"	2 x 72.9"
156"	2 x 75.9"
162"	2 x 78.9"
168"	2 x 81.9"
174"	2 x 84.9"
180"	2 x 87.9"
186"	2 x 90.9"
192"	2 x 93.9"

Overall Depth: 30" Nominal Worksurface Depth: 24.5" Actual Height: 42" Nominal = 41.5"H Actual

### It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Products on this page are engineered to work with 28 1/8" planning.

Products on this page will accept all Laminates except "wood grain laminates".

Products on this page are manufactured to be finished on the user's side (inside), and paper finished on the approach side (outside).

The approach side needs to be completed with an additional infill panel.

Installation instruction sheets available on Knoll Exchange. Reference number 6TP00320.

### **Application Notes**

All worksurfaces are 1 1/2" thick.

No Drilling Options. No Grommet Options.

Worksurface includes 2" gap along the back edge to accommodate full wire access and Pencil Lip.

Pencil Lip will be assembled to the

Pencil Lip dimension: 1/4"H above worksurface.

Pencil Lip is located along the back edge.

Pencil Lip is available in black

Products on this page do not include infill panels. Returns and supports need to be ordered separately.

Mid-span cantilever bracket (RMSCB) or a return must be ordered for additional support for spans greater than 54" wide.

Left hand and Right hand units are sold separately (not as set), therefore the veneer sides will not match.

Left hand unit includes 2 kits; Kit #1: Joinery hardware to connect 2 units together. Kit # 2: Multi clip.

### Bridge Single Finishes

description	w*	d	h	pattern no.	L	V1	V2	V3
Bridge Return Panel	72"	20"	42"	RABR(L/R)7220( )( )( )( )	\$1,162.	\$1,896.	\$2,181.	\$2,835.
	78"	20"	42"	RABR(L/R)7820( )( )( )( )	1,261.	2,057.	2,367.	3,076.
	84"	20"	42"	RABR(L/R)8420( )( )( )( )	1,317.	2,150.	2,472.	3,214.
	90"	20"	42"	RABR(L/R)9020( )( )( )( )	1,370.	2,238.	2,573.	3,346.
	96"	20"	42"	RABR(L/R)9620( )( )( )( )	1,424.	2,324.	2,672.	3,474.



Left hand shown

 $w^* = Overall foot print width - Nominal$ 

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

### **Order Code**

### RABR(L/R)7220 Example: Reff Administrative RA BR Bridge Return R Right hand 72 72" wide 20 20" overall () Grommet option () Grommet finish Modesty finish () () Worksurface finish



### **Specification Information**

 ${\it To~order~please~specify~pattern}$ number including:

- Grommet Option: F = FlushN = No Grommet
- Grommet Finish: Painted or Plated
- Modesty Finish: Wood or Laminate
- Worksurface Finish: Wood or Laminate, (excluding wood grain laminate)

All dimensions are nominal.

left hand/ right hand

Nominal vs Actual widths

Width	Modesty	Top
Nominal	Actual	Actual
72"	54.5''	24.5''
78"	60.5''	30.5''
84"	66.5''	36.5''
90"	72.5''	42.5''
96"	78.5"	48.5''

Overall Depth: 20" Nominal Worksurface Depth: 18.9" Actual Height: 42" Nominal = 41.5" Actual

### It is Not advisable to mix 28 %"h desk height products with 26 1/2"

standard height products. Products on this page are

engineered to work with 283/8" planning.

Products on this page will accept all Laminates except "wood grain laminates".

Installation instruction sheets available on Knoll Exchange. Reference number 6TP00320.

### **Application Notes**

All worksurfaces are 11/2" thick.

Includes a 20"d nominal work

Includes thick modesty panel. Use in conjunction with end cabinets.

Bridge + Cabinet + End Panel = Nominals.

Cabinet to be ordered separately.

### Bridge Mixed Finishes

description	w*	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
Bridge Return Panel	72"	20"	42"	RABR(L/R)7220( )( )( )( )	\$1,303.	\$1,339.	\$1,456.	\$1,743.	\$1,995.	\$2,423.
	78"	20"	42"	RABR(L/R)7820( )( )( )( )	1,435.	1,475.	1,611.	1,901.	2,176.	2,651.
	84"	20"	42"	RABR(L/R)8420( )( )( )( )	1,499.	1,544.	1,699.	1,966.	2,263.	2,786.
	90"	20"	42"	RABR(L/R)9020( )( )( )( )	1,556.	1,606.	1,781.	2,033.	2,351.	2,925.
	96"	20"	42"	RABR(L/R)9620( )( )( )( )	1,608.	1,662.	1,856.	2,096.	2,436.	3,057.



Left hand shown

w\* = Overall foot print width - Nominal

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

### **Order Code**

### RABR(L/R)7220 Example: Reff Administrative RA BR Bridge Return R Right hand 72 72" wide 20 20" deep () Grommet option () Grommet finish Modesty finish () () Worksurface finish



### **Specification Information**

To order please specify pattern number including:

- Grommet Option: F = FlushN = No Grommet
- Grommet Finish: Painted or Plated
- Modesty Finish: Wood or Laminate
- Worksurface Finish: Wood or Laminate, (excluding wood grain laminate)

All dimensions are nominal.

left hand/ right hand

Nominal vs Actual widths

Width	Modesty	Top
Nominal	Actual	Actual
72"	54.5''	24.5''
78"	60.5''	30.5''
84"	66.5''	36.5''
90"	72.5''	42.5''
96"	78.5''	48.5''

Note: All noted width dimensions are an "out to out" overall foot print,

including all additional components which are required and ordered separately.

Products on this page are engineered to work with 283/8" planning.

All worksurfaces are 11/2" thick.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions are available on the Knoll Exchange.

42" height is Nominal

### **Application Notes**

All worksurfaces are 11/2" thick.

Includes a 20"d nominal work

Includes thick modesty panel. Use in conjunction with end cabinets.

Bridge + Cabinet + End Panel = Nominals.

Cabinet to be ordered separately.

Overall Depth: 20" Nominal Worksurface Depth: 18.9" Actual Height: 42" Nominal = 41.5" Actual

# Return Single Finishes

description	w*	d	h	pattern no.	L	V1	V2	V3
Full Return Panel	54"	20"	42"	RAFR(L/R)5420( )( )( )( )( )	\$1,280.	\$1,984.	\$2,283.	\$2,966.
	60"	20"	42"	RAFR(L/R)6020( )( )( )( )( )	1,333.	2,066.	2,377.	3,089.
	66"	20"	42"	RAFR(L/R)6620( )( )( )( )( )	1,440.	2,233.	2,568.	3,337.
	72"	20"	42"	RAFR(L/R)7220( )( )( )( )( )	1,494.	2,318.	2,665.	3,465.
	78"	20"	42"	RAFR(L/R)7820( )( )( )( )( )	1,557.	2,415.	2,777.	3,610.
	84"	20"	42"	RAFR(L/R)8420( )( )( )( )( )	1,630.	2,529.	2,906.	3,779.
	90"	20"	42"	RAFR(L/R)9020( )( )( )( )( )	1,696.	2,629.	3,023.	3,929.
Left hand shown	96"	20"	42"	RAFR(L/R)9620( )( )( )( )( )	1,766.	2,738.	3,149.	4,093.

 $W^* = Overall foot print width - Nominal$ 

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

### Order Code

Example:	RAFR(L/R)5420
RA	Reff Administrative
FR	Full Return
L	Left hand
54	54" wide, Nominal
20	20" overall
()	Grommet option
()	Grommet finish
()	Modesty finish
()	Worksurface finish
G	Drilling options

### Specification Information

To order please specify pattern number including:

- 1. Grommet Option: F = Flush N = No Grommet
- 2. Grommet Finish: Painted or Plated
- 3. Modesty Finish: Wood or Laminate
- 4. Worksurface Finish: Wood or Laminate
- 5. Drilling Options: E = End Support drilling 28<sup>3</sup>/8" G = Gable Support drilling 42"

### Nominal vs Actual widths

Width	Modesty	Top
Nominal	Actual	Actual
54"	51.9''	22''
60"	57.9"	28"
66"	63.9''	34''
72"	69.9"	40''
78"	75.9''	46''
84"	81.9"	52''
90"	87.9''	58"
96"	93.9"	64"

Overall Depth: 20" Nominal Worksurface Depth: 18.9" Actual Height: 42" Nominal = 41.5" Actual

## It is Not advisable to mix 28 \%"h desk height products with 26 \%" standard height products.

Products on this page are engineered to work with 28<sup>3</sup>/8" planning.

Products on this page will accept all Laminates except "wood grain laminates".

Installation instruction sheets available on Knoll Exchange. Reference number 6TP00320.

### **Application Notes**

All worksurfaces are 11/2" thick.

Includes a 20"d (nominal) worksurface. Includes thick modesty.

Return with Cabinet support (TG)



Return with "end support" - 283/8"h



Return with Gable support - 42"h

See page 458 for End Support options.

# Return Mixed Finishes

L/V1 L/V2 L/V3 V1/L V2/LV3/L description w\* d h pattern no. RAFR(L/R)5420( )( )( )( )( )( 54" 42" Full Return Panel 20" \$1,422. \$1,457 \$1,564. \$1,881 \$2,123 \$2,532. 1,473. 60" 20' 42" 1,944. 2,209. RAFR(L/R)6020()()()()()() 1,512 1,641. 2,665. 20" 42" RAFR(L/R)6620( )( )( )( )( ) 2,896. 66" 1,614. 1,655. 1,803 2,104. 2,391 20" 42''2,170. 3,032. 72 RAFR(L/R)7220()()()()()() 1,669. 1,716. 1,884. 2,479. RAFR(L/R)7820( )( )( )( )( ) 78" 20" 42''1,738. 1,790. 1,977 2,241. 2,573. 3,171. 42" 84" 20" RAFR(L/R)8420()()()()()() 1,825. 1,882 2,087. 2,303. 2,659. 3,307. 90" 20" 42" 2,387 RAFR(L/R)9020()()()()()() 1,897. 1,960. 2,186. 2,764 3,459. Left hand shown 96" 20" 42" RAFR(L/R)9620()()()()()() 1,980. 2,048. 2,293. 2,466. 2,867. 3,608.

 $W^* = Overall foot print width - Nominal$ 

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

### Order Code

### Example: RAFR(L/R)5420 RA Reff Administrative FR Full Return L Left hand 54 54" wide, Nominal 20 20" ovrall () Grommet option () Grommet finish () Modesty finish () Worksurface finish G Drilling options

### Specification Information

To order please specify pattern number including:

- Grommet Option:
   F = Flush
   N = No Grommet
- 2. Grommet Finish: Painted or Plated
- 3. Modesty Finish: Wood or Laminate
- 4. Worksurface Finish: Wood or Laminate
- 5. Drilling Options: E = End Support drilling 28<sup>3</sup>/8" G = Gable Support drilling 42"

### Nominal vs Actual widths

Width	Modesty	Top
Nominal	Actual	Actual
54"	51.9''	22''
60"	57.9"	28"
66"	63.9''	34''
72"	69.9"	40''
78"	75.9"	46''
84"	81.9"	52''
90"	87.9"	58"
96"	03 0"	64"

Overall Depth: 20" Nominal Worksurface Depth: 18.9" Actual Height: 42" Nominal = 41.5" Actual

## It is Not advisable to mix 28 % "h desk height products with 26 % "t standard height products.

Products on this page are engineered to work with 28<sup>3</sup>/8" planning.

Products on this page will accept all Laminates except "wood grain laminates".

Installation instruction sheets available on Knoll Exchange. Reference number 6TP00320.

### Application Notes

All worksurfaces are 11/2" thick.

Includes a 20" (nominal) worksurface. Includes thick modesty.

Returnw ith Cabinet support. (TG)



Return with "end support" - 283/8"h



Return with Gable support - 42"h

See page 458 for End Support options.

### Shared Return One Sided Single Finishs

description	w*	d	h	pattern no.	L	V1	V2	V3
Shared Return One Side	66"	20"	42"	RASRS(L/R)6620( )( )( )( )( )	\$1,017.	\$1,661.	\$1,910.	\$2,482.
	72"	20"	42"	RASRS(L/R)7220( )( )( )( )( )	1,092.	1,781.	2,049.	2,663.
	78"	20"	42"	RASRS(L/R)7820( )( )( )( )( )	1,147.	1,872.	2,154.	2,798.
	84"	20"	42"	RASRS(L/R)8420( )( )( )( )( )	1,235.	2,017.	2,320.	3,015.
	90"	20"	42"	RASRS(L/R)9020( )( )( )( )( )	1,285.	2,099.	2,413.	3,138.
4	96"	20"	42"	RASRS(L/R)9620( )( )( )( )( )	1,400.	2,285.	2,627.	3,415.

Left hand shown

 $w^* = Overall foot print widths - Nominal$ 

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

### **Order Code**

Example:	RASRS(L/R)6620
RA	Reff Administrative
SR	Shared Return
S	Single
R	Right hand
66	66" wide overall foot
	print
20	20" overall depth
()	Grommet option
()	Grommet finish
()	Modesty finish
()	Worksurface finish



### **Specification Information**

 ${\it To~order~please~specify~pattern}$ number including:

- 1. Grommet Option: F = FlushN = No Grommet
- 2. Grommet Finish: Painted or Plated
- Modesty Finish: Wood or Laminate
- Worksurface Finish: Wood or Laminate

### Nominal vs Actual widths

Width	Modesty	Top
Nominal	Actual	Actual
66"	34''	34''
72"	40"	40''
78"	46"	46"
84"	52"	52"
90"	58"	58"
96"	64"	64"

Overall Depth: 20" Nominal Worksurface Depth: 18.9" Actual Height: 42" Nominal = 41.5" Actual

### It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Products on this page are engineered to work with 28%

Products on this page will accept all Laminates except "wood grain laminates".

Installation instruction sheets available on Knoll Exchange. Reference number 6TP00320.

### **Application Notes**

All worksurfaces are 11/2" thick.

Must be used with end support. Always comes with drilling to accept 283/8"h (only) end suport components.

End support must be ordered

separately.
42" hight Gable cannot be used in this application. Hardware for attachment included.

### Shared Return One Sided Mixed Finishes

description	w*	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
Shared Return One Side	66"	20"	42"	RASRS(L/R)6620( )( )( )( )( )	\$1,173.	\$1,215.	\$1,362.	\$1,536.	\$1,711.	\$1,977.
	72"	20"	42"	RASRS(L/R)7220( )( )( )( )( )	1,259.	1,306.	1,474.	1,642.	1,839.	2,154.
	78"	20"	42"	RASRS(L/R)7820( )( )( )( )( )	1,321.	1,374.	1,561.	1,700.	1,920.	2,283.
	84"	20"	42"	RASRS(L/R)8420( )( )( )( )( )	1,433.	1,489.	1,696.	1,836.	2,078.	2,488.
	90"	20"	42"	RASRS(L/R)9020( )( )( )( )( )	1,485.	1,547.	1,774.	1,894.	2,159.	2,617.
<b>V</b>	96"	20"	42"	RASRS(L/R)9620()()()()()	1,647.	1,714.	1,960.	2,067.	2,354.	2,861.

Left hand shown

w\* = Overall foot print width - Nominal

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

### **Order Code**

### RASPS(L/R)6620 Example: RA Reff Administrative SR Shared Return s Single R Right hand 66 66" wide overall foot 20 20" overall depth () Grommet option () Grommet finish () Modesty finish Worksurface finish



### **Specification Information**

To order please specify pattern number including:

- 1. Grommet Option: F = Flush
- N = No Grommet2. Grommet Finish:
- Painted or Plated Modesty Finish: Wood or Laminate
- Worksurface Finish: Wood or Laminate

### Nominal vs Actual widths

1 tollilliai vs	ictual with	115
Width	Modesty	Top
Nominal	Actual	Actual
66"	34''	34''
72"	40"	40''
78"	46"	46''
84"	52"	52''
90"	58"	58"
96"	64"	64"

Overall Depth: 20" Nominal Worksurface Depth: 18.9" Actual Height: 42" Nominal = 41.5" Actual

### It is Not advisable to mix 28 %"h desk height products with 26 1/2"

standard height products.

Products on this page are engineered to work with 283/8" planning.

Products on this page will accept all Laminates except "wood grain laminates".

Installation instruction sheets available on Knoll Exchange. Reference number 6TP00320.

**Application Notes** 

All worksurfaces are 11/2" thick.

Must be used with end support. Always comes with drilling to accept 283/8"h (only) end support components.

End support must be ordered separately.
42" height Gable cannot be used in

this application.

Hardware for attachment included.

### Shared Return Two Sided Single Finishes

description	w*	d	h	pattern no.	L	V1	V2	V3
Shared Return Two Sided	66"	20"	42"	RASRD6620( )( )( )( )( )	\$1,353.	\$2,138.	\$2,459.	\$3,197.
	72"	20"	42"	RASRD7220( )( )( )( )( )	1,442.	2,281.	2,621.	3,409.
( )	78"	20"	42"	RASRD7820( )( )( )( )( )	1,518.	2,400.	2,760.	3,588.
	84"	20"	42"	RASRD8420( )( )( )( )( )	1,616.	2,555.	2,939.	3,820.
~	90"	20"	42"	RASRD9020( )( )( )( )( )	1,681.	2,658.	3,057.	3,973.
4	96"	20"	42"	BASRD9620( )( )( )( )( )( )	1.821	2.881.	3.313.	4.307.

w\* = Overall foot print width - Nominal

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

### **Order Code**

### Example: RASRD6620 RA Reff Administrative SR Shared Return D Double 66 66" wide overall foot print 20 20" overall depth () Grommet option () Grommet finish Modesty finish () Worksurface finish ()



### **Specification Information**

To order please specify pattern number including:

- Grommet Option: F = FlushN = No Grommet
- Grommet Finish: Painted or Plated
- Modesty Finish: Wood or Laminate
- Worksurface Finish: Wood or Laminate

### Nominal vs Actual widths

Width	Modesty	Top
Nominal	Actual	Actual
66"	34"	34''
72"	40"	40''
78"	46"	46"
84"	52"	52"
90"	58"	58"
96"	64"	64''

Overall Depth: 20" Nominal Worksurface Depth: 18.9" Actual Height: 42" Nominal = 41.5" Actual

### It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Products on this page are engineered to work with 283/8" planning.

Products on this page will accept all Laminates except "wood grain laminates".

Installation instruction sheets available on Knoll Exchange. Reference number 6TP00320.

### **Application Notes**

All worksurfaces are 11/2" thick.

Must be used with end support. Always comes with drilling to accept 283/8"h (only) end support components.

End support must be ordered

separately.
42" height Gable cannot be used in this application.

Hardware for attachment included.

### Shared Return Two Sided Mixed Finishes

description	w*	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
Shared Return Two Sided	66"	20"	42"	RASRD6620()()()()()()	\$1,680.	\$1,764.	\$2,060.	\$1,890.	\$2,063.	\$2,331.
	72"	20"	42"	RASRD7220( )( )( )( )( )	1,785.	1,881.	2,216.	2,005.	2,203.	2,515.
	78"	20"	42"	RASRD7820( )( )( )( )( )	1,876.	1,979.	2,353.	2,074.	2,293.	2,656.
	84"	20"	42"	RASRD8420( )( )( )( )( )	1,998.	2,110.	2,523.	2,214.	2,456.	2,867.
~	90"	20"	42"	RASRD9020( )( )( )( )( )	2,066.	2,189.	2,643.	2,283.	2,548.	3,005.
7	96"	20"	49"	RASRD9620( )( )( )( )( )( )	2 267	2 300	2 891	2 481	2 769	3 274

w\* = Overall foot print width - Nominal

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

### **Order Code**

### Example: RASRD6620 RA Reff Administrative SR Shared Return R Right hand s Single 66 66" wide overall foot print 20 20" overall depth () Grommet option () Grommet finish () Modesty finish Worksurface finish



### **Specification Information**

To order please specify pattern number including:

- Grommet Option: F = FlushN = No Grommet
- Grommet Finish: Painted or Plated
- Modesty Finish: Wood or Laminate
- Worksurface Finish: Wood or Laminate

### Nominal vs Actual widths

Width	Modesty	Top
Nominal	Actual	Actual
66"	34''	34''
72"	40"	40''
78"	46"	46''
84"	52"	52''
90"	58"	58"
96"	64"	64''

Overall Depth: 20" Nominal Worksurface Depth: 18.9" Actual Height: 42" Nominal = 41.5" Actual

### It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Products on this page are engineered to work with 283/8" planning.

Products on this page will accept all Laminates except "wood grain laminates".

Installation instruction sheets available on Knoll Exchange. Reference number 6TP00320.

### **Application Notes**

All worksurfaces are 11/2" thick.

Must be used with end support. Always comes with drilling to accept 283/8"h (only) end support components.

End support must be ordered

separately.
42" height Gable cannot be used in this application.


Hardware for attachment included.

### Technology Island Peninsula Single Finish

description	W	d	h	pattern no.	L	V1	V2	V3
Peninsula	62"	40"	223/8"	RAIE6240( )( )( )	\$1,179.	\$1,743.	\$2,005.	\$2,607.
	68"	40"	223/8"	RAIE6840()()()	1,202.	1,779.	2,047.	2,660.
< ' \	74"	40"	223/8"	RAIE7440()()()	1,222.	1,806.	2,077.	2,700.
	62"	48"	223/8"	RAIE6248( )( )( )	1,272.	1,881.	2,163.	2,811.
	68"	48"	223/8"	RAIE6848()()()	1,292.	1,912.	2,198.	2,858.
	74"	48"	223/8"	RAIE7448( )( )( )	1,314.	1,944.	2,236.	2,906.

### Order Code

### Example: RAIE6240 RA Reff Administrative Island Peninsula 1" thick top Ε 62 Width 40 Depth Grommet Finish () Top Finish () () End Panel Finish



### **Specification Information**

To order please specify pattern number including:

- 1. Grommet Finish: Painted or plated
- 2. Worksurface finish: Wood or Laminate
- 3. End panel finish:

It is Not advisable to mix 28 % "h desk height products with 26 % standard height products.

Products on this page are engineered to work with 283/8" planning.

Products on this page will accept all Laminates except "wood grain laminates".

Installation instruction sheets available on Knoll Exchange. Reference number 6TP00320.

Mid-span cantilever bracket (RMSCB) or a return must be ordered for additional support for units greater than 54" wide.

### **Application Notes**

The worksurfaces for Island Peninsulas are 1" thick.

These worksurfaces come with standard grommet. 12" inset from back edge, center or depth.

Peninsula height = 22 % 22" to the underside of worksurface.

Intended to have full storage under tops.  $(30 \times 30, 30 \times 36, 36 \times 36)$ 

 $22\,\mbox{\%}''h$  lower storage to be used with this product.

Drilled to accept 30" and 36" wide x 223%" high storage units.


Intended to be freestanding slide or sit under the primary worksurface.

### Technology Island Peninsula Mixed Finishes

description	W	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
Peninsula	62"	40"	223/8"	RAIE6240()()()	\$1,299.	\$1,408.	\$1,786.	\$1,667.	\$1,791.	\$1,957.
	68"	40"	223/8"	RAIE6840()()()	1,329.	1,449.	1,857.	1,687.	1,836.	1,978.
< ' \	74"	40"	223/8"	RAIE7440()()()	1,352.	1,480.	1,918.	1,710.	1,837.	2,002.
	62"	48"	223/8"	RAIE6248()()()	1,395.	1,524.	1,961.	1,834.	1,976.	2,176.
	68"	48"	223/8"	RAIE6848( )( )( )	1,420.	1,561.	2,031.	1,860.	2,004.	2,203.
	74"	48"	223/8"	RAIE7448( )( )( )	1.446.	1.598.	2,105.	1.887.	2,030.	2,229.

### **Order Code**

### Example: RAIE6240 RA Reff Administrative Island Peninsula 1" thick top Ε 62 Width 40 Depth Grommet Finish () Top Finish () () End Panel Finish



### Specification Information

To order please specify pattern number including:

- 1. Grommet Finish: Painted or plated
- 2. Worksurface finish: Wood or Laminate
- 3. End panel finish:

It is Not advisable to mix 28 % "h desk height products with 26 % standard height products.

Products on this page are engineered to work with 283/8" planning.

Products on this page will accept all Laminates except "wood grain laminates".

Installation instruction sheets available on Knoll Exchange. Reference number 6TP00320.

Mid-span cantilever bracket (RMSCB) or a return must be ordered for additional support for units greater than 54" wide.

### **Application Notes**

The worksurfaces for Island Peninsulas are 1" thick.

These worksurfaces come with standard grommet. 12" inset from back edge, center or depth.

Peninsula height = 22 % 22" to the underside of worksurface.

Intended to have full storage under tops.  $(30 \times 30, 30 \times 36, 36 \times 36)$ 

 $22\ensuremath{\mbox{\sc 3}}\ensuremath{\mbox{\sc be}}\ensuremath{\mbox{\sc be}}\ensuremath{\mb$ 

Drilled to accept 30" and 36" wide x 223%" high storage units.

Intended to be freestanding slide or sit under the primary worksurface.

# Infill Panel Flush Single / Double Type A; Recessed on Top

description	W	h	th	pattern no.	L	V1	V2	V3
Flush Infill Panel, 1 piece	66"	39"	21/2"	RAIPFAWS66()	\$889.	\$1,042.	\$1,199.	\$1,560.
	72"	39"	2 1/2"	RAIPFAWS72()	927.	1,087.	1,249.	1,625.
	78"	39"	2 1/2"	RAIPFAWS78()	1,003.	1,177.	1,353.	1,758.
	84"	39"	2 1/2"	RAIPFAWS84()	1,032.	1,210.	1,392.	1,809.
	90"	39"	2 1/2"	RAIPFAWS90()	1,073.	1,259.	1,448.	1,884.
	96"	39"	$2^{1}/2''$	RAIPFAWS96()	1,103.	1,295.	1,488.	1,935.
Flush Infill Panel, 2 pieces	102"	39"	2 1/2"	RAIPFAWD102()	1,780.	2,088.	2,402.	3,122.
	108"	39"	$2^{1}/_{2}''$	RAIPFAWD108()	1,818.	2,133.	2,454.	3,191.
	114"	39"	$2^{1}/_{2}''$	RAIPFAWD114()	1,872.	2,196.	2,526.	3,282.
	120"	39"	$2^{1}/_{2}''$	RAIPFAWD120()	1,911.	2,241.	2,577.	3,351.
	126"	39"	2 1/2"	RAIPFAWD126()	2,027.	2,378.	2,735.	3,555.
	132"	39"	2 1/2"	RAIPFAWD132()	2,064.	2,423.	2,786.	3,622.
	138"	39"	2 1/2"	RAIPFAWD138()	2,118.	2,485.	2,858.	3,715.
	144"	39"	2 1/2"	RAIPFAWD144()	2,250.	2,639.	3,035.	3,946.
	150"	39"	2 1/2"	RAIPFAWD150()	2,289.	2,684.	3,088.	4,015.
	156"	39"	2 1/2"	RAIPFAWD156()	2,327.	2,729.	3,140.	4,081.
	162"	39"	2 1/2"	RAIPFAWD162()	2,366.	2,774.	3,191.	4,147.
	168"	39"	2 1/2"	RAIPFAWD168()	2,403.	2,820.	3,242.	4,215.
	174"	39"	2 1/2"	RAIPFAWD174()	2,463.	2,889.	3,323.	4,319.
	180"	39"	2 1/2"	RAIPFAWD180()	2,501.	2,934.	3,374.	4,387.
	186"	39"	21/2"	RAIPFAWD186()	2,539.	2,980.	3,427.	4,454.
	192"	39"	2 1/2"	RAIPFAWD192()	2,578.	3,024.	3,434.	4,520.

st Pattern number includes 2 pieces

Order	Code
-------	------

# Example: RAIPFAWS66 RA Reff Administrative IP Infill Panel FA Flush Type A WS Wood, single (1pc) 66 Width () Finish

### Specification Information

To order please specify pattern number including:

. Infill Finish: Wood or Laminate It is Not advisable to mix 28 3/8"h desk height products with 26 1/2" standard height products.

Products on this page will accept all Laminates except "wood grain laminates".

For detailed information please refer to the installation instruction sheets.

All installation instructions available on the Knoll Exchange. Reference number 6TP00320.

### **Application Notes**

Type A = recessed on top only.

These infill panels sit flush to both end supports with a reveal at the top of the infill.

Double wide = Two equal width pieces

Veneer finishes come matched.

# Infill Panel Flush Single / Double Type B, Recessed on top and bottom

description	W	h	th	pattern no.	L	V1	V2	V3
Flush Infill Panel, 1 piece	66"	39"	2 1/2"	RAIPFBWS66()	\$979.	\$1,148.	\$1,321.	\$1,717.
	72"	39"	2 1/2"	RAIPFBWS72()	1,010.	1,183.	1,361.	1,769.
	78"	39"	2 1/2"	RAIPFBWS78()	1,094.	1,283.	1,475.	1,918.
	84"	39"	2 1/2"	RAIPFBWS84()	1,122.	1,316.	1,515.	1,969.
	90"	39"	2 1/2"	RAIPFBWS90()	1,165.	1,366.	1,572.	2,045.
	96"	39"	21/2"	RAIPFBWS96()	1,195.	1,403.	1,613.	2,097.
Flush Infill Panel, 2 pieces	102"	39"	2 1/2"	RAIPFBWD102()	1,965.	2,303.	2,650.	3,445.
riusii iiiiiii raiici, 2 pieces	108"	39"	2 1/2"	RAIPFBWD108()	2,004.	2,350.	2,704.	3,516.
	114"	39"	2 1/2"	RAIPFBWD114()	2,060.	2,417.	2,780.	3,614.
	120"	39"	2 1/2"	RAIPFBWD120()	2,098.	2,460.	2,830.	3,680.
	126"	39"	2 1/2"	RAIPFBWD126()	2,217.	2,601.	2,991.	3,889.
	132"	39"	2 1/2"	RAIPFBWD132()	2,255.	2,645.	3,041.	3,954.
	138"	39"	2 1/2"	RAIPFBWD138()	2,310.	2,710.	3,115.	4,051.
	144"	39"	2 1/2"	RAIPFBWD144()	2,441.	2,862.	3,292.	4,279.
	150"	39"	2 1/2"	RAIPFBWD150()	2,482.	2,911.	3,349.	4,351.
	156"	39"	2 1/2"	RAIPFBWD156()	2,517.	2,953.	3,395.	4,415.
	162"	39"	2 1/2"	RAIPFBWD162()	2,557.	3,000.	3,449.	4,485.
	168"	39"	2 1/2"	RAIPFBWD168()	2,596.	3,045.	3,501.	4,553.
	174"	39"	2 1/2"	RAIPFBWD174()	2,656.	3,115.	3,582.	4,658.
	180"	39"	2 1/2"	RAIPFBWD180()	2,692.	3,157.	3,632.	4,720.
	186"	39"	2 1/2"	RAIPFBWD186()	2,734.	3,206.	3,687.	4,793.
	192"	39"	2 1/2"	RAIPFBWD192()	2,771.	3,250.	3,737.	4,857.

 $<sup>\</sup>ast$  Pattern number includes 2 pieces

Order	Code
-------	------

# Example: RAIPFBWS66 RA Reff Administrative IP Infill Panel FB Flush Type B WS Wood 66 Width () Finish

### Specification Information

To order please specify pattern number including:

I. Infill Finish: Wood or Laminate

## It is Not advisable to mix 28 \(^3\)/8"h desk height products with 26 \(^1\)/2" standard height products.

Products on this page will accept all Laminates except "wood grain laminates".

For detailed information please refer to the installation instruction sheets.

All installation instructions available on the Knoll Exchange. Reference number 6TP00320.

### **Application Notes**

Type B = recessed on top and bottom.

Does not extend to the floor.

Type B infill panels, sit flush between both end supports and has a reveal at the top and bottom of the infill panel.

Double wide = two equal width pieces.

Veneer finishes come matched.

# Infill Panel Recessed Single / Double Wood

description	W	h	th	pattern no.	L	V1	V2	V3
Recessed Infill Panel, 1 piece	66"	39"	1"	RAIPRWS66()	\$662.	\$776.	\$892.	\$1,160.
	72"	39"	1"	RAIPRWS72()	691.	810.	932.	1,211.
	78"	39"	1"	RAIPRWS78()	751.	882.	1,015.	1,317.
	84"	39"	1"	RAIPRWS84()	773.	906.	1,041.	1,355.
	90"	39"	1"	RAIPRWS90()	809.	948.	1,091.	1,418.
	96"	39"	1"	RAIPRWS96()	829.	974.	1,119.	1,456.
Recessed Infill Panel, 2 pieces	102"	39"	1"	RAIPRWD102()	1,388.	1,628.	1,871.	2,433.
	108"	39"	1"	RAIPRWD108()	1,416.	1,661.	1,910.	2,482.
	114"	39"	1"	RAIPRWD114()	1,462.	1,714.	1,971.	2,561.
	120"	39"	1"	RAIPRWD120()	1,488.	1,747.	2,008.	2,611.
	126"	39"	1"	RAIPRWD126()	1,567.	1,838.	2,114.	2,748.
	132"	39"	1"	RAIPRWD132()	1,609.	1,888.	2,170.	2,822.
	138"	39"	1"	RAIPRWD138()	1,641.	1,923.	2,213.	2,876.
	144"	39"	1"	RAIPRWD144()	1,748.	2,050.	2,356.	3,064.
	150"	39"	1"	RAIPRWD150()	1,775.	2,082.	2,394.	3,113.
	156"	39"	1"	RAIPRWD156()	1,806.	2,118.	2,435.	3,167.
	162"	39"	1"	RAIPRWD162()	1,834.	2,151.	2,474.	3,215.
	168"	39"	1"	RAIPRWD168()	1,863.	2,185.	2,513.	3,269.
	174"	39"	1"	RAIPRWD174()	1,921.	2,253.	2,591.	3,368.
	180"	39"	1"	RAIPRWD180()	1,952.	2,290.	2,633.	3,422.
	186"	39"	1"	RAIPRWD186()	1,979.	2,323.	2,670.	3,472.
	192"	39"	1"	RAIPRWD192()	2,009.	2,356.	2,711.	3,524.

Pattern number includes 2 pieces

Order Code	

# Example: RAIPRWS66 RA Reff Administrative IP Infill Panel R Recessed W Wood S Single (1 pc) 66 Width () Finish

### Specification Information

To order please specify pattern number including:

. Finish: Wood or Laminate

## It is Not advisable to mix 28 \%"h desk height products with 26 \%" standard height products.

Products on this page will accept all Laminates except "wood grain laminates".

For detailed information please refer to the installation instruction sheets.

All installation instructions available on the Knoll Exchange. Reference number 6TP00320.

### **Application Notes**

Double wide = Two equal width pieces

This product sits recessed between both end supports. This product has no reveal.

Natural Veneer finishes come matched.

### Infill Panel Recessed Single / Double Glass

description	Overall width	W	h	th	pattern no.	glass
Recessed Infill Panel	66"	66"	39	1"	RAIPRGS66()	\$2,802.
1 piece required	72"	72"	39"	1"	RAIPRGS72()	3,002.
	78"	78"	39"	1"	RAIPRGS78()	3,314.
	84"	84"	39"	1"	RAIPRGS84()	3,517.
	90"	90"	39"	1"	RAIPRGS90()	3,697.
	96"	96"	39"	1"	RAIPRGS96()	3,876.

Single pattern number includes 1 piece of glass

				- "		
Recessed Infill Panel	102"	51"	39"	1"	RAIPRGD51()	2,413.
2 pieces required	108"	54"	39"	1''	RAIPRGD54()	2,502.
	114"	57"	39"	1"	RAIPRGD57()	2,593.
	120"	60"	39"	1"	RAIPRGD60()	2,682.
	126"	63"	39"	1"	RAIPRGD63()	2,772.
	132"	66"	39"	1"	RAIPRGD66()	2,862.
	138"	69"	39"	1"	RAIPRGD69()	2,973.
	144"	72"	39"	1"	RAIPRGD72()	3,194.
	150"	75"	39"	1"	RAIPRGD75()	3,283.
	156"	78"	39"	1"	RAIPRGD78()	3,373.
	162"	81"	39"	1"	RAIPRGD81()	3,486.
	168"	84"	39"	1"	RAIPRGD84()	3,576.
	174"	87"	39"	1"	RAIPRGD87()	3,666.
	180"	90"	39"	1"	RAIPRGD90()	3,756.
	186"	93"	39"	1"	RAIPRGD93()	3,846.
	192"	96"	30"	1"	RAIPRGD96()	3 935

Pattern numbers for Double Wide Glass Infill Panels, include 1 piece of Glass only. Must order 2 piece to complete infill

### **Order Code**

### Example: RAIPRGS66 Reff Administrative ĪΡ Infill Panel R Recessed G Glass s Single 66 Width () Frame Finish Glass Finish ()

### **Specification Information**

To order please specify pattern number including:

- 1. Frame Finish:
- Painted and Anodized

### Glass Finish: GL11, GL14,GL15,GL17, GL18

### It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

For detailed information please refer to the installation instruction sheets.

All installation instructions available on the Knoll Exchange. Reference number 6TP00320.

### **Application Notes**

### To complete your double wide unit, you must order 2 pieces.

Glass Infill thickness, including frame =  $^{15}/_{16}$ " overall.

Same hardware as the wood infill.

Glass infill panels are available in inset flush type, only.

This product sits recessed between both end supports with no reveal at top or bottom.

# Infill Panel Recessed Single / Double Aluminum Frame Kit Customer's Own Glass

	Overall			,		DI /Da	D0 /D /
description	width	W	h	th	pattern no.	P1/P2	P3/P4
Reff Administrative Infill Panel, Single	66"	66"	39"	1"	RAIPKGS66()	\$652.	\$846.
Aluminum Frame Kit with Customer's Own Glass	72"	72"	39"	1"	RAIPKGS72()	673.	855.
	78"	78"	39"	1"	RAIPKGS78()	810.	1,134.
	84"	84"	39"	1"	RAIPKGS84()	835.	1,138.
	90"	90"	39"	1"	RAIPKGS90()	836.	1,139.
	96"	96"	39"	1"	RAIPKGS96()	836.	1,139.
Reff Administrative Infill Panel, Double	102"	51"	39"	1"	RAIPKGD51()	650.	845.
Aluminum Frame Kit with Customer's Own Glass	108"	54"	39"	1"	RAIPKGD54()	651.	845.
2 Kits required	114"	57"	39"	1"	RAIPKGD57()	651.	845.
	120"	60"	39"	1"	RAIPKGD60()	651.	846.
	126"	63"	39"	1"	RAIPKGD63()	652.	846.
	132"	66"	39"	1"	RAIPKGD66()	652.	847.
	138"	69"	39"	1"	RAIPKGD69()	673.	855.
	144"	72"	39"	1"	RAIPKGD72()	809.	1,132.
	150"	75"	39"	1"	RAIPKGD75()	810.	1,134.
	156"	78"	39"	1"	RAIPKGD78()	810.	1,134.
	162"	81"	39"	1"	RAIPKGD81()	835.	1,138.
	168"	84"	39"	1"	RAIPKGD84()	835.	1,138.
	174"	87"	39"	1"	RAIPKGD87()	835.	1,138.
	180"	90"	39"	1"	RAIPKGD90()	836.	1,139.
	186"	93"	39"	1"	RAIPKGD93()	836.	1,139.
	192"	96"	39"	1"	RAIPKGD96()	837.	1,140.

### **Order Code**

### **RAIPKGS66** Example: RA Reff Administrative ΙP Infill Panel K Frame Kit G Glass s Single, D = Double66 Width () Finish Type Frame Finish ()

### **Specification Information**

To order please specify pattern number including:

- 1. Finish type
- 2. Frame Finish: Painted and Anodized

## It is Not advisable to mix 28 %"h desk height product with 26 ½" standard height products.

For detailed information please refer to the installation instruction sheets.

All installation instructions available on Knoll Exchange. For Administrative / Reception; reference number 6TP00320. For customers' own Glass; reference number 6TP00442. For customers' own Solid; reference number 6TP00302.

### **Application Notes**

To complete your double wide unit, you must order 2 pieces.

Glass Infill frame thickness 15/16".

Same hardware as the wood infill.

Glass infill panels are available in inset flush type, only.

This product sits recessed between both end supports with no reveal at top or bottom.

To calculate glass height and width subtract  $3/16 \pm 0.031$  from frame values

Recommended glass thickness is 5mm.

# $\begin{array}{c} {\it Transaction Tops} \\ {\it Bridge} \end{array}$

description	W	d	th	pattern no.	L	V1	V2	V3
Bridge	72"	8"	1 1/2"	RATTBR72()	\$410.	\$433.	\$498.	\$648.
	78"	8"	1 1/2"	RATTBR78()	429.	450.	518.	671.
	84"	8"	1 1/2"	RATTBR84()	442.	462.	532.	691.
	90"	8"	1 1/2"	RATTBR90()	461.	502.	578.	750.
	96"	8"	1 1/2"	RATTBR96()	474.	514.	591.	769.

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

Order Co	de	Specification Information		Application Notes
	RATTBR72 Reff Administrative Transaction Tops Bridge Return 72" wide Finish	Specification Information  To order please specify pattern number including:  1. Transaction Top Finish: Wood and Laminate  Nominal double vs Actual sizes  Nominal Actual 72" 44.1" 78" 50.1" 84" 56.1"	It is Not advisable to mix 28%"h desk height products with 26%" standard height products.  Products on this page will accept all Laminates except "wood grain laminates".  Note: All installation instructions available on the Knoll Exchange. Reference number 6TP00320.	Between front shelf and end support. Used on full Bridge Return Units Only. This unit is not intended to be used on its own. Retro fit kit included to attach to the accompanying unit. Hardware kit included.
		90" 62.1" 96" 68.1"	For customers' own material: Reference number 6TP00301.	All transaction tops are manufactured to fit within the end supports components.

# Transaction Tops *Return*

description	W	d	th	pattern no.	L	V1	V2	V3
Full Return	54"	8"	1 1/2"	RATTFR54()	\$406.	\$428.	\$492.	\$641.
	60"	8"	1 1/2"	RATTFR60()	424.	444.	509.	662.
	66"	8"	1 1/2"	RATTFR66()	436.	456.	526.	684.
	72"	8"	1 1/2"	RATTFR72()	453.	498.	572.	744.
	78"	8"	1 1/2"	RATTFR78()	469.	509.	586.	763.
	84"	8"	1 1/2"	RATTFR84()	490.	522.	599.	778.
	90"	8"	1 1/2"	RATTFR90()	501.	537.	617.	804.
	96"	8"	1 1/2"	RATTFR96()	513.	566.	651.	848.

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

### **Order Code**

Example:	RATTFR54
RA	Reff Administrative
TT	Transaction Tops
FR	Full Return
54	54" wide, Nominal
()	Finish

### **Specification Information**

To order please specify pattern number including:

1. Transaction Top Finish: Wood and Laminate

Nominal vs	A	etual	sizes
Nominal	A	ctual	
54"	4	1.6''	
60"	4	7.6''	
66"	5	3.6''	
72"	5	9.6"	
78"	6	5.6''	
84"	7	1.6"	
90"	7	7.6''	
96"	8	3.6''	

### It is Not advisable to mix 28 1/8"h

desk height products with 26  $\ensuremath{^{1}\!\!/} \!\! 2''$  standard height products.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange. Reference number 6TP00320.

For customers' own material: Reference number 6TP00301.

### **Application Notes**

All transaction tops are manufactured to fit within the end supports components.

Between front shelf and end support Used on full Return Units Only This unit is not intended to be used on its own

Retro fit kit included to attach to the accompanying unit Hardware kit included

### Transaction Tops Single and Double Wood / Laminate

description	W	d	th	pattern no.	L	V1	V2	V3
Front Single	66"	10"	1 1/2"	RATTDS66()	\$506.	\$536.	\$616.	\$802.
	72"	10"	1 1/2"	RATTDS72()	514.	550.	633.	823.
	78"	10"	1 1/2"	RATTDS78()	522.	565.	649.	846.
	84"	10"	1 1/2"	RATTDS84()	529.	589.	677.	880.
•	90"	10"	1 1/2"	RATTDS90()	536.	620.	714.	929.
	96"	10"	1 1/2"	RATTDS96()	542.	636.	730.	950.
Front Double	102"	10"	1 1/2"	RATTDD102()	887.	1,015.	1,165.	1,516.
comes in 2 pieces	108"	10"	1 1/2"	RATTDD108()	895.	1,033.	1,188.	1,544.
	114"	10"	1 1/2"	RATTDD114()	902.	1,052.	1,210.	1,573.
	120"	10"	1 1/2"	RATTDD120()	909.	1,072.	1,233.	1,604.
	126"	10"	1 1/2"	RATTDD126()	952.	1,148.	1,321.	1,717.
	132"	10"	1 1/2"	RATTDD132()	959.	1,167.	1,343.	1,745.
	138"	10"	1 1/2"	RATTDD138()	967.	1,188.	1,365.	1,775.
	144"	10"	1 1/2"	RATTDD144()	975.	1,206.	1,389.	1,805.
	150"	10"	1 1/2"	RATTDD150()	988.	1,227.	1,411.	1,835.
	156"	10"	1 1/2"	RATTDD156()	995.	1,255.	1,443.	1,876.
	162"	10"	1 1/2"	RATTDD162()	1,003.	1,285.	1,478.	1,921.
	168"	10"	1 1/2"	RATTDD168()	1,011.	1,305.	1,502.	1,952.
	174"	10"	1 1/2"	RATTDD174()	1,018.	1,360.	1,565.	2,033.
	180"	10"	1 1/2"	RATTDD180()	1,025.	1,377.	1,583.	2,058.
	186"	10"	1 1/2"	RATTDD186()	1,032.	1,397.	1,606.	2,088.
	192"	10"	1 1/2"	RATTDD192()	1,039.	1,419.	1,631.	2,122.

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

### Order Code

# Example: RATTDS66 RA Reff Administrative TT Transaction Tops DS Desk Single 66 66" wide () Finish

### **Specification Information**

To order please specify pattern number including:

1. Transaction Top Finish: Wood and Laminate

### It is Not advisable to mix 28 \%"h desk height products with 26 \%" standard height products.

Products on this page will accept all Laminates except "wood grain laminates".

Note: All installation instructions available on the Knoll Exchange. Reference number 6TP00320.

For customers' own material: Reference number 6TP00301.

### **Application Notes**

No grommet options.

Double comes in two pieces, Veneer matched.

Hardware kit included for each unit.

All transaction tops are manufactured to fit within the end supports.

# Accent Tops Glass Finish

					Back	Colored
description	W	d	th	pattern no.	painted glass	glass
Accent top for Desk	51"	10"	1/2"	RAATDG51()	\$656.	\$491.
	54"	10"	1/2"	RAATDG54()	694.	519.
	57"	10"	1/2"	RAATDG57()	730.	544.
	60"	10"	1/2"	RAATDG60()	768.	572.
~	63"	10"	1/2"	RAATDG63()	806.	599.
	66"	10"	1/2"	RAATDG66()	844.	627.
	69"	10"	1/2"	RAATDG69()	880.	654.
	72"	10"	1/2"	RAATDG72()	918.	681.
	75"	10"	1/2"	RAATDG75()	955.	707.
	78"	10"	1/2"	RAATDG78()	993.	735.
	81"	10"	1/2"	RAATDG81()	1,031.	761.
	84"	10"	1/2"	RAATDG84()	1,068.	787.
	87"	10"	1/2"	RAATDG87()	1,106.	815.
	90"	10"	1/2"	RAATDG90()	1,143.	841.
	93"	10"	1/2"	RAATDG93()	1,180.	867.
	96"	10"	1/2"	RAATDG96()	1,217.	894.
Accent top for Return Full	54"	10"	1/2"	RAATFRG54( )	568.	429.
<i>→</i>	60"	10"	1/2"	RAATFRG60()	643.	483.
	66"	10"	1/2"	RAATFRG66()	627.	536.
	72"	10"	1/2"	RAATFRG72()	794.	590.
•	78"	10"	1/2"	RAATFRG78()	868.	644.
	84"	10"	1/2"	RAATFRG84()	943.	697.
	90"	10"	1/2"	RAATFRG90()	1,018.	751.
	96"	10"	1/2"	RAATFRG96()	1,093.	805.
Accent top for Bridge Return	72"	10"	1/2"	RAATBRG72()	581.	438.
Accent top for bridge iteturn	78"	10"	1/2"	RAATBRG72( )	656.	491.
	84"	10"	1/2"	RAATBRG84( )	730.	544.
	90"	10"	1/2"	RAATBRG84( )	806.	599.
	96"	10"	1/2"		880.	654.
	90	10	72	RAATBRG96()	ŏŏU.	054.

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

# Example: RAATDG51 RA Reff Administrative AT Accent for Transaction Tops D Desk G Glass 51 Width () Glass finish

**Order Code** 

### **Specification Information**

To order please specify pattern number including:

1. Glass Finish:
Colored Glass:
GL35, GL85
Back Painted Glass:
GL11, GL14, GL15, GL17,
GL18

D=Desk RF=Return Full BR=Bridge Return

## It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Note: All installation instructions available on the Knoll Exchange. Reference number 6TP00320.

For customers' own material: Reference number 6TP00303.

### **Application Notes**

All accent tops are manufactured to fit over the end supports and are intended to be placed on top of trasaction top.

Comes with anti-skid bumper; 1/4"

Glass has a Polished edge,  $\frac{1}{2}$ " thick. Overall thickness =  $\frac{3}{4}$ " thick.

### Accent Tops Solid Finish

description	W	d	th	pattern no.	Solid
Accent top for Desk	51"	10"	¹/2"	RAATDS51()	\$2,194.
	54"	10"	1/2"	RAATDS54()	2,257.
	57"	10"	1/2"	RAATDS57()	2,443.
	60"	10"	¹/2"	RAATDS60()	2,505.
~	63"	10"	1/2"	RAATDS63()	2,693.
	66"	10"	1/2"	RAATDS66()	2,754.
	69"	10"	1/2"	RAATDS69()	2,940.
	72"	10"	1/2"	RAATDS72()	3,003.
	75"	10"	1/2"	RAATDS75()	3,411.
	78"	10"	1/2"	RAATDS78()	3,477.
	81"	10"	1/2"	RAATDS81()	3,610.
	84"	10"	1/2"	RAATDS84()	3,679.
	87"	10"	1/2"	RAATDS87()	3,812.
	90"	10"	1/2"	RAATDS90()	3,879.
	93"	10"	1/2"	RAATDS93()	3,946.
	96"	10"	1/2"	RAATDS96()	4,013.
Accent top for Return Full	54"	10"	1/2"	RAATFRS54()	1,699.
✓	60"	10"	1/2"	RAATFRS60()	2,071.
	66"	10"	1/2"	RAATFRS66()	2,319.
	72"	10"	1/2"	RAATFRS72()	2,568.
·	78"	10"	1/2"	RAATFRS78()	2,817.
	84"	10"	1/2"	RAATFRS84()	3,344.
	90"	10"	1/2"	RAATFRS90()	3,544.
	96"	10"	¹/2"	RAATFRS96()	3,745.
Accent top for Bridge Return	72"	10"	1/2"	RAATBRS72()	1,751.
	78"	10"	1/2"	RAATBRS78()	2,132.
	84"	10"	1/2"	RAATBRS84()	2,379.
$\checkmark$	90"	10"	1/2"	RAATBRS90()	2,630.
	96"	10"	1/2"	RAATBRS96()	2,878.

Note: All noted width dimensions are an "out to out" overall foot print, including all additional components which are required and ordered separately.

### Order Code

# Example: RAATDS51 RA Reff Administrative AT Accent Transaction Tops D Desk S Solid Formica 51 Width

### **Specification Information**

To order please specify pattern number including:

1. Transaction Top Finish: Solid Option: AW = Artic White

D=Desk RF=Return Full BR=Bridge Return

## It is Not advisable to mix 28 %"h desk height products with 26 ½" standard height products.

Note: All installation instructions available on the Knoll Exchange. Reference number 6TP00320.

For customers' own material: Reference number 6TP00303.

### **Application Notes**

All accent tops are manufactured to fit over the end supports components.

- 1. Comes with "Anti Skid" bottoms; 1/4 thick.
- 2. Solid formica;  $AW = \frac{1}{2}$ " thick.
- 3. Overall Accent top thickness is 3/4" thick.

### **Cabinets** 16" Wide, Hinge Door - Both Sides Single Finishes

description	W	d	h	pattern no.	L	V1	V2	V3
Transaction Cabinet with Trays	16"	20"	42"	RAC(L/R)HT4212( )( )( )( )( )( )( )	\$3,072.	\$4,387.	\$5,044.	\$6,558.
Left hand shown								
Transaction Cabinet with Cubby	16"	20"	42"	RAC(L/R)HC4212( )( )( )( )( )( )( )	3,072.	4,387.	5,044.	6,558.
Left hand shown								
Gable for Transaction Cabinet	2"	22"	42"	RACG4220()	658.	928.	1.175.	1.525.

Order C	ode
---------	-----

### Example: RAC(L/R)HT4212 RA Reff Administrative С Cabinet R Right Hand НТ Hinge Door with Trays 42 Height, Nominal 1 16" wide, Nominal 2 20" deep, Nominal Lock option () Lock finish () () Pull option () Pull finish () Case finish () Top finish () Drilling options

HT = Hinge Door with Trays HC = Hinge Door with Cubby



shown with gable

### **Specification Information**

To order please specify pattern number including:

- 1. Lock option:
  - L/N
- Lock finish: B = BlackS = Matte Black
- 3. Pull option:
  - B = No pull, No drilling
  - Customer's own pull C = C Pull (Nickel finish only)
  - D = D Pull (Metal Finishes only)
  - F = Bar Pull
  - H = Outline Pull
  - N = Touch Latch, No pull
  - R = Cylinder Pull
  - S = S Pull (Stainless Steel finish only) T = Tab Pull
- Pull Finish: Core Paint Finishes and Plated
- Case Finish: Wood or Laminate
- Top Finish: Wood or Laminate
- Drilling Options: N = None, Stand alone unit
- T = Drilled to accept worksurface
- TT = Drill to accept worksurface on both sides
- TG = Worksurface and Gable drilling,
- Gable ordered separately

### **Application Notes**

It is Not advisable to mix 28 %"h

desk height products with 26 1/2"

standard height products.

engineered to work with 283/8"

Laminates except "wood grain

Products on this page will accept all

These products are glue and dowel

Note: All Installation instructions

are available on the Knoll

Exchange. Reference number

Products on this page are

laminates".

construction.

6TP00320.

Wood interior only, no metal shelves.

When choose lock, it will lock both hinge doors.

Adjustable shelf above.

Fixed shelves below Hinged doors.

On the approach side, the doors only have the Touch Latch option.

Base board only on the user's side.

On the User's side, the door has lock and pull options.

"T" Drilling option:

Left hand untis are drilled on the right hand side, and right hand units are drilled on left side for worksurface attachments.

From users perspective, the hinge determines handedness. ie; If hinge is on left, the unit is left handed.

### **Cabinets** 16" Wide, Hinge Door - Both Sides Mixed Finishes

description	W	d	h	pattern no.	L/V1	L/V2	L/V3	V1/L	V2/L	V3/L
Transaction Cabinet with Trays	16"	20"	42"	RAC(L/R)HT4212( )( )( )( )( )( )( )	\$3,276.	\$3,330.	\$3,410.	\$4,394.	\$4,862.	\$5,641.
right hand shown										
Transaction Cabinet with Cubby	16"	20"	42"	BAC(L/B)HC4212(_)(_)(_)(_)(_)(_)(_)(_)	3 276	3 330	3 410	4.394	4.862	5 641



right hand shown

O	rde	r Cc	nde

### Example: RAC(L/R)HT4212 RA Reff Administrative С Cabinet R Right Hand НТ Hinge Door with Trays 42 Height, Nominal 1 16" wide, Nominal 2 20" deep, Nominal Lock option () Lock finish () () Pull option () Pull finish () Case finish () Top finish () Drilling options

HT = Hinge Door with Trays HC = Hinge Door with Cubby



shown with gable

### **Specification Information**

To order please specify pattern number including:

- 1. Lock option:
- L/N
- Lock finish: B = BlackS = Matte Silver
- 3. Pull option:
  - B = No pull, No drilling Customer's own pull
  - C = C Pull (Nickel finish only)
  - D = D Pull (Metal Finishes only) F = Bar Pull
  - H = Outline Pull
  - N = Touch Latch, No pull
  - R = Cylinder Pull
  - S = S Pull (Stainless Steel finish only) T = Tab Pull
- Pull Finish: Core Paint Finishes and Plated
- Case Finish: Wood or Laminate
- Top Finish: Wood or Laminate
- Drilling Options:
  - N = None, Stand alone unit T = Drilled to accept worksurface
  - TT = Drill to accept worksurface on both sides
  - TG = Work surface and Gable
  - drilling, Gable ordered separately

### It is Not advisable to mix 28 %"h desk height products with 26 1/2" standard height products.

Products on this page are engineered to work with 283/8" planning.

Products on this page will accept all Laminates except "wood grain laminates".

These products are glue and dowel construction.

Note: All Installation instructions are available on the Knoll Exchange. Reference number 6TP00320.

### **Application Notes**

Wood interior only, no metal shelves.

When choose lock, it will lock both hinge doors.

Adjustable shelf above.

Fixed shelves below Hinged doors.

On the approach side, the doors only have the Touch Latch option.

Base board only on the user's side.

On the User's side, the door has lock and pull options.

"T" Drilling option: Left hand untis are drilled on the right hand side, and right hand units are drilled on left side for

worksurface attachments.

From users perspective, the hinge determines handedness. ie; If hinge is on left, the unit is left handed.

Available with Wood interior only. If hinges are on left gable, the cabinet is left handed.

# Cabinets Shelves and Coat Rod

description	W	d	h	pattern no.	L	V1	V2	V3
Storage Cabinet 72"h	24"	20"	72"	RAC7242DH(L/R)H( )( )( )	\$2,771.	\$4,521.	\$5,199.	\$6,759.
	24"	24"	72"	RAC7243DH(L/R)H( )( )( )	2,882.	4,705.	5,410.	7,032.
	33"	20"	72"	RAC7232DH(L/R)H( )( )( )	3,027.	4,938.	5,679.	7,383.
	33"	24"	72"	RAC7233DH(L/R)H( )( )( )	3,165.	5,166.	5,940.	7,722.
Left hand shown								
Storage Cabinet 86"h	24"	20"	86"	RAC8642DH(L/R)H( )( )( )	3,058.	4,990.	5,738.	7,459.
	24"	24"	86"	RAC8643DH(L/R)H()()()	3,190.	5,206.	5,987.	7,782.
	33"	20"	86"	RAC8632DH(L/R)H( )( )( )	3,358.	5,481.	6,302.	8,193.
	33"	24"	86"	BAC8633DH(L/R)H( )( )( )	3.518.	5.741.	6.602	8.583.

I a	G	hand	shown
Lе	$\pi$	nana	snown


### **Order Code Specification Information Application Notes** Example: RAC7242DH(L/R)H It is Not advisable to mix 28 %"h Inset doors. To order please specify pattern desk height products with 26 1/2" number including: RA Reff Administrative Inset face - same as 42" cabinet. standard height products. 1. Lock option: L=Lock hold drill С Cabinet Hinge door with touch latch. Products on this page will accept all 72 Height nominal N=No drilling Laminates except "wood grain laminates". Note: Side access cabinet only. 4 Width nominal 2. Lock finish: B= Black 2 Depth nominal No pulls. S= Matte Silver These products are glue and dowel DH Desk Height 3. Cabinet Finish: construction. No visible base board, Full length R Right handed Laminate or Wood Note: All installation instructions Hinged door Н are available on the Knoll Left/right hand. () Lock Option Exchange. Reference number Comes with coat rod and hat rack 6TP00320. Lock Finish () (shelf) 72"h Cabinet comes with 3 adjustable shelves. () Cabinet Finish If hinges are on left gable, the cabinet is left handed. 86"h Cabinet comes with 4 adjustable shelves. Not available in mixed finishes.

# Cabinets Coat Rod Only

description	W	d	h	pattern no.	L	V1	V2	V3
Storage Cabinet 72"h	24"	20"	72"	RAC7242WDH(L/R)H( )( )( )	\$2,164.	\$3,530.	\$4,061.	\$5,279.
Without shelves	24"	24''	72"	RAC7243WDH(L/R)H()()()	2,276.	3,713.	4,271.	5,551.
	33"	20"	72"	RAC7232WDH(L/R)H()()()	2,420.	3,948.	4,541.	5,904.
	33"	24"	72"	RAC7233WDH(L/R)H( )( )( )	2,558.	4,176.	4,801.	6,242.
1 1 1								

Left hand shown

Storage Cabinet 86"h Without shelves



	24"	20"	86"	RAC8642WDH(L/R)H( )( )( )	2,637.	4,303.	4,950.	6,434.
	24"	24"	86"	RAC8643WDH(L/R)H( )( )( )	2,780.	4,536.	5,217.	6,783.
_	33"	20"	86"	RAC8632WDH(L/R)H( )( )( )	2,961.	4,832.	5,558.	7,224.
	33"	24"	86"	RAC8633WDH(L/R)H( )( )( )	3,133.	5,114.	5,880.	7,644.

Left hand shown

Oi	uei	Coue	

### Example: RAC7242WDH(L/R)H RA Reff Administrative C Cabinet 72 Height nominal Width nominal 4 2 Depth nominal W Wardrobe DH Desk Height R Right handed Н Hinged door () Lock Option Lock Finish () Cabinet Finish ()

### Specification Information

To order please specify pattern number including:

- 1. Lock option: L = Lock hold drill
- N = No drilling
  2. Lock finish:
  B = Black
- S = Matte Silver

  R. Cabinet Finish:

3. Cabinet Finish: Laminate or Wood

## It is Not advisable to mix 28 \%"h desk height products with 26 \%" standard height products.

Products on this page are engineered to work with 28 3/8" planning.

Products on this page will accept all Laminates except "wood grain laminates".

These products are glue and dowel construction.

Note: All installation instructions are available on the Knoll Exchange. Reference number 6TP00320.

### . 1

**Application Notes** 

Inset doors.

Inset face - same as  $42^{\prime\prime}$  cabinet.

Hinge door with touch latch.

Note: Side access cabinet only.

No pulls.

No visible base board, Full length door.

Left/right hand.

72"H cabinet comes with coat road.

86"h Cabinet comes with a hat rack (shelf).

Not available in mixed finishes.

Available with Wood interior only.

If hinges are on left gable, the cabinet is left handed.

# Supports Gables / End Panels

description	w	d	h	pattern no.	L	V1	V2	V3
End Support for Return	2"	20"	42"	RAGS(L/R)20()	\$559.	\$969.	\$1,113.	\$1,448.
Left hand shown	9//	20//	40//	DA 00(I /D\00( )	617	1.071	1 001	1.600
End Support for Desks	2"	30"	42"	RAGS(L/R)30()	617.	1,071.	1,231.	1,600.
Left hand shown								
Desk height End Support	2"	20	283/8"	RAESDH(L/R)20()	491.	853.	980.	1,273.

Left hand shown

Order Code		Specification Information	Specification Information		
Example: RA GS R 20 ()	RAGS(L/R)20 Reff Administrative Gable Support Right hand 20" deep Finish	To order please specify pattern number including:  1. Finish: Wood or Laminate	It is Not advisable to mix 28 1/8"h desk height products with 26 1/8" standard height products.  Products on this page are engineered to work with 28 3/8" planning.  Products on this page will accept all Laminates except "wood grain laminates".  Note: All installation instructions are available on the Knoll Exchange. Reference number 6TP00320.	Solid Finishes only: L, V1, V2, V3 Always drilled to attach to returns or desks. 20" = for Returns 30" = for Desks Hardware kit includs brackets.	

### Accessories For Reception Desks Tackboards, 11" high

description	th	w	у	h	pattern no.	grade 10	15	20	30	35	40	45	50	55
Wall Hung Tackboard	3/4"	66"	1.8	11"	RAWHDHTBS66()	\$299.	\$328.	\$359.	\$388.	\$395.	\$401.	\$408.	\$415.	\$421.
For a Single Wide desk	3/4"	72"	2	11"	RAWHDHTBS72()	318.	350.	383.	417.	423.	431.	437.	444.	451.
	3/4"	78"	2.2	11"	RAWHDHTBS78()	338.	374.	411.	447.	454.	462.	470.	478.	485.
	3/4"	84"	2.3	11"	RAWHDHTBS84()	349.	387.	425.	463.	472.	480.	487.	495.	503.
	3/4"	90"	2.5	11"	RAWHDHTBS90()	367.	408.	449.	490.	499.	507.	517.	526.	534.
	3/4"	96"	2.7	11"	RAWHDHTBS96()	383.	428.	474.	518.	528.	536.	545.	556.	564.
Wall Hung Tackboard	3/4"	51"	1.4	11"	RAWHDHTBD51()	260.	283.	308.	329.	335.	339.	344.	350.	355.
For a Double Wide desk	3/4"	54"	1.5	11"	RAWHDHTBD54()	272.	296.	322.	346.	352.	357.	363.	368.	372.
	3/4"	57"	1.6	11"	RAWHDHTBD57()	281.	308.	334.	361.	366.	371.	376.	381.	387.
	3/4"	60"	1.7	11"	RAWHDHTBD60()	289.	318.	344.	373.	379.	384.	392.	398.	403.
	3/4"	63"	1.8	11"	RAWHDHTBD63()	299.	328.	359.	388.	395.	400.	406.	414.	419.
	3/4"	66"	1.8	11"	RAWHDHTBD66()	308.	338.	370.	401.	408.	415.	421.	427.	434.
	3/4"	69"	1.9	11"	RAWHDHTBD69()	310.	340.	372.	403.	410.	417.	423.	429.	436.
	3/4"	72"	2	11"	RAWHDHTBD72()	322.	355.	388.	421.	427.	435.	442.	448.	455.
	3/4"	75"	2.1	11"	RAWHDHTBD75()	334.	369.	403.	438.	446.	452.	459.	468.	475.
	3/4"	78"	2.2	11"	RAWHDHTBD78()	342.	379.	416.	452.	459.	468.	476.	483.	490.
	3/4"	81"	2.3	11"	RAWHDHTBD81()	351.	390.	427.	465.	474.	482.	489.	497.	505.
	3/4"	84"	2.3	11"	RAWHDHTBD84()	354.	392.	429.	468.	476.	484.	491.	499.	507.
	3/4"	87"	2.4	11"	RAWHDHTBD87()	363.	401.	442.	481.	489.	497.	505.	514.	523.
	3/4"	90"	2.5	11"	RAWHDHTBD90()	371.	412.	453.	495.	503.	511.	522.	530.	538.
	3/4"	93"	2.6	11"	RAWHDHTBD93()	379.	423.	465.	508.	518.	528.	536.	544.	555.
	3/4"	96"	2.7	11"	RAWHDHTBD96()	388.	433.	478.	523.	532.	540.	550.	560.	568.

### **Order Code**

### Example: RAWHDHTBS66 Reff Administrative RA WH Wall hung Desk Height DH TB Tackboard s Single Width 66 () Fabric Grade

 $\mathbf{Y} = \mathbf{Y} \mathbf{a} \mathbf{r} \mathbf{d} \mathbf{a} \mathbf{g} \mathbf{e} \ \mathbf{r} \mathbf{e} \mathbf{q} \mathbf{u} \mathbf{i} \mathbf{r} \mathbf{e} \mathbf{d}$ 

### **Specification Information**

To order please specify pattern number including:

1. Finish: Fabric

To complete your double wide unit, you must order 2 pieces. Nominal double vs Actual double

Actual is 2" less than Nominal.

N=51/ A=49

N=54/ A=52 N=57/ A=55

N=60/ A=58

N=63/ A=61

N=66/ A=64 N=69/ A=67 N=72/ A=70

N=75/ A=73

N=78/ A=76

N=81/ A=79

N=84/ A=82 N=87/ A=85

N=90/ A=88

N=93/ A=91

N=96/ A=94

### **Application Notes**


All fabric to be applied rail roaded as current tackboard.

# $\begin{array}{c} \text{Accessories} \\ \textit{Electrical} \end{array}$

description	туре	a	n	pattern no.	list
Electrical Duplex Kit - Cir 1				RPEDK1	\$100.



Electrical Duplex Kit - Cir 2 RPEDK2 100.




Electrical "H" Connector 49.




 Electrical Power Entry
 10 Feet
 RPEPE10
 230.

 5 Feet
 RPEPE5
 169.



 Electrical Power Entry - SF
 10 Feet
 RPEPE10SF
 270.

 5 Feet
 RPEPE5SF
 199.



Order Code		Specification Information		Application Notes
Example:	RPEDK1	To order please specify pattern	Note: All installation instructions	No finish options for the Utility
RP	Reff Profiles	number including:	are available on the Knoll	hook.
E	Electrical		Exchange. Reference number 6TP00306.	Features 4 wire, 2 circuit, 20 amps
DK	Duplex Kit Cir 1			each.
				UL listed as a manufactured wiring system.

# $\begin{array}{c} \text{Accessories} \\ \textit{Electrical} \end{array}$

description	type	d	h	pattern no.	list
Electrical Jumper	12"			RPEJ12	\$95.
	24"			RPEJ24	106.
S of the second	36"			RPEJ36	115.
	48"			RPEJ48	130.
	60"			RPEJ60	144.
	72"			RPEJ72	156.
	84"			RPEJ84	167.
<i>3</i> P	96"			RPEJ96	179.
Electrical, Rec - 2 and Rec Connector				RPER2RC	39.



Electrical Cable clips, 10 per pack RPECC10 30.



Electrical dust cap / Contact cover 1 Kit includes 2 units.



Order Co	de	Specification Information			
Example:	RPEDK1	To order please specify pattern	Note: All installation instructions		
RP	Reff Profiles Electrical	number including:	are available on the Knoll		
E		_	Exchange. Reference number 6TP00306.		
DK	Duplex Kit Cir 1	_			

### **Application Notes**

No finish options for the Utility hook.

Features 4 wire, 2 circuit, 20 amps each.

UL listed as a manufactured wiring system.

# Accessories COM Hardware Kits

description	type	pattern no.	list
Hardware Kits for COM materials	Transaction Tops for Double Wide Desks Left	RACDTTDL1	\$28.
Transaction tops	Hand	RACDTTDL2	28.
	Reference # 6TP00301	RACDTTDL3	28.
	Transaction Tops for Double Wide Desks Right	RACDTTDR1	28.
	Hand	RACDTTDR2	28.
	Reference # 6TP00301	RACDTTDR3	28.
	Transaction Tops for Single Wide Desks	RACDTTDS1	28.
	Reference # 6TP00301	RACDTTDS2	28.
Hardware Kits for COM materials	Accent Transaction Tops, Single/Double Wide	RACDAT1	28.
Accent Transaction tops	Reference # 6TP00303	RACDAT2	28.
Hardware Kits for COM materials	Infill Panels for Single/Double Wide Desk	RACDIPF1	217.
Infill panels	Reference # 6TP00302	RACDIPF2	217.

Order Cod	de	Specification Information	Application Notes				
Example:  RA  CD  TT  DL  1  1 = Kit #1  2 = Kit #2  3 = Kit #3		To order please specify pattern number including:	The above Hardware Kits must be purchased when using "COM" Material.  All Installation Instruction for the COM material is available on Knoll Exchange. Please refer to the reference number indicated in the description for more details.	The above Hardware Kits must be purchased when using "COM" Material.			

### **Wall Mounting Suggestions**

The following information is provided only as a guide, and represents minimum recommendations only. Knoll does not accept responsibility for the attachment of any Knoll product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Knoll products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Knoll products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each useable shelf length

NOTE: A cabinet's top is considered a "useable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Knoll supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

				EXISTING CONSTRUCT	ION	
	NEW CONSTRUCTION	Cinder Block or Poured Concrete Masonry Wall	Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Wood Stud Wall, the studs being only Ceiling Height	Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above	Steel Stud Wall, the studs being only Ceiling Height
Stud Specification	Wood studs, grade #2 or better, 3 1/2" minimum width, OR Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/ floor structure above	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum	N/A	Wood studs must be spaced at 16" c/c maximum	Wood studs must be spaced at 16"" c/c maximum"	Metal studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/ floor structure above			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above		Metal studs must be braced above the ceiling, and be securely attached to the roof/floor structure above
				Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above		Affix metal bracing 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof / floor structure above
Mounting the Knoll Supplied Cleat, Bracket, Frame, etc*	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the studs to accommodate	Fasten the Knoll supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6"	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, and beyond to the next stud.
	the full width of the cabinet, and beyond to the next stud.  Fasten the wood block to each stud using	For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall even; 6"	Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs.	Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs.	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs.	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs.
	three screws at the ends of each block. (Fasten the Danback™ as directed by the manufacturer)	to the wall every 6", and fasten the lower horizontal element to the wall every 16"	Fasten the wood block to each stud using three screws at the ends of each block.	Fasten the wood block to each stud using three screws at the ends of each block.	Fasten the wood block to each stud using three screws at the ends of each block.	Fasten the wood block to each stud using three screws at the ends of each block.
	Fasten the Knoll supplied wall mounting		Replace the drywall and repair as desired.	Replace the drywall and repair as desired.	Replace the drywall and repair as desired.	Replace the drywall and repair as desired.
	cleat, bracket, frame, etc directly to each wood block every 6"		Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6"	Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6"	Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6"	Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6"
	For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.		For wall mounts frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.
*Graham Wall Hung Shelf	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket	Fasten the Knoll supplied wall mounting brackets directly to the masonry wall, using	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket
	This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	the holes provided in each bracket	This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above
Fasten the Knoll supplied wall cleat with	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	3/16" x 3 1/2" Tapcon Masonry Screws or equiv. @ 6" c/c with 1-1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking

### Alpha-Numeric Index

nattarn no		pattern no		nattern no		pattern no	
pattern no.	page	pattern no.	page	pattern no.	page	pattern no.	page
AWM1 S36	131	RAATFRG90	452	RAFR(L/R)8420	436, 437	RAIPKGD69	448
AWM1 S42	131	RAATFRG96	452	RAFR(L/R)9020	436, 437	RAIPKGD72	448
AWM1 S48	131	RAATFRS54	453	RAFR(L/R)9620	436, 437	RAIPKGD75	448
AWM1 S60	131	RAATFRS60	453	RAGS(L/R)20	458	RAIPKGD78	448
AWM1 S66	131	RAATFRS66	453	RAGS(L/R)30	458	RAIPKGD81	448
AWM1 S72	131	RAATFRS72	453	RAIE6240	442, 443	RAIPKGD84	448
AWM1 S78	131	RAATFRS78	453	RAIE6248	442, 443	RAIPKGD87	448
AWM1 S84	131	RAATFRS84	453	RAIE6840	442, 443	RAIPKGD90	448
R113B	122	RAATFRS90	453	RAIE6848	442, 443	RAIPKGD93	448
R3SMP	427	RAATFRS96	453	RAIE7440	442, 443	RAIPKGD96	448
R5ZNNE (3 dividers)	423	RABR(L/R)7220	434, 435	RAIE7448	442, 443	RAIPKGS66	448
R9TDCFM8430	58	RABR(L/R)7820	434, 435	RAIPFAWD102	444	RAIPKGS72	448
R9TDCFM9630	58	RABR(L/R)8420	434, 435	RAIPFAWD108	444	RAIPKGS78	448
RAATBRG72	452	RABR(L/R)9020	434, 435	RAIPFAWD114	444	RAIPKGS84	448
RAATBRG78	452	RABR(L/R)9620	434, 435	RAIPFAWD120	444	RAIPKGS90	448
RAATBRG84	452	RAC7232DH(L/R)H	456	RAIPFAWD126	444	RAIPKGS96	448
RAATBRG90	452	RAC7232WDH(L/R)H	457	RAIPFAWD132	444	RAIPRGD51	447
RAATBRG96	452	RAC7233DH(L/R)H	456	RAIPFAWD138	444	RAIPRGD54	447
RAATBRS72	453	RAC7233WDH(L/R)H	457	RAIPFAWD144	444	RAIPRGD57	447
RAATBRS78	453	RAC7242DH(L/R)H	456	RAIPFAWD150	444	RAIPRGD60	447
RAATBRS84	453	RAC7242WDH(L/R)H	457	RAIPFAWD156	444	RAIPRGD63	447
RAATBRS90	453	RAC7243DH(L/R)H	456	RAIPFAWD162	444	RAIPRGD66	447
RAATBRS96	453	RAC7243WDH(L/R)H	457	RAIPFAWD168	444	RAIPRGD69	447
RAATDG51	452	RAC8632DH(L/R)H	456	RAIPFAWD174	444	RAIPRGD72	447
RAATDG54	452	RAC8632WDH(L/R)H	457	RAIPFAWD180	444	RAIPRGD75	447
RAATDG57	452	RAC8633DH(L/R)H	456	RAIPFAWD186	444	RAIPRGD78	447
RAATDG60	452	RAC8633WDH(L/R)H	457	RAIPFAWD192	444	RAIPRGD81	447
RAATDG63	452	RAC8642DH(L/R)H	456	RAIPFAWS66	444	RAIPRGD84	447
RAATDG66	452	RAC8642WDH(L/R)H	457	RAIPFAWS72	444	RAIPRGD87	447
RAATDG69	452	RAC8643DH(L/R)H	456	RAIPFAWS78	444	RAIPRGD90	447
RAATDG72	452	RAC8643WDH(L/R)H	457	RAIPFAWS84	444	RAIPRGD93	447
RAATDG75	452	RACDAT1	462	RAIPFAWS90	444	RAIPRGD96	447
RAATDG78	452	RACDIPF1	462	RAIPFAWS96	444	RAIPRGS66	447
RAATDG81	452	RACDTTDL1	462	RAIPFBWD102	445	RAIPRGS72	447
RAATDG84	452	RACDTTDR1	462	RAIPFBWD108	445	RAIPRGS78	447
RAATDG87	452	RACDTTDS1	462	RAIPFBWD114	445	RAIPRGS84	447
RAATDG90	452	RACG4220	454	RAIPFBWD120	445	RAIPRGS90	447
RAATDG93	452	RAC(L/R)HC4212	454, 455	RAIPFBWD126	445	RAIPRGS96	447
RAATDG96	452	RAC(L/R)HT4212	454, 455	RAIPFBWD132	445	RAIPRWD102	446
RAATDS51	453	RADW(L/R)5130	432, 433	RAIPFBWD138	445	RAIPRWD108	446
RAATDS54	453	RADW(L/R)5430	432, 433	RAIPFBWD144	445	RAIPRWD114	446
RAATDS57	453	RADW(L/R)5730	432, 433	RAIPFBWD150	445	RAIPRWD120	446
RAATDS60	453	RADW(L/R)6030	432, 433	RAIPFBWD156	445	RAIPRWD126	446
RAATDS63	453	RADW(L/R)6330	432, 433	RAIPFBWD162	445	RAIPRWD132	446
RAATDS66	453	RADW(L/R)6630	432, 433	RAIPFBWD168	445	RAIPRWD138	446
RAATDS69	453	RADW(L/R)6930	432, 433	RAIPFBWD174	445	RAIPRWD144	446
RAATDS72	453	RADW(L/R)7230	432, 433	RAIPFBWD180	445	RAIPRWD150	446
RAATDS75	453	RADW(L/R)7530	432, 433	RAIPFBWD186	445	RAIPRWD156	446
RAATDS78	453	RADW(L/R)7830	432, 433	RAIPFBWD192	445	RAIPRWD162	446
RAATDS81	453	RADW(L/R)8130	432, 433	RAIPFBWS66	445	RAIPRWD168	446
RAATDS84	453	RADW(L/R)8430	432, 433	RAIPFBWS72	445	RAIPRWD174	446
RAATDS87	453	RADW(L/R)8730	432, 433	RAIPFBWS78	445	RAIPRWD180	446
RAATDS90	453	RADW(L/R)9030	432, 433	RAIPFBWS84	445	RAIPRWD186	446
RAATDS93	453	RADW(L/R)9330	432, 433	RAIPFBWS90	445	RAIPRWD192	446
RAATDS96	453	RADW(L/R)9630	432, 433	RAIPFBWS96	445	RAIPRWS66	446
RAATFRG54	452	RAESDH(L/R)20	458	RAIPKGD51	448	RAIPRWS72	446
RAATFRG60	452	RAFR(L/R)5420	436, 437	RAIPKGD54	448	RAIPRWS78	446
RAATFRG66	452	RAFR(L/R)6020	436, 437	RAIPKGD57	448	RAIPRWS84	446
RAATFRG72	452	RAFR(L/R)6620	436, 437	RAIPKGD60	448	RAIPRWS90	446
RAATFRG78	452	RAFR(L/R)7220	436, 437	RAIPKGD63	448	RAIPRWS96	446
RAATFRG84	452	RAFR(L/R)7820	436, 437	RAIPKGD66	448	RASRD6620	440, 441

pattern no.	page
RASRD7220	440, 441
RASRD7820	440, 441
RASRD8420 RASRD9020	440, 441
RASRD9620	440, 441 440, 441
RASRS(L/R)6620	438, 439
RASRS(L/R)7220	438, 439
RASRS(L/R)7820	438, 439
RASRS(L/R)8420	438, 439
RASRS(L/R)9020	438, 439
RASRS(L/R)9620	438, 439
RASW6630	430, 431
RASW7230	430, 431
RASW7830	430, 431
RASW8430	430, 431
RASW9030	430, 431
RASW9630	430, 431
RATDCFM(L/R)4830	57
RATDCFM(L/R)4836	57
RATDCFM(L/R)5430 RATDCFM(L/R)5436	57
RATDCFM(L/R)6030	57
RATDCFM(L/R)6036	57
RATDCFM(L/R)6630	57
RATDCFM(L/R)6636	57
RATDCFM(L/R)7230	57
RATDCFM(L/R)7236	57
RATDCFM(L/R)7830	57
RATDCFM(L/R)7836	57
RATDCFM(L/R)8430	57
RATDCFM(L/R)8436	57
RATDCPC(L/R)6030	55
RATDCPC(L/R)6036	55
RATDCPC(L/R)6630	55
RATDCPC(L/R)6636	55
RATDCPC(L/R)7230 RATDCPC(L/R)7236	55 55
RATDCPC(L/R)7830	55
RATDCPC(L/R)7836	55
RATDCPC(L/R)8430	55
RATDCPC(L/R)8436	55
RATDCST(L/R)6030	56
RATDCST(L/R)6036	56
RATDCST(L/R)6630	56
RATDCST(L/R)6636	56
RATDCST(L/R)7230	56
RATDCST(L/R)7236	56
RATDCST(L/R)7830	56
RATDCST(L/R)7836	56
RATDCST(L/R)8430	56
RATDCST(L/R)8436	56
RATTBR72 RATTBR78	449
RATTBR84	449
RATTBR90	449
RATTBR96	449
RATTDD102	451
RATTDD108	451
RATTDD114	451
RATTDD120	451
RATTDD126	451
RATTDD132	451
RATTDD138	451
RATTDD144	451
RATTDD150	451

pattern no.	nage
RATTDD156	<u>page</u> 451
RATTDD162	451
RATTDD168	451
RATTDD174	451
RATTDD180	451
RATTDD186	451
RATTDD192 RATTDS66	451
RATTDS72	451 451
RATTDS78	451
RATTDS84	451
RATTDS90	451
RATTDS96	451
RATTFR54	450
RATTFR60	450
RATTFR66 RATTFR72	450 450
RATTFR78	450
RATTFR84	450
RATTFR90	450
RATTFR96	450
RAUH	417
RAWHDHTBD51	459
RAWHDHTBD54	459
RAWHDHTBD57	459 459
RAWHDHTBD60 RAWHDHTBD63	459
RAWHDHTBD66	459
RAWHDHTBD69	459
RAWHDHTBD72	459
RAWHDHTBD75	459
RAWHDHTBD78	459
RAWHDHTBD81	459
RAWHDHTBD84	459
RAWHDHTBD87 RAWHDHTBD90	459 459
RAWHDHTBD93	459
RAWHDHTBD96	459
RAWHDHTBS66	459
RAWHDHTBS72	459
RAWHDHTBS78	459
RAWHDHTBS84	459
RAWHDHTBS90	459
RAWHDHTBS96	459
RBD361H RBD361V	23
RBD362H	23
RBD362V	23
RBD421H	23
RBD421V	23
RBD422H	23
RBD422V	23
RBD481H	23
RBD481V RBD482H	23
RBD482V	23
RBD541H	23
RBD541V	23
RBD542H	23
RBD542V	23
RBDD	414
RBDH24M(F/R)	123
RBDH30M(F/R)	123
RBDH3636	123
RBDH3642	123

pattern no. RBDH3648	page 123
RBDH36M(F/R)	123
RBDH40MR	125
RBDH4236	123
RBDH4242	123
RBDH4248	123
RBDH42M(F/R)	123
RBDH4836	123
RBDH4842	123
RBDH4848	123
RBDH48M(F/R)	123
RBDH52MR	125
RBDH54M(F/R)	123
RBDH60M(F/R)	123
RBDH64MR	125
RBDH66M(F/R)	123
RBDH72M(F/R)	123
RBDH78M(F/R)	123
RBDH84M(F/R)	123
RBDH90M(F/R)	123
RBDH96M(F/R)	123
RBDW	414
RBF (Pair)	121
RBGR	193
RBPE(L/R)	414
RBPP (L/R)	121
RBPR (Pair)	122
RBPS (L/R)	122
RBR36MS	251
RBR42MS	251
RBR48MS	251
RBR54MS	251
RBR60MS	251
RBR66MS	251
RBR72MS	251
RBWC24	122
RBWC30	122
RBZ (A/B) (Pair)	121
RC230DHBDG	174, 176
RC230DHBDO	174
RC230DHBGG	178, 180
RC230DHBGO	178
RC234DHBDG	182, 184
RC234DHBDO	182
RC234DHBGG	186, 188
RC234DHBGO	186
RC260DHBDG	174, 176
RC260DHBDO	174
RC260DHBGG	178, 180
RC260DHBGO	178
RC264DHBDG	182, 184
RC264DHBDO	182
RC264DHBGG	186, 188
RC264DHBGO	186
RC330DHSDG RC330DHSDO	175, 177 175
RC330DHSGG	179, 181
RC330DHSG0	179, 181
RC334DHSDG	183, 185
RC334DHSD0	183
RC334DHSGG	187, 189
RC334DHSG0	187
RC360DHSDG	175, 177
RC360DHSDO	175, 177
RC360DHSGG	181
1COODINGS	101

pattern no.	page
RC364DHSDG	183, 185
RC364DHSDO	183
RC364DHSGG	187, 189
RC364DHSGO	187
RC430DHBDG	174, 176
RC430DHBDO	174
RC430DHBGG	178, 180
RC430DHBGO	178
RC434DHBDG	182, 184
RC434DHBDO	182
RC434DHBGG	186, 188
RC434DHBGO	186
RC460DHBDG	174, 176
RC460DHBDO	174
RC460DHBGG	178, 180
RC460DHBGO	178
RC464DHBDG	182, 184
RC464DHBDO	182
RC464DHBGG	186, 188
RC464DHBGO	186
RC531DHB	195, 196
RC531DHH	197
RC532DHB	195, 196
RC532DHF	195, 196
RC532DHH	197
RC533DHB	195, 196
RC533DHF	195, 196
RC533DHH	197
RC534DHBDG	183, 185
RC534DHBDO	183
RC534DHBGG	187, 189
RC534DHBGO	187
RC561DHB	195, 196
RC561DHH	193, 190
RC562DHB	195, 196 195, 196
RC562DHF	195, 196 197
RC562DHH RC563DHB	
	195, 196 195, 196
RC563DHF	193, 190
RC563DHH	
RC564DHBDG	183, 185
RC564DHBDO	183
RC564DHBGG	187, 189
RC564DHBGO	187
RC7202DHDH(L/R)	211
RC7203DHDH(L/R)	211
RC7212DHDH(L/R)	211
RC7212DHGH(L/R)	201, 208
RC7212DHPH(L/R)	202, 209
RC7213DHDH(L/R)	211
RC7213DHGH(L/R)	201, 208
RC7213DHPH(L/R)	202, 209
RC7222DHDH(L/R)	211
RC7223DHDH(L/R)	211
RC7230DHBDG	175, 177
RC7230DHBDO	175
RC7230DHBGG	179, 181
RC7230DHBGO	179
RC7231DHB	198, 205
RC7232DHB	198, 205
RC7232DHDH	211
RC7232DHEH(L/R)	203, 210
RC7232DHFH	200, 207
RC7232DHGH	201, 208
RC7232DHGHW(L/R)	204, 212

pattern no.	page
RC7232DHK	199, 206
RC7232DHO	199, 206
RC7232DHPHW(L/R)	204, 212
RC7233DHB	198, 205
RC7233DHDH	211
RC7233DHEH(L/R)	203, 210
RC7233DHFH	200, 207
RC7233DHGH	201, 208
RC7233DHGHW(L/R)	204, 212
RC7233DHK	199, 206
RC7233DHO	199, 206
RC7233DHPHW(L/R)	204, 212
RC7234DHBDG	183, 185
RC7234DHBDO	183
RC7234DHBGG	187, 189
RC7234DHBGO	187
RC7260DHBDG	175, 177
RC7260DHBDO	175
RC7260DHBGG	179, 181
RC7260DHBGO	179
RC7261DHB	198, 205
RC7262DHB	198, 205
RC7262DHDH	211
RC7262DHEH(L/R)	203, 210
RC7262DHFH	200, 207
RC7262DHGH	201, 208
RC7262DHGHW(L/R)	204, 212
RC7262DHK	199, 206
RC7262DHO	199, 206
RC7262DHPHW(L/R)	204, 212
RC7263DHB	198, 205
RC7263DHDH	211
RC7263DHEH(L/R)	203, 210
RC7263DHFH	200, 207
RC7263DHGH	201, 208
RC7263DHGHW(L/R)	204, 212
RC7263DHK	199, 206
RC7263DHO	199, 206
RC7263DHPHW(L/R)	204, 212
RC7264DHBDG	183, 185
RC7264DHBDO	183
RC7264DHBGG	187, 189
RC7264DHBGO	187
RC802DHDH(L/R)	225
RC803DHDH(L/R)	225
RC812DHDH(L/R)	225
RC812DHGH(L/R)	216, 222
RC812DHPH(L/R)	217, 223
RC813DHDH(L/R)	225
RC813DHGH(L/R)	216, 222
RC813DHPH(L/R)	217, 223
RC822DHDH(L/R)	225
RC823DHDH(L/R)	225
RC830DHBDG	175, 177
RC830DHBDO	175
RC830DHBGG	179, 181
RC830DHBGO	179, 161
RC831DHB	213, 220
RC832DHB	
	220
RC832DHDH	225
RC832DHEH(L/R)	218, 224
RC832DHF	215, 222
RC832DHG	216, 222
RC832DHGHW(L/R)	219, 226
RC832DHK	214, 221

pattern no.	page
RC832DHO	214, 221
RC832DHPHW(L/R)	219, 226
RC833DHB RC833DHDH	220 225
RC833DHEH(L/R)	218, 224
RC833DHF	215, 222
RC833DHG	216, 222
RC833DHGHW(L/R)	219, 226
RC833DHK	214, 221
RC833DHO	214, 221
RC833DHPHW(L/R)	219, 226
RC834DHBDG	183, 185
RC834DHBDO	183
RC834DHBGG	187, 189
RC834DHBGO	187
RC860DHBDG	175, 177
RC860DHBDO	175
RC860DHBGG	179, 181
RC860DHBGO RC861DHB	213, 220
RC862DHB	220
RC862DHDH	225
RC862DHEH(L/R)	218, 224
RC862DHF	215, 222
RC862DHG	216, 222
RC862DHGHW(L/R)	219, 226
RC862DHK	214, 221
RC862DHO	214, 221
RC862DHPHW(L/R)	219, 226
RC863DHB	220
RC863DHDH	225
RC863DHEH(L/R)	218, 224
RC863DHF	215, 222
RC863DHG	216, 222
RC863DHGHW(L/R) RC863DHK	219, 226 214, 221
RC863DHO	214, 221
RC863DHPHW(L/R)	219, 226
RC864DHBDG	183, 185
RC864DHBDO	183
RC864DHBGG	187, 189
RC864DHBGO	187
RCA1021	26
RCA1022	26
RCA1081	26
RCA1082	26
RCA601	26
RCA602	26
RCA661	26
RCA662 RCA721	26 26
RCA721 RCA722	26
RCA781	26
RCA782	26
RCA841	26
RCA842	26
RCA901	26
RCA902	26
RCA961	26
RCA962	26
RCAB30	192
RCAB36	192
RCABT1417	417
RCABT2917	417
RCACR16	417

pattern no.	page
RCACR30	417
RCACR30H RCACR36	417
RCACR36H	417
RCAS1220	417
RCAS1224	417
RCAS1511	192
RCAS1514	192
RCAS1620	417
RCAS1624	417
RCAS1811	192
RCAS1814	192
RCAS1920	417
RCAS1924	417
RCAS2420M	416
RCAS2420W	416
RCAS2424M	416
RCAS2424W RCAS3011	416 192
RCAS3011 RCAS3014	192
RCAS3015	417
RCAS3020	417
RCAS3024	417
RCAS3611	192
RCAS3614	192
RCAS3615	417
RCAS3620	417
RCAS3624	417
RCBDH24X	129
RCBDH28X	129
RCBDH36X	129
RCC30	412
RCC40	412
RCD1021	27
RCD1022 RCD1081	27
RCD1081	27
RCD601	27
RCD602	27
RCD661	27
RCD662	27
RCD721	27
RCD722	27
RCD781	27
RCD782	27
RCD841	27
RCD842	27
RCD901	27
RCD902	27
RCD961	27
RCD962 RCDB7230	27
RCDB7236	194
RCDB8630	194
RCDB8636	194
RCDFMF60302	300
RCDFMF60362	300
RCDFMF72302	300
RCDFMF72362	300
RCDFMF84302	300
RCDFMF84362	300
RCDFMF96302	300
RCDFMF96362	300
RCDFMR60302	299
RCDFMR60362	299

pattern no.	page
RCDFMR72302	299
RCDFMR72362	299
RCDFMR84302 RCDFMR84362	299
RCDFMR96302	299
RCDFMR96362	299
RCDHB20T	126
RCDHB24T	126
RCDHB30T	126
RCDHB40T	126
RCDHHAH11	301, 303
RCDHHAH12	301, 303
RCDHHAH21	301, 303
RCDHHAH22	301, 303
RCDHHAW11	301, 303
RCDHHAW12	301, 303
RCDHHAW21	301, 303
RCDHHAW22	301, 303
RCDHHBH11 RCDHHBH12	305, 307
RCDHHBH21	305, 307 305, 307
RCDHHBH22	305, 307
RCDHHBW11	305, 307
RCDHHBW12	305, 307
RCDHHBW21	305, 307
RCDHHBW22	305, 307
RCDHHCH11	309, 311
RCDHHCH12	309, 311
RCDHHCH21	309, 311
RCDHHCH22	309, 311
RCDHHCW11	309, 311
RCDHHCW12	309, 311
RCDHHCW21	309, 311
RCDHHCW22	309, 311
RCDHMR60302	299
RCDHMR60362 RCDHMR72302	299
RCDHMR72362	299
RCDHMR84302	299
RCDHMR84362	299
RCDHMR96302	299
RCDHMR96362	299
RCDHWAH11	302, 304
RCDHWAH12	302, 304
RCDHWAH21	302, 304
RCDHWAH22	302, 304
RCDHWBH11	306, 308
RCDHWBH12	306, 308
RCDHWBH21	306, 308
RCDHWBH22	306, 308
RCDHWCH11	310, 312
RCDHWCH12	310, 312
RCDHWCH21	310, 312
RCDHWCH22	310, 312
RCDQMR60302	299
RCDQMR60362 RCDQMR72302	299
RCDQMR72362	299
RCDQMR84302	299
RCDQMR84362	299
RCDQMR96302	299
RCDQMR96362	299
RCE1021	25
RCE1022	25
RCE1081	25

RCE1081

pattern no.	page	pattern no.	page	pattern no.	page	pattern no.	page
RCE1082	25	RCFS4912Y(L/R)W	237	RCFS6833W(L/R)M	234	RCSHHAH12	313, 315
RCE1R1212G	427	RCFS4912Z(L/R)M	229	RCFS6833W(L/R)W	242	RCSHHAH21	313, 315
RCE301	25	RCFS4912Z(L/R)W	237	RCFS6833X(L/R)M	234	RCSHHAH22	313, 315
RCE302	25	RCFS4913C(L/R)M	229	RCFS6833X(L/R)W	242	RCSHHAW11	313, 315
RCE361	25	RCFS4913C(L/R)W	237	RCGKIT11	193	RCSHHAW12	313, 315
RCE362	25	RCFS4913Y(L/R)M	229	RCGKIT14	193	RCSHHAW21	313, 315
RCE601	25	RCFS4913Y(L/R)W	237	RCGT781	333	RCSHHAW22	313, 315
RCE602	25	RCFS4913Z(L/R)M	229	RCGT782	333	RCSHHBH11	317, 319
RCE661	25	RCFS4913Z(L/R)W	237	RCGT841	333	RCSHHBH12	317, 319
RCE662	25	RCFS4932V(L/R)M	230	RCGT842	333	RCSHHBH21	317, 319
RCE721	25	RCFS4932V(L/R)W	238	RCOUNTWT	416	RCSHHBH22	317, 319
RCE722	25	RCFS4932W(L/R)M	230	RCPS1511	192	RCSHHBW11	317, 319
RCE781	25	RCFS4932W(L/R)W	238	RCPS1514	192	RCSHHBW12	317, 319
RCE782	25	RCFS4932X(L/R)M	230	RCPS1811	192	RCSHHBW21	317, 319
RCE841	25	RCFS4932X(L/R)W	238	RCPS1814	192	RCSHHBW22	317, 319
RCE842	25	RCFS4933V(L/R)M	230	RCPS3011	192	RCSHHCH11	321, 323
RCE901	25	RCFS4933V(L/R)W	238	RCPS3014	192	RCSHHCH12	321, 323
RCE902	25	RCFS4933W(L/R)M	230	RCPS3611	192	RCSHHCH21	321, 323
RCE961	25	RCFS4933W(L/R)W	238	RCPS3614	192	RCSHHCH22	321, 323
RCE962	25	RCFS4933X(L/R)M	230	RCRH30	193	RCSHHCW11	321, 323
RCEEG1021	26	RCFS4933X(L/R)W	238	RCRH36	193	RCSHHCW12	321, 323
RCEEG1022	26	RCFS6412C(L/R)M	231	RCRV104	193	RCSHHCW21	321, 323
RCEEG1081	26	RCFS6412C(L/R)W	239	RCRV118	193	RCSHHCW22	321, 323
RCEEG1082	26	RCFS6412Y(L/R)M	231	RCRV28	193	RCSHHDH11	325, 327
RCEEG601	26	RCFS6412Y(L/R)W	239	RCRV42	193	RCSHHDH12	325, 327
RCEEG602	26	RCFS6412Z(L/R)M	231	RCRV53	193	RCSHHDH21	325, 327
RCEEG661	26	RCFS6412Z(L/R)W	239	RCRV72	193	RCSHHDH22	325, 327
RCEEG662	26	RCFS6413C(L/R)M	231	RCRV86	193	RCSHHDW11	325, 327
RCEEG721	26	RCFS6413C(L/R)W	239	RCS11040	190	RCSHHDW12	325, 327
RCEEG722	26	RCFS6413Y(L/R)M	231	RCS11040	190	RCSHHDW21	325, 327
	26		-				325, 327
RCEEG781		RCFS6413Y(L/R)W	239	RCS11180	190	RCSHHDW22	
RCEEG782	26	RCFS6413Z(L/R)M	231	RCS11184	190	RCSHHEH11	329, 331
RCEEG841	26	RCFS6413Z(L/R)W	239	RCS1280	190	RCSHHEH12	329, 331
RCEEG842	26	RCFS6432V(L/R)M	232	RCS1284	190	RCSHHEH21	329, 331
RCEEG901	26	RCFS6432V(L/R)W	240	RCS1420	190	RCSHHEH22	329, 331
RCEEG902	26	RCFS6432W(L/R)M	232	RCS1424	190	RCSHHEW11	329, 331
RCEEG961	26	RCFS6432W(L/R)W	240	RCS1534	190	RCSHHEW12	329, 331
RCEEG962	26	RCFS6432X(L/R)M	232	RCS1720	190	RCSHHEW21	329, 331
RCFS4212C(L/R)M	227	RCFS6432X(L/R)W	240	RCS1724	190	RCSHHEW22	329, 331
RCFS4212C(L/R)W	235	RCFS6433V(L/R)M	232	RCS1860	190	RCSHWAH11	314, 316
RCFS4212Y(L/R)M	227	RCFS6433V(L/R)W	240	RCS1864	190	RCSHWAH12	314, 316
RCFS4212Y(L/R)W	235	RCFS6433W(L/R)M	232	RCSB1283	191	RCSHWAH21	314, 316
RCFS4212Z(L/R)M	227	RCFS6433W(L/R)W	240	RCSB1286	191	RCSHWAH22	314, 316
RCFS4212Z(L/R)W	235	RCFS6433X(L/R)M	232	RCSB1423	191	RCSHWBH11	318, 320
RCFS4213C(L/R)M	227	RCFS6433X(L/R)W	240	RCSB1426	191	RCSHWBH12	318, 320
RCFS4213C(L/R)W	235	RCFS6812C(L/R)M	233	RCSD110400	190	RCSHWBH21	318, 320
RCFS4213Y(L/R)M	227	RCFS6812C(L/R)W	241	RCSD110404	190	RCSHWBH22	318, 320
RCFS4213Y(L/R)W	235	RCFS6812Y(L/R)M	233	RCSD110444	191	RCSHWCH11	322, 324
RCFS4213Z(L/R)M	227	RCFS6812Y(L/R)W	241	RCSD111800	190	RCSHWCH12	322, 324
RCFS4213Z(L/R)W	235	RCFS6812Z(L/R)M	233	RCSD111804	190	RCSHWCH21	322, 324
RCFS4232V(L/R)M	228	RCFS6812Z(L/R)W	241	RCSD111844	191	RCSHWCH22	322, 324
RCFS4232V(L/R)W	236	RCFS6813C(L/R)M	233	RCSD12800	190	RCSHWDH11	326, 328
RCFS4232W(L/R)M	228	RCFS6813C(L/R)W	241	RCSD12804	190	RCSHWDH12	326, 328
RCFS4232W(L/R)W	236	RCFS6813Y(L/R)M	233	RCSD12844	191	RCSHWDH21	326, 328
RCFS4232X(L/R)M	228	RCFS6813Y(L/R)W	241	RCSD14200	190	RCSHWDH22	326, 328
RCFS4232X(L/R)W	236	RCFS6813Z(L/R)M	233	RCSD14204	190	RCSHWEH11	330, 332
RCFS4233V(L/R)M	228	RCFS6813Z(L/R)W	241	RCSD14244	191	RCSHWEH12	330, 332
RCFS4233V(L/R)W	236	RCFS6832V(L/R)M	234	RCSD15344	191	RCSHWEH21	330, 332
RCFS4233W(L/R)M	228	RCFS6832V(L/R)W	242	RCSD17200	190	RCSHWEH22	330, 332
RCFS4233W(L/R)W	236	RCFS6832W(L/R)M	234	RCSD17204	190	RCTRLE362	114
RCFS4233X(L/R)M	228	RCFS6832W(L/R)W	242	RCSD17244	191	RCTRLE363	119
RCFS4233X(L/R)W	236	RCFS6832X(L/R)M	234	RCSD18600	190	RCTRLE422	114
RCFS4912C(L/R)M	229	RCFS6832X(L/R)W	242	RCSD18604	190	RCTRLE423	119
RCFS4912C(L/R)W	237	RCFS6833V(L/R)M	234	RCSD18644	191	RCTRWE362	115
RCFS4912Y(L/R)M	229	RCFS6833V(L/R)W	242	RCSHHAH11	313, 315	RCTRWE363	120

pattern no.	page
RCTRWE422	115
RCTRWE423	120
RCTSLE362	114
RCTSLE363	119
RCTSLE422 RCTSLE423	114
RCTSWE362	115
RCTSWE363	120
RCTSWE422	115
RCTSWE423	120
RCTTLE30482	114
RCTTLE30483	119
RCTTLE36542	114
RCTTLE36543	119
RCTTWE30482	115
RCTTWE30483	120
RCTTWE36542 RCTTWE36543	115
RDAD(B/W)	120
RDAH(B/W)	409
RDAS(B/W)	409
RDAV	409
RDHMBD	415
RDHMFD	416
RDHMH48200	137
RDHMH60200	137
RDHMH7210	135
RDHMH7211	136
RDHMH7212	136
RDHMH7220	135
RDHMH72200 RDHMH7222	137
RDHMH7230	135
RDHMH7240	135
RDHMH7810	135
RDHMH7811	136
RDHMH7812	136
RDHMH7813	136
RDHMH7820	135
RDHMH7822	136
RDHMH7823	136
RDHMH7830 RDHMH7840	135
RDHMH8410	135
RDHMH8411	136
RDHMH8412	136
RDHMH8413	136
RDHMH8414	136
RDHMH8420	135
RDHMH8422	136
RDHMH8423	136
RDHMH8424	136
RDHMH8430	135
RDHMH8440	135
RDHMH9010	135
RDHMH9011 RDHMH9012	136
RDHMH9012 RDHMH9013	136
RDHMH9014	136
RDHMH9020	135
RDHMH9022	136
RDHMH9023	136
RDHMH9024	136
RDHMH9030	135
RDHMH9033	136

pattern no.	page
RDHMH9040	135
RDHMH9610	135
RDHMH9611	136
RDHMH9612	136
RDHMH9613	136
RDHMH9614	136
RDHMH9620	135
RDHMH9622	136
RDHMH9623 RDHMH9624	136
RDHMH9630	135
RDHMH9633	136
RDHMH9640	135
RDHMLD	417
RDHMR10210	132
RDHMR10211	134
RDHMR10212	134
RDHMR10213	134
RDHMR10214	134
RDHMR10220	132
RDHMR10222	134
RDHMR10223	134
RDHMR10224	134
RDHMR10230	132
RDHMR10233	134
RDHMR10240	132
RDHMR10810	132
RDHMR10811	134
RDHMR10812	134
RDHMR10813	134
RDHMR10814 RDHMR10820	134
RDHMR10822	134
RDHMR10823	134
RDHMR10824	134
RDHMR10830	132
RDHMR10833	134
RDHMR10840	132
RDHMR7210	132
RDHMR7211	133
RDHMR7212	133
RDHMR7220	132
RDHMR7222	133
RDHMR7230	132
RDHMR7240	132
RDHMR7810	132
RDHMR7811	133
RDHMR7812	133
RDHMR7820 RDHMR7822	132
RDHMR7830	133
RDHMR7840	132
RDHMR8410	132
RDHMR8411	133
RDHMR8412	133
RDHMR8413	133
RDHMR8420	132
RDHMR8422	133
RDHMR8423	133
RDHMR8430	132
RDHMR8440	132
RDHMR9010	132
RDHMR9011	133
RDHMR9012	133
RDHMR9013	133

pattern no.	page
RDHMR9014	133
RDHMR9020	132
RDHMR9022	133
RDHMR9023	133
RDHMR9024 RDHMR9030	133
RDHMR9040	132
RDHMR9610	132
RDHMR9611	133
RDHMR9612	133
RDHMR9613	133
RDHMR9614	133
RDHMR9620	132
RDHMR9622	133
RDHMR9623 RDHMR9624	133
RDHMR9630	132
RDHMR9633	133
RDHMR9640	132
RDHPM26	138
RDHPM32	138
RDHPM38	138
RDHPM44	138
RDHPM50	138
RDHPM56	138
RDHPM62 RDHPM68	138
RDHPM74	138
RDTAGG3142(L/R)	248
RDTAGG3156(L/R)	248
RDTAGG6142(L/R)	248
RDTAGG6156(L/R)	248
RDTAGW3142(L/R)	248
RDTAGW3156(L/R)	248
RDTAGW6142(L/R)	248
RDTAGW6156(L/R) RDTAHG3142(L/R)	248
RDTAHG3156(L/R)	249
RDTAHG6142(L/R)	249
RDTAHG6156(L/R)	249
RDTAHW3142(L/R)	249
RDTAHW3156(L/R)	249
RDTAHW6142(L/R)	249
RDTAHW6156(L/R)	249
RDTC3010	298
RDTC3610	298
RDTC6010 RDTC7210	298
RDTCE22120(B/W)	401
RDTCE2272(B/W)	401
RDTCE22H(B/W)	401
RDTCE2U120(B/W)	401
RDTCE2U72(B/W)	401
RDTCE2UH(B/W)	401
RDTCE31120(B/W)	401
RDTCE3172(B/W)	401
RDTCE31H(B/W)	401
RDTCE31U120(B/W) RDTCE31U72(B/W)	401
RDTCE31UH(B/W)	401
RDTCE33120(B/W)	402
RDTCE3372(B/W)	402
RDTCE33H(B/W)	402
RDTCE3U120(B/W)	402
RDTCE3U72(B/W)	402

pattern no.	page
RDTCE3UH(B/W)	402
RDTCE40120(B/W)	401
RDTCE4072(B/W)	40
RDTCE40H(B/W)	401
RDTCE42120(B/W)	405
RDTCE4272(B/W) RDTCE42H(B/W)	402
RDTCE4U120(B/W)	402
RDTCE4U72(B/W)	402
RDTCE4UH(B/W)	402
RDTCE60120(B/W)	402
RDTCE6072(B/W)	402
RDTCE60H(B/W)	402
RDTCO6010	298
RDTCO7210	298
RDTDBW3142	246
RDTDBW3156	246
RDTDBW6142 RDTDBW6156	246
RDTDCFM(L/R)5430	6]
RDTDCFM(L/R)5436	61
RDTDCFM(L/R)6030	61
RDTDCFM(L/R)6036	61
RDTDCFM(L/R)6630	61
RDTDCFM(L/R)6636	61
RDTDCFM(L/R)7230	6
RDTDCFM(L/R)7236	6
RDTDCFM(L/R)7830	61
RDTDCFM(L/R)7836	61
RDTDCFM(L/R)8430 RDTDCFM(L/R)8436	61
RDTDCPC(L/R)6630	59
RDTDCPC(L/R)6636	59
RDTDCPC(L/R)7230	59
RDTDCPC(L/R)7236	59
RDTDCPC(L/R)7830	59
RDTDCPC(L/R)7836	59
RDTDCPC(L/R)8430	59
RDTDCPC(L/R)8436	59
RDTDCPC(L/R)9030	59
RDTDCPC(L/R)9036 RDTDCPC(L/R)9630	59
RDTDCPC(L/R)9636	59
RDTDCST(L/R)6630	60
RDTDCST(L/R)6636	60
RDTDCST(L/R)7230	60
RDTDCST(L/R)7236	60
RDTDCST(L/R)7830	60
RDTDCST(L/R)7836	60
RDTDCST(L/R)8430	60
RDTDCST(L/R)8436	60
RDTDCST(L/R)9030 RDTDCST(L/R)9036	60
RDTDCST(L/R)9630	60
RDTDCST(L/R)9636	60
RDTDE22120(B/W)	403
RDTDE2272(B/W)	403
RDTDE22H(B/W)	403
RDTDE2U120(B/W)	403
RDTDE2U72(B/W)	403
RDTDE2UH(B/W)	403
RDTDE31U120(B/W)	403
RDTDE31U72(B/W)	403
RDTDE31UH(B/W)	403
RDTDE33120(B/W)	404

pattern no.	page	pattern no.	page	pattern no.	page	pattern no.	page
RDTDE3372(B/W)	404	RDTSTE4U72(B/W)	400	RFDR72	423	RMEW96482	106
RDTDE33H(B/W)	404	RDTSTE4UH(B/W)	400	RFDR84	423	RMEW96602	106
RDTDE3U120(B/W)	404	RDTSTE60120(B/W)	400	RFDR96	423	RMEW96722	106
RDTDE3U72(B/W)	404	RDTSTE6072(B/W)	400	RIPI202	75	RMPU	147
RDTDE3UH(B/W)	404	RDTSTE60H(B/W)	400	RIPI242	75	RMSCB	121
RDTDE40120(B/W)	403	RDTUME22120(B/W)	405	RIPI302	75	ROCCGDHP301	275
RDTDE4072(B/W)	403	RDTUME2272(B/W)	405	RIPI362	75	ROCCGDHP361	275
RDTDE40H(B/W)	403	RDTUME22H(B/W)	405	RIPO202	75	ROCCGDHP421	275
RDTDE42120(B/W)	404	RDTUME2U120(B/W)	405	RIPO242	75	ROCCGDHP481	275
RDTDE4272(B/W)	404	RDTUME2U72(B/W)	405	RIPO302	75	ROCCGDHP541	275
RDTDE42H(B/W)	404	RDTUME2UH(B/W)	405	RIPO362	75	ROCCGDHP601	275
RDTDE4U120(B/W)	404	RDTUME31120(B/W)	405	RIPOG202	75	ROCCGDHP661	275
RDTDE4U72(B/W)	404	RDTUME3172(B/W)	405	RIPOG242	75	ROCCGDHP721	275
RDTDE4UH(B/W)	404	RDTUME31H(B/W)	405	RIPOG302	75	ROCCGDHP781	275
RDTDE60120(B/W)	404	RDTUME31U120(B/W)	405	RIPOG362	75	ROCCGDHP841	275
RDTDE6072(B/W)	404	RDTUME31U72(B/W)	405	RJBU24	412	ROCCGDHP901	275
RDTDE60H(B/W)	404	RDTUME31UH(B/W)	405	RJBU30	412	ROCCGDHP961	275
RDTDGW3142	248	RDTUME33120(B/W)	406	RJBU36	412	ROCCGSHP301	260
RDTDGW3156	248	RDTUME3372(B/W)	406	RJBU42	412	ROCCGSHP361	260
RDTDGW6142	248	RDTUME33H(B/W)	406	RJBU48	412	ROCCGSHP421	260
RDTDGW6156	248	RDTUME3U120(B/W)	406	RJBU54	412	ROCCGSHP481	260
RDTDHW3142	247	RDTUME3U72(B/W)	406	RJBU60	412	ROCCGSHP541	260
RDTDHW3156	247	RDTUME3UH(B/W)	406	RJBU66	412	ROCCGSHP601	260
RDTDHW6142	247	RDTUME40120(B/W)	405	RJBU72	412	ROCCGSHP661	260
RDTDHW6156	247	RDTUME4072(B/W)	405	RJBW24	412	ROCCGSHP721	260
RDTE22120(B/W)	399	RDTUME40H(B/W)	405	RJBW30	412	ROCCGSHP781	260
RDTE2272(B/W)	399	RDTUME42120(B/W)	406	RJBW36	412	ROCCGSHP841	260
RDTE22H(B/W)	399	RDTUME4272(B/W)	406	RJBW42	412	ROCCGSHP901	260
RDTE2U120(B/W)	399	RDTUME42H(B/W)	406	RJBW48	412	ROCCGSHP961	260
RDTE2U72(B/W)	399	RDTUME4U120(B/W)	406	RJBW54	412	ROCGHCDHP301	274
RDTE2UH(B/W)	399	RDTUME4U72(B/W)	406	RJBW60	412	ROCGHCDHP361	274
RDTE31120(B/W)	399	RDTUME4UH(B/W)	406	RJBW66	412	ROCGHCDHP421	274
RDTE3172(B/W)	399	RDTUME40H(B/W)	406	RJBW72	412	ROCGHCDHP481	274
RDTE311/2(B/W)	399	RDTUME6072(B/W)	406	RKT31	412	ROCGHCDHP541	274
RDTE31H(B/W) RDTE31U120(B/W)	399	RDTUME60H(B/W)	406	RL4L17	422	ROCGHCDHP601	274
RDTE31U72(B/W)	399	RDTUMP22120(B/W)	407	RL4L31	422	ROCGHCDHP661	274
RDTE31UH(B/W)	399	RDTUMP2272(B/W)	407	RIALA4	422	ROCGHCDHP701	274
RDTE40120(B/W)	399	RDTUMP22H(B/W)	407	RIAL58	422	ROCGHCDHP781	274
RDTE4072(B/W)	399	RDTUMP2U120(B/W)	407	RLCCT3018	165	ROCGHCDHP841	274
RDTE40H(B/W)	399	RDTUMP2U72(B/W)	407	RLCCT3022	165	ROCGHCDHP901	274
RDTGA	410		407	RLCCT3618	165	ROCGHCDHP961	274
		RDTUMP2UH(B/W)					
RDTGB	410	RDTUMP31120(B/W)	407	RLCCT3622	165	ROCGHCSHP301	262
RDTGC	410	RDTUMP3172(B/W)	407	RLCGT301	164	ROCGHCSHP361	262
RDTSBWG142	243	RDTUMP31H(B/W)	407	RLCGT361	164	ROCGHCSHP421	262
RDTSBWG156	243	RDTUMP31U120(B/W)	407	RLCGT601	164	ROCGHCSHP481	262
RDTSBWT142	243	RDTUMP31U72(B/W)	407	RLCGT721	164	ROCGHCSHP541	262
RDTSBWT156	243	RDTUMP31UH(B/W)	407	RMEF60482	107	ROCGHCSHP601	262
RDTSGWG142(L/R)	245	RDTUMP40120(B/W)	408	RMEF60602	107	ROCGHCSHP661	262
RDTSGWG156(L/R)	245	RDTUMP4072(B/W)	408	RMEF72482	107	ROCGHCSHP721	262
RDTSGWT142(L/R)	245	RDTUMP40H(B/W)	408	RMEF72602	107	ROCGHCSHP781	262
RDTSGWT156(L/R)	245	REDH12F	124	RMEF72722	107	ROCGHCSHP841	262
RDTSHWG142(L/R)	244	REDH15F	124	RMEF90482	107	ROCGHCSHP901	262
RDTSHWG156(L/R)	244	REDH19F	124	RMEF90602	107	ROCGHCSHP961	262
RDTSHWT142(L/R)	244	REDH23F	124	RMEF90722	107	ROCGHDHP301	274
RDTSHWT156(L/R)	244	REDH29F	124	RMEF96482	107	ROCGHDHP361	274
RDTSTE33120(B/W)	400	REDH30	124	RMEF96602	107	ROCGHDHP421	274
RDTSTE3372(B/W)	400	REDH36	124	RMEF96722	107	ROCGHDHP481	274
RDTSTE33H(B/W)	400	REDHBH124	125	RMEW60482	106	ROCGHDHP541	274
RDTSTE3U120(B/W)	400	REDHBH130	125	RMEW60602	106	ROCGHDHP601	274
RDTSTE3U72(B/W)	400	RFBDD	416	RMEW72482	106	ROCGHDHP661	274
RDTSTE3UH(B/W)	400	RFDR30	423	RMEW72602	106	ROCGHDHP721	274
RDTSTE42120(B/W)	400	RFDR36	423	RMEW72722	106	ROCGHDHP781	274
RDTSTE4272(B/W)	400	RFDR42	423	RMEW90482	106	ROCGHDHP841	274
RDTSTE42H(B/W)	400	RFDR48	423	RMEW90602	106	ROCGHDHP901	274
RDTSTE4U120(B/W)	400	RFDR60	423	RMEW90722	106	ROCGHDHP961	274

pattern no.	page
ROCCHOCDHP601	277
ROCGHOCDHP661 ROCGHOCDHP721	277
ROCGHOCDHP781	277
ROCGHOCDHP841	277
ROCGHOCDHP901	277
ROCGHOCDHP961	277
ROCGHOCSHP601	264
ROCGHOCSHP661	264
ROCGHOCSHP721	264
ROCGHOCSHP781	264
ROCGHOCSHP841	264
ROCGHOCSHP901	264
ROCGHOCSHP961	264
ROCGHODHP601	277
ROCGHODHP661	277
ROCGHODHP721	277
ROCGHODHP781	277
ROCGHODHP841	277
ROCGHODHP901	277
ROCGHODHP961	277
ROCGHOSHP601	264
ROCCHOSHP661	264
ROCGHOSHP721 ROCGHOSHP781	264
ROCGHOSHP841	264
ROCGHOSHP901	264
ROCGHOSHP961	264
ROCGHSHP301	262
ROCGHSHP361	262
ROCGHSHP421	262
ROCGHSHP481	262
ROCGHSHP541	262
ROCGHSHP601	262
ROCGHSHP661	262
ROCGHSHP721	262
ROCGHSHP781	262
ROCGHSHP841	262
ROCGHSHP901	262
ROCGHSHP961	262
ROCHCDHP301	273
ROCHCDHP361	273
ROCHCDHP421	273
ROCHCDHP481	278 278
ROCHCDHP541 ROCHCDHP601	273
ROCHCDHP661	273
ROCHCDHP721	273
ROCHCDHP781	273
ROCHCDHP841	273
ROCHCDHP901	273
ROCHCDHP961	273
ROCHCSHP301	261
ROCHCSHP361	261
ROCHCSHP421	261
ROCHCSHP481	261
ROCHCSHP541	261
ROCHCSHP601	261
ROCHCSHP661	261
ROCHCSHP721	261
ROCHCSHP781	261
ROCHCSHP841	261
ROCHCSHP901	261
ROCHCSHP961	261
ROCHDHP301	273

pattern no.	page
ROCHDHP361	273
ROCHDHP421	273
ROCHDHP481	273
ROCHDHP541	273
ROCHDHP601 ROCHDHP661	273 273
ROCHDHP721	273
ROCHDHP781	273
ROCHDHP841	273
ROCHDHP901	273
ROCHDHP961	273
ROCHOCDHP601	276
ROCHOCDHP661	276
ROCHOCDHP721	276
ROCHOCDHP781	276
ROCHOCDHP841	276
ROCHOCDHP901 ROCHOCDHP961	276 276
ROCHOCSHP601	263
ROCHOCSHP661	263
ROCHOCSHP721	263
ROCHOCSHP781	263
ROCHOCSHP841	263
ROCHOCSHP901	263
ROCHOCSHP961	263
ROCHODHP601	276
ROCHODHP661	276
ROCHODHP721	276
ROCHODHP781 ROCHODHP841	276 276
ROCHODHP901	276
ROCHODHP961	276
ROCHOSHP601	263
ROCHOSHP661	263
ROCHOSHP721	263
ROCHOSHP781	263
ROCHOSHP841	263
ROCHOSHP901	263
ROCHOSHP961 ROCHSHP301	263 261
ROCHSHP361	261
ROCHSHP421	261
ROCHSHP481	261
ROCHSHP541	261
ROCHSHP601	261
ROCHSHP661	261
ROCHSHP721	261
ROCHSHP781	261
ROCHSHP841	261
ROCHSHP901	261
ROCHSHP961 ROCOCDHP301	275
ROCOCDHP361	275
ROCOCDHP421	275
ROCOCDHP481	275
ROCOCDHP541	275
ROCOCDHP601	275
ROCOCDHP661	275
ROCOCDHP721	275
ROCOCDHP781	275
ROCOCDHP841 ROCOCDHP901	275 275
ROCOCDHP901	275
ROCOCSHP301	260
ROCOCSHP361	260

pattern no. ROCOCSHP421	page 260
ROCOCSHP481	260
ROCOCSHP541	260
ROCOCSHP601	260
ROCOCSHP661	260
ROCOCSHP721	260
ROCOCSHP781	260
ROCOCSHP841	260
ROCOCSHP901	260
ROCOCSHP961	260
ROHDR30	423
ROHDR36	423
ROHDR42	423
ROHDR48 ROHDR60	423 423
ROHDR72	423
ROHDR90	423
ROHDR96	423
ROHGHCDHC601DH	286
ROHGHCDHC661DH	286
ROHGHCDHC721DH	286
ROHGHCDHC781DH	286
ROHGHCDHC841DH	286
ROHGHCDHC901DH	286
ROHGHCDHC961DH	286
ROHGHCSHC601DH	282
ROHGHCSHC661DH	282
ROHGHCSHC721DH ROHGHCSHC781DH	282
ROHGHCSHC841DH	282 282
ROHGHCSHC901DH	282
ROHGHCSHC961DH	282
ROHGHDHC601DH	286
ROHGHDHC661DH	286
ROHGHDHC721DH	286
ROHGHDHC781DH	286
ROHGHDHC841DH	286
ROHGHDHC901DH	286
ROHGHDHC961DH	286
ROHGHOCDHC601DH	287
ROHGHOCDHC661DH ROHGHOCDHC721DH	287
ROHGHOCDHC781DH	287 287
ROHGHOCDHC841DH	287
ROHGHOCDHC901DH	287
ROHGHOCDHC961DH	287
ROHGHOCSHC601DH	283
ROHGHOCSHC661DH	283
ROHGHOCSHC721DH	283
ROHGHOCSHC781DH	283
ROHGHOCSHC841DH	283
ROHGHOCSHC901DH	283
ROHGHOCSHC961DH	283
ROHGHODHC601DH	287
ROHGHODHC661DH	287
ROHGHODHC721DH	287
ROHGHODHC781DH ROHGHODHC841DH	287 287
ROHGHODHC901DH	287
ROHGHODHC961DH	287
ROHGHOSHC601DH	283
ROHGHOSHC661DH	283
ROHGHOSHC721DH	283
ROHGHOSHC781DH	283
ROHGHOSHC841DH	283

pattern no.	page
ROHGHOSHC901DH	283
ROHGHOSHC961DH	283
ROHGHSHC601DH	282
ROHGHSHC661DH	282
ROHGHSHC721DH	282
ROHGHSHC781DH ROHGHSHC841DH	282
ROHGHSHC901DH	282
ROHGHSHC961DH	282
ROHHCDHC601DH	285
ROHHCDHC661DH	285
ROHHCDHC721DH	285
ROHHCDHC781DH	285
ROHHCDHC841DH	285
ROHHCDHC901DH	285
ROHHCDHC961DH	285
ROHHCSHC601DH	281
ROHHCSHC661DH	281
ROHHCSHC721DH	281
ROHHCSHC781DH ROHHCSHC841DH	281
ROHHCSHC901DH	281
ROHHCSHC961DH	281
ROHHDHC601DH	285
ROHHDHC661DH	285
ROHHDHC721DH	285
ROHHDHC781DH	285
ROHHDHC841DH	285
ROHHDHC901DH	285
ROHHDHC961DH	285
ROHHDHS601DH(A/D)(N/F)	279
ROHHDHS661DH(A/D)(N/F)	279
ROHHDHS721DH(A/D)(N/F)	279
ROHHDHS781DH(A/D)(N/F)	279
ROHHDHS841DH(A/D)(N/F) ROHHDHS901DH(A/D)(N/F)	279 279
ROHHDHS961DH(A/D)(N/F)	279
ROHHOCDHC601DH	288
ROHHOCDHC661DH	288
ROHHOCDHC721DH	288
ROHHOCDHC781DH	288
ROHHOCDHC841DH	288
ROHHOCDHC901DH	288
ROHHOCDHC961DH	288
ROHHOCSHC601DH	284
ROHHOCSHC661DH	284
ROHHOCSHC721DH ROHHOCSHC781DH	284
ROHHOCSHC841DH	284
ROHHOCSHC901DH	284
ROHHOCSHC961DH	284
ROHHODHC601DH	288
ROHHODHC661DH	288
ROHHODHC721DH	288
ROHHODHC781DH	288
ROHHODHC841DH	288
ROHHODHC901DH	288
ROHHODHC961DH	288
ROHHOSHC601DH	284
ROHHOSHC661DH	284
ROHHOSHC721DH ROHHOSHC781DH	284
ROHHOSHC841DH	284
ROHHOSHC901DH	284
ROHHOSHC961DH	284
· · · · · · · · · · · · · · · · · · ·	

pattern no.	page
ROHHSHC601DH	281
ROHHSHC661DH	281
ROHHSHC721DH	281
ROHHSHC781DH ROHHSHC841DH	281
ROHHSHC901DH	281
ROHHSHC961DH	281
ROHHSHS601DH(A/D)(N/F)	278
ROHHSHS661DH(A/D)(N/F)	278
ROHHSHS721DH(A/D)(N/F)	278
ROHHSHS781DH(A/D)(N/F)	278
ROHHSHS841DH(A/D)(N/F)	278
ROHHSHS901DH(A/D)(N/F) ROHHSHS961DH(A/D)(N/F)	278 278
ROHMTF160	424
ROHMTF166	424
ROHMTF172	424
ROHMTF178	424
ROHMTF184	424
ROHMTF190	424
ROHMTF196	424
ROHODHC601DH	280
ROHODHC661DH	280
ROHODHC721DH ROHODHC781DH	280
ROHODHC841DH	280
ROHODHC901DH	280
ROHODHC961DH	280
ROHODHS601DH(A/D)(N/F)	279
ROHODHS661DH(A/D)(N/F)	279
ROHODHS721DH(A/D)(N/F)	279
ROHODHS781DH(A/D)(N/F)	279
ROHODHS841DH(A/D)(N/F)	279
ROHODHS901DH(A/D)(N/F)	279
ROHODHS961DH(A/D)(N/F) ROHOSHC601DH	279
ROHOSHC661DH	280
ROHOSHC721DH	280
ROHOSHC781DH	280
ROHOSHC841DH	280
ROHOSHC901DH	280
ROHOSHC961DH	280
ROHOSHS601DH(A/D)(N/F)	278
ROHOSHS661DH(A/D)(N/F)	278
ROHOSHS721DH(A/D)(N/F) ROHOSHS781DH(A/D)(N/F)	278
ROHOSHS841DH(A/D)(N/F)	278
ROHOSHS901DH(A/D)(N/F)	278
ROHOSHS961DH(A/D)(N/F)	278
ROHWTF160	425
ROHWTF166	425
ROHWTF172	425
ROHWTF178	425
ROHWTF184	425
ROHWTF190 ROHWTF196	425
ROMACDH601	266
ROMACDH661	266
ROMACDH721	266
ROMACDH781	266
ROMACDH841	266
ROMACDH901	266
ROMACDH961	266
ROMACSH601	253
ROMACSH661	253

pattern no.	page
ROMACSH721	253
ROMACSH781 ROMACSH841	253 253
ROMACSH901	253
ROMACSH961	253
ROMADH601	266
ROMADH661	266
ROMADH721	266
ROMADH781	266
ROMADH841	266
ROMADH901	266
ROMADH961	266
ROMASH601	253
ROMASH661	253
ROMASH721	253
ROMASH781	253
ROMASH841	253
ROMASH901	253
ROMASH961	253
ROMCGDHP301	265
ROMCGDHP361 ROMCGDHP421	265
ROMCGDHP481	265 265
ROMCGDHP541	265
ROMCGDHP601	265
ROMCGDHP661	265
ROMCGDHP721	265
ROMCGDHP781	265
ROMCGDHP841	265
ROMCGDHP901	265
ROMCGDHP961	265
ROMCGSHP301	252
ROMCGSHP361	252
ROMCGSHP421	252
ROMCGSHP481	252
ROMCGSHP541	252
ROMCGSHP601	252
ROMCGSHP661 ROMCGSHP721	252
ROMCGSHP721	252 252
ROMCGSHP841	252
ROMCGSHP901	252
ROMCGSHP961	252
ROMDHMTF130RB	418
ROMDHMTF130RL	418
ROMDHMTF130RN	419
ROMDHMTF130RR	419
ROMDHMTF136RB	418
ROMDHMTF136RL	418
ROMDHMTF136RN	419
ROMDHMTF136RR	419
ROMDHMTF142RB	418
ROMDHMTF142RL	418
ROMDHMTF142RN	419
ROMDHMTF142RR	419
ROMDHMTF148RB	418
ROMDHMTF148RL	418
ROMDHMTF148RN ROMDHMTF148RR	419
ROMDHMTF154RB	419
ROMDHMTF154RL	418
ROMDHMTF154RN	419
ROMDHMTF154RR	419
ROMDHMTF160RB	418
ROMDHMTF160RL	418

pattern no.	page
ROMDHMTF160RN	419
ROMDHMTF160RR	419
ROMDHMTF166RB ROMDHMTF166RL	418
ROMDHMTF166RN	419
ROMDHMTF166RR	419
ROMDHMTF172RB	418
ROMDHMTF172RL	418
ROMDHMTF172RN	419
ROMDHMTF172RR	419
ROMDHMTF178RB	418
ROMDHMTF178RL	418
ROMDHMTF178RN	419
ROMDHMTF178RR	419
ROMDHMTF184RB	418
ROMDHMTF184RL ROMDHMTF184RN	418
ROMDHMTF184RR	419
ROMDHMTF190RB	418
ROMDHMTF190RL	418
ROMDHMTF190RN	419
ROMDHMTF190RR	419
ROMDHMTF196RB	418
ROMDHMTF196RL	418
ROMDHMTF196RN	419
ROMDHMTF196RR	419
ROMDHWTF130RB	420
ROMDHWTF130RL	420
ROMDHWTF130RN ROMDHWTF130RR	421 421
ROMDHWTF136RB	420
ROMDHWTF136RL	420
ROMDHWTF136RN	421
ROMDHWTF136RR	421
ROMDHWTF142RB	420
ROMDHWTF142RL	420
ROMDHWTF142RN	421
ROMDHWTF142RR	421
ROMDHWTF148RB	420
ROMDHWTF148RL	420
ROMDHWTF148RN ROMDHWTF148RR	421
ROMDHWTF154RB	420
ROMDHWTF154RL	420
ROMDHWTF154RN	421
ROMDHWTF154RR	421
ROMDHWTF160RB	420
ROMDHWTF160RL	420
ROMDHWTF160RN	421
ROMDHWTF160RR	421
ROMDHWTF166RB	420
ROMDHWTF166RL	420
ROMDHWTF166RN ROMDHWTF166RR	421
ROMDHWTF172RB	420
ROMDHWTF172RL	420
ROMDHWTF172RN	421
ROMDHWTF172RR	421
ROMDHWTF178RB	420
ROMDHWTF178RL	420
ROMDHWTF178RN	421
ROMDHWTF178RR	421
ROMDHWTF184RB	420
ROMDHWTF184RL	420
ROMDHWTF184RN	421

pattern no.	page
ROMDHWTF184RR	421
ROMDHWTF190RB	420
ROMDHWTF190RL	420
ROMDHWTF190RN	421
ROMDHWTF190RR	421
ROMDHWTF196RB	420
ROMDHWTF196RL	420
ROMDHWTF196RN	421
ROMDHWTF196RR ROMFCDH601	421 268
ROMFCDH661	268
ROMFCDH721	268
ROMFCDH781	268
ROMFCDH841	268
ROMFCDH901	268
ROMFCDH961	268
ROMFCSH601	255
ROMFCSH661	255
ROMFCSH721	255
ROMFCSH781	255
ROMFCSH841	255
ROMFCSH901	255
ROMFCSH961	255
ROMFDH601	268
ROMFDH661	268
ROMFDH721	268
ROMFDH781	268
ROMFDH841	268
ROMFDH901	268
ROMFDH961	268
ROMFSH601	255
ROMFSH661	255
ROMFSH721	255
ROMFSH781	255
ROMFSH841	255
ROMFSH901	255
ROMFSH961 ROMGCDH601	255
ROMGCDH661	270 270
ROMGCDH721	270
ROMGCDH781	270
ROMGCDH841	270
ROMGCDH901	270
ROMGCDH961	270
ROMGCSH601	257
ROMGCSH661	257
ROMGCSH721	257
ROMGCSH781	257
ROMGCSH841	257
ROMGCSH901	257
ROMGCSH961	257
ROMGDH601	270
ROMGDH661	270
ROMGDH721	270
ROMGDH781	270
ROMGDH841	270
ROMGDH901	270
ROMGDH961	270
ROMGHCDHP301	269
ROMGHCDHP361	269
ROMGHCDHP421	269
ROMGHCDHP481	269
ROMGHCDHP541	269
ROMGHCDHP601	269
ROMGHCDHP661	269

pattern no.	page
ROMGHCDHP721	269
ROMGHCDHP781 ROMGHCDHP841	269
ROMGHCDHP901	269
ROMGHCDHP961	269
ROMGHCSHP301	256
ROMGHCSHP361	256
ROMGHCSHP421	256
ROMGHCSHP481	256
ROMGHCSHP541	256
ROMGHCSHP601	256
ROMGHCSHP661	256
ROMGHCSHP721	256
ROMGHCSHP781	256
ROMGHCSHP841	256
ROMGHCSHP901	256
ROMGHCSHP961	256
ROMGHDHP301	269
ROMGHDHP361	269
ROMGHDHP421	269
ROMGHDHP481 ROMGHDHP541	269
ROMGHDHP541 ROMGHDHP601	269 269
ROMGHDHP661	269
ROMGHDHP721	269
ROMGHDHP781	269
ROMGHDHP841	269
ROMGHDHP901	269
ROMGHDHP961	269
ROMGHOCDHP601	272
ROMGHOCDHP661	272
ROMGHOCDHP721	272
ROMGHOCDHP781	272
ROMGHOCDHP841	272
ROMGHOCDHP901	272
ROMGHOCDHP961	272
ROMGHOCSHP601	259
ROMGHOCSHP661	259
ROMGHOCSHP721	259
ROMGHOCSHP781 ROMGHOCSHP841	259
ROMGHOCSHP901	259 259
ROMGHOCSHP961	259
ROMGHODHP601	272
ROMGHODHP661	272
ROMGHODHP721	272
ROMGHODHP781	272
ROMGHODHP841	272
ROMGHODHP901	272
ROMGHODHP961	272
ROMGHOSHP601	259
ROMGHOSHP661	259
ROMGHOSHP721	259
ROMGHOSHP781	259
ROMGHOSHP841	259
ROMGHOSHP901	259
ROMGHOSHP961	259
ROMGHSHP301	256
ROMCHSHP361	256
ROMGHSHP421	256
ROMGHSHP481	256
ROMGHSHP541 ROMGHSHP601	256 256
ROMGHSHP661	256
ROMGHSHP721	256
	200

pattern no. ROMGHSHP781	256
ROMGHSHP841	256
ROMGHSHP901	256
ROMGHSHP961	256
ROMGSH601	257
ROMGSH661	257
ROMGSH721	257
ROMGSH781	257
ROMGSH841	257
ROMGSH901 ROMGSH961	257 257
ROMHCDHP301	267
ROMHCDHP361	267
ROMHCDHP421	267
ROMHCDHP481	267
ROMHCDHP541	267
ROMHCDHP601	267
ROMHCDHP661	267
ROMHCDHP721	267
ROMHCDHP781	267
ROMHCDHP841 ROMHCDHP901	267 267
ROMHCDHP901 ROMHCDHP961	267
ROMHCSHP301	254
ROMHCSHP361	254
ROMHCSHP421	254
ROMHCSHP481	254
ROMHCSHP541	254
ROMHCSHP601	254
ROMHCSHP661	254
ROMHCSHP721	254
ROMHCSHP781	254
ROMHCSHP841	254
ROMHCSHP901 ROMHCSHP961	254 254
ROMHDHP301	267
ROMHDHP361	267
ROMHDHP421	267
ROMHDHP481	267
ROMHDHP541	267
ROMHDHP601	267
ROMHDHP661	267
ROMHDHP721	267
ROMHDHP781	267
ROMHDHP841 ROMHDHP901	$\frac{267}{267}$
ROMHDHP961	267
ROMHOCDHP601	271
ROMHOCDHP661	271
ROMHOCDHP721	271
ROMHOCDHP781	271
ROMHOCDHP841	271
ROMHOCDHP901	271
ROMHOCDHP961	271
ROMHOCSHP601	258
ROMHOCSHP661	258
ROMHOCSHP721	258
ROMHOCSHP781 ROMHOCSHP841	258 258
ROMHOCSHP901	258
ROMHOCSHP961	258
ROMHODHP601	271
ROMHODHP661	271
ROMHODHP721	271
ROMHODHP781	271

nattern no.	page 271
ROMHODHP901	271
ROMHODHP961	271
ROMHOSHP601	258
ROMHOSHP661	258
ROMHOSHP721	258
ROMHOSHP781	258
ROMHOSHP841	258
ROMHOSHP901	258
ROMHOSHP961	258
ROMHSHP301	254
ROMHSHP361	254
ROMHSHP421	254
ROMHSHP481	254
ROMHSHP541 ROMHSHP601	254 254
ROMHSHP661	254
ROMHSHP721	254
ROMHSHP781	254
ROMHSHP841	254
ROMHSHP901	254
ROMHSHP961	254
ROMOCDHP301	265
ROMOCDHP361	265
ROMOCDHP421	265
ROMOCDHP481	265
ROMOCDHP541	265
ROMOCDHP601	265
ROMOCDHP661	265
ROMOCDHP721	265
ROMOCDHP781	265
ROMOCDHP841	265
ROMOCDHP901 ROMOCDHP961	265
ROMOCSHP301	252
ROMOCSHP361	252
ROMOCSHP421	252
ROMOCSHP481	252
ROMOCSHP541	252
ROMOCSHP601	252
ROMOCSHP661	252
ROMOCSHP721	252
ROMOCSHP781	252
ROMOCSHP841	252
ROMOCSHP901	252
ROMOCSHP961	252
ROSDH821	277
ROSSH681	277
ROTAF12(M)	101
ROTAF12(W)	102
ROTAF13(M)	101
ROTAF13(W) ROTAF22(M)	102
ROTAF22(W)	102
ROTAF23(M)	101
ROTAF23(W)	102
ROTAO12(M)	101
ROTAO13(M)	101
ROTAO22(M)	101
ROTAO23(M)	101
ROTRC18D	104
ROTRC18S	104
ROTRC30D	104
ROTRC30S	104
ROTRCE	104

pattern no. ROTRCF	page 103
ROTRE12	103
ROTRE24	103
ROTRIE	104
ROTRIENY	104
ROTRIT	104
ROTRITNY	104
ROTRJE24	105
ROTRJE30	105
ROTRJE36	105
ROTRJE42	105
ROTRJE48	105
ROTRJE54	105
ROTRJE60	105
ROTRJE66	105
ROTRJE72	105
ROTRJT24	105
ROTRJT30 ROTRJT36	105
ROTRJT42	105
ROTRJT48	105
ROTRJT54	105
ROTRJT60	105
ROTRJT66	105
ROTRJT72	105
ROTRM	103
ROTRP	104
ROTRT12	103
ROTRT24	103
RP161J	148, 151
RP161K	148, 151
RP161L(L/R)	153, 154
RP161M	153, 154
RP161R	139, 141
RP162J	148, 151
RP162K RP162L(L/R)	148, 151
RP162M	153, 154 153, 154
RP162R	139, 141
RP163J	148, 151
RP163K	148, 151
RP163L(L/R)	153, 154
RP163M	153, 154
RP191J	150, 152
RP191K	150, 152
RP191R	139, 141
RP192J	150, 152
RP192K	150, 152
RP192R	139, 141
RP193J	150, 152
RP193K	150, 152
RP241L(L/R)	156
RP241W	156
RP242L(L/R)	156
RP242W	156
RP301A RP301E(L/R)	145
RP301G	139, 141
RP301H	143, 144
RP301J	148, 151
RP301K	148, 151
RP301L	153, 154
RP301M	153, 154
RP301N	149, 151
RP301R	139, 141

pattern no.	page	pattern no.	page	pattern no.	page	pattern no.	page
RP301S	140, 142	RPDHB19	159	RPOFL278362	127	RPTDEPC(L/R)7820	51
RP301T	140, 142	RPDHB24	159	RPOFL284202	127	RPTDEPC(L/R)7824	51
RP302A	145	RPDHB30	159	RPOFL284242	127	RPTDEPC(L/R)7830	51
RP302E(L/R)	146	RPDHB36	159	RPOFL284302	127	RPTDEPC(L/R)7836	51
RP302G	139, 141	RPDHBF6	159	RPOFL284362	127	RPTDEPC(L/R)8420	51
RP302H	143, 144	RPDHC42MF	159	RPRL2	128	RPTDEPC(L/R)8424	51
RP302J	148, 151	RPDHC48MF	159	RPS2	128	RPTDEPC(L/R)8430	51
RP302K	148, 151	RPDHC54MF	159	RPSH241L(L/R)	158	RPTDEPC(L/R)8436	51
RP302L	153, 154	RPDHC60MF	159	RPSH241W	158	RPTDEST(L/R)6020	52
RP302M	153, 154	RPDHC66MF	159	RPSH242L(L/R)	158	RPTDEST(L/R)6024	52
RP302N	149, 151	RPDHC72MF	159	RPSH242W	158	RPTDEST(L/R)6030	52
RP302R	139, 141	RPDHC78MF	159	RPSHB24	159	RPTDEST(L/R)6036	52
RP302S	140, 142	RPDHC84MF	159	RPSHBF6	159	RPTDEST(L/R)6620	52
RP302T	140, 142	RPDHC90MF	159	RPSHC78MF	159	RPTDEST(L/R)6624	52
RP361A	145	RPDHC96MF	159	RPSHC84MF	159	RPTDEST(L/R)6630	52
RP361E(L/R)	146	RPDHH301A	155	RPTDCFM8430	58	RPTDEST(L/R)6636	52
RP361G	139, 141	RPDHH302A	155	RPTDCFM9630	58	RPTDEST(L/R)7220	52
RP361H	143, 144	RPDHH361A	155	RPTDEFM(L/R)3620	53	RPTDEST(L/R)7224	52
RP361J	148, 151	RPDHH362A	155	RPTDEFM(L/R)3624	53	RPTDEST(L/R)7230	52
RP361K	148, 151	RPECC10	461	RPTDEFM(L/R)3630	54	RPTDEST(L/R)7236	52
RP361L	153, 154	RPEDC	461	RPTDEFM(L/R)3636	54	RPTDEST(L/R)7820	52
RP361M	153, 154	RPEDK1	460	RPTDEFM(L/R)4220	53	RPTDEST(L/R)7824	52
RP361N	149, 151	RPEDK2	460	RPTDEFM(L/R)4224	53	RPTDEST(L/R)7830	52
RP361R	139, 141	RPEHC	460	RPTDEFM(L/R)4230	54	RPTDEST(L/R)7836	52
RP361S	140, 142	RPEJ12	461	RPTDEFM(L/R)4236	54	RPTDEST(L/R)8420	52
RP361T	140, 142	RPEJ24	461	RPTDEFM(L/R)4820	53	RPTDEST(L/R)8424	52
RP362A	145	RPEJ36	461	RPTDEFM(L/R)4824	53	RPTDEST(L/R)8430	52
RP362E(L/R)	146	RPEJ48	461	RPTDEFM(L/R)4830	54	RPTDEST(L/R)8436	52
RP362G	139, 141	RPEJ60	461	RPTDEFM(L/R)4836	54	RPTDLFM(L/R)3620	37
RP362H	143, 144	RPEJ72	461		53		37
				RPTDEFM(L/R)5420		RPTDLFM(L/R)3624	
RP362J	148, 151	RPEJ84	461	RPTDEFM(L/R)5424	53	RPTDLFM(L/R)3630	38
RP362K	148, 151	RPEJ96	461	RPTDEFM(L/R)5430	54	RPTDLFM(L/R)3636	38
RP362L	153, 154	RPEPE10	460	RPTDEFM(L/R)5436	54	RPTDLFM(L/R)4220	37
RP362M	153, 154	RPEPE10SF	460	RPTDEFM(L/R)6020	53	RPTDLFM(L/R)4224	37
RP362N	149, 151	RPEPE5	460	RPTDEFM(L/R)6024	53	RPTDLFM(L/R)4230	38
RP362R	139, 141	RPEPE5SF	460	RPTDEFM(L/R)6030	54	RPTDLFM(L/R)4236	38
RP362S	140, 142	RPER2RC	461	RPTDEFM(L/R)6036	54	RPTDLFM(L/R)4820	37
RP362T	140, 142	RPETAD	415	RPTDEFM(L/R)6620	53	RPTDLFM(L/R)4824	37
RPAD	414	RPETRAY3C	415	RPTDEFM(L/R)6624	53	RPTDLFM(L/R)4830	38
RPADKIT	414	RPETRAY3N	415	RPTDEFM(L/R)6630	54	RPTDLFM(L/R)4836	38
RPADSS	415	RPFC6	159	RPTDEFM(L/R)6636	54	RPTDLFM(L/R)5420	37
RPAHFB16	415	RPH301A	145	RPTDEFM(L/R)7220	53	RPTDLFM(L/R)5424	37
RPAHFB30	415	RPH302A	145	RPTDEFM(L/R)7224	53	RPTDLFM(L/R)5430	38
RPAHFB36	415	RPH361A	145	RPTDEFM(L/R)7230	54	RPTDLFM(L/R)5436	38
RPAHFM162	415	RPH362A	145	RPTDEFM(L/R)7236	54	RPTDLFM(L/R)6020	37
RPAHFM30	415	RPL2	128	RPTDEFM(L/R)7820	53	RPTDLFM(L/R)6024	37
RPAHFM36	415	RPOFL1202	127	RPTDEFM(L/R)7824	53	RPTDLFM(L/R)6030	38
RPAPT	415	RPOFL1242	127	RPTDEFM(L/R)7830	54	RPTDLFM(L/R)6036	38
RPCB16	159	RPOFL1302	127	RPTDEFM(L/R)7836	54	RPTDLFM(L/R)6620	37
RPCB19	159	RPOFL1362	127	RPTDEFM(L/R)8420	53	RPTDLFM(L/R)6624	37
RPCB30	159	RPOFL260202	127	RPTDEFM(L/R)8424	53	RPTDLFM(L/R)6630	38
RPCB36	159	RPOFL260242	127	RPTDEFM(L/R)8430	54	RPTDLFM(L/R)6636	38
RPCG	410	RPOFL260302	127	RPTDEFM(L/R)8436	54	RPTDLFM(L/R)7220	37
RPCST	410	RPOFL260362	127	RPTDEPC(L/R)6020	51	RPTDLFM(L/R)7224	37
RPD11	417	RPOFL266202	127	RPTDEPC(L/R)6024	51	RPTDLFM(L/R)7230	38
RPD14	417	RPOFL266242	127	RPTDEPC(L/R)6030	51	RPTDLFM(L/R)7236	38
RPDH301A	155	RPOFL266302	127	RPTDEPC(L/R)6036	51	RPTDLFM(L/R)7820	37
RPDH301E(L/R)	157	RPOFL266362	127	RPTDEPC(L/R)6620	51	RPTDLFM(L/R)7824	37
RPDH302A	155	RPOFL272202	127	RPTDEPC(L/R)6624	51	RPTDLFM(L/R)7830	38
RPDH302E(L/R)	157	RPOFL272242	127	RPTDEPC(L/R)6630	51	RPTDLFM(L/R)7836	38
RPDH361A	155	RPOFL272302	127	RPTDEPC(L/R)6636	51	RPTDLFM(L/R)8420	37
RPDH361E(L/R)	157	RPOFL272362	127	RPTDEPC(L/R)7220	51	RPTDLFM(L/R)8424	37
RPDH362A	155	RPOFL278202	127	RPTDEPC(L/R)7224	51	RPTDLFM(L/R)8430	38
RPDH362E(L/R)	157	RPOFL278242	127	RPTDEPC(L/R)7230	51	RPTDLFM(L/R)8436	38
RPDHB16	159	RPOFL278302	127	RPTDEPC(L/R)7236	51	RPTDLPC(L/R)6020	35
			<u> </u>	. ,			

pattern no.	page						
RPTDLPC(L/R)6024	35	RPTDOFM(L/R)7230	50	RPTDRFM(L/R)5436	42	RPTDSFM(L/R)4220	45
RPTDLPC(L/R)6030	35	RPTDOFM(L/R)7236	50	RPTDRFM(L/R)6020	41	RPTDSFM(L/R)4224	45
RPTDLPC(L/R)6036	35	RPTDOFM(L/R)7820	49	RPTDRFM(L/R)6024	41	RPTDSFM(L/R)4230	46
RPTDLPC(L/R)6620	35	RPTDOFM(L/R)7824	49	RPTDRFM(L/R)6030	42	RPTDSFM(L/R)4236	46
RPTDLPC(L/R)6624	35	RPTDOFM(L/R)7830	50	RPTDRFM(L/R)6036	42	RPTDSFM(L/R)4820	45
RPTDLPC(L/R)6630	35	RPTDOFM(L/R)7836	50	RPTDRFM(L/R)6620	41	RPTDSFM(L/R)4824	45
RPTDLPC(L/R)6636	35	RPTDOFM(L/R)8420	49	RPTDRFM(L/R)6624	41	RPTDSFM(L/R)4830	46
RPTDLPC(L/R)7220	35		49		42		46
		RPTDOFM(L/R)8424		RPTDRFM(L/R)6630		RPTDSFM(L/R)4836	
RPTDLPC(L/R)7224	35	RPTDOFM(L/R)8430	50	RPTDRFM(L/R)6636	42	RPTDSFM(L/R)5420	45
RPTDLPC(L/R)7230	35	RPTDOFM(L/R)8436	50	RPTDRFM(L/R)7220	41	RPTDSFM(L/R)5424	45
RPTDLPC(L/R)7236	35	RPTDOPC(L/R)6020	47	RPTDRFM(L/R)7224	41	RPTDSFM(L/R)5430	46
RPTDLPC(L/R)7820	35	RPTDOPC(L/R)6024	47	RPTDRFM(L/R)7230	42	RPTDSFM(L/R)5436	46
RPTDLPC(L/R)7824	35	RPTDOPC(L/R)6030	47	RPTDRFM(L/R)7236	42	RPTDSFM(L/R)6020	45
RPTDLPC(L/R)7830	35	RPTDOPC(L/R)6036	47	RPTDRFM(L/R)7820	41	RPTDSFM(L/R)6024	45
RPTDLPC(L/R)7836	35	RPTDOPC(L/R)6620	47	RPTDRFM(L/R)7824	41	RPTDSFM(L/R)6030	46
RPTDLPC(L/R)8420	35	RPTDOPC(L/R)6624	47	RPTDRFM(L/R)7830	42	RPTDSFM(L/R)6036	46
RPTDLPC(L/R)8424	35	RPTDOPC(L/R)6630	47	RPTDRFM(L/R)7836	42	RPTDSFM(L/R)6620	45
RPTDLPC(L/R)8430	35	RPTDOPC(L/R)6636	47	RPTDRFM(L/R)8420	41	RPTDSFM(L/R)6624	45
RPTDLPC(L/R)8436	35	RPTDOPC(L/R)7220	47	RPTDRFM(L/R)8424	41	RPTDSFM(L/R)6630	46
RPTDLST(L/R)6020	36	RPTDOPC(L/R)7224	47	RPTDRFM(L/R)8430	42	RPTDSFM(L/R)6636	46
RPTDLST(L/R)6024	36	RPTDOPC(L/R)7230	47	RPTDRFM(L/R)8436	42	RPTDSFM(L/R)7220	45
RPTDLST(L/R)6030	36	RPTDOPC(L/R)7236	47	RPTDRPC(L/R)6020	39	RPTDSFM(L/R)7224	45
RPTDLST(L/R)6036	36	RPTDOPC(L/R)7820	47	RPTDRPC(L/R)6024	39	RPTDSFM(L/R)7230	46
RPTDLST(L/R)6620	36	RPTDOPC(L/R)7824	47	RPTDRPC(L/R)6030	39	RPTDSFM(L/R)7236	46
RPTDLST(L/R)6624	36	RPTDOPC(L/R)7830	47	RPTDRPC(L/R)6036	39	RPTDSFM(L/R)7820	45
RPTDLST(L/R)6630	36	RPTDOPC(L/R)7836	47	RPTDRPC(L/R)6620	39	RPTDSFM(L/R)7824	45
RPTDLST(L/R)6636	36	RPTDOPC(L/R)8420	47	RPTDRPC(L/R)6624	39	RPTDSFM(L/R)7830	46
RPTDLST(L/R)7220	36	RPTDOPC(L/R)8424	47	RPTDRPC(L/R)6630	39	RPTDSFM(L/R)7836	46
·			47				45
RPTDLST(L/R)7224	36	RPTDOPC(L/R)8430		RPTDRPC(L/R)6636	39	RPTDSFM(L/R)8420	
RPTDLST(L/R)7230	36	RPTDOPC(L/R)8436	47	RPTDRPC(L/R)7220	39	RPTDSFM(L/R)8424	45
RPTDLST(L/R)7236	36	RPTDOST(L/R)6020	48	RPTDRPC(L/R)7224	39	RPTDSFM(L/R)8430	46
RPTDLST(L/R)7820	36	RPTDOST(L/R)6024	48	RPTDRPC(L/R)7230	39	RPTDSFM(L/R)8436	46
RPTDLST(L/R)7824	36	RPTDOST(L/R)6030	48	RPTDRPC(L/R)7236	39	RPTDSPC(L/R)6020	43
RPTDLST(L/R)7830	36	RPTDOST(L/R)6036	48	RPTDRPC(L/R)7820	39	RPTDSPC(L/R)6024	43
RPTDLST(L/R)7836	36	RPTDOST(L/R)6620	48	RPTDRPC(L/R)7824	39	RPTDSPC(L/R)6030	43
RPTDLST(L/R)8420	36	RPTDOST(L/R)6624	48	RPTDRPC(L/R)7830	39	RPTDSPC(L/R)6036	43
RPTDLST(L/R)8424	36	RPTDOST(L/R)6630	48	RPTDRPC(L/R)7836	39	RPTDSPC(L/R)6620	43
RPTDLST(L/R)8430	36	RPTDOST(L/R)6636	48	RPTDRPC(L/R)8420	39	RPTDSPC(L/R)6624	43
RPTDLST(L/R)8436	36	RPTDOST(L/R)7220	48	RPTDRPC(L/R)8424	39	RPTDSPC(L/R)6630	43
RPTDOFM(L/R)3620	49	RPTDOST(L/R)7224	48	RPTDRPC(L/R)8430	39	RPTDSPC(L/R)6636	43
RPTDOFM(L/R)3624	49	RPTDOST(L/R)7230	48	RPTDRPC(L/R)8436	39	RPTDSPC(L/R)7220	43
RPTDOFM(L/R)3630	50	RPTDOST(L/R)7236	48	RPTDRST(L/R)6020	40	RPTDSPC(L/R)7224	43
RPTDOFM(L/R)3636	50	RPTDOST(L/R)7820	48	RPTDRST(L/R)6024	40	RPTDSPC(L/R)7230	43
RPTDOFM(L/R)4220	49	RPTDOST(L/R)7824	48	RPTDRST(L/R)6030	40	RPTDSPC(L/R)7236	43
RPTDOFM(L/R)4224	49	RPTDOST(L/R)7830	48	RPTDRST(L/R)6036	40	RPTDSPC(L/R)7820	43
RPTDOFM(L/R)4230	50	RPTDOST(L/R)7836	48	RPTDRST(L/R)6620	40	RPTDSPC(L/R)7824	43
RPTDOFM(L/R)4236	50	RPTDOST(L/R)8420	48	RPTDRST(L/R)6624	40	RPTDSPC(L/R)7830	43
RPTDOFM(L/R)4820	49	RPTDOST(L/R)8424	48	RPTDRST(L/R)6630	40	RPTDSPC(L/R)7836	43
RPTDOFM(L/R)4824	49	RPTDOST(L/R)8430	48	RPTDRST(L/R)6636	40	RPTDSPC(L/R)8420	43
RPTDOFM(L/R)4830	50	RPTDOST(L/R)8436	48	RPTDRST(L/R)7220	40	RPTDSPC(L/R)8424	43
RPTDOFM(L/R)4836	50	RPTDRFM(L/R)3620	41	RPTDRST(L/R)7224	40	RPTDSPC(L/R)8430	43
RPTDOFM(L/R)5420	49	RPTDRFM(L/R)3624	41	RPTDRST(L/R)7230	40	RPTDSPC(L/R)8436	43
RPTDOFM(L/R)5424	49	RPTDRFM(L/R)3630	42	RPTDRST(L/R)7236	40	RPTDSST(L/R)6020	44
RPTDOFM(L/R)5430	50	RPTDRFM(L/R)3636	42	RPTDRST(L/R)7820	40	RPTDSST(L/R)6024	44
RPTDOFM(L/R)5436	50	RPTDRFM(L/R)4220	41	RPTDRST(L/R)7824	40	RPTDSST(L/R)6030	44
RPTDOFM(L/R)6020	49	RPTDRFM(L/R)4224	41	RPTDRST(L/R)7830	40	RPTDSST(L/R)6036	44
RPTDOFM(L/R)6024	49	RPTDRFM(L/R)4230	42	RPTDRST(L/R)7836	40	RPTDSST(L/R)6620	44
·						- <del></del>	
RPTDOFM(L/R)6030	50	RPTDRFM(L/R)4236	42	RPTDRST(L/R)8420	40	RPTDSST(L/R)6624	44
RPTDOFM(L/R)6036	50	RPTDRFM(L/R)4820	41	RPTDRST(L/R)8424	40	RPTDSST(L/R)6630	44
RPTDOFM(L/R)6620	49	RPTDRFM(L/R)4824	41	RPTDRST(L/R)8430	40	RPTDSST(L/R)6636	44
RPTDOFM(L/R)6624	49	RPTDRFM(L/R)4830	42	RPTDRST(L/R)8436	40	RPTDSST(L/R)7220	44
RPTDOFM(L/R)6630	50	RPTDRFM(L/R)4836	42	RPTDSFM(L/R)3620	45	RPTDSST(L/R)7224	44
RPTDOFM(L/R)6636	50	RPTDRFM(L/R)5420	41	RPTDSFM(L/R)3624	45	RPTDSST(L/R)7230	44
RPTDOFM(L/R)7220	49	RPTDRFM(L/R)5424	41	RPTDSFM(L/R)3630	46	RPTDSST(L/R)7236	44
RPTDOFM(L/R)7224	49	RPTDRFM(L/R)5430	42	RPTDSFM(L/R)3636	46	RPTDSST(L/R)7820	44

pattern no.	page	pattern no.	page	pattern no.	page	pattern no.	page
RPTDSST(L/R)7824	44	RROC2GSD90	289	RSD1022	21	RSDHL24	130
RPTDSST(L/R)7830	44	RROC2WSD108	290	RSD1023	22	RSDHL30	130
RPTDSST(L/R)7836	44	RROC2WSD90	290	RSD1081	21	RSDHL36	130
RPTDSST(L/R)8420	44	RROCGSD108GB	289	RSD1082	21	RSDHL42	130
RPTDSST(L/R)8424	44	RROCGSD90GB	289	RSD1083	22	RSDHL48	130
RPTDSST(L/R)8430	44	RROCGSDL60GB	289	RSD241	21	RSDHT1	130
RPTDSST(L/R)8436	44	RROCGSDL72GB	289	RSD242	21	RSDHT2	130
RPULLSMPC	429	RROCGSDR60GB	289	RSD243	22	RSDHT3	130
RPULLSMPD	429	RROCGSDR72GB	289	RSD301	21	RSDHT4	130
RPULLSMPF	428	RROCOS108GB	291	RSD302	21	RSDHT5	130
RPULLSMPG	428	RROCOS60GB	291	RSD303	22	RSDHT6	130
RPULLSMPH	428	RROCOS72GB	291	RSD361	21	RSDR30	423
RPULLSMPJ	429	RROCOS90GB	291	RSD362	21	RSDR36	423
RPULLSMPR	428	RROCWSD108GB	290	RSD363	22	RSDR361(H/V)	250
RPULLSMPS	429	RROCWSD90GB	290	RSD421	21	RSDR361(H/V)	24
RPULLSMPT	428	RROCWSDL60GB	290	RSD422	21	RSDR362(H/V)	250
RPWFL28	128	RROCWSDL72GB	290	RSD423	22	RSDR362(H/V)	24
RR3-DA	103	RROCWSDR60GB	290	RSD481	21	RSDR42	423
RR3-DB	103	RROCWSDR72GB	290	RSD482	21	RSDR421(H/V)	250
RR3-DC	103	RROM2GSD108	293	RSD483	22	RSDR421(H/V)	24
RR3-DX	103	RROM2GSD90	293	RSD541	21	RSDR422(H/V)	250
RR3-DXO	103	RROM2WSD108	295	RSD542	21	RSDR422(H/V)	24
RR3-DXT	103	RROM2WSD90	295	RSD543	22	RSDR48	423
RR3-DY	103	RROMGSD108GB	293	RSD601	21	RSDR481(H/V)	250
RR3-DYO	103	RROMGSD108GN	292	RSD602	21	RSDR481(H/V)	24
RR3-DYT	103	RROMGSD60GL	292	RSD603	22	RSDR482(H/V)	250
RR3-DZ	103	RROMGSD60GR	292	RSD604	22	RSDR482(H/V)	24
RR3-DZO	103	RROMGSD72GL	292	RSD661	21	RSDR54	423
RR3-DZT	103	RROMGSD72GR	292	RSD662	21	RSDR541(H/V)	250
RR3MP4	427	RROMGSD90GB	293	RSD663	22	RSDR541(H/V)	24
RR3MP6	427	RROMGSD90GN	292	RSD664	22	RSDR542(H/V)	250
RRBRD2712	427	RROMGSDL60GB	293	RSD721	21	RSDR542(H/V)	24
RRLCFDC20108	160	RROMGSDL72GB	293	RSD722	21	RSDR60	423
RRLCFDC2090	160	RROMGSDR60GB	293	RSD723	22	RSDR601(H/V)	250
RRLCFDCC20108	160	RROMGSDR72GB	293	RSD724	22	RSDR601(H/V)	24
RRLCFDCC2090	160	RROMOS108GB	296	RSD724 RSD781	21	RSDR602(H/V)	250
RRLCFDCL2060	160	RROMOS108GN	296	RSD782	21	RSDR602(H/V)	24
RRLCFDCL2072	160	RROMOS60GB	296	RSD783	22	RSDR66	423
RRLCFDCR2060	160	RROMOS60GL	296	RSD841	21	RSDR661(H/V)	250
RRLCFDCR2072	160	RROMOS60GR	296	RSD842	21	RSDR661(H/V)	24
RRLC020108	161	RROMOS72GB	296	RSD843	22	RSDR662(H/V)	250
RRLCO2060	161	RROMOS72GL	296	RSD901	21	RSDR662(H/V)	24
RRLC02072	161	RROMOS72GR	296	RSD902	21	RSDR72	423
RRLC02090	161	RROMOS90GB	296	RSD903	22	RSDR721(H/V)	250
RRLCSGD20108	162	RROMOS90GN	296	RSD961	21	RSDR721(H/V)	24
RRLCSGD2090	162	RROMWSD108GB	294	RSD962	21	RSDR722(H/V)	250
RRLCSGDL2060	162	RROMWSD108GN	294	RSD963	22	RSDR722(H/V)	24
RRLCSGDL2072	162	RROMWSD60GL	294	RSDHC254	126	RSDR78	423
RRLCSGDR2060	162	RROMWSD60GR	294	RSDHC3	126	RSDR84	423
RRLCSGDR2072	162	RROMWSD72GL	294	RSDHC304	126	RSDR90	423
RRLCSWD20108	163	RROMWSD72GR	294	RSDHC404	126	RSDR96	423
RRLCSWD2090	163	RROMWSD90GB	294	RSDHC404	126	RSEDH1(L/R)	124
RRLCSWDL2060	163	RROMWSD90GN	294	RSDHD1428	129, 130	RSEDH2(L/R)	124
RRLCSWDL2072	163	RROMWSDL60GB	295	RSDHD1828	129, 130	RSEDH3(L/R)	124
RRLCSWDR2060	163	RROMWSDL72GB	295	RSDHD2028	129, 130	RSEDH4(L/R)	124
RRLCSWDR2072							124
RRMC3010	163 298	RROMWSDR60GB RROMWSDR72GB	295 295	RSDHD2428 RSDHD3028	129, 130 129, 130	RSEDH5(L/R) RSEDH6(L/R)	124
RRMC3610	298	RSAMP1616	427	RSDHD3628	130	RST RSTDCFM/L/RM930	410
RRMC6010	298	RSBWH20	121	RSDHHA2028	130	RSTDCFM(L/R)4830	57
RRMC7210	298	RSBWH24	121	RSDHHA2428	130	RSTDCFM(L/R)4836	57
RRML108	297	RSBWH30	121	RSDHHA3028	130	RSTDCFM(L/R)5430	57
RRML60	297	RSBWH36	121	RSDHHA3628	130	RSTDCFM(L/R)5436	57
RRML72	297	RSBWH42	121	RSDHL12	130	RSTDCFM(L/R)6030	57
RRML90	297	RSBWH48	121	RSDHL15	130	RSTDCFM(L/R)6036	57
RROC2GSD108	289	RSD1021	21	RSDHL20	130	RSTDCFM(L/R)6630	57

pattern no.	page	pattern no.	page	pattern no.	page	pattern no.	page
RSTDCFM(L/R)6636	57	RTLT5E25S	422	RTM4216363	100	RTPNM48H8	374
RSTDCFM(L/R)7230	57	RTLT5E37A	422	RTM4216422	97	RTPNM54H1	340, 341
RSTDCFM(L/R)7236	57	RTLT5E37S	422	RTM4216482	97	RTPNM54H2	345, 346
RSTDCFM(L/R)7830	57	RTLT5E49A	422	RTM4216602	99	RTPNM54H3	350, 351
RSTDCFM(L/R)7836	57	RTLT5E49S	422	RTM4216722	99	RTPNM54H4	355, 356
RSTDCFM(L/R)8430	57	RTLT5E61A	422	RTM460602	98	RTPNM54H5	360, 361
RSTDCFM(L/R)8436	57	RTLT5E61S	422	RTM472362	83	RTPNM54H6	365
RSTDCPC(L/R)6030	55	RTLT5E73A	422	RTM472422	83	RTPNM60H1	340, 341
RSTDCPC(L/R)6036	55	RTLT5E73S	422	RTM472482	84	RTPNM60H2	345, 346
RSTDCPC(L/R)6630	55	RTLT5E85A	422	RTM472602	98	RTPNM60H3	350, 351
RSTDCPC(L/R)6636	55	RTLT5E85S	422	RTM472722	98	RTPNM60H4	355, 356
RSTDCPC(L/R)7230	55	RTM272362	81	RTM478362	83	RTPNM60H5	360, 361
RSTDCPC(L/R)7236	55	RTM272422	81	RTM478422	83	RTPNM60H6	365
RSTDCPC(L/R)7830	55	RTM272482	82	RTM478482	84	RTPNM66H1	340, 341
RSTDCPC(L/R)7836	55	RTM278362	81	RTM484362	83	RTPNM66H2	345, 346
RSTDCPC(L/R)8430	55	RTM278422	81	RTM484422	83	RTPNM66H3	350, 351
RSTDCPC(L/R)8436	55	RTM278482	82	RTM484482	84	RTPNM66H4	355, 356
RSTDCST(L/R)6030	56	RTM284362	81	RTM484602	98	RTPNM66H5	360, 361
RSTDCST(L/R)6036	56	RTM284422	81	RTM484722	98	RTPNM66H6	365
RSTDCST(L/R)6630	56	RTM284482	82	RTM490362	83	RTPNM72H1	340, 341
RSTDCST(L/R)6636	56	RTM290362	81	RTM490422	83	RTPNM72H2	345, 346
RSTDCST(L/R)7230	56	RTM290422	81	RTM490482	84	RTPNM72H3	350, 351
RSTDCST(L/R)7236	56	RTM290482	82	RTM496362	83	RTPNM72H4	355, 356
RSTDCST(L/R)7830	56	RTM296362	81	RTM496422 RTM496482	83	RTPNM72H5 RTPNM72H6	360, 361
RSTDCST(L/R)7836	56	RTM296422	81		84		365 340, 341
RSTDCST(L/R)8430 RSTDCST(L/R)8436	56 56	RTM296482 RTM4108303	82 100	RTM496602 RTM496722	98	RTPNM78H1 RTPNM78H2	345, 346
RSTRLE362	111	RTM4108362	96	RTNDC364	80	RTPNM78H3	350, 351
RSTRLE363	116	RTM4108363	100	RTNDC304 RTNDC422	79	RTPNM78H4	355, 356
RSTRLE422	111	RTM4108422	96	RTNDC424	80	RTPNM78H5	360, 361
RSTRLE423	116	RTM4108482	97	RTNDC482	79	RTPNM78H6	365
RSTRSE362	113	RTM4108602	99	RTNDC484	80	RTPNM84H1	340, 341
RSTRSE363	118	RTM4108722	99	RTOP1	427	RTPNM84H2	345, 346
RSTRSE422	113	RTM4120303	100	RTOP2	427	RTPNM84H3	350, 351
RSTRSE423	118	RTM4120362	96	RTPNM30H1	340, 341	RTPNM84H4	355, 356
RSTRWE362	112	RTM4120363	100	RTPNM30H2	345, 346	RTPNM84H5	360, 361
RSTRWE363	117	RTM4120422	96	RTPNM30H3	350, 351	RTPNM84H6	365
RSTRWE422	112	RTM4120482	97	RTPNM30H4	355, 356	RTPNM90H1	340, 341
RSTRWE423	117	RTM4120602	99	RTPNM30H5	360, 361	RTPNM90H2	345, 346
RSTSLE362	111	RTM4120722	99	RTPNM30H6	365, 366	RTPNM90H3	350, 351
RSTSLE363	116	RTM4132303	100	RTPNM30H7	370	RTPNM90H4	355, 356
RSTSLE422	111	RTM4132363	100	RTPNM30H8	374	RTPNM90H5	360, 361
RSTSLE423	116	RTM4144303	100	RTPNM36H1	340, 341	RTPNM90H6	365
RSTSSE362	113	RTM4144362	96	RTPNM36H2	345, 346	RTPNM96H1	340, 341
RSTSSE363	118	RTM4144363	100	RTPNM36H3	350, 351	RTPNM96H2	345, 346
RSTSSE422	113	RTM4144422	96	RTPNM36H4	355, 356	RTPNM96H3	350, 351
RSTSSE423	118	RTM4144482	97	RTPNM36H5	360, 361	RTPNM96H4	355, 356
RSTSWE362	112	RTM4144602	99	RTPNM36H6	365, 366	RTPNM96H5	360, 361
RSTSWE363	117	RTM4144722	99	RTPNM36H7	370	RTPNM96H6	365
RSTSWE422	112	RTM4156303	100	RTPNM36H8	374	RTPRS30H1	342, 343, 344
RSTSWE423	117	RTM4156362	96	RTPNM42H1	340, 341	RTPRS30H2	347, 348, 349
RSTTLE30482	111	RTM4156363	100	RTPNM42H2	345, 346	RTPRS30H3	352, 353, 354
RSTTLE30483	116	RTM4156422	96	RTPNM42H3	350, 351	RTPRS30H4	357, 358, 359
RSTTLE36542	111	RTM4156482	97	RTPNM42H4	355, 356	RTPRS30H5	362, 363, 364
RSTTLE36543	116	RTM4156602	99	RTPNM42H5	360, 361	RTPRS30H6	367, 368, 369
RSTTSE30482	113	RTM4156722	99	RTPNM42H6	365, 366	RTPRS30H7	371, 372, 373
RSTTSE30483	118	RTM4180303	100	RTPNM42H7	370	RTPRS30H8	375, 376, 377
RSTTSE36542	113	RTM4180362	96	RTPNM42H8	374	RTPRS36H1	342, 343, 344
RSTTSE36543	118	RTM4180363	100	RTPNM48H1	340, 341	RTPRS36H2	347, 348, 349
RSTTWE30482	112	RTM4180422	96	RTPNM48H2	345, 346	RTPRS36H3	352, 353, 354
RSTTWE30483	117	RTM4180482	97	RTPNM48H3	350, 351	RTPRS36H4	357, 358, 359
RSTTWE36542	112	RTM4180602	99	RTPNM48H4	355, 356	RTPRS36H5	362, 363, 364
RSTTWE36543	117	RTM4180722	99	RTPNM48H5	360, 361	RTPRS36H6	367, 368, 369
RTLT5E19S	422	RTM4216303	100	RTPNM48H6	365, 366	RTPRS36H7	371, 372, 373
RTLT5E25A	422	RTM4216362	97	RTPNM48H7	370	RTPRS36H8	375, 376, 377

STEPS-SECTION   347, 344, 344   STEPS CARDINA   300   STEPS CARDINA   317, 344, 345   347, 3	pattern no.	page	pattern no.	page	pattern no.	page	pattern no.	page
PRINSEARI   \$2,00.55	RTPRS42H1		RTRDC60304		RWHDHTB36H4			411
Personal   35,85,85   Personal   Personal				80	RWHDHTB36H5	382	RWMT1512R	413
1978-2411   \$57,88,39								413
Personant   1971, 207, 207, 207, 207, 207, 207, 207, 207							RWMT2712R	413
Personal	RTPRS42H5	362, 363, 364	RTRDC84422	79	RWHDHTB42H2	379	RWMT2712U	413
Personal   34, 54, 57, 57, 57, 57, 57, 57, 57, 57, 57, 57			RTRDC96482	79	RWHDHTB42H3	380	RWMT3912R	413
Personal   34, 54, 57, 57, 57, 57, 57, 57, 57, 57, 57, 57			RTRDL48302	76	RWHDHTB42H4	381	RWMT3912U	413
Personal   34,24,34   Personal   Personal			RTRDL60302	76	RWHDHTB42H5	382	RWMV24	411
Personal 2								412
Personal							RWMVH24	411
Per								411
Personalis   Soc. 166, 166   Personalis   Soc. 166, 167   Personalis   Soc. 166, 167   Personalis   Soc. 166, 167, 167, 167, 167, 167, 167, 167,			-					
Per   Per						_		
Personal			-			-		
IPTES-SHR						-		
INTER-SAIL   342, 343, 344								
FIRENSAIRE				-				
REPRISCHE   3.52, 3.53, 3.54   REPRISCHE   2.1   REPRISCHE   3.20   YESSOOF   3.20								
Perfeccion								
RTPS-SAILS								
IFTHESORIE   342,343,344   IFTHOPPIAGE   74   INVIDITIONIS   32   IFSE0056   38   38   IFTHESORIE   347,340,39   IFTHOPPIAGE   77   INVIDITIONIS   322   37   IVENDER   38   IVENDER   3								
IFTENSORIE								
IFTESSORIS   342, 343, 355   IFTROFASSOZ   77   INVIDITIFACH   378   INVIDIDACY   38   38   38   38   38   38   38   3								
RTPSSOBIS   357, 358, 359   TREBELASING   77   RWINDITEMARE   370   YFSEQUES   388								
IFFESONIS   3-62, 3-63, 3-64   ITRDRILGONG   7.7   INVIDITIONIS   3-90   YFSEO-98   3-38   ITRDRILGONG   3-75, 3-65, 3-66   ITRDRILGONG   7.7   INVIDITIONIS   3-90   YFSEO-54   3-38   ITRDRICKANO   7.7   INVIDITIONIS   3-90   YFSEO-54   3-38   ITRDRICKANO   7.7   INVIDITIONIS   3-90   YFSEO-54   3-38   ITRDRICKANO   3-90   YFSEO-54   3-38   ITRDRICKANO   3-90   YFSEO-54   3-38   ITRDRICKANO   3-90   YFSEO-54   3-38   ITRDRICKANO   3-90   YFSEO-56   3-90								
RTPISSOBI6   367, 363, 369   RTRORL72062   777   RWHDHTB60H4   381   YFSE2054   338   RTPISSOBI1   342, 343, 344   RTRORL72362   778   RWHDHTB7211   378   YFSE2066   338   RTPISSOBI2   347, 349   RTRORS0302   788   RWHDHTB7211   378   YFSE2066   338   RTRORS031   352, 353, 354   RTRORS0302   788   RWHDHTB7211   379   YFSE2066   338   RTRORS031   352, 353, 354   RTRORS0302   788   RWHDHTB7211   379   YFSE2066   338   RTRORS031   352, 353, 354   RTRORS0302   788   RWHDHTB7211   330   YFSE2066   338   RTRORS031   362, 363, 364   RTRORS2302   778   RWHDHTB7211   389   YFSE2066FRR   339   RTRORS031   362, 363, 364   RTRORS2302   779   RWHDHTB7211   389   YFSE2072   338   RTRORS031   342, 3434   RTRORS221   347, 343, 349   RTRORS221   347, 343, 349   RTRORS221   347, 343, 349   RTRORS221   347, 343, 349   RTRORS221   347, 348, 349   RTRORS221   347, 348, 349   RTRORS221   349   RTRORS221   347, 348, 349   RTRORS221   349   RTRORS222   349   RWHDHTB841   349   YFSE206   348   RTRORS231   349   RTRORS222   349   RWHDHTB841   349   YFSE206   348   RTRORS231   349   RTRORS222   349   RWHDHTB841   349   YFSE206   348   RTRORS231   349   RTRORS231   349   RTRORS232   349   RWHDHTB841   349   YFSE206   349   RTRORS232   349   RTRO								
RTPISSO6H2		_						
RPHSS6612   347, 348, 349   RTRDS46302   73   RWHDHTB72H1   378   YFSE2066   338   RTPISS6613   352, 353, 54   RTRDS60302   73   RWHDHTB72H2   377   YFSE2066   338   RTPISS6614   357, 358, 55   RTRDS7202   73   RWHDHTB72H3   330   YFSE2066F   338   RTPISS6615   362, 363, 364   RTRDS7202   73   RWHDHTB72H3   331   YFSE2066FR   338   RTPISS6616   367, 368, 369   RTRDS7202   79   RWHDHTB72H4   331   YFSE2066FR   338   RTPISS72H   342, 343, 344   RTRDS422   79   RWHDHTB72H5   372   YFSE2072FR   338   RTPISS72H   347, 348, 349   RTRDS424   300   RWHDHTB73H1   377   YFSE2072FR   338   RTPISS72H   357, 353, 559   RTRDS424   300   RWHDHTB73H3   330   YFSE206FR   338   RTPISS72H   357, 353, 559   RTRDS424   300   RWHDHTB73H3   330   YFSE204   338   RTPISS72H   357, 358, 559   RTRDS424   276   RWHDHTB73H   331   YFSE2074   338   RTPISS72H   357, 358, 559   RTRDS4242   77   RWHDHTB73H   331   YFSE2075   338   RTPISS73H   344   RTRDS422   77   RWHDHTB73H   370   YFSE2066FR   338   RTPISS73H   349   RTRDS4242   77   RWHDHTB73H   370   YFSE2066   338   RTPISS73H   349   RTRDS4242   77   RWHDHTB73H   370   YFSE206F   338   RTPISS73H   359   RTRDS4342   77   RWHDHTB9H   370   YFSE206F   338   RTPISS73H   359   RTRDS4340		_			-			
RTPRS-66H3   352, 353, 354   RTRD-660802   78   RWHDHTE-ZHE   379   YFSB2000F   388   RTPRS-66H4   357, 358, 359   RTBDS-72802   78   RWHDHTE-ZHE   380   YFSB206G   389   RTPRS-66H5   362, 363, 364   RTSD-72862   79   RWHDHTE-ZHE   381   YFSB206GFR   388   RTPRS-66H6   367, 368, 369   RTSD-52862   79   RWHDHTE-ZHE   382   YFSB2072FR   389   RTPRS-ZHI   342, 343, 344   RTSD-6422   79   RWHDHTE-ZHE   379   YFSB206FR   388   RTPRS-ZHI   342, 343, 344   RTSD-6422   79   RWHDHTE-ZHE   379   YFSB204FR   388   RTPRS-ZHI   357, 358, 359   RTSD-64224   360   RWHDHTE-ZHE   379   YFSB204F   388   RTPRS-ZHI   357, 358, 359   RTSD-64224   360   RWHDHTE-ZHE   379   YFSB204F   388   RTPRS-ZHI   357, 358, 359   RTSD-64824   360   RWHDHTE-ZHE   360   YFSB204F   388   RTPRS-ZHI   357, 358, 359   RTSD-64824   360   RWHDHTE-ZHE   360   YFSB204F   388   RTPRS-ZHI   367, 363, 361   RTSD-64822   76   RWHDHTE-ZHI   379   YFSB204F   388   RTPRS-ZHI   344   RTSD-64822   77   RWHDHTE-ZHI   379   YFSB204F   388   RTPRS-ZHI   349   RTSD-64822   79   RWHDHTE-ZHI   379   YFSB204F   388   RTPRS-ZHI   349   RTSD-64822   79   RWHDHTE-ZHI   379   YFSB204F   388   RTPRS-ZHI   349   RTSD-64822   79   RWHDHTE-ZHI   379   YFSB204F   388   RTPRS-ZHI   349   RTD-65482   379   RWHDHTE-ZHI   379   YFSB204F   388   RTPRS-ZHI   349   RTD						-		
RTPHSS66H4						-		
RTPRS-6615   362, 363, 364   RTRDS-7262   75   RWHDHTB72H4   381   YPSB2066FRR   369   RTPRS-6616   367, 368, 360   RTDC-362   79   RWHDHTB72H5   382   YPSB2072FRR   382   RTPRS-72H1   342, 343, 344   RTSDC-122   79   RWHDHTB73H1   378   YPSB2072FRR   383   RTPRS-72H2   347, 348, 349   RTSDC-1224   80   RWHDHTB73H2   379   YPSB2044   335   RTSDC-1244   80   RWHDHTB73H3   330   YPSB2044   336   RTPRS-72H3   352, 353, 354   RTSDC-18484   80   RWHDHTB78H3   330   YPSB2047   336   RTPRS-72H5   352, 353, 354   RTSDC-18484   80   RWHDHTB78H3   330   YPSB2047   336   RTPRS-72H5   362, 363, 364   RTSDC-18424   76   RWHDHTB78H3   332   YPSB2077   336   RTPRS-72H5   362, 363, 364   RTSDC-18424   76   RWHDHTB78H3   332   YPSB2077   336   RTPRS-72H5   362, 363, 364   RTSDC-18424   77   RWHDHTB8H1   378   YPSB2050   336   RTPRS-78H2   349   RTSDR-18482   77   RWHDHTB8H1   379   YPSB2050   336   RTPRS-78H2   349   RTSDR-18482   77   RWHDHTB8H1   379   YPSB2066   336   RTPRS-78H2   349   RTSDR-18482   77   RWHDHTB8H1   330   YPSB2066   336   RTPRS-78H3   340   RTSDR-18482   77   RWHDHTB8H1   330   YPSB2066   336   RTPRS-78H5   344   RTSDR-18482   77   RWHDHTB8H1   331   YPSB2066   336   RTPRS-78H5   344   RTSDR-18482   78   RWHDHTB8H1   331   YPSB2066   336   RTPRS-78H5   344   RTSTL   426   RWHDHTB9H1   379   YPSB2048   336   RTPRS-78H5   344   RTTC-12402   79   RWHDHTB9H1   379   YPSB2048   336   RTPRS-78H5   344   RTTC-12402   79   RWHDHTB9H1   379   YPSB2064   336   RTPRS-78H5   344   RTTC-12402   79   RWHDHTB9H1   379   YPSB2066   336   RTPRS-78H5   344   RTTC-12402   79   RWHDHTB9H1   379   YPSB2066   336   RTPRS-78H5   344   RTTC-12402   79   RWHDHTB9H1   379   YPSB2066   336   RTPRS-78H5   344   RUMC-010   228   RWHDHTB9H1   349   YPSB2066   336   RTPRS-78H1   349   RUMC-310   228   RWHDHTB9H1   349   YPSB2066								
RTPIRS60H6   367, 368, 369				-				
RTPRS72HI         342, 343, 344         RTSDC422         79         RWHDHTB78HI         378         YPSB2072FRR         369           RTPRS72H2         347, 348, 349         RTSDC42424         30         RWHDHTB78H2         359         YPSB204F         383           RTPRS72H3         352, 333, 354         RTSDC482         79         RWHDHTB78H3         330         YPSB204F         383           RTPRS72H4         357, 358, 359         RTSDC48484         40         RWHDHTB78H4         381         YPSB204F         383           RTPRS72H5         362, 363, 361         RTSDL48482         76         RWHDHTB78H4         381         YPSB204F         383           RTPRS73H1         344         RTSDL48482         76         RWHDHTB8HH         373         YPSB203G         383           RTPRS78H2         340         RTSDR148482         77         RWHDHTB8HH         370         YPSB203G         383           RTPRS78H3         354         RTSDL48482         77         RWHDHTB8HH         380         YPSB203G         383           RTPRS78H3         350         RTSDL48482         77         RWHDHTB8HH         381         YPSB203G         383           RTPRS78H3         350         RTSDL48482								
RTPRS72H2         347, 348, 349         RTSDC42424         80         RWHDHTB78H2         379         YISB2624         365           RTPRS72H3         352, 353, 353         RTSDC4842         79         RWHDHTB78H3         360         YISB262F         385           RTPRS72H4         367, 383, 359         RTSDC48484         80         RWHDHTB78H4         381         YISB262F         385           RTPRS72H5         362, 363, 364         RTSDL48422         76         RWHDHTB78H5         362         YISB262F         365           RTPRS72H6         367, 300         RTSDL48422         76         RWHDHTB78H5         362         YISB2636F         383           RTPRS78H2         340         RTSDR148422         77         RWHDHTB84H1         379         YISB2636F         383           RTPRS78H3         354         RTSDR148422         77         RWHDHTB84H3         30         YISB2636F         383           RTPRS78H3         354         RTSDS44822         78         RWHDHTB84H3         30         YISB2636F         383           RTPRS78H6         360         RTSF28         426         RWHDHTB90H1         378         YISB2642         367           RTPRS8H6         360         RTSF28 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>								
RTPRS72H3         352, 353, 354         RTSDC482         79         RWHDHTB78H3         360         YPSR262HF         383           RTPRS72H4         357, 358, 359         RTSDC431242         76         RWHDHTB78H5         382         YPSR262T         383           RTPRS72H6         367, 360         RTSDL43122         76         RWHDHTB3H1         37         YPSR2630         383           RTPRS78H1         344         RTSDRL43422         77         RWHDHTB3H1         37         YPSR2630         383           RTPRS78H2         349         RTSDRL43482         77         RWHDHTB3H1         37         YPSR2636         383           RTPRS78H3         345         RTSDRL43482         77         RWHDHTB3H1         37         YPSR2636         383           RTPRS78H3         340         RTSDRL43482         78         RWHDHTB3H1         30         YPSR2636         383           RTPRS78H4         359         RTSDS44822         78         RWHDHTB3H4         30         YPSR2636         383           RTPRS78H4         359         RTSDS48482         78         RWHDHTB90H1         378         YPSR2646         383           RTPRS78H5         364         RTSF14         426         RWHDH								
RTPRS72H4         357, 358, 359         RTSDC48484         80         RWHDHTB78H4         381         YPSB2627         383           RTPRS72H5         362, 363, 364         RTSDL42422         76         RWHDHTB78H5         382         YPSB2620F         383           RTPRS78H0         367, 369         RTSDL44422         77         RWHDHTB8HH1         373         YPSB2630F         383           RTPRS78H1         344         RTSDR142422         77         RWHDHTB8HH2         379         YPSB2630F         383           RTPRS78H2         349         RTSDR148482         77         RWHDHTB8HH3         380         YPSB2630F         383           RTPRS78H3         351         RTSDS44822         73         RWHDHTB8HH3         380         YPSB2630F         383           RTPRS78H3         354         RTSDS44822         73         RWHDHTB8HH3         381         YPSB2630F         383           RTPRS78H3         354         RTSDS44822         73         RWHDHTB8HH3         381         YPSB2630F         383           RTPRS78H4         359         RTSDS44822         73         RWHDHTB90H1         373         YPSB2642F         383           RTPRS78H6         364         RTSY14         426								
RTPRS72H5         362, 363, 364         RTSDL42422         76         RWHDHTB78H5         382         YPSB262TF         383           RTPRS72H6         367, 369         RTSDL43482         76         RWHDHTB3HH         378         YPSB2630         383           RTPRS78H1         344         RTSDRL43422         77         RWHDHTB3HH2         379         YPSB2630F         383           RTPRS78H2         349         RTSDRL4882         77         RWHDHTB3HH3         380         YPSB2636         383           RTPRS78H3         354         RTSDR44822         78         RWHDHTB3HH4         381         YPSB2636         383           RTPRS78H3         354         RTSDR44822         78         RWHDHTB3HH4         381         YPSB2642         383           RTPRS78H4         359         RTSDR44822         73         RWHDHTB90H1         373         YPSB2642         383           RTPRS78H6         360         RTSF28         426         RWHDHTB90H2         379         YPSB2648         363           RTPRS8H1         344         RTTDC3262         79         RWHDHTB90H3         380         YPSB2648         383           RTPRS8H2         354         RTDC2362         79         RWHDHTB90H								
RTPRS72H6         367, 369         RTSDL48482         76         RWHDHTB84H1         378         YPSB2630         383           RTPRS78H1         344         RTSDRL42422         77         RWHDHTB84H2         379         YPSB2630F         383           RTPRS78H2         349         RTSDRL48482         77         RWHDHTB84H3         330         YPSB2630F         383           RTPRS78H3         354         RTSDSL4222         78         RWHDHTB84H4         381         YPSB2630F         383           RTPRS78H4         359         RTSDS48482         78         RWHDHTB84H5         382         YPSB2630F         383           RTPRS78H5         364         RTSF14         426         RWHDHTB90H1         373         YPSB2642F         383           RTPRS78H6         369         RTSF28         426         RWHDHTB90H2         379         YPSB2648         383           RTPRS8H1         344         RTST14         426         RWHDHTB90H3         380         YPSB2648         383           RTPRS8H2         349         RTDC72362         79         RWHDHTB90H3         381         YPSB2648F         383           RTPRS8H3         354         RTDC9482         79         RWHDTB90H3								
RTPRS78H1         344         RTSDR142422         77         RWHDHTB84H2         379         YPSE2630F         383           RTPRS78H2         349         RTSDR148482         77         RWHDHTB84H3         380         YPSE2636         383           RTPRS78H3         354         RTSDS42422         78         RWHDHTB84H3         381         YPSE2636         383           RTPRS78H4         359         RTSDS48482         78         RWHDHTB84H5         382         YPSE2642         383           RTPRS78H5         364         RTSF14         426         RWHDHTB90H1         378         YPSE2642F         383           RTPRS78H6         369         RTSE28         426         RWHDHTB90H2         379         YPSE2642F         383           RTPRS8H1         344         RTST14         426         RWHDHTB90H3         380         YPSE2648F         383           RTPRS8H12         349         RTDC2362         79         RWHDHTB90H3         381         YPSE2648         383           RTPRS8H3         354         RTDC34422         79         RWHDHTB90H3         381         YPSE2648         383           RTPRS8H3         354         RTDC34422         79         RWHDHTB90H3								
RTPRS78H2         349         RTSDR148482         77         RWHDHTB84H3         360         YPSB2636         363           RTPRS78H3         354         RTSDS42422         78         RWHDHTB84H4         381         YPSB2636         383           RTPRS78H4         359         RTSDS48482         78         RWHDHTB9H45         382         YPSB2642         333           RTPRS78H5         364         RTSF14         426         RWHDHTB9H1         373         YPSB2642         333           RTPRS78H6         369         RTSF28         426         RWHDHTB9H2         379         YPSB2648         363           RTPRS8H1         344         RTST14         426         RWHDHTB9H2         379         YPSB2648F         383           RTPRS8H2         349         RTTDC72362         79         RWHDHTB9H4         381         YPSB2648F         383           RTPRS8H4         359         RTDC94822         79         RWHDHTB9H5         382         YPSB2654F         383           RTPRS8H6         369         RUC3610         298         RWHDHTB96H1         379         YPSB2660F         363           RTPRS90H1         344         RUC6010         298         RWHDHTB96H2         379								
RTPRS78H3         354         RTSDS42422         78         RWHDHTB84H4         381         YPSB2636F         383           RTPRS78H4         359         RTSDS44482         78         RWHDHTB84H5         382         YPSB2642         383           RTPRS78H5         364         RTSF14         426         RWHDHTB90H1         373         YPSB264F         383           RTPRS78H6         369         RTSF28         426         RWHDHTB90H2         379         YPSB264B         383           RTPRS8H1         344         RTST14         426         RWHDHTB90H3         330         YPSB264B         383           RTPRS8H12         349         RTDC3362         79         RWHDHTB90H4         381         YPSB264F         383           RTPRS8H3         354         RTDC34622         79         RWHDHTB90H5         382         YPSB264F         383           RTPRS8H4         359         RTDC96482         79         RWHDHTB90H5         382         YPSB2660F         383           RTPRS8H6         369         RUC3010         298         RWHDHTB96H2         379         YPSB2660F         383           RTPRS90H1         344         RUC6010         298         RWHDHTB96H3         380								
RTPRS78H4         359         RTSD848482         73         RWHDHTB84H5         382         YPSB2642         333           RTPRS78H5         364         RTSF14         426         RWHDHTB90H1         373         YPSB2642F         383           RTPRS78H6         369         RTSP28         426         RWHDHTB90H2         379         YPSB2648         383           RTPRS8H11         344         RTST14         426         RWHDHTB90H3         330         YPSB2648         383           RTPRS8H12         349         RTDC72362         79         RWHDHTB90H3         381         YPSB2648         383           RTPRS8H13         354         RTDC34422         79         RWHDHTB90H3         381         YPSB2664         383           RTPRS8H4         359         RTDC9482         79         RWHDHTB90H5         382         YPSB2660         383           RTPRS8H46         369         RUMC3010         298         RWHDHTB96H1         378         YPSB2660F         383           RTPRS9H6         369         RUMC6010         298         RWHDHTB96H3         380         YPSB266FR         383           RTPRS90H2         349         RUMC7210         298         RWHDHTB96H3         381 </td <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td></td> <td></td>				-				
RTPR578H5         364         RTSF14         426         RWHDHTB90H1         378         YPSB2642F         383           RTPR578H6         369         RTSF28         426         RWHDHTB90H2         379         YPSB2648         383           RTPRS4H1         344         RTST14         426         RWHDHTB90H3         380         YPSB2648F         383           RTPRS4H2         349         RTDC72362         79         RWHDHTB90H4         381         YPSB2654         383           RTPRS4H3         354         RTDC84422         79         RWHDHTB90H5         382         YPSB2664         383           RTPRS4H4         359         RTDC96482         79         RWHDHTB90H1         373         YPSB2660         383           RTPRS4H5         364         RUMC3010         293         RWHDHTB96H2         379         YPSB2660F         383           RTPRS4H6         369         RUMC3610         298         RWHDHTB96H3         380         YPSB2660F         383           RTPRS90H1         344         RUMC6010         298         RWHDHTB96H3         381         YPSB2666F         383           RTPRS90H2         349         RUMC7210         298         RWHDHTB96H3         382 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
RTPRS78H6         369         RTSF28         426         RWHDHTB90H2         379         YPSB2648         383           RTPRS84H1         344         RTST14         426         RWHDHTB90H3         380         YPSB2648F         383           RTPRS84H2         349         RTDC72362         79         RWHDHTB90H4         381         YPSB2654         383           RTPRS84H3         354         RTDC96482         79         RWHDHTB90H5         382         YPSB2664F         383           RTPRS84H4         359         RTDC96482         79         RWHDHTB90H1         373         YPSB2660         383           RTPRS84H6         369         RUMC3010         298         RWHDHTB90H2         379         YPSB2660F         383           RTPRS90H1         344         RUMC6010         298         RWHDHTB90H3         380         YPSB2666F         383           RTPRS90H2         349         RUMC7210         298         RWHDHTB90H4         381         YPSB26672         383           RTPRS90H3         354         RUTB         122         RWHRA         422         YPSB2672FR         383           RTPRS90H4         359         RWHDHTB30H6         378         RWHRA         422				_				
RTPRS4H1         344         RTST14         426         RWHDHTB90H3         380         YPSB2648F         383           RTPRS4H2         349         RTDC72362         79         RWHDHTB90H4         381         YPSB2654         383           RTPRS4H3         354         RTDC34422         79         RWHDHTB90H5         382         YPSB2664         383           RTPRS4H4         359         RTDC96422         79         RWHDHTB90H1         378         YPSB2660         383           RTPRS4H5         364         RUMC3010         298         RWHDHTB96H2         379         YPSB2660F         383           RTPRS4H6         369         RUMC3610         298         RWHDHTB96H3         380         YPSB2660F         383           RTPRS90H1         344         RUMC6010         298         RWHDHTB96H4         381         YPSB2666FRR         383           RTPRS90H2         349         RUMC7210         298         RWHDHTB96H5         382         YPSB2672         363           RTPRS90H3         354         RUTB         122         RWHR         422         YPSB2672FRR         363           RTPRS90H4         359         RWHDHTB3026         422         RWHRB         422								
RTPRS84H2         349         RTDC72362         79         RWHDHTB90H4         381         YPSB2654         383           RTPRS84H3         354         RTDC34422         79         RWHDHTB90H5         382         YPSB264F         383           RTPRS84H4         359         RTDC96482         79         RWHDHTB96H1         378         YPSB2660         383           RTPRS84H5         364         RUMC3010         298         RWHDHTB96H2         379         YPSB2660F         383           RTPRS84H6         369         RUMC3610         298         RWHDHTB96H3         380         YPSB2666         383           RTPRS90H1         344         RUMC6010         298         RWHDHTB96H3         381         YPSB2666FR         383           RTPRS90H2         349         RUMC7210         298         RWHDHTB96H5         382         YPSB2672         363           RTPRS90H3         354         RUTB         122         RWHRA         422         YPSB2672FR         383           RTPRS90H4         359         RWHDHTB3011         378         RWHRC         422         YPSB3224F         384           RTPRS90H6         369         RWHDHTB30H2         379         RWHRD         422								
RTPRS84H3         354         RTDC84422         79         RWHDHTB90H5         382         YPSB2654F         383           RTPRS84H4         359         RTDC96482         79         RWHDHTB96H1         378         YPSB2660         383           RTPRS84H5         364         RUMC3010         298         RWHDHTB96H2         379         YPSB2660F         383           RTPRS84H6         369         RUMC3610         298         RWHDHTB96H3         380         YPSB2666         383           RTPRS90H1         344         RUC6010         298         RWHDHTB96H4         381         YPSB2666FRR         383           RTPRS90H2         349         RUMC7210         298         RWHDHTB96H5         382         YPSB2672FRR         383           RTPRS90H3         354         RUTB         122         RWHRA         422         YPSB2672FRR         383           RTPRS90H4         359         RWHDHTB3026         422         RWHRB         422         YPSB3224         386           RTPRS90H6         369         RWHDHTB30H2         379         RWHRD         422         YPSB3224F         386           RTPRS96H1         344         RWHDHTB30H3         380         RWHRE         422								
RTPRS84H4         359         RTTDC96482         79         RWHDHTB96H1         378         YPSB2660         383           RTPRS84H5         364         RUMC3010         298         RWHDHTB96H2         379         YPSB2660F         383           RTPRS84H6         369         RUMC3610         298         RWHDHTB96H3         380         YPSB2666         383           RTPRS90H1         344         RUMC6010         298         RWHDHTB96H4         381         YPSB2666FRR         383           RTPRS90H2         349         RUMC7210         298         RWHDHTB96H5         382         YPSB2672         383           RTPRS90H3         354         RUTB         122         RWHRA         422         YPSB2672FRR         383           RTPRS90H4         359         RWHDHTB3026         422         RWHRB         422         YPSB3224         380           RTPRS90H5         364         RWHDHTB30H1         378         RWHRC         422         YPSB3224F         384           RTPRS96H6         369         RWHDHTB30H3         380         RWHRE         422         YPSB3227F         386           RTPRS96H3         354         RWHDHTB30H4         381         RWHRF         422								
RTPRS84H5         364         RUMC3010         298         RWHDHTB96H2         379         YPSB2660F         383           RTPRS84H6         369         RUMC3610         298         RWHDHTB96H3         380         YPSB2666         383           RTPRS90H1         344         RUMC6010         298         RWHDHTB96H4         381         YPSB2666FRR         383           RTPRS90H2         349         RUMC7210         298         RWHDHTB96H5         382         YPSB2672         383           RTPRS90H3         354         RUTB         122         RWHRA         422         YPSB2672         383           RTPRS90H4         359         RWHDHTB3026         422         RWHRB         422         YPSB3224         386           RTPRS90H5         364         RWHDHTB30H1         378         RWHRC         422         YPSB3224F         386           RTPRS96H1         344         RWHDHTB30H2         379         RWHRD         422         YPSB3227F         386           RTPRS96H2         349         RWHDHTB30H4         381         RWHRF         422         YPSB3230F         386           RTPRS96H3         354         RWHDHTB30H5         382         RWHRC         422         <								
RTPRS84H6         369         RUMC3610         298         RWHDHTB96H3         380         YPSB2666         383           RTPRS90H1         344         RUMC6010         298         RWHDHTB96H4         381         YPSB2666FRR         383           RTPRS90H2         349         RUMC7210         298         RWHDHTB96H5         382         YPSB2672         383           RTPRS90H3         354         RUTB         122         RWHRA         422         YPSB2672FRR         383           RTPRS90H4         359         RWHDHTB3026         422         RWHRB         422         YPSB3224         380           RTPRS90H5         364         RWHDHTB30H1         378         RWHRC         422         YPSB3224F         380           RTPRS96H6         369         RWHDHTB30H2         379         RWHRD         422         YPSB3227F         380           RTPRS96H2         349         RWHDHTB30H4         381         RWHRF         422         YPSB3230         380           RTPRS96H3         354         RWHDHTB30H5         382         RWHRG         422         YPSB3230F         384           RTPRS96H4         359         RWHDHTB366H         422         RWMC724         411								
RTPRS90H1         344         RUMC6010         298         RWHDHTB96H4         381         YPSB2666FRR         382           RTPRS90H2         349         RUMC7210         298         RWHDHTB96H5         382         YPSB2672         383           RTPRS90H3         354         RUTB         122         RWHRA         422         YPSB2672FRR         383           RTPRS90H4         359         RWHDHTB3026         422         RWHRB         422         YPSB3224         386           RTPRS90H5         364         RWHDHTB30H1         378         RWHRC         422         YPSB3224F         386           RTPRS90H6         369         RWHDHTB30H2         379         RWHRD         422         YPSB3227F         386           RTPRS96H1         344         RWHDHTB30H3         380         RWHRE         422         YPSB3227F         386           RTPRS96H2         349         RWHDHTB30H4         381         RWHRF         422         YPSB3230         386           RTPRS96H3         354         RWHDHTB36E6         422         RWMC724         413         YPSB3236         386           RTPRS96H5         364         RWHDHTB36H1         378         RWMC724         411         <								
RTPRS90H2         349         RUMC7210         298         RWHDHTB96H5         382         YPSB2672         383           RTPRS90H3         354         RUTB         122         RWHRA         422         YPSB2672FRR         383           RTPRS90H4         359         RWHDHTB3026         422         RWHRB         422         YPSB3224         386           RTPRS90H5         364         RWHDHTB30H1         378         RWHRC         422         YPSB3224F         386           RTPRS90H6         369         RWHDHTB30H2         379         RWHRD         422         YPSB3227F         386           RTPRS96H1         344         RWHDHTB30H3         380         RWHRE         422         YPSB3227F         386           RTPRS96H2         349         RWHDHTB30H4         381         RWHRF         422         YPSB3230         386           RTPRS96H3         354         RWHDHTB30H5         382         RWHRG         422         YPSB3230F         384           RTPRS96H4         359         RWHDHTB3666         422         RWMC724         413         YPSB3236F         384           RTPRS96H5         364         RWHDHTB36H1         378         RWMMP30         411         Y								
RTPRS90H3         354         RUTB         122         RWHRA         422         YPSB2672FRR         383           RTPRS90H4         359         RWHDHTB3026         422         RWHRB         422         YPSB3224         380           RTPRS90H5         364         RWHDHTB30H1         378         RWHRC         422         YPSB3224F         380           RTPRS90H6         369         RWHDHTB30H2         379         RWHRD         422         YPSB3227F         380           RTPRS96H1         344         RWHDHTB30H3         380         RWHRE         422         YPSB3227F         380           RTPRS96H2         349         RWHDHTB30H4         381         RWHRF         422         YPSB3230         380           RTPRS96H3         354         RWHDHTB30H5         382         RWHRG         422         YPSB3230F         380           RTPRS96H4         359         RWHDHTB3626         422         RWMCT24         413         YPSB3236F         380           RTPRS96H5         364         RWHDHTB36H1         378         RWMMP24         411         YPSB324E         380           RTPRS96H6         369         RWHDHTB36H2         379         RWMMP30         411         YP								
RTPRS90H4         359         RWHDHTB3026         422         RWHRB         422         YPSB3224         386           RTPRS90H5         364         RWHDHTB30H1         378         RWHRC         422         YPSB3224F         386           RTPRS90H6         369         RWHDHTB30H2         379         RWHRD         422         YPSB3227F         386           RTPRS96H1         344         RWHDHTB30H3         380         RWHRE         422         YPSB3227F         386           RTPRS96H2         349         RWHDHTB30H4         381         RWHRF         422         YPSB3230         386           RTPRS96H3         354         RWHDHTB30H5         382         RWHRG         422         YPSB3230F         386           RTPRS96H4         359         RWHDHTB3626         422         RWMCT24         413         YPSB3236F         386           RTPRS96H5         364         RWHDHTB36H1         378         RWMP24         411         YPSB3246         386           RTPRS96H6         369         RWHDHTB36H2         379         RWMP30         411         YPSB3242         386								
RTPRS90H5         364         RWHDHTB30H1         378         RWHRC         422         YPSB3224F         384           RTPRS90H6         369         RWHDHTB30H2         379         RWHRD         422         YPSB3227F         386           RTPRS96H1         344         RWHDHTB30H3         380         RWHRE         422         YPSB3227F         386           RTPRS96H2         349         RWHDHTB30H4         381         RWHRF         422         YPSB3230         386           RTPRS96H3         354         RWHDHTB30H5         382         RWHRG         422         YPSB3230F         384           RTPRS96H4         359         RWHDHTB3626         422         RWMCT24         413         YPSB3236F         386           RTPRS96H5         364         RWHDHTB36H1         378         RWMP24         411         YPSB324F         386           RTPRS96H6         369         RWHDHTB36H2         379         RWMP30         411         YPSB3242         386								
RTPRS90H6         369         RWHDHTB30H2         379         RWHRD         422         YPSB3227         380           RTPRS96H1         344         RWHDHTB30H3         380         RWHRE         422         YPSB3227F         384           RTPRS96H2         349         RWHDHTB30H4         381         RWHRF         422         YPSB3230         386           RTPRS96H3         354         RWHDHTB30H5         382         RWHRG         422         YPSB3230F         386           RTPRS96H4         359         RWHDHTB3626         422         RWMCT24         413         YPSB3236         386           RTPRS96H5         364         RWHDHTB36H1         378         RWMP24         411         YPSB3246         386           RTPRS96H6         369         RWHDHTB36H2         379         RWMP30         411         YPSB3242         386								
RTPRS96H1         344         RWHDHTB30H3         380         RWHRE         422         YPSB3227F         384           RTPRS96H2         349         RWHDHTB30H4         381         RWHRF         422         YPSB3230         386           RTPRS96H3         354         RWHDHTB30H5         382         RWHRG         422         YPSB3230F         384           RTPRS96H4         359         RWHDHTB3626         422         RWMCT24         413         YPSB3236         386           RTPRS96H5         364         RWHDHTB36H1         378         RWMP24         411         YPSB3246         386           RTPRS96H6         369         RWHDHTB36H2         379         RWMP30         411         YPSB3242         386								
RTPRS96H2         349         RWHDHTB30H4         381         RWHRF         422         YPSB3230         382           RTPRS96H3         354         RWHDHTB30H5         382         RWHRG         422         YPSB3230F         384           RTPRS96H4         359         RWHDHTB3626         422         RWMCT24         413         YPSB3236F         384           RTPRS96H5         364         RWHDHTB36H1         378         RWMP24         411         YPSB3236F         384           RTPRS96H6         369         RWHDHTB36H2         379         RWMMP30         411         YPSB3242         384								
RTPRS96H3         354         RWHDHTB30H5         382         RWHRG         422         YPSB3230F         384           RTPRS96H4         359         RWHDHTB3626         422         RWMCT24         413         YPSB3236         386           RTPRS96H5         364         RWHDHTB36H1         378         RWMP24         411         YPSB3236F         386           RTPRS96H6         369         RWHDHTB36H2         379         RWMP30         411         YPSB3242         386								384
RTPRS96H4         359         RWHDHTB3626         422         RWMCT24         413         YPSB3236         380           RTPRS96H5         364         RWHDHTB36H1         378         RWMMP24         411         YPSB3236F         380           RTPRS96H6         369         RWHDHTB36H2         379         RWMMP30         411         YPSB3242         380								
RTPRS96H5         364         RWHDHTB36H1         378         RWMMP24         411         YPSB3236F         384           RTPRS96H6         369         RWHDHTB36H2         379         RWMMP30         411         YPSB3242         386							-	
RTPRS96H6         369         RWHDHTB36H2         379         RWMMP30         411         YPSB3242         386			-				-	386
								384
KTRDC48304 80 KWHDHTB36H3 380 KWMMP36 411 YPSB3242F 384						-		386
	RTRDC48304	80	RWHDHTB36H3	380	RWMMP36	411	YPSB3242F	384

pattern no.	page
YPSB3248	386
YPSB3248F	384
YPSB3254	386
YPSB3254F	384
YPSB3260	386
YPSB3260F	384
YPSB3266	386
YPSB3266FRR	384
YPSB3272	386
YPSB3272FRR	384
YPSB3824	387
YPSB3824F	385
YPSB3827	387
YPSB3827F	385
YPSB3830	387
YPSB3830F	385
YPSB3836	387
YPSB3836F	385
YPSB3842	387
YPSB3842F	385
YPSB3848	387
YPSB3848F	385
YPSB3854	387
YPSB3854F	385
YPSB3860	387
YPSB3860F	385
YPSB3866	387
YPSB3866FRR	385
YPSB3872	387
YPSB3872FRR	385

### Terms & Conditions of Sales

This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.

Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.

# Ordering Information Order Confirmation Pricing Policies

All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.

A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.

List prices are subject to change without notice.

List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.

Taxes

All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.

Terms of Payment

Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is generally issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.

KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.

If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.

Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.

# Changes and Cancellation

Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.

Freight Prepaid

programs, may not be canceled.

Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from all conditions. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. Freight for all KnollTextiles orders is prepaid and added to the invoice.

#### **Delivery/Freight Charges**

Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.

For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.

Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.

Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery. Partial shipments may be made and invoiced by Seller.

Claims

All shipments for Knoll Products within the contiguous United States and Canada are F.O.B. Origin. All risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. For all claims relating to Product damaged in transit or for any other claims relating to or arising out of the transportation of the Product, Purchaser must seek recovery from the carrier and Seller has no liability to Purchaser for such claims. Seller may, upon request, assist Purchaser with filing of such claims with the carrier, but Seller will not be liable for any of these transportation related claims.

#### Seller's Security Interest

Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.

Returns

The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.

#### Held Orders/Storage

If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.

Customer's Own Material A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.

Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.

Warranty period set forth below is for 24-hour, 7 days a week, multi shift use (includes parts and labor to repair).

Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.

Product and Period of Warranty

Lifetime: Antenna Workspaces, AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Morrison, Reff Profiles laminate, Series 2 Storage, Template and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, Series 2 Veneer Front Storage, special or custom products, see below)

12 Years: Chadwick, Essentials Work Chairs, Generation by Knoll, Life, Moment, MultiGeneration by Knoll, ReGeneration by Knoll, Remix, and Toboggan seating (except seating upholstery, textiles, leathers and finishes, see below).

10 Years: Anchor Storage except digital keypad lock, Antenna Workspaces, AutoStrada, Crinion Open Table, Dividends Horizon, Dividends Horizon Satellite Surfaces, Reff Profiles, Template wood components, Series 2 Veneer Front Storage, cascade edge worksurfaces, Wood Casegoods (The Graham Collection) (except wood casegoods upholstered surfaces, see below), Reuter overheads, Reuter vertical storage, KnollExtra Sapper Monitor Arm Collection, Sapper XYZ Monitor Arm, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, see below), Smokador collection (except leathers, see below), and Orchestra Universal Systems Accessories, k. lounge structural components.

5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), special or custom product, wood veneer products, Currents handcrank, Interaction Counterforce, KnollStudio, Spark Series seating structural elements, structural elements of all KnollStudio outdoor products including all Richard Schultz designed products, KnollExtra CPU storage and all universal storage drawers and Power Collection, Tone

3 Years: Seating upholstery, textiles, leathers and finishes. Fabric boards textiles and Smokador Collection leathers.

2 Years: Anchor Storage digital keypad lock, all other KnollExtra product

1 Year: Light ballasts, bulbs and power supply, seating upholstered armpads and soft armpads, wood casegoods upholstered surfaces. KnollStudio, outdoor product finishes, k. lounge upholstery and k. lounge fabric.

This warranty does not apply to:

- Damage caused by a carrier other than the Seller.
- Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products).
- COM or other third party materials applied to Products.
- Products not installed by or under the auspices of a Knoll Dealer.
- · Dramatic temperature variations or exposure to unusual conditions.
- Changes in surface finishes, including colorfastness due to aging or exposure to light.
- Except as specifically noted above, textiles and upholstery supplied by KnollTextiles (consult current KnollTextiles price list for applicable warranty). Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces. THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.

The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.

#### Delay/Force Majeure

Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.

#### Compliance with Law

PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.

#### **Patents**

Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended. The foregoing indemnity does not apply to the following:

- Products supplied according to a design other than that of Seller, and which is required by the Purchaser.
- Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.
- Any settlements of a suit or proceeding made without Seller's written consent.

#### Limitations of Liability

#### SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.

Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.

### KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

#### Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

#### Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

#### Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

#### **Master Keying**

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

#### **Installing Lock Cores**

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


#### **Lock Distribution**

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

### How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



**Step 2** - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

- 5 workstations with 2 locks per station
- 3 workstations with 4 locks per station
- 2 workstations with 5 locks per station

**Step 3** - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				_

**Step 4** - Then enter the pattern number "KSPEC\_\_" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

**Step 5** - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. For additions to existing installations, specify desired key numbers in the description.

#### **Service Parts**

Pattern #	Description	List Price
KKEY	Shrouded Key Specify key number desired	\$10
KBLANK	Shrouded Key Blank	\$10
KSPECB	Retrofit Universal Core/Key Specify key number desired	\$22
KCHANGE	Change Key	\$10
HLKRKMASTER*	Master Key	\$10

<sup>\*</sup>Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

### General Ordering Information

#### The Products

This guide encompasses all standard products for this product group.

#### Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

#### **Pricing**

All prices shown are list.

#### **How to Order**

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

#### Mail all orders to:

Knoll, Inc. 1235 Water Street P.O. Box 157

East Greenville, PA 18041 Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

## Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED<sup>TM</sup> certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."