Table of Contents

Introduction	Knoll and Sustainable Design	3
	General Specifications	4
	Reff Profiles finish options	5
	Reff Profiles Master Features	7
Panels	Monolithic panels 34″ H	9
	Monolithic panels 42″ H	15
	Monolithic panels 49″ H	22
	Monolithic panels 64″ H	29
	Monolithic panels 79″ H	36
	Tiled panels 34″ H	43
	Tiled panels 42″ H	48
	Tiled panels 49″ H	55
	Tiled panels 64″ H	62
	Tiled panels 79″ H	69
	Aluminum Reveal kits	76
	Beltway one side, window panel 49″ H	83
	Beltway two sides, window panel 49″ H	97
	Stacking modules	99
	Panel connection posts	104
	Panel trims and post covers	109
	Ceiling cable entry posts, poles and cable infeed	111
	Ceiling cable entry post covers	113
	Rolling door and hinged door	115
	Attachment kits	116
	Floor to ceiling modules	117
	Required components	124
	Power distribution components	125
	Beltway electrical components	130
	Data and Communications	132
	Reff Ported Panel Components	133
Worksurfaces	Worksurface 1 1/4″	136
	Conference 1 1/4″	150
	Optional edge details 1 1/4″	152
	Optional edge 1 1/4″	153
	Waterfall Edge 1 1/4″	168
	Cascade Edge 1 1/4″	187
	Worksurface 1 1/2″	193
	Worksurface Credenza	215
	Tables, 1 1/2″	218
	Tables, 1″	225
Support components	Top support components	228
	Modesty	243
Cabinetry	Pedestals, 26 1/2″ planning	248
	Pedestals, 28 3/8″ planning	260
	Pedestals, Mobile	273
	Credenzas, 28 3/8″ planning	274
	Cabinets, 26 1/2″ planning	279
	Cabinets, 28 3/8″ planning	304
	Cabinets Progressive	324
Desktop towers	Desktop Towers	336
Overhead storage	Overhead, 26 1/2″ planning	342
	Overhead, 28 3/8″ planning	351
	Reuter overhead cabinet	376
	Reuter open shelf	377
	Reuter open overhead	378
	Reuter overhead storage	379
	Task Lights for Reuter Overhead Storage	381
	Overheads	382

Copyright © 2011 Knoll, Inc.
All rights reserved.
All prices effective 3/15/2011.

Transaction tops, regular and waterfall edge	Transaction tops	389
Gallery desk surrounds	Gallery desk surrounds	391
Preconfigured Reff Desking	Single pedestal desks	395
	Double pedestal desks	396
	Desk returns	397
	Single pedestal credenzas	398
	Bridge assemblies	399
	Double pedestal credenzas	400
Accessories and Client Samples	Accessories	401
	Taskpanels	415
	Tackboards	453
Reff Original finish options	Reff Original finish options	454
Wall Mounting of Knoll Products		455
Alpha-Numeric Index		457
Selling Policy		478
KnollKey Lock Program		480
General Ordering Information		481

Knoll and Sustainable Design

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC®); Rainforest Alliance; GREENGUARD® Environmental Institute; and Chicago Climate Exchange (CCX®).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

1. Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll is a member of the Chicago Climate Exchange, which promotes greenhouse gas reduction through the trading of credits earned for reducing emissions.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

2. Life Cycle Assessment (LCA) Tool

- Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.
- Knoll has partnered with The Green Standard.org to develop an affordable, universal ISO-compliant computer-based LCA tool that can be used by the entire contract furniture industry and is partnering on the development of an Environmental Product Declaration System (EPDs) for Knoll products. EPDs are verified documents containing LCA results and additional environmental performance information about a product.

3. Setting Industry Standards

- Knoll partners with MTS (The Institue for Market Transformation to Sustainability) to develop the SMaRT© Consensus Sustainable Products Standards, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of SMaRT©, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll has established FSC® (Forest Stewardship Council) certified wood as the standard for general office open plan office systems, casegoods and tables.
- Knoll also participates in an ongoing BIFMA (Business and Institutional Furniture Manufacturers Association) initiative to establish level ™ sustainability standards for the contract furniture industry.
- Our goal is to encourage all manufacturers in the contract furniture industry and related industries to adopt standards that will lead to sustainable products and practices.

For more information about Knoll and sustainable design, visit knoll.com/environment.

Panels and Parts
All panels have a concealed perimeter frame 1 1/2″ x 2″. Panels 42″ wide and wider, other than window panels, have additional interior bracing.

Panel bases are 3 3/8″ or 6 3/16″ high with levellers at both ends. Snap-in panel side plates are provided with at least two lift-outs on each side of panels 30″ to 48″ wide; one lift-out on each side of panels 24″ wide, unless no knockout option is requested (see Planning Guide for details). Acoustical panels can be specified with fabric on either side or fabric on one side and wood or laminate on the other. A laminated board septum is covered on both sides with acoustical fiberglass for fabric/fabric panels providing an NRC of .80 and STC of 22.

Window panels utilize tempered 4mm thick glass. Panel-to panel connection is accomplished with a steel connector bar, which engages locking points on panel perimeter frames and is drawn tight by means of a screw mechanism located at the top of the bar. Each panel is supplied with one connector, which also serves as an anchor point for panel-hung support brackets. Panel-to-wall connection is accomplished with a PVC extrusion which connects two aluminum extrusions - one screwed to the wall, the other attached to the panel perimeter frame. Stacking panels are provided with a fastener feature which allows individual 15″ and 30″H sections to be added or removed without disturbing the panel run. In all cases a leveller adjustable panel must first be specified with additional sections added on to provide height adjustment. A post is required at panel intersections, when a panel run changes direction or as in the case of the straight line post when it is required to make up an extra 2 1/2″ to match another panel run. Top trim utilizes a PVC extrusion for a press fit into the panel perimeter frame. End trim is screwed to a steel connector bar which locks it to the panel perimeter frame.

All tiled panels are constructed using the same frame as monolithic panels and also use the same internal components. However, the insert structure has been altered to allow tiles 15″H to be independently applied to the panel, thus creating a tiled appearance. Tiled panels can be stacked on.

Reff panels can be joined to existing System 6, Classic System 6, and Segmented panels with a conversion kit.

Beltway electrical panel is a Reff panel altered to provide access to electrical and communication ports at a desk height level.

Note:
Line drawings in this price list are purely for quick product identification without any form of detail. One must not use the price list line drawings to satisfy production dimensions, shape or support options. Refer to Planning Guide for detailed product information.

Wood and Laminate Components
Tops are 1 3/4″ or 1 1/4″ thick. Undersides are pre-drilled with inserts and routed to accept pedestals and connecting hardware.

Flush and cantilever top assemblies have 1 1/16″ thick endpanels, and 15/16″ thick backpanels. Recessed top assemblies have 1 1/16″ thick endpanels and a 15/16″ thick backpanel.

Pedestals are supplied with metal channels on the top to attach the pedestal to the underside of a worksurface.

Drawer boxes can be specified in both metal or wood with dovetailed joinery. Hinge doors use concealed, adjustable hinges.

All components are veneered and finished on all sides unless otherwise specified. Edges are banded with 1/8″ PVC or 3/32″ solid wood. 1 3/4″ laminate tops are postformed front and back. 2″ Deep solid waterfall edge optional.

Locks
All pedestals and cabinets with drawers are supplied with a ganglock mechanism in place. In addition, cabinets with drawers have a drawer interlock anti-tip device designed to prevent the opening of a second drawer when one is already open. Drawer fronts and door fronts are routed to receive the lock itself. Locks for drawers in pedestals and cabinets can be retro-fitted. Door locks are identical in shape to drawer locks, but these components are not pre-routed and therefore, locks cannot be retro-fitted.

Reff lockcores must be specified separately. Reff lock mechanisms are black and feature a removable core for easy replacement.

Levellers
All endpanels, backpanels (except recessed), floor pedestals and cabinets have 1 1/2″ high levellers.

Lighting
Shelves and overhead cabinets have a bottom recess to house the task light. The task light can be easily retro-fitted.

Power is conveyed to the task light fixture by a 9′ long cable. The lower end of the cable can be plugged into a panel base receptacle.

Grommets
Grommets are optional (except where noted). Tops up to 48″ wide have one grommet. Tops wider than 48″ include two grommets. See Planning Guide for locations.

All dimensions in this price list are for representative purposes only. For accurate build dimensions or factory drawings, please call Customer Services.

The Reff electrical is listed for use in the Reff panel system under UL1286.

Reff “Floor to Ceiling” is a modular, panel-based system. The ceiling channel should not be used as a support for the panel (see *support* section of specification guide).

Because local building and electrical codes vary and may have special requirements for modular walls that touch, approach or are attached to the ceiling, customers and installers should have the specifications reviewed and approved by building inspectors and a qualified electrical contractor. To the extent local codes and practices dictate, Knoll is available to help with customized solutions.

Orders with 50 or fewer locks required with no specific keying requests will be sent randomly keyed by the factory without warning.

Finishing
All Reff natural wood veneer and Techwood components are stained and sealed using a state of the art polyurethane finishing process. Polyur™ provides superior resistance to solvents, stains, abrasion and heat. Each component is coated and cured with ultraviolet light for a durable, lasting wood surface.

Natural veneers are all hand selected to best showcase the beauty of natural grain and to Knoll’s meticulous color and grain standards.

Every effort is made to ensure that Knoll Reff veneers are the best that can be sourced in quality of color, consistency and size. Natural variations of wood are held in high regard and are not considered to be defects. Natural variations are not subject to warranty. The natural process of color change in real wood products is part of the unique character and beauty of this material. Knoll expects wood to patina over time and does not warranty color change.

Techwood is a genuine real wood product, enhanced by technology to provide color and grain consistency. Techwood finishes are available in open and closed pore options. Open pore techwood finishes are not available on waterfall edge tops. Waterfall edge tops can be specified with closed pore V1 and V2 finishes only.

FSC (Forest Stewardship Council) certified materials available upon request.

Reff Profiles finish options

Wood Finishes:
V1 Techwood Closed Pore

Y316	Maple
Y319	Cherry
Y323	Medium Walnut
Y326	Dark Mahogany
Y327	Light Oak
Y329	Medium Oak
Y341	Wenge *
Y342	Medium Teak *
Y343	Dark Grey Oak *
Y344	Espresso
Y851	Black Oak
Y811	Natural
Y821	Blond Maple
Y831	Light Cherry

**Not available on Reff optional Edges and Waterfall Edge.*

V1 - Techwood Closed Pore Surface with matching synthethic edge:
Options applicable for 1¼" thick worksurfaces with standard flat edge only.

S319	Cherry
S316	Maple
S323	Medium Walnut

V2 Natural Veneers/Premium Techwod Veneers Closed Pore

V312	Bronze Cherry
V316	Maple
V411	Light Walnut
V415	Peacock Green Walnut
V417	Old English Walnut
V418	Smoked Walnut
V433	Light Fawn Cherry
V436	Medium Brown Cherry
V440	Natural Hemlock (QC)
Y871	Iced Sycamore (Open pore)
Y841	Ebony (Open pore)
Y861	Grigio (Open pore)

(all above V2's are flat cut)

V421	Chalk Oak
V423	Light Oak
V425	Amber Oak
V427	Brown Oak

(all V2 Oak's are rift cut)

V439	Straight Anigre

V2 Natural Veneer with synthetic edge
Options applicable for 1¼" thick worksurfaces with standard flat edge only.

Flat Cut:

R319	Medium Cherry
R315	Light Cherry
R316	Light Maple
R323	Medium Walnut
R415	Peacock Green Walnut
R417	Old English Walnut
R421	Chalk Oak
R427	Brown Oak
R312	Bronze Cherry

V3	**Exotic Veneer**
V512	Figured Anigre
V513	Graphite Oak (Rift cut)
V514	Makore
V515	Figured Sycamore
V517	Natural Sapele
V518	Natural Chestnut

(all above are quarter cut)

Glass Options:

TEMP	Clear Tempered (G1)

Architectural Glass Options: (G2)

GL13	Powder
GL8	Wafer
GL6	Block Matrix

Back Painted Glass (G3)

GL11	Back Painted Black
GL15	Back Painted Medium Grey
GL18	Back Painted White

Colored Glass (G3)

GL35	Grey
GL85	Star Clear

Locks
Black and Silver

Laminate
Matching edge band unless noted otherwise

111	Jet Black
114	Folkstone Grey
115	Medium Grey
117	Soft Grey
118	Bright White
119	Pumice
121	Micro Grey with 114 Folkstone grey edge band
122	Brushed Sand with 119 Pumice edge band
123	Brushed Grey with 128 Fog edge band
124	Medium Chery
125	Natural Maple
126	Natural Cherry
127	Walnut
128	Fog
129	Micro Sand with 119 Pumice edge band

Paint Classifications:
Upcharge as applicable for paint class noted on applicable product pages

P1

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey

P2

611	Beige Mist Metallic
612	Medium Metallic Grey

P3

118	Bright White
613	Silver
PD	Polish Chrome
PT	Brushed Pewter
PN	Black Nickel
PU	Satin Nickel
AN	Anodized Black
AP	Anodized Polished
AU	Anodized Satin

See matrix next page for finishes applicable by component

Forbo

851	Biscuit
852	Sky Blue
853	Stone
854	Cinnamon
855	Heather Blue

Mixed Finishes: (where applicable for work surfaces only)
To order mixed finishes, enter four digit finish code as follows:

Use 2 digit prefix to indicate surface finish (laminate)

11	Jet Black
14	Folkstone Grey
17	Soft Grey
18	Bright White
19	Pumice
21	Micro Grey
22	Brushed Sand
23	Brushed Grey
28	Fog
29	Micro Sand

Use 2 digit suffix to indicate edge finish (wood)

12	for V312
16	for V316, Y316
Y9	for Y319
Y3	for Y323
26	for Y326
27	for Y327
29	for Y329
43	for V433
45	for V415
46	for V436
47	for V417
48	for V418
49	for V439
52	for V512
53	for V513
54	for V514
55	for V515
57	for V517
61	for V411
71	for V421
73	for V423
75	for V425
77	for V427

Example:
For a Micro Grey laminate surface with Bronzed Cherry edge, enter finish code 2112

For a Jet Black laminate surface with Light Maple edge, enter finish code 1116

Reff Profiles finish options

Fabric Options

Grade 10
Bailey II (W359) ø
Broadcloth (W288)
Foundation (W351)
Growth Spurt (W692)
Newbury (W812) ø
Solid Crepe (W257) ø
Symbolic Detail (W693)
Tailor Made (W133)
Versatility (W432)

Grade 15
Regency (W210)

Grade 20
Banyan (W443)
Bauhaus Block (W296A)
Circle Line (W1146)
Clarity (W281)
Criss Cross (W305)
Devon (W809) ø
Labyrinth (W352)
Melbourne (W228)
Outback (W229)
Reflect (W884) ø
Resolution (W280)
Walkabout (W230)
Weave Three (W298)

Grade 30
Basket Draft (W249)
Flow (W565)
Harmony (W232)
Interknit (W1090)
Match Point (W1145)
Micro (W465)*
Progression (W403)
Raku Cloth (W566) ø
Relay (W1020) ▲

Grade 40
Clarkson (W1218)
Ornament (W1078)
Palladium (W1030)
Sennit (W337)
Spinoff Nuance (W319)

Grade 45
Casual Elegance (W920)
Dristi (K872)* ø

**with backing only*

▲ Monolithic panels and tackboards only

ø May not be available in all colors.

The following textiles are approved for use on Reff panels. Consult Knoll representative for pricing:

Grade 50
Knoll Hopsack (K1206)
Ricochet (W498)

Grade 55
Knoll Felt (K1207)
Transition (W816)

Customers Own Material
Prices for panels that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing.

COM fabrics are subject to a testing charge prior to acceptance for use on Reff panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.

When specifying panel/fabrics use the following format to denote location on a tiled panel.

Side 1		Side 2
1E	Top of Panel	2E
1D		2D
1C		2C
1B		2B
1A	Bottom of Panel	2A

(Side 1 is always the inside of the workstation.)

Panels with beltway one side: assume the beltway is on SIDE 1 of the panel.

Non-Wood Finishes

26½" h planning Finishes	*Panel Tiles, Worksurfaces & Components*	*Panel Top Trims Window Frames*	*Panel Base Side Plates*	*Panel Beltway Side Plates**	*Leg and Bases*	*Interaction Style Legs*	*Pulls*	*Grommets*
Jet Black	111	111	111	111	111	111	111	111
Dark grey	n/a	113	113	113	113	113	n/a	113
Medium grey	n/a	115	115	115	115	115	n/a	115
Soft grey	117	117	117	117	117	117	n/a	117
Folkstone grey	114	114	114	114	114	114	n/a	114
Pumice	119	119	119	119	119	119	n/a	119
Sandstone	n/a	116	116	116	116	116	n/a	116
Brown	n/a	112	112	112	112	112	112	112
Medium metallic grey	n/a	612	612	612	612	612	612	612
Silver	n/a	613	613	613	613	613	613	613
Bright White	118	118	118	118	118	118	118	118
Beige metallic mist	n/a	611	611	611	611	611	611	611
Micro Grey *	121	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brushed Sand *	122	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Brushed Grey *	123	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Fog	128	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Micro Sand *	129	n/a	n/a	n/a	n/a	n/a	n/a	n/a
Plated Finishes								
Satin brass	n/a	n/a	PZ	n/a	PZ	n/a	PZ	PZ
Brushed pewter	n/a	n/a	PT	n/a	PT	n/a	PT	PT
Polished chrome	n/a	n/a	PD	n/a	PD	n/a	n/a	PD

n/a = not available

* = matching edge band not available, also not optional for panel tiles or components, worksurfaces only

Reff Profiles Master Features

Panel Trim Profiles



Flat (Option A)



Square (Option B)



Bullnose (Option C)



Extruded Aluminum (Option E)

Worksurface Profiles

1 ¼" Thick Standard

1 ¼" Thick Waterfall



1 ¼" Thick Cascade

NOTE: See page 0 for 7 Optional Edges which are also available.

Pull Options



Integral Wood J-Pull



C-Pull (Nickle Plated Finish Only)
7 3/8″W x 1 5/32″D



S-Pull (Stainless Steel Finish Only)
6 5/32″W x 1 1/16″D



D-Pull (Painted and Plated Finishes)
7 3/4″W x 1 13/32″D

R-Cylinder

T-Tab

F-Bar Pull

H-Out Line

G-Grommet Pull

Monolithic panels 34″ H
fabric both sides

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics	18″	34″	**R3B0PFF34 18-( )( )( )**	$564.	$580.	$618.	$700.	$748.	$820.	$870.
	20″	34″	**R3B0PFF34 20-( )( )( )**	564.	580.	618.	700.	748.	820.	870.
	24″	34″	**R3B0PFF34 24-( )( )( )**	608.	624.	662.	744.	792.	864.	914.
	30″	34″	**R3B0PFF34 30-( )( )( )**	650.	666.	704.	786.	834.	906.	956.
	36″	34″	**R3B0PFF34 36-( )( )( )**	691.	707.	745.	827.	875.	947.	997.
	42″	34″	**R3B0PFF34 42-( )( )( )**	793.	809.	847.	929.	977.	1,049.	1,099.
	48″	34″	**R3B0PFF34 48-( )( )( )**	823.	839.	877.	959.	1,007.	1,079.	1,129.



Order Code

Example:	**R3B0PFF3418-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FF	Fabric on both sides
34	34″ high
18	18″ wide
(A)	Flat style top trim profile
(4)	4″ base height
(K)	Include knockouts in base
W281	Fabric Side 1
W281	Fabric Side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Milled for ported components

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional*: specify (M) for panel frame to be milled for ported components. $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

Application Notes

All panels on this page accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34″H, other 34″, 42″, 49″, 64″, and 79″ panels without beltway. To attach 34″H panels to Beltway posts over 34″H, order appropriate attachment kit from page 116.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Ported panel components to be installed below worksurface if panel 36″h.

Monolithic panels 34″ H
fabric one side, laminate other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	34″	**R3B0PFL34 18-( )( )**	$541.	$547.	$566.	$601.	$623.	$654.	$677.
	20″	34″	**R3B0PFL34 20-( )( )**	541.	548.	566.	601.	623.	654.	677.
	24″	34″	**R3B0PFL34 24-( )( )**	575.	582.	600.	635.	657.	688.	711.
	30″	34″	**R3B0PFL34 30-( )( )**	614.	621.	639.	674.	696.	727.	750.
	36″	34″	**R3B0PFL34 36-( )( )**	647.	654.	672.	707.	729.	760.	783.
	42″	34″	**R3B0PFL34 42-( )( )**	736.	743.	761.	796.	818.	849.	872.
	48″	34″	**R3B0PFL34 48-( )( )**	758.	765.	783.	818.	840.	871.	894.



Order Code

Example:	**R3B0PFL3418-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FL	Fabric one side
34	34″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric Side 1
114	Folkstone grey - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Milled for ported components

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional*: specify (M) for panel frame to be milled for ported components. $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option).

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option.
Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

All panels on this page accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34″H, other 34″, 42″, 49″, 64″, and 79″ panels without beltway. To attach 34″H panels to Beltway posts over 34″H, order appropriate attachment kit from page 116.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Ported panel components to be installed below worksurface if panel 36″h.

Monolithic panels 34″ H
fabric one side, techwood other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	34″	**R3B0PF134 18-( )( )**	$634.	$641.	$661.	$702.	$727.	$763.	$790.
	20″	34″	**R3B0PF134 20-( )( )**	637.	644.	664.	705.	730.	766.	793.
	24″	34″	**R3B0PF134 24-( )( )**	678.	685.	705.	746.	771.	807.	834.
	30″	34″	**R3B0PF134 30-( )( )**	721.	728.	748.	789.	814.	850.	877.
	36″	34″	**R3B0PF134 36-( )( )**	764.	771.	791.	832.	857.	893.	920.
	42″	34″	**R3B0PF134 42-( )( )**	867.	874.	894.	935.	960.	996.	1,023.
	48″	34″	**R3B0PF134 48-( )( )**	896.	903.	923.	964.	989.	1,025.	1,052.



Order Code

Example:	**R3B0PF13418-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F1	Fabric one side, V1 other side
34	34″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric Side 1
Y328	Mahogany - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional*: specify (M) for panel frame to be milled for ported components. $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

Application Notes

All panels on this page accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34″H, other 34″, 42″, 49″, 64″, and 79″ panels without beltway. To attach 34″H panels to Beltway posts over 34″H, order appropriate attachment kit from page 116.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Ported panel components to be installed below worksurface if panel 34″h.

Monolithic panels 34″ H
fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	34″	**R3B0PF234 18-( )( )**	$646.	$653.	$673.	$714.	$739.	$775.	$802.
	20″	34″	**R3B0PF234 20-( )( )**	649.	656.	676.	717.	742.	778.	805.
	24″	34″	**R3B0PF234 24-( )( )**	690.	697.	717.	758.	783.	819.	846.
	30″	34″	**R3B0PF234 30-( )( )**	736.	743.	763.	804.	829.	865.	892.
	36″	34″	**R3B0PF234 36-( )( )**	778.	785.	805.	846.	871.	907.	934.
	42″	34″	**R3B0PF234 42-( )( )**	886.	893.	913.	954.	979.	1,015.	1,042.
	48″	34″	**R3B0PF234 48-( )( )**	913.	820.	940.	981.	1,006.	1,042.	1,069.



Order Code

Example:	**R3B0PF23418-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F2	Fabric one side,V2 other side
34	34″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric Side 1
V316	Maple surface - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional*: specify (M) for panel frame to be milled for ported components. $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

Application Notes

All panels on this page accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34″H, other 34″, 42″, 49″, 64″, and 79″ panels without beltway. To attach 34″H panels to Beltway posts over 34″H, order appropriate attachment kit from page 116.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Ported panel components to be installed below worksurface if panel 34″h.

Monolithic panels 34″ H
fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	34″	**R3B0PF334 18-( )( )**	$859.	$866.	$886.	$927.	$952.	$988.	$1,015.
	20″	34″	**R3B0PF334 20-( )( )**	863.	870.	890.	931.	956.	992.	1,019.
	24″	34″	**R3B0PF334 24-( )( )**	918.	925.	945.	986.	1,011.	1,047.	1,074.
	30″	34″	**R3B0PF334 30-( )( )**	981.	988.	1,008.	1,049.	1,074.	1,110.	1,137.
	36″	34″	**R3B0PF334 36-( )( )**	1,037.	1,044.	1,064.	1,105.	1,130.	1,166.	1,193.
	42″	34″	**R3B0PF334 42-( )( )**	1,183.	1,190.	1,210.	1,251.	1,276.	1,312.	1,339.
	48″	34″	**R3B0PF334 48-( )( )**	1,218.	1,225.	1,245.	1,286.	1,311.	1,347.	1,374.



Order Code

Example:	**R3B0PF33418-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F3	Fabric one side, V3 one side
34	34″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric Side 1
V512	Figured Anigre surface - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional*: specify (M) for panel frame to be milled for ported components. $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

Application Notes

All panels on this page accept stacking modules.

6″ Raceway option increases panel height by 2 3/4″.

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34″H, other 34″, 42″, 49″, 64″, and 79″ panels without beltway. To attach 34″H panels to Beltway posts over 34″H, order appropriate attachment kit from page 116.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Ported panel components to be installed below worksurface if panel 34″h.

Monolithic panels 34″ H
Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18″	34″	**R3B0PLL3418( )( )**	$555.
	20″	34″	**R3B0PLL3420( )( )**	555.
	24″	34″	**R3B0PLL3424( )( )**	605.
	30″	34″	**R3B0PLL3430( )( )**	678.
	36″	34″	**R3B0PLL3436( )( )**	732.
	42″	34″	**R3B0PLL3442( )( )**	754.
	48″	34″	**R3B0PLL3448( )( )**	790.



Order Code

Example:	**R3B0PLL3418-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
LL	Laminate both sides
34	34″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
118	Laminate - side 1
118	Laminate - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 laminate inside
5. Panel side 2 laminate outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional*: specify (M) for panel frame to be milled for ported components. $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded aluminum

2. Base height:
4 = 4″ base height

Applicable finishes are listed on page 5 and 6.

Application Notes

All panels on this page accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34″H, other 34″, 42″, 49″, 64″, and 79″ panels without beltway. To attach 34″H panels to Beltway posts over 34″H, order appropriate attachment kit from page 116.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Ported panel components to be installed below worksurface if panel 34″h.

Monolithic panels 42″ H
fabric both sides

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics 	18″	42″	**R3B0PFF42 18-( )( )**	$515.	$531.	$573.	$657.	$723.	$797.	$849.
	20″	42″	**R3B0PFF42 20-( )( )**	515.	531.	573.	657.	723.	797.	849.
	24″	42″	**R3B0PFF42 24-( )( )**	550.	566.	608.	692.	758.	832.	884.
	30″	42″	**R3B0PFF42 30-( )( )**	598.	614.	656.	740.	806.	880.	932.
	36″	42″	**R3B0PFF42 36-( )( )**	645.	661.	703.	787.	863.	927.	979.
	42″	42″	**R3B0PFF42 42-( )( )**	692.	708.	750.	834.	900.	974.	1,026.
	48″	42″	**R3B0PFF42 48-( )( )**	742.	758.	800.	884.	950.	1,024.	1,076.
	60″	42″	**R3B0PFF42 60-( )( )***	840.	886.	970.	1,134.	1,256.	1,414.	1,510.
	66″	42″	**R3B0PFF42 66-( )( )***	869.	915.	999.	1,163.	1,285.	1,443.	1,539.
	72″	42″	**R3B0PFF42 72-( )( )***	897.	943.	1,027.	1,191.	1,313.	1,471.	1,567.
Monolithic, fabric both sides High acoustics 	18″	42″	**R3B0PAA42 18-( )( )**	565.	581.	623.	707.	773.	847.	899.
	20″	42″	**R3B0PAA42 20-( )( )**	565.	581.	623.	707.	773.	847.	899.
	24″	42″	**R3B0PAA42 24-( )( )**	601.	617.	659.	743.	809.	883.	935.
	30″	42″	**R3B0PAA42 30-( )( )**	652.	668.	710.	794.	860.	934.	986.
	36″	42″	**R3B0PAA42 36-( )( )**	706.	722.	764.	848.	914.	988.	1,040.
	42″	42″	**R3B0PAA42 42-( )( )**	761.	777.	819.	903.	969.	1,043.	1,095.
	48″	42″	**R3B0PAA42 48-( )( )**	815.	831.	873.	957.	1,023.	1,097.	1,149.
	60″	42″	**R3B0PAA42 60-( )( )***	916.	962.	1,046.	1,210.	1,332.	1,490.	1,586.
	66″	42″	**R3B0PAA42 66-( )( )***	947.	993.	1,077.	1,241.	1,363.	1,521.	1,617.
	72″	42″	**R3B0PAA42 72-( )( )***	978.	1,024.	1,108.	1,272.	1,394.	1,552.	1,648.

Order Code

Example:	**R3B0PFF4218-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FF	Fabric on both sides
42	42″ high
18	18″ wide
(A)	Flat style top trim profile
(4)	4″ base height
(K)	Include knockouts in base
W281	Fabric - Side 1
W281	Fabric - Side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional*: specify (M) for panel frame to be milled for ported components. $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

Application Notes

The Reff System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see page 389).

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

*Fabric inserts of these panels are two pieces, split vertically.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Applicable finishes are listed on page 5 and 6.

Monolithic panels 42″ H
with Beltway

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides Beltway two sides, regular acoustics	18″	42″	**R3B2PFF42 18-( )( )**	$1,016.	$1,038.	$1,094.	$1,204.	$1,270.	$1,360.	$1,422.
	20″	42″	**R3B2PFF42 20-( )( )**	1,016.	1,038.	1,094.	1,204.	1,270.	1,360.	1,422.
	24″	42″	**R3B2PFF42 24-( )( )**	1,037.	1,059.	1,115.	1,225.	1,291.	1,381.	1,443.
	30″	42″	**R3B2PFF42 30-( )( )**	1,088.	1,110.	1,166.	1,276.	1,342.	1,432.	1,494.
	36″	42″	**R3B2PFF42 36-( )( )**	1,272.	1,294.	1,350.	1,460.	1,526.	1,616.	1,678.
	42″	42″	**R3B2PFF42 42-( )( )**	1,368.	1,390.	1,446.	1,556.	1,622.	1,712.	1,774.
	48″	42″	**R3B2PFF42 48-( )( )**	1,417.	1,439.	1,495.	1,605.	1,671.	1,761.	1,823.
Monolithic, fabric both sides Beltway one side	18″	42″	**R3B1PFF42 18-( )( )**	1,000.	1,019.	1,068.	1,165.	1,231.	1,313.	1,370.
	20″	42″	**R3B1PFF42 20-( )( )**	1,000.	1,019.	1,068.	1,165.	1,231.	1,313.	1,370.
	24″	42″	**R3B1PFF42 24-( )( )**	1,017.	1,036.	1,085.	1,182.	1,248.	1,330.	1,387.
	30″	42″	**R3B1PFF42 30-( )( )**	1,068.	1,087.	1,136.	1,233.	1,299.	1,381.	1,438.
	36″	42″	**R3B1PFF42 36-( )( )**	1,248.	1,267.	1,316.	1,413.	1,479.	1,561.	1,618.
	42″	42″	**R3B1PFF42 42-( )( )**	1,342.	1,361.	1,410.	1,507.	1,573.	1,655.	1,712.
	48″	42″	**R3B1PFF42 48-( )( )**	1,384.	1,403.	1,452.	1,549.	1,615.	1,697.	1,754.



Order Code

Example:	**R3B2PFF4218**
R3	Reff Generation 3
B2	Beltway two sides
P	Monolithic panel
FF	Fabric on both sides
42	42″ high
18	18″ wide
(A)	Flat style top trim profile
(4)	4″ base height
(K)	Include knockouts in base
W281	Fabric - Side 1 below belt
W281	Fabric - Side 1 above belt
W281	Fabric - Side 2 below belt
W281	Fabric - Side 2 above belt
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black Beltway finish

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside below belt
5. Panel side 1 finsih(s) inside above belt
6. Panel side 2 finish(s) outside below belt
7. Panel side 2 finish(s) outside above belt
8. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5excluding silver
9. Base finish
10. Beltway finish
11. *Optional*: specify (M) for panel frame to be milled for ported components. $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

3. Beltway:
B1 = Beltway 1 side
B2 = Beltway 2 sides

Application Notes

The Reff System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see page 389).

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an R2AK attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

*Fabric inserts of these panels are two pieces, split vertically.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Applicable finishes are listed on page 5 and 6.

Monolithic panels 42″ H
fabric one side, laminate other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18″	42″	**R3B0PFL42 18-( )( )**	$442.	$450.	$469.	$505.	$535.	$567.	$591.
	20″	42″	**R3B0PFL42 20-( )( )**	442.	450.	469.	505.	535.	567.	591.
	24″	42″	**R3B0PFL42 24-( )( )**	448.	456.	475.	511.	541.	573.	597.
	30″	42″	**R3B0PFL42 30-( )( )**	537.	545.	564.	600.	630.	662.	686.
	36″	42″	**R3B0PFL42 36-( )( )**	581.	589.	608.	644.	674.	706.	730.
	42″	42″	**R3B0PFL42 42-( )( )**	653.	661.	680.	716.	746.	778.	802.
	48″	42″	**R3B0PFL42 48-( )( )**	711.	719.	738.	774.	804.	836.	860.
	60″	42″	**R3B0PFL42 60-( )( )**	773.	792.	829.	903.	956.	1,026.	1,069.
	66″	42″	**R3B0PFL42 66-( )( )**	800.	819.	856.	930.	983.	1,053.	1,096.
	72″	42″	**R3B0PFL42 72-( )( )**	830.	849.	886.	960.	1,013.	1,083.	1,126.
Monolithic, fabric one side Beltway one side (fabric side) 	18″	42″	**R3B1PFL42 18-( )( )**	871.	882.	906.	954.	982.	1,023.	1,052.
	20″	42″	**R3B1PFL42 20-( )( )**	871.	882.	906.	954.	982.	1,023.	1,052.
	24″	42″	**R3B1PFL42 24-( )( )**	893.	904.	928.	976.	1,004.	1,045.	1,074.
	30″	42″	**R3B1PFL42 30-( )( )**	960.	971.	995.	1,043.	1,071.	1,112.	1,141.
	36″	42″	**R3B1PFL42 36-( )( )**	1,120.	1,131.	1,155.	1,203.	1,231.	1,272.	1,301.
	42″	42″	**R3B1PFL42 42-( )( )**	1,146.	1,157.	1,181.	1,229.	1,257.	1,298.	1,327.
	48″	42″	**R3B1PFL42 48-( )( )**	1,289.	1,300.	1,324.	1,372.	1,400.	1,441.	1,470.

Order Code

Example:	**R3B0PFL4218-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FL	Fabric one side, laminate other
42	42″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
114	Folkstone grey - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

BO=No Beltway
B1=Beltway one side

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Panel side 1 finish(s) inside
   (for panel with beltway specify:
   Side 1-below belt
   Side 2-above belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish-only for panel with beltway option
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option.
Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

The Reff System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see transaction tops page.)

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Fabric and laminate covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Monolithic panels 42″ H
fabric one side, techwood other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	42″	**R3B0PF142 18-( )( )**	$520.	$529.	$550.	$593.	$627.	$664.	$691.
	20″	42″	**R3B0PF142 20-( )( )**	520.	529.	550.	593.	627.	664.	691.
	24″	42″	**R3B0PF142 24-( )( )**	525.	534.	555.	598.	632.	669.	696.
	30″	42″	**R3B0PF142 30-( )( )**	632.	641.	662.	705.	739.	776.	803.
	36″	42″	**R3B0PF142 36-( )( )**	684.	693.	714.	757.	791.	828.	855.
	42″	42″	**R3B0PF142 42-( )( )**	770.	779.	800.	843.	877.	914.	941.
	48″	42″	**R3B0PF142 48-( )( )**	837.	846.	867.	910.	944.	981.	1,008.
	60″	42″	**R3B0PF142 60-( )( )***	910.	932.	975.	1,060.	1,121.	1,203.	1,252.
	66″	42″	**R3B0PF142 66-( )( )***	946.	968.	1,011.	1,096.	1,157.	1,239.	1,288.
	72″	42″	**R3B0PF142 72-( )( )***	978.	1,000.	1,043.	1,128.	1,189.	1,271.	1,320.
Monolithic, fabric one side Beltway one side (fabric side)	18″	42″	**R3B1PF142 18-( )( )**	1,021.	1,032.	1,060.	1,117.	1,148.	1,195.	1,228.
	20″	42″	**R3B1PF142 20-( )( )**	1,021.	1,032.	1,060.	1,117.	1,148.	1,195.	1,228.
	24″	42″	**R3B1PF142 24-( )( )**	1,051.	1,062.	1,090.	1,147.	1,178.	1,225.	1,258.
	30″	42″	**R3B1PF142 30-( )( )**	1,129.	1,140.	1,168.	1,225.	1,256.	1,303.	1,336.
	36″	42″	**R3B1PF142 36-( )( )**	1,314.	1,325.	1,353.	1,410.	1,441.	1,488.	1,521.
	42″	42″	**R3B1PF142 42-( )( )**	1,349.	1,360.	1,388.	1,445.	1,476.	1,523.	1,556.
	48″	42″	**R3B1PF142 48-( )( )**	1,518.	1,529.	1,557.	1,614.	1,645.	1,692.	1,725.





Order Code

Example:	**R3B0PF14218-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F1	Fabric one side, V1 other
42	42″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
Y328	Mahogany - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Panel side 1 finish(s) inside
   For panels with Beltway specify:
   Side 1, Below belt
   Side 2, Above belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish (only for panels with Beltway)
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

Applicable finishes are listed on page 5 and 6.

Application Notes

The Reff System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Fabric and techwood covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Monolithic panels 42″ H
fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18″	42″	**R3B0PF242 18-( )( )**	$528.	$537.	$558.	$601.	$635.	$672.	$699.
	20″	42″	**R3B0PF242 20-( )( )**	528.	537.	558.	601.	635.	672.	699.
	24″	42″	**R3B0PF242 24-( )( )**	536.	545.	566.	609.	643.	680.	707.
	30″	42″	**R3B0PF242 30-( )( )**	644.	653.	674.	717.	751.	788.	815.
	36″	42″	**R3B0PF242 36-( )( )**	696.	705.	726.	769.	803.	840.	867.
	42″	42″	**R3B0PF242 42-( )( )**	784.	793.	814.	857.	891.	928.	955.
	48″	42″	**R3B0PF242 48-( )( )**	854.	863.	884.	927.	961.	998.	1,025.
	60″	42″	**R3B0PF242 60-( )( )***	923.	945.	988.	1,073.	1,134.	1,216.	1,265.
	66″	42″	**R3B0PF242 66-( )( )***	961.	983.	1,026.	1,111.	1,172.	1,254.	1,303.
	72″	42″	**R3B0PF242 72-( )( )***	993.	1,015.	1,058.	1,143.	1,204.	1,286.	1,335.
Monolithic, fabric one side Beltway one side (fabric side) 	18″	42″	**R3B1PF242 18-( )( )**	1,045.	1,056.	1,084.	1,141.	1,172.	1,219.	1,252.
	20″	42″	**R3B1PF242 20-( )( )**	1,045.	1,056.	1,084.	1,141.	1,172.	1,219.	1,252.
	24″	42″	**R3B1PF242 24-( )( )**	1,067.	1,078.	1,106.	1,163.	1,194.	1,241.	1,274.
	30″	42″	**R3B1PF242 30-( )( )**	1,152.	1,163.	1,191.	1,248.	1,279.	1,326.	1,359.
	36″	42″	**R3B1PF242 36-( )( )**	1,340.	1,351.	1,379.	1,436.	1,467.	1,514.	1,547.
	42″	42″	**R3B1PF242 42-( )( )**	1,375.	1,386.	1,414.	1,471.	1,502.	1,549.	1,582.
	48″	42″	**R3B1PF242 48-( )( )**	1,544.	1,555.	1,583.	1,640.	1,671.	1,718.	1,751.

Order Code

Example:	**R3B0PF24218-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F2	Fabric one side, V2 other
42	42″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
V316	Maple surface - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
   For panel with Beltway option specify:
   Side 1- Below Beltway
   Side 2- Above Beltway
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish - (only for panels with Beltway option)
8. Beltway finish
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

Applicable finishes are listed on page 5 and 6.

Application Notes

The Reff System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Fabric and veneer covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Monolithic panels 42″ H
fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18″	42″	**R3B0PF342 18-( )( )**	$698.	$707.	$728.	$771.	$805.	$842.	$869.
	20″	42″	**R3B0PF342 20-( )( )**	698.	707.	728.	771.	805.	842.	869.
	24″	42″	**R3B0PF342 24-( )( )**	709.	718.	739.	782.	816.	853.	880.
	30″	42″	**R3B0PF342 30-( )( )**	854.	863.	884.	927.	961.	998.	1,025.
	36″	42″	**R3B0PF342 36-( )( )**	924.	933.	954.	997.	1,031.	1,068.	1,095.
	42″	42″	**R3B0PF342 42-( )( )**	1,043.	1,052.	1,073.	1,116.	1,150.	1,187.	1,214.
	48″	42″	**R3B0PF342 48-( )( )**	1,138.	1,147.	1,168.	1,211.	1,245.	1,282.	1,309.
	60″	42″	**R3B0PF342 60-( )( )***	1,217.	1,239.	1,282.	1,367.	1,428.	1,510.	1,559.
	66″	42″	**R3B0PF342 66-( )( )***	1,268.	1,290.	1,333.	1,418.	1,479.	1,561.	1,610.
	72″	42″	**R3B0PF342 72-( )( )***	1,312.	1,334.	1,377.	1,462.	1,523.	1,605.	1,654.
Monolithic, fabric one side Beltway fabric side 	18″	42″	**R3B1PF342 18-( )( )**	1,395.	1,406.	1,434.	1,491.	1,522.	1,569.	1,602.
	20″	42″	**R3B1PF342 20-( )( )**	1,395.	1,406.	1,434.	1,491.	1,522.	1,569.	1,602.
	24″	42″	**R3B1PF342 24-( )( )**	1,425.	1,436.	1,464.	1,521.	1,552.	1,599.	1,632.
	30″	42″	**R3B1PF342 30-( )( )**	1,540.	1,551.	1,579.	1,636.	1,667.	1,714.	1,747.
	36″	42″	**R3B1PF342 36-( )( )**	1,794.	1,805.	1,833.	1,890.	1,921.	1,968.	2,001.
	42″	42″	**R3B1PF342 42-( )( )**	1,841.	1,852.	1,880.	1,937.	1,968.	2,015.	2,048.
	48″	42″	**R3B1PF342 48-( )( )**	2,071.	2,082.	2,110.	2,167.	2,198.	2,245.	2,278.

Order Code

Example:	**R3B0PF34218-A4K**
R3	Reff Generation 3
B0	No Beltway, B1=Beltway, one side
P	Monolithic panel
F3	Fabric one side, V3 other
42	42″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
V512	Figured Anigre surface - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Panel side 1 finish(s) inside
   For panel with Beltway option specify:
   Side 1=Below Beltway
   Side 2=Above Beltway
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish (only for panels with Beltway option)
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

Applicable finishes are listed on page 5 and 6.

Application Notes

The Reff System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Fabric and veneer covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Monolithic panels 42″ H
Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18″	42″	**R3B0PLL4218( )( )**	$587.
	20″	42″	**R3B0PLL4220( )( )**	587.
	24″	42″	**R3B0PLL4224( )( )**	640.
	30″	42″	**R3B0PLL4230( )( )**	717.
	36″	42″	**R3B0PLL4236( )( )**	774.
	42″	42″	**R3B0PLL4242( )( )**	851.
	48″	42″	**R3B0PLL4248( )( )**	953.
	60″	42″	**R3B0PLL4260( )( )***	1,030.
	66″	42″	**R3B0PLL4266( )( )***	1,061.
	72″	42″	**R3B0PLL4272( )( )***	1,092.



Order Code

Example:	**R3B0PLL4218-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
LL	Laminate both sides
42	42″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
118	Laminate - side 1
118	Laminate - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1inside
5. Panel side 2 outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

Applicable finishes are listed on page 5 and 6.

Application Notes

The Reff System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Fabric and veneer covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Monolithic panels 49″ H
fabric both sides

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics	18″	49″	**R3B0PFF49 18-( )( )**	$576.	$602.	$650.	$754.	$822.	$912.	$970.
	20″	49″	**R3B0PFF49 20-( )( )**	576.	602.	650.	754.	822.	912.	970.
	24″	49″	**R3B0PFF49 24-( )( )**	614.	640.	688.	792.	860.	950.	1,008.
	30″	49″	**R3B0PFF49 30-( )( )**	667.	693.	741.	845.	913.	1,003.	1,061.
	36″	49″	**R3B0PFF49 36-( )( )**	698.	724.	772.	876.	944.	1,034.	1,092.
	42″	49″	**R3B0PFF49 42-( )( )**	752.	778.	826.	930.	998.	1,088.	1,146.
	48″	49″	**R3B0PFF49 48-( )( )**	826.	852.	900.	1,004.	1,072.	1,162.	1,220.
	60″	49″	**R3B0PFF49 60-( )( )***	956.	998.	1,096.	1,302.	1,440.	1,622.	1,734.
	66″	49″	**R3B0PFF49 66-( )( )***	987.	1,029.	1,127.	1,333.	1,471.	1,653.	1,765.
	72″	49″	**R3B0PFF49 72-( )( )***	1,016.	1,058.	1,156.	1,362.	1,500.	1,682.	1,794.
Monolithic, fabric both sides High acoustics	18″	49″	**R3B0PAA49 18-( )( )**	628.	654.	702.	806.	874.	964.	1,022.
	20″	49″	**R3B0PAA49 20-( )( )**	628.	654.	702.	806.	874.	964.	1,022.
	24″	49″	**R3B0PAA49 24-( )( )**	672.	698.	746.	850.	918.	1,008.	1,066.
	30″	49″	**R3B0PAA49 30-( )( )**	728.	754.	802.	906.	974.	1,064.	1,122.
	36″	49″	**R3B0PAA49 36-( )( )**	764.	790.	838.	942.	1,010.	1,100.	1,158.
	42″	49″	**R3B0PAA49 42-( )( )**	825.	851.	899.	1,003.	1,071.	1,161.	1,219.
	48″	49″	**R3B0PAA49 48-( )( )**	907.	933.	981.	1,085.	1,153.	1,243.	1,301.
	60″	49″	**R3B0PAA49 60-( )( )***	1,039.	1,081.	1,179.	1,385.	1,523.	1,705.	1,817.
	66″	49″	**R3B0PAA49 66-( )( )***	1,075.	1,117.	1,215.	1,421.	1,559.	1,741.	1,853.
	72″	49″	**R3B0PAA49 72-( )( )***	1,111.	1,153.	1,251.	1,457.	1,595.	1,777.	1,889.





Order Code

Example:	**R3B0PFF4918-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FF	Fabric on both sides
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
W281	Fabric - Side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

6″ Raceway option increases panel height by 2¾″.

Applicable finishes are listed on page 5 and 6.

*Fabric inserts of these panels are two pieces, split vertically.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Monolithic panels 49″ H
with Beltway

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides Beltway two sides, regular acoustics	18″	49″	**R3B2PFF49 18-( )( )**	$1,042.	$1,074.	$1,140.	$1,252.	$1,330.	$1,442.	$1,514.
	20″	49″	**R3B2PFF49 20-( )( )**	1,042.	1,074.	1,140.	1,252.	1,330.	1,442.	1,514.
	24″	49″	**R3B2PFF49 24-( )( )**	1,064.	1,096.	1,162.	1,274.	1,352.	1,464.	1,536.
	30″	49″	**R3B2PFF49 30-( )( )**	1,118.	1,150.	1,216.	1,328.	1,406.	1,518.	1,590.
	36″	49″	**R3B2PFF49 36-( )( )**	1,320.	1,352.	1,418.	1,530.	1,608.	1,720.	1,792.
	42″	49″	**R3B2PFF49 42-( )( )**	1,420.	1,452.	1,518.	1,630.	1,708.	1,820.	1,892.
	48″	49″	**R3B2PFF49 48-( )( )**	1,470.	1,502.	1,568.	1,680.	1,758.	1,870.	1,942.
Monolithic, fabric both sides Beltway one side	18″	49″	**R3B1PFF49 18-( )( )**	1,023.	1,052.	1,109.	1,217.	1,290.	1,391.	1,456.
	20″	49″	**R3B1PFF49 20-( )( )**	1,023.	1,052.	1,109.	1,217.	1,290.	1,391.	1,456.
	24″	49″	**R3B1PFF49 24-( )( )**	1,043.	1,072.	1,129.	1,237.	1,310.	1,411.	1,476.
	30″	49″	**R3B1PFF49 30-( )( )**	1,094.	1,123.	1,180.	1,288.	1,361.	1,462.	1,527.
	36″	49″	**R3B1PFF49 36-( )( )**	1,294.	1,323.	1,380.	1,488.	1,561.	1,662.	1,727.
	42″	49″	**R3B1PFF49 42-( )( )**	1,390.	1,419.	1,476.	1,584.	1,657.	1,758.	1,823.
	48″	49″	**R3B1PFF49 48-( )( )**	1,439.	1,468.	1,525.	1,633.	1,706.	1,807.	1,872.



Order Code

Example:	**R3B2PFF4918-A4K**
R3	Reff Generation 3
B2	Beltway, both sides
P	Monolithic panel
FF	Fabric on both sides
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Side 1 - Below Belt
W281	Side 1 - Above Belt
W281	Side 2 - Below Belt
W281	Side 2 - Above Belt
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame
111	Beltway finish

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel 1 finish(s) Below Belt
5. Panel 2 finish(s) Above Belt
6. Panel 2 finish(s) Below Belt
7. Panel 2 finish(s) Above Belt
8. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5excluding silver
9. Base finish
10. Beltway finish

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

6″ Raceway option increases panel height by 2¾″.

Applicable finishes are listed on page 5and 6.

*Fabric inserts of these panels are two pieces, split vertically.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Monolithic panels 49″ H
fabric one side, laminate other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	49″	**R3B0PFL49 18-( )( )**	$489.	$503.	$523.	$569.	$599.	$639.	$664.
	20″	49″	**R3B0PFL49 20-( )( )**	489.	503.	523.	569.	599.	639.	664.
	24″	49″	**R3B0PFL49 24-( )( )**	535.	549.	569.	615.	645.	685.	710.
	30″	49″	**R3B0PFL49 30-( )( )**	606.	620.	640.	686.	716.	756.	781.
	36″	49″	**R3B0PFL49 36-( )( )**	654.	668.	688.	734.	764.	804.	829.
	42″	49″	**R3B0PFL49 42-( )( )**	722.	736.	756.	802.	832.	872.	897.
	48″	49″	**R3B0PFL49 48-( )( )**	813.	827.	847.	893.	923.	963.	988.
	60″	49″	**R3B0PFL49 60-( )( )***	885.	905.	949.	1,038.	1,099.	1,181.	1,229.
	66″	49″	**R3B0PFL49 66-( )( )***	910.	930.	974.	1,063.	1,124.	1,206.	1,254.
	72″	49″	**R3B0PFL49 72-( )( )***	942.	962.	1,006.	1,095.	1,156.	1,238.	1,286.
Monolithic, fabric one side Beltway one side (fabric side)	18″	49″	**R3B1PFL49 18-( )( )**	886.	900.	929.	979.	1,013.	1,062.	1,095.
	20″	49″	**R3B1PFL49 20-( )( )**	886.	900.	929.	979.	1,013.	1,062.	1,095.
	24″	49″	**R3B1PFL49 24-( )( )**	921.	935.	964.	1,014.	1,048.	1,097.	1,130.
	30″	49″	**R3B1PFL49 30-( )( )**	990.	1,004.	1,033.	1,083.	1,117.	1,166.	1,199.
	36″	49″	**R3B1PFL49 36-( )( )**	1,190.	1,204.	1,233.	1,283.	1,317.	1,366.	1,399.
	42″	49″	**R3B1PFL49 42-( )( )**	1,299.	1,313.	1,342.	1,392.	1,426.	1,475.	1,508.
	48″	49″	**R3B1PFL49 48-( )( )**	1,369.	1,383.	1,412.	1,462.	1,496.	1,545.	1,578.





Order Code

Example:	**R3B0PFL4918-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FL	Fabric one side, laminate other
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
114	Folkstone grey - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Panel side 1 finish(s) inside
   For panel with Beltway option, please specify,
   Side 1 - Below Beltway
   Side 1 - Above Beltway
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish - only for panels with beltway option
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

6″ Raceway option increases panel height by 2¾″.

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option.
Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Monolithic panels 49″ H
fabric one side, techwood other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	49″	**R3B0PF149 18-( )( )**	$576.	$591.	$614.	$667.	$704.	$747.	$778.
	20″	49″	**R3B0PF149 20-( )( )**	576.	591.	614.	667.	704.	747.	778.
	24″	49″	**R3B0PF149 24-( )( )**	630.	645.	668.	721.	758.	801.	832.
	30″	49″	**R3B0PF149 30-( )( )**	717.	732.	755.	808.	845.	888.	919.
	36″	49″	**R3B0PF149 36-( )( )**	768.	783.	806.	859.	896.	939.	970.
	42″	49″	**R3B0PF149 42-( )( )**	850.	865.	888.	941.	978.	1,021.	1,052.
	48″	49″	**R3B0PF149 48-( )( )**	956.	971.	994.	1,047.	1,084.	1,127.	1,158.
	60″	49″	**R3B0PF149 60-( )( )***	1,040.	1,063.	1,115.	1,217.	1,288.	1,380.	1,437.
	66″	49″	**R3B0PF149 66-( )( )***	1,070.	1,093.	1,145.	1,247.	1,318.	1,410.	1,467.
	72″	49″	**R3B0PF149 72-( )( )***	1,107.	1,130.	1,182.	1,284.	1,355.	1,447.	1,504.
Monolithic, fabric one side Beltway one side (fabric side)	18″	49″	**R3B1PF149 18-( )( )**	1,045.	1,060.	1,095.	1,152.	1,190.	1,247.	1,285.
	20″	49″	**R3B1PF149 20-( )( )**	1,045.	1,060.	1,095.	1,152.	1,190.	1,247.	1,285.
	24″	49″	**R3B1PF149 24-( )( )**	1,083.	1,098.	1,133.	1,190.	1,228.	1,285.	1,323.
	30″	49″	**R3B1PF149 30-( )( )**	1,163.	1,178.	1,213.	1,270.	1,308.	1,365.	1,403.
	36″	49″	**R3B1PF149 36-( )( )**	1,398.	1,413.	1,448.	1,505.	1,543.	1,600.	1,638.
	42″	49″	**R3B1PF149 42-( )( )**	1,530.	1,545.	1,580.	1,637.	1,675.	1,732.	1,770.
	48″	49″	**R3B1PF149 48-( )( )**	1,608.	1,623.	1,658.	1,715.	1,753.	1,810.	1,848.





Order Code

Example:	**R3B0PF14918-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F1	Fabric one side, V1 other
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
Y328	Mahogany - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top rim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
   For panel with Beltway, please specify:
   Side 1 - Below Belt
   Side 1 - Above Belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

6″ Raceway option increases panel height by 2¾″.

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Monolithic panels 49″ H
fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	49″	**R3B0PF249 18-( )( )**	$585.	$600.	$623.	$676.	$713.	$756.	$787.
	20″	49″	**R3B0PF249 20-( )( )**	585.	600.	623.	676.	713.	756.	787.
	24″	49″	**R3B0PF249 24-( )( )**	641.	656.	679.	732.	769.	812.	843.
	30″	49″	**R3B0PF249 30-( )( )**	727.	742.	765.	818.	855.	898.	929.
	36″	49″	**R3B0PF249 36-( )( )**	782.	797.	820.	873.	910.	953.	984.
	42″	49″	**R3B0PF249 42-( )( )**	865.	880.	903.	956.	993.	1,036.	1,067.
	48″	49″	**R3B0PF249 48-( )( )**	976.	991.	1,014.	1,067.	1,104.	1,147.	1,178.
	60″	49″	**R3B0PF249 60-( )( )***	1,059.	1,082.	1,134.	1,236.	1,307.	1,399.	1,456.
	66″	49″	**R3B0PF249 66-( )( )***	1,093.	1,116.	1,168.	1,270.	1,341.	1,433.	1,490.
	72″	49″	**R3B0PF249 72-( )( )***	1,127.	1,150.	1,202.	1,304.	1,375.	1,467.	1,524.
Monolithic, fabric one side Beltway one side (fabric side)	18″	49″	**R3B1PF249 18-( )( )**	1,063.	1,078.	1,113.	1,170.	1,208.	1,265.	1,303.
	20″	49″	**R3B1PF249 20-( )( )**	1,036.	1,078.	1,113.	1,170.	1,208.	1,265.	1,303.
	24″	49″	**R3B1PF249 24-( )( )**	1,102.	1,117.	1,152.	1,209.	1,247.	1,304.	1,342.
	30″	49″	**R3B1PF249 30-( )( )**	1,188.	1,203.	1,238.	1,295.	1,333.	1,390.	1,428.
	36″	49″	**R3B1PF249 36-( )( )**	1,427.	1,442.	1,477.	1,534.	1,572.	1,629.	1,667.
	42″	49″	**R3B1PF249 42-( )( )**	1,556.	1,571.	1,606.	1,663.	1,701.	1,758.	1,796.
	48″	49″	**R3B1PF249 48-( )( )**	1,635.	1,650.	1,685.	1,742.	1,780.	1,837.	1,875.





Order Code

Example:	**R3B0PF24918-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F2	Fabric one side, V2 other
49	49″ high
18	18″ wide
A	Flat style top trim option
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
V316	Maple surface - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
   For panels with Beltway, please specify:
   Side 1 - Below Belt
   Side 1 - Above Belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

6″ Raceway option increases panel height by 2¾″.

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Monolithic panels 49″ H
fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18″	49″	**R3B0PF349 18-( )( )**	$774.	$789.	$812.	$865.	$902.	$945.	$976.
	20″	49″	**R3B0PF349 20-( )( )**	774.	789.	812.	865.	902.	945.	976.
	24″	49″	**R3B0PF349 24-( )( )**	848.	863.	886.	939.	976.	1,019.	1,050.
	30″	49″	**R3B0PF349 30-( )( )**	965.	980.	1,003.	1,056.	1,093.	1,136.	1,167.
	36″	49″	**R3B0PF349 36-( )( )**	1,040.	1,055.	1,078.	1,131.	1,168.	1,211.	1,242.
	42″	49″	**R3B0PF349 42-( )( )**	1,151.	1,166.	1,189.	1,242.	1,279.	1,322.	1,353.
	48″	49″	**R3B0PF349 48-( )( )**	1,299.	1,314.	1,337.	1,390.	1,427.	1,470.	1,501.
	60″	49″	**R3B0PF349 60-( )( )***	1,395.	1,418.	1,470.	1,572.	1,643.	1,735.	1,792.
	66″	49″	**R3B0PF349 66-( )( )***	1,441.	1,464.	1,516.	1,618.	1,689.	1,781.	1,838.
	72″	49″	**R3B0PF349 72-( )( )***	1,485.	1,508.	1,560.	1,662.	1,733.	1,825.	1,882.
Monolithic, fabric one side Beltway fabric side 	18″	49″	**R3B1PF349 18-( )( )**	1,417.	1,432.	1,467.	1,524.	1,562.	1,619.	1,657.
	20″	49″	**R3B1PF349 20-( )( )**	1,417.	1,432.	1,467.	1,524.	1,562.	1,619.	1,657.
	24″	49″	**R3B1PF349 24-( )( )**	1,471.	1,486.	1,521.	1,578.	1,616.	1,673.	1,711.
	30″	49″	**R3B1PF349 30-( )( )**	1,585.	1,600.	1,635.	1,692.	1,730.	1,787.	1,825.
	36″	49″	**R3B1PF349 36-( )( )**	1,910.	1,925.	1,960.	2,017.	2,055.	2,112.	2,150.
	42″	49″	**R3B1PF349 42-( )( )**	2,083.	2,098.	2,133.	2,190.	2,228.	2,285.	2,323.
	48″	49″	**R3B1PF349 48-( )( )**	2,192.	2,207.	2,242.	2,299.	2,337.	2,394.	2,432.

Order Code

Example:	**R3B0PF34918-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F3	Fabric one side, V3 other
49	49″ high
18	18″ wide
A	Flat style top trim option
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
V512	Figured Anigre surface - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
   For panels with Beltway, please specify:
   Side 1 - Below belt
   Side 1 - Above belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

6″ Raceway option increases panel height by 2 3/4″.

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Monolithic panels 49″ H
Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18″	49″	**R3B0PLL4918( )( )**	$697.
	20″	49″	**R3B0PLL4920( )( )**	697.
	24″	49″	**R3B0PLL4924( )( )**	760.
	30″	49″	**R3B0PLL4930( )( )**	851.
	36″	49″	**R3B0PLL4936( )( )**	919.
	42″	49″	**R3B0PLL4942( )( )**	1,011.
	48″	49″	**R3B0PLL4948( )( )**	1,132.
	60″	49″	**R3B0PLL4960( )( )***	1,223.
	66″	49″	**R3B0PLL4966( )( )***	1,259.
	72″	49″	**R3B0PLL4972( )( )***	1,297.



Order Code

Example:	**R3B0PLL4918-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
LL	Laminate both sides
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
118	Laminate - side 1
118	Laminate - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1inside
5. Panel side 2 outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Monolithic panels 64″ H
fabric both sides

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics	18″	64″	**R3B0PFF64 18-( )( )**	$663.	$695.	$759.	$889.	$979.	$1,097.	$1,175.
	20″	64″	**R3B0PFF64 20-( )( )**	663.	695.	759.	889.	979.	1,097.	1,175.
	24″	64″	**R3B0PFF64 24-( )( )**	704.	736.	800.	930.	1,020.	1,138.	1,216.
	30″	64″	**R3B0PFF64 30-( )( )**	756.	788.	852.	982.	1,072.	1,190.	1,268.
	36″	64″	**R3B0PFF64 36-( )( )**	776.	808.	872.	1,002.	1,092.	1,210.	1,288.
	42″	64″	**R3B0PFF64 42-( )( )**	902.	934.	998.	1,128.	1,218.	1,336.	1,414.
	48″	64″	**R3B0PFF64 48-( )( )**	955.	987.	1,051.	1,181.	1,271.	1,389.	1,467.
	60″	64″	**R3B0PFF64 60-( )( )***	1,108.	1,178.	1,300.	1,572.	1,760.	1,994.	2,150.
	66″	64″	**R3B0PFF64 66-( )( )***	1,144.	1,214.	1,336.	1,608.	1,796.	2,030.	2,186.
	72″	64″	**R3B0PFF64 72-( )( )***	1,181.	1,251.	1,373.	1,645.	1,833.	2,067.	2,223.
Monolithic, fabric both sides High acoustics	18″	64″	**R3B0PAA64 18-( )( )**	722.	754.	818.	948.	1,038.	1,156.	1,234.
	20″	64″	**R3B0PAA64 20-( )( )**	722.	754.	818.	948.	1,038.	1,156.	1,234.
	24″	64″	**R3B0PAA64 24-( )( )**	771.	803.	867.	997.	1,087.	1,205.	1,283.
	30″	64″	**R3B0PAA64 30-( )( )**	827.	859.	923.	1,053.	1,143.	1,261.	1,339.
	36″	64″	**R3B0PAA64 36-( )( )**	847.	879.	943.	1,073.	1,163.	1,281.	1,359.
	42″	64″	**R3B0PAA64 42-( )( )**	991.	1,023.	1,087.	1,217.	1,307.	1,425.	1,503.
	48″	64″	**R3B0PAA64 48-( )( )**	1,048.	1,080.	1,144.	1,274.	1,364.	1,482.	1,560.
	60″	64″	**R3B0PAA64 60-( )( )***	1,203.	1,273.	1,395.	1,667.	1,855.	2,089.	2,245.
	66″	64″	**R3B0PAA64 66-( )( )***	1,243.	1,313.	1,435.	1,707.	1,895.	2,129.	2,285.
	72″	64″	**R3B0PAA64 72-( )( )***	1,284.	1,354.	1,476.	1,748.	1,936.	2,170.	2,326.



Order Code

Example:	**R3B0PFF6418-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FF	Fabric on both sides
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
W281	Fabric - Side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

6″ Raceway option increases panel height by 2¾″.

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves. Fabric covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Monolithic panels 64″ H
fabric both sides, with Beltway

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides Beltway two sides, regular acoustics	18″	64″	**R3B2PFF64 18-( )( )**	$1,138.	$1,172.	$1,248.	$1,410.	$1,510.	$1,654.	$1,750.
	20″	64″	**R3B2PFF64 20-( )( )**	1,138.	1,172.	1,248.	1,410.	1,510.	1,654.	1,750.
	24″	64″	**R3B2PFF64 24-( )( )**	1,194.	1,228.	1,304.	1,466.	1,566.	1,710.	1,806.
	30″	64″	**R3B2PFF64 30-( )( )**	1,221.	1,255.	1,331.	1,493.	1,593.	1,737.	1,833.
	36″	64″	**R3B2PFF64 36-( )( )**	1,478.	1,512.	1,588.	1,750.	1,850.	1,994.	2,090.
	42″	64″	**R3B2PFF64 42-( )( )**	1,581.	1,615.	1,691.	1,853.	1,953.	2,097.	2,193.
	48″	64″	**R3B2PFF64 48-( )( )**	1,634.	1,668.	1,744.	1,906.	2,006.	2,150.	2,246.
Monolithic, fabric both sides Beltway one side	18″	64″	**R3B1PFF64 18-( )( )**	1,114.	1,147.	1,217.	1,363.	1,458.	1,589.	1,676.
	20″	64″	**R3B1PFF64 20-( )( )**	1,114.	1,147.	1,217.	1,363.	1,458.	1,589.	1,676.
	24″	64″	**R3B1PFF64 24-( )( )**	1,165.	1,198.	1,268.	1,414.	1,509.	1,640.	1,727.
	30″	64″	**R3B1PFF64 30-( )( )**	1,191.	1,224.	1,294.	1,440.	1,535.	1,666.	1,753.
	36″	64″	**R3B1PFF64 36-( )( )**	1,447.	1,480.	1,550.	1,696.	1,791.	1,922.	2,009.
	42″	64″	**R3B1PFF64 42-( )( )**	1,547.	1,580.	1,650.	1,796.	1,891.	2,022.	2,109.
	48″	64″	**R3B1PFF64 48-( )( )**	1,595.	1,628.	1,698.	1,844.	1,939.	2,070.	2,157.



Order Code

Example:	**R3B2PFF6418-A4K**
R3	Reff Generation 3
B2	Beltway both sides, B1=Beltway, one side
P	Monolithic panel
FF	Fabric on both sides
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1 Below belt
W281	Fabric - Side 1 Above belt
W281	Fabric - Side 2 Below belt
W281	Fabric - Side 2 Above belt
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Beltway finish

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) Below Belt
5. Panel side 1 finish(s) Above Belt
6. Panel side 2 finish(s) Below Belt
7. Panel side 2 finish(s) Above Belt
8. Base finish
9. Beltway finish
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

Beltways;
B1 = Beltway 1 side
B2 = Beltway 2 side

6″ Raceway option increases panel height by 2¾″.

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves. Fabric covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Monolithic panels 64″ H
fabric one side, laminate other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	64″	**R3B0PFL64 18-( )( )**	$583.	$597.	$624.	$682.	$722.	$775.	$809.
	20″	64″	**R3B0PFL64 20-( )( )**	583.	597.	624.	682.	722.	775.	809.
	24″	64″	**R3B0PFL64 24-( )( )**	640.	654.	681.	739.	779.	832.	866.
	30″	64″	**R3B0PFL64 30-( )( )**	723.	737.	764.	822.	862.	915.	949.
	36″	64″	**R3B0PFL64 36-( )( )**	779.	793.	820.	878.	918.	971.	1,005.
	42″	64″	**R3B0PFL64 42-( )( )**	864.	878.	905.	963.	1,003.	1,056.	1,090.
	48″	64″	**R3B0PFL64 48-( )( )**	972.	986.	1,013.	1,071.	1,111.	1,164.	1,198.
	60″	64″	**R3B0PFL64 60-( )( )***	1,052.	1,083.	1,138.	1,259.	1,340.	1,445.	1,513.
	66″	64″	**R3B0PFL64 66-( )( )***	1,088.	1,119.	1,174.	1,295.	1,376.	1,481.	1,549.
	72″	64″	**R3B0PFL64 72-( )( )***	1,123.	1,154.	1,209.	1,330.	1,411.	1,516.	1,584.
Monolithic fabric one side Beltway one side (fabric side)	18″	64″	**R3B1PFL64 18-( )( )**	987.	1,002.	1,037.	1,107.	1,151.	1,214.	1,259.
	20″	64″	**R3B1PFL64 20-( )( )**	987.	1,002.	1,037.	1,107.	1,151.	1,214.	1,259.
	24″	64″	**R3B1PFL64 24-( )( )**	1,054.	1,069.	1,104.	1,174.	1,218.	1,281.	1,326.
	30″	64″	**R3B1PFL64 30-( )( )**	1,117.	1,132.	1,167.	1,237.	1,281.	1,344.	1,389.
	36″	64″	**R3B1PFL64 36-( )( )**	1,387.	1,402.	1,437.	1,507.	1,551.	1,614.	1,659.
	42″	64″	**R3B1PFL64 42-( )( )**	1,441.	1,456.	1,491.	1,561.	1,605.	1,668.	1,713.
	48″	64″	**R3B1PFL64 48-( )( )**	1,558.	1,573.	1,608.	1,678.	1,722.	1,785.	1,830.





Order Code

Example:	**R3B0PFL6418-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FL	Fabric one side, laminate other
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
114	Folkstone grey - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
   For panels with Beltway, please speicfy:
   Side 1-Below belt
   Side 1-Above belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

6″ Raceway option increases panel height by 2¾″.

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option.
Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves. Fabric and laminate covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Monolithic panels 64″ H
fabric one side, techwood other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	64″	**R3B0PF164 18-( )( )**	$684.	$700.	$733.	$799.	$845.	$906.	$946.
	20″	64″	**R3B0PF164 20-( )( )**	684.	700.	733.	799.	845.	906.	946.
	24″	64″	**R3B0PF164 24-( )( )**	750.	766.	799.	865.	911.	972.	1,012.
	30″	64″	**R3B0PF164 30-( )( )**	849.	865.	898.	964.	1,010.	1,071.	1,111.
	36″	64″	**R3B0PF164 36-( )( )**	917.	933.	966.	1,032.	1,078.	1,139.	1,179.
	42″	64″	**R3B0PF164 42-( )( )**	1,015.	1,031.	1,064.	1,130.	1,176.	1,237.	1,277.
	48″	64″	**R3B0PF164 48-( )( )**	1,144.	1,160.	1,193.	1,259.	1,305.	1,366.	1,406.
	60″	64″	**R3B0PF164 60-( )( )***	1,237.	1,273.	1,336.	1,475.	1,569.	1,691.	1,769.
	66″	64″	**R3B0PF164 66-( )( )***	1,281.	1,317.	1,380.	1,519.	1,613.	1,735.	1,813.
	72″	64″	**R3B0PF164 72-( )( )***	1,323.	1,359.	1,422.	1,561.	1,655.	1,777.	1,855.
Monolithic fabric one side Beltway one side (fabric side)	18″	64″	**R3B1PF164 18-( )( )**	1,161.	1,176.	1,216.	1,298.	1,348.	1,421.	1,473.
	20″	64″	**R3B1PF164 20-( )( )**	1,161.	1,176.	1,216.	1,298.	1,348.	1,421.	1,473.
	24″	64″	**R3B1PF164 24-( )( )**	1,237.	1,252.	1,292.	1,374.	1,424.	1,497.	1,549.
	30″	64″	**R3B1PF164 30-( )( )**	1,313.	1,328.	1,368.	1,450.	1,500.	1,573.	1,625.
	36″	64″	**R3B1PF164 36-( )( )**	1,630.	1,645.	1,685.	1,767.	1,817.	1,890.	1,942.
	42″	64″	**R3B1PF164 42-( )( )**	1,696.	1,711.	1,751.	1,833.	1,883.	1,956.	2,008.
	48″	64″	**R3B1PF164 48-( )( )**	1,832.	1,847.	1,887.	1,969.	2,019.	2,092.	2,144.





Order Code

Example:	**R3B0PF16418-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F1	Fabric one side, V1 other
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
Y328	Mahogany - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
   For panels with Beltway, please specify;
   Side 1 - Below Belt
   Side 1 - Above Belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

6″ Raceway option increases panel height by 2¾″.

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves. Fabric and techwood covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Monolithic panels 64″ H
fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics 	18″	64″	**R3B0PF264 18-( )( )**	$697.	$713.	$746.	$812.	$858.	$919.	$959.
	20″	64″	**R3B0PF264 20-( )( )**	697.	713.	746.	812.	858.	919.	959.
	24″	64″	**R3B0PF264 24-( )( )**	764.	780.	813.	879.	925.	986.	1,026.
	30″	64″	**R3B0PF264 30-( )( )**	864.	880.	913.	979.	1,025.	1,086.	1,126.
	36″	64″	**R3B0PF264 36-( )( )**	932.	948.	981.	1,047.	1,093.	1,154.	1,194.
	42″	64″	**R3B0PF264 42-( )( )**	1,032.	1,048.	1,081.	1,147.	1,193.	1,254.	1,294.
	48″	64″	**R3B0PF264 48-( )( )**	1,166.	1,182.	1,215.	1,281.	1,327.	1,388.	1,428.
	60″	64″	**R3B0PF264 60-( )( )***	1,257.	1,293.	1,356.	1,495.	1,589.	1,711.	1,789.
	66″	64″	**R3B0PF264 66-( )( )***	1,301.	1,337.	1,400.	1,539.	1,633.	1,755.	1,833.
	72″	64″	**R3B0PF264 72-( )( )***	1,347.	1,383.	1,446.	1,585.	1,679.	1,801.	1,879.
Monolithic fabric one side Beltway one side (fabric side) 	18″	64″	**R3B1PF264 18-( )( )**	1,181.	1,196.	1,236.	1,318.	1,368.	1,441.	1,493.
	20″	64″	**R3B1PF264 20-( )( )**	1,181.	1,196.	1,236.	1,318.	1,368.	1,441.	1,493.
	24″	64″	**R3B1PF264 24-( )( )**	1,261.	1,276.	1,316.	1,398.	1,448.	1,521.	1,573.
	30″	64″	**R3B1PF264 30-( )( )**	1,337.	1,352.	1,392.	1,474.	1,524.	1,597.	1,649.
	36″	64″	**R3B1PF264 36-( )( )**	1,657.	1,672.	1,712.	1,794.	1,844.	1,917.	1,969.
	42″	64″	**R3B1PF264 42-( )( )**	1,726.	1,741.	1,781.	1,863.	1,913.	1,986.	2,038.
	48″	64″	**R3B1PF264 48-( )( )**	1,866.	1,881.	1,921.	2,003.	2,053.	2,126.	2,178.

Order Code

Example:	**R3B0PF26418-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F2	Fabric one side, V2 other
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
V316	Maple surface - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
   For panels with Beltway, please specify;
   Side 1 - Below Belt
   Side 1 - Above Belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

6″ Raceway option increases panel height by 2¾″.

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Monolithic panels 64″ H
fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	64″	**R3B0PF364 18-( )( )**	$920.	$936.	$969.	$1,035.	$1,081.	$1,142.	$1,182.
	20″	64″	**R3B0PF364 20-( )( )**	920.	936.	969.	1,035.	1,081.	1,142.	1,182.
	24″	64″	**R3B0PF364 24-( )( )**	1,009.	1,025.	1,058.	1,124.	1,170.	1,231.	1,271.
	30″	64″	**R3B0PF364 30-( )( )**	1,143.	1,159.	1,192.	1,258.	1,304.	1,365.	1,405.
	36″	64″	**R3B0PF364 36-( )( )**	1,235.	1,251.	1,284.	1,350.	1,396.	1,457.	1,497.
	42″	64″	**R3B0PF364 42-( )( )**	1,372.	1,388.	1,421.	1,487.	1,533.	1,594.	1,634.
	48″	64″	**R3B0PF364 48-( )( )**	1,551.	1,567.	1,600.	1,666.	1,712.	1,773.	1,813.
	60″	64″	**R3B0PF364 60-( )( )***	1,652.	1,688.	1,751.	1,890.	1,984.	2,106.	2,184.
	66″	64″	**R3B0PF364 66-( )( )***	1,712.	1,748.	1,811.	1,950.	2,044.	2,166.	2,244.
	72″	64″	**R3B0PF364 72-( )( )***	1,774.	1,810.	1,873.	2,012.	2,106.	2,228.	2,306.
Monolithic, fabric one side Beltway fabric side	18″	64″	**R3B1PF364 18-( )( )**	1,570.	1,585.	1,625.	1,707.	1,757.	1,830.	1,882.
	20″	64″	**R3B1PF364 20-( )( )**	1,570.	1,585.	1,625.	1,707.	1,757.	1,830.	1,882.
	24″	64″	**R3B1PF364 24-( )( )**	1,677.	1,692.	1,732.	1,814.	1,864.	1,937.	1,989.
	30″	64″	**R3B1PF364 30-( )( )**	1,780.	1,795.	1,835.	1,917.	1,967.	2,040.	2,092.
	36″	64″	**R3B1PF364 36-( )( )**	2,214.	2,229.	2,269.	2,351.	2,401.	2,474.	2,526.
	42″	64″	**R3B1PF364 42-( )( )**	2,305.	2,320.	2,360.	2,442.	2,492.	2,565.	2,617.
	48″	64″	**R3B1PF364 48-( )( )**	2,494.	2,509.	2,549.	2,631.	2,681.	2,754.	2,806.





Order Code

Example:	**R3B0PF36418-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F3	Fabric one side, V3 other
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
V512	Figured Anigre surface - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
   For panels with beltway, please specify;
   Side 1 - Below belt
   Side 1 - Above belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

3. Beltway:
B0 = No Beltway
B1 = Beltway 1 side

6″ Raceway option increases panel height by 2¾″.

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Monolithic panels 64″ H
Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18″	64″	**R3B0PLL6418( )( )**	$776.
	20″	64″	**R3B0PLL6420( )( )**	776.
	24″	64″	**R3B0PLL6424( )( )**	846.
	30″	64″	**R3B0PLL6430( )( )**	947.
	36″	64″	**R3B0PLL6436( )( )**	1,023.
	42″	64″	**R3B0PLL6442( )( )**	1,125.
	48″	64″	**R3B0PLL6448( )( )**	1,260.
	60″	64″	**R3B0PLL6460( )( )***	1,361.
	66″	64″	**R3B0PLL6466( )( )***	1,402.
	72″	64″	**R3B0PLL6472( )( )***	1,444.



Order Code

Example:	**R3B0PLL6418-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
LL	Laminate both sides
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
118	Laminate - side 1
118	Laminate - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 inside
5. Panel side 2 outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves. Fabric and veneer covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

*These panel widths do not accept stacking modules.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Monolithic panels 79″ H
fabric both sides

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides Regular acoustics	18″	79″	**R3B0PFF79 18-( )( )**	$830.	$874.	$950.	$1,112.	$1,222.	$1,370.	$1,460.
	20″	79″	**R3B0PFF79 20-( )( )**	830.	874.	950.	1,112.	1,222.	1,370.	1,460.
	24″	79″	**R3B0PFF79 24-( )( )**	882.	926.	1,002.	1,164.	1,274.	1,422.	1,512.
	30″	79″	**R3B0PFF79 30-( )( )**	952.	996.	1,072.	1,234.	1,344.	1,492.	1,582.
	36″	79″	**R3B0PFF79 36-( )( )**	976.	1,020.	1,096.	1,258.	1,368.	1,516.	1,606.
	42″	79″	**R3B0PFF79 42-( )( )**	1,049.	1,093.	1,169.	1,331.	1,441.	1,589.	1,679.
	48″	79″	**R3B0PFF79 48-( )( )**	1,163.	1,207.	1,283.	1,445.	1,555.	1,703.	1,793.
	60″	79″	**R3B0PFF79 60-( )( )**	1,344.	1,432.	1,584.	1,908.	2,138.	2,430.	2,608.
	66″	79″	**R3B0PFF79 66-( )( )**	1,376.	1,464.	1,616.	1,940.	2,170.	2,462.	2,640.
	72″	79″	**R3B0PFF79 72-( )( )**	1,407.	1,495.	1,647.	1,971.	2,201.	2,493.	2,671.
Monolithic, fabric both sides High acoustics	18″	79″	**R3B0PAA79 18-( )( )**	905.	949.	1,025.	1,187.	1,297.	1,445.	1,535.
	20″	79″	**R3B0PAA79 20-( )( )**	905.	949.	1,025.	1,187.	1,297.	1,445.	1,535.
	24″	79″	**R3B0PAA79 24-( )( )**	963.	1,007.	1,083.	1,245.	1,355.	1,503.	1,593.
	30″	79″	**R3B0PAA79 30-( )( )**	1,041.	1,085.	1,161.	1,323.	1,433.	1,581.	1,671.
	36″	79″	**R3B0PAA79 36-( )( )**	1,072.	1,116.	1,192.	1,354.	1,464.	1,612.	1,702.
	42″	79″	**R3B0PAA79 42-( )( )**	1,150.	1,194.	1,270.	1,432.	1,542.	1,690.	1,780.
	48″	79″	**R3B0PAA79 48-( )( )**	1,279.	1,323.	1,399.	1,561.	1,671.	1,819.	1,909.
	60″	79″	**R3B0PAA79 60-( )( )**	1,463.	1,551.	1,703.	2,027.	2,257.	2,549.	2,727.
	66″	79″	**R3B0PAA79 66-( )( )**	1,497.	1,585.	1,737.	2,061.	2,291.	2,583.	2,761.
	72″	79″	**R3B0PAA79 72-( )( )**	1,529.	1,617.	1,769.	2,093.	2,323.	2,615.	2,793.



Order Code

Example:	**R3B0PFF7918-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FF	Fabric on both sides
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
W281	Fabric - Side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled profile

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional*: specify (M) for panel frame to be milled for ported components. $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page are not designed to be stacked upon.

Fabric covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Monolithic panels 79″ H
fabric both sides with Beltway

description	w	h	pattern n	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides Beltway one side	18″	79″	**R3B1PFF79 18-( )( )**	$1,193.	$1,239.	$1,324.	$1,506.	$1,624.	$1,789.	$1,895.
	20″	79″	**R3B1PFF79 20-( )( )**	1,193.	1,239.	1,324.	1,506.	1,624.	1,789.	1,895.
	24″	79″	**R3B1PFF79 24-( )( )**	1,248.	1,294.	1,379.	1,561.	1,679.	1,844.	1,950.
	30″	79″	**R3B1PFF79 30-( )( )**	1,273.	1,319.	1,404.	1,586.	1,704.	1,869.	1,975.
	36″	79″	**R3B1PFF79 36-( )( )**	1,527.	1,573.	1,658.	1,840.	1,958.	2,123.	2,229.
	42″	79″	**R3B1PFF79 42-( )( )**	1,627.	1,673.	1,758.	1,940.	2,058.	2,223.	2,329.
	48″	79″	**R3B1PFF79 48-( )( )**	1,676.	1,722.	1,807.	1,989.	2,107.	2,272.	2,378.



Monolithic, fabric both sides Beltway two sides	18″	79″	**R3B2PFF79 18-( )( )**	1,254.	1,302.	1,396.	1,598.	1,724.	1,906.	2,028.
	20″	79″	**R3B2PFF79 20-( )( )**	1,254.	1,302.	1,396.	1,598.	1,724.	1,906.	2,028.
	24″	79″	**R3B2PFF79 24-( )( )**	1,308.	1,356.	1,450.	1,652.	1,778.	1,960.	2,082.
	30″	79″	**R3B2PFF79 30-( )( )**	1,335.	1,383.	1,477.	1,679.	1,805.	1,987.	2,109.
	36″	79″	**R3B2PFF79 36-( )( )**	1,593.	1,641.	1,735.	1,937.	2,063.	2,245.	2,367.
	42″	79″	**R3B2PFF79 42-( )( )**	1,695.	1,743.	1,837.	2,039.	2,165.	2,347.	2,469.
	48″	79″	**R3B2PFF79 48-( )( )**	1,747.	1,795.	1,889.	2,091.	2,217.	2,399.	2,521.



Order Code

Example:	**R3B1PFF7918-A4K**
R3	Reff Generation 3
B1	Beltway one side
P	Monolithic panel
FF	Fabric on both sides
79	79″ high
18	18″ wide
A	Flat style top trim
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1 below belt
W281	Fabric - Side 1 above belt
W281	Fabric - Side 2 below belt
W281	Fabric - Side 2 above belt
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Beltway finish

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 below belt
5. Panel side 1 above belt
6. Panel side 2 below belt
7. Panel side 2 above belt
8. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
9. Base finish
10. Beltway finish
11. *Optional*: specify (M) for panel frame to be milled for ported components. $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

3. Beltway:
B1 = Beltway 1 side
B2 = Beltway 2 sides

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page are not designed to be stacked upon.

Fabric covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

6″ Raceway option increases panel height by 2 ¾″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Monolithic panels 79″ H
fabric one side, laminate other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	79″	**R3B0PFL79 18-( )( )**	$735.	$754.	$788.	$860.	$908.	$974.	$1,013.
	20″	79″	**R3B0PFL79 20-( )( )**	735.	754.	788.	860.	908.	974.	1,013.
	24″	79″	**R3B0PFL79 24-( )( )**	805.	824.	858.	930.	978.	1,044.	1,083.
	30″	79″	**R3B0PFL79 30-( )( )**	906.	925.	959.	1,031.	1,079.	1,145.	1,184.
	36″	79″	**R3B0PFL79 36-( )( )**	987.	1,006.	1,040.	1,112.	1,160.	1,226.	1,265.
	42″	79″	**R3B0PFL79 42-( )( )**	1,093.	1,112.	1,146.	1,218.	1,266.	1,332.	1,371.
	48″	79″	**R3B0PFL79 48-( )( )**	1,222.	1,241.	1,275.	1,347.	1,395.	1,461.	1,500.
	60″	79″	**R3B0PFL79 60-( )( )**	1,315.	1,355.	1,421.	1,564.	1,666.	1,795.	1,873.
	66″	79″	**R3B0PFL79 66-( )( )**	1,341.	1,381.	1,447.	1,590.	1,692.	1,821.	1,899.
	72″	79″	**R3B0PFL79 72-( )( )**	1,368.	1,408.	1,474.	1,617.	1,719.	1,848.	1,926.
Monolithic, fabric one side Beltway one side (fabric side)	18″	79″	**R3B1PFL79 18-( )( )**	1,062.	1,083.	1,125.	1,214.	1,270.	1,351.	1,405.
	20″	79″	**R3B1PFL79 20-( )( )**	1,062.	1,083.	1,125.	1,214.	1,270.	1,351.	1,405.
	24″	79″	**R3B1PFL79 24-( )( )**	1,136.	1,157.	1,199.	1,288.	1,344.	1,425.	1,479.
	30″	79″	**R3B1PFL79 30-( )( )**	1,203.	1,224.	1,266.	1,355.	1,411.	1,492.	1,546.
	36″	79″	**R3B1PFL79 36-( )( )**	1,491.	1,512.	1,554.	1,643.	1,699.	1,780.	1,834.
	42″	79″	**R3B1PFL79 42-( )( )**	1,626.	1,647.	1,689.	1,778.	1,834.	1,915.	1,969.
	48″	79″	**R3B1PFL79 48-( )( )**	1,701.	1,722.	1,764.	1,853.	1,909.	1,990.	2,044.





Order Code

Example:	**R3B0PFL7918-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
FL	Fabric one side, laminate other
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
114	Folkstone grey - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
   For panels with Beltway, please specify;
   Side 1 - Below belt
   Side 1 - Above belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option.
Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

The panels on this page are not designed to be stacked upon.

Fabric and laminate covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Monolithic panels 79″ H
fabric one side, techwood other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	79″	**R3B0PF179 18-( )( )**	$863.	$885.	$924.	$1,007.	$1,063.	$1,138.	$1,185.
	20″	79″	**R3B0PF179 20-( )( )**	863.	885.	924.	1,007.	1,063.	1,138.	1,185.
	24″	79″	**R3B0PF179 24-( )( )**	944.	966.	1,005.	1,088.	1,144.	1,219.	1,266.
	30″	79″	**R3B0PF179 30-( )( )**	1,067.	1,089.	1,128.	1,211.	1,267.	1,342.	1,389.
	36″	79″	**R3B0PF179 36-( )( )**	1,162.	1,184.	1,223.	1,306.	1,362.	1,437.	1,484.
	42″	79″	**R3B0PF179 42-( )( )**	1,283.	1,305.	1,344.	1,427.	1,483.	1,558.	1,605.
	48″	79″	**R3B0PF179 48-( )( )**	1,438.	1,460.	1,499.	1,582.	1,638.	1,713.	1,760.
	60″	79″	**R3B0PF179 60-( )( )**	1,545.	1,591.	1,668.	1,833.	1,951.	2,099.	2,190.
	66″	79″	**R3B0PF179 66-( )( )**	1,578.	1,624.	1,701.	1,866.	1,984.	2,132.	2,223.
	72″	79″	**R3B0PF179 72-( )( )**	1,604.	1,650.	1,727.	1,892.	2,010.	2,158.	2,249.
Monolithic, fabric one side Beltway one side (fabric side)	18″	79″	**R3B1PF179 18-( )( )**	1,247.	1,271.	1,319.	1,423.	1,486.	1,580.	1,643.
	20″	79″	**R3B1PF179 20-( )( )**	1,247.	1,271.	1,319.	1,423.	1,486.	1,580.	1,643.
	24″	79″	**R3B1PF179 24-( )( )**	1,332.	1,356.	1,404.	1,508.	1,571.	1,665.	1,728.
	30″	79″	**R3B1PF179 30-( )( )**	1,415.	1,439.	1,487.	1,591.	1,654.	1,748.	1,811.
	36″	79″	**R3B1PF179 36-( )( )**	1,753.	1,777.	1,825.	1,929.	1,992.	2,086.	2,149.
	42″	79″	**R3B1PF179 42-( )( )**	1,910.	1,934.	1,982.	2,086.	2,149.	2,243.	2,306.
	48″	79″	**R3B1PF179 48-( )( )**	1,996.	2,020.	2,068.	2,172.	2,235.	2,329.	2,392.





Order Code

Example:	**R3B0PF17918-A4K**
R3	Reff Generation 2
B0	No Beltway
P	Monolithic panel
F1	Fabric one side, V1 other
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
Y328	Mahogany - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish(s) inside
   For panels with Beltway, please specify;
   Side 1 - Below Belt
   Side 1 - Above Belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page are not designed to be stacked upon.

Fabric and techwood covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Monolithic panels 79″ H
fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	79″	**R3B0PF279 18-( )( )**	$878.	$900.	$939.	$1,022.	$1,078.	$1,153.	$1,200.
	20″	79″	**R3B0PF279 20-( )( )**	878.	900.	939.	1,022.	1,078.	1,153.	1,200.
	24″	79″	**R3B0PF279 24-( )( )**	962.	984.	1,023.	1,106.	1,162.	1,237.	1,284.
	30″	79″	**R3B0PF279 30-( )( )**	1,086.	1,108.	1,147.	1,230.	1,286.	1,361.	1,408.
	36″	79″	**R3B0PF279 36-( )( )**	1,183.	1,205.	1,244.	1,327.	1,383.	1,458.	1,505.
	42″	79″	**R3B0PF279 42-( )( )**	1,308.	1,330.	1,369.	1,452.	1,508.	1,583.	1,630.
	48″	79″	**R3B0PF279 48-( )( )**	1,464.	1,486.	1,525.	1,608.	1,664.	1,739.	1,786.
	60″	79″	**R3B0PF279 60-( )( )**	1,573.	1,619.	1,696.	1,861.	1,979.	2,127.	2,218.
	66″	79″	**R3B0PF279 66-( )( )**	1,603.	1,649.	1,726.	1,891.	2,009.	2,157.	2,248.
	72″	79″	**R3B0PF279 72-( )( )**	1,637.	1,683.	1,760.	1,925.	2,043.	2,191.	2,282.
Monolithic, fabric one side Beltway one side (fabric side)	18″	79″	**R3B1PF279 18-( )( )**	1,269.	1,293.	1,341.	1,445.	1,508.	1,602.	1,665.
	20″	79″	**R3B1PF279 20-( )( )**	1,269.	1,293.	1,341.	1,445.	1,508.	1,602.	1,665.
	24″	79″	**R3B1PF279 24-( )( )**	1,356.	1,380.	1,428.	1,532.	1,595.	1,689.	1,752.
	30″	79″	**R3B1PF279 30-( )( )**	1,439.	1,463.	1,511.	1,615.	1,678.	1,772.	1,835.
	36″	79″	**R3B1PF279 36-( )( )**	1,782.	1,806.	1,854.	1,958.	2,021.	2,115.	2,178.
	42″	79″	**R3B1PF279 42-( )( )**	1,944.	1,968.	2,016.	2,120.	2,183.	2,277.	2,340.
	48″	79″	**R3B1PF279 48-( )( )**	2,033.	2,057.	2,105.	2,209.	2,272.	2,366.	2,429.





Order Code

Example:	**R3B0PF27918-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F2	Fabric one side, V2 other
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
V316	Maple surface - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Panel side 1 finish(s) inside
   For panels with Beltway, please specify;
   Side 1 = Below Belt
   Side 1 = Above Belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page are not designed to be stacked upon.

Fabric and veneer covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Monolithic panels 79″ H
fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side Regular acoustics	18″	79″	**R3B0PF379 18-( )( )**	$1,157.	$1,179.	$1,218.	$1,301.	$1,357.	$1,432.	$1,479.
	20″	79″	**R3B0PF379 20-( )( )**	1,157.	1,179.	1,218.	1,301.	1,357.	1,432.	1,479.
	24″	79″	**R3B0PF379 24-( )( )**	1,273.	1,295.	1,334.	1,417.	1,473.	1,548.	1,595.
	30″	79″	**R3B0PF379 30-( )( )**	1,438.	1,460.	1,499.	1,582.	1,638.	1,713.	1,760.
	36″	79″	**R3B0PF379 36-( )( )**	1,571.	1,593.	1,632.	1,715.	1,771.	1,846.	1,893.
	42″	79″	**R3B0PF379 42-( )( )**	1,739.	1,761.	1,800.	1,883.	1,939.	2,014.	2,061.
	48″	79″	**R3B0PF379 48-( )( )**	1,951.	1,973.	2,012.	2,095.	2,151.	2,226.	2,273.
	60″	79″	**R3B0PF379 60-( )( )***	2,069.	2,115.	2,192.	2,357.	2,475.	2,623.	2,714.
	66″	79″	**R3B0PF379 66-( )( )***	2,111.	2,157.	2,234.	2,399.	2,517.	2,665.	2,756.
	72″	79″	**R3B0PF379 72-( )( )***	2,156.	2,202.	2,279.	2,444.	2,562.	2,710.	2,801.
Monolithic, fabric one side Beltway fabric side	18″	79″	**R3B1PF379 18-( )( )**	1,672.	1,696.	1,744.	1,848.	1,911.	2,005.	2,068.
	20″	79″	**R3B1PF379 20-( )( )**	1,672.	1,696.	1,744.	1,848.	1,911.	2,005.	2,068.
	24″	79″	**R3B1PF379 24-( )( )**	1,790.	1,814.	1,862.	1,966.	2,029.	2,123.	2,186.
	30″	79″	**R3B1PF379 30-( )( )**	1,900.	1,924.	1,972.	2,076.	2,139.	2,233.	2,296.
	36″	79″	**R3B1PF379 36-( )( )**	2,364.	2,388.	2,436.	2,540.	2,603.	2,697.	2,760.
	42″	79″	**R3B1PF379 42-( )( )**	2,582.	2,606.	2,654.	2,758.	2,821.	2,915.	2,978.
	48″	79″	**R3B1PF379 48-( )( )**	2,703.	2,727.	2,775.	2,879.	2,942.	3,036.	3,099.





Order Code

Example:	**R3B0PF37918-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
F3	Fabric one side, V3 other
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1
V512	Figured Anigre surface - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Panel side 1 finish(s) inside
   For panels with Beltway, please specify;
   Side 1 - Below Belt
   Side 1 - Above Belt
5. Panel side 2 finish(s) outside
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish - only for panels with Beltway
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page are not designed to be stacked upon.

Fabric and veneer covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Monolithic panels 79″ H
Laminate/Laminate

description	w	h	pattern no.	L
Monolithic, laminate both sides with raceway both sides	18″	79″	**R3B0PLL7918( )( )**	$847.
	20″	79″	**R3B0PLL7920( )( )**	847.
	24″	79″	**R3B0PLL7924( )( )**	923.
	30″	79″	**R3B0PLL7930( )( )**	1,034.
	36″	79″	**R3B0PLL7936( )( )**	1,117.
	42″	79″	**R3B0PLL7942( )( )**	1,228.
	48″	79″	**R3B0PLL7948( )( )**	1,376.
	60″	79″	**R3B0PLL7960( )( )***	1,486.
	66″	79″	**R3B0PLL7966( )( )***	1,530.
	72″	79″	**R3B0PLL7972( )( )***	1,576.

Order Code

Example:	**R3B0PLL7918-A4K**
R3	Reff Generation 3
B0	No Beltway
P	Monolithic panel
LL	Laminate both sides
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
118	Laminate - side 1
118	Laminate - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 inside
5. Panel side 2 outside
6. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page are not designed to be stacked upon.

Fabric and veneer covers of 60″, 66″ and 72″ wide panels are two pieces, split vertically.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 34″ H
fabric

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides Regular acoustics	18″	34″	**R3B0TFF34 18-( )( )( )**	$552.	$580.	$636.	$700.	$752.	$832.	$884.
	20″	34″	**R3B0TFF34 20-( )( )( )**	552.	580.	636.	700.	752.	832.	884.
	24″	34″	**R3B0TFF34 24-( )( )( )**	596.	624.	680.	744.	796.	876.	928.
	30″	34″	**R3B0TFF34 30-( )( )( )**	638.	666.	722.	786.	838.	918.	970.
	36″	34″	**R3B0TFF34 36-( )( )( )**	679.	707.	763.	827.	879.	959.	1,011.
	42″	34″	**R3B0TFF34 42-( )( )( )**	781.	809.	865.	929.	981.	1,061.	1,113.
	48″	34″	**R3B0TFF34 48-( )( )( )**	811.	839.	895.	959.	1,011.	1,091.	1,143.



Order Code

Example:	**R3B0TFF3418-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
34	34″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 2A
W281	Fabric - Side 2B
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1A
5. Panel side 1B
6. Panel side 2A
7. Panel side 2B
8. Top trim finish
   i)Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
9. Base finish
10. *Optional*: specify (M) for panel frame to be milled for ported components. $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel)

All panels on this page accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

Applicable finishes are listed on page 5 and 6.

Application Notes

All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34″H, other 34″, 42″, 49″, 64″, and 79″ panels without beltway. To attach 34″ high panels to Beltway posts, order appropriate attachment kits from page 116.

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Ported panel components to be installed below worksurface if panel 34″h.

Tiled panels 34″ H
glass

description	w	h	pattern no.	clear tempered glass	architectural tempered glass	add for P2 finish	add for P3 finish	add for AA finish
Tiled, two 15″ high glass sections without center mullion (type A) 	18″	34″	**R2B0TWA34 18-( )( )( )**	$867.	$1,031.	$35.	$69.	$86.
	20″	34″	**R2B0TWA34 20-( )( )( )**	867.	1,031.	35.	69.	86.
	24″	34″	**R2B0TWA34 24-( )( )( )**	907.	1,103.	35.	69.	91.
	30″	34″	**R2B0TWA34 30-( )( )( )**	1,052.	1,295.	35.	69.	105.
	36″	34″	**R2B0TWA34 36-( )( )( )**	1,091.	1,382.	35.	69.	107.
	42″	34″	**R2B0TWA34 42-( )( )( )**	1,145.	1,490.	35.	69.	112.
	48″	34″	**R2B0TWA34 48-( )( )( )**	1,186.	1,580.	35.	69.	117.
Tiled, two 15″ high glass sections with center mullion (type B) 	30″	34″	**R2B0TWB34 30-( )( )( )**	1,259.	1,504.	35.	69.	126.
	36″	34″	**R2B0TWB34 36-( )( )( )**	1,311.	1,606.	35.	69.	130.
	42″	34″	**R2B0TWB34 42-( )( )( )**	1,373.	1,714.	35.	69.	134.
	48″	34″	**R2B0TWB34 48-( )( )( )**	1,424.	1,822.	35.	69.	140.
Tiled, one 30″ high glass section without center mullion on sizes 18, 20 and 24 but with center mullion on sizes 30, 36, 42, and 48 Type C 	18″	34″	**R2B0TWC34 18-( )( )( )**	683.	891.	27.	56.	105.
	20″	34″	**R2B0TWC34 20-( )( )( )**	683.	891.	27.	56.	105.
	24″	34″	**R2B0TWC34 24-( )( )( )**	720.	939.	27.	56.	112.
	30″	34″	**R2B0TWC34 30-( )( )( )**	889.	1,155.	35.	69.	142.
	36″	34″	**R2B0TWC34 36-( )( )( )**	989.	1,284.	35.	69.	159.
	42″	34″	**R2B0TWC34 42-( )( )( )**	1,046.	1,359.	35.	69.	174.
	48″	34″	**R2B0TWC34 48-( )( )( )**	1,097.	1,429.	35.	69.	181.

Order Code

Example:	**R2B0TWA3418-A4K**
R2	Reff Generation 2
B0	No Beltway
T	Tiled panel
WA	Window, type A
34	34″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
111	Tile Divider
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (window frame finish)
GL13	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Divider option
   (applicable R2B0TWA and R2B0TWB)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (black reveal interior side, upcharge applicable for extruded aluminum)
5. Top trim finish
   i) Top trim profile A, B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 painted finish from page 5 excluding silver
6. Base finish
7. Window frame finish
   (Painted or Anodized aluminum finishes)
   If AA finish (anodized) upcharge applicable as noted in AA price column
8. Glass type

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel)

4. Extruded aluminum tile divider:
Add for:
$14 for 18w and 20w
$15 for 24w and 30w
$16 for 36w and 42w
$22 for 48w

8. *Glass type*
Temp = Cleared tempered glass
Architectural options:
GL13 = Powder glass
GL6 = Block matrix glass
GL8 = Wafer glass

All panels on this page accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

Applicable finishes are listed on page 5 and 6.

Application Notes

All panels on this page have no high acoustical option or Beltway option. Product on this page can be attached to posts 34″H, other 34″, 42″, 49″, 64″, and 79″ panels without beltway. To attach 34″ high panels to Beltway posts, order appropriate attachment kits from page 116.

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Panel glass is mounted flush to one side of the window panel. All window panels incorporate tempered glass 3/16″ thick. 30″ High window panels that are 30″ or wider incorporate a center mullion.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 34″ H
fabric one side, laminate or techwood opposite side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side laminate other; Regular acoustics 	18″	34″	**R3B0TFL34 18-( )( )**	$602.	$616.	$644.	$674.	$700.	$738.	$762.
	20″	34″	**R3B0TFL34 20-( )( )**	602.	616.	644.	674.	700.	738.	762.
	24″	34″	**R3B0TFL34 24-( )( )**	640.	654.	682.	712.	738.	776.	800.
	30″	34″	**R3B0TFL34 30-( )( )**	682.	696.	724.	754.	780.	818.	842.
	36″	34″	**R3B0TFL34 36-( )( )**	721.	735.	763.	793.	819.	857.	881.
	42″	34″	**R3B0TFL34 42-( )( )**	821.	835.	863.	893.	919.	957.	981.
	48″	34″	**R3B0TFL34 48-( )( )**	849.	863.	891.	921.	947.	985.	1,009.
Tiled, fabric one side techwood other; Regular acoustics 	18″	34″	**R3B0TF134 18-( )( )**	646.	660.	690.	722.	748.	788.	814.
	20″	34″	**R3B0TF134 20-( )( )**	646.	660.	690.	722.	748.	788.	814.
	24″	34″	**R3B0TF134 24-( )( )**	689.	703.	733.	765.	791.	831.	857.
	30″	34″	**R3B0TF134 30-( )( )**	734.	748.	778.	810.	836.	876.	902.
	36″	34″	**R3B0TF134 36-( )( )**	775.	789.	819.	851.	877.	917.	943.
	42″	34″	**R3B0TF134 42-( )( )**	885.	899.	929.	961.	987.	1,027.	1,053.
	48″	34″	**R3B0TF134 48-( )( )**	913.	927.	957.	989.	1,015.	1,055.	1,081.

Order Code

Example:	**R3B0TFL3418-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FL	Fabric one side, laminate other
34	34″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black
W281	Fabric - Side 1A
W281	Fabric - Side 1B
114	Folkstone grey - side 2A
114	Folkstone grey - side 2B
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B top
6. Hard side, finish
   If laminate:
   i) tile 2A bottom
   ii) tile 2B top
   If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
7. Top trim finish
   i) Profile A, B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options:
   AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver
8. Base finish
9. *Optional non-beltway panels*:
   specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
34″h add per panel:
$14 for 18w and 20w
$15 for 24w and 30w
$16 for 36w and 42w
$22 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option.
Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

All panels on this page accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34″H and higher as well as 34″, 42″, 49″, 64″, and 79″ panels. To attach 34″ Beltway panels to posts order appropriate attachment kit from page 116.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Ported panel components to be installed below worksurface if panel 34″ h.

Tiled panels 34″ H
fabric one side, conventional or exotic opposite side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side conventional other; Regular acoustics	18″	34″	**R3B0TF234 18-( )( )**	$659.	$673.	$703.	$735.	$761.	$801.	$827.
	20″	34″	**R3B0TF234 20-( )( )**	659.	673.	703.	735.	761.	801.	827.
	24″	34″	**R3B0TF234 24-( )( )**	702.	716.	746.	778.	804.	844.	870.
	30″	34″	**R3B0TF234 30-( )( )**	747.	761.	791.	823.	849.	889.	915.
	36″	34″	**R3B0TF234 36-( )( )**	788.	803.	832.	864.	890.	930.	956.
	42″	34″	**R3B0TF234 42-( )( )**	899.	913.	943.	975.	1,001.	1,041.	1,067.
	48″	34″	**R3B0TF234 48-( )( )**	930.	944.	974.	1,006.	1,032.	1,072.	1,098.
Tiled, fabric one side, exotic other Regular acoustics	18″	34″	**R3B0TF334 18-( )( )**	880.	894.	924.	956.	982.	1,022.	1,048.
	20″	34″	**R3B0TF334 20-( )( )**	880.	894.	924.	956.	982.	1,022.	1,048.
	24″	34″	**R3B0TF334 24-( )( )**	938.	952.	982.	1,014.	1,040.	1,080.	1,106.
	30″	34″	**R3B0TF334 30-( )( )**	997.	1,011.	1,041.	1,073.	1,099.	1,139.	1,165.
	36″	34″	**R3B0TF334 36-( )( )**	1,054.	1,068.	1,098.	1,130.	1,156.	1,196.	1,222.
	42″	34″	**R3B0TF334 42-( )( )**	1,204.	1,218.	1,248.	1,280.	1,306.	1,346.	1,372.
	48″	34″	**R3B0TF334 48-( )( )**	1,245.	1,259.	1,289.	1,321.	1,347.	1,387.	1,413.





Order Code

Example:	**R3B0TF23418-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F2	Fabric one side, conventional other
34	34″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black
W281	Fabric - Side 1A
W281	Fabric - Side 1B
114	Folkstone grey - side 2A
114	Folkstone grey - side 2B
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B top
6. Hard side, finish
   If laminate:
   i) tile 2A bottom
   ii) tile 2B top
   If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver
8. Base finish
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
34″h add per panel:
$14 for 18w and 20w
$15 for 24w and 30w
$16 for 36w and 42w
$22 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option.
Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

All panels on this page accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34″H and higher as well as 34″, 42″, 49″, 64″, and 79″ panels. To attach 34″ Beltway panels to posts order appropriate attachment kit from page 116.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Ported panel components to be installed below worksurface if panel 34″ h.

Tiled panels 34″ H
Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18″	34″	**R3B0TLL3418( )( )**	$681.
	20″	34″	**R3B0TLL3420( )( )**	681.
	24″	34″	**R3B0TLL3424( )( )**	742.
	30″	34″	**R3B0TLL3430( )( )**	831.
	36″	34″	**R3B0TLL3436( )( )**	898.
	42″	34″	**R3B0TLL3442( )( )**	925.
	48″	34″	**R3B0TLL3448( )( )**	953.



Example:	**R3B0TLL3418-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
34	34″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 2A
118	Laminate - side 2B
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Laminate, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B top
6. Hard side, finish
   If laminate:
   i) tile 2A bottom
   ii) tile 2B top
   If V1, V2 or V3 specify wood finish, one finish per side (not per insert)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or P1, P2, P3 painted finishes from page 5 excluding silver
8. Base finish
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
34″h add per panel:
$14 for 18w and 20w
$15 for 24w and 30w
$16 for 36w and 42w
$22 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page will accept wood grain laminate where laminate is currently an option.
Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

All panels on this page accept stacking modules.

All panels on this page have no high acoustical option or Beltway option.

Product on this page can be attached to posts 34″H and higher as well as 34″, 42″, 49″, 64″, and 79″ panels. To attach 34″ Beltway panels to posts order appropriate attachment kit from page 116.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Ported panel components to be installed below worksurface if panel 34″ h.

Tiled panels 42″ H
fabric both sides

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides Regular acoustics	18″	42″	**R3B0TFF42 18-( )( )**	$618.	$650.	$724.	$818.	$884.	$982.	$1,050.
	20″	42″	**R3B0TFF42 20-( )( )**	618.	650.	724.	818.	884.	982.	1,050.
	24″	42″	**R3B0TFF42 24-( )( )**	664.	696.	770.	864.	930.	1,028.	1,096.
	30″	42″	**R3B0TFF42 30-( )( )**	711.	743.	817.	911.	977.	1,075.	1,143.
	36″	42″	**R3B0TFF42 36-( )( )**	758.	790.	864.	958.	1,024.	1,122.	1,190.
	42″	42″	**R3B0TFF42 42-( )( )**	856.	888.	962.	1,056.	1,122.	1,220.	1,288.
	48″	42″	**R3B0TFF42 48-( )( )**	900.	932.	1,006.	1,100.	1,166.	1,264.	1,332.
Tiled, fabric both sides High acoustics	18″	42″	**R3B0TAA42 18-( )( )**	677.	709.	783.	877.	943.	1,041.	1,109.
	20″	42″	**R3B0TAA42 20-( )( )**	677.	709.	783.	877.	943.	1,041.	1,109.
	24″	42″	**R3B0TAA42 24-( )( )**	729.	761.	835.	929.	995.	1,093.	1,161.
	30″	42″	**R3B0TAA42 30-( )( )**	783.	815.	889.	983.	1,049.	1,147.	1,215.
	36″	42″	**R3B0TAA42 36-( )( )**	834.	866.	940.	1,034.	1,100.	1,198.	1,266.
	42″	42″	**R3B0TAA42 42-( )( )**	945.	977.	1,051.	1,145.	1,211.	1,309.	1,377.
	48″	42″	**R3B0TAA42 48-( )( )**	995.	1,027.	1,101.	1,195.	1,261.	1,359.	1,427.





Order Code

Example:	**R3B0TFF4218-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
42	42″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
5. Fabric side, finish (specify selection per insert)
   i) tile 2A bottom
   ii) tile 2B middle
   iii) tile 2C top
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

Application Notes

The Reff System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 42″ H
fabric both sides with Beltway

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides Beltway one side 	18″	42″	**R3B1TFF42 18-( )( )**	$1,112.	$1,144.	$1,216.	$1,312.	$1,378.	$1,476.	$1,544.
	20″	42″	**R3B1TFF42 20-( )( )**	1,112.	1,144.	1,216.	1,312.	1,378.	1,476.	1,544.
	24″	42″	**R3B1TFF42 24-( )( )**	1,137.	1,169.	1,241.	1,337.	1,403.	1,501.	1,569.
	30″	42″	**R3B1TFF42 30-( )( )**	1,196.	1,228.	1,300.	1,396.	1,462.	1,560.	1,628.
	36″	42″	**R3B1TFF42 36-( )( )**	1,412.	1,444.	1,516.	1,612.	1,678.	1,776.	1,844.
	42″	42″	**R3B1TFF42 42-( )( )**	1,525.	1,557.	1,629.	1,725.	1,791.	1,889.	1,957.
	48″	42″	**R3B1TFF42 48-( )( )**	1,578.	1,610.	1,682.	1,778.	1,844.	1,942.	2,010.
Tiled, fabric both sides Beltway two sides 	18″	42″	**R3B2TFF42 18-( )( )**	1,133.	1,165.	1,235.	1,333.	1,399.	1,497.	1,565.
	20″	42″	**R3B2TFF42 20-( )( )**	1,133.	1,165.	1,235.	1,333.	1,399.	1,497.	1,565.
	24″	42″	**R3B2TFF42 24-( )( )**	1,110.	1,142.	1,212.	1,310.	1,376.	1,474.	1,542.
	30″	42″	**R3B2TFF42 30-( )( )**	1,219.	1,251.	1,321.	1,419.	1,485.	1,583.	1,651.
	36″	42″	**R3B2TFF42 36-( )( )**	1,437.	1,469.	1,539.	1,637.	1,703.	1,801.	1,869.
	42″	42″	**R3B2TFF42 42-( )( )**	1,554.	1,586.	1,656.	1,754.	1,820.	1,918.	1,986.
	48″	42″	**R3B2TFF42 48-( )( )**	1,610.	1,642.	1,712.	1,810.	1,876.	1,974.	2,042.

Order Code

Example:	**R3B2TFF4218-A4K**
R3	Reff Generation 3
B2	Beltway two sides
T	Tiled panel
FF	Fabric on both sides
42	42″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Beltway finish

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
5. Fabric side, finish (specify selection per insert)
   i) tile 2A bottom
   ii) tile 2B middle
   iii) tile 2C top
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

Application Notes

The Reff System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see transaction tops page).

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 42″ H
fabric one side, laminate other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	42″	**R3B0TFL42 18-( )( )**	$673.	$690.	$726.	$771.	$802.	$850.	$882.
	20″	42″	**R3B0TFL42 20-( )( )**	673.	690.	726.	771.	802.	850.	882.
	24″	42″	**R3B0TFL42 24-( )( )**	717.	734.	770.	815.	846.	894.	926.
	30″	42″	**R3B0TFL42 30-( )( )**	764.	781.	817.	862.	893.	941.	973.
	36″	42″	**R3B0TFL42 36-( )( )**	809.	826.	862.	907.	938.	986.	1,018.
	42″	42″	**R3B0TFL42 42-( )( )**	901.	918.	954.	999.	1,030.	1,078.	1,110.
	48″	42″	**R3B0TFL42 48-( )( )**	948.	965.	1,001.	1,046.	1,077.	1,125.	1,157.
Tiled, fabric one side Beltway one side (fabric side)	18″	42″	**R3B1TFL42 18-( )( )**	1,149.	1,166.	1,201.	1,247.	1,278.	1,326.	1,358.
	20″	42″	**R3B1TFL42 20-( )( )**	1,149.	1,166.	1,201.	1,247.	1,278.	1,326.	1,358.
	24″	42″	**R3B1TFL42 24-( )( )**	1,173.	1,190.	1,225.	1,271.	1,302.	1,350.	1,382.
	30″	42″	**R3B1TFL42 30-( )( )**	1,232.	1,249.	1,284.	1,330.	1,361.	1,409.	1,441.
	36″	42″	**R3B1TFL42 36-( )( )**	1,441.	1,458.	1,493.	1,539.	1,570.	1,618.	1,650.
	42″	42″	**R3B1TFL42 42-( )( )**	1,549.	1,566.	1,601.	1,647.	1,678.	1,726.	1,758.
	48″	42″	**R3B1TFL42 48-( )( )**	1,599.	1,616.	1,651.	1,697.	1,728.	1,776.	1,808.





Order Code

Example:	**R3B0TFL4218-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FL	Fabric one side, laminate other
42	42″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
114	Folkstone grey - side 2A
114	Folkstone grey - side 2B
114	Folkstone grey - side 2C
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
6. Laminate side, finish (specify selection per insert)
   i) tile 2A bottom
   ii) tile 2B middle
   iii) tile 2C top
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
42″h add per panel:
$25 for 18w and 20w
$28 for 24w and 30w
$34 for 36w and 42w
$42 for 48w

6″ Raceway option increases panel height by 2¾″.

Applicable finishes are listed on page 5 and 6.

Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option.
Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

The Reff System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see page 389).

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 42″ H
fabric one side, techwood other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	42″	**R3B0TF142 18-( )( )**	$723.	$740.	$778.	$826.	$858.	$908.	$942.
	20″	42″	**R3B0TF142 20-( )( )**	723.	740.	778.	826.	858.	908.	942.
	24″	42″	**R3B0TF142 24-( )( )**	771.	788.	826.	874.	906.	956.	990.
	30″	42″	**R3B0TF142 30-( )( )**	823.	840.	878.	926.	958.	1,008.	1,042.
	36″	42″	**R3B0TF142 36-( )( )**	869.	886.	924.	972.	1,004.	1,054.	1,088.
	42″	42″	**R3B0TF142 42-( )( )**	972.	989.	1,027.	1,075.	1,107.	1,157.	1,191.
	48″	42″	**R3B0TF142 48-( )( )**	1,016.	1,033.	1,071.	1,119.	1,151.	1,201.	1,235.
Tiled, fabric one side Beltway one side (fabric side)	18″	42″	**R3B1TF142 18-( )( )**	1,238.	1,255.	1,293.	1,341.	1,373.	1,423.	1,457.
	20″	42″	**R3B1TF142 20-( )( )**	1,238.	1,255.	1,293.	1,341.	1,373.	1,423.	1,457.
	24″	42″	**R3B1TF142 24-( )( )**	1,262.	1,279.	1,317.	1,365.	1,397.	1,447.	1,481.
	30″	42″	**R3B1TF142 30-( )( )**	1,322.	1,339.	1,377.	1,425.	1,457.	1,507.	1,541.
	36″	42″	**R3B1TF142 36-( )( )**	1,545.	1,562.	1,600.	1,648.	1,680.	1,730.	1,764.
	42″	42″	**R3B1TF142 42-( )( )**	1,665.	1,682.	1,720.	1,768.	1,800.	1,850.	1,884.
	48″	42″	**R3B1TF142 48-( )( )**	1,721.	1,738.	1,776.	1,824.	1,856.	1,906.	1,940.





Order Code

Example:	**R3B0TF14218-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F1	Fabric one side, V1 other
42	42″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
Y328	Mahogany - side 2 tiled
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
6. Techwood side, finish (specify one V1 finish for side)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
42″h add per panel:
$25 for 18w and 20w
$28 for 24w and 30w
$34 for 36w and 42w
$42 for 48w

6″ Raceway option increases panel height by 2¾″.

Applicable finishes are listed on page 5 and 6.

Application Notes

The Reff System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see page 389).

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 42″ H
fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	42″	**R3B0TF242 18-( )( )**	$736.	$753.	$791.	$839.	$871.	$921.	$955.
	20″	42″	**R3B0TF242 20-( )( )**	736.	753.	791.	839.	871.	921.	955.
	24″	42″	**R3B0TF242 24-( )( )**	785.	802.	840.	888.	920.	970.	1,004.
	30″	42″	**R3B0TF242 30-( )( )**	837.	854.	892.	940.	972.	1,022.	1,057.
	36″	42″	**R3B0TF242 36-( )( )**	888.	905.	943.	991.	1,023.	1,073.	1,107.
	42″	42″	**R3B0TF242 42-( )( )**	988.	1,005.	1,043.	1,091.	1,123.	1,173.	1,207.
	48″	42″	**R3B0TF242 48-( )( )**	1,037.	1,054.	1,092.	1,140.	1,172.	1,222.	1,256.
Tiled, fabric one side Beltway one side (fabric side)	18″	42″	**R3B1TF242 18-( )( )**	1,260.	1,277.	1,315.	1,363.	1,395.	1,445.	1,479.
	20″	42″	**R3B1TF242 20-( )( )**	1,260.	1,277.	1,315.	1,363.	1,395.	1,445.	1,479.
	24″	42″	**R3B1TF242 24-( )( )**	1,283.	1,300.	1,338.	1,386.	1,418.	1,468.	1,502.
	30″	42″	**R3B1TF242 30-( )( )**	1,347.	1,364.	1,402.	1,450.	1,482.	1,532.	1,566.
	36″	42″	**R3B1TF242 36-( )( )**	1,576.	1,593.	1,631.	1,679.	1,711.	1,761.	1,795.
	42″	42″	**R3B1TF242 42-( )( )**	1,695.	1,712.	1,750.	1,798.	1,830.	1,880.	1,914.
	48″	42″	**R3B1TF242 48-( )( )**	1,753.	1,770.	1,808.	1,856.	1,888.	1,938.	1,972.





Order Code

Example:	**R3B0TF24218-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F2	Fabric one side, V2 other
42	42″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
V316	Maple surface - side 2 tiled
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
6. Conventional veneer, finish (specify one V2 finish for side)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
42″h add per panel:
$25 for 18w and 20w
$28 for 24w and 30w
$34 for 36w and 42w
$42 for 48w

6″ Raceway option increases panel height by 2¾″.

Applicable finishes are listed on page 5 and 6.

Application Notes

The Reff System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see page 389).

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 42″ H
fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	42″	**R3B0TF342 18-( )( )**	$981.	$998.	$1,036.	$1,084.	$1,116.	$1,166.	$1,200.
	20″	42″	**R3B0TF342 20-( )( )**	981.	998.	1,036.	1,084.	1,116.	1,166.	1,200.
	24″	42″	**R3B0TF342 24-( )( )**	1,045.	1,062.	1,100.	1,148.	1,180.	1,230.	1,264.
	30″	42″	**R3B0TF342 30-( )( )**	1,116.	1,133.	1,171.	1,219.	1,251.	1,301.	1,335.
	36″	42″	**R3B0TF342 36-( )( )**	1,185.	1,202.	1,240.	1,288.	1,320.	1,370.	1,404.
	42″	42″	**R3B0TF342 42-( )( )**	1,320.	1,337.	1,375.	1,423.	1,455.	1,505.	1,539.
	48″	42″	**R3B0TF342 48-( )( )**	1,386.	1,403.	1,441.	1,489.	1,521.	1,571.	1,605.
Tiled, fabric one side Beltway fabric side	18″	42″	**R3B1TF342 18-( )( )**	1,688.	1,705.	1,743.	1,791.	1,823.	1,873.	1,907.
	20″	42″	**R3B1TF342 20-( )( )**	1,688.	1,705.	1,743.	1,791.	1,823.	1,873.	1,907.
	24″	42″	**R3B1TF342 24-( )( )**	1,719.	1,736.	1,774.	1,822.	1,854.	1,904.	1,938.
	30″	42″	**R3B1TF342 30-( )( )**	1,804.	1,821.	1,859.	1,907.	1,939.	1,989.	2,023.
	36″	42″	**R3B1TF342 36-( )( )**	2,115.	2,132.	2,170.	2,218.	2,250.	2,300.	2,334.
	42″	42″	**R3B1TF342 42-( )( )**	2,274.	2,291.	2,329.	2,377.	2,409.	2,459.	2,493.
	48″	42″	**R3B1TF342 48-( )( )**	2,353.	2,370.	2,408.	2,456.	2,488.	2,538.	2,572.





Order Code

Example:	**R3B0TF34218-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F3	Fabric one side, V3 other
42	42″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
V512	Figured Anigre surface - side 2 tiled
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
6. Exotic veneer, finish (specify one V3 finish for side)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
42″h add per panel:
$25 for 18w and 20w
$28 for 24w and 30w
$34 for 36w and 42w
$42 for 48w

6″ Raceway option increases panel height by 2¾″.

Applicable finishes are listed on page 5 and 6.

Application Notes

The Reff System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see page 389).

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 42″ H
Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18″	42″	**R3B0TLL4218( )( )**	$821.
	20″	42″	**R3B0TLL4220( )( )**	821.
	24″	42″	**R3B0TLL4224( )( )**	895.
	30″	42″	**R3B0TLL4230( )( )**	1,002.
	36″	42″	**R3B0TLL4236( )( )**	1,082.
	42″	42″	**R3B0TLL4242( )( )**	1,115.
	48″	42″	**R3B0TLL4248( )( )**	1,148.



Order Code

Example:	**R3B0TLL4218-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
42	42″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 1C
118	Laminate - side 2A
118	Laminate - side 2B
118	Laminate - side 2C
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Laminate side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
6. Laminate, finish
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height

4.Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
42″h add per panel:
$25 for 18w and 20w
$28 for 24w and 30w
$34 for 36w and 42w
$42 for 48w

Applicable finishes are listed on page 5 and 6.

Application Notes

The Reff System does not support the stacking of modules onto 42″H panels. These panels can be used to achieve transaction top height (see page 389).

Product on this page can be attached to posts 42″, 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 49″ H
fabric both sides

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides Regular acoustics	18″	49″	**R3B0TFF49 18-( )( )**	$692.	$734.	$818.	$914.	$992.	$1,112.	$1,190.
	20″	49″	**R3B0TFF49 20-( )( )**	692.	734.	818.	914.	992.	1,112.	1,190.
	24″	49″	**R3B0TFF49 24-( )( )**	740.	782.	866.	962.	1,040.	1,160.	1,238.
	30″	49″	**R3B0TFF49 30-( )( )**	795.	837.	921.	1,017.	1,095.	1,215.	1,293.
	36″	49″	**R3B0TFF49 36-( )( )**	847.	889.	973.	1,069.	1,147.	1,267.	1,345.
	42″	49″	**R3B0TFF49 42-( )( )**	957.	999.	1,083.	1,179.	1,257.	1,377.	1,455.
	48″	49″	**R3B0TFF49 48-( )( )**	1,009.	1,051.	1,135.	1,231.	1,309.	1,429.	1,507.
Tiled, fabric both sides High acoustics	18″	49″	**R3B0TAA49 18-( )( )**	758.	800.	884.	980.	1,058.	1,178.	1,256.
	20″	49″	**R3B0TAA49 20-( )( )**	758.	800.	884.	980.	1,058.	1,178.	1,256.
	24″	49″	**R3B0TAA49 24-( )( )**	810.	852.	936.	1,032.	1,110.	1,230.	1,308.
	30″	49″	**R3B0TAA49 30-( )( )**	874.	916.	1,000.	1,096.	1,174.	1,294.	1,372.
	36″	49″	**R3B0TAA49 36-( )( )**	931.	973.	1,057.	1,153.	1,231.	1,351.	1,429.
	42″	49″	**R3B0TAA49 42-( )( )**	1,049.	1,091.	1,175.	1,271.	1,349.	1,469.	1,547.
	48″	49″	**R3B0TAA49 48-( )( )**	1,110.	1,152.	1,236.	1,332.	1,410.	1,530.	1,608.





Order Code

Example:	**R3B0TFF4918-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
5. Fabric side, finish (specify selection per insert)
   i) tile 2A bottom
   ii) tile 2B middle
   iii) tile 2C top
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

6″ Raceway option increases panel height by 2 3/4″.

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 49″ H
fabric both sides with Beltway

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides Beltway one side	18″	49″	**R3B1TFF49 18-( )( )**	$1,141.	$1,183.	$1,265.	$1,363.	$1,441.	$1,561.	$1,639.
	20″	49″	**R3B1TFF49 20-( )( )**	1,141.	1,183.	1,265.	1,363.	1,441.	1,561.	1,639.
	24″	49″	**R3B1TFF49 24-( )( )**	1,164.	1,206.	1,288.	1,386.	1,464.	1,584.	1,662.
	30″	49″	**R3B1TFF49 30-( )( )**	1,226.	1,268.	1,350.	1,448.	1,526.	1,646.	1,724.
	36″	49″	**R3B1TFF49 36-( )( )**	1,468.	1,510.	1,592.	1,690.	1,768.	1,888.	1,966.
	42″	49″	**R3B1TFF49 42-( )( )**	1,585.	1,627.	1,709.	1,807.	1,885.	2,005.	2,083.
	48″	49″	**R3B1TFF49 48-( )( )**	1,641.	1,683.	1,765.	1,863.	1,941.	2,061.	2,139.
Tiled, fabric both sides Beltway two sides	18″	49″	**R3B2TFF49 18-( )( )**	1,158.	1,200.	1,280.	1,380.	1,458.	1,578.	1,656.
	20″	49″	**R3B2TFF49 20-( )( )**	1,158.	1,200.	1,280.	1,380.	1,458.	1,578.	1,656.
	24″	49″	**R3B2TFF49 24-( )( )**	1,184.	1,226.	1,306.	1,406.	1,484.	1,604.	1,682.
	30″	49″	**R3B2TFF49 30-( )( )**	1,249.	1,291.	1,371.	1,471.	1,549.	1,669.	1,747.
	36″	49″	**R3B2TFF49 36-( )( )**	1,494.	1,536.	1,616.	1,716.	1,794.	1,914.	1,992.
	42″	49″	**R3B2TFF49 42-( )( )**	1,612.	1,654.	1,734.	1,834.	1,912.	2,032.	2,110.
	48″	49″	**R3B2TFF49 48-( )( )**	1,673.	1,715.	1,795.	1,895.	1,973.	2,093.	2,171.





Order Code

Example:	**R3B2TFF4918-A4K**
R3	Reff Generation 3
B2	with Beltway
T	Tiled panel
FF	Fabric on both sides
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Beltway finish

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
5. Fabric side, finish (specify selection per insert)
   i) tile 2A bottom
   ii) tile 2B middle
   iii) tile 2C top
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

6″ Raceway option increases panel height by 2¾″.

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 49″ H
fabric one side, laminate opposite side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	49″	**R3B0TFL49 18-( )( )**	$755.	$776.	$818.	$863.	$902.	$959.	$995.
	20″	49″	**R3B0TFL49 20-( )( )**	755.	776.	818.	863.	902.	959.	995.
	24″	49″	**R3B0TFL49 24-( )( )**	798.	819.	861.	906.	945.	1,002.	1,038.
	30″	49″	**R3B0TFL49 30-( )( )**	855.	876.	918.	963.	1,002.	1,059.	1,095.
	36″	49″	**R3B0TFL49 36-( )( )**	902.	923.	965.	1,010.	1,049.	1,106.	1,142.
	42″	49″	**R3B0TFL49 42-( )( )**	1,006.	1,027.	1,069.	1,114.	1,153.	1,210.	1,246.
	48″	49″	**R3B0TFL49 48-( )( )**	1,059.	1,080.	1,122.	1,167.	1,206.	1,263.	1,299.
Tiled, fabric one side Beltway one side (fabric side)	18″	49″	**R3B1TFL49 18-( )( )**	1,186.	1,207.	1,248.	1,294.	1,333.	1,390.	1,426.
	20″	49″	**R3B1TFL49 20-( )( )**	1,186.	1,207.	1,248.	1,294.	1,333.	1,390.	1,426.
	24″	49″	**R3B1TFL49 24-( )( )**	1,210.	1,231.	1,272.	1,318.	1,357.	1,414.	1,450.
	30″	49″	**R3B1TFL49 30-( )( )**	1,271.	1,292.	1,333.	1,379.	1,418.	1,475.	1,511.
	36″	49″	**R3B1TFL49 36-( )( )**	1,502.	1,523.	1,564.	1,610.	1,649.	1,706.	1,742.
	42″	49″	**R3B1TFL49 42-( )( )**	1,612.	1,633.	1,674.	1,720.	1,759.	1,816.	1,852.
	48″	49″	**R3B1TFL49 48-( )( )**	1,672.	1,693.	1,734.	1,780.	1,819.	1,876.	1,912.





Order Code

Example:	**R3B0TFL4918-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FL	Fabric one side. laminate other
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
114	Folkstone grey - side 2A
114	Folkstone grey - side 2B
114	Folkstone grey - side 2C
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
6. Laminate side finish (specify selection per insert)
   i) tile 2A bottom
   ii) tile 2B middle
   iii) tile 2C top
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
49″h add per panel:
$25 for 18w and 20w
$28 for 24w and 30w
$34 for 36w and 42w
$42 for 48w

6″ Raceway option increases panel height by 2¾″.

Applicable finishes are listed on page 5 and 6.

Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option.
Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 49″ H
fabric one side, techwood other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	49″	**R3B0TF149 18-( )( )**	$808.	$829.	$874.	$922.	$961.	$1,021.	$1,060.
	20″	49″	**R3B0TF149 20-( )( )**	808.	829.	874.	922.	961.	1,021.	1,060.
	24″	49″	**R3B0TF149 24-( )( )**	859.	880.	925.	973.	1,012.	1,072.	1,111.
	30″	49″	**R3B0TF149 30-( )( )**	916.	937.	982.	1,030.	1,069.	1,129.	1,168.
	36″	49″	**R3B0TF149 36-( )( )**	971.	992.	1,037.	1,085.	1,124.	1,184.	1,223.
	42″	49″	**R3B0TF149 42-( )( )**	1,086.	1,107.	1,152.	1,200.	1,239.	1,299.	1,338.
	48″	49″	**R3B0TF149 48-( )( )**	1,138.	1,159.	1,204.	1,252.	1,291.	1,351.	1,390.
Tiled, fabric one side Beltway one side (fabric side)	18″	49″	**R3B1TF149 18-( )( )**	1,274.	1,295.	1,340.	1,388.	1,427.	1,487.	1,526.
	20″	49″	**R3B1TF149 20-( )( )**	1,274.	1,295.	1,340.	1,388.	1,427.	1,487.	1,526.
	24″	49″	**R3B1TF149 24-( )( )**	1,303.	1,324.	1,369.	1,417.	1,456.	1,516.	1,555.
	30″	49″	**R3B1TF149 30-( )( )**	1,366.	1,387.	1,432.	1,480.	1,519.	1,579.	1,618.
	36″	49″	**R3B1TF149 36-( )( )**	1,617.	1,638.	1,683.	1,731.	1,770.	1,830.	1,869.
	42″	49″	**R3B1TF149 42-( )( )**	1,737.	1,758.	1,803.	1,851.	1,890.	1,950.	1,989.
	48″	49″	**R3B1TF149 48-( )( )**	1,796.	1,817.	1,862.	1,910.	1,949.	2,009.	2,048.





Order Code

Example:	**R3B0TF14918-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F1	Fabric one side, V1 other
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
Y328	Mahogany - side 2 tiled
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
6. Techwood side, finish (specify one V1 finish for side)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
49″h add per panel:
$25 for 18w and 20w
$28 for 24w and 30w
$34 for 36w and 42w
$42 for 48w

6″ Raceway option increases panel height by 2¾″.

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 49″ H
fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	49″	**R3B0TF249 18-( )( )**	$825.	$846.	$891.	$939.	$978.	$1,038.	$1,077.
	20″	49″	**R3B0TF249 20-( )( )**	825.	846.	891.	939.	978.	1,038.	1,077.
	24″	49″	**R3B0TF249 24-( )( )**	874.	895.	940.	988.	1,027.	1,087.	1,126.
	30″	49″	**R3B0TF249 30-( )( )**	938.	959.	1,004.	1,052.	1,091.	1,151.	1,190.
	36″	49″	**R3B0TF249 36-( )( )**	989.	1,010.	1,055.	1,103.	1,142.	1,202.	1,241.
	42″	49″	**R3B0TF249 42-( )( )**	1,102.	1,123.	1,168.	1,216.	1,255.	1,315.	1,354.
	48″	49″	**R3B0TF249 48-( )( )**	1,159.	1,180.	1,225.	1,273.	1,312.	1,372.	1,411.



Tiled, fabric one side Beltway one side (fabric side)	18″	49″	**R3B1TF249 18-( )( )**	1,299.	1,320.	1,365.	1,413.	1,452.	1,512.	1,551.
	20″	49″	**R3B1TF249 20-( )( )**	1,299.	1,320.	1,365.	1,413.	1,452.	1,512.	1,551.
	24″	49″	**R3B1TF249 24-( )( )**	1,326.	1,347.	1,392.	1,440.	1,479.	1,539.	1,578.
	30″	49″	**R3B1TF249 30-( )( )**	1,390.	1,411.	1,456.	1,504.	1,543.	1,603.	1,642.
	36″	49″	**R3B1TF249 36-( )( )**	1,644.	1,665.	1,710.	1,758.	1,797.	1,857.	1,896.
	42″	49″	**R3B1TF249 42-( )( )**	1,767.	1,788.	1,833.	1,881.	1,920.	1,980.	2,019.
	48″	49″	**R3B1TF249 48-( )( )**	1,830.	1,851.	1,896.	1,944.	1,983.	2,043.	2,082.



Order Code

Example:	**R3B0TF24918-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F2	Fabric one side, V2 other
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
V316	Maple surface - side 2 tiled
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
6. Conventional veneer, finish (specify one V2 finish for side)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
49″h add per panel:
$25 for 18w and 20w
$28 for 24w and 30w
$34 for 36w and 42w
$42 for 48w

6″ Raceway option increases panel height by 2¾″.

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 49″ H
fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	49″	**R3B0TF349 18-( )( )**	$1,097.	$1,118.	$1,163.	$1,211.	$1,250.	$1,310.	$1,349.
	20″	49″	**R3B0TF349 20-( )( )**	1,097.	1,118.	1,163.	1,211.	1,250.	1,310.	1,349.
	24″	49″	**R3B0TF349 24-( )( )**	1,164.	1,185.	1,230.	1,278.	1,317.	1,377.	1,416.
	30″	49″	**R3B0TF349 30-( )( )**	1,250.	1,271.	1,316.	1,364.	1,403.	1,463.	1,502.
	36″	49″	**R3B0TF349 36-( )( )**	1,320.	1,341.	1,386.	1,434.	1,473.	1,533.	1,572.
	42″	49″	**R3B0TF349 42-( )( )**	1,471.	1,492.	1,537.	1,585.	1,624.	1,684.	1,723.
	48″	49″	**R3B0TF349 48-( )( )**	1,548.	1,569.	1,614.	1,662.	1,701.	1,761.	1,800.
Tiled, fabric one side Beltway fabric side	18″	49″	**R3B1TF349 18-( )( )**	1,738.	1,759.	1,804.	1,852.	1,891.	1,951.	1,990.
	20″	49″	**R3B1TF349 20-( )( )**	1,738.	1,759.	1,804.	1,852.	1,891.	1,951.	1,990.
	24″	49″	**R3B1TF349 24-( )( )**	1,775.	1,796.	1,841.	1,889.	1,928.	1,988.	2,027.
	30″	49″	**R3B1TF349 30-( )( )**	1,861.	1,882.	1,927.	1,975.	2,014.	2,074.	2,113.
	36″	49″	**R3B1TF349 36-( )( )**	2,204.	2,225.	2,270.	2,318.	2,357.	2,417.	2,456.
	42″	49″	**R3B1TF349 42-( )( )**	2,370.	2,391.	2,436.	2,484.	2,523.	2,583.	2,622.
	48″	49″	**R3B1TF349 48-( )( )**	2,457.	2,478.	2,523.	2,571.	2,610.	2,670.	2,709.





Order Code

Example:	**R3B0TF34918-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F3	Fabric one side, V3 other
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
V512	Figured Anigre surface - side 2 tiled
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
6. Exotic veneer, finish (specify one V3 finish for side)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
49″h add per panel:
$25 for 18w and 20w
$28 for 24w and 30w
$34 for 36w and 42w
$42 for 48w

6″ Raceway option increases panel height by 2¾″.

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 49″ H
Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18″	49″	**R3B0TLL4918( )( )**	$858.
	20″	49″	**R3B0TLL4920( )( )**	858.
	24″	49″	**R3B0TLL4924( )( )**	935.
	30″	49″	**R3B0TLL4930( )( )**	1,047.
	36″	49″	**R3B0TLL4936( )( )**	1,131.
	42″	49″	**R3B0TLL4942( )( )**	1,165.
	48″	49″	**R3B0TLL4948( )( )**	1,200.



Order Code

Example:	**R3B0TLL4918-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 1C
118	Laminate - side 2A
118	Laminate - side 2B
118	Laminate - side 2C
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Laminate side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C top
6. Laminate, finish
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
49″h add per panel:
$25 for 18w and 20w
$28 for 24w and 30w
$34 for 36w and 42w
$42 for 48w

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 64″ H
fabric both sides

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides Regular acoustics	18″	64″	**R3B0TFF64 18-( )( )**	$792.	$848.	$960.	$1,088.	$1,192.	$1,352.	$1,456.
	20″	64″	**R3B0TFF64 20-( )( )**	794.	848.	960.	1,088.	1,192.	1,352.	1,456.
	24″	64″	**R3B0TFF64 24-( )( )**	848.	904.	1,016.	1,144.	1,248.	1,408.	1,512.
	30″	64″	**R3B0TFF64 30-( )( )**	911.	967.	1,079.	1,207.	1,311.	1,471.	1,575.
	36″	64″	**R3B0TFF64 36-( )( )**	965.	1,021.	1,133.	1,261.	1,365.	1,525.	1,629.
	42″	64″	**R3B0TFF64 42-( )( )**	1,103.	1,159.	1,271.	1,399.	1,503.	1,663.	1,767.
	48″	64″	**R3B0TFF64 48-( )( )**	1,158.	1,214.	1,326.	1,454.	1,558.	1,718.	1,822.



Tiled, fabric both sides High acoustics	18″	64″	**R3B0TAA64 18-( )( )**	867.	923.	1,035.	1,163.	1,267.	1,427.	1,531.
	20″	64″	**R3B0TAA64 20-( )( )**	867.	923.	1,035.	1,163.	1,267.	1,427.	1,531.
	24″	64″	**R3B0TAA64 24-( )( )**	929.	985.	1,097.	1,225.	1,329.	1,489.	1,593.
	30″	64″	**R3B0TAA64 30-( )( )**	999.	1,055.	1,167.	1,295.	1,399.	1,559.	1,663.
	36″	64″	**R3B0TAA64 36-( )( )**	1,064.	1,120.	1,232.	1,360.	1,464.	1,624.	1,728.
	42″	64″	**R3B0TAA64 42-( )( )**	1,212.	1,268.	1,380.	1,508.	1,612.	1,772.	1,876.
	48″	64″	**R3B0TAA64 48-( )( )**	1,277.	1,333.	1,445.	1,573.	1,677.	1,837.	1,941.



Order Code

Example:	**R3B0TFF6418-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D top
5. Fabric side, finish (specify selection per insert)
   i) tile 2A bottom
   ii) tile 2B middle
   iii) tile 2C middle
   iv) tile 2D top
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. *Optional*: specify (M) for panel frame to be milled for ported components. $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

6″ Raceway option increases panel height by 2¾″.

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 64″ H
fabric both sides, with Beltway

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides Beltway one side	18″	64″	**R3B1TFF64 18-( )( )**	$1,236.	$1,292.	$1,402.	$1,532.	$1,636.	$1,796.	$1,900.
	20″	64″	**R3B1TFF64 20-( )( )**	1,236.	1,292.	1,402.	1,532.	1,636.	1,796.	1,900.
	24″	64″	**R3B1TFF64 24-( )( )**	1,299.	1,355.	1,465.	1,595.	1,699.	1,859.	1,963.
	30″	64″	**R3B1TFF64 30-( )( )**	1,331.	1,387.	1,497.	1,627.	1,731.	1,891.	1,995.
	36″	64″	**R3B1TFF64 36-( )( )**	1,635.	1,691.	1,801.	1,931.	2,035.	2,195.	2,299.
	42″	64″	**R3B1TFF64 42-( )( )**	1,756.	1,812.	1,922.	2,052.	2,156.	2,316.	2,420.
	48″	64″	**R3B1TFF64 48-( )( )**	1,819.	1,875.	1,985.	2,115.	2,219.	2,379.	2,483.
Tiled, fabric both sides Beltway two sides	18″	64″	**R3B2TFF64 18-( )( )**	1,255.	1,311.	1,419.	1,551.	1,655.	1,815.	1,919.
	20″	64″	**R3B2TFF64 20-( )( )**	1,255.	1,311.	1,419.	1,551.	1,655.	1,815.	1,919.
	24″	64″	**R3B2TFF64 24-( )( )**	1,320.	1,376.	1,484.	1,616.	1,720.	1,880.	1,984.
	30″	64″	**R3B2TFF64 30-( )( )**	1,352.	1,408.	1,516.	1,648.	1,752.	1,912.	2,016.
	36″	64″	**R3B2TFF64 36-( )( )**	1,664.	1,720.	1,828.	1,960.	2,064.	2,224.	2,328.
	42″	64″	**R3B2TFF64 42-( )( )**	1,783.	1,839.	1,947.	2,079.	2,183.	2,343.	2,447.
	48″	64″	**R3B2TFF64 48-( )( )**	1,850.	1,906.	2,014.	2,146.	2,250.	2,410.	2,514.





Order Code

Example:	**R3B1TFF7918-A4K**
R3	Reff Generation 3
B1	Beltway one side
T	Tiled panel
FF	Fabric on both sides
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
W281	Fabric - Side 2D
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Beltway finish

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D middle
5. Fabric side, finish (specify selection per insert)
   i) tile 2A bottom
   ii) tile 2B middle
   iii) tile 2C middle
   iv) tile 2D middle
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will not accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 64″ H
fabric one side, laminate other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	64″	**R3B0TFL64 18-( )( )**	$878.	$906.	$962.	$1,022.	$1,074.	$1,150.	$1,198.
	20″	64″	**R3B0TFL64 20-( )( )**	878.	906.	962.	1,022.	1,074.	1,150.	1,198.
	24″	64″	**R3B0TFL64 24-( )( )**	931.	959.	1,015.	1,075.	1,127.	1,203.	1,251.
	30″	64″	**R3B0TFL64 30-( )( )**	994.	1,022.	1,078.	1,138.	1,190.	1,266.	1,314.
	36″	64″	**R3B0TFL64 36-( )( )**	1,049.	1,077.	1,133.	1,193.	1,245.	1,321.	1,369.
	42″	64″	**R3B0TFL64 42-( )( )**	1,180.	1,208.	1,264.	1,324.	1,376.	1,452.	1,500.
	48″	64″	**R3B0TFL64 48-( )( )**	1,235.	1,263.	1,319.	1,379.	1,431.	1,507.	1,555.



Tiled, fabric one side Beltway one side (fabric side)	18″	64″	**R3B1TFL64 18-( )( )**	1,306.	1,334.	1,389.	1,450.	1,502.	1,578.	1,626.
	20″	64″	**R3B1TFL64 20-( )( )**	1,306.	1,334.	1,389.	1,450.	1,502.	1,578.	1,626.
	24″	64″	**R3B1TFL64 24-( )( )**	1,370.	1,398.	1,453.	1,514.	1,566.	1,642.	1,690.
	30″	64″	**R3B1TFL64 30-( )( )**	1,399.	1,427.	1,482.	1,543.	1,595.	1,671.	1,719.
	36″	64″	**R3B1TFL64 36-( )( )**	1,697.	1,725.	1,780.	1,841.	1,893.	1,969.	2,017.
	42″	64″	**R3B1TFL64 42-( )( )**	1,809.	1,837.	1,892.	1,953.	2,005.	2,081.	2,129.
	48″	64″	**R3B1TFL64 48-( )( )**	1,870.	1,898.	1,953.	2,014.	2,066.	2,142.	2,190.



Order Code

Example:	**R3B0TFL6418-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FL	Fabric one side, laminate other
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
114	Folkstone grey - side 2A
114	Folkstone grey - side 2B
114	Folkstone grey - side 2C
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D top
6. Laminate side, finish (specify selection per insert)
   i) tile 2A bottom
   ii) tile 2B middle
   iii) tile 2C middle
   iv) tile 2D top
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
64″h add per panel:
$39 for 18w and 20w
$43 for 24w and 30w
$48 for 36w and 42w
$62 for 48w

6″ Raceway option increases panel height by 2¾″.

Applicable finishes are listed on page 5 and 6.

Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option.
Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 64″ H
fabric one side, techwood other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	64″	**R3B0TF164 18-( )( )**	$944.	$972.	$1,032.	$1,096.	$1,148.	$1,228.	$1,280.
	20″	64″	**R3B0TF164 20-( )( )**	944.	972.	1,032.	1,096.	1,148.	1,228.	1,280.
	24″	64″	**R3B0TF164 24-( )( )**	1,001.	1,029.	1,089.	1,153.	1,205.	1,285.	1,337.
	30″	64″	**R3B0TF164 30-( )( )**	1,068.	1,096.	1,156.	1,220.	1,272.	1,352.	1,404.
	36″	64″	**R3B0TF164 36-( )( )**	1,126.	1,154.	1,214.	1,278.	1,330.	1,410.	1,462.
	42″	64″	**R3B0TF164 42-( )( )**	1,268.	1,296.	1,356.	1,420.	1,472.	1,552.	1,604.
	48″	64″	**R3B0TF164 48-( )( )**	1,327.	1,355.	1,415.	1,479.	1,531.	1,611.	1,663.



Tiled, fabric one side Beltway one side (fabric side)	18″	64″	**R3B1TF164 18-( )( )**	1,404.	1,432.	1,492.	1,556.	1,608.	1,688.	1,740.
	20″	64″	**R3B1TF164 20-( )( )**	1,404.	1,432.	1,492.	1,556.	1,608.	1,688.	1,740.
	24″	64″	**R3B1TF164 24-( )( )**	1,472.	1,500.	1,560.	1,624.	1,676.	1,756.	1,808.
	30″	64″	**R3B1TF164 30-( )( )**	1,503.	1,531.	1,591.	1,655.	1,707.	1,787.	1,839.
	36″	64″	**R3B1TF164 36-( )( )**	1,822.	1,850.	1,910.	1,974.	2,026.	2,106.	2,158.
	42″	64″	**R3B1TF164 42-( )( )**	1,944.	1,972.	2,032.	2,096.	2,148.	2,228.	2,280.
	48″	64″	**R3B1TF164 48-( )( )**	2,014.	2,042.	2,102.	2,166.	2,218.	2,298.	2,350.



Order Code

Example:	**R3B0TF16418-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F1	Fabric one side, V1 other
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
Y328	Mahogany - side 2 tiled
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D top
6. Techwood side, finish (specify one V1 finish for side)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
64″h add per panel:
$39 for 18w and 20w
$43 for 24w and 30w
$48 for 36w and 42w
$62 for 48w

6″ Raceway option increases panel height by 2¾″.

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 64″ H
fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	64″	**R3B0TF264 18-( )( )**	$962.	$990.	$1,050.	$1,114.	$1,166.	$1,246.	$1,298.
	20″	64″	**R3B0TF264 20-( )( )**	962.	990.	1,050.	1,114.	1,166.	1,246.	1,298.
	24″	64″	**R3B0TF264 24-( )( )**	1,018.	1,046.	1,106.	1,170.	1,222.	1,302.	1,354.
	30″	64″	**R3B0TF264 30-( )( )**	1,084.	1,112.	1,172.	1,236.	1,288.	1,368.	1,420.
	36″	64″	**R3B0TF264 36-( )( )**	1,146.	1,174.	1,234.	1,298.	1,350.	1,430.	1,482.
	42″	64″	**R3B0TF264 42-( )( )**	1,290.	1,318.	1,378.	1,442.	1,494.	1,574.	1,626.
	48″	64″	**R3B0TF264 48-( )( )**	1,351.	1,379.	1,439.	1,503.	1,555.	1,635.	1,687.
Tiled, fabric one side Beltway one side (fabric side)	18″	64″	**R3B1TF264 18-( )( )**	1,429.	1,457.	1,517.	1,581.	1,633.	1,713.	1,765.
	20″	64″	**R3B1TF264 20-( )( )**	1,429.	1,457.	1,517.	1,581.	1,633.	1,713.	1,765.
	24″	64″	**R3B1TF264 24-( )( )**	1,499.	1,527.	1,587.	1,651.	1,703.	1,783.	1,835.
	30″	64″	**R3B1TF264 30-( )( )**	1,530.	1,558.	1,618.	1,682.	1,734.	1,814.	1,866.
	36″	64″	**R3B1TF264 36-( )( )**	1,857.	1,885.	1,945.	2,009.	2,061.	2,141.	2,193.
	42″	64″	**R3B1TF264 42-( )( )**	1,981.	2,009.	2,069.	2,133.	2,185.	2,265.	2,317.
	48″	64″	**R3B1TF264 48-( )( )**	2,044.	2,072.	2,132.	2,196.	2,248.	2,328.	2,380.





Order Code

Example:	**R3B0TF26418-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F2	Fabric one side, V2 other
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
V316	Maple surface - side 2 tiled
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D top
6. Conventional veneer, finish (specify one V2 finish for side)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

6″ raceway option increases panel height by 2¾″.

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
64″h add per panel:
$39 for 18w and 20w
$43 for 24w and 30w
$48 for 36w and 42w
$62 for 48w

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 64″ H
fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	64″	**R3B0TF364 18-( )( )**	$1,278.	$1,306.	$1,366.	$1,430.	$1,482.	$1,562.	$1,614.
	20″	64″	**R3B0TF364 20-( )( )**	1,278.	1,306.	1,366.	1,430.	1,482.	1,562.	1,614.
	24″	64″	**R3B0TF364 24-( )( )**	1,353.	1,381.	1,441.	1,505.	1,557.	1,637.	1,689.
	30″	64″	**R3B0TF364 30-( )( )**	1,442.	1,470.	1,530.	1,594.	1,646.	1,726.	1,778.
	36″	64″	**R3B0TF364 36-( )( )**	1,527.	1,555.	1,615.	1,679.	1,731.	1,811.	1,863.
	42″	64″	**R3B0TF364 42-( )( )**	1,721.	1,749.	1,809.	1,873.	1,925.	2,005.	2,057.
	48″	64″	**R3B0TF364 48-( )( )**	1,802.	1,830.	1,890.	1,954.	2,006.	2,086.	2,138.
Tiled, fabric one side Beltway fabric side	18″	64″	**R3B1TF364 18-( )( )**	1,909.	1,937.	1,997.	2,061.	2,113.	2,193.	2,245.
	20″	64″	**R3B1TF364 20-( )( )**	1,909.	1,937.	1,997.	2,061.	2,113.	2,193.	2,245.
	24″	64″	**R3B1TF364 24-( )( )**	2,004.	2,032.	2,092.	2,156.	2,208.	2,288.	2,340.
	30″	64″	**R3B1TF364 30-( )( )**	2,044.	2,072.	2,132.	2,196.	2,248.	2,328.	2,380.
	36″	64″	**R3B1TF364 36-( )( )**	2,486.	2,514.	2,574.	2,638.	2,690.	2,770.	2,822.
	42″	64″	**R3B1TF364 42-( )( )**	2,653.	2,681.	2,741.	2,805.	2,857.	2,937.	2,989.
	48″	64″	**R3B1TF364 48-( )( )**	2,740.	2,768.	2,828.	2,892.	2,944.	3,024.	3,076.





Order Code

Example:	**R3B0TF36418-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F3	Fabric one side, V3 other
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
V512	Figured Anigre surface - side 2 tiled
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D top
6. Exotic veneer, finish (specify one V3 finish for side)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

6″ raceway option increases panel height by 2¾″.

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
64″h add per panel:
$39 for 18w and 20w
$43 for 24w and 30w
$48 for 36w and 42w
$62 for 48w

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 64″ H
Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18″	64″	**R3B0TLL6418( )( )**	$1,067.
	20″	64″	**R3B0TLL6420( )( )**	1,067.
	24″	64″	**R3B0TLL6424( )( )**	1,163.
	30″	64″	**R3B0TLL6430( )( )**	1,303.
	36″	64″	**R3B0TLL6436( )( )**	1,407.
	42″	64″	**R3B0TLL6442( )( )**	1,449.
	48″	64″	**R3B0TLL6448( )( )**	1,508.



Order Code

Example:	**R3B0TLL6418-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
64	64″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 1C
118	Laminate - side 1D
118	Laminate - side 2A
118	Laminate - side 2B
118	Laminate - side 2C
118	Laminate - side 2D
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Laminate side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D top
6. Laminate, finish
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
64″h add per panel:
$39 for 18w and 20w
$43 for 24w and 30w
$48 for 36w and 42w
$62 for 48w

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only. The 60″ to 72″W panels will not accept stacking modules on top of themselves.

Product on this page can be attached to posts 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 79″ H
fabric both sides

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides Regular acoustics	18″	79″	**R3B0TFF79 18-( )( )**	$985.	$1,055.	$1,195.	$1,355.	$1,485.	$1,685.	$1,815.
	20″	79″	**R3B0TFF79 20-( )( )**	985.	1,055.	1,195.	1,355.	1,485.	1,685.	1,815.
	24″	79″	**R3B0TFF79 24-( )( )**	1,047.	1,117.	1,257.	1,417.	1,547.	1,747.	1,877.
	30″	79″	**R3B0TFF79 30-( )( )**	1,108.	1,178.	1,318.	1,478.	1,608.	1,808.	1,938.
	36″	79″	**R3B0TFF79 36-( )( )**	1,171.	1,241.	1,381.	1,541.	1,671.	1,871.	2,001.
	42″	79″	**R3B0TFF79 42-( )( )**	1,330.	1,400.	1,540.	1,700.	1,830.	2,030.	2,160.
	48″	79″	**R3B0TFF79 48-( )( )**	1,398.	1,468.	1,608.	1,768.	1,898.	2,098.	2,228.



Tiled, fabric both sides High acoustics	18″	79″	**R3B0TAA79 18-( )( )**	1,077.	1,147.	1,287.	1,447.	1,577.	1,777.	1,907.
	20″	79″	**R3B0TAA79 20-( )( )**	1,077.	1,147.	1,287.	1,447.	1,577.	1,777.	1,907.
	24″	79″	**R3B0TAA79 24-( )( )**	1,149.	1,219.	1,359.	1,519.	1,649.	1,849.	1,979.
	30″	79″	**R3B0TAA79 30-( )( )**	1,215.	1,285.	1,425.	1,585.	1,715.	1,915.	2,045.
	36″	79″	**R3B0TAA79 36-( )( )**	1,284.	1,354.	1,494.	1,654.	1,784.	1,984.	2,114.
	42″	79″	**R3B0TAA79 42-( )( )**	1,461.	1,531.	1,671.	1,831.	1,961.	2,161.	2,291.
	48″	79″	**R3B0TAA79 48-( )( )**	1,538.	1,608.	1,748.	1,908.	2,038.	2,238.	2,368.



Order Code

Example:	**R3B0TFF7918-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FF	Fabric on both sides
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
W281	Fabric - Side 2D
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D middle
   v) tile 1E top
5. Fabric side, finish (specify selection per insert)
   i) tile 2A bottom
   ii) tile 2B middle
   iii) tile 2C middle
   iv) tile 2D middle
   v) tile 2E top
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will not accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 79″ H
fabric both sides, with Beltway

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides Beltway one side	18″	79″	**R3B1TFF79 18-( )( )**	$1,283.	$1,353.	$1,491.	$1,653.	$1,783.	$1,983.	$2,113.
	20″	79″	**R3B1TFF79 20-( )( )**	1,283.	1,353.	1,491.	1,653.	1,783.	1,983.	2,113.
	24″	79″	**R3B1TFF79 24-( )( )**	1,347.	1,417.	1,555.	1,717.	1,847.	2,047.	2,177.
	30″	79″	**R3B1TFF79 30-( )( )**	1,377.	1,447.	1,585.	1,747.	1,877.	2,077.	2,207.
	36″	79″	**R3B1TFF79 36-( )( )**	1,682.	1,752.	1,890.	2,052.	2,182.	2,382.	2,512.
	42″	79″	**R3B1TFF79 42-( )( )**	1,804.	1,874.	2,012.	2,174.	2,304.	2,504.	2,634.
	48″	79″	**R3B1TFF79 48-( )( )**	1,864.	1,934.	2,072.	2,234.	2,364.	2,564.	2,694.



Tiled, fabric both sides Beltway two sides	18″	79″	**R3B2TFF79 18-( )( )**	1,301.	1,371.	1,507.	1,671.	1,801.	2,001.	2,131.
	20″	79″	**R3B2TFF79 20-( )( )**	1,301.	1,371.	1,507.	1,671.	1,801.	2,001.	2,131.
	24″	79″	**R3B2TFF79 24-( )( )**	1,368.	1,438.	1,574.	1,738.	1,868.	2,068.	2,198.
	30″	79″	**R3B2TFF79 30-( )( )**	1,397.	1,467.	1,603.	1,767.	1,897.	2,097.	2,227.
	36″	79″	**R3B2TFF79 36-( )( )**	1,707.	1,777.	1,913.	2,077.	2,207.	2,407.	2,537.
	42″	79″	**R3B2TFF79 42-( )( )**	1,831.	1,901.	2,037.	2,201.	2,331.	2,531.	2,661.
	48″	79″	**R3B2TFF79 48-( )( )**	1,898.	1,968.	2,104.	2,268.	2,398.	2,598.	2,728.



Order Code

Example:	**R3B1TFF7918-A4K**
R3	Reff Generation 3
B1	Beltway 1 side
T	Tiled panel
FF	Fabric on both sides
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 1E
W281	Fabric - Side 2A
W281	Fabric - Side 2B
W281	Fabric - Side 2C
W281	Fabric - Side 2D
W281	Fabric - Side 2E
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Beltway finish

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D middle
   v) tile 1E top
5. Fabric side, finish (specify selection per insert)
   i) tile 2A bottom
   ii) tile 2B middle
   iii) tile 2C middle
   iv) tile 2D middle
   v) tile 2E top
6. Top trim finish
   i)Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii)Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will not accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 79″ H
fabric one side, laminate other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	79″	**R3B0TFL79 18-( )( )**	$1,091.	$1,126.	$1,196.	$1,271.	$1,336.	$1,431.	$1,491.
	20″	79″	**R3B0TFL79 20-( )( )**	1,091.	1,126.	1,196.	1,271.	1,336.	1,431.	1,491.
	24″	79″	**R3B0TFL79 24-( )( )**	1,157.	1,192.	1,262.	1,337.	1,402.	1,497.	1,557.
	30″	79″	**R3B0TFL79 30-( )( )**	1,213.	1,248.	1,318.	1,393.	1,458.	1,553.	1,613.
	36″	79″	**R3B0TFL79 36-( )( )**	1,273.	1,308.	1,378.	1,453.	1,518.	1,613.	1,673.
	42″	79″	**R3B0TFL79 42-( )( )**	1,427.	1,462.	1,532.	1,607.	1,672.	1,767.	1,827.
	48″	79″	**R3B0TFL79 48-( )( )**	1,493.	1,528.	1,598.	1,673.	1,738.	1,833.	1,893.



Tiled, fabric one side Beltway one side (fabric side)	18″	79″	**R3B1TFL79 18-( )( )**	1,380.	1,415.	1,484.	1,560.	1,625.	1,720.	1,780.
	20″	79″	**R3B1TFL79 20-( )( )**	1,380.	1,415.	1,484.	1,560.	1,625.	1,720.	1,780.
	24″	79″	**R3B1TFL79 24-( )( )**	1,442.	1,477.	1,546.	1,622.	1,687.	1,782.	1,842.
	30″	79″	**R3B1TFL79 30-( )( )**	1,474.	1,509.	1,578.	1,654.	1,719.	1,814.	1,874.
	36″	79″	**R3B1TFL79 36-( )( )**	1,770.	1,805.	1,874.	1,950.	2,015.	2,110.	2,170.
	42″	79″	**R3B1TFL79 42-( )( )**	1,884.	1,919.	1,988.	2,064.	2,129.	2,224.	2,284.
	48″	79″	**R3B1TFL79 48-( )( )**	1,943.	1,978.	2,047.	2,123.	2,188.	2,283.	2,343.



Order Code

Example:	**R3B0TFL7918-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
FL	Fabric one side, laminate other
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 1E
114	Folkstone grey - side 2A
114	Folkstone grey - side 2B
114	Folkstone grey - side 2C
114	Folkstone grey - side 2D
114	Folkstone grey - side 2E
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D middle
   v) tile 1E top
6. Lanimate side, finish (specify selection per insert)
   i) tile 2A bottom
   ii) tile 2B middle
   iii) tile 2C middle
   iv) tile 2D middle
   v) tile 2E top
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
79″h add per panel:
$48 for 18w and 20w
$55 for 24w and 30w
$60 for 36w and 42w
$82 for 48w

Applicable finishes are listed on page 5 and 6.

Product on this page excluding Beltway panels will accept wood grain laminate where laminate is currently an option.
Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

The panels on this page will not accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 79″ H
fabric one side, techwood other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	79″	**R3B0TF179 18-( )( )**	$1,174.	$1,209.	$1,284.	$1,364.	$1,429.	$1,529.	$1,594.
	20″	79″	**R3B0TF179 20-( )( )**	1,174.	1,209.	1,284.	1,364.	1,429.	1,529.	1,594.
	24″	79″	**R3B0TF179 24-( )( )**	1,241.	1,276.	1,351.	1,431.	1,496.	1,596.	1,661.
	30″	79″	**R3B0TF179 30-( )( )**	1,304.	1,339.	1,414.	1,494.	1,559.	1,659.	1,724.
	36″	79″	**R3B0TF179 36-( )( )**	1,369.	1,404.	1,479.	1,559.	1,624.	1,724.	1,789.
	42″	79″	**R3B0TF179 42-( )( )**	1,536.	1,571.	1,646.	1,726.	1,791.	1,891.	1,956.
	48″	79″	**R3B0TF179 48-( )( )**	1,607.	1,642.	1,717.	1,797.	1,862.	1,962.	2,027.
Tiled, fabric one side Beltway one side (fabric side)	18″	79″	**R3B1TF179 18-( )( )**	1,484.	1,519.	1,594.	1,674.	1,739.	1,839.	1,904.
	20″	79″	**R3B1TF179 20-( )( )**	1,484.	1,519.	1,594.	1,674.	1,739.	1,839.	1,904.
	24″	79″	**R3B1TF179 24-( )( )**	1,551.	1,586.	1,661.	1,741.	1,806.	1,906.	1,971.
	30″	79″	**R3B1TF179 30-( )( )**	1,580.	1,615.	1,690.	1,770.	1,835.	1,935.	2,000.
	36″	79″	**R3B1TF179 36-( )( )**	1,901.	1,936.	2,011.	2,091.	2,156.	2,256.	2,321.
	42″	79″	**R3B1TF179 42-( )( )**	2,025.	2,060.	2,135.	2,215.	2,280.	2,380.	2,445.
	48″	79″	**R3B1TF179 48-( )( )**	2,088.	2,123.	2,198.	2,278.	2,343.	2,443.	2,508.





Order Code

Example:	**R3B0TF17918-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F1	Fabric one side, V1 other
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 1E
Y328	Mahogany - side 2A
Y328	Mahogany - side 2B
Y328	Mahogany - side 2C
Y328	Mahogany - side 2D
Y328	Mahogany - side 2E
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optinal milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D middle
   v) tile 1E top
6. Techwood side, finish (specify one V1 finish for side)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with beltway
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
79″h add per panel:
$50 for 18w and 20w
$58 for 24w and 30w
$62 for 36w and 42w
$84 for 48w

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will not accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 79″ H
fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	79″	**R3B0TF279 18-( )( )**	$1,194.	$1,229.	$1,304.	$1,384.	$1,449.	$1,549.	$1,614.
	20″	79″	**R3B0TF279 20-( )( )**	1,194.	1,229.	1,304.	1,384.	1,449.	1,549.	1,614.
	24″	79″	**R3B0TF279 24-( )( )**	1,263.	1,298.	1,373.	1,453.	1,518.	1,618.	1,683.
	30″	79″	**R3B0TF279 30-( )( )**	1,325.	1,360.	1,435.	1,515.	1,580.	1,680.	1,745.
	36″	79″	**R3B0TF279 36-( )( )**	1,393.	1,428.	1,503.	1,583.	1,648.	1,748.	1,813.
	42″	79″	**R3B0TF279 42-( )( )**	1,561.	1,596.	1,671.	1,751.	1,816.	1,916.	1,981.
	48″	79″	**R3B0TF279 48-( )( )**	1,634.	1,669.	1,744.	1,824.	1,889.	1,989.	2,054.



Tiled, fabric one side Beltway one side (fabric side)	18″	79″	**R3B1TF279 18-( )( )**	1,510.	1,545.	1,620.	1,700.	1,765.	1,865.	1,930.
	20″	79″	**R3B1TF279 20-( )( )**	1,510.	1,545.	1,620.	1,700.	1,765.	1,865.	1,930.
	24″	79″	**R3B1TF279 24-( )( )**	1,578.	1,613.	1,688.	1,768.	1,833.	1,933.	1,998.
	30″	79″	**R3B1TF279 30-( )( )**	1,611.	1,646.	1,721.	1,801.	1,866.	1,966.	2,031.
	36″	79″	**R3B1TF279 36-( )( )**	1,937.	1,972.	2,047.	2,127.	2,192.	2,292.	2,357.
	42″	79″	**R3B1TF279 42-( )( )**	2,059.	2,094.	2,169.	2,249.	2,314.	2,414.	2,479.
	48″	79″	**R3B1TF279 48-( )( )**	2,126.	2,161.	2,236.	2,316.	2,381.	2,481.	2,546.



Order Code

Example:	**R3B0TF17918-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F1	Fabric one side, V1 other
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 1E
Y328	Mahogany - side 2 Tiled
V316	Maple (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D middle
   v) tile 1E top
6. Techwood side, finish (specify one V1 finish for side)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
79″h add per panel:
$50 for 18w and 20w
$58 for 24w and 30w
$62 for 36w and 42w
$84 for 48w

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will not accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 79″ H
fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side Regular acoustics	18″	79″	**R3B0TF379 18-( )( )**	$1,585.	$1,620.	$1,695.	$1,775.	$1,840.	$1,940.	$2,005.
	20″	79″	**R3B0TF379 20-( )( )**	1,585.	1,620.	1,695.	1,775.	1,840.	1,940.	2,005.
	24″	79″	**R3B0TF379 24-( )( )**	1,679.	1,714.	1,789.	1,869.	1,934.	2,034.	2,099.
	30″	79″	**R3B0TF379 30-( )( )**	1,765.	1,800.	1,875.	1,955.	2,020.	2,120.	2,185.
	36″	79″	**R3B0TF379 36-( )( )**	1,855.	1,890.	1,965.	2,045.	2,110.	2,210.	2,275.
	42″	79″	**R3B0TF379 42-( )( )**	2,082.	2,117.	2,192.	2,272.	2,337.	2,437.	2,502.
	48″	79″	**R3B0TF379 48-( )( )**	2,180.	2,215.	2,290.	2,370.	2,435.	2,535.	2,600.



Tiled, fabric one side Beltway fabric side	18″	79″	**R3B1TF379 18-( )( )**	2,014.	2,049.	2,124.	2,204.	2,269.	2,369.	2,434.
	20″	79″	**R3B1TF379 20-( )( )**	2,014.	2,049.	2,124.	2,204.	2,269.	2,369.	2,434.
	24″	79″	**R3B1TF379 24-( )( )**	2,105.	2,140.	2,215.	2,295.	2,360.	2,460.	2,525.
	30″	79″	**R3B1TF379 30-( )( )**	2,150.	2,185.	2,260.	2,340.	2,405.	2,505.	2,570.
	36″	79″	**R3B1TF379 36-( )( )**	2,588.	2,623.	2,698.	2,778.	2,843.	2,943.	3,008.
	42″	79″	**R3B1TF379 42-( )( )**	2,755.	2,790.	2,865.	2,945.	3,010.	3,110.	3,175.
	48″	79″	**R3B1TF379 48-( )( )**	2,846.	2,881.	2,956.	3,036.	3,101.	3,201.	3,266.



Order Code

Example:	**R3B0TF37918-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
F3	Fabric one side, V3 other
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric - Side 1A
W281	Fabric - Side 1B
W281	Fabric - Side 1C
W281	Fabric - Side 1D
W281	Fabric - Side 1E
V512	Figured Anigre surface - side 2 tiled
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Fabric side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D middle
   v) tile 1E top
6. Exotic veneer, finish (specify one V3 finish for side)
7. Top trim finish
   i) Profile A, B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options: AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. Beltway finish, for panels with Beltway
10. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
79″h add per panel:
$50 for 18w and 20w
$58 for 24w and 30w
$62 for 36w and 42w
$84 for 48w

Applicable finishes are listed on page 5 and 6.

Application Notes

The panels on this page will not accept stacking modules.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Tiled panels 79″ H
Laminate/Laminate

description	w	h	pattern no.	L
Tiled, laminate both sides with raceway both sides	18″	79″	**R3B0TLL7918( )( )**	$1,246.
	20″	79″	**R3B0TLL7920( )( )**	1,246.
	24″	79″	**R3B0TLL7924( )( )**	1,358.
	30″	79″	**R3B0TLL7930( )( )**	1,521.
	36″	79″	**R3B0TLL7936( )( )**	1,643.
	42″	79″	**R3B0TLL7942( )( )**	1,692.
	48″	79″	**R3B0TLL7948( )( )**	1,777.



Example:	**R3B0TLL7918-A4K**
R3	Reff Generation 3
B0	No Beltway
T	Tiled panel
LL	Laminate both sides
79	79″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
118	Laminate - side 1A
118	Laminate - side 1B
118	Laminate - side 1C
118	Laminate - side 1D
118	Laminate - side 1E
118	Laminate - side 2A
118	Laminate - side 2B
118	Laminate - side 2C
118	Laminate - side 2D
118	Laminate - side 2E
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
M	Optional milled frame

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable for extruded aluminum divider)
5. Laminate side, finish (specify selection per insert)
   i) tile 1A bottom
   ii) tile 1B middle
   iii) tile 1C middle
   iv) tile 1D middle
   v) tile 1E top
6. Laminate, finish
7. Top trim finish
   i) Profile A, B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Profile E options:
   AA-anodized aluminum or painted finish from page 5 excluding silver
8. Base finish
9. *Optional non-beltway panels*: specify (M) for panel frame to be milled for ported components, $14 list upcharge applicable

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height

4. Extruded aluminum tile divider:
Optional for non fabric side only
(fabric side always black)
79″h add per panel:
$50 for 18w and 20w
$58 for 24w and 30w
$62 for 36w and 42w
$84 for 48w

Applicable finishes are listed on page 5 and 6.

The panels on this page will not accept stacking modules.

Product on this page can be attached to posts 79″H as well as panels 42″, 49″, 64″ and 79″H . Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish when applicable.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Aluminum Reveal kits

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 34″h tiled with 4″ or 6″h base raceway	18″	34″	**R2APT3418 ( )**		$95.
	20″	34″	**R2APT3420 ( )**		95.
	24″	34″	**R2APT3424 ( )**		98.
	30″	34″	**R2APT3430 ( )**		100.
	36″	34″	**R2APT3436 ( )**		105.
	42″	34″	**R2APT3442 ( )**		107.
	48″	34″	**R2APT3448 ( )**		111.
	Retrofit kit for Reff panels purchased under pattern numbers prefixed “R2”. Kit includes vertical hookstrip cover and tile dividers				
Aluminum reveal kit for 42″h tiled with 4″ or 6″h base raceway	18″	42″	**R2APT4218 ( )**		146.
	20″	42″	**R2APT4220 ( )**		146.
	24″	42″	**R2APT4224 ( )**		151.
	30″	42″	**R2APT4230 ( )**		153.
	36″	42″	**R2APT4236 ( )**		161.
	42″	42″	**R2APT4242 ( )**		166.
	48″	42″	**R2APT4248 ( )**		174.
	Retrofit kit for Reff panels purchased under pattern numbers prefixed “R2”. Kit includes vertical hookstrip cover and tile dividers				

Order Code

Example: **R2APT3418 AA**

R2	Reff Generation 2
A	Aluminum
PT	Panel trim
34	for 34″h
18	for 18″w
AA	Anodized aluminum

Specification Information

To order specify pattern number including height and width as applicable.

1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver

Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.

34″h 1:1
42″h 1:2
49″h 1:2
64″h 1:3
79″h 1:4

Aluminum reveal kits and hookstrip covers best suited for hard side (laminate, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and when aluminum vertical hookstrip cover installed, forfeit panel hung capability.

When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)

Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.

Application Notes

R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.

R2APT products for Reff generation 2 panels for panel side with exposed 4″h or 6″h base raceway.

Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.

Aluminum Reveal kits

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 49″h tiled with 4″ or 6″h base raceway	18″	49″	**R2APT4918 ( )**		$156.
	20″	49″	**R2APT4920 ( )**		156.
	24″	49″	**R2APT4924 ( )**		162.
	30″	49″	**R2APT4930 ( )**		164.
	36″	49″	**R2APT4936 ( )**		173.
	42″	49″	**R2APT4942 ( )**		179.
	48″	49″	**R2APT4948 ( )**		185.
	Retrofit kit for Reff panels purchased under pattern numbers prefixed “R2”. Kit includes vertical hookstrip cover and tile dividers				
Aluminum reveal kit for 64″h tiled with 4″ or 6″h base raceway	18″	64″	**R2APT6418 ( )**		221.
	20″	64″	**R2APT6420 ( )**		221.
	24″	64″	**R2APT6424 ( )**		229.
	30″	64″	**R2APT6430 ( )**		234.
	36″	64″	**R2APT6436 ( )**		245.
	42″	64″	**R2APT6442 ( )**		254.
	48″	64″	**R2APT6448 ( )**		264.
	Retrofit kit for Reff panels purchased under pattern numbers prefixed “R2”. Kit includes vertical hookstrip cover and tile dividers				

Order Code

Example: **R2APT3418 AA**

R2	Reff Generation 2
A	Aluminum
PT	Panel trim
34	for 34″h
18	for 18″w
AA	Anodized aluminum

Specification Information

To order specify pattern number including height and width as applicable.

1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver

Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.

34″h 1:1
42″h 1:2
49″h 1:2
64″h 1:3
79″h 1:4

Aluminum reveal kits and hookstrip covers best suited for hard side (laminate, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and when aluminum vertical hookstrip cover installed, forfeit panel hung capability.

When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)

Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.

Application Notes

R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.

R2APT products for Reff generation 2 panels for panel side with exposed 4″h or 6″h base raceway.

Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.

Aluminum Reveal kits

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for 79″h tiled with 4″ or 6″h base raceway	18″	79″	**R2APT7918 ( )**	$286.	
	20″	79″	**R2APT7920 ( )**	286.	
	24″	79″	**R2APT7924 ( )**	296.	
	30″	79″	**R2APT7930 ( )**	301.	
	36″	79″	**R2APT7936 ( )**	318.	
	42″	79″	**R2APT7942 ( )**	328.	
	48″	79″	**R2APT7948 ( )**	345.	
	Retrofit kit for Reff panels purchased under pattern numbers prefixed “R2”. Kit includes vertical hookstrip cover and tile dividers				
Aluminum reveal kit for T post with 4″ or 6″h raceway		34″	**R2ATPK34 ( )**		63.
		42″	**R2ATPK42 ( )**		80.
		49″	**R2ATPK49 ( )**		90.
		64″	**R2ATPK64 ( )**		125.
		79″	**R2ATPK79 ( )**		156.

Order Code

Example:	**R2APT3418 AA**
R2	Reff Generation 2
A	Aluminum
PT	Panel trim
34	for 34″h
18	for 18″w
AA	Anodized aluminum

Specification Information

To order specify pattern number including height and width as applicable.

1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver

Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.

34″h 1:1
42″h 1:2
49″h 1:2
64″h 1:3
79″h 1:4

Aluminum reveal kits and hookstrip covers best suited for hard side (laminate, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and when aluminum vertical hookstrip cover installed, forfeit panel hung capability.

When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)

Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.

Application Notes

R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.

R2APT products for Reff generation 2 panels for panel side with exposed 4″h or 6″h base raceway.

Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.

Aluminum Reveal kits

description	width	height	pattern no.	AA or paint finish	list
Aluminum reveal kit for L post with 4″ or 6″h raceway		34″	**R2ALPK34 ( )**		$62.
		42″	**R2ALPK42 ( )**		86.
		49″	**R2ALPK49 ( )**		95.
		64″	**R2ALPK64 ( )**		131.
		79″	**R2ALPK79 ( )**		166.
Alum vertical reveal for end trim with 4″ or 6″h raceway		34″	**R2AETK34 ( )**		61.
		42″	**R2AETK42 ( )**		75.
		49″	**R2AETK49 ( )**		87.
		64″	**R2AETK64 ( )**		116.
		79″	**R2AETK79 ( )**		147.

for use with generation 2 or 3 installations

Order Code

Example:	**R2APT3418 AA**
R2	Reff Generation 2
A	Aluminum
PT	Panel trim
34	for 34″h
18	for 18″w
AA	Anodized aluminum

Specification Information

To order specify pattern number including height and width as applicable.

1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver

Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.

34″h 1:1
42″h 1:2
49″h 1:2
64″h 1:3
79″h 1:4

Aluminum reveal kits and hookstrip covers best suited for hard side (laminate, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and when aluminum vertical hookstrip cover installed, forfeit panel hung capability.

When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)

Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.

Application Notes

R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.

R2APT products for Reff generation 2 panels for panel side with exposed 4″h or 6″h base raceway.

Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.

Aluminum Reveal kits

description	width	height	pattern no.	AA or paint finish	list
Aluminum hookstrip cover condition including stacking modules with 4″ or 6″h base raceway		30″	**R2AHCR34 ( )**	$61.	
		38″	**R2AHCR42 ( )**	75.	
		45″	**R2AHCR49 ( )**	87.	
		60″	**R2AHCR64 ( )**	116.	
		75″	**R2AHCR79 ( )**	147.	
	for use with generation 2 or 3 installations				
Alum horizontal reveal/tile divider for between laminate or wood inserts	18″		**R2AHTR18 ( )**	42.	
	20″		**R2AHTR20 ( )**	42.	
	24″		**R2AHTR24 ( )**	44.	
	30″		**R2AHTR30 ( )**	48.	
	36″		**R2AHTR36 ( )**	52.	
	42″		**R2AHTR42 ( )**	54.	
	48″		**R2AHTR48 ( )**	60.	
	horizontal reveal only				

Order Code

Example:	**R2APT3418 AA**
R2	Reff Generation 2
A	Aluminum
PT	Panel trim
34	for 34″h
18	for 18″w
AA	Anodized aluminum

Specification Information

To order specify pattern number including height and width as applicable.

1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver

Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.

34″h 1:1
42″h 1:2
49″h 1:2
64″h 1:3
79″h 1:4

Aluminum reveal kits and hookstrip covers best suited for hard side (laminate, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and when aluminum vertical hookstrip cover installed, forfeit panel hung capability.

When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)

Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.

Application Notes

R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.

R2APT products for Reff generation 2 panels for panel side with exposed 4″h or 6″h base raceway.

Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.

Aluminum Reveal kits

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking window module or stacking and window modules or between two stacking modules	18″		**R2AHWR18 ( )**		$36.
	20″		**R2AHWR20 ( )**		36.
	24″		**R2AHWR24 ( )**		38.
	30″		**R2AHWR30 ( )**		39.
	36″		**R2AHWR36 ( )**		43.
	42″		**R2AHWR42 ( )**		45.
	48″		**R2AHWR48 ( )**		50.
	horizontal reveal only				
Alum horizontal reveal for between two stacking window modules	18″		**R2AHBW18 ( )**		36.
	20″		**R2AHBW20 ( )**		36.
	24″		**R2AHBW24 ( )**		38.
	30″		**R2AHBW30 ( )**		39.
	36″		**R2AHBW36 ( )**		43.
	42″		**R2AHBW42 ( )**		45.
	48″		**R2AHBW48 ( )**		50.
	horizontal reveal only				

Order Code

Example:	**R2APT3418 AA**
R2	Reff Generation 2
A	Aluminum
PT	Panel trim
34	for 34″h
18	for 18″w
AA	Anodized aluminum

Specification Information

To order specify pattern number including height and width as applicable.

1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver

Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.

34″h 1:1
42″h 1:2
49″h 1:2
64″h 1:3
79″h 1:4

Aluminum reveal kits and hookstrip covers best suited for hard side (laminate, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and when aluminum vertical hookstrip cover installed, forfeit panel hung capability.

When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)

Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.

Application Notes

R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.

R2APT products for Reff generation 2 panels for panel side with exposed 4″h or 6″h base raceway.

Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.

Aluminum Reveal kits

description	width	height	pattern no.	AA or paint finish	list
Alum horizontal reveal for between base panel and stacking module (FL/F1/F2)	18″		**R2AHSR18 ( )**	$36.	
	20″		**R2AHSR20 ( )**	36.	
	24″		**R2AHSR24 ( )**	38.	
	30″		**R2AHSR30 ( )**	39.	
	36″		**R2AHSR36 ( )**	43.	
	42″		**R2AHSR42 ( )**	45.	
	48″		**R2AHSR48 ( )**	50.	

horizontal reveal only

Order Code

Example:	**R2APT3418 AA**
R2	Reff Generation 2
A	Aluminum
PT	Panel trim
34	for 34″h
18	for 18″w
AA	Anodized aluminum

Specification Information

To order specify pattern number including height and width as applicable.

1. Specify reveal finish AA-anodized aluminum or painted option from page 5 excluding silver

Aluminum reveal kits for one side of tiled panel only, and include one vertical and one or more horizontal pieces. Chart below shows number of vertical to horizontal pieces for each kit by height.

34″h 1:1
42″h 1:2
49″h 1:2
64″h 1:3
79″h 1:4

Aluminum reveal kits and hookstrip covers best suited for hard side (laminate, V1, V2 or V3) of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. Where and when aluminum vertical hookstrip cover installed, forfeit panel hung capability.

When conditions include stacking modules (glass or other), specify vertical and horizontal pieces individually. R2APT kits are for tiled panels without stacking modules. Specify R2AHCR or R2AHCN for overall stacked height, then horizontal pieces for specific condition (between base panel inserts, between base panel and window, etc.)

Products on this page are field installed, installation instructions and relocation clip instructions ships with kit.

Application Notes

R2APT, R2AHTR and R2AHSR for use only on Reff generation 2 panels.

R2APT products for Reff generation 2 panels for panel side with exposed 4″h or 6″h base raceway.

Aluminum reveal kits are retrofittable to all generation 2 panels. Note for installation on generation 2 panels manufactured before January 1, 2004 it will be necessary to relocate attachment clips on the back of inserts to capture the horizontal reveal.

Beltway one side, window panel 49″ H
tiled panel with glass type “A” at top

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway one side	18″	49″	**R3B1TFFA49 18-( )( )**	$1,192.	$1,220.	$1,274.	$1,340.	$1,392.	$1,472.	$1,524.
	20″	49″	**R3B1TFFA49 20-( )( )**	1,192.	1,220.	1,274.	1,340.	1,392.	1,472.	1,524.
	24″	49″	**R3B1TFFA49 24-( )( )**	1,233.	1,261.	1,315.	1,381.	1,433.	1,513.	1,565.
	30″	49″	**R3B1TFFA49 30-( )( )**	1,317.	1,345.	1,399.	1,465.	1,517.	1,597.	1,649.
	36″	49″	**R3B1TFFA49 36-( )( )**	1,586.	1,614.	1,668.	1,734.	1,786.	1,866.	1,918.
	42″	49″	**R3B1TFFA49 42-( )( )**	1,728.	1,756.	1,810.	1,876.	1,928.	2,008.	2,060.
	48″	49″	**R3B1TFFA49 48-( )( )**	1,808.	1,836.	1,890.	1,956.	2,008.	2,088.	2,140.



Order Code

Example:	**R3B1TFFA4918-A4K**
R3	Reff Generation 3
B1	Beltway 1 side
T	Tiled panel
FF	Fabric on both sides
A	Type A window
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric selection - side 1A
W281	Fabric selection - side 1B
W281	Fabric selection - side 2A
W281	Fabric selection - side 2B
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Panel side 1 finish (specify selection per insert)
5. Panel side 2 finish (specify selection per insert)
6. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. Glass window frame finish
10. Glass type
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: *(as applicable by width)*

Width	Add
18″	$84
20″	$84
24″	$99
30″	$118
36″	$142
42″	$169
48″	$194

Add to all products on this page: upcharge of $35 per panel for P2 paint class options or $63 per panel for P3 paint class options.

Beltway one side, window panel 49″ H
tiled panel with glass type “B” at top

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway one side	30″	49″	**R3B1TFFB49 30-( )( )**	$1,421.	$1,449.	$1,503.	$1,569.	$1,621.	$1,701.	$1,753.
	36″	49″	**R3B1TFFB49 36-( )( )**	1,698.	1,726.	1,780.	1,846.	1,898.	1,978.	2,030.
	42″	49″	**R3B1TFFB49 42-( )( )**	1,839.	1,867.	1,921.	1,987.	2,039.	2,119.	2,171.
	48″	49″	**R3B1TFFB49 48-( )( )**	1,928.	1,956.	2,010.	2,076.	2,128.	2,208.	2,260.



Order Code

Example:	**R3B1TFFB4930-A4K**
R3	Reff Generation 3
B1	Beltway one side
T	Tiled panel
FF	Fabric both sides
B	Type B window
49	49″ high
30	30″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1A
W281	Fabric selection - side 1B
W281	Fabric selection - side 2A
W281	Fabric selection - side 2B
Y328	Mahogany - side 2 tiled
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider (where optional)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional “tiled” style products only)
5. Fabric side, finish (specify selection per insert; bottom up.)
6. Techwood side, finish (specify one V1 finish for side)
7. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
8. Base finish
9. Beltway finish
10. Window frame finish
11. Glass option
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: *(as applicable by width)*

Width	Add
18″	$84
20″	$84
24″	$99
30″	$118
36″	$142
42″	$169
48″	$194

Frame finish:
Add to all products on this page: upcharge of $35 per panel for P2 paint class options or $63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: *(as applicable by width) Optional non fabric tiled side only, fabric side always black*

Width	*Add*
18″	*$14*
20″	*$14*
24″	*$15*
30″	*$15*
36″	*$16*
42″	*$16*
48″	*$21*

Beltway one side, window panel 49″ H
monolithic with glass at top

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway one side 	18″	49″	**R3B1PFFA49 18-( )( )**	$1,077.	$1,094.	$1,132.	$1,213.	$1,263.	$1,335.	$1,408.
	20″	49″	**R3B1PFFA49 20-( )( )**	1,077.	1,094.	1,132.	1,213.	1,263.	1,335.	1,408.
	24″	49″	**R3B1PFFA49 24-( )( )**	1,115.	1,132.	1,170.	1,251.	1,301.	1,373.	1,446.
	30″	49″	**R3B1PFFA49 30-( )( )**	1,188.	1,205.	1,243.	1,324.	1,374.	1,446.	1,519.
	36″	49″	**R3B1PFFA49 36-( )( )**	1,415.	1,432.	1,470.	1,551.	1,601.	1,673.	1,746.
	42″	49″	**R3B1PFFA49 42-( )( )**	1,536.	1,553.	1,591.	1,672.	1,722.	1,794.	1,867.
	48″	49″	**R3B1PFFA49 48-( )( )**	1,609.	1,626.	1,664.	1,745.	1,795.	1,867.	1,940.
Monolithic, fabric both sides, Type B window on top, Beltway one side 	30″	49″	**R3B1PFFB49 30-( )( )**	1,292.	1,309.	1,347.	1,428.	1,478.	1,550.	1,623.
	36″	49″	**R3B1PFFB49 36-( )( )**	1,527.	1,544.	1,582.	1,663.	1,713.	1,785.	1,858.
	42″	49″	**R3B1PFFB49 42-( )( )**	1,647.	1,664.	1,702.	1,783.	1,833.	1,905.	1,978.
	48″	49″	**R3B1PFFB49 48-( )( )**	1,729.	1,746.	1,784.	1,865.	1,915.	1,987.	2,060.

Order Code

Example:	**R3B1PFFA4918-A4K**
R3	Reff Generation 3
B1	Beltway 1 side
P	Monolithic panel
FF	Fabric on both sides
A	Type A window
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Panel side 1 finish (specify selection per insert)
5. Panel side 2 finish (specify selection per insert)
6. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. Glass window frame finish
10. Glass type
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

Application Notes

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: *(as applicable by width)*

Width	Add
18″	$84
20″	$84
24″	$99
30″	$118
36″	$142
42″	$169
48″	$194

Add to all products on this page: upcharge of $35 per panel for P2 paint class options or $63 per panel for P3 paint class options.

Beltway one side, window panel 49″ H
tiled with glass type “A” at top, fabric one side, laminate other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18″	49″	**R3B1TFLA49 18-( )( )**	$1,320.	$1,334.	$1,364.	$1,396.	$1,422.	$1,462.	$1,500.
	20″	49″	**R3B1TFLA49 20-( )( )**	1,320.	1,334.	1,364.	1,396.	1,422.	1,462.	1,500.
	24″	49″	**R3B1TFLA49 24-( )( )**	1,362.	1,376.	1,406.	1,438.	1,464.	1,504.	1,542.
	30″	49″	**R3B1TFLA49 30-( )( )**	1,449.	1,463.	1,493.	1,525.	1,551.	1,591.	1,629.
	36″	49″	**R3B1TFLA49 36-( )( )**	1,721.	1,735.	1,765.	1,797.	1,823.	1,863.	1,901.
	42″	49″	**R3B1TFLA49 42-( )( )**	1,863.	1,877.	1,907.	1,939.	1,965.	2,005.	2,043.
	48″	49″	**R3B1TFLA49 48-( )( )**	1,949.	1,963.	1,993.	2,025.	2,051.	2,091.	2,129.

Order Code

Example:	**R3B1TFLA4918-A4K**
R3	Reff Generation 3
B1	Beltway one side
T	Tiled panel
FL	Fabric BW side, laminate other
A	Type A window
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1A
W281	Fabric selection - side 1B
114	Folkstone grey - side 2A
114	Folkstone grey - side 2B
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider (where optional)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional “tiled” style products only)
5. Fabric side, finish (specify selection per insert; bottom up.)
6. Laminate side finish (specify selection per insert; bottom up.)
7. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
8. Base finish
9. Beltway finish
10. Window frame finish
11. Glass option
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: *(as applicable by width)*

Width	Add
18″	$84
20″	$84
24″	$99
30″	$118
36″	$142
42″	$169
48″	$194

Frame finish:
Add to all products on this page: upcharge of $35 per panel for P2 paint class options or $63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: *(as applicable by width) Optional non fabric tiled side only, fabric side always black*

Width	*Add*
18″	*$14*
20″	*$14*
24″	*$15*
30″	*$15*
36″	*$16*
42″	*$16*
48″	*$21*

Beltway one side, window panel 49″ H
tiled with glass type "B" at top, fabric one side, laminate other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30″	49″	**R3B1TFLB49 30-( )( )**	$1,556.	$1,570.	$1,600.	$1,632.	$1,658.	$1,698.	$1,736.
	36″	49″	**R3B1TFLB49 36-( )( )**	1,833.	1,847.	1,877.	1,909.	1,935.	1,975.	2,013.
	42″	49″	**R3B1TFLB49 42-( )( )**	1,975.	1,989.	2,019.	2,051.	2,077.	2,117.	2,155.
	48″	49″	**R3B1TFLB49 48-( )( )**	2,070.	2,084.	2,114.	2,146.	2,172.	2,212.	2,250.



Order Code

Example:	**R3B1TFLB4918-A4K**
R3	Reff Generation 3
B1	Beltway one side
T	Tiled panel
FL	Fabric BW side, laminate other
B	Type B window
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1A
W281	Fabric selection - side 1B
114	Folkstone grey - side 2A
114	Folkstone grey - side 2B
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider (where optional)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)
5. Fabric side, finish (specify selection per insert; bottom up.)
6. Laminate side finish (specify selection per insert; bottom up.)
7. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
8. Base finish
9. Beltway finish
10. Window frame finish
11. Glass option
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: *(as applicable by width)*

Width	Add
18″	$84
20″	$84
24″	$99
30″	$118
36″	$142
42″	$169
48″	$194

Frame finish:
Add to all products on this page: upcharge of $35 per panel for P2 paint class options or $63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: *(as applicable by width) Optional non fabric tiled side only, fabric side always black*

Width	*Add*
18″	*$14*
20″	*$14*
24″	*$15*
30″	*$15*
36″	*$16*
42″	*$16*
48″	*$21*

Beltway one side, window panel 49″ H
monolithic with glass at top, fabric one side, laminate other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18″	49″	**R3B1PFLA49 18-( )( )**	$1,092.	$1,100.	$1,120.	$1,161.	$1,186.	$1,223.	$1,248.
	20″	49″	**R3B1PFLA49 20-( )( )**	1,092.	1,100.	1,120.	1,161.	1,186.	1,223.	1,248.
	24″	49″	**R3B1PFLA49 24-( )( )**	1,148.	1,156.	1,176.	1,217.	1,242.	1,279.	1,304.
	30″	49″	**R3B1PFLA49 30-( )( )**	1,251.	1,259.	1,279.	1,320.	1,345.	1,382.	1,407.
	36″	49″	**R3B1PFLA49 36-( )( )**	1,510.	1,518.	1,538.	1,579.	1,604.	1,641.	1,666.
	42″	49″	**R3B1PFLA49 42-( )( )**	1,660.	1,668.	1,688.	1,729.	1,754.	1,791.	1,816.
	48″	49″	**R3B1PFLA49 48-( )( )**	1,766.	1,774.	1,794.	1,835.	1,860.	1,897.	1,922.
Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30″	49″	**R3B1PFLB49 30-( )( )**	1,358.	1,366.	1,386.	1,427.	1,452.	1,489.	1,514.
	36″	49″	**R3B1PFLB49 36-( )( )**	1,622.	1,630.	1,650.	1,691.	1,716.	1,753.	1,778.
	42″	49″	**R3B1PFLB49 42-( )( )**	1,772.	1,780.	1,800.	1,841.	1,866.	1,903.	1,928.
	48″	49″	**R3B1PFLB49 48-( )( )**	1,887.	1,895.	1,915.	1,956.	1,981.	2,018.	2,043.

Order Code

Example:	**R3B1PFLA4918-A4K**
R3	Reff Generation 3
B1	Beltway one side
P	Monolithic panel
FL	Fabric BW side, laminate other
A	Type A window
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1
114	Folkstone grey - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider (where optional)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional “tiled” style products only)
5. Fabric side, finish (specify selection per insert; bottom up.)
6. Laminate side finish (specify selection per insert; bottom up.)
7. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
8. Base finish
9. Beltway finish
10. Window frame finish
11. Glass option
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: *(as applicable by width)*

Width	Add
18″	$84
20″	$84
24″	$99
30″	$118
36″	$142
42″	$169
48″	$194

Frame finish:
Add to all products on this page: upcharge of $35 per panel for P2 paint class options or $63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: *(as applicable by width) Optional non fabric tiled side only, fabric side always black*

Width	*Add*
18″	*$14*
20″	*$14*
24″	*$15*
30″	*$15*
36″	*$16*
42″	*$16*
48″	*$21*

Beltway one side, window panel 49″ H
tiled with type “A” glass at top, fabric one side, techwood other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18″	49″	**R3B1TF1A49 18-( )( )**	$1,342.	$1,356.	$1,386.	$1,418.	$1,444.	$1,484.	$1,522.
	20″	49″	**R3B1TF1A49 20-( )( )**	1,342.	1,356.	1,386.	1,418.	1,444.	1,484.	1,522.
	24″	49″	**R3B1TF1A49 24-( )( )**	1,388.	1,402.	1,432.	1,464.	1,490.	1,530.	1,568.
	30″	49″	**R3B1TF1A49 30-( )( )**	1,474.	1,488.	1,518.	1,550.	1,576.	1,616.	1,654.
	36″	49″	**R3B1TF1A49 36-( )( )**	1,753.	1,767.	1,797.	1,829.	1,855.	1,895.	1,933.
	42″	49″	**R3B1TF1A49 42-( )( )**	1,899.	1,913.	1,943.	1,975.	2,001.	2,041.	2,079.
	48″	49″	**R3B1TF1A49 48-( )( )**	1,982.	1,996.	2,026.	2,058.	2,084.	2,124.	2,162.

Order Code

Example:	**R3B1TF1A4918-A4K**
R3	Reff Generation 3
B1	Beltway one side
T	Tiled panel
F1	Fabric one side, V1 other
A	Type A window
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1A
W281	Fabric selection - side 1B
Y328	Mahogany - side 2 tiled
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider (where optional)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional “tiled” style products only)
5. Fabric side, finish (specify selection per insert; bottom up.)
6. Techwood side, finish (specify one V1 finish for side)
7. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
8. Base finish
9. Beltway finish
10. Window frame finish
11. Glass option
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: *(as applicable by width)*

Width	Add
18″	$84
20″	$84
24″	$99
30″	$118
36″	$142
42″	$169
48″	$194

Frame finish:
Add to all products on this page: upcharge of $35 per panel for P2 paint class options or $63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: *(as applicable by width) Optional non fabric tiled side only, fabric side always black*

Width	*Add*
18″	*$14*
20″	*$14*
24″	*$15*
30″	*$15*
36″	*$16*
42″	*$16*
48″	*$21*

Beltway one side, window panel 49″ H
tiled with type “B” glass at top, fabric one side, techwood other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30″	49″	**R3B1TF1B49 30-( )( )**	$1,581.	$1,595.	$1,625.	$1,657.	$1,683.	$1,723.	$1,761.
	36″	49″	**R3B1TF1B49 36-( )( )**	1,865.	1,879.	1,909.	1,941.	1,967.	2,007.	2,045.
	42″	49″	**R3B1TF1B49 42-( )( )**	2,011.	2,025.	2,055.	2,087.	2,113.	2,153.	2,191.
	48″	49″	**R3B1TF1B49 48-( )( )**	2,103.	2,117.	2,147.	2,179.	2,205.	2,245.	2,283.



Order Code

Example:	**R3B1TF1B4930-A4K**
R3	Reff Generation 3
B1	Beltway one side
T	Tiled panel
F1	Fabric one side, V1 other
B	Type B window
49	49″ high
30	30″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1A
W281	Fabric selection - side 1B
Y328	Mahogany - side 2 tiled
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider (where optional)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional “tiled” style products only)
5. Fabric side, finish (specify selection per insert; bottom up.)
6. Techwood side, finish (specify one V1 finish for side)
7. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
8. Base finish
9. Beltway finish
10. Window frame finish
11. Glass option
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: *(as applicable by width)*

Width	Add
18″	$84
20″	$84
24″	$99
30″	$118
36″	$142
42″	$169
48″	$194

Frame finish:
Add to all products on this page: upcharge of $35 per panel for P2 paint class options or $63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: *(as applicable by width) Optional non fabric tiled side only, fabric side always black*

Width	*Add*
18″	*$14*
20″	*$14*
24″	*$15*
30″	*$15*
36″	*$16*
42″	*$16*
48″	*$21*

Beltway one side, window panel 49″ H
monolithic with glass at top, fabric one side, techwood other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18″	49″	**R3B1PF1A49 18-( )( )**	$1,113.	$1,121.	$1,141.	$1,182.	$1,207.	$1,244.	$1,269.
	20″	49″	**R3B1PF1A49 20-( )( )**	1,113.	1,121.	1,141.	1,182.	1,207.	1,244.	1,269.
	24″	49″	**R3B1PF1A49 24-( )( )**	1,168.	1,176.	1,196.	1,237.	1,262.	1,299.	1,324.
	30″	49″	**R3B1PF1A49 30-( )( )**	1,271.	1,279.	1,299.	1,340.	1,365.	1,402.	1,427.
	36″	49″	**R3B1PF1A49 36-( )( )**	1,534.	1,542.	1,562.	1,603.	1,628.	1,665.	1,690.
	42″	49″	**R3B1PF1A49 42-( )( )**	1,692.	1,700.	1,720.	1,761.	1,786.	1,823.	1,848.
	48″	49″	**R3B1PF1A49 48-( )( )**	1,794.	1,802.	1,822.	1,863.	1,888.	1,925.	1,950.
Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30″	49″	**R3B1PF1B49 30-( )( )**	1,378.	1,386.	1,406.	1,447.	1,472.	1,509.	1,534.
	36″	49″	**R3B1PF1B49 36-( )( )**	1,646.	1,654.	1,674.	1,715.	1,740.	1,777.	1,802.
	42″	49″	**R3B1PF1B49 42-( )( )**	1,804.	1,812.	1,832.	1,873.	1,898.	1,935.	1,960.
	48″	49″	**R3B1PF1B49 48-( )( )**	1,915.	1,923.	1,943.	1,984.	2,009.	2,046.	2,071.

Order Code

Example:	**R3B1PF1B4930-A4K**
R3	Reff Generation 3
B1	Beltway one side
P	Monolithic panel
F1	Fabric one side, V1 other
B	Type B window
49	49″ high
30	30″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1
Y328	Mahogany - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider (where optional)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional “tiled” style products only)
5. Fabric side, finish (specify selection per insert; bottom up.)
6. Techwood side, finish (specify one V1 finish for side)
7. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
8. Base finish
9. Beltway finish
10. Window frame finish
11. Glass option
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: *(as applicable by width)*

Width	Add
18″	$84
20″	$84
24″	$99
30″	$118
36″	$142
42″	$169
48″	$194

Frame finish:
Add to all products on this page: upcharge of $35 per panel for P2 paint class options or $63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: *(as applicable by width) Optional non fabric tiled side only, fabric side always black*

Width	*Add*
18″	*$14*
20″	*$14*
24″	*$15*
30″	*$15*
36″	*$16*
42″	*$16*
48″	*$21*

Beltway one side, window panel 49″ H
tiled with type "A" glass at top, fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type A window on top, Beltway one side (fabric side)	18″	49″	**R3B1TF2A49 18-( )( )**	$1,367.	$1,381.	$1,411.	$1,443.	$1,469.	$1,509.	$1,547.
	20″	49″	**R3B1TF2A49 20-( )( )**	1,367.	1,381.	1,411.	1,443.	1,469.	1,509.	1,547.
	24″	49″	**R3B1TF2A49 24-( )( )**	1,411.	1,425.	1,455.	1,487.	1,513.	1,553.	1,591.
	30″	49″	**R3B1TF2A49 30-( )( )**	1,498.	1,512.	1,542.	1,574.	1,600.	1,640.	1,678.
	36″	49″	**R3B1TF2A49 36-( )( )**	1,780.	1,794.	1,824.	1,856.	1,882.	1,922.	1,960.
	42″	49″	**R3B1TF2A49 42-( )( )**	1,929.	1,943.	1,973.	2,005.	2,031.	2,071.	2,109.
	48″	49″	**R3B1TF2A49 48-( )( )**	2,016.	2,030.	2,060.	2,092.	2,118.	2,158.	2,196.

Order Code

Example:	**R3B1TF2A4918-A4K**
R3	Reff Generation 3
B1	Beltway one side
T	Tiled panel
F2	Fabric one side, V2 other
A	Type A window
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1A
W281	Fabric selection - side 1B
V316	Maple surface - side 2 tiled
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider (where optional)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)
5. Fabric side, finish (specify selection per insert; bottom up.)
6. Conventional veneer side, finish (specify one V2 finish for side)
7. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
8. Base finish
9. Beltway finish
10. Window frame finish
11. Glass option
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: *(as applicable by widths)*

Width	Add
18″	$84
20″	$84
24″	$99
30″	$118
36″	$142
42″	$169
48″	$194

Frame finish:
Add to all products on this page: upcharge of $35 per panel for P2 paint class options or $63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: *(as applicable by width) Optional non fabric tiled side only, fabric side always black*

Width	*Add*
18″	*$14*
20″	*$14*
24″	*$15*
30″	*$15*
36″	*$16*
42″	*$16*
48″	*$21*

Beltway one side, window panel 49″ H
tiled with type “B” glass at top, fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side, Regular acoustics, Type B window on top, Beltway one side (fabric side)	30″	49″	**R3B1TF2B49 30-( )( )**	$1,605.	$1,619.	$1,649.	$1,681.	$1,707.	$1,747.	$1,785.
	36″	49″	**R3B1TF2B49 36-( )( )**	1,892.	1,906.	1,936.	1,968.	1,994.	2,034.	2,072.
	42″	49″	**R3B1TF2B49 42-( )( )**	2,041.	2,055.	2,085.	2,117.	2,143.	2,183.	2,221.
	48″	49″	**R3B1TF2B49 48-( )( )**	2,137.	2,151.	2,181.	2,213.	2,239.	2,279.	2,317.



Order Code

Example:	**R3B1TF2B4930-A4K**
R3	Reff Generation 3
B1	Beltway one side
T	Tiled panel
F2	Fabric one side, V2 other
B	Type B window
49	49″ high
30	30″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1A
W281	Fabric selection - side 1B
V316	Maple surface - side 2 tiled
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider (where optional)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional “tiled” style products only)
5. Fabric side, finish (specify selection per insert; bottom up.)
6. Conventional veneer side, finish (specify one V2 finish for side)
7. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
8. Base finish
9. Beltway finish
10. Window frame finish
11. Glass option
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: *(as applicable by widths)*

Width	Add
18″	$84
20″	$84
24″	$99
30″	$118
36″	$142
42″	$169
48″	$194

Frame finish:
Add to all products on this page: upcharge of $35 per panel for P2 paint class options or $63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: *(as applicable by width) Optional non fabric tiled side only, fabric side always black*

Width	*Add*
18″	*$14*
20″	*$14*
24″	*$15*
30″	*$15*
36″	*$16*
42″	*$16*
48″	*$21*

Beltway one side, window panel 49″ H
monolithic with glass at top, fabric one side, conventional veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side, Type A window on top, Beltway one side (fabric side) 	18″	49″	**R3B1PF2A49 18-( )( )**	$1,131.	$1,139.	$1,159.	$1,200.	$1,225.	$1,262.	$1,287.
	20″	49″	**R3B1PF2A49 20-( )( )**	1,131.	1,139.	1,159.	1,200.	1,225.	1,262.	1,287.
	24″	49″	**R3B1PF2A49 24-( )( )**	1,187.	1,195.	1,215.	1,256.	1,281.	1,318.	1,343.
	30″	49″	**R3B1PF2A49 30-( )( )**	1,296.	1,304.	1,324.	1,365.	1,390.	1,427.	1,452.
	36″	49″	**R3B1PF2A49 36-( )( )**	1,563.	1,571.	1,591.	1,632.	1,657.	1,694.	1,719.
	42″	49″	**R3B1PF2A49 42-( )( )**	1,718.	1,726.	1,746.	1,787.	1,812.	1,849.	1,874.
	48″	49″	**R3B1PF2A49 48-( )( )**	1,821.	1,829.	1,849.	1,890.	1,915.	1,952.	1,977.
Monolithic, fabric one side, Type B window on top, Beltway one side (fabric side) 	30″	49″	**R3B1PF2B49 30-( )( )**	1,403.	1,411.	1,431.	1,472.	1,497.	1,534.	1,559.
	36″	49″	**R3B1PF2B49 36-( )( )**	1,675.	1,683.	1,703.	1,744.	1,769.	1,806.	1,831.
	42″	49″	**R3B1PF2B49 42-( )( )**	1,830.	1,838.	1,858.	1,899.	1,924.	1,961.	1,986.
	48″	49″	**R3B1PF2B49 48-( )( )**	1,942.	1,950.	1,970.	2,011.	2,036.	2,073.	2,098.

Order Code

Example:	**R3B1TF2A4918-A4K**
R3	Reff Generation 3
B1	Beltway one side
T	Tiled panel
F2	Fabric one side, V2 other
A	Type A window
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1
V316	Maple surface - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider (where optional)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional “tiled” style products only)
5. Fabric side, finish (specify selection per insert; bottom up.)
6. Conventional veneer side, finish (specify one V2 finish for side)
7. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
8. Base finish
9. Beltway finish
10. Window frame finish
11. Glass option
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: *(as applicable by widths)*

Width	Add
18″	$84
20″	$84
24″	$99
30″	$118
36″	$142
42″	$169
48″	$194

Frame finish:
Add to all products on this page: upcharge of $35 per panel for P2 paint class options or $63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: *(as applicable by width) Optional non fabric tiled side only, fabric side always black*

Width	*Add*
18″	*$14*
20″	*$14*
24″	*$15*
30″	*$15*
36″	*$16*
42″	*$16*
48″	*$21*

Beltway one side, window panel 49″ H
tiled with glass at top, fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric one side, Beltway fabric side Type A window on top, Regular acoustics	18″	49″	**R3B1TF3A49 18-( )( )**	$1,806.	$1,820.	$1,850.	$1,882.	$1,908.	$1,948.	$1,986.
	20″	49″	**R3B1TF3A49 20-( )( )**	1,806.	1,820.	1,850.	1,882.	1,908.	1,948.	1,986.
	24″	49″	**R3B1TF3A49 24-( )( )**	1,860.	1,874.	1,904.	1,936.	1,962.	2,002.	2,040.
	30″	49″	**R3B1TF3A49 30-( )( )**	1,969.	1,983.	2,013.	2,045.	2,071.	2,111.	2,149.
	36″	49″	**R3B1TF3A49 36-( )( )**	2,340.	2,354.	2,384.	2,416.	2,442.	2,482.	2,520.
	42″	49″	**R3B1TF3A49 42-( )( )**	2,532.	2,546.	2,576.	2,608.	2,634.	2,674.	2,712.
	48″	49″	**R3B1TF3A49 48-( )( )**	2,643.	2,657.	2,687.	2,719.	2,745.	2,785.	2,823.
Tiled, fabric one side, Beltway fabric side Type B window on top, Regular acoustics 	30″	49″	**R3B1TF3B49 30-( )( )**	2,076.	2,090.	2,120.	2,152.	2,178.	2,218.	2,256.
	36″	49″	**R3B1TF3B49 36-( )( )**	2,452.	2,466.	2,496.	2,528.	2,554.	2,594.	2,632.
	42″	49″	**R3B1TF3B49 42-( )( )**	2,644.	2,658.	2,688.	2,720.	2,746.	2,786.	2,824.
	48″	49″	**R3B1TF3B49 48-( )( )**	2,764.	2,778.	2,808.	2,840.	2,866.	2,906.	2,944.

Order Code

Example:	**R3B1TF3A4918-A4K**
R3	Reff Generation 3
B1	Beltway one side
T	Tiled panel
F3	Fabric one side, V3 other
A	Type A window
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1A
W281	Fabric selection - side 1B
V512	Figured Anigre surface - side 2 tiled
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider (where optional)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional “tiled” style products only)
5. Fabric side, finish (specify selection per insert; bottom up.)
6. Exotic veneer side, finish (specify one V3 finish for side)
7. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
8. Base finish
9. Beltway finish
10. Window frame finish
11. Glass option
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: *(as applicable by widths)*

Width	Add
18″	$84
20″	$84
24″	$99
30″	$118
36″	$142
42″	$169
48″	$194

Frame finish:
Add to all products on this page: upcharge of $35 per panel for P2 paint class options or $63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: *(as applicable by width) Optional non fabric tiled side only, fabric side always black*

Width	*Add*
18″	*$14*
20″	*$14*
24″	*$15*
30″	*$15*
36″	*$16*
42″	*$16*
48″	*$21*

Beltway one side, window panel 49″ H
monolithic with glass at top, fabric one side, exotic veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric one side, Beltway fabric side Type A window on top, Regular acoustics	18″	49″	**R3B1PF3A49 18-( )( )**	$1,485.	$1,493.	$1,513.	$1,554.	$1,579.	$1,616.	$1,641.
	20″	49″	**R3B1PF3A49 20-( )( )**	1,485.	1,493.	1,513.	1,554.	1,579.	1,616.	1,641.
	24″	49″	**R3B1PF3A49 24-( )( )**	1,556.	1,564.	1,584.	1,625.	1,650.	1,687.	1,712.
	30″	49″	**R3B1PF3A49 30-( )( )**	1,693.	1,701.	1,721.	1,762.	1,787.	1,824.	1,849.
	36″	49″	**R3B1PF3A49 36-( )( )**	2,046.	2,054.	2,074.	2,115.	2,140.	2,177.	2,202.
	42″	49″	**R3B1PF3A49 42-( )( )**	2,245.	2,253.	2,273.	2,314.	2,339.	2,376.	2,401.
	48″	49″	**R3B1PF3A49 48-( )( )**	2,378.	2,386.	2,406.	2,447.	2,472.	2,509.	2,534.



Monolithic, fabric one side, Beltway fabric side Type B window on top, Regular acoustics	30″	49″	**R3B1PF3B49 30-( )( )**	1,800.	1,808.	1,828.	1,869.	1,894.	1,931.	1,956.
	36″	49″	**R3B1PF3B49 36-( )( )**	2,158.	2,166.	2,186.	2,227.	2,252.	2,289.	2,314.
	42″	49″	**R3B1PF3B49 42-( )( )**	2,357.	2,365.	2,385.	2,426.	2,451.	2,488.	2,513.
	48″	49″	**R3B1PF3B49 48-( )( )**	2,499.	2,507.	2,527.	2,568.	2,593.	2,630.	2,655.



Order Code

Example:	**R3B1PF3A4918-A4K**
R3	Reff Generation 3
B1	Beltway one side
P	Monolithic panel
F3	Fabric one side, V3 other
A	Type A window
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
B	Tile divider, black reveal
W281	Fabric selection - side 1
V512	Figured Anigre surface - side 2
V512	Figured Anigre (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Tile divider (where optional)
   B = black steel divider or specify AA-anodized aluminum or painted option excluding silver from page 5 for extruded aluminum divider (upcharge applicable, optional "tiled" style products only)
5. Fabric side, finish (specify selection per insert; bottom up.)
6. Exotic veneer side, finish (specify one V3 finish for side)
7. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
8. Base finish
9. Beltway finish
10. Window frame finish
11. Glass option
    Temp = Clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: *(as applicable by widths)*

Width	Add
18″	$84
20″	$84
24″	$99
30″	$118
36″	$142
42″	$169
48″	$194

Frame finish:
Add to all products on this page: upcharge of $35 per panel for P2 paint class options or $63 per panel for P3 paint class options.

Add upcharge for extruded aluminum reveal/tile divider: *(as applicable by width) Optional non fabric tiled side only, fabric side always black*

Width	*Add*
18″	*$14*
20″	*$14*
24″	*$15*
30″	*$15*
36″	*$16*
42″	*$16*
48″	*$21*

Beltway two sides, window panel 49″ H
tiled with glass at top

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Tiled, fabric both sides, Regular acoustics, Type A window on top, Beltway two sides	18″	49″	**R3B2TFFA49 18-( )( )**	$1,209.	$1,237.	$1,289.	$1,357.	$1,409.	$1,489.	$1,541.
	20″	49″	**R3B2TFFA49 20-( )( )**	1,209.	1,237.	1,289.	1,357.	1,409.	1,489.	1,541.
	24″	49″	**R3B2TFFA49 24-( )( )**	1,253.	1,281.	1,333.	1,401.	1,453.	1,533.	1,585.
	30″	49″	**R3B2TFFA49 30-( )( )**	1,340.	1,368.	1,420.	1,488.	1,540.	1,620.	1,672.
	36″	49″	**R3B2TFFA49 36-( )( )**	1,612.	1,640.	1,692.	1,760.	1,812.	1,892.	1,944.
	42″	49″	**R3B2TFFA49 42-( )( )**	1,755.	1,783.	1,835.	1,903.	1,955.	2,035.	2,087.
	48″	49″	**R3B2TFFA49 48-( )( )**	1,840.	1,868.	1,920.	1,988.	2,040.	2,120.	2,172.
Tiled, fabric both sides, Regular acoustics, Type B window on top, Beltway two sides	30″	49″	**R3B2TFFB49 30-( )( )**	1,444.	1,472.	1,524.	1,592.	1,644.	1,724.	1,776.
	36″	49″	**R3B2TFFB49 36-( )( )**	1,724.	1,752.	1,804.	1,872.	1,924.	2,004.	2,056.
	42″	49″	**R3B2TFFB49 42-( )( )**	1,866.	1,894.	1,946.	2,014.	2,066.	2,146.	2,198.
	48″	49″	**R3B2TFFB49 48-( )( )**	1,960.	1,988.	2,040.	2,108.	2,160.	2,240.	2,292.





Order Code

Example:	**R3B2TFFA4918-A4K**
R3	Reff Generation 3
B2	Beltway two sides
T	Tiled panel
FF	Fabric on both sides
A	Type A window
49	49″ high
18	18″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric selection - side 1A
W281	Fabric selection - side 1B
W281	Fabric selection - side 2A
W281	Fabric selection - side 2B
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option
   (K = with knockouts,
   N = without knockouts)
4. Panel side 1 finish (specify selection per insert)
5. Panel side 2 finish (specify selection per insert)
6. Top trim finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. Window frame finish
10. Glass option
    Temp = clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: *(as applicable by width)*

Width	Add
18″	$84
20″	$84
24″	$99
30″	$118
36″	$142
42″	$169
48″	$194

Frame finish:
Add to all products on this page: upcharge of $35 per panel for P2 paint calss options or $63 per panel for P3 paint class options.

Beltway two sides, window panel 49″ H
monolithic with glass at top

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Monolithic, fabric both sides, Type A window on top, Beltway two sides	18″	49″	**R3B2PFFA49 18-( )( )**	$1,093.	$1,111.	$1,149.	$1,229.	$1,281.	$1,353.	$1,399.
	20″	49″	**R3B2PFFA49 20-( )( )**	1,093.	1,111.	1,149.	1,229.	1,281.	1,353.	1,399.
	24″	49″	**R3B2PFFA49 24-( )( )**	1,133.	1,151.	1,189.	1,269.	1,321.	1,393.	1,439.
	30″	49″	**R3B2PFFA49 30-( )( )**	1,209.	1,227.	1,265.	1,345.	1,397.	1,469.	1,515.
	36″	49″	**R3B2PFFA49 36-( )( )**	1,438.	1,456.	1,494.	1,574.	1,626.	1,698.	1,744.
	42″	49″	**R3B2PFFA49 42-( )( )**	1,563.	1,581.	1,619.	1,699.	1,751.	1,823.	1,869.
	48″	49″	**R3B2PFFA49 48-( )( )**	1,637.	1,655.	1,693.	1,773.	1,825.	1,897.	1,943.
Monolithic, fabric both sides, Type B window on top, Beltway two sides	30″	49″	**R3B2PFFB49 30-( )( )**	1,313.	1,331.	1,369.	1,449.	1,501.	1,573.	1,619.
	36″	49″	**R3B2PFFB49 36-( )( )**	1,550.	1,568.	1,606.	1,686.	1,738.	1,810.	1,856.
	42″	49″	**R3B2PFFB49 42-( )( )**	1,674.	1,692.	1,730.	1,810.	1,862.	1,934.	1,980.
	48″	49″	**R3B2PFFB49 48-( )( )**	1,757.	1,775.	1,813.	1,893.	1,945.	2,017.	2,063.





Order Code

Example:	**R3B2PFFB4930-A4K**
R3	Reff Generation 3
B2	Beltway two sides
P	Monolithic panel
FF	Fabric on both sides
B	Type B window
49	49″ high
30	30″ wide
A	Flat style top trim profile
4	4″ base height
K	Include knockouts in base
W281	Fabric selection - side 1
W281	Fabric selection - side 2
V316	Maple (top trim finish)
111	Jet Black (base finish)
111	Jet Black (beltway finish)
111	Jet Black (window frame finish)
TEMP	Glass option

Specification Information

To order please specify pattern number including:

1. Top trim profile
2. Base height
3. Knockout option (K = with knockouts, N = without knockouts)
4. Panel side 1 finish (specify selection per insert)
5. Panel side 2 finish (specify selection per insert)
6. Top trim finish
   i) Top trim profile A,B or C options: V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options: AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
7. Base finish
8. Beltway finish
9. Window frame finish
10. Glass option
    Temp = clear temp
    Architectural options:
    GL13 = Powder glass
    GL6 = Block matrix glass
    GL8 = Wafer glass

Application Notes

1. Top trim profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 per panel for this option)

The panels on this page will accept stacking modules to increase their height on 18″ to 48″W panels only.

6″ Raceway option increases panel height by 2¾″.

Product on this page can be attached to posts 49″, 64″, and 79″H as well as panels 42″, 49″, 64″ and 79″H. Panels on this page will not attach to panels made before April 1997 without an attachment kit from page 116.

Remember to specify Beltway paint finish, glass type and windowframe finish from the paint selection at the front of the price list.

79″H hookstrip reveal strips are ordered separately from page 116 at no charge.

Note: Extruded aluminum reveal/tile dividers are not optional for between fabric inserts.

Applicable finishes are listed on page 5 and 6.

Add upcharge for architectural glass: *(as applicable by width)*

Width	Add
18″	$84
20″	$84
24″	$99
30″	$118
36″	$142
42″	$169
48″	$194

Frame finish:
Add to all products on this page: upcharge of $35 per panel for P2 paint calss options or $63 per panel for P3 paint class options.

Stacking modules
fabric

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Stacking modules *,** Fabric both sides	18″	8″	**R3SFF08 18**	$197.	$201.	$219.	$249.	$261.	$281.	$295.
	20″	8″	**R3SFF08 20**	197.	201.	219.	249.	261.	281.	295.
	24″	8″	**R3SFF08 24**	206.	210.	228.	258.	270.	290.	304.
	30″	8″	**R3SFF08 30**	229.	233.	251.	281.	293.	313.	327.
	36″	8″	**R3SFF08 36**	250.	254.	272.	302.	314.	334.	348.
	42″	8″	**R3SFF08 42**	272.	276.	294.	324.	336.	356.	370.
	48″	8″	**R3SFF08 48**	293.	297.	315.	345.	357.	377.	391.
Stacking modules* Fabric both sides	18″	15″	**R3SFF15 18**	264.	278.	306.	338.	364.	404.	428.
	20″	15″	**R3SFF15 20**	264.	278.	306.	338.	364.	404.	428.
	24″	15″	**R3SFF15 24**	279.	293.	321.	353.	379.	419.	443.
	30″	15″	**R3SFF15 30**	306.	320.	348.	380.	406.	446.	470.
	36″	15″	**R3SFF15 36**	338.	352.	380.	412.	438.	478.	502.
	42″	15″	**R3SFF15 42**	365.	379.	407.	439.	465.	505.	529.
	48″	15″	**R3SFF15 48**	395.	409.	437.	469.	495.	535.	559.

Order Code

Example:	**R3SFF0818**
R3	Reff Generation 3
S	Stacking module
FF	Fabric/fabric
08	8″ high
18	18″ wide
W281	Fabric selection - side 1
W281	Fabric selection - side 2

Specification Information

To order please specify:

1. Pattern number *including height and width*
2. Panel side 1 finish *fabric only*
3. Panel side 2 finish *fabric only*

Application Notes

* Not for use on 79″H panels.

* * Suitable only for top of any panel. Cannot be stacked upon.

8″h module will not accept additional modules on top.

Use of 8″ module on panel heights other than 34″h will require custom end trims and Hi-Lo parts.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Stacking modules
window

description	w	h	pattern no.	clear glass	arch glass	add for P2 finish	add for P3 finish	AA frame upcharge
Stacking window module* Single glass, type "A" 	18″	15″	**RSWA15 18**	$431.	$517.	$14.	$27.	$44.
	20″	15″	**RSWA15 20**	431.	517.	14.	27.	44.
	24″	15″	**RSWA15 24**	454.	552.	14.	27.	47.
	30″	15″	**RSWA15 30**	526.	615.	14.	27.	52.
	36″	15″	**RSWA15 36**	545.	693.	14.	27.	53.
	42″	15″	**RSWA15 42**	574.	743.	14.	27.	56.
	48″	15″	**RSWA15 48**	594.	791.	14.	27.	59.
Stacking window module* Center mullion, type "B" 	30″	15″	**RSWB15 30**	629.	752.	14.	27.	62.
	36″	15″	**RSWB15 36**	658.	803.	14.	27.	65.
	42″	15″	**RSWB15 42**	686.	856.	14.	27.	68.
	48″	15″	**RSWB15 48**	713.	908.	14.	27.	70.
Stacking window module* 18" - 24"  30" - 48"	18″	30″	**RSWC30 18**	519.	602.	22.	35.	52.
	20″	30″	**RSWC30 20**	519.	602.	22.	35.	52.
	24″	30″	**RSWC30 24**	554.	655.	22.	35.	56.
	30″	30″	**RSWC30 30**	721.	844.	22.	35.	72.
	36″	30″	**RSWC30 36**	821.	970.	22.	35.	80.
	42″	30″	**RSWC30 42**	880.	1,052.	22.	35.	86.
	48″	30″	**RSWC30 48**	932.	1,131.	22.	35.	90.

Order Code

Example:	**RSWA1518 111 TEMP**
R	Reff
SW	Stacking window module
A	Type A
15	15″ high
18	18″ wide
111	Jet Black, window frame finish
TEMP	Clear tempered glass option

Specification Information

To order please specify:

1. Pattern number
2. Frame finish
   (Painted or Anodized aluminum finishes)
   If P2 or P3 paint finish upcharge applicable
   If AA finish (anodized) upcharge applicable as noted in AA price column
3. Glass type
   Temp = Clear tempered glass
   Architectural options:
   GL13 = Powder glass
   GL6 = Block matrix glass
   GL8 = Wafer glass

Application Notes

* Not for use on 79″H panels.

Panel glass is mounted flush to one side of window module.

All window modules incorporate tempered glass (3/16″ thick).

30″H window panels that are 30″ or wider incorporate a center mullion.

For window panels specify the finish for frames from paint selection on page 5.

Stacking modules
Double Window

description	h	w	pattern no.	G1 clear glass	G2 architectural glass	L	V1	V2	V3	AA
Stacking window module* Single glass, type "A" 	15″	60″	**RSWAD1560 ( )( )**	$674.	$771.					
		72″	**RSWAD1572 ( )( )**	750.	899.					
		84″	**RSWAD1584 ( )( )**	759.	938.					
		96″	**RSWAD1596 ( )( )**	773.	978.					
	22″	60″	**RSWAD2260 ( )( )**	841.	1,028.					
		72″	**RSWAD2272 ( )( )**	945.	1,170.					
		84″	**RSWAD2284 ( )( )**	964.	1,226.					
		96″	**RSWAD2296 ( )( )**	983.	1,283.					
Top trim for double wide stacking window modules		60″	**R3CRTT60 ( )( )**			73.	149.	165.	213.	122.
		72″	**R3CRTT72 ( )**			78.	159.	175.	225.	165.
		84″	**R3CRTT84 ( )**			94.	179.	196.	249.	180.
		96″	**R3CRTT96 ( )**			99.	189.	206.	262.	185.

Order Code

Example:	**RSWAD1560**
R	Reff
SW	Stacking window
A	Type A
D	Double wide
15	15″ high
60	60″ wide
111	Jet Black, windowframe finish
TEMP	Clear tempered glass option

Specification Information

To order please specify:

1. Pattern number
2. Frame finish
   (Painted or Anodized aluminum finishes)
   If P2 or P3 paint finish upcharge add $25
   If AA finish (anodized) upcharge applicable as noted in AA price add $45
3. Glass type
   Temp = Clear tempered glass
   Architectural options:
   GL13 = Powder glass
   GL6 = Block matrix glass
   GL8 = Wafer glass

Application Notes

Panel glass is mounted flush to one side of the window module.
All window modules incorporate tempered glass 4mm thick.
Stabilizing kit is included with the window and is required with all double wide window installation.

Full length top trim is optional and can be ordered separately.
Not for use on 79″h panels.
Applicable finishes are listed on page 5

Stacking modules

fabric one side/laminate, techwood, conventional or exotic veneer other side and laminate both sides

description	w	h	pattern no.	grade 10	15	20	30	35	40	45	Lam.
Stacking modules *,** Fabric and laminate 	18″	8″	**R3SFL0818**	$222.	$227.	$244.	$275.	$288.	$308.	$325.	
	20″	8″	**R3SFL0820**	222.	227.	244.	275.	288.	308.	325.	
	24″	8″	**R3SFL0824**	241.	246.	263.	294.	307.	327.	344.	
	30″	8″	**R3SFL0830**	270.	275.	292.	323.	336.	356.	373.	
	36″	8″	**R3SFL0836**	296.	301.	318.	349.	362.	382.	399.	
	42″	8″	**R3SFL0842**	321.	326.	343.	374.	387.	407.	424.	
	48″	8″	**R3SFL0848**	349.	354.	371.	402.	415.	435.	452.	
Stacking modules *,** Fabric and techwood 	18″	8″	**R3SF10818**	228.	233.	250.	281.	294.	314.	331.	
	20″	8″	**R3SF10820**	228.	233.	250.	281.	294.	314.	331.	
	24″	8″	**R3SF10824**	245.	250.	267.	298.	311.	331.	348.	
	30″	8″	**R3SF10830**	274.	279.	296.	327.	340.	360.	377.	
	36″	8″	**R3SF10836**	300.	305.	322.	353.	366.	386.	403.	
	42″	8″	**R3SF10842**	329.	334.	351.	382.	395.	415.	432.	
	48″	8″	**R3SF10848**	354.	359.	376.	407.	420.	440.	457.	
Stacking modules*,** Fabric and conventional veneer 	18″	8″	**R3SF20818**	231.	236.	253.	284.	297.	317.	334.	
	20″	8″	**R3SF20820**	231.	236.	253.	284.	297.	317.	334.	
	24″	8″	**R3SF20824**	250.	255.	272.	303.	316.	336.	353.	
	30″	8″	**R3SF20830**	279.	284.	301.	332.	345.	365.	382.	
	36″	8″	**R3SF20836**	307.	312.	329.	360.	373.	393.	410.	
	42″	8″	**R3SF20842**	335.	340.	357.	388.	401.	421.	438.	
	48″	8″	**R3SF20848**	359.	364.	381.	412.	425.	445.	462.	
Stacking modules*,** Fabric and exotic veneer 	18″	8″	**R3SF30818**	304.	309.	326.	357.	370.	390.	407.	
	20″	8″	**R3SF30820**	304.	309.	326.	357.	370.	390.	407.	
	24″	8″	**R3SF30824**	332.	337.	354.	385.	398.	418.	435.	
	30″	8″	**R3SF30830**	368.	373.	390.	421.	434.	454.	471.	
	36″	8″	**R3SF30836**	408.	413.	430.	461.	474.	494.	511.	
	42″	8″	**R3SF30842**	445.	450.	467.	498.	511.	531.	548.	
	48″	8″	**R3SF30848**	479.	484.	501.	532.	545.	565.	582.	
Stacking modules*,** Laminate both sides 	18″	8″	**R3SLL0818**								215.
	20″	8″	**R3SLL0820**								215.
	24″	8″	**R3SLL0824**								234.
	30″	8″	**R3SLL0830**								262.
	36″	8″	**R3SLL0836**								283.
	42″	8″	**R3SLL0842**								292.
	48″	8″	**R3SLL0848**								301.

Order Code

Example:	**R3SFL0818**
R3	Reff Generation 3
S	Stacking module
FL	Fabric/Laminate
08	8″ high
18	18″ wide
W281	Fabric selection - side 1
114	Folkstone Grey - side 2

Specification Information

To order please specify:

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

Product on this page will accept wood grain laminate where laminate is currently an option.
Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

* Not for use on 79″H panels.

* * Suitable only for top of any panel. Cannot be stacked upon and may require custom end trims and Hi-Lo parts.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.

8″ module will not accept additional modules.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Applicable finishes are listed on page 5 and 6.

Frameless glass add-ups cannot be installed on these modules.

Stacking modules

fabric one side/laminate, techwood, conventional or exotic veneer other side and laminate both sides

description	w	h	pattern no.	grade 10	15	20	30	35	40	45	Lam.
Stacking modules* Fabric and laminate 	18″	15″	**R3SFL1518**	$319.	$333.	$361.	$394.	$423.	$465.	$488.	
	20″	15″	**R3SFL1520**	319.	333.	361.	394.	423.	465.	488.	
	24″	15″	**R3SFL1524**	332.	346.	374.	407.	436.	478.	501.	
	30″	15″	**R3SFL1530**	364.	378.	406.	439.	468.	510.	533.	
	36″	15″	**R3SFL1536**	395.	409.	437.	470.	499.	541.	564.	
	42″	15″	**R3SFL1542**	425.	439.	467.	500.	529.	571.	594.	
	48″	15″	**R3SFL1548**	455.	469.	497.	530.	559.	601.	624.	
Stacking modules* Fabric and techwood 	18″	15″	**R3SF11518**	327.	341.	369.	402.	431.	473.	496.	
	20″	15″	**R3SF11520**	327.	341.	369.	402.	431.	473.	496.	
	24″	15″	**R3SF11524**	340.	354.	382.	415.	444.	486.	509.	
	30″	15″	**R3SF11530**	369.	383.	411.	444.	473.	515.	538.	
	36″	15″	**R3SF11536**	401.	415.	443.	476.	505.	547.	570.	
	42″	15″	**R3SF11542**	432.	446.	474.	507.	536.	578.	601.	
	48″	15″	**R3SF11548**	462.	476.	504.	537.	566.	608.	631.	
Stacking modules* Fabric and conventional veneer 	18″	15″	**R3SF21518**	330.	344.	372.	405.	434.	476.	499.	
	20″	15″	**R3SF21520**	330.	344.	372.	405.	434.	476.	499.	
	24″	15″	**R3SF21524**	346.	360.	388.	421.	450.	492.	515.	
	30″	15″	**R3SF21530**	378.	392.	420.	453.	482.	524.	547.	
	36″	15″	**R3SF21536**	410.	424.	452.	485.	514.	556.	579.	
	42″	15″	**R3SF21542**	442.	456.	484.	517.	546.	588.	611.	
	48″	15″	**R3SF21548**	469.	483.	511.	544.	573.	615.	638.	
Stacking modules* Fabric and exotic veneer 	18″	15″	**R3SF315 18**	435.	449.	477.	510.	539.	581.	604.	
	20″	15″	**R3SF315 20**	435.	449.	477.	510.	539.	581.	604.	
	24″	15″	**R3SF315 24**	456.	470.	498.	531.	560.	602.	625.	
	30″	15″	**R3SF315 30**	499.	513.	541.	574.	603.	645.	668.	
	36″	15″	**R3SF315 36**	543.	557.	585.	618.	647.	689.	712.	
	42″	15″	**R3SF315 42**	585.	599.	627.	660.	689.	731.	754.	
	48″	15″	**R3SF315 48**	624.	638.	666.	699.	728.	770.	793.	
Stacking modules* Laminate both sides 	18″	15	**R3SLL1518**								304.
	20″	15	**R3SLL1520**								304.
	24″	15	**R3SLL1524**								331.
	30″	15	**R3SLL1530**								371.
	36″	15	**R3SLL1536**								401.
	42″	15	**R3SLL1542**								413.
	48″	15	**R3SLL1548**								415.

Order Code

Example:	**R3SFL0818**
R3	Reff Generation 3
S	Stacking module
FL	Fabric/Laminate
08	8″ high
18	18″ wide
W281	Fabric selection - side 1
114	Folkstone Grey - side 2

Specification Information

To order please specify:

1. Pattern number
2. Panel side 1 finish(s)
3. Panel side 2 finish(s)

Product on this page will accept wood grain laminate where laminate is currently an option.
Panel product is subject to a 10% upcharge on the base panel price. Refer to panel product upcharge table.

Application Notes

* Not for use on 79″H panels.

* * Suitable only for top of any panel. Cannot be stacked upon and may require custom end trims and Hi-Lo parts.

Provide elevation drawings for conventional veneer panel stacking applications and/or floor to ceiling. Elevation drawings are not required for techwood.

8″ module will not accept additional modules.

Stacking modules on this page are high acoustic with a hard board septum and fiberglass.

Applicable finishes are listed on page 5 and 6.

Frameless glass add-ups cannot be installed on these modules.

Panel connection posts
Generation 3

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
L-Post 	8″	stacking module post	**R3L08TT**	$60.	n/a
	15″	stacking module post	**R3L15TT**	118.	n/a
	34″		**R3L34(F/T)(F/T)-( )( )( )( )**	151.	n/a
	42″		**R3L42(B)(F/T)(F/T)-( )( )( )( )**	227.	262.
	49″		**R3L49(B)(F/T)(F/T)-( )( )( )( )**	252.	290.
	64″		**R3L64(B)(F/T)(F/T)-( )( )( )( )**	279.	320.
	79″		**R3L79(B)(F/T)(F/T)-( )( )( )( )**	312.	358.
T-Post 	8″	stacking module post	**R3T08T**	76.	n/a
	15″	stacking module post	**R3T15T**	140.	n/a
	34″		**R3T34(F/T)-( )( )( )( )**	183.	n/a
	42″		**R3T42(B)(F/T)-( )( )( )( )**	201.	229.
	49″		**R3T49(B)(F/T)-( )( )( )( )**	227.	262.
	64″		**R3T64(B)(F/T)-( )( )( )( )**	252.	290.
	79″		**R3T79(B)(F/T)-( )( )( )( )**	280.	322.

Order Code

Example:	**R3L64(B)TT-A16NB**
R3	Reff Generation 3
L64	90° post; 64″ h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6″ base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 401.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
   1 = one piece (same finish both sides)
   2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers *(fabric, V1, V2, V3 or painted to match laminate)*
9. Top cap finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. Face type:
(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add $25 list for this option)

3. Top cap configuration:
1 = Regular L or cap finish 2 adjacent sides *(applicable for L, T or X posts only)*
2 = Regular T or cap finish 1 side *(applicable for T or X posts only)*
3 = Regular X cap unfinished all 4 sides *(applicable for X posts only)*

4 = Cap finished 3 sides/high-low *(applicable for L, T, X or straight posts)*
5 = Cap finished 2 opposite sides/high-low *(applicable for X or straight posts only)*

5. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 list for this option)

6. Electrical infeed post:
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34″H panels to Beltway posts requires the use of the attachment kit on page 116. All posts on this page will accept the 15″ stacking modular Post but only to achieve a finished height of 49″, 64″, or 79″. The 8″H Post module is primarily for transitioning a 34″H post into a 42″H post and to meet transaction height 8″H post or panel module cannot have a module mounted

above itself), however, the 8″H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34″H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts
Generation 3

description	h		pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
X-Post 	8″	stacking module post	**R3X08**	$67.	n/a
	15″	stacking module post	**R3X15**	129.	n/a
	34″		**R3X34-( )( )**	171.	n/a
	42″		**R3X42(B)-( )( )**	185.	214.
	49″		**R3X49(B)-( )( )**	201.	229.
	64″		**R3X64(B)-( )( )**	227.	262.
	79″		**R3X79(B)-( )( )**	259.	295.
Straight post 	8″	stacking module post	**R3S08TT**	60.	n/a
	15″	stacking module post	**R3S15TT**	118.	n/a
	34″		**R3S34(F/T)(F/T)-( )( )( )**	151.	n/a
	42″		**R3S42(B)(F/T)(F/T)-( )( )( )**	227.	262.
	49″		**R3S49(B)(F/T)(F/T)-( )( )( )**	252.	290.
	64″		**R3S64(B)(F/T)(F/T)-( )( )( )**	279.	320.
	79″		**R3S79(B)(F/T)(F/T)-( )( )( )**	312.	358.

Order Code

Example:	**R3L64(B)TT-A16NB**
R3	Reff Generation 3
L64	90° post; 64″ h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6″ base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 401.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
   1 = one piece (same finish both sides)
   2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers *(fabric, V1, V2, V3 or painted to match laminate)*
9. Top cap finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. Face type:
(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add $25 list for this option)

3. Top cap configuration:
1 = Regular L or cap finish 2 adjacent sides *(applicable for L, T or X posts only)*
2 = Regular T or cap finish 1 side *(applicable for T or X posts only)*
3 = Regular X cap unfinished all 4 sides *(applicable for X posts only)*

4 = Cap finished 3 sides/high-low *(applicable for L, T, X or straight posts)*
5 = Cap finished 2 opposite sides/high-low *(applicable for X or straight posts only)*

5. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 list for this option)

6. Electrical infeed post:
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34″H panels to Beltway posts requires the use of the attachment kit on page 116. All posts on this page will accept the 15″ stacking modular Post but only to achieve a finished height of 49″, 64″, or 79″. The 8″H Post module is primarily for transitioning a 34″H post into a 42″H post and to meet transaction height 8″H post or panel module cannot have a module mounted

above itself), however, the 8″H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34″H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts
Generation 3

description	h	pattern no.	Reg. post list (A/B/C profile)	Beltway post list (B)
*R3/R2 stacking post sleeve	adapter kit for stacking posts only	**R3R2SLV**		n/c

Order Code

Example:	**R3L64(B)TT-A16NB**
R3	Reff Generation 3
L64	90° post; 64″ h connector
(B)	with Beltway channel
(T)(T)	Tiled appearance 2 sides
(A)	Flat top profile
(1)	Regular L top cap
(6)	6″ base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 401.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Top cap profile
3. Top cap configuration
4. If L post, cover configuration
   1 = one piece (same finish both sides)
   2 = two piece (same or different finish per side)
5. Base height option
6. Base infeed knock-out (optional)
7. Tile divider option/finish, if face type T
8. Finish, face covers *(fabric, V1, V2, V3 or painted to match laminate*)
9. Top cap finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5 excluding silver
10. Base finish

1. Face type:
(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add $25 list for this option)

3. Top cap configuration:
1 = Regular L or cap finish 2 adjacent sides *(applicable for L, T or X posts only)*
2 = Regular T or cap finish 1 side *(applicable for T or X posts only)*
3 = Regular X cap unfinished all 4 sides *(applicable for X posts only)*

4 = Cap finished 3 sides/high-low *(applicable for L, T, X or straight posts)*
5 = Cap finished 2 opposite sides/high-low *(applicable for X or straight posts only)*

5. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 list for this option)

6. Electrical infeed post:
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

7. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option from page 5 excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Posts will accept Beltway, Monolithic, Tiled and stacking modules. The connection of 34″H panels to Beltway posts requires the use of the attachment kit on page 116. All posts on this page will accept the 15″ stacking modular Post but only to achieve a finished height of 49″, 64″, or 79″. The 8″H Post module is primarily for transitioning a 34″H post into a 42″H post and to meet transaction height 8″H post or panel module cannot have a module mounted

above itself), however, the 8″H post module can be used on the very top of any post to achieve non-standard heights. Custom Hi-Lo parts will then be required. The use of a 34″H post will not allow for the passing of beltway electrical.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Beltway posts are only required when electrical runs through the post in a 90° or straight. Always specify the post height to match the tallest panel.

Applicable finishes are listed on page 5 and 6.

Panel connection posts
Generation 3 135°

description	h	pattern no.	Reg. post list (A/B/C profile)
135° Tiled Post	34″	**R3135V34T( )( )( )( )( )( )( )**	$507.
	42″	**R3135V42T( )( )( )( )( )( )( )**	634.
	49″	**R3135V49T( )( )( )( )( )( )( )**	642.
	64″	**R3135V64T( )( )( )( )( )( )( )**	786.
	79″	**R3135V79T( )( )( )( )( )( )( )**	927.
135° Mono Post	34″	**R3135V34F( )( )( )( )( )( )( )**	507.
	42″	**R3135V42F( )( )( )( )( )( )( )**	634.
	49″	**R3135V49F( )( )( )( )( )( )( )**	642.
	64″	**R3135V64F( )( )( )( )( )( )( )**	786.
	79″	**R3135V79F( )( )( )( )( )( )( )**	927.

Order Code

Example:	**R3135V34T**
R3	Reff Generation 3
135V	135° post
34	Height
T	Tiled
(A)	Flat top profile
(1)	Regular L top cap
(6)	6″ base height
(N)	No base infeed raceway knock-out
(B)	Tile divider, black reveal
W808	Face side 1, fabric selection
W808	Face side 2, fabric selection
V316	Top cap finish, Maple
111	Base finish, Jet black

*R3R2SLV is required when adding a Reff Generation 2 stacking module post to a Generation 3 base post and required when adding a Generation 3 stacking module post to a Generation 2 base post. Installation instructions will ship with the sleeve.

Note: New top caps are required in these two applications. Refer to page 401.

Specification Information

To order please specify pattern number including:

1. Top cap profile
2. Top cap configuration
3. If L post, cover configuration
   1 = one piece
4. Base height option
5. Base infeed knock-out (optional)
6. Tile divider option/finish, if face type T
7. Finish, face covers
   (fabric, V1, V2, V3 or painted to match laminate)
8. Top cap finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5excluding silver
9. Base finish

1. Face type:
(F) = Full height (monolithic look)
(T) = Tiled

2. Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add $25 list for this option)*3. Top cap configuration:*
1 = Regular L or cap finish 2 adjacent sides *(applicable for L, T or X posts only)*
2 = Regular T or cap finish 1 side *(applicable for T or X posts only)*
3 = Regular X cap unfinished all 4 sides *(applicable for X posts only)*

4 = Cap finished 3 sides/high-low *(applicable for L, T, X or straight posts)*
5 = Cap finished 2 opposite sides/high-low *(applicable for X or straight posts only)*

5. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 list for this option)

6. Tile divider, optional if face type "tiled" and face finish "non-fabric"
B = Black steel reveal or
Specify AA for anodized aluminum look or painted option from page 5excluding silver.

Specify AA-anodized aluminum or painted options excluding silver from page 5.

Specify the mouse hole location for end power electric. Reference Planning Guide for details. Top cap orientation must be specified to achieve the right top cap for the panel heights involved. If any panel in the post connection is lower than post height, than one must determine which cap is appropriate (consult Planning Guide, pages 58-60).

Applicable finishes are listed on page 5 and 6.

Panel connection posts
Generation 3 120°

description	h	pattern number	Re. post list (A/B/C profile)
120° Post	34″	**R3120Y34( )( )( )( )**	$353.
	42″	**R3120Y42( )( )( )( )**	371.
	49″	**R3120Y49( )( )( )( )**	383.
	64″	**R3120Y64( )( )( )( )**	420.
	79″	**R3120Y79( )( )( )( )**	459.

Order Code

Example:	**R3120Y34**
R3	Reff Generation 3
120V	120° post
34	Height
T	Tiled
(A)	Top profile
(4)	Base height
V316	Top cap finish, Maple
111	Base finish, Jet black

Specification Information

To order please specify pattern number including:

1. Top cap profile
2. Base height option
3. Top cap finish
   i) Top trim profile A,B or C options:
   V1, V2, V3, P1, P2, P3 finishes
   ii) Top trim profile E options:
   AA-anodized aluminum or P1, P2, P3 finish listed on page 5excluding silver
4. Base finish

1. Top profile:
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum
(Add $25 list for this option)

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 list for this option)

Specify AA for anodized aluminum look or painted option from page 5excluding silver.

Panel trims and post covers
for all applications

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim with hookstrip	–	34″		**R2ES34(A/B/C/E)(4/6)(E/N)**	$207.	$125.
	–	42″		**R2ES42(A/B/C/E)(4/6)(E/N)**	231.	146.
	–	49″		**R2ES49(A/B/C/E)(4/6)(E/N)**	256.	167.
	–	64″		**R2ES64(A/B/C/E)(4/6)(E/N)**	272.	188.
	–	79″		**R2ES79(A/B/C/E)(4/6)(E/N)**	333.	213.
End trim for Hi-Lo condition with hookstrip. Must order top trim below	34″	42″		**R2HL3442ES(A/B/C/E)**	108.	110.
	34″	49″		**R2HL3449ES(A/B/C/E)**	151.	112.
	34″	64″		**R2HL3464ES(A/B/C/E)**	193.	115.
	34″	79″		**R2HL3479ES(A/B/C/E)**	207.	127.
	42″	49″		**R2HL4249ES(A/B/C/E)**	108.	110.
	42″	64″		**R2HL4264ES(A/B/C/E)**	261.	112.
	42″	79″		**R2HL4279ES(A/B/C/E)**	299.	127.
	49″	64″		**R2HL4964ES(A/B/C/E)**	151.	115.
	49″	79″		**R2HL4979ES(A/B/C/E)**	193.	127.
	64″	79″		**R2HL6479ES(A/B/C/E)**	151.	112.
	Application: for height changes that DO NOT involve a post					
Top trim for Hi-Lo conditions (Notched one side) 	–		18″	**RSNTT18(A/B/C/E)**	77.	21.
	–	–	20″	**RSNTT20(A/B/C/E)**	77.	23.
	–	–	24″	**RSNTT24(A/B/C/E)**	85.	26.
	–	–	30″	**RSNTT30(A/B/C/E)**	95.	31.
	–	–	33″	**RSNTT33(A/B/C/E) (66″ wide panels one only)**	99.	41.
	–	–	36″	**RSNTT36(A/B/C/E)**	106.	41.
	–	–	42″	**RSNTT42(A/B/C/E)**	120.	42.
	–	–	48″	**RSNTT48(A/B/C/E)**	130.	59.

Order Code

Example:	**R2ES34A6N**
R2	Reff Generation 2
ES	End trim
34	34″ high
A	Flat profile
6	6″ base height
N	Non electrical base
V311	Beech
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

End trim:

1. Trim profile
   A = flat
   B = square
   C = bullnose
   E = extruded aluminum
2. Base height option
   4 = 4″
   6 = 6″
3. Base type
   E = electrical entry
   N = standard base
4. Finish, end trim
   If profile A, B or C specify V1, V2, V3 or painted to match laminate
   If profile E specify AA-anodized aluminum or painted finish from page5 excluding silver
5. Finish, end trim base
   painted or plated finish

Applicable finishes are listed on page 5 and 6.

Post cover trim:

1. Specify full or tiled face type
   F = full (monolithic)
   T = tiled
2. Finish, post cover
   fabric, V1, V2, V3 or painted to match laminate
3. If tiled cover set, specify reveal finish
   B = black reveal
   or select P1, P2, P3 painted finish from pg. 5

Select paint or plated finish from page 5.

Add $24 list for each end trim with 6″H base option. Does not apply to hi-lo end trims as they have no base.

Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.

Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.

Monolithic post covers are one piece. Tiled post covers will come in 8″ and 15″ pieces.

*Notched transaction top must be ordered through Custom Product.

E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

Panel trims and post covers
for all applications

description	h	h	w	pattern no.	Profile (A/B/C)	Profile (E)
End trim Hi-Lo with hookstrip* for transaction top (1 1/4″ shorter than above trim)	42″	49″		**R2HL4249ETS(A/B/C/E)**	$108.	$110.
	42″	64″		**R2HL4264ETS(A/B/C/E)**	261.	112.
	42″	79″		**R2HL4279ETS(A/B/C/E)**	299.	127.
Post cover trim for tiled and monolithic posts Hi-Lo applications	34″	42″		**R2HL3442(F)CS ( )**	31.	
	34″	49″		**R2HL3449(F)CS ( )**	45.	
	34″	64″		**R2HL3464(F/T)CS ( )( )**	89.	
	34″	79″		**R2HL3479(F/T)CS ( )( )**	132.	
	42″	49″		**R2HL4249(F)CS ( )**	31.	
	42″	64″		**R2HL4264(F/T)CS ( )( )**	74.	
	42″	79″		**R2HL4279(F/T)CS ( )( )**	120.	
	49″	64″		**R2HL4964(F)CS ( )**	45.	
	49″	79″		**R2HL4979(F/T)CS ( )( )**	89.	
	64″	79″		**R2HL6479(F)CS ( )**	45.	

Application: for height changes involving a post

Order Code

Example:	**R2ES34A6N**
R2	Reff Generation 2
ES	End trim
34	34″ high
A	Flat profile
6	6″ base height
N	Non electrical base
V311	Beech
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

End trim:

1. Trim profile
   A = flat
   B = square
   C = bullnose
   E = extruded aluminum
2. Base height option
   4 = 4″
   6 = 6″
3. Base type
   E = electrical entry
   N = standard base
4. Finish, end trim
   If profile A, B or C specify V1, V2, V3 or painted to match laminate
   If profile E specify AA-anodized aluminum or painted finish from page5 excluding silver
5. Finish, end trim base
   painted or plated finish

Applicable finishes are listed on page 5 and 6.

Post cover trim:

1. Specify full or tiled face type
   F = full (monolithic)
   T = tiled
2. Finish, post cover
   fabric, V1, V2, V3 or painted to match laminate
3. If tiled cover set, specify reveal finish
   B = black reveal
   or select P1, P2, P3 painted finish from pg. 5

   Select paint or plated finish from page 5.

Add $24 list for each end trim with 6″H base option. Does not apply to hi-lo end trims as they have no base.

Top trims for Hi-Lo conditions need only be ordered for the connecting low panel of a Hi-Lo connection. Notched top trims required.

Post cover trim must be ordered for Hi-Lo conditions pertaining to posts. No notched top trim required.

Monolithic post covers are one piece. Tiled post covers will come in 8″ and 15″ pieces.

*Notched transaction top must be ordered through Custom Product.

E profile end trim does not have base detail, but base height 4 or 6 required to determine overall height.

Ceiling cable entry posts, poles and cable infeed

description	type	h	pattern no.	list price
Ceiling entry L-post.		42″	**R2L42C(F/T)(F/T)-(4/6)**	$227.
		49″	**R2L49C(F/T)(F/T)-(4/6)**	243.
		64″	**R2L64C(F/T)(F/T)-(4/6)**	258.
		79″	**R2L79C(F/T)(F/T)-(4/6)**	306.
Cable not included				
Ceiling entry T-post.		42″	**R2T42C(F/T)-(4/6)**	201.
		49″	**R2T49C(F/T)-(4/6)**	227.
		64″	**R2T64C(F/T)-(4/6)**	243.
		79″	**R2T79C(F/T)-(4/6)**	283.
Cable not included				
Ceiling entry X-post.		42″	**R2X42C**	185.
		49″	**R2X49C**	201.
		64″	**R2X64C**	227.
		79″	**R2X79C**	269.
Cable not included				
Ceiling entry straight line post.		42″	**R2S42C(F/T)(F/T)-(4/6)**	227.
		49″	**R2S49C(F/T)(F/T)-(4/6)**	243.
		64″	**R2S64C(F/T)(F/T)-(4/6)**	258.
		79″	**R2S79C(F/T)(F/T)-(4/6)**	306.
Cable not included				

Order Code

Example:	**R2L42CTT4**
R2	Reff Generation 2
L	L-post
42	42″ high
C	Ceiling power entry
T	Tiled style face
T	Tiled style face
4	Base height
W230	Fabric selection
111	Jet Black (base finish)

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Base height option
3. Finish type, where applicable
4. Finish, where applicable
5. Base finish
6. Canopy finish (ceiling entry pole only)

1. Face type:
F = Full height
T = Tiled

2. Base height:
4 = 4″ base height
6 = 6″ base height

3. Finish type:
F = Fabric
L = Laminate
1 = V1
2 = V2
3 = V3

Application Notes

Data cable application requires the post and the pole only.

*Must order post, pole and cable for electrical application.

The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the celing entry power pole.

To determine pole height required, deduct panel height from ceiling height and add approximately 6″. Ceiling entry pole to be used with posts shown.

6″H base raceway option increase entire post height by 2¾″. (Please **add $47 list per post for this option**). Price does not apply to X-post.

The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).

Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.

Hi-lo ceiling post covers must be ordered in hi-lo applications from 113.

Ceiling cable entry posts, poles and cable infeed

description	type	h	pattern no.	list price
Ceiling entry pole. Includes junction box and ceiling grommet		41″	**RCP41-(F/L/1/2/3)***	$454.
		56″	**RCP56-(F/L/1/2/3)***	471.
		71″	**RCP71-(F/L/1/2/3)***	529.
		78″	**RCP78-(F/L/1/2/3)***	546.

Cable not included

Power infeeds	Ceiling power cable infeed. Eight-wire	**RR3-EPVR**	265.
	Ceiling power cable infeed. Ten-wire	**RR3-TPVR**	321.



One size fits all post sizes (13' of cable)
For use with Ceiling entry Pole and Pole combinations

Order Code

Example:	**R2L42CTT4**
R2	Reff Generation 2
L	L-post
42	42″ high
C	Ceiling power entry
T	Tiled style face
T	Tiled style face
4	Base height
W230	Fabric selection
111	Jet Black (base finish)

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. Post face option
2. Base height option
3. Finish type, where applicable
4. Finish, where applicable
5. Base finish
6. Canopy finish (ceiling entry pole only)

1. Face type:
F = Full height
T = Tiled

2. Base height:
4 = 4″ base height
6 = 6″ base height

3. Finish type:
F = Fabric
L = Laminate
1 = V1
2 = V2
3 = V3

Application Notes

Data cable application requires the post and the pole only.

*Must order post, pole and cable for electrical application.

The ceiling entry pole canopy is a trim piece used to finish off the ceiling where it was cut to accept the celing entry power pole.

To determine pole height required, deduct panel height from ceiling height and add approximately 6″. Ceiling entry pole to be used with posts shown.

6″H base raceway option increase entire post height by 2¾″. (Please **add $47 list per post for this option**). Price does not apply to X-post.

The Power pole must be specified with an indication towards a surface finish (fabric, laminate, techwood or veneer).

Power pole and post combination do not allow the passage of power entry to beltway channel. All power from ceiling entry must travel to the base raceway and terminate at a power rail before traveling back up to the beltway inside the panel.

Hi-lo ceiling post covers must be ordered in hi-lo applications from 113.

Ceiling cable entry post covers
Alignment kits and wall starters

description	panel h	post h	w	h	pattern no.	list price
Ceiling entry post cover for Hi-Lo for monolithic or tiled applications	34″	42″			**RPHL3442(F/T)**	$31.
	34″	49″			**RPHL3449(F/T)**	45.
	34″	64″			**RPHL3464(F/T)**	89.
	34″	79″			**RPHL3479(F/T)**	132.
	42″	49″			**RPHL4249(F/T)**	61.
	42″	64″			**RPHL4264(F/T)**	85.
	42″	79″			**RPHL4279(F/T)**	93.
	49″	64″			**RPHL4964(F/T)**	85.
	49″	79″			**RPHL4979(F/T)**	93.
	64″	79″			**RPHL6479(F/T)**	67.
Ceiling entry post cover for Hi-Lo for stackable applications 	42″	49″			**RPHL4249S**	31.
	42″	64″			**RPHL4264S**	74.
	42″	79″			**RPHL4279S**	120.
	49″	64″			**RPHL4964S**	45.
	49″	79″			**RPHL4979S**	89.
	64″	79″			**RPHL6479S**	45.
Wall starter			7/8″	8″	**R2SWS0008 ( )( )( )**	43.
			7/8″	15″	**R2SWS0015 ( )( )( )**	57.
			7/8″	34″	**R2SWS0034 ( )( )( )( )**	112.
			7/8″	42″	**R2SWS0042 ( )( )( )( )**	137.
			7/8″	49″	**R2SWS0049 ( )( )( )( )**	160.
			7/8″	64″	**R2SWS0064 ( )( )( )( )**	210.
			7/8″	79″	**R2SWS0079 ( )( )( )( )**	259.

*Wall starters come with extended top trim from adjoining panel.

Order Code

Example:	**RPHL4249T**
R	Reff
P	Power post
HL	Hi lo cover
42	42″ low panel
49	49″ high panel
T	Tiled face type

Specification Information

To order please specify pattern number including:

Ceiling entry post cover:

1. Face type
2. Select finish
   fabric, laminate or veneer

1. Face type options:
F = Full
T = Tiled

Wall starter:
1. Pattern number including height
2. Adjoining panel width
3. Adjoining panel top trim profile (A, B, C or E)
4. Base height (4=4″ or 6=6″)
5. Top trim finish

Applicable finishes are listed on page 5 and 6.

Application Notes

These cover trims are for ceiling entry posts only.

Wall starter is designed to attach panel run to interior walls and is available as a modular unit. Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.

Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.

Wall starters come with extended top trim from adjoining panel.

Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.

RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.

RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.

R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.

Ceiling cable entry post covers
Alignment kits and wall starters

description	panel h	post h	w	h	pattern no.	list price
Panel alignment kits					**RSPABTD**	$7.
					**R3SPABTD**	7.
					RSPABPP	7.
					RSPABPW	7.
					RSPABPT	7.
					R3SPABPT	7.
					R3SPABTT	7.
					R3SPABTW	7.
					RSPABTT	7.
					RSPABPD	7.
					RSPABWW	7.
					RSPABWD	7.
					RSPABTW	7.

Suffix: BPT = for stacking module to panel, BTD = stacking module to door, BTT = stacking module to stacking module, BTW = stacking window to stacking module, BPD = panel to door, BPP = panel to panel

Order Code

Example:	**RPHL4249T**
R	Reff
P	Power post
HL	Hi lo cover
42	42″ low panel
49	49″ high panel
T	Tiled face type

Specification Information

To order please specify pattern number including:

Ceiling entry post cover:

1. Face type
2. Select finish
   fabric, laminate or veneer

1. Face type options:
F = Full
T = Tiled

Wall starter:
1. Pattern number including height
2. Adjoining panel width
3. Adjoining panel top trim profile (A, B, C or E)
4. Base height (4=4″ or 6=6″)
5. Top trim finish

Applicable finishes are listed on page 5 and 6.

Application Notes

These cover trims are for ceiling entry posts only.

Wall starter is designed to attach panel run to interior walls and is available as a modular unit. Alignment kits help to improve the stability of panel runs. Extended top trim included. Extended top trim to be installed on adjacent panel to wall starter at install and will cap wall starter.

Ceiling Entry Post Covers are required to cover the exposed area of a post in a hi/low application.

Wall starters come with extended top trim from adjoining panel.

Alignment kits are required for stacking modules and long panel runs. They are recommended when panels are supporting overhead storage. Please refer to planning guide for which alignment bracket to use for what condition.

RSPA-BPD, BPP, BPW, BWD and BWW for use with generation 2 or 3 panels.

RSPA-BPT, BTD, BTT and BTW for use with generation 2 only.

R3SPA-BPT, BTD, BTT and BTW for use with generation 3 only.

Rolling door and hinged door

description	depth	w	h	pattern no.	list price	polycarbonate	clear glass	architectural
Rolling door		36″	64′	**RRDPPL(L/R)6436( )**		$2,765.	$2,863.	$3,827.
		36″	79″	**RRD3PPL(L/R)7936( )( )**		3,015.	3,123.	4,216.
		42″	64″	**RRDPPL(L/R)6442( )**		2,818.	2,915.	3,875.
		42″	79″	**RRD3PPL(L/R)7942( )( )**		3,061.	3,169.	4,262.
Floor to ceiling rolling door		36″	79″	**RRD3FTCPPL(L/R)7936( )**		3,015.	3,123.	4,216.
		42″	79″	**RRD3FTCPPL(L/R)7942( )**		3,061.	3,169.	4,262.
Partial width threshold (full width threshold)	3″	50″		**RRDTH( )**	320.			
	3″	96″		**RRDTH(L/R)( )**	411.			
*Panel door right	(30″ opening) 1 ½″	36″	79″	**R2DRS7936( )( )( )**	3,601.			
	(36″ opening) 1 ½″	42″	79″	**R2DRS7942( )( )( )**	4,185.			
*Panel door left	(30″ opening) 1 ½″	36″	79″	**R2DLS7936( )( )( )**	3,601.			
	(36″ opening) 1 ½″	42″	79″	**R2DLS7942( )( )( )**	4,185.			

Woodgrain Laminate not available on Panel Door

Order Code

Example:	**RRDPPL(L)6436(A)(4)**
RRD	Reff rolling door
PPL	Monolithic frame
L	Left hand
64	64″ high
36	36″ wide
A	Flat style top trim
4″	4″ base height

Specification Information

Hinged Door

To order hinged doors please specify:

1. Top trim profile
2. Base height
3. Lock option
4. Door finish
5. Top trim finish
6. Base finish

1. Top trim profile:
A = Flat
B = Square
C = Bullnose

2. Base height:
4 = 4″ base
6 = 6″ base (add $47 for this option)

3. Lock option:
N = Not drilled
D = Drilled *
L = Drilled lock set included
D = *Customer supplies own handle.

Reff doors are 1½″ thick, which must be considered when custom handle and lock sets are used.

Rolling Door

To order please specify the pattern number including:

1. Door hand left or right
2. Top trim profile
3. Base height
4. Trim finish
5. Base finish
6. Handle finish
7. Frame/Capture finish
8. Insert finish
9. Threshold (optional) and finish

Frame Insert Finish
Temp = Cleared tempered glass
Architectural options:
GL13 = Powdered glass
GL6 = Block matrix
GL8 = Wafer glass
P5 = Polycarbonate

Application Notes

Applicable finishes are listed on page 5 and 6.

Hinged Door

- Hinged door frame matches door finish.
- Panel alignment kits required for door applications (see page 113).
- 6″ base increases door height 2¾″.
- Hinged door lock set is an ADA lever style handle in polished chrome.

Rolling Door

To meet ADA pull rating of 5 lbs., a partial or full width threshold must be specified.

The 42″ wide door meets ADA width requirements. This door can be installed on all Reff Generation 2 panels. Rolling door base is not available in plated finishes. The frame, door handle, threshold, and base are all the same finish.

When specifying 79″h rolling doors, must specify panel top trim profiles A, B or C. Do not use with applications with panel top trim profile E, extruded aluminum.

For 64″h rolling door, one of the following support conditions must be existent:
1. Full height cabinet attached to the supporting post and panel
2. Worksurface and end panel OR worksurface and pedestal attached to the supporting post and panel

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

No lock, no plated finishes available. Doors are handed. All attachment hardware comes shipped with the door including the capture and the stabilizer.

Threshold optional. Order separately. Threshold is available partial and full length. 29″ opening on 36″ wide door. 36″ opening on 42″ wide door.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post. Refer to Planning Guide for details.

Master key requests must be processed as a special request through Custom Product Development.

Attachment kits

description		w	h	pattern no.	list price
34″H panels to Generation 2 Beltway posts				**R234PKIT**	$104.
Generation 1 34″H panels to Generation 3 Beltway posts				**R334PKIT**	104.
Generation 1 panel 42″, 49″, 64″, 79″ high to Generation 2 panels				**R2AK**	n/c
Generation 1 panels to Generation 3 posts				**R3AK**	n/c
R3/R2 stacking post sleeve				**R3R2SLV**	n/c
Hookstrip cover reveal strip. (order separately for all panels)	Carpet gripper(Pack of 10)			**R2CG**	18.
	(Qty of 250)	3/8″	79″	**RHSCN250**	n/c
	(Qty of 15)	3/8″	79″	**RHSCN15**	n/c
	(Qty of 70)	3/8″	79″	**RHSCN70**	n/c

Order Code

Example:	**R234PKIT**
R2	Reff, generation 2
34	34″ h panel to
P	Beltway post
KIT	Attachment kit

Application Notes

When installing the rolling door to Generation 1 panels, two R3AK kits must be specified.

R3/R2 stacking post sleeve required when adding a G2 stacking post to a G3 base post or a G3 stacking post to a G2 base post.

Refer to Planning Guide for details.

Floor to ceiling modules
21″ high, for 104″ ceiling height and 79″ high panels fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade 10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides	18″	21″	**R3FTCFF2118**			$330.	$334.	$348.	$408.	$428.	$488.	$548.
	20″	21″	**R3FTCFF2120**			330.	334.	348.	408.	428.	488.	548.
	24″	21″	**R3FTCFF2124**			347.	351.	365.	425.	445.	505.	565.
	30″	21″	**R3FTCFF2130**			384.	388.	402.	462.	482.	542.	602.
	36″	21″	**R3FTCFF2136**			412.	416.	430.	490.	510.	570.	630.
	42″	21″	**R3FTCFF2142**			449.	453.	467.	527.	547.	607.	667.
	48″	21″	**R3FTCFF2148**			482.	486.	500.	560.	580.	640.	700.
Stack-on floor to ceiling window module. Single glass type “A”	18″	21″	**RFTCWA2118**	462.	544.							
	20″	21″	**RFTCWA2120**	462.	544.							
	24″	21″	**RFTCWA2124**	485.	586.							
	30″	21″	**RFTCWA2130**	564.	687.							
	36″	21″	**RFTCWA2136**	590.	733.							
	42″	21″	**RFTCWA2142**	621.	794.							
	48″	21″	**RFTCWA2148**	651.	842.							
Stack-on floor to ceiling window module. Center mullion, type “B”	30″	21″	**RFTCWB2130**	658.	779.							
	36″	21″	**RFTCWB2136**	714.	859.							
	42″	21″	**RFTCWB2142**	754.	921.							
	48″	21″	**RFTCWB2148**	789.	985.							







Order Code

Example:	**R3FTCFF2118**
R3	Reff Generation 3
FTC	Floor to ceiling
FF	Fabric/fabric
21	21″ high
18	18″ wide
W281	Fabric selection - side 1
W281	Fabric selection - side 2
111	Jet Black soffit

Specification Information

To order please specify pattern number including:

1. Pattern number
2. Panel side 1 finish
3. Panel side 2 finish
4. Soffit finish (paint)

For window panel:

1. Pattern number
2. Frame finish
3. Glass type

Application Notes

Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).

Specify the finish for frames from paint selection on page 5.

Add to all ceiling window modules on this page an upcharge of $34 per module for P2 paint class options or $62 per module per P3 paint class options.

Provide elevation drawing for mixed fabrics or veneers.

Alternative sizes from 21″ to 37″ in ½″ increments are available through Custom Product Development.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

No additional acoustic rating occurs on FTC installations.

Floor to ceiling modules
25″ high, for 108″ ceiling height and 79″ high panels fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade 10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides	18″	25″	**R3FTCFF2518**			$367.	$373.	$383.	$463.	$481.	$559.	$627.
	20″	25″	**R3FTCFF2520**			367.	373.	383.	463.	481.	559.	627.
	24″	25″	**R3FTCFF2524**			388.	394.	404.	484.	502.	580.	648.
	30″	25″	**R3FTCFF2530**			422.	428.	438.	518.	536.	614.	682.
	36″	25″	**R3FTCFF2536**			461.	467.	477.	557.	575.	653.	721.
	42″	25″	**R3FTCFF2542**			498.	504.	514.	594.	612.	690.	758.
	48″	25″	**R3FTCFF2548**			534.	540.	550.	630.	648.	726.	794.
Stack-on floor to ceiling window module. Single glass type “A”	18″	25″	**RFTCWA2518**	482.	565.							
	20″	25″	**RFTCWA2520**	482.	565.							
	24″	25″	**RFTCWA2524**	515.	613.							
	30″	25″	**RFTCWA2530**	595.	718.							
	36″	25″	**RFTCWA2536**	624.	768.							
	42″	25″	**RFTCWA2542**	664.	831.							
	48″	25″	**RFTCWA2548**	692.	884.							
Stack-on floor to ceiling window module. Center mullion, type “B”	30″	25″	**RFTCWB2530**	684.	803.							
	36″	25″	**RFTCWB2536**	757.	903.							
	42″	25″	**RFTCWB2542**	804.	973.							
	48″	25″	**RFTCWB2548**	849.	1,043.							







Order Code

Example:	**R3FTCFF2518**
R3	Reff Generation 3
FTC	Floor to ceiling
FF	Fabric/fabric
25	25″ high
18	18″ wide
W281	Fabric selection - side 1
W281	Fabric selection - side 2
111	Jet Black soffit

Specification Information

To order please specify pattern number including:

1. Pattern number
2. Panel side 1 finish
3. Panel side 2 finish
4. Soffit finish (paint)

For window panel:

1. Pattern number
2. Frame finish
3. Glass type

Application Notes

Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered clear glass (4mm thick).

Specify the finish for frames from paint selection on page 5.

Add to all ceiling window modules on this page an upcharge of $34 per module for P2 paint class options or $62 per module per P3 paint class options.

Provide elevation drawing for mixed fabrics or veneers.

Alternative sizes from 21″ to 37″ in ½″ increments are available through Custom Product Development.

Ceiling height includes 4″ allowance for trim.

Metal top side plates allow for 2″ adjustment downwards to allow for uneven floors.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

No additional acoustic rating occurs on FTC installations.

Floor to ceiling modules
37″ high, for 120″ ceiling height and 79″ high panels fabric and glass

description	w	h	pattern no.	clear glass	arch. glass	grade 10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric both sides	18″	37″	**R3FTCFF3718**			$481.	$485.	$495.	$615.	$635.	$753.	$861.
	20″	37″	**R3FTCFF3720**			481.	485.	495.	615.	635.	753.	861.
	24″	37″	**R3FTCFF3724**			509.	513.	523.	643.	663.	781.	889.
	30″	37″	**R3FTCFF3730**			552.	556.	566.	686.	706.	824.	932.
	36″	37″	**R3FTCFF3736**			600.	604.	614.	734.	754.	872.	980.
	42″	37″	**R3FTCFF3742**			646.	650.	660.	780.	800.	918.	1,026.
	48″	37″	**R3FTCFF3748**			689.	693.	703.	823.	843.	961.	1,069.



Stack-on floor to ceiling window module. Single glass type “A”	18″	37″	**RFTCWA3718**	552.	633.							
	20″	37″	**RFTCWA3720**	552.	633.							
	24″	37″	**RFTCWA3724**	594.	691.							
	30″	37″	**RFTCWA3730**	701.	808.							
	36″	37″	**RFTCWA3736**	729.	872.							
	42″	37″	**RFTCWA3742**	777.	944.							
	48″	37″	**RFTCWA3748**	818.	1,015.							



Stack-on floor to ceiling window module. Center mullion, type “B”	30″	37″	**RFTCWB3730**	755.	878.							
	36″	37″	**RFTCWB3736**	891.	1,035.							
	42″	37″	**RFTCWB3742**	960.	1,128.							
	48″	37″	**RFTCWB3748**	1,021.	1,217.							

Order Code

Example:	**R3FTCFF3718**
R3	Reff Generation 3
FTC	Floor to ceiling
FF	Fabric/fabric
37	37″ high
18	18″ wide
W281	Fabric selection - side 1
W281	Fabric selection - side 2
111	Jet Black soffit

Specification Information

To order please specify pattern number including:

1. Pattern number
2. Panel side 1 finish
3. Panel side 2 finish
4. Soffit finish (paint)

For window panel:

1. Pattern number
2. Frame finish
3. Glass type

Application Notes

Panel glass is mounted flush to one side of window panel. All window panels incorporate tempered glass (4mm thick).

Specify the finish for frames from paint selection on page 5.

Add to all ceiling window modules on this page an upcharge of $34 per module for P2 paint class options or $62 per module per P3 paint class options.

Provide elevation drawing for mixed fabrics or veneers.

Alternative sizes from 21″ to 37″ in ½″ increments are available through Custom Product Development.

Ceiling height includes 4″ allowance for trim.

Metal top side plates allow for 2″ adjustment downwards to allow for uneven floors.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules
21" and 25" high modules, fabric one side, laminate, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 21″	18″	21″	**R3FTCFL2118**	$375.	$377.	$382.	$415.	$425.	$456.	$489.
	20″	21″	**R3FTCFL2120**	375.	377.	382.	415.	425.	456.	489.
	24″	21″	**R3FTCFL2124**	388.	390.	395.	428.	438.	469.	502.
	30″	21″	**R3FTCFL2130**	436.	438.	443.	476.	486.	517.	550.
	36″	21″	**R3FTCFL2136**	473.	475.	480.	513.	523.	554.	587.
	42″	21″	**R3FTCFL2142**	515.	517.	522.	555.	565.	596.	629.
	48″	21″	**R3FTCFL2148**	554.	556.	561.	594.	604.	635.	668.
Stack-on floor to ceiling module Fabric one side, techwood other side, 21″	18″	21″	**R3FTCF12118**	382.	384.	389.	422.	432.	463.	496.
	20″	21″	**R3FTCF12120**	382.	384.	389.	422.	432.	463.	496.
	24″	21″	**R3FTCF12124**	397.	399.	404.	437.	447.	478.	511.
	30″	21″	**R3FTCF12130**	442.	444.	449.	482.	492.	523.	556.
	36″	21″	**R3FTCF12136**	480.	482.	487.	520.	530.	561.	594.
	42″	21″	**R3FTCF12142**	520.	522.	527.	560.	570.	601.	634.
	48″	21″	**R3FTCF12148**	566.	568.	573.	606.	616.	647.	680.
Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 21″	18″	21″	**R3FTCF22118**	389.	391.	396.	429.	439.	470.	503.
	20″	21″	**R3FTCF22120**	389.	391.	396.	429.	439.	470.	503.
	24″	21″	**R3FTCF22124**	402.	404.	409.	442.	452.	483.	516.
	30″	21″	**R3FTCF22130**	452.	454.	459.	492.	502.	533.	566.
	36″	21″	**R3FTCF22136**	488.	490.	495.	528.	538.	569.	602.
	42″	21″	**R3FTCF22142**	531.	533.	538.	571.	581.	612.	645.
	48″	21″	**R3FTCF22148**	573.	575.	580.	613.	623.	654.	687.
Stack-on floor to ceiling module Fabric one side, exotic veneer other side 21″	18″	21″	**R3FTCF321 18**	513.	515.	520.	553.	563.	594.	627.
	20″	21″	**R3FTCF321 20**	513.	515.	520.	553.	563.	594.	627.
	24″	21″	**R3FTCF321 24**	530.	532.	537.	570.	580.	611.	644.
	30″	21″	**R3FTCF321 30**	597.	599.	604.	637.	647.	678.	711.
	36″	21″	**R3FTCF321 36**	646.	648.	653.	686.	696.	727.	760.
	42″	21″	**R3FTCF321 42**	704.	706.	711.	744.	754.	785.	818.
	48″	21″	**R3FTCF321 48**	760.	762.	767.	800.	810.	841.	874.

Order Code

Example:	**R3FTCFL2118**
R3	Reff Generation 3
FTC	Floor to ceiling
FL	Fabric/laminate
21	21″ high
18	18″ wide
W281	Fabric selection - side 1
114	Folkstone grey - side 2
111	Jet Black soffit

Specification Information

To order please specify pattern number including:

1. Pattern number
2. Panel side 1 finish
3. Panel side 2 finish
4. Soffit finish (paint)

Applicable finishes are listed on page 5 and 6.

Application Notes

Provide elevation drawing for mixed fabrics or veneers.

Alternative sizes from 21″ to 37″ in ½″ increments are available through Custom Product Development.

Ceiling height includes 4″ allowance for trim.

Metal top side plates allow for 2″ (approx.) adjustment downwards to allow for uneven floors.

Modules on this page will not support the hanging of panel mount product.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules

21" and 25" high modules, fabric one side, laminate, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side, 25″	18″	25″	**R3FTCFL2518**	$403.	$406.	$413.	$455.	$464.	$504.	$540.
	20″	25″	**R3FTCFL2520**	403.	406.	413.	455.	464.	504.	540.
	24″	25″	**R3FTCFL2524**	417.	420.	427.	469.	478.	518.	554.
	30″	25″	**R3FTCFL2530**	474.	477.	484.	526.	535.	575.	611.
	36″	25″	**R3FTCFL2536**	514.	517.	524.	566.	575.	615.	651.
	42″	25″	**R3FTCFL2542**	564.	567.	574.	616.	625.	665.	701.
	48″	25″	**R3FTCFL2548**	609.	612.	619.	661.	670.	710.	746.
Stack-on floor to ceiling module Fabric one side, techwood other side, 25″	18″	25″	**R3FTCF12518**	409.	412.	419.	461.	470.	510.	546.
	20″	25″	**R3FTCF12520**	409.	412.	419.	461.	470.	510.	546.
	24″	25″	**R3FTCF12524**	422.	425.	432.	474.	483.	523.	559.
	30″	25″	**R3FTCF12530**	483.	486.	493.	535.	544.	584.	620.
	36″	25″	**R3FTCF12536**	521.	524.	531.	573.	582.	622.	658.
	42″	25″	**R3FTCF12542**	574.	577.	584.	626.	635.	675.	711.
	48″	25″	**R3FTCF12548**	619.	622.	629.	671.	680.	720.	756.
Stack-on floor to ceiling module Fabric one side, conventional veneer other side, 25″	18″	25″	**R3FTCF22518**	417.	420.	427.	469.	478.	518.	554.
	20″	25″	**R3FTCF22520**	417.	420.	427.	469.	478.	518.	554.
	24″	25″	**R3FTCF22524**	430.	433.	440.	482.	491.	531.	567.
	30″	25″	**R3FTCF22530**	491.	494.	501.	543.	552.	592.	628.
	36″	25″	**R3FTCF22536**	532.	535.	542.	584.	593.	633.	669.
	42″	25″	**R3FTCF22542**	583.	586.	593.	635.	644.	684.	720.
	48″	25″	**R3FTCF22548**	630.	633.	640.	682.	691.	731.	767.
Stack-on floor to ceiling module Fabric one side, exotic veneer other side 25″	18″	25″	**R3FTCF325 18**	546.	549.	556.	598.	607.	647.	683.
	20″	25″	**R3FTCF325 20**	546.	549.	556.	598.	607.	647.	683.
	24″	25″	**R3FTCF325 24**	567.	570.	577.	619.	628.	668.	704.
	30″	25″	**R3FTCF325 30**	647.	650.	657.	699.	708.	748.	784.
	36″	25″	**R3FTCF325 36**	704.	707.	714.	756.	765.	805.	841.
	42″	25″	**R3FTCF325 42**	772.	775.	782.	824.	833.	873.	909.
	48″	25″	**R3FTCF325 48**	836.	839.	846.	888.	897.	937.	973.

Order Code

Example:	**R3FTCFL2118**
R3	Reff Generation 3
FTC	Floor to ceiling
FL	Fabric/laminate
21	21″ high
18	18″ wide
W281	Fabric selection - side 1
114	Folkstone grey - side 2
111	Jet Black soffit

Specification Information

To order please specify pattern number including:

1. Pattern number
2. Panel side 1 finish
3. Panel side 2 finish
4. Soffit finish (paint)

Applicable finishes are listed on page 5 and 6.

Application Notes

Provide elevation drawing for mixed fabrics or veneers.

Alternative sizes from 21″ to 37″ in ½″ increments are available through Custom Product Development.

Ceiling height includes 4″ allowance for trim.

Metal top side plates allow for 2″ (approx.) adjustment downwards to allow for uneven floors.

Modules on this page will not support the hanging of panel mount product.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules
37″ high modules, fabric one side, laminate, techwood, conventional or exotic veneer other side

description	w	h	pattern no.	grade 10	15	20	30	35	40	45
Stack-on floor to ceiling module Fabric one side, laminate other side	18″	37″	**R3FTCFL3718**	$491.	$493.	$499.	$560.	$571.	$632.	$689.
	20″	37″	**R3FTCFL3720**	491.	493.	499.	560.	571.	632.	689.
	24″	37″	**R3FTCFL3724**	500.	502.	508.	569.	580.	641.	698.
	30″	37″	**R3FTCFL3730**	594.	596.	602.	663.	674.	735.	792.
	36″	37″	**R3FTCFL3736**	643.	645.	651.	712.	722.	784.	841.
	42″	37″	**R3FTCFL3742**	717.	719.	725.	786.	797.	858.	915.
	48″	37″	**R3FTCFL3748**	782.	784.	790.	851.	862.	923.	980.
Stack-on floor to ceiling module Fabric one side, techwood other side	18″	37″	**R3FTCF13718**	499.	501.	507.	568.	579.	640.	697.
	20″	37″	**R3FTCF13720**	499.	501.	507.	568.	579.	640.	697.
	24″	37″	**R3FTCF13724**	507.	509.	515.	576.	587.	648.	705.
	30″	37″	**R3FTCF13730**	603.	605.	611.	672.	683.	744.	801.
	36″	37″	**R3FTCF13736**	655.	657.	663.	724.	735.	796.	853.
	42″	37″	**R3FTCF13742**	733.	735.	741.	802.	813.	874.	931.
	48″	37″	**R3FTCF13748**	797.	799.	805.	866.	877.	938.	995.
Stack-on floor to ceiling module Fabric one side, conventional veneer other side	18″	37″	**R3FTCF23718**	506.	508.	514.	575.	586.	647.	704.
	20″	37″	**R3FTCF23720**	506.	508.	514.	575.	586.	647.	704.
	24″	37″	**R3FTCF23724**	518.	520.	526.	587.	598.	659.	716.
	30″	37″	**R3FTCF23730**	613.	615.	621.	682.	693.	754.	811.
	36″	37″	**R3FTCF23736**	664.	666.	672.	733.	744.	805.	862.
	42″	37″	**R3FTCF23742**	743.	745.	751.	812.	823.	884.	941.
	48″	37″	**R3FTCF23748**	812.	814.	820.	881.	892.	953.	1,010.
Stack-on floor to ceiling module Fabric one side, exotic veneer other side 37″	18″	37″	**R3FTCF337 18**	661.	663.	669.	730.	741.	802.	859.
	20″	37″	**R3FTCF337 20**	661.	663.	669.	730.	741.	802.	859.
	24″	37″	**R3FTCF337 24**	678.	680.	686.	747.	758.	819.	876.
	30″	37″	**R3FTCF337 30**	806.	808.	814.	875.	886.	947.	1,003.
	36″	37″	**R3FTCF337 36**	875.	877.	883.	944.	955.	1,016.	1,072.
	42″	37″	**R3FTCF337 42**	982.	984.	990.	1,051.	1,062.	1,123.	1,179.
	48″	37″	**R3FTCF337 48**	1,074.	1,076.	1,082.	1,143.	1,154.	1,215.	1,271.

Order Code

Example:	**R3FTCFL3718**
R3	Reff Generation 3
FTC	Floor to ceiling
FL	Fabric/laminate
37	37″ high
18	18″ wide
W281	Fabric selection - side 1
114	Folkstone grey - side 2
111	Jet Black soffit

Specification Information

To order please specify pattern number including:

1. Pattern number
2. Panel side 1 finish
3. Panel side 2 finish
4. Soffit finish (paint)

Applicable finishes are listed on page 5 and 6.

Application Notes

Provide elevation drawing for mixed fabrics or veneers.

Alternative sizes from 21″ to 37″ in ½″ increments are available through Custom Product Development.

Ceiling height includes 4″ allowance for trim.

Metal top side plates allow for 2″ (approx.) adjustment downwards to allow for uneven floors.

Modules on this page will not support the hanging of panel mount product.

Knoll recommends that all office spaces requiring use of FTC components be laser leveled at both the floor and ceiling points to determine variance. This is critical to selecting the correct size components.

Use of Reff FTC modules must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling modules
Panel connection posts for floor to ceiling applications

description		h	pattern no.	list price
L-Post 	add on	21″	**R3FTCL21**	$173.
	add on	25″	**R3FTCL25**	192.
	add on	37″	**R3FTCL37**	248.
	full height	104″	**R3FTCL104(F/T)(F/T)-( )( )**	392.
	full height	108″	**R3FTCL108(F/T)(F/T)-( )( )**	392.
	full height	120″	**R3FTCL120(F/T)(F/T)-( )( )**	392.
T-Post 	add on	21″	**R3FTCT21**	204.
	add on	25″	**R3FTCT25**	204.
	add on	37″	**R3FTCT37**	262.
	full height	104″	**R3FTCT104(F/T)-( )( )**	352.
	full height	108″	**R3FTCT108(F/T)-( )( )**	352.
	full height	120″	**R3FTCT120(F/T)-( )( )**	352.
X-Post 	add on	21″	**R3FTCX21**	171.
	add on	25″	**R3FTCX25**	189.
	add on	37″	**R3FTCX37**	247.
	full height	104″	**R3FTCX104**	323.
	full height	108″	**R3FTCX108**	323.
	full height	120″	**R3FTCX120**	323.
Straight post 	add on	21″	**R3FTCS21**	173.
	add on	25″	**R3FTCS25**	192.
	add on	37″	**R3FTCS37**	248.
	full height	104″	**R3FTCS104(F/T)(F/T)-( )( )**	392.
	full height	108″	**R3FTCS108(F/T)(F/T)-( )( )**	392.
	full height	120″	**R3FTCS120(F/T)(F/T)-( )( )**	392.
End post 	add on	21″	**R3FTCE21**	187.
	add on	25″	**R3FTCE25**	187.
	add on	37″	**R3FTCE37**	262.
	full height	104″	**R3FTCE104(F/T)(F/T)(F/T)-( )( )**	352.
	full height	108″	**R3FTCE108(F/T)(F/T)(F/T)-( )( )**	352.
	full height	120″	**R3FTCE120(F/T)(F/T)(F/T)-( )( )**	352.

Order Code

Example:	**R3FTCL104TT-6N**
R3FTC	Reff Gen 3 Floor to ceiling
L	Corner post
104	104″ high (one piece)
TT	Tiled appearance
6	6″ base height
N	No base infeed raceway knock-out
W808	Fabric selection
111	Jet Black (base finish)

Specification Information

To order please specify pattern number including:

1. Post face option
2. Base height option
3. Base infeed raceway knock-out, (optional)
4. Fabric selection
5. Base color

1. Face type:
F = Full height (monolithic look)
T = Tiled

2. Base height:
4 = 4″ base height
6 = 6″ base height (add $47 list for this option)

3. Electrical infeed post:
L = Base infeed left face
M = Base infeed middle face
R = Base infeed right face
N = None

Application Notes

The posts on this page do not support the hanging of panel mount product above the 79″H panels.

The posts on this page will not carry data or electrical cables from the ceiling. Contact custom product development for custom ceiling electrical requirements.

If required, specify the mouse hole location (specification action 4) to create access for electrical infeeds.

Left and Right hand locations are determined by facing the post in question from the outside of the station.

Hookstrip cover reveal strips are no charge but must be ordered separately from page 116.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Required components
for floor to ceiling applications

description	h	pattern no.	list price
FTC wall starter	21″	**RFTCWS21S**	$56.
	25″	**RFTCWS25S**	71.
	37″	**RFTCWS37S**	85.
Ceiling channel 108* and stabilizer beam	108″	**RFTCC108**	204.
Caddy clips (box of 100)		**RFTCCLIPS**	296.
Caddy clip spacers (box of 100) (Required in addition to Caddy Clips, where ceiling tiles hang below T-Bar level.)		**RFTCSPACE**	93.
Floor to ceiling stabilizer bracket for A or C window only, G2 tiled or mono panels (B window requires two pairs)		**RFTCWT (Pair)**	7.
Floor to ceiling beam bracket for top of a stacking module		**RFTCSM (Pair) for G2 only**	7.
		R3FTCSM (Pair) for G3 only	7.
Floor to ceiling beam bracket for top of a G1 panel		**RFTCG1 (Pair)**	7.
Floor to ceiling beam bracket for top of a door panel		**RFTCDR (Pair)**	7.

*These brackets are to be used with hinge doors only.

Order Code

Example:	**RFTCWS21S**
R	Reff
FTC	Floor to ceiling
WS	Wall starter
21	21″ high

Specification Information

To order please specify pattern number including:

1. Fabric/laminate/wood options
2. Paint option for metal soffit

All floor to ceiling posts mimic the panel system post application.

Application Notes

*Ceiling channel must be field cut to the panel run length, or joined if forming extended runs.

Ceiling channel comes with panel stabilizer beam. Ceiling stabilizer beam must be attached to the top of the 79″H portion of your wall before the ceiling modules can be attached.

Please see the Planning Guide (pages 51-55) for detailed instructions on specifying and installing FTC components.

Use of Reff FTC components must be approved by local building authorities.

Refer to Reff Planning Guide, section 3 for floor-to-ceiling details prior to specifying.

Floor to ceiling stabilizer brackets ship with bolts to connect the stabilizer beam, brackets and FTC module to the 79″H panel.

Power distribution components

2+2 Base Raceway

four circuit, eight-wire raceway for panels power rails and connector

description	type	w	d	h	pattern no.	list price
Power rail for panel base	24″ panel	6″	2″	2″	**RR3-E24**	$132.
	30″ panel	12″	2″	2″	**RR3-E30NS**	146.
	36″ panel	18″	2″	2″	**RR3-E36NS**	160.
	42″ panel	24″	2″	2″	**RR3-E42NS**	167.
	48″ panel	30″	2″	2″	**RR3-E48NS**	175.
	60″ panel	42″	2″	2″	**RR3-E60-4**	265.
	66″ panel	48″	2″	2″	**RR3-E66-4**	279.
	72″ panel	54″	2″	2″	**RR3-E72-4**	299.
Power connector* 	Straight	16 ½″	2″	2″	**RR3-EPC24**	77.
		18 ½″	2″	2″	**RR3-EPCS**	77.
		20¼″	2″	2″	**RR3-EPC**	77.
		Use **RR3-EPC24** for straight 24″ to 24″ wide panel. Use **RR3-EPCS** for straight 24″ to any other width panel and for 30″ to 30″ wide panels. Use **RR3-EPC** for all other straight power connection configurations.				
	Through post	19″	2″	2″	**RR3-EPCP24**	77.
		21″	2″	2″	**RR3-EPCPS**	77.
		22¾″	2″	2″	**RR3-EPCP**	77.
		Use **RR3-EPCP24** for through post 24″ to 24″ wide panels. Use **RR3-EPCPS** for through post 24″ to any other width panel and for 30″ to 30″ wide panels. Use **RR3-EPCP** for all other through post power connection configurations.				
Duplex outlets, black	Circuit A				**RR3-DA**	36.
	Circuit B				**RR3-DB**	36.
	Circuit X				**RR3-DX**	36.
	Circuit Y				**RR3-DY**	36.
Duplex outlets, orange	Circuit X				**RR3-DXO**	41.
	Circuit Y				**RR3-DYO**	41.
Data Shield	1 pair				**RR3-DATSHD**	25.

Order Code

Example:	**RR3-E-24**
RR3	Reff raceway
E	Eight wire 2+2
24	for 24″ panel

Specification Information

Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting.

Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.

Application Notes

Power rails are the primary power distribution component of the Reff 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24″ wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30″ to 48″ panels accept two outlets (or one outlet and one infeed) on each side. 60″, 66″ and 72″W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection.

Power connectors are enclosed in steel flexible conduit.

*Power connectors must be specified according to the panel widths in the specified orientation.

If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components

2+2 Base Raceway

four circuit, eight-wire raceway for panels jumpers and infeed

description	type	w	d	h	pattern no.	list price
Jumper 	20″ panel	40″	2″	2″	**RR3-EJ20**	$96.
	18″ panel	38″	2″	2″	**RR3-EJ18**	96.
	24″ panel	44″	2″	2″	**RR3-EJ24**	104.
	30″ panel	50″	2″	2″	**RR3-EJ30**	111.
	36″ panel	56″	2″	2″	**RR3-EJ36**	120.
	42″ panel	62″	2″	2″	**RR3-EJ42**	126.
	48″ panel	68″	2″	2″	**RR3-EJ48**	132.
	54″ panel run	76 ½″	2″	2″	**RR3-EJ54P**	139.
	60″ panel run	82 ½″	2″	2″	**RR3-EJ60P**	146.
	66″ panel run	88 ½″	2″	2″	**RR3-EJ66P**	154.
	72″ panel run	94 ½″	2″	2″	**RR3-EJ72P**	160.
	78″ panel run	100 ½″	2″	2″	**RR3-EJ78P**	167.
	84″ panel run	106 ½″	2″	2″	**RR3-EJ84P**	175.
	90″ panel run	112 ½″	2″	2″	**RR3-EJ90P**	182.
	96″ panel run	118 ½″	2″	2″	**RR3-EJ96P**	189.
Extended jumper (through one post) 	20″ + post	42 ½″	2″	2″	**RR3-EJ20P**	96.
	18″ + post	40 ½″	2″	2″	**RR3-EJ18P**	96.
	24″ + post	46 ½″	2″	2″	**RR3-EJ24P**	104.
	30″ + post	52 ½″	2″	2″	**RR3-EJ30P**	111.
	36″ + post	58 ½″	2″	2″	**RR3-EJ36P**	120.
	42″ + post	64½″	2″	2″	**RR3-EJ42P**	126.
	48″ + post	70½″	2″	2″	**RR3-EJ48P**	132.
Power infeeds 	Surge suppressors				**RR3-SP-(A,B,X,Y)**	167.
	Hardwire infeed (NYC) one direction				**RR3-EPNY1**	194.
	Panel base side infeed				**RR3-EPI**	230.
	Panel base end feed				**RR3-REPI**	230.
	Ceiling power cable infeed. Eight-wire				**RR3-EPVR**	265.
	Hardwire infeed (NYC) two directions				**RR3-EPNY2**	291.

Order Code

Example:	**RR3-EPVR**
RR3	Reff raceway
E	Eight wire 2+2
P	power infeed
VR	for vertical raceway

Specification Information

Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two 20-amp circuits (X and Y) with separate neutral and ground.

For use in Canada, all circuits are CGA rated 15 amp capacity.

Note:
For NYC hardwire infeeds specify bracket height: 4″, 5″, or 6″H.

Beltway panels can use jumpers at the panel base in a straight run or around a corner.

Application Notes

Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18″ to 48″ are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54″ to 96″ wide can be used with or without a post application. Extended jumpers and jumpers 54″ to 96″ wide can only pass through panels and one post.

Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13′ pigtail for connection into panel base through power pole adjacent to panel with power rail. Power pole and post must be ordered separately.

Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30″ or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. **RR3-EPNY2** includes two power connectors to power panels on both sides of infeed panel; **RR3-EPNY1** includes only one power connector.

Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.

Power distribution components

3+3 Base Raceway

six circuit, ten-wire raceway for panels power rails and connectors

description	type	w	d	h	pattern no.	list price
Power rail for panel base	24″ panel	6″	2″	2″	**RR3-T24**	$154.
	30″ panel	12″	2″	2″	**RR3-T30NS**	167.
	36″ panel	18″	2″	2″	**RR3-T36NS**	182.
	42″ panel	24″	2″	2″	**RR3-T42NS**	194.
	48″ panel	30″	2″	2″	**RR3-T48NS**	202.
	60″ panel	42″	2″	2″	**RR3-T60-4**	314.
	66″ panel	48″	2″	2″	**RR3-T66-4**	327.
	72″ panel	54″	2″	2″	**RR3-T72-4**	349.
Power connector* 	Straight	16 1/2″	2″	2″	**RR3-TPC24**	96.
		18 1/2″	2″	2″	**RR3-TPCS**	96.
		20 1/4″	2″	2″	**RR3-TPC**	96.
		Use **RR3-TPC24** for through post 24″ to 24″ wide panels. Use **RR3-TPCS** for through post 24″ to any other width panel and for 30″ to 30″ wide panels. Use **RR3-TPC** for all other through post power connection configurations.				
	Through post	19″	2″	2″	**RR3-TPCP24**	96.
		21″	2″	2″	**RR3-TPCPS**	96.
		22 3/4″	2″	2″	**RR3-TPCP**	96.
		Use **RR3-TPCP24** for through post 24″ to 24″ wide panels. Use **RR3-TPCPS** for through post 24″ to any other width panel and for 30″ to 30″ wide panels. Use **RR3-TPCP** for all other through post power connection configurations.				
Duplex outlets, black	Circuit A				**RR3-DA**	36.
	Circuit B				**RR3-DB**	36.
	Circuit C				**RR3-DC**	36.
	Circuit X				**RR3-DX**	36.
	Circuit Y				**RR3-DY**	36.
	Circuit Z				**RR3-DZ**	36.
Duplex outlets, orange	Circuit X				**RR3-DXO**	41.
	Circuit Y				**RR3-DYO**	41.
	Circuit Z				**RR3-DZO**	41.
Data Shield	1 pair				**RR3-DATSHD**	25.

Order Code

Example:	**RR3-T-24**
RR3	Reff raceway
T	Ten wire 3+3
24	for 24″ panel

Specification Information

Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.

A, B, X, Y outlets are identical to eight wire, 2+2 components.

Duplex outlet circuits are designated by white letters on black background.

In Canada, circuits carry a 15 amp load rating.

Note:
Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.

Application Notes

Power rails are the primary power distribution component of the Reff 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.

Rail for 24″W panel accepts one duplex outlet or power infeed one either side. Rails for 30″ to 48″ panels accept two outlets each side, 60″, 66″ and 72″ rails accept four duplex outlets per side.

*Power connectors must be specified according to the panel widths in the specified orientation.

Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection.

Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black.

If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels jumpers and infeed

description	type	w	d	h	pattern no.	list price
Jumper 	18″ panel	38″	2″	2″	**RR3-TJ18**	$111.
	20″ panel	40″	2″	2″	**RR3-TJ20**	111.
	24″ panel	44″	2″	2″	**RR3-TJ24**	120.
	30″ panel	50″	2″	2″	**RR3-TJ30**	126.
	36″ panel	56″	2″	2″	**RR3-TJ36**	132.
	42″ panel	62″	2″	2″	**RR3-TJ42**	146.
	48″ panel	68″	2″	2″	**RR3-TJ48**	160.
	54″ panel run	76½″	2″	2″	**RR3-TJ54P**	167.
	60″ panel	82½″	2″	2″	**RR3-TJ60P**	175.
	66″ panel run	86½″	2″	2″	**RR3-TJ66P**	182.
	72″ panel run	94½″	2″	2″	**RR3-TJ72P**	189.
	78″ panel run	100½″	2″	2″	**RR3-TJ78P**	194.
	84″ panel run	106½″	2″	2″	**RR3-TJ84P**	211.
	90″ panel run	112½″	2″	2″	**RR3-TJ90P**	216.
	96″ panel run	118½″	2″	2″	**RR3-TJ96P**	222.
Extended jumper 	18″ + post	40½″	2″	2″	**RR3-TJ18P**	111.
	20″ + post	46½″	2″	2″	**RR3-TJ20P**	111.
	24″ + post	46½″	2″	2″	**RR3-TJ24P**	120.
	30″ + post	52½″	2″	2″	**RR3-TJ30P**	126.
	36″ + post	58½″	2″	2″	**RR3-TJ36P**	132.
	42″ + post	64½″	2″	2″	**RR3-TJ42P**	146.
	48″ + post	70½″	2″	2″	**RR3-TJ48P**	160.
Power infeeds 	Surge suppressors *				**RR3-SP-(A, B, C, X, Y, Z)**	167.
	Hardwire infeed (NYC) one direction **				**RR3-TPNY1**	222.
	Panel base end feed				**RR3-RTPI**	265.
	Panel base side infeed				**RR3-TPI**	265.
	Ceiling power cable infeed. Ten-wire				**RR3-TPVR**	321.
	Hardwire infeed (NYC) two directions **				**RR3-TPNY2**	321.

* Select which circuit needs protecting and order the specified surge processor.
** For RR3-TPNY1 and RR3-TPNY2 specify base height of panel for NYC.

Order Code

Example:	**RR3-TPVR**
RR3	Reff raceway
T	Ten wire 3+3
P	power infeed
VR	for vertical raceway

Specification Information

Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A, B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.

In Canada, circuits carry a 15 amp load rating.

Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13′ pigtail for connection into panel base through standard power pole. Power pole and post must be ordered separately.

Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30″ or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. **RR3-TPNY2** includes two power connectors to power panels on both sides of infeed panel; **RR3-TPNY1** includes only one power connector.

Note:
For NYC hardwire infeeds specify bracket height: 4″, 5″, or 6″H.

Application Notes

Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18″ to 48″ are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54″ to 96″ wide can be used with or without a post application. Extended jumpers and jumpers 54″ to 96″ wide can only pass through panels and one post.

Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.

Beltway panels can use jumpers at the panel base in a straight run or around a corner.

Power distribution components
Hardwire box

description	type	pattern no.	list
Chicago Hardwire Box 1 Sided 	24″ panel	**RR3CHI241**	$207.
	30″ panel	**RR3CHI301**	240.
	36″ panel	**RR3CHI361**	259.
	42″ panel	**RR3CHI421**	262.
	48″ panel	**RR3CHI481**	280.
Chicago Hardwire Box 2 Sided 	24″ panel	**RR3CHI242**	214.
	30″ panel	**RR3CHI302**	256.
	36″ panel	**RR3CHI362**	263.
	42″ panel	**RR3CHI422**	267.
	48″ panel	**RR3CHI482**	298.

Order Code		**Specification Information**	**Application Notes**
Example:	**RR3CHI24**	Hardwire box is didicated for panels with raceway either one or two sided, be sure to match to panel specification.	Certified electrican to install. Reff Hardwire Box Installation instruction sheet available. Part number 6TR45715.
RR3	Reff/AutoStrada raceway G3		
CHI	Chicago Hardwire Box		
24	For 24″ wide panel		
1	One sided raceway		

description	type	w	pattern no.	list price
One sided power rail for use with one sided Beltway Panel. Eight wire only. 2 sided beltway panels use standard base power rail. 	24″ panel		**RR3-E24S**	$139.
	30″ panel		**RR3-E30S**	160.
	36″ panel		**RR3-E36S**	175.
	42″ panel		**RR3-E42S**	189.
	48″ panel		**RR3-E48S**	194.
One sided power rail for use with one sided Beltway panel. Ten wire only 	24″ panel		**RR3-T24S**	167.
	30″ panel		**RR3-T30S**	182.
	36″ panel		**RR3-T36S**	194.
	42″ panel		**RR3-T42S**	211.
	48″ panel		**RR3-T48S**	216.
Beltway ribbon connector For eight or ten wire* 	Beltway post	16½″	**RR3-LTPC24**	96.
	Beltway post	19½″	**RR3-LTPC**	96.
	Beltway post	21½″	**RR3-LTPCP**	96.
	Only necessary for post applications where cable will turn 90°ree. A standard power connector will go through a post in a straight run.			
Vertical Jumper for linking base raceway and Beltway power rails in the same panel	For 30″ wide Beltway panels (8 Wire)		**RR3-EBBCS**	131.
	For 36″ to 48″ wide Beltway panels (8 Wire)		**RR3-EBBCL**	139.
	For 30″ wide Beltway panels (10 Wire)		**RR3-TBBCS**	139.
	For 36″ to 48″ wide Beltway panels (10 Wire)		**RR3-TBBCL**	147.

Order Code

Example:	**RR3-T42S**
RR3	Reff raceway
T	Ten wire 3+3
42	For 42″ panel
S	Single sided power

*Power connectors must be specified according to the panel widths in the specified orientation.

Specification Information

Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.

Two side beltway panels use power rail for base.

Single side beltway panel use one sided power rail for base.

Note:
When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.

Application Notes

Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.

Power cannot be transferred from base raceway to beltway raceway in 18″, 20″, and 24″W Reff beltway panels.

Vertical Adjacent Jumper
* *Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.

Vertical Jumper
When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	w	pattern no.	list price
Vertical Adjacent Jumper** For linking power to beltway from an adjacent panel	24″ wide Eight Wire		**RR3EJ48**	$132.
	30″ wide Eight Wire		**RR3EJ60P**	146.
	36″ wide Eight Wire		**RR3EJ60P**	146.
	42″ wide Eight Wire		**RR3EJ66P**	154.
	48″ wide Eight Wire		**RR3EJ72P**	160.
	24″ wide Ten Wire		**RR3TJ48**	160.
	30″ wide Ten Wire		**RR3TJ60P**	175.
	36″ wide Ten Wire		**RR3TJ60P**	175.
	42″ wide Ten Wire		**RR3TJ66P**	182.
	48″ wide Ten Wire		**RR3TJ72P**	189.



Order Code

Example:	**RR3-T42S**
RR3	Reff raceway
T	Ten wire 3+3
42	For 42″ panel
S	Single sided power

*Power connectors must be specified according to the panel widths in the specified orientation.

Specification Information

Beltway ribbon connector used only to transition power around 90° turns. To go straight through a post condition at beltway use standard power connector.

Two side beltway panels use power rail for base.

Single side beltway panel use one sided power rail for base.

Note:
When specifying 10 wire electrical you must order the appropriate 10 wire jumper to bring power to beltway from the adjacent panel.

Application Notes

Beltway power distribution is provided through the use of regular power rails in two sided Beltway panels and by single sided power rails in one sided Beltway panels. In order to turn 90° through this passage a ribbon connector must be specified. Straight Beltway panel to panel connections can use the standard group of jumpers and connectors from the preceding pages.

Power cannot be transferred from base raceway to beltway raceway in 18″, 20″, and 24″W Reff beltway panels.

Vertical Adjacent Jumper
* *Power jumpers can be used to bring power to the beltway raceway from an adjacent panel's base raceway. This eliminates the need for a power rail in the base of the beltway panel. These are standard panel jumpers.

Vertical Jumper
When beltway panel base raceway contains a powerrail, the vertical jumper can be positioned in the base of the beltway panel and brought to the desk height location within the same panel.

description	type	pattern no.	list price
Face plates	Two port faceplate, black	**RR3-2PF**	$10.
	Three port faceplate, black	**RR3-3PF**	10.
	Cover, data jack (set of 10)	**RR3-FB**	13.
	Faceplate extender, black	**RR3-FE**	32.
Snap in module (must be used with faceplate)	Cat 3 RJ11/14/25, black	**RR3-C3C**	12.
	BNC coupler, black	**RR3-BNC**	19.
	CAT 5 RJ45 universal	**RR3-C5C**	19.
	F series video coupler, black	**RR3-FV**	19.
	CAT 6 universal	**RR3-C6C**	33.
	ST style coupler, black	**RR3-ST**	33.
Icons (sets of 10)	Mixed icons, 16 piece black	**RR3-MICON**	13.
	Data icons, 16 piece black	**RR3-DICON**	13.
	Phone icons, 16 piece black	**RR3PICON**	13.
Plate and module kits	4 Cat 5 RJ45-T568A extended face, black	**RR3-C5C4A**	130.
	4 Cat 5 RJ45-T568B extended face, black	**RR3-C5C4B**	130.
Fiber optics	ST style dual fiber optic side mount	**RR3-FOST**	93.
	Sc style dual fiber optic side mount	**RR3-FOSC**	164.
Desktop duplex monument	2-RJ11 (telephone)	**RGMD6**	99.
	2-RJ45's (phone and intercom)	**RGMD8**	110.
	Duplex outlet (electrical)	**RGMDE**	119.

Order Code

Example:	**RR3-2PF**
RR3	Reff raceway
2PF	Two port face

Example:	**RR3-C5CA**
RR3	Reff raceway
C5CA	Cat5 RJ45s

Specification Information

All face plates and snap in modules are black.

Icons can be ordered to distinguish intended use.

*The RR3-C5C universal CAT 5 RJ45 module will accept EIA-T568A *and* EIA-T568B wiring methods.

Face plates and plate kits snap into raceway openings on Reff Base Raceway and Reff Beltway.

Application Notes

Faceplate Extender is a ½″ spacer which provides more depth for the faceplate to reside in, thereby increasing the space inside the Raceway.

Faceplates are ordered separately from snap in modules and can be configured on sight.

See Planning Guide for drawings depicting the detail of the data modules.

Reff Ported Panel Components
application notes



Ported Panel Components

Reff ported panel components offer a cost effective alternative to using beltway panels which will provide users convenient access to data or power outlets at any user defined height on a Reff panel. Ports are one sided and may be installed below a worksurface, at desk height or even within a panel hung overhead storage unit.

Select option ″Milled for ported components″ when specifying panels. Ports may be added as technology needs change. Ports are field installed on the left or right hand side of a panel's vertical frame in either wood or fabric inserts. Installation instructions will be shipped with each kit, including a template for port placement along the vertical frame.

Panel jumpers are used to connect standard base electrical to the ported panel kit. Jumpers can be specified to connect a port within the same panel or to adjacent panels. Panel jumpers always pass through base raceway. If one port is installed, an additional port may be added within the same panel with an internal power jumper between the two ports. Ports can also be daisy-chained together in adjacent panels. Ported panel components are not available for stackable modules.

The kit includes a bracket set and cover plate and is ordered separately from the modular power components. Specify electrical components as you would for base raceway power then add the ported panel bracket kit, applicable duplexes and power jumpers.



Vertical power port bracket kit and duplex.

Reff Ported Panel Components
port, vertical duplex and panel jumpers

description	type	pattern no.	list price
Port	Floating data port	**RR3FDP**	$52.
	Vertical Power Port Bracket Kit (includes bracket, cover plate & installation instructions)	**RR3VPBK**	81.
Vertical Duplex	Vertical Duplex A (8/10 wire applications)	**RR3VDA**	27.
	Vertical Duplex B (8/10 wire applications)	**RR3VDB**	27.
	Vertical Duplex C (10 wire applications)	**RR3VDC**	27.
	Vertical Duplex X (8/10 wire applications)	**RR3VDX**	27.
	Vertical Duplex Y (8/10 wire applications)	**RR3VDY**	27.
	Vertical Duplex X Iso (8/10 wire applications)	**RR3VDXO**	27.
	Vertical Duplex Z Iso (10 wire applications)	**RR3VDZO**	27.
	Vertical Duplex Z (10 wire applications)	**RR3VDZ**	27.
	Vertical Duplex Y Iso (8/10 wire applications)	**RR3VDYO**	27.
Same Panel Jumper, 8w	30″ same Panel Jumper 50″ 8w	**RR3EBVC50**	139.
	36″ + same Panel Jumper 62″ 8w	**RR3EBVC62**	150.
	30″ same Panel Jumper 64″ 8w	**RR3EBVC64**	151.
	36″ + same Panel Jumper 76″ 8w	**RR3EBVC76**	163.
	30″ same Panel Jumper 78″ 8w	**RR3EBVC78**	164.
	36″ + same Panel Jumper 90″ 8w	**RR3EBVC90**	178.
Same Panel Jumper, 10w	30″ same Panel Jumper 50″ 10w	**RR3TBVC50**	159.
	36″ + same Panel Jumper 62″ 10w	**RR3TBVC62**	171.
	30″ same Panel Jumper 64″ 10w	**RR3TBVC64**	175.
	36″ + same Panel Jumper 76″ 10w	**RR3TBVC76**	187.
	30″ same Panel Jumper 78″ 10w	**RR3TBVC78**	191.
	36″ + same Panel Jumper 90″ 10w	**RR3TBVC90**	202.

Order Code

Example:	**RR3VPBK**
RR3	Reff
VP	Vertical port
BK	Bracket kit

Specification Information

For data and communications specify product listed on page 132.

Application Note

30″ same panel jumper only used if there is a harness in base of 30″ panel . Length of panel jumper required driven by intended location of port.
50″ will support port location in extreme top corner of 49″h
64″ will support port location in extreme top corner of 64″h
78″ will support port location in extreme top corner of 79″h

36″+ same panel jumper only used if there is a harness in the base of 36″, 42″ or 48″ panels. Length of panel jumper required driven by intended location of port.
62″ will support port location in extreme top corner of 49″h
76″ will support port location in extreme top corner of 64″h
90″ will support port location in extreme top corner of 79″h

If harness is in base of 24″ panel you can not jump vertically, must remove harness.

A harness for Reff 30″ wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness.

Internal panel jumper to be used within a panel, between two ports approximate span 48″. Both duplex units must be the same circuit for this application.

Adjacent Panel Jumpers:
82″ is max for 49″ high panel
96″ is max if panel is 64″ high
110″ is max if panel is 79″ high

All covers plates and snap in modules are black.

Reff Ported Panel Components
port, vertical duplex and panel jumpers

description	type	pattern no.	list price
Adjacent Panel Jumper, 10w	Adjacent Panel Jumper 82″ 10w	**RR3TVJ82**	$188.
	Adjacent Panel Jumper 96″ 10w	**RR3TVJ96**	204.
	Adjacent Panel Jumper 110″ 10w	**RR3TVJ110**	218.
Adjacent Panel Jumper, 8w	Adjacent Panel Jumper 82″ 8w	**RR3EVJ82**	167.
	Adjacent Panel Jumper 96″ 8w	**RR3EVJ96**	181.
	Adjacent Panel Jumper 110″ 10w	**RR3EVJ110**	192.
Internal Panel Jumper	Internal Panel Jumper 8 w	**RR3EVJ**	130.
	Internal Panel Jumper 10 w	**RR3TVJ**	140.





Order Code

Example:	**RR3VPBK**
RR3	Reff
VP	Vertical port
BK	Bracket kit

Specification Information

For data and communications specify product listed on page 132.

Application Note

30″ same panel jumper only used if there is a harness in base of 30″ panel . Length of panel jumper required driven by intended location of port.
50″ will support port location in extreme top corner of 49″h
64″ will support port location in extreme top corner of 64″h
78″ will support port location in extreme top corner of 79″h

36″+ same panel jumper only used if there is a harness in the base of 36″, 42″ or 48″ panels. Length of panel jumper required driven by intended location of port.
62″ will support port location in extreme top corner of 49″h
76″ will support port location in extreme top corner of 64″h
90″ will support port location in extreme top corner of 79″h

If harness is in base of 24″ panel you can not jump vertically, must remove harness.

A harness for Reff 30″ wide panel with raceway on one side will only accept one same panel jumper. A duplex will not fit with the same panel jumper installed in the harness.

Internal panel jumper to be used within a panel, between two ports approximate span 48″. Both duplex units must be the same circuit for this application.

Adjacent Panel Jumpers:
82″ is max for 49″ high panel
96″ is max if panel is 64″ high
110″ is max if panel is 79″ high

All covers plates and snap in modules are black.

Worksurface 1 1/4″
rectilinear
20″ and 24″ deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops	20″	24″	**RSA241-( )( )**	$297.	$324.	$373.	$502.
		30″	**RSA301-( )( )**	325.	356.	408.	551.
		36″	**RSA361-( )( )**	344.	375.	431.	583.
		42″	**RSA421-( )( )**	357.	393.	451.	609.
		48″	**RSA481-( )( )**	375.	407.	468.	631.
		54″	**RSA541-( )( )**	390.	423.	489.	662.
		60″	**RSA601-( )( )**	421.	458.	527.	713.
		66″	**RSA661-( )( )**	431.	472.	544.	734.
		72″	**RSA721-( )( )**	456.	497.	570.	770.
		78″	**RSA781-( )( )**	462.	502.	579.	782.
		84″	**RSA841-( )( )**	489.	537.	616.	831.
		90″	**RSA901-( )( )**	512.	558.	640.	866.
		96″	**RSA961-( )( )**	531.	579.	665.	897.
	24″	24″	**RSA242-( )( )**	312.	340.	393.	530.
		30″	**RSA302-( )( )**	353.	384.	444.	598.
		36″	**RSA362-( )( )**	365.	402.	460.	621.
		42″	**RSA422-( )( )**	380.	413.	475.	640.
		48″	**RSA482-( )( )**	403.	444.	510.	687.
		54″	**RSA542-( )( )**	431.	472.	544.	734.
		60″	**RSA602-( )( )**	465.	508.	582.	786.
		66″	**RSA662-( )( )**	477.	523.	603.	813.
		72″	**RSA722-( )( )**	501.	546.	630.	851.
		78″	**RSA782-( )( )**	523.	572.	661.	891.
		84″	**RSA842-( )( )**	545.	596.	685.	925.
		90″	**RSA902-( )( )**	572.	622.	715.	964.
		96″	**RSA962-( )( )**	592.	646.	744.	1,004.



Order Code

Example:	**RSA241RL**
R	Reff
S	Straight top
A	1 1/4″ thick
24	24″ wide
1	20″ deep
R	Recessed grommet option
L	Laminate finish
114	Folkstone grey
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Grommet option
3. Top finish type
4. Top finish
5. Grommet finish

1. Thickness options:
A = 1 1/4″

2. Grommet options:
N = No grommets
F = Flush front grommet location
R = Recessed front (not recommended for 20″D and 24″D tops)

3. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

4. Top finish

5. Grommet finish:
Painted or Plated

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16″ less than nominal dimension. Actual depth is 1/8″ less.

Application Notes

1 3/4″ thick laminate option is double post formed front and back, all others are edgebanded.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.

Mixed finish 1 3/4″ tops are not post-formed.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48″w.

Worksurface 1 1/4″
rectilinear
30″ and 36″ deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops	30″	24″	**RSA243-( )( )**	$341.	$370.	$424.	$573.
		30″	**RSA303-( )( )**	383.	417.	480.	649.
		36″	**RSA363-( )( )**	411.	450.	516.	696.
		42″	**RSA423-( )( )**	428.	467.	538.	727.
		48″	**RSA483-( )( )**	458.	499.	573.	774.
		54″	**RSA543-( )( )**	495.	540.	619.	835.
		60″	**RSA603-( )( )**	513.	559.	642.	868.
		66″	**RSA663-( )( )**	522.	571.	660.	890.
		72″	**RSA723-( )( )**	537.	585.	673.	908.
		78″	**RSA783-( )( )**	561.	613.	705.	951.
		84″	**RSA843-( )( )**	583.	637.	733.	990.
		90″	**RSA903-( )( )**	611.	666.	768.	1,037.
		96″	**RSA963-( )( )**	632.	691.	795.	1,073.
	36″	60″	**RSA604-( )( )**	591.	645.	740.	999.
		66″	**RSA664-( )( )**	611.	667.	769.	1,038.
		72″	**RSA724-( )( )**	631.	690.	794.	1,072.



Order Code

Example:	**RSA243RL**
R	Reff
S	Straight top
A	1 1/4″ thick
24	24″ wide
3	30″ deep
R	Recessed grommet option
L	Laminate finish
114	Folkstone grey
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Grommet option
3. Top finish type
4. Top finish
5. Grommet finish

1. Thickness options:
A = 1 1/4″

2. Grommet options:
N = No grommets
F = Flush front grommet location
R = Recessed front (not recommended for 20″D and 24″D tops)
A = Alternate location (for 36″D tops only)

3. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

4. Top finish

5. Grommet finish:
Painted or Plated

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16″ less than nominal dimension. Actual depth is 1/8″ less.

Application Notes

1 3/4″ thick laminate option is double post formed front and back, all others are edgebanded.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.

Mixed finish 1 3/4″ tops are not post-formed.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48″w.

Worksurface 1 1/4″
rectilinear corner tops

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
20″ Corner worktops, straight front corners 	20″	20″	36″	36″	**RKA 363611-( )( )**	$610.	$686.	$789.	$1,066.
	20″	20″	36″	42″	**RKA 364211-( )( )**	645.	728.	834.	1,126.
	20″	20″	36″	48″	**RKA 364811-( )( )**	685.	771.	888.	1,199.
	20″	20″	42″	36″	**RKA 423611-( )( )**	645.	728.	834.	1,126.
	20″	20″	42″	42″	**RKA 424211-( )( )**	685.	771.	888.	1,199.
	20″	20″	42″	48″	**RKA 424811-( )( )**	747.	842.	969.	1,307.
	20″	20″	48″	36″	**RKA 483611-( )( )**	685.	771.	888.	1,199.
	20″	20″	48″	42″	**RKA 484211-( )( )**	747.	842.	969.	1,307.
	20″	20″	48″	48″	**RKA 484811-( )( )**	787.	888.	1,019.	1,376.
24″ Corner worktops, straight front corners 	24″	24″	36″	36″	**RKA 363622-( )( )**	693.	777.	894.	1,207.
	24″	24″	36″	42″	**RKA 364222-( )( )**	728.	820.	942.	1,272.
	24″	24″	36″	48″	**RKA 364822-( )( )**	767.	864.	991.	1,338.
	24″	24″	42″	36″	**RKA 423622-( )( )**	728.	820.	942.	1,272.
	24″	24″	42″	42″	**RKA 424222-( )( )**	767.	864.	991.	1,338.
	24″	24″	42″	48″	**RKA 424822-( )( )**	828.	935.	1,076.	1,451.
	24″	24″	48″	36″	**RKA 483622-( )( )**	767.	864.	991.	1,338.
	24″	24″	48″	42″	**RKA 484222-( )( )**	828.	935.	1,076.	1,451.
	24″	24″	48″	48″	**RKA 484822-( )( )**	870.	980.	1,125.	1,517.
20″/24″ Corner worktops, straight front corners 	20″	24″	36″	36″	**RKA 363612-( )( )**	635.	715.	824.	1,111.
	20″	24″	36″	42″	**RKA 364212-( )( )**	672.	757.	869.	1,173.
	20″	24″	36″	48″	**RKA 364812-( )( )**	713.	801.	922.	1,244.
	20″	24″	42″	36″	**RKA 423612-( )( )**	672.	757.	869.	1,173.
	20″	24″	42″	42″	**RKA 424212-( )( )**	713.	801.	922.	1,244.
	20″	24″	42″	48″	**RKA 424812-( )( )**	777.	871.	1,005.	1,358.
	20″	24″	48″	36″	**RKA 483612-( )( )**	713.	801.	922.	1,244.
	20″	24″	48″	42″	**RKA 484212-( )( )**	777.	871.	1,005.	1,358.
	20″	24″	48″	48″	**RKA 484812-( )( )**	815.	918.	1,055.	1,424.

Order Code

Example:	**RKA363611N1**
R	Reff
K	Straight front corner
A	1 1/4″ top thickness
36	36″ wide on left back
36	36″ wide on right back
1	20″ deep on left side
1	20″ deep on right side
N	No grommet
1	V1 finish
Y324	Ash

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Left hand width
3. Right hand width
4. Return left hand depth
5. Return right hand depth
6. Grommet option
7. Finish type
8. Top finish
9. Grommet finish

1. Top thickness:
A = 1 1/4″

2. Grommet options:
N = No grommets
F = Standard corner location or Flush

3. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

4. Top finish

5. Grommet finish:
Painted or Plated

Application Notes

Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support hardware.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Mixed finish 1 3/4″ tops are not post-formed.

These worksurfaces are predrilled with metal inserts and use machine screws.

Actual widths are 1/16″ less all around on corner worksurfaces.

Applicable finishes are listed on page 5 and 6.

Worksurface 1 1/4″
rectilinear corner tops

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
24″/20″ Corner worktops, straight front corners 	24″	20″	36″	36″	**RKA 363621-( )( )**	$635.	$715.	$824.	$1,111.
	24″	20″	36″	42″	**RKA 364221-( )( )**	672.	757.	869.	1,173.
	24″	20″	36″	48″	**RKA 364821-( )( )**	713.	801.	922.	1,244.
	24″	20″	42″	36″	**RKA 423621-( )( )**	672.	757.	869.	1,173.
	24″	20″	42″	42″	**RKA 424221-( )( )**	713.	801.	922.	1,244.
	24″	20″	42″	48″	**RKA 424821-( )( )**	777.	871.	1,005.	1,358.
	24″	20″	48″	36″	**RKA 483621-( )( )**	713.	801.	922.	1,244.
	24″	20″	48″	42″	**RKA 484221-( )( )**	777.	871.	1,005.	1,358.
	24″	20″	48″	48″	**RKA 484821-( )( )**	815.	918.	1,055.	1,424.

Order Code

Example:	**RKA363611N1**
R	Reff
K	Straight front corner
A	1 1/4″ top thickness
36	36″ wide on left back
36	36″ wide on right back
1	20″ deep on left side
1	20″ deep on right side
N	No grommet
1	V1 finish
Y324	Ash

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Left hand width
3. Right hand width
4. Return left hand depth
5. Return right hand depth
6. Grommet option
7. Finish type
8. Top finish
9. Grommet finish

1. Top thickness:
A = 1 1/4″

2. Grommet options:
N = No grommets
F = Standard corner location or Flush

3. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

4. Top finish

5. Grommet finish:
Painted or Plated

Application Notes

Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support hardware.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Mixed finish 1 3/4″ tops are not post-formed.

These worksurfaces are predrilled with metal inserts and use machine screws.

Actual widths are 1/16″ less all around on corner worksurfaces.

Applicable finishes are listed on page 5 and 6.

Worksurface 1 1/4″
transition wave tops

description	d	w	d	pattern no.	L	M/V1	V2	V3
Wave top transition (right 20″)	24″	42″	20″	**RWA4221-( )( )**	$366.	$415.	$477.	$645.
	24″	48″	20″	**RWA4821-( )( )**	387.	435.	500.	675.
	24″	54″	20″	**RWA5421-( )( )**	416.	465.	537.	726.
	24″	60″	20″	**RWA6021-( )( )**	442.	498.	572.	773.
	24″	66″	20″	**RWA6621-( )( )**	457.	514.	590.	796.
	24″	72″	20″	**RWA7221-( )( )**	476.	538.	617.	833.
Wave top transition (left 24″)	24″	36″	30″	**RWA3623-( )( )**	381.	430.	495.	667.
	24″	42″	30″	**RWA4223-( )( )**	397.	448.	514.	692.
	24″	48″	30″	**RWA4823-( )( )**	415.	464.	534.	721.
	24″	54″	30″	**RWA5423-( )( )**	444.	500.	576.	777.
	24″	60″	30″	**RWA6023-( )( )**	475.	537.	616.	831.
	24″	66″	30″	**RWA6623-( )( )**	493.	555.	638.	864.
	24″	72″	30″	**RWA7223-( )( )**	518.	583.	670.	903.
Wave top transition (left 20″)	20″	42″	24″	**RWA4212-( )( )**	366.	415.	477.	645.
	20″	48″	24″	**RWA4812-( )( )**	387.	435.	500.	675.
	20″	54″	24″	**RWA5412-( )( )**	416.	465.	537.	726.
	20″	60″	24″	**RWA6012-( )( )**	442.	498.	572.	773.
	20″	66″	24″	**RWA6612-( )( )**	457.	514.	590.	796.
	20″	72″	24″	**RWA7212-( )( )**	476.	538.	617.	833.
Wave top transition (right 24″)	30″	36″	24″	**RWA3632-( )( )**	381.	430.	495.	667.
	30″	42″	24″	**RWA4232-( )( )**	397.	448.	514.	692.
	30″	48″	24″	**RWA4832-( )( )**	415.	464.	534.	721.
	30″	54″	24″	**RWA5432-( )( )**	444.	500.	576.	777.
	30″	60″	24″	**RWA6032-( )( )**	475.	537.	616.	831.
	30″	66″	24″	**RWA6632-( )( )**	493.	555.	638.	864.
	30″	72″	24″	**RWA7232-( )( )**	518.	583.	670.	903.

Order Code

Example:	**RWA4221FL**
R	Reff
W	Wave top transition
A	1 1/4″ thick
42	42″ wide
2	24″ deep on left side
1	20″ deep on right side
F	Flush grommet option
L	Laminate finish
114	Folkstone grey
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Left hand depth
2. Right hand depth
3. Grommet option
4. Top finish type
5. Top finish
6. Grommet finish

3. Grommet options:
N = No grommet
F = Flush front grommet location

4. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

5. Top finish

6. Grommet finish:
Painted or Plated

Application Notes

32″D wave end top requires 20″D end panel for freestanding support.

36″D wave end top requires 24″D end panel for support.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.

Curvilinear worksurfaces only available in 1 1/4″ thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Slope section of top remains 21 3/4″ on all tops. The straight section grows with length of top.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48″w.

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Worksurface 1 1/4″
transition wave top ends

description	depth1	w	d	pattern no.	L	M/V1	V2	V3
Wave top end, (right 20″) 	20″	36″	32″	**RWEA3631-( )( )**	$488.	$549.	$632.	$853.
	20″	42″	32″	**RWEA4231-( )( )**	508.	571.	660.	890.
	20″	48″	32″	**RWEA4831-( )( )**	535.	604.	692.	935.
Wave top end, (right 24″) 	24″	36″	36″	**RWEA3662-( )( )**	505.	569.	654.	882.
	24″	42″	36″	**RWEA4262-( )( )**	521.	586.	675.	911.
	24″	48″	36″	**RWEA4862-( )( )**	554.	621.	714.	963.
Wave top end, (left 20″) 	32″	36″	20″	**RWEA3613-( )( )**	488.	549.	632.	853.
	32″	42″	20″	**RWEA4213-( )( )**	508.	571.	660.	890.
	32″	48″	20″	**RWEA4813-( )( )**	535.	604.	692.	935.
Wave top end, (left 24″) 	36″	36″	24″	**RWEA3626-( )( )**	505.	569.	654.	882.
	36″	42″	24″	**RWEA4226-( )( )**	521.	586.	675.	911.
	36″	48″	24″	**RWEA4826-( )( )**	554.	621.	714.	963.

Order Code

Example:	**RWEA3631FL**
R	Reff
E	Wave top ends
A	1 1/4″ thick
36	36″ wide
3	32″ deep on left side
1	20″ deep on right side
F	Flush grommet option
L	Laminate finish
114	Folkstone grey
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Left hand depth
2. Right hand depth
3. Grommet option
4. Top finish type
5. Top finish
6. Grommet finish

3. Grommet options:
N = No grommet
F = Flush front grommet location

4. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

5. Top finish

6. Grommet finish:
Painted or Plated

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

32″D wave end top requires 20″D end panel for freestanding support.

36″D wave end top requires 24″D end panel for support.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.

Curvilinear worksurfaces only available in 1 1/4″ thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Please call Custom Product Development for special grommet locations.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Slope section of top remains 21 3/4″ on all tops. The straight section grows with length of top.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48″w.

Worksurface 1 1/4″
curvilinear corner tops - 20″ Deep

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20″, Right return 20″) 	20″	20″	36″	36″	**RCA363611-( )( )**	$610.	$686.	$789.	$1,066.
	20″	20″	36″	42″	**RCA364211-( )( )**	645.	728.	834.	1,126.
	20″	20″	36″	48″	**RCA364811-( )( )**	685.	771.	888.	1,199.
	20″	20″	42″	36″	**RCA423611-( )( )**	645.	728.	834.	1,126.
	20″	20″	42″	42″	**RCA424211-( )( )**	685.	771.	888.	1,199.
	20″	20″	42″	48″	**RCA424811-( )( )**	747.	842.	969.	1,307.
	20″	20″	48″	36″	**RCA483611-( )( )**	685.	771.	888.	1,199.
	20″	20″	48″	42″	**RCA484211-( )( )**	747.	842.	969.	1,307.
	20″	20″	48″	48″	**RCA484811-( )( )**	787.	888.	1,019.	1,376.
Corner worktops, Curved front corner (Left return 24″, Right return 20″)	24″	20″	36″	36″	**RCA363621-( )( )**	635.	715.	824.	1,111.
	24″	20″	36″	42″	**RCA364221-( )( )**	672.	757.	869.	1,173.
	24″	20″	36″	48″	**RCA364821-( )( )**	713.	801.	922.	1,244.
	24″	20″	42″	36″	**RCA423621-( )( )**	672.	757.	869.	1,173.
	24″	20″	42″	42″	**RCA424221-( )( )**	713.	801.	922.	1,244.
	24″	20″	42″	48″	**RCA424821-( )( )**	777.	871.	1,005.	1,358.
	24″	20″	48″	36″	**RCA483621-( )( )**	713.	801.	922.	1,244.
	24″	20″	48″	42″	**RCA484221-( )( )**	777.	871.	1,005.	1,358.
	24″	20″	48″	48″	**RCA484821-( )( )**	815.	918.	1,055.	1,424.

Order Code

Example:	**RCA363611N1**
R	Reff
C	Curved front corner
A	1 1/4″ thick
36	36″ wide on left back
36	36″ wide on right back
1	20″ deep on left side
1	20″ deep on right side
N	No grommet
1	V1 finish
Y324	Ash

Specification Information

To order please specify pattern number including:

1. Left hand width
2. Right hand width
3. Return left hand depth
4. Return right hand depth
5. Grommet option
6. Top finish type
7. Top finish
8. Grommet finish

5. Grommet options:
N = No grommets
F = Standard corner location

6. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

7. Top finish

8. Grommet finish:
Painted or Plated

Application Notes

Radius of curved front changes with overall top size. See Planning Guide.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

These worksurfaces are predrilled with metal inserts and use machine screws.

Curvilinear worksurfaces only available in 1 1/4″ thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Please call Custom Product Development for special grommet locations.

Applicable finishes are listed on page 5 and 6.

Worksurface 1 1/4″
curvilinear corner tops - 24″ Deep

description	Return d	d	Back w	w	pattern no.	L	M/V1	V2	V3
Corner worktops, Curved front corner (Left return 20″, Right return 24″)	20″	24″	36″	36″	**RCA363612-( )( )**	$635.	$715.	$824.	$1,111.
	20″	24″	36″	42″	**RCA364212-( )( )**	672.	757.	869.	1,173.
	20″	24″	36″	48″	**RCA364812-( )( )**	713.	801.	922.	1,244.
	20″	24″	42″	36″	**RCA423612-( )( )**	672.	757.	869.	1,173.
	20″	24″	42″	42″	**RCA424212-( )( )**	713.	801.	922.	1,244.
	20″	24″	42″	48″	**RCA424812-( )( )**	777.	871.	1,005.	1,358.
	20″	24″	48″	36″	**RCA483612-( )( )**	713.	801.	922.	1,244.
	20″	24″	48″	42″	**RCA484212-( )( )**	777.	871.	1,005.	1,358.
	20″	24″	48″	48″	**RCA484812-( )( )**	815.	918.	1,055.	1,424.
Corner worktops, Curved front corner (Left return 24″, Right return 24″)	24″	24″	36″	36″	**RCA363622-( )( )**	693.	777.	894.	1,207.
	24″	24″	36″	42″	**RCA364222-( )( )**	728.	820.	942.	1,272.
	24″	24″	36″	48″	**RCA364822-( )( )**	767.	864.	991.	1,338.
	24″	24″	42″	36″	**RCA423622-( )( )**	728.	820.	942.	1,272.
	24″	24″	42″	42″	**RCA424222-( )( )**	767.	864.	991.	1,338.
	24″	24″	42″	48″	**RCA424822-( )( )**	828.	935.	1,076.	1,451.
	24″	24″	48″	36″	**RCA483622-( )( )**	767.	864.	991.	1,338.
	24″	24″	48″	42″	**RCA484222-( )( )**	828.	935.	1,076.	1,451.
	24″	24″	48″	48″	**RCA484822-( )( )**	870.	980.	1,125.	1,517.

Order Code

Example:	**RCA363612**
R	Reff
C	Curved front corner
A	1 1/4″ thick
36	36″ wide on left back
36	36″ wide on right back
1	20″ deep on left side
2	24″ deep on right side
N	No grommet
1	V1 finish
Y324	Ash

Specification Information

To order please specify pattern number including:

1. Left hand width
2. Right hand width
3. Return left hand depth
4. Return right hand depth
5. Grommet option
6. Top finish type
7. Top finish
8. Grommet finish

5. Grommet options:
N = No grommets
F = Standard corner location

6. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

7. Top finish

8. Grommet finish:
Painted or Plated

Application Notes

Radius of curved front changes with overall top size. See Planning Guide.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

These worksurfaces are predrilled with metal inserts and use machine screws.

Curvilinear worksurfaces only available in 1 1/4″ thick.

See Planning Guide for grommet locations.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware.

Please call Custom Product Development for special grommet locations.

Applicable finishes are listed on page 5 and 6.

Worksurface 1¼″
extended curvilinear corner tops

description	w	d	pattern no.	L	M/V1	V2	V3
Extended corner worktop, LH curved front corner (return 24″)	36″	72″	**RCCDLA23672( )( )( )**	$1,685.	$2,236.	$3,156.	$4,259.
	36″	78″	**RCCDLA23678( )( )( )**	1,752.	2,325.	3,280.	4,429.
	36″	84″	**RCCDLA23684( )( )( )**	1,822.	2,419.	3,412.	4,606.
	36″	96″	**RCCDLA23696( )( )( )**	1,896.	2,515.	3,549.	4,792.
Extended corner worktop, LH curved front corner (return 30″)	36″	72″	**RCCDLA33672( )( )( )**	1,687.	2,242.	3,164.	4,272.
	36″	78″	**RCCDLA33678( )( )( )**	1,754.	2,332.	3,293.	4,445.
	36″	84″	**RCCDLA33684( )( )( )**	1,825.	2,426.	3,423.	4,621.
	36″	96″	**RCCDLA33696( )( )( )**	1,898.	2,522.	3,561.	4,806.
Extended corner worktop, RH curved front corner (return 24″)	36″	72″	**RCCDRA23672( )( )( )**	1,685.	2,236.	3,156.	4,259.
	36″	78″	**RCCDRA23678( )( )( )**	1,752.	2,325.	3,280.	4,429.
	36″	84″	**RCCDRA23684( )( )( )**	1,822.	2,419.	3,412.	4,606.
	36″	96″	**RCCDRA23696( )( )( )**	1,896.	2,515.	3,549.	4,792.
Extended corner worktop, RH curved front corner (return 30″)	36″	72″	**RCCDRA33672( )( )( )**	1,687.	2,242.	3,164.	4,272.
	36″	78″	**RCCDRA33678( )( )( )**	1,754.	2,332.	3,293.	4,445.
	36″	84″	**RCCDRA33684( )( )( )**	1,825.	2,426.	3,423.	4,621.
	36″	96″	**RCCDRA33696( )( )( )**	1,898.	2,522.	3,561.	4,806.





Order Code

Example:	**RCCDLA23672N2**
R	Reff
CC	Curved corner
D	D top
L	Left Hand
A	1¼″ thick
2	24″ return
36	36″ d at straight edge of corner, 30″ across “D”
72	72″ wide
N	No grommet
2	V2 finish
V319	Medium Cherry

Specification Information

To order please specify pattern number including:

1. Depth
2. Grommet option
3. Finish type
4. Finish
5. Grommet finish

2. Grommet options:
N = No grommets
F = Flush front grommet location

3. Finish type:
L = Laminate
M = Mixed (laminate surface with wood edge)
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

These worksurfaces are predrilled with metal inserts and use machine screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Worksurface 1 1/4″
extended straight corner tops

description	d	w	d, return	pattern no.	L	M/V1	V2	V3
Extended straight corner top, LH curved front corner (returns 24″) 	36″	60″	24″	**RCEAL223660( )( )( )**	$624.	$921.	$1,247.	$1,686.
	36″	72″	24″	**RCEAL223672( )( )( )**	748.	1,117.	1,509.	2,037.
	42″	60″	24″	**RCEAL224260( )( )( )**	686.	1,017.	1,378.	1,860.
	42″	72″	24″	**RCEAL224272( )( )( )**	811.	1,215.	1,642.	2,216.
	48″	72″	24″	**RCEAL224872( )( )( )**	874.	1,313.	1,772.	2,392.
	48″	84″	24″	**RCEAL224884( )( )( )**	998.	1,509.	2,034.	2,746.
	48″	96″	24″	**RCEAL224896( )( )( )**	1,147.	1,739.	2,340.	3,159.
Extended straight corner top, RH curved front corner (returns 24″) 	36″	60″	24″	**RCEAR223660( )( )( )**	624.	921.	1,247.	1,686.
	36″	72″	24″	**RCEAR223672( )( )( )**	748.	1,117.	1,509.	2,037.
	42″	60″	24″	**RCEAR224260( )( )( )**	686.	1,017.	1,378.	1,860.
	42″	72″	24″	**RCEAR224272( )( )( )**	811.	1,215.	1,642.	2,216.
	48″	72″	24″	**RCEAR224872( )( )( )**	874.	1,313.	1,772.	2,392.
	48″	84″	24″	**RCEAR224884( )( )( )**	998.	1,509.	2,034.	2,746.
	48″	96″	24″	**RCEAR224896( )( )( )**	1,147.	1,739.	2,340.	3,159.

Order Code

Example:	**RCEAL223660N2**
R	Reff
C	Corner
E	Extended
A	1¼″ thick
L	Left Hand
22	24″ returns
36	36″ d at corner straight edge
60	60″ wide
N	No grommet
2	V2 finish
V319	Medium Cherry

Specification Information

To order please specify pattern number including:

1. Return left hand depth
2. Return right hand depth
3. Width
4. Depth
5. Grommet option
6. Finish type
7. Finish
8. Grommet finish

5. Grommet options:
N = No grommets
F = Flush front grommet location

6. Finish type:
L = Laminate
M = Mixed (laminate surface with wood edge)
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

These worksurfaces are predrilled with metal inserts and use machine screws.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Worksurface 1 1/4″
Meeting tops 'D'

description	type	w	d	pattern no.	L	M/V1	V2	V3
D-tops	36″ deep	42″	36″	**RMDA4236-( )( )**	$592.	$644.	$739.	$998.
		48″	36″	**RMDA4836-( )( )**	649.	704.	809.	1,091.
		54″	36″	**RMDA5436-( )( )**	739.	805.	927.	1,250.
		60″	36″	**RMDA6036-( )( )**	830.	901.	1,038.	1,402.
		66″	36″	**RMDA6636-( )( )**	847.	919.	1,057.	1,428.
		72″	36″	**RMDA7236-( )( )**	858.	935.	1,076.	1,451.
		78″	36″	**RMDA7836-( )( )**	968.	1,052.	1,210.	1,634.
		84″	36″	**RMDA8436-( )( )**	1,076.	1,171.	1,346.	1,816.
		90″	36″	**RMDA9036-( )( )**	1,134.	1,232.	1,418.	1,915.
		96″	36″	**RMDA9636-( )( )**	1,244.	1,350.	1,553.	2,097.
	30″ deep	42″	30″	**RMDA4230-( )( )**	539.	584.	672.	907.
		48″	30″	**RMDA4830-( )( )**	580.	631.	727.	982.
		54″	30″	**RMDA5430-( )( )**	621.	677.	777.	1,050.
		60″	30″	**RMDA6030-( )( )**	665.	725.	829.	1,121.
		66″	30″	**RMDA6630-( )( )**	708.	770.	887.	1,198.
		72″	30″	**RMDA7230-( )( )**	753.	819.	941.	1,271.
		78″	30″	**RMDA7830-( )( )**	851.	924.	1,064.	1,435.
		84″	30″	**RMDA8430-( )( )**	948.	1,031.	1,187.	1,602.
		90″	30″	**RMDA9030-( )( )**	1,059.	1,152.	1,325.	1,787.
		96″	30″	**RMDA9630-( )( )**	1,169.	1,272.	1,462.	1,973.
Wrap around panel top	(20″ panels)	42 1/2″	21 1/4″	**RMDA4221-( )( )**	693.	753.	865.	1,167.
	(24″ panels)	50 1/2″	25 1/4″	**RMDA5025-( )( )**	757.	824.	947.	1,280.



Grommet choices are centered (as shown) or none

No Grommets

Please specify mating trim profile

Order Code

Example:	**RMDA4230N1**
R	Reff
MD	Meeting D-top
A	1 1/4″ thick
42	42″ wide
30	30″ deep
N	No grommet
1	V1
Y311	Beech

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Grommet option
5. Top finish type
6. Top finish
7. Grommet finish
8. Trim profile

1. Thickness options:
A = 1 1/4″

4. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed grommet location
C = Centered (only on D-tops)

5. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

Application Notes

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Additional spec option required for wrap around panel tops; specify mating trim profile.

8. Trim profile
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Refer to Planning Guide for modesty panel size requirements and all other support options.

1 3/4″ laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.

*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Worksurface 1 1/4″
Meeting tops P and 9

description	type	w	d	pattern no.	L	M/V1	V2	V3
Meeting 9-top Adjoining top must use 12″ end panel and modesty panel to support		42″	30″	**RM9A4230-( )( )**	$738.	$803.	$923.	$1,245.
		48″	36″	**RM9A4836-( )( )**	821.	892.	1,027.	1,388.
Meeting P-top Adjoining top must use 12″ end panel and modesty panel to support		42″	30″	**RMPA4230-( )( )**	738.	803.	923.	1,245.
		48″	36″	**RMPA4836-( )( )**	821.	892.	1,027.	1,388.
Worksurface 9-top		84″	30″	**RM9A8430-( )( )**	1,503.	1,633.	1,879.	2,538.
		96″	30″	**RM9A9630-( )( )**	1,565.	1,704.	1,957.	2,642.



No Grommets 42″ diameter



No Grommets 42″ diameter



42″ diameter

Order Code

Example:	**RM9A4230N1**
R	Reff
M9	Meeting 9-top
A	1 1/4″ thick
42	42″ wide
30	30″ deep
N	No grommet
1	V1
Y311	Beech

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Grommet option
5. Top finish type
6. Top finish
7. Grommet finish

1. Thickness options:
A = 1 1/4″

4. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed grommet location
C = Centered (only on D-tops)

5. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

7. Grommet finish:
Painted or Plated

Application Notes

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Refer to Planning Guide for modesty panel size requirements and all other support options.

1 3/4″ laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.

*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Worksurface 1 1/4″
Meeting tops

description	type	w	d	pattern no.	L	M/V1	V2	V3
Worksurface P-top		84″	30″	**RMPA8430-( )( )( )**	$1,503.	$1,633.	$1,879.	$2,538.
		96″	30″	**RMPA9630-( )( )( )**	1,565.	1,704.	1,957.	2,642.
	84″ top uses a 42″ modesty, 96 top uses a 54″ modesty							
42″ diameter								
Elliptical tops		60″	30″	**REBA6030-( )***	1,034.	1,145.	1,314.	1,775.
		72″	42″	**REBA7242-( )***	1,472.	1,628.	1,873.	2,528.
		78″	48″	**REBA7848-( )***	1,612.	1,786.	2,054.	2,773.

Order Code

Example:	**RMDA4230N1**
R	Reff
MD	Meeting D-top
A	1 1/4″ thick
42	42″ wide
30	30″ deep
N	No grommet
1	V1
Y311	Beech

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Grommet option
5. Top finish type
6. Top finish
7. Grommet finish
8. Trim profile

1. Thickness options:
A = 1 1/4″

4. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed grommet location
C = Centered (only on D-tops)

5. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

7. Grommet finish:
Painted or Plated

Application Notes

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Additional spec option required for wrap around panel tops; specify mating trim profile.

8. Trim profile
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Refer to Planning Guide for modesty panel size requirements and all other support options.

1 3/4″ laminate tops on this page are edge banded to match post-formed contours.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.

*Grommet option on elliptical tops is (R) for recessed or (N) for none. Refer to Planning Guide for specific grommet dimensions.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Worksurface 1 1/4″
Bow front and support

description	w	d	h	pattern no.	L	M/V1	V2	V3
Bow shaped top	72″	30″		**RMB(A)7230-( )( )**	$863.	$974.	$1,121.	$1,512.
	84″	30″		**RMB(A)8430-( )( )**	950.	1,075.	1,234.	1,666.
	96″	30″		**RMB(A)9630-( )( )**	1,056.	1,191.	1,367.	1,847.



Use 29″ deep pedestals or end panels.
Do not use 23″ deep pedestals if using recessed modesty.

Bow shaped top - 36″D	72″	36″		**RMB(A)7236-( )( )**	917.	1,034.	1,190.	1,606.
	84″	36″		**RMB(A)8436-( )( )**	1,006.	1,135.	1,305.	1,761.
	96″	36″		**RMB(A)9636-( )( )**	1,114.	1,258.	1,444.	1,950.



Use with 29″ deep end panels or 29″ deep pedestals (this will provide a cantilevered appearance).
Can also be used with 36″ deep end panel and recessed modesty.

Order Code

Example:	**RMBA7230R2**
R	Reff
MB	Bowed front
A	1 1/4″ thick
72	72″ wide
30	30″ wide
R	Recessed grommet option
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Grommet option
5. Top finish type
6. Top finish
7. Grommet finish

1. Thickness options:
A = 1 1/4″

4. Grommet options:
N = No grommet
F = Flush front grommet
R = Recessed grommet
A = Alternate location (only for 36″ deep bow front tops)

Application Notes

5. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

These worksurfaces are predrilled with metal inserts and use machine screws.

See Planning Guide for grommet locations.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

*Bulkhead takes the place of a pedestal in applications using the short modesty panel, but not requiring a double pedestal application.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Shipped with hardware. Refer to page 119 of Planning Guide for application details.

Conference 1 1/4″
Square and rectangular

description	w	d	pattern no.	L	M/V1	V2	V3
Rectangular top 1 piece	72″	30″	**RRA7230-( )**	$557.	$606.	$696.	$940.
	72″	36″	**RRA7236-( )**	605.	658.	756.	1,021.
	84″	30″	**RRA8430-( )**	616.	668.	770.	1,039.
	84″	36″	**RRA8436-( )**	662.	719.	825.	1,115.
	84″	42″	**RRA8442-( )**	978.	1,064.	1,221.	1,648.
	96″	30″	**RRA9630-( )**	691.	752.	864.	1,166.
	96″	36″	**RRA9636-( )**	762.	828.	954.	1,288.
	96″	42″	**RRA9642-( )**	1,123.	1,219.	1,402.	1,893.
	96″	48″	**RRA9648-( )**	1,194.	1,298.	1,492.	2,015.
Rectangular top 2 piece	120″	36″	**RRA12036-( )**	1,224.	1,329.	1,530.	2,065.
	120″	42″	**RRA12042-( )**	1,687.	1,835.	2,110.	2,849.
	120″	48″	**RRA12048-( )**	1,834.	1,995.	2,293.	3,096.
	144″	42″	**RRA14442-( )**	1,896.	2,061.	2,370.	3,200.
	144″	48″	**RRA14448-( )**	2,031.	2,210.	2,541.	3,430.
Rectangular top 3 piece	168″	42″	**RRA16842-( )**	2,485.	2,702.	3,109.	4,198.
	168″	48″	**RRA16848-( )**	2,701.	2,936.	3,376.	4,557.
	192″	42″	**RRA19242-( )**	2,695.	2,929.	3,367.	4,545.
	192″	48″	**RRA19248-( )**	2,901.	3,152.	3,623.	4,890.
Square tops	–	36″	**RRA3636-( )**	429.	467.	538.	727.
	–	42″	**RRA4242-( )**	557.	606.	696.	940.
	–	48″	**RRA4848-( )**	732.	794.	914.	1,232.
	*	60″	**RRA6060-( )**	1,140.	1,238.	1,427.	1,925.
	*	72″	**RRA7272-( )**	1,344.	1,462.	1,680.	2,270.

Order Code

Example:	**RRAG72302**
R	Reff
R	Rectangular
A	1 1/4″ thick
72	72″ wide
30	30″ deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:
A = 1 1/4″

4. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

*Square tops in two pieces.

Application Notes

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Top to top brackets included.

Tops have no radius on edges that adjoin.

See table base matrix in Planning Guide, pages 140 and 141.

1 3/4″ tops require support at mid point to reduce spans to 66″ or less.

Mixed finish 1 3/4″ tops are not post-formed.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Conference 1 1/4″
Round and racetrack

description	w	d	pattern no.	L, Option A	M/V!	V2	V3
Racetrack top 1 piece	72″	30″	**RTA7230-( )**	$1,054.	$1,145.	$1,314.	$1,775.
	84″	30″	**RTA8430-( )**	1,172.	1,274.	1,465.	1,977.
	96″	30″	**RTA9630-( )**	1,302.	1,418.	1,631.	2,202.
	72″	36″	**RTA7236-( )**	1,202.	1,305.	1,500.	2,025.
	84″	36″	**RTA8436-( )**	1,349.	1,468.	1,687.	2,276.
	96″	36″	**RTA9636-( )**	1,497.	1,628.	1,873.	2,528.
	84″	42″	**RTA8442-( )**	1,641.	1,786.	2,054.	2,773.
	96″	42″	**RTA9642-( )**	1,840.	2,000.	2,298.	3,104.
	96″	48″	**RTA9648-( )**	2,018.	2,191.	2,520.	3,401.
Racetrack top 2 piece	120″	36″	**RTA12036-( )**	1,933.	2,103.	2,419.	3,265.
	120″	42″	**RTA12042-( )**	2,087.	2,266.	2,608.	3,521.
	144″	42″	**RTA14442-( )**	2,301.	2,500.	2,875.	3,880.
	120″	48″	**RTA12048-( )**	2,218.	2,411.	2,773.	3,743.
	144″	48″	**RTA14448-( )**	2,358.	2,565.	2,947.	3,978.
Racetrack top 3 piece	168″	42″	**RTA16842-( )**	2,885.	3,134.	3,606.	4,868.
	192″	42″	**RTA19242-( )**	3,098.	3,368.	3,875.	5,231.
	168″	48″	**RTA16848-( )**	3,087.	3,353.	3,855.	5,206.
	192″	48″	**RTA19248-( )**	3,226.	3,508.	4,032.	5,443.
Round tops	–	36″	**RTA3636-( )**	592.	644.	739.	998.
	–	42″	**RTA4242-( )**	688.	745.	857.	1,156.
	–	48″	**RTA4848-( )**	1,132.	1,229.	1,413.	1,907.
	*	60″	**RTA6060-( )**	1,773.	1,927.	2,216.	2,991.
	*	72″	**RTA7272-( )**	2,192.	2,383.	2,744.	3,704.

Order Code

Example:	**RTA72302**
R	Reff
R	Round
A	1 1/4″ thick
72	72″ wide
30	30″ deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Width
3. Depth
4. Finish type
5. Finish

1. Thickness options:
A = 1 1/4″

4. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

*Round tops in two pieces.

Application Notes

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Top to top brackets included.

See table base matrix in Planning Guide pages 140 and 141.

Tops have no radius on edges that adjoin.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Optional edge details 1 1/4″

Reff Profiles System incorporates optional worksurface edge details. Wood edges are crafted from select hardwoods and are finished with Knoll's industry leading polyurethane Reff Profiles Finish. Optional for worksurface tops listed on pages 0 through 0.

It is not necessary to plan separately for edges that ″mate″; this feature is engineered into appropriate products when used as intended.

Edge detail to be specified by one of the following codes:
A - Alpha
B - Beta
C - Chi
D - Delta
E - Epsilon
F - Phi
G - Gamma



Alpha



Beta



Chi



Delta

Epsilon

Phi



Gamma

Optional edge 1¼″
front only, 20″ and 24″ deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Profile edge front only	20″	24″	**RSA(A/B/C/D/E/F/G)F241-( )(1/2/3)**	$373.	$426.	$576.
		30″	**RSA(A/B/C/D/E/F/G)F301-( )(1/2/3)**	409.	470.	634.
		36″	**RSA(A/B/C/D/E/F/G)F361-( )(1/2/3)**	431.	496.	670.
		42″	**RSA(A/B/C/D/E/F/G)F421-( )(1/2/3)**	451.	518.	700.
		48″	**RSA(A/B/C/D/E/F/G)F481-( )(1/2/3)**	469.	538.	727.
		54″	**RSA(A/B/C/D/E/F/G)F541-( )(1/2/3)**	487.	564.	761.
		60″	**RSA(A/B/C/D/E/F/G)F601-( )(1/2/3)**	527.	607.	819.
		66″	**RSA(A/B/C/D/E/F/G)F661-( )(1/2/3)**	542.	625.	843.
		72″	**RSA(A/B/C/D/E/F/G)F721-( )(1/2/3)**	571.	657.	886.
		78″	**RSA(A/B/C/D/E/F/G)F781-( )(1/2/3)**	579.	665.	897.
		84″	**RSA(A/B/C/D/E/F/G)F841-( )(1/2/3)**	616.	707.	955.
		90″	**RSA(A/B/C/D/E/F/G)F901-( )(1/2/3)**	640.	737.	995.
		96″	**RSA(A/B/C/D/E/F/G)F961-( )(1/2/3)**	665.	766.	1,034.
	24″	24″	**RSA(A/B/C/D/E/F/G)F242-( )(1/2/3)**	393.	451.	609.
		30″	**RSA(A/B/C/D/E/F/G)F302-( )(1/2/3)**	444.	511.	688.
		36″	**RSA(A/B/C/D/E/F/G)F362-( )(1/2/3)**	461.	530.	717.
		42″	**RSA(A/B/C/D/E/F/G)F422-( )(1/2/3)**	475.	545.	735.
		48″	**RSA(A/B/C/D/E/F/G)F482-( )(1/2/3)**	511.	584.	788.
		54″	**RSA(A/B/C/D/E/F/G)F542-( )(1/2/3)**	542.	625.	843.
		60″	**RSA(A/B/C/D/E/F/G)F602-( )(1/2/3)**	582.	668.	902.
		66″	**RSA(A/B/C/D/E/F/G)F662-( )(1/2/3)**	604.	691.	934.
		72″	**RSA(A/B/C/D/E/F/G)F722-( )(1/2/3)**	629.	726.	978.
		78″	**RSA(A/B/C/D/E/F/G)F782-( )(1/2/3)**	660.	759.	1,025.
		84″	**RSA(A/B/C/D/E/F/G)F842-( )(1/2/3)**	685.	787.	1,064.
		90″	**RSA(A/B/C/D/E/F/G)F902-( )(1/2/3)**	715.	824.	1,111.
		96″	**RSA(A/B/C/D/E/F/G)F962-( )(1/2/3)**	743.	857.	1,156.

Order Code

Example:	**RSAGF241F2**
R	Reff
S	Straight top
A	1¼″ thick
G	Gamma
F	Edge front only
24	24″ wide
1	20″ deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet black (grommet)

Specification Information

To order please specify pattern number including:

1. Edge profile
2. F = Front edge with profile only
3. Width
4. Depth
5. Grommet option
6. Top finish type
7. Top finish
8. Grommet finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

5. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20″D and 24″D tops)

6. Finish type:
M = Mixed (laminate surface / wood edge)
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Optional edge 1¼″
front only, 30″ and 36″ deep

description	d	width	pattern no.	M/V1	V2	V
Straight rectangular work tops Profile edge front only	30″	24″	**RSA(A/B/C/D/E/F/G)F243-( )(1/2/3)**	$424.	$489.	
		30″	**RSA(A/B/C/D/E/F/G)F303-( )(1/2/3)**	480.	551.	
		36″	**RSA(A/B/C/D/E/F/G)F363-( )(1/2/3)**	517.	592.	
		42″	**RSA(A/B/C/D/E/F/G)F423-( )(1/2/3)**	537.	617.	
		48″	**RSA(A/B/C/D/E/F/G)F483-( )(1/2/3)**	573.	662.	
		54″	**RSA(A/B/C/D/E/F/G)F543-( )(1/2/3)**	621.	713.	
		60″	**RSA(A/B/C/D/E/F/G)F603-( )(1/2/3)**	642.	738.	
		66″	**RSA(A/B/C/D/E/F/G)F663-( )(1/2/3)**	658.	757.	
		72″	**RSA(A/B/C/D/E/F/G)F723-( )(1/2/3)**	674.	773.	
		78″	**RSA(A/B/C/D/E/F/G)F783-( )(1/2/3)**	705.	814.	
		84″	**RSA(A/B/C/D/E/F/G)F843-( )(1/2/3)**	733.	845.	
		90″	**RSA(A/B/C/D/E/F/G)F903-( )(1/2/3)**	767.	884.	
		96″	**RSA(A/B/C/D/E/F/G)F963-( )(1/2/3)**	795.	916.	
	36″	60″	**RSA(A/B/C/D/E/F/G)F604-( )(1/2/3)**	742.	853.	
		66″	**RSA(A/B/C/D/E/F/G)F664-( )(1/2/3)**	768.	886.	
		72″	**RSA(A/B/C/D/E/F/G)F724-( )(1/2/3)**	794.	915.	

Order Code

Example:	**RSAGF243F2**
R	Reff
S	Straight top
A	1¼″ thick
G	Gamma
F	Edge front only
24	24″ wide
3	30″ deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Edge profile
2. F = Front edge with profile only
3. Width
4. Depth
5. Grommet option
6. Top finish type
7. Top finish
8. Grommet finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

5. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20″D and 24″D tops)

6. Finish type:
M = Mixed (laminate surface / wood edge)
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Optional edge 1¼″
front and back edge, 20″ and 24″ deep

description	d	w	pattern no.	M/V1	V2	V3
Straight rectangular work tops Profile edge front and back only 	20″	24″	**RSA(A/B/C/D/E/F/G)A241-( )(1/2/3)**	$373.	$426.	$576.
		30″	**RSA(A/B/C/D/E/F/G)A301-( )(1/2/3)**	409.	470.	634.
		36″	**RSA(A/B/C/D/E/F/G)A361-( )(1/2/3)**	431.	496.	670.
		42″	**RSA(A/B/C/D/E/F/G)A421-( )(1/2/3)**	451.	518.	700.
		48″	**RSA(A/B/C/D/E/F/G)A481-( )(1/2/3)**	469.	538.	727.
		54″	**RSA(A/B/C/D/E/F/G)A541-( )(1/2/3)**	487.	564.	761.
		60″	**RSA(A/B/C/D/E/F/G)A601-( )(1/2/3)**	527.	607.	819.
		66″	**RSA(A/B/C/D/E/F/G)A661-( )(1/2/3)**	542.	625.	843.
		72″	**RSA(A/B/C/D/E/F/G)A721-( )(1/2/3)**	571.	657.	886.
		78″	**RSA(A/B/C/D/E/F/G)A781-( )(1/2/3)**	579.	665.	897.
		84″	**RSA(A/B/C/D/E/F/G)A841-( )(1/2/3)**	616.	707.	955.
		90″	**RSA(A/B/C/D/E/F/G)A901-( )(1/2/3)**	640.	737.	995.
		96″	**RSA(A/B/C/D/E/F/G)A961-( )(1/2/3)**	665.	766.	1,034.
	24″	24″	**RSA(A/B/C/D/E/F/G)A242-( )(1/2/3)**	393.	451.	609.
		30″	**RSA(A/B/C/D/E/F/G)A302-( )(1/2/3)**	444.	511.	688.
		36″	**RSA(A/B/C/D/E/F/G)A362-( )(1/2/3)**	461.	530.	717.
		42″	**RSA(A/B/C/D/E/F/G)A422-( )(1/2/3)**	475.	545.	735.
		48″	**RSA(A/B/C/D/E/F/G)A482-( )(1/2/3)**	511.	584.	788.
		54″	**RSA(A/B/C/D/E/F/G)A542-( )(1/2/3)**	542.	625.	843.
		60″	**RSA(A/B/C/D/E/F/G)A602-( )(1/2/3)**	582.	668.	902.
		66″	**RSA(A/B/C/D/E/F/G)A662-( )(1/2/3)**	604.	691.	934.
		72″	**RSA(A/B/C/D/E/F/G)A722-( )(1/2/3)**	629.	726.	978.
		78″	**RSA(A/B/C/D/E/F/G)A782-( )(1/2/3)**	660.	759.	1,025.
		84″	**RSA(A/B/C/D/E/F/G)A842-( )(1/2/3)**	685.	787.	1,064.
		90″	**RSA(A/B/C/D/E/F/G)A902-( )(1/2/3)**	715.	824.	1,111.
		96″	**RSA(A/B/C/D/E/F/G)A962-( )(1/2/3)**	743.	857.	1,156.

Order Code

Example:	**RSAGA241F2**
R	Reff
S	Straight top
A	1¼″ thick
G	Gamma
A	Edge front and back
24	24″ wide
1	20″ deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Edge profile
2. 5th postion A = Edge front and back
3. Width
4. Depth
5. Grommet option
6. Top finish type
7. Top finish
8. Grommet finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

5. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20″D and 24″D tops)

6. Finish type:
M = Mixed (laminate surface / wood edge)
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Optional edge 1¼″
front and back edge, 30″ and 36″ deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Profile edge front and back only	30″	24″	**RSA(A/B/C/D/E/F/G)A243-( )(1/2/3)**	$424.	$489.	$662.
		30″	**RSA(A/B/C/D/E/F/G)A303-( )(1/2/3)**	480.	551.	743.
		36″	**RSA(A/B/C/D/E/F/G)A363-( )(1/2/3)**	517.	592.	799.
		42″	**RSA(A/B/C/D/E/F/G)A423-( )(1/2/3)**	537.	617.	833.
		48″	**RSA(A/B/C/D/E/F/G)A483-( )(1/2/3)**	573.	662.	893.
		54″	**RSA(A/B/C/D/E/F/G)A543-( )(1/2/3)**	621.	713.	961.
		60″	**RSA(A/B/C/D/E/F/G)A603-( )(1/2/3)**	642.	738.	996.
		66″	**RSA(A/B/C/D/E/F/G)A663-( )(1/2/3)**	658.	757.	1,022.
		72″	**RSA(A/B/C/D/E/F/G)A723-( )(1/2/3)**	674.	773.	1,044.
		78″	**RSA(A/B/C/D/E/F/G)A783-( )(1/2/3)**	705.	814.	1,098.
		84″	**RSA(A/B/C/D/E/F/G)A843-( )(1/2/3)**	733.	845.	1,141.
		90″	**RSA(A/B/C/D/E/F/G)A903-( )(1/2/3)**	767.	884.	1,194.
		96″	**RSA(A/B/C/D/E/F/G)A963-( )(1/2/3)**	795.	916.	1,235.
	36″	60″	**RSA(A/B/C/D/E/F/G)A604-( )(1/2/3)**	742.	853.	1,151.
		66″	**RSA(A/B/C/D/E/F/G)A664-( )(1/2/3)**	768.	886.	1,197.
		72″	**RSA(A/B/C/D/E/F/G)A724-( )(1/2/3)**	794.	915.	1,233.

Order Code

Example:	**RSAGA243F2**
R	Reff
S	Straight top
A	1¼″ thick
G	Gamma
A	Edge front and back
24	24″ wide
3	30″ deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

〉To order please specify pattern number including:

1. Edge profile
2. 5th postion A = Edge front and back
3. Width
4. Depth
5. Grommet option
6. Top finish type
7. Top finish
8. Grommet finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

5. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20″D and 24″D tops)

6. Finish type:
M = Mixed (laminate surface / wood edge)
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Optional edge 1¼″
front and attaching edge profiled

description	d	w	pattern no.	V1	V2	V3
Bridge work tops, Profile edge front only, Accepts Same Edge on attaching sides 	20″	24″	**RSA(A/B/C/D/E/F/G)B241-( )(1/2/3)**	$373.	$426.	$576.
		30″	**RSA(A/B/C/D/E/F/G)B301-( )(1/2/3)**	409.	470.	634.
		36″	**RSA(A/B/C/D/E/F/G)B361-( )(1/2/3)**	431.	496.	670.
		42″	**RSA(A/B/C/D/E/F/G)B421-( )(1/2/3)**	451.	518.	700.
		48″	**RSA(A/B/C/D/E/F/G)B481-( )(1/2/3)**	469.	538.	727.
	24″	24″	**RSA(A/B/C/D/E/F/G)B242-( )(1/2/3)**	393.	451.	609.
		30″	**RSA(A/B/C/D/E/F/G)B302-( )(1/2/3)**	444.	511.	688.
		36″	**RSA(A/B/C/D/E/F/G)B362-( )(1/2/3)**	461.	530.	717.
		42″	**RSA(A/B/C/D/E/F/G)B422-( )(1/2/3)**	475.	545.	735.
		48″	**RSA(A/B/C/D/E/F/G)B482-( )(1/2/3)**	511.	584.	788.
Left-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20″	24″	**RSA(A/B/C/D/E/F/G)L241-( )(1/2/3)**	373.	426.	576.
		30″	**RSA(A/B/C/D/E/F/G)L301-( )(1/2/3)**	409.	470.	634.
		36″	**RSA(A/B/C/D/E/F/G)L361-( )(1/2/3)**	431.	496.	670.
		42″	**RSA(A/B/C/D/E/F/G)L421-( )(1/2/3)**	451.	518.	700.
		48″	**RSA(A/B/C/D/E/F/G)L481-( )(1/2/3)**	469.	538.	727.
	24″	24″	**RSA(A/B/C/D/E/F/G)L242-( )(1/2/3)**	393.	451.	609.
		30″	**RSA(A/B/C/D/E/F/G)L302-( )(1/2/3)**	444.	511.	688.
		36″	**RSA(A/B/C/D/E/F/G)L362-( )(1/2/3)**	461.	530.	717.
		42″	**RSA(A/B/C/D/E/F/G)L422-( )(1/2/3)**	475.	545.	735.
		48″	**RSA(A/B/C/D/E/F/G)L482-( )(1/2/3)**	511.	584.	788.

Order Code

Example:	**RSAGB241F2**
R	Reff
S	Straight top
A	1¼″ thick
G	Gamma
B	Both ends accept edge
24	24″ wide
1	20″ deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Edge profile
2. 5th position indicates how and which edges profiled
3. Width
4. Depth
5. Grommet option
6. Top finish type
7. Top finish
8. Grommet finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

2. 5th position options:
B = Front edge primary profile and both sides reverse profile for mating (bridge)
L = Left hand return, front edge primary profile, right edge reverse profile for mating
R = Right hand return, front edge primary profile, left edge reverse profile for mating

5. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front (not recommended on 20″D and 24″D tops)

6. Finish type:
M = Mixed (laminate surface / wood edge)
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.

Optional edge 1¼″
front and attaching edge profiled

description	d	w	pattern no.	V1	V2	V3
Right-hand return work tops, Profile edge front only, Accepts Same Edge on attaching side 	20″	24″	**RSA(A/B/C/D/E/F/G)R241-( )(1/2/3)**	$373.	$426.	$576.
		30″	**RSA(A/B/C/D/E/F/G)R301-( )(1/2/3)**	409.	470.	634.
		36″	**RSA(A/B/C/D/E/F/G)R361-( )(1/2/3)**	431.	496.	670.
		42″	**RSA(A/B/C/D/E/F/G)R421-( )(1/2/3)**	451.	518.	700.
		48″	**RSA(A/B/C/D/E/F/G)R481-( )(1/2/3)**	469.	538.	727.
	24″	24″	**RSA(A/B/C/D/E/F/G)R242-( )(1/2/3)**	393.	451.	609.
		30″	**RSA(A/B/C/D/E/F/G)R302-( )(1/2/3)**	444.	511.	688.
		36″	**RSA(A/B/C/D/E/F/G)R362-( )(1/2/3)**	461.	530.	717.
		42″	**RSA(A/B/C/D/E/F/G)R422-( )(1/2/3)**	475.	545.	735.
		48″	**RSA(A/B/C/D/E/F/G)R482-( )(1/2/3)**	511.	584.	788.

Order Code

Example:	**RSAGB241F2**
R	Reff
S	Straight top
A	1¼″ thick
G	Gamma
B	Both ends accept edge
24	24″ wide
1	20″ deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Edge profile
2. 5th position indicates how and which edges profiled
3. Width
4. Depth
5. Grommet option
6. Top finish type
7. Top finish
8. Grommet finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

2. 5th position options:
B = Front edge primary profile and both sides reverse profile for mating (bridge)
L = Left hand return, front edge primary profile, right edge reverse profile for mating
R = Right hand return, front edge primary profile, left edge reverse profile for mating

5. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front (not recommended on 20″D and 24″D tops)

6. Finish type:
M = Mixed (laminate surface / wood edge)
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Return/mating edges indicated above and are the reverse profile of the primary edge profile selected. Double line reflected in images above along depth of top indicates where mating profile is applied, double line along width/front edge indicates primary edge of profile selected.

Optional edge 1¼″
curvilinear corner front edge only

description	width1	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 20″	36″	36″	**RCA(A/B/C/D/E/F/G)F363611-( )(1/2/3)**	$789.	$907.	$1,225.
	36″	42″	**RCA(A/B/C/D/E/F/G)F423611-( )(1/2/3)**	834.	960.	1,296.
	36″	48″	**RCA(A/B/C/D/E/F/G)F483611-( )(1/2/3)**	888.	1,019.	1,376.
	42″	36″	**RCA(A/B/C/D/E/F/G)F364211-( )(1/2/3)**	834.	960.	1,296.
	42″	42″	**RCA(A/B/C/D/E/F/G)F424211-( )(1/2/3)**	888.	1,019.	1,376.
	42″	48″	**RCA(A/B/C/D/E/F/G)F484211-( )(1/2/3)**	969.	1,113.	1,503.
	48″	36″	**RCA(A/B/C/D/E/F/G)F364811-( )(1/2/3)**	888.	1,019.	1,376.
	48″	42″	**RCA(A/B/C/D/E/F/G)F424811-( )(1/2/3)**	969.	1,113.	1,503.
	48″	48″	**RCA(A/B/C/D/E/F/G)F484811-( )(1/2/3)**	1,019.	1,173.	1,583.
Curved corner work tops with Profile edge on front only, left return depth 20″, right return depth 24″	36″	36″	**RCA(A/B/C/D/E/F/G)F363612-( )(1/2/3)**	824.	947.	1,280.
	36″	42″	**RCA(A/B/C/D/E/F/G)F423612-( )(1/2/3)**	869.	999.	1,349.
	36″	48″	**RCA(A/B/C/D/E/F/G)F483612-( )(1/2/3)**	923.	1,059.	1,431.
	42″	36″	**RCA(A/B/C/D/E/F/G)F364212-( )(1/2/3)**	869.	999.	1,349.
	42″	42″	**RCA(A/B/C/D/E/F/G)F424212-( )(1/2/3)**	923.	1,059.	1,431.
	42″	48″	**RCA(A/B/C/D/E/F/G)F484212-( )(1/2/3)**	1,005.	1,154.	1,559.
	48″	36″	**RCA(A/B/C/D/E/F/G)F364812-( )(1/2/3)**	923.	1,059.	1,431.
	48″	42″	**RCA(A/B/C/D/E/F/G)F424812-( )(1/2/3)**	1,005.	1,154.	1,559.
	48″	48″	**RCA(A/B/C/D/E/F/G)F484812-( )(1/2/3)**	1,055.	1,214.	1,639.
Curved corner work tops with Profile edge on front only, left return 24″, right return 20″	36″	36″	**RCA(A/B/C/D/E/F/G)F363621-( )(1/2/3)**	824.	947.	1,280.
	36″	42″	**RCA(A/B/C/D/E/F/G)F423621-( )(1/2/3)**	869.	999.	1,349.
	36″	48″	**RCA(A/B/C/D/E/F/G)F483621-( )(1/2/3)**	923.	1,059.	1,431.
	42″	36″	**RCA(A/B/C/D/E/F/G)F364221-( )(1/2/3)**	869.	999.	1,349.
	42″	42″	**RCA(A/B/C/D/E/F/G)F424221-( )(1/2/3)**	923.	1,059.	1,431.
	42″	48″	**RCA(A/B/C/D/E/F/G)F484221-( )(1/2/3)**	1,005.	1,154.	1,559.
	48″	36″	**RCA(A/B/C/D/E/F/G)F364821-( )(1/2/3)**	923.	1,059.	1,431.
	48″	42″	**RCA(A/B/C/D/E/F/G)F424821-( )(1/2/3)**	1,005.	1,154.	1,559.
	48″	48″	**RCA(A/B/C/D/E/F/G)F484821-( )(1/2/3)**	1,055.	1,214.	1,639.
Curved corner work tops with Profile edge on front only, return depth left and right 24″	36″	36″	**RCA(A/B/C/D/E/F/G)F363622-( )(1/2/3)**	894.	1,029.	1,390.
	36″	42″	**RCA(A/B/C/D/E/F/G)F423622-( )(1/2/3)**	942.	1,081.	1,459.
	36″	48″	**RCA(A/B/C/D/E/F/G)F483622-( )(1/2/3)**	992.	1,140.	1,540.
	42″	36″	**RCA(A/B/C/D/E/F/G)F364222-( )(1/2/3)**	942.	1,081.	1,459.
	42″	42″	**RCA(A/B/C/D/E/F/G)F424222-( )(1/2/3)**	992.	1,140.	1,540.



Radii of front edge varies with top dimensions

Order Code

Example:	**RCAGF363611**
R	Reff
C	Corner top
A	1¼″ thick
G	Gamma
F	Edge Front only
36	36″ wide
36	36″ wide
1	20″ deep
1	20″ deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Edge profile
2. Left hand width
3. Right hand width
4. Return left hand depth
5. Return right hand depth
6. Grommet option
7. Top finish type
8. Top finish
9. Grommet finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

6. Grommet options:
N = No grommet
F = Flush front grommet location

7. Finish type:
M = Mixed (laminate surface / wood edge)
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48″w.

Optional edge 1¼″
curvilinear corner front edge only

description	width1	w right	pattern no.	M/V1	V2	V3
Curved corner work tops with Profile edge on front only, return depth left and right 24″	42″	48″	**RCA(A/B/C/D/E/F/G)F484222-( )(1/2/3)**	$1,076.	$1,237.	$1,670.
	48″	36″	**RCA(A/B/C/D/E/F/G)F364822-( )(1/2/3)**	992.	1,140.	1,540.
	48″	42″	**RCA(A/B/C/D/E/F/G)F424822-( )(1/2/3)**	1,076.	1,237.	1,670.
	48″	48″	**RCA(A/B/C/D/E/F/G)F484822-( )(1/2/3)**	1,127.	1,294.	1,747.

Order Code

Example:	**RCAGF363611**
R	Reff
C	Corner top
A	1¼″ thick
G	Gamma
F	Edge Front only
36	36″ wide
36	36″ wide
1	20″ deep
1	20″ deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Edge profile
2. Left hand width
3. Right hand width
4. Return left hand depth
5. Return right hand depth
6. Grommet option
7. Top finish type
8. Top finish
9. Grommet finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

6. Grommet options:
N = No grommet
F = Flush front grommet location

7. Finish type:
M = Mixed (laminate surface / wood edge)
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48″w.

Optional edge 1¼″
wave end tops
front edge only

description	depth1	d right	w	pattern no.	M/V1	V2	V3
Wave transition top with profile edge front only (left 24″, right 20″) 	20″	24″	42″	**RWA(A/B/C/D/E/F/G)F4221-( )(1/2/3)**	$476.	$548.	$739.
	20″	24″	48″	**RWA(A/B/C/D/E/F/G)F4821-( )(1/2/3)**	500.	576.	777.
	20″	24″	54″	**RWA(A/B/C/D/E/F/G)F5421-( )(1/2/3)**	535.	616.	831.
	20″	24″	60″	**RWA(A/B/C/D/E/F/G)F6021-( )(1/2/3)**	572.	660.	890.
	20″	24″	66″	**RWA(A/B/C/D/E/F/G)F6621-( )(1/2/3)**	590.	678.	917.
	20″	24″	72″	**RWA(A/B/C/D/E/F/G)F7221-( )(1/2/3)**	617.	711.	959.
Wave transition top with profile edge front only (left 30″, right 24″) 	24″	30″	42″	**RWA(A/B/C/D/E/F/G)F4232-( )(1/2/3)**	515.	590.	796.
	24″	30″	48″	**RWA(A/B/C/D/E/F/G)F4832-( )(1/2/3)**	534.	613.	827.
	24″	30″	54″	**RWA(A/B/C/D/E/F/G)F5432-( )(1/2/3)**	576.	663.	894.
	24″	30″	60″	**RWA(A/B/C/D/E/F/G)F6032-( )(1/2/3)**	616.	707.	955.
	24″	30″	66″	**RWA(A/B/C/D/E/F/G)F6632-( )(1/2/3)**	637.	734.	991.
	24″	30″	72″	**RWA(A/B/C/D/E/F/G)F7232-( )(1/2/3)**	672.	771.	1,041.
Wave transition top with profile edge front only (left 20″, right 24″) 	24″	20″	42″	**RWA(A/B/C/D/E/F/G)F4212-( )(1/2/3)**	476.	548.	739.
	24″	20″	48″	**RWA(A/B/C/D/E/F/G)F4812-( )(1/2/3)**	500.	576.	777.
	24″	20″	54″	**RWA(A/B/C/D/E/F/G)F5412-( )(1/2/3)**	535.	616.	831.
	24″	20″	60″	**RWA(A/B/C/D/E/F/G)F6012-( )(1/2/3)**	572.	660.	890.
	24″	20″	66″	**RWA(A/B/C/D/E/F/G)F6612-( )(1/2/3)**	590.	678.	917.
	24″	20″	72″	**RWA(A/B/C/D/E/F/G)F7212-( )(1/2/3)**	617.	711.	959.
Wave transition top with profile edge front only (left 24″, right 30″) 	30″	24″	42″	**RWA(A/B/C/D/E/F/G)F4223-( )(1/2/3)**	515.	590.	796.
	30″	24″	48″	**RWA(A/B/C/D/E/F/G)F4823-( )(1/2/3)**	534.	613.	827.
	30″	24″	54″	**RWA(A/B/C/D/E/F/G)F5423-( )(1/2/3)**	576.	663.	894.
	30″	24″	60″	**RWA(A/B/C/D/E/F/G)F6023-( )(1/2/3)**	616.	707.	955.
	30″	24″	66″	**RWA(A/B/C/D/E/F/G)F6623-( )(1/2/3)**	637.	734.	991.
	30″	24″	72″	**RWA(A/B/C/D/E/F/G)F7223-( )(1/2/3)**	672.	771.	1,041.
Wave end top with profile edge front only (20″ right) 	20″	32″	36″	**RWEA(A/B/C/D/E/F/G)F3631-( )(1/2/3)**	632.	728.	983.
	20″	32″	42″	**RWEA(A/B/C/D/E/F/G)F4231-( )(1/2/3)**	658.	757.	1,022.
	20″	32″	48″	**RWEA(A/B/C/D/E/F/G)F4831-( )(1/2/3)**	692.	796.	1,076.

Order Code

Example:	**RWAGF422-1F2**
R	Reff
W	Wave transition top
A	1¼″ thick
G	Gamma
F	Edge front only
42	42″ wide
2	20″ deep
1	20″ deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Edge profile
2. 5th position F = front edge with profile only
3. Width
4. Left hand depth
5. Right hand depth
6. Grommet option
7. Top finish type
8. Top finish
9. Grommet finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

6. Grommet options:
N = No grommet
F = Flush front grommet location

7. Finish type:
M = Mixed (laminate surface / wood edge)
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Optional edge 1¼″
wave end tops
front edge only

description	depth1	d right	w	pattern no.	M/V1	V2	V3
Wave end top with profile edge front only (24″ right) 	24″	36″	36″	**RWEA(A/B/C/D/E/F/G)F3662-( )(1/2/3)**	$655.	$753.	$1,016.
	24″	36″	42″	**RWEA(A/B/C/D/E/F/G)F4262-( )(1/2/3)**	675.	775.	1,047.
	24″	36″	48″	**RWEA(A/B/C/D/E/F/G)F4862-( )(1/2/3)**	714.	823.	1,110.
Wave end top with profile edge front only (20″ left) 	32″	20″	36″	**RWEA(A/B/C/D/E/F/G)F3613-( )(1/2/3)**	632.	728.	983.
	32″	20″	42″	**RWEA(A/B/C/D/E/F/G)F4213-( )(1/2/3)**	658.	757.	1,022.
	32″	20″	48″	**RWEA(A/B/C/D/E/F/G)F4813-( )(1/2/3)**	692.	796.	1,076.
Wave end top with profile edge front only (24″ left) 	36″	24″	36″	**RWEA(A/B/C/D/E/F/G)F3626-( )(1/2/3)**	655.	753.	1,016.
	36″	24″	42″	**RWEA(A/B/C/D/E/F/G)F4226-( )(1/2/3)**	675.	775.	1,047.
	36″	24″	48″	**RWEA(A/B/C/D/E/F/G)F4826-( )(1/2/3)**	714.	823.	1,110.

Order Code

Example:	**RWAGF422-1F2**
R	Reff
W	Wave transition top
A	1¼″ thick
G	Gamma
F	Edge front only
42	42″ wide
2	20″ deep
1	20″ deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Edge profile
2. 5th position F = front edge with profile only
3. Width
4. Left hand depth
5. Right hand depth
6. Grommet option
7. Top finish type
8. Top finish
9. Grommet finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

6. Grommet options:
N = No grommet
F = Flush front grommet location

7. Finish type:
M = Mixed (laminate surface / wood edge)
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.

List price for woodgrain laminate options will be current published laminate list price plus 10%.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Optional edge 1¼″
meeting tops

description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Profile edge on all except flat side. **Grommet choices are centered (as shown) or none** 	30″	42″	**RMDA(A/B/C/D/E/F/G)F4230-( )(1/2/3)**	$673.	$772.	$1,042.
	30″	48″	**RMDA(A/B/C/D/E/F/G)F4830-( )(1/2/3)**	727.	833.	1,125.
	30″	54″	**RMDA(A/B/C/D/E/F/G)F5430-( )(1/2/3)**	777.	894.	1,207.
	30″	60″	**RMDA(A/B/C/D/E/F/G)F6030-( )(1/2/3)**	831.	955.	1,289.
	30″	66″	**RMDA(A/B/C/D/E/F/G)F6630-( )(1/2/3)**	887.	1,018.	1,375.
	30″	72″	**RMDA(A/B/C/D/E/F/G)F7230-( )(1/2/3)**	941.	1,080.	1,458.
	30″	78″	**RMDA(A/B/C/D/E/F/G)F7830-( )(1/2/3)**	1,063.	1,222.	1,650.
	30″	84″	**RMDA(A/B/C/D/E/F/G)F8430-( )(1/2/3)**	1,187.	1,364.	1,842.
	30″	90″	**RMDA(A/B/C/D/E/F/G)F9030-( )(1/2/3)**	1,326.	1,524.	2,057.
	30″	96″	**RMDA(A/B/C/D/E/F/G)F9630-( )(1/2/3)**	1,462.	1,680.	2,270.
	36″	42″	**RMDA(A/B/C/D/E/F/G)F4236-( )(1/2/3)**	740.	851.	1,149.
	36″	48″	**RMDA(A/B/C/D/E/F/G)F4836-( )(1/2/3)**	809.	931.	1,257.
	36″	54″	**RMDA(A/B/C/D/E/F/G)F5436-( )(1/2/3)**	925.	1,066.	1,438.
	36″	60″	**RMDA(A/B/C/D/E/F/G)F6036-( )(1/2/3)**	1,038.	1,195.	1,613.
	36″	66″	**RMDA(A/B/C/D/E/F/G)F6636-( )(1/2/3)**	1,057.	1,217.	1,643.
	36″	72″	**RMDA(A/B/C/D/E/F/G)F7236-( )(1/2/3)**	1,076.	1,237.	1,670.
	36″	78″	**RMDA(A/B/C/D/E/F/G)F7836-( )(1/2/3)**	1,210.	1,391.	1,877.
	36″	84″	**RMDA(A/B/C/D/E/F/G)F8436-( )(1/2/3)**	1,346.	1,550.	2,092.
	36″	90″	**RMDA(A/B/C/D/E/F/G)F9036-( )(1/2/3)**	1,418.	1,631.	2,202.
	36″	96″	**RMDA(A/B/C/D/E/F/G)F9636-( )(1/2/3)**	1,554.	1,784.	2,410.
Wrap-around panel top *No Grommet option	21¼″	42½″	**RMDA(A/B/C/D/E/F/G)F4221-( )(1/2/3)( )**	865.	994.	1,341.
	25¼″	50½″	**RMDA(A/B/C/D/E/F/G)F5025-( )(1/2/3)( )**	947.	1,090.	1,471.

Please specify mating end trim profile option.

Order Code

Example:	**RMDAGF4230F2**
R	Reff
MD	Peninsula D-shaped top
A	1¼″ thick
G	Gamma
F	Edge front only
42	42″ wide
30	30″ deep
C	Centered grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Edge profile
2. Width
3. Depth
4. Grommet option
5. Top finish type
6. Top finish
7. Grommet finish
8. Applicable "wrap around panel tops" only specify mating panel end trim profile

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

4. Grommet options:
N = No grommet
C = Centered grommet (applicable RMDA product only)
F = Flush front grommet location (for worksurfaces 9 or P tops)
R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20″D and 24″D tops)

5. Finish type:
M = Mixed (laminate surface / wood edge)
1 = V1
2 = V2
3 = V3

8. Additional specification option required for wrap around panel tops only, specify mating trim profile
A = Flat
B = Square
C = Bullnose
E = Extruded Aluminum

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Optional edge 1¼″
meeting tops P and 9

description	d	w	pattern no.	V1	V2	V3
Worksurface P-top 	30″	84″	**RMPA(A/B/C/D/E/F/G)F8430-( )(1/2/3)**	$1,878.	$2,163.	$2,919.
	30″	96″	**RMPA(A/B/C/D/E/F/G)F9630-( )(1/2/3)**	1,959.	2,252.	3,040.
Worksurface 9-top 	30″	84″	**RM9A(A/B/C/D/E/F/G)F8430-( )(1/2/3)**	1,878.	2,163.	2,919.
	30″	96″	**RM9A(A/B/C/D/E/F/G)F9630-( )(1/2/3)**	1,959.	2,252.	3,040.
Meeting P-top (adjoining top must use 12 end panel and modesty panel to support) ***No Grommet option**	30″	42″	**RM9A(A/B/C/D/E/F/G)F4230-( )(1/2/3)**	924.	1,062.	1,432.
	36″	48″	**RM9A(A/B/C/D/E/F/G)F4836-( )(1/2/3)**	1,027.	1,180.	1,595.
Meeting 9-top (adjoining top must use 12 end panel and modesty panel to support) ***No Grommet option**	30″	42″	**RMPA(A/B/C/D/E/F/G)F4230-( )(1/2/3)**	924.	1,062.	1,432.
	36″	48″	**RMPA(A/B/C/D/E/F/G)F4836-( )(1/2/3)**	1,027.	1,180.	1,595.

Order Code

Example:	**RMPAGF4230F2**
R	Reff
MP	Peninsula P-shaped top
A	1¼″ thick
G	Gamma
F	Edge front only
42	42″ wide
30	30″ deep
C	Centered grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Edge profile
2. Width
3. Depth
4. Grommet option
5. Top finish type
6. Top finish
7. Grommet finish
8. Applicable "wrap around panel tops" only specify mating panel end trim profile

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

4. Grommet options:
N = No grommet
C = Centered grommet (applicable RMDA product only)
F = Flush front grommet location (for worksurfaces 9 or P tops)
R = Recessed front (for worksurfaces 9 or p tops. Not recommended on 20″D and 24″D tops)

5. Finish type:
M = Mixed (laminate surface / wood edge)
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48″w.

Optional edge 1¼″
Bow front tops

description	w	d	pattern no.	V1	V2	V3
Profile edge on front and back (30″d) 	72″	30″	**RMBA(A/B/C/D/E/F/G)A7230-( )(1/2/3)**	$1,121.	$1,287.	$1,739.
	84″	30″	**RMBA(A/B/C/D/E/F/G)A8430( )(1/2/3)**	1,234.	1,420.	1,917.
	96″	30″	**RMBA(A/B/C/D/E/F/G)A9630( )(1/2/3)**	1,368.	1,571.	2,122.
Profile edge on front and back (36″d) 	72″	36″	**RMBA(A/B/C/D/E/F/G)A7236( )(1/2/3)**	1,190.	1,367.	1,847.
	84″	36″	**RMBA(A/B/C/D/E/F/G)A8436( )(1/2/3)**	1,304.	1,501.	2,027.
	96″	36″	**RMBA(A/B/C/D/E/F/G)A9636-( )(1/2/3)**	1,445.	1,663.	2,244.
Profile elliptical tops 	60″	30″	**REBA(A/B/C/D/E/F/G)A6030**	1,315.	1,512.	2,041.
	72″	42″	**REBA(A/B/C/D/E/F/G)A7242**	1,874.	2,153.	2,906.
	78″	48″	**REBA(A/B/C/D/E/F/G)A7848**	2,054.	2,362.	3,188.
	grommet options for elliptical tops, N or R					

Order Code

Example:	**RMBAGA7230F2**
R	Reff
MB	Bow front top
A	1¼″ thick
G	Gamma
A	Edge front and back
72	72″ wide
30	30″ deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Edge profile
2. Width
3. Depth
4. Grommet option
5. Top finish type
6. Top finish
7. Grommet finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

4. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
A = Alternate location (only for 36″ deep bow front tops)

5. Finish type:
M = Mixed (laminate surface / wood edge)
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Optional edge 1¼″
round and racetrack conference tops

description	w	d	pattern no.	V1	V2	V3
Racetrack top - 1 piece 	72″	30″	**RTA(A/B/C/D/E/F/G)7230-(1/2/3)**	$1,315.	$1,512.	$2,041.
	72″	36″	**RTA(A/B/C/D/E/F/G)7236-(1/2/3)**	1,501.	1,723.	2,326.
	84″	30″	**RTA(A/B/C/D/E/F/G)8430-(1/2/3)**	1,464.	1,686.	2,275.
	84″	36″	**RTA(A/B/C/D/E/F/G)8436-(1/2/3)**	1,689.	1,937.	2,617.
	84″	42″	**RTA(A/B/C/D/E/F/G)8442-(1/2/3)**	2,054.	2,362.	3,188.
	96″	30″	**RTA(A/B/C/D/E/F/G)9630-(1/2/3)**	1,631.	1,876.	2,532.
	96″	36″	**RTA(A/B/C/D/E/F/G)9636-(1/2/3)**	1,874.	2,153.	2,906.
	96″	42″	**RTA(A/B/C/D/E/F/G)9642-(1/2/3)**	2,298.	2,643.	3,568.
Racetrack top - 2 piece Profile edge on all sides except on parting lines 	120″	36″	**RTA(A/B/C/D/E/F/G)12036-(1/2/3)**	2,419.	2,781.	3,754.
	120″	42″	**RTA(A/B/C/D/E/F/G)12042-(1/2/3)**	2,608.	2,998.	4,048.
	120″	48″	**RTA(A/B/C/D/E/F/G)12048-(1/2/3)**	2,773.	3,187.	4,302.
	144″	42″	**RTA(A/B/C/D/E/F/G)14442-(1/2/3)**	2,874.	3,307.	4,463.
	144″	48″	**RTA(A/B/C/D/E/F/G)14448-(1/2/3)**	2,948.	3,388.	4,575.
Racetrack top - 3 piece Profile edge on all sides except on parting lines 	168″	42″	**RTA(A/B/C/D/E/F/G)16842-(1/2/3)**	3,605.	4,146.	5,597.
	168″	48″	**RTA(A/B/C/D/E/F/G)16848-(1/2/3)**	3,855.	4,434.	5,985.
	192″	42″	**RTA(A/B/C/D/E/F/G)19242-(1/2/3)**	3,875.	4,455.	6,014.
	192″	48″	**RTA(A/B/C/D/E/F/G)19248-(1/2/3)**	4,032.	4,637.	6,258.
Round tops Profile edge on all sides except on parting lines. 	–	36″	**RTA(A/B/C/D/E/F/G)3636-(1/2/3)**	740.	851.	1,149.
	–	42″	**RTA(A/B/C/D/E/F/G)4242-(1/2/3)**	858.	986.	1,332.
	–	48″	**RTA(A/B/C/D/E/F/G)4848-(1/2/3)**	1,413.	1,624.	2,192.
	*	60″	**RTA(A/B/C/D/E/F/G)6060-(1/2/3)**	2,216.	2,548.	3,439.
	*	72″	**RTA(A/B/C/D/E/F/G)7272-(1/2/3)**	2,742.	3,154.	4,258.

Order Code

Example:	**RTAG72302**
R	Reff
T	Racetrack top
A	1¼″ thick
G	Gamma
72	22″ wide
30	30″ deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Edge profile
2. Width
3. Depth
4. Finish type
5. Finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

4. Finish type:
M = Mixed (laminate surface / wood edge)
1 = V1
2 = V2
3 = V3

*Round tops in two pieces.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Optional edge 1¼″
square and rectangular conference tops

description	w	d	pattern no.	V1	V2	V3
Rectangular top - 1 piece 	72″	30″	**RRA(A/B/C/D/E/F/G)7230-(1/2/3)**	$696.	$799.	$1,080.
	72″	36″	**RRA(A/B/C/D/E/F/G)7236-(1/2/3)**	756.	868.	1,172.
	84″	30″	**RRA(A/B/C/D/E/F/G)8430-(1/2/3)**	769.	887.	1,198.
	84″	36″	**RRA(A/B/C/D/E/F/G)8436-(1/2/3)**	825.	948.	1,281.
	84″	42″	**RRA(A/B/C/D/E/F/G)8442-(1/2/3)**	1,222.	1,404.	1,895.
	96″	30″	**RRA(A/B/C/D/E/F/G)9630-(1/2/3)**	864.	992.	1,340.
	96″	36″	**RRA(A/B/C/D/E/F/G)9636-(1/2/3)**	954.	1,097.	1,483.
	96″	42″	**RRA(A/B/C/D/E/F/G)9642-(1/2/3)**	1,402.	1,611.	2,175.
Rectangular top - 2 piece Profile edge on all sides except on parting lines 	120″	36″	**RRA(A/B/C/D/E/F/G)12036-(1/2/3)**	1,530.	1,759.	2,375.
	120″	42″	**RRA(A/B/C/D/E/F/G)12042-(1/2/3)**	2,110.	2,426.	3,273.
	120″	48″	**RRA(A/B/C/D/E/F/G)12048-(1/2/3)**	2,293.	2,637.	3,561.
	144″	42″	**RRA(A/B/C/D/E/F/G)14442-(1/2/3)**	2,369.	2,728.	3,683.
	144″	48″	**RRA(A/B/C/D/E/F/G)14448-(1/2/3)**	2,541.	2,920.	3,943.
Rectangular top - 3 piece Profile edge on all sides except on parting lines 	168″	42″	**RRA(A/B/C/D/E/F/G)16842-(1/2/3)**	3,108.	3,575.	4,825.
	168″	48″	**RRA(A/B/C/D/E/F/G)16848-(1/2/3)**	3,375.	3,885.	5,245.
	192″	42″	**RRA(A/B/C/D/E/F/G)19242-(1/2/3)**	3,367.	3,874.	5,229.
	192″	48″	**RRA(A/B/C/D/E/F/G)19248-(1/2/3)**	3,625.	4,169.	5,626.
Square top Profile edge on all sides except on parting lines 	–	36″	**RRA(A/B/C/D/E/F/G)3636-(1/2/3)**	537.	617.	833.
	–	42″	**RRA(A/B/C/D/E/F/G)4242-(1/2/3)**	696.	799.	1,080.
	–	48″	**RRA(A/B/C/D/E/F/G)4848-(1/2/3)**	915.	1,050.	1,417.
	*	60″	**RRA(A/B/C/D/E/F/G)6060-(1/2/3)**	1,425.	1,639.	2,214.
	*	72″	**RRA(A/B/C/D/E/F/G)7272-(1/2/3)**	1,680.	1,933.	2,609.

Order Code

Example:	**RRAG72302**
R	Reff
R	Conference Room top
A	1¼″ thick
G	Gamma
72	72″ wide
30	30″ deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Edge option
2. Width
3. Depth
4. Finish type
5. Finish

1. Edge profile options:
A = Alpha
B = Beta
C = Chi
D = Delta
E = Epsilon
F = Phi
G = Gamma

4. Finish type:
M = Mixed (laminate surface / wood edge)
1 = V1
2 = V2
3 = V3

* Square tops in two pieces.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Waterfall Edge 1 1/4″
with 2″ Waterfall edge front only
20″ and 24″ deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front only 	20″	24″	**RSAWF241-( )(1/2/3)**	$706.	$814.	$1,098.
		30″	**RSAWF301-( )(1/2/3)**	777.	895.	1,210.
		36″	**RSAWF361-( )(1/2/3)**	822.	943.	1,273.
		42″	**RSAWF421-( )(1/2/3)**	858.	984.	1,328.
		48″	**RSAWF481-( )(1/2/3)**	892.	1,026.	1,385.
		54″	**RSAWF541-( )(1/2/3)**	931.	1,072.	1,447.
		60″	**RSAWF601-( )(1/2/3)**	1,003.	1,152.	1,556.
		66″	**RSAWF661-( )(1/2/3)**	1,034.	1,190.	1,606.
		72″	**RSAWF721-( )(1/2/3)**	1,084.	1,247.	1,686.
		78″	**RSAWF781-( )(1/2/3)**	1,103.	1,266.	1,708.
		84″	**RSAWF841-( )(1/2/3)**	1,173.	1,348.	1,820.
		90″	**RSAWF901-( )(1/2/3)**	1,219.	1,402.	1,893.
		96″	**RSAWF961-( )(1/2/3)**	1,266.	1,453.	1,962.
	24″	24″	**RSAWF242-( )(1/2/3)**	744.	858.	1,158.
		30″	**RSAWF302-( )(1/2/3)**	842.	969.	1,307.
		36″	**RSAWF362-( )(1/2/3)**	876.	1,005.	1,358.
		42″	**RSAWF422-( )(1/2/3)**	902.	1,036.	1,399.
		48″	**RSAWF482-( )(1/2/3)**	969.	1,113.	1,503.
		54″	**RSAWF542-( )(1/2/3)**	1,034.	1,190.	1,606.
		60″	**RSAWF602-( )(1/2/3)**	1,107.	1,272.	1,716.
		66″	**RSAWF662-( )(1/2/3)**	1,145.	1,314.	1,775.
		72″	**RSAWF722-( )(1/2/3)**	1,197.	1,376.	1,856.
		78″	**RSAWF782-( )(1/2/3)**	1,254.	1,441.	1,946.
		84″	**RSAWF842-( )(1/2/3)**	1,302.	1,497.	2,021.
		90″	**RSAWF902-( )(1/2/3)**	1,364.	1,568.	2,118.
		96″	**RSAWF962-( )(1/2/3)**	1,417.	1,629.	2,201.

Order Code

Example:	**RSAWF241F2**
R	Reff
S	Straight top
A	1 1/4″ thick
WF	Waterfall front
24	24″ wide
1	20″ deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Grommet option
2. Top finish type
3. Top finish
4. Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20″D and 24″D tops)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Waterfall Edge 1 1/4″
with 2″ Waterfall edge front only
30″ and 36″ deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front only	30″	24″	**RSAWF243-( )(1/2/3)**	$810.	$934.	$1,261.
		30″	**RSAWF303-( )(1/2/3)**	910.	1,048.	1,415.
		36″	**RSAWF363-( )(1/2/3)**	982.	1,128.	1,523.
		42″	**RSAWF423-( )(1/2/3)**	1,023.	1,175.	1,586.
		48″	**RSAWF483-( )(1/2/3)**	1,091.	1,257.	1,697.
		54″	**RSAWF543-( )(1/2/3)**	1,179.	1,359.	1,834.
		60″	**RSAWF603-( )(1/2/3)**	1,225.	1,407.	1,900.
		66″	**RSAWF663-( )(1/2/3)**	1,251.	1,438.	1,943.
		72″	**RSAWF723-( )(1/2/3)**	1,282.	1,473.	1,988.
		78″	**RSAWF783-( )(1/2/3)**	1,342.	1,542.	2,081.
		84″	**RSAWF843-( )(1/2/3)**	1,394.	1,606.	2,167.
		90″	**RSAWF903-( )(1/2/3)**	1,461.	1,676.	2,262.
		96″	**RSAWF963-( )(1/2/3)**	1,513.	1,740.	2,348.
	36″	60″	**RSAWF604-( )(1/2/3)**	1,414.	1,622.	2,189.
		66″	**RSAWF664-( )(1/2/3)**	1,463.	1,680.	2,270.
		72″	**RSAWF724-( )(1/2/3)**	1,511.	1,736.	2,343.

Order Code

Example:	**RSAWF243F2**
R	Reff
S	Straight top
A	1 1/4″ thick
WF	Waterfall front
24	24″ wide
3	30″ deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet black (grommet)

Specification Information

To order please specify pattern number including:

1. Grommet option
2. Top finish type
3. Top finish
4. Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20″D and 24″D tops)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Waterfall Edge 1 1/4″
with 2″ Waterfall edge front and back 20″ and 24″ deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and back only 	20″	24″	**RSAWA241-( )(1/2/3)**	$883.	$1,019.	$1,376.
		30″	**RSAWA301-( )(1/2/3)**	974.	1,119.	1,509.
		36″	**RSAWA361-( )(1/2/3)**	1,027.	1,178.	1,592.
		42″	**RSAWA421-( )(1/2/3)**	1,073.	1,232.	1,664.
		48″	**RSAWA481-( )(1/2/3)**	1,113.	1,282.	1,730.
		54″	**RSAWA541-( )(1/2/3)**	1,163.	1,339.	1,808.
		60″	**RSAWA601-( )(1/2/3)**	1,255.	1,440.	1,944.
		66″	**RSAWA661-( )(1/2/3)**	1,293.	1,487.	2,008.
		72″	**RSAWA721-( )(1/2/3)**	1,359.	1,563.	2,110.
		78″	**RSAWA781-( )(1/2/3)**	1,379.	1,581.	2,135.
		84″	**RSAWA841-( )(1/2/3)**	1,465.	1,685.	2,274.
		90″	**RSAWA901-( )(1/2/3)**	1,526.	1,754.	2,367.
		96″	**RSAWA961-( )(1/2/3)**	1,581.	1,820.	2,456.
	24″	24″	**RSAWA242-( )(1/2/3)**	931.	1,073.	1,448.
		30″	**RSAWA302-( )(1/2/3)**	1,052.	1,211.	1,635.
		36″	**RSAWA362-( )(1/2/3)**	1,095.	1,260.	1,701.
		42″	**RSAWA422-( )(1/2/3)**	1,128.	1,296.	1,751.
		48″	**RSAWA482-( )(1/2/3)**	1,211.	1,393.	1,880.
		54″	**RSAWA542-( )(1/2/3)**	1,293.	1,487.	2,008.
		60″	**RSAWA602-( )(1/2/3)**	1,385.	1,593.	2,150.
		66″	**RSAWA662-( )(1/2/3)**	1,432.	1,644.	2,219.
		72″	**RSAWA722-( )(1/2/3)**	1,494.	1,719.	2,322.
		78″	**RSAWA782-( )(1/2/3)**	1,568.	1,805.	2,435.
		84″	**RSAWA842-( )(1/2/3)**	1,629.	1,875.	2,530.
		90″	**RSAWA902-( )(1/2/3)**	1,706.	1,961.	2,647.
		96″	**RSAWA962-( )(1/2/3)**	1,771.	2,035.	2,747.

Order Code

Example:	**RSAWA241F2**
R	Reff
S	Straight top
A	1 1/4″ thick
WA	Waterfall front/back
24	24″ wide
1	20″ deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Grommet option
2. Top finish type
3. Top finish
4. Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20″D and 24″D tops)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Waterfall Edge 1 1/4″
with 2″ Waterfall edge front and back 30″ and 36″ deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and back only 	30″	24″	**RSAWA243-( )(1/2/3)**	$1,015.	$1,167.	$1,575.
		30″	**RSAWA303-( )(1/2/3)**	1,139.	1,312.	1,772.
		36″	**RSAWA363-( )(1/2/3)**	1,228.	1,413.	1,907.
		42″	**RSAWA423-( )(1/2/3)**	1,280.	1,470.	1,984.
		48″	**RSAWA483-( )(1/2/3)**	1,365.	1,570.	2,120.
		54″	**RSAWA543-( )(1/2/3)**	1,476.	1,698.	2,292.
		60″	**RSAWA603-( )(1/2/3)**	1,530.	1,760.	2,377.
		66″	**RSAWA663-( )(1/2/3)**	1,565.	1,800.	2,430.
		72″	**RSAWA723-( )(1/2/3)**	1,603.	1,842.	2,487.
		78″	**RSAWA783-( )(1/2/3)**	1,676.	1,930.	2,604.
		84″	**RSAWA843-( )(1/2/3)**	1,744.	2,008.	2,710.
		90″	**RSAWA903-( )(1/2/3)**	1,823.	2,097.	2,832.
		96″	**RSAWA963-( )(1/2/3)**	1,890.	2,174.	2,935.
	36″	60″	**RSAWA604-( )(1/2/3)**	1,767.	2,028.	2,738.
		66″	**RSAWA664-( )(1/2/3)**	1,827.	2,103.	2,838.
		72″	**RSAWA724-( )(1/2/3)**	1,887.	2,170.	2,929.

Order Code

Example:	**RSAWA243F2**
R	Reff
S	Straight top
A	1 1/4″ thick
WA	Waterfall front/back
24	24″ wide
3	30″ deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Grommet option
2. Top finish type
3. Top finish
4. Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20″D and 24″D tops)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Waterfall Edge 1 1/4″
with 2″ Waterfall edge front and two sides 20″ and 24″ deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and two sides 	20″	24″	**RSAWB241-( )(1/2/3)**	$1,064.	$1,221.	$1,648.
		30″	**RSAWB301-( )(1/2/3)**	1,167.	1,340.	1,809.
		36″	**RSAWB361-( )(1/2/3)**	1,230.	1,415.	1,910.
		42″	**RSAWB421-( )(1/2/3)**	1,286.	1,477.	1,994.
		48″	**RSAWB481-( )(1/2/3)**	1,336.	1,538.	2,076.
		54″	**RSAWB541-( )(1/2/3)**	1,395.	1,607.	2,170.
		60″	**RSAWB601-( )(1/2/3)**	1,508.	1,731.	2,337.
		66″	**RSAWB661-( )(1/2/3)**	1,552.	1,783.	2,409.
		72″	**RSAWB721-( )(1/2/3)**	1,629.	1,874.	2,529.
		78″	**RSAWB781-( )(1/2/3)**	1,649.	1,897.	2,561.
		84″	**RSAWB841-( )(1/2/3)**	1,757.	2,023.	2,730.
		90″	**RSAWB901-( )(1/2/3)**	1,831.	2,105.	2,841.
		96″	**RSAWB961-( )(1/2/3)**	1,897.	2,183.	2,947.
	24″	24″	**RSAWB242-( )(1/2/3)**	1,118.	1,286.	1,736.
		30″	**RSAWB302-( )(1/2/3)**	1,264.	1,449.	1,958.
		36″	**RSAWB362-( )(1/2/3)**	1,313.	1,511.	2,040.
		42″	**RSAWB422-( )(1/2/3)**	1,354.	1,558.	2,105.
		48″	**RSAWB482-( )(1/2/3)**	1,449.	1,671.	2,256.
		54″	**RSAWB542-( )(1/2/3)**	1,552.	1,783.	2,409.
		60″	**RSAWB602-( )(1/2/3)**	1,663.	1,909.	2,578.
		66″	**RSAWB662-( )(1/2/3)**	1,716.	1,973.	2,663.
		72″	**RSAWB722-( )(1/2/3)**	1,794.	2,065.	2,786.
		78″	**RSAWB782-( )(1/2/3)**	1,880.	2,165.	2,922.
		84″	**RSAWB842-( )(1/2/3)**	1,955.	2,246.	3,034.
		90″	**RSAWB902-( )(1/2/3)**	2,045.	2,352.	3,175.
		96″	**RSAWB962-( )(1/2/3)**	2,122.	2,444.	3,300.

Order Code

Example:	**RSAWB241F2**
R	Reff
S	Straight top
A	1 1/4″ thick
WB	Waterfall front and 2 sides
24	24″ wide
1	20″ deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Grommet option
2. Top finish type
3. Top finish
4. Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20″D and 24″D tops)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Waterfall Edge 1 1/4″
with 2″ Waterfall edge front and two sides 30″ and 36″ deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and two sides 	30″	24″	**RSAWB243-( )(1/2/3)**	$1,217.	$1,400.	$1,890.
		30″	**RSAWB303-( )(1/2/3)**	1,368.	1,574.	2,124.
		36″	**RSAWB363-( )(1/2/3)**	1,473.	1,694.	2,287.
		42″	**RSAWB423-( )(1/2/3)**	1,535.	1,762.	2,379.
		48″	**RSAWB483-( )(1/2/3)**	1,639.	1,883.	2,543.
		54″	**RSAWB543-( )(1/2/3)**	1,772.	2,035.	2,747.
		60″	**RSAWB603-( )(1/2/3)**	1,835.	2,110.	2,849.
		66″	**RSAWB663-( )(1/2/3)**	1,877.	2,159.	2,914.
		72″	**RSAWB723-( )(1/2/3)**	1,921.	2,210.	2,983.
		78″	**RSAWB783-( )(1/2/3)**	2,014.	2,318.	3,128.
		84″	**RSAWB843-( )(1/2/3)**	2,090.	2,406.	3,248.
		90″	**RSAWB903-( )(1/2/3)**	2,187.	2,517.	3,399.
		96″	**RSAWB963-( )(1/2/3)**	2,271.	2,608.	3,521.
	36″	60″	**RSAWB604-( )(1/2/3)**	2,118.	2,435.	3,288.
		66″	**RSAWB664-( )(1/2/3)**	2,190.	2,521.	3,403.
		72″	**RSAWB724-( )(1/2/3)**	2,268.	2,604.	3,516.

Order Code

Example:	**RSAWB243F2**
R	Reff
S	Straight top
A	1 1/4″ thick
WB	Waterfall front and 2 sides
24	24″ wide
3	30″ deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Grommet option
2. Top finish type
3. Top finish
4. Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20″D and 24″D tops)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Waterfall Edge 1 1/4″
with 2″ Waterfall edge front and left side 20″ and 24″ deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	20″	24″	**RSAWL241-( )( )(1/2/3)**	$974.	$1,120.	$1,510.
		30″	**RSAWL301-( )( )(1/2/3)**	1,071.	1,229.	1,660.
		36″	**RSAWL361-( )( )(1/2/3)**	1,128.	1,296.	1,751.
		42″	**RSAWL421-( )( )(1/2/3)**	1,178.	1,354.	1,828.
		48″	**RSAWL481-( )( )(1/2/3)**	1,226.	1,409.	1,903.
		54″	**RSAWL541-( )( )(1/2/3)**	1,281.	1,472.	1,987.
		60″	**RSAWL601-( )( )(1/2/3)**	1,381.	1,586.	2,142.
		66″	**RSAWL661-( )( )(1/2/3)**	1,421.	1,637.	2,211.
		72″	**RSAWL721-( )( )(1/2/3)**	1,492.	1,716.	2,318.
		78″	**RSAWL781-( )( )(1/2/3)**	1,515.	1,741.	2,349.
		84″	**RSAWL841-( )( )(1/2/3)**	1,612.	1,853.	2,502.
		90″	**RSAWL901-( )( )(1/2/3)**	1,676.	1,930.	2,604.
		96″	**RSAWL961-( )( )(1/2/3)**	1,741.	2,002.	2,702.
	24″	24″	**RSAWL242-( )( )(1/2/3)**	1,024.	1,178.	1,592.
		30″	**RSAWL302-( )( )(1/2/3)**	1,158.	1,332.	1,797.
		36″	**RSAWL362-( )( )(1/2/3)**	1,204.	1,385.	1,869.
		42″	**RSAWL422-( )( )(1/2/3)**	1,241.	1,427.	1,925.
		48″	**RSAWL482-( )( )(1/2/3)**	1,332.	1,531.	2,067.
		54″	**RSAWL542-( )( )(1/2/3)**	1,421.	1,637.	2,211.
		60″	**RSAWL602-( )( )(1/2/3)**	1,523.	1,748.	2,361.
		66″	**RSAWL662-( )( )(1/2/3)**	1,572.	1,809.	2,442.
		72″	**RSAWL722-( )( )(1/2/3)**	1,644.	1,890.	2,551.
		78″	**RSAWL782-( )( )(1/2/3)**	1,721.	1,983.	2,678.
		84″	**RSAWL842-( )( )(1/2/3)**	1,788.	2,061.	2,782.
		90″	**RSAWL902-( )( )(1/2/3)**	1,876.	2,157.	2,910.
		96″	**RSAWL962-( )( )(1/2/3)**	1,946.	2,240.	3,024.

Order Code

Example:	**RSAWL241F2**
R	Reff
S	Straight top
A	1 1/4″ thick
WL	Waterfall front and left
24	24″ wide
1	20″ deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Grommet option
2. Top finish type
3. Top finish
4. Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20″D and 24″D tops)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Waterfall Edge 1 1/4″
with 2″ Waterfall edge front and left side 30″ and 36″ deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and left side 	30″	24″	**RSAWL243-( )( )(1/2/3)**	$1,118.	$1,284.	$1,733.
		30″	**RSAWL303-( )( )(1/2/3)**	1,254.	1,441.	1,946.
		36″	**RSAWL363-( )( )(1/2/3)**	1,350.	1,553.	2,097.
		42″	**RSAWL423-( )( )(1/2/3)**	1,405.	1,616.	2,180.
		48″	**RSAWL483-( )( )(1/2/3)**	1,502.	1,730.	2,336.
		54″	**RSAWL543-( )( )(1/2/3)**	1,622.	1,869.	2,523.
		60″	**RSAWL603-( )( )(1/2/3)**	1,683.	1,934.	2,611.
		66″	**RSAWL663-( )( )(1/2/3)**	1,718.	1,980.	2,674.
		72″	**RSAWL723-( )( )(1/2/3)**	1,762.	2,025.	2,733.
		78″	**RSAWL783-( )( )(1/2/3)**	1,845.	2,122.	2,865.
		84″	**RSAWL843-( )( )(1/2/3)**	1,917.	2,207.	2,980.
		90″	**RSAWL903-( )( )(1/2/3)**	2,008.	2,309.	3,117.
		96″	**RSAWL963-( )( )(1/2/3)**	2,080.	2,390.	3,227.
	36″	60″	**RSAWL604-( )( )(1/2/3)**	1,942.	2,232.	3,014.
		66″	**RSAWL664-( )( )(1/2/3)**	2,011.	2,311.	3,119.
		72″	**RSAWL724-( )( )(1/2/3)**	2,077.	2,387.	3,223.

Order Code

Example:	**RSAWL243F2**
R	Reff
S	Straight top
A	1 1/4″ thick
WL	Waterfall front and left
24	24″ wide
3	30″ deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Grommet option
2. Top finish type
3. Top finish
4. Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20″D and 24″D tops)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Waterfall Edge 1 1/4″
with 2″ Waterfall edge front and right side 20″ and 24″ deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and right side 	20″	24″	**RSAWR241-( )( )(1/2/3)**	$974.	$1,120.	$1,510.
		30″	**RSAWR301-( )( )(1/2/3)**	1,071.	1,229.	1,660.
		36″	**RSAWR361-( )( )(1/2/3)**	1,128.	1,296.	1,751.
		42″	**RSAWR421-( )( )(1/2/3)**	1,178.	1,354.	1,828.
		48″	**RSAWR481-( )( )(1/2/3)**	1,226.	1,409.	1,903.
		54″	**RSAWR541-( )( )(1/2/3)**	1,281.	1,472.	1,987.
		60″	**RSAWR601-( )( )(1/2/3)**	1,381.	1,586.	2,142.
		66″	**RSAWR661-( )( )(1/2/3)**	1,421.	1,637.	2,211.
		72″	**RSAWR721-( )( )(1/2/3)**	1,492.	1,716.	2,318.
		78″	**RSAWR781-( )( )(1/2/3)**	1,515.	1,741.	2,349.
		84″	**RSAWR841-( )( )(1/2/3)**	1,612.	1,853.	2,502.
		90″	**RSAWR901-( )( )(1/2/3)**	1,676.	1,930.	2,604.
		96″	**RSAWR961-( )( )(1/2/3)**	1,741.	2,002.	2,702.
	24″	24″	**RSAWR242-( )( )(1/2/3)**	1,024.	1,178.	1,592.
		30″	**RSAWR302-( )( )(1/2/3)**	1,158.	1,332.	1,797.
		36″	**RSAWR362-( )( )(1/2/3)**	1,204.	1,385.	1,869.
		42″	**RSAWR422-( )( )(1/2/3)**	1,241.	1,427.	1,925.
		48″	**RSAWR482-( )( )(1/2/3)**	1,332.	1,531.	2,067.
		54″	**RSAWR542-( )( )(1/2/3)**	1,421.	1,637.	2,211.
		60″	**RSAWR602-( )( )(1/2/3)**	1,523.	1,748.	2,361.
		66″	**RSAWR662-( )( )(1/2/3)**	1,572.	1,809.	2,442.
		72″	**RSAWR722-( )( )(1/2/3)**	1,644.	1,890.	2,551.
		78″	**RSAWR782-( )( )(1/2/3)**	1,721.	1,983.	2,678.
		84″	**RSAWR842-( )( )(1/2/3)**	1,788.	2,061.	2,782.
		90″	**RSAWR902-( )( )(1/2/3)**	1,876.	2,157.	2,910.
		96″	**RSAWR962-( )( )(1/2/3)**	1,946.	2,240.	3,024.

Order Code

Example:	**RSAWR241F2**
R	Reff
S	Straight top
A	1 1/4″ thick
WR	Waterfall front and right
24	24″ wide
1	20″ deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Grommet option
2. Top finish type
3. Top finish
4. Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20″D and 24″D tops)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Waterfall Edge 1 1/4″
with 2″ Waterfall edge front and right side 30″ and 36″ deep

description	d	w	pattern no.	V1	V2	V3
Straight rectangular work tops Waterfall edge front and right side 	30″	24″	**RSAWR243-( )( )(1/2/3)**	$1,118.	$1,284.	$1,733.
		30″	**RSAWR303-( )( )(1/2/3)**	1,254.	1,441.	1,946.
		36″	**RSAWR363-( )( )(1/2/3)**	1,350.	1,553.	2,097.
		42″	**RSAWR423-( )( )(1/2/3)**	1,405.	1,616.	2,180.
		48″	**RSAWR483-( )( )(1/2/3)**	1,502.	1,730.	2,336.
		54″	**RSAWR543-( )( )(1/2/3)**	1,622.	1,869.	2,523.
		60″	**RSAWR603-( )( )(1/2/3)**	1,683.	1,934.	2,611.
		66″	**RSAWR663-( )( )(1/2/3)**	1,718.	1,980.	2,674.
		72″	**RSAWR723-( )( )(1/2/3)**	1,762.	2,025.	2,733.
		78″	**RSAWR783-( )( )(1/2/3)**	1,845.	2,122.	2,865.
		84″	**RSAWR843-( )( )(1/2/3)**	1,917.	2,207.	2,980.
		90″	**RSAWR903-( )( )(1/2/3)**	2,008.	2,309.	3,117.
		96″	**RSAWR963-( )( )(1/2/3)**	2,080.	2,390.	3,227.
	36″	60″	**RSAWR604-( )( )(1/2/3)**	1,942.	2,232.	3,014.
		66″	**RSAWR664-( )( )(1/2/3)**	2,011.	2,311.	3,119.
		72″	**RSAWR724-( )( )(1/2/3)**	2,077.	2,387.	3,223.

Order Code

Example:	**RSAWR243F2**
R	Reff
S	Straight top
A	1 1/4″ thick
WR	Waterfall front and right
24	24″ wide
3	30″ deep
F	Flush grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Grommet option
2. Top finish type
3. Top finish
4. Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
(not recommended on 20″D and 24″D tops)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Waterfall tops cannot be specified with semi-open pore finish.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Waterfall Edge 1 1/4″

2″ Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
Wave transition top with waterfall edge front only (left 24″, right 30″) 	24″	42″	30″	**RWAWF4223-( )(1/2/3)**	$1,026.	$1,178.	$1,592.
	24″	48″	30″	**RWAWF4823-( )(1/2/3)**	1,068.	1,227.	1,656.
	24″	54″	30″	**RWAWF5423-( )(1/2/3)**	1,150.	1,326.	1,789.
	24″	60″	30″	**RWAWF6023-( )(1/2/3)**	1,230.	1,418.	1,915.
	24″	66″	30″	**RWAWF6623-( )(1/2/3)**	1,276.	1,467.	1,980.
	24″	72″	30″	**RWAWF7223-( )(1/2/3)**	1,339.	1,541.	2,080.
Wave transition top with waterfall edge front only (left 30″, right 24″) 	30″	42″	24″	**RWAWF4232-( )(1/2/3)**	1,026.	1,178.	1,592.
	30″	48″	24″	**RWAWF4832-( )(1/2/3)**	1,068.	1,227.	1,656.
	30″	54″	24″	**RWAWF5432-( )(1/2/3)**	1,150.	1,326.	1,789.
	30″	60″	24″	**RWAWF6032-( )(1/2/3)**	1,230.	1,418.	1,915.
	30″	66″	24″	**RWAWF6632-( )(1/2/3)**	1,276.	1,467.	1,980.
	30″	72″	24″	**RWAWF7232-( )(1/2/3)**	1,339.	1,541.	2,080.
Wave transition top with waterfall edge front only (left 20″, right 24″) 	20″	42″	24″	**RWAWF4212-( )(1/2/3)**	950.	1,095.	1,479.
	20″	48″	24″	**RWAWF4812-( )(1/2/3)**	1,000.	1,150.	1,553.
	20″	54″	24″	**RWAWF5412-( )(1/2/3)**	1,071.	1,230.	1,661.
	20″	60″	24″	**RWAWF6012-( )(1/2/3)**	1,144.	1,315.	1,777.
	20″	66″	24″	**RWAWF6612-( )(1/2/3)**	1,178.	1,354.	1,828.
	20″	72″	24″	**RWAWF7212-( )(1/2/3)**	1,234.	1,420.	1,917.
Wave transition top with waterfall edge front only (left 24″, right 20″) 	24″	42″	20″	**RWAWF4221-( )(1/2/3)**	950.	1,095.	1,479.
	24″	48″	20″	**RWAWF4821-( )(1/2/3)**	1,000.	1,150.	1,553.
	24″	54″	20″	**RWAWF5421-( )(1/2/3)**	1,071.	1,230.	1,661.
	24″	60″	20″	**RWAWF6021-( )(1/2/3)**	1,144.	1,315.	1,777.
	24″	66″	20″	**RWAWF6621-( )(1/2/3)**	1,178.	1,354.	1,828.
	24″	72″	20″	**RWAWF7221-( )(1/2/3)**	1,234.	1,420.	1,917.
Wave end top with waterfall edge front (right 20″) 	32″	36″	20″	**RWEAWF3631-( )(1/2/3)**	1,264.	1,449.	1,958.
	32″	42″	20″	**RWEAWF4231-( )(1/2/3)**	1,313.	1,512.	2,041.
	32″	48″	20″	**RWEAWF4831-( )(1/2/3)**	1,385.	1,594.	2,151.

Order Code

Example:	**RWAWF4221F2**
R	Reff
W	Wave top transition
A	1 1/4″ thick
WF	Waterfall front
42	42″ wide
2	24″ deep on left side
1	20″ deep on left side
F	Flush grommet location
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Grommet option
2. Top finish type
3. Top finish
4. Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location

2. Finish type:
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Application Notes

32″D wave end top requires 20″D end panel for freestanding support.

36″D wave end top requires 24″D end panel for support.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Curvilinear worksurfaces only available in 1 1/4″ thick.

See Planning Guide for grommet locations.

Waterfall tops cannot be specified with semi-open pore finish.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Waterfall Edge 1 1/4″

2″ Waterfall edge front only curvilinear transition and end tops

description	d left	w	d right	pattern no.	V1	V2	V3
Wave end top with waterfall edge front (right 24″) 	36″	36″	24″	**RWEAWF3662-( )(1/2/3)**	$1,305.	$1,501.	$2,027.
	36″	42″	24″	**RWEAWF4262-( )(1/2/3)**	1,347.	1,551.	2,093.
	36″	48″	24″	**RWEAWF4862-( )(1/2/3)**	1,431.	1,644.	2,219.
Wave end top with waterfall edge front (left 20″) 	20″	36″	32″	**RWEAWF3613-( )(1/2/3)**	1,264.	1,449.	1,958.
	20″	42″	32″	**RWEAWF4213-( )(1/2/3)**	1,313.	1,512.	2,041.
	20″	48″	32″	**RWEAWF4813-( )(1/2/3)**	1,385.	1,594.	2,151.
Wave end top with waterfall edge front (left 24″) 	24″	36″	36″	**RWEAWF3626-( )(1/2/3)**	1,305.	1,501.	2,027.
	24″	42″	36″	**RWEAWF4226-( )(1/2/3)**	1,347.	1,551.	2,093.
	24″	48″	36″	**RWEAWF4826-( )(1/2/3)**	1,431.	1,644.	2,219.

Order Code

Example:	**RWAWF4221F2**
R	Reff
W	Wave top transition
A	1 1/4″ thick
WF	Waterfall front
42	42″ wide
2	24″ deep on left side
1	20″ deep on left side
F	Flush grommet location
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Grommet option
2. Top finish type
3. Top finish
4. Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location

2. Finish type:
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Application Notes

32″D wave end top requires 20″D end panel for freestanding support.

36″D wave end top requires 24″D end panel for support.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Curvilinear worksurfaces only available in 1 1/4″ thick.

See Planning Guide for grommet locations.

Waterfall tops cannot be specified with semi-open pore finish.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Waterfall Edge 1¼″
2″ Waterfall edge front only curvilinear corner tops

description	Back w	w	pattern no.	V1	V2	V3
Curved corner work top, with waterfall edge front only (both returns 20″)	36″	36″	**RCAWF363611-( )(1/2/3)**	$1,501.	$1,728.	$2,332.
	36″	42″	**RCAWF364211-( )(1/2/3)**	1,589.	1,827.	2,468.
	36″	48″	**RCAWF364811-( )(1/2/3)**	1,686.	1,940.	2,620.
	42″	36″	**RCAWF423611-( )(1/2/3)**	1,589.	1,827.	2,468.
	42″	42″	**RCAWF424211-( )(1/2/3)**	1,686.	1,940.	2,620.
	42″	48″	**RCAWF424811-( )(1/2/3)**	1,842.	2,119.	2,861.
	48″	36″	**RCAWF483611-( )(1/2/3)**	1,686.	1,940.	2,620.
Radii of front edge varies with top dimensions	48″	42″	**RCAWF484211-( )(1/2/3)**	1,842.	2,119.	2,861.
Curved corner work top, with waterfall edge front only (both returns 24″)	36″	36″	**RCAWF363622-( )(1/2/3)**	1,701.	1,960.	2,646.
	36″	42″	**RCAWF364222-( )(1/2/3)**	1,788.	2,061.	2,782.
	36″	48″	**RCAWF364822-( )(1/2/3)**	1,887.	2,172.	2,932.
	42″	36″	**RCAWF423622-( )(1/2/3)**	1,788.	2,061.	2,782.
	42″	42″	**RCAWF424222-( )(1/2/3)**	1,887.	2,172.	2,932.
	42″	48″	**RCAWF424822-( )(1/2/3)**	2,043.	2,352.	3,175.
	48″	36″	**RCAWF483622-( )(1/2/3)**	1,887.	2,172.	2,932.
	48″	42″	**RCAWF484222-( )(1/2/3)**	2,043.	2,352.	3,175.
Curved corner work top, with waterfall edge front only (left return 20″, right return 24″)	36″	36″	**RCAWF363612-( )(1/2/3)**	1,568.	1,803.	2,434.
	36″	42″	**RCAWF364212-( )(1/2/3)**	1,659.	1,905.	2,572.
	36″	48″	**RCAWF364812-( )(1/2/3)**	1,754.	2,017.	2,724.
	42″	36″	**RCAWF423612-( )(1/2/3)**	1,659.	1,905.	2,572.
	42″	42″	**RCAWF424212-( )(1/2/3)**	1,754.	2,017.	2,724.
	42″	48″	**RCAWF424812-( )(1/2/3)**	1,910.	2,195.	2,963.
	48″	36″	**RCAWF483612-( )(1/2/3)**	1,754.	2,017.	2,724.
	48″	42″	**RCAWF484212-( )(1/2/3)**	1,910.	2,195.	2,963.
Curved corner work top, with waterfall edge front only (left return 24″, right return 20″)	36″	36″	**RCAWF363621-( )(1/2/3)**	1,568.	1,803.	2,434.
	36″	42″	**RCAWF364221-( )(1/2/3)**	1,659.	1,905.	2,572.
	36″	48″	**RCAWF364821-( )(1/2/3)**	1,754.	2,017.	2,724.
	42″	36″	**RCAWF423621-( )(1/2/3)**	1,659.	1,905.	2,572.
	42″	42″	**RCAWF424221-( )(1/2/3)**	1,754.	2,017.	2,724.
	42″	48″	**RCAWF424821-( )(1/2/3)**	1,910.	2,195.	2,963.
	48″	36″	**RCAWF483621-( )(1/2/3)**	1,754.	2,017.	2,724.
	48″	42″	**RCAWF484221-( )(1/2/3)**	1,910.	2,195.	2,963.

Order Code

Example:	**RCAWF363611F2**
R	Reff
C	Curved front corner
A	1¼″ thick
WF	Waterfall front
36	36″ wide on left back
36	36″ wide on right back
1	20″ deep on left side
1	20″ deep on right side
F	Standard grommet
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Specification Information

To order please specify pattern number including:

1. Grommet option
2. Top finish type
3. Top finish
4. Grommet finish

1. Grommet options:
N = No grommet
F = Standard corner location or Flush

2. Finish type:
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Application Notes

Radius of curved front changes with overall top size. See Planning Guide.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Curvilinear worksurfaces only available in 1¼″ thick.

See Planning Guide for grommet locations.

Waterfall tops cannot be specified with semi-open pore finish.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Waterfall Edge 1 1/4″

2″ Waterfall edge meeting tops

description	d	w	pattern no.	V1	V2	V3
Peninsula D-shaped tops Waterfall edge on all except flat side	30″	42″	**RMDAWF4230-( )(1/2/3)**	$1,917.	$2,206.	$2,977.
		48″	**RMDAWF4830-( )(1/2/3)**	2,068.	2,378.	3,210.
		54″	**RMDAWF5430-( )(1/2/3)**	2,220.	2,553.	3,447.
		60″	**RMDAWF6030-( )(1/2/3)**	2,372.	2,727.	3,680.
		66″	**RMDAWF6630-( )(1/2/3)**	2,526.	2,906.	3,923.
		72″	**RMDAWF7230-( )(1/2/3)**	2,681.	3,085.	4,164.
		78″	**RMDAWF7830-( )(1/2/3)**	3,036.	3,487.	4,709.
		84″	**RMDAWF8430-( )(1/2/3)**	3,388.	3,894.	5,258.
		90″	**RMDAWF9030-( )(1/2/3)**	3,781.	4,348.	5,870.
		96″	**RMDAWF9630-( )(1/2/3)**	4,175.	4,799.	6,479.
	36″	42″	**RMDAWF4236-( )(1/2/3)**	2,115.	2,430.	3,279.
		48″	**RMDAWF4836-( )(1/2/3)**	2,311.	2,657.	3,588.
		54″	**RMDAWF5436-( )(1/2/3)**	2,640.	3,040.	4,104.
		60″	**RMDAWF6036-( )(1/2/3)**	2,964.	3,408.	4,602.
		66″	**RMDAWF6636-( )(1/2/3)**	3,015.	3,469.	4,683.
		72″	**RMDAWF7236-( )(1/2/3)**	3,065.	3,526.	4,760.
		78″	**RMDAWF7836-( )(1/2/3)**	3,450.	3,968.	5,354.
		84″	**RMDAWF8436-( )(1/2/3)**	3,840.	4,415.	5,960.
		90″	**RMDAWF9036-( )(1/2/3)**	4,045.	4,656.	6,284.
		96″	**RMDAWF9636-( )(1/2/3)**	4,434.	5,096.	6,881.
Wrap around panel top	21 1/2″	42 1/2″	**RMDAWF4221-( )(1/2/3)( )**	2,468.	2,836.	3,828.
	25 1/2″	50 1/2″	**RMDAWF5025-( )(1/2/3)( )**	2,704.	3,110.	4,199.

*specify mating end trim profile

Order Code

Example:	**RMDAWF4230N2**
R	Reff
MD	Meeting D-shaped top
A	1 1/4″ thick
WF	Waterfall all except flat side
42	42″ wide
30	30″ deep
N	No grommet
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Grommet option
3. Top finish type
4. Top finish
5. Grommet finish

1. Thickness option:
A = 1 1/4″

2. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
C = Centered (only on D-tops)

3. Finish type:
1 = V1
2 = V2
3 = V3

Note wrap around panel tops only, require specification of mating trim profile.

Application Notes

See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Refer to Planning Guide for modesty panel size requirements and all other support options.

Waterfall tops cannot be specified with semi-open pore finish.

Penisula D-shaped top has grommet choice centered (as shown) or none. No grommet option on P or 9 tops.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Waterfall Edge 1 1/4″

2″ Waterfall edge meeting tops P and 9

description	d	w	pattern no.	V1	V2	V3
Meeting P-top (adjoining top must use 12″ end panel and modesty panel to support)	30″	42″	**RMPAWF4230-( )(1/2/3)**	$2,636.	$3,030.	$4,090.
						
Meeting 9-top (adjoining top must use 12″ end panel and modesty panel to support)	30″	42″	**RM9AWF4230-( )(1/2/3)**	2,636.	3,030.	4,090.
Worksurface 9-top	30″	84″	**RM9AWF8430-( )(1/2/3)**	5,363.	6,168.	8,326.
	30″	96″	**RM9AWF9630-( )(1/2/3)**	5,588.	6,422.	8,671.
Worksurface P-top	30″	84″	**RMPAWF8430-( )(1/2/3)**	5,363.	6,168.	8,326.
	30″	96″	**RMPAWF9630-( )(1/2/3)**	5,588.	6,422.	8,671.

Order Code

Example:	**RM9AWF8430N2**
R	Reff
M9	Meeting 9-shaped top
A	1 1/4″ thick
WF	Waterfall all except flat side
84	84″ wide
30	30″ deep
N	No grommet
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Grommet option
3. Top finish type
4. Top finish
5. Grommet finish

1. Thickness option:
A = 1 1/4″

2. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
C = Centered (only on D-tops)

3. Finish type:
1 = V1
2 = V2
3 = V3

Note wrap around panel tops only, require specification of mating trim profile.

Application Notes

See Planning Guide for standard grommet locations. D-top grommet location is always centered at flat end.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

Refer to Planning Guide for modesty panel size requirements and all other support options.

Waterfall tops cannot be specified with semi-open pore finish.

Penisula D-shaped top has grommet choice centered (as shown) or none. No grommet option on P or 9 tops.

Products on this page are shipped without hardware which must be ordered separately from the support components section.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Waterfall Edge 1 1/4″
2″ Waterfall edge bow front tops

description	w	d	h	pattern no.	L	V1	V2	V3
Waterfall edge on front and back	72″	30″		**RMBAWA7230-( )(1/2/3)**		$2,659.	$3,062.	$4,134.
	84″	30″		**RMBAWA8430-( )(1/2/3)**		2,936.	3,377.	4,558.
	96″	30″		**RMBAWA9630-( )(1/2/3)**		3,257.	3,745.	5,057.
	Use 29″ deep pedestals or end panels. **Do not** use 23″ deep pedestals if using recessed modesty.							
Waterfall edge on front and back - 36″D	72″	36″		**RMBAWA7236-( )(1/2/3)**		2,829.	3,253.	4,391.
	84″	36″		**RMBAWA8436-( )(1/2/3)**		3,105.	3,570.	4,819.
	96″	36″		**RMBAWA9636-( )(1/2/3)**		3,443.	3,955.	5,340.
	Use 29″ deep end panels or 29″ deep pedestals (this will provide a cantilevered appearance). Can also be used with 36″ deep end panel and recessed modesty.							
Short modesty panel	40″	1″	26 1/2″	**RB40MR-( )**	309.	398.	456.	616.
	52″	1″	26 1/2″	**RB52MR-( )**	364.	468.	538.	727.
	64″	1″	26 1/2″	**RB64MR-( )**	397.	515.	594.	802.

Use of short modesty panel
Pedestals must be ordered separately with individual back panels.
Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.
Order:
40″ modesty for 72″ bow top
52″ modesty for 84″ bow top
64″ modesty for 96″ bow top
When ordering bow top 30″D for use with short modesty, specify recessed grommet location.
When ordering bow top 36″D for use with short modesty, specify alternate grommet location.

Order Code

Example:	**RMBAWA7230(F)2**
R	Reff
MB	Bow front with Waterfall edge
A	1 1/4″ thick
WA	Waterfall front/back
72	72″ wide
30	30″ deep
F	Flush front grommet position
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Specification Information

To order please specify pattern number including:

1. Grommet option
2. Top finish type
3. Top finish
4. Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
A = Alternate location (for 36″D tops only)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

See Planning Guide for grommet locations.

*Grommet options for elliptical tops are Recessed (R) or None (N).

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.

Shipped with hardware. Refer to page 0 of planning guide for application details.

Waterfall tops cannot be specified with semi-open pore finish.

Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36″D bowed top.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Waterfall Edge 1 1/4″
Waterfall elliptical tops and bulkhead

description	w	d	h	pattern no.	L	V1	V2	V3
Waterfall elliptical tops	60″	30″		**REBAWA6030( )**		$3,758.	$4,320.	$5,833.
	72″	42″		**REBAWA7242( )**		5,342.	6,147.	8,298.
	78″	48″		**REBAWA7848( )**		5,862.	6,743.	9,104.
Bulkhead (false pedestal)*	16″	24″	26 1/2″	**REBH24**	436.	658.	763.	1,030.
	16″	30″	26 1/2″	**REBH30**	451.	671.	782.	1,055.

Order Code

Example:	**REBAWA6030**
R	Reff
EB	Elliptical Waterfall
A	1 1/4″ thick
WA	Waterfall front/back
60	60″ wide
30	30″ deep
F	Flush front grommet position
2	V2 finish
V319	Medium cherry
111	Jet Black (grommet)

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Specification Information

To order please specify pattern number including:

1. Grommet option
2. Top finish type
3. Top finish
4. Grommet finish

1. Grommet options:
N = No grommet
F = Flush front grommet location
R = Recessed front
A = Alternate location (for 36″D tops only)

2. Finish type:
1 = V1
2 = V2
3 = V3

Application Notes

See Planning Guide for grommet locations.

*Grommet options for elliptical tops are Recessed (R) or None (N).

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Knoll assumes no responsibility for special grommet locations which interfere with support or other hardware.

*Bulkhead takes the place of a pedestal in applications using short modesty panel, but not requiring a double pedestal application.

Shipped with hardware. Refer to page 0 of planning guide for application details.

Waterfall tops cannot be specified with semi-open pore finish.

Alternate grommet location is to position grommets behind short modesty panel, when it is used with 36″D bowed top.

Waterfall worksurfaces should be specified in a configuration only with other waterfall worksurfaces.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Waterfall Edge 1 1/4″

2″ Waterfall edge conference room tops round and racetrack

description	w	d	pattern no.	V1	V2	V3
Racetrack top - one piece	72″	30″	**RTAW7230-(1/2/3)**	$3,758.	$4,320.	$5,833.
	72″	36″	**RTAW7236-(1/2/3)**	4,283.	4,923.	6,646.
	84″	30″	**RTAW8430-(1/2/3)**	4,182.	4,810.	6,494.
	84″	36″	**RTAW8436-(1/2/3)**	4,815.	5,537.	7,473.
	84″	42″	**RTAW8442-(1/2/3)**	5,862.	6,743.	9,104.
	96″	30″	**RTAW9630-(1/2/3)**	4,656.	5,353.	7,228.
	96″	36″	**RTAW9636-(1/2/3)**	5,342.	6,147.	8,298.
	96″	42″	**RTAW9642-(1/2/3)**	6,563.	7,546.	10,186.
Racetrack top - two piece, Waterfall edge on all sides except on parting lines	120″	36″	**RTAW12036-(1/2/3)**	6,901.	7,934.	10,712.
	120″	42″	**RTAW12042-(1/2/3)**	7,441.	8,556.	11,552.
	144″	42″	**RTAW14442-(1/2/3)**	8,205.	9,436.	12,739.
Racetrack top - three piece, Waterfall edge on all sides except on parting lines	168″	42″	**RTAW16842-(1/2/3)**	10,289.	11,834.	15,976.
	192″	42″	**RTAW19242-(1/2/3)**	11,054.	12,714.	17,165.
	RTAW16842-(1/2) comes with 2-60″ pieces/1-48″ center RTAW19242-(1/2) comes with 2-72″ pieces/1-48″ center					
Round tops, Waterfall edge on all sides except on parting lines	–	36″	**RTAW3636-(1/2/3)**	2,115.	2,835.	3,827.
	–	42″	**RTAW4242-(1/2/3)**	2,448.	3,285.	4,436.
	*	60″	**RTAW6060-(1/2/3)**	6,324.	7,269.	9,814.
	*	72″	**RTAW7272-(1/2/3)**	7,827.	9,000.	12,150.

Order Code

Example:	**RTAW72302**
R	Reff
T	Rounded top
A	1 1/4″ thick
W	Waterfall all sides
72	72″ wide
30	30″ deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Finish type
3. Finish

1. Thickness option:
A = 1 1/4″

2. Finish type:
1 = V1
2 = V2
3 = V3

*Round tops in two pieces.

Application Notes

Top to top brackets included.

See table base matrix in Planning Guide for base supports recommended.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Tops have no radius on edges that adjoin.

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Waterfall tops cannot be specified with semi-open pore finish.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Waterfall Edge 1 1/4″

2″ Waterfall edge conference room tops square and rectangular

description	w	d	pattern no.	V1	V2	V3
Rectangular top - one piece 	72″	30″	**RRAW7230-(1/2/3)**	$1,984.	$2,284.	$3,084.
	72″	36″	**RRAW7236-(1/2/3)**	2,156.	2,480.	3,347.
	84″	30″	**RRAW8430-(1/2/3)**	2,195.	2,526.	3,410.
	84″	36″	**RRAW8436-(1/2/3)**	2,359.	2,709.	3,658.
	84″	42″	**RRAW8442-(1/2/3)**	3,487.	4,008.	5,412.
	96″	30″	**RRAW9630-(1/2/3)**	2,463.	2,833.	3,824.
	96″	36″	**RRAW9636-(1/2/3)**	2,724.	3,130.	4,226.
	96″	42″	**RRAW9642-(1/2/3)**	3,998.	4,598.	6,207.
Rectangular top - two piece, Waterfall edge on all sides except on parting lines 	120″	36″	**RRAW12036-(1/2/3)**	4,362.	5,021.	6,778.
	120″	42″	**RRAW12042-(1/2/3)**	6,021.	6,925.	9,349.
	144″	42″	**RRAW14442-(1/2/3)**	6,764.	7,779.	10,501.
Rectangular top - three piece, Waterfall edge on all sides except on parting lines 	168″	42″	**RRAW16842-(1/2/3)**	8,869.	10,202.	13,774.
	192″	42″	**RRAW19242-(1/2/3)**	9,610.	11,050.	14,918.
	RRAW16842-(1/2) comes with 2-60″ pieces/1-48″ center RRAW19242-(1/2) comes with 2-72″ pieces /1-48″ center					
Square top - one piece 	–	36″	**RRAW3636-(1/2/3)**	1,535.	2,056.	2,777.
	–	42″	**RRAW4242-(1/2/3)**	1,984.	2,662.	3,594.
Square top - two piece, Waterfall edge not on parting lines 	–	60″	**RRAW6060-(1/2/3)**	4,064.	4,672.	6,307.
	–	72″	**RRAW7272-(1/2/3)**	4,799.	5,520.	7,451.

Order Code

Example:	**RRAW72302**
R	Reff
R	Rectangular
A	1 1/4″ thick
W	Waterfall all sides
72	72″ wide
30	30″ deep
2	V2 finish
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Finish type
3. Finish

1. Thickness option:
A = 1 1/4″

2. Finish type:
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Products on this page do not accept the following finishes:
Y341 Wenge
Y342 Medium Teak
Y343 Dark Grey Oak

Application Notes

All tops on this page are without grommets or drillings. The intended use of these products is to provide conference room table options.

Top to top brackets included.

Tops have no radius on edges that adjoin.

See table base matrix in Planning Guide for base supports recommended.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Waterfall tops cannot be specified with semi-open pore finish.

Actual widths of worksurface are 1/16″ less than nominal dimension. Actual depth is 1/8″ less than nominal dimension.

Cascade Edge 1 1/4″
Rectilinear 24″ and 30″ deep

description	d	w	pattern no.	Woodgrain	Solid
24″D Rectangular	24″	24″	**RCE1R2424N**	$224.	$195.
	24″	30″	**RCE1R3024N**	258.	224.
	24″	36″	**RCE1R3624N**	286.	248.
	24″	42″	**RCE1R4224N**	329.	286.
	24″	48″	**RCE1R4824N**	369.	321.
	24″	54″	**RCE1R5424N**	396.	345.
shown with grommet	24″	60″	**RCE1R6024N**	430.	374.
	24″	66″	**RCE1R6624N**	464.	404.
	24″	72″	**RCE1R7224N**	486.	422.
	24″	78″	**RCE1R7824N**	521.	453.
	24″	84″	**RCE1R8424N**	550.	479.
	24″	90″	**RCE1R9024N**	621.	540.
	24″	96″	**RCE1R9624N**	678.	590.
30″D Rectangular	30″	24″	**RCE1R2430N**	287.	249.
	30″	30″	**RCE1R3030N**	321.	279.
	30″	36″	**RCE1R3630N**	357.	310.
	30″	42″	**RCE1R4230N**	387.	337.
	30″	48″	**RCE1R4830N**	430.	374.
	30″	54″	**RCE1R5430N**	487.	423.
shown with grommet	30″	60″	**RCE1R6030N**	535.	465.
	30″	66″	**RCE1R6630N**	596.	519.
	30″	72″	**RCE1R7230N**	621.	540.
	30″	78″	**RCE1R7830N**	663.	577.
	30″	84″	**RCE1R8430N**	705.	613.
	30″	90	**RCE1R9030N**	758.	659.
	30″	96″	**RCE1R9630N**	810.	705.

Order Code

Example:	**RCE1R3024N 118**
R	Reff
CE1	Cascade edge
R	Rectangular
30	Width
24	Depth
N	No grommet
118	Finish

Specification Information

To order please specify pattern number including finish:

Available finishes:

Solid:

114 Folkstone Grey
117 Soft Grey
118 Bright White
119 Pumice

Woodgrain:

124 Medium Cherry
125 Natural Maple
126 Natural Cherry
127 Walnut

Application Notes

Center-located edge grommet.

To specify grommet, replace the “N” suffix in pattern number with “G”. Add $20.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 0-108 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16″ less nominal. Actual depth 3/8″ less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a PVC-free, 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade Edge 1 1/4″
Blended “D”

description	A	B	C	pattern no.	Woodgrain	Solid
Blended “D”	48″	24″	66″	**RCE1BD6648S(L/R)**	$909.	$791.
	48″	24″	72″	**RCE1BD7248S(L/R)**	931.	808.
	48″	24″	78″	**RCE1BD7848S(L/R)**	1,074.	934.
	48″	24″	84″	**RCE1BD8448S(L/R)**	1,103.	959.
	48″	30″	66″	**RCE1BD6648D(L/R)**	957.	831.
	48″	30″	72″	**RCE1BD7248D(L/R)**	992.	862.
	48″	30″	78″	**RCE1BD7848D(L/R)**	1,109.	965.
	48″	30″	84″	**RCE1BD8448D(L/R)**	1,172.	1,020.



right hand shown

Order Code

Example:	**RCE1BD6648SR 118**
R	Reff
CE1	Cascade edge
BD	Blended “D”
66	Width
48	Depth
S	24″ return
R	right hand
118	Finish

Specification Information

To order please specify pattern number including:

1. Return depth (dimension C on line art, hard coded in pattern number)

S = 24″ return
D = 30″ return

2. Hand (left or right)

3. Finish
Solid:

114 Folkstone Grey
117 Soft Grey
118 Bright White
119 Pumice

Woodgrain:

124 Medium Cherry
125 Natural Maple
126 Natural Cherry
127 Walnut

Application Notes

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Specify cantilever bracket (ASBC18(L/R) or ASBC24(L/R)) from page 0-108 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16″ less nominal. Actual depth 3/8″ less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a PVC-free, 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade Edge 1 1/4″
Curvilinear corner

description	A	B	C	pattern no.	Woodgrain	Solid
Curvilinear corner	24″	24″	36″	**RCE1L3636SSN**	$563.	$489.
	24″	24″	42″	**RCE1L4242SSN**	678.	590.
	24″	24″	48″	**RCE1L4848SSN**	763.	663.
	24″	30″	42″	**RCE1L4242DSN**	805.	701.
	24″	30″	48″	**RCE1L4848DSN**	912.	793.
	30″	24″	42″	**RCE1L4242SDN**	805.	701.
	30″	24″	48″	**RCE1L4848SDN**	912.	793.
	30″	30″	48″	**RCE1L4848DDN**	819.	712.



shown with grommets

Order Code

Example:	**RCE1L3636SSN 114**
RCE1	Reff Cascade Edge worksurface
L	Curvilinear Corner top
36	Width
36	Depth
S	24″d, left side
S	24″d, right side
N	No grommet
114	Folkstone Grey finish
	Grain Direction

Note: When wood grain or brushed finishes are specified on Cascade corner worksurfaces with two “A” sides of equal length that do not exceed 42″ you must select one of three grain direction options. Insert the desired grain direction “L”= Left hand, “R”= Right hand or “D”= Diagonal after the worksurface finish code to indicate the appropriate grain direction. When the “D” option is selected please add $25.00 to the worksurface list price. 48″ Cascade corners are not available with a diagonal grain option.

Specification Information

To order please specify pattern number including:

1. Return depths (hard coded in patttern number)

SS = 24″d left and right
SD = 24″d left, 30″d right
DS = 30″d left, 24″d right
DD = 30″d left and right

2. Grommets (hard coded in pattern number)

N= no grommets
G= grommets

To specify grommets, replace the “N” suffix in pattern number with “G”. Add $40.

3. Finish
Solid:

114 Folkstone Grey
117 Soft Grey
118 Bright White
119 Pumice

Woodgrain:

124 Medium Cherry
125 Natural Maple
126 Natural Cherry
127 Walnut

Graing Direction:

D = Diagonal
L = Left hand
N Not required
R Right hand

Application Notes

Center-located edge grommets, located on center of sides marked A.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Specify cantilever bracket (ASBC18 (L/R) or ASBC24 (L/R)) from page 0-108 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16″ less nominal. Actual depth 3/8″ less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a PVC-free, 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade Edge 1 1/4″
Blended “L”

description	B	C	A	D	pattern no.	Woodgrain	Solid
Blended “L”	42″	60″	24″	24″	**RCE1L4260SSN**	$932.	$810.
	42″	66″	24″	24″	**RCE1L4266SSN**	957.	831.
	42″	72″	24″	24″	**RCE1L4272SSN**	993.	863.
	42″	78″	24″	24″	**RCE1L4278SSN**	1,003.	873.
	48″	60″	24″	24″	**RCE1L4860SSN**	943.	821.
	48″	60″	24″	30″	**RCE1L4860SDN**	927.	805.
	48″	60″	30″	24″	**RCE1L4860DSN**	927.	805.
	48″	66″	24″	24″	**RCE1L4866SSN**	977.	850.
	48″	66″	24″	30″	**RCE1L4866SDN**	974.	847.
	48″	66″	30″	24″	**RCE1L4866DSN**	974.	847.
	48″	72″	24″	24″	**RCE1L4872SSN**	1,013.	881.
	48″	72″	24″	30″	**RCE1L4872SDN**	1,020.	886.
	48″	72″	30″	24″	**RCE1L4872DSN**	1,020.	886.
	48″	78″	24″	24″	**RCE1L4878SSN**	1,117.	971.
	48″	84″	24″	24″	**RCE1L4884SSN**	1,256.	1,092.
	60″	42″	24″	24″	**RCE1L6042SSN**	932.	810.
	60″	48″	24″	24″	**RCE1L6048SSN**	943.	821.
	60″	48″	24″	30″	**RCE1L6048SDN**	927.	805.
	60″	48″	30″	24″	**RCE1L6048DSN**	927.	805.
	66″	42″	24″	24″	**RCE1L6642SSN**	957.	831.
	66″	48″	24″	24″	**RCE1L6648SSN**	977.	850.
	66″	48″	24″	30″	**RCE1L6648SDN**	974.	847.
	66″	48″	30″	24″	**RCE1L6648DSN**	974.	847.
	72″	42″	24″	24″	**RCE1L7242SSN**	993.	863.
	72″	48″	24″	24″	**RCE1L7248SSN**	1,013.	881.
	72″	48″	24″	30″	**RCE1L7248SDN**	1,020.	886.
	72″	48″	30″	24″	**RCE1L7248DSN**	1,020.	886.
	78″	42″	24″	24″	**RCE1L7842SSN**	1,003.	873.
	78″	48″	24″	24″	**RCE1L7848SSN**	1,117.	971.
	84″	48″	24″	24″	**RCE1L8448SSN**	1,256.	1,092.



shown with grommets

Order Code

Example:	**RCE1L4260SSG 114**
RCE1	Cascade edge worksurface
L	Blended “L” top
42	Width
60	Depth
S	24″d, left side
S	24″d, right side
G	Grommets
114	Top finish

To specify grommets, replace the “N” suffix in pattern number with “G”. Add $40.

Specification Information

To order please specify pattern number including:

1. Return depths (hard coded in pattern number):

SS = 24″d left and right
SD = 24″d left, 30″d right
DS = 30″d left, 24″d right

2. Grommets (hard coded in pattern number):

N= no grommets
G= grommets

3. Finishes:
Solid:

114 Folkstone Grey
117 Soft Grey
118 Bright White
119 Pumice

Woodgrain:

124 Medium Cherry
125 Natural Maple
126 Natural Cherry
127 Walnut

Application Notes

Center-located edge grommets, located on center of sides marked B and C.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 0-108 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16″ less nominal. Actual depth 3/8″ less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a PVC-free, 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade Edge 1 1/4″
Half round and corner round

description	w	d	pattern no.	Woodgrain	Solid
Half Round	48″	18″	**RCE1H4818**	$486.	$422.
	50 1/2″	18″	**RCE1H4818P**	486.	422.
	60″	24″	**RCE1H6024**	670.	581.
	62 1/2″	24″	**RCE1H6024P**	670.	581.
LH Corner Round	24″	24″	**RCE1CR24L**	258.	224.
RH Corner Round	24″	24″	**RCE1CR24R**	258.	224.
Notched Corner Round	24″	24″	**RCE1CR24N**	258.	224.

Order Code

Example:	**RCE1H4818P 118**
R	Reff
CE1	Cascade edge
H	Half round
48	Width
18	Depth
P	Notch for panel trim
118	Finish

Specification Information

To order please specify pattern number including finish: Available finishes:

Solid:

114 Folkstone Grey
117 Soft Grey
118 Bright White
119 Pumice

Woodgrain:

124 Medium Cherry
125 Natural Maple
126 Natural Cherry
127 Walnut

Application Notes

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Specify cantilever bracket from page 0-108 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Half round tops with suffix P, notched for panel end trim profile B square only.

Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16″ less nominal. Actual depth 3/8″ less nominal.

Please Note: Cascade Edge worksurfaces are wrapped with a PVC-free, 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Cascade Edge 1 1/4″
Wave end

description	1	2	3	A	B	pattern no.	Woodgrain	Solid
Wave End, LH	36″	24″	30″	3″	15″	**RCE1W363024N**	$604.	$525.
	42″	24″	30″	9″	15″	**RCE1W423024N**	635.	551.
	48″	24″	30″	15″	15″	**RCE1W483024N**	679.	591.
	72″	24″	30″	30 1/2″	23 1/2″	**RCE1W723024N**	864.	752.
shown with grommet								
Wave End, RH	36″	30″	24″	15″	3″	**RCE1W362430N**	604.	525.
	42″	30″	24″	15″	9″	**RCE1W422430N**	635.	551.
	48″	30″	24″	15″	15″	**RCE1W482430N**	679.	591.
	72″	30″	24″	23 1/2″	30 1/2″	**RCE1W722430N**	864.	752.
shown with grommet								

Order Code

Example:	**RCE1W483024N 118**
RCE1	Cascade edge worksurface
W	Wave end
48	Width
30	Depth, left side
24	Depth, right side
N	No grommet
118	Top finish

Specification Information

To order please specify pattern number including finish:
Available finishes:

Solid:

114 Folkstone Grey
117 Soft Grey
118 Bright White
119 Pumice

Woodgrain:

124 Medium Cherry
125 Natural Maple
126 Natural Cherry
127 Walnut

Application Notes

Center-located edge grommet.

To specify grommet, replace the "N" suffix in pattern number with "G". Add $20.

All support hardware ordered separately.

Worksurface stiffeners are recommended to provide additional support for open spans greater than 48″w.

Specify cantilever bracket (ASBC18(L/R) or ASBC24 (L/R)) from page 0-108 as required to support Cascade edge worksurfaces for Reff panel hung applications.

Cascade edge worksurfaces are not recommended for free-standing applications.

Actual width 1/16″ less nominal. Actual depth 3/8″ less nominal for cord drop.

Please Note: Cascade Edge worksurfaces are wrapped with a PVC-free, 3D laminate sheet that is heated and pressed around an FSC certified substrate. 3D laminate is more susceptible to denting, impact, tearing and marring than conventional high pressure laminate and should be handled with care. Do not drag worksurfaces across any flooring surface. Treat Cascade Edge worksurfaces like veneer worksurfaces for optimum performance under normal conditions. Cascade Edge worksurfaces come with a 10 year warranty that covers defects in workmanship and materials. This warranty does not cover damage occurring during or after installation.

Worksurface 1 1/2″
rectilinear
20″ and 24″ deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops	20″	24″	**RSD241-( )( )( )**	$336.	$366.	$421.	$567.
		30″	**RSD301-( )( )( )**	367.	402.	461.	623.
		36″	**RSD361-( )( )( )**	389.	424.	487.	659.
		42″	**RSD421-( )( )( )**	403.	444.	510.	688.
		48″	**RSD481-( )( )( )**	424.	460.	529.	713.
		54″	**RSD541-( )( )( )**	441.	478.	553.	748.
		60″	**RSD601-( )( )( )**	472.	518.	596.	806.
		66″	**RSD661-( )( )( )**	487.	533.	615.	829.
		72″	**RSD721-( )( )( )**	515.	562.	644.	870.
		78″	**RSD781-( )( )( )**	522.	567.	654.	884.
		84″	**RSD841-( )( )( )**	553.	607.	696.	939.
		90″	**RSD961-( )( )( )**	579.	631.	723.	979.
		96″	**RSD901-( )( )( )**	600.	654.	751.	1,014.
		102″	**RSD1021-( )( )( )**	660.	720.	827.	1,115.
		108″	**RSD1081-( )( )( )**	726.	792.	909.	1,226.
	24″	24″	**RSD242-( )( )( )**	353.	384.	444.	599.
		30″	**RSD302-( )( )( )**	399.	434.	502.	676.
		36″	**RSD362-( )( )( )**	412.	454.	520.	702.
		42″	**RSD422-( )( )( )**	429.	467.	537.	723.
		48″	**RSD482-( )( )( )**	455.	502.	576.	776.
		54″	**RSD542-( )( )( )**	487.	533.	615.	829.
		60″	**RSD602-( )( )( )**	525.	574.	658.	888.
		66″	**RSD662-( )( )( )**	539.	601.	681.	919.
		72″	**RSD722-( )( )( )**	566.	617.	712.	962.
		78″	**RSD782-( )( )( )**	591.	646.	747.	1,007.
		84″	**RSD842-( )( )( )**	616.	673.	774.	1,045.
		90″	**RSD902-( )( )( )**	646.	703.	808.	1,089.
		96″	**RSD962-( )( )( )**	669.	730.	841.	1,135.
		102″	**RSD1022-( )( )( )**	736.	803.	925.	1,248.
		108″	**RSD1082-( )( )( )**	809.	883.	1,017.	1,373.

Order Code

Example:	**RSD241RL**
R	Reff
S	Straight top
D	1 1/2″ thick
24	24″ wide
1	20″ deep
R	Recessed grommet location
111	Jet Black (grommet)
V316	Top finish

Specification Information

To order please specify pattern number including:

1. Grommet option:
   F=Flush front grommet location
   N=No grommet
   R=Recessed front (not recommended for 20″D and 24″D tops)
2. Grommet finish:
   Painted, Plated
3. Top finish:
   L, V1, V2, V3

Applicable finishes are listed on page 5and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16″ less than nominal dimension. Actual depth is 1/8″ less.

Application Notes

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.

Worksurfaces stiffeners recommended to provide additional support for open spans greater than 48″w.

Worksurface 1 1/2″
rectilinear
30″ and 36″ deep

description	d	w	pattern no.	L	M/V1	V2	V3
Straight rectangular work tops	30″	24″	**RSD243-( )( )( )**	$385.	$418.	$479.	$647.
		30″	**RSD303-( )( )( )**	433.	471.	542.	733.
		36″	**RSD363-( )( )( )**	464.	509.	583.	786.
		42″	**RSD423-( )( )( )**	484.	528.	608.	822.
		48″	**RSD483-( )( )( )**	518.	564.	647.	875.
		54″	**RSD543-( )( )( )**	559.	610.	699.	944.
		60″	**RSD603-( )( )( )**	580.	632.	725.	981.
		66″	**RSD663-( )( )( )**	590.	645.	746.	1,006.
		72″	**RSD723-( )( )( )**	607.	661.	760.	1,026.
		78″	**RSD783-( )( )( )**	634.	693.	797.	1,075.
		84″	**RSD843-( )( )( )**	659.	720.	828.	1,119.
		90″	**RSD903-( )( )( )**	690.	753.	868.	1,172.
		96″	**RSD963-( )( )( )**	714.	781.	898.	1,212.
		102″	**RSD1023-( )( )( )**	786.	859.	988.	1,334.
		108″	**RSD1083-( )( )( )**	864.	945.	1,087.	1,467.
	36″	60″	**RSD604-( )( )( )**	668.	729.	836.	1,119.
		66″	**RSD664-( )( )( )**	690.	754.	869.	1,173.
		72″	**RSD724-( )( )( )**	713.	780.	897.	1,211.



Order Code

Example:	**RSD243RL**
R	Reff
S	Straight top
D	1 1/2″ thick
36	36″ wide
3	30″ deep
R	Recessed grommet location
111	Jet Black (grommet)
V316	Top finish

Specification Information

To order please specify pattern number including:

1. Grommet *options:*
   N = No grommets
   F = Flush front grommet location
   R = Recessed front (not recommended for 20″D and 24″D tops)
   A = Alternate location (for 36″D tops only)
2. Grommet finish:
   Painted, Plated
3. Finish:
   L, V1, V2, V3

Applicable finishes are listed on page 5and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Knoll accepts no responsibility for special grommet locations which interfere with support or other hardware. All requests for special grommet locations must be approved through custom product development.

Actual widths of worksurfaces are 1/16″ less than nominal dimension. Actual depth is 1/8″ less.

Application Notes

Products on this page are shipped without hardware which must be ordered separately from the support components section.

These worksurfaces are predrilled with metal inserts and use machine screws.

Worksurfaces stiffeners recommended to provide additional support for open spans greater than 48″w.

Worksurface 1 1/2″
Bridge rectilinear

description	d	w	pattern no.	L	V1	V2	V3
Worksurface, bridge rectilinear	20″	36″	**RBD361H ( )( )( )( )**	$389.	$424.	$487.	$659.
		36″	**RBD361V ( )( )( )( )**	389.	424.	487.	659.
		42″	**RBD421H ( )( )( )( )**	403.	444.	510.	688.
		42″	**RBD421V ( )( )( )( )**	403.	444.	510.	688.
		48″	**RBD481H ( )( )( )( )**	424.	460.	529.	713.
		48″	**RBD481V ( )( )( )( )**	424.	460.	529.	713.
		54″	**RBD541V ( )( )( )( )**	441.	478.	553.	748.
		54″	**RBD541H ( )( )( )( )**	441.	478.	553.	748.
	24″	36″	**RBD362H ( )( )( )( )**	412.	454.	520.	702.
		36″	**RBD362V ( )( )( )( )**	412.	454.	520.	702.
		42″	**RBD422V ( )( )( )( )**	429.	467.	537.	723.
		42″	**RBD422H ( )( )( )( )**	429.	467.	537.	723.
		48″	**RBD482V ( )( )( )( )**	455.	502.	576.	776.
		48″	**RBD482H ( )( )( )( )**	455.	502.	576.	776.
		54″	**RBD542H ( )( )( )( )**	487.	533.	615.	829.
		54″	**RBD542V ( )( )( )( )**	487.	533.	615.	829.

Order Code

Example:	**RBD361H**
R	Reff
B	Bridge
D	1½″
36	36″ wide
H/V	
F	Grommet type
115	Grommet finish
114	Laminate

Specification Information

To order please specify pattern number including:

1. Options for grain direction
   H=Horizontal grain direction
   V=Vertical grain direction
2. Grommet type:
   N=No grommet
   F=Flush front grommet locaton
3. Grommet finish:
   Painted, Plated
4. Finish
   L,V1,V2,V3

Application Notes

Modesty sold separately

Stiffener sold separately

Assembly required.

Worksurface stiffeners recommended to provide additional support for open spans greater than 48″w.

Hardware not included.

J-Bracket sold separately.

Above dimensions are all nominal.

Worksurface 1 1/2″
Peninsula worksurface with L-leg Stand-Off with Power Center

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula Top, Rectilinear	20″	60″	1 1/2″	**RPTDLPC(L/R)6020( )( )( )( )**	$1,421.	$1,463.	$1,541.	$1,751.
		66″	1 1/2″	**RPTDLPC(L/R)6620( )( )( )( )**	1,432.	1,478.	1,560.	1,774.
		72″	1 1/2″	**RPTDLPC(L/R)7220( )( )( )( )**	1,460.	1,507.	1,589.	1,815.
		78″	1 1/2″	**RPTDLPC(L/R)7820( )( )( )( )**	1,467.	1,512.	1,599.	1,829.
		84″	1 1/2″	**RPTDLPC(L/R)8420( )( )( )( )**	1,498.	1,552.	1,641.	1,884.
	24″	60″	1 1/2″	**RPTDLPC(L/R)6024( )( )( )( )**	1,470.	1,519.	1,603.	1,833.
		66″	1 1/2″	**RPTDLPC(L/R)6624( )( )( )( )**	1,484.	1,536.	1,626.	1,864.
		72″	1 1/2″	**RPTDLPC(L/R)7224( )( )( )( )**	1,511.	1,562.	1,657.	1,907.
		78″	1 1/2″	**RPTDLPC(L/R)7824( )( )( )( )**	1,536.	1,591.	1,692.	1,952.
		84″	1 1/2″	**RPTDLPC(L/R)8424( )( )( )( )**	1,561.	1,618.	1,719.	1,990.
	30″	60″	1 1/2″	**RPTDLPC(L/R)6030( )( )( )( )**	1,525.	1,577.	1,670.	1,926.
		66″	1 1/2″	**RPTDLPC(L/R)6630( )( )( )( )**	1,535.	1,590.	1,691.	1,951.
		72″	1 1/2″	**RPTDLPC(L/R)7230( )( )( )( )**	1,552.	1,606.	1,705.	1,971.
		78″	1 1/2″	**RPTDLPC(L/R)7830( )( )( )( )**	1,579.	1,638.	1,742.	2,020.
		84″	1 1/2″	**RPTDLPC(L/R)8430( )( )( )( )**	1,604.	1,665.	1,773.	2,064.
	36″	60″	1 1/2″	**RPTDLPC(L/R)6036( )( )( )( )**	1,613.	1,674.	1,781.	2,064.
		66″	1 1/2″	**RPTDLPC(L/R)6636( )( )( )( )**	1,635.	1,699.	1,814.	2,118.
		72″	1 1/2″	**RPTDLPC(L/R)7236( )( )( )( )**	1,658.	1,725.	1,842.	2,156.
		78″	1 1/2″	**RPTDLPC(L/R)7836( )( )( )( )**	1,681.	1,747.	1,870.	2,196.
		84″	1 1/2″	**RPTDLPC(L/R)8436( )( )( )( )**	1,703.	1,770.	1,899.	2,235.



Left hand shown

Order Code

Example:	**RPTDLPC(L/R) 6030( )( )( )( )**
R	Reff
PT	Peninsula
D	1 1/2″
L	L-leg
PC	Power Center
L	Left hand/ Right hand
60	Width
30	Depth
P	Grommet option
115	Grommet Finish
114	Worksurface Finish
115	Leg Finish
115	Stand-Off Finish

Specification Information

To order please specify pattern number including:

1. Left or Right hand
2. Grommet option
   P=Power Center, PE= Power center grommet
3. Grommet option
   Painted or plated
4. Worksurface finish
   L, V1, V2, V3
5. Leg finish
   Painted or plated
6. Stand-off finish
   Painted

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48″w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a “Right Hand” peninsula.

Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 406.

Worksurface 1 1/2″
Peninsula worksurface with L-leg Stand-Off

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula Top, Rectilinear	30″	60″	1 1/2″	**RPTDLST(L/R)6030( )( )( )( )**	$1,455.	$1,507.	$1,600.	$1,856.
		66″	1 1/2″	**RPTDLST(L/R)6630( )( )( )( )**	1,465.	1,520.	1,621.	1,881.
		72″	1 1/2″	**RPTDLST(L/R)7230( )( )( )( )**	1,482.	1,536.	1,635.	1,901.
		78″	1 1/2″	**RPTDLST(L/R)7830( )( )( )( )**	1,509.	1,568.	1,672.	1,950.
		84″	1 1/2″	**RPTDLST(L/R)8430( )( )( )( )**	1,534.	1,595.	1,703.	1,994.
	36″	60″	1 1/2″	**RPTDLST(L/R)6036( )( )( )( )**	1,543.	1,604.	1,711.	1,994.
		66″	1 1/2″	**RPTDLST(L/R)6636( )( )( )( )**	1,565.	1,629.	1,744.	2,048.
		72″	1 1/2″	**RPTDLST(L/R)7236( )( )( )( )**	1,588.	1,655.	1,772.	2,086.
		78″	1 1/2″	**RPTDLST(L/R)7836( )( )( )( )**	1,611.	1,677.	1,800.	2,126.
		84″	1 1/2″	**RPTDLST(L/R)8436( )( )( )( )**	1,633.	1,700.	1,829.	2,165.
	20″	60″	1 1/2″	**RPTDLST(L/R)6020( )( )( )( )**	1,351.	1,393.	1,471.	1,681.
		66″	1 1/2″	**RPTDLST(L/R)6620( )( )( )( )**	1,362.	1,408.	1,490.	1,704.
		72″	1 1/2″	**RPTDLST(L/R)7220( )( )( )( )**	1,390.	1,437.	1,519.	1,745.
		78″	1 1/2″	**RPTDLST(L/R)7820( )( )( )( )**	1,397.	1,442.	1,529.	1,759.
		84″	1 1/2″	**RPTDLST(L/R)8420( )( )( )( )**	1,428.	1,482.	1,571.	1,814.
	24″	60″	1 1/2″	**RPTDLST(L/R)6024( )( )( )( )**	1,400.	1,449.	1,533.	1,763.
		66″	1 1/2″	**RPTDLST(L/R)6624( )( )( )( )**	1,414.	1,466.	1,556.	1,794.
		72″	1 1/2″	**RPTDLST(L/R)7224( )( )( )( )**	1,441.	1,492.	1,587.	1,837.
		78″	1 1/2″	**RPTDLST(L/R)7824( )( )( )( )**	1,466.	1,521.	1,622.	1,882.
		84″	1 1/2″	**RPTDLST(L/R)8424( )( )( )( )**	1,491.	1,548.	1,649.	1,920.



Left hand shown

Order Code

Example: **RPTDLST(L/R) 6030( )( )( )( )**

R	Reff
PT	Peninsula
D	1 1/2″
L	L-Leg
ST	Stand-Off
L	Left hand/ Right hand
60	Width
30	Depth
E	Grommet Type
115	Grommet Finish
114	Worksurface Finish
115	Leg Finish
115	Stand-Off Finish

Specification Information

To order please specify pattern number including:

1. Left or Right hand
2. Grommet option
   S=Stand-off, N=No grommet, E=End grommet, SE=Stand-off grommet with end grommet.
3. Grommet option
   Painted or plated
4. Worksurface finish
   L, V1, V2, V3
5. Leg finish
   Painted or plated
6. Stand-off finish
   Painted

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48″w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a “Right Hand” peninsula.

Worksurface 1 1/2″
Peninsula worksurface with L-leg
Flush mount attachment

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula Top, Rectilinear	20″	48″	1 1/2″	**RPTDLFM(L/R)4820( )( )( )( )**	$1,139.	$1,175.	$1,244.	$1,428.
		54″	1 1/2″	**RPTDLFM(L/R)5420( )( )( )( )**	1,156.	1,193.	1,268.	1,463.
		60″	1 1/2″	**RPTDLFM(L/R)6020( )( )( )( )**	1,191.	1,233.	1,311.	1,521.
		66″	1 1/2″	**RPTDLFM(L/R)6620( )( )( )( )**	1,202.	1,248.	1,330.	1,544.
		72″	1 1/2″	**RPTDLFM(L/R)7220( )( )( )( )**	1,230.	1,277.	1,359.	1,585.
		78″	1 1/2″	**RPTDLFM(L/R)7820( )( )( )( )**	1,237.	1,282.	1,369.	1,599.
		84″	1 1/2″	**RPTDLFM(L/R)8420( )( )( )( )**	1,268.	1,322.	1,411.	1,654.
	24″	48″	1 1/2″	**RPTDLFM(L/R)4824( )( )( )( )**	1,170.	1,217.	1,291.	1,491.
		54″	1 1/2″	**RPTDLFM(L/R)5424( )( )( )( )**	1,202.	1,248.	1,330.	1,544.
		60″	1 1/2″	**RPTDLFM(L/R)6024( )( )( )( )**	1,240.	1,289.	1,373.	1,603.
		66″	1 1/2″	**RPTDLFM(L/R)6624( )( )( )( )**	1,254.	1,306.	1,396.	1,634.
		72″	1 1/2″	**RPTDLFM(L/R)7224( )( )( )( )**	1,281.	1,332.	1,427.	1,677.
		78″	1 1/2″	**RPTDLFM(L/R)7824( )( )( )( )**	1,306.	1,361.	1,462.	1,722.
		84″	1 1/2″	**RPTDLFM(L/R)8424( )( )( )( )**	1,331.	1,388.	1,489.	1,760.
	30″	48″	1 1/2″	**RPTDLFM(L/R)4830( )( )( )( )**	1,249.	1,301.	1,384.	1,617.
		54″	1 1/2″	**RPTDLFM(L/R)5430( )( )( )( )**	1,272.	1,324.	1,412.	1,656.
		60″	1 1/2″	**RPTDLFM(L/R)6030( )( )( )( )**	1,295.	1,347.	1,440.	1,696.
		66″	1 1/2″	**RPTDLFM(L/R)6630( )( )( )( )**	1,305.	1,360.	1,461.	1,721.
		72″	1 1/2″	**RPTDLFM(L/R)7230( )( )( )( )**	1,322.	1,376.	1,475.	1,741.
		78″	1 1/2″	**RPTDLFM(L/R)7830( )( )( )( )**	1,349.	1,408.	1,512.	1,790.
		84″	1 1/2″	**RPTDLFM(L/R)8430( )( )( )( )**	1,374.	1,435.	1,543.	1,834.
	36″	48″	1 1/2″	**RPTDLFM(L/R)4836( )( )( )( )**	1,338.	1,399.	1,495.	1,755.
		54″	1 1/2″	**RPTDLFM(L/R)5436( )( )( )( )**	1,360.	1,421.	1,523.	1,794.
		60″	1 1/2″	**RPTDLFM(L/R)6036( )( )( )( )**	1,383.	1,444.	1,551.	1,834.
		66″	1 1/2″	**RPTDLFM(L/R)6636( )( )( )( )**	1,405.	1,469.	1,584.	1,888.
		72″	1 1/2″	**RPTDLFM(L/R)7236( )( )( )( )**	1,428.	1,495.	1,612.	1,926.
		78″	1 1/2″	**RPTDLFM(L/R)7836( )( )( )( )**	1,451.	1,517.	1,640.	1,966.
		84″	1 1/2″	**RPTDLFM(L/R)8436( )( )( )( )**	1,473.	1,540.	1,669.	2,005.



Left hand shown

Order Code

Example:	**RPTDLFM(L/R) 4830( )( )( )( )**
R	Reff
PT	Peninsula
D	1 1/2″
IL	L-leg
FM	Flush Mount Attachment Plate
L	Left hand/ Right hand
48	Width
30	Depth
M	Grommet Option
115	Grommet Finish
114	Worksurface Finish
115	Leg Finish

Specification Information

To order please specify pattern number including:

1. Left or Right hand
2. Grommet option
   E=End, N=No grommet, M=Middle grommet
3. Grommet finish
   Painted or plated
4. Worksurface finish
   L, V1, V2, V3
5. Leg finish
   Painted or plated

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48″w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a “Right Hand” peninsula.

Worksurface 1 1/2″
Peninsula worksurface with Reverse L-leg Stand off with power center

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula Top, Rectilinear	20″	60″	1 1/2″	**RPTDRPC(L/R)6020( )( )( )( )**	$1,421.	$1,463.	$1,541.	$1,751.
		66″	1 1/2″	**RPTDRPC(L/R)6620( )( )( )( )**	1,432.	1,478.	1,560.	1,774.
		72″	1 1/2″	**RPTDRPC(L/R)7220( )( )( )( )**	1,460.	1,507.	1,589.	1,815.
		78″	1 1/2″	**RPTDRPC(L/R)7820( )( )( )( )**	1,467.	1,512.	1,599.	1,829.
		84″	1 1/2″	**RPTDRPC(L/R)8420( )( )( )( )**	1,498.	1,552.	1,641.	1,884.
	24″	60″	1 1/2″	**RPTDRPC(L/R)6024( )( )( )( )**	1,470.	1,519.	1,603.	1,833.
		66″	1 1/2″	**RPTDRPC(L/R)6624( )( )( )( )**	1,484.	1,536.	1,626.	1,864.
		72″	1 1/2″	**RPTDRPC(L/R)7224( )( )( )( )**	1,511.	1,562.	1,657.	1,907.
		78″	1 1/2″	**RPTDRPC(L/R)7824( )( )( )( )**	1,536.	1,591.	1,692.	1,952.
		84″	1 1/2″	**RPTDRPC(L/R)8424( )( )( )( )**	1,561.	1,618.	1,719.	1,990.
	30″	60″	1 1/2″	**RPTDRPC(L/R)6030( )( )( )( )**	1,525.	1,577.	1,670.	1,926.
		66″	1 1/2″	**RPTDRPC(L/R)6630( )( )( )( )**	1,535.	1,590.	1,691.	1,951.
		72″	1 1/2″	**RPTDRPC(L/R)7230( )( )( )( )**	1,552.	1,606.	1,705.	1,971.
		78″	1 1/2″	**RPTDRPC(L/R)7830( )( )( )( )**	1,579.	1,638.	1,742.	2,020.
		84″	1 1/2″	**RPTDRPC(L/R)8430( )( )( )( )**	1,604.	1,665.	1,773.	2,064.
	36″	60″	1 1/2″	**RPTDRPC(L/R)6036( )( )( )( )**	1,613.	1,674.	1,781.	2,064.
		66″	1 1/2″	**RPTDRPC(L/R)6636( )( )( )( )**	1,635.	1,699.	1,814.	2,118.
		72″	1 1/2″	**RPTDRPC(L/R)7236( )( )( )( )**	1,658.	1,725.	1,842.	2,156.
		78″	1 1/2″	**RPTDRPC(L/R)7836( )( )( )( )**	1,681.	1,747.	1,870.	2,196.
		84″	1 1/2″	**RPTDRPC(L/R)8436( )( )( )( )**	1,703.	1,770.	1,899.	2,235.



Left hand shown

Order Code

Example: **RPTDRPC(L/R) 6030( )( )( )( )**

R	Reff
PT	Peninsula
D	1 1/2″
R	Reverse L-leg
PC	Power Center
L	Left hand/ Right hand
30	Depth
40	Width
P	Grommet Option
115	Grommet Finish
114	Worksurface Finish
115	Leg Finish
115	Stand-off finish

Specification Information

To order please specify pattern number including:

1. Left or Right hand
2. Grommet option
   P=Power Center, PE=Power center plus end grommet
3. Grommet finish
   Painted or plated
4. Worksurface finish
   L, V1, V2, V3
5. Leg finish
   Painted or plated
6. Stand-off finish
   Painted

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48″w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a “Right Hand” peninsula.

Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 406.

Worksurface 1 1/2″
Peninsula worksurface with Reverse L-leg Stand off

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula Top, Rectilinear	30″	60″	1 ½″	**RPTDRST(L/R)6030( )( )( )( )**	$1,455.	$1,507.	$1,600.	$1,856.
		66″	1 ½″	**RPTDRST(L/R)6630( )( )( )( )**	1,465.	1,520.	1,621.	1,881.
		72″	1 ½″	**RPTDRST(L/R)7230( )( )( )( )**	1,482.	1,536.	1,635.	1,901.
		78″	1 ½″	**RPTDRST(L/R)7830( )( )( )( )**	1,509.	1,568.	1,672.	1,950.
		84″	1 ½″	**RPTDRST(L/R)8430( )( )( )( )**	1,534.	1,595.	1,073.	1,994.
	36″	60″	1 ½″	**RPTDRST(L/R)6036( )( )( )( )**	1,543.	1,604.	1,711.	1,994.
		66″	1 ½″	**RPTDRST(L/R)6636( )( )( )( )**	1,565.	1,629.	1,744.	2,048.
		72″	1 ½″	**RPTDRST(L/R)7236( )( )( )( )**	1,588.	1,655.	1,772.	2,086.
		78″	1 ½″	**RPTDRST(L/R)7836( )( )( )( )**	1,611.	1,677.	1,800.	2,126.
		84″	1 ½″	**RPTDRST(L/R)8436( )( )( )( )**	1,633.	1,700.	1,829.	2,165.
	20″	60″	1 ½″	**RPTDRST(L/R)6020( )( )( )( )**	1,351.	1,393.	1,471.	1,681.
		66″	1 ½″	**RPTDRST(L/R)6620( )( )( )( )**	1,362.	1,408.	1,490.	1,704.
		72″	1 ½″	**RPTDRST(L/R)7220( )( )( )( )**	1,390.	1,437.	1,519.	1,745.
		78″	1 ½″	**RPTDRST(L/R)7820( )( )( )( )**	1,397.	1,442.	1,529.	1,759.
		84″	1 ½″	**RPTDRST(L/R)8420( )( )( )( )**	1,428.	1,482.	1,571.	1,814.
	24″	60″	1 ½″	**RPTDRST(L/R)6024( )( )( )( )**	1,400.	1,449.	1,533.	1,763.
		66″	1 ½″	**RPTDRST(L/R)6624( )( )( )( )**	1,414.	1,466.	1,556.	1,794.
		72″	1 ½″	**RPTDRST(L/R)7224( )( )( )( )**	1,441.	1,492.	1,587.	1,837.
		78″	1 ½″	**RPTDRST(L/R)7824( )( )( )( )**	1,466.	1,521.	1,622.	1,882.
		84″	1 ½″	**RPTDRST(L/R)8424( )( )( )( )**	1,491.	1,548.	1,649.	1,920.



Left hand shown

Order Code

Example:	**RPTDRST(L/R) 6030( )( )( )( )**
R	Reff
PT	Peninsula
D	1 ½″
R	Reverse L-leg
ST	Stand off
L	Left hand/ Right hand
60	Width
30	Depth
SE	Grommet Option
115	Grommet Finish
114	Worksurface Finish
115	Leg Finish
115	Stand-Off Finish

Specification Information

To order please specify pattern number including:

1. Left or Right hand
2. Grommet option
   S=Stand-off, N=No grommet, E=End grommet, SE=Stand-off and end grommet
3. Grommet finish
   Painted or plated
4. Worksurface finish
   L, V1, V2, V3
5. Leg finish
   Painted or plated
6. Stand-off finish
   Painted

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48″w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a “Right Hand” peninsula.

Worksurface 1 1/2″
Peninsula worksurface with Reverse L-leg
Flush mount attachment

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula Top, Rectilinear	20″	48″	1 1/2″	**RPTDRFM(L/R)4820( )( )( )( )**	$1,139.	$1,175.	$1,244.	$1,428.
		54″	1 1/2″	**RPTDRFM(L/R)5420( )( )( )( )**	1,156.	1,193.	1,268.	1,463.
		60″	1 1/2″	**RPTDRFM(L/R)6020( )( )( )( )**	1,191.	1,233.	1,311.	1,521.
		66″	1 1/2″	**RPTDRFM(L/R)6620( )( )( )( )**	1,202.	1,248.	1,330.	1,544.
		72″	1 1/2″	**RPTDRFM(L/R)7220( )( )( )( )**	1,230.	1,277.	1,359.	1,585.
		78″	1 1/2″	**RPTDRFM(L/R)7820( )( )( )( )**	1,237.	1,282.	1,369.	1,599.
		84″	1 1/2″	**RPTDRFM(L/R)8420( )( )( )( )**	1,268.	1,322.	1,411.	1,654.
	24″	48″	1 1/2″	**RPTDRFM(L/R)4824( )( )( )( )**	1,170.	1,217.	1,291.	1,491.
		54″	1 1/2″	**RPTDRFM(L/R)5424( )( )( )( )**	1,202.	1,248.	1,330.	1,544.
		60″	1 1/2″	**RPTDRFM(L/R)6024( )( )( )( )**	1,240.	1,289.	1,373.	1,603.
		66″	1 1/2″	**RPTDRFM(L/R)6624( )( )( )( )**	1,254.	1,306.	1,396.	1,634.
		72″	1 1/2″	**RPTDRFM(L/R)7224( )( )( )( )**	1,281.	1,332.	1,427.	1,677.
		78″	1 1/2″	**RPTDRFM(L/R)7824( )( )( )( )**	1,306.	1,361.	1,462.	1,722.
		84″	1 1/2″	**RPTDRFM(L/R)8424( )( )( )( )**	1,331.	1,388.	1,489.	1,760.
	30″	48″	1 1/2″	**RPTDRFM(L/R)4830( )( )( )( )**	1,249.	1,301.	1,384.	1,617.
		54″	1 1/2″	**RPTDRFM(L/R)5430( )( )( )( )**	1,272.	1,324.	1,412.	1,656.
		60″	1 1/2″	**RPTDRFM(L/R)6030( )( )( )( )**	1,295.	1,347.	1,440.	1,696.
		66″	1 1/2″	**RPTDRFM(L/R)6630( )( )( )( )**	1,305.	1,360.	1,461.	1,721.
		72″	1 1/2″	**RPTDRFM(L/R)7230( )( )( )( )**	1,322.	1,376.	1,475.	1,741.
		78″	1 1/2″	**RPTDRFM(L/R)7830( )( )( )( )**	1,349.	1,408.	1,512.	1,790.
		84″	1 1/2″	**RPTDRFM(L/R)8430( )( )( )( )**	1,374.	1,435.	1,543.	1,834.
	36″	48″	1 1/2″	**RPTDRFM(L/R)4836( )( )( )( )**	1,338.	1,399.	1,495.	1,755.
		54″	1 1/2″	**RPTDRFM(L/R)5436( )( )( )( )**	1,360.	1,421.	1,523.	1,794.
		54″	1 1/2″	**RPTDRFM(L/R)6036( )( )( )( )**	1,383.	1,444.	1,551.	1,834.
		66″	1 1/2″	**RPTDRFM(L/R)6636( )( )( )( )**	1,405.	1,469.	1,584.	1,888.
		72″	1 1/2″	**RPTDRFM(L/R)7236( )( )( )( )**	1,428.	1,495.	1,612.	1,926.
		78″	1 1/2″	**RPTDRFM(L/R)7836( )( )( )( )**	1,451.	1,517.	1,640.	1,966.
		84″	1 1/2″	**RPTDRFM(L/R)8436( )( )( )( )**	1,473.	1,540.	1,669.	2,005.



Left hand shown

Order Code

Example:	**RPTDRFM(L/R) 4830( )( )( )( )**
R	Reff
PT	Peninsula
D	1 1/2″
R	Reverse L-leg
FM	Flush Mount Attachmemt Leg
L	Left hand/ Right hand
48	Width
30	Depth
M	Grommet Option
115	Grommet Finish
114	Worksurface Finish
115	Leg Finish

Specification Information

To order please specify pattern number including:

1. Left or Right hand
2. Grommet option
   E=End, N=No grommet, M=Mid. grommet
3. Grommet finish
   Painted or plated
4. Worksurface finish
   L, V1, V2, V3
5. Leg finish
   Painted or plated

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48″w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a “Right Hand” peninsula.

Worksurface 1 1/2″
Peninsula worksurface with Soft Rectangular Leg Stand off with power center

description	d	w	th	pattern number	L	M/V1	V2	V3
Peninsula Top, Rectilinear	30″	60″	1 ½″	**RPTDSPC(L/R)6030( )( )( )( )**	$1,570.	$1,622.	$1,715.	$1,971.
		66″	1 ½″	**RPTDSPC(L/R)6630( )( )( )( )**	1,580.	1,635.	1,736.	1,996.
		72″	1 ½″	**RPTDSPC(L/R)7230( )( )( )( )**	1,597.	1,651.	1,750.	2,016.
		78″	1 ½″	**RPTDSPC(L/R)7830( )( )( )( )**	1,624.	1,683.	1,787.	2,065.
		84″	1 ½″	**RPTDSPC(L/R)8430( )( )( )( )**	1,649.	1,710.	1,818.	2,109.
	36″	60″	1 ½″	**RPTDSPC(L/R)6036( )( )( )( )**	1,658.	1,719.	1,826.	2,109.
		66″	1 ½″	**RPTDSPC(L/R)6636( )( )( )( )**	1,680.	1,744.	1,859.	2,163.
		72″	1 ½″	**RPTDSPC(L/R)7236( )( )( )( )**	1,703.	1,770.	1,887.	2,201.
		78″	1 ½″	**RPTDSPC(L/R)7836( )( )( )( )**	1,726.	1,792.	1,915.	2,241.
		84″	1 ½″	**RPTDSPC(L/R)8436( )( )( )( )**	1,748.	1,815.	1,944.	2,280.



Left hand shown

Order Code

Example:	**RPTDSPC(L/R) 6030( )( )( )( )**
R	Reff
PT	Peninsula
D	1 ½″
S	Soft Rectangular Leg
PC	Power Center
L	Left hand/ Right hand
60	Width
30	Depth
P	Grommet Option
115	Grommet Finish
114	Worksurface Finish
115	Leg Finish
115	Stand-Off Finish

Specification Information

To order please specify pattern number including:

1. Left or Right hand
2. Grommet option
   P=Power Center
   PE=Power center and end grommet
3. Grommet finish
   Painted or plated
4. Worksurface finish
   L, V1, V2, V3
5. Leg finish
   Painted or plated
6. Stand-off finish
   Painted

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48″w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a “Right Hand” peninsula.

Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 406.

Worksurface 1 1/2″
Peninsula worksurface with Soft Rectangular Leg Stand off

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula Top, Rectilinear	30″	60″	1 ½″	**RPTDSST(L/R)6030( )( )( )( )**	$1,500.	$1,552.	$1,645.	$1,901.
		66″	1 ½″	**RPTDSST(L/R)6630( )( )( )( )**	1,510.	1,565.	1,666.	1,926.
		72″	1 ½″	**RPTDSST(L/R)7230( )( )( )( )**	1,527.	1,581.	1,680.	1,946.
		78″	1 ½″	**RPTDSST(L/R)7830( )( )( )( )**	1,554.	1,613.	1,717.	1,995.
		84″	1 ½″	**RPTDSST(L/R)8430( )( )( )( )**	1,579.	1,640.	1,748.	2,039.
	36″	60″	1 ½″	**RPTDSST(L/R)6036( )( )( )( )**	1,588.	1,649.	1,756.	2,039.
		66″	1 ½″	**RPTDSST(L/R)6636( )( )( )( )**	1,610.	1,674.	1,789.	2,093.
		72″	1 ½″	**RPTDSST(L/R)7236( )( )( )( )**	1,633.	1,700.	1,817.	2,131.
		78″	1 ½″	**RPTDSST(L/R)7836( )( )( )( )**	1,656.	1,722.	1,845.	2,171.
		84″	1 ½″	**RPTDSST(L/R)8436( )( )( )( )**	1,678.	1,745.	1,874.	2,210.



Left hand shown

Order Code

Example:	**RPTDSST(L/R) 6030( )( )( )( )**
R	Reff
PT	Peninsula
D	1 ½″
S	Soft Rectangular Leg
ST	Stand Off
L	Left hand/ Right hand
60	Width
30	Depth
E	Grommet Option
115	Grommet Finish
114	Worksurface Finish
115	Leg Finish
115	Stand-Off Finish

Specification Information

To order please specify pattern number including:

1. Left or Right hand
2. Grommet option S=Stand-off, N,=No grommet E=End grommet, SE=Stand-off and end grommet
3. Grommet finish Painted or plated
4. Worksurface finish L, V1, V2, V3
5. Leg finish Painted or plated
6. Stand-off finish Painted

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48″w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a “Right Hand” peninsula.

Worksurface 1 1/2″

Peninsula worksurface with Soft Rectangular Leg
Flush mount attachment

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula Top, Rectilinear	30″	48″	1 ½″	**RPTDSFM(L/R)4830( )( )( )( )**	$1,294.	$1,346.	$1,429.	$1,662.
		54″	1 ½″	**RPTDSFM(L/R)5430( )( )( )( )**	1,317.	1,369.	1,457.	1,701.
		60″	1 ½″	**RPTDSFM(L/R)6030( )( )( )( )**	1,340.	1,392.	1,485.	1,741.
		66″	1 ½″	**RPTDSFM(L/R)6630( )( )( )( )**	1,350.	1,405.	1,506.	1,766.
		72″	1 ½″	**RPTDSFM(L/R)7230( )( )( )( )**	1,367.	1,421.	1,520.	1,786.
		78″	1 ½″	**RPTDSFM(L/R)7830( )( )( )( )**	1,394.	1,453.	1,557.	1,835.
		84″	1 ½″	**RPTDSFM(L/R)8430( )( )( )( )**	1,419.	1,480.	1,588.	1,879.
	36″	48″	1 ½″	**RPTDSFM(L/R)4836( )( )( )( )**	1,383.	1,444.	1,540.	1,800.
		54″	1 ½″	**RPTDSFM(L/R)5436( )( )( )( )**	1,405.	1,466.	1,568.	1,839.
		60″	1 ½″	**RPTDSFM(L/R)6036( )( )( )( )**	1,428.	1,489.	1,596.	1,879.
		66″	1 ½″	**RPTDSFM(L/R)6636( )( )( )( )**	1,450.	1,514.	1,629.	1,933.
		72″	1 ½″	**RPTDSFM(L/R)7236( )( )( )( )**	1,473.	1,540.	1,657.	1,971.
		78″	1 ½″	**RPTDSFM(L/R)7836( )( )( )( )**	1,496.	1,562.	1,685.	2,011.
		84″	1 ½″	**RPTDSFM(L/R)8436( )( )( )( )**	1,518.	1,585.	1,714.	2,050.



Left hand shown

Order Code

Example:	**RPTDSFM(L/R) 4830( )( )( )( )**
R	Reff
PT	Peninsula
D	1 ½″
S	Soft Rectangular Leg
FM	Flush Mount Attachment Platef
L	Left hand/ Right hand
48	Width
30	Depth
E	Grommet Option
115	Grommet Finish
114	Worksurface Finish
115	Leg Finish

Specification Information

To order please specify pattern number including:

1. Left or Right hand
2. Grommet option
   E=End, N=No grommet, M=Mid. grommet
3. Grommet finish
   Painted or plated
4. Worksurface finish
   L, V1, V2, V3
5. Leg finish
   Painted or plated

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48″w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a “Right Hand” peninsula.

Worksurface 1 1/2″
Peninsula worksurface with Open Frame Stand-Off with Power Center

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula Top, Rectilinear	20″	60″	1 1/2″	**RPTDOPC(L/R)6020( )( )( )( )**	$1,491.	$1,533.	$1,611.	$1,821.
		66″	1 1/2″	**RPTDOPC(L/R)6620( )( )( )( )**	1,502.	1,548.	1,630.	1,844.
		72″	1 1/2″	**RPTDOPC(L/R)7220( )( )( )( )**	1,530.	1,577.	1,659.	1,885.
		78″	1 1/2″	**RPTDOPC(L/R)7820( )( )( )( )**	1,537.	1,582.	1,669.	1,899.
		84″	1 1/2″	**RPTDOPC(L/R)8420( )( )( )( )**	1,568.	1,622.	1,711.	1,954.
	24″	60″	1 1/2″	**RPTDOPC(L/R)6024( )( )( )( )**	1,540.	1,589.	1,673.	1,903.
		66″	1 1/2″	**RPTDOPC(L/R)6624( )( )( )( )**	1,554.	1,606.	1,696.	1,934.
		72″	1 1/2″	**RPTDOPC(L/R)7224( )( )( )( )**	1,581.	1,632.	1,727.	1,977.
		78″	1 1/2″	**RPTDOPC(L/R)7824( )( )( )( )**	1,606.	1,661.	1,762.	2,022.
		84″	1 1/2″	**RPTDOPC(L/R)8424( )( )( )( )**	1,631.	1,688.	1,789.	2,060.
	30″	60″	1 1/2″	**RPTDOPC(L/R)6030( )( )( )( )**	1,595.	1,647.	1,740.	1,996.
		66″	1 1/2″	**RPTDOPC(L/R)6630( )( )( )( )**	1,605.	1,660.	1,761.	2,021.
		72″	1 1/2″	**RPTDOPC(L/R)7230( )( )( )( )**	1,622.	1,676.	1,775.	2,041.
		78″	1 1/2″	**RPTDOPC(L/R)7830( )( )( )( )**	1,649.	1,708.	1,812.	2,090.
		84″	1 1/2″	**RPTDOPC(L/R)8430( )( )( )( )**	1,674.	1,735.	1,843.	2,134.
	36″	60″	1 1/2″	**RPTDOPC(L/R)6036( )( )( )( )**	1,683.	1,744.	1,851.	2,134.
		66″	1 1/2″	**RPTDOPC(L/R)6636( )( )( )( )**	1,705.	1,769.	1,884.	2,188.
		72″	1 1/2″	**RPTDOPC(L/R)7236( )( )( )( )**	1,728.	1,795.	1,912.	2,226.
		78″	1 1/2″	**RPTDOPC(L/R)7836( )( )( )( )**	1,751.	1,817.	1,940.	2,266.
		84″	1 1/2″	**RPTDOPC(L/R)8436( )( )( )( )**	1,773.	1,840.	1,969.	2,305.



Left hand shown

Order Code

Example: **RPTDOPC(L/R) 6030( )( )( )( )**

R	Reff
PT	Peninsula
D	1 1/2″
O	Open Frame Leg
PC	Power Center
L	Left hand/ Right hand
60	Width
30	Depth
P	Grommet Option
115	Grommet Finish
114	Worksurface Finish
115	Leg Finish
115	Stand-Off Finish

Specification Information

To order please specify pattern number including:

1. Left or Right hand
2. Grommet option
   P=Power Center
   PE=Power center and end grommet
3. Grommet finish
   Painted or plated
4. Worksurface finish
   L, V1, V2, V3
5. Leg finish
   Painted or plated
6. Stand-off finish
   Painted

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48″w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a “Right Hand” peninsula.

Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 406.

Worksurface 1 1/2″
Peninsula worksurface with Open Frame Stand-Off

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula Top, Rectilinear	30″	60″	1 ½″	**RPTDOST(L/R)6030( )( )( )( )**	$1,525.	$1,577.	$1,670.	$1,926.
		66″	1 ½″	**RPTDOST(L/R)6630( )( )( )( )**	1,535.	1,590.	1,691.	1,951.
		72″	1 ½″	**RPTDOST(L/R)7230( )( )( )( )**	1,552.	1,606.	1,705.	1,971.
		78″	1 ½″	**RPTDOST(L/R)7830( )( )( )( )**	1,579.	1,638.	1,742.	2,020.
		84″	1 ½″	**RPTDOST(L/R)8430( )( )( )( )**	1,604.	1,665.	1,773.	2,064.
	36″	60″	1 ½″	**RPTDOST(L/R)6036( )( )( )( )**	1,613.	1,674.	1,781.	2,064.
		66″	1 ½″	**RPTDOST(L/R)6636( )( )( )( )**	1,635.	1,699.	1,814.	2,118.
		72″	1 ½″	**RPTDOST(L/R)7236( )( )( )( )**	1,658.	1,725.	1,842.	2,156.
		78″	1 ½″	**RPTDOST(L/R)7836( )( )( )( )**	1,681.	1,747.	1,870.	2,196.
		84″	1 ½″	**RPTDOST(L/R)8436( )( )( )( )**	1,703.	1,770.	1,899.	2,235.



Left hand shown

Order Code

Example:	**RPTDOST(L/R) 6030( )( )( )( )**
R	Reff
PT	Peninsula
D	1 ½″
O	Open Frame Leg
ST	Stand-Off
L	Left hand/ Right hand
60	Width
30	Depth
S	Grommet Option
115	Grommet Finish
114	Worksurface Finish
115	Leg Finish
115	Stand-Off Finish

Specification Information

To order please specify pattern number including:

1. Left or Right hand
2. Grommet option
   M=Mid. grommet
   N=No grommet
   S=Stand-off
   SE=Stand-off and end location
3. Grommet finish
   Painted or plated
4. Worksurface finish
   L, V1, V2, V3
5. Leg finish
   Painted or plated
6. Stand-off finish
   Painted

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48″w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a “Right Hand” peninsula.

Worksurface 1 1/2″
Peninsula worksurface with Open Frame Flush Mount Attachment

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula Top, Rectilinear	20″	48″	1 ½″	**RPTDOFM(L/R)4820( )( )( )( )**	$1,209.	$1,245.	$1,314.	$1,498.
		54″	1 ½″	**RPTDOFM(L/R)5420( )( )( )( )**	1,226.	1,263.	1,338.	1,533.
		60″	1 ½″	**RPTDOFM(L/R)6020( )( )( )( )**	1,261.	1,303.	1,381.	1,591.
		66″	1 ½″	**RPTDOFM(L/R)6620( )( )( )( )**	1,272.	1,318.	1,400.	1,614.
		72″	1 ½″	**RPTDOFM(L/R)7220( )( )( )( )**	1,300.	1,347.	1,429.	1,655.
		78″	1 ½″	**RPTDOFM(L/R)7820( )( )( )( )**	1,307.	1,352.	1,439.	1,669.
		84″	1 ½″	**RPTDOFM(L/R)8420( )( )( )( )**	1,338.	1,392.	1,481.	1,724.
	24″	48″	1 ½″	**RPTDOFM(L/R)4824( )( )( )( )**	1,240.	1,287.	1,361.	1,561.
		54″	1 ½″	**RPTDOFM(L/R)5424( )( )( )( )**	1,272.	1,318.	1,400.	1,614.
		60″	1 ½″	**RPTDOFM(L/R)6024( )( )( )( )**	1,310.	1,359.	1,443.	1,673.
		66″	1 ½″	**RPTDOFM(L/R)6624( )( )( )( )**	1,324.	1,376.	1,466.	1,704.
		72″	1 ½″	**RPTDOFM(L/R)7224( )( )( )( )**	1,351.	1,402.	1,497.	1,747.
		78″	1 ½″	**RPTDOFM(L/R)7824( )( )( )( )**	1,376.	1,431.	1,532.	1,792.
		84″	1 ½″	**RPTDOFM(L/R)8424( )( )( )( )**	1,401.	1,458.	1,559.	1,830.
	30″	48″	1 ½″	**RPTDOFM(L/R)4830( )( )( )( )**	1,319.	1,371.	1,454.	1,687.
		54″	1 ½″	**RPTDOFM(L/R)5430( )( )( )( )**	1,342.	1,394.	1,482.	1,726.
		60″	1 ½″	**RPTDOFM(L/R)6030( )( )( )( )**	1,365.	1,417.	1,510.	1,766.
		66″	1 ½″	**RPTDOFM(L/R)6630( )( )( )( )**	1,375.	1,430.	1,531.	1,791.
		72″	1 ½″	**RPTDOFM(L/R)7230( )( )( )( )**	1,392.	1,446.	1,545.	1,811.
		78″	1 ½″	**RPTDOFM(L/R)7830( )( )( )( )**	1,419.	1,478.	1,582.	1,860.
		84″	1 ½″	**RPTDOFM(L/R)8430( )( )( )( )**	1,444.	1,505.	1,613.	1,904.
	36″	48″	1 ½″	**RPTDOFM(L/R)4836( )( )( )( )**	1,408.	1,469.	1,565.	1,825.
		54″	1 ½″	**RPTDOFM(L/R)5436( )( )( )( )**	1,430.	1,491.	1,593.	1,864.
		60″	1 ½″	**RPTDOFM(L/R)6036( )( )( )( )**	1,463.	1,514.	1,621.	1,904.
		66″	1 ½″	**RPTDOFM(L/R)6636( )( )( )( )**	1,475.	1,539.	1,654.	1,958.
		72″	1 ½″	**RPTDOFM(L/R)7236( )( )( )( )**	1,498.	1,565.	1,682.	1,996.
		78″	1 ½″	**RPTDOFM(L/R)7836( )( )( )( )**	1,521.	1,587.	1,710.	2,036.
		84″	1 ½″	**RPTDOFM(L/R)8436( )( )( )( )**	1,543.	1,610.	1,739.	2,075.



Left hand shown

Order Code

Example:	**RPTDOFM(L/R) 4830( )( )( )( )**
R	Reff
PT	Peninsula
D	1 ½″
O	Open Frame Leg
FM	Flush Mount Attachment Plate
L	Left hand/ Right hand
48	Width
30	Depth
E	Grommet Option
115	Grommet Finish
114	Worksurface Finish
115	Leg Finish

Specification Information

To order please specify pattern number including:

1. Left or Right hand
2. Grommet option
   E=End
   M=Mid. grommet
   N=No grommet
3. Grommet finish
   Painted or plated
4. Worksurface finish
   L, V1, V2, V3
5. Leg finish
   Painted or plated

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48″w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a “Right Hand” peninsula.

Worksurface 1 1/2″
Peninsula worksurface with Column Leg Stand-off with Power Center

description	d	w	th	pattern no.	L	V1	V2	V3
Peninsula Top, Asymmetrical Bullet	30″	60″	1 1/2″	**RATDCPC(L/R)6030( )( )( )( )**	$1,641.	$1,729.	$1,809.	$2,122.
		66″	1 1/2″	**RATDCPC(L/R)6630( )( )( )( )**	1,661.	1,750.	1,836.	2,175.
		66″	1 1/2″	**RATDCPC(L/R)7230( )( )( )( )**	1,688.	1,778.	1,871.	2,237.
		78″	1 1/2″	**RATDCPC(L/R)7830( )( )( )( )**	1,707.	1,799.	1,899.	2,292.
		84″	1 1/2″	**RATDCPC(L/R)8430( )( )( )( )**	1,733.	1,826.	1,933.	2,353.
Left handed peninsula shown	36″	60″	1 1/2″	**RATDCPC(L/R)6036( )( )( )( )**	1,686.	1,774.	1,867.	2,225.
		66″	1 1/2″	**RATDCPC(L/R)6636( )( )( )( )**	1,709.	1,798.	1,899.	2,289.
		72″	1 1/2″	**RATDCPC(L/R)7236( )( )( )( )**	1,739.	1,829.	1,938.	2,358.
		78″	1 1/2″	**RATDCPC(L/R)7836( )( )( )( )**	1,761.	1,853.	1,971.	2,422.
		84″	1 1/2″	**RATDCPC(L/R)8436( )( )( )( )**	1,784.	1,877.	2,002.	2,483.
Peninsula Top, Symmetrical Bullet	30″	60″	1 1/2″	**RSTDCPC(L/R)6030( )( )( )( )**	1,851.	1,969.	2,048.	2,361.
		66″	1 1/2″	**RSTDCPC(L/R)6630( )( )( )( )**	1,876.	1,996.	2,083.	2,422.
		72″	1 1/2″	**RSTDCPC(L/R)7230( )( )( )( )**	1,896.	2,017.	2,110.	2,477.
		78″	1 1/2″	**RSTDCPC(L/R)7830( )( )( )( )**	1,916.	2,038.	2,138.	2,531.
		84″	1 1/2″	**RSTDCPC(L/R)8430( )( )( )( )**	1,942.	2,066.	2,172.	2,592.
Left hand shown	36″	60″	1 1/2″	**RSTDCPC(L/R)6036( )( )( )( )**	1,892.	2,013.	2,106.	2,464.
		66″	1 1/2″	**RSTDCPC(L/R)6636( )( )( )( )**	1,916.	2,038.	2,139.	2,528.
		72″	1 1/2″	**RSTDCPC(L/R)7236( )( )( )( )**	1,945.	2,069.	2,178.	2,597.
		78″	1 1/2″	**RSTDCPC(L/R)7836( )( )( )( )**	1,967.	2,093.	2,210.	2,661.
		84″	1 1/2″	**RSTDCPC(L/R)8436( )( )( )( )**	1,990.	2,117.	2,242.	2,723.

Order Code

Example: **RATDCPC(L/R)6030( )( )( )( )**

R	Reff
AT	Asymmetrical Top
D	1 1/2″
C	Column Leg
PC	Power Center
L	Left hand/ Right hand
60	Width
30	Depth
115	Grommet Finish
114	Worksurface Finish
115	Leg Finish
115	Stand-off Finish

Specification Information

To order please specify pattern number including:

1. Grommet finish: Painted or Plated
2. Top finish: L, V1, V2, V3
3. Leg finish: Painted or Plated
4. Stand-off finish: Painted

Grommet type: P only

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48″w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a “Right Hand” peninsula.

Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 406.

Worksurface 1 1/2″
Peninsula worksurface with Column Leg Stand-Off

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula Top, Asymmetrical Bullet	30″	60″	1 ½″	**RATDCST(L/R)6030( )( )( )( )**	$1,455.	$1,543.	$1,623.	$1,936.
		66″	1 ½″	**RATDCST(L/R)6630( )( )( )( )**	1,475.	1,564.	1,650.	1,989.
		72″	1 ½″	**RATDCST(L/R)7230( )( )( )( )**	1,502.	1,592.	1,685.	2,051.
		78″	1 ½″	**RATDCST(L/R)7830( )( )( )( )**	1,521.	1,613.	1,713.	2,106.
		84″	1 ½″	**RATDCST(L/R)8430( )( )( )( )**	1,547.	1,640.	1,747.	2,167.
	36″	60″	1 ½″	**RATDCST(L/R)6036( )( )( )( )**	1,500.	1,588.	1,681.	2,039.
		66″	1 ½″	**RATDCST(L/R)6636( )( )( )( )**	1,523.	1,612.	1,713.	2,103.
		72″	1 ½″	**RATDCST(L/R)7236( )( )( )( )**	1,553.	1,643.	1,752.	2,172.
		78″	1 ½″	**RATDCST(L/R)7836( )( )( )( )**	1,575.	1,667.	1,785.	2,236.
		84″	1 ½″	**RATDCST(L/R)8436( )( )( )( )**	1,598.	1,691.	1,816.	2,297.
Peninsula Top, Symmetrical Bullet	30″	60″	1 ½″	**RSTDCST(L/R)6030( )( )( )( )**	1,729.	1,839.	1,919.	2,231.
		66″	1 ½″	**RSTDCST(L/R)6630( )( )( )( )**	1,747.	1,859.	1,946.	2,285.
		72″	1 ½″	**RSTDCST(L/R)7230( )( )( )( )**	1,774.	1,887.	1,981.	2,347.
		78″	1 ½″	**RSTDCST(L/R)7830( )( )( )( )**	1,794.	1,909.	2,009.	2,402.
		84″	1 ½″	**RSTDCST(L/R)8430( )( )( )( )**	1,820.	1,936.	2,043.	2,463.
	36″	60″	1 ½″	**RSTDCST(L/R)6036( )( )( )( )**	1,771.	1,884.	1,976.	2,335.
		66″	1 ½″	**RSTDCST(L/R)6636( )( )( )( )**	1,794.	1,908.	2,009.	2,399.
		72″	1 ½″	**RSTDCST(L/R)7236( )( )( )( )**	1,823.	1,939.	2,048.	2,467.
		78″	1 ½″	**RSTDCST(L/R)7836( )( )( )( )**	1,845.	1,936.	2,080.	2,532.
		84″	1 ½″	**RSTDCST(L/R)8436( )( )( )( )**	1,868.	1,987.	2,112.	2,593.



Left handed peninsula shown



Left hand shown

Order Code

Example:	**RATDCST (L/R)6030**
R	Reff
AT	Asymmetrical Top
D	1 ½″
C	Column Leg
ST	Stand-Off
L/R	Left/Right Hand
60	Width
30	Depth
N	Grommet Option
115	Grommet Finish
V316	Worksurface Finish
115	Leg Finish
115	Stand-Off Finish

Specification Information

To order please specify pattern number including:

1. Grommet option:
   N=No grommet
   E=End grommet
   S=Grommet over Stand-Off
   SE=Grommet over Stand-off plus end grommet
2. Grommet finish:
   Painted or Plated
3. Top finish:
   L, V1, V2, V3
4. Leg finish:
   Painted or Plated
5. Stand-off finish:
   Painted

Finish:
L,V1,V2,V3

Leg Finish:
Painted or plated

Stand-off Finish:
Painted

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48″w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a “Right Hand” peninsula.

Worksurface 1 1/2″
Peninsula worksurface with Column Leg
Flush Mount attachment

description	d	w	th	pattern no.	L	V1	V2	V3
Peninsula Top, Asymmetrical Bullet	30″	48″	1 1/2″	**RATDCFM(L/R)4830( )( )( )**	$1,302.	$1,385.	$1,451.	$1,710.
		54″	1 1/2″	**RATDCFM(L/R)5430( )( )( )**	1,321.	1,405.	1,478.	1,764.
		60″	1 1/2″	**RATDCFM(L/R)6030( )( )( )**	1,371.	1,459.	1,539.	1,852.
		66″	1 1/2″	**RATDCFM(L/R)6630( )( )( )**	1,391.	1,480.	1,566.	1,905.
		72″	1 1/2″	**RATDCFM(L/R)7230( )( )( )**	1,418.	1,508.	1,601.	1,967.
		78″	1 1/2″	**RATDCFM(L/R)7830( )( )( )**	1,437.	1,529.	1,629.	2,022.
		84″	1 1/2″	**RATDCFM(L/R)8430( )( )( )**	1,463.	1,556.	1,663.	2,083.
	36″	48″	1 1/2″	**RATDCFM(L/R)4836( )( )( )**	1,338.	1,423.	1,499.	1,796.
		54″	1 1/2″	**RATDCFM(L/R)5436( )( )( )**	1,360.	1,447.	1,532.	1,860.
		60″	1 1/2″	**RATDCFM(L/R)6036( )( )( )**	1,414.	1,504.	1,597.	1,955.
		66″	1 1/2″	**RATDCFM(L/R)6636( )( )( )**	1,436.	1,528.	1,629.	2,019.
		72″	1 1/2″	**RATDCFM(L/R)7236( )( )( )**	1,465.	1,559.	1,668.	2,088.
		78″	1 1/2″	**RATDCFM(L/R)7836( )( )( )**	1,488.	1,583.	1,701.	2,152.
		84″	1 1/2″	**RATDCFM(L/R)8436( )( )( )**	1,511.	1,607.	1,732.	2,214.
Peninsula Top, Symmetrical Bullet	36″	48″	1 1/2″	**RSTDCFM(L/R)4836( )( )( )**	1,582.	1,683.	1,760.	2,057.
		54″	1 1/2″	**RSTDCFM(L/R)5436( )( )( )**	1,606.	1,708.	1,793.	2,121.
		60″	1 1/2″	**RSTDCFM(L/R)6036( )( )( )**	1,658.	1,764.	1,857.	2,215.
		66″	1 1/2″	**RSTDCFM(L/R)6636( )( )( )**	1,682.	1,789.	1,890.	2,279.
		72″	1 1/2″	**RSTDCFM(L/R)7236( )( )( )**	1,711.	1,820.	1,929.	2,348.
		78″	1 1/2″	**RSTDCFM(L/R)7836( )( )( )**	1,733.	1,844.	1,961.	2,412.
		84″	1 1/2″	**RSTDCFM(L/R)8436( )( )( )**	1,756.	1,868.	1,993.	2,474.
	30″	48″	1 1/2″	**RSTDCFM(L/R)4830( )( )( )**	1,547.	1,646.	1,712.	1,971.
		54″	1 1/2″	**RSTDCFM(L/R)5430( )( )( )**	1,566.	1,666.	1,739.	2,024.
		60″	1 1/2″	**RSTDCFM(L/R)6030( )( )( )**	1,617.	1,720.	1,800.	2,112.
		66″	1 1/2″	**RSTDCFM(L/R)6630( )( )( )**	1,636.	1,740.	1,826.	2,166.
		72″	1 1/2″	**RSTDCFM(L/R)7230( )( )( )**	1,662.	1,768.	1,862.	2,228.
		78″	1 1/2″	**RSTDCFM(L/R)7830( )( )( )**	1,682.	1,789.	1,889.	2,282.
		84″	1 1/2″	**RSTDCFM(L/R)8430( )( )( )**	1,708.	1,817.	1,924.	2,343.



Left handed peninsula shown



Left hand shown

Order Code

Example:	**RATDCFM (L/R)4830**
R	Reff
AT	Asymmetrical Top
D	1 1/2″
C	Column Leg
FM	Flush Mount Plate
L/R	Left/Right Hand
48	Width
30	Depth
N	Grommet Option
115	Grommet Finish
V316	Worksurface Finish
115	Leg Finish

Specification Information

To order please specify pattern number including:

1. Grommet option:
   E=End grommet
   N=No grommet
2. Grommet finish:
   Painted or Plated
3. Top finish:
   L, V1, V2, V3
4. Leg finish:
   Painted or Plated

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48″w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a “Right Hand” peninsula.

Worksurface 1 1/2″
Peninsula worksurface with Column Leg Flush Mount Attachment, P and 9 tops

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula P shaped Top	30″	84″	1 1/2″	**RPTDCFM8430( )( )( )( )**	$1,967.	$2,114.	$2,392.	$3,137.
	30″	96″	1 1/2″	**RPTDCFM9630( )( )( )( )**	2,037.	2,195.	2,480.	3,254.
Peninsula 9 shaped Top	30″	84″	1 1/2″	**R9TDCFM8430( )( )( )( )**	1,967.	2,114.	2,392.	3,137.
	30″	96″	1 1/2″	**R9TDCFM9630( )( )( )( )**	2,037.	2,195.	2,480.	3,254.

Order Code

Example:	**RPTDCFM8430 ( )( )( )( )**
R	Reff
PT	P-Shaped top
D	1 1/2″
C	Column Leg
FM	Flush Mount Attachment Plate
84	Width
30	Depth
N	Grommet Option
115	Grommet Finish
114	Worksurface Finish
115	Leg Finish

Specification Information

To order please specify pattern number including:

1. Grommet option:
   F=Flush
   M=Mid. Grommet
   N=No grommet
2. Grommet finish:
   Painted or Plated
3. Top finish:
   L, V1, V2, V3
4. Leg finish:
   Painted or Plated

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48″w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a “Right Hand” peninsula.

Worksurface 1 1/2″
Peninsula worksurface with Column Leg Stand-off with Power Center, D top

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula D-Shaped Top	30″	66″	1 1/2″	**RDTDCPC(L/R)6630( )( )( )( )**	$1,639.	$1,821.	$1,901.	$2,216.
		72″	1 1/2″	**RDTDCPC(L/R)7230( )( )( )( )**	1,662.	1,847.	1,934.	2,274.
		78″	1 1/2″	**RDTDCPC(L/R)7830( )( )( )( )**	1,680.	1,867.	1,960.	2,325.
		84″	1 1/2″	**RDTDCPC(L/R)8430( )( )( )( )**	1,703.	1,892.	1,991.	2,382.
		90″	1 1/2″	**RDTDCPC(L/R)9030( )( )( )( )**	1,721.	1,912.	2,017.	2,432.
		96″	1 1/2″	**RDTDCPC(L/R)9630( )( )( )( )**	1,737.	1,930.	2,041.	2,480.
	36″	66″	1 1/2″	**RDTDCPC(L/R)6636( )( )( )( )**	1,679.	1,866.	1,960.	2,322.
		72″	1 1/2″	**RDTDCPC(L/R)7236( )( )( )( )**	1,706.	1,895.	1,996.	2,386.
		78″	1 1/2″	**RDTDCPC(L/R)7836( )( )( )( )**	1,725.	1,917.	2,026.	2,446.
		84″	1 1/2″	**RDTDCPC(L/R)8436( )( )( )( )**	1,745.	1,939.	2,056.	2,503.
		90″	1 1/2″	**RDTDCPC(L/R)9036( )( )( )( )**	1,766.	1,962.	2,086.	2,561.
		96″	1 1/2″	**RDTDCPC(L/R)9636( )( )( )( )**	1,787.	1,985.	2,116.	2,620.



Left hand shown

Order Code

Example: **RDTDCPCL6630 ( )( )( )( )**

R	Reff
DT	P-Shaped top
D	1 1/2″
C	Column Leg
PC	Power Center
L	
66	Width
30	Depth
P	Grommet option
115	Grommet finish
V316	Top finish
115	Leg Finish
115	Stand-Off Finish

Specification Information

To order please specify pattern number including:

1. Grommet option:
   P=Power center
   PM=Power center and middle grommet
2. Grommet finish:
   Painted or Plated
3. Top finish:
   L, V1, V2, V3
4. Leg finish:
   Painted or Plated
5. Stand-off finish:
   Painted

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48″w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a “Right Hand” peninsula.

Peninsula worksurfaces with power center do not come with Electrical Components.

For electrical components please refer to page 406.

Worksurface 1 1/2″
Peninsula worksurface with Column Leg Stand-off, D top

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula D-Shaped Top	30″	66″	1 ½″	**RDTDCST(L/R)6630( )( )( )( )**	$1,499.	$1,665.	$1,745.	$2,060.
		72″	1 ½″	**RDTDCST(L/R)7230( )( )( )( )**	1,522.	1,691.	1,778.	2,118.
		78″	1 ½″	**RDTDCST(L/R)7830( )( )( )( )**	1,540.	1,711.	1,804.	2,169.
		84″	1 ½″	**RDTDCST(L/R)8430( )( )( )( )**	1,562.	1,736.	1,835.	2,226.
		90″	1 ½″	**RDTDCST(L/R)9030( )( )( )( )**	1,580.	1,756.	1,861.	2,276.
		96″	1 ½″	**RDTDCST(L/R)9630( )( )( )( )**	1,057.	1,174.	1,885.	2,324.
	36″	66″	1 ½″	**RDTDCST(L/R)6636( )( )( )( )**	1,539.	1,710.	1,804.	2,166.
		72″	1 ½″	**RDTDCST(L/R)7236( )( )( )( )**	1,565.	1,739.	1,840.	2,230.
		78″	1 ½″	**RDTDCST(L/R)7836( )( )( )( )**	1,585.	1,761.	1,870.	2,290.
		84″	1 ½″	**RDTDCST(L/R)8436( )( )( )( )**	1,605.	1,783.	1,900.	2,347.
		90″	1 ½″	**RDTDCST(L/R)9036( )( )( )( )**	1,625.	1,806.	1,930.	2,405.
		96″	1 ½″	**RDTDCST(L/R)9636( )( )( )( )**	1,646.	1,829.	1,960.	2,464.



Left hand shown

Order Code

Example:	**RDTDCST6630 ( )( )( )( )**
R	Reff
DT	D-Shaped top
D	1 ½″
C	Column Leg
ST	Stand-Off
66	Width
30	Depth
N	Grommet Option
115	Grommet Finish
V316	Worksurface Finish
115	Leg Finish
115	Stand-Off Finish

Specification Information

To order please specify pattern number including:

1. Grommet option:
   S=Stand-off
   SM=Stand-off plus grommet
   M=Mid. Grommet
   N=No grommet
2. Grommet finish:
   Painted or Plated
3. Top finish:
   L, V1, V2, V3
4. Leg finish:
   Painted or Plated
5. Stand-off finish:
   Painted

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48″w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a “Right Hand” peninsula.

Worksurface 1 1/2″
Peninsula worksurface with Column Leg Flush Mount attachment, D top

description	d	w	th	pattern no.	L	M/V1	V2	V3
Peninsula D-Shaped Top	30″	54″	1 1/2″	**RDTDCFM(L/R)5430( )( )( )( )**	$1,329.	$1,477.	$1,545.	$1,810.
		60″	1 1/2″	**RDTDCFM(L/R)6030( )( )( )( )**	1,382.	1,535.	1,609.	1,900.
		66″	1 1/2″	**RDTDCFM(L/R)6630( )( )( )( )**	1,399.	1,554.	1,634.	1,950.
		72″	1 1/2″	**RDTDCFM(L/R)7230( )( )( )( )**	1,422.	1,580.	1,667.	2,007.
		78″	1 1/2″	**RDTDCFM(L/R)7830( )( )( )( )**	1,440.	1,600.	1,693.	2,058.
		84″	1 1/2″	**RDTDCFM(L/R)8430( )( )( )( )**	1,463.	1,625.	1,725.	2,115.
	36″	54″	1 1/2″	**RDTDCFM(L/R)5436( )( )( )( )**	1,364.	1,516.	1,595.	1,900.
		60″	1 1/2″	**RDTDCFM(L/R)6036( )( )( )( )**	1,419.	1,577.	1,663.	1,996.
		66″	1 1/2″	**RDTDCFM(L/R)6636( )( )( )( )**	1,439.	1,599.	1,693.	2,055.
		72″	1 1/2″	**RDTDCFM(L/R)7236( )( )( )( )**	1,465.	1,628.	1,729.	2,119.
		78″	1 1/2″	**RDTDCFM(L/R)7836( )( )( )( )**	1,486.	1,651.	1,760.	2,179.
		84″	1 1/2″	**RDTDCFM(L/R)8436( )( )( )( )**	1,506.	1,673.	1,789.	2,236.



Left hand shown

Order Code

Example:	**RDTDCFM5430 ( )( )( )( )**
R	Reff
DT	P-Shapped top
D	1 1/2″
C	Column Leg
FM	Flush Mount Attachment Plate
54	Width
30	Depth
M	Grommet Option
115	Grommet Finish
V316	Worksurface Finish
115	Leg Finish

Specification Information

To order please specify pattern number including:

1. Grommet option:
   N=None
   M=Middle
2. Grommet finish:
   Painted or Plated
3. Worksurface finish:
   L, V1, V2, V3
4. Leg finish:
   Painted or Plated

Application Notes

Modesty sold separately and can be field installed.

Wire chase sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48″w.

Refer to grommet page for location option.

From users perspective, if the leg is on the right side, the peninsula is classified a “Right Hand” peninsula.

Worksurface Credenza
1" No grommet

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops	20″	60″	**RCE601( )**	$458.	$458.	$527.	$713.
		66″	**RCE661( )**	472.	472.	544.	734.
		72″	**RCE721( )**	497.	497.	570.	770.
		78″	**RCE781( )**	502.	502.	579.	782.
		84″	**RCE841( )**	537.	537.	616.	831.
		90″	**RCE901( )**	558.	558.	640.	866.
		96″	**RCE961( )**	579.	579.	665.	897.
		102″	**RCE1021( )**	637.	637.	732.	987.
		108″	**RCE1081( )**	701.	701.	805.	1,085.
	24″	60″	**RCE602( )**	508.	508.	582.	786.
		66″	**RCE662( )**	523.	523.	603.	813.
		72″	**RCE722( )**	546.	546.	630.	851.
		78″	**RCE782( )**	572.	572.	661.	891.
		84″	**RCE842( )**	596.	596.	685.	925.
		90″	**RCE902( )**	622.	622.	715.	964.
		96″	**RCE962( )**	646.	646.	744.	1,004.
		102″	**RCE1022( )**	711.	711.	818.	1,104.
		108″	**RCE1082( )**	782.	782.	900.	1,215.

Order Code

Example:	**RCE601**
R	Reff
C	Credenza Top
E	1″
60	width
1	20″
V316	Finish

Specification Information

To order please specify pattern number including:

1. Finish
   L,V1,V2,V3

Application Notes

No grommet options

Credenza tops are drilled to accept pedestals and end panels.

1″ Credenza tops are recommended to work with the Task Panel application.

Worksurface Credenza
1" with edge grommet

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops with grommet	20″	60″	**RCEEG601( )**	$641.	$641.	$738.	$998.
		66″	**RCEEG661( )**	661.	661.	762.	1,028.
		72″	**RCEEG721( )**	696.	696.	798.	1,078.
		78″	**RCEEG781( )**	703.	703.	811.	1,095.
		84″	**RCEEG841( )**	752.	752.	862.	1,163.
		90″	**RCEEG901( )**	781.	781.	896.	1,212.
		96″	**RCEEG961( )**	811.	811.	931.	1,256.
		102″	**RCEEG1021( )**	892.	892.	1,024.	1,381.
		108″	**RCEEG1081( )**	981.	981.	1,127.	1,520.
	24″	60″	**RCEEG602( )**	711.	711.	815.	1,100.
		66″	**RCEEG662( )**	732.	732.	844.	1,138.
		72″	**RCEEG722( )**	764.	764.	882.	1,191.
		78″	**RCEEG782( )**	801.	801.	925.	1,247.
		84″	**RCEEG842( )**	834.	834.	959.	1,295.
		90″	**RCEEG902( )**	871.	871.	1,001.	1,350.
		96″	**RCEEG962( )**	904.	904.	1,042.	1,406.
		102″	**RCEEG1022( )**	995.	995.	1,146.	1,546.
		108″	**RCEEG1082( )**	1,094.	1,094.	1,260.	1,701.



Order Code

Example:	**RCEEG601**
R	Reff
C	Credenza Top
E	1″
EG	Edge Grommet
60	Width
1	20″
V316	Finish

Specification Information

To order please specify pattern number including:

1. Top finish
   L,V1,V2,V3

Application Notes

These tops will always come with a cut out (notch) at the back of top.

No grommet option.

Credenza tops are drilled to accept pedestals.

1″ Credenza tops are recommended to work with the Task Panel application.

Worksurface Credenza
1 1/2″ with edge grommet

description	d	w	pattern no.	L	M/V1	V2	V3
Credenza tops	20″	60″	**RCD601( )**	$705.	$705.	$812.	$1,098.
		66″	**RCD661( )**	727.	727.	838.	1,130.
		72″	**RCD721( )**	765.	562.	878.	1,186.
		78″	**RCD781( )**	773.	773.	892.	1,204.
		84″	**RCD841( )**	827.	827.	949.	1,280.
		90″	**RCD901( )**	859.	859.	986.	1,334.
		96″	**RCD961( )**	892.	892.	1,024.	1,381.
		102″	**RCD1021( )**	981.	981.	1,127.	1,520.
		108″	**RCD1081( )**	1,079.	1,079.	1,239.	1,671.
	24″	60″	**RCD602( )**	782.	782.	896.	1,210.
		66″	**RCD662( )**	805.	805.	929.	1,252.
		72″	**RCD722( )**	841.	841.	970.	1,311.
		78″	**RCD782( )**	881.	881.	1,018.	1,372.
		84″	**RCD842( )**	918.	918.	1,055.	1,425.
		90″	**RCD902( )**	958.	958.	1,101.	1,485.
		96″	**RCD962( )**	995.	995.	1,146.	1,546.
		102″	**RCD1022( )**	1,094.	1,094.	1,260.	1,701.
		108″	**RCD1082( )**	1,204.	1,204.	1,386.	1,871.

Order Code

Example:	**RCEEG601**
R	Reff
C	Credenza
D	1 ½″ top
60	Width
1	20″
V316	Finish

Specification Information

To order please specify pattern number including:

1. Finish
   L,V1,V2,V3

Application Notes

These tops will always come with a cut out (notch) at the back of top.

No grommet option.

Credenza tops are drilled to accept pedestals.

1″ Credenza tops are recommended to work with the Task Panel application.

Tables, 1 1/2″
Rectangle with L-Leg
30″ and 36″ deep

description	d	w	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30″ Deep with 26 1/2″ height leg 	30″	48″	1 1/2″	**RTRDL48301( )( )**	$1,381.	$1,469.	$1,535.	$1,794.
	30″	60″	1 1/2″	**RTRDL60301( )( )**	1,451.	1,544.	1,623.	1,936.
	30″	72″	1 1/2″	**RTRDL72301( )( )**	1,496.	1,592.	1,686.	2,051.
Table Top Rectangle 36″ Deep with 26 1/2″ height leg 	36″	72″	1 1/2″	**RTRDL72361( )( )**	1,544.	1,643.	1,752.	2,172.
Table Top Rectangle 30″ Deep with 28 3/8″ height leg 	30″	48″	1 1/2″	**RTRDL48302( )( )**	1,441.	1,529.	1,595.	1,854.
	30″	60″	1 1/2″	**RTRDL60302( )( )**	1,511.	1,604.	1,683.	1,996.
	30″	72″	1 1/2″	**RTRDL72302( )( )**	1,556.	1,652.	1,746.	2,111.
Table Top Rectangle 36″ Deep with 28 3/8″ height leg 	36″	72″	1 1/2″	**RTRDL72362( )( )**	1,604.	1,703.	1,812.	2,232.

Order Code

Example:	**RTRDL48301 ( )( )**
R	Reff
TR	Table Rectangular
D	1 1/2″
L	L-Leg
48	Width
30	Depth
1	26 1/2″ height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
   L, V1, V2, V3
2. Leg finish
   Painted / Plated

Application Notes

Assembly required, ships knock down.

Modesty sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48″w.

Grommets are NOT optional for these tables.

Tables, 1 1/2″
Rectangle with Reverse L-Leg
30″ and 36″ deep

description	d	w	th	pattern no.	L	M/V1	V2	V3
Table Top Rectangle 30″ Deep with 26½″ height leg 	30″	48″	1½″	**RTRDRL48301( )( )( )( )**	$1,381.	$1,469.	$1,535.	$1,794.
	30″	60″	1½″	**RTRDRL60301( )( )( )( )**	1,451.	1,544.	1,623.	1,936.
	30″	72″	1½″	**RTRDRL72301( )( )( )( )**	1,496.	1,592.	1,685.	2,051.
Table Top Rectangle 36″ Deep with 26½″ height leg 	36″	72″	1½″	**RTRDRL72361( )( )( )( )**	1,544.	1,643.	1,752.	2,172.
Table Top Rectangle 30″ Deep with 28⅜″ height leg 	30″	48″	1½″	**RTRDRL48302( )( )( )( )**	1,441.	1,529.	1,595.	1,854.
	30″	60″	1½″	**RTRDRL60302( )( )( )( )**	1,511.	1,604.	1,683.	1,996.
	30″	72″	1½″	**RTRDRL72302( )( )( )( )**	1,556.	1,652.	1,745.	2,111.
Table Top Rectangle 36″ Deep with 28⅜″ height leg 	36″	72″	1½″	**RTRDRL72362( )( )( )( )**	1,604.	1,703.	1,812.	2,232.

Order Code

Example:	**RTRDRL48301 ( )( )( )( )**
R	Reff
TR	Table Rectangular
D	1½″
RL	Reverse L-Leg
48	Width
30	Depth
1	26½″ height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
   L, V1, V2, V3
2. Leg finish
   Painted / Plated

Application Notes

Assembly required, ships knock down.

Modesty sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48″w.

Grommets are NOT optional for these tables.

Tables, 1 1/2″
Rectangle with Soft Rectangular Leg
30″ and 36″ deep

description	depth	width	thickness	pattern number	L	M/V1	V2	V3
Table Top Rectangle 30″ Deep with 26 1/2″ height leg	30″	48″	1 1/2″	**RTRDS48301( )( )( )( )**	$1,277.	$1,359.	$1,425.	$1,684.
	30″	60″	1 1/2″	**RTRDS60301( )( )( )( )**	1,348.	1,434.	1,513.	1,826.
	30″	72″	1 1/2″	**RTRDS72301( )( )( )( )**	1,393.	1,482.	1,575.	1,942.
Table Top Rectangle 30″ Deep with 28 3/8″ height leg	30″	48″	1 1/2″	**RTRDS48302( )( )( )( )**	1,337.	1,419.	1,485.	1,744.
	30″	60″	1 1/2″	**RTRDS60302( )( )( )( )**	1,408.	1,494.	1,573.	1,886.
	30″	72″	1 1/2″	**RTRDS72302( )( )( )( )**	1,453.	1,542.	1,635.	2,002.
Table Top Rectangle 36″ Deep with 26 1/2″ height leg	36″	72″	1 1/2″	**RTRDS72361( )( )( )( )**	1,441.	1,533.	1,642.	2,062.
Table Top Rectangle 36″ Deep with 28 3/8″ height leg	36″	72″	1 1/2″	**RTRDS72362( )( )( )( )**	1,501.	1,593.	1,702.	2,122.









Order Code

Example:	**RTRDS48301 ( )( )( )( )**
R	Reff
TR	Table Rectangular
D	1 1/2″
S	Soft Rectangular Leg
48	Width
30	Depth
1	26 1/2″ height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
   L, V1, V2, V3
2. Leg finish
   Painted / Plated

Application Notes

Assembly required, ships knock down.

Modesty sold separately.

Worksurface stiffeners, recommended to provide additional support for open spans greater than 48″w.

Grommets are NOT optional for these tables.

Tables, 1 1/2″
Square with L-Leg
42″ and 48″ deep

description	w	d	th	pattern no.	L	V1	V2	V3
Table Top Square with 26 1/2″ height legs	42″	42″	1 1/2″	**RTSDL42421( )( )( )( )**	$1,419.	$1,510.	$1,588.	$1,890.
	48″	48″	1 1/2″	**RTSDL48481( )( )( )( )**	1,481.	1,576.	1,675.	2,050.
Table Top Square with 28 3/8″ height legs	42″	42″	1 1/2″	**RTSDL42422( )( )( )( )**	1,476.	1,570.	1,648.	1,950.
	48″	48″	1 1/2″	**RTSDL48482( )( )( )( )**	1,538.	1,636.	1,735.	2,110.

Order Code

Example:	**RTSDL42421 ( )( )( )( )**
R	Reff
TS	Table Square
D	1 1/2″
L	L-Leg
42	Width
42	Depth
1	26 1/2″ height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
   L, V1, V2, V3
2. Leg finish
   Painted / Plated

Application Notes

Assembly required, ships knock down.

Modesty sold separately.

Grommets are NOT optional for these tables.

Tables, 1 1/2″
Square with Reverse L-Leg
42″ and 48″ deep

description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Square with 26 1/2″ height legs	1 1/2″	42″	42″	**RTSDRL42421( )( )( )( )**	$1,419.	$1,510.	$1,588.	$1,890.
	1 1/2″	48″	48″	**RTSDRL48481( )( )( )( )**	1,481.	1,576.	1,675.	2,050.
Table Top Square with 28 3/8″ height legs	1 1/2″	42″	42″	**RTSDRL42422( )( )( )( )**	1,476.	1,570.	1,648.	1,950.
	1 1/2″	48″	48″	**RTSDRL48482( )( )( )( )**	1,538.	1,636.	1,735.	2,110.

Order Code

Example:	**RTSDRL42421 ( )( )( )( )**
R	Reff
TS	Table Square
D	1 1/2″
RL	Reverse L-Leg
42	Width
42	Depth
1	26 1/2″ height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
   L, V1, V2, V3
2. Leg finish
   Painted / Plated

Application Notes

Assembly required, ships knock down.

Modesty sold separately.

Grommets are NOT optional for these tables.

Tables, 1 1/2″
Square with Soft Rectangular Leg
42″ and 48″ deep

description	th	d	w	pattern no.	L	V1	V2	V3
Table Top Square with 26 1/2″ height legs	1 1/2″	42″	42″	**RTSDS42421( )( )( )( )**	$1,456.	$1,549.	$1,627.	$1,928.
	1 1/2″	48″	48″	**RTSDS48481( )( )( )( )**	1,518.	1,615.	1,713.	2,089.
Table Top Square with 28 3/8″ height legs	1 1/2″	42″	42″	**RTSDS42422( )( )( )( )**	1,512.	1,609.	1,687.	1,988.
	1 1/2″	48″	48″	**RTSDS48482( )( )( )( )**	1,575.	1,675.	1,773.	2,149.

Order Code

Example:	**RTSDS42421 ( )( )( )( )**
R	Reff
TS	Table Square
D	1 1/2″
S	Soft Rectangular-Leg
42	Width
42	Depth
1	26 1/2″ height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
   L, V1, V2, V3
2. Leg finish
   Painted / Plated

Application Notes

Assembly required, ships knock down.

Modesty sold separately.

Grommets are NOT optional for these tables.

Tables, 1 1/2″
Round with Column Leg
36″, 42″ and 48″ diameter

description	th	dia.	pattern no.	L	V1	V2	V3
Table Top Round with 26 1/2″ height legs	1 1/2″	36″	**RTNDC361( )( )( )( )**	$2,369.	$2,520.	$2,579.	$2,791.
	1 1/2″	42″	**RTNDC421( )( )( )( )**	2,429.	2,584.	2,661.	2,934.
	1 1/2″	48″	**RTNDC481( )( )( )( )**	2,489.	2,648.	2,745.	3,088.
Table Top Round with 28 3/8″ height legs	1 1/2″	36″	**RTNDC422( )( )( )( )**	2,425.	2,580.	2,639.	2,851.
	1 1/2″	42″	**RTNDC362( )( )( )( )**	2,485.	2,644.	2,721.	2,994.
	1 1/2″	48″	**RTNDC482( )( )( )( )**	2,546.	2,708.	2,805.	3,148.

Order Code

Example:	**RTNDC361 ( )( )( )( )**
R	Reff
TN	Table Round
D	1 1/2″
C	Column Leg
36	Diameter
1	26 1/2″ height leg
V316	Finish
111	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
   L, V1, V2, V3
2. Leg finish
   Painted / Plated

Application Notes

Assembly required, ships knock down.

Modesty sold separately.

Grommets are NOT optional for these tables.

Tables, 1″
Slider Table Base
Laminate

description	depth	w	th	pattern no.	L
Round Slider Table with 26½″ height legs	36″		1″	**RSTRLE361( )( )**	$2,918.
	42″		1″	**RSTRLE421( )( )**	2,976.
Round Slider Table with 28⅜″ height legs	36″		1″	**RSTRLE362( )( )**	2,974.
	42″		1″	**RSTRLE422( )( )**	3,032.
Soft Square Slider Table with 26½″ height legs 	36″		1″	**RSTSLE361( )( )**	2,892.
	42″		1″	**RSTSLE421( )( )**	2,954.
Soft Square Slider Table with 28⅜″ height legs 	36″		1″	**RSTSLE362( )( )**	2,949.
	42″		1″	**RSTSLE422( )( )**	3,011.
Soft Rectangle Slider Table with 26½″ height legs	30″	48″	1″	**RSTTLE30481( )( )**	2,725.
	36″	54″	1″	**RSTTLE36541( )( )**	2,797.
Soft Rectangle Slider Table with 28⅜″ height legs	30″	48″	1″	**RSTTLE30482( )( )**	2,781.
	36″	54″	1″	**RSTTLE36542( )( )**	2,853.

Order Code

Example:	**RSTRLE361 ( )( )**
R	Reff
ST	Slider Table
R	Round
L	Laminate surface
E	1″ thick
42	42″ diameter
1	26½″ height leg
114	Finish
118T	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish: Laminate only
2. Leg Textured finish: 111T, 115T, 118T

Application Notes

Assembly required.

Ships knocked down.

Grommets are not an option for these tables.

Column and base are color matched

Column = smooth

Base = textured

Tables, 1″
Slider Table Base
Wood

description	d	w	th	pattern no.	V1	V2	V3
Round Slider Table with 26½″ height legs	36″		1″	**RSTRWE361( )( )**	$3,104.	$3,152.	$3,396.
	42″		1″	**RSTRWE421( )( )**	3,166.	3,230.	3,533.
Round Slider Table with 28⅜″ height legs	36″		1″	**RSTRWE362( )( )**	3,164.	3,212.	3,456.
	42″		1″	**RSTRWE422( )( )**	3,226.	3,290.	3,593.
Soft Square Slider Table with 26½″ height legs	36″		1″	**RSTSWE361( )( )**	3,077.	3,125.	3,390.
	42″		1″	**RSTSWE421( )( )**	3,143.	3,206.	3,533.
Soft Square Slider Table with 28⅜″ height legs	36″		1″	**RSTSWE362( )( )**	3,137.	3,185.	3,450.
	42″		1″	**RSTSWE422( )( )**	3,203.	3,266.	3,593.
Soft Rectangle Slider Table with 26½″ height legs	30″	48″	1″	**RSTTWE30481( )( )**	2,899.	2,951.	3,238.
	36″	54″	1″	**RSTTWE36541( )( )**	2,975.	3,044.	3,397.
Soft Rectangle Slider Table with 28⅜″ height legs	30″	48″	1″	**RSTTWE30482( )( )**	2,959.	3,011.	3,298.
	36″	54″	1″	**RSTTWE36542( )( )**	3,035.	3,104.	3,457.

Order Code

Example:	**RSTRWE361 ( )( )**
R	Reff
ST	Slider Table
R	Round
W	Wood surface
E	1″ thick
42	42″ diameter
1	26½″ height leg
V316	Finish
111T	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish
   V1, V2, V3 wood only
2. Leg Textured finish:
   111T, 115T, 118T

Column and base are color matched.

Column=smooth

Base=textured

Application Notes

Assembly required, ships knock down.

Grommets are not an option for these tables.

Tables, 1″
Slider Table Base
Solid

description	d	w	th	pattern no.	Solid
Round Slider Table with 26½″ height legs	36″		1″	**RSTRSE361( )( )**	$7,959.
	42″		1″	**RSTRSE421( )( )**	9,119.
Round Slider Table with 28⅜″ height legs	36″		1″	**RSTRSE362( )( )**	7,959.
	42″		1″	**RSTRSE422( )( )**	9,119.
Soft Square Slider Table with 26½″ height legs	36″		1″	**RSTSSE361( )( )**	7,116.
	42″		1″	**RSTSSE421( )( )**	8,393.
Soft Square Slider Table with 28⅜″ height legs	36″		1″	**RSTSSE362( )( )**	7,116.
	42″		1″	**RSTSSE422( )( )**	8,393.
Soft Rectangle Slider Table with 26½″ height legs	30″	48″	1″	**RSTTSE30481( )( )**	8,769.
	36″	54″	1″	**RSTTSE36541( )( )**	9,724.
Soft Rectangle Slider Table with 28⅜″ height legs	30″	48″	1″	**RSTTSE30482( )( )**	8,769.
	36″	54″	1″	**RSTTSE36542( )( )**	9,724.

Order Code	
Example:	**RSTRSE361 ( )( )**
R	Reff
ST	Slider Table
R	Round
S	Solid
E	1″ thick
42	42″ diameter
1	26½″ height leg
AW	Worksurface finish
111T	Leg Finish

Specification Information

To order please specify pattern number including:

1. Worksurface finish: AW=Artic White, only
2. Leg finish Textured: 111T, 115T, 118T

Application Notes

Assembly required.

Ships knocked down.

Grommets are not an option for these tables.

Artic White finish available for solid tops.

Column and base are color matched.

Column=smooth

Base=textured

Top support components
Bracketry

description	d	pattern no.	P1& black only	P2	P3
Cantilever bracket, panel hung	18″	**RBC18 (L/R)**	$86.	$90.	$94.
	24″	**RBC24 (L/R)**	94.	100.	106.



Specify paint finish
18″ for 20″ and 24″d tops
24″ for 30″ and 36″d tops
Ships with machine screws for fastening to underside of worksurfaces with metal inserts

Cantilever bracket, panel hung for cascade edge worksurface	18″	**ASBC18 (L/R) ( )**	86.	90.	94.
	24″	**ASBC24 (L/R) ( )**	94.	100.	106.



Specify paint finish
18″ for 24″d tops
24″ for 30″ d tops
Ships with wood screws (use with AutoStrada, Dividends Horizon, Morrison and Cascade worksurfaces)

Mid-span cantilever bracket, free standing	17″	**RMSCB ( )**	69.	74.	78.



Order Code

Example:	**RBC18L**
R	Reff
B	Bracket
C	Cantilever
18	18″ deep
L	Left hand

L brackets may be used in off module applications for L bases, T bases and half depth end panels.

Specification Information

To order please specify pattern number including:

1. Left or right-hand, where applicable.
2. Top thickness, where applicable.
3. Finish type
4. Finish, where applicable

2. Top thickness option:
A = 1 ¼″ thick
B = 1 ¾″ thick

When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.

Application Notes

For wood tops black bracketry is recommended.

Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.

Knoll takes no responsibility for the installation or security of tops to the wall.

Refer to page 404 for replacement hardware.

Cantilever should be specified with top to top brackets.

Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

Top support components
Bracketry

description	d	pattern no.	P1& black only	P2	P3
Corner top corner bracket		**RBCC**	$17.		
	Black only				
Side hung support bracket		**RBCCP (Pair)**	38.	41.	42.
	Specify paint finish pair includes one each left and right hand bracket image depicts two left hand brackets				
Panel to pedestal bracket		**RBPP (L/R)**	8.		
		Black only			
Top to top bracket	6″ x 1″	**RBF (Pair)**	6.		
	Black only				
Wall hung support bracket	20″	**RSBWH20**	39.	41.	43.
	24″	**RSBWH24**	41.	45.	47.
	30″	**RSBWH30**	45.	47.	49.
	36″	**RSBWH36**	49.	52.	55.
	42″	**RSBWH42**	52.	55.	58.
	48″	**RSBWH48**	63.	66.	69.
		Specify paint finish			
Z-bracket for bridge applications		**RBZ (A/B) (Pair)**	33.		
	Black only				

Order Code

Example:	**RBC18L**
R	Reff
B	Bracket
C	Cantilever
18	18″ deep
L	Left hand

L brackets may be used in off module applications for L bases, T bases and half depth end panels.

Specification Information

To order please specify pattern number including:

1. Left or right-hand, where applicable.
2. Top thickness, where applicable.
3. Finish type
4. Finish, where applicable

2. Top thickness option:
A = 1 ¼″ thick
B = 1 ¾″ thick

When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.

Application Notes

For wood tops black bracketry is recommended.

Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.

Knoll takes no responsibility for the installation or security of tops to the wall.

Refer to page 404 for replacement hardware.

Cantilever should be specified with top to top brackets.

Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

Top support components
Bracketry

description	d	pattern no.	P1& black only	P2	P3
Modesty panel offset bracket Required to join modesty panel to end panel of adjacent top assembly - order separately.		**RBPR (Pair)**	$7.	$7.	$8.
	Specify paint finish				
Panel to storage tower bracket Used to attach office tower to panels.		**RBPS (L/R)**	11.	12.	12.
	Specify paint finish				
Utility bracket		**RUTB**	11.		
	Black only				
L Bracket for off-module applications		**R113B**	5.		
	One by one by three bracket				

Order Code

Example:	**RBC18L**
R	Reff
B	Bracket
C	Cantilever
18	18″ deep
L	Left hand

L brackets may be used in off module applications for L bases, T bases and half depth end panels.

Specification Information

To order please specify pattern number including:

1. Left or right-hand, where applicable.
2. Top thickness, where applicable.
3. Finish type
4. Finish, where applicable

2. Top thickness option:
A = 1 1/4″ thick
B = 1 3/4″ thick

When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.

Application Notes

For wood tops black bracketry is recommended.

Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.

Knoll takes no responsibility for the installation or security of tops to the wall.

Refer to page 404 for replacement hardware.

Cantilever should be specified with top to top brackets.

Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

Top support components
Bracketry

description	d	pattern no.	P1& black only	P2	P3
Worksurface to cabinet bracket for 24″ worksurface		**RBWC24**	$50.		
	bracket can be used with 20″ and 24″ worksurfaces				
Worksurface to cabinet bracket for 30″ worksurface		**RBWC30**	55.		
	bracket can be used with 30″ and 36″ worksurfaces				

Order Code

Example:	**RBC18L**
R	Reff
B	Bracket
C	Cantilever
18	18″ deep
L	Left hand

L brackets may be used in off module applications for L bases, T bases and half depth end panels.

Specification Information

To order please specify pattern number including:

1. Left or right-hand, where applicable.
2. Top thickness, where applicable.
3. Finish type
4. Finish, where applicable

2. Top thickness option:
A = 1 1/4″ thick
B = 1 3/4″ thick

When planning with Reff overheads half depth and panel may be required for additional support. Refer to pages 32 and 33 in the Planning Guide.

Application Notes

For wood tops black bracketry is recommended.

Utility bracket for use in securing free end of modesty on D and P tops when a return panel is not used or for T-bases in off module application.

Knoll takes no responsibility for the installation or security of tops to the wall.

Refer to page 404 for replacement hardware.

Cantilever should be specified with top to top brackets.

Cantilevers can be used for corner worksurfaces or to join two adjacent straight worksurfaces together.

Top support components
26½″ high planning
Modesty panels

description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware. 15/16″ actual thickness	24″	1″	26½″	**RB24(M/H)(F/R)-( )**	$144.	$204.	$233.	$316.
	30″	1″	26½″	**RB30(M/H)(F/R)-( )**	260.	365.	420.	567.
	36″	1″	26½″	**RB36(M/H)(F/R)-( )**	287.	400.	461.	621.
	42″	1″	26½″	**RB42(M/H)(F/R)-( )**	309.	435.	499.	675.
	48″	1″	26½″	**RB48(M/H)(F/R)-( )**	347.	489.	562.	759.
	54″	1″	26½″	**RB54(M/H)(F/R)-( )**	364.	513.	589.	796.
	60″	1″	26½″	**RB60(M/H)(F/R)-( )**	378.	529.	608.	820.
	66″	1″	26½″	**RB66(M/H)(F/R)-( )**	393.	552.	637.	862.
	72″	1″	26½″	**RB72(M/H)(F/R)-( )**	432.	608.	699.	944.
	78″	1″	26½″	**RB78(M/H)(F/R)-( )**	462.	647.	747.	1,009.
	84″	1″	26½″	**RB84(M/H)(F/R)-( )**	488.	687.	788.	1,064.
	90″	1″	26½″	**RB90(M/H)(F/R)-( )**	517.	727.	834.	1,127.
	96″	1″	26½″	**RB96(M/H)(F/R)-( )**	530.	745.	855.	1,154.
Endpanels, for use in building flush or cantilevered worksurfaces. All hardware included. 1 1/16″ actual thickness	12″	1″	26½″	**RE12F-( ) Half depth end panel**	170.	294.	338.	457.
	15″	1″	26½″	**RE15F-( ) Half depth end panel**	182.	313.	360.	486.
	19″	1″	26½″	**RE19F-( )**	197.	329.	377.	509.
	23″	1″	26½″	**RE23F-( )**	207.	343.	396.	534.
	29″	1″	26½″	**RE29F-( )**	220.	362.	416.	562.
Support for corner worksurfaces. All hardware included.	36″	36″	26½″	**RB3636-( )**	937.	1,390.	1,599.	2,159.
	36″	42″	26½″	**RB3642-( )**	958.	1,426.	1,641.	2,215.
	36″	48″	26½″	**RB3648-( )**	999.	1,481.	1,698.	2,293.
	42″	36″	26½″	**RB4236-( )**	958.	1,426.	1,641.	2,215.
	42″	42″	26½″	**RB4242-( )**	983.	1,461.	1,683.	2,273.
	42″	48″	26½″	**RB4248-( )**	1,021.	1,513.	1,742.	2,351.
	48″	36″	26½″	**RB4836-( )**	999.	1,481.	1,698.	2,293.
	48″	42″	26½″	**RB4842-( )**	1,021.	1,513.	1,742.	2,351.
	48	48″	26½″	**RB4848-( )**	1,060.	1,569.	1,816.	2,451.







Order Code

Example:	**RB24MFL**
R	Reff
B	Back panel
24	48″ panel dimension
M	Full height modesty
F	Flush modesty placement
L	Laminate
114	Folkstone grey

Specification Information

To order please specify pattern number including:

1. *Modesty type*
2. *Modesty placement*
3. *Finish type*
4. *Finish*

1. Modesty type:
M = Standard height (26½″H)
H = Half height

2. Modesty placement:
F = Flush, cantilevered
R = Recessed

3. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

Application Notes

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.

Modesty support for corner worksurface includes end panels 12″D to support in free standing applications.

Modesty panel lengths are nominal - length changes on option selected.

Glides ship with all supports on this page except the recessed modesty panel.

Please see Planning Guide for freestanding planning instruction.

Top support components
26½" high planning
End panels

description	d	w	h	pattern no.	L	V1	V2	V3
Endpanels for recessed modesty worksurfaces (sold in pairs). All hardware included.	30″	1″	26½″	**RE30-( )**	$443.	$720.	$829.	$1,119.
	36″	1″	26½″	**RE36-( )**	468.	754.	868.	1,171.
Panel end panels. All hardware included.	13″	1″	26½″	**RSE1(L/R)-( )**	170.	294.	338.	457.
	16″	1″	26½″	**RSE2(L/R)-( )**	182.	313.	360.	486.
	20″	1″	26½″	**RSE3(L/R)-( )**	197.	329.	377.	509.
	24″	1″	26½″	**RSE4(L/R)-( )**	207.	343.	396.	534.
	30″	1″	26½″	**RSE5(L/R)-( )**	220.	362.	416.	562.
	36″	1″	26½″	**RSE6(L/R)-( )**	233.	377.	435.	588.





left hand shown

Order Code

Example:	**RSE1(L)114**
R	Reff
SE	End panel
1	13″ deep
L	Left hand
L	Laminate
114	Folkstone grey

Specification Information

To order please specify pattern number including:

1. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

2. Finish

Application Notes

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.

Modesty support for corner worksurface includes end panels 12″D to support in free standing applications.

Modesty panel lengths are nominal - length changes on option selected.

Glides ship with all supports on this page except the recessed modesty panel.

Please see Planning Guide for freestanding planning instruction.

Top support components
28 3/8″ high planning
Modesty

description	d	w	h	pattern no.	L	V1	V2	V3
Modesty panels with hardware (desk height)	1″	24″	28 3/8″	**RBDH24M(F/R) ( )( )**	$151.	$215.	$245.	$330.
	1″	30″	28 3/8″	**RBDH30M(F/R) ( )( )**	272.	385.	442.	596.
	1″	36″	28 3/8″	**RBDH36M(F/R) ( )( )**	302.	420.	482.	651.
	1″	42″	28 3/8″	**RBDH42M(F/R) ( )( )**	324.	456.	526.	709.
	1″	48″	28 3/8″	**RBDH48M(F/R) ( )( )**	365.	513.	590.	797.
	1″	54″	28 3/8″	**RBDH54M(F/R) ( )( )**	382.	538.	617.	833.
	1″	60″	28 3/8″	**RBDH60M(F/R) ( )( )**	397.	553.	637.	862.
	1″	66″	28 3/8″	**RBDH66M(F/R) ( )( )**	411.	580.	670.	904.
	1″	72″	28 3/8″	**RBDH72M(F/R) ( )( )**	454.	637.	733.	989.
	1″	78″	28 3/8″	**RBDH78M(F/R) ( )( )**	485.	678.	785.	1,060.
	1″	84″	28 3/8″	**RBDH84M(F/R) ( )( )**	513.	720.	827.	1,117.
	1″	90″	28 3/8″	**RBDH90M(F/R) ( )( )**	543.	762.	877.	1,183.
	1″	96″	28 3/8″	**RBDH96M(F/R) ( )( )**	554.	783.	897.	1,212.
Desk height corner worksurface support	36″	36″	28 3/8″	**RBDH3636 ( )( )**	984.	1,460.	1,681.	2,269.
	36″	42″	28 3/8″	**RBDH3642 ( )( )**	1,006.	1,498.	1,723.	2,326.
	36″	48″	28 3/8″	**RBDH3648 ( )( )**	1,048.	1,554.	1,784.	2,410.
	42″	36″	28 3/8″	**RBDH4236 ( )( )**	1,006.	1,498.	1,723.	2,326.
	42″	42″	28 3/8″	**RBDH4242 ( )( )**	1,031.	1,534.	1,765.	2,383.
	42″	48″	28 3/8″	**RBDH4248 ( )( )**	1,072.	1,587.	1,831.	2,473.
	48″	36″	28 3/8″	**RBDH4836 ( )( )**	1,048.	1,554.	1,784.	2,410.
	48″	42″	28 3/8″	**RBDH4842 ( )( )**	1,072.	1,587.	1,831.	2,473.
	48″	48″	28 3/8″	**RBDH4848 ( )( )**	1,112.	1,648.	1,908.	2,576.

depth = left return, width = right return

Order Code

Example:	**RBDH24MFL114**
R	Reff
B	Back panel/modesty
DH	Desk height (28 3/8″)
24	24″
M	Full height modesty
F	Modesty placement, flush
L	Finish type, laminate
114	Finish, Folkstone grey

Specification Information

To order please specify pattern number including:

1. *Modesty placement*
   F = Flush, cantilevered
   R = Recessed
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Finish*

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Products on this page are 28-3/8″ high. 28 3/8″h "desk height" products should not be mixed with 26 1/2″h components. 28 3/8″h components when used with 1 1/4″ worksurfaces achieve overall desk height of 29 5/8″h. 28-3/8″ "desk height" products may be specified for freestanding or panel based applications.

Modesty panels and end panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered separately.

Modesty support for corner worksurface includes 12″ deep end panels to support in freestanding applications.

Modesty panel lengths are nominal, length changes on option selected.

* Half depth end panels

Glides ship with all supports on this page except the recessed modesty panel.

Please see Reff Planning Guide for freestanding planning instructions.

Top support components
28 3/8″ high planning
End panels

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height end panels with hardware for recessed modesty worksurfaces (sold in pairs)	1″	30″	28 3/8″	**REDH30 ( )( )**	$465.	$757.	$870.	$1,175.
	1″	36″	28 3/8″	**REDH36 ( )( )**	491.	793.	910.	1,229.
								
Desk height end panel for panel (hardware included)	1″	13″	28 3/8″	**RSEDH1(L/R) ( )( )**	177.	312.	355.	480.
	1″	16″	28 3/8″	**RSEDH2(L/R) ( )( )**	191.	328.	380.	513.
	1″	20″	28 3/8″	**RSEDH3(L/R) ( )( )**	206.	344.	396.	534.
	1″	24″	28 3/8″	**RSEDH4(L/R) ( )( )**	218.	360.	416.	562.
	1″	30″	28 3/8″	**RSEDH5(L/R) ( )( )**	231.	382.	436.	589.
	1″	36″	28 3/8″	**RSEDH6(L/R) ( )( )**	246.	396.	456.	616.
								
left hand shown								
Desk height end panels with hardware for building flush or cantilevered worksurfaces	1″	12″	28 3/8″	**REDH12F ( )( ) ***	177.	312.	355.	480.
	1″	15″	28 3/8″	**REDH15F ( )( ) ***	191.	328.	380.	513.
	1″	19″	28 3/8″	**REDH19F ( )( )**	206.	344.	396.	534.
	1″	23″	28 3/8″	**REDH23F ( )( )**	218.	360.	416.	562.
	1″	29″	28 3/8″	**REDH29F ( )( )**	231.	382.	436.	589.
								

Order Code

Example:	**REDH30**
R	Reff
E	End panel
DH	Desk height (28 3/8″)
30	30″
L	Left hand
L	Finish type, laminate
114	Finish, Folkstone grey

Specification Information

To order please specify pattern number including:

1. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
2. *Finish*

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Products on this page are 28-3/8″ high. 28 3/8″h "desk height" products should not be mixed with 26 1/2″h components. 28 3/8″h components when used with 1 1/4″ worksurfaces achieve overall desk height of 29 5/8″h. 28-3/8″ "desk height" products may be specified for freestanding or panel based applications.

Modesty panels and end panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered separately.

Modesty support for corner worksurface includes 12″ deep end panels to support in freestanding applications.

Modesty panel lengths are nominal, length changes on option selected.

* Half depth end panels

Glides ship with all supports on this page except the recessed modesty panel.

Please see Reff Planning Guide for freestanding planning instructions.

Top support components
28 3/8″ high planning
Modesty and Bulkhead

description	d	w	h	pattern no.	L	V1	V2	V3
Desk height bow top front, short modesty (pedestals ordered separately)	1″	40″	28 3/8″	**RBDH40MR ( )( )**	$324.	$456.	$526.	$709.
	1″	52″	28 3/8″	**RBDH52MR ( )( )**	382.	538.	617.	833.
	1″	64″	28 3/8″	**RBDH64MR ( )( )**	411.	580.	670.	904.



Use of short modesty panel
Pedestals and finished back for pedestal must each be ordered separately
Short modesty comes with attachment brackets to secure modesty panel to sides of pedestals.
Order:
40″ modesty for 72″ bow top
52″ modesty for 84″ bow top
64″ modesty for 96″ bow top
When ordering 30″d bow top for use with short modesty, specify **recessed** grommet location
When ordering 36″d bow top for use with short modesty, specify **alternate** grommet location

Desk height bulkhead (false pedestal)	24″	16″	28 3/8″	**REDHBH124 ( )( )**	458.	755.	877.	1,183.
	30″	16″	28 3/8″	**REDHBH130 ( )( )**	474.	771.	897.	1,212.



Bulkhead takes the place of a pedestal in applications using the short modesty panel but not requiring a double pedestal application

Order Code

Example:	**RBDH24MFL114**
R	Reff
B	Back panel/modesty
DH	Desk height (28 3/8″)
24	24″
M	Full height modesty
F	Modesty placement, flush
L	Finish type, laminate
114	Finish, Folkstone grey

Specification Information

To order please specify pattern number including:

1. *Modesty placement*
   F = Flush, cantilevered
   R = Recessed
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Finish*

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Products on this page are 28-3/8″ high. 28 3/8″h "desk height" products should not be mixed with 26 1/2″h components. 28 3/8″h components when used with 1 1/4″ worksurfaces achieve overall desk height of 29 5/8″h. 28-3/8″ "desk height" products may be specified for freestanding or panel based applications.

Modesty panels and end panels ship with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered separately.

Modesty support for corner worksurface includes 12″ deep end panels to support in freestanding applications.

Modesty panel lengths are nominal, length changes on option selected.

* Half depth end panels

Glides ship with all supports on this page except the recessed modesty panel.

Please see Reff Planning Guide for freestanding planning instructions.

Top support components
Painted or Plated Legs 26½″ high planning

description	dia.	w	h	d	pattern no.	P1	P2	P3	metal
Column leg, Interaction style (rectangular plate)	4″	–	26½″	–	**RSC**	$233.	$246.	$258.	$233.
4″ Plain Cylinder (26½″ high)	4″	–	26½″	–	**RCB**	245.	257.	269.	245.
Set of four column legs (4″ dia.), Interaction style (triangular plate) 	4″	–	26½″	–	**RSC4-( )**	910.	954.	1,004.	910.
T-leg, Interaction style	–		26½″	24″	**RIB24T**	334.	350.	369.	334.
T-Leg, plain tube style	–		26½″	20″	**RCB20T-( )**	361.	379.	397.	361.
	-		26½″	24″	**RCB24T-( )**	367.	388.	406.	367.
	-		26½″	30″	**RCB30T-( )**	406.	425.	448.	406.
	-		26½″	40″	**RCB40T-( )**	427.	450.	473.	427.

Order Code

Example:	**RSC**
R	Reff
S	Support
C	Cylinder

Specification Information

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish

Finish type options:
P = Paint
M = Metal (plated)

Application Notes

Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.

Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes.

Refer to Planning Guide for top-base matrix, pages 140 and 141.

All bases include 1½″ leveller.

Only the plain cylinder and tube legs can be ordered in plated finishes.

Applicable finishes are listed on page 5 and 6.

Top support components
Painted or Plated Bases 26½″ high planning

description	h	dia.	pattern no.	P1	P2	P3	metal
X-base	26½″	28″	**RIB28X-( )**	$551.	$580.	$609.	$551.
	26½″	32″	**RIB32X-( )**	747.	786.	825.	747.
Spider base, plain tube style	26½″	24″	**RCB24X**	564.	593.	622.	564.
	26½″	28″	**RCB28X**	591.	620.	651.	591.
	26½″	36″	**RCB36X**	640.	674.	706.	640.
Drum base	26½″	–	**RSD1427-( )**	1,065.	1,119.	1,174.	1,065.
	26½″	–	**RSD1827-( )**	1,157.	1,216.	1,275.	1,157.
	26½″	–	**RSD2027-( )**	1,194.	1,253.	1,315.	1,194.
	26½″	–	**RSD2427-( )**	1,429.	1,502.	1,576.	1,429.
	26½″	–	**RSD3027-( )**	1,598.	1,677.	1,760.	1,598.

Order Code

Example:	**RIB28X**
R	Reff
I	Interaction
B	Base
28	Diameter
X	X-base

Specification Information

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish

Finish type options:
P = Paint
M = Metal (plated)

Application Notes

Cylinder bases, T-legs, X-bases are Knoll Interaction style. Trim ring will be black.

Interaction style cylinder base, column legs, T-leg, and X-base are not available in plated finishes.

Refer to Planning Guide for top-base matrix, pages 140 and 141.

All bases include 1½″ leveller.

Only the plain cylinder and tube legs can be ordered in plated finishes.

Applicable finishes are listed on page 5 and 6.

Top support components
Laminate or Wood Bases 26½″ high planning

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
Drum base	14″		26½″	–	**RSD1427-( )**	n/a	$1,245.	$1,433.	$1,935.
	18″		26½″	–	**RSD1827-( )**	n/a	1,352.	1,556.	2,102.
	20″		26½″	–	**RSD2027-( )**	n/a	1,396.	1,606.	2,167.
	24″		26½″	–	**RSD2427-( )**	n/a	1,674.	1,925.	2,599.
	30″		26½″	–	**RSD3027-( )**	n/a	1,870.	2,148.	2,899.
T-base (hardware included)* 		20″	26½″	12″	**RST1-( )**	398.	451.	527.	713.
		24″	26½″	12″	**RST2-( )**	426.	486.	558.	753.
		30″	26½″	12″	**RST3-( )**	501.	562.	652.	880.
		36″	26½″	12″	**RST4-( )**	569.	646.	741.	1,001.
		42″	26½″	12″	**RST5-( )**	631.	719.	828.	1,120.
		48″	26½″	12″	**RST6-( )**	704.	793.	916.	1,236.
L-base (hardware included), non-handed* 		12″	26½″	12″	**RSL12-( )**	398.	451.	527.	713.
		15″	26½″	12″	**RSL15-( )**	407.	462.	532.	718.
		20″	26½″	12″	**RSL20-( )**	426.	477.	551.	744.
		24″	26½″	12″	**RSL24-( )**	433.	486.	558.	753.
		30″	26½″	12″	**RSL30-( )**	501.	562.	652.	880.
		36″	26½″	12″	**RSL36-( )**	569.	646.	741.	1,001.
		42″	26½″	12″	**RSL42-( )**	631.	719.	828.	1,120.
		48″	26½″	12″	**RSL48-( )**	704.	793.	916.	1,236.

Order Code

Example:	**RSD1427**
R	Reff
S	Support
D	Drum base
14	Diameter
27	Height
2	Finish type
R319	V2- Med. Cherry

Specification Information

To order please specify pattern number including:

1. Finish type
2. Finish

Finish type options:
L = Laminate
1 = V1
2 = V2
3 = V3

Application Notes

Refer to Planning Guide for top-base matrix, pages 140 and 141.

All bases include 1½″ leveller.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

T and L bases are not recommended for supporting conference tops.

Applicable finishes are listed on page 5 and 6.

Top support components
Painted or Plated Legs 28 3/8″ high planning

description	dia.	w	he	d	pattern no.	P1	P2	P3
Column Leg, Interaction style w/ rectanglar plate (desk height)	4″ dia	–	28 3/8″		**RSDHC ( )( )**	$246.	$258.	$270.
4″ Plain Cylinder (desk height)	4″ dia	–	28 3/8″		**RCDHB ( )( )**	257.	269.	283.
Set of 4 Column legs, Interaction style w/triangular plate (desk height) 	4″ dia	–	28 3/8″		**RSDHC4( )( )**	956.	1,003.	1,054.
T-Leg, plain tube style (desk height)		–	28 3/8″	20″	**RCDHB20T ( )( )**	379.	398.	417.
		–	28 3/8″	24″	**RCDHB24T ( )( )**	387.	406.	426.
		–	28 3/8″	30″	**RCDHB30T ( )( )**	426.	448.	470.
		–	28 3/8″	40″	**RCDHB40T ( )( )**	450.	473.	496.
T-Leg, Interaction style (desk height)		–	28 3/8″	24″	**RIBDH24T ( )( )**	350.	369.	388.

Order Code

Example:	**RSDHCP111**
R	Reff
S	Support
DH	Desk Height
C	Column Leg
P	Finish type, paint
111	Finish, Jet Black

Specification Information

To order please specify pattern number including:

1. *Finish Type, where applicable*
   P = Paint
   M = Metal (plated)
2. *Finish*
   see matrix on page 5

Applicable finishes are listed on page 5 and 6.

Application Notes

Cylinder/column leg bases, T-Legs, X-bases are Knoll Interaction style. Trim ring will be black.

Interaction style cylinder base, column legs, T-leg and X-base are not available in plated finishes. Only the plain cylinder and the tube legs can be ordered in plated finishes.

All bases include 1 1/2″ leveller.

Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

Products on this page are 28-3/8″ high. 28 3/8″h “desk height” products should not be mixed with 26 1/2″h components. 28 3/8″h components when used with 1 1/4″ worksurfaces achieve overall desk height of 29 5/8″h. 28-3/8″ “desk height” products may be specified for freestanding or panel based applications.

Top support components
Painted or Plated Bases 28 3/8″ high planning

description	dia.	w	h	d	pattern no.	P1	P2	P3
X-base (desk height)		–	28 3/8″	28″	**RIBDH28X ( )( )**	$580.	$608.	$639.
		–	28 3/8″	32″	**RIBDH32X ( )( )**	786.	824.	865.
Spider base, plain tube style (desk height)		–	28 3/8″	24″	**RCBDH24X ( )( )**	593.	622.	653.
		–	28 3/8″	28″	**RCBDH28X ( )( )**	620.	651.	684.
		–	28 3/8″	36″	**RCBDH36X ( )( )**	674.	707.	741.
Drum Base (desk height)	14″	–	28 3/8″	–	**RSDHD1428 ( )( )**	1,119.	1,174.	1,234.
	18″	–	28 3/8″	–	**RSDHD1828 ( )( )**	1,216.	1,275.	1,339.
	20″	–	28 3/8″	–	**RSDHD2028 ( )( )**	1,253.	1,315.	1,380.
	24″	–	28 3/8″	–	**RSDHD2428 ( )( )**	1,502.	1,576.	1,655.
	30″	–	28 3/8″	–	**RSDHD3028 ( )( )**	1,677.	1,761.	1,848.
Base Support Column, 3″ dia.			28 3/8″		**RSDHC3 ( )( )**	310.	310.	310.
								

Order Code

Example:	**RCBDH24X**
R	Reff
P	Finish type, paint
111	Finish, Jet Black

Specification Information

To order please specify pattern number including:

1. *Finish Type, where applicable*
   P = Paint
   M = Metal (plated)
2. *Finish*
   see matrix on page 5

Applicable finishes are listed on page 5 and 6.

Application Notes

Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

Products on this page are 28-3/8″ high. 28 3/8″h "desk height" products should not be mixed with 26 1/2″h components. 28 3/8″h components when used with 1 1/4″ worksurfaces achieve overall desk height of 29 5/8″h. 28-3/8″ "desk height" products may be specified for freestanding or panel based applications.

Top support components
Laminate or Wood Bases 2/8 3/8" high planning

description	dia.	w	h	d	pattern no.	L	V1	V2	V3
Drum Base (desk height)	14″	–	28 3/8″	–	**RSDHD1428 ( )( )**	N/A	$1,308.	$1,504.	$2,030.
	18″	–	28 3/8″	–	**RSDHD1828 ( )( )**	N/A	1,421.	1,633.	2,206.
	20″	–	28 3/8″	–	**RSDHD2028 ( )( )**	N/A	1,465.	1,684.	2,275.
	24″	–	28 3/8″	–	**RSDHD2428 ( )( )**	N/A	1,756.	2,022.	2,730.
	30″	–	28 3/8″	–	**RSDHD3028 ( )( )**	N/A	1,964.	2,255.	3,045.
T-base, desk height (hardware included)		20″	28 3/8″	12″	**RSDHT1 ( )( )**	418.	475.	552.	747.
		24″	28 3/8″	12″	**RSDHT2 ( )( )**	449.	510.	586.	791.
		30″	28 3/8″	12″	**RSDHT3 ( )( )**	526.	593.	684.	924.
		36″	28 3/8″	12″	**RSDHT4 ( )( )**	598.	679.	779.	1,051.
		42″	28 3/8″	12″	**RSDHT5 ( )( )**	663.	754.	870.	1,175.
		48″	28 3/8″	12″	**RSDHT6 ( )( )**	739.	834.	962.	1,299.
L-base, desk height (hardware included, non-handed)		12″	28 3/8″	12″	**RSDHL12 ( )( )**	418.	475.	552.	747.
		15″	28 3/8″	12″	**RSDHL15 ( )( )**	427.	482.	558.	753.
		20″	28 3/8″	12″	**RSDHL20 ( )( )**	449.	500.	581.	784.
		24″	28 3/8″	12″	**RSDHL24 ( )( )**	455.	510.	586.	791.
		30″	28 3/8″	12″	**RSDHL30 ( )( )**	526.	593.	684.	924.
		36″	28 3/8″	12″	**RSDHL36 ( )( )**	598.	679.	779.	1,051.
		42″	28 3/8″	12″	**RSDHL42 ( )( )**	663.	754.	870.	1,175.
		48″	28 3/8″	12″	**RSDHL48 ( )( )**	739.	834.	962.	1,299.

Order Code

Example:	**RSDHD1428**
R	Reff
S	Support
DH	Desk Height
D	Drum base
14	Diameter
28	Height
2	Finish type, V2
V316	Finish, Maple

Specification Information

To order please specify pattern number including:

1. *Finish Type, where applicable*
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. *Finish*
   see matrix on page 5

Applicable finishes are listed on page 5 and 6.

Application Notes

odT and L bases are not recommended for supporting conference tops.

All bases include 1 1/2″ leveller.

Refer to Top to Base matrix, pages 140 and 141 in the Reff planning guide.

Products on this page are 28-3/8″ high. 28 3/8″h “desk height” products should not be mixed with 26 1/2″h components. 28 3/8″h components when used with 1 1/4″ worksurfaces achieve overall desk height of 29 5/8″h. 28-3/8″ “desk height” products may be specified for freestanding or panel based applications.

Modesty
Removable
28 3/8″ planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
Removable Modesty for End panel and Storage Unit	72″ wide assembly - 36″ storage	1″	72″	25″	**RDHMR7240**	$311.	$389.	$447.	$582.
	72″ wide assembly - 30″ storage	1″	72″	25″	**RDHMR7230**	322.	402.	462.	601.
	72″ wide assembly - 19″ storage	1″	72″	25″	**RDHMR7220**	346.	432.	497.	646.
	72″ wide assembly - 16″ storage	1″	72″	25″	**RDHMR7210**	351.	439.	505.	656.
	78″ wide assembly - 36″ storage	1″	78″	25″	**RDHMR7840**	322.	402.	462.	601.
	78″ wide assembly - 30″ storage	1″	78″	25″	**RDHMR7830**	332.	415.	477.	620.
	78″ wide assembly - 19″ storage	1″	78″	25″	**RDHMR7820**	356.	445.	511.	665.
	78″ wide assembly - 16″ storage	1″	78″	25″	**RDHMR7810**	361.	451.	519.	674.
	84″ wide assembly - 36″ storage	1″	84″	25″	**RDHMR8440**	332.	415.	477.	620.
	84″ wide assembly - 30″ storage	1″	84″	25″	**RDHMR8430**	347.	433.	498.	648.
	84″ wide assembly - 19″ storage	1″	84″	25″	**RDHMR8420**	366.	458.	526.	684.
	84″ wide assembly - 16″ storage	1″	84″	25″	**RDHMR8410**	376.	470.	541.	703.
	90″ wide assembly - 36″ storage	1″	90″	25″	**RDHMR9040**	347.	433.	498.	648.
	90″ wide assembly - 30″ storage	1″	90″	25″	**RDHMR9030**	357.	446.	513.	667.
	90″ wide assembly - 19″ storage	1″	90″	25″	**RDHMR9020**	381.	476.	547.	712.
	90″ wide assembly - 16″ storage	1″	90″	25″	**RDHMR9010**	386.	483.	555.	722.
	96″ wide assembly - 36″ storage	1″	96″	25″	**RDHMR9640**	357.	446.	513.	667.
	96″ wide assembly - 30″ storage	1″	96″	25″	**RDHMR9630**	367.	459.	528.	686.
	96″ wide assembly - 19″ storage	1″	96″	25″	**RDHMR9620**	391.	489.	562.	731.
	96″ wide assembly - 16″ storage	1″	96″	25″	**RDHMR9610**	401.	501.	577.	750.
Removable Modesty for Between Two Storage Elements	72″ wide assembly - 16″/19″ storage	1″	72″	25″	**RDHMR7212**	311.	398.	447.	582.
	72″ wide assembly - 19″/19″ storage	1″	72″	25″	**RDHMR7222**	316.	395.	454.	591.
	72″ wide assembly - 16″/16″ storage	1″	72″	25″	**RDHMR7211**	321.	402.	462.	601.
	78″ wide assembly - 19″/19″ storage	1″	78″	25″	**RDHMR7822**	321.	402.	462.	601.
	78″ wide assembly - 16″/19″ storage	1″	78″	25″	**RDHMR7812**	326.	408.	469.	610.
	78″ wide assembly - 16″/16″ storage	1″	78″	25″	**RDHMR7811**	331.	414.	476.	619.
	84″ wide assembly - 19″/30″ storage	1″	84″	25″	**RDHMR8423**	312.	390.	449.	583.
	84″ wide assembly - 16″/30″ storage	1″	84″	25″	**RDHMR8414**	318.	397.	457.	594.
	84″ wide assembly - 19″/19″ storage	1″	84″	25″	**RDHMR8422**	331.	414.	476.	619.
	84″ wide assembly - 16″/19″ storage	1″	84″	25″	**RDHMR8412**	337.	421.	484.	629.
	84″ wide assembly - 16″/16″ storage	1″	84″	25″	**RDHMR8411**	346.	433.	498.	647.
	90″ wide assembly - 19″/36″ storage	1″	90″	25″	**RDHMR9024**	312.	390.	449.	583.
	90″ wide assembly - 16″/36″ storage	1″	90″	25″	**RDHMR9013**	318.	397.	457.	594.
	90″ wide assembly - 19″/30″ storage	1″	90″	25″	**RDHMR9023**	322.	403.	464.	603.

Order Code

Example:	**RDHMR720**
R	Reff
DH	Desk height
M	Modesty
R	Removable
72	Width
10	16″ storage
V2	Finish type
V316	Light Maple

Specification Information

To order please specify pattern number including:

1. *Finish Type*
   L, V1, V2, V3
2. *Finish*
   V316

Application Notes

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.

Modesty panel lengths are nominal - length changes on option selected.

Please see Planning Guide for freestanding planning instruction.

Modesty End panel and storage unit.

10= 16″ storage
20= 19″ storage
30= 30″ storage
40= 36″ storage

Modesty between two storage units.

11= 16″/16″ storage
12= 16″/16″ storage
13= 16″/36″ storage
14= 16″/30″ storage
22= 19″/19″ storage
23= 19″/30″ storage
24= 19″/36″ storage
33= 30″/30″ storage

Modesty
Removable
28 3/8″ planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
Removable Modesty for Between Two Storage Elements	90″ wide assembly - 16″/30″ storage	1″	90″	25″	**RDHMR9014**	$327.	$409.	$470.	$611.
	90″ wide assembly - 19″/19″ storage	1″	90″	25″	**RDHMR9022**	346.	433.	498.	647.
	90″ wide assembly - 16″/19″ storage	1″	90″	25″	**RDHMR9012**	352.	440.	506.	658.
	90″ wide assembly - 16″/16″ storage	1″	90″	25″	**RDHMR9011**	357.	446.	513.	667.
	96″ wide assembly - 30″/30″ storage	1″	96″	25″	**RDHMR9633**	313.	391.	450.	585.
	96″ wide assembly - 19″/36″ storage	1″	96″	25″	**RDHMR9624**	322.	403.	464.	603.
	96″ wide assembly - 16″/36″ storage	1″	96″	25″	**RDHMR9613**	327.	409.	470.	611.
	96″ wide assembly - 19″/30″ storage	1″	96″	25″	**RDHMR9623**	333.	416.	479.	622.
	96″ wide assembly - 16″/30″ storage	1″	96″	25″	**RDHMR9614**	343.	428.	493.	640.
	96″ wide assembly - 19″/19″ storage	1″	96″	25″	**RDHMR9622**	357.	446.	513.	667.
	96″ wide assembly - 16″/19″ storage	1″	96″	25″	**RDHMR9612**	361.	452.	520.	676.
	96″ wide assembly - 16″/16″ storage	1″	96″	25″	**RDHMR9611**	367.	459.	528.	686.

Order Code

Example:	**RDHMR720**
R	Reff
DH	Desk height
M	Modesty
R	Removable
72	Width
10	16″ storage
V2	Finish type
V316	Light Maple

Specification Information

To order please specify pattern number including:

1. *Finish Type*
   L, V1, V2, V3
2. *Finish*
   V316

Application Notes

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Modesty panels and end panels come with all hardware necessary to attach to tops and each other to build freestanding desks. To join tops to tops or bridge assemblies to desk, hardware must be ordered.

Modesty panel lengths are nominal - length changes on option selected.

Please see Planning Guide for freestanding planning instruction.

Modesty End panel and storage unit.

10= 16″ storage
20= 19″ storage
30= 30″ storage
40= 36″ storage

Modesty between two storage units.

11= 16″/16″ storage
12= 16″/16″ storage
13= 16″/36″ storage
14= 16″/30″ storage
22= 19″/19″ storage
23= 19″/30″ storage
24= 19″/36″ storage
33= 30″/30″ storage

Modesty
Hinged
28 3/8″ planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
Hinged Modesty for Between Two Storage Elements 	72″ wide assembly - 16″/19″ storage	1″	72″	25″	**RDHMH7222**	$601.	$768.	$804.	$965.
	72″ wide assembly - 19″/19″ storage	1″	72″	25″	**RDHMH7212**	605.	773.	811.	973.
	72″ wide assembly - 16″/16″ storage	1″	72″	25″	**RDHMH7211**	611.	778.	819.	983.
	78″ wide assembly - 19″/30″ storage	1″	78″	25″	**RDHMH7823**	591.	759.	781.	937.
	78″ wide assembly - 16″/30″ storage	1″	78″	25″	**RDHMH7813**	596.	764.	793.	952.
	78″ wide assembly - 19″/19″ storage	1″	78″	25″	**RDHMH7822**	611.	778.	819.	983.
	78″ wide assembly - 16″/19″ storage	1″	78″	25″	**RDHMH7812**	616.	788.	827.	992.
	78″ wide assembly - 16″/16″ storage	1″	78″	25″	**RDHMH7811**	622.	793.	834.	1,001.
	84″ wide assembly - 19″/36″ storage	1″	84″	25″	**RDHMH8424**	591.	759.	781.	937.
	84″ wide assembly - 16″/30″ storage	1″	84″	25″	**RDHMH8414**	596.	764.	793.	952.
	84″ wide assembly - 19″/30″ storage	1″	84″	25″	**RDHMH8423**	601.	768.	806.	967.
	84″ wide assembly - 16″/36″ storage	1″	84″	25″	**RDHMH8413**	607.	774.	813.	976.
	84″ wide assembly - 19″/19″ storage	1″	84″	25″	**RDHMH8422**	622.	793.	834.	1,001.
	84″ wide assembly - 16″/19″ storage	1″	84″	25″	**RDHMH8412**	755.	927.	970.	1,164.
	84″ wide assembly - 16″/16″ storage	1″	84″	25″	**RDHMH8411**	761.	932.	978.	1,174.
	90″ wide assembly - 30″/30″ storage	1″	90″	25″	**RDHMH9033**	592.	760.	783.	940.
	90″ wide assembly - 19″/36″ storage	1″	90″	25″	**RDHMH9024**	601.	768.	806.	967.
	90″ wide assembly - 16″/30″ storage	1″	90″	25″	**RDHMH9014**	607.	774.	813.	976.
	90″ wide assembly - 19″/30″ storage	1″	90″	25″	**RDHMH9023**	612.	779.	820.	984.
	90″ wide assembly - 16″/36″ storage	1″	90″	25″	**RDHMH9013**	617.	789.	828.	994.
	90″ wide assembly - 19″/19″ storage	1″	90″	25″	**RDHMH9022**	761.	932.	978.	1,174.
	90″ wide assembly - 16″/19″ storage	1″	90″	25″	**RDHMH9012**	766.	937.	985.	1,182.
	90″ wide assembly - 16″/16″ storage	1″	90″	25″	**RDHMH9011**	772.	942.	992.	1,190.
	96″ wide assembly - 30″/30″ storage	1″	96″	25″	**RDHMH9633**	603.	770.	807.	968.
	96″ wide assembly - 19″/36″ storage	1″	96″	25″	**RDHMH9624**	612.	779.	820.	984.
	96″ wide assembly - 16″/30″ storage	1″	96″	25″	**RDHMH9614**	617.	789.	828.	994.
	96″ wide assembly - 19″/30″ storage	1″	96″	25″	**RDHMH9623**	662.	794.	835.	1,002.
	96″ wide assembly - 16″/36″ storage	1″	96″	25″	**RDHMH9613**	757.	928.	971.	1,165.
	96″ wide assembly - 19″/19″ storage	1″	96″	25″	**RDHMH9622**	772.	942.	992.	1,190.
	96″ wide assembly - 16″/19″ storage	1″	96″	25″	**RDHMH9612**	781.	947.	1,000.	1,200.
	96″ wide assembly - 16″/16″ storage	1″	96″	25″	**RDHMH9611**	786.	951.	1,013.	1,216.
Hinged Modesty for End panel and Storage Unit 	72″ wide assembly - 36″ storage	1″	72″	25″	**RDHMH7240**	601.	768.	804.	965.
	72″ wide assembly - 30″ storage	1″	72″	25″	**RDHMH7230**	611.	778.	820.	984.
	72″ wide assembly - 19″ storage	1″	72″	25″	**RDHMH7220**	760.	932.	977.	1,172.
	72″ wide assembly - 16″ storage	1″	72″	25″	**RDHMH7210**	766.	936.	984.	1,181.
	78″ wide assembly - 36″ storage	1″	78″	25″	**RDHMH7840**	611.	778.	820.	984.
	78″ wide assembly - 30″ storage	1″	78″	25″	**RDHMH7830**	622.	793.	834.	1,001.
	78″ wide assembly - 19″ storage	1″	78″	25″	**RDHMH7820**	770.	941.	991.	1,189.
	78″ wide assembly - 16″ storage	1″	78″	25″	**RDHMH7810**	780.	946.	999.	1,199.

Order Code

Example:	**RDHMH7222**
R	Reff
DH	Desk height
M	Modesty
H	Hinged
72	Width
22	19″/19″ storage
V2	Finish type
V316	Light Maple

Specification Information

To order please specify pattern number including:

1. *Finish Type*
   L, V1, V2, V3
2. *Finish*
   V316

Application Notes

Modesty may prohibit the adjacent drawer from opening.

Recommended that when using a modesty the adjacent ped is an open configuration.

Hardware shipped with modesty to attach to worksurface.

J-Extrusion Wire Trough sold separately.

Modesty End panel and storage unit.

10= 16″ storage
20= 19″ storage
30= 30″ storage
40= 36″ storage

Modesty between two storage units.

11= 16″/16″ storage
12= 16″/19″ storage
13= 16″/36″ storage
14= 16″/30″ storage
22= 19″/19″ storage
23= 19″/30″ storage
24= 19″/36″ storage
33= 30″/30″ storage

Modesty
Hinged
28 3/8″ planning

description	application	th	w	h	pattern no.	L	V1	V2	V3
Hinged Modesty for End panel and Storage Unit	84″ wide assembly - 36″ storage	1″	84″	25″	**RDHMH8440**	$622.	$793.	$834.	$1,001.
	84″ wide assembly - 30″ storage	1″	84″	25″	**RDHMH8430**	761.	932.	978.	1,174.
	84″ wide assembly - 19″ storage	1″	84″	25″	**RDHMH8420**	785.	950.	1,012.	1,214.
	84″ wide assembly - 16″ storage	1″	84″	25″	**RDHMH8410**	794.	963.	1,019.	1,223.
	90″ wide assembly - 36″ storage	1″	90″	25″	**RDHMH9040**	761.	932.	978.	1,174.
	90″ wide assembly - 30″ storage	1″	90″	25″	**RDHMH9030**	772.	942.	992.	1,190.
	90″ wide assembly - 19″ storage	1″	90″	25″	**RDHMH9020**	798.	967.	1,027.	1,232.
	90″ wide assembly - 16″ storage	1″	90″	25″	**RDHMH9010**	804.	972.	1,034.	1,241.
	96″ wide assembly - 36″ storage	1″	96″	25″	**RDHMH9640**	772.	942.	992.	1,190.
	96″ wide assembly - 30″ storage	1″	96″	25″	**RDHMH9630**	786.	952.	1,014.	1,217.
	96″ wide assembly - 19″ storage	1″	96″	25″	**RDHMH9620**	809.	977.	1,041.	1,249.
	96″ wide assembly - 16″ storage	1″	96″	25″	**RDHMH9610**	815.	982.	1,049.	1,259.



Order Code

Example:	**RDHMH7222**
R	Reff
DH	Desk height
M	Modesty
H	Hinged
72	Width
22	19″/19″ storage
V2	Finish type
V316	Light Maple

Specification Information

To order please specify pattern number including:

1. *Finish Type*
   L, V1, V2, V3
2. *Finish*
   V316

Application Notes

Modesty may prohibit the adjacent drawer from opening.

Recommended that when using a modesty the adjacent ped is an open configuration.

Hardware shipped with modesty to attach to worksurface.

J-Extrusion Wire Trough sold separately.

Modesty End panel and storage unit.

10= 16″ storage
20= 19″ storage
30= 30″ storage
40= 36″ storage

Modesty between two storage units.

11= 16″/16″ storage
12= 16″/19″ storage
13= 16″/36″ storage
14= 16″/30″ storage
22= 19″/19″ storage
23= 19″/30″ storage
24= 19″/36″ storage
33= 30″/30″ storage

Modesty
Partial
28 3/8″ planning

description	th	w	h	pattern no.	L	V1	V2	V3
Partial / Half Height Modesty	1″	26″	12″	**RDHPM26 ( )**	$280.	$391.	$450.	$585.
	1″	32″	12″	**RDHPM32 ( )**	289.	404.	465.	604.
	1″	38″	12″	**RDHPM38 ( )**	304.	426.	490.	636.
	1″	44″	12″	**RDHPM44 ( )**	320.	448.	515.	670.
	1″	50″	12″	**RDHPM50 ( )**	343.	480.	552.	718.
	1″	56″	12″	**RDHPM56 ( )**	352.	493.	567.	738.
	1″	62″	12″	**RDHPM62 ( )**	378.	529.	609.	791.
	1″	68″	12″	**RDHPM68 ( )**	399.	559.	643.	835.
	1″	74″	12″	**RDHPM74 ( )**	408.	572.	657.	854.

Order Code

Example:	**RDHPM26( )**
R	Reff
DH	Desk height
PM	Partial Modesty
26	Width
V316	Light Maple

Specification Information

To order please specify pattern number including:

1. Finish
   L, V1, V2, V3

Application Notes

Modesty may prohibit the adjacent drawer from opening.

Recommended that when using a modesty the adjacent ped is an open configuration.

Hardware shipped with modesty to attach to worksurface.

J-Extrusion Wire Trough sold separately.

Pedestals, 26½″ planning
BBF/FF
Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with box box file configuration	16″	19″	26½″	**RP211J-( )( )( )L**	$1,066.	$1,142.	$1,313.	$1,773.
	16″	23″	26½″	**RP212J-( )( )( )L**	1,114.	1,195.	1,375.	1,856.
	16″	29″	26½″	**RP213J-( )( )( )L**	1,162.	1,245.	1,433.	1,935.
	*Pencil tray not included.							
Pedestal with file file configuration	16″	19″	26½″	**RP211K-( )( )( )L**	994.	1,066.	1,226.	1,655.
	16″	23″	26½″	**RP212K-( )( )( )L**	1,066.	1,142.	1,313.	1,773.
	16″	29″	26½″	**RP213K-( )( )( )L**	1,134.	1,213.	1,397.	1,885.
	30″	19″	26½″	**RP231K-( )( )( )L**	1,136.	1,220.	1,402.	1,893.
	30″	23″	26½″	**RP232K-( )( )( )L**	1,198.	1,286.	1,476.	1,992.
	36″	19″	26½″	**RP261K-( )( )( )L**	1,212.	1,299.	1,495.	2,018.
	36″	23″	26½″	**RP262K-( )( )( )L**	1,271.	1,362.	1,567.	2,116.

*Pencil tray not included
*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). 3 required.
*3 Counter weights required per pedestal.

Order Code

Example:	**RP211JLMDL**
R	Reff
P	Pedestal
2	26½″H
1	16″ wide
1	19″ deep
J	Box box file config.
L	Laminate finish
M	Metal interior
D	Metal D-pull
L	Lock option files
114	Cabinet Finish, Folkstone Grey
612	Pull Finish, Folkstone Grey

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Specification Information

To order please specify pattern number including:

1. Finish type
2. Interior option
3. Pull option
4. Lock option, Files
5. Cabinet Finish
6. Pull Finish
   Painted or Plated

***After specifying product code, provide keying instructions.**

1. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

2. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

Application Notes

3. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
F = Bar pull
H = Outline pull
T = Tab pull
R = Cylinder pull

4. Lock options:
L = Drilled to accept lock
Lock defautl is Black

5. Refer to page 480 for keying instructions.

Pencil tray to be ordered separately; see page 407.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals, 26½″ planning
BBF/FF
Metal interiors and wood backs

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with box box file configuration	16″	20″	26½″	**RPB211J( )( )( )L**	$1,188.	$1,273.	$1,468.	$1,981.
	16″	24″	26½″	**RPB212J( )( )( )L**	1,236.	1,326.	1,527.	2,060.
	16″	30″	26½″	**RPB213J( )( )( )L**	1,285.	1,378.	1,586.	2,143.
	*Pencil Tray not included							
Pedestal with file file configuration	16″	20″	26½″	**RPB211K( )( )( )L**	1,117.	1,197.	1,379.	1,863.
	16″	24″	26½″	**RPB212K( )( )( )L**	1,188.	1,273.	1,468.	1,981.
	16″	30″	26½″	**RPB213K( )( )( )L**	1,259.	1,347.	1,550.	2,093.
	30″	20″	26½″	**RPB231K( )( )( )L**	1,382.	1,483.	1,702.	2,298.
	30″	24″	26½″	**RPB232K( )( )( )L**	1,443.	1,548.	1,775.	2,396.
	36″	20″	26½″	**RPB261K( )( )( )L**	1,501.	1,613.	1,852.	2,501.
	36″	24″	26½″	**RPB262K( )( )( )L**	1,563.	1,675.	1,925.	2,598.

*Pencil Tray not included
*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

Order Code

Example:	**RPB211JLMDL**
R	Reff
PB	Pedestal with back
2	26½″H
1	16″ wide
1	20″ deep
J	Box box file config.
L	Laminate finish
M	Metal interior
D	Metal D-pull
L	Lock hole drilled
114	Cabint finish
612	Pull finish

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, files
6. Cabinet finish
7. Pull Finish
   Painted or Plated

***After specifying product code, provide keying instructions.**

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

Application Notes

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
F = Bar pull
H = Outline pull
R = Cylinder pull
T = Tab pull

5. Lock options:
Pedestals with drawers always lock drilled.
L = Drilled to accept lock
Lock default is Black

6. Refer to page 480 for keying instructions.

Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer. Metal drawer pedestals have one pencil tray.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Pedestals must be ordered with back-panel to achieve full depth, without a modesty panel.

1 counterweight = 10 lbs.

Pedestals, 26½″ planning
BBF/FF
Metal interiors legal width

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with box box file configuration	19″	19″	26½″	**RP221J( )( )( )( )**	$1,119.	$1,199.	$1,379.	$1,862.
	19″	23″	26½″	**RP222J( )( )( )( )**	1,170.	1,255.	1,444.	1,949.
	19″	29″	26½″	**RP223J( )( )( )( )**	1,220.	1,307.	1,505.	2,051.
	*Pencil tray not included							
Pedestal with file file configuration	19″	19″	26½″	**RP221K( )( )( )( )**	1,044.	1,119.	1,287.	1,738.
	19″	23″	26½″	**RP222K( )( )( )( )**	1,119.	1,199.	1,379.	1,862.
	19″	29″	26½″	**RP223K( )( )( )( )**	1,191.	1,274.	1,467.	1,979.
	*Pencil tray not included *All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding). *3 counterweights per pedestal							

Order Code

Example:	**RP221JLMDL**
R	Reff
P	Pedestal
2	26½″H
2	19″ wide
1	19″ deep
J	Box box file config.
L	Laminate finish
M	Metal interior
D	Metal D-pull
L	Lock option
114	Cabinet Finish, Folkstone grey
612	Pull Finish, Med. grey

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Specification Information

To order please specify pattern number including:

1. Finish type
2. Interior option
3. Pull option
4. Lock option, Files
5. Cabinet finish
6. Pull Finish
   Painted or Plated

***After specifying product code, provide keying instructions.**

1. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

2. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

Application Notes

3. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
F = Bar pull
H = Outline pull
R = Cylinder pull
T = Tab pull

4. Lock options:
L = Drilled to accept lock
Lock default is Black

5. Cabinet Finish

6. Pull Finish

7. Refer to page 480 for keying instructions.

Pencil tray to be ordered separately; see page 407.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecure fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals, 26½″ planning
BBF/FF
Wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3	list
Pedestal with box box file configuration 	16″	19″	26½″	**RP211J-( )( )( )L**	$1,131.	$1,210.	$1,394.	$1,881.	
	16″	23″	26½″	**RP212J-( )( )( )L**	1,259.	1,350.	1,552.	2,096.	
	16″	29″	26½″	**RP213J-( )( )( )L**	1,371.	1,470.	1,691.	2,282.	
Pedestal with file file configuration 	16″	19″	26½″	**RP211K-( )( )( )L**	1,053.	1,129.	1,296.	1,750.	
	16″	23″	26½″	**RP212K-( )( )( )L**	1,242.	1,331.	1,528.	2,062.	
	16″	29″	26½″	**RP213K-( )( )( )L**	1,354.	1,453.	1,670.	2,255.	
	30″	19″	26½″	**RP231K-( )( )( )L**	1,361.	1,459.	1,678.	2,264.	
	30″	23″	26½″	**RP232K-( )( )( )L**	1,601.	1,714.	1,967.	2,656.	
	36″	19″	26½″	**RP261K-( )( )( )L**	1,683.	1,803.	2,075.	2,800.	
	36″	23″	26½″	**RP262K-( )( )( )L**	1,961.	2,103.	2,418.	3,264.	

*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
3 counterweights per pedestal.

Order Code

Example:	**RP211JLWDL**
R	Reff
P	Pedestal
2	26½″H
1	16″ wide
1	19″ deep
J	Box box file config.
L	Laminate finish
W	Wood interior
D	Metal D-pull
L	Lock hole drilled
114	Cabinet finish
612	Pull finish

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Specification Information

To order please specify pattern number including:

1. Finish type
2. Interior option
3. Pull option
4. Lock option, file
5. Cabinet finish
6. Pull finish

***After specifying product code, provide keying instructions.**

1. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

2. Interior options:
W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)

Application Notes

3. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
H = Outline pull
T = Tab pull
R = Cylinder pull
F = Bar pull

4. Lock options:
Pedestals with drawers always lock drilled.
Lock default is Black
L = Drilled to accept lock

5. Refer to page 480 for keying instructions.

Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals, 26½″ planning
BBF/FF
Wood interiors and wood backs

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with box box file configuration	16″	20″	26½″	**RPB211J( )( )( )L**	$1,257.	$1,344.	$1,547.	$2,089.
	16″	24″	26½″	**RPB212J( )( )( )L**	1,381.	1,482.	1,707.	2,305.
	16″	30″	26½″	**RPB213J( )( )( )L**	1,495.	1,601.	1,842.	2,487.
Pedestal with file file configuration	16″	20″	26½″	**RPB211K( )( )( )L**	1,175.	1,259.	1,449.	1,957.
	16″	24″	26½″	**RPB212K( )( )( )L**	1,364.	1,462.	1,683.	2,273.
	16″	30″	26½″	**RPB213K( )( )( )L**	1,479.	1,584.	1,825.	2,463.
	30″	20″	26½″	**RPB231K( )( )( )L**	1,607.	1,723.	1,980.	2,674.
	30″	24″	26½″	**RPB232K( )( )( )L**	1,790.	1,979.	2,269.	3,063.
	36″	20″	26½″	**RPB261K( )( )( )L**	1,975.	2,116.	2,433.	3,286.
	36″	24″	26½″	**RPB262K( )( )( )L**	2,254.	2,417.	2,778.	3,751.

*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

Order Code

Example:	**RPB211JLWDL**
R	Reff
PB	Pedestal with back
2	26½″H
1	16″ wide
1	20″ deep
J	Box box file config.
L	Laminate finish
W	Wood interior
D	Metal D-pull
L	Lock option
114	Cabinet finish
612	Pull finish

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. Finish type
2. Interior option
3. Pull option
4. Lock option, applicable hinged doors only
5. Cabinet finish
6. Pull finish
   Painted or Plated

***After specifying product code, provide keying instructions.**

1. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

2. Interior options:
W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)

Application Notes

3. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
F = Bar pull
H = Outline pull
R = Cylinder pull

4. Lock options:
Pedestals with drawers always lock drilled
L = Drilled to accept lock
Lock default is Black

5. Refer to page 480 for keying instructions.

Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer. Metal drawer pedestals have one pencil tray.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

Pedestals, 26½″ planning
BBF/FF
Wood interiors legal width

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with box box file configuration	19″	19″	26½″	**RP221J( )( )( )( )**	$1,188.	$1,271.	$1,464.	$1,975.
	19″	23″	26½″	**RP222J( )( )( )( )**	1,322.	1,418.	1,630.	2,201.
	19″	29″	26½″	**RP223J( )( )( )( )**	1,440.	1,544.	1,776.	2,396.
Pedestal with file file configuration	19″	19″	26½″	**RP221K( )( )( )( )**	1,106.	1,185.	1,361.	1,838.
	19″	23″	26½″	**RP222K( )( )( )( )**	1,304.	1,398.	1,604.	2,165.
	19″	29″	26½″	**RP223K( )( )( )( )**	1,422.	1,526.	1,754.	2,368.





*All pedestals may require counterweights when used in unsecured fashion (i.e. freestanding).
*3 counterweights per pedestal.

Order Code

Example:	**RP221JLWDL**
R	Reff
P	Pedestal
2	26½″H
2	19″ wide
1	19″ deep
J	Box box file config.
L	Laminate finish
W	Wood interior
D	Metal D-pull
L	Lock option
114	Cabinet finish, Folkstone grey
612	Pull finish

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Specification Information

To order please specify pattern number including:

1. Finish type
2. Interior option
3. Pull option
4. Lock option, files
5. Keying instructions
6. Cabinet finish
7. Pull finish
   Painted or Plated

***After specifying product code, provide keying instructions.**

1. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

2. Interior options:
W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)

Application Notes

3. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull
(nickel finish only)
S = S-pull
(stainless steel finish only)
F = Bar pull
H = Outline pull
R = Cylinder pull
T = Tab pull

4. Lock options:
Pedestals with drawers always lock drilled.
L = Drilled to accept lock
Lock default is Black

5. Cabinet finish

6. Pull finish

7. Refer to page 480 for keying instructions.

Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals, 26½″ planning
Open / Hinge Door
Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with hinge door configuration, includes one shelf 	16″	19″	26½″	**RP211L(L/R)-( )( )( )( )**	$872.	$934.	$1,075.	$1,450.
	16″	23″	26½″	**RP212L(L/R)-( )( )( )( )**	1,060.	1,134.	1,306.	1,763.
	16″	29″	26½″	**RP213L(L/R)-( )( )( )( )**	1,212.	1,299.	1,495.	2,018.
	30″	19″	26½″	**RP231L-( )( )( )( )**	1,128.	1,207.	1,388.	1,874.
	30″	23″	26½″	**RP232L-( )( )( )( )**	1,317.	1,413.	1,624.	2,192.
	36″	19″	26½″	**RP261L-( )( )( )( )**	1,429.	1,531.	1,762.	2,379.
	36″	23″	26½″	**RP262L-( )( )( )( )**	1,670.	1,790.	2,059.	2,780.

*Pencil tray not included
*Inside height clearance top shelf 10″, bottom shelf 10.5″ when shelf located in center position.
Metal interior means shelf is metal

Pedestal with open configuration including shelf 	16″	19″	26½″	**RP211M-( )( )( )**	664.	713.	818.	1,104.
	16″	23″	26½″	**RP212M-( )( )( )**	772.	830.	954.	1,288.
	16″	29″	26½″	**RP213M-( )( )( )**	914.	979.	1,128.	1,523.
	30″	19″	26½″	**RP231M-( )( )( )**	770.	828.	951.	1,284.
	30″	23″	26½″	**RP232M-( )( )( )**	938.	1,007.	1,155.	1,560.
	36″	19″	26½″	**RP261M-( )( )( )**	985.	1,059.	1,217.	1,643.
	36″	23″	26½″	**RP262M-( )( )( )**	1,193.	1,279.	1,470.	1,984.

*Pencil tray not included
*Inside height clearance top shelf 10″, bottom shelf 10.5″ when shelf located in center position.
Metal interior means metal shelf.

Order Code

Example:	**RP211LLMDL**
R	Reff
P	Pedestal
2	26½″H
1	16″ wide
1	19″ deep
L	Hinge door config.
L	Laminate finish
M	Metal interior
D	Metal D-pull
L	Lock option
114	Cabinet Finish
612	Pull Finish

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, applicable hinged doors only
6. Cabinet finish
7. Pull Finish
   Painted or Plated

***After specifying product code, provide keying instructions.**

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

Application Notes

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
F = Bar pull
H = Outline pull
R = Cylinder pull
T = Tab pull

5. Lock options:
L = Drilled to accept lock
N = No drilling
Lock default is Black

6. Refer to page 480 for keying instructions.

Pencil tray to be ordered separately; see page 407.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

For Open Pedestals;
1. Finish type
2. Interior Option
3. Cabinet Finish

Pedestals, 26½″ planning
Open / Hinge Door
Metal interiors and wood backs

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal with hinge door configuration, includes one shelf	16″	20″	26½″	**RPB211L(L/R)( )( )( )( )**	$996.	$1,065.	$1,229.	$1,660.
	16″	24″	26½″	**RPB212L(L/R)( )( )( )( )**	1,185.	1,268.	1,459.	1,968.
	16″	30″	26½″	**RPB213L(L/R)( )( )( )( )**	1,336.	1,431.	1,649.	2,227.
	30″	20″	26½″	**RPB231L( )( )( )( )**	1,373.	1,470.	1,689.	2,280.
	30″	24″	26½″	**RPB232L( )( )( )( )**	1,563.	1,675.	1,924.	2,597.
	36″	20″	26½″	**RPB261L( )( )( )( )**	1,718.	1,842.	2,118.	2,860.
	36″	24″	26½″	**RPB262L( )( )( )( )**	1,960.	2,102.	2,417.	3,263.



*Pencil Tray not included
Inside height clearance top shelf 10″, bottom shelf 10.5″ when shelf located in center position.
Metal interior means shelf metal.

Pedestal with open configuration including shelf	16″	20″	26½″	**RPB211M( )( )( )**	788.	841.	971.	1,312.
	16″	24″	26½″	**RPB212M( )( )( )**	900.	961.	1,108.	1,496.
	16″	30″	26½″	**RPB213M( )( )( )**	1,036.	1,111.	1,279.	1,727.
	30″	20″	26½″	**RPB231M( )( )( )**	1,017.	1,091.	1,253.	1,692.
	30″	24″	26½″	**RPB232M( )( )( )**	1,183.	1,268.	1,454.	1,964.
	36″	20″	26½″	**RPB261M( )( )( )**	1,279.	1,369.	1,575.	2,126.
	36″	24″	26½″	**RPB262M( )( )( )**	1,484.	1,591.	1,828.	2,467.



*Pencil Tray not included
Inside height clearance top shelf 10″, bottom shelf 10.5″ when shelf located in center position.
Metal interior means shelf metal.

Order Code

Example:	**RPB211LL**
R	Reff
PB	Pedestal with back
2	26½″H
1	16″ wide
1	20″ deep
L	Hinge door
L	Hinge Left
L	Laminate finish
M	Metal interior
D	Metal D-pull
L	Lock option
118	Cabinet finish
118	Pull finish

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, applicable hinged doors only
6. Cabinet finish
7. Pull finish

***After specifying product code, provide keying instructions.**

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

Application Notes

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
F = Bar pull
H = Outline pull
R = Cylinder pull
T = Tab pull

5. Lock options:
Optional hinge door configuration only.
L = Drilled to accept lock
N = No drilling
Lock default is Black

6. Refer to page 480 for keying instructions.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

For Open Pedestals;
1. Finish type
2. Interior Option
3. Cabinet Finish

Pedestals, 26½″ planning
Open / Hinge Door
Wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with hinge door configuration, includes one shelf 	16″	19″	26½″	**RP211L(L/R)-( )( )( )( )**	$954.	$1,021.	$1,178.	$1,592.
	16″	23″	26½″	**RP212L(L/R)-( )( )( )( )**	1,146.	1,229.	1,412.	1,906.
	16″	29″	26½″	**RP213L(L/R)-( )( )( )( )**	1,297.	1,390.	1,597.	2,156.
	30″	19″	26½″	**RP231L-( )( )( )( )**	1,209.	1,296.	1,493.	2,015.
	30″	23″	26½″	**RP232L-( )( )( )( )**	1,401.	1,506.	1,731.	2,336.
	36″	19″	26½″	**RP261L-( )( )( )( )**	1,512.	1,620.	1,864.	2,515.
	36″	23″	26½″	**RP262L-( )( )( )( )**	1,754.	1,880.	2,161.	2,917.

Inside height clearance top shelf 10″, bottom shelf 10.5″ when shelf located in center position
N=No Lock option

Pedestal with open configuration including shelf 	16″	19″	26½″	**RP211M-( )( )( )**	747.	798.	918.	1,238.
	16″	23″	26½″	**RP212M-( )( )( )**	860.	922.	1,061.	1,431.
	16″	29″	26½″	**RP213M-( )( )( )**	999.	1,069.	1,231.	1,663.
	30″	19″	26½″	**RP231M-( )( )( )**	858.	917.	1,054.	1,423.
	30″	23″	26½″	**RP232M-( )( )( )**	1,020.	1,094.	1,259.	1,698.
	36″	19″	26½″	**RP261M-( )( )( )**	1,069.	1,149.	1,322.	1,784.
	36″	23″	26½″	**RP262M-( )( )( )**	1,278.	1,366.	1,572.	2,122.

Inside height clearance top shelf 10″, bottom shelf 10.5″ when shelf located in center position.

Order Code

Example:	**RP211LLWDL**
R	Reff
P	Pedestal
2	26½″H
1	16″ wide
1	19″ deep
L	Hinge door
L	Laminate finish
W	Wood interior
D	Metal D-pull
L	Lock hole drilled
118	Cabinet finish
118	Pull finish

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, applicable hinged doors only
6. Cabinet finish
7. Pull finish

***After specifying product code, provide keying instructions.**

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)

Application Notes

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
F = Bar pull
H = Outline pull
T = Tab pull
R = Cylinder pull

5. Lock options:
Optional hinge door configuration only.
L = Drilled to accept lock
N = No drilling
Lock default is Black

6. Refer to page 480 for keying instructions.

Each pedestal with wood drawers includes one pencil tray and two tray dividers in top box drawer.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

For Open Pedestals;
1. Finish type
2. Interior Option
3. Cabinet Finish

Pedestals, 26½″ planning
Open / Hinge Door
Wood interiors and wood backs

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal with hinge door configuration, includes one shelf	16″	20″	26½″	**RPB211L(L/R)( )( )( )**	$1,079.	$1,155.	$1,331.	$1,797.
	16″	24″	26½″	**RPB212L(L/R)( )( )( )**	1,268.	1,358.	1,564.	2,111.
	16″	30″	26½″	**RPB213L(L/R)( )( )( )**	1,420.	1,520.	1,749.	2,361.
	30″	20″	26½″	**RPB231L( )( )( )**	1,454.	1,558.	1,795.	2,423.
	30″	24″	26½″	**RPB232L( )( )( )**	1,646.	1,766.	2,029.	2,739.
	36″	20″	26½″	**RPB261L( )( )( )**	1,803.	1,932.	2,219.	2,996.
	36″	24″	26½″	**RPB262L( )( )( )**	2,046.	2,191.	2,520.	3,402.



Inside height clearance top shelf 10″, bottom shelf 10.5″ when shelf located in center position.

Pedestal with open configuration including shelf	16″	20″	26½″	**RPB211M( )( )**	870.	931.	1,074.	1,449.
	16″	24″	26½″	**RPB212M( )( )**	982.	1,053.	1,213.	1,637.
	16″	30″	26½″	**RPB213M( )( )**	1,122.	1,199.	1,383.	1,868.
	30″	20″	26½″	**RPB231M( )( )**	1,101.	1,179.	1,354.	1,829.
	30″	24″	26½″	**RPB232M( )( )**	1,267.	1,357.	1,558.	2,102.
	36″	20″	26½″	**RPB261M( )( )**	1,361.	1,461.	1,678.	2,264.
	36″	24″	26½″	**RPB262M( )( )**	1,567.	1,678.	1,929.	2,603.



Inside height clearance top shelf 10″, bottom shelf 10.5″ when shelf located in center position.

Order Code

Example:	**RPB211LLWDL**
R	Reff
PB	Pedestal with back
2	26½″H
1	16″ wide
1	20″ deep
L	Hinged door
L	Laminate finish
W	Wood interior
D	Metal D-pull
L	Lock option
118	Cabinet finish
118	Pull finish

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, applicable hinged doors only
6. Cabinet finish
7. Pull finish
   Painted or Plated

***After specifying product code, provide keying instructions.**

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)

Application Notes

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull
(nickel finish only)
S = S-pull
(stainless steel finish only)
F = Bar pull
H = Outline pull
T = Tab pull
R = Cylinder pull

5. Lock options:
Optional hinge door configuration
L = Drilled to accept lock
N = No drilling
Lock default is Black

6. Refer to page 480 for keying instructions.

Pedestals must be ordered with back panels to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Pedestals, 26½″ planning
Mobile Pedestal
Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3	list
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels) 	16″	19″	21″	**RM111J-( )( )( )L**	$1,066.	$1,142.	$1,313.	$1,773.	
	16″	23″	21″	**RM112J-( )( )( )L**	1,114.	1,195.	1,375.	1,856.	
	16″	23″	26½″	**RM212J-( )( )( )L**	1,496.	1,606.	1,844.	2,490.	
	16″	23″	26½″	**RM212K-( )( )( )L**	1,496.	1,606.	1,844.	2,490.	

*Pencil tray not included
*Glue and dowel construction

Pedestal backs 	16″	1″	26½″	**RPAB16-( )**	114.	118.	137.	185.	
	19″	1″	26½″	**RPAB19-( )**	120.	124.	144.	196.	
	30″	1″	26½″	**RPAB30-( )**	228.	234.	268.	362.	
	36″	1″	26½″	**RPAB36-( )**	269.	278.	320.	432.	

*Pencil tray not included
*Pedestal backs for pedestals with metal or wood interiors.

Counter weight (for file/file configuration pedestals when used in freestanding applications)	–	–	–	**RCOUNTWT***					93.

Order Code

Example:	**RM111J**
R	Reff
M	Mobile Pedestal
1	21″H
1	16″ wide
1	19″ deep
J	Box box file config.
L	Laminate finish
M	Metal interior
D	Metal D-pull
L	Lock option
114	Cabinet Finish
612	Pull Finish

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Specification Information

To order please specify pattern number including:

1. Finish type
2. Interior option
3. Pull option
4. Lock option, files
5. Cabinet Finish
6. Pull Finish
   Painted or Plated

***After specifying product code, provide keying instructions.**

1. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

2. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

Application Notes

3. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
F = Bar pull
H = Outline pull
R = Cylinder pull
T = Tab pull

4. Lock options:
L = Drilled to accept lock

5. Refer to page 480 for keying instructions.

Pencil tray to be ordered separately; see page 407.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Mobile pedestals are glue and dowel construction.

Pedestals, 26½″ planning
Mobile Pedestal
Wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3	list
Mobile pedestal with box/file, box/box/file and file/file configuration (5 wheels) 	16″	19″	21″	**RM111J-( )( )( )L**	$1,261.	$1,353.	$1,557.	$2,101.	
	16″	23″	21″	**RM112J-( )( )( )L**	1,331.	1,426.	1,640.	2,214.	
	16″	23″	26½″	**RM212K-( )( )( )L**	1,801.	1,930.	2,219.	2,996.	
	16″	23″	26½″	**RM212J-( )( )( )L**	1,801.	1,930.	2,219.	2,996.	
	*Glue and dowel construction								
Pedestal backs 	16″	1″	26½″	**RPAB16-( )**	114.	118.	137.	185.	
	19″	1″	26½″	**RPAB19-( )**	120.	124.	144.	196.	
	30″	1″	26½″	**RPAB30-( )**	228.	234.	268.	362.	
	36″	1″	26½″	**RPAB36-( )**	269.	278.	320.	432.	
	pedestal backs for pedestals with metal or wood interiors.								
Counter weight (for file/file configuration pedestals when used in freestanding applications)	–	–	–	**RCOUNTWT***					93.

Order Code

Example:	**RM111J**
R	Reff
M	Mobile Pedestal
1	21″H
1	16″ wide
1	19″ deep
J	Box box file config.
L	Laminate finish
W	Wood interior
D	Metal D-pull
L	Lock option
114	Cabinet Finish
612	Pull Finish

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Specification Information

To order please specify pattern number including:

1. Finish type
2. Interior option
3. Pull option
4. Lock option, files
5. Cabinet Finish
6. Pull Finish
   Painted or Plated

***After specifying product code, provide keying instructions.**

1. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

2. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

Application Notes

3. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
F = Bar pull
H = Outline pull
R = Cylinder pull
T = Tab pull

4. Lock options:
L = Drilled to accept lock

5. Refer to page 480 for keying instructions.

Pencil tray to be ordered separately; see page 407.

Pedestals must be ordered with back panel to achieve full depth without a modesty panel.

Pedestals do not come with lock included. Keying instructions must accompany all cabinet orders.

Mobile pedestals are always equipped with finished backs.

File drawers include file bars for front to back and side to side filing. File drawers do not support bottom loading.

Random locks are factory installed.

Keyalike are field installed using the KnollKey order form.

Each locking pedestal on this page counts for one lock core.

Mobile pedestals are glue and dowel construction.

Pedestals, 28 3/8″ planning
BBF/FF
Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height) box/box/file configuration	16″	19″	28 3/8″	**RP161J ( )( )( )L( )**	$1,117.	$1,197.	$1,379.	$1,863.
	16″	23″	28 3/8″	**RP162J ( )( )( )L( )**	1,170.	1,255.	1,445.	1,951.
	16″	29″	28 3/8″	**RP163J ( )( )( )L( )**	1,220.	1,308.	1,507.	2,034.
Pedestal, (desk height) file/file configuration	16″	19″	28 3/8″	**RP161K ( )( )( )L( )**	1,043.	1,119.	1,287.	1,739.
	16″	23″	28 3/8″	**RP162K ( )( )( )L( )**	1,117.	1,197.	1,379.	1,863.
	16″	29″	28 3/8″	**RP163K ( )( )( )L( )**	1,192.	1,274.	1,468.	1,981.
	30″	19″	28 3/8″	**RP301K ( )( )( )L( )**	1,194.	1,281.	1,471.	1,985.
	30″	23″	28 3/8″	**RP302K ( )( )( )L( )**	1,259.	1,349.	1,550.	2,093.
	36″	19″	28 3/8″	**RP361K ( )( )( )L( )**	1,271.	1,366.	1,570.	2,121.
	36″	23″	28 3/8″	**RP362K ( )( )( )L( )**	1,336.	1,430.	1,646.	2,223.

All pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal

Order Code

Example:	**RP161J(L)(M)(J)L(118)**
R	Reff
P	Pedestal
16	16″ wide *(nominal)*
1	19″ deep *(nominal)*
J	Box/Box/File config.
L	Finish type, laminate
M	Interior option, metal
J	Pull option, J
L	Lock option
118	Cabinet finish
118	Pull finish

Specification Information

To order please specify pattern number including:

1. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
2. *Interior option*
   M = metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
3. *Pull option*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   R = Cylinder
   T = Tab
   F = Bar
   H = Out Line
5. *Lock option*
   Lock default is black.
   Pedestals with drawers always lock drilled
   L = drilled to accept lock
6. *Cabinet finish*
7. *Pull finish*
   Painted or Plated

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Keying instructions must accompany all orders, refer to page 480 **. Pedestals do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Pencil tray to be ordered separately; see page 407.

Finished back must be ordered separately to achieve full depth without a modesty. (page 265)

Application Notes

Products on this page are 28-3/8″ high. 28 3/8″h “desk height” products should not be mixed with 26 1/2″h components. 28 3/8″h components when used with 1 1/4″ worksurfaces achieve overall desk height of 29 5/8″h. 28-3/8″ “desk height” products may be specified for freestanding or panel based applications.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Applicable finishes are listed on page 5 and 6.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals, 28 3/8″ planning
BBF/FF
Metal interior legal width

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height) box/box/file configuration	19″	19″	28 3/8″	**RP191J( )( )( )( )**	$1,173.	$1,257.	$1,448.	$1,956.
	19″	23″	28 3/8″	**RP192J( )( )( )( )**	1,229.	1,286.	1,517.	2,049.
	19″	29″	28 3/8″	**RP193J( )( )( )( )**	1,281.	1,373.	1,582.	2,136.



Pencil tray not included

Pedestal, (desk height) file/file configuration	19″	19″	28 3/8″	**RP191K( )( )( )( )**	1,095.	1,175.	1,351.	1,826.
	19″	23″	28 3/8″	**RP192K( )( )( )( )**	1,173.	1,257.	1,448.	1,956.
	19″	29″	28 3/8″	**RP193K( )( )( )( )**	1,252.	1,338.	1,541.	2,080.



Pencil tray not included
All pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal

Order Code

Example:	**RP191J(L)(M)(J)L(118)**
R	Reff
P	Pedestal
19	19″ wide *(nominal)*
1	19″ deep *(nominal)*
J	Box/Box/File configuration
L	Finish type, laminate
M	Interior option, metal
J	Pull option, J
L	Lock option
118	Cabinet finish
118	Pull finish

Specification Information

To order please specify pattern number including:

1. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
2. *Interior option*
   M = metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
3. *Pull option*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   F = Bar pull
   H = Outline pull
   R = Cylinder pull
   T = Tab pull
4. *Lock option*
   Lock default is Black
   Pedestals with drawers always lock drilled
   L = drilled to accept lock
5. *Cabinet finish*
6. *Pull finish*
   Painted or Plated

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Keying instructions must accompany all orders, refer to page 480 **. Pedestals do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Pencil tray to be ordered separately; see page 407.

Finished back must be ordered separately to achieve full depth without a modesty. (page271)

Application Notes

Products on this page are 28-3/8″ high. 28 3/8″h "desk height" products should not be mixed with 26 1/2″h components. 28 3/8″h components when used with 1 1/4″ worksurfaces achieve overall desk height of 29 5/8″h. 28-3/8″ "desk height" products may be specified for freestanding or panel based applications.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Applicable finishes are listed on page 5 and 6.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals, 28 3/8″ planning
BBF/FF
Wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height) box/box/file configuration	16″	19″	28 3/8″	**RP161J ( )( )( )L( )**	$1,188.	$1,271.	$1,462.	$1,973.
	16″	23″	28 3/8″	**RP162J ( )( )( )L( )**	1,321.	1,418.	1,631.	2,202.
	16″	29″	28 3/8″	**RP163J ( )( )( )L( )**	1,439.	1,545.	1,774.	2,394.
Pedestal, (desk height) file/file configuration	16″	19″	28 3/8″	**RP161K ( )( )( )L( )**	1,107.	1,185.	1,362.	1,839.
	16″	23″	28 3/8″	**RP162K ( )( )( )L( )**	1,303.	1,397.	1,606.	2,167.
	16″	29″	28 3/8″	**RP163K ( )( )( )L( )**	1,421.	1,526.	1,754.	2,368.
	30″	19″	28 3/8″	**RP301K ( )( )( )L( )**	1,430.	1,532.	1,763.	2,380.
	30″	23″	28 3/8″	**RP302K ( )( )( )L( )**	1,679.	1,801.	2,066.	2,789.
	36″	19″	28 3/8″	**RP361K ( )( )( )L( )**	1,766.	1,892.	2,179.	2,942.
	36″	23″	28 3/8″	**RP362K ( )( )( )L( )**	2,059.	2,210.	2,540.	3,428.

All pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal

Order Code

Example:	**RP161J(L)(W)(J)L(118)**
R	Reff
P	Pedestal
16	16″ wide *(nominal)*
1	19″ deep *(nominal)*
J	Box/Box/File configuration
L	Finish type, laminate
W	Interior option, wood
D	Pull option
L	Lock option
118	Cabinet finish
118	Pull finish

Specification Information

To order please specify pattern number including:

1. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
2. *Interior option*
   W = wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)
3. *Pull option*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   F = Bar pull
   H = Outline pull
   T = Tab pull
   R = Cylinder pull
4. *Lock option*
   Pedestals with drawers always lock drilled
   Lock default is Black
   L = drilled for lock
5. *Cabinet finish*
6. *Pull finish*
   Painted or Plated

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Keying instructions must accompany all orders, refer to page 480 **. Pedestals do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer.

Finished back must be ordered separately to achieve full depth without a modesty.(page271)

Application Notes

Products on this page are 28-3/8″ high. 28 3/8″h "desk height" products should not be mixed with 26 1/2″h components. 28 3/8″h components when used with 1 1/4″ worksurfaces achieve overall desk height of 29 5/8″h. 28-3/8″ "desk height" products may be specified for freestanding or panel based applications.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Applicable finishes are listed on page 5 and 6.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals, 28 3/8″ planning
BBF/FF
Wood interior legal width

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height) box/box/file configuration	19″	19″	28 3/8″	**RP191J( )( )( )( )**	$1,247.	$1,335.	$1,535.	$2,072.
	19″	23″	28 3/8″	**RP192J( )( )( )( )**	1,387.	1,489.	1,713.	2,312.
	19″	29″	28 3/8″	**RP193J( )( )( )( )**	1,511.	1,622.	1,863.	2,514.
Pedestal, (desk height) file/file configuration	19″	19″	28 3/8″	**RP191K( )( )( )( )**	1,229.	1,244.	1,430.	1,931.
	19″	23″	28 3/8″	**RP192K( )( )( )( )**	1,368.	1,467.	1,686.	2,275.
	19″	29″	28 3/8″	**RP193K( )( )( )( )**	1,492.	1,602.	1,842.	2,486.





All pedestals may require counterweights when used in unsecured fashion (ie freestanding)
*3 counterweights per pedestal

Order Code

Example:	**RP191J(L)(W)(J)L(118)**
R	Reff
P	Pedestal
19	19″ wide *(nominal)*
1	19″ deep *(nominal)*
J	Box/Box/File configuration
L	Finish type, laminate
W	Interior option, wood
J	Pull option, J
L	Lock option
118	Cabinet finish
118	Pull finish

Specification Information

To order please specify pattern number including:

1. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
2. *Interior option*
   W = wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)
3. *Pull option*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   F = Bar pull
   H = Outline pull
   R = Cylinder pull
   T = Tab pull
4. *Lock option*
   Pedestals with drawers always lock drilled
   Lock default is Black
   L = drilled to accept lock
   N = no drilling
5. *Cabinet finish*
6. *Pull finish*
   Painted or Plated

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Keying instructions must accompany all orders, refer to page 480 **. Pedestals do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Box-box-file configuration pedestals with wood drawers includes pencil tray and two tray dividers in top box drawer.

Finished back must be ordered separately to achieve full depth without a modesty.(page271)

Application Notes

Products on this page are 28-3/8″ high. 28 3/8″h "desk height" products should not be mixed with 26 1/2″h components. 28 3/8″h components when used with 1 1/4″ worksurfaces achieve overall desk height of 29 5/8″h. 28-3/8″ "desk height" products may be specified for freestanding or panel based applications.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Applicable finishes are listed on page 5 and 6.

Each pedestal may require 3 counterweights when used in unsecured fashion. (ie. Freestanding)

1 counterweight = 10 lbs.

Pedestals, 28 3/8″ planning
Open / Hinge Door
Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height) hinge door configuration adjustable shelf 	16″	19″	28 3/8″	**RP161L(L/R) ( )( )( )( )**	$916.	$980.	$1,129.	$1,524.
	16″	23″	28 3/8″	**RP162L(L/R) ( )( )( )( )**	1,112.	1,193.	1,370.	1,850.
	16″	29″	28 3/8″	**RP163L(L/R) ( )( )( )( )**	1,271.	1,366.	1,570.	2,121.
	30″	19″	28 3/8″	**RP301L ( )( )( )( )**	1,183.	1,268.	1,458.	1,967.
	30″	23″	28 3/8″	**RP302L ( )( )( )( )**	1,382.	1,484.	1,703.	2,300.
	36″	19″	28 3/8″	**RP361L ( )( )( )( )**	1,499.	1,607.	1,849.	2,497.
	36″	23″	28 3/8″	**RP362L ( )( )( )( )**	1,752.	1,880.	2,162.	2,919.

Inside height clearance top shelf 11″, bottom shelf 11.5″ when shelf located in center position.
Metal interior means shelf metal.

Pedestal, (desk height) open shelf configuration adjustable shelf 	16″	19″	28 3/8″	**RP161M ( )( )**	695.	749.	859.	1,159.
	16″	23″	28 3/8″	**RP162M ( )( )**	813.	871.	1,002.	1,352.
	16″	29″	28 3/8″	**RP163M ( )( )**	958.	1,028.	1,183.	1,598.
	30″	19″	28 3/8″	**RP301M ( )( )**	810.	869.	999.	1,348.
	30″	23″	28 3/8″	**RP302M ( )( )**	984.	1,055.	1,213.	1,637.
	36″	19″	28 3/8″	**RP361M ( )( )**	1,035.	1,112.	1,276.	1,722.
	36″	23″	28 3/8″	**RP362M ( )( )**	1,253.	1,344.	1,545.	2,085.

Inside height clearance top shelf 11″, bottom shelf 11.5″ when shelf located in center position.
Metal interior means shelf metal.
N=No lock option

Order Code

Example:	**RP161LL(L)(M)(J)L(118)**
R	Reff
P	Pedestal
16	16″ wide *(nominal)*
1	19″ deep *(nominal)*
L	Hinge door config.
L	Left hand hinge location
L	Finish type, laminate
M	Interior option, metal
J	Pull option, J
L	Lock option
118	Cabinet finish
118	Pull finish

Specification Information

To order please specify pattern number including:

1. *Hinge location, were applicable*
   L = left hand
   R = right hand
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior option*
   M = metal (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
4. *Pull option*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   R = Cylinder
   T = Tab
   F = Bar
   H = Out Line
1. *Lock option*
   Optional hinged door configurations only
   Pedestals with drawers always lock drilled
   L = drilled to accept lock
   N = no drilling
2. *Cabinet finish*
3. *Pull finish*
   Painted or Plated

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Keying instructions must accompany all orders, refer to page 480 **. Pedestals do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Application Notes

Products on this page are 28-3/8″ high. 28 3/8″h "desk height" products should not be mixed with 26 1/2″h components. 28 3/8″h components when used with 1 1/4″ worksurfaces achieve overall desk height of 29 5/8″h. 28-3/8″ "desk height" products may be specified for freestanding or panel based applications.

Applicable finishes are listed on page 5 and 6.

Finished back must be ordered separately to achieve full depth without a modesty. (page 265)

For Open pedestals;
1. Finish type
2. Interior option
3. Cabinet finish

Pedestals, 28 3/8″ planning
Open / Hinge Door
Wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3	list
Pedestal, (desk height) hinge door configuration adjustable shelf	16″	19″	28 3/8″	**RP161L(L/R) ( )( )( )( )( )**	$1,002.	$1,074.	$1,235.	$1,668.	
	16″	23″	28 3/8″	**RP162L(L/R) ( )( )( )( )( )**	1,203.	1,288.	1,483.	2,002.	
	16″	29″	28 3/8″	**RP163L(L/R) ( )( )( )( )( )**	1,362.	1,459.	1,676.	2,262.	
	30″	19″	28 3/8″	**RP301L ( )( )( )( )( )**	1,268.	1,362.	1,567.	2,116.	
	30″	23″	28 3/8″	**RP302L ( )( )( )( )( )**	1,471.	1,580.	1,815.	2,450.	
	36″	19″	28 3/8″	**RP361L ( )( )( )( )( )**	1,589.	1,701.	1,955.	2,639.	
	36″	23″	28 3/8″	**RP362L ( )( )( )( )( )**	1,842.	1,974.	2,268.	3,061.	



Inside height clearance top shelf 11″, bottom shelf 11.5″ when shelf located in center position.

Pedestal, (desk height) open shelf configuration adjustable shelf	16″	19″	28 3/8″	**RP161M ( )( )( )**	787.	838.	966.	1,304.	
	16″	23″	28 3/8″	**RP162M ( )( )( )**	902.	969.	1,115.	1,506.	
	16″	29″	28 3/8″	**RP163M ( )( )( )**	1,048.	1,121.	1,294.	1,747.	
	30″	19″	28 3/8″	**RP301M ( )( )( )**	900.	964.	1,107.	1,494.	
	30″	23″	28 3/8″	**RP302M ( )( )( )**	1,072.	1,150.	1,324.	1,785.	
	36″	19″	28 3/8″	**RP361M ( )( )( )**	1,122.	1,207.	1,386.	1,873.	
	36″	23″	28 3/8″	**RP362M ( )( )( )**	1,341.	1,433.	1,650.	2,228.	



Inside height clearance top shelf 11″, bottom shelf 11.5″ when shelf located in center position.
N=No Lock option

Pedestal, (desk height) finished back	16″	1″	28 3/8″	**RPDHB16 ( )( )**	121.	123.	143.	193.	
	19″	1″	28 3/8″	**RPDHB19 ( )( )**	127.	129.	150.	203.	
	30″	1″	28 3/8″	**RPDHB30 ( )( )**	239.	247.	282.	381.	
	36″	1″	28 3/8″	**RPDHB36 ( )( )**	284.	293.	336.	454.	



pedestal backs for pedestals with metal or wood interiors

Order Code

Example:	**RP161LL(L)(W)(J)L(118)**
R	Reff
P	Pedestal
16	16″ wide *(nominal)*
1	19″ deep *(nominal)*
L	Hinge door config.
L	Left hand hinge location
L	Finish type, laminate
W	Interior option, wood
J	Pull option, J
L	Lock option
118	Cabinet finish
118	Pull finish

Specification Information

To order please specify pattern number including:

1. *Hinge location, were applicable*
   L = left hand
   R = right hand
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior option*
   W = wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)
4. *Pull option*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   F = Bar pull
   H = Outline pull
   T = Tab pull
   R = Cylinder pull
5. *Lock option*
   Optional hinged door configurations only
   Lock default is Black
   L = drilled to accept lock
   N = no drilling
6. *Cabinet finish*
7. *Pull finish*
   Painted or Plated

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Keying instructions must accompany all orders, refer to page 480 **. Pedestals do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Application Notes

Products on this page are 28-3/8″ high. 28 3/8″h "desk height" products should not be mixed with 26 1/2″h components. 28 3/8″h components when used with 1 1/4″ worksurfaces achieve overall desk height of 29 5/8″h. 28-3/8″ "desk height" products may be specified for freestanding or panel based applications.

Applicable finishes are listed on page 5 and 6.

For Open pedestals;
1. Finish type
2. Interior option
3. Cabinet finish

Finished back must be ordered separately to achieve full depth without a modesty.(page265)

Pedestals, 28 3/8″ planning
Open / Hinge Door
Wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3	list
Counter weight (for file/file configuration pedestals when used in freestanding applications)	–	–	–	**RCOUNTWT ***					$93.

Order Code

Example:	**RP161LL(L)(W)(J)L(118)**
R	Reff
P	Pedestal
16	16″ wide *(nominal)*
1	19″ deep *(nominal)*
L	Hinge door config.
L	Left hand hinge location
L	Finish type, laminate
W	Interior option, wood
J	Pull option, J
L	Lock option
118	Cabinet finish
118	Pull finish

Specification Information

To order please specify pattern number including:

1. *Hinge location, were applicable*
   L = left hand
   R = right hand
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior option*
   W = wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)
4. *Pull option*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   F = Bar pull
   H = Outline pull
   T = Tab pull
   R = Cylinder pull
5. *Lock option*
   Optional hinged door configurations only
   Lock default is Black
   L = drilled to accept lock
   N = no drilling
6. *Cabinet finish*
7. *Pull finish*
   Painted or Plated

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Keying instructions must accompany all orders, refer to page 480 **. Pedestals do not come with lock included**. Random locks are factory installed. Key-alike are field installed using the KnollKey order form. Each locking pedestal on this page counts for one lock core.

Application Notes

Products on this page are 28-3/8″ high. 28 3/8″h "desk height" products should not be mixed with 26 1/2″h components. 28 3/8″h components when used with 1 1/4″ worksurfaces achieve overall desk height of 29 5/8″h. 28-3/8″ "desk height" products may be specified for freestanding or panel based applications.

Applicable finishes are listed on page 5 and 6.

For Open pedestals;
1. Finish type
2. Interior option
3. Cabinet finish

Finished back must be ordered separately to achieve full depth without a modesty.(page265)

Pedestals, 28 3/8″ planning
Metal accessories for pedestals

description	w	d	h	pattern no.	list
Metal box divider, for desk height products				**RDHMBD**	$27.
	for 16″w desk height metal box drawer				
Metal file drawer divider, for desk height products				**RDHMFD**	27.
	for 16″w desk height metal file drawer				
Metal lateral drawer divider, for desk height products				**RDHMLD**	21.
	for 20″ and 24″ deep metal lateral drawers				

Order Code		Specification Information	Application Notes
Example:	**RDHMBD**		
R	Reff		
DH	Desk height		
M	Metal		
B	Box		
D	Divider		

Pedestals, 28 3/8″ planning
22 3/8″ high
Metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Pedestal, (desk height planning) box/file configuration	16″	19″	22 3/8″	**RP161R ( )( )( )L( )( )( )**	$1,066.	$1,142.	$1,313.	$1,773.
	16″	23″	22 3/8″	**RP162R ( )( )( )L( )( )( )**	1,114.	1,195.	1,375.	1,856.
	19″	19″	22 3/8″	**RP191R ( )( )( )L( )( )( )**	1,119.	1,199.	1,379.	1,862.
	19″	23″	22 3/8″	**RP192R ( )( )( )L( )( )( )**	1,170.	1,255.	1,444.	1,949.
	30″	19″	22 3/8″	**RP301R ( )( )( )L( )( )( )**	1,136.	1,220.	1,402.	1,893.
	30″	23″	22 3/8″	**RP302R ( )( )( )L( )( )( )**	1,198.	1,286.	1,476.	1,992.
	36″	19″	22 3/8″	**RP361R ( )( )( )L( )( )( )**	1,212.	1,299.	1,495.	2,018.
	36″	23″	22 3/8″	**RP362R ( )( )( )L( )( )( )**	1,271.	1,362.	1,567.	2,116.
Pedestal, (desk height planning) open file configuration	30″	19″	22 3/8″	**RP301T ( )( )( )L( )( )( )**	828.	886.	1,009.	1,342.
	30″	23″	22 3/8″	**RP302T ( )( )( )L( )( )( )**	996.	1,065.	1,213.	1,618.
	36″	19″	22 3/8″	**RP361T ( )( )( )L( )( )( )**	1,043.	1,117.	1,275.	1,701.
	36″	23″	22 3/8″	**RP362T ( )( )( )L( )( )( )**	1,251.	1,337.	1,528.	2,042.
Pedestal, (desk height planning) open bookcase configuration, adjustable shelf	30″	19″	22 3/8″	**RP301S ( )( )( )**	770.	828.	951.	1,284.
	30″	23″	22 3/8″	**RP302S ( )( )( )**	938.	1,007.	1,155.	1,560.
	36″	19″	22 3/8″	**RP361S ( )( )( )**	985.	1,059.	1,217.	1,643.
	36″	23″	22 3/8″	**RP362S ( )( )( )**	1,193.	1,279.	1,470.	1,984.

Order Code

Example:	**RP161R ( )( )( )( )( )( )**
R	Reff
P	Pedestal
16	16″ wide (*nominal*)
1	19″ deep (*nominal*)
R	Box/File configuration
2	Finish type
M	Interior option
H	Finish Pull option
L	Lock option
B	Lock finish
V316	Cabinet finish
PU	Satin Nickel

Specification Information

To order please specify pattern number including:

1. *Finish type*
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. Interior option: M= Metal
3. *Pull option*
   B = No pull
   C = Metal C-pull
   D = Metal D-pull
   J = Routed J-pull
   S = Metal S-pull
   R = Cylinder
   T = Tab
   F = Bar
   H = Outline
4. *Lock option*
   Pedestals with drawers always lock drilled
   L = drilled to accept lock
5. *Lock finish*
   B = Black
   S = Matt silver
6. *Cabinet finish:*
   L, V1, V2,V3
7. *Pull finish*
   Painted or Plated

Application Notes

Use 28 3/8″desk height planning.

Applied back ordered separately for finished back.

File drawer support bottom loading

File drawers include bars for front to back and side to side filing.

Pencil trays ordered separately for all metal interiors.

Open book case:

1. *Finish type*
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. Interior option
3. Cabinet finish

Pedestals, 28 3/8″ planning
22 3/8″ high
Wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height planning) box/file configuration	16″	19″	22 3/8″	**RP161R ( )( )( )L( )( )( )**	$1,131.	$1,210.	$1,394.	$1,881.
	16″	23″	22 3/8″	**RP162R ( )( )( )L( )( )( )**	1,259.	1,350.	1,552.	2,096.
	19″	19″	22 3/8″	**RP191R ( )( )( )L( )( )( )**	1,188.	1,271.	1,464.	1,975.
	19″	23″	22 3/8″	**RP192R ( )( )( )L( )( )( )**	1,322.	1,418.	1,630.	2,201.
	30″	19″	22 3/8″	**RP301R ( )( )( )L( )( )( )**	1,361.	1,459.	1,678.	2,264.
	30″	23″	22 3/8″	**RP302R ( )( )( )L( )( )( )**	1,601.	1,714.	1,967.	2,656.
	36″	19″	22 3/8″	**RP361R ( )( )( )L( )( )( )**	1,683.	1,803.	2,075.	2,800.
	36″	23″	22 3/8″	**RP362R ( )( )( )L( )( )( )**	1,961.	2,103.	2,415.	3,264.
Pedestal, (desk height planning) open file configuration	30″	19″	22 3/8″	**RP301T ( )( )( )L( )( )( )**	916.	975.	1,112.	1,481.
	30″	23″	22 3/8″	**RP302T ( )( )( )L( )( )( )**	1,078.	1,152.	1,317.	1,756.
	36″	19″	22 3/8″	**RP361T ( )( )( )L( )( )( )**	1,127.	1,207.	1,380.	1,842.
	36″	23″	22 3/8″	**RP362T ( )( )( )L( )( )( )**	1,336.	1,424.	1,630.	2,180.
Pedestal, (desk height planning) cabinet access bookcase * with removable back	30″	20″	22 3/8″	**RP301A ( )( )**	901.	963.	1,107.	1,494.
	30″	24″	22 3/8″	**RP302A ( )( )**	1,071.	1,149.	1,322.	1,783.
	36″	20″	22 3/8″	**RP361A ( )( )**	1,122.	1,206.	1,388.	1,873.
	36″	24″	22 3/8″	**RP362A ( )( )**	1,342.	1,434.	1,651.	2,228.

*available in wood interior only.

Order Code

Example: **RP161R ( )( )( )( )( )( )( )**

R	Reff
P	Pedestal
16	16″ wide
1	19″ deep (nominal)
R	Box/File configuration
2	Finish type, V2
W	Interion option, wood
H	Pull option
L	Lock option files
111	Lock finish
V316	Cabinet finish
111	Pull finish

Specification Information

To order please specify pattern number including:

1. *Finish type*
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. *Interior option:*
   W = wood
3. *Pull option*
   B = No pull
   C = Metal C-pull
   D = Metal D-pull
   J = Routed J-pull
   S = Metal S-pull
   R = Cylinder
   T = Tab
   F = Bar
   H = Outline
4. *Lock option*
   Pedestals with drawers alwasys lock drilled
   L = drilled to accept lock
5. *Lock finish*
   B = Black
   S = Matt silver
6. *Cabinet finish*
7. *Pull finish*

Application Notes

Bookcase

1. Finish type
2. Interior option
3. Cabinet finish

Always open configuration.

Adjustable Shelves.

Bottom shelf fixed.

Removable back.

Use 28 3/8″desk height planning.

Applied back ordered separately for finished back.

File drawer support bottom loading

File drawers include bars for front to back and side to side filing.

Pencil trays included in all wood interiors.

Pedestals, 28 3/8″ planning
22 3/8″ high
Wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height planning) open bookcase configuration, adjustable shelf	30″	19″	22 3/8″	**RP301S ( )( )( )**	$858.	$917.	$1,054.	$1,423.
	30″	23″	22 3/8″	**RP302S ( )( )( )**	1,020.	1,094.	1,259.	1,698.
	36″	19″	22 3/8″	**RP361S ( )( )( )**	1,069.	1,149.	1,322.	1,784.
	36″	23″	22 3/8″	**RP362S ( )( )( )**	1,278.	1,366.	1,572.	2,122.

Order Code

Example: **RP161R ( )( )( )( )( )( )( )**

R	Reff
P	Pedestal
16	16″ wide
1	19″ deep (nominal)
R	Box/File configuration
2	Finish type, V2
W	Interion option, wood
H	Pull option
L	Lock option files
111	Lock finish
V316	Cabinet finish
111	Pull finish

Specification Information

To order please specify pattern number including:

1. *Finish type*
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. *Interior option:*
   W = wood
3. *Pull option*
   B = No pull
   C = Metal C-pull
   D = Metal D-pull
   J = Routed J-pull
   S = Metal S-pull
   R = Cylinder
   T = Tab
   F = Bar
   H = Outline
4. *Lock option*
   Pedestals with drawers alwasys lock drilled
   L = drilled to accept lock
5. *Lock finish*
   B = Black
   S = Matt silver
6. *Cabinet finish*
7. *Pull finish*

Application Notes

Bookcase

1. Finish type
2. Interior option
3. Cabinet finish

Always open configuration.

Adjustable Shelves.

Bottom shelf fixed.

Removable back.

Use 28 3/8″desk height planning.

Applied back ordered separately for finished back.

File drawer support bottom loading

File drawers include bars for front to back and side to side filing.

Pencil trays included in all wood interiors.

Pedestals, 28 3/8″ planning
22 3/8″ high
Pedestal back, filler and flush modesty

description	w	th	h	pattern no.	L	V1	V2	V3
Pedestal Back	16″		22 3/8″	**RPCB16 ( )( )**	$229.	$275.	$316.	$411.
	19″		22 3/8″	**RPCB19 ( )( )**	234.	281.	323.	420.
	30″		22 3/8″	**RPCB30 ( )( )**	257.	308.	354.	461.
	36″		22 3/8″	**RPCB36 ( )( )**	270.	323.	372.	484.
Pedestal Filler	6″		22 3/8″	**RPFC6 ( )**	160.	192.	210.	250.
Flush Modesty Panel	42″	1″	22 3/8″	**RPDHC42MF ( )( )( )**	332.	398.	458.	595.
	48″	1″	22 3/8″	**RPDHC48MF ( )( )( )**	347.	416.	479.	623.
	54″	1″	22 3/8″	**RPDHC54MF ( )( )( )**	362.	434.	500.	649.
	60″	1″	22 3/8″	**RPDHC60MF ( )( )( )**	399.	479.	551.	716.
	66″	1″	22 3/8″	**RPDHC66MF ( )( )( )**	414.	496.	571.	742.
	72″	1″	22 3/8″	**RPDHC72MF ( )( )( )**	428.	514.	591.	769.
	78″	1″	22 3/8″	**RPDHC78MF ( )( )( )**	449.	538.	619.	805.
	84″	1″	22 3/8″	**RPDHC84MF ( )( )( )**	464.	556.	640.	832.
	90″	1″	22 3/8″	**RPDHC90MF ( )( )( )**	498.	597.	687.	893.
	96″	1″	22 3/8″	**RPDHC96MF ( )( )( )**	512.	614.	706.	918.

Order Code

Example:	**RPCB16( )**
R	Reff
P	Pedestal
C	For use with 22 3/8″ pedestal
B	Back
16	Width
2	Finish type
V316	Finish

Specification Information

1. *Finish type*
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. Finish

Application Notes

Lock default is black.

Use 28 3/8″desk height planning.

Applied back ordered separately for finished back.

For Modesty panel specify:

1. Modesty position:
   F = Flush, cantilevered
   R = Recessed
2. Finish type
3. Finish

Pedestals, 28 3/8″ planning
Equipment Pedestals
Wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Pedestal, (desk height planning) equipment configuration (wood interior only)	30″	19″	22 3/8″	**RP301E(L/R) ( )( )( )( )( )( )( )**	$1,811.	$2,383.	$2,634.	$3,143.
	30″	23″	22 3/8″	**RP302E(L/R) ( )( )( )( )( )( )( )**	1,844.	2,426.	2,677.	3,241.
	36″	19″	22 3/8″	**RP361E(L/R) ( )( )( )( )( )( )( )**	1,855.	2,432.	2,689.	3,235.
	36″	23″	22 3/8″	**RP362E(L/R) ( )( )( )( )( )( )( )**	1,886.	2,469.	2,745.	3,333.

Order Code

Example:	**RP301E(L/R)**
R	Reff
P	Pedestal
30	30″ wide
1	19″ deep *(nominal)*
E	Equipment Ped.
L	Left hand
V2	Case finish type
V2	Front finish type
W	Interior option, wood
H	Pull option
V316	Case finish
V316	Front finish
111	Pull finish
B	Lock option

Specification Information

To order please specify pattern number including:

1. *Finish type:*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
2. *Interior option: W (wood)*
3. *Pull option*
   B = No pull
   F = Bar pull
   H = Outline pull
   R = Cylinder pull
   T = Tab pull
4. Case finish
5. Pull finish:
   Painted or Plated
6. *Lock option*
   L = Lock hole drilled
   N = No lock drilling

Application Notes

Lock default is black

Use 28 3/8″desk height planning.

Applied back ordered separately for finish back.

The drawer location determines the pedestal Right/Left orientation.

Equipment Pedestal's Clearance:

Enclosed Area:
For 30″w X 19″d 22.5″w X 16.5″d X 14.25″h
For 30″w X 23″d 22.5″w X 20.5″d X 14.25″h
For 36″w X 19″d 26.5″w X 16.5″d X 14.25″h
For 36″w X 23″d 26.5″w X 20.5″d X 14.25″h

Open Area:
For 30″w X 19″d 8″w X 17″d X 17.5″h
For 30″w X 23″d 8″w X 21″d X 17.5″h
For 36″w X 19″d 8″w X 17″d X 17.5″h
For 36″w X 23″d 8″w X 21″d X 17.5″h

description	w	d	h	pattern no.	L/V1	L/V2	L/V3	L	V1	V2	V3
Mobile Pedestal	16″	19″	23″	**RMPU( )( )( )( )( )( )**	$2,185.	$2,230.	$2,285.	$2,133.	$2,278.	$2,607.	$3,357.

Order Code		Specification Information	Application Notes
Example:	**RMPU ( )( )( )( )( )( )**	*To order please specify pattern number including:*	These products are Glue and Dowel Construction
R	Reff	1. Lock option Pedestals with drawers always lock drilled.	Always comes with lock.
M	Mobile	2. Lock finish B = Black S = Matt silver	Always comes with finished back
P	Pedestal	3. Pull option G = Grommet pull only	Grommet pull only.
U	Cubby above with drawer/box/file	4. Case finish	Actual width = 15.94″
L	Lock Option	5. Front finish	Actual depth = 19.06″
B	Lock Finish	6. Pencil tray finish Painted / Anodized	Actual total height = 23.37″
G	Pull Finish		
V316	Case Finish		
V316	Front Drawer Finish		
111	Pencil Tray Finish		

Credenzas, 28 3/8″ planning
23 3/8″ high, file drawer

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Low credenza, file drawer left and right and cubby	90″	20″	23 3/8″	**RRLCFDC2090**	$3,336.	$3,670.	$3,837.	$4,004.	$5,004.	$5,755.	$7,482.
	108″	20″	23 3/8″	**RRLCFDC20108**	3,487.	3,836.	4,010.	4,185.	5,231.	6,016.	7,820.
Low credenza, file drawer center with cubby	90″	20″	23 3/8″	**RRLCFDCC2090**	2,973.	3,270.	3,419.	3,567.	4,459.	5,128.	6,666.
	108″	20″	23 3/8″	**RRLCFDCC20108**	3,134.	3,448.	3,604.	3,761.	4,794.	5,407.	7,029.
Low credenza, left	60″	20″	23 3/8″	**RRLCFDCL2060**	2,305.	2,535.	2,651.	2,766.	3,457.	3,976.	5,169.
	72″	20″	23 3/8″	**RRLCFDCL2072**	2,399.	2,639.	2,758.	2,878.	3,598.	4,138.	5,379.
Low credenza, right	60″	20″	23 3/8″	**RRLCFDCR2060**	2,305.	2,535.	2,651.	2,766.	3,457.	3,976.	5,169.
	72″	20″	23 3/8″	**RRLCFDCR2072**	2,399.	2,639.	2,758.	2,878.	3,598.	4,138.	5,379.





Left hand credenza; File drawer is on left.



Left hand credenza shown



Right hand credenza; File drawer is on right.

Right hand credenza shown

Order Code

Example:	**RRLCFDC2090**
RR	Reff
LC	Low Credenza
FDC	File Drawer with cubby
20	20″ deep
90	90″ wide
L	Lock option
S	Lock finish
G	Pull option
115	Pull finish
115	Leg finish
V316	Case option
V316	Case finish

Specification Information

To order please specify pattern number including:

1. Lock option:
   Drawers are always lock drilled.
   L=drilled to accept lock
2. Lock finish:
   B=Black
   S=Matte Silver
3. Pull option
   Grommet pull, only
4. Pull finish
   Painted / Plated
5. Leg finish
   Painted
6. Case finish:
   V316
7. Front finish:
   V316

Application Notes

These products are Glue and Dowel Construction

Grommet Pull option for these products.

Locks on wood and Laminate doors.

No locks on glass doors.

Legs shipped with credenza.

Legs available in painted finish.

Shelves are fixed.

Glass top and cushion sold separately.

Nominal depth 20″

Actual depth 19″

All credenzas with file drawers may require counter weights when used in an unsecured fashion (ie. free-standing).

If file drawer on right side, credenza is right handed.

Credenzas, 28 3/8″ planning
23 3/8″ high, open

description	w	d	h	pattern no.	L	V1	V2	V3
Low credenza, open with cubby	60″	20″	23 3/8″	**RRLCO2060( )( )( )**	$2,044.	$2,902.	$3,338.	$4,340.
	72″	20″	23 3/8″	**RRLCO2072( )( )( )**	2,048.	3,031.	3,486.	4,532.
	90″	20″	23 3/8″	**RRLCO2090( )( )( )**	2,499.	3,773.	4,339.	5,640.
	108″	20″	23 3/8″	**RRLCO20108( )( )( )**	2,654.	4,008.	4,609.	5,992.

Order Code

Example:	**RRLCO2060 ( )( )( )**
RR	Reffresh
LC	Low Credenza
O	Open
20	20″ deep
60	60″ wide
115	Leg finish
V316	Case finish

Specification Information

To order please specify pattern number including:

1. Leg finish
   Painted
2. Case finish type:
   L, V1, V2, V3
3. Case finish:
   V316

Application Notes

These products are Glue and Dowel Construction

Legs shipped with credenza.

Legs available in painted and plated finish.

Shelves are fixed.

Glass top and cushion sold separately.

Nominal depth 20″

Actual depth 19″

All credenzas with file drawers may require counter weights when used in an unsecured fashion (ie. free-standing).

Credenzas, 28 3/8″ planning
23 3/8″ high sliding door
Glass door

description	w	d	h	pattern no.	L/GL	V1/GL	V2/GL	V3/GL
Low credenza, sliding glass door	90″	20″	23 3/8″	**RRLCSGD2090( )( )( )( )( )**	$4,572.	$5,487.	$6,310.	$8,203.
	108″	20″	23 3/8″	**RRLCSGD20108( )( )( )( )( )**	5,091.	6,109.	7,025.	9,133.
Low credenza, sliding glass door left	60″	20″	23 3/8″	**RRLCSGDL2060( )( )( )( )( )**	3,049.	3,659.	4,208.	5,470.
	72″	20″	23 3/8″	**RRLCSGDL2072( )( )( )( )( )**	3,218.	3,862.	4,441.	5,774.
Low credenza, sliding glass door right	60″	20″	23 3/8″	**RRLCSGDR2060( )( )( )( )( )**	3,049.	3,659.	4,208.	5,470.
	72″	20″	23 3/8″	**RRLCSGDR2072( )( )( )( )( )**	3,218.	3,862.	4,441.	5,774.



Order Code

Example: **RRLCSGD2090 ( )( )( )( )( )**

RR	Reff
LC	Low Credenza
SGD	Sliding Glass Door
20	20″ deep
90	90″ wide
G	Pull tpye
PN	Pull finish
115	Leg finish
V316	Case finish
GL11	Door / front glass finish

Specification Information

To order please specify pattern number including:

1. Pull option
   Grommet
2. Pull finish
   Painted / Plated
3. Leg finish
   Painted
4. Case finish
   L, V1, V2, V3
5. Glass door frame:
   Anodized or Painted
6. Glass finish:
   GL11, GL15, GL18

Application Notes

These products are Glue and Dowel Construction

Grommet Pull option for these products.

No locks on glass doors.

Legs shipped with credenza.

Shelves are fixed.

Glass top and cushion sold separately.

Nominal depth 20″

Actual depth 19″

All credenzas with file drawers may require counter weights when used in an unsecured fashion (ie. free-standing).

Credenzas, 28 3/8″ planning
23 3/8″ high sliding door
Laminate door

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Low credenza, sliding wood/ laminate door	90″	20″	23 3/8″	**RRLCSWD2090( )( )( )( )( )( )( )**	$3,553.	$3,909.	$4,086.	$4,264.	$5,152.	$5,925.	$7,703.
	108″	20″	23 3/8″	**RRLCSWD20108( )( )( )( )( )( )( )**	3,926.	4,319.	4,515.	4,711.	5,693.	6,547.	8,511.
Low credenza, sliding wood/ laminate door left	60″	20″	23 3/8″	**RRLCSWDL2060( )( )( )( )( )( )( )**	2,470.	2,717.	2,841.	2,964.	3,582.	4,119.	5,355.
	72″	20″	23 3/8″	**RRLCSWDL2072( )( )( )( )( )( )( )**	2,584.	2,842.	2,971.	3,100.	3,746.	4,308.	5,601.
Left hand shown											
Low credenza, sliding wood/ laminate door right	60″	20″	23 3/8″	**RRLCSWDR2060( )( )( )( )( )( )( )**	2,470.	2,717.	2,841.	2,964.	3,582.	4,119.	5,355.
	72″	20″	23 3/8″	**RRLCSWDR2072( )( )( )( )( )( )( )**	2,584.	2,842.	2,971.	3,100.	3,746.	4,308.	5,601.

Order Code

Example:	**RRLCSWD2090 ( )( )( )( )( )( )( )**
RR	Reff
LC	Low Credenza
SWD	Sliding Wood Door
20	20″ deep
90	90″ wide
L	Lock option
S	Lock finish
G	Pull tpye
115	Pull finish
115	Leg finish
V316	Case finish
V316	Door / front glass finish

Specification Information

To order please specify pattern number including:

1. Pull option
   Grommet
2. Pull finish
   Painted / Plated
3. Leg finish
   Painted
4. Case finish
   L, V1, V2, V3
5. Door finish
   L, V1, V2, V3

Application Notes

These products are Glue and Dowel Construction

Grommet Pull option for these products.

Locks on wood and Laminate doors.

Legs shipped with credenza.

Legs available in painted finishes.

Shelves are fixed.

Glass top and cushion sold separately.

Nominal depth 20″

Actual depth 19″

All credenzas with file drawers may require counter weights when used in an unsecured fashion (ie. free-standing).

Credenzas, 28 3/8″ planning
Glass top

description	d	w	pattern no.	list
Lower Credenza Glass Top	20″	30″	**RLCGT301( )**	$385.
	20″	36″	**RLCGT361( )**	460.
	20″	60″	**RLCGT601( )**	740.
	20″	72″	**RLCGT721( )**	875.

Order Code

Example:	**RLCGT301( )**
R	Reff
LC	Lower Credenza
GT	Glass Top
30	Width
1	20″ deep
GL35	Glass finish

Specification Information

To order please specify pattern number including:

1. Glass finish
   GL35 Grey
   GL85 Star Clear

Application Notes

Grommet not an option.

Cabinets, 26 1/2″ planning
49″ high, metal interior

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16″	20″	49″	**RC412C(L/R)-( )( )( )( )**	$1,123.	$1,471.	$1,693.	$2,285.
	16″	24″	49″	**RC413C(L/R)-( )( )( )( )**	1,235.	1,616.	1,860.	2,511.
	30″	20″	49″	**RC432C-( )( )( )( )**	1,644.	2,156.	2,480.	3,347.
	30″	24″	49″	**RC433C-( )( )( )( )**	1,819.	2,384.	2,743.	3,703.
	36″	20″	49″	**RC462C-( )( )( )( )**	1,822.	2,390.	2,748.	3,710.
	36″	24″	49″	**RC463C-( )( )( )( )**	2,009.	2,641.	3,036.	4,098.



Metal interiors mean shelves metal.

4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30″	20″	49″	**RC432F-( )( )( )L**	1,916.	2,511.	2,890.	3,902.
	30″	24″	49″	**RC433F-( )( )( )L**	2,114.	2,772.	3,187.	4,303.
	36″	20″	49″	**RC462F-( )( )( )L**	2,430.	3,184.	3,661.	4,942.
	36″	24″	49″	**RC463F-( )( )( )L**	2,682.	3,518.	4,046.	5,462.



interior height clearance top drawer 10″, all others 10¾″

Order Code

Example:	**RC412C**
R	Reff
C	Cabinets
4	49″ high
1	16″ wide
2	20″ deep
C	Cabinet with hinge doors
L	Left hand hinge location
L	Laminate finish type
M	Metal interior option
T	Tab pull
V316	Cabinet finish
111	Pull finish

Specification Information

To order please specify pattern number including:

1. Finish type
2. Interior option
3. Pull option
4. Lock option, where applicable
5. Cabinet finish: V316
6. Pull finish

***After specifying product code, provide keying instructions.**

1. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

2. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

3. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
V316

4. Lock options:
L = Lock hole drilled
N = No drilling

5. Cabinet finish: V316

6. Full finish:
Painted or Plated

8. Refer to page 480 for keying instructions.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Application Notes

Specify finish of metal shelves to match laminate.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2″ planning
49″ high, metal interior

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Open bookcase with two adjustable shelves	30″	15″	49″	**RC431B-( )( )**	$1,115.	$1,461.	$1,683.	$2,273.
	30″	20″	49″	**RC432B-( )( )**	1,258.	1,650.	1,896.	2,560.
	30″	24″	49″	**RC433B-( )( )**	1,420.	1,859.	2,139.	2,887.
	36″	15″	49″	**RC461B-( )( )**	1,237.	1,624.	1,867.	2,520.
	36″	20″	49″	**RC462B-( )( )**	1,397.	1,831.	2,106.	2,843.
	36″	24″	49″	**RC463B-( )( )**	1,571.	2,063.	2,371.	3,200.

Open cabinets require no keying instructions.
Metal interiors mean shelves metal.

Order Code

Example:	**RC412C**
R	Reff
C	Cabinets
4	49″ high
1	16″ wide
2	20″ deep
C	Cabinet with hinge doors
L	Left hand hinge location
L	Laminate finish type
M	Metal interior option
T	Tab pull
V316	Cabinet finish
111	Pull finish

Specification Information

To order please specify pattern number including:

1. Finish type
2. Interior option
3. Pull option
4. Lock option, where applicable
5. Cabinet finish: V316
6. Pull finish

***After specifying product code, provide keying instructions.**

1. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

2. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

3. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)
V316

4. Lock options:
L = Lock hole drilled
N = No drilling

5. Cabinet finish: V316

6. Full finish:
Painted or Plated

8. Refer to page 480 for keying instructions.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Application Notes

Specify finish of metal shelves to match laminate.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2″ planning
49″ high, wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Open bookcase with two adjustable shelves	30″	15″	49″	**RC431B-( )( )**	$1,250.	$1,637.	$1,882.	$2,541.
	30″	20″	49″	**RC432B-( )( )**	1,393.	1,827.	2,099.	2,834.
	30″	24″	49″	**RC433B-( )( )**	1,552.	2,034.	2,341.	3,160.
	36″	15″	49″	**RC461B-( )( )**	1,373.	1,800.	2,070.	2,794.
	36″	20″	49″	**RC462B-( )( )**	1,532.	2,010.	2,308.	3,115.
	36″	24″	49″	**RC463B-( )( )**	1,708.	2,240.	2,574.	3,474.
	Open cabinets require no keying instructions							
Cabinet with hinge doors, two adjustable shelves (Requires one lock core per cabinet)	16″	20″	49″	**RC412C(L/R)-( )( )( )( )**	1,257.	1,648.	1,893.	2,556.
	16″	24″	49″	**RC413C(L/R)-( )( )( )( )**	1,371.	1,797.	2,066.	2,789.
	30″	20″	49″	**RC432C-( )( )( )( )**	1,777.	2,330.	2,680.	3,618.
	30″	24″	49″	**RC433C-( )( )( )( )**	1,953.	2,562.	2,944.	3,974.
	36″	20″	49″	**RC462C-( )( )( )( )**	1,958.	2,565.	2,953.	3,986.
	36″	24″	49″	**RC463C-( )( )( )( )**	2,148.	2,817.	3,241.	4,375.
Wardrobe for coat rod and boot tray* (Requires one lock core per cabinet)	30″	20″	49″	**RC432D-( )W( )( )**	1,623.	2,126.	2,445.	3,302.
	30″	24″	49″	**RC433D-( )W( )( )**	1,772.	2,324.	2,675.	3,610.
	36″	20″	49″	**RC462D-( )W( )( )**	1,783.	2,340.	2,690.	3,631.
	36″	24″	49″	**RC463D-( )W( )( )**	1,950.	2,559.	2,941.	3,971.

Order Code

Example:	**RC412CLLWDL**
R	Reff
C	Cabinets
4	49″ high
1	16″ wide
2	20″ deep
C	Cabinet with hinge doors
L	Left hand hinge location
L	Laminate finish type
W	Wood interior option
D	Metal D-pull
L	Lock hole drilled

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, where applicable
6. Finish, cabinet
7. Finish, pull when applicable
8. Keying instructions

***After specifying product code, provide keying instructions.**

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No drilling

8. Refer to page 480 for keying instructions.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Application Notes

Specify finish of metal shelves to match laminate.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2″ planning
49″ high, wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
4-drawer lateral file with anti-tip bar device (Requires one lock core per cabinet)	30″	20″	49″	**RC432F-( )( )( )L**	$2,050.	$2,688.	$3,091.	$4,173.
	30″	24″	49″	**RC433F-( )( )( )L**	2,251.	2,955.	3,392.	4,579.
	36″	20″	49″	**RC462F-( )( )( )L**	2,564.	3,359.	3,862.	5,215.
	36″	24″	49″	**RC463F-( )( )( )L**	2,817.	3,691.	4,245.	5,731.



Order Code

Example:	**RC412CLLWDL**
R	Reff
C	Cabinets
4	49″ high
1	16″ wide
2	20″ deep
C	Cabinet with hinge doors
L	Left hand hinge location
L	Laminate finish type
W	Wood interior option
D	Metal D-pull
L	Lock hole drilled

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, where applicable
6. Finish, cabinet
7. Finish, pull when applicable
8. Keying instructions

***After specifying product code, provide keying instructions.**

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No drilling

8. Refer to page 480 for keying instructions.

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Application Notes

Specify finish of metal shelves to match laminate.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

*Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2″ planning
64″ high, metal interior

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with three adjustable shelves	30″	15″	64″	**RC631B-( )( )( )N**	$1,431.	$1,878.	$2,161.	$2,917.
	30″	20″	64″	**RC632B-( )( )( )N**	1,611.	2,112.	2,429.	3,278.
	30″	24″	64″	**RC633B-( )( )( )N**	1,791.	2,349.	2,703.	3,648.
	36″	15″	64″	**RC661B-( )( )( )N**	1,643.	2,153.	2,477.	3,343.
	36″	20″	64″	**RC662B-( )( )( )N**	1,827.	2,392.	2,754.	3,716.
	36″	24″	64″	**RC663B-( )( )( )N**	2,012.	2,638.	3,033.	4,095.
	Open cabinets require no keying instructions. Metal interiors mean shelves metal.							
Cabinet with hinged doors three adjustable shelves	16″	20″	64″	**RC612C(L/R)-( )( )( )( )**	1,677.	2,193.	2,524.	3,407.
	16″	24″	64″	**RC613C(L/R)-( )( )( )( )**	1,869.	2,450.	2,817.	3,803.
	30″	20″	64″	**RC632C-( )( )( )( )**	2,223.	2,914.	3,350.	4,523.
	30″	24″	64″	**RC633C-( )( )( )( )**	2,455.	3,220.	3,698.	4,992.
	36″	20″	64″	**RC662C-( )( )( )( )**	2,430.	3,184.	3,661.	4,942.
	36″	24″	64″	**RC663C-( )( )( )( )**	2,661.	3,491.	4,013.	5,419.
	Metal interiors mean shelves metal.							
Cabinet with 4 files and (2) 15″ doors at top	30″	20″	64″	**RC632F-( )( )( )( )**	2,661.	3,491.	4,013.	5,419.
	30″	24″	64″	**RC633F-( )( )( )( )**	2,941.	3,854.	4,434.	5,984.
	36″	20″	64″	**RC662F-( )( )( )( )**	2,941.	3,854.	4,434.	5,984.
	36″	24″	64″	**RC663F-( )( )( )( )**	3,249.	4,257.	4,894.	6,608.
	Requires two lock cores per cabinet interior height clearance top drawer 10″, all others 10¾″							

Order Code

Example:	**RC612LLMJN**
R	Reff
C	Cabinets
6	64″ high
1	16″ wide
2	20″ deep
L	Left hand hinge location
L	Laminate finish type
M	Metal interior
J	Routed pull
N	No lock drilling

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, where applicable
6. Finish, cabinet
7. Finish, pull when applicable
8. Keying instructions

***After specifying product code, provide keying instructions.**

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

8. Refer to page 480 for keying instructions.

Specify shelf paint finish on open cabinets with metal interiors.

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

**Note:*
Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2″ planning
64″ high, metal interior

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with full height doors half wardrobe and half shelves	30″	20″	64″	**RC632E(L/R)-( )( )( )( )**	$2,582.	$3,383.	$3,889.	$5,251.
	30″	24″	64″	**RC633E(L/R)-( )( )( )( )**	2,864.	3,753.	4,317.	5,827.
	36″	20″	64″	**RC662E(L/R)-( )( )( )( )**	2,853.	3,738.	4,303.	5,808.
	36″	24″	64″	**RC663E(L/R)-( )( )( )( )**	3,164.	4,148.	4,769.	6,438.



Left hand shown

Requires one lock core per cabinet
Shelves painted metal

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with two open adjustable shelves, two hinged 22 1/2″ doors	30″	20″	64″	**RC632H-( )( )( )( )**	1,980.	2,598.	2,987.	4,032.
	30″	24″	64″	**RC633H-( )( )( )( )**	2,189.	2,866.	3,298.	4,453.
	36″	20″	64″	**RC662H-( )( )( )( )**	2,189.	2,866.	3,298.	4,453.
	36″	24″	64″	**RC663H-( )( )( )( )**	2,396.	3,141.	3,612.	4,877.



Requires one lock core per cabinet
Shelves painted metal

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with hinged 37 1/2″H doors, two adjustable shelves, two file drawers	16″	20″	64″	**RC612G(L/R)-( )( )( )( )**	2,020.	2,644.	3,042.	4,107.
	16″	24″	64″	**RC613G(L/R)-( )( )( )( )**	2,230.	2,923.	3,360.	4,536.
	30″	20″	64″	**RC632G-( )( )( )( )**	2,558.	3,352.	3,854.	5,203.
	30″	24″	64″	**RC633G-( )( )( )( )**	2,846.	3,727.	4,287.	5,788.
	36″	20″	64″	**RC662G-( )( )( )( )**	2,826.	3,702.	4,258.	5,749.
	36″	24″	64″	**RC663G-( )( )( )( )**	3,143.	4,119.	4,736.	6,392.



Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code

Example:	**RC612LLMJN**
R	Reff
C	Cabinets
6	64″ high
1	16″ wide
2	20″ deep
L	Left hand hinge location
L	Laminate finish type
M	Metal interior
J	Routed pull
N	No lock drilling

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, where applicable
6. Finish, cabinet
7. Finish, pull when applicable
8. Keying instructions

***After specifying product code, provide keying instructions.**

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

8. Refer to page 480 for keying instructions.

Specify shelf paint finish on open cabinets with metal interiors.

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

**Note:*
Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2″ planning
64″ high, metal interior

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with BBF below and hinged doors above	16″	20″	64″	**RC612P(L/R)-( )( )( )( )**	$2,082.	$2,727.	$3,136.	$4,234.
	16″	24″	64″	**RC613P(L/R)-( )( )( )( )**	2,311.	3,031.	3,481.	4,700.
	30″	20″	64″	**RC632P-( )( )( )( )**	2,451.	3,212.	3,694.	4,987.
	30″	24″	64″	**RC633P-( )( )( )( )**	2,704.	3,546.	4,077.	5,504.
	36″	20″	64″	**RC662P-( )( )( )( )**	2,711.	3,553.	4,086.	5,517.
	36″	24″	64″	**RC663P-( )( )( )( )**	2,989.	3,916.	4,507.	6,084.



Requires two lock cores per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code

Example:	**RC612LLMJN**
R	Reff
C	Cabinets
6	64″ high
1	16″ wide
2	20″ deep
L	Left hand hinge location
L	Laminate finish type
M	Metal interior
J	Routed pull
N	No lock drilling

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, where applicable
6. Finish, cabinet
7. Finish, pull when applicable
8. Keying instructions

***After specifying product code, provide keying instructions.**

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

8. Refer to page 480 for keying instructions.

Specify shelf paint finish on open cabinets with metal interiors.

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

**Note:*
Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2″ planning
64″ high, wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with three adjustable shelves 	30″	15″	64″	**RC631B-( )( )( )N**	$1,566.	$2,052.	$2,362.	$3,189.
	30″	20″	64″	**RC632B-( )( )( )N**	1,746.	2,289.	2,633.	3,556.
	30″	24″	64″	**RC633B-( )( )( )N**	1,926.	2,524.	2,903.	3,919.
	36″	15″	64″	**RC661B-( )( )( )N**	1,776.	2,328.	2,679.	3,615.
	36″	20″	64″	**RC662B-( )( )( )N**	1,960.	2,568.	2,956.	3,990.
	36″	24″	64″	**RC663B-( )( )( )N**	2,146.	2,814.	3,234.	4,367.
	Open cabintes require no keying instructions							
Cabinet with hinged doors three adjustable shelves 	16″	20″	64″	**RC612C(L/R)-( )( )( )( )**	1,809.	2,371.	2,727.	3,681.
	16″	24″	64″	**RC613C(L/R)-( )( )( )( )**	2,005.	2,626.	3,018.	4,074.
	30″	20″	64″	**RC632C-( )( )( )**	2,356.	3,088.	3,553.	4,795.
	30″	24″	64″	**RC633C-( )( )( )**	2,589.	3,395.	3,903.	5,269.
	36″	20″	64″	**RC662C-( )( )( )**	2,564.	3,359.	3,862.	5,215.
	36″	24″	64″	**RC663C-( )( )( )**	2,797.	3,666.	4,216.	5,691.
Cabinet with hinged doors for coat rod and boot tray* 	16″	20″	64″	**RC612D(L/R)-( )( )( )( )**	1,584.	2,075.	2,385.	3,221.
	16″	24″	64″	**RC613D(L/R)-( )( )( )( )**	1,735.	2,274.	2,616.	3,531.
	30″	20″	64″	**RC632D-( )( )( )**	1,935.	2,535.	2,917.	3,939.
	30″	24″	64″	**RC633D-( )( )( )**	1,993.	2,616.	3,006.	4,058.
	36″	20″	64″	**RC662D-( )( )( )**	2,142.	2,809.	3,231.	4,361.
	36″	24″	64″	**RC663D-( )( )( )**	2,189.	2,889.	3,320.	4,481.
	Requires one lock core per cabinet							

Order Code

Example:	**RC612LLWJN**
R	Reff
C	Cabinets
6	64″ high
1	16″ wide
2	20″ deep
L	Left hand hinge location
L	Laminate finish type
W	Wood interior
J	Routed pull
N	No lock drilling

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, where applicable
6. Finish, cabinet
7. Finish, pull when applicable
8. Keying instructions

***After specifying product code, provide keying instructions.**

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

8. Refer to page 480 for keying instructions.

Specify shelf paint finish on open cabinets with metal interiors.

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

**Note:*
Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2″ planning
64″ high, wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with 4 files and (2) 15″ doors at top	30″	20″	64″	**RC632F-( )( )( )( )**	$2,797.	$3,666.	$4,216.	$5,691.
	30″	24″	64″	**RC633F-( )( )( )( )**	3,075.	4,029.	4,633.	6,254.
	36″	20″	64″	**RC662F-( )( )( )( )**	3,075.	4,029.	4,633.	6,254.
	36″	24″	64″	**RC663F-( )( )( )( )**	3,383.	4,436.	5,099.	6,884.
	Requires two lock cores per cabinet Interior height clearance top drawer 10″, all others 10 3/4″							
Cabinet with full height doors half wardrobe and half shelves	30″	20″	64″	**RC632E(L/R)-( )( )( )( )**	2,717.	3,560.	4,093.	5,526.
	30″	24″	64″	**RC633E(L/R)-( )( )( )( )**	2,997.	3,930.	4,518.	6,099.
	36″	20″	64″	**RC662E(L/R)-( )( )( )( )**	2,988.	3,914.	4,506.	6,083.
	36″	24″	64″	**RC663E(L/R)-( )( )( )( )**	3,297.	4,324.	4,972.	6,713.
Left hand shown	Requires one lock core per cabinet							
Cabinet with two open adjustable shelves, two hinged 22 1/2″ doors	30″	20″	64″	**RC632H-( )( )( )( )**	2,115.	2,775.	3,191.	4,308.
	30″	24″	64″	**RC633H-( )( )( )( )**	2,322.	3,044.	3,502.	4,727.
	36″	20″	64″	**RC662H-( )( )( )( )**	2,322.	3,044.	3,502.	4,727.
	36″	24″	64″	**RC663H-( )( )( )( )**	2,529.	3,317.	3,812.	5,146.
	Requires one lock core per cabinet							

Order Code

Example:	**RC612LLWJN**
R	Reff
C	Cabinets
6	64″ high
1	16″ wide
2	20″ deep
L	Left hand hinge location
L	Laminate finish type
W	Wood interior
J	Routed pull
N	No lock drilling

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, where applicable
6. Finish, cabinet
7. Finish, pull when applicable
8. Keying instructions

***After specifying product code, provide keying instructions.**

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

8. Refer to page 480 for keying instructions.

Specify shelf paint finish on open cabinets with metal interiors.

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

**Note:*
Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2″ planning
64″ high, wood interior

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with hinged 37 ½″H doors, two adjustable shelves, two file drawers 	16″	20″	64″	**RC612G(L/R)-( )( )( )( )**	$2,152.	$2,821.	$3,244.	$4,379.
	16″	24″	64″	**RC613G(L/R)-( )( )( )( )**	2,366.	3,098.	3,565.	4,812.
	30″	20″	64″	**RC632G-( )( )( )( )**	2,692.	3,528.	4,056.	5,475.
	30″	24″	64″	**RC633G-( )( )( )( )**	2,978.	3,903.	4,489.	6,061.
	36″	20″	64″	**RC662G-( )( )( )( )**	2,961.	3,879.	4,462.	6,024.
	36″	24″	64″	**RC663G-( )( )( )( )**	3,276.	4,294.	4,940.	6,670.
	Requires two lock cores per cabinet							
Cabinet with two sets of hinged doors, two pull-out shelves and ventilation Audio visual cabinet 	30″	20″	64″	**RC632I-( )( )( )( )**	2,965.	3,885.	4,468.	6,032.
	30″	24″	64″	**RC633I-( )( )( )( )**	3,263.	4,276.	4,921.	6,642.
	36″	20″	64″	**RC662I-( )( )( )( )**	3,171.	4,158.	4,781.	6,454.
	36″	24″	64″	**RC663I-( )( )( )( )**	3,470.	4,550.	5,229.	7,060.
	Requires two lock cores per cabinet							
Cabinet with BBF below and hinged doors above 	16″	20″	64″	**RC612P(L/R)-( )( )( )( )**	2,217.	2,903.	3,338.	4,507.
	16″	24″	64″	**RC613P(L/R)-( )( )( )( )**	2,445.	3,204.	3,686.	4,977.
	30″	20″	64″	**RC632P-( )( )( )( )**	2,586.	3,390.	3,899.	5,263.
	30″	24″	64″	**RC633P-( )( )( )( )**	2,841.	3,723.	4,278.	5,775.
	36″	20″	64″	**RC662P-( )( )( )( )**	2,847.	3,728.	4,289.	5,791.
	36″	24″	64″	**RC663P-( )( )( )( )**	3,121.	4,096.	4,708.	6,355.
	Requires two lock cores per cabinet							

Order Code

Example:	**RC612LLWJN**
R	Reff
C	Cabinets
6	64″ high
1	16″ wide
2	20″ deep
L	Left hand hinge location
L	Laminate finish type
W	Wood interior
J	Routed pull
N	No lock drilling

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, where applicable
6. Finish, cabinet
7. Finish, pull when applicable
8. Keying instructions

***After specifying product code, provide keying instructions.**

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

8. Refer to page 480 for keying instructions.

Specify shelf paint finish on open cabinets with metal interiors.

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

**Note:*
Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2″ planning
72″ high, metal interiors

description	width	depth	height	pattern number	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with open shelving	30″	20″	72″	**RC732B-( )( )**	$1,790.	$2,348.	$2,701.	$3,647.
	30″	24″	72″	**RC733B-( )( )**	1,985.	2,600.	2,992.	4,040.
	36″	20″	72″	**RC762B-( )( )**	2,026.	2,655.	3,054.	4,123.
	36″	24″	72″	**RC763B-( )( )**	2,221.	2,909.	3,346.	4,519.
	Open cabinets require no keying instructions Shelves painted metal							
Cabinet with hinged doors and shelves	16″	20″	72″	**RC712C(L/R)-( )( )( )( )**	1,887.	2,472.	2,845.	3,841.
	16″	24″	72″	**RC713C(L/R)-( )( )( )( )**	2,095.	2,746.	3,157.	4,261.
	30″	20″	72″	**RC732C-( )( )( )( )**	2,463.	3,230.	3,714.	5,015.
	30″	24″	72″	**RC733C-( )( )( )( )**	2,733.	3,581.	4,119.	5,560.
	36″	20″	72″	**RC762C-( )( )( )( )**	2,723.	3,571.	4,106.	5,542.
	36″	24″	72″	**RC763C-( )( )( )( )**	3,022.	3,957.	4,553.	6,147.
	Requires one lock core per cabinet Shelves painted metal							

Order Code

Example:	**RC732BLMNN**
R	Reff
C	Cabinets
7	72″ high
3	30″ wide
2	20″ deep
B	Full bookcase
L	Laminate finish
M	Metal interior
N	No drilling
N	No drilling

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, where applicable
6. Finish, cabinet
7. Finish, pull when applicable
8. Left hand side of cabinet drilling:
   N = No drilling
   Size to drill for each workwall:
   S0 = 19″H x 15″D
   S1 = 19″H x 20″D
   T0 = 23″H x 15″D
   T1 = 23″H x 20″D
9. Right hand side of cabinet drilling: same as #8 above.
10. Keying instructions

*After specifying product code, provide keying instructions.

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

10. Refer to page 480 for keying instructions.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

For wall hung overhead compatibility, please refer page 342.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2″ planning
72″ high, metal interiors

description	width	depth	height	pattern number	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with full height doors, half wardrobe, and half shelves	30″	20″	72″	**RC732E(L/R)-( )( )( )**	$2,896.	$3,794.	$4,367.	$5,894.
	30″	24″	72″	**RC733E(L/R)-( )( )( )**	3,239.	4,244.	4,883.	6,591.
	36″	20″	72″	**RC762E(L/R)-( )( )( )**	3,175.	4,160.	4,784.	6,457.
	36″	24″	72″	**RC763E(L/R)-( )( )( )**	3,543.	4,650.	5,343.	7,214.

Requires one lock core per cabinet
Shelves painted metal



Left hand shown

Order Code

Example:	**RC732BLMNN**
R	Reff
C	Cabinets
7	72″ high
3	30″ wide
2	20″ deep
B	Full bookcase
L	Laminate finish
M	Metal interior
N	No drilling
N	No drilling

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, where applicable
6. Finish, cabinet
7. Finish, pull when applicable
8. Left hand side of cabinet drilling:
   N = No drilling
   Size to drill for each workwall:
   S0 = 19″H x 15″D
   S1 = 19″H x 20″D
   T0 = 23″H x 15″D
   T1 = 23″H x 20″D
9. Right hand side of cabinet drilling: same as #8 above.
10. Keying instructions

*After specifying product code, provide keying instructions.

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

10. Refer to page 480 for keying instructions.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

For wall hung overhead compatibility, please refer page 342.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2″ planning
72″ high, metal interiors

description	width	depth	height	pattern number	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with four files and hinged doors above.	30″	20″	72″	**RC732F-( )( )( )( )**	$2,941.	$3,854.	$4,434.	$5,984.
	30″	24″	72″	**RC733F-( )( )( )( )**	3,268.	4,281.	4,924.	6,647.
	36″	20″	72″	**RC762F-( )( )( )( )**	3,249.	4,257.	4,894.	6,608.
	36″	24″	72″	**RC763F-( )( )( )( )**	3,606.	4,728.	5,436.	7,338.

Requires two lock cores per cabinet
interior height clearance top drawer 10″, all others 10 3/4″
Shelves painted metal

Order Code

Example:	**RC732BLMNN**
R	Reff
C	Cabinets
7	72″ high
3	30″ wide
2	20″ deep
B	Full bookcase
L	Laminate finish
M	Metal interior
N	No drilling
N	No drilling

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, where applicable
6. Finish, cabinet
7. Finish, pull when applicable
8. Left hand side of cabinet drilling:
   N = No drilling
   Size to drill for each workwall:
   S0 = 19″H x 15″D
   S1 = 19″H x 20″D
   T0 = 23″H x 15″D
   T1 = 23″H x 20″D
9. Right hand side of cabinet drilling: same as #8 above.
10. Keying instructions

*After specifying product code, provide keying instructions.

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

10. Refer to page 480 for keying instructions.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

For wall hung overhead compatibility, please refer page 342.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2″ planning
72″ high, metal interiors

description	width	depth	height	pattern number	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with two files and hinged doors above	16″	20″	72″	**RC712G(L/R)-( )( )( )( )**	$2,137.	$2,798.	$3,221.	$4,347.
	16″	24″	72″	**RC713G(L/R)-( )( )( )( )**	2,342.	3,106.	3,572.	4,821.
	30″	20″	72″	**RC732G-( )( )( )( )**	2,712.	3,557.	4,088.	5,520.
	30″	24″	72″	**RC733G-( )( )( )( )**	2,983.	3,909.	4,493.	6,067.
	36″	20″	72″	**RC762G-( )( )( )( )**	2,946.	3,860.	4,441.	5,995.
	36″	24″	72″	**RC763G-( )( )( )( )**	3,217.	4,217.	4,849.	6,546.

Requires two lock cores per cabinet
Shelves painted metal

Order Code

Example:	**RC732BLMNN**
R	Reff
C	Cabinets
7	72″ high
3	30″ wide
2	20″ deep
B	Full bookcase
L	Laminate finish
M	Metal interior
N	No drilling
N	No drilling

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, where applicable
6. Finish, cabinet
7. Finish, pull when applicable
8. Left hand side of cabinet drilling:
   N = No drilling
   Size to drill for each workwall:
   S0 = 19″H x 15″D
   S1 = 19″H x 20″D
   T0 = 23″H x 15″D
   T1 = 23″H x 20″D
9. Right hand side of cabinet drilling: same as #8 above.
10. Keying instructions

*After specifying product code, provide keying instructions.

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

10. Refer to page 480 for keying instructions.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

For wall hung overhead compatibility, please refer page 342.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2″ planning
72″ high, metal interiors

description	width	depth	height	pattern number	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet with hinged doors below and open shelf above. 	30″	20″	72″	**RC732H-( )( )( )( )**	$2,366.	$3,097.	$3,563.	$4,810.
	30″	24″	72″	**RC733H-( )( )( )( )**	2,615.	3,423.	3,937.	5,316.
	36″	20″	72″	**RC762H-( )( )( )( )**	2,599.	3,404.	3,913.	5,283.
	36″	24″	72″	**RC763H-( )( )( )( )**	2,850.	3,729.	4,290.	5,792.
	Requires one lock core per cabinet Shelves painted metal							
Cabinet with BBF below and hinged doors above 	16″	20″	72″	**RC712P(L/R)-( )( )( )( )**	2,219.	2,905.	3,342.	4,512.
	16″	24″	72″	**RC713P(L/R)-( )( )( )( )**	2,445.	3,204.	3,686.	4,977.
	30″	20″	72″	**RC732P-( )( )( )( )**	2,618.	3,430.	3,946.	5,328.
	30″	24″	72″	**RC733P-( )( )( )( )**	2,888.	3,786.	4,353.	5,876.
	36″	20″	72″	**RC762P-( )( )( )( )**	2,893.	3,791.	4,358.	5,884.
	36″	24″	72″	**RC763P-( )( )( )( )**	3,192.	4,179.	4,808.	6,491.
	Requires two lock cores per cabinet Shelves and drawer interiors metal							

Order Code

Example:	**RC732BLMNN**
R	Reff
C	Cabinets
7	72″ high
3	30″ wide
2	20″ deep
B	Full bookcase
L	Laminate finish
M	Metal interior
N	No drilling
N	No drilling

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, where applicable
6. Finish, cabinet
7. Finish, pull when applicable
8. Left hand side of cabinet drilling:
   N = No drilling
   Size to drill for each workwall:
   S0 = 19″H x 15″D
   S1 = 19″H x 20″D
   T0 = 23″H x 15″D
   T1 = 23″H x 20″D
9. Right hand side of cabinet drilling: same as #8 above.
10. Keying instructions

*After specifying product code, provide keying instructions.

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

10. Refer to page 480 for keying instructions.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

For wall hung overhead compatibility, please refer page 342.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2″ planning
72″ high, wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with open shelving	30″	20″	72″	**RC732B-( )( )**	$1,924.	$2,523.	$2,901.	$3,916.
	30″	24″	72″	**RC733B-( )( )**	2,118.	2,778.	3,193.	4,311.
	36″	20″	72″	**RC762B-( )( )**	2,161.	2,832.	3,256.	4,395.
	36″	24″	72″	**RC763B-( )( )**	2,354.	3,086.	3,548.	4,791.
	Open cabinets require no keying instructions							
Cabinet with hinged doors and shelves	16″	20″	72″	**RC712C(L/R)-( )( )( )( )**	2,023.	2,649.	3,046.	4,112.
	16″	24″	72″	**RC713C(L/R)-( )( )( )( )**	2,228.	2,922.	3,359.	4,534.
	30″	20″	72″	**RC732C-( )( )( )( )**	2,598.	3,404.	3,913.	5,283.
	30″	24″	72″	**RC733C-( )( )( )( )**	2,868.	3,759.	4,323.	5,836.
	36″	20″	72″	**RC762C-( )( )( )( )**	2,856.	3,745.	4,307.	5,814.
	36″	24″	72″	**RC763C-( )( )( )( )**	3,156.	4,136.	4,755.	6,420.
	Requires one lock core per cabinet							

Order Code

Example:	**RC732BLWNN**
R	Reff
C	Cabinets
7	72″ high
3	30″ wide
2	20″ deep
B	Full bookcase
L	Laminate finish
W	Wood interior
N	No drilling
N	No drilling

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, where applicable
6. Finish, cabinet
7. Finish, pull when applicable
8. Left hand side of cabinet drilling:
   N = No drilling
   Size to drill for each workwall:
   S0 = 19″H x 15″D
   S1 = 19″H x 20″D
   T0 = 23″H x 15″D
   T1 = 23″H x 20″D
9. Right hand side of cabinet drilling: same as #8 above.
10. Keying instructions

*After specifying product code, provide keying instructions.

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

10. Refer to page 480 for keying instructions.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2″ planning
72″ high, wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with full height doors, half wardrobe, and half shelves	30″	20″	72″	**RC732E(L/R)-( )( )( )( )**	$3,029.	$3,971.	$4,566.	$6,164.
	30″	24″	72″	**RC733E(L/R)-( )( )( )( )**	3,372.	4,421.	5,084.	6,863.
	36″	20″	72″	**RC762E(L/R)-( )( )( )( )**	3,309.	4,336.	4,988.	6,734.
	36″	24″	72″	**RC763E(L/R)-( )( )( )( )**	3,680.	4,823.	5,548.	7,489.

Requires one lock core per cabinet



Left hand shown

Order Code

Example:	**RC732BLWNN**
R	Reff
C	Cabinets
7	72″ high
3	30″ wide
2	20″ deep
B	Full bookcase
L	Laminate finish
W	Wood interior
N	No drilling
N	No drilling

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, where applicable
6. Finish, cabinet
7. Finish, pull when applicable
8. Left hand side of cabinet drilling:
   N = No drilling
   Size to drill for each workwall:
   S0 = 19″H x 15″D
   S1 = 19″H x 20″D
   T0 = 23″H x 15″D
   T1 = 23″H x 20″D
9. Right hand side of cabinet drilling: same as #8 above.
10. Keying instructions

*After specifying product code, provide keying instructions.

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

10. Refer to page 480 for keying instructions.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2″ planning
72″ high, wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with four files and hinged doors above.	30″	20″	72″	**RC732F-( )( )( )( )**	$3,075.	$4,029.	$4,633.	$6,254.
	30″	24″	72″	**RC733F-( )( )( )( )**	3,402.	4,458.	5,125.	6,918.
	36″	20″	72″	**RC762F-( )( )( )( )**	3,383.	4,436.	5,112.	6,901.
	36″	24″	72″	**RC763F-( )( )( )( )**	3,739.	4,902.	5,640.	7,615.

Requires two lock cores per cabinet
interior height clearance top drawer 10″, all others 10 3/4″

Order Code

Example:	**RC732BLWNN**
R	Reff
C	Cabinets
7	72″ high
3	30″ wide
2	20″ deep
B	Full bookcase
L	Laminate finish
W	Wood interior
N	No drilling
N	No drilling

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, where applicable
6. Finish, cabinet
7. Finish, pull when applicable
8. Left hand side of cabinet drilling:
   N = No drilling
   Size to drill for each workwall:
   S0 = 19″H x 15″D
   S1 = 19″H x 20″D
   T0 = 23″H x 15″D
   T1 = 23″H x 20″D
9. Right hand side of cabinet drilling: same as #8 above.
10. Keying instructions

*After specifying product code, provide keying instructions.

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

10. Refer to page 480 for keying instructions.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2″ planning
72″ high, wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with two files and hinged doors above	16″	20″	72″	**RC712G(L/R)-( )( )( )( )**	$2,272.	$2,977.	$3,423.	$4,620.
	16″	24″	72″	**RC713G(L/R)-( )( )( )( )**	2,504.	3,281.	3,773.	5,093.
	30″	20″	72″	**RC732G-( )( )( )( )**	2,848.	3,729.	4,290.	5,792.
	30″	24″	72″	**RC733G-( )( )( )( )**	3,116.	4,085.	4,696.	6,341.
	36″	20″	72″	**RC762G-( )( )( )( )**	3,081.	4,037.	4,643.	6,268.
	36″	24″	72″	**RC763G-( )( )( )( )**	3,353.	4,394.	5,053.	6,821.

Requires two lock cores per cabinet

Order Code

Example:	**RC732BLWNN**
R	Reff
C	Cabinets
7	72″ high
3	30″ wide
2	20″ deep
B	Full bookcase
L	Laminate finish
W	Wood interior
N	No drilling
N	No drilling

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, where applicable
6. Finish, cabinet
7. Finish, pull when applicable
8. Left hand side of cabinet drilling:
   N = No drilling
   Size to drill for each workwall:
   S0 = 19″H x 15″D
   S1 = 19″H x 20″D
   T0 = 23″H x 15″D
   T1 = 23″H x 20″D
9. Right hand side of cabinet drilling: same as #8 above.
10. Keying instructions

*After specifying product code, provide keying instructions.

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

10. Refer to page 480 for keying instructions.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2″ planning
72″ high, wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with hinged doors below and open shelf above. 	30″	20″	72″	**RC732H-( )( )( )( )**	$2,494.	$3,271.	$3,763.	$5,079.
	30″	24″	72″	**RC733H-( )( )( )( )**	2,743.	3,598.	4,137.	5,585.
	36″	20″	72″	**RC762H-( )( )( )( )**	2,730.	3,576.	4,113.	5,553.
	36″	24″	72″	**RC763H-( )( )( )( )**	2,978.	3,903.	4,489.	6,061.
	Requires one lock core per cabinet							
Wardrobe cabinet 	16″	20″	72″	**RC712D(L/R)-( )( )( )( )**	1,699.	2,228.	2,562.	3,459.
	16″	24″	72″	**RC713D(L/R)-( )( )( )( )**	1,870.	2,451.	2,818.	3,804.
	30″	20″	72″	**RC732D-( )( )( )( )**	2,140.	2,805.	3,224.	4,352.
	30″	24″	72″	**RC733D-( )( )( )( )**	2,351.	3,082.	3,544.	4,786.
	36″	20″	72″	**RC762D-( )( )( )( )**	2,352.	3,084.	3,547.	4,790.
	36″	24″	72″	**RC763D-( )( )( )( )**	2,586.	3,390.	3,899.	5,263.
	Requires one lock core per cabinet. Order coat rod and boot tray from accessories							

Order Code

Example:	**RC732BLWNN**
R	Reff
C	Cabinets
7	72″ high
3	30″ wide
2	20″ deep
B	Full bookcase
L	Laminate finish
W	Wood interior
N	No drilling
N	No drilling

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, where applicable
6. Finish, cabinet
7. Finish, pull when applicable
8. Left hand side of cabinet drilling:
   N = No drilling
   Size to drill for each workwall:
   S0 = 19″H x 15″D
   S1 = 19″H x 20″D
   T0 = 23″H x 15″D
   T1 = 23″H x 20″D
9. Right hand side of cabinet drilling: same as #8 above.
10. Keying instructions

*After specifying product code, provide keying instructions.

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

10. Refer to page 480 for keying instructions.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2″ planning
72″ high, wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Audio visual cabinet with two sets of hinged doors, two pull out shelves and ventilation	30″	20″	72″	**RC732I-( )( )( )( )**	$3,286.	$4,305.	$4,950.	$6,683.
	30″	24″	72″	**RC733I-( )( )( )( )**	3,626.	4,753.	5,468.	7,381.
	36″	20″	72″	**RC762I-( )( )( )( )**	3,564.	4,672.	5,374.	7,255.
	36″	24″	72″	**RC763I-( )( )( )( )**	3,935.	5,159.	5,934.	8,010.
	Requires two lock cores per cabinet Hinge opening 110°							
Cabinet with BBF below and hinged doors above	16″	20″	72″	**RC712P(L/R)-( )( )( )( )**	2,351.	3,082.	3,544.	4,786.
	16″	24″	72″	**RC713P(L/R)-( )( )( )( )**	2,580.	3,382.	3,888.	5,250.
	30″	20″	72″	**RC732P-( )( )( )( )**	2,754.	3,609.	4,150.	5,603.
	30″	24″	72″	**RC733P-( )( )( )( )**	3,023.	3,961.	4,554.	6,149.
	36″	20″	72″	**RC762P-( )( )( )( )**	3,027.	3,966.	4,561.	6,158.
	36″	24″	72″	**RC763P-( )( )( )( )**	3,325.	4,357.	5,011.	6,766.
	Requires two lock cores per cabinet							

Order Code

Example:	**RC732BLWNN**
R	Reff
C	Cabinets
7	72″ high
3	30″ wide
2	20″ deep
B	Full bookcase
L	Laminate finish
W	Wood interior
N	No drilling
N	No drilling

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, where applicable
6. Finish, cabinet
7. Finish, pull when applicable
8. Left hand side of cabinet drilling:
   N = No drilling
   Size to drill for each workwall:
   S0 = 19″H x 15″D
   S1 = 19″H x 20″D
   T0 = 23″H x 15″D
   T1 = 23″H x 20″D
9. Right hand side of cabinet drilling: same as #8 above.
10. Keying instructions

*After specifying product code, provide keying instructions.

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

10. Refer to page 480 for keying instructions.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2″ planning
Freestanding Multifuction Cabinets
49″, 64″ and 72″ high metal interiors

description	type	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Freestanding multifunctional cabinet, 49″h	File/File	24″	24″	49″	**RC423M( )( )( )( )**	$2,612.	$3,626.	$4,201.	$5,041.
	Box/Box/File	24″	24″	49″	**RC423N( )( )( )( )**	2,796.	3,818.	4,417.	5,300.
Freestanding multifunctional cabinet, 64″h	File/File	24″	24″	64″	**RC623M( )( )( )( )**	2,814.	3,941.	4,677.	5,612.
	Box/Box/File	24″	24″	64″	**RC623N( )( )( )( )**	2,999.	4,133.	4,866.	5,839.

Order Code

Example:	**RC732BLMNN**
R	Reff
C	Cabinets
7	72″ high
3	30″ wide
2	20″ deep
B	Full bookcase
L	Laminate finish
M	Metal interior
N	No drilling
N	No drilling

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, where applicable
6. Finish, cabinet
7. Finish, pull when applicable
8. Left hand side of cabinet drilling:
   N = No drilling
   Size to drill for each workwall:
   S0 = 19″H x 15″D
   S1 = 19″H x 20″D
   T0 = 23″H x 15″D
   T1 = 23″H x 20″D
9. Right hand side of cabinet drilling: same as #8 above.
10. Keying instructions

*After specifying product code, provide keying instructions.

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

10. Refer to page 480 for keying instructions.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2″ planning
Freestanding Multifuction Cabinets
49″, 64″ and 72″ high metal interiors

description	type	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Freestanding multifunctional cabinet, 72″h	File/File	24″	24″	72″	**RC723M( )( )( )( )**	$2,957.	$4,141.	$4,946.	$5,935.
	Box/Box/File	24″	24″	72″	**RC723N( )( )( )( )**	3,141.	4,334.	5,142.	6,170.



Order Code

Example:	**RC732BLMNN**
R	Reff
C	Cabinets
7	72″ high
3	30″ wide
2	20″ deep
B	Full bookcase
L	Laminate finish
M	Metal interior
N	No drilling
N	No drilling

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, where applicable
6. Finish, cabinet
7. Finish, pull when applicable
8. Left hand side of cabinet drilling:
   N = No drilling
   Size to drill for each workwall:
   S0 = 19″H x 15″D
   S1 = 19″H x 20″D
   T0 = 23″H x 15″D
   T1 = 23″H x 20″D
9. Right hand side of cabinet drilling: same as #8 above.
10. Keying instructions

*After specifying product code, provide keying instructions.

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
M = Metal (If laminate case finish-shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

10. Refer to page 480 for keying instructions.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2″ planning
Freestanding Multifuction Cabinets
49″, 64″ and 72″ high wood interiros

description	type	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Freestanding multifunctional cabinet, 49″h	File/File	24″	24″	49″	**RC423M( )( )( )( )**	$3,006.	$4,021.	$4,596.	$5,515.
	Box/Box/File	24″	24″	49″	**RC423N( )( )( )( )**	3,371.	4,393.	4,992.	5,990.
Freestanding multifunctional cabinet, 64″h	File/File	24″	24″	64″	**RC623M( )( )( )( )**	3,209.	4,336.	5,072.	6,086.
	Box/Box/File	24″	24″	64″	**RC623N( )( )( )( )**	3,573.	4,708.	5,441.	6,529.

Order Code

Example:	**RC732BLWNN**
R	Reff
C	Cabinets
7	72″ high
3	30″ wide
2	20″ deep
B	Full bookcase
L	Laminate finish
W	Wood interior
N	No drilling
N	No drilling

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, where applicable
6. Finish, cabinet
7. Finish, pull when applicable
8. Left hand side of cabinet drilling:
   N = No drilling
   Size to drill for each workwall:
   S0 = 19″H x 15″D
   S1 = 19″H x 20″D
   T0 = 23″H x 15″D
   T1 = 23″H x 20″D
9. Right hand side of cabinet drilling: same as #8 above.
10. Keying instructions

*After specifying product code, provide keying instructions.

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

10. Refer to page 480 for keying instructions.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 26 1/2″ planning
Freestanding Multifuction Cabinets
49″, 64″ and 72″ high wood interiros

description	type	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Freestanding multifunctional cabinet, 72″h	File/File	24″	24″	72″	**RC723M( )( )( )( )**	$3,351.	$4,536.	$5,340.	$6,408.
	Box/Box/File	24″	24″	72″	**RC723N( )( )( )( )**	3,716.	4,909.	5,717.	6,860.



Order Code

Example:	**RC732BLWNN**
R	Reff
C	Cabinets
7	72″ high
3	30″ wide
2	20″ deep
B	Full bookcase
L	Laminate finish
W	Wood interior
N	No drilling
N	No drilling

Please note: Shelf adjustability is limited to approximately 2.5″ up or down per shelf from predetermined shelf height.

Specification Information

To order please specify pattern number including:

1. Hinge location, where applicable
2. Finish type
3. Interior option
4. Pull option
5. Lock option, where applicable
6. Finish, cabinet
7. Finish, pull when applicable
8. Left hand side of cabinet drilling:
   N = No drilling
   Size to drill for each workwall:
   S0 = 19″H x 15″D
   S1 = 19″H x 20″D
   T0 = 23″H x 15″D
   T1 = 23″H x 20″D
9. Right hand side of cabinet drilling: same as #8 above.
10. Keying instructions

*After specifying product code, provide keying instructions.

1. Hinge location:
L = Left hand
R = Right hand

2. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

3. Interior options:
W = Wood (shelves match case finish: L,V1,V2 or V3; drawer interiors cherry veneer)

4. Pull options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = S-pull (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lock drilling

10. Refer to page 480 for keying instructions.

Application Notes

Key alike are field installed using the KnollKey order form. Random locks are factory installed.

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders.

Hinge door cabinets have optional lock drilling which can be specified in the cabinet product code.

Wardrobe cabinets do not come equipped with coat rod and boot tray. Please specify separately. See page 402.

File drawers include file bars for front to back and side to side filing.

File drawers do not support bottom loading.

Applicable finishes are listed on page 5 and 6.

Cabinets, 28 3/8″ planning
72″ high, metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Open bookcase (for desk height planning)	30″	20″	72″	**RC7232DHB ( )( )**	$1,790.	$2,348.	$2,701.	$3,647.
	30″	24″	72″	**RC7233DHB ( )( )**	1,985.	2,600.	2,992.	4,040.
	36″	20″	72″	**RC7262DHB ( )( )**	2,026.	2,655.	3,054.	4,123.
	36″	24″	72″	**RC7263DHB ( )( )**	2,221.	2,909.	3,346.	4,519.
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30″	20″	72″	**RC7232DHFH ( )( )( )( )( )**	2,941.	3,854.	4,434.	5,984.
	30″	24″	72″	**RC7233DHFH ( )( )( )( )( )**	3,268.	4,218.	4,924.	6,647.
	36″	20″	72″	**RC7262DHFH ( )( )( )( )( )**	3,249.	4,257.	4,894.	6,608.
	36″	24″	72″	**RC7263DHFH ( )( )( )( )( )**	3,606.	4,728.	5,463.	7,338.

Order Code

Example:	**RC732DHB(2)(M)(V316)**
R	Reff
C	Cabinet
72	72″ h *(nominal)*
3	30″ w *(nominal)*
2	20″ d *(nominal)*
DH	Desk height
B	Open bookcase
2	Finish type, V2
M	Interior option, metal
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. *Hinge location (where applicable)*
   L = left hand
   R = right hand
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior Option*
   M = metal (metal shelves or metal drawers)
   (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
4. *Pull Option (where applicable)*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   R = Cylinder
   T = Tab
   F = Bar
   H = Out Line
5. *Lock option (where applicable)*
   Optional hinged door configurations only
   Drawers always lock drilled
   L = drilled to accept lock
   N = no drilling
6. *Cabinet finish*
7. *Optional pull finish where applicable*

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 480.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8″h pedestals and are intended for “desk height” planning applications. **Do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

Shelf adjustability is 2.5″ up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 402.

Cabinets, 28 3/8″ planning
72″ high, metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Storage w/upper hinged doors&2 adj shelves, bottom 2 file drawers (for desk height planning)	16″	20″	72″	**RC7212DHGH(L/R) ( )( )( )( )**	$2,137.	$2,798.	$3,221.	$4,347.
	16″	24″	72″	**RC7213DHGH(L/R) ( )( )( )( )**	2,342.	3,106.	3,572.	4,821.
	30″	20″	72″	**RC7232DHGH ( )( )( )( )**	2,712.	3,557.	4,088.	5,520.
	30″	24″	72″	**RC7233DHGH ( )( )( )( )**	2,983.	3,909.	4,493.	6,067.
	36″	20″	72″	**RC7262DHGH ( )( )( )( )**	2,946.	3,860.	4,441.	5,995.
	36″	24″	72″	**RC7263DHGH ( )( )( )( )**	3,217.	4,217.	4,849.	6,546.



Order Code

Example:	**RC732DHB(2)(M)(V316)**
R	Reff
C	Cabinet
72	72″ h *(nominal)*
3	30″ w *(nominal)*
2	20″ d *(nominal)*
DH	Desk height
B	Open bookcase
2	Finish type, V2
M	Interior option, metal
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. *Hinge location (where applicable)*
   L = left hand
   R = right hand
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior Option*
   M = metal (metal shelves or metal drawers)
   (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
4. *Pull Option (where applicable)*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   R = Cylinder
   T = Tab
   F = Bar
   H = Out Line
5. *Lock option (where applicable)*
   Optional hinged door configurations only
   Drawers always lock drilled
   L = drilled to accept lock
   N = no drilling
6. *Cabinet finish*
7. *Optional pull finish where applicable*

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 480.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8″h pedestals and are intended for “desk height” planning applications. **Do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

Shelf adjustability is 2.5″ up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 402.

Cabinets, 28 3/8″ planning
72″ high, metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30″	20″	72″	**RC7232DHEH(L/R) ( )( )( )( )**	$2,896.	$3,794.	$4,367.	$5,894.
	30″	24″	72″	**RC7233DHEH(L/R) ( )( )( )( )**	3,239.	4,244.	4,883.	6,591.
	36″	20″	72″	**RC7262DHEH(L/R) ( )( )( )( )**	3,175.	4,160.	4,784.	6,457.
	36″	24″	72″	**RC7263DHEH(L/R) ( )( )( )( )**	3,543.	4,650.	5,343.	7,214.

Requires one lock core per cabinet
Shelves painted metal



Left hand shown

Order Code

Example:	**RC732DHB(2)(M)(V316)**
R	Reff
C	Cabinet
72	72″ h *(nominal)*
3	30″ w *(nominal)*
2	20″ d *(nominal)*
DH	Desk height
B	Open bookcase
2	Finish type, V2
M	Interior option, metal
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. *Hinge location (where applicable)*
   L = left hand
   R = right hand
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior Option*
   M = metal (metal shelves or metal drawers)
   (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
4. *Pull Option (where applicable)*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   R = Cylinder
   T = Tab
   F = Bar
   H = Out Line
5. *Lock option (where applicable)*
   Optional hinged door configurations only
   Drawers always lock drilled
   L = drilled to accept lock
   N = no drilling
6. *Cabinet finish*
7. *Optional pull finish where applicable*

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 480.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8″h pedestals and are intended for “desk height” planning applications. **Do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

Shelf adjustability is 2.5″ up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 402.

Cabinets, 28 3/8″ planning
72″ high, wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Open bookcase (for desk height planning)	30″	20″	72″	**RC7232DHB ( )( )**	$1,924.	$2,523.	$2,901.	$3,916.
	30″	24″	72″	**RC7233DHB ( )( )**	2,118.	2,778.	3,193.	4,311.
	36″	20″	72″	**RC7262DHB ( )( )**	2,161.	2,832.	3,256.	4,395.
	36″	24″	72″	**RC7263DHB ( )( )**	2,354.	3,086.	3,548.	4,791.
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30″	20″	72″	**RC7232DHFH ( )( )( )( )( )**	3,075.	4,029.	4,633.	6,254.
	30″	24″	72″	**RC7233DHFH ( )( )( )( )( )**	3,402.	4,458.	5,125.	6,918.
	36″	20″	72″	**RC7262DHFH ( )( )( )( )( )**	3,383.	4,436.	5,112.	6,901.
	36″	24″	72″	**RC7263DHFH ( )( )( )( )( )**	3,739.	4,902.	5,640.	7,615.
Storage w/upper hinged doors&2 adj shelves, bottom 2 file drawers (for desk height planning)	16″	20″	72″	**RC7212DHGH(L/R) ( )( )( )**	2,272.	2,977.	3,423.	4,620.
	16″	24″	72″	**RC7213DHGH(L/R) ( )( )( )**	2,504.	3,281.	3,773.	5,093.
	30″	20″	72″	**RC7232DHGH ( )( )( )**	2,848.	3,729.	4,290.	5,792.
	30″	24″	72″	**RC7233DHGH ( )( )( )**	3,116.	4,085.	4,696.	6,341.
	36″	20″	72″	**RC7262DHGH ( )( )( )**	3,081.	4,037.	4,643.	6,268.
	36″	24″	72″	**RC7263DHGH ( )( )( )**	3,353.	4,394.	5,053.	6,821.

Order Code

Example:	**RC732DHB(2)(W)(V316)**
R	Reff
C	Cabinet
72	72″ h *(nominal)*
3	30″ w *(nominal)*
2	20″ d *(nominal)*
DH	Desk height
B	Open bookcase
2	Finish type, V2
W	Interior option, wood
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. *Hinge location (where applicable)*
   L = left hand
   R = right hand
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior Option*
   W = wood (shelves match case finish and drawer interiors cherry veneer)
4. *Pull Option (where applicable)*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   R = Cylinder
   T = Tab
   F = Bar
   H = Out Line
5. *Lock option (where applicable)*
   Optional hinged door configurations only
   Drawers always lock drilled
   L = drilled to accept lock
   N = no drilling
6. *Cabinet finish*
7. *Optional pull finish where applicable*

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 480.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8″h pedestals and are intended for “desk height” planning applications. **Do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

Shelf adjustability is 2.5″ up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 402.

Cabinets, 28 3/8″ planning
72″ high, wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30″	24″	72″	**RC7233DHEH(L/R) ( )( )( )( )**	$3,372.	$4,421.	$5,084.	$6,863.
	36″	20″	72″	**RC7262DHEH(L/R) ( )( )( )( )**	3,309.	4,336.	4,988.	6,734.
	36″	24″	72″	**RC7263DHEH(L/R) ( )( )( )( )**	3,680.	4,823.	5,548.	7,489.



Left hand shown

Requires one lock core per cabinet.
Shelves painted metal

Wardrobe cabinet (for desk height planning)	16″	20″	72″	**RC7212DHDH(L/R)( )( )( )( )( )**	1,699.	2,228.	2,562.	3,459.
	16″	24″	72″	**RC7213DHDH(L/R)( )( )( )( )( )**	1,870.	2,451.	2,818.	3,804.
	30″	20″	72″	**RC7232DHDH( )( )( )( )( )**	2,140.	2,805.	3,224.	4,352.
	30″	24″	72″	**RC7233DHDH( )( )( )( )( )**	2,351.	3,082.	3,544.	4,786.
	36″	20″	72″	**RC7262DHDH( )( )( )( )( )**	2,352.	3,084.	3,547.	4,790.
	36″	24″	72″	**RC7263DHDH( )( )( )( )( )**	2,586.	3,390.	3,899.	5,263.



Requires one lock core per cabinet.
Order coat rod and bood tray from accessories

Order Code

Example:	**RC732DHB(2)(W)(V316)**
R	Reff
C	Cabinet
72	72″ h *(nominal)*
3	30″ w *(nominal)*
2	20″ d *(nominal)*
DH	Desk height
B	Open bookcase
2	Finish type, V2
W	Interior option, wood
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. *Hinge location (where applicable)*
   L = left hand
   R = right hand
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior Option*
   W = wood (shelves match case finish and drawer interiors cherry veneer)
4. *Pull Option (where applicable)*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   R = Cylinder
   T = Tab
   F = Bar
   H = Out Line
5. *Lock option (where applicable)*
   Optional hinged door configurations only
   Drawers always lock drilled
   L = drilled to accept lock
   N = no drilling
6. *Cabinet finish*
7. *Optional pull finish where applicable*

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 480.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8″h pedestals and are intended for “desk height” planning applications. **Do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

Shelf adjustability is 2.5″ up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 402.

Cabinets, 28 3/8″ planning
75″ high, metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Open bookcase (for desk height planning)	30″	20″	75″	**RC732DHB ( )( )( )( )( )**	$1,881.	$2,464.	$2,834.	$3,827.
	30″	24″	75″	**RC733DHB ( )( )( )( )( )**	2,084.	2,730.	3,140.	4,240.
	36″	20″	75″	**RC762DHB ( )( )( )( )( )**	2,128.	2,788.	3,206.	4,328.
	36″	24″	75″	**RC763DHB ( )( )( )( )( )**	2,331.	3,057.	3,514.	4,744.
	Shelves painted metal							
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30″	20″	75″	**RC732DHE(L/R) ( )( )( )( )( )( )**	3,041.	3,981.	4,584.	6,187.
	30″	24″	75″	**RC733DHE(L/R) ( )( )( )( )( )( )**	3,399.	4,456.	5,128.	6,922.
	36″	20″	75″	**RC762DHE(L/R) ( )( )( )( )( )( )**	3,334.	4,370.	5,023.	6,781.
	36″	24″	75″	**RC763DHE(L/R) ( )( )( )( )( )( )**	3,719.	4,882.	5,609.	7,572.
	Requires one lock core per cabinet Shelves painted metal							

Left hand shown

Order Code

Example:	**RC732DHB(2)(M)(V316)**
R	Reff
C	Cabinet
7	75″ h *(nominal)*
3	30″ w *(nominal)*
2	20″ d *(nominal)*
DH	Desk height
B	Open bookcase
2	Finish type, V2
M	Interior option, metal
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. *Hinge location (where applicable)*
   L = left hand
   R = right hand
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior Option*
   M = metal (metal shelves or metal drawers)
   (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
4. *Pull Option (where applicable)*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   R = Cylinder
   T = Tab
   F = Bar
   H = Out Line
5. *Lock option (where applicable)*
   Optional hinged door configurations only
   Drawers always lock drilled
   L = drilled to accept lock
   N = no drilling
6. *Cabinet finish*
7. *Optional pull finish where applicable*
8. *Optional drilling to support workwall, left side*
   N = no drilling
   S0 = 19″h x 15″d
   S1 = 19″h x 20″d
   T0 = 23″h x 15″d
   T1 =23″h x 20″d
9. *Optional drilling to support workwall, right side*
   *drilling options same as #8 above

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 480.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8″h pedestals and are intended for “desk height” planning applications. **Do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

75″ nominal height - actual height 75.125″

Shelf adjustability is 2.5″ up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 402.

These 75″ cabinets are intended to be used with the overdesk units only.

Cabinets, 28 3/8″ planning
75″ high, metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16″	20″	75″	**RC712DHG(L/R) ( )( )( )L( )( )( )( )**	$2,244.	$2,940.	$3,382.	$4,566.
	16″	24″	75″	**RC713DHG(L/R) ( )( )( )L( )( )( )( )**	2,459.	3,259.	3,749.	5,062.
	30″	20″	75″	**RC732DHG ( )( )( )L( )( )( )( )**	2,849.	3,734.	4,292.	5,795.
	30″	24″	75″	**RC733DHG ( )( )( )L( )( )( )( )**	3,133.	4,104.	4,721.	6,372.
	36″	20″	75″	**RC762DHG ( )( )( )L( )( )( )( )**	3,092.	4,053.	4,663.	6,296.
	36″	24″	75″	**RC763DHG ( )( )( )L( )( )( )( )**	3,378.	4,427.	5,092.	6,875.



Requires two lock cores per cabinet
Shelves painted metal,drawer interiors painted black metal

Order Code

Example:	**RC732DHB(2)(M)(V316)**
R	Reff
C	Cabinet
7	75″ h *(nominal)*
3	30″ w *(nominal)*
2	20″ d *(nominal)*
DH	Desk height
B	Open bookcase
2	Finish type, V2
M	Interior option, metal
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. *Hinge location (where applicable)*
   L = left hand
   R = right hand
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior Option*
   M = metal (metal shelves or metal drawers)
   (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
4. *Pull Option (where applicable)*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   R = Cylinder
   T = Tab
   F = Bar
   H = Out Line
5. *Lock option (where applicable)*
   Optional hinged door configurations only
   Drawers always lock drilled
   L = drilled to accept lock
   N = no drilling
6. *Cabinet finish*
7. *Optional pull finish where applicable*
8. *Optional drilling to support workwall, left side*
   N = no drilling
   S0 = 19″h x 15″d
   S1 = 19″h x 20″d
   T0 = 23″h x 15″d
   T1 =23″h x 20″d
9. *Optional drilling to support workwall, right side*
   *drilling options same as #8 above

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 480.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8″h pedestals and are intended for “desk height” planning applications. **Do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

75″ nominal height - actual height 75.125″

Shelf adjustability is 2.5″ up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 402.

These 75″ cabinets are intended to be used with the overdesk units only.

Cabinets, 28 3/8″ planning
75″ high, metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30″	20″	75″	**RC732DHK ( )( )( )L( )( )( )**	$2,759.	$3,621.	$4,179.	$5,641.
	30″	24″	75″	**RC733DHK ( )( )( )L( )( )( )**	3,043.	3,989.	4,606.	6,218.
	36″	20″	75″	**RC762DHK ( )( )( )L( )( )( )**	3,002.	3,939.	4,550.	6,142.
	36″	24″	75″	**RC763DHK ( )( )( )L( )( )( )**	3,288.	4,314.	4,979.	6,721.



Requires one lock core per cabinet
Shelves painted metal, drawer interiors painted black metal

Order Code

Example:	**RC732DHB(2)(M)(V316)**
R	Reff
C	Cabinet
7	75″ h *(nominal)*
3	30″ w *(nominal)*
2	20″ d *(nominal)*
DH	Desk height
B	Open bookcase
2	Finish type, V2
M	Interior option, metal
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. *Hinge location (where applicable)*
   L = left hand
   R = right hand
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior Option*
   M = metal (metal shelves or metal drawers)
   (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
4. *Pull Option (where applicable)*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   R = Cylinder
   T = Tab
   F = Bar
   H = Out Line
5. *Lock option (where applicable)*
   Optional hinged door configurations only
   Drawers always lock drilled
   L = drilled to accept lock
   N = no drilling
6. *Cabinet finish*
7. *Optional pull finish where applicable*
8. *Optional drilling to support workwall, left side*
   N = no drilling
   S0 = 19″h x 15″d
   S1 = 19″h x 20″d
   T0 = 23″h x 15″d
   T1 =23″h x 20″d
9. *Optional drilling to support workwall, right side*
   *drilling options same as #8 above

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 480.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8″h pedestals and are intended for “desk height” planning applications. **Do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

75″ nominal height - actual height 75.125″

Shelf adjustability is 2.5″ up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 402.

These 75″ cabinets are intended to be used with the overdesk units only.

Cabinets, 28 3/8″ planning
75″ high, metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30″	20″	75″	**RC732DHF ( )( )( )L( )( )( )( )**	$3,088.	$4,046.	$4,655.	$6,284.
	30″	24″	75″	**RC733DHF ( )( )( )L( )( )( )( )**	3,430.	4,494.	5,170.	6,980.
	36″	20″	75″	**RC762DHF ( )( )( )L( )( )( )( )**	3,411.	4,471.	5,141.	6,941.
	36″	24″	75″	**RC763DHF ( )( )( )L( )( )( )( )**	3,788.	4,963.	5,708.	7,706.



Requires two lock cores per cabinet
Drawer interiors painted black metal

Order Code

Example:	**RC732DHB(2)(M)(V316)**
R	Reff
C	Cabinet
7	75″ h *(nominal)*
3	30″ w *(nominal)*
2	20″ d *(nominal)*
DH	Desk height
B	Open bookcase
2	Finish type, V2
M	Interior option, metal
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. *Hinge location (where applicable)*
   L = left hand
   R = right hand
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior Option*
   M = metal (metal shelves or metal drawers)
   (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
4. *Pull Option (where applicable)*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   R = Cylinder
   T = Tab
   F = Bar
   H = Out Line
5. *Lock option (where applicable)*
   Optional hinged door configurations only
   Drawers always lock drilled
   L = drilled to accept lock
   N = no drilling
6. *Cabinet finish*
7. *Optional pull finish where applicable*
8. *Optional drilling to support workwall, left side*
   N = no drilling
   S0 = 19″h x 15″d
   S1 = 19″h x 20″d
   T0 = 23″h x 15″d
   T1 =23″h x 20″d
9. *Optional drilling to support workwall, right side*
   *drilling options same as #8 above

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 480.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8″h pedestals and are intended for “desk height” planning applications. **Do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

75″ nominal height - actual height 75.125″

Shelf adjustability is 2.5″ up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 402.

These 75″ cabinets are intended to be used with the overdesk units only.

Cabinets, 28 3/8″ planning
75″ high, wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Open bookcase (for desk height planning)	30″	20″	75″	**RC732DHB ( )( )( )( )( )**	$2,021.	$2,647.	$3,045.	$4,111.
	30″	24″	75″	**RC733DHB ( )( )( )( )( )**	2,225.	2,916.	3,353.	4,525.
	36″	20″	75″	**RC762DHB ( )( )( )( )( )**	2,270.	2,974.	3,420.	4,616.
	36″	24″	75″	**RC763DHB ( )( )( )( )( )**	2,472.	3,242.	3,727.	5,032.
Wardrobe/bookcase combo w/full height doors (for desk height planning)	30″	20″	75″	**RC732DHE(L/R) ( )( )( )( )( )( )( )**	3,181.	4,168.	4,794.	6,472.
	30″	24″	75″	**RC733DHE(L/R) ( )( )( )( )( )( )( )**	3,541.	4,643.	5,339.	7,208.
	36″	20″	75″	**RC762DHE(L/R) ( )( )( )( )( )( )( )**	3,475.	4,553.	5,237.	7,070.
	36″	24″	75″	**RC763DHE(L/R) ( )( )( )( )( )( )( )**	3,864.	5,067.	5,825.	7,864.

Requires one lock core per cabinet

Left hand shown

Order Code

Example:	**RC732DHB(2)(W)(V316)**
R	Reff
C	Cabinet
7	75″ h *(nominal)*
3	30″ w *(nominal)*
2	20″ d *(nominal)*
DH	Desk height
B	Open bookcase
2	Finish type, V2
W	Interior option, wood
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. *Hinge location (where applicable)*
   L = left hand
   R = right hand
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior Option*
   W = wood (shelves match case finish and drawer interiors cherry veneer)
4. *Pull Option (where applicable)*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   R = Cylinder
   T = Tab
   F = Bar
   H = Out Line
5. *Lock option (where applicable)*
   Optional hinged door configurations only
   Drawers always lock drilled
   L = drilled to accept lock
   N = no drilling
6. *Cabinet finish*
7. *Optional pull finish where applicable*
8. *Optional drilling to support workwall, left side*
   N = no drilling
   S0 = 19″h x 15″d
   S1 = 19″h x 20″d
   T0 = 23″h x 15″d
   T1 =23″h x 20″d
9. *Optional drilling to support workwall, right side*
   *drilling options same as #8 above

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 480.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8″h pedestals and are intended for “desk height” planning applications. **Do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

75″ nominal height - actual height 75.125″

Shelf adjustability is 2.5″ up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 402.

These 75″ cabinets are intended to be used with the overdesk units only.

Cabinets, 28 3/8″ planning
75″ high, wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Storage w/upper hinged doors & 2 adj shelves, bottom 2 file drawers (for desk height planning)	16″	20″	75″	**RC712DHG(L/R) ( )( )( )L( )( )( )( )**	$2,385.	$3,124.	$3,593.	$4,851.
	16″	24″	75″	**RC713DHG(L/R) ( )( )( )L( )( )( )( )**	2,630.	3,444.	3,962.	5,349.
	30″	20″	75″	**RC732DHG ( )( )( )L( )( )( )( )**	2,990.	3,915.	4,505.	6,081.
	30″	24″	75″	**RC733DHG ( )( )( )L( )( )( )( )**	3,273.	4,289.	4,932.	6,657.
	36″	20″	75″	**RC762DHG ( )( )( )L( )( )( )( )**	3,234.	4,239.	4,874.	6,580.
	36″	24″	75″	**RC763DHG ( )( )( )L( )( )( )( )**	3,519.	4,613.	5,305.	7,163.



Requires two lock cores per cabinet

Order Code

Example:	**RC732DHB(2)(W)(V316)**
R	Reff
C	Cabinet
7	75″ h *(nominal)*
3	30″ w *(nominal)*
2	20″ d *(nominal)*
DH	Desk height
B	Open bookcase
2	Finish type, V2
W	Interior option, wood
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. *Hinge location (where applicable)*
   L = left hand
   R = right hand
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior Option*
   W = wood (shelves match case finish and drawer interiors cherry veneer)
4. *Pull Option (where applicable)*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   R = Cylinder
   T = Tab
   F = Bar
   H = Out Line
5. *Lock option (where applicable)*
   Optional hinged door configurations only
   Drawers always lock drilled
   L = drilled to accept lock
   N = no drilling
6. *Cabinet finish*
7. *Optional pull finish where applicable*
8. *Optional drilling to support workwall, left side*
   N = no drilling
   S0 = 19″h x 15″d
   S1 = 19″h x 20″d
   T0 = 23″h x 15″d
   T1 =23″h x 20″d
9. *Optional drilling to support workwall, right side*
   *drilling options same as #8 above

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 480.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8″h pedestals and are intended for “desk height” planning applications. **Do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

75″ nominal height - actual height 75.125″

Shelf adjustability is 2.5″ up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 402.

These 75″ cabinets are intended to be used with the overdesk units only.

Cabinets, 28 3/8″ planning
75″ high, wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Storage open above w/2 adj shelves, bottom 2 file drawers (for desk height planning)	30″	20″	75″	**RC732DHK ( )( )( )L( )( )( )**	$2,900.	$3,802.	$4,390.	$5,926.
	30″	24″	75″	**RC733DHK ( )( )( )L( )( )( )**	3,183.	4,174.	4,819.	6,505.
	36″	20″	75″	**RC762DHK ( )( )( )L( )( )( )**	3,144.	4,125.	4,762.	6,430.
	36″	24″	75″	**RC763DHK ( )( )( )L( )( )( )**	3,429.	4,499.	5,191.	7,008.

Requires one lock core per cabinet



Order Code

Example:	**RC732DHB(2)(W)(V316)**
R	Reff
C	Cabinet
7	75″ h *(nominal)*
3	30″ w *(nominal)*
2	20″ d *(nominal)*
DH	Desk height
B	Open bookcase
2	Finish type, V2
W	Interior option, wood
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. *Hinge location (where applicable)*
   L = left hand
   R = right hand
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior Option*
   W = wood (shelves match case finish and drawer interiors cherry veneer)
4. *Pull Option (where applicable)*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   R = Cylinder
   T = Tab
   F = Bar
   H = Out Line
5. *Lock option (where applicable)*
   Optional hinged door configurations only
   Drawers always lock drilled
   L = drilled to accept lock
   N = no drilling
6. *Cabinet finish*
7. *Optional pull finish where applicable*
8. *Optional drilling to support workwall, left side*
   N = no drilling
   S0 = 19″h x 15″d
   S1 = 19″h x 20″d
   T0 = 23″h x 15″d
   T1 =23″h x 20″d
9. *Optional drilling to support workwall, right side*
   *drilling options same as #8 above

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 480.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8″h pedestals and are intended for “desk height” planning applications. **Do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

75″ nominal height - actual height 75.125″

Shelf adjustability is 2.5″ up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 402.

These 75″ cabinets are intended to be used with the overdesk units only.

Cabinets, 28 3/8″ planning
75″ high, wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Storage w/4 file drwrs& hinged doors above (for desk height planning)	30″	20″	75″	**RC732DHF ( )( )( )L( )( )( )( )**	$3,230.	$4,230.	$4,867.	$6,570.
	30″	24″	75″	**RC733DHF ( )( )( )L( )( )( )( )**	3,573.	4,682.	5,383.	7,266.
	36″	20″	75″	**RC762DHF ( )( )( )L( )( )( )( )**	3,553.	4,656.	5,370.	7,250.
	36″	24″	75″	**RC763DHF ( )( )( )L( )( )( )( )**	3,927.	5,145.	5,923.	7,996.



Requires two lock cores per cabinet

Order Code

Example:	**RC732DHB(2)(W)(V316)**
R	Reff
C	Cabinet
7	75″ h *(nominal)*
3	30″ w *(nominal)*
2	20″ d *(nominal)*
DH	Desk height
B	Open bookcase
2	Finish type, V2
W	Interior option, wood
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. *Hinge location (where applicable)*
   L = left hand
   R = right hand
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior Option*
   W = wood (shelves match case finish and drawer interiors cherry veneer)
4. *Pull Option (where applicable)*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   R = Cylinder
   T = Tab
   F = Bar
   H = Out Line
5. *Lock option (where applicable)*
   Optional hinged door configurations only
   Drawers always lock drilled
   L = drilled to accept lock
   N = no drilling
6. *Cabinet finish*
7. *Optional pull finish where applicable*
8. *Optional drilling to support workwall, left side*
   N = no drilling
   S0 = 19″h x 15″d
   S1 = 19″h x 20″d
   T0 = 23″h x 15″d
   T1 =23″h x 20″d
9. *Optional drilling to support workwall, right side*
   *drilling options same as #8 above

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 480.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8″h pedestals and are intended for “desk height” planning applications. **Do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

75″ nominal height - actual height 75.125″

Shelf adjustability is 2.5″ up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 402.

These 75″ cabinets are intended to be used with the overdesk units only.

Cabinets, 28 3/8″ planning
75″ high, wood interiors

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet with hinged doors for coat rod and boot tray	30″	20″	75″	**RC732DHD ( ) W ( )( )( )( )**	$2,247.	$2,945.	$3,385.	$4,570.
	30″	24″	75″	**RC733DHD ( ) W ( )( )( )( )**	2,469.	3,236.	3,721.	5,025.
	36″	20″	75″	**RC762DHD ( ) W ( )( )( )( )**	2,470.	3,238.	3,724.	5,030.
	36″	24″	75″	**RC763DHD ( ) W ( )( )( )( )**	2,715.	3,560.	4,094.	5,526.



Requires one lock core per cabinet

Order Code

Example:	**RC732DHB(2)(W)(V316)**
R	Reff
C	Cabinet
7	75″ h *(nominal)*
3	30″ w *(nominal)*
2	20″ d *(nominal)*
DH	Desk height
B	Open bookcase
2	Finish type, V2
W	Interior option, wood
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. *Hinge location (where applicable)*
   L = left hand
   R = right hand
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior Option*
   W = wood (shelves match case finish and drawer interiors cherry veneer)
4. *Pull Option (where applicable)*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   R = Cylinder
   T = Tab
   F = Bar
   H = Out Line
5. *Lock option (where applicable)*
   Optional hinged door configurations only
   Drawers always lock drilled
   L = drilled to accept lock
   N = no drilling
6. *Cabinet finish*
7. *Optional pull finish where applicable*
8. *Optional drilling to support workwall, left side*
   N = no drilling
   S0 = 19″h x 15″d
   S1 = 19″h x 20″d
   T0 = 23″h x 15″d
   T1 =23″h x 20″d
9. *Optional drilling to support workwall, right side*
   *drilling options same as #8 above

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 480.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8″h pedestals and are intended for “desk height” planning applications. **Do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

75″ nominal height - actual height 75.125″

Shelf adjustability is 2.5″ up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 402.

These 75″ cabinets are intended to be used with the overdesk units only.

Cabinets, 28 3/8″ planning
86″ high, metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet, hinged doors/ shelves 4 file drawers	30″	20″	86″	**RC832DHF( )( )( )( )( )( )**	$3,397.	$4,451.	$5,121.	$6,912.
	30″	24″	86″	**RC833DHF( )( )( )( )( )( )**	3,773.	4,943.	5,687.	7,678.
	36″	20″	86″	**RC862DHF( )( )( )( )( )( )**	3,752.	4,918.	5,655.	7,635.
Cabinet, hinged doors/ shelves 2 file drawers	30″	20″	86″	**RC832DHG( )( )( )**	3,134.	4,107.	4,721.	6,375.
	30″	24″	86″	**RC833DHG( )( )( )**	3,446.	4,514.	5,193.	7,009.
	36″	20″	86″	**RC862DHG( )( )( )**	3,401.	4,458.	5,129.	6,926.
	36″	24″	86″	**RC863DHG( )( )( )**	3,716.	4,870.	5,601.	7,563.





Order Code

Example:	**RC732DHB(2)(M)(V316)**
R	Reff
C	Cabinet
8	86″ h *(nominal)*
3	30″ w *(nominal)*
2	20″ d *(nominal)*
DH	Desk height
2	Finish type, V2
M	Interior option, metal
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. *Hinge location (where applicable)*
   L = left hand
   R = right hand
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior Option*
   M = metal (metal shelves or metal drawers)
   (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
4. *Pull Option (where applicable)*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   R = Cylinder
   T = Tab
   F = Bar
   H = Out Line
5. *Lock option (where applicable)*
   Optional hinged door configurations only
   Drawers always lock drilled
   L = drilled to accept lock
   N = no drilling
6. *Cabinet finish*
7. *Optional pull finish where applicable*

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 480.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8″h pedestals and are intended for “desk height” planning applications. **Do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

86″ nominal height - actual height 85.500″

Shelf adjustability is 2.5″ up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 402.

Cabinets, 28 3/8″ planning
86″ high, metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30″	20″	86″	**RC832DHK( )( )( )**	$3,035.	$3,983.	$4,597.	$6,205.
	30″	24″	86″	**RC833DHK( )( )( )**	3,347.	4,388.	5,067.	6,840.
	36″	20″	86″	**RC862DHK( )( )( )**	3,302.	4,333.	5,005.	6,756.
	36″	24″	86″	**RC863DHK( )( )( )**	3,617.	4,745.	5,477.	7,393.
Cabinet, double high with 4 files below, top open with one adjustable shelf	30″	20″	86″	**RC832DHO( )( )( )**	3,232.	4,286.	4,956.	6,747.
	30″	24″	86″	**RC833DHO( )( )( )**	3,608.	4,778.	5,522.	7,513.
	36″	20″	86″	**RC862DHO( )( )( )**	3,587.	4,753.	5,490.	7,470.
	36″	24″	86″	**RC863DHO( )( )( )**	4,002.	5,294.	6,114.	8,312.





Order Code

Example:	**RC732DHB(2)(M)(V316)**
R	Reff
C	Cabinet
8	86″ h *(nominal)*
3	30″ w *(nominal)*
2	20″ d *(nominal)*
DH	Desk height
2	Finish type, V2
M	Interior option, metal
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. *Hinge location (where applicable)*
   L = left hand
   R = right hand
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior Option*
   M = metal (metal shelves or metal drawers)
   (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
4. *Pull Option (where applicable)*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   R = Cylinder
   T = Tab
   F = Bar
   H = Out Line
5. *Lock option (where applicable)*
   Optional hinged door configurations only
   Drawers always lock drilled
   L = drilled to accept lock
   N = no drilling
6. *Cabinet finish*
7. *Optional pull finish where applicable*

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 480.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8″h pedestals and are intended for “desk height” planning applications. **Do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

86″ nominal height - actual height 85.500″

Shelf adjustability is 2.5″ up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 402.

Cabinets, 28 3/8″ planning
86″ high, metal interiors

description	w	d	h	pattern no.	metal interiors L	metal interiors V1	metal interiors V2	metal interiors V3
Cabinet, wardrobe/ bookcase combo full height doors	30″	20″	86″	**RC832DHEH(L/R)( )( )( )( )( )**	$3,162.	$4,148.	$4,765.	$6,434.
	30″	24″	86″	**RC833DHEH(L/R)( )( )( )( )( )**	3,505.	4,598.	5,283.	7,133.
	36″	20″	86″	**RC862DHEH(L/R)( )( )( )( )( )**	3,442.	4,513.	5,187.	7,004.
	36″	24″	86″	**RC863DHEH(L/R)( )( )( )( )( )**	3,813.	5,000.	5,747.	7,759.



Left hand shown

Order Code

Example:	**RC732DHB(2)(M)(V316)**
R	Reff
C	Cabinet
8	86″ h *(nominal)*
3	30″ w *(nominal)*
2	20″ d *(nominal)*
DH	Desk height
2	Finish type, V2
M	Interior option, metal
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. *Hinge location (where applicable)*
   L = left hand
   R = right hand
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior Option*
   M = metal (metal shelves or metal drawers)
   (If laminate case finish- shelves painted to match; if V1,V2 or V3 case finish-shelves painted black; drawer interiors painted black metal)
4. *Pull Option (where applicable)*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   R = Cylinder
   T = Tab
   F = Bar
   H = Out Line
5. *Lock option (where applicable)*
   Optional hinged door configurations only
   Drawers always lock drilled
   L = drilled to accept lock
   N = no drilling
6. *Cabinet finish*
7. *Optional pull finish where applicable*

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 480.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8″h pedestals and are intended for “desk height” planning applications. **Do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

86″ nominal height - actual height 85.500″

Shelf adjustability is 2.5″ up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 402.

Cabinets, 28 3/8″ planning
86″ high, wood interiros

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet, hinged doors/ shelves 4 file drawers	30″	20″	86″	**RC832DHF( )( )( )( )( )( )**	$3,553.	$4,653.	$5,354.	$7,227.
	30″	24″	86″	**RC833DHF( )( )( )( )( )( )**	3,930.	5,150.	5,921.	7,993.
	36″	20″	86″	**RC862DHF( )( )( )( )( )( )**	3,908.	5,122.	5,907.	7,975.
Cabinet, hinged doors/ shelves 2 file drawers	30″	20″	86″	**RC832DHG( )( )( )**	3,289.	4,307.	4,956.	6,689.
	30″	24″	86″	**RC833DHG( )( )( )**	3,600.	4,718.	5,425.	7,323.
	36″	20″	86″	**RC862DHG( )( )( )**	3,557.	4,663.	5,361.	7,238.
	36″	24″	86″	**RC863DHG( )( )( )**	3,871.	5,074.	5,836.	7,879.





Order Code

Example:	**RC832DHB(2)(W)(V316)**
R	Reff
C	Cabinet
8	86″ h *(nominal)*
3	30″ w *(nominal)*
2	20″ d *(nominal)*
DH	Desk height
2	Finish type, V2
W	Interior option, wood
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. *Hinge location (where applicable)*
   L = left hand
   R = right hand
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior Option*
   W = wood (shelves match case finish and drawer interiors cherry veneer)
4. *Pull Option (where applicable)*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   R = Cylinder
   T = Tab
   F = Bar
   H = Out Line
5. *Lock option (where applicable)*
   Optional hinged door configurations only
   Drawers always lock drilled
   L = drilled to accept lock
   N = no drilling
6. *Cabinet finish*
7. *Optional pull finish where applicable*

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 480.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8″h pedestals and are intended for “desk height” planning applications. **Do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

86″ nominal height - actual height 85.500″

Shelf adjustability is 2.5″ up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 402.

Cabinets, 28 3/8″ planning
86″ high, wood interiros

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet, double high with file/file below, top open with one adjustable shelf	30″	20″	86″	**RC832DHK( )( )( )**	$3,190.	$4,182.	$4,829.	$6,519.
	30″	24″	86″	**RC833DHK( )( )( )**	3,501.	4,591.	5,301.	7,156.
	36″	20″	86″	**RC862DHK( )( )( )**	3,458.	4,538.	5,238.	7,073.
	36″	24″	86″	**RC863DHK( )( )( )**	3,772.	4,949.	5,710.	7,709.
Cabinet, double high with 4 files below, top open with one adjustable shelf	30″	20″	86″	**RC832DHO( )( )( )**	3,403.	4,503.	5,204.	7,077.
	30″	24″	86″	**RC833DHO( )( )( )**	3,780.	5,000.	5,771.	7,843.
	36″	20″	86″	**RC862DHO( )( )( )**	3,758.	4,972.	5,757.	7,825.
	36″	24″	86″	**RC863DHO( )( )( )**	4,170.	5,510.	6,365.	8,646.
Cabinet, with shelving	30″	20″	86″	**RC832DHB( )( )( )**	2,211.	2,912.	3,350.	4,933.
	30″	24″	86″	**RC833DHB( )( )( )**	2,448.	3,208.	3,688.	5,430.
	36″	20″	86″	**RC862DHB( )( )( )**	2,497.	3,271.	3,762.	5,539.
	36″	24″	86″	**RC863DHB( )( )( )**	2,719.	3,566.	4,100.	6,038.







Order Code

Example:	**RC832DHB(2)(W)(V316)**
R	Reff
C	Cabinet
8	86″ h *(nominal)*
3	30″ w *(nominal)*
2	20″ d *(nominal)*
DH	Desk height
2	Finish type, V2
W	Interior option, wood
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. *Hinge location (where applicable)*
   L = left hand
   R = right hand
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior Option*
   W = wood (shelves match case finish and drawer interiors cherry veneer)
4. *Pull Option (where applicable)*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   R = Cylinder
   T = Tab
   F = Bar
   H = Out Line
5. *Lock option (where applicable)*
   Optional hinged door configurations only
   Drawers always lock drilled
   L = drilled to accept lock
   N = no drilling
6. *Cabinet finish*
7. *Optional pull finish where applicable*

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 480.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8″h pedestals and are intended for “desk height” planning applications. **Do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

86″ nominal height - actual height 85.500″

Shelf adjustability is 2.5″ up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 402.

Cabinets, 28 3/8″ planning
86″ high, wood interiros

description	w	d	h	pattern no.	wood interiors L	wood interiors V1	wood interiors V2	wood interiors V3
Cabinet, wardrobe/ bookcase combo full height doors	30″	20″	86″	**RC832DHEH(L/R)( )( )( )( )( )**	$3,332.	$4,368.	$5,023.	$6,780.
	30″	24″	86″	**RC833DHEH(L/R)( )( )( )( )( )**	3,709.	4,863.	5,592.	7,549.
	36″	20″	86″	**RC862DHEH(L/R)( )( )( )( )( )**	3,640.	4,770.	5,487.	7,407.
	36″	24″	86″	**RC863DHEH(L/R)( )( )( )( )( )**	4,048.	5,305.	6,103.	8,238.

Requires one lock core per cabinet
Shelves painted metal



Left hand shown

Order Code

Example:	**RC832DHB(2)(W)(V316)**
R	Reff
C	Cabinet
8	86″ h *(nominal)*
3	30″ w *(nominal)*
2	20″ d *(nominal)*
DH	Desk height
2	Finish type, V2
W	Interior option, wood
V316	Finish, light maple

Applicable finishes are listed on page 5 and 6.

Specification Information

To order please specify pattern number including:

1. *Hinge location (where applicable)*
   L = left hand
   R = right hand
2. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
3. *Interior Option*
   W = wood (shelves match case finish and drawer interiors cherry veneer)
4. *Pull Option (where applicable)*
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
   R = Cylinder
   T = Tab
   F = Bar
   H = Out Line
5. *Lock option (where applicable)*
   Optional hinged door configurations only
   Drawers always lock drilled
   L = drilled to accept lock
   N = no drilling
6. *Cabinet finish*
7. *Optional pull finish where applicable*

Cabinets do not come with lock included. Keying instructions must accompany all cabinet orders, refer to page 480.
Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

Cabinets on this page are engineered to align with front sets of 28 3/8″h pedestals and are intended for “desk height” planning applications. **Do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

86″ nominal height - actual height 85.500″

Shelf adjustability is 2.5″ up or down per shelf from equal drilled spacing.

File drawers include file bars for front to back and side to side filing.

File drawers support bottom loading.

Coat rods and boots trays for wardrobe cabinets not included. Order separately, see page 402.

Cabinets Progressive
49″ high, metal interior
28 3/8″ high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	20″	18″	49″	**RCFS4912C(L/R)M( )( )( )( )( )( )**	$1,738.	$1,911.	$1,998.	$2,085.	$2,640.	$3,036.	$3,946.
	24″	18″	49″	**RCFS4913C(L/R)M( )( )( )( )( )( )**	1,790.	1,969.	2,058.	2,148.	2,730.	3,140.	4,082.
Cabinets, hinge door with shelves&File/File	20″	18″	49″	**RCFS4912Y(L/R)M( )( )( )( )( )( )**	2,239.	2,463.	2,574.	2,686.	3,358.	3,862.	5,020.
	24″	18″	49″	**RCFS4913Y(L/R)M( )( )( )( )( )( )**	2,310.	2,541.	2,657.	2,772.	3,465.	3,985.	5,181.
Cabinets, hinge door with shelves&Box/File/File	20″	18″	49″	**RCFS4912Z(L/R)M( )( )( )( )( )( )**	2,313.	2,544.	2,660.	2,776.	3,470.	3,990.	5,187.
	24″	18″	49″	**RCFS4913Z(L/R)M( )( )( )( )( )( )**	2,388.	2,627.	2,747.	2,866.	3,583.	4,210.	5,356.
Cabinets, hinge door with shelves&wardrobe	20″	24″	49″	**RCFS4932V(L/R)M( )( )( )( )( )( )**	2,079.	2,287.	2,391.	2,495.	3,227.	3,711.	4,825.
	24″	24″	49″	**RCFS4933V(L/R)M( )( )( )( )( )( )**	2,144.	2,358.	2,465.	2,573.	3,349.	3,852.	5,007.

Order Code

Example: **RCFS4912C(L/R)M ( )( )( )( )( )( )**

R	Reff
C	Cabinet
FS	Free Standing
49	Height
1	18″ Wide
2	20″ d *(nominal)*
C	Hinge door with shelves
L/R	Left/Right hinge
M	Metal interior
N	Lock
S	Lock finish
G	Pull option
115	Pull finish option
114	Case finish
115	Door finish

Specification Information

To order please specify pattern number including:

1. Lock
   L=Drill for lock
   N=No lock
2. Lock finish
   S=Silver
   B=Black
3. Pull options
   Grommet
4. Pull finish
   Paint / Plated
5. Case finish
   L, V1, V2, V3
6. Door finish
   L, V1,V2, V3

Application Notes

Configurations;

C = all shelves for 18″w cabinets

Y = hinge door with shelves and FF -18″w

Z = hinge door with shelves BB for 18″w

V = all shelves for 24″w cabinets

W = hinge door with shelves and FF and wardrobe for 24″w

X = hinge door with shelves and BB and wardrobe for 24″w

These products are Glue and Dowel Construction

Grommet pulls only

Shelves and File Front will default to the case finish

49″h cabinets are compatible with panel height.

When case finish is Laminate, shelves are painted to match.

When case finish is wood, shelves are painted black.

Drawer interiors always painted black.

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
49″ high, metal interior
28 3/8″ high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves, File/File&wardrobe	20″	24″	49″	**RCFS4932W(L/R)M( )( )( )( )( )( )**	$2,403.	$2,643.	$2,763.	$2,883.	$3,722.	$4,281.	$5,565.
	24″	24″	49″	**RCFS4933W(L/R)M( )( )( )( )( )( )**	2,473.	2,720.	2,844.	2,968.	3,853.	4,431.	5,760.
Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20″	24″	49″	**RCFS4932X(L/R)M( )( )( )( )( )( )**	2,554.	2,810.	2,937.	3,065.	3,882.	4,464.	5,803.
	24″	24″	49″	**RCFS4933X(L/R)M( )( )( )( )( )( )**	2,630.	3,893.	3,024.	3,156.	4,018.	4,620.	6,006.





Order Code

Example:	**RCFS4912C(L/R)M ( )( )( )( )( )( )**
R	Reff
C	Cabinet
FS	Free Standing
49	Height
1	18″ Wide
2	20″ d *(nominal)*
C	Hinge door with shelves
L/R	Left/Right hinge
M	Metal interior
N	Lock
S	Lock finish
G	Pull option
115	Pull finish option
114	Case finish
115	Door finish

Specification Information

To order please specify pattern number including:

1. Lock
   L=Drill for lock
   N=No lock
2. Lock finish
   S=Silver
   B=Black
3. Pull options
   Grommet
4. Pull finish
   Paint / Plated
5. Case finish
   L, V1, V2, V3
6. Door finish
   L, V1,V2, V3

Application Notes

Configurations;

C = all shelves for 18″w cabinets

Y = hinge door with shelves and FF -18″w

Z = hinge door with shelves BB for 18″w

V = all shelves for 24″w cabinets

W = hinge door with shelves and FF and wardrobe for 24″w

X = hinge door with shelves and BB and wardrobe for 24″w

These products are Glue and Dowel Construction

Grommet pulls only

Shelves and File Front will default to the case finish

49″h cabinets are compatible with panel height.

When case finish is Laminate, shelves are painted to match.

When case finish is wood, shelves are painted black.

Drawer interiors always painted black.

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
64″ high, metal interior
28 3/8″ high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	20″	18″	64″	**RCFS6412C(L/R)M( )( )( )( )( )( )**	$1,887.	$2,075.	$2,170.	$2,264.	$2,889.	$3,323.	$4,319.
	24″	18″	64″	**RCFS6413C(L/R)M( )( )( )( )( )( )**	1,952.	2,147.	2,245.	2,342.	3,017.	3,470.	4,511.
Cabinets, hinge door with shelves&File/File	20″	18″	64″	**RCFS6412Y(L/R)M( )( )( )( )( )( )**	2,411.	2,652.	2,773.	2,893.	3,617.	4,159.	5,407.
	24″	18″	64″	**RCFS6413Y(L/R)M( )( )( )( )( )( )**	2,545.	2,800.	2,927.	3,055.	3,818.	4,391.	5,708.
Cabinets, hinge door with shelves&Box/File/File	20″	18″	64″	**RCFS6412Z(L/R)M( )( )( )( )( )( )**	2,486.	2,735.	2,859.	2,983.	3,729.	4,288.	5,575.
	24″	18″	64″	**RCFS6413Z(L/R)M( )( )( )( )( )( )**	2,624.	2,886.	3,017.	3,149.	3,936.	4,526.	5,884.

Order Code

Example:	**RCFS6412C(L/R)M ( )( )( )( )( )( )**
R	Reff
C	Cabinet
FS	Free Standing
64	Height
1	18″ Wide
2	20″ d *(nominal)*
C	Hinge door with shelves
L/R	Left/Right hinge
M	Metal interior
N	Lock
S	Lock finish
G	Pull option
115	Pull finish option
114	Case finish
115	Door finish

Specification Information

To order please specify pattern number including:

1. Lock
   L=Drill for lock
   N=No lock
2. Lock finish
   S=Silver
   B=Black
3. Pull options
   Grommet
4. Pull finish
   Paint / Plated
5. Case finish
   L, V1, V2, V3
6. Door finish
   L, V1,V2, V3

Application Notes

Configurations;

C = all shelves for 18″w cabinets

Y = hinge door with shelves and FF -18″w

Z = hinge door with shelves BB for 18″w

V = all shelves for 24″w cabinets

W = hinge door with shelves and FF and wardrobe for 24″w

X = hinge door with shelves and BB and wardrobe for 24″w

These products are Glue and Dowel Construction

Grommet pulls only

Shelves and file front will default to the case finish

No wordwobe option in the 18″w cabinets.

64″h cabinets are compatible with panel heights.

When case finish is Laminate, shelves are painted to match.

When case finish is wood, shelves are painted black.

Drawer interiors always painted black.

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
64″ high, metal interior
28 3/8″ high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20″	24″	64″	**RCFS6432V(L/R)M( )( )( )( )( )( )**	$2,245.	$2,470.	$2,582.	$2,695.	$3,542.	$4,074.	$5,296.
	24″	24″	64″	**RCFS6433V(L/R)M( )( )( )( )( )( )**	2,326.	2,559.	2,675.	2,791.	3,715.	4,273.	5,554.
Cabinets, hinge door with shelves, File/File&wardrobe	20″	24″	64″	**RCFS6432W(L/R)M( )( )( )( )( )( )**	2,569.	2,826.	2,954.	3,083.	4,037.	4,643.	6,036.
	24″	24″	64″	**RCFS6433W(L/R)M( )( )( )( )( )( )**	2,724.	2,996.	3,133.	3,269.	4,283.	4,926.	6,404.
Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20″	24″	64″	**RCFS6432X(L/R)M( )( )( )( )( )( )**	2,721.	2,993.	3,129.	3,265.	4,197.	4,826.	6,274.
	24″	24″	64″	**RCFS6433X(L/R)M( )( )( )( )( )( )**	2,881.	3,169.	3,313.	3,457.	4,448.	5,115.	6,649.

Order Code

Example: **RCFS6412C(L/R)M ( )( )( )( )( )( )**

R	Reff
C	Cabinet
FS	Free Standing
64	Height
1	18″ Wide
2	20″ d *(nominal)*
C	Hinge door with shelves
L/R	Left/Right hinge
M	Metal interior
N	Lock
S	Lock finish
G	Pull option
115	Pull finish option
114	Case finish
115	Door finish

Specification Information

To order please specify pattern number including:

1. Lock
   L=Drill for lock
   N=No lock
2. Lock finish
   S=Silver
   B=Black
3. Pull options
   Grommet
4. Pull finish
   Paint / Plated
5. Case finish
   L, V1, V2, V3
6. Door finish
   L, V1,V2, V3

Application Notes

Configurations;

C = all shelves for 18″w cabinets

Y = hinge door with shelves and FF -18″w

Z = hinge door with shelves BB for 18″w

V = all shelves for 24″w cabinets

W = hinge door with shelves and FF and wardrobe for 24″w

X = hinge door with shelves and BB and wardrobe for 24″w

These products are Glue and Dowel Construction

Grommet pulls only

Shelves and file front will default to the case finish

No wordwobe option in the 18″w cabinets.

64″h cabinets are compatible with panel heights.

When case finish is Laminate, shelves are painted to match.

When case finish is wood, shelves are painted black.

Drawer interiors always painted black.

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
68″ high, metal interior
28 3/8″ high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	20″	18″	68″	**RCFS6812C(L/R)M( )( )( )( )( )( )**	$1,908.	$2,099.	$2,195.	$2,290.	$2,957.	$3,401.	$4,421.
	24″	18″	68″	**RCFS6813C(L/R)M( )( )( )( )( )( )**	1,975.	2,173.	2,272.	2,370.	3,078.	3,540.	4,602.
Cabinets, hinge door with shelves&File/File	20″	18″	68″	**RCFS6812Y(L/R)M( )( )( )( )( )( )**	2,462.	2,709.	2,832.	2,955.	3,694.	4,248.	5,522.
	24″	18″	68″	**RCFS6813Y(L/R)M( )( )( )( )( )( )**	2,592.	2,852.	2,981.	3,111.	3,888.	4,472.	5,813.
Cabinets, hinge door with shelves&Box/File/File	20″	18″	68″	**RCFS6812Z(L/R)M( )( )( )( )( )( )**	2,537.	2,791.	2,918.	3,045.	3,806.	4,377.	5,690.
	24″	18″	68″	**RCFS6813Z(L/R)M( )( )( )( )( )( )**	2,671.	2,938.	3,071.	3,205.	4,006.	4,607.	5,989.

Order Code

Example:	**RCFS6812C(L/R)M ( )( )( )( )( )( )**
R	Reff
C	Cabinet
FS	Free Standing
68	Height
1	18″ Wide
2	20″ d *(nominal)*
C	Hinge door with shelves
L/R	Left/Right hinge
M	Metal interior
L	Lock
S	Lock finish
G	Pull option
115	Pull finish option
114	Case finish
115	Door finish

Specification Information

To order please specify pattern number including:

1. Lock
   L=Drill for lock
   N=No lock
2. Lock finish
   S=Silver
   B=Black
3. Pull options
   Grommet
4. Pull finish
   Paint / Plated
5. Case finish
   L, V1, V2, V3
6. Door finish
   L, V1,V2, V3

Application Notes

Configurations;

C = all shelves for 18″w cabinets

Y = hinge door with shelves and FF -18″w

Z = hinge door with shelves BB for 18″w

V = all shelves for 24″w cabinets

W = hinge door with shelves and FF and wardrobe for 24″w

X = hinge door with shelves and BB and wardrobe for 24″w

These products are Glue and Dowel Construction

Grommet pulls only.

Shelves and files front will default to the case finish.

68″h Cabinets are for the private offices application to align with a single high overhead, and are compatible with panel height.

No wardrobe options for 18″w cabinets.

When case finish is Laminate, shelves are painted to match.

When case finish is wood, shelves are painted black.

Drawer interiors always painted black.

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
68″ high, metal interior
28 3/8″ high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20″	24″	68″	**RCFS6832V(L/R)M( )( )( )( )( )( )**	$2,274.	$2,501.	$2,615.	$2,728.	$3,630.	$4,175.	$5,427.
	24″	24″	68″	**RCFS6833V(L/R)M( )( )( )( )( )( )**	2,356.	2,592.	2,710.	2,827.	3,800.	4,370.	5,681.
Cabinets, hinge door with shelves, File/File&wardrobe	20″	24″	68″	**RCFS6832W(L/R)M( )( )( )( )( )( )**	2,607.	2,868.	2,998.	3,128.	4,150.	4,773.	6,205.
	24″	24″	68″	**RCFS6833W(L/R)M( )( )( )( )( )( )**	2,724.	2,996.	3,133.	3,269.	4,283.	4,926.	6,404.
Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20″	24″	68″	**RCFS6832X(L/R)M( )( )( )( )( )( )**	2,758.	3,034.	3,172.	3,310.	4,294.	4,938.	6,419.
	24″	24″	68″	**RCFS6833X(L/R)M( )( )( )( )( )( )**	2,921.	3,213.	3,359.	3,505.	4,542.	5,223.	6,790.

Order Code

Example:	**RCFS6812C(L/R)M ( )( )( )( )( )( )**
R	Reff
C	Cabinet
FS	Free Standing
68	Height
1	18″ Wide
2	20″ d *(nominal)*
C	Hinge door with shelves
L/R	Left/Right hinge
M	Metal interior
L	Lock
S	Lock finish
G	Pull option
115	Pull finish option
114	Case finish
115	Door finish

Specification Information

To order please specify pattern number including:

1. Lock
   L=Drill for lock
   N=No lock
2. Lock finish
   S=Silver
   B=Black
3. Pull options
   Grommet
4. Pull finish
   Paint / Plated
5. Case finish
   L, V1, V2, V3
6. Door finish
   L, V1,V2, V3

Application Notes

Configurations;

C = all shelves for 18″w cabinets

Y = hinge door with shelves and FF -18″w

Z = hinge door with shelves BB for 18″w

V = all shelves for 24″w cabinets

W = hinge door with shelves and FF and wardrobe for 24″w

X = hinge door with shelves and BB and wardrobe for 24″w

These products are Glue and Dowel Construction

Grommet pulls only.

Shelves and files front will default to the case finish.

68″h Cabinets are for the private offices application to align with a single high overhead, and are compatible with panel height.

No wardrobe options for 18″w cabinets.

When case finish is Laminate, shelves are painted to match.

When case finish is wood, shelves are painted black.

Drawer interiors always painted black.

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
49″ high, wood interior
28 3/8″ high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	20″	18″	49″	**RCFS4912C(L/R)W( )( )( )( )( )( )**	$1,871.	$2,058.	$2,151.	$2,245.	$3,119.	$3,587.	$4,664.
	24″	18″	49″	**RCFS4913C(L/R)W( )( )( )( )( )( )**	1,914.	2,105.	2,201.	2,296.	3,217.	3,700.	4,810.
Cabinets, hinge door with shelves&File/File	20″	18″	49″	**RCFS4912Y(L/R)W( )( )( )( )( )( )**	2,684.	2,953.	3,087.	3,221.	4,026.	4,630.	6,019.
	24″	18″	49″	**RCFS4913Y(L/R)W( )( )( )( )( )( )**	2,724.	2,996.	3,132.	3,268.	4,085.	4,698.	6,108.
Cabinets, hinge door with shelves&Box/File/File	20″	18″	49″	**RCFS4912Z(L/R)W( )( )( )( )( )( )**	3,112.	3,423.	3,579.	3,734.	4,357.	5,010.	6,513.
	24″	18″	49″	**RCFS4913Z(L/R)W( )( )( )( )( )( )**	3,182.	3,500.	3,659.	3,818.	4,454.	5,122.	6,659.
Cabinets, hinge door with shelves&wardrobe	20″	24″	49″	**RCFS4932V(L/R)W( )( )( )( )( )( )**	2,206.	2,427.	2,537.	2,647.	3,692.	4,245.	5,519.
	24″	24″	49″	**RCFS4933V(L/R)W( )( )( )( )( )( )**	2,263.	2,489.	2,602.	2,715.	3,821.	4,395.	5,713.

Order Code

Example:	**RCFS4912C(L/R)W ( )( )( )( )( )( )**
R	Reff
C	Cabinet
FS	Free Standing
49	Height
1	18″ Wide
2	20″ d *(nominal)*
C	Hinge door with shelves
L/R	
W	Wood interior
L	Lock
S	Lock finish
G	Pull option
115	Pull finish option
114	Case finish
115	Door finish

Specification Information

To order please specify pattern number including:

1. Lock
   L=Drill for lock
   N=No lock
2. Lock finish
   S=Silver
   B=Black
3. Pull options
   Grommet
4. Pull finish
   Paint / Plated
5. Case finish
   L, V1, V2, V3
6. Door finish
   L, V1,V2, V3

Application Notes

Configurations;

C = all shelves for 18″w cabinets

Y = hinge door with shelves and FF -18″w

Z = hinge door with shelves BB for 18″w

V = all shelves for 24″w cabinets

W = hinge door with shelves and FF and wardrobe for 24″w

X = hinge door with shelves and BB and wardrobe for 24″w

These products are Glue and Dowel Construction

Grommet pulls only.

Shelves and files front will default to the case finish.

49″h Cabinets are compatible with panel height.

No wardrobe options in the 18″w cabinet.

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
49″ high, wood interior
28 3/8″ high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves, File/File&wardrobe	20″	24″	49″	**RCFS4932W(L/R)W( )( )( )( )( )( )**	$2,989.	$3,288.	$3,437.	$3,587.	$4,386.	$5,044.	$6,557.
	24″	24″	49″	**RCFS4933W(L/R)W( )( )( )( )( )( )**	2,996.	3,295.	3,445.	3,595.	4,462.	5,131.	6,671.
Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20″	24″	49″	**RCFS4932X(L/R)W( )( )( )( )( )( )**	3,375.	3,712.	3,881.	4,049.	4,765.	5,479.	7,123.
	24″	24″	49″	**RCFS4933X(L/R)W( )( )( )( )( )( )**	3,421.	3,763.	3,934.	4,105.	4,878.	5,610.	7,293.





Order Code

Example:	**RCFS4912C(L/R)W ( )( )( )( )( )( )**
R	Reff
C	Cabinet
FS	Free Standing
49	Height
1	18″ Wide
2	20″ d *(nominal)*
C	Hinge door with shelves
L/R	
W	Wood interior
L	Lock
S	Lock finish
G	Pull option
115	Pull finish option
114	Case finish
115	Door finish

Specification Information

To order please specify pattern number including:

1. Lock
   L=Drill for lock
   N=No lock
2. Lock finish
   S=Silver
   B=Black
3. Pull options
   Grommet
4. Pull finish
   Paint / Plated
5. Case finish
   L, V1, V2, V3
6. Door finish
   L, V1,V2, V3

Application Notes

Configurations;

C = all shelves for 18″w cabinets

Y = hinge door with shelves and FF -18″w

Z = hinge door with shelves BB for 18″w

V = all shelves for 24″w cabinets

W = hinge door with shelves and FF and wardrobe for 24″w

X = hinge door with shelves and BB and wardrobe for 24″w

These products are Glue and Dowel Construction

Grommet pulls only.

Shelves and files front will default to the case finish.

49″h Cabinets are compatible with panel height.

No wardrobe options in the 18″w cabinet.

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
64″ high, wood interior
28 3/8″ high planning

description	d	w	h	pattern no.	L/L	LV1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	20″	18″	64″	**RCFS6412C(L/R)W( )( )( )( )( )( )**	$2,064.	$2,270.	$2,374.	$2,477.	$3,529.	$4,058.	$5,276.
	24″	18″	64″	**RCFS6413C(L/R)W( )( )( )( )( )( )**	2,117.	2,329.	2,435.	2,541.	3,666.	4,216.	5,481.
Cabinets, hinge door with shelves&File/File	20″	18″	64″	**RCFS6412Y(L/R)W( )( )( )( )( )( )**	2,963.	3,259.	3,407.	3,555.	4,444.	5,111.	6,644.
	24″	18″	64″	**RCFS6413Y(L/R)W( )( )( )( )( )( )**	3,071.	3,378.	3,532.	3,685.	4,607.	5,298.	6,887.
Cabinets, hinge door with shelves&Box/File/File	20″	18″	64″	**RCFS6412Z(L/R)W( )( )( )( )( )( )**	3,411.	3,752.	3,923.	4,093.	4,775.	5,492.	7,139.
	24″	18″	64″	**RCFS6413Z(L/R)W( )( )( )( )( )( )**	3,554.	3,909.	4,087.	4,265.	4,976.	5,722.	7,439.

Order Code

Example:	**RCFS6412C(L/R)W ( )( )( )( )( )( )**
R	Reff
C	Cabinet
FS	Free Standing
64	Height
1	18″ Wide
2	20″ d *(nominal)*
C	Hinge door with shelves
L/R	
W	Wood interior
L	Lock
S	Lock finish
G	Pull option
115	Pull finish option
114	Case finish
115	Door finish

Specification Information

To order please specify pattern number including:

1. Lock
   L=Drill for lock
   N=No lock
2. Lock finish
   S=Silver
   B=Black
3. Pull options
   Grommet
4. Pull finish
   Paint / Plated
5. Case finish
   L, V1, V2, V3
6. Door finish
   L, V1,V2, V3

Application Notes

Configurations;

C = all shelves for 18″w cabinets

Y = hinge door with shelves and FF -18″w

Z = hinge door with shelves BB for 18″w

V = all shelves for 24″w cabinets

W = hinge door with shelves and FF and wardrobe for 24″w

X = hinge door with shelves and BB and wardrobe for 24″w

These products are Glue and Dowel Construction

Grommet pulls only.

Shelves and files front will default to the case finish.

64″h Cabinets are compatible with panel height.

No wardrobe option for 18″w cabinets.

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
64″ high, wood interior
28 3/8″ high planning

description	d	w	h	pattern no.	L/L	LV1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe 	20″	24″	64″	**RCFS6432V(L/R)W( )( )( )( )( )( )**	$2,415.	$2,656.	$2,777.	$2,898.	$4,162.	$4,786.	$6,222.
	24″	24″	64″	**RCFS6433V(L/R)W( )( )( )( )( )( )**	2,484.	2,733.	2,857.	2,981.	4,345.	4,996.	6,495.
Cabinets, hinge door with shelves, File/File&wardrobe 	20″	24″	64″	**RCFS6432W(L/R)W( )( )( )( )( )( )**	3,198.	3,517.	3,677.	3,837.	4,856.	5,584.	7,260.
	24″	24″	64″	**RCFS6433W(L/R)W( )( )( )( )( )( )**	3,286.	3,615.	3,779.	3,943.	5,050.	5,807.	7,549.
Cabinets, hinge door with shelves, Box/Box/File&wardrobe 	20″	24″	64″	**RCFS6432X(L/R)W( )( )( )( )( )( )**	3,583.	3,942.	4,121.	4,300.	5,235.	6,020.	7,826.
	24″	24″	64″	**RCFS6433X(L/R)W( )( )( )( )( )( )**	3,712.	4,083.	4,268.	4,454.	5,466.	6,286.	8,171.

Order Code

Example:	**RCFS6412C(L/R)W ( )( )( )( )( )( )**
R	Reff
C	Cabinet
FS	Free Standing
64	Height
1	18″ Wide
2	20″ d *(nominal)*
C	Hinge door with shelves
L/R	
W	Wood interior
L	Lock
S	Lock finish
G	Pull option
115	Pull finish option
114	Case finish
115	Door finish

Specification Information

To order please specify pattern number including:

1. Lock
   L=Drill for lock
   N=No lock
2. Lock finish
   S=Silver
   B=Black
3. Pull options
   Grommet
4. Pull finish
   Paint / Plated
5. Case finish
   L, V1, V2, V3
6. Door finish
   L, V1,V2, V3

Application Notes

Configurations;

C = all shelves for 18″w cabinets

Y = hinge door with shelves and FF -18″w

Z = hinge door with shelves BB for 18″w

V = all shelves for 24″w cabinets

W = hinge door with shelves and FF and wardrobe for 24″w

X = hinge door with shelves and BB and wardrobe for 24″w

These products are Glue and Dowel Construction

Grommet pulls only.

Shelves and files front will default to the case finish.

64″h Cabinets are compatible with panel height.

No wardrobe option for 18″w cabinets.

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
68″ high wood interior
28 3/8″ high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet, hinge door with shelves	20″	18″	68″	**RCFS6812C(L/R)W( )( )( )( )( )( )**	$2,086.	$2,294.	$2,399.	$2,503.	$3,597.	$4,136.	$5,377.
	24″	18″	68″	**RCFS6813C(L/R)W( )( )( )( )( )( )**	2,141.	2,355.	2,462.	2,569.	3,727.	4,286.	5,572.
Cabinets, hinge door with shelves&File/File	20″	18″	68″	**RCFS6812Y(L/R)W( )( )( )( )( )( )**	3,014.	3,315.	3,466.	3,617.	4,521.	5,199.	6,759.
	24″	18″	68″	**RCFS6813Y(L/R)W( )( )( )( )( )( )**	3,118.	3,430.	3,586.	3,742.	4,677.	5,379.	6,992.
Cabinets, hinge door with shelves&Box/File/File	20″	18″	68″	**RCFS6812Z(L/R)W( )( )( )( )( )( )**	3,466.	3,813.	3,986.	4,159.	4,852.	5,580.	7,254.
	24″	18″	68″	**RCFS6813Z(L/R)W( )( )( )( )( )( )**	3,604.	3,965.	4,145.	4,325.	5,046.	5,803.	7,544.

Order Code

Example:	**RCFS6812C(L/R)W ( )( )( )( )( )( )**
R	Reff
C	Cabinet
FS	Free Standing
68	Height
1	18″ Wide
2	20″ d *(nominal)*
C	Hinge door with shelves
L/R	Left/Right hinge
W	Wood interior
L	Lock
S	Lock finish
G	Pull option
115	Pull finish option
114	Case finish
115	Door finish

Specification Information

To order please specify pattern number including:

1. Lock
   L=Drill for lock
   N=No lock
2. Lock finish
   S=Silver
   B=Black
3. Pull options
   Grommet
4. Pull finish
   Paint / Plated
5. Case finish
   L, V1, V2, V3
6. Door finish
   L, V1,V2, V3

Application Notes

Configurations;

C = all shelves for 18″w cabinets

Y = hinge door with shelves and FF -18″w

Z = hinge door with shelves BB for 18″w

V = all shelves for 24″w cabinets

W = hinge door with shelves and FF and wardrobe for 24″w

X = hinge door with shelves and BB and wardrobe for 24″w

These products are Glue and Dowel Construction

Grommet pulls only.

Shelves and files front will default to the case finish.

68″h Cabinets are for the private offices application to align with a single high overhead, and are compatible with panel height.

No wardrobe option in the 18″w cabinets.

Applicable finishes are listed on page 5 and 6.

Cabinets Progressive
68″ high wood interior
28 3/8″ high planning

description	d	w	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinets, hinge door with shelves&wardrobe	20″	24″	68″	**RCFS6832V(L/R)W( )( )( )( )( )( )**	$2,443.	$2,687.	$2,809.	$2,931.	$4,249.	$4,887.	$6,353.
	24″	24″	68″	**RCFS6833V(L/R)W( )( )( )( )( )( )**	2,514.	2,766.	2,892.	3,017.	4,429.	5,094.	6,622.
Cabinets, hinge door with shelves, File/File&wardrobe	20″	24″	68″	**RCFS6832W(L/R)W( )( )( )( )( )( )**	3,236.	3,559.	3,721.	3,883.	4,953.	5,696.	7,405.
	24″	24″	68″	**RCFS6833W(L/R)W( )( )( )( )( )( )**	3,326.	3,659.	3,825.	3,991.	5,143.	5,915.	7,690.
Cabinets, hinge door with shelves, Box/Box/File&wardrobe	20″	24″	68″	**RCFS6832X(L/R)W( )( )( )( )( )( )**	3,621.	3,983.	4,164.	4,345.	5,332.	6,131.	7,971.
	24″	24″	68″	**RCFS6833X(L/R)W( )( )( )( )( )( )**	3,752.	4,127.	4,314.	4,502.	5,560.	6,394.	8,312.

Order Code

Example: **RCFS6812C(L/R)W ( )( )( )( )( )( )**

R	Reff
C	Cabinet
FS	Free Standing
68	Height
1	18″ Wide
2	20″ d *(nominal)*
C	Hinge door with shelves
L/R	Left/Right hinge
W	Wood interior
L	Lock
S	Lock finish
G	Pull option
115	Pull finish option
114	Case finish
115	Door finish

Specification Information

To order please specify pattern number including:

1. Lock
   L=Drill for lock
   N=No lock
2. Lock finish
   S=Silver
   B=Black
3. Pull options
   Grommet
4. Pull finish
   Paint / Plated
5. Case finish
   L, V1, V2, V3
6. Door finish
   L, V1,V2, V3

Application Notes

Configurations;

C = all shelves for 18″w cabinets

Y = hinge door with shelves and FF -18″w

Z = hinge door with shelves BB for 18″w

V = all shelves for 24″w cabinets

W = hinge door with shelves and FF and wardrobe for 24″w

X = hinge door with shelves and BB and wardrobe for 24″w

These products are Glue and Dowel Construction

Grommet pulls only.

Shelves and files front will default to the case finish.

68″h Cabinets are for the private offices application to align with a single high overhead, and are compatible with panel height.

No wardrobe option in the 18″w cabinets.

Applicable finishes are listed on page 5 and 6.

Desktop Towers
28⅜″ high planning
Single Wide, 42″ and 56″ High
Bookcase

description	w	d	h	pattern no.	L	V1	V2	V3
42″h Desk top tower, single width bookcase open wood shelves	16″	15″	42″	**RDTSBWT142( )( )**	$1,155.	$1,981.	$2,278.	$2,961.
	19″	15″	42″	**RDTSBWG142( )( )**	1,185.	2,031.	2,335.	3,036.
56″h Desk top tower, single width bookcase open wood shelves	16″	15″	56″	**RDTSBWT156( )( )**	1,336.	2,291.	2,635.	3,425.
	19″	15″	56″	**RDTSBWG156( )( )**	1,370.	2,348.	2,700.	3,510.





Order Code

Example:	**RDTSBWT142 ( )( )**
R	Reff
DT	Reff Desktop Tower
S	Single width
B	Bookcase
W	Wood Shelves
T	Letter width 16″ nominal
1	Letter depth 15″ nominal
42	42″ high nominal
V2	Case finish type
V316	Case finish
AU	Door frame finish
GL11	Door glass finish

Specification Information

To order please specify pattern number including:
Left or right hand as applicable and embedded in the pattern number.

1. Case finish type
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. Case finish

Application Notes

Heights to work with 28⅜″ desk height planning and 1½″ worksurface.

Shelves to match case finish.

Shelves on single height available with 2 adjustable shelves.

Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.

42″h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56″h desk top tower for use with double tier overhead bridges and floor standing cabinet.

Hinge doors feature no pulls only touch latch.

These products are Glue and Dowel Construction

Desktop Towers
28 3/8″ high planning
Single Wide, 42″ and 56″ High
Wood Hinge Door

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
42″h Desk top tower, single width wood shelves behind wood hinge door	16″	15″	42″	**RDTSHWT142(L/R)( )( )( )( )( )( )**	$1,503.	$1,653.	$1,728.	$1,879.	$2,576.	$2,963.	$3,852.
	19″	15″	42″	**RDTSHWG142(L/R)( )( )( )( )( )( )**	1,545.	1,700.	1,777.	1,932.	2,649.	3,047.	3,960.
56″h Desk top tower, single width wood shelves behind wood hinge door	16″	15″	56″	**RDTSHWT156(L/R)( )( )( )( )( )( )**	1,713.	1,884.	2,073.	2,280.	2,937.	3,377.	4,391.
	19″	15″	56″	**RDTSHWG156(L/R)( )( )( )( )( )( )**	1,761.	1,937.	2,130.	2,343.	3,018.	3,471.	4,512.



Order Code

Example:	**RDTSHWT142 ( )( )**
R	Reff
DT	Reff Desktop Tower
S	Single width
H	Hinge Door
W	Wood Shelves
T	Letter width 16″ nominal
1	Letter depth 15″ nominal
42	42″ high nominal
2	Finish type
T	Pull option
L	Lock option
B	Lock finish
V316	Case finish
V316	Front finish
111	Pull finish

Specification Information

To order please specify pattern number including:
Left or right hand as applicable and embedded in the pattern number.

1. Case finish type
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. Front finish type L, V1, V2, V3
3. Pull option=Painted and plated
   B=Blank (no drilling)
   F=Bar pull
   H=Outline pull
   N=No pull, touch latch
   R=Cylinder pull
   T=Tab pull
4. Lock option L or N
5. Lock finish
   B=Black
   S=Matte Silver
6. Case finish= *V316
7. Front finish=V316
8. Pull finish=111

Application Notes

Heights to work with 28 3/8″ desk height planning and 1 1/2″ worksurface.

Shelves to match case finish.

Shelves on single wide available with 2 adjustable shelves.

Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.

42″h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56″h desk top tower for use with double tier overhead bridges and floor standing cabinet.

These products are Glue and Dowel Construction

Desktop Towers
28 3/8" high planning
Single Wide, 42" and 56" High
Glass hinge door

description	w	d	h	pattern no.	L	V1	V2	V3
42"h Desk top tower, single width bookcase open wood shelves	16"	15"	42"	**RDTSGWT142(L/R)( )( )( )( )**	$2,147.	$2,791.	$3,210.	$4,173.
	18"	15"	42"	**RDTSGWG142(L/R)( )( )( )( )**	2,237.	2,908.	3,344.	4,384.
56"h Desk top tower, single width bookcase open wood shelves	16"	15"	56"	**RDTSGWT156(L/R)( )( )( )( )**	2,485.	3,230.	3,715.	4,830.
	18"	15"	56"	**RDTSGWG156(L/R)( )( )( )( )**	2,595.	3,373.	3,879.	5,043.





Order Code

Example:	**RDTSGWT142 ( )( )( )( )**
R	Reff
DT	Reff Desktop Tower
S	Single width
G	Hinge glass door
W	Wood Shelves
T	Letter width 16" nominal
1	Letter depth 15" nominal
42	42" high nominal
L	Left / Right hand
2	Case finish type
V316	Case finish
AU	Door frame finish
GL11	Door glass finish

Specification Information

To order please specify pattern number including:
Left or right hand as applicable and embedded in the pattern number.

1. Case finish type
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. Case finish V316
3. Door frame ypte=Anodized / Painted
4. Door glass finish = Gl11/18/15.

Application Notes

Heights to work with 28 3/8" desk height planning and 1 1/2" worksurface.

Shelves to match case finish.

Shelves on single height available with 2 adjustable shelves.

Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.

42"h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56"h desk top tower for use with double tier overhead bridges and floor standing cabinet.

Glass hinge doors available only with touch latch.

These products are Glue and Dowel Construction

Desktop Towers
28 3/8″ high planning
Double Wide, 42″ and 56″ High
Bookcase

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
42″h Desk top tower, double width bookcase / open shelves	30″	15″	42″	**RDTDBW3142( )( )**	$1,757.	$2,811.	$3,232.	$4,202.			
	36″	15″	42″	**RDTDBW6142( )( )**	1,807.	2,892.	3,325.	4,323.			
											
56″h Desk top tower, double width bookcase / open shelves	30″	15″	56″	**RDTDBW3156( )( )**	2,097.	3,354.	3,858.	5,015.			
	36″	15″	56″	**RDTDBW6156( )( )**	2,154.	3,446.	3,963.	5,152.			
42″h Desk top tower, double width wood shelves behind wood hinge door	30″	15″	42″	**RDTDHW3142( )( )( )( )( )( )**	2,063.	2,373.	2,476.	2,683.	3,301.	3,796.	4,935.
	36″	15″	42″	**RDTDHW6142( )( )( )( )( )( )**	2,142.	2,463.	2,570.	2,785.	3,427.	3,941.	5,124.
											
56″h Desk top tower, double width wood shelves behind wood hinge door	30″	15″	56″	**RDTDHW3156( )( )( )( )( )( )**	2,386.	2,625.	2,888.	3,176.	3,818.	4,391.	5,708.
	36″	15″	56″	**RDTDHW6156( )( )( )( )( )( )**	2,496.	2,745.	3,020.	3,322.	3,993.	4,592.	5,970.

Order Code

Example:	**RDTDBW3142 ( )( )**
R	Reff
DT	Reff Desktop Tower
D	Double width
B	Bookcase
W	Wood Shelves
3	30″ wide
1	Letter depth 15″ nominal
42	42″ high nominal
2	Case finish type
V316	Case finish

Specification Information

To order please specify pattern number including:
Left or right hand as applicable and embedded in the pattern number.

1. Case finish type
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. Case finish V316
3. Pull option Plated / Painted
4. Lock option L, N
5. Lock finish
   S=Matte Silver
   B=Black
6. Case finish V316
7. Front finish V313
8. Pull finish 111

Application Notes

Heights to work with 28 3/8″ desk height planning and 1 1/2″ worksurface.

Shelves to match case finish.

Shelves with door option on single height available with 2 adjustable shelves.

Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.

42″h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56″h desk top tower for use with double tier overhead bridges and floor standing cabinet.

Hinge doors feature no pulls only touch latch.

These products are Glue and Dowel Construction

Desktop Towers
28⅜" high planning
Double Wide, 42" and 56" High
Asymmetrical

description	w	d	h	pattern no.	L	V1	V2	V3
Desk top tower, double width -Asymmetrical Split glass hinged door / open shelves all wood 	30″	15″	42″	**RDTAGW3142(L/R)( )( )( )**	$2,865.	$3,724.	$4,283.	$5,568.
	30″	15″	56″	**RDTAGW3156(L/R)( )( )( )**	4,157.	4,988.	5,736.	7,457.
	36″	15″	42″	**RDTAGW6142(L/R)( )( )( )**	3,052.	3,967.	4,562.	5,931.
	36″	15″	56″	**RDTAGW6156(L/R)( )( )( )**	4,427.	5,312.	6,109.	7,942.
Desk top tower, double width -Asymmetrical Split glass hinged door / open shelves all glass 	30″	15″	42″	**RDTAGG3142(L/R)( )( )( )( )**	2,747.	3,571.	4,107.	5,339.
	30″	15″	56″	**RDTAGG3156(L/R)( )( )( )( )**	3,223.	4,190.	4,819.	6,264.
	36″	15″	42″	**RDTAGG6142(L/R)( )( )( )( )**	2,934.	3,814.	4,387.	5,702.
	36″	15″	56″	**RDTAGG6156(L/R)( )( )( )( )**	3,465.	4,504.	5,180.	6,734.
Desk top tower, double width wood shelves behind glass hinge door 	30″	15″	42″	**RDTDGW3142( )( )( )( )( )( )**	3,604.	4,325.	4,974.	6,466.
	30″	15″	56″	**RDTDGW3156( )( )( )( )( )( )**	4,157.	4,988.	5,736.	7,457.
	36″	15″	42″	**RDTDGW6142( )( )( )( )( )( )**	3,760.	4,512.	5,189.	6,746.
	36″	15″	56″	**RDTDGW6156( )( )( )( )( )( )**	4,427.	5,312.	6,109.	7,942.

Order Code

Example:	**RDTAGW3142**
RDT	Reff Desktop Tower
A	Asymmetrical split
G	Hinge door glass
W	Wood Shelves
3	30″ wide nominal
1	Letter depth 15″ nominal
42	42″ high nominal
(L)	Left / Right hand option
V2	Case finish type
V316	Case finish
AU	Door frame finish
GL11	Door glass finish

Specification Information

To order please specify pattern number including:
Left or right hand as applicable and embedded in the pattern number.

1. Case finish type
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. Case finish V316
3. Door finish type, Plated / Painted
4. Door glass finish = Gl11/18/15.
   For desk top with open shelves, all glass
5. Shelf, glass finish:
   GL35 - Grey
   GL85 - Star clear

Application Notes

Heights to work with 28⅜" desk height planning and 1½" worksurface.

Shelves to match case finish.

Shelves on single height available with 2 adjustable shelves.

Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.

42"h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56"h desk top tower for use with double tier overhead bridges and floor standing cabinet.

Hinge doors feature no pulls only touch latch.

Desk top tower backs.

These products are Glue and Dowel Construction

Desktop Towers
28 3/8" high planning
Double Wide, 42" and 56" High
Asymmetrical with mix casing

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Desk top tower, double width -Asymmetrical Split hinged door / open shelves all wood	30″	15″	42″	**RDTAHW3142(L/R)( )( )( )( )( )( )**	$2,188.	$2,406.	$2,516.	$2,625.	$3,347.	$3,849.	$5,004.
	30″	15″	56″	**RDTAHW3156(L/R)( )( )( )( )( )( )**	2,554.	2,809.	2,937.	3,065.	3,907.	4,493.	5,842.
	36″	15″	42″	**RDTAHW6142(L/R)( )( )( )( )( )( )**	2,273.	2,500.	2,613.	2,727.	3,477.	3,998.	5,198.
	36″	15″	56″	**RDTAHW6156(L/R)( )( )( )( )( )( )**	2,668.	2,935.	3,069.	3,202.	4,083.	4,695.	6,104.



Desk top tower, double width -Asymmetrical Split hinged door / open shelves all glass	30″	15″	42″	**RDTAHG3142(L/R)( )( )( )( )( )( )**	2,368.	2,586.	2,696.	2,805.	3,527.	4,029.	5,184.
	30″	15″	56″	**RDTAHG3156(L/R)( )( )( )( )( )( )**	2,824.	3,079.	3,207.	3,335.	4,177.	4,763.	6,112.
	36″	15″	42″	**RDTAHG6142(L/R)( )( )( )( )( )( )**	2,453.	2,680.	2,793.	2,907.	3,657.	4,178.	5,378.
	36″	15″	56″	**RDTAHG6156(L/R)( )( )( )( )( )( )**	2,938.	3,205.	3,339.	3,472.	4,353.	4,965.	6,374.



Order Code

Example: **RDTAHW3142(L/R) ( )( )( )( )( )( )**

RDT	Reff Desktop Tower
A	Asymmetrical split
H	Hinge door wood
W	Wood Shelves
3	30″ wide nominal
1	Letter depth 15″ nominal
42	42″ high nominal
L	Left / Right hand option
V2	Case finish type
V2	Front finish type
F	Pull option
L	Lock option
B	Lock finish
V316	Case finish
V316	Front finsih
111	Pull finish

Specification Information

To order please specify pattern number including:
Left or right hand as applicable and embedded in the pattern number.

1. Case finish type:
   L, V1, V2, V3
2. Front finish type:
   L. V1, V2, V3
3. Pull option:
   B=No pull
   F=Bar pull
   H=Outline pull
   N=No pull, touch latch
   R=Cylinder pull
   T=Tab pull
4. Lock option:
   L, N
5. Lock finish:
   B=Black
   S=Matte Silver
6. Case finish:
   V316
7. Front finish:
   V316
8. Pull finish:
   Painted or Plated

Application Notes

Heights to work with 28 3/8″ desk height planning and 1 1/2″ worksurface.

Shelves to match case finish.

Shelves on single height available with 2 adjustable shelves.

Shelves on double high available with one fixed middle shelf, one upper and one lower adjustable shelf.

42″h desk top towers for use with single tier overhead bridges and floorstanding cabinet.

56″h desk top tower for use with double tier overhead bridges and floor standing cabinet.

Hinge doors feature no pulls only touch latch.

These products are Glue and Dowel Construction

Overhead, 26 1/2″ planning
Wall hung, Single high

description	h	w	d	locks req'd	doors	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet (open) with back 	19″	30″	15″			**ROMO30S0( )-( )( )**	$1,660.	$1,719.	$1,975.	$2,665.
	19″	36″	15″			**ROMO36S0( )-( )( )**	1,703.	1,763.	2,026.	2,734.
	19″	42″	15″			**ROMO42S0( )-( )( )**	1,747.	1,808.	2,078.	2,805.
	19″	48″	15″			**ROMO48S0( )-( )( )**	1,796.	1,852.	2,135.	2,882.
	19″	60″	15″			**ROMO60S0( )-( )( )**	1,982.	2,047.	2,356.	3,180.
	19″	72″	15″			**ROMO72S0( )-( )( )**	2,092.	2,167.	2,490.	3,361.
Wall-hung overhead cabinet (hinged door) with back 	19″	30″	15″	1	2	**ROMH30S0( )-( )( )**	2,415.	2,495.	2,866.	3,870.
	19″	36″	15″	1	2	**ROMH36S0( )-( )( )**	2,570.	2,659.	3,057.	4,127.
	19″	60″	15″	2	4	**ROMH60S0( )-( )( )**	2,887.	2,983.	3,432.	4,633.
	19″	72″	15″	2	4	**ROMH72S0( )-( )( )**	3,055.	3,157.	3,632.	4,903.
Wall-hung overhead cabinet flip door) with back	19″	30″	15″	1	1	**ROMF30S0( )-( )( )**	1,769.	1,829.	2,102.	2,839.
	19″	36″	15″	1	1	**ROMF36S0( )-( )( )**	1,883.	1,947.	2,240.	3,024.
	19″	42″	15″	1	1	**ROMF42S0( )-( )( )**	1,993.	2,065.	2,374.	3,205.
	19″	48″	15″	1	1	**ROMF48S0( )-( )( )**	2,110.	2,181.	2,509.	3,387.
	19″	60″	15″	2	2	**ROMF60S0( )-( )( )**	2,326.	2,407.	2,767.	3,736.
	19″	72″	15″	2	2	**ROMF72S0( )-( )( )**	2,462.	2,545.	2,927.	3,952.

Order Code

Example:	**ROMO30S0**
R	Reff
O	Overhead
M	Wall hung
O	Open
30	30″ wide
S	Standard height, 19″h
0	15″ deep

Specification Information

To order please specify pattern number including:

1. Configuration option *(embedded in pattern no.)*
   H = Hinged door
   O = Open
   F = Flip door
2. Storage option *(embedded in pattern no.)*
   S0 = 19″h x 14″d open/15″d hinged door
3. Finish type
4. Pull option *applicable hinged doors only*
5. Lock option
6. Finish, case
7. Finish, pull when applicable
8. Keying instructions

***After specifying product code, provide keying instructions.**

Dimensions are nominal.

Product not available where prices do not appear.

3. *Finish type options:*
L = Laminate
1 = V1 techwood
2 = V2 conventional veneer
3 = V3 exotic veneer

4. Pull Options:
D = Metal D-pull for hinged door only
J = Routed pull
C = Nickel finish C-pull for hinged door only (nickel finish only)
S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lockdrilling

8. Refer to page 480 for keying instructions.

Applicable finishes are listed on page 5 and 6.

Sliding rails order separately on page 0.

Application Notes

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

D-Pulls are not available for flip door units.

Hardware included for overhead cabinets.

The manufacturer does not take responsibility for the installation or the security of cabinets to the wall.

***Keying instructions must accompany all cabinet orders.**

Panel-hung overheads come with no backs.

Random keys are factory installed.

Order overheads with a KnollKey order form.

Overhead, 26 1/2″ planning
Panel hung, Single high

description	h	w	d	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead cabinet (open) no back 	19″	30″	14″			**ROPO30S0( )-( )( )**	$1,191.	$1,229.	$1,414.	$1,909.
	19″	36″	14″			**ROPO36S0( )-( )( )**	1,457.	1,506.	1,732.	2,339.
	19″	42″	14″			**ROPO42S0( )-( )( )**	1,601.	1,655.	1,905.	2,572.
	19″	48″	14″			**ROPO48S0( )-( )( )**	1,660.	1,714.	1,973.	2,663.
	19″	60″	14″			**ROPO60S0( )-( )( )**	1,696.	1,754.	2,020.	2,727.
	19″	72″	14″			**ROPO72S0( )-( )( )**	2,080.	2,148.	2,471.	3,335.
	19″	90″	14″			**ROPO90S0( )-( )( )**	2,288.	2,364.	2,718.	3,670.
	19″	96″	14″			**ROPO96S0( )-( )( )**	2,371.	2,451.	2,818.	3,804.
	23″	60″	14″			**ROPO60T0( )-( )( )**	1,812.	1,875.	2,156.	2,910.
	23”	72″	14″			**ROPO72T0( )-( )( )**	2,471.	2,558.	2,940.	3,970.
	23″	90″	14″			**ROPO90T0( )-( )( )**	2,805.	2,897.	3,333.	4,501.
	23″	96″	14″			**ROPO96T0( )-( )( )**	2,907.	3,005.	3,457.	4,667.
Panel-hung overhead cabinet (hinged door) no back 	19″	30″	14″	1	2	**ROPH30S0( )-( )( )**	1,322.	1,364.	1,567.	2,116.
	19″	36″	14″	1	2	**ROPH36S0( )-( )( )**	1,615.	1,671.	1,924.	2,597.
	19″	60″	14″	2	4	**ROPH60S0( )-( )( )**	1,885.	1,948.	2,241.	3,026.
	19″	72″	14″	2	4	**ROPH72S0( )-( )( )**	2,310.	2,390.	2,748.	3,710.
	19″	90″	14″	3	6	**ROPH90S0( )-( )( )**	2,543.	2,627.	3,021.	4,077.
	19″	96″	14″	3	6	**ROPH96S0( )-( )( )**	2,633.	2,721.	3,132.	4,228.
	23″	60″	14″	2	4	**ROPH60T0( )-( )( )**	2,017.	2,084.	2,398.	3,239.
	23”	72″	14″	2	4	**ROPH72T0( )-( )( )**	2,746.	2,841.	3,265.	4,408.
	23″	90″	14″	3	6	**ROPH90T0( )-( )( )**	3,114.	3,221.	3,700.	4,995.
	23″	96″	14″	3	6	**ROPH96T0( )-( )( )**	3,231.	3,339.	3,839.	5,183.

Order Code

Example:	**ROPH60S0DLL**
R	Reff
O	Overhead
P	Panel hung
H	Hinge door
60	60″ wide
S	Standard height, 19″h
0	15″ deep
D	D-pull
L	Lock hole drilled
L	Laminate finish

Specification Information

To order please specify pattern number including:

1. Configuration option *(embedded in pattern no.)*
   H = Hinged door
   O = Open
   F = Flip door
2. Storage option *(embedded in pattern no.)*
   S0 = 19″h x 14″d open/15″d hinged door
   T0 = 23″h x 14″d open/15″d hinged door
3. Finish type
4. Pull option *applicable hinged doors only*
5. Lock option
6. Finish, case
7. Finish, pull when applicable
8. Keying instructions

***After specifying product code, provide keying instructions.**

Dimensions are nominal.

Product not available where prices do not appear.

3. *Finish type options:*
L = Laminate
1 = V1 techwood
2 = V2 conventional veneer
3 = V3 exotic veneer

4. Pull Options:
D = Metal D-pull for hinged door only
J = Routed pull
C = Nickel finish C-pull for hinged door only (nickel finish only)
S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lockdrilling

8. Refer to page 480 for keying instructions.

Woodgrain Laminate is not available on any flip door units.

Applicable finishes are listed on page 5 and 6.

Sliding rails order separately on page 0.

Application Notes

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

D-Pulls are not available for flip door units.

Hardware included for overhead cabinets.

The manufacturer does not take responsibility for the installation or the security of cabinets to the wall.

***Keying instructions must accompany all cabinet orders.**

Panel-hung overheads come with no backs.

Random keys are factory installed.

Order overheads with a KnollKey order form.

Overhead, 26 1/2″ planning
Panel hung, Single high

description	h	w	d	locks req'd	doors	pattern no.	L	V1	V2	V3
Panel-hung overhead flip door cabinet (no back) 	18″	30″	14″	1	1	**ROPF30S0J-( )( )**	$993.	$1,304.	$1,498.	$2,023.
	18″	36″	14″	1	1	**ROPF36S0J-( )( )**	1,010.	1,327.	1,528.	2,062.
	18″	42″	14″	1	1	**ROPF42S0J-( )( )**	1,081.	1,423.	1,637.	2,211.
	18″	48″	14″	1	1	**ROPF48S0J-( )( )**	1,121.	1,480.	1,701.	2,297.
	18″	60″	14″	2	2	**ROPF60S0J-( )( )**	1,301.	1,711.	1,969.	2,659.
	18″	72″	14″	2	2	**ROPF72S0J-( )( )**	1,538.	2,025.	2,326.	3,140.
	18″	84″	14″	2	2	**ROPF84S0J-( )( )**	1,719.	2,261.	2,600.	3,511.
	18″	96″	14″	2	2	**ROPF96S0J-( )( )**	1,833.	2,413.	2,776.	3,747.
Panel-hung shelves 	9″	30″	13″			**ROPS30S0NN-( )**	267.	550.	631.	853.
	9″	36″	13″			**ROPS36S0NN-( )**	288.	571.	656.	886.
	9″	42″	13″			**ROPS42S0NN-( )**	312.	590.	680.	918.
	9″	48″	13″			**ROPS48S0NN-( )**	333.	611.	701.	946.
	9″	54″	13″			**ROPS54S0NN-( )**	356.	656.	753.	1,017.
	9″	60″	13″			**ROPS60S0NN-( )**	380.	706.	812.	1,096.
	9″	66″	13″			**ROPS66S0NN-( )**	402.	751.	864.	1,166.
	9″	72″	13″			**ROPS72S0NN-( )**	425.	800.	917.	1,237.
	9″	78″	13″			**ROPS78S0NN-( )**	448.	867.	996.	1,344.
	9″	84″	13″			**ROPS84S0NN-( )**	469.	933.	1,074.	1,450.
	9″	90″	13″			**ROPS90S0NN-( )**	493.	1,001.	1,150.	1,553.
	9″	96″	13″			**ROPS96S0NN-( )**	500.	1,052.	1,212.	1,636.

Order Code

Example:	**ROPH60S0DLL**
R	Reff
O	Overhead
P	Panel hung
H	Hinge door
60	60″ wide
S	Standard height, 19″h
0	15″ deep
D	D-pull
L	Lock hole drilled
L	Laminate finish

Specification Information

To order please specify pattern number including:

1. Configuration option *(embedded in pattern no.)*
   H = Hinged door
   O = Open
   F = Flip door
2. Storage option *(embedded in pattern no.)*
   S0 = 19″h x 14″d open/15″d hinged door
   T0 = 23″h x 14″d open/15″d hinged door
3. Finish type
4. Pull option *applicable hinged doors only*
5. Lock option
6. Finish, case
7. Finish, pull when applicable
8. Keying instructions

***After specifying product code, provide keying instructions.**

Dimensions are nominal.

Product not available where prices do not appear.

3. *Finish type options:*
L = Laminate
1 = V1 techwood
2 = V2 conventional veneer
3 = V3 exotic veneer

4. Pull Options:
D = Metal D-pull for hinged door only
J = Routed pull
C = Nickel finish C-pull for hinged door only (nickel finish only)
S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. Lock options:
L = Lock hole drilled
N = No lockdrilling

8. Refer to page 480 for keying instructions.

Woodgrain Laminate is not available on any flip door units.

Applicable finishes are listed on page 5 and 6.

Sliding rails order separately on page 0.

Application Notes

Panel-hung cabinets are shipped knocked-down. Wall-hung overhead cabinets are shipped assembled.

Open cabinets require no locks.

Tasklights are not included.

D-Pulls are not available for flip door units.

Hardware included for overhead cabinets.

The manufacturer does not take responsibility for the installation or the security of cabinets to the wall.

***Keying instructions must accompany all cabinet orders.**

Panel-hung overheads come with no backs.

Random keys are factory installed.

Order overheads with a KnollKey order form.

Overhead, 26½″ planning
Workwalls

description	d	h	w	pattern no.	L	V1	V2	V3
72″h workwall overhead cabinet (open) 	15″	19″	60″	**ROWO60S0( )-( )( )( )**	$1,894.	$1,978.	$2,319.	$3,131.
	15″	19″	72″	**ROWO72S0( )-( )( )( )**	2,435.	2,543.	2,974.	4,014.
	15″	19″	90″	**ROWO90S0( )-( )( )( )**	2,683.	2,806.	3,302.	4,457.
	15″	19″	96″	**ROWO96S0( )-( )( )( )**	2,748.	2,880.	3,391.	4,578.
	15″	23″	60″	**ROWO60T0( )-( )( )( )**	2,058.	2,148.	2,518.	3,400.
	15″	23″	72″	**ROWO72T0( )-( )( )( )**	2,765.	2,884.	3,369.	4,547.
	15″	23″	90″	**ROWO90T0( )-( )( )( )**	3,101.	3,241.	3,797.	5,127.
	15″	23″	96″	**ROWO96T0( )-( )( )( )**	3,165.	3,311.	3,887.	5,249.
	20″	19″	60″	**ROWO60S1( )-( )( )( )**	2,036.	2,127.	2,492.	3,364.
	20″	19″	72″	**ROWO72S1( )-( )( )( )**	2,615.	2,727.	3,187.	4,303.
	20″	19″	90″	**ROWO90S1( )-( )( )( )**	2,981.	3,117.	3,659.	4,940.
	20″	19″	96″	**ROWO96S1( )-( )( )( )**	3,050.	3,190.	3,749.	5,062.
	20″	23″	60″	**ROWO60T1( )-( )( )( )**	2,201.	2,296.	2,689.	3,629.
	20″	23″	72″	**ROWO72T1( )-( )( )( )**	3,047.	3,177.	3,703.	4,999.
	20″	23″	90″	**ROWO90T1( )-( )( )( )**	3,295.	3,442.	4,031.	5,441.
	20″	23″	96″	**ROWO96T1( )-( )( )( )**	3,364.	3,512.	4,119.	5,560.
72″h workwall overhead cabinet (hinged door) 	15″	19″	60″	**ROWH60S0( )-( )( )( )**	2,444.	2,547.	2,975.	4,015.
	15″	19″	72″	**ROWH72S0( )-( )( )( )**	3,132.	3,260.	3,802.	5,133.
	15″	19″	90″	**ROWH90S0( )-( )( )( )**	3,477.	3,632.	4,250.	5,737.
	15″	19″	96″	**ROWH96S0( )-( )( )( )**	3,574.	3,732.	4,374.	5,904.
	15″	23″	60″	**ROWH60T0( )-( )( )( )**	2,650.	2,761.	3,223.	4,350.
	15″	23″	72″	**ROWH72T0( )-( )( )( )**	3,546.	3,690.	4,293.	5,797.
	15″	23″	90″	**ROWH90T0( )-( )( )( )**	4,001.	4,170.	4,870.	6,574.
	15″	23″	96″	**ROWH96T0( )-( )( )( )**	4,096.	4,273.	4,994.	6,742.
	20″	19″	60″	**ROWH60S1( )-( )( )( )**	2,624.	2,733.	3,190.	4,307.
	20″	19″	72″	**ROWH72S1( )-( )( )( )**	3,357.	3,494.	4,068.	5,491.
	20″	19″	90″	**ROWH90S1( )-( )( )( )**	3,854.	4,020.	4,694.	6,338.
	20″	19″	96″	**ROWH96S1( )-( )( )( )**	3,950.	4,120.	4,820.	6,507.
	20″	23″	60″	**ROWH60T1( )-( )( )( )**	2,831.	2,948.	3,435.	4,637.
	20″	23″	72″	**ROWH72T1( )-( )( )( )**	3,898.	4,054.	4,712.	6,362.
	20″	23″	90″	**ROWH90T1( )-( )( )( )**	4,247.	4,424.	5,160.	6,967.
	20″	23″	96″	**ROWH96T1( )-( )( )( )**	4,340.	4,524.	5,284.	7,133.

60″w and 72″w units have four hinged doors, two lock cores required.
90″w and 96″w have six hinged doors, three lock cores required.

Order Code

Example:	**ROWO60S0L**
R	Reff
O	Overhead
W	Workwall
O	Open
60	60″ wide
S	Standard height
0	15″ deep
L	Laminate finish
(W250)	Fabric finish Regency

Specification Information

To order please specify pattern number including:

1. Configuration option
2. Storage option *(embedded in pattern no.)*
   S0 = 19″h x 15″d
   S1 = 19″h x 20″d
   T0 = 23″h x 15″d
   T1 = 23″h x 20″d
3. Finish type
4. Pull option for hinged door only.
5. Lock option
6. Finish
7. Pull finish when applicable
8. Fabric for tackboard

After specifying product code, provide keying instructions.1. Configuration options:*
O = Open
H = Hinged door

3. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

4. Pull Options:
D = Metal D-pull for hinged door only
J = Routed pull
C = Nickel C-pull for hinged door only (nickel finish only)
S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. Lock options:
L = Lockhole drilled
N = No lock drilling

Keying instructions *
See Planning Guide for keying examples.

Application Notes

Shipped knocked-down.

Open cabinets require no locks.

Tasklights not included.

Tackboard included, fabric railroaded.

Locks are not factory installed.

If attaching workwall to 72″ high cabinets for support, please provide drawing of layout.

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Overhead, 26 1/2″ planning
Shoulders

description	d	h	w	pattern no.	L	V1	V2	V3
Workwall support endpanels for 72″H x 20″D workwall cabinets	15″	19″	–	**RWEA7220(L/R)-( )**	$353.	$364.	$417.	$563.
	15″	23″	–	**RWEB7220(L/R)-( )**	353.	364.	417.	563.
	20″	19″	–	**RWEC7220(L/R)-( )**	353.	364.	417.	563.
	20″	23″	–	**RWED7220(L/R)-( )**	353.	364.	417.	563.
Workwall support endpanels for 72″H x 24″D workwall cabinets	15″	19″	–	**RWEA7224(L/R)-( )**	384.	398.	457.	617.
	15″	23″	–	**RWEB7224(L/R)-( )**	384.	398.	457.	617.
	20″	19″	–	**RWEC7224(L/R)-( )**	384.	398.	457.	617.
	20″	23″	–	**RWED7224(L/R)-( )**	384.	398.	457.	617.

Order Code

Example:	**ROWO60S0L**
R	Reff
O	Overhead
W	Workwall
O	Open
60	60″ wide
S	Standard height
0	15″ deep
L	Laminate finish
(W250)	Fabric finish Regency

Specification Information

To order please specify pattern number including:

1. Configuration option
2. Storage option *(embedded in pattern no.)*
   S0 = 19″h x 15″d
   S1 = 19″h x 20″d
   T0 = 23″h x 15″d
   T1 = 23″h x 20″d
3. Finish type
4. Pull option for hinged door only.
5. Lock option
6. Finish
7. Pull finish when applicable
8. Fabric for tackboard

After specifying product code, provide keying instructions.1. Configuration options:*
O = Open
H = Hinged door

3. Finish type:
L = Laminate
1 = V1
2 = V2
3 = V3

4. Pull Options:
D = Metal D-pull for hinged door only
J = Routed pull
C = Nickel C-pull for hinged door only (nickel finish only)
S = Stainless steel finish S-pull for hinged door only (stainless steel finish only)

5. Lock options:
L = Lockhole drilled
N = No lock drilling

Keying instructions *
See Planning Guide for keying examples.

Application Notes

Shipped knocked-down.

Open cabinets require no locks.

Tasklights not included.

Tackboard included, fabric railroaded.

Locks are not factory installed.

If attaching workwall to 72″ high cabinets for support, please provide drawing of layout.

Applicable finishes are listed on page 5 and 6.

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Overhead, 26 1/2″ planning
Use with 1 1/4″ worksurfaces overdesk unit

description	d	w	h	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 ¼″ worksurfaces (hinged door)	15″	60″	44 ¼″	2	4	**ROAH60T0( )-( )( )**	$2,392.	$3,002.	$3,508.	$4,736.
	15″	72″	44 ¼″	2	4	**ROAH72T0( )-( )( )**	3,031.	3,797.	4,429.	5,980.
	15″	90″	44 ¼″	3	6	**ROAH90T0( )-( )( )**	3,370.	4,226.	4,949.	6,681.
	15″	96″	44 ¼″	3	6	**ROAH96T0( )-( )( )**	3,510.	4,408.	5,167.	6,975.
	20″	60″	44 ¼″	2	4	**ROAH60T1( )-( )( )**	2,531.	3,175.	3,702.	4,996.
	20″	72″	44 ¼″	2	4	**ROAH72T1( )-( )( )**	3,200.	4,008.	4,670.	6,304.
	20″	90″	44 ¼″	3	6	**ROAH90T1( )-( )( )**	3,565.	4,471.	5,229.	7,060.
	20″	96″	44 ¼″	3	6	**ROAH96T1( )-( )( )**	3,716.	4,664.	5,459.	7,370.
For 1 ¼″ worksurfaces (open)	15″	60″	44 ¼″			**ROAO60T0( )-( )( )**	1,582.	1,990.	2,346.	3,167.
	15″	72″	44 ¼″			**ROAO72T0( )-( )( )**	2,018.	2,535.	2,978.	4,020.
	15″	90″	44 ¼″			**ROAO90T0( )-( )( )**	2,208.	2,784.	3,293.	4,445.
	15″	96″	44 ¼″			**ROAO96T0( )-( )( )**	2,292.	2,893.	3,423.	4,620.
	20″	60″	44 ¼″			**ROAO60T1( )-( )( )**	1,680.	2,111.	2,483.	3,353.
	20″	72″	44 ¼″			**ROAO72T1( )-( )( )**	2,136.	2,683.	3,148.	4,250.
	20″	90″	44 ¼″			**ROAO90T1( )-( )( )**	2,344.	2,956.	3,482.	4,702.
	20″	96″	44 ¼″			**ROAO96T1( )-( )( )**	2,434.	3,073.	3,627.	4,895.
For 1 ¼″ worksurfaces (flip door)	15″	60″	44 ¼″	2	2	**ROAF60S0( )-( )( )**	2,047.	2,789.	3,260.	4,402.
	15″	72″	44 ¼″	2	2	**ROAF72S0( )-( )( )**	2,431.	3,535.	4,126.	5,570.
	15″	84″	44 ¼″	2	2	**ROAF84S0( )-( )( )**	3,150.	4,029.	4,711.	6,359.
	15″	96″	44 ¼″	2	2	**ROAF96S0( )-( )( )**	3,226.	4,138.	4,855.	6,554.
	20″	60″	44 ¼″	2	2	**ROAF60S1( )-( )( )**	2,167.	2,953.	3,449.	4,657.
	20″	72″	44 ¼″	2	2	**ROAF72S1( )-( )( )**	2,568.	3,732.	4,354.	5,878.
	20″	84″	44 ¼″	2	2	**ROAF84S1( )-( )( )**	3,330.	4,261.	4,979.	6,721.
	20″	96″	44 ¼″	2	2	**ROAF96S1( )-( )( )**	3,416.	4,383.	5,136.	6,933.





Order Code

Example:	**ROAF60S0LJLBF118( )**
R	Reff
O	Overhead
A	For 1 ¼″ top mounting
F	Flip door
60	60″ wide
S	Standard height
0	15″ deep
L	Finish type, laminate
J	J-pull
L	Locks included
BF	Cord escape, back feed
118	Finish, Bright White
(W250)	Fabric

Specification Information

To order please specify pattern number including:

1. *Configuration option*
   O = Open
   H = Hinged door
   F = Flip door
2. *Width*
3. *Storage option*
   S0 = 19″h x 15″d
   S1 = 19″h x 20″d
   T0 = 23″h x 15″d
   T1 = 23″h x 20″d
4. *Finish type*
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
5. *Pull option for hinged door only*
   D = Metal D-pull (for hinged doors only)
   J = Routed pull
   C = Nickel C-pull (nickel finish only, for hinged doors only)
   S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)
6. *Lock option*
   L = Lockhole drilled
   N = No lock drilling
7. Cord escape option
8. Finish
9. Pull finish where applicable
10. Fabric for tackboard

Woodgrain Laminate is not available on any flip door units.

***After specifying product code, provide keying instructions.**

Overdesk unit will achieve 72″ nominal height when used with correct top.

The clearance under the overhead to the top of the worksurface is approximately 21 ¼″.

Applicable finishes are listed on page 5 and 6.

Application Notes

Shipped knocked-down.

Open cabinets require no locks.

Tasklights not included.

Tackboard included, fabric railroaded.

C, D and S pulls are not available for flip door units.

All flip door cabinets on this page are nominal 19″H not 23″H.

Open/hinge doors are nominal 23″H, actual 22 3/8″.

Locks are not factory installed.

Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."

Wire manager is included and mounts adjacent to tackboard. Specify color.

Overhead, 26 1/2″ planning
Use with 1 3/4″ worksurfaces overdesk unit

description	d	w	he	locks req'd	doors	pattern no.	L	V1	V2	V3
For 1 3/4″ worksurfaces (hinged door) 	15″	60″	43 3/4″	2	4	**ROBH60T0( )-( )( )**	$2,419.	$3,034.	$3,544.	$4,786.
	15″	72″	43 3/4″	2	4	**ROBH72T0( )-( )( )**	3,066.	3,839.	4,478.	6,046.
	15″	90″	43 3/4″	3	6	**ROBH90T0( )-( )( )**	3,407.	4,275.	5,004.	6,755.
	15″	96″	43 3/4″	3	6	**ROBH96T0( )-( )( )**	3,553.	4,459.	5,225.	7,054.
	20″	60″	43 3/4″	2	4	**ROBH60T1( )-( )( )**	2,561.	3,206.	3,745.	5,057.
	20″	72″	43 3/4″	2	4	**ROBH72T1( )-( )( )**	3,237.	4,053.	4,723.	6,375.
	20″	90″	43 3/4″	3	6	**ROBH90T1( )-( )( )**	3,605.	4,524.	5,287.	7,137.
	20″	96″	43 3/4″	3	6	**ROBH96T1( )-( )( )**	3,758.	4,717.	5,523.	7,455.
For 1 3/4″ worksurfaces (open)	15″	60″	43 3/4″			**ROBO60T0( )-( )( )**	1,599.	2,017.	2,371.	3,200.
	15″	72″	43 3/4″			**ROBO72T0( )-( )( )**	2,027.	2,565.	3,012.	4,065.
	15″	90″	43 3/4″			**ROBO90T0( )-( )( )**	2,233.	2,818.	3,330.	4,495.
	15″	96″	43 3/4″			**ROBO96T0( )-( )( )**	2,318.	2,928.	3,463.	4,675.
	20″	60″	43 3/4″			**ROBO60T1( )-( )( )**	1,697.	2,138.	2,511.	3,390.
	20″	72″	43 3/4″			**ROBO72T1( )-( )( )**	2,161.	2,714.	3,182.	4,295.
	20″	90″	43 3/4″			**ROBO90T1( )-( )( )**	2,321.	2,931.	3,469.	4,683.
	20″	96″	43 3/4″			**ROBO96T1( )-( )( )**	2,375.	2,992.	3,528.	4,762.
For 1 3/4″ worksurfaces (flip door) 	15″	60″	43 3/4″	2	2	**ROBF60S0( )-( )( )**	2,070.	2,822.	3,299.	4,454.
	15″	72″	43 3/4″	2	2	**ROBF72S0( )-( )( )**	2,459.	3,575.	4,173.	5,633.
	15″	84″	43 3/4″	2	2	**ROBF84S0( )-( )( )**	3,186.	4,071.	4,762.	6,430.
	15″	96″	43 3/4″	2	2	**ROBF96S0( )-( )( )**	3,264.	4,189.	4,912.	6,631.
	20″	60″	43 3/4″	2	2	**ROBF60S1( )-( )( )**	2,193.	2,983.	3,487.	4,707.
	20″	72″	43 3/4″	2	2	**ROBF72S1( )-( )( )**	2,598.	3,774.	4,403.	5,944.
	20″	84″	43 3/4″	2	2	**ROBF84S1( )-( )( )**	3,371.	4,312.	5,039.	6,804.
	20″	96″	43 3/4″	2	2	**ROBF96S1( )-( )( )**	3,457.	4,433.	5,191.	7,008.

Order Code

Example:	**ROBF60S0LJLBF118( )**
R	Reff
O	Overhead
B	For 1 3/4″ top mounting
F	Flip door
60	60″ wide
S	Standard height
0	15″ deep
L	Finish type, laminate
J	J-pull
L	Locks included
BF	Cord escape, back feed
118	Finish, Bright White
(W250)	Fabric

Specification Information

To order please specify pattern number including:

1. *Configuration option*
   O = Open
   H = Hinged door
   F = Flip door
2. *Width*
3. *Storage option*
   S0 = 19″h x 15″d
   S1 = 19″h x 20″d
   T0 = 23″h x 15″d
   T1 = 23″h x 20″d
4. *Finish type*
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
5. *Pull option for hinged door only*
   D = Metal D-pull (for hinged doors only)
   J = Routed pull
   C = Nickel C-pull (nickel finish only, for hinged doors only)
   S = Stainless steel finish S-pull (stainless steel finish only, for hinged doors only)
6. *Lock option*
   L = Lockhole drilled
   N = No lock drilling
7. *Cord escape option*
8. *Finish*
9. *Pull finish where applicable*
10. *Fabric for tackboard*

After specifying product code, provide keying instructions.

Overdesk unit will achieve 72″ nominal height when used with correct top.

The clearance under the overhead to the top of the worksurface is approximately 20 3/4″.

Applicable finishes are listed on page 5 and 6.

Woodgrain Laminate is not available on any flip door units.

Application Notes

Shipped knocked-down.

Open cabinets require no locks.

Tasklights not included.

Tackboard included, fabric railroaded.

C, D and S pulls are not available for flip door units.

All flip door cabinets on this page are nominal 19″H not 23″H.

Open/hinge doors are nominal 23″H, actual 22 3/8″.

Locks are not factory installed.

Include grommet (black only) in back panel for task light cord. If used in open plan areas specify "no grommet."

Wire manager is included and mounts adjacent to tackboard. Specify color.

Overhead, 26 1/2″ planning
rectilinear worksurfaces for workwall units
1 1/4″ thick

description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops 	60″	20″	**RSWWA601( )**	$552.	$569.	$653.	$882.
	60″	24″	**RSWWA602( )**	593.	611.	704.	950.
	72″	20″	**RSWWA721( )**	600.	620.	712.	960.
	72″	24″	**RSWWA722( )**	641.	664.	760.	1,027.
	90″	20″	**RSWWA901( )**	695.	719.	826.	1,115.
	90″	24″	**RSWWA902( )**	737.	760.	877.	1,183.
	96″	20″	**RSWWA961( )**	789.	815.	937.	1,265.
	96″	24″	**RSWWA962( )**	832.	860.	988.	1,333.
Waterfall edge workwall tops 	60″	20″	**RSWWAWF601( )**	n/a	1,709.	1,966.	2,654.
	60″	24″	**RSWWAWF602( )**	n/a	1,835.	2,111.	2,850.
	72″	20″	**RSWWAWF721( )**	n/a	1,858.	2,137.	2,884.
	72″	24″	**RSWWAWF722( )**	n/a	1,987.	2,287.	3,088.
	90″	20″	**RSWWAWF901( )**	n/a	2,157.	2,481.	3,350.
	90″	24″	**RSWWAWF902( )**	n/a	2,287.	2,631.	3,551.
	96″	20″	**RSWWAWF961( )**	n/a	2,514.	2,811.	3,795.
	96″	24″	**RSWWAWF962( )**	n/a	2,578.	2,965.	4,002.
Straight workwall 1 1/4″ Rectangular tops with front edge profile 	60″	20″	**RSWWA(A/B/C/D/E/F/G)601( )**	n/a	663.	764.	1,032.
	60″	24″	**RSWWA(A/B/C/D/E/F/G)602( )**	n/a	703.	811.	1,095.
	72″	20″	**RSWWA(A/B/C/D/E/F/G)721( )**	n/a	712.	819.	1,106.
	72″	24″	**RSWWA(A/B/C/D/E/F/G)722( )**	n/a	761.	877.	1,083.
	90″	20″	**RSWWA(A/B/C/D/E/F/G)901( )**	n/a	826.	950.	1,283.
	90″	24″	**RSWWA(A/B/C/D/E/F/G)902( )**	n/a	876.	1,008.	1,360.
	96″	20″	**RSWWA(A/B/C/D/E/F/G)961( )**	n/a	937.	1,079.	1,456.
	96″	24″	**RSWWA(A/B/C/D/E/F/G)962( )**	n/a	988.	1,136.	1,534.

Order Code

Example:	**RSWWA60100L**
R	Reff
S	Straight top
WW	Workwall top
A	1 1/4″ thick
60	60″ wide
1	20″ deep
(L)	Laminate finish

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Top finish type
3. Top finish

1. Thickness options:
A = 1 1/4″

2. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

3. Specify edge detail where applicable, for RSWWA( ). See page0 for available profiles.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Application Notes

20″ and 24″ depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.

No grommets available.

1 3/4″ thick laminate option is double post formed front and back, all others are edgebanded.

Applicable finishes are listed on page 5 and 6.

Hardware included.

Overhead, 26 1/2″ planning
rectilinear worksurfaces for workwall units
1 3/4″ thick

description	w	d	pattern no.	L	M/V1	V2	V3
Straight workwall Rectangular tops	60″	20″	**RSWWB601( )**	$689.	$716.	$821.	$1,108.
	60″	24″	**RSWWB602( )**	739.	769.	884.	1,194.
	72″	20″	**RSWWB721( )**	750.	780.	897.	1,211.
	72″	24″	**RSWWB722( )**	800.	833.	958.	1,294.
	90″	20″	**RSWWB901( )**	868.	903.	1,038.	1,403.
	90″	24″	**RSWWB902( )**	923.	959.	1,102.	1,488.
	96″	20″	**RSWWB961( )**	985.	1,023.	1,175.	1,586.
	96″	24″	**RSWWB962( )**	1,039.	1,080.	1,241.	1,676.

Order Code

Example:	**RSWWB60100L**
R	Reff
S	Straight top
WW	Workwall top
B	1 3/4″ thick
60	60″ wide
1	20″ deep
(L)	Laminate finish

Specification Information

To order please specify pattern number including:

1. Top thickness
2. Top finish type
3. Top finish

1. Thickness options:
B = 1 3/4″

2. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

3. Specify edge detail where applicable, for RSWWA( ). See page0 for available profiles.

Application Notes

20″ and 24″ depth dimensions are given so specifier may more easily match top to pedestal depth or lateral file depth. These tops are actually less deep than the indicated dimension because they incorporate wire management channel along their backs.

No grommets available.

1 3/4″ thick laminate option is double post formed front and back, all others are edgebanded.

Applicable finishes are listed on page 5 and 6.

Hardware included.

Overhead, 28 3/8″ planning
Workwalls

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 19″h storage (open)	15″	19″	60″	75″	**ROWO60S0DH ( )( )( )( )**	$1,988.	$2,077.	$2,435.	$3,289.
	15″	19″	72″	75″	**ROWO72S0DH ( )( )( )( )**	2,558.	2,670.	3,123.	4,216.
	15″	19″	90″	75″	**ROWO90S0DH ( )( )( )( )**	2,820.	2,947.	3,465.	4,678.
	15″	19″	96″	75″	**ROWO96S0DH ( )( )( )( )**	2,887.	3,025.	3,560.	4,806.
	20″	19″	60″	75″	**ROWO60S1DH ( )( )( )( )**	2,139.	2,232.	2,616.	3,531.
	20″	19″	72″	75″	**ROWO72S1DH ( )( )( )( )**	2,746.	2,862.	3,344.	4,516.
	20″	19″	90″	75″	**ROWO90S1DH ( )( )( )( )**	3,130.	3,273.	3,843.	5,188.
	20″	19″	96″	75″	**ROWO96S1DH ( )( )( )( )**	3,204.	3,350.	3,937.	5,316.



Order Code

Example:	**ROWO60S0DHL118( )**
R	Reff
O	Overhead
W	Workwall
O	Open
60	60″ wide
S	19″ storage height
0	15″ storage depth
DH	desk height, 75″ height overall
L	Finish type, laminate
118	Finish, Bright White
( )	Fabric selection

dimensions noted nominal

Specification Information

To order please specify pattern number including:

1. *Configuration option (embedded in pattern number)*
   O = Open
   H = Hinged doors
2. *Storage option (embedded in pattern number)*
   S0 = 19″h x 15″d
   S1 = 19″h x 20″d
   T0 = 23″h x 15″d
   T1 = 23″h x 20″d
3. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
4. *Pull option*
   (Optional hinged door configurations only)
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
5. *Lock option*
   (Optional hinged door configurations only)
   L = drilled to accept lock
   N = no drilling
6. *Finish*
7. *Optional pull finish, where applicable*
8. *Fabric for tackboard*

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 480.Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Products on this page, shipped knocked-down.

Applicable finishes are listed on page 5 and 6.

Application Notes

Products on this page are engineered to align with 75″h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8″h products on page 0 ; **do not mix products from 26 ½″h (standard height) planning model with 28 ⅜″h (desk height) planning model in any one configuration.**

75″ nominal height - actual height 75.125″

If attaching workwall to 75″ cabinet(s) for support, please provide drawing of layout with order.

Tackboard included with workwall; fabric applied railroaded.

Tasklights to be ordered separately

Overhead, 28 3/8″ planning
Workwalls

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 23″h storage (open) 	15″	23″	60″	75″	**ROWO60T0DH ( )( )( )( )**	$2,162.	$2,256.	$2,645.	$3,571.
	15″	23″	72″	75″	**ROWO72T0DH ( )( )( )( )**	2,905.	3,028.	3,537.	4,775.
	15″	23″	90″	75″	**ROWO90T0DH ( )( )( )( )**	3,256.	3,403.	3,988.	5,384.
	15″	23″	96″	75″	**ROWO96T0DH ( )( )( )( )**	3,324.	3,477.	4,083.	5,511.
	20″	23″	60″	75″	**ROWO60T1DH ( )( )( )( )**	2,312.	2,411.	2,824.	3,811.
	20″	23″	72″	75″	**ROWO72T1DH ( )( )( )( )**	3,200.	3,336.	3,887.	5,249.
	20″	23″	90″	75″	**ROWO90T1DH ( )( )( )( )**	3,459.	3,614.	4,234.	5,715.
	20″	23″	96″	75″	**ROWO96T1DH ( )( )( )( )**	3,531.	3,687.	4,325.	5,838.

Order Code

Example:	**ROWO60S0DHL118( )**
R	Reff
O	Overhead
W	Workwall
O	Open
60	60″ wide
S	19″ storage height
0	15″ storage depth
DH	desk height, 75″ height overall
L	Finish type, laminate
118	Finish, Bright White
( )	Fabric selection

dimensions noted nominal

Specification Information

To order please specify pattern number including:

1. *Configuration option (embedded in pattern number)*
   O = Open
   H = Hinged doors
2. *Storage option (embedded in pattern number)*
   S0 = 19″h x 15″d
   S1 = 19″h x 20″d
   T0 = 23″h x 15″d
   T1 = 23″h x 20″d
3. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
4. *Pull option*
   (Optional hinged door configurations only)
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
5. *Lock option*
   (Optional hinged door configurations only)
   L = drilled to accept lock
   N = no drilling
6. *Finish*
7. *Optional pull finish, where applicable*
8. *Fabric for tackboard*

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 480.Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Products on this page, shipped knocked-down.

Applicable finishes are listed on page 5 and 6.

Application Notes

Products on this page are engineered to align with 75″h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8″h products on page 0 ; **do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

75″ nominal height - actual height 75.125″

If attaching workwall to 75″ cabinet(s) for support, please provide drawing of layout with order.

Tackboard included with workwall; fabric applied railroaded.

Tasklights to be ordered separately

Overhead, 28 3/8″ planning
Workwalls

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 19″h storage (hinged door)	15″	19″	60″	75″	**ROWH60S0DH ( )( )( )( )**	$2,566.	$2,675.	$3,124.	$4,218.
	15″	19″	72″	75″	**ROWH72S0DH ( )( )( )( )**	3,289.	3,425.	3,993.	5,391.
	15″	19″	90″	75″	**ROWH90S0DH ( )( )( )( )**	3,652.	3,813.	4,462.	6,024.
	15″	19″	96″	75″	**ROWH96S0DH ( )( )( )( )**	3,753.	3,919.	4,593.	6,201.
	20″	19″	60″	75″	**ROWH60S1DH ( )( )( )( )**	2,756.	2,871.	3,350.	4,523.
	20″	19″	72″	75″	**ROWH72S1DH ( )( )( )( )**	3,524.	3,669.	4,272.	5,767.
	20″	19″	90″	75″	**ROWH90S1DH ( )( )( )( )**	4,047.	4,220.	4,929.	6,654.
	20″	19″	96″	75″	**ROWH96S1DH ( )( )( )( )**	4,147.	4,326.	5,060.	6,831.



60″w and 72″w units have four hinged doors, two lock cores required
90″w and 96″w units have 6 hinged doors, three lock cores required

Order Code

Example:	**ROWO60S0DHL118( )**
R	Reff
O	Overhead
W	Workwall
O	Open
60	60″ wide
S	19″ storage height
0	15″ storage depth
DH	desk height, 75″ height overall
L	Finish type, laminate
118	Finish, Bright White
( )	Fabric selection

dimensions noted nominal

Specification Information

To order please specify pattern number including:

1. *Configuration option (embedded in pattern number)*
   O = Open
   H = Hinged doors
2. *Storage option (embedded in pattern number)*
   S0 = 19″h x 15″d
   S1 = 19″h x 20″d
   T0 = 23″h x 15″d
   T1 = 23″h x 20″d
3. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
4. *Pull option*
   (Optional hinged door configurations only)
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
5. *Lock option*
   (Optional hinged door configurations only)
   L = drilled to accept lock
   N = no drilling
6. *Finish*
7. *Optional pull finish, where applicable*
8. *Fabric for tackboard*

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 480.Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Products on this page, shipped knocked-down.

Applicable finishes are listed on page 5 and 6.

Application Notes

Products on this page are engineered to align with 75″h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8″h products on page 0 ; **do not mix products from 26 ½″h (standard height) planning model with 28 ⅜″h (desk height) planning model in any one configuration.**

75″ nominal height - actual height 75.125″

If attaching workwall to 75″ cabinet(s) for support, please provide drawing of layout with order.

Tackboard included with workwall; fabric applied railroaded.

Tasklights to be ordered separately

Overhead, 28 3/8″ planning
Workwalls

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall, (for "desk height") 23″h storage (hinged door)	15″	23″	60″	75″	**ROWH60T0DH ( )( )( )( )**	$2,783.	$2,898.	$3,385.	$4,570.
	15″	23″	72″	75″	**ROWH72T0DH ( )( )( )( )**	3,723.	3,873.	4,508.	6,086.
	15″	23″	90″	75″	**ROWH90T0DH ( )( )( )( )**	4,201.	4,378.	5,112.	6,901.
	15″	23″	96″	75″	**ROWH96T0DH ( )( )( )( )**	4,301.	4,487.	5,243.	7,080.
	20″	23″	60″	75″	**ROWH60T1DH ( )( )( )( )**	2,974.	3,096.	3,606.	4,869.
	20″	23″	72″	75″	**ROWH72T1DH ( )( )( )( )**	4,092.	4,258.	4,948.	6,680.
	20″	23″	90″	75″	**ROWH90T1DH ( )( )( )( )**	4,460.	4,645.	5,419.	7,316.
	20″	23″	96″	75″	**ROWH96T1DH ( )( )( )( )**	4,557.	4,750.	5,548.	7,489.



60″w and 72″w units have four hinged doors, two lock cores required
90″w and 96″w units have 6 hinged doors, three lock cores required

Order Code

Example:	**ROWO60S0DHL118( )**
R	Reff
O	Overhead
W	Workwall
O	Open
60	60″ wide
S	19″ storage height
0	15″ storage depth
DH	desk height, 75″ height overall
L	Finish type, laminate
118	Finish, Bright White
( )	Fabric selection

dimensions noted nominal

Specification Information

To order please specify pattern number including:

1. *Configuration option (embedded in pattern number)*
   O = Open
   H = Hinged doors
2. *Storage option (embedded in pattern number)*
   S0 = 19″h x 15″d
   S1 = 19″h x 20″d
   T0 = 23″h x 15″d
   T1 = 23″h x 20″d
3. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
4. *Pull option*
   (Optional hinged door configurations only)
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
5. *Lock option*
   (Optional hinged door configurations only)
   L = drilled to accept lock
   N = no drilling
6. *Finish*
7. *Optional pull finish, where applicable*
8. *Fabric for tackboard*

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 480.Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Products on this page, shipped knocked-down.

Applicable finishes are listed on page 5 and 6.

Application Notes

Products on this page are engineered to align with 75″h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8″h products on page 0 ; **do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

75″ nominal height - actual height 75.125″

If attaching workwall to 75″ cabinet(s) for support, please provide drawing of layout with order.

Tackboard included with workwall; fabric applied railroaded.

Tasklights to be ordered separately

Overhead, 28 3/8″ planning
Shoulders

description	d	h	w	overall height	pattern no.	L	V1	V2	V3
Workwall support end panels for 75″h x 20″d workwall cabinets	15″	19″		75″	**RWEA7520(L/R) ( )( )**	$370.	$383.	$438.	$593.
	15″	23″		75″	**RWEB7520(L/R) ( )( )**	370.	383.	438.	593.
	20″	19″		75″	**RWEC7520(L/R) ( )( )**	370.	383.	438.	593.
	20″	23″		75″	**RWED7520(L/R) ( )( )**	370.	383.	438.	593.
	depth and width indicate drilled to support workwall with corresponding storage dimensions								
Workwall support end panels for 75″h x 24″d workwall cabinets	15″	19″		75″	**RWEA7524(L/R) ( )( )**	402.	418.	480.	648.
	15″	23″		75″	**RWEB7524(L/R) ( )( )**	402.	418.	480.	648.
	20″	19″		75″	**RWEC7524(L/R) ( )( )**	402.	418.	480.	648.
	20″	23″		75″	**RWED7524(L/R) ( )( )**	402.	418.	480.	648.
	depth and width indicate drilled to support workwall with corresponding storage dimensions								
Overhead shoulder	15″	68″	2″	68″	**ROSSH681( )( )**	353.	364.	417.	563.
	15″	82″	2″	82″	**ROSDH821( )( )**	384.	398.	457.	617.

Order Code

Example:	**ROWO60S0DHL118( )**
R	Reff
O	Overhead
W	Workwall
O	Open
60	60″ wide
S	19″ storage height
0	15″ storage depth
DH	desk height, 75″ height overall
L	Finish type, laminate
118	Finish, Bright White
( )	Fabric selection

dimensions noted nominal

Specification Information

To order please specify pattern number including:

1. *Configuration option (embedded in pattern number)*
   O = Open
   H = Hinged doors
2. *Storage option (embedded in pattern number)*
   S0 = 19″h x 15″d
   S1 = 19″h x 20″d
   T0 = 23″h x 15″d
   T1 = 23″h x 20″d
3. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
4. *Pull option*
   (Optional hinged door configurations only)
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
5. *Lock option*
   (Optional hinged door configurations only)
   L = drilled to accept lock
   N = no drilling
6. *Finish*
7. *Optional pull finish, where applicable*
8. *Fabric for tackboard*

Product on this page excluding J-pull option will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Workwalls do not come with lock included. Keying instructions must accompany all orders, refer to page 480.Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Products on this page, shipped knocked-down.

Applicable finishes are listed on page 5 and 6.

Application Notes

Products on this page are engineered to align with 75″h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8″h products on page 0 ; **do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

75″ nominal height - actual height 75.125″

If attaching workwall to 75″ cabinet(s) for support, please provide drawing of layout with order.

Tackboard included with workwall; fabric applied railroaded.

Tasklights to be ordered separately

Overhead, 28 3/8″ planning
Use with 1 1/4″ worksurfaces
Overdesk unit

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit (for 1 1/4″ worksurface at ″desk height″) O=Open	15″	60″	45 1/2″	**ROAO60T0DH ( )( )( )( )( )**	$1,662.	$2,090.	$2,463.	$3,326.
	15″	72″	45 1/2″	**ROAO72T0DH ( )( )( )( )( )**	2,118.	2,663.	3,125.	4,219.
	15″	90″	45 1/2″	**ROAO90T0DH ( )( )( )( )( )**	2,317.	2,924.	3,457.	4,667.
	15″	96″	45 1/2″	**ROAO96T0DH ( )( )( )( )( )**	2,407.	3,037.	3,593.	4,851.
	20″	60″	45 1/2″	**ROAO60T1DH ( )( )( )( )( )**	1,764.	2,217.	2,608.	3,520.
	20″	72″	45 1/2″	**ROAO72T1DH ( )( )( )( )( )**	2,244.	2,820.	3,306.	4,462.
	20″	90″	45 1/2″	**ROAO90T1DH ( )( )( )( )( )**	2,460.	3,103.	3,658.	4,938.
	20″	96″	45 1/2″	**ROAO96T1DH ( )( )( )( )( )**	2,557.	3,226.	3,808.	5,141.
Overdesk unit (for 1 1/4″ worksurface at ″desk height″) H=Hinged Door	15″	60″	45 1/2″	**ROAH60T0DH ( )( )( )( )( )**	2,510.	3,153.	3,681.	4,970.
	15″	72″	45 1/2″	**ROAH72T0DH ( )( )( )( )( )**	3,183.	3,988.	4,652.	6,280.
	15″	90″	45 1/2″	**ROAH90T0DH ( )( )( )( )( )**	3,538.	4,438.	5,198.	7,017.
	15″	96″	45 1/2″	**ROAH96T0DH ( )( )( )( )( )**	3,686.	4,628.	5,424.	7,322.
	20″	60″	45 1/2″	**ROAH60T1DH ( )( )( )( )( )**	2,658.	3,333.	3,888.	5,250.
	20″	72″	45 1/2″	**ROAH72T1DH ( )( )( )( )( )**	3,361.	4,209.	4,904.	6,621.
	20″	90″	45 1/2″	**ROAH90T1DH ( )( )( )( )( )**	3,741.	4,694.	5,490.	7,413.
	20″	96″	45 1/2″	**ROAH96T1DH ( )( )( )( )( )**	3,902.	4,895.	5,734.	7,739.

60″w and 72″w hinged door units have four hinged doors, two lock cores required
90″w and 96″w hinged door units have six hinged doors, three lock cores required

Order Code

Example:	**ROAO60T0DHLBF118( )**
R	Reff
O	Overhead
A	For mounting on 1 1/4″ thick top
O	Open
60	60″ wide
T	23″h storage
0	15″d storage
DH	desk height, 75″ height overall
L	Finish type, laminate
BF	Cord escape, back feed
118	Finish, Bright White
( )	Fabric selection

dimensions noted nominal

Specification Information

To order please specify pattern number including:

1. *Configuration option (embedded in pattern number)*
   O = Open
   H = Hinged doors
   F = Flip doors
2. *Storage option (embedded in pattern number)*
   S0 = 19″h x 15″d
   S1 = 19″h x 20″d
   T0 = 23″h x 15″d
   T1 = 23″h x 20″d
3. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
4. *Pull option*
   (Optional hinged door configurations only)
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
5. *Lock option*
   (Optional hinged door configurations only)
   L = drilled to accept lock
   N = no drilling
6. *Tasklight cord escape*
   BF = back feed
   FF = front feed
7. *Finish*
8. *Optional pull finish, where applicable*
9. *Fabric for tackboard*

Woodgrain Laminate is not available on any flip door units.

Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 480.Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Products on this page shipped knocked-down.

Tasklights not included.

Tackboard included, fabric orientation applied railroaded.

Wire manager included and mounts adjacent to tackboard. Specify color.

Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify “no grommet”

Application Notes

Products on this page are engineered to align with 75″h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8″h products on page 0 ; **do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

Overdesk unit will achieve 75″ nominal height - actual height 75.125″, when used with correct thickness of top.

Clearance below overhead storage to top of worksurface is approximately 23 1/8″h.

Applicable finishes are listed on page 5 and 6.

Overhead, 28 3/8″ planning
Use with 1 1/4″ worksurfaces
Overdesk unit

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit (for 1 1/4″ worksurface at ″desk height″) F=Flip door	15″	60″	45 1/2″	**ROAF60S0DH ( )( )( )( )**	$2,149.	$2,928.	$3,425.	$4,623.
	15″	72″	45 1/2″	**ROAF72S0DH ( )( )( )( )**	2,552.	3,712.	4,333.	5,849.
	15″	84″	45 1/2″	**ROAF84S0DH ( )( )( )( )**	3,307.	4,230.	4,948.	6,680.
	15″	96″	45 1/2″	**ROAF96S0DH ( )( )( )( )**	3,388.	4,345.	5,098.	6,883.
	20″	60″	45 1/2″	**ROAF60S1DH ( )( )( )( )**	2,277.	3,098.	3,622.	4,889.
	20″	72″	45 1/2″	**ROAF72S1DH ( )( )( )( )**	2,698.	3,918.	4,572.	6,171.
	20″	84″	45 1/2″	**ROAF84S1DH ( )( )( )( )**	3,496.	4,474.	5,226.	7,055.
	20″	96″	45 1/2″	**ROAF96S1DH ( )( )( )( )**	3,587.	4,603.	5,393.	7,281.

all flip door units have two flip doors, two lock cores required
J-pull only, C, D and S pulls are not optional for flip door units

Order Code

Example:	**ROAO60T0DHLBF118( )**
R	Reff
O	Overhead
A	For mounting on 1 1/4″ thick top
O	Open
60	60″ wide
T	23″h storage
0	15″d storage
DH	desk height, 75″ height overall
L	Finish type, laminate
BF	Cord escape, back feed
118	Finish, Bright White
( )	Fabric selection

dimensions noted nominal

Specification Information

To order please specify pattern number including:

1. *Configuration option (embedded in pattern number)*
   O = Open
   H = Hinged doors
   F = Flip doors
2. *Storage option (embedded in pattern number)*
   S0 = 19″h x 15″d
   S1 = 19″h x 20″d
   T0 = 23″h x 15″d
   T1 = 23″h x 20″d
3. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
4. *Pull option*
   (Optional hinged door configurations only)
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
5. *Lock option*
   (Optional hinged door configurations only)
   L = drilled to accept lock
   N = no drilling
6. *Tasklight cord escape*
   BF = back feed
   FF = front feed
7. *Finish*
8. *Optional pull finish, where applicable*
9. *Fabric for tackboard*

Woodgrain Laminate is not available on any flip door units.

Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 480.Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Products on this page shipped knocked-down.

Tasklights not included.

Tackboard included, fabric orientation applied railroaded.

Wire manager included and mounts adjacent to tackboard. Specify color.

Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify “no grommet”

Application Notes

Products on this page are engineered to align with 75″h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8″h products on page 0 ; **do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

Overdesk unit will achieve 75″ nominal height - actual height 75.125″, when used with correct thickness of top.

Clearance below overhead storage to top of worksurface is approximately 23 1/8″h.

Applicable finishes are listed on page 5 and 6.

Overhead, 28 3/8″ planning
Use with 1 3/4″ worksurfaces
Overdesk unit

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit (for 1 3/4″ worksurface at ″desk height″) H=Hinged Door 	15″	60″	45″	**ROBH60T0DH ( )( )( )( )( )**	$2,543.	$3,186.	$3,723.	$5,025.
	15″	72″	45″	**ROBH72T0DH ( )( )( )( )( )**	3,220.	4,034.	4,704.	6,350.
	15″	90″	45″	**ROBH90T0DH ( )( )( )( )( )**	3,579.	4,489.	5,254.	7,092.
	15″	96″	45″	**ROBH96T0DH ( )( )( )( )( )**	3,730.	4,684.	5,487.	7,407.
	20″	60″	45″	**ROBH60T1DH ( )( )( )( )( )**	2,689.	3,366.	3,930.	5,306.
	20″	72″	45″	**ROBH72T1DH ( )( )( )( )( )**	3,398.	4,255.	4,958.	6,693.
	20″	90″	45″	**ROBH90T1DH ( )( )( )( )( )**	3,786.	4,747.	5,553.	7,497.
	20″	96″	45″	**ROBH96T1DH ( )( )( )( )( )**	3,945.	4,953.	5,799.	7,828.

60″w and 72″w hinged door units have four hinged doors, two lock cores required
90″w and 96″w hinged door units have six hinged doors, three lock cores required

Overdesk unit (for 1 3/4″ worksurface at ″desk height″) O=Open	15″	60″	45″	**ROBO60T0DH ( )( )( )( )( )**	1,679.	2,117.	2,490.	3,361.
	15″	72″	45″	**ROBO72T0DH ( )( )( )( )( )**	2,128.	2,695.	3,162.	4,269.
	15″	90″	45″	**ROBO90T0DH ( )( )( )( )( )**	2,346.	2,958.	3,496.	4,720.
	15″	96″	45″	**ROBO96T0DH ( )( )( )( )( )**	2,434.	3,074.	3,638.	4,911.
	20″	60″	45″	**ROBO60T1DH ( )( )( )( )( )**	1,782.	2,243.	2,639.	3,562.
	20″	72″	45″	**ROBO72T1DH ( )( )( )( )( )**	2,268.	2,848.	3,342.	4,512.
	20″	90″	45″	**ROBO90T1DH ( )( )( )( )( )**	2,439.	3,077.	3,641.	4,916.
	20″	96″	45″	**ROBO96T1DH ( )( )( )( )( )**	2,494.	3,140.	3,703.	4,999.

Order Code

Example:	**ROBO60T0DHLBF118( )**
R	Reff
O	Overhead
B	For mounting on 1 3/4″ thick top
O	Open
60	60″ wide
T	23″h storage
0	15″d storage
DH	desk height, 75″ height overall
L	Finish type, laminate
BF	Cord escape, back feed
118	Finish, Bright White
( )	Fabric selection

dimensions noted nominal

Specification Information

To order please specify pattern number including:

1. *Configuration option (embedded in pattern number)*
   O = Open
   H = Hinged doors
   F = Flip doors
2. *Storage option (embedded in pattern number)*
   S0 = 19″h x 15″d
   S1 = 19″h x 20″d
   T0 = 23″h x 15″d
   T1 = 23″h x 20″d
3. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
4. *Pull option*
   (Optional hinged door configurations only)
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
5. *Lock option*
   (Optional hinged door configurations only)
   L = drilled to accept lock
   N = no drilling
6. *Tasklight cord escape*
   BF = back feed
   FF = front feed
7. *Finish*
8. *Optional pull finish, where applicable*
9. *Fabric for tackboard*

Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 480.Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Products on this page shipped knocked-down.

Tasklights not included.

Tackboard included, fabric orientation applied railroaded.

Wire manager included and mounts adjacent to tackboard. Specify color.

Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify “no grommet”.

Woodgrain Laminate is not available on any flip door units.

Application Notes

Products on this page are engineered to align with 75″h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8″h products on page 0 ; **do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

Overdesk unit will achieve 75″ nominal height - actual height 75.125″, when used with correct thickness of top.

Clearance below overhead storage to top of worksurface is approximately 22 5/8″h.

Applicable finishes are listed on page 5 and 6.

Overhead, 28 3/8″ planning
Use with 1 3/4″ worksurfaces
Overdesk unit

description	d	w	h	pattern no.	L	V1	V2	V3
Overdesk unit (for 1 3/4″ worksurface at ″desk height″) F=Flip door	15″	60″	45″	**ROBF60S0DH ( )( )( )( )**	$2,174.	$2,964.	$3,464.	$4,677.
	15″	72″	45″	**ROBF72S0DH ( )( )( )( )**	2,581.	3,754.	4,381.	5,915.
	15″	84″	45″	**ROBF84S0DH ( )( )( )( )**	3,343.	4,274.	5,000.	6,750.
	15″	96″	45″	**ROBF96S0DH ( )( )( )( )**	3,427.	4,398.	5,159.	6,966.
	20″	60″	45″	**ROBF60S1DH ( )( )( )( )**	2,302.	3,133.	3,661.	4,942.
	20″	72″	45″	**ROBF72S1DH ( )( )( )( )**	2,729.	3,965.	4,622.	6,240.
	20″	84″	45″	**ROBF84S1DH ( )( )( )( )**	3,539.	4,528.	5,289.	7,141.
	20″	96″	45″	**ROBF96S1DH ( )( )( )( )**	3,631.	4,653.	5,450.	7,356.



all flip door units have two flip doors, two lock cores required
J-pull only; C, D and S pulls are not optional for flip door units

Order Code

Example:	**ROBO60T0DHLBF118( )**
R	Reff
O	Overhead
B	For mounting on 1 3/4″ thick top
O	Open
60	60″ wide
T	23″h storage
0	15″d storage
DH	desk height, 75″ height overall
L	Finish type, laminate
BF	Cord escape, back feed
118	Finish, Bright White
( )	Fabric selection

dimensions noted nominal

Specification Information

To order please specify pattern number including:

1. *Configuration option (embedded in pattern number)*
   O = Open
   H = Hinged doors
   F = Flip doors
2. *Storage option (embedded in pattern number)*
   S0 = 19″h x 15″d
   S1 = 19″h x 20″d
   T0 = 23″h x 15″d
   T1 = 23″h x 20″d
3. *Finish type*
   L = laminate
   1 = V1
   2 = V2
   3 = V3
4. *Pull option*
   (Optional hinged door configurations only)
   D = metal D-pull (finish optional)
   J = routed J-pull (finish matches case)
   C = nickel finish C-pull (nickel finish only)
   S = S-pull (stainless steel finish only)
5. *Lock option*
   (Optional hinged door configurations only)
   L = drilled to accept lock
   N = no drilling
6. *Tasklight cord escape*
   BF = back feed
   FF = front feed
7. *Finish*
8. *Optional pull finish, where applicable*
9. *Fabric for tackboard*

Overdesk units do not come with lock included. Keying instructions must accompany all orders, refer to page 480.Random locks are factory installed. Key-alike are field installed using the KnollKey order form.

Products on this page shipped knocked-down.

Tasklights not included.

Tackboard included, fabric orientation applied railroaded.

Wire manager included and mounts adjacent to tackboard. Specify color.

Include grommet (black only) in back panel for tasklight cord. If used in open plan areas, specify “no grommet”.

Woodgrain Laminate is not available on any flip door units.

Application Notes

Products on this page are engineered to align with 75″h cabinets on page 0. Be sure storage dimension options and drilling options correspond accordingly. For storage options below the worksurface, specify 28 3/8″h products on page 0 ; **do not mix products from 26 1/2″h (standard height) planning model with 28 3/8″h (desk height) planning model in any one configuration.**

Overdesk unit will achieve 75″ nominal height - actual height 75.125″, when used with correct thickness of top.

Clearance below overhead storage to top of worksurface is approximately 22 5/8″h.

Applicable finishes are listed on page 5 and 6.

Overhead, 28 3/8″ planning
Single high
Wall hung with and without Center Gables

description	w	d	h	locks req'd	doors	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet open /cubby with center gable 	30″	15″	20″			**ROMCGSHP301( )( )**	$1,178.	$1,649.	$1,896.	$2,465.
	36″	15″	20″			**ROMCGSHP361( )( )**	1,215.	1,701.	1,956.	2,543.
	42″	15″	20″			**ROMCGSHP421( )( )**	1,320.	1,848.	2,126.	2,763.
	48″	15″	20″			**ROMCGSHP481( )( )**	1,373.	1,922.	2,210.	2,873.
	54″	15″	20″			**ROMCGSHP541( )( )**	1,610.	2,254.	2,593.	3,370.
	60″	15″	20″			**ROMCGSHP601( )( )**	1,868.	2,616.	3,008.	3,910.
	66″	15″	20″			**ROMCGSHP661( )( )**	1,903.	2,664.	3,063.	3,983.
	72″	15″	20″			**ROMCGSHP721( )( )**	1,940.	2,716.	3,124.	4,061.
	78″	15″	20″			**ROMCGSHP781( )( )**	2,037.	2,852.	3,280.	4,264.
	84″	15″	20″			**ROMCGSHP841( )( )**	2,369.	3,317.	3,814.	4,958.
	90″	15″	20″			**ROMCGSHP901( )( )**	2,409.	3,373.	3,879.	5,042.
	96″	15″	20″			**ROMCGSHP961( )( )**	2,447.	3,426.	3,940.	5,122.
Wall-hung overhead cabinet open /cubby without center gable 	30″	15″	20″			**ROMOCSHP301( )( )**	1,060.	1,484.	1,706.	2,219.
	36″	15″	20″			**ROMOCSHP361( )( )**	1,094.	1,531.	1,760.	2,289.
	42″	15″	20″			**ROMOCSHP421( )( )**	1,188.	1,663.	1,913.	2,487.
	48″	15″	20″			**ROMOCSHP481( )( )**	1,236.	1,730.	1,989.	2,586.
	54″	15″	20″			**ROMOCSHP541( )( )**	1,449.	2,029.	2,334.	3,033.
	60″	15″	20″			**ROMOCSHP601( )( )**	1,681.	2,354.	2,707.	3,519.
	66″	15″	20″			**ROMOCSHP661( )( )**	1,713.	2,398.	2,757.	3,585.
	72″	15″	20″			**ROMOCSHP721( )( )**	1,746.	2,444.	2,812.	3,655.
	78″	15″	20″			**ROMOCSHP781( )( )**	1,833.	2,567.	2,952.	3,838.
	84″	15″	20″			**ROMOCSHP841( )( )**	2,132.	2,985.	3,433.	4,462.
	90″	15″	20″			**ROMOCSHP901( )( )**	2,168.	3,036.	3,491.	4,538.
	96″	15″	20″			**ROMOCSHP961( )( )**	2,202.	3,083.	3,546.	4,610.

Without center gable

Order Code

Example:	**ROMCGSHP301**
R	Reff
O	Overhead
M	Wall mount
CG	Center Gable
SH	Single high
P	Planning
30	30″ width
2	Case finish type
V316	V2 finish

Specification Information

To order please specify:

1. Finish type:
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. Case finish

Application Notes

These products are Glue and Dowel Construction

Letter depth is 15″ nominal.

Fascias ordered separately

Tasklights ordered separately

Tack/Task panel order separately

Wall hung cabinets come with wall hung cleates

Unfinished back

dimensions noted nominal

Overhead, 28 3/8″ planning
Single high
Wall hung with doors

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall-hung overhead cabinet hinge door (cubby behind hinge door) 	30″	15″	20″	**ROMHSHP301( )( )( )( )( )( )( )**	$1,817.	$1,998.	$2,089.	$2,180.	$2,543.	$2,925.	$3,802.
	36″	15″	20″	**ROMHSHP361( )( )( )( )( )( )( )**	1,864.	2,050.	2,143.	2,236.	2,609.	3,000.	3,901.
	42″	15″	20″	**ROMHSHP421( )( )( )( )( )( )( )**	2,392.	2,631.	2,751.	2,870.	3,349.	3,851.	5,006.
	48″	15″	20″	**ROMHSHP481( )( )( )( )( )( )( )**	2,455.	2,701.	2,824.	2,946.	3,438.	3,953.	5,139.
	54″	15″	20″	**ROMHSHP541( )( )( )( )( )( )( )**	2,609.	2,870.	3,000.	3,130.	3,652.	4,200.	5,460.
	60″	15″	20″	**ROMHSHP601( )( )( )( )( )( )( )**	2,945.	3,240.	3,387.	3,535.	4,124.	4,742.	6,165.
	66″	15″	20″	**ROMHSHP661( )( )( )( )( )( )( )**	2,994.	3,293.	3,443.	3,593.	4,191.	4,820.	6,266.
	72″	15″	20″	**ROMHSHP721( )( )( )( )( )( )( )**	3,044.	3,349.	3,501.	3,653.	4,262.	4,902.	6,372.
	78″	15″	20″	**ROMHSHP781( )( )( )( )( )( )( )**	3,154.	3,470.	3,627.	3,785.	4,416.	5,078.	6,602.
	84″	15″	20″	**ROMHSHP841( )( )( )( )( )( )( )**	3,972.	4,369.	4,567.	4,766.	5,560.	6,394.	8,312.
	90″	15″	20″	**ROMHSHP901( )( )( )( )( )( )( )**	4,020.	4,422.	4,623.	4,824.	5,628.	6,473.	8,414.
	96″	15″	20″	**ROMHSHP961( )( )( )( )( )( )( )**	4,073.	4,480.	4,684.	4,888.	5,702.	6,558.	8,525.
Wall-hung overhead cabinet hinge door with cubby 	30″	15″	20″	**ROMHCSHP301( )( )( )( )( )( )( )**	1,723.	1,896.	1,982.	2,068.	2,413.	2,775.	3,607.
	36″	15″	20″	**ROMHCSHP361( )( )( )( )( )( )( )**	1,769.	1,946.	2,035.	2,123.	2,477.	2,849.	3,703.
	42″	15″	20″	**ROMHCSHP421( )( )( )( )( )( )( )**	2,335.	2,568.	2,685.	2,802.	3,269.	3,759.	4,886.
	48″	15″	20″	**ROMHCSHP481( )( )( )( )( )( )( )**	2,427.	2,670.	2,792.	2,913.	3,398.	3,908.	5,081.
	54″	15″	20″	**ROMHCSHP541( )( )( )( )( )( )( )**	2,481.	2,729.	2,853.	2,977.	3,473.	3,994.	5,192.
	60″	15″	20″	**ROMHCSHP601( )( )( )( )( )( )( )**	2,754.	3,030.	3,167.	3,305.	3,856.	4,434.	5,764.
	66″	15″	20″	**ROMHCSHP661( )( )( )( )( )( )( )**	2,797.	3,077.	3,216.	3,356.	3,916.	4,503.	5,854.
	72″	15″	20″	**ROMHCSHP721( )( )( )( )( )( )( )**	2,846.	3,130.	3,272.	3,415.	3,984.	4,581.	5,956.
	78″	15″	20″	**ROMHCSHP781( )( )( )( )( )( )( )**	2,907.	3,198.	3,343.	3,488.	4,070.	4,680.	6,084.
	84″	15″	20″	**ROMHCSHP841( )( )( )( )( )( )( )**	3,671.	4,038.	4,222.	4,405.	5,139.	5,910.	7,683.
	90″	15″	20″	**ROMHCSHP901( )( )( )( )( )( )( )**	3,734.	4,107.	4,294.	4,480.	5,227.	6,011.	7,815.
	96″	15″	20″	**ROMHCSHP961( )( )( )( )( )( )( )**	3,782.	4,160.	4,349.	4,538.	5,295.	6,089.	7,915.

Order Code

Example: **ROMHSHP301 ( )( )( )( )( )( )( )**

R	Reff
O	Overhead
M	Wall mount
H	Hinge door
SH	Single High
P	Planning
30	Width
1	Depth (letter)
2	Case finish type
2	Front finish type
H	Pull option
L	Lock option
B	Lock finish
V316	Case finish
V316	Front finish
PU	Pull finish

dimensions noted nominal

Specification Information

To order please specify:

1. Case finish type:
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. Front finish type:
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
3. Pull option:
   B=Blank, no drilling, no touch latch
   R=Cylinder
   T=Tab
   F=Bar
   H= Outline
4. Lock option:
   N=no drilling
   L=locking
5. Lock finish:
   B=Black
   S=Matte silver
6. Case finish:
   V316
7. Front finish:
   V316
8. Pull finish:
   Painted or plated

Application Notes

These products are Glue and Dowel Construction

Letter depth is 15″ nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Unfinished backs

Wall hung cabinets come with wall hung cleats

Overhead, 28 3/8″ planning
Single high
Wall hung with glass doors

description	w	d	h	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet glass hinge door, with cubby 	30″	15″	20″	**ROMGHCSHP301( )( )( )( )**	$2,470.	$2,692.	$3,096.	$4,025.
	36″	15″	20″	**ROMGHCSHP361( )( )( )( )**	2,584.	2,817.	3,239.	4,211.
	42″	15″	20″	**ROMGHCSHP421( )( )( )( )**	3,314.	3,613.	4,155.	5,401.
	48″	15″	20″	**ROMGHCSHP481( )( )( )( )**	3,426.	3,735.	4,295.	5,583.
	54″	15″	20″	**ROMGHCSHP541( )( )( )( )**	3,670.	4,000.	4,600.	5,980.
	60″	15″	20″	**ROMGHCSHP601( )( )( )( )**	4,079.	4,446.	5,113.	6,647.
	66″	15″	20″	**ROMGHCSHP661( )( )( )( )**	4,202.	4,580.	5,267.	6,847.
	72″	15″	20″	**ROMGHCSHP721( )( )( )( )**	4,307.	4,694.	5,398.	7,018.
	78″	15″	20″	**ROMGHCSHP781( )( )( )( )**	4,487.	4,891.	5,625.	7,312.
	84″	15″	20″	**ROMGHCSHP841( )( )( )( )**	5,530.	6,027.	6,931.	9,011.
	90″	15″	20″	**ROMGHCSHP901( )( )( )( )**	5,597.	6,100.	7,015.	9,120.
	96″	15″	20″	**ROMGHCSHP961( )( )( )( )**	5,720.	6,235.	7,171.	9,322.

Order Code

Example: **ROMGHCSHP301 ( )( )( )( )**

R	Reff
O	Overhead
M	Wall mount
GHC	Glass hinge door/ cubby
SH	Single High
P	Planning
30	Width
1	Depth (letter)
2	Case finish type
V316	Case finish
AU	Door frame finish
GL11	Door glass finish

Specification Information

To order please specify:

1. Case Finish type:
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. Door frame finish:
   Anodized or painted
3. Glass door finish:
   GL11
   GL15
   GL18

Application Notes

These products are Glue and Dowel Construction

Letter depth is 15″ nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Unfinished backs

Wall hung cabinets come with wall hung cleats

dimensions noted nominal

Overhead, 28 3/8″ planning
Single high
Wall hung with doors, open

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung overhead cabinet hinge door/ open / cubby 	60″	15″	20″	**ROMHOCSHP601( )( )( )( )( )( )**	$2,485.	$2,734.	$2,858.	$2,982.	$3,604.	$4,144.	$5,387.
	66″	15″	20″	**ROMHOCSHP661( )( )( )( )( )( )**	2,522.	2,774.	2,901.	3,027.	3,657.	4,206.	5,468.
	72″	15″	20″	**ROMHOCSHP721( )( )( )( )( )( )**	2,563.	2,820.	2,948.	3,076.	3,717.	4,274.	5,557.
	78″	15″	20″	**ROMHOCSHP781( )( )( )( )( )( )**	2,627.	2,890.	3,022.	3,153.	3,810.	4,381.	5,696.
	84″	15″	20″	**ROMHOCSHP841( )( )( )( )( )( )**	3,053.	3,358.	3,510.	3,663.	4,426.	5,090.	6,617.
	90″	15″	20″	**ROMHOCSHP901( )( )( )( )( )( )**	3,100.	3,410.	3,565.	3,720.	4,495.	5,169.	6,719.
	96″	15″	20″	**ROMHOCSHP961( )( )( )( )( )( )**	3,139.	3,453.	3,610.	3,767.	4,552.	5,234.	6,805.

Order Code

Example:	**ROMHOCSHP601 ( )( )( )( )**
R	Reff
O	Overhead
M	Wall mount
HOC	Hinge door/Open/Cubby
SH	Single high
P	Planning
60	Width
1	Letter depth
2	Case finish type
2	Front finish type
L	Locked
B	Black lock
V316	Case finish
V316	Front finish

Specification Information

To order please specify:

1. Case finish type:
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. Front finish type:
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
3. Lock option:
   N = no lock drilling
   L = locking
4. Lock finish:
   B=Black
   S=Matte silver
5. Case finish
6. Front finish

Application Notes

These products are Glue and Dowel Construction

Letter depth is 15″ nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Unfinished backs

Wall hung cabinets come with wall hung cleats

Doors project below shelf for openings

No pull options

dimensions noted nominal

Overhead, 28 3/8″ planning
Single high
Cabinet hung with and wihtout Center Gables

description	h	w	d	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet open /cubby with center gable 	20″	30″	15″	**ROCCGSHP301( )( )**	$1,249.	$1,749.	$2,011.	$2,614.
	20″	36″	15″	**ROCCGSHP361( )( )**	1,284.	1,798.	2,067.	2,688.
	20″	42″	15″	**ROCCGSHP421( )( )**	1,388.	1,944.	2,235.	2,906.
	20″	48″	15″	**ROCCGSHP481( )( )**	1,427.	1,997.	2,297.	2,986.
	20″	54″	15″	**ROCCGSHP541( )( )**	1,662.	2,327.	2,676.	3,479.
	20″	60″	15″	**ROCCGSHP601( )( )**	1,919.	2,687.	3,090.	4,017.
	20″	66″	15″	**ROCCGSHP661( )( )**	1,952.	2,732.	3,142.	4,085.
	20″	72″	15″	**ROCCGSHP721( )( )**	1,990.	2,786.	3,203.	4,164.
	20″	78″	15″	**ROCCGSHP781( )( )**	2,071.	2,899.	3,334.	4,334.
	20″	84″	15″	**ROCCGSHP841( )( )**	2,400.	3,361.	3,865.	5,024.
	20″	90″	15″	**ROCCGSHP901( )( )**	2,439.	3,414.	3,926.	5,104.
	20″	96″	15″	**ROCCGSHP961( )( )**	2,476.	3,466.	3,986.	5,182.
Cabinet-hung overhead cabinet open /cubby without center gable 	20″	30″	15″	**ROCOCSHP301( )( )**	1,124.	1,574.	1,810.	2,353.
	20″	36″	15″	**ROCOCSHP361( )( )**	1,156.	1,618.	1,860.	2,419.
	20″	42″	15″	**ROCOCSHP421( )( )**	1,249.	1,750.	2,012.	2,615.
	20″	48″	15″	**ROCOCSHP481( )( )**	1,284.	1,797.	2,067.	2,687.
	20″	54″	15″	**ROCOCSHP541( )( )**	1,496.	2,094.	2,408.	3,131.
	20″	60″	15″	**ROCOCSHP601( )( )**	1,727.	2,418.	2,781.	3,615.
	20″	66″	15″	**ROCOCSHP661( )( )**	1,757.	2,459.	2,828.	3,677.
	20″	72″	15″	**ROCOCSHP721( )( )**	1,791.	2,507.	2,883.	3,748.
	20″	78″	15″	**ROCOCSHP781( )( )**	1,864.	2,609.	3,001.	3,901.
	20″	84″	15″	**ROCOCSHP841( )( )**	2,160.	3,025.	3,479.	4,522.
	20″	90″	15″	**ROCOCSHP901( )( )**	2,195.	3,073.	3,533.	4,594.
	20″	96″	15″	**ROCOCSHP961( )( )**	2,228.	3,119.	3,587.	4,664.

Without center gable

Order Code

Example: **ROCCGSHP301S0 ( )( )( )**

R	Reff
O	Overhead
C	Cabinet hung
CG	Center Gable
SH	Single high
30	30″ width
P	Planning
1	Depth (letter)
2	Case finish
V316	Case finish

Specification Information

To order please specify:

1. Case Finish type:
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. Case finish: V316

Application Notes

These products are Glue and Dowel Construction

Letter depth is 15″ nominal.

Place holder for legal depth if required (20″).

Fascias ordered separately

Tasklights ordered separately

Tack/Task panel order separately

Unfinished back

dimensions noted nominal

Overhead, 28 3/8″ planning
Single high
Cabinet hung with doors

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet-hung overhead cabinet hinge door (cubby behind hinge door) 	30″	15″	20″	**ROCHSHP301( )( )( )( )( )( )( )**	$1,877.	$2,064.	$2,158.	$2,252.	$2,627.	$3,021.	$3,928.
	36″	15″	20″	**ROCHSHP361( )( )( )( )( )( )( )**	1,921.	2,114.	2,210.	2,306.	2,690.	3,094.	4,022.
	42″	15″	20″	**ROCHSHP421( )( )( )( )( )( )( )**	2,449.	2,693.	2,816.	2,938.	3,428.	3,942.	5,125.
	48″	15″	20″	**ROCHSHP481( )( )( )( )( )( )( )**	2,498.	2,748.	2,873.	2,998.	3,497.	4,022.	5,228.
	54″	15″	20″	**ROCHSHP541( )( )( )( )( )( )( )**	2,649.	2,914.	3,047.	3,179.	3,709.	4,265.	5,545.
	60″	15″	20″	**ROCHSHP601( )( )( )( )( )( )( )**	2,985.	3,283.	3,433.	3,582.	4,179.	4,806.	6,247.
	66″	15″	20″	**ROCHSHP661( )( )( )( )( )( )( )**	3,031.	3,334.	3,486.	3,638.	4,244.	4,880.	6,345.
	72″	15″	20″	**ROCHSHP721( )( )( )( )( )( )( )**	3,081.	3,389.	3,543.	3,697.	4,313.	4,960.	6,448.
	78″	15″	20″	**ROCHSHP781( )( )( )( )( )( )( )**	3,176.	3,494.	3,653.	3,812.	4,447.	5,114.	6,448.
	84″	15″	20″	**ROCHSHP841( )( )( )( )( )( )( )**	3,993.	4,392.	4,591.	4,791.	5,590.	6,428.	8,356.
	90″	15″	20″	**ROCHSHP901( )( )( )( )( )( )( )**	4,039.	4,443.	4,645.	4,847.	5,655.	6,503.	8,454.
	96″	15″	20″	**ROCHSHP961( )( )( )( )( )( )( )**	4,090.	4,499.	4,704.	4,908.	5,726.	6,585.	8,560.
Cabinet-hung overhead cabinet hinge door with cubby 	30″	15″	20″	**ROCHCSHP301( )( )( )( )( )( )( )**	1,783.	1,962.	2,051.	2,140.	2,497.	2,871.	3,732.
	36″	15″	20″	**ROCHCSHP361( )( )( )( )( )( )( )**	1,827.	2,010.	2,101.	2,193.	2,558.	2,942.	3,824.
	42″	15″	20″	**ROCHCSHP421( )( )( )( )( )( )( )**	2,391.	2,631.	2,750.	2,870.	3,348.	3,850.	5,005.
	48″	15″	20″	**ROCHCSHP481( )( )( )( )( )( )( )**	2,470.	2,717.	2,840.	2,964.	3,458.	3,977.	5,170.
	54″	15″	20″	**ROCHCSHP541( )( )( )( )( )( )( )**	2,521.	2,773.	2,899.	3,025.	3,530.	4,059.	5,277.
	60″	15″	20″	**ROCHCSHP601( )( )( )( )( )( )( )**	2,794.	3,073.	3,213.	3,352.	3,911.	4,498.	5,847.
	66″	15″	20″	**ROCHCSHP661( )( )( )( )( )( )( )**	2,834.	3,118.	3,259.	3,401.	3,968.	4,563.	5,932.
	72″	15″	20″	**ROCHCSHP721( )( )( )( )( )( )( )**	2,882.	3,170.	3,314.	3,458.	4,035.	4,640.	6,032.
	78″	15″	20″	**ROCHCSHP781( )( )( )( )( )( )( )**	2,929.	3,222.	3,368.	3,515.	4,101.	4,716.	6,131.
	84″	15″	20″	**ROCHCSHP841( )( )( )( )( )( )( )**	3,692.	4,061.	4,246.	4,430.	5,169.	5,944.	7,727.
	90″	15″	20″	**ROCHCSHP901( )( )( )( )( )( )( )**	3,753.	4,128.	4,316.	4,503.	5,254.	6,042.	7,854.
	96″	15″	20″	**ROCHCSHP961( )( )( )( )( )( )( )**	3,799.	4,179.	4,369.	4,559.	5,318.	6,116.	7,854.

Order Code

Example:	**ROCHSHP30 ( )( )( )( )( )( )( )**
R	Reff
O	Overhead
C	Cabinet mount
H	Hinge door
SH	Single High
P	Planning
30	Width
1	Depth (letter)
2	Case finish type
2	Front finish type
H	Pull option
L	Lock option
B	Lock finish
PU	Pull finish

dimensions noted nominal

Specification Information

To order please specify:

1. Case Finish:
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. Front Finish:
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
3. Pull option: B=Blank, R=Cylinder, T=Tab, F=Bar, H= Outline
4. Lock option: N=no drilling, L=locking (wood or laminate doors only)
5. Lock finish: B=Black, S=Matte silver
6. Pull option: Grommet pull only
7. Pull finish: Painted, PN= Black Nickel, PD=Polished chrome, PU=Satin Nickel

Application Notes

These products are Glue and Dowel Construction

Letter depth is 15″ nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Unfinished backs

Overhead, 28 3/8″ planning
Single high
Cabinet hung with glass doors

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet glass hinge door, with cubby 	30″	15″	20″	**ROCGHCSHP301( )( )( )**	$2,546.	$2,775.	$3,192.	$4,149.
	36″	15″	20″	**ROCGHCSHP361( )( )( )**	2,658.	2,897.	3,332.	4,331.
	42″	15″	20″	**ROCGHCSHP421( )( )( )**	3,387.	3,692.	4,245.	5,519.
	48″	15″	20″	**ROCGHCSHP481( )( )( )**	3,481.	3,794.	4,363.	5,672.
	54″	15″	20″	**ROCGHCSHP541( )( )( )**	3,722.	4,057.	4,665.	6,065.
	60″	15″	20″	**ROCGHCSHP601( )( )( )**	4,129.	4,501.	5,176.	6,729.
	66″	15″	20″	**ROCGHCSHP661( )( )( )**	4,250.	4,632.	5,327.	6,925.
	72″	15″	20″	**ROCGHCSHP721( )( )( )**	4,353.	4,745.	5,457.	7,094.
	78″	15″	20″	**ROCGHCSHP781( )( )( )**	4,516.	4,922.	5,660.	7,358.
	84″	15″	20″	**ROCGHCSHP841( )( )( )**	5,556.	6,056.	6,965.	9,054.
	90″	15″	20″	**ROCGHCSHP901( )( )( )**	5,621.	6,127.	7,046.	9,159.
	96″	15″	20″	**ROCGHCSHP961( )( )( )**	5,742.	6,259.	7,198.	9,357.

Order Code

Example: **ROCGHCSHP301 ( )( )( )**

R	Reff
O	Overhead
C	Cabinet mount
GHC	Glas hinge door/ cubby
SH	Single High
P	Planning
30	Width
1	Depth (letter)
2	Case finish type
V316	Case finish
AU	Door frame finish
GL11	Door glass finish

Specification Information

To order please specify:

1. Case Finish:
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. Case Finish:
   V316
3. Door frame finish:
   Anodized or Painted
4. Glass door finish:
   GL11, GL15, GL18

Application Notes

These products are Glue and Dowel Construction

Letter depth is 15″ nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Unfinished backs

dimensions noted nominal

Overhead, 28 3/8″ planning
Single high
Cabinet hung with doors, open

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung overhead cabinet hinge door/ open / cubby 	60″	15″	20″	**ROCHOCSHP601( )( )( )( )( )( )( )**	$2,465.	$2,712.	$2,835.	$2,958.	$3,575.	$4,111.	$5,344.
	66″	15″	20″	**ROCHOCSHP661( )( )( )( )( )( )( )**	2,500.	2,751.	2,876.	3,001.	3,626.	4,170.	5,420.
	72″	15″	20″	**ROCHOCSHP721( )( )( )( )( )( )( )**	2,541.	2,795.	2,922.	3,049.	3,684.	4,237.	5,508.
	78″	15″	20″	**ROCHOCSHP781( )( )( )( )( )( )( )**	2,591.	2,850.	2,980.	3,109.	3,757.	4,321.	5,617.
	84″	15″	20″	**ROCHOCSHP841( )( )( )( )( )( )( )**	3,015.	3,317.	3,468.	3,618.	4,372.	5,028.	6,537.
	90″	15″	20″	**ROCHOCSHP901( )( )( )( )( )( )( )**	3,061.	3,367.	3,520.	3,673.	4,438.	5,104.	6,635.
	96″	15″	20″	**ROCHOCSHP961( )( )( )( )( )( )( )**	3,098.	3,408.	3,563.	3,718.	4,492.	5,166.	6,716.

Order Code

Example:	**ROCHOCSHP601 ( )( )( )( )( )( )( )**
R	Reff
O	Overhead
C	Cabinet mount
H	Hinge door
OP	Open cubby
SH	Single High
P	Planning
60	Width
1	Depth (letter)
2	Case finish type
2	Front finish type
L	Lock option
B	Lock finish
PU	Pull finish
V316	Case finish
V316	Front finish

Specification Information

To order please specify:

1. Case finish type:
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. Front finish type:
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
3. Lock option: N=no drilling, L=locking
   (wood or laminate doors only)
4. Lock finish: B=Black, S=Matte silver
5. Case finish
6. Front finish

Application Notes

These products are Glue and Dowel Construction

Letter depth is 15″ nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Unfinished backs

Doors project below shelf for opening

No pull options

dimensions noted nominal

Overhead, 28 3/8″ planning
Double high
Wall hung

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall-hung overhead cabinet hinge door (cubby behind hinge door)	30″	15″	33″	**ROMHDHP301( )( )( )( )( )( )( )**	$2,133.	$2,346.	$2,453.	$2,560.	$2,986.	$3,434.	$4,464.
	36″	15″	33″	**ROMHDHP361( )( )( )( )( )( )( )**	2,205.	2,426.	2,536.	2,646.	3,087.	3,550.	4,615.
	42″	15″	33″	**ROMHDHP421( )( )( )( )( )( )( )**	2,954.	3,249.	3,397.	3,545.	4,136.	4,756.	6,183.
	48″	15″	33″	**ROMHDHP481( )( )( )( )( )( )( )**	3,040.	3,343.	3,495.	3,647.	4,255.	4,894.	6,362.
	54″	15″	33″	**ROMHDHP541( )( )( )( )( )( )( )**	3,224.	3,547.	3,708.	3,869.	4,514.	5,191.	6,749.
	60″	15″	33″	**ROMHDHP601( )( )( )( )( )( )( )**	3,550.	3,905.	4,082.	4,259.	4,969.	5,715.	7,429.
	66″	15″	33″	**ROMHDHP661( )( )( )( )( )( )( )**	3,662.	4,028.	4,212.	4,395.	5,127.	5,896.	7,665.
	72″	15″	33″	**ROMHDHP721( )( )( )( )( )( )( )**	3,737.	4,111.	4,298.	4,485.	5,232.	6,017.	7,822.
	78″	15″	33″	**ROMHDHP781( )( )( )( )( )( )( )**	3,861.	4,247.	4,440.	4,633.	5,405.	6,215.	8,080.
	84″	15″	33″	**ROMHDHP841( )( )( )( )( )( )( )**	4,878.	5,366.	5,610.	5,854.	6,829.	7,854.	10,210.
	90″	15″	33″	**ROMHDHP901( )( )( )( )( )( )( )**	4,965.	5,462.	5,710.	5,958.	6,951.	7,994.	10,392.
	96″	15″	33″	**ROMHDHP961( )( )( )( )( )( )( )**	5,030.	5,533.	5,785.	6,036.	7,042.	8,099.	10,528.
Wall-hung overhead cabinet hinge door with cubby	30″	15″	33″	**ROMHCDHP301( )( )( )( )( )( )( )**	2,042.	2,246.	2,348.	3,450.	2,858.	3,287.	4,273.
	36″	15″	33″	**ROMHCDHP361( )( )( )( )( )( )( )**	2,110.	2,321.	2,426.	2,532.	2,954.	3,397.	4,416.
	42″	15″	33″	**ROMHCDHP421( )( )( )( )( )( )( )**	2,866.	3,153.	3,296.	3,440.	4,013.	4,615.	5,999.
	48″	15″	33″	**ROMHCDHP481( )( )( )( )( )( )( )**	2,974.	3,272.	3,420.	3,569.	4,164.	4,788.	6,225.
	54″	15″	33″	**ROMHCDHP541( )( )( )( )( )( )( )**	3,058.	3,364.	3,517.	3,670.	4,281.	4,923.	6,400.
	60″	15″	33″	**ROMHCDHP601( )( )( )( )( )( )( )**	3,357.	3,692.	3,860.	4,028.	4,699.	5,404.	7,026.
	66″	15″	33″	**ROMHCDHP661( )( )( )( )( )( )( )**	3,465.	3,812.	3,985.	4,158.	5,851.	5,579.	7,253.
	72″	15″	33″	**ROMHCDHP721( )( )( )( )( )( )( )**	3,537.	3,891.	4,067.	4,244.	4,952.	5,694.	7,403.
	78″	15″	33″	**ROMHCDHP781( )( )( )( )( )( )( )**	3,614.	3,976.	4,156.	4,337.	5,060.	5,819.	7,565.
	84″	15″	33″	**ROMHCDHP841( )( )( )( )( )( )( )**	4,591.	5,050.	5,280.	5,510.	6,428.	7,392.	9,609.
	90″	15″	33″	**ROMHCDHP901( )( )( )( )( )( )( )**	4,676.	5,144.	5,378.	5,612.	6,547.	7,529.	9,788.
	96″	15″	33″	**ROMHCDHP961( )( )( )( )( )( )( )**	4,739.	5,213.	5,449.	5,686.	6,634.	7,629.	9,918.

Order Code

Example:	**ROMHDHP30 ( )( )( )( )( )( )( )**
R	Reff
O	Overhead
M	Wall mount
H	Hinge door
DH	Double High
P	Planning
30	Width
1	Depth (letter)
2	Case finish type
2	Front finish type
H	Pull option
L	Lock option
B	Lock finish
PU	Pull finish

dimensions noted nominal

Specification Information

To order please specify:

1. Case Finish:
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. Front Finish:
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
3. Pull option: B=Blank, R=Cylinder, T=Tab, F=Bar, H= Outline
4. Lock option: N=no drilling, L=locking
   (wood or laminate doors only)
5. Lock finish: B=Black, S=Matte silver
6. Pull option: Grommet pull only
7. Pull finish: Painted, PN= Black Nickel, PD=Polished chrome, PU=Satin Nickel

Application Notes

These products are Glue and Dowel Construction

Letter depth is 15″ nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Unfinished backs

Overhead, 28 3/8″ planning
Double high
Wall hung with glass door

description	w	d	h	pattern n	L	V1	V2	V3
Wall-hung overhead cabinet glass hinge door, with cubby	30″	15″	33″	**ROMGHCDHP301( )( )( )( )**	$3,066.	$3,372.	$3,878.	$5,042.
	36″	15″	33″	**ROMGHCDHP361( )( )( )( )**	3,231.	3,554.	4,087.	5,313.
	42″	15″	33″	**ROMGHCDHP421( )( )( )( )**	4,245.	4,669.	5,369.	6,980.
	48″	15″	33″	**ROMGHCDHP481( )( )( )( )**	4,397.	4,836.	5,562.	7,230.
	54″	15″	33″	**ROMGHCDHP541( )( )( )( )**	4,701.	5,171.	5,947.	7,731.
	60″	15″	33″	**ROMGHCDHP601( )( )( )( )**	5,250.	5,775.	6,641.	8,634.
	66″	15″	33″	**ROMGHCDHP661( )( )( )( )**	5,475.	6,023.	6,926.	9,004.
	72″	15″	33″	**ROMGHCDHP721( )( )( )( )**	5,625.	6,187.	7,115.	9,249.
	78″	15″	33″	**ROMGHCDHP781( )( )( )( )**	5,858.	6,444.	7,411.	9,634.
	84″	15″	33″	**ROMGHCDHP841( )( )( )( )**	7,270.	7,997.	9,197.	11,956.
	90″	15″	33″	**ROMGHCDHP901( )( )( )( )**	7,386.	8,125.	9,343.	12,146.
	96″	15″	33″	**ROMGHCDHP961( )( )( )( )**	7,551.	8,307.	9,552.	12,418.

Order Code

Example:	**ROMGHCDHP301 ( )( )( )( )**
R	Reff
O	Overhead
M	Wall mount
GHC	Glass hinge door / cubby
DH	Double High
P	Planning
30	Width
1	Depth (letter)
2	Case finish type
V316	Caese finish
AN	Door frame finish
GL11	Door glass finish

Specification Information

To order please specify:

1. Case finish type: L, V1, V2, V3
2. Case finish: V316
3. Door frame finish: Anodized / Painted
4. Door glass finish:
   GL11
   GL15
   GL18

Application Notes

These products are Glue and Dowel Construction

Letter depth is 15″ nominal.

No glass shelves

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Unfinished backs

dimensions noted nominal

Overhead, 28 3/8″ planning
Double high
Wall hung with and without center gable

description	w	d	h	pattern no.	L	V1	V2	V3
Wall-hung overhead cabinet open /cubby **with** center gable 	30″	15″	33″	**ROMCGDHP301( )( )**	$1,777.	$2,487.	$2,860.	$3,719.
	36″	15″	33″	**ROMCGDHP361( )( )**	1,824.	2,553.	2,936.	3,817.
	42″	15″	33″	**ROMCGDHP421( )( )**	2,242.	3,139.	3,610.	4,693.
	48″	15″	33″	**ROMCGDHP481( )( )**	2,300.	3,219.	3,702.	4,813.
	54″	15″	33″	**ROMCGDHP541( )( )**	2,552.	3,573.	4,109.	5,342.
	60″	15″	33″	**ROMCGDHP601( )( )**	3,031.	4,244.	4,881.	6,345.
	66″	15″	33″	**ROMCGDHP661( )( )**	3,123.	4,373.	5,029.	6,537.
	72″	15″	33″	**ROMCGDHP721( )( )**	3,171.	4,440.	5,106.	6,638.
	78″	15″	33″	**ROMCGDHP781( )( )**	3,282.	4,594.	5,284.	6,869.
	84″	15″	33″	**ROMCGDHP841( )( )**	4,135.	5,789.	6,657.	8,654.
	90″	15″	33″	**ROMCGDHP901( )( )**	4,186.	5,860.	6,739.	8,761.
	96″	15″	33″	**ROMCGDHP961( )( )**	4,231.	5,923.	6,812.	8,855.
Wall-hung overhead cabinet open /cubby **without** center gable	30″	15″	33″	**ROMOCDHP301( )( )**	1,599.	2,238.	2,574.	3,347.
	36″	15″	33″	**ROMOCDHP361( )( )**	1,642.	2,298.	2,642.	3,435.
	42″	15″	33″	**ROMOCDHP421( )( )**	2,018.	2,825.	3,249.	4,224.
	48″	15″	33″	**ROMOCDHP481( )( )**	2,070.	2,897.	3,332.	4,332.
	54″	15″	33″	**ROMOCDHP541( )( )**	2,297.	3,216.	3,698.	4,808.
	60″	15″	33″	**ROMOCDHP601( )( )**	2,728.	3,820.	4,393.	5,711.
	66″	15″	33″	**ROMOCDHP661( )( )**	2,811.	3,936.	4,526.	5,883.
	72″	15″	33″	**ROMOCDHP721( )( )**	2,854.	3,996.	4,595.	5,974.
	78″	15″	33″	**ROMOCDHP781( )( )**	2,954.	4,135.	4,756.	6,182.
	84″	15″	33″	**ROMOCDHP841( )( )**	3,722.	5,210.	5,991.	7,789.
	90″	15″	33″	**ROMOCDHP901( )( )**	3,767.	5,274.	6,065.	7,885.
	96″	15″	33″	**ROMOCDHP961( )( )**	3,808.	5,331.	6,131.	7,970.

Without center gable

Order Code

Example: **ROMCGDHP301 ( )( )( )( )( )( )( )**

R	Reff
O	Overhead
M	Wall mount
CG	Center Gable
DH	Double High
P	Planning
30	Width
1	Depth (letter)
2	Case finish type
V316	Case finish

Specification Information

To order please specify:

1. Case finish type:
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. Case finish: V316

Application Notes

These products are Glue and Dowel Construction

Letter depth is 15″ nominal.

Place holder for legal depth if required.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Unfinished backs

dimensions noted nominal

Overhead, 28 3/8″ planning
Double high
Wall hung with with doors, open

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung overhead cabinet hinge door/ open / cubby	60″	15″	33″	**ROMHOCDHP601( )( )( )( )( )( )( )**	$3,174.	$3,492.	$3,650.	$3,809.	$4,602.	$5,293.	$6,881.
	66″	15″	33″	**ROMHOCDHP661( )( )( )( )( )( )( )**	3,227.	3,550.	3,711.	3,872.	4,679.	5,381.	6,995.
	72″	15″	33″	**ROMHOCDHP721( )( )( )( )( )( )( )**	3,288.	3,617.	3,781.	3,946.	4,768.	5,483.	7,128.
	78″	15″	33″	**ROMHOCDHP781( )( )( )( )( )( )( )**	3,352.	3,687.	3,855.	4,023.	4,861.	5,590.	7,267.
	84″	15″	33″	**ROMHOCDHP841( )( )( )( )( )( )( )**	3,861.	4,247.	4,440.	4,633.	5,598.	6,438.	8,370.
	90″	15″	33″	**ROMHOCDHP901( )( )( )( )( )( )( )**	3,926.	4,318.	4,515.	4,711.	5,692.	6,546.	8,510.
	96″	15″	33″	**ROMHOCDHP961( )( )( )( )( )( )( )**	3,983.	4,381.	4,580.	4,780.	5,775.	6,642.	8,634.



Order Code

Example:	**ROMOCDHP601 ( )( )( )( )( )( )( )**
R	Reff
O	Overhead
M	Wall mount
OC	Open cubby
DH	Double High
P	Planning
60	Width
1	Depth (letter)
2	Case finish type
2	Front finish type
L	Lock option
B	Lock finish
V316	Case finish
V316	Front finish

Specification Information

To order please specify:

1. Case Finish:
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. Front Finish:
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
3. Lock Option: N=no drilling, L=locking (wood or laminate doors only)
4. Lock finish: B=Black, S=Matte silver
5. Case Finish
6. Front Finish

Application Notes

These products are Glue and Dowel Construction

Letter depth is 15″ nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Unfinished backs

Doors project below shelf for opening

No pull option

dimensions noted nominal

Overhead, 28 3/8″ planning
Double high
Cabinet hung

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet-hung overhead cabinet hinge door (cubby behind hinge door)	30″	15″	33″	**ROCHDHP301( )( )( )( )( )( )( )**	$2,204.	$2,425.	$2,535.	$2,645.	$3,086.	$3,549.	$4,613.
	36″	15″	33″	**ROCHDHP361( )( )( )( )( )( )( )**	2,274.	2,502.	2,615.	2,729.	3,184.	3,662.	4,760.
	42″	15″	33″	**ROCHDHP421( )( )( )( )( )( )( )**	3,022.	3,324.	3,475.	3,627.	4,231.	4,866.	6,325.
	48″	15″	33″	**ROCHDHP481( )( )( )( )( )( )( )**	3,093.	3,403.	3,557.	3,712.	4,331.	4,980.	6,474.
	54″	15″	33″	**ROCHDHP541( )( )( )( )( )( )( )**	3,276.	3,604.	3,768.	3,931.	4,587.	5,275.	6,857.
	60″	15″	33″	**ROCHDHP601( )( )( )( )( )( )( )**	3,600.	3,960.	4,140.	4,320.	5,041.	5,797.	7,536.
	66″	15″	33″	**ROCHDHP661( )( )( )( )( )( )( )**	3,711.	4,082.	4,268.	4,453.	5,195.	5,975.	7,767.
	72″	15″	33″	**ROCHDHP721( )( )( )( )( )( )( )**	3,787.	4,165.	4,355.	4,544.	5,301.	6,097.	7,926.
	78″	15″	33″	**ROCHDHP781( )( )( )( )( )( )( )**	3,894.	4,283.	4,478.	4,673.	5,452.	6,269.	8,150.
	84″	15″	33″	**ROCHDHP841( )( )( )( )( )( )( )**	4,910.	5,401.	5,646.	5,892.	6,873.	7,904.	10,276.
	90″	15″	33″	**ROCHDHP901( )( )( )( )( )( )( )**	4,995.	5,494.	5,744.	5,994.	6,993.	8,041.	10,454.
	96″	15″	33″	**ROCHDHP961( )( )( )( )( )( )( )**	5,059.	5,564.	5,817.	6,070.	7,082.	8,144.	10,588.
Cabinet-hung overhead cabinet hinge door with cubby	30″	15″	33″	**ROCHCDHP301( )( )( )( )( )( )( )**	2,112.	2,323.	2,428.	2,534.	2,956.	3,400.	4,419.
	36″	15″	33″	**ROCHCDHP361( )( )( )( )( )( )( )**	2,178.	2,396.	2,504.	2,613.	3,049.	3,506.	4,558.
	42″	15″	33″	**ROCHCDHP421( )( )( )( )( )( )( )**	2,955.	3,251.	3,398.	3,546.	4,137.	4,758.	6,185.
	48″	15″	33″	**ROCHCDHP481( )( )( )( )( )( )( )**	3,026.	3,329.	3,480.	3,632.	4,237.	4,873.	6,334.
	54″	15″	33″	**ROCHCDHP541( )( )( )( )( )( )( )**	3,108.	3,419.	3,574.	3,730.	4,352.	5,004.	6,506.
	60″	15″	33″	**ROCHCDHP601( )( )( )( )( )( )( )**	3,405.	3,745.	3,916.	4,086.	4,767.	5,482.	7,126.
	66″	15″	33″	**ROCHCDHP661( )( )( )( )( )( )( )**	3,511.	3,863.	4,038.	4,214.	4,916.	5,653.	7,349.
	72″	15″	33″	**ROCHCDHP721( )( )( )( )( )( )( )**	3,584.	3,942.	4,121.	4,300.	5,017.	5,770.	7,500.
	78″	15″	33″	**ROCHCDHP781( )( )( )( )( )( )( )**	3,645.	4,009.	4,192.	4,374.	5,103.	5,868.	7,629.
	84″	15″	33″	**ROCHCDHP841( )( )( )( )( )( )( )**	4,619.	5,081.	5,312.	5,543.	6,466.	7,436.	9,667.
	90″	15″	33″	**ROCHCDHP901( )( )( )( )( )( )( )**	4,702.	5,172.	5,407.	5,642.	6,583.	7,570.	9,841.
	96″	15″	33″	**ROCHCDHP961( )( )( )( )( )( )( )**	4,763.	5,239.	5,477.	5,716.	6,668.	7,668.	9,969.

Order Code

Example: **ROCHDHP301 ( )( )( )( )( )( )( )**

R	Reff
O	Overhead
C	Cabinet Hung
H	Hinge door
DH	Double High
P	Planning
30	Width
1	Depth (letter)
2	Case finish type
2	Front finish type
H	Pull option
L	Lock option
B	Lock finish
V316	Case finish
V316	Front finish
PN	Pull finish

Specification Information

To order please specify:

1. Case Finish:
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. Front Finish:
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
3. Pull option: B=Blank, R=Cylinder, T=Tab, F=Bar, H= Outline
4. Lock option: N=no drilling, L=locking
   (wood or laminate doors only)
5. Lock finish: B=Black, S=Matte silver
6. Case finish: V316
7. Front finish: V316
8. Pull finish: Painted, PN= Black Nickel, PD=Polished chrome, PU=Satin Nickel

Application Notes

These products are Glue and Dowel Construction

Letter depth is 15″ nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Unfinished backs

dimensions noted nominal

Overhead, 28 3/8″ planning
Double high
Cabinet hung with glass door

description	w	d	h	pattern n	L	V1	V2	V3
Cabinet-hung overhead cabinet glass hinge door, with cubby	30″	15″	33″	**ROCGHCDHP301( )( )( )**	$3,108.	$3,387.	$3,895.	$5,064.
	36″	15″	33″	**ROCGHCDHP361( )( )( )**	3,272.	3,566.	4,101.	5,332.
	42″	15″	33″	**ROCGHCDHP421( )( )( )**	4,293.	4,680.	5,382.	6,996.
	48″	15″	33″	**ROCGHCDHP481( )( )( )**	4,429.	4,827.	5,551.	7,216.
	54″	15″	33″	**ROCGHCDHP541( )( )( )**	4,733.	5,159.	5,933.	7,713.
	60″	15″	33″	**ROCGHCDHP601( )( )( )**	5,083.	5,541.	6,372.	8,284.
	66″	15″	33″	**ROCGHCDHP661( )( )( )**	5,300.	5,777.	6,644.	8,637.
	72″	15″	33″	**ROCGHCDHP721( )( )( )**	5,471.	5,964.	6,858.	8,916.
	78″	15″	33″	**ROCGHCDHP781( )( )( )**	5,689.	6,201.	7,131.	9,270.
	84″	15″	33″	**ROCGHCDHP841( )( )( )**	6,924.	7,547.	8,679.	11,283.
	90″	15″	33″	**ROCGHCDHP901( )( )( )**	7,038.	7,672.	8,823.	11,469.
	96″	15″	33″	**ROCGHCDHP961( )( )( )**	7,203.	7,851.	9,028.	11,737.

Order Code

Example: **ROCGHCDHP301 ( )( )( )**

R	Reff
O	Overhead
C	Cabinet Hung
GHC	Glass hinge door / cubby
DH	Double High
P	Planning
30	Width
1	Depth (letter)
2	Case finish type
2	Caese finish
AN	Door frame finish
GL11	Door glass finish

Specification Information

To order please specify:

1. Case Finish Type:
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. Case Finish:
   V316
3. Door frame finish:
   Anotized or Painted
4. Door Glass finish:
   GL11, GL15, GL18

Application Notes

These products are Glue and Dowel Construction

Letter depth is 15″ nominal.

No glass shelves

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Unfinished backs

dimensions noted nominal

Overhead, 28 3/8″ planning
Double high
Cabinet hung with and witout center gable

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet-hung overhead cabinet open /cubby **with** center gable 	30″	15″	33″	**ROCCGDHP301( )( )**	$1,849.	$2,588.	$2,976.	$3,869.
	36″	15″	33″	**ROCCGDHP361( )( )**	1,894.	2,651.	3,049.	3,963.
	42″	15″	33″	**ROCCGDHP421( )( )**	2,311.	3,235.	3,721.	4,837.
	48″	15″	33″	**ROCCGDHP481( )( )**	2,354.	3,295.	3,790.	4,927.
	54″	15″	33″	**ROCCGDHP541( )( )**	2,605.	3,646.	4,193.	5,451.
	60″	15″	33″	**ROCCGDHP601( )( )**	3,083.	4,316.	4,963.	6,452.
	66″	15″	33″	**ROCCGDHP661( )( )**	3,173.	4,442.	5,108.	6,640.
	72″	15″	33″	**ROCCGDHP721( )( )**	3,221.	4,510.	5,186.	6,742.
	78″	15″	33″	**ROCCGDHP781( )( )**	3,316.	4,642.	5,338.	6,939.
	84″	15″	33″	**ROCCGDHP841( )( )**	4,166.	5,833.	6,708.	8,720.
	90″	15″	33″	**ROCCGDHP901( )( )**	4,215.	5,901.	6,787.	8,823.
	96″	15″	33″	**ROCCGDHP961( )( )**	4,260.	5,963.	6,858.	8,915.
Cabinet-hung overhead cabinet open /cubby **without** center gable 	30″	15″	33″	**ROCOCDHP301( )( )**	1,664.	2,329.	2,678.	3,482.
	36″	15″	33″	**ROCOCDHP361( )( )**	1,705.	2,386.	2,744.	3,567.
	42″	15″	33″	**ROCOCDHP421( )( )**	2,080.	2,912.	3,349.	4,353.
	48″	15″	33″	**ROCOCDHP481( )( )**	2,119.	2,966.	3,411.	4,434.
	54″	15″	33″	**ROCOCDHP541( )( )**	2,345.	3,281.	3,774.	4,906.
	60″	15″	33″	**ROCOCDHP601( )( )**	2,775.	3,884.	4,467.	5,807.
	66″	15″	33″	**ROCOCDHP661( )( )**	2,856.	3,998.	4,597.	5,976.
	72″	15″	33″	**ROCOCDHP721( )( )**	2,899.	4,059.	4,667.	6,068.
	78″	15″	33″	**ROCOCDHP781( )( )**	2,984.	4,178.	4,804.	6,245.
	84″	15″	33″	**ROCOCDHP841( )( )**	3,749.	5,250.	6,037.	7,848.
	90″	15″	33″	**ROCOCDHP901( )( )**	3,794.	5,311.	6,108.	7,941.
	96″	15″	33″	**ROCOCDHP961( )( )**	3,834.	5,367.	6,172.	8,024.

Without center gable

Order Code

Example:	**ROCCGDHP301 ( )( )**
R	Reff
O	Overhead
C	Cabinet hung
CG	Center gable
DH	Double High
P	Planning
30	Width
1	Depth (letter)
2	Case finish type
V316	Case finish

Specification Information

To order please specify:

1. Case finish type:
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. Case finish: V316

Application Notes

These products are Glue and Dowel Construction

Letter depth is 15″ nominal.

Place holder for legal depth if required.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Unfinished backs

dimensions noted nominal

Overhead, 28 3/8″ planning
Double high
Cabinet hung with doors, open

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung overhead cabinet hinge door/ open / cubby	60″	15″	33″	**ROCHOCDHP601( )( )( )( )( )( )( )**	$3,165.	$3,481.	$3,639.	$3,798.	$4,589.	$5,277.	$6,860.
	66″	15″	33″	**ROCHOCDHP661( )( )( )( )( )( )( )**	3,216.	3,537.	3,698.	3,859.	4,663.	5,362.	6,971.
	72″	15″	33″	**ROCHOCDHP721( )( )( )( )( )( )( )**	3,276.	3,603.	3,767.	3,931.	4,750.	5,463.	7,101.
	78″	15″	33″	**ROCHOCDHP781( )( )( )( )( )( )( )**	3,326.	3,659.	3,825.	3,991.	4,823.	5,546.	7,210.
	84″	15″	33″	**ROCHOCDHP841( )( )( )( )( )( )( )**	3,834.	4,217.	4,409.	4,601.	5,559.	5,393.	8,311.
	90″	15″	33″	**ROCHOCDHP901( )( )( )( )( )( )( )**	3,897.	4,286.	4,481.	4,676.	5,650.	6,498.	8,447.
	96″	15″	33″	**ROCHOCDHP961( )( )( )( )( )( )( )**	3,952.	4,347.	4,545.	4,742.	5,730.	6,590.	8,567.



Order Code

Example:	**ROCHOCDHP601 ( )( )( )( )( )( )( )**
R	Reff
O	Overhead
C	Cabinet Hung
H	Hinge door
OC	Open cubby
DH	Double High
P	Planning
30	Width
1	Depth (letter)
2	Case finish type
2	Front finish type
L	Lock option
B	Lock finish
V316	Case finish
V316	Front finish

Specification Information

To order please specify:

1. Case Finish:
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
2. Front Finish:
   L = Laminate
   1 = V1
   2 = V2
   3 = V3
3. Lock option: N=no drilling, L=locking (wood or laminate doors only)
4. Lock finish: B=Black, S=Matte silver
5. Case finish: V316
6. Front finish: V316

Application Notes

These products are Glue and Dowel Construction

Letter depth is 15″ nominal.

Fascias ordered separately

Tasklights not included

Tack/Task panel order separately

Unfinished backs

Doors project below shelf for opening

No pull options

dimensions noted nominal

Reuter overhead cabinet
desk, wall, or other Knoll system mounted
Designed by Robert Reuter

description	type	w	d	h	pattern no.	P1	P2	P3	V1
Enclosed cabinet, with lock (no mounting hardware) - One door		24″	14 1/4″	14 3/4″	**RO3-N24( )( )L**	$666.	$666.	$698.	$1,002.
		30″	14 1/4″	14 3/4″	**RO3-N30( )( )L**	741.	741.	781.	1,082.
		36″	14 1/4″	14 3/4″	**RO3-N36( )( )L**	857.	857.	901.	1,213.
		42″	14 1/4″	14 3/4″	**RO3-N42( )( )L**	994.	994.	1,046.	1,349.
		48″	14 1/4″	14 3/4″	**RO3-N48( )( )L**	1,112.	1,112.	1,165.	1,481.
Enclosed cabinet, with lock (no mounting hardware) - Two doors		60″	14 1/4″	14 3/4″	**RO3-N60( )( )L**	1,406.	1,406.	1,479.	2,040.
		66″	14 1/4″	14 3/4″	**RO3-N66( )( )L**	1,540.	1,540.	1,613.	2,186.
		72″	14 1/4″	14 3/4″	**RO3-N72( )( )L**	1,644.	1,644.	1,726.	2,307.
Enclosed cabinet, no lock (no mounting hardware) - One door		24″	14 1/4″	14 3/4″	**RO3-N24( )( )N**	598.	598.	627.	n/a
		30″	14 1/4″	14 3/4″	**RO3-N30( )( )N**	678.	678.	711.	n/a
		36″	14 1/4″	14 3/4″	**RO3-N36( )( )N**	792.	792.	832.	n/a
		42″	14 1/4″	14 3/4″	**RO3-N42( )( )N**	930.	930.	977.	n/a
		48″	14 1/4″	14 3/4″	**RO3-N48( )( )N**	1,044.	1,044.	1,097.	n/a
Enclosed cabinet, no lock (no mounting hardware) - Two doors		60″	14 1/4″	14 3/4″	**RO3-N60( )( )N**	1,275.	1,275.	1,340.	n/a
		66″	14 1/4″	14 3/4″	**RO3-N66( )( )N**	1,405.	1,405.	1,476.	n/a
		72″	14 1/4″	14 3/4″	**RO3-N72( )( )N**	1,516.	1,516.	1,591.	n/a









Order Code

Example:	**RO3-N48-613-613-L**
RO3	Reuter overhead cabinet
N	No brackets
48	Width
613	Case finish
613	Front finish
L	With lock

Specification Information

Specify finish for case and door.

Application Notes

Reuter storage is a universal product applicable on Knoll systems.

Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders.Vertical interior partitions may be positioned on 1 1/2″ increments of width anywhere across shelf, 1 1/2″ in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2″ increments on either or both sides.

Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3″ less than cabinet width. Available in sets of 10; 6″, 9″, 12″, 15″ widths.

Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60″W or wider require two lock cores.

Reuter overhead doors without locks include black, Knoll-logo insert, in the same position. Insert may be removed to retrofit a lock later.

Reuter open shelf
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3
Open shelf no mounting hardware		30″	13″	8″	**RS1-N30( )**		$318.	$318.	$333.
		36″	13″	8″	**RS1-N36( )**		360.	360.	378.
		42″	13″	8″	**RS1-N42( )**		388.	388.	407.
		48″	13″	8″	**RS1-N48( )**		417.	417.	438.
		60″	13″	8″	**RS1-N60( )**		489.	489.	515.
Interior partitions	Vertical, set of 5	–	12″	6″	**RS1-VP**	79.			
	Horizontal, set of 10	6″	12″	–	**RO1-HP6**	130.			
		9″	12″	–	**RO1-HP9**	164.			
		12″	12″	–	**RO1-HP12**	195.			
		15″	12″	–	**RO1-HP15**	227.			

Order Code

Example:	**RS1-N48-612**
RS1	Reuter shelf
N	No mounting hardware
48	Width
612	Finish

Specification Information

Specify paint finishes for shelf.

Application Notes

Interior partitions are black painted steel finish.

Reuter storage is a universal product applicable on Morrison or other Knoll systems.

Open shelves may be mounted on any combination of vertical panels the same width. Reuter open shelves may be Morrison Network desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify Reuter shelves with no mounting hardware, and brackets separately.

Vertical interior partitions may be positioned on 1 ½″ increments of width anywhere across shelf, 1 ½″ in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2″ increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3″ less than shelf width. Available in sets of 10; 6″, 9″, 12″, 15″ widths.

Reuter open overhead
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	P1	P2	P3
Open overhead no mounting hardware		30″	13″	14¾″	**RO3-ON30( )**		$476.	$476.	$498.
		36″	13″	14¾″	**RO3-ON36( )**		546.	546.	573.
		42″	13″	14¾″	**RO3-ON42( )**		619.	619.	650.
		48″	13″	14¾″	**RO3-ON48( )**		692.	692.	725.
		60″	13″	14¾″	**RO3-ON60( )**		805.	805.	847.
		72″	13″	14¾″	**RO3-ON72( )**		949.	949.	995.
Interior partitions	Vertical, set of 5	–	11″	12″	**RO3-VP**	84.			
	Horizontal, set of 10	6″	11″	–	**RO1-HP6**	130.			
		9″	11″	–	**RO1-HP9**	164.			
		12″	11″	–	**RO1-HP12**	195.			
		15″	11″	–	**RO1-HP15**	227.			

Order Code

Example:	**RO3-ON30-612**
RO3-O	Reuter open overhead
N	No mounting hardware
30	Width
612	Finish

Specification Information

Specify finish for case and door.

Application Notes

Interior partitions are black painted steel finish.

Door retrofit kits convert an open overhead to an enclosed cabinet and include Reuter overhead door, left and right arm mechanisms, and lock or lock plug.

Reuter storage is a universal product applicable on Morrison or other Knoll systems. Open overheads may be mounted on any combination of vertical panels the same width or up to 12″ less than shelf width.

Reuter open overheads may be desk-mounted, mounted on other Knoll systems, cantilevered above panels, or wall-mounted. Specify open overhead with no mounting hardware and brackets separately.

Vertical interior partitions may be positioned on 1½″ increments of width anywhere across shelf, 1½″ in from each side. Vertical partitions contain cutouts for mounting three horizontal partitions at 2″ increments on either or both sides. Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3″ less than shelf width. Available in sets of 10; 6″, 9″, 12″, 15″ widths.

Reuter overhead storage
desk and panel mounting options
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black	paint
Panel mount brackets, pair, overhead cabinet	For Reff System panels				**RO1-RPB**	$44.	
	Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.						
Panel mount brackets, pair, open shelf	For Reff / AutoStrada panels				**RS1-RPB**	36.	
	Note : Reff System panels require 2 pair for 60", 66" and 72" long Reuters.						
Upmount brackets	For Reff / AutoStrada panels				**RO1-RCB( )**		93.

Order Code

Example:	**RO2-NS21-612**
RO2	Reuter overhead
NS	Network stanchions
21	Height
612	Paint finish

Specification Information

Specify paint finish for stanchions and upmount brackets.

Panel mount brackets are painted black finish.

Application Notes

Reuter overhead cabinets and shelves may be mounted on Network desks or other Knoll systems, upmounted, or wall-mounted. Use bracket kits on this page with Reuter storage without mounting hardware.

For Morrison Network desk mount applications, overhead cabinet or shelf width must correspond to desk support width and worksurface with grommet. Stanchions bolt to desk support corner leg. Top of cabinet on stanchions aligns with adjacent 64″H vertical panels or vertical storage.

Specify 22″H privacy screens (to 49″H) to enclose space between overhead and desk.

Specify stanchion outlets cover when planning PDC modules and/or power module in overhead support. See page for information on desktop power module.

Upmount brackets support bottom of Reuter storage 1″ or 2″ above, or flush with top of corresponding width Morrison, Equity or Reff panel.

Overhead storage may be centered on, or mount to either side of Equity post. Note that full 6″ modular width Reuter storage is wider than Equity centerline-width panel surrounds.

Reuter overhead storage
wall-mounting options and ADA pull
Designed by Robert Reuter

description	type	w	d	h	pattern no.	black
Wall mount frames, overhead cabinet	24″ or 30″W overheads	23″	½″	13″	**RO1-WMF2**	$82.
	36″ or 42″W overheads	35″	½″	13″	**RO1-WMF3**	88.
	48″ or 60″W overheads	47″	1/2	13″	**RO1-WMF4**	93.
Wall mount frames, shelf	24″W shelf	23″	1 ½″	6″	**RS1-WMF24**	82.
	30″W shelf	29″	1 ½″	6″	**RS1-WMF30**	86.
	36″W shelf	35″	1 ½″	6″	**RS1-WMF36**	88.
	42″W shelf	41″	1 ½″	6″	**RS1-WMF42**	91.
	48″W shelf	47″	1 ½″	6″	**RS1-WMF48**	93.
	60″W shelf	59″	1 ½″	6″	**RS1-WMF60**	99.
Wall mount wire manager, set of 10					**MWM-J**	145.
						
Ganging bracket					**RO1-GB**	12.
ADA pull					**RO1-PULL**	48.
						

Order Code

Example:	**RO1-GB**
RO1	Reuter overhead
GB	Ganging bracket

Specification Information

Wall mount frames are painted black finish.

ADA pull is stainless steel.

Application Notes

Wall mount frames secure Reuter overhead cabinet or shelf to wall (frame/wall mounting hardware is not included). Frame is concealed behind storage. Use two RO1-WMF2 to wall-mount 66″- and 72″-wide Reuter overheads.

Reuter open shelves 66″ and 72″W are for stanchion support only.

Wall mount wire manager is two-part wire concealment kit, 22″H (medium grey only).

Ganging bracket joins adjacent Reuter overheads or shelves for additional stiffness and alignment when storage is planned on only one side of a panel run.

ADA pull mounts to Reuter painted front overhead door to allow seated users to close door easily. Specify one for each cabinet 24″ - 48″, two for cabinets 60″ - 72″.

ADA pull cannot be mounted on wood front Reuter doors.

Task Lights for Reuter Overhead Storage

description	type	w	d	h	pattern no.	list
T5 Standard Task Light	Use with 24″ and wider overhead	19″	4″	1 1/2″	**RTAT5E19S**	$218.
	Use with 30″ and wider overhead	25″	4″	1 1/2″	**RTAT5E25S**	235.
	Use with 42″ and wider overhead	37″	4″	1 1/2″	**RTAT5E37S**	253.
	Use with 60″ and wider overhead	49″	4″	1 1/2″	**RTAT5E49S**	275.
	Use with 66″ and wider overhead	61″	4″	1 1/2″	**RTAT5E61S**	292.
T5 Advanced Task Light	Use with 30″ and wider overhead	25″	4″	1 1/2″	**RTAT5E25A**	405.
	Use with 42″ and wider overhead	37″	4″	1 1/2″	**RTAT5E37A**	426.
	Use with 60″ and wider overhead	49″	4″	1 1/2″	**RTAT5E49A**	443.
	Use with 66″ and wider overhead	61″	4″	1 1/2″	**RTAT5E61A**	461.
LED Task Light	Use with 24″ and wider overhead (3 LED's)	19″	2″	5/8″	**ML3L193M**	292.
	Use with 24″ and wider overhead (6 LED's)	19″	2″	5/8″	**ML3L196M**	369.
	Use with 24″ and wider overhead (9 LED's)	19″	2″	5/8″	**ML3L199M**	502.
	Use with 42″ and wider overhead (6 LED's)	37″	2″	5/8″	**ML3L376M**	589.
	Use with 42″ and wider overhead (12 LED's)	37″	2″	5/8″	**ML3L3712M**	666.
	Use with 42″ and wider overhead (18 LED's)	37″	2″	5/8″	**ML3L3718M**	825.

Order Code

T5 Standard Task Light

Example:	**RTAT5E25S**
RTA	Task Light
T5	T5 lamp
E	Electronic ballast
25	Width
S	Standard

LED Task Light

Example:	**ML3L193M**
ML3	Task Light
L	LED
19	Width
3	# of LED's
M	Metal Overhead Attachment

Specification Information

T5 Task Lights:
120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9′ grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.

LED Task Lights:
Includes LED's, power supply with 12' cord and mounting hardware. Housings are clear anodized aluminum with grey color end-caps.

Application Notes

T5 Task Lights:
Specify suffix -CH and add $45 list for City of Chicago installations. Example: DL3T5E25S-CH

Cordset is center exit. On smaller units cord exit is off-center, but still not handed.

T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content.

LED Task Lights:
Power cord is able to attach to either end of fixture.

Notes:
All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6″ wider than task light width.

All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.

Overheads
Progressive, 28 3/8″ planning
Cabinet Hung with glass door

description	w	d	h	pattern no.	L	V1	V2	V3
Cabinet Hung Shelf Glass Sliding Doors Closed Ends	90″	15″	14 7/8″	**RROCGSD90GB( )( )( )**	$2,935.	$3,522.	$4,050.	$5,266.
	108″	15″	14 7/8″	**RROCGSD108GB( )( )( )**	3,211.	3,853.	4,431.	5,760.
Cabinet Hung Shelf with Glass Sliding Door Right Hand	60″	15″	14 7/8″	**RROCGSDR60GB( )( )( )**	2,492.	2,866.	3,296.	4,284.
	72″	15″	14 7/8″	**RROCGSDR72GB( )( )( )**	2,674.	3,075.	3,537.	4,598.
Cabinet Hung Shelf with Glass Sliding Door Left Hand	60″	15″	14 7/8″	**RROCGSDL60GB( )( )( )**	2,492.	2,866.	3,296.	4,284.
	72″	15″	14 7/8″	**RROCGSDL72GB( )( )( )**	2,674.	3,075.	3,537.	4,598.







Order Code

Example:	**RROCGSD90GB ( )( )( )**
RR	Reffresh
O	Overhead
C	Cabinet Hung
GSD	Glass Sliding Door
90	90″ wide
GB	Gable Both
G	Pull option
111	Pull finish
V316	Case finish
AN	Door frame finish
GL11	Glass finish

Specification Information

To order please specify:

1. Pull option=G Grommet pull
2. Pull finish = Painted/plated
3. Case finish = V316
4. Door frame finish = Anodized / painted
5. Door Glass finish = GL11, Gl15, GL18

Application Notes

These products are Glue and Dowel Construction.

Above sizes are nominal.

All sliding doors including wood, laminate and glass are non-locking.

Overheads
Progressive, 28 3/8″ planning
Cabinet Hung with wood door

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Cabinet Hung Shelf with Wood/Laminate Sliding Door Right Hand	60″	15″	14 7/8″	**RROCWSDR60GB( )( )( )( )( )( )( )**	$2,123.	$2,335.	$2,441.	$2,548.	$2,654.	$3,052.	$3,967.
	72″	15″	14 7/8″	**RROCWSDR72GB( )( )( )( )( )( )( )**	2,247.	2,472.	2,584.	2,679.	2,809.	3,230.	4,199.
Cabinet Hung Shelf with Wood/Laminate Sliding Door Left Hand	60″	15″	14 7/8″	**RROCWSDL60GB( )( )( )( )( )( )( )**	2,123.	2,335.	2,441.	2,548.	2,654.	3,052.	3,967.
	72″	15″	14 7/8″	**RROCWSDL72GB( )( )( )( )( )( )( )**	2,247.	2,472.	2,584.	2,679.	2,809.	3,230.	4,199.
Cabinet Hung Shelf Sliding Doors Closed Ends	90″	15″	14 7/8″	**RROCWSD90GB( )( )( )( )( )( )**	2,521.	2,774.	2,900.	3,026.	3,278.	3,769.	4,908.
	108″	15″	14 7/8″	**RROCWSD108GB( )( )( )( )( )( )**	2,734.	3,007.	3,144.	3,281.	3,554.	4,087.	5,313.
Cabinet Hung **Open Shelf** Closed Ends	60″	15″	14 7/8″	**RROCOS60GB( )( )( )**	1,522.	1,978.	2,275.	2,957.			
	72″	15″	14 7/8″	**RROCOS72GB( )( )( )**	1,622.	2,109.	2,425.	3,153.			
	90″	15″	14 7/8″	**RROCOS90GB( )( )( )**	1,768.	2,299.	2,644.	3,437.			
	108″	15″	14 7/8″	**RROCOS108GB( )( )( )**	2,011.	2,615.	3,007.	3,909.			

Order Code

Example:	**RROCWSDR60GB**
RR	Reff
O	Overhead
C	Cabinet Hung
WSDR	Wood/Lam. Sliding Door
60	60″ wide
GB	Gable Both
N	Lock Option
B	Lock Finish
G	Pull Option
115	Pull Finish
V316	Case Finish
V316	Front Finish

Specification Information

To order please specify

1. Lock option:
   N=No lock option
   (wood or laminate doors only)
2. Lock finish:
   B=Black
   S=Matte silver
3. Pull option:
   Grommet pull only
4. Pull finish:
   Painted or Plated

Application Notes

These products are Glue and Dowel Construction.

Above sizes are nominal.

All Progressive cabinets with sliding door are non-locking.

All sliding doors including wood, laminate and glass are non-locking.

Overheads
Progressive, 28 3/8" planning
Wall Hung with glass door

description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung Shelf with Glass Sliding Door	90″	15″	14 7/8″	**RROMGSD90GN( )( )( )( )( )( )**	$2,778.	$3,334.	$3,834.	$4,984.
	108″	15″	14 7/8″	**RROMGSD108GN( )( )( )( )( )( )**	3,151.	3,781.	4,349.	5,653.
Wall Hung Shelf with Glass Sliding Door Gable Right	60″	15″	14 7/8″	**RROMGSD60GR( )( )( )( )( )( )**	2,403.	2,883.	3,316.	4,311.
	72″	15″	14 7/8″	**RROMGSD72GR( )( )( )( )( )( )**	2,647.	3,176.	3,665.	4,748.
Wall Hung Shelf with Glass Sliding Door Gable Left	60″	15″	14 7/8″	**RROMGSD60GL( )( )( )( )( )( )**	2,403.	2,883.	3,316.	4,311.
	72″	15″	14 7/8″	**RROMGSD72GL( )( )( )( )( )( )**	2,647.	3,176.	3,653.	4,748.
Wall Hung Shelf with Glass Sliding Door Closed Ends	60″	15″	14 7/8″	**RROMGSDR60GB( )( )( )**	2,537.	2,917.	3,355.	4,361.
	60″	15″	14 7/8″	**RROMGSDL60GB( )( )( )**	2,537.	2,917.	3,355.	4,361.
	72″	15″	14 7/8″	**RROMGSDR72GB( )( )( )**	2,751.	3,164.	3,638.	4,730.
	72″	15″	14 7/8″	**RROMGSDL72GB( )( )( )**	2,751.	3,164.	3,638.	4,730.
	90″	15″	14 7/8″	**RROMGSD90GB( )( )( )**	3,110.	3,577.	4,113.	5,347.
	108″	15″	14 7/8″	**RROMGSD108GB( )( )( )**	3,493.	4,017.	4,619.	6,005.









Order Code

Example:	**RROMGSD90GN ( )**
RR	Reff
O	Overhead
M	Wall hung
GSD	Glass sliding door
90	90″ wide
GN	No gable
G	Pull Option
115	Pull Finish
V319	Case Finish
AP	Door Frame Finish
GL11	Glass Finish

Specification Information

To order please specify

1. Pull option: Grommet
2. Pull finish: 115
3. Case finish: V319
4. Door frame: Anodized / painted
5. Glass finish:
   GL11 = Black
   GL15 = Med. Grey
   GL18 = White

Application Notes

These products are Glue and Dowel Construction.

Above sizes are nominal.

Task lights and Fascias sold separately.

All sliding doors including wood, laminate and glass are non-locking.

Overheads
Progressive, 28 3/8″ planning
Wall Hung with wood door

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung Shelf with Wood / Laminate Sliding Door	90″	15″	14 7/8″	**RROMWSD90GN( )( )( )( )( )( )**	$2,574.	$2,832.	$2,961.	$3,089.	$3,089.	$3,553.	$4,619.
	108″	15″	14 7/8″	**RROMWSD108GN( )( )( )( )( )( )**	2,902.	3,192.	3,337.	3,482.	3,482.	4,006.	5,206.
Wall Hung Shelf with Wood/Laminate Sliding Door Gable Right	60″	15″	14 7/8″	**RROMWSD60GR( )( )( )( )( )( )**	2,211.	2,432.	2,543.	2,654.	2,654.	3,052.	3,967.
	72″	15″	14 7/8″	**RROMWSD72GR( )( )( )( )( )( )**	2,409.	2,650.	2,771.	2,891.	2,891.	3,325.	4,322.
Wall Hung Shelf with Wood/Laminate Sliding Door Gable Left	60″	15″	14 7/8″	**RROMWSD60GL( )( )( )( )( )( )**	2,211.	2,432.	2,543.	2,654.	2,654.	3,052.	3,967.
	72″	15″	14 7/8″	**RROMWSD72GL( )( )( )( )( )( )**	2,409.	2,650.	2,891.	2,771.	2,891.	3,325.	4,322.
Wall Hung Shelf with Wood/Laminate Sliding Door Closed Ends	90″	15″	14 7/8″	**RROMWSD90GB( )( )( )( )( )( )**	2,666.	2,933.	3,066.	3,199.	3,333.	3,832.	4,982.
	108″	15″	14 7/8″	**RROMWSD108GB( )( )( )( )( )( )**	2,974.	3,272.	3,420.	3,569.	3,718.	3,420.	3,569.









Order Code

Example:	**RROMWSD90GB ( )( )( )( )( )( )**
RR	Reff
O	Overhead
M	Wall mount
WSD	Wood/Lam. Sliding Door
90	90″ wide
GB	Gable both
N	Lock Option
B	Lock Finish
G	Pull Option
115	Pull Finish
V319	Case Finish
V319	Door Finish

Specification Information

To order please specify

1. Lock option:
   No lock
2. Lock finish:
   B=Black
   S=Matte Silver
3. Pull option:
   Grommet only
4. Pull finish:
   Painted and Plated
5. Case finish:
   L, V1, V2, V3
6. Door finish:
   L, V1, V2, V3

Application Notes

These products are Glue and Dowel Construction.

Above sizes are nominal.

Task lights and Fascias sold separately.

No lock option at this time.

All sliding doors including wood, laminate and glass are non-locking.

Overheads
Progressive, 28 3/8″ planning
Wall Hung with wood door

description	w	d	h	pattern no.	L/L	L/V1	L/V2	L/V3	V1/V1	V2/V2	V3/V3
Wall Hung Shelf with Wood/Laminate Sliding Door right Closed Ends	60″	15″	14 7/8″	**RROMWSDR60GB( )( )( )( )( )( )( )**	$2,149.	$2,364.	$2,472.	$2,579.	$2,686.	$3,089.	$4,016.
	72″	15″	14 7/8″	**RROMWSDR72GB( )( )( )( )( )( )( )**	2,303.	2,533.	2,649.	2,764.	2,879.	3,311.	4,304.



Wall Hung Shelf with Wood/Laminate Sliding Door left Closed Ends	60″	15″	14 7/8″	**RROMWSDL60GB( )( )( )( )( )( )( )**	2,149.	2,364.	2,472.	2,579.	2,686.	3,089.	4,016.
	72″	15″	14 7/8″	**RROMWSDL72GB( )( )( )( )( )( )( )**	2,303.	2,533.	2,649.	2,764.	2,879.	3,311.	4,304.



Order Code

Example: **RROMWSD90GB ( )( )( )( )( )( )( )**

RR	Reff
O	Overhead
M	Wall mount
WSD	Wood/Lam. Sliding Door
90	90″ wide
GB	Gable both
N	Lock Option
B	Lock Finish
G	Pull Option
115	Pull Finish
V319	Case Finish
V319	Door Finish

Specification Information

To order please specify

1. Lock option: No lock
2. Lock finish: B=Black S=Matte Silver
3. Pull option: Grommet only
4. Pull finish: Painted and Plated
5. Case finish: L, V1, V2, V3
6. Door finish: L, V1, V2, V3

Application Notes

These products are Glue and Dowel Construction.

Above sizes are nominal.

Task lights and Fascias sold separately.

No lock option at this time.

All sliding doors including wood, laminate and glass are non-locking.

Overheads
Progressive, 28 3/8″ planning
Wall Hung L-Shelf

description	w	d	h	pattern no.	L	V1	V2	V3
L-Shelf	60″	13 ½″	14″	**RRML60( )( )**	$825.	$990.	$1,139.	$1,481.
	72″	13 ½″	14″	**RRML72( )( )**	917.	1,110.	1,265.	1,645.
	90″	13 ½″	14″	**RRML90( )( )**	1,037.	1,245.	1,431.	1,861.
	108″	13 ½″	14″	**RRML108( )( )**	1,187.	1,425.	1,639.	2,130.

Order Code

Example:	**RRML60( )( )**
RR	Reff Refresh
M	Wall Hung
L	L-Shelf
60	60″ Wide
L	Finish Type
114	Finish

Specification Information

To order please specify pattern number including:

1. Finish type: L, V1, V2, V3
2. Finish = 114

Application Notes

These products are Glue and Dowel Construction

Shipped knocked down.

Hardware kit included.

Fascia sold separately.

Task light sold separately.

Overheads
Progressive, 28 3/8" planning
Wall Hung Open Shelf

description	w	d	h	pattern no.	L	V1	V2	V3
Wall Hung Open Shelf Left Gable	60″	15″	14 7/8″	**RROMOS60GL( )**	$1,640.	$1,886.	$2,169.	$2,819.
	72″	15″	14 7/8″	**RROMOS72GL( )**	1,824.	2,098.	2,413.	3,137.
								
Wall Hung Open Shelf Right Gable	60″	15″	14 7/8″	**RROMOS60GR( )**	1,640.	1,886.	2,169.	2,819.
	72″	15″	14 7/8″	**RROMOS72GR( )**	1,824.	2,098.	2,413.	3,137.
								
Wall Hung Open Shelf Closed Ends Left&Right Gable	60″	15″	14 7/8″	**RROMOS60GB( )( )**	1,562.	2,030.	2,335.	3,035.
	72″	15″	14 7/8″	**RROMOS72GB( )( )**	1,697.	2,207.	2,538.	3,299.
	90″	15″	14 7/8″	**RROMOS90GB( )( )**	1,998.	2,597.	2,987.	3,883.
	108″	15″	14 7/8″	**RROMOS108GB( )( )**	2,148.	2,792.	3,211.	4,174.
								
Wall Hung Open Shelf No Gable	90″	15″	14 7/8″	**RROMOS90GN( )**	2,076.	2,387.	2,745.	3,569.
	108″	15″	14 7/8″	**RROMOS108GN( )**	2,295.	2,639.	3,035.	3,945.
								

Example:	**RROMOS60GL( )( )( )**
RR	Reff
O	Overhead
M	Wall Hung
OS	Open shelf
60	60″ wide
GL	Gable Left
V316	Case Finish

To order please specify *pattern number including:*

1. Case finish:

These products are Glue and Dowel Construction.

Above sizes are nominal.

Sliding door is non-locking.

Transaction tops
for use with 42″ H panel heights

description	w	d	t	pattern no.	L	M	V1	V2	V3
Transaction tops 1¼″ Thick	24″	15″	1¼″	**RTTA24( )-( )**	$310.	$321.	$321.	$369.	$498.
	30″	15″	1¼″	**RTTA30( )-( )**	339.	348.	348.	403.	544.
	36″	15″	1¼″	**RTTA36( )-( )**	369.	382.	382.	438.	593.
	42″	15″	1¼″	**RTTA42( )-( )**	399.	411.	411.	472.	636.
	48″	15″	1¼″	**RTTA48( )-( )**	425.	442.	442.	508.	685.
	54″	15″	1¼″	**RTTA54( )-( )**	455.	471.	471.	540.	729.
	60″	15″	1¼″	**RTTA60( )-( )**	485.	500.	500.	578.	780.
	66″	15″	1¼″	**RTTA66( )-( )**	514.	530.	530.	609.	822.
	72″	15″	1¼″	**RTTA72( )-( )**	541.	560.	560.	645.	870.





Transaction tops with 2″ waterfall edge outside edge only, 1¼″ Thick	24″	15″	1¼″	**RTTAWF24( )-( )**			640.	736.	994.
	30″	15″	1¼″	**RTTAWF30( )-( )**			702.	808.	1,091.
	36″	15″	1¼″	**RTTAWF36( )-( )**			760.	877.	1,183.
	42″	15″	1¼″	**RTTAWF42( )-( )**			820.	943.	1,273.
	48″	15″	1¼″	**RTTAWF48( )-( )**			883.	1,015.	1,370.
	54″	15″	1¼″	**RTTAWF54( )-( )**			941.	1,081.	1,459.
	60″	15″	1¼″	**RTTAWF60( )-( )**			1,003.	1,153.	1,557.
	66″	15″	1¼″	**RTTAWF66( )-( )**			1,060.	1,221.	1,648.
	72″	15″	1¼″	**RTTAWF72( )-( )**			1,122.	1,289.	1,740.

Not available in laminate or mixed finishes



Order Code

Example:	**RTTA24S1**
R	Reff
TT	Transaction top
A	1¼″ thick
24	24″ wide
S	Straight end treatment
1	V1 finish
Y311	Beech

Specification Information

To order please specify pattern number including:

1. End treatment type
2. Finish type
3. Finish

1. End treatment options:
S = Straight
L = Left side mitre
R = Right side mitre

2. Finish type:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

Application Notes

Transaction tops are for mounting to 42″h panel or overall panel height achieved from 34″h base panel plus 8″h stacking module. Transaction tops ship with necessary bracketry included.

No grommets included.

Tops may be used to span more than one consecutive panel.

Transaction tops will not fit between panel Hi-Lo conditions without notching the underside of the top. This can be done in the field or through Custom Product Development.

Tops with waterfall edge cannot be specified with open pore finish. Available in V1 and V2 finishes only.

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Transaction tops
Brackets for Alternative Material

description	w	h	pattern no.	list
Attachment Bracketry			**RAMTB**	$55.
Foam Tape			**RAMTT**	21.
Transaction Top Bracket Cover			**RAMTC24( )( )**	40.
			RAMTC30( )( )	43.
			RAMTC36( )( )	46.
			RAMTC42( )( )	49.
			RAMTC48( )( )	52.
			RAMTC54( )( )	55.
			RAMTC60( )( )	58.
			RAMTC66( )( )	61.
			RAMTC72( )( )	63.
Transaction Top Bracket Cover Hilo			**RAMTCH24( )( )**	55.
			RAMTCH30( )( )	58.
			RAMTCH36( )( )	61.
			RAMTCH42( )( )	64.
			RAMTCH48( )( )	67.
			RAMTCH54( )( )	70.
			RAMTCH60( )( )	73.
			RAMTCH66( )( )	76.
			RAMTCH72( )( )	78.

Order Code

Example:	**RAMTC**
R	Reff
A	Alternative
M	Material
T	Transaction Top
C	Cover
24	Width
L/R/M	Left/Right/Mitered

Specification Information

To order please specify pattern number including:

1. End treatment option
2. Finish type

Application Notes

Spline piece included in the right "R" hand pattern number.

When a solid material is installed the "RAMTB" is required.

When a translucent material is installed ie. glass the "RAMTB" is also required in addition to the covers. The covers are intended to conceal the bracketry.

Gallery desk surrounds
1¼" worksurface

description	w	d	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly surround (drilled to accept shelf)	62″	25″	42″	**RGAF622-( )( )**	$1,275.	$1,519.	$1,519.	$1,670.	$1,749.	$2,255.	$2,361.
	68″	25″	42″	**RGAF682-( )( )**	1,320.	1,574.	1,574.	1,729.	1,812.	2,333.	2,446.
	74″	25″	42″	**RGAF742-( )( )**	1,369.	1,634.	1,634.	1,795.	1,878.	2,423.	2,534.
	80″	25″	42″	**RGAF802-( )( )**	1,418.	1,687.	1,687.	1,851.	1,943.	2,500.	2,623.
	86″	25″	42″	**RGAF862-( )( )**	1,462.	1,746.	1,746.	1,912.	2,008.	2,581.	2,710.
	92″	25″	42″	**RGAF922-( )( )**	1,511.	1,803.	1,803.	1,973.	2,073.	2,663.	2,797.
	98″	25″	42″	**RGAF982-( )( )**	1,559.	1,859.	1,859.	2,036.	2,140.	2,749.	2,889.
	62″	31″	42″	**RGAF623-( )( )**	1,356.	1,616.	1,616.	1,772.	1,860.	2,392.	2,511.
	68″	31″	42″	**RGAF683-( )( )**	1,408.	1,681.	1,681.	1,842.	1,934.	2,487.	2,611.
	74″	31″	42″	**RGAF743-( )( )**	1,461.	1,745.	1,745.	1,912.	2,006.	2,581.	2,707.
	80″	31″	42″	**RGAF803-( )( )**	1,514.	1,803.	1,803.	1,979.	2,077.	2,672.	2,803.
	86″	31″	42″	**RGAF863-( )( )**	1,569.	1,870.	1,870.	2,049.	2,152.	2,767.	2,906.
	92″	31″	42″	**RGAF923-( )( )**	1,621.	1,935.	1,935.	2,116.	2,224.	2,857.	3,002.
	98″	31″	42″	**RGAF983-( )( )**	1,675.	1,997.	1,997.	2,189.	2,295.	2,956.	3,098.
Shelf for above (uses keyhole) attachment hardware	60″	12″	1″	**RGS60-( )**	308.	n/a	368.	n/a	425.	n/a	574.
	66″	12″	1″	**RGS66-( )**	320.	n/a	381.	n/a	438.	n/a	593.
	72″	12″	1″	**RGS72-( )**	330.	n/a	394.	n/a	452.	n/a	610.
	78″	12″	1″	**RGS78-( )**	340.	n/a	405.	n/a	467.	n/a	630.
	84″	12″	1″	**RGS84-( )**	347.	n/a	418.	n/a	480.	n/a	648.
	90″	12″	1″	**RGS90-( )**	360.	n/a	428.	n/a	492.	n/a	664.
	96″	12″	1″	**RGS96-( )**	369.	n/a	439.	n/a	505.	n/a	683.
Bridge top assembly	42″	21″	42″	**RGAB421-( )( )**	727.	866.	866.	935.	995.	1,263.	1,343.
	48″	21″	42″	**RGAB481-( )( )**	779.	926.	926.	998.	1,065.	1,347.	1,437.
	54″	21″	42″	**RGAB541-( )( )**	829.	987.	987.	1,067.	1,135.	1,440.	1,533.
	60″	21″	42″	**RGAB601-( )( )**	879.	1,047.	1,047.	1,135.	1,208.	1,533.	1,630.
	66″	21″	42″	**RGAB661-( )( )**	931.	1,109.	1,109.	1,199.	1,276.	1,618.	1,722.
	72″	21″	42″	**RGAB721-( )( )**	980.	1,168.	1,168.	1,266.	1,343.	1,709.	1,813.
	78″	21″	42″	**RGAB781-( )( )**	1,028.	1,228.	1,228.	1,333.	1,413.	1,800.	1,907.
	84″	21″	42″	**RGAB841-( )( )**	1,079.	1,285.	1,285.	1,392.	1,479.	1,878.	1,997.
	90″	21″	42″	**RGAB901-( )( )**	1,127.	1,344.	1,344.	1,459.	1,546.	1,968.	2,088.
	96″	21″	42″	**RGAB961-( )( )**	1,173.	1,399.	1,399.	1,518.	1,611.	2,050.	2,175.

If shelf is not ordered and no drillings are required, you must order through specials.

Order Code

Example:	**RGAF622NLL**
R	Reff
G	Gallery surround
A	1¼″ top thickness
F	Freestanding
62	62″ wide
2	25″ deep
N	No grommet
L	Fnish type top, laminate
L	Finish type components
114	Folkstone grey (top)
114	Folkstone grey (components)

Specification Information

To order please specify pattern number including:

1. Grommet option
2. Finish type, top
3. Finish type, components
4. Finish, top
5. Finish, components

1. Grommet options:
N = No grommets
F = Flush front grommet

2. Finish type, top:
L = Laminate
M = Mixed (laminate top w/wood edge)
1 = V1
2 = V2
3 = V3

3. Finish type, components: (surround components)
L = Laminate
1 = V1
2 = V2
3 = V3
If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.

Application Notes

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

1¼″ tops require support at midpoint to reduce spans to 48″ or less.

Hardware included.

Shipped knocked-down.

Gallery desk surrounds are available with waterfall edge as a standard special.

All requests for special grommet locations must be approved through custom product development.

All freestanding top assemblies are drilled to accept shelf.

M (mixed finish) includes laminate worksurface with wood edge and wood gallery surround.

Specify only 26½″h pedestals and support components as required when using with gallery desk surround products on this page.

Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds
right hand end assembly, 1¼" worksurface

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for right hand application 	21″	43″	42″	**RGAR431-( )( )**	$890.	$1,061.	$1,061.	$1,157.	$1,218.	$1,562.	$1,644.
		49″	42″	**RGAR491-( )( )**	934.	1,115.	1,115.	1,218.	1,283.	1,644.	1,732.
		55″	42″	**RGAR551-( )( )**	982.	1,169.	1,169.	1,278.	1,344.	1,726.	1,814.
		61″	42″	**RGAR611-( )( )**	1,026.	1,223.	1,223.	1,335.	1,410.	1,802.	1,902.
		67″	42″	**RGAR671-( )( )**	1,072.	1,281.	1,281.	1,397.	1,473.	1,885.	1,988.
		73″	42″	**RGAR731-( )( )**	1,118.	1,333.	1,333.	1,457.	1,532.	1,965.	2,068.
		79″	42″	**RGAR791-( )( )**	1,163.	1,386.	1,386.	1,517.	1,599.	2,048.	2,159.
		85″	42″	**RGAR851-( )( )**	1,209.	1,442.	1,442.	1,573.	1,659.	2,123.	2,239.
		91″	42″	**RGAR911-( )( )**	1,256.	1,499.	1,499.	1,635.	1,732.	2,209.	2,339.
		97″	42″	**RGAR971-( )( )**	1,305.	1,554.	1,554.	1,694.	1,784.	2,286.	2,410.
	25″	43″	42″	**RGAR432-( )( )**	976.	1,163.	1,163.	1,273.	1,337.	1,717.	1,806.
		49″	42″	**RGAR492-( )( )**	1,019.	1,217.	1,217.	1,330.	1,398.	1,796.	1,887.
		55″	42″	**RGAR552-( )( )**	1,066.	1,271.	1,271.	1,386.	1,464.	1,873.	1,976.
		61″	42″	**RGAR612-( )( )**	1,113.	1,327.	1,327.	1,444.	1,524.	1,950.	2,056.
		67″	42″	**RGAR672-( )( )**	1,158.	1,381.	1,381.	1,508.	1,586.	2,035.	2,143.
		73″	42″	**RGAR732-( )( )**	1,204.	1,435.	1,435.	1,567.	1,652.	2,116.	2,231.
		79″	42″	**RGAR792-( )( )**	1,248.	1,487.	1,487.	1,622.	1,713.	2,189.	2,313.
		85″	42″	**RGAR852-( )( )**	1,294.	1,546.	1,546.	1,683.	1,777.	2,273.	2,398.
		91″	42″	**RGAR912-( )( )**	1,343.	1,602.	1,602.	1,742.	1,841.	2,351.	2,485.
		97″	42″	**RGAR972-( )( )**	1,391.	1,656.	1,656.	1,803.	1,905.	2,434.	2,572.
	31″	43″	42″	**RGAR433-( )( )**	1,037.	1,236.	1,236.	1,348.	1,421.	1,819.	1,918.
		49″	42″	**RGAR493-( )( )**	1,082.	1,288.	1,288.	1,408.	1,483.	1,900.	2,002.
		55″	42″	**RGAR553-( )( )**	1,127.	1,344.	1,344.	1,462.	1,546.	1,973.	2,088.
		61″	42″	**RGAR613-( )( )**	1,170.	1,397.	1,397.	1,518.	1,609.	2,050.	2,172.
		67″	42″	**RGAR673-( )( )**	1,215.	1,453.	1,453.	1,578.	1,670.	2,130.	2,255.
		73″	42″	**RGAR733-( )( )**	1,262.	1,507.	1,507.	1,636.	1,729.	2,210.	2,333.
		79″	42″	**RGAR793-( )( )**	1,308.	1,558.	1,558.	1,694.	1,794.	2,286.	2,422.
		85″	42″	**RGAR853-( )( )**	1,352.	1,613.	1,613.	1,754.	1,855.	2,368.	2,505.
		91″	42″	**RGAR913-( )( )**	1,398.	1,668.	1,668.	1,811.	1,914.	2,444.	2,584.
		97″	42″	**RGAR973-( )( )**	1,443.	1,719.	1,719.	1,870.	1,979.	2,525.	2,672.

Order Code

Example:	**RGAR431NLL**
R	Reff
G	Gallery surround
A	1¼″ top thickness
R	Right hand return
43	43″ wide
1	21″ deep
N	No grommet
L	Finish type, top
L	Finish type, components

Specification Information

To order please specify pattern number including:

1. Grommet option
2. Finish type top
3. Finish type components
4. Finish, top
5. Finish, components

1. Grommet options:
N = No grommets
F = Flush front grommet

2. Finish type top:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

Application Notes

3. Finish type, surround:
L = Laminate
1 = V1
2 = V2
3 = V3
If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

1¼″ tops require support at mid point to reduce spans to 48″ or less.

Hardware included.

Gallery desk surrounds are available with waterfall edge as a standard special.

All requests for special grommet locations must be approved through custom product development.

M (mixed finish) includes laminate worksurface, wood edge and wood surround.

Specify only 26½″h pedestals and support components as required when using gallery desk surround products on this page.

Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds
left hand end assembly, 1¼" worksurface

description	d	w	h	pattern no.	L	M/V1	V1	M/V2	V2	M/V3	V3
Freestanding top assembly end for left hand application 	21″	43″	42″	**RGAL431-( )( )**	$890.	$1,061.	$1,061.	$1,157.	$1,218.	$1,562.	$1,644.
		49″	42″	**RGAL491-( )( )**	934.	1,115.	1,115.	1,218.	1,283.	1,644.	1,732.
		55″	42″	**RGAL551-( )( )**	982.	1,169.	1,169.	1,278.	1,344.	1,726.	1,814.
		61″	42″	**RGAL611-( )( )**	1,026.	1,223.	1,223.	1,335.	1,410.	1,802.	1,902.
		67″	42″	**RGAL671-( )( )**	1,072.	1,281.	1,281.	1,397.	1,473.	1,885.	1,988.
		73″	42″	**RGAL731-( )( )**	1,118.	1,333.	1,333.	1,457.	1,532.	1,965.	2,068.
		79″	42″	**RGAL791-( )( )**	1,163.	1,386.	1,386.	1,517.	1,599.	2,048.	2,159.
		85″	42″	**RGAL851-( )( )**	1,209.	1,442.	1,442.	1,573.	1,659.	2,123.	2,239.
		91″	42″	**RGAL911-( )( )**	1,256.	1,499.	1,499.	1,635.	1,732.	2,209.	2,339.
		97″	42″	**RGAL971-( )( )**	1,305.	1,554.	1,554.	1,694.	1,784.	2,286.	2,410.
	25″	43″	42″	**RGAL432-( )( )**	976.	1,163.	1,163.	1,273.	1,337.	1,717.	1,806.
		49″	42″	**RGAL492-( )( )**	1,019.	1,217.	1,217.	1,330.	1,398.	1,796.	1,887.
		55″	42″	**RGAL552-( )( )**	1,066.	1,271.	1,271.	1,386.	1,464.	1,873.	1,976.
		61″	42″	**RGAL612-( )( )**	1,113.	1,327.	1,327.	1,444.	1,524.	1,950.	2,056.
		67″	42″	**RGAL672-( )( )**	1,158.	1,381.	1,381.	1,508.	1,586.	2,035.	2,143.
		73″	42″	**RGAL732-( )( )**	1,204.	1,435.	1,435.	1,567.	1,652.	2,116.	2,231.
		79″	42″	**RGAL792-( )( )**	1,248.	1,487.	1,487.	1,622.	1,713.	2,189.	2,313.
		85″	42″	**RGAL852-( )( )**	1,294.	1,546.	1,546.	1,683.	1,777.	2,273.	2,398.
		91″	42″	**RGAL912-( )( )**	1,343.	1,602.	1,602.	1,742.	1,841.	2,351.	2,485.
		97″	42″	**RGAL972-( )( )**	1,391.	1,656.	1,656.	1,803.	1,905.	2,434.	2,572.
	31″	43″	42″	**RGAL433-( )( )**	1,037.	1,236.	1,236.	1,348.	1,421.	1,819.	1,918.
		49″	42″	**RGAL493-( )( )**	1,082.	1,288.	1,288.	1,408.	1,483.	1,900.	2,002.
		55″	42″	**RGAL553-( )( )**	1,127.	1,344.	1,344.	1,462.	1,546.	1,973.	2,088.
		61″	42″	**RGAL613-( )( )**	1,170.	1,397.	1,397.	1,518.	1,609.	2,050.	2,172.
		67″	42″	**RGAL673-( )( )**	1,215.	1,453.	1,453.	1,578.	1,670.	2,130.	2,255.
		73″	42″	**RGAL733-( )( )**	1,262.	1,507.	1,507.	1,636.	1,729.	2,210.	2,333.
		79″	42″	**RGAL793-( )( )**	1,308.	1,558.	1,558.	1,694.	1,794.	2,286.	2,422.
		85″	42″	**RGAL853-( )( )**	1,352.	1,613.	1,613.	1,754.	1,855.	2,368.	2,505.
		91″	42″	**RGAL913-( )( )**	1,398.	1,668.	1,668.	1,811.	1,914.	2,444.	2,584.
		97″	42″	**RGAL973-( )( )**	1,443.	1,719.	1,719.	1,870.	1,979.	2,525.	2,672.

Order Code

Example:	**RGAL431NLL**
R	Reff
G	Gallery surround
A	1¼″ top thickness
L	Left hand return
43	43″ wide
1	21″ deep
N	No grommet
L	Finish type, top
L	Finish type, components

Specification Information

To order please specify pattern number including:

1. Grommet option
2. Finish type top
3. Finish type components
4. Finish, top
5. Finish, components

1. Grommet options:
N = No grommets
F = Flush front grommet

2. Finish type top:
L = Laminate
M = Wood/laminate mixed
1 = V1
2 = V2
3 = V3

Application Notes

3. Finish type, surround:
L = Laminate
1 = V1
2 = V2
3 = V3
If mixed top finish type, components must be type 1,2 or 3; otherwise top and surround must be same finish.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

1¼″ tops require support at mid point to reduce spans to 48″ or less.

Hardware included.

Gallery desk surrounds are available with waterfall edge as a standard special.

All requests for special grommet locations must be approved through custom product development.

M (mixed finish) includes laminate worksurface, wood edge and wood surround.

Specify only 26½″h pedestals and support components as required when using gallery desk surround products on this page.

Applicable finishes are listed on page 5 and 6.

Gallery desk surrounds
gallery towers

description	d	w	h	pattern no.	L	V1	V2	V3
Gallery Tower, left hand	32″	12″	46″	**RGTL4636( )( )( )( )**	$2,371.	$2,928.	$3,366.	$4,544.
	Actual depth of Gallery Tower is 32″							
Gallery Tower, right hand	32″	12″	46″	**RGTR4636( )( )( )( )**	2,371.	2,928.	3,366.	4,544.
	Actual depth of Gallery Tower is 32″							

Order Code

Example:	**RGTL46362V319CL**
R	Reff
GT	Gallery Tower
L	Left hand
46	46″ h
36	36″ d
2	V2 finish type
V319	Medium Cherry
C	C-pull
L	Lock

Specification Information

To order please specify pattern number including:

1. Finish type
2. Finish
3. Pull option
4. Pull finish (if applicable)
5. Lock option

1. *Finish type:*
L = Laminate
1 = V1
2 = V2
3 = V3

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

3. *Pull options:*
D = Metal D-pull
J = Routed J-pull
C = Nickel finish C-pull (nickel finish only)
S = Stainless steel finish S-pull (stainless steel finish only)

Products on this page are engineered to align with 1-1/4″ thick worksurfaces and 26-1/2″ support components only. Gallery tower shelf will not align with 1-3/4″ worksurfaces or 28⅜″h desk height products.

Application Notes

Gallery Tower ships with hookstrip to attach to 42″h Reff panel and angle bracket for 30″ deep worksurface attachment at tower. .

Interior lower storage clearance: nominal 10.5″w x 22.5″h x 28.75″d

Overall depth includes top overhang, accommodates 30″d worksurfaces.

Gallery towers are to be used with panel applications.

Single pedestal desks
27¾″ high overall
available V2 finish options only

description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
Single pedestal cantilevered desk, 30″d 	60″	30″	**RDSP6030J(A,B,W)( )( )( )2**	$2,693.	$3,084.	$3,658.	$2,847.	$3,238.	$3,810.
	72″	30″	**RDSP7230J(A,B,W)( )( )( )2**	2,801.	3,243.	3,810.	2,955.	3,396.	3,965.
	84″	30″	**RDSP8430J(A,B,W)( )( )( )2**	2,939.	3,426.	4,039.	3,093.	3,579.	4,192.
	96″	30″	**RDSP9630J(A,B,W)( )( )( )2**	3,059.	3,589.	4,250.	3,212.	3,743.	4,403.
Single pedestal cantilevered desk, 36″d 	60″	36″	**RDSP6036J(A,B,W)( )( )( )2**	2,858.	3,273.	3,971.	3,081.	3,494.	4,193.
	72″	36″	**RDSP7236J(A,B,W)( )( )( )2**	2,990.	3,476.	4,179.	3,212.	3,698.	4,401.
	84″	36″	**RDSP8436J(A,B,W)( )( )( )2**	3,125.	3,692.	4,395.	3,346.	3,913.	4,616.
	96″	36″	**RDSP9636J(A,B,W)( )( )( )2**	3,245.	3,903.	4,601.	3,466.	4,124.	4,823.
Single pedestal bow front desk with short modesty and false pedestal 	60″	30″	**RBSP6030J(A,B,W)( )( )( )2**	3,531.	3,784.	5,047.	3,752.	4,006.	5,268.
	72″	30″	**RBSP7230J(A,B,W)( )( )( )2**	3,653.	3,933.	5,329.	3,875.	4,154.	5,550.
	84″	30″	**RBSP8430J(A,B,W)( )( )( )2**	3,845.	4,150.	5,693.	4,066.	4,372.	5,914.
	96″	30″	**RBSP9630J(A,B,W)( )( )( )2**	4,020.	4,363.	6,074.	4,242.	4,586.	6,296.

Order Code

Example:	**RDSP6030JAR2WJL**
RD	Reff desk
SP	Single pedestal
60	60″ wide
30	30″ deep
J	Box/box/file
A	1¼″ regular edge top
R	Recessed grommets
2	Finish type
W	Wood interiors
J	Routed pulls
L	Lock

Specification Information

To order, please specify pattern number including:

1. Width
2. Depth
3. File option
   J default = BBF
4. Top thickness
5. Grommet option
6. Finish type
7. Interior option
8. Pull option
9. Locking
   L default
10. Veneer finish
11. Pull finish, when applicable
12. Grommet finish, when applicable

4. Thickness options:
A = 1¼″
B = 1¾″
W = 1¼″ waterfall

5. Grommet Options:
R = Recessed grommets
N = No grommets

6. 2 = V2 Veneer Finish

7. Interior Options:
M = Metal
W = Wood

8. Pull Options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = Stainless steel finish S-pull

Applicable finishes are listed on page 5 and 6.

Random locks are factory installed. Keyalike are field installed with the KnollKey order form.

Application Notes

30″D rectilinear desk pedestals are 24″D including modesty panel.

36″D rectilinear desk pedestals are 30″D including modesty panel.

Pedestals are 16″W when calculating knee space subtract 16″ per pedestal.

Bowed front desk pedestals are 30″D with finished backs.

All desks are non-handed.

All hardware included.

All waterfall desks have waterfall detail on front and back.

All components on this page available in V2 only.

Double pedestal desks
27¾″ high overall
available V2 finish options only

description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
Double pedestal cantilevered desk, 30″d	60″	30″	**RDDP6030JK(A,B,W)( )( )( )2**	$3,482.	$3,873.	$4,446.	$3,820.	$4,211.	$4,785.
	72″	30″	**RDDP7230JK(A,B,W)( )( )( )2**	3,591.	4,032.	4,600.	3,929.	4,370.	4,938.
	84″	30″	**RDDP8430JK(A,B,W)( )( )( )2**	3,728.	4,214.	4,827.	4,066.	4,551.	5,165.
	96″	30″	**RDDP9630JK(A,B,W)( )( )( )2**	3,848.	4,379.	5,038.	4,186.	4,717.	5,376.
Double pedestal cantilevered desk, 36″d	60″	36″	**RDDP6036JK(A,B,W)( )( )( )2**	3,703.	4,116.	4,813.	4,158.	4,572.	5,271.
	72″	36″	**RDDP7236JK(A,B,W)( )( )( )2**	3,835.	4,320.	5,021.	4,290.	4,776.	5,479.
	84″	36″	**RDDP8436JK(A,B,W)( )( )( )2**	3,968.	4,534.	5,236.	4,424.	4,991.	5,693.
	96″	36″	**RDDP9636JK(A,B,W)( )( )( )2**	4,087.	4,745.	5,443.	4,544.	5,202.	5,900.
Double bowed front desk with short modesty panel	60″	30″	**RBDP6030JK(A,B,W)( )( )( )2**	4,124.	4,378.	5,639.	4,582.	4,833.	6,096.
	72″	30″	**RBDP7230JK(A,B,W)( )( )( )2**	4,246.	4,525.	5,922.	4,701.	4,982.	6,377.
	84″	30″	**RBDP8430JK(A,B,W)( )( )( )2**	4,438.	4,743.	6,285.	4,893.	5,200.	6,742.
	96″	30″	**RBDP9630JK(A,B,W)( )( )( )2**	4,613.	4,957.	6,666.	5,070.	5,412.	7,122.

Order Code

Example:	**RDDP7236JKAR2WJL**
RD	Reff desk
DP	Double pedestal
72	72″ wide
36	36″ deep
J	Box/box/file pedestal
K	File/file
A	1¼″ Thick worksurface
R	Recessed grommets
2	Finish type, V2
W	Wood interiors
J	Routed pull
L	Lock

Specification Information

To order, please specify pattern number including:

1. Width
2. Depth
3. File option
   JK default = BBF and FF
4. Top thickness
5. Grommet option
6. Finish type
7. Interior option
8. Pull option
9. Locking
   L default
10. Veneer finish
11. Pull finish, when applicable
12. Grommet finish, when applicable

4. Thickness options:
A = 1¼″
B = 1¾″
W = 1¼″ waterfall

5. Grommet Options:
R = Recessed grommets
N = No grommets

6. 2 = V2 Veneer Finish

7. Interior Options:
M = Metal
W = Wood

8. Pull Options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = Stainless steel finish S-pull

Applicable finishes are listed on page 5 and 6.

Random locks are factory installed. Keyalike are field installed with the KnollKey order form.

Application Notes

30″D rectilinear desk pedestals are 24″D including modesty panel.

36″D rectilinear desk pedestals are 30″D including modesty panel.

Pedestals are 16″W when calculating knee space subtract 16″ per pedestal.

Bowed front desk pedestals are 30″D with finished backs. Bow front modesty sits in between the pedestals and is recessed in 6″.

All hardware included.

All waterfall desks have waterfall detail on front and back.

All components on this page available in V2 only.

Desk returns
27¾″ high overall
available V2 finish options only

description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
Single pedestal return,24″d 	36″	24″	**RRSP3624K(A,B,W)( )( )( )2**	$1,995.	$2,308.	$2,914.	$2,180.	$2,492.	$3,099.
	42″	24″	**RRSP4224K(A,B,W)( )( )( )2**	2,046.	2,398.	2,991.	2,231.	2,582.	3,176.
	48″	24″	**RRSP4824K(A,B,W)( )( )( )2**	2,132.	2,510.	3,149.	2,316.	2,693.	3,333.
	54″	24″	**RRSP5424K(A,B,W)( )( )( )2**	2,189.	2,572.	3,274.	2,374.	2,756.	3,458.
	60″	24″	**RRSP6024K(A,B,W)( )( )( )2**	2,244.	2,629.	3,406.	2,429.	2,814.	3,591.
Single pedestal return,30″d 	36″	30″	**RRSP3630K(A,B,W)( )( )( )2**	2,123.	2,471.	3,155.	2,358.	2,704.	3,388.
	42″	30″	**RRSP4230K(A,B,W)( )( )( )2**	2,180.	2,552.	3,250.	2,413.	2,785.	3,486.
	48″	30″	**RRSP4830K(A,B,W)( )( )( )2**	2,270.	2,649.	3,414.	2,504.	2,884.	3,650.
	54″	30″	**RRSP5430K(A,B,W)( )( )( )2**	2,338.	2,711.	3,575.	2,571.	2,946.	3,809.
	60″	30″	**RRSP6030K(A,B,W)( )( )( )2**	2,378.	2,767.	3,660.	2,612.	3,002.	3,896.
End panel return 	36″	24″	**RREP3624(A,B,W)(F,N)2**				1,207.	1,518.	2,126.
	42″	24″	**RREP4224(A,B,W)(F,N)2**				1,257.	1,609.	2,203.
	48″	24″	**RREP4824(A,B,W)(F,N)2**				1,343.	1,719.	2,360.
	54″	24″	**RREP5424(A,B,W)(F,N)2**				1,401.	1,783.	2,485.
	60″	24″	**RREP6024(A,B,W)(F,N)2**				1,456.	1,840.	2,617.
End panel return 	36″	30″	**RREP3630(A,B,W)(F,N)2**				1,282.	1,627.	2,311.
	42″	30″	**RREP4230(A,B,W)(F,N)2**				1,337.	1,708.	2,408.
	48″	30″	**RREP4830(A,B,W)(F,N)2**				1,427.	1,806.	2,572.
	54″	30″	**RREP5430(A,B,W)(F,N)2**				1,494.	1,868.	2,733.
	60″	30″	**RREP6030(A,B,W)(F,N)2**				1,534.	1,924.	2,818.

Order Code

Example:	**RREP4830AF2**
RREP	Reff desk return
48	48″ wide
30	30″ deep
A	1¼″ thick worksurface
F	Flush grommets
2	Finish type, V2

Specification Information

To order, please specify pattern number including:

1. Width
2. Depth
3. File option where applicable
   K default = FF
4. Top thickness
5. Grommet option
6. Finish type
7. Interior option where applicable
8. Pull option where applicable
9. Locking where applicable
   L default
10. Veneer finish
11. Pull finish, when applicable
12. Grommet finish, when applicable

4. Thickness options:
A = 1¼″
B = 1¾″
W = 1¼″ waterfall

5. Grommet Options:
F = Flush grommets
N = No grommets

6. 2 = V2 Veneer Finish

7. Interior Options:
M = Metal
W = Wood

8. Pull Options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull
(nickel finish only)
S = Stainless steel finish S-pull

Applicable finishes are listed on page 5 and 6.

Application Notes

Pedestals are 16″W when calculating knee space subtract 16″ per pedestal.

All desks are non-handed.

All hardware included.

Desk returns with waterfall have waterfall edge 3 sides.

All components on this page available in V2 only.

Random locks are factory installed. Keyalike are field installed with the KnollKey order form.

Single pedestal credenzas
27¾″ high overall
available V2 finish options only

description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
Single pedestal credenza	60″	24″	**RCSP6024K(A,B,W)( )( )( )2**	$2,580.	$2,964.	$3,160.	$2,764.	$3,149.	$3,344.
	72″	24″	**RCSP7224K(A,B,W)( )( )( )2**	2,707.	3,124.	3,334.	2,892.	3,308.	3,519.
	84″	24″	**RCSP8424K(A,B,W)( )( )( )2**	2,839.	3,306.	3,520.	3,024.	3,491.	3,705.
	96″	24″	**RCSP9624K(A,B,W)( )( )( )2**	2,957.	3,471.	3,700.	3,140.	3,656.	3,883.
Single lateral file credenza (30″ wide lateral file)	60″	24″	**RCS3L6024K(A,B,W)( )( )( )2**	2,720.	3,104.	3,300.	3,143.	3,527.	3,723.
	72″	24″	**RCS3L7224K(A,B,W)( )( )( )2**	2,847.	3,264.	3,474.	3,269.	3,687.	3,898.
	84″	24″	**RCS3L8424K(A,B,W)( )( )( )2**	2,979.	3,447.	3,660.	3,401.	3,869.	4,083.
	96″	24″	**RCS3L9624K(A,B,W)( )( )( )2**	3,096.	3,611.	3,841.	3,519.	4,034.	4,264.
Single lateral file credenza (36″ wide lateral file)	60″	24″	**RCS6L6024K(A,B,W)( )( )( )2**	2,797.	3,183.	3,378.	3,530.	3,915.	4,111.
	72″	24″	**RCS6L7224K(A,B,W)( )( )( )2**	2,925.	3,342.	3,554.	3,658.	4,075.	4,285.
	84″	24″	**RCS6L8424K(A,B,W)( )( )( )2**	3,057.	3,525.	3,738.	3,790.	4,257.	4,471.
	96″	24″	**RCS6L9624K(A,B,W)( )( )( )2**	3,174.	3,690.	3,917.	3,908.	4,422.	4,650.

Order Code

Example:	**RCS6L9624KAF2MDL**
RC	Reff credenza
S6L	Single 36″ w lateral file
96	96″ wide
24	24″ wide
K	File/file
A	1¼″ thick worksurface
F	Flush grommets
2	Finish type
M	metal interiors
D	D-metal pull
L	Lock

Specification Information

To order, please specify pattern number including:

1. Width
2. Depth
3. File option
   K default = FF
4. Top thickness
5. Grommet option
6. Finish type
7. Interior option
8. Pull option
9. Locking
   L default
10. Veneer finish
11. Pull finish, when applicable
12. Grommet finish, when applicable

4. Thickness options:
A = 1¼″
B = 1¾″
W = 1¼″ waterfall

5. Grommet Options:
F = Flush grommets
N = No grommets

6. 2 = V2 Veneer Finish

7. Interior Options:
M = Metal
W = Wood

8. Pull Options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull
(nickel finish only)
S = Stainless steel finish S-pull

Applicable finishes are listed on page 5 and 6.

Random locks are factory installed. Keyalike are field installed with the KnollKey order form.

Application Notes

Pedestals are 16″W when calculating knee space subtract 16″ per pedestal.

Credenzas with lateral files or pedestals are non-handed.

All hardware included.

All waterfall credenzas have waterfall detail on front only.

All components on this page available in V2 only.

Bridge assemblies
27¾″ high overall
available V2 finish options only

description	w	d	pattern no.	A	B	W
Bridge assembly	36″	24″	**RBR3624(A,B,W)(F,N)2**	$864.	$1,176.	$1,784.
	42″	24″	**RBR4224(A,B,W)(F,N)2**	915.	1,267.	1,862.
	48″	24″	**RBR4824(A,B,W)(F,N)2**	1,001.	1,377.	2,017.
	36″	30″	**RBR3630(A,B,W)(F,N)2**	921.	1,267.	1,951.
	42″	30″	**RBR4230(A,B,W)(F,N)2**	975.	1,347.	2,048.
	48″	30″	**RBR4830(A,B,W)(F,N)2**	1,066.	1,446.	2,213.

Order Code

Example:	**RBR4830WF2**
RBR	Reff bridge assembly
48	48″ wide
30	30″ deep
W	Waterfall edge 1¼″
F	Flush grommets
2	Conventional veneer

Specification Information

To order, please specify pattern number including:

1. Top thicknesss
2. Grommet option
3. Finish type
4. Veneer finish
5. Grommet color

1. Thickness options:
A = 1¼″ straight edge
B = 1¾″ straight edge
W = 1¼″ waterfall edge

2. Grommet Options:
F = Flush grommets
N = No grommets

3. 2 = V2 Veneer Finish

4. Grommet Color

Applicable finishes are listed on page 5 and 6.

Application Notes

Bridge assemblies are non-handed.

All hardware included.

Waterfall option on all 3 sides.

Available in conventional veneer only.

All components on this page are available in V2 only.

Shipped with full height modesty.

Double pedestal credenzas
27¾″ high overall
available V2 finish options only

description	w	d	pattern no.	metal interiors A	metal interiors B	metal interiors W	wood interiors A	wood interiors B	wood interiors W
Double pedestal credenza (16″ wide FF peds)	60″	24″	**RCDP6024K(A,B,W)( )( )( )2**	$3,370.	$3,752.	$3,949.	$3,737.	$4,122.	$4,319.
	72″	24″	**RCDP7224K(A,B,W)( )( )( )2**	3,495.	3,913.	4,123.	3,864.	4,282.	4,492.
	84″	24″	**RCDP8424K(A,B,W)( )( )( )2**	3,628.	4,096.	4,309.	3,996.	4,464.	4,678.
	96″	24″	**RCDP9624K(A,B,W)( )( )( )2**	3,745.	4,259.	4,489.	4,115.	4,628.	4,857.
Double lateral credenza (30″ wide laterals)	60″	24″	**RCD3L6024K(A,B,W)( )( )( )2**	3,649.	4,033.	4,230.	4,494.	4,879.	5,074.
	84″	24″	**RCD3L8424K(A,B,W)( )( )( )2**	3,909.	4,377.	4,590.	4,753.	5,221.	5,434.
	96″	24″	**RCD3L9624K(A,B,W)( )( )( )2**	4,027.	4,539.	4,769.	4,871.	5,385.	5,615.
Double lateral credenza (36″ wide laterals)	72″	24″	**RCD6L7224K(A,B,W)( )( )( )2**	3,932.	4,349.	4,560.	5,398.	5,814.	6,024.
	96″	24″	**RCD6L9624K(A,B,W)( )( )( )2**	4,181.	4,696.	4,925.	5,646.	6,160.	6,390.





96″w shown; 60″w has no knee space



96″w shown; 72″w has no knee space

Order Code

Example:	**RCD6L9624KBF2WDL**
RC	Reff credenza
D6L	Double 36″ w lateral file
96	96″ wide
24	24″ wide
K	File file
B	1¾″ thick worksurface
F	Flush grommets
2	Finish type
W	wood drawer interior
D	D-metal pull
L	Lock

Specification Information

To order, please specify pattern number including:

1. Width
2. Depth
3. File option
   K default = FF
4. Top thickness
5. Grommet option
6. Finish type
7. Interior option
8. Pull option
9. Locking
   L default
10. Veneer finish
11. Pull finish, when applicable
12. Grommet finish, when applicable

4. Thickness options:
A = 1¼″
B = 1¾″
W = 1¼″ waterfall

5. Grommet Options:
F = Flush grommets
N = No grommets

6. 2 = V2 Veneer Finish

7. Interior Options:
M = Metal
W = Wood

8. Pull Options:
D = Metal D-pull
J = Routed pull
C = Nickel C-pull (nickel finish only)
S = Stainless steel finish S-pull

Applicable finishes are listed on page 5 and 6.

Random locks are factory installed. Keyalike are field installed with the KnollKey order form.

Application Notes

Pedestals are 16″W when calculating knee space subtract 16″ per pedestal.

All credenzas are non-handed.

All hardware included.

All waterfall credenzas have waterfall detail on front only.

All components on this page available in V2 only.

Shipped with full height modesty.

Accessories
hookstrips and top caps

description	w	pattern no.	list price
Panel hookstrips	8″	**R2HK0008**	$40.
	15″	**R2HK0015**	65.
	34″	**R2HK0034**	88.
	42″	**R2HK0042**	94.
	49″	**R2HK0049**	102.
	64″	**R2HK0064**	110.
	79″	**R2HK0079**	115.
Beltway hookstrips	42″	**R2HKB042**	102.
	49″	**R2HKB049**	110.
	64″	**R2HKB064**	115.
	79″	**R2HKB079**	121.
Generation 2 top caps		**KRR2CAPL( )( )**	58.
		KRR2CAPT( )( )	58.
		KRR2CAPX( )( )	58.
		KRR2CAPEND( )( )	58.
		KRR2CAPSTRAIGHT( )( )	58.
Generation 3 top caps		**KRR3CAPL( )( )**	58.
		KRR3CAPT( )( )	58.
		KRR3CAPX( )( )	58.
		KRR3CAPEND( )( )	58.
		KRR3CAPSTRAIGHT( )( )	58.

Order Code

Example:	**KRR3CAPL-2A**
KRR3	Reff generation 3
CAP	Top cap
L	Finished 2 adjacent sides
2	Conventional veneer
A	Flat profile
V319	Medium cherry

Specification Information

To order please specify pattern number including:

1. L = Laminate paint finish
2. 1 = V1 Techwood
3. 2 = V2 Conventional veneer

Top cap profile:
A = Flat
B = Square
C = Bullnose

Applicable finishes are listed on page 5 and 6.

Application Notes

An additional 34″, 42″, 49″, or 64″ high hookstrip will be required for applications of high low high panel-to-panel connections not involving a post.

Panel hookstrips and Beltway hookstrips are presented here to help prevent shortages for installations.

New top caps may be required for furniture reconfigurations. G2 and G3 top caps are required when the R3R2 SLV is specified.

Accessories
cabinet extras and undermount accessories

description	w	d	h	pattern no.	Metal	L	V1	V2	V3	list price
Cabinet boot tray	14″	17″		**RCABT1417**						$68.
	29″	17″		**RCABT2917**						113.
Cabinet coat rod	Half of 30″ cabinets			**RCACR30H**						66.
	16″ cabinets			**RCACR16**						68.
	Half of 36″ cabinets			**RCACR36H**						72.
	30″ cabinets			**RCACR30**						90.
	36″ cabinets			**RCACR36**						102.
Articulated keyboard arm	10″ x 20″ keyboard tray			**RKBA1020( )**						806.
	10″ x 22¼″ keyboard tray			**RKBA1022( )**						806.
	Available in laminate, techwood (V1), or veneer (V2)									
CRT turntable	31″ diameter			**RKT31**						497.
Pencil drawer used under worktop	16″	17″	1″	**RPAD-( )**		275.	490.	490.	635.	
	Specify wood or laminate finish									
Cabinet shelves, (replacement)	16″	20″		**RCAS1620-( )**	69.	130.	138.	159.	214.	
	16″	24″		**RCAS1624-( )**	77.	145.	156.	181.	244.	
Wood shelf	30″	15″		**RCAS3015-( )**	84.	170.	182.	208.	281.	
	30″	20″		**RCAS3020-( )**	82.	145.	156.	181.	244.	
	30″	24″		**RCAS3024-( )**	91.	170.	182.	208.	281.	
	36″	15″		**RCAS3615-( )**	93.	180.	191.	216.	292.	
	36″	20″		**RCAS3620-( )**	93.	155.	166.	191.	258.	
	36″	24″		**RCAS3624-( )**	98.	182.	195.	223.	301.	
										
Metal shelf										

Order Code

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:
L = laminate
1 = V1
2 = V2
M = Metal

Specification Information

Pencil drawer includes slides.

Applicable finishes are listed on page 5 and 6.

Application Notes

See Reff Planning Guide for more information.

Accessories
presentation samples

description	w	d	h	pattern no.	L	M/V1	V2	V3	list price
Wall rails (paint options only)	–	–	8 7/8″	**RWHRA-( )**					$35.
	–	–	17 5/8″	**RWHRB-( )**					37.
	–	–	18 1/4″	**RWHRC-( )**					37.
	–	–	21 1/16″	**RWHRD-( )**					39.
	–	–	22″	**RWHRE-( )**					39.
	–	–	59 1/2″	**RWHRF-( )**					88.
	–	–	67″	**RWHRG-( )**					88.
Striplight (black only) for transaction tops	26″	2″	2″	**RCASL**					315.
Presentation wood sample, 16″ x 16″	16″	16″	–	**RSAMP1616-( )( )**	125.	175.	225.	260.	
	Optional edge details available								
Presentation stackable/tiled mini panel (for demonstrations)	24″	–	34″	**R3SMP ( )( )( )**					1,005.
	Specify trim profile, base height, base type and applicable finishes								
Presentation monolithic mini panel	4″H base			**RR3MP4 ( )**					550.
	6″H base			**RR3MP6 ( )**					588.
		Specify trim profile and applicable finishes							
Presentation metal D-pull sample board Includes 6 different color handles Optional veneer for board				**R917762 ( )**					402.
Presentation worksurface cutaway sample	12″	12″	1 1/4″	**RTOP2 ( )**	103.	154.	205.	241.	
	12″	12″	1 3/4″	**RTOP1 ( )**	103.	154.	205.	241.	
Presentation waterfall edge sample	11″	8 1/2″		**R921655 ( )**					305.
Sample, cascade edge worksurface	12″	12″		**RCE1R1212G**	115.				
Rangeboard	27″	12″	1 1/4″	**RRBRD2712 ( )**					275.
			Recommended for natural veneer with clear coat (V311, V316) and Light finishes (such as V312, V315)						

Order Code

To order please specify pattern number including:

1. Finish type, where applicable
2. Finish, where applicable

1. Finish type:
L = Laminate
1 = V1
2 = V2

Specification Information

See Reff Planning Guide for more information.

Metal D-pull sample board represents the following standard Reff finishes (PT, 111, 118, 611, 612, 613)

Specify board finish in laminate, techwood, conventional or laminate with a wood edge.

Specify edge detail if applicable for presentation wood samples.

Applicable finishes are listed on page 5 and 6.

Product on this page will accept woodgrain laminate where laminate is currently an option.
List price for woodgrain laminate options will be current published laminate list price plus 10%.

Accessories
wire management

description	w	d	h	pattern no.	list price
Wire manager used under any top in kneespace*	24″	4 1/2″	5 3/4″	**RWMWT24**	$39.
	30″	4 1/2″	5 3/4″	**RWMWT30**	45.
	36″	4 1/2″	5 3/4″	**RWMWT36**	49.
	Available black only				
Hinged vertical wire	24″	1″	3/8″	**RWMV24 ( )**	32.
	Ships with overdesk unit. Specify paint finish.				
Multi-purpose manager*	24″	2 1/2″	1 1/4″	**RWMMP24**	35.
	30″	2 1/2″	1 1/4″	**RWMMP30**	39.
	36″	2 1/2″	1 1/4″	**RWMMP36**	40.
	Available black only				
Panel-hung vertical wire	24″	–	–	**RWMVP24**	32.
	not available in finish codes: 112,116,117,611, 612, 613				
Worksurface vertical/horizontal wire manager*	24″	1 1/2″	3/4″	**RWMVH24**	37.
	30″	1 1/2″	3/4″	**RWMVH30**	41.
	36″	1 1/2″	3/4″	**RWMVH36**	45.
	Available black only				
Power bar, fits into wire manager				**RWMPB**	136.
Replacement hardware	Top to endpanel disk			**RBDD**	5.
	Top to workwall endpanel disk			**RBDW**	5.
	Panel to endpanel bracket			**RBPE(L/R)( )**	18.
	Specify paint finish for RBPE(L/R) RBDD and RBDW available black only				

Order Code

Example:	**RJBW24**
R	Reff
JB	J-Bracket
W	Wall and Modesty mount
24	

Specification Information

To order please specify:
1. Pattern number
2. Color if applicable

Application Notes

Specify color for hinged vertical wire managment only from paint finish list on page 5.

*Available in Black only.

Application Notes

See Reff Planning Guide for more information on wire managers.

Accessories
wire management

description	w	d	h	pattern no.	list price
Tree wire manager 2 shipped with panel	2″			**RBWM**	$11.
		used in Beltway			
J-Wire Trough Wall Mount 				**RJBW24**	61.
				RJBW30	63.
				RJBW36	69.
				RJBW42	81.
				RJBW48	85.
				RJBW54	87.
				RJBW60	95.
				RJBW66	100.
				RJBW72	101.
J-Wire Trough Under Mount 				**RJBU24**	74.
				RJBU30	76.
				RJBU36	83.
				RJBU42	88.
				RJBU48	102.
				RJBU54	104.
				RJBU60	106.
				RJBU66	117.
				RJBU72	119.
Wire manager for credenza top 				**RWMCT24**	121.

Order Code	
Example:	**RJBW24**
R	Reff
JB	J-Bracket
W	Wall and Modesty mount
24	

Specification Information

To order please specify:
1. Pattern number
2. Color if applicable

Application Notes

Specify color for hinged vertical wire managment only from paint finish list on page 5.

*Available in Black only.

Application Notes

See Reff Planning Guide for more information on wire managers.

description	w	d	h	pattern no.	list
Desktop Outlet - For large stand off				**RDTE2272**	$312.
				RDTE22120	335.
				RDTE22H	343.
Small Stand Off				**RST**	102.
Large Stand Off for Power Center (Electrical component not included)				**RPCST( )**	130.
Power Center Grommet				**RPCG**	149.
Desktop Grommet			1″	**RDTGC**	32.
			1 1/4″	**RDTGB**	32.
			1 1/2″	**RDTGA**	32.

Order Code		Specification Information	Application Notes
Example:	**RDTE2272**		H = Hard wire
R	Reff		
DT	Desktop Outlet		
E	Electrical component		
2	2 Electrical		
2	2 Data		
72	72″ cord		

description	type	w	h	pattern no.	list price
Panel-hung coat hook (hookstrip)				**RPHCHH**	$32.
	Not intended to work with (AA) Aluminum top trim				
Panel-hung coat hook (panel top)				**RPHCHT**	32.
Panel-hung tackboard Note: Fabric railroaded		30″	24″	**RPHTB3024**	267.
		42″	24″	**RPHTB4224**	328.
	All standard grades of fabric				
Panel-hung whiteboard		30″	24″	**RPHWB3024**	414.
		42″	24″	**RPHWB4224**	506.
Wall-hung tackboard Note: Fabric railroaded Velcro supplied		30″	24″	**RWHTB3024**	296.
		36″	24″	**RWHTB3624**	328.
		42″	24″	**RWHTB4224**	360.
		48″	24″	**RWHTB4824**	392.
	for use with 26½″h support planning module				
Wall-hung tackboard for desk height (28⅜″h) planning Note: Fabric railroaded Velcro supplied		30″	26″	**RWHDHTB3026**	311.
		36″	26″	**RWHDHTB3626**	344.
		42″	26″	**RWHDHTB4226**	379.
		48″	26″	**RWHDHTB4826**	411.
	for use with 28⅜″h support planning module				
Box drawer dividers, wood box drawers (Acrylic)		16″	–	**RPADSS**	47.
File bars, wood file drawers (replacement)		16″	–	**RPAHFB16**	26.
		30″	–	**RPAHFB30**	50.
		36″	–	**RPAHFB36**	78.
File bars, metal file drawers (replacement)		16″	–	**RPAHFM162 ***	18.
		30″	–	**RPAHFM30**	26.
		36″	–	**RPAHFM36**	26.

Order Code

To order please specify:

1. Pattern number
2. Fabric (Tackboards)

Application Notes

See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1″ nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement pencil trays for pedestals shipped July 2001 and prior should order KR5914265. Replacement pencil trays for all mobile pedestals, should order KR5914265.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

Accessories
interior components

description	type	w	h	pattern no.	list price
Plate divider				**RPD11**	$20.
				RPD14	20.
	RPD11 to be used with 15″ D open cabinet/bookcase with metal shelves. RPD14 to be used with 20″/24″D open cabinet/bookcase with metal shelves.				
Pencil tray, wood (ordered separately)		12″	–	**RPAPT**	90.
Pencil tray, plastic	black	12″	–	**RPETRAY3N**	35.
	clear	12″	–	**RPETRAY3C**	42.
	Recommended for use with metal drawer interiors on 16″w peds. Letter width pedestal.				
Pencil tray adapter				**RPETAD**	75.
	Includes metal adapter pencil tray and plastic pencil tray to be used with 19″ wide (Legal width) pedestals.				
Taskpanel shelf		14″		**RTST14**	158.
Taskpanel flat tray		14″		**RTSF14**	158.
		28″		**RTSF28**	188.

Order Code

To order please specify:

1. Pattern number
2. Fabric (Tackboards)

Application Notes

See Reff Planning Guide for more information.

Panel hung coat hook for hookstrip can be adjusted vertically in 1″ nominal increments. Panel hung coat hook that sits underneath the panel top trim cannot be height-adjusted.

Replacement pencil trays for pedestals shipped July 2001 and prior should order KR5914265. Replacement pencil trays for all mobile pedestals, should order KR5914265.

Replacement file bars for all mobile pedestals and pedestals shipped July 2001 and prior, should order KR5231078.

Accessories
Fascias
Metal

description	w	pattern no.	P1	P3
Metal Fascia - Both left and right recess	30″	**ROMDHMTF130RB**	$137.	$164.
	36″	**ROMDHMTF136RB**	140.	168.
	42″	**ROMDHMTF142RB**	141.	169.
	48″	**ROMDHMTF148RB**	143.	172.
	54″	**ROMDHMTF154RB**	146.	175.
	60″	**ROMDHMTF160RB**	148.	178.
	66″	**ROMDHMTF166RB**	156.	187.
	72″	**ROMDHMTF172RB**	158.	190.
	78″	**ROMDHMTF178RB**	160.	192.
	84″	**ROMDHMTF184RB**	162.	194.
	90″	**ROMDHMTF190RB**	164.	197.
	96″	**ROMDHMTF196RB**	166.	199.
Metal Fascia - Left recess	30″	**ROMDHMTF130RL**	137.	164.
	36″	**ROMDHMTF136RL**	140.	168.
	42″	**ROMDHMTF142RL**	141.	169.
	48″	**ROMDHMTF148RL**	143.	172.
	54″	**ROMDHMTF154RL**	146.	175.
	60″	**ROMDHMTF160RL**	148.	178.
	66″	**ROMDHMTF166RL**	156.	187.
	72″	**ROMDHMTF172RL**	158.	190.
	78″	**ROMDHMTF178RL**	160.	192.
	84″	**ROMDHMTF184RL**	162.	194.
	90″	**ROMDHMTF190RL**	164.	197.
	96″	**ROMDHMTF196RL**	166.	199.
Metal Fascia - No recess	30″	**ROMDHMTF130RN**	137.	164.
	36″	**ROMDHMTF136RN**	140.	168.
	42″	**ROMDHMTF142RN**	141.	169.
	48″	**ROMDHMTF148RN**	143.	172.
	54″	**ROMDHMTF154RN**	146.	175.
	60″	**ROMDHMTF160RN**	148.	178.
	66″	**ROMDHMTF166RN**	156.	187.
	72″	**ROMDHMTF172RN**	158.	190.
	78″	**ROMDHMTF178RN**	160.	192.
	84″	**ROMDHMTF184RN**	162.	194.
	90″	**ROMDHMTF190RN**	164.	197.
	96″	**ROMDHMTF196RN**	166.	199.

Order Code

Example:	**ROMDHMTF130RB**
R	Reff
O	Overhead
M	Wall hung
DH	Desk height
M	Metal
T	Task light
F	Fascia
1	Letter depth
30	30″
R	Recess
B	Recess location
118	Finish

Specification Information

To order please specify pattern number including:

1. Finish
   Paint

Application Notes

For single and double high overheads.

Wood and metal options.

Letter depth only.

Accessories
Fascias
Metal

description	w	pattern no.	P1	P3
Metal Fascia - Right recess 	30″	**ROMDHMTF130RR**	$137.	$164.
	36″	**ROMDHMTF136RR**	140.	168.
	42″	**ROMDHMTF142RR**	141.	169.
	48″	**ROMDHMTF148RR**	143.	172.
	54″	**ROMDHMTF154RR**	146.	175.
	60″	**ROMDHMTF160RR**	148.	178.
	66″	**ROMDHMTF166RR**	156.	187.
	72″	**ROMDHMTF172RR**	158.	190.
	78″	**ROMDHMTF178RR**	160.	192.
	84″	**ROMDHMTF184RR**	162.	194.
	90″	**ROMDHMTF190RR**	164.	197.
	96″	**ROMDHMTF196RR**	166.	199.

Order Code

Example:	**ROMDHMTF130RB**
R	Reff
O	Overhead
M	Wall hung
DH	Desk height
M	Metal
T	Task light
F	Fascia
1	Letter depth
30	30″
R	Recess
B	Recess location
118	Finish

Specification Information

To order please specify pattern number including:

1. Finish
   Paint

Application Notes

For single and double high overheads.

Wood and metal options.

Letter depth only.

Accessories
Fascias
Wood

description	w	pattern no.	V1	V2	V3
Wood Fascia - Both left and right recess 	30″	**ROMDHWTF130RB**	$252.	$273.	$341.
	36″	**ROMDHWTF136RB**	254.	276.	345.
	42″	**ROMDHWTF142RB**	256.	279.	349.
	48″	**ROMDHWTF148RB**	258.	282.	353.
	54″	**ROMDHWTF154RB**	260.	285.	357.
	60″	**ROMDHWTF160RB**	375.	396.	495.
	66″	**ROMDHWTF166RB**	377.	399.	499.
	72″	**ROMDHWTF172RB**	379.	402.	503.
	78″	**ROMDHWTF178RB**	381.	405.	507.
	84″	**ROMDHWTF184RB**	383.	408.	511.
	90″	**ROMDHWTF190RB**	385.	411.	515.
	96″	**ROMDHWTF196RB**	526.	548.	685.
Wood Fascia - Left recess 	30″	**ROMDHWTF130RL**	252.	273.	341.
	36″	**ROMDHWTF136RL**	254.	276.	345.
	42″	**ROMDHWTF142RL**	256.	279.	349.
	48″	**ROMDHWTF148RL**	258.	282.	353.
	54″	**ROMDHWTF154RL**	260.	285.	357.
	60″	**ROMDHWTF160RL**	375.	396.	495.
	66″	**ROMDHWTF166RL**	377.	399.	499.
	72″	**ROMDHWTF172RL**	379.	402.	503.
	78″	**ROMDHWTF178RL**	381.	405.	507.
	84″	**ROMDHWTF184RL**	383.	408.	511.
	90″	**ROMDHWTF190RL**	385.	411.	515.
	96″	**ROMDHWTF196RL**	526.	548.	685.
Wood Fascia - No recess 	30″	**ROMDHWTF130RN**	252.	273.	341.
	36″	**ROMDHWTF136RN**	254.	276.	345.
	42″	**ROMDHWTF142RN**	256.	279.	349.
	48″	**ROMDHWTF148RN**	258.	282.	353.
	54″	**ROMDHWTF154RN**	260.	285.	357.
	60″	**ROMDHWTF160RN**	375.	396.	495.
	66″	**ROMDHWTF166RN**	377.	399.	499.
	72″	**ROMDHWTF172RN**	379.	402.	503.
	78″	**ROMDHWTF178RN**	381.	405.	507.
	84″	**ROMDHWTF184RN**	383.	408.	511.
	90″	**ROMDHWTF190RN**	385.	411.	515.
	96″	**ROMDHWTF196RN**	526.	548.	685.

Order Code

Example:	**ROMDHWTF130RB**
R	Reff
O	Overhead
M	Wall hung
DH	Desk height
W	Wood
T	Task light
F	Fascia
1	Letter depth
30	30″
R	Recess
B	Recess location
V316	Finish

Specification Information

To order please specify pattern number including:

1. Finish
   L, V1, V2,V3

Application Notes

For single and double high overheads.

Wood and metal options.

Letter depth only.

Accessories
Fascias
Wood

description	w	pattern no.	V1	V2	V3
Wood Fascia - Right recess 	30″	**ROMDHWTF130RR**	$252.	$273.	$341.
	36″	**ROMDHWTF136RR**	254.	276.	345.
	42″	**ROMDHWTF142RR**	256.	279.	349.
	48″	**ROMDHWTF148RR**	258.	282.	353.
	54″	**ROMDHWTF154RR**	260.	285.	357.
	60″	**ROMDHWTF160RR**	375.	396.	495.
	66″	**ROMDHWTF166RR**	377.	399.	499.
	72″	**ROMDHWTF172RR**	379.	402.	503.
	78″	**ROMDHWTF178RR**	381.	405.	507.
	84″	**ROMDHWTF184RR**	383.	408.	511.
	90″	**ROMDHWTF190RR**	385.	411.	515.
	96″	**ROMDHWTF196RR**	526.	548.	685.

Order Code

Example:	**ROMDHWTF130RB**
R	Reff
O	Overhead
M	Wall hung
DH	Desk height
W	Wood
T	Task light
F	Fascia
1	Letter depth
30	30″
R	Recess
B	Recess location
V316	Finish

Specification Information

To order please specify pattern number including:

1. Finish
   L, V1, V2,V3

Application Notes

For single and double high overheads.

Wood and metal options.

Letter depth only.

Accessories
Sliding Rails

description	width	pattern no.	list price
Sliding rail for open shelves	30″	**RSDR30**	$49.
	36″	**RSDR36**	49.
	42″	**RSDR42**	49.
	48″	**RSDR48**	49.
	54″	**RSDR54**	49.
	60″	**RSDR60**	78.
	66″	**RSDR66**	78.
	72″	**RSDR72**	78.
	78″	**RSDR78**	78.
	84″	**RSDR84**	86.
	90″	**RSDR90**	86.
	96″	**RSDR96**	86.
Sliding rail for open or hinged door overhead cabinets	30″	**ROHDR30**	49.
	36″	**ROHDR36**	49.
	42″	**ROHDR42**	49.
	48″	**ROHDR48**	49.
	60″	**ROHDR60**	86.
	72″	**ROHDR72**	86.
	90″	**ROHDR90**	117.
	96″	**ROHDR96**	117.
Sliding rail for flip door overhead cabinets	30″	**RFDR30**	49.
	36″	**RFDR36**	49.
	42″	**RFDR42**	49.
	48″	**RFDR48**	49.
	60″	**RFDR60**	86.
	72″	**RFDR72**	86.
	84″	**RFDR84**	86.
	96″	**RFDR96**	86.
Sliding rail divider		**R5ZNNE (3 dividers)**	20.

Order Code

Example:	**RSDR30**
R	Reff
SDR	Sliding rail for open shelves
30	For 30″ shelf

Specification Information

To order please specify pattern number.

Application Notes

Match cabinet width to rail width.

Parts come in black only.

These rails allow the use of metal "D"-ring divider to locate and separate binders and standing materials in Reff overhead cabinets. The rail which attaches to the inside back section of the cabinet is sold according to cabinet size door configuration.

Accessories
Task Light
Reff

description	type	w	d	h	pattern no.	list
T5 Standard Task Light 	Use with 24″ and wider overhead	19″	4″	1 ½″	**RTLT5E19S**	$251.
	Use with 30″ and wider overhead	25″	4″	1 ½″	**RTLT5E25S**	257.
	Use with 42″ and wider overhead	37″	4″	1 ½″	**RTLT5E37S**	262.
	Use with 60″ and wider overhead	49″	4″	1 ½″	**RTLT5E49S**	267.
	Use with 72″ and wider overhead	61″	4″	1 ½″	**RTLT5E61S**	282.
	Use with 84″ and wider overhead	73″	4″	1 ½″	**RTLT5E73S**	307.
	Use with 96″ and wider overhead	85″	4″	1 ½″	**RTLT5E85S**	384.
T5 Advanced Task Light 	Use with 30″ and wider overhead	25″	4″	1 ½″	**RTLT5E25A**	369.
	Use with 42″ and wider overhead	37″	4″	1 ½″	**RTLT5E37A**	389.
	Use with 60″ and wider overhead	49″	4″	1 ½″	**RTLT5E49A**	404.
	Use with 72″ and wider overhead	61″	4″	1 ½″	**RTLT5E61A**	420.
	Use with 84″ and wider overhead	73″	4″	1 ½″	**RTLT5E73A**	435.
	Use with 96″ and wider overhead	85″	4″	1 ½″	**RTLT5E85A**	451.
LED Task Light 	Use with 24″ and wider overhead (3 LED's)	19″	2″	9/16″	**RTLL193W**	285.
	Use with 24″ and wider overhead (6 LED's)	19″	2″	9/16″	**RTLL196W**	360.
	Use with 24″ and wider overhead (9 LED's)	19″	2″	9/16″	**RTLL199W**	490.
	Use with 42″ and wider overhead (6 LED's)	37″	2″	9/16″	**RTLL376W**	575.
	Use with 42″ and wider overhead (12 LED's)	37″	2″	9/16″	**RTLL3712W**	650.
	Use with 42″ and wider overhead (18 LED's)	37″	2″	9/16″	**RTLL3718W**	805.

Order Code

T5 Standard Task Light

Example:	**RTLT5E19S**
RTL	Task Light
T5	T5 lamp
E	Electronic ballast
19	Width
S	Standard

LED Task Light

Example:	**RTLL193W**
RTL	Task Light
L	LED
19	Width
3	# of LED's
W	Wood Overhead Attachment

Specification Information

T5 Task Lights:
120v and includes T5 cool white (4100K) fluorescent lamp, electronic ballast, 9′ grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware. Housings are black.

LED Task Lights:
Includes LED's, power supply with 12' cord and mounting hardware. Housings are clear anodized aluminum with grey color end-caps.

Application Notes

T5 Task Lights:
Specify suffix -CH and add $45 list for City of Chicago installations. Example: DL3T5E25S-CH

Cordset is center exit. On smaller units cord exit is off-center, but still not handed.

T5 advanced task lights are fitted with ballasts and lamps compliant with LEED requirements, meeting the LEED EB standard for mercury content.

LED Task Lights:
Power cord is able to attach to either end of fixture.

Notes:
All task lights mount into the recess in the underside of overhead cabinets and shelves at least 6″ wider than task light width.

All task lights are TCLP compliant and meet requirements of California Title 20 and Title 24.

Taskpanels
H1 23⅛″ high
Mono, Without Tool rail
Fabric

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Taskpanel , mono Without tool rail	1½″	23⅛″	30″	**RTPNM30H1( )( )**	$706.	$720.	$735.	$749.	$771.	$785.	$803.
	1½″	23⅛″	36″	**RTPNM36H1( )( )**	758.	776.	794.	812.	836.	851.	870.
	1½″	23⅛″	42″	**RTPNM42H1( )( )**	994.	1,015.	1,036.	1,057.	1,089.	1,108.	1,133.
	1½″	23⅛″	48″	**RTPNM48H1( )( )**	1,006.	1,029.	1,052.	1,075.	1,107.	1,126.	1,152.
	1½″	23⅛″	54″	**RTPNM54H1( )( )**	1,023.	1,049.	1,075.	1,101.	1,134.	1,154.	1,180.
	1½″	23⅛″	60″	**RTPNM60H1( )( )**	1,084.	1,113.	1,142.	1,171.	1,206.	1,227.	1,255.
	1½″	23⅛″	66″	**RTPNM66H1( )( )**	1,312.	1,343.	1,373.	1,404.	1,446.	1,471.	1,505.
	1½″	23⅛″	72″	**RTPNM72H1( )( )**	1,331.	1,365.	1,399.	1,433.	1,476.	1,502.	1,536.
	1½″	23⅛″	78″	**RTPNM78H1( )( )**	1,496.	1,533.	1,570.	1,607.	1,655.	1,684.	1,722.
	1½″	23⅛″	84″	**RTPNM84H1( )( )**	1,505.	1,544.	1,583.	1,622.	1,671.	1,700.	1,739.
	1½″	23⅛″	90″	**RTPNM90H1( )( )**	1,566.	1,608.	1,651.	1,693.	1,744.	1,774.	1,815.
	1½″	23⅛″	96″	**RTPNM96H1( )( )**	1,584.	1,630.	1,675.	1,721.	1,773.	1,803.	1,845.

Order Code

Example:	**RTPNM30H1 ( )( )**
R	Reff
TP	Taskpanel
N	No tool rail
M	Monolithic
30	Width
H1	23⅛″ high
111	Trim finish
W281	Fabric selection

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Insert Finish: Fabric

Application Notes

H1 Height: Underside of overhead to top 1½″ thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

Tool rails are not supplied to this taskpanel.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H1 23⅛″ high
Mono, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Taskpanel , mono Without tool rail	1½″	23⅛″	30″	**RTPNM30H1( )( )**	$944.	$758.	$751.	$848.	$908.	$1,046.
	1½″	23⅛″	36″	**RTPNM36H1( )( )**	1,056.	804.	795.	894.	962.	1,125.
	1½″	23⅛″	42″	**RTPNM42H1( )( )**	1,288.	988.	977.	1,079.	1,151.	1,340.
	1½″	23⅛″	48″	**RTPNM48H1( )( )**	1,380.	1,000.	988.	1,092.	1,172.	1,388.
	1½″	23⅛″	54″	**RTPNM54H1( )( )**	1,456.	1,009.	996.	1,101.	1,190.	1,433.
	1½″	23⅛″	60″	**RTPNM60H1( )( )**	1,576.	1,062.	1,048.	1,154.	1,253.	1,522.
	1½″	23⅛″	66″	**RTPNM66H1( )( )**	1,871.	1,320.	1,304.	1,413.	1,525.	1,821.
	1½″	23⅛″	72″	**RTPNM72H1( )( )**	1,949.	1,331.	1,314.	1,425.	1,550.	1,880.
	1½″	23⅛″	78″	**RTPNM78H1( )( )**	2,174.	1,489.	1,470.	1,583.	1,711.	2,060.
	1½″	23⅛″	84″	**RTPNM84H1( )( )**	2,251.	1,505.	1,484.	1,604.	1,736.	2,111.
	1½″	23⅛″	90″	**RTPNM90H1( )( )**	2,371.	1,557.	1,535.	1,650.	1,798.	2,200.
	1½″	23⅛″	96″	**RTPNM96H1( )( )**	2,449.	1,575.	1,552.	1,671.	1,821.	2,249.

Order Code

Example:	**RTPNM30H1 ( )( )**
R	Reff
TP	Taskpanel
N	No tool rail
M	Monolithic
30	Width
H1	23⅛″ high
111	Trim finish
V319	Veneer selection

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Insert Finish: Vemeer

Application Notes

H1 Height: Underside of overhead to top 1½″ thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

Tool rails are not supplied to this taskpanel.

All Fabric to be applied railroaded as current tackboard

Taskpanels
H1 23⅛″ high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Taskpanel , segmented With tool rail	1½″	23⅛″	30″	**RTPRS30H1( )( )( )**	$1,095.	$1,124.	$1,154.	$1,183.	$1,211.	$1,240.	$1,268.
	1½″	23⅛″	36″	**RTPRS36H1( )( )( )**	1,179.	1,215.	1,250.	1,286.	1,317.	1,348.	1,378.
	1½″	23⅛″	42″	**RTPRS42H1( )( )( )**	1,423.	1,465.	1,507.	1,549.	1,586.	1,623.	1,660.
	1½″	23⅛″	48″	**RTPRS48H1( )( )( )**	1,443.	1,488.	1,534.	1,579.	1,617.	1,655.	1,692.
	1½″	23⅛″	54″	**RTPRS54H1( )( )( )**	1,473.	1,525.	1,577.	1,629.	1,668.	1,707.	1,746.
	1½″	23⅛″	60″	**RTPRS60H1( )( )( )**	1,503.	1,561.	1,620.	1,678.	1,718.	1,758.	1,799.
	1½″	23⅛″	66″	**RTPRS66H1( )( )( )**	1,839.	1,901.	1,962.	2,024.	2,072.	2,121.	2,169.
	1½″	23⅛″	72″	**RTPRS72H1( )( )( )**	1,871.	1,939.	2,008.	2,076.	2,126.	2,175.	2,225.

Order Code

Example:	**RTPRS30H1 ( )( )**
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmented
30	Width
H1	23⅛″ high
111	Trim finish
W281	Fabric selection top
W281	Fabric selection bottom

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top insert finish: Fabric
3. Bottom insert finish: Fabric

Application Notes

H1 Height: Underside of overhead to top 1½″ thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard

Taskpanels
H1 23⅛″ high
Segmented With Tool rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade LW10	LW15	LW20	LW30	LW35	LW40	LW45
Taskpanel , segmented With tool rail	1½″	23⅛″	30″	**RTPRS30H1( )( )( )**	$1,154.	$1,169.	$1,183.	$1,198.	$1,234.	$1,255.	$1,284.
	1½″	23⅛″	36″	**RTPRS36H1( )( )( )**	1,229.	1,247.	1,264.	1,282.	1,320.	1,343.	1,374.
	1½″	23⅛″	42″	**RTPRS42H1( )( )( )**	1,408.	1,429.	1,450.	1,471.	1,515.	1,541.	1,577.
	1½″	23⅛″	48″	**RTPRS48H1( )( )( )**	1,425.	1,448.	1,470.	1,493.	1,538.	1,565.	1,600.
	1½″	23⅛″	54″	**RTPRS54H1( )( )( )**	1,451.	1,477.	1,503.	1,529.	1,575.	1,602.	1,639.
	1½″	23⅛″	60″	**RTPRS60H1( )( )( )**	1,475.	1,504.	1,533.	1,562.	1,609.	1,637.	1,674.
	1½″	23⅛″	66″	**RTPRS66H1( )( )( )**	1,833.	1,864.	1,895.	1,926.	1,984.	2,018.	2,064.
	1½″	23⅛″	72″	**RTPRS72H1( )( )( )**	1,857.	1,891.	1,926.	1,960.	2,019.	2,054.	2,101.

Order Code

Example:	**RTPRS30H1 ( )( )( )**
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmentated
30	Width
H1	23⅛″ high
111	Trim finish
LW	Marker board top insert
W281	Fabric selection bottom insert

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top insert finish: Marker board
3. Bottom insert finish: Fabric

Application Notes

H1 Height: Underside of overhead to top 1½″ thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard

Taskpanels
H1 23⅛″ high
Segmented With Tool rail
Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Taskpanel , segmented With tool rail	1½″	23⅛″	30″	**RTPRS30H1( )( )( )**	$1,225.	$1,101.	$1,191.	$1,234.	$1,249.	$1,281.
	1½″	23⅛″	36″	**RTPRS36H1( )( )( )**	1,347.	985.	1,315.	1,315.	1,332.	1,371.
	1½″	23⅛″	42″	**RTPRS42H1( )( )( )**	1,573.	1,384.	1,459.	1,502.	1,521.	1,567.
	1½″	23⅛″	48″	**RTPRS48H1( )( )( )**	1,645.	1,412.	1,477.	1,557.	1,577.	1,629.
	1½″	23⅛″	54″	**RTPRS54H1( )( )( )**	1,714.	1,447.	1,505.	1,585.	1,606.	1,663.
	1½″	23⅛″	60″	**RTPRS60H1( )( )( )**	1,782.	1,483.	1,533.	1,613.	1,636.	1,699.
	1½″	23⅛″	66″	**RTPRS66H1( )( )( )**	2,171.	1,828.	1,902.	1,982.	2,008.	2,077.
	1½″	23⅛″	72″	**RTPRS72H1( )( )( )**	2,242.	1,866.	1,932.	2,013.	2,040.	2,116.
	1½″	23⅛″	78″	**RTPRS78H1( )( )( )**	2,415.	2,007.	2,064.	2,146.	2,175.	2,257.
	1½″	23⅛″	84″	**RTPRS84H1( )( )( )**	2,483.	2,031.	2,081.	2,163.	2,194.	2,283.
	1½″	23⅛″	90″	**RTPRS90H1( )( )( )**	2,552.	2,067.	2,109.	2,191.	2,224.	2,320.
	1½″	23⅛″	96″	**RTPRS96H1( )( )( )**	2,623.	2,104.	2,138.	2,221.	2,256.	2,358.

Order Code

Example:	**RTPRS30H1 ( )( )( )**
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmentated
30	Width
H1	23⅛″ high
111	Trim finish
W281	Fabric selection top insert
V319	Veneer selection bottom insert

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top insert finish: Glass or Fabric
3. Bottom insert finish: Forbo, L, V1, V2, V3

Application Notes

H1 Height: Underside of overhead to top 1½″ thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard

Taskpanels
H2 29¾″ high
Mono, Without Tool Rail
Fabric

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Taskpanel , mono Without tool rail	1½″	29¾″	30″	**RTPNM30H2( )( )**	$778.	$793.	$807.	$822.	$847.	$861.	$881.
	1½″	29¾″	36″	**RTPNM36H2( )( )**	832.	850.	868.	886.	913.	928.	950.
	1½″	29¾″	42″	**RTPNM42H2( )( )**	1,017.	1,038.	1,060.	1,081.	1,113.	1,133.	1,159.
	1½″	29¾″	48″	**RTPNM48H2( )( )**	1,031.	1,054.	1,076.	1,099.	1,132.	1,152.	1,178.
	1½″	29¾″	54″	**RTPNM54H2( )( )**	1,049.	1,075.	1,100.	1,126.	1,160.	1,180.	1,207.
	1½″	29¾″	60″	**RTPNM60H2( )( )**	1,110.	1,139.	1,169.	1,198.	1,234.	1,255.	1,284.
	1½″	29¾″	66″	**RTPNM66H2( )( )**	1,339.	1,370.	1,401.	1,432.	1,475.	1,501.	1,535.
	1½″	29¾″	72″	**RTPNM72H2( )( )**	1,359.	1,393.	1,427.	1,461.	1,505.	1,531.	1,566.
	1½″	29¾″	78″	**RTPNM78H2( )( )**	1,525.	1,562.	1,600.	1,637.	1,686.	1,715.	1,755.
	1½″	29¾″	84″	**RTPNM84H2( )( )**	1,536.	1,575.	1,614.	1,653.	1,702.	1,732.	1,772.
	1½″	29¾″	90″	**RTPNM90H2( )( )**	1,597.	1,639.	1,682.	1,724.	1,776.	1,807.	1,848.
	1½″	29¾″	96″	**RTPNM96H2( )( )**	1,617.	1,662.	1,708.	1,753.	1,805.	1,837.	1,879.

Order Code

Example:	**RTPNM30H2 ( )( )**
R	Reff
TP	Taskpanel
N	No tool rail
M	Monolithic
30	Width
H2	29¾″ high
111	Trim finish
W281	Fabric selection

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top Insert Finish: Fabric
3. Insert Finish: Fabric

Application Notes

H2 Height: Underside of overhead to top 1″ thick credenza top for 3/4 height cabinets or low credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

Tool rails are not supplied to this taskpanel.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H2 29¾″ high
Mono, Without Tool Rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Taskpanel , mono Without tool rail	1½″	29¾″	30″	**RTPNM30H2( )( )**	$1,088.	$793.	$783.	$884.	$952.	$1,129.
	1½″	29¾″	36″	**RTPNM36H2( )( )**	1,226.	845.	833.	936.	1,015.	1,226.
	1½″	29¾″	42″	**RTPNM42H2( )( )**	1,495.	1,023.	1,010.	1,116.	1,207.	1,453.
	1½″	29¾″	48″	**RTPNM48H2( )( )**	1,600.	1,045.	1,030.	1,138.	1,245.	1,525.
	1½″	29¾″	54″	**RTPNM54H2( )( )**	1,702.	1,056.	1,039.	1,150.	1,268.	1,583.
	1½″	29¾″	60″	**RTPNM60H2( )( )**	1,848.	1,112.	1,094.	1,206.	1,336.	1,686.
	1½″	29¾″	66″	**RTPNM66H2( )( )**	2,168.	1,373.	1,352.	1,468.	1,609.	1,993.
	1½″	29¾″	72″	**RTPNM72H2( )( )**	2,272.	1,387.	1,365.	1,482.	1,634.	2,052.
	1½″	29¾″	78″	**RTPNM78H2( )( )**	2,522.	1,553.	1,529.	1,649.	1,808.	2,260.
	1½″	29¾″	84″	**RTPNM84H2( )( )**	2,624.	1,565.	1,539.	1,662.	1,832.	2,319.
	1½″	29¾″	90″	**RTPNM90H2( )( )**	2,769.	1,627.	1,599.	1,752.	1,911.	2,432.
	1½″	29¾″	96″	**RTPNM96H2( )( )**	2,873.	1,641.	1,612.	1,739.	1,936.	2,491.

Order Code

Example:	**RTPNM30H2 ( )( )**
R	Reff
TP	Taskpanel
N	No tool rail
M	Monolithic
30	Width
H2	29¾″ high
111	Trim finish
V319	Veneer selection

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top Insert Finish: Fabric
3. Bottom Insert Finish: G, LW, L, V1, V2, V3

Application Notes

H2 Height: Underside of overhead to top 1″ thick credenza top for 3/4 height cabinets or low credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

Tool rails are not supplied to this taskpanel.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H2 29¾″ high
Segmented With Tool Rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Taskpanel , segmented With tool rail	1½″	29¾″	30″	**RTPRS30H2( )( )( )**	$1,223.	$1,233.	$1,244.	$1,524.	$1,292.	$1,314.	$1,344.
	1½″	29¾″	36″	**RTPRS36H2( )( )( )**	1,254.	1,290.	1,325.	1,361.	1,402.	1,426.	1,459.
	1½″	29¾″	42″	**RTPRS42H2( )( )( )**	1,442.	1,484.	1,527.	1,569.	1,616.	1,644.	1,682.
	1½″	29¾″	48″	**RTPRS48H2( )( )( )**	1,464.	1,509.	1,555.	1,600.	1,648.	1,677.	1,715.
	1½″	29¾″	54″	**RTPRS54H2( )( )( )**	1,494.	1,546.	1,598.	1,650.	1,699.	1,729.	1,769.
	1½″	29¾″	60″	**RTPRS60H2( )( )( )**	1,525.	1,583.	1,642.	1,700.	1,751.	1,781.	1,822.
	1½″	29¾″	66″	**RTPRS66H2( )( )( )**	1,863.	1,924.	1,986.	2,047.	2,108.	2,145.	2,194.
	1½″	29¾″	72″	**RTPRS72H2( )( )( )**	1,960.	2,009.	2,058.	2,107.	2,170.	2,208.	2,258.

Order Code

Example:	**RTPRS30H2 ( )( )( )**
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmented
30	Width
H2	29¾″ high
111	Trim finish
W281	Fabric selection top insert
W281	Fabric selection bottom insert

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top Insert Finish: Fabric
3. Bottom Insert Finish: Fabric

Application Notes

H2 Height: Underside of overhead to top 1″ thick credenza top for 3/4 height cabinets or low credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H2 29¾″ high
Segmented With Tool Rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade LW10	LW15	LW20	LW30	LW35	LW40	LW45
Taskpanel , segmented With tool rail	1½″	29¾″	30″	**RTPRS30H2( )( )( )**	$1,172.	$1,187.	$1,201.	$1,216.	$1,252.	$1,274.	$1,303.
	1½″	29¾″	36″	**RTPRS36H2( )( )( )**	1,251.	1,269.	1,287.	1,305.	1,344.	1,368.	1,399.
	1½″	29¾″	42″	**RTPRS42H2( )( )( )**	1,431.	1,452.	1,474.	1,495.	1,540.	1,567.	1,602.
	1½″	29¾″	48″	**RTPRS48H2( )( )( )**	1,450.	1,473.	1,495.	1,518.	1,563.	1,591.	1,627.
	1½″	29¾″	54″	**RTPRS54H2( )( )( )**	1,476.	1,502.	1,528.	1,554.	1,601.	1,628.	1,666.
	1½″	29¾″	60″	**RTPRS60H2( )( )( )**	1,501.	1,530.	1,560.	1,589.	1,637.	1,665.	1,703.
	1½″	29¾″	66″	**RTPRS66H2( )( )( )**	1,861.	1,892.	1,922.	1,953.	2,011.	2,047.	2,093.
	1½″	29¾″	72″	**RTPRS72H2( )( )( )**	1,693.	1,794.	1,894.	1,995.	2,055.	2,091.	2,138.

Order Code

Example:	**RTPRS30H2 ( )( )**
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmented
30	Width
H2	29¾″ high
111	Trim finish
LW	Marker board top insert
W281	Fabric selectin bottom insert

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top Insert Finish: Marker board
3. Bottom Insert Finish: Fabric

Application Notes

H2 Height: Underside of overhead to top 1″ thick credenza top for 3/4 height cabinets or low credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H2 29¾″ high
Segmented With Tool Rail
Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Taskpanel , segmented With tool rail	1½″	29¾″	30″	**RTPRS30H2( )( )( )**	$1,329.	$1,121.	$1,200.	$126.	$1,304.	$1,377.
	1½″	29¾″	36″	**RTPRS36H2( )( )( )**	1,473.	1,316.	1,287.	1,353.	1,397.	1,484.
	1½″	29¾″	42″	**RTPRS42H2( )( )( )**	1,717.	1,527.	1,479.	1,546.	1,594.	1,695.
	1½″	29¾″	48″	**RTPRS48H2( )( )( )**	1,807.	1,574.	1,500.	1,597.	1,649.	1,766.
	1½″	29¾″	54″	**RTPRS54H2( )( )( )**	1,894.	1,627.	1,530.	1,627.	1,684.	1,814.
	1½″	29¾″	60″	**RTPRS60H2( )( )( )**	1,980.	1,682.	1,560.	1,658.	1,719.	1,863.
	1½″	29¾″	66″	**RTPRS66H2( )( )( )**	2,387.	2,044.	1,922.	2,022.	2,087.	2,246.
	1½″	29¾″	72″	**RTPRS72H2( )( )( )**	2,483.	2,188.	1,965.	2,067.	2,132.	2,304.
	1½″	29¾″	78″	**RTPRS78H2( )( )( )**	2,668.	2,259.	2,093.	2,195.	2,264.	2,450.
	1½″	29¾″	84″	**RTPRS84H2( )( )( )**	2,754.	2,301.	2,114.	2,217.	2,291.	2,493.
	1½″	29¾″	90″	**RTPRS90H2( )( )( )**	2,841.	2,355.	2,144.	2,248.	2,327.	2,542.
	1½″	29¾″	96″	**RTPRS96H2( )( )( )**	2,929.	2,411.	2,175.	2,281.	2,363.	2,592.

Order Code

Example:	**RTPRS30H2 ( )( )( )**
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmented
30	Width
H2	29¾″ high
111	Trim finish
W281	Fabric selectin top insert
V319	Veneer selection bottom insert

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top Insert Finish: Glass or Fabric
3. Bottom Insert Finish: Forbo, L, V1, V2, V3

Application Notes

H2 Height: Underside of overhead to top 1″ thick credenza top for 3/4 height cabinets or low credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H3 37⅞″ high
Mono, Without Tool rail
Fabric

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Taskpanel , mono Without tool rail	1½″	37⅞″	30″	**RTPNM30H3( )( )**	$815.	$829.	$844.	$858.	$884.	$899.	$920.
	1½″	37⅞″	36″	**RTPNM36H3( )( )**	870.	888.	905.	923.	951.	967.	989.
	1½″	37⅞″	42″	**RTPNM42H3( )( )**	1,056.	1,077.	1,098.	1,119.	1,153.	1,173.	1,200.
	1½″	37⅞″	48″	**RTPNM48H3( )( )**	1,071.	1,094.	1,116.	1,139.	1,173.	1,194.	1,221.
	1½″	37⅞″	54″	**RTPNM54H3( )( )**	1,090.	1,116.	1,142.	1,168.	1,203.	1,224.	1,252.
	1½″	37⅞″	60″	**RTPNM60H3( )( )**	1,152.	1,181.	1,211.	1,240.	1,277.	1,300.	1,329.
	1½″	37⅞″	66″	**RTPNM66H3( )( )**	1,383.	1,414.	1,444.	1,475.	1,519.	1,546.	1,581.
	1½″	37⅞″	72″	**RTPNM72H3( )( )**	1,403.	1,437.	1,472.	1,506.	1,551.	1,578.	1,614.
	1½″	37⅞″	78″	**RTPNM78H3( )( )**	1,571.	1,608.	1,646.	1,683.	1,733.	1,764.	1,804.
	1½″	37⅞″	84″	**RTPNM84H3( )( )**	1,583.	1,622.	1,661.	1,700.	1,751.	1,782.	1,822.
	1½″	37⅞″	90″	**RTPNM90H3( )( )**	1,646.	1,688.	1,730.	1,772.	1,825.	1,857.	1,900.
	1½″	37⅞″	96″	**RTPNM96H3( )( )**	1,666.	1,711.	1,757.	1,802.	1,856.	1,888.	1,932.

Order Code

Example:	**RTPNM30H3 ( )( )**
R	Reff
TP	Taskpanel
N	No tool rail
M	Monolithic
30	Width
H3	37⅞″ high
111	Trim finish
W281	Fabric selection

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Insert Finish: Fabric

Application Notes

H3 Height: Top of U-shelf or L-shelf overhead to top 1½″ thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

Tool rails are not supplied to this taskpanel.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H3 37⅞″ high
Mono, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Taskpanel , mono Without tool rail	1½″	37⅞″	30″	**RTPNM30H3( )( )**	$1,261.	$842.	$829.	$934.	$1,018.	$1,247.
	1½″	37⅞″	36″	**RTPNM36H3( )( )**	1,428.	893.	878.	985.	1,085.	1,358.
	1½″	37⅞″	42″	**RTPNM42H3( )( )**	1,705.	1,082.	1,065.	1,175.	1,294.	1,611.
	1½″	37⅞″	48″	**RTPNM48H3( )( )**	1,860.	1,106.	1,087.	1,201.	1,334.	1,696.
	1½″	37⅞″	54″	**RTPNM54H3( )( )**	1,991.	1,121.	1,100.	1,216.	1,364.	1,770.
	1½″	37⅞″	60″	**RTPNM60H3( )( )**	2,166.	1,187.	1,163.	1,283.	1,441.	1,892.
	1½″	37⅞″	66″	**RTPNM66H3( )( )**	2,515.	1,444.	1,418.	1,541.	1,714.	2,209.
	1½″	37⅞″	72″	**RTPNM72H3( )( )**	2,648.	1,648.	1,439.	1,565.	1,758.	2,297.
	1½″	37⅞″	78″	**RTPNM78H3( )( )**	2,928.	1,631.	1,601.	1,729.	1,937.	2,520.
	1½″	37⅞″	84″	**RTPNM84H3( )( )**	3,058.	1,646.	1,613.	1,745.	1,967.	2,595.
	1½″	37⅞″	90″	**RTPNM90H3( )( )**	3,233.	1,705.	1,670.	1,805.	2,047.	2,729.
	1½″	37⅞″	96″	**RTPNM96H3( )( )**	3,366.	1,722.	1,684.	1,823.	2,073.	2,789.

Order Code

Example:	**RTPNM30H3 ( )( )**
R	Reff
TP	Taskpanel
N	No tool rail
M	Monolithic
30	Width
H3	37⅞″ high
111	Trim finish
V319	Veneer selection

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Insert Finish: G, LW, L, V1, V2, V3

Application Notes

H3 Height: Top of U-shelf or L-shelf overhead to top 1½″ thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

Tool rails are not supplied to this taskpanel.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H3 37⅞″ high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Taskpanel , segmented With tool rail	1½″	37⅞″	30″	**RTPRS30H3( )( )( )**	$1,206.	$1,235.	$1,265.	$1,294.	$1,333.	$1,356.	$1,387.
	1½″	37⅞″	36″	**RTPRS36H3( )( )( )**	1,291.	1,327.	1,362.	1,398.	1,440.	1,465.	1,498.
	1½″	37⅞″	42″	**RTPRS42H3( )( )( )**	1,481.	1,523.	1,566.	1,608.	1,656.	1,685.	1,724.
	1½″	37⅞″	48″	**RTPRS48H3( )( )( )**	1,503.	1,548.	1,594.	1,639.	1,688.	1,718.	1,757.
	1½″	37⅞″	54″	**RTPRS54H3( )( )( )**	1,535.	1,587.	1,639.	1,691.	1,742.	1,772.	1,813.
	1½″	37⅞″	60″	**RTPRS60H3( )( )( )**	1,567.	1,626.	1,684.	1,743.	1,795.	1,826.	1,868.
	1½″	37⅞″	66″	**RTPRS66H3( )( )( )**	1,906.	1,968.	2,029.	2,091.	2,154.	2,191.	2,241.
	1½″	37⅞″	72″	**RTPRS72H3( )( )( )**	1,941.	2,009.	2,077.	2,145.	2,209.	2,248.	2,299.

Order Code

Example:	**RTPRS30H3 ( )( )**
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmented
30	Width
H3	37⅞″ high
111	Trim finish
W281	Fabric selection top insert
W281	Fabric selection bottom insert

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top Insert Finish: Fabric
3. Bottom Insert Finish: Fabric

Application Notes

H3 Height: Top of U-shelf or L-shelf overhead to top 1½″ thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H3 37⅞″ high
Segmented With Tool rail
Marker Board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade LW10	LW15	LW20	LW30	LW35	LW40	LW45
Taskpanel , segmented With tool rail	1½″	37⅞″	30″	**RTPRS30H3( )( )( )**	$1,238.	$1,252.	$1,267.	$1,281.	$1,319.	$1,342.	$1,373.
	1½″	37⅞″	36″	**RTPRS36H3( )( )( )**	1,318.	1,336.	1,354.	1,372.	1,413.	1,438.	1,471.
	1½″	37⅞″	42″	**RTPRS42H3( )( )( )**	1,509.	1,530.	1,552.	1,573.	1,620.	1,648.	1,686.
	1½″	37⅞″	48″	**RTPRS48H3( )( )( )**	1,532.	1,555.	1,578.	1,601.	1,649.	1,678.	1,716.
	1½″	37⅞″	54″	**RTPRS54H3( )( )( )**	1,566.	1,592.	1,618.	1,644.	1,693.	1,723.	1,762.
	1½″	37⅞″	60″	**RTPRS60H3( )( )( )**	1,593.	1,622.	1,652.	1,681.	1,731.	1,762.	1,802.
	1½″	37⅞″	66″	**RTPRS66H3( )( )( )**	1,958.	1,989.	2,019.	2,050.	2,111.	2,148.	2,197.
	1½″	37⅞″	72″	**RTPRS72H3( )( )( )**	1,993.	2,027.	2,061.	2,095.	2,158.	2,195.	2,246.

Order Code

Example:	**RTPRS30H3 ( )( )( )**
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmented
30	Width
H3	37⅞″ high
111	Trim finish
LW	Marker board top insert
W281	Fabric selection bottom insert

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top Insert Finish: Marker board
3. Bottom Insert Finish: Fabric

Application Notes

H3 Height: Top of U-shelf or L-shelf overhead to top 1½″ thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H3 37⅞″ high
Segmented With Tool rail
Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Taskpanel , segmented With tool rail	1½″	37⅞″	30″	**RTPRS30H3( )( )( )**	$1,543.	$1,159.	$1,249.	$1,292.	$1,306.	$1,339.
	1½″	37⅞″	36″	**RTPRS36H3( )( )( )**	1,719.	1,250.	1,332.	1,375.	1,392.	1,431.
	1½″	37⅞″	42″	**RTPRS42H3( )( )( )**	1,999.	1,446.	1,521.	1,565.	1,583.	1,629.
	1½″	37⅞″	48″	**RTPRS48H3( )( )( )**	2,126.	1,476.	1,542.	1,621.	1,641.	1,693.
	1½″	37⅞″	54″	**RTPRS54H3( )( )( )**	2,249.	1,514.	1,571.	1,651.	1,672.	1,729.
	1½″	37⅞″	60″	**RTPRS60H3( )( )( )**	2,372.	1,552.	1,601.	1,681.	1,705.	1,768.
	1½″	37⅞″	66″	**RTPRS66H3( )( )( )**	2,815.	1,898.	1,973.	2,053.	2,078.	2,148.
	1½″	37⅞″	72″	**RTPRS72H3( )( )( )**	2,941.	1,939.	2,005.	2,086.	2,113.	2,189.
	1½″	37⅞″	78″	**RTPRS78H3( )( )( )**	3,168.	2,082.	2,139.	2,221.	2,250.	2,333.
	1½″	37⅞″	84″	**RTPRS84H3( )( )( )**	3,291.	2,008.	2,158.	2,241.	2,271.	2,360.
	1½″	37⅞″	90″	**RTPRS90H3( )( )( )**	3,414.	2,146.	2,188.	2,271.	2,304.	2,399.
	1½″	37⅞″	96″	**RTPRS96H3( )( )( )**	3,539.	2,186.	2,220.	2,303.	2,338.	2,439.

Order Code

Example:	**RTPRS30H3 ( )( )( )**
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmented
30	Width
H3	37⅞″ high
111	Trim finish
W281	Fabric selection top
V319	Veneer selection bottom

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top Insert Finish: Glass or Fabric
3. Bottom Insert Finish: Forbo, L, V1, V2, V3

Application Notes

H3 Height: Top of U-shelf or L-shelf overhead to top 1½″ thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H4 44½″ high
Mono, Without Tool rail
Fabric

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Taskpanel , mono without tool rail	1½″	44½″	30″	**RTPNM30H4( )( )**	$881.	$895.	$910.	$924.	$952.	$968.	$991.
	1½″	44½″	36″	**RTPNM36H4( )( )**	937.	955.	972.	990.	1,020.	1,038.	1,061.
	1½″	44½″	42″	**RTPNM42H4( )( )**	1,124.	1,145.	1,166.	1,187.	1,223.	1,244.	1,272.
	1½″	44½″	48″	**RTPNM48H4( )( )**	1,140.	1,163.	1,185.	1,208.	1,244.	1,266.	1,295.
	1½″	44½″	54″	**RTPNM54H4( )( )**	1,160.	1,186.	1,212.	1,238.	1,275.	1,297.	1,327.
	1½″	44½″	60″	**RTPNM60H4( )( )**	1,223.	1,252.	1,282.	1,311.	1,350.	1,374.	1,405.
	1½″	44½″	66″	**RTPNM66H4( )( )**	1,455.	1,486.	1,516.	1,547.	1,593.	1,621.	1,658.
	1½″	44½″	72″	**RTPNM72H4( )( )**	1,477.	1,511.	1,545.	1,579.	1,626.	1,655.	1,693.
	1½″	44½″	78″	**RTPNM78H4( )( )**	1,645.	1,622.	1,598.	1,575.	1,622.	1,651.	1,688.
	1½″	44½″	84″	**RTPNM84H4( )( )**	1,658.	1,697.	1,736.	1,775.	1,828.	1,860.	1,903.
	1½″	44½″	90″	**RTPNM90H4( )( )**	1,721.	1,763.	1,806.	1,848.	1,903.	1,937.	1,981.
	1½″	44½″	96″	**RTPNM96H4( )( )**	1,743.	1,788.	1,834.	1,879.	1,935.	1,969.	2,014.

Order Code

Example:	**RTPNM30H4 ( )( )**
R	Reff
TP	Taskpanel
N	No tool rail
M	Monolithic
30	Width
H4	44½″ high
111	Trim finish
W281	Fabric selection

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Insert Finish: Fabric

Application Notes

H4 Height: Top of U-shelf or L-shelf overhead to top 1″ thick credenza top for 3/4 height cabinet or low credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

Tool rails are not supplied to this taskpanel.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H4 44½″ high
Mono, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	wi	pattern no.	glass	LW	L	V1	V2	V3
Taskpanel , mono without tool rail	1½″	44½″	30″	**RTPNM30H4( )( )**	$1,431.	$917.	$902.	$1,009.	$1,108.	$1,378.
	1½″	44½″	36″	**RTPNM36H4( )( )**	1,620.	977.	960.	1,070.	1,191.	1,378.
	1½″	44½″	42″	**RTPNM42H4( )( )**	1,915.	1,170.	1,150.	1,263.	1,402.	1,776.
	1½″	44½″	48″	**RTPNM48H4( )( )**	2,096.	1,189.	1,167.	1,285.	1,440.	1,866.
	1½″	44½″	54″	**RTPNM54H4( )( )**	2,249.	1,214.	1,189.	1,310.	1,478.	1,957.
	1½″	44½″	60″	**RTPNM60H4( )( )**	2,446.	1,275.	1,247.	1,372.	1,557.	2,087.
	1½″	44½″	66″	**RTPNM66H4( )( )**	2,817.	1,542.	1,511.	1,640.	1,847.	2,430.
	1½″	44½″	72″	**RTPNM72H4( )( )**	2,971.	1,562.	1,528.	1,660.	1,885.	2,521.
	1½″	44½″	78″	**RTPNM78H4( )( )**	3,273.	1,727.	1,691.	1,827.	2,069.	2,756.
	1½″	44½″	84″	**RTPNM84H4( )( )**	3,425.	1,745.	1,706.	1,846.	2,105.	2,845.
	1½″	44½″	90″	**RTPNM90H4( )( )**	3,622.	1,765.	1,806.	1,908.	2,184.	2,976.
	1½″	44½″	96″	**RTPNM96H4( )( )**	3,776.	1,825.	1,781.	1,929.	2,222.	3,067.

Order Code

Example:	**RTPNM30H4 ( )( )**
R	Reff
TP	Taskpanel
N	No tool rail
M	Monolithic
30	Width
H4	44½″ high
111	Trim finish
V319	Veneer selection

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Insert Finish: Fabric

Application Notes

H4 Height: Top of U-shelf or L-shelf overhead to top 1″ thick credenza top for 3/4 height cabinet or low credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

Tool rails are not supplied to this taskpanel.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H4 44½″ high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Taskpanel , segmented With tool rail	1½″	44½″	30″	**RTPRS30H4( )( )( )**	$1,272.	$1,301.	$1,331.	$1,360.	$1,401.	$1,424.	$1,458.
	1½″	44½″	36″	**RTPRS36H4( )( )( )**	1,359.	1,395.	1,430.	1,466.	1,510.	1,536.	1,571.
	1½″	44½″	42″	**RTPRS42H4( )( )( )**	1,549.	1,591.	1,634.	1,676.	1,726.	1,756.	1,796.
	1½″	44½″	48″	**RTPRS48H4( )( )( )**	1,572.	1,618.	1,663.	1,709.	1,760.	1,791.	1,832.
	1½″	44½″	54″	**RTPRS54H4( )( )( )**	1,605.	1,657.	1,709.	1,761.	1,814.	1,845.	1,888.
	1½″	44½″	60″	**RTPRS60H4( )( )( )**	1,638.	1,697.	1,755.	1,814.	1,868.	1,901.	1,944.
	1½″	44½″	66″	**RTPRS66H4( )( )( )**	1,978.	2,040.	2,101.	2,163.	2,228.	2,267.	2,318.
	1½″	44½″	72″	**RTPRS72H4( )( )( )**	2,013.	2,081.	2,150.	2,218.	2,284.	2,324.	2,377.

Order Code

Example:	**RTPRS30H4 ( )( )( )**
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmented
30	Width
H4	44½″ high
111	Trim finish
W281	Fabric selection top
W281	Fabric selection bottom

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top Insert Finish: Fabric
3. Bottom Insert Finish: Fabric

Application Notes

H4 Height: Top of U-shelf or L-shelf overhead to top 1″ thick credenza top for 3/4 height cabinet or low credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H4 44½″ high
Segmented With Tool rail
Marker Board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade LW10	LW15	LW20	LW30	LW35	LW40	LW45
Taskpanel , segmented With tool rail	1½″	44½″	30″	**RTPRS30H4( )( )( )**	$1,304.	$1,319.	$1,333.	$1,348.	$1,388.	$1,413.	$1,445.
	1½″	44½″	36″	**RTPRS36H4( )( )( )**	1,385.	1,403.	1,421.	1,439.	1,482.	1,508.	1,542.
	1½″	44½″	42″	**RTPRS42H4( )( )( )**	1,578.	1,599.	1,620.	1,641.	1,690.	1,720.	1,759.
	1½″	44½″	48″	**RTPRS48H4( )( )( )**	1,602.	1,625.	1,647.	1,670.	1,720.	1,750.	1,790.
	1½″	44½″	54″	**RTPRS54H4( )( )( )**	1,636.	1,662.	1,688.	1,714.	1,765.	1,796.	1,837.
	1½″	44½″	60″	**RTPRS60H4( )( )( )**	1,664.	1,693.	1,723.	1,752.	1,804.	1,836.	1,878.
	1½″	44½″	66″	**RTPRS66H4( )( )( )**	2,030.	2,061.	2,091.	2,122.	2,186.	2,224.	2,274.
	1½″	44½″	72″	**RTPRS72H4( )( )( )**	2,066.	2,100.	2,134.	2,168.	2,233.	2,272.	2,324.

Order Code

Example:	**RTPRS30H4 ( )( )( )**
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmented
30	Width
H4	44½″ high
111	Trim finish
LW	Marker Board top insert
W281	Fabric selection bottom insert

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top Insert Finish: Marker board
3. Bottom Insert Finish: Fabric

Application Notes

H4 Height: Top of U-shelf or L-shelf overhead to top 1″ thick credenza top for 3/4 height cabinet or low credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H4 44½″ high
Segmented With Tool rail
Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Taskpanel , segmented With tool rail	1½″	44½″	30″	**RTPRS30H4( )( )( )**	$1,695.	$1,311.	$1,307.	$1,372.	$1,410.	$1,483.
	1½″	44½″	36″	**RTPRS36H4( )( )( )**	1,889.	1,420.	1,392.	1,458.	1,501.	1,589.
	1½″	44½″	42″	**RTPRS42H4( )( )( )**	2,188.	1,634.	1,586.	1,653.	1,701.	1,802.
	1½″	44½″	48″	**RTPRS48H4( )( )( )**	2,333.	1,682.	1,609.	1,706.	1,758.	1,874.
	1½″	44½″	54″	**RTPRS54H4( )( )( )**	2,474.	1,739.	1,641.	1,739.	1,795.	1,926.
	1½″	44½″	60″	**RTPRS60H4( )( )( )**	2,615.	1,795.	1,673.	1,772.	1,833.	1,976.
	1½″	44½″	66″	**RTPRS66H4( )( )( )**	3,076.	2,159.	2,037.	2,132.	2,203.	2,362.
	1½″	44½″	72″	**RTPRS72H4( )( )( )**	3,220.	2,218.	2,071.	2,173.	2,242.	2,415.
	1½″	44½″	78″	**RTPRS78H4( )( )( )**	3,465.	2,379.	2,213.	2,315.	2,384.	2,570.
	1½″	44½″	84″	**RTPRS84H4( )( )( )**	2,615.	3,607.	2,423.	2,236.	2,339.	2,413.
	1½″	44½″	90″	**RTPRS90H4( )( )( )**	3,748.	2,480.	2,268.	2,372.	2,451.	2,666.
	1½″	44½″	96″	**RTPRS96H4( )( )( )**	3,891.	2,538.	2,301.	2,407.	2,490.	2,718.

Order Code

Example:	**RTPRS30H4 ( )( )**
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmented
30	Width
H4	44½″ high
111	Trim finish
W281	Fabric selection top insert
V319	Veneer selection bottom insert

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top Insert Finish: Glass or Fabric
3. Bottom Insert Finish: Forbo, L, V1, V2, V3

Application Notes

H4 Height: Top of U-shelf or L-shelf overhead to top 1″ thick credenza top for 3/4 height cabinet or low credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H5 42⅝″ high
Mono, Without Tool rail
Fabric

description	th	h	w	pattern no.	grade 10	15	20	30	40	45
Taskpanel , mono without tool rail	1½″	42⅝″	30″	**RTPNM30H5( )( )**	$871.	$886.	$900.	$915.	$959.	$981.
	1½″	42⅝″	36″	**RTPNM36H5( )( )**	927.	945.	963.	981.	1,028.	1,052.
	1½″	42⅝″	42″	**RTPNM42H5( )( )**	1,114.	1,135.	1,156.	1,177.	1,233.	1,262.
	1½″	42⅝″	48″	**RTPNM48H5( )( )**	1,130.	1,153.	1,175.	1,198.	1,256.	1,284.
	1½″	42⅝″	54″	**RTPNM54H5( )( )**	1,149.	1,175.	1,201.	1,227.	1,286.	1,315.
	1½″	42⅝″	60″	**RTPNM60H5( )( )**	1,212.	1,241.	1,271.	1,300.	1,362.	1,394.
	1½″	42⅝″	66″	**RTPNM66H5( )( )**	1,444.	1,475.	1,505.	1,536.	1,610.	1,647.
	1½″	42⅝″	72″	**RTPNM72H5( )( )**	1,465.	1,499.	1,533.	1,567.	1,642.	1,680.
	1½″	42⅝″	78″	**RTPNM78H5( )( )**	1,633.	1,670.	1,708.	1,745.	1,829.	1,871.
	1½″	42⅝″	84″	**RTPNM84H5( )( )**	1,646.	1,685.	1,724.	1,763.	1,848.	1,890.
	1½″	42⅝″	90″	**RTPNM90H5( )( )**	1,709.	1,751.	1,794.	1,836.	1,924.	1,968.
	1½″	42⅝″	96″	**RTPNM96H5( )( )**	1,731.	1,775.	1,820.	1,864.	1,953.	1,998.

Order Code

Example:	**RTPNM30H5 ( )( )**
R	Reff
TP	Taskpanel
N	No tool rail
M	Monolithic
30	Width
H5	42⅝″ high
111	Trim finish
W281	Fabric selection

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Insert Finish: Fabric

Application Notes

H5 Height: Top of single high overhead to top of 1½″ thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

Tool rails are not supplied to this taskpanel.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H5 42⅝″ high
Mono, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Taskpanel , mono without tool rail	1½″	42⅝″	30″	**RTPNM30H5( )( )**	$1,405.	$905.	$891.	$997.	$1,092.	$1,350.
	1½″	42⅝″	36″	**RTPNM36H5( )( )**	1,590.	964.	948.	1,058.	1,174.	1,482.
	1½″	42⅝″	42″	**RTPNM42H5( )( )**	1,882.	1,156.	1,136.	1,250.	1,382.	1,741.
	1½″	42⅝″	48″	**RTPNM48H5( )( )**	2,059.	1,175.	1,154.	1,270.	1,420.	1,828.
	1½″	42⅝″	54″	**RTPNM54H5( )( )**	2,208.	1,199.	1,175.	1,295.	1,456.	1,914.
	1½″	42⅝″	60″	**RTPNM60H5( )( )**	2,401.	1,260.	1,233.	1,356.	1,534.	2,042.
	1½″	42⅝″	66″	**RTPNM66H5( )( )**	2,769.	1,526.	1,496.	1,623.	1,823.	2,383.
	1½″	42⅝″	72″	**RTPNM72H5( )( )**	2,920.	1,545.	1,513.	1,643.	1,859.	2,469.
	1½″	42⅝″	78″	**RTPNM78H5( )( )**	3,217.	1,710.	1,675.	1,809.	2,042.	2,701.
	1½″	42⅝″	84″	**RTPNM84H5( )( )**	3,366.	1,727.	1,690.	1,827.	2,076.	2,786.
	1½″	42⅝″	90″	**RTPNM90H5( )( )**	3,559.	1,787.	1,747.	1,888.	2,154.	2,913.
	1½″	42⅝″	96″	**RTPNM96H5( )( )**	3,710.	1,805.	1,763.	1,908.	2,190.	3,018.

Order Code

Example:	**RTPNM30H5 ( )( )**
R	Reff
TP	Taskpanel
N	No tool rail
M	Monolithic
30	Width
H5	42⅝″ high
111	Trim finish
V319	Veneer selection

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Insert Finish: G, LW, L, V1, V2, V3

Application Notes

H5 Height: Top of single high overhead to top of 1½″ thick desk height work worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

Tool rails are not supplied to this taskpanel.

All Fabric to be applied railroaded as current tackboard

Taskpanels
H5 42⅝″ high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Taskpanel , segmented With tool rail	1½″	42⅝″	30″	**RTPRS30H5( )( )( )**	$1,263.	$1,292.	$1,321.	$1,350.	$1,390.	$1,415.	$1,447.
	1½″	42⅝″	36″	**RTPRS36H5( )( )( )**	1,349.	1,385.	1,420.	1,456.	1,500.	1,526.	1,561.
	1½″	42⅝″	42″	**RTPRS42H5( )( )( )**	1,539.	1,581.	1,624.	1,666.	1,716.	1,746.	1,786.
	1½″	42⅝″	48″	**RTPRS48H5( )( )( )**	1,562.	1,607.	1,653.	1,698.	1,749.	1,779.	1,820.
	1½″	42⅝″	54″	**RTPRS54H5( )( )( )**	1,595.	1,647.	1,699.	1,751.	1,803.	1,835.	1,877.
	1½″	42⅝″	60″	**RTPRS60H5( )( )( )**	1,627.	1,686.	1,744.	1,803.	1,857.	1,889.	1,933.
	1½″	42⅝″	66″	**RTPRS66H5( )( )( )**	1,967.	2,029.	2,090.	2,152.	2,216.	2,255.	2,307.
	1½″	42⅝″	72″	**RTPRS72H5( )( )( )**	2,003.	2,071.	2,139.	2,207.	2,273.	2,313.	2,366.

Order Code

Example:	**RTPRS30H5 ( )( )( )**
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmented
30	Width
H5	42⅝″ high
111	Trim finish
W281	Fabric selection top insert
W281	Fabric selection bottom insert

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top insert finish: Fabric
3. Bottom insert finish: Fabric

Application Notes

H5 Height: Top of single high overhead to top of 1½″ thick desk height work worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard

Taskpanels
H5 42⅝″ high
Segmented With Tool rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade LW10	LW15	LW20	LW30	LW35	LW40	LW45
Taskpanel , segmented With tool rail	1½″	42⅝″	30″	**RTPRS30H5( )( )( )**	$1,301.	$1,316.	$1,330.	$1,345.	$1,385.	$1,409.	$1,442.
	1½″	42⅝″	36″	**RTPRS36H5( )( )( )**	1,383.	1,401.	1,419.	1,437.	1,480.	1,506.	1,540.
	1½″	42⅝″	42″	**RTPRS42H5( )( )( )**	1,576.	1,597.	1,618.	1,639.	1,688.	1,718.	1,757.
	1½″	42⅝″	48″	**RTPRS48H5( )( )( )**	1,608.	1,631.	1,653.	1,676.	1,726.	1,756.	1,796.
	1½″	42⅝″	54″	**RTPRS54H5( )( )( )**	1,637.	1,663.	1,689.	1,715.	1,766.	1,797.	1,838.
	1½″	42⅝″	60″	**RTPRS60H5( )( )( )**	1,673.	1,702.	1,731.	1,760.	1,813.	1,844.	1,886.
	1½″	42⅝″	66″	**RTPRS66H5( )( )( )**	2,038.	2,069.	2,100.	2,131.	2,195.	2,233.	2,284.
	1½″	42⅝″	72″	**RTPRS72H5( )( )( )**	2,077.	2,111.	2,145.	2,179.	2,244.	2,283.	2,336.

Order Code

Example:	**RTPRS30H5 ( )( )( )**
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmentated
30	Width
H5	42⅝″ high
111	Trim finish
LW	Marker board top insert
W281	Fabric selection bottom insert

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top insert finish: Marker board
3. Bottom insert finish: Fabric

Application Notes

H5 Height: Top of single high overhead to top of 1½″ thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H5 42⅝″ high
Segmented With Tool rail
Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	FAB/L	G/FORB	FAB/FORB	FAB/V1	FAB/V2	FAB/V3
Taskpanel , segmented With tool rail	1½″	42⅝″	30″	**RTPRS30H5( )( )( )**	$1,306.	$1,687.	$1,216.	$1,349.	$1,363.	$1,396.
	1½″	42⅝″	36″	**RTPRS36H5( )( )( )**	1,389.	1,881.	1,308.	1,433.	1,449.	1,489.
	1½″	42⅝″	42″	**RTPRS42H5( )( )( )**	1,579.	2,180.	1,504.	1,623.	1,642.	1,687.
	1½″	42⅝″	48″	**RTPRS48H5( )( )( )**	1,601.	2,325.	1,535.	1,680.	1,700.	1,572.
	1½″	42⅝″	54″	**RTPRS54H5( )( )( )**	1,631.	2,466.	1,574.	1,711.	1,732.	1,789.
	1½″	42⅝″	60″	**RTPRS60H5( )( )( )**	1,661.	2,607.	1,612.	1,741.	1,765.	1,828.
	1½″	42⅝″	66″	**RTPRS66H5( )( )( )**	2,034.	3,068.	1,959.	2,114.	2,140.	2,209.
	1½″	42⅝″	72″	**RTPRS72H5( )( )( )**	2,067.	3,212.	2,001.	2,148.	2,175.	2,251.
	1½″	45⅝″	78″	**RTPRS78H5( )( )( )**	2,201.	2,458.	2,144.	2,283.	2,312.	2,395.
	1½″	45⅝″	84″	**RTPRS84H5( )( )( )**	2,221.	3,599.	2,171.	2,304.	2,335.	2,424.
	1½″	45⅝″	90″	**RTPRS90H5( )( )( )**	2,252.	3,740.	2,210.	2,335.	2,367.	2,463.
	1½″	45⅝″	96″	**RTPRS96H5( )( )( )**	2,284.	3,883.	2,251.	2,368.	2,402.	2,504.

Order Code

Example:	**RTPRS30H5 ( )( )( )**
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmentated
30	Width
H5	42⅝″ high
111	Trim finish
W281	Fabric selection top insert
V319	Veneer selection bottom insert

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top insert finish: Glass or Fabric
3. Bottom insert finish: Forbo, L, V1, V2, V3

Application Notes

H5 Height: Top of single high overhead to top of 1½″ thick desk height work worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard

Taskpanels
H6 49¼″ high
Mono, Without Tool rail
Fabric

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Taskpanel , mono Without tool rail	1½″	49¼″	30″	**RTPNM30H6( )( )**	$917.	$931.	$946.	$960.	$989.	$1,006.	$1,029.
	1½″	49¼″	36″	**RTPNM36H6( )( )**	974.	992.	1,009.	1,027.	1,058.	1,076.	1,101.
	1½″	49¼″	42″	**RTPNM42H6( )( )**	1,161.	1,182.	1,204.	1,225.	1,262.	1,284.	1,313.
	1½″	49¼″	48″	**RTPNM48H6( )( )**	1,178.	1,201.	1,223.	1,246.	1,283.	1,306.	1,336.
	1½″	49¼″	54″	**RTPNM54H6( )( )**	1,198.	1,224.	1,250.	1,276.	1,314.	1,337.	1,368.
	1½″	49¼″	60″	**RTPNM60H6( )( )**	1,263.	1,292.	1,322.	1,351.	1,392.	1,416.	1,448.
	1½″	49¼″	66″	**RTPNM66H6( )( )**	1,495.	1,526.	1,556.	1,587.	1,635.	1,663.	1,701.
	1½″	49¼″	72″	**RTPNM72H6( )( )**	1,517.	1,551.	1,585.	1,619.	1,668.	1,697.	1,736.
	1½″	49¼″	78″	**RTPNM78H6( )( )**	1,686.	1,723.	1,761.	1,798.	1,852.	1,884.	1,927.
	1½″	49¼″	84	**RTPNM84H6( )( )**	1,700.	1,739.	1,778.	1,817.	1,872.	1,904.	1,948.
	1½″	49¼″	90	**RTPNM90H6( )( )**	1,764.	1,806.	1,849.	1,891.	1,948.	1,982.	2,027.
	1½″	49¼″	96″	**RTPNM96H6( )( )**	1,787.	1,832.	1,878.	1,923.	1,981.	2,015.	2,061.

Order Code

Example:	**RTPNM30H6 ( )( )**
R	Reff
TP	Taskpanel
N	No tool rail
M	Monolithic
30	Width
H6	49¼″ high
111	Trim finish
W281	Fabric selection

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Insert Finish: Fabric

Application Notes

H6 Height: Top of single high overhead to top of 1″ thick credenza top for 3/4 height cabinet or lower credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

Tool rails are not supplied to this taskpanel.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H6 49¼″ high
Mono, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Taskpanel , mono Without tool rail	1½″	49¼″	30″	**RTPNM30H6( )( )**	$1,555.	$966.	$950.	$1,059.	$1,172.	$1,472.
	1½″	49¼″	36″	**RTPNM36H6( )( )**	1,762.	1,029.	1,009.	1,122.	1,255.	1,612.
	1½″	49¼″	42″	**RTPNM42H6( )( )**	2,072.	1,193.	1,215.	1,310.	1,462.	1,878.
	1½″	49¼″	48″	**RTPNM48H6( )( )**	2,274.	1,244.	1,219.	1,340.	1,506.	1,979.

Order Code

Example:	**RTPNM30H6 ( )( )**
R	Reff
TP	Taskpanel
N	No tool rail
M	Monolithic
30	Width
H6	49¼″ high
111	Trim finish
V319	Veneer selection

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Insert Finish: G, LW, L, V1, V2, V3

Application Notes

H6 Height: Top of single high overhead to top of 1″ thick credenza top for 3/4 height cabinet or lower credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

Tool rails are not supplied to this taskpanel.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H6 49¼″ high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	10	15	20	30	35	40	45
Taskpanel , segmented With tool rail	1½″	49¼″	30″	**RTPRS30H6( )( )( )**	$1,309.	$1,338.	$1,367.	$1,396.	$1,429.	$1,463.	$1,496.
	1½″	49¼″	36″	**RTPRS36H6( )( )( )**	1,395.	1,431.	1,466.	1,502.	1,538.	1,574.	1,610.
	1½″	49¼″	42″	**RTPRS42H6( )( )( )**	1,587.	1,629.	1,671.	1,713.	1,754.	1,795.	1,836.
	1½″	49¼″	48″	**RTPRS48H6( )( )( )**	1,611.	1,656.	1,702.	1,747.	1,879.	1,831.	1,873.
	1½″	49¼″	54″	**RTPRS54H6( )( )( )**	1,644.	1,696.	1,748.	1,800.	1,843.	1,886.	1,929.
	1½″	49¼″	60″	**RTPRS60H6( )( )( )**	1,678.	1,736.	1,795.	1,853.	1,897.	1,942.	1,986.
	1½″	49¼″	66″	**RTPRS66H6( )( )( )**	2,018.	2,080.	2,141.	2,203.	2,256.	2,309.	2,361.
	1½″	49¼″	72″	**RTPRS72H6( )( )( )**	2,054.	2,122.	2,191.	2,259.	2,327.	2,367.	2,421.

Order Code

Example:	**RTPRS30H6 ( )( )( )**
R	Reff
TP	Taskpanel
N	No tool rail
S	Segmented
30	Width
H6	49¼″ high
111	Trim finish
W281	Fabric selection top
W281	Fabric selection bottom

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top insert finish: Fabric
3. Bottom insert finish: Fabric

Application Notes

H6 Height: Top of single high overhead to top of 1″ thick credenza top for 3/4 height cabinet or lower credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H6 49¼″ high
Segmented With Tool rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Taskpanel , segmented With tool rail	1½″	49¼″	30″	**RTPRS30H6( )( )( )**	$1,347.	$1,361.	$1,376.	$1,390.	$1,432.	$1,457.	$1,490.
	1½″	49¼″	36″	**RTPRS36H6( )( )( )**	1,430.	1,448.	1,465.	1,483.	1,527.	1,554.	1,590.
	1½″	49¼″	42″	**RTPRS42H6( )( )( )**	1,623.	1,644.	1,665.	1,686.	1,736.	1,767.	1,807.
	1½″	49¼″	48″	**RTPRS48H6( )( )( )**	1,657.	1,680.	1,702.	1,725.	1,777.	1,808.	1,849.
	1½″	49¼″	54″	**RTPRS54H6( )( )( )**	1,686.	1,712.	1,738.	1,764.	1,817.	1,849.	1,891.
	1½″	49¼″	60″	**RTPRS60H6( )( )( )**	1,723.	1,752.	1,782.	1,811.	1,865.	1,898.	1,941.
	1½″	49¼″	66″	**RTPRS66H6( )( )( )**	2,089.	2,120.	2,151.	2,182.	2,247.	2,287.	2,339.

Order Code

Example:	**RTPRS30H6 ( )( )( )**
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmentated
30	Width
H6	49¼″ high
111	Trim finish
LW	Marker board top insert
W281	Fabric selection bottom insert

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top insert finish: Marker board
3. Bottom insert finish: Fabric

Application Notes

H6 Height: Top of single high overhead to top of 1″ thick credenza top for 3/4 height cabinet or lower credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H6 49¼″ high
Segmented With Tool rail
Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Taskpanel , segmented With tool rail	1½″	49¼″	30″	**RTPRS30H6( )( )( )**	$1,818.	$1,347.	$1,343.	$1,408.	$1,446.	$1,519.
	1½″	49¼″	36″	**RTPRS36H6( )( )( )**	2,031.	1,457.	1,428.	1,494.	1,538.	1,626.
	1½″	49¼″	42″	**RTPRS42H6( )( )( )**	2,348.	1,672.	1,623.	1,691.	1,738.	1,839.
	1½″	49¼″	48″	**RTPRS48H6( )( )( )**	2,510.	1,720.	1,647.	1,744.	1,796.	1,913.
	1½″	49¼″	54″	**RTPRS54H6( )( )( )**	2,670.	1,777.	1,680.	1,777.	1,834.	1,964.
	1½″	49¼″	60″	**RTPRS60H6( )( )( )**	2,829.	1,834.	1,712.	1,811.	1,872.	2,015.
	1½″	49¼″	66″	**RTPRS66H6( )( )( )**	3,308.	2,199.	2,078.	2,177.	2,243.	2,402.
	1½″	49¼″	72″	**RTPRS72H6( )( )( )**	3,470.	2,259.	2,112.	2,214.	2,283.	2,456.
	1½″	49¼″	78″	**RTPRS78H6( )( )( )**	3,734.	2,420.	2,254.	2,356.	2,425.	2,611.
	1½″	49¼″	84″	**RTPRS84H6( )( )( )**	3,893.	2,466.	2,278.	2,381.	2,456.	2,657.
	1½″	49¼″	90″	**RTPRS90H6( )( )( )**	4,053.	2,522.	2,311.	2,415.	2,493.	2,708.
	1½″	49¼″	96″	**RTPRS96H6( )( )( )**	4,214.	2,581.	2,345.	2,451.	2,533.	2,762.

Order Code

Example:	**RTPRS30H6 ( )( )( )**
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmentated
30	Width
H6	49¼″ high
111	Trim finish
W281	Fabric selection top insert
V319	Veneer selection bottom insert

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top insert finish: Glass or Fabric
3. Bottom insert finish: Forbo, L, V1, V2, V3

Application Notes

H6 Height: Top of single high overhead to top of 1″ thick credenza top for 3/4 height cabinet or lower credenza.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard.

Taskpanels
H7 56 1/8″ high
Mono, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern n	glass	LW10	L	V1	V2	V3
Taskpanel , mono Without tool rail	1 ½″	56 ⅛″	30″	**RTPNM30H7( )( )**	$1,683.		$964.	$1,067.	$1,203.	$1,557.
	1 ½″	56 ⅛″	36″	**RTPNM36H7( )( )**	1,916.		1,025.	1,142.	1,291.	1,711.
	1 ½″	56 ⅛″	42″	**RTPNM42H7( )( )**	2,247.		1,219.	1,340.	1,518.	2,006.
	1 ½″	56 ⅛″	48″	**RTPNM48H7( )( )**	2,479.		1,247.	1,373.	1,566.	2,122.

Order Code

Example:	**RTPNM30H7 ( )( )**
R	Reff
TP	Taskpanel
N	No tool rail
M	Monolithic
30	Width
H7	56 1/8″ high
111	Trim finish
V319	Veneer selection

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Insert Finish: Vemeer

Application Notes

H7 Height: Top of double high overhead to top of 1 ½″ thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

Tool rails are not supplied to this taskpanel.

All Fabric to be applied railroaded as current tackboard

Taskpanels
H7 56⅛″ high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Taskpanel , segmented With tool rail	1½″	56⅛″	30″	**RTPRS30H7( )( )( )**	$1,315.	$1,344.	$1,373.	$1,402.	$1,436.	$1,469.	$1,503.
	1½″	56⅛″	36″	**RTPRS36H7( )( )( )**	1,403.	1,439.	1,474.	1,510.	1,546.	1,582.	1,619.
	1½″	56⅛″	42″	**RTPRS42H7( )( )( )**	1,595.	1,637.	1,680.	1,722.	1,763.	1,805.	1,846.
	1½″	56⅛″	48″	**RTPRS48H7( )( )( )**	1,620.	1,665.	1,711.	1,756.	1,798.	1,840.	1,882.
	1½″	56⅛″	54″	**RTPRS54H7( )( )( )**	1,655.	1,707.	1,758.	1,810.	1,853.	1,897.	1,940.
	1½″	56⅛″	60″	**RTPRS60H7( )( )( )**	1,689.	1,747.	1,806.	1,864.	1,909.	1,953.	1,998.

Order Code

Example:	**RTPRS30H7 ( )( )( )**
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmented
30	Width
H7	56⅛″ high
111	Trim finish
W281	Fabric selection top
W281	Fabric selection bottom

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top insert finish: Fabric
3. Bottom insert finish: Fabric

Application Notes

H7 Height: Top of double high overhead to top of 1½″ thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard

Taskpanels
H7 56⅛″ high
Segmented With Tool rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Taskpanel , segmented With tool rail	1½″	56⅛″	30″	**RTPRS30H7( )( )( )**	$1,378.	$1,393.	$1,407.	$1,422.	$1,456.	$1,490.	$1,524.
	1½″	56⅛″	36″	**RTPRS36H7( )( )( )**	1,472.	1,490.	1,507.	1,525.	1,562.	1,598.	1,635.
	1½″	56⅛″	42″	**RTPRS42H7( )( )( )**	1,670.	1,691.	1,713.	1,734.	1,776.	1,817.	1,859.
	1½″	56⅛″	48″	**RTPRS48H7( )( )( )**	1,701.	1,724.	1,746.	1,769.	1,811.	1,854.	1,896.

Order Code

Example:	**RTPRS30H7 ( )( )( )**
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmentated
30	Width
H7	56⅛″ high
111	Trim finish
LW	Marker board top insert
W281	Fabric selection bottom insert

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top insert finish: Marker board
3. Bottom insert finish: Fabric

Application Notes

H7 Height: Top of double high overhead to top of 1½″ thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard

Taskpanels
H7 56⅛″ high
Segmented With Tool rail
Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Taskpanel , segmented With tool rail	1½″	56⅛″	30″	**RTPRS30H7( )( )( )**	$1,965.	$1,267.	$1,357.	$1,400.	$1,415.	$1,448.
	1½″	56⅛″	36″	**RTPRS36H7( )( )( )**	2,207.	1,361.	1,443.	1,486.	1,503.	1,542.
	1½″	56⅛″	42″	**RTPRS42H7( )( )( )**	2,553.	1,560.	1,695.	1,679.	1,697.	1,743.
	1½″	56⅛″	48″	**RTPRS48H7( )( )( )**	2,745.	1,592.	1,658.	1,738.	1,758.	1,810.
	1½″	56⅛″	54″	**RTPRS54H7( )( )( )**	n/a	n/a	1,691.	1,770.	1,792.	1,849.
	1½″	56⅛″	60″	**RTPRS60H7( )( )( )**	n/a	n/a	1,723.	1,803.	1,826.	1,890.

Order Code

Example:	**RTPRS30H7 ( )( )( )**
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmentated
30	Width
H7	56⅛″ high
111	Trim finish
W281	Fabric selection top insert
V319	Veneer selection bottom insert

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top insert finish: Glass or Fabric
3. Bottom insert finish: Forbo, L, V1, V2, V3

Application Notes

H7 Height: Top of double high overhead to top of 1½″ thick desk height worksurface.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard

Taskpanels
H8 62¾″ high
Mono, Without Tool rail
Wood, Laminate, Marker board or Glass Inserts

description	th	h	w	pattern no.	glass	LW	L	V1	V2	V3
Taskpanel , mono Without tool rail	1½″	62¾″	30″	**RTPNM30H8( )( )**	$1,969.	$1,184.	$1,164.	$1,279.	$1,420.	$1,804.
	1½″	62¾″	36″	**RTPNM36H8( )( )**	2,227.	1,253.	1,229.	1,348.	1,509.	1,966.
	1½″	62¾″	42″	**RTPNM42H8( )( )**	2,579.	1,452.	1,424.	1,549.	1,739.	2,270.
	1½″	62¾″	48″	**RTPNM48H8( )( )**	2,841.	1,479.	1,447.	1,578.	1,793.	2,399.

Order Code

Example:	**RTPNM30H8 ( )( )**
R	Reff
TP	Taskpanel
N	No tool rail
M	Monolithic
30	Width
H8	62¾″ high
111	Trim finish
V319	Veneer selection

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Insert Finish: G, LW, L, V1, V2, V3

Application Notes

H8 Height: Top of double high overhead to top of 1″ thick credenza top for 3/4 height cabinet.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

Tool rails are not supplied to this taskpanel.

All Fabric to be applied railroaded as current tackboard

Taskpanels
H8 62¾″ high
Segmented With Tool rail
Fabric Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Taskpanel , segmented With tool rail	1½″	62¾″	30″	**RTPRS30H8( )( )( )**	$1,478.	$1,507.	$1,537.	$1,566.	$1,613.	$1,641.	$1,679.
	1½″	62¾″	36″	**RTPRS36H8( )( )( )**	1,567.	1,603.	1,638.	1,674.	1,724.	1,754.	1,795.
	1½″	62¾″	42″	**RTPRS42H8( )( )( )**	1,760.	1,802.	1,845.	1,887.	1,944.	1,978.	2,023.
	1½″	62¾″	48″	**RTPRS48H8( )( )( )**	1,786.	1,831.	1,877.	1,922.	1,980.	2,014.	2,060.
	1½″	62¾″	54″	**RTPRS54H8( )( )( )**	1,822.	1,874.	1,925.	1,977.	2,036.	2,072.	2,119.
	1½″	62¾″	60″	**RTPRS60H8( )( )( )**	1,857.	1,915.	1,974.	2,032.	2,093.	2,130.	2,178.
	1½″	62¾″	66″	**RTPRS66H8( )( )( )**	2,200.	2,262.	2,323.	2,385.	2,457.	2,499.	2,557.
	1½″	62¾″	72″	**RTPRS72H8( )( )( )**	2,240.	3,202.	2,363.	2,425.	2,498.	2,541.	2,600.

Order Code

Example:	**RTPRS30H8 ( )( )( )**
R	Reff
TP	Taskpanel
N	No tool rail
M	Monolithic
30	Width
H8	62¾″ high
111	Trim finish
W281	Fabric selection top
W281	Fabric selection bottom

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top insert finish: Fabric
3. Bottom insert finish: Fabric

Application Notes

H8 Height: Top of double high overhead to top of 1″ thick credenza top for 3/4 height cabinet.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard

Taskpanels
H8 62¾″ high
Segmented With Tool rail
Marker board Insert Above / Fabric Insert Below

description	th	h	w	pattern no.	LW10	LW15	LW20	LW30	LW35	LW40	LW45
Taskpanel , segmented With tool rail	1½″	62¾″	30″	**RTPRS30H8( )( )( )**	$1,541.	$1,556.	$1,570.	$1,585.	$1,623.	$1,661.	$1,699.
	1½″	62¾″	36″	**RTPRS36H8( )( )( )**	1,636.	1,654.	1,671.	1,689.	1,730.	1,770.	1,811.
	1½″	62¾″	42″	**RTPRS42H8( )( )( )**	1,836.	1,857.	1,878.	1,899.	1,945.	1,990.	2,036.
	1½″	62¾″	48″	**RTPRS48H8( )( )( )**	1,867.	1,890.	1,912.	1,935.	1,981.	2,028.	2,074.

Order Code

Example:	**RTPRS30H8 ( )( )( )**
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmentated
30	Width
H8	62¾″ high
111	Trim finish
LW	Marker board top insert
W281	Fabric selection bottom insert

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top insert finish: Marker board
3. Bottom insert finish: Fabric

Application Notes

H8 Height: Top of double high overhead to top of 1″ thick credenza top for 3/4 height cabinet.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard

Taskpanels
H8 62¾″ high
Segmented With Tool rail
Glass or Fabric Insert Above / Forbo, Laminate or Wood Below

description	th	h	w	pattern no.	G/FORB	FAB/FORB	FAB/L	FAB/V1	FAB/V2	FAB/V3
Taskpanel , segmented With tool rail	1½″	62¾″	30″	**RTPRS30H8( )( )( )**	$2,214.	$1,517.	$1,512.	$1,578.	$1,616.	$1,688.
	1½″	62¾″	36″	**RTPRS36H8( )( )( )**	2,474.	1,628.	1,600.	1,666.	1,709.	1,797.
	1½″	62¾″	42″	**RTPRS42H8( )( )( )**	2,838.	1,845.	1,797.	1,864.	1,911.	2,013.
	1½″	62¾″	48″	**RTPRS48H8( )( )( )**	3,048.	1,896.	1,823.	1,919.	1,972.	2,088.
	1½″	62¾″	54″	**RTPRS54H8( )( )( )**	3,255.	1,955.	1,885.	1,955.	2,012.	2,142.
	1½″	62¾″	60″	**RTPRS60H8( )( )( )**	3,461.	2,013.	1,892.	1,990.	2,051.	2,195.

Order Code

Example:	**RTPRS30H8 ( )( )( )**
R	Reff
TP	Taskpanel
R	Tool rail
S	Segmentated
30	Width
H8	62¾″ high
111	Trim finish
W281	Fabric selection top insert
V319	Veneer selection bottom insert

Specification Information

To order please specify pattern number including;

1. Trim Finish: Painted or Plated
2. Top insert finish: Glass or Fabric
3. Bottom insert finish: Forbo, L, V1, V2, V3

Application Notes

H8 Height: Top of double high overhead to top of 1″ thick credenza top for 3/4 height cabinet.

Always supplied including cable curtain.

Always supplied including all trim pieces.

LH & RH side full height trims. (no hi-lo trims)

All trims supplied with the same finish specification.

All Fabric to be applied railroaded as current tackboard

Tackboards
H1 23⅛″ high
Wall hung, fabric

description	th	h	w	pattern no.	grade 10	15	20	30	35	40	45
Taskboard , wall hung	¾″	23⅛″	30″	**RWHDHTB30H1( )**	$240.	$253.	$267.	$280.	$287.	$293.	$300.
	¾″	23⅛″	36″	**RWHDHTB36H1( )**	249.	264.	278.	293.	300.	308.	315.
	¾″	23⅛″	42″	**RWHDHTB42H1( )**	267.	284.	302.	319.	328.	336.	345.
	¾″	23⅛″	48″	**RWHDHTB48H1( )**	284.	304.	324.	344.	354.	365.	375.
	¾″	23⅛″	54″	**RWHDHTB54H1( )**	293.	314.	336.	357.	368.	378.	389.
	¾″	23⅛″	60″	**RWHDHTB60H1( )**	311.	335.	359.	383.	395.	407.	419.
	¾″	23⅛″	66″	**RWHDHTB66H1( )**	320.	345.	371.	396.	409.	421.	434.
	¾″	23⅛″	72″	**RWHDHTB72H1( )**	337.	365.	393.	421.	435.	450.	464.
	¾″	23⅛″	78″	**RWHDHTB78H1( )**	355.	386.	416.	447.	462.	478.	493.
	¾″	23⅛″	84″	**RWHDHTB84H1( )**	373.	406.	440.	473.	490.	506.	523.
	¾″	23⅛″	90″	**RWHDHTB90H1( )**	381.	416.	451.	486.	504.	521.	539.
	¾″	23⅛″	96″	**RWHDHTB96H1( )**	399.	436.	474.	511.	530.	548.	567.

Order Code

Example:	**RWHDHTB30H1 ( )**
R	Reff
WH	Wall hung
DH	Desk height planning
TB	Tackboard
30	Width
H1	23⅛″ high
W281	Fabric selection

Specification Information

To order please specify pattern number including;

1. Finish: Fabric

Application Notes

H1 Height: Underside of overhead to top 1½″ thick desk height worksurface.

Reff Original finish options

Non-Wood Finishes **Finishes**	*Panel Tiles, Tops & Components*	*Panel Top Trims Window Frames*	*Panel Base Side Plates*	*Panel Beltway Side Plates**	*Leg and Bases*	*Interaction Style Legs*	*Handles*	*Grommets*
Black	LG	LG	LG	LG	LG	LG	LG	LG
Dark grey	n/a	DG	DG	DG	DG	DG	n/a	DG
Medium grey	n/a	OI	OI	OI	OI	OI	n/a	OI
Charcoal grey	LD	LD	LD	LD	LD	LD	n/a	LD
Folkstone grey	LA	LA	LA	LA	LA	LA	n/a	LA
Oyster grey	LC	LC	LC	LC	LC	LC	n/a	LC
Pumice	LB	LB	LB	LB	LB	LB	n/a	LB
Willow grey	LE	LE	LE	LE	LE	LE	n/a	LE
Dark grey (metallic)	n/a	n/a	n/a	n/a	n/a	n/a	V	n/a
Medium grey (metallic)	n/a	n/a	n/a	n/a	n/a	n/a	J	n/a
Silver (metallic)	n/a	HPF	HPF	HPF	HPF	HPF	HPF	HPF
White	LH	LH	LH	LH	LH	LH	LH	LH
Plated Finishes								
Satin brass	n/a	n/a	PZ	n/a	PZ	n/a	PZ	PZ
Brushed pewter	n/a	n/a	PT	n/a	PT	n/a	PT	PT
Polished chrome	n/a	n/a	PD	n/a	PD	n/a	n/a	PD
Currents Finishes								
White	n/a	B	B	B	B	B	B	B
Metallic flint	n/a	2	2	2	2	2	2	2
Light metallic grey	n/a	U	U	U	U	U	U	U
Medium metallic grey	n/a	J	J	J	J	J	J	J
Dark metallic grey	n/a	V	V	V	V	V	V	V
Metallic beige	n/a	H	H	H	H	H	H	H
Light metallic tan	n/a	W	W	W	W	W	W	W
Soft grey	n/a	E	E	E	E	E	E	E
Medium Grey	n/a	Y2	Y2	Y2	Y2	Y2	Y2	Y2

n/a = not applicable

***Beltway side plates not available in Satin brass, Brushed pewter or Polished chrome.**

Wall Mounting Suggestions

The following information is provided only as a guide, and represents minimum recommendations only. Knoll does not accept responsibility for the attachment of any Knoll product to a Customer's site wall. Wall specification/construction is the responsibility of the Customer and its structural engineer/architect. Failure to properly attach Knoll products to adequate wall structures can lead to property damage and/or personal injury.

You should consult your own structural engineers and/or architects and must not rely on the information provided herein.

It is the responsibility of the Customer and its structural engineers/architects to verify that the permanent structural walls (studs, blocks, solid masonry, etc.) on which the Knoll products are intended to be mounted are designed appropriately to support the product weight, PLUS 3 lbs. per linear inch for each useable shelf length

NOTE: A cabinet's top is considered a "useable shelf" and MUST be included in the calculation of the total load for an overhead cabinet.

It is the responsibility of the Customer and its structural engineer/architects to specify the fasteners and method for attaching the Knoll supplied wall mounting cleat, bracket, frame, etc. to the supporting wall and to confirm that the installers have adhered to these specifications. For all local building standards and codes, and additional requirements (including, but not limited to, seismic conditions) the Customer should always consult local code agencies.

		EXISTING CONSTRUCTION				
	NEW CONSTRUCTION	**Cinder Block or Poured Concrete Masonry Wall**	**Wood Stud Wall, the studs being FULL HEIGHT to the roof/floor above**	**Wood Stud Wall, the studs being only Ceiling Height**	**Steel Stud Wall, the studs being FULL HEIGHT to the roof/floor above**	**Steel Stud Wall, the studs being only Ceiling Height**
Stud Specification	Wood studs, grade #2 or better, 3 1/2" minimum width, **OR** Metal studs, minimum 25 gage thickness, 3 5/8" minimum width	The wall must be a minimum of 6" thick, and must be full height to the roof/ floor structure above	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Wood studs must be Grade #2, or better, 3 1/2" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width	Metal studs must be minimum 25 gage thickness, 3 5/8" minimum width
Stud Centers	Metal and wood studs must be spaced at 16" c/c maximum	N/A	Wood studs must be spaced at 16" c/c maximum	Wood studs must be spaced at 16"" c/c maximum"	Metal studs must be spaced at 16" c/c maximum	Metal studs must be spaced at 16" c/c maximum
Stud Height	Metal and wood studs must extend upwards, and be securely attached to the roof/ floor structure above			Wood studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix #2 grade 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof/ floor structure above		Metal studs must be braced above the ceiling, and be securely attached to the roof/floor structure above Affix metal bracing 'cap' across the top of the studs, then place diagonal studs from the top cap up to underside of the roof / floor structure above
Mounting the Knoll Supplied Cleat, Bracket, Frame, etc*	Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the studs to accommodate the full width of the cabinet, **and beyond to the next stud.** Fasten the wood block to each stud using three screws at the ends of each block. (Fasten the Danback™ as directed by the manufacturer) Fasten the Knoll supplied wall mounting cleat, bracket, frame, etc directly to each wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	Fasten the Knoll supplied cabinet wall mounting cleat, bracket, frame, etc. directly to the masonry wall every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wall every 6", and fasten the lower horizontal element to the wall every 16"	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, **and beyond to the next stud.** Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, **and beyond to the next stud.** Insert a 2" X 6" wood block, #2 grade or better, horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, **and beyond to the next stud.** Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.	In the desired location of the cabinet mounting rail, remove an 8" high section of drywall the width of the cabinet, **and beyond to the next stud.** Insert a 2" X 6" wood block, #2 grade or better, [or a Danback™ flexible wood backing system] horizontally between each of the exposed studs. Fasten the wood block to each stud using three screws at the ends of each block. Replace the drywall and repair as desired. Fasten the Knoll supplied wall mounting cleat, rail, frame, etc directly to the wood block every 6" For wall mounting structures that have a rectangular frame-like configuration: fasten the top horizontal element of the frame to the wood blocking every 6", and fasten the lower horizontal element to each wall stud, using one fastener per stud.
***Graham Wall Hung Shelf**	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	Fasten the Knoll supplied wall mounting brackets directly to the masonry wall, using the holes provided in each bracket	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above	The Graham Wall Hung Shelf Bracket (and others like it) requires full support behind the full height of the bracket This should be accomplished by insertion of additional 2"X 6" wood blocking between the studs as defined above
Fasten the Knoll supplied wall cleat with...	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	3/16" x 3 1/2" Tapcon Masonry Screws or equiv. @ 6" c/c with 1-1/4" embedment, screwed directly into the masonry wall	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking	#10 x 2 1/2" Grabber Woodys Screws or equiv. @ 6" c/c, screwed directly into the wood blocking

Alpha-Numeric Index

pattern no.	page
ASBC18 (L/R)	228
ASBC24 (L/R)	228
KRR2CAPEND	401
KRR2CAPL	401
KRR2CAPSTRAIGHT	401
KRR2CAPT	401
KRR2CAPX	401
KRR3CAPEND	401
KRR3CAPL	401
KRR3CAPSTRAIGHT	401
KRR3CAPT	401
KRR3CAPX	401
ML3L193M	381
ML3L196M	381
ML3L199M	381
ML3L3712M	381
ML3L3718M	381
ML3L376M	381
MWM-J	380
R113B	230
R234PKIT	116
R2AETK34	79
R2AETK42	79
R2AETK49	79
R2AETK64	79
R2AETK79	79
R2AHBW18	81
R2AHBW20	81
R2AHBW24	81
R2AHBW30	81
R2AHBW36	81
R2AHBW42	81
R2AHBW48	81
R2AHCR34	80
R2AHCR42	80
R2AHCR49	80
R2AHCR64	80
R2AHCR79	80
R2AHSR18	82
R2AHSR20	82
R2AHSR24	82
R2AHSR30	82
R2AHSR36	82
R2AHSR42	82
R2AHSR48	82
R2AHTR18	80
R2AHTR20	80
R2AHTR24	80
R2AHTR30	80
R2AHTR36	80
R2AHTR42	80
R2AHTR48	80
R2AHWR18	81
R2AHWR20	81
R2AHWR24	81
R2AHWR30	81
R2AHWR36	81
R2AHWR42	81
R2AHWR48	81
R2AK	116
R2ALPK34	79
R2ALPK42	79
R2ALPK49	79
R2ALPK64	79
R2ALPK79	79
R2APT3418	76
R2APT3420	76
R2APT3424	76
R2APT3430	76
R2APT3436	76
R2APT3442	76
R2APT3448	76
R2APT4218	76
R2APT4220	76
R2APT4224	76
R2APT4230	76
R2APT4236	76
R2APT4242	76
R2APT4248	76
R2APT4918	77
R2APT4920	77
R2APT4924	77
R2APT4930	77
R2APT4936	77
R2APT4942	77
R2APT4948	77
R2APT6418	77
R2APT6420	77
R2APT6424	77
R2APT6430	77
R2APT6436	77
R2APT6442	77
R2APT6448	77
R2APT7918	78
R2APT7920	78
R2APT7924	78
R2APT7930	78
R2APT7936	78
R2APT7942	78
R2APT7948	78
R2ATPK34	78
R2ATPK42	78
R2ATPK49	78
R2ATPK64	78
R2ATPK79	78
R2B0TWA34 18	44
R2B0TWA34 20	44
R2B0TWA34 24	44
R2B0TWA34 30	44
R2B0TWA34 36	44
R2B0TWA34 42	44
R2B0TWA34 48	44
R2B0TWB34 30	44
R2B0TWB34 36	44
R2B0TWB34 42	44
R2B0TWB34 48	44
R2B0TWC34 18	44
R2B0TWC34 20	44
R2B0TWC34 24	44
R2B0TWC34 30	44
R2B0TWC34 36	44
R2B0TWC34 42	44
R2B0TWC34 48	44
R2CG	116
R2DLS7936	115
R2DLS7942	115
R2DRS7936	115
R2DRS7942	115
R2ES34(A/B/C/E)(4/6)(E/N)	109
R2ES42(A/B/C/E)(4/6)(E/N)	109
R2ES49(A/B/C/E)(4/6)(E/N)	109
R2ES64(A/B/C/E)(4/6)(E/N)	109
R2ES79(A/B/C/E)(4/6)(E/N)	109
R2HK0008	401
R2HK0015	401
R2HK0034	401
R2HK0042	401
R2HK0049	401
R2HK0064	401
R2HK0079	401
R2HKB042	401
R2HKB049	401
R2HKB064	401
R2HKB079	401
R2HL3442ES(A/B/C/E)	109
R2HL3442(F)CS	110
R2HL3449ES(A/B/C/E)	109
R2HL3449(F)CS	110
R2HL3464ES(A/B/C/E)	109
R2HL3464(F/T)CS	110
R2HL3479ES(A/B/C/E)	109
R2HL3479(F/T)CS	110
R2HL4249ES(A/B/C/E)	109
R2HL4249ETS(A/B/C/E)	110
R2HL4249(F)CS	110
R2HL4264ES(A/B/C/E)	109
R2HL4264ETS(A/B/C/E)	110
R2HL4264(F/T)CS	110
R2HL4279ES(A/B/C/E)	109
R2HL4279ETS(A/B/C/E)	110
R2HL4279(F/T)CS	110
R2HL4964ES(A/B/C/E)	109
R2HL4964(F)CS	110
R2HL4979ES(A/B/C/E)	109
R2HL4979(F/T)CS	110
R2HL6479ES(A/B/C/E)	109
R2HL6479(F)CS	110
R2L42C(F/T)(F/T)-(4/6)	111
R2L49C(F/T)(F/T)-(4/6)	111
R2L64C(F/T)(F/T)-(4/6)	111
R2L79C(F/T)(F/T)-(4/6)	111
R2S42C(F/T)(F/T)-(4/6)	111
R2S49C(F/T)(F/T)-(4/6)	111
R2S64C(F/T)(F/T)-(4/6)	111
R2S79C(F/T)(F/T)-(4/6)	111
R2SWS0008	113
R2SWS0015	113
R2SWS0034	113
R2SWS0042	113
R2SWS0049	113
R2SWS0064	113
R2SWS0079	113
R2T42C(F/T)-(4/6)	111
R2T49C(F/T)-(4/6)	111
R2T64C(F/T)-(4/6)	111
R2T79C(F/T)-(4/6)	111
R2X42C	111
R2X49C	111
R2X64C	111
R2X79C	111
R3120Y34	108
R3120Y42	108
R3120Y49	108
R3120Y64	108
R3120Y79	108
R3135V34F	107
R3135V34T	107
R3135V42F	107
R3135V42T	107
R3135V49F	107
R3135V49T	107
R3135V64F	107
R3135V64T	107
R3135V79F	107
R3135V79T	107
R334PKIT	116
R3AK	116
R3B0PAA42 18	15
R3B0PAA42 20	15
R3B0PAA42 24	15
R3B0PAA42 30	15
R3B0PAA42 36	15
R3B0PAA42 42	15
R3B0PAA42 48	15
R3B0PAA42 60	15
R3B0PAA42 66	15
R3B0PAA42 72	15
R3B0PAA49 18	22
R3B0PAA49 20	22
R3B0PAA49 24	22
R3B0PAA49 30	22
R3B0PAA49 36	22
R3B0PAA49 42	22
R3B0PAA49 48	22
R3B0PAA49 60	22
R3B0PAA49 66	22
R3B0PAA49 72	22
R3B0PAA64 18	29
R3B0PAA64 20	29
R3B0PAA64 24	29
R3B0PAA64 30	29
R3B0PAA64 36	29
R3B0PAA64 42	29
R3B0PAA64 48	29
R3B0PAA64 60	29
R3B0PAA64 66	29
R3B0PAA64 72	29
R3B0PAA79 18	36
R3B0PAA79 20	36
R3B0PAA79 24	36
R3B0PAA79 30	36
R3B0PAA79 36	36
R3B0PAA79 42	36
R3B0PAA79 48	36

pattern no.	*page*
R3B0PAA79 60	36
R3B0PAA79 66	36
R3B0PAA79 72	36
R3B0PF134 18	11
R3B0PF134 20	11
R3B0PF134 24	11
R3B0PF134 30	11
R3B0PF134 36	11
R3B0PF134 42	11
R3B0PF134 48	11
R3B0PF142 18	18
R3B0PF142 20	18
R3B0PF142 24	18
R3B0PF142 30	18
R3B0PF142 36	18
R3B0PF142 42	18
R3B0PF142 48	18
R3B0PF142 60	18
R3B0PF142 66	18
R3B0PF142 72	18
R3B0PF149 18	25
R3B0PF149 20	25
R3B0PF149 24	25
R3B0PF149 30	25
R3B0PF149 36	25
R3B0PF149 42	25
R3B0PF149 48	25
R3B0PF149 60	25
R3B0PF149 66	25
R3B0PF149 72	25
R3B0PF164 18	32
R3B0PF164 20	32
R3B0PF164 24	32
R3B0PF164 30	32
R3B0PF164 36	32
R3B0PF164 42	32
R3B0PF164 48	32
R3B0PF164 60	32
R3B0PF164 66	32
R3B0PF164 72	32
R3B0PF179 18	39
R3B0PF179 20	39
R3B0PF179 24	39
R3B0PF179 30	39
R3B0PF179 36	39
R3B0PF179 42	39
R3B0PF179 48	39
R3B0PF179 60	39
R3B0PF179 66	39
R3B0PF179 72	39
R3B0PF234 18	12
R3B0PF234 20	12
R3B0PF234 24	12
R3B0PF234 30	12
R3B0PF234 36	12
R3B0PF234 42	12
R3B0PF234 48	12
R3B0PF242 18	19
R3B0PF242 20	19
R3B0PF242 24	19
R3B0PF242 30	19
R3B0PF242 36	19
R3B0PF242 42	19
R3B0PF242 48	19
R3B0PF242 60	19
R3B0PF242 66	19
R3B0PF242 72	19
R3B0PF249 18	26
R3B0PF249 20	26
R3B0PF249 24	26
R3B0PF249 30	26
R3B0PF249 36	26
R3B0PF249 42	26
R3B0PF249 48	26
R3B0PF249 60	26
R3B0PF249 66	26
R3B0PF249 72	26
R3B0PF264 18	33
R3B0PF264 20	33
R3B0PF264 24	33
R3B0PF264 30	33
R3B0PF264 36	33
R3B0PF264 42	33
R3B0PF264 48	33
R3B0PF264 60	33
R3B0PF264 66	33
R3B0PF264 72	33
R3B0PF279 18	40
R3B0PF279 20	40
R3B0PF279 24	40
R3B0PF279 30	40
R3B0PF279 36	40
R3B0PF279 42	40
R3B0PF279 48	40
R3B0PF279 60	40
R3B0PF279 66	40
R3B0PF279 72	40
R3B0PF334 18	13
R3B0PF334 20	13
R3B0PF334 24	13
R3B0PF334 30	13
R3B0PF334 36	13
R3B0PF334 42	13
R3B0PF334 48	13
R3B0PF342 18	20
R3B0PF342 20	20
R3B0PF342 24	20
R3B0PF342 30	20
R3B0PF342 36	20
R3B0PF342 42	20
R3B0PF342 48	20
R3B0PF342 60	20
R3B0PF342 66	20
R3B0PF342 72	20
R3B0PF349 18	27
R3B0PF349 20	27
R3B0PF349 24	27
R3B0PF349 30	27
R3B0PF349 36	27
R3B0PF349 42	27
R3B0PF349 48	27
R3B0PF349 60	27
R3B0PF349 66	27
R3B0PF349 72	27
R3B0PF364 18	34
R3B0PF364 20	34
R3B0PF364 24	34
R3B0PF364 30	34
R3B0PF364 36	34
R3B0PF364 42	34
R3B0PF364 48	34
R3B0PF364 60	34
R3B0PF364 66	34
R3B0PF364 72	34
R3B0PF379 18	41
R3B0PF379 20	41
R3B0PF379 24	41
R3B0PF379 30	41
R3B0PF379 36	41
R3B0PF379 42	41
R3B0PF379 48	41
R3B0PF379 60	41
R3B0PF379 66	41
R3B0PF379 72	41
R3B0PFF34 18	9
R3B0PFF34 20	9
R3B0PFF34 24	9
R3B0PFF34 30	9
R3B0PFF34 36	9
R3B0PFF34 42	9
R3B0PFF34 48	9
R3B0PFF42 18	15
R3B0PFF42 20	15
R3B0PFF42 24	15
R3B0PFF42 30	15
R3B0PFF42 36	15
R3B0PFF42 42	15
R3B0PFF42 48	15
R3B0PFF42 60	15
R3B0PFF42 66	15
R3B0PFF42 72	15
R3B0PFF49 18	22
R3B0PFF49 20	22
R3B0PFF49 24	22
R3B0PFF49 30	22
R3B0PFF49 36	22
R3B0PFF49 42	22
R3B0PFF49 48	22
R3B0PFF49 60	22
R3B0PFF49 66	22
R3B0PFF49 72	22
R3B0PFF64 18	29
R3B0PFF64 20	29
R3B0PFF64 24	29
R3B0PFF64 30	29
R3B0PFF64 36	29
R3B0PFF64 42	29
R3B0PFF64 48	29
R3B0PFF64 60	29
R3B0PFF64 66	29
R3B0PFF64 72	29
R3B0PFF79 18	36
R3B0PFF79 20	36
R3B0PFF79 24	36
R3B0PFF79 30	36
R3B0PFF79 36	36
R3B0PFF79 42	36
R3B0PFF79 48	36
R3B0PFF79 60	36
R3B0PFF79 66	36
R3B0PFF79 72	36
R3B0PFL34 18	10
R3B0PFL34 20	10
R3B0PFL34 24	10
R3B0PFL34 30	10
R3B0PFL34 36	10
R3B0PFL34 42	10
R3B0PFL34 48	10
R3B0PFL42 18	17
R3B0PFL42 20	17
R3B0PFL42 24	17
R3B0PFL42 30	17
R3B0PFL42 36	17
R3B0PFL42 42	17
R3B0PFL42 48	17
R3B0PFL42 60	17
R3B0PFL42 66	17
R3B0PFL42 72	17
R3B0PFL49 18	24
R3B0PFL49 20	24
R3B0PFL49 24	24
R3B0PFL49 30	24
R3B0PFL49 36	24
R3B0PFL49 42	24
R3B0PFL49 48	24
R3B0PFL49 60	24
R3B0PFL49 66	24
R3B0PFL49 72	24
R3B0PFL64 18	31
R3B0PFL64 20	31
R3B0PFL64 24	31
R3B0PFL64 30	31
R3B0PFL64 36	31
R3B0PFL64 42	31
R3B0PFL64 48	31
R3B0PFL64 60	31
R3B0PFL64 66	31
R3B0PFL64 72	31
R3B0PFL79 18	38
R3B0PFL79 20	38
R3B0PFL79 24	38
R3B0PFL79 30	38
R3B0PFL79 36	38
R3B0PFL79 42	38
R3B0PFL79 48	38
R3B0PFL79 60	38
R3B0PFL79 66	38
R3B0PFL79 72	38
R3B0PLL3418	14
R3B0PLL3420	14
R3B0PLL3424	14
R3B0PLL3430	14
R3B0PLL3436	14
R3B0PLL3442	14
R3B0PLL3448	14
R3B0PLL4218	21
R3B0PLL4220	21
R3B0PLL4224	21
R3B0PLL4230	21
R3B0PLL4236	21
R3B0PLL4242	21
R3B0PLL4248	21
R3B0PLL4260	21
R3B0PLL4266	21
R3B0PLL4272	21
R3B0PLL4918	28
R3B0PLL4920	28
R3B0PLL4924	28
R3B0PLL4930	28
R3B0PLL4936	28

pattern no.	*page*
R3B0PLL4942	28
R3B0PLL4948	28
R3B0PLL4960	28
R3B0PLL4966	28
R3B0PLL4972	28
R3B0PLL6418	35
R3B0PLL6420	35
R3B0PLL6424	35
R3B0PLL6430	35
R3B0PLL6436	35
R3B0PLL6442	35
R3B0PLL6448	35
R3B0PLL6460	35
R3B0PLL6466	35
R3B0PLL6472	35
R3B0PLL7918	42
R3B0PLL7920	42
R3B0PLL7924	42
R3B0PLL7930	42
R3B0PLL7936	42
R3B0PLL7942	42
R3B0PLL7948	42
R3B0PLL7960	42
R3B0PLL7966	42
R3B0PLL7972	42
R3B0TAA42 18	48
R3B0TAA42 20	48
R3B0TAA42 24	48
R3B0TAA42 30	48
R3B0TAA42 36	48
R3B0TAA42 42	48
R3B0TAA42 48	48
R3B0TAA49 18	55
R3B0TAA49 20	55
R3B0TAA49 24	55
R3B0TAA49 30	55
R3B0TAA49 36	55
R3B0TAA49 42	55
R3B0TAA49 48	55
R3B0TAA64 18	62
R3B0TAA64 20	62
R3B0TAA64 24	62
R3B0TAA64 30	62
R3B0TAA64 36	62
R3B0TAA64 42	62
R3B0TAA64 48	62
R3B0TAA79 18	69
R3B0TAA79 20	69
R3B0TAA79 24	69
R3B0TAA79 30	69
R3B0TAA79 36	69
R3B0TAA79 42	69
R3B0TAA79 48	69
R3B0TF134 18	45
R3B0TF134 20	45
R3B0TF134 24	45
R3B0TF134 30	45
R3B0TF134 36	45
R3B0TF134 42	45
R3B0TF134 48	45
R3B0TF142 18	51
R3B0TF142 20	51
R3B0TF142 24	51
R3B0TF142 30	51
R3B0TF142 36	51
R3B0TF142 42	51
R3B0TF142 48	51
R3B0TF149 18	58
R3B0TF149 20	58
R3B0TF149 24	58
R3B0TF149 30	58
R3B0TF149 36	58
R3B0TF149 42	58
R3B0TF149 48	58
R3B0TF164 18	65
R3B0TF164 20	65
R3B0TF164 24	65
R3B0TF164 30	65
R3B0TF164 36	65
R3B0TF164 42	65
R3B0TF164 48	65
R3B0TF179 18	72
R3B0TF179 20	72
R3B0TF179 24	72
R3B0TF179 30	72
R3B0TF179 36	72
R3B0TF179 42	72
R3B0TF179 48	72
R3B0TF234 18	46
R3B0TF234 20	46
R3B0TF234 24	46
R3B0TF234 30	46
R3B0TF234 36	46
R3B0TF234 42	46
R3B0TF234 48	46
R3B0TF242 18	52
R3B0TF242 20	52
R3B0TF242 24	52
R3B0TF242 30	52
R3B0TF242 36	52
R3B0TF242 42	52
R3B0TF242 48	52
R3B0TF249 18	59
R3B0TF249 20	59
R3B0TF249 24	59
R3B0TF249 30	59
R3B0TF249 36	59
R3B0TF249 42	59
R3B0TF249 48	59
R3B0TF264 18	66
R3B0TF264 20	66
R3B0TF264 24	66
R3B0TF264 30	66
R3B0TF264 36	66
R3B0TF264 42	66
R3B0TF264 48	66
R3B0TF279 18	73
R3B0TF279 20	73
R3B0TF279 24	73
R3B0TF279 30	73
R3B0TF279 36	73
R3B0TF279 42	73
R3B0TF279 48	73
R3B0TF334 18	46
R3B0TF334 20	46
R3B0TF334 24	46
R3B0TF334 30	46
R3B0TF334 36	46
R3B0TF334 42	46
R3B0TF334 48	46
R3B0TF342 18	53
R3B0TF342 20	53
R3B0TF342 24	53
R3B0TF342 30	53
R3B0TF342 36	53
R3B0TF342 42	53
R3B0TF342 48	53
R3B0TF349 18	60
R3B0TF349 20	60
R3B0TF349 24	60
R3B0TF349 30	60
R3B0TF349 36	60
R3B0TF349 42	60
R3B0TF349 48	60
R3B0TF364 18	67
R3B0TF364 20	67
R3B0TF364 24	67
R3B0TF364 30	67
R3B0TF364 36	67
R3B0TF364 42	67
R3B0TF364 48	67
R3B0TF379 18	74
R3B0TF379 20	74
R3B0TF379 24	74
R3B0TF379 30	74
R3B0TF379 36	74
R3B0TF379 42	74
R3B0TF379 48	74
R3B0TFF34 18	43
R3B0TFF34 20	43
R3B0TFF34 24	43
R3B0TFF34 30	43
R3B0TFF34 36	43
R3B0TFF34 42	43
R3B0TFF34 48	43
R3B0TFF42 18	48
R3B0TFF42 20	48
R3B0TFF42 24	48
R3B0TFF42 30	48
R3B0TFF42 36	48
R3B0TFF42 42	48
R3B0TFF42 48	48
R3B0TFF49 18	55
R3B0TFF49 20	55
R3B0TFF49 24	55
R3B0TFF49 30	55
R3B0TFF49 36	55
R3B0TFF49 42	55
R3B0TFF49 48	55
R3B0TFF64 18	62
R3B0TFF64 20	62
R3B0TFF64 24	62
R3B0TFF64 30	62
R3B0TFF64 36	62
R3B0TFF64 42	62
R3B0TFF64 48	62
R3B0TFF79 18	69
R3B0TFF79 20	69
R3B0TFF79 24	69
R3B0TFF79 30	69
R3B0TFF79 36	69
R3B0TFF79 42	69
R3B0TFF79 48	69
R3B0TFL34 18	45
R3B0TFL34 20	45
R3B0TFL34 24	45
R3B0TFL34 30	45
R3B0TFL34 36	45
R3B0TFL34 42	45
R3B0TFL34 48	45
R3B0TFL42 18	50
R3B0TFL42 20	50
R3B0TFL42 24	50
R3B0TFL42 30	50
R3B0TFL42 36	50
R3B0TFL42 42	50
R3B0TFL42 48	50
R3B0TFL49 18	57
R3B0TFL49 20	57
R3B0TFL49 24	57
R3B0TFL49 30	57
R3B0TFL49 36	57
R3B0TFL49 42	57
R3B0TFL49 48	57
R3B0TFL64 18	64
R3B0TFL64 20	64
R3B0TFL64 24	64
R3B0TFL64 30	64
R3B0TFL64 36	64
R3B0TFL64 42	64
R3B0TFL64 48	64
R3B0TFL79 18	71
R3B0TFL79 20	71
R3B0TFL79 24	71
R3B0TFL79 30	71
R3B0TFL79 36	71
R3B0TFL79 42	71
R3B0TFL79 48	71
R3B0TLL3418	47
R3B0TLL3420	47
R3B0TLL3424	47
R3B0TLL3430	47
R3B0TLL3436	47
R3B0TLL3442	47
R3B0TLL3448	47
R3B0TLL4218	54
R3B0TLL4220	54
R3B0TLL4224	54
R3B0TLL4230	54
R3B0TLL4236	54
R3B0TLL4242	54
R3B0TLL4248	54
R3B0TLL4918	61
R3B0TLL4920	61
R3B0TLL4924	61
R3B0TLL4930	61
R3B0TLL4936	61
R3B0TLL4942	61
R3B0TLL4948	61
R3B0TLL6418	68
R3B0TLL6420	68
R3B0TLL6424	68
R3B0TLL6430	68
R3B0TLL6436	68
R3B0TLL6442	68
R3B0TLL6448	68
R3B0TLL7918	75
R3B0TLL7920	75
R3B0TLL7924	75
R3B0TLL7930	75

pattern no.	*page*
R3B0TLL7936	75
R3B0TLL7942	75
R3B0TLL7948	75
R3B1PF142 18	18
R3B1PF142 20	18
R3B1PF142 24	18
R3B1PF142 30	18
R3B1PF142 36	18
R3B1PF142 42	18
R3B1PF142 48	18
R3B1PF149 18	25
R3B1PF149 20	25
R3B1PF149 24	25
R3B1PF149 30	25
R3B1PF149 36	25
R3B1PF149 42	25
R3B1PF149 48	25
R3B1PF164 18	32
R3B1PF164 20	32
R3B1PF164 24	32
R3B1PF164 30	32
R3B1PF164 36	32
R3B1PF164 42	32
R3B1PF164 48	32
R3B1PF179 18	39
R3B1PF179 20	39
R3B1PF179 24	39
R3B1PF179 30	39
R3B1PF179 36	39
R3B1PF179 42	39
R3B1PF179 48	39
R3B1PF1A49 18	91
R3B1PF1A49 20	91
R3B1PF1A49 24	91
R3B1PF1A49 30	91
R3B1PF1A49 36	91
R3B1PF1A49 42	91
R3B1PF1A49 48	91
R3B1PF1B49 30	91
R3B1PF1B49 36	91
R3B1PF1B49 42	91
R3B1PF1B49 48	91
R3B1PF242 18	19
R3B1PF242 20	19
R3B1PF242 24	19
R3B1PF242 30	19
R3B1PF242 36	19
R3B1PF242 42	19
R3B1PF242 48	19
R3B1PF249 18	26
R3B1PF249 20	26
R3B1PF249 24	26
R3B1PF249 30	26
R3B1PF249 36	26
R3B1PF249 42	26
R3B1PF249 48	26
R3B1PF264 18	33
R3B1PF264 20	33
R3B1PF264 24	33
R3B1PF264 30	33
R3B1PF264 36	33
R3B1PF264 42	33
R3B1PF264 48	33
R3B1PF279 18	40
R3B1PF279 20	40
R3B1PF279 24	40
R3B1PF279 30	40
R3B1PF279 36	40
R3B1PF279 42	40
R3B1PF279 48	40
R3B1PF2A49 18	94
R3B1PF2A49 20	94
R3B1PF2A49 24	94
R3B1PF2A49 30	94
R3B1PF2A49 36	94
R3B1PF2A49 42	94
R3B1PF2A49 48	94
R3B1PF2B49 30	94
R3B1PF2B49 36	94
R3B1PF2B49 42	94
R3B1PF2B49 48	94
R3B1PF342 18	20
R3B1PF342 20	20
R3B1PF342 24	20
R3B1PF342 30	20
R3B1PF342 36	20
R3B1PF342 42	20
R3B1PF342 48	20
R3B1PF349 18	27
R3B1PF349 20	27
R3B1PF349 24	27
R3B1PF349 30	27
R3B1PF349 36	27
R3B1PF349 42	27
R3B1PF349 48	27
R3B1PF364 18	34
R3B1PF364 20	34
R3B1PF364 24	34
R3B1PF364 30	34
R3B1PF364 36	34
R3B1PF364 42	34
R3B1PF364 48	34
R3B1PF379 18	41
R3B1PF379 20	41
R3B1PF379 24	41
R3B1PF379 30	41
R3B1PF379 36	41
R3B1PF379 42	41
R3B1PF379 48	41
R3B1PF3A49 18	96
R3B1PF3A49 20	96
R3B1PF3A49 24	96
R3B1PF3A49 30	96
R3B1PF3A49 36	96
R3B1PF3A49 42	96
R3B1PF3A49 48	96
R3B1PF3B49 30	96
R3B1PF3B49 36	96
R3B1PF3B49 42	96
R3B1PF3B49 48	96
R3B1PFF42 18	16
R3B1PFF42 20	16
R3B1PFF42 24	16
R3B1PFF42 30	16
R3B1PFF42 36	16
R3B1PFF42 42	16
R3B1PFF42 48	16
R3B1PFF49 18	23
R3B1PFF49 20	23
R3B1PFF49 24	23
R3B1PFF49 30	23
R3B1PFF49 36	23
R3B1PFF49 42	23
R3B1PFF49 48	23
R3B1PFF64 18	30
R3B1PFF64 20	30
R3B1PFF64 24	30
R3B1PFF64 30	30
R3B1PFF64 36	30
R3B1PFF64 42	30
R3B1PFF64 48	30
R3B1PFF79 18	37
R3B1PFF79 20	37
R3B1PFF79 24	37
R3B1PFF79 30	37
R3B1PFF79 36	37
R3B1PFF79 42	37
R3B1PFF79 48	37
R3B1PFFA49 18	85
R3B1PFFA49 20	85
R3B1PFFA49 24	85
R3B1PFFA49 30	85
R3B1PFFA49 36	85
R3B1PFFA49 42	85
R3B1PFFA49 48	85
R3B1PFFB49 30	85
R3B1PFFB49 36	85
R3B1PFFB49 42	85
R3B1PFFB49 48	85
R3B1PFL42 18	17
R3B1PFL42 20	17
R3B1PFL42 24	17
R3B1PFL42 30	17
R3B1PFL42 36	17
R3B1PFL42 42	17
R3B1PFL42 48	17
R3B1PFL49 18	24
R3B1PFL49 20	24
R3B1PFL49 24	24
R3B1PFL49 30	24
R3B1PFL49 36	24
R3B1PFL49 42	24
R3B1PFL49 48	24
R3B1PFL64 18	31
R3B1PFL64 20	31
R3B1PFL64 24	31
R3B1PFL64 30	31
R3B1PFL64 36	31
R3B1PFL64 42	31
R3B1PFL64 48	31
R3B1PFL79 18	38
R3B1PFL79 20	38
R3B1PFL79 24	38
R3B1PFL79 30	38
R3B1PFL79 36	38
R3B1PFL79 42	38
R3B1PFL79 48	38
R3B1PFLA49 18	88
R3B1PFLA49 20	88
R3B1PFLA49 24	88
R3B1PFLA49 30	88
R3B1PFLA49 36	88
R3B1PFLA49 42	88
R3B1PFLA49 48	88
R3B1PFLB49 30	88
R3B1PFLB49 36	88
R3B1PFLB49 42	88
R3B1PFLB49 48	88
R3B1TF142 18	51
R3B1TF142 20	51
R3B1TF142 24	51
R3B1TF142 30	51
R3B1TF142 36	51
R3B1TF142 42	51
R3B1TF142 48	51
R3B1TF149 18	58
R3B1TF149 20	58
R3B1TF149 24	58
R3B1TF149 30	58
R3B1TF149 36	58
R3B1TF149 42	58
R3B1TF149 48	58
R3B1TF164 18	65
R3B1TF164 20	65
R3B1TF164 24	65
R3B1TF164 30	65
R3B1TF164 36	65
R3B1TF164 42	65
R3B1TF164 48	65
R3B1TF179 18	72
R3B1TF179 20	72
R3B1TF179 24	72
R3B1TF179 30	72
R3B1TF179 36	72
R3B1TF179 42	72
R3B1TF179 48	72
R3B1TF1A49 18	89
R3B1TF1A49 20	89
R3B1TF1A49 24	89
R3B1TF1A49 30	89
R3B1TF1A49 36	89
R3B1TF1A49 42	89
R3B1TF1A49 48	89
R3B1TF1B49 30	90
R3B1TF1B49 36	90
R3B1TF1B49 42	90
R3B1TF1B49 48	90
R3B1TF242 18	52
R3B1TF242 20	52
R3B1TF242 24	52
R3B1TF242 30	52
R3B1TF242 36	52
R3B1TF242 42	52
R3B1TF242 48	52
R3B1TF249 18	59
R3B1TF249 20	59
R3B1TF249 24	59
R3B1TF249 30	59
R3B1TF249 36	59
R3B1TF249 42	59
R3B1TF249 48	59
R3B1TF264 18	66
R3B1TF264 20	66
R3B1TF264 24	66
R3B1TF264 30	66
R3B1TF264 36	66
R3B1TF264 42	66
R3B1TF264 48	66
R3B1TF279 18	73
R3B1TF279 20	73

pattern no.	*page*
R3B1TF279 24	73
R3B1TF279 30	73
R3B1TF279 36	73
R3B1TF279 42	73
R3B1TF279 48	73
R3B1TF2A49 18	92
R3B1TF2A49 20	92
R3B1TF2A49 24	92
R3B1TF2A49 30	92
R3B1TF2A49 36	92
R3B1TF2A49 42	92
R3B1TF2A49 48	92
R3B1TF2B49 30	93
R3B1TF2B49 36	93
R3B1TF2B49 42	93
R3B1TF2B49 48	93
R3B1TF342 18	53
R3B1TF342 20	53
R3B1TF342 24	53
R3B1TF342 30	53
R3B1TF342 36	53
R3B1TF342 42	53
R3B1TF342 48	53
R3B1TF349 18	60
R3B1TF349 20	60
R3B1TF349 24	60
R3B1TF349 30	60
R3B1TF349 36	60
R3B1TF349 42	60
R3B1TF349 48	60
R3B1TF364 18	67
R3B1TF364 20	67
R3B1TF364 24	67
R3B1TF364 30	67
R3B1TF364 36	67
R3B1TF364 42	67
R3B1TF364 48	67
R3B1TF379 18	74
R3B1TF379 20	74
R3B1TF379 24	74
R3B1TF379 30	74
R3B1TF379 36	74
R3B1TF379 42	74
R3B1TF379 48	74
R3B1TF3A49 18	95
R3B1TF3A49 20	95
R3B1TF3A49 24	95
R3B1TF3A49 30	95
R3B1TF3A49 36	95
R3B1TF3A49 42	95
R3B1TF3A49 48	95
R3B1TF3B49 30	95
R3B1TF3B49 36	95
R3B1TF3B49 42	95
R3B1TF3B49 48	95
R3B1TFF42 18	49
R3B1TFF42 20	49
R3B1TFF42 24	49
R3B1TFF42 30	49
R3B1TFF42 36	49
R3B1TFF42 42	49
R3B1TFF42 48	49
R3B1TFF49 18	56
R3B1TFF49 20	56
R3B1TFF49 24	56
R3B1TFF49 30	56
R3B1TFF49 36	56
R3B1TFF49 42	56
R3B1TFF49 48	56
R3B1TFF64 18	63
R3B1TFF64 20	63
R3B1TFF64 24	63
R3B1TFF64 30	63
R3B1TFF64 36	63
R3B1TFF64 42	63
R3B1TFF64 48	63
R3B1TFF79 18	70
R3B1TFF79 20	70
R3B1TFF79 24	70
R3B1TFF79 30	70
R3B1TFF79 36	70
R3B1TFF79 42	70
R3B1TFF79 48	70
R3B1TFFA49 18	83
R3B1TFFA49 20	83
R3B1TFFA49 24	83
R3B1TFFA49 30	83
R3B1TFFA49 36	83
R3B1TFFA49 42	83
R3B1TFFA49 48	83
R3B1TFFB49 30	84
R3B1TFFB49 36	84
R3B1TFFB49 42	84
R3B1TFFB49 48	84
R3B1TFL42 18	50
R3B1TFL42 20	50
R3B1TFL42 24	50
R3B1TFL42 30	50
R3B1TFL42 36	50
R3B1TFL42 42	50
R3B1TFL42 48	50
R3B1TFL49 18	57
R3B1TFL49 20	57
R3B1TFL49 24	57
R3B1TFL49 30	57
R3B1TFL49 36	57
R3B1TFL49 42	57
R3B1TFL49 48	57
R3B1TFL64 18	64
R3B1TFL64 20	64
R3B1TFL64 24	64
R3B1TFL64 30	64
R3B1TFL64 36	64
R3B1TFL64 42	64
R3B1TFL64 48	64
R3B1TFL79 18	71
R3B1TFL79 20	71
R3B1TFL79 24	71
R3B1TFL79 30	71
R3B1TFL79 36	71
R3B1TFL79 42	71
R3B1TFL79 48	71
R3B1TFLA49 18	86
R3B1TFLA49 20	86
R3B1TFLA49 24	86
R3B1TFLA49 30	86
R3B1TFLA49 36	86
R3B1TFLA49 42	86
R3B1TFLA49 48	86
R3B1TFLB49 30	87
R3B1TFLB49 36	87
R3B1TFLB49 42	87
R3B1TFLB49 48	87
R3B2PFF42 18	16
R3B2PFF42 20	16
R3B2PFF42 24	16
R3B2PFF42 30	16
R3B2PFF42 36	16
R3B2PFF42 42	16
R3B2PFF42 48	16
R3B2PFF49 18	23
R3B2PFF49 20	23
R3B2PFF49 24	23
R3B2PFF49 30	23
R3B2PFF49 36	23
R3B2PFF49 42	23
R3B2PFF49 48	23
R3B2PFF64 18	30
R3B2PFF64 20	30
R3B2PFF64 24	30
R3B2PFF64 30	30
R3B2PFF64 36	30
R3B2PFF64 42	30
R3B2PFF64 48	30
R3B2PFF79 18	37
R3B2PFF79 20	37
R3B2PFF79 24	37
R3B2PFF79 30	37
R3B2PFF79 36	37
R3B2PFF79 42	37
R3B2PFF79 48	37
R3B2PFFA49 18	98
R3B2PFFA49 20	98
R3B2PFFA49 24	98
R3B2PFFA49 30	98
R3B2PFFA49 36	98
R3B2PFFA49 42	98
R3B2PFFA49 48	98
R3B2PFFB49 30	98
R3B2PFFB49 36	98
R3B2PFFB49 42	98
R3B2PFFB49 48	98
R3B2TFF42 18	49
R3B2TFF42 20	49
R3B2TFF42 24	49
R3B2TFF42 30	49
R3B2TFF42 36	49
R3B2TFF42 42	49
R3B2TFF42 48	49
R3B2TFF49 18	56
R3B2TFF49 20	56
R3B2TFF49 24	56
R3B2TFF49 30	56
R3B2TFF49 36	56
R3B2TFF49 42	56
R3B2TFF49 48	56
R3B2TFF64 18	63
R3B2TFF64 20	63
R3B2TFF64 24	63
R3B2TFF64 30	63
R3B2TFF64 36	63
R3B2TFF64 42	63
R3B2TFF64 48	63
R3B2TFF79 18	70
R3B2TFF79 20	70
R3B2TFF79 24	70
R3B2TFF79 30	70
R3B2TFF79 36	70
R3B2TFF79 42	70
R3B2TFF79 48	70
R3B2TFFA49 18	97
R3B2TFFA49 20	97
R3B2TFFA49 24	97
R3B2TFFA49 30	97
R3B2TFFA49 36	97
R3B2TFFA49 42	97
R3B2TFFA49 48	97
R3B2TFFB49 30	97
R3B2TFFB49 36	97
R3B2TFFB49 42	97
R3B2TFFB49 48	97
R3CRTT60	101
R3CRTT72	101
R3CRTT84	101
R3CRTT96	101
R3FTCE104(F/T)(F/T)(F/T)	123
R3FTCE108(F/T)(F/T)(F/T)	123
R3FTCE120(F/T)(F/T)(F/T)	123
R3FTCE21	123
R3FTCE25	123
R3FTCE37	123
R3FTCF12118	120
R3FTCF12120	120
R3FTCF12124	120
R3FTCF12130	120
R3FTCF12136	120
R3FTCF12142	120
R3FTCF12148	120
R3FTCF12518	121
R3FTCF12520	121
R3FTCF12524	121
R3FTCF12530	121
R3FTCF12536	121
R3FTCF12542	121
R3FTCF12548	121
R3FTCF13718	122
R3FTCF13720	122
R3FTCF13724	122
R3FTCF13730	122
R3FTCF13736	122
R3FTCF13742	122
R3FTCF13748	122
R3FTCF22118	120
R3FTCF22120	120
R3FTCF22124	120
R3FTCF22130	120
R3FTCF22136	120
R3FTCF22142	120
R3FTCF22148	120
R3FTCF22518	121
R3FTCF22520	121
R3FTCF22524	121
R3FTCF22530	121
R3FTCF22536	121
R3FTCF22542	121
R3FTCF22548	121
R3FTCF23718	122
R3FTCF23720	122
R3FTCF23724	122
R3FTCF23730	122

pattern no.	*page*
R3FTCF23736	122
R3FTCF23742	122
R3FTCF23748	122
R3FTCF321 18	120
R3FTCF321 20	120
R3FTCF321 24	120
R3FTCF321 30	120
R3FTCF321 36	120
R3FTCF321 42	120
R3FTCF321 48	120
R3FTCF325 18	121
R3FTCF325 20	121
R3FTCF325 24	121
R3FTCF325 30	121
R3FTCF325 36	121
R3FTCF325 42	121
R3FTCF325 48	121
R3FTCF337 18	122
R3FTCF337 20	122
R3FTCF337 24	122
R3FTCF337 30	122
R3FTCF337 36	122
R3FTCF337 42	122
R3FTCF337 48	122
R3FTCFF2118	117
R3FTCFF2120	117
R3FTCFF2124	117
R3FTCFF2130	117
R3FTCFF2136	117
R3FTCFF2142	117
R3FTCFF2148	117
R3FTCFF2518	118
R3FTCFF2520	118
R3FTCFF2524	118
R3FTCFF2530	118
R3FTCFF2536	118
R3FTCFF2542	118
R3FTCFF2548	118
R3FTCFF3718	119
R3FTCFF3720	119
R3FTCFF3724	119
R3FTCFF3730	119
R3FTCFF3736	119
R3FTCFF3742	119
R3FTCFF3748	119
R3FTCFL2118	120
R3FTCFL2120	120
R3FTCFL2124	120
R3FTCFL2130	120
R3FTCFL2136	120
R3FTCFL2142	120
R3FTCFL2148	120
R3FTCFL2518	121
R3FTCFL2520	121
R3FTCFL2524	121
R3FTCFL2530	121
R3FTCFL2536	121
R3FTCFL2542	121
R3FTCFL2548	121
R3FTCFL3718	122
R3FTCFL3720	122
R3FTCFL3724	122
R3FTCFL3730	122
R3FTCFL3736	122
R3FTCFL3742	122
R3FTCFL3748	122
R3FTCL104(F/T)(F/T)	123
R3FTCL108(F/T)(F/T)	123
R3FTCL120(F/T)(F/T)	123
R3FTCL21	123
R3FTCL25	123
R3FTCL37	123
R3FTCS104(F/T)(F/T)	123
R3FTCS108(F/T)(F/T)	123
R3FTCS120(F/T)(F/T)	123
R3FTCS21	123
R3FTCS25	123
R3FTCS37	123
R3FTCSM (Pair) for G3 only	124
R3FTCT104(F/T)	123
R3FTCT108(F/T)	123
R3FTCT120(F/T)	123
R3FTCT21	123
R3FTCT25	123
R3FTCT37	123
R3FTCX104	123
R3FTCX108	123
R3FTCX120	123
R3FTCX21	123
R3FTCX25	123
R3FTCX37	123
R3L08TT	104
R3L15TT	104
R3L34(F/T)(F/T)	104
R3L42(B)(F/T)(F/T)	104
R3L49(B)(F/T)(F/T)	104
R3L64(B)(F/T)(F/T)	104
R3L79(B)(F/T)(F/T)	104
R3R2SLV	106, 116
R3S08TT	105
R3S15TT	105
R3S34(F/T)(F/T)	105
R3S42(B)(F/T)(F/T)	105
R3S49(B)(F/T)(F/T)	105
R3S64(B)(F/T)(F/T)	105
R3S79(B)(F/T)(F/T)	105
R3SF10818	102
R3SF10820	102
R3SF10824	102
R3SF10830	102
R3SF10836	102
R3SF10842	102
R3SF10848	102
R3SF11518	103
R3SF11520	103
R3SF11524	103
R3SF11530	103
R3SF11536	103
R3SF11542	103
R3SF11548	103
R3SF20818	102
R3SF20820	102
R3SF20824	102
R3SF20830	102
R3SF20836	102
R3SF20842	102
R3SF20848	102
R3SF21518	103
R3SF21520	103
R3SF21524	103
R3SF21530	103
R3SF21536	103
R3SF21542	103
R3SF21548	103
R3SF30818	102
R3SF30820	102
R3SF30824	102
R3SF30830	102
R3SF30836	102
R3SF30842	102
R3SF30848	102
R3SF315 18	103
R3SF315 20	103
R3SF315 24	103
R3SF315 30	103
R3SF315 36	103
R3SF315 42	103
R3SF315 48	103
R3SFF08 18	99
R3SFF08 20	99
R3SFF08 24	99
R3SFF08 30	99
R3SFF08 36	99
R3SFF08 42	99
R3SFF08 48	99
R3SFF15 18	99
R3SFF15 20	99
R3SFF15 24	99
R3SFF15 30	99
R3SFF15 36	99
R3SFF15 42	99
R3SFF15 48	99
R3SFL0818	102
R3SFL0820	102
R3SFL0824	102
R3SFL0830	102
R3SFL0836	102
R3SFL0842	102
R3SFL0848	102
R3SFL1518	103
R3SFL1520	103
R3SFL1524	103
R3SFL1530	103
R3SFL1536	103
R3SFL1542	103
R3SFL1548	103
R3SLL0818	102
R3SLL0820	102
R3SLL0824	102
R3SLL0830	102
R3SLL0836	102
R3SLL0842	102
R3SLL0848	102
R3SLL1518	103
R3SLL1520	103
R3SLL1524	103
R3SLL1530	103
R3SLL1536	103
R3SLL1542	103
R3SLL1548	103
R3SMP	403
R3SPABPT	114
R3SPABTD	114
R3SPABTT	114
R3SPABTW	114
R3T08T	104
R3T15T	104
R3T34(F/T)	104
R3T42(B)(F/T)	104
R3T49(B)(F/T)	104
R3T64(B)(F/T)	104
R3T79(B)(F/T)	104
R3X08	105
R3X15	105
R3X34	105
R3X42(B)	105
R3X49(B)	105
R3X64(B)	105
R3X79(B)	105
R5ZNNE (3 dividers)	413
R917762	403
R921655	403
R9TDCFM8430	211
R9TDCFM9630	211
RAMTB	390
RAMTC24	390
RAMTC30	390
RAMTC36	390
RAMTC42	390
RAMTC48	390
RAMTC54	390
RAMTC60	390
RAMTC66	390
RAMTC72	390
RAMTCH24	390
RAMTCH30	390
RAMTCH36	390
RAMTCH42	390
RAMTCH48	390
RAMTCH54	390
RAMTCH60	390
RAMTCH66	390
RAMTCH72	390
RAMTT	390
RATDCFM(L/R)4830	210
RATDCFM(L/R)4836	210
RATDCFM(L/R)5430	210
RATDCFM(L/R)5436	210
RATDCFM(L/R)6030	210
RATDCFM(L/R)6036	210
RATDCFM(L/R)6630	210
RATDCFM(L/R)6636	210
RATDCFM(L/R)7230	210
RATDCFM(L/R)7236	210
RATDCFM(L/R)7830	210
RATDCFM(L/R)7836	210
RATDCFM(L/R)8430	210
RATDCFM(L/R)8436	210
RATDCPC(L/R)6030	208
RATDCPC(L/R)6036	208
RATDCPC(L/R)6630	208
RATDCPC(L/R)6636	208
RATDCPC(L/R)7230	208
RATDCPC(L/R)7236	208
RATDCPC(L/R)7830	208
RATDCPC(L/R)7836	208
RATDCPC(L/R)8430	208
RATDCPC(L/R)8436	208
RATDCST(L/R)6030	209
RATDCST(L/R)6036	209

pattern no.	page
RATDCST(L/R)6630	209
RATDCST(L/R)6636	209
RATDCST(L/R)7230	209
RATDCST(L/R)7236	209
RATDCST(L/R)7830	209
RATDCST(L/R)7836	209
RATDCST(L/R)8430	209
RATDCST(L/R)8436	209
RB24(M/H)(F/R)	232
RB30(M/H)(F/R)	232
RB3636	232
RB3642	232
RB3648	232
RB36(M/H)(F/R)	232
RB40MR	183
RB4236	232
RB4242	232
RB4248	232
RB42(M/H)(F/R)	232
RB4836	232
RB4842	232
RB4848	232
RB48(M/H)(F/R)	232
RB52MR	183
RB54(M/H)(F/R)	232
RB60(M/H)(F/R)	232
RB64MR	183
RB66(M/H)(F/R)	232
RB72(M/H)(F/R)	232
RB78(M/H)(F/R)	232
RB84(M/H)(F/R)	232
RB90(M/H)(F/R)	232
RB96(M/H)(F/R)	232
RBC18 (L/R)	228
RBC24 (L/R)	228
RBCC	229
RBCCP (Pair)	229
RBD361H	195
RBD361V	195
RBD362H	195
RBD362V	195
RBD421H	195
RBD421V	195
RBD422H	195
RBD422V	195
RBD481H	195
RBD481V	195
RBD482H	195
RBD482V	195
RBD541H	195
RBD541V	195
RBD542H	195
RBD542V	195
RBDD	404
RBDH24M(F/R)	234
RBDH30M(F/R)	234
RBDH3636	234
RBDH3642	234
RBDH3648	234
RBDH36M(F/R)	234
RBDH40MR	236
RBDH4236	234
RBDH4242	234
RBDH4248	234
RBDH42M(F/R)	234
RBDH4836	234
RBDH4842	234
RBDH4848	234
RBDH48M(F/R)	234
RBDH52MR	236
RBDH54M(F/R)	234
RBDH60M(F/R)	234
RBDH64MR	236
RBDH66M(F/R)	234
RBDH72M(F/R)	234
RBDH78M(F/R)	234
RBDH84M(F/R)	234
RBDH90M(F/R)	234
RBDH96M(F/R)	234
RBDP6030JK(A,B,W)	396
RBDP7230JK(A,B,W)	396
RBDP8430JK(A,B,W)	396
RBDP9630JK(A,B,W)	396
RBDW	404
RBF (Pair)	229
RBPE(L/R)	404
RBPP (L/R)	229
RBPR (Pair)	230
RBPS (L/R)	230
RBR3624(A,B,W)(F,N)2	399
RBR3630(A,B,W)(F,N)2	399
RBR4224(A,B,W)(F,N)2	399
RBR4230(A,B,W)(F,N)2	399
RBR4824(A,B,W)(F,N)2	399
RBR4830(A,B,W)(F,N)2	399
RBSP6030J(A,B,W)	395
RBSP7230J(A,B,W)	395
RBSP8430J(A,B,W)	395
RBSP9630J(A,B,W)	395
RBWC24	231
RBWC30	231
RBWM	405
RBZ (A/B) (Pair)	229
RC412C(L/R)	279, 281
RC413C(L/R)	279, 281
RC423M	300, 302
RC423N	300, 302
RC431B	280, 281
RC432B	280, 281
RC432C	279, 281
RC432D	281
RC432F	279, 282
RC433B	280, 281
RC433C	279, 281
RC433D	281
RC433F	279, 282
RC461B	280, 281
RC462B	280, 281
RC462C	279, 281
RC462D	281
RC462F	279, 282
RC463B	280, 281
RC463C	279, 281
RC463D	281
RC463F	279, 282
RC612C(L/R)	283, 286
RC612D(L/R)	286
RC612G(L/R)	284, 288
RC612P(L/R)	285, 288
RC613C(L/R)	283, 286
RC613D(L/R)	286
RC613G(L/R)	284, 288
RC613P(L/R)	285, 288
RC623M	300, 302
RC623N	300, 302
RC631B	283, 286
RC632B	283, 286
RC632C	283, 286
RC632D	286
RC632E(L/R)	284, 287
RC632F	283, 287
RC632G	284, 288
RC632H	284, 287
RC632I	288
RC632P	285, 288
RC633B	283, 286
RC633C	283, 286
RC633D	286
RC633E(L/R)	284, 287
RC633F	283, 287
RC633G	284, 288
RC633H	284, 287
RC633I	288
RC633P	285, 288
RC661B	283, 286
RC662B	283, 286
RC662C	283, 286
RC662D	286
RC662E(L/R)	284, 287
RC662F	283, 287
RC662G	284, 288
RC662H	284, 287
RC662I	288
RC662P	285, 288
RC663B	283, 286
RC663C	283, 286
RC663D	286
RC663E(L/R)	284, 287
RC663F	283, 287
RC663G	284, 288
RC663H	284, 287
RC663I	288
RC663P	285, 288
RC712C(L/R)	289, 294
RC712DHG(L/R)	310, 314
RC712D(L/R)	298
RC712G(L/R)	292, 297
RC712P(L/R)	293, 299
RC713C(L/R)	289, 294
RC713DHG(L/R)	310, 314
RC713D(L/R)	298
RC713G(L/R)	292, 297
RC713P(L/R)	293, 299
RC7212DHDH(L/R)	308
RC7212DHGH(L/R)	305, 307
RC7213DHDH(L/R)	308
RC7213DHGH(L/R)	305, 307
RC7232DHB	304, 307
RC7232DHDH	308
RC7232DHEH(L/R)	306
RC7232DHFH	304, 307
RC7232DHGH	305, 307
RC7233DHB	304, 307
RC7233DHDH	308
RC7233DHEH(L/R)	306, 308
RC7233DHFH	304, 307
RC7233DHGH	305, 307
RC723M	301, 303
RC723N	301, 303
RC7262DHB	304, 307
RC7262DHDH	308
RC7262DHEH(L/R)	306, 308
RC7262DHFH	304, 307
RC7262DHGH	305, 307
RC7263DHB	304, 307
RC7263DHDH	308
RC7263DHEH(L/R)	306, 308
RC7263DHFH	304, 307
RC7263DHGH	305, 307
RC732B	289, 294
RC732C	289, 294
RC732D	298
RC732DHB	309, 313
RC732DHD	317
RC732DHE(L/R)	309, 313
RC732DHF	312, 316
RC732DHG	310, 314
RC732DHK	311, 315
RC732E(L/R)	290, 295
RC732F	291, 296
RC732G	292, 297
RC732H	293, 298
RC732I	299
RC732P	293, 299
RC733B	289, 294
RC733C	289, 294
RC733D	298
RC733DHB	309, 313
RC733DHD	317
RC733DHE(L/R)	309, 313
RC733DHF	312, 316
RC733DHG	310, 314
RC733DHK	311, 315
RC733E(L/R)	290, 295
RC733F	291, 296
RC733G	292, 297
RC733H	293, 298
RC733I	299
RC733P	293, 299
RC762B	289, 294
RC762C	289, 294
RC762D	298
RC762DHB	309, 313
RC762DHD	317
RC762DHE(L/R)	309, 313
RC762DHF	312, 316
RC762DHG	310, 314
RC762DHK	311, 315
RC762E(L/R)	290, 295
RC762F	291, 296
RC762G	292, 297
RC762H	293, 298
RC762I	299
RC762P	293, 299
RC763B	289, 294
RC763C	289, 294
RC763D	298
RC763DHB	309, 313
RC763DHD	317
RC763DHE(L/R)	309, 313

pattern no.	page
RC763DHF	312, 316
RC763DHG	310, 314
RC763DHK	311, 315
RC763E(L/R)	290, 295
RC763F	291, 296
RC763G	292, 297
RC763H	293, 298
RC763I	299
RC763P	293, 299
RC832DHB	322
RC832DHEH(L/R)	320, 323
RC832DHF	318, 321
RC832DHG	318, 321
RC832DHK	319, 322
RC832DHO	319, 322
RC833DHB	322
RC833DHEH(L/R)	320, 323
RC833DHF	318, 321
RC833DHG	318, 321
RC833DHK	319, 322
RC833DHO	319, 322
RC862DHB	322
RC862DHEH(L/R)	320, 323
RC862DHF	318, 321
RC862DHG	318, 321
RC862DHK	319, 322
RC862DHO	319, 322
RC863DHB	322
RC863DHEH(L/R)	320, 323
RC863DHG	318, 321
RC863DHK	319, 322
RC863DHO	319, 322
RCA363611	142
RCA363612	143
RCA363621	142
RCA363622	143
RCA364211	142
RCA364212	143
RCA364221	142
RCA364222	143
RCA364811	142
RCA364812	143
RCA364821	142
RCA364822	143
RCA423611	142
RCA423612	143
RCA423621	142
RCA423622	143
RCA424211	142
RCA424212	143
RCA424221	142
RCA424222	143
RCA424811	142
RCA424812	143
RCA424821	142
RCA424822	143
RCA483611	142
RCA483612	143
RCA483621	142
RCA483622	143
RCA484211	142
RCA484212	143
RCA484221	142
RCA484222	143
RCA484811	142

pattern no.	page
RCA484812	143
RCA484821	142
RCA484822	143
RCA(A/B/C/D/E/F/G)F363611	159
RCA(A/B/C/D/E/F/G)F363612	159
RCA(A/B/C/D/E/F/G)F363621	159
RCA(A/B/C/D/E/F/G)F363622	159
RCA(A/B/C/D/E/F/G)F364211	159
RCA(A/B/C/D/E/F/G)F364212	159
RCA(A/B/C/D/E/F/G)F364221	159
RCA(A/B/C/D/E/F/G)F364222	159
RCA(A/B/C/D/E/F/G)F364811	159
RCA(A/B/C/D/E/F/G)F364812	159
RCA(A/B/C/D/E/F/G)F364821	159
RCA(A/B/C/D/E/F/G)F364822	160
RCA(A/B/C/D/E/F/G)F423611	159
RCA(A/B/C/D/E/F/G)F423612	159
RCA(A/B/C/D/E/F/G)F423621	159
RCA(A/B/C/D/E/F/G)F423622	159
RCA(A/B/C/D/E/F/G)F424211	159
RCA(A/B/C/D/E/F/G)F424212	159
RCA(A/B/C/D/E/F/G)F424221	159
RCA(A/B/C/D/E/F/G)F424222	159
RCA(A/B/C/D/E/F/G)F424811	159
RCA(A/B/C/D/E/F/G)F424812	159
RCA(A/B/C/D/E/F/G)F424821	159
RCA(A/B/C/D/E/F/G)F424822	160
RCA(A/B/C/D/E/F/G)F483611	159
RCA(A/B/C/D/E/F/G)F483612	159
RCA(A/B/C/D/E/F/G)F483621	159
RCA(A/B/C/D/E/F/G)F483622	159
RCA(A/B/C/D/E/F/G)F484211	159
RCA(A/B/C/D/E/F/G)F484212	159
RCA(A/B/C/D/E/F/G)F484221	159
RCA(A/B/C/D/E/F/G)F484222	160
RCA(A/B/C/D/E/F/G)F484811	159
RCA(A/B/C/D/E/F/G)F484812	159
RCA(A/B/C/D/E/F/G)F484821	159
RCA(A/B/C/D/E/F/G)F484822	160
RCABT1417	402
RCABT2917	402
RCACR16	402
RCACR30	402
RCACR30H	402
RCACR36	402
RCACR36H	402
RCAS1620	402
RCAS1624	402
RCAS3015	402
RCAS3020	402
RCAS3024	402
RCAS3615	402
RCAS3620	402
RCAS3624	402
RCASL	403
RCAWF363611	180
RCAWF363612	180
RCAWF363621	180
RCAWF363622	180
RCAWF364211	180
RCAWF364212	180
RCAWF364221	180
RCAWF364222	180
RCAWF364811	180
RCAWF364812	180

pattern no.	page
RCAWF364821	180
RCAWF364822	180
RCAWF423611	180
RCAWF423612	180
RCAWF423621	180
RCAWF423622	180
RCAWF424211	180
RCAWF424212	180
RCAWF424221	180
RCAWF424222	180
RCAWF424811	180
RCAWF424812	180
RCAWF424821	180
RCAWF424822	180
RCAWF483611	180
RCAWF483612	180
RCAWF483621	180
RCAWF483622	180
RCAWF484211	180
RCAWF484212	180
RCAWF484221	180
RCAWF484222	180
RCB	237
RCB20T	237
RCB24T	237
RCB24X	238
RCB28X	238
RCB30T	237
RCB36X	238
RCB40T	237
RCBDH24X	241
RCBDH28X	241
RCBDH36X	241
RCCDLA23672	144
RCCDLA23678	144
RCCDLA23684	144
RCCDLA23696	144
RCCDLA33672	144
RCCDLA33678	144
RCCDLA33684	144
RCCDLA33696	144
RCCDRA23672	144
RCCDRA23678	144
RCCDRA23684	144
RCCDRA23696	144
RCCDRA33672	144
RCCDRA33678	144
RCCDRA33684	144
RCCDRA33696	144
RCD1021	217
RCD1022	217
RCD1081	217
RCD1082	217
RCD3L6024K(A,B,W)	400
RCD3L8424K(A,B,W)	400
RCD3L9624K(A,B,W)	400
RCD601	217
RCD602	217
RCD661	217
RCD662	217
RCD6L7224K(A,B,W)	400
RCD6L9624K(A,B,W)	400
RCD721	217
RCD722	217
RCD781	217

pattern no.	page
RCD782	217
RCD841	217
RCD842	217
RCD901	217
RCD902	217
RCD961	217
RCD962	217
RCDHB	240
RCDHB20T	240
RCDHB24T	240
RCDHB30T	240
RCDHB40T	240
RCDP6024K(A,B,W)	400
RCDP7224K(A,B,W)	400
RCDP8424K(A,B,W)	400
RCDP9624K(A,B,W)	400
RCE1021	215
RCE1022	215
RCE1081	215
RCE1082	215
RCE1BD6648D(L/R)	188
RCE1BD6648S(L/R)	188
RCE1BD7248D(L/R)	188
RCE1BD7248S(L/R)	188
RCE1BD7848D(L/R)	188
RCE1BD7848S(L/R)	188
RCE1BD8448D(L/R)	188
RCE1BD8448S(L/R)	188
RCE1CR24L	191
RCE1CR24N	191
RCE1CR24R	191
RCE1H4818	191
RCE1H4818P	191
RCE1H6024	191
RCE1H6024P	191
RCE1L3636SSN	189
RCE1L4242DSN	189
RCE1L4242SDN	189
RCE1L4242SSN	189
RCE1L4260SSN	190
RCE1L4266SSN	190
RCE1L4272SSN	190
RCE1L4278SSN	190
RCE1L4848DDN	189
RCE1L4848DSN	189
RCE1L4848SDN	189
RCE1L4848SSN	189
RCE1L4860DSN	190
RCE1L4860SDN	190
RCE1L4860SSN	190
RCE1L4866DSN	190
RCE1L4866SDN	190
RCE1L4866SSN	190
RCE1L4872DSN	190
RCE1L4872SDN	190
RCE1L4872SSN	190
RCE1L4878SSN	190
RCE1L4884SSN	190
RCE1L6042SSN	190
RCE1L6048DSN	190
RCE1L6048SDN	190
RCE1L6048SSN	190
RCE1L6642SSN	190
RCE1L6648DSN	190
RCE1L6648SDN	190

pattern no.	*page*
RCE1L6648SSN	190
RCE1L7242SSN	190
RCE1L7248DSN	190
RCE1L7248SDN	190
RCE1L7248SSN	190
RCE1L7842SSN	190
RCE1L7848SSN	190
RCE1L8448SSN	190
RCE1R1212G	403
RCE1R2424N	187
RCE1R2430N	187
RCE1R3024N	187
RCE1R3030N	187
RCE1R3624N	187
RCE1R3630N	187
RCE1R4224N	187
RCE1R4230N	187
RCE1R4824N	187
RCE1R4830N	187
RCE1R5424N	187
RCE1R5430N	187
RCE1R6024N	187
RCE1R6030N	187
RCE1R6624N	187
RCE1R6630N	187
RCE1R7224N	187
RCE1R7230N	187
RCE1R7824N	187
RCE1R7830N	187
RCE1R8424N	187
RCE1R8430N	187
RCE1R9024N	187
RCE1R9030N	187
RCE1R9624N	187
RCE1R9630N	187
RCE1W362430N	192
RCE1W363024N	192
RCE1W422430N	192
RCE1W423024N	192
RCE1W482430N	192
RCE1W483024N	192
RCE1W722430N	192
RCE1W723024N	192
RCE601	215
RCE602	215
RCE661	215
RCE662	215
RCE721	215
RCE722	215
RCE781	215
RCE782	215
RCE841	215
RCE842	215
RCE901	215
RCE902	215
RCE961	215
RCE962	215
RCEAL223660	145
RCEAL223672	145
RCEAL224260	145
RCEAL224272	145
RCEAL224872	145
RCEAL224884	145
RCEAL224896	145
RCEAR223660	145

pattern no.	*page*
RCEAR223672	145
RCEAR224260	145
RCEAR224272	145
RCEAR224872	145
RCEAR224884	145
RCEAR224896	145
RCEEG1021	216
RCEEG1022	216
RCEEG1081	216
RCEEG1082	216
RCEEG601	216
RCEEG602	216
RCEEG661	216
RCEEG662	216
RCEEG721	216
RCEEG722	216
RCEEG781	216
RCEEG782	216
RCEEG841	216
RCEEG842	216
RCEEG901	216
RCEEG902	216
RCEEG961	216
RCEEG962	216
RCFS4912C(L/R)M	324
RCFS4912C(L/R)W	330
RCFS4912Y(L/R)M	324
RCFS4912Y(L/R)W	330
RCFS4912Z(L/R)M	324
RCFS4912Z(L/R)W	330
RCFS4913C(L/R)M	324
RCFS4913C(L/R)W	330
RCFS4913Y(L/R)M	324
RCFS4913Y(L/R)W	330
RCFS4913Z(L/R)M	324
RCFS4913Z(L/R)W	330
RCFS4932V(L/R)M	324
RCFS4932V(L/R)W	330
RCFS4932W(L/R)M	325
RCFS4932W(L/R)W	331
RCFS4932X(L/R)M	325
RCFS4932X(L/R)W	331
RCFS4933V(L/R)M	324
RCFS4933V(L/R)W	330
RCFS4933W(L/R)M	325
RCFS4933W(L/R)W	331
RCFS4933X(L/R)M	325
RCFS4933X(L/R)W	331
RCFS6412C(L/R)M	326
RCFS6412C(L/R)W	332
RCFS6412Y(L/R)M	326
RCFS6412Y(L/R)W	332
RCFS6412Z(L/R)M	326
RCFS6412Z(L/R)W	332
RCFS6413C(L/R)M	326
RCFS6413C(L/R)W	332
RCFS6413Y(L/R)M	326
RCFS6413Y(L/R)W	332
RCFS6413Z(L/R)M	326
RCFS6413Z(L/R)W	332
RCFS6432V(L/R)M	327
RCFS6432V(L/R)W	333
RCFS6432W(L/R)M	327
RCFS6432W(L/R)W	333
RCFS6432X(L/R)M	327

pattern no.	*page*
RCFS6432X(L/R)W	333
RCFS6433V(L/R)M	327
RCFS6433V(L/R)W	333
RCFS6433W(L/R)M	327
RCFS6433W(L/R)W	333
RCFS6433X(L/R)M	327
RCFS6433X(L/R)W	333
RCFS6812C(L/R)M	328
RCFS6812C(L/R)W	334
RCFS6812Y(L/R)M	328
RCFS6812Y(L/R)W	334
RCFS6812Z(L/R)M	328
RCFS6812Z(L/R)W	334
RCFS6813C(L/R)M	328
RCFS6813C(L/R)W	334
RCFS6813Y(L/R)M	328
RCFS6813Y(L/R)W	334
RCFS6813Z(L/R)M	328
RCFS6813Z(L/R)W	334
RCFS6832V(L/R)M	329
RCFS6832V(L/R)W	335
RCFS6832W(L/R)M	329
RCFS6832W(L/R)W	335
RCFS6832X(L/R)M	329
RCFS6832X(L/R)W	335
RCFS6833V(L/R)M	329
RCFS6833V(L/R)W	335
RCFS6833W(L/R)M	329
RCFS6833W(L/R)W	335
RCFS6833X(L/R)M	329
RCFS6833X(L/R)W	335
RCOUNTWT	258, 259, 266
RCP41-(F/L/1/2/3)*	112
RCP56-(F/L/1/2/3)*	112
RCP71-(F/L/1/2/3)*	112
RCP78-(F/L/1/2/3)*	112
RCS3L6024K(A,B,W)	398
RCS3L7224K(A,B,W)	398
RCS3L8424K(A,B,W)	398
RCS3L9624K(A,B,W)	398
RCS6L6024K(A,B,W)	398
RCS6L7224K(A,B,W)	398
RCS6L8424K(A,B,W)	398
RCS6L9624K(A,B,W)	398
RCSP6024K(A,B,W)	398
RCSP7224K(A,B,W)	398
RCSP8424K(A,B,W)	398
RCSP9624K(A,B,W)	398
RDDP6030JK(A,B,W)	396
RDDP6036JK(A,B,W)	396
RDDP7230JK(A,B,W)	396
RDDP7236JK(A,B,W)	396
RDDP8430JK(A,B,W)	396
RDDP8436JK(A,B,W)	396
RDDP9630JK(A,B,W)	396
RDDP9636JK(A,B,W)	396
RDHMBD	267
RDHMFD	267
RDHMH7210	245
RDHMH7211	245
RDHMH7212	245
RDHMH7220	245
RDHMH7222	245
RDHMH7230	245
RDHMH7240	245

pattern no.	*page*
RDHMH7810	245
RDHMH7811	245
RDHMH7812	245
RDHMH7813	245
RDHMH7820	245
RDHMH7822	245
RDHMH7823	245
RDHMH7830	245
RDHMH7840	245
RDHMH8410	246
RDHMH8411	245
RDHMH8412	245
RDHMH8413	245
RDHMH8414	245
RDHMH8420	246
RDHMH8422	245
RDHMH8423	245
RDHMH8424	245
RDHMH8430	246
RDHMH8440	246
RDHMH9010	246
RDHMH9011	245
RDHMH9012	245
RDHMH9013	245
RDHMH9014	245
RDHMH9020	246
RDHMH9022	245
RDHMH9023	245
RDHMH9024	245
RDHMH9030	246
RDHMH9033	245
RDHMH9040	246
RDHMH9610	246
RDHMH9611	245
RDHMH9612	245
RDHMH9613	245
RDHMH9614	245
RDHMH9620	246
RDHMH9622	245
RDHMH9623	245
RDHMH9624	245
RDHMH9630	246
RDHMH9633	245
RDHMH9640	246
RDHMLD	267
RDHMR7210	243
RDHMR7211	243
RDHMR7212	243
RDHMR7220	243
RDHMR7222	243
RDHMR7230	243
RDHMR7240	243
RDHMR7810	243
RDHMR7811	243
RDHMR7812	243
RDHMR7820	243
RDHMR7822	243
RDHMR7830	243
RDHMR7840	243
RDHMR8410	243
RDHMR8411	243
RDHMR8412	243
RDHMR8414	243
RDHMR8420	243
RDHMR8422	243

pattern no.	*page*
RDHMR8423	243
RDHMR8430	243
RDHMR8440	243
RDHMR9010	243
RDHMR9011	244
RDHMR9012	244
RDHMR9013	243
RDHMR9014	244
RDHMR9020	243
RDHMR9022	244
RDHMR9023	243
RDHMR9024	243
RDHMR9030	243
RDHMR9040	243
RDHMR9610	243
RDHMR9611	244
RDHMR9612	244
RDHMR9613	244
RDHMR9614	244
RDHMR9620	243
RDHMR9622	244
RDHMR9623	244
RDHMR9624	244
RDHMR9630	243
RDHMR9633	244
RDHMR9640	243
RDHPM26	247
RDHPM32	247
RDHPM38	247
RDHPM44	247
RDHPM50	247
RDHPM56	247
RDHPM62	247
RDHPM68	247
RDHPM74	247
RDSP6030J(A,B,W)	395
RDSP6036J(A,B,W)	395
RDSP7230J(A,B,W)	395
RDSP7236J(A,B,W)	395
RDSP8430J(A,B,W)	395
RDSP8436J(A,B,W)	395
RDSP9630J(A,B,W)	395
RDSP9636J(A,B,W)	395
RDTAGC3142(L/R)	340
RDTAGC3156(L/R)	340
RDTAGC6142(L/R)	340
RDTAGC6156(L/R)	340
RDTAGW3142(L/R)	340
RDTAGW3156(L/R)	340
RDTAGW6142(L/R)	340
RDTAGW6156(L/R)	340
RDTAHC3142(L/R)	341
RDTAHC3156(L/R)	341
RDTAHC6142(L/R)	341
RDTAHC6156(L/R)	341
RDTAHW3142(L/R)	341
RDTAHW3156(L/R)	341
RDTAHW6142(L/R)	341
RDTAHW6156(L/R)	341
RDTDBW3142	339
RDTDBW3156	339
RDTDBW6142	339
RDTDBW6156	339
RDTDCFM(L/R)5430	214
RDTDCFM(L/R)5436	214
RDTDCFM(L/R)6030	214
RDTDCFM(L/R)6036	214
RDTDCFM(L/R)6630	214
RDTDCFM(L/R)6636	214
RDTDCFM(L/R)7230	214
RDTDCFM(L/R)7236	214
RDTDCFM(L/R)7830	214
RDTDCFM(L/R)7836	214
RDTDCFM(L/R)8430	214
RDTDCFM(L/R)8436	214
RDTDCPC(L/R)6630	212
RDTDCPC(L/R)6636	212
RDTDCPC(L/R)7230	212
RDTDCPC(L/R)7236	212
RDTDCPC(L/R)7830	212
RDTDCPC(L/R)7836	212
RDTDCPC(L/R)8430	212
RDTDCPC(L/R)8436	212
RDTDCPC(L/R)9030	212
RDTDCPC(L/R)9036	212
RDTDCPC(L/R)9630	212
RDTDCPC(L/R)9636	212
RDTDCST(L/R)6630	213
RDTDCST(L/R)6636	213
RDTDCST(L/R)7230	213
RDTDCST(L/R)7236	213
RDTDCST(L/R)7830	213
RDTDCST(L/R)7836	213
RDTDCST(L/R)8430	213
RDTDCST(L/R)8436	213
RDTDCST(L/R)9030	213
RDTDCST(L/R)9036	213
RDTDCST(L/R)9630	213
RDTDCST(L/R)9636	213
RDTDGW3142	340
RDTDGW3156	340
RDTDGW6142	340
RDTDGW6156	340
RDTDHW3142	339
RDTDHW3156	339
RDTDHW6142	339
RDTDHW6156	339
RDTE22120	406
RDTE2272	406
RDTE22H	406
RDTGA	406
RDTGB	406
RDTGC	406
RDTSBWG142	336
RDTSBWG156	336
RDTSBWT142	336
RDTSBWT156	336
RDTSGWG142(L/R)	338
RDTSGWG156(L/R)	338
RDTSGWT142(L/R)	338
RDTSGWT156(L/R)	338
RDTSHWG142(L/R)	337
RDTSHWG156(L/R)	337
RDTSHWT142(L/R)	337
RDTSHWT156(L/R)	337
RE12F	232
RE15F	232
RE19F	232
RE23F	232
RE29F	232
RE30	233
RE36	233
REBA6030	148
REBA7242	148
REBA7848	148
REBA(A/B/C/D/E/F/G)A6030	165
REBA(A/B/C/D/E/F/G)A7242	165
REBA(A/B/C/D/E/F/G)A7848	165
REBAWA6030	184
REBAWA7242	184
REBAWA7848	184
REBH24	184
REBH30	184
REDH12F	235
REDH15F	235
REDH19F	235
REDH23F	235
REDH29F	235
REDH30	235
REDH36	235
REDHBH124	236
REDHBH130	236
RFDR30	413
RFDR36	413
RFDR42	413
RFDR48	413
RFDR60	413
RFDR72	413
RFDR84	413
RFDR96	413
RFTCC108	124
RFTCCLIPS	124
RFTCDR (Pair)	124
RFTCG1 (Pair)	124
RFTCSM (Pair) for G2 only	124
RFTCSPACE	124
RFTCWA2118	117
RFTCWA2120	117
RFTCWA2124	117
RFTCWA2130	117
RFTCWA2136	117
RFTCWA2142	117
RFTCWA2148	117
RFTCWA2518	118
RFTCWA2520	118
RFTCWA2524	118
RFTCWA2530	118
RFTCWA2536	118
RFTCWA2542	118
RFTCWA2548	118
RFTCWA3718	119
RFTCWA3720	119
RFTCWA3724	119
RFTCWA3730	119
RFTCWA3736	119
RFTCWA3742	119
RFTCWA3748	119
RFTCWB2130	117
RFTCWB2136	117
RFTCWB2142	117
RFTCWB2148	117
RFTCWB2530	118
RFTCWB2536	118
RFTCWB2542	118
RFTCWB2548	118
RFTCWB3730	119
RFTCWB3736	119
RFTCWB3742	119
RFTCWB3748	119
RFTCWS21S	124
RFTCWS25S	124
RFTCWS37S	124
RFTCWT (Pair)	124
RGAB421	391
RGAB481	391
RGAB541	391
RGAB601	391
RGAB661	391
RGAB721	391
RGAB781	391
RGAB841	391
RGAB901	391
RGAB961	391
RGAF622	391
RGAF623	391
RGAF682	391
RGAF683	391
RGAF742	391
RGAF743	391
RGAF802	391
RGAF803	391
RGAF862	391
RGAF863	391
RGAF922	391
RGAF923	391
RGAF982	391
RGAF983	391
RGAL431	393
RGAL432	393
RGAL433	393
RGAL491	393
RGAL492	393
RGAL493	393
RGAL551	393
RGAL552	393
RGAL553	393
RGAL611	393
RGAL612	393
RGAL613	393
RGAL671	393
RGAL672	393
RGAL673	393
RGAL731	393
RGAL732	393
RGAL733	393
RGAL791	393
RGAL792	393
RGAL793	393
RGAL851	393
RGAL852	393
RGAL853	393
RGAL911	393
RGAL912	393
RGAL913	393
RGAL971	393
RGAL972	393
RGAL973	393
RGAR431	392
RGAR432	392
RGAR433	392

pattern no.	*page*
RGAR491	392
RGAR492	392
RGAR493	392
RGAR551	392
RGAR552	392
RGAR553	392
RGAR611	392
RGAR612	392
RGAR613	392
RGAR671	392
RGAR672	392
RGAR673	392
RGAR731	392
RGAR732	392
RGAR733	392
RGAR791	392
RGAR792	392
RGAR793	392
RGAR851	392
RGAR852	392
RGAR853	392
RGAR911	392
RGAR912	392
RGAR913	392
RGAR971	392
RGAR972	392
RGAR973	392
RGMD6	132
RGMD8	132
RGMDE	132
RGS60	391
RGS66	391
RGS72	391
RGS78	391
RGS84	391
RGS90	391
RGS96	391
RGTL4636	394
RGTR4636	394
RHSCN15	116
RHSCN250	116
RHSCN70	116
RIB24T	237
RIB28X	238
RIB32X	238
RIBDH24T	240
RIBDH28X	241
RIBDH32X	241
RJBU24	405
RJBU30	405
RJBU36	405
RJBU42	405
RJBU48	405
RJBU54	405
RJBU60	405
RJBU66	405
RJBU72	405
RJBW24	405
RJBW30	405
RJBW36	405
RJBW42	405
RJBW48	405
RJBW54	405
RJBW60	405
RJBW66	405
RJBW72	405
RKA 363611	138
RKA 363612	138
RKA 363621	139
RKA 363622	138
RKA 364211	138
RKA 364212	138
RKA 364221	139
RKA 364222	138
RKA 364811	138
RKA 364812	138
RKA 364821	139
RKA 364822	138
RKA 423611	138
RKA 423612	138
RKA 423621	139
RKA 423622	138
RKA 424211	138
RKA 424212	138
RKA 424221	139
RKA 424222	138
RKA 424811	138
RKA 424812	138
RKA 424821	139
RKA 424822	138
RKA 483611	138
RKA 483612	138
RKA 483621	139
RKA 483622	138
RKA 484211	138
RKA 484212	138
RKA 484221	139
RKA 484222	138
RKA 484811	138
RKA 484812	138
RKA 484821	139
RKA 484822	138
RKBA1020	402
RKBA1022	402
RKT31	402
RLCGT301	278
RLCGT361	278
RLCGT601	278
RLCGT721	278
RM111J	258, 259
RM112J	258, 259
RM212J	258, 259
RM212K	258, 259
RM9A4230	147
RM9A4836	147
RM9A8430	147
RM9A9630	147
RM9A(A/B/C/D/E/F/G)F4230	164
RM9A(A/B/C/D/E/F/G)F4836	164
RM9A(A/B/C/D/E/F/G)F8430	164
RM9A(A/B/C/D/E/F/G)F9630	164
RM9AWF4230	182
RM9AWF8430	182
RM9AWF9630	182
RMB(A)7230	149
RMB(A)7236	149
RMB(A)8430	149
RMB(A)8436	149
RMB(A)9630	149
RMB(A)9636	149
RMBA(A/B/C/D/E/F/G)A7230	165
RMBA(A/B/C/D/E/F/G)A7236	165
RMBA(A/B/C/D/E/F/G)A8430	165
RMBA(A/B/C/D/E/F/G)A8436	165
RMBA(A/B/C/D/E/F/G)A9630	165
RMBA(A/B/C/D/E/F/G)A9636	165
RMBAWA7230	183
RMBAWA7236	183
RMBAWA8430	183
RMBAWA8436	183
RMBAWA9630	183
RMBAWA9636	183
RMDA4221	146
RMDA4230	146
RMDA4236	146
RMDA4830	146
RMDA4836	146
RMDA5025	146
RMDA5430	146
RMDA5436	146
RMDA6030	146
RMDA6036	146
RMDA6630	146
RMDA6636	146
RMDA7230	146
RMDA7236	146
RMDA7830	146
RMDA7836	146
RMDA8430	146
RMDA8436	146
RMDA9030	146
RMDA9036	146
RMDA9630	146
RMDA9636	146
RMDA(A/B/C/D/E/F/G)F4221	163
RMDA(A/B/C/D/E/F/G)F4230	163
RMDA(A/B/C/D/E/F/G)F4236	163
RMDA(A/B/C/D/E/F/G)F4830	163
RMDA(A/B/C/D/E/F/G)F4836	163
RMDA(A/B/C/D/E/F/G)F5025	163
RMDA(A/B/C/D/E/F/G)F5430	163
RMDA(A/B/C/D/E/F/G)F5436	163
RMDA(A/B/C/D/E/F/G)F6030	163
RMDA(A/B/C/D/E/F/G)F6036	163
RMDA(A/B/C/D/E/F/G)F6630	163
RMDA(A/B/C/D/E/F/G)F6636	163
RMDA(A/B/C/D/E/F/G)F7230	163
RMDA(A/B/C/D/E/F/G)F7236	163
RMDA(A/B/C/D/E/F/G)F7830	163
RMDA(A/B/C/D/E/F/G)F7836	163
RMDA(A/B/C/D/E/F/G)F8430	163
RMDA(A/B/C/D/E/F/G)F8436	163
RMDA(A/B/C/D/E/F/G)F9030	163
RMDA(A/B/C/D/E/F/G)F9036	163
RMDA(A/B/C/D/E/F/G)F9630	163
RMDA(A/B/C/D/E/F/G)F9636	163
RMDAWF4221	181
RMDAWF4230	181
RMDAWF4236	181
RMDAWF4830	181
RMDAWF4836	181
RMDAWF5025	181
RMDAWF5430	181
RMDAWF5436	181
RMDAWF6030	181
RMDAWF6036	181
RMDAWF6630	181
RMDAWF6636	181
RMDAWF7230	181
RMDAWF7236	181
RMDAWF7830	181
RMDAWF7836	181
RMDAWF8430	181
RMDAWF8436	181
RMDAWF9030	181
RMDAWF9036	181
RMDAWF9630	181
RMDAWF9636	181
RMPA4230	147
RMPA4836	147
RMPA8430	148
RMPA9630	148
RMPA(A/B/C/D/E/F/G)F4230	164
RMPA(A/B/C/D/E/F/G)F4836	164
RMPA(A/B/C/D/E/F/G)F8430	164
RMPA(A/B/C/D/E/F/G)F9630	164
RMPAWF4230	182
RMPAWF8430	182
RMPAWF9630	182
RMPU	273
RMSCB	228
RO1-GB	380
RO1-HP12	377, 378
RO1-HP15	377, 378
RO1-HP6	377, 378
RO1-HP9	377, 378
RO1-PULL	380
RO1-RCB	379
RO1-RPB	379
RO1-WMF2	380
RO1-WMF3	380
RO1-WMF4	380
RO3-N24	376
RO3-N30	376
RO3-N36	376
RO3-N42	376
RO3-N48	376
RO3-N60	376
RO3-N66	376
RO3-N72	376
RO3-ON30	378
RO3-ON36	378
RO3-ON42	378
RO3-ON48	378
RO3-ON60	378
RO3-ON72	378
RO3-VP	378
ROAF60S0DH	357
ROAF60S0( )	347
ROAF60S1DH	357
ROAF60S1( )	347
ROAF72S0DH	357
ROAF72S0( )	347
ROAF72S1DH	357
ROAF72S1( )	347
ROAF84S0DH	357
ROAF84S0( )	347
ROAF84S1DH	357
ROAF84S1( )	347
ROAF96S0DH	357

pattern no.	*page*
ROAF96S0( )	347
ROAF96S1DH	357
ROAF96S1( )	347
ROAH60T0DH	356
ROAH60T0( )	347
ROAH60T1DH	356
ROAH60T1( )	347
ROAH72T0DH	356
ROAH72T0( )	347
ROAH72T1DH	356
ROAH72T1( )	347
ROAH90T0DH	356
ROAH90T0( )	347
ROAH90T1DH	356
ROAH90T1( )	347
ROAH96T0DH	356
ROAH96T0( )	347
ROAH96T1DH	356
ROAH96T1( )	347
ROAO60T0DH	356
ROAO60T0( )	347
ROAO60T1DH	356
ROAO60T1( )	347
ROAO72T0DH	356
ROAO72T0( )	347
ROAO72T1DH	356
ROAO72T1( )	347
ROAO90T0DH	356
ROAO90T0( )	347
ROAO90T1DH	356
ROAO90T1( )	347
ROAO96T0DH	356
ROAO96T0( )	347
ROAO96T1DH	356
ROAO96T1( )	347
ROBF60S0DH	359
ROBF60S0( )	348
ROBF60S1DH	359
ROBF60S1( )	348
ROBF72S0DH	359
ROBF72S0( )	348
ROBF72S1DH	359
ROBF72S1( )	348
ROBF84S0DH	359
ROBF84S0( )	348
ROBF84S1DH	359
ROBF84S1( )	348
ROBF96S0DH	359
ROBF96S0( )	348
ROBF96S1DH	359
ROBF96S1( )	348
ROBH60T0DH	358
ROBH60T0( )	348
ROBH60T1DH	358
ROBH60T1( )	348
ROBH72T0DH	358
ROBH72T0( )	348
ROBH72T1DH	358
ROBH72T1( )	348
ROBH90T0DH	358
ROBH90T0( )	348
ROBH90T1DH	358
ROBH90T1( )	348
ROBH96T0DH	358
ROBH96T0( )	348
ROBH96T1DH	358
ROBH96T1( )	348
ROBO60T0DH	358
ROBO60T0( )	348
ROBO60T1DH	358
ROBO60T1( )	348
ROBO72T0DH	358
ROBO72T0( )	348
ROBO72T1DH	358
ROBO72T1( )	348
ROBO90T0DH	358
ROBO90T0( )	348
ROBO90T1DH	358
ROBO90T1( )	348
ROBO96T0DH	358
ROBO96T0( )	348
ROBO96T1DH	358
ROBO96T1( )	348
ROCCGDHP301	374
ROCCGDHP361	374
ROCCGDHP421	374
ROCCGDHP481	374
ROCCGDHP541	374
ROCCGDHP601	374
ROCCGDHP661	374
ROCCGDHP721	374
ROCCGDHP781	374
ROCCGDHP841	374
ROCCGDHP901	374
ROCCGDHP961	374
ROCCGSHP301	364
ROCCGSHP361	364
ROCCGSHP421	364
ROCCGSHP481	364
ROCCGSHP541	364
ROCCGSHP601	364
ROCCGSHP661	364
ROCCGSHP721	364
ROCCGSHP781	364
ROCCGSHP841	364
ROCCGSHP901	364
ROCCGSHP961	364
ROCGHCDHP301	373
ROCGHCDHP361	373
ROCGHCDHP421	373
ROCGHCDHP481	373
ROCGHCDHP541	373
ROCGHCDHP601	373
ROCGHCDHP661	373
ROCGHCDHP721	373
ROCGHCDHP781	373
ROCGHCDHP841	373
ROCGHCDHP901	373
ROCGHCDHP961	373
ROCGHCSHP301	366
ROCGHCSHP361	366
ROCGHCSHP421	366
ROCGHCSHP481	366
ROCGHCSHP541	366
ROCGHCSHP601	366
ROCGHCSHP661	366
ROCGHCSHP721	366
ROCGHCSHP781	366
ROCGHCSHP841	366
ROCGHCSHP901	366
ROCGHCSHP961	366
ROCHCDHP301	372
ROCHCDHP361	372
ROCHCDHP421	372
ROCHCDHP481	372
ROCHCDHP541	372
ROCHCDHP601	372
ROCHCDHP661	372
ROCHCDHP721	372
ROCHCDHP781	372
ROCHCDHP841	372
ROCHCDHP901	372
ROCHCDHP961	372
ROCHCSHP301	365
ROCHCSHP361	365
ROCHCSHP421	365
ROCHCSHP481	365
ROCHCSHP541	365
ROCHCSHP601	365
ROCHCSHP661	365
ROCHCSHP721	365
ROCHCSHP781	365
ROCHCSHP841	365
ROCHCSHP901	365
ROCHCSHP961	365
ROCHDHP301	372
ROCHDHP361	372
ROCHDHP421	372
ROCHDHP481	372
ROCHDHP541	372
ROCHDHP601	372
ROCHDHP661	372
ROCHDHP721	372
ROCHDHP781	372
ROCHDHP841	372
ROCHDHP901	372
ROCHDHP961	372
ROCHOCDHP601	375
ROCHOCDHP661	375
ROCHOCDHP721	375
ROCHOCDHP781	375
ROCHOCDHP841	375
ROCHOCDHP901	375
ROCHOCDHP961	375
ROCHOCSHP601	367
ROCHOCSHP661	367
ROCHOCSHP721	367
ROCHOCSHP781	367
ROCHOCSHP841	367
ROCHOCSHP901	367
ROCHOCSHP961	367
ROCHSHP301	365
ROCHSHP361	365
ROCHSHP421	365
ROCHSHP481	365
ROCHSHP541	365
ROCHSHP601	365
ROCHSHP661	365
ROCHSHP721	365
ROCHSHP781	365
ROCHSHP841	365
ROCHSHP901	365
ROCHSHP961	365
ROCOCDHP301	374
ROCOCDHP361	374
ROCOCDHP421	374
ROCOCDHP481	374
ROCOCDHP541	374
ROCOCDHP601	374
ROCOCDHP661	374
ROCOCDHP721	374
ROCOCDHP781	374
ROCOCDHP841	374
ROCOCDHP901	374
ROCOCDHP961	374
ROCOCSHP301	364
ROCOCSHP361	364
ROCOCSHP421	364
ROCOCSHP481	364
ROCOCSHP541	364
ROCOCSHP601	364
ROCOCSHP661	364
ROCOCSHP721	364
ROCOCSHP781	364
ROCOCSHP841	364
ROCOCSHP901	364
ROCOCSHP961	364
ROHDR30	413
ROHDR36	413
ROHDR42	413
ROHDR48	413
ROHDR60	413
ROHDR72	413
ROHDR90	413
ROHDR96	413
ROMCGDHP301	370
ROMCGDHP361	370
ROMCGDHP421	370
ROMCGDHP481	370
ROMCGDHP541	370
ROMCGDHP601	370
ROMCGDHP661	370
ROMCGDHP721	370
ROMCGDHP781	370
ROMCGDHP841	370
ROMCGDHP901	370
ROMCGDHP961	370
ROMCGSHP301	360
ROMCGSHP361	360
ROMCGSHP421	360
ROMCGSHP481	360
ROMCGSHP541	360
ROMCGSHP601	360
ROMCGSHP661	360
ROMCGSHP721	360
ROMCGSHP781	360
ROMCGSHP841	360
ROMCGSHP901	360
ROMCGSHP961	360
ROMDHMTF130RB	409
ROMDHMTF130RL	409
ROMDHMTF130RN	409
ROMDHMTF130RR	410
ROMDHMTF136RB	409
ROMDHMTF136RL	409
ROMDHMTF136RN	409
ROMDHMTF136RR	410
ROMDHMTF142RB	409
ROMDHMTF142RL	409
ROMDHMTF142RN	409

pattern no.	*page*
ROMDHMTF142RR	410
ROMDHMTF148RB	409
ROMDHMTF148RL	409
ROMDHMTF148RN	409
ROMDHMTF148RR	410
ROMDHMTF154RB	409
ROMDHMTF154RL	409
ROMDHMTF154RN	409
ROMDHMTF154RR	410
ROMDHMTF160RB	409
ROMDHMTF160RL	409
ROMDHMTF160RN	409
ROMDHMTF160RR	410
ROMDHMTF166RB	409
ROMDHMTF166RL	409
ROMDHMTF166RN	409
ROMDHMTF166RR	410
ROMDHMTF172RB	409
ROMDHMTF172RL	409
ROMDHMTF172RN	409
ROMDHMTF172RR	410
ROMDHMTF178RB	409
ROMDHMTF178RL	409
ROMDHMTF178RN	409
ROMDHMTF178RR	410
ROMDHMTF184RB	409
ROMDHMTF184RL	409
ROMDHMTF184RN	409
ROMDHMTF184RR	410
ROMDHMTF190RB	409
ROMDHMTF190RL	409
ROMDHMTF190RN	409
ROMDHMTF190RR	410
ROMDHMTF196RB	409
ROMDHMTF196RL	409
ROMDHMTF196RN	409
ROMDHMTF196RR	410
ROMDHWTF130RB	411
ROMDHWTF130RL	411
ROMDHWTF130RN	411
ROMDHWTF130RR	412
ROMDHWTF136RB	411
ROMDHWTF136RL	411
ROMDHWTF136RN	411
ROMDHWTF136RR	412
ROMDHWTF142RB	411
ROMDHWTF142RL	411
ROMDHWTF142RN	411
ROMDHWTF142RR	412
ROMDHWTF148RB	411
ROMDHWTF148RL	411
ROMDHWTF148RN	411
ROMDHWTF148RR	412
ROMDHWTF154RB	411
ROMDHWTF154RL	411
ROMDHWTF154RN	411
ROMDHWTF154RR	412
ROMDHWTF160RB	411
ROMDHWTF160RL	411
ROMDHWTF160RN	411
ROMDHWTF160RR	412
ROMDHWTF166RB	411
ROMDHWTF166RL	411
ROMDHWTF166RN	411
ROMDHWTF166RR	412
ROMDHWTF172RB	411
ROMDHWTF172RL	411
ROMDHWTF172RN	411
ROMDHWTF172RR	412
ROMDHWTF178RB	411
ROMDHWTF178RL	411
ROMDHWTF178RN	411
ROMDHWTF178RR	412
ROMDHWTF184RB	411
ROMDHWTF184RL	411
ROMDHWTF184RN	411
ROMDHWTF184RR	412
ROMDHWTF190RB	411
ROMDHWTF190RL	411
ROMDHWTF190RN	411
ROMDHWTF190RR	412
ROMDHWTF196RB	411
ROMDHWTF196RL	411
ROMDHWTF196RN	411
ROMDHWTF196RR	412
ROMF30S0( )	342
ROMF36S0( )	342
ROMF42S0( )	342
ROMF48S0( )	342
ROMF60S0( )	342
ROMF72S0( )	342
ROMGHCDHP301	369
ROMGHCDHP361	369
ROMGHCDHP421	369
ROMGHCDHP481	369
ROMGHCDHP541	369
ROMGHCDHP601	369
ROMGHCDHP661	369
ROMGHCDHP721	369
ROMGHCDHP781	369
ROMGHCDHP841	369
ROMGHCDHP901	369
ROMGHCDHP961	369
ROMGHCSHP301	362
ROMGHCSHP361	362
ROMGHCSHP421	362
ROMGHCSHP481	362
ROMGHCSHP541	362
ROMGHCSHP601	362
ROMGHCSHP661	362
ROMGHCSHP721	362
ROMGHCSHP781	362
ROMGHCSHP841	362
ROMGHCSHP901	362
ROMGHCSHP961	362
ROMH30S0( )	342
ROMH36S0( )	342
ROMH60S0( )	342
ROMH72S0( )	342
ROMHCDHP301	368
ROMHCDHP361	368
ROMHCDHP421	368
ROMHCDHP481	368
ROMHCDHP541	368
ROMHCDHP601	368
ROMHCDHP661	368
ROMHCDHP721	368
ROMHCDHP781	368
ROMHCDHP841	368
ROMHCDHP901	368
ROMHCDHP961	368
ROMHCSHP301	361
ROMHCSHP361	361
ROMHCSHP421	361
ROMHCSHP481	361
ROMHCSHP541	361
ROMHCSHP601	361
ROMHCSHP661	361
ROMHCSHP721	361
ROMHCSHP781	361
ROMHCSHP841	361
ROMHCSHP901	361
ROMHCSHP961	361
ROMHDHP301	368
ROMHDHP361	368
ROMHDHP421	368
ROMHDHP481	368
ROMHDHP541	368
ROMHDHP601	368
ROMHDHP661	368
ROMHDHP721	368
ROMHDHP781	368
ROMHDHP841	368
ROMHDHP901	368
ROMHDHP961	368
ROMHOCDHP601	371
ROMHOCDHP661	371
ROMHOCDHP721	371
ROMHOCDHP781	371
ROMHOCDHP841	371
ROMHOCDHP901	371
ROMHOCDHP961	371
ROMHOCSHP601	363
ROMHOCSHP661	363
ROMHOCSHP721	363
ROMHOCSHP781	363
ROMHOCSHP841	363
ROMHOCSHP901	363
ROMHOCSHP961	363
ROMHSHP301	361
ROMHSHP361	361
ROMHSHP421	361
ROMHSHP481	361
ROMHSHP541	361
ROMHSHP601	361
ROMHSHP661	361
ROMHSHP721	361
ROMHSHP781	361
ROMHSHP841	361
ROMHSHP901	361
ROMHSHP961	361
ROMO30S0( )	342
ROMO36S0( )	342
ROMO42S0( )	342
ROMO48S0( )	342
ROMO60S0( )	342
ROMO72S0( )	342
ROMOCDHP301	370
ROMOCDHP361	370
ROMOCDHP421	370
ROMOCDHP481	370
ROMOCDHP541	370
ROMOCDHP601	370
ROMOCDHP661	370
ROMOCDHP721	370
ROMOCDHP781	370
ROMOCDHP841	370
ROMOCDHP901	370
ROMOCDHP961	370
ROMOCSHP301	360
ROMOCSHP361	360
ROMOCSHP421	360
ROMOCSHP481	360
ROMOCSHP541	360
ROMOCSHP601	360
ROMOCSHP661	360
ROMOCSHP721	360
ROMOCSHP781	360
ROMOCSHP841	360
ROMOCSHP901	360
ROMOCSHP961	360
ROPF30S0J	344
ROPF36S0J	344
ROPF42S0J	344
ROPF48S0J	344
ROPF60S0J	344
ROPF72S0J	344
ROPF84S0J	344
ROPF96S0J	344
ROPH30S0( )	343
ROPH36S0( )	343
ROPH60S0( )	343
ROPH60T0( )	343
ROPH72S0( )	343
ROPH72T0( )	343
ROPH90S0( )	343
ROPH90T0( )	343
ROPH96S0( )	343
ROPH96T0( )	343
ROPO30S0( )	343
ROPO36S0( )	343
ROPO42S0( )	343
ROPO48S0( )	343
ROPO60S0( )	343
ROPO60T0( )	343
ROPO72S0( )	343
ROPO72T0( )	343
ROPO90S0( )	343
ROPO90T0( )	343
ROPO96S0( )	343
ROPO96T0( )	343
ROPS30S0NN	344
ROPS36S0NN	344
ROPS42S0NN	344
ROPS48S0NN	344
ROPS54S0NN	344
ROPS60S0NN	344
ROPS66S0NN	344
ROPS72S0NN	344
ROPS78S0NN	344
ROPS84S0NN	344
ROPS90S0NN	344
ROPS96S0NN	344
ROSDH821	355
ROSSH681	355
ROWH60S0DH	353
ROWH60S0( )	345
ROWH60S1DH	353
ROWH60S1( )	345
ROWH60T0DH	354

pattern no.	*page*
ROWH60T0( )	345
ROWH60T1DH	354
ROWH60T1( )	345
ROWH72S0DH	353
ROWH72S0( )	345
ROWH72S1DH	353
ROWH72S1( )	345
ROWH72T0DH	354
ROWH72T0( )	345
ROWH72T1DH	354
ROWH72T1( )	345
ROWH90S0DH	353
ROWH90S0( )	345
ROWH90S1DH	353
ROWH90S1( )	345
ROWH90T0DH	354
ROWH90T0( )	345
ROWH90T1DH	354
ROWH90T1( )	345
ROWH96S0DH	353
ROWH96S0( )	345
ROWH96S1DH	353
ROWH96S1( )	345
ROWH96T0DH	354
ROWH96T0( )	345
ROWH96T1DH	354
ROWH96T1( )	345
ROWO60S0DH	351
ROWO60S0( )	345
ROWO60S1DH	351
ROWO60S1( )	345
ROWO60T0DH	352
ROWO60T0( )	345
ROWO60T1DH	352
ROWO60T1( )	345
ROWO72S0DH	351
ROWO72S0( )	345
ROWO72S1DH	351
ROWO72S1( )	345
ROWO72T0DH	352
ROWO72T0( )	345
ROWO72T1DH	352
ROWO72T1( )	345
ROWO90S0DH	351
ROWO90S0( )	345
ROWO90S1DH	351
ROWO90S1( )	345
ROWO90T0DH	352
ROWO90T0( )	345
ROWO90T1DH	352
ROWO90T1( )	345
ROWO96S0DH	351
ROWO96S0( )	345
ROWO96S1DH	351
ROWO96S1( )	345
ROWO96T0DH	352
ROWO96T0( )	345
ROWO96T1DH	352
ROWO96T1( )	345
RP161J	260, 262
RP161K	260, 262
RP161L(L/R)	264, 265
RP161M	264, 265
RP161R	268, 269
RP162J	260, 262
RP162K	260, 262
RP162L(L/R)	264, 265
RP162M	264, 265
RP162R	268, 269
RP163J	260, 262
RP163K	260, 262
RP163L(L/R)	264, 265
RP163M	264, 265
RP191J	261, 263
RP191K	261, 263
RP191R	268, 269
RP192J	261, 263
RP192K	261, 263
RP192R	268, 269
RP193J	261, 263
RP193K	261, 263
RP211J	248, 251
RP211K	248, 251
RP211L(L/R)	254, 256
RP211M	254, 256
RP212J	248, 251
RP212K	248, 251
RP212L(L/R)	254, 256
RP212M	254, 256
RP213J	248, 251
RP213K	248, 251
RP213L(L/R)	254, 256
RP213M	254, 256
RP221J	250, 253
RP221K	250, 253
RP222J	250, 253
RP222K	250, 253
RP223J	250, 253
RP223K	250, 253
RP231K	248, 251
RP231L	254, 256
RP231M	254, 256
RP232K	248, 251
RP232L	254, 256
RP232M	254, 256
RP261K	248, 251
RP261L	254, 256
RP261M	254, 256
RP262K	248, 251
RP262L	254, 256
RP262M	254, 256
RP301A	269
RP301E(L/R)	272
RP301K	260, 262
RP301L	264, 265
RP301M	264, 265
RP301R	268, 269
RP301S	268, 270
RP301T	268, 269
RP302A	269
RP302E(L/R)	272
RP302K	260, 262
RP302L	264, 265
RP302M	264, 265
RP302R	268, 269
RP302S	268, 270
RP302T	268, 269
RP361A	269
RP361E(L/R)	272
RP361K	260, 262
RP361L	264, 265
RP361M	264, 265
RP361R	268, 269
RP361S	268, 270
RP361T	268, 269
RP362A	269
RP362E(L/R)	272
RP362K	260, 262
RP362L	264, 265
RP362M	264, 265
RP362R	268, 269
RP362S	268, 270
RP362T	268, 269
RPAB16	258, 259
RPAB19	258, 259
RPAB30	258, 259
RPAB36	258, 259
RPAD	402
RPADSS	407
RPAHFB16	407
RPAHFB30	407
RPAHFB36	407
RPAHFM162	407
RPAHFM30	407
RPAHFM36	407
RPAPT	408
RPB211J	249, 252
RPB211K	249, 252
RPB211L(L/R)	255, 257
RPB211M	255, 257
RPB212J	249, 252
RPB212K	249, 252
RPB212L(L/R)	255, 257
RPB212M	255, 257
RPB213J	249, 252
RPB213K	249, 252
RPB213L(L/R)	255, 257
RPB213M	255, 257
RPB231K	249, 252
RPB231L	255, 257
RPB231M	255, 257
RPB232K	249, 252
RPB232L	255, 257
RPB232M	255, 257
RPB261K	249, 252
RPB261L	255, 257
RPB261M	255, 257
RPB262K	249, 252
RPB262L	255, 257
RPB262M	255, 257
RPCB16	271
RPCB19	271
RPCB30	271
RPCB36	271
RPCG	406
RPCST	406
RPD11	408
RPD14	408
RPDHB16	265
RPDHB19	265
RPDHB30	265
RPDHB36	265
RPDHC42MF	271
RPDHC48MF	271
RPDHC54MF	271
RPDHC60MF	271
RPDHC66MF	271
RPDHC72MF	271
RPDHC78MF	271
RPDHC84MF	271
RPDHC90MF	271
RPDHC96MF	271
RPETAD	408
RPETRAY3C	408
RPETRAY3N	408
RPFC6	271
RPHCHH	407
RPHCHT	407
RPHL3442(F/T)	113
RPHL3449(F/T)	113
RPHL3464(F/T)	113
RPHL3479(F/T)	113
RPHL4249(F/T)	113
RPHL4249S	113
RPHL4264(F/T)	113
RPHL4264S	113
RPHL4279(F/T)	113
RPHL4279S	113
RPHL4964(F/T)	113
RPHL4964S	113
RPHL4979(F/T)	113
RPHL4979S	113
RPHL6479(F/T)	113
RPHL6479S	113
RPHTB3024	407
RPHTB4224	407
RPHWB3024	407
RPHWB4224	407
RPTDCFM8430	211
RPTDCFM9630	211
RPTDLFM(L/R)4820	198
RPTDLFM(L/R)4824	198
RPTDLFM(L/R)4830	198
RPTDLFM(L/R)4836	198
RPTDLFM(L/R)5420	198
RPTDLFM(L/R)5424	198
RPTDLFM(L/R)5430	198
RPTDLFM(L/R)5436	198
RPTDLFM(L/R)6020	198
RPTDLFM(L/R)6024	198
RPTDLFM(L/R)6030	198
RPTDLFM(L/R)6036	198
RPTDLFM(L/R)6620	198
RPTDLFM(L/R)6624	198
RPTDLFM(L/R)6630	198
RPTDLFM(L/R)6636	198
RPTDLFM(L/R)7220	198
RPTDLFM(L/R)7224	198
RPTDLFM(L/R)7230	198
RPTDLFM(L/R)7236	198
RPTDLFM(L/R)7820	198
RPTDLFM(L/R)7824	198
RPTDLFM(L/R)7830	198
RPTDLFM(L/R)7836	198
RPTDLFM(L/R)8420	198
RPTDLFM(L/R)8424	198
RPTDLFM(L/R)8430	198
RPTDLFM(L/R)8436	198
RPTDLPC(L/R)6020	196
RPTDLPC(L/R)6024	196

pattern no.	*page*
RPTDLPC(L/R)6030	196
RPTDLPC(L/R)6036	196
RPTDLPC(L/R)6620	196
RPTDLPC(L/R)6624	196
RPTDLPC(L/R)6630	196
RPTDLPC(L/R)6636	196
RPTDLPC(L/R)7220	196
RPTDLPC(L/R)7224	196
RPTDLPC(L/R)7230	196
RPTDLPC(L/R)7236	196
RPTDLPC(L/R)7820	196
RPTDLPC(L/R)7824	196
RPTDLPC(L/R)7830	196
RPTDLPC(L/R)7836	196
RPTDLPC(L/R)8420	196
RPTDLPC(L/R)8424	196
RPTDLPC(L/R)8430	196
RPTDLPC(L/R)8436	196
RPTDLST(L/R)6020	197
RPTDLST(L/R)6024	197
RPTDLST(L/R)6030	197
RPTDLST(L/R)6036	197
RPTDLST(L/R)6620	197
RPTDLST(L/R)6624	197
RPTDLST(L/R)6630	197
RPTDLST(L/R)6636	197
RPTDLST(L/R)7220	197
RPTDLST(L/R)7224	197
RPTDLST(L/R)7230	197
RPTDLST(L/R)7236	197
RPTDLST(L/R)7820	197
RPTDLST(L/R)7824	197
RPTDLST(L/R)7830	197
RPTDLST(L/R)7836	197
RPTDLST(L/R)8420	197
RPTDLST(L/R)8424	197
RPTDLST(L/R)8430	197
RPTDLST(L/R)8436	197
RPTDOFM(L/R)4820	207
RPTDOFM(L/R)4824	207
RPTDOFM(L/R)4830	207
RPTDOFM(L/R)4836	207
RPTDOFM(L/R)5420	207
RPTDOFM(L/R)5424	207
RPTDOFM(L/R)5430	207
RPTDOFM(L/R)5436	207
RPTDOFM(L/R)6020	207
RPTDOFM(L/R)6024	207
RPTDOFM(L/R)6030	207
RPTDOFM(L/R)6036	207
RPTDOFM(L/R)6620	207
RPTDOFM(L/R)6624	207
RPTDOFM(L/R)6630	207
RPTDOFM(L/R)6636	207
RPTDOFM(L/R)7220	207
RPTDOFM(L/R)7224	207
RPTDOFM(L/R)7230	207
RPTDOFM(L/R)7236	207
RPTDOFM(L/R)7820	207
RPTDOFM(L/R)7824	207
RPTDOFM(L/R)7830	207
RPTDOFM(L/R)7836	207
RPTDOFM(L/R)8420	207
RPTDOFM(L/R)8424	207
RPTDOFM(L/R)8430	207
RPTDOFM(L/R)8436	207
RPTDOPC(L/R)6020	205
RPTDOPC(L/R)6024	205
RPTDOPC(L/R)6030	205
RPTDOPC(L/R)6036	205
RPTDOPC(L/R)6620	205
RPTDOPC(L/R)6624	205
RPTDOPC(L/R)6630	205
RPTDOPC(L/R)6636	205
RPTDOPC(L/R)7220	205
RPTDOPC(L/R)7224	205
RPTDOPC(L/R)7230	205
RPTDOPC(L/R)7236	205
RPTDOPC(L/R)7820	205
RPTDOPC(L/R)7824	205
RPTDOPC(L/R)7830	205
RPTDOPC(L/R)7836	205
RPTDOPC(L/R)8420	205
RPTDOPC(L/R)8424	205
RPTDOPC(L/R)8430	205
RPTDOPC(L/R)8436	205
RPTDOST(L/R)6030	206
RPTDOST(L/R)6036	206
RPTDOST(L/R)6630	206
RPTDOST(L/R)6636	206
RPTDOST(L/R)7230	206
RPTDOST(L/R)7236	206
RPTDOST(L/R)7830	206
RPTDOST(L/R)7836	206
RPTDOST(L/R)8430	206
RPTDOST(L/R)8436	206
RPTDRFM(L/R)4820	201
RPTDRFM(L/R)4824	201
RPTDRFM(L/R)4830	201
RPTDRFM(L/R)4836	201
RPTDRFM(L/R)5420	201
RPTDRFM(L/R)5424	201
RPTDRFM(L/R)5430	201
RPTDRFM(L/R)5436	201
RPTDRFM(L/R)6020	201
RPTDRFM(L/R)6024	201
RPTDRFM(L/R)6030	201
RPTDRFM(L/R)6036	201
RPTDRFM(L/R)6620	201
RPTDRFM(L/R)6624	201
RPTDRFM(L/R)6630	201
RPTDRFM(L/R)6636	201
RPTDRFM(L/R)7220	201
RPTDRFM(L/R)7224	201
RPTDRFM(L/R)7230	201
RPTDRFM(L/R)7236	201
RPTDRFM(L/R)7820	201
RPTDRFM(L/R)7824	201
RPTDRFM(L/R)7830	201
RPTDRFM(L/R)7836	201
RPTDRFM(L/R)8420	201
RPTDRFM(L/R)8424	201
RPTDRFM(L/R)8430	201
RPTDRFM(L/R)8436	201
RPTDRPC(L/R)6020	199
RPTDRPC(L/R)6024	199
RPTDRPC(L/R)6030	199
RPTDRPC(L/R)6036	199
RPTDRPC(L/R)6620	199
RPTDRPC(L/R)6624	199
RPTDRPC(L/R)6630	199
RPTDRPC(L/R)6636	199
RPTDRPC(L/R)7220	199
RPTDRPC(L/R)7224	199
RPTDRPC(L/R)7230	199
RPTDRPC(L/R)7236	199
RPTDRPC(L/R)7820	199
RPTDRPC(L/R)7824	199
RPTDRPC(L/R)7830	199
RPTDRPC(L/R)7836	199
RPTDRPC(L/R)8420	199
RPTDRPC(L/R)8424	199
RPTDRPC(L/R)8430	199
RPTDRPC(L/R)8436	199
RPTDRST(L/R)6020	200
RPTDRST(L/R)6024	200
RPTDRST(L/R)6030	200
RPTDRST(L/R)6036	200
RPTDRST(L/R)6620	200
RPTDRST(L/R)6624	200
RPTDRST(L/R)6630	200
RPTDRST(L/R)6636	200
RPTDRST(L/R)7220	200
RPTDRST(L/R)7224	200
RPTDRST(L/R)7230	200
RPTDRST(L/R)7236	200
RPTDRST(L/R)7820	200
RPTDRST(L/R)7824	200
RPTDRST(L/R)7830	200
RPTDRST(L/R)7836	200
RPTDRST(L/R)8420	200
RPTDRST(L/R)8424	200
RPTDRST(L/R)8430	200
RPTDRST(L/R)8436	200
RPTDSFM(L/R)4830	204
RPTDSFM(L/R)4836	204
RPTDSFM(L/R)5430	204
RPTDSFM(L/R)5436	204
RPTDSFM(L/R)6030	204
RPTDSFM(L/R)6036	204
RPTDSFM(L/R)6630	204
RPTDSFM(L/R)6636	204
RPTDSFM(L/R)7230	204
RPTDSFM(L/R)7236	204
RPTDSFM(L/R)7830	204
RPTDSFM(L/R)7836	204
RPTDSFM(L/R)8430	204
RPTDSFM(L/R)8436	204
RPTDSPC(L/R)6030	202
RPTDSPC(L/R)6036	202
RPTDSPC(L/R)6630	202
RPTDSPC(L/R)6636	202
RPTDSPC(L/R)7230	202
RPTDSPC(L/R)7236	202
RPTDSPC(L/R)7830	202
RPTDSPC(L/R)7836	202
RPTDSPC(L/R)8430	202
RPTDSPC(L/R)8436	202
RPTDSST(L/R)6030	203
RPTDSST(L/R)6036	203
RPTDSST(L/R)6630	203
RPTDSST(L/R)6636	203
RPTDSST(L/R)7230	203
RPTDSST(L/R)7236	203
RPTDSST(L/R)7830	203
RPTDSST(L/R)7836	203
RPTDSST(L/R)8430	203
RPTDSST(L/R)8436	203
RR3-2PF	132
RR3-3PF	132
RR3-BNC	132
RR3-C3C	132
RR3-C5C	132
RR3-C5C4A	132
RR3-C5C4B	132
RR3-C6C	132
RR3CHI241	129
RR3CHI242	129
RR3CHI301	129
RR3CHI302	129
RR3CHI361	129
RR3CHI362	129
RR3CHI421	129
RR3CHI422	129
RR3CHI481	129
RR3CHI482	129
RR3-DA	125, 127
RR3-DATSHD	125, 127
RR3-DB	125, 127
RR3-DC	127
RR3-DICON	132
RR3-DX	125, 127
RR3-DXO	125, 127
RR3-DY	125, 127
RR3-DYO	125, 127
RR3-DZ	127
RR3-DZO	127
RR3-E24	125
RR3-E24S	130
RR3-E30NS	125
RR3-E30S	130
RR3-E36NS	125
RR3-E36S	130
RR3-E42NS	125
RR3-E42S	130
RR3-E48NS	125
RR3-E48S	130
RR3-E60-4	125
RR3-E66-4	125
RR3-E72-4	125
RR3-EBBCL	130
RR3-EBBCS	130
RR3EBVC50	134
RR3EBVC62	134
RR3EBVC64	134
RR3EBVC76	134
RR3EBVC78	134
RR3EBVC90	134
RR3-EJ18	126
RR3-EJ18P	126
RR3-EJ20	126
RR3-EJ20P	126
RR3-EJ24	126
RR3-EJ24P	126
RR3-EJ30	126
RR3-EJ30P	126
RR3-EJ36	126
RR3-EJ36P	126
RR3-EJ42	126
RR3-EJ42P	126

pattern no.	*page*
RR3-EJ48	126
RR3EJ48	131
RR3-EJ48P	126
RR3-EJ54P	126
RR3-EJ60P	126
RR3EJ60P	131
RR3-EJ66P	126
RR3EJ66P	131
RR3-EJ72P	126
RR3EJ72P	131
RR3-EJ78P	126
RR3-EJ84P	126
RR3-EJ90P	126
RR3-EJ96P	126
RR3-EPC	125
RR3-EPC24	125
RR3-EPCP	125
RR3-EPCP24	125
RR3-EPCPS	125
RR3-EPCS	125
RR3-EPI	126
RR3-EPNY1	126
RR3-EPNY2	126
RR3-EPVR	112, 126
RR3EVJ	135
RR3EVJ110	135
RR3EVJ82	135
RR3EVJ96	135
RR3-FB	132
RR3FDP	134
RR3-FE	132
RR3-FOSC	132
RR3-FOST	132
RR3-FV	132
RR3-LTPC	130
RR3-LTPC24	130
RR3-LTPCP	130
RR3-MICON	132
RR3MP4	403
RR3MP6	403
RR3PICON	132
RR3-REPI	126
RR3-RTPI	128
RR3-SP-(A, B, C, X, Y, Z)	128
RR3-SP-(A,B,X,Y)	126
RR3-ST	132
RR3-T24	127
RR3-T24S	130
RR3-T30NS	127
RR3-T30S	130
RR3-T36NS	127
RR3-T36S	130
RR3-T42NS	127
RR3-T42S	130
RR3-T48NS	127
RR3-T48S	130
RR3-T60-4	127
RR3-T66-4	127
RR3-T72-4	127
RR3-TBBCL	130
RR3-TBBCS	130
RR3TBVC50	134
RR3TBVC62	134
RR3TBVC64	134
RR3TBVC76	134
RR3TBVC78	134
RR3TBVC90	134
RR3-TJ18	128
RR3-TJ18P	128
RR3-TJ20	128
RR3-TJ20P	128
RR3-TJ24	128
RR3-TJ24P	128
RR3-TJ30	128
RR3-TJ30P	128
RR3-TJ36	128
RR3-TJ36P	128
RR3-TJ42	128
RR3-TJ42P	128
RR3-TJ48	128
RR3TJ48	131
RR3-TJ48P	128
RR3-TJ54P	128
RR3-TJ60P	128
RR3TJ60P	131
RR3-TJ66P	128
RR3TJ66P	131
RR3-TJ72P	128
RR3TJ72P	131
RR3-TJ78P	128
RR3-TJ84P	128
RR3-TJ90P	128
RR3-TJ96P	128
RR3-TPC	127
RR3-TPC24	127
RR3-TPCP	127
RR3-TPCP24	127
RR3-TPCPS	127
RR3-TPCS	127
RR3-TPI	128
RR3-TPNY1	128
RR3-TPNY2	128
RR3-TPVR	112, 128
RR3TVJ	135
RR3TVJ110	135
RR3TVJ82	135
RR3TVJ96	135
RR3VDA	134
RR3VDB	134
RR3VDC	134
RR3VDX	134
RR3VDXO	134
RR3VDY	134
RR3VDYO	134
RR3VDZ	134
RR3VDZO	134
RR3VPBK	134
RRA12036	150
RRA12042	150
RRA12048	150
RRA14442	150
RRA14448	150
RRA16842	150
RRA16848	150
RRA19242	150
RRA19248	150
RRA3636	150
RRA4242	150
RRA4848	150
RRA6060	150
RRA7230	150
RRA7236	150
RRA7272	150
RRA8430	150
RRA8436	150
RRA8442	150
RRA9630	150
RRA9636	150
RRA9642	150
RRA9648	150
RRA(A/B/C/D/E/F/G)12036-(1/2/3)	167
RRA(A/B/C/D/E/F/G)12042-(1/2/3)	167
RRA(A/B/C/D/E/F/G)12048-(1/2/3)	167
RRA(A/B/C/D/E/F/G)14442-(1/2/3)	167
RRA(A/B/C/D/E/F/G)14448-(1/2/3)	167
RRA(A/B/C/D/E/F/G)16842-(1/2/3)	167
RRA(A/B/C/D/E/F/G)16848-(1/2/3)	167
RRA(A/B/C/D/E/F/G)19242-(1/2/3)	167
RRA(A/B/C/D/E/F/G)19248-(1/2/3)	167
RRA(A/B/C/D/E/F/G)3636-(1/2/3)	167
RRA(A/B/C/D/E/F/G)4242-(1/2/3)	167
RRA(A/B/C/D/E/F/G)4848-(1/2/3)	167
RRA(A/B/C/D/E/F/G)6060-(1/2/3)	167
RRA(A/B/C/D/E/F/G)7230-(1/2/3)	167
RRA(A/B/C/D/E/F/G)7236-(1/2/3)	167
RRA(A/B/C/D/E/F/G)7272-(1/2/3)	167
RRA(A/B/C/D/E/F/G)8430-(1/2/3)	167
RRA(A/B/C/D/E/F/G)8436-(1/2/3)	167
RRA(A/B/C/D/E/F/G)8442-(1/2/3)	167
RRA(A/B/C/D/E/F/G)9630-(1/2/3)	167
RRA(A/B/C/D/E/F/G)9636-(1/2/3)	167
RRA(A/B/C/D/E/F/G)9642-(1/2/3)	167
RRAW12036-(1/2/3)	186
RRAW12042-(1/2/3)	186
RRAW14442-(1/2/3)	186
RRAW16842-(1/2/3)	186
RRAW19242-(1/2/3)	186
RRAW3636-(1/2/3)	186
RRAW4242-(1/2/3)	186
RRAW6060-(1/2/3)	186
RRAW7230-(1/2/3)	186
RRAW7236-(1/2/3)	186
RRAW7272-(1/2/3)	186
RRAW8430-(1/2/3)	186
RRAW8436-(1/2/3)	186
RRAW8442-(1/2/3)	186
RRAW9630-(1/2/3)	186
RRAW9636-(1/2/3)	186
RRAW9642-(1/2/3)	186
RRBRD2712	403
RRD3FTCPPL(L/R)7936	115
RRD3FTCPPL(L/R)7942	115
RRD3PPL(L/R)7936	115
RRD3PPL(L/R)7942	115
RRDPPL(L/R)6436	115
RRDPPL(L/R)6442	115
RRDTH	115
RRDTH(L/R)	115
RREP3624(A,B,W)(F,N)2	397
RREP3630(A,B,W)(F,N)2	397
RREP4224(A,B,W)(F,N)2	397
RREP4230(A,B,W)(F,N)2	397
RREP4824(A,B,W)(F,N)2	397
RREP4830(A,B,W)(F,N)2	397
RREP5424(A,B,W)(F,N)2	397
RREP5430(A,B,W)(F,N)2	397
RREP6024(A,B,W)(F,N)2	397
RREP6030(A,B,W)(F,N)2	397
RRLCFDC20108	274
RRLCFDC2090	274
RRLCFDCC20108	274
RRLCFDCC2090	274
RRLCFDCL2060	274
RRLCFDCL2072	274
RRLCFDCR2060	274
RRLCFDCR2072	274
RRLCO20108	275
RRLCO2060	275
RRLCO2072	275
RRLCO2090	275
RRLCSGD20108	276
RRLCSGD2090	276
RRLCSGDL2060	276
RRLCSGDL2072	276
RRLCSGDR2060	276
RRLCSGDR2072	276
RRLCSWD20108	277
RRLCSWD2090	277
RRLCSWDL2060	277
RRLCSWDL2072	277
RRLCSWDR2060	277
RRLCSWDR2072	277
RRML108	387
RRML60	387
RRML72	387
RRML90	387
RROCGSD108GB	382
RROCGSD90GB	382
RROCGSDL60GB	382
RROCGSDL72GB	382
RROCGSDR60GB	382
RROCGSDR72GB	382
RROCOS108GB	383
RROCOS60GB	383
RROCOS72GB	383
RROCOS90GB	383
RROCWSD108GB	383
RROCWSD90GB	383
RROCWSDL60GB	383
RROCWSDL72GB	383
RROCWSDR60GB	383
RROCWSDR72GB	383
RROMGSD108GB	384
RROMGSD108GN	384
RROMGSD60GL	384
RROMGSD60GR	384
RROMGSD72GL	384
RROMGSD72GR	384
RROMGSD90GB	384
RROMGSD90GN	384
RROMGSDL60GB	384
RROMGSDL72GB	384
RROMGSDR60GB	384
RROMGSDR72GB	384
RROMOS108GB	388
RROMOS108GN	388
RROMOS60GB	388
RROMOS60GL	388
RROMOS60GR	388
RROMOS72GB	388

pattern no.	*page*
RROMOS72GL	388
RROMOS72GR	388
RROMOS90GB	388
RROMOS90GN	388
RROMWSD108GB	385
RROMWSD108GN	385
RROMWSD60GL	385
RROMWSD60GR	385
RROMWSD72GL	385
RROMWSD72GR	385
RROMWSD90GB	385
RROMWSD90GN	385
RROMWSDL60GB	386
RROMWSDL72GB	386
RROMWSDR60GB	386
RROMWSDR72GB	386
RRSP3624K(A,B,W)	397
RRSP3630K(A,B,W)	397
RRSP4224K(A,B,W)	397
RRSP4230K(A,B,W)	397
RRSP4824K(A,B,W)	397
RRSP4830K(A,B,W)	397
RRSP5424K(A,B,W)	397
RRSP5430K(A,B,W)	397
RRSP6024K(A,B,W)	397
RRSP6030K(A,B,W)	397
RS1-N30	377
RS1-N36	377
RS1-N42	377
RS1-N48	377
RS1-N60	377
RS1-RPB	379
RS1-VP	377
RS1-WMF24	380
RS1-WMF30	380
RS1-WMF36	380
RS1-WMF42	380
RS1-WMF48	380
RS1-WMF60	380
RSA241	136
RSA242	136
RSA243	137
RSA301	136
RSA302	136
RSA303	137
RSA361	136
RSA362	136
RSA363	137
RSA421	136
RSA422	136
RSA423	137
RSA481	136
RSA482	136
RSA483	137
RSA541	136
RSA542	136
RSA543	137
RSA601	136
RSA602	136
RSA603	137
RSA604	137
RSA661	136
RSA662	136
RSA663	137
RSA664	137
RSA721	136
RSA722	136
RSA723	137
RSA724	137
RSA781	136
RSA782	136
RSA783	137
RSA841	136
RSA842	136
RSA843	137
RSA901	136
RSA902	136
RSA903	137
RSA961	136
RSA962	136
RSA963	137
RSA(A/B/C/D/E/F/G)A241	155
RSA(A/B/C/D/E/F/G)A242	155
RSA(A/B/C/D/E/F/G)A243	156
RSA(A/B/C/D/E/F/G)A301	155
RSA(A/B/C/D/E/F/G)A302	155
RSA(A/B/C/D/E/F/G)A303	156
RSA(A/B/C/D/E/F/G)A361	155
RSA(A/B/C/D/E/F/G)A362	155
RSA(A/B/C/D/E/F/G)A363	156
RSA(A/B/C/D/E/F/G)A421	155
RSA(A/B/C/D/E/F/G)A422	155
RSA(A/B/C/D/E/F/G)A423	156
RSA(A/B/C/D/E/F/G)A481	155
RSA(A/B/C/D/E/F/G)A482	155
RSA(A/B/C/D/E/F/G)A483	156
RSA(A/B/C/D/E/F/G)A541	155
RSA(A/B/C/D/E/F/G)A542	155
RSA(A/B/C/D/E/F/G)A543	156
RSA(A/B/C/D/E/F/G)A601	155
RSA(A/B/C/D/E/F/G)A602	155
RSA(A/B/C/D/E/F/G)A603	156
RSA(A/B/C/D/E/F/G)A604	156
RSA(A/B/C/D/E/F/G)A661	155
RSA(A/B/C/D/E/F/G)A662	155
RSA(A/B/C/D/E/F/G)A663	156
RSA(A/B/C/D/E/F/G)A664	156
RSA(A/B/C/D/E/F/G)A721	155
RSA(A/B/C/D/E/F/G)A722	155
RSA(A/B/C/D/E/F/G)A723	156
RSA(A/B/C/D/E/F/G)A724	156
RSA(A/B/C/D/E/F/G)A781	155
RSA(A/B/C/D/E/F/G)A782	155
RSA(A/B/C/D/E/F/G)A783	156
RSA(A/B/C/D/E/F/G)A841	155
RSA(A/B/C/D/E/F/G)A842	155
RSA(A/B/C/D/E/F/G)A843	156
RSA(A/B/C/D/E/F/G)A901	155
RSA(A/B/C/D/E/F/G)A902	155
RSA(A/B/C/D/E/F/G)A903	156
RSA(A/B/C/D/E/F/G)A961	155
RSA(A/B/C/D/E/F/G)A962	155
RSA(A/B/C/D/E/F/G)A963	156
RSA(A/B/C/D/E/F/G)B241	157
RSA(A/B/C/D/E/F/G)B242	157
RSA(A/B/C/D/E/F/G)B301	157
RSA(A/B/C/D/E/F/G)B302	157
RSA(A/B/C/D/E/F/G)B361	157
RSA(A/B/C/D/E/F/G)B362	157
RSA(A/B/C/D/E/F/G)B421	157
RSA(A/B/C/D/E/F/G)B422	157
RSA(A/B/C/D/E/F/G)B481	157
RSA(A/B/C/D/E/F/G)B482	157
RSA(A/B/C/D/E/F/G)F241	153
RSA(A/B/C/D/E/F/G)F242	153
RSA(A/B/C/D/E/F/G)F243	154
RSA(A/B/C/D/E/F/G)F301	153
RSA(A/B/C/D/E/F/G)F302	153
RSA(A/B/C/D/E/F/G)F303	154
RSA(A/B/C/D/E/F/G)F361	153
RSA(A/B/C/D/E/F/G)F362	153
RSA(A/B/C/D/E/F/G)F363	154
RSA(A/B/C/D/E/F/G)F421	153
RSA(A/B/C/D/E/F/G)F422	153
RSA(A/B/C/D/E/F/G)F423	154
RSA(A/B/C/D/E/F/G)F481	153
RSA(A/B/C/D/E/F/G)F482	153
RSA(A/B/C/D/E/F/G)F483	154
RSA(A/B/C/D/E/F/G)F541	153
RSA(A/B/C/D/E/F/G)F542	153
RSA(A/B/C/D/E/F/G)F543	154
RSA(A/B/C/D/E/F/G)F601	153
RSA(A/B/C/D/E/F/G)F602	153
RSA(A/B/C/D/E/F/G)F603	154
RSA(A/B/C/D/E/F/G)F604	154
RSA(A/B/C/D/E/F/G)F661	153
RSA(A/B/C/D/E/F/G)F662	153
RSA(A/B/C/D/E/F/G)F663	154
RSA(A/B/C/D/E/F/G)F664	154
RSA(A/B/C/D/E/F/G)F721	153
RSA(A/B/C/D/E/F/G)F722	153
RSA(A/B/C/D/E/F/G)F723	154
RSA(A/B/C/D/E/F/G)F724	154
RSA(A/B/C/D/E/F/G)F781	153
RSA(A/B/C/D/E/F/G)F782	153
RSA(A/B/C/D/E/F/G)F783	154
RSA(A/B/C/D/E/F/G)F841	153
RSA(A/B/C/D/E/F/G)F842	153
RSA(A/B/C/D/E/F/G)F843	154
RSA(A/B/C/D/E/F/G)F901	153
RSA(A/B/C/D/E/F/G)F902	153
RSA(A/B/C/D/E/F/G)F903	154
RSA(A/B/C/D/E/F/G)F961	153
RSA(A/B/C/D/E/F/G)F962	153
RSA(A/B/C/D/E/F/G)F963	154
RSA(A/B/C/D/E/F/G)L241	157
RSA(A/B/C/D/E/F/G)L242	157
RSA(A/B/C/D/E/F/G)L301	157
RSA(A/B/C/D/E/F/G)L302	157
RSA(A/B/C/D/E/F/G)L361	157
RSA(A/B/C/D/E/F/G)L362	157
RSA(A/B/C/D/E/F/G)L421	157
RSA(A/B/C/D/E/F/G)L422	157
RSA(A/B/C/D/E/F/G)L481	157
RSA(A/B/C/D/E/F/G)L482	157
RSA(A/B/C/D/E/F/G)R241	158
RSA(A/B/C/D/E/F/G)R242	158
RSA(A/B/C/D/E/F/G)R301	158
RSA(A/B/C/D/E/F/G)R302	158
RSA(A/B/C/D/E/F/G)R361	158
RSA(A/B/C/D/E/F/G)R362	158
RSA(A/B/C/D/E/F/G)R421	158
RSA(A/B/C/D/E/F/G)R422	158
RSA(A/B/C/D/E/F/G)R481	158
RSA(A/B/C/D/E/F/G)R482	158
RSAMP1616	403
RSAWA241	170
RSAWA242	170
RSAWA243	171
RSAWA301	170
RSAWA302	170
RSAWA303	171
RSAWA361	170
RSAWA362	170
RSAWA363	171
RSAWA421	170
RSAWA422	170
RSAWA423	171
RSAWA481	170
RSAWA482	170
RSAWA483	171
RSAWA541	170
RSAWA542	170
RSAWA543	171
RSAWA601	170
RSAWA602	170
RSAWA603	171
RSAWA604	171
RSAWA661	170
RSAWA662	170
RSAWA663	171
RSAWA664	171
RSAWA721	170
RSAWA722	170
RSAWA723	171
RSAWA724	171
RSAWA781	170
RSAWA782	170
RSAWA783	171
RSAWA841	170
RSAWA842	170
RSAWA843	171
RSAWA901	170
RSAWA902	170
RSAWA903	171
RSAWA961	170
RSAWA962	170
RSAWA963	171
RSAWB241	172
RSAWB242	172
RSAWB243	173
RSAWB301	172
RSAWB302	172
RSAWB303	173
RSAWB361	172
RSAWB362	172
RSAWB363	173
RSAWB421	172
RSAWB422	172
RSAWB423	173
RSAWB481	172
RSAWB482	172
RSAWB483	173
RSAWB541	172
RSAWB542	172
RSAWB543	173
RSAWB601	172
RSAWB602	172
RSAWB603	173
RSAWB604	173

pattern no.	*page*
RSAWB661	172
RSAWB662	172
RSAWB663	173
RSAWB664	173
RSAWB721	172
RSAWB722	172
RSAWB723	173
RSAWB724	173
RSAWB781	172
RSAWB782	172
RSAWB783	173
RSAWB841	172
RSAWB842	172
RSAWB843	173
RSAWB901	172
RSAWB902	172
RSAWB903	173
RSAWB961	172
RSAWB962	172
RSAWB963	173
RSAWF241	168
RSAWF242	168
RSAWF243	169
RSAWF301	168
RSAWF302	168
RSAWF303	169
RSAWF361	168
RSAWF362	168
RSAWF363	169
RSAWF421	168
RSAWF422	168
RSAWF423	169
RSAWF481	168
RSAWF482	168
RSAWF483	169
RSAWF541	168
RSAWF542	168
RSAWF543	169
RSAWF601	168
RSAWF602	168
RSAWF603	169
RSAWF604	169
RSAWF661	168
RSAWF662	168
RSAWF663	169
RSAWF664	169
RSAWF721	168
RSAWF722	168
RSAWF723	169
RSAWF724	169
RSAWF781	168
RSAWF782	168
RSAWF783	169
RSAWF841	168
RSAWF842	168
RSAWF843	169
RSAWF901	168
RSAWF902	168
RSAWF903	169
RSAWF961	168
RSAWF962	168
RSAWF963	169
RSAWL241	174
RSAWL242	174
RSAWL243	175
RSAWL301	174
RSAWL302	174
RSAWL303	175
RSAWL361	174
RSAWL362	174
RSAWL363	175
RSAWL421	174
RSAWL422	174
RSAWL423	175
RSAWL481	174
RSAWL482	174
RSAWL483	175
RSAWL541	174
RSAWL542	174
RSAWL543	175
RSAWL601	174
RSAWL602	174
RSAWL603	175
RSAWL604	175
RSAWL661	174
RSAWL662	174
RSAWL663	175
RSAWL664	175
RSAWL721	174
RSAWL722	174
RSAWL723	175
RSAWL724	175
RSAWL781	174
RSAWL782	174
RSAWL783	175
RSAWL841	174
RSAWL842	174
RSAWL843	175
RSAWL901	174
RSAWL902	174
RSAWL903	175
RSAWL961	174
RSAWL962	174
RSAWL963	175
RSAWR241	176
RSAWR242	176
RSAWR243	177
RSAWR301	176
RSAWR302	176
RSAWR303	177
RSAWR361	176
RSAWR362	176
RSAWR363	177
RSAWR421	176
RSAWR422	176
RSAWR423	177
RSAWR481	176
RSAWR482	176
RSAWR483	177
RSAWR541	176
RSAWR542	176
RSAWR543	177
RSAWR601	176
RSAWR602	176
RSAWR603	177
RSAWR604	177
RSAWR661	176
RSAWR662	176
RSAWR663	177
RSAWR664	177
RSAWR721	176
RSAWR722	176
RSAWR723	177
RSAWR724	177
RSAWR781	176
RSAWR782	176
RSAWR783	177
RSAWR841	176
RSAWR842	176
RSAWR843	177
RSAWR901	176
RSAWR902	176
RSAWR903	177
RSAWR961	176
RSAWR962	176
RSAWR963	177
RSBWH20	229
RSBWH24	229
RSBWH30	229
RSBWH36	229
RSBWH42	229
RSBWH48	229
RSC	237
RSC4	237
RSD1021	193
RSD1022	193
RSD1023	194
RSD1081	193
RSD1082	193
RSD1083	194
RSD1427	238, 239
RSD1827	238, 239
RSD2027	238, 239
RSD241	193
RSD242	193
RSD2427	238, 239
RSD243	194
RSD301	193
RSD302	193
RSD3027	238, 239
RSD303	194
RSD361	193
RSD362	193
RSD363	194
RSD421	193
RSD422	193
RSD423	194
RSD481	193
RSD482	193
RSD483	194
RSD541	193
RSD542	193
RSD543	194
RSD601	193
RSD602	193
RSD603	194
RSD604	194
RSD661	193
RSD662	193
RSD663	194
RSD664	194
RSD721	193
RSD722	193
RSD723	194
RSD724	194
RSD781	193
RSD782	193
RSD783	194
RSD841	193
RSD842	193
RSD843	194
RSD901	193
RSD902	193
RSD903	194
RSD961	193
RSD962	193
RSD963	194
RSDHC	240
RSDHC3	241
RSDHC4	240
RSDHD1428	241, 242
RSDHD1828	241, 242
RSDHD2028	241, 242
RSDHD2428	241, 242
RSDHD3028	241, 242
RSDHL12	242
RSDHL15	242
RSDHL20	242
RSDHL24	242
RSDHL30	242
RSDHL36	242
RSDHL42	242
RSDHL48	242
RSDHT1	242
RSDHT2	242
RSDHT3	242
RSDHT4	242
RSDHT5	242
RSDHT6	242
RSDR30	413
RSDR36	413
RSDR42	413
RSDR48	413
RSDR54	413
RSDR60	413
RSDR66	413
RSDR72	413
RSDR78	413
RSDR84	413
RSDR90	413
RSDR96	413
RSE1(L/R)	233
RSE2(L/R)	233
RSE3(L/R)	233
RSE4(L/R)	233
RSE5(L/R)	233
RSE6(L/R)	233
RSEDH1(L/R)	235
RSEDH2(L/R)	235
RSEDH3(L/R)	235
RSEDH4(L/R)	235
RSEDH5(L/R)	235
RSEDH6(L/R)	235
RSL12	239
RSL15	239
RSL20	239
RSL24	239
RSL30	239
RSL36	239
RSL42	239

pattern no.	*page*
RSL48	239
RSNTT18(A/B/C/E)	109
RSNTT20(A/B/C/E)	109
RSNTT24(A/B/C/E)	109
RSNTT30(A/B/C/E)	109
RSNTT33(A/B/C/E) (66″ wide panels one only)	109
RSNTT36(A/B/C/E)	109
RSNTT42(A/B/C/E)	109
RSNTT48(A/B/C/E)	109
RSPABPD	114
RSPABPP	114
RSPABPT	114
RSPABPW	114
RSPABTD	114
RSPABTT	114
RSPABTW	114
RSPABWD	114
RSPABWW	114
RST	406
RST1	239
RST2	239
RST3	239
RST4	239
RST5	239
RST6	239
RSTDCFM(L/R)4830	210
RSTDCFM(L/R)4836	210
RSTDCFM(L/R)5430	210
RSTDCFM(L/R)5436	210
RSTDCFM(L/R)6030	210
RSTDCFM(L/R)6036	210
RSTDCFM(L/R)6630	210
RSTDCFM(L/R)6636	210
RSTDCFM(L/R)7230	210
RSTDCFM(L/R)7236	210
RSTDCFM(L/R)7830	210
RSTDCFM(L/R)7836	210
RSTDCFM(L/R)8430	210
RSTDCFM(L/R)8436	210
RSTDCPC(L/R)6030	208
RSTDCPC(L/R)6036	208
RSTDCPC(L/R)6630	208
RSTDCPC(L/R)6636	208
RSTDCPC(L/R)7230	208
RSTDCPC(L/R)7236	208
RSTDCPC(L/R)7830	208
RSTDCPC(L/R)7836	208
RSTDCPC(L/R)8430	208
RSTDCPC(L/R)8436	208
RSTDCST(L/R)6030	209
RSTDCST(L/R)6036	209
RSTDCST(L/R)6630	209
RSTDCST(L/R)6636	209
RSTDCST(L/R)7230	209
RSTDCST(L/R)7236	209
RSTDCST(L/R)7830	209
RSTDCST(L/R)7836	209
RSTDCST(L/R)8430	209
RSTDCST(L/R)8436	209
RSTRLE361	225
RSTRLE362	225
RSTRLE421	225
RSTRLE422	225
RSTRSE361	227
RSTRSE362	227
RSTRSE421	227
RSTRSE422	227
RSTRWE361	226
RSTRWE362	226
RSTRWE421	226
RSTRWE422	226
RSTSLE361	225
RSTSLE362	225
RSTSLE421	225
RSTSLE422	225
RSTSSE361	227
RSTSSE362	227
RSTSSE421	227
RSTSSE422	227
RSTSWE361	226
RSTSWE362	226
RSTSWE421	226
RSTSWE422	226
RSTTLE30481	225
RSTTLE30482	225
RSTTLE36541	225
RSTTLE36542	225
RSTTSE30481	227
RSTTSE30482	227
RSTTSE36541	227
RSTTSE36542	227
RSTTWE30481	226
RSTTWE30482	226
RSTTWE36541	226
RSTTWE36542	226
RSWA15 18	100
RSWA15 20	100
RSWA15 24	100
RSWA15 30	100
RSWA15 36	100
RSWA15 42	100
RSWA15 48	100
RSWAD1560	101
RSWAD1572	101
RSWAD1584	101
RSWAD1596	101
RSWAD2260	101
RSWAD2272	101
RSWAD2284	101
RSWAD2296	101
RSWB15 30	100
RSWB15 36	100
RSWB15 42	100
RSWB15 48	100
RSWC30 18	100
RSWC30 20	100
RSWC30 24	100
RSWC30 30	100
RSWC30 36	100
RSWC30 42	100
RSWC30 48	100
RSWWA601	349
RSWWA602	349
RSWWA721	349
RSWWA722	349
RSWWA901	349
RSWWA902	349
RSWWA961	349
RSWWA962	349
RSWWA(A/B/C/D/E/F/G)601	349
RSWWA(A/B/C/D/E/F/G)602	349
RSWWA(A/B/C/D/E/F/G)721	349
RSWWA(A/B/C/D/E/F/G)722	349
RSWWA(A/B/C/D/E/F/G)901	349
RSWWA(A/B/C/D/E/F/G)902	349
RSWWA(A/B/C/D/E/F/G)961	349
RSWWA(A/B/C/D/E/F/G)962	349
RSWWAWF601	349
RSWWAWF602	349
RSWWAWF721	349
RSWWAWF722	349
RSWWAWF901	349
RSWWAWF902	349
RSWWAWF961	349
RSWWAWF962	349
RSWWB601	350
RSWWB602	350
RSWWB721	350
RSWWB722	350
RSWWB901	350
RSWWB902	350
RSWWB961	350
RSWWB962	350
RTA12036	151
RTA12042	151
RTA12048	151
RTA14442	151
RTA14448	151
RTA16842	151
RTA16848	151
RTA19242	151
RTA19248	151
RTA3636	151
RTA4242	151
RTA4848	151
RTA6060	151
RTA7230	151
RTA7236	151
RTA7272	151
RTA8430	151
RTA8436	151
RTA8442	151
RTA9630	151
RTA9636	151
RTA9642	151
RTA9648	151
RTA(A/B/C/D/E/F/G)12036-(1/2/3)	166
RTA(A/B/C/D/E/F/G)12042-(1/2/3)	166
RTA(A/B/C/D/E/F/G)12048-(1/2/3)	166
RTA(A/B/C/D/E/F/G)14442-(1/2/3)	166
RTA(A/B/C/D/E/F/G)14448-(1/2/3)	166
RTA(A/B/C/D/E/F/G)16842-(1/2/3)	166
RTA(A/B/C/D/E/F/G)16848-(1/2/3)	166
RTA(A/B/C/D/E/F/G)19242-(1/2/3)	166
RTA(A/B/C/D/E/F/G)19248-(1/2/3)	166
RTA(A/B/C/D/E/F/G)3636-(1/2/3)	166
RTA(A/B/C/D/E/F/G)4242-(1/2/3)	166
RTA(A/B/C/D/E/F/G)4848-(1/2/3)	166
RTA(A/B/C/D/E/F/G)6060-(1/2/3)	166
RTA(A/B/C/D/E/F/G)7230-(1/2/3)	166
RTA(A/B/C/D/E/F/G)7236-(1/2/3)	166
RTA(A/B/C/D/E/F/G)7272-(1/2/3)	166
RTA(A/B/C/D/E/F/G)8430-(1/2/3)	166
RTA(A/B/C/D/E/F/G)8436-(1/2/3)	166
RTA(A/B/C/D/E/F/G)8442-(1/2/3)	166
RTA(A/B/C/D/E/F/G)9630-(1/2/3)	166
RTA(A/B/C/D/E/F/G)9636-(1/2/3)	166
RTA(A/B/C/D/E/F/G)9642-(1/2/3)	166
RTAT5E19S	381
RTAT5E25A	381
RTAT5E25S	381
RTAT5E37A	381
RTAT5E37S	381
RTAT5E49A	381
RTAT5E49S	381
RTAT5E61A	381
RTAT5E61S	381
RTAW12036-(1/2/3)	185
RTAW12042-(1/2/3)	185
RTAW14442-(1/2/3)	185
RTAW16842-(1/2/3)	185
RTAW19242-(1/2/3)	185
RTAW3636-(1/2/3)	185
RTAW4242-(1/2/3)	185
RTAW6060-(1/2/3)	185
RTAW7230-(1/2/3)	185
RTAW7236-(1/2/3)	185
RTAW7272-(1/2/3)	185
RTAW8430-(1/2/3)	185
RTAW8436-(1/2/3)	185
RTAW8442-(1/2/3)	185
RTAW9630-(1/2/3)	185
RTAW9636-(1/2/3)	185
RTAW9642-(1/2/3)	185
RTLL193W	414
RTLL196W	414
RTLL199W	414
RTLL3712W	414
RTLL3718W	414
RTLL376W	414
RTLT5E19S	414
RTLT5E25A	414
RTLT5E25S	414
RTLT5E37A	414
RTLT5E37S	414
RTLT5E49A	414
RTLT5E49S	414
RTLT5E61A	414
RTLT5E61S	414
RTLT5E73A	414
RTLT5E73S	414
RTLT5E85A	414
RTLT5E85S	414
RTNDC361	224
RTNDC362	224
RTNDC421	224
RTNDC422	224
RTNDC481	224
RTNDC482	224
RTOP1	403
RTOP2	403
RTPNM30H1	415, 416
RTPNM30H2	420, 421
RTPNM30H3	425, 426
RTPNM30H4	430, 431
RTPNM30H5	435, 436
RTPNM30H6	440, 441
RTPNM30H7	445
RTPNM30H8	449
RTPNM36H1	415, 416

pattern no.	*page*
RTPNM36H2	420, 421
RTPNM36H3	425, 426
RTPNM36H4	430, 431
RTPNM36H5	435, 436
RTPNM36H6	440, 441
RTPNM36H7	445
RTPNM36H8	449
RTPNM42H1	415, 416
RTPNM42H2	420, 421
RTPNM42H3	425, 426
RTPNM42H4	430, 431
RTPNM42H5	435, 436
RTPNM42H6	440, 441
RTPNM42H7	445
RTPNM42H8	449
RTPNM48H1	415, 416
RTPNM48H2	420, 421
RTPNM48H3	425, 426
RTPNM48H4	430, 431
RTPNM48H5	435, 436
RTPNM48H6	440, 441
RTPNM48H7	445
RTPNM48H8	449
RTPNM54H1	415, 416
RTPNM54H2	420, 421
RTPNM54H3	425, 426
RTPNM54H4	430, 431
RTPNM54H5	435, 436
RTPNM54H6	440
RTPNM60H1	415, 416
RTPNM60H2	420, 421
RTPNM60H3	425, 426
RTPNM60H4	430, 431
RTPNM60H5	435, 436
RTPNM60H6	440
RTPNM66H1	415, 416
RTPNM66H2	420, 421
RTPNM66H3	425, 426
RTPNM66H4	430, 431
RTPNM66H5	435, 436
RTPNM66H6	440
RTPNM72H1	415, 416
RTPNM72H2	420, 421
RTPNM72H3	425, 426
RTPNM72H4	430, 431
RTPNM72H5	435, 436
RTPNM72H6	440
RTPNM78H1	415, 416
RTPNM78H2	420, 421
RTPNM78H3	425, 426
RTPNM78H4	430, 431
RTPNM78H5	435, 436
RTPNM78H6	440
RTPNM84H1	415, 416
RTPNM84H2	420, 421
RTPNM84H3	425, 426
RTPNM84H4	430, 431
RTPNM84H5	435, 436
RTPNM84H6	440
RTPNM90H1	415, 416
RTPNM90H2	420, 421
RTPNM90H3	425, 426
RTPNM90H4	430, 431
RTPNM90H5	435, 436
RTPNM90H6	440

pattern no.	*page*
RTPNM96H1	415, 416
RTPNM96H2	420, 421
RTPNM96H3	425, 426
RTPNM96H4	430, 431
RTPNM96H5	435, 436
RTPNM96H6	440
RTPRS30H1	417, 418, 419
RTPRS30H2	422, 423, 424
RTPRS30H3	427, 428, 429
RTPRS30H4	432, 433, 434
RTPRS30H5	437, 438, 439
RTPRS30H6	442, 443, 444
RTPRS30H7	446, 447, 448
RTPRS30H8	450, 451, 452
RTPRS36H1	417, 418, 419
RTPRS36H2	422, 423, 424
RTPRS36H3	427, 428, 429
RTPRS36H4	432, 433, 434
RTPRS36H5	437, 438, 439
RTPRS36H6	442, 443, 444
RTPRS36H7	446, 447, 448
RTPRS36H8	450, 451, 452
RTPRS42H1	417, 418, 419
RTPRS42H2	422, 423, 424
RTPRS42H3	427, 428, 429
RTPRS42H4	432, 433, 434
RTPRS42H5	437, 438, 439
RTPRS42H6	442, 443, 444
RTPRS42H7	446, 447, 448
RTPRS42H8	450, 451, 452
RTPRS48H1	417, 418, 419
RTPRS48H2	422, 423, 424
RTPRS48H3	427, 428, 429
RTPRS48H4	432, 433, 434
RTPRS48H5	437, 438, 439
RTPRS48H6	442, 443, 444
RTPRS48H7	446, 447, 448
RTPRS48H8	450, 451, 452
RTPRS54H1	417, 418, 419
RTPRS54H2	422, 423, 424
RTPRS54H3	427, 428, 429
RTPRS54H4	432, 433, 434
RTPRS54H5	437, 438, 439
RTPRS54H6	442, 443, 444
RTPRS54H7	446, 448
RTPRS54H8	450, 452
RTPRS60H1	417, 418, 419
RTPRS60H2	422, 423, 424
RTPRS60H3	427, 428, 429
RTPRS60H4	432, 433, 434
RTPRS60H5	437, 438, 439
RTPRS60H6	442, 443, 444
RTPRS60H7	446, 448
RTPRS60H8	450, 452
RTPRS66H1	417, 418, 419
RTPRS66H2	422, 423, 424
RTPRS66H3	427, 428, 429
RTPRS66H4	432, 433, 434
RTPRS66H5	437, 438, 439
RTPRS66H6	442, 443, 444
RTPRS66H8	450
RTPRS72H1	417, 418, 419
RTPRS72H2	422, 423, 424
RTPRS72H3	427, 428, 429
RTPRS72H4	432, 433, 434

pattern no.	*page*
RTPRS72H5	437, 438, 439
RTPRS72H6	442, 444
RTPRS72H8	450
RTPRS78H1	419
RTPRS78H2	424
RTPRS78H3	429
RTPRS78H4	434
RTPRS78H5	439
RTPRS78H6	444
RTPRS84H1	419
RTPRS84H2	424
RTPRS84H3	429
RTPRS84H4	434
RTPRS84H5	439
RTPRS84H6	444
RTPRS90H1	419
RTPRS90H2	424
RTPRS90H3	429
RTPRS90H4	434
RTPRS90H5	439
RTPRS90H6	444
RTPRS96H1	419
RTPRS96H2	424
RTPRS96H3	429
RTPRS96H4	434
RTPRS96H5	439
RTPRS96H6	444
RTRDL48301	218
RTRDL48302	218
RTRDL60301	218
RTRDL60302	218
RTRDL72301	218
RTRDL72302	218
RTRDL72361	218
RTRDL72362	218
RTRDRL48301	219
RTRDRL48302	219
RTRDRL60301	219
RTRDRL60302	219
RTRDRL72301	219
RTRDRL72302	219
RTRDRL72361	219
RTRDRL72362	219
RTRDS48301	220
RTRDS48302	220
RTRDS60301	220
RTRDS60302	220
RTRDS72301	220
RTRDS72302	220
RTRDS72361	220
RTRDS72362	220
RTSDL42421	221
RTSDL42422	221
RTSDL48481	221
RTSDL48482	221
RTSDRL42421	222
RTSDRL42422	222
RTSDRL48481	222
RTSDRL48482	222
RTSDS42421	223
RTSDS42422	223
RTSDS48481	223
RTSDS48482	223
RTSF14	408
RTSF28	408

pattern no.	*page*
RTST14	408
RTTA24( )	389
RTTA30( )	389
RTTA36( )	389
RTTA42( )	389
RTTA48( )	389
RTTA54( )	389
RTTA60( )	389
RTTA66( )	389
RTTA72( )	389
RTTAWF24( )	389
RTTAWF30( )	389
RTTAWF36( )	389
RTTAWF42( )	389
RTTAWF48( )	389
RTTAWF54( )	389
RTTAWF60( )	389
RTTAWF66( )	389
RTTAWF72( )	389
RUTB	230
RWA3623	140
RWA3632	140
RWA4212	140
RWA4221	140
RWA4223	140
RWA4232	140
RWA4812	140
RWA4821	140
RWA4823	140
RWA4832	140
RWA5412	140
RWA5421	140
RWA5423	140
RWA5432	140
RWA6012	140
RWA6021	140
RWA6023	140
RWA6032	140
RWA6612	140
RWA6621	140
RWA6623	140
RWA6632	140
RWA7212	140
RWA7221	140
RWA7223	140
RWA7232	140
RWA(A/B/C/D/E/F/G)F4212	161
RWA(A/B/C/D/E/F/G)F4221	161
RWA(A/B/C/D/E/F/G)F4223	161
RWA(A/B/C/D/E/F/G)F4232	161
RWA(A/B/C/D/E/F/G)F4812	161
RWA(A/B/C/D/E/F/G)F4821	161
RWA(A/B/C/D/E/F/G)F4823	161
RWA(A/B/C/D/E/F/G)F4832	161
RWA(A/B/C/D/E/F/G)F5412	161
RWA(A/B/C/D/E/F/G)F5421	161
RWA(A/B/C/D/E/F/G)F5423	161
RWA(A/B/C/D/E/F/G)F5432	161
RWA(A/B/C/D/E/F/G)F6012	161
RWA(A/B/C/D/E/F/G)F6021	161
RWA(A/B/C/D/E/F/G)F6023	161
RWA(A/B/C/D/E/F/G)F6032	161
RWA(A/B/C/D/E/F/G)F6612	161
RWA(A/B/C/D/E/F/G)F6621	161
RWA(A/B/C/D/E/F/G)F6623	161

pattern no.	*page*
RWA(A/B/C/D/E/F/G)F6632	161
RWA(A/B/C/D/E/F/G)F7212	161
RWA(A/B/C/D/E/F/G)F7221	161
RWA(A/B/C/D/E/F/G)F7223	161
RWA(A/B/C/D/E/F/G)F7232	161
RWAWF4212	178
RWAWF4221	178
RWAWF4223	178
RWAWF4232	178
RWAWF4812	178
RWAWF4821	178
RWAWF4823	178
RWAWF4832	178
RWAWF5412	178
RWAWF5421	178
RWAWF5423	178
RWAWF5432	178
RWAWF6012	178
RWAWF6021	178
RWAWF6023	178
RWAWF6032	178
RWAWF6612	178
RWAWF6621	178
RWAWF6623	178
RWAWF6632	178
RWAWF7212	178
RWAWF7221	178
RWAWF7223	178
RWAWF7232	178
RWEA3613	141
RWEA3626	141
RWEA3631	141
RWEA3662	141
RWEA4213	141
RWEA4226	141
RWEA4231	141
RWEA4262	141
RWEA4813	141
RWEA4826	141
RWEA4831	141
RWEA4862	141
RWEA7220(L/R)	346
RWEA7224(L/R)	346
RWEA7520(L/R)	355
RWEA7524(L/R)	355
RWEA(A/B/C/D/E/F/G)F3613	162
RWEA(A/B/C/D/E/F/G)F3626	162
RWEA(A/B/C/D/E/F/G)F3631	161
RWEA(A/B/C/D/E/F/G)F3662	162
RWEA(A/B/C/D/E/F/G)F4213	162
RWEA(A/B/C/D/E/F/G)F4226	162
RWEA(A/B/C/D/E/F/G)F4231	161
RWEA(A/B/C/D/E/F/G)F4262	162
RWEA(A/B/C/D/E/F/G)F4813	162
RWEA(A/B/C/D/E/F/G)F4826	162
RWEA(A/B/C/D/E/F/G)F4831	161
RWEA(A/B/C/D/E/F/G)F4862	162
RWEAWF3613	179
RWEAWF3626	179
RWEAWF3631	178
RWEAWF3662	179
RWEAWF4213	179
RWEAWF4226	179
RWEAWF4231	178
RWEAWF4262	179

pattern no.	*page*
RWEAWF4813	179
RWEAWF4826	179
RWEAWF4831	178
RWEAWF4862	179
RWEB7220(L/R)	346
RWEB7224(L/R)	346
RWEB7520(L/R)	355
RWEB7524(L/R)	355
RWEC7220(L/R)	346
RWEC7224(L/R)	346
RWEC7520(L/R)	355
RWEC7524(L/R)	355
RWED7220(L/R)	346
RWED7224(L/R)	346
RWED7520(L/R)	355
RWED7524(L/R)	355
RWHDHTB3026	407
RWHDHTB30H1	453
RWHDHTB3626	407
RWHDHTB36H1	453
RWHDHTB4226	407
RWHDHTB42H1	453
RWHDHTB4826	407
RWHDHTB48H1	453
RWHDHTB54H1	453
RWHDHTB60H1	453
RWHDHTB66H1	453
RWHDHTB72H1	453
RWHDHTB78H1	453
RWHDHTB84H1	453
RWHDHTB90H1	453
RWHDHTB96H1	453
RWHRA	403
RWHRB	403
RWHRC	403
RWHRD	403
RWHRE	403
RWHRF	403
RWHRG	403
RWHTB3024	407
RWHTB3624	407
RWHTB4224	407
RWHTB4824	407
RWMCT24	405
RWMMP24	404
RWMMP30	404
RWMMP36	404
RWMPB	404
RWMV24	404
RWMVH24	404
RWMVH30	404
RWMVH36	404
RWMVP24	404
RWMWT24	404
RWMWT30	404
RWMWT36	404

Selling Policy

This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.

Terms & Conditions of Sales

Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.

Ordering Information

All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.

Order Confirmation

A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.

Pricing Policies

List prices are subject to change without notice.

List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.

Taxes

All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.

Terms of Payment

Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than $100,000 net, a fifty percent (50%) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice.

KnollStudio orders less than $2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than $2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment.

If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance.

Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.

Changes and Cancellation

Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.

Freight Prepaid

Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from conditions over which the Seller has no control. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. All shipments shall be tailgate deliveries. Freight for all KnollTextiles orders is prepaid and added to the invoice.

Delivery/Freight Charges

Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin.

For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination.

Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing.

Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery.

Partial shipments may be made and invoiced by Seller.

Claims

All shipments for all Knoll Products within the contiguous United States and Canada are F.O.B. Origin. Risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to make a claim against carrier or notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. Seller will agree to repair or replace Product damaged in shipment if Purchaser has notified Seller of freight damage within ten (10) working days after receipt and assigns its rights against the carrier.

Seller's Security Interest

Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.

Returns

The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.

Held Orders/Storage

If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.

Customer's Own Material

A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.

Warranty

Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below.

Warranty period set forth below is for 24-hour, 7 days a week, multi shift use.

Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts.

Product and Period of Warranty

Lifetime: AutoStrada, Calibre, Crinion Open Table, Currents, Dividends Horizon, Equity, Morrison, Reff laminate, *Series 2 Storage, Template, Antenna Workspaces* and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, Lighting, *Series 2* Veneer Front Storage, special or custom products, see below)

10 Years: AutoStrada, Crinion Open Table, Reff wood components, *Series 2* Veneer Front Storage, *Antenna Workspaces* wood components, *Wood Casegoods (Magnusson, The Graham Collection)* (except wood casegoods upholstered surfaces, see below), *Interaction* tables (except height adjustment mechanisms for *Counterforce,* crank-adjustable, and split-top tables and worksurfaces, see below), *Reuter* overheads, *Reuter* vertical storage, *KnollExtra* Sapper Monitor Arm Collection, Adjustable keyboard mechanisms and platforms, Communication Boards (except fabric board textiles, see below), Smokador collection (except leathers, see below), and Orchestra Universal Systems Accessories, *Bulldog, Chadwick, Essentials Work Chairs, Generation by Knoll* work chair, *Life, Moment, RPM* and *Sapper* seating structural and operational parts, controls, casters, pneumatic cylinders, seat and back suspension material (except seating upholstery, textiles and leathers, finishes and labor, see below). Labor to repair *Generation by Knoll* work chair.

5 Years: Operational parts, controls, electrical, Lighting (except light ballasts, bulbs and power supply, see below), cascade edge worksurfaces, special or custom product, wood veneer products, *Currents* handcrank, *Interaction Counterforce, Interaction* crank-adjustable, and split-top mechanisms, *KnollStudio, KnollExtra* Wishbone and Zorro monitor supports, CPU storage and all universal storage drawers, *Spark Series* seating structural parts, (except seating upholstery, textiles, finishes and labor, see below).

3 Years: Bulldog, Chadwick, Essentials Work Chairs, Life, Moment, RPM, Sapper seating upholstery, textiles and leathers, finishes and labor to repair, *Generation by Knoll* work chair seating uphostery, textiles and leathers, and finishes, *Spark Series* seating uphostery and textiles. Fabric boards textiles and Smokador Collection leathers.

2 Years: All other *KnollExtra* product

1 Year: Light ballasts, bulbs and power supply, seating upholstered armpads and soft armpads, *Spark Series* seating finishes and labor to repair, wood casegoods upholstered surfaces.

This warranty does not apply to:

- Damage caused by a carrier other than the Seller.
- Normal wear and tear or acts or omissions of parties other than Seller (including user modification, improper use or installation of Products).
- COM or other third party materials applied to Products.
- Products not installed by or under the auspices of a Knoll Dealer.
- Dramatic temperature variations or exposure to unusual conditions.
- Except as specifically noted above, textiles and upholstery supplied by *KnollTextiles* (consult current *KnollTextiles* price list for applicable warranty).

Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces. THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE.

The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.

Delay/Force Majeure

Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.

Compliance with Law

PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.

Patents

Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended.

The foregoing indemnity does not apply to the following:

- Products supplied according to a design other than that of Seller, and which is required by the Purchaser.
- Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer.
- Any settlements of a suit or proceeding made without Seller's written consent.

Limitations of Liability

SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT.

Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Knoll furniture can be ordered keyed-alike or random keyed. Key-alike and random keying instructions cannot be mixed on any single order. Only one of the two instructions can be used on an individual order. When an order is submitted with mixed (key-alike and random) instructions, Knoll will release the order as key-alike only and lock cores will have to be specified separately.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A $50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.

Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	$5
KBLANK	Shrouded Key Blank	$5
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	$18
KCHANGE	Change Key	$5
KMASTER*	Master Key	$5

*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

General Ordering Information

The Products
This guide encompasses all standard products for this product group.

Sizes
Dimensions listed in this guide are indicated as:
H = height
W = width
D = depth
Dia. = diameter
Rad. = radius

Pricing
All prices shown are list.

How to Order
Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:
Knoll, Inc.
1235 Water Street
P.O. Box 157
East Greenville, PA 18041
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."