

Table of Contents

Introduction	Knoll and Sustainable Design	4
	AutoStrada Basics	5
	AutoStrada Materials and Details	6
	AutoStrada Finishes	7
	AutoStrada Fabric Options	8
	AutoStrada Paint and Laminate Finishes Matrix	9
Applied Wall	Introduction	10
	Planning the applied wall system	11
	Specifying the applied wall system	12
	Applied wall frames	13
	Horizontal channels	14
	Wall trim and corners	19
	Wall covers	21
	Display shelves	35
	Glass shelves	36
	Bookshelves	37
	Open overhead cabinets	38
	Sliding door overhead cabinets with glass doors	39
	Sliding door overhead cabinets with laminate or veneer doors	40
	Hinged door overhead cabinets	41
	Overhead storage mounting kits	42
	Power and wire management	43
	Accessories	45
Spine and linkable screens	Service wall frames	46
	Wall crown and base trim covers	47
	Structural base cover kits	50
	Access covers	52
	Spine ends and connectors	57
	End Starters	66
	Panel system starters and T-ends	70
	Power components, spine	79
	Add up glass panels, for spine	82
	Linkable screens and windows	83
	Gallery Screens	89
Panels	Tiled/Monolithic - mono side only with base raceway	90
	Mono/Mono - exterior hard side no raceway	94
	Tiled/Monolithic - both sides with base raceway	98
	Tiled one side/Slatwall combo other	102
	Slatwall/Fabric combo both sides - both sides with base raceway	106
	Frameless glass add-ups for panels	107
	Posts, panels	109
	Trim, panels	114
	Power distribution components for one side raceway panels	118
	Power distribution components	119
Medians	42" Medians with binder depth top shelf	123
	42" Medians with binder depth top shelf cont'd	124
	42" Medians with legal depth top shelf	125
	42" Medians with legal depth top shelf cont'd	126
	42" Medians with double end gable	127
	42" Median storage, binder depth	128
	42" Median storage, legal depth	129
	49" Medians with binder depth top shelf	130
	49" Medians with binder depth top shelf cont'd	131
	49" Medians with legal depth top shelf	132
	49" Medians with legal depth top shelf cont'd	133
	49" Medians with double end gable	134
	49" Median storage, binder depth	135
	49" Median storage, legal depth	136

Bridges	42" Bridge units	137
	49" Bridge units	138
	Top shelves for bridges	139
	Window kits for bridges	141
Cabinets	Storage Anchored Cabinets, w/BBF and FF configurations	142
	Storage Anchored Cabinets, with hinged door configurations	144
	Storage Anchored Cabinets, w/ Wardrobe and BBF	146
	Storage Anchored Cabinets, w/ Wardrobe and FF	147
	Storage Anchored Cabinets w/front and back access	148
	Storage Anchored Cabinets, front access	154
	Storage Anchored brackets	157
	Storage anchored cabinet trim	158
	Freestanding Cabinets for private office	159
	Freestanding Cabinets for open plan use with metal case pedestals	162
Lower Storage	Metal case	163
	Wood or laminate case	168
	Box shelf	172
Overhead Storage	Overhead storage, wood cases	173
	Reuter flat front overhead cabinet	191
	Reuter overhead cabinet mounting options	192
	T5 Task Light for Reuter Overhead Storage	193
	T5 Task Light	194
	Reuter T5 mounting kit	195
Worksurfaces	Flush, user edge tapered	197
	Cord drop, user edge tapered	200
	Rectilinear, user and approach edges tapered	203
	Wedge, user and approach edges tapered	205
	Peninsula, user and approach edges tapered	206
	Tables	207
Support Components	Spine-based support	208
	Linkable screen mounted worksurface support	209
	Panel hung worksurface support	210
	Worksurface support	211
	Stiffeners	214
Accessories	Tackboard sections for medians and bridges	215
	Slatwall sections for medians and bridges	216
	Wall hung tackboards	217
	Worksurface stand-offs and cabinet feet	218

Crinion Open Table	Introduction	219
	Specifications	220
	Crinion Open Table Finishes	221
	Worksurfaces with center hinged power access	222
	Worksurfaces with edge grommet	223
	Worksurfaces with cord drop	224
	End counters	225
	Extended end counters	226
	File tops	228
	Complete base assemblies fixed height 24" D dual	229
	Complete base assemblies fixed height 24" D single sided	230
	Complete base assemblies fixed height 30" D dual	231
	Complete base assemblies fixed height 30" D single sided	232
	Complete base assemblies adjustable height 30" D dual	233
	Complete base assemblies adjustable height 30" D single sided	234
	Complete base assemblies fixed height 36" D dual	235
	Complete base assemblies fixed height 36" D single sided	236
	Complete base assemblies adjustable height 36" D dual	237
	Complete base assemblies adjustable height 36" D single sided	238
	Top channels	239
	Beams for single sided or dual tables	240
	Beams for dual tables	241
	Beams for single sided tables	242
	End legs, intermediate leg sets for dual tables	243
	End legs, intermediate leg sets for single sided tables	245
	Beam trusses	246
	Worksurface support	247
	Modular Raceway	249
	Hardwire Raceway	255
	Cable tray and cable clips	256
	Beam mounted cable trays and cable baskets	257
	Center screens	258
	Shelves, adapters and buttresses for slatwall screens	260
	Side screens	261
	Return screens	263
	Dual end screens	265
	Single sided end screen	267
	Frameless glass Add up	269
	Morrison Network privacy screens	270
Alpha-Numeric Index		271
Selling Policy		286
KnollKey Lock Program		288
General Ordering Information		289

Each year Knoll sets key initiatives in our journey to sustainability. We are members of a global consortium on energy, have adopted a scientific, metrics-based approach to sustainable product design, and maintain a leadership position in establishing universal, verifiable, sustainability standards for our industry.

Knoll promotes independent third-party certification because it provides the most impartial and trustworthy foundation for industry-wide environmental compliance. Certification by established and respected third parties ensures that all manufacturers are held to the same high standards and that customers can trust a company's declaration about the environmental benefits of its products. Knoll third-party partners include: the International Standards Organization (ISO); Forest Stewardship Council (FSC); GREENGUARD® Environmental Institute; and Chicago Climate Exchange (CCX®).

In addition, Knoll is aligned with the U.S. Green Building Council and can help companies, healthcare organizations and educational institutions achieve Leadership in Energy and Environmental Design (LEED®) workplace certification.

1. Global Climate Change

- Knoll is a sponsor of the Clinton Global Initiative, which brings together a community of global leaders to devise and implement solutions to some of the world's most pressing challenges, including environmental change.
- Knoll is a member of the Chicago Climate Exchange, which promotes greenhouse gas reduction through the trading of credits earned for reducing emissions.
- Knoll has a comprehensive Energy Management Program to increase energy efficiency in products and processes.

2. Life Cycle Assessment (LCA) Tool

Life Cycle Assessment is a science-based measurement of a product's environmental impacts throughout its life cycle, from raw materials sourcing through manufacture, shipping, use, and re-use or end-of-life. LCA enables cradle-to-cradle implementation of sustainable practices.

- Knoll partners with The Green Standard.org (formerly the International Design Center for the Environment, or IDCE) to develop an affordable, universal, ISO-compliant computer-based LCA tool that can be used by the entire contract furniture industry.

An affordable universal LCA tool has enormous potential value to:

- Help stop dangerous and irreversible climate change
- Conserve natural resources and reduce waste
- Improve quality of life
- Eliminate market confusion about green products using real metrics and sound science
- Facilitate design innovation
- Advance the sustainability triple bottom line: environment, economics and social equity

3. Setting Industry Standards

- Knoll partners with MTS (Market Transformation to Sustainability) to develop the SMART® Standard, a set of consensus-based sustainable product standards based on the LEED® model, for all building products, fabric, apparel, flooring and carpet. MTS, the developer of the SMART Standard, is an accredited American National Standards Institute (ANSI) standard developer.
- Knoll also participates in an ongoing BIFMA (Business and Institutional Furniture Manufacturers Association) initiative to establish sustainability standards for the contract furniture industry.
- Our goal is to encourage all manufacturers in the contract furniture and related industries to adopt standards that will lead to sustainable products and practices.

For more information about Knoll environmental, health and safety programs, visit knoll.com/environment.

Introduction

With a commitment to innovation and modern aesthetics, Knoll sets the standard for the environment in which people work. AutoStrada is one of the most comprehensive office concepts to be developed by Knoll. Evolving workplace needs are met with innovative design, from private offices to collaborative spaces for team interaction.

AutoStrada addresses any office combination with a consistent aesthetic of high quality materials and carefully detailed design. Whether an office requires a high-performance open plan system, refined architectural case goods, progressive private office furniture, or a collaborative “big table” concept, AutoStrada provides a solution.

AutoStrada is a planning approach that combines furniture and interior architecture for both open plan and private offices spaces.

AutoStrada is a premium, one-source design.

AutoStrada is the definition of the most advanced technology management capabilities.

AutoStrada is modern. It is absolute design with a strong, basic design premise.

The Planning Models

Four AutoStrada planning models offer one set of continuous, intelligent, solutions-oriented capabilities.

Four ways AutoStrada redefines space:

- Spine-based planning
- Storage-anchored planning
- Collaborative table-based planning
- Architectural office planning

Any one environment could include solutions provided by any mix or all of the four planning models. Diverse planning models meet cross-cultural workplace environments everywhere.

AS1 AutoStrada spine based planning

AutoStrada spine based planning provides wall-like architectural order to office interiors and offers high performance technological support. The spine supports continuous off-module attachment of workspaces, storage components, KnollExtra accessories, and perpendicular linkable screens or panels to define workstations. The spine also manages and distributes power and communications throughout clusters of workstations, enabling convenient outlets at desk height and unobstructed access to cabling.

Spines can be built to any one foot increment of length and can be freestanding with outriggers to support cantilevered workspaces and overhead storage. Spines may also be integrated with attached panels or screens for support and enclosure. T-ends enable the spine to extend to absorb the dimensional gain of attached panels.

Spine covers include veneer, laminate, dry-erase marker, tackable fabric, integral shelves, slatwall and integral cable tray surfaces. Spines are available in three horizons--39"H, 48"H and 64"H--and may be fitted with frameless glass add ups for additional privacy above any of four crown profiles.

Linkable screens are available in tackable upholstered or glazed panels and windows, with a complete range of connectors that also support workspaces and storage.

AS2 AutoStrada storage anchored planning

AutoStrada storage anchored planning redefines the open office architecture with aesthetic and functional alternatives to conventional panel-based systems. Storage anchored planning begins with the anchor cabinet to which either AutoStrada panels or wood or laminate surrounds are attached to create individual or shared work areas. Storage anchored planning combines the performance of systems furniture with elegant details more like custom millwork.

AutoStrada panels feature a laminate or veneer tiled grid to the floor, with aluminum reveals between tiles on the exterior, and fabric or fabric and slatwall surfaces on the inside of the workstation. Interior base raceway distributes power and communications throughout a cluster with outlets only on the inside of the panels. AutoStrada panel heights enable seated access (42"H), seated privacy (49"H) or standing privacy (64"H). Frameless glass add ups can be added to panels for additional privacy. Connectors support workspaces, overhead storage or shelves and KnollExtra paper management and technology support tools.

AutoStrada surrounds, in veneer or laminate surface, are ideal for raised floor environments and a visual alternative to panels. Median surrounds or median storage form the backbone to which bridges and anchor cabinets are attached. Medians include a back panel, one or two end gables, a counter surface and a workspace or shelves. Bridges include a back panel and workspace. AutoStrada surrounds typically describe workstation boundaries at a 49" horizon.

AS3 AutoStrada wall based planning

AutoStrada wall based planning integrates freestanding and wall supported storage, desks and tables to build distinctive workspaces in private offices and walled collaborative areas.

AutoStrada Applied Walls add systems performance to built walls, enabling various surface materials and off module support for shelves, overheads and workspaces. Applied wall is either 69"H or 84"H, in any 6" increment of width. Horizontal channels contain interchangeable inserts like veneer, marker surface, fabric, glass, slatwall or recessed covers, and accept brackets for a variety of accessories at any point. Wall frames transfer most of the supported load directly to the floor.

AutoStrada overheads and tackboards can also be directly attached to most built walls. Freestanding AutoStrada cabinets for private offices are available in 70" and 84" horizons.

AS4 AutoStrada collaborative planning

AutoStrada collaborative planning is based on the Crinion Open Table, which creates open shared workspaces for groups from two to ten or more at a continuous workspace “bench”. Designed to support teams of people Crinion Open Table is ideal for trading rooms, libraries and conference rooms.

Crinion Open Table offers a unique alternative to traditional workstations, with continuous cantilevered workspaces, unobstructed kneespace, convenient, capable power and communications distribution, and optional desktop privacy screens. An extremely strong structure supports workspaces up to 36" d each side and virtually unlimited in length.

Crinion Open Table may be complemented with AutoStrada metal or wood storage, or Calibre files and cabinets as parallel file banks or as returns.

Materials

AutoStrada offers a range of exceptional materials and finishes, including premium grade hardwood veneers, Techwood, laminate, clear anodized aluminum, and architectural glass.

Veneers are all hand selected to best showcase the beauty of natural grain. Every effort is made to ensure that Knoll veneers are the best that can be sourced in quality of color, consistency and size. Natural variations of wood are not considered to be defects. The natural process of color change in real wood products is part of the beauty and unique character of the material. Knoll expects wood to patina over time.

Techwood is a genuine wood veneer which has been enhanced by technology to provide color and grain consistency.

High recycled content aluminum is used in the manufacture of aluminum components.

High-pressure laminate surface materials have been selected for their durability and low maintenance.

FSC (Forest Stewardship Council) certified materials are available by request.

Construction details

All AutoStrada worksurfaces are 1 1/4" thick and are a 3 ply solid construction. Worksurfaces are available in rectilinear and wedge shapes. The distinctive 3/8" tapered edge can be specified on just the user side or also on the approach side. Worksurfaces can be specified "full depth" with or without grommets, or with a 3/8" cord drop along the back with a centered edge grommet.

Worksurfaces appear to "float" 1" above lower storage components. Pedestals and legs can support a worksurface height of 28 1/4"H (typically in open plan) or 29 5/8" (in private offices). The higher worksurface height requires wood pedestals equipped with cabinet feet.

Pedestals and overhead storage are available in either metal or wood case. Wood pedestals have full extension file drawer slides with bottom-loadable steel floor and 3/4 extension slides all wood construction box drawers.

Wood or laminate case cabinets with hinged doors and adjustable shelves require doors to be removed to adjust shelving; alternatively a special request 170° hinge package is available to retrofit cabinets in the field.

Metal pedestals and Reuter overhead storage cabinets with flat front are durable steel construction with painted, laminate or veneer drawer fronts.

Metal pedestals feature full width protruding aluminum pull. Metal pedestals have all full extension personal, data and file drawer slides.

Wood cases incorporate 3 ply construction and components are finished on all sides. Core material is 45lb density particleboard. Wood drawers feature dovetail joinery details. File drawers have steel floor and are bottom loadable. Wood drawers feature full width anodized aluminum recessed or protruding pull. File drawers include file bars to support letter or legal suspended filing in either direction.

Freestanding private office cabinets are supported by cylindrical extruded aluminum feet which match an optional worksurface standoff detail.

Spine, linkable screens, panels, legs and metal storage offer 1" or greater levelling capacity. Wood storage has 1/2" levelling.

Cable management

AutoStrada incorporates discreet and concealed wire management as well as four or six circuit power distribution in all four planning models, supporting low to very high technology requirements. Storage anchored surrounds, designed for raised floor environments, are the only planning type that does not have power distribution capability.

Leg design

AutoStrada support legs are a refined shape in clear anodized aluminum finish. Legs feature either lockable casters or a unique glide sleeve that allows leveling without exposed glide threads. A pair of straight legs or one 9" wide leg can support one end of a worksurface when the other end is spine-supported, panel-supported or joined to a perpendicular worksurface with AT2TB brackets. If distance between support spans over 48", additional support is required.

Two pairs of straight legs may also be specified to create a freestanding table in combination with an AutoStrada worksurface not to exceed 72" x 30" with a corresponding stiffener.

Locks

All pedestals and cabinets with drawers are supplied with a ganglock mechanism in place. In addition, cabinets 30" wide and over with drawers have an interlock anti-tip feature to prevent the opening of a second drawer when one is already open. Drawer fronts and door fronts where applicable are routed to receive the lock itself. Keying instructions for key alike must accompany all orders and are field installed. Products are shipped from the factory with random locks or lock plugs for key-alike orders.

Representative Dimensions

All dimensions in this price list are nominal and for representative purposes only. For specific build dimensions please consult specification planning tools or contact your Customer Service representative.

Line drawings in this price list are strictly for quick product identification.

Finishes**L - Laminate**

Matching edge band unless noted otherwise

117	Soft Grey
118	Bright White
114	Folkstone Grey
111	Jet Black
119	Pumice
121	Micro Grey with 114 Folkstone grey edge band
122	Brushed Sand with 119 Pumice edge band
123	Brushed Grey with 128 Fog edge band
128	Fog
129	Micro Sand with 119 Pumice edge band

V1 - Techwood Closed Pore

Y319	Cherry
Y326	Dark Mahogany
Y316	Maple
Y323	Medium Walnut
Y311	Beech
Y324	Ash
Y325	Chestnut
Y327	Light Oak
Y328	Mahogany
Y329	Medium Oak

V2 – Natural veneer

V312	Bronze Cherry
V433	Light Fawn Cherry
V436	Medium Brown Cherry
V411	Light Walnut
V418	Smoked Walnut
V415	Peacock Green Walnut
V417	Old English Walnut
V316	Maple

(all above V2's are flat cut)

V421	Chalk Oak
V423	Light Oak
V425	Amber Oak
V427	Brown Oak

(all V2 Oaks are quarter cut)

V3 – Exotic veneer

V512	Quartered Figured Anigre
V514	Quartered Makore
V515	Quartered Sycamore
V513	Quartered Graphite Oak
V517	Natural Sapele

(all V3s are quarter cut)

Paint**P1**

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey

P2

611	Beige Mist Metallic
612	Medium Metallic Grey

P3

118	Bright White
613	Silver

Anodized

AA	Anodized Aluminum
----	-------------------

Plated

PT	Brushed Pewter
----	----------------

Glass

TEMP	Clear Tempered
------	----------------

Architectural Glass

GL6	Block Matrix
GL13	Powder

Mixed Finishes: (where applicable for work surfaces only)

To order mixed finishes, enter four digit finish code as follows:

Use 2 digit prefix to indicate surface finish (laminate)

11	Jet Black
14	Folkstone Grey
17	Soft Grey
18	Bright White
19	Pumice
21	Micro Grey
22	Brushed Sand
23	Brushed Grey
28	Fog
29	Micro Sand

Use 2 digit suffix to indicate edge finish (wood)

11	for Y311
12	for V312
16	for V316, Y316
Y9	for Y319
Y3	for Y323
24	for Y324
25	for Y325
26	for Y326
27	for Y327
28	for Y328
29	for Y329
41	for V431
43	for V433
45	for V415
46	for V436
47	for V417
48	for V418
52	for V512
53	for V513
54	for V514
55	for V515
57	for V517
61	for V411
71	for V421
73	for V423
75	for V425
77	for V427

Example:

For a Micro Grey laminate surface with Bronzed Cherry edge, enter finish code 2112

For a Jet Black laminate surface with Light Maple edge, enter finish code 1116

Fabric Options*Grade 10*

Bailey II (W359)
 Broadcloth (W288)
 Element (W1077) ●
 Foundation (W351)
 Growth Spurt (W692)
 Newbury (W812)
 Solid Crepe (W257)
 Symbolic Detail (W693)
 Tailor Made (W133)
 Versatility (W432)

Grade 15

Regency (W210)

Grade 20

Banyan (W443)
 Bauhaus Block (W296A)
 Clarity (W281)
 Criss Cross (W305)
 Devon (W809)
 Melbourne (W228)
 Outback (W229)
 Reflect (W884)
 Resolution (W280)
 Walkabout (W230)
 Weave Three (W298)

Grade 30

Basket Draft (W249)
 Circle Line (W1146)
 Flow (W565)
 Harmony (W232)
 Interknit (W1090)
 Match Point (W1145)
 Micro (W465) *
 Progression (W403)
 Raku Cloth (W566)
 Relay (W1020) ▲

Grade 35

Saxony Plus (S)

Grade 40

Eurythmic (W268)
 Hard Rock (W1007) ●
 Ornament (W1078)
 Palladium (W1030) ▲
 Sierra (R)

Grade 45

Casual Elegance (W920)
 Dristi (K872) *

Grade 50

Knoll Hopsack (K1206)
 Presto (K1000) ●
 Ricochet (K498)

Grade 55

Knoll Felt (K1207) ▲
 Transition (W816)

**with backing only*

▲ Monolithic panels, linkable
 screens and tackboards only

● Linkable screens and add ups only

*The following textiles are approved for
 use on panels. Consult Knoll
 representative for pricing:*

Customers Own Material

Prices for panels that are to be
 manufactured with a customer
 supplied fabric will follow Grade 10
 panel pricing. Customer's Own
 Material is subject to an application
 testing fee of \$750 per fabric and a
 \$2500 fee for UL testing. Panels
 bearing COM fabrics are subject to
 extended leadtimes. It is the
 responsibility of the customer's
 purchasing agent to ensure COM
 fabric is supplied for testing and
 manufacturing. Delays in receiving
 COM fabric for manufacturing will
 result in rescheduled delivery dates.

		All standard Paint Finishes	AA or all paints except Silver	Laminate Horizontal Surfaces	Laminate Vertical Surfaces	Anodized Aluminum Only
AS1 Spine Based		standard crown covers	spine base trim covers	worksurfaces	structural base covers	
		structural base covers	slatwall covers	tables	access covers	
		outlet covers	integral shelves		fronts for metal pedestals	
		spine connectors	flat crown covers		fronts for Reuter overheads	
		metal pedestals and fronts	flat crown covers		box shelves	
		Reuter cases and fronts	straight legs			
			wide legs			
			pulls			
AS2 Storage Anchored		slatwall, panel	panel top trim	worksurfaces	all laminate pedestals	top trim wider than 96"
		panel raceway covers	panel reveals		anchor cabinets	
			storage reveals		medians	
			pulls		bridges	
					tiles, panels	
AS3 Applied Wall & private office components					all laminate overheads	
		wall covers	horizontal channels up to 96"	worksurfaces	wall covers	horizontal channels wider than 96"
		coat hook	slatwall covers	tables	freestanding storage	
		picture hook	recess covers	applied wall shelves	wall hung overheads	
		bookends	end trim			
			cable tray			
			marker tray			
			display shelf			
AS4 Crinion Open Table			shelf platforms			
		end legs	hinged access	worksurfaces, tapered edge and post formed		beams
		intermediate legs	top channel up to 96"			top channel longer than 96"
		cantilevers	screen frames			

Finish code	Finish name	Paint grade	All standard Paint Finishes	AA or all paints except Silver	Laminate Horizontal Surfaces	Laminate Vertical Surfaces	Anodized Aluminum Only
611	Beige Mist Metallic	P2	•	•			
118	Bright White	P3	•	•	•	•	
112	Brown	P1	•	•			
123	Brushed Grey				▲		
122	Brushed Sand				▲		
113	Dark Grey	P1	•	•			
128	Fog				•	•	
114	Folkstone Grey	P1	•	•	•	•	
111	Jet Black	P1	•	•	•	•	
115	Medium Grey	P1	•	•			
612	Medium Metallic Grey	P2	•	•			
121	Micro Grey				▲		
129	Micro Sand				▲		
119	Pumice				•	•	
116	Sandstone	P1	•	•			
613	Silver	P3	•				
117	Soft Grey	P1	•	•	•	•	
812	Easy Grey*						
813	Trim Grey*						
AA	Anodized Aluminum			•			•
LW	Markerboard White **						

Notes:

▲ All laminates have matching edge bands except:

123 Brushed Grey has 128 Fog edge

122 Brushed Sand has 119 Pumice edge

121 Micro Grey has 114 Folkstone grey edge

129 Micro Sand has 119 Pumice edge

* Easy Grey and Trim grey integral colors only available for

Compact crown covers

Linkable screen trim

Linkable screen top caps

Spine end connector top caps


** Markerboard white is available only on AS1 spine access covers, AS3 Applied Wall covers and AS4 screens.

Introduction

AutoStrada Applied Wall System is designed for systems performance in built wall environments. Applied Wall enables a variety of interchangeable wall surface materials, continuous support for worksurfaces, shelves and overhead storage, power distribution and integrated wire management. Applied Wall System supports AutoStrada components in private offices and collaborative work spaces, while transmitting much of the weight load directly to the floor.

Applied Wall System includes:

- wall mount frames which stand on leveling glides and are secured to built walls
- horizontal channels that are attached to the frames
- covers that insert between the channels
- shelves and overhead storage components that can be engaged anywhere along the channels
- cable tray, worksurface support brackets and accessories



Frames

Wall mount frames are available in 69" and 84" horizons, 36" or 48" wide. Frames are steel weldments that include two or three horizontal rails through which frames are bolted to the vertical structure of the built wall. Adjacent frames can be leveled and shims enable each frame to be made plumb. At each side are vertical frame members with leveling glides. Between the side frame members are one or two intermediate studs that extend from approximately 24" above the floor to the top of the frame.

Channels

Channels are painted or natural anodized aluminum extrusions that hold covers and feature a continuous curved slot into which components and brackets are inserted. Channels are attached to the frames at each side member and stud with a bracket above and below. Channels do not need to align with frame widths and can extend up to 6" beyond the side of a frame.

Top channels, 36"-144" in width in 6" increments, attach only at the top of the frame and finish off the top of the assembly. Intermediate channels, 24"-144" in 6" increments of width, attach typically every 15" below the top channel, but may also be set at 7 1/2" or 22 1/2" increments to accommodate specific purpose covers such as slatwall or markerboards. Bottom channels, 36"-144" in 6" increments of width, attach only at the base of a wall frame to support covers below worksurface height (between 1 1/2" and 24" above the floor). If no covers are planned below 24" no bottom channel is required but intermediate bottom trim cover and vertical frame covers are recommended to enclose the structural frame.

Covers

Wall covers are designed to insert between channels and may be interchanged without removing channels. Covers are optional and not required behind overhead storage cabinets or below worksurface height, for example. The scope of wall covers includes:


- 7 1/2"H recess covers for surface-mounted plugmold and voice/data outlets, normally mounted just below worksurface height, with optional cable trays
- 7 1/2"H slatwall covers to support KnollExtra accessories
- 15" and 22 1/2"H tackable linoleum covers
- 7 1/2", 15", 22 1/2" and 30"H veneer, laminate, paint, fabric, tackable fabric covers
- 7 1/2", 15", 22 1/2", 30", 45" H marker.

All covers are available from 24"-96" in 6" increments of width except laminate and marker, 24"-72".

Components


- 5 1/2" deep display shelves in painted or clear anodized aluminum, 24"-72" wide in 6" increments
- 9" deep, 1/2" thick glass shelves and 12" deep plastic laminate or wood veneer bookshelves, 24"-72" wide, designed to align with the bottom of an adjacent cabinet,
- 9" deep glass and 12" deep plastic or veneer bookshelves to align with the top of an adjacent cabinet,
- open overhead storage units in plastic laminate or wood veneer, 18"-96" wide
- overhead storage units with solid or glass sliding doors, 42"-96" wide in 6" increments
- fully enclosed overhead storage units with hinged doors, 18"-96" wide,
- Reuter overhead storage, task lights and fascias for wood overhead storage,
- grommets for wall covers, surface mounted plugmold raceway and cable trays,
- support brackets for the back or end of a worksurface, and
- accessories such as coat hook, picture hook, marker tray, notepad, and horizontal/vertical wire manager clips.

Other cover sets





69" frames


display wall with marker surface




84" frames


Upper shelf, lower shelf,
glass shelf and overhead



open overhead



hinged doors



sliding doors


Recess cover with cable tray
and worksurface brackets

How to specify Applied Wall

1. Plan frames to support the height and width of the intended overall wall system. Frames can be installed side-by-side or as much as 12" apart to provide adequate structure for horizontal channels up to 6" wider than the frame on each side. For example, a 10' length of channels and wall covers can be supported by three 36" wide frames or by two 48" wide frames.
2. Specify horizontal channels at each level required for covers and overhead storage or shelves. A top channel is always required and intermediate channels may be attached to the frame at any 7 1/2" increment above 24", 31 1/2", 39", 46 1/2", 54", 61 1/2", or 69" above the floor.
3. Typically intermediate channels are planned at 24", 39" and 54" to support 15"h covers. An additional channel at 31 1/2" will enable 7 1/2"h covers above and below worksurface height for slatwall and power/wire management. Horizontal channels can be planned the full width of the wall or may be segmented to allow taller covers such as a markerboard in specific locations. Alternatively intermediate channels may be planned at 24" and 46 1/2" on a 69"H frame to support all 22 1/2" H covers.
4. Specify bottom channel to support 22 1/2"H covers between floor and 24". Specify intermediate bottom trim and vertical frame covers if leaving the frame open below 24".
5. Specify end trim if end of wall is visible and specify corner connectors, if any.

6. Specify functional covers such as recess cover, the mounting location for surface mounted power distribution and voice/data outlets, and slatwall covers. Also specify tackable or marker surface covers. Then fill in the wall with decorative covers such as wood veneer, plastic laminate, non-tackable fabric, or backpainted glass. If planning a bookshelf the cover below the shelf cannot be glass. Covers are not required behind overhead storage cabinets.
7. Specify overhead storage: display shelves at 31 1/2" or 39", lower bookshelves at 54" and upper bookshelves at 69" to align with adjacent overhead storage cabinets. Specify open, partially open or fully enclosed overhead storage in veneer or laminate surface. Overhead storage cabinets usually hang from a channel at 69" and bear against a channel at 54" above the floor.
8. Specify power and cable trays. Power is distributed by a surface mounted plugmold raceway with ten simplex outlets, available in three configurations: one- circuit three-wire, two-circuit four wire, or two-circuit six wire. A 24" wide plugmold with eight simplex outlets is also available. Raceways are always hardwired to the building power supply by an electrical contractor. Contractor will punch a hole through the recess cover behind the plugmold to connect from the wall to the plugmold. Recess cover also accommodates voice/data outlets and cable grommets are available to line a punched hole.
9. Specify worksurface supports. Worksurface support brackets can be attached to the channel at 24" above the floor or may be attached within a cable tray at the same level.
10. Add accessories.

Customer's Responsibility:**Attachment of AutoStrada Applied Wall System to built walls**



It is the responsibility of the customer and their structural engineer/architect to verify that the permanent built wall (studs, blocks, solid masonry, or other) to which the Applied Wall System is intended to be attached is designed to support the load bearing standards set forth below. It is also the responsibility of the customer and their structural engineer/architect to specify the fasteners and method for attaching the frames to the built wall and confirm that the installers have followed these specifications. For local standards and additional requirements such as seismic the customer should consult local building and safety codes.

Design loads:

69"H Applied wall: 240#/foot of width. Assume four 60 lb. vertical loads spaced evenly between 24" and 69" above the floor, with the load centered 11" from the built wall.
 84"H Applied wall: 300#/foot of width. Assume five 60 lb. vertical loads spaced evenly between 24" and 84" above the floor, with the load centered 11" from the built wall.

Warning/Disclaimer

Knoll is not responsible for the attachment method of the Applied Wall System product, which is the responsibility of the customer and its structural engineer/architect. Knoll is not responsible for the cost of preparing an existing wall nor the additional cost for a new wall to make them appropriate for the installation of the Applied Wall System product. Failure to properly attach the Applied Wall System to a wall capable of supporting the loads listed above can lead to property damage and/or personal injury.

description	h	w	d	pattern number	black
 69"H frames	69"	36"	1 1/4"	AAWS F6936	\$459.
	69"	48"	1 1/4"	AAWS F6948	571.
 84"H frames	84"	36"	1 1/4"	AAWS F8436	515.
	84"	48"	1 1/4"	AAWS F8448	627.
 22 1/2" add on frames	22 1/2"	36"	1 1/4"	AAWS F2236	250.
	22 1/2"	48"	1 1/4"	AAWS F2248	290.
 30" add on frames	30"	36"	1 1/4"	AAWS F3036	275.
	30"	48"	1 1/4"	AAWS F3048	305.

Order Code

Example:	AAWS F6936
A	AutoStrada
AWS	Applied wall system
F	Wall frame
69	Height
36	Width

Specification Information

Applied wall frames are painted black

Application Notes

Wall frames attach to built walls to provide level, vertical structure for complete applied wall system assemblies. Wall frames include two leveling glides, studs on 14" centers, and horizontal beams.

Add on frames add 22 1/2" or 30" of height to 69" or 84" frames (or other add on frames). Add on frames include stacking hardware.

Knoll does not supply or recommend specific hardware to fasten frame to built wall.

Horizontal channels

Top channels

AutoStrada

description	h	w	d	pattern number	painted	aluminum
Top channel	1"	36"	1"	AAWS TC 036 ()	\$62.	\$62.
	1"	42"	1"	AAWS TC 042 ()	73.	73.
	1"	48"	1"	AAWS TC 048 ()	83.	83.
	1"	54"	1"	AAWS TC 054 ()	99.	99.
	1"	60"	1"	AAWS TC 060 ()	104.	104.
	1"	66"	1"	AAWS TC 066 ()	109.	109.
	1"	72"	1"	AAWS TC 072 ()	114.	114.
	1"	78"	1"	AAWS TC 078 ()	125.	125.
	1"	84"	1"	AAWS TC 084 ()	135.	135.
	1"	90"	1"	AAWS TC 090 ()	146.	146.
	1"	96"	1"	AAWS TC 096 ()	151.	151.
	1"	102"	1"	AAWS TC 102 ()	n/a	156.
	1"	108"	1"	AAWS TC 108 ()	n/a	166.
	1"	114"	1"	AAWS TC 114 ()	n/a	172.
	1"	120"	1"	AAWS TC 120 ()	n/a	177.
	1"	126"	1"	AAWS TC 126 ()	n/a	182.
	1"	132"	1"	AAWS TC 132 ()	n/a	198.
	1"	138"	1"	AAWS TC 138 ()	n/a	203.
	1"	144"	1"	AAWS TC 144 ()	n/a	208.

Order Code	Specification Information	Application Notes
Example: AAWS TC 036 AA	AA- Anodized Aluminum.	Top channel attaches only at the top of wall frames to provide continuous slot for component support and retention for top of wall covers. Top channel encloses top of frames to within 1/4" of the built wall for cord passage.
A AutoStrada	All standard painted finishes except 613 Silver also available for channels up to 96" wide.	Specify top channel in length to match overall length of applied wall covers, or in shorter segments. Top channel can extend past wall frame up to 6" on each end.
AWS Applied wall system		
TC Top channel		
036 Width		
AA Finish		

Horizontal channels

Top Up channels

AutoStrada

Applied Wall

description	h	w	d	pattern number	painted	aluminum
Top Up channel	1"	36"	1"	AAWS TU 036 ()	\$150.	\$150.
	1"	42"	1"	AAWS TU 042 ()	175.	175.
	1"	48"	1"	AAWS TU 048 ()	200.	200.
	1"	54"	1"	AAWS TU 054 ()	240.	240.
	1"	60"	1"	AAWS TU 060 ()	250.	250.
	1"	66"	1"	AAWS TU 066 ()	260.	260.
	1"	72"	1"	AAWS TU 072 ()	270.	270.
	1"	78"	1"	AAWS TU 078 ()	280.	280.
	1"	84"	1"	AAWS TU 084 ()	450.	450.
	1"	90"	1"	AAWS TU 090 ()	450.	450.
	1"	96"	1"	AAWS TU 096 ()	450.	450.
	1"	102"	1"	AAWS TU 102 ()	n/a	475.
	1"	108"	1"	AAWS TU 108 ()	n/a	475.
	1"	114"	1"	AAWS TU 114 ()	n/a	475.
	1"	120"	1"	AAWS TU 120 ()	n/a	475.
	1"	126"	1"	AAWS TU 126 ()	n/a	485.
	1"	132"	1"	AAWS TU 132 ()	n/a	485.
	1"	138"	1"	AAWS TU 138 ()	n/a	485.
	1"	144"	1"	AAWS TU 144 ()	n/a	485.

Order Code	Specification Information	Application Notes
Example: AAWS TU 073 AA	AA- Anodized Aluminum.	Top Up channels are an alternative to top channels at the top of wall frames or add on frames.
A AutoStrada	All standard painted finishes except Silver also available for channels up to 96" wide.	Top Up channel enables covers to be mounted above the applied wall. Specify ceiling channel separately to retain top of covers mounted above frames.
AWS Applied wall system		Top Up channel provides continuous slot for component support, retains top of covers on frame and bottom of covers mounted above frame.
TU Top Up channel		Top Up channel encloses top of frames to within 1/4" of the built wall for cord passage.
072 Width		Specify Top Up channel in length to match overall length of applied wall covers, or in shorter segments. Top Up channel can extend past wall frame up to 6" on each end.
AA Finish		

Horizontal channels

Ceiling channels

AutoStrada

description	h	w	d	pattern number	painted	aluminum
Ceiling channel	1"	36"	1"	AAWS CC 036 ()	\$125.	\$125.
	1"	42"	1"	AAWS CC 042 ()	140.	140.
	1"	48"	1"	AAWS CC 048 ()	155.	155.
	1"	54"	1"	AAWS CC 054 ()	170.	170.
	1"	60"	1"	AAWS CC 060 ()	185.	185.
	1"	66"	1"	AAWS CC 066 ()	200.	200.
	1"	72"	1"	AAWS CC 072 ()	215.	215.
	1"	78"	1"	AAWS CC 078 ()	240.	240.
	1"	84"	1"	AAWS CC 084 ()	350.	350.
	1"	90"	1"	AAWS CC 090 ()	350.	350.
	1"	96"	1"	AAWS CC 096 ()	350.	350.
	1"	102"	1"	AAWS CC 102 ()	n/a	370.
	1"	108"	1"	AAWS CC 108 ()	n/a	370.
	1"	114"	1"	AAWS CC 114 ()	n/a	370.
	1"	120"	1"	AAWS CC 120 ()	n/a	370.
	1"	126"	1"	AAWS CC 126 ()	n/a	390.
	1"	132"	1"	AAWS CC 132 ()	n/a	390.
	1"	138"	1"	AAWS CC 138 ()	n/a	390.
	1"	144"	1"	AAWS CC 144 ()	n/a	390.

Order Code	Specification Information	Application Notes	
Example: AAWS CC 036 AA	AA- Anodized Aluminum.	Ceiling channels are fastened directly to the building wall to retain the top of covers up to 30"H mounted above wall frames with Top Up channel. Ceiling channels do not accept brackets for applied wall storage, shelves or accessories. Specify ceiling channels in lengths to match overall width of covers mounted above frames or in shorter segments.	Knoll does not supply or recommend specific hardware for fastening ceiling channel to building wall.
A AutoStrada	All standard painted finishes except Silver also available for channels up to 96" wide.		
AWS Applied wall system			
CC Ceiling channel			
036 Width			
AA Finish			

Horizontal channels

Intermediate channels

AutoStrada

Applied Wall

description	h	w	d	pattern number	painted	aluminum
Intermediate channel 	1"	24"	1"	AAWS IC 024 ()	\$52.	\$52.
	1"	30"	1"	AAWS IC 030 ()	57.	57.
	1"	36"	1"	AAWS IC 036 ()	62.	62.
	1"	42"	1"	AAWS IC 042 ()	73.	73.
	1"	48"	1"	AAWS IC 048 ()	78.	78.
	1"	54"	1"	AAWS IC 054 ()	94.	94.
	1"	60"	1"	AAWS IC 060 ()	99.	99.
	1"	66"	1"	AAWS IC 066 ()	104.	104.
	1"	72"	1"	AAWS IC 072 ()	109.	109.
	1"	78"	1"	AAWS IC 078 ()	120.	120.
	1"	84"	1"	AAWS IC 084 ()	140.	140.
	1"	90"	1"	AAWS IC 090 ()	146.	146.
	1"	96"	1"	AAWS IC 096 ()	151.	151.
	1"	102"	1"	AAWS IC 102 ()	n/a	156.
	1"	108"	1"	AAWS IC 108 ()	n/a	161.
	1"	114"	1"	AAWS IC 114 ()	n/a	166.
	1"	120"	1"	AAWS IC 120 ()	n/a	177.
	1"	126"	1"	AAWS IC 126 ()	n/a	187.
	1"	132"	1"	AAWS IC 132 ()	n/a	198.
	1"	138"	1"	AAWS IC 138 ()	n/a	203.
	1"	144"	1"	AAWS IC 144 ()	n/a	208.

Order Code

Example: AAWS IC 024 AA	
A	AutoStrada
AWS	Applied wall system
IC	Intermediate channel
024	Width
AA	Finish

Specification Information

AA- Anodized Aluminum or any painted finish except 613 silver. Painted finish is not available on channels wider than 96".

Application Notes

Intermediate channels attach to wall frames to provide continuous slot for component support and retention for top and bottom of wall covers. Horizontal channels attach to wall frames at predetermined mounting locations depending on what height covers and overhead storage are planned on wall surface: 24", 31 1/2", 39", 46 1/2", 54", 61 1/2", 69" above the floor.

Specify channels in length to match overall length of applied wall covers, or in shorter segments. Intermediate channels can extend past wall frame up to 6" on each end. Channels include mounting hardware to attach to wall frame studs.

Horizontal channels

Bottom channels

AutoStrada

description	h	w	d	pattern number	painted	aluminum
Bottom channel 	1"	36"	1"	AAWS BC 036 ()	\$52.	\$52.
	1"	42"	1"	AAWS BC 042 ()	57.	57.
	1"	48"	1"	AAWS BC 048 ()	62.	62.
	1"	54"	1"	AAWS BC 054 ()	73.	73.
	1"	60"	1"	AAWS BC 060 ()	78.	78.
	1"	66"	1"	AAWS BC 066 ()	83.	83.
	1"	72"	1"	AAWS BC 072 ()	88.	88.
	1"	78"	1"	AAWS BC 078 ()	94.	94.
	1"	84"	1"	AAWS BC 084 ()	104.	104.
	1"	90"	1"	AAWS BC 090 ()	109.	109.
	1"	96"	1"	AAWS BC 096 ()	114.	114.
	1"	102"	1"	AAWS BC 102 ()	n/a	120.
	1"	108"	1"	AAWS BC 108 ()	n/a	125.
	1"	114"	1"	AAWS BC 114 ()	n/a	130.
	1"	120"	1"	AAWS BC 120 ()	n/a	135.
	1"	126"	1"	AAWS BC 126 ()	n/a	140.
	1"	132"	1"	AAWS BC 132 ()	n/a	146.
	1"	138"	1"	AAWS BC 138 ()	n/a	151.
	1"	138"	1"	AAWS BC 144 ()	n/a	156.

Order Code

Example:	AAWS BC 036 AA
A	AutoStrada
AWS	Applied wall system
BC	Bottom channel
036	Width
AA	Finish

Specification Information

AA - Anodized Aluminum or any painted finish except 613 Silver.

Painted finish is not available on channels wider than 96".

Application Notes

Bottom channels attach to bottom of wall frames to retain bottom of wall covers planned below 24". Specify channels in length to match overall length of applied wall covers, or in shorter segments. Bottom channels can extend past wall frame up to 6" on each end.

Includes hardware.

Bottom channel is not required if no covers are planned below intermediate channel mounted at 24" above floor. Specify intermediate bottom trim and vertical frame covers to cover exposed studs at bottom of each wall frame.

Wall trim and corners

End trims, intermediate trim

AutoStrada

Applied Wall

description	type	h	w	d	pattern no.	painted or easy grey painted or aluminum
	Wall end trim	69"H + 22" add on	91 1/2"	1/8"	2 1/4"	AAWS ET 91 () \$145.
		69"H + 30" add on	99"	1/8"	2 1/4"	AAWS ET 99 () 155.
		69"H frame	69"	1/8"	2 1/4"	AAWS ET 69 () 94.
		84"H + 22" add on	106 1/2"	1/8"	2 1/4"	AAWS ET 106 () 175.
		84"H + 30" add on	114"	1/8"	2 1/4"	AAWS ET 114 () 185.
		84"H frame	84"	1/8"	2 1/4"	AAWS ET 84 () 125.
		Field Modifiable	144"	1/8"	2 1/4"	AAWS ET 144 () 215.
Wall end trim for frames open below 24"		69"H frame, open base	69"	1/8"	2 1/4"	AAWS ETO 69 () 73.
		84"H frame, open base	84"	1/8"	2 1/4"	AAWS ETO 84 () 88.
Intermediate trim cover			1 1/8"	144"	3/4"	AAWS IBT () 92.
						
Vertical frame covers (pair)			21"	2 1/2"	2"	AAWS VFC () 41.
						

Order Code	Specification Information	Application
Example: AAWS ET 69 AA		
A AutoStrada	Intermediate bottom trim and Vertical frame covers are available in Easy Grey (812) or any standard painted finish except 613 Silver.	Wall end trim encloses exposed end of applied wall frame and add on frames. If no wall covers are planned below 24" datum specify corresponding wall end trims for open base: 48"h for 69" h frames or 63"h for 84"h frames.
AWS Applied wall system	All end trim inside and outside covers are available in AA anodized aluminum or any standard paint finish except 613 Silver.	If no covers are planned below 24" datum specify optional intermediate bottom trim, which may be cut on site to overall width of applied wall, and one pair of vertical frame covers to cover exposed studs of each wall frame.
ET End trim		
69 Width		
AA Finish	All standard painted finishes except silver are also available for all end trims up to 91"H.	

Wall trim and corners

Inside and outside corners

AutoStrada

description	type	h	w	d	pattern no.	list	aluminum
Inside corner	69"H + 22 1/2" add on	91 1/2"	2 1/4"	2 1/4"	AAWS IL 91 ()		\$220.
	69"H + 30" add on	99"	2 1/4"	2 1/4"	AAWS IL 99 ()		220.
	69"H frame	69"	2 1/4"	2 1/4"	AAWS IL 69 ()		125.
	84"H + 22 1/2" add on	106 1/2"	2 1/4"	2 1/4"	AAWS IL 106 ()		220.
	84"H + 30" add on	114"	2 1/4"	2 1/4"	AAWS IL 114 ()		220.
	84"H frame	84"	2 1/4"	2 1/4"	AAWS IL 84 ()		161.
	Field Modifiable	144"	2 1/4"	2 1/4"	AAWS IL 144 ()		220.
Inside corner for frames open below 24"	69"H frame, open base	48"	2 1/4"	2 1/4"	AAWS ILO 69 ()		99.
	84"H frame, open base	63"	2 1/4"	2 1/4"	AAWS ILO 84 ()		120.



Outside corner	69"H + 22 1/2"H add on	91 1/2"	2 1/4"	2 1/4"	AAWS OL 91 ()		375.
	69"H + 30"H add on	99"	2 1/4"	2 1/4"	AAWS OL 99 ()		375.
	69"H frame	69"	2 1/4"	2 1/4"	AAWS OL 69 ()		198.
	84"H + 22 1/2"H add on	106 1/2"	2 1/4"	2 1/4"	AAWS OL 106 ()		375.
	Field modifiable	144"	2 1/4"	2 1/4"	AAWS OL 144 ()		375.
Outside corner for frames open below 24"	69"H frame, open base	48"	2 1/4"	2 1/4"	AAWS OLO 69 ()		146.
	84"H frame, open base	63"	2 1/4"	2 1/4"	AAWS OLO 84 ()		182.




Order Code	Specification Information	Application Notes
Example: AAWS IL 69 AA		
A AutoStrada	AA - Anodized Aluminum.	Inside corners and outside corners align and enclose the 90° junction of two wall frames or wall frames plus add on frames.
AWS Applied wall system	All standard painted finishes except silver are also available for all end trims up to 91"H.	
IL Inside corner		Frames must match in height.
69 Width		Inside and outside corners require 2 1/4" square planning footprint.
AA Finish		

Wall covers

Recess surface

AutoStrada

Applied Wall


description	h	w	d	pattern no.	painted or easy grey	painted or aluminum
Recess cover	7 1/2"	24"	3/4"	AAWS C0724 R ()		\$73.
	7 1/2"	30"	3/4"	AAWS C0730 R ()		83.
	7 1/2"	36"	3/4"	AAWS C0736 R ()		94.
	7 1/2"	42"	3/4"	AAWS C0742 R ()		104.
	7 1/2"	48"	3/4"	AAWS C0748 R ()		112.
	7 1/2"	54"	3/4"	AAWS C0754 R ()		131.
	7 1/2"	60"	3/4"	AAWS C0760 R ()		140.
	7 1/2"	66"	3/4"	AAWS C0766 R ()		150.
	7 1/2"	72"	3/4"	AAWS C0772 R ()		159.
	7 1/2"	78"	3/4"	AAWS C0778 R ()		168.
	7 1/2"	84"	3/4"	AAWS C0784 R ()		178.
	7 1/2"	90"	3/4"	AAWS C0790 R ()		197.
	7 1/2"	96"	3/4"	AAWS C0796 R ()		206.
Recess end trim (pair)	6 1/2"	1/2"	3/4"	AAWS RET ()	28.	
						

Order Code	Specification Information	Application	
Example: AAWS C0724 R AA			
A AutoStrada	Recess covers are available in AA anodized aluminum or any standard painted finish except 613 Silver.	Recess covers provide mounting location for continuous, surface-mounted plugmold strip or voice/data outlets. Recess covers are typically mounted below or just above desk height (24"-35 1/2" above floor).	Recess cover should be at least 6" wider than 60" plugmold or 24" plugstrip to be mounted. Recess end trim encloses the ends of a recess cover where it meets any other cover type.
AWS Applied wall system			
C Cover	Recess end trim is 812 Easy Grey or any standard painted finish except 613 Silver.	Recess covers insert between intermediate channels and are secured in position with screws. Recess covers are extruded, clear anodized aluminum surface.	Recess end trim kit includes one left hand and one right hand trim. Recess end trim is not required where recess cover meets wall end trim, corner connector or another recess cover.
07 Height			
24 Width			
R Recess cover			
AA Finish			

Wall covers

Slatwall surface

AutoStrada

description	h	w	d	pattern no.	painted or aluminum
Slatwall cover 	7 1/2"	24"	1/2"	AAWS C0724 S ()	\$83.
	7 1/2"	30"	1/2"	AAWS C0730 S ()	94.
	7 1/2"	36"	1/2"	AAWS C0736 S ()	104.
	7 1/2"	42"	1/2"	AAWS C0742 S ()	114.
	7 1/2"	48"	1/2"	AAWS C0748 S ()	125.
	7 1/2"	54"	1/2"	AAWS C0754 S ()	146.
	7 1/2"	60"	1/2"	AAWS C0760 S ()	156.
	7 1/2"	66"	1/2"	AAWS C0766 S ()	166.
	7 1/2"	72"	1/2"	AAWS C0772 S ()	177.
	7 1/2"	78"	1/2"	AAWS C0778 S ()	187.
	7 1/2"	84"	1/2"	AAWS C0784 S ()	198.
	7 1/2"	90"	1/2"	AAWS C0790 S ()	218.
	7 1/2"	96"	1/2"	AAWS C0796 S ()	229.



Order Code	Specification Information	Application
Example: AAWS C0724 S AA	AA - Anodized Aluminum only.	Slatwall covers provide four continuous, horizontal slots to accept a variety of KnollExtra paper management accessories and flat screen monitor arms. Slatwall covers are typically installed just above desk height (31 1/2 - 39" above floor). Slatwall covers insert between intermediate channels and are secured in position with screws. Slatwall covers are extruded, clear anodized aluminum surface.
A AutoStrada	Slatwall covers are available in AA anodized aluminum or any standard painted finish except 613 Silver.	
AWS Applied wall system		
C Cover		
07 Height		
24 Width		
S Slatwall cover		
AA Finish		

Wall covers

Marker surface

AutoStrada

Applied Wall

description	h	w	d	pattern no.	list
Marker cover, 7 1/2"H	7 1/2"	24"	1/2"	AAWS C0724 M ()	\$62.
	7 1/2"	30"	1/2"	AAWS C0730 M ()	69.
	7 1/2"	36"	1/2"	AAWS C0736 M ()	74.
	7 1/2"	42"	1/2"	AAWS C0742 M ()	79.
	7 1/2"	48"	1/2"	AAWS C0748 M ()	83.
	7 1/2"	54"	1/2"	AAWS C0754 M ()	87.
	7 1/2"	60"	1/2"	AAWS C0760 M ()	92.
	7 1/2"	66"	1/2"	AAWS C0766 M ()	96.
	7 1/2"	72"	1/2"	AAWS C0772 M ()	101.
Marker cover, 15"H	15"	24"	1/2"	AAWS C1524 M ()	82.
	15"	30"	1/2"	AAWS C1530 M ()	91.
	15"	36"	1/2"	AAWS C1536 M ()	99.
	15"	42"	1/2"	AAWS C1542 M ()	107.
	15"	48"	1/2"	AAWS C1548 M ()	118.
	15"	54"	1/2"	AAWS C1554 M ()	129.
	15"	60"	1/2"	AAWS C1560 M ()	137.
	15"	66"	1/2"	AAWS C1566 M ()	146.
	15"	72"	1/2"	AAWS C1572 M ()	153.
Marker cover, 22 1/2"H	22 1/2"	24"	1/2"	AAWS C2224 M ()	101.
	22 1/2"	30"	1/2"	AAWS C2230 M ()	113.
	22 1/2"	36"	1/2"	AAWS C2236 M ()	133.
	22 1/2"	42"	1/2"	AAWS C2242 M ()	145.
	22 1/2"	48"	1/2"	AAWS C2248 M ()	157.
	22 1/2"	54"	1/2"	AAWS C2254 M ()	169.
	22 1/2"	60"	1/2"	AAWS C2260 M ()	197.
	22 1/2"	66"	1/2"	AAWS C2266 M ()	202.
	22 1/2"	72"	1/2"	AAWS C2272 M ()	206.
Marker cover, 30"H	30"	24"	1/2"	AAWS C3024 M ()	118.
	30"	30"	1/2"	AAWS C3030 M ()	137.
	30"	36"	1/2"	AAWS C3036 M ()	157.
	30"	42"	1/2"	AAWS C3042 M ()	173.
	30"	48"	1/2"	AAWS C3048 M ()	190.
	30"	54"	1/2"	AAWS C3054 M ()	210.
	30"	60"	1/2"	AAWS C3060 M ()	227.
	30"	66"	1/2"	AAWS C3066 M ()	243.
	30"	72"	1/2"	AAWS C3072 M ()	259.

Order Code

Example:	AAWS C0724 M LW
A	AutoStrada
AWS	Applied wall system
C	Cover
07	Height
24	Width
M	Marker cover
LW	Finish

Specification Information

LW - Markerboard surface

Application


Markerboard cover is a white, dry-erase surface that fits flush with adjacent wall covers. Marker covers insert between channels set at the corresponding height differences.

Wall covers

Marker surface

AutoStrada

description	h	w	d	pattern no.	list
Marker cover, 45"H	45"	24"	1/2"	AAWS C4524 M ()	\$158.
	45"	30"	1/2"	AAWS C4530 M ()	181.
	45"	36"	1/2"	AAWS C4536 M ()	220.
	45"	42"	1/2"	AAWS C4542 M ()	244.
	45"	48"	1/2"	AAWS C4548 M ()	268.
	45"	54"	1/2"	AAWS C4554 M ()	293.
	45"	60"	1/2"	AAWS C4560 M ()	316.
	45"	66"	1/2"	AAWS C4566 M ()	341.
	45"	72"	1/2"	AAWS C4572 M ()	365.





Order Code	Specification Information	Application
Example: AAWS C0724 M LW	LW - Markerboard surface	Markerboard cover is a white, dry-erase surface that fits flush with adjacent wall covers.
A AutoStrada		Marker covers insert between channels set at the corresponding height differences.
AWS Applied wall system		
C Cover		
07 Height		
24 Width		
M Marker cover		
LW Finish		

Wall covers

Tackable linoleum

AutoStrada

Applied Wall


description	h	w	d	pattern no.	list
Linoleum cover, 15"H 	15"	24"	1/2"	AAWS C1524 L ()	\$133.
	15"	30"	1/2"	AAWS C1530 L ()	158.
	15"	36"	1/2"	AAWS C1536 L ()	189.
	15"	42"	1/2"	AAWS C1542 L ()	214.
	15"	48"	1/2"	AAWS C1548 L ()	245.
	15"	54"	1/2"	AAWS C1554 L ()	275.
	15"	60"	1/2"	AAWS C1560 L ()	306.
	15"	66"	1/2"	AAWS C1566 L ()	332.
	15"	72"	1/2"	AAWS C1572 L ()	362.
	15"	78"	1/2"	AAWS C1578 L ()	393.
	15"	84"	1/2"	AAWS C1584 L ()	423.
	15"	90"	1/2"	AAWS C1590 L ()	449.
	15"	96"	1/2"	AAWS C1596 L ()	479.
Linoleum cover, 22 1/2"H 	22 1/2"	24"	1/2"	AAWS C2224 L ()	184.
	22 1/2"	30"	1/2"	AAWS C2230 L ()	224.
	22 1/2"	36"	1/2"	AAWS C2236 L ()	265.
	22 1/2"	42"	1/2"	AAWS C2242 L ()	306.
	22 1/2"	48"	1/2"	AAWS C2248 L ()	352.
	22 1/2"	54"	1/2"	AAWS C2254 L ()	398.
	22 1/2"	60"	1/2"	AAWS C2260 L ()	444.
	22 1/2"	66"	1/2"	AAWS C2266 L ()	479.
	22 1/2"	72"	1/2"	AAWS C2272 L ()	525.
	22 1/2"	78"	1/2"	AAWS C2278 L ()	566.
	22 1/2"	84"	1/2"	AAWS C2284 L ()	612.
	22 1/2"	90"	1/2"	AAWS C2290 L ()	653.
	22 1/2"	96"	1/2"	AAWS C2296 L ()	704.

Order Code	Specification Information	Application
Example: AAWS C0724 L 851		
A AutoStrada	851 Forbo #2186	Linoleum covers insert between horizontal channels to provide tackable, non-upholstered surface. Linoleum covers are tackable with 1/2" pushpins. Linoleum surface is firm enough to permit open shelf brackets to bear against face of cover.
AWS Applied wall system	852 Forbo #2162	
C Cover	853 Forbo #2182	
07 Height	854 Forbo #2166	
24 Width	855 Forbo #2204	
L Tackable linoleum	856 Forbo #2202	
851 Finish		

Wall covers

Tackable upholstered

AutoStrada

description	h	w	d	pattern no.	Grade								
					10	15	20	30	35	40	45	50	55
Tackable upholstered cover, 7 1/2"H 	7 1/2"	24"	1/2"	AAWS C0724 A ()	\$71.	\$73.	\$75.	\$80.	\$82.	\$84.	\$86.	\$92.	\$97.
	7 1/2"	30"	1/2"	AAWS C0730 A ()	77.	79.	81.	85.	87.	89.	91.	97.	102.
	7 1/2"	36"	1/2"	AAWS C0736 A ()	82.	84.	86.	90.	92.	94.	96.	102.	107.
	7 1/2"	42"	1/2"	AAWS C0742 A ()	94.	96.	97.	98.	100.	103.	104.	107.	112.
	7 1/2"	48"	1/2"	AAWS C0748 A ()	105.	107.	108.	109.	111.	113.	115.	117.	121.
	7 1/2"	54"	1/2"	AAWS C0754 A ()	116.	117.	119.	120.	121.	124.	125.	129.	133.
	7 1/2"	60"	1/2"	AAWS C0760 A ()	128.	129.	130.	132.	133.	136.	137.	140.	144.
	7 1/2"	66"	1/2"	AAWS C0766 A ()	138.	140.	141.	142.	144.	146.	148.	150.	154.
	7 1/2"	72"	1/2"	AAWS C0772 A ()	149.	150.	152.	153.	154.	157.	158.	161.	165.
Tackable upholstered cover, 15"H 	15"	24"	1/2"	AAWS C1524 A ()	106.	107.	108.	109.	111.	113.	115.	116.	123.
	15"	30"	1/2"	AAWS C1530 A ()	126.	128.	129.	130.	132.	134.	136.	137.	144.
	15"	36"	1/2"	AAWS C1536 A ()	147.	148.	149.	150.	152.	154.	156.	157.	164.
	15"	42"	1/2"	AAWS C1542 A ()	167.	168.	169.	171.	172.	175.	176.	177.	185.
	15"	48"	1/2"	AAWS C1548 A ()	188.	189.	190.	192.	193.	196.	197.	198.	205.
	15"	54"	1/2"	AAWS C1554 A ()	208.	209.	210.	212.	213.	216.	217.	218.	225.
	15"	60"	1/2"	AAWS C1560 A ()	228.	230.	231.	233.	234.	237.	238.	240.	246.
	15"	66"	1/2"	AAWS C1566 A ()	250.	251.	252.	253.	254.	257.	258.	260.	266.
	15"	72"	1/2"	AAWS C1572 A ()	270.	271.	272.	273.	274.	277.	278.	281.	287.



Order Code	Specification Information	Application
Example: AAWS C0724 A 288-6	See finish page for Knoll textile selections.	Tackable upholstered covers insert between horizontal channels to provide tackable, fabric surface. Covers are tackable with 1/2" pushpins.
A AutoStrada		
AWS Applied wall system		
C Cover		
07 Height		
24 Width		
A Tackable upholstered		
288-6 Fabric		Fabric is railroaded. Open shelves cannot be positioned immediately above tackable fabric covers. Tackable core is not firm enough to permit open shelf brackets to bear against face of cover.

Wall covers

Tackable upholstered

AutoStrada

Applied Wall

description	h	w	d	pattern no.	Grade 10	15	20	30	35	40	45	50	55
Tackable upholstered cover, 22 1/2"H	22 1/2"	24"	1/2"	AAWS C2224 A ()	\$150.	\$154.	\$157.	\$160.	\$164.	\$167.	\$171.	\$177.	\$188.
	22 1/2"	30"	1/2"	AAWS C2230 A ()	183.	186.	190.	193.	196.	200.	203.	210.	220.
	22 1/2"	36"	1/2"	AAWS C2236 A ()	214.	218.	221.	224.	228.	232.	235.	242.	252.
	22 1/2"	42"	1/2"	AAWS C2242 A ()	247.	250.	254.	257.	260.	264.	267.	274.	285.
	22 1/2"	48"	1/2"	AAWS C2248 A ()	278.	283.	286.	289.	293.	296.	299.	306.	316.
	22 1/2"	54"	1/2"	AAWS C2254 A ()	311.	314.	318.	321.	324.	328.	332.	339.	349.
	22 1/2"	60"	1/2"	AAWS C2260 A ()	343.	347.	350.	353.	357.	360.	363.	370.	380.
	22 1/2"	66"	1/2"	AAWS C2266 A ()	375.	378.	383.	386.	389.	393.	396.	403.	413.
	22 1/2"	72"	1/2"	AAWS C2272 A ()	407.	411.	414.	417.	421.	424.	427.	435.	445.
Tackable upholstered cover, 30"H	30"	24"	1/2"	AAWS C3024 A ()	274.	278.	281.	284.	289.	293.	297.	301.	318.
	30"	30"	1/2"	AAWS C3030 A ()	330.	335.	337.	340.	345.	349.	353.	357.	373.
	30"	36"	1/2"	AAWS C3036 A ()	387.	391.	393.	396.	401.	405.	409.	413.	429.
	30"	42"	1/2"	AAWS C3042 A ()	443.	447.	449.	452.	457.	461.	465.	469.	486.
	30"	48"	1/2"	AAWS C3048 A ()	499.	502.	504.	508.	513.	517.	521.	525.	542.
	30"	54"	1/2"	AAWS C3054 A ()	555.	558.	560.	564.	568.	572.	577.	581.	598.
	30"	60"	1/2"	AAWS C3060 A ()	611.	614.	616.	620.	624.	628.	633.	636.	654.
	30"	66"	1/2"	AAWS C3066 A ()	667.	670.	672.	676.	680.	684.	690.	693.	710.
	30"	72"	1/2"	AAWS C3072 A ()	723.	726.	728.	732.	736.	741.	746.	749.	766.

Order Code	Specification Information	Application
Example: AAWS C0724 A 288-6	See finish page for Knoll textile selections.	Tackable upholstered covers insert between horizontal channels to provide tackable, fabric surface. Covers are tackable with 1/2" pushpins.
A AutoStrada		
AWS Applied wall system		
C Cover		
07 Height		
24 Width		
A Tackable upholstered		Fabric is railroaded.
288-6 Fabric		
		Open shelves cannot be positioned immediately above tackable fabric covers. Tackable core is not firm enough to permit open shelf brackets to bear against face of cover.

Wall covers

Non-tackable upholstered

AutoStrada

description	h	w	d	pattern no.	Grade								
					10	15	20	30	35	40	45	50	55
Non-tackable upholstered cover, 7 1/2"H 	7 1/2"	24"	1/2"	AAWS C0724 F ()	\$71.	\$73.	\$75.	\$80.	\$82.	\$84.	\$86.	\$92.	\$97.
	7 1/2"	30"	1/2"	AAWS C0730 F ()	77.	79.	81.	85.	87.	89.	91.	97.	102.
	7 1/2"	36"	1/2"	AAWS C0736 F ()	82.	84.	86.	90.	92.	94.	96.	102.	107.
	7 1/2"	42"	1/2"	AAWS C0742 F ()	87.	89.	91.	95.	97.	99.	101.	107.	112.
	7 1/2"	48"	1/2"	AAWS C0748 F ()	92.	94.	96.	100.	102.	104.	106.	112.	117.
	7 1/2"	54"	1/2"	AAWS C0754 F ()	97.	99.	101.	105.	107.	109.	111.	117.	122.
	7 1/2"	60"	1/2"	AAWS C0760 F ()	102.	104.	106.	110.	112.	114.	116.	122.	128.
	7 1/2"	66"	1/2"	AAWS C0766 F ()	107.	109.	111.	115.	117.	119.	121.	128.	133.
	7 1/2"	72"	1/2"	AAWS C0772 F ()	112.	114.	116.	120.	122.	124.	126.	133.	138.
	7 1/2"	78"	1/2"	AAWS C0778 F ()	117.	119.	121.	125.	128.	130.	132.	138.	143.
	7 1/2"	84"	1/2"	AAWS C0784 F ()	122.	124.	126.	131.	133.	135.	137.	143.	148.
Non-tackable upholstered cover, 15"H 	15"	24"	1/2"	AAWS C1524 F ()	89.	92.	94.	100.	102.	104.	107.	109.	114.
	15"	30"	1/2"	AAWS C1530 F ()	99.	102.	104.	110.	112.	114.	117.	119.	124.
	15"	36"	1/2"	AAWS C1536 F ()	109.	112.	114.	120.	122.	124.	128.	130.	135.
	15"	42"	1/2"	AAWS C1542 F ()	119.	122.	124.	131.	133.	135.	138.	140.	145.
	15"	48"	1/2"	AAWS C1548 F ()	130.	133.	135.	141.	143.	145.	148.	150.	155.
	15"	54"	1/2"	AAWS C1554 F ()	140.	143.	145.	151.	153.	155.	158.	160.	165.
	15"	60"	1/2"	AAWS C1560 F ()	150.	153.	155.	161.	163.	165.	168.	170.	175.
	15"	66"	1/2"	AAWS C1566 F ()	160.	163.	165.	171.	173.	175.	179.	181.	186.
	15"	72"	1/2"	AAWS C1572 F ()	170.	173.	175.	182.	184.	186.	189.	191.	196.
	15"	78"	1/2"	AAWS C1578 F ()	181.	184.	186.	192.	194.	196.	199.	201.	206.
	15"	84"	1/2"	AAWS C1584 F ()	191.	194.	196.	202.	204.	206.	209.	211.	216.
	15"	90"	1/2"	AAWS C1590 F ()	201.	204.	206.	212.	214.	216.	219.	221.	226.
	15"	96"	1/2"	AAWS C1596 F ()	211.	214.	216.	222.	224.	226.	230.	232.	237.



Order Code	Specification Information	Application
Example: AAWS C0724 F 288-6	See finish page for Knoll textile selections.	Non-tackable upholstered covers insert between horizontal channels to provide fabric surface. Fabric is railroaded. Wood core is firm enough to permit open shelf brackets to bear against face of cover.
A AutoStrada		
AWS Applied wall system		
C Cover		
07 Height		
24 Width		
F Non-tackable upholstered		
288-6 Fabric		

Wall covers

Non-tackable upholstered

AutoStrada

Applied Wall

description	h	w	d	pattern no.	Grade												
					10	15	20	30	35	40	45	50	55				
	Non-tackable upholstered cover, 22 1/2"H				22 1/2"	24"	1/2"	AAWS C2224 F ()	\$120.	\$125.	\$129.	\$138.	\$143.	\$148.	\$153.	\$163.	\$179.
	22 1/2"	30"	1/2"	AAWS C2230 F ()	133.	140.	143.	152.	157.	162.	167.	177.	193.				
	22 1/2"	36"	1/2"	AAWS C2236 F ()	147.	154.	157.	166.	171.	176.	182.	192.	207.				
	22 1/2"	42"	1/2"	AAWS C2242 F ()	161.	168.	171.	181.	186.	191.	196.	206.	221.				
	22 1/2"	48"	1/2"	AAWS C2248 F ()	175.	183.	186.	195.	200.	205.	210.	220.	236.				
	22 1/2"	54"	1/2"	AAWS C2254 F ()	190.	197.	200.	209.	214.	219.	224.	235.	250.				
	22 1/2"	60"	1/2"	AAWS C2260 F ()	204.	211.	214.	223.	228.	234.	239.	249.	264.				
	22 1/2"	66"	1/2"	AAWS C2266 F ()	218.	225.	228.	238.	243.	248.	253.	263.	278.				
	22 1/2"	72"	1/2"	AAWS C2272 F ()	233.	240.	243.	252.	257.	262.	267.	277.	293.				
	22 1/2"	78"	1/2"	AAWS C2278 F ()	247.	254.	257.	266.	271.	276.	282.	292.	307.				
	22 1/2"	84"	1/2"	AAWS C2284 F ()	261.	268.	271.	281.	286.	291.	296.	306.	321.				
	22 1/2"	90"	1/2"	AAWS C2290 F ()	275.	283.	286.	295.	300.	305.	310.	320.	336.				
22 1/2"	96"	1/2"	AAWS C2296 F ()	290.	297.	300.	309.	314.	319.	324.	335.	350.					
	Non-tackable upholstered cover, 30"H				30"	24"	1/2"	AAWS C3024 F ()	138.	145.	148.	158.	168.	173.	179.	184.	199.
	30"	30"	1/2"	AAWS C3030 F ()	156.	163.	166.	176.	187.	192.	197.	202.	217.				
	30"	36"	1/2"	AAWS C3036 F ()	174.	182.	185.	195.	205.	210.	215.	220.	236.				
	30"	42"	1/2"	AAWS C3042 F ()	193.	200.	203.	213.	223.	228.	234.	239.	254.				
	30"	48"	1/2"	AAWS C3048 F ()	211.	218.	221.	232.	242.	247.	252.	257.	272.				
	30"	54"	3/4"	AAWS C3054 F ()	230.	237.	240.	250.	260.	265.	270.	275.	291.				
	30"	60"	1/2"	AAWS C3060 F ()	248.	255.	258.	268.	278.	284.	289.	294.	309.				
	30"	66"	1/2"	AAWS C3066 F ()	266.	273.	276.	287.	297.	302.	307.	312.	327.				
	30"	72"	1/2"	AAWS C3072 F ()	285.	292.	295.	305.	315.	320.	325.	330.	346.				
	30"	78"	1/2"	AAWS C3078 F ()	303.	310.	313.	323.	334.	339.	344.	349.	364.				
	30"	84"	1/2"	AAWS C3084 F ()	321.	328.	332.	342.	352.	357.	362.	367.	383.				
	30"	90"	1/2"	AAWS C3090 F ()	340.	347.	350.	360.	370.	375.	380.	386.	401.				
	30"	96"	1/2"	AAWS C3096 F ()	358.	365.	368.	378.	389.	394.	399.	404.	419.				

Order Code

Example: **AAWS C0724 F 288-6**

A	AutoStrada
AWS	Applied wall system
C	Cover
07	Height
24	Width
F	Non-tackable upholstered
288-6	Fabric

Specification Information

See finish page for Knoll textile selections.

Application

Non-tackable upholstered covers insert between horizontal channels to provide fabric surface.


Fabric is railroaded.

Wood core is firm enough to permit open shelf brackets to bear against face of cover.

Wall covers

Laminate or Veneer surface

AutoStrada

description	h	w	d	pattern no.	L	V1	V2	V3
Laminate or Veneer cover, 7 1/2"H 	7 1/2"	24"	1/2"	AAWS C0724 ()	\$59.	\$128.	\$159.	\$215.
	7 1/2"	30"	1/2"	AAWS C0730 ()	66.	135.	162.	225.
	7 1/2"	36"	1/2"	AAWS C0736 ()	69.	138.	164.	244.
	7 1/2"	42"	1/2"	AAWS C0742 ()	73.	142.	171.	264.
	7 1/2"	48"	1/2"	AAWS C0748 ()	77.	146.	176.	282.
	7 1/2"	54"	1/2"	AAWS C0754 ()	81.	150.	183.	300.
	7 1/2"	60"	1/2"	AAWS C0760 ()	85.	154.	190.	320.
	7 1/2"	66"	1/2"	AAWS C0766 ()	88.	157.	195.	338.
	7 1/2"	72"	1/2"	AAWS C0772 ()	92.	161.	201.	356.
	7 1/2"	78"	1/2"	AAWS C0778 ()	n/a	165.	207.	376.
	7 1/2"	84"	1/2"	AAWS C0784 ()	n/a	169.	213.	394.
	7 1/2"	90"	1/2"	AAWS C0790 ()	n/a	173.	220.	414.
	7 1/2"	96"	1/2"	AAWS C0796 ()	n/a	177.	225.	432.
Laminate or Veneer cover, 15"H 	15"	24"	1/2"	AAWS C1524 ()	75.	145.	175.	278.
	15"	30"	1/2"	AAWS C1530 ()	83.	152.	188.	316.
	15"	36"	1/2"	AAWS C1536 ()	90.	159.	199.	351.
	15"	42"	1/2"	AAWS C1542 ()	97.	166.	211.	388.
	15"	48"	1/2"	AAWS C1548 ()	106.	176.	225.	427.
	15"	54"	1/2"	AAWS C1554 ()	115.	186.	243.	464.
	15"	60"	1/2"	AAWS C1560 ()	122.	193.	251.	501.
	15"	66"	1/2"	AAWS C1566 ()	130.	201.	262.	538.
	15"	72"	1/2"	AAWS C1572 ()	136.	208.	273.	572.
	15"	78"	1/2"	AAWS C1578 ()	n/a	215.	286.	609.
	15"	84"	1/2"	AAWS C1584 ()	n/a	222.	297.	644.
	15"	90"	1/2"	AAWS C1590 ()	n/a	230.	309.	681.
	15"	96"	1/2"	AAWS C1596 ()	n/a	237.	320.	718.

Order Code

Example:	AAWS C0724 118
A	AutoStrada
AWS	Applied wall system
C	Cover
07	Height
24	Width
118	Finish

Specification Information

See finish page for laminate and veneer finish codes.

Application

Veneer or laminate covers insert between horizontal channels.



Techwood and natural veneer grain direction is horizontal.

Wall covers

Laminate or Veneer surface

AutoStrada

Applied Wall

description	h	w	d	pattern no.	L	V1	V2	V3
Laminate or Veneer cover, 22 1/2"H 	22 1/2"	24"	1/2"	AAWS C2224 ()	\$92.	\$162.	\$202.	\$355.
	22 1/2"	30"	1/2"	AAWS C2230 ()	102.	172.	216.	398.
	22 1/2"	36"	1/2"	AAWS C2236 ()	119.	190.	243.	469.
	22 1/2"	42"	1/2"	AAWS C2242 ()	130.	201.	260.	523.
	22 1/2"	48"	1/2"	AAWS C2248 ()	139.	211.	277.	574.
	22 1/2"	54"	1/2"	AAWS C2254 ()	149.	221.	294.	627.
	22 1/2"	60"	1/2"	AAWS C2260 ()	172.	233.	313.	686.
	22 1/2"	66"	1/2"	AAWS C2266 ()	176.	244.	328.	735.
	22 1/2"	72"	1/2"	AAWS C2272 ()	180.	254.	346.	788.
	22 1/2"	78"	1/2"	AAWS C2278 ()	n/a	264.	363.	843.
	22 1/2"	84"	1/2"	AAWS C2284 ()	n/a	275.	380.	897.
	22 1/2"	90"	1/2"	AAWS C2290 ()	n/a	287.	398.	951.
	22 1/2"	96"	1/2"	AAWS C2296 ()	n/a	297.	415.	1,004.
Laminate or Veneer cover, 30"H 	30"	24"	1/2"	AAWS C3024 ()	106.	176.	225.	428.
	30"	30"	1/2"	AAWS C3030 ()	121.	193.	250.	501.
	30"	36"	1/2"	AAWS C3036 ()	140.	211.	277.	575.
	30"	42"	1/2"	AAWS C3042 ()	153.	225.	300.	647.
	30"	48"	1/2"	AAWS C3048 ()	166.	239.	322.	717.
	30"	54"	1/2"	AAWS C3054 ()	184.	258.	350.	792.
	30"	60"	1/2"	AAWS C3060 ()	197.	272.	373.	865.
	30"	66"	1/2"	AAWS C3066 ()	210.	287.	396.	935.
	30"	72"	1/2"	AAWS C3072 ()	224.	300.	418.	1,006.
	30"	78"	1/2"	AAWS C3078 ()	n/a	314.	442.	1,076.
	30"	84"	1/2"	AAWS C3084 ()	n/a	328.	464.	1,146.
	30"	90"	1/2"	AAWS C3090 ()	n/a	343.	487.	1,217.
	30"	96"	1/2"	AAWS C3096 ()	n/a	356.	509.	1,287.

Order Code

Example:	AAWS C0724 118
A	AutoStrada
AWS	Applied wall system
C	Cover
07	Height
24	Width
118	Finish

Specification Information

See finish page for laminate and veneer finish codes.

Application


Veneer or laminate covers insert between horizontal channels.

Techwood and natural veneer grain direction is horizontal.

Wall covers

Painted surface

AutoStrada

description	h	w	d	pattern no.	paint
Painted cover, 7 1/2"H 	7 1/2"	24"	1/2"	AAWS C0724 P ()	\$109.
	7 1/2"	30"	1/2"	AAWS C0730 P ()	110.
	7 1/2"	36"	1/2"	AAWS C0736 P ()	111.
	7 1/2"	42"	1/2"	AAWS C0742 P ()	138.
	7 1/2"	48"	1/2"	AAWS C0748 P ()	140.
	7 1/2"	54"	1/2"	AAWS C0754 P ()	141.
	7 1/2"	60"	1/2"	AAWS C0760 P ()	167.
	7 1/2"	66"	1/2"	AAWS C0766 P ()	169.
	7 1/2"	72"	1/2"	AAWS C0772 P ()	170.
	7 1/2"	78"	1/2"	AAWS C0778 P ()	172.
	7 1/2"	84"	1/2"	AAWS C0784 P ()	200.
	7 1/2"	90"	1/2"	AAWS C0790 P ()	202.
	7 1/2"	96"	1/2"	AAWS C0796 P ()	203.
Painted cover, 15"H 	15"	24"	1/2"	AAWS C1524 P ()	116.
	15"	30"	1/2"	AAWS C1530 P ()	119.
	15"	36"	1/2"	AAWS C1536 P ()	122.
	15"	42"	1/2"	AAWS C1542 P ()	151.
	15"	48"	1/2"	AAWS C1548 P ()	154.
	15"	54"	1/2"	AAWS C1554 P ()	156.
	15"	60"	1/2"	AAWS C1560 P ()	185.
	15"	66"	1/2"	AAWS C1566 P ()	188.
	15"	72"	1/2"	AAWS C1572 P ()	191.
	15"	78"	1/2"	AAWS C1578 P ()	194.
	15"	84"	1/2"	AAWS C1584 P ()	223.
	15"	90"	1/2"	AAWS C1590 P ()	226.
	15"	96"	1/2"	AAWS C1596 P ()	230.

Order Code

Example:	AAWS C0724 P 118
A	AutoStrada
AWS	Applied wall system
C	Cover
07	Height
24	Width
P	Painted surface
118	Finish

Specification Information

See finish page for painted finish codes.

Application



Painted wood covers insert between horizontal channels.
Painted covers are powder coat or wet spray on medium density fiberboard.

Wall covers

Painted surface

AutoStrada

Applied Wall

description	h	w	d	pattern no.	paint
Painted cover, 22 1/2"H 	22 1/2"	24"	1/2"	AAWS C2224 P ()	\$122.
	22 1/2"	30"	1/2"	AAWS C2230 P ()	128.
	22 1/2"	36"	1/2"	AAWS C2236 P ()	132.
	22 1/2"	42"	1/2"	AAWS C2242 P ()	161.
	22 1/2"	48"	1/2"	AAWS C2248 P ()	165.
	22 1/2"	54"	1/2"	AAWS C2254 P ()	170.
	22 1/2"	60"	1/2"	AAWS C2260 P ()	200.
	22 1/2"	66"	1/2"	AAWS C2266 P ()	204.
	22 1/2"	72"	1/2"	AAWS C2272 P ()	209.
	22 1/2"	78"	1/2"	AAWS C2278 P ()	213.
	22 1/2"	84"	1/2"	AAWS C2284 P ()	245.
	22 1/2"	90"	1/2"	AAWS C2290 P ()	249.
	22 1/2"	96"	1/2"	AAWS C2296 P ()	253.
Painted cover, 30"H 	30"	24"	1/2"	AAWS C3024 P ()	129.
	30"	30"	1/2"	AAWS C3030 P ()	135.
	30"	36"	1/2"	AAWS C3036 P ()	141.
	30"	42"	1/2"	AAWS C3042 P ()	172.
	30"	48"	1/2"	AAWS C3048 P ()	177.
	30"	54"	1/2"	AAWS C3054 P ()	184.
	30"	60"	1/2"	AAWS C3060 P ()	215.
	30"	66"	1/2"	AAWS C3066 P ()	221.
	30"	72"	1/2"	AAWS C3072 P ()	226.
	30"	78"	1/2"	AAWS C3078 P ()	233.
	30"	84"	1/2"	AAWS C3084 P ()	266.
	30"	90"	1/2"	AAWS C3090 P ()	271.
	30"	96"	1/2"	AAWS C3096 P ()	277.

Order Code

Example:	AAWS C0724 P 118
A	AutoStrada
AWS	Applied wall system
C	Cover
07	Height
24	Width
P	Painted surface
118	Finish

Specification Information

See finish page for painted finish codes.


Application

Painted wood covers insert between horizontal channels.
Painted covers are powder coat or wet spray on medium density fiberboard.

Wall covers

Backpainted glass surface

AutoStrada

description	h	w	pattern no.	881	882
Backpainted glass, 15"H 	15"	24"	AAWS C1524 G ()	\$245.	\$296.
	15"	30"	AAWS C1530 G ()	286.	337.
	15"	36"	AAWS C1536 G ()	326.	377.
	15"	42"	AAWS C1542 G ()	367.	418.
	15"	48"	AAWS C1548 G ()	408.	459.
	15"	54"	AAWS C1554 G ()	449.	500.
	15"	60"	AAWS C1560 G ()	490.	541.
	15"	66"	AAWS C1566 G ()	530.	581.
	15"	72"	AAWS C1572 G ()	571.	622.
Backpainted glass, 22 1/2"H 	22 1/2"	24"	AAWS C2224 G ()	321.	388.
	22 1/2"	30"	AAWS C2230 G ()	383.	444.
	22 1/2"	36"	AAWS C2236 G ()	439.	500.
	22 1/2"	42"	AAWS C2242 G ()	500.	561.
	22 1/2"	48"	AAWS C2248 G ()	556.	632.
	22 1/2"	54"	AAWS C2254 G ()	612.	704.
	22 1/2"	60"	AAWS C2260 G ()	673.	775.
	22 1/2"	66"	AAWS C2266 G ()	729.	847.
	22 1/2"	72"	AAWS C2272 G ()	785.	918.

Order Code	Specification Information	Application
Example: AAWS C1524 G 881	Backpainted glass is 4mm thick.	Backpainted glass covers insert between horizontal channels to provide nearly opaque glass surface. Glass covers may be used as dry-erase marker surface.
A AutoStrada	Specify glass surface:	
AAWS Applied wall system	881 sea glass white	
C Cover	882 star white	
15 Height	Sea glass has natural glass tint. Star glass has low lead content for pure white appearance.	Bookshelves cannot be mounted in channel directly above glass cover.
24 Width		
G Backpainted glass		
881 Finish		

description	h	w	d	pattern no.	painted or aluminum
Display shelf	1"	6"	5 1/2"	AAWS DS0605 ()	\$71.
	1"	24"	5 1/2"	AAWS DS2405 ()	184.
	1"	30"	5 1/2"	AAWS DS3005 ()	194.
	1"	36"	5 1/2"	AAWS DS3605 ()	209.
	1"	42"	5 1/2"	AAWS DS4205 ()	230.
	1"	48"	5 1/2"	AAWS DS4805 ()	245.
	1"	54"	5 1/2"	AAWS DS5405 ()	265.
	1"	60"	5 1/2"	AAWS DS6005 ()	275.
	1"	66"	5 1/2"	AAWS DS6605 ()	286.
	1"	72"	5 1/2"	AAWS DS7205 ()	296.

Order Code

Example:	AAWS DS2405 AA
A	AutoStrada
AWS	Applied wall system
DS	Display shelf
24	Width
05	Depth
AA	Finish

Specification Information

AA - Anodized Aluminum or any standard painted finish except 613 Silver.

Application

Display shelf is natural anodized aluminum extrusion with integral bracket detail that engages into horizontal channel at any point. Display shelves are typically mounted in channels at 31 1/2" or 39" above the floor. Display shelf can be mounted in channel between glass covers.

description	h	w	d	pattern no.	list	glass
Powder glass lower shelf 	1 1/2"	24"	9"	AAWS LS2409 G ()()		\$428.
	1 1/2"	30"	9"	AAWS LS3009 G ()()		459.
	1 1/2"	36"	9"	AAWS LS3609 G ()()		495.
	1 1/2"	42"	9"	AAWS LS4209 G ()()		536.
	1 1/2"	48"	9"	AAWS LS4809 G ()()		576.
	1 1/2"	54"	9"	AAWS LS5409 G ()()		622.
	1 1/2"	60"	9"	AAWS LS6009 G ()()		663.
	1 1/2"	66"	9"	AAWS LS6609 G ()()		709.
	1 1/2"	72"	9"	AAWS LS7209 G ()()		755.
Powder glass upper shelf 	1 1/2"	24"	9"	AAWS US2409 G ()()		428.
	1 1/2"	30"	9"	AAWS US3009 G ()()		459.
	1 1/2"	36"	9"	AAWS US3609 G ()()		495.
	1 1/2"	42"	9"	AAWS US4209 G ()()		536.
	1 1/2"	48"	9"	AAWS US4809 G ()()		576.
	1 1/2"	54"	9"	AAWS US5409 G ()()		622.
	1 1/2"	60"	9"	AAWS US6009 G ()()		663.
	1 1/2"	66"	9"	AAWS US6609 G ()()		709.
	1 1/2"	72"	9"	AAWS US7209 G ()()		755.
Book ends (pair)	7"	5"	7"	AAWS BE ()	57.	

Order Code	Specification Information	Application
Example: AAWS LS2409 G GL13 AA	GL13 - Powder glass only.	Glass shelves are supported by a 5 1/2" deep aluminum platform with integral bracket detail that engages into horizontal channel at any point. Specify lower shelf for most applications to align with bottom of adjacent overhead storage cabinet. Specify upper shelf only to align with top of adjacent overhead storage cabinet. Shelf bracket bears against surface of cover below so it cannot be positioned above glass or tackable fabric covers.
A	AutoStrada	
AWS	Applied wall system	
LS	Shelf	
24	Width	
09	Depth	
G	Glass	
GL13	Glass finish	
AA	Support finish	Book ends rest on glass shelf at any point to contain books or binders.

Bookshelves

laminate and veneer

AutoStrada

Applied Wall


description	h	w	d	pattern no.	list	L	V1	V2	V3
 Laminate or veneer lower shelf	1 1/2"	24"	12"	AAWS LS2412 () ()		\$194.	\$252.	\$290.	\$391.
	1 1/2"	30"	12"	AAWS LS3012 () ()		214.	278.	320.	431.
	1 1/2"	36"	12"	AAWS LS3612 () ()		235.	305.	351.	472.
	1 1/2"	42"	12"	AAWS LS4212 () ()		255.	332.	381.	514.
	1 1/2"	48"	12"	AAWS LS4812 () ()		275.	358.	412.	555.
	1 1/2"	54"	12"	AAWS LS5412 () ()		296.	385.	443.	596.
	1 1/2"	60"	12"	AAWS LS6012 () ()		316.	411.	472.	638.
	1 1/2"	66"	12"	AAWS LS6612 () ()		337.	438.	503.	678.
	1 1/2"	72"	12"	AAWS LS7212 () ()		357.	464.	533.	719.
 Laminate or veneer upper shelf	1 1/2"	24"	12"	AAWS US2412 () ()		194.	252.	290.	391.
	1 1/2"	30"	12"	AAWS US3012 () ()		214.	278.	320.	431.
	1 1/2"	36"	12"	AAWS US3612 () ()		235.	305.	351.	472.
	1 1/2"	42"	12"	AAWS US4212 () ()		255.	332.	381.	514.
	1 1/2"	48"	12"	AAWS US4812 () ()		275.	358.	412.	555.
	1 1/2"	54"	12"	AAWS US5412 () ()		296.	385.	443.	596.
	1 1/2"	60"	12"	AAWS US6012 () ()		316.	411.	472.	638.
	1 1/2"	66"	12"	AAWS US6612 () ()		337.	438.	503.	678.
	1 1/2"	72"	12"	AAWS US7212 () ()		357.	464.	533.	719.
Book ends (pair)	7"	5"	7"	AAWS BE ()	57.				

Order Code	Specification Information	Application	
Example: AAWS LS2412 118 AA			
A Autostrada	Shelf platform is available in AA anodized aluminum or any standard painted finish except 613 Silver.	Laminate and veneer bookshelves are supported by a 5 1/2" deep aluminum platform with integral bracket detail that engages into horizontal channel at any point. Specify lower shelf for most applications to align with bottom of adjacent overhead storage cabinet. Specify upper shelf only to align with top of adjacent overhead	Book ends rest on bookshelf at any point to contain books or binders.
AWS Applied wall system			
LS Shelf	Bookends are available in any standard painted finish.		
24 Width			
12 Depth	See finish page for laminate and veneer finish codes.		
118 Shelf finish			
AA Support finish			

Open overhead cabinets

Laminate or wood veneer

AutoStrada

description	h	w	d	pattern no.	L	V1	V2	V3
Open overhead, binder depth  96" w shown	15"	18"	14 1/4"	AAWS OBO 18 () ()	\$1,392.	\$1,444.	\$1,664.	\$2,163.
	15"	24"	14 1/4"	AAWS OBO 24 () ()	1,430.	1,482.	1,706.	2,218.
	15"	30"	14 1/4"	AAWS OBO 30 () ()	1,468.	1,521.	1,749.	2,274.
	15"	36"	14 1/4"	AAWS OBO 36 () ()	1,508.	1,561.	1,794.	2,331.
	15"	42"	14 1/4"	AAWS OBO 42 () ()	1,548.	1,599.	1,841.	2,393.
	15"	48"	14 1/4"	AAWS OBO 48 () ()	1,590.	1,642.	1,889.	2,457.
	15"	54"	14 1/4"	AAWS OBO 54 () ()	1,672.	1,727.	1,989.	2,584.
	15"	60"	14 1/4"	AAWS OBO 60 () ()	1,755.	1,812.	2,086.	2,712.
	15"	66"	14 1/4"	AAWS OBO 66 () ()	1,805.	1,866.	2,144.	2,789.
	15"	72"	14 1/4"	AAWS OBO 72 () ()	1,853.	1,920.	2,203.	2,865.
	15"	78"	14 1/4"	AAWS OBO 78 () ()	1,945.	2,015.	2,314.	3,007.
	15"	84"	14 1/4"	AAWS OBO 84 () ()	2,004.	2,075.	2,383.	3,098.
	15"	90"	14 1/4"	AAWS OBO 90 () ()	2,064.	2,139.	2,455.	3,191.
	15"	96"	14 1/4"	AAWS OBO 96 () ()	2,126.	2,202.	2,529.	3,550.
Open overhead, legal depth	15"	18"	17 1/4"	AAWS OGO 18 () ()	1,503.	1,561.	1,795.	2,336.
	15"	24"	17 1/4"	AAWS OGO 24 () ()	1,544.	1,602.	1,842.	2,396.
	15"	30"	17 1/4"	AAWS OGO 30 () ()	1,587.	1,643.	1,888.	2,456.
	15"	36"	17 1/4"	AAWS OGO 36 () ()	1,629.	1,686.	1,937.	2,519.
	15"	42"	17 1/4"	AAWS OGO 42 () ()	1,671.	1,727.	1,988.	2,584.
	15"	48"	17 1/4"	AAWS OGO 48 () ()	1,716.	1,773.	2,041.	2,653.
	15"	54"	17 1/4"	AAWS OGO 54 () ()	1,806.	1,864.	2,148.	2,792.
	15"	60"	17 1/4"	AAWS OGO 60 () ()	1,896.	1,957.	2,253.	2,929.
	15"	66"	17 1/4"	AAWS OGO 66 () ()	1,947.	2,015.	2,317.	3,013.
	15"	72"	17 1/4"	AAWS OGO 72 () ()	2,001.	2,073.	2,381.	3,094.
	15"	78"	17 1/4"	AAWS OGO 78 () ()	2,102.	2,177.	2,500.	3,249.
	15"	84"	17 1/4"	AAWS OGO 84 () ()	2,164.	2,243.	2,574.	3,347.
	15"	90"	17 1/4"	AAWS OGO 90 () ()	2,230.	2,308.	2,651.	3,447.
	15"	96"	17 1/4"	AAWS OGO 96 () ()	2,296.	2,378.	2,732.	3,550.


Order Code	Specification Information	Application
Example: AAWS OBO 18 118 115	See finish page for laminate and veneer finish codes.	Open overhead cabinets include continuous mounting extrusion that engages into top or intermediate channel at any point.
A AutoStrada	Top trim may be specified in AA anodized aluminum or any standard painted finish except Silver.	Overhead cabinets also include anti-dislodgement brackets that engage into intermediate channel below cabinet.
AAWS Applied wall system	Mounting extrusions and anti dislodgement brackets match the AA trim or are black paint with any painted finish trim.	Overhead cabinets normally mount between 54" and 69" above the floor.
OBO Open overhead cabinet		Open overhead cabinets are binder height.
18 Width		
118 Laminate or veneer		
115 Trim finish		

Sliding door overhead cabinets with glass doors

Laminate or wood veneer

AutoStrada

Applied Wall


description	h	w	d	pattern no.	L	V1	V2	V3
Open/Sliding door(s) glass, binder depth  96" w shown	15"	42"	15 1/4"	AAWS OBR 42 () ()	\$2,875.	\$3,002.	\$3,764.	\$4,517.
	15"	48"	15 1/4"	AAWS OBR 48 () ()	2,964.	3,099.	3,879.	4,657.
	15"	54"	15 1/4"	AAWS OBR 54 () ()	3,052.	3,199.	3,994.	4,793.
	15"	60"	15 1/4"	AAWS OBR 60 () ()	3,141.	3,297.	4,110.	4,932.
	15"	66"	15 1/4"	AAWS OBR 66 () ()	3,228.	3,397.	4,226.	5,071.
	15"	72"	15 1/4"	AAWS OBR 72 () ()	3,316.	3,493.	4,341.	5,210.
	15"	78"	15 1/4"	AAWS OBR 78 () ()	3,483.	3,669.	4,559.	5,471.
	15"	84"	15 1/4"	AAWS OBR 84 () ()	3,587.	3,780.	4,697.	5,635.
	15"	90"	15 1/4"	AAWS OBR 90 () ()	3,694.	3,892.	4,837.	5,804.
	15"	96"	15 1/4"	AAWS OBR 96 () ()	3,806.	4,008.	4,981.	5,979.
Open/Sliding door(s) glass, legal depth	15"	42"	18 1/4"	AAWS OGR 42 () ()	3,104.	3,243.	4,062.	4,873.
	15"	48"	18 1/4"	AAWS OGR 48 () ()	3,199.	3,349.	4,188.	5,025.
	15"	54"	18 1/4"	AAWS OGR 54 () ()	3,295.	3,711.	4,314.	5,175.
	15"	60"	18 1/4"	AAWS OGR 60 () ()	3,390.	3,562.	4,439.	5,326.
	15"	66"	18 1/4"	AAWS OGR 66 () ()	3,488.	3,667.	4,563.	5,475.
	15"	72"	18 1/4"	AAWS OGR 72 () ()	3,582.	3,772.	4,689.	5,628.
	15"	78"	18 1/4"	AAWS OGR 78 () ()	3,761.	3,962.	4,924.	5,909.
	15"	84"	18 1/4"	AAWS OGR 84 () ()	3,874.	4,082.	5,071.	6,086.
	15"	90"	18 1/4"	AAWS OGR 90 () ()	3,990.	4,203.	5,224.	6,269.
	15"	96"	18 1/4"	AAWS OGR 96 () ()	4,111.	4,330.	5,380.	6,456.

Order Code	Specification Information	Application
Example: AAWS ORB 42 118 GL13 AA	See finish page for laminate, veneer and glass finish codes.	Sliding door overhead cabinets include continuous mounting extrusion that engages into top or intermediate channel at any point. Overhead cabinets also include anti-dislodgement brackets that engage into intermediate channel below cabinet. Overhead cabinets normally mount between 54" and 69" above the floor.
A AutoStrada	Trim finish is AA anodized aluminum or any standard painted finish except 613 Silver.	Overhead cabinets are binder height.
AWS Applied wall system		No locks.
ORB Sliding glass door binder depth overhead		
42 Width	Mounting extrusion and anti dislodgement brackets match the AA trim or are black paint with any painted finish trim.	
118 Case finish		
GL13 Glass finish		
AA Trim finish		

Sliding door overhead cabinets with laminate or veneer doors

Laminate or wood veneer

AutoStrada

description	h	w	d	pattern no.	L	V1	V2	V3
Open/Sliding door(s) laminate or veneer, binder depth  96" w shown	15"	42"	15 1/4"	AAWS OBS 42 () ()	\$2,409.	\$2,526.	\$3,209.	\$4,173.
	15"	48"	15 1/4"	AAWS OBS 48 () ()	2,483.	2,609.	3,308.	4,301.
	15"	54"	15 1/4"	AAWS OBS 54 () ()	2,558.	2,690.	3,407.	4,429.
	15"	60"	15 1/4"	AAWS OBS 60 () ()	2,632.	2,773.	3,505.	4,557.
	15"	66"	15 1/4"	AAWS OBS 66 () ()	2,707.	2,854.	3,604.	4,685.
	15"	72"	15 1/4"	AAWS OBS 72 () ()	2,780.	2,937.	3,702.	4,814.
	15"	78"	15 1/4"	AAWS OBS 78 () ()	2,919.	3,084.	3,888.	5,054.
	15"	84"	15 1/4"	AAWS OBS 84 () ()	3,005.	3,176.	4,005.	5,206.
	15"	90"	15 1/4"	AAWS OBS 90 () ()	3,096.	3,272.	4,124.	5,362.
	15"	96"	15 1/4"	AAWS OBS 96 () ()	3,188.	3,370.	4,248.	5,524.
Open/Sliding door(s) laminate or veneer, legal depth	15"	42"	18 1/4"	AAWS OGS 42 () ()	2,603.	2,725.	3,475.	4,505.
	15"	48"	18 1/4"	AAWS OGS 48 () ()	2,684.	2,815.	3,578.	4,644.
	15"	54"	18 1/4"	AAWS OGS 54 () ()	2,762.	2,905.	3,681.	4,782.
	15"	60"	18 1/4"	AAWS OGS 60 () ()	2,841.	2,994.	3,785.	4,920.
	15"	66"	18 1/4"	AAWS OGS 66 () ()	2,923.	3,084.	3,892.	5,060.
	15"	72"	18 1/4"	AAWS OGS 72 () ()	3,002.	3,172.	4,000.	5,198.
	15"	78"	18 1/4"	AAWS OGS 78 () ()	3,152.	3,331.	4,200.	5,458.
	15"	84"	18 1/4"	AAWS OGS 84 () ()	3,246.	3,431.	4,325.	5,622.
	15"	90"	18 1/4"	AAWS OGS 90 () ()	3,344.	3,533.	4,454.	5,792.
	15"	96"	18 1/4"	AAWS OGS 96 () ()	3,445.	3,640.	4,588.	5,964.


Order Code	Specification Information	Application	
Example: AAWS OBS 42 118 AA	See finish page for laminate and veneer finish codes.	Sliding door overhead cabinets include continuous mounting extrusion that engages into top or intermediate channel at any point. Overhead cabinets also include anti-dislodgement brackets that engage into intermediate channel below cabinet. Overhead cabinets normally mount between 54" and 69" above the floor. Sliding door overheads are not available with locks.	Overhead cabinets are binder height.
A AutoStrada			No locks.
AWS Applied wall system	Trim finish is AA anodized aluminum or any standard painted finish except 613 Silver.		
OBS Sliding solid door binder depth overhead			
42 Width	Mounting extrusion and anti dislodgement bracket match the AA trim or are black paint with any painted finish trim.		
118 Finish			
AA Trim finish			

Hinged door overhead cabinets

Laminate or wood veneer

AutoStrada

Applied Wall

description	h	w	d	#drs/locks	pattern no.	L	V1	V2	V3
Hinged door overhead binder depth  96" w shown	15"	18"	15 1/4"	1/1	AAWS OBD 18L () ()	\$1,913.	\$1,976.	\$2,269.	\$2,951.
	15"	18"	15 1/4"	1/1	AAWS OBD 18R () ()	1,913.	1,976.	2,269.	2,951.
	15"	24"	15 1/4"	2/1	AAWS OBD 24 () ()	2,023.	2,088.	2,399.	3,121.
	15"	30"	15 1/4"	2/1	AAWS OBD 30 () ()	2,138.	2,210.	2,539.	3,301.
	15"	36"	15 1/4"	2/1	AAWS OBD 36 () ()	2,258.	2,336.	2,687.	3,492.
	15"	42"	15 1/4"	3/2	AAWS OBD 42 () ()	2,276.	2,354.	2,707.	3,517.
	15"	48"	15 1/4"	3/2	AAWS OBD 48 () ()	2,320.	2,397.	2,760.	3,587.
	15"	54"	15 1/4"	3/2	AAWS OBD 54 () ()	2,441.	2,522.	2,903.	3,773.
	15"	60"	15 1/4"	4/2	AAWS OBD 60 () ()	2,557.	2,641.	3,039.	3,950.
	15"	66"	15 1/4"	4/2	AAWS OBD 66 () ()	2,633.	2,724.	3,132.	4,072.
	15"	72"	15 1/4"	4/2	AAWS OBD 72 () ()	2,704.	2,796.	3,216.	4,179.
	15"	78"	15 1/4"	5/3	AAWS OBD 78 () ()	2,841.	2,943.	3,378.	4,392.
	15"	84"	15 1/4"	5/3	AAWS OBD 84 () ()	2,926.	3,031.	3,479.	4,524.
	15"	90"	15 1/4"	6/3	AAWS OBD 90 () ()	3,012.	3,122.	3,585.	4,660.
	15"	96"	15 1/4"	6/3	AAWS OBD 96 () ()	3,105.	3,216.	3,692.	4,799.
Hinged door overhead legal depth	15"	18"	18 1/4"	1/1	AAWS OGD 18L () ()	2,067.	2,134.	2,449.	3,186.
	15"	18"	18 1/4"	1/1	AAWS OGD 18R () ()	2,067.	2,134.	2,449.	3,186.
	15"	24"	18 1/4"	2/1	AAWS OGD 24 () ()	2,183.	2,256.	2,593.	3,371.
	15"	30"	18 1/4"	2/1	AAWS OGD 30 () ()	2,308.	2,385.	2,743.	3,565.
	15"	36"	18 1/4"	2/1	AAWS OGD 36 () ()	2,440.	2,523.	2,902.	3,771.
	15"	42"	18 1/4"	3/2	AAWS OGD 42 () ()	2,457.	2,554.	2,923.	3,799.
	15"	48"	18 1/4"	3/2	AAWS OGD 48 () ()	2,506.	2,587.	2,980.	3,875.
	15"	54"	18 1/4"	3/2	AAWS OGD 54 () ()	2,637.	2,723.	3,134.	4,075.
	15"	60"	18 1/4"	4/2	AAWS OGD 60 () ()	2,761.	2,853.	3,282.	4,267.
	15"	66"	18 1/4"	4/2	AAWS OGD 66 () ()	2,843.	2,942.	3,383.	4,396.
	15"	72"	18 1/4"	4/2	AAWS OGD 72 () ()	2,921.	3,019.	3,473.	4,515.
	15"	78"	18 1/4"	5/3	AAWS OGD 78 () ()	3,069.	3,179.	3,648.	4,744.
	15"	84"	18 1/4"	5/3	AAWS OGD 84 () ()	3,161.	3,273.	3,758.	4,886.
	15"	90"	18 1/4"	6/3	AAWS OGD 90 () ()	3,256.	3,372.	3,872.	5,032.
	15"	96"	18 1/4"	6/3	AAWS OGD 96 () ()	3,352.	3,473.	3,988.	5,183.

Order Code	Specification Information	Application
Example: AAWS OBD 24 L 118 AA	See finish page for laminate and veneer finish codes.	Hinged door overhead cabinets include continuous mounting extrusion that engages into top or intermediate channel at any point. Overhead cabinets also include anti-dislodgement brackets that engage into intermediate channel below cabinet. Overhead cabinets normally mount between 54" and 69" above the floor.
A AutoStrada	Trim finish is AA anodized aluminum or any standard painted finish except 613 Silver.	Overhead cabinets are binder height.
AWS Applied wall system		
OBD Hinged door binder depth overhead		
24 Width	Mounting extrusion and anti dislodgement brackets match the AA trim or are black paint with any painted finish trim.	
L Lock		
118 Case & matching door finish		
AA Trim finish		

Overhead storage mounting kits

Adapters for Reuter and wall-attached wood overheads


description	type	w	pattern no.	painting	black or AA
-------------	------	---	-------------	----------	-------------

Reuter overhead storage downmount kit


Applied Wall

AAWS RO MK ()

\$167.



Adapter kit for wood overhead storage



18"	16 1/2"	AAWS WOMK 18 ()	80.
24"	22 1/2"	AAWS WOMK 24 ()	85.
30"	28 1/2"	AAWS WOMK 30 ()	89.
36"	34 1/2"	AAWS WOMK 36 ()	96.
42"	40 1/2"	AAWS WOMK 42 ()	100.
48"	46 1/2"	AAWS WOMK 48 ()	105.
54"	52 1/2"	AAWS WOMK 54 ()	109.
60"	58 1/2"	AAWS WOMK 60 ()	114.
66"	64 1/2"	AAWS WOMK 66 ()	119.
72"	70 1/2"	AAWS WOMK 72 ()	135.
78"	76 1/2"	AAWS WOMK 78 ()	142.
84"	82 1/2"	AAWS WOMK 84 ()	148.
90"	88 1/2"	AAWS WOMK 90 ()	153.
96"	94 1/2"	AAWS WOMK 96 ()	158.

Order Code	Specification Information	Application
Example: AAWS WOMK 18 AA		
A AutoStrada	For Reuter overhead downmount brackets - see finish page for painted finish code options.	Reuter overhead storage downmount kit adapts Reuter flat front or curved front cabinets to attach to top or intermediate channel. Kit includes two anti-dislodgement brackets that engage into intermediate channel below the cabinet.
AWS Applied wall system	Adapter kits for wood overheads are available in AA anodized aluminum or 111 black only.	
WOMK Wall mount bracket kit		
18 Width		
AA Finish		Adapter kit for wood overhead storage converts AutoStrada wall-attached single-high overhead cabinets to mount on the applied wall system.

Power and wire management

Cable trays and worksurface supports

AutoStrada

Applied Wall



description	application	h	w	d	pattern no.	list	painting or aluminum
Cable tray 		2 1/4"	24"	1 3/4"	AAWS CT24 ()		\$62.
		2 1/4"	30"	1 3/4"	AAWS CT30 ()		68.
		2 1/4"	36"	1 3/4"	AAWS CT36 ()		78.
		2 1/4"	42"	1 3/4"	AAWS CT42 ()		88.
		2 1/4"	48"	1 3/4"	AAWS CT48 ()		99.
		2 1/4"	54"	1 3/4"	AAWS CT54 ()		114.
		2 1/4"	60"	1 3/4"	AAWS CT60 ()		120.
		2 1/4"	66"	1 3/4"	AAWS CT66 ()		125.
		2 1/4"	72"	1 3/4"	AAWS CT72 ()		130.
End support bracket 	28 3/8"H worksurface	3"	2"		AAWS BE27 ()	104.	
	29 5/8"H worksurface	4"	2"		AAWS BE28 ()	104.	

Order Code	Specification Information	Application
Example: AAWS CT18 AA		
A AutoStrada	Cable trays are available in AA - Anodized Aluminum or any standard painted finish except 613 Silver.	Cable trays mount anywhere along any intermediate channel, and are typically installed below worksurface height in the channel 24" above the floor.
AWS Applied Wall System		
CT Cable tray	End support brackets are available in all standard paint finishes.	End support brackets also directly engage into intermediate channel at 24" above floor to support back edge or one end of worksurface.
18 Width		
AA Finish		
		When combined with recess cover above cable tray is effectively expanded from 1 3/4" to 2 1/2" deep.
		End support brackets include a flat base plate to engage into a slot in the base of the cable tray.


Power and wire management

Surface mounted plugmold raceway

AutoStrada

description	h	w	d	pattern no.	aluminum
Plugmold, single circuit (3 wire, grey outlets) 	1 1/2"	60"	1 1/8"	AAWS RPM1 05 ()	\$360.
Plugmold, two circuits (4 wire, grey outlets shared neutral and ground) 	1 1/2"	60"	1 1/8"	AAWS RPM2 05 ()	450.
Plugmold, isolated (6 wire, gray + orange outlets independent neutral and ground) 	1 1/2"	60"	1 1/8"	AAWS RPM2I 05 ()	450.
Plugstrip, two circuits (4 wire, gray + orange outlets shared neutral and ground) 	1 1/2"	28"	1 1/8"	AAWS RPM2 02 ()	220.

Order Code	Specification Information	Application
Example: AAWS RPM1 03 AA		
A AutoStrada	AA - Aluminum only available finish.	Plugmold is surface mounted raceway for one or two circuits. Plugmold includes ten simplex outlets, anodized aluminum covers and end caps. Plugmold may be linked or trimmed to length on site. Plugstrip includes eight simplex outlets. Plugstrip mounts to 30" or wider recess cover.
AWS Applied Wall System	Plugmold is 60" wide with outlets every 6" (ten simplex outlets total).	
RPM1 Plugmold raceway, one circuit	Plugstrip is 28" wide with outlets every 3" (eight outlets total).	
03 36" width		
AA Finish, Aluminum		Power supply must be made by an electrical contractor, including hardwire connection from junction box in building to back side of plugmold raceway. Typically contractor punches a hole for connection through a recess cover positioned just above a junction box in the building wall.

description	h	w	d	pattern no.	list	painted or aluminum	paint	black or AA only
Marker tray 	3/4"	24"	2 1/2"	AAWS MT24 ()		\$55.		
	3/4"	30"	2 1/2"	AAWS MT30 ()		60.		
	3/4"	36"	2 1/2"	AAWS MT36 ()		65.		
	3/4"	42"	2 1/2"	AAWS MT42 ()		70.		
	3/4"	48"	2 1/2"	AAWS MT48 ()		75.		
	3/4"	54"	2 1/2"	AAWS MT54 ()		95.		
	3/4"	60"	2 1/2"	AAWS MT60 ()		100.		
	3/4"	66"	2 1/2"	AAWS MT66 ()		105.		
	3/4"	72"	2 1/2"	AAWS MT72 ()		110.		
Easel pad holder 	2"	28"	1 1/8"	AAWS EASEL ()				85.
Picture hook 	1"	1 1/4"	1"	AAWS PH ()			18.	
Coat hook 	2"	2 1/2"	1 1/2"	AAWS CH ()			18.	
Wire manager clips (10/pk) 	3/4"	3/8"	3/4"	AAWS WMC	12.			
Cable grommet (10/pk) 	1 1/4"		1 1/4"	AAWS CG	10.			

Order Code

Example:	AAWS MT24 AA
A	AutoStrada
AWS	Applied wall system
MT	Marker tray
24	Width
AA	Finish

Specification Information

- Markertray is available in AA anodized aluminum or any standard painted finish except 613 Silver.
- Easel pad holder is available in AA anodized aluminum or 111 black only.
- Picture hook and Coat hook are available in all standard painted finishes.
- Wire manager clips are easy grey plastic.
- Cable grommets are black plastic.

Application Notes

Applied wall system accessories include integral bracket detail that engages into top or intermediate channels at any point.

Easel pad holder includes three studs to hang standard 27"x34" easel pads on inside and outside face of bracket.



Wire manager clips may be used for horizontal or vertical wire management of lamp cords on the face of the applied wall.

Cable grommet is 1 1/4" diameter trim ring for 1" diameter hole which may be punched in recess covers to route data/communications cables from inside of applied wall to the surface.



Service wall frames

Standard and compact crown




AutoStrada

description	type	w	d	h	pattern number	black	list
	39"H	48"	5"	43"	APF1 3948	\$435.	
		60"	5"	43"	APF1 3960	501.	
		72"	5"	43"	APF1 3972	620.	
	48"H	48"	5"	52"	APF1 4848	479.	
		60"	5"	52"	APF1 4860	548.	
		72"	5"	52"	APF1 4872	684.	
	64"H	48"	5"	68"	APF1 6448	571.	
		60"	5"	68"	APF1 6460	652.	
		72"	5"	68"	APF1 6472	817.	
	39"H	48"	5"	40"	APFA1 3948	348.	
		60"	5"	40"	APFA1 3960	401.	
		72"	5"	40"	APFA1 3972	494.	
	48"H	48"	5"	49"	APFA1 4848	382.	
		60"	5"	49"	APFA1 4860	438.	
		72"	5"	49"	APFA1 4872	547.	
	64"H	48"	5"	65"	APFA1 6448	457.	
		60"	5"	65"	APFA1 6460	521.	
		72"	5"	65"	APFA1 6472	652.	
Acoustical inserts	39"H		2"	34"	APA 39		25.
	48"H		2"	43"	APA 48		29.
	64"H		2"	59"	APA 64		40.

Order Code	Specification Information	Application
Example: APFA1 3948	Wall frame pattern numbers begin with APF (standard crown) and APFA (compact crown) prefixes.	Service wall frames are the structural component of spine-based planning. Specify frames in any combination of widths to create the overall wall length required.
APF Spine frame		
A compact crown		
1 Generation		
39 Height		
48 Width		
	<i>Specify:</i> <i>Fifth position: height</i> 39 39"H 48 48"H 64 64"H <i>Seventh position: width</i> 48 48"W 60 60"W 72 72"W All wall frames include 3" diameter, 2" levelling glides and one set of connectors to adjacent frame or wall connector. Frames are black painted finish.	Frames include vertical studs every 12" on center, with cover mounting clips and cable manager inserts on both sides. Frames also include 4"H or 1" top crown with continuous channel for add-up panels. Standard crown frames include shaped crowns for upmounting shelves and overhead storage cabinets, canopy lighting, or awnings at any point. Compact crown frames feature a slim profile crown with downmounting capability only.
		Crown is bored to accept stackable add-up panels at 3" increments. Wall frames include two levelling feet with 2" travel, 12" from each side edge. Acoustical inserts fit between studs in service wall frame to increase control of sound transmission. Inserts are bagged in heights corresponding to wall frame. Specify four inserts for 48"W frame, five for 60"W frame, and six for 72"W frame. Service walls with acoustical inserts have been tested to STC 33. Inserts do not affect the NRC rating of the wall which is .40. Specify crown covers, raceway covers, structural base covers, and wall covers for each face of frame, and specify power components separately.

description	type	w	d	h	pattern number	paint	list	anodized alum
Crown covers (pair)		48"	5"	4"	APT 48 ()	\$30.		
		60"	5"	4"	APT 60 ()	37.		
		72"	5"	4"	APT 72 ()	41.		
		(specify painted finish)						
		48"	5"	1"	APTA 48 ()		48.	
		60"	5"	1"	APTA 60 ()		57.	
		72"	5"	1"	APTA 72 ()		97.	
		48"	5"	1"	APTL 48 ()	70.		70.
		60"	5"	1"	APTL 60 ()	88.		88.
		72"	5"	1"	APTL 72 ()	106.		106.
		96"	5"	1"	APTL 96 ()	141.		141.
		120"	5"	1"	APTL 120 ()	n/a		176.
		(finish default AA, anodized aluminum)						
		48"	5"	1 1/4"	APTH 48 ()	70.		70.
		60"	5"	1 1/4"	APTH 60 ()	88.		88.
		72"	5"	1 1/4"	APTH 72 ()	106.		106.
		96"	5"	1 1/4"	APTH 96 ()	141.		141.
		120"	5"	1 1/4"	APTH 120 ()	n/a		176.
		(finish default AA, anodized aluminum)						

Order Code	Specification Information	Application
Example: APRA 480 AA		
APR A Base trim	Wall crown pattern numbers begin with APT- (standard) and APTA- (compact) prefix, then frame width.	Crown, base trim, and structural base covers are required for every wall frame in corresponding widths. Covers are specified in pairs to cover both sides of a frame.
48 Width	Standard crown covers are available in painted finish. Please specify painted finish from paint options listed on page 7.	Crown top caps are optional fillers for the crown where no add-up panels are planned. Standard crown end caps are included with all connectors. Compact crown end caps must be ordered individually or in kits of 10.
0 Outlet openings	Compact crown covers are available in Integral light grey (812 Easy grey) or dark grey (813 Trim grey) plastic.	Specify painted finish for standard crown end caps.
AA Finish	Flat crown covers are available in clear anodized aluminum or painted finish options listed on page 7 excluding silver.	Specify light grey (812 Easy Grey) or dark grey (813 Trim Grey) integral color for crown top cap and compact crown end cap.
	Base trim covers begin with APRA- prefix, then frame width. Base trim covers are available in clear anodized aluminum or painted finish options listed on page 7 excluding silver.	Flat crown end caps in corresponding low or high profile are ordered separately as individual units.
		Flat crown end caps are required for all connectors except flat ends.

description	type	w	d	h	pattern number	paint	list	anodized alum
Base trim covers (pair) 	no outlets		–	2 1/2"	APRA 480 ()	\$119.		\$119.
			–	2 1/2"	APRA 600 ()	144.		144.
			–	2 1/2"	APRA 720 ()	172.		172.
Crown top cap 		24"	2"	–	APT1 C24 ()		8.	
		36"	2"	–	APT1 C36 ()		14.	
		48"	2"	–	APT1 C48 ()		22.	
		60"	2"	–	APT1 C60 ()		25.	
		72"	2"	–	APT1 C72 ()		30.	
	integral color only, plastic							
Crown top cap, metal 		24"	2"	–	APTA C24 ()	25.		25.
		36"	2"	–	APTA C36 ()	30.		30.
		48"	2"	–	APTA C48 ()	37.		37.
		60"	2"	–	APTA C60 ()	42.		42.
		72"	2"	–	APTA C72 ()	50.		50.
	default finish AA, anodized aluminum							
Crown end cap 	standard (replacement part)				APT ()		5.	
	compact				APTA CC1 ()		12.	
	compact (kit of 10)				APTA CC ()		98.	

Order Code	Specification Information	Application
Example: APRA 480 AA APR A Base trim 48 Width 0 Outlet openings AA Finish	Wall crown pattern numbers begin with APT- (standard) and APTA- (compact) prefix, then frame width. Standard crown covers are available in painted finish. Please specify painted finish from paint options listed on page 7. Compact crown covers are available in Integral light grey (812 Easy grey) or dark grey (813 Trim grey) plastic. Flat crown covers are available in clear anodized aluminum or painted finish options listed on page 7 excluding silver. Base trim covers begin with APRA- prefix, then frame width. Base trim covers are available in clear anodized aluminum or painted finish options listed on page 7 excluding silver.	Crown, base trim, and structural base covers are required for every wall frame in corresponding widths. Covers are specified in pairs to cover both sides of a frame. Crown top caps are optional fillers for the crown where no add-up panels are planned. Standard crown end caps are included with all connectors. Compact crown end caps must be ordered individually or in kits of 10. Specify painted finish for standard crown end caps. Specify light grey (812 Easy Grey) or dark grey (813 Trim Grey) integral color for crown top cap and compact crown end cap. Flat crown covers in high profile are designed for 48"h spine to align with attached AutoStrada 49"h panels. In all other applications, specify low profile crown covers. Flat crown end caps in corresponding low or high profile are ordered separately as individual units. Flat crown end caps are required for all connectors except flat ends.

description	type	w	d	h	pattern number	paint	list	anodized alum
Crown end cap, metal	flat, low profile				APTL ()	\$30.		
		specify painted finish						
	flat, high profile				APTH ()	\$30.		
		specify painted finish						


Order Code	Specification Information	Application
Example: APRA 480 AA		
APR A Base trim	Wall crown pattern numbers begin with APT- (standard) and APTA- (compact) prefix, then frame width.	Crown, base trim, and structural base covers are required for every wall frame in corresponding widths. Covers are specified in pairs to cover both sides of a frame.
48 Width	Standard crown covers are available in painted finish. Please specify painted finish from paint options listed on page 7.	Crown top caps are optional fillers for the crown where no add-up panels are planned. Standard crown end caps are included with all connectors. Compact crown end caps must be ordered individually or in kits of 10.
0 Outlet openings	Compact crown covers are available in Integral light grey (812 Easy grey) or dark grey (813 Trim grey) plastic.	Specify painted finish for standard crown end caps.
AA Finish	Flat crown covers are available in clear anodized aluminum or painted finish options listed on page 7 excluding silver.	Specify light grey (812 Easy Grey) or dark grey (813 Trim Grey) integral color for crown top cap and compact crown end cap.
	Base trim covers begin with APRA- prefix, then frame width. Base trim covers are available in clear anodized aluminum or painted finish options listed on page 7 excluding silver.	Flat crown end caps in corresponding low or high profile are ordered separately as individual units. Flat crown end caps are required for all connectors except flat ends.

Structural base cover kits

Painted steel surface (pair)

AutoStrada

description	type	width	depth	height	pattern number	paint
Structural base covers (pair)	painted steel	48"	1"	16"	APCA AZ48S()	\$237.
		60"	1"	16"	APCA AZ60S()	276.
		72"	1"	16"	APCA AZ72S()	325.




Order Code	Specification Information	Application Notes
Example: APCA AZ48S 118	Structural base cover kit pattern numbers begin with APCA AZ prefix, then cover width. <i>Starting at tenth position specify paint finish</i>	<i>Please specify painted finish for structural base covers from paint options listed on page 7.</i> Structural base covers are required for every wall frame in corresponding widths. Covers are specified in pairs to cover both sides of a frame. Structural base covers bolt to each side of the wall frame up to 21"H for structure and continuous attachment capability.
APCA Autostrada wall cover		
AZ Attachment zone		
48 Width		
S Steel		
118 Finish		

Structural base cover kits

Veneer and laminate surface (pair)

AutoStrada

description	type	width	depth	height	pattern number	L	V1	V2	V3
Structural base covers (pair)	anodized aluminum or painted trim	48"	1"	16"	APCA AZ48 () ()	\$705.	\$756.	\$820.	\$1,117.
		60"	1"	16"	APCA AZ60 () ()	778.	825.	903.	1,263.
		72"	1"	16"	APCA AZ72 () ()	810.	845.	947.	1,375.





Spine and linkable screens

Order Code	Specification Information	Application Notes
Example: APCA AZ48 V312 AA	Structural base cover kit pattern numbers begin with APCA AZ prefix, then cover width.	Please specify laminate, V1, V2 or V3 finish from finish options listed on page 7.
APCA AutoStrada wall cover		
AZ Attachment zone		
48 Width		
V312 Cover finish		
AA Trim finish		
	Starting at ninth position specify laminate, veneer or techwood finish	
	Laminate and veneer covers have an anodized aluminum or painted trim at the top and bottom of each cover. Painted finish options listed on page 7 excluding silver.	
		Structural base covers are required for every wall frame in corresponding widths. Covers are specified in pairs to cover both sides of a frame.
		Structural base covers bolt to each side of the wall frame up to 21"H for structure and continuous attachment capability.

Access covers

Slatwall, cable tray and outlets covers

AutoStrada

description	height	depth	width	pattern number	list	textured
9"H cable tray covers 	9"	1"	12"	APCA 0912 C ()	\$67.	
		1"	24"	APCA 0924 C ()	81.	
		1"	36"	APCA 0936 C ()	94.	
		1"	48"	APCA 0948 C ()	122.	
		1"	60"	APCA 0960 C ()	157.	
		1"	72"	APCA 0972 C ()	189.	
9"H slatwall covers 	9"	1"	12"	APCA 0912 S ()	59.	
		1"	24"	APCA 0924 S ()	69.	
		1"	36"	APCA 0936 S ()	83.	
		1"	48"	APCA 0948 S ()	107.	
		1"	60"	APCA 0960 S ()	136.	
		1"	72"	APCA 0972 S ()	165.	
Outlets cover 	9"	1"	12"	APCA OC () ()		64.


Order Code	Specification Information	Application Notes
Example: APCA 0948C AA APCA Autostrada wall cover 09 Height 48 Width C Type AA Finish	Cable tray and slatwall covers are aluminum with an anodized or painted finish. Outlets covers are painted plastic with anodized aluminum or painted extrusion on the top and bottom. <i>Please specify painted finish for outlets cover face from paint options listed on page 7.</i>	Cable tray mounts from 21" - 30" only on any panel frame. Adjacent trays form continuous, easily accessible cable management at worksurface or table height. Shorter segments provide local cable management below outlet modules. Covers may span across a straight wall frame connection. Bottom half of cable tray cover permits cables to be managed on surface of studs with one cable holder (55 CAT5 cables) or two clips (28 cables). Slatwall supports KnollExtra task lights, monitor arms, paper trays, file holders and other accessories. Locate outlets covers on wall frames before specifying other wall covers. Outlets cover mounts between 21" and 30" (below standard desk height), 30" - 39" (above desk height) or 39" - 48" on spine wall frame. Outlets cover is 12" wide, and mounts anywhere on wall frame between 21" and 48" above the floor. Outlets cover corresponds to power components (specified separately) mounted on wall frame. Outlets covers have four openings for power or PDC outlets. Specify outlet fillers for unused outlet openings in cover.

Access covers


Hardwire outlets and covers

AutoStrada

description	height	depth	width	pattern number	list
Hardwire outlets cover	9"	1"	12"	APCA HOC () ()	\$64.



Hardwire outlet box, desk height				AR1 HOB	183.
				AR1 HOB2	242.




Spine and linkable screens

Order Code	Specification Information	Application Notes	
Example: APCA HOC 613 AA			
APCA	AutoStrada wall cover	For hardwire power applications (required in City of Chicago) specify hardwire outlets cover and hardwire outlets box, instead of standard outlets covers and modular power components. Do not specify cable tray covers at same level as hardwire power. Hardwire outlets cover mounts between 21" and 30" (below standard desk height) or 30" - 39" (above desk height) on spine frame. Outlets covers have four openings for power or PDC outlets. Specify outlet fillers for unused outlet openings in cover.	Hardwire outlet box accepts two Decora-style duplex outlets, and includes mounting brackets for one face of wall between 21" and 48"H. Two quad hardwire outlet box accepts four duplex outlets on one face. Outlet boxes include openings to permit continuous lay-in wiring with Wiremold® raceway. Electrical contractor supplies infeed cable, Wiremold 2400®, and duplex outlets. Outlet boxes can be planned back to back, with distribution on one side of service wall. Wiremold will not fit behind cable tray covers.
H	Hardwire		
OC	Outlets cover		
613	Cover Finish		
AA	Trim Finish		
	Hardwire outlets covers are painted steel with anodized aluminum or painted extrusion top and bottom. <i>Please specify painted finish for outlets cover face from paint options listed on page 7.</i> Painted finish option for hardwire outlets cover trim listed on page 7 excluding silver.		

Access covers

Integral shelf

AutoStrada

description	height	width of shelf	pattern number	list	L	V1	V2	V3
Integral shelf covers 	9"	21"	APSA 0921 () ()		\$547.	\$573.	\$584.	\$623.
		24"	APSA 0924 () ()		547.	573.	584.	623.
		33"	APSA 0933 () ()		619.	644.	657.	711.
		36"	APSA 0936 () ()		619.	644.	657.	711.
		45"	APSA 0945 () ()		665.	690.	707.	775.
		48"	APSA 0948 () ()		665.	690.	707.	775.
		57"	APSA 0957 () ()		735.	760.	778.	859.
		60"	APSA 0960 () ()		735.	760.	778.	859.
		69"	APSA 0969 () ()		790.	816.	834.	931.
		72"	APSA 0972 () ()		790.	816.	834.	931.
	16"	21"	APSA 1621 () ()		558.	583.	597.	663.
		24"	APSA 1624 () ()		558.	583.	597.	663.
		33"	APSA 1633 () ()		629.	654.	675.	765.
		36"	APSA 1636 () ()		629.	654.	675.	765.
		45"	APSA 1645 () ()		683.	708.	731.	848.
		48"	APSA 1648 () ()		683.	708.	731.	848.
		57"	APSA 1657 () ()		757.	783.	809.	951.
		60"	APSA 1660 () ()		757.	783.	809.	951.
		69"	APSA 1669 () ()		815.	839.	870.	1,038.
		72"	APSA 1672 () ()		815.	839.	870.	1,038.
Integral shelves 		21"	ADS 0821 ()	305.				
		24"	ADS 0824 ()	305.				
		33"	ADS 0833 ()	350.				
		36"	ADS 0836 ()	350.				
		45"	ADS 0845 ()	386.				
		48"	ADS 0848 ()	386.				
		57"	ADS 0857 ()	433.				
		60"	ADS 0860 ()	433.				
		69"	ADS 0869 ()	472.				
		72"	ADS 0872 ()	472.				

Order Code	Specification Information	Application Notes	
Example: APSA 0948 118 AA			
APSA	Autostrada integral shelf cover	Service wall covers enclose frames between 21”H and the top crown. Covers may be specified in any combination of widths corresponding to the total wall length. Covers may span across a straight wall frame connection. The integral shelf cover features a full width 8” deep display shelf crafted in anodized or painted aluminum. The cover is also available with a shelf that is 3” less wide than full module to accomodate a panel connected to the spine wall.	Integral shelves may be added to any laminate, marker or veneer spine cover. Holes for fasteners must be drilled through bottom extrusion and cover on site.
09	Height		
48	Width		
118	Cover Ffinish		
AA	Shelf and Trim Finish		

Access covers

Laminate, marker and veneer

AutoStrada

description	height	width	pattern number	L	V1	V2	V3
Access covers 	9"	12"	APCA 0912 () ()	\$244.	\$273.	\$284.	\$315.
		24"	APCA 0924 () ()	258.	286.	301.	359.
		36"	APCA 0936 () ()	285.	312.	332.	410.
		48"	APCA 0948 () ()	296.	323.	346.	446.
		60"	APCA 0960 () ()	319.	346.	375.	497.
		72"	APCA 0972 () ()	336.	363.	393.	538.
	16"	12"	APCA 1612 () ()	249.	279.	295.	349.
		24"	APCA 1624 () ()	270.	298.	319.	416.
		36"	APCA 1636 () ()	299.	326.	354.	487.
		48"	APCA 1648 () ()	315.	341.	376.	548.
		60"	APCA 1660 () ()	348.	372.	415.	623.
		72"	APCA 1672 () ()	367.	390.	440.	686.
	18"	12"	APCA 1812 () ()	252.	280.	296.	357.
		24"	APCA 1824 () ()	274.	300.	324.	431.
		36"	APCA 1836 () ()	303.	329.	361.	511.
		48"	APCA 1848 () ()	324.	348.	387.	578.
		60"	APCA 1860 () ()	354.	377.	423.	659.
		72"	APCA 1872 () ()	376.	402.	455.	732.
	27"	12"	APCA 2712 () ()	261.	292.	310.	402.
		24"	APCA 2724 () ()	288.	318.	348.	504.
		36"	APCA 2736 () ()	330.	357.	401.	618.
		48"	APCA 2748 () ()	353.	378.	429.	711.
		60"	APCA 2760 () ()	394.	417.	480.	825.
		72"	APCA 2772 () ()	421.	442.	515.	926.


Spine and linkable screens

Order Code	Specification Information	Application Notes
Example: APCA 0948 V312 AA	Please specify laminate, V1, V2 or V3 finish for access covers from finish options listed on page 7. Specify finish code: LW for markerboard surface. Painted finish option for trim listed on page 7 excluding silver.	Service wall covers enclose frames between 21"H and the top crown. Covers may be specified in any combination of widths corresponding to the total wall length. Covers may span across a straight wall frame connection. For active surfaces with access to cables and power/data/communications outlets, specify 9" and 16"H segmented covers as described in Specification Information.
APCA Autostrada wall cover		
09 Height		
48 Width		
V312 Cover Finish		
AA Trim Finish		

Access covers

Tackable upholstered

AutoStrada

description	height	depth	width	pattern number	10	15	20	30	35	40	45	50	55
Access covers 	9"	1"	12"	APCA 0912 A () ()	\$97.	\$99.	\$100.	\$104.	\$106.	\$110.	\$113.	\$117.	\$125.
		1"	24"	APCA 0924 A () ()	118.	120.	121.	125.	127.	130.	131.	134.	146.
		1"	36"	APCA 0936 A () ()	131.	133.	134.	139.	141.	145.	146.	149.	158.
		1"	48"	APCA 0948 A () ()	148.	151.	152.	154.	158.	160.	161.	165.	174.
		1"	60"	APCA 0960 A () ()	160.	162.	164.	167.	171.	174.	177.	179.	188.
		1"	72"	APCA 0972 A () ()	n/a	178.	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	16"	1"	12"	APCA 1612 A ()	105.	109.	111.	117.	122.	126.	130.	137.	154.
		1"	24"	APCA 1624 A () ()	133.	139.	140.	148.	154.	159.	161.	170.	188.
		1"	36"	APCA 1636 A () ()	149.	154.	157.	162.	170.	174.	178.	185.	204.
		1"	48"	APCA 1648 A () ()	166.	172.	173.	181.	187.	192.	194.	202.	221.
		1"	60"	APCA 1660 A () ()	183.	187.	188.	195.	201.	208.	211.	218.	237.
		1"	72"	APCA 1672 A () ()	n/a	202.	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	18"	1"	12"	APCA 1812 A () ()	116.	119.	121.	129.	133.	140.	143.	151.	170.
		1"	24"	APCA 1824 A () ()	135.	140.	143.	151.	157.	161.	164.	172.	191.
		1"	36"	APCA 1836 A () ()	152.	157.	159.	165.	172.	178.	180.	187.	206.
		1"	48"	APCA 1848 A () ()	186.	189.	192.	200.	205.	212.	213.	221.	241.
		1"	60"	APCA 1860 A () ()	186.	189.	192.	200.	205.	212.	213.	221.	241.
		1"	72"	APCA 1872 A () ()	n/a	206.	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	27"	1"	12"	APCA 2712 A () ()	130.	136.	140.	152.	160.	167.	172.	184.	212.
		1"	24"	APCA 2724 A () ()	153.	160.	164.	174.	184.	192.	194.	206.	235.
		1"	36"	APCA 2736 A () ()	171.	179.	183.	192.	201.	211.	213.	224.	253.
		1"	48"	APCA 2748 A () ()	191.	198.	202.	213.	221.	228.	233.	245.	273.
		1"	60"	APCA 2760 A () ()	210.	217.	219.	231.	240.	247.	251.	262.	289.
		1"	72"	APCA 2772 A () ()	n/a	233.	n/a	n/a	n/a	n/a	n/a	n/a	n/a

Order Code	Specification Information	Application Notes	
Example: APCA 0948A W210 AA			
APCA	Autostrada wall cover		
09	Height		
48	Width		
A	Surface type		
W210	Fabric		
AA	Trim Finish		
	For active face of 39"H frame, specify two 9"H covers. For passive face (along corridor or wall) specify one 18" cover.	Tackable upholstered service wall covers enclose wall frames between 21" and the top crown. Covers incorporate a tackable, acoustical core in the same outward profile as other upholstered covers.	For passive wall surfaces (corridors or conference areas) specify 18"H or 27"H covers in place of two or three 9"H covers.
	For active face of 48"H frame, specify three 9"H covers or one 9"H and one 18"H cover. For passive face, specify 27"H cover.	Specify widths corresponding to wall frame width, or in any 12" increment to accommodate 12"W outlets covers or slatwall covers. Covers may span across a straight wall frame connection.	18"H covers may also be specified above 9"H covers including outlets covers below desk height on 48" or 64"H service walls.
	For active face of 64"H frame, specify three 9"H covers and one 16"H cover or one 9"H, one 18"H, and one 16"H cover. For passive face, specify one 27" and one 16"H cover.	For active surfaces with access to cables and power/data/communications outlets, specify 9" and 16"H segmented covers as described in Specification Information.	Service wall with upholstered tackable covers has been tested to NRC .40 and STC 22.
	For full fabric surface between 5" and 21", order upholstered attachment zone cover.		When ordering 60" or wider covers, please check width of fabric specified.
	Surface type:		
	A tackable upholstered		

Spine ends and connectors

Flat ends

AutoStrada

description	type	height	depth	pattern no.	paint
Flat end	standard crown	39"	5"	AX1A F39 () ()	\$96.
		48"	5"	AX1A F48 () ()	110.
		64"	5"	AX1A F64 () ()	122.
	compact crown	39"	5"	AX1A C39 ()	96.
		48"	5"	AX1A C48 ()	110.
		64"	5"	AX1A C64 ()	122.
	low profile flat crown	39"	5"	AX1A EL39 ()	96.
		48"	5"	AX1A EL48 ()	110.
		64"	5"	AX1A EL64 ()	120.
	high profile flat crown	39"	5"	AX1A EH39 ()	96.
		48"	5"	AX1A EH48 ()	110.
		64"	5"	AX1A EH64 ()	120.




Spine and linkable screens

Order Code	Specification Information	Application Notes
Example: AX1A C48 118	For flat ends specify:	Flat end finishes end of corresponding height spine when end of wall is supported by outriggers or perpendicular screens or panels. Flat ends include end cover for compact crown or standard crown, as specified.
AX1A AutoStrada connector	<i>Starting seventh position:</i> painted finish for outside trim cover and raceway cover	
C Type	<i>Starting eleventh position:</i> painted finish for crown end cap	
48 Height	Please specify painted finishes from paint finish options listed on page 7.	High-low straight connectors join service wall of different heights in a straight line.
118 vertical cover finish		Straight connector is replacement hardware kit to join Currents wall frames of the same height end to end. Kit includes four barrel-shape connectors and hardware.

Spine ends and connectors

Corner, T, X, V and Y connections

AutoStrada


description	type	height	width	depth	pattern number	list
90° connector	 T connector	39"	6"	7"	AX1A T39 () ()	\$304.
		48"	6"	7"	AX1A T48 () ()	364.
		64"	6"	7"	AX1A T64 () ()	426.
	 X connector	39"	7"	7"	AX1A X39 ()	304.
		48"	7"	7"	AX1A X48 ()	332.
		64"	7"	7"	AX1A X64 ()	364.
	 L connector	39"	6"	6"	AX1A L39 () ()	304.
		48"	6"	6"	AX1A L48 () ()	364.
		64"	6"	6"	AX1A L64 () ()	426.
120° connector	 V connector	39"	5 1/2"	5 1/2"	AX1A V39 () ()	304.
		48"	5 1/2"	5 1/2"	AX1A V48 () ()	364.
		64"	5 1/2"	5 1/2"	AX1A V64 () ()	426.
	 Y connector	39"	6 1/2"	5 1/2"	AX1A Y39 () ()	304.
		48"	6 1/2"	5 1/2"	AX1A Y48 () ()	364.

Order Code	Specification Information	Application Notes
Example: AX1A L48 118	For L, T, V and Y connectors specify:	L, T, and X connectors join spine frames at 90° angles and include vertical trim covers, top cap and standard crown end caps, and one spare set of straight connectors.
AX1A AutoStrada connector	<i>Seventh position:</i> painted finish for vertical trim cover and raceway cover	V and Y connectors join spine frames at 120° angles and include vertical trim covers, topcap and standard crown end caps.
L Type	<i>Eighth position, and X connectors:</i> painted finish for top cap and standard crown end caps	When ordering connectors for the spine frame with compact crown, specify crown end caps separately.
48 Height		
118 vertical cover finish	Please specify painted finish as applicable from paint options listed on page 7.	

Spine ends and connectors

Corner, T, X, V and Y connections

description	type	height	width	depth	pattern number	list
120° connector	Y connector	64"	6 1/2"	5 1/2"	AX1A Y64 () ()	\$426.




Spine and linkable screens

Order Code	Specification Information	Application Notes
Example: AX1A L48 118	For L, T, V and Y connectors specify:	L, T, and X connectors join spines frames at 90° angles and include vertical trim covers, top cap and standard crown end caps, and one spare set of straight connectors.
AX1A AutoStrada connector	<i>Seventh position:</i> painted finish for vertical trim cover and raceway cover	V and Y connectors join spine frames at 120° angles and include vertical trim covers, topcap and standard crown end caps.
L Type	<i>Eighth position, and X connectors:</i> painted finish for top cap and standard crown end caps	When ordering connectors for the spine frame with compact crown, specify crown end caps separately.
48 Height	Please specify painted finish as applicable from paint options listed on page 7.	
118 vertical cover finish		

Spine ends and connectors

Stabilizer cabinet, outriggers and spine starters

AutoStrada

description	type	height	width	depth	pattern number	list
Outrigger 	deep	21"	3"	15"	AA1ORD()	\$148.
	standard	21"	3"	8"	AA1OR()	107.
Stabilizer end cabinet 	no lock	39"		19"	AX1 STC39 3 ()()	1,353.
		48"		19"	AX1 STC48 3 ()()	1,466.
		64"		19"	AX1 STC64 3 ()()	1,690.
	with lock	39"		19"	AX1 STC39 L3 ()()	1,524.
		48"		19"	AX1 STC48 L3 ()()	1,635.
		64"		19"	AX1 STC64 L3 ()()	1,861.
Service wall starter	39"	39"		2"	AX1 SWS39 ()	94.
	48"	48"		2"	AX1 SWS48 ()	105.
	64"	64"		2"	AX1 SWS64 ()	119.
Straight connector kit (replacement)		—	—	—	AX1 S	18.
High low straight connector for spine with standard crown only	48 - 39"	48"		5"	AX1 HLS4839 ()()	164.
	64 - 39"	64"		5"	AX1 HLS6439 ()()	281.
	64 - 48"	64"		5"	AX1 HLS6448 ()()	189.

Order Code	Specification Information	Application Notes
Example: AA1 ORD 118 AA1 Accessory ORD Outrigger deep 118 Finish	For stabilizer end specify: <i>Tenth position:</i> cabinet finish <i>Eleventh position:</i> top cap finish Please specify painted finish as applicable from finish options listed on page 7.	Outrigger connects to structural base cover at any point. Outriggers (or perpendicular systems panels) are required every 8' and adjacent to flat end for adequate support. Specify deep outriggers when cantilevering 24"D worksurfaces without adjacent perpendicular systems panels or spine wall connectors. Stabilizer end cabinet supports one end of the wall spine. Hinged cover panels in cabinet open for access to data/telecom consolidation point and cable storage. Stabilizer end cabinet with lock has recessed KnollKey lock in finger pull reveal.
		Stabilizer end cabinet expands the end of the spine 3 1/2" to accommodate intermediate panel divisions between workstations. In the 3 1/2" x 5" space above this extension a ceiling infeed panel may be added. Inside back corner covers may be removed for unobstructed access to cabinet and wall frame surface. Service wall starter connects service wall to building wall.

Spine end connectors for linkable screens and Morrison panels

description	application	h	w	d	pattern no.	list
 Spine end connector	39"h spine	39"	5"	1/2"	AX1SEC3939 () () ()	\$210.
	48"h spine	48"	5"	1/2"	AX1SEC4848 () () ()	220.
	64"h spine	64"	5"	1/2"	AX1SEC6464 () () ()	263.
 Spine end connector to top of compact 1'h crown	39"h spine	40"	5"	1/2"	AX1SEC4039 L () ()	210.
	48"h spine	49"	5"	1/2"	AX1SEC4948 L () ()	220.
	64"h spine	65"	5"	1/2"	AX1SEC6564 L () ()	263.
 Spine end connector to top of Currents 4'h crown	39"h spine	43"	5"	1/2"	AX1SEC4339 C () ()	210.
	48"h spine	52"	5"	1/2"	AX1SEC5248 C () ()	220.
	64"h spine	68"	5"	1/2"	AX1SEC6864 C () ()	263.
Inside base trim cover for Currents raceway		4"	5"		AX1SECBT ()	42.

Order Code	Specification Information	Application Notes
Example: AX1 SEC 3939 L 613 812	For spine end connectors specify:	Spine end connectors are complete vertical cover and top trim for the end of an AutoStrada or Currents spine. Side edges of end connectors accept end starters for linkable screens and other systems panels of the same height or lower.
AX1 Spine connector	1.Crown type C=Currents standard 4"h L=low profile flat 1" H=high profile flat 1 1/4" F=compact crown 1"	Inside base trim for Currents raceway is recommended to finish inside of any spine end connector when combined with standard Currents recessed base raceway covers. Base trim is not required with AutoStrada spine base covers.
SEC Type		
39 Connector height		
39 Spine height		
L Crown type		
613 Crown end cap finish	2.Crown end cap finish Standard, low and high profile flat and compact crown end caps are available in all standard paint finishes and 813 Trim Grey. Compact crown end caps are also available in 812 Easy Grey.	Spine end connectors include painted aluminum cover with beveled top cap and the specified flat, compact, or standard crown end cap.
613 Vertical cover finish		Spine end connectors to top of compact crown are a visual alternative that replaces the crown end cap with a taller aluminum end cover and flat top cap.
812 Top cap finish	3.Vertical cover finish: All standard paint finishes	Spine end connectors to top of Currents crown are recommended when attaching any end started panel that is between the nominal height of the spine and the actual height with crown, such as 42"h panel to 39"h spine with 4"h crown.
	4.Top cap for vertical cover: 812=Easy Grey 813=Trim Grey And all standard paint finishes	Spine end connectors to top of Currents crown enclose the end of spine and standard crown and include flat top cap and inside top trim cover.
	Spine end connectors on this page align with spine base covers ^{13/16"} above the floor.	

Spine ends and connectors
*High-low spine end connectors
 for linkable screens and Morrison panels*

description	application	h	w	d	pattern no.	list
	42"h panel/39"h spine	39"	5"	1/2"	AX1SEC4239 () ()	\$210.
	48"h panel/39"h spine	48"	5"	1/2"	AX1SEC4839 () ()	220.
	56"h panel/39"h spine	56"	5"	1/2"	AX1SEC5639 () ()	252.
	64"h panel/39"h spine	64"	5"	1/2"	AX1SEC6439 () ()	263.
	56"h panel/48"h spine	56"	5"	1/2"	AX1SEC5648 () ()	252.
	64"h panel/48"h spine	64"	5"	1/2"	AX1SEC6448 () ()	263.
	80"h panel/48"h spine	80"	5"	1/2"	AX1SEC8048 () ()	400.
	80"h panel/64"h spine	80"	5"	1/2"	AX1SEC8064 () ()	383.
Inside base trim cover for Currents raceway		4"	5"		AX1SECBT ()	42.

Order Code	Specification Information	Application Notes
Example: AX1 SEC 6448 613 812	For spine end connectors specify:	High low spine end connectors are complete end cover and trim for an AutoStrada or Currents spine, when attached panels are taller than the spine. High low spine end connectors match the height of the attached linkable screen or Morrison panel. Side edges of spine end connectors accept end starters for linkable screens and Morrison panels of the same height or lower. High low spine end connectors include painted aluminum outside cover with flat top cap and inside cover over the end of the spine. Inside base trim for Currents raceway is recommended to finish inside of any spine end connector when combined with standard Currents recessed base raceway covers. Base trim is not required with AutoStrada spine base coves.
AX1 Spine connector	1.Vertical cover finish: All standard paint finishes	
SEC Type	2.Top cap for vertical cover 812=Easy Grey 813=Trim Grey And all standard painted finishes	
64 Panel height	Spine end connectors on this page align with spine base covers ¹³ / ₁₆ " ⁿ above the floor.	
48 Spine height		
613 Painted finish		
613 Trim finish		
Note: 42”h panel/39”h spine combination (AX1SEC4239) can only be specified with compact or flat crown versions of the spine. For combination of 39”h spine with standard 4”h crown and 42”h panels specify AX1SEC4339C () ().		

Spine ends and connectors

Spine end connectors for AutoStrada and Reff panels and Gallery screens

description	application	h	w	d	pattern no.	list
Spine end connector	34" panel or 39" screen/39"h spine	39"	5"	1/2"	AX1SEA3939 () () ()	\$210.
	34"-42" panel or 39"-49" screen/48"h spine	48"	5"	1/2"	AX1SEA4848 () () ()	220.
	34"-49" panel or screen/64"h spine	64"	5"	1/2"	AX1SEA4964 () () ()	263.
	42" panel/39"h spine + 1 1/4" crown	42"	5"	1/2"	AX1SEA4239 () ()	210.
	42" panel/39"h spine + 4" crown	43"	5"	1/2"	AX1SEA4339 C () ()	210.
	49" panel /39"h spine	49"	5"	1/2"	AX1SEA4939 () ()	220.
	49" panel or screen/48"h spine + 1 1/4" crown	49"	5"	1/2"	AX1SEA4948 () ()	231.
	49" panel or screen/48"h spine + 4" crown	52"	5"	1/2"	AX1SEA5248 C () ()	220.
	64" panel/39"h spine	64"	5"	1/2"	AX1SEA6439 () ()	263.
	64" panel/48"h spine	64"	5"	1/2"	AX1SEA6448 () ()	263.
	64" panel/64"h spine + 1 1/4" crown	65"	5"	1/2"	AX1SEA6464 () ()	263.
	64" panel/64"h spine + 4" crown	68"	5"	1/2"	AX1SEA6864 C () ()	263.
	79" panel/48"h spine	79"	5"	1/2"	AX1SEA7948 () ()	400.
	79" panel/64"h spine	79"	5"	1/2"	AX1SEA7964 () ()	383.
Inside base trim cover for Currents raceway		4"	5"		AX1SECBT ()	42.

Order Code	Specification Information	Application Notes
Example: AX1 SEA 4239 613 613 812		
AX1 Spine connector	For spine end connectors when panels are lower than spine specify crown type and finish for crown end cap.	Spine end connectors are complete end cover and trim for an AutoStrada or Currents spine. Side edges of spine end connectors accept end starters for AutoStrada or Reff panels or Gallery screens.
SEA Type		When attached panel is between the nominal height of the spine and the top of the Currents 4"h crown, spine end connector must cover the entire height of the spine with crown.
42 Panel height	1. Crown type: C=Currents standard 4"h L=low profile flat 1"h H=high profile flat 1 1/4"h F=compact 1"h	Spine end connectors include painted outside cover with flat top cap and inside cover (where applicable) over the end of the spine.
39 Spine height		
613 Painted finish		
613 Trim finish		
812 Top trim finish		
	2. All crown end caps are available in all painted finishes.	In most cases spine end connectors match the height of the attached panel. When attached panel is lower than the spine, the spine end connector is as high as the nominal height of the spine and the crown requires an end cap.
	For all spine end connectors specify vertical cover and top trim finish.	Inside base trim for Currents raceway is recommended to finish inside when combined with standard Currents recessed base raceway covers. Base trim is not required with AutoStrada spine base covers.
	3. Vertical cover finish: All standard paint finishes	
	4. Top trim for vertical cover: 812=Easy Grey 813=Trim Grey And all standard paint finishes	
	End connectors on this page begin 1/2" above floor.	

Spine end connectors for Dividends Horizon panels

description	application	h	w	d	pattern no.	list
Spine end connector	36"h panel/39"h spine	39"	5"	1/2"	AX1SED3939 () () ()	\$210.
	36"h-42"h panel/ 48"h spine	48"	5"	1/2"	AX1SED4848 () () ()	220.
	36"h-64"h panel/ 64"h spine	64"	5"	1/2"	AX1SED6464 () () ()	263.
	42"h panel/ 39"h spine + 1" crown	42"	5"	1/2"	AX1SED4239 () ()	210.
	42"h panel/ 39"h spine + 4" crown	43"	5"	1/2"	AX1SED4339C () ()	210.
	50"h panel/ 39"h spine	50"	5"	1/2"	AX1SED5039 () ()	220.
	50"h panel/ 48"h spine + 1" crown	50"	5"	1/2"	AX1SED5048 () ()	231.
	50"h panel/ 48"h spine + 4" crown	52"	5"	1/2"	AX1SED5248C () ()	220.
	57"h panel/ 39"h spine	57"	5"	1/2"	AX1SED5739 () ()	252.
	57"h panel/ 48"h spine	57"	5"	1/2"	AX1SED5748 () ()	252.
	64"h panel/ 39"h spine	64"	5"	1/2"	AX1SED6439 () ()	263.
	64"h panel/ 48"h spine	64"	5"	1/2"	AX1SED6448 () ()	263.
	78"h panel/ 48"h spine	78"	5"	1/2"	AX1SED7848 () ()	400.
	78"h panel/ 64"h spine	78"	5"	1/2"	AX1SED7864 () ()	383.
Inside base trim cover for Currents raceway		4"	5"		AX1SECBT ()	42.

Order Code	Specification Information	Application Notes
Example: AX1 SED 6448 613 812		
AX1 Spine connector	For spine end connectors with panel lower than spine specify crown type and finish for crown end cap.	Spine end connectors are complete end cover and trim for an AutoStrada or Currents spine. Side edges of spine end connectors accept end starters for Dividends panels.
SED Type	1. Crown type: C=Currents standard 4"h L=low profile flat 1"h H=high profile flat 1 1/4"h F=compact 1"h	In most cases spine end connectors match the height of the attached Dividends panel. When attached panel is lower than the spine, the spine end connector is as high as the nominal height of the spine and the crown requires an end cap.
64 Panel height	2. All crown end caps are available in all painted finishes.	When attached panel is between the nominal height of the spine and the top of the Currents 4"h crown, spine end connector must cover the entire height of the spine with crown.
48 Spine height	For all spine end connectors specify vertical cover and top trim finish:	Spine end connectors include painted aluminum outside cover with flat top cap and inside cover (where applicable) over the end of the spine.
613 Vertical cover finish	3. Vertical cover finish: All standard paint finishes	Inside base trim for Currents raceway is recommended to finish inside when combined with standard Currents recessed base raceway covers. Base trim is not required with AutoStrada spine base covers.
812 Top cap finish	4. Top cap for vertical cover: 812=Easy Grey 813=Trim Grey And all standard painted finishes	Spine end connectors, end starters, panel starters and panel starter end trim for Dividends Horizon panels cannot be used to attach Dividends Horizon screens (open weave, glass or other screens) directly to an AutoStrada or Currents spine. In applications where Dividends Horizon open weave, glass or other screens are specified perpendicular to an AutoStrada or Currents spine, you must first connect a Dividends Horizon panel to the spine via a spine end connector and end starter or panel starter, and then connect the Dividends Horizon panel to the Dividends Horizon open weave, glass or other screen.
	End connectors on this page begin 1/2" above floor.	

3 1/2" spine extender kit for use with ceiling infeed or panels

description	application	h	w	d	pattern no.	list
Spine extender	39"h spine	39"	5"	4"	AX1SX39 (A/C)(L/C/P)() () ()	n/a
	48"h spine	48"	5"	4"	AX1SX48 (A/C)(L/C/P)() () ()	n/a
	64"h spine	64"	5"	4"	AX1SX64 (A/C)(L/C/P)() () ()	n/a

Order Code	Specification Information	Application Notes
Example: AX1 SX 48 AL 613 613	For all 3 1/2" spine extenders specify spine base type:	Spine extenders include brackets, side and top trim covers between the end of a spine and any spine end connector to add 3 1/2" to the length of a spine.
AX1 Spine connector	A AutoStrada	This extension can also make up for the dimensional gain of one Dividends panel in the middle of a cluster of workstations.
SX Type	C Currents	
48 Spine height	Then specify crown end type.	In most cases the spine end connector matches the height of the attached Dividends panel, but the extending area is only as high as the nominal height of the spine (bottom of crown) so the crown always requires an end cap.
A Spine type	L=Square, C=Standard and Compact, P=Power Pole.	
L Crown end type		When attached panel is lower than the spine, the spine end connector should be the same height as the nominal height of the spine.
613 Vertical finish	Then specify finish for vertical trim covers, all standard painted finishes.	
613 Base trim finish		
613 Top cap finish	Then specify base cover finish. AutoStrada spine base covers are clear anodized aluminum (AA) or painted finish excluding silver. Currents spine base covers are available in any painted finish only.	
	Then specify top cap finish (if applicable).	

To attach linkable screens or Morrison panels to spine end connector

description	application	h	w	d	pattern no.	00	02	04
	30" h screen	25"	1"	1/2" - 4 1/2"	AX1LES30 () ()	\$126.	\$137.	\$147.
	39" h screen	34"	1"	1/2" - 4 1/2"	AX1LES39 () ()	137.	147.	163.
	48" h screen	43"	1"	1/2" - 4 1/2"	AX1LES48 () ()	158.	178.	200.
	64" h screen	59"	1"	1/2" - 4 1/2"	AX1LES64 () ()	184.	215.	247.
	30" h screen	30"	1"	1/2" - 4 1/2"	AX1MES30 () ()	132.	137.	147.
	39" h screen	39"	1"	1/2" - 4 1/2"	AX1MES39 () ()	158.	163.	178.
	42" h screen	42"	1"	1/2" - 4 1/2"	AX1MES42 () ()	158.	163.	184.
	48" h screen	48"	1"	1/2" - 4 1/2"	AX1MES48 () ()	163.	168.	190.
	56" h screen	56"	1"	1/2" - 4 1/2"	AX1MES56 () ()	190.	210.	237.
	64" h screen	64"	1"	1/2" - 4 1/2"	AX1MES64 () ()	190.	210.	237.
	80" h screen	80"	1"	1/2" - 4 1/2"	AX1MES80 () ()	273.	315.	378.
End starter top cap for Morrison panel with linkable screen trim	00, 02 or 04 offset		1"	2 1/4"	AX1LES E ()	10.	10.	10.

Order Code	Specification Information	Application Notes
Example: AX1 LES48 02 613 812	For spine end starters specify:	End starters connect a linkable screen or panel to either side of a spine end connector of the same height or taller.
AX1 Spine connector	1.Configuration	End starters for linkable screens and Morrison panels include connector track and top cap.
L for linkable screens	00=Flush	For Morrison panels that have linkable screen trim also specify end starter linkable screen end cap.
ES End starter	02=Offset one panel	End starters are available in three configurations: flush with end of spine or offset one or two screen/panel thickness beyond end of spine.
48 Panel height	04=Offset two panels	
02 Offset	2.Paint finish for end starter: All standard paint finishes	
613 Painted finish	3.Trim finish for top cap: 812=Easy Grey 813=Trim Grey	
812 Trim finish	End starters on this page align with spine base covers 13/16" above the floor.	
		For full access to entire width of spine surface specify end starters offset one panel thickness (02 suffix).
		For a cluster of two workstations with one screen or panel between specify one end starter offset two panel thicknesses (04 suffix) and one offset one thickness (02 suffix).
		For a cluster of three workstations (two intermediate panels) specify two end starters offset two panel thicknesses (04 suffix).
		For a cluster of four workstations (three intermediate panels) extend the spine 12" and specify two flush end starters (00 suffix).
		When specifying an end starter top cap for a Morrison panel with linkable screen trim, note that the 02 offset top cap will also work in an 04 offset application.

To attach AutoStrada or Reff panels to spine end connector

description	application	h	w	d	pattern no.	00	02	04
End starters for AutoStrada or Reff panels	34"h panel	34"	1"	1/2" - 4 1/2"	AX1AES34 () () () ()	\$340.	\$340.	\$371.
	42"h panel	42"	1"	1/2" - 4 1/2"	AX1AES42 () () () ()	427.	427.	469.
	49"h panel	49"	1"	1/2" - 4 1/2"	AX1AES49 () () () ()	443.	443.	484.
	64"h panel	64"	1"	1/2" - 4 1/2"	AX1AES64 () () () ()	536.	536.	587.
	79"h panel	79"	1"	1/2" - 4 1/2"	AX1AES79 () () () ()	819.	819.	922.

Order Code	Specification Information	Application Notes
Example: AX1 AES49 02 24 E 812 AA	For spine end starters specify:	End starters connect a panel to either side of a spine end connector of the same height or taller. End starters include hookstrip and top cap. Specify first adjacent panel top cap width and type.
AX1 Spine connector	1.Configuration 00=Inset flush 02=Offset one panel 04=Offset two panels	For a cluster of two workstations (one intermediate panel) specify one end starter offset two panel thicknesses (04 suffix).
A for AutoStrada panels		
ES End starter		For a cluster of three workstations (two intermediate panels) specify two end starters offset two panel thicknesses (04).
49 Panel height	2.Adjoining panel width (18, 20, 24, 30, 36, 42, 48)	For a cluster of four workstations (three intermediate panels) extend the spine 12" and specify two inset end starters (00 suffix).
02 Offset		End starters on this page start 1/2" above the floor.
24 Panel width	3.Trim profile A=Flat B=Square C=Bullnose E=AutoStrada	
E Trim profile		
812 Vertical cover finish	4.Vertical cover finish All standard paint finishes	
AA Top trim finish	5.Top trim AutoStrada: AA Clear anodized aluminum and all core paint finishes except silver. Reff: All core paint finishes	

To attach Gallery screens to spine end connector

description	application	height	width	depth	pattern no.	00	01	02
End starters for Gallery screens	39"h spine	39"	1"	1/2" - 3"	AX1GES39 () ()	\$155.	\$129.	\$129.
	48"h spine	48"	1"	1/2" - 3"	AX1GES48 () ()	175.	134.	145.

Order Code	Specification Information	Application Notes
Example: AX1GES 48 02 613	For spine end starters specify:	End starters connect a 1" thick Gallery screen to either side of spine end connector of the same height or taller.
AX1 Spine connector	1.Configuration	
G Thin screens	00=Flush	
ES End starter	01=Offset one panel	
48 Panel height	02=Offset two panels	End starters are available in three configurations: flush with end of spine or offset one or two screen thicknesses beyond end of spine.
02 Offset	2.Finish:	
613 Painted finish	All standard paint finishes	Offset end starters compensate for the dimensional gain of Gallery screens attached to the spine.
	End starters on this page start 1/2" above the floor.	

To attach Dividends Horizon panels to spine end connector

description	application	h	w	d	pattern no.	list
End starters for Dividends panels	36" h panel	36"	1"	1/2-3"	AX1DES36 () ()	\$124.
	42" h panel	42"	1"	1/2-3"	AX1DES42 () ()	134.
	50" h panel	50"	1"	1/2-3"	AX1DES50 () ()	144.
	57" h panel	57"	1"	1/2-3"	AX1DES57 () ()	144.
	64" h panel	64"	1"	1/2-3"	AX1DES64 () ()	149.
	78" h panel	78"	1"	1/2-3"	AX1DES78 () ()	165.

Order Code	Specification Information	Application Notes	
Example: AX1 DES 50			
AX1	Spine connector	End starters connect a Dividends panel to either side of a same height or taller spine end connector. End starters for Dividends panels include specified end top cap.	For a single workstation (0 intermediate panels), specify 2 spine end connectors and 2 end starters positioned offset by 1 panel thickness.
D	Dividends		
ES	End starter		
50	Panel height	End starters may be positioned in either of two configurations: flush with end of spine or offset one panel thickness beyond end of spine. For full access to entire width of spine surface, position end starters offset one panel thickness.	For a cluster of 2 workstations (1 intermediate panel), specify 1 panel starter, 2 spine end connectors, 1 spine extender, and 2 end starters positioned offset by 1 panel thickness.
5	Top cap type		
613	Painted finish		
	Spine end connectors, end starters, panel starters and panel starter end trim for Dividends Horizon panels cannot be used to attach Dividends Horizon screens (open weave, glass or other screens) directly to an AutoStrada or Currents spine. In applications where Dividends Horizon open weave, glass or other screens are specified perpendicular to an AutoStrada or Currents spine, you must first connect a Dividends Horizon panel to the spine via a spine end connector and end starter or panel starter, and then connect the Dividends Horizon panel to the Dividends Horizon open weave, glass or other screen.		For a cluster of 3 workstations, (2 intermediate panels), extend the spine another 12", speicfy 2 panel starters, 2 spine and connectors, and 2 end starters positioned inset. For a cluster of 4 workstations (3 intermediate panels), extend the spine 12" and specify 3 panels starters, 2 spine end connectors, and 2 end starters (1 end starter inset and the other offset by 1 panel thickness). For a cluster of 5 workstations (4 intermediate panels) extend the spine by 12" and speicfy 4 panel starters, 2 spine end connectors, and 2 end starters positioned offset by 1 panel thickness.

Panel system starters and T-ends

Linkable screen panel starters

AutoStrada


description	type	width	depth	height	pattern number	paint
	Morrison and linkable screen panel starters	30"H panel	4"	1"	26"	AA1MPS30() \$97.
		39"H panel/screen	4"	1"	35"	AA1MPS39() 97.
		42"H panel	4"	1"	38"	AA1MPS42() 97.
		48"H panel/screen	4"	1"	44"	AA1MPS48() 102.
		56"H panel	4"	1"	52"	AA1MPS56() 107.
		64"H panel/screen	4"	1"	60"	AA1MPS64() 111.
		74"H panel	4"	1"	70"	AA1MPS74() 116.
		80"H panel	4"	1"	76"	AA1MPS80() 116.
		Morrison raceway shroud	2 1/4"	3"	4"	AA1MRS() 42.
		panel/screen top clip				AA2 MTC () 49.
Linkable screen starter fillers		39"H linkable screen	1"	2"	18"	AA1CET39 () 33.
		48"H linkable screen	1"	2"	27"	AA1CET48 () 38.
		64"H linkable screen	1"	2"	43"	AA1CET64 () 47.

Order Code	Specification Information	Application Notes
Example: AA1 MPS48 3		
AA1 Accessory	Please specify painted finish for panel starters, Morrison raceway shroud and end trim from paint finish options listed on page 7.	Panel starters attach perpendicular panels or linkable screens to spine wall structural base covers (5" - 21"H).
M Morrison		
PS Panel starter	Linkable screen fillers are trim grey or easy grey integral color.	Panel starters include clamp bracket to any height spine wall and full height connector track with modified top wedge block.
48 Panel height		
V3 Finish		
		Top clip connects panel connector track to spine wall crown. Specify top clip for added stiffness of panels higher than 48" or whenever cantilevering components from panel. Top clip is not compatible with end trim.
		Specify raceway shroud if connecting power from spine wall to Morrison panel.
		Linkable screen fillers are optional fillers for linkable screen starters. End trims may interfere with easy access to wall covers.

Panel system starters and T-ends

Morrison panel/linkable screen T-ends

AutoStrada

description	type	width	depth	height	pattern number	extension, 0 or 1 1/8	extension, 3 1/2
	39" screen/39" spine	2 1/4"-5 3/4"	7"	39"	AX2 C3939 () ()	\$666.	\$746.
	48" screen/39" spine	2 1/4"-5 3/4"	7"	48"	AX2 C4839 () ()	773.	853.
	48" screen/48" spine	2 1/4"-5 3/4"	7"	48"	AX2 C4848 () ()	719.	799.
	64" screen/39" spine	2 1/4"-5 3/4"	7"	64"	AX2 C6439 () ()	881.	959.
	64" screen/48" spine	2 1/4"-5 3/4"	7"	64"	AX2 C6448 () ()	826.	906.
	64" screen/64" spine	2 1/4"-5 3/4"	7"	64"	AX2 C6464 () ()	826.	906.

	39" panel/39" spine	6"	7"	39"	AX1 M3939 () ()	666.	746.
	42" panel/39" spine	6"	7"	42"	AX1 M4239 () ()	719.	799.
	48" panel/39" spine	6"	7"	48"	AX1 M4839 () ()	773.	853.
	48" panel/48" spine	6"	7"	48"	AX1 M4848 () ()	719.	799.
	56" panel/39" spine	6"	7"	56"	AX1 M5639 () ()	826.	906.
	56" panel/48" spine	6"	7"	56"	AX1 M5648 () ()	773.	853.
	64" panel/39" spine	6"	7"	64"	AX1 M6439 () ()	881.	959.
	64" panel/48" spine	6"	7"	64"	AX1 M6448 () ()	826.	906.
	64" panel/64" spine	6"	7"	64"	AX1 M6464 () ()	826.	906.
	80" panel/39" spine	6"	7"	80"	AX1 M8039 () ()	1,066.	1,172.
	80" panel/48" spine	6"	7"	80"	AX1 M8048 () ()	1,066.	1,172.
	80" panel/64" spine	6"	7"	80"	AX1 M8064 () ()	1,066.	1,172.

	1 1/8" extension				AX1 RF1 ()	41.	41.
	3 1/2" extension				AX1 RF3 ()	60.	60.

T-end raceway end cover					AA1 ARE ()	23.	23.
-------------------------	--	--	--	--	--------------------	-----	-----




Order Code	Specification Information	Application Notes	
Example: AX1 M6448 3 613 613	<i>T ends begin with AX1-prefix.</i>	T-end encloses the end of a spine wall and connects to linkable screens or panels on one or both sides. T-ends include Morrison-style top trim for the 7" wide connection to panels or screens. Currents T-end includes 5" and 6" wide trim and two end caps. Morrison T-end includes 7" wide trim. Use 5" wide trim and two end caps when connecting to Currents screens on both sides. Use 6" wide trim and one end cap when connecting to Currents screens on one side only. Specify Morrison end connector separately to finish side edge without a connected screen. Use 7" wide trim when connecting to Morrison panels. Specify Morrison end counter, top cap and raceway cover kits separately to finish side edge of Morrison T-ends without a connected panel.	T-ends for linkable screens and Morrison panels capture the end of the wall (no extension) or extend the wall 1 1/8" or 3 1/2". This extension enables precise planning of multiple workstations and intermediate screens or panels between workstations.
AX1 Spine connector	<i>Fourth position indicates attached panel system:</i>		Specify two 0" T-ends for a single workstation on each side (no intermediate screens).
M Morrison	C Linkable screen		Specify two 1 1/8" T-ends for one intermediate screen, one 1 1/8" and one 3 1/2" for two screens, and two 3 1/2" for three intermediate screens.
64 Morrison height	M Morrison panel		T-ends with 3 1/2" extension have removable inside covers and accept ceiling infeed panel.
48 Spine height			The Raceway Adapter kit finishes the bottom of a T-end with the Autostrada base trim profile. No
3 Extension	<i>Fifth position: height of panel.</i>		
613 Top cap finish	<i>Seventh position: height of service wall.</i>		
613 Vertical trim cover	<i>Ninth position: extension at end of spine.</i>		
	0 0" extension		
	1 1 1/8" extension		
	3 3 1/2" extension		
	<i>Please specify painted finish for Morrison top cap, crown end, vertical trim cover, raceway cover and T end vertical cover from from paint finish options listed on page 7.</i>		
	When ordering T-ends for the Spine, specify crown end caps separately.		

Panel system starters and T-ends

AutoStrada and Reff panel starters and T-ends

AutoStrada

description	type	pattern number	list	extension, 0 or 1 1/8	extension, 3 1/2
	34"H (includes AA1RTC bracket)	AA1RPS34 () () ()	\$107.		
	42"H (includes AA1RTC bracket)	AA1RPS42 () () ()	186.		
	49"H (includes AA1RTC bracket)	AA1RPS49 () () ()	192.		
	64"H (includes AA1RTC bracket)	AA1RPS64 () () ()	203.		
	79"H (includes AA1RTC bracket)	AA1RPS79 () () ()	212.		

	42" panel to 39" spine frame	AX1 R34239 () ()	799.	881.
	49" panel to 39" spine frame	AX1 R34939 () ()	809.	890.
	49" panel to 48" spine frame	AX1 R34948 () ()	757.	836.
	64" panel to 39" spine frame	AX1 R36439 () ()	894.	974.
	64" panel to 48" spine frame	AX1 R36448 () ()	842.	922.
	64" panel to 64" spine frame	AX1 R36464 () ()	842.	922.
	79" panel to 39" spine frame	AX1 R37939 () ()	900.	982.
	79" panel to 48" spine frame	AX1 R37948 () ()	848.	928.
	79" panel to 64" spine frame	AX1 R37964 () ()	821.	900.

T-end frame for AutoStrada panel without base raceway	42" panel to 39" spine frame	AX1 A34239 () ()	799.	881.
	49" panel to 39" spine frame	AX1 A34939 () ()	809.	890.
	49" panel to 48" spine frame	AX1 A34948 () ()	757.	836.
	64" panel to 39" spine frame	AX1 A36439 () ()	894.	974.


Order Code	Specification Information	Application Notes
Example: AA1-RPS6448E613AA	<i>For T-end specify extension at end of spine, then paint finish. Extension at end of spine:</i>	Panel starters attach perpendicular AutoStrada panels to spine wall. Panel starter includes clamp bracket to structural base cover, top clip, and vertical extrusion corresponding to AutoStrada panel height.
AA1 Accessory	0 0" extension	
R Reff/AutoStrada	1 1 1/8" extension	
PS Panel starter	3 3 1/2" extensions	
64 Panel height		
48 Adjoining panel width	<i>Specify following for panel starter:</i>	
E Panel top trim profile	1. Adjoining panel width (<i>panel starter includes extended panel top trim for panel attached to starter</i>)	T-end encloses the end of a spine wall and connects to perpendicular AutoStrada panels on one or both sides.
613 Finish, panel starter	2. Top trim profile of adjoining panel	Specify AutoStrada end connector to finish side edge without a connected wall.
AA Panel top trim finish	<i>E = Extruded aluminum top trim</i>	Specify T-end with 0", 1 1/8", or 3 1/2" of extension to accommodate the "creep" of panels between workstations on each side of service wall.
	3. Painted finish for panel starter	
	4. Top trim finish	
	<i>Anodized aluminum or painted finish</i>	
	<i>Please specify painted finish for panel starters and inside covers of T-end from paint finish options listed on page 7.</i>	
		Specify two 0" T-ends for a single workstation on each side (no intermediate panels).
		Specify two 1 1/8" T-ends for one intermediate panel, one 1 1/8" and one 3 1/2" for two panels, and two 3 1/2" for three intermediate panels.
		T-ends with 3 1/2" extension have removable inside covers and accept ceiling infeed panel.
		Finish options for AA1RTC() top clip:
		118 White
		111 Black
		613 Silver
		To complete T - end solution, must specify frame, crown end cap, raceway extender and cover set.

Panel system starters and T-ends

AutoStrada and Reff panel starters and T-ends

AutoStrada

description	type	pattern number	list	extension, 0 or 1 1/8	extension, 3 1/2
T-end frame for AutoStrada panel without base raceway	64" panel to 48" spine frame	AX1 A36448() ()		\$842.	\$922.
	64" panel to 64" spine frame	AX1 A36464() ()		842.	922.
Top clip (replacement part)		AA1RTC()	80.		



Spine and linkable screens

Order Code	Specification Information	Application Notes
Example: AA1-RPS6448E613AA	<i>For T-end specify extension at end of spine, then paint finish. Extension at end of spine:</i>	Panel starters attach perpendicular AutoStrada panels to spine wall. Panel starter includes clamp bracket to structural base cover, top clip, and vertical extrusion corresponding to AutoStrada panel height.
AA1 Accessory	0 0" extension	
R Reff/AutoStrada	1 1 1/8" extension	
PS Panel starter	3 3 1/2" extensions	
64 Panel height		
48 Adjoining panel width	<i>Specify following for panel starter:</i>	
E Panel top trim profile	1. Adjoining panel width (<i>panel starter includes extended panel top trim for panel attached to starter</i>)	T-end encloses the end of a spine wall and connects to perpendicular AutoStrada panels on one or both sides.
613 Finish, panel starter	2. Top trim profile of adjoining panel	Specify AutoStrada end connector to finish side edge without a connected wall.
AA Panel top trim finish	<i>E = Extruded aluminum top trim</i>	Specify T-end with 0", 1 1/8", or 3 1/2" of extension to accommodate the "creep" of panels between workstations on each side of service wall.
	3. Painted finish for panel starter	
	4. Top trim finish	
	<i>Anodized aluminum or painted finish</i>	
	<i>Please specify painted finish for panel starters and inside covers of T-end from paint finish options listed on page 7.</i>	
		Specify two 0" T-ends for a single workstation on each side (no intermediate panels).
		Specify two 1 1/8" T-ends for one intermediate panel, one 1 1/8" and one 3 1/2" for two panels, and two 3 1/2" for three intermediate panels.
		T-ends with 3 1/2" extension have removable inside covers and accept ceiling infeed panel.
		Finish options for AA1RTC() top clip:
		118 White
		111 Black
		613 Silver
		To complete T - end solution, must specify frame, crown end cap, raceway extender and cover set.

T-end fabric and wood cover sets (AutoStrada or Reff panels)

description	type	height	pattern number	list
 Monolithic cover set	Fabric	42"	R3B0P0F4207	\$120.
		49"	R3B0P0F4907	136.
		64"	R3B0P0F6407	161.
		79"	R3B0P0F7907	184.
	L/V1/V2/V3	42"	R3B0P0H4207	124.
		49"	R3B0P0H4907	139.
		64"	R3B0P0H6407	164.
		79"	R3B0P0H7907	188.
 Tiled cover set	Fabric	42"	R3B0T0F4207	120.
		49"	R3B0T0F4907	136.
		64"	R3B0T0F6407	161.
		79"	R3B0T0F7907	184.
	L/V1/V2/V3	42"	R3B0T0H4207	124.
		49"	R3B0T0H4907	139.
		64"	R3B0T0H6407	164.
		79"	R3B0T0H7907	188.
 Tiled cover set, no base raceway	L/V1/V2/V3	42"	R3R0T0H4207	142.
		49"	R3R0T0H4907	162.
		64"	R3R0T0H6407	190.

Order Code	Specification Information	Application Notes
Example: R3B0P0F4207 E 4	See Reff System for full selection of painted finishes, fabrics and wood veneers for T-end cover sets.	Specify covers in monolithic or tiled sets to complete T-end frames for AutoStrada or Reff panel.
R3B Generation 3		
OP0F Monolithic		
42 Panel height		
07 Width		
E Top trim profile		
4 4" base height		
W359- Fabric		
AA Trim finish		
111 Outside base finish		
111 Inside base finish		

Specify:

1. Top trim profile
2. Panel finishes
3. Top trim finish
4. Base finish

Top trim profile:

E Extruded Aluminum

Base height:

4 4" base height

Monolithic cover sets include a raceway cover and a single snap-in panel above.

Tiled sets include raceway cover and segmented tiles corresponding to adjacent AutoStrada or Reff tiled panels.

AutoStrada or Reff tiled module horizontal reveals are at nominal 19", 34", 49" and 64" above the floor and do not align with service wall cover reveals.

Please see page 7 for list of applicable finishes.

Panel system starters and T-ends

Gallery screen starters

AutoStrada

description	h	w	d	pattern no.	list
Gallery screen starter	21"	3"	1"	AA1GPS ()	\$113.
Screen-to-worksurface bracket				AG1B	27.

Spine and linkable screens

Order Code	Specification Information	Application Notes
Example: AA1 GPS 613		
AA1 Accessory	For intermediate gallery screen starters specify any standard painted finish.	Gallery screen starter attaches thin screen to structural base cover of AutoStrada spine or Currents service wall. Specify Gallery screen to have through holes for starter bracket.
G For thin screens		
PS Panel starter	Screen to worksurface bracket is black painted finish.	
613 Painted finish		Screen-to-worksurface bracket is required to stabilize Gallery screens by connecting to adjacent worksurface. Specify one bracket for each screen.

Panel system starters and T-ends

Dividends Horizon panel starters

AutoStrada

description	application	h	w	d	pattern no.	list
Panel starters for Dividends panels	Any height panel	16"	3"	1/2"	AA1DPS ()	\$215.
Top clip for Dividends to lower spine					AA1DTC ()	90.

Order Code	Specification Information	Application Notes
Example: AA1 DPS 613	Specify paint finish for panel starter and top clip.	Panel starter includes a clamp bracket that attaches to the structural base cover of the spine to start a Dividends panel run perpendicular to the face of the spine anywhere other than at the end of the spine.
AA1 Accessory		
D For Dividends		
PS Panel starter		
613 Painted finish		
		Spine end connectors, end starters, panel starters and panel starter end trim for Dividends Horizon panels cannot be used to attach Dividends Horizon screens (open weave, glass or other screens) directly to an AutoStrada or Currents spine.
		In applications where Dividends Horizon open weave, glass or other screens are specified perpendicular to an AutoStrada or Currents spine, you must first connect a Dividends Horizon panel to the spine via a spine end connector and end starter or panel starter, and then connect the Dividends Horizon panel to the Dividends Horizon open weave, glass or other screen.
		For panel starters, specify trim separately (see next page).
		Top clip, which secures top edge of panel to underside of spine crown, is required in addition to panel starter for stability of 57" or higher panels or 50"H panels with cantilevered shelves overhead storage.

End trim kits for Dividends Horizon panel starters

description	application	h	w	d	pattern no.	list
End trim kit for Dividends panel above 21" to top of panel	36"h panel	15"	1/2"	3"	AX1DET36 () ()	\$57.
	42"h panel	21"	1/2"	3"	AX1DET42 () ()	57.
	50"h panel	29"	1/2"	3"	AX1DET50 () ()	59.
	57"h panel	36"	1/2"	3"	AX1DET57 () ()	59.
	64"h panel	43"	1/2"	3"	AX1DET64 () ()	60.
End trim kit for Dividends panel between 21" and top of panel with top clip at 39"H	50"h panel	29"	1/2"	3"	AX1DET5039 () ()	69.
	57"h panel	36"	1/2"	3"	AX1DET5739 () ()	69.
	64"h panel	43"	1/2"	3"	AX1DET6439 () ()	70.
End trim kit for Dividends panel between 21" and top of panel with top clip at 48"H	50"h panel	29"	1/2"	3"	AX1DET5048 () ()	69.
	57"h panel	36"	1/2"	3"	AX1DET5748 () ()	69.
	64"h panel	43"	1/2"	3"	AX1DET6448 () ()	70.
	78"h panel	57"	1/2"	3"	AX1DET7848 () ()	73.
End trim kit for Dividends panel between 21" and top of panel with top clip at 64"H	64"h panel	64"	1/2"	3"	AX1DET6464 () ()	70.
	78"h panel	78"	1/2"	3"	AX1DET7864 () ()	73.

Order Code	Specification Information	Application Notes
Example: AX1 DET 36	For end trim kits specify:	End trim kits for Dividends Horizon panel starters fit the space above the panel starter clamp bracket (21" above floor) to top of panel.
AX1 Spine connector	1. End trim type	
D Dividends	5= Metal Flat	
ET End trim kit	2. Paint finishes	End trim kits for Dividends Horizon panel starters with top clip are segmented into two pieces. One piece fits the space between clamp bracket and top clip and the other fits between top clip and top of panel.
36 Panel height	All standard paint finishes	
5 End trim type		
613 Trim finish		

Spine end connectors, end starters, panel starters and panel starter end trim for Dividends Horizon panels cannot be used to attach Dividends Horizon screens (open weave, glass or other screens) directly to an AutoStrada or Currents spine.

In applications where Dividends Horizon open weave, glass or other screens are specified perpendicular to an AutoStrada or Currents spine, you must first connect a Dividends Horizon panel to the spine via a spine end connector and end starter or panel starter, and then connect the Dividends Horizon panel to the Dividends Horizon open weave, glass or other screen.

Panel system starters and T-ends

Universal panel starter and T-end

AutoStrada

description	width	depth	height	pattern number	paint
 Universal T-end adapter	2-6"	7"	39"	AA1UA39()	\$66.
	2-6"	7"	48"	AA1UA48()	80.
	2-6"	7"	64"	AA1UA64()	89.


 Universal panel starters	3"	1"	39"	AA1UPS39()	148.
	3"	1"	48"	AA1UPS48()	161.
	3"	1"	64"	AA1UPS64()	170.

 Universal top clip				AA2 UTC ()	64.
--	--	--	--	--------------------	-----

Order Code	Specification Information	Application Notes
Example: AA1 UPS48 111	<i>Please specify painted finish for universal end and panel starters from paint finish options listed on page 7.</i>	Universal adapters and starters integrate other panel systems with the AutoStrada spine. Vertical surface accepts architectural wall starter of most other systems. T-end adapters include connector to corresponding height T-end for linkable screen (specified separately). Panel starter includes clamp bracket to structural base cover on service wall. Top clip gives added stability to attached panels of the same height or higher than the service wall.
AA1 Accessory		
UPS Panel starter		
48 Panel height		
111 Finish		

Power components, spine 2+2 power components

AutoStrada

description	type	w	d	h	pattern number	black	orange (-O) or orange triangle (-T)	no finish
Desk height outlet module	21-48"H	5"	—	6"	AR1 EOM			\$142.
								
Central switch	21-48"H				AR1-ELS-B			397.
Duplex outlet	Circuit A				AR1 DA	34.		
	Circuit B				AR1 DB	34.		
	Circuit X				AR1 DX	34.	39.	
	Circuit Y				AR1 DY	34.	39.	
Power infeeds, modular	Desk height power	85"			AR1 EPI5			164.
	Ceiling infeed	145"			AR1 EPIC			205.
Hardwire base infeeds (NYC)	One connector				AR1 EPH1			273.
	Two connectors				AR1 EPH2			409.
Transitional connectors for Morrison or Reff	12"	61"			AR1 ET1			150.
	36"	85"			AR1 ET3			190.
	60"	109"			AR1 ET5			218.
	96"	133"			AR1 ET8			244.
Jumper cable	12"	37"			AR1 EJ1			82.
	24"	49"			AR1 EJ2			108.
	36"	61"			AR1 EJ3			123.
	48"	73"			AR1 EJ4			135.
	60"	85"			AR1 EJ5			150.
	72"	97"			AR1 EJ6			164.
	96"	121"			AR1 EJ8			190.
	120"	145"			AR1 EJ10			217.
	144"	169"			AR1 EJ12			244.

Order Code

Example:	AR1 EOM
AR1	Power component
E	2+2
OM	Outlet module

Application Notes

Autostrada power components distribute four 20-amp circuits at desk height: two convenience circuits and two protected circuits, with separate grounds and heavy duty #10 neutrals. Power may be distributed point-to-point between outlet modules at or below desk height. Outlet modules accept two duplex outlets on each face and four jumper cables to connect to other modules or infeed power.

Modular desk-height outlet module mounts between frame studs at any height from 21" - 48", above or below adjacent worksurfaces. Each 12"W frame bay can accept two outlet housings (up to four duplex outlets on each side) side by side.

Central switch controls three outlets inside wall frame for task or ambient lights. Switch occupies right-hand outlet opening in outlets cover on one side of wall.

Switches cannot be positioned back-to-back in combination with an outlet module. Central switch includes white rocker switch, connector to adjacent outlet module, and three simplex outlets on circuit B (2+2 or 3+3).

Outlet modules accept two duplex outlets on each face. Specify outlets with black face for convenience circuits. Specify orange face or black with orange triangle for protected circuits with separate ground and neutral in building power supply.

Desk height power infeed connects from floor box to outlets module in spine. Infeed includes 6' cable with pigtail. Ceiling infeed connects from ceiling mounted box to desk height outlet module. Specify ceiling infeed panel separately.

Hardwire base infeed is approved for installations in the City of New York. Infeed includes junction box for base raceway and connector to outlet module.


Jumper cables join power from outlet module to outlet module. Application dimension is distance between modules.

Transitional connectors connect power from AutoStrada spine to powered Morrison or Reff panels attached to the spine. Application dimension suggests distance from outlet to panel. Transitional connectors have watertight conduit between modular ends. Do not specify transitional connectors in City of New York installations.

Power components, spine

3+3 power components

AutoStrada

description	type	w	d	h	pattern number	black	orange (-O) or orange triangle (-T)	no finish
Desk-height outlet module	21"-48"H	6"	1"	9"	AR1 TOM			\$164.
								
Central switch	21-48"H				AR1-ELS-B			397.
Duplex outlet	Circuit A				AR1 DA	34.		
	Circuit B				AR1 DB	34.		
	Circuit C				AR1 DC	34.		
	Circuit X				AR1 DX	34.		39.
	Circuit Y				AR1 DY	34.		39.
	Circuit Z				AR1 DZ	34.		39.
Power infeeds	Desk height power	85"			AR1 TPI5			190.
	Ceiling infeed	145"			AR1 TPIC			232.
Hardwire base infeeds (NYC)	One connector				AR1 TPH1			300.
	Two connectors				AR1 TPH2			465.
Transitional connectors for Morrison or Reff	12"	61"			AR1 TT1			177.
	36"	85"			AR1 TT3			218.
	60"	109"			AR1 TT5			244.
	96"	133"			AR1 TT8			273.
Jumper cable	120"				AR1 TJ10			244.
	12"	37"			AR1 TJ1			95.
	24"	49"			AR1 TJ2			123.
	36"	61"			AR1 TJ3			150.
	48"	73"			AR1 TJ4			164.
	60"	85"			AR1 TJ5			177.
	72"	97"			AR1 TJ6			190.
	96"	121"			AR1 TJ8			217.
	144" wall	169"			AR1 TJ12			272.

Order Code

Example:	AR1 TOM
AR1	Power component
T	3+3
OM	Outlet module

Application Notes

AutoStrada power components distribute six 20-amp circuits at desk height or wall base: three convenience circuits and three protected circuits, with separate grounds and heavy-duty #10 neutrals.

Service wall power may be distributed point-to-point between outlet modules at desk height or in the base raceway. Outlet modules and power rails accept two duplex outlets on each face and four connector/jumper cables.

Modular desk-height outlet module mounts between frame studs at any height from 21" - 48", above or below adjacent worksurfaces. Each 12"W frame bay can accept two outlet housings (up to four duplex outlets on each side.)

Central switch controls three outlets inside wall frame for task or ambient lights. Switch occupies right-hand outlet opening in outlets cover on one side of wall.

Central switch includes white rocker switch, connector to adjacent outlet module, and three simplex outlets on circuit B (2+2 or 3+3).

Outlet modules and power rails accept two duplex outlets on each face. Specify outlets with black face for convenience circuits. Specify orange face or black with orange triangle for protected circuits with separate ground and neutral in building power supply.

description	width	depth	height	pattern number	no finish	paint
High capacity cable holders (10)	1"	3/4"	2 1/2"	AR1 HCC H10	\$28.	






Cable clips for wall studs (100)	1/4"	1/2"	1 1/2"	AR1 PCC 100	68.	
----------------------------------	------	------	--------	--------------------	-----	--



Ceiling infeed panel for stabilizer end cabinet or T-end with 3 1/2" extension		5"	48"	APX CIP4 ()		398.
		5"	72"	APX CIP6 ()		464.
		5"	96"	APX CIP8 ()		531.



Order Code	Specification Information	Application Notes	
Example: AR1 PCC 100	Cable clips and cable managers are black plastic.	Specify cable clips, approximately 50 per wall frame to support and manage cables on the face of studs in the spine wall frame. Each clip manages up to 14 Category 5 or fiber optic cables; four clips attach between 21"-30", 30"-39", 39"-48"; six between 48"-64"H. Only two clips fit behind a cable tray cover at the 21"-30" height.	Raceway cable managers are U-shape cable supports that snap into the underside of the panel frame. Plan one per foot foot to contain data cables or power jumpers in the base raceway.
AR1 Raceway	Cable holders are light grey plastic.	Specify high capacity cable holders approximately 20 per wall frame to support and manage larger bundles of cables. Each holds up to 55 Cat 5 cables; two holders attach to studs at each 9" level; three holders at the 16" level of a 64"H wall. Only one holder fits behind a cable tray cover at the 21"-30" height (upside down).	Ceiling infeed panel attaches to end of spine adjacent to stabilizer end cabinet or Currents, Morrison, or Reff T-end panel with 3 1/2' extension, or to power monument. Center channel, 2" x 2 1/2", accommodates one or two power infeed cables. Each side channel is 1 1/2" x 3 1/2" lay-in cable raceway, for continuous lay-in cabling from ceiling to wall surface.
PCC Cable clip	<i>Please specify painted finish for ceiling infeed panel from paint finish options listed on page 7.</i>		Specify ceiling infeed separately.
100 Size/Quantity			


description	type	width	depth	height	pattern number	clear tempered	powder
Add up panels	frameless glass, 8"h 	24"	1/2"	8"	AUA1 0824 G () ()	\$227.	\$278.
		36"	1/2"	8"	AUA1 0836 G () ()	258.	371.
		48"	1/2"	8"	AUA1 0848 G () ()	335.	464.
		60"	1/2"	8"	AUA1 0860 G () ()	412.	597.
		72"	1/2"	8"	AUA1 0872 G () ()	464.	721.
	frameless glass, 12"h 	24"	1/2"	12"	AUA1 1224 G () ()	273.	300.
		36"	1/2"	12"	AUA1 1236 G () ()	382.	422.
		48"	1/2"	12"	AUA1 1248 G () ()	491.	542.
		60"	1/2"	12"	AUA1 1260 G () ()	600.	662.
		72"	1/2"	12"	AUA1 1272 G () ()	711.	782.
	frameless glass, 15"h 	24"	1/2"	15"	AUA1 1524 G () ()	278.	487.
		36"	1/2"	15"	AUA1 1536 G () ()	386.	541.
		48"	1/2"	15"	AUA1 1548 G () ()	494.	778.
		60"	1/2"	15"	AUA1 1560 G () ()	608.	876.
		72"	1/2"	15"	AUA1 1572 G () ()	716.	1,025.

Order Code	Specification Information	Application Notes
Example: AUA1 1248 G TEMP AA	<i>Add up type:</i>	Add-up panels add acoustical privacy and light control above any height spine wall. Anodized aluminum or painted base frame inserts in center of any spine crown and is secured by bolts within crown. Frameless glass add-ups can be positioned at any 3" increment in standard or compact crown with any cover type.
AUA1 Autostrada add up panel	G Glass	
12 Height	Glass add-ups are available with the following glass options:	
48 Width	TEMP Clear tempered	
G Type	GL13 Powder	
TEMP Glass Finish		Any height add up can be used on any height AutoStrada spine or Currents service wall or fence. 8"h Add ups are designed primarily for use on 39"h spine with 1"h crown to create a 48"h horizon. 12"h Add ups are designed for use on 48"h spine for a 61" horizon with 1"h crown or a 64" horizon with 4"h crown. 15"h Add ups are designed primarily for use on 48"h spine with 1"h crown for a 64" horizon.
AA Trim Finish		

Linkable screens and windows

Upholstered

AutoStrada

description	type	height	depth	width	pattern number	10	15	20	30	35	40	45	50	55
	30"H	30"	2 1/4"	18"	AP1L 3018 N ()()	\$221.	\$250.	\$266.	\$310.	\$324.	\$348.	\$348.	\$388.	\$432.
		30"	2 1/4"	24"	AP1L 3024 N ()()	255.	289.	307.	357.	373.	401.	444.	468.	493.
		30"	2 1/4"	30"	AP1L 3030 N ()()	280.	317.	335.	390.	408.	436.	485.	513.	540.
		30"	2 1/4"	36"	AP1L 3036 N ()()	319.	361.	380.	441.	460.	492.	547.	577.	608.
		30"	2 1/4"	42"	AP1L 3042 N ()()	366.	411.	435.	505.	526.	564.	625.	658.	691.
		30"	2 1/4"	48"	AP1L 3048 N ()()	403.	453.	477.	552.	576.	617.	683.	719.	758.
		30"	2 1/4"	60"	AP1L 3060 N ()()	476.	534.	563.	648.	723.	800.	n/a	n/a	n/a
		30"	2 1/4"	72"	AP1L 3072 N ()()	n/a	666.	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	39"H	39"	2 1/4"	18"	AP1L 3918 N ()()	267.	296.	311.	356.	371.	392.	434.	454.	477.
		39"	2 1/4"	24"	AP1L 3924 N ()()	302.	334.	352.	403.	418.	445.	489.	514.	540.
		39"	2 1/4"	30"	AP1L 3930 N ()()	325.	363.	380.	436.	454.	482.	530.	558.	585.
		39"	2 1/4"	36"	AP1L 3936 N ()()	365.	406.	426.	486.	507.	539.	593.	623.	653.
		39"	2 1/4"	42"	AP1L 3942 N ()()	411.	457.	481.	549.	572.	609.	672.	703.	737.
		39"	2 1/4"	48"	AP1L 3948 N ()()	448.	497.	522.	597.	622.	661.	729.	765.	802.
		39"	2 1/4"	60"	AP1L 3960 N ()()	521.	578.	608.	692.	722.	769.	847.	n/a	n/a
		39"	2 1/4"	72"	AP1L 3972 N ()()	n/a	699.	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	48"H	48"	2 1/4"	18"	AP1L 4818 N ()()	313.	348.	364.	416.	434.	461.	509.	534.	561.
		48"	2 1/4"	24"	AP1L 4824 N ()()	354.	392.	413.	473.	491.	523.	575.	603.	633.
		48"	2 1/4"	30"	AP1L 4830 N ()()	384.	427.	449.	513.	535.	569.	625.	655.	688.
		48"	2 1/4"	36"	AP1L 4836 N ()()	432.	479.	503.	574.	597.	637.	700.	735.	771.
		48"	2 1/4"	42"	AP1L 4842 N ()()	484.	538.	565.	646.	675.	716.	788.	826.	868.
		48"	2 1/4"	48"	AP1L 4848 N ()()	527.	585.	616.	702.	732.	778.	856.	899.	945.
		48"	2 1/4"	60"	AP1L 4860 N ()()	614.	682.	716.	819.	852.	906.	998.	n/a	n/a
		48"	2 1/4"	72"	AP1L 4872 N ()()	n/a	830.	n/a	n/a	n/a	n/a	n/a	n/a	n/a
	64"H	64"	2 1/4"	18"	AP1L 6418 A ()()	407.	452.	475.	541.	565.	599.	660.	692.	729.
		64"	2 1/4"	24"	AP1L 6424 A ()()	448.	497.	522.	597.	622.	661.	729.	765.	802.
		64"	2 1/4"	30"	AP1L 6430 A ()()	503.	559.	586.	673.	699.	742.	819.	857.	900.
		64"	2 1/4"	36"	AP1L 6436 A ()()	543.	605.	636.	727.	757.	803.	885.	929.	976.
		64"	2 1/4"	42"	AP1L 6442 A ()()	599.	666.	700.	800.	834.	887.	976.	1,026.	1,075.
		64"	2 1/4"	48"	AP1L 6448 A ()()	643.	714.	747.	855.	892.	948.	1,043.	1,096.	1,149.
		64"	2 1/4"	60"	AP1L 6460 A ()()	729.	808.	849.	970.	1,010.	1,073.	1,182.	n/a	n/a


Spine and linkable screens

Order Code	Specification Information	Application Notes	
Example: AP1L 3948N 15 812 AA			
AP1 AutoStrada	Linkable screens include top cap and 4"H x 2 ½"W extruded aluminum legs with levellers.	Linkable screens divide workstations perpendicular to spine where base raceway is not required. Linkable screens connect to the wall with screen starters and to each other with screen connectors. Specify starters and connectors separately.	39"H screens align with the underside of either compact or standard crown on 39"H spines. 39"H screens enable seated visual access.
L Linkable screen			
39 Height	Top cap is integral color trim grey or easy grey.		
48 Width	Legs are available in clear anodized aluminum or painted finish options list on page 7 excluding silver.	Linkable screens with connectors can end support or cantilever worksurfaces, upmount or downmount overhead storage, with brackets designed for Morrison panel mounting.	48"H screens align with the underside of either compact or standard crown on 48"H spines. 48"H screens provide some seated privacy.
N Core			
15 Fabric Grade			
812 Trim Color			
AA Leg Finish			

Linkable screens and windows

Glazed

AutoStrada

description	type	width	depth	height	pattern number	clear tempered	architectural
	39"H	18"	2 1/4"	39"	AP1L 3918G () ()	\$506.	\$621.
		24"	2 1/4"	39"	AP1L 3924G () ()	545.	699.
		30"	2 1/4"	39"	AP1L 3930G () ()	608.	802.
		36"	2 1/4"	39"	AP1L 3936G () ()	625.	862.
		42"	2 1/4"	39"	AP1L 3942G () ()	674.	950.
		48"	2 1/4"	39"	AP1L 3948G () ()	697.	1,015.
	48"H	18"	2 1/4"	48"	AP1L 4818G () ()	549.	694.
		24"	2 1/4"	48"	AP1L 4824G () ()	590.	788.
		30"	2 1/4"	48"	AP1L 4830G () ()	648.	898.
		36"	2 1/4"	48"	AP1L 4836G () ()	682.	982.
		42"	2 1/4"	48"	AP1L 4842G () ()	733.	1,086.
		48"	2 1/4"	48"	AP1L 4848G () ()	762.	1,166.
	64"H	18"	2 1/4"	64"	AP1L 6418G () ()	630.	831.
		24"	2 1/4"	64"	AP1L 6424G () ()	685.	958.
		30"	2 1/4"	64"	AP1L 6430G () ()	750.	1,091.
		36"	2 1/4"	64"	AP1L 6436G () ()	786.	1,202.
		42"	2 1/4"	64"	AP1L 6442G () ()	852.	1,339.
		48"	2 1/4"	64"	AP1L 6448G () ()	890.	1,446.


Order Code	Specification Information	Application Notes
Example: AP1L 3948G GL6 AA 812 AA	Glazed linkable screens include top cap and two 4"H x 2 1/2"W extruded aluminum legs with levellers. Top cap is integral color trim grey or easy grey. Window frame is anodized aluminum or painted extrusions.	Linkable screens divide workstations perpendicular to spine where base raceway is not required. Linkable screens connect to the wall with screen starters and to each other with screen connectors. Specify starters and connectors separately.
AP1 AutoStrada	Frame and legs are available in clear anodized aluminum or painted finish options listed on page 7 excluding silver.	Glazed linkable screens feature nearly flush glazing on one surface and a perimeter frame of anodized or painted aluminum. Glazed linkable screens with connectors can end support or cantilever worksurfaces with brackets designed for Morrison panel mounting.
L Linkable screen	Glass is tempered clear. Architectural glass is available in powder or block matrix finishes.	39"H screens align with the underside of either compact or standard crown on 39"H spines. 39"H screens enable seated visual access.
39 Height		48"H screens align with the underside of either compact or standard crown on 48"H spines. 48"H screens provide some seated privacy.
48 Width		64"H screens align with the underside of either compact or standard crown on 64"H spines.
G Glazed		
GL6 Glass Type		
AA Frame Finish		
812 Trim Color		
AA Leg Finish		

TEMP Clear Tempered
GL6 Block Matrix
GL13 Powder

Linkable screens and windows

Windows for linkable screens

AutoStrada

description	type	width	height	pattern number	clear tempered	architectural
	16"H	24"	16"	AP1W 1624G () ()	\$412.	\$428.
		30"	16"	AP1W 1630G () ()	454.	472.
		36"	16"	AP1W 1636G () ()	509.	528.
		42"	16"	AP1W 1642G () ()	548.	571.
		48"	16"	AP1W 1648G () ()	608.	631.
		60"	16"	AP1W 1660G () ()	672.	698.
		72"	16"	AP1W 1672G () ()	767.	797.
	18"H	24"	18"	AP1W 1824G () ()	427.	444.
		30"	18"	AP1W 1830G () ()	471.	489.
		36"	18"	AP1W 1836G () ()	527.	548.
		42"	18"	AP1W 1842G () ()	570.	592.
		48"	18"	AP1W 1848G () ()	628.	653.
		60"	18"	AP1W 1860G () ()	729.	758.
		72"	18"	AP1W 1872G () ()	893.	929.
	22"H	24"	22"	AP1W 2224G () ()	442.	459.
		30"	22"	AP1W 2230G () ()	486.	506.
		36"	22"	AP1W 2236G () ()	546.	569.
		42"	22"	AP1W 2242G () ()	589.	613.
		48"	22"	AP1W 2248G () ()	649.	676.
		60"	22"	AP1W 2260G () ()	752.	783.
		72"	22"	AP1W 2272G () ()	930.	967.
	25"H	24"	25"	AP1W 2524G () ()	457.	475.
		30"	25"	AP1W 2530G () ()	503.	522.
		36"	25"	AP1W 2536G () ()	565.	588.
		42"	25"	AP1W 2542G () ()	610.	633.
		48"	25"	AP1W 2548G () ()	671.	697.
		60"	25"	AP1W 2560G () ()	776.	806.
		72"	25"	AP1W 2572G () ()	967.	1,006.

Spine and linkable screens

Order Code	Specification Information	Application Notes	
Example: AP1W 1624G GL6 AA			
AP1 AutoStrada linkable screen	Window frame is anodized aluminum or painted extrusions.	Windows add on to linkable screens to build partially glazed screens. Linkable screens with windows connect to the wall with screen starters and to each other with screen connectors. Specify starters and connectors in the same height as the combination of screen and window.	Specify 16"H windows on 48"H linkable screens and connect with 64"H connectors.
W Window	Painted finish option listed on page 7 excluding silver.		Specify 18"H windows on 30"H linkable screens and connect with 48"H connectors.
16 Height	Glass is tempered clear.		Specify 25"H windows on 39"H linkable screens and connect with 64"H connectors.
24 Width	Architectural glass is available in powder or block matrix finishes.		
G Surface Type			
GL6 Glass Finish			
AA Frame Finish	TEMP Clear Tempered GL6 Block Matrix GL13 Powder	Windows feature nearly flush glazing on one surface and a perimeter frame of anodized or painted aluminum.	

Linkable screens and windows

Connectors and trim

AutoStrada

description	type	height	depth	width	pattern number	no finish	integral color	list
90° connector	4-way X	39"	2 1/4"	2 1/4"	AC1 39X4 ()	\$205.		
		48"	2 1/4"	2 1/4"	AC1 48X4 ()	228.		
		64"	2 1/4"	2 1/4"	AC1 64X4 ()	254.		
	2-way L	39"	2"		AC1 39L2 ()		137.	
		48"	2"		AC1 48L2 ()		145.	
		64"	2"		AC1 64L2 ()		156.	
	3-way T	39"	2"		AC1 39T3 ()		174.	
		48"	2"		AC1 48T3 ()		184.	
		64"	2"		AC1 64T3 ()		198.	
120° connector	2-way V	39"			AC1 39V2 ()			153.
		48"			AC1 48V2 ()			159.
		64"			AC1 64V2 ()			173.
	3-way Y	39"			AC1 39Y3 ()			187.

Order Code	Specification Information	Application Notes
Example: AC1 39L2 812		
AC1 Linkable screen connector	All top and vertical trim is easy grey (812) or trim grey (813) integral color surface.	Connectors join linkable screens in straight, 90° or 120° post configurations.
39 Height	Connector post is painted black extrusion.	Linkable screen connectors include connector tracks, universal posts and top and vertical trim (where required).
L2 90° 2-way L	Carpet grips are black integral color surface.	Connector tracks have cantilever slots for worksurface and storage support.
812 Finish	Linkable screen feet are anodized aluminum or painted finish option listed on page 7 excluding silver.	L, T and X connectors include a universal post and 2, 3 or 4 connector tracks and top cap.

End trim may be specified instead of an end connector if cantilever capability is not required.



Carpet grips snap into linkable screen glides to prevent components from sliding. Glide rotates in carpet grip to permit levelling.

Non-skid grips snap into glides to prevent sliding on hard surface floors.

Linkable screens and windows

Connectors and trim

AutoStrada


description	type	height	depth	width	pattern number	no finish	integral color	list
120° connector	3-way Y 	48"			AC1 48Y3 ()			\$194.
		64"			AC1 64Y3 ()			208.
Connector track 	No trim	39"	—	—	MC1-39S1	41.		
		48"	—	—	MC1-48S1	46.		
		64"	—	—	MC1-64S1	50.		
End connector 	with connector track	30"			ACA1 30E1 ()		58.	
		39"			ACA1 39E1 ()		61.	
		48"			ACA1 48E1 ()		72.	
		64"			ACA1 64E1 ()		84.	
linkable screen end trim (no connector) 		30"			AA1 30E ()			36.
		39"			AA1 39E ()			38.
		48"			AA1 48E ()			39.
		64"			AA1 64E ()			40.
top trim, linkable screen (replacement) 		6"			AA1 T06 ()			8.
		18"			AA1 T18 ()			11.
		24"			AA1 T24 ()			13.
		30"			AA1 T30 ()			19.
		36"			AA1 T36 ()			21.
		42"			AA1 T42 ()			22.
		48"			AA1 T48 ()			24.
		60"			AA1 T60 ()			27.

Order Code	Specification Information	Application Notes
Example: AC1 39L2 812		
AC1 Linkable screen connector	All top and vertical trim is easy grey (812) or trim grey (813) integral color surface.	Connectors join linkable screens in straight, 90° or 120° post configurations.
39 Height	Connector post is painted black extrusion.	Linkable screen connectors include connector tracks, universal posts and top and vertical trim (where required).
L2 90° 2-way L	Carpet grips are black integral color surface.	Connector tracks have cantilever slots for worksurface and storage support.
812 Finish	Linkable screen feet are anodized aluminum or painted finish option listed on page 7 excluding silver.	L, T and X connectors include a universal post and 2, 3 or 4 connector tracks and top cap.
		End trim may be specified instead of an end connector if cantilever capability is not required.
		Carpet grips snap into linkable screen glides to prevent components from sliding. Glide rotates in carpet grip to permit levelling.
		Non-skid grips snap into glides to prevent sliding on hard surface floors.

Linkable screens and windows

Connectors and trim

AutoStrada

description	type	height	depth	width	pattern number	no finish	integral color	list
top trim, linkable screen (replacement)				72"	AA1 T72 ()			\$29.
								
linkable screen feet, pair	replacement part				APA1 LF ()			61.
								
Raceway cover for Currents end connector or end trim on Morrison panel					AA1RE()			26.
Non-skid pads (set of 10)					AA1NSK			31.
Carpet grips (set of 10)					MM2-CG			18.

Order Code	Specification Information	Application Notes
Example: AC1 39L2 812		
AC1 Linkable screen connector	All top and vertical trim is easy grey (812) or trim grey (813) integral color surface.	Connectors join linkable screens in straight, 90° or 120° post configurations.
39 Height	Connector post is painted black extrusion.	Linkable screen connectors include connector tracks, universal posts and top and vertical trim (where required).
L2 90° 2-way L	Carpet grips are black integral color surface.	Connector tracks have cantilever slots for worksurface and storage support.
812 Finish	Linkable screen feet are anodized aluminum or painted finish option listed on page 7 excluding silver.	L, T and X connectors include a universal post and 2, 3 or 4 connector tracks and top cap.

description	application	h	w	d	pattern no.	L	V1	V2	V3
Gallery screens	39" high	39"	20"	1"	AG1B3920 () ()	\$288.	\$361.	\$464.	\$783.
	39" high	39"	24"	1"	AG1B3924 () ()	324.	393.	517.	906.
	39" high	39"	30"	1"	AG1B3930 () ()	361.	426.	571.	1,045.
	39" high	39"	36"	1"	AG1B3936 () ()	397.	459.	624.	1,185.
	39" high	39"	42"	1"	AG1B3942 () ()	433.	492.	678.	1,324.
	39" high	39"	48"	1"	AG1B3948 () ()	469.	525.	731.	1,463.
	39" high	39"	54"	1"	AG1B3954 () ()	505.	558.	785.	1,602.
	39" high	39"	60"	1"	AG1B3960 () ()	541.	591.	838.	1,741.
	39" high	39"	66"	1"	AG1B3966 () ()	577.	624.	892.	1,880.
	39" high	39"	72"	1"	AG1B3972 () ()	613.	657.	946.	2,019.
	39" high	39"	78"	1"	AG1B3978 () ()	649.	690.	999.	2,158.
	39" high	39"	84"	1"	AG1B3984 () ()	685.	723.	1,053.	2,297.
	39" high	39"	90"	1"	AG1B3990 () ()	721.	756.	1,106.	2,436.
	39" high	39"	96"	1"	AG1B3996 () ()	757.	789.	1,160.	2,575.
	49" high	49"	20"	1"	AG1B4920 () ()	376.	438.	572.	963.
	49" high	49"	24"	1"	AG1B4924 () ()	412.	471.	633.	1,087.
	49" high	49"	30"	1"	AG1B4930 () ()	448.	504.	695.	1,257.
	49" high	49"	36"	1"	AG1B4936 () ()	484.	537.	757.	1,427.
	49" high	49"	42"	1"	AG1B4942 () ()	520.	570.	819.	1,597.
	49" high	49"	48"	1"	AG1B4948 () ()	556.	603.	881.	1,766.
	49" high	49"	54"	1"	AG1B4954 () ()	592.	636.	942.	1,936.
	49" high	49"	60"	1"	AG1B4960 () ()	628.	668.	1,004.	2,106.
	49" high	49"	66"	1"	AG1B4966 () ()	664.	701.	1,066.	2,276.
	49" high	49"	72"	1"	AG1B4972 () ()	700.	734.	1,128.	2,446.
	49" high	49"	78"	1"	AG1B4978 () ()	736.	767.	1,190.	2,616.
	49" high	49"	84"	1"	AG1B4984 () ()	773.	800.	1,251.	2,786.
	49" high	49"	90"	1"	AG1B4990 () ()	809.	833.	1,313.	2,956.
	49" high	49"	96"	1"	AG1B4996 () ()	845.	866.	1,375.	3,126.


Order Code	Specification Information	Application Notes	
Example: AG1 B 4948L N 115	For Gallery screens specify:	Gallery screens attach to AutoStrada or Currents spine and adjacent worksurfaces to define workspaces. Gallery screens are 1" thick, solid wood core, self-edged in laminate, Techwood or natural veneer. 39"H screens correspond in height to 39"H spine (underside of any crown). 49"H screens correspond in height to 49"H Anchor cabinet and to 48"H spine with compact or flat crown.	Other end of 39"H screen is always "N", no attachment. Other end of 49"H screen can have provisions for attachment to 49"H Anchor cabinet or no attachment.
AG1	Gallery screen		
B	Back screen		
49	Height		
48	Width		
L	End starter		
N	No attachment		
115	Finish		
	1.Planning application, L=Screen at left end of spine (from inside face of screen) R=Screen at right end of spine S=Intermediate screen attached to face of spine		
	2.Then specify other end application: A=Attach to anchor cabinet (49"H screen only) N=No attachment		
	3.Then specify finish, all standard laminates for vertical applications, all standard Techwoods and natural veneers.		
	Gallery screens include black leveling glides with 1" range. Starting point for screens is 1/2" above floor.	Gallery screens are specified by application: inserts for end starter (attach to left or right end of spine) or through holes for screen starter (intermediate screen attachment to face of spine) on one end. Inserts enable either 39"H or 48"H end starter to attach to inside face of 49"H screens.	Gallery screens must be stabilized by screen-to-worksurface bracket or attachment to Anchor cabinet.

Tiled/Monolithic - mono side only with base raceway

Tiled one side - Laminate/Monolithic side - fabric

AutoStrada

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled laminate one side, fabric monolithic other side (tiled side without base raceway)	34"	18"	R3R1AFL3418 () () () () () ()	\$597.	\$608.	\$638.	\$674.	\$700.	\$746.	\$768.
		24"	R3R1AFL3424 () () () () () ()	638.	649.	679.	715.	742.	787.	811.
		30"	R3R1AFL3430 () () () () () ()	684.	696.	726.	761.	788.	833.	857.
		36"	R3R1AFL3436 () () () () () ()	728.	738.	768.	804.	830.	876.	899.
		42"	R3R1AFL3442 () () () () () ()	836.	848.	877.	913.	940.	984.	1,008.
		48"	R3R1AFL3448 () () () () () ()	865.	877.	907.	943.	969.	1,014.	1,037.
	42"	18"	R3R1AFL4218 () () () () () ()	662.	681.	719.	768.	800.	854.	888.
		24"	R3R1AFL4224 () () () () () ()	709.	728.	766.	815.	847.	900.	935.
		30"	R3R1AFL4230 () () () () () ()	760.	779.	817.	866.	898.	952.	986.
		36"	R3R1AFL4236 () () () () () ()	809.	828.	866.	915.	947.	1,001.	1,035.
		42"	R3R1AFL4242 () () () () () ()	909.	928.	966.	1,015.	1,047.	1,101.	1,135.
		48"	R3R1AFL4248 () () () () () ()	961.	980.	1,017.	1,066.	1,099.	1,152.	1,187.
	49"	18"	R3R1AFL4918 () () () () () ()	737.	755.	800.	853.	893.	961.	994.
		24"	R3R1AFL4924 () () () () () ()	788.	805.	850.	904.	944.	1,010.	1,046.
		30"	R3R1AFL4930 () () () () () ()	849.	866.	911.	965.	1,004.	1,072.	1,106.
		36"	R3R1AFL4936 () () () () () ()	899.	917.	963.	1,016.	1,056.	1,121.	1,157.
		42"	R3R1AFL4942 () () () () () ()	1,013.	1,031.	1,076.	1,130.	1,169.	1,236.	1,272.
		48"	R3R1AFL4948 () () () () () ()	1,069.	1,086.	1,132.	1,186.	1,225.	1,293.	1,328.
	64"	18"	R3R1AFL6418 () () () () () ()	843.	868.	928.	999.	1,054.	1,141.	1,188.
		24"	R3R1AFL6424 () () () () () ()	900.	926.	984.	1,056.	1,109.	1,197.	1,246.
		30"	R3R1AFL6430 () () () () () ()	970.	994.	1,055.	1,126.	1,177.	1,268.	1,315.
		36"	R3R1AFL6436 () () () () () ()	1,029.	1,055.	1,113.	1,185.	1,238.	1,327.	1,374.
		42"	R3R1AFL6442 () () () () () ()	1,173.	1,196.	1,257.	1,327.	1,380.	1,469.	1,517.
		48"	R3R1AFL6448 () () () () () ()	1,232.	1,257.	1,315.	1,387.	1,441.	1,529.	1,576.




both sides 64x48 shown, 49" h with three tiles; 34" h with two tiles; 42" h 3 tiles/ top tile 7" h

Order Code	Specification Information	Application Notes
Example: R3R1AFL3418EAA4K613W359-118N	<i>To order please specify pattern number including:</i>	Monolithic side with base raceway only. Tiled side inserts extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	
R1 Base raceway monolithic side only	2. Width	
A Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	Tiled side includes aluminum panel reveals between laminate inserts. Aluminum vertical hookstrip cover ordered separately.
F Fabric, monolithic side	4. Finish, Aluminum trim (top trim and tile dividers/reveals) <i>Anodized aluminum or painted finish options listed on page 9 excluding silver.</i>	Panels are not for use with medians, storage medians or bridges.
L Laminate, tiled side	5. Base raceway height <i>4 = 4" h, default</i>	
34 34" high	6. Knock-out option <i>K = with knock-outs</i> <i>N = no knock-outs</i>	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
18 18" wide	7. Base raceway finish <i>painted or plated finish options only</i>	Panels on this page will accept standard Reff System stacking window modules.
E Extruded Aluminum top trim	8. Fabric selection	
AA Top Trim anodized aluminum finish	9. Finish, Laminate	
4 4" high base raceway	10. Milled for ported componenets <i>M = milled for (\$13 list upcharge applicable)</i> <i>N = not milled for</i>	
K Knock-outs in base raceway		
613 Finish, base raceway		
W359- Finish, fabric		
118 Finish, Bright White		
N Not milled for ported components	See page 7 for finish options applicable.	

Tiled/Monolithic - mono side only with base raceway
Tiled one side - V1 Techwood/Monolithic - fabric

AutoStrada

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled V1 techwood one side, fabric monolithic other side (tiled side without base raceway)	34"	18"	R3R1AF13418 () () () () () ()	\$608.	\$620.	\$649.	\$685.	\$712.	\$756.	\$781.
		24"	R3R1AF13424 () () () () () ()	653.	664.	695.	730.	756.	802.	825.
		30"	R3R1AF13430 () () () () () ()	699.	711.	740.	776.	803.	848.	871.
		36"	R3R1AF13436 () () () () () ()	740.	753.	782.	818.	843.	889.	913.
		42"	R3R1AF13442 () () () () () ()	856.	866.	896.	932.	958.	1,004.	1,027.
		48"	R3R1AF13448 () () () () () ()	883.	895.	926.	961.	988.	1,032.	1,056.
	42"	18"	R3R1AF14218 () () () () () ()	674.	693.	731.	780.	812.	866.	900.
		24"	R3R1AF14224 () () () () () ()	723.	742.	780.	829.	861.	915.	949.
		30"	R3R1AF14230 () () () () () ()	777.	796.	834.	883.	915.	968.	1,003.
		36"	R3R1AF14236 () () () () () ()	825.	844.	881.	930.	963.	1,016.	1,051.
		42"	R3R1AF14242 () () () () () ()	930.	949.	987.	1,036.	1,069.	1,122.	1,157.
		48"	R3R1AF14248 () () () () () ()	976.	995.	1,033.	1,082.	1,114.	1,168.	1,202.
	49"	18"	R3R1AF14918 () () () () () ()	750.	768.	813.	866.	907.	973.	1,009.
		24"	R3R1AF14924 () () () () () ()	803.	821.	864.	918.	957.	1,026.	1,061.
		30"	R3R1AF14930 () () () () () ()	863.	881.	927.	980.	1,020.	1,085.	1,121.
		36"	R3R1AF14936 () () () () () ()	917.	934.	980.	1,032.	1,073.	1,139.	1,175.
		42"	R3R1AF14942 () () () () () ()	1,036.	1,055.	1,098.	1,151.	1,192.	1,259.	1,295.
		48"	R3R1AF14948 () () () () () ()	1,093.	1,110.	1,155.	1,208.	1,248.	1,315.	1,351.
	64"	18"	R3R1AF16418 () () () () () ()	862.	886.	945.	1,017.	1,071.	1,159.	1,207.
		24"	R3R1AF16424 () () () () () ()	920.	944.	1,003.	1,074.	1,129.	1,219.	1,265.
		30"	R3R1AF16430 () () () () () ()	990.	1,014.	1,073.	1,145.	1,197.	1,287.	1,335.
		36"	R3R1AF16436 () () () () () ()	1,048.	1,073.	1,132.	1,204.	1,258.	1,347.	1,395.
		42"	R3R1AF16442 () () () () () ()	1,195.	1,220.	1,278.	1,350.	1,404.	1,492.	1,539.
		48"	R3R1AF16448 () () () () () ()	1,258.	1,281.	1,340.	1,411.	1,465.	1,555.	1,603.



both sides 64x48 shown, 49\"h with three
 tiles; 34\"h with two tiles; 42\"h 3 tiles/ top
 tile 7\"h

Panels


Order Code	Specification Information	Application Notes
Example: R3R1AF13418EAA4K 613W359-Y319N	<i>To order please specify pattern number including:</i>	Monolithic side with base raceway only. Tiled side inserts extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	
R1 Base raceway monolithic side only	2. Width	
A Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim	Tiled side includes aluminum panel reveals between V1 inserts. Aluminum vertical hookstrip cover ordered separately.
F Fabric, monolithic side	<i>E - default</i>	
1 V1 Techwood, tiled side	4. Finish, Aluminum trim (top trim and tile dividers/reveals)	
34 34\" high	<i>Anodized aluminum or painted finish options listed on page 9 excluding silver.</i>	Panels are not for use with medians, storage medians or bridges.
18 18\" wide	5. Base raceway height	
E Extruded Aluminum top trim	<i>4 = 4\"h, default</i>	
AA Top Trim anodized aluminum finish	6. Knock-out option	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
4 4\" high base raceway	<i>K = with knock-outs</i>	
K Knock-outs in base raceway	<i>N = no knock-outs</i>	
613 Finish, base raceway	7. Base raceway finish	Panels on this page will accept standard Reff System stacking window modules.
W359- Finish, fabric	<i>painted or plated finish options only</i>	
Y319 Finish, Cherry	8. Fabric selection	
N Not milled for ported components	9. Finish, V1 Techwood	
	10. Milled for ported components	
	<i>M = milled for (\$13 list upcharge applicable)</i>	
	<i>N = not milled for</i>	
	See page 7 for finish options applicable.	

Tiled/Monolithic - mono side only with base raceway

Tiled one side - V2 Natural/Monolithic - fabric

AutoStrada

description	h	w	pattern no.	Grade 10	15	20	30	35	40	45
Tiled V2 natural one side, fabric monolithic other side (tiled side without base raceway)	34"	18"	R3R1AF23418 (X)(X)(X)(X)(X)	\$621.	\$635.	\$663.	\$699.	\$726.	\$769.	\$793.
		24"	R3R1AF23424 (X)(X)(X)(X)(X)	665.	678.	709.	744.	769.	815.	839.
		30"	R3R1AF23430 (X)(X)(X)(X)(X)	712.	724.	754.	790.	816.	861.	884.
		36"	R3R1AF23436 (X)(X)(X)(X)(X)	755.	767.	798.	833.	859.	904.	928.
		42"	R3R1AF23442 (X)(X)(X)(X)(X)	870.	881.	912.	946.	973.	1,019.	1,043.
		48"	R3R1AF23448 (X)(X)(X)(X)(X)	901.	913.	943.	978.	1,005.	1,049.	1,073.
	42"	18"	R3R1AF24218 (X)(X)(X)(X)(X)	688.	707.	744.	793.	826.	879.	914.
		24"	R3R1AF24224 (X)(X)(X)(X)(X)	738.	757.	795.	844.	876.	929.	964.
		30"	R3R1AF24230 (X)(X)(X)(X)(X)	791.	810.	848.	897.	929.	983.	1,017.
		36"	R3R1AF24236 (X)(X)(X)(X)(X)	844.	863.	900.	949.	982.	1,035.	1,070.
		42"	R3R1AF24242 (X)(X)(X)(X)(X)	947.	966.	1,004.	1,053.	1,085.	1,139.	1,173.
		48"	R3R1AF24248 (X)(X)(X)(X)(X)	997.	1,016.	1,054.	1,103.	1,135.	1,189.	1,223.
	49"	18"	R3R1AF24918 (X)(X)(X)(X)(X)	767.	785.	829.	882.	922.	990.	1,026.
		24"	R3R1AF24924 (X)(X)(X)(X)(X)	818.	837.	881.	934.	975.	1,041.	1,078.
		30"	R3R1AF24930 (X)(X)(X)(X)(X)	883.	901.	946.	1,001.	1,040.	1,106.	1,142.
		36"	R3R1AF24936 (X)(X)(X)(X)(X)	936.	954.	999.	1,054.	1,093.	1,159.	1,195.
		42"	R3R1AF24942 (X)(X)(X)(X)(X)	1,055.	1,072.	1,116.	1,169.	1,210.	1,277.	1,313.
		48"	R3R1AF24948 (X)(X)(X)(X)(X)	1,113.	1,131.	1,175.	1,230.	1,269.	1,336.	1,372.
	64"	18"	R3R1AF26418 (X)(X)(X)(X)(X)	880.	904.	964.	1,035.	1,090.	1,176.	1,224.
		24"	R3R1AF26424 (X)(X)(X)(X)(X)	938.	963.	1,021.	1,093.	1,147.	1,234.	1,283.
		30"	R3R1AF26430 (X)(X)(X)(X)(X)	1,008.	1,032.	1,092.	1,163.	1,214.	1,304.	1,352.
		36"	R3R1AF26436 (X)(X)(X)(X)(X)	1,072.	1,095.	1,155.	1,225.	1,279.	1,370.	1,416.
		42"	R3R1AF26442 (X)(X)(X)(X)(X)	1,221.	1,244.	1,303.	1,374.	1,428.	1,517.	1,566.
		48"	R3R1AF26448 (X)(X)(X)(X)(X)	1,281.	1,304.	1,364.	1,435.	1,489.	1,578.	1,627.



both sides 64x48 shown, 49" h with three tiles; 34" h with two tiles; 42" h 3 tiles/ top tile 7" h

Order Code	Specification Information	Application Notes
Example: R3R1AF23418EAA4K613W359-V316N	To order please specify pattern number including:	Monolithic side with base raceway only. Tiled side inserts extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	
R1 Base raceway monolithic side only	2. Width	
A Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	Tiled side includes aluminum panel reveals between V2 inserts. Aluminum vertical hookstrip cover ordered separately.
F Fabric, monolithic side	4. Finish, Aluminum trim (top trim and tile dividers/reveals) <i>Anodized aluminum or painted finish options listed on page 9 excluding silver.</i>	
2 V2 Natural, tiled side	5. Base raceway height <i>4 = 4" h, default</i>	Panels are not for use with medians, storage medians or bridges.
34 34" high	6. Knock-out option <i>K = with knock-outs</i> <i>N = no knock-outs</i>	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
18 18" wide	7. Base raceway finish <i>painted or plated finish options only</i>	Panels on this page will accept standard Reff System stacking window modules.
E Extruded Aluminum top trim	8. Fabric selection	
AA Top Trim anodized aluminum finish	9. Finish, V2 Natural	
4 4" high base raceway	10. Milled for ported components <i>M = milled for (\$13 list upcharge applicable)</i> <i>N = not milled for</i>	
K Knock-outs in base raceway		
613 Finish, base raceway		
W359- Finish, fabric		
V316 Finish, Maple		
N Not milled for ported components	See page 7 for finish options applicable.	

Tiled/Monolithic - mono side only with base raceway
Tiled one side - V3 Exotic/Monolithic - fabric

AutoStrada

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled V3 exotic one side, fabric monolithic other side (tiled side without base raceway)	34"	18"	R3R1AF33418 () () () () () ()	\$826.	\$841.	\$880.	\$928.	\$963.	\$1,020.	\$1,049.
		24"	R3R1AF33424 () () () () () ()	883.	899.	939.	985.	1,020.	1,078.	1,108.
		30"	R3R1AF33430 () () () () () ()	944.	958.	998.	1,045.	1,080.	1,137.	1,168.
		36"	R3R1AF33436 () () () () () ()	1,001.	1,016.	1,055.	1,099.	1,134.	1,194.	1,224.
		42"	R3R1AF33442 () () () () () ()	1,149.	1,164.	1,202.	1,248.	1,284.	1,341.	1,373.
		48"	R3R1AF33448 () () () () () ()	1,189.	1,206.	1,244.	1,289.	1,324.	1,383.	1,413.
	42"	18"	R3R1AF34218 () () () () () ()	939.	958.	996.	1,045.	1,078.	1,131.	1,166.
		24"	R3R1AF34224 () () () () () ()	1,006.	1,025.	1,063.	1,112.	1,144.	1,198.	1,232.
		30"	R3R1AF34230 () () () () () ()	1,079.	1,098.	1,135.	1,184.	1,217.	1,270.	1,305.
		36"	R3R1AF34236 () () () () () ()	1,150.	1,169.	1,207.	1,256.	1,288.	1,342.	1,376.
		42"	R3R1AF34242 () () () () () ()	1,289.	1,308.	1,346.	1,395.	1,427.	1,481.	1,515.
		48"	R3R1AF34248 () () () () () ()	1,357.	1,376.	1,414.	1,463.	1,495.	1,549.	1,583.
	49"	18"	R3R1AF34918 () () () () () ()	1,023.	1,046.	1,104.	1,173.	1,225.	1,313.	1,359.
		24"	R3R1AF34924 () () () () () ()	1,091.	1,113.	1,172.	1,241.	1,294.	1,380.	1,427.
		30"	R3R1AF34930 () () () () () ()	1,175.	1,199.	1,257.	1,325.	1,377.	1,465.	1,512.
		36"	R3R1AF34936 () () () () () ()	1,244.	1,266.	1,324.	1,393.	1,446.	1,533.	1,579.
		42"	R3R1AF34942 () () () () () ()	1,396.	1,419.	1,477.	1,545.	1,597.	1,685.	1,732.
		48"	R3R1AF34948 () () () () () ()	1,474.	1,497.	1,553.	1,625.	1,676.	1,761.	1,808.
	64"	18"	R3R1AF36418 () () () () () ()	1,177.	1,209.	1,287.	1,378.	1,448.	1,566.	1,627.
		24"	R3R1AF36424 () () () () () ()	1,255.	1,284.	1,362.	1,455.	1,524.	1,641.	1,702.
		30"	R3R1AF36430 () () () () () ()	1,346.	1,375.	1,452.	1,545.	1,615.	1,732.	1,793.
		36"	R3R1AF36436 () () () () () ()	1,428.	1,459.	1,536.	1,629.	1,698.	1,813.	1,876.
		42"	R3R1AF36442 () () () () () ()	1,621.	1,652.	1,730.	1,823.	1,892.	2,007.	2,070.
		48"	R3R1AF36448 () () () () () ()	1,701.	1,732.	1,808.	1,900.	1,971.	2,086.	2,148.

Order Code	Specification Information	Application Notes
Example: R3R1AF33418EAA4K613W359-V515N	<i>To order please specify pattern number including:</i>	Monolithic side with base raceway only. Tiled side inserts extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3	AutoStrada w/generation 3 frame	
R1	Base raceway monolithic side only	Tiled side includes aluminum panel reveals between V3 inserts. Aluminum vertical hookstrip cover ordered separately.
A	Tiled one side, Monolithic other	
F	Fabric, monolithic side	Panels are not for use with medians, storage medians or bridges.
3	V3 Exotic, tiled side	
34	34" high	
18	18" wide	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
E	Extruded Aluminum top trim	
AA	Top Trim anodized aluminum finish	Panels on this page will accept standard Reff System stacking window modules.
4	4" high base raceway	
K	Knock-outs in base raceway	
613	Finish, base raceway	
W359-	Finish, fabric	
V515	Finish, Quartered Clear Figured Sycamore	
N	Not milled for ported components	


See page 7 for finish options applicable.

Panels

Mono/Mono - exterior hard side no raceway

Laminate outside / Fabric inside

AutoStrada

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Monolithic laminate exterior no raceway, interior fabric with raceway 	42"	18"	R3R1PFL4218 () () () () () ()	\$441.	\$450.	\$470.	\$509.	\$540.	\$575.	\$600.
		24"	R3R1PFL4224 () () () () () ()	448.	456.	476.	515.	546.	581.	606.
		30"	R3R1PFL4230 () () () () () ()	537.	545.	565.	605.	636.	671.	697.
		36"	R3R1PFL4236 () () () () () ()	581.	589.	609.	649.	681.	716.	741.
		42"	R3R1PFL4242 () () () () () ()	652.	661.	681.	722.	753.	789.	814.
		48"	R3R1PFL4248 () () () () () ()	710.	718.	739.	779.	811.	847.	873.
	49"	18"	R3R1PFL4918 () () () () () ()	488.	502.	524.	573.	605.	647.	675.
		24"	R3R1PFL4924 () () () () () ()	535.	548.	570.	619.	652.	694.	722.
		30"	R3R1PFL4930 () () () () () ()	605.	619.	641.	691.	723.	766.	794.
		36"	R3R1PFL4936 () () () () () ()	653.	667.	690.	739.	772.	815.	842.
		42"	R3R1PFL4942 () () () () () ()	721.	734.	757.	807.	840.	883.	911.
		48"	R3R1PFL4948 () () () () () ()	812.	825.	849.	899.	932.	976.	1,004.

both sides 49x48 shown


Order Code	Specification Information	Application Notes
Example: R3R1PFL4218EAA4K613W359-118N	<i>To order please specify pattern number including:</i>	Interior fabric side with base raceway, exterior monolithic laminate finish insert extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	
R1 Base raceway monolithic side only	2. Width	
P Monolithic	3. Extruded Aluminum Top Trim <i>E - default</i>	Aluminum vertical hookstrip cover ordered separately.
F Fabric, interior side	4. Finish, Aluminum top trim <i>Anodized aluminum or painted finish options listed on page 9 excluding silver.</i>	
L Laminate, exterior side	5. Base raceway height <i>4 = 4"h, default</i>	Panels are not for use with medians, storage medians or bridges.
42 42" high	6. Knock-out option <i>K = with knock-outs</i>	Black PVC hookstrip reveals should be ordered for fabric side from Reff price list.
18 18" wide	<i>N = no knock-outs</i>	
E Extruded Aluminum top trim	7. Base raceway finish <i>painted or plated finish options only</i>	Panels on this page will accept standard Reff System stacking window modules.
AA Top Trim anodized aluminum finish	8. Fabric selection	
4 4" high base raceway	9. Finish, Laminate	
K Knock-outs in base raceway	10. Milled for ported components <i>M = milled for (\$13 list upcharge applicable)</i>	
613 Finish, base raceway	<i>N = not milled for</i>	
W359- Finish, fabric		
118 Finish, Bright White	See page 7 for finish options applicable.	
N Not milled for ported components		

Mono/Mono - exterior hard side no raceway

V1 Techwood outside / Fabric inside

AutoStrada

description	h	w	pattern no.	Grade 10	15	20	30	35	40	45
Monolithic V1 techwood exterior no raceway, interior fabric with raceway	42"	18"	R3R1PF14218 (X)(X)(X)(X)(X)	\$492.	\$502.	\$524.	\$566.	\$601.	\$639.	\$666.
		24"	R3R1PF14224 (X)(X)(X)(X)(X)	497.	507.	529.	572.	606.	644.	671.
		30"	R3R1PF14230 (X)(X)(X)(X)(X)	599.	608.	631.	674.	709.	747.	774.
		36"	R3R1PF14236 (X)(X)(X)(X)(X)	648.	657.	680.	723.	758.	797.	825.
		42"	R3R1PF14242 (X)(X)(X)(X)(X)	729.	738.	762.	805.	840.	879.	907.
		48"	R3R1PF14248 (X)(X)(X)(X)(X)	793.	802.	825.	869.	905.	943.	972.
	49"	18"	R3R1PF14918 (X)(X)(X)(X)(X)	546.	560.	585.	638.	673.	719.	749.
		24"	R3R1PF14924 (X)(X)(X)(X)(X)	597.	611.	636.	689.	725.	771.	802.
		30"	R3R1PF14930 (X)(X)(X)(X)(X)	680.	694.	719.	773.	809.	855.	886.
		36"	R3R1PF14936 (X)(X)(X)(X)(X)	728.	743.	768.	822.	858.	904.	935.
		42"	R3R1PF14942 (X)(X)(X)(X)(X)	806.	821.	846.	900.	937.	983.	1,014.
		48"	R3R1PF14948 (X)(X)(X)(X)(X)	907.	921.	947.	1,002.	1,038.	1,085.	1,116.




both sides 49x48 shown


Panels

Order Code	Specification Information	Application Notes
Example: R3R1PF14218EAA4K 613W359-Y319N	To order please specify pattern number including:	Interior fabric side with base raceway, exterior monolithic V1 insert extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	
R1 Base raceway monolithic side only	2. Width	
P Monolithic, both sides	3. Extruded Aluminum Top Trim	Aluminum vertical hookstrip cover ordered separately.
F Fabric, inside	<i>E - default</i>	
1 V1 Techwood, outside	4. Finish, Aluminum top trim	Panels are not for use with medians, storage medians or bridges.
42 42" high	<i>Anodized aluminum or painted finish options listed on page 9 excluding silver.</i>	
18 18" wide	5. Base raceway height	Black PVC hookstrip reveals should be ordered for fabric side from Reff price list.
E Extruded Aluminum top trim	<i>4 = 4"h, default</i>	
AA Top Trim anodized aluminum finish	6. Knock-out option	Panels on this page will accept standard Reff System stacking window modules.
4 4" high base raceway	<i>K = with knock-outs</i>	
K Knock-outs in base raceway	<i>N = no knock-outs</i>	
613 Finish, base raceway	7. Base raceway finish	
W359- Finish, fabric	<i>painted or plated finish options only</i>	
Y319 Finish, Cherry	8. Fabric selection	
N Not milled for ported components	9. Finish, V1 Techwood	
	10. Milled for ported components	
	<i>M = milled for (\$13 list upcharge applicable)</i>	
	<i>N = not milled for</i>	
	See page 7 for finish options applicable.	

Mono/Mono - exterior hard side no raceway
V2 Natural veneer outside / Fabric inside

AutoStrada

description	h	w	pattern no.	Grade	10	15	20	30	35	40	45
Monolithic V2 natural veneer exterior no raceway, interior fabric with raceway	42"	18"	R3R1PF24218 () () () () () ()	\$501.	\$511.	\$533.	\$575.	\$610.	\$648.	\$675.	
		24"	R3R1PF24224 () () () () () ()	508.	518.	540.	583.	617.	655.	682.	
		30"	R3R1PF24230 () () () () () ()	611.	620.	643.	686.	721.	759.	787.	
		36"	R3R1PF24236 () () () () () ()	660.	670.	693.	736.	771.	809.	837.	
		42"	R3R1PF24242 () () () () () ()	744.	753.	776.	820.	855.	893.	921.	
		48"	R3R1PF24248 () () () () () ()	810.	820.	843.	887.	922.	961.	989.	
	49"	18"	R3R1PF24918 () () () () () ()	556.	570.	595.	648.	684.	729.	760.	
		24"	R3R1PF24924 () () () () () ()	608.	622.	647.	701.	737.	782.	813.	
		30"	R3R1PF24930 () () () () () ()	690.	705.	730.	783.	820.	865.	896.	
		36"	R3R1PF24936 () () () () () ()	743.	757.	782.	836.	872.	918.	950.	
		42"	R3R1PF24942 () () () () () ()	822.	836.	862.	916.	952.	998.	1,030.	
		48"	R3R1PF24948 () () () () () ()	927.	941.	967.	1,021.	1,058.	1,105.	1,136.	
<i>both sides 49x48 shown</i>											



both sides 49x48 shown

Order Code	Specification Information	Application Notes
Example: R3R1PF24218EAA4K613W359-V316N	<i>To order please specify pattern number including:</i>	Interior fabric side with base raceway, exterior monolithic V2 finish insert extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3	AutoStrada w/generation 3 frame	
R1	Base raceway monolithic side only	
P	Monolithic	Aluminum vertical hookstrip cover ordered separately.
F	Fabric, monolithic interior	Panels are not for use with medians, storage medians or bridges.
2	V2 Natural, monolithic exterior	
42	42" high	Black PVC hookstrip reveals should be ordered for fabric side from Reff price list.
18	18" wide	
E	Extruded Aluminum top trim	Panels on this page will accept standard Reff System stacking window modules.
AA	Top Trim anodized aluminum finish	
4	4" high base raceway	
K	Knock-outs in base raceway	
613	Finish, base raceway	
W359-	Finish, fabric	
V316	Finish, Maple	
N	Not milled for ported components	


- To order please specify pattern number including:*
1. Height
 2. Width
 3. Extruded Aluminum Top Trim
E - default
 4. Finish, Aluminum top trim
Anodized aluminum or painted finish options listed on page 9 excluding silver.
 5. Base raceway height
4 = 4" h, default
 6. Knock-out option
K = with knock-outs
N = no knock-outs
 7. Base raceway finish
painted or plated finish options only
 8. Fabric selection
 9. Finish, V2 Natural
 10. Milled for ported components
M = milled for (\$13 list upcharge applicable)
N = not milled for

See page 7 for finish options applicable.

Mono/Mono - exterior hard side no raceway V3 Exotic veneer outside / Fabric inside

AutoStrada

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Monolithic V3 exotic veneer exterior no raceway, interior fabric with raceway	42"	18"	R3R1PF34218 () () () () () ()	\$676.	\$686.	\$708.	\$751.	\$786.	\$823.	\$851.
		24"	R3R1PF34224 () () () () () ()	687.	696.	719.	761.	796.	834.	861.
		30"	R3R1PF34230 () () () () () ()	827.	837.	859.	902.	937.	975.	1,003.
		36"	R3R1PF34236 () () () () () ()	895.	905.	928.	971.	1,006.	1,044.	1,072.
		42"	R3R1PF34242 () () () () () ()	1,011.	1,020.	1,043.	1,087.	1,122.	1,160.	1,188.
		48"	R3R1PF34248 () () () () () ()	1,103.	1,113.	1,136.	1,179.	1,215.	1,253.	1,282.
		49"	R3R1PF34918 () () () () () ()	750.	764.	789.	842.	878.	924.	955.
	49"	24"	R3R1PF34924 () () () () () ()	822.	837.	861.	915.	951.	997.	1,028.
		30"	R3R1PF34930 () () () () () ()	935.	950.	975.	1,029.	1,065.	1,111.	1,142.
		36"	R3R1PF34936 () () () () () ()	1,008.	1,022.	1,047.	1,101.	1,138.	1,184.	1,215.
		42"	R3R1PF34942 () () () () () ()	1,117.	1,131.	1,157.	1,211.	1,248.	1,294.	1,325.
		48"	R3R1PF34948 () () () () () ()	1,260.	1,275.	1,301.	1,355.	1,392.	1,438.	1,470.



both sides 49x48 shown


Panels

Order Code	Specification Information	Application Notes
Example: R3R1PF34218EAA4K 613W359-V515N	To order please specify pattern number including:	Interior fabric side with base raceway, exterior monolithic V3 finish insert extended to the floor. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	
R1 Base raceway monolithic side only	2. Width	
P Monolithic	3. Extruded Aluminum Top Trim <i>E - default</i>	Aluminum vertical hookstrip cover ordered separately.
F Fabric, interior side	4. Finish, Aluminum top trim <i>Anodized aluminum or painted finish options listed on page 9 excluding silver.</i>	
3 V3 Exotic, exterior side	5. Base raceway height <i>4 = 4" h, default</i>	Panels are not for use with medians, storage medians or bridges.
42 42" high	6. Knock-out option <i>K = with knock-outs</i> <i>N = no knock-outs</i>	Black PVC hookstrip reveals should be ordered for fabric side from Reff price list.
18 18" wide	7. Base raceway finish <i>painted or plated finish options only</i>	
E Extruded Aluminum top trim	8. Fabric selection	Panels on this page will accept standard Reff System stacking window modules.
AA Top Trim anodized aluminum finish	9. Finish, V3 Exotic	
4 4" high base raceway	10. Milled for ported componenets <i>M = milled for (\$13 list upcharge applicable)</i> <i>N = not milled for</i>	
K Knock-outs in base raceway		
613 Finish, base raceway		
W359- Finish, fabric		
V515 Finish, Quartered Clear Figured Sycamore		
N Not milled for ported components	See page 7 for finish options applicable.	

Tiled/Monolithic - both sides with base raceway
Tiled one side - Laminate/Monolithic side - fabric

AutoStrada

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled laminate one side, fabric monolithic other side (both sides w/ base raceway)	34"	18"	R3R2AFL3418 () () () () () ()	\$597.	\$608.	\$638.	\$674.	\$700.	\$746.	\$768.
		24"	R3R2AFL3424 () () () () () ()	638.	649.	679.	715.	742.	787.	811.
		30"	R3R2AFL3430 () () () () () ()	684.	696.	726.	761.	788.	833.	857.
		36"	R3R2AFL3436 () () () () () ()	728.	738.	768.	804.	830.	876.	899.
		42"	R3R2AFL3442 () () () () () ()	836.	848.	877.	913.	940.	984.	1,008.
		48"	R3R2AFL3448 () () () () () ()	865.	877.	907.	943.	969.	1,014.	1,037.
	49"	18"	R3R2AFL4918 () () () () () ()	737.	755.	800.	853.	893.	961.	994.
		24"	R3R2AFL4924 () () () () () ()	788.	805.	850.	904.	944.	1,010.	1,046.
		30"	R3R2AFL4930 () () () () () ()	849.	866.	911.	965.	1,004.	1,072.	1,106.
		36"	R3R2AFL4936 () () () () () ()	899.	917.	963.	1,016.	1,056.	1,121.	1,157.
		42"	R3R2AFL4942 () () () () () ()	1,013.	1,031.	1,076.	1,130.	1,169.	1,236.	1,272.
		48"	R3R2AFL4948 () () () () () ()	1,069.	1,086.	1,132.	1,186.	1,225.	1,293.	1,328.
	64"	18"	R3R2AFL6418 () () () () () ()	843.	868.	928.	999.	1,054.	1,141.	1,188.
		24"	R3R2AFL6424 () () () () () ()	900.	926.	984.	1,056.	1,109.	1,197.	1,246.
		30"	R3R2AFL6430 () () () () () ()	970.	994.	1,055.	1,126.	1,177.	1,268.	1,315.
		36"	R3R2AFL6436 () () () () () ()	1,029.	1,055.	1,113.	1,185.	1,238.	1,327.	1,374.
		42"	R3R2AFL6442 () () () () () ()	1,173.	1,196.	1,257.	1,327.	1,380.	1,469.	1,517.
		48"	R3R2AFL6448 () () () () () ()	1,232.	1,257.	1,315.	1,387.	1,441.	1,529.	1,576.



both sides 64x48 shown, 49"h with three tiles; 34"h with two tiles

Order Code	Specification Information	Application Notes
Example: R3R2AFL3418EAA4K613W359-118N	<i>To order please specify pattern number including:</i>	Tiled side includes aluminum panel reveals between laminate inserts. Aluminum vertical hookstrip cover ordered separately.
R3	AutoStrada w/generation 3 frame	
R2	Base raceway both sides	
A	Tiled one side, Monolithic other	Panels are not for use with medians, storage medians or bridges.
F	Fabric, monolithic side	
L	Laminate, tiled side	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
34	34" high	
18	18" wide	
E	Extruded Aluminum top trim	Panels on this page will accept standard Reff System stacking window modules.
AA	Top Trim anodized aluminum finish	
4	4" high base raceway	
K	Knock-outs in base raceway	
613	Finish, base raceway	
W359-	Finish, fabric	
118	Finish, laminate tile side	
N	Not milled for ported components	


- Height
- Width
- Extruded Aluminum Top Trim
E - default
- Finish, Aluminum trim (top trim and tile dividers/reveals)
Anodized aluminum or painted finish options listed on page 9 excluding silver.
- Base raceway height
4 = 4" h, default
- Knock-out option
K = with knock-outs
N = no knock-outs
- Base raceway finish
painted or plated finish options only
- Fabric selection
- Finish, Laminate
- Milled for ported components
M = milled for (\$13 list upcharge applicable)
N = not milled for

See page 7 for finish options applicable.

Tiled/Monolithic - both sides with base raceway
Tiled one side - V1 Techwood/Monolithic - fabric

AutoStrada

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled V1 techwood one side, fabric monolithic other side (both sides w/ base raceway)	34"	18"	R3R2AF13418 () () () () () ()	\$608.	\$620.	\$649.	\$685.	\$712.	\$756.	\$781.
		24"	R3R2AF13424 () () () () () ()	653.	664.	695.	730.	756.	802.	825.
		30"	R3R2AF13430 () () () () () ()	699.	711.	740.	776.	803.	848.	871.
		36"	R3R2AF13436 () () () () () ()	740.	753.	782.	818.	843.	889.	913.
		42"	R3R2AF13442 () () () () () ()	856.	866.	896.	932.	958.	1,004.	1,027.
		48"	R3R2AF13448 () () () () () ()	883.	895.	926.	961.	988.	1,032.	1,056.
	49"	18"	R3R2AF14918 () () () () () ()	750.	768.	813.	866.	907.	973.	1,009.
		24"	R3R2AF14924 () () () () () ()	803.	821.	864.	918.	957.	1,026.	1,061.
		30"	R3R2AF14930 () () () () () ()	863.	881.	927.	980.	1,020.	1,085.	1,121.
		36"	R3R2AF14936 () () () () () ()	917.	934.	980.	1,032.	1,073.	1,139.	1,175.
		42"	R3R2AF14942 () () () () () ()	1,036.	1,055.	1,098.	1,151.	1,192.	1,259.	1,295.
		48"	R3R2AF14948 () () () () () ()	1,093.	1,110.	1,155.	1,208.	1,248.	1,315.	1,351.
	64"	18"	R3R2AF16418 () () () () () ()	862.	886.	945.	1,017.	1,071.	1,159.	1,207.
		24"	R3R2AF16424 () () () () () ()	920.	944.	1,003.	1,074.	1,129.	1,219.	1,265.
		30"	R3R2AF16430 () () () () () ()	990.	1,014.	1,073.	1,145.	1,197.	1,287.	1,335.
		36"	R3R2AF16436 () () () () () ()	1,048.	1,073.	1,132.	1,204.	1,258.	1,347.	1,395.
		42"	R3R2AF16442 () () () () () ()	1,195.	1,220.	1,278.	1,350.	1,404.	1,492.	1,539.
		48"	R3R2AF16448 () () () () () ()	1,258.	1,281.	1,340.	1,411.	1,465.	1,555.	1,603.




both sides 64x48 shown, 49" h with three
tiles; 34" h with two tiles

Panels

Order Code	Specification Information	Application Notes
Example: R3R2AF13418EAA4K 613W359-Y319N	<i>To order please specify pattern number including:</i>	Tiled side includes aluminum panel reveals between V1 inserts. Aluminum vertical hookstrip cover ordered separately.
R3 AutoStrada w/generation 3 frame	1. Height	
R2 Base raceway both sides	2. Width	
A Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	Panels are not for use with medians, storage medians or bridges.
F Fabric, monolithic side	4. Finish, Aluminum trim (top trim and tile dividers/reveals) <i>Anodized aluminum or painted finish options listed on page 9 excluding silver.</i>	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
1 V1 Techwood, tiled side	5. Base raceway height <i>4 = 4" h, default</i>	Panels on this page will accept standard Reff System stacking window modules.
34 34" high	6. Knock-out option <i>K = with knock-outs</i> <i>N = no knock-outs</i>	
18 18" wide	7. Base raceway finish <i>painted or plated finish options only</i>	
E Extruded Aluminum top trim	8. Fabric selection	
AA Top Trim anodized aluminum finish	9. Finish, V1 Techwood	
4 4" high base raceway	10. Milled for ported componenets <i>M = milled for (\$13 list upcharge applicable)</i> <i>N = not milled for</i>	
K Knock-outs in base raceway		
613 Finish, base raceway		
W359- Finish, fabric		
Y319 Finish, Cherry		
N Not milled for ported components	See page 7 for finish options applicable.	

Tiled/Monolithic - both sides with base raceway
Tiled one side - V2 Natural/Monolithic - fabric

AutoStrada

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled V2 natural one side, fabric monolithic other side (both sides w/ base raceway) 	34"	18"	R3R2AF23418 (X)(X)(X)(X)(X)	\$621.	\$635.	\$663.	\$699.	\$726.	\$769.	\$793.
		24"	R3R2AF23424 (X)(X)(X)(X)(X)	665.	678.	709.	744.	769.	815.	839.
		30"	R3R2AF23430 (X)(X)(X)(X)(X)	712.	724.	754.	790.	816.	861.	884.
		36"	R3R2AF23436 (X)(X)(X)(X)(X)	755.	767.	798.	833.	859.	904.	928.
		42"	R3R2AF23442 (X)(X)(X)(X)(X)	870.	881.	912.	946.	973.	1,019.	1,043.
		48"	R3R2AF23448 (X)(X)(X)(X)(X)	901.	913.	943.	978.	1,005.	1,049.	1,073.
	49"	18"	R3R2AF24918 (X)(X)(X)(X)(X)	767.	785.	829.	882.	922.	990.	1,026.
		24"	R3R2AF24924 (X)(X)(X)(X)(X)	818.	837.	881.	934.	975.	1,041.	1,078.
		30"	R3R2AF24930 (X)(X)(X)(X)(X)	883.	901.	946.	1,001.	1,040.	1,106.	1,142.
		36"	R3R2AF24936 (X)(X)(X)(X)(X)	936.	954.	999.	1,054.	1,093.	1,159.	1,195.
		42"	R3R2AF24942 (X)(X)(X)(X)(X)	1,055.	1,072.	1,116.	1,169.	1,210.	1,277.	1,313.
		48"	R3R2AF24948 (X)(X)(X)(X)(X)	1,113.	1,131.	1,175.	1,230.	1,269.	1,336.	1,372.
	64"	18"	R3R2AF26418 (X)(X)(X)(X)(X)	880.	904.	964.	1,035.	1,090.	1,176.	1,224.
		24"	R3R2AF26424 (X)(X)(X)(X)(X)	938.	963.	1,021.	1,093.	1,147.	1,234.	1,283.
		30"	R3R2AF26430 (X)(X)(X)(X)(X)	1,008.	1,032.	1,092.	1,163.	1,214.	1,304.	1,352.
		36"	R3R2AF26436 (X)(X)(X)(X)(X)	1,072.	1,095.	1,155.	1,225.	1,279.	1,370.	1,416.
		42"	R3R2AF26442 (X)(X)(X)(X)(X)	1,221.	1,244.	1,303.	1,374.	1,428.	1,517.	1,566.
		48"	R3R2AF26448 (X)(X)(X)(X)(X)	1,281.	1,304.	1,364.	1,435.	1,489.	1,578.	1,627.


both sides 64x48 shown, 49"h with three tiles; 34"h with two tiles

Order Code	Specification Information	Application Notes
Example: R3R2AF23418EAA4K613W359-V316N	<i>To order please specify pattern number including:</i>	Tiled side includes aluminum panel reveals between V2
R3 AutoStrada w/generation 3 frame	1. Height	inserts. Aluminum vertical hookstrip cover ordered separately.
R2 Base raceway both sides	2. Width	
A Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	Panels are not for use with medians, storage medians or bridges.
F Fabric, monolithic side	4. Finish, Aluminum trim (top trim and tile dividers/reveals) <i>Anodized aluminum or painted finish options listed on page 9 excluding silver.</i>	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
2 V2 Natural, tiled side	5. Base raceway height <i>4 = 4"h, default</i>	Panels on this page will accept standard Reff System stacking window modules.
34 34" high	6. Knock-out option <i>K = with knock-outs</i>	
18 18" wide	<i>N = no knock-outs</i>	
E Extruded Aluminum top trim	7. Base raceway finish <i>painted or plated finish options only</i>	
AA Top Trim anodized aluminum finish	8. Fabric selection	
4 4" high base raceway	9. Finish, V2 Natural	
K Knock-outs in base raceway	10. Milled for ported components <i>M = milled for (\$13 list upcharge applicable)</i>	
613 Finish, base raceway	<i>N = not milled for</i>	
W359- Finish, fabric		
V316 Finish, Maple		
N Not milled for ported components	See page 7 for finish options applicable.	

Tiled/Monolithic - both sides with base raceway
Tiled one side - V3 Exotic/Monolithic - fabric

AutoStrada

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled V3 exotic one side, fabric monolithic other side (both sides w/ base raceway)	34"	18"	R3R2AF33418 () () () () () ()	\$826.	\$841.	\$880.	\$928.	\$963.	\$1,020.	\$1,049.
		24"	R3R2AF33424 () () () () () ()	883.	899.	939.	985.	1,020.	1,078.	1,108.
		30"	R3R2AF33430 () () () () () ()	944.	958.	998.	1,045.	1,080.	1,137.	1,168.
		36"	R3R2AF33436 () () () () () ()	1,001.	1,016.	1,055.	1,099.	1,134.	1,194.	1,224.
		42"	R3R2AF33442 () () () () () ()	1,149.	1,164.	1,202.	1,248.	1,284.	1,341.	1,373.
		48"	R3R2AF33448 () () () () () ()	1,189.	1,206.	1,244.	1,289.	1,324.	1,383.	1,413.
	49"	18"	R3R2AF34918 () () () () () ()	1,023.	1,046.	1,104.	1,173.	1,225.	1,313.	1,359.
		24"	R3R2AF34924 () () () () () ()	1,091.	1,113.	1,172.	1,241.	1,294.	1,380.	1,427.
		30"	R3R2AF34930 () () () () () ()	1,175.	1,199.	1,257.	1,325.	1,377.	1,465.	1,512.
		36"	R3R2AF34936 () () () () () ()	1,244.	1,266.	1,324.	1,393.	1,446.	1,533.	1,579.
		42"	R3R2AF34942 () () () () () ()	1,396.	1,419.	1,477.	1,545.	1,597.	1,685.	1,732.
		48"	R3R2AF34948 () () () () () ()	1,474.	1,497.	1,553.	1,625.	1,676.	1,761.	1,808.
	64"	18"	R3R2AF36418 () () () () () ()	1,177.	1,209.	1,287.	1,378.	1,448.	1,566.	1,627.
		24"	R3R2AF36424 () () () () () ()	1,255.	1,284.	1,362.	1,455.	1,524.	1,641.	1,702.
		30"	R3R2AF36430 () () () () () ()	1,346.	1,375.	1,452.	1,545.	1,615.	1,732.	1,793.
		36"	R3R2AF36436 () () () () () ()	1,428.	1,459.	1,536.	1,629.	1,698.	1,813.	1,876.
		42"	R3R2AF36442 () () () () () ()	1,621.	1,652.	1,730.	1,823.	1,892.	2,007.	2,070.
		48"	R3R2AF36448 () () () () () ()	1,701.	1,732.	1,808.	1,900.	1,971.	2,086.	2,148.




boths sides 64x48 shown, 49"h with three tiles; 34"h with two tiles

Order Code	Specification Information	Application Notes
Example: R3R2AF33418EAA4K613W359-V515N	<i>To order please specify pattern number including:</i>	Tiled side includes aluminum panel reveals between V3 inserts.
R3 AutoStrada w/generation 3 frame	1. Height	Aluminum vertical hookstrip cover ordered separately.
R2 Base raceway both sides	2. Width	
A Tiled one side, Monolithic other	3. Extruded Aluminum Top Trim <i>E - default</i>	Panels are not for use with medians, storage medians or bridges.
F Fabric, monolithic side	4. Finish, Aluminum trim (top trim and tile dividers/reveals)	Black PVC hookstrip reveals should be ordered for monolithic side from Reff price list.
3 V3 Exotic, tiled side	<i>Anodized aluminum or painted finish options listed on page 9 excluding silver.</i>	
34 34" high	5. Base raceway height <i>4 = 4"h, default</i>	Panels on this page will accept standard Reff System stacking window modules.
18 18" wide	6. Knock-out option <i>K = with knock-outs</i>	
E Extruded Aluminum top trim	<i>N = no knock-outs</i>	
AA Top Trim anodized aluminum finish	7. Base raceway finish <i>painted or plated finish options only</i>	
4 4" high base raceway	8. Fabric selection	
K Knock-outs in base raceway	9. Finish, V3 Exotic	
613 Finish, base raceway	10. Milled for ported componenets <i>M = milled for (\$13 list upcharge applicable)</i>	
W359- Finish, fabric	<i>N = not milled for</i>	
V515 Finish, Quartered Clear Figured Sycamore		
N Not milled for ported components	See page 7 for finish options applicable.	

Tiled one side - Laminate/Slatwall and Fabric other side

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled laminate one side, slatwall/fabric other side (tiled side without base raceway)	42"	18"	R3R1CXL4218 (X)(X)(X)(X)(X)(X)	\$894.	\$907.	\$939.	\$984.	\$1,013.	\$1,060.	\$1,086.
	24"		R3R1CXL4224 (X)(X)(X)(X)(X)(X)	989.	1,002.	1,033.	1,079.	1,108.	1,155.	1,183.
	30"		R3R1CXL4230 (X)(X)(X)(X)(X)(X)	1,083.	1,096.	1,129.	1,173.	1,202.	1,249.	1,277.
	36"		R3R1CXL4236 (X)(X)(X)(X)(X)(X)	1,177.	1,191.	1,223.	1,268.	1,297.	1,346.	1,372.
	42"		R3R1CXL4242 (X)(X)(X)(X)(X)(X)	1,273.	1,285.	1,317.	1,362.	1,392.	1,440.	1,466.
	48"		R3R1CXL4248 (X)(X)(X)(X)(X)(X)	1,370.	1,383.	1,413.	1,459.	1,488.	1,536.	1,562.
	49"	18"	R3R1CXL4918 (X)(X)(X)(X)(X)(X)	1,024.	1,040.	1,079.	1,124.	1,159.	1,218.	1,247.
	24"		R3R1CXL4924 (X)(X)(X)(X)(X)(X)	1,134.	1,150.	1,188.	1,234.	1,269.	1,327.	1,358.
	30"		R3R1CXL4930 (X)(X)(X)(X)(X)(X)	1,245.	1,260.	1,299.	1,346.	1,378.	1,438.	1,467.
	36"		R3R1CXL4936 (X)(X)(X)(X)(X)(X)	1,354.	1,371.	1,409.	1,455.	1,489.	1,548.	1,578.
	42"		R3R1CXL4942 (X)(X)(X)(X)(X)(X)	1,465.	1,480.	1,518.	1,566.	1,599.	1,657.	1,688.
	48"		R3R1CXL4948 (X)(X)(X)(X)(X)(X)	1,576.	1,592.	1,630.	1,677.	1,711.	1,769.	1,799.
	64"	18"	R3R1CXL6418 (X)(X)(X)(X)(X)(X)	1,133.	1,154.	1,206.	1,266.	1,313.	1,389.	1,430.
	24"		R3R1CXL6424 (X)(X)(X)(X)(X)(X)	1,282.	1,302.	1,353.	1,415.	1,462.	1,538.	1,579.
	30"		R3R1CXL6430 (X)(X)(X)(X)(X)(X)	1,430.	1,451.	1,502.	1,563.	1,609.	1,686.	1,727.
	36"		R3R1CXL6436 (X)(X)(X)(X)(X)(X)	1,579.	1,599.	1,651.	1,713.	1,758.	1,835.	1,876.
	42"		R3R1CXL6442 (X)(X)(X)(X)(X)(X)	1,727.	1,748.	1,799.	1,861.	1,907.	1,983.	2,025.
	48"		R3R1CXL6448 (X)(X)(X)(X)(X)(X)	1,876.	1,897.	1,947.	2,010.	2,055.	2,133.	2,174.




both sides 64x48 shown, 42" & 49"h do not have insert above slatwall section

Order Code	Specification Information	Application Notes
Example: R3R1CXL4218EAA4K 613W359-118AA	<i>To order please specify pattern number including:</i>	Tiled side includes aluminum panel reveals between laminate inserts. Aluminum vertical hookstrip cover ordered separately. Tiled side inserts extend to the floor, there is no base raceway on this panel side. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	Panels with slatwall one or both sides do not accommodate ported power or data modules
R1 Base raceway slatwall combo side only	2. Width	42" and 49"h panels on this page will not accept frameless glass add-ups.
C Tiled one side, Slatwall combo other	3. Extruded Aluminum Top Trim	Slatwall stiffener bracket recommended when installing multiple Wishbone monitor arms. See page 106.
X Fabric/Slatwall combo side	4. Finish, Aluminum trim (top trim and tile dividers/reveals)	
L Laminate, tiled side	<i>Anodized aluminum or painted finish options listed on page 9 excluding silver.</i>	
42 42" high	5. Base raceway height	Slatwall/fabric side combination: Slatwall above worksurface is nominally 15"h for 42" high panels, and 22 1/2" h for both 49" and 64" high panels. Fabric insert begins at just below worksurface height to the base raceway. (64" high panels also have a fabric insert above the slatwall section).
18 18" wide	6. Knock-out option	
E Extruded Aluminum top trim	<i>K = with knock-outs</i>	
AA Top Trim anodized aluminum finish	<i>N = no knock-outs</i>	
4 4" high base raceway	7. Base raceway finish	
K Knock-outs in base raceway	<i>painted or plated finish options only</i>	Black PVC hookstrip reveals should be ordered for panel side with slatwall.
613 Finish, base raceway	8. Fabric selection	
W359- Finish, Fabric (combo side)	9. Finish, Laminate	Panels on this page will accept standard Reff System stacking window modules.
118 Finish, Bright white (tiled side)	10. Finish, Slatwall	
AA Finish, Slatwall	<i>Anodized aluminum or painted finish options listed on page 9 excluding silver</i>	

See page 7 for finish options applicable.

Tiled one side - V1 Techwood/Slatwall and Fabric other side

description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled V1 techwood one side, slatwall/fabric other side (tiled side without base raceway)	42"	18"	R3R1CX14218 (X)(X)(X)(X)(X)(X)	\$1,260.	\$1,273.	\$1,304.	\$1,350.	\$1,378.	\$1,427.	\$1,453.
		24"	R3R1CX14224 (X)(X)(X)(X)(X)(X)	1,358.	1,371.	1,403.	1,447.	1,477.	1,524.	1,551.
		30"	R3R1CX14230 (X)(X)(X)(X)(X)(X)	1,455.	1,467.	1,500.	1,544.	1,574.	1,621.	1,648.
		36"	R3R1CX14236 (X)(X)(X)(X)(X)(X)	1,552.	1,566.	1,596.	1,642.	1,671.	1,719.	1,745.
		42"	R3R1CX14242 (X)(X)(X)(X)(X)(X)	1,650.	1,663.	1,695.	1,739.	1,769.	1,816.	1,843.
		48"	R3R1CX14248 (X)(X)(X)(X)(X)(X)	1,744.	1,757.	1,790.	1,834.	1,863.	1,910.	1,937.
	49"	18"	R3R1CX14918 (X)(X)(X)(X)(X)(X)	1,392.	1,408.	1,446.	1,492.	1,526.	1,584.	1,615.
		24"	R3R1CX14924 (X)(X)(X)(X)(X)(X)	1,504.	1,520.	1,558.	1,605.	1,640.	1,697.	1,727.
		30"	R3R1CX14930 (X)(X)(X)(X)(X)(X)	1,617.	1,632.	1,671.	1,718.	1,753.	1,809.	1,841.
		36"	R3R1CX14936 (X)(X)(X)(X)(X)(X)	1,731.	1,745.	1,784.	1,830.	1,864.	1,922.	1,953.
		42"	R3R1CX14942 (X)(X)(X)(X)(X)(X)	1,843.	1,859.	1,897.	1,943.	1,977.	2,035.	2,065.
		48"	R3R1CX14948 (X)(X)(X)(X)(X)(X)	1,957.	1,972.	2,011.	2,056.	2,091.	2,149.	2,179.
	64"	18"	R3R1CX16418 (X)(X)(X)(X)(X)(X)	1,594.	1,615.	1,666.	1,727.	1,773.	1,850.	1,892.
		24"	R3R1CX16424 (X)(X)(X)(X)(X)(X)	1,753.	1,772.	1,824.	1,885.	1,932.	2,009.	2,049.
		30"	R3R1CX16430 (X)(X)(X)(X)(X)(X)	1,909.	1,930.	1,981.	2,042.	2,088.	2,165.	2,207.
		36"	R3R1CX16436 (X)(X)(X)(X)(X)(X)	2,067.	2,087.	2,139.	2,200.	2,246.	2,323.	2,364.
		42"	R3R1CX16442 (X)(X)(X)(X)(X)(X)	2,225.	2,245.	2,296.	2,358.	2,404.	2,481.	2,522.
		48"	R3R1CX16448 (X)(X)(X)(X)(X)(X)	2,382.	2,402.	2,454.	2,514.	2,561.	2,638.	2,678.




both sides 64x48 shown, 42" & 49"h do not have insert above slatwall section

Order Code	Specification Information	Application Notes
Example: R3R1CX14218EAA4K613W359-Y319AA	<i>To order please specify pattern number including:</i>	Tiled side includes aluminum panel reveals between V1 inserts.
R3 AutoStrada w/generation 3 frame	1. Height	Aluminum vertical hookstrip cover ordered separately. Tiled side inserts extend to the floor, there is no base raceway on this panel side. Be sure to specify power rails for panels with one sided base raceways.
R1 Base raceway slatwall combo side only	2. Width	
C Tiled one side, Slatwall combo other	3. Extruded Aluminum Top Trim	
X Fabric/Slatwall combo side	<i>E - default</i>	
1 V1 Techwood, tiled side	4. Finish, Aluminum trim (top trim and tile dividers/reveals)	
42 42" high	<i>Anodized aluminum or painted finish options listed on page 9 excluding silver.</i>	Slatwall/fabric side combination: Slatwall above worksurface is nominally 15"h for 42" high panels, and 22 1/2" h for both 49" and 64" high panels. Fabric insert begins at just below worksurface height to the base raceway. (64" high panels also have a fabric insert above the slatwall section).
18 18" wide	5. Base raceway height	
E Extruded Aluminum top trim	<i>4 = 4"h, default</i>	
AA Top Trim anodized aluminum finish	6. Knock-out option	
4 4" high base raceway	<i>K = with knock-outs</i>	
K Knock-outs in base raceway	<i>N = no knock-outs</i>	
613 Finish, base raceway	7. Base raceway finish	
W359- Finish, Fabric (combo side)	<i>painted or plated finish options only</i>	
Y319 Finish, Cherry (tiled side)	8. Fabric selection	Black PVC hookstrip reveals should be ordered for panel side with slatwall.
AA Finish, Slatwall	9. Finish, V1 Techwood	
	10. Finish, Slatwall	
	<i>Anodized aluminum or painted finish options listed on page 9 excluding silver</i>	Panels on this page will accept standard Reff System stacking window modules.
	See page 7 for finish options applicable.	

Tiled one side - V2 Natural/Slatwall and Fabric other side


description	h	w	pattern no.	Grade						
				10	15	20	30	35	40	45
Tiled V2 natural one side, slatwall/fabric other side (tiled side without base raceway)	42"	18"	R3R1CX24218 () () () () () () ()	\$1,312.	\$1,324.	\$1,357.	\$1,401.	\$1,430.	\$1,478.	\$1,504.
		24"	R3R1CX24224 () () () () () () ()	1,422.	1,434.	1,466.	1,512.	1,540.	1,588.	1,615.
		30"	R3R1CX24230 () () () () () () ()	1,532.	1,544.	1,576.	1,621.	1,651.	1,698.	1,724.
		36"	R3R1CX24236 () () () () () () ()	1,642.	1,654.	1,686.	1,732.	1,760.	1,808.	1,835.
		42"	R3R1CX24242 () () () () () () ()	1,753.	1,765.	1,796.	1,842.	1,871.	1,919.	1,945.
		48"	R3R1CX24248 () () () () () () ()	1,862.	1,874.	1,907.	1,952.	1,981.	2,028.	2,055.
	49"	18"	R3R1CX24918 () () () () () () ()	1,451.	1,466.	1,504.	1,551.	1,586.	1,643.	1,673.
		24"	R3R1CX24924 () () () () () () ()	1,579.	1,594.	1,632.	1,679.	1,714.	1,771.	1,801.
		30"	R3R1CX24930 () () () () () () ()	1,707.	1,722.	1,760.	1,807.	1,842.	1,899.	1,930.
		36"	R3R1CX24936 () () () () () () ()	1,836.	1,851.	1,889.	1,936.	1,971.	2,028.	2,060.
		42"	R3R1CX24942 () () () () () () ()	1,964.	1,979.	2,017.	2,064.	2,099.	2,156.	2,188.
		48"	R3R1CX24948 () () () () () () ()	2,093.	2,109.	2,148.	2,193.	2,228.	2,286.	2,317.
	64"	18"	R3R1CX26418 () () () () () () ()	1,673.	1,695.	1,745.	1,807.	1,853.	1,930.	1,971.
		24"	R3R1CX26424 () () () () () () ()	1,851.	1,872.	1,923.	1,986.	2,032.	2,108.	2,149.
		30"	R3R1CX26430 () () () () () () ()	2,029.	2,050.	2,102.	2,163.	2,210.	2,286.	2,327.
		36"	R3R1CX26436 () () () () () () ()	2,208.	2,228.	2,280.	2,341.	2,386.	2,465.	2,505.
		42"	R3R1CX26442 () () () () () () ()	2,385.	2,407.	2,457.	2,519.	2,564.	2,641.	2,684.
		48"	R3R1CX26448 () () () () () () ()	2,563.	2,584.	2,635.	2,697.	2,743.	2,819.	2,861.



both sides 64x48 shown, 42" & 49"h do not have insert above slatwall section

Order Code	Specification Information	Application Notes
Example: R3R1CX24218EAA4K 613W359-V316AA	<i>To order please specify pattern number including:</i>	Tiled side includes aluminum panel reveals between V2 inserts.
R3 AutoStrada w/generation 3 frame	1. Height	Aluminum vertical hookstrip cover ordered separately. Tiled side inserts extend to the floor, there is no base raceway on this panel side. Be sure to specify power rails for panels with one sided base raceways.
R1 Base raceway slatwall combo side only	2. Width	
C Tiled one side, Slatwall combo other	3. Extruded Aluminum Top Trim	
X Fabric/Slatwall combo side	<i>E - default</i>	
2 V2 Natural, tiled side	4. Finish, Aluminum trim (top trim and tile dividers/reveals)	Slatwall/fabric side combination: Slatwall above worksurface is nominally 15"h for 42" high panels, and 22 1/2" h for both 49" and 64" high panels. Fabric insert begins at just below worksurface height to the base raceway. (64" high panels also have a fabric insert above the slatwall section).
42 42" high	<i>Anodized aluminum or painted finish options listed on page 9 excluding silver.</i>	
18 18" wide	5. Base raceway height	
E Extruded Aluminum top trim	<i>4 = 4"h, default</i>	
AA Top Trim anodized aluminum finish	6. Knock-out option	
4 4" high base raceway	<i>K = with knock-outs</i>	
K Knock-outs in base raceway	<i>N = no knock-outs</i>	
613 Finish, base raceway	7. Base raceway finish	
W359- Finish, Fabric (combo side)	<i>painted or plated finish options only</i>	
V316 Finish, Maple (tiled side)	8. Fabric selection	
AA Finish, Slatwall	9. Finish, V2 Natural	Black PVC hookstrip reveals should be ordered for panel side with slatwall.
	10. Finish, Slatwall	Panels on this page will accept standard Reff System stacking window modules.
	<i>Anodized aluminum or painted finish options listed on page 9 excluding silver</i>	
	See page 7 for finish options applicable.	


Tiled one side - V3 Exotic/Slatwall and Fabric other side

description	h	w	pattern no.	Grade	10	15	20	30	35	40	45
Tiled V3 exotic one side, slatwall/fabric other side (tiled side without base raceway)	42"	18"	R3R1CX34218 () () () () () () ()	\$1,727.	\$1,744.	\$1,785.	\$1,844.	\$1,883.	\$1,944.	\$1,978.	
	24"	R3R1CX34224 () () () () () () ()	1,870.	1,886.	1,928.	1,987.	2,025.	2,086.	2,122.		
	30"	R3R1CX34230 () () () () () () ()	2,013.	2,029.	2,072.	2,129.	2,168.	2,230.	2,266.		
	36"	R3R1CX34236 () () () () () () ()	2,156.	2,174.	2,215.	2,273.	2,312.	2,373.	2,408.		
	42"	R3R1CX34242 () () () () () () ()	2,301.	2,317.	2,358.	2,417.	2,455.	2,517.	2,550.		
	48"	R3R1CX34248 () () () () () () ()	2,444.	2,459.	2,501.	2,560.	2,598.	2,660.	2,695.		
 <i>both sides 64x48 shown, 42" & 49"h do not have insert above slatwall section</i>	49"	18"	R3R1CX34918 () () () () () () ()	1,912.	1,933.	1,982.	2,041.	2,087.	2,162.	2,201.	
	24"	R3R1CX34924 () () () () () () ()	2,079.	2,099.	2,149.	2,208.	2,254.	2,328.	2,367.		
	30"	R3R1CX34930 () () () () () () ()	2,245.	2,266.	2,316.	2,374.	2,420.	2,494.	2,535.		
	36"	R3R1CX34936 () () () () () () ()	2,413.	2,433.	2,483.	2,544.	2,587.	2,663.	2,703.		
	42"	R3R1CX34942 () () () () () () ()	2,580.	2,599.	2,650.	2,710.	2,755.	2,829.	2,870.		
	48"	R3R1CX34948 () () () () () () ()	2,748.	2,767.	2,817.	2,877.	2,923.	2,998.	3,038.		
	64"	18"	R3R1CX36418 () () () () () () ()	2,211.	2,237.	2,304.	2,383.	2,444.	2,544.	2,597.	
	24"	R3R1CX36424 () () () () () () ()	2,442.	2,469.	2,536.	2,615.	2,675.	2,775.	2,828.		
	30"	R3R1CX36430 () () () () () () ()	2,674.	2,700.	2,766.	2,848.	2,907.	3,006.	3,059.		
	36"	R3R1CX36436 () () () () () () ()	2,905.	2,931.	2,998.	3,077.	3,138.	3,237.	3,292.		
	42"	R3R1CX36442 () () () () () () ()	3,135.	3,163.	3,231.	3,309.	3,370.	3,470.	3,524.		
	48"	R3R1CX36448 () () () () () () ()	3,368.	3,395.	3,460.	3,541.	3,601.	3,701.	3,754.		

Order Code	Specification Information	Application Notes
Example: R3R1CX34218EAA4K613W359-V515AA	<i>To order please specify pattern number including:</i>	Tiled side includes aluminum panel reveals between V3 inserts. Aluminum vertical hookstrip cover ordered separately. Tiled side inserts extend to the floor, there is no base raceway on this panel side. Be sure to specify power rails for panels with one sided base raceways.
R3 AutoStrada w/generation 3 frame	1. Height	Panels with slatwall one or both sides do not accommodate ported power or data modules.
R1 Base raceway slatwall combo side only	2. Width	42" and 49" panels on this page will not accept frameless glass add-ups.
C Tiled one side, Slatwall combo other	3. Extruded Aluminum Top Trim <i>E - default</i>	Slatwall stiffener bracket recommended when installing multiple Wishbone monitor arms. See page 106.
X Fabric/Slatwall combo side	4. Finish, Aluminum trim (top trim and tile dividers/reveals) <i>Anodized aluminum or painted finish options listed on page 9 excluding silver.</i>	
3 V3 Exotic, tiled side	5. Base raceway height <i>4 = 4" h, default</i>	
42 42" high	6. Knock-out option <i>K = with knock-outs</i>	
18 18" wide	<i>N = no knock-outs</i>	
E Extruded Aluminum top trim	7. Base raceway finish <i>painted or plated finish options only</i>	
AA Top Trim anodized aluminum finish	8. Fabric selection	Slatwall/fabric side combination: Slatwall above worksurface is nominally 15" h for 42" high panels, and 22 1/2" h for both 49" and 64" high panels. Fabric insert begins at just below worksurface height to the base raceway. (64" high panels also have a fabric insert above the slatwall section).
4 4" high base raceway	9. Finish, V3 Exotic	Black PVC hookstrip reveals should be ordered for panel side with slatwall.
K Knock-outs in base raceway	10. Finish, Slatwall <i>Anodized aluminum or painted finish options listed on page 9 excluding silver</i>	Panels on this page will accept standard Reff System stacking window modules.
613 Finish, base raceway		
W359- Finish, Fabric (combo side)	See page 7 for finish options applicable.	
V515 Finish, Quartered Clear Figured Sycamore (tiled side)		
AA Finish, Slatwall		


Slatwall/Fabric combo both sides - both sides with base raceway

AutoStrada

description	h	w	pattern no.	Grade							list
				10	15	20	30	35	40	45	
Slatwall/Fabric both sides (base raceway both sides)  <i>both sides 64x48 shown, 42"h and 49"h do not have inserts above slatwall sections</i>	42"	18"	R3R2SXX4218 () () () () () ()	\$998.	\$1,023.	\$1,086.	\$1,176.	\$1,236.	\$1,331.	\$1,385.	
		24"	R3R2SXX4224 () () () () () ()	1,091.	1,116.	1,179.	1,269.	1,328.	1,423.	1,477.	
		30"	R3R2SXX4230 () () () () () ()	1,183.	1,208.	1,272.	1,361.	1,421.	1,515.	1,569.	
		36"	R3R2SXX4236 () () () () () ()	1,275.	1,300.	1,364.	1,453.	1,513.	1,607.	1,661.	
		42"	R3R2SXX4242 () () () () () ()	1,366.	1,392.	1,456.	1,545.	1,605.	1,699.	1,754.	
		48"	R3R2SXX4248 () () () () () ()	1,462.	1,487.	1,551.	1,641.	1,699.	1,794.	1,848.	
	49"	18"	R3R2SXX4918 () () () () () ()	1,232.	1,262.	1,339.	1,431.	1,501.	1,616.	1,678.	
		24"	R3R2SXX4924 () () () () () ()	1,347.	1,376.	1,453.	1,545.	1,615.	1,731.	1,792.	
		30"	R3R2SXX4930 () () () () () ()	1,460.	1,490.	1,568.	1,660.	1,730.	1,844.	1,906.	
		36"	R3R2SXX4936 () () () () () ()	1,574.	1,605.	1,681.	1,773.	1,843.	1,958.	2,020.	
		42"	R3R2SXX4942 () () () () () ()	1,688.	1,719.	1,795.	1,887.	1,957.	2,072.	2,134.	
		48"	R3R2SXX4948 () () () () () ()	1,801.	1,832.	1,909.	2,001.	2,071.	2,186.	2,248.	
	64"	18"	R3R2SXX6418 () () () () () ()	1,265.	1,306.	1,409.	1,532.	1,625.	1,778.	1,860.	
		24"	R3R2SXX6424 () () () () () ()	1,385.	1,425.	1,528.	1,651.	1,743.	1,897.	1,978.	
		30"	R3R2SXX6430 () () () () () ()	1,503.	1,544.	1,646.	1,770.	1,862.	2,015.	2,098.	
		36"	R3R2SXX6436 () () () () () ()	1,622.	1,664.	1,767.	1,888.	1,981.	2,135.	2,216.	
		42"	R3R2SXX6442 () () () () () ()	1,742.	1,782.	1,885.	2,009.	2,100.	2,254.	2,336.	
		48"	R3R2SXX6448 () () () () () ()	1,860.	1,900.	2,002.	2,126.	2,218.	2,372.	2,454.	
Slatwall Stiffener Bracket	42"		ASWRB42								295.
	49"		ASWRB49								374.
	64"		ASWRB64								395.
	79"		ASWRB79								415.

Order Code	Specification Information	Application Notes	
Example: R3R2SXX4218EAA4K613W359-W359-AA	<i>To order please specify pattern number including:</i>	Slatwall/fabric combination: Slatwall above worksurface is nominally 15”h for 42” high panels; and 22 1/2”h for both 49” and 64” high panels. Fabric insert begins just below worksurface height to base raceway. (64” high panels also have a fabric insert above the slatwall section.)	Panels with slatwall one or both sides do not accommodate ported power or data modules. 42” and 49”h panels on this page will not accept frameless glass add-ups. Slatwall stiffener bracket recommended when installing multiple wishbone monitor arms. Two recommended for panel widths 42” and 48”w, one for 36”w panels, none for 24”w or 30”w panels. Specify stiffener bracket height to corresponding panel height.
R3	AutoStrada w/generation 3 frame		
R2	Base raceway both sides		
S	Slatwall/Fabric combo both sides		
X	Fabric/Slatwall combo side 1		
X	Fabric/Slatwall combo side 2		
42	42” high		
18	18” wide		
E	Extruded Aluminum top trim		
AA	Top Trim anodized aluminum finish		
4	4” high base raceway		
K	Knock-outs in base raceway		
613	Finish, base raceway		
W359-	Finish, Fabric (side 1)		
W359-	Finish, Fabric (side 2)		
AA	Finish, Slatwall		
	<i>See page 7 for finish options applicable.</i>	Black PVC hookstrip reveals should be ordered for both panel sides with slatwall. Panels on this page will accept standard Ref System stacking window modules.	

description	w	d	pattern no.	clear temp	GL13	list
Frameless glass add-up 8"h, for panels	18"		R3GAU0818 () ()	\$243.	\$304.	
	20"		R3GAU0820 () ()	259.	329.	
	24"		R3GAU0824 () ()	276.	356.	
	30"		R3GAU0830 () ()	305.	405.	
	36"		R3GAU0836 () ()	334.	454.	
	42"		R3GAU0842 () ()	386.	525.	
	48"		R3GAU0848 () ()	399.	560.	
Frameless glass add-up 12"h, for panels	18"		R3GAU1218 () ()	267.	364.	
	20"		R3GAU1220 () ()	287.	400.	
	24"		R3GAU1224 () ()	306.	438.	
	30"		R3GAU1230 () ()	344.	505.	
	36"		R3GAU1236 () ()	380.	574.	
	42"		R3GAU1242 () ()	440.	666.	
	48"		R3GAU1248 () ()	462.	721.	
Frameless glass add-up 15"h, for panels	18"		R3GAU1518 () ()	276.	388.	
	20"		R3GAU1520 () ()	298.	429.	
	24"		R3GAU1524 () ()	319.	469.	
	30"		R3GAU1530 () ()	358.	546.	
	36"		R3GAU1536 () ()	398.	622.	
	42"		R3GAU1542 () ()	461.	723.	
	48"		R3GAU1548 () ()	487.	785.	
Frameless glass add-up 8"h, for panels for hi/lo condition no post involved	18"		R3GAUHL0818 () ()	243.	304.	
	20"		R3GAUHL0820 () ()	259.	329.	
	24"		R3GAUHL0824 () ()	276.	356.	
	30"		R3GAUHL0830 () ()	305.	405.	
	36"		R3GAUHL0836 () ()	334.	454.	
	42"		R3GAUHL0842 () ()	386.	525.	
	48"		R3GAUHL0848 () ()	399.	560.	



Order Code	Specification Information	Application Notes
Example: R3GAU0818GL13AA	<i>To order please specify pattern number including:</i>	Frameless glass add-ups only for use with non-progressive tile construction panels with at least one side fabric tiles.
R3 AutoStrada w/generation 3 frame	1. Height	Panel frames are not pre-drilled to accept frameless glass add-ups. Frame requires drilling on site for installation.
GAU Glass add-up	08 = 42"h panel with add-up will align with top of 49"h panel	Frameless glass add-ups must correspond to width of panel securing to. Do not span multiple panels with one longer glass add-up.
08 height	12 = 49"h panel with add-up will align with 48"h spine with spine add-up (overall height 61" nominal)	Frameless glass add-ups can not be installed on panel when panel attached to storage anchored cabinet.
18 width	15 = add-up will align with tile segments of 34"h, 49"h or 64"h panels (ie: 34"h panel with add-up align to 49"h panel)	
GL13 glass finish, powder	2. Width	
AA finish, capture/trim	3. Glass Finish	
	<i>TEMP</i> = clear tempered glass	
	<i>GL13</i> = powder	
	4. Finish, capture/trim	
	<i>Anodized aluminum or painted finish options listed on page 7 excluding silver</i>	

It is necessary to order replacement post caps and end trim caps to work specifically with frameless glass add-up modules.

To order please specify pattern number including configuration condition:

- 1 = add-up on one side of post
- 2 = add-ups on two sides of post
- 3 = add-ups on three sides of post (applicable T and X post caps)
- 4 = add-ups on four sides of post (applicable X post caps only)

Finish: Anodized aluminum or painted finish options as listed on page 7 excluding silver

description	w	d	pattern no.	clear temp	GL13	list
Frameless glass add-up 12"h, for panels for hi/lo condition no post involved	18"		R3GAUHL1218 () ()	\$267.	\$364.	
	20"		R3GAUHL1220 () ()	287.	400.	
	24"		R3GAUHL1224 () ()	306.	438.	
	30"		R3GAUHL1230 () ()	344.	505.	
	36"		R3GAUHL1236 () ()	380.	574.	
	42"		R3GAUHL1242 () ()	440.	666.	
	48"		R3GAUHL1248 () ()	462.	721.	
Frameless glass add-up 15"h, for panels for hi/lo condition no post involved	18"		R3GAUHL1518 () ()	276.	388.	
	20"		R3GAUHL1520 () ()	298.	429.	
	24"		R3GAUHL1524 () ()	319.	469.	
	30"		R3GAUHL1530 () ()	358.	546.	
	36"		R3GAUHL1536 () ()	398.	622.	
	42"		R3GAUHL1542 () ()	461.	723.	
	48"		R3GAUHL1548 () ()	487.	785.	
End trim cap (use with glass add up)			A1ECAU ()			52.
L post cap (use with glass add up)			A1LPCAU () ()			48.
Straight post cap (use with glass add up)			A1SPCAU () ()			43.
T post cap (use with glass add up)			A1TPCAU () ()			43.
X post cap (use with glass add up)			A1XPCAU () ()			43.
Add-up Alignment Clip, pack of 10			R3AUAC10			25.

Alignment clips recommended to ensure glass alignment of add-up modules in side by side applications

Order Code	Specification Information	Application Notes
Example: R3GAU0818GL13AA	<i>To order please specify pattern number including:</i>	Frameless glass add-ups only for use with non-progressive tile construction panels with at least one side fabric tiles.
R3 AutoStrada w/generation 3 frame	1. Height	Panel frames are not pre-drilled to accept frameless glass add-ups. Frame requires drilling on site for installation.
GAU Glass add-up	08 = 42"h panel with add-up will align with top of 49"h panel	Frameless glass add-ups must correspond to width of panel securing to. Do not span multiple panels with one longer glass add-up.
08 height	12 = 49"h panel with add-up will align with 48"h spine with spine add-up (overall height 61" nominal)	Frameless glass add-ups can not be installed on panel when panel attached to storage anchored cabinet.
18 width	15 = add-up will align with tile segments of 34"h, 49"h or 64"h panels (ie: 34"h panel with add-up align to 49"h panel)	
GL13 glass finish, powder	2. Width	
AA finish, capture/trim	3. Glass Finish	
	<i>TEMP = clear tempered glass</i>	
	<i>GL13 = powder</i>	
	4. Finish, capture/trim	
	<i>Anodized aluminum or painted finish options listed on page 7 excluding silver</i>	

It is necessary to order replacement post caps and end trim caps to work specifically with frameless glass add-up modules.

To order please specify pattern number including configuration condition:


1 = add-up on one side of post
2 = add-ups on two sides of post
3 = add-ups on three sides of post (applicable T and X post caps)
4 = add-ups on four sides of post (applicable X post caps only)

Finish: Anodized aluminum or painted finish options as listed on page 7 excluding silver

Posts, panels

T post

AutoStrada

description	h	pattern no.	list
 T post, tiled laminate (no base plate)	34"	R3R0TTL34 () ()	\$197.
	42"	R3R0TTL42 () ()	216.
	49"	R3R0TTL49 () ()	245.
	64"	R3R0TTL64 () ()	271.
T post, tiled V1 techwood (no base plate)	34"	R3R0TT134 () ()	208.
	42"	R3R0TT142 () ()	227.
	49"	R3R0TT149 () ()	257.
	64"	R3R0TT164 () ()	285.
T post, tiled V2 natural (no base plate)	34"	R3R0TT234 () ()	228.
	42"	R3R0TT242 () ()	249.
	49"	R3R0TT249 () ()	282.
	64"	R3R0TT264 () ()	312.
T post, tiled V3 exotic (no base plate)	34"	R3R0TT334 () ()	296.
	42"	R3R0TT342 () ()	324.
	49"	R3R0TT349 () ()	367.
	64"	R3R0TT364 () ()	407.

Panels

Order Code	Specification Information	Application Notes	
Example: R3R0TTL34E2AA118	<i>To order please specify pattern number including:</i>	5. Finish, Aluminum trim (top cap and reveals) <i>Anodized aluminum or painted finish options listed on page 9 excluding silver</i>	Aluminum vertical hookstrip cover ordered separately.
R3 AutoStrada w/generation 3 post	1. Surface <i>L = Painted to match laminate</i>	6. Finish, Tiles <i>Laminate *, V1, V2 or V3 finish</i>	* Painted to match laminate.
R0 No base raceway exposed	<i>V1 = V1 Techwood</i>		
T T post	<i>V2 = V2 Natural</i>		
T Tiled	<i>V3 = V3 Exotic</i>		
L Laminate match	2. Height	See page 7 for finish options applicable.	
34 34" high	3. Extruded aluminum top cap <i>E = default</i>		
E Extruded aluminum top cap	4. Top Cap Configuration <i>1 = Regular L, finished 2 adjacent sides</i>		
2 Regular T cap configuration	<i>2 = Regular T, finished one side</i>		
AA Finish, top cap and reveal	<i>3 = Regular X, no sides finished</i>		
118 Finish, tiles	<i>4 = Hi/Lo cap at direction change, finished 3 sides</i>		
	<i>5 = Hi/Lo cap in line, finished 2 opposite sides</i>		

Posts, panels

L post, no base plates

AutoStrada

description	h	pattern no.	list
 L post, tiled laminate (no base plate)	34"	R3R0LTL34 () () () () ()	\$163.
	42"	R3R0LTL42 () () () () ()	245.
	49"	R3R0LTL49 () () () () ()	271.
	64"	R3R0LTL64 () () () () ()	300.
	Tiled laminate both sides		
L post, tiled V1 techwood (no base plate)	34"	R3R0LT134 () () () () ()	171.
	42"	R3R0LT142 () () () () ()	257.
	49"	R3R0LT149 () () () () ()	285.
	64"	R3R0LT164 () () () () ()	315.
	Tiled V1 both sides		
L post, tiled V2 natural (no base plate)	34"	R3R0LT234 () () () () ()	188.
	42"	R3R0LT242 () () () () ()	282.
	49"	R3R0LT249 () () () () ()	312.
	64"	R3R0LT264 () () () () ()	346.
	Tiled V2 both sides		
L post, tiled V3 exotic (no base plate)	34"	R3R0LT334 () () () () ()	244.
	42"	R3R0LT342 () () () () ()	367.
	49"	R3R0LT349 () () () () ()	407.
	64"	R3R0LT364 () () () () ()	449.
	Tiled V3 both sides		

Order Code	Specification Information	Application Notes	
Example: R3R0LTL34E1AA118	<i>To order please specify pattern number including:</i>		
R3 AutoStrada w/generation 3 post	1. Finish type tiles <i>L = Painted to match laminate</i>	5. Post cover configuration 1 = 1 piece (same finish both sides)	Aluminum vertical hookstrip cover ordered separately. * Painted to match laminate.
R0 No base raceway exposed	<i>V1 = V1 Techwood</i>	2 = 2 piece (same or different finish per side)	
L L post	<i>V2 = V2 Natural</i>	6. Finish, Aluminum trim (top cap and reveals)	
T Tiled (both faces)	<i>V3 = V3 Exotic</i>	<i>Anodized aluminum or painted finish options listed on page 9 excluding silver</i>	
L Laminate match	2. Height	7. Finish, Side 1 <i>Laminate *, V1, V2 or V3 finish</i>	
34 34" high	3. Extruded aluminum top cap <i>E = default</i>	8. Finish, Side 2 (side 2 finish applicable only when 2 piece post cover configuration selected) <i>Laminate *, V1, V2, or V3 finish</i>	
E Extruded aluminum top cap	4. Top Cap Configuration <i>1 = Regular L, finished 2 adjacent sides</i>		
1 Regular L cap configuration	<i>2 = Regular T, finished one side</i>		
AA Finish, top cap and reveal	<i>3 = Regular X, no sides finished</i>		
118 Finish, tiles	<i>4 = Hi/Lo cap at direction change, finished 3 sides</i>		
	<i>5 = Hi/Lo cap in line, finished 2 opposite sides</i>		

See page 7 for finish options applicable.

Posts, panels

L post, one face only w/base plate

AutoStrada

description	h	pattern no.	list
L post, tiled laminate left face w/o base, fabric/mono right face w/base	34"	R3R1LALL34 () () () () () ()	\$163.
	42"	R3R1LALL42 () () () () () ()	245.
	49"	R3R1LALL49 () () () () () ()	271.
	64"	R3R1LALL64 () () () () () ()	300.

Laminate side 1, fabric side 2

L post, tiled laminate right face w/o base, fabric/mono left face w/base	34"	R3R1LARL34 () () () () () ()	163.
	42"	R3R1LARL42 () () () () () ()	245.
	49"	R3R1LARL49 () () () () () ()	271.
	64"	R3R1LARL64 () () () () () ()	300.

Fabric side 1, laminate side 2

L post, tiled V1 techwood left face w/o base, fabric/mono right face w/base	34"	R3R1LAL134 () () () () () ()	171.
	42"	R3R1LAL142 () () () () () ()	257.
	49"	R3R1LAL149 () () () () () ()	285.
	64"	R3R1LAL164 () () () () () ()	315.

V1 side 1, fabric side 2

L post, tiled V1 techwood right face w/o base, fabric/mono left face w/base	34"	R3R1LAR134 () () () () () ()	171.
	42"	R3R1LAR142 () () () () () ()	257.
	49"	R3R1LAR149 () () () () () ()	285.
	64"	R3R1LAR164 () () () () () ()	315.

Fabric side 1, V1 side 2

Order Code	Specification Information	Application Notes
Example: R3R1LALL34E1AA4N 613118W359-	<i>To order please specify pattern number including:</i>	6. Finish, Aluminum trim (top cap and reveals) <i>Anodized aluminum or painted finish options listed on page 9 excluding silver</i>
R3 AutoStrada w/generation 3 post	1. Tiled side <i>L = Tiled left face, monolithic right face</i>	7. Base height <i>4 = 4"h, default</i>
R1 Base raceway, mono side	<i>R = Tiled right face, monolithic left face</i>	8. Base infeed - applicable for face with base plate only <i>N = None</i>
L L post	2. Finish type tiled side <i>L = Painted to match laminate</i>	<i>F = Base infeed fabric face side</i>
A Tiled one side/Mono other	<i>V1 = V1 Techwood</i>	9. Finish, base raceway
L Left face tiled	<i>V2 = V2 Natural</i>	10. Finish, Side 1 <i>If side 1 tiled specify laminate *, V1, V2 or V3 finish;</i>
L Laminate match	<i>V3 = V3 Exotic</i>	<i>If side 1 monolithic specify fabric</i>
34 34" high	3. Height	11. Finish, Side 2 <i>If side 2 tiled specify laminate *, V1, V2 or V3 finish;</i>
E Extruded aluminum top cap	4. Extruded aluminum top cap <i>E = default</i>	<i>If side 2 monolithic specify fabric</i>
1 Regular L cap configuration	5. Top Cap Configuration <i>1 = Regular L, finished 2 adjacent sides</i>	
AA Finish, top cap and reveal	<i>2 = Regular T, finished one side</i>	
4 4" high base	<i>3 = Regular X, no sides finished</i>	
N No base infeed	<i>4 = Hi/Lo cap at direction change, finished 3 sides</i>	
613 Finish, base plate	<i>5 = Hi/Lo cap in line, finished 2 opposite sides</i>	
118 Finish, tiles		
W359- Finish, fabric (mono side)		

Posts, panels

L post, one face only w/base plate

AutoStrada

description	h	pattern no.	list
L post, tiled V2 natural left face w/o base, fabric/mono right face w/base	34"	R3R1LAL234 () () () () ()	\$188.
	42"	R3R1LAL242 () () () () ()	282.
	49"	R3R1LAL249 () () () () ()	312.
	64"	R3R1LAL264 () () () () ()	346.

V2 side 1, fabric side 2

L post, tiled V2 natural right face w/o base, fabric/mono left face w/base	34"	R3R1LAR234 () () () () ()	188.
	42"	R3R1LAR242 () () () () ()	282.
	49"	R3R1LAR249 () () () () ()	312.
	64"	R3R1LAR264 () () () () ()	346.

Fabric side 1, V2 side 2

L post, tiled V3 exotic left face w/o base, fabric/mono right face w/base	34"	R3R1LAL334 () () () () ()	244.
	42"	R3R1LAL342 () () () () ()	367.
	49"	R3R1LAL349 () () () () ()	407.
	64"	R3R1LAL364 () () () () ()	449.

V3 side 1, fabric side 2


L post, tiled V3 exotic right face w/o base, fabric/mono left face w/base	34"	R3R1LAR334 () () () () ()	244.
	42"	R3R1LAR342 () () () () ()	367.
	49"	R3R1LAR349 () () () () ()	407.
	64"	R3R1LAR364 () () () () ()	449.

Fabric side 1, V3 side 2

Order Code	Specification Information	Application Notes	
Example: R3R1LALL34E1AA4N 613118W359-	<i>To order please specify pattern number including:</i>	6. Finish, Aluminum trim (top cap and reveals) <i>Anodized aluminum or painted finish options listed on page 9 excluding silver</i>	Aluminum vertical hookstrip cover ordered separately.
R3 AutoStrada w/generation 3 post	1. Tiled side <i>L = Tiled left face, monolithic right face</i> <i>R = Tiled right face, monolithic left face</i>	7. Base height <i>4 = 4"h, default</i>	* Painted to match laminate.
R1 Base raceway, mono side	2. Finish type tiled side <i>L = Painted to match laminate</i> <i>V1 = V1 Techwood</i> <i>V2 = V2 Natural</i> <i>V3 = V3 Exotic</i>	8. Base infeed - applicable for face with base plate only <i>N = None</i> <i>F = Base infeed fabric face side</i>	See page 7 for finish options applicable.
L L post	3. Height	9. Finish, base raceway	
A Tiled one side/Mono other	4. Extruded aluminum top cap <i>E = default</i>	10. Finish, Side 1 <i>If side 1 tiled specify laminate *, V1, V2 or V3 finish;</i> <i>If side 1 monolithic specify fabric</i>	
L Left face tiled	5. Top Cap Configuration <i>1 = Regular L, finished 2 adjacent sides</i> <i>2 = Regular T, finished one side</i> <i>3 = Regular X, no sides finished</i> <i>4 = Hi/Lo cap at direction change, finished 3 sides</i> <i>5 = Hi/Lo cap in line, finished 2 opposite sides</i>	11. Finish, Side 2 <i>If side 2 tiled specify laminate *, V1, V2 or V3 finish;</i> <i>If side 2 monolithic specify fabric</i>	
L Laminate match			
34 34" high			
E Extruded aluminum top cap			
1 Regular L cap configuration			
AA Finish, top cap and reveal			
4 4" high base			
N No base infeed			
613 Finish, base plate			
118 Finish, tiles			
W359- Finish, fabric (mono side)			

Posts, panels x and straight posts

AutoStrada

description	h	pattern no.	list
 X post, universal aluminum top cap	34"	R3X34E ()	\$184.
	42"	R3X42E ()	200.
	49"	R3X49E ()	216.
	64"	R3X64E ()	245.
 Straight post, tiled laminate face w/o base, fabric/mono face w/base	34"	R3R1SAL34 () () () () ()	163.
	42"	R3R1SAL42 () () () () ()	245.
	49"	R3R1SAL49 () () () () ()	271.
	64"	R3R1SAL64 () () () () ()	300.
Straight post, tiled V1 techwood face w/o base, fabric/mono face w/base	34"	R3R1SA134 () () () () ()	171.
	42"	R3R1SA142 () () () () ()	257.
	49"	R3R1SA149 () () () () ()	285.
	64"	R3R1SA164 () () () () ()	315.
Straight post, tiled V2 natural face w/o base, fabric/mono face w/base	34"	R3R1SA234 () () () () ()	188.
	42"	R3R1SA242 () () () () ()	282.
	49"	R3R1SA249 () () () () ()	312.
	64"	R3R1SA264 () () () () ()	346.
Straight post, tiled V3 exotic face w/o base, fabric/mono face w/base	34"	R3R1SA334 () () () () ()	244.
	42"	R3R1SA342 () () () () ()	367.
	49"	R3R1SA349 () () () () ()	407.
	64"	R3R1SA364 () () () () ()	449.

Order Code	Order Code	Specification Information
Example: R3X34E3AA R3 AutoStrada w/generation 3 Post X X post 34 34" high E Extruded aluminum top cap 3 Regular X cap configuration AA Finish, aluminum top cap	Example: R3R1SAL34E1AA4 N613118W359- R3 AutoStrada w/generation 3 Post R1 Base raceway, fabric mono side S Straight post A Tiled one face/mono other L Tiled face, Laminate match 34 34" high E Extruded aluminum top cap 1 Reg L cap config AA Finish, aluminum top cap & reveal 4 4" high base N No base infeed 613 Finish, base raceway 118 Finish, tiled side W359- Finish, mono side	To order please specify pattern number including: 1. Post type <i>X</i> = <i>X</i> post <i>S</i> = <i>Straight post</i> 2. Tiled surface type (applicable straight posts only, embedded in pattern number) <i>L</i> = <i>Painted to match laminate</i> 1 = <i>V1 Techwood</i> 2 = <i>V2 Natural</i> 3 = <i>V3 Exotic</i> 3. Height 4. Extruded aluminum top cap <i>E</i> = <i>default</i> 5. Top Cap Configuration 1 = <i>Regular L, finished 2 adjacent sides</i> 2 = <i>Regular T, finished one side</i> 3 = <i>Regular X, no sides finished</i> 4 = <i>Hi/Lo cap at direction change, finished 3 sides</i> 5 = <i>Hi/Lo cap in line, finished 2 opposite sides</i> 6. Finish, Aluminum top cap and reveals <i>Anodized aluminum or painted finish options listed on page 9 excluding silver</i> 7. Base height 4 = 4" h, <i>default</i> 8. Base infeed (applicable straight posts only) <i>N</i> = <i>None</i> <i>F</i> = <i>Base infeed fabric face side</i> 9. Finish, base raceway (applicable straight posts only) 10. Finish, Tiled side <i>Laminate *, V1, V2 or V3 finish</i> 11. Finish, mono side <i>Fabric selection</i> See page 7 for finish options applicable. Aluminum vertical hookstrip cover ordered separately. * Painted to match laminate.

description	h	w	pattern no.	AA or paint
Aluminum hookstrip cover condition including stacking modules without exposed 4" raceway	33.5"		R2AHCN34 ()	\$58.
	41.5"		R2AHCN42 ()	71.
	48.5"		R2AHCN49 ()	83.
	63.5"		R2AHCN64 ()	110.
	78.5"		R2AHCN79 ()	139.
Aluminum hookstrip cover condition including stacking modules with 4"h base raceway.	30"		R2AHCR34 ()	58.
	38"		R2AHCR42 ()	71.
	45"		R2AHCR49 ()	83.
	60"		R2AHCR64 ()	110.
Alum horizontal reveal for between base panel and stacking window module		18"	R2AHWR18 ()	34.
		20"	R2AHWR20 ()	34.
		24"	R2AHWR24 ()	36.
		30"	R2AHWR30 ()	37.
		36"	R2AHWR36 ()	40.
		42"	R2AHWR42 ()	42.
		48"	R2AHWR48 ()	47.
Alum horizontal reveal for between two stacking window modules or between stacking and window modules or between two stacking modules		18"	R2AHBW18 ()	34.
		20"	R2AHBW20 ()	34.
		24"	R2AHBW24 ()	36.
		30"	R2AHBW30 ()	37.
		36"	R2AHBW36 ()	40.
		42"	R2AHBW42 ()	42.
		48"	R2AHBW48 ()	47.
Alum horizontal reveal for between base panel and stacking module (FL/F1/F2)		18"	R2AHSR18 ()	34.
		20"	R2AHSR20 ()	34.
		24"	R2AHSR24 ()	36.
		30"	R2AHSR30 ()	37.
		36"	R2AHSR36 ()	40.
		42"	R2AHSR42 ()	42.
		48"	R2AHSR48 ()	47.

Order Code	Specification Information	Application Notes
Example: R2AHCN34 AA	<i>To order please specify pattern number including:</i> 1. Height or 2. Width 3. Finish <i>Anodized aluminum or painted finish options listed on page 7 excluding silver</i>	Aluminum hookstrip covers best suited for laminate, V1, V2 or V3 tiled side of panels only. Not recommended for fabric tiled side of panels. Recommend use on outside of stations/clusters only. When and where aluminum vertical hookstrip cover installed, forfeit panel hung capability.
R2 AutoStrada/Reff		
A Aluminum		
HC Hookstrip cover		
N No exposed raceway		
34 for 34"h		
AA Finish, anodized aluminum		

Trim, panels end trim and post trim


AutoStrada

description	height	to height	width	pattern no.	list
Aluminum end trim (full height), w/hookstrip 	34"			A1FHETE34 ()	\$118.
	42"			A1FHETE42 ()	138.
	49"			A1FHETE49 ()	159.
	64"			A1FHETE64 ()	178.

Aluminum end trim for Hi/Lo w/hookstrip (no post involved) 	34"	42"		A1HLETE3442 ()	104.
	34"	49"		A1HLETE3449 ()	106.
	34"	64"		A1HLETE3464 ()	109.
	42"	49"		A1HLETE4249 ()	104.
	42"	64"		A1HLETE4264 ()	106.
	49"	64"		A1HLETE4964 ()	109.

Post cover trim for Hi/Lo (post involved) 	34"	42"		A1HLPTE3442 ()	28.
	34"	49"		A1HLPTE3449 ()	40.
	34"	64"		A1HLPTE3464 (F/T)() ()	82.
	42"	49"		A1HLPTE4249 ()	28.
	42"	64"		A1HLPTE4264 (F/T)() ()	68.
	49"	64"		A1HLPTE4964 ()	40.

Finish options fabric, V1, V2, V3 or painted to match laminate only, not available in AA anodized aluminum.



Alum Top Trim for Hi/Lo condition, no post involved 		18"		AHLTTE18 ()	20.
		20"		AHLTTE20 ()	22.
		24"		AHLTTE24 ()	25.
		30"		AHLTTE30 ()	30.
		36"		AHLTTE36 ()	38.
		42"		AHLTTE42 ()	39.
		48"		AHLTTE48 ()	54.

Order Code	Specification Information	Application Notes	
Example: A1HLETE3442AA	<i>To order please specify pattern number including:</i>		
A	AutoStrada		
1	Generation 1		
HL	Hi/Lo		
ET	End Trim		
E	Extruded Aluminum Profile		
3442	34"h to 42"h		
AA	Finish, anodized aluminum		
	1. Hi/Lo Condition <i>ETE = End trim, no post w/hookstrip, height changes does not involve a post</i> <i>PTE = Post end trim, height change involves post</i> 2. Hi/Lo Height <i>3442 = 34"h to 42"h</i> <i>3449 = 34"h to 49"h</i> <i>3464 = 34"h to 64"h *</i> <i>4249 = 42"h to 49"h</i> <i>4264 = 42"h to 64"h *</i> <i>4964 = 49"h to 64"h</i> *Applicable for post cover trim: Specify (F) for full monolithic cover or (T) for tiled cover set.	3. If (T) for tiled cover set, specify tile divider finish B - Black reveal E - painted silver to match AA extruded aluminum panel reveal or painted finish options list on page 7 4. Finish <i>If end trim: Anodized aluminum or painted finish options listed on page 9 excluding silver</i> <i>If post cover trim: () fabric, V1,V2,V3 or painted to match laminate</i>	Aluminum end trim (full height), with hookstrip does not have base plate detail. Post cover trim for hi/lo conditions are available in choice of fabric, V1, V2, V3 or painted to match laminate finishes only. See page 7 for finish options applicable.

*Applicable for post cover trim:
Specify (F) for full monolithic cover or (T) for tiled cover set.

Trim, panels full length top trim

AutoStrada


description	width	pattern no.	paint	AA	list
Continuous run top trim 	60"	A1CRTT60 ()	\$75.	\$75.	
	66"	A1CRTT66 ()	75.	75.	
	72"	A1CRTT72 ()	81.	81.	
	78"	A1CRTT78 ()	81.	81.	
	84"	A1CRTT84 ()	92.	92.	
	90"	A1CRTT90 ()	121.	121.	
	96"	A1CRTT96 ()	121.	121.	
	102"	A1CRTT102 ()	n/a	132.	
	108"	A1CRTT108 ()	n/a	132.	
	114"	A1CRTT114 ()	n/a	132.	
	120"	A1CRTT120 ()	n/a	132.	
	126"	A1CRTT126 ()	n/a	138.	
	132"	A1CRTT132 ()	n/a	138.	
	138"	A1CRTT138 ()	n/a	144.	
	144"	A1CRTT144 ()	n/a	144.	
Continuous run top trim for Hi/Lo conditions 	60"	A1CHLTT60 ()	75.	75.	
	66"	A1CHLTT66 ()	75.	75.	
	72"	A1CHLTT72 ()	81.	81.	
	78"	A1CHLTT78 ()	81.	81.	
	84"	A1CHLTT84 ()	92.	92.	
	90"	A1CHLTT90 ()	121.	121.	
	96"	A1CHLTT96 ()	121.	121.	
	102"	A1CHLTT102 ()	n/a	132.	
	108"	A1CHLTT108 ()	n/a	132.	
	114"	A1CHLTT114 ()	n/a	132.	
	120"	A1CHLTT120 ()	n/a	132.	
	126"	A1CHLTT126 ()	n/a	138.	
	132"	A1CHLTT132 ()	n/a	138.	
	138"	A1CHLTT138 ()	n/a	144.	
	144"	A1CHLTT144 ()	n/a	144.	
PVC carrier to use with continuous run top trim	18"	A1TTC18			12.
	20"	A1TTC20			13.
	24"	A1TTC24			14.
	30"	A1TTC30			15.
	36"	A1TTC36			17.
	42"	A1TTC42			19.
	48"	A1TTC48			21.

Order Code	Specification Information	Application Notes
Example: A1CRTT60AA	<i>To order please specify pattern number including:</i>	Continuous run top trim for spanning multiple panels with one piece of trim. Continuous run top trim ships without PVC carrier which secures trim to panel frame. Carrier must correspond to individual panel widths below one piece top trim. May reuse PVC carrier from individual top trim that ships with panel; installer would remove carrier from single width top trim and then slide multiple carrier pieces onto continuous run top trim to align with panels below top trim.
A AutoStrada	1. Width	
1 Generation 1	2. Finish, where applicable	
CR Continuous Run	<i>Up to and including 96" w AA anodized aluminum or painted finish options listed on page 7 excluding silver</i>	
TT Top Trim		
60 60" wide		
AA Finish, anodized aluminum	Only available in AA-anodized aluminum over 96" w	

Trim, panels

panel trim and install aids


AutoStrada

description	type	h	pattern no.	list
Hookstrip cover strips, black flexible PVC	15 pcs/pack	79"	RHSC15	\$0.
	70 pcs/pack	79"	RHSC70	0.
	250 pcs/pack	79"	RHSC250	0.
cut to size to fit during installation recommended use interior of station or where aluminum vertical reveals not installed				
 Panel alignment kits	panel-to-panel		RSPABPP	6.
	window-to-panel		RSPABPW	6.
	window-to-window		RSPABWW	6.
	stacking module-to-panel		R3SPABPT	6.
	stacking module-to-stacking module		R3SPABTT	6.
	window-to-stacking module		R3SPABTW	6.
 Panel leveling plates	10 pcs/pack		APLP10	35.
	25 pcs/pack		APLP25	79.
Carpet grippers	10 pcs/pack		R2CG	19.


Panels

Order Code	Specification Information	Application Notes
Example: APLP10	<i>To order please specify pattern number including:</i>	Panel leveling plates are for installation aid only. The plate fits on top of the hookstrip connecting two panels and spans the joint between the panels. Simply drop the plate in the cavity between the two panels, tighten top wedges as you would normally during installation. The dimension and shape will force panel alignment. Remove the plate and proceed onto the next connection.
A AutoStrada	1. Pack quantity required	Panel alignment kits are required for stacking modules and long panel runs. Panel alignment kits are required at the highest point of each panel and stacking module connection. They are recommended when panels are supporting overhead storage. One alignment bracket required for every two panels. Please refer to Reff planning guide, page 45 for additional information.
P Panel		
L Leveling		
P Plates		
10 Pack of 10		

description	type	h	w	d	pattern no.	list
Power rail for panel with one side only base raceway (8 wire)	24" panel	2"	6"	2"	RR3-E24S	\$136.
	30" panel	2"	12"	2"	RR3-E30S	156.
	36" panel	2"	18"	2"	RR3-E36S	170.
	42" panel	2"	24"	2"	RR3-E42S	184.
	48" panel	2"	30"	2"	RR3-E48S	189.



Power rail for panel with one side only base raceway (10 wire)	24" panel	2"	6"	2"	RR3-T24S	163.
	30" panel	2"	12"	2"	RR3-T30S	177.
	36" panel	2"	18"	2"	RR3-T36S	189.
	42" panel	2"	24"	2"	RR3-T42S	206.
	48" panel	2"	30"	2"	RR3-T48S	211.



Order Code	Specification Information	Application Notes
Example: RR3-T24S	Power rails are the primary power distribution component. Each rail provides provides outlet mounting position on one side and receptacles for branching power connectors at each end. Power rail for 24" wide panel accepts one duplex outlet or one power infed. Power rails for 30" to 48" wide panels accept two outlets.	Power rails on this page are for use with panels with one side raceway only. Power connections and duplexes as required to be specified from following pages for 8 or 10 wire as required for panels with either one sided base raceway or both sides with base raceway.
RR3		
T		
24		
S		


Reff panel frame raceway

Ten wire, 3+3

for 24" w panel




Single sided raceway

Power distribution components
 2+2 Base Raceway
four circuit, eight-wire raceway for panels
power rails and connector

description	type	w	d	h	pattern no.	list price
	24" panel	6"	2"	2"	RR3-E24	\$129.
	30" panel	12"	2"	2"	RR3-E30NS	143.
	36" panel	18"	2"	2"	RR3-E36NS	156.
	42" panel	24"	2"	2"	RR3-E42NS	163.
	48" panel	30"	2"	2"	RR3-E48NS	170.
	60" panel	42"	2"	2"	RR3-E60-4	258.
	66" panel	48"	2"	2"	RR3-E66-4	272.
	72" panel	54"	2"	2"	RR3-E72-4	292.
	Straight	16 1/2"	2"	2"	RR3-EPC24	75.
		18 1/2"	2"	2"	RR3-EPCS	75.
		20 1/4"	2"	2"	RR3-EPC	75.
		Use RR3-EPC24 for straight 24" to 24" wide panel. Use RR3-EPCS for straight 24" to any other width panel and for 30" to 30" wide panels. Use RR3-EPC for all other straight power connection configurations.				
	Through post	19"	2"	2"	RR3-EPCP24	75.
		21"	2"	2"	RR3-EPCPS	75.
		22 3/4"	2"	2"	RR3-EPCP	75.
		Use RR3-EPCP24 for through post 24" to 24" wide panels. Use RR3-EPCPS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-EPCP for all other through post power connection configurations.				
	Duplex outlets, black	Circuit A			RR3-DA	35.
		Circuit B			RR3-DB	35.
		Circuit X			RR3-DX	35.
		Circuit Y			RR3-DY	35.
	Duplex outlets, orange	Circuit X			RR3-DXO	40.
		Circuit Y			RR3-DYO	40.
Data Shield	1 pair				RR3-DATSHD	25.


Order Code	Specification Information	Application Notes
Example: RR3-E-24		
RR3 Reff raceway	Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two protected 20-amp circuits (X and Y) with separate neutral and ground. In Canada circuits carry 15 amp load resting.	Power rails are the primary power distribution component of the Reff 2+2 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for two branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.
E Eight wire 2+2		
24 for 24" panel		
	Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.	Rail for 24" wide panel accepts one duplex outlet or power infeed centered on each side. Rails for 30" to 48" panels accept two outlets (or one outlet and one infeed) on each side. 60", 66" and 72"W panels accept four duplex outlets per side. Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment.
		Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T, X or L post connection. Power connectors are enclosed in steel flexible conduit. *Power connectors must be specified according to the panel widths in the specified orientation. If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.

Power distribution components
2+2 Base Raceway
four circuit, eight-wire raceway for panels
jumpers and infeed

description	type	w	d	h	pattern no.	list price
	18" panel	38"	2"	2"	RR3-EJ18	\$94.
	20" panel	40"	2"	2"	RR3-EJ20	94.
	24" panel	44"	2"	2"	RR3-EJ24	101.
	30" panel	50"	2"	2"	RR3-EJ30	108.
	36" panel	56"	2"	2"	RR3-EJ36	117.
	42" panel	62"	2"	2"	RR3-EJ42	123.
	48" panel	68"	2"	2"	RR3-EJ48	129.
	54" panel run	76 1/2"	2"	2"	RR3-EJ54P	136.
	60" panel run	82 1/2"	2"	2"	RR3-EJ60P	143.
	66" panel run	88 1/2"	2"	2"	RR3-EJ66P	150.
	72" panel run	94 1/2"	2"	2"	RR3-EJ72P	156.
	78" panel run	100 1/2"	2"	2"	RR3-EJ78P	163.
	84" panel run	106 1/2"	2"	2"	RR3-EJ84P	170.
	90" panel run	112 1/2"	2"	2"	RR3-EJ90P	177.
	96" panel run	118 1/2"	2"	2"	RR3-EJ96P	184.
	18" + post	40 1/2"	2"	2"	RR3-EJ18P	94.
	20" + post	42 1/2"	2"	2"	RR3-EJ20P	94.
	24" + post	46 1/2"	2"	2"	RR3-EJ24P	101.
	30" + post	52 1/2"	2"	2"	RR3-EJ30P	108.
	36" + post	58 1/2"	2"	2"	RR3-EJ36P	117.
	42" + post	64 1/2"	2"	2"	RR3-EJ42P	123.
	48" + post	70 1/2"	2"	2"	RR3-EJ48P	129.
	Ceiling power cable infeed				RR3-EPVR	251.
	Hardwire infeed (NYC) one direction				RR3-EPNY1	189.
	Hardwire infeed (NYC) two directions				RR3-EPNY2	284.
	Panel base end feed				RR3-REPI	225.
	Panel base side infeed				RR3-EPI	225.
	Surge suppressors				RR3-SP-(A,B,X,Y)	163.




Order Code	Specification Information	Application Notes
Example: RR3-EPVR		
RR3 Reff raceway	Reff 2+2 Raceway is a four-circuit, eight-wire modular power distribution system for use in Reff panels. 2+2 Raceway components distribute two 20-amp convenience circuits (A and B) with neutral and ground, and two 20-amp circuits (X and Y) with separate neutral and ground.	Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post.
E Eight wire 2+2		
P power infeed	For use in Canada, all circuits are CGA rated 15 amp capacity.	into panel base through power pole adjacent to panel with power rail. Power pole and post must be ordered separately.
VR for vertical raceway		
	<i>Note:</i> For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H.	Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. RR3-EPNY2 includes two power connectors to power panels on both sides of infeed panel; RR3-EPNY1 includes only one power connector.
	Beltway panels can use jumpers at the panel base in a straight run or around a corner.	Cable sizes are nominal. Use the "type" column to specify the required cable for your panel.

Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels
power rails and connectors

description	type	w	d	h	pattern no.	list price
	24" panel	6"	2"	2"	RR3-T24	\$150.
	30" panel	12"	2"	2"	RR3-T30NS	163.
	36" panel	18"	2"	2"	RR3-T36NS	177.
	42" panel	24"	2"	2"	RR3-T42NS	189.
	48" panel	30"	2"	2"	RR3-T48NS	197.
	60" panel	42"	2"	2"	RR3-T60-4	306.
	66" panel	48"	2"	2"	RR3-T66-4	319.
	72" panel	54"	2"	2"	RR3-T72-4	341.
	Straight	16 1/2"	2"	2"	RR3-TPC24	94.
		18 1/2"	2"	2"	RR3-TPCS	94.
		20 1/4"	2"	2"	RR3-TPC	94.
	Use RR3-TPC24 for through post 24" to 24" wide panels. Use RR3-TPCS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-TPC for all other through post power connection configurations.					
	Through post	19"	2"	2"	RR3-TPCP24	94.
		21"	2"	2"	RR3-TPCPS	94.
		22 3/4"	2"	2"	RR3-TPCP	94.
	Use RR3-TPCP24 for through post 24" to 24" wide panels. Use RR3-TPCPS for through post 24" to any other width panel and for 30" to 30" wide panels. Use RR3-TPCP for all other through post power connection configurations.					
	Duplex outlets, black					
	Circuit A				RR3-DA	35.
	Circuit B				RR3-DB	35.
	Circuit C				RR3-DC	35.
	Circuit X				RR3-DX	35.
	Circuit Y				RR3-DY	35.
	Duplex outlets, orange					
	Circuit X				RR3-DXO	40.
	Circuit Y				RR3-DYO	40.
	Circuit Z				RR3-DZO	40.
Data Shield		1 pair			RR3-DATSHD	25.

Order Code	Specification Information	Application Notes
Example: RR3-T-24		
RR3	Reff raceway	
T	Ten wire 3+3	
24	for 24" panel	
	Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A,B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground.	Power rails are the primary power distribution component of the Reff 3+3 Raceway. Each rail provides outlet mounting positions on both sides and receptacles for branching power connectors at each end. Center supports permit lay-in cabling from either side of the raceway.
	A, B, X, Y outlets are identical to eight wire, 2+2 components.	Rail for 24"W panel accepts one duplex outlet or power infeed one either side. Rails for 30" to 48" panels accept two outlets each side, 60", 66" and 72" rails accept four duplex outlets per side.
	Duplex outlet circuits are designated by white letters on black background.	
	In Canada, circuits carry a 15 amp load rating.	*Power connectors must be specified according to the panel widths in the specified orientation.
	<i>Note:</i> Specify the suffix "RF" after the power rail pattern number for panels manufactured before June 1996.	
		Power connectors transmit power between adjacent powered panels. Specify straight power connector for straight connections and through-post power connector when passing in a 90° or straight through a T or X or L post connection.
		Duplex outlets are preconfigured to access one of the four circuits, A, B, X, Y, and snap into any standard outlet location. Duplexes on circuits X and Y may be specified in orange to signify protected circuits for electronic equipment; all duplexes are black.
		If separation of cabling and electrical wires is required, a data shield can be attached below the power rail. Data Shields are field installed.



Power distribution components
3+3 Base Raceway
six circuit, ten-wire raceway for panels
jumpers and infeed

description	type	w	d	h	pattern no.	list price
 Jumper	18" panel	38"	2"	2"	RR3-TJ18	\$108.
	20" panel	40"	2"	2"	RR3-TJ20	108.
	24" panel	44"	2"	2"	RR3-TJ24	117.
	30" panel	50"	2"	2"	RR3-TJ30	123.
	36" panel	56"	2"	2"	RR3-TJ36	129.
	42" panel	62"	2"	2"	RR3-TJ42	143.
	48" panel	68"	2"	2"	RR3-TJ48	156.
	54" panel run	76 1/2"	2"	2"	RR3-TJ54P	163.
	60" panel	82 1/2"	2"	2"	RR3-TJ60P	170.
	66" panel run	86 1/2"	2"	2"	RR3-TJ66P	177.
	72" panel run	94 1/2"	2"	2"	RR3-TJ72P	184.
	78" panel run	100 1/2"	2"	2"	RR3-TJ78P	189.
	84" panel run	106 1/2"	2"	2"	RR3-TJ84P	206.
 Extended jumper	90" panel run	112 1/2"	2"	2"	RR3-TJ90P	211.
	96" panel run	118 1/2"	2"	2"	RR3-TJ96P	217.
	18" + post	40 1/2"	2"	2"	RR3-TJ18P	108.
	20" + post	46 1/2"	2"	2"	RR3-TJ20P	108.
	24" + post	46 1/2"	2"	2"	RR3-TJ24P	117.
	30" + post	52 1/2"	2"	2"	RR3-TJ30P	123.
 Power infeeds	36" + post	58 1/2"	2"	2"	RR3-TJ36P	129.
	42" + post	64 1/2"	2"	2"	RR3-TJ42P	143.
	48" + post	70 1/2"	2"	2"	RR3-TJ48P	156.
	Ceiling power cable infeed				RR3-TPVR	304.
	Hardwire infeed (NYC) one direction **				RR3-TPNY1	217.
	Hardwire infeed (NYC) two directions **				RR3-TPNY2	313.
	Panel base end feed				RR3-RTPI	258.
	Panel base side infeed				RR3-TPI	258.
	Surge suppressors *				RR3-SP-(A, B, C, X, Y, Z)	163.


* Select which circuit needs protecting and order the specified surge processor.

** For RR3-TPNY1 and RR3-TPNY2 specify base height of panel for NYC.



Order Code	Specification Information	Application Notes
Example: RR3-TPVR		
RR3 Reff raceway	Reff 3+3 Raceway is a six-circuit, ten-wire modular power distribution system for use in Reff panels. 3+3 Raceway components distribute three 20-amp convenience circuits (A, B and C) with neutral and ground, and three 20-amp circuits (X, Y and Z) with separate neutral and ground. In Canada, circuits carry a 15 amp load rating. Power infeeds connect building power supply to a cluster of interconnected power rails. Panel base infeed snaps into any outlet position in rail, and includes 6 foot liquid-tight conduit and pigtail for connection to floor or wall electrical box. Ceiling infeeds include up to 13' pigtail for connection into panel base through standard power pole. Power pole and post must be ordered separately.	Jumpers pass power through the raceway of panels that do not require power access to the next available power rail. Jumpers only connect to power rails. Jumpers 18" to 48" are available standard or extended. Extended jumpers should be specified when passing through a panel and a post. Jumpers 54" to 96" wide can be used with or without a post application. Extended jumpers and jumpers 54" to 96" wide can only pass through panels and one post. Cable sizes are nominal. Use the "type" column to specify the required cable for your panel. Beltway panels can use jumpers at the panel base in a straight run or around a corner.
T Ten wire 3+3		
P power infeed		
VR for vertical raceway		
	Hardwire infeed, used in all New York City installations, includes junction box that mounts within non-powered panel base (any width 30" or greater). Electrical contractor supplies watertight conduit from building power supply to panel and trims power connectors to length. RR3-TPNY2 includes two power connectors to power panels on both sides of infeed panel; RR3-TPNY1 includes only one power connector. <i>Note:</i> For NYC hardwire infeeds specify bracket height: 4", 5", or 6"H.	

description	type	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 left hand shown, worksurface height fixed 27"h to underside	left hand	42"	42"	26 1/2"	AMB42L424 () () () () ()	\$1,348.	\$1,593.	\$1,832.	\$2,381.
		42"	48"	26 1/2"	AMB42L484 () () () () ()	1,403.	1,658.	1,906.	2,478.
		42"	54"	26 1/2"	AMB42L544 () () () () ()	1,458.	1,722.	1,982.	2,575.
		42"	60"	26 1/2"	AMB42L604 () () () () ()	1,513.	1,787.	2,056.	2,674.
		42"	66"	26 1/2"	AMB42L664 () () () () ()	1,568.	1,853.	2,131.	2,771.
		42"	72"	26 1/2"	AMB42L724 () () () () ()	1,624.	1,917.	2,205.	2,867.
		42"	78"	26 1/2"	AMB42L784 () () () () ()	1,678.	1,983.	2,281.	2,964.
		42"	84"	26 1/2"	AMB42L844 () () () () ()	1,733.	2,048.	2,355.	3,062.
		42"	90"	26 1/2"	AMB42L904 () () () () ()	1,789.	2,112.	2,430.	3,161.
		42"	96"	26 1/2"	AMB42L964 () () () () ()	1,843.	2,177.	2,505.	3,258.
	right hand	42"	42"	26 1/2"	AMB42R424 () () () () ()	1,348.	1,593.	1,832.	2,381.
		42"	48"	26 1/2"	AMB42R484 () () () () ()	1,403.	1,658.	1,906.	2,478.
		42"	54"	26 1/2"	AMB42R544 () () () () ()	1,458.	1,722.	1,982.	2,575.
		42"	60"	26 1/2"	AMB42R604 () () () () ()	1,513.	1,787.	2,056.	2,674.
		42"	66"	26 1/2"	AMB42R664 () () () () ()	1,568.	1,853.	2,131.	2,771.
		42"	72"	26 1/2"	AMB42R724 () () () () ()	1,624.	1,917.	2,205.	2,867.
		42"	78"	26 1/2"	AMB42R784 () () () () ()	1,678.	1,983.	2,281.	2,964.
		42"	84"	26 1/2"	AMB42R844 () () () () ()	1,733.	2,048.	2,355.	3,062.
		42"	90"	26 1/2"	AMB42R904 () () () () ()	1,789.	2,112.	2,430.	3,161.
		42"	96"	26 1/2"	AMB42R964 () () () () ()	1,843.	2,177.	2,505.	3,258.
 left hand shown, worksurface height fixed 27"h to underside	left hand	42"	42"	32 1/2"	AMB42L425 () () () () ()	1,426.	1,669.	1,920.	2,496.
		42"	48"	32 1/2"	AMB42L485 () () () () ()	1,480.	1,733.	1,993.	2,591.
		42"	54"	32 1/2"	AMB42L545 () () () () ()	1,536.	1,797.	2,067.	2,687.
		42"	60"	32 1/2"	AMB42L605 () () () () ()	1,589.	1,860.	2,141.	2,783.
		42"	66"	32 1/2"	AMB42L665 () () () () ()	1,644.	1,925.	2,214.	2,878.
		42"	72"	32 1/2"	AMB42L725 () () () () ()	1,699.	1,988.	2,289.	2,974.
		42"	78"	32 1/2"	AMB42L785 () () () () ()	1,753.	2,053.	2,363.	3,070.
		42"	84"	32 1/2"	AMB42L845 () () () () ()	1,809.	2,117.	2,435.	3,165.
		42"	90"	32 1/2"	AMB42L905 () () () () ()	1,862.	2,180.	2,509.	3,262.
		42"	96"	32 1/2"	AMB42L965 () () () () ()	1,917.	2,244.	2,584.	3,358.


Order Code	Specification Information	Application Notes
Example: AMB42L424GFEV316 V316613AA	To order please specify pattern number including:	Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 138, specify no drill if configuration does not include bridge unit.
A AutoStrada	1. Hand <i>L = Left hand</i> <i>R = Right hand</i>	7. Finish, surround, top shelf and worksurface front edge <i>Laminate, V1, V2 or V3 finish</i>
M Median	2. Width	8. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>
B Binder depth top shelf	3. Depth <i>4 = 26.5" d nominal</i> <i>5 = 32.5" d nominal</i>	9. Finish, Grommet(s) <i>specify painted or plated finish</i>
42 42" high	4. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	10. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>
L Left hand	5. Face drill option <i>F = face drill for attachment to next unit</i> <i>N = no drill, last unit in run</i>	Order worksurface stiffener for unsupported spans exceeding 48".
42 42" wide	6. End drill option <i>E = end drill gable to attach to bridge</i> <i>N = no drill</i>	*42"h to top of gable; with aluminum trim and top shelf 43.2"h.
4 26.5" d		*Width noted is interior nominal dimension, overall footprint additional 1" nominal.
G Grommet		Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
F Face drill gable		Products on this page shipped knocked-down.
E End drill gable		See page 7 for finish options applicable.
V316 Finish, surround, top shelf & worksurface edge		
V316 Finish, worksurface		
613 Finish, grommet		
AA Trim, anodized aluminum		

description	type	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 left hand shown, worksurface height fixed 27" h to underside	right hand	42"	42"	32 1/2"	AMB42R425 () () () () ()	\$1,426.	\$1,669.	\$1,920.	\$2,496.
		42"	48"	32 1/2"	AMB42R485 () () () () ()	1,480.	1,733.	1,993.	2,591.
		42"	54"	32 1/2"	AMB42R545 () () () () ()	1,536.	1,797.	2,067.	2,687.
		42"	60"	32 1/2"	AMB42R605 () () () () ()	1,589.	1,860.	2,141.	2,783.
		42"	66"	32 1/2"	AMB42R665 () () () () ()	1,644.	1,925.	2,214.	2,878.
		42"	72"	32 1/2"	AMB42R725 () () () () ()	1,699.	1,988.	2,289.	2,974.
		42"	78"	32 1/2"	AMB42R785 () () () () ()	1,753.	2,053.	2,363.	3,070.
		42"	84"	32 1/2"	AMB42R845 () () () () ()	1,809.	2,117.	2,435.	3,165.
		42"	90"	32 1/2"	AMB42R905 () () () () ()	1,862.	2,180.	2,509.	3,262.
		42"	96"	32 1/2"	AMB42R965 () () () () ()	1,917.	2,244.	2,584.	3,358.

Order Code	Specification Information	Application Notes	
Example: AMB42L425GFEV316 V316613AA	<i>To order please specify pattern number including:</i>	7. Finish, surround, top shelf and worksurface front edge <i>Laminate, V1, V2 or V3 finish</i>	Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 138, specify no drill if configuration does not include bridge unit.
A	AutoStrada	1. Hand <i>L = Left hand R = Right hand</i>	
M	Median	2. Width	
B	Binder depth top shelf	3. Depth <i>4 = 26.5" d nominal 5 = 32.5" d nominal</i>	
42	42" high	4. Grommet option <i>G = Grommet(s) N = No grommet(s)</i>	
L	Left hand	5. Face drill option <i>F = face drill for attachment to next unit N = no drill, last unit in run</i>	
42	42" wide	6. End drill option <i>E = end drill gable to attach to bridge N = no drill</i>	
5	32.5" d		
G	Grommet		
F	Face drill gable		
E	End drill gable		
V316	Finish, surround, top shelf & worksurface edge		
V316	Finish, worksurface		
613	Finish, grommet		
AA	Trim, anodized aluminum		


description	type	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 left hand shown, worksurface height fixed 27"h to underside	left hand	42"	42"	26 1/2"	AMG42L424 () () () () ()	\$1,376.	\$1,625.	\$1,869.	\$2,428.
		42"	48"	26 1/2"	AMG42L484 () () () () ()	1,432.	1,691.	1,945.	2,528.
		42"	54"	26 1/2"	AMG42L544 () () () () ()	1,488.	1,758.	2,021.	2,628.
		42"	60"	26 1/2"	AMG42L604 () () () () ()	1,544.	1,823.	2,098.	2,727.
		42"	66"	26 1/2"	AMG42L664 () () () () ()	1,600.	1,890.	2,174.	2,826.
		42"	72"	26 1/2"	AMG42L724 () () () () ()	1,656.	1,957.	2,251.	2,925.
		42"	78"	26 1/2"	AMG42L784 () () () () ()	1,712.	2,022.	2,327.	3,025.
		42"	84"	26 1/2"	AMG42L844 () () () () ()	1,768.	2,088.	2,403.	3,123.
		42"	90"	26 1/2"	AMG42L904 () () () () ()	1,824.	2,154.	2,479.	3,222.
		42"	96"	26 1/2"	AMG42L964 () () () () ()	1,880.	2,221.	2,555.	3,323.
	right hand	42"	42"	26 1/2"	AMG42R424 () () () () ()	1,376.	1,625.	1,869.	2,428.
		42"	48"	26 1/2"	AMG42R484 () () () () ()	1,432.	1,691.	1,945.	2,528.
		42"	54"	26 1/2"	AMG42R544 () () () () ()	1,488.	1,758.	2,021.	2,628.
		42"	60"	26 1/2"	AMG42R604 () () () () ()	1,544.	1,823.	2,098.	2,727.
		42"	66"	26 1/2"	AMG42R664 () () () () ()	1,600.	1,890.	2,174.	2,826.
		42"	72"	26 1/2"	AMG42R724 () () () () ()	1,656.	1,957.	2,251.	2,925.
		42"	78"	26 1/2"	AMG42R784 () () () () ()	1,712.	2,022.	2,327.	3,025.
		42"	84"	26 1/2"	AMG42R844 () () () () ()	1,768.	2,088.	2,403.	3,123.
		42"	90"	26 1/2"	AMG42R904 () () () () ()	1,824.	2,154.	2,479.	3,222.
		42"	96"	26 1/2"	AMG42R964 () () () () ()	1,880.	2,221.	2,555.	3,323.
 left hand shown, worksurface height fixed 27"h to underside	left hand	42"	42"	32 1/2"	AMG42L425 () () () () ()	1,455.	1,703.	1,958.	2,545.
		42"	48"	32 1/2"	AMG42L485 () () () () ()	1,510.	1,767.	2,033.	2,642.
		42"	54"	32 1/2"	AMG42L545 () () () () ()	1,566.	1,834.	2,108.	2,740.
		42"	60"	32 1/2"	AMG42L605 () () () () ()	1,622.	1,898.	2,182.	2,840.
		42"	66"	32 1/2"	AMG42L665 () () () () ()	1,677.	1,964.	2,258.	2,936.
		42"	72"	32 1/2"	AMG42L725 () () () () ()	1,733.	2,027.	2,333.	3,033.
		42"	78"	32 1/2"	AMG42L785 () () () () ()	1,789.	2,094.	2,409.	3,131.
		42"	84"	32 1/2"	AMG42L845 () () () () ()	1,844.	2,158.	2,484.	3,230.
		42"	90"	32 1/2"	AMG42L905 () () () () ()	1,900.	2,223.	2,560.	3,327.
		42"	96"	32 1/2"	AMG42L965 () () () () ()	1,954.	2,290.	2,635.	3,426.

Order Code	Specification Information	Application Notes
Example: AMG42L424GFEV316 V316613AA	<i>To order please specify pattern number including:</i>	Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 138, specify no drill if configuration does not include bridge unit.
A AutoStrada	1. Left or Right hand <i>L = Left hand R = Right hand</i>	7. Finish, surround, top shelf & worksurface edge <i>Laminate, V1, V2 or V3 finish</i>
M Median	2. Width	8. Finish, worksurface <i>Laminate, V1, V2 or V3</i>
G Legal depth top shelf	3. Depth <i>4 = 26.5" d nominal 5 = 32.5" d nominal</i>	9. Finish, Grommet(s) <i>specify painted or plated finish</i>
42 42" high	4. Grommet option <i>G = Grommet(s) N = No grommet(s)</i>	10. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>
L Left hand	5. Face drill option <i>F = face drill for attachment to next unit N = no drill, last unit in run</i>	Order worksurface stiffener for unsupported spans exceeding 48". *42"h to top of gable; with aluminum trim and top shelf 43.2"h.
42 42" wide	6. End drill option <i>E = end drill gable to attach to bridge N = no drill</i>	*Width noted is interior nominal dimension, overall footprint additional 1" nominal.
4 26.5" d		
G Grommet		
F Face drill gable		
E End drill gable		
V316 Finish, surround, top shelf & worksurface edge		Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
V316 Finish, worksurface		Product on this page shipped knocked-down.
613 Finish, grommet		See page 7 for finish options applicable.
AA Trim, anodized aluminum		

description	type	h*	w*	d	pattern no	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 left hand shown, work surface height fixed 27" h to underside	right hand	42"	42"	32 1/2"	AMG42R425 () () () () ()	\$1,455.	\$1,703.	\$1,958.	\$2,545.
		42"	48"	32 1/2"	AMG42R485 () () () () ()	1,510.	1,767.	2,033.	2,642.
		42"	54"	32 1/2"	AMG42R545 () () () () ()	1,566.	1,834.	2,108.	2,740.
		42"	60"	32 1/2"	AMG42R605 () () () () ()	1,622.	1,898.	2,182.	2,840.
		42"	66"	32 1/2"	AMG42R665 () () () () ()	1,677.	1,964.	2,258.	2,936.
		42"	72"	32 1/2"	AMG42R725 () () () () ()	1,733.	2,027.	2,333.	3,033.
		42"	78"	32 1/2"	AMG42R785 () () () () ()	1,789.	2,094.	2,409.	3,131.
		42"	84"	32 1/2"	AMG42R845 () () () () ()	1,844.	2,158.	2,484.	3,230.
		42"	90"	32 1/2"	AMG42R905 () () () () ()	1,900.	2,223.	2,560.	3,327.
		42"	96"	32 1/2"	AMG42R965 () () () () ()	1,954.	2,290.	2,635.	3,426.

Order Code	Specification Information	Application Notes	
Example: AMG42L425GFEV316 V316613AA	<i>To order please specify pattern number including:</i>		
A AutoStrada	1. Left or Right hand <i>L = Left hand</i> <i>R = Right hand</i>	7. Finish, surround, top shelf & worksurface edge <i>Laminate, V1, V2 or V3 finish</i>	Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 138, specify no drill if configuration does not include bridge unit.
M Median	2. Width <i>4 = 26.5" d nominal</i> <i>5 = 32.5" d nominal</i>	8. Finish, worksurface <i>Laminate, V1, V2 or V3</i>	
G Legal depth top shelf	3. Depth <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	9. Finish, Grommet(s) <i>specify painted or plated finish</i>	
42 42" high	4. Grommet option <i>F = face drill for attachment to next unit</i> <i>N = no drill, last unit in run</i>	10. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
L Left hand	5. Face drill option <i>E = end drill gable to attach to bridge</i> <i>N = no drill</i>	Order worksurface stiffener for unsupported spans exceeding 48". *42"h to top of gable; with aluminum trim and top shelf 43.2"h.	
42 42" wide	6. End drill option <i>E = end drill gable to attach to bridge</i> <i>N = no drill</i>	*Width noted is interior nominal dimension, overall footprint additional 1" nominal.	
5 32.5" d			Product on this page shipped knocked-down. See page 7 for finish options applicable.
G Grommet			
F Face drill gable			
E End drill gable			
V316 Finish, surround, top shelf & worksurface edge			
V316 Finish, worksurface			
613 Finish, grommet			
AA Trim, anodized aluminum			

description	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
Medians with double end gable 42"h x 26.5"d with binder depth top shelf	42"	60"	26.5"	AMB42E604 () () () () ()	\$1,860.	\$2,230.	\$2,575.	\$3,349.
	42"	66"	26.5"	AMB42E664 () () () () ()	1,915.	2,295.	2,651.	3,447.
	42"	72"	26.5"	AMB42E724 () () () () ()	1,969.	2,362.	2,725.	3,543.
	42"	78"	26.5"	AMB42E784 () () () () ()	2,025.	2,425.	2,801.	3,639.
	42"	84"	26.5"	AMB42E844 () () () () ()	2,080.	2,491.	2,875.	3,738.
	42"	90"	26.5"	AMB42E904 () () () () ()	2,135.	2,555.	2,951.	3,836.
	42"	96"	26.5"	AMB42E964 () () () () ()	2,191.	2,620.	3,026.	3,933.





Medians with double end gable 42"h x 32.5"d with binder depth top shelf	42"	60"	32.5"	AMB42E605 () () () () ()	1,958.	2,330.	2,700.	3,509.
	42"	66"	32.5"	AMB42E665 () () () () ()	2,012.	2,392.	2,774.	3,605.
	42"	72"	32.5"	AMB42E725 () () () () ()	2,067.	2,457.	2,848.	3,702.
	42"	78"	32.5"	AMB42E785 () () () () ()	2,120.	2,520.	2,921.	3,797.
	42"	84"	32.5"	AMB42E845 () () () () ()	2,176.	2,586.	2,994.	3,893.
	42"	90"	32.5"	AMB42E905 () () () () ()	2,230.	2,650.	3,069.	3,989.
	42"	96"	32.5"	AMB42E965 () () () () ()	2,285.	2,712.	3,143.	4,087.



Medians with double end gable 42"h x 26.5"d with legal depth top shelf	42"	60"	26.5"	AMG42E604 () () () () ()	1,891.	2,266.	2,617.	3,402.
	42"	66"	26.5"	AMG42E664 () () () () ()	1,947.	2,332.	2,693.	3,502.
	42"	72"	26.5"	AMG42E724 () () () () ()	2,003.	2,400.	2,770.	3,601.
	42"	78"	26.5"	AMG42E784 () () () () ()	2,059.	2,465.	2,845.	3,699.
	42"	84"	26.5"	AMG42E844 () () () () ()	2,115.	2,531.	2,921.	3,799.
	42"	90"	26.5"	AMG42E904 () () () () ()	2,171.	2,596.	2,998.	3,899.
	42"	96"	26.5"	AMG42E964 () () () () ()	2,227.	2,664.	3,074.	3,999.

Medians with double end gable 42"h x 32.5"d with legal depth top shelf	42"	60"	32.5"	AMG42E605 () () () () ()	1,989.	2,366.	2,743.	3,566.
	42"	66"	32.5"	AMG42E665 () () () () ()	2,045.	2,431.	2,818.	3,663.
	42"	72"	32.5"	AMG42E725 () () () () ()	2,100.	2,497.	2,894.	3,762.
	42"	78"	32.5"	AMG42E785 () () () () ()	2,156.	2,563.	2,970.	3,859.
	42"	84"	32.5"	AMG42E845 () () () () ()	2,213.	2,628.	3,045.	3,958.
	42"	90"	32.5"	AMG42E905 () () () () ()	2,268.	2,691.	3,120.	4,055.
	42"	96"	32.5"	AMG42E965 () () () () ()	2,323.	2,757.	3,195.	4,153.


Order Code	Specification Information	Application Notes	
Example: AMB42E604GFNEBV316 V316613AA	<i>To order please specify pattern number including:</i>	Median with double end gables to be specified for single work station or end of run unit without storage anchored cabinet terminating work space. Optional end drill gable option is for attachment to bridge units on page 138, specify no drill if configuration does not include bridge unit.	
A	AutoStrada	6. Finish, surround, top shelf and worksurface front edge <i>Laminate, V1, V2 or V3 finish</i>	Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
M	Median	7. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>	
B	Binder depth top shelf	8. Finish, Grommet(s) <i>specify painted or plated finish</i>	Product on this page shipped knocked-down.
42	42" high	9. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	
E	End gables, both sides	Order worksurface stiffener for unsupported spans exceeding 48".	See page 7 for finish options applicable.
60	60" wide	*42"h to top of gable; with aluminum trim and top shelf 43.2"h.	
4	26.5" d	*Width noted is interior nominal dimension, overall footprint additional 2" nominal.	
G	Grommet		
FN	Face drill gable, none		
EB	End drill gable, both		
V316	Finish, surround, top shelf & worksurface edge		
V316	Finish, worksurface		
613	Finish, grommet		
AA	Trim, anodized aluminum		

description	type	h*	w*	d	pattern no.	L	V1	V2	V3
 center gable only in units 54"w and over	binder depth	42"	42"	14"	ASM42WB42 () () ()	\$1,549.	\$1,833.	\$2,105.	\$2,738.
		42"	48"	14"	ASM42WB48 () () ()	1,613.	1,906.	2,192.	2,849.
		42"	54"	14"	ASM42WB54 () () ()	1,764.	2,257.	2,713.	3,528.
		42"	60"	14"	ASM42WB60 () () ()	1,832.	2,342.	2,817.	3,660.
		42"	66"	14"	ASM42WB66 () () ()	1,897.	2,426.	2,919.	3,795.
		42"	72"	14"	ASM42WB72 () () ()	1,964.	2,512.	3,022.	3,928.
		42"	78"	14"	ASM42WB78 () () ()	2,030.	2,596.	3,125.	4,062.
		42"	84"	14"	ASM42WB84 () () ()	2,097.	2,682.	3,228.	4,194.
		42"	90"	14"	ASM42WB90 () () ()	2,163.	2,767.	3,330.	4,329.
		42"	96"	14"	ASM42WB96 () () ()	2,230.	2,851.	3,431.	4,463.
 center gable only in units 54"w and over	binder depth	42"	42"	14"	ASM42MB42 () () ()	2,137.	2,454.	2,495.	2,993.
		42"	48"	14"	ASM42MB48 () () ()	2,224.	2,554.	2,596.	3,116.
		42"	54"	14"	ASM42MB54 () () ()	2,433.	2,793.	3,215.	3,858.
		42"	60"	14"	ASM42MB60 () () ()	2,524.	2,899.	3,337.	4,001.
		42"	66"	14"	ASM42MB66 () () ()	2,615.	3,004.	3,456.	4,150.
		42"	72"	14"	ASM42MB72 () () ()	2,706.	3,111.	3,579.	4,296.
		42"	78"	14"	ASM42MB78 () () ()	2,798.	3,215.	3,701.	4,441.
		42"	84"	14"	ASM42MB84 () () ()	2,891.	3,320.	3,823.	4,587.
		42"	90"	14"	ASM42MB90 () () ()	2,982.	3,425.	3,943.	4,732.
		42"	96"	14"	ASM42MB96 () () ()	3,073.	3,532.	4,065.	4,879.


Order Code	Specification Information	Application Notes	
Example: ASM42WB42FNELV316AA	To order please specify pattern number including:	5. End drill option <i>EL = end drill left gable to attach to bridge</i> <i>ER = end drill right gable to attach to bridge</i> <i>EB = end drill both gables to attach to bridges (applicable 84"w, 90"w and 96"w only)</i> <i>EN = no drill(for freestandingapplications)</i>	Storage medians may be used in free-standing applications alone or multiple units side by side. When specifying side by side applications, be sure to select appropriate face drilling option (see specification option #4) and EN for no end drilling in gables. Storage medians may also be used with bridges on page 138 for creating L shaped work area configurations. When specifying for use with bridges, be sure to specify appropriate end drill option (see specification option #5).
A AutoStrada	1. Wood or Metal shelves <i>Embedded in pattern number</i> <i>W = wood shelves</i> <i>M = metal shelves (Two piece extruded assembly)</i> <i>Note: shelf at worksurface height always wood</i>	6. Finish <i>Laminate, V1, V2 or V3 finish</i>	Center shelf fixed at 27"h to underside to align with bridge worksurface height and always same material as case (wood or laminate); other shelf adjustable.
SM Storage Median	2. Depth <i>Embedded in pattern number</i> <i>B = Binder depth</i> <i>G = Legal depth</i>	7. Finish, metal shelves <i>AA - anodized aluminum or painted finish option from page 7 excluding silver</i>	
42 42" high	3. Width	8. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	Bridge units include hardware kit with washers to accommodate connection of 1" thick fixed storage median shelf to 1 1/4" thick bridge worksurface.
W Wood shelves	4. Face drill option <i>FL = face drill left gable for ganging</i> <i>FR = face drill right gable for ganging</i> <i>FB = face drill both gables for ganging</i> <i>FN = face drill none</i>	See page 7 for finish options applicable. *42"h to top of gables, with aluminum trim and top shelf 43.2"h. Inside width above, overall footprint additional 2" nominal.	
B Binder depth		Product on this page shipped knocked-down.	
42 42" wide			
FN Face drill gable, no			
EL End drill left gable			
V316 Finish, Maple			
AA Trim, anodized aluminum			

description	type	h*	w*	d	pattern no.	L	V1	V2	V3
 center gable only in units 54"w and over	legal depth	42"	42"	17"	ASM42WG42 () () ()	\$1,628.	\$1,924.	\$2,211.	\$2,875.
		42"	48"	17"	ASM42WG48 () () ()	1,694.	2,002.	2,302.	2,993.
		42"	54"	17"	ASM42WG54 () () ()	1,853.	2,368.	2,850.	3,705.
		42"	60"	17"	ASM42WG60 () () ()	1,923.	2,459.	2,958.	3,845.
		42"	66"	17"	ASM42WG66 () () ()	1,992.	2,548.	3,066.	3,984.
		42"	72"	17"	ASM42WG72 () () ()	2,062.	2,638.	3,173.	4,125.
		42"	78"	17"	ASM42WG78 () () ()	2,132.	2,727.	3,281.	4,265.
		42"	84"	17"	ASM42WG84 () () ()	2,201.	2,816.	3,388.	4,404.
		42"	90"	17"	ASM42WG90 () () ()	2,271.	2,906.	3,496.	4,545.
		42"	96"	17"	ASM42WG96 () () ()	2,342.	2,994.	3,604.	4,686.
 center gable only in units 54"w and over	legal depth	42"	42"	17"	ASM42MG42 () () ()	2,244.	2,576.	2,619.	3,143.
		42"	48"	17"	ASM42MG48 () () ()	2,335.	2,683.	2,725.	3,273.
		42"	54"	17"	ASM42MG54 () () ()	2,553.	2,932.	3,376.	4,050.
		42"	60"	17"	ASM42MG60 () () ()	2,650.	3,044.	3,503.	4,203.
		42"	66"	17"	ASM42MG66 () () ()	2,746.	3,154.	3,632.	4,356.
		42"	72"	17"	ASM42MG72 () () ()	2,843.	3,264.	3,758.	4,511.
		42"	78"	17"	ASM42MG78 () () ()	2,938.	3,376.	3,886.	4,663.
		42"	84"	17"	ASM42MG84 () () ()	3,035.	3,487.	4,014.	4,817.
		42"	90"	17"	ASM42MG90 () () ()	3,131.	3,597.	4,141.	4,968.
		42"	96"	17"	ASM42MG96 () () ()	3,228.	3,707.	4,269.	5,123.


Order Code	Specification Information	Application Notes	
Example: ASM42WG42FNELV316AA	To order please specify pattern number including:	5. End drill option <i>EL</i> = end drill left gable to attach to bridge <i>ER</i> = end drill right gable to attach to bridge <i>EB</i> = end drill both gables to attach to bridges (applicable 84"w, 90"w and 96"w only) <i>EN</i> = no drill (for freestanding applications)	Storage medians may be used in free-standing applications alone or multiple units side by side. When specifying side by side applications, be sure to select appropriate face drilling option (see specification option #4) and EN for no end drilling in gables. Storage medians may also be used with bridges on page 138 for creating L shaped work area configurations. When specifying for use with bridges, be sure to specify appropriate end drill option (see specification option #5).
A AutoStrada	1. Wood or Metal shelves <i>Embedded in pattern number</i> <i>W</i> = wood shelves <i>M</i> = metal shelves(Two piece extruded assembly) <i>Note: shelf at worksurface height always wood</i>	6. Finish <i>Laminate, V1, V2 or V3 finish</i>	Center shelf fixed at 27"h to underside to align with bridge worksurface height and always same material as case (wood or laminate); other shelf adjustable.
SM Storage Median	2. Depth <i>Embedded in pattern number</i> <i>B</i> = Binder depth <i>G</i> = Legal depth	7. Finish, metal shelves <i>AA</i> - Anodized aluminum or painted finish option from page 7 excluding silver	
42 42" high	3. Width	8. Finish, Aluminum trim <i>AA</i> - Anodized aluminum or painted finish option from page 7 excluding silver	
W Wood shelves	4. Face drill option <i>FL</i> = face drill left gable for ganging <i>FR</i> = face drill right gable for ganging <i>FB</i> = face drill both gables for ganging <i>FN</i> = face drill none	See page 7 for finish options applicable. *42"h to top of gables, with aluminum trim and top shelf 43.2"h. Inside width above, overall footprint additional 2" nominal.	
G Legal depth		Products on this page shipped knocked-down.	Bridge units include hardware kit with washers to accomodate connection of 1" thick fixed storage median shelf to 1 1/4" thick bridge worksurface.
42 42" wide			
FN Face drill gable, no			
EL End drill left gable			
V316 Finish, Maple			
AA Trim, anodized aluminum			

description	type	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 left hand shown, worksurface height fixed 27" h to underside	left hand	49"	42"	26 1/2"	AMBL424 () () () () ()	\$1,419.	\$1,677.	\$1,928.	\$2,506.
		49"	48"	26 1/2"	AMBL484 () () () () ()	1,477.	1,745.	2,006.	2,608.
		49"	54"	26 1/2"	AMBL544 () () () () ()	1,535.	1,813.	2,086.	2,710.
		49"	60"	26 1/2"	AMBL604 () () () () ()	1,593.	1,881.	2,164.	2,815.
		49"	66"	26 1/2"	AMBL664 () () () () ()	1,650.	1,950.	2,243.	2,917.
		49"	72"	26 1/2"	AMBL724 () () () () ()	1,709.	2,018.	2,321.	3,018.
		49"	78"	26 1/2"	AMBL784 () () () () ()	1,766.	2,087.	2,401.	3,120.
		49"	84"	26 1/2"	AMBL844 () () () () ()	1,824.	2,156.	2,479.	3,223.
		49"	90"	26 1/2"	AMBL904 () () () () ()	1,883.	2,223.	2,558.	3,327.
		49"	96"	26 1/2"	AMBL964 () () () () ()	1,940.	2,292.	2,637.	3,429.


right hand	49"	42"	26 1/2"	AMBR424 () () () () ()	1,419.	1,677.	1,928.	2,506.
	49"	48"	26 1/2"	AMBR484 () () () () ()	1,477.	1,745.	2,006.	2,608.
	49"	54"	26 1/2"	AMBR544 () () () () ()	1,535.	1,813.	2,086.	2,710.
	49"	60"	26 1/2"	AMBR604 () () () () ()	1,593.	1,881.	2,164.	2,815.
	49"	66"	26 1/2"	AMBR664 () () () () ()	1,650.	1,950.	2,243.	2,917.
	49"	72"	26 1/2"	AMBR724 () () () () ()	1,709.	2,018.	2,321.	3,018.
	49"	78"	26 1/2"	AMBR784 () () () () ()	1,766.	2,087.	2,401.	3,120.
	49"	84"	26 1/2"	AMBR844 () () () () ()	1,824.	2,156.	2,479.	3,223.
	49"	90"	26 1/2"	AMBR904 () () () () ()	1,883.	2,223.	2,558.	3,327.
	49"	96"	26 1/2"	AMBR964 () () () () ()	1,940.	2,292.	2,637.	3,429.

 left hand shown, worksurface height fixed 27" h to underside	left hand	49"	42"	32 1/2"	AMBL425 () () () () ()	1,501.	1,757.	2,021.	2,627.
		49"	48"	32 1/2"	AMBL485 () () () () ()	1,558.	1,824.	2,098.	2,727.
		49"	54"	32 1/2"	AMBL545 () () () () ()	1,617.	1,892.	2,176.	2,828.
		49"	60"	32 1/2"	AMBL605 () () () () ()	1,673.	1,958.	2,254.	2,929.
		49"	66"	32 1/2"	AMBL665 () () () () ()	1,731.	2,026.	2,331.	3,029.
		49"	72"	32 1/2"	AMBL725 () () () () ()	1,788.	2,093.	2,409.	3,131.
		49"	78"	32 1/2"	AMBL785 () () () () ()	1,845.	2,161.	2,487.	3,232.
		49"	84"	32 1/2"	AMBL845 () () () () ()	1,904.	2,228.	2,563.	3,332.
		49"	90"	32 1/2"	AMBL905 () () () () ()	1,960.	2,295.	2,641.	3,434.
		49"	96"	32 1/2"	AMBL965 () () () () ()	2,018.	2,362.	2,720.	3,535.


Order Code	Specification Information	Application Notes
Example: AMBL424GFEV316 V316613AA	To order please specify pattern number including:	Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 138, specify no drill if configuration does not include bridge unit.
A AutoStrada	1. Hand <i>L = Left hand</i> <i>R = Right hand</i>	7. Finish, surround, top shelf and worksurface front edge <i>Laminate, V1, V2 or V3 finish</i>
M Median	2. Width	8. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>
B Binder depth top shelf	3. Depth <i>4 = 26.5" d nominal</i> <i>5 = 32.5" d nominal</i>	9. Finish, Grommet(s) <i>specify painted or plated finish</i>
L Left hand	4. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	10. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>
42 42" wide	5. Face drill option <i>F = face drill for attachment to next unit</i> <i>N = no drill, last unit in run</i>	Order worksurface stiffener for unsupported spans exceeding 48".
4 26.5" d	6. End drill option <i>E = end drill gable to attach to bridge</i> <i>N = no drill</i>	*49" h to top of gable; with aluminum trim and top shelf 50.2" h.
G Grommet		*Width noted is interior nominal dimension, overall footprint additional 1" nominal.
F Face drill gable		
E End drill gable		
V316 Finish, surround, top shelf & worksurface edge		Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
V316 Finish, worksurface		Products on this page shipped knocked-down.
613 Finish, grommet		See page 7 for finish options applicable.
AA Trim, anodized aluminum		

description	type	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 left hand shown, worksurface height fixed 27"h to underside	right hand	49"	42"	32 1/2"	AMBR425 (X)(X)(X)(X)(X)	\$1,501.	\$1,757.	\$2,021.	\$2,627.
		49"	48"	32 1/2"	AMBR485 (X)(X)(X)(X)(X)	1,558.	1,824.	2,098.	2,727.
		49"	54"	32 1/2"	AMBR545 (X)(X)(X)(X)(X)	1,617.	1,892.	2,176.	2,828.
		49"	60"	32 1/2"	AMBR605 (X)(X)(X)(X)(X)	1,673.	1,958.	2,254.	2,929.
		49"	66"	32 1/2"	AMBR665 (X)(X)(X)(X)(X)	1,731.	2,026.	2,331.	3,029.
		49"	72"	32 1/2"	AMBR725 (X)(X)(X)(X)(X)	1,788.	2,093.	2,409.	3,131.
		49"	78"	32 1/2"	AMBR785 (X)(X)(X)(X)(X)	1,845.	2,161.	2,487.	3,232.
		49"	84"	32 1/2"	AMBR845 (X)(X)(X)(X)(X)	1,904.	2,228.	2,563.	3,332.
		49"	90"	32 1/2"	AMBR905 (X)(X)(X)(X)(X)	1,960.	2,295.	2,641.	3,434.
		49"	96"	32 1/2"	AMBR965 (X)(X)(X)(X)(X)	2,018.	2,362.	2,720.	3,535.


Order Code	Specification Information	Application Notes
Example: AMBR425GFEV316 V316613AA	<i>To order please specify pattern number including:</i>	Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 138, specify no drill if configuration does not include bridge unit.
A AutoStrada	1. Hand <i>L = Left hand R = Right hand</i>	7. Finish, surround, top shelf and worksurface front edge <i>Laminate, V1, V2 or V3 finish</i>
M Median	2. Width	8. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>
B Binder depth top shelf	3. Depth <i>4 = 26.5" d nominal 5 = 32.5" d nominal</i>	9. Finish, Grommet(s) <i>specify painted or plated finish</i>
R Right hand	4. Grommet option <i>G = Grommet(s) N = No grommet(s)</i>	10. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>
42 42" wide	5. Face drill option <i>F = face drill for attachment to next unit N = no drill, last unit in run</i>	Order worksurface stiffener for unsupported spans exceeding 48". *49"h to top of gable; with aluminum trim and top shelf 50.2"h.
5 32.5" d	6. End drill option <i>E = end drill gable to attach to bridge N = no drill</i>	*Width noted is interior nominal dimension, overall footprint additional 1" nominal.
G Grommet		
F Face drill gable		
E End drill gable		
V316 Finish, surround, top shelf & worksurface edge		Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
V316 Finish, worksurface		Product on this page shipped knocked-down.
613 Finish, grommet		See page 7 for finish options applicable.
AA Trim, anodized aluminum		

description	type	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 left hand shown, worksurface height fixed 27" h to underside	left hand	49"	42"	26 1/2"	AMGL424 () () () () ()	\$1,448.	\$1,711.	\$1,967.	\$2,556.
		49"	48"	26 1/2"	AMGL484 () () () () ()	1,507.	1,780.	2,047.	2,661.
		49"	54"	26 1/2"	AMGL544 () () () () ()	1,566.	1,850.	2,127.	2,766.
		49"	60"	26 1/2"	AMGL604 () () () () ()	1,625.	1,919.	2,208.	2,871.
		49"	66"	26 1/2"	AMGL664 () () () () ()	1,684.	1,989.	2,288.	2,975.
		49"	72"	26 1/2"	AMGL724 () () () () ()	1,743.	2,060.	2,369.	3,079.
		49"	78"	26 1/2"	AMGL784 () () () () ()	1,802.	2,128.	2,449.	3,184.
		49"	84"	26 1/2"	AMGL844 () () () () ()	1,861.	2,198.	2,529.	3,287.
		49"	90"	26 1/2"	AMGL904 () () () () ()	1,920.	2,267.	2,609.	3,392.
		49"	96"	26 1/2"	AMGL964 () () () () ()	1,979.	2,338.	2,689.	3,498.

right hand	49"	42"	26 1/2"	AMGR424 () () () () ()	1,448.	1,711.	1,967.	2,556.
	49"	48"	26 1/2"	AMGR484 () () () () ()	1,507.	1,780.	2,047.	2,661.
	49"	54"	26 1/2"	AMGR544 () () () () ()	1,566.	1,850.	2,127.	2,766.
	49"	60"	26 1/2"	AMGR604 () () () () ()	1,625.	1,919.	2,208.	2,871.
	49"	66"	26 1/2"	AMGR664 () () () () ()	1,684.	1,989.	2,288.	2,975.
	49"	72"	26 1/2"	AMGR724 () () () () ()	1,743.	2,060.	2,369.	3,079.
	49"	78"	26 1/2"	AMGR784 () () () () ()	1,802.	2,128.	2,449.	3,184.
	49"	84"	26 1/2"	AMGR844 () () () () ()	1,861.	2,198.	2,529.	3,287.
	49"	90"	26 1/2"	AMGR904 () () () () ()	1,920.	2,267.	2,609.	3,392.
	49"	96"	26 1/2"	AMGR964 () () () () ()	1,979.	2,338.	2,689.	3,498.


 left hand shown, worksurface height fixed 27" h to underside	left hand	49"	42"	32 1/2"	AMGL425 () () () () ()	1,532.	1,793.	2,061.	2,679.
		49"	48"	32 1/2"	AMGL485 () () () () ()	1,589.	1,860.	2,140.	2,781.
		49"	54"	32 1/2"	AMGL545 () () () () ()	1,648.	1,930.	2,219.	2,884.
		49"	60"	32 1/2"	AMGL605 () () () () ()	1,707.	1,998.	2,297.	2,989.
		49"	66"	32 1/2"	AMGL665 () () () () ()	1,765.	2,067.	2,377.	3,091.
		49"	72"	32 1/2"	AMGL725 () () () () ()	1,824.	2,134.	2,456.	3,193.
		49"	78"	32 1/2"	AMGL785 () () () () ()	1,883.	2,204.	2,536.	3,296.
		49"	84"	32 1/2"	AMGL845 () () () () ()	1,941.	2,272.	2,615.	3,400.
		49"	90"	32 1/2"	AMGL905 () () () () ()	2,000.	2,340.	2,695.	3,502.
		49"	96"	32 1/2"	AMGL965 () () () () ()	2,057.	2,410.	2,774.	3,606.

Order Code	Specification Information	Application Notes
Example: AMGL424GFEV316 V316613AA	To order please specify pattern number including:	
A AutoStrada	1. Left or Right hand <i>L = Left hand</i> <i>R = Right hand</i>	Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 138, specify no drill if configuration does not include bridge unit. Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface. Product on this page shipped knocked-down. See page 7 for finish options applicable.
M Median	2. Width	
G Legal depth top shelf	3. Depth <i>4 = 26.5" d nominal</i> <i>5 = 32.5" d nominal</i>	
L Left hand	4. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	
42 42" wide	5. Face drill option <i>F = face drill for attachment to next unit</i> <i>N = no drill, last unit in run</i>	
4 26.5" d	6. End drill option <i>E = end drill gable to attach to bridge</i> <i>N = no drill</i>	
G Grommet	7. Finish, surround, top shelf & worksurface edge <i>Laminate, V1, V2 or V3 finish</i>	
F Face drill gable	8. Finish, worksurface <i>Laminate, V1, V2 or V3</i>	
E End drill gable	9. Finish, Grommet(s) <i>specify painted or plated finish</i>	
V316 Finish, surround, top shelf & worksurface edge	10. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	
V316 Finish, worksurface	Order worksurface stiffener for unsupported spans exceeding 48". *49"h to top of gable; with aluminum trim and top shelf 50.2"h.	
613 Finish, grommet	*Width noted is interior nominal dimension, overall footprint additional 1" nominal.	
AA Trim, anodized aluminum		

description	type	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 left hand shown, worksurface height fixed 27" h to underside	right hand	49"	42"	32 1/2"	AMGR425 () () () () ()	\$1,532.	\$1,793.	\$2,061.	\$2,679.
		49"	48"	32 1/2"	AMGR485 () () () () ()	1,589.	1,860.	2,140.	2,781.
		49"	54"	32 1/2"	AMGR545 () () () () ()	1,648.	1,930.	2,219.	2,884.
		49"	60"	32 1/2"	AMGR605 () () () () ()	1,707.	1,998.	2,297.	2,989.
		49"	66"	32 1/2"	AMGR665 () () () () ()	1,765.	2,067.	2,377.	3,091.
		49"	72"	32 1/2"	AMGR725 () () () () ()	1,824.	2,134.	2,456.	3,193.
		49"	78"	32 1/2"	AMGR785 () () () () ()	1,883.	2,204.	2,536.	3,296.
		49"	84"	32 1/2"	AMGR845 () () () () ()	1,941.	2,272.	2,615.	3,400.
		49"	90"	32 1/2"	AMGR905 () () () () ()	2,000.	2,340.	2,695.	3,502.
		49"	96"	32 1/2"	AMGR965 () () () () ()	2,057.	2,410.	2,774.	3,606.



Order Code	Specification Information	Application Notes	
Example: AMGR425GFEV316 V316613AA	<i>To order please specify pattern number including:</i>		
A AutoStrada	1. Left or Right hand <i>L = Left hand</i> <i>R = Right hand</i>	7. Finish, surround, top shelf & worksurface edge <i>Laminate, V1, V2 or V3 finish</i>	Median end without gable to be attached to a storage anchored cabinet. Optional face drill option is to drill outside face of gable to attach to next median in line, if last unit in run specify no drill. Optional end drill gable option is for attachment to bridge units on page 138, specify no drill if configuration does not include bridge unit.
M Median	2. Width	8. Finish, worksurface <i>Laminate, V1, V2 or V3</i>	
G Legal depth top shelf	3. Depth <i>4 = 26.5" d nominal</i> <i>5 = 32.5" d nominal</i>	9. Finish, Grommet(s) <i>specify painted or plated finish</i>	
R Right hand	4. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	10. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
42 42" wide	5. Face drill option <i>F = face drill for attachment to next unit</i> <i>N = no drill, last unit in run</i>	Order worksurface stiffener for unsupported spans exceeding 48". *49"h to top of gable; with aluminum trim and top shelf 50.2"h.	
5 32.5" d	6. End drill option <i>E = end drill gable to attach to bridge</i> <i>N = no drill</i>	*Width noted is interior nominal dimension, overall footprint additional 1" nominal.	
G Grommet			Product on this page shipped knocked-down.
F Face drill gable			See page 7 for finish options applicable.
E End drill gable			
V316 Finish, surround, top shelf & worksurface edge			
V316 Finish, worksurface			
613 Finish, grommet			
AA Trim, anodized aluminum			

description	h*	w*	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
Medians with double end gable 49"h x 26.5"d with binder depth top shelf	49"	60"	26.5"	AMBE604 ()()()()()	\$1,958.	\$2,347.	\$2,710.	\$3,525.
	49"	66"	26.5"	AMBE664 ()()()()()	2,016.	2,416.	2,790.	3,628.
	49"	72"	26.5"	AMBE724 ()()()()()	2,073.	2,486.	2,868.	3,729.
	49"	78"	26.5"	AMBE784 ()()()()()	2,132.	2,553.	2,948.	3,831.
	49"	84"	26.5"	AMBE844 ()()()()()	2,189.	2,622.	3,026.	3,935.
	49"	90"	26.5"	AMBE904 ()()()()()	2,247.	2,689.	3,106.	4,038.
	49"	96"	26.5"	AMBE964 ()()()()()	2,306.	2,758.	3,185.	4,140.



Medians with double end gable 49"h x 32.5"d with binder depth top shelf	49"	60"	32.5"	AMBE605 ()()()()()	2,061.	2,453.	2,842.	3,694.
	49"	66"	32.5"	AMBE665 ()()()()()	2,118.	2,518.	2,920.	3,795.
	49"	72"	32.5"	AMBE725 ()()()()()	2,176.	2,586.	2,998.	3,897.
	49"	78"	32.5"	AMBE785 ()()()()()	2,232.	2,653.	3,075.	3,997.
	49"	84"	32.5"	AMBE845 ()()()()()	2,291.	2,722.	3,152.	4,098.
	49"	90"	32.5"	AMBE905 ()()()()()	2,347.	2,789.	3,231.	4,199.
	49"	96"	32.5"	AMBE965 ()()()()()	2,405.	2,855.	3,308.	4,302.
Medians with double end gable 49"h x 26.5"d with legal depth top shelf	49"	60"	26.5"	AMGE604 ()()()()()	1,990.	2,385.	2,755.	3,581.
	49"	66"	26.5"	AMGE664 ()()()()()	2,049.	2,455.	2,835.	3,686.
	49"	72"	26.5"	AMGE724 ()()()()()	2,108.	2,526.	2,916.	3,791.
	49"	78"	26.5"	AMGE784 ()()()()()	2,167.	2,595.	2,995.	3,894.
	49"	84"	26.5"	AMGE844 ()()()()()	2,226.	2,664.	3,075.	3,999.
	49"	90"	26.5"	AMGE904 ()()()()()	2,285.	2,733.	3,156.	4,104.
	49"	96"	26.5"	AMGE964 ()()()()()	2,344.	2,804.	3,236.	4,209.
Medians with double end gable 49"h x 32.5"d with legal depth top shelf	49"	60"	32.5"	AMGE605 ()()()()()	2,094.	2,491.	2,887.	3,754.
	49"	66"	32.5"	AMGE665 ()()()()()	2,153.	2,559.	2,966.	3,856.
	49"	72"	32.5"	AMGE725 ()()()()()	2,211.	2,628.	3,046.	3,960.
	49"	78"	32.5"	AMGE785 ()()()()()	2,269.	2,698.	3,126.	4,062.
	49"	84"	32.5"	AMGE845 ()()()()()	2,329.	2,766.	3,205.	4,166.
	49"	90"	32.5"	AMGE905 ()()()()()	2,387.	2,833.	3,284.	4,268.
	49"	96"	32.5"	AMGE965 ()()()()()	2,445.	2,902.	3,363.	4,372.

Order Code	Specification Information	Application Notes
Example: AMBE604GFNEBV316 V316613AA	<i>To order please specify pattern number including:</i>	
A	AutoStrada	
M	Median	
B	Binder depth top shelf	
E	End gables, both sides	
60	60" wide	
4	26.5" d	
G	Grommet	
FN	Face drill gable, none	
EB	End drill gable, both	
V316	Finish, surround, top shelf & worksurface edge	6. Finish, surround, top shelf and worksurface front edge <i>Laminate, V1, V2 or V3 finish</i>
V316	Finish, worksurface	7. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>
613	Finish, grommet	8. Finish, Grommet(s) <i>specify painted or plated finish</i>
AA	Trim, anodized aluminum	9. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>
		Order worksurface stiffener for unsupported spans exceeding 48".
		*49"h to top of gable; with aluminum trim and top shelf 50.2"h.
		*Width noted is interior nominal dimension, overall footprint additional 2" nominal.
		Median with double end gables to be specified for single work station or end of run unit without storage anchored cabinet terminating work space. Optional end drill gable option is for attachment to bridge units on page 138, specify no drill if configuration does not include bridge unit.
		Mixed finish options applicable with V1, V2 or V3 finish surround, top shelf and worksurface front edge with laminate finish worksurface.
		Product on this page shipped knocked-down.
		See page 7 for finish options applicable.

description	type	h*	w*	d	pattern no.	L	V1	V2	V3
 center gable only in units 54"w and over	binder depth	49"	42"	14"	ASMWB42 () () ()	\$1,631.	\$1,929.	\$2,216.	\$2,882.
		49"	48"	14"	ASMWB48 () () ()	1,698.	2,006.	2,307.	2,999.
		49"	54"	14"	ASMWB54 () () ()	1,857.	2,376.	2,856.	3,714.
		49"	60"	14"	ASMWB60 () () ()	1,928.	2,465.	2,965.	3,853.
		49"	66"	14"	ASMWB66 () () ()	1,997.	2,554.	3,073.	3,995.
		49"	72"	14"	ASMWB72 () () ()	2,067.	2,644.	3,181.	4,135.
		49"	78"	14"	ASMWB78 () () ()	2,137.	2,733.	3,289.	4,276.
		49"	84"	14"	ASMWB84 () () ()	2,207.	2,823.	3,398.	4,415.
		49"	90"	14"	ASMWB90 () () ()	2,277.	2,913.	3,505.	4,557.
		49"	96"	14"	ASMWB96 () () ()	2,347.	3,001.	3,612.	4,698.
 center gable only in units 54"w and over	binder depth	49"	42"	14"	ASMMB42 () () ()	2,203.	2,530.	2,572.	3,086.
		49"	48"	14"	ASMMB48 () () ()	2,293.	2,633.	2,676.	3,212.
		49"	54"	14"	ASMMB54 () () ()	2,508.	2,879.	3,314.	3,977.
		49"	60"	14"	ASMMB60 () () ()	2,602.	2,989.	3,440.	4,125.
		49"	66"	14"	ASMMB66 () () ()	2,696.	3,097.	3,563.	4,278.
		49"	72"	14"	ASMMB72 () () ()	2,790.	3,207.	3,690.	4,429.
		49"	78"	14"	ASMMB78 () () ()	2,885.	3,314.	3,815.	4,578.
		49"	84"	14"	ASMMB84 () () ()	2,980.	3,423.	3,941.	4,729.
		49"	90"	14"	ASMMB90 () () ()	3,074.	3,531.	4,065.	4,878.
		49"	96"	14"	ASMMB96 () () ()	3,168.	3,641.	4,191.	5,030.

Order Code

Specification Information

Application Notes

Example:	ASMWB42FNELV316AA
A	AutoStrada
SM	Storage Median
W	Wood shelves
B	Binder depth
42	42" wide
FN	Face drill gable, no
EL	End drill left gable
V316	Finish, Maple
AA	Trim, anodized aluminum

To order please specify pattern number including:

1. Wood or Metal shelves
Embedded in pattern number
W = wood shelves
M = metal shelves (Two piece extruded assembly)
Note: shelf at worksurface height always wood
2. Depth
Embedded in pattern number
B = Binder depth
G = Legal depth
3. Width
4. Face drill option
FL = face drill left gable for ganging
FR = face drill right gable for ganging
FB = face drill both gables for ganging
FN = face drill none

5. End drill option
EL = end drill left gable to attach to bridge
ER = end drill right gable to attach to bridge
EB = end drill both gables to attach to bridges (applicable 84"w, 90"w and 96"w only)
EN = no drill (for freestanding applications)
 6. Finish
Laminate, V1, V2 or V3 finish
 7. Finish, metal shelves
AA - anodized aluminum or painted finish option from page 7 excluding silver
 8. Finish, Aluminum trim
AA - Anodized aluminum or painted finish option from page 7 excluding silver
- See page 7 for finish options applicable.



Storage medians may be used in free-standing applications alone or multiple units side by side. When specifying side by side applications, be sure to select appropriate face drilling option (see specification option #4) and EN for no end drilling in gables. Storage medians may also be used with bridges on page 138 for creating L shaped work area configurations. When specifying for use with bridges, be sure to specify appropriate end drill option (see specification option #5).

Center shelf fixed at 27"h to underside to align with bridge worksurface height and always same material as case (wood or laminate); other two shelves are adjustable 2 1/2" up or down from location shown either wood, laminate or metal. Nominally top shelf 7 1/2"h, other two 13"h.


Bridge units include hardware kit with washers to accommodate connection of 1" thick fixed storage median shelf to 1 1/4" thick bridge worksurface.

*49"h to top of gables, with aluminum trim and top shelf 50.2"h. Inside width above, overall footprint additional 2" nominal.

Product on this page shipped knocked-down.


description	type	h*	w*	d	pattern no.	L	V1	V2	V3	
 <i>center gable only in units 54"w and over</i>	Storage Median, 49"h w/wood shelves	legal depth	49"	42"	17"	ASMWG42 () () ()	\$1,714.	\$2,025.	\$2,327.	\$3,026.
			49"	48"	17"	ASMWG48 () () ()	1,783.	2,107.	2,423.	3,150.
			49"	54"	17"	ASMWG54 () () ()	1,950.	2,493.	3,000.	3,900.
			49"	60"	17"	ASMWG60 () () ()	2,024.	2,588.	3,114.	4,047.
			49"	66"	17"	ASMWG66 () () ()	2,097.	2,682.	3,227.	4,194.
			49"	72"	17"	ASMWG72 () () ()	2,171.	2,777.	3,340.	4,342.
			49"	78"	17"	ASMWG78 () () ()	2,244.	2,871.	3,454.	4,489.
			49"	84"	17"	ASMWG84 () () ()	2,317.	2,964.	3,566.	4,636.
			49"	90"	17"	ASMWG90 () () ()	2,390.	3,059.	3,680.	4,784.
			49"	96"	17"	ASMWG96 () () ()	2,465.	3,152.	3,794.	4,933.
 <i>center gable only in units 54"w and over</i>	Storage Median, 49"h w/ metal shelves	legal depth	49"	42"	17"	ASMMG42 () () ()	2,313.	2,656.	2,700.	3,240.
			49"	48"	17"	ASMMG48 () () ()	2,407.	2,766.	2,809.	3,374.
			49"	54"	17"	ASMMG54 () () ()	2,632.	3,023.	3,480.	4,175.
			49"	60"	17"	ASMMG60 () () ()	2,732.	3,138.	3,611.	4,333.
			49"	66"	17"	ASMMG66 () () ()	2,831.	3,252.	3,744.	4,491.
			49"	72"	17"	ASMMG72 () () ()	2,931.	3,365.	3,874.	4,650.
			49"	78"	17"	ASMMG78 () () ()	3,029.	3,480.	4,006.	4,807.
			49"	84"	17"	ASMMG84 () () ()	3,129.	3,595.	4,138.	4,966.
			49"	90"	17"	ASMMG90 () () ()	3,228.	3,708.	4,269.	5,122.
			49"	96"	17"	ASMMG96 () () ()	3,328.	3,822.	4,401.	5,281.

Order Code	Specification Information	Application Notes
Example: ASMWG42FNELV316AA	To order please specify pattern number including:	Storage medians may be used in free-standing applications alone or multiple units side by side. When specifying side by side applications, be sure to select appropriate face drilling option (see specification option #4) and EN for no end drilling in gables. Storage medians may also be used with bridges on page 138 for creating L shaped work area configurations. When specifying for use with bridges, be sure to specify appropriate end drill option (see specification option #5).
A	AutoStrada	
SM	Storage Median	
W	Wood shelves	
G	Legal depth	
42	42" wide	
FN	Face drill gable, no	
EL	End drill left gable	
V316	Finish, Maple	
AA	Trim, anodized aluminum	
	1. Wood or Metal shelves Embedded in pattern number W = wood shelves M = metal shelves(Two piece extruded assembly) Note: shelf at worksurface height always wood	5. End drill option EL = end drill left gable to attach to bridge ER = end drill right gable to attach to bridge EB = end drill both gables to attach to bridges (applicable 84"w, 90"w and 96"w only) EN = no drill (for freestanding applications)
	2. Depth Embedded in pattern number B = Binder depth G = Legal depth	6. Finish Laminate, V1, V2 or V3 finish
	3. Width	7. Finish, metal shelves AA - Anodized aluminum or painted finish option from page 7 excluding silver
	4. Face drill option FL = face drill left gable for ganging FR = face drill right gable for ganging FB = face drill both gables for ganging FN = face drill none	8. Finish, Aluminum trim AA - Anodized aluminum or painted finish option from page 7 excluding silver
		See page 7 for finish options applicable. *49"h to top of gables, with aluminum trim and top shelf 50.2"h. Inside width above, overall footprint additional 2" nominal. Products on this page shipped knocked-down.
		Center shelf fixed at 27"h to underside to align with bridge worksurface height and always same material as case (wood or laminate); other two shelves are adjustable 2 1/2" up or down from location shown either wood, laminate or metal. Nominally top shelf 7 1/2"h, other two 13"h. Bridge units include hardware kit with washers to accomodate connection of 1" thick fixed storage median shelf to 1 1/4" thick bridge worksurface.

description	h	w	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
 worksurface height fixed 27" h to underside	42"	42"	26 1/2"	AOB4242 () () () ()	\$893.	\$1,057.	\$1,215.	\$1,579.
	42"	48"	26 1/2"	AOB4248 () () () ()	930.	1,099.	1,264.	1,644.
	42"	54"	26 1/2"	AOB4254 () () () ()	967.	1,141.	1,315.	1,709.
	42"	60"	26 1/2"	AOB4260 () () () ()	1,003.	1,186.	1,363.	1,773.
	42"	66"	26 1/2"	AOB4266 () () () ()	1,039.	1,228.	1,414.	1,836.
	42"	72"	26 1/2"	AOB4272 () () () ()	1,076.	1,271.	1,463.	1,902.
	42"	78"	26 1/2"	AOB4278 () () () ()	1,112.	1,315.	1,511.	1,967.


Order Code	Specification Information	Application Notes
Example: AOB4242GDV316V316613	<i>To order please specify pattern number including:</i>	Overall depth is 26.5" nominal
A AutoStrada	1. Width	Bridge units attach one side to gable end of medians or storage medians, and other end to 26.5" deep storage anchored cabinets. Attachment method is universal, bridge units are not handed.
OB Open Bridge	2. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	
42 42" high	3. Drill for top shelf option <i>Note: not applicable for window bridges</i>	
42 42" wide	<i>D = drill for top shelf attachment</i> <i>N = no drill for top shelf attachment</i>	Mixed finish options must only be combination of laminate surface with V1 or V2 or V3 back and edge.
G Grommet	4. Finish, back and worksurface edge <i>Laminate, V1, V2 or V3 finish</i>	Optional top shelf for bridge assembly specified separately, refer to page 139. Be sure to specify drill for top shelf if required.
D Drill for top shelf attachment	5. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>	
V316 Finish, back panel & edge	6. Finish, Grommet(s) <i>specify painted or plated finish</i>	
V316 Finish, worksurface		Order worksurface stiffener for unsupported spans exceeding 48".
613 Finish, grommet		See page 7 for finish options applicable.
		Product on this page shipped knocked-down.

description	h	w	d	pattern no.	L	M/V1 or V1	M/V2 or V2	M/V3 or V3
Bridge assembly, 49"h includes worksurface	49"	42"	26 1/2"	AOBS42 () () () ()	\$940.	\$1,113.	\$1,279.	\$1,662.
	49"	48"	26 1/2"	AOBS48 () () () ()	979.	1,157.	1,331.	1,731.
	49"	54"	26 1/2"	AOBS54 () () () ()	1,018.	1,201.	1,384.	1,799.
	49"	60"	26 1/2"	AOBS60 () () () ()	1,056.	1,248.	1,435.	1,866.
	49"	66"	26 1/2"	AOBS66 () () () ()	1,094.	1,293.	1,488.	1,933.
	49"	72"	26 1/2"	AOBS72 () () () ()	1,133.	1,338.	1,540.	2,002.
	49"	78"	26 1/2"	AOBS78 () () () ()	1,171.	1,384.	1,591.	2,070.



worksurface height fixed 27"h to underside


Bridge assembly, includes worksurface	28"	42"	26 1/2"	AWBS42 () () ()	880.	1,039.	1,195.	1,553.
	28"	48"	26 1/2"	AWBS48 () () ()	915.	1,081.	1,243.	1,617.
	28"	54"	26 1/2"	AWBS54 () () ()	951.	1,124.	1,293.	1,680.
	28"	60"	26 1/2"	AWBS60 () () ()	987.	1,166.	1,341.	1,744.
	28"	66"	26 1/2"	AWBS66 () () ()	1,023.	1,209.	1,390.	1,806.
	28"	72"	26 1/2"	AWBS72 () () ()	1,059.	1,250.	1,439.	1,871.
	28"	78"	26 1/2"	AWBS78 () () ()	1,094.	1,293.	1,488.	1,933.
	28"	84"	26 1/2"	AWBS84 () () ()	1,130.	1,336.	1,537.	1,997.
	28"	90"	26 1/2"	AWBS90 () () ()	1,165.	1,378.	1,585.	2,061.
	28"	96"	26 1/2"	AWBS96 () () ()	1,201.	1,421.	1,634.	2,123.



worksurface height fixed 27"h to underside

Specify with window bridge kits to achieve 49"h


Order Code	Specification Information	Application Notes
Example: AOBS42GDV316V316 613	To order please specify pattern number including:	Overall depth is 26.5" nominal
A AutoStrada	1. Width	Bridge units attach one side to gable end of medians or storage medians, and other end to 26.5" deep storage anchored cabinets. Attachment method is universal, bridge units are not handed.
OB Open Bridge	2. Grommet option <i>G = Grommet(s)</i> <i>N = No grommet(s)</i>	Mixed finish options must only be combination of laminate surface with V1 or V2 or V3 back and edge.
S Single	3. Drill for top shelf option <i>Note: not applicable for window bridges</i> <i>D = drill for top shelf attachment</i> <i>N = no drill for top shelf attachment</i>	Window kit and window trim kit for window bridge assembly specified separately, refer to page 141.
42 42" wide	4. Finish, back and worksurface edge <i>Laminate, V1, V2 or V3 finish</i>	Optional top shelf for bridge assembly specified separately, refer to page 139. Be sure to specify drill for top shelf if required.
G Grommet	5. Finish, worksurface <i>Laminate, V1, V2 or V3 finish</i>	
D Drill for top shelf attachment	6. Finish, Grommet(s) <i>specify painted or plated finish</i>	
V316 Finish, back panel & edge		
V316 Finish, worksurface		
613 Finish, grommet		

description	thickness	w	d	pattern no.	L	V1	V2	V3
Top shelf for bridge assy to median w/26.5" gable & binder depth top 	1 1/4"	54 7/16"	14"	ATSBA42 () ()	\$267.	\$315.	\$362.	\$472.
	1 1/4"	60 7/16"	14"	ATSBA48 () ()	277.	327.	376.	489.
	1 1/4"	66 7/16"	14"	ATSBA54 () ()	288.	340.	392.	509.
	1 1/4"	72 7/16"	14"	ATSBA60 () ()	299.	352.	407.	528.
	1 1/4"	78 7/16"	14"	ATSBA66 () ()	310.	366.	420.	547.
	1 1/4"	84 7/16"	14"	ATSBA72 () ()	320.	380.	435.	567.
	1 1/4"	90 7/16"	14"	ATSBA78 () ()	332.	392.	451.	586.
Top shelf for bridge assy to median w/26.5" gable & legal depth top	1 1/4"	51 7/16"	14"	ATSBB42 () ()	267.	315.	362.	472.
	1 1/4"	57 7/16"	14"	ATSBB48 () ()	277.	327.	376.	489.
	1 1/4"	63 7/16"	14"	ATSBB54 () ()	288.	340.	392.	509.
	1 1/4"	69 7/16"	14"	ATSBB60 () ()	299.	352.	407.	528.
	1 1/4"	75 7/16"	14"	ATSBB66 () ()	310.	366.	420.	547.
	1 1/4"	81 7/16"	14"	ATSBB72 () ()	320.	380.	435.	567.
	1 1/4"	87 7/16"	14"	ATSBB78 () ()	332.	392.	451.	586.
Top shelf for bridge assy to median w/32.5" gable & binder depth top	1 1/4"	60 7/16"	14"	ATSBC42 () ()	331.	391.	450.	583.
	1 1/4"	66 7/16"	14"	ATSBC48 () ()	343.	406.	467.	607.
	1 1/4"	72 7/16"	14"	ATSBC54 () ()	357.	421.	486.	630.
	1 1/4"	78 7/16"	14"	ATSBC60 () ()	371.	438.	503.	655.
	1 1/4"	84 7/16"	14"	ATSBC66 () ()	384.	454.	522.	679.
	1 1/4"	90 7/16"	14"	ATSBC72 () ()	398.	469.	540.	703.
	1 1/4"	96 7/16"	14"	ATSBC78 () ()	411.	486.	558.	726.
Top shelf for bridge assy to median w/32.5" gable & legal depth top	1 1/4"	57 7/16"	14"	ATSBD42 () ()	331.	391.	450.	583.
	1 1/4"	63 7/16"	14"	ATSBD48 () ()	343.	406.	467.	607.
	1 1/4"	69 7/16"	14"	ATSBD54 () ()	357.	421.	486.	630.
	1 1/4"	75 7/16"	14"	ATSBD60 () ()	371.	438.	503.	655.
	1 1/4"	81 7/16"	14"	ATSBD66 () ()	384.	454.	522.	679.
	1 1/4"	87 7/16"	14"	ATSBD72 () ()	398.	469.	540.	703.
	1 1/4"	93 7/16"	14"	ATSBD78 () ()	411.	486.	558.	726.
Top shelf for bridge assy to storage median	1 1/4"	42"	14"	ATSBE42 () ()	267.	315.	362.	472.
	1 1/4"	48"	14"	ATSBE48 () ()	277.	327.	376.	489.
	1 1/4"	54"	14"	ATSBE54 () ()	288.	340.	392.	509.


Order Code	Specification Information	Application Notes
Example: ATSBA42V316AA	<i>To order please specify pattern number including:</i>	Top shelf extends width of bridge assembly plus exposed portion of the median gable where the median gable extends beyond median's top shelf.
A AutoStrada	1. Bridge to Median condition <i>A = to 26.5" d median w/binder depth top shelf</i>	Top shelf assembly includes aluminum trim to install between bridge assembly and underside of top shelf; and aligns with aluminum trim detail of median or storage median.
TS Top Shelf	<i>B = to 26.5" d median w/legal depth top shelf</i>	
B Bridge	<i>C = to 32.5" d median w/binder depth top shelf</i>	
A for bridge to median condition A	<i>D = to 32.5" d median w/legal depth top shelf</i>	
42 42" wide plus condition A	<i>E = to storage median binder or legal depth</i>	See page 7 for finish options applicable.
V316 Finish, Maple	2. Width <i>specify same as corresponding bridge assembly</i>	
AA Trim, anodized aluminum	3. Finish, Shelf <i>Laminate, V1, V2 or V3 finish</i>	
	4. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	

description	thickness	w	d	pattern no.	L	V1	V2	V3
Top shelf for bridge assy to storage median	1 1/4"	60"	14"	ATSBE60 () ()	\$299.	\$352.	\$407.	\$528.
	1 1/4"	66"	14"	ATSBE66 () ()	310.	366.	420.	547.
	1 1/4"	72"	14"	ATSBE72 () ()	320.	380.	435.	567.
	1 1/4"	78"	14"	ATSBE78 () ()	332.	392.	451.	586.

Order Code	Specification Information	Application Notes
Example: ATSBA42V316AA	<i>To order please specify pattern number including:</i>	Top shelf extends width of bridge assembly plus exposed portion of the median gable where the median gable extends beyond median's top shelf.
A AutoStrada		
TS Top Shelf		
B Bridge		
A for bridge to median condition A	1. Bridge to Median condition <i>A = to 26.5' d median w/binder depth top shelf</i> <i>B = to 26.5' d median w/legal depth top shelf</i> <i>C = to 32.5' d median w/binder depth top shelf</i> <i>D = to 32.5' d median w/legal depth top shelf</i> <i>E = to storage median binder or legal depth</i>	Top shelf assembly includes aluminum trim to install between bridge assembly and underside of top shelf; and aligns with aluminum trim detail of median or storage median.
42 42" wide plus condition A		
V316 Finish, Maple		
AA Trim, anodized aluminum	2. Width <i>specify same as corresponding bridge assembly</i> 3. Finish, Shelf <i>Laminate, V1, V2 or V3 finish</i> 4. Finish, Aluminum trim <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	See page 7 for finish options applicable.

description	h	w	pattern no.	clear	architectural	list
 Window Bridge Kit	21"	42"	AWBK42 () () ()	\$638.	\$767.	
	21"	48"	AWBK48 () () ()	688.	826.	
	21"	54"	AWBK54 () () ()	737.	886.	
	21"	60"	AWBK60 () () ()	788.	945.	
	21"	66"	AWBK66 () () ()	837.	1,004.	
	21"	72"	AWBK72 () () ()	887.	1,064.	
	21"	78"	AWBK78 () () ()	936.	1,124.	
	21"	84"	AWBK84 () () ()	986.	1,184.	
	21"	90"	AWBK90 () () ()	1,035.	1,243.	
	21"	96"	AWBK96 () () ()	1,085.	1,303.	
Median gable top trim for window to median w/26.5" gable&binder depth top		12"	AMGTTA ()			89.
 Median gable top trim for window to median w/26.5" gable&binder depth top		9"	AMGTTB ()			75.
		18"	AMGTTC ()			109.
Median gable top trim for window to median w/32.5" gable&binder depth top		15"	AMGTTD ()			97.

Order Code	Specification Information	Application Notes
Example: AWBK42EAAGL13AA	<i>To order please specify pattern number including:</i>	Window bridge kits are for use with window bridge assemblies on page 138.
A AutoStrada	Window bridge kit:	
W Window	1. Width	
BK Bridge kit	<i>Note: Be sure to specify window bridge kit to correspond with width of window bridge assembly</i>	Be sure to include median gable top trim when attaching window bridge assembly and window bridge kit to medians for the appropriate condition of median gable and top shelf. The median gable top trim is an aluminum extrusion which finishes the exposed portion of the median gable and continues a consistent aluminum trim detail from one unit to the next.
42 42" wide	2. Extruded Aluminum Top Trim profile	
E Extruded Aluminum Top Trim	<i>E = default</i>	
AA Finish, window frame	3. Finish, window frame	
GL13 Finish, glass	<i>Paint or Anodized Aluminum</i>	
AA Finish, aluminum top trim	4. Finish, glass	
	<i>TEMP - Clear, tempered</i>	
	<i>GL6 - Block Matrix</i>	
	<i>GL13 - Powder</i>	
	5. Finish, Aluminum top trim	
	<i>AA - anodized aluminum or painted finish option from page 7 excluding silver</i>	

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, BBF front, open interior side 	left	42"	19"	24"	ACAL4224 ()()()	\$2,847.	\$3,734.	\$4,136.	\$5,375.
		42"	19"	30"	ACAL4230 ()()()	3,065.	3,948.	4,418.	5,746.
		42"	19"	26.5"	ACAL4226 ()()()	2,956.	3,842.	4,278.	5,562.
		42"	19"	32.5"	ACAL4232 ()()()	3,174.	4,055.	4,561.	5,929.
		49"	19"	24"	ACAL4924 ()()()()	2,905.	3,810.	4,220.	5,485.
		49"	19"	30"	ACAL4930 ()()()()	3,128.	4,029.	4,508.	5,863.
		49"	19"	26.5"	ACAL4926 ()()()()	3,016.	3,920.	4,365.	5,675.
		49"	19"	32.5"	ACAL4932 ()()()()	3,239.	4,138.	4,654.	6,050.
left hand shown, shelf aligns with worksurface at 28 1/4" overall, or 27"h to underside	right	42"	19"	24"	ACAR4224 ()()()()	2,847.	3,734.	4,136.	5,375.
		42"	19"	30"	ACAR4230 ()()()()	3,065.	3,948.	4,418.	5,746.
		42"	19"	26.5"	ACAR4226 ()()()	2,956.	3,842.	4,278.	5,562.
		42"	19"	32.5"	ACAR4232 ()()()	3,174.	4,055.	4,561.	5,929.
		49"	19"	24"	ACAR4924 ()()()()	2,905.	3,810.	4,220.	5,485.
		49"	19"	30"	ACAR4930 ()()()()	3,128.	4,029.	4,508.	5,863.
		49"	19"	26.5"	ACAR4926 ()()()()	3,016.	3,920.	4,365.	5,675.
		49"	19"	32.5"	ACAR4932 ()()()()	3,239.	4,138.	4,654.	6,050.

Order Code

Example:	ACAL4924NEDWV316AA
A	AutoStrada
C	Cabinet
A	BBF front, Open interior side
L	Left Hand
49	49" high
24	24" deep
N	No Shelf
E	Extruded Aluminum Pull
D	Drilled to anchor
W	Wood interior
V316	Finish, Maple
AA	Finish, trim & pull, anodized aluminum

3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.

Specification Information

- To order please specify pattern number including:
- Hand
L = User's Left
R = User's Right
 - Height
 - Depth
24 = 24" deep
26 = 26.5" deep
30 = 30" deep
32 = 32.5" deep
 - Shelf option for open interior side, 49"h only
N = No shelf
S = Shelf to match case *
M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable)
 - Pull
E = extruded aluminum pull
P = extruded aluminum protruding pull
 - Drill option,
applicable only for 24" and 30" deep units
D = drilled to anchor to panel or median
F = no drill, freestanding
 - Interior
W = wood drawer interior
M = metal drawer interior, deduct \$100 list
 - Finish
Laminate, V1, V2 or V3 finish
 - Finish, Aluminum trim (trim, M shelf option & pull)
AA - Anodized aluminum or painted finish option from page 7 excluding silver

Application Notes

- *Upcharge applicable as follows for ACA(L/R)49 and ACB(L/R)49 cabinets:
Option S upcharge for L/V1/V2 or V3 to correspond to shelf to match case;
Option M upcharge under AA or paint for aluminum metal shelf
- | depth | L | V1 |
|-------|--------|-----|
| 24" | \$ 87 | 197 |
| 26.5" | \$ 92 | 203 |
| 30" | \$ 96 | 213 |
| 32.5" | \$ 101 | 218 |
| depth | V2 | V3 |
| 24" | \$219 | 283 |
| 26.5" | \$226 | 293 |
| 30" | \$237 | 309 |
| 32.5" | \$244 | 318 |

- | depth | AA or paint |
|-------|-------------|
| 24" | \$270 |
| 26.5" | \$289 |
| 30" | \$317 |
| 32.5" | \$335 |
- 42"h - 42"h to below trim, 43.2"h overall
49"h - 49"h to below trim, 50.2"h overall

When planning with medians and bridges (single station or clusters of stations) specify either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth. Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.


When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or with stations back to back with panel run perpendicular to two cabinets, you then need to specify one 24"d with one 26.5"d or 30"d with one 32.5" d cabinet to go side by side or back to back as the case may be. Brackets to secure cabinets to panel are required, specified separately - see page 157.

24" and 30" deep storage anchored cabinets may be specified for freestanding applications, specify drill option F for freestanding, otherwise connection detail will be exposed.

Cabinets include angle bracket to side support worksurfaces except when drill option "F" for freestanding selected.

Cabinets drilled for locks, keying instructions must accompany order.

See page 7 for finish options applicable.

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, FF front, open interior side 	left	42"	19"	24"	ACBL4224 () () () ()	\$2,440.	\$3,224.	\$3,650.	\$4,744.
		42"	19"	30"	ACBL4230 () () () ()	2,626.	3,408.	3,900.	5,069.
		42"	19"	26.5"	ACBL4226 () () () ()	2,533.	3,316.	3,775.	4,906.
		42"	19"	32.5"	ACBL4232 () () () ()	2,721.	3,501.	4,024.	5,233.
		49"	19"	24"	ACBL4924 () () () () ()	2,490.	3,290.	3,724.	4,841.
		49"	19"	30"	ACBL4930 () () () () ()	2,680.	3,478.	3,980.	5,172.
		49"	19"	26.5"	ACBL4926 () () () () ()	2,585.	3,384.	3,852.	5,006.
		49"	19"	32.5"	ACBL4932 () () () () ()	2,777.	3,572.	4,106.	5,340.
left hand shown, shelf aligns with worksurface at 28 1/4" h overall, or 27" h to underside	right	42"	19"	24"	ACBR4224 () () () ()	2,440.	3,224.	3,650.	4,744.
		42"	19"	30"	ACBR4230 () () () ()	2,626.	3,408.	3,900.	5,069.
		42"	19"	26.5"	ACBR4226 () () () ()	2,533.	3,316.	3,775.	4,906.
		42"	19"	32.5"	ACBR4232 () () () ()	2,721.	3,501.	4,024.	5,233.
		49"	19"	24"	ACBR4924 () () () () ()	2,490.	3,290.	3,724.	4,841.
		49"	19"	30"	ACBR4930 () () () () ()	2,680.	3,478.	3,980.	5,172.
		49"	19"	26.5"	ACBR4926 () () () () ()	2,585.	3,384.	3,852.	5,006.
		49"	19"	32.5"	ACBR4932 () () () () ()	2,777.	3,572.	4,106.	5,340.

Order Code

Example:	ACAL4924NEDWV316AA
A	AutoStrada
C	Cabinet
A	BBF front, Open interior side
L	Left Hand
49	49" high
24	24" deep
N	No Shelf
E	Extruded Aluminum Pull
D	Drilled to anchor
W	Wood interior
V316	Finish, Maple
AA	Finish, trim & pull, anodized aluminum

3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.

Specification Information

- To order please specify pattern number including:
- Hand
L = User's Left
R = User's Right
 - Height
 - Depth
24 = 24" deep
26 = 26.5" deep
30 = 30" deep
32 = 32.5" deep
 - Shelf option for open interior side, 49" h only
N = No shelf
S = Shelf to match case *
M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable)
 - Pull
E = extruded aluminum pull
P = extruded aluminum protruding pull
 - Drill option,
applicable only for 24" and 30" deep units
D = drilled to anchor to panel or median
F = no drill, freestanding
 - Interior
W = wood drawer interior
M = metal drawer interior, deduct \$100 list
 - Finish
Laminate, V1, V2 or V3 finish
 - Finish, Aluminum trim (trim, M shelf option & pull)
AA - Anodized aluminum or painted finish option from page 7 excluding silver

Application Notes

*Upcharge applicable as follows for ACA(L/R)49 and ACB(L/R)49 cabinets:
Option S upcharge for L/V1/V2 or V3 to correspond to shelf to match case;
Option M upcharge under AA or paint for aluminum metal shelf

depth	L	V1
24"	\$ 87	197
26.5"	\$ 92	203
30"	\$ 96	213
32.5"	\$ 101	218
depth	V2	V3
24"	\$219	283
26.5"	\$226	293
30"	\$237	309
32.5"	\$244	318

depth	AA or paint
24"	\$270
26.5"	\$289
30"	\$317
32.5"	\$335

42" h - 42" h to below trim, 43.2" h overall
49" h - 49" h to below trim, 50.2" h overall

When planning with medians and bridges (single station or clusters of stations) specify either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth. Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.

When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or with stations back to back with panel run perpendicular to two cabinets, you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be. Brackets to secure cabinets to panel are required, specified separately - see page 157.


24" and 30" deep storage anchored cabinets may be specified for freestanding applications, specify drill option F for freestanding, otherwise connection detail will be exposed.

Cabinets include angle bracket to side support worksurfaces except when drill option "F" for freestanding selected.

Cabinets drilled for locks, keying instructions must accompany order.

See page 7 for finish options applicable.

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, Hinged Door front, open interior side	left	42"	19"	24"	ACCL4224 () () () ()	\$2,034.	\$2,687.	\$3,042.	\$3,951.
		42"	19"	30"	ACCL4230 () () () ()	2,189.	2,841.	3,250.	4,225.
		42"	19"	26.5"	ACCL4226 () () () ()	2,111.	2,763.	3,146.	4,090.
		42"	19"	32.5"	ACCL4232 () () () ()	2,267.	2,917.	3,354.	4,359.
		49"	19"	24"	ACCL4924 () () () ()	2,075.	2,742.	3,104.	4,032.
		49"	19"	30"	ACCL4930 () () () ()	2,234.	2,899.	3,316.	4,311.
		49"	19"	26.5"	ACCL4926 () () () ()	2,154.	2,819.	3,210.	4,173.
		49"	19"	32.5"	ACCL4932 () () () ()	2,313.	2,977.	3,422.	4,448.
	right	42"	19"	24"	ACCR4224 () () () ()	2,034.	2,687.	3,042.	3,951.
		42"	19"	30"	ACCR4230 () () () ()	2,189.	2,841.	3,250.	4,225.
		42"	19"	26.5"	ACCR4226 () () () ()	2,111.	2,763.	3,146.	4,090.
		42"	19"	32.5"	ACCR4232 () () () ()	2,267.	2,917.	3,354.	4,359.
		49"	19"	24"	ACCR4924 () () () ()	2,075.	2,742.	3,104.	4,032.
		49"	19"	30"	ACCR4930 () () () ()	2,234.	2,899.	3,316.	4,311.
		49"	19"	26.5"	ACCR4926 () () () ()	2,154.	2,819.	3,210.	4,173.
		49"	19"	32.5"	ACCR4932 () () () ()	2,313.	2,977.	3,422.	4,448.



left hand shown, shelf aligns with
worksurface at 28 1/2" h overall, or 27" h to
underside

Order Code	Specification Information	Application Notes
Example: ACCL4924NEDV316AA	To order please specify pattern number including:	*Upcharge applicable as follows for ACC(L/R)49 units on this page: For option S upcharge for L/V1/V2 or V3 to correspond to shelf to match case; option M upcharge under AA or paint for aluminum metal shelf
A AutoStrada	1. Hand L = User's Left R = User's Right	
C Cabinet	2. Height	
C HD front, Open interior side	3. Depth 24 = 24" deep 30 = 30" deep 26 = 26.5" deep 32 = 32.5" deep	depth L V1 24" \$ 87 197 26.5" \$ 92 203 30" \$ 96 213 32.5" \$101 218
L Left Hand	4. Shelf option for open interior side, 49" h only applicable for ACC(L/R) cabinets only N = No shelf S = Shelf to match case * M = Two piece aluminum metal shelf assembly * (*upcharge applicable)	depth V2 V3 24" \$219 283 26.5" \$226 293 30" \$237 309 32.5" \$244 318
49 49" high	5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull	depth AA or paint 24" \$270 26.5" \$289 30" \$317 32.5" \$335
24 24" deep	6. Drill option applicable only for 24" and 30" deep units D = drilled to anchor to panel or median F = no drill, freestanding	42" h - 42" h to below trim, 43.2" h overall 49" h - 49" h to below trim, 50.2" h overall
N No Shelf	7. Finish Laminate, V1, V2 or V3 finish	When planning with medians and bridges (single station or clusters of stations) specify either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth. Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.
E Extruded Aluminum Pull	8. Finish, Aluminum trim (trim M shelf option & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver	See page 7 for finish options applicable.
D Drilled to anchor		
V316 Finish, Maple		
AA Finish, trim & pull, anodized aluminum		

3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.


When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or with stations back to back with panel run perpendicular to two cabinets, you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be. Brackets to secure cabinets to panel are required, specified separately - see page 157.

24" and 30" deep storage anchored cabinets may be specified for freestanding applications, specify drill option F for freestanding, otherwise connection detail will be exposed.

Cabinets include angle bracket to side support worksurfaces except when drill option "F" for freestanding selected.

Cabinets drilled for locks, keying instructions must accompany order.

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, Hinged Door front, open side	left	49"	19"	24"	ACDL4924 ()()()	\$2,344.	\$3,098.	\$3,506.	\$4,558.
		49"	19"	30"	ACDL4930 ()()()	2,524.	3,275.	3,748.	4,870.
		49"	19"	26.5"	ACDL4926 ()()()	2,434.	3,186.	3,627.	4,715.
		49"	19"	32.5"	ACDL4932 ()()()	2,614.	3,364.	3,866.	5,028.
	right	49"	19"	24"	ACDR4924 ()()()	2,344.	3,098.	3,506.	4,558.
		49"	19"	30"	ACDR4930 ()()()	2,524.	3,275.	3,748.	4,870.
		49"	19"	26.5"	ACDR4926 ()()()	2,434.	3,186.	3,627.	4,715.
		49"	19"	32.5"	ACDR4932 ()()()	2,614.	3,364.	3,866.	5,028.



left hand shown, shelf aligns with
worksurface at 28 1/4" h overall, or 27" h to
underside

Order Code	Specification Information	Application Notes
Example: ACCL4924NEDV316AA	To order please specify pattern number including:	*Upcharge applicable as follows for ACC(L/R)49 units on this page: For option S upcharge for L/V1/V2 or V3 to correspond to shelf to match case; option M upcharge under AA or paint for aluminum metal shelf
A AutoStrada	1. Hand	
C Cabinet	L = User's Left	
C HD front, Open interior side	R = User's Right	
L Left Hand	2. Height	
49 49" high	3. Depth	depth L V1
24 24" deep	24 = 24" deep	24" \$ 87 197
N No Shelf	30 = 30" deep	26.5" \$ 92 203
E Extruded Aluminum Pull	26 = 26.5" deep	30" \$ 96 213
D Drilled to anchor	32 = 32.5" deep	32.5" \$101 218
V316 Finish, Maple	4. Shelf option for open interior side, 49" h only	depth V2 V3
AA Finish, trim & pull, anodized aluminum	applicable for ACC(L/R) cabinets only	24" \$219 283
	N = No shelf	26.5" \$226 293
	S = Shelf to match case *	30" \$237 309
	M = Two piece aluminum metal shelf assembly *	32.5" \$244 318
	(*upcharge applicable)	depth AA or paint
	5. Pull	24" \$270
	E = extruded aluminum pull	26.5" \$289
	P = extruded aluminum protruding pull	30" \$317
	6. Drill option	32.5" \$335
	applicable only for 24" and 30" deep units	42" h - 42" h to below trim, 43.2" h overall
	D = drilled to anchor to panel or median	49" h - 49" h to below trim, 50.2" h overall
	F = no drill, freestanding	When planning with medians and bridges (single station or clusters of stations) specify either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth. Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.
	7. Finish	
	Laminate, V1, V2 or V3 finish	
	8. Finish, Aluminum trim (trim M shelf option & pull)	
	AA - Anodized aluminum or painted finish option from page 7 excluding silver	

3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.


When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or with stations back to back with panel run perpendicular to two cabinets, you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be. Brackets to secure cabinets to panel are required, specified separately - see page 157.

24" and 30" deep storage anchored cabinets may be specified for freestanding applications, specify drill option F for freestanding, otherwise connection detail will be exposed.

Cabinets include angle bracket to side support worksurfaces except when drill option "F" for freestanding selected.

Cabinets drilled for locks, keying instructions must accompany order.


See page 7 for finish options applicable.

description	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, wardrobe and BBF front, open interior side 	42"	24"	24"	ACWJ(L/R)4224() () () ()	\$3,650.	\$4,839.	\$5,263.	\$6,843.
	42"	24"	30"	ACWJ(L/R)4230() () () ()	3,931.	5,117.	5,622.	7,317.
	42"	24"	26.5"	ACWJ(L/R)4226() () () ()	3,789.	4,978.	5,444.	7,082.
	42"	24"	32.5"	ACWJ(L/R)4232() () () ()	4,069.	5,256.	5,805.	7,548.
	49"	24"	24"	ACWJ(L/R)4924() () () () ()	3,716.	4,927.	5,361.	6,970.
	49"	24"	30"	ACWJ(L/R)4930() () () () ()	4,002.	5,211.	5,726.	7,452.
	49"	24"	26.5"	ACWJ(L/R)4926() () () () ()	3,858.	5,069.	5,545.	7,213.
	49"	24"	32.5"	ACWJ(L/R)4932() () () () ()	4,143.	5,352.	5,912.	7,688.
	64"	24"	24"	ACWJ(L/R)6424() () () () ()	3,786.	5,014.	5,514.	7,204.
	64"	24"	30"	ACWJ(L/R)6430() () () () ()	4,077.	5,302.	5,890.	7,703.
	64"	24"	26.5"	ACWJ(L/R)6426() () () () ()	3,931.	5,158.	5,703.	7,456.
	64"	24"	32.5"	ACWJ(L/R)6432() () () () ()	4,221.	5,446.	6,081.	7,947.

64"h left hand shown, shelf aligns with worksurface at 28 1/4" overall, or 27"h to underside

Order Code	Specification Information	Application Notes
Example: ACWJL4924NEDWV316AA	To order please specify pattern number including:	*Upcharge applicable as follows 49"h only: Option S upcharge for L/V1/V2 or V3 to correspond to shelf to match case 49" and 64"h: Option M upcharge under AA or paint for aluminum metal shelf
A AutoStrada	1. Hand L = User's Left R = User's Right	
C Cabinet	2. Height	
WJ Wardrobe/ BBF Front, Side Open	3. Depth 24 = 24" deep 26 = 26.5" deep 30 = 30" deep 32 = 32.5" deep	depth L V1 24" \$ 87 197 26.5" \$ 92 203 30" \$ 96 213 32.5" \$ 101 218
L Left Hand	4. Shelf option for open interior side 42"h do not have shelf options 64"h do not have "no" shelf option N = No shelf S = Shelf to match case * M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable)	depth V2 V3 24" \$219 283 26.5" \$226 293 30" \$237 309 32.5" \$244 318
E Extruded Aluminum Pull	5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull	depth AA or paint 24" \$270 26.5" \$289 30" \$317 32.5" \$335
D Drilled to anchor	6. Drill option, applicable only for 24" and 30" deep units D = drilled to anchor to panel or median F = no drill, freestanding	Specify either 26.5" or 32.5" deep storage anchored cabinets for anchoring median or bridge units of the same depth. Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.
W Wood interior	7. Interior W = wood drawer interior M = metal drawer interior, deduct \$100 list	
V316 Finish, Maple	8. Finish Laminate, V1, V2 or V3 finish	
AA Finish, trim & pull, anodized aluminum	9. Finish, Aluminum trim (trim, M shelf option & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver	
3rd and 4th digit in pattern number indicates storage configuration, see individual pattern groups above for description.		
When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or with stations back to back with panel run perpendicular to two cabinets, you then need to specify one 24"d with one 26.5"d or 30"d with one 32.5" d cabinet to go side by side or back to back as the case may be. Brackets to secure cabinets to panel are required, specified separately - see page 157.		
24" and 30" deep storage anchored cabinets may be specified for freestanding applications, specify drill option F for freestanding, otherwise connection detail will be exposed.		
Cabinets include angle bracket to side support worksurfaces except when drill option "F" for freestanding selected.		
Cabinets drilled for locks, keying instructions must accompany order.		
See page 7 for finish options applicable.		


3rd and 4th digit in pattern number indicates storage configuration, see individual pattern groups above for description.

description	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, wardrobe and FF front, open interior side 	42"	24"	24"	ACWK(L/R)4224() () () ()	\$3,243.	\$4,329.	\$4,777.	\$6,212.
	42"	24"	30"	ACWK(L/R)4230() () () ()	3,492.	4,577.	5,104.	6,639.
	42"	24"	26.5"	ACWK(L/R)4226() () () ()	3,367.	4,453.	4,941.	6,427.
	42"	24"	32.5"	ACWK(L/R)4232() () () ()	3,616.	4,701.	5,268.	6,852.
	49"	24"	24"	ACWK(L/R)4924() () () () ()	3,309.	4,418.	4,875.	6,339.
	49"	24"	30"	ACWK(L/R)4930() () () () ()	3,563.	4,671.	5,208.	6,775.
	49"	24"	26.5"	ACWK(L/R)4926() () () () ()	3,436.	4,544.	5,042.	6,558.
	49"	24"	32.5"	ACWK(L/R)4932() () () () ()	3,690.	4,797.	5,375.	6,992.
	64"	24"	24"	ACWK(L/R)6424() () () () ()	3,379.	4,504.	5,028.	6,573.
	64"	24"	30"	ACWK(L/R)6430() () () () ()	3,638.	4,762.	5,372.	7,026.
	64"	24"	26.5"	ACWK(L/R)6426() () () () ()	3,508.	4,633.	5,200.	6,801.
	64"	24"	32.5"	ACWK(L/R)6432() () () () ()	3,768.	4,891.	5,544.	7,251.

64"h left hand shown, shelf aligns with worksurface at 28 1/4" overall, or 27"h to underside

Order Code	Specification Information	Application Notes
Example: ACWKL4924NEDWV316AA	To order please specify pattern number including:	*Upcharge applicable as follows
A AutoStrada		49"h only: Option S upcharge for L/V1/V2 or V3 to correspond to shelf to match case
C Cabinet	1. Hand	49" and 64"h: Option M upcharge under AA or paint for aluminum metal shelf
WK Wardrobe/FF front, side open	L = User's Left R = User's Right	
L Left Hand	2. Height	
49 49" high	3. Depth	depth L V1
24 24" deep	24 = 24" deep	24" \$ 87 197
N No Shelf	26 = 26.5" deep	26.5" \$ 92 203
E Extruded Aluminum Pull	30 = 30" deep	30" \$ 96 213
D Drilled to anchor	32 = 32.5" deep	32.5" \$ 101 218
W Wood interior	4. Shelf option for open interior side	depth V2 V3
V316 Finish, Maple	42"h do not have shelf options	24" \$219 283
AA Finish, trim & pull, anodized aluminum	64"h do not have "no" shelf option	26.5" \$226 293
	N = No shelf	30" \$237 309
	S = Shelf to match case *	32.5" \$244 318
	M = Two piece extruded aluminum metal shelf assembly * (*upcharge applicable)	depth AA or paint
	5. Pull	24" \$270
	E = extruded aluminum pull	26.5" \$289
	P = extruded aluminum protruding pull	30" \$317
	6. Drill option, applicable only for 24" and 30" deep units	32.5" \$335
	D = drilled to anchor to panel or median	Specify either 26.5" or 32.5" deep storage anchored cabinets for anchoring median or bridge units of the same depth. Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.
	F = no drill, freestanding	
	7. Interior	Cabinets include angle bracket to side support worksurfaces except when drill option "F" for freestanding selected.
	W = wood drawer interior	Cabinets drilled for locks, keying instructions must accompany order.
	M = metal drawer interior, deduct \$100 list	See page 7 for finish options applicable.
	8. Finish	
	Laminate, V1, V2 or V3 finish	
	9. Finish, Aluminum trim (trim, M shelf option & pull)	
	AA - Anodized aluminum or painted finish option from page 7 excluding silver	

3rd and 4th digit in pattern number indicates storage configuration, see individual pattern groups above for description.


description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, FF lower front, open interior back 	49"h left	49"	24"	19"	ACEL4924 () () () ()	\$2,555.	\$3,376.	\$3,754.	\$4,881.
		49"	30"	19"	ACEL4930 () () () ()	2,752.	3,570.	4,012.	5,215.
		49"	26.5"	19"	ACEL4926 () () () ()	2,654.	3,473.	3,883.	5,049.
		49"	32.5"	19"	ACEL4932 () () () ()	2,849.	3,667.	4,141.	5,382.
	49"h right	49"	24"	19"	ACER4924 () () () ()	2,555.	3,376.	3,754.	4,881.
		49"	30"	19"	ACER4930 () () () ()	2,752.	3,570.	4,012.	5,215.
		49"	26.5"	19"	ACER4926 () () () ()	2,654.	3,473.	3,883.	5,049.
		49"	32.5"	19"	ACER4932 () () () ()	2,849.	3,667.	4,141.	5,382.
	64"h left	64"	24"	19"	ACEL6424 () () () ()	2,811.	3,714.	4,130.	5,368.
		64"	30"	19"	ACEL6430 () () () ()	3,027.	3,926.	4,412.	5,736.
		64"	26.5"	19"	ACEL6426 () () () ()	2,919.	3,821.	4,271.	5,552.
		64"	32.5"	19"	ACEL6432 () () () ()	3,134.	4,032.	4,555.	5,922.
	64"h right	64"	24"	19"	ACER6424 () () () ()	2,811.	3,714.	4,130.	5,368.
		64"	30"	19"	ACER6430 () () () ()	3,027.	3,926.	4,412.	5,736.

left hand shown, shelf aligns with
worksurface at 28 1/4" h overall, or 27" h to
underside

Order Code	Specification Information	Application Notes	
Example: ACEL4924SEWV316AA	To order please specify pattern number including:	See page 7 for finish options applicable.	
A AutoStrada	1. Hand L = User's Left R = User's Right	When planning with medians and bridges (single station or clusters of stations) specify 49"h cabinets in either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth.	
C Cabinet	2. Height 49 = 49"h (for use with medians, bridges or panels, 49"h to below trim, 50.2"h overall) 64 = 64"h (for use with panels 64"h to below trim, 65.2"h overall)		
E File/File lower front, Interior back open shelf	3. Depth 24 = 24" deep (use with 26.5"d unit for side by side cabinet application with panels) 30 = 30" deep (use with 32.5"d unit for side by side cabinet application with panels) 26 = 26.5" deep (use with medians, bridges & panels) 32 = 32.5" deep(use with medians, bridges & panels)		
L Left Hand	4. Shelf option for open interior side N = No shelf, optional for 49"h units only S = Shelf to match case * (optional 49" and 64"h) M = Two piece aluminum metal shelf assembly * (optional 49" and 64"h) (*upcharge applicable)		
49 49" high	5. Pull E = extruded aluminum pull P = extruded aluminum protruding pull	6. Drawer Interior applicable ACE(L/R) and ACI(L/R) only W = wood interior M = metal drawer interior, deduct \$100 list	When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or back to back stations with panel run perpendicular to two cabinets, you then need to specify one 24"d with one 26.5"d or 30"d with one 32.5" d cabinet to go side by side or back to back as the case may be.
24 24" deep		7. Finish Laminate, V1, V2 or V3 finish	
S w/shelf to match cabinet case		8. Finish, Aluminum trim (trim, M shelf option & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver	
E Extruded Aluminum Pull		Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.	
W Wood interior		64"h cabinets include shelf to match case in price list above. Upcharge below applicable as follows for 49"h shelf to match case for L/V1/V2/V3 or AA or paint for aluminum metal shelf for M option for both 49"h and 64"h cabinets.	Cabinets with front and back access not to be used in freestanding applications.
V316 Finish, Maple		depth L V1 24" \$ 87 197 26.5" \$ 92 203 30" \$ 96 213 32.5" \$ 101 218	
AA Finish, trim & pull, anodized aluminum		depth V2 V3 24" \$219 283 26.5" \$226 293 30" \$237 309 32.5" \$244 318	
		depth AA or paint 24" \$270 26.5" \$289 30" \$317 32.5" \$335	
3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.			Cabinet to panel attachment brackets required, see page 157.
			Cabinets include angle bracket to side support worksurfaces. Cabinets drilled for locks, keying instructions must accompany order.
			File drawers in cabinet styles prefixed ACIL and ACIR do not accommodate legal filing side to side.

3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.


description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, FF lower front, open interior back	64"h right	64"	26.5"	19"	ACER6426 ()()()	\$2,919.	\$3,821.	\$4,271.	\$5,552.
		64"	32.5"	19"	ACER6432 ()()()	3,134.	4,032.	4,555.	5,922.



left hand shown, shelf aligns with
worksurface at 28 1/4"h overall, or 27"h to
underside

Order Code	Specification Information	Application Notes
Example: ACEL4924SEWV316AA	To order please specify pattern number including:	See page 7 for finish options applicable.
A AutoStrada	1. Hand	When planning with medians and bridges (single station or clusters of stations) specify 49"h cabinets in either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth.
C Cabinet	<i>L = User's Left</i>	
E File/File lower front, Interior back open shelf	<i>R = User's Right</i>	When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or back to back stations with panel run perpendicular to two cabinets, you then need to specify one 24"d with one 26.5"d or 30"d with one 32.5" d cabinet to go side by side or back to back as the case may be.
L Left Hand	2. Height	
49 49" high	<i>49 = 49"h (for use with medians, bridges or panels, 49"h to below trim, 50.2"h overall)</i>	When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or back to back stations with panel run perpendicular to two cabinets, you then need to specify one 24"d with one 26.5"d or 30"d with one 32.5" d cabinet to go side by side or back to back as the case may be.
24 24" deep	<i>64 = 64"h (for use with panels 64"h to below trim, 65.2"h overall)</i>	
S w/shelf to match cabinet case	3. Depth	Cabinets with front and back access not to be used in freestanding applications.
E Extruded Aluminum Pull	<i>24 = 24" deep (use with 26.5"d unit for side by side cabinet application with panels)</i>	
W Wood interior	<i>30 = 30" deep (use with 32.5"d unit for side by side cabinet application with panels)</i>	Cabinet to panel attachment brackets required, see page 157.
V316 Finish, Maple	<i>26 = 26.5" deep (use with medians, bridges & panels)</i>	
AA Finish, trim & pull, anodized aluminum	<i>32 = 32.5" deep (use with medians, bridges & panels)</i>	Cabinets include angle bracket to side support work surfaces. Cabinets drilled for locks, keying instructions must accompany order.
	4. Shelf option for open interior side	
	<i>N = No shelf, optional for 49"h units only</i>	File drawers in cabinet styles prefixed ACIL and ACIR do not accommodate legal filing side to side.
	<i>S = Shelf to match case * (optional 49" and 64"h)</i>	
	<i>M = Two piece aluminum metal shelf assembly * (optional 49" and 64"h)</i>	
	<i>(*upcharge applicable)</i>	
	5. Pull	
	<i>E = extruded aluminum pull</i>	
	<i>P = extruded aluminum protruding pull</i>	
	6. Drawer Interior	
	<i>applicable ACE(L/R) and ACI(L/R) only</i>	
	<i>W = wood interior</i>	
	<i>M = metal drawer interior, deduct \$100 list</i>	
	7. Finish	
	<i>Laminate, V1, V2 or V3 finish</i>	
	8. Finish, Aluminum trim	
	<i>(trim, M shelf option & pull)</i>	
	<i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	
	Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.	
	64"h cabinets include shelf to match case in price list above. Upcharge below applicable as follows for 49"h shelf to match case for L/V1/V2/V3 or AA or paint for aluminum metal shelf for M option for both 49"h and 64"h cabinets.	
	depth L V1	
	24" \$ 87 197	
	26.5" \$ 92 203	
	30" \$ 96 213	
	32.5" \$ 101 218	
	depth V2 V3	
	24" \$219 283	
	26.5" \$226 293	
	30" \$237 309	
	32.5" \$244 318	
	depth AA or paint	
	24" \$270	
	26.5" \$289	
	30" \$317	
	32.5" \$335	

3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.

description	hand	h	w	d	pattern no.	L	V1	V2	V3
 left hand shown, shelf aligns with worksurface at 28 1/4" h overall, or 27" h to underside	49"h left	49"	24"	19"	ACFL4924() () ()	\$2,262.	\$2,989.	\$3,382.	\$4,397.
		49"	30"	19"	ACFL4930() () ()	2,435.	3,159.	3,615.	4,699.
		49"	26.5"	19"	ACFL4926() () ()	2,349.	3,073.	3,498.	4,547.
		49"	32.5"	19"	ACFL4932() () ()	2,522.	3,245.	3,731.	4,850.
	49"h right	49"	24"	19"	ACFR4924() () ()	2,262.	2,989.	3,382.	4,397.
		49"	30"	19"	ACFR4930() () ()	2,435.	3,159.	3,615.	4,699.
		49"	26.5"	19"	ACFR4926() () ()	2,349.	3,073.	3,498.	4,547.
		49"	32.5"	19"	ACFR4932() () ()	2,522.	3,245.	3,731.	4,850.
	64"h left	64"	24"	19"	ACFL6424() () ()	2,488.	3,287.	3,720.	4,835.
		64"	30"	19"	ACFL6430() () ()	2,678.	3,475.	3,975.	5,169.
		64"	26.5"	19"	ACFL6426() () ()	2,583.	3,380.	3,848.	5,002.
		64"	32.5"	19"	ACFL6432() () ()	2,773.	3,569.	4,104.	5,334.
	64"h right	64"	24"	19"	ACFR6424() () ()	2,488.	3,287.	3,720.	4,835.
		64"	30"	19"	ACFR6430() () ()	2,678.	3,475.	3,975.	5,169.

Order Code

Example:	ACEL4924SEWV316AA
A	AutoStrada
C	Cabinet
E	File/File lower front, Interior back open shelf
L	Left Hand
49	49" high
24	24" deep
S	w/shelf to match cabinet case
E	Extruded Aluminum Pull
W	Wood interior
V316	Finish, Maple
AA	Finish, trim & pull, anodized aluminum

3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.

Specification Information

To order please specify pattern number including:

1. Hand
L = User's Left
R = User's Right
2. Height
49 = 49"h (for use with medians, bridges or panels, 49"h to below trim, 50.2"h overall)
64 = 64"h (for use with panels 64"h to below trim, 65.2"h overall)
3. Depth
24 = 24" deep (use with 26.5"d unit for side by side cabinet application with panels)
30 = 30" deep (use with 32.5"d unit for side by side cabinet application with panels)
26 = 26.5" deep (use with medians, bridges & panels)
32 = 32.5" deep (use with medians, bridges & panels)
4. Shelf option for open interior side
N = No shelf, optional for 49"h units only
S = Shelf to match case * (optional 49" and 64"h)
M = Two piece aluminum metal shelf assembly * (optional 49" and 64"h) (*upcharge applicable)
5. Pull
E = extruded aluminum pull
P = extruded aluminum protruding pull

6. Drawer Interior
applicable ACE(L/R) and ACI(L/R) only
W = wood interior
M = metal drawer interior, deduct \$100 list
7. Finish
Laminate, V1, V2 or V3 finish
8. Finish, Aluminum trim (trim, M shelf option & pull)
AA - Anodized aluminum or painted finish option from page 7 excluding silver

Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.

64"h cabinets include shelf to match case in price list above. Upcharge below applicable as follows for 49"h shelf to match case for L/V1/V2/V3 or AA or paint for aluminum metal shelf for M option for both 49"h and 64"h cabinets.

depth	L	V1
24"	\$ 87	197
26.5"	\$ 92	203
30"	\$ 96	213
32.5"	\$ 101	218
depth	V2	V3
24"	\$219	283
26.5"	\$226	293
30"	\$237	309
32.5"	\$244	318

depth	AA or paint
24"	\$270
26.5"	\$289
30"	\$317
32.5"	\$335

Application Notes

See page 7 for finish options applicable.

When planning with medians and bridges (single station or clusters of stations) specify 49"h cabinets in either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth.

When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or back to back stations with panel run perpendicular to two cabinets, you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be.

Cabinets with front and back access not to be used in freestanding applications.


Cabinet to panel attachment brackets required, see page 157.

Cabinets include angle bracket to side support worksurfaces. Cabinets drilled for locks, keying instructions must accompany order.

File drawers in cabinet styles prefixed ACIL and ACIR do not accommodate legal filing side to side.

Order Code	Specification Information	Application Notes
Example: ACEL4924SEWV316AA	<i>To order please specify pattern number including:</i>	See page 7 for finish options applicable.
A AutoStrada	1. Hand <i>L = User's Left</i>	
C Cabinet	<i>R = User's Right</i>	
E File/File lower front, Interior back open shelf	2. Height <i>49 = 49"h (for use with medians, bridges or panels, 49"h to below trim, 50.2"h overall)</i>	When planning with medians and bridges (single station or clusters of stations) specify 49"h cabinets in either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth.
L Left Hand	<i>64 = 64"h (for use with panels 64"h to below trim, 65.2"h overall)</i>	
49 49" high	3. Depth <i>24 = 24" deep (use with 26.5"d unit for side by side cabinet application with panels)</i>	When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or back to back stations with panel run perpendicular to two cabinets, you then need to specify one 24"d with one 26.5"d or 30"d with one 32.5" d cabinet to go side by side or back to back as the case may be.
24 24" deep	<i>30 = 30" deep (use with 32.5"d unit for side by side cabinet application with panels)</i>	
S w/shelf to match cabinet case	<i>26 = 26.5" deep (use with medians, bridges & panels)</i>	
E Extruded Aluminum Pull	<i>32 = 32.5" deep (use with medians, bridges & panels)</i>	
W Wood interior	4. Shelf option for open interior side <i>N = No shelf, optional for 49"h units only</i>	Cabinets with front and back access not to be used in freestanding applications.
V316 Finish, Maple	<i>S = Shelf to match case * (optional 49" and 64"h)</i>	Cabinet to panel attachment brackets required, see page 157.
AA Finish, trim & pull, anodized aluminum	<i>M = Two piece aluminum metal shelf assembly * (optional 49" and 64"h)</i>	Cabinets include angle bracket to side support worksurfaces. Cabinets drilled for locks, keying instructions must accompany order.
3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.	<i>(*upcharge applicable)</i>	
	5. Pull <i>E = extruded aluminum pull</i>	
	<i>P = extruded aluminum protruding pull</i>	
	6. Drawer Interior <i>applicable ACE(L/R) and ACI(L/R) only</i>	
	<i>W = wood interior</i>	
	<i>M = metal drawer interior, deduct \$100 list</i>	
	7. Finish <i>Laminate, V1, V2 or V3 finish</i>	
	8. Finish, Aluminum trim (trim, M shelf option & pull) <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	
	Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.	
	64"h cabinets include shelf to match case in price list above. Upcharge below applicable as follows for 49"h shelf to match case for L/V1/V2/V3 or AA or paint for aluminum metal shelf for M option for both 49"h and 64"h cabinets.	
	depth L V1	
	24" \$ 87 197	
	26.5" \$ 92 203	
	30" \$ 96 213	
	32.5" \$ 101 218	
	depth V2 V3	
	24" \$219 283	
	26.5" \$226 293	
	30" \$237 309	
	32.5" \$244 318	
	depth AA or paint	
	24" \$270	
	26.5" \$289	
	30" \$317	
	32.5" \$335	
		File drawers in cabinet styles prefixed ACIL and ACIR do not accommodate legal filing side to side.

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, 49"h Personal wardrobe and storage	left	49"	30"	19"	ACIL4930()()()	\$3,635.	\$4,737.	\$5,257.	\$6,788.
		49"	32.5"	19"	ACIL4932()()()	3,840.	4,947.	5,525.	7,142.
	right	49"	30"	19"	ACIR4930()()()	3,635.	4,737.	5,257.	6,788.
		49"	32.5"	19"	ACIR4932()()()	3,840.	4,947.	5,525.	7,142.



left hand shown, attach perpendicular to panel at back right side

Left hand = wardrobe on left front side

Right hand = wardrobe on right front side

wardrobe includes coat rod

supports worksurface on back side at 28 1/4" overall or 27"h to underside of worksurface


49"h I style cabinets do not have shelf above box drawer on back side access

File drawers (front side) do not accommodate side to side legal filing

Order Code	Specification Information	Application Notes
Example: ACEL4924SEWV316AA	To order please specify pattern number including:	See page 7 for finish options applicable.
A AutoStrada	1. Hand	When planning with medians and bridges (single station or clusters of stations) specify 49"h cabinets in either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth.
C Cabinet	<i>L = User's Left</i>	
E File/File lower front, Interior back open shelf	<i>R = User's Right</i>	When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or back to back stations with panel run perpendicular to two cabinets, you then need to specify one 24"d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be.
L Left Hand	2. Height	
49 49" high	49 = 49"h (for use with medians, bridges or panels, 49"h to below trim, 50.2"h overall)	Cabinets with front and back access not to be used in freestanding applications.
24 24" deep	64 = 64"h (for use with panels 64"h to below trim, 65.2"h overall)	
S w/shelf to match cabinet case	3. Depth	Cabinet to panel attachment brackets required, see page 157.
E Extruded Aluminum Pull	24 = 24" deep (use with 26.5" d unit for side by side cabinet application with panels)	
W Wood interior	30 = 30" deep (use with 32.5" d unit for side by side cabinet application with panels)	Cabinets include angle bracket to side support worksurfaces. Cabinets drilled for locks, keying instructions must accompany order.
V316 Finish, Maple	26 = 26.5" deep (use with medians, bridges & panels)	
AA Finish, trim & pull, anodized aluminum	32 = 32.5" deep (use with medians, bridges & panels)	File drawers in cabinet styles prefixed ACIL and ACIR do not accommodate legal filing side to side.
	4. Shelf option for open interior side	
	<i>N = No shelf, optional for 49"h units only</i>	
	<i>S = Shelf to match case * (optional 49" and 64"h)</i>	
	<i>M = Two piece aluminum metal shelf assembly * (optional 49" and 64"h)</i>	
	<i>(*upcharge applicable)</i>	
	5. Pull	
	<i>E = extruded aluminum pull</i>	
	<i>P = extruded aluminum protruding pull</i>	
	6. Drawer Interior	
	<i>applicable ACE(L/R) and ACI(L/R) only</i>	
	<i>W = wood interior</i>	
	<i>M = metal drawer interior, deduct \$100 list</i>	
	7. Finish	
	<i>Laminate, V1, V2 or V3 finish</i>	
	8. Finish, Aluminum trim (trim, M shelf option & pull)	
	<i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	
	Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.	
	64"h cabinets include shelf to match case in price list above. Upcharge below applicable as follows for 49"h shelf to match case for L/V1/V2/V3 or AA or paint for aluminum metal shelf for M option for both 49"h and 64"h cabinets.	
	depth L V1	
	24" \$ 87 197	
	26.5" \$ 92 203	
	30" \$ 96 213	
	32.5" \$ 101 218	
	depth V2 V3	
	24" \$219 283	
	26.5" \$226 293	
	30" \$237 309	
	32.5" \$244 318	
	depth AA or paint	
	24" \$270	
	26.5" \$289	
	30" \$317	
	32.5" \$335	

3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, 64"h Personal wardrobe and storage	left	64"	30"	19"	ACIL6430 () () () ()	\$3,649.	\$4,775.	\$5,340.	\$6,941.
		64"	32.5"	19"	ACIL6432 () () () ()	3,918.	5,041.	5,694.	7,401.
	right	64"	30"	19"	ACIR6430 () () () ()	3,649.	4,775.	5,340.	6,941.
		64"	32.5"	19"	ACIR6432 () () () ()	3,918.	5,041.	5,694.	7,401.



left hand shown, attach perpendicular to panel at back right side

Left hand = wardrobe on left front side

Right hand = wardrobe on right front side

supports worksurface on back side at 28 1/4" overall, 27"h to underside of worksurface


wardrobe includes coat rod

File drawers (front side) do not accommodate side to side legal filing


Order Code	Specification Information	Application Notes
Example: ACEL4924SEWV316AA	To order please specify pattern number including:	See page 7 for finish options applicable.
A AutoStrada	1. Hand	When planning with medians and bridges (single station or clusters of stations) specify 49"h cabinets in either 26.5" or 32.5" deep storage anchored cabinets for anchoring the median or bridge unit of the same depth.
C Cabinet	<i>L = User's Left</i>	
E File/File lower front, Interior back open shelf	<i>R = User's Right</i>	
L Left Hand	2. Height	When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand or back to back stations with panel run perpendicular to two cabinets, you then need to specify one 24"d with one 26.5"d or 30"d with one 32.5" d cabinet to go side by side or back to back as the case may be.
49 49" high	49 = 49"h (for use with medians, bridges or panels, 49"h to below trim, 50.2"h overall)	
24 24" deep	64 = 64"h (for use with panels 64"h to below trim, 65.2"h overall)	
S w/shelf to match cabinet case	3. Depth	
E Extruded Aluminum Pull	24 = 24" deep (use with 26.5"d unit for side by side cabinet application with panels)	
W Wood interior	30 = 30" deep (use with 32.5"d unit for side by side cabinet application with panels)	
V316 Finish, Maple	26 = 26.5" deep (use with medians, bridges & panels)	
AA Finish, trim & pull, anodized aluminum	32 = 32.5" deep (use with medians, bridges & panels)	
	4. Shelf option for open interior side	
	<i>N = No shelf, optional for 49"h units only</i>	
	<i>S = Shelf to match case * (optional 49" and 64"h)</i>	
	<i>M = Two piece aluminum metal shelf assembly * (optional 49" and 64"h)</i>	
	<i>(*upcharge applicable)</i>	
	5. Pull	
	<i>E = extruded aluminum pull</i>	
	<i>P = extruded aluminum protruding pull</i>	
	6. Drawer Interior	
	<i>applicable ACE(L/R) and ACI(L/R) only</i>	
	<i>W = wood interior</i>	
	<i>M = metal drawer interior, deduct \$100 list</i>	
	7. Finish	
	<i>Laminate, V1, V2 or V3 finish</i>	
	8. Finish, Aluminum trim (trim, M shelf option & pull)	
	<i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	
	Connection method to medians, median storage or bridges incorporated into product design, no additional hardware required.	
	64"h cabinets include shelf to match case in price list above. Upcharge below applicable as follows for 49"h shelf to match case for L/V1/V2/V3 or AA or paint for aluminum metal shelf for M option for both 49"h and 64"h cabinets.	
	depth L V1	
	24" \$ 87 197	
	26.5" \$ 92 203	
	30" \$ 96 213	
	32.5" \$ 101 218	
	depth V2 V3	
	24" \$219 283	
	26.5" \$226 293	
	30" \$237 309	
	32.5" \$244 318	
	depth AA or paint	
	24" \$270	
	26.5" \$289	
	30" \$317	
	32.5" \$335	

3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.

</





Storage anchored cabinet, FFF and HD above (64"h)	left	64"	24"	19"	ACGL6424 () () () ()	3,043.	3,785.	4,350.	5,655.
		64"	30"	19"	ACGL6430 () () () ()	3,149.	3,896.	4,574.	5,944.
		64"	26.5"	19"	ACGL6426 () () () ()	3,096.	3,840.	4,461.	5,800.
		64"	32.5"	19"	ACGL6432 () () () ()	3,201.	3,950.	4,685.	6,089.
	right	64"	24"	19"	ACGR6424 () () () ()	3,043.	3,785.	4,350.	5,655.
		64"	30"	19"	ACGR6430 () () () ()	3,149.	3,896.	4,574.	5,944.
		64"	26.5"	19"	ACGR6426 () () () ()	3,096.	3,840.	4,461.	5,800.
		64"	32.5"	19"	ACGR6432 () () () ()	3,201.	3,950.	4,685.	6,089.



64"h includes adjustable shelf behind hinged doors, doors must be removed to adjust shelf

Order Code	Specification Information	Application Notes	
Example: ACGL4924EDWV316AA	To order please specify pattern number including:	Products listed on this page are for use with panel based stations or freestanding applications. Not to be used with median based storage anchored planning model.	
A AutoStrada	1. Hand (applicable for personal wardrobe & storage units only) L = wardrobe on left R = wardrobe on right		6. Interior option W = wood drawer interior M = metal drawer interior, deduct \$200 list
C Cabinet	2. Height 49 = 49" h (where applicable. 49" h to below trim, 50.2" h overall) 64 = 64" h (64" h to below trim, 65.2" h overall)		7. Finish Laminate, V1, V2 or V3 finish
G File drawers w/Hinged doors above	3. Depth 24 = 24" deep (use with one 26.5" d for side by side or freestanding) 30 = 30" deep (use with one 32.5" d for side by side or freestanding) 26 = 26.5" deep (use with panels) 32 = 32.5" deep (use with panels)		8. Finish, Metal Shelves (if applicable) (paint finish or anodized aluminum two piece assembly)
L Left Hand	4. Pull (where applicable) E = Extruded aluminum pull P = Extruded aluminum protruding pull	9. Finish, Aluminum trim (trim & pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver	When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand with stations back to back with panel run perpendicular to two cabinets you then need to specify one 24"d with one 26.5"d or 30"d with one 32.5" d cabinet to go side by side or back to back as the case may be.
49 49" high	5. Drill option, applicable only for 24" and 30" deep units D = drilled to anchor to panel F = no drill, freestanding	Hinged doors above feature touch latches and do not lock.	
24 24" deep		File drawers are drilled for locks, keying instructions must accompany order.	
E Extruded Aluminum Pull		Cabinets include angle brackets to side support worksurfaces perpendicular to cabinet except when drill option "F" for freestanding selected.	
D Drilled to anchor			Cabinet to panel attachment brackets required, see page 157
W Wood interior			
V316 Finish, Maple			
AA Finish, trim & pull, anodized aluminum			
3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.			

3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, 49"h bookcase w/metal shelves 	left	49"	24"	19"	ACHL4924M () () ()	\$1,809.	\$2,249.	\$2,586.	\$3,105.
		49"	30"	19"	ACHL4930M () () ()	1,957.	2,432.	2,797.	3,359.
		49"	26.5"	19"	ACHL4926M () () ()	1,883.	2,341.	2,693.	3,231.
		49"	32.5"	19"	ACHL4932M () () ()	2,031.	2,524.	2,903.	3,485.
	right	49"	24"	19"	ACHR4924M () () ()	1,809.	2,249.	2,586.	3,105.
		49"	30"	19"	ACHR4930M () () ()	1,957.	2,432.	2,797.	3,359.
		49"	26.5"	19"	ACHR4926M () () ()	1,883.	2,341.	2,693.	3,231.
		49"	32.5"	19"	ACHR4932M () () ()	2,031.	2,524.	2,903.	3,485.
<i>left hand shown</i>									
Storage anchored cabinet, 64"h bookcase w/metal shelves 	left	64"	24"	19"	ACHL6424M () () ()	1,900.	2,363.	2,716.	3,258.
		64"	30"	19"	ACHL6430M () () ()	2,055.	2,553.	2,938.	3,525.
		64"	26.5"	19"	ACHL6426M () () ()	1,977.	2,458.	2,827.	3,392.
		64"	32.5"	19"	ACHL6432M () () ()	2,133.	2,650.	3,049.	3,658.
	right	64"	24"	19"	ACHR6424M () () ()	1,900.	2,363.	2,716.	3,258.
		64"	30"	19"	ACHR6430M () () ()	2,055.	2,553.	2,938.	3,525.
		64"	26.5"	19"	ACHR6426M () () ()	1,977.	2,458.	2,827.	3,392.
		64"	32.5"	19"	ACHR6432M () () ()	2,133.	2,650.	3,049.	3,658.
<i>left hand shown</i>									

Order Code

Example:	ACGL4924EDWV316AA
A	AutoStrada
C	Cabinet
G	File drawers w/Hinged doors above
L	Left Hand
49	49" high
24	24" deep
E	Extruded Aluminum Pull
D	Drilled to anchor
W	Wood interior
V316	Finish, Maple
AA	Finish, trim & pull, anodized aluminum

3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.

Specification Information

To order please specify pattern number including:

1. Hand
(applicable for personal wardrobe & storage units only)
L = wardrobe on left
R = wardrobe on right
2. Height
49 = 49" h (where applicable.
49" h to below trim, 50.2" h overall)
64 = 64" h (64" h to below trim, 65.2" h overall)
3. Depth
24 = 24" deep (use with one 26.5" d for side by side or freestanding)
30 = 30" deep (use with one 32.5" d for side by side or freestanding)
26 = 26.5" deep (use with panels)
32 = 32.5" deep (use with panels)
4. Pull (where applicable)
E = Extruded aluminum pull
P = Extruded aluminum protruding pull
5. Drill option, applicable only for 24" and 30" deep units
D = drilled to anchor to panel
F = no drill, freestanding


6. Interior option
W = wood drawer interior
M = metal drawer interior, deduct \$200 list
 7. Finish
Laminate, V1, V2 or V3 finish
 8. Finish, Metal Shelves (if applicable)
(paint finish or anodized aluminum two piece assembly)
 9. Finish, Aluminum trim (trim & pull)
AA - Anodized aluminum or painted finish option from page 7 excluding silver
- Hinged doors above feature touch latches and do not lock.
- File drawers are drilled for locks, keying instructions must accompany order.
- Cabinets include angle brackets to side support worksurfaces perpendicular to cabinet except when drill option "F" for freestanding selected.

Application Notes


Products listed on this page are for use with panel based stations or freestanding applications. Not to be used with median based storage anchored planning model.

When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand with stations back to back with panel run perpendicular to two cabinets you then need to specify one 24" d with one 26.5" d or 30" d with one 32.5" d cabinet to go side by side or back to back as the case may be.

Cabinet to panel attachment brackets required, see page 157

description	hand	h	w	d	pattern no.	L	V1	V2	V3
Storage anchored cabinet, 49"h bookcase w/shelves  left hand shown	left	49"	24"	19"	ACHL4924W()()	\$2,156.	\$2,819.	\$3,209.	\$4,173.
		49"	30"	19"	ACHL4930W()()	2,246.	2,937.	3,342.	4,345.
		49"	26.5"	19"	ACHL4926W()()	2,195.	2,870.	3,267.	4,247.
		49"	32.5"	19"	ACHL4932W()()	2,278.	2,980.	3,391.	4,409.
	right	49"	24"	19"	ACHR4924W()()	2,156.	2,819.	3,209.	4,173.
		49"	30"	19"	ACHR4930W()()	2,246.	2,937.	3,342.	4,345.
		49"	26.5"	19"	ACHR4926W()()	2,195.	2,870.	3,267.	4,247.
		49"	32.5"	19"	ACHR4932W()()	2,278.	2,980.	3,391.	4,409.
shelves same as case finish									

left hand shown

	left	64"	24"	19"	ACHL6424W()()	2,379.	3,111.	3,541.	4,602.
		64"	30"	19"	ACHL6430W()()	2,483.	3,250.	3,697.	4,808.
		64"	26.5"	19"	ACHL6426W()()	2,424.	3,172.	3,608.	4,690.
		64"	32.5"	19"	ACHL6432W()()	2,527.	3,306.	3,763.	4,891.
	right	64"	24"	19"	ACHR6424W()()	2,379.	3,111.	3,541.	4,602.
		64"	30"	19"	ACHR6430W()()	2,483.	3,250.	3,697.	4,808.
		64"	26.5"	19"	ACHR6426W()()	2,424.	3,172.	3,608.	4,690.
		64"	32.5"	19"	ACHR6432W()()	2,527.	3,306.	3,763.	4,891.
shelves same as case finish									

left hand shown

left hand shown

Order Code	Specification Information	Application Notes
Example: ACGL4924EDWV316AA	To order please specify pattern number including:	Products listed on this page are for use with panel based stations or freestanding applications. Not to be used with median based storage anchored planning model.
A AutoStrada C Cabinet G File drawers w/Hinged doors above L Left Hand 49 49" high 24 24" deep E Extruded Aluminum Pull D Drilled to anchor W Wood interior V316 Finish, Maple AA Finish, trim & pull, anodized aluminum	1. Hand <i>(applicable for personal wardrobe & storage units only)</i> <i>L = wardrobe on left</i> <i>R = wardrobe on right</i> 2. Height <i>49 = 49"h (where applicable.</i> <i>49"h to below trim, 50.2"h overall)</i> <i>64 = 64"h (64"h to below trim, 65.2"h overall)</i> 3. Depth <i>24 = 24" deep (use with one 26.5"d for side by side or freestanding)</i> <i>30 = 30" deep (use with one 32.5"d for side by side or freestanding)</i> <i>26 = 26.5" deep (use with panels)</i> <i>32 = 32.5" deep (use with panels)</i> 4. Pull (where applicable) <i>E = Extruded aluminum pull</i> <i>P = Extruded aluminum protruding pull</i> 5. Drill option, applicable only for 24" and 30" deep units <i>D = drilled to anchor to panel</i> <i>F = no drill, freestanding</i>	
3rd digit in pattern number indicates storage configuration, see individual pattern groups above for description.	6. Interior option <i>W = wood drawer interior</i> <i>M = metal drawer interior, deduct \$200 list</i> 7. Finish <i>Laminate, V1, V2 or V3 finish</i> 8. Finish, Metal Shelves (if applicable) <i>(paint finish or anodized aluminum two piece assembly)</i> 9. Finish, Aluminum trim (trim & pull) <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i> Hinged doors above feature touch latches and do not lock. File drawers are drilled for locks, keying instructions must accompany order. Cabinets include angle brackets to side support worksurfaces perpendicular to cabinet except when drill option "F" for freestanding selected.	When planning with panels, single station or cluster groups where all workstations within the group are the same direction/hand, then specify 26.5" or 32.5" deep storage anchor cabinet units. When planning multi-station clusters mirroring left hand/right hand with stations back to back with panel run perpendicular to two cabinets you then need to specify one 24"d with one 26.5"d or 30"d with one 32.5" d cabinet to go side by side or back to back as the case may be. Cabinet to panel attachment brackets required, see page 157

description	type	pattern no.	49" h	64" h	list
Bracket kit, cabinet to panel attachment <i>top and bottom connection for single cabinet attachment to panel run</i>		A3CPBS () ()	\$112.	\$119.	



kit includes hookstrip connector (not shown)

Bracket kit, cabinet to panel attachment <i>top and bottom connection for use with two cabinets side by side or back to back attached perpendicular to panel run</i>	left	A3CPBDL () ()	204.	214.
	right	A3CPBDR () ()	204.	214.

Note - one of the two cabinets should be 2.5" wider or deeper (width or depth dimension depending on style of cabinet) than the other




Left hand shown, (kit includes hookstrip connector not shown)

Order Code	Specification Information	Application Notes
Example: A3CPBS4	<i>To order please specify pattern number including:</i>	Bracket kits for use when attaching storage anchored cabinets to panels; kit includes top and bottom bracket as shown and ships with hookstrip connector. Please be sure to specify height to correspond with cabinet and panel height. When one cabinet perpendicular to panel run, use S bracket; when two cabinets are side by side and perpendicular to panel run, use D bracket.
A3 AutoStrada, generation3	1. Hand (if applicable) <i>L = left hand attachment</i> <i>R = right hand attachment</i>	Brackets are NOT to be used with Reff stacking modules. Only use for cabinet to panel attachment (panel and cabinet at same height) or with cabinet to panel plus window modules (overall at same height).
CPB Cabinet to Panel bracket	2. Hookstrip connector height <i>4 = for 49"h cabinet to panel connection</i> <i>6 = for 64"h cabinet to panel connection</i>	Painted finish 613 used when AA trim finish specified.
S Single	3. Finish <i>Painted finish options only from page 7</i>	
4 With 49"h hookstrip connector		
() Finish		


description	type	d	pattern no.	list
Worksurface to cabinet trim		24"	AWTCT24 ()	\$92.
		30"	AWTCT30 ()	102.
Slatwall end trim, use w/SA "D" cabinets	2 pc trim kit		ATSCD19 ()	120.
Note: for use with ACD style storage anchored cabinets when slatwall adjacent to cabinet				

Order Code	Specification Information	Application Notes
Example: AWTCT24AA	<i>To order please specify pattern number including:</i>	Aluminum spacer optional to fill 1/8" gap at worksurface and storage anchored cabinet connection in AS-2 storage anchored panel based planning. Trim piece installed at worksurface level and rests on side support bracket to cabinet.
A AutoStrada	1. Depth of worksurface 24 = 24" d worksurface	
W Worksurface	30 = 30" d worksurface	
TC to Cabinet	2. Finish	
T Trim	AA = anodized aluminum or painted finish option from page 7 excluding silver	
24 24" d worksurface		
AA Finish, anodized aluminum		


description	type	h	w	d	pattern no.	L	V1	V2	V3
File drawers (2) with open wood shelves above		70"	30"	24"	ACJ722WE () () ()	\$3,047.	\$3,762.	\$4,459.	\$5,796.
		70"	36"	24"	ACJ723WE () () ()	3,138.	3,874.	4,593.	5,971.



File drawers (3) with open wood shelves above		84"	30"	24"	ACJ822WE () () ()	3,565.	4,400.	5,217.	6,782.
		84"	36"	24"	ACJ823WE () () ()	3,672.	4,532.	5,373.	6,985.



Open bookcase	metal shelves	70"	30"	24"	ACL722M () () ()	2,617.	3,232.	3,394.	4,411.
		70"	36"	24"	ACL723M () () ()	2,766.	3,402.	3,572.	4,646.
		84"	30"	24"	ACL822M () () ()	2,914.	3,573.	3,752.	4,878.
		84"	36"	24"	ACL823M () () ()	3,062.	3,745.	3,933.	5,112.
	wood shelves	70"	30"	24"	ACL722W () () ()	2,094.	2,603.	2,994.	3,891.
		70"	36"	24"	ACL723W () () ()	2,213.	2,737.	3,173.	4,124.
		84"	30"	24"	ACL822W () () ()	2,332.	2,873.	3,351.	4,356.
		84"	36"	24"	ACL823W () () ()	2,450.	3,010.	3,530.	4,589.




Order Code	Specification Information	Application Notes
Example: ACKL722WEV316AAAA	<i>To order please specify pattern number including:</i>	
A AutoStrada	1. Hand (applicable for units with wardrobes only) <i>L = wardrobe on left</i> <i>R = wardrobe on right</i>	6. Finish <i>Laminate, V1, V2 or V3 finish</i>
C Cabinet	2. Height <i>7 = 70" h</i> <i>8 = 84" h</i>	7. Finish, Metal Shelves (if applicable) (paint finish or anodized aluminum three piece assembly)
K Wardrobe/Open bookcase	3. Width <i>2 = 30" wide</i> <i>3 = 36" wide</i>	8. Finish, Aluminum trim (trim & if pull) <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>
L Left Hand	4. Interior & shelf <i>W = wood drawer interior and wood shelves</i> <i>M = wood drawer interior and metal shelves</i>	9. Finish, cabinet feet <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>
7 70" high	5. Extruded aluminum pull (default)	See page 7 for finish options applicable.
2 24" deep		
2 30" wide		
W Wood interior		
E Extruded Aluminum Pull		
V316 Finish, Maple		
AA Finish, trim & pull, anodized aluminum		
AA Finish, cabinet feet, anodized alum		

Application Notes


Cabinets on this page are styled for the private office and include aluminum feet detail which is optional addition to lower storage beginning on page 168. Specify 70" h cabinets for use with single high overhead storage and 84" h cabinets for use with double high overhead storage.

Hinged doors feature touch latches and do not lock. Sliding doors do not lock. File drawers drilled for locks, keying instructions must accompany order.


Coat rod included in wardrobes.

description	type	h	w	d	pattern no.	L	V1	V2	V3
 Wardrobe with hinged door open bookcase w/wood shelves	left hand	70"	30"	24"	ACKL722WE () ()	\$2,832.	\$3,706.	\$4,143.	\$5,386.
		70"	36"	24"	ACKL723WE () ()	2,974.	3,892.	4,350.	5,655.
		84"	30"	24"	ACKL822WE () ()	2,974.	3,892.	4,350.	5,655.
		84"	36"	24"	ACKL823WE () ()	3,076.	4,025.	4,500.	5,850.
	<i>left hand = wardrobe on left side facing cabinet (1/3rd of width)</i>								
	right hand	70"	30"	24"	ACKR722WE () ()	2,832.	3,706.	4,143.	5,386.
		70"	36"	24"	ACKR723WE () ()	2,974.	3,892.	4,350.	5,655.
		84"	30"	24"	ACKR822WE () ()	2,974.	3,892.	4,350.	5,655.
		84"	36"	24"	ACKR823WE () ()	3,076.	4,025.	4,500.	5,850.
	<i>right hand = wardrobe on right side facing cabinet (1/3rd of width)</i>								

left hand shown

 Wardrobe w/sliding door open bookcase w/wood shelves	left hand	70"	30"	24"	ACMWL722 () ()	3,009.	3,741.	4,304.	5,595.
		70"	36"	24"	ACMWL723 () ()	3,159.	3,928.	4,519.	5,875.
		84"	30"	24"	ACMWL822 () ()	3,254.	4,025.	4,667.	6,067.
		84"	36"	24"	ACMWL823 () ()	3,409.	4,203.	4,900.	6,370.
	right hand	70"	30"	24"	ACMWR722 () ()	3,009.	3,741.	4,304.	5,595.
		70"	36"	24"	ACMWR723 () ()	3,159.	3,928.	4,519.	5,875.
		84"	30"	24"	ACMWR822 () ()	3,254.	4,025.	4,667.	6,067.
		84"	36"	24"	ACMWR823 () ()	3,409.	4,203.	4,900.	6,370.


left hand shown

 Wardrobe w/sliding door open bookcase w/metal shelves	left hand	70"	30"	24"	ACMML722 () () ()	3,209.	3,941.	4,504.	5,795.
		70"	36"	24"	ACMML723 () () ()	3,384.	4,153.	4,744.	6,100.
		84"	30"	24"	ACMML822 () () ()	3,504.	4,275.	4,917.	6,317.
		84"	36"	24"	ACMML823 () () ()	3,684.	4,478.	5,175.	6,645.
	right hand	70"	30"	24"	ACMMR722 () () ()	3,209.	3,941.	4,504.	5,795.
		70"	36"	24"	ACMMR723 () () ()	3,384.	4,153.	4,744.	6,100.
		84"	30"	24"	ACMMR822 () () ()	3,504.	4,275.	4,917.	6,317.
		84"	36"	24"	ACMMR823 () () ()	3,684.	4,478.	5,175.	6,645.

left hand shown

Order Code	Specification Information	Application Notes
Example: ACKL722WEV316AAAA	To order please specify pattern number including:	6. Finish Laminate, V1, V2 or V3 finish
A AutoStrada	1. Hand (applicable for units with wardrobes only) L = wardrobe on left R = wardrobe on right	7. Finish, Metal Shelves (if applicable) (paint finish or anodized aluminum three piece assembly)
C Cabinet	2. Height 7 = 70" h 8 = 84" h	8. Finish, Aluminum trim (trim & if pull) AA - Anodized aluminum or painted finish option from page 7 excluding silver
K Wardrobe/Open bookcase	3. Width 2 = 30" wide 3 = 36" wide	9. Finish, cabinet feet AA - Anodized aluminum or painted finish option from page 7 excluding silver
L Left Hand	4. Interior & shelf W = wood drawer interior and wood shelves M = wood drawer interior and metal shelves	See page 7 for finish options applicable.
7 70" high	5. Extruded aluminum pull E = extruded aluminum pull (default)	Cabinets on this page are styled for the private office and include aluminum feet detail which is optional addition to lower storage beginning on page 168. Specify 70" h cabinets for use with single high overhead storage and 84" h cabinets for use with double high overhead storage.
2 24" deep		Hinged doors feature touch latches and do not lock. Sliding doors do not lock. File drawers drilled for locks, keying instructions must accompany order.
2 30" wide		Coat rod included in wardrobes.
W Wood interior		
E Extruded Aluminum Pull		
V316 Finish, Maple		
AA Finish, trim & pull, anodized aluminum		
AA Finish, cabinet feet, anodized alum		

description	type	h	w	d	pattern no.	L	V1	V2	V3
Full wardrobe		70"	30"	24"	ACW722() ()	\$2,819.	\$3,619.	\$4,130.	\$5,370.
		70"	36"	24"	ACW723() ()	2,961.	3,801.	4,336.	5,638.
		84"	30"	24"	ACW822() ()	2,961.	3,801.	4,336.	5,638.
		84"	36"	24"	ACW823() ()	3,062.	3,931.	4,486.	5,832.




Touch latch only, no pulls/no lock; includes coat rod and hat shelf.

Order Code	Specification Information	Application Notes
Example: ACKL722WEV316AAAA	<i>To order please specify pattern number including:</i>	
A AutoStrada		
C Cabinet		
K Wardrobe/Open bookcase		
L Left Hand		
7 70" high	1. Hand (applicable for units with wardrobes only) <i>L = wardrobe on left</i> <i>R = wardrobe on right</i>	
2 24" deep	2. Height <i>7 = 70"h</i> <i>8 = 84"h</i>	
2 30" wide	3. Width <i>2 = 30" wide</i> <i>3 = 36" wide</i>	
W Wood interior	4. Interior & shelf <i>W = wood drawer interior and wood shelves</i> <i>M = wood drawer interior and metal shelves</i>	
E Extruded Aluminum Pull	5. Extruded aluminum pull <i>E = extruded aluminum pull (default)</i>	
V316 Finish, Maple	6. Finish <i>Laminate, V1, V2 or V3 finish</i>	
AA Finish, trim & pull, anodized aluminum	7. Finish, Metal Shelves (if applicable) (paint finish or anodized aluminum three piece assembly)	
AA Finish, cabinet feet, anodized alum	8. Finish, Aluminum trim (trim & if pull) <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	
	9. Finish, cabinet feet <i>AA - Anodized aluminum or painted finish option from page 7 excluding silver</i>	
	See page 7 for finish options applicable.	
		Cabinets on this page are styled for the private office and include aluminum feet detail which is optional addition to lower storage beginning on page 168. Specify 70"h cabinets for use with single high overhead storage and 84"h cabinets for use with double high overhead storage.
		Hinged doors feature touch latches and do not lock. Sliding doors do not lock. File drawers dilled for locks, keying instructions must accompany order.
		Coat rod included in wardrobes.


Freestanding Cabinets for open plan use with metal case pedestals

AutoStrada

description	h	w	d	pattern no.	lam. case P1/P2/P3 front	lam. case lam front	lam. case V1 front	lam. case V2 front	lam. case V3 front	ven. case V1 front	ven. case V2 front	ven. case V3 front
Freestanding cabinet, 48"h	48"	24"	24"	AAV1 4824 S2D1F () () () ()	\$2,475.	\$2,402.	\$2,626.	\$2,754.	\$3,243.	\$3,185.	\$3,787.	\$5,126.
	48"	30"	24"	AAV1 4830 S2D1F () () () ()	2,591.	2,513.	2,731.	2,881.	3,447.	3,272.	3,962.	5,560.



Freestanding cabinet, 64"h	64"	24"	24"	AAV1 6424 S2D2F () () () ()	2,680.	2,589.	2,843.	2,940.	3,577.	3,611.	4,253.	5,885.
	64"	30"	24"	AAV1 6430 S2D2F () () () ()	2,827.	2,722.	2,966.	3,093.	3,833.	3,687.	4,498.	6,425.




Order Code	Specification Information	Application Notes
Example: AAV1 4824 S2D1F L 118 P 613 AA	<i>To order please specify pattern number including:</i>	Freestanding cabinets for open plan are designed to match drawer fronts of AutoStrada metal pedestals in heights and thickness. Doors have 5 1/2" wide protruding pull and drawers have full width pulls. Cabinets are wood construction with 1 1/2" telescoping glides to match pedestals.
AAV1 Freestanding cabinet	L Lock	48"H cabinets have 2 doors over 1 file.
48 Height	N No lock	64"H cabinets have 2 doors over 2 files.
24 Width	Case finish (laminate or veneer only)	Files are full extension steel drawers that accept suspended legal file folders side to side. File bars are included to also support suspended letter or A4 side to side or front to back. File drawers are not bottom loadable.
S Depth	Front type	Cabinets are laminate case and top with painted, laminate or veneer fronts, or all veneer case and fronts.
2D Two door	L Laminate	
1F One file	P Paint	
L With lock	V Veneer	
118 Case finish	Front finish code	
P Front type	Pull finish (AA only)	
613 Front finish		
AA Pull finish		

Metal case


Pedestals

Floorstanding

description	type	width	depth	height	pattern number	P1/P2 front	P3 front	L front	V1 front	V2 front	V3 front
Floorstanding pedestal	personal/data/file	15"	17"	27"	ASFS1PDF18 () () ()	\$1,059.	\$1,111.	\$1,024.	\$1,232.	\$1,294.	\$1,406.
		15"	23"	27"	ASFS1PDF24 () () ()	1,147.	1,204.	1,123.	1,285.	1,349.	1,465.
	file/file	15"	17"	27"	ASFS1FF18 () () ()	904.	950.	903.	1,070.	1,153.	1,265.
		15"	23"	27"	ASFS1FF24 () () ()	982.	1,030.	984.	1,119.	1,206.	1,320.



Floorstanding pedestal Double wide	personal/data/file	30"	17"	27"	ASFS1WPDF30 () () ()	1,509.	1,585.	1,509.	1,631.	1,871.	2,432.
		36"	17"	27"	ASFS1WPDF36 () () ()	1,844.	1,937.	1,844.	2,001.	2,299.	2,987.
	file/file	30"	17"	27"	ASFS1WFF30 () () ()	1,312.	1,378.	1,312.	1,419.	1,627.	2,115.
		36"	17"	27"	ASFS1WFF36 () () ()	1,604.	1,684.	1,604.	1,741.	1,999.	2,598.
	data/file	30"	17"	23"	ASFS1WDF30 () () ()	1,247.	1,309.	1,247.	1,348.	1,545.	2,009.
		36"	17"	23"	ASFS1WDF36 () () ()	1,524.	1,600.	1,524.	1,654.	1,900.	2,468.
	2 door	30"	17"	27"	ASFS1WDD30 () () ()	1,312.	1,378.	1,312.	1,419.	1,627.	2,115.
		36"	17"	27"	ASFS1WDD36 () () ()	1,604.	1,684.	1,604.	1,741.	1,999.	2,598.




Order Code	Specification Information	Application Notes
Example: ASFS1 FF18 111 P 114 AA	All pedestals include front lock with KnollKey lock system. Personal drawer is 4"h. Data drawer is 7"h. File drawers are 11"h. Deep file drawers include file support for letter (width) or legal (depth) suspended file folders. All drawers have full extension, ball bearing drawer slides.	Floorstanding pedestals include levelling glides and closed top with 1" spacer to support one end of a worksurface at 27"h to underside of worksurface. 18"d pedestals fit under any worksurface with standard stiffener. Deep floorstanding pedestals fit under worksurfaces with worksurface stiffener 18" less than nominal width.
ASFS1 Autostrada floorstanding pedestal		
FF Configuration	<i>Please specify painted finish for case or fronts from paint finish options; front finish also optional from laminate, V1, V2 or V3 finish options listed on page 7.</i>	Pedestals may not be used in freestanding applications.
18 Depth		
111 Finish for case	Pulls are available in anodized aluminum or painted finish options listed on page 7 excluding silver.	The metal case pedestals come with a 1"h board spacer that installs between the case and the worksurface it is supporting. The tops of the pedestals are drilled to accept the attachment screws.
P Finish type for fronts		
114 Finish for fronts		
AA Finish for pulls		

Metal case

Pedestals

Mobile

AutoStrada


description	type	width	depth	height	pattern number	P1/P2 front	P3 front	L front	V1 front	V2 front	V3 front	
	Mobile pedestal	Standard - data/file	15"	17"	22"	ASMS1 DF18 () () ()	\$893.	\$937.	\$903.	\$1,084.	\$1,181.	\$1,229.
		Deep - data/file	15"	23"	22"	ASMS1 DF24 () () ()	1,010.	1,062.	1,019.	1,244.	1,348.	1,398.
		Standard - personal/data/file	15"	17"	26 1/2"	ASMS1 PDF18 () () ()	1,042.	1,094.	1,019.	1,234.	1,294.	1,400.
		Deep - personal/data/file	15"	23"	26 1/2"	ASMS1 PDF24 () () ()	1,159.	1,217.	1,134.	1,400.	1,467.	1,586.
		Standard - file/file	15"	17"	26 1/2"	ASMS1 FF18 () () ()	942.	989.	943.	1,136.	1,221.	1,229.
		Deep - file/file	15"	23"	26 1/2"	ASMS1 FF24 () () ()	1,061.	1,113.	1,065.	1,244.	1,333.	1,452.
Mobile pedestal, open top	Standard - data/file	15"	17"	22"	ASMS1 DFO18 () () ()	845.	887.	851.	1,053.	1,151.	1,197.	
		Deep - data/file	15"	23"	22"	ASMS1 DFO24 () () ()	952.	1,000.	955.	1,206.	1,308.	1,360.

Order Code	Specification Information	Application Notes
Example: ASMS1 FF18 111 P 114 AA	All pedestals include front lock with KnollKey lock system. Personal drawer is 4"H. Data drawer is 7"H. File drawers are 11"H. Deep file drawers include file support for letter (width) or legal (depth) suspended file folders. All drawers have full extension, ball bearing drawer slides.	Mobile pedestals are independent storage components with locking casters and pull. Standard mobile pedestals roll under worksurfaces set at 28" or higher. Deep mobile pedestals with two files or personal/data/file will not fit under stiffener of universal worksurface or desk set at 29" or lower. Specify data/file mobile pedestal under worksurfaces adjusted lower than 28"H.
ASMS1 Autostrada mobile pedestal		
FF Configuration	<i>Please specify painted finish for case or fronts from paint finish options: front finish also optional from laminate, V1, V2 or V3 finish options listed on page 7.</i>	
18 Depth		
111 Finish for case		
P Finish type for fronts		
114 Finish for fronts		
AA Finish for pulls	Pulls are available in anodized aluminum or painted finish options listed on page 7 excluding silver.	

Metal case
Pedestals
Accessories
cushion - fabric

AutoStrada

description	type	width	depth	pattern number	A	B	C	D	E	F	G	H	I
Cushion	Deep	15"	23"	AS1 DPAD ()	\$201.	\$225.	\$263.	\$276.	\$301.	\$327.	\$363.	\$401.	\$414.
	Standard	15"	17"	AS1 SPAD ()	163.	188.	213.	225.	238.	263.	288.	327.	339.



Order Code

Example: **AS1 SPAD**

AS1 Pedestal

S Depth

PAD Cushion

Specification Information

There is a \$71 upcharge on CAL133 backing on the cushion.

Consult the Knoll seating price list for fabric information and grades

Application Notes

Pedestal cushions are for use on open top mobile pedestals.

Metal case


AutoStrada

Pedestals

Accessories

cushion - leather


description	type	width	depth	pattern number	U	V	W	X	Y
Cushion	Deep	15"	23"	AS1 DPAD ()	\$401.	\$476.	\$589.	\$615.	\$651.
	Standard	15"	17"	AS1 SPAD ()	314.	375.	463.	476.	501.



Order Code	Specification Information	Application Notes
Example: AS1 SPAD	There is a \$71 upcharge on CAL133 backing on the cushion.	Pedestal cushions are for use on open top mobile pedestals.
AS1 Pedestal		
S Depth	Consult the Knoll seating price list for leather information and grades.	
PAD Cushion		

Metal case
Pedestals
Accessories
various

AutoStrada




description	type	width	depth	height	pattern number	list
Pencil tray 	Personal or data drawer				AS1 PT	\$34.
Drawer divider 	Personal or data drawer				MD6-BD	29.
File support rail	File drawer, set of 2				MD6-FS	11.
Bumper kits for mobile pedestal	21"H pedestal			21"	AS1 BKL	40.
	26"H pedestal			26"	AS1 BKH	48.

Order Code	Specification Information	Application Notes
Example: AS1 PT		
AS1 Pedestal	Pencil tray is black molded plastic. Drawer divider is black painted steel.	Pencil tray sets in top of personal or data drawer. Moveable dividers organize pencils, pens, and paper clips in separate compartments.
PT Pencil tray	Replacement worksurface stiffeners are black painted steel. Bumper kit is trim grey plastic.	Drawer divider mounts in slots in bottom of personal or data drawer. U-shaped divider supports two rows of four CDs with titles visible in data drawer. File support spans width of file drawer to support side-to-side letter or legal width suspended files.

Wood or laminate case

Pedestals, wood drawer interiors

AutoStrada




description	type	h	w	d	pattern no.	L	V1	V2	V3	
Pedestal, BBF 	19" deep	26"	16"	19"	AFPB10(E/P)(W)() ()	\$1,180.	\$1,267.	\$1,457.	\$1,895.	
		26"	19"	19"	AFPB11(E/P)(W)() ()	1,180.	1,267.	1,457.	1,895.	
	23" deep	26"	16"	23"	AFPB20(E/P)(W)() ()	1,297.	1,394.	1,603.	2,084.	
		26"	19"	23"	AFPB21(E/P)(W)() ()	1,297.	1,394.	1,603.	2,084.	
	29" deep	26"	16"	29"	AFPB30(E/P)(W)() ()	1,492.	1,602.	1,843.	2,396.	
		26"	19"	29"	AFPB31(E/P)(W)() ()	1,492.	1,602.	1,843.	2,396.	
	Pedestal, FF 	19" deep	26"	16"	19"	AFPF10(E/P)(W)() ()	1,114.	1,194.	1,372.	1,783.
			26"	19"	19"	AFPF11(E/P)(W)() ()	1,114.	1,194.	1,372.	1,783.
26"			30"	19"	AFPF12(E/P)(W)() ()	1,439.	1,540.	1,766.	2,295.	
26"			36"	19"	AFPF13(E/P)(W)() ()	1,759.	1,889.	2,170.	2,819.	
26"			42"	19"	AFPF14(E/P)(W)() ()	2,157.	2,317.	2,665.	3,466.	
23" deep		26"	16"	23"	AFPF20(E/P)(W)() ()	1,280.	1,373.	1,578.	2,051.	
		26"	19"	23"	AFPF21(E/P)(W)() ()	1,280.	1,373.	1,578.	2,051.	
		26"	30"	23"	AFPF22(E/P)(W)() ()	1,651.	1,770.	2,032.	2,640.	
		26"	36"	23"	AFPF23(E/P)(W)() ()	2,024.	2,172.	2,497.	3,243.	
		26"	42"	23"	AFPF24(E/P)(W)() ()	2,480.	2,664.	3,065.	3,985.	
29" deep		26"	16"	29"	AFPF30(E/P)(W)() ()	1,473.	1,579.	1,814.	2,358.	
		26"	19"	29"	AFPF31(E/P)(W)() ()	1,473.	1,579.	1,814.	2,358.	
Counterweight (for file/file configurations when used in single use freestanding applications)					RCOUNTWT	86.				
Mobile ped, BF 		19" deep	21 3/4"	16"	19"	AMPB10(E/P)(W)() ()	1,617.	1,733.	1,992.	2,589.
	21 3/4"		19"	19"	AMPB11(E/P)(W)() ()	1,617.	1,733.	1,992.	2,589.	
	23" deep	21 3/4"	16"	23"	AMPB20(E/P)(W)() ()	1,859.	1,992.	2,292.	2,978.	
		21 3/4"	19"	23"	AMPB21(E/P)(W)() ()	1,859.	1,992.	2,292.	2,978.	

Order Code	Specification Information	Application Notes	
Example: AFPB21EWV316AA	<i>To order please specify pattern number including:</i>		
A AutoStrada	1. Pedestal type (<i>embedded in pattern number</i>) <i>F = Floor standing</i> <i>M = Mobile</i>	5. Pull <i>E = extruded aluminum pull</i> <i>P = extruded aluminum protruding pull</i>	Actual depth nominal plus 3/8", finished back adds 1/2" (see page 171 for backs). Mobile pedestal includes finished back. All pedestals on this page include a finished sub-top and anti-tip spacer. Height to underside of worksurface including anti-tip spacer is 27"h. Optional work surface stand-offs (to use in place of anit-tip spacer) are specified separately from page 218.
F Floor standing	2. Pedestal configuration <i>B = BBF (floorstanding) or BF (mobile)</i> <i>F = File/File</i>	6. Interior <i>W = wood drawer interior</i>	
P Pedestal	3. Depth (<i>nominal</i>) <i>1 = 19" deep</i> <i>2 = 23" deep</i> <i>3 = 29" deep *</i> <i>(*available only in 16" or 19" widths)</i>	7. Finish <i>Laminate, V1, V2 or V3 finish</i>	
B Box/Box/File configuration	4. Width <i>0 = 16" wide (nominal)</i> <i>1 = 19" wide (nominal)</i> <i>2 = 30" wide (nominal)</i> <i>3 = 36" wide (nominal)</i> <i>4 = 42" wide (nominal)</i>	8. Finish, pull <i>Anodized aluminum or painted finish options listed on page 9 excluding silver.</i>	
2 23" deep (<i>nominal</i>)		See page 7 for finish options applicable.	19" wide (nominal) units accommodate legal filing front to back. File bars included to accommodate letter filing front to back. 30", 36" and 42" wide units include file bars to accommodate legal and letter filing front to back and side to side.
1 19" wide (<i>nominal</i>)		Note: Optional cabinet feet are recommended when pedestals used in free-standing applications to achieve overall desk height of 29 5/8" (see page 218).	
E Extruded aluminum pull		Primary finished top required in freestanding applications, ordered separately when item stands alone.	
W Wood interior		Wood pencil tray included with BBF pedestals.	
V316 Finish, Maple			File drawers are bottom loadable.
AA Finish, pull (anodized aluminum)			Pedestals drilled for locks, keying instructions must accompany order.

Wood or laminate case

Pedestals, metal drawer interiors


AutoStrada

description	type	h	w	d	pattern no.	L	V1	V2	V3	
	19" deep	26"	16"	19"	AFPB10(E/P)(M)() ()	\$1,080.	\$1,167.	\$1,357.	\$1,795.	
		26"	19"	19"	AFPB11(E/P)(M)() ()	1,080.	1,167.	1,357.	1,795.	
	23" deep	26"	16"	23"	AFPB20(E/P)(M)() ()	1,197.	1,294.	1,503.	1,984.	
		26"	19"	23"	AFPB21(E/P)(M)() ()	1,197.	1,294.	1,503.	1,984.	
	29" deep	26"	16"	29"	AFPB30(E/P)(M)() ()	1,392.	1,502.	1,743.	2,296.	
		26"	19"	29"	AFPB31(E/P)(M)() ()	1,392.	1,502.	1,743.	2,296.	
		19" deep	26"	16"	19"	AFPF10(E/P)(M)() ()	1,014.	1,094.	1,272.	1,683.
			26"	19"	19"	AFPF11(E/P)(M)() ()	1,014.	1,094.	1,272.	1,683.
26"			30"	19"	AFPF12(E/P)(M)() ()	1,239.	1,340.	1,566.	2,095.	
26"			36"	19"	AFPF13(E/P)(M)() ()	1,559.	1,689.	1,970.	2,619.	
23" deep		26"	16"	23"	AFPF20(E/P)(M)() ()	1,180.	1,273.	1,478.	1,951.	
		26"	19"	23"	AFPF21(E/P)(M)() ()	1,180.	1,273.	1,478.	1,951.	
		26"	30"	23"	AFPF22(E/P)(M)() ()	1,451.	1,570.	1,832.	2,440.	
		26"	36"	23"	AFPF23(E/P)(M)() ()	1,824.	1,972.	2,297.	3,043.	
29" deep		26"	16"	29"	AFPF30(E/P)(M)() ()	1,373.	1,479.	1,714.	2,258.	
		26"	19"	29"	AFPF31(E/P)(M)() ()	1,373.	1,479.	1,714.	2,258.	
Counterweight (for file/file configurations when used in single use freestanding applications)					RCOUNTWT	86.				
	19" deep	21 3/4"	16"	19"	AMPB10(E/P)(M)() ()	1,542.	1,658.	1,917.	2,514.	
		21 3/4"	19"	19"	AMPB11(E/P)(M)() ()	1,542.	1,658.	1,917.	2,514.	
	23" deep	21 3/4"	16"	23"	AMPB20(E/P)(M)() ()	1,784.	1,917.	2,217.	2,903.	
		21 3/4"	19"	23"	AMPB21(E/P)(M)() ()	1,784.	1,917.	2,217.	2,903.	

Order Code	Specification Information	Application Notes	
Example: AFPB21EMV316AA	<i>To order please specify pattern number including:</i>	5. Pull <i>E = extruded aluminum pull</i> <i>P = extruded aluminum protruding pull</i>	Actual depth nominal plus 3/8", finished back adds 1/2" (see page 171 for backs). Mobile pedestal includes finished back. All pedestals on this page include a finished sub-top and anti-tip spacer. Height to underside of work surface including anti-tip spacer is 27"h. Optional work surface stand-offs (to use in place of anit-tip spacer) are specified separately from page 218.
A AutoStrada	1. Pedestal type (embedded in pattern number) <i>F = Floor standing</i> <i>M = Mobile</i>	6. Interior <i>M = metal drawer interior</i>	19" wide (nominal) units accommodate legal filing front to back. File bars included to accommodate letter filing front to back. 30", 36" and 42" wide units include file bars to accommodate legal and letter filing front to back and side to side.
F Floor standing	2. Pedestal configuration <i>B = BBF (floorstanding) or BF (mobile)</i> <i>F = File/File</i>	7. Finish <i>Laminate, V1, V2 or V3 finish</i>	File drawers are bottom loadable.
P Pedestal	3. Depth (nominal) <i>1 = 19" deep</i> <i>2 = 23" deep</i> <i>3 = 29" deep *</i> <i>(*available only in 16" or 19" widths)</i>	8. Finish, pull <i>Anodized aluminum or painted finish options listed on page 9 excluding silver.</i>	Pedestals drilled for locks, keying instructions must accompany order.
B Box/Box/File configuration	4. Width <i>0 = 16" wide (nominal)</i> <i>1 = 19" wide (nominal)</i> <i>2 = 30" wide (nominal)</i> <i>3 = 36" wide (nominal)</i>	See page 7 for finish options applicable.	
2 23" deep (nominal)		Note: Optional cabinet feet are recommended when pedestals used in free-standing applications to achieve overall desk height of 29 5/8" (see page 218).	
1 19" wide (nominal)		Primary finished top required in freestanding applications, ordered separately when item stands alone.	
E Extruded aluminum pull		Pencil tray included with BBF pedestals.	
M Metal interior			
V316 Finish, Maple			
AA Finish, pull (anodized aluminum)			

Wood or laminate case
Lower storage


AutoStrada

description	type	h	w	d	pattern no.	L	V1	V2	V3
 36" w shown	19" deep	26"	16"	19"	AFPHL10(E/P)(L/N)(W)() ()	\$772.	\$827.	\$952.	\$1,238.
		26"	16"	19"	AFPHR10(E/P)(L/N)(W)() ()	772.	827.	952.	1,238.
		26"	19"	19"	AFPHL11(E/P)(L/N)(W)() ()	772.	827.	952.	1,238.
		26"	19"	19"	AFPHR11(E/P)(L/N)(W)() ()	772.	827.	952.	1,238.
		26"	30"	19"	AFPH12(E/P)(L/N)(W)() ()	916.	981.	1,128.	1,468.
		26"	36"	19"	AFPH13(E/P)(L/N)(W)() ()	1,145.	1,225.	1,411.	1,834.
		26"	42"	19"	AFPH14(E/P)(L/N)(W)() ()	1,432.	1,528.	1,762.	2,292.
	23" deep	26"	16"	23"	AFPHL20(E/P)(L/N)(W)() ()	887.	952.	1,095.	1,423.
		26"	16"	23"	AFPHR20(E/P)(L/N)(W)() ()	887.	952.	1,095.	1,423.
		26"	19"	23"	AFPHL21(E/P)(L/N)(W)() ()	887.	952.	1,095.	1,423.
		26"	19"	23"	AFPHR21(E/P)(L/N)(W)() ()	887.	952.	1,095.	1,423.
		26"	30"	23"	AFPH22(E/P)(L/N)(W)() ()	1,052.	1,129.	1,299.	1,688.
		26"	36"	23"	AFPH23(E/P)(L/N)(W)() ()	1,316.	1,409.	1,622.	2,109.
		26"	42"	23"	AFPH24(E/P)(L/N)(W)() ()	1,646.	1,758.	2,026.	2,634.



Order Code	Specification Information	Application Notes
Example: AFPHL21ELWV316AA	To order please specify pattern number including:	Units on this page include a finished sub-top and anti-tip spacer. Height to underside of worksurface including anti-tip spacer is 27"h. Optional work surface stand-offs (to use in place of anti-tip spacer) are specified separately from page 218.
A AutoStrada	1. Hand (applicable 16" and 19" wide units) <i>L = hinges on left</i> <i>R = hinges on right</i>	5. Lock option <i>L = drilled for locks</i> <i>N = not drilled for locks</i>
F Floor standing	2. Depth <i>1 = 20" deep</i> <i>2 = 24" deep</i>	6. Interior <i>W = wood interior (only)</i>
P Pedestal	3. Width <i>0 = 16" wide</i> <i>1 = 19" wide</i> <i>2 = 30" wide</i> <i>3 = 36" wide</i> <i>4 = 42" wide</i>	7. Finish <i>Laminate, V1, V2 or V3 finish</i>
H Hinged door/open shelf above	4. Pull <i>E = Extruded aluminum pull</i> <i>P = Extruded aluminum protruding pull</i>	8. Finish, pull <i>Anodized aluminum or painted finish options listed on page 9 excluding silver.</i>
L Left hand		Optional lock drilled to be specified. If drilled for locks selected, keying instructions must accompany order.
2 24" deep		See page 7 for finish options applicable.
1 19" wide		
E Extruded aluminum pull		
L Drilled for lock		
W Wood interior		
V316 Finish, Maple		
AA Finish, pull (anodized aluminum)		

Wood or laminate case
Finished backs for lower storage

AutoStrada

description	h	w	thickness	pattern no.	L	V1	V2	V3
 Finished back	25 1/2"	16"	1/2"	AFB16 ()	\$106.	\$109.	\$128.	\$166.
	25 1/2"	19"	1/2"	AFB19 ()	106.	109.	128.	166.
	25 1/2"	30"	1/2"	AFB30 ()	213.	219.	251.	325.
	25 1/2"	36"	1/2"	AFB36 ()	252.	261.	299.	388.
	25 1/2"	42"	1/2"	AFB42 ()	350.	388.	449.	583.
	25 1/2"	60"	1/2"	AFB60 ()	424.	474.	545.	708.
	25 1/2"	72"	1/2"	AFB72 ()	489.	545.	628.	815.
	25 1/2"	84"	1/2"	AFB84 ()	551.	616.	707.	919.
	25 1/2"	90"	1/2"	AFB90 ()	584.	652.	748.	973.
	25 1/2"	96"	1/2"	AFB96 ()	600.	667.	767.	998.
 Pedestal filler strip	25 1/2"	5"	1/2"	AWCPFS ()	83.	108.	109.	115.

Order Code	Specification Information	Application Notes
Example: AFB19V316	<i>To order please specify pattern number including:</i>	Finished backs are used with lower storage in free-standing applications where the back is exposed. Backs are 1/2" thick. Finished backs also recommended for "ganging" units together when creating build-to-spec credenza units.
A AutoStrada	1. Width	Pedestal filler strip used in lieu of finished back when full back not exposed to finish gap to wall.
FB Finished back	16 = for 16" wide units	
19 19" wide	19 = for 19" wide units	
V316 Finish, Maple	30 = for 30" wide units	
	36 = for 36" wide units	
	42 = for 42" wide units	
	60 = for two 30" w side by side	
	72 = for two 36" w side by side	
	84 = for two 42" w side by side	
	90 = for three 30" w side by side	
	96 = for two 30" w & one 36" w side by side	
	2. Finish	See page 7 for finish options applicable.
	Laminate, V1, V2 or V3 finish	


description	w	d	h	pattern no.	L	V1	V2	V3	list
	36"	15"	21"	ASBF1 36() ()	\$861.	\$1,182.	\$1,365.	\$1,691.	
	42"	15"	21"	ASBF1 42() ()	890.	1,211.	1,394.	1,763.	
	48"	15"	21"	ASBF1 48() ()	920.	1,240.	1,425.	1,834.	
	36"	15"	21"	ASBS1 36() () ()	861.	1,182.	1,365.	1,691.	
	42"	15"	21"	ASBS1 42() () ()	890.	1,211.	1,394.	1,763.	
	48"	15"	21"	ASBS1 48() () ()	920.	1,240.	1,425.	1,834.	
Box top	36"	15"		ASBT1 36()					168.
	42"	15"		ASBT1 42()					178.
	48"	15"		ASBT1 48()					190.

Order Code	Specification Information	Application Notes
Example: ASBF1 48 114 AA	<i>To order please specify pattern number including:</i>	Box shelf is an open storage unit for binders or other material. Box shelf has full back, sides and partition which support one 16" wide, adjustable height glass shelf.
AS AutoStrada storage	Box shelf freestanding	Freestanding box shelf includes four clear anodized aluminum or painted legs with leveling glides.
B Box shelf	1. Finish, Case <i>Laminate, V1, V2 or V3</i>	Spine support version includes two legs and two brackets that clamp on to the structural base cover of AutoStrada spine or Currents service wall.
F1 freestanding	2. Finish, Legs <i>Clear anodized aluminum or painted finish option</i>	Box shelf also serves as spine support in place of outrigger. Fixed height end support bracket can be attached behind spine-attached Box shelf.
48 width	Box shelf spine support	Optional Box top is 1/4" clear tempered glass.
114 case finish	1. Finish, Case <i>Laminate, V1, V2 or V3</i>	
AA leg finish	2. Finish, Legs <i>Clear anodized aluminum or painted finish options listed on page 9 excluding silver.</i>	
	3. Finish, Bracket <i>All standard paint finishes</i>	
	Painted finish options listed on page 7 excluding silver.	

Overhead storage, wood cases

Stack-on Overheads (for use with Medians)

open

description	type	sections	h	w	d	pattern no.	L	V1	V2	V3
Stack-on Overhead, Open  96" w shown	binder depth	2	15"	42"	14 1/4"	ASOBO42 () ()	\$1,539.	\$1,591.	\$1,830.	\$2,378.
		2	15"	48"	14 1/4"	ASOBO48 () ()	1,594.	1,649.	1,895.	2,464.
		2	15"	54"	14 1/4"	ASOBO54 () ()	1,613.	1,666.	1,917.	2,493.
		2	15"	60"	14 1/4"	ASOBO60 () ()	1,630.	1,686.	1,941.	2,522.
		2	15"	66"	14 1/4"	ASOBO66 () ()	1,814.	1,874.	2,157.	2,805.
		2	15"	72"	14 1/4"	ASOBO72 () ()	1,999.	2,063.	2,375.	3,086.
		3	15"	78"	14 1/4"	ASOBO78 () ()	2,064.	2,133.	2,453.	3,190.
		3	15"	84"	14 1/4"	ASOBO84 () ()	2,132.	2,202.	2,534.	3,292.
		3	15"	90"	14 1/4"	ASOBO90 () ()	2,199.	2,272.	2,611.	3,397.
		3	15"	96"	14 1/4"	ASOBO96 () ()	2,278.	2,355.	2,707.	3,518.
	legal depth	2	15"	42"	17 1/4"	ASOGO42 () ()	1,661.	1,715.	1,977.	2,570.
		2	15"	48"	17 1/4"	ASOGO48 () ()	1,722.	1,780.	2,046.	2,661.
		2	15"	54"	17 1/4"	ASOGO54 () ()	1,741.	1,800.	2,072.	2,693.
		2	15"	60"	17 1/4"	ASOGO60 () ()	1,760.	1,820.	2,094.	2,723.
		2	15"	66"	17 1/4"	ASOGO66 () ()	1,959.	2,024.	2,330.	3,028.
		2	15"	72"	17 1/4"	ASOGO72 () ()	2,157.	2,227.	2,564.	3,332.
		3	15"	78"	17 1/4"	ASOGO78 () ()	2,230.	2,303.	2,650.	3,445.
		3	15"	84"	17 1/4"	ASOGO84 () ()	2,301.	2,378.	2,735.	3,556.
		3	15"	90"	17 1/4"	ASOGO90 () ()	2,373.	2,453.	2,821.	3,668.
		3	15"	96"	17 1/4"	ASOGO96 () ()	2,460.	2,542.	2,923.	3,801.

Order Code

Example: ASOBO42V316AA	
A	AutoStrada
S	Stack-on
O	Overhead
B	Binder depth
O	Open
42	42" wide
V316	Finish, Maple
AA	Finish, Support feet

Specification Information

To order please specify pattern number including:

1. Depth
B = Binder depth
G = Legal depth
2. Width
3. Finish
Laminate, V1, V2 or V3
4. Finish, support feet
Anodized aluminum or painted finish options listed on page 9 excluding silver.

See page 7 for finish options applicable.

Application Notes


Stack-on overheads, as the description implies "stack-on" median top shelf, please make sure median top shelf depth and overhead depth correspond.

Stack-on overheads correspond to interior width of medians and median storage.

Overhead storage, wood cases

Stack-on Overheads (for use with Medians)

hinged door


description	type	# drs/locks	h	w	d	pattern no.	L	V1	V2	V3
 96" w shown	binder depth	3/2	15"	42"	15 1/4"	ASOBD42 () ()	\$1,708.	\$1,764.	\$2,032.	\$2,640.
		3/2	15"	48"	15 1/4"	ASOBD48 () ()	1,769.	1,830.	2,103.	2,735.
		3/2	15"	54"	15 1/4"	ASOBD54 () ()	1,789.	1,850.	2,128.	2,768.
		4/2	15"	60"	15 1/4"	ASOBD60 () ()	1,809.	1,872.	2,152.	2,797.
		4/2	15"	66"	15 1/4"	ASOBD66 () ()	2,014.	2,080.	2,394.	3,111.
		4/2	15"	72"	15 1/4"	ASOBD72 () ()	2,220.	2,296.	2,642.	3,434.
		5/3	15"	78"	15 1/4"	ASOBD78 () ()	2,292.	2,367.	2,723.	3,541.
		5/3	15"	84"	15 1/4"	ASOBD84 () ()	2,366.	2,444.	2,810.	3,655.
		6/3	15"	90"	15 1/4"	ASOBD90 () ()	2,443.	2,523.	2,901.	3,772.
		6/3	15"	96"	15 1/4"	ASOBD96 () ()	2,529.	2,615.	3,009.	3,911.
	legal depth	3/2	15"	42"	18 1/4"	ASOGD42 () ()	1,843.	1,906.	2,193.	2,852.
		3/2	15"	48"	18 1/4"	ASOGD48 () ()	1,910.	1,977.	2,272.	2,954.
		3/2	15"	54"	18 1/4"	ASOGD54 () ()	1,932.	1,999.	2,298.	2,989.
		4/2	15"	60"	18 1/4"	ASOGD60 () ()	1,955.	2,021.	2,324.	3,022.
		4/2	15"	66"	18 1/4"	ASOGD66 () ()	2,174.	2,247.	2,586.	3,362.
		4/2	15"	72"	18 1/4"	ASOGD72 () ()	2,396.	2,480.	2,852.	3,709.
		5/3	15"	78"	18 1/4"	ASOGD78 () ()	2,476.	2,556.	2,941.	3,824.
		5/3	15"	84"	18 1/4"	ASOGD84 () ()	2,554.	2,640.	3,036.	3,947.
		6/3	15"	90"	18 1/4"	ASOGD90 () ()	2,639.	2,724.	3,132.	4,073.
		6/3	15"	96"	18 1/4"	ASOGD96 () ()	2,732.	2,825.	3,248.	4,224.

Order Code	Specification Information	Application Notes	
Example: ASOBD42LV316AA	<i>To order please specify pattern number including:</i>	Stack-on overheads, as the description implies “stack-on” median top shelf, please make sure median top shelf depth and overhead depth correspond.	Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.
A	AutoStrada		
S	Stack-on		
O	Overhead		
B	Binder depth		
D	Hinged Door	Hinged doors extend slightly beyond case construction to allow for easy finger pull access along the bottom. No pulls available.	Stack-on overheads correspond to interior width of medians and median storage.
42	42” wide		
L	Locking		
V316	Finish, Maple		
AA	Finish, support feet		
	See page 7 for finish options applicable.		

Overhead storage, wood cases

Stack-on Overheads (for use with Medians)

open / hinged door / open


description	type	locks	h	w	d	pattern no.	L	V1	V2	V3
Stack-on Overhead, Open/Wood hinged doors/Open 	binder depth	1	15"	60"	15 1/4"	ASOBT60 () ()	\$1,711.	\$1,770.	\$2,037.	\$2,647.
		1	15"	66"	15 1/4"	ASOBT66 () ()	1,905.	1,968.	2,266.	2,944.
		1	15"	72"	15 1/4"	ASOBT72 () ()	2,098.	2,166.	2,493.	3,240.
		1	15"	78"	15 1/4"	ASOBT78 () ()	2,167.	2,239.	2,576.	3,349.
		1	15"	84"	15 1/4"	ASOBT84 () ()	2,238.	2,312.	2,660.	3,457.
		1	15"	90"	15 1/4"	ASOBT90 () ()	2,308.	2,385.	2,743.	3,565.
		1	15"	96"	15 1/4"	ASOBT96 () ()	2,391.	2,474.	2,842.	3,694.
	legal depth	1	15"	60"	18 1/4"	ASOGT60 () ()	1,849.	1,911.	2,200.	2,861.
		1	15"	66"	18 1/4"	ASOGT66 () ()	2,057.	2,126.	2,445.	3,180.
		1	15"	72"	18 1/4"	ASOGT72 () ()	2,266.	2,340.	2,693.	3,500.
		1	15"	78"	18 1/4"	ASOGT78 () ()	2,341.	2,419.	2,782.	3,618.
		1	15"	84"	18 1/4"	ASOGT84 () ()	2,418.	2,498.	2,873.	3,733.
		1	15"	90"	18 1/4"	ASOGT90 () ()	2,493.	2,575.	2,961.	3,851.
		1	15"	96"	18 1/4"	ASOGT96 () ()	2,582.	2,670.	3,070.	3,989.

96" w shown

Order Code	Specification Information	Application Notes
Example: ASOBT60LV316AA	<i>To order please specify pattern number including:</i>	Stack-on overheads, as the description implies "stack-on" median top shelf, please make sure median top shelf depth and overhead depth correspond.
A AutoStrada	1. Depth <i>B = Binder depth</i>	Hinged doors extend slightly beyond case construction to allow for easy finger pull access along the bottom. No pulls available.
S Stack-on	<i>G = Legal depth</i>	
O Overhead	2. Width	
B Binder depth	3. Lock option <i>L = Lock hole drilled</i>	
T Open/Hinged Door/Open	<i>N = Not drilled for locks</i>	
60 60" wide	4. Finish <i>Laminate, V1, V2 or V3</i>	
L Locking	5. Finish, support feet <i>Anodized aluminum or painted</i>	
V316 Finish, Maple	<i>finish options listed on page 9 excluding silver.</i>	Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.
AA Finish, support feet		Stack-on overheads correspond to interior width of medians and median storage.

See page 7 for finish options applicable.

Overhead storage, wood cases
Stack-on Overheads (for use with Medians)
with sliding wood door(s)


description	type	h	w	d	pattern no.	L	V1	V2	V3
 96" w shown	binder depth	15"	42"	15 1/4"	ASOBS42 () ()	\$2,307.	\$2,431.	\$3,074.	\$3,995.
		15"	48"	15 1/4"	ASOBS48 () ()	2,390.	2,522.	3,184.	4,139.
		15"	54"	15 1/4"	ASOBS54 () ()	2,418.	2,550.	3,221.	4,188.
		15"	60"	15 1/4"	ASOBS60 () ()	2,444.	2,577.	3,258.	4,237.
		15"	66"	15 1/4"	ASOBS66 () ()	2,721.	2,867.	3,623.	4,711.
		15"	72"	15 1/4"	ASOBS72 () ()	2,998.	3,157.	3,989.	5,186.
		15"	78"	15 1/4"	ASOBS78 () ()	3,096.	3,263.	4,121.	5,358.
		15"	84"	15 1/4"	ASOBS84 () ()	3,197.	3,368.	4,256.	5,531.
		15"	90"	15 1/4"	ASOBS90 () ()	3,296.	3,476.	4,388.	5,704.
		15"	96"	15 1/4"	ASOBS96 () ()	3,415.	3,604.	4,546.	5,912.
	legal depth	15"	42"	18 1/4"	ASOGS42 () ()	2,492.	2,627.	3,320.	4,316.
		15"	48"	18 1/4"	ASOGS48 () ()	2,582.	2,723.	3,438.	4,470.
		15"	54"	18 1/4"	ASOGS54 () ()	2,611.	2,755.	3,478.	4,522.
		15"	60"	18 1/4"	ASOGS60 () ()	2,640.	2,785.	3,520.	4,575.
		15"	66"	18 1/4"	ASOGS66 () ()	2,938.	3,096.	3,913.	5,088.
		15"	72"	18 1/4"	ASOGS72 () ()	3,237.	3,410.	4,308.	5,601.
		15"	78"	18 1/4"	ASOGS78 () ()	3,344.	3,524.	4,453.	5,788.
		15"	84"	18 1/4"	ASOGS84 () ()	3,453.	3,640.	4,595.	5,974.
		15"	90"	18 1/4"	ASOGS90 () ()	3,561.	3,754.	4,739.	6,160.
		15"	96"	18 1/4"	ASOGS96 () ()	3,690.	3,891.	4,910.	6,383.

Order Code	Specification Information	Application Notes
Example: ASOBS42V316AA	<i>To order please specify pattern number including:</i>	Sliding doors are not available with locks.
A AutoStrada	1. Depth <i>B = Binder depth</i>	Stack-on overheads, as the description implies "stack-on" median top shelf, please make sure median top shelf depth and overhead depth correspond.
S Stack-on	<i>G = Legal depth</i>	
O Overhead	2. Sliding door material <i>S = wood, same as case</i>	Sliding door pulls included, not visible on image. When AA finish specified pull is complimentary painted match to AA, pull not anodized.
B Binder depth	<i>R = glass</i>	
S Open/Sliding (wood) Door	3. Width	See page 7 for finish options applicable.
42 42" wide	4. Finish <i>Laminate, V1, V2 or V3</i>	
V316 Finish, Maple	5. Finish, support feet and pull <i>Anodized aluminum or painted finish options listed on page 9 excluding silver.</i>	
AA Finish, support feet		

Overhead storage, wood cases

Stack-on Overheads (for use with Medians)


with sliding glass door(s)

description	type	h	w	d	pattern no.	L	V1	V2	V3
 96" w shown	binder depth	15"	42"	15 1/4"	ASOBR42 () () ()	\$2,754.	\$2,893.	\$3,605.	\$4,687.
		15"	48"	15 1/4"	ASOBR48 () () ()	2,852.	2,999.	3,733.	4,854.
		15"	54"	15 1/4"	ASOBR54 () () ()	2,886.	3,034.	3,778.	4,910.
		15"	60"	15 1/4"	ASOBR60 () () ()	2,918.	3,068.	3,821.	4,967.
		15"	66"	15 1/4"	ASOBR66 () () ()	3,247.	3,412.	4,249.	5,525.
		15"	72"	15 1/4"	ASOBR72 () () ()	3,577.	3,755.	4,678.	6,082.
		15"	78"	15 1/4"	ASOBR78 () () ()	3,696.	3,882.	4,833.	6,284.
		15"	84"	15 1/4"	ASOBR84 () () ()	3,816.	4,007.	4,991.	6,486.
		15"	90"	15 1/4"	ASOBR90 () () ()	3,934.	4,134.	5,146.	6,690.
		15"	96"	15 1/4"	ASOBR96 () () ()	4,077.	4,286.	5,332.	6,932.
	legal depth	15"	42"	18 1/4"	ASOGR42 () () ()	2,973.	3,124.	3,894.	5,061.
		15"	48"	18 1/4"	ASOGR48 () () ()	3,082.	3,239.	4,031.	5,241.
		15"	54"	18 1/4"	ASOGR54 () () ()	3,117.	3,275.	4,080.	5,304.
		15"	60"	18 1/4"	ASOGR60 () () ()	3,150.	3,313.	4,128.	5,365.
		15"	66"	18 1/4"	ASOGR66 () () ()	3,507.	3,683.	4,589.	5,967.
		15"	72"	18 1/4"	ASOGR72 () () ()	3,862.	4,055.	5,052.	6,567.
		15"	78"	18 1/4"	ASOGR78 () () ()	3,992.	4,192.	5,221.	6,786.
		15"	84"	18 1/4"	ASOGR84 () () ()	4,120.	4,329.	5,389.	7,006.
		15"	90"	18 1/4"	ASOGR90 () () ()	4,249.	4,466.	5,558.	7,225.
		15"	96"	18 1/4"	ASOGR96 () () ()	4,403.	4,629.	5,758.	7,485.

Order Code	Specification Information	Application Notes
Example: ASOBR42V316GL6AA	To order please specify pattern number including:	Sliding doors are not available with locks.
AA		Stack-on overheads correspond to interior width of medians and median storage.
A	AutoStrada	
S	Stack-on	
O	Overhead	
B	Binder depth	
R	Open/Sliding (glass) Door	
42	42" wide	
V316	Finish, Maple	Stack-on overheads, as the description implies "stack-on" median top shelf, please make sure median top shelf depth and overhead depth correspond.
GL6	Glass, Block Matrix	Sliding door pulls included, not visible on image. When AA finish specified pull is complimentary painted match, pull not anodized.
AA	Frame, anodized aluminum	
AA	Finish, support feet	See page 7 for finish options applicable.

Panel hung overheads

open

description	type	sections	h	w	d	pattern no.	L	V1	V2	V3
 96" w shown	binder depth	2	15"	42"	14 1/4"	APHOBO42 ()	\$1,539.	\$1,591.	\$1,830.	\$2,378.
		2	15"	48"	14 1/4"	APHOBO48 ()	1,594.	1,649.	1,895.	2,464.
		2	15"	54"	14 1/4"	APHOBO54 ()	1,613.	1,666.	1,917.	2,493.
		2	15"	60"	14 1/4"	APHOBO60 ()	1,630.	1,686.	1,941.	2,522.
		2	15"	66"	14 1/4"	APHOBO66 ()	1,814.	1,874.	2,157.	2,805.
		2	15"	72"	14 1/4"	APHOBO72 ()	1,999.	2,063.	2,375.	3,086.
		3	15"	78"	14 1/4"	APHOBO78 ()	2,064.	2,133.	2,453.	3,190.
		3	15"	84"	14 1/4"	APHOBO84 ()	2,132.	2,202.	2,534.	3,292.
		3	15"	90"	14 1/4"	APHOBO90 ()	2,199.	2,272.	2,611.	3,397.
		3	15"	96"	14 1/4"	APHOBO96 ()	2,278.	2,355.	2,707.	3,518.
	legal depth	2	15"	42"	17 1/4"	APHOGO42 ()	1,661.	1,715.	1,977.	2,570.
		2	15"	48"	17 1/4"	APHOGO48 ()	1,722.	1,780.	2,046.	2,661.
		2	15"	54"	17 1/4"	APHOGO54 ()	1,741.	1,800.	2,072.	2,693.
		2	15"	60"	17 1/4"	APHOGO60 ()	1,760.	1,820.	2,094.	2,723.
		2	15"	66"	17 1/4"	APHOGO66 ()	1,959.	2,024.	2,330.	3,028.
		2	15"	72"	17 1/4"	APHOGO72 ()	2,157.	2,227.	2,564.	3,332.
		3	15"	78"	17 1/4"	APHOGO78 ()	2,230.	2,303.	2,650.	3,445.
		3	15"	84"	17 1/4"	APHOGO84 ()	2,301.	2,378.	2,735.	3,556.
		3	15"	90"	17 1/4"	APHOGO90 ()	2,373.	2,453.	2,821.	3,668.
		3	15"	96"	17 1/4"	APHOGO96 ()	2,460.	2,542.	2,923.	3,801.

Order Code

Example: **APHOBO42V316**

A	AutoStrada
PH	Panel hung
O	Overhead
B	Binder depth
O	Open
42	42" wide
V316	Finish, Maple

Specification Information

To order please specify pattern number including:


1. Depth
B = Binder depth
G = Legal depth
2. Width
3. Finish
Laminate, V1, V2 or V3

See page 7 for finish options applicable.

Application Notes

Panel hung overhead storage units include hardware to hang unit on panels.

Panel hung overheads
hinged door

description	type	# drs/locks	h	w	d	pattern no.	L	V1	V2	V3
 96" w shown	binder depth	3/2	15"	42"	15 1/4"	APHOBD42 ()()	\$1,708.	\$1,764.	\$2,032.	\$2,640.
		3/2	15"	48"	15 1/4"	APHOBD48 ()()	1,769.	1,830.	2,103.	2,735.
		3/2	15"	54"	15 1/4"	APHOBD54 ()()	1,789.	1,850.	2,128.	2,768.
		4/2	15"	60"	15 1/4"	APHOBD60 ()()	1,809.	1,872.	2,152.	2,797.
		4/2	15"	66"	15 1/4"	APHOBD66 ()()	2,014.	2,080.	2,394.	3,111.
		4/2	15"	72"	15 1/4"	APHOBD72 ()()	2,220.	2,296.	2,642.	3,434.
		5/3	15"	78"	15 1/4"	APHOBD78 ()()	2,292.	2,367.	2,723.	3,541.
		5/3	15"	84"	15 1/4"	APHOBD84 ()()	2,366.	2,444.	2,810.	3,655.
		6/3	15"	90"	15 1/4"	APHOBD90 ()()	2,443.	2,523.	2,901.	3,772.
		6/3	15"	96"	15 1/4"	APHOBD96 ()()	2,529.	2,615.	3,009.	3,911.
	legal depth	3/2	15"	42"	18 1/4"	APHOGD42 ()()	1,843.	1,906.	2,193.	2,852.
		3/2	15"	48"	18 1/4"	APHOGD48 ()()	1,910.	1,977.	2,272.	2,954.
		3/2	15"	54"	18 1/4"	APHOGD54 ()()	1,932.	1,999.	2,298.	2,989.
		4/2	15"	60"	18 1/4"	APHOGD60 ()()	1,955.	2,021.	2,324.	3,022.
		4/2	15"	66"	18 1/4"	APHOGD66 ()()	2,174.	2,247.	2,586.	3,362.
		4/2	15"	72"	18 1/4"	APHOGD72 ()()	2,396.	2,480.	2,852.	3,709.
		5/3	15"	78"	18 1/4"	APHOGD78 ()()	2,476.	2,556.	2,941.	3,824.
		5/3	15"	84"	18 1/4"	APHOGD84 ()()	2,554.	2,640.	3,036.	3,947.
		6/3	15"	90"	18 1/4"	APHOGD90 ()()	2,639.	2,724.	3,132.	4,073.
		6/3	15"	96"	18 1/4"	APHOGD96 ()()	2,732.	2,825.	3,248.	4,224.

Order Code

Example: **APHOBD42LV316**

A	AutoStrada
PH	Panel hung
O	Overhead
B	Binder depth
D	Hinged Door
42	42" wide
L	Locking
V316	Finish, Maple

Specification Information

To order please specify pattern number including:

- Depth
B = Binder depth
G = Legal depth
- Width
- Lock option
L = Lock hole drilled
N = Not drilled for locks
- Finish
Laminate, V1, V2 or V3

See page 7 for finish options applicable.

Application Notes

Panel hung overhead storage units include hardware to hang unit on panels.

Hinged doors extend slightly beyond case construction to allow for easy finger pull access along the bottom. No pulls available.


Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.

Overhead storage, wood cases

Panel hung overheads

open / hinged door / open

description	type	locks	h	w	d	pattern no.	L	V1	V2	V3
Panel hung Overhead, Open/Wood hinged doors/Open	binder depth	1	15"	60"	15 1/4"	APHOBT60 () ()	\$1,711.	\$1,770.	\$2,037.	\$2,647.
		1	15"	66"	15 1/4"	APHOBT66 () ()	1,905.	1,968.	2,266.	2,944.
		1	15"	72"	15 1/4"	APHOBT72 () ()	2,098.	2,166.	2,493.	3,240.
		1	15"	78"	15 1/4"	APHOBT78 () ()	2,167.	2,239.	2,576.	3,349.
		1	15"	84"	15 1/4"	APHOBT84 () ()	2,238.	2,312.	2,660.	3,457.
		1	15"	90"	15 1/4"	APHOBT90 () ()	2,308.	2,385.	2,743.	3,565.
		1	15"	96"	15 1/4"	APHOBT96 () ()	2,391.	2,474.	2,842.	3,694.
96" w shown	legal depth	1	15"	60"	18 1/4"	APHOGT60 () ()	1,849.	1,911.	2,200.	2,861.
		1	15"	66"	18 1/4"	APHOGT66 () ()	2,057.	2,126.	2,445.	3,180.
		1	15"	72"	18 1/4"	APHOGT72 () ()	2,266.	2,340.	2,693.	3,500.
		1	15"	78"	18 1/4"	APHOGT78 () ()	2,341.	2,419.	2,782.	3,618.
		1	15"	84"	18 1/4"	APHOGT84 () ()	2,418.	2,498.	2,873.	3,733.
		1	15"	90"	18 1/4"	APHOGT90 () ()	2,493.	2,575.	2,961.	3,851.
		1	15"	96"	18 1/4"	APHOGT96 () ()	2,582.	2,670.	3,070.	3,989.




Order Code	Specification Information	Application Notes
Example: APHOBT60LV316	<i>To order please specify pattern number including:</i>	Panel hung overhead storage units include hardware to hang unit on panels.
A AutoStrada	1. Depth <i>B = Binder depth</i> <i>G = Legal depth</i>	Hinged doors extend slightly beyond case construction to allow for easy finger pull access along the bottom. No pulls available
PH Panel hung	2. Width	
O Overhead	3. Lock option <i>L = Lock hole drilled</i> <i>N = Not drilled for locks</i>	
B Binder depth	4. Finish <i>Laminate, V1, V2 or V3</i>	
T Open/Hinged Door/Open		
60 60" wide		
L Locking		
V316 Finish, Maple	See page 7 for finish options applicable.	Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.

Overhead storage, wood cases

Panel hung overheads


with sliding wood door(s)

description	type	sections	h	w	d	pattern no.	L	V1	V2	V3
 96" w shown	binder depth	1/1	15"	42"	15 1/4"	APHOBS42 () ()	\$2,307.	\$2,431.	\$3,074.	\$3,995.
		1/1	15"	48"	15 1/4"	APHOBS48 () ()	2,390.	2,522.	3,184.	4,139.
		1/1	15"	54"	15 1/4"	APHOBS54 () ()	2,418.	2,550.	3,221.	4,188.
		2/2	15"	60"	15 1/4"	APHOBS60 () ()	2,444.	2,577.	3,258.	4,237.
		2/2	15"	66"	15 1/4"	APHOBS66 () ()	2,721.	2,867.	3,623.	4,711.
		2/2	15"	72"	15 1/4"	APHOBS72 () ()	2,998.	3,157.	3,989.	5,186.
		2/2	15"	78"	15 1/4"	APHOBS78 () ()	3,096.	3,263.	4,121.	5,358.
		2/2	15"	84"	15 1/4"	APHOBS84 () ()	3,197.	3,368.	4,256.	5,531.
		2/2	15"	90"	15 1/4"	APHOBS90 () ()	3,296.	3,476.	4,388.	5,704.
		2/2	15"	96"	15 1/4"	APHOBS96 () ()	3,415.	3,604.	4,546.	5,912.
	legal depth	1/1	15"	42"	18 1/4"	APHOGS42 () ()	2,492.	2,627.	3,320.	4,316.
		1/1	15"	48"	18 1/4"	APHOGS48 () ()	2,582.	2,723.	3,438.	4,470.
		1/1	15"	54"	18 1/4"	APHOGS54 () ()	2,611.	2,755.	3,478.	4,522.
		2/2	15"	60"	18 1/4"	APHOGS60 () ()	2,640.	2,785.	3,520.	4,575.
		2/2	15"	66"	18 1/4"	APHOGS66 () ()	2,938.	3,096.	3,913.	5,088.
		2/2	15"	72"	18 1/4"	APHOGS72 () ()	3,237.	3,410.	4,308.	5,601.
		2/2	15"	78"	18 1/4"	APHOGS78 () ()	3,344.	3,524.	4,453.	5,788.
		2/2	15"	84"	18 1/4"	APHOGS84 () ()	3,453.	3,640.	4,595.	5,974.
		2/2	15"	90"	18 1/4"	APHOGS90 () ()	3,561.	3,754.	4,739.	6,160.
		2/2	15"	96"	18 1/4"	APHOGS96 () ()	3,690.	3,891.	4,910.	6,383.

Order Code	Specification Information	Application Notes
Example: APHOBS42V316	To order please specify pattern number including:	Sliding doors are not available with locks.
A AutoStrada	1. Depth <i>B = Binder depth</i>	Panel hung overhead storage units include hardware to hang unit on panels.
PH Panel hung	<i>G = Legal depth</i>	
O Overhead	2. Sliding door material <i>S = wood, same as case</i>	Sliding door pulls included, not visible on image.
B Binder depth	3. Width	
S Open/Sliding (wood) Door	4. Finish <i>Laminate, V1, V2 or V3</i>	
42 42" wide	5. Finish, pull <i>AA-complimentary painted match to anodized aluminum or painted finish options listed on page 7 excluding silver.</i>	
V316 Finish, Maple		
118 Pull Finish		
	See page 7 for finish options applicable.	

Overhead storage, wood cases

*Panel hung overheads
with sliding glass door(s)*


description	type	sections	h	w	d	pattern no.	L	V1	V2	V3
 96" w shown	binder depth	1/1	15"	42"	15 1/4"	APHOBR42 () ()	\$2,754.	\$2,893.	\$3,605.	\$4,687.
		1/1	15"	48"	15 1/4"	APHOBR48 () ()	2,852.	2,999.	3,733.	4,854.
		1/1	15"	54"	15 1/4"	APHOBR54 () ()	2,886.	3,034.	3,778.	4,910.
		2/2	15"	60"	15 1/4"	APHOBR60 () ()	2,918.	3,068.	3,821.	4,967.
		2/2	15"	66"	15 1/4"	APHOBR66 () ()	3,247.	3,412.	4,249.	5,525.
		2/2	15"	72"	15 1/4"	APHOBR72 () ()	3,577.	3,755.	4,678.	6,082.
		2/2	15"	78"	15 1/4"	APHOBR78 () ()	3,696.	3,882.	4,833.	6,284.
		2/2	15"	84"	15 1/4"	APHOBR84 () ()	3,816.	4,007.	4,991.	6,486.
		2/2	15"	90"	15 1/4"	APHOBR90 () ()	3,934.	4,134.	5,146.	6,690.
		2/2	15"	96"	15 1/4"	APHOBR96 () ()	4,077.	4,286.	5,332.	6,932.
	legal depth	1/1	15"	42"	18 1/4"	APHOGR42 () ()	2,973.	3,124.	3,894.	5,061.
		1/1	15"	48"	18 1/4"	APHOGR48 () ()	3,082.	3,239.	4,031.	5,241.
		1/1	15"	54"	18 1/4"	APHOGR54 () ()	3,117.	3,275.	4,080.	5,304.
		2/2	15"	60"	18 1/4"	APHOGR60 () ()	3,150.	3,313.	4,128.	5,365.
		2/2	15"	66"	18 1/4"	APHOGR66 () ()	3,507.	3,683.	4,589.	5,967.
		2/2	15"	72"	18 1/4"	APHOGR72 () ()	3,862.	4,055.	5,052.	6,567.
		2/2	15"	78"	18 1/4"	APHOGR78 () ()	3,992.	4,192.	5,221.	6,786.
		2/2	15"	84"	18 1/4"	APHOGR84 () ()	4,120.	4,329.	5,389.	7,006.
		2/2	15"	90"	18 1/4"	APHOGR90 () ()	4,249.	4,466.	5,558.	7,225.
		2/2	15"	96"	18 1/4"	APHOGR96 () ()	4,403.	4,629.	5,758.	7,485.

Order Code	Specification Information	Application Notes
Example: APHOBR42V316GL6AA	<i>To order please specify pattern number including:</i>	Sliding doors are not available with locks.
A AutoStrada	1. Depth <i>B = Binder depth</i>	Panel hung overhead storage units include hardware to hang unit on panels.
PH Panel hung	<i>G = Legal depth</i>	
O Overhead	2. Sliding door material <i>S = wood, same as case</i>	Sliding door pulls included, not visible on image. When AA finish specified pull is complimentary painted match, pull is not anodized.
B Binder depth	3. Width	
R Open/Sliding (glass) Door	4. Finish <i>Laminate, V1, V2 or V3</i>	See page 7 for finish options applicable.
42 42" wide	5. Finish, Glass sliding door <i>TEMP - Clear, tempered</i>	
V316 Finish, Maple	<i>GL6 - Block Matrix</i>	
GL6 Glass, Block Matrix	<i>GL13 - Powder</i>	
AA Frame, anodized aluminum	6. Finish, Glass sliding door frame and pull <i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>	

Overhead storage, wood cases

Wall-attached overheads for private office


open, single high

description	type	h	w	d	pattern no.	L	V1	V2	V3
 <i>96" w shown</i>	binder height & depth	15"	30"	14 1/4"	AWHOB SO30 () ()	\$1,475.	\$1,528.	\$1,758.	\$2,284.
		15"	36"	14 1/4"	AWHOB SO36 () ()	1,515.	1,568.	1,802.	2,342.
		15"	42"	14 1/4"	AWHOB SO42 () ()	1,555.	1,606.	1,849.	2,404.
		15"	48"	14 1/4"	AWHOB SO48 () ()	1,596.	1,650.	1,898.	2,468.
		15"	54"	14 1/4"	AWHOB SO54 () ()	1,679.	1,735.	1,999.	2,596.
		15"	60"	14 1/4"	AWHOB SO60 () ()	1,762.	1,820.	2,096.	2,724.
		15"	66"	14 1/4"	AWHOB SO66 () ()	1,813.	1,874.	2,154.	2,802.
		15"	72"	14 1/4"	AWHOB SO72 () ()	1,861.	1,929.	2,213.	2,878.
		15"	78"	14 1/4"	AWHOB SO78 () ()	1,954.	2,025.	2,324.	3,022.
		15"	84"	14 1/4"	AWHOB SO84 () ()	2,014.	2,085.	2,394.	3,112.
		15"	90"	14 1/4"	AWHOB SO90 () ()	2,074.	2,149.	2,466.	3,205.
		15"	96"	14 1/4"	AWHOB SO96 () ()	2,135.	2,212.	2,540.	3,566.
		<i>Units up to 36" w have one section, units 42" w up to 72" wide have two sections, over 72" w have three sections</i>							
	binder height & legal depth	15"	30"	17 1/4"	AWHOG SO30 () ()	1,594.	1,651.	1,897.	2,467.
		15"	36"	17 1/4"	AWHOG SO36 () ()	1,637.	1,694.	1,946.	2,530.
		15"	42"	17 1/4"	AWHOG SO42 () ()	1,678.	1,735.	1,997.	2,596.
		15"	48"	17 1/4"	AWHOG SO48 () ()	1,724.	1,782.	2,051.	2,665.
		15"	54"	17 1/4"	AWHOG SO54 () ()	1,814.	1,873.	2,157.	2,805.
		15"	60"	17 1/4"	AWHOG SO60 () ()	1,905.	1,966.	2,262.	2,942.
		15"	66"	17 1/4"	AWHOG SO66 () ()	1,956.	2,025.	2,328.	3,026.
		15"	72"	17 1/4"	AWHOG SO72 () ()	2,011.	2,082.	2,391.	3,108.
		15"	78"	17 1/4"	AWHOG SO78 () ()	2,111.	2,187.	2,512.	3,264.
		15"	84"	17 1/4"	AWHOG SO84 () ()	2,174.	2,254.	2,586.	3,362.
		15"	90"	17 1/4"	AWHOG SO90 () ()	2,239.	2,319.	2,663.	3,463.
		15"	96"	17 1/4"	AWHOG SO96 () ()	2,307.	2,389.	2,744.	3,566.
		<i>Units up to 36" w have one section, units 42" w up to 72" w have two sections, over 72" wide have three sections</i>							

Order Code	Specification Information	Application Notes
Example: AWHOB SO30 V316 AA	<i>To order please specify pattern number including:</i>	Manufacturer assumes no responsibility for the intallation, attachment or the securing of wall hung units to the wall. A qualified local building contractor should be consulted to advise securing method and to determine if and what blocking requirements are necessary.
A AutoStrada	1. Depth <i>B = Binder depth</i>	Single high overhead storage to be mounted at 68 1/2" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 70" h floor standing cabinet not including aluminum and wood top trim.
WH Wall hung	<i>G = Legal depth</i>	
O Overhead	2. Width	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 5/8" h. Bottom piece attached to wall.
B Binder depth	3. Finish <i>Laminate, V1, V2 or V3</i>	
S Single high	4. Finish, aluminum trim <i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>	
O Open		
30 30" wide		
V316 Finish, Maple		
AA Finish, Aluminum trim		
	See page 7 for finish options applicable.	

Overhead storage, wood cases
*Wall-attached overheads for private office
 hinged door, single high*

description	type	# drs/locks	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead Hinged doors (wood) single high	binder height and depth	2/1	15"	30"	15 1/4"	AWHOBSD30 () ()	\$2,148.	\$2,220.	\$2,551.	\$3,316.
		2/1	15"	36"	15 1/4"	AWHOBSD36 () ()	2,269.	2,347.	2,699.	3,508.
		3/2	15"	42"	15 1/4"	AWHOBSD42 () ()	2,285.	2,365.	2,719.	3,534.
		3/2	15"	48"	15 1/4"	AWHOBSD48 () ()	2,331.	2,408.	2,772.	3,604.
		3/2	15"	54"	15 1/4"	AWHOBSD54 () ()	2,452.	2,534.	2,917.	3,791.
		4/2	15"	60"	15 1/4"	AWHOBSD60 () ()	2,568.	2,653.	3,052.	3,969.
		4/2	15"	66"	15 1/4"	AWHOBSD66 () ()	2,645.	2,736.	3,146.	4,090.
		4/2	15"	72"	15 1/4"	AWHOBSD72 () ()	2,717.	2,808.	3,231.	4,199.
		5/3	15"	78"	15 1/4"	AWHOBSD78 () ()	2,854.	2,956.	3,394.	4,412.
		5/3	15"	84"	15 1/4"	AWHOBSD84 () ()	2,940.	3,046.	3,495.	4,544.
		6/3	15"	90"	15 1/4"	AWHOBSD90 () ()	3,028.	3,136.	3,601.	4,682.
		6/3	15"	96"	15 1/4"	AWHOBSD96 () ()	3,119.	3,231.	3,709.	4,821.
	binder height and legal depth	2/1	15"	30"	18 1/4"	AWHOGSD30 () ()	2,319.	2,396.	2,756.	3,582.
		2/1	15"	36"	18 1/4"	AWHOGSD36 () ()	2,451.	2,535.	2,916.	3,789.
		3/2	15"	42"	18 1/4"	AWHOGSD42 () ()	2,468.	2,553.	2,936.	3,817.
		3/2	15"	48"	18 1/4"	AWHOGSD48 () ()	2,517.	2,599.	2,994.	3,894.
		3/2	15"	54"	18 1/4"	AWHOGSD54 () ()	2,649.	2,735.	3,149.	4,094.
		4/2	15"	60"	18 1/4"	AWHOGSD60 () ()	2,773.	2,866.	3,296.	4,286.
		4/2	15"	66"	18 1/4"	AWHOGSD66 () ()	2,856.	2,955.	3,398.	4,416.
		4/2	15"	72"	18 1/4"	AWHOGSD72 () ()	2,935.	3,034.	3,489.	4,535.
		5/3	15"	78"	18 1/4"	AWHOGSD78 () ()	3,083.	3,193.	3,665.	4,764.
		5/3	15"	84"	18 1/4"	AWHOGSD84 () ()	3,175.	3,289.	3,775.	4,908.
		6/3	15"	90"	18 1/4"	AWHOGSD90 () ()	3,270.	3,387.	3,889.	5,055.
		6/3	15"	96"	18 1/4"	AWHOGSD96 () ()	3,367.	3,489.	4,006.	5,207.



96" w shown


Order Code	Specification Information	Application Notes
Example: AWHOBSD30LV316AA	<i>To order please specify pattern number including:</i>	Manufacturer assumes no responsibility for the installation, attachment or the securing of wall hung units to the wall. A qualified local building contractor should be consulted to advise securing method and to determine if and what blocking requirements are necessary.
A AutoStrada	1. Depth <i>B = Binder depth</i>	Hinged doors extend slightly beyond case construction to allow for easy finger pull access along the bottom. No pulls available.
WH Wall hung	<i>G = Legal depth</i>	
O Overhead	2. Width	
B Binder depth	3. Lock <i>L = lock hole drilled</i>	Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.
S Single high	<i>N = not drilled for locks</i>	
D Hinged doors, wood	4. Finish <i>Laminate, V1, V2 or V3</i>	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 3/8" h. Bottom piece attached to wall.
30 30" wide	5. Finish, aluminum trim <i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>	
L Lock holes drilled		
V316 Finish, Maple		
AA Finish, Aluminum trim	See page 7 for finish options applicable.	

Overhead storage, wood cases

Wall-attached overheads for private office

open / hinged door / open, single high



description	type	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead Open/Hinged doors (wood) single high	binder height & depth	15"	60"	15 1/4"	AWHOBST60 () ()	\$1,851.	\$1,911.	\$2,200.	\$2,862.
		15"	66"	15 1/4"	AWHOBST66 () ()	1,904.	1,968.	2,262.	2,941.
		15"	72"	15 1/4"	AWHOBST72 () ()	1,954.	2,025.	2,324.	3,022.
		15"	78"	15 1/4"	AWHOBST78 () ()	2,052.	2,127.	2,441.	3,174.
		15"	84"	15 1/4"	AWHOBST84 () ()	2,114.	2,189.	2,514.	3,269.
		15"	90"	15 1/4"	AWHOBST90 () ()	2,176.	2,256.	2,589.	3,366.
		15"	96"	15 1/4"	AWHOBST96 () ()	2,243.	2,323.	2,667.	3,468.
	binder height & legal depth	15"	60"	18 1/4"	AWHOGST60 () ()	2,000.	2,064.	2,376.	3,088.
		15"	66"	18 1/4"	AWHOGST66 () ()	2,055.	2,126.	2,443.	3,177.
		15"	72"	18 1/4"	AWHOGST72 () ()	2,111.	2,187.	2,512.	3,264.
		15"	78"	18 1/4"	AWHOGST78 () ()	2,218.	2,296.	2,635.	3,426.
		15"	84"	18 1/4"	AWHOGST84 () ()	2,283.	2,365.	2,716.	3,530.
		15"	90"	18 1/4"	AWHOGST90 () ()	2,352.	2,437.	2,796.	3,635.
		15"	96"	18 1/4"	AWHOGST96 () ()	2,422.	2,510.	2,881.	3,745.



96" w shown

Order Code	Specification Information	Application Notes
Example: AWHOBST60LV316AA	<i>To order please specify pattern number including:</i>	Manufacturer assumes no responsibility for the installation, attachment or the securing of wall hung units to the wall. A qualified local building contractor should be consulted to advise securing method and to determine if and what blocking requirements are necessary.
A AutoStrada	1. Depth <i>B = Binder depth</i>	Hinged doors extend slightly beyond case construction to allow for easy finger pull access along the bottom. No pulls available.
WH Wall hung	<i>G = Legal depth</i>	
O Overhead	2. Width	Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.
B Binder depth	3. Lock	
S Single high	<i>L = lock hole drilled</i>	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 3/8" h. Bottom piece attached to wall.
T Open/Hinged doors/Open	<i>N = not drilled for locks</i>	
60 60" wide	4. Finish	Single high overhead storage to be mounted at 68 1/2" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 70" h floor standing cabinet not including aluminum and wood top trim.
L Lock holes drilled	<i>Laminate, V1, V2 or V3</i>	
V316 Finish, Maple	5. Finish, aluminum trim	
AA Finish, Aluminum trim	<i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>	
	See page 7 for finish options applicable.	

Overhead storage, wood cases
*Wall-attached overheads for private office
 with sliding door(s), single high*


description	type	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead Open/Sliding door(s) wood single high  96" w shown	binder height and depth	15"	60"	15 1/4"	AWHOBSS60 () ()	\$2,644.	\$2,785.	\$3,522.	\$4,577.
		15"	66"	15 1/4"	AWHOBSS66 () ()	2,719.	2,867.	3,620.	4,705.
		15"	72"	15 1/4"	AWHOBSS72 () ()	2,793.	2,951.	3,719.	4,835.
		15"	78"	15 1/4"	AWHOBSS78 () ()	2,932.	3,098.	3,907.	5,077.
		15"	84"	15 1/4"	AWHOBSS84 () ()	3,019.	3,191.	4,023.	5,230.
		15"	90"	15 1/4"	AWHOBSS90 () ()	3,110.	3,287.	4,143.	5,387.
		15"	96"	15 1/4"	AWHOBSS96 () ()	3,203.	3,385.	4,267.	5,549.
	binder height and legal depth	15"	60"	18 1/4"	AWHOGSS60 () ()	2,854.	3,009.	3,803.	4,943.
		15"	66"	18 1/4"	AWHOGSS66 () ()	2,936.	3,098.	3,910.	5,084.
		15"	72"	18 1/4"	AWHOGSS72 () ()	3,015.	3,186.	4,018.	5,222.
		15"	78"	18 1/4"	AWHOGSS78 () ()	3,166.	3,347.	4,218.	5,482.
		15"	84"	18 1/4"	AWHOGSS84 () ()	3,260.	3,447.	4,344.	5,647.
		15"	90"	18 1/4"	AWHOGSS90 () ()	3,360.	3,549.	4,473.	5,818.
		15"	96"	18 1/4"	AWHOGSS96 () ()	3,460.	3,656.	4,610.	5,992.
Wall hung overhead Open/Sliding door(s) glass single high  96" w shown	binder height and depth	15"	60"	15 1/4"	AWHOBSR60 () ()	3,155.	3,313.	4,129.	4,955.
		15"	66"	15 1/4"	AWHOBSR66 () ()	3,243.	3,412.	4,246.	5,094.
		15"	72"	15 1/4"	AWHOBSR72 () ()	3,331.	3,510.	4,361.	5,234.
		15"	78"	15 1/4"	AWHOBSR78 () ()	3,499.	3,687.	4,579.	5,496.
		15"	84"	15 1/4"	AWHOBSR84 () ()	3,604.	3,797.	4,717.	5,660.
		15"	90"	15 1/4"	AWHOBSR90 () ()	3,712.	3,910.	4,858.	5,830.
		15"	96"	15 1/4"	AWHOBSR96 () ()	3,824.	4,027.	5,004.	6,006.
	binder height and legal depth	15"	60"	18 1/4"	AWHOGSR60 () ()	3,406.	3,578.	4,459.	5,351.
		15"	66"	18 1/4"	AWHOGSR66 () ()	3,503.	3,683.	4,584.	5,501.
		15"	72"	18 1/4"	AWHOGSR72 () ()	3,598.	3,790.	4,711.	5,653.
		15"	78"	18 1/4"	AWHOGSR78 () ()	3,779.	3,981.	4,946.	5,936.
		15"	84"	18 1/4"	AWHOGSR84 () ()	3,891.	4,100.	5,094.	6,113.
		15"	90"	18 1/4"	AWHOGSR90 () ()	4,008.	4,223.	5,248.	6,298.
		15"	96"	18 1/4"	AWHOGSR96 () ()	4,130.	4,350.	5,404.	6,485.


Order Code	Specification Information	Application Notes
Example: AWHOBSS60V316AA	<i>To order please specify pattern number including:</i>	Manufacturer assumes no responsibility for the installation, attachment or the securing of wall hung units to the wall. A qualified local building contractor should be consulted to advise securing method and to determine if and what blocking requirements are necessary.
A AutoStrada	1. Depth <i>B = Binder depth</i>	Single high overhead storage to be mounted at 68 1/2" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 70" h floor standing cabinet not including aluminum and wood top trim.
WH Wall hung	<i>G = Legal depth</i>	
O Overhead	2. Sliding door material <i>S = wood, same as case</i>	Sliding door pulls included, not visible on image.
B Binder depth	<i>R = glass</i>	
S Single high	3. Width	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 5/8" h. Bottom piece attached to wall.
S Open/Sliding door(s)/wood	4. Finish	
60 60" wide	<i>Laminate, V1, V2 or V3</i>	Sliding doors are not available with locks. When AA finish specified pull is complimentary painted match, pull is not anodized.
V316 Finish, Maple	5. Finish, Glass sliding door (as applicable) <i>TEMP - Clear, tempered</i> <i>GL6 - Block Matrix</i> <i>GL13 - Powder</i>	
AA Finish, Aluminum trim	6. Finish, Glass sliding door frame and pull (as applicable) <i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>	See page 7 for finish options applicable.

Overhead storage, wood cases

Wall-attached overheads for private office

open, double high

description	type	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead open, double high  96" w shown	binder height & depth	29"	30"	14 1/4"	AWHOBDO30 ()()	\$1,991.	\$2,063.	\$2,372.	\$3,084.
		29"	36"	14 1/4"	AWHOBDO36 ()()	2,045.	2,117.	2,432.	3,163.
		29"	42"	14 1/4"	AWHOBDO42 ()()	2,098.	2,169.	2,497.	3,245.
		29"	48"	14 1/4"	AWHOBDO48 ()()	2,154.	2,226.	2,564.	3,331.
		29"	54"	14 1/4"	AWHOBDO54 ()()	2,267.	2,341.	2,697.	3,506.
		29"	60"	14 1/4"	AWHOBDO60 ()()	2,381.	2,457.	2,829.	3,678.
		29"	66"	14 1/4"	AWHOBDO66 ()()	2,445.	2,530.	2,908.	3,782.
		29"	72"	14 1/4"	AWHOBDO72 ()()	2,513.	2,604.	2,989.	3,885.
		29"	78"	14 1/4"	AWHOBDO78 ()()	2,639.	2,734.	3,139.	4,080.
		29"	84"	14 1/4"	AWHOBDO84 ()()	2,719.	2,816.	3,233.	4,203.
		29"	90"	14 1/4"	AWHOBDO90 ()()	2,798.	2,900.	3,329.	4,329.
		29"	96"	14 1/4"	AWHOBDO96 ()()	2,883.	2,988.	3,430.	4,815.
		units up to 36" w have one section, 42" w up to 72" w have two sections, over 72" w have three sections							
	binder height & legal depth	29"	30"	17 1/4"	AWHOGDO30 ()()	2,151.	2,227.	2,562.	3,330.
		29"	36"	17 1/4"	AWHOGDO36 ()()	2,210.	2,285.	2,628.	3,415.
		29"	42"	17 1/4"	AWHOGDO42 ()()	2,266.	2,342.	2,696.	3,505.
		29"	48"	17 1/4"	AWHOGDO48 ()()	2,328.	2,405.	2,769.	3,599.
		29"	54"	17 1/4"	AWHOGDO54 ()()	2,448.	2,529.	2,912.	3,786.
		29"	60"	17 1/4"	AWHOGDO60 ()()	2,570.	2,653.	3,056.	3,972.
		29"	66"	17 1/4"	AWHOGDO66 ()()	2,643.	2,733.	3,142.	4,084.
		29"	72"	17 1/4"	AWHOGDO72 ()()	2,715.	2,813.	3,228.	4,197.
		29"	78"	17 1/4"	AWHOGDO78 ()()	2,850.	2,953.	3,389.	4,407.
		29"	84"	17 1/4"	AWHOGDO84 ()()	2,936.	3,040.	3,491.	4,539.
		29"	90"	17 1/4"	AWHOGDO90 ()()	3,024.	3,132.	3,596.	4,675.
		29"	96"	17 1/4"	AWHOGDO96 ()()	3,114.	3,227.	3,704.	4,815.
		units up to 36" w have one section, 42" w up to 72" w have two sections, over 72" w have three sections							



96"w shown


Order Code	Specification Information	Application Notes
Example: AWHOBDO30V316AA	To order please specify pattern number including:	Manufacturer assumes no responsibility for the installation, attachment or the securing of wall hung units to the wall. A qualified local building contractor should be consulted to advise securing method and to determine if and what blocking requirements are necessary.
A AutoStrada	1. Depth B = Binder depth	Double high overhead storage to be mounted at 82-5/16" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 84"h floor standing cabinet not including aluminum and wood top trim.
WH Wall hung	G = Legal depth	
O Overhead	2. Width	
B Binder depth	3. Finish Laminate, V1, V2 or V3	
D Double high	4. Finish, aluminum trim Anodized aluminum or painted finish options listed on page 7 excluding silver.	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 5/8"h. Bottom piece attached to wall.
O Open		
30 30" wide		
V316 Finish, Maple		
AA Finish, Aluminum trim	See page 7 for finish options applicable.	

Overhead storage, wood cases

Wall-attached overheads for private office

hinged door, double high

description	type	# drs/locks	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead Hinged doors (wood) double high	binder height and depth	2/1	29"	30"	15 1/4"	AWHOBDD30 () ()	\$2,899.	\$2,996.	\$3,444.	\$4,478.
		2/1	29"	36"	15 1/4"	AWHOBDD36 () ()	3,063.	3,167.	3,643.	4,736.
		3/2	29"	42"	15 1/4"	AWHOBDD42 () ()	3,086.	3,192.	3,670.	4,771.
		3/2	29"	48"	15 1/4"	AWHOBDD48 () ()	3,146.	3,251.	3,743.	4,866.
		3/2	29"	54"	15 1/4"	AWHOBDD54 () ()	3,310.	3,420.	3,936.	5,117.
		4/2	29"	60"	15 1/4"	AWHOBDD60 () ()	3,468.	3,583.	4,121.	5,358.
		4/2	29"	66"	15 1/4"	AWHOBDD66 () ()	3,571.	3,694.	4,247.	5,521.
		4/2	29"	72"	15 1/4"	AWHOBDD72 () ()	3,668.	3,791.	4,361.	5,669.
		5/3	29"	78"	15 1/4"	AWHOBDD78 () ()	3,853.	3,991.	4,582.	5,956.
		5/3	29"	84"	15 1/4"	AWHOBDD84 () ()	3,968.	4,110.	4,721.	6,135.
		6/3	29"	90"	15 1/4"	AWHOBDD90 () ()	4,087.	4,234.	4,862.	6,319.
		6/3	29"	96"	15 1/4"	AWHOBDD96 () ()	4,210.	4,361.	5,006.	6,509.
	binder height and legal depth	2/1	29"	30"	18 1/4"	AWHOGDD30 () ()	3,130.	3,235.	3,719.	4,835.
		2/1	29"	36"	18 1/4"	AWHOGDD36 () ()	3,307.	3,421.	3,935.	5,114.
		3/2	29"	42"	18 1/4"	AWHOGDD42 () ()	3,332.	3,448.	3,964.	5,152.
		3/2	29"	48"	18 1/4"	AWHOGDD48 () ()	3,399.	3,511.	4,042.	5,256.
		3/2	29"	54"	18 1/4"	AWHOGDD54 () ()	3,575.	3,693.	4,251.	5,527.
		4/2	29"	60"	18 1/4"	AWHOGDD60 () ()	3,744.	3,871.	4,450.	5,786.
		4/2	29"	66"	18 1/4"	AWHOGDD66 () ()	3,857.	3,989.	4,588.	5,962.
		4/2	29"	72"	18 1/4"	AWHOGDD72 () ()	3,961.	4,095.	4,710.	6,122.
		5/3	29"	78"	18 1/4"	AWHOGDD78 () ()	4,160.	4,310.	4,948.	6,434.
		5/3	29"	84"	18 1/4"	AWHOGDD84 () ()	4,285.	4,441.	5,097.	6,627.
		6/3	29"	90"	18 1/4"	AWHOGDD90 () ()	4,413.	4,572.	5,250.	6,824.
		6/3	29"	96"	18 1/4"	AWHOGDD96 () ()	4,546.	4,710.	5,407.	7,029.



96" w shown


Order Code	Specification Information	Application Notes
Example: AWHOBDD30LV316AA	<i>To order please specify pattern number including:</i>	Manufacturer assumes no responsibility for the installation, attachment or the securing of wall hung units to the wall. A qualified local building contractor should be consulted to advise securing method and to determine if and what blocking requirements are necessary.
A AutoStrada	1. Depth <i>B = Binder depth</i>	Hinged doors extend slightly beyond case construction to allow for easy finger pull access along the bottom. No pulls available.
WH Wall hung	<i>G = Legal depth</i>	
O Overhead	2. Width	
B Binder depth	3. Lock <i>L = lock hole drilled</i>	Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.
D Double high	<i>N = not drilled for locks</i>	
D Hinged doors, wood	4. Finish <i>Laminate, V1, V2 or V3</i>	
30 30" wide	5. Finish, aluminum trim <i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 3/8" h. Bottom piece attached to wall.
L Lock holes drilled		
V316 Finish, Maple		
AA Finish, Aluminum trim	See page 7 for finish options applicable.	

Overhead storage, wood cases

Wall-attached overheads for private office



open / hinged door / open, double high

description	type	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead Open/Hinged doors (wood) double high	binder height & depth	29"	60"	15 1/4"	AWHOB DT60 () ()	\$2,499.	\$2,580.	\$2,971.	\$3,862.
		29"	66"	15 1/4"	AWHOB DT66 () ()	2,570.	2,657.	3,053.	3,971.
		29"	72"	15 1/4"	AWHOB DT72 () ()	2,639.	2,734.	3,139.	4,080.
		29"	78"	15 1/4"	AWHOB DT78 () ()	2,771.	2,870.	3,294.	4,284.
		29"	84"	15 1/4"	AWHOB DT84 () ()	2,853.	2,956.	3,394.	4,412.
		29"	90"	15 1/4"	AWHOB DT90 () ()	2,940.	3,046.	3,495.	4,544.
		29"	96"	15 1/4"	AWHOB DT96 () ()	3,027.	3,136.	3,601.	4,682.
	binder height & legal depth	29"	60"	18 1/4"	AWHOG DT60 () ()	2,698.	2,786.	3,209.	4,170.
		29"	66"	18 1/4"	AWHOG DT66 () ()	2,773.	2,870.	3,298.	4,288.
		29"	72"	18 1/4"	AWHOG DT72 () ()	2,850.	2,953.	3,389.	4,407.
		29"	78"	18 1/4"	AWHOG DT78 () ()	2,992.	3,100.	3,559.	4,627.
		29"	84"	18 1/4"	AWHOG DT84 () ()	3,083.	3,193.	3,665.	4,764.
		29"	90"	18 1/4"	AWHOG DT90 () ()	3,175.	3,289.	3,775.	4,908.
		29"	96"	18 1/4"	AWHOG DT96 () ()	3,270.	3,387.	3,889.	5,055.



Order Code	Specification Information	Application Notes
Example: AWHOB DT60LV316AA	<i>To order please specify pattern number including:</i>	Manufacturer assumes no responsibility for the installation, attachment or the securing of wall hung units to the wall. A qualified local building contractor should be consulted to advise securing method and to determine if and what blocking requirements are necessary.
A AutoStrada	1. Depth <i>B = Binder depth</i>	Overhead configuration for all widths of open/hinged door/open units is two hinged doors in the center and two open ends. Hinged doors extend slightly beyond case construction to allow for easy finger pull access along the bottom. No pulls available.
WH Wall hung	<i>G = Legal depth</i>	
O Overhead	2. Width	Optional lock drilling to be specified. If drilled for locks selected, keying instructions must accompany order.
B Binder depth	3. Lock	
D Double high	<i>L = lock hole drilled</i>	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 3/8" h. Bottom piece attached to wall.
T Open/Hinged doors/Open	<i>N = not drilled for locks</i>	
60 60" wide	4. Finish <i>Laminate, V1, V2 or V3</i>	Double high overhead storage to be mounted at 82-5/16" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 84" h floor standing cabinet not including aluminum and wood top trim.
L Lock holes drilled	5. Finish, aluminum trim	
V316 Finish, Maple	<i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>	
AA Finish, Aluminum trim	See page 7 for finish options applicable.	

Overhead storage, wood cases
*Wall-attached overheads for private office
 with sliding door(s), double high*

description	type	h	w	d	pattern no.	L	V1	V2	V3
Wall hung overhead Open/Sliding door(s) wood double high  96" w shown	binder height and depth	29"	60"	15 1/4"	AWHOBDS60 () ()	\$3,569.	\$3,761.	\$4,753.	\$6,179.
		29"	66"	15 1/4"	AWHOBDS66 () ()	3,669.	3,872.	4,887.	6,354.
		29"	72"	15 1/4"	AWHOBDS72 () ()	3,769.	3,983.	5,020.	6,527.
		29"	78"	15 1/4"	AWHOBDS78 () ()	3,958.	4,182.	5,272.	6,854.
		29"	84"	15 1/4"	AWHOBDS84 () ()	4,077.	4,308.	5,430.	7,060.
		29"	90"	15 1/4"	AWHOBDS90 () ()	4,199.	4,436.	5,594.	7,272.
		29"	96"	15 1/4"	AWHOBDS96 () ()	4,325.	4,570.	5,760.	7,491.
	binder height and legal depth	29"	60"	18 1/4"	AWHOGDS60 () ()	3,854.	4,060.	5,133.	6,672.
		29"	66"	18 1/4"	AWHOGDS66 () ()	3,962.	4,181.	5,279.	6,862.
		29"	72"	18 1/4"	AWHOGDS72 () ()	4,072.	4,302.	5,422.	7,051.
		29"	78"	18 1/4"	AWHOGDS78 () ()	4,275.	4,517.	5,694.	7,403.
		29"	84"	18 1/4"	AWHOGDS84 () ()	4,404.	4,652.	5,865.	7,625.
		29"	90"	18 1/4"	AWHOGDS90 () ()	4,535.	4,793.	6,041.	7,854.
		29"	96"	18 1/4"	AWHOGDS96 () ()	4,671.	4,936.	6,223.	8,089.
Wall hung overhead Open/Sliding door(s) glass double high  96" w shown	binder height and depth	29"	60"	15 1/4"	AWHOBDR60 () ()	4,260.	4,472.	5,573.	6,689.
		29"	66"	15 1/4"	AWHOBDR66 () ()	4,379.	4,606.	5,731.	6,877.
		29"	72"	15 1/4"	AWHOBDR72 () ()	4,499.	4,738.	5,888.	7,065.
		29"	78"	15 1/4"	AWHOBDR78 () ()	4,724.	4,976.	6,182.	7,420.
		29"	84"	15 1/4"	AWHOBDR84 () ()	4,866.	5,124.	6,368.	7,642.
		29"	90"	15 1/4"	AWHOBDR90 () ()	5,012.	5,279.	6,560.	7,870.
		29"	96"	15 1/4"	AWHOBDR96 () ()	5,161.	5,437.	6,755.	8,108.
	binder height and legal depth	29"	60"	18 1/4"	AWHOGDR60 () ()	4,599.	4,831.	6,020.	7,224.
		29"	66"	18 1/4"	AWHOGDR66 () ()	4,728.	4,974.	6,190.	7,427.
		29"	72"	18 1/4"	AWHOGDR72 () ()	4,857.	5,117.	6,359.	7,631.
		29"	78"	18 1/4"	AWHOGDR78 () ()	5,101.	5,373.	6,677.	8,012.
		29"	84"	18 1/4"	AWHOGDR84 () ()	5,254.	5,535.	6,877.	8,253.
		29"	90"	18 1/4"	AWHOGDR90 () ()	5,412.	5,700.	7,083.	8,501.
		29"	96"	18 1/4"	AWHOGDR96 () ()	5,574.	5,870.	7,297.	8,755.

Order Code	Specification Information	Application Notes
Example: AWHOBDS60V316AA	<i>To order please specify pattern number including:</i>	Manufacturer assumes no responsibility for the installation, attachment or the securing of wall hung units to the wall. A qualified local building contractor should be consulted to advise securing method and to determine if and what blocking requirements are necessary.
A AutoStrada	1. Depth <i>B = Binder depth</i>	Double high overhead storage to be mounted at 82-5/16" from floor to top of overhead unit. Dimension is to top of wood side gable of corresponding 84" h floor standing cabinet not including aluminum and wood top trim.
WH Wall hung	<i>G = Legal depth</i>	
O Overhead	2. Sliding door material <i>S = wood, same as case</i>	Sliding door pulls included, not visible on image.
B Binder depth	<i>R = glass</i>	
D Double high	3. Width	Wood cleat included for wall mounting. Two piece cleat, full width of overhead. Each piece nominally 3 5/8" h. Bottom piece attached to wall.
S Open/Sliding door(s)/wood	4. Finish	
60 60" wide	<i>Laminate, V1, V2 or V3</i>	Sliding doors are not available with locks. When AA finish specified pull is complimentary painted match, pull is not anodized.
V316 Finish, Maple	5. Finish, Glass sliding door (as applicable) <i>TEMP - Clear, tempered</i> <i>GL6 - Block Matrix</i> <i>GL13 - Powder</i>	
AA Finish, Aluminum trim	6. Finish, Glass sliding door frame and pull (as applicable) <i>Anodized aluminum or painted finish options listed on page 7 excluding silver.</i>	See page 7 for finish options applicable.

Reuter flat front overhead cabinet
flat front
Designed by Robert Reuter

AutoStrada

Overhead Storage

description	w	d	h	pattern no.	P3	L	V1	V2	V3
Enclosed cabinet (no mounting hardware) - One door, no pull, no lock	30"	14 1/4"	14 3/4"	RO3-A30NN () () ()	\$851.	\$911.	\$992.	\$1,035.	\$1,252.
	36"	14 1/4"	14 3/4"	RO3-A36NN () () ()	959.	1,034.	1,150.	1,211.	1,543.
	42"	14 1/4"	14 3/4"	RO3-A42NN () () ()	1,072.	1,175.	1,333.	1,423.	1,907.
	48"	14 1/4"	14 3/4"	RO3-A48NN () () ()	1,256.	1,325.	1,442.	1,550.	2,212.
Enclosed cabinet (no mounting hardware) - Two doors, no pull, no lock	60"	14 1/4"	14 3/4"	RO3-A60NN () () ()	1,632.	1,766.	1,843.	1,940.	2,403.
	72"	14 1/4"	14 3/4"	RO3-A72NN () () ()	1,861.	1,995.	2,140.	2,270.	2,978.
Enclosed cabinet (no mounting hardware) - One door, no pull, with lock	30"	14 1/4"	14 3/4"	RO3-A30NL () () ()	910.	969.	1,050.	1,093.	1,310.
	36"	14 1/4"	14 3/4"	RO3-A36NL () () ()	1,018.	1,092.	1,208.	1,269.	1,602.
	42"	14 1/4"	14 3/4"	RO3-A42NL () () ()	1,130.	1,234.	1,394.	1,481.	1,966.
	48"	14 1/4"	14 3/4"	RO3-A48NL () () ()	1,316.	1,383.	1,502.	1,608.	2,270.
Enclosed cabinet (no mounting hardware) - Two doors, no pull, with lock	60"	14 1/4"	14 3/4"	RO3-A60NL () () ()	1,749.	1,883.	1,959.	2,056.	2,521.
	72"	14 1/4"	14 3/4"	RO3-A72NL () () ()	1,977.	2,111.	2,257.	2,387.	3,094.
Enclosed cabinet (no mounting hardware) - One door, with pull, no lock	30"	14 1/4"	14 3/4"	RO3-A30PN () () ()	1,020.	1,080.	1,161.	1,204.	1,422.
	36"	14 1/4"	14 3/4"	RO3-A36PN () () ()	1,130.	1,205.	1,321.	1,381.	1,714.
	42"	14 1/4"	14 3/4"	RO3-A42PN () () ()	1,245.	1,349.	1,508.	1,595.	2,080.
	48"	14 1/4"	14 3/4"	RO3-A48PN () () ()	1,434.	1,503.	1,621.	1,727.	2,389.
Enclosed cabinet (no mounting hardware) - Two doors, with pull, no lock	60"	14 1/4"	14 3/4"	RO3-A60PN () () ()	1,969.	2,104.	2,181.	2,277.	2,740.
	72"	14 1/4"	14 3/4"	RO3-A72PN () () ()	2,200.	2,335.	2,481.	2,610.	3,318.
Enclosed cabinet (no mounting hardware) - One door, with pull, with lock	30"	14 1/4"	14 3/4"	RO3-A30PL () () ()	1,078.	1,138.	1,219.	1,263.	1,480.
	36"	14 1/4"	14 3/4"	RO3-A36PL () () ()	1,189.	1,264.	1,379.	1,439.	1,773.
	42"	14 1/4"	14 3/4"	RO3-A42PL () () ()	1,303.	1,407.	1,566.	1,654.	2,138.
	48"	14 1/4"	14 3/4"	RO3-A48PL () () ()	1,492.	1,562.	1,680.	1,787.	2,448.
Enclosed cabinet (no mounting hardware) - Two doors, with pull, with lock	60"	14 1/4"	14 3/4"	RO3-A60PL () () ()	2,085.	2,220.	2,297.	2,394.	2,859.
	60"	14 1/4"	14 3/4"	RO3-A72PL () () ()	2,317.	2,452.	2,598.	2,727.	3,434.

Order Code	Specification Information	Application Notes
Example: RO3-A30PL-117-L-117 AA	Specify mounting hardware separately.	Reuter storage is a universal product applicable Knoll systems.
RO3 Reuter overhead	Optional anodized aluminum or painted front pull trims the entire width of cabinet door.	Cabinet door rotates above cabinet on side pivots, counterbalanced by two pneumatic cylinders. Two-door cabinets have center divider and four pneumatic cylinders. Vertical interior partitions may be positioned on 1 1/2" increments of width anywhere across shelf, 1 1/2" in from each side. Vertical partitions contain cutouts for mounting up to five horizontal partitions at 2" increments on either or both sides.
A flat front	<i>Specify paint finishes for case. Finish types for front:</i>	Horizontals are suspended between two verticals, and may be positioned end-to-end in any combination up to 3" less than cabinet width. Available in sets of 10; 6", 9", 12", 15" widths.
30 width	L laminate	Order locks for overheads with a KnollKey order form. Please note that Reuter overhead cabinets 60"W or wider require two lock cores.
P with pull	P paint	
L with lock	V veneer or techwood	
117 case finish	Please refer to the AutoStrada price list for finishes available on Reuter Flat Front overhead cabinets fronts.	
L front finish type		
117 front color		
AA pull finish		

description	type	width	depth	height	pattern number	black	paint
Reuter overhead downmount brackets	For 64"H spine				AA1ARODN()		\$194.
Reuter overhead upmount brackets	For 48"H spine with standard crown				AA1ROUP()		194.
Reuter overhead extended upmount brackets	For 39"H spine with standard crown				AA1ROXUP()		387.
Upmount brackets	For AutoStrada panels				RO1-RCB()		87.
	For Morrison panels				RO1-CB()		87.
Panel mount brackets, pair	For AutoStrada panels				RO1-RPB	40.	
	For Morrison panels				RO1-MPB	40.	
Wall mount frames, overhead cabinet	30"W overheads	23"	1/2"	13"	RO1-WMF2	76.	
	36" or 42"W overheads	35"	1/2"	13"	RO1-WMF3	82.	
	48" or 60"W overheads	47"	1/2"	13"	RO1-WMF4	87.	
Wall mount wire manager, set of 10					MWM-J	136.	

Order Code	Specification Information	Application Notes
Example: AA1RODN 613	<i>Please specify painted finish for overhead upmount or downmount kit. Paint options are listed on page 7.</i>	Reuter upmount brackets attach overhead cabinet anywhere along standard spine crown, lifting 1" above nominal wall height. Extended upmount brackets lift overhead to 10" above nominal wall height. Downmount brackets attach overheads within the upper 16" of 64"H walls with either compact or standard crown. The AutoStrada version of the downmount brackets extends to the bottom of the access cover, making contact with the bottom trim extrusion.
AA1 Spine accessory		
RO Reuter overhead		
DN Configuration		
613 Finish		Specify an extra bracket (one-half pair) for center support of overhead cabinets wider than 60". Upmount or downmount brackets may be inset to permit overhead to extend 1" or 3" beyond the end of the spine at T-ends. Wall mount frames secure Reuter overhead cabinets to wall (frame/wall mounting hardware is not included). Frame is concealed behind storage. Use 2 RO1-WMF2 to wall mount 66" and 72" wide Reuter overheads. Wall mount wire manager is two-part wire concealment kit, 22"H (medium grey only).

description	type	w	d	h	pattern no.	Standard List	Advanced List
Task Light	Use with 24" and wider overhead	19"	4"	1 1/2"	RTAT5E19 ()	\$202.	n/a
	Use with 30" and wider overhead	25"	4"	1 1/2"	RTAT5E25 ()	217.	374.
	Use with 42" and wider overhead	37"	4"	1 1/2"	RTAT5E37 ()	234.	394.
	Use with 60" and wider overhead	49"	4"	1 1/2"	RTAT5E49 ()	254.	410.
	Use with 66" and wider overhead	61"	4"	1 1/2"	RTAT5E61 ()	270.	426.



Order Code	Specification Information	Application Notes
Example: RTAT5E19S	<i>Specify:</i>	Task lights mount into the recess in the underside of overhead cabinets and shelves at least 5" wider than task light width.
RTA Task Light	Width - Task Lights mount in cabinets and shelves at least 5" wider than light width.	Task lights include T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded cordset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware.
T5 T5 lamp	Type:	Task light cordset is center exit. On smaller units cort exit is off-center, but still not handed.
E Electronic ballast	S Standard	Task lights are TCLP compliant and meet requirements of California Title 24.
19 Width	A Advanced	Advanced task lights are fitted with ballast and lamp compliant with LEED requirements.
S Standard	Specify suffix -CH and add \$45 list for City of Chicago installations. Example: RTAT5E19S-CH	
	All housings are black.	

T5 Task Light

for wood and laminate overhead storage

AutoStrada


description	type	w	d	h	pattern no.	standard	advanced
	Use with 24" and wider overhead	19"	4"	1 1/2"	AL1T5E19 ()	\$245.	n/a
	Use with 30" and wider overhead	25"	4"	1 1/2"	AL1T5E25 ()	250.	360.
	Use with 42" and wider overhead	37"	4"	1 1/2"	AL1T5E37 ()	255.	379.
	Use with 60" and wider overhead	49"	4"	1 1/2"	AL1T5E49 ()	260.	394.
	Use with 72" and wider overhead	61"	4"	1 1/2"	AL1T5E61 ()	275.	410.
	Use with 84" and wider overhead	73"	4"	1 1/2"	AL1T5E73 ()	299.	425.
	Use with 96" and wider overhead	85"	4"	1 1/2"	AL1T5E85 ()	374.	440.


Order Code	Specification Information	Application Notes
Example: LL2T5E19S	<i>Specify:</i>	Task lights mount into the recess in the underside of overhead cabinets and shelves at least 5" wider than task light width.
LL2 Task Light	Width - Task Lights mount in cabinets and shelves at least 5" wider than light width.	Task Light fit to overhead cabinets without the use of filler panels.
T5 T5 lamp	Type:	All lights feature two screw-mounting keyholes.
E Electronic ballast	S Standard	Task lights include T5 cool white (4100K) fluorescent lamp, electronic ballast, 9' grounded corset, prismatic lens, rocker switch, one cord exit management clip and mounting hardware.
19 Width	A Advanced	Task light cordset is center exit. On smaller units cord exit is off-center, but still not handed.
S Standard	Specify suffix -CH and add \$45 list for City of Chicago installations. Example: LL2T5E19S-CH	Task lights are TCLP compliant and meet requirements of California Title 24.
	All housings are black.	Advanced task lights are fitted with ballast and lamp compliant with LEED requirements.

Reuter T5 mounting kit for binder depth wood overhead storage

AutoStrada

Overhead Storage


description	type	h	w	d	pattern no.	list
Mounting kit 	binder depth	1"	24"	13 1/8"	RT1 SMK 2413 ()	\$127.
		1"	30"	13 1/8"	RT1 SMK 3013 ()	129.
		1"	36"	13 1/8"	RT1 SMK 3613 ()	131.
		1"	42"	13 1/8"	RT1 SMK 4213 ()	133.
		1"	48"	13 1/8"	RT1 SMK 4813 ()	135.
		1"	54"	13 1/8"	RT1 SMK 5413 ()	137.
		1"	60"	13 1/8"	RT1 SMK 6013 ()	139.
		1"	66"	13 1/8"	RT1 SMK 6613 ()	146.
		1"	72"	13 1/8"	RT1 SMK 7213 ()	148.
		1"	78"	13 1/8"	RT1 SMK 7813 ()	151.
		1"	84"	13 1/8"	RT1 SMK 8413 ()	153.
		1"	90"	13 1/8"	RT1 SMK 9013 ()	155.
		1"	96"	13 1/8"	RT1 SMK 9613 ()	157.
	binder depth with tackboard	1"	24"	12 3/8"	RT1 SMK 2412 ()	127.
		1"	30"	12 3/8"	RT1 SMK 3012 ()	129.
		1"	36"	12 3/8"	RT1 SMK 3612 ()	131.
		1"	42"	12 3/8"	RT1 SMK 4212 ()	133.
		1"	48"	12 3/8"	RT1 SMK 4812 ()	135.
		1"	54"	12 3/8"	RT1 SMK 5412 ()	137.
		1"	60"	12 3/8"	RT1 SMK 6012 ()	138.
		1"	66"	12 3/8"	RT1 SMK 6612 ()	146.
		1"	72"	12 3/8"	RT1 SMK 7212 ()	148.
		1"	78"	12 3/8"	RT1 SMK 7812 ()	151.
		1"	84"	12 3/8"	RT1 SMK 8412 ()	153.
		1"	90"	12 3/8"	RT1 SMK 9012 ()	155.
		1"	96"	12 3/8"	RT1 SMK 9612 ()	156.
Additional T5 mounting brackets					RT1 SMK B	20.




Order Code	Specification Information	Application
Example: RT1 SMK 2413 AA	Mounting kit finish choice:	Reuter T5 task lamp mounting kit enables task lamp to be mounted under veneer or laminate overhead storage cabinets (with or without doors). Mounting kit includes anodized aluminum fascia to conceal lamp and manage power cord along front and side of cabinet. Specify mounting kit in width corresponding to overhead cabinet. Mounting kit also includes back supports for one task lamp.
RT1 Reuter task lamp	Anodized Aluminum or painted finish options listed on page 9 excluding silver.	To mount a second task lamp within one longer mounting kit specify one additional pair of back supports. Back supports are L brackets into which the pins at the back of the Reuter are inserted. Sliding brackets on sides of the lamp slide over the inside lip of the fascia at any point to support the front of the lamp.
MSK Mounting kit		
24 Width		
13 Depth	12" deep: binder depth wood overhead, wall mounted with tackboard below.	
AA Finish	13" deep: binder depth wood overhead on Applied Wall System or wall mounted without tackboard.	

Reuter T5 mounting kit for legal depth wood overhead storage

AutoStrada

description	type	h	w	d	pattern no.	list
	legal depth	1"	24"	16 1/8"	RT1 SMK 2416 ()	\$129.
		1"	30"	16 1/8"	RT1 SMK 3016 ()	130.
		1"	36"	16 1/8"	RT1 SMK 3616 ()	133.
		1"	42"	16 1/8"	RT1 SMK 4216 ()	134.
		1"	48"	16 1/8"	RT1 SMK 4816 ()	136.
		1"	54"	16 1/8"	RT1 SMK 5416 ()	138.
		1"	60"	16 1/8"	RT1 SMK 6016 ()	140.
		1"	66"	16 1/8"	RT1 SMK 6616 ()	148.
		1"	72"	16 1/8"	RT1 SMK 7216 ()	150.
		1"	78"	16 1/8"	RT1 SMK 7816 ()	152.
		1"	84"	16 1/8"	RT1 SMK 8416 ()	154.
		1"	90"	16 1/8"	RT1 SMK 9016 ()	156.
		1"	96"	16 1/8"	RT1 SMK 9616 ()	158.
	legal depth with tackboard	1"	24"	15 3/8"	RT1 SMK 2415 ()	128.
		1"	30"	15 3/8"	RT1 SMK 3015 ()	130.
		1"	36"	15 3/8"	RT1 SMK 3615 ()	132.
		1"	42"	15 3/8"	RT1 SMK 4215 ()	134.
		1"	48"	15 3/8"	RT1 SMK 4815 ()	136.
		1"	54"	15 3/8"	RT1 SMK 5415 ()	138.
		1"	60"	15 3/8"	RT1 SMK 6015 ()	140.
		1"	66"	15 3/8"	RT1 SMK 6615 ()	147.
		1"	72"	15 3/8"	RT1 SMK 7215 ()	150.
		1"	78"	15 3/8"	RT1 SMK 7815 ()	152.
		1"	84"	15 3/8"	RT1 SMK 8415 ()	154.
		1"	90"	15 3/8"	RT1 SMK 9015 ()	156.
		1"	96"	15 3/8"	RT1 SMK 9615 ()	158.
Additional T5 mounting brackets					RT1 SMK B	20.



Order Code	Specification Information	Application
Example: RT1 SMK 2416 AA	Mounting kit finish choice:	Reuter T5 task lamp mounting kit enables task lamp to be mounted under veneer or laminate overhead storage cabinets (with or without doors). Mounting kit includes anodized aluminum fascia to conceal lamp and manage power cord along front and side of cabinet. Specify mounting kit in width corresponding to overhead cabinet. Mounting kit also includes back supports for one task lamp.
RT1 Reuter task lamp	Anodized Aluminum or painted finish options listed on page 9 excluding silver.	To mount a second task lamp within one longer mounting kit specify one additional pair of back supports. Back supports are L brackets into which the pins at the back of the Reuter are inserted. Sliding brackets on sides of the lamp slide over the inside lip of the fascia at any point to support the front of the lamp.
MSK Mounting kit		
24 Width		
16 depth	15" deep: legal depth wood overhead, wall mounted with tackboard below.	
AA Finish	16" deep: legal depth wood overhead on Applied Wall System or wall mounted without tackboard.	

Flush, user edge tapered Rectilinear, 20" and 24" deep

AutoStrada

description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (full depth) front edge tapered	20"	18"	AW1T1RF1820 (X)(X)(X)	\$307.	\$382.	\$382.	\$436.	\$569.
		20"	AW1T1RF2020 (X)(X)(X)	320.	391.	391.	448.	583.
		24"	AW1T1RF2420 (X)(X)(X)	327.	402.	402.	459.	597.
		30"	AW1T1RF3020 (X)(X)(X)	353.	442.	442.	506.	658.
		36"	AW1T1RF3620 (X)(X)(X)	357.	465.	465.	535.	695.
		42"	AW1T1RF4220 (X)(X)(X)	365.	485.	485.	559.	726.
		48"	AW1T1RF4820 (X)(X)(X)	375.	505.	505.	578.	753.
		54"	AW1T1RF5420 (X)(X)(X)	387.	525.	525.	609.	791.
		60"	AW1T1RF6020 (X)(X)(X)	410.	569.	569.	653.	848.
		66"	AW1T1RF6620 (X)(X)(X)	438.	585.	585.	675.	877.
		72"	AW1T1RF7220 (X)(X)(X)	442.	616.	616.	707.	918.
		78"	AW1T1RF7820 (X)(X)(X)	457.	623.	623.	717.	931.
		84"	AW1T1RF8420 (X)(X)(X)	481.	663.	663.	762.	992.
		90"	AW1T1RF9020 (X)(X)(X)	493.	691.	691.	794.	1,032.
		96"	AW1T1RF9620 (X)(X)(X)	527.	717.	717.	824.	1,072.
24"	18"	AW1T1RF1824 (X)(X)(X)	328.	403.	403.	462.	601.	
	20"	AW1T1RF2024 (X)(X)(X)	342.	412.	412.	474.	616.	
	24"	AW1T1RF2424 (X)(X)(X)	350.	422.	422.	485.	631.	
	30"	AW1T1RF3024 (X)(X)(X)	364.	478.	478.	549.	713.	
	36"	AW1T1RF3624 (X)(X)(X)	376.	496.	496.	571.	743.	
	42"	AW1T1RF4224 (X)(X)(X)	389.	512.	512.	587.	764.	
	48"	AW1T1RF4824 (X)(X)(X)	431.	549.	549.	629.	818.	
	54"	AW1T1RF5424 (X)(X)(X)	435.	585.	585.	675.	877.	
	60"	AW1T1RF6024 (X)(X)(X)	457.	627.	627.	720.	936.	
	66"	AW1T1RF6624 (X)(X)(X)	494.	650.	650.	745.	969.	
	72"	AW1T1RF7224 (X)(X)(X)	507.	677.	677.	781.	1,016.	
	78"	AW1T1RF7824 (X)(X)(X)	524.	709.	709.	818.	1,064.	
	84"	AW1T1RF8424 (X)(X)(X)	545.	740.	740.	848.	1,104.	
	90"	AW1T1RF9024 (X)(X)(X)	583.	770.	770.	888.	1,154.	
	96"	AW1T1RF9624 (X)(X)(X)	596.	800.	800.	924.	1,201.	

Worksurfaces

Order Code	Specification Information	Application Notes
Example: AW1T1RF1820MG118 V316613	To order please specify pattern number including:	7. Finish, Grommet(s) specify painted or plated finish
A AutoStrada	1. Width	See page 7 for finish options applicable.
W Worksurface	2. Depth	
1 Generation 1	3. Surface type <i>L = Laminate</i>	Hardware to attach to vertical support to be specified separately.
T1 Tapered one side, user	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>	
R Rectilinear	<i>V = V1, V2 or V3</i>	Actual widths are 1/16" less than nominal dimension noted and depths are 1/8" less than nominal dimension noted.
F Full depth, flush	4. Grommet option <i>N = No grommets</i>	
18 18" wide	<i>G = Grommet(s), flush</i>	When grommets specified up to 48" w tops have one grommet, over 48" w tops have two grommets.
20 20" deep	5. Finish, Surface <i>Laminate, V1, V2 or V3 finish</i>	
M Surface type, Mixed	6. Finish, Edge <i>Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish</i>	
G Grommet		
118 Finish surface, Bright white		
V316 Finish edge, Maple		
613 Finish, grommet		

Flush, user edge tapered Rectilinear, 30" and 36" deep


AutoStrada

description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (full depth) front edge tapered	30"	18"	AW1T1RF1830 () () () ()	\$336.	\$435.	\$435.	\$503.	\$653.
		20"	AW1T1RF2030 () () () ()	341.	447.	447.	516.	669.
		24"	AW1T1RF2430 () () () ()	349.	458.	458.	527.	686.
		30"	AW1T1RF3030 () () () ()	365.	518.	518.	593.	772.
		36"	AW1T1RF3630 () () () ()	379.	558.	558.	638.	831.
		42"	AW1T1RF4230 () () () ()	397.	577.	577.	665.	864.
		48"	AW1T1RF4830 () () () ()	441.	618.	618.	712.	926.
		54"	AW1T1RF5430 () () () ()	453.	669.	669.	768.	999.
		60"	AW1T1RF6030 () () () ()	480.	692.	692.	795.	1,033.
		66"	AW1T1RF6630 () () () ()	516.	708.	708.	815.	1,060.
		72"	AW1T1RF7230 () () () ()	534.	726.	726.	834.	1,084.
		78"	AW1T1RF7830 () () () ()	552.	759.	759.	876.	1,138.
		84"	AW1T1RF8430 () () () ()	574.	791.	791.	910.	1,184.
		90"	AW1T1RF9030 () () () ()	625.	825.	825.	953.	1,238.
		96"	AW1T1RF9630 () () () ()	627.	857.	857.	986.	1,280.
		36"	18"	AW1T1RF1836 () () () ()	344.	473.	473.	546.
20"	AW1T1RF2036 () () () ()		348.	484.	484.	560.	728.	
24"	AW1T1RF2436 () () () ()		362.	496.	496.	573.	746.	
30"	AW1T1RF3036 () () () ()		377.	560.	560.	642.	835.	
36"	AW1T1RF3636 () () () ()		401.	624.	624.	714.	928.	
42"	AW1T1RF4236 () () () ()		433.	653.	653.	753.	979.	
48"	AW1T1RF4836 () () () ()		476.	697.	697.	806.	1,048.	
54"	AW1T1RF5436 () () () ()		491.	766.	766.	874.	1,137.	
60"	AW1T1RF6036 () () () ()		497.	769.	769.	879.	1,141.	
66"	AW1T1RF6636 () () () ()		549.	773.	773.	891.	1,159.	
72"	AW1T1RF7236 () () () ()		568.	794.	794.	915.	1,189.	
78"	AW1T1RF7836 () () () ()		596.	813.	813.	938.	1,219.	
84"	AW1T1RF8436 () () () ()		617.	845.	845.	977.	1,270.	
90"	AW1T1RF9036 () () () ()		666.	885.	885.	1,021.	1,328.	
96"	AW1T1RF9636 () () () ()		685.	915.	915.	1,052.	1,367.	

Order Code	Specification Information	Application Notes
Example: AW1T1RF1830MG118 V316613	To order please specify pattern number including:	7. Finish, Grommet(s) specify painted or plated finish
A AutoStrada	1. Width	See page 7 for finish options applicable.
W Worksurface	2. Depth	
1 Generation 1	3. Surface type	Hardware to attach to vertical support to be specified separately.
T1 Tapered 1 side, user	<i>L = Laminate</i>	
R Rectilinear	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>	1 1/4" tops require additional support when distance spans over 48".
F Full depth, flush	<i>V = V1, V2 or V3</i>	
18 18" wide	4. Grommet option	Actual widths are 1/16" less than nominal dimension noted and depths are 1/8" less than nominal dimension noted.
30 30" deep	<i>N = No grommets</i>	
M Surface type, Mixed	<i>G = Grommet(s), flush</i>	When grommets specified up to 48" w tops have one grommet, over 48" w have two grommets.
G Grommet	<i>R = Grommet(s), recessed</i>	
118 Finish surface, Bright white	5. Finish, Surface	
V316 Finish edge, Maple	<i>Laminate, V1, V2 or V3 finish</i>	
613 Finish, grommet	6. Finish, Edge	
	<i>Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish</i>	

Flush, user edge tapered Wedge

AutoStrada

description	d, left	w	d, right	pattern no.	L	M	V1	V2	V3
 Wedge, (full depth) front edge tapered	24"	48"	30"	AW1T1WF4823 () () () ()	\$510.	\$618.	\$618.	\$712.	\$926.
	24"	60"	30"	AW1T1WF6023 () () () ()	541.	692.	692.	795.	1,033.
	24"	72"	36"	AW1T1WF7226 () () () ()	668.	778.	778.	890.	1,157.
	30"	48"	24"	AW1T1WF4832 () () () ()	510.	618.	618.	712.	926.
	30"	60"	24"	AW1T1WF6032 () () () ()	541.	692.	692.	795.	1,033.
	36"	72"	24"	AW1T1WF7262 () () () ()	668.	778.	778.	890.	1,157.
Presentation wood sample (with tapered edge detail)	16"	16"	16"	ASAMP1616 ()	100.	150.	150.	200.	235.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: AW1T1WF4823MG118 V316613	<i>To order please specify pattern number including:</i>	
A AutoStrada	1. Width	6. Finish, Edge
W Worksurface	2. Depth	<i>Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish</i>
1 Generation 1	23 = 24" deep left, 30" deep right	7. Finish, Grommet(s)
T1 Tapered 1 side, user	32 = 30" deep left, 24" deep right	<i>specify painted or plated finish</i>
W Wedge	26 = 24" deep left, 36" deep right	See page 7 for finish options applicable.
F Full depth, flush	62 = 36" deep left, 24" deep right	
48 48" wide	3. Surface type	
2 24" deep, left	<i>L = Laminate</i>	
3 30" deep, right	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>	
M Surface type, Mixed	<i>V = V1, V2 or V3</i>	
G Grommet	4. Grommet option	
118 Finish surface, Bright white	<i>N = No grommets</i>	
V316 Finish edge, Maple	<i>G = Grommet(s), flush</i>	
613 Finish, grommet	<i>R = Grommet(s), recessed</i>	
	5. Finish, Surface	
	<i>Laminate, V1, V2 or V3 finish</i>	

Hardware to attach to vertical support to be specified separately.

1 1/4" tops require additional support when distance spans over 48".

Actual widths are 1/16" less than nominal dimension noted and depths are 1/8" less than nominal dimension noted.

When grommets specified up to 48" w tops have one grommet, over 48" w have two grommets.

Cord drop, user edge tapered

Rectilinear

AutoStrada


description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (cord drop) front edge tapered	20"	18"	AW1T1RU1820 () () ()	\$317.	\$382.	\$382.	\$436.	\$569.
		20"	AW1T1RU2020 () () ()	320.	391.	391.	448.	583.
		24"	AW1T1RU2420 () () ()	327.	402.	402.	459.	597.
		30"	AW1T1RU3020 () () ()	366.	442.	442.	506.	658.
		36"	AW1T1RU3620 () () ()	369.	465.	465.	535.	695.
		42"	AW1T1RU4220 () () ()	374.	485.	485.	559.	726.
		48"	AW1T1RU4820 () () ()	386.	505.	505.	578.	753.
		54"	AW1T1RU5420 () () ()	397.	525.	525.	609.	791.
		60"	AW1T1RU6020 () () ()	418.	569.	569.	653.	848.
		66"	AW1T1RU6620 () () ()	447.	585.	585.	675.	877.
		72"	AW1T1RU7220 () () ()	451.	616.	616.	707.	918.
		78"	AW1T1RU7820 () () ()	468.	623.	623.	717.	931.
		84"	AW1T1RU8420 () () ()	490.	663.	663.	762.	992.
		90"	AW1T1RU9020 () () ()	502.	691.	691.	794.	1,032.
		96"	AW1T1RU9620 () () ()	537.	717.	717.	824.	1,072.
	24"	18"	AW1T1RU1824 () () ()	338.	403.	403.	462.	601.
		20"	AW1T1RU2024 () () ()	343.	412.	412.	474.	616.
		24"	AW1T1RU2424 () () ()	346.	422.	422.	485.	631.
		30"	AW1T1RU3024 () () ()	348.	478.	478.	549.	713.
		36"	AW1T1RU3624 () () ()	353.	496.	496.	571.	743.
		42"	AW1T1RU4224 () () ()	367.	512.	512.	587.	764.
		48"	AW1T1RU4824 () () ()	379.	549.	549.	629.	818.
		54"	AW1T1RU5424 () () ()	445.	585.	585.	675.	877.
		60"	AW1T1RU6024 () () ()	489.	627.	627.	720.	936.
		66"	AW1T1RU6624 () () ()	504.	650.	650.	745.	969.
		72"	AW1T1RU7224 () () ()	516.	677.	677.	781.	1,016.
		78"	AW1T1RU7824 () () ()	535.	709.	709.	818.	1,064.
		84"	AW1T1RU8424 () () ()	555.	740.	740.	848.	1,104.
		90"	AW1T1RU9024 () () ()	591.	770.	770.	888.	1,154.
		96"	AW1T1RU9624 () () ()	606.	800.	800.	924.	1,201.
	30"	18"	AW1T1RU1830 () () ()	345.	435.	435.	503.	653.
		20"	AW1T1RU2030 () () ()	350.	447.	447.	516.	669.
		24"	AW1T1RU2430 () () ()	361.	458.	458.	527.	686.

Order Code	Specification Information	Application Notes
Example: AW1T1RC1820M118 V316 812	<i>To order please specify pattern number including:</i>	Worksurfaces with cord drop are not recommended for freestanding applications.
A AutoStrada	1. Width	See page 7 for finish options applicable.
W Worksurface	2. Depth	
1 Generation 1	3. Surface type	Hardware to attach to vertical support to be specified separately.
T1 Tapered 1 side, user	<i>L = Laminate</i>	
R Rectilinear	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>	1 1/4" tops require additional support when distance spans over 48".
C Cord drop	<i>V = V1, V2 or V3</i>	
18 18" wide	4. Finish, Surface	Actual widths are 1/16" less than nominal dimension noted and depths are 3/8" less than nominal dimension noted.
20 20" deep	<i>Laminate, V1, V2 or V3 finish</i>	
M Surface type, Mixed	5. Finish, Edge	
118 Finish surface, Bright white	<i>Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish</i>	
V316 Finish edge, Maple	6. Finish, Grommet	
812 Finish grommet, Easy grey	111 Jet black 812 Easy grey	

Cord drop, user edge tapered

Rectilinear

AutoStrada

description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (cord drop) front edge tapered 	30"	30"	AW1T1RU3030 () () ()	\$374.	\$518.	\$518.	\$593.	\$772.
		36"	AW1T1RU3630 () () ()	389.	558.	558.	638.	831.
		42"	AW1T1RU4230 () () ()	407.	577.	577.	665.	864.
		48"	AW1T1RU4830 () () ()	450.	618.	618.	712.	926.
		54"	AW1T1RU5430 () () ()	462.	669.	669.	768.	999.
		60"	AW1T1RU6030 () () ()	513.	692.	692.	795.	1,033.
		66"	AW1T1RU6630 () () ()	526.	708.	708.	815.	1,060.
		72"	AW1T1RU7230 () () ()	543.	726.	726.	834.	1,084.
		78"	AW1T1RU7830 () () ()	560.	759.	759.	876.	1,138.
		84"	AW1T1RU8430 () () ()	583.	791.	791.	910.	1,184.
		90"	AW1T1RU9030 () () ()	636.	825.	825.	953.	1,238.
		96"	AW1T1RU9630 () () ()	637.	857.	857.	986.	1,280.

Worksurfaces

Order Code	Specification Information	Application Notes
Example: AW1T1RC1820M118 V316 812	To order please specify pattern number including:	Worksurfaces with cord drop are not recommended for freestanding applications. See page 7 for finish options applicable.
A AutoStrada	1. Width	
W Worksurface	2. Depth	
1 Generation 1	3. Surface type <i>L = Laminate</i>	Hardware to attach to vertical support to be specified separately.
T1 Tapered 1 side, user	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>	1 1/4" tops require additional support when distance spans over 48".
R Rectilinear	<i>V = V1, V2 or V3</i>	
C Cord drop	4. Finish, Surface <i>Laminate, V1, V2 or V3 finish</i>	Actual widths are 1/16" less than nominal dimension noted and depths are 3/8" less than nominal dimension noted.
18 18" wide	5. Finish, Edge <i>Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish</i>	
20 20" deep	6. Finish, Grommet	
M Surface type, Mixed	111 Jet black	
118 Finish surface, Bright white	812 Easy grey	
V316 Finish edge, Maple		
812 Finish grommet, Easy grey		


Cord drop, user edge tapered

Wedge

AutoStrada


description	d, left	w	d, right	pattern no.	L	M	V1	V2	V3
Wedge, (cord drop) front edge tapered	24"	48"	30"	AW1T1WU4823 () () ()	\$513.	\$618.	\$618.	\$712.	\$926.
	24"	60"	30"	AW1T1WU6023 () () ()	544.	692.	692.	795.	1,033.
	24"	72"	36"	AW1T1WU7226 () () ()	674.	778.	778.	890.	1,157.
	30"	48"	24"	AW1T1WU4832 () () ()	513.	618.	618.	712.	926.
	30"	60"	24"	AW1T1WU6032 () () ()	544.	692.	692.	795.	1,033.
	36"	72"	24"	AW1T1WU7262 () () ()	674.	778.	778.	890.	1,157.

Order Code	Specification Information	Application Notes
Example: AW1T1WC4823M118 V316 812	<i>To order please specify pattern number including:</i>	Worksurfaces with cord drop are not recommended for freestanding applications.
A AutoStrada	1. Width	
W Worksurface	2. Depth	Hardware to attach to vertical support to be specified separately.
1 Generation 1	23 = 24" deep left, 30" deep right	
T1 Tapered 1 side, user	32 = 30" deep left, 24" deep right	1 1/4" tops require additional support when distance spans over 48".
W Wedge	26 = 24" deep left, 36" deep right	
C Cord drop	62 = 36" deep left, 24" deep right	Actual widths are 1/16" less than nominal dimension noted and depths are 3/8" less than nominal dimension noted.
48 48" wide	3. Surface type	
2 24" deep, left	L = Laminate	
3 30" deep, right	M = Mixed, Laminate surface/V1, V2 or V3 edge	
M Surface type, Mixed	V = V1, V2 or V3	
118 Finish surface, Bright white	4. Finish, Surface	
V316 Finish edge, Maple	Laminate, V1, V2 or V3 finish	
812 Finish grommet, Easy grey	5. Finish, Edge	
	Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish	
	6. Finish, Grommet	
	111 Jet black	
	812 Easy grey	
	See page 7 for finish options applicable.	


description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (full depth) front& back edge tapered 	30"	30"	AW1T2R3030 ()()()	\$417.	\$631.	\$631.	\$707.	\$886.
		36"	AW1T2R3630 ()()()	431.	671.	671.	752.	944.
		42"	AW1T2R4230 ()()()	448.	691.	691.	779.	978.
		48"	AW1T2R4830 ()()()	469.	732.	732.	825.	1,040.
		54"	AW1T2R5430 ()()()	531.	783.	783.	882.	1,112.
		60"	AW1T2R6030 ()()()	547.	806.	806.	909.	1,147.
		66"	AW1T2R6630 ()()()	564.	822.	822.	929.	1,174.
		72"	AW1T2R7230 ()()()	582.	839.	839.	948.	1,198.
		78"	AW1T2R7830 ()()()	603.	873.	873.	990.	1,252.
		84"	AW1T2R8430 ()()()	620.	904.	904.	1,023.	1,297.
	36"	30"	AW1T2R3036 ()()()	432.	674.	674.	756.	949.
		36"	AW1T2R3636 ()()()	450.	738.	738.	827.	1,042.
		42"	AW1T2R4236 ()()()	471.	767.	767.	866.	1,093.
		48"	AW1T2R4836 ()()()	493.	811.	811.	919.	1,162.
		54"	AW1T2R5436 ()()()	559.	883.	883.	988.	1,251.
		60"	AW1T2R6036 ()()()	579.	879.	879.	993.	1,255.
		66"	AW1T2R6636 ()()()	611.	887.	887.	1,005.	1,273.
		72"	AW1T2R7236 ()()()	618.	908.	908.	1,029.	1,303.
		78"	AW1T2R7836 ()()()	645.	927.	927.	1,052.	1,333.
		84"	AW1T2R8436 ()()()	662.	958.	958.	1,091.	1,384.
	42"	30"	AW1T2R3042 ()()()	449.	729.	729.	818.	1,064.
		36"	AW1T2R3642 ()()()	471.	828.	828.	925.	1,202.
		42"	AW1T2R4242 ()()()	490.	864.	864.	981.	1,276.
		48"	AW1T2R4842 ()()()	515.	914.	914.	1,042.	1,355.
		54"	AW1T2R5442 ()()()	585.	943.	943.	1,069.	1,389.
		60"	AW1T2R6042 ()()()	607.	971.	971.	1,096.	1,425.
		66"	AW1T2R6642 ()()()	628.	977.	977.	1,105.	1,436.
		72"	AW1T2R7242 ()()()	650.	981.	981.	1,113.	1,447.
		78"	AW1T2R7842 ()()()	691.	993.	993.	1,127.	1,464.

Order Code	Specification Information	Application Notes
Example: AW1T2R3030MG118 V316613	To order please specify pattern number including:	7. Finish, Grommet(s) specify painted or plated finish
A AutoStrada	1. Width	See page 7 for finish options applicable.
W Worksurface	2. Depth	
1 Generation 1	3. Surface type <i>L = Laminate</i>	1 1/4" tops require additional support when distance spans over 48".
T2 Tapered 2 sides, user & approach	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>	
R Rectilinear	<i>V = V1, V2 or V3</i>	When grommets specified up to 48" w tops have one grommet, over 48" w have two grommets.
30 30" wide	4. Grommet option <i>N = No grommets</i>	
30 30" deep	<i>G = Grommet(s), flush</i>	
M Surface type, Mixed	<i>R = Grommet(s), recessed</i>	
G Grommet	5. Finish, Surface <i>Laminate, V1, V2 or V3 finish</i>	
118 Finish surface, Bright white	6. Finish, Edge <i>Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish</i>	
V316 Finish edge, Maple		
613 Finish, grommet		

description	d	w	pattern no.	L	M	V1	V2	V3
Straight rectangular, (full depth) front& back edge tapered	42"	84"	AW1T2R8442 () () () ()	\$699.	\$1,026.	\$1,026.	\$1,170.	\$1,522.
		90"	AW1T2R9042 () () () ()	750.	1,071.	1,071.	1,218.	1,584.
		96"	AW1T2R9642 () () () ()	775.	1,100.	1,100.	1,244.	1,617.



Order Code	Specification Information	Application Notes
Example: AW1T2R3030MG118 V316613	<i>To order please specify pattern number including:</i>	7. Finish, Grommet(s) <i>specify painted or plated finish</i>
A AutoStrada	1. Width	See page 7 for finish options applicable.
W Worksurface	2. Depth	
1 Generation 1	3. Surface type <i>L = Laminate</i>	1 1/4" tops require additional support when distance spans over 48".
T2 Tapered 2 sides, user & approach	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>	
R Rectilinear	<i>V = V1, V2 or V3</i>	When grommets specified up to 48" w tops have one grommet, over 48" w have two grommets.
30 30" wide	4. Grommet option <i>N = No grommets</i>	
30 30" deep	<i>G = Grommet(s), flush</i>	
M Surface type, Mixed	<i>R = Grommet(s), recessed</i>	
G Grommet	5. Finish, Surface <i>Laminate, V1, V2 or V3 finish</i>	
118 Finish surface, Bright white	6. Finish, Edge <i>Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish</i>	
V316 Finish edge, Maple		
613 Finish, grommet		

description	d, left	w	d, right	pattern no.	L	M	V1	V2	V3
 Wedge, front and back edge tapered	24"	48"	30"	AW1T2W4823 () () () ()	\$549.	\$732.	\$732.	\$825.	\$1,040.
	24"	60"	30"	AW1T2W6023 () () () ()	609.	806.	806.	909.	1,147.
	24"	72"	36"	AW1T2W7226 () () () ()	709.	891.	891.	1,004.	1,270.
	30"	48"	24"	AW1T2W4832 () () () ()	549.	732.	732.	825.	1,040.
	30"	60"	24"	AW1T2W6032 () () () ()	609.	806.	806.	909.	1,147.
	36"	72"	24"	AW1T2W7262 () () () ()	709.	891.	891.	1,004.	1,270.

Order Code	Specification Information	Application Notes
Example: AW1T2W4823MG118 V316613	<i>To order please specify pattern number including:</i>	
A AutoStrada	1. Width	6. Finish, Edge
W Worksurface	2. Depth	<i>Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish</i>
1 Generation 1	23 = 24" deep left, 30" deep right	7. Finish, Grommet(s)
T2 Tapered 2 sides, user & approach	32 = 30" deep left, 24" deep right	<i>specify painted or plated finish</i>
W Wedge	26 = 24" deep left, 36" deep right	See page 7 for finish options applicable.
48 48" wide	62 = 36" deep left, 24" deep right	
2 24" deep, left	3. Surface type	
3 30" deep, right	<i>L = Laminate</i>	
M Surface type, Mixed	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>	
G Grommet	<i>V = V1, V2 or V3</i>	
118 Finish surface, Bright white	4. Grommet option	
V316 Finish edge, Maple	<i>N = No grommets</i>	
613 Finish, grommet	<i>G = Grommet(s), flush</i>	
	<i>R = Grommet(s), recessed</i>	
	5. Finish, Surface	
	<i>Laminate, V1, V2 or V3 finish</i>	


Hardware to attach to vertical support to be specified separately.

1 1/4" tops require additional support when distance spans over 48".




Important: Please note placement of grommet(s) when specified assumes user edge is wedge side. If application requires user side to be straight edge and wedge edge as approach side, then specify no grommets.

When grommets specified up to 48" w tops have one grommet, over 48" w have two grommets.



description	d, left	w	d, right	pattern no.	L	M	V1	V2	V3
Double wedge, front and back edge tapered	24"	48"	36"	AW1T2DW4826 () () () ()	\$574.	\$811.	\$811.	\$919.	\$1,162.
	24"	60"	36"	AW1T2DW6026 () () () ()	639.	879.	879.	993.	1,255.
	24"	72"	36"	AW1T2DW7226 () () () ()	709.	927.	927.	1,052.	1,333.



Order Code	Specification Information	Application Notes
Example: AW1T2DW4826MG118V316613	<i>To order please specify pattern number including:</i>	5. Finish, Grommet <i>specify painted or plated finish</i>
A AutoStrada	1. Surface type <i>L = Laminate</i>	See page 7 for finish options applicable.
W Worksurface	<i>M = Mixed, Laminate surface/V1, V2 or V3 edge</i>	1 1/4" tops require additional support when distance spans over 48".
1 Generation 1	<i>V = V1, V2 or V3</i>	Grommet when specified, centered 36" w end.
T2 Tapered 2 sides, user & approach	2. Grommet option <i>N = No grommet</i>	
DW Double Wedge	<i>G = Grommet</i>	
48 48" wide	3. Finish, Surface <i>Laminate, V1, V2 or V3 finish</i>	
2 24" deep	4. Finish, Edge <i>Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish</i>	
6 36" deep		
M Surface type, Mixed		
G Grommet		
118 Finish surface, Bright white		
V316 Finish edge, Maple		
613 Finish, grommet		

description	h	w	d	dia.	pattern no.	L	M	V1	V2	V3
Square table, tapered 4 sides 	28 1/4"	42"	42"		ATA1T44242 ()()()	\$1,415.	\$1,569.	\$1,569.	\$1,599.	\$1,852.
	28 1/4"	48"	48"		ATA1T44848 ()()()	1,531.	1,607.	1,607.	1,650.	1,969.
Rectangular table, tapered 4 sides 	28 1/4"	48"	30"		ATA1T44830 ()()()	1,444.	1,555.	1,555.	1,578.	1,796.
	28 1/4"	60"	30"		ATA1T46030 ()()()	1,521.	1,641.	1,641.	1,674.	1,938.
	28 1/4"	72"	30"		ATA1T47230 ()()()	1,598.	1,673.	1,673.	1,714.	2,023.
	28 1/4"	72"	36"		ATA1T47236 ()()()	1,636.	1,702.	1,702.	1,753.	2,116.
Round table, tapered edge 	28 1/4"		36"		ATA1R36 ()()()	1,467.	1,683.	1,454.	1,500.	1,703.
	28 1/4"		42"		ATA1R42 ()()()	1,536.	1,715.	1,488.	1,546.	1,809.
	28 1/4"		48"		ATA1R48 ()()()	1,660.	1,753.	1,528.	1,598.	1,930.

Order Code	Specification Information	Application Notes
Example: ATA1T44242V27C V316AA	<i>To order please specify pattern number including:</i>	7. Finish, Edge <i>Must be same as surface finish unless M surface type specified, then must be V1, V2 or V3 finish</i>
A AutoStrada	1. Width	AutoStrada tables include four straight legs with glides or casters.
TA Table	2. Depth	Tables can be specified to surface height of:
1 Generation 1	3. Surface type <i>L = Lamine</i>	28 3/8" : specify 27" leg.
T4 Tapered edge 4 sides	<i>M = Mixed, Lamine surface/V1, V2 or V3 edge</i>	29 5/8" : specify 28" leg.
42 42" wide	<i>V = V1, V2 or V3</i>	31 1/2" : specify 30" leg.
42 42" deep	4. Leg height (to underside of surface) <i>27 = 27"h</i>	
V Surface type, veneer	<i>28 = 28 3/8"h (add \$30 for this option)</i>	
27 27" leg height	<i>30 = 30 1/8"h (add \$66 for this option)</i>	
C Caster	5. Leg type <i>C = with Caster</i>	See page 7 for finish options applicable.
V316 Finish top, Maple	<i>G = with Glide</i>	Grommets are not optional for tables.
AA Finish, leg	6. Finish, Surface <i>Lamine, Mixed, V1, V2 or V3 finish</i>	Stiffener included with rectangular tables 60"w and over.

description	type	width	depth	height	pattern no.	painting	list
Adjustable cantilever bracket (up to 24"D)		3"	20"	23-33"	AB1 AC24 ()	\$176.	
Maximum of 24" deep worksurfaces may be cantilevered from Spine.							
							
Adjustable end support bracket			6"	23-33"	AB2 AE ()	139.	
							
Compact fixed height end support bracket	for 28"h worksurface		6"	27"	AB2 FE27 ()	119.	
	for 29 5/8"h worksurface		6"	28"	AB2 FE28 ()	119.	
							
Adjustable cantilever bridging bracket		3"	20"	23-33"	AB1-ABC24()	228.	
Maximum of 24" deep worksurfaces may be cantilevered from Spine.							
spacers (20 per pack) use with spine worksurface support brackets					AA1 BS		11.

Order Code	Specification Information	Application Notes
Example: AB1 AC24118		
AB1 Bracket	Please specify painted finish from paint options listed on page 7.	Adjustable height cantilever and bridging cantilever brackets support underside of worksurface in 1" increments from 23" to 33"H (24" to 34" top height).
AC Type	Specify worksurface cantilever and end support brackets to attach worksurfaces to spine walls.	Adjustable bridging cantilever supports adjacent 48"W straight or corner worksurfaces.
24 Depth	Specify two cantilever brackets to support any 24"D worksurface up to 84" wide, or one back edge of corner worksurface. Specify three cantilever brackets to support any 24"D worksurface greater than 84" wide. Specify two end support brackets to support one end of straight, conference, or arc-shape surface.	End support brackets adjust 23"-33"H (24" to 34" top height). Fixed height brackets support worksurface at 28"H and 29 5/8"H.
118 Finish		Cannot exceed maximum of 24" deep worksurfaces cantilevered from Spine.


description	type	w	d	h	pattern no.	paint	list
	End support brackets - E with wood screws	18"d straight worksurface	18"	1 1/4"	MB3-E18W-()	\$36.	
		24"d straight worksurface	24"	1 1/4"	MB3-E24W-()	38.	
		30"d straight worksurface	30"	1 1/4"	MB3-E30W-()	43.	
		36"d straight worksurface	36"	1 1/4"	MB3-E36W-()	49.	
	End support brackets - E with wood screws	18"d straight worksurface	18"	1 1/4"	MB3-EC18W-() *	36.	
	End support for 30"h linkable screen	24"d straight worksurface	24"	1 1/4"	MB3-EC24W-() *	38.	
		30"d straight worksurface	30"	1 1/4"	MB3-EC30W-() *	43.	
	Cantilever brackets - C with wood screws	18"d worksurface	1/2"	15"	MB2-C18W-(L/R)-()		47.
		24"d worksurface	1/2"	21"	MB2-C24W-(L/R)-()		55.
		30"d worksurface	1/2"	24"	MB2-C30W-(L/R)-()		64.
Cantilever tie-clips - AUX-C (10)					MB1-AUX-C		12.
Worksurface/vertical panel spacer Y with wood screws		1/16"	15"	8 1/2"	MB2-YW-(L/R)-()		40.

Order Code	Specification Information	Application Notes
Example: MB3-E30W-613	Bracket type:	E-type end support brackets support 1 1/4" or 1 3/4" worksurface from connector tracks at both back and front.
MB3 Bracket	E End Support	
E Bracket type	C Cantilever	C-type cantilever brackets support worksurfaces from connector track at the back. Specify left or right hand.
30 Bracket depth	Y Worksurface/vertical panel spacer	AUX-C cantilever tie-clips tie together two adjacent cantilever brackets for added stability.
W with wood screws		
613 Finish, paint		
	<i>Please specify painted finish from paint options listed on page 7.</i>	

Y-type spacer brackets secure the end of pedestal-supported worksurfaces to a connector track. Y brackets maintain the 3/8" wire drop and allow pedestal fronts to align with the end of the worksurface.

* MB3-EC18W-(), MB3-EC24W-() and MB3-EC30W-() end support brackets should be specified when supporting worksurfaces from 30" high linkable screens.

description	d	pattern no.	P1	P2	P3
Cantilever bracket, panel hung	18"	ASBC18 (L/R) ()	\$84.	\$88.	\$92.
	24"	ASBC24 (L/R) ()	92.	98.	103.



18" for 20" and 24" deep tops
 24" for 30" and 36" deep tops
 specify paint finish


Side hung support bracket, pair		RBCCP ()	36.	38.	39.
		specify paint finish			



top to top brackets (pair) for use when top to top condition is without tapered edges	6" x 1"	RBF	5.		
--	---------	------------	----	--	--



Top to top bracket for use with tapered edge worksurface conditions (‘tapered to tapered’ or ‘tapered to straight’)	4" x 7"	AT2TB (pair)	89.		
---	---------	---------------------	-----	--	--



Order Code	Specification Information	Application Notes
Example: RBC18L111	<i>To order please specify pattern number including:</i>	<i>Flat edge to flat edge:</i>
R from Reff	1. Left or right hand where applicable	RBF top to top brackets are for end to end worksurface connection, no tapered edges.
B Bracket	2. Paint finish where applicable	
C Cantilever	<i>Specify painted finish from paint options listed on page 7.</i>	A cantilever bracket should be used to join two adjacent straight worksurfaces along with pair of RBF top to top brackets. RBF brackets install between screw ports on cantilever bracket to underside of worksurface.
18 18" deep		
L Left hand		
111 Finish, Jet black		

Tapered edges:
 AT2TB top to top brackets are for connection of worksurfaces at right angle, with one or both edges tapered.

A cantilever bracket should be used to join two worksurfaces along with pair of AT2TB top to top brackets. Install one AT2TB bracket behind cantilever and one in front of cantilever.


Midspan suport required every 48" for all worksurfaces.

Side hung support brackets provide primary connection of a worksurface to a panel, not recommended for midspan support.

Worksurface support

Straight legs and wide legs

AutoStrada



description	type	height	pattern number	list
 Straight leg (pair)	Fixed height	27"	AB1AS27 ()	\$321.
		28 ³ / ₈ "	AB1AS28 ()	338.
		30 ¹ / ₈ "	AB1AS30 ()	348.
 Straight leg with casters (pair)	Fixed height	27"	AB1ASC27 ()	321.
		28 ³ / ₈ "	AB1ASC28 ()	338.
		30 ¹ / ₈ "	AB1ASC30 ()	348.
 Wide leg	Fixed height	27"	AB1AW27 ()	283.
		28 ³ / ₈ "	AB1AW28 ()	301.

Support Components

Order Code	Specification Information	Application Notes
Example: AB1AS28 AA AB1A AutoStrada leg S Straight 28 Height AA Finish	AutoStrada straight legs and wide legs are finished in anodized aluminum or painted finish option listed on page 7 excluding silver.	A pair of straight legs or one wide leg can support one end of a worksurface when the other end is spine-supported, panel-supported or joined to a perpendicular worksurface with AT2TB brackets. If distance between support spans over 48", additional support is required. Two pairs of straight legs may also be specified to create a freestanding table in combination with an AutoStrada worksurface not to exceed 72" x 30" with a corresponding stiffener. AutoStrada straight legs are available in three heights with or without casters: 27" from floor to underside of worksurface (28³/₈" desk height) 28³/₈" from floor to underside of worksurface (29³/₄" desk height) 30¹/₈" from floor to underside of worksurface (31¹/₂" desk height) AutoStrada wide legs are only available on glides, 27" or 28³/₈" to underside of worksurface.

Worksurface support T and L bases


AutoStrada

description	type	h	w	d	pattern no.	L	V1	V2	V3	
	right hand	28 ³ / ₈ "	24"		ALBR24 ()	\$427.	\$437.	\$502.	\$653.	
		28 ³ / ₈ "	30"		ALBR30 ()	493.	507.	586.	763.	
		28 ³ / ₈ "	36"		ALBR36 ()	561.	581.	668.	868.	
	left hand	28 ³ / ₈ "	24"		ALBL24 ()	427.	437.	502.	653.	
		28 ³ / ₈ "	30"		ALBL30 ()	493.	507.	586.	763.	
		28 ³ / ₈ "	36"		ALBL36 ()	561.	581.	668.	868.	
<i>left hand shown</i>										
	T Base for tapered 1 edge tops		28 ³ / ₈ "	18"	12"	ATBT120 ()	392.	407.	474.	616.
			28 ³ / ₈ "	22"	12"	ATBT124 ()	421.	437.	502.	653.
			28 ³ / ₈ "	28"	12"	ATBT130 ()	493.	507.	586.	763.
			28 ³ / ₈ "	34"	12"	ATBT136 ()	561.	581.	668.	868.
	T Base for tapered 2 edge tops		28 ³ / ₈ "	20"	12"	ATBT224 ()	421.	437.	502.	653.
			28 ³ / ₈ "	26"	12"	ATBT230 ()	493.	507.	586.	763.
			28 ³ / ₈ "	32"	12"	ATBT236 ()	561.	581.	668.	868.
			28 ³ / ₈ "	38"	12"	ATBT242 ()	693.	715.	825.	1,072.

Order Code	Specification Information	Application Notes
Example: ATB24V316	<i>To order please specify pattern number including:</i>	T and L bases are 28 ³ / ₈ "h to underside of worksurface. If used with wood case pedestals or lower storage as support, must specify cabinet feet (see page 218) for pedestals/lower storage to achieve required height.
A Autostrada	1. Hand (applicable for L bases only) <i>L = left hand</i> <i>R = right hand</i>	
TB T-base	2. Width	
24 24"w x 12"d	3. Finish <i>Laminate, V1, V2 or V3 finish</i>	
V316 Finish, Maple	See page 7 for finish options applicable.	


Worksurface support Modesty panels

AutoStrada



description	h	w	pattern no.	L	V1	V2	V3
Half height suspended modesty 	13"	33 1/2"	AHHSM36 ()	\$307.	\$364.	\$395.	\$514.
	13"	39 1/2"	AHHSM42 ()	317.	371.	406.	528.
	13"	45 1/2"	AHHSM48 ()	325.	379.	416.	541.
	13"	51 1/2"	AHHSM54 ()	335.	386.	427.	555.
	13"	57 1/2"	AHHSM60 ()	343.	394.	438.	569.
	13"	63 1/2"	AHHSM66 ()	353.	401.	449.	583.
	13"	69 1/2"	AHHSM72 ()	362.	409.	460.	597.
	13"	75 1/2"	AHHSM78 ()	371.	416.	471.	612.
	13"	81 1/2"	AHHSM84 ()	380.	424.	482.	626.
	13"	87 1/2"	AHHSM90 ()	389.	431.	492.	640.
	13"	93 1/2"	AHHSM96 ()	398.	439.	503.	654.

Support Components



Order Code	Specification Information	Application Notes
Example: AHHSM30V316	<i>To order please specify pattern number including:</i>	To be used for free-standing private office applications.
A AutoStrada	1. Finish	Half height suspended modesty intended for optional use with work surfaces when creating configurations including a peninsula top supported at one end by a pair of legs (legs on page 211) or "freestanding" table desk by set of legs and would install just behind the legs by angle bracket that ships with modesty. Attachment hardware included.
HH Half height	<i>Laminate, V1, V2 or V3 finish</i>	
S Suspended	See page 7 for finish options applicable.	
M Modesty		
30 for 30"w work surface		If installing below worksurface with grommets, be sure to specify recessed grommet location.
V316 Finish, Maple		

description	type	width	depth	height	pattern number	list
Stiffener for worksurface, full depths 	36"	20"	1 1/2"	1"	AWM1 S36	\$49.
	42"	26"	1 1/2"	1"	AWM1 S42	51.
	48"	32"	1 1/2"	1"	AWM1 S48	53.
	60"	44"	1 1/2"	1"	AWM1 S60	55.
	66"	50"	1 1/2"	1"	AWM1 S66	57.
	72"	56"	1 1/2"	1"	AWM1 S72	59.
	78"	62"	1 1/2"	1"	AWM1 S78	62.
	84"	68"	1 1/2"	1"	AWM1 S84	64.


Order Code	Specification Information	Application Notes
Example: AWM1 S36 AWM1 Stiffener S Straight 36 Application	Stiffeners are black painted finish.	AutoStrada worksurfaces require stiffeners when the span between structural supports exceeds 48". Stiffener also serves as horizontal cable manager. Stiffener corresponds in width to straight or corner worksurface back edge. Specify 12" less wide stiffener to mount adjacent to floor standing pedestal. For 90" application span, use AWM1-S84 stiffener.

description	h	w	pattern no.	list
Tackboard for 49"h Median 	21"	26 1/2"	ATBM26 ()	\$137.
	21"	32 1/2"	ATBM32 ()	168.
	21"	42"	ATBM42 ()	221.
	21"	48"	ATBM48 ()	252.
	21"	54"	ATBM54 ()	284.
	21"	60"	ATBM60 ()	315.
	21"	66"	ATBM66 ()	347.
	21"	72"	ATBM72 ()	378.
	21"	78"	ATBM78 ()	410.
	21"	84"	ATBM84 ()	441.
	21"	90"	ATBM90 ()	473.
	21"	96"	ATBM96 ()	504.
Tackboard for 49"h Bridge 	21"	42"	ATBB42 ()	221.
	21"	48"	ATBB48 ()	252.
	21"	54"	ATBB54 ()	284.
	21"	60"	ATBB60 ()	315.
	21"	66"	ATBB66 ()	347.
	21"	72"	ATBB72 ()	378.
	21"	78"	ATBB78 ()	410.
14"h Tackboard for use with 42"h medians or bridges	14"	26 1/2"	ATB1426 ()	133.
	14"	32 1/2"	ATB1432 ()	163.
	14"	42"	ATB1442 ()	214.
	14"	48"	ATB1448 ()	244.
	14"	54"	ATB1454 ()	275.
	14"	60"	ATB1460 ()	306.
	14"	66"	ATB1466 ()	337.
	14"	72"	ATB1472 ()	367.
	14"	78"	ATB1478 ()	398.
	14"	84"	ATB1484 ()	428.
	14"	90"	ATB1490 ()	459.
	14"	96"	ATB1496 ()	489.





Order Code	Specification Information	Application Notes
Example: ATBM26W359-	<i>To order please specify pattern number including:</i>	Velcro included to attach tackboard to median or bridge as required.
A AutoStrada	1. For median or bridge	Fabric orientation is applied "railroaded".
TB Tackboard	<i>M = for medians</i>	
M for median	<i>B = for bridges</i>	Fabric choices listed on page 8.
26 for 26.5"d gable	2. Width	
W359- Fabric selection	<i>26 = for 26.5 d median gable</i>	
	<i>32 = for 32.5 d median gable</i>	
	<i>All others specify to match width of corresponding median or bridge</i>	
	3. Fabric selection	

description	h	w	pattern no.	AA or paint
Slatwall for Median 	19"	26 1/2"	ASWM26 ()	\$213.
	19"	32 1/2"	ASWM32 ()	267.
	19"	42"	ASWM42 ()	319.
	19"	48"	ASWM48 ()	358.
	19"	54"	ASWM54 ()	398.
	19"	60"	ASWM60 ()	437.
	19"	66"	ASWM66 ()	475.
	19"	72"	ASWM72 ()	513.
	19"	78"	ASWM78 ()	551.
	19"	84"	ASWM84 ()	580.
	19"	90"	ASWM90 ()	608.
	19"	96"	ASWM96 ()	635.
Slatwall for Bridge 	19"	42"	ASWB42 ()	319.
	19"	48"	ASWB48 ()	358.
	19"	54"	ASWB54 ()	398.
	19"	60"	ASWB60 ()	437.
	19"	66"	ASWB66 ()	475.
	19"	72"	ASWB72 ()	513.
	19"	78"	ASWB78 ()	551.

Order Code	Specification Information	Application Notes
Example: ASWM26AA	<i>To order please specify pattern number including:</i>	Slatwall attaches to median or bridge assembly with brackets (supplied with slatwall) which are then screwed onto modesty of median or bridge assembly. Modesties are not predrilled for attachment, field drill required during installation.
A AutoStrada	1. For median or bridge	
SW Slatwall	<i>M = for medians</i>	
M for median	<i>B = for bridges</i>	
26 for 26.5" d gable	2. Width	
AA Finish, anodized aluminum	<i>26 = for 26.5 d median gable</i>	
	<i>32 = for 32.5 d median gable</i>	
	<i>All others specify to match width of corresponding median or bridge</i>	
	3. Finish	
	<i>AA - anodized aluminum or painted finish option from page 7 excluding silver</i>	

description	height	width	pattern no.	list
Wall hung tackboard 	24"	30"	AWHTB30 ()	\$189.
	24"	36"	AWHTB36 ()	227.
	24"	42"	AWHTB42 ()	265.
	24"	48"	AWHTB48 ()	302.
	24"	54"	AWHTB54 ()	340.
	24"	60"	AWHTB60 ()	378.
	24"	66"	AWHTB66 ()	416.
	24"	72"	AWHTB72 ()	454.
	24"	78"	AWHTB78 ()	491.
	24"	84"	AWHTB84 ()	529.
	24"	90"	AWHTB90 ()	567.
	24"	96"	AWHTB96 ()	605.

Order Code	Specification Information	Application Notes
Example: AWHTB30W359-	<i>To order please specify pattern number including:</i> 1. Width 2. Fabric selection	Fabric orientation is applied railroaded. Velcro supplied for attaching to wall. Fabric choices listed on page 8.
A AutoStrada		
WH Wall hung		
TB Tackboard		
30 30" wide		
W359- Fabric selection		3/4" wide x 3/8" deep vertical channel 3" from right hand edge of tackboard routed for task light cord.

description	height	dia.	pattern no.	list
Worksurface stand-off (pair)	1"	1 3/4"	AWSO ()	\$29.
				
Cabinet feet (pair)	1 7/8"	1 3/4"	ACF ()	144.
				
Worksurface stand-off (pair), for "ganging"	1"	1 3/4"	AWSOG ()	29.
				
Cabinet feet (pair) for "ganging"	1 7/8"	1 3/4"	ACFG ()	144.
				

Order Code	Specification Information	Application Notes
Example: AWSOAA	To order please specify pattern number including: 1. Finish <i>AA - anodized aluminum or painted finish option from page 7 excluding silver</i>	Worksurface stand-offs are for use primarily in the private office between work surfaces and wood case pedestals or lower storage. Worksurface stand-offs may also be installed in place of anti-tip wood spacer between worksurfaces and wood case pedestals or lower storage in storage anchored planning. Anti-tip wood spacer and stand-offs are both 1”h. Cabinet feet are for use with lower storage units in private office planning to achieve overall worksurface height of 29³/₈”. Note: Free-standing cabinets on page 159 include cabinet feet. If you are planning to create an open knee space credenza with one storage unit on either end of the credenza, you would require 2 pairs of work surface stand-offs and 2 pairs of cabinet feet for each lower storage unit.
A AutoStrada		
WSO Work surface stand-off		
AA Finish, anodized aluminum		
		When “ganging” units together to create “build-to-spec” credenzas, one pair of worksurface stand-offs and one pair of cabinet feet are required to span side-by-side units. For instance, if creating a credenza with 3 lower storage units, specify 4 pairs of stand-offs and 4 pairs of cabinet feet. Cabinet feet should not be used in spine-based or storage anchored planning models. Use only with wood case pedestals and laterals to achieve overall worksurface height of 29³/₈” (or 28³/₈” to underside of worksurface). Spine based and Storage Anchored planning model components are engineered at 27” from floor to underside of worksurface. To install cabinet feet, first remove leveller from pedestal or lower storage, then reinstall with feet.

This Order Guide provides basic planning, specifications and pricing information for Crinion Open Tables.

Refer to KnollExtra price list for compatible accessories such as flat screen monitor supports, task lights, paper management accessories, keyboard and storage drawers.

Refer to Calibre, Reff or Currents price lists for shared and individual storage options. Additional information can be found at www.knoll.com.

Crinion Open Table is the straightforward alternative for open, collaborative work environments. The table accommodates a group of four to eight or more at a continuous work surface.

Crinion Open Table typically consists of deep worksurfaces end-to-end and back-to-back, cantilever supported by parallel beams between end legs. The beams form a technology corridor for flat screen monitor supports, outlets and power/data distribution. Also available is a single-sided configuration, with a single main beam and a smaller back beam, and a single beam configuration for tables with shallower (24" deep) worksurface.

The center of dual tables or back of single-sided tables features a top channel which supports privacy screens above the table and modular power distribution below the worksurface.

Crinion Open Table is appropriate for libraries and education environments, laboratories, finance and trading desks, teaming areas and design offices.

Crinion Open Table is unique in offering individual height-adjustability and extraordinarily deep worksurfaces. Overall dual table depth is 48", 60" or 72".


The table structure is strong enough to span 16 feet between end legs or intermediate supports to build tables of any length.

The continuous worksurfaces and clear kneespace enable varying numbers of workers to sit on each side. Storage is typically separated from the table in parallel, shared file-and-storage islands, perpendicular files and filetops as returns or mobile pedestals.

Crinion is distinguished by a minimalist, modern design, and details like square or tapered edge worksurfaces, plastic laminate, Techwood or natural veneers, and aluminum fittings.

Crinion Open Table simplifies the planning and specifications of an open office, and it can make a dramatic visual and functional statement of collaboration.

The quality and classic design of Crinion work well in virtually any interior.



Crinion Open Tables are comprised of worksurfaces, table base assemblies, power components and screens.

Worksurfaces

Individual worksurfaces are available in four standard widths (48", 60", 72", 96") and three depths (nominal 24", 30", 36"), which may be combined to form single-sided or dual-sided groups of two to ten or more positions.

Worksurface edge options

Worksurfaces are 1 1/4" thick, with three front edge options: Tapered edge, laminate, veneer or mixed.

Square edge, veneer

Postformed edge, laminate only

Power and accessory options

Worksurfaces may be specified with hinged power access door and continuous 1/2" cord drop, or edge grommet and continuous cord drop, or just cord drop.

Hinged power access door is 24"W and 5"D, centered on worksurface width. Door hinges toward user for continuity between access opening and cord drop.

Any worksurface (except end counters) accepts clamp on KnollExtra accessories such as flat screen monitor arm or task light.

Other worksurface types

End counters have front edge detail on side edges as well and are designed to extend dual tables 24" or 30" beyond the endleg. End counters also include 3" wide center grommet. Extended end counters are 36"D surfaces with center grommet or hinged power access door. Base of the table must be extended 12" under the back of each extended end counter (although top channels should be specified only as wide as the worksurfaces on each side of the table).

All end counters must be supported by end counter cantilevers and endlegs for end counters.

Worksurface heights

Fixed height cantilevers support worksurfaces at 28 1/2"H, with 27" clear below the top (except directly below cantilevers).

Adjustable height cantilevers enable worksurfaces to be independently set at 27", 27 3/4", 28 1/2", 29 1/4", or 30"H.

Open Table base assemblies

Complete base assemblies simplify specifications for most common configurations of dual or single-sided open tables. Base assemblies include top channels and end caps, beams, end legs and intermediate legs (where required), trusses and top channel supports, cantilever brackets (specify fixed or adjustable height) and midspan supports. Specify worksurfaces, screens, power components, cable trays and accessories separately.

Complete base assemblies are available for the following typical tables, combinations of 60" or 72" worksurfaces.

Single-sided or dual, 24"D, 30"D, or 36"D, with continuous beam span between end legs

10' W two/four positions 60"W

12' W two/four positions 72"W

15' W three/six positions 60"W

Single sided or dual 24"D, 30"D, or 36"D, with intermediate leg

18' W three/six positions 72"W

20' W four/eight positions 60"W

24' W four/eight positions 72"W

25' W five/ten positions 60"W

Open Table base components

Base assemblies may also be specified by individual components to create configurations other than those listed above, or to create tables with end counters or frameless glass add ups.

In addition to worksurfaces Open tables require top channel, starter beams for spans up to 15', extension beams for additional spans of 4' to 15', intermediate legs every 16' or less, two end legs, trusses at every worksurface junction and at each end leg. Adjustable tables require two cantilevers per worksurface (or three for 96"W). Fixed height tables may be supported by a fixed height cantilever at each end, shared cantilevers at each worksurface joint, and a midspan support bracket at the center of each worksurface greater than 48" wide. For 96"W worksurfaces the midspan support should be a 24"D cantilever. Power components, cable trays and screens are optional.

Power distribution

Optional modular raceway distributes 2+2 four circuit or 3+3 six circuit configuration from a single point of supply. Bundles of cables can be managed from the floor in a cable infeed shroud located at any intermediate leg. Raceway provides power outlets and data/communications outlet openings on one or both sides, accessed through hinged access doors in worksurfaces or from under table. Specify 30" raceway for two duplex outlets each side or 42" raceway for four duplex outlets each side. Duplex outlets, power infeed and jumpers between raceways must be specified separately.

Specify compact power module for outlets under extended end counters.

Privacy screens

There are four screen options for Crinion Open Table.

The standard screens are 14"H (42" horizon) or 21"H (49" horizon) in acrylic, slatwall or combination surfaces. Center screens include mounting hardware to attach to the standard top channel. Center screens are available full width, 48", 60" or 72", or shorter by 1" to leave space at either end of the table for a dual end screen. Side screens attach to the front and back of a worksurface at any point other than at a hinged access door. Mounting brackets are specified separately to correspond to each worksurface edge detail. Dual end screens span across the end of a table (or above an end counter) from worksurface front edges.

Frameless glass add ups are available in 12" height only, 48", 60", and 72"W. Add ups can only mount to a top channel for frameless glass add ups, which may be at the center of a dual table or back of a single-sided table specified by components.

Original Crinion privacy screens are 12"H or 19"H (41" or 48" horizons) and mount to a standard top channel only.

Morrison Network fabric screens (15"H or 22"H) can also be mounted to the standard top channel with Crinion Open Table mast kit.

Accessories and storage

All Crinion worksurfaces accept clamp base KnollExtra flat screen monitor arms and task lights at any point except behind the hinged power access door. Worksurfaces also accept suspended accessories like adjustable keyboard supports, BackPack center file or keyboard drawers, or CPU holders. Beam location under most tables prevents pedestals deeper than 20" underneath. However 36"D tops can be planned on 30"D table bases to create additional kneespace depth and room for 24"D pedestals.

Crinion Open Table file tops are available for 27"H Calibre files positioned perpendicular to the table to act as returns. Tapered front and back edges assure consistent detail with tapered worksurface edges. File tops are also available for pairs of files and back to back files.

Finishes

L - Laminate

Matching edge band unless noted otherwise

117	Soft Grey
118	Bright White
114	Folkstone Grey
111	Jet Black
119	Pumice
121	Micro Grey with 114 Folkstone grey edge band
122	Brushed Sand with 119 Pumice edge band
123	Brushed Grey with 128 Fog edge band
128	Fog
129	Micro Sand with 119 Pumice edge band

Additional wood grain laminates for application on postformed laminate tops only.

(not available on end counters or tapered edge tops):

125	Natural Maple
126	Natural Cherry
124	Medium Cherry
127	Walnut

V1 - Techwood Closed Pore

Y319	Cherry
Y326	Dark Mahogany
Y316	Maple
Y323	Medium Walnut
Y311	Beech
Y324	Ash
Y325	Chestnut
Y327	Light Oak
Y328	Mahogany
Y329	Medium Oak

V2 - Natural veneer

V312	Bronze Cherry
V433	Light Fawn Cherry
V436	Medium Brown Cherry
V411	Light Walnut
V418	Smoked Walnut
V415	Peacock Green Walnut
V417	Old English Walnut
V316	Maple

(all above V2's are flat cut)

V421	Chalk Oak
V423	Light Oak
V425	Amber Oak
V427	Brown Oak

(all V2 Oaks are quarter cut)

V3 - Exotic veneer

V512	Quartered Figured Anigre
V514	Quartered Makore
V515	Quartered Sycamore
V513	Quartered Graphite Oak
V517	Natural Sapele

(all V3s are quarter cut)

Paint

P1

111	Jet Black
112	Brown
113	Dark Grey
114	Folkstone Grey
115	Medium Grey
116	Sandstone
117	Soft Grey

P2

611	Beige Mist Metallic
612	Medium Metallic Grey

P3

118	Bright White
613	Silver

Anodized

AA	Anodized Aluminum
----	-------------------

Glass

TEMP	Clear Tempered
------	----------------

Acrylic

O	Opal
T	Translucent

Architectural

GL13	Powder
------	--------

Fabric Options

Grade 10

Bailey II (W359)
Broadcloth (W288)
Element (W1077)
Foundation (W351)
Growth Spurt (W692)
Newbury (W812)
Solid Crepe (W257)
Symbolic Detail (W693)
Tailor Made (W133)
Versatility (W432)

Grade 15

Regency (W210)

Grade 20

Banyan (W443)
Bauhaus Block (W296A)
Boardwalk (W911)
Clarity (W281)
Criss Cross (W305)
Devon (W809)

Fabric Options

Grade 20 (continued)

Frequency (W340)
Melbourne (W228)
Outback (W229)
Reflect (W884)
Resolution (W280)
Walkabout (W230)
Weave Three (W298)

Grade 30

Basket Draft (W249)
Circle Line (W1146)
Flow (W565)
Harmony (W232)
Interknit (W1090)
Match Point (W1145)
Micro (W465)
Progression (W403)
Raku Cloth (W566)
Relay (W1020)

Grade 35

Saxony Plus (S)

Grade 40

(Monolithic panels and tackboards only)

Eurythmic (W268)
Ornament (W1078)
Sierra (R)

Grade 45

Casual Elegance (W920)
Dristi (K872) *
Marco (W544)
Mezzo (W543)

**with backing only*

Grade 50

Glo (K757)
Knoll Hopsack (K1206)
Presto (K1000)

Grade 55

Knoll Felt (K1207)
Transition (W816)

Customers Own Material

Prices for panels that are to be manufactured with a customer supplied fabric will follow Grade 10 panel pricing. COM fabrics are subject to a testing charge prior to acceptance for use on panels. Panels bearing COM fabrics are subject to extended leadtimes. It is the responsibility of the customer's purchasing agent to ensure COM fabric is supplied for testing and manufacturing. Delays in receiving COM fabric for manufacturing will result in rescheduled delivery dates.

Mixed Finish work surfaces:

To order mixed finishes, enter four digit finish code as follows:

Use 2 digit prefix to indicate surface finish (laminate)

11	Jet Black
14	Folkstone Grey
17	Soft Grey
18	Bright White
19	Pumice
21	Micro Grey
22	Brushed Sand
23	Brushed Grey
28	Fog
29	Micro Sand




Use 2 digit suffix to indicate edge finish (wood)

11	for Y311
12	for V312
16	for V316, Y316
Y9	for Y319
Y3	for Y323
24	for Y324
25	for Y325
26	for Y326
27	for Y327
28	for Y328
29	for Y329
41	for V431
43	for V433
45	for V415
46	for V436
47	for V417
48	for V418
52	for V512
53	for V513
54	for V514
55	for V515
57	for V517
61	for V411
71	for V421
73	for V423
75	for V425
77	for V427




Example:

For a Micro Grey laminate surface with Bronzed Cherry edge, enter finish code 2112




For a Jet Black laminate surface with Light Maple edge, enter finish code 1116

description	nominal depth	w	d	h	pattern number	L	M	V1	V2	V3
Worksurface, tapered edge 	24"	48"	22"	1 1/4"	XTTK4824A (L/M/1/2/3) () ()	\$706.	\$824.	\$824.	\$904.	\$1,093.
	24"	60"	22"	1 1/4"	XTTK6024A (L/M/1/2/3) () ()	732.	902.	902.	995.	1,211.
	24"	72"	22"	1 1/4"	XTTK7224A (L/M/1/2/3) () ()	782.	952.	952.	1,056.	1,291.
	24"	96"	22"	1 1/4"	XTTK9624A (L/M/1/2/3) () ()	871.	1,075.	1,075.	1,199.	1,476.
	30"	48"	28"	1 1/4"	XTTK4830A (L/M/1/2/3) () ()	716.	893.	893.	987.	1,201.
	30"	60"	28"	1 1/4"	XTTK6030A (L/M/1/2/3) () ()	755.	967.	967.	1,070.	1,308.
	30"	72"	28"	1 1/4"	XTTK7230A (L/M/1/2/3) () ()	809.	1,001.	1,001.	1,109.	1,359.
	30"	96"	28"	1 1/4"	XTTK9630A (L/M/1/2/3) () ()	902.	1,132.	1,132.	1,261.	1,555.
	36"	48"	34"	1 1/4"	XTTK4836A (L/M/1/2/3) () ()	751.	972.	972.	1,081.	1,323.
	36"	60"	34"	1 1/4"	XTTK6036A (L/M/1/2/3) () ()	772.	1,041.	1,041.	1,154.	1,416.
	36"	72"	34"	1 1/4"	XTTK7236A (L/M/1/2/3) () ()	843.	1,053.	1,053.	1,165.	1,432.
	36"	96"	34"	1 1/4"	XTTK9636A (L/M/1/2/3) () ()	960.	1,190.	1,190.	1,327.	1,642.
Worksurface, veneer square edge 	24"	48"	22"	1 1/4"	XTTS4824A (1/2/3) () ()	n/a	n/a	674.	742.	833.
	24"	60"	22"	1 1/4"	XTTS6024A (1/2/3) () ()	n/a	n/a	707.	775.	878.
	24"	72"	22"	1 1/4"	XTTS7224A (1/2/3) () ()	n/a	n/a	742.	810.	924.
	24"	96"	22"	1 1/4"	XTTS9624A (1/2/3) () ()	n/a	n/a	798.	866.	1,003.
	30"	48"	28"	1 1/4"	XTTS4830A (1/2/3) () ()	n/a	n/a	775.	844.	957.
	30"	60"	28"	1 1/4"	XTTS6030A (1/2/3) () ()	n/a	n/a	798.	872.	1,004.
	30"	72"	28"	1 1/4"	XTTS7230A (1/2/3) () ()	n/a	n/a	821.	901.	1,092.
	30"	96"	28"	1 1/4"	XTTS9630A (1/2/3) () ()	n/a	n/a	866.	957.	1,242.
	36"	48"	34"	1 1/4"	XTTS4836A (1/2/3) () ()	n/a	n/a	844.	929.	1,071.
	36"	60"	34"	1 1/4"	XTTS6036A (1/2/3) () ()	n/a	n/a	878.	963.	1,097.
	36"	72"	34"	1 1/4"	XTTS7236A (1/2/3) () ()	n/a	n/a	912.	1,015.	1,202.
	36"	96"	34"	1 1/4"	XTTS9636A (1/2/3) () ()	n/a	n/a	980.	1,116.	1,389.
Worksurface, postformed plastic 	24"	48"	22"	1 1/4"	XTPP4824A (L) () ()	517.	n/a	n/a	n/a	n/a
	24"	60"	22"	1 1/4"	XTPP6024A (L) () ()	590.	n/a	n/a	n/a	n/a
	24"	72"	22"	1 1/4"	XTPP7224A (L) () ()	646.	n/a	n/a	n/a	n/a
	24"	96"	22"	1 1/4"	XTPP9624A (L) () ()	708.	n/a	n/a	n/a	n/a
	30"	48"	28"	1 1/4"	XTPP4830A (L) () ()	539.	n/a	n/a	n/a	n/a
	30"	60"	28"	1 1/4"	XTPP6030A (L) () ()	618.	n/a	n/a	n/a	n/a
	30"	72"	28"	1 1/4"	XTPP7230A (L) () ()	680.	n/a	n/a	n/a	n/a
	30"	96"	28"	1 1/4"	XTPP9630A (L) () ()	753.	n/a	n/a	n/a	n/a
	36"	48"	34"	1 1/4"	XTPP4836A (L) () ()	568.	n/a	n/a	n/a	n/a
	36"	60"	34"	1 1/4"	XTPP6036A (L) () ()	680.	n/a	n/a	n/a	n/a
	36"	72"	34"	1 1/4"	XTPP7236A (L) () ()	735.	n/a	n/a	n/a	n/a
	36"	96"	34"	1 1/4"	XTPP9636A (L) () ()	815.	n/a	n/a	n/a	n/a




Order Code	Specifications	Application Notes
Example: XTPP6030AL 118 118		
XT Crinion Open Table	Worksurfaces are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge.	Crinion 30"D worksurfaces correspond in width to table bases, which are specified separately.
T Worksurface		48"W worksurfaces plan on 12' wide or 20' wide bases. 60"W worksurfaces plan on 5', 10', 15' and 20' wide bases. 72" W worksurfaces plan on 6', 12' and 18' wide bases.
P Postformed plastic	1. Specify finish group: L - Laminate M - Laminate/veneer edge 1 - Veneer group 1 2 - Veneer group 2 3 - Veneer group 3	Power access door is 24" wide, 5" deep, centered at back edge of worksurface.
60 Width		Continuous 1/2" wire drop accommodates clamp-on flat screen monitor arm or most power cords plugs.
30 Depth	2. Specify worksurface finish.	Actual worksurface depth is 22.35", 28.35" or 34.35".
A With center hinged power access	3. Specify hinged access cover finish.	
L Finish Type		Worksurfaces with hinged power access enable access to suspended modular raceway.
118 Work Surface finish	AA anodized aluminum and all P1,P2 and P3 paint finishes are available except 613 Silver.	
118 Access door finish		

description	nominal depth	w	d	h	pattern number	L	M	V1	V2	V3
Worksurface, tapered edge 	24"	48"	22"	1 1/4"	XTTK4824U (L/M/1/2/3) () ()	\$461.	\$579.	\$579.	\$659.	\$848.
	24"	60"	22"	1 1/4"	XTTK6024U (L/M/1/2/3) () ()	487.	657.	657.	750.	966.
	24"	72"	22"	1 1/4"	XTTK7224U (L/M/1/2/3) () ()	537.	707.	707.	811.	1,046.
	24"	96"	22"	1 1/4"	XTTK9624U (L/M/1/2/3) () ()	626.	830.	830.	954.	1,231.
	30"	48"	28"	1 1/4"	XTTK4830U (L/M/1/2/3) () ()	471.	648.	648.	742.	956.
	30"	60"	28"	1 1/4"	XTTK6030U (L/M/1/2/3) () ()	510.	722.	722.	825.	1,063.
	30"	72"	28"	1 1/4"	XTTK7230U (L/M/1/2/3) () ()	564.	756.	756.	864.	1,114.
	30"	96"	28"	1 1/4"	XTTK9630U (L/M/1/2/3) () ()	657.	887.	887.	1,016.	1,310.
	36"	48"	34"	1 1/4"	XTTK4836U (L/M/1/2/3) () ()	506.	727.	727.	836.	1,078.
	36"	60"	34"	1 1/4"	XTTK6036U (L/M/1/2/3) () ()	527.	796.	796.	909.	1,171.
	36"	72"	34"	1 1/4"	XTTK7236U (L/M/1/2/3) () ()	598.	808.	808.	920.	1,187.
	36"	96"	34"	1 1/4"	XTTK9636U (L/M/1/2/3) () ()	715.	945.	945.	1,082.	1,397.
Worksurface, veneer square edge 	24"	48"	22"	1 1/4"	XTTS4824U (1/2/3) () ()	n/a	n/a	429.	497.	588.
	24"	60"	22"	1 1/4"	XTTS6024U (1/2/3) () ()	n/a	n/a	462.	530.	633.
	24"	72"	22"	1 1/4"	XTTS7224U (1/2/3) () ()	n/a	n/a	497.	565.	679.
	24"	96"	22"	1 1/4"	XTTS9624U (1/2/3) () ()	n/a	n/a	553.	621.	758.
	30"	48"	28"	1 1/4"	XTTS4830U (1/2/3) () ()	n/a	n/a	530.	599.	712.
	30"	60"	28"	1 1/4"	XTTS6030U (1/2/3) () ()	n/a	n/a	553.	627.	759.
	30"	72"	28"	1 1/4"	XTTS7230U (1/2/3) () ()	n/a	n/a	576.	656.	847.
	30"	96"	28"	1 1/4"	XTTS9630U (1/2/3) () ()	n/a	n/a	621.	712.	997.
	36"	48"	34"	1 1/4"	XTTS4836U (1/2/3) () ()	n/a	n/a	599.	684.	826.
	36"	60"	34"	1 1/4"	XTTS6036U (1/2/3) () ()	n/a	n/a	633.	718.	852.
	36"	72"	34"	1 1/4"	XTTS7236U (1/2/3) () ()	n/a	n/a	667.	770.	957.
	36"	96"	34"	1 1/4"	XTTS9636U (1/2/3) () ()	n/a	n/a	735.	871.	1,144.
Worksurface, postformed plastic 	24"	48"	22"	1 1/4"	XTTP4824B (L) () ()	272.	n/a	n/a	n/a	n/a
	24"	60"	22"	1 1/4"	XTTP6024B (L) () ()	345.	n/a	n/a	n/a	n/a
	24"	72"	22"	1 1/4"	XTTP7224B (L) () ()	401.	n/a	n/a	n/a	n/a
	24"	96"	22"	1 1/4"	XTTP9624B (L) () ()	463.	n/a	n/a	n/a	n/a
	30"	48"	28"	1 1/4"	XTTP4830B (L) () ()	294.	n/a	n/a	n/a	n/a
	30"	60"	28"	1 1/4"	XTTP6030B (L) () ()	373.	n/a	n/a	n/a	n/a
	30"	72"	28"	1 1/4"	XTTP7230B (L) () ()	435.	n/a	n/a	n/a	n/a
	30"	96"	28"	1 1/4"	XTTP9630B (L) () ()	508.	n/a	n/a	n/a	n/a
	36"	48"	34"	1 1/4"	XTTP4836B (L) () ()	323.	n/a	n/a	n/a	n/a
	36"	60"	34"	1 1/4"	XTTP6036B (L) () ()	435.	n/a	n/a	n/a	n/a
	36"	72"	34"	1 1/4"	XTTP7236B (L) () ()	490.	n/a	n/a	n/a	n/a
	36"	96"	34"	1 1/4"	XTTP9636B (L) () ()	570.	n/a	n/a	n/a	n/a

Order Code	Specifications	Application Notes
Example: XTTP6030BL 118 812		
XT Crinion Open Table	Worksurfaces are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge.	Crinion 30"D worksurfaces correspond in width to table bases, which are specified separately.
T Worksurface	1. Specify finish group: L - Laminate M - Laminate/veneer edge	48"W worksurfaces plan on 12' wide or 20' wide bases. 60"W worksurfaces plan on 5', 10', 15' and 20' wide bases. 72" W worksurfaces plan on 6', 12' and 18' wide bases.
P Postformed plastic	1 - Veneer group 1 2 - Veneer group 2 3 - Veneer group 3	Edge grommet accommodates most power cord plugs up to 1" deep.
60 Width	2. Specify worksurface finish.	
30 Depth	3. Specify grommet color: 812 - Easy grey 111 - Black	
B With edge grommet		
L Finish type		
118 Surface finish		
812 Grommet finish		

description	nominal depth	w	d	h	pattern number	L	M	V1	V2	V3
Worksurface, tapered edge 	24"	48"	22"	1 1/4"	XTTK4824C (L/M/1/2/3) ()	\$431.	\$549.	\$549.	\$629.	\$818.
	24"	60"	22"	1 1/4"	XTTK6024C (L/M/1/2/3) ()	457.	627.	627.	720.	936.
	24"	72"	22"	1 1/4"	XTTK7224C (L/M/1/2/3) ()	507.	677.	677.	781.	1,016.
	24"	96"	22"	1 1/4"	XTTK9624C (L/M/1/2/3) ()	596.	800.	800.	924.	1,201.
	30"	48"	28"	1 1/4"	XTTK4830C (L/M/1/2/3) ()	441.	618.	618.	712.	926.
	30"	60"	28"	1 1/4"	XTTK6030C (L/M/1/2/3) ()	480.	692.	692.	795.	1,033.
	30"	72"	28"	1 1/4"	XTTK7230C (L/M/1/2/3) ()	534.	726.	726.	834.	1,084.
	30"	96"	28"	1 1/4"	XTTK9630C (L/M/1/2/3) ()	627.	857.	857.	986.	1,280.
	36"	48"	34"	1 1/4"	XTTK4836C (L/M/1/2/3) ()	476.	697.	697.	806.	1,048.
	36"	60"	34"	1 1/4"	XTTK6036C (L/M/1/2/3) ()	497.	766.	766.	879.	1,141.
	36"	72"	34"	1 1/4"	XTTK7236C (L/M/1/2/3) ()	568.	778.	778.	890.	1,157.
	36"	96"	34"	1 1/4"	XTTK9636C (L/M/1/2/3) ()	685.	915.	915.	1,052.	1,367.
Worksurface, veneer square edge 	24"	48"	22"	1 1/4"	XTTS4824C (1/2/3) ()	n/a	n/a	399.	467.	558.
	24"	60"	22"	1 1/4"	XTTS6024C (1/2/3) ()	n/a	n/a	432.	500.	603.
	24"	72"	22"	1 1/4"	XTTS7224C (1/2/3) ()	n/a	n/a	467.	535.	649.
	24"	96"	22"	1 1/4"	XTTS9624C (1/2/3) ()	n/a	n/a	523.	591.	728.
	30"	48"	28"	1 1/4"	XTTS4830C (1/2/3) ()	n/a	n/a	500.	569.	682.
	30"	60"	28"	1 1/4"	XTTS6030C (1/2/3) ()	n/a	n/a	523.	597.	729.
	30"	72"	28"	1 1/4"	XTTS7230C (1/2/3) ()	n/a	n/a	546.	626.	817.
	30"	96"	28"	1 1/4"	XTTS9630C (1/2/3) ()	n/a	n/a	591.	682.	967.
	36"	48"	34"	1 1/4"	XTTS4836C (1/2/3) ()	n/a	n/a	569.	654.	796.
	36"	60"	34"	1 1/4"	XTTS6036C (1/2/3) ()	n/a	n/a	603.	688.	822.
	36"	72"	34"	1 1/4"	XTTS7236C (1/2/3) ()	n/a	n/a	637.	740.	927.
	36"	96"	34"	1 1/4"	XTTS9636C (1/2/3) ()	n/a	n/a	705.	841.	1,114.
Worksurface, postformed plastic 	24"	48"	22"	1 1/4"	XTPP4824C (L) ()	242.	n/a	n/a	n/a	n/a
	24"	60"	22"	1 1/4"	XTPP6024C (L) ()	315.	n/a	n/a	n/a	n/a
	24"	72"	22"	1 1/4"	XTPP7224C (L) ()	371.	n/a	n/a	n/a	n/a
	24"	96"	22"	1 1/4"	XTPP9624C (L) ()	433.	n/a	n/a	n/a	n/a
	30"	48"	28"	1 1/4"	XTPP4830C (L) ()	264.	n/a	n/a	n/a	n/a
	30"	60"	28"	1 1/4"	XTPP6030C (L) ()	343.	n/a	n/a	n/a	n/a
	30"	72"	28"	1 1/4"	XTPP7230C (L) ()	405.	n/a	n/a	n/a	n/a
	30"	96"	28"	1 1/4"	XTPP9630C (L) ()	478.	n/a	n/a	n/a	n/a
	36"	48"	34"	1 1/4"	XTPP4836C (L) ()	293.	n/a	n/a	n/a	n/a
	36"	60"	34"	1 1/4"	XTPP6036C (L) ()	405.	n/a	n/a	n/a	n/a
	36"	72"	34"	1 1/4"	XTPP7236C (L) ()	460.	n/a	n/a	n/a	n/a
	36"	96"	34"	1 1/4"	XTPP9636C (L) ()	540.	n/a	n/a	n/a	n/a





Order Code	Specifications	Application Notes
Example: XTPP6030CL 118	Worksurfaces are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge.	Crinion 30"D worksurfaces correspond in width to table bases, which are specified separately. 48"W worksurfaces plan on 12' wide or 20' wide bases. 60"W worksurfaces plan on 5', 10', 15' and 20' wide bases. 72" W worksurfaces plan on 6', 12' and 18' wide bases.
XT Crinion Open Table	Specify finishes: L - Laminate M - Laminate/veneer edge	Actual worksurface depth is 21.85", 27.85" or 33.85".
T Worksurface	1 - Veneer group 1	
P Postformed plastic	2 - Veneer group 2	
60 Width	3 - Veneer group 3	
30 Depth		
C With cord drop		Continuous 1/2" cord drop accommodates clamp-on flat screen monitor arm or most power cords.
L Finish type		
118 Surface		

description	nominal depth	w	l	h	pattern number	L	M	V1	V2	V3
End counter, tapered edge 	24"	48"	24"	1 1/4"	XTTK4824E (L/M/1/2/3) ()	\$604.	\$777.	\$777.	\$857.	\$1,045.
	24"	60"	24"	1 1/4"	XTTK6024E (L/M/1/2/3) ()	714.	854.	854.	948.	1,163.
	24"	72"	24"	1 1/4"	XTTK7224E (L/M/1/2/3) ()	741.	904.	904.	1,008.	1,243.
	30"	48"	30"	1 1/4"	XTTK4830E (L/M/1/2/3) ()	675.	846.	846.	939.	1,153.
	30"	60"	30"	1 1/4"	XTTK6030E (L/M/1/2/3) ()	737.	919.	919.	1,022.	1,261.
	30"	72"	30"	1 1/4"	XTTK7230E (L/M/1/2/3) ()	768.	953.	953.	1,061.	1,312.
End counter, veneer square edge 	24"	48"	24"	1 1/4"	XTTS4824E (1/2/3) ()	n/a	n/a	399.	467.	558.
	24"	60"	24"	1 1/4"	XTTS6024E (1/2/3) ()	n/a	n/a	432.	500.	603.
	24"	72"	24"	1 1/4"	XTTS7224E (1/2/3) ()	n/a	n/a	467.	535.	649.
	30"	48"	30"	1 1/4"	XTTS4830E (1/2/3) ()	n/a	n/a	500.	569.	682.
	30"	60"	30"	1 1/4"	XTTS6030E (1/2/3) ()	n/a	n/a	523.	597.	729.
	30"	72"	30"	1 1/4"	XTTS7230E (1/2/3) ()	n/a	n/a	546.	626.	817.
End counter for postformed plastic 	24"	48"	24"	1 1/4"	XTPP4824E (L) ()	450.	n/a	n/a	n/a	n/a
	24"	60"	24"	1 1/4"	XTPP6024E (L) ()	535.	n/a	n/a	n/a	n/a
	24"	72"	24"	1 1/4"	XTPP7224E (L) ()	602.	n/a	n/a	n/a	n/a
	30"	48"	30"	1 1/4"	XTPP4830E (L) ()	506.	n/a	n/a	n/a	n/a
	30"	60"	30"	1 1/4"	XTPP6030E (L) ()	602.	n/a	n/a	n/a	n/a
	30"	72"	30"	1 1/4"	XTPP7230E (L) ()	720.	n/a	n/a	n/a	n/a

* Note

Order Code	Specifications	Application Notes
Example: XTPP6024EL 118		
XT Crinion Open Table	End counters are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge. End counters are tapered front and side edges only.	End counters mount at the ends of dual tables with two end counter cantilever brackets. Specify dual end legs for end counters instead of standard dual end legs (tables with end counters must be specified from components, not assemblies).
T Worksurface		
P Postformed plastic		
60 Width		
24 Length		
E End counter	Specify finishes: L - Laminate M - Laminate/veneer edge	
L Finish Type	1 - Veneer group 1 2 - Veneer group 2 3 - Veneer group 3	Specify 48" W for dual 24" tables, 60" W for dual 30" tables and 72" W for dual 36" tables.
118 Surface		Specify added length of 24" or 30" beyond end leg for end counters. * Note - End counters for postformed plastic are not available in these finishes: 121 Micro grey 129 Micro sand 122 Brushed sand 123 Brushed grey

description	nominal depth	w	l	h	pattern no.	L	M	V1	V2	V3
Extended end counter, tapered edge with hinged power access	36"	48"	36"	1 1/4"	XTTK4836D (L/M/1/2/3) () ()	\$1,016.	\$1,179.	\$1,179.	\$1,283.	\$1,518.
	36"	60"	36"	1 1/4"	XTTK6036D (L/M/1/2/3) () ()	1,043.	1,228.	1,228.	1,336.	1,587.
	36"	72"	36"	1 1/4"	XTTK7236D (L/M/1/2/3) () ()	1,119.	1,321.	1,321.	1,435.	1,713.
Extended end counter, tapered edge with grommet	36"	48"	36"	1 1/4"	XTTK4836E (L/M/1/2/3) () ()	741.	904.	904.	1,008.	1,243.
	36"	60"	36"	1 1/4"	XTTK6036E (L/M/1/2/3) () ()	768.	953.	953.	1,061.	1,312.
	36"	72"	36"	1 1/4"	XTTK7236E (L/M/1/2/3) () ()	844.	1,046.	1,046.	1,160.	1,438.
Extended end counter, veneer square edge with hinged power access	36"	48"	36"	1 1/4"	XTTS4836D (1/2/3) () ()	n/a	n/a	719.	784.	892.
	36"	60"	36"	1 1/4"	XTTS6036D (1/2/3) () ()	n/a	n/a	821.	901.	1,092.
	36"	72"	36"	1 1/4"	XTTS7236D (1/2/3) () ()	n/a	n/a	901.	985.	1,213.
Extended end counter, veneer square edge with grommet	36"	48"	36"	1 1/4"	XTTS4836E (1/2/3) () ()	n/a	n/a	444.	509.	617.
	36"	60"	36"	1 1/4"	XTTS6036E (1/2/3) () ()	n/a	n/a	546.	626.	817.
	36"	72"	36"	1 1/4"	XTTS7236E (1/2/3) () ()	n/a	n/a	626.	710.	938.



Order Code	Specifications	Application Notes
Example: XTTP6036DL 118 AA		
XT Crinion Open Table	End counters are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge. End counters are tapered front and side edges only.	End counters mount at the ends of dual tables with two end counter cantilever brackets. Specify dual end legs for end counters instead of standard dual end legs (tables with end counters must be specified from components, not assemblies).
T Worksurface		
P Postformed plastic		
60 Width	1. Specify finish group: L - Laminate M - Laminate/veneer edge	
36 Length	1 - Veneer group 1 2 - Veneer group 2 3 - Veneer group 3	Specify 48" W for dual 24" tables, 60" W for dual 30" tables and 72" W for dual 36" tables.
D End counter,center hinged power access	2. Specify worksurface finish.	
L Finish Type	3. Specify hinged access cover finish.	
118 Surface finish		
AA Access door finish		


Hinged access covers are available in AA anodized aluminum and all standard paint finishes except 613 Silver.

Each extended end counter requires base assembly 12" longer than worksurfaces on each side.

* Note - End counters for postformed plastic are not available in these finishes:

121	Micro grey
129	Micro sand
122	Brushed sand
123	Brushed grey

description	nominal depth	w	l	h	pattern no.	L	M	V1	V2	V3
Extended end counter, postformed plastic with hinged power access	36"	48"	36"	1 1/4"	XTTP4836D (L) () ()	\$877.	n/a	n/a	n/a	n/a
	36"	60"	36"	1 1/4"	XTTP6036D (L) () ()	995.	n/a	n/a	n/a	n/a
	36"	72"	36"	1 1/4"	XTTP7236D (L) () ()	1,080.	n/a	n/a	n/a	n/a



* Note

Extended end counter, postformed plastic with grommet	36"	48"	36"	1 1/4"	XTTP4836E (L) ()	602.	n/a	n/a	n/a	n/a
	36"	60"	36"	1 1/4"	XTTP6036E (L) ()	720.	n/a	n/a	n/a	n/a
	36"	72"	36"	1 1/4"	XTTP7236E (L) ()	805.	n/a	n/a	n/a	n/a

* Note




Order Code	Specifications	Application Notes
Example: XTTP6036DL 118 AA		
XT Crinion Open Table	End counters are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge. End counters are tapered front and side edges only.	End counters mount at the ends of dual tables with two end counter cantilever brackets. Specify dual end legs for end counters instead of standard dual end legs (tables with end counters must be specified from components, not assemblies).
T Worksurface		
P Postformed plastic		
60 Width	1. Specify finish group: L - Laminate M - Laminate/veneer edge	
36 Length	1 - Veneer group 1 2 - Veneer group 2 3 - Veneer group 3	
D End counter, center hinged power access	2. Specify worksurface finish.	Specify 48" W for dual 24" tables, 60" W for dual 30" tables and 72" W for dual 36" tables.
L Finish Type	3. Specify hinged access cover finish.	
118 Surface finish		
AA Access door finish		

Hinged access covers are available in AA anodized aluminum and all standard paint finishes except 613 Silver.

Each extended end counter requires base assembly 12" longer than worksurfaces on each side.

* Note - End counters for postformed plastic are not available in these finishes:




121	Micro grey
129	Micro sand
122	Brushed sand
123	Brushed grey

description	w	d	h	pattern number	L	M	V1	V2	V3
File top, tapered edge 	30"	18"	1 1/4"	XTTK3018F (L/M/1/2/3) ()	\$315.	\$535.	\$523.	\$558.	\$808.
	30"	36"	1 1/4"	XTTK3036F (L/M/1/2/3) ()	432.	674.	674.	756.	949.
	36"	18"	1 1/4"	XTTK3618F (L/M/1/2/3) ()	327.	546.	535.	563.	861.
	36"	36"	1 1/4"	XTTK3636F (L/M/1/2/3) ()	450.	738.	738.	827.	1,042.
	42"	18"	1 1/4"	XTTK4218F (L/M/1/2/3) ()	338.	558.	546.	574.	913.
	42"	36"	1 1/4"	XTTK4236F (L/M/1/2/3) ()	471.	767.	767.	866.	1,093.
	60"	18"	1 1/4"	XTTK6018F (L/M/1/2/3) ()	535.	824.	824.	910.	1,137.
	60"	36"	1 1/4"	XTTK6036F (L/M/1/2/3) ()	579.	879.	879.	993.	1,255.
	72"	18"	1 1/4"	XTTK7218F (L/M/1/2/3) ()	562.	853.	853.	955.	1,195.
	72"	36"	1 1/4"	XTTK7236F (L/M/1/2/3) ()	618.	891.	891.	1,004.	1,270.
	84"	18"	1 1/4"	XTTK8418F (L/M/1/2/3) ()	608.	910.	910.	1,023.	1,251.
	84"	36"	1 1/4"	XTTK8436F (L/M/1/2/3) ()	662.	958.	958.	1,091.	1,384.
File top, veneer square edge 	30"	18"	1 1/4"	XTTS3018F (1/2/3) ()	n/a	n/a	233.	256.	425.
	36"	18"	1 1/4"	XTTS3618F (1/2/3) ()	n/a	n/a	239.	262.	459.
	42"	18"	1 1/4"	XTTS4218F (1/2/3) ()	n/a	n/a	245.	268.	495.
File top, postformed plastic 	30"	18"	1 1/4"	XTTP3018F (L) ()	214.	n/a	n/a	n/a	n/a
	36"	18"	1 1/4"	XTTP3618F (L) ()	225.	n/a	n/a	n/a	n/a
	42"	18"	1 1/4"	XTTP4218F (L) ()	236.	n/a	n/a	n/a	n/a

Order Code	Specifications	Application Notes
Example: XTTP4218FL 118		
XT Crinion Open Table	File tops are 1 1/4" thick with square edge or tapered edge option tapering to 1/2" thick front edge. Tapered edge file tops are tapered front and back edges only.	File tops correspond to 30", 36" or 42"W lateral files. File tops on 2 high Calibre files positioned perpendicular to the Crinion Open Table serve as a worksurface return.
T Worksurface		
P Postformed		
42 Width		
18 Depth	Specify finishes:	
F File top	L - Laminate	
L Finish type	M - Laminate/veneer edge	
118 Surface	1 - Veneer group 1	
	2 - Veneer group 2	
	3 - Veneer group 3	

Complete base assemblies fixed height 24" D dual

AutoStrada

description	nominal	w	d	h	pattern number	P2	P3
 Base assembly, continuous	10' dual	120"	44"	28 1/2"	XTB1 BAS 24D10CF () ()	\$8,160.	\$8,376.
	12' dual	144"	44"	28 1/2"	XTB1 BAS 24D12CF () ()	8,502.	8,718.
	15' dual	180"	44"	28 1/2"	XTB1 BAS 24D15CF () ()	9,838.	10,062.
 Base assembly, segmented	10' + 5' dual	180"	44"	28 1/2"	XTB1 BAS 24D15SF () ()	10,553.	10,779.
 Base assembly, with intermediate leg	12' + 6' dual	216"	44"	28 1/2"	XTB1 BAS 24D18SF () ()	11,645.	11,870.
	10' + 10' dual	240"	44"	28 1/2"	XTB1 BAS 24D20SF () ()	12,727.	12,960.
	12' + 12' dual	288"	44"	28 1/2"	XTB1 BAS 24D24SF () ()	13,411.	13,644.
	15' + 10' dual	300"	44"	28 1/2"	XTB1 BAS 24D25SF () ()	14,405.	14,647.



Order Code	Specifications	Application Notes
Example: XTB1BAS24D10CF 613 AA	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
XT Crinion Open Table	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	Base assemblies correspond to: 10': four 60"x24"D worksurfaces 12': four 72"x24"D worksurfaces 15': six 60"x24"D worksurfaces 18': six 72"x24"D worksurfaces 20': eight 60"x24"D worksurfaces 24': eight 72"x24"D worksurfaces 25': ten 60"x24"D worksurfaces
B1 Base components		
BAS Assembly		
24 Depth		
D Dual		
10 Width		
C Continuous		
F Fixed height		
613 Base finish		
AA Top channel finish		

1. Specify painted finish for base assembly.
For leg and cantilever brackets specify one paint finish for all.
2. Specify finish for top channel.
AA anodized aluminum and all paint finishes are available except 613 Silver.
Beams are anodized aluminum only.

No table on this page has beams longer than 15'.

Complete base assemblies fixed height 24" D single sided

AutoStrada

description	nominal	w	d	h	pattern number	P2	P3
 Base assembly, continuous	10' single sided	120"	24"	28 1/2"	XTB1 BAS 24S10CF () ()	\$7,342.	\$7,550.
	12' single sided	144"	24"	28 1/2"	XTB1 BAS 24S12CF () ()	7,684.	7,891.
	15' single sided	180"	24"	28 1/2"	XTB1 BAS 24S15CF () ()	8,716.	8,927.
 Base assembly, segmented	10' + 5' single sided	180"	24"	28 1/2"	XTB1 BAS 24S15SF () ()	9,432.	9,644.
 Base assembly, with intermediate leg	12' + 6' single sided	216"	24"	28 1/2"	XTB1 BAS 24S18SF () ()	10,522.	10,735.
	10' + 10' single sided	240"	24"	28 1/2"	XTB1 BAS 24S20SF () ()	11,301.	11,517.
	12' + 12' single sided	288"	24"	28 1/2"	XTB1 BAS 24S24SF () ()	11,984.	12,200.
	15' + 10' single sided	300"	24"	28 1/2"	XTB1 BAS 24S25SF () ()	12,674.	12,895.




Order Code	Specifications	Application Notes
Example: XTB1BAS24S10CF 613 118	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
XT Crinion Open Table	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	Base assemblies correspond to: 10': two 60"x24"D worksurfaces 12': two 72"x24"D worksurfaces 15': three 60"x24"D worksurfaces 18': three 72"x24"D worksurfaces 20': four 60"x24"D worksurfaces 24': four 72"x24"D worksurfaces 25': five 60"x24"D worksurfaces
B1 Base components		
BAS Assembly		
24 Depth		
S Single		
10 Width		
C Continuous		
F Fixed height		
613 Base finish		
118 Top channel finish		

1. Specify base finish for base assembly.
For legs and cantilever brackets specify one paint finish for all.
2. Specify top channel finish.
AA anodized aluminum and all paint finishes are available except 613 Silver.
Beams are anodized aluminum only.

No table on this page has beams longer than 15'.

Complete base assemblies fixed height 30" D dual

AutoStrada

description	nominal	w	d	h	pattern number	P2	P3
 Base assembly, continuous	10' dual	120"	54"	28 1/2"	XTB1 BAS 30D10CF () ()	\$9,710.	\$9,985.
	12' dual	144"	54"	28 1/2"	XTB1 BAS 30D12CF () ()	10,106.	10,381.
	15' dual	180"	54"	28 1/2"	XTB1 BAS 30D15CF () ()	11,764.	12,069.
 Base assembly, segmented	10' + 5' dual	180"	54"	28 1/2"	XTB1 BAS 30D15SF () ()	12,756.	13,060.
 Base assembly, with intermediate leg	12' + 6' dual	216"	54"	28 1/2"	XTB1 BAS 30D18SF () ()	14,134.	14,482.
	10' + 10' dual	240"	54"	28 1/2"	XTB1 BAS 30D20SF () ()	15,758.	16,135.
	12' + 12' dual	288"	54"	28 1/2"	XTB1 BAS 30D24CF () ()	16,551.	16,928.
	15' + 10' dual	300"	54"	28 1/2"	XTB1 BAS 30D25CF () ()	17,812.	18,218.

Order Code

Example:	XTB1BAS30D18SF 613 111
XT	Crinion Open Table
B1	Base components
BAS	Assembly
30	Depth
D	Dual
18	Width
S	Segmented
F	Fixed height
613	Base finish
111	Top channel finish

Specifications

Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.

Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.

- Specify base finish for base assembly.
For legs and cantilever brackets specify one paint finish for all.
- Specify top channel finish.
AA anodized aluminum and all paint finishes are available except 613 Silver.
Beams are anodized aluminum only.

Application Notes




Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.

No table on this page has beams longer than 15'.

Base assemblies correspond to:
 10': four 60"x30"D worksurfaces
 12': four 72"x30"D worksurfaces
 15': six 60"x30"D worksurfaces
 18': six 72"x30"D worksurfaces
 20': eight 60"x30"D worksurfaces
 24': eight 72"x30"D worksurfaces
 25': ten 60"x30"D worksurfaces

Complete base assemblies fixed height 30" D single sided




AutoStrada

description	nominal	w	d	h	pattern number	P2	P3
 Base assembly, continuous	10' single sided	120"	28 3/4"	28 1/2"	XTB1 BAS 30S10CF () ()	\$8,547.	\$8,784.
	12' single sided	144"	28 3/4"	28 1/2"	XTB1 BAS 30S12CF () ()	8,943.	9,180.
	15' single sided	180"	28 3/4"	28 1/2"	XTB1 BAS 30S15CF () ()	10,174.	10,426.
 Base assembly, segmented	10' + 5' single sided	180"	28 3/4"	28 1/2"	XTB1 BAS 30S15SF () ()	9,513.	9,764.
 Base assembly, with intermediate leg	12' + 6' single sided	216"	28 3/4"	28 1/2"	XTB1 BAS 30S18SF () ()	10,329.	10,580.
	10' + 10' single sided	240"	28 3/4"	28 1/2"	XTB1 BAS 30S20SF () ()	11,747.	12,013.
	12' + 12' single sided	288"	28 3/4"	28 1/2"	XTB1 BAS 30S24SF () ()	14,194.	14,459.
	15' + 10' single sided	300"	28 3/4"	28 1/2"	XTB1 BAS 30S25SF () ()	15,029.	15,308.

Order Code	Specifications	Application Notes
Example: XTB1BAS30S15CF 613 115	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
XT Crinion Open Table	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	Base assemblies correspond to: 10': two 60"x30"D worksurfaces 12': two 72"x30"D worksurfaces 15': three 60"x30"D worksurfaces 18': three 72"x30"D worksurfaces 20': four 60"x30"D worksurfaces 24': four 72"x30"D worksurfaces 25': five 60"x30"D worksurfaces
B1 Base components	1. Specify base finish for base assembly.	No table on this page has beams longer than 15'.
BAS Assembly	For legs and cantilever brackets specify one paint finish for all.	
30 Depth	2. Specify top channel finish.	
S Single	AA anodized aluminum and all paint finishes are available except 613 Silver.	
15 Width	Beams are anodized aluminum only.	
C Continuous		
F Fixed height		
613 Base finish		
115 Top channel finish		

Complete base assemblies adjustable height 30" D dual




AutoStrada

description	nominal	w	d	h	pattern number	P2	P3
 Base assembly, continuous	10' dual	120"	54"	28 1/2"	XTB1 BAS 30D10CA () ()	\$9,853.	\$10,139.
	12' dual	144"	54"	28 1/2"	XTB1 BAS 30D12CA () ()	10,250.	10,536.
	15' dual	180"	54"	28 1/2"	XTB1 BAS 30D15CA () ()	12,179.	12,509.
 Base assembly, segmented	10' + 5' dual	180"	54"	28 1/2"	XTB1 BAS 30D15SA () ()	13,171.	13,501.
 Base assembly, with intermediate leg	12' + 6' dual	216"	54"	28 1/2"	XTB1 BAS 30D18SA () ()	14,548.	14,923.
	10' + 10' dual	240"	54"	28 1/2"	XTB1 BAS 30D20SA () ()	16,443.	16,862.
	12' + 12' dual	288"	54"	28 1/2"	XTB1 BAS 30D24CA () ()	17,237.	17,655.
	15' + 10' dual	300"	54"	28 1/2"	XTB1 BAS 30D25CA () ()	18,769.	19,232.

Order Code	Specifications	Application Notes
Example: XTB1BAS30D18SA 613 118	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, top channel and end caps.
XT Crinion Open Table	1. Specify base finish for base assembly.	Base assemblies correspond to: 10': four 60"x30"D worksurfaces 12': four 72"x30"D worksurfaces 15': six 60"x30"D worksurfaces 18': six 72"x30"D worksurfaces 20': eight 60"x30"D worksurfaces 24': eight 72"x30"D worksurfaces 25': ten 60"x30"D worksurfaces
B1 Base components	For legs and cantilever brackets specify one paint finish for all.	No table on this page has beams longer than 15'.
BAS Assembly	2. Specify top channel finish.	
30 Depth	AA anodized aluminum and all paint finishes are available except 613 Silver.	
D Dual	Beams are anodized aluminum only.	
18 Width		
S Segmented		
A Adjustable height		
613 Base finish		
118 Top channel finish		

Complete base assemblies adjustable height 30" D single sided




AutoStrada

description	nominal	w	d	h	pattern number	P2	P3
 Base assembly, continuous	10' single sided	120"	28 3/4"	28 1/2"	XTB1 BAS 30S10CA () ()	\$8,641.	\$8,883.
	12' single sided	144"	28 3/4"	28 1/2"	XTB1 BAS 30S12CA () ()	9,037.	9,279.
	15' single sided	180"	28 3/4"	28 1/2"	XTB1 BAS 30S15CA () ()	10,415.	10,679.
 Base assembly, segmented	10' + 5' single sided	180"	28 3/4"	28 1/2"	XTB1 BAS 30S15SA () ()	9,754.	10,018.
 Base assembly, with intermediate leg	12' + 6' single sided	216"	28 3/4"	28 1/2"	XTB1 BAS 30S18SA () ()	10,789.	11,054.
	10' + 10' single sided	240"	28 3/4"	28 1/2"	XTB1 BAS 30S20SA () ()	12,134.	12,421.
	12' + 12' single sided	288"	28 3/4"	28 1/2"	XTB1 BAS 30S24SA () ()	14,581.	14,867.
	15' + 10' single sided	300"	28 3/4"	28 1/2"	XTB1 BAS 30S25SA () ()	15,561.	15,870.

Order Code	Specifications	Application Notes
Example: XTB1BAS30S18SA 613 AA	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, top channel and end caps.
XT Crinion Open Table	1. Specify base finish for base assembly.	Base assemblies correspond to: 10': two 60"x30"D worksurfaces 12': two 72"x30"D worksurfaces 15': three 60"x30"D worksurfaces 18': three 72"x30"D worksurfaces 20': four 60"x30"D worksurfaces 24': four 72"x30"D worksurfaces 25': five 60"x30"D worksurfaces
B1 Base components	For legs and cantilever brackets specify one paint finish for all.	
BAS Assembly	2. Specify top channel finish.	No table on this page has beams longer than 15'.
30 Depth	AA anodized aluminum and all paint finishes are available except 613 Silver.	
S Single	Beams are anodized aluminum only.	
18 Width		
S Segmented		
A Adjustable height		
613 Base finish		
AA Top channel finish		

Complete base assemblies fixed height 36" D dual

AutoStrada

description	nominal	w	h	d	pattern number	P2	P3
 Base assembly, continuous	10' dual	120"	28 1/2"	54"	XTB1 BAS 36D10CF () ()	\$9,842.	\$10,118.
	12' dual	144"	28 1/2"	54"	XTB1 BAS 36D12CF () ()	10,238.	10,514.
	15' dual	180"	28 1/2"	54"	XTB1 BAS 36D15CF () ()	11,940.	12,245.
 Base assembly, segmented	10' + 5' dual	180"	28 1/2"	54"	XTB1 BAS 36D15SF () ()	12,932.	13,237.
 Base assembly, with intermediate leg	12' + 6' dual	216"	28 1/2"	54"	XTB1 BAS 36D18SF () ()	14,310.	14,658.
	10' + 10' dual	240"	28 1/2"	54"	XTB1 BAS 36D20SF () ()	15,978.	16,355.
	12' + 12' dual	288"	28 1/2"	54"	XTB1 BAS 36D24CF () ()	16,771.	17,148.
	15' + 10' dual	300"	28 1/2"	54"	XTB1 BAS 36D25CF () ()	18,077.	18,482.




Order Code	Specifications	Application Notes
Example: XTB1BAS36D18SF 613 111	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
XT Crinion Open Table	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	Base assemblies correspond to: 10': four 60"x36"D worksurfaces 12': four 72"x36"D worksurfaces 15': six 60"x36"D worksurfaces 18': six 72"x36"D worksurfaces 20': eight 60"x36"D worksurfaces 24': eight 72"x36"D worksurfaces 25': ten 60"x36"D worksurfaces
B1 Base components		
BAS Assembly		
36 Depth		
D Dual		
18 Width		
S Segmented		
F Fixed height		
613 Base finish		
111 Top channel finish		

1. Specify base finish for base assembly.
For legs and cantilever brackets specify one paint finish for all.
2. Specify top channel finish.
AA anodized aluminum and all paint finishes are available except 613 Silver.
Beams are anodized aluminum only.

No table on this page has beams longer than 15'.

Complete base assemblies fixed height 36" D single sided

AutoStrada

description	nominal	w	d	h	pattern number	P2	P3
 Base assembly, continuous	10' single sided	120"	28 3/4"	28 1/2"	XTB1 BAS 36S10CF () ()	\$8,679.	\$8,916.
	12' single sided	144"	28 3/4"	28 1/2"	XTB1 BAS 36S12CF () ()	9,075.	9,313.
	15' single sided	180"	28 3/4"	28 1/2"	XTB1 BAS 36S15CF () ()	10,350.	10,602.
 Base assembly, segmented	10' + 5' single sided	180"	28 3/4"	28 1/2"	XTB1 BAS 36S15SF () ()	9,689.	9,941.
 Base assembly, with intermediate leg	12' + 6' single sided	216"	28 3/4"	28 1/2"	XTB1 BAS 36S18SF () ()	10,725.	10,977.
	10' + 10' single sided	240"	28 3/4"	28 1/2"	XTB1 BAS 36S20SF () ()	11,968.	12,233.
	12' + 12' single sided	288"	28 3/4"	28 1/2"	XTB1 BAS 36S24SF () ()	14,415.	14,680.
	15' + 10' single sided	300"	28 3/4"	28 1/2"	XTB1 BAS 36S25SF () ()	15,292.	15,573.




Order Code	Specifications	Application Notes
Example: XTB1BAS36S18SF 613 AA	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, mid span support brackets, top channel and end caps.
XT Crinion Open Table	Fixed height base assemblies have shared cantilever brackets for adjacent worksurfaces and midspan support brackets for every worksurface.	Base assemblies correspond to: 10': two 60"x36"D worksurfaces 12': two 72"x36"D worksurfaces 15': three 60"x36"D worksurfaces 18': three 72"x36"D worksurfaces 20': four 60"x36"D worksurfaces 24': four 72"x36"D worksurfaces 25': five 60"x36"D worksurfaces
B1 Base components		
BAS Assembly		
36 Depth		
S Single		
18 Width		
S Segmented		
F Fixed height		
613 Base finish		
AA Top channel finish		

1. Specify base finish for base assembly.
For legs and cantilever brackets specify one paint finish for all.
2. Specify top channel finish.
AA anodized aluminum and all paint finishes are available except 613 Silver.
Beams are anodized aluminum only.

No table on this page has beams longer than 15'.

Complete base assemblies adjustable height 36" D dual




AutoStrada

description	nominal	w	d	h	pattern number	P2	P3
 Base assembly, continuous	10' dual	120"	54"	28 1/2"	XTB1 BAS 36D10CA () ()	\$9,985.	\$10,271.
	12' dual	144"	54"	28 1/2"	XTB1 BAS 36D12CA () ()	10,381.	10,669.
	15' dual	180"	54"	28 1/2"	XTB1 BAS 36D15CA () ()	12,355.	12,685.
 Base assembly, segmented	10' + 5' dual	180"	54"	28 1/2"	XTB1 BAS 36D15SA () ()	13,347.	13,677.
 Base assembly, with intermediate leg	12' + 6' dual	216"	54"	28 1/2"	XTB1 BAS 36D18SA () ()	14,724.	15,099.
	10' + 10' dual	240"	54"	28 1/2"	XTB1 BAS 36D20SA () ()	16,663.	17,083.
	12' + 12' dual	288"	54"	28 1/2"	XTB1 BAS 36D24CA () ()	17,457.	17,876.
	15' + 10' dual	300"	54"	28 1/2"	XTB1 BAS 36D25CA () ()	19,033.	19,496.


Order Code	Specifications	Application Notes
Example: XTB1BAS36D18SA 613 115	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, top channel and end caps.
XT Crinion Open Table	1. Specify base finish for base assembly.	Base assemblies correspond to: 10': four 60"x36"D worksurfaces 12': four 72"x36"D worksurfaces 15': six 60"x36"D worksurfaces 18': six 72"x36"D worksurfaces 20': eight 60"x36"D worksurfaces 24': eight 72"x36"D worksurfaces 25': ten 60"x36"D worksurfaces
B1 Base components	For legs and cantilever brackets specify one paint finish for all.	No table on this page has beams longer than 15'.
BAS Assembly	2. Specify top channel finish.	
36 Depth	AA anodized aluminum and all paint finishes are available except 613 Silver.	
D Dual	Beams are anodized aluminum only.	
18 Width		
S Segmented		
A Adjustable height		
613 Base finish		
115 Top channel finish		

Complete base assemblies adjustable height 36" D single sided

AutoStrada

description	nominal	w	d	h	pattern number	P2	P3
 Base assembly, continuous	10' single sided	120"	28 3/4"	28 1/2"	XTB1 BAS 36S10CA () ()	\$8,773.	\$9,016.
	12' single sided	144"	28 3/4"	28 1/2"	XTB1 BAS 36S12CA () ()	9,169.	9,412.
	15' single sided	180"	28 3/4"	28 1/2"	XTB1 BAS 36S15CA () ()	10,591.	10,856.
 Base assembly, segmented	10' + 5' single sided	180"	28 3/4"	28 1/2"	XTB1 BAS 36S15SA () ()	9,930.	10,195.
 Base assembly, with intermediate leg	12' + 6' single sided	216"	28 3/4"	28 1/2"	XTB1 BAS 36S18SA () ()	10,966.	11,230.
	10' + 10' single sided	240"	28 3/4"	28 1/2"	XTB1 BAS 36S20SA () ()	12,355.	12,641.
	12' + 12' single sided	288"	28 3/4"	28 1/2"	XTB1 BAS 36S24SA () ()	14,801.	15,087.
	15' + 10' single sided	300"	28 3/4"	28 1/2"	XTB1 BAS 36S25SA () ()	15,826.	16,135.

Order Code	Specifications	Application Notes
Example: XTB1BAS36S18SA 613 AA	Base assemblies include end legs, beams, trusses, cantilever brackets, channels and end caps.	Complete base assemblies include all base components necessary to support worksurfaces. Specify screens, power components and cable trays separately. Base assemblies include end legs, intermediate leg (where required), beams, trusses, cantilever brackets, top channel and end caps.
XT Crinion Open Table	1. Specify base finish for base assembly.	Base assemblies correspond to:
B1 Base components	For legs and cantilever brackets specify one paint finish for all.	10': two 60"x36"D worksurfaces
BAS Assembly	2. Specify top channel finish.	12': two 72"x36"D worksurfaces
36 Depth	AA anodized aluminum and all paint finishes are available except 613 Silver.	15': three 60"x36"D worksurfaces
S Single	Beams are anodized aluminum only.	18': three 72"x36"D worksurfaces
18 Width		20': four 60"x36"D worksurfaces
S Segmented		24': four 72"x36"D worksurfaces
A Adjustable height		25': five 60"x36"D worksurfaces
613 Base finish		
AA Top channel finish		No table on this page has beams longer than 15'.

description	nominal	w	d	h	pattern number	list price
	4'	48"	2 1/2"	2"	XTC1 48 ()	\$148.
	5'	60"	2 1/2"	2"	XTC1 60 ()	187.
	6'	72"	2 1/2"	2"	XTC1 72 ()	220.
	8'	96"	2 1/2"	2"	XTC1 96 ()	298.
	10'	120"	2 1/2"	2"	XTC1 120 AA	375.
	12'	144"	2 1/2"	2"	XTC1 144 AA	441.
Top channel end cap			2 1/2"	2"	XTC1 END ()	33.
						
Top channel for frameless glass addups 	4'	48"	2 1/2"	2"	XTCA1 48 ()	220.
	5'	60"	2 1/2"	2"	XTCA1 60 ()	265.
	6'	72"	2 1/2"	2"	XTCA1 72 ()	314.
	8'	96"	2 1/2"	2"	XTCA1 96 ()	408.
	10'	120"	2 1/2"	2"	XTCA1 120 AA	496.
	12'	144"	2 1/2"	2"	XTCA1 144 AA	617.
Top channel filler 		48"			XTCF 48 ()	28.
		60"			XTCF 60 ()	38.
		72"			XTCF 72 ()	38.

Order Code

Example:	XTC1120AA
XT	Crinion open table
C1	Top channel
120	Width
AA	Finish

Specifications

Top channels are extruded aluminum with natural anodized finish AA or any standard painted finish except 613 Silver.

Top channel end caps are die cast aluminum AA or any standard painted finish except 613 Silver.

Top channel filler is 812 Easy Grey or 111 Black.

Application Notes

Crinion Open Table top channel supports privacy screens and suspended raceway components at any point. Top channel is required at the center of dual tables.


Top channels and end caps are included in complete base assemblies.

Top channels correspond in width to one or two worksurface widths.

Beams for single sided or dual tables

24" D


AutoStrada


description	nominal	w	d	h	pattern number	list price
Starter beam set for 24" D 	5'	52"	3"	8"	XTB1TB5C	\$992.
	6'	64"	3"	8"	XTB1TB6C	1,102.
	8'	88"	3"	8"	XTB1TB8C	1,323.
	10'	112"	3"	8"	XTB1TB10C	1,599.
	12'	136"	3"	8"	XTB1TB12C	1,874.
	15'	172"	3"	8"	XTB1TB15C	2,314.
Extension beam set for 24" D tables 	4'	48"	3"	8"	XTB1TB4E	1,323.
	5'	60"	3"	8"	XTB1TB5E	1,433.
	6'	72"	3"	8"	XTB1TB6E	1,543.
	8'	96"	3"	8"	XTB1TB8E	1,763.
	10'	120"	3"	8"	XTB1TB10E	2,039.
	12'	144"	3"	8"	XTB1TB12E	2,314.
	15'	180"	3"	8"	XTB1TB15E	2,755.

Order Code	Specifications	Application Notes
Example: XTB1TB15C	Beams are extruded aluminum with natural anodized finish.	Crinion Open Table bases are assembled from beams, end legs, intermediate legs and trusses. Beam sets can be used with either dual or single sided tables. Table bases require one starter beam and extension beam adding up to the length as the sum of the worksurface widths on one side. Extension beam sets are specified only to add on to starter sets or other extension beams.
XT Crinion Open Table		
B1 Base components		
TB Dual beam set		
15 Width		
C Starter		Beam sets must be supported by intermediate legs at least every 16'. Intermediate leg must be positioned at beam truss location, where two worksurfaces meet.

Beams for dual tables 30" and 36" D

AutoStrada

description	nominal	w		h	pattern number	list price
Starter beam set for dual table 30" or 36" (pair of beams) 	5'	52"	3"	8"	XTB1DB5C	\$1,323.
	6'	64"	3"	8"	XTB1DB6C	1,433.
	8'	88"	3"	8"	XTB1DB8C	1,874.
	10'	112"	3"	8"	XTB1DB10C	2,204.
	12'	136"	3"	8"	XTB1DB12C	2,535.
	15'	172"	3"	8"	XTB1DB15C	2,976.


Extension beam set for dual table 30" or 36" (pair of beams) 	4'	48"	3"	8"	XTB1DB4E	1,763.
	5'	60"	3"	8"	XTB1DB5E	1,763.
	6'	72"	3"	8"	XTB1DB6E	1,874.
	8'	96"	3"	8"	XTB1DB8E	2,314.
	10'	120"	3"	8"	XTB1DB10E	2,645.
	12'	144"	3"	8"	XTB1DB12E	2,976.
	15'	180"	3"	8"	XTB1DB15E	3,417.


Crinion Open Table

Order Code	Specifications	Application Notes
Example: XTB1DB15C		
XT Crinion Open Table	Beams are extruded aluminum with natural anodized finish.	Crinion Open Table bases are assembled from beams, end legs, intermediate legs and trusses. Beam sets may be used with either worksurface depth. Dual tables require one pair of main beams of the same nominal width as the sum of the worksurfaces on each side.
B1 Base components	Beam sets are starter or extension.	
DB Dual beam set	Extension beam sets are specified only to add on to starter sets or other extension beams.	
15 Width		
C Starter		Beam sets must be supported by intermediate legs at least every 16'. Intermediate leg must be positioned at beam truss location, where two worksurfaces meet.

Beams for single sided tables 30" and 36" D


AutoStrada

description	nominal	w	d	h	pattern number	P3
Starter beam set for single sided table 30" or 36" (main and back beam) 	5'	52"		8"	XTB1SB5C	\$1,158.
	6'	64"		8"	XTB1SB6C	1,212.
	8'	88"		8"	XTB1SB8C	1,599.
	10'	112"		8"	XTB1SB10C	1,874.
	12'	136"		8"	XTB1SB12C	2,204.
	15'	172"		8"	XTB1SB15C	2,535.


Extension beam set for single sided table 30" or 36" (main and back beam) 	4'	48"		8"	XTB1SB4E	1,543.
	5'	60"		8"	XTB1SB5E	1,599.
	6'	72"		8"	XTB1SB6E	1,653.
	8'	96"		8"	XTB1SB8E	2,039.
	10'	120"		8"	XTB1SB10E	2,314.
	12'	144"		8"	XTB1SB12E	2,645.
	15'	180"		8"	XTB1SB15E	2,976.

Order Code	Specifications	Application Notes
Example: XTB1DB15C	Beams are extruded aluminum with natural anodized finish.	Crinion Open Table bases are assembled from beams, end legs, intermediate legs and trusses. Beam sets may be used with either worksurface depth. Single sided tables require one pair of main beams of the same nominal width as the sum of the worksurfaces on each side.
XT Crinion Open Table	Beam sets are starter or extension.	
B1 Base components	Extension beam sets are specified only to add on to starter sets or other extension beams.	
DB Dual beam set		
15 Width		
C Starter		Beam sets must be supported by intermediate legs at least every 16'. Intermediate leg must be positioned at beam truss location, where two worksurfaces meet.


description	application	w	d	h	pattern number	P2	P3
End leg for dual tables (pair of legs)	24" D worksurface	4"		24"	XTB1EDD24 ()	\$3,989.	\$4,188.
	30" D worksurface	4"	54"	24"	XTB1EDD30 ()	3,989.	4,188.
	36" D worksurface	4"	54"	24"	XTB1EDD36 ()	3,989.	4,188.




Intermediate leg for dual table (pair of legs for 30" and 36"D)	24" D worksurfaces	4"	2 1/8"	16"	XTB1LDD24 ()	579.	607.
	30"&36" D worksurfaces	4"	2 1/8"	16"	XTB1LDD ()	837.	882.



Shroud for intermediate leg infeed kit	24" D or single sided				XTB1 SLIK ()	150.	158.
	30" D				XTB1 SLIK30 ()	189.	199.
	36" D				XTB1 SLIK36 ()	222.	234.




End leg for end counters both ends (pair of legs)	48" W end counter	4	44	24	XTB1XDD24 ()	4,265.	4,464.
	60" W end counter	4	54	24	XTB1XDD30 ()	4,265.	4,464.
	72" W end counter	4	54	24	XTB1XDD36 ()	4,265.	4,464.




Order Code	Specifications	Application Notes
Example: XTB1EDD30 118	Specify paint finish code after pattern number.	Crinion Open Table bases are assembled from main beams, end legs, intermediate legs and trusses. After selecting starter or segmented beam sets, specify legs to support each end of beams. End legs support main beams at each end of a table.
XT Crinion Open Table		
B1 Base components		
E End leg		
D Dual		
D Desk height		
30 Depth of tops	Dual end legs for end counters have threaded metal inserts on the outside of the leg to accept two fixed height or adjustable cantilevers for end counters.	Shroud for intermediate leg kit encloses the space between legs to protect power, data and communication cables between floor and table base. Side covers may be removed for access.
118 Finish		
	Intermediate legs must be specified to provide support under beam sets spanning longer than 12' for 24"D tables or 16' for 30"D or 36"D tables. Intermediate legs may be positioned under beams at any beam truss location. End legs include beam end plates and hardware.	Shroud for 24"d intermediate leg is U-shaped cover that attaches to side of intermediate leg for 24"d or any single sided intermediate leg.
		End legs for 24"D worksurfaces and end legs for 48"W end counters have only one end plate for attaching centered beam sets for 24"D tables.

description	application	w	d	h	pattern number	P2	P3
End leg for end counters one end only (pair of legs)	48" W end counter	4	44	24	XTB1YDD24 ()	\$4,127.	\$4,326.
	60" W end counter	4	54	24	XTB1YDD30 ()	4,127.	4,326.
	72" W end counter	4	54	24	XTB1YDD36 ()	4,127.	4,326.




Order Code	Specifications	Application Notes		
Example: XTB1EDD30 118	Specify paint finish code after pattern number.	Crinion Open Table bases are assembled from main beams, end legs, intermediate legs and trusses. After selecting starter or segmented beam sets, specify legs to support each end of beams. End legs support main beams at each end of a table. Dual end legs for end counters have threaded metal inserts on the outside of the leg to accept two fixed height or adjustable cantilevers for end counters. Intermediate legs must be specified to provide support under beam sets spanning longer than 12' for 24"D tables or 16' for 30"D or 36"D tables. Intermediate legs may be positioned under beams at any beam truss location. End legs include beam end plates and hardware.	Shroud for intermediate leg kit encloses the space between legs to protect power, data and communication cables between floor and table base. Side covers may be removed for access. Shroud for 24"d intermediate leg is U-shaped cover that attaches to side of intermediate leg for 24"d or any single sided intermediate leg. End legs for 24"D worksurfaces and end legs for 48"W end counters have only one end plate for attaching centered beam sets for 24"D tables.	
XT				Crinion Open Table
B1				Base components
E				End leg
D				Dual
D				Desk height
30	Depth of tops			
118	Finish			

description	application	width	depth	height	pattern number	P2	P3
End leg for single sided tables (pair of legs)	24" D worksurface	4"	24"	24"	XTB1ESD24 ()	\$3,989.	\$4,188.
	30" D worksurface	4"	28 ³ / ₄ "	24"	XTB1ESD30 ()	3,989.	4,188.
	36" D worksurface	4"	28 ³ / ₄ "	24"	XTB1ESD36 ()	3,989.	4,188.




Intermediate leg for single sided table	24" D worksurfaces	4"	2 ¹ / ₈ "	16"	XTB1LSD24 ()	579.	607.
	30"&36" D worksurfaces	4"	2 ¹ / ₈ "	16"	XTB1LSD ()	579.	607.




Order Code	Specifications	Application Notes
Example: XTB1ESD30 118	Specify paint finish code after pattern number.	Crinion Open Table bases are assembled from main beams, end legs, intermediate legs and trusses. After selecting starter or segmented beam sets, specify legs to support each end of beams. End legs support main beams at each end of a table.
XT Crinion Open Table		
B1 Base components		
E End leg		
S Single		
D Desk height		
30 Depth of tops		
118 Finish		Shroud for intermediate leg kit encloses the space between legs to protect power, data and communication cables between floor and table base. Side covers may be removed for access.
		Dual end legs for end counters have threaded metal inserts on the outside of the leg to accept two fixed height or adjustable cantilevers for end counters.
		Intermediate legs must be specified to provide support under beam sets spanning longer than 12'. Intermediate legs may be positioned under beams at any beam truss location. End legs include beam end plates and hardware.


description	application	w	d	h	pattern number	P2/P3
Beam truss for dual tables	30" D worksurface	3"	11"	10"	XTB1XD30 ()	\$485.
	36" D worksurface	3"	23"	10"	XTB1XD36 ()	529.




Top channel support	24" D worksurface				XTB1T24 ()	175.
---------------------	-------------------	--	--	--	--------------------	------




Beam truss for single sided tables	30" D worksurface	3"			XTB1XS30 ()	485.
	36" D worksurface	3"			XTB1XS36 ()	529.



Beam truss for dual tables no top channel support	30" D worksurface	3"	11"	8"	XTB1XD30N ()	376.
	36" D worksurface	3"	23"	8"	XTB1XD36N ()	431.







Beam truss for single sided tables no top channel support	30" D worksurface	3"			XTB1XS30N ()	376.
	36" D worksurface	3"			XTB1XS36N ()	431.



Order Code	Specifications	Application Notes
Example: XTB1XD30 613	Beam trusses are available in all standard painted finishes.	Crinion Open Table bases are assembled from beams, end legs, intermediate legs and trusses. After selecting beams and leg kits, specify trusses between beams.
XT Crinion Open Table		
B1 Base components		
XD Beam truss for dual table		
30 Depth		
613 Finish		Specify beam trusses adjacent to each end leg and at each worksurface junction.
		For 24"D tables specify top channel support instead of truss.
		Beam trusses with no top channel support must be specified in combination with intermediate legs planned other than at worksurface junctions (as for cable infeed shrouds).

Worksurface support cantilever and mid span support




AutoStrada

description	w	d	h	pattern number	P2	P3
Cantilever, fixed height 30" or 36" D 	3"	24"	9"	XTB1FC ()	\$200.	\$209.
Cantilever, fixed height 24" D 	3"	19"	9"	XTB1FC24 ()	200.	209.
Cantilever, adjustable height 30" or 36" D 	3"	24"	9" - 12"	XTB1AC ()	220.	232.
Cantilever, adjustable height 24" D 	3"	24"	9" - 12"	XTB1AC24 ()	220.	232.
Mid span support 	2	2	8	XTB1MB ()	95.	99.

Order Code	Specifications	Application Notes
Example: XTB1FC 118	Specify paint finish code after pattern number.	Cantilever brackets are required to support each end of worksurfaces.
XT Crinion Open Table		
B1 Base components		Brackets can be positioned at ends of worksurface, or inset at legs or floorstanding pedestal locations.
FC Fixed height cantilever	48"worksurfaces: shared cantilevers each end or two adjustable per worksurface.	Fixed height cantilevers can be shared between adjacent worksurfaces. Mid span support bracket must be specified for worksurface spans exceeding 4'.
118 Finish	60" and 72" worksurfaces: shared cantilevers each end plus mid span support or two adjustable cantilevers inset 8".	Fixed height cantilever supports worksurface at 28 1/2" H.
	96"worksurfaces: shared cantilevers at ends plus one in center or three adjustable cantilevers.	Adjustable cantilevers enable worksurfaces to be set at 27", 27 3/4", 28 1/2", 29 1/4" or 30" H.
	96"x 24" with hinged door: shared cantilever each end plus two mid span supports.	
	96"x 30" with hinged door: shared cantilever each end plus 24"d cantilever as center support.	
	96"x 36" with hinged door: shared cantilever each end plus 24", 30" or 36"d cantilever as center support.	

Worksurface support linking plate and cantilever for end counters

AutoStrada

description	w	d	h	pattern no.	P2	P3
Cantilever for end counters, fixed height	3"	19"	9"	XTB1FCEND ()	\$200.	\$209.
						
Cantilever for end counters, adjustable height	3"	19"	9" - 12"	XTB1ACEND ()	220.	232.
						
Worksurface linking plate					XTB1LP	27.
						


Order Code	Specification	Application Notes
Example: XTB1FCEND 613	Specify paint finish code after pattern number.	Cantilever brackets are required to support each end of worksurface. Brackets attach to inserts on the outside face of end legs for end counters. Fixed height cantilever supports for end counter at 28 1/2" H. Adjustable cantilevers for end counter enables end counter to be set at 28 1/2", 29 1/4" or 30" H. A linking plate is recommended to join adjacent worksurfaces that are independently supported at the same height. Specify two linking plates at the junction of two worksurfaces, or four total for each end counter to two worksurfaces. A linking plate is not required where adjacent tops are supported by a shared fixed height cantilever bracket, as with complete fixed height base assemblies. Linking plates are recommended for complete adjustable height base assemblies in which tops are set at the same height.
XT Crinion Open Table		
B1 Base components		
FC Fixed height cantilever		
END for end counter		
613 Finish		

Modular Raceway


2 + 2 eight-wire Raceway with covers

AutoStrada

description	type	h	w	d	pattern number	list price
Dual raceway, two power + two data outlets each side		4"	30"	2"	XTR1E30D ()	\$261.




Dual raceway, four power + two data outlets each side		4"	42"	2"	XTR1E424D ()	375.
---	--	----	-----	----	----------------------	------




Flat end cover					XTR1FE ()	22.
----------------	--	--	--	--	-------------------	-----

Extended end cover					XTR1EE ()	22.
--------------------	--	--	--	--	-------------------	-----

Single sided raceway two power + two data outlets each side		4"	30"	2"	XTR1E30S ()	261.
--	--	----	-----	----	---------------------	------



Single sided raceway four power + two data outlets each side		4"	42"	2"	XTR1E424S ()	375.
---	--	----	-----	----	----------------------	------



Order Code	Specifications	Applications notes
Example: XTR1E424D 613		
XT Crinion Open Table	Eight wire 2+2 has two sets of circuits, each set with a separate ground and neutral.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway	Specify paint finish code after pattern number.	Each raceway requires four or eight duplex outlets, on any of four circuits.
E Eight wire system	Covers have two openings for data/com outlet modules (Decora-size, specified separately).	Jumpers connect power from one raceway to another.
42 Width		To join power between 30" raceways: specify 30" jumper for 60" desks and specify 42" jumper for 72" desks.
4 Extra outlets		
D Dual Raceway		
613 Finish		

To join power between 42" raceways: specify 18" jumper for 60" desks and 30" jumper for 72" desks.

Flat end covers enclose the end of a raceway at the end of a table.




Extended end covers enclose the end of a raceway at the end of a table where power infeed is located.

Specify outlet fillers separately for unused outlet openings.

Modular Raceway

2 + 2 eight-wire Raceway components

AutoStrada

description	type	h	w	d	pattern number	list price
Modular infeed					XTR1EPI	\$197.
						
NYC infeed kit					XTR1EPH	450.
						
Jumper			18"		XTR1EJ18	91.
			30"		XTR1EJ30	103.
			42"		XTR1EJ42	118.
Duplex outlet	Circuit A				XTR1DA	33.
	Circuit B				XTR1DB	33.
	Circuit X, orange				XTR1DXO	38.
	Circuit Y, orange				XTR1DYO	38.
Outlet filler	Set of 10				XTR1OF	28.
PDC module extension kit	Set of 10				XTR1PDCX	115.
Compact Power Module					XTR1ECPM ()	485.
						


Order Code	Specifications	Application Notes
Example: XTR1EJ18		
XT Crinion Open Table	Eight wire 2+2 has two sets of circuits, each set with a separate ground and neutral.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
E Eight wire		
J Jumper		Each raceway requires four or eight duplex outlets, on any of four circuits.
18 Width		Power infeed includes pigtail for connection to building power supply and connector to either end of any raceway.
		NYC infeed kit includes junction box that mounts to inside face of beams in table base.
		Jumper length is difference between worksurface width and specified raceway width.
		Compact power module is designed to supply power outlets under extended end counter worksurfaces, or additional outlets under desks.
		Compact power module can be suspended from top channel or attached to inside face of beams.
		Each face of compact power module accepts two duplex outlets.

Modular Raceway


3 + 3 ten-wire Raceway with covers

AutoStrada

description	type	h	w	d	pattern number	list price
Dual raceway, two power + two data outlets each side		4"	30"	2"	XTR1T30D ()	\$274.




Dual raceway, four power + two data outlets each side		4"	42"	2"	XTR1T424D ()	387.
---	--	----	-----	----	----------------------	------




Flat end cover					XTR1FE ()	22.
----------------	--	--	--	--	-------------------	-----

Extended end cover					XTR1EE ()	22.
--------------------	--	--	--	--	-------------------	-----

Single sided raceway two power + two data outlets each side		4"	30"	2"	XTR1T30S ()	274.
--	--	----	-----	----	---------------------	------



Single sided raceway four power + two data outlets each side		4"	42"	2"	XTR1T424S ()	387.
---	--	----	-----	----	----------------------	------



Order Code	Specifications	Application Notes
Example: XTR1T424D 613		
XT Crinion Open Table	Ten wire 3+3 has two sets of three circuits, each set with a separate ground and neutral.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
T Ten wire system	Specify paint finish code after pattern number.	
42 Width		Each raceway requires four or eight duplex outlets, on any of six circuits.
4 Extra outlets	Covers have two openings for data/com outlet modules (Decora-size, specified separately).	Jumpers connect power from one raceway to another.
D Dual Raceway		To join power between 30" raceways: specify 30" jumper for 60" desks and specify 42" jumper for 72" desks.
613 Finish		To join power between 42" raceways: specify 18" jumper for 60" desks and 30" jumper for 72" desks.

Flat end covers enclose the end of a raceway at the end of a table.




Extended end covers enclose the end of a raceway at the end of a table where power infeed is located.

Specify outlet fillers separately for unused outlet openings.

Modular Raceway

3 + 3 ten-wire Raceway components

AutoStrada

description	type	h	w	d	pattern number	list pricing
Modular infeed					XTR1TPI	\$221.
						
NYC infeed kit					XTR1TPH	450.
						
Jumper			18"		XTR1TJ18	103.
			30"		XTR1TJ30	118.
			42"		XTR1TJ42	137.
Duplex outlet	Circuit A				XTR1DA	33.
	Circuit B				XTR1DB	33.
	Circuit C				XTR1DC	33.
	Circuit X, orange				XTR1DXO	38.
	Circuit Y, orange				XTR1DYO	38.
	Circuit Z, orange				XTR1DZO	38.
Outlet filler	Set of 10				XTR1OF	28.
PDC module extension kit	Set of 10				XTR1PDCX	115.
Compact Power Module					XTR1TCPM ()	500.
						


Order Code	Specifications	Application Notes
Example: XTR1TJ18		
XT Crinion Open Table	Ten wire 3+3 has two sets of three circuits, each set with a separate ground and neutral.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
T Ten wire		
J Jumper		Each raceway requires four or eight duplex outlets, on any of six circuits.
18 Width		Power infeed includes pigtail for connection to building power supply and connector to either end of any raceway.
		NYC infeed kit includes junction box that mounts to inside face of beams in table base.
		Jumper length is difference between worksurface width and specified raceway width.
		Compact power module is designed to supply power outlets under extended end counter worksurfaces, or additional outlets under desks.
		Compact power module can be suspended from top channel or attached to inside face of beams.
		Each face of compact power module accepts two duplex outlets.

Modular Raceway


4-4-2 ten-wire Raceway with covers

AutoStrada


description	type	h	w	d	pattern number	list price
Dual raceway, two power + two data outlets each side		4"	30"	2"	XTR1X30D ()	\$288.




Dual raceway, four power + two data outlets each side		4"	42"	2"	XTR1X424D ()	407.
---	--	----	-----	----	----------------------	------



Single sided raceway two power + two data outlets each side		4"	30"	2"	XTR1X30S ()	288.
--	--	----	-----	----	---------------------	------



Single sided raceway four power + two data outlets each side		4"	42"	2"	XTR1X424S ()	407.
---	--	----	-----	----	----------------------	------






Order Code	Specifications	Application Notes
Example: XTR1X424D 613		
XT Crinion Open Table	Ten wire 4-4-2 has four circuits each with a separate neutral, plus a ground wire for circuit 1 and 2 and another ground for circuit 3 and 4.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
X Ten wire 4-4-2	Specify paint finish code after pattern number.	Each raceway requires four or eight duplex outlets, on any of six circuits.
42 Width	Covers have two openings for data/com outlet modules (Decora-size, specified separately).	Jumpers connect power from one raceway to another.
4 Extra outlets		To join power between 30" raceways: specify 30" jumper for 60" desks and specify 42" jumper for 72" desks.
D Dual Raceway		To join power between 42" raceways: specify 18" jumper for 60" desks and 30" jumper for 72" desks.
613 Finish		Flat end covers enclose the end of a raceway at the end of a table. Extended end covers enclose the end of a raceway at the end of a table where power infeed is located. Specify outlet fillers separately for unused outlet openings.

Modular Raceway

4-4-2 ten-wire Raceway components

AutoStrada

description	type	h	w	d	pattern number	list price
Modular infeed					XTR1XPI	\$232.
						
NYC infeed kit					XTR1XPH	473.
						
Jumper			18"		XTR1XJ18	108.
			30"		XTR1XJ30	124.
			42"		XTR1XJ42	142.
Duplex outlet	Circuit 1				XTR1D1	35.
	Circuit 2				XTR1D2	35.
	Circuit 3				XTR1D3	35.
	Circuit 4				XTR1D4	35.
Compact Power Module					XTR1XCPM ()	500.
						



Order Code	Specifications	Application Notes
Example: XTR1XJ18		
XT Crinion Open Table	Ten wire 4-4-2 has four circuits each with a separate neutral, plus a ground wire for circuit 1 and 2 and another ground for circuit 3 and 4.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
X Ten wire 4-4-2		
J Jumper	All duplex outlets are black.	Each raceway requires four or eight duplex outlets, on any of six circuits.
18 Width		Power infeed includes pigtail for connection to building power supply and connector to either end of any raceway.
		NYC infeed kit includes junction box that mounts to inside face of beams in table base.
		Jumper length is difference between worksurface width and specified raceway width.
		Compact power module is designed to supply power outlets under extended end counter worksurfaces, or additional outlets under desks.
		Compact power module can be suspended from top channel or attached to inside face of beams.
		Each face of compact power module accepts two duplex outlets.

description	type	h	w	d	pattern number	list price
Dual raceway, two power + two data outlets each side		4"	30"	2"	XTR1H30D ()	\$569.
Flat end cover					XTR1FE ()	22.
Extended end cover					XTR1EE ()	22.
Outlet filler	Set of 10				XTR1OF	28.

Order Code	Specifications	Application Notes
Example: XTR1H30D 613		
XT Crinion Open Table	Specify paint finish code after pattern number.	Raceway for Crinion Open Table is suspended from the top channel. For ideal access, worksurfaces should be specified with hinged power access.
R1 Raceway		
H Hard wire system	Hardwired raceway components are designed for use in City of Chicago installations.	Dual raceways are code-approved boxed with openings for two or four duplex outlets on each face, plus two additional openings for data/communications faceplates on each face. A continuous horizontal metal septum divides power wires and connections from data and communications cables. Each raceway requires Decora-type architectural power outlets, internal wiring and connecting cables, supplied by electrical contractor.
30 Width		
D Dual Raceway		Specify outlet filler plates for unused outlet openings. Specify PDC extenders to create space behind data/com for cable distribution inside dual raceway.
613 Finish	Covers have two openings for data/com outlet modules (Decora-size, by others).	

description	table size	w	d	pattern number	list price
 Cable trays, leg position, pair	5', 30"D	53"	1"	XTCT6030LD ()	\$236.
	5', 36"D	53"	4"	XTCT6036LD ()	322.
	6', 30"D	65"	1"	XTCT7230LD ()	256.
	6', 36"D	65"	4"	XTCT7236LD ()	374.
 Cable trays, full width, pair	5', 30"D	60"	1"	XTCT6030D ()	236.
	5', 36"D	60"	4"	XTCT6036D ()	322.
	6', 30"D	72"	1"	XTCT7230D ()	256.
	6', 36"D	72"	4"	XTCT7236D ()	374.
 Data tray kit		42"		XTDT42 ()	166.
 Data + excess cable tray kit		42"		XTDTX42 ()	276.
Truss cable clips, set of 25				XTR1TCC25	15.
Beam cable clips, set of 50				XTR1BCC50	220.
Random attachment kit, set of 10				XTB1RAK	77.

Order Code	Specifications	Applications notes
Example: XTCT7230D 613	Cable trays and Data tray kits are available in all standard paint finishes.	Cable trays are optional kits to manage cables on each side of dual table bases. Specify cable trays for leg position at each end of the table. Specify cable trays, full width for other positions. Data tray kit provides 3" wide horizontal open cable tray directly below either 30" or 42"W raceway module (at center of 60" or 72" desks). Data + excess tray kit provides two open trays below either raceway module, one 3"W and one 5"W.
XT Crinion Open Table		
CT Cable tray		
72 Width		
30 Depth		
D Dual table		
613 Finish		Truss cable clips manage cables between raceway. Specify 2 clips per truss (one set of 10 for each five trusses). Beam cable clips manage cables along the inside faces of each beam set. Random attachment kit is a set of ten M8 slot nuts for attaching various products to the Crinion Open Table beams or top channel. Specify appropriate M8 screws separately.


description	application	w	d	h	pattern no.	list
	24"D tables	18"	2"	3/4"	XTBT18 ()	\$76.
	24"D tables	24"	2"	3/4"	XTBT24 ()	84.
	24"D tables	36"	2"	3/4"	XTBT36 ()	92.
	24"D tables	48"	2"	3/4"	XTBT48 ()	100.
	24"D tables	60"	2"	3/4"	XTBT60 ()	108.
	Cable basket, 10'	120"	8"	1"	XTWB120	410.
	From truss 30/36D only				XTWTX ()	65.
	From truss at infeed shroud				XTWTBSLIK ()	200.
	From main beam, 24D only				XTWTB ()	65.
	From top channel, 30/36D only				XTWTC ()	85.


Order Code	Specifications	Application Notes
Example: XTBT36 118		
XT	Crinion Open Table	
BT	Beam mounted cable tray	
36	Width	
118	Paint finish	
	Beam mounted cable trays are available in any standard painted finish.	Beam mounted cable trays may be inserted in slots on either face of Crinion Open Table main beams. On 24"D dual or single sided tables beam mounted cable trays are the only option for cable management other than the shallow channel on top of the beam or a cable basket. On 30"D and 36"D tables beam mounted trays may complement other cable tray options.
	Cable basket is zinc metal finish only.	
	Basket hangers can be specified in any standard painted finish.	
		Beam mounted cable trays must be segmented to fit between cantilever and midspan support brackets.
		For 48"W worksurfaces with shared cantilevers specify 36"W trays. For 60"W worksurfaces with shared cantilevers and midspan supports specify 24"W trays adjacent to end legs specify 18"W trays.
		For 72"W worksurfaces with shared cantilevers and midspan supports specify 24"W trays.
		For 96"W worksurfaces specify 36"W trays between supports. Specify 48"W trays for additional cable management between trusses on the inside face of beams on dual 30"D and 36"D tables with 60" worksurfaces. Specify 60"W trays on the inside face of beams on dual 30"D and 36"D tables with 72"W worksurfaces.
		Cable basket is suspended below the center of dual tables instead of or in addition to cable trays. Cable basket offers the most flexibility for managing large bundles of cables and for entering or exiting the tray at any point. Cable basket ships in 10' lengths and is cut to size in field. Specify cable basket hangers separately. Each hanger can suspend one end of a tray or two adjacent trays. Hanger from trusses is for 30" or 36"D dual or single sided tables. Hanger from main beam is for 24"D dual tables only. Hangers from top channel are for 30" or 36"D dual tables only.


Center screens


AutoStrada

Acrylic, slatwall, combination, marker or veneer surface

description	appl.	w	d	h	pattern no.	Opal acrylic	Trans. acrylic / Marker	slatwall	Comb. acrylic / slatwall	V1	V2	V3
Center screen to 43" H 	48"	48"	1 1/4"	14"	XTCS1 4814 () () ()	\$799.	\$825.	\$1,268.	n/a	\$1,102.	\$1,207.	\$1,414.
	60"	60"	1 1/4"	14"	XTCS1 6014 () () ()	1,048.	1,099.	1,378.	n/a	1,192.	1,316.	1,577.
	72"	72"	1 1/4"	14"	XTCS1 7214 () () ()	1,102.	1,154.	1,488.	n/a	1,252.	1,395.	1,707.
acrylic shown												

Center screen to 43" H adjacent to end screen 	48"	47"	1 1/4"	14"	XTCS1 4714 () () ()	799.	825.	1,268.	n/a	1,102.	1,207.	1,414.
	60"	59"	1 1/4"	14"	XTCS1 5914 () () ()	1,048.	1,099.	1,378.	n/a	1,192.	1,316.	1,577.
	72"	71"	1 1/4"	14"	XTCS1 7114 () () ()	1,102.	1,154.	1,488.	n/a	1,252.	1,395.	1,707.
acrylic shown												

Center screen to 50" H 	48"	48"	1 1/4"	21"	XTCS1 4821 () () ()	937.	979.	1,488.	1,378.	1,208.	1,346.	1,644.
	60"	60"	1 1/4"	21"	XTCS1 6021 () () ()	1,212.	1,290.	1,653.	1,599.	1,300.	1,466.	1,839.
	72"	72"	1 1/4"	21"	XTCS1 7221 () () ()	1,268.	1,342.	1,819.	1,709.	1,347.	1,540.	1,990.
slatwall shown												


Center screen to 50" H adjacent to end screen 	48"	47"	1 1/4"	21"	XTCS1 4721 () () ()	937.	979.	1,488.	1,378.	1,208.	1,346.	1,644.
	60"	59"	1 1/4"	21"	XTCS1 5921 () () ()	1,212.	1,290.	1,653.	1,599.	1,300.	1,466.	1,839.
	72"	71"	1 1/4"	21"	XTCS1 7121 () () ()	1,268.	1,342.	1,819.	1,709.	1,347.	1,540.	1,990.
combination shown												


Order Code	Specifications	Application Notes	
Example: XTCS16014A O 111			
XT	Crinion Open Table		
CS1	Center screen		
60	Width		
14	Height		
A	Surface		
O	Opal		
111	Frame finish		
	Acrylic surface is AO opal or AT translucent.	Center screens mount to continuous channel at center of tables. Specify 14" H screens for a 42" horizon. Specify 21" H screens for a 49" horizon. Horizons are maintained regardless of worksurface height.	Center screens adjacent to end screens allow space for dual or single sided end screens.
	For Marker surface both sides specify suffix M.		Slatwall screens require buttresses to support Knoll Extra flat screen monitor arm. Specify one buttress per monitor arm, up to four buttresses per screen.
	For Slatwall screens specify slatwall and frame finish.	Combination screens include 14" high slatwall with acrylic above.	
	For combination acrylic/slatwall screens specify suffixes CO (opal) or CT (translucent), slatwall and frame finish.	Center screens include mounting hardware for standard top channel only.	Veneer grain direction is horizontal.
	Slatwall surface is available in (AA) or any standard painted finish except 613 Silver.		Marker surface has wood core.
	For veneer surface specify suffix V and finish code from list on Crinion Open Table.		
	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.		


Center screens


Tackable fabric surface

AutoStrada



description	application	w	d	h	pattern no.	10	15	20	30	35	40	45
	48"	48"	1 1/4"	14"	XTCS1 4814F () ()	\$844.	\$860.	\$863.	\$882.	\$895.	\$895.	\$926.
	60"	60"	1 1/4"	14"	XTCS1 6014F () ()	921.	941.	945.	967.	984.	984.	1,022.
	72"	72"	1 1/4"	14"	XTCS1 7214F () ()	943.	968.	972.	1,000.	1,020.	1,020.	1,066.

	48"	47"	1 1/4"	14"	XTCS1 4714F () ()	835.	852.	855.	872.	886.	886.	917.
	60"	59"	1 1/4"	14"	XTCS1 5914F () ()	921.	941.	945.	967.	984.	984.	1,022.
	72"	71"	1 1/4"	14"	XTCS1 7114F () ()	943.	968.	972.	1,000.	1,020.	1,020.	1,066.

	48"	48"	1 1/4"	21"	XTCS1 4821F () ()	894.	911.	914.	931.	945.	945.	975.
	60"	60"	1 1/4"	21"	XTCS1 6021F () ()	998.	1,019.	1,022.	1,044.	1,062.	1,062.	1,100.
	72"	72"	1 1/4"	21"	XTCS1 7221F () ()	1,008.	1,033.	1,038.	1,065.	1,086.	1,086.	1,131.

	48"	47"	1 1/4"	21"	XTCS1 4721F () ()	894.	911.	914.	931.	945.	945.	975.
	60"	59"	1 1/4"	21"	XTCS1 5921F () ()	998.	1,019.	1,022.	1,044.	1,062.	1,062.	1,100.
	72"	71"	1 1/4"	21"	XTCS1 7121F () ()	1,008.	1,033.	1,038.	1,065.	1,086.	1,086.	1,131.

Order Code	Specifications	Application Notes
Example: XTCS16014F20 (W2801) AA	1. Tackable fabric surface is suffix F. 2. Select fabric surface finish code from list on page Crinion Open Table.	Fabric center screens mount to continuous channel at center of tables. Specify 14" H screens for a 43" horizon. Specify 21" H screens for a 50" horizon. Horizons are maintained regardless of worksurface height.
XT Crinion Open Table	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.	Center screens adjacent to end screens allow space for dual or single sided end screens.
CS1 Center screen	Fabric is railroaded.	
60 Width		
14 Height		
F Surface		
20 Fabric grade		
W2801 Fabric		
AA Frame finish		



description	application	w	d	h	pattern no.	list	AA/paint	L	V1	V2	V3
Display shelf 5"D aluminum only 	48" slatwall	45"	5"	1"	XT1DS4505 ()		\$245.				
	60" slatwall	57"	5"	1"	XT1DS5705 ()		275.				
	72" slatwall	69"	5"	1"	XT1DS6905 ()		296.				
Open shelf 9"D laminate or veneer only 	48" slatwall	45"	9"	1"	XT1LS4509 ()()			275.	358.	412.	555.
	60" slatwall	57"	9"	1"	XT1LS5709 ()()			316.	411.	472.	638.
	72" slatwall	69"	9"	1"	XT1LS6909 ()()			357.	464.	533.	719.
Slatwall adapters for applied wall accessories 		24"			XT1SA24 ()	25.					
		30"			XT1SA30 ()	30.					
		36"			XT1SA36 ()	35.					
		42"			XT1SA42 ()	40.					
		48"			XT1SA48 ()	45.					
		54"			XT1SA54 ()	50.					
		60"			XT1SA60 ()	55.					
		66"			XT1SA66 ()	60.					
		72"			XT1SA72 ()	65.					
Buttress for slatwall screen					XTCS1 SBA ()	220.					
											

Order Code	Specifications	Application Notes
Example: XT1LS5709 118 AA		
XT1 Crinion Open Table	Display shelves are anodized aluminum (AA) or any standard painted finish except silver.	Open shelves and display shelves for slatwall are designed for use on Crinion Open Table center screens with slatwall inserts.
LS Open shelf		
57 Width	For open shelves specify any standard laminate or veneer finish, then platform finish.	Shelves include adapter that snaps into horizontal channels in slatwall, approximately every 2" vertically.
09 Depth	Shelf platform may be AA or any standard paint finish except silver.	Shelf width fits either full width center screens or screens adjacent to end screens.
118 Shelf finish		
AA Platform finish	Slatwall adapters are integral color 812 Easy grey or 111 Black only.	Slatwall adapters enable other Applied Wall System shelves and accessories to be mounted to Crinion Open Table slatwall.
		Adapter will also fit other Knoll system slatwalls, such as AutoStrada spine or panels, but use of shelves in these applications may not comply with ANSI/BIFMA safety standards for anti-dislodgment.

Side screens

Acrylic, Marker or veneer surface

AutoStrada



description	application	w	d	h	pattern no.	list	Opal acrylic	Trans. acrylic / Marker	V1	V2	V3
	Side screen to 43" H	24" D worksurface	22"	1 1/4"	14"	XTSS1 2414 () ()	\$579.	\$594.	\$872.	\$936.	\$1,030.
		30" D worksurface	28"	1 1/4"	14"	XTSS1 3014 () ()	607.	627.	899.	972.	1,093.
		36" D worksurface	34"	1 1/4"	14"	XTSS1 3614 () ()	661.	687.	923.	1,005.	1,153.
	acrylic shown										
	Side screen to 50" H	24" D worksurface	22"	1 1/4"	21"	XTSS1 2421 () ()	661.	687.	934.	1,012.	1,148.
		30" D worksurface	28"	1 1/4"	21"	XTSS1 3021 () ()	689.	720.	963.	1,055.	1,228.
		36" D worksurface	34"	1 1/4"	21"	XTSS1 3621 () ()	744.	780.	990.	1,097.	1,309.
	acrylic shown										
Side screen brackets (pair)		postformed edge				XTSM1P ()	232.				
		squared edge				XTSM1S ()	165.				
		tapered edge				XTSM1K ()	165.				

Order Code	Specifications	Application Notes
Example: XTSS13014A O AA		
XT Crinion Open Table	1. Specify surface <i>A = Acrylic</i> <i>V = Veneer</i> <i>M = Marker</i>	Side screens clamp to front and back edge of worksurface at any point (except at hinged access door). Veneer grain direction is horizontal.
SS1 Side screen	2. For Acrylic surface specify <i>O = Opal</i> <i>T = Translucent</i>	
30 Width	Veneer surfaces may be any standard AutoStrada V1,V2 or V3 veneer.	Specify side screen brackets separately. Specify 14" H screens for a 42" horizon. Specify 21" H screens for a 49" horizon. Side screens align in height with center screens when worksurfaces are set at 28 3/8" H.
14 Height	Specify veneer finish code from Crinion Open Table.	
A Surface		
O Opal		
AA Frame finish		
Frame is clear anodized aluminum or any standard paint finish except 613 Silver.		
Brackets are available in all paint finishes		

Side screens

Tackable fabric surface

AutoStrada



description	application	w	d	h	pattern no.	list	10	15	20	30	35	40	45
	24" D worksurface	22"	1 1/4"	14"	XTSS1 2414F () ()	\$657.	\$665.	\$667.	\$677.	\$683.	\$683.	\$698.	
	30" D worksurface	28"	1 1/4"	14"	XTSS1 3014F () ()	677.	687.	689.	700.	709.	709.	727.	
	36" D worksurface	34"	1 1/4"	14"	XTSS1 3614F () ()	696.	709.	724.	734.	734.	734.	757.	
	24" D worksurface	22"	1 1/4"	21"	XTSS1 2421F () ()	686.	694.	695.	705.	712.	712.	727.	
	30" D worksurface	28"	1 1/4"	21"	XTSS1 3021F () ()	716.	725.	727.	739.	747.	747.	766.	
	36" D worksurface	34"	1 1/4"	21"	XTSS1 3621F () ()	729.	742.	744.	757.	767.	767.	790.	
Side screen brackets (pair)	postformed edge	XTSM1P ()				232.							
	squared edge	XTSM1S ()				165.							
	tapered edge	XTSM1K ()				165.							

Order Code	Specifications	Application Notes
Example: XTSS13014F20 (W2801) 115	1. Tackable fabric surface is suffix F.	Side screens clamp to front and back edge of worksurface at any point (except at hinged access door). Specify side screen brackets separately. Specify 14" H screens for a 43" horizon. Specify 21" H screens for a 50" horizon. Side screens align in height with center screens when worksurfaces are set at 28 3/8" H.
XT Crinion Open Table	2. Select fabric surface finish code from list on page Crinion Open Table.	
SS1 Side screen	3. Specify frame finish.	
30 Width		
14 Height		
F Surface	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.	
20 Fabric grade		
W2801 Fabric	Fabric is railroaded.	
115 Frame finish	Brackets are available in all paint finishes.	

Return screens

Acrylic, Marker or veneer surface

AutoStrada

description	application	w	d	h	pattern no.	list	Opal acrylic	Trans. acrylic / Marker	V1	V2	V3
	Return screen to 43" H	54"	52"	1 1/4"	14"	XTRS1 5414 () () ()	\$964.	\$1,016.	\$1,051.	\$1,162.	\$1,387.
		60"	58"	1 1/4"	14"	XTRS1 6014 () () ()	964.	1,016.	1,065.	1,186.	1,437.
		66"	64"	1 1/4"	14"	XTRS1 6614 () () ()	964.	1,016.	1,087.	1,216.	1,496.
		72"	70"	1 1/4"	14"	XTRS1 7214 () () ()	964.	1,016.	1,101.	1,240.	1,546.
		78"	76"	1 1/4"	14"	XTRS1 7814 () () ()	1,074.	1,126.	1,304.	1,421.	1,753.
	Return screen to 50" H	54"	52"	1 1/4"	21"	XTRS1 5421 () () ()	1,130.	1,207.	1,152.	1,299.	1,624.
		60"	58"	1 1/4"	21"	XTRS1 6021 () () ()	1,130.	1,207.	1,172.	1,334.	1,698.
		66"	64"	1 1/4"	21"	XTRS1 6621 () () ()	1,130.	1,207.	1,192.	1,367.	1,769.
		72"	70"	1 1/4"	21"	XTRS1 7221 () () ()	1,130.	1,207.	1,211.	1,400.	1,840.
		78"	76"	1 1/4"	21"	XTRS1 7821 () () ()	1,268.	1,345.	1,419.	1,591.	2,067.
Side screen brackets (pair)	postformed edge					XTSM1P ()	232.				
	squared edge					XTSM1S ()	165.				

Order Code

Example:	XTRS16014A O 118
XT	Crinion Open Table
RS1	Return screen
60	Width
14	Height
A	Acrylic
O	Opal
118	Frame finish

Specifications

- Specify surface
A = Acrylic
V = Veneer
M = Marker
- For Acrylic surface specify
O = Opal
T = Translucent
Veneer surfaces may be any standard AutoStrada V1,V2 or V3 veneer.
Specify veneer finish code from Crinion Open Table.
- Specify frame finish.
Frame is clear anodized aluminum (AA) or any standard paint finish except 613 Silver.
Brackets are available in all paint finishes.

Application Notes

Return screens span the depth of Crinion Open Table worksurfaces and the width of a 30", 36" or 42" worksurface planned as perpendicular return. Specify 14" H screens for 42" horizon. Specify 21" H screens for a 49" horizon. Returns (file tops or AutoStrada worksurfaces) must be at the same height as worksurface.



Specify side brackets separately.

Veneer grain direction is horizontal.

Return screens

Tackable fabric surface

AutoStrada



description	application	w	d	h	pattern no.	list	10	15	20	30	35	40	45
	Return screen to 43" H	54"	52"	1 ¼"	14"	XTRS1 5414F () ()	\$802.	\$821.	\$825.	\$845.	\$860.	\$860.	\$895.
		60"	58"	1 ¼"	14"	XTRS1 6014F () ()	809.	828.	832.	855.	872.	872.	911.
		66"	64"	1 ¼"	14"	XTRS1 6614F () ()	824.	847.	851.	876.	894.	894.	936.
		72"	70"	1 ¼"	14"	XTRS1 7214F () ()	829.	854.	859.	887.	905.	905.	952.
		78"	76"	1 ¼"	14"	XTRS1 7814F () ()	954.	981.	986.	1,015.	1,036.	1,036.	1,086.
	Return screen to 50" H	54"	52"	1 ¼"	21"	XTRS1 5421F () ()	784.	802.	806.	827.	843.	843.	877.
		60"	58"	1 ¼"	21"	XTRS1 6021F () ()	814.	834.	837.	861.	878.	878.	916.
		66"	64"	1 ¼"	21"	XTRS1 6621F () ()	819.	842.	846.	870.	889.	889.	931.
		72"	70"	1 ¼"	21"	XTRS1 7221F () ()	824.	849.	854.	881.	901.	901.	947.
		78"	76"	1 ¼"	21"	XTRS1 7821F () ()	973.	1,000.	1,005.	1,034.	1,056.	1,056.	1,105.
Side screen brackets (pair)	postformed edge				XTSM1P ()	232.							
	squared edge				XTSM1S ()	165.							

Order Code	Specifications	Application Notes
Example: XTRS16014F20 (W2801) 611	1. Tackable fabric surface is suffix F.	Fabric return screens span the depth of Crinion Open Table worksurfaces and the width of a 30", 36" or 42" worksurface planned as perpendicular return. Specify 14" H screens for 43" horizon. Specify 21" H screens for a 50" horizon. Returns must be at the same height as worksurface.
XT Crinion Open Table	2. Select fabric surface finish code from list on page Crinion Open Table.	
RS1 Return screen	3. Specify frame finish.	
60 Width	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.	Specify mounting brackets separately.
14 Height	Fabric is railroaded.	
F Surface	Brackets are available in all paint finishes.	
20 Fabric grade		
W2801 Fabric		
611 Frame finish		

Dual end screens

Acrylic, Marker or veneer surface

AutoStrada



description	application	w	d	h	pattern no.	list	Opal acrylic	Trans. acrylic / Marker	V1	V2	V3
	Dual end screens to 43" H	24" D dual	48"	1 1/4"	14"	XTES1 4814 () () ()	\$717.	\$743.	\$1,008.	\$1,113.	\$1,320.
		30" D dual	60"	1 1/4"	14"	XTES1 6014 () () ()	937.	989.	1,098.	1,223.	1,483.
		36" D dual	72"	1 1/4"	14"	XTES1 7214 () () ()	964.	1,016.	1,159.	1,301.	1,613.
	acrylic shown										
	Dual end screens to 50" H	24" D dual	48"	1 1/4"	21"	XTES1 4821 () () ()	854.	895.	1,114.	1,252.	1,550.
		30" D dual	60"	1 1/4"	21"	XTES1 6021 () () ()	1,102.	1,179.	1,206.	1,372.	1,745.
		36" D dual	72"	1 1/4"	21"	XTES1 7221 () () ()	1,130.	1,310.	1,254.	1,446.	1,896.
	acrylic shown										
Replacement mast Kit	acrylic center screen					XTSM1C ()	94.				
	slatwall center screen					XTSM1SLAT ()	248.				
End screen brackets (pair)	tapered edge worksurface					XTSM1KK ()	165.				
Side screen brackets (pair)	postformed edge					XTSM1P ()	232.				
	squared edge					XTSM1S ()	165.				

Order Code	Specifications	Application Notes
Example: XTES16014A O AA		
XT Crinion Open Table	1. Specify surface <i>A = Acrylic</i> <i>V = Veneer</i> <i>M = Marker</i>	Dual end screens clamp to front edge of worksurface on either side of table. Specify 14" H screens for a 42" horizon. Specify 21" H screens for a 49" horizon. Side screens align with center screens when worksurfaces are set at 28 3/8" H.
ES1 End screen	2. For Acrylic surface specify <i>O = Opal</i> <i>T = Translucent</i> Veneer surfaces may be any standard AutoStrada V1,V2 or V3 veneer. Specify veneer finish code from Crinion Open Table.	Specify end screen brackets separately for each sceen.
60 Width	3. Specify frame finish.	Veneer grain direction is horizontal.
14 Height		
A Surface		
O Opal		
AA Frame finish		
	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.	
	Brackets are available in all paint finishes.	
	Replacement mast kit for acrylic center screen is 812 Easy Grey or 111 Black.	

Dual end screens

Tackable fabric surface

AutoStrada



description	application	w	d	h	pattern no.	list	10	15	20	30	35	40	45
	24" D dual	48"	1 1/4"	14"	XTES1 4814F () ()		\$739.	\$756.	\$759.	\$778.	\$791.	\$822.	\$791.
	30" D dual	60"	1 1/4"	14"	XTES1 6014F () ()		809.	828.	832.	855.	872.	911.	872.
	36" D dual	72"	1 1/4"	14"	XTES1 7214F () ()		829.	854.	859.	886.	905.	952.	905.
	24" D dual	48"	1 1/4"	21"	XTES1 4821F () ()		798.	815.	819.	836.	851.	882.	851.
	30" D dual	60"	1 1/4"	21"	XTES1 6021F () ()		867.	888.	892.	915.	932.	970.	932.
	36" D dual	72"	1 1/4"	21"	XTES1 7221F () ()		879.	903.	907.	935.	955.	1,000.	955.
Replacement mast Kit	acrylic center screen				XTSM1C ()		94.						
	slatwall center screen				XTSM1SLAT ()		248.						
End screen brackets (pair)	tapered edge worksurface				XTSM1KK ()		165.						
Side screen brackets (pair)	postformed edge				XTSM1P ()		232.						
	squared edge				XTSM1S ()		165.						

Order Code	Specifications	Application Notes
Example: XTES16014F20 (W2801) 112	1. Tackable fabric surface is suffix F.	Dual end screens clamp to front edge of worksurface on either side of table. Specify 14" H screens for a 43" horizon. Specify 21" H screens for a 50" horizon. Side screens align with center screens when worksurfaces are set at 28 3/8" H.
XT Crinion Open Table	2. Select fabric surface finish code from list on page Crinion Open Table.	
ES1 End screen	3. Specify frame finish.	
60 Width	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.	Specify end screen brackets separately for each screen.
14 Height	Fabric is railroded.	
F Surface	Brackets are available in all paint finishes.	
20 Fabric grade	Replacement mast kit is 812 Easy Grey or 111 Black.	
W2801 Fabric		
112 Frame finish		

Single sided end screen

Acrylic, Marker or veneer surface

AutoStrada



description	application	w	d	h	pattern no.	list	Opal acrylic	Trans. acrylic / Marker	V1	V2	V3
	Single sided end screens to 43" H	24" D Single	24"	1 1/4"	14"	XTES1 2414 () () ()	\$579.	\$594.	\$872.	\$936.	\$1,030.
		30" D Single	30"	1 1/4"	14"	XTES1 3014 () () ()	607.	627.	899.	972.	1,093.
		36" D Single	36"	1 1/4"	14"	XTES1 3614 () () ()	661.	687.	923.	1,005.	1,153.
	acrylic shown										
	Single sided end sceen to 50" H	24" D single sided	24"	1 1/4"	21"	XTES1 2421 () () ()	661.	687.	934.	1,012.	1,148.
		30" D single sided	30"	1 1/4"	21"	XTES1 3021 () () ()	689.	720.	963.	1,055.	1,228.
		36" D single sided	36"	1 1/4"	21"	XTES1 3621 () () ()	744.	780.	990.	1,097.	1,309.
	acrylic shown										
Single sided end screen brackets (set)	postformed edge					XTSM1PC ()	166.				
	square edge					XTSM1SC ()	122.				
	tapered edge					XTSM1KC ()	122.				

Order Code	Specifications	Application Notes
Example: XTES13614A O 114		
XT Crinion Open Table	1. Specify surface <i>A</i> = Acrylic <i>V</i> = Veneer <i>M</i> = Marker	Single sided end screens clamp to front edge of worksurface and attach to top of channel. Specify 14" H screens for a 42" horizon. Specify 21" H screens for a 49" horizon. Side screens align with center screens when worksurfaces are set at 28 3/8" H.
ES1 End screen	2. For Acrylic surface specify <i>O</i> = Opal <i>T</i> = Translucent	
36 Width	Veneer surfaces may be any standard AutoStrada V1,V2 or V3 veneer.	
14 Height	Specify veneer finish code from Crinion Open Table.	Specify end screen brackets separately for each sceen.
A Surface	3. Specify frame finish.	Veneer grain direction is horizontal.
O Opal	Frame is clear anodized aluminum or any standard paint finish except 613 Silver.	
114 Frame finish	Brackets are available in all paint finishes.	

Single sided end screen

Tackable fabric surface

AutoStrada


description	application	w	d	h	pattern no.	list	10	15	20	30	35	40	45
	Single sided end screens to 43" H	24" D Single	24"	1 ¼"	14"	XTES1 2414F () ()	\$657.	\$665.	\$667.	\$677.	\$683.	\$683.	\$698.
		30" D Single	30"	1 ¼"	14"	XTES1 3014F () ()	677.	687.	689.	700.	709.	709.	727.
		36" D Single	36"	1 ¼"	14"	XTES1 3614F () ()	696.	709.	724.	734.	734.	734.	757.
	Single sided end sceen to 50" H	24" D single sided	24"	1 ¼"	21"	XTES1 2421F () ()	686.	694.	695.	705.	712.	712.	727.
		30" D single sided	30"	1 ¼"	21"	XTES1 3021F () ()	716.	725.	727.	739.	747.	747.	766.
		36" D single sided	36"	1 ¼"	21"	XTES1 3621F () ()	729.	742.	744.	757.	767.	767.	790.
Single sided end screen brackets (set)	postformed edge				XTSM1PC ()	166.							
	square edge				XTSM1SC ()	122.							
	tapered edge				XTSM1KC ()	122.							

Order Code	Specifications	Application Notes
Example: XTES13614F20 (W2801) 111	1. Tackable fabric surface is suffix F.	Single sided end screens clamp to front edge of worksurface and attach to top of channel. Specify 14" H screens for a 43" horizon. Specify 21" H screens for a 50" horizon. Side screens align with center screens when worksurfaces are set at 28 3/8" H.
XT Crinion Open Table	2. Select fabric surface finish code from list on page Crinion Open Table.	
ES1 End screen	3. Specify frame finish.	
36 Width		
14 Height		
F Surface	Frame is clear anodized aluminum or any paint finish except 613 Silver.	Specify end screen brackets separately for each screen.
20 Fabric grade		
W2801 Fabric	Fabric is railroaded.	
111 Frame finish	Brackets are available in all paint finishes.	

Frameless glass Add up for *Crinion Open Table*

AutoStrada

description	w	d	h	pattern number	clear tempered	powder
Frameless glass Add ups	48"	1/2"	12"	XAUA 1248G () ()	\$491.	\$511.
	60"	1/2"	12"	XAUA 1260G () ()	601.	625.
	72"	1/2"	12"	XAUA 1272G () ()	710.	738.



Crinion Open Table

Order Code	Specifications	Application Notes
Example: XAUA 1248G TEMP AA	<i>Add up type:</i>	Frameless glass addups for Crinion Open Table match those available for the AutoStrada spine.
X Crinion Open Table	G Glass	Base extrusion is clear anodized aluminum or any standard painted finish except Silver.
AUA Frameless addup screen	Glass add-ups are available with the following glass options:	Tempered glass in clear or powered finish is 1/2" thick. Base frame is secured with bolts to top channel for frameless glass addups.
48 Width	TEMP Clear tempered	
12 Height	GL13 Powder	
G Glass	Specify base finish:	Frameless addups cannot be mounted to standard top channel included with base assemblies.
TEMP Finish	AA anodized aluminum and all standard painted finishes except	
AA Base finish	613 Silver.	

Morrison Network privacy screens mounting kit for Crinion Open Table

AutoStrada

description	w	d	h	pattern number	list price
Fabric screen mounting kit				XTPS1MZKIT	\$112.



Order Code	Specifications	Applications notes
Example: XTPS1MZKIT		
XT	Crinion Open Table	Crinion Open Tables are designed to accept Morrison Network privacy screens with fabric screen mounting kit. Screens are tackable fabric, $\frac{3}{4}$" thick, in widths corresponding to Crinion worksurfaces 48", 60" or 72" wide. Specify screens MZ1-B4815F, MZ1B6015F or MZ1B7215F. Specify one mounting kit for each screen. Fabric screen mounting kits include two uprights that fasten to the top channel at any point. Uprights slide into internal channels in screens. Fabric screens do not align in height with acrylic privacy screens.
PS1	Privacy Screen	
MZ	Fabric	
KIT	Kit	

Alpha-Numeric Index

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
A1CHLTT102	116	AA1 30E	87	AAWS BC 072	18	AAWS C0760 M	23
A1CHLTT108	116	AA1 39E	87	AAWS BC 078	18	AAWS C0760 P	32
A1CHLTT114	116	AA1 48E	87	AAWS BC 084	18	AAWS C0760 R	21
A1CHLTT120	116	AA1 64E	87	AAWS BC 090	18	AAWS C0760 S	22
A1CHLTT126	116	AA1 ARE	71	AAWS BC 096	18	AAWS C0766	30
A1CHLTT132	116	AA1 BS	208	AAWS BC 102	18	AAWS C0766 A	26
A1CHLTT138	116	AA1 T06	87	AAWS BC 108	18	AAWS C0766 F	28
A1CHLTT144	116	AA1 T18	87	AAWS BC 114	18	AAWS C0766 M	23
A1CHLTT60	116	AA1 T24	87	AAWS BC 120	18	AAWS C0766 P	32
A1CHLTT66	116	AA1 T30	87	AAWS BC 126	18	AAWS C0766 R	21
A1CHLTT72	116	AA1 T36	87	AAWS BC 132	18	AAWS C0766 S	22
A1CHLTT78	116	AA1 T42	87	AAWS BC 138	18	AAWS C0772	30
A1CHLTT84	116	AA1 T48	87	AAWS BC 144	18	AAWS C0772 A	26
A1CHLTT90	116	AA1 T60	87	AAWS BE	36, 37	AAWS C0772 F	28
A1CHLTT96	116	AA1 T72	88	AAWS BE27	43	AAWS C0772 M	23
A1CRTT102	116	AA1ARODN	192	AAWS BE28	43	AAWS C0772 P	32
A1CRTT108	116	AA1CET39	70	AAWS C0724	30	AAWS C0772 R	21
A1CRTT114	116	AA1CET48	70	AAWS C0724 A	26	AAWS C0772 S	22
A1CRTT120	116	AA1CET64	70	AAWS C0724 F	28	AAWS C0778	30
A1CRTT126	116	AA1DPS	76	AAWS C0724 M	23	AAWS C0778 F	28
A1CRTT132	116	AA1DTC	76	AAWS C0724 P	32	AAWS C0778 P	32
A1CRTT138	116	AA1GPS	75	AAWS C0724 R	21	AAWS C0778 R	21
A1CRTT144	116	AA1MPS30	70	AAWS C0724 S	22	AAWS C0778 S	22
A1CRTT60	116	AA1MPS39	70	AAWS C0730	30	AAWS C0784	30
A1CRTT66	116	AA1MPS42	70	AAWS C0730 A	26	AAWS C0784 F	28
A1CRTT72	116	AA1MPS48	70	AAWS C0730 F	28	AAWS C0784 P	32
A1CRTT78	116	AA1MPS56	70	AAWS C0730 M	23	AAWS C0784 R	21
A1CRTT84	116	AA1MPS64	70	AAWS C0730 P	32	AAWS C0784 S	22
A1CRTT90	116	AA1MPS74	70	AAWS C0730 R	21	AAWS C0790	30
A1CRTT96	116	AA1MPS80	70	AAWS C0730 S	22	AAWS C0790 F	28
A1ECAU	108	AA1MRS	70	AAWS C0736	30	AAWS C0790 P	32
A1FHETE34	115	AA1NSK	88	AAWS C0736 A	26	AAWS C0790 R	21
A1FHETE42	115	AA1OR	60	AAWS C0736 F	28	AAWS C0790 S	22
A1FHETE49	115	AA1ORD	60	AAWS C0736 M	23	AAWS C0796	30
A1FHETE64	115	AA1RE	88	AAWS C0736 P	32	AAWS C0796 F	28
A1HLETE3442	115	AA1ROUP	192	AAWS C0736 R	21	AAWS C0796 P	32
A1HLETE3449	115	AA1ROXUP	192	AAWS C0736 S	22	AAWS C0796 R	21
A1HLETE3464	115	AA1RPS34	72	AAWS C0742	30	AAWS C0796 S	22
A1HLETE4249	115	AA1RPS42	72	AAWS C0742 A	26	AAWS C1524	30
A1HLETE4264	115	AA1RPS49	72	AAWS C0742 F	28	AAWS C1524 A	26
A1HLETE4964	115	AA1RPS64	72	AAWS C0742 M	23	AAWS C1524 F	28
A1HLPTE3442	115	AA1RPS79	72	AAWS C0742 P	32	AAWS C1524 G	34
A1HLPTE3449	115	AA1RTC	73	AAWS C0742 R	21	AAWS C1524 L	25
A1HLPTE3464 (F/T)	115	AA1UA39	78	AAWS C0742 S	22	AAWS C1524 M	23
A1HLPTE4249	115	AA1UA48	78	AAWS C0748	30	AAWS C1524 P	32
A1HLPTE4264 (F/T)	115	AA1UA64	78	AAWS C0748 A	26	AAWS C1530	30
A1HLPTE4964	115	AA1UPS39	78	AAWS C0748 F	28	AAWS C1530 A	26
A1LPCAU	108	AA1UPS48	78	AAWS C0748 M	23	AAWS C1530 F	28
A1SPCAU	108	AA1UPS64	78	AAWS C0748 P	32	AAWS C1530 G	34
A1TPCAU	108	AA2 MTC	70	AAWS C0748 R	21	AAWS C1530 L	25
A1TTC18	116	AA2 UTC	78	AAWS C0748 S	22	AAWS C1530 M	23
A1TTC20	116	AAV1 4824 S2D1F	162	AAWS C0754	30	AAWS C1530 P	32
A1TTC24	116	AAV1 4830 S2D1F	162	AAWS C0754 A	26	AAWS C1536	30
A1TTC30	116	AAV1 6424 S2D2F	162	AAWS C0754 F	28	AAWS C1536 A	26
A1TTC36	116	AAV1 6430 S2D2F	162	AAWS C0754 M	23	AAWS C1536 F	28
A1TTC42	116	AAWS BC 036	18	AAWS C0754 P	32	AAWS C1536 G	34
A1TTC48	116	AAWS BC 042	18	AAWS C0754 R	21	AAWS C1536 L	25
A1XPCAU	108	AAWS BC 048	18	AAWS C0754 S	22	AAWS C1536 M	23
A3CPBDL	157	AAWS BC 054	18	AAWS C0760	30	AAWS C1536 P	32
A3CPBDR	157	AAWS BC 060	18	AAWS C0760 A	26	AAWS C1542	30
A3CPBS	157	AAWS BC 066	18	AAWS C0760 F	28	AAWS C1542 A	26

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AAWS C1542 F	28	AAWS C2230 F	29	AAWS C2290 P	33	AAWS C4542 M	24
AAWS C1542 G	34	AAWS C2230 G	34	AAWS C2296	31	AAWS C4548 M	24
AAWS C1542 L	25	AAWS C2230 L	25	AAWS C2296 F	29	AAWS C4554 M	24
AAWS C1542 M	23	AAWS C2230 M	23	AAWS C2296 L	25	AAWS C4560 M	24
AAWS C1542 P	32	AAWS C2230 P	33	AAWS C2296 P	33	AAWS C4566 M	24
AAWS C1548	30	AAWS C2236	31	AAWS C3024	31	AAWS C4572 M	24
AAWS C1548 A	26	AAWS C2236 A	27	AAWS C3024 A	27	AAWS CC 036	16
AAWS C1548 F	28	AAWS C2236 F	29	AAWS C3024 F	29	AAWS CC 042	16
AAWS C1548 G	34	AAWS C2236 G	34	AAWS C3024 M	23	AAWS CC 048	16
AAWS C1548 L	25	AAWS C2236 L	25	AAWS C3024 P	33	AAWS CC 054	16
AAWS C1548 M	23	AAWS C2236 M	23	AAWS C3030	31	AAWS CC 060	16
AAWS C1548 P	32	AAWS C2236 P	33	AAWS C3030 A	27	AAWS CC 066	16
AAWS C1554	30	AAWS C2242	31	AAWS C3030 F	29	AAWS CC 072	16
AAWS C1554 A	26	AAWS C2242 A	27	AAWS C3030 M	23	AAWS CC 078	16
AAWS C1554 F	28	AAWS C2242 F	29	AAWS C3030 P	33	AAWS CC 084	16
AAWS C1554 G	34	AAWS C2242 G	34	AAWS C3036	31	AAWS CC 090	16
AAWS C1554 L	25	AAWS C2242 L	25	AAWS C3036 A	27	AAWS CC 096	16
AAWS C1554 M	23	AAWS C2242 M	23	AAWS C3036 F	29	AAWS CC 102	16
AAWS C1554 P	32	AAWS C2242 P	33	AAWS C3036 M	23	AAWS CC 108	16
AAWS C1560	30	AAWS C2248	31	AAWS C3036 P	33	AAWS CC 114	16
AAWS C1560 A	26	AAWS C2248 A	27	AAWS C3042	31	AAWS CC 120	16
AAWS C1560 F	28	AAWS C2248 F	29	AAWS C3042 A	27	AAWS CC 126	16
AAWS C1560 G	34	AAWS C2248 G	34	AAWS C3042 F	29	AAWS CC 132	16
AAWS C1560 L	25	AAWS C2248 L	25	AAWS C3042 M	23	AAWS CC 138	16
AAWS C1560 M	23	AAWS C2248 M	23	AAWS C3042 P	33	AAWS CC 144	16
AAWS C1560 P	32	AAWS C2248 P	33	AAWS C3048	31	AAWS CG	45
AAWS C1566	30	AAWS C2254	31	AAWS C3048 A	27	AAWS CH	45
AAWS C1566 A	26	AAWS C2254 A	27	AAWS C3048 F	29	AAWS CT24	43
AAWS C1566 F	28	AAWS C2254 F	29	AAWS C3048 M	23	AAWS CT30	43
AAWS C1566 G	34	AAWS C2254 G	34	AAWS C3048 P	33	AAWS CT36	43
AAWS C1566 L	25	AAWS C2254 L	25	AAWS C3054	31	AAWS CT42	43
AAWS C1566 M	23	AAWS C2254 M	23	AAWS C3054 A	27	AAWS CT48	43
AAWS C1566 P	32	AAWS C2254 P	33	AAWS C3054 F	29	AAWS CT54	43
AAWS C1572	30	AAWS C2260	31	AAWS C3054 M	23	AAWS CT60	43
AAWS C1572 A	26	AAWS C2260 A	27	AAWS C3054 P	33	AAWS CT66	43
AAWS C1572 F	28	AAWS C2260 F	29	AAWS C3060	31	AAWS CT72	43
AAWS C1572 G	34	AAWS C2260 G	34	AAWS C3060 A	27	AAWS DS0605	35
AAWS C1572 L	25	AAWS C2260 L	25	AAWS C3060 F	29	AAWS DS2405	35
AAWS C1572 M	23	AAWS C2260 M	23	AAWS C3060 M	23	AAWS DS3005	35
AAWS C1572 P	32	AAWS C2260 P	33	AAWS C3060 P	33	AAWS DS3605	35
AAWS C1578	30	AAWS C2266	31	AAWS C3066	31	AAWS DS4205	35
AAWS C1578 F	28	AAWS C2266 A	27	AAWS C3066 A	27	AAWS DS4805	35
AAWS C1578 L	25	AAWS C2266 F	29	AAWS C3066 F	29	AAWS DS5405	35
AAWS C1578 P	32	AAWS C2266 G	34	AAWS C3066 M	23	AAWS DS6005	35
AAWS C1584	30	AAWS C2266 L	25	AAWS C3066 P	33	AAWS DS6605	35
AAWS C1584 F	28	AAWS C2266 M	23	AAWS C3072	31	AAWS DS7205	35
AAWS C1584 L	25	AAWS C2266 P	33	AAWS C3072 A	27	AAWS EASEL	45
AAWS C1584 P	32	AAWS C2272	31	AAWS C3072 F	29	AAWS ET 106	19
AAWS C1590	30	AAWS C2272 A	27	AAWS C3072 M	23	AAWS ET 114	19
AAWS C1590 F	28	AAWS C2272 F	29	AAWS C3072 P	33	AAWS ET 144	19
AAWS C1590 L	25	AAWS C2272 G	34	AAWS C3078	31	AAWS ET 69	19
AAWS C1590 P	32	AAWS C2272 L	25	AAWS C3078 F	29	AAWS ET 84	19
AAWS C1596	30	AAWS C2272 M	23	AAWS C3078 P	33	AAWS ET 91	19
AAWS C1596 F	28	AAWS C2272 P	33	AAWS C3084	31	AAWS ET 99	19
AAWS C1596 L	25	AAWS C2278	31	AAWS C3084 F	29	AAWS ETO 69	19
AAWS C1596 P	32	AAWS C2278 F	29	AAWS C3084 P	33	AAWS ETO 84	19
AAWS C2224	31	AAWS C2278 L	25	AAWS C3090	31	AAWS F2236	13
AAWS C2224 A	27	AAWS C2278 P	33	AAWS C3090 F	29	AAWS F2248	13
AAWS C2224 F	29	AAWS C2284	31	AAWS C3090 P	33	AAWS F3036	13
AAWS C2224 G	34	AAWS C2284 F	29	AAWS C3096	31	AAWS F3048	13
AAWS C2224 L	25	AAWS C2284 L	25	AAWS C3096 F	29	AAWS F6936	13
AAWS C2224 M	23	AAWS C2284 P	33	AAWS C3096 P	33	AAWS F6948	13
AAWS C2224 P	33	AAWS C2290	31	AAWS C4524 M	24	AAWS F8436	13
AAWS C2230	31	AAWS C2290 F	29	AAWS C4530 M	24	AAWS F8448	13
AAWS C2230 A	27	AAWS C2290 L	25	AAWS C4536 M	24	AAWS IBT	19

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AAWS IC 024	17	AAWS OBD 60	41	AAWS OGO 72	38	AAWS TU 078	15
AAWS IC 030	17	AAWS OBD 66	41	AAWS OGO 78	38	AAWS TU 084	15
AAWS IC 036	17	AAWS OBD 72	41	AAWS OGO 84	38	AAWS TU 090	15
AAWS IC 042	17	AAWS OBD 78	41	AAWS OGO 90	38	AAWS TU 096	15
AAWS IC 048	17	AAWS OBD 84	41	AAWS OGO 96	38	AAWS TU 102	15
AAWS IC 054	17	AAWS OBD 90	41	AAWS OGR 42	39	AAWS TU 108	15
AAWS IC 060	17	AAWS OBD 96	41	AAWS OGR 48	39	AAWS TU 114	15
AAWS IC 066	17	AAWS OBO 18	38	AAWS OGR 54	39	AAWS TU 120	15
AAWS IC 072	17	AAWS OBO 24	38	AAWS OGR 60	39	AAWS TU 126	15
AAWS IC 078	17	AAWS OBO 30	38	AAWS OGR 66	39	AAWS TU 132	15
AAWS IC 084	17	AAWS OBO 36	38	AAWS OGR 72	39	AAWS TU 138	15
AAWS IC 090	17	AAWS OBO 42	38	AAWS OGR 78	39	AAWS TU 144	15
AAWS IC 096	17	AAWS OBO 48	38	AAWS OGR 84	39	AAWS US2409 G	36
AAWS IC 102	17	AAWS OBO 54	38	AAWS OGR 90	39	AAWS US2412	37
AAWS IC 108	17	AAWS OBO 60	38	AAWS OGR 96	39	AAWS US3009 G	36
AAWS IC 114	17	AAWS OBO 66	38	AAWS OGS 42	40	AAWS US3012	37
AAWS IC 120	17	AAWS OBO 72	38	AAWS OGS 48	40	AAWS US3609 G	36
AAWS IC 126	17	AAWS OBO 78	38	AAWS OGS 54	40	AAWS US3612	37
AAWS IC 132	17	AAWS OBO 84	38	AAWS OGS 60	40	AAWS US4209 G	36
AAWS IC 138	17	AAWS OBO 90	38	AAWS OGS 66	40	AAWS US4212	37
AAWS IC 144	17	AAWS OBO 96	38	AAWS OGS 72	40	AAWS US4809 G	36
AAWS IL 106	20	AAWS OBR 42	39	AAWS OGS 78	40	AAWS US4812	37
AAWS IL 114	20	AAWS OBR 48	39	AAWS OGS 84	40	AAWS US5409 G	36
AAWS IL 144	20	AAWS OBR 54	39	AAWS OGS 90	40	AAWS US5412	37
AAWS IL 69	20	AAWS OBR 60	39	AAWS OGS 96	40	AAWS US6009 G	36
AAWS IL 84	20	AAWS OBR 66	39	AAWS OL 106	20	AAWS US6012	37
AAWS IL 91	20	AAWS OBR 72	39	AAWS OL 144	20	AAWS US6609 G	36
AAWS IL 99	20	AAWS OBR 78	39	AAWS OL 69	20	AAWS US6612	37
AAWS ILO 69	20	AAWS OBR 84	39	AAWS OL 91	20	AAWS US7209 G	36
AAWS ILO 84	20	AAWS OBR 90	39	AAWS OL 99	20	AAWS US7212	37
AAWS LS2409 G	36	AAWS OBR 96	39	AAWS OLO 69	20	AAWS VFC	19
AAWS LS2412	37	AAWS OBS 42	40	AAWS OLO 84	20	AAWS WMC	45
AAWS LS3009 G	36	AAWS OBS 48	40	AAWS PH	45	AAWS WOMK 18	42
AAWS LS3012	37	AAWS OBS 54	40	AAWS RET	21	AAWS WOMK 24	42
AAWS LS3609 G	36	AAWS OBS 60	40	AAWS RO MK	42	AAWS WOMK 30	42
AAWS LS3612	37	AAWS OBS 66	40	AAWS RPM1 05	44	AAWS WOMK 36	42
AAWS LS4209 G	36	AAWS OBS 72	40	AAWS RPM2 02	44	AAWS WOMK 42	42
AAWS LS4212	37	AAWS OBS 78	40	AAWS RPM2 05	44	AAWS WOMK 48	42
AAWS LS4809 G	36	AAWS OBS 84	40	AAWS RPM2I 05	44	AAWS WOMK 54	42
AAWS LS4812	37	AAWS OBS 90	40	AAWS TC 036	14	AAWS WOMK 60	42
AAWS LS5409 G	36	AAWS OBS 96	40	AAWS TC 042	14	AAWS WOMK 66	42
AAWS LS5412	37	AAWS OGD 18L	41	AAWS TC 048	14	AAWS WOMK 72	42
AAWS LS6009 G	36	AAWS OGD 18R	41	AAWS TC 054	14	AAWS WOMK 78	42
AAWS LS6012	37	AAWS OGD 24	41	AAWS TC 060	14	AAWS WOMK 84	42
AAWS LS6609 G	36	AAWS OGD 30	41	AAWS TC 066	14	AAWS WOMK 90	42
AAWS LS6612	37	AAWS OGD 36	41	AAWS TC 072	14	AAWS WOMK 96	42
AAWS LS7209 G	36	AAWS OGD 42	41	AAWS TC 078	14	AB1 AC24	208
AAWS LS7212	37	AAWS OGD 48	41	AAWS TC 084	14	AB1-ABC24	208
AAWS MT24	45	AAWS OGD 54	41	AAWS TC 090	14	AB1AS27	211
AAWS MT30	45	AAWS OGD 60	41	AAWS TC 096	14	AB1AS28	211
AAWS MT36	45	AAWS OGD 66	41	AAWS TC 102	14	AB1AS30	211
AAWS MT42	45	AAWS OGD 72	41	AAWS TC 108	14	AB1ASC27	211
AAWS MT48	45	AAWS OGD 78	41	AAWS TC 114	14	AB1ASC28	211
AAWS MT54	45	AAWS OGD 84	41	AAWS TC 120	14	AB1ASC30	211
AAWS MT60	45	AAWS OGD 90	41	AAWS TC 126	14	AB1AW27	211
AAWS MT66	45	AAWS OGD 96	41	AAWS TC 132	14	AB1AW28	211
AAWS MT72	45	AAWS OGO 18	38	AAWS TC 138	14	AB2 AE	208
AAWS OBD 18L	41	AAWS OGO 24	38	AAWS TC 144	14	AB2 FE27	208
AAWS OBD 18R	41	AAWS OGO 30	38	AAWS TU 036	15	AB2 FE28	208
AAWS OBD 24	41	AAWS OGO 36	38	AAWS TU 042	15	AC1 39L2	86
AAWS OBD 30	41	AAWS OGO 42	38	AAWS TU 048	15	AC1 39T3	86
AAWS OBD 36	41	AAWS OGO 48	38	AAWS TU 054	15	AC1 39V2	86
AAWS OBD 42	41	AAWS OGO 54	38	AAWS TU 060	15	AC1 39X4	86
AAWS OBD 48	41	AAWS OGO 60	38	AAWS TU 066	15	AC1 39Y3	86
AAWS OBD 54	41	AAWS OGO 66	38	AAWS TU 072	15	AC1 48L2	86

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AC1 48T3	86	ACDR4924	145	ACHL6426W	156	ACW722	161
AC1 48V2	86	ACDR4926	145	ACHL6430M	155	ACW723	161
AC1 48X4	86	ACDR4930	145	ACHL6430W	156	ACW822	161
AC1 48Y3	87	ACDR4932	145	ACHL6432M	155	ACW823	161
AC1 64L2	86	ACEL4924	148	ACHL6432W	156	ACWJ(L/R)4224	146
AC1 64T3	86	ACEL4926	148	ACHR4924M	155	ACWJ(L/R)4226	146
AC1 64V2	86	ACEL4930	148	ACHR4924W	156	ACWJ(L/R)4230	146
AC1 64X4	86	ACEL4932	148	ACHR4926M	155	ACWJ(L/R)4232	146
AC1 64Y3	87	ACEL6424	148	ACHR4926W	156	ACWJ(L/R)4924	146
ACA1 30E1	87	ACEL6426	148	ACHR4930M	155	ACWJ(L/R)4926	146
ACA1 39E1	87	ACEL6430	148	ACHR4930W	156	ACWJ(L/R)4930	146
ACA1 48E1	87	ACEL6432	148	ACHR4932M	155	ACWJ(L/R)4932	146
ACA1 64E1	87	ACER4924	148	ACHR4932W	156	ACWJ(L/R)6424	146
ACAL4224	142	ACER4926	148	ACHR6424M	155	ACWJ(L/R)6426	146
ACAL4226	142	ACER4930	148	ACHR6424W	156	ACWJ(L/R)6430	146
ACAL4230	142	ACER4932	148	ACHR6426M	155	ACWJ(L/R)6432	146
ACAL4232	142	ACER6424	148	ACHR6426W	156	ACWK(L/R)4224	147
ACAL4924	142	ACER6426	149	ACHR6430M	155	ACWK(L/R)4226	147
ACAL4926	142	ACER6430	148	ACHR6430W	156	ACWK(L/R)4230	147
ACAL4930	142	ACER6432	149	ACHR6432M	155	ACWK(L/R)4232	147
ACAL4932	142	ACF	218	ACHR6432W	156	ACWK(L/R)4924	147
ACAR4224	142	ACFG	218	ACIL4930	152	ACWK(L/R)4926	147
ACAR4226	142	ACFL4924	150	ACIL4932	152	ACWK(L/R)4930	147
ACAR4230	142	ACFL4926	150	ACIL6430	153	ACWK(L/R)4932	147
ACAR4232	142	ACFL4930	150	ACIL6432	153	ACWK(L/R)6424	147
ACAR4924	142	ACFL4932	150	ACIR4930	152	ACWK(L/R)6426	147
ACAR4926	142	ACFL6424	150	ACIR4932	152	ACWK(L/R)6430	147
ACAR4930	142	ACFL6426	150	ACIR6430	153	ACWK(L/R)6432	147
ACAR4932	142	ACFL6430	150	ACIR6432	153	ADS 0821	54
ACBL4224	143	ACFL6432	150	ACJ722WE	159	ADS 0824	54
ACBL4226	143	ACFR4924	150	ACJ723WE	159	ADS 0833	54
ACBL4230	143	ACFR4926	150	ACJ822WE	159	ADS 0836	54
ACBL4232	143	ACFR4930	150	ACJ823WE	159	ADS 0845	54
ACBL4924	143	ACFR4932	150	ACKL722WE	160	ADS 0848	54
ACBL4926	143	ACFR6424	150	ACKL723WE	160	ADS 0857	54
ACBL4930	143	ACFR6426	151	ACKL822WE	160	ADS 0860	54
ACBL4932	143	ACFR6430	150	ACKL823WE	160	ADS 0869	54
ACBR4224	143	ACFR6432	151	ACKR722WE	160	ADS 0872	54
ACBR4226	143	ACGL4924	154	ACKR723WE	160	AFB16	171
ACBR4230	143	ACGL4926	154	ACKR822WE	160	AFB19	171
ACBR4232	143	ACGL4930	154	ACKR823WE	160	AFB30	171
ACBR4924	143	ACGL4932	154	ACL722M	159	AFB36	171
ACBR4926	143	ACGL6424	154	ACL722W	159	AFB42	171
ACBR4930	143	ACGL6426	154	ACL723M	159	AFB60	171
ACBR4932	143	ACGL6430	154	ACL723W	159	AFB72	171
ACCL4224	144	ACGL6432	154	ACL822M	159	AFB84	171
ACCL4226	144	ACGR4924	154	ACL822W	159	AFB90	171
ACCL4230	144	ACGR4926	154	ACL823M	159	AFB96	171
ACCL4232	144	ACGR4930	154	ACL823W	159	AFPB10(E/P)(M)	169
ACCL4924	144	ACGR4932	154	ACMML722	160	AFPB10(E/P)(W)	168
ACCL4926	144	ACGR6424	154	ACMML723	160	AFPB11(E/P)(M)	169
ACCL4930	144	ACGR6426	154	ACMML822	160	AFPB11(E/P)(W)	168
ACCL4932	144	ACGR6430	154	ACMML823	160	AFPB20(E/P)(M)	169
ACCR4224	144	ACGR6432	154	ACMMR722	160	AFPB20(E/P)(W)	168
ACCR4226	144	ACHL4924M	155	ACMMR723	160	AFPB21(E/P)(M)	169
ACCR4230	144	ACHL4924W	156	ACMMR822	160	AFPB21(E/P)(W)	168
ACCR4232	144	ACHL4926M	155	ACMMR823	160	AFPB30(E/P)(M)	169
ACCR4924	144	ACHL4926W	156	ACMWL722	160	AFPB30(E/P)(W)	168
ACCR4926	144	ACHL4930M	155	ACMWL723	160	AFPB31(E/P)(M)	169
ACCR4930	144	ACHL4930W	156	ACMWL822	160	AFPB31(E/P)(W)	168
ACCR4932	144	ACHL4932M	155	ACMWL823	160	AFPF10(E/P)(M)	169
ACDL4924	145	ACHL4932W	156	ACMWR722	160	AFPF10(E/P)(W)	168
ACDL4926	145	ACHL6424M	155	ACMWR723	160	AFPF11(E/P)(M)	169
ACDL4930	145	ACHL6424W	156	ACMWR822	160	AFPF11(E/P)(W)	168
ACDL4932	145	ACHL6426M	155	ACMWR823	160	AFPF12(E/P)(M)	169

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AFPF12(E/P)(W)	168	AHHS66	213	AMB42R545	124	AMBR904	130
AFPF13(E/P)(M)	169	AHHS72	213	AMB42R604	123	AMBR905	131
AFPF13(E/P)(W)	168	AHHS78	213	AMB42R605	124	AMBR964	130
AFPF14(E/P)(W)	168	AHHS84	213	AMB42R664	123	AMBR965	131
AFPF20(E/P)(M)	169	AHHS90	213	AMB42R665	124	AMG42E604	127
AFPF20(E/P)(W)	168	AHHS96	213	AMB42R724	123	AMG42E605	127
AFPF21(E/P)(M)	169	AHLTTE18	115	AMB42R725	124	AMG42E664	127
AFPF21(E/P)(W)	168	AHLTTE20	115	AMB42R784	123	AMG42E665	127
AFPF22(E/P)(M)	169	AHLTTE24	115	AMB42R785	124	AMG42E724	127
AFPF22(E/P)(W)	168	AHLTTE30	115	AMB42R844	123	AMG42E725	127
AFPF23(E/P)(M)	169	AHLTTE36	115	AMB42R845	124	AMG42E784	127
AFPF23(E/P)(W)	168	AHLTTE42	115	AMB42R904	123	AMG42E785	127
AFPF24(E/P)(W)	168	AHLTTE48	115	AMB42R905	124	AMG42E844	127
AFPF30(E/P)(M)	169	ALIT5E19	194	AMB42R964	123	AMG42E845	127
AFPF30(E/P)(W)	168	ALIT5E25	194	AMB42R965	124	AMG42E904	127
AFPF31(E/P)(M)	169	ALIT5E37	194	AMBE604	134	AMG42E905	127
AFPF31(E/P)(W)	168	ALIT5E49	194	AMBE605	134	AMG42E964	127
AFPH12(E/P)(L/N)(W)	170	ALIT5E61	194	AMBE664	134	AMG42E965	127
AFPH13(E/P)(L/N)(W)	170	ALIT5E73	194	AMBE665	134	AMG42L424	125
AFPH14(E/P)(L/N)(W)	170	ALIT5E85	194	AMBE724	134	AMG42L425	125
AFPH22(E/P)(L/N)(W)	170	ALBL24	212	AMBE725	134	AMG42L484	125
AFPH23(E/P)(L/N)(W)	170	ALBL30	212	AMBE784	134	AMG42L485	125
AFPH24(E/P)(L/N)(W)	170	ALBL36	212	AMBE785	134	AMG42L544	125
AFPHL10(E/P)(L/N)(W)	170	ALBR24	212	AMBE844	134	AMG42L545	125
AFPHL11(E/P)(L/N)(W)	170	ALBR30	212	AMBE845	134	AMG42L604	125
AFPHL20(E/P)(L/N)(W)	170	ALBR36	212	AMBE904	134	AMG42L605	125
AFPHL21(E/P)(L/N)(W)	170	AMB42E604	127	AMBE905	134	AMG42L664	125
AFPHR10(E/P)(L/N)(W)	170	AMB42E605	127	AMBE964	134	AMG42L665	125
AFPHR11(E/P)(L/N)(W)	170	AMB42E664	127	AMBE965	134	AMG42L724	125
AFPHR20(E/P)(L/N)(W)	170	AMB42E665	127	AMBL424	130	AMG42L725	125
AFPHR21(E/P)(L/N)(W)	170	AMB42E724	127	AMBL425	130	AMG42L784	125
AG1B	75	AMB42E725	127	AMBL484	130	AMG42L785	125
AG1B3920	89	AMB42E784	127	AMBL485	130	AMG42L844	125
AG1B3924	89	AMB42E785	127	AMBL544	130	AMG42L845	125
AG1B3930	89	AMB42E844	127	AMBL545	130	AMG42L904	125
AG1B3936	89	AMB42E845	127	AMBL604	130	AMG42L905	125
AG1B3942	89	AMB42E904	127	AMBL605	130	AMG42L964	125
AG1B3948	89	AMB42E905	127	AMBL664	130	AMG42L965	125
AG1B3954	89	AMB42E964	127	AMBL665	130	AMG42R424	125
AG1B3960	89	AMB42E965	127	AMBL724	130	AMG42R425	126
AG1B3966	89	AMB42L424	123	AMBL725	130	AMG42R484	125
AG1B3972	89	AMB42L425	123	AMBL784	130	AMG42R485	126
AG1B3978	89	AMB42L484	123	AMBL785	130	AMG42R544	125
AG1B3984	89	AMB42L485	123	AMBL844	130	AMG42R545	126
AG1B3990	89	AMB42L544	123	AMBL845	130	AMG42R604	125
AG1B3996	89	AMB42L545	123	AMBL904	130	AMG42R605	126
AG1B4920	89	AMB42L604	123	AMBL905	130	AMG42R664	125
AG1B4924	89	AMB42L605	123	AMBL964	130	AMG42R665	126
AG1B4930	89	AMB42L664	123	AMBL965	130	AMG42R724	125
AG1B4936	89	AMB42L665	123	AMBR424	130	AMG42R725	126
AG1B4942	89	AMB42L724	123	AMBR425	131	AMG42R784	125
AG1B4948	89	AMB42L725	123	AMBR484	130	AMG42R785	126
AG1B4954	89	AMB42L784	123	AMBR485	131	AMG42R844	125
AG1B4960	89	AMB42L785	123	AMBR544	130	AMG42R845	126
AG1B4966	89	AMB42L844	123	AMBR545	131	AMG42R904	125
AG1B4972	89	AMB42L845	123	AMBR604	130	AMG42R905	126
AG1B4978	89	AMB42L904	123	AMBR605	131	AMG42R964	125
AG1B4984	89	AMB42L905	123	AMBR664	130	AMG42R965	126
AG1B4990	89	AMB42L964	123	AMBR665	131	AMGE604	134
AG1B4996	89	AMB42L965	123	AMBR724	130	AMGE605	134
AHHS36	213	AMB42R424	123	AMBR725	131	AMGE664	134
AHHS42	213	AMB42R425	124	AMBR784	130	AMGE665	134
AHHS48	213	AMB42R484	123	AMBR785	131	AMGE724	134
AHHS54	213	AMB42R485	124	AMBR844	130	AMGE725	134
AHHS60	213	AMB42R544	123	AMBR845	131	AMGE784	134

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AMGE785	134	AOB4278	137	APIW 1830G	85	APCA 1836 A	56
AMGE844	134	AOBS42	138	APIW 1836G	85	APCA 1848	55
AMGE845	134	AOBS48	138	APIW 1842G	85	APCA 1848 A	56
AMGE904	134	AOBS54	138	APIW 1848G	85	APCA 1860	55
AMGE905	134	AOBS60	138	APIW 1860G	85	APCA 1860 A	56
AMGE964	134	AOBS66	138	APIW 1872G	85	APCA 1872	55
AMGE965	134	AOBS72	138	APIW 2224G	85	APCA 1872 A	56
AMGL424	132	AOBS78	138	APIW 2230G	85	APCA 2712	55
AMGL425	132	APIL 3018 N	83	APIW 2236G	85	APCA 2712 A	56
AMGL484	132	APIL 3024 N	83	APIW 2242G	85	APCA 2724	55
AMGL485	132	APIL 3030 N	83	APIW 2248G	85	APCA 2724 A	56
AMGL544	132	APIL 3036 N	83	APIW 2260G	85	APCA 2736	55
AMGL545	132	APIL 3042 N	83	APIW 2272G	85	APCA 2736 A	56
AMGL604	132	APIL 3048 N	83	APIW 2524G	85	APCA 2748	55
AMGL605	132	APIL 3060 N	83	APIW 2530G	85	APCA 2748 A	56
AMGL664	132	APIL 3072 N	83	APIW 2536G	85	APCA 2760	55
AMGL665	132	APIL 3918 N	83	APIW 2542G	85	APCA 2760 A	56
AMGL724	132	APIL 3918G	84	APIW 2548G	85	APCA 2772	55
AMGL725	132	APIL 3924 N	83	APIW 2560G	85	APCA 2772 A	56
AMGL784	132	APIL 3924G	84	APIW 2572G	85	APCA AZ48	51
AMGL785	132	APIL 3930 N	83	APA 39	46	APCA AZ48S	50
AMGL844	132	APIL 3930G	84	APA 48	46	APCA AZ60	51
AMGL845	132	APIL 3936 N	83	APA 64	46	APCA AZ60S	50
AMGL904	132	APIL 3936G	84	APA1 1F	88	APCA AZ72	51
AMGL905	132	APIL 3942 N	83	APCA 0912	55	APCA AZ72S	50
AMGL964	132	APIL 3942G	84	APCA 0912 A	56	APCA HOC	53
AMGL965	132	APIL 3948 N	83	APCA 0912 C	52	APCA OC	52
AMCR424	132	APIL 3948G	84	APCA 0912 S	52	APF1 3948	46
AMCR425	133	APIL 3960 N	83	APCA 0924	55	APF1 3960	46
AMCR484	132	APIL 3972 N	83	APCA 0924 A	56	APF1 3972	46
AMCR485	133	APIL 4818 N	83	APCA 0924 C	52	APF1 4848	46
AMCR544	132	APIL 4818G	84	APCA 0924 S	52	APF1 4860	46
AMCR545	133	APIL 4824 N	83	APCA 0936	55	APF1 4872	46
AMCR604	132	APIL 4824G	84	APCA 0936 A	56	APF1 6448	46
AMCR605	133	APIL 4830 N	83	APCA 0936 C	52	APF1 6460	46
AMCR664	132	APIL 4830G	84	APCA 0936 S	52	APF1 6472	46
AMCR665	133	APIL 4836 N	83	APCA 0948	55	APFA1 3948	46
AMCR724	132	APIL 4836G	84	APCA 0948 A	56	APFA1 3960	46
AMCR725	133	APIL 4842 N	83	APCA 0948 C	52	APFA1 3972	46
AMCR784	132	APIL 4842G	84	APCA 0948 S	52	APFA1 4848	46
AMCR785	133	APIL 4848 N	83	APCA 0960	55	APFA1 4860	46
AMCR844	132	APIL 4848G	84	APCA 0960 A	56	APFA1 4872	46
AMCR845	133	APIL 4860 N	83	APCA 0960 C	52	APFA1 6448	46
AMCR904	132	APIL 4872 N	83	APCA 0960 S	52	APFA1 6460	46
AMCR905	133	APIL 6418 A	83	APCA 0972	55	APFA1 6472	46
AMCR964	132	APIL 6418G	84	APCA 0972 A	56	APHOBD42	179
AMCR965	133	APIL 6424 A	83	APCA 0972 C	52	APHOBD48	179
AMGTTA	141	APIL 6424G	84	APCA 0972 S	52	APHOBD54	179
AMGTTB	141	APIL 6430 A	83	APCA 1612	55	APHOBD60	179
AMGTTTC	141	APIL 6430G	84	APCA 1612 A	56	APHOBD66	179
AMGTTD	141	APIL 6436 A	83	APCA 1624	55	APHOBD72	179
AMPB10(E/P)(M)	169	APIL 6436G	84	APCA 1624 A	56	APHOBD78	179
AMPB10(E/P)(W)	168	APIL 6442 A	83	APCA 1636	55	APHOBD84	179
AMPB11(E/P)(M)	169	APIL 6442G	84	APCA 1636 A	56	APHOBD90	179
AMPB11(E/P)(W)	168	APIL 6448 A	83	APCA 1648	55	APHOBD96	179
AMPB20(E/P)(M)	169	APIL 6448G	84	APCA 1648 A	56	APHOB042	178
AMPB20(E/P)(W)	168	APIL 6460 A	83	APCA 1660	55	APHOB048	178
AMPB21(E/P)(M)	169	APIW 1624G	85	APCA 1660 A	56	APHOB054	178
AMPB21(E/P)(W)	168	APIW 1630G	85	APCA 1672	55	APHOB060	178
AOB4242	137	APIW 1636G	85	APCA 1672 A	56	APHOB066	178
AOB4248	137	APIW 1642G	85	APCA 1812	55	APHOB072	178
AOB4254	137	APIW 1648G	85	APCA 1812 A	56	APHOB078	178
AOB4260	137	APIW 1660G	85	APCA 1824	55	APHOB084	178
AOB4266	137	APIW 1672G	85	APCA 1824 A	56	APHOB090	178
AOB4272	137	APIW 1824G	85	APCA 1836	55	APHOB096	178

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
APHOBR42	182	APHOGS90	181	APX CIP4	81	ASBT1 42	172
APHOBR48	182	APHOGS96	181	APX CIP6	81	ASBT1 48	172
APHOBR54	182	APHOGT60	180	APX CIP8	81	ASFS1FF18	163
APHOBR60	182	APHOGT66	180	AR1 DA	79, 80	ASFS1FF24	163
APHOBR66	182	APHOGT72	180	AR1 DB	79, 80	ASFS1PDF18	163
APHOBR72	182	APHOGT78	180	AR1 DC	80	ASFS1PDF24	163
APHOBR78	182	APHOGT84	180	AR1 DX	79, 80	ASFS1WDD30	163
APHOBR84	182	APHOGT90	180	AR1 DY	79, 80	ASFS1WDD36	163
APHOBR90	182	APHOGT96	180	AR1 DZ	80	ASFS1WDF30	163
APHOBR96	182	APLP10	117	AR1 EJ1	79	ASFS1WDF36	163
APHOBS42	181	APLP25	117	AR1 EJ10	79	ASFS1WFF30	163
APHOBS48	181	APRA 480	48	AR1 EJ12	79	ASFS1WFF36	163
APHOBS54	181	APRA 600	48	AR1 EJ2	79	ASFS1WPDF30	163
APHOBS60	181	APRA 720	48	AR1 EJ3	79	ASFS1WPDF36	163
APHOBS66	181	APSA 0921	54	AR1 EJ4	79	ASM42MB42	128
APHOBS72	181	APSA 0924	54	AR1 EJ5	79	ASM42MB48	128
APHOBS78	181	APSA 0933	54	AR1 EJ6	79	ASM42MB54	128
APHOBS84	181	APSA 0936	54	AR1 EJ8	79	ASM42MB60	128
APHOBS90	181	APSA 0945	54	AR1 EOM	79	ASM42MB66	128
APHOBS96	181	APSA 0948	54	AR1 EPH1	79	ASM42MB72	128
APHOBT60	180	APSA 0957	54	AR1 EPH2	79	ASM42MB78	128
APHOBT66	180	APSA 0960	54	AR1 EPI5	79	ASM42MB84	128
APHOBT72	180	APSA 0969	54	AR1 EPIC	79	ASM42MB90	128
APHOBT78	180	APSA 0972	54	AR1 ET1	79	ASM42MB96	128
APHOBT84	180	APSA 1621	54	AR1 ET3	79	ASM42MC42	129
APHOBT90	180	APSA 1624	54	AR1 ET5	79	ASM42MC48	129
APHOBT96	180	APSA 1633	54	AR1 ET8	79	ASM42MC54	129
APHOGD42	179	APSA 1636	54	AR1 HCC H10	81	ASM42MC60	129
APHOGD48	179	APSA 1645	54	AR1 HOB	53	ASM42MC66	129
APHOGD54	179	APSA 1648	54	AR1 HOB2	53	ASM42MC72	129
APHOGD60	179	APSA 1657	54	AR1 PCC 100	81	ASM42MC78	129
APHOGD66	179	APSA 1660	54	AR1 TJ1	80	ASM42MC84	129
APHOGD72	179	APSA 1669	54	AR1 TJ10	80	ASM42MC90	129
APHOGD78	179	APSA 1672	54	AR1 TJ12	80	ASM42MC96	129
APHOGD84	179	APT	48	AR1 TJ2	80	ASM42WB42	128
APHOGD90	179	APT 48	47	AR1 TJ3	80	ASM42WB48	128
APHOGD96	179	APT 60	47	AR1 TJ4	80	ASM42WB54	128
APHOGO42	178	APT 72	47	AR1 TJ5	80	ASM42WB60	128
APHOGO48	178	APT1 C24	48	AR1 TJ6	80	ASM42WB66	128
APHOGO54	178	APT1 C36	48	AR1 TJ8	80	ASM42WB72	128
APHOGO60	178	APT1 C48	48	AR1 TOM	80	ASM42WB78	128
APHOGO66	178	APT1 C60	48	AR1 TPH1	80	ASM42WB84	128
APHOGO72	178	APT1 C72	48	AR1 TPH2	80	ASM42WB90	128
APHOGO78	178	APTA 48	47	AR1 TPI5	80	ASM42WB96	128
APHOGO84	178	APTA 60	47	AR1 TPIC	80	ASM42WG42	129
APHOGO90	178	APTA 72	47	AR1 TT1	80	ASM42WG48	129
APHOGO96	178	APTA C24	48	AR1 TT3	80	ASM42WG54	129
APHOGR42	182	APTA C36	48	AR1 TT5	80	ASM42WG60	129
APHOGR48	182	APTA C48	48	AR1 TT8	80	ASM42WG66	129
APHOGR54	182	APTA C60	48	AR1-ELS-B	79, 80	ASM42WG72	129
APHOGR60	182	APTA C72	48	AS1 BKH	167	ASM42WG78	129
APHOGR66	182	APTA CC	48	AS1 BKL	167	ASM42WG84	129
APHOGR72	182	APTA CC1	48	AS1 DPAD	165, 166	ASM42WG90	129
APHOGR78	182	APTH	49	AS1 PT	167	ASM42WG96	129
APHOGR84	182	APTH 120	47	AS1 SPAD	165, 166	ASMMB42	135
APHOGR90	182	APTH 48	47	ASAMP1616	199	ASMMB48	135
APHOGR96	182	APTH 60	47	ASBC18 (L/R)	210	ASMMB54	135
APHOGS42	181	APTH 72	47	ASBC24 (L/R)	210	ASMMB60	135
APHOGS48	181	APTH 96	47	ASBF1 36	172	ASMMB66	135
APHOGS54	181	APTL	49	ASBF1 42	172	ASMMB72	135
APHOGS60	181	APTL 120	47	ASBF1 48	172	ASMMB78	135
APHOGS66	181	APTL 48	47	ASBS1 36	172	ASMMB84	135
APHOGS72	181	APTL 60	47	ASBS1 42	172	ASMMB90	135
APHOGS78	181	APTL 72	47	ASBS1 48	172	ASMMB96	135
APHOGS84	181	APTL 96	47	ASBT1 36	172	ASMMG42	136

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
ASMMG48	136	ASOBR90	177	ASOCT96	175	ATBT120	212
ASMMG54	136	ASOBR96	177	ASWB42	216	ATBT124	212
ASMMG60	136	ASOBS42	176	ASWB48	216	ATBT130	212
ASMMG66	136	ASOBS48	176	ASWB54	216	ATBT136	212
ASMMG72	136	ASOBS54	176	ASWB60	216	ATBT224	212
ASMMG78	136	ASOBS60	176	ASWB66	216	ATBT230	212
ASMMG84	136	ASOBS66	176	ASWB72	216	ATBT236	212
ASMMG90	136	ASOBS72	176	ASWB78	216	ATBT242	212
ASMMG96	136	ASOBS78	176	ASWM26	216	ATSBA42	139
ASMS1 DF18	164	ASOBS84	176	ASWM32	216	ATSBA48	139
ASMS1 DF24	164	ASOBS90	176	ASWM42	216	ATSBA54	139
ASMS1 DF018	164	ASOBS96	176	ASWM48	216	ATSBA60	139
ASMS1 DF024	164	ASOBT60	175	ASWM54	216	ATSBA66	139
ASMS1 FF18	164	ASOBT66	175	ASWM60	216	ATSBA72	139
ASMS1 FF24	164	ASOBT72	175	ASWM66	216	ATSBA78	139
ASMS1 PDF18	164	ASOBT78	175	ASWM72	216	ATSB42	139
ASMS1 PDF24	164	ASOBT84	175	ASWM78	216	ATSB48	139
ASMWB42	135	ASOBT90	175	ASWM84	216	ATSB54	139
ASMWB48	135	ASOBT96	175	ASWM90	216	ATSB60	139
ASMWB54	135	ASOCD42	174	ASWM96	216	ATSB66	139
ASMWB60	135	ASOCD48	174	ASWRB42	106	ATSB72	139
ASMWB66	135	ASOCD54	174	ASWRB49	106	ATSB78	139
ASMWB72	135	ASOCD60	174	ASWRB64	106	ATSB42	139
ASMWB78	135	ASOCD66	174	ASWRB79	106	ATSB48	139
ASMWB84	135	ASOCD72	174	AT2TB (pair)	210	ATSB54	139
ASMWB90	135	ASOCD78	174	ATA1R36	207	ATSB60	139
ASMWB96	135	ASOCD84	174	ATA1R42	207	ATSB66	139
ASMWG42	136	ASOCD90	174	ATA1R48	207	ATSB72	139
ASMWG48	136	ASOCD96	174	ATA1T44242	207	ATSB78	139
ASMWG54	136	ASOGO42	173	ATA1T44830	207	ATSD42	139
ASMWG60	136	ASOGO48	173	ATA1T44848	207	ATSD48	139
ASMWG66	136	ASOGO54	173	ATA1T46030	207	ATSD54	139
ASMWG72	136	ASOGO60	173	ATA1T47230	207	ATSD60	139
ASMWG78	136	ASOGO66	173	ATA1T47236	207	ATSD66	139
ASMWG84	136	ASOGO72	173	ATB1426	215	ATSD72	139
ASMWG90	136	ASOGO78	173	ATB1432	215	ATSD78	139
ASMWG96	136	ASOGO84	173	ATB1442	215	ATSB42	139
ASOBD42	174	ASOGO90	173	ATB1448	215	ATSB48	139
ASOBD48	174	ASOGO96	173	ATB1454	215	ATSB54	139
ASOBD54	174	ASOGR42	177	ATB1460	215	ATSB60	140
ASOBD60	174	ASOGR48	177	ATB1466	215	ATSB66	140
ASOBD66	174	ASOGR54	177	ATB1472	215	ATSB72	140
ASOBD72	174	ASOGR60	177	ATB1478	215	ATSB78	140
ASOBD78	174	ASOGR66	177	ATB1484	215	ATSCD19	158
ASOBD84	174	ASOGR72	177	ATB1490	215	AUA1 0824 G	82
ASOBD90	174	ASOGR78	177	ATB1496	215	AUA1 0836 G	82
ASOBD96	174	ASOGR84	177	ATBB42	215	AUA1 0848 G	82
ASOBO42	173	ASOGR90	177	ATBB48	215	AUA1 0860 G	82
ASOBO48	173	ASOGR96	177	ATBB54	215	AUA1 0872 G	82
ASOBO54	173	ASOGS42	176	ATBB60	215	AUA1 1224 G	82
ASOBO60	173	ASOGS48	176	ATBB66	215	AUA1 1236 G	82
ASOBO66	173	ASOGS54	176	ATBB72	215	AUA1 1248 G	82
ASOBO72	173	ASOGS60	176	ATBB78	215	AUA1 1260 G	82
ASOBO78	173	ASOGS66	176	ATBM26	215	AUA1 1272 G	82
ASOBO84	173	ASOGS72	176	ATBM32	215	AUA1 1524 G	82
ASOBO90	173	ASOGS78	176	ATBM42	215	AUA1 1536 G	82
ASOBO96	173	ASOGS84	176	ATBM48	215	AUA1 1548 G	82
ASOBR42	177	ASOGS90	176	ATBM54	215	AUA1 1560 G	82
ASOBR48	177	ASOGS96	176	ATBM60	215	AUA1 1572 G	82
ASOBR54	177	ASOCT60	175	ATBM66	215	AW1T1RF1820	197
ASOBR60	177	ASOCT66	175	ATBM72	215	AW1T1RF1824	197
ASOBR66	177	ASOCT72	175	ATBM78	215	AW1T1RF1830	198
ASOBR72	177	ASOCT78	175	ATBM84	215	AW1T1RF1836	198
ASOBR78	177	ASOCT84	175	ATBM90	215	AW1T1RF2020	197
ASOBR84	177	ASOCT90	175	ATBM96	215	AW1T1RF2024	197

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AW1T1RF2030	198	AW1T1RU3030	201	AW1T2R6036	203	AWHOBDO66	187
AW1T1RF2036	198	AW1T1RU3620	200	AW1T2R6042	203	AWHOBDO72	187
AW1T1RF2420	197	AW1T1RU3624	200	AW1T2R6630	203	AWHOBDO78	187
AW1T1RF2424	197	AW1T1RU3630	201	AW1T2R6636	203	AWHOBDO84	187
AW1T1RF2430	198	AW1T1RU4220	200	AW1T2R6642	203	AWHOBDO90	187
AW1T1RF2436	198	AW1T1RU4224	200	AW1T2R7230	203	AWHOBDO96	187
AW1T1RF3020	197	AW1T1RU4230	201	AW1T2R7236	203	AWHOBDR60	190
AW1T1RF3024	197	AW1T1RU4820	200	AW1T2R7242	203	AWHOBDR66	190
AW1T1RF3030	198	AW1T1RU4824	200	AW1T2R7830	203	AWHOBDR72	190
AW1T1RF3036	198	AW1T1RU4830	201	AW1T2R7836	203	AWHOBDR78	190
AW1T1RF3620	197	AW1T1RU5420	200	AW1T2R7842	203	AWHOBDR84	190
AW1T1RF3624	197	AW1T1RU5424	200	AW1T2R8430	203	AWHOBDR90	190
AW1T1RF3630	198	AW1T1RU5430	201	AW1T2R8436	203	AWHOBDR96	190
AW1T1RF3636	198	AW1T1RU6020	200	AW1T2R8442	204	AWHOBDS60	190
AW1T1RF4220	197	AW1T1RU6024	200	AW1T2R9030	203	AWHOBDS66	190
AW1T1RF4224	197	AW1T1RU6030	201	AW1T2R9036	203	AWHOBDS72	190
AW1T1RF4230	198	AW1T1RU6620	200	AW1T2R9042	204	AWHOBDS78	190
AW1T1RF4236	198	AW1T1RU6624	200	AW1T2R9630	203	AWHOBDS84	190
AW1T1RF4820	197	AW1T1RU6630	201	AW1T2R9636	203	AWHOBDS90	190
AW1T1RF4824	197	AW1T1RU7220	200	AW1T2R9642	204	AWHOBDS96	190
AW1T1RF4830	198	AW1T1RU7224	200	AW1T2W4823	205	AWHOBBDT60	189
AW1T1RF4836	198	AW1T1RU7230	201	AW1T2W4832	205	AWHOBBDT66	189
AW1T1RF5420	197	AW1T1RU7820	200	AW1T2W6023	205	AWHOBBDT72	189
AW1T1RF5424	197	AW1T1RU7824	200	AW1T2W6032	205	AWHOBBDT78	189
AW1T1RF5430	198	AW1T1RU7830	201	AW1T2W7226	205	AWHOBBDT84	189
AW1T1RF5436	198	AW1T1RU8420	200	AW1T2W7262	205	AWHOBBDT90	189
AW1T1RF6020	197	AW1T1RU8424	200	AWBK42	141	AWHOBBDT96	189
AW1T1RF6024	197	AW1T1RU8430	201	AWBK48	141	AWHOBSD30	184
AW1T1RF6030	198	AW1T1RU9020	200	AWBK54	141	AWHOBSD36	184
AW1T1RF6036	198	AW1T1RU9024	200	AWBK60	141	AWHOBSD42	184
AW1T1RF6620	197	AW1T1RU9030	201	AWBK66	141	AWHOBSD48	184
AW1T1RF6624	197	AW1T1RU9620	200	AWBK72	141	AWHOBSD54	184
AW1T1RF6630	198	AW1T1RU9624	200	AWBK78	141	AWHOBSD60	184
AW1T1RF6636	198	AW1T1RU9630	201	AWBK84	141	AWHOBSD66	184
AW1T1RF7220	197	AW1T1WF4823	199	AWBK90	141	AWHOBSD72	184
AW1T1RF7224	197	AW1T1WF4832	199	AWBK96	141	AWHOBSD78	184
AW1T1RF7230	198	AW1T1WF6023	199	AWBS42	138	AWHOBSD84	184
AW1T1RF7236	198	AW1T1WF6032	199	AWBS48	138	AWHOBSD90	184
AW1T1RF7820	197	AW1T1WF7226	199	AWBS54	138	AWHOBSD96	184
AW1T1RF7824	197	AW1T1WF7262	199	AWBS60	138	AWHOBSD96	184
AW1T1RF7830	198	AW1T1WU4823	202	AWBS66	138	AWHOBSD96	184
AW1T1RF7836	198	AW1T1WU4832	202	AWBS72	138	AWHOBSD96	184
AW1T1RF8420	197	AW1T1WU6023	202	AWBS78	138	AWHOBSD96	184
AW1T1RF8424	197	AW1T1WU6032	202	AWBS84	138	AWHOBSD96	184
AW1T1RF8430	198	AW1T1WU7226	202	AWBS90	138	AWHOBSD96	184
AW1T1RF8436	198	AW1T1WU7262	202	AWBS96	138	AWHOBSD96	184
AW1T1RF9020	197	AW1T2DW4826	206	AWCPFS	171	AWHOBSD96	184
AW1T1RF9024	197	AW1T2DW6026	206	AWHOBDD30	188	AWHOBSD96	184
AW1T1RF9030	198	AW1T2DW7226	206	AWHOBDD36	188	AWHOBSD96	184
AW1T1RF9036	198	AW1T2R3030	203	AWHOBDD42	188	AWHOBSD96	184
AW1T1RF9620	197	AW1T2R3036	203	AWHOBDD48	188	AWHOBSD96	184
AW1T1RF9624	197	AW1T2R3042	203	AWHOBDD54	188	AWHOBSD96	184
AW1T1RF9630	198	AW1T2R3630	203	AWHOBDD60	188	AWHOBSD96	184
AW1T1RF9636	198	AW1T2R3636	203	AWHOBDD66	188	AWHOBSD96	184
AW1T1RU1820	200	AW1T2R3642	203	AWHOBDD72	188	AWHOBSD96	184
AW1T1RU1824	200	AW1T2R4230	203	AWHOBDD78	188	AWHOBSD96	184
AW1T1RU1830	200	AW1T2R4236	203	AWHOBDD84	188	AWHOBSD96	184
AW1T1RU2020	200	AW1T2R4242	203	AWHOBDD90	188	AWHOBSD96	184
AW1T1RU2024	200	AW1T2R4830	203	AWHOBDD96	188	AWHOBSD96	184
AW1T1RU2030	200	AW1T2R4836	203	AWHOBDD96	188	AWHOBSD96	184
AW1T1RU2420	200	AW1T2R4842	203	AWHOBDD96	188	AWHOBSD96	184
AW1T1RU2424	200	AW1T2R5430	203	AWHOBDD96	188	AWHOBSD96	184
AW1T1RU2430	200	AW1T2R5436	203	AWHOBDD96	188	AWHOBSD96	184
AW1T1RU3020	200	AW1T2R5442	203	AWHOBDD96	188	AWHOBSD96	184
AW1T1RU3024	200	AW1T2R6030	203	AWHOBDD96	188	AWHOBSD96	184

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AWHOBST60	185	AWHOGSO36	183	AX1 M3939	71	AX1DES36	69
AWHOBST66	185	AWHOGSO42	183	AX1 M4239	71	AX1DES42	69
AWHOBST72	185	AWHOGSO48	183	AX1 M4839	71	AX1DES50	69
AWHOBST78	185	AWHOGSO54	183	AX1 M4848	71	AX1DES57	69
AWHOBST84	185	AWHOGSO60	183	AX1 M5639	71	AX1DES64	69
AWHOBST90	185	AWHOGSO66	183	AX1 M5648	71	AX1DES78	69
AWHOBST96	185	AWHOGSO72	183	AX1 M6439	71	AX1DET36	77
AWHOGDD30	188	AWHOGSO78	183	AX1 M6448	71	AX1DET42	77
AWHOGDD36	188	AWHOGSO84	183	AX1 M6464	71	AX1DET50	77
AWHOGDD42	188	AWHOGSO90	183	AX1 M8039	71	AX1DET5039	77
AWHOGDD48	188	AWHOGSO96	183	AX1 M8048	71	AX1DET5048	77
AWHOGDD54	188	AWHOGSR60	186	AX1 M8064	71	AX1DET57	77
AWHOGDD60	188	AWHOGSR66	186	AX1 R34239	72	AX1DET5739	77
AWHOGDD66	188	AWHOGSR72	186	AX1 R34939	72	AX1DET5748	77
AWHOGDD72	188	AWHOGSR78	186	AX1 R34948	72	AX1DET64	77
AWHOGDD78	188	AWHOGSR84	186	AX1 R36439	72	AX1DET6439	77
AWHOGDD84	188	AWHOGSR90	186	AX1 R36448	72	AX1DET6448	77
AWHOGDD90	188	AWHOGSR96	186	AX1 R36464	72	AX1DET6464	77
AWHOGDD96	188	AWHOGSS60	186	AX1 R37939	72	AX1DET7848	77
AWHOGDO30	187	AWHOGSS66	186	AX1 R37948	72	AX1DET7864	77
AWHOGDO36	187	AWHOGSS72	186	AX1 R37964	72	AX1GES39	68
AWHOGDO42	187	AWHOGSS78	186	AX1 RF1	71	AX1GES48	68
AWHOGDO48	187	AWHOGSS84	186	AX1 RF3	71	AX1LES E	66
AWHOGDO54	187	AWHOGSS90	186	AX1 S	60	AX1LES30	66
AWHOGDO60	187	AWHOGSS96	186	AX1 STC39 3	60	AX1LES39	66
AWHOGDO66	187	AWHOGST60	185	AX1 STC39 L3	60	AX1LES48	66
AWHOGDO72	187	AWHOGST66	185	AX1 STC48 3	60	AX1LES64	66
AWHOGDO78	187	AWHOGST72	185	AX1 STC48 L3	60	AX1MES30	66
AWHOGDO84	187	AWHOGST78	185	AX1 STC64 3	60	AX1MES39	66
AWHOGDO90	187	AWHOGST84	185	AX1 STC64 L3	60	AX1MES42	66
AWHOGDO96	187	AWHOGST90	185	AX1 SWS39	60	AX1MES48	66
AWHOGDR60	190	AWHOGST96	185	AX1 SWS48	60	AX1MES56	66
AWHOGDR66	190	AWHTB30	217	AX1 SWS64	60	AX1MES64	66
AWHOGDR72	190	AWHTB36	217	AX1A C39	57	AX1MES80	66
AWHOGDR78	190	AWHTB42	217	AX1A C48	57	AX1SEA3939	63
AWHOGDR84	190	AWHTB48	217	AX1A C64	57	AX1SEA4239	63
AWHOGDR90	190	AWHTB54	217	AX1A EH39	57	AX1SEA4339 C	63
AWHOGDR96	190	AWHTB60	217	AX1A EH48	57	AX1SEA4848	63
AWHOGDS60	190	AWHTB66	217	AX1A EH64	57	AX1SEA4939	63
AWHOGDS66	190	AWHTB72	217	AX1A EL39	57	AX1SEA4948	63
AWHOGDS72	190	AWHTB78	217	AX1A EL48	57	AX1SEA4964	63
AWHOGDS78	190	AWHTB84	217	AX1A EL64	57	AX1SEA5248 C	63
AWHOGDS84	190	AWHTB90	217	AX1A F39	57	AX1SEA6439	63
AWHOGDS90	190	AWHTB96	217	AX1A F48	57	AX1SEA6448	63
AWHOGDS96	190	AWM1 S36	214	AX1A F64	57	AX1SEA6464	63
AWHOGDT60	189	AWM1 S42	214	AX1A L39	58	AX1SEA6864 C	63
AWHOGDT66	189	AWM1 S48	214	AX1A L48	58	AX1SEA7948	63
AWHOGDT72	189	AWM1 S60	214	AX1A L64	58	AX1SEA7964	63
AWHOGDT78	189	AWM1 S66	214	AX1A T39	58	AX1SEC3939	61
AWHOGDT84	189	AWM1 S72	214	AX1A T48	58	AX1SEC4039 L	61
AWHOGDT90	189	AWM1 S78	214	AX1A T64	58	AX1SEC4239	62
AWHOGDT96	189	AWM1 S84	214	AX1A V39	58	AX1SEC4339 C	61
AWHOGSD30	184	AWSO	218	AX1A V48	58	AX1SEC4839	62
AWHOGSD36	184	AWSOG	218	AX1A V64	58	AX1SEC4848	61
AWHOGSD42	184	AWTCT24	158	AX1A X39	58	AX1SEC4948 L	61
AWHOGSD48	184	AWTCT30	158	AX1A X48	58	AX1SEC5248 C	61
AWHOGSD54	184	AX1 A34239	72	AX1A X64	58	AX1SEC5639	62
AWHOGSD60	184	AX1 A34939	72	AX1A Y39	58	AX1SEC5648	62
AWHOGSD66	184	AX1 A34948	72	AX1A Y48	58	AX1SEC6439	62
AWHOGSD72	184	AX1 A36439	72	AX1A Y64	59	AX1SEC6448	62
AWHOGSD78	184	AX1 A36448	73	AX1AES34	67	AX1SEC6464	61
AWHOGSD84	184	AX1 A36464	73	AX1AES42	67	AX1SEC6564 L	61
AWHOGSD90	184	AX1 HLS4839	60	AX1AES49	67	AX1SEC6864 C	61
AWHOGSD96	184	AX1 HLS6439	60	AX1AES64	67	AX1SEC8048	62
AWHOGSO30	183	AX1 HLS6448	60	AX1AES79	67	AX1SEC8064	62

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
AX1SECBT	61, 62, 63, 64	R2AHSR48	114	R3CAUHL1536	108	R3R1AF23436	92
AX1SED3939	64	R2AHWR18	114	R3CAUHL1542	108	R3R1AF23442	92
AX1SED4239	64	R2AHWR20	114	R3CAUHL1548	108	R3R1AF23448	92
AX1SED4339C	64	R2AHWR24	114	R3R0LT134	110	R3R1AF24218	92
AX1SED4848	64	R2AHWR30	114	R3R0LT142	110	R3R1AF24224	92
AX1SED5039	64	R2AHWR36	114	R3R0LT149	110	R3R1AF24230	92
AX1SED5048	64	R2AHWR42	114	R3R0LT164	110	R3R1AF24236	92
AX1SED5248C	64	R2AHWR48	114	R3R0LT234	110	R3R1AF24242	92
AX1SED5739	64	R2CG	117	R3R0LT242	110	R3R1AF24248	92
AX1SED5748	64	R3AUAC10	108	R3R0LT249	110	R3R1AF24918	92
AX1SED6439	64	R3B0P0F4207	74	R3R0LT264	110	R3R1AF24924	92
AX1SED6448	64	R3B0P0F4907	74	R3R0LT334	110	R3R1AF24930	92
AX1SED6464	64	R3B0P0F6407	74	R3R0LT342	110	R3R1AF24936	92
AX1SED7848	64	R3B0P0F7907	74	R3R0LT349	110	R3R1AF24942	92
AX1SED7864	64	R3B0P0H4207	74	R3R0LT364	110	R3R1AF24948	92
AX1SX39 (A/C)(L/C/P)	65	R3B0P0H4907	74	R3R0TL34	110	R3R1AF26418	92
AX1SX48 (A/C)(L/C/P)	65	R3B0P0H6407	74	R3R0TL42	110	R3R1AF26424	92
AX1SX64 (A/C)(L/C/P)	65	R3B0P0H7907	74	R3R0TL49	110	R3R1AF26430	92
AX2 C3939	71	R3B0T0F4207	74	R3R0TL64	110	R3R1AF26436	92
AX2 C4839	71	R3B0T0F4907	74	R3R0TOH4207	74	R3R1AF26442	92
AX2 C4848	71	R3B0T0F6407	74	R3R0TOH4907	74	R3R1AF26448	92
AX2 C6439	71	R3B0T0F7907	74	R3R0TOH6407	74	R3R1AF33418	93
AX2 C6448	71	R3B0TOH4207	74	R3R0TT134	109	R3R1AF33424	93
AX2 C6464	71	R3B0TOH4907	74	R3R0TT142	109	R3R1AF33430	93
MB1-AUX-C	209	R3B0TOH6407	74	R3R0TT149	109	R3R1AF33436	93
MB2-C18W-(L/R)	209	R3B0TOH7907	74	R3R0TT164	109	R3R1AF33442	93
MB2-C24W-(L/R)	209	R3CAU0818	107	R3R0TT234	109	R3R1AF33448	93
MB2-C30W-(L/R)	209	R3CAU0820	107	R3R0TT242	109	R3R1AF34218	93
MB2-YW-(L/R)	209	R3CAU0824	107	R3R0TT249	109	R3R1AF34224	93
MB3-E18W	209	R3CAU0830	107	R3R0TT264	109	R3R1AF34230	93
MB3-E24W	209	R3CAU0836	107	R3R0TT334	109	R3R1AF34236	93
MB3-E30W	209	R3CAU0842	107	R3R0TT342	109	R3R1AF34242	93
MB3-E36W	209	R3CAU0848	107	R3R0TT349	109	R3R1AF34248	93
MB3-EC18W	209	R3CAU1218	107	R3R0TT364	109	R3R1AF34918	93
MB3-EC24W	209	R3CAU1220	107	R3R0TTL34	109	R3R1AF34924	93
MB3-EC30W	209	R3CAU1224	107	R3R0TTL42	109	R3R1AF34930	93
MC1-39S1	87	R3CAU1230	107	R3R0TTL49	109	R3R1AF34936	93
MC1-48S1	87	R3CAU1236	107	R3R0TTL64	109	R3R1AF34942	93
MC1-64S1	87	R3CAU1242	107	R3R1AF13418	91	R3R1AF34948	93
MD6-BD	167	R3CAU1248	107	R3R1AF13424	91	R3R1AF36418	93
MD6-FS	167	R3CAU1518	107	R3R1AF13430	91	R3R1AF36424	93
MM2-CG	88	R3CAU1520	107	R3R1AF13436	91	R3R1AF36430	93
MWM-J	192	R3CAU1524	107	R3R1AF13442	91	R3R1AF36436	93
R2AHBW18	114	R3CAU1530	107	R3R1AF13448	91	R3R1AF36442	93
R2AHBW20	114	R3CAU1536	107	R3R1AF14218	91	R3R1AF36448	93
R2AHBW24	114	R3CAU1542	107	R3R1AF14224	91	R3R1AFL3418	90
R2AHBW30	114	R3CAU1548	107	R3R1AF14230	91	R3R1AFL3424	90
R2AHBW36	114	R3CAUHL0818	107	R3R1AF14236	91	R3R1AFL3430	90
R2AHBW42	114	R3CAUHL0820	107	R3R1AF14242	91	R3R1AFL3436	90
R2AHBW48	114	R3CAUHL0824	107	R3R1AF14248	91	R3R1AFL3442	90
R2AHCN34	114	R3CAUHL0830	107	R3R1AF14918	91	R3R1AFL3448	90
R2AHCN42	114	R3CAUHL0836	107	R3R1AF14924	91	R3R1AFL4218	90
R2AHCN49	114	R3CAUHL0842	107	R3R1AF14930	91	R3R1AFL4224	90
R2AHCN64	114	R3CAUHL0848	107	R3R1AF14936	91	R3R1AFL4230	90
R2AHCN79	114	R3CAUHL1218	108	R3R1AF14942	91	R3R1AFL4236	90
R2AHCR34	114	R3CAUHL1220	108	R3R1AF14948	91	R3R1AFL4242	90
R2AHCR42	114	R3CAUHL1224	108	R3R1AF16418	91	R3R1AFL4248	90
R2AHCR49	114	R3CAUHL1230	108	R3R1AF16424	91	R3R1AFL4918	90
R2AHCR64	114	R3CAUHL1236	108	R3R1AF16430	91	R3R1AFL4924	90
R2AHSR18	114	R3CAUHL1242	108	R3R1AF16436	91	R3R1AFL4930	90
R2AHSR20	114	R3CAUHL1248	108	R3R1AF16442	91	R3R1AFL4936	90
R2AHSR24	114	R3CAUHL1518	108	R3R1AF16448	91	R3R1AFL4942	90
R2AHSR30	114	R3CAUHL1520	108	R3R1AF23418	92	R3R1AFL4948	90
R2AHSR36	114	R3CAUHL1524	108	R3R1AF23424	92	R3R1AFL6418	90
R2AHSR42	114	R3CAUHL1530	108	R3R1AF23430	92	R3R1AFL6424	90

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3R1AFL6430	90	R3R1CXL4924	102	R3R1PF24942	96	R3R2AF23448	100
R3R1AFL6436	90	R3R1CXL4930	102	R3R1PF24948	96	R3R2AF24918	100
R3R1AFL6442	90	R3R1CXL4936	102	R3R1PF34218	97	R3R2AF24924	100
R3R1AFL6448	90	R3R1CXL4942	102	R3R1PF34224	97	R3R2AF24930	100
R3R1CX14218	103	R3R1CXL4948	102	R3R1PF34230	97	R3R2AF24936	100
R3R1CX14224	103	R3R1CXL6418	102	R3R1PF34236	97	R3R2AF24942	100
R3R1CX14230	103	R3R1CXL6424	102	R3R1PF34242	97	R3R2AF24948	100
R3R1CX14236	103	R3R1CXL6430	102	R3R1PF34248	97	R3R2AF26418	100
R3R1CX14242	103	R3R1CXL6436	102	R3R1PF34918	97	R3R2AF26424	100
R3R1CX14248	103	R3R1CXL6442	102	R3R1PF34924	97	R3R2AF26430	100
R3R1CX14918	103	R3R1CXL6448	102	R3R1PF34930	97	R3R2AF26436	100
R3R1CX14924	103	R3R1LAL134	111	R3R1PF34936	97	R3R2AF26442	100
R3R1CX14930	103	R3R1LAL142	111	R3R1PF34942	97	R3R2AF26448	100
R3R1CX14936	103	R3R1LAL149	111	R3R1PF34948	97	R3R2AF33418	101
R3R1CX14942	103	R3R1LAL164	111	R3R1PFL4218	94	R3R2AF33424	101
R3R1CX14948	103	R3R1LAL234	112	R3R1PFL4224	94	R3R2AF33430	101
R3R1CX16418	103	R3R1LAL242	112	R3R1PFL4230	94	R3R2AF33436	101
R3R1CX16424	103	R3R1LAL249	112	R3R1PFL4236	94	R3R2AF33442	101
R3R1CX16430	103	R3R1LAL264	112	R3R1PFL4242	94	R3R2AF33448	101
R3R1CX16436	103	R3R1LAL334	112	R3R1PFL4248	94	R3R2AF34918	101
R3R1CX16442	103	R3R1LAL342	112	R3R1PFL4918	94	R3R2AF34924	101
R3R1CX16448	103	R3R1LAL349	112	R3R1PFL4924	94	R3R2AF34930	101
R3R1CX24218	104	R3R1LAL364	112	R3R1PFL4930	94	R3R2AF34936	101
R3R1CX24224	104	R3R1LALL34	111	R3R1PFL4936	94	R3R2AF34942	101
R3R1CX24230	104	R3R1LALL42	111	R3R1PFL4942	94	R3R2AF34948	101
R3R1CX24236	104	R3R1LALL49	111	R3R1PFL4948	94	R3R2AF36418	101
R3R1CX24242	104	R3R1LALL64	111	R3R1SA134	113	R3R2AF36424	101
R3R1CX24248	104	R3R1LAR134	111	R3R1SA142	113	R3R2AF36430	101
R3R1CX24918	104	R3R1LAR142	111	R3R1SA149	113	R3R2AF36436	101
R3R1CX24924	104	R3R1LAR149	111	R3R1SA164	113	R3R2AF36442	101
R3R1CX24930	104	R3R1LAR164	111	R3R1SA234	113	R3R2AF36448	101
R3R1CX24936	104	R3R1LAR234	112	R3R1SA242	113	R3R2AFL3418	98
R3R1CX24942	104	R3R1LAR242	112	R3R1SA249	113	R3R2AFL3424	98
R3R1CX24948	104	R3R1LAR249	112	R3R1SA264	113	R3R2AFL3430	98
R3R1CX26418	104	R3R1LAR264	112	R3R1SA334	113	R3R2AFL3436	98
R3R1CX26424	104	R3R1LAR334	112	R3R1SA342	113	R3R2AFL3442	98
R3R1CX26430	104	R3R1LAR342	112	R3R1SA349	113	R3R2AFL3448	98
R3R1CX26436	104	R3R1LAR349	112	R3R1SA364	113	R3R2AFL4918	98
R3R1CX26442	104	R3R1LAR364	112	R3R1SAL34	113	R3R2AFL4924	98
R3R1CX26448	104	R3R1LARL34	111	R3R1SAL42	113	R3R2AFL4930	98
R3R1CX34218	105	R3R1LARL42	111	R3R1SAL49	113	R3R2AFL4936	98
R3R1CX34224	105	R3R1LARL49	111	R3R1SAL64	113	R3R2AFL4942	98
R3R1CX34230	105	R3R1LARL64	111	R3R2AF13418	99	R3R2AFL4948	98
R3R1CX34236	105	R3R1PF14218	95	R3R2AF13424	99	R3R2AFL6418	98
R3R1CX34242	105	R3R1PF14224	95	R3R2AF13430	99	R3R2AFL6424	98
R3R1CX34248	105	R3R1PF14230	95	R3R2AF13436	99	R3R2AFL6430	98
R3R1CX34918	105	R3R1PF14236	95	R3R2AF13442	99	R3R2AFL6436	98
R3R1CX34924	105	R3R1PF14242	95	R3R2AF13448	99	R3R2AFL6442	98
R3R1CX34930	105	R3R1PF14248	95	R3R2AF14918	99	R3R2AFL6448	98
R3R1CX34936	105	R3R1PF14918	95	R3R2AF14924	99	R3R2SXX4218	106
R3R1CX34942	105	R3R1PF14924	95	R3R2AF14930	99	R3R2SXX4224	106
R3R1CX34948	105	R3R1PF14930	95	R3R2AF14936	99	R3R2SXX4230	106
R3R1CX36418	105	R3R1PF14936	95	R3R2AF14942	99	R3R2SXX4236	106
R3R1CX36424	105	R3R1PF14942	95	R3R2AF14948	99	R3R2SXX4242	106
R3R1CX36430	105	R3R1PF14948	95	R3R2AF16418	99	R3R2SXX4248	106
R3R1CX36436	105	R3R1PF24218	96	R3R2AF16424	99	R3R2SXX4918	106
R3R1CX36442	105	R3R1PF24224	96	R3R2AF16430	99	R3R2SXX4924	106
R3R1CX36448	105	R3R1PF24230	96	R3R2AF16436	99	R3R2SXX4930	106
R3R1CXL4218	102	R3R1PF24236	96	R3R2AF16442	99	R3R2SXX4936	106
R3R1CXL4224	102	R3R1PF24242	96	R3R2AF16448	99	R3R2SXX4942	106
R3R1CXL4230	102	R3R1PF24248	96	R3R2AF23418	100	R3R2SXX4948	106
R3R1CXL4236	102	R3R1PF24918	96	R3R2AF23424	100	R3R2SXX6418	106
R3R1CXL4242	102	R3R1PF24924	96	R3R2AF23430	100	R3R2SXX6424	106
R3R1CXL4248	102	R3R1PF24930	96	R3R2AF23436	100	R3R2SXX6430	106
R3R1CXL4918	102	R3R1PF24936	96	R3R2AF23442	100	R3R2SXX6436	106

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
R3R2SXX6442	106	RR3-E48S	118	RR3-TJ48	122	RT1 SMK 8415	196
R3R2SXX6448	106	RR3-E60-4	119	RR3-TJ48P	122	RT1 SMK 8416	196
R3SPABPT	117	RR3-E66-4	119	RR3-TJ54P	122	RT1 SMK 9012	195
R3SPABTT	117	RR3-E72-4	119	RR3-TJ60P	122	RT1 SMK 9013	195
R3SPABTW	117	RR3-EJ18	120	RR3-TJ66P	122	RT1 SMK 9015	196
R3X34E	113	RR3-EJ18P	120	RR3-TJ72P	122	RT1 SMK 9016	196
R3X42E	113	RR3-EJ20	120	RR3-TJ78P	122	RT1 SMK 9612	195
R3X49E	113	RR3-EJ20P	120	RR3-TJ84P	122	RT1 SMK 9613	195
R3X64E	113	RR3-EJ24	120	RR3-TJ90P	122	RT1 SMK 9615	196
RBCCP	210	RR3-EJ24P	120	RR3-TJ96P	122	RT1 SMK 9616	196
RBF	210	RR3-EJ30	120	RR3-TPC	121	RT1 SMK B	195, 196
RCOUNTWT	168, 169	RR3-EJ30P	120	RR3-TPC24	121	RTAT5E19	193
RHSC15	117	RR3-EJ36	120	RR3-TPCP	121	RTAT5E25	193
RHSC250	117	RR3-EJ36P	120	RR3-TPCP24	121	RTAT5E37	193
RHSC70	117	RR3-EJ42	120	RR3-TPCPS	121	RTAT5E49	193
RO1-CB	192	RR3-EJ42P	120	RR3-TPCS	121	RTAT5E61	193
RO1-MPB	192	RR3-EJ48	120	RR3-TPI	122	XAUA 1248G	269
RO1-RCB	192	RR3-EJ48P	120	RR3-TPNY1	122	XAUA 1260G	269
RO1-RPB	192	RR3-EJ54P	120	RR3-TPNY2	122	XAUA 1272G	269
RO1-WMF2	192	RR3-EJ60P	120	RR3-TPVR	122	XT1DS4505	260
RO1-WMF3	192	RR3-EJ66P	120	RSPABPP	117	XT1DS5705	260
RO1-WMF4	192	RR3-EJ72P	120	RSPABPW	117	XT1DS6905	260
RO3-A30NL	191	RR3-EJ78P	120	RSPABWW	117	XT1LS4509	260
RO3-A30NN	191	RR3-EJ84P	120	RT1 SMK 2412	195	XT1LS5709	260
RO3-A30PL	191	RR3-EJ90P	120	RT1 SMK 2413	195	XT1LS6909	260
RO3-A30PN	191	RR3-EJ96P	120	RT1 SMK 2415	196	XT1SA24	260
RO3-A36NL	191	RR3-EPC	119	RT1 SMK 2416	196	XT1SA30	260
RO3-A36NN	191	RR3-EPC24	119	RT1 SMK 3012	195	XT1SA36	260
RO3-A36PL	191	RR3-EPCP	119	RT1 SMK 3013	195	XT1SA42	260
RO3-A36PN	191	RR3-EPCP24	119	RT1 SMK 3015	196	XT1SA48	260
RO3-A42NL	191	RR3-EPCPS	119	RT1 SMK 3016	196	XT1SA54	260
RO3-A42NN	191	RR3-EPCS	119	RT1 SMK 3612	195	XT1SA60	260
RO3-A42PL	191	RR3-EPI	120	RT1 SMK 3613	195	XT1SA66	260
RO3-A42PN	191	RR3-EPNY1	120	RT1 SMK 3615	196	XT1SA72	260
RO3-A48NL	191	RR3-EPNY2	120	RT1 SMK 3616	196	XTB1 BAS 24D10CF	229
RO3-A48NN	191	RR3-EPVR	120	RT1 SMK 4212	195	XTB1 BAS 24D12CF	229
RO3-A48PL	191	RR3-REPI	120	RT1 SMK 4213	195	XTB1 BAS 24D15CF	229
RO3-A48PN	191	RR3-RTPI	122	RT1 SMK 4215	196	XTB1 BAS 24D15SF	229
RO3-A60NL	191	RR3-SP-(A, B, C, X, Y, Z)	122	RT1 SMK 4216	196	XTB1 BAS 24D18SF	229
RO3-A60NN	191	RR3-SP-(A,B,X,Y)	120	RT1 SMK 4812	195	XTB1 BAS 24D20SF	229
RO3-A60PL	191	RR3-T24	121	RT1 SMK 4813	195	XTB1 BAS 24D24SF	229
RO3-A60PN	191	RR3-T24S	118	RT1 SMK 4815	196	XTB1 BAS 24D25SF	229
RO3-A72NL	191	RR3-T30NS	121	RT1 SMK 4816	196	XTB1 BAS 24S10CF	230
RO3-A72NN	191	RR3-T30S	118	RT1 SMK 5412	195	XTB1 BAS 24S12CF	230
RO3-A72PL	191	RR3-T36NS	121	RT1 SMK 5413	195	XTB1 BAS 24S15CF	230
RO3-A72PN	191	RR3-T36S	118	RT1 SMK 5415	196	XTB1 BAS 24S15SF	230
RR3-DA	119, 121	RR3-T42NS	121	RT1 SMK 5416	196	XTB1 BAS 24S18SF	230
RR3-DATSHD	119, 121	RR3-T42S	118	RT1 SMK 6012	195	XTB1 BAS 24S20SF	230
RR3-DB	119, 121	RR3-T48NS	121	RT1 SMK 6013	195	XTB1 BAS 24S24SF	230
RR3-DC	121	RR3-T48S	118	RT1 SMK 6015	196	XTB1 BAS 24S25SF	230
RR3-DX	119, 121	RR3-T60-4	121	RT1 SMK 6016	196	XTB1 BAS 30D10CA	233
RR3-DXO	119, 121	RR3-T66-4	121	RT1 SMK 6612	195	XTB1 BAS 30D10CF	231
RR3-DY	119, 121	RR3-T72-4	121	RT1 SMK 6613	195	XTB1 BAS 30D12CA	233
RR3-DYO	119, 121	RR3-TJ18	122	RT1 SMK 6615	196	XTB1 BAS 30D12CF	231
RR3-DZ	121	RR3-TJ18P	122	RT1 SMK 6616	196	XTB1 BAS 30D15CA	233
RR3-DZO	121	RR3-TJ20	122	RT1 SMK 7212	195	XTB1 BAS 30D15CF	231
RR3-E24	119	RR3-TJ20P	122	RT1 SMK 7213	195	XTB1 BAS 30D15SA	233
RR3-E24S	118	RR3-TJ24	122	RT1 SMK 7215	196	XTB1 BAS 30D15SF	231
RR3-E30NS	119	RR3-TJ24P	122	RT1 SMK 7216	196	XTB1 BAS 30D18SA	233
RR3-E30S	118	RR3-TJ30	122	RT1 SMK 7812	195	XTB1 BAS 30D18SF	231
RR3-E36NS	119	RR3-TJ30P	122	RT1 SMK 7813	195	XTB1 BAS 30D20SA	233
RR3-E36S	118	RR3-TJ36	122	RT1 SMK 7815	196	XTB1 BAS 30D20SF	231
RR3-E42NS	119	RR3-TJ36P	122	RT1 SMK 7816	196	XTB1 BAS 30D24CA	233
RR3-E42S	118	RR3-TJ42	122	RT1 SMK 8412	195	XTB1 BAS 30D24CF	231
RR3-E48NS	119	RR3-TJ42P	122	RT1 SMK 8413	195	XTB1 BAS 30D25CA	233

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
XTB1 BAS 30D25CF	231	XTB1DB6E	241	XTC1 120 AA	239	XTES1 4821	265
XTB1 BAS 30S10CA	234	XTB1DB8C	241	XTC1 144 AA	239	XTES1 4821F	266
XTB1 BAS 30S10CF	232	XTB1DB8E	241	XTC1 48	239	XTES1 6014	265
XTB1 BAS 30S12CA	234	XTB1EDD24	243	XTC1 60	239	XTES1 6014F	266
XTB1 BAS 30S12CF	232	XTB1EDD30	243	XTC1 72	239	XTES1 6021	265
XTB1 BAS 30S15CA	234	XTB1EDD36	243	XTC1 96	239	XTES1 6021F	266
XTB1 BAS 30S15CF	232	XTB1ESD24	245	XTC1 END	239	XTES1 7214	265
XTB1 BAS 30S15SA	234	XTB1ESD30	245	XTCA1 120 AA	239	XTES1 7214F	266
XTB1 BAS 30S15SF	232	XTB1ESD36	245	XTCA1 144 AA	239	XTES1 7221	265
XTB1 BAS 30S18SA	234	XTB1FC	247	XTCA1 48	239	XTES1 7221F	266
XTB1 BAS 30S18SF	232	XTB1FC24	247	XTCA1 60	239	XTPS1MZKIT	270
XTB1 BAS 30S20SA	234	XTB1FCEND	248	XTCA1 72	239	XTR1BCC50	256
XTB1 BAS 30S20SF	232	XTB1LDD	243	XTCA1 96	239	XTR1D1	254
XTB1 BAS 30S24SA	234	XTB1LDD24	243	XTCF 48	239	XTR1D2	254
XTB1 BAS 30S24SF	232	XTB1LP	248	XTCF 60	239	XTR1D3	254
XTB1 BAS 30S25SA	234	XTB1LS	245	XTCF 72	239	XTR1D4	254
XTB1 BAS 30S25SF	232	XTB1LS24	245	XTCS1 4714	258	XTR1DA	250, 252
XTB1 BAS 36D10CA	237	XTB1MB	247	XTCS1 4714F	259	XTR1DB	250, 252
XTB1 BAS 36D10CF	235	XTB1RAK	256	XTCS1 4721	258	XTR1DC	252
XTB1 BAS 36D12CA	237	XTB1SB10C	242	XTCS1 4721F	259	XTR1DXO	250, 252
XTB1 BAS 36D12CF	235	XTB1SB10E	242	XTCS1 4814	258	XTR1DYO	250, 252
XTB1 BAS 36D15CA	237	XTB1SB12C	242	XTCS1 4814F	259	XTR1DZO	252
XTB1 BAS 36D15CF	235	XTB1SB12E	242	XTCS1 4821	258	XTR1E30D	249
XTB1 BAS 36D15SA	237	XTB1SB15C	242	XTCS1 4821F	259	XTR1E30S	249
XTB1 BAS 36D15SF	235	XTB1SB15E	242	XTCS1 5914	258	XTR1E424D	249
XTB1 BAS 36D18SA	237	XTB1SB4E	242	XTCS1 5914F	259	XTR1E424S	249
XTB1 BAS 36D18SF	235	XTB1SB5C	242	XTCS1 5921	258	XTR1ECPM	250
XTB1 BAS 36D20SA	237	XTB1SB5E	242	XTCS1 5921F	259	XTR1EE	249, 251, 255
XTB1 BAS 36D20SF	235	XTB1SB6C	242	XTCS1 6014	258	XTR1EJ18	250
XTB1 BAS 36D24CA	237	XTB1SB6E	242	XTCS1 6014F	259	XTR1EJ30	250
XTB1 BAS 36D24CF	235	XTB1SB8C	242	XTCS1 6021	258	XTR1EJ42	250
XTB1 BAS 36D25CA	237	XTB1SB8E	242	XTCS1 6021F	259	XTR1EPH	250
XTB1 BAS 36D25CF	235	XTB1T24	246	XTCS1 7114	258	XTR1EPI	250
XTB1 BAS 36S10CA	238	XTB1TB10C	240	XTCS1 7114F	259	XTR1FE	249, 251, 255
XTB1 BAS 36S10CF	236	XTB1TB10E	240	XTCS1 7121	258	XTR1H30D	255
XTB1 BAS 36S12CA	238	XTB1TB12C	240	XTCS1 7121F	259	XTR1OF	250, 252, 255
XTB1 BAS 36S12CF	236	XTB1TB12E	240	XTCS1 7214	258	XTR1PDCX	250, 252
XTB1 BAS 36S15CA	238	XTB1TB15C	240	XTCS1 7214F	259	XTR1T30D	251
XTB1 BAS 36S15CF	236	XTB1TB15E	240	XTCS1 7221	258	XTR1T30S	251
XTB1 BAS 36S15SA	238	XTB1TB4E	240	XTCS1 7221F	259	XTR1T424D	251
XTB1 BAS 36S15SF	236	XTB1TB5C	240	XTCS1 SBA	260	XTR1T424S	251
XTB1 BAS 36S18SA	238	XTB1TB5E	240	XTCT6030D	256	XTR1TCC25	256
XTB1 BAS 36S18SF	236	XTB1TB6C	240	XTCT6030LD	256	XTR1TCPM	252
XTB1 BAS 36S20SA	238	XTB1TB6E	240	XTCT6036D	256	XTR1TJ18	252
XTB1 BAS 36S20SF	236	XTB1TB8C	240	XTCT6036LD	256	XTR1TJ30	252
XTB1 BAS 36S24SA	238	XTB1TB8E	240	XTCT7230D	256	XTR1TJ42	252
XTB1 BAS 36S24SF	236	XTB1XD30	246	XTCT7230LD	256	XTR1TPH	252
XTB1 BAS 36S25SA	238	XTB1XD30N	246	XTCT7236D	256	XTR1TPI	252
XTB1 BAS 36S25SF	236	XTB1XD36	246	XTCT7236LD	256	XTR1X30D	253
XTB1 SLIK	243	XTB1XD36N	246	XTDT42	256	XTR1X30S	253
XTB1 SLIK30	243	XTB1XDD24	243	XTDTX42	256	XTR1X424D	253
XTB1 SLIK36	243	XTB1XDD30	243	XTES1 2414	267	XTR1X424S	253
XTB1AC	247	XTB1XDD36	243	XTES1 2414F	268	XTR1XCPM	254
XTB1AC24	247	XTB1XS30	246	XTES1 2421	267	XTR1XJ18	254
XTB1ACEND	248	XTB1XS30N	246	XTES1 2421F	268	XTR1XJ30	254
XTB1DB10C	241	XTB1XS36	246	XTES1 3014	267	XTR1XJ42	254
XTB1DB10E	241	XTB1XS36N	246	XTES1 3014F	268	XTR1XPH	254
XTB1DB12C	241	XTB1YDD24	244	XTES1 3021	267	XTR1XPI	254
XTB1DB12E	241	XTB1YDD30	244	XTES1 3021F	268	XTRS1 5414	263
XTB1DB15C	241	XTB1YDD36	244	XTES1 3614	267	XTRS1 5414F	264
XTB1DB15E	241	XTBT18	257	XTES1 3614F	268	XTRS1 5421	263
XTB1DB4E	241	XTBT24	257	XTES1 3621	267	XTRS1 5421F	264
XTB1DB5C	241	XTBT36	257	XTES1 3621F	268	XTRS1 6014	263
XTB1DB5E	241	XTBT48	257	XTES1 4814	265	XTRS1 6014F	264
XTB1DB6C	241	XTBT60	257	XTES1 4814F	266	XTRS1 6021	263

<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>	<i>pattern no.</i>	<i>page</i>
XTRS1 6021F	264	XTTK6036E (L/M/1/2/3)	226	XTHP7230E (L)	225	XTTS9636U (1/2/3)	223
XTRS1 6614	263	XTTK6036F (L/M/1/2/3)	228	XTHP7236A (L)	222	XTWB120	257
XTRS1 6614F	264	XTTK6036U (L/M/1/2/3)	223	XTHP7236B (L)	223	XTWTB	257
XTRS1 6621	263	XTTK7218F (L/M/1/2/3)	228	XTHP7236C (L)	224	XTWTBSLIK	257
XTRS1 6621F	264	XTTK7224A (L/M/1/2/3)	222	XTHP7236D (L)	227	XTWTC	257
XTRS1 7214	263	XTTK7224C (L/M/1/2/3)	224	XTHP7236E (L)	227	XTWTX	257
XTRS1 7214F	264	XTTK7224E (L/M/1/2/3)	225	XTHP9624A (L)	222		
XTRS1 7221	263	XTTK7224U (L/M/1/2/3)	223	XTHP9624B (L)	223		
XTRS1 7221F	264	XTTK7230A (L/M/1/2/3)	222	XTHP9624C (L)	224		
XTRS1 7814	263	XTTK7230C (L/M/1/2/3)	224	XTHP9630A (L)	222		
XTRS1 7814F	264	XTTK7230E (L/M/1/2/3)	225	XTHP9630B (L)	223		
XTRS1 7821	263	XTTK7230U (L/M/1/2/3)	223	XTHP9630C (L)	224		
XTRS1 7821F	264	XTTK7236A (L/M/1/2/3)	222	XTHP9636A (L)	222		
XTSM1C	265, 266	XTTK7236C (L/M/1/2/3)	224	XTHP9636B (L)	223		
XTSM1K	261, 262	XTTK7236D (L/M/1/2/3)	226	XTHP9636C (L)	224		
XTSM1KC	267, 268	XTTK7236E (L/M/1/2/3)	226	XTTS3018F (1/2/3)	228		
XTSM1KK	265, 266	XTTK7236F (L/M/1/2/3)	228	XTTS3618F (1/2/3)	228		
XTSM1P	261, 262, 263, 264, 265, 266	XTTK7236U (L/M/1/2/3)	223	XTTS4218F (1/2/3)	228		
XTSM1PC	267, 268	XTTK8418F (L/M/1/2/3)	228	XTTS4824A (1/2/3)	222		
XTSM1S	261, 262, 263, 264, 265, 266	XTTK8436F (L/M/1/2/3)	228	XTTS4824C (1/2/3)	224		
XTSM1SC	267, 268	XTTK9624A (L/M/1/2/3)	222	XTTS4824E (1/2/3)	225		
XTSM1SLAT	265, 266	XTTK9624C (L/M/1/2/3)	224	XTTS4824U (1/2/3)	223		
XTSS1 2414	261	XTTK9624U (L/M/1/2/3)	223	XTTS4830A (1/2/3)	222		
XTSS1 2414F	262	XTTK9630A (L/M/1/2/3)	222	XTTS4830C (1/2/3)	224		
XTSS1 2421	261	XTTK9630C (L/M/1/2/3)	224	XTTS4830E (1/2/3)	225		
XTSS1 2421F	262	XTTK9630U (L/M/1/2/3)	223	XTTS4830U (1/2/3)	223		
XTSS1 3014	261	XTTK9636A (L/M/1/2/3)	222	XTTS4836A (1/2/3)	222		
XTSS1 3014F	262	XTTK9636C (L/M/1/2/3)	224	XTTS4836C (1/2/3)	224		
XTSS1 3021	261	XTTK9636U (L/M/1/2/3)	223	XTTS4836D (1/2/3)	226		
XTSS1 3021F	262	XTHP3018F (L)	228	XTTS4836E (1/2/3)	226		
XTSS1 3614	261	XTHP3618F (L)	228	XTTS4836U (1/2/3)	223		
XTSS1 3614F	262	XTHP4218F (L)	228	XTTS6024A (1/2/3)	222		
XTSS1 3621	261	XTHP4824A (L)	222	XTTS6024C (1/2/3)	224		
XTSS1 3621F	262	XTHP4824B (L)	223	XTTS6024E (1/2/3)	225		
XTTK3018F (L/M/1/2/3)	228	XTHP4824C (L)	224	XTTS6024U (1/2/3)	223		
XTTK3036F (L/M/1/2/3)	228	XTHP4824E (L)	225	XTTS6030A (1/2/3)	222		
XTTK3618F (L/M/1/2/3)	228	XTHP4830A (L)	222	XTTS6030C (1/2/3)	224		
XTTK3636F (L/M/1/2/3)	228	XTHP4830B (L)	223	XTTS6030E (1/2/3)	225		
XTTK4218F (L/M/1/2/3)	228	XTHP4830C (L)	224	XTTS6030U (1/2/3)	223		
XTTK4236F (L/M/1/2/3)	228	XTHP4830E (L)	225	XTTS6036A (1/2/3)	222		
XTTK4824A (L/M/1/2/3)	222	XTHP4836A (L)	222	XTTS6036C (1/2/3)	224		
XTTK4824C (L/M/1/2/3)	224	XTHP4836B (L)	223	XTTS6036D (1/2/3)	226		
XTTK4824E (L/M/1/2/3)	225	XTHP4836C (L)	224	XTTS6036E (1/2/3)	226		
XTTK4824U (L/M/1/2/3)	223	XTHP4836D (L)	227	XTTS6036U (1/2/3)	223		
XTTK4830A (L/M/1/2/3)	222	XTHP4836E (L)	227	XTTS7224A (1/2/3)	222		
XTTK4830C (L/M/1/2/3)	224	XTHP6024A (L)	222	XTTS7224C (1/2/3)	224		
XTTK4830E (L/M/1/2/3)	225	XTHP6024B (L)	223	XTTS7224E (1/2/3)	225		
XTTK4830U (L/M/1/2/3)	223	XTHP6024C (L)	224	XTTS7224U (1/2/3)	223		
XTTK4836A (L/M/1/2/3)	222	XTHP6024E (L)	225	XTTS7230A (1/2/3)	222		
XTTK4836C (L/M/1/2/3)	224	XTHP6030A (L)	222	XTTS7230C (1/2/3)	224		
XTTK4836D (L/M/1/2/3)	226	XTHP6030B (L)	223	XTTS7230E (1/2/3)	225		
XTTK4836E (L/M/1/2/3)	226	XTHP6030C (L)	224	XTTS7230U (1/2/3)	223		
XTTK4836U (L/M/1/2/3)	223	XTHP6030E (L)	225	XTTS7236A (1/2/3)	222		
XTTK6018F (L/M/1/2/3)	228	XTHP6036A (L)	222	XTTS7236C (1/2/3)	224		
XTTK6024A (L/M/1/2/3)	222	XTHP6036B (L)	223	XTTS7236D (1/2/3)	226		
XTTK6024C (L/M/1/2/3)	224	XTHP6036C (L)	224	XTTS7236E (1/2/3)	226		
XTTK6024E (L/M/1/2/3)	225	XTHP6036D (L)	227	XTTS7236U (1/2/3)	223		
XTTK6024U (L/M/1/2/3)	223	XTHP6036E (L)	227	XTTS9624A (1/2/3)	222		
XTTK6030A (L/M/1/2/3)	222	XTHP7224A (L)	222	XTTS9624C (1/2/3)	224		
XTTK6030C (L/M/1/2/3)	224	XTHP7224B (L)	223	XTTS9624U (1/2/3)	223		
XTTK6030E (L/M/1/2/3)	225	XTHP7224C (L)	224	XTTS9630A (1/2/3)	222		
XTTK6030U (L/M/1/2/3)	223	XTHP7224E (L)	225	XTTS9630C (1/2/3)	224		
XTTK6036A (L/M/1/2/3)	222	XTHP7230A (L)	222	XTTS9630U (1/2/3)	223		
XTTK6036C (L/M/1/2/3)	224	XTHP7230B (L)	223	XTTS9636A (1/2/3)	222		
XTTK6036D (L/M/1/2/3)	226	XTHP7230C (L)	224	XTTS9636C (1/2/3)	224		

Selling Policy

	This Selling Policy supercedes all previous selling policies. Prices, discounts and product offerings are subject to change without notice.
Terms & Conditions of Sales	Sales by Knoll, Inc. or Knoll North America Corp. ("Seller") of Knoll Product Lines (hereinafter "Products") within the United States and Canada are made only on the terms which are contained in this Selling Policy. Seller hereby gives notice of its objection to any different or additional terms and conditions. This sale is expressly conditional upon Purchaser's assent to the terms and conditions set forth below. Additional terms and conditions may apply to KnollStudio and KnollTextiles orders. These terms and conditions may be modified or supplemented only by a written document signed by an authorized representative of Seller. These terms and conditions supercede any prior and/or contemporaneous agreements or correspondence between Purchaser and Seller. Written quotations expire thirty (30) days from the date of issuance and can be withdrawn by written notice anytime during that period. Where Purchaser and Seller have entered into the Knoll Electronic Terms and Conditions, all orders, acknowledgements, invoices and other business communications placed or transmitted in accordance with the Knoll Electronic Terms and Conditions shall be deemed to be in writing and signed and shall be valid for all purposes as if they were originated and maintained in documentary form.
Ordering Information	All orders must be in writing. The product pattern number(s) contained on Seller's order acknowledgement shall be the final expression of the order.
Order Confirmation	A purchase order is not binding on Seller until Purchaser has received Seller's order confirmation or acknowledgment.
Pricing Policies	List prices are subject to change without notice. List prices shall be those prices in effect on the date of receipt of a complete purchase order unless shipment is requested more than ninety (90) days after order entry in which case prices in effect on the date of shipment apply. List prices include specified freight costs. Unless specified in writing by Seller, no other charges are included in Seller's list prices.
Taxes	All sales, use, excise and other taxes applicable to the sale of the Products shall be paid by Purchaser. If Purchaser claims an exemption from any tax, Purchaser shall submit to Seller the appropriate exemption certificates.
Terms of Payment	Payment for one hundred percent (100%) of the net order amount is due within thirty (30) days of the date of invoice, which is issued upon shipment. In case of any discrepancies, such as shortages, and Seller is notified in writing within ten (10) days of receipt of Product, only that portion may be deducted and the balance paid. For orders greater than \$100,000 net, a one-third (1/3) deposit is due at the time of order placement, with the remainder due within thirty (30) days of the date of invoice. KnollStudio orders less than \$2,000 require payment for one hundred percent (100%) of the net order amount (including any applicable sales tax and charges for inside delivery, special packaging, etc.), due at time of order placement. For KnollStudio orders greater than \$2,000, a one-half (50%) deposit is due at time of order placement with the remainder (including any applicable sales tax and charges for inside delivery, special packaging, etc.) due prior to shipment. If, in the judgment of Seller, Purchaser's financial condition does not justify the terms of the payment, Seller may require full or partial payment in advance. Past due accounts shall be charged one and one-half percent (1.5%) per month, or the highest rate permitted by law, whichever is less, and will be added to the outstanding balance. In the event Purchaser defaults on payment, Purchaser shall be liable for all collection costs, including reasonable attorney's fees and costs.
Changes and Cancellation	Purchase orders may not be changed or cancelled, in whole or in part, without prior written consent of Seller. Changes may effect delivery dates. Expenses incurred because of changes shall be charged to Purchaser. In the event of cancellations, Purchaser will be liable for reasonable cancellation charges established by Seller. Orders for special Product, orders including "COM" (hereinafter defined) material and orders pursuant to expedited delivery programs, may not be canceled.
Freight Prepaid	Freight is prepaid and included in the price of all Products, except KnollTextiles, within the 48 contiguous United States for orders placed with Knoll, Inc. and within Canada, excluding the Yukon, Northwest Territories, Nunavut and Newfoundland for orders placed with Knoll North America Corp. Packing is tested for rigorous motion and transportation but is not guaranteed to protect furniture from conditions over which the Seller has no control. If special packaging is required for any reason, please consult with your sales representative or dealer. Seller shall select the method of shipment and routing. All shipments shall be tailgate deliveries. Freight for all KnollTextiles orders is prepaid and added to the invoice.
Delivery/Freight Charges	Shipments outside the contiguous 48 United States and Canada shall be shipped F.O.B. Origin. For shipments outside the contiguous United States and Canada, Purchaser is responsible for the cost of freight from point of embarkation, including any handling and transportation charges incidental to loading at the point of departure and unloading at the final destination. Conditions beyond the control of Seller, including weather, available facilities and traffic conditions, may affect exact time of delivery. Seller shall not be responsible for specific carrier delivery date or time unless it has made a specific delivery commitment, in writing. Nonstandard methods of shipment and/or additional services are available upon request. Purchaser will be billed for the differential cost of any special services in excess of standard surface carrier freight costs. Premium charges, at Purchaser's request, will be added for airfreight, exclusive use of vehicle and extra, export or special packaging. Accessorial charges will be added for inside delivery, extra labor, reconsignment and redelivery. Partial shipments may be made and invoiced by Seller.
Claims	All shipments for all Knoll Products within the contiguous United States and Canada are F.O.B. Origin. Risk of loss passes to Purchaser at time of delivery to carrier. Purchaser shall inspect all Products upon receipt and notify Seller within ten (10) working days after receipt of any damage or defects which are, or should be, apparent from an inspection of the Product and its packaging. Failure of Purchaser to make a claim against carrier or notify Seller during the ten (10) working day period shall constitute acceptance of the Products and waiver of any apparent defects, errors or shortages. Seller will agree to repair or replace Product damaged in shipment if Purchaser has notified Seller of freight damage within ten (10) working days after receipt and assigns its rights against the carrier.
Seller's Security Interest	Until Seller receives the full payment for the Product, Seller shall have a security interest in the Product. Purchaser agrees to perform all acts, including but not limited to the execution and filing of documentation, which may be necessary to perfect and assure the security interest of Seller.
Returns	The return of Products without a written authorization by Seller shall not be accepted. To receive authorization for Product return, please call Customer Service. All Products that are returned pursuant to a valid authorization shall be subject to a twenty-five percent (25%) of list restocking charge. Products not currently offered for sale by Seller (including COM) shall not be authorized for return. All returned Products must be unused, in original condition and in the original Seller packing cartons. No refund or credit shall be given for damaged Products.
Held Orders/Storage	If Purchaser requests that an order be held or delayed, prices and terms and conditions in effect at the time of shipment shall apply. If Purchaser requests a delay after the time when Seller can defer production, Purchaser will be invoiced for the Product, payable in accordance with standard terms, when the order is ready for shipment. Seller may transfer the Product to storage, in which case all expenses incurred in connection with storage, including demurrage, preparation for storage, storage charges and handling shall be payable by Purchaser upon submission of invoices by Seller. Risk of loss to the Product shall pass to the Purchaser upon delivery of the Product into storage.

Selling Policy

Customer's Own Material	A Purchaser who requests a fabric or other surface material not standard to Seller's line of Products ("COM") must submit samples of the requested material to Seller prior to entry of a purchaser order. Seller shall determine if the material is suitable to its manufacturing processes and meets any requirements of Underwriters Laboratories. If the COM is acceptable, Seller will then establish a price for using the COM or the Product in question. For a description of the procedures for submitting samples and testing, contact customer resources or your sales representative. Seller shall have no responsibility for the appearance, condition, performance, durability, colorfastness or any other physical attribute of the COM. Purchaser shall indemnify and hold Seller harmless for any damages, injuries or losses arising out of or related to use of the COM on the Product.
Warranty	Seller warrants to the original Purchaser only that the Products Seller manufactures and sells to Purchaser are free of defects in workmanship and materials, during the applicable warranty period set forth below. Warranty period set forth below for <i>Bulldog</i>, <i>Chadwick</i>, <i>Essentials Work Chairs</i>, <i>Life</i>, <i>Open Up</i>, <i>RPM</i>, <i>Sapper</i> and <i>SoHo</i> seating is for 24-hour, 7 days a week, multi shift use. Should any failure to conform with this limited warranty appear to a Product listed below during the applicable warranty period from the date of shipment, Seller shall, upon prompt written notice, repair or replace, at its option and costs, the affected part or parts. <i>Product and Period of Warranty</i> <i>Lifetime</i>: <i>AutoStrada</i>, <i>Calibre</i>, <i>Crinion Open Table</i>, <i>Currents</i>, <i>Dividends Horizon</i>, <i>Equity</i>, <i>Morrison</i>, <i>Reff</i> laminate, <i>Series 2 Storage</i> and other non-wood components (except cascade edge worksurfaces, operational parts, controls, electrical, <i>Series 2 Veneer Front Storage</i>, special or custom products or other materials specifically called out below, see below) <i>10 Years</i>: <i>AutoStrada</i>, <i>Crinion Open Table</i>, <i>Reff</i> wood components, <i>Series 2 Veneer Front Storage</i>, <i>Wood Casegoods</i> (<i>Magnusson</i>, <i>The Graham Collection</i>), <i>Interaction</i> tables (except height adjustment mechanisms for <i>Counterforce</i>, crank-adjustable, and split-top tables and worksurfaces, see below), <i>Reuter</i> overheads, <i>Reuter</i> vertical storage, <i>Bulldog</i>, <i>Chadwick</i>, <i>Essentials Work Chairs</i>, <i>Life</i>, <i>RPM</i> and <i>Sapper</i> seating structural and operational parts, controls, casters, pneumatic cylinders, seat and back mesh (except seating upholstery, finishes and labor, wood casegoods upholstered surfaces, see below) <i>5 Years</i>: Operational parts, controls, electrical (except light ballasts and bulbs, see below), cascade edge worksurfaces, special or custom product, wood veneer products, <i>A3</i>, <i>Currents</i> handcrank, <i>Interaction Counterforce</i>, <i>Interaction</i> crank-adjustable, and split-top mechanisms, <i>KnollStudio</i>, <i>KnollExtra</i> adjustable keyboard supports, VDT carousel, monitor platform, equipment storage drawers and all universal storage drawers, <i>Open Up</i> and <i>SoHo</i> seating structural and operational parts, controls, pneumatic cylinders (except seating upholstery, finishes and labor, see below) <i>3 Years</i>: Upholstery, finishes and labor to repair the following chairs: <i>Bulldog</i>, <i>Chadwick</i>, <i>Essentials Work Chairs</i>, <i>Life</i>, <i>Open Up</i>, <i>RPM</i>, <i>Sapper</i> and <i>SoHo</i>. <i>2 Years</i>: All other <i>KnollExtra</i> product <i>1 Year</i>: Light ballasts and bulbs, seating upholstered arm pads and soft arm pads, wood casegoods upholstered surfaces. This warranty does not apply to: • Damage caused by a carrier other than the Seller. • Normal wear and tear or acts or omissions of parties other than Seller (including user modification). • COM or other third party materials applied to Products. • Products not installed by or under the auspices of a certified dealer of Seller. • Dramatic temperature variations or exposure to unusual conditions. • Except as specifically noted above, textiles and upholstery supplied by <i>KnollTextiles</i> (consult current <i>KnollTextiles</i> price list for applicable warranty). Natural variations occurring in wood, marble, and leather shall not be considered defects, and the Seller does not guarantee the colorfastness or matching of the colors, grains or textures, or surface hardness of such materials. The Seller also does not guarantee the colorfastness of fiberglass panel surfaces. THE EXPRESS WARRANTIES CONTAINED HEREIN ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PARTICULAR PURPOSE AND ALL OTHER WARRANTIES ARISING FROM COURSE OF DEALING OR USAGE OF TRADE. The remedies provided above are the Purchaser's sole remedies for any failure of Seller to comply with its obligations regarding the workmanship of its Products. Correction of any nonconformity in the manner and for the period of time provided shall constitute complete fulfillment of all liabilities of Seller, with respect to or arising out of the Product furnished hereunder.
Delay/Force Majeure	Seller shall not be liable for failure to perform or for delay in performance due to fire, flood, strike or other labor difficulty, act of God, act of any governmental authority or of the Purchaser, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations, or due to any cause beyond its reasonable control. If any such event occurs, Seller may extend delivery dates by a period of time necessary to overcome the effect of such delay, allocate available Product or cancel any purchase order.
Compliance with Law	PURCHASER IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS, ORDINANCES, REGULATIONS, RULES AND STANDARDS RELATING TO THE INSTALLATION, MAINTENANCE, USE AND OPERATION OF THE PRODUCTS.
Patents	Subject to the following provisions, Seller shall, at its own expense, defend or, at its option, settle any claim, suit or proceeding brought against the Purchaser, and/or its vendees, mediate and immediate, so far as based on an allegation that any Product or any part thereof furnished hereunder constitutes a direct or a contributory infringement of any claim of any patent of the United States or Canada. This obligation shall be effective only if Purchaser shall have made all payments then due hereunder and if Seller is notified promptly in writing and given authority, information and assistance for the defense of said claim, suit or proceeding. Seller shall pay all damages and costs awarded in such suit or proceedings so defended. The foregoing indemnity does not apply to the following: • Products supplied according to a design other than that of Seller, and which is required by the Purchaser. • Combination of the Product with another product not furnished hereunder unless Seller is a contributory infringer. • Any settlements of a suit or proceeding made without Seller's written consent.
Limitations of Liability	SELLER, ITS CONTRACTORS, AUTHORIZED DEALERS AND SUBCONTRACTORS OR SUPPLIERS OF ANY TIER SHALL NOT BE LIABLE TO PURCHASER FOR ANY SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING FROM A BREACH OF THIS AGREEMENT. Purchaser's remedies set forth herein are exclusive and the liability of Seller with respect to the breach of this agreement or any contract entered into between the parties pursuant hereto shall not exceed the price of the Product or part on which such liability is based.

KnollKey Lock Program

KnollKey Lock Program General Information

Following is the KnollKey lock policy, applicable to all products.

Key-alike

For the convenience of the user, furniture may be keyed alike at no charge. Write "Key-alike" in the description of your purchase order for any pedestal, overhead, file or other item you wish to have keyed alike.

Using the key-alike instructions, order cores and keys as line items on your purchase order. Do NOT submit a key-alike form. The Knoll East Greenville Lock Center will select key numbers from the standard range of K 001 - K 250. Key numbers will not be repeated unless over 250 sets are ordered. Lock cores keyed-alike will ship separately from the product, ready for field installation.

There is no charge for key-alike orders if placed with the furniture order.

IF THE KEY-ALIKE ORDER IS NOT PLACED AT LEAST TWO WEEKS PRIOR TO THE FURNITURE SHIP DATE, A \$50 HANDLING CHARGE AND AIR FREIGHT CHARGES WILL APPLY.

If product is ordered and shipped random-keyed, additional lock cores for key-alike are billable.

Random-Keying

To specify product keyed-random, write "key-random" in the product description. Random-keyed product is shipped with the lock core factory installed. A shrouded key is included. Random means no effort has been made to match key numbers, or to make them different.

Keys

A Knoll shrouded key is shipped with every lock core. 250 Key numbers are available. For numbers above 250, contact Custom Product Development. Additional keys and key blanks are available. See service parts for more information.

Master Keying

Knoll locks can be controlled by means of a master key. There is no additional per-lock charge for master keying. A letter of approval from the client must accompany orders for master keys.

Installing Lock Cores

Lock cores can be installed or removed in the field by using a change key. Cores must be in the unlocked position to be removed. See service parts for change key pattern number and pricing.


Lock Distribution

All orders for key-alike lock cores/keys are packaged and shipped from the East Greenville Lock Center, regardless of where the pedestals, overhead, or other units are produced. Random keyed product will have cores factory-installed.

How to Specify Key-Alike

Following is an example of how to specify key-alike for a cluster of 10 workstations.

Step 1 - Using the project floorplan, count the number of locks in each workstation.



Step 2 - Count the number of workstations with the same quantity of locks. Group together the workstations with a like number of locks.

5 workstations with 2 locks per station
3 workstations with 4 locks per station
2 workstations with 5 locks per station

Step 3 - For the first group (5 sets of 2 locks), enter the number of workstations in the quantity column.

Qty	Pattern #	Description	Unit List	Ext. List
5				

Step 4 - Then enter the pattern number "KSPEC_ _" and add a suffix for the number of locks for that group (i.e., for 2 locks per station, add the suffix "2"). Up to 30 lock cores are available in a set (i.e., KSPEC 30).

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C

Step 5 - Repeat for other groups.

Qty	Pattern #	Description	Unit List	Ext. List
5	KSPEC 2	Set of 2 cores/keys	N / C	N / C
3	KSPEC 4	Set of 4 cores/keys	N / C	N / C
2	KSPEC 5	Set of 5 cores/keys	N / C	N / C

Your Key instructions are complete.

Knoll will select key numbers for each set from 250 available numbers. Additional key numbers are available through Custom Product Development. **For additions to existing installations, specify desired key numbers in the description.**

Service Parts

Pattern #	Description	List Price
KKEY_ _ _	Shrouded Key Specify key number desired	\$5
KBLANK	Shrouded Key Blank	\$5
KSPECB_ _ _	Retrofit Universal Core/Key Specify key number desired	\$18
KCHANGE	Change Key	\$5
KMASTER*	Master Key	\$5

*Note: A letter of approval on company letterhead from the client must accompany all orders for master keys.

General Ordering Information

The Products

This guide encompasses all standard products for this product group.

Sizes

Dimensions listed in this guide are indicated as:

H = height

W = width

D = depth

Dia. = diameter

Rad. = radius

Pricing

All prices shown are list.

How to Order

Select pattern numbers and quantities required for your complete installation. Product questions can be addressed in the specific sections of this guide or by contacting your sales representative or customer resource representative at 1-800-343-5665.

Next, select options (if required), along with colors and finishes appropriate to each product. Reference the Finishes and Fabrics pages for color designations.

On large installations, an item's "designated area" can be specified to assist in product organization and handling.

To expedite complete / correct entry of your order, be certain all pattern numbers, quantities, colors and area identifications are completely specified. Also, include complete purchase order numbers, bill-to and ship-to addresses, a contact name and specific factory shipping dates required.

Mail all orders to:

Knoll, Inc.
1235 Water Street
P.O. Box 157
East Greenville, PA 18041
Attention: Order Entry

Once your order is entered at Knoll, an acknowledgment will be mailed to you. You will be advised of your scheduled shipping date within five days of the original acknowledgment. If it is necessary to revise your order, please contact your customer resource representative.

Sustainability Statement

Sustainable design is a key component of Knoll's environmental focus. Our commitment to social responsibility and a healthy environment has prompted us to further articulate our longstanding environmental programs and, with encouragement and support from our colleagues in the industry, we have re-energized our focus on such "green" initiatives as life cycle analysis and LEED™ certification. Knoll is proud to have contributed to projects that have received LEED certification from the U.S. Green Building Council.

For the latest information on Knoll products that help our customers achieve LEED certification, log on to knoll.com, click on "About Knoll" and then "Environmental Focus."

Knoll, Inc.
P.O. Box 157
1235 Water Street
East Greenville, PA 18041

knoll.com

PLATS0207 © Knoll, Inc. All rights reserved.
Printed in the United States on paper that contains
50% recycled content and 15% post consumer waste.